VITAL STATISTICS OF THE UNITED STATES

1972

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE

PUBLIC HEALTH SERVICE

HEALTH RESOURCES ADMINISTRATION
NATIONAL CENTER FOR HEALTH STATISTICS

Rockville, Maryland: 1975
(HRA) 75-1115

NATIONAL CENTER FOR HEALTH STATISTICS

EDWARD B. PERRIN, Ph.D., *Director*

PHILIP S. LAWRENCE, Sc.D., *Deputy Director*
GAIL F. FISHER, *Associate Director for the Cooperative Health Statistics System*
ELIJAH L. WHITE, *Associate Director for Data Systems*
IWAO M. MORIYAMA, Ph.D., *Associate Director for International Statistics*
EDWARD E. MINTY, *Associate Director for Management*
ROBERT A. ISRAEL, *Associate Director for Operations*
QUENTIN R. REMEIN, *Associate Director for Program Development*
ALICE HAYWOOD, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Acting Director*
T. N. E. GREVILLE, Ph.D., *Actuarial Adviser*
ROBERT J. ARMSTRONG, M.S., *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, M.A., *Chief, Natality Statistics Branch*
ALICE M. HETZEL, *Chief, Marriage and Divorce Statistics Branch*
LOREN E. CHANCELLOR, *Chief, Registration Methods Branch*
WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*
MARVIN C. TEMPLETON, *Chief, Data Control Branch*
MICHAEL J. ZUGZDA, *Chief, Statistical Resources Branch*
RITA U. HOFFMAN, *Chief, Programming Branch*

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402 - Price $16.30
Stock Number 017-022-00386-4

VITAL STATISTICS OF THE UNITED STATES, 1972
VOLUME II—MORTALITY

PART B

Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

A complete contents page for Section 7 is on page 7-1. Sections 1 through 6 are in Part A of Volume II of *Vital Statistics of the United States, 1972*. Section 6, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

Guide to tables in Section 7

[All data are for deaths occurring in the United States during 1972. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE: 7	-2	-75	-93	-111	-150	-168	-474	-484	-520
Geographic area:									
Counties	1[1]								9
Metropolitan and nonmetropolitan counties		2	3						9
Specified urban places	1								9
Standard metropolitan statistical areas				4				8	
States	1[1]	2	3			6	7[2]		9
United States	1	2	3		5		7		9
Population-size groups		2							9
Type of entry:									
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Fetal-death ratios (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Characteristics:									
Age:									
5-year age groups					5	6			
10-year age groups			3	4					
Cause of death:									
34 selected causes									9
69 selected causes					5	6	7	8	
Color		2	3	4	5	6			
Race	1								
Sex			3	4	5	6			

[1]Deaths by place of occurrence and place of residence.
[2]Deaths by place of occurrence.

Section 7. Geographic Detail for Mortality

Table		Page
7-1.	Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1972	7-2
7-2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1972	7-75
7-3.	Deaths by age, color, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1972	7-93
7-4.	Deaths by age, color, and sex, for standard metropolitan statistical areas of the United States: 1972	7-111
7-5.	Deaths from 69 selected causes, by age, color, and sex: United States, 1972	7-150
7-6.	Deaths from 69 selected causes, by age, color, and sex: Each State, 1972	7-168
7-7.	Deaths from 69 selected causes by State of occurrence: United States and each State, 1972	7-474
7-8.	Deaths from 69 selected causes for standard metropolitan statistical areas of the United States: 1972	7-484
7-9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1972	7-520

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.5	0.0
Figure does not meet standards of reliability or precision	*

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Negro" are shown separately for those counties and urban places in which the 1970 populations for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
UNITED STATES	1,966,902	1,963,944	60,182	44,432	41,380
WHITE	1,723,334	1,721,468	43,460	32,844	29,611
ALL OTHER	242,668	242,476	16,722	11,588	11,769
NEGRO	228,506	228,450	15,738	10,984	10,915
ALABAMA	34,448	34,572	1,406	982	1,033
WHITE	23,872	23,980	706	538	520
ALL OTHER	10,576	10,592	700	444	513
NEGRO	10,564	10,580	698	444	512
AUTAUGA	166	206	14	8	10
WHITE	126	142	6	4	5
ALL OTHER	40	64	8	4	5
NEGRO	40	64	8	4	5
PRATTVILLE	---	78	4	2	3
WHITE	---	64	4	2	3
ALL OTHER	---	14	-	-	-
NEGRO	---	14	-	-	-
BALANCE OF COUNTY	---	128	10	6	7
WHITE	---	78	2	2	2
ALL OTHER	---	50	8	4	5
NEGRO	---	50	8	4	5
BALDWIN	516	592	32	24	16
WHITE	398	474	18	18	10
ALL OTHER	118	118	14	6	6
NEGRO	118	118	14	6	6
BARBOUR	250	314	14	14	11
WHITE	126	178	6	6	4
ALL OTHER	124	136	8	8	7
NEGRO	124	136	8	8	7
BIBB	84	168	2	-	5
WHITE	62	128	-	-	1
ALL OTHER	22	40	2	-	4
NEGRO	22	40	2	-	4
BLOUNT	188	252	6	6	6
BULLOCK	102	152	12	8	5
WHITE	50	56	-	-	-
ALL OTHER	52	96	12	8	5
NEGRO	52	96	12	8	5
BUTLER	250	282	4	2	13
WHITE	146	164	-	-	4
ALL OTHER	104	118	4	2	9
NEGRO	104	118	4	2	9
CALHOUN	800	908	40	22	23
WHITE	614	718	28	20	11
ALL OTHER	186	190	12	2	12
NEGRO	186	190	12	2	12
ANNISTON	---	416	14	6	13
WHITE	---	270	4	4	2
ALL OTHER	---	146	10	2	11
NEGRO	---	146	10	2	11
BALANCE OF COUNTY	---	492	26	16	10
CHAMBERS	382	446	20	16	16
WHITE	268	318	8	6	7
ALL OTHER	114	128	12	10	9
NEGRO	112	126	12	10	9
CHEROKEE	136	156	2	2	4
CHILTON	260	326	14	12	11
WHITE	228	294	10	10	8
ALL OTHER	32	32	4	2	3
NEGRO	32	32	4	2	3
CHOCTAW	168	194	16	10	8
WHITE	80	100	4	2	4
ALL OTHER	88	94	12	8	4
NEGRO	88	94	12	8	4
CLARKE	234	246	10	6	8
WHITE	128	144	2	2	2
ALL OTHER	106	102	8	4	6
NEGRO	106	102	8	4	6
CLAY	142	166	2	-	3
WHITE	132	152	2	-	3
ALL OTHER	10	14	-	-	-
NEGRO	10	14	-	-	-
CLEBURNE	62	112	2	-	1
COFFEE	268	308	14	12	10
WHITE	218	254	6	6	6
ALL OTHER	50	54	8	6	4
NEGRO	50	54	8	6	4
ENTERPRISE	---	112	4	4	7
WHITE	---	76	2	2	5
ALL OTHER	---	36	2	2	2
NEGRO	---	36	2	2	2
BALANCE OF COUNTY	---	196	10	8	3
WHITE	---	178	4	4	1
ALL OTHER	---	18	6	4	2
NEGRO	---	18	6	4	2
ALABAMA--CON.					
COLBERT	496	532	24	16	7
WHITE	354	424	18	12	4
ALL OTHER	102	108	6	4	3
NEGRO	102	108	6	4	3
SHEFFIELD	---	156	8	8	2
WHITE	---	120	6	6	1
ALL OTHER	---	36	2	2	1
NEGRO	---	36	2	2	1
BALANCE OF COUNTY	---	376	16	8	5
WHITE	---	304	12	6	3
ALL OTHER	---	72	4	2	2
NEGRO	---	72	4	2	2
CONECUH	114	194	8	8	7
WHITE	54	108	2	2	2
ALL OTHER	60	86	6	6	5
NEGRO	60	86	6	6	5
COOSA	38	102	4	4	4
WHITE	20	62	2	2	2
ALL OTHER	18	40	2	2	2
NEGRO	18	40	2	2	2
COVINGTON	482	436	20	16	7
WHITE	388	360	14	12	5
ALL OTHER	94	76	6	4	2
NEGRO	94	76	6	4	2
ANDALUSIA	---	114	4	2	3
WHITE	---	90	4	2	3
ALL OTHER	---	24	-	-	-
NEGRO	---	24	-	-	-
BALANCE OF COUNTY	---	322	16	14	4
WHITE	---	270	10	10	2
ALL OTHER	---	52	6	4	2
NEGRO	---	52	6	4	2
CRENSHAW	136	182	10	8	4
WHITE	102	136	2	2	1
ALL OTHER	34	46	8	6	3
NEGRO	34	46	8	6	3
CULLMAN	420	482	20	14	14
CULLMAN	---	178	8	6	3
BALANCE OF COUNTY	---	304	12	8	11
DALE	268	298	32	22	16
WHITE	214	244	20	12	15
ALL OTHER	54	54	12	10	1
NEGRO	54	54	12	10	1
OZARK	---	96	8	6	1
WHITE	---	70	4	2	1
ALL OTHER	---	26	4	4	-
NEGRO	---	26	4	4	-
BALANCE OF COUNTY	---	202	24	16	15
WHITE	---	174	16	10	14
ALL OTHER	---	28	8	6	1
NEGRO	---	28	8	6	1
DALLAS	650	560	30	24	28
WHITE	256	212	10	10	5
ALL OTHER	394	348	20	14	23
NEGRO	392	346	20	14	23
SELMA	---	328	14	14	11
WHITE	---	140	8	8	2
ALL OTHER	---	188	6	6	9
NEGRO	---	186	6	6	9
BALANCE OF COUNTY	---	232	16	10	17
WHITE	---	72	2	2	3
ALL OTHER	---	160	14	8	14
NEGRO	---	160	14	8	14
DE KALB	352	446	18	14	11
ELMORE	262	372	12	8	11
WHITE	162	246	2	2	3
ALL OTHER	100	126	10	6	8
NEGRO	100	126	10	6	8
ESCAMBIA	400	386	24	20	10
WHITE	242	246	10	10	6
ALL OTHER	158	140	14	10	4
NEGRO	158	140	14	10	4
ETOWAH	1,020	966	44	22	29
WHITE	854	794	30	20	19
ALL OTHER	166	172	14	2	10
NEGRO	166	172	14	2	10
GADSDEN	---	628	22	8	22
WHITE	---	476	8	6	12
ALL OTHER	---	152	14	2	10
NEGRO	---	152	14	2	10
BALANCE OF COUNTY	---	338	22	14	7
FAYETTE	140	166	6	4	3
WHITE	122	146	6	4	2
ALL OTHER	18	20	-	-	1
NEGRO	18	20	-	-	1
FRANKLIN	258	296	4	4	12

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ALABAMA—CON.					
GENEVA	192	264	2	2	3
WHITE	172	240	-	-	3
ALL OTHER	20	24	2	2	-
NEGRO	20	24	2	2	-
GREENE	116	146	4	-	4
WHITE	22	28	-	-	-
ALL OTHER	94	118	4	-	4
NEGRO	94	118	4	-	4
HALE	150	180	8	4	9
WHITE	38	60	-	-	3
ALL OTHER	112	120	8	4	6
NEGRO	112	120	8	4	6
HENRY	104	166	12	8	5
WHITE	56	94	-	-	1
ALL OTHER	48	72	12	8	4
NEGRO	48	72	12	8	4
HOUSTON	690	554	34	18	17
WHITE	492	384	10	8	9
ALL OTHER	198	170	24	10	8
NEGRO	198	170	24	10	8
DOTHAN	---	350	26	10	7
WHITE	---	232	6	4	3
ALL OTHER	---	118	20	6	4
NEGRO	---	118	20	6	4
BALANCE OF COUNTY	---	204	8	8	10
WHITE	---	152	4	4	6
ALL OTHER	---	52	4	4	4
NEGRO	---	52	4	4	4
JACKSON	434	494	14	12	16
JEFFERSON	7,686	6,644	168	132	154
WHITE	5,026	4,152	108	88	72
ALL OTHER	2,660	2,492	60	44	82
NEGRO	2,660	2,492	60	44	81
BESSEMER	---	538	4	2	13
WHITE	---	224	2	-	3
ALL OTHER	---	314	2	2	10
NEGRO	---	314	2	2	10
BIRMINGHAM	---	4,296	112	88	94
WHITE	---	2,570	68	56	42
ALL OTHER	---	1,726	44	32	52
NEGRO	---	1,726	44	32	52
FAIRFIELD	---	154	2	2	4
WHITE	---	58	-	-	2
ALL OTHER	---	96	2	2	2
NEGRO	---	96	2	2	2
HOMEWOOD	---	38	2	2	2
MOUNTAIN BROOK	---	24	-	-	-
BALANCE OF COUNTY	---	1,594	48	38	41
WHITE	---	1,252	36	30	24
ALL OTHER	---	342	12	8	17
NEGRO	---	342	12	8	16
LAMAR	146	184	12	10	4
WHITE	134	166	12	10	3
ALL OTHER	12	18	-	-	1
NEGRO	12	18	-	-	1
LAUDERDALE	628	606	8	8	4
WHITE	556	540	8	8	4
ALL OTHER	72	66	-	-	-
NEGRO	72	66	-	-	-
FLORENCE	---	338	4	4	3
WHITE	---	292	4	4	3
ALL OTHER	---	46	-	-	-
NEGRO	---	46	-	-	-
BALANCE OF COUNTY	---	268	4	4	1
LAWRENCE	206	262	20	10	9
WHITE	162	206	12	4	4
ALL OTHER	44	56	8	6	5
NEGRO	44	56	8	6	5
LEE	390	380	16	6	12
WHITE	242	214	6	4	6
ALL OTHER	148	166	10	2	6
NEGRO	148	164	10	2	6
AUBURN	---	90	-	-	5
WHITE	---	48	-	-	3
ALL OTHER	---	42	-	-	2
NEGRO	---	40	-	-	2
OPELIKA	---	160	6	2	6
WHITE	---	96	2	2	2
ALL OTHER	---	64	4	-	4
NEGRO	---	64	4	-	4
BALANCE OF COUNTY	---	130	10	4	1
WHITE	---	70	4	2	1
ALL OTHER	---	60	6	2	-
NEGRO	---	60	6	2	-
ALABAMA—CON.					
LIMESTONE	328	354	12	6	14
WHITE	270	290	4	2	12
ALL OTHER	58	64	8	4	2
NEGRO	58	64	8	4	2
ATHENS	---	138	-	-	2
WHITE	---	112	-	-	2
ALL OTHER	---	26	-	-	-
NEGRO	---	26	-	-	-
BALANCE OF COUNTY	---	216	12	6	12
WHITE	---	178	4	2	10
ALL OTHER	---	38	8	4	2
NEGRO	---	38	8	4	2
LOWNDES	62	154	12	10	10
WHITE	20	54	-	-	-
ALL OTHER	42	100	12	10	10
NEGRO	42	100	12	10	10
MACON	626	290	30	20	8
WHITE	170	48	-	-	1
ALL OTHER	456	242	30	20	7
NEGRO	454	242	30	20	7
TUSKEGEE	---	130	18	12	4
WHITE	---	22	-	-	-
ALL OTHER	---	108	18	12	4
NEGRO	---	108	18	12	4
BALANCE OF COUNTY	---	160	12	8	4
WHITE	---	26	-	-	1
ALL OTHER	---	134	12	8	3
NEGRO	---	134	12	8	3
MADISON	1,184	1,162	56	34	47
WHITE	920	894	34	20	33
ALL OTHER	264	268	22	14	14
NEGRO	264	268	22	14	14
HUNTSVILLE	---	798	40	24	32
WHITE	---	610	24	14	23
ALL OTHER	---	188	16	10	9
NEGRO	---	188	16	10	9
BALANCE OF COUNTY	---	364	16	10	15
WHITE	---	284	10	6	10
ALL OTHER	---	80	6	4	5
NEGRO	---	80	6	4	5
MARENGO	262	296	20	14	21
WHITE	96	128	6	4	4
ALL OTHER	166	168	14	10	17
NEGRO	164	166	12	10	17
MARION	208	254	2	2	9
MARSHALL	580	600	10	6	17
MOBILE	3,208	2,986	112	88	68
WHITE	2,056	1,876	62	52	30
ALL OTHER	1,152	1,110	50	36	38
NEGRO	1,150	1,108	50	36	38
MOBILE	---	2,000	78	60	37
WHITE	---	1,210	36	30	14
ALL OTHER	---	790	42	30	23
NEGRO	---	788	42	30	23
PRICHARD	---	274	10	8	10
WHITE	---	104	6	6	4
ALL OTHER	---	170	4	2	6
NEGRO	---	170	4	2	6
BALANCE OF COUNTY	---	712	24	20	21
WHITE	---	562	20	16	12
ALL OTHER	---	150	4	4	9
NEGRO	---	150	4	4	9
MONROE	176	202	10	6	5
WHITE	100	100	-	-	-
ALL OTHER	76	102	10	6	5
NEGRO	76	102	10	6	5
MONTGOMERY	2,104	1,780	88	56	72
WHITE	1,256	990	28	20	22
ALL OTHER	848	790	60	36	50
NEGRO	848	790	60	36	50
MONTGOMERY	---	1,560	78	52	64
WHITE	---	922	28	20	21
ALL OTHER	---	638	50	32	43
NEGRO	---	638	50	32	43
BALANCE OF COUNTY	---	220	10	4	8
WHITE	---	68	-	-	1
ALL OTHER	---	152	10	4	7
NEGRO	---	152	10	4	7
MORGAN	702	710	28	22	17
DECATUR	---	344	16	12	7
WHITE	---	262	12	10	5
ALL OTHER	---	82	4	2	2
NEGRO	---	82	4	2	2
BALANCE OF COUNTY	---	366	12	10	10

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ALABAMA--CON.					
PERRY	110	162	14	12	7
WHITE	58	70	-	-	2
ALL OTHER	52	92	14	12	5
NEGRO	52	92	14	12	5
PICKENS	170	228	8	4	6
WHITE	86	118	-	-	-
ALL OTHER	84	110	8	4	6
NEGRO	84	110	8	4	6
PIKE	224	276	12	8	9
WHITE	120	154	2	2	3
ALL OTHER	104	122	10	6	6
NEGRO	104	122	10	6	6
TROY	—	114	2	2	3
WHITE	—	52	-	-	1
ALL OTHER	—	62	2	2	2
NEGRO	—	62	2	2	2
BALANCE OF COUNTY	—	162	10	6	6
WHITE	—	102	2	2	2
ALL OTHER	—	60	8	4	4
NEGRO	—	60	8	4	4
RANDOLPH	190	248	6	2	8
WHITE	118	180	2	2	8
ALL OTHER	72	68	4	-	-
NEGRO	70	68	4	-	-
RUSSELL	458	520	26	20	14
WHITE	260	280	6	6	4
ALL OTHER	198	240	20	14	10
NEGRO	198	240	20	14	10
PHENIX CITY	—	298	10	10	8
WHITE	—	188	4	4	2
ALL OTHER	—	110	6	6	6
NEGRO	—	110	6	6	6
BALANCE OF COUNTY	—	222	16	10	6
WHITE	—	92	2	2	2
ALL OTHER	—	130	14	8	4
NEGRO	—	130	14	8	4
ST. CLAIR	226	328	16	16	11
WHITE	180	278	6	6	7
ALL OTHER	46	50	10	10	4
NEGRO	46	50	10	10	4
SHELBY	292	366	18	16	19
WHITE	232	296	6	6	11
ALL OTHER	60	70	12	10	8
NEGRO	60	70	12	10	8
SUMTER	152	224	10	10	5
WHITE	36	76	-	-	-
ALL OTHER	116	148	10	10	5
NEGRO	116	148	10	10	5
TALLADEGA	616	682	42	28	19
WHITE	442	484	28	18	9
ALL OTHER	174	198	14	10	10
NEGRO	174	198	14	10	10
SYLACAUGA	—	188	12	10	3
WHITE	—	142	6	4	3
ALL OTHER	—	46	6	6	-
NEGRO	—	46	6	6	-
TALLADEGA	—	190	12	8	5
WHITE	—	130	6	4	3
ALL OTHER	—	60	6	4	2
NEGRO	—	60	6	4	2
BALANCE OF COUNTY	—	304	18	10	11
WHITE	—	212	16	10	3
ALL OTHER	—	92	2	-	8
NEGRO	—	92	2	-	8
TALLAPOOSA	454	380	16	8	22
WHITE	300	258	6	2	7
ALL OTHER	154	122	10	6	15
NEGRO	154	120	10	6	15
ALEXANDER CITY	—	104	8	8	5
WHITE	—	64	2	2	2
ALL OTHER	—	40	6	6	3
NEGRO	—	40	6	6	3
BALANCE OF COUNTY	—	276	8	-	17
WHITE	—	194	4	-	5
ALL OTHER	—	82	4	-	12
NEGRO	—	80	4	-	12
TUSCALOOSA	1,356	984	36	22	30
WHITE	906	620	10	10	12
ALL OTHER	450	364	26	12	18
NEGRO	450	364	26	12	18
TUSCALOOSA	—	562	20	12	18
WHITE	—	316	6	6	7
ALL OTHER	—	246	14	6	11
NEGRO	—	246	14	6	11
BALANCE OF COUNTY	—	422	16	10	12
WHITE	—	304	4	4	5
ALL OTHER	—	118	12	6	7
NEGRO	—	118	12	6	7

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ALABAMA—CON.					
WALKER	564	726	28	14	16
JASPER	—	132	6	2	4
WHITE	—	120	6	2	2
ALL OTHER	—	12	-	-	2
NEGRO	—	12	-	-	2
BALANCE OF COUNTY	—	594	22	12	12
WASHINGTON	72	138	10	6	9
WHITE	52	106	-	-	3
ALL OTHER	20	32	10	6	6
NEGRO	20	32	10	6	6
WILCOX	116	188	8	2	12
WHITE	40	52	-	-	1
ALL OTHER	76	136	8	2	11
NEGRO	76	136	8	2	11
WINSTON	182	208	18	14	8
ALASKA[1]	1,410	1,440	126	76	60
WHITE	950	980	86	54	31
ALL OTHER	460	460	40	22	29
NEGRO	26	24	8	6	4
DIST. 1, PRINCE OF WALES	10	16	-	-	-
WHITE	6	8	-	-	-
ALL OTHER	4	8	-	-	-
NEGRO	-	-	-	-	-
DIST. 2, KETCHIKAN	84	94	8	2	1
WHITE	42	52	4	2	-
ALL OTHER	42	42	4	-	1
NEGRO	-	-	-	-	-
DIST. 3, WRANGELL-PETERSBURG	40	46	2	2	2
WHITE	28	30	-	-	-
ALL OTHER	12	16	2	2	2
NEGRO	-	-	-	-	-
DIST. 4, SITKA	66	34	6	2	2
WHITE	42	26	4	-	-
ALL OTHER	24	8	2	2	2
NEGRO	-	-	-	-	-
DIST. 5, JUNEAU	88	104	10	6	3
WHITE	76	88	8	6	3
ALL OTHER	12	16	2	-	-
NEGRO	-	-	-	-	-
DIST. 6, LYNN CANAL-ICY STRAITS	12	24	2	-	-
WHITE	12	10	-	-	-
ALL OTHER	-	14	2	-	-
NEGRO	-	-	-	-	-
DIST. 7, CORDOVA-MC CARTHY	16	24	-	-	1
WHITE	14	20	-	-	1
ALL OTHER	2	4	-	-	-
NEGRO	-	-	-	-	-
DIST. 8, VALDEZ-CHITTINA-WHITTIER	20	10	2	2	-
WHITE	18	6	2	2	-
ALL OTHER	2	4	-	-	-
NEGRO	-	-	-	-	-
DIST. 9, PALMER-WASILLA-TALKEETNA	50	38	4	-	-
DIST. 10, ANCHORAGE	526	484	56	40	24
WHITE	408	420	46	32	18
ALL OTHER	118	64	10	8	6
NEGRO	14	14	4	4	3
ANCHORAGE	—	256	30	20	9
WHITE	—	212	22	14	5
ALL OTHER	—	44	8	6	4
NEGRO	—	10	2	2	3
BALANCE OF DISTRICT	—	228	26	20	15
DIST. 11, SEWARD	34	26	-	-	-
WHITE	26	20	-	-	-
ALL OTHER	8	6	-	-	-
NEGRO	-	-	-	-	-
DIST. 12, KENAI-COOK INLET	44	58	2	-	3
DIST. 13, KODIAK	36	36	-	-	-
WHITE	10	12	-	-	-
ALL OTHER	26	24	-	-	-
NEGRO	2	-	-	-	-
DIST. 14, ALEUTIAN ISLANDS	14	20	2	2	1
WHITE	4	6	-	-	-
ALL OTHER	10	14	2	2	1
NEGRO	-	-	-	-	-
DIST. 15, BRISTOL BAY	28	36	2	-	-
WHITE	-	-	-	-	-
ALL OTHER	28	36	2	-	-
NEGRO	-	-	-	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ALASKA--CON.					
DIST. 16, BETHEL	40	44	2	2	4
WHITE	6	4	-	-	-
ALL OTHER	34	40	2	2	4
NEGRO	-	-	-	-	-
DIST. 17, KUSKOKWIM	14	24	-	-	3
WHITE	6	4	-	-	-
ALL OTHER	8	20	-	-	3
NEGRO	-	-	-	-	-
DIST. 18, YUKON-KOYUKUK	20	32	2	2	2
WHITE	4	10	-	-	-
ALL OTHER	16	22	2	2	2
NEGRO	-	-	-	-	-
DIST. 19, FAIRBANKS	178	180	20	14	8
FAIRBANKS	---	114	8	6	2
WHITE	---	96	6	6	1
ALL OTHER	---	18	2	-	1
NEGRO	---	6	2	-	1
BALANCE OF DISTRICT	---	66	12	8	6
DIST. 20, UPPER YUKON	10	10	-	-	-
WHITE	6	4	-	-	-
ALL OTHER	4	6	-	-	-
NEGRO	-	-	-	-	-
DIST. 21, BARROW	12	14	2	-	2
WHITE	4	4	-	-	-
ALL OTHER	8	10	2	-	2
NEGRO	-	-	-	-	-
DIST. 22, KOBUK	24	28	2	2	1
WHITE	-	-	-	-	-
ALL OTHER	24	28	2	2	1
NEGRO	-	-	-	-	-
DIST. 23, NOME	36	50	-	-	1
WHITE	10	12	-	-	-
ALL OTHER	26	38	-	-	1
NEGRO	2	2	-	-	-
DIST. 24, WADE HAMPTON	8	8	2	-	2
WHITE	-	-	-	-	-
ALL OTHER	8	8	2	-	2
NEGRO	-	-	-	-	-
ARIZONA	16,122	15,810	640	418	400
WHITE	14,742	14,342	494	342	325
ALL OTHER	1,380	1,468	146	76	75
NEGRO	516	514	44	28	26
APACHE	222	266	20	18	14
WHITE	38	46	4	4	3
ALL OTHER	184	220	16	14	11
NEGRO	4	-	-	-	-
COCHISE	466	558	28	24	21
DOUGLAS	---	114	6	6	3
BALANCE OF COUNTY	---	444	22	18	18
COCONINO	300	278	46	14	5
WHITE	198	176	20	8	2
ALL OTHER	102	102	26	6	3
NEGRO	4	6	-	-	1
FLAGSTAFF	---	102	14	4	2
WHITE	---	86	14	4	1
ALL OTHER	---	16	-	-	1
NEGRO	---	4	-	-	1
BALANCE OF COUNTY	---	176	32	10	3
WHITE	---	90	6	4	1
ALL OTHER	---	86	26	6	2
NEGRO	---	2	-	-	-
GILA	274	294	14	8	6
WHITE	240	246	10	6	4
ALL OTHER	34	48	4	2	2
NEGRO	4	4	-	-	-
GRAHAM	112	146	2	-	7
WHITE	94	126	2	-	5
ALL OTHER	18	20	-	-	2
NEGRO	-	-	-	-	-
GREENLEE	58	56	2	2	1
MARICOPA	8,774	8,352	276	198	198
WHITE	8,220	7,874	228	162	171
ALL OTHER	554	478	48	36	27
NEGRO	306	324	34	26	18
CHANDLER	---	108	4	2	3
GLENDALE	---	324	20	16	14
MESA	---	638	16	10	15
PHOENIX	---	5,068	182	132	117
WHITE	---	4,716	138	98	97
ALL OTHER	---	352	44	34	20
NEGRO	---	284	30	24	15
SCOTTSDALE	---	494	6	6	7
TEMPE	---	292	20	12	13
BALANCE OF COUNTY	---	1,428	28	20	29

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ARIZONA--CON.					
MOHAVE	270	274	10	4	7
NAVAJO	272	384	30	18	17
WHITE	172	202	12	10	2
ALL OTHER	100	182	18	8	15
NEGRO	2	4	-	-	1
PIMA	3,606	3,346	124	84	75
WHITE	3,404	3,144	104	78	67
ALL OTHER	202	202	20	6	8
NEGRO	106	94	4	-	4
TUCSON	---	2,888	98	68	57
WHITE	---	2,778	94	68	52
ALL OTHER	---	110	4	-	5
NEGRO	---	90	4	-	4
BALANCE OF COUNTY	---	458	26	16	18
PINAL	480	588	40	18	24
WHITE	392	484	34	18	23
ALL OTHER	88	104	6	-	1
NEGRO	32	22	2	-	-
CASA GRANDE	---	68	4	-	5
BALANCE OF COUNTY	---	520	36	18	19
WHITE	---	422	32	18	18
ALL OTHER	---	98	4	-	1
NEGRO	---	16	-	-	-
SANTA CRUZ	98	124	10	6	4
YAVAPAI	650	594	18	14	7
PRESCOTT	---	288	2	2	3
BALANCE OF COUNTY	---	306	16	12	4
YUMA	540	550	20	10	14
YUMA	---	330	12	6	7
BALANCE OF COUNTY	---	220	8	4	7
WHITE	---	192	8	4	3
ALL OTHER	---	28	-	-	4
NEGRO	---	8	-	-	-
ARKANSAS	21,656	21,798	594	438	423
WHITE	17,416	17,424	430	322	253
ALL OTHER	4,240	4,374	164	116	170
NEGRO	4,208	4,360	164	116	169
ARKANSAS	334	300	6	6	7
WHITE	274	246	4	4	4
ALL OTHER	60	54	2	2	3
NEGRO	60	54	2	2	3
STUTTGART	---	98	4	4	1
WHITE	---	74	2	2	-
ALL OTHER	---	24	2	2	1
NEGRO	---	24	2	2	1
BALANCE OF COUNTY	---	202	2	2	6
WHITE	---	172	2	2	4
ALL OTHER	---	30	-	-	2
NEGRO	---	30	-	-	2
ASHLEY	196	248	6	4	4
WHITE	114	156	6	4	1
ALL OTHER	82	92	-	-	3
NEGRO	82	92	-	-	3
BAXTER	222	260	4	4	3
BENTON	758	720	14	8	12
ROGERS	---	166	4	2	4
SPRINGDALE, PART	---	-	-	-	-
BALANCE OF COUNTY	---	554	10	6	8
BOONE	322	222	8	6	-
BRADLEY	154	176	-	-	1
WHITE	126	134	-	-	-
ALL OTHER	28	42	-	-	1
NEGRO	28	42	-	-	1
CALHOUN	44	70	2	2	-
WHITE	36	52	-	-	-
ALL OTHER	8	18	2	2	-
NEGRO	8	18	2	2	-
CARROLL	140	194	4	2	1
CHICOT	224	242	12	4	6
WHITE	84	80	4	-	1
ALL OTHER	140	162	8	4	5
NEGRO	140	162	8	4	5
CLARK	196	228	2	2	4
WHITE	146	162	-	-	3
ALL OTHER	50	66	2	2	1
NEGRO	50	66	2	2	1
CLAY	174	308	-	-	5
CLEBURNE	156	178	2	2	2
CLEVELAND	62	94	4	2	-
WHITE	44	80	2	2	-
ALL OTHER	18	14	2	-	-
NEGRO	18	14	2	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ARKANSAS—CON.					
COLUMBIA	250	296	2	2	3
WHITE	164	192	2	2	1
ALL OTHER	86	104	-	-	2
NEGRO	86	104	-	-	2
MAGNOLIA	---	108	-	-	-
WHITE	---	74	-	-	-
ALL OTHER	---	34	-	-	-
NEGRO	---	34	-	-	-
BALANCE OF COUNTY	---	188	2	2	3
WHITE	---	118	2	2	1
ALL OTHER	---	70	-	-	2
NEGRO	---	70	-	-	2
CONWAY	158	184	6	2	6
WHITE	120	132	4	2	4
ALL OTHER	38	52	2	-	2
NEGRO	38	52	2	-	2
CRAIGHEAD	590	478	12	8	5
JONESBORO	---	252	12	8	1
BALANCE OF COUNTY	---	226	-	-	4
CRAWFORD	188	266	6	2	9
CRITTENDEN	354	434	32	26	14
WHITE	172	180	16	12	1
ALL OTHER	182	254	16	14	13
NEGRO	182	254	16	14	13
WEST MEMPHIS	---	186	18	16	6
WHITE	---	96	10	8	1
ALL OTHER	---	90	8	8	5
NEGRO	---	90	8	8	5
BALANCE OF COUNTY	---	248	14	10	8
WHITE	---	84	6	4	-
ALL OTHER	---	164	8	6	8
NEGRO	---	164	8	6	8
CROSS	148	180	8	4	3
WHITE	100	140	8	4	2
ALL OTHER	48	40	-	-	1
NEGRO	48	40	-	-	1
DALLAS	138	120	2	-	4
WHITE	82	66	-	-	1
ALL OTHER	56	54	2	-	3
NEGRO	56	54	2	-	3
DESHA	250	254	10	8	13
WHITE	114	108	6	6	4
ALL OTHER	136	146	4	2	9
NEGRO	136	146	4	2	9
DREW	146	170	6	4	-
WHITE	92	108	-	-	-
ALL OTHER	54	62	6	4	-
NEGRO	54	62	6	4	-
FAULKNER	266	258	10	6	5
CONWAY	---	110	4	4	1
BALANCE OF COUNTY	---	148	6	2	4
WHITE	---	130	4	2	4
ALL OTHER	---	18	2	-	-
NEGRO	---	18	2	-	-
FRANKLIN	162	148	2	2	2
FULTON	168	122	6	6	2
GARLAND	922	874	10	8	15
HOT SPRINGS	---	688	4	2	9
WHITE	---	604	2	2	4
ALL OTHER	---	84	2	-	5
NEGRO	---	84	2	-	5
BALANCE OF COUNTY	---	186	6	6	6
GRANT	58	104	6	4	2
GREENE	362	324	8	8	6
PARAGOULD	---	196	6	6	5
BALANCE OF COUNTY	---	128	2	2	1
HEMPSTEAD	230	258	6	2	4
WHITE	162	178	2	2	2
ALL OTHER	68	80	4	-	2
NEGRO	68	80	4	-	2
HOT SPRING	236	264	8	4	13
WHITE	208	240	6	4	11
ALL OTHER	28	24	2	-	2
NEGRO	28	24	2	-	2
HOWARD	182	172	4	4	7
WHITE	146	148	-	-	3
ALL OTHER	36	24	4	4	4
NEGRO	36	24	4	4	4
INDEPENDENCE	262	260	12	8	1
IZARD	76	114	2	2	1
JACKSON	248	270	2	-	7
WHITE	210	222	2	-	5
ALL OTHER	38	48	-	-	2
NEGRO	38	48	-	-	2
ARKANSAS—CON.					
JEFFERSON	802	854	24	18	19
WHITE	438	440	10	6	7
ALL OTHER	364	414	14	12	12
NEGRO	364	414	14	12	12
PINE BLUFF	---	642	14	12	15
WHITE	---	342	6	4	5
ALL OTHER	---	300	8	8	10
NEGRO	---	300	8	8	10
BALANCE OF COUNTY	---	212	10	6	4
WHITE	---	98	4	2	2
ALL OTHER	---	114	6	4	2
NEGRO	---	114	6	4	2
JOHNSON	130	204	-	-	-
LAFAYETTE	106	128	-	-	3
WHITE	54	68	-	-	1
ALL OTHER	52	60	-	-	2
NEGRO	52	60	-	-	2
LAWRENCE	188	234	4	2	3
LEE	144	188	4	2	10
WHITE	36	64	2	2	1
ALL OTHER	108	124	2	-	9
NEGRO	108	124	2	-	9
LINCOLN	76	122	6	4	3
WHITE	38	68	4	2	1
ALL OTHER	38	54	2	2	2
NEGRO	38	54	2	2	2
LITTLE RIVER	92	132	4	2	4
WHITE	58	88	2	2	1
ALL OTHER	34	44	2	-	3
NEGRO	34	44	2	-	3
LOGAN	186	224	4	2	2
LONOKE	168	290	16	16	7
WHITE	118	236	10	10	1
ALL OTHER	50	54	6	6	6
NEGRO	50	54	6	6	6
MADISON	98	120	6	6	-
MARION	106	134	2	2	1
MILLER	402	394	10	8	7
WHITE	306	288	6	6	4
ALL OTHER	96	106	4	2	3
NEGRO	96	106	4	2	3
TEXARKANA[2]	---	246	4	2	6
WHITE	---	176	2	2	3
ALL OTHER	---	70	2	-	3
NEGRO	---	70	2	-	3
BALANCE OF COUNTY	---	148	6	6	1
WHITE	---	112	4	4	1
ALL OTHER	---	36	2	2	-
NEGRO	---	36	2	2	-
MISSISSIPPI	538	606	20	18	20
WHITE	372	428	14	12	13
ALL OTHER	166	178	6	6	7
NEGRO	166	178	6	6	7
BLYTHEVILLE	---	214	2	2	5
WHITE	---	136	-	-	2
ALL OTHER	---	78	2	2	3
NEGRO	---	78	2	2	3
BALANCE OF COUNTY	---	392	18	16	15
WHITE	---	292	14	12	11
ALL OTHER	---	100	4	4	4
NEGRO	---	100	4	4	4
MONROE	126	186	6	6	4
WHITE	58	96	4	4	1
ALL OTHER	68	90	2	2	3
NEGRO	66	88	2	2	3
MONTGOMERY	26	72	2	2	1
NEVADA	148	152	6	4	1
WHITE	112	112	2	2	1
ALL OTHER	36	40	4	2	-
NEGRO	36	40	4	2	-
NEWTON	36	80	-	-	1
OUACHITA	364	386	2	2	7
WHITE	228	254	-	-	2
ALL OTHER	136	132	2	2	5
NEGRO	136	132	2	2	5
CAMDEN	---	204	-	-	4
WHITE	---	132	-	-	2
ALL OTHER	---	72	-	-	2
NEGRO	---	72	-	-	2
BALANCE OF COUNTY	---	182	2	2	3
WHITE	---	122	-	-	-
ALL OTHER	---	60	2	2	3
NEGRO	---	60	2	2	3
PERRY	28	56	-	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ARKANSAS—CON.					
PHILLIPS	388	420	12	8	9
WHITE	154	166	6	6	–
ALL OTHER	234	254	6	2	9
NEGRO	234	254	6	2	9
HELENA	---	140	2	2	2
WHITE	---	48	2	2	–
ALL OTHER	---	92	–	–	2
NEGRO	---	92	–	–	2
WEST HELENA	---	104	–	–	1
WHITE	---	64	–	–	–
ALL OTHER	---	40	–	–	1
NEGRO	---	40	–	–	1
BALANCE OF COUNTY	---	176	10	6	6
WHITE	---	54	4	4	–
ALL OTHER	---	122	6	2	6
NEGRO	---	122	6	2	6
PIKE	126	146	2	2	1
POINSETT	120	284	2	–	2
POLK	156	202	4	4	4
POPE	288	298	8	6	6
RUSSELLVILLE	---	118	2	–	3
BALANCE OF COUNTY	---	180	6	6	3
PRAIRIE	50	104	–	–	2
WHITE	40	90	–	–	1
ALL OTHER	10	14	–	–	1
NEGRO	10	14	–	–	1
PULASKI	3,992	2,818	122	92	60
WHITE	3,024	2,108	82	58	33
ALL OTHER	968	710	40	34	27
NEGRO	964	708	40	34	27
JACKSONVILLE	---	130	22	20	3
LITTLE ROCK	---	1,596	64	52	31
WHITE	---	1,176	34	26	12
ALL OTHER	---	420	30	26	19
NEGRO	---	418	30	26	19
NORTH LITTLE ROCK	---	734	22	12	13
WHITE	---	572	18	10	8
ALL OTHER	---	162	4	2	5
NEGRO	---	162	4	2	5
BALANCE OF COUNTY	---	358	14	8	13
WHITE	---	242	10	4	10
ALL OTHER	---	116	4	4	3
NEGRO	---	116	4	4	3
RANDOLPH	122	146	–	–	1
ST. FRANCIS	290	334	4	4	15
WHITE	134	148	2	2	5
ALL OTHER	156	186	2	2	10
NEGRO	156	186	2	2	10
FORREST CITY	---	168	2	2	4
WHITE	---	78	–	–	2
ALL OTHER	---	90	2	2	2
NEGRO	---	90	2	2	2
BALANCE OF COUNTY	---	166	2	2	11
WHITE	---	70	2	2	3
ALL OTHER	---	96	–	–	8
NEGRO	---	96	–	–	8
SALINE	316	304	12	8	7
BENTON	---	148	6	6	6
BALANCE OF COUNTY	---	156	6	2	1
SCOTT	66	100	–	–	–
SEARCY	40	98	4	4	–
SEBASTIAN	1,120	774	22	16	11
FORT SMITH	---	620	22	16	9
BALANCE OF COUNTY	---	154	–	–	2
SEVIER	224	176	8	6	1
SHARP	32	98	2	2	2
STONE	60	74	–	–	1
UNION	590	592	10	10	10
WHITE	396	396	8	8	5
ALL OTHER	194	196	2	2	5
NEGRO	190	192	2	2	5
EL DORADO	---	352	8	8	8
WHITE	---	240	8	8	5
ALL OTHER	---	112	–	–	3
NEGRO	---	108	–	–	3
BALANCE OF COUNTY	---	240	2	2	2
WHITE	---	156	–	–	–
ALL OTHER	---	84	2	2	2
NEGRO	---	84	2	2	2
VAN BUREN	88	106	2	2	1
WASHINGTON	848	658	18	16	16
FAYETTEVILLE	---	168	4	4	5
SPRINGDALE, PART	---	176	8	6	5
SPRINGDALE, TOTAL	---	176	8	6	5
BALANCE OF COUNTY	---	314	6	6	6
WHITE	350	408	12	6	5

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ARKANSAS—CON.					
WOODRUFF	58	112	6	4	4
WHITE	28	62	2	–	2
ALL OTHER	30	50	4	4	2
NEGRO	30	50	4	4	2
YELL	192	194	4	2	5
CALIFORNIA	170,162	169,984	4,794	3,472	3,061
WHITE	156,392	156,206	3,876	2,852	2,496
ALL OTHER	13,770	13,778	918	620	565
NEGRO	10,716	10,732	782	538	436
ALAMEDA	9,392	9,408	260	212	157
WHITE	7,934	7,912	154	128	103
ALL OTHER	1,458	1,496	106	84	54
NEGRO	1,256	1,294	102	80	46
ALAMEDA	---	542	22	14	10
ALBANY	---	170	2	2	5
WHITE	---	166	2	2	4
ALL OTHER	---	4	–	–	1
NEGRO	---	2	–	–	1
BERKELEY	---	954	18	12	12
WHITE	---	712	8	6	7
ALL OTHER	---	242	10	6	5
NEGRO	---	202	10	6	4
FREMONT	---	504	26	24	8
HAYWARD	---	768	16	12	18
LIVERMORE	---	212	2	2	7
NEWARK	---	112	8	8	4
OAKLAND	---	4,342	126	104	69
WHITE	---	3,192	34	30	23
ALL OTHER	---	1,150	92	74	46
NEGRO	---	1,054	92	74	40
PIEDMONT	---	110	2	2	1
PLEASANTON	---	118	6	6	2
SAN LEANDRO	---	736	14	12	6
UNION CITY	---	84	4	2	4
BALANCE OF COUNTY	---	756	14	12	11
ALPINE	6	8	–	–	–
WHITE	6	6	–	–	–
ALL OTHER	–	2	–	–	–
NEGRO	–	–	–	–	–
AMADOR	122	120	–	–	1
BUTTE	1,272	1,252	18	10	13
CHICO	---	188	10	8	6
BALANCE OF COUNTY	---	1,064	8	2	7
CALAVERAS	156	152	2	2	4
COLUSA	144	140	2	2	4
CONTRA COSTA	3,852	3,970	118	84	69
WHITE	3,522	3,646	94	64	53
ALL OTHER	330	324	24	20	16
NEGRO	294	284	24	20	13
ANTIOCH	---	232	10	6	6
CONCORD	---	438	20	18	6
EL CERRITO	---	208	6	2	2
WHITE	---	194	4	2	2
ALL OTHER	---	14	2	–	–
NEGRO	---	8	2	–	–
LAFAYETTE	---	148	2	2	1
MARTINEZ	---	146	6	6	–
PINOLE	---	62	2	–	3
PITTSBURG	---	200	10	6	4
WHITE	---	164	8	4	3
ALL OTHER	---	36	2	2	1
NEGRO	---	32	2	2	1
PLEASANT HILL	---	146	–	–	7
RICHMOND	---	786	24	20	20
WHITE	---	548	6	4	6
ALL OTHER	---	238	18	16	14
NEGRO	---	228	18	16	12
SAN PABLO	---	232	4	2	6
WALNUT CREEK	---	498	10	4	3
BALANCE OF COUNTY	---	874	24	18	11
DEL NORTE	180	172	8	6	1
EL DORADO	382	384	8	4	6
SOUTH LAKE TAHOE	---	88	4	–	2
BALANCE OF COUNTY	---	296	4	4	4
FRESNO	3,812	3,578	128	84	99
WHITE	3,470	3,252	110	76	90
ALL OTHER	342	326	18	8	9
NEGRO	260	250	18	8	7
CLOVIS	---	120	6	6	3
FRESNO	---	1,660	56	38	35
WHITE	---	1,456	42	32	29
ALL OTHER	---	204	14	6	6
NEGRO	---	178	14	6	6

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
CALIFORNIA--CON.					
FRESNO--CON.					
SANGER	---	78	2	2	5
BALANCE OF COUNTY	---	1,720	64	38	56
WHITE	---	1,600	60	36	53
ALL OTHER	---	120	4	2	3
NEGRO	---	70	4	2	1
GLENN	126	180	6	4	1
HUMBOLDT	856	912	26	14	24
EUREKA	---	314	6	4	5
BALANCE OF COUNTY	---	598	20	10	19
IMPERIAL	632	674	24	20	20
BRAWLEY	---	140	8	6	6
CALEXICO	---	68	-	-	6
EL CENTRO	---	158	2	2	1
BALANCE OF COUNTY	---	308	14	12	7
INYO	216	188	4	2	3
KERN	2,714	2,806	90	64	72
WHITE	2,488	2,594	76	56	66
ALL OTHER	226	212	14	8	6
NEGRO	176	172	14	8	5
BAKERSFIELD	---	742	16	12	20
WHITE	---	610	10	8	18
ALL OTHER	---	132	6	4	2
NEGRO	---	124	6	4	1
DELANO	---	134	4	2	4
WHITE	---	112	4	2	4
ALL OTHER	---	22	-	-	-
NEGRO	---	-	-	-	-
BALANCE OF COUNTY	---	1,930	70	50	48
WHITE	---	1,872	62	46	44
ALL OTHER	---	58	8	4	4
NEGRO	---	48	8	4	4
KINGS	448	470	30	22	17
HANFORD	---	168	4	4	7
BALANCE OF COUNTY	---	302	26	18	10
LAKE	344	396	-	-	6
LASSEN	120	142	10	8	1
LOS ANGELES	61,944	61,378	1,648	1,188	1,103
WHITE	55,154	54,546	1,190	872	819
ALL OTHER	6,790	6,832	458	316	284
NEGRO	5,834	5,880	396	282	239
ALHAMBRA	---	788	12	12	7
ARCADIA	---	434	2	2	4
ARTESIA	---	112	8	6	1
AZUSA	---	248	16	14	4
BALDWIN PARK	---	326	16	14	12
BELL	---	252	8	4	4
BELLFLOWER	---	486	12	8	5
BELL GARDENS	---	228	18	14	6
BEVERLY HILLS	---	432	2	2	1
BURBANK	---	866	4	4	3
CARSON	---	304	16	8	15
WHITE	---	258	8	4	6
ALL OTHER	---	46	8	4	9
NEGRO	---	34	6	4	7
CERRITOS	---	98	12	8	8
CLAREMONT	---	196	-	-	-
COMMERCE	---	44	-	-	3
COMPTON	---	536	36	20	33
WHITE	---	222	8	-	8
ALL OTHER	---	314	28	20	25
NEGRO	---	306	28	20	23
COVINA	---	268	6	4	1
CUDAHY	---	124	12	8	4
CULVER CITY	---	302	6	4	2
DOWNEY	---	678	20	16	15
DUARTE	---	142	4	4	2
EL MONTE	---	616	26	16	10
EL SEGUNDO	---	84	2	2	2
GARDENA	---	444	12	8	7
WHITE	---	386	10	8	5
ALL OTHER	---	58	2	-	2
NEGRO	---	18	2	-	-
GLENDALE	---	1,560	12	12	15
GLENDORA	---	208	2	2	4
HAWTHORNE	---	388	10	6	9
HERMOSA BEACH	---	108	-	-	1
HUNTINGTON PARK	---	536	20	14	7
INGLEWOOD	---	860	22	12	19
WHITE	---	796	16	6	13
ALL OTHER	---	64	6	6	6
NEGRO	---	56	6	6	6
LAKEWOOD	---	422	10	6	13
LA MIRADA	---	172	4	2	5
LA PUENTE	---	204	8	4	9
LA VERNE	---	138	2	2	1
LAWNDALE	---	192	12	8	7
CALIFORNIA--CON.					
LOS ANGELES--CON.					
LOMITA	---	160	-	-	4
LONG BEACH	---	4,388	64	50	39
WHITE	---	4,238	56	44	28
ALL OTHER	---	150	8	6	11
NEGRO	---	122	6	6	8
LOS ANGELES	---	26,702	766	544	479
WHITE	---	21,596	438	320	303
ALL OTHER	---	5,106	328	224	176
NEGRO	---	4,512	286	198	154
LYNWOOD	---	386	4	2	5
MANHATTAN BEACH	---	150	2	2	1
MAYWOOD	---	160	4	2	4
MONROVIA	---	330	6	4	4
WHITE	---	294	2	2	4
ALL OTHER	---	36	4	2	-
NEGRO	---	36	4	2	-
MONTEBELLO	---	328	10	10	7
MONTEREY PARK	---	380	14	10	6
WHITE	---	356	12	8	5
ALL OTHER	---	24	2	2	1
NEGRO	---	-	-	-	-
NORWALK	---	408	20	12	17
PALOS VERDES ESTATES	---	58	-	-	-
PARAMOUNT	---	278	8	2	9
PASADENA	---	1,476	28	24	19
WHITE	---	1,260	14	10	12
ALL OTHER	---	216	14	14	7
NEGRO	---	198	12	12	7
PICO RIVERA	---	362	10	6	12
POMONA	---	694	26	20	14
WHITE	---	636	16	12	13
ALL OTHER	---	58	10	8	1
NEGRO	---	52	10	8	1
REDONDO BEACH	---	448	24	18	7
ROSEMEAD	---	328	12	6	5
SAN DIMAS	---	100	-	-	-
SAN FERNANDO	---	194	4	4	3
SAN GABRIEL	---	382	6	6	3
SAN MARINO	---	82	-	-	1
SANTA FE SPRINGS	---	78	6	4	4
SANTA MONICA	---	1,120	8	6	11
SIERRA MADRE	---	112	4	4	1
SOUTH EL MONTE	---	66	6	6	2
SOUTH GATE	---	656	16	14	6
SOUTH PASADENA	---	214	6	4	2
TEMPLE CITY	---	280	-	-	1
TORRANCE	---	812	16	16	17
WEST COVINA	---	296	10	4	8
WHITTIER	---	714	12	6	11
BALANCE OF COUNTY	---	6,440	204	156	162
WHITE	---	5,936	174	138	133
ALL OTHER	---	504	30	18	29
NEGRO	---	416	26	18	24
MADERA	412	490	20	12	5
MADERA	---	184	2	-	3
WHITE	---	160	-	-	3
ALL OTHER	---	24	2	-	-
NEGRO	---	22	2	-	-
BALANCE OF COUNTY	---	306	18	12	2
MARIN	1,518	1,468	26	14	26
LARKSPUR	---	52	2	-	-
MILL VALLEY	---	174	2	2	4
NOVATO	---	154	4	2	6
SAN ANSELMO	---	156	2	2	3
SAN RAFAEL	---	364	6	2	5
BALANCE OF COUNTY	---	568	10	6	8
MARIPOSA	74	78	2	2	3
MENDOCINO	536	544	8	4	16
UKIAH	---	120	2	2	-
BALANCE OF COUNTY	---	424	6	2	16
MERCED	686	808	50	42	17
ATWATER	---	48	-	-	1
WHITE	---	44	-	-	1
ALL OTHER	---	4	-	-	-
NEGRO	---	4	-	-	-
MERCED	---	234	14	14	4
WHITE	---	212	10	10	4
ALL OTHER	---	22	4	4	-
NEGRO	---	20	4	4	-
BALANCE OF COUNTY	---	526	36	28	12
MODOC	70	78	2	2	1
MONO	30	26	-	-	1
MONTEREY	1,734	1,826	90	76	35
WHITE	1,590	1,674	82	70	34
ALL OTHER	144	152	8	6	1
NEGRO	70	84	6	6	1

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
CALIFORNIA--CON.					
MONTEREY--CON.					
MONTEREY	---	232	12	12	4
PACIFIC GROVE	---	180	-	-	2
SALINAS	---	492	26	18	12
SEASIDE	---	140	12	12	2
WHITE	---	86	8	8	2
ALL OTHER	---	54	4	4	-
NEGRO	---	50	4	4	-
BALANCE OF COUNTY	---	782	40	34	15
NAPA	988	886	20	12	16
NAPA	---	532	16	8	11
BALANCE OF COUNTY	---	354	4	4	5
NEVADA	360	340	-	-	2
ORANGE	8,868	9,556	328	246	218
WHITE	8,748	9,442	310	230	208
ALL OTHER	120	114	18	16	10
NEGRO	64	58	12	10	6
ANAHEIM	---	1,106	50	36	33
BREA	---	120	6	6	8
BUENA PARK	---	364	14	8	6
COSTA MESA	---	534	12	6	12
CYPRESS	---	120	8	6	7
FOUNTAIN VALLEY	---	112	10	10	9
FULLERTON	---	496	14	10	15
GARDEN GROVE	---	674	22	18	18
HUNTINGTON BEACH	---	638	26	20	15
LAGUNA BEACH	---	210	2	2	3
LA HABRA	---	260	14	10	4
LOS ALAMITOS	---	70	-	-	1
NEWPORT BEACH	---	378	8	4	5
ORANGE	---	476	6	4	6
PLACENTIA	---	84	4	4	3
SAN CLEMENTE	---	200	10	6	2
SANTA ANA	---	1,152	76	58	31
WHITE	---	1,120	68	52	27
ALL OTHER	---	32	8	6	4
NEGRO	---	30	8	6	4
SEAL BEACH	---	486	2	2	2
STANTON	---	126	2	2	4
TUSTIN	---	132	6	4	3
WESTMINSTER	---	270	12	12	7
YORBA LINDA	---	72	4	4	1
BALANCE OF COUNTY	---	1,476	20	14	23
PLACER	808	804	16	12	8
ROSEVILLE	---	232	6	4	2
BALANCE OF COUNTY	---	572	10	8	6
PLUMAS	128	142	4	4	2
RIVERSIDE	4,638	4,854	118	96	84
WHITE	4,410	4,602	104	88	76
ALL OTHER	228	252	14	8	8
NEGRO	196	214	12	8	6
BANNING	---	170	-	-	-
WHITE	---	164	-	-	-
ALL OTHER	---	6	-	-	-
NEGRO	---	4	-	-	-
CORONA	---	170	12	12	7
HEMET	---	364	6	6	1
INDIO	---	166	6	2	8
NORCO	---	62	6	4	2
PALM SPRINGS	---	338	-	-	2
RIVERSIDE	---	1,042	32	26	20
BALANCE OF COUNTY	---	2,542	56	46	44
WHITE	---	2,386	52	44	40
ALL OTHER	---	156	4	2	4
NEGRO	---	126	2	2	3
SACRAMENTO	5,150	5,008	144	104	91
WHITE	4,742	4,594	114	82	77
ALL OTHER	408	414	30	22	14
NEGRO	256	260	24	20	11
SACRAMENTO	---	3,060	74	52	36
WHITE	---	2,710	52	34	23
ALL OTHER	---	350	22	18	13
NEGRO	---	238	18	16	10
BALANCE OF COUNTY	---	1,948	70	52	55
WHITE	---	1,884	62	48	54
ALL OTHER	---	64	8	4	1
NEGRO	---	22	6	4	1
SAN BENITO	154	172	8	4	6
SAN BERNARDINO	5,906	5,696	192	136	99
WHITE	5,652	5,466	178	126	92
ALL OTHER	254	230	14	10	7
NEGRO	224	204	12	10	6
BARSTOW	---	98	-	-	5
WHITE	---	88	-	-	4
ALL OTHER	---	10	-	-	1
NEGRO	---	6	-	-	1
CALIFORNIA--CON.					
SAN BERNARDINO--CON.					
CHINO	---	116	6	6	1
COLTON	---	172	12	8	3
FONTANA	---	212	2	2	-
MONTCLAIR	---	130	4	2	2
ONTARIO	---	488	22	18	6
REDLANDS	---	326	14	12	2
RIALTO	---	154	10	8	3
SAN BERNARDINO	---	1,034	30	20	17
WHITE	---	922	20	12	16
ALL OTHER	---	112	10	8	1
NEGRO	---	110	10	8	1
UPLAND	---	266	4	2	9
VICTORVILLE	---	82	2	2	4
BALANCE OF COUNTY	---	2,618	86	56	47
WHITE	---	2,550	86	56	43
ALL OTHER	---	68	-	-	4
NEGRO	---	54	-	-	4
SAN DIEGO	11,134	10,806	370	266	204
WHITE	10,622	10,312	322	236	164
ALL OTHER	512	494	48	30	40
NEGRO	386	368	28	16	26
CARLSBAD	---	148	4	-	2
CHULA VISTA	---	550	12	10	10
CORONADO	---	118	-	-	4
EL CAJON	---	486	20	18	3
ESCONDIDO	---	382	8	6	5
IMPERIAL BEACH	---	116	12	8	9
LA MESA	---	344	8	6	4
NATIONAL CITY	---	320	18	12	14
WHITE	---	304	14	10	10
ALL OTHER	---	16	4	2	4
NEGRO	---	-	-	-	1
OCEANSIDE	---	338	14	8	13
SAN DIEGO	---	5,498	184	124	98
WHITE	---	5,094	146	102	69
ALL OTHER	---	404	38	22	29
NEGRO	---	338	26	14	22
VISTA	---	294	12	12	3
BALANCE OF COUNTY	---	2,212	78	62	39
WHITE	---	2,168	74	58	36
ALL OTHER	---	44	4	4	3
NEGRO	---	16	-	-	2
SAN FRANCISCO, CODE. WITH SAN FRANCISCO CITY	9,466	9,058	136	82	81
WHITE	8,108	7,746	70	48	37
ALL OTHER	1,358	1,312	66	34	44
NEGRO	788	742	50	20	28
SAN JOAQUIN	2,740	2,808	68	38	41
WHITE	2,460	2,516	54	30	33
ALL OTHER	280	292	14	8	8
NEGRO	134	144	10	4	5
LODI	---	310	4	4	4
MANTECA	---	98	8	6	3
STOCKTON	---	1,208	28	16	18
WHITE	---	992	16	8	13
ALL OTHER	---	216	12	8	5
NEGRO	---	108	8	4	4
TRACY	---	120	-	-	1
BALANCE OF COUNTY	---	1,072	28	12	15
WHITE	---	1,004	26	12	14
ALL OTHER	---	68	2	-	1
NEGRO	---	30	2	-	1
SAN LUIS OBISPO	1,008	1,020	12	10	12
SAN LUIS OBISPO	---	232	6	4	4
BALANCE OF COUNTY	---	788	6	6	8
SAN MATEO	3,708	4,066	76	52	59
WHITE	3,558	3,852	60	46	46
ALL OTHER	150	214	16	6	13
NEGRO	92	156	14	6	7
BELMONT	---	150	2	2	2
BURLINGAME	---	310	2	2	-
DALY CITY	---	444	12	6	8
WHITE	---	420	12	6	6
ALL OTHER	---	24	-	-	2
NEGRO	---	12	-	-	-
MENLO PARK	---	320	6	4	4
WHITE	---	296	2	2	3
ALL OTHER	---	24	4	2	1
NEGRO	---	22	4	2	1
MILLBRAE	---	110	-	-	1
PACIFICA	---	178	10	4	4
REDWOOD CITY	---	492	8	8	11
SAN BRUNO	---	212	10	8	3
SAN CARLOS	---	236	-	-	1
SAN MATEO	---	622	6	4	12

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
CALIFORNIA--CON.					
SAN MATEO--CON.					
SOUTH SAN FRANCISCO..	---	292	4	4	5
BALANCE OF COUNTY....	---	700	16	10	8
WHITE.....	---	606	8	8	4
ALL OTHER.	---	94	8	2	4
NEGRO..	---	80	8	2	4
SANTA BARBARA.....	2,008	1,994	62	54	31
WHITE.....	1,928	1,914	58	50	31
ALL OTHER.	80	80	4	4	-
NEGRO..	50	52	4	4	-
LOMPOC.....	---	108	8	8	2
SANTA BARBARA.....	---	1,010	14	12	8
SANTA MARIA.....	---	226	10	10	7
BALANCE OF COUNTY....	---	650	30	24	14
SANTA CLARA.....	7,120	6,476	242	176	144
WHITE.....	6,802	6,240	218	156	131
ALL OTHER.	318	236	24	20	13
NEGRO..	178	112	20	18	5
CAMPBELL.....	---	232	4	2	-
CUPERTINO.....	---	144	2	2	3
GILROY.....	---	94	6	6	3
LOS ALTOS.....	---	282	-	-	1
LOS GATOS.....	---	252	10	10	-
MILPITAS.....	---	108	12	6	4
WHITE.....	---	96	10	6	4
ALL OTHER.	---	12	2	-	-
NEGRO..	---	10	2	-	-
MOUNTAIN VIEW.....	---	336	14	10	8
PALO ALTO.....	---	458	8	4	3
SAN JOSE.....	---	3,014	138	106	80
WHITE.....	---	2,898	124	94	75
ALL OTHER.	---	116	14	12	5
NEGRO..	---	58	10	10	2
SANTA CLARA.....	---	432	6	6	14
SARATOGA.....	---	190	4	-	1
SUNNYVALE.....	---	450	12	6	15
BALANCE OF COUNTY....	---	484	26	18	12
SANTA CRUZ.....	1,554	1,594	24	16	8
SANTA CRUZ.....	---	578	6	4	-
WATSONVILLE.....	---	198	4	-	5
WHITE.....	---	188	4	-	5
ALL OTHER.	---	10	-	-	-
NEGRO..	---	4	-	-	-
BALANCE OF COUNTY....	---	818	14	12	3
SHASTA.....	782	762	22	16	11
REDDING.....	---	234	10	8	6
BALANCE OF COUNTY....	---	528	12	8	5
SIERRA.....	22	22	2	-	-
SISKIYOU.....	348	374	10	10	2
SOLANO.....	1,238	1,284	62	52	33
WHITE.....	1,128	1,166	54	48	21
ALL OTHER.	110	118	8	4	12
NEGRO..	82	86	8	4	11
FAIRFIELD.....	---	220	14	12	7
WHITE.....	---	202	10	10	5
ALL OTHER.	---	18	4	2	2
NEGRO..	---	10	4	2	2
VACAVILLE.....	---	112	6	4	2
VALLEJO.....	---	670	20	20	17
WHITE.....	---	592	20	20	8
ALL OTHER.	---	78	-	-	9
NEGRO..	---	62	-	-	9
BALANCE OF COUNTY....	---	282	22	16	7
SONOMA.....	2,438	2,412	50	34	26
PETALUMA.....	---	298	8	8	2
SANTA ROSA.....	---	856	4	4	7
BALANCE OF COUNTY....	---	1,258	38	22	17
STANISLAUS.....	1,842	1,814	46	34	22
MODESTO.....	---	664	26	18	4
TURLOCK.....	---	184	2	2	-
BALANCE OF COUNTY....	---	966	18	14	18
SUTTER.....	280	380	10	10	5
YUBA CITY.....	---	142	10	10	-
BALANCE OF COUNTY....	---	238	-	-	5
TEHAMA.....	282	320	2	-	7
TRINITY.....	70	82	-	-	1
TULARE.....	1,652	1,826	56	36	41
WHITE.....	1,580	1,734	56	36	41
ALL OTHER.	72	92	-	-	-
NEGRO..	36	46	-	-	-
PORTERVILLE.....	---	178	8	6	2
TULARE.....	---	200	2	2	7
WHITE.....	---	174	2	2	7
ALL OTHER.	---	26	-	-	-
NEGRO..	---	26	-	-	-
VISALIA.....	---	346	4	4	10
BALANCE OF COUNTY....	---	1,102	42	24	22

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
CALIFORNIA--CON.					
TUOLUMNE.....	238	252	2	2	2
VENTURA.....	2,490	2,528	94	72	76
WHITE.....	2,440	2,482	94	72	73
ALL OTHER.	50	46	-	-	3
NEGRO..	38	34	-	-	2
CAMARILLO.....	---	120	6	6	3
OXNARD.....	---	504	34	22	26
WHITE.....	---	476	34	22	24
ALL OTHER.	---	28	-	-	2
NEGRO..	---	28	-	-	1
PORT HUENEME.....	---	136	6	4	5
SANTA PAULA.....	---	156	8	8	3
SIMI VALLEY.....	---	216	12	8	6
THOUSAND OAKS.....	---	164	4	4	6
VENTURA.....	---	542	8	8	4
BALANCE OF COUNTY....	---	690	16	12	23
YOLO.....	588	634	20	8	16
DAVIS.....	---	90	-	-	2
WOODLAND.....	---	186	10	2	4
BALANCE OF COUNTY....	---	358	10	6	10
YUBA.....	368	366	18	12	8
COLORADO.....	18,424	17,824	660	492	607
WHITE.....	17,768	17,222	620	462	550
ALL OTHER.	656	602	40	30	57
NEGRO..	532	516	34	26	47
ADAMS.....	850	992	68	54	49
ARVADA, PART.....	---	14	4	2	-
AURORA, PART.....	---	150	10	6	7
COMMERCE CITY.....	---	118	12	8	5
NORTH GLENN.....	---	84	6	6	5
THORNTON.....	---	96	4	2	5
WESTMINSTER.....	---	142	6	4	5
BALANCE OF COUNTY....	---	388	26	26	22
ALAMOSA.....	102	88	4	2	2
ARAPAHOE.....	794	920	50	44	54
AURORA, PART.....	---	212	20	18	17
AURORA, TOTAL.....	---	362	30	24	24
ENGLEWOOD.....	---	324	10	10	23
LITTLETON.....	---	238	18	16	8
BALANCE OF COUNTY....	---	146	2	-	6
ARCHULETA.....	6	28	4	4	1
BACA.....	56	66	2	-	3
BENT.....	84	48	-	-	1
BOULDER.....	774	784	32	22	30
BOULDER.....	---	354	20	14	21
LONGMONT.....	---	252	12	8	4
BALANCE OF COUNTY....	---	178	-	-	5
CHAFFEE.....	86	80	2	2	2
CHEYENNE.....	30	22	4	4	-
CLEAR CREEK.....	28	48	2	2	3
CONEJOS.....	58	74	2	2	3
COSTILLA.....	8	30	4	-	1
CROWLEY.....	20	50	-	-	-
CUSTER.....	2	6	-	-	-
DELTA.....	190	240	2	-	1
DENVER, COEX. WITH DENVER CITY.....	6,368	5,186	138	92	163
WHITE.....	5,964	4,788	116	76	127
ALL OTHER.	404	398	22	16	36
NEGRO..	356	358	22	16	36
DOLORES.....	2	14	-	-	-
WHITE.....	2	14	-	-	-
ALL OTHER.	-	-	-	-	-
NEGRO..	-	-	-	-	-
DOUGLAS.....	46	54	4	4	2
EAGLE.....	30	44	4	4	1
ELBERT.....	18	46	2	2	2
EL PASO.....	1,670	1,616	94	64	90
WHITE.....	1,582	1,518	86	58	78
ALL OTHER.	88	98	8	6	12
NEGRO..	80	92	8	6	8
COLORADO SPRINGS.....	---	1,254	70	46	65
BALANCE OF COUNTY....	---	362	24	18	25
FREMONT.....	294	312	-	-	2
GARFIELD.....	138	150	6	4	2
GILPIN.....	8	12	-	-	-
GRAND.....	40	36	6	4	1
GUNNISON.....	38	38	2	2	4
HINSDALE.....	2	2	-	-	-
HUERFANO.....	78	78	-	-	3
JACKSON.....	6	20	4	4	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
COLORADO--CON.					
JEFFERSON	1,248	1,378	54	46	55
ARVADA, PART	---	210	16	16	14
ARVADA, TOTAL	---	224	20	18	14
LAKEWOOD	---	620	20	18	22
WHEAT RIDGE	---	210	6	4	4
BALANCE OF COUNTY	---	338	12	8	15
KIOWA	22	16	-	-	-
KIT CARSON	52	58	2	2	2
LAKE	38	44	8	6	1
LA PLATA	234	170	6	6	6
DURANGO	---	104	2	2	4
BALANCE OF COUNTY	---	66	4	4	2
LARIMER	664	664	20	16	15
FORT COLLINS	---	262	6	4	7
LOVELAND	---	240	4	2	4
BALANCE OF COUNTY	---	162	10	10	4
LAS ANIMAS	196	226	2	2	4
LINCOLN	70	64	-	-	2
LOGAN	166	174	4	4	5
STERLING	---	116	2	2	1
BALANCE OF COUNTY	---	58	2	2	4
MESA	656	568	14	8	19
GRAND JUNCTION	---	280	2	-	8
BALANCE OF COUNTY	---	288	12	8	11
MINERAL	4	12	-	-	-
MOFFAT	68	70	2	2	1
MONTEZUMA	112	116	4	2	6
MONTROSE	192	194	6	4	4
MORGAN	182	198	6	6	6
OTERO	228	244	4	2	-
OURAY	4	18	-	-	1
PARK	32	16	-	-	-
PHILLIPS	54	68	-	-	-
PITKIN	32	22	2	-	-
PROWERS	104	126	8	2	2
PUEBLO	1,180	1,116	32	28	27
PUEBLO	---	1,016	28	24	22
BALANCE OF COUNTY	---	100	4	4	5
RIO BLANCO	44	36	-	-	-
RIO GRANDE	108	88	6	4	3
ROUTT	44	44	-	-	1
SAGUACHE	10	30	-	-	1
SAN JUAN	12	8	-	-	1
SAN MIGUEL	10	14	2	2	-
SEDGWICK	48	52	2	2	-
SUMMIT	20	8	-	-	2
TELLER	10	22	-	-	1
WASHINGTON	38	62	-	-	3
WELD	622	720	38	30	18
GREELEY	---	394	14	12	9
BALANCE OF COUNTY	---	326	24	18	9
YUMA	94	94	2	2	1
CONNECTICUT	26,348	26,350	662	490	434
WHITE	25,114	25,116	544	406	357
ALL OTHER	1,234	1,234	118	84	77
NEGRO	1,200	1,202	118	84	72
FAIRFIELD	6,194	6,666	170	134	115
WHITE	5,856	6,300	138	106	83
ALL OTHER	338	366	32	28	32
NEGRO	330	358	32	28	28
BRIDGEPORT	---	1,720	68	56	50
WHITE	---	1,566	50	40	31
ALL OTHER	---	154	18	16	19
NEGRO	---	152	18	16	17
DANBURY	---	434	4	2	13
DARIEN TOWN#	---	122	2	2	-
FAIRFIELD TOWN#	---	414	6	4	3
GREENWICH TOWN#	---	482	2	2	2
NORWALK	---	568	12	12	11
WHITE	---	534	8	8	8
ALL OTHER	---	34	4	4	3
NEGRO	---	34	4	4	3
SHELTON	---	138	10	6	2
STAMFORD	---	950	32	22	12
WHITE	---	834	26	18	7
ALL OTHER	---	116	6	4	5
NEGRO	---	112	6	4	5
STRATFORD TOWN#	---	418	2	2	5
TRUMBULL TOWN#	---	236	-	-	1
WESTPORT TOWN#	---	178	4	2	1
BALANCE OF COUNTY	---	1,006	28	24	15

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
CONNECTICUT--CON.					
HARTFORD	7,034	7,022	202	150	109
WHITE	6,684	6,644	154	120	96
ALL OTHER	350	378	48	30	13
NEGRO	344	374	48	30	13
BRISTOL	---	404	14	10	12
EAST HARTFORD TOWN#	---	400	16	12	10
ENFIELD TOWN#	---	286	20	18	3
HARTFORD	---	1,694	84	54	26
WHITE	---	1,388	40	26	14
ALL OTHER	---	306	44	28	12
NEGRO	---	304	44	28	12
MANCHESTER TOWN#	---	430	4	2	9
NEW BRITAIN	---	800	10	8	15
NEWINGTON TOWN#	---	168	2	2	2
PLAINVILLE TOWN#	---	130	4	2	3
SOUTHINGTON TOWN#	---	218	8	8	6
WEST HARTFORD TOWN#	---	786	4	2	5
WETHERSFIELD TOWN#	---	278	4	4	4
WINDSOR LOCKS TOWN#	---	106	-	-	2
BALANCE OF COUNTY	---	1,322	32	28	12
LITCHFIELD	1,216	1,406	24	14	23
TORRINGTON	---	326	8	2	3
BALANCE OF COUNTY	---	1,080	16	12	20
MIDDLESEX	1,118	1,054	22	16	9
MIDDLETOWN	---	346	8	6	3
BALANCE OF COUNTY	---	708	14	10	6
NEW HAVEN	7,616	6,934	142	104	114
WHITE	7,190	6,540	110	84	88
ALL OTHER	426	394	32	20	26
NEGRO	412	380	32	20	26
ANSONIA	---	224	4	-	2
DERBY	---	142	2	-	-
EAST HAVEN TOWN#	---	162	2	2	1
HAMDEN TOWN#	---	468	4	4	4
MERIDEN	---	500	4	4	10
MILFORD	---	392	14	10	10
NAUGATUCK	---	228	6	4	2
NEW HAVEN	---	1,500	38	30	23
WHITE	---	1,240	18	18	7
ALL OTHER	---	260	20	12	16
NEGRO	---	254	20	12	16
WALLINGFORD TOWN#	---	350	8	2	6
WATERBURY	---	1,178	16	12	28
WHITE	---	1,112	10	8	21
ALL OTHER	---	66	6	4	7
NEGRO	---	64	6	4	7
WEST HAVEN TOWN#	---	446	10	8	6
BALANCE OF COUNTY	---	1,344	34	28	22
NEW LONDON	2,006	1,884	58	46	29
NEW LONDON	---	322	14	12	4
WHITE	---	288	12	10	4
ALL OTHER	---	34	2	2	-
NEGRO	---	32	2	2	-
NORWICH	---	396	6	4	6
BALANCE OF COUNTY	---	1,166	38	30	19
TOLLAND	422	586	14	10	19
VERNON TOWN#	---	136	-	-	7
BALANCE OF COUNTY	---	450	14	10	12
WINDHAM	742	798	30	16	18
WILLIMANTIC	---	78	2	2	4
BALANCE OF COUNTY	---	720	28	14	12
DELAWARE	5,166	4,962	168	122	92
WHITE	4,206	4,058	92	70	62
ALL OTHER	960	904	76	52	30
NEGRO	946	892	74	50	27
KENT	602	680	28	20	22
WHITE	476	554	14	8	17
ALL OTHER	126	126	14	12	5
NEGRO	120	118	12	10	4
DOVER	---	174	12	10	10
WHITE	---	128	4	2	9
ALL OTHER	---	46	8	8	1
NEGRO	---	46	8	8	1
BALANCE OF COUNTY	---	506	16	10	12
WHITE	---	426	10	6	8
ALL OTHER	---	80	6	4	4
NEGRO	---	72	4	2	3
NEW CASTLE	3,592	3,284	100	72	47
WHITE	2,964	2,732	68	52	31
ALL OTHER	628	552	32	20	16
NEGRO	626	552	32	20	14

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
DELAWARE--CON.					
NEW CASTLE--CON.					
NEWARK	---	156	10	6	-
WILMINGTON	---	1,642	34	24	17
WHITE	---	1,198	8	8	7
ALL OTHER	---	444	26	16	10
NEGRO	---	444	26	16	10
BALANCE OF COUNTY	---	1,486	56	42	30
WHITE	---	1,382	50	38	24
ALL OTHER	---	104	6	4	6
NEGRO	---	104	6	4	4
SUSSEX	972	998	40	30	23
WHITE	766	772	10	10	14
ALL OTHER	206	226	30	20	9
NEGRO	200	222	30	20	9
DISTRICT OF COLUMBIA	10,154	8,462	330	242	202
WHITE	4,812	3,054	28	22	23
ALL OTHER	5,342	5,408	302	220	179
NEGRO	5,294	5,364	298	216	179
FLORIDA	85,534	83,310	2,024	1,510	1,521
WHITE	74,116	71,896	1,276	966	921
ALL OTHER	11,418	11,414	748	544	600
NEGRO	11,340	11,340	744	540	593
ALACHUA	1,604	750	16	12	25
WHITE	1,106	470	8	6	10
ALL OTHER	498	280	8	6	15
NEGRO	498	280	8	6	14
GAINESVILLE	---	444	10	8	13
WHITE	---	296	6	4	4
ALL OTHER	---	148	4	4	9
NEGRO	---	148	4	4	8
BALANCE OF COUNTY	---	306	6	4	12
WHITE	---	174	2	2	6
ALL OTHER	---	132	4	2	6
NEGRO	---	132	4	2	6
BAKER	198	92	2	2	5
WHITE	162	76	2	2	2
ALL OTHER	36	16	-	-	3
NEGRO	36	16	-	-	3
BAY	676	626	44	34	21
WHITE	560	512	30	24	15
ALL OTHER	116	114	14	10	6
NEGRO	112	110	14	10	6
PANAMA CITY	---	404	26	20	12
WHITE	---	302	16	12	8
ALL OTHER	---	102	10	8	4
NEGRO	---	98	10	8	4
BALANCE OF COUNTY	---	222	18	14	9
BRADFORD	128	166	4	4	4
WHITE	106	132	2	2	3
ALL OTHER	22	34	2	2	1
NEGRO	22	34	2	2	1
BREVARD	1,472	1,528	44	32	32
WHITE	1,314	1,354	28	24	24
ALL OTHER	158	174	16	8	8
NEGRO	158	174	16	8	7
COCOA	---	162	8	8	6
WHITE	---	98	2	2	4
ALL OTHER	---	64	6	6	2
NEGRO	---	64	6	6	2
MELBOURNE	---	376	2	-	9
WHITE	---	330	-	-	6
ALL OTHER	---	46	2	-	3
NEGRO	---	46	2	-	3
ROCKLEDGE	---	86	4	2	2
TITUSVILLE	---	178	8	6	1
BALANCE OF COUNTY	---	726	22	16	14
BROWARD	8,080	8,128	160	132	123
WHITE	7,424	7,436	102	86	65
ALL OTHER	656	692	58	46	58
NEGRO	652	684	58	46	58
DEERFIELD BEACH	---	272	6	4	3
WHITE	---	204	-	-	1
ALL OTHER	---	68	6	4	2
NEGRO	---	68	6	4	2
FORT LAUDERDALE	---	2,168	44	36	38
WHITE	---	1,946	20	18	20
ALL OTHER	---	222	24	18	18
NEGRO	---	222	24	18	18

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
FLORIDA--CON.					
BROWARD--CON.					
HALLANDALE	---	500	4	4	4
WHITE	---	450	-	-	1
ALL OTHER	---	50	4	4	3
NEGRO	---	48	4	4	3
HOLLYWOOD	---	1,476	18	18	19
LAUDERDALE LAKES	---	122	2	2	-
MIRAMAR	---	260	6	4	2
OAKLAND PARK	---	164	-	-	2
PEMBROKE PINES	---	146	-	-	1
PLANTATION	---	160	2	2	2
POMPANO BEACH	---	652	12	12	6
WHITE	---	578	8	8	2
ALL OTHER	---	74	4	4	4
NEGRO	---	74	4	4	4
WILTON MANORS	---	114	2	2	1
BALANCE OF COUNTY	---	2,094	64	48	45
WHITE	---	1,856	46	34	21
ALL OTHER	---	238	18	14	24
NEGRO	---	234	18	14	24
CALHOUN	92	94	4	4	3
WHITE	78	82	4	4	2
ALL OTHER	14	12	-	-	1
NEGRO	14	12	-	-	1
CHARLOTTE	544	564	4	2	8
CITRUS	380	422	10	6	3
CLAY	230	256	8	6	6
COLLIER	600	524	10	8	10
NAPLES	---	208	2	2	5
BALANCE OF COUNTY	---	316	8	6	5
COLUMBIA	512	304	8	8	7
WHITE	330	216	2	2	4
ALL OTHER	182	88	6	6	3
NEGRO	182	88	6	6	3
LAKE CITY	---	160	6	6	3
WHITE	---	102	-	-	1
ALL OTHER	---	58	6	6	2
NEGRO	---	58	6	6	2
BALANCE OF COUNTY	---	144	2	2	4
WHITE	---	114	2	2	3
ALL OTHER	---	30	-	-	1
NEGRO	---	30	-	-	1
DADE	15,686	14,628	284	212	287
WHITE	13,962	12,922	150	112	169
ALL OTHER	1,724	1,706	134	100	118
NEGRO	1,700	1,688	134	100	118
CORAL GABLES	---	460	-	-	5
HIALEAH	---	778	22	20	24
HOMESTEAD	---	140	4	-	10
WHITE	---	108	4	-	8
ALL OTHER	---	32	-	-	2
NEGRO	---	30	-	-	2
MIAMI	---	4,732	90	62	105
WHITE	---	3,902	34	24	49
ALL OTHER	---	830	56	38	56
NEGRO	---	820	56	38	56
MIAMI BEACH	---	2,404	-	-	4
MIAMI SPRINGS	---	116	-	-	1
NORTH MIAMI	---	534	4	4	8
NORTH MIAMI BEACH	---	628	-	-	5
OPA-LOCKA	---	174	18	10	3
WHITE	---	98	6	4	3
ALL OTHER	---	76	12	6	-
NEGRO	---	76	12	6	-
SOUTH MIAMI	---	102	4	4	4
WHITE	---	68	-	-	1
ALL OTHER	---	34	4	4	3
NEGRO	---	32	4	4	3
BALANCE OF COUNTY	---	4,560	142	112	118
WHITE	---	3,870	82	62	63
ALL OTHER	---	690	60	50	55
NEGRO	---	686	60	50	55
DE SOTO	286	172	10	6	3
WHITE	242	134	8	4	-
ALL OTHER	44	38	2	2	3
NEGRO	44	38	2	2	3
DIXIE	22	52	-	-	1
WHITE	22	50	-	-	-
ALL OTHER	-	2	-	-	1
NEGRO	-	2	-	-	1
DUVAL, COEX. WITH JACKSONVILLE CITY	4,922	4,918	182	138	128
WHITE	3,550	3,476	116	90	72
ALL OTHER	1,372	1,442	66	48	56
NEGRO	1,364	1,432	66	48	55

SEE FOOTNOTES AT END OF TABLE.

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
FLORIDA—CON.					
ESCAMBIA	1,688	1,612	66	56	51
WHITE	1,288	1,212	44	36	36
ALL OTHER	400	400	22	20	15
NEGRO	390	392	22	20	13
PENSACOLA	---	698	26	24	23
WHITE	---	446	12	12	14
ALL OTHER	---	252	14	12	9
NEGRO	---	250	14	12	8
BALANCE OF COUNTY	---	914	40	32	28
WHITE	---	766	32	24	22
ALL OTHER	---	148	8	8	6
NEGRO	---	142	8	8	5
FLAGLER	66	64	2	2	-
WHITE	54	48	2	2	-
ALL OTHER	12	16	-	-	-
NEGRO	12	16	-	-	-
FRANKLIN	68	86	8	6	1
WHITE	50	62	4	4	-
ALL OTHER	18	24	4	2	1
NEGRO	18	24	4	2	1
GADSDEN	650	312	22	14	10
WHITE	382	116	4	4	2
ALL OTHER	268	196	18	10	8
NEGRO	268	196	18	10	8
GILCHRIST	10	40	-	-	-
GLADES	12	56	2	2	-
WHITE	10	46	-	-	-
ALL OTHER	2	10	2	2	-
NEGRO	2	10	2	2	-
GULF	70	98	-	-	2
WHITE	50	68	-	-	1
ALL OTHER	20	30	-	-	1
NEGRO	18	30	-	-	1
HAMILTON	60	98	2	2	4
WHITE	34	56	-	-	4
ALL OTHER	26	42	2	2	-
NEGRO	26	42	2	2	-
HARDEE	140	188	6	6	10
WHITE	124	170	6	6	10
ALL OTHER	16	18	-	-	-
NEGRO	16	18	-	-	-
HENDRY	124	106	10	6	4
WHITE	92	80	8	4	1
ALL OTHER	32	26	2	2	3
NEGRO	32	24	2	2	3
HERNANDO	236	346	4	2	6
WHITE	212	318	-	-	4
ALL OTHER	24	28	4	2	2
NEGRO	24	28	4	2	2
HIGHLANDS	510	474	10	8	7
WHITE	442	396	4	2	5
ALL OTHER	68	78	6	6	2
NEGRO	66	76	4	4	2
HILLSBOROUGH	5,022	5,022	132	98	130
WHITE	4,222	4,184	96	76	81
ALL OTHER	800	838	36	22	49
NEGRO	794	832	34	20	48
PLANT CITY	---	214	6	2	4
WHITE	---	150	6	2	2
ALL OTHER	---	64	-	-	2
NEGRO	---	64	-	-	2
TAMPA	---	3,444	72	60	91
WHITE	---	2,726	40	38	48
ALL OTHER	---	718	32	22	43
NEGRO	---	712	30	20	42
BALANCE OF COUNTY	---	1,364	54	36	35
HOLMES	54	108	-	-	1
INDIAN RIVER	478	484	8	8	6
WHITE	410	414	6	6	2
ALL OTHER	68	70	2	2	4
NEGRO	68	70	2	2	4
VERO BEACH	---	200	2	2	2
BALANCE OF COUNTY	---	284	6	6	4
WHITE	---	216	4	4	1
ALL OTHER	---	68	2	2	3
NEGRO	---	68	2	2	3
JACKSON	312	396	10	8	8
WHITE	240	292	4	4	6
ALL OTHER	72	104	6	4	2
NEGRO	72	104	6	4	2
JEFFERSON	62	102	6	2	1
WHITE	22	38	2	-	-
ALL OTHER	40	64	4	2	1
NEGRO	40	64	4	2	1
FLORIDA—CON.					
LAFAYETTE	16	40	-	-	-
WHITE	14	40	-	-	-
ALL OTHER	2	-	-	-	-
NEGRO	2	-	-	-	-
LAKE	1,226	1,232	22	18	16
WHITE	1,050	1,050	10	8	11
ALL OTHER	176	182	12	10	5
NEGRO	176	182	12	10	5
LEESBURG	---	238	4	4	3
WHITE	---	172	2	2	2
ALL OTHER	---	66	2	2	1
NEGRO	---	66	2	2	1
BALANCE OF COUNTY	---	994	18	14	13
WHITE	---	878	8	6	9
ALL OTHER	---	116	10	8	4
NEGRO	---	116	10	8	4
LEE	1,462	1,504	54	42	36
WHITE	1,336	1,362	34	28	13
ALL OTHER	126	142	20	14	23
NEGRO	124	142	20	14	23
FORT MYERS	---	470	26	18	15
WHITE	---	356	10	8	2
ALL OTHER	---	114	16	10	13
NEGRO	---	114	16	10	13
BALANCE OF COUNTY	---	1,034	28	24	21
LEON	902	714	44	28	25
WHITE	588	450	24	14	17
ALL OTHER	314	264	20	14	8
NEGRO	312	262	20	14	8
TALLAHASSEE	---	488	30	20	15
WHITE	---	304	18	12	10
ALL OTHER	---	184	12	8	5
NEGRO	---	182	12	8	5
BALANCE OF COUNTY	---	226	14	8	10
WHITE	---	146	6	2	7
ALL OTHER	---	80	8	6	3
NEGRO	---	80	8	6	3
LEVY	116	172	2	2	8
WHITE	94	134	2	2	7
ALL OTHER	22	38	-	-	1
NEGRO	22	38	-	-	1
LIBERTY	12	54	2	2	1
WHITE	10	48	2	2	1
ALL OTHER	2	6	-	-	-
NEGRO	2	6	-	-	-
MADISON	136	152	8	8	7
WHITE	90	86	6	6	-
ALL OTHER	46	66	2	2	7
NEGRO	46	66	2	2	7
MANATEE	1,792	1,728	16	12	17
WHITE	1,666	1,582	8	6	12
ALL OTHER	126	146	8	6	5
NEGRO	126	146	8	6	5
BRADENTON	---	544	8	8	4
WHITE	---	490	4	4	2
ALL OTHER	---	54	4	4	2
NEGRO	---	54	4	4	2
BALANCE OF COUNTY	---	1,184	8	4	13
MARION	918	906	32	24	19
WHITE	716	686	20	12	9
ALL OTHER	202	220	12	12	10
NEGRO	202	220	12	12	10
OCALA	---	332	8	4	10
WHITE	---	270	8	4	4
ALL OTHER	---	62	-	-	6
NEGRO	---	62	-	-	6
BALANCE OF COUNTY	---	574	24	20	9
WHITE	---	416	12	8	5
ALL OTHER	---	158	12	12	4
NEGRO	---	158	12	12	4
MARTIN	468	508	18	16	9
WHITE	416	452	12	10	9
ALL OTHER	52	56	6	6	-
NEGRO	52	56	6	6	-
MONROE	404	440	12	8	14
KEY WEST	---	206	10	6	10
WHITE	---	178	10	6	9
ALL OTHER	---	28	-	-	1
NEGRO	---	28	-	-	1
BALANCE OF COUNTY	---	234	2	2	4
NASSAU	170	204	14	8	8
WHITE	124	152	12	8	6
ALL OTHER	46	52	2	-	2
NEGRO	46	52	2	-	2

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
FLORIDA--CON.					
OKALOOSA	406	454	44	34	18
FORT WALTON BEACH	---	100	12	10	4
BALANCE OF COUNTY	---	354	32	24	14
OKEECHOBEE	124	166	12	6	1
WHITE	98	144	12	6	-
ALL OTHER	26	22	-	-	1
NEGRO	26	22	-	-	1
ORANGE	3,882	3,372	106	76	77
WHITE	3,320	2,880	84	60	53
ALL OTHER	562	492	22	16	24
NEGRO	556	490	22	16	24
ORLANDO	---	1,386	36	24	33
WHITE	---	1,064	24	16	18
ALL OTHER	---	322	12	8	15
NEGRO	---	320	12	8	15
WINTER PARK	---	316	2	2	3
WHITE	---	282	-	-	3
ALL OTHER	---	34	2	2	-
NEGRO	---	34	2	2	-
BALANCE OF COUNTY	---	1,670	68	50	41
WHITE	---	1,534	60	44	32
ALL OTHER	---	136	8	6	9
NEGRO	---	136	8	6	9
OSCEOLA	408	434	4	4	5
PALM BEACH	5,160	4,894	114	82	70
WHITE	4,458	4,198	52	36	32
ALL OTHER	702	696	62	46	38
NEGRO	702	696	62	46	38
BELLE GLADE	---	166	14	8	6
WHITE	---	64	2	-	2
ALL OTHER	---	102	12	8	4
NEGRO	---	102	12	8	4
BOCA RATON	---	356	2	-	3
BOYNTON BEACH	---	342	4	4	2
WHITE	---	292	-	-	-
ALL OTHER	---	50	4	4	2
NEGRO	---	50	4	4	2
DELRAY BEACH	---	320	4	2	6
WHITE	---	240	2	2	1
ALL OTHER	---	80	2	-	5
NEGRO	---	80	2	-	5
LAKE WORTH	---	638	4	4	1
RIVIERA BEACH	---	246	14	12	10
WHITE	---	142	-	-	2
ALL OTHER	---	104	14	12	8
NEGRO	---	104	14	12	8
WEST PALM BEACH	---	1,026	22	16	12
WHITE	---	850	12	10	7
ALL OTHER	---	176	10	6	5
NEGRO	---	176	10	6	5
BALANCE OF COUNTY	---	1,800	50	36	30
WHITE	---	1,628	32	22	17
ALL OTHER	---	172	18	14	13
NEGRO	---	172	18	14	13
PASCO	1,142	1,628	36	26	14
PINELLAS	10,944	10,224	98	64	76
WHITE	10,422	9,732	72	44	47
ALL OTHER	522	492	26	20	29
NEGRO	520	490	26	20	29
CLEARWATER	---	1,166	8	4	11
WHITE	---	1,106	6	2	8
ALL OTHER	---	60	2	2	3
NEGRO	---	60	2	2	3
DUNEDIN	---	370	4	4	1
LARGO	---	464	8	2	5
PINELLAS PARK	---	310	8	4	4
ST. PETERSBURG	---	4,834	48	34	42
WHITE	---	4,442	24	16	20
ALL OTHER	---	392	24	18	22
NEGRO	---	390	24	18	22
BALANCE OF COUNTY	---	3,080	22	16	13
POLK	2,774	2,678	60	54	56
WHITE	2,322	2,234	38	32	36
ALL OTHER	452	444	22	22	20
NEGRO	452	444	22	22	20
BARTOW	---	144	8	8	6
WHITE	---	82	2	2	1
ALL OTHER	---	62	6	6	5
NEGRO	---	62	6	6	5
LAKELAND	---	724	6	6	12
WHITE	---	592	2	2	6
ALL OTHER	---	132	4	4	6
NEGRO	---	132	4	4	6
FLORIDA--CON.					
POLK--CON.					
WINTER HAVEN	---	316	12	12	5
WHITE	---	250	10	10	4
ALL OTHER	---	66	2	2	1
NEGRO	---	66	2	2	1
BALANCE OF COUNTY	---	1,494	34	28	33
WHITE	---	1,310	24	18	25
ALL OTHER	---	184	10	10	8
NEGRO	---	184	10	10	8
PUTNAM	328	414	14	8	9
WHITE	228	302	2	2	5
ALL OTHER	100	112	12	6	4
NEGRO	100	112	12	6	4
ST. JOHNS	348	400	8	4	4
WHITE	264	320	6	4	3
ALL OTHER	84	80	2	-	1
NEGRO	84	80	2	-	1
ST. AUGUSTINE	---	204	4	2	1
WHITE	---	166	2	2	-
ALL OTHER	---	38	2	-	1
NEGRO	---	38	2	-	1
BALANCE OF COUNTY	---	196	4	2	3
WHITE	---	154	4	2	3
ALL OTHER	---	42	-	-	-
NEGRO	---	42	-	-	-
ST. LUCIE	636	676	20	10	23
WHITE	446	468	6	2	10
ALL OTHER	190	208	14	8	13
NEGRO	188	206	14	8	13
FORT PIERCE	---	448	18	10	12
WHITE	---	252	4	2	4
ALL OTHER	---	196	14	8	8
NEGRO	---	194	14	8	8
BALANCE OF COUNTY	---	228	2	-	11
SANTA ROSA	216	278	18	12	8
SARASOTA	2,436	2,292	26	16	13
SARASOTA	---	882	20	14	10
WHITE	---	800	12	10	7
ALL OTHER	---	82	8	4	3
NEGRO	---	82	8	4	3
BALANCE OF COUNTY	---	1,410	6	2	3
SEMINOLE	714	880	50	34	24
WHITE	534	652	22	16	18
ALL OTHER	180	228	28	18	6
NEGRO	180	228	28	18	6
SANFORD	---	304	14	10	8
WHITE	---	180	-	-	4
ALL OTHER	---	124	14	10	4
NEGRO	---	124	14	10	4
BALANCE OF COUNTY	---	576	36	24	16
WHITE	---	472	22	16	14
ALL OTHER	---	104	14	8	2
NEGRO	---	104	14	8	2
SUMTER	56	190	6	6	4
WHITE	38	160	6	6	2
ALL OTHER	18	30	-	-	2
NEGRO	18	30	-	-	2
SUWANNEE	136	184	10	4	5
WHITE	102	132	4	2	3
ALL OTHER	34	52	6	2	2
NEGRO	34	52	6	2	2
TAYLOR	112	158	6	4	-
WHITE	80	106	4	2	-
ALL OTHER	32	52	2	2	3
NEGRO	32	52	2	2	3
UNION	18	42	6	6	1
WHITE	14	32	4	4	-
ALL OTHER	4	10	2	2	1
NEGRO	4	10	2	2	1
VOLUSIA	2,794	3,020	74	62	33
WHITE	2,508	2,718	46	40	20
ALL OTHER	286	302	28	22	13
NEGRO	284	300	28	22	13
DAYTONA BEACH	---	898	24	20	9
WHITE	---	710	6	4	4
ALL OTHER	---	188	18	16	5
NEGRO	---	188	18	16	5
DE LAND	---	278	6	4	3
WHITE	---	232	2	2	-
ALL OTHER	---	46	4	2	3
NEGRO	---	46	4	2	3
NEW SMYRNA BEACH	---	194	8	8	1
WHITE	---	178	6	6	1
ALL OTHER	---	16	2	2	-
NEGRO	---	16	2	2	-
ORMOND BEACH	---	290	2	2	1
BALANCE OF COUNTY	---	1,360	34	28	19

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
FLORIDA--CON.					
WAKULLA	20	74	2	2	1
WHITE	14	60	2	2	1
ALL OTHER	6	14	-	-	-
NEGRO	6	14	-	-	-
WALTON	148	230	6	2	8
WHITE	132	200	4	2	8
ALL OTHER	16	30	2	-	-
NEGRO	16	30	2	-	-
WASHINGTON	116	152	2	-	1
WHITE	92	134	2	-	1
ALL OTHER	24	18	-	-	-
NEGRO	24	18	-	-	-
GEORGIA	43,524	42,986	1,702	1,188	1,229
WHITE	30,672	30,226	880	680	646
ALL OTHER	12,852	12,760	822	508	583
NEGRO	12,824	12,732	822	508	581
APPLING	104	146	8	2	4
WHITE	84	122	2	2	2
ALL OTHER	20	24	6	-	2
NEGRO	20	24	6	-	2
ATKINSON	22	78	2	2	2
WHITE	12	60	2	2	-
ALL OTHER	10	18	-	-	2
NEGRO	10	18	-	-	2
BACON	68	82	-	-	3
WHITE	66	82	-	-	2
ALL OTHER	2	-	-	-	1
NEGRO	2	-	-	-	1
BAKER	12	46	-	-	-
WHITE	6	30	-	-	-
ALL OTHER	6	16	-	-	-
NEGRO	6	16	-	-	-
BALDWIN	908	298	18	10	13
WHITE	704	158	4	4	5
ALL OTHER	204	140	14	6	8
NEGRO	190	140	14	6	8
MILLEDGEVILLE	---	192	8	4	8
WHITE	---	100	-	-	4
ALL OTHER	---	92	8	4	4
NEGRO	---	92	8	4	4
BALANCE OF COUNTY	---	106	10	6	5
WHITE	---	58	4	4	1
ALL OTHER	---	48	6	2	4
NEGRO	---	48	6	2	4
BANKS	12	68	-	-	1
BARROW	162	182	8	6	1
WHITE	134	148	6	6	1
ALL OTHER	28	34	2	-	-
NEGRO	28	34	2	-	-
BARTOW	280	322	14	12	11
WHITE	242	280	12	10	7
ALL OTHER	38	42	2	2	4
NEGRO	38	42	2	2	4
BEN HILL	200	184	6	6	-
WHITE	136	130	2	2	-
ALL OTHER	64	54	4	4	-
NEGRO	64	54	4	4	-
BERRIEN	88	108	2	-	8
WHITE	84	104	2	-	6
ALL OTHER	4	4	-	-	2
NEGRO	4	4	-	-	2
BIBB	1,662	1,474	50	36	49
WHITE	1,058	900	24	18	18
ALL OTHER	604	574	26	18	31
NEGRO	604	574	26	18	31
MACON	---	1,334	48	36	43
WHITE	---	786	22	18	15
ALL OTHER	---	548	26	18	28
NEGRO	---	548	26	18	28
BALANCE OF COUNTY	---	140	2	-	6
WHITE	---	114	2	-	3
ALL OTHER	---	26	-	-	3
NEGRO	---	26	-	-	3
BLECKLEY	56	112	2	-	1
WHITE	38	82	2	-	-
ALL OTHER	18	30	-	-	1
NEGRO	18	30	-	-	1
BRANTLEY	24	70	-	-	-
WHITE	24	66	-	-	-
ALL OTHER	-	4	-	-	-
NEGRO	-	4	-	-	-

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA--CON.					
BROOKS	140	182	4	2	7
WHITE	86	100	-	-	1
ALL OTHER	54	82	4	2	6
NEGRO	54	82	4	2	6
BRYAN	24	64	2	2	4
WHITE	10	44	2	2	2
ALL OTHER	14	20	-	-	2
NEGRO	14	20	-	-	2
BULLOCH	268	278	24	18	3
WHITE	182	188	6	6	-
ALL OTHER	86	90	18	12	3
NEGRO	86	90	18	12	3
STATESBORO	---	118	14	12	2
WHITE	---	82	4	4	-
ALL OTHER	---	36	10	8	2
NEGRO	---	36	10	8	2
BALANCE OF COUNTY	---	160	10	6	1
WHITE	---	106	2	2	-
ALL OTHER	---	54	8	4	1
NEGRO	---	54	8	4	1
BURKE	208	224	10	6	8
WHITE	84	94	4	2	2
ALL OTHER	124	130	6	4	6
NEGRO	124	130	6	4	6
BUTTS	114	104	4	4	3
WHITE	74	72	2	2	1
ALL OTHER	40	32	2	2	2
NEGRO	40	32	2	2	2
CALHOUN	92	92	6	6	2
WHITE	40	38	4	4	1
ALL OTHER	52	54	2	2	1
NEGRO	52	52	2	2	1
CAMDEN	72	104	4	4	3
WHITE	42	64	-	-	1
ALL OTHER	30	40	4	4	2
NEGRO	30	40	4	4	2
CANDLER	134	66	2	2	1
WHITE	88	56	2	2	1
ALL OTHER	46	10	-	-	-
NEGRO	46	10	-	-	-
CARROLL	446	442	28	22	8
WHITE	366	354	12	10	6
ALL OTHER	80	88	16	12	2
NEGRO	80	88	16	12	2
CARROLLTON	---	104	6	6	2
WHITE	---	78	4	4	1
ALL OTHER	---	26	2	2	1
NEGRO	---	26	2	2	1
BALANCE OF COUNTY	---	338	22	16	6
WHITE	---	276	8	6	5
ALL OTHER	---	62	14	10	1
NEGRO	---	62	14	10	1
CATOOSA	382	226	4	4	7
CHARLTON	48	54	4	2	3
WHITE	40	38	2	2	2
ALL OTHER	8	16	2	-	1
NEGRO	8	16	2	-	1
CHATHAM	2,114	1,916	68	46	58
WHITE	1,320	1,150	34	30	29
ALL OTHER	794	766	34	16	29
NEGRO	794	766	34	16	29
SAVANNAH	---	1,566	54	34	41
WHITE	---	842	20	18	17
ALL OTHER	---	724	34	16	24
NEGRO	---	724	34	16	24
BALANCE OF COUNTY	---	350	14	12	17
WHITE	---	308	14	12	12
ALL OTHER	---	42	-	-	5
NEGRO	---	42	-	-	5
CHATTAHOOCHEE	156	22	2	2	5
WHITE	116	16	-	-	4
ALL OTHER	40	6	2	2	1
NEGRO	40	6	2	2	1
CHATTOOGA	170	202	6	4	3
CHEROKEE	160	222	4	2	8
CLARKE	678	438	10	6	14
WHITE	504	300	6	4	8
ALL OTHER	174	138	4	2	6
NEGRO	174	136	4	2	5
ATHENS	---	330	4	4	12
WHITE	---	220	2	2	8
ALL OTHER	---	110	2	2	4
NEGRO	---	108	2	2	3
BALANCE OF COUNTY	---	108	6	2	2
WHITE	---	80	4	2	-
ALL OTHER	---	28	2	-	2
NEGRO	---	28	2	-	2

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA—CON					
CLAY	64	60	6	4	-
WHITE	32	24	-	-	-
ALL OTHER	32	36	6	4	-
NEGRO	32	36	6	4	-
CLAYTON	388	538	34	24	30
COLLEGE PARK, PART	---	24	-	-	3
FOREST PARK	---	164	8	4	4
BALANCE OF COUNTY	---	350	26	20	23
CLINCH	48	64	10	6	4
WHITE	32	46	4	4	3
ALL OTHER	16	18	6	2	1
NEGRO	16	18	6	2	1
COBB	1,208	1,226	54	40	37
MARIETTA	---	366	18	10	13
WHITE	---	312	12	6	8
ALL OTHER	---	54	6	4	5
NEGRO	---	52	6	4	5
SMYRNA	---	148	8	4	3
BALANCE OF COUNTY	---	712	28	26	21
COFFEE	236	252	8	2	4
WHITE	190	200	6	2	3
ALL OTHER	46	52	2	-	1
NEGRO	46	52	2	-	1
DOUGLAS	---	110	4	2	1
WHITE	---	82	2	2	-
ALL OTHER	---	28	2	-	1
NEGRO	---	28	2	-	1
BALANCE OF COUNTY	---	142	4	-	3
WHITE	---	118	4	-	3
ALL OTHER	---	24	-	-	-
NEGRO	---	24	-	-	-
COLQUITT	324	372	12	10	13
WHITE	236	266	6	4	3
ALL OTHER	88	106	6	6	10
NEGRO	88	106	6	6	10
MOULTRIE	---	190	8	6	7
WHITE	---	122	2	-	1
ALL OTHER	---	68	6	6	6
NEGRO	---	68	6	6	6
BALANCE OF COUNTY	---	182	4	4	6
WHITE	---	144	4	4	2
ALL OTHER	---	38	-	-	4
NEGRO	---	38	-	-	4
COLUMBIA	28	146	2	2	3
WHITE	22	108	2	2	2
ALL OTHER	6	38	-	-	1
NEGRO	6	38	-	-	1
COOK	124	160	8	6	3
WHITE	84	122	4	4	1
ALL OTHER	40	38	4	2	2
NEGRO	40	38	4	2	2
COWETA	414	360	12	4	13
WHITE	296	252	2	2	9
ALL OTHER	118	108	10	2	4
NEGRO	118	108	10	2	4
NEWNAN	---	168	2	2	7
WHITE	---	108	-	-	5
ALL OTHER	---	60	2	2	2
NEGRO	---	60	2	2	2
BALANCE OF COUNTY	---	192	10	2	6
WHITE	---	144	2	2	4
ALL OTHER	---	48	8	-	2
NEGRO	---	48	8	-	2
CRAWFORD	38	66	4	2	2
WHITE	18	40	-	-	-
ALL OTHER	20	26	4	2	2
NEGRO	20	26	4	2	2
CRISP	210	212	10	8	5
WHITE	122	114	-	-	2
ALL OTHER	88	98	10	8	3
NEGRO	88	98	10	8	3
CORDELE	---	152	8	6	2
WHITE	---	62	-	-	1
ALL OTHER	---	90	8	6	1
NEGRO	---	90	8	6	1
BALANCE OF COUNTY	---	60	2	2	3
WHITE	---	52	-	-	1
ALL OTHER	---	8	2	2	2
NEGRO	---	8	2	2	2
DADE	48	88	2	2	2
DAWSON	10	44	-	-	2
DECATUR	180	238	16	4	1
WHITE	116	152	2	-	1
ALL OTHER	64	86	14	4	-
NEGRO	64	86	14	4	-

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA--CON.					
DECATUR--CON.					
BAINBRIDGE	---	112	-	-	-
WHITE	---	76	-	-	-
ALL OTHER	---	36	-	-	-
NEGRO	---	36	-	-	-
BALANCE OF COUNTY	---	126	16	4	1
WHITE	---	76	2	-	1
ALL OTHER	---	50	14	4	-
NEGRO	---	50	14	4	-
DE KALB	2,752	2,720	92	72	88
WHITE	2,318	2,216	52	44	58
ALL OTHER	434	504	40	28	30
NEGRO	432	504	40	28	30
ATLANTA, PART	---	686	26	18	21
WHITE	---	374	10	8	11
ALL OTHER	---	312	16	10	10
NEGRO	---	312	16	10	10
DECATUR	---	374	18	14	19
WHITE	---	280	4	4	11
ALL OTHER	---	94	14	10	8
NEGRO	---	94	14	10	8
BALANCE OF COUNTY	---	1,660	48	40	48
WHITE	---	1,562	38	32	36
ALL OTHER	---	98	10	8	12
NEGRO	---	98	10	8	12
DODGE	120	174	10	8	11
WHITE	86	120	4	2	4
ALL OTHER	34	54	6	6	7
NEGRO	34	54	6	6	7
DOOLY	114	112	4	2	10
WHITE	72	70	2	2	1
ALL OTHER	42	42	2	-	9
NEGRO	42	42	2	-	9
DOUGHERTY	894	716	42	30	31
WHITE	494	388	20	16	14
ALL OTHER	400	328	22	14	17
NEGRO	400	328	22	14	17
ALBANY	---	648	34	26	29
WHITE	---	332	14	12	13
ALL OTHER	---	316	20	14	16
NEGRO	---	316	20	14	16
BALANCE OF COUNTY	---	68	8	4	2
WHITE	---	56	6	4	1
ALL OTHER	---	12	2	-	1
NEGRO	---	12	2	-	1
DOUGLAS	148	236	4	2	8
EARLY	132	158	4	2	8
WHITE	70	98	2	2	4
ALL OTHER	62	60	2	-	4
NEGRO	62	60	2	-	4
ECHOLS	8	38	2	2	-
WHITE	6	34	2	2	-
ALL OTHER	2	4	-	-	-
NEGRO	2	4	-	-	-
EFFINGHAM	88	104	6	2	5
WHITE	56	80	4	2	4
ALL OTHER	32	24	2	-	1
NEGRO	32	24	2	-	1
ELBERT	174	190	8	2	7
WHITE	128	146	4	2	4
ALL OTHER	46	44	4	-	3
NEGRO	46	44	4	-	3
EMANUEL	150	216	6	6	7
WHITE	94	148	-	-	5
ALL OTHER	56	68	6	6	2
NEGRO	56	68	6	6	2
EVANS	138	94	4	4	1
WHITE	92	54	2	2	-
ALL OTHER	46	40	2	2	1
NEGRO	46	40	2	2	1
FANNIN	34	132	2	2	1
FAYETTE	32	96	2	2	4
WHITE	22	74	2	2	3
ALL OTHER	10	22	-	-	1
NEGRO	10	22	-	-	1
FLOYD	918	784	42	34	26
WHITE	750	650	34	28	21
ALL OTHER	168	134	8	6	5
NEGRO	168	134	8	6	5
ROME	---	466	24	20	12
WHITE	---	350	16	14	8
ALL OTHER	---	116	8	6	4
NEGRO	---	116	8	6	4
BALANCE OF COUNTY	---	318	18	14	14

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA—CON.					
FORSYTH	106	154	6	6	1
FRANKLIN	154	182	6	6	6
WHITE	132	154	4	4	2
ALL OTHER	22	28	2	2	4
NEGRO	22	28	2	2	4
FULTON	7,050	5,964	220	170	155
WHITE	4,418	3,520	78	58	59
ALL OTHER	2,632	2,444	142	112	96
NEGRO	2,626	2,436	142	112	96
ATLANTA, PART	---	4,822	168	128	130
WHITE	---	2,502	34	24	38
ALL OTHER	---	2,320	134	104	92
NEGRO	---	2,312	134	104	92
ATLANTA, TOTAL	---	5,508	194	146	151
WHITE	---	2,876	44	32	49
ALL OTHER	---	2,632	150	114	102
NEGRO	---	2,624	150	114	102
COLLEGE PARK, PART	---	174	8	8	4
WHITE	---	134	8	8	3
ALL OTHER	---	40	-	-	1
NEGRO	---	40	-	-	1
COLLEGE PARK, TOTAL	---	198	8	8	7
WHITE	---	158	8	8	6
ALL OTHER	---	40	-	-	1
NEGRO	---	40	-	-	1
EAST POINT	---	354	8	6	4
BALANCE OF COUNTY	---	614	36	28	17
GILMER	96	108	2	2	1
GLASCOCK	4	26	-	-	-
WHITE	2	24	-	-	-
ALL OTHER	2	2	-	-	-
NEGRO	2	2	-	-	-
GLYNN	496	444	20	16	21
WHITE	344	306	12	10	11
ALL OTHER	152	138	8	6	10
NEGRO	152	138	8	6	10
BRUNSWICK	---	236	16	12	13
WHITE	---	124	8	6	5
ALL OTHER	---	112	8	6	8
NEGRO	---	112	8	6	8
BALANCE OF COUNTY	---	208	4	4	8
WHITE	---	182	4	4	6
ALL OTHER	---	26	-	-	2
NEGRO	---	26	-	-	2
GORDON	188	248	2	2	8
GRADY	156	210	12	10	2
WHITE	98	144	4	2	-
ALL OTHER	58	66	8	8	2
NEGRO	58	66	8	8	2
GREENE	136	144	4	2	4
WHITE	76	76	2	2	2
ALL OTHER	60	68	2	-	2
NEGRO	60	66	2	-	2
GWINNETT	422	560	28	20	28
HABERSHAM	126	150	2	2	4
HALL	654	590	20	14	5
WHITE	588	520	20	14	5
ALL OTHER	66	70	-	-	-
NEGRO	66	70	-	-	-
GAINESVILLE	---	188	2	2	-
WHITE	---	142	2	2	-
ALL OTHER	---	46	-	-	-
NEGRO	---	46	-	-	-
BALANCE OF COUNTY	---	402	18	12	5
HANCOCK	94	102	6	2	3
WHITE	24	38	2	2	-
ALL OTHER	70	64	4	-	3
NEGRO	70	62	4	-	3
HARALSON	136	182	10	8	5
HARRIS	62	160	6	2	5
WHITE	26	90	4	2	1
ALL OTHER	36	70	2	-	4
NEGRO	36	70	2	-	4
HART	74	164	8	2	2
WHITE	50	124	2	2	2
ALL OTHER	24	40	6	-	-
NEGRO	24	40	6	-	-
HEARD	66	60	4	2	-
WHITE	52	50	4	2	-
ALL OTHER	14	10	-	-	-
NEGRO	14	10	-	-	-
HENRY	60	244	4	2	7
WHITE	52	194	4	2	2
ALL OTHER	8	50	-	-	5
NEGRO	8	50	-	-	5

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA—CON.					
HOUSTON	386	404	44	30	16
WHITE	306	320	32	20	12
ALL OTHER	80	84	12	10	4
NEGRO	78	82	12	10	4
WARNER ROBINS	---	228	32	20	13
BALANCE OF COUNTY	---	176	12	10	3
WHITE	---	116	8	6	1
ALL OTHER	---	60	4	4	2
NEGRO	---	60	4	4	2
IRWIN	120	104	2	-	5
WHITE	84	72	-	-	-
ALL OTHER	36	32	2	-	5
NEGRO	36	32	2	-	5
JACKSON	214	252	6	2	3
WHITE	194	230	4	2	2
ALL OTHER	20	22	2	-	1
NEGRO	20	22	2	-	1
JASPER	62	82	2	2	2
WHITE	24	40	2	2	1
ALL OTHER	38	42	-	-	1
NEGRO	38	42	-	-	1
JEFF DAVIS	126	106	6	2	5
WHITE	104	88	2	-	3
ALL OTHER	22	18	4	2	2
NEGRO	22	18	4	2	2
JEFFERSON	152	222	8	4	6
WHITE	66	110	2	-	-
ALL OTHER	86	112	6	4	6
NEGRO	86	112	6	4	6
JENKINS	80	104	2	-	4
WHITE	56	68	2	-	-
ALL OTHER	24	36	-	-	4
NEGRO	24	36	-	-	4
JOHNSON	26	96	8	4	4
WHITE	8	62	-	-	2
ALL OTHER	18	34	8	4	2
NEGRO	18	34	8	4	2
JONES	82	106	6	6	-
WHITE	46	68	6	6	-
ALL OTHER	36	38	-	-	-
NEGRO	36	38	-	-	-
LAMAR	40	114	4	4	3
WHITE	30	84	-	-	2
ALL OTHER	10	30	4	4	1
NEGRO	10	30	4	4	1
LANIER	58	76	2	2	1
WHITE	44	66	2	2	-
ALL OTHER	14	10	-	-	1
NEGRO	14	10	-	-	1
LAURENS	622	364	16	8	7
WHITE	462	246	6	4	3
ALL OTHER	160	118	10	4	4
NEGRO	160	118	10	4	4
DUBLIN	---	196	8	4	4
WHITE	---	118	-	-	1
ALL OTHER	---	78	8	4	3
NEGRO	---	78	8	4	3
BALANCE OF COUNTY	---	168	8	4	3
WHITE	---	128	6	4	2
ALL OTHER	---	40	2	-	1
NEGRO	---	40	2	-	1
LEE	12	70	6	4	1
WHITE	10	38	2	2	-
ALL OTHER	2	32	4	2	1
NEGRO	2	32	4	2	1
LIBERTY	108	128	16	12	4
WHITE	68	68	14	12	3
ALL OTHER	40	60	2	-	1
NEGRO	40	60	2	-	1
LINCOLN	36	70	6	4	3
WHITE	14	42	2	2	1
ALL OTHER	22	28	4	2	2
NEGRO	22	28	4	2	2
LONG	8	44	-	-	-
WHITE	6	36	-	-	-
ALL OTHER	2	8	-	-	-
NEGRO	2	8	-	-	-
LOWNDES	620	518	12	8	23
WHITE	426	328	10	6	11
ALL OTHER	194	190	2	2	12
NEGRO	194	190	2	2	12

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA--CON.					
LOWNDES--CON.					
VALDOSTA	---	338	4	4	12
WHITE	---	194	2	2	6
ALL OTHER	---	144	2	2	6
NEGRO	---	144	2	2	6
BALANCE OF COUNTY	---	180	8	4	11
WHITE	---	134	8	4	5
ALL OTHER	---	46	-	-	6
NEGRO	---	46	-	-	6
LUMPKIN	52	60	-	-	-
MC DUFFIE	196	170	4	4	6
WHITE	108	106	-	-	1
ALL OTHER	88	64	4	4	5
NEGRO	88	64	4	4	5
MC INTOSH	20	56	-	-	-
WHITE	6	24	-	-	-
ALL OTHER	14	32	-	-	-
NEGRO	14	32	-	-	-
MACON	128	140	16	8	8
WHITE	72	56	6	4	1
ALL OTHER	56	84	10	4	7
NEGRO	56	84	10	4	7
MADISON	30	144	6	4	5
WHITE	24	128	4	4	5
ALL OTHER	6	16	2	-	-
NEGRO	6	16	2	-	-
MARION	70	88	-	-	2
WHITE	32	40	-	-	-
ALL OTHER	38	48	-	-	2
NEGRO	38	48	-	-	2
MERIWETHER	166	240	2	2	7
WHITE	92	124	-	-	1
ALL OTHER	74	116	2	2	6
NEGRO	74	116	2	2	6
MILLER	64	78	-	-	2
WHITE	50	62	-	-	1
ALL OTHER	14	16	-	-	1
NEGRO	14	16	-	-	1
MITCHELL	130	210	16	8	9
WHITE	68	110	6	6	6
ALL OTHER	62	100	10	2	3
NEGRO	62	100	10	2	3
MONROE	140	128	6	4	6
WHITE	84	78	4	2	2
ALL OTHER	56	50	2	2	4
NEGRO	56	50	2	2	4
MONTGOMERY	22	78	6	4	2
WHITE	14	50	-	-	1
ALL OTHER	8	28	6	4	1
NEGRO	8	28	6	4	1
MORGAN	106	108	4	2	2
WHITE	74	84	2	-	1
ALL OTHER	32	24	2	2	1
NEGRO	32	24	2	2	1
MURRAY	68	122	8	4	2
MUSCOGEE	1,462	1,404	66	58	45
WHITE	930	918	38	34	21
ALL OTHER	532	486	28	24	24
NEGRO	530	484	28	24	23
COLUMBUS	---	1,340	56	50	43
WHITE	---	876	30	28	19
ALL OTHER	---	464	26	22	24
NEGRO	---	462	26	22	23
BALANCE OF COUNTY	---	64	10	8	2
WHITE	---	42	8	6	2
ALL OTHER	---	22	2	2	-
NEGRO	---	22	2	2	-
NEWTON	228	266	24	20	8
WHITE	166	184	10	6	4
ALL OTHER	62	82	14	14	4
NEGRO	62	82	14	14	4
COVINGTON	---	114	14	12	2
WHITE	---	62	4	2	1
ALL OTHER	---	52	10	10	1
NEGRO	---	52	10	10	1
BALANCE OF COUNTY	---	152	10	8	6
WHITE	---	122	6	4	3
ALL OTHER	---	30	4	4	3
NEGRO	---	30	4	4	3
OCONEE	24	72	4	4	1
WHITE	20	64	4	4	-
ALL OTHER	4	8	-	-	1
NEGRO	4	8	-	-	1
OGLETHORPE	18	86	4	2	-
WHITE	10	52	-	-	-
ALL OTHER	8	34	4	2	-
NEGRO	8	34	4	2	-

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA--CON.					
PAULDING	132	166	6	4	5
PEACH	144	144	8	8	1
WHITE	60	60	2	2	-
ALL OTHER	84	84	6	6	1
NEGRO	84	84	6	6	1
PICKENS	106	100	6	4	1
PIERCE	102	122	2	2	-
WHITE	76	88	2	2	-
ALL OTHER	26	34	-	-	-
NEGRO	26	34	-	-	-
PIKE	66	66	4	2	1
WHITE	46	52	2	2	1
ALL OTHER	20	14	2	-	-
NEGRO	20	14	2	-	-
POLK	332	354	10	8	4
WHITE	286	304	8	8	4
ALL OTHER	46	50	2	-	-
NEGRO	46	50	2	-	-
PULASKI	126	94	2	2	2
WHITE	70	48	2	2	1
ALL OTHER	56	46	-	-	1
NEGRO	56	46	-	-	1
PUTNAM	70	94	-	-	3
WHITE	34	48	-	-	-
ALL OTHER	36	46	-	-	3
NEGRO	36	46	-	-	3
QUITMAN	10	26	-	-	1
WHITE	8	10	-	-	-
ALL OTHER	2	16	-	-	1
NEGRO	2	16	-	-	1
RABUN	82	72	-	-	1
RANDOLPH	124	142	6	4	4
WHITE	50	62	4	4	1
ALL OTHER	74	80	2	-	3
NEGRO	74	78	2	-	3
RICHMOND	2,276	1,358	52	40	51
WHITE	1,436	830	18	18	23
ALL OTHER	840	528	34	22	28
NEGRO	840	528	34	22	28
AUGUSTA	---	916	30	24	37
WHITE	---	518	8	8	17
ALL OTHER	---	398	22	16	20
NEGRO	---	398	22	16	20
BALANCE OF COUNTY	---	442	22	16	14
WHITE	---	312	10	10	6
ALL OTHER	---	130	12	6	8
NEGRO	---	130	12	6	8
ROCKDALE	146	120	2	2	4
WHITE	124	96	-	-	3
ALL OTHER	22	24	2	2	1
NEGRO	22	24	2	2	1
SCHLEY	8	44	2	-	1
WHITE	2	18	2	-	-
ALL OTHER	6	26	-	-	1
NEGRO	6	26	-	-	1
SCREVEN	118	172	4	2	3
WHITE	54	84	-	-	-
ALL OTHER	64	88	4	2	3
NEGRO	64	88	4	2	3
SEMINOLE	138	86	-	-	7
WHITE	96	54	-	-	1
ALL OTHER	42	32	-	-	6
NEGRO	42	32	-	-	6
SPALDING	488	394	6	4	9
WHITE	350	286	-	-	6
ALL OTHER	138	108	6	4	3
NEGRO	138	108	6	4	3
GRIFFIN	---	274	6	4	4
WHITE	---	188	-	-	3
ALL OTHER	---	86	6	4	1
NEGRO	---	86	6	4	1
BALANCE OF COUNTY	---	120	-	-	5
WHITE	---	98	-	-	3
ALL OTHER	---	22	-	-	2
NEGRO	---	22	-	-	2
STEPHENS	230	188	12	8	2
WHITE	192	150	10	8	1
ALL OTHER	38	38	2	-	1
NEGRO	38	38	2	-	1
STEWART	50	72	2	-	1
WHITE	12	20	-	-	1
ALL OTHER	38	52	2	-	-
NEGRO	38	52	2	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA--CON.					
SUMTER	372	288	14	8	6
WHITE	194	142	-	-	1
ALL OTHER	178	146	14	8	5
NEGRO	178	146	14	8	5
AMERICUS	---	176	10	6	3
WHITE	---	84	-	-	1
ALL OTHER	---	92	10	6	2
NEGRO	---	92	10	6	2
BALANCE OF COUNTY	---	112	4	2	3
WHITE	---	58	-	-	-
ALL OTHER	---	54	4	2	3
NEGRO	---	54	4	2	3
TALBOT	24	88	-	-	6
WHITE	8	38	-	-	-
ALL OTHER	16	50	-	-	6
NEGRO	16	50	-	-	6
TALIAFERRO	8	36	2	-	-
WHITE	-	12	-	-	-
ALL OTHER	8	24	2	-	-
NEGRO	8	24	2	-	-
TATTNALL	66	140	4	4	5
WHITE	46	106	-	-	1
ALL OTHER	20	34	4	4	4
NEGRO	20	34	4	4	4
TAYLOR	42	102	4	2	4
WHITE	14	66	-	-	1
ALL OTHER	28	36	4	2	3
NEGRO	28	36	4	2	3
TELFAIR	122	130	2	-	1
WHITE	100	104	-	-	-
ALL OTHER	22	26	2	-	1
NEGRO	22	26	2	-	1
TERRELL	132	134	2	-	1
WHITE	52	64	-	-	-
ALL OTHER	80	70	2	-	1
NEGRO	80	70	2	-	1
THOMAS	540	434	20	14	13
WHITE	304	238	12	10	3
ALL OTHER	236	196	8	4	10
NEGRO	236	196	8	4	10
THOMASVILLE	---	256	16	10	5
WHITE	---	122	8	6	1
ALL OTHER	---	134	8	4	4
NEGRO	---	134	8	4	4
BALANCE OF COUNTY	---	178	4	4	8
WHITE	---	116	4	4	2
ALL OTHER	---	62	-	-	6
NEGRO	---	62	-	-	6
TIFT	304	270	2	2	6
WHITE	238	200	2	2	5
ALL OTHER	66	70	-	-	1
NEGRO	66	70	-	-	1
TIFTON	---	138	2	2	-
WHITE	---	112	2	2	-
ALL OTHER	---	26	-	-	-
NEGRO	---	26	-	-	-
BALANCE OF COUNTY	---	132	-	-	6
WHITE	---	88	-	-	5
ALL OTHER	---	44	-	-	1
NEGRO	---	44	-	-	1
TOOMBS	208	224	8	6	9
WHITE	158	162	4	2	3
ALL OTHER	50	62	4	4	6
NEGRO	50	62	4	4	6
TOWNS	86	54	-	-	1
TREUTLEN	54	76	4	2	1
WHITE	30	54	2	2	1
ALL OTHER	24	22	2	-	-
NEGRO	24	22	2	-	-
TROUP	548	598	30	14	14
WHITE	378	432	16	10	9
ALL OTHER	170	166	14	4	5
NEGRO	170	166	14	4	5
LA GRANGE	---	300	14	8	6
WHITE	---	204	4	4	5
ALL OTHER	---	96	10	4	1
NEGRO	---	96	10	4	1
BALANCE OF COUNTY	---	298	16	6	8
WHITE	---	228	12	6	4
ALL OTHER	---	70	4	-	4
NEGRO	---	70	4	-	4
TURNER	104	104	2	-	1
WHITE	66	60	-	-	-
ALL OTHER	38	44	2	-	1
NEGRO	38	44	2	-	1
GEORGIA--CON.					
TWIGGS	38	72	6	4	3
WHITE	14	34	2	2	-
ALL OTHER	24	38	4	2	3
NEGRO	24	38	4	2	3
UNION	64	88	-	-	1
UPSON	280	288	6	2	7
WHITE	210	218	2	2	4
ALL OTHER	70	70	4	-	3
NEGRO	70	70	4	-	3
THOMASTON	---	124	2	2	5
WHITE	---	100	2	2	3
ALL OTHER	---	24	-	-	2
NEGRO	---	24	-	-	2
BALANCE OF COUNTY	---	164	4	-	2
WHITE	---	118	-	-	1
ALL OTHER	---	46	4	-	1
NEGRO	---	46	4	-	1
WALKER	206	426	14	8	11
WALTON	182	230	10	6	5
WHITE	152	184	6	4	2
ALL OTHER	30	46	4	2	3
NEGRO	30	46	4	2	3
WARE	448	426	12	6	6
WHITE	308	292	6	4	5
ALL OTHER	140	134	6	2	1
NEGRO	140	134	6	2	1
WAYCROSS	---	296	8	4	1
WHITE	---	176	2	2	-
ALL OTHER	---	120	6	2	1
NEGRO	---	120	6	2	1
BALANCE OF COUNTY	---	130	4	2	5
WARREN	14	62	2	2	1
WHITE	8	34	2	2	1
ALL OTHER	6	28	-	-	-
NEGRO	6	28	-	-	-
WASHINGTON	222	246	12	6	4
WHITE	104	120	2	-	-
ALL OTHER	118	126	10	6	4
NEGRO	118	126	10	6	4
WAYNE	202	182	10	8	7
WHITE	152	136	6	6	3
ALL OTHER	50	46	4	2	4
NEGRO	50	46	4	2	4
WEBSTER	6	16	2	2	-
WHITE	2	4	-	-	-
ALL OTHER	4	12	2	2	-
NEGRO	4	12	2	2	-
WHEELER	40	42	-	-	-
WHITE	22	36	-	-	-
ALL OTHER	18	6	-	-	-
NEGRO	18	6	-	-	-
WHITE	40	62	2	2	-
WHITFIELD	482	468	22	14	2
DALTON	---	218	18	12	-
WHITE	---	190	14	10	-
ALL OTHER	---	28	4	2	-
NEGRO	---	28	4	2	-
BALANCE OF COUNTY	---	250	4	2	2
WILCOX	42	100	4	2	-
WHITE	22	76	2	2	-
ALL OTHER	20	24	2	-	-
NEGRO	20	24	2	-	-
WILKES	140	110	2	2	1
WHITE	94	70	-	-	-
ALL OTHER	46	40	2	2	1
NEGRO	46	40	2	2	1
WILKINSON	48	114	2	2	-
WHITE	18	66	-	-	-
ALL OTHER	30	48	2	2	-
NEGRO	30	48	2	2	-
WORTH	130	158	8	6	7
WHITE	76	98	-	-	4
ALL OTHER	54	60	8	6	3
NEGRO	54	60	8	6	3
HAWAII	4,488	4,304	260	210	299
WHITE	1,548	1,390	64	52	94
ALL OTHER	2,940	2,914	196	158	205
NEGRO	30	24	4	4	9
HAWAII	514	544	18	16	24
WHITE	174	170	-	-	5
ALL OTHER	340	374	18	16	19
NEGRO	2	2	-	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
HAWAII—CON.					
HAWAII—CON.					
HILO[3]	---	246	8	8	8
WHITE	---	56	-	-	2
ALL OTHER	---	190	8	8	6
NEGRO	---	2	-	-	-
BALANCE OF COUNTY	---	298	10	8	16
WHITE	---	114	-	-	3
ALL OTHER	---	184	10	8	13
NEGRO	---	-	-	-	-
HONOLULU	3,366	3,138	210	168	241
WHITE	1,238	1,094	62	50	82
ALL OTHER	2,128	2,044	148	118	159
NEGRO	26	20	4	4	9
AIEA	---	62	-	-	4
WHITE	---	12	-	-	-
ALL OTHER	---	50	-	-	4
NEGRO	---	2	-	-	2
HONOLULU[3]	---	1,962	92	80	118
WHITE	---	710	16	12	36
ALL OTHER	---	1,252	76	68	82
NEGRO	---	10	2	2	3
KAILUA	---	128	10	8	15
WHITE	---	86	6	4	7
ALL OTHER	---	42	4	4	8
NEGRO	---	2	-	-	-
KANEOHE	---	142	12	12	17
WHITE	---	48	6	6	10
ALL OTHER	---	94	6	6	7
NEGRO	---	-	-	-	-
PEARL CITY	---	52	6	2	10
WHITE	---	4	-	-	3
ALL OTHER	---	48	6	2	7
NEGRO	---	-	-	-	-
SCHOFIELD BARRACKS	---	10	4	-	7
WHITE	---	8	4	-	3
ALL OTHER	---	2	-	-	4
NEGRO	---	-	-	-	3
WAHIAWA	---	84	12	10	6
WHITE	---	12	-	-	3
ALL OTHER	---	72	12	10	3
NEGRO	---	2	2	2	-
WAIPAHU	---	74	8	8	12
WHITE	---	8	-	-	3
ALL OTHER	---	66	8	8	9
NEGRO	---	-	-	-	-
BALANCE OF COUNTY	---	624	66	48	52
WHITE	---	206	30	28	17
ALL OTHER	---	418	36	20	35
NEGRO	---	4	-	-	1
KAUAI	228	222	16	14	17
WHITE	50	44	-	-	3
ALL OTHER	178	178	16	14	14
NEGRO	-	-	-	-	-
MAUI	380	400	16	12	17
WHITE	86	82	2	2	4
ALL OTHER	294	318	14	10	13
NEGRO	2	2	-	-	-
IDAHO	6,102	6,352	240	156	160
WHITE	5,982	6,224	224	148	154
ALL OTHER	120	128	16	8	6
NEGRO	20	20	-	-	3
ADA	1,074	926	34	22	27
BOISE CITY	---	770	32	20	22
BALANCE OF COUNTY	---	156	2	2	5
ADAMS	18	30	-	-	1
BANNOCK	392	376	8	8	11
POCATELLO	---	292	4	4	8
BALANCE OF COUNTY	---	84	4	4	3
BEAR LAKE	48	64	-	-	1
BENEWAH	58	66	-	-	1
BINGHAM	162	236	24	14	10
BLAINE	50	50	-	-	3
BOISE	14	4	-	-	-
BONNER	124	164	6	4	1
BONNEVILLE	424	308	26	16	13
IDAHO FALLS	---	266	24	14	11
BALANCE OF COUNTY	---	42	2	2	2
BOUNDARY	46	54	4	4	2
BUTTE	30	26	-	-	1
CAMAS	10	8	-	-	-
CANYON	624	604	30	16	15
CALDWELL	---	148	2	-	7
NAMPA	---	252	14	6	3
BALANCE OF COUNTY	---	204	14	10	5

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
IDAHO—CON.					
CARIBOU	46	42	-	-	3
CASSIA	128	136	4	2	4
CLARK	4	4	-	-	-
CLEARWATER	80	98	8	8	1
CUSTER	10	22	2	2	-
ELMORE	94	106	2	2	7
FRANKLIN	52	68	2	2	1
FREMONT	54	98	-	-	5
GEM	80	102	2	2	2
GOODING	98	100	4	4	2
IDAHO	114	128	-	-	2
JEFFERSON	36	94	4	4	4
JEROME	86	100	6	4	3
KOOTENAI	376	410	14	8	6
COEUR D ALENE	---	206	4	4	1
BALANCE OF COUNTY	---	204	10	4	5
LATAH	158	176	6	4	-
MOSCOW	---	74	4	2	-
BALANCE OF COUNTY	---	102	2	2	-
LEMHI	66	64	-	-	2
LEWIS	6	28	-	-	-
LINCOLN	24	26	-	-	1
MADISON	72	86	6	6	2
MINIDOKA	84	120	6	4	3
NEZ PERCE	346	330	14	4	4
LEWISTON	---	280	12	4	4
BALANCE OF COUNTY	---	50	2	-	-
WHITE	---	34	-	-	-
ALL OTHER	---	16	2	-	-
NEGRO	---	-	-	-	-
ONEIDA	28	34	-	-	1
OWYHEE	24	52	-	-	3
PAYETTE	78	138	4	2	3
POWER	58	52	2	2	-
SHOSHONE	264	272	6	2	3
TETON	38	38	-	-	-
TWIN FALLS	396	382	12	8	8
TWIN FALLS	---	196	6	4	6
BALANCE OF COUNTY	---	186	6	4	2
VALLEY	52	36	2	2	-
WASHINGTON	76	94	2	-	4
ILLINOIS	108,894	111,298	3,604	2,672	2,308
WHITE	95,092	97,362	2,296	1,768	1,480
ALL OTHER	13,802	13,936	1,308	904	828
NEGRO	13,528	13,658	1,298	896	812
ADAMS	1,132	1,026	26	16	13
QUINCY	---	798	16	8	8
BALANCE OF COUNTY	---	228	10	8	5
ALEXANDER	192	224	8	4	1
WHITE	110	140	2	2	1
ALL OTHER	82	84	6	2	-
NEGRO	82	84	6	2	-
BOND	134	162	4	2	4
BOONE	232	216	20	14	9
BELVIDERE	---	120	8	8	5
BALANCE OF COUNTY	---	96	12	6	4
BROWN	16	92	2	2	-
BUREAU	440	424	10	10	1
CALHOUN	34	74	-	-	1
CARROLL	132	198	4	4	5
CASS	182	202	6	6	1
CHAMPAIGN	1,176	996	54	34	19
WHITE	1,104	920	44	28	15
ALL OTHER	72	76	10	6	4
NEGRO	70	74	8	4	4
CHAMPAIGN	---	402	14	6	6
WHITE	---	348	8	4	5
ALL OTHER	---	54	6	2	1
NEGRO	---	54	6	2	1
RANTOUL	---	70	14	10	3
URBANA	---	176	4	2	3
WHITE	---	162	4	2	1
ALL OTHER	---	14	-	-	2
NEGRO	---	14	-	-	2
BALANCE OF COUNTY	---	348	22	16	7
CHRISTIAN	414	466	10	6	4
TAYLORVILLE	---	162	4	2	1
BALANCE OF COUNTY	---	304	6	4	3
CLARK	120	232	6	4	2
CLAY	132	186	8	6	-
CLINTON	190	248	2	-	4
CENTRALIA, PART	---	22	2	-	-
BALANCE OF COUNTY	---	226	-	-	4

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ILLINOIS--CON.					
COLES	560	504	28	18	6
CHARLESTON	---	150	8	6	2
MATTOON	---	232	10	4	1
BALANCE OF COUNTY	---	122	10	8	3
COOK	55,612	56,754	1,992	1,458	1,331
WHITE	44,072	45,024	892	686	634
ALL OTHER	11,540	11,730	1,100	772	697
NEGRO	11,300	11,482	1,094	768	684
ALSIP	---	90	6	4	2
ARLINGTON HEIGHTS, PART	---	384	10	8	13
ARLINGTON HEIGHTS, TOTAL	---	384	10	8	13
BELLWOOD	---	176	2	2	1
BENSENVILLE, PART	---	8	-	-	-
BERWYN	---	724	6	6	7
BLUE ISLAND	---	272	6	6	3
BRIDGE VIEW	---	76	8	8	4
BROOKFIELD	---	234	12	10	3
BUFFALO GROVE, PART	---	28	2	-	3
BUFFALO GROVE, TOTAL	---	28	2	-	3
CALUMET CITY	---	262	10	6	3
CALUMET PARK	---	70	-	-	2
CHICAGO, PART	---	39,572	1,518	1,096	988
WHITE	---	28,614	512	392	337
ALL OTHER	---	10,958	1,006	704	651
NEGRO	---	10,738	1,002	702	641
CHICAGO, TOTAL	---	39,572	1,518	1,096	988
WHITE	---	28,614	512	392	337
ALL OTHER	---	10,958	1,006	704	651
NEGRO	---	10,738	1,002	702	641
CHICAGO HEIGHTS	---	394	26	22	18
WHITE	---	300	16	14	12
ALL OTHER	---	94	10	8	6
NEGRO	---	94	10	8	6
CICERO	---	930	20	16	14
DEERFIELD, PART	---	12	-	-	-
DES PLAINES	---	468	14	10	8
DOLTON	---	198	8	8	2
ELGIN, PART	---	26	4	-	-
ELK GROVE VILLAGE, PART	---	42	2	2	3
ELK GROVE VILLAGE, TOTAL	---	42	2	2	3
ELMWOOD PARK	---	284	2	2	2
EVANSTON	---	924	32	26	11
WHITE	---	780	12	10	7
ALL OTHER	---	144	20	16	4
NEGRO	---	142	20	16	3
EVERGREEN PARK	---	310	-	-	2
FOREST PARK	---	206	2	-	4
FRANKLIN PARK	---	140	4	4	4
GLENCOE	---	56	-	-	2
GLENVIEW	---	254	6	4	1
HANOVER PARK, PART	---	44	4	4	4
HANOVER PARK, TOTAL	---	48	4	4	4
HARVEY	---	296	26	20	14
WHITE	---	220	10	8	5
ALL OTHER	---	76	16	12	9
NEGRO	---	76	16	12	9
HAZEL CREST	---	60	2	2	3
HICKORY HILLS	---	94	2	2	2
HINSDALE, PART	---	14	4	4	1
HOFFMAN ESTATES	---	64	8	6	7
HOMEWOOD	---	194	2	2	2
LA GRANGE	---	194	4	4	3
LA GRANGE PARK	---	152	-	-	1
LANSING	---	196	2	2	4
LINCOLNWOOD	---	94	-	-	-
LYONS	---	88	2	2	-
MARKHAM	---	110	10	6	4
WHITE	---	44	-	-	-
ALL OTHER	---	66	10	6	4
NEGRO	---	66	10	6	4
MAYWOOD	---	204	8	6	8
WHITE	---	144	-	-	1
ALL OTHER	---	60	8	6	7
NEGRO	---	60	8	6	7
MELROSE PARK	---	260	14	14	4
MIDLOTHIAN	---	98	10	10	1
MORTON GROVE	---	166	2	2	-
MOUNT PROSPECT	---	286	12	8	8
NILES	---	292	-	-	7
NORRIDGE	---	122	4	4	1
NORTHBROOK	---	176	2	2	6
NORTHLAKE, PART	---	112	-	-	4
NORTHLAKE, TOTAL	---	112	-	-	4
OAK FOREST	---	100	4	4	7
OAK LAWN	---	598	10	8	5
ILLINOIS--CON.					
COOK--CON.					
OAK PARK	---	828	8	-	5
PALATINE	---	176	6	4	5
PARK FOREST, PART	---	132	4	2	5
PARK FOREST, TOTAL	---	138	4	2	5
PARK RIDGE	---	352	6	4	3
RIVERDALE	---	192	2	-	1
RIVER FOREST	---	92	-	-	-
RIVER GROVE	---	108	2	-	3
RIVERSIDE	---	122	-	-	2
ROLLING MEADOWS	---	80	4	4	3
SCHAUMBURG, PART	---	60	8	8	5
SCHAUMBURG, TOTAL	---	62	8	8	5
SCHILLER PARK	---	54	2	2	4
SKOKIE	---	534	4	4	4
SOUTH HOLLAND	---	132	2	2	1
STREAMWOOD	---	62	6	4	6
SUMMIT	---	96	2	2	1
WHITE	---	74	2	2	1
ALL OTHER	---	22	-	-	-
NEGRO	---	22	-	-	-
TINLEY PARK, PART	---	88	2	-	6
TINLEY PARK, TOTAL	---	88	2	-	6
WESTCHESTER	---	158	-	-	3
WESTERN SPRINGS	---	82	-	-	2
WHEELING	---	106	4	2	4
WILMETTE	---	210	-	-	2
WINNETKA	---	88	2	2	1
WORTH	---	66	-	-	4
BALANCE OF COUNTY	---	2,782	96	66	65
WHITE	---	2,564	72	50	53
ALL OTHER	---	218	24	16	12
NEGRO	---	216	24	16	12
CRAWFORD	210	276	4	-	2
CUMBERLAND	48	104	4	4	1
DE KALB	550	492	16	10	9
DE KALB	---	168	6	4	4
BALANCE OF COUNTY	---	324	10	6	5
DE WITT	180	238	10	10	4
DOUGLAS	154	218	6	6	3
DU PAGE	2,892	2,992	90	70	83
ADDISON	---	92	10	10	5
BENSENVILLE, PART	---	128	2	-	5
BENSENVILLE, TOTAL	---	136	2	-	5
CHICAGO, PART	---	-	-	-	-
DOWNERS GROVE	---	288	4	4	6
ELK GROVE VILLAGE, PART	---	-	-	-	-
ELMHURST	---	314	6	6	8
GLENDALE HEIGHTS	---	22	4	4	2
GLEN ELLYN	---	128	4	4	3
HANOVER PARK, PART	---	4	-	-	-
HINSDALE, PART	---	144	2	2	-
HINSDALE, TOTAL	---	158	6	6	1
LOMBARD	---	256	2	2	10
NAPERVILLE	---	140	4	2	1
NORTHLAKE, PART	---	-	-	-	-
SCHAUMBURG, PART	---	2	-	-	-
VILLA PARK	---	162	2	-	3
WEST CHICAGO	---	94	4	4	8
WHEATON	---	242	6	6	2
WOODRIDGE	---	34	4	2	1
BALANCE OF COUNTY	---	942	36	24	29
EDGAR	240	300	6	4	5
EDWARDS	36	106	2	2	-
EFFINGHAM	310	242	2	2	-
FAYETTE	260	272	2	2	1
FORD	210	198	4	2	3
FRANKLIN	572	750	8	6	7
FULTON	386	532	10	8	6
CANTON	---	190	4	2	3
BALANCE OF COUNTY	---	342	6	6	3
GALLATIN	42	116	2	-	2
GREENE	204	258	6	6	4
GRUNDY	208	254	6	6	4
HAMILTON	98	132	-	-	-
HANCOCK	160	290	10	4	3
HARDIN	54	72	-	-	-
HENDERSON	24	80	-	-	-
HENRY	548	638	16	14	10
KEWANEE	---	248	4	4	5
BALANCE OF COUNTY	---	390	12	10	5
IROQUOIS	298	432	16	12	2
JACKSON	534	462	16	16	11
CARBONDALE	---	112	4	4	2
WHITE	---	92	2	2	1
ALL OTHER	---	20	2	2	1
NEGRO	---	20	2	2	1

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ILLINOIS—CON.					
JACKSON—CON.					
MURPHYSBORO	---	150	4	4	-
BALANCE OF COUNTY	---	200	8	8	9
JASPER	58	136	2	2	1
JEFFERSON	504	452	8	6	4
MOUNT VERNON	---	268	2	-	3
BALANCE OF COUNTY	---	184	6	6	1
JERSEY	130	172	4	4	-
JO DAVIESS	148	272	4	4	3
JOHNSON	38	112	2	2	-
KANE	2,422	2,084	94	72	53
AURORA	---	738	26	18	19
CARPENTERSVILLE	---	96	4	-	3
ELGIN, PART	---	592	36	30	17
ELGIN, TOTAL	---	618	40	30	17
ST. CHARLES	---	82	-	-	1
BALANCE OF COUNTY	---	576	28	24	13
KANKAKEE	1,080	816	36	32	18
WHITE	920	722	26	26	15
ALL OTHER	160	94	10	6	3
NEGRO	158	94	10	6	3
KANKAKEE	---	334	14	12	6
WHITE	---	294	8	8	5
ALL OTHER	---	40	6	4	1
NEGRO	---	40	6	4	1
BALANCE OF COUNTY	---	482	22	20	12
WHITE	---	428	18	18	10
ALL OTHER	---	54	4	2	2
NEGRO	---	54	4	2	2
KENDALL	106	180	6	2	2
KNOX	808	682	10	10	9
GALESBURG	---	424	8	8	5
BALANCE OF COUNTY	---	258	2	2	4
LAKE	2,810	2,542	66	50	64
WHITE	2,642	2,416	60	44	57
ALL OTHER	168	126	6	6	7
NEGRO	160	120	4	4	7
ARLINGTON HEIGHTS, PART	---	-	-	-	-
BUFFALO GROVE, PART	---	-	-	-	-
DEERFIELD, PART	---	96	2	-	1
DEERFIELD, TOTAL	---	108	2	-	1
HIGHLAND PARK	---	160	-	-	2
LAKE FOREST	---	124	-	-	1
LIBERTYVILLE	---	98	-	-	2
MUNDELEIN	---	108	12	10	2
NORTH CHICAGO	---	128	2	2	4
WHITE	---	84	2	2	1
ALL OTHER	---	44	-	-	3
NEGRO	---	42	-	-	3
WAUKEGAN	---	520	24	18	21
WHITE	---	452	18	12	19
ALL OTHER	---	68	6	6	2
NEGRO	---	64	4	4	2
ZION	---	172	8	6	2
WHITE	---	160	8	6	1
ALL OTHER	---	12	-	-	1
NEGRO	---	12	-	-	1
BALANCE OF COUNTY	---	1,136	18	14	29
LA SALLE	1,274	1,302	32	22	19
LA SALLE	---	126	4	4	4
OTTAWA	---	204	-	-	3
PERU	---	140	-	-	-
STREATOR, PART	---	256	8	6	5
STREATOR, TOTAL	---	260	8	6	5
BALANCE OF COUNTY	---	576	20	12	7
LAWRENCE	202	258	8	6	1
LEE	420	354	4	4	9
DIXON	---	164	2	2	4
BALANCE OF COUNTY	---	190	2	2	5
LIVINGSTON	428	450	14	12	10
STREATOR, PART	---	4	-	-	-
BALANCE OF COUNTY	---	446	14	12	10
LOGAN	384	342	4	2	7
LINCOLN	---	166	2	2	4
BALANCE OF COUNTY	---	176	2	-	3
MC DONOUGH	342	338	10	6	3
MACOMB	---	152	8	6	1
BALANCE OF COUNTY	---	186	2	-	2
MC HENRY	844	1,038	34	30	20
CRYSTAL LAKE	---	120	4	4	2
WOODSTOCK	---	122	2	2	1
BALANCE OF COUNTY	---	796	28	24	17
MC LEAN	870	934	42	30	19
BLOOMINGTON	---	452	22	18	9
NORMAL	---	118	6	2	2
BALANCE OF COUNTY	---	364	14	10	8
ILLINOIS—CON.					
MACON	1,446	1,234	30	22	20
WHITE	1,380	1,150	22	18	14
ALL OTHER	66	84	8	4	6
NEGRO	66	84	8	4	6
DECATUR	---	1,050	28	20	17
WHITE	---	966	20	16	12
ALL OTHER	---	84	8	4	5
NEGRO	---	84	8	4	5
BALANCE OF COUNTY	---	184	2	2	3
MACOUPIN	434	646	6	2	6
MADISON	1,964	2,330	62	50	38
WHITE	1,816	2,180	50	44	30
ALL OTHER	148	150	12	6	8
NEGRO	146	146	12	6	8
ALTON	---	526	20	10	8
WHITE	---	448	10	6	3
ALL OTHER	---	78	10	4	5
NEGRO	---	78	10	4	5
COLLINSVILLE, PART	---	216	2	2	5
COLLINSVILLE, TOTAL	---	236	2	2	5
EDWARDSVILLE	---	128	2	2	2
GRANITE CITY	---	360	6	6	2
WOOD RIVER	---	98	2	2	3
BALANCE OF COUNTY	---	1,002	30	28	18
MARION	516	514	10	8	8
CENTRALIA, PART	---	218	4	4	2
WHITE	---	200	2	2	1
ALL OTHER	---	18	2	2	1
NEGRO	---	18	2	2	1
CENTRALIA, TOTAL	---	240	6	4	2
BALANCE OF COUNTY	---	296	6	4	6
MARSHALL	54	156	2	2	2
MASON	128	208	6	6	6
MASSAC	156	172	4	2	5
MENARD	68	142	4	-	3
MERCER	140	238	8	4	2
MONROE	110	204	12	10	7
MONTGOMERY	480	424	6	4	8
MORGAN	582	454	12	10	10
JACKSONVILLE	---	326	6	4	5
BALANCE OF COUNTY	---	128	6	6	5
MOULTRIE	116	156	2	2	2
OGLE	206	356	8	8	6
PEORIA	2,494	1,968	82	64	44
WHITE	2,372	1,846	60	54	35
ALL OTHER	122	122	22	10	9
NEGRO	122	122	22	10	9
PEKIN, PART	---	2	-	-	-
PEORIA	---	1,344	56	38	34
WHITE	---	1,230	34	28	25
ALL OTHER	---	114	22	10	9
NEGRO	---	114	22	10	9
BALANCE OF COUNTY	---	622	26	26	10
PERRY	272	286	10	8	5
PIATT	128	174	4	4	6
PIKE	210	252	2	2	3
POPE	16	56	2	2	1
PULASKI	34	154	4	4	4
WHITE	18	100	2	2	1
ALL OTHER	16	54	2	2	3
NEGRO	16	54	2	2	3
PUTNAM	10	58	4	2	2
RANDOLPH	480	396	2	2	6
RICHLAND	354	232	10	8	4
ROCK ISLAND	1,572	1,520	46	40	29
EAST MOLINE	---	160	4	4	4
MOLINE	---	534	10	10	11
ROCK ISLAND	---	522	24	20	8
WHITE	---	486	16	14	8
ALL OTHER	---	36	8	6	-
NEGRO	---	36	8	6	-
BALANCE OF COUNTY	---	304	8	6	6
ST. CLAIR	2,716	2,812	114	86	76
WHITE	2,226	2,208	58	46	32
ALL OTHER	490	604	56	40	44
NEGRO	488	604	56	40	44
BELLEVILLE	---	624	4	2	10
CAHOKIA	---	152	10	4	2
CENTREVILLE	---	62	8	8	2
WHITE	---	22	-	-	1
ALL OTHER	---	40	8	8	1
NEGRO	---	40	8	8	1
COLLINSVILLE, PART	---	20	-	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ILLINOIS--CON.					
ST. CLAIR--CON.					
EAST ST. LOUIS	---	882	50	32	48
WHITE	---	352	4	2	8
ALL OTHER	---	530	46	30	40
NEGRO	---	530	46	30	40
BALANCE OF COUNTY	---	1,072	42	40	14
SALINE	480	434	4	4	2
SANGAMON	2,126	1,724	42	32	26
SPRINGFIELD	---	1,212	32	28	18
BALANCE OF COUNTY	---	512	10	4	8
SCHUYLER	148	114	2	2	2
SCOTT	42	92	2	2	1
SHELBY	190	286	4	2	5
STARK	20	88	-	-	3
STEPHENSON	576	546	4	2	7
FREEPORT	---	336	2	-	4
BALANCE OF COUNTY	---	210	2	2	3
TAZEWELL	658	852	36	32	14
EAST PEORIA	---	142	6	4	1
MORTON	---	86	2	2	-
PEKIN, PART	---	256	10	8	7
PEKIN, TOTAL	---	258	10	8	7
BALANCE OF COUNTY	---	368	18	18	6
UNION	238	214	2	2	-
VERMILION	1,414	1,148	32	22	12
DANVILLE	---	598	14	10	6
WHITE	---	536	10	8	6
ALL OTHER	---	62	4	2	-
NEGRO	---	62	4	2	-
BALANCE OF COUNTY	---	550	18	12	6
WABASH	228	200	-	-	1
WARREN	270	258	2	-	4
MONMOUTH	---	146	2	-	-
BALANCE OF COUNTY	---	112	-	-	4
WASHINGTON	194	214	6	4	2
WAYNE	168	174	-	-	1
WHITE	214	276	4	4	6
WHITESIDE	508	582	28	24	13
ROCK FALLS	---	116	10	10	3
STERLING	---	142	12	8	6
BALANCE OF COUNTY	---	324	6	6	4
WILL	1,836	1,964	78	56	53
WHITE	1,720	1,834	66	50	45
ALL OTHER	116	130	12	6	8
NEGRO	116	130	12	6	8
JOLIET	---	904	24	16	19
WHITE	---	830	20	16	13
ALL OTHER	---	74	4	-	6
NEGRO	---	74	4	-	6
PARK FOREST, PART	---	6	-	-	-
ROMEOVILLE	---	24	4	2	4
TINLEY PARK, PART	---	-	-	-	-
BALANCE OF COUNTY	---	1,030	50	38	30
WILLIAMSON	842	666	14	8	7
MARION	---	184	-	-	3
BALANCE OF COUNTY	---	482	14	8	4
WINNEBAGO	2,068	2,052	82	50	39
WHITE	1,982	1,956	60	38	33
ALL OTHER	86	96	22	12	6
NEGRO	86	96	22	12	6
LOVES PARK	---	68	10	4	2
ROCKFORD	---	1,556	48	30	22
WHITE	---	1,476	28	20	17
ALL OTHER	---	80	20	10	5
NEGRO	---	80	20	10	5
BALANCE OF COUNTY	---	428	24	16	15
WOODFORD	198	350	14	10	4
INDIANA	49,030	49,138	1,630	1,276	1,068
WHITE	45,694	45,788	1,384	1,098	876
ALL OTHER	3,336	3,350	246	178	192
NEGRO	3,310	3,326	244	178	189
ADAMS	222	256	10	8	9
ALLEN	2,736	2,332	80	64	67
WHITE	2,594	2,188	66	52	51
ALL OTHER	142	144	14	12	16
NEGRO	140	142	14	12	16
FORT WAYNE	---	1,786	54	40	56
WHITE	---	1,642	40	28	40
ALL OTHER	---	144	14	12	16
NEGRO	---	142	14	12	16
BALANCE OF COUNTY	---	546	26	24	11

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
INDIANA--CON.					
BARTHOLOMEW	520	464	30	28	9
COLUMBUS	---	270	22	20	4
BALANCE OF COUNTY	---	194	8	8	5
BENTON	68	120	-	-	4
BLACKFORD	142	170	4	2	-
BOONE	284	350	4	2	4
BROWN	38	96	2	-	2
CARROLL	78	204	6	6	4
CASS	510	448	18	14	20
LOGANSPORT	---	284	6	4	8
BALANCE OF COUNTY	---	164	12	10	12
CLARK	558	654	42	30	19
CLARKSVILLE	---	82	2	2	2
JEFFERSONVILLE	---	284	14	12	8
WHITE	---	256	14	12	7
ALL OTHER	---	28	-	-	1
NEGRO	---	28	-	-	1
BALANCE OF COUNTY	---	288	26	16	9
CLAY	298	352	10	8	3
CLINTON	278	326	8	8	12
FRANKFORT	---	186	6	6	8
BALANCE OF COUNTY	---	140	2	2	4
CRAWFORD	36	138	-	-	-
DAVIESS	312	308	14	12	9
WASHINGTON	---	150	12	10	5
BALANCE OF COUNTY	---	158	2	2	4
DEARBORN	374	336	12	8	5
DECATUR	222	236	6	6	5
DE KALB	278	302	2	-	6
DELAWARE	1,124	1,028	30	24	23
MUNCIE	---	756	20	16	17
BALANCE OF COUNTY	---	272	10	8	6
DUBOIS	346	266	2	2	3
ELKHART	1,120	1,022	36	26	23
ELKHART	---	458	12	8	10
GOSHEN	---	194	10	8	1
BALANCE OF COUNTY	---	370	14	10	12
FAYETTE	290	318	20	16	6
CONNERSVILLE	---	264	20	16	4
BALANCE OF COUNTY	---	54	-	-	2
FLOYD	502	512	16	14	7
NEW ALBANY	---	392	10	10	3
BALANCE OF COUNTY	---	120	6	4	4
FOUNTAIN	72	208	2	-	5
FRANKLIN	76	170	6	6	3
FULTON	174	220	2	2	6
GIBSON	340	382	8	8	5
GRANT	876	760	18	10	21
MARION	---	450	14	8	12
WHITE	---	418	14	8	5
ALL OTHER	---	32	-	-	7
NEGRO	---	32	-	-	7
BALANCE OF COUNTY	---	310	4	2	9
GREENE	350	360	6	4	4
HAMILTON	394	420	10	8	8
HANCOCK	312	308	14	10	3
HARRISON	192	244	2	2	6
HENDRICKS	340	354	6	6	9
HENRY	494	544	30	26	10
NEW CASTLE	---	280	14	14	7
BALANCE OF COUNTY	---	264	16	12	3
HOWARD	634	694	28	22	16
KOKOMO	---	498	18	14	14
BALANCE OF COUNTY	---	196	10	8	2
HUNTINGTON	310	434	10	8	3
HUNTINGTON	---	174	8	6	2
BALANCE OF COUNTY	---	260	2	2	1
JACKSON	314	306	14	14	5
SEYMOUR	---	134	10	10	1
BALANCE OF COUNTY	---	172	4	4	4
JASPER	170	192	-	-	8
JAY	232	284	10	8	4
JEFFERSON	408	288	12	12	8
MADISON	---	166	10	10	2
BALANCE OF COUNTY	---	122	2	2	6
JENNINGS	84	192	8	6	3
JOHNSON	470	466	20	14	12
FRANKLIN	---	124	2	-	1
GREENWOOD	---	92	2	2	2
BALANCE OF COUNTY	---	250	16	12	9
KNOX	644	554	14	8	5
VINCENNES	---	274	6	4	3
BALANCE OF COUNTY	---	280	8	4	2
KOSCIUSKO	342	502	12	10	10
LAGRANGE	190	184	6	6	5

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
INDIANA—CON.					
LAKE	4,690	4,748	224	166	154
WHITE	3,682	3,690	130	94	80
ALL OTHER	1,008	1,058	94	72	74
NEGRO	1,004	1,054	94	72	73
CROWN POINT	—	142	8	2	4
EAST CHICAGO	—	458	14	6	13
WHITE	—	340	12	4	6
ALL OTHER	—	118	2	2	7
NEGRO	—	118	2	2	7
GARY	—	1,820	128	98	80
WHITE	—	922	38	30	20
ALL OTHER	—	898	90	68	60
NEGRO	—	898	90	68	59
GRIFFITH	—	92	8	8	3
HAMMOND	—	940	32	24	20
HIGHLAND	—	142	2	2	2
HOBART	—	170	6	4	8
MUNSTER	—	90	-	-	1
BALANCE OF COUNTY	—	894	26	22	23
LA PORTE	1,218	1,146	30	26	22
LA PORTE	—	274	-	-	4
MICHIGAN CITY	—	458	16	12	12
WHITE	—	406	16	12	7
ALL OTHER	—	52	-	-	5
NEGRO	—	52	-	-	5
BALANCE OF COUNTY	—	414	14	14	6
LAWRENCE	432	412	12	8	9
BEDFORD	—	178	8	6	3
BALANCE OF COUNTY	—	234	4	2	6
MADISON	1,106	1,212	40	36	27
ANDERSON	—	682	22	20	15
WHITE	—	636	18	18	11
ALL OTHER	—	46	4	2	4
NEGRO	—	46	4	2	4
ELWOOD	—	162	8	6	3
BALANCE OF COUNTY	—	368	10	10	9
WHITE	—	368	10	10	9
ALL OTHER	—	-	-	-	-
NEGRO	—	-	-	-	-
MARION	7,866	6,788	270	206	160
WHITE	6,632	5,562	180	148	120
ALL OTHER	1,234	1,226	90	58	40
NEGRO	1,226	1,220	90	58	39
BEECH GROVE	—	96	-	-	3
INDIANAPOLIS	—	6,456	268	204	151
WHITE	—	5,238	178	146	112
ALL OTHER	—	1,218	90	58	39
NEGRO	—	1,214	90	58	38
LAWRENCE	—	32	2	2	-
SPEEDWAY	—	46	-	-	1
BALANCE OF COUNTY	—	158	-	-	5
MARSHALL	364	360	16	12	8
MARTIN	38	94	2	-	-
MIAMI	304	388	16	14	5
PERU	—	230	16	14	4
BALANCE OF COUNTY	—	158	-	-	1
MONROE	542	490	16	12	5
BLOOMINGTON	—	278	8	6	2
BALANCE OF COUNTY	—	212	8	6	3
MONTGOMERY	378	372	14	10	6
CRAWFORDSVILLE	—	170	6	4	5
BALANCE OF COUNTY	—	202	8	6	1
MORGAN	226	348	4	4	11
NEWTON	110	164	2	2	4
NOBLE	222	320	8	8	9
OHIO	20	54	2	2	2
ORANGE	152	214	12	12	3
OWEN	98	176	4	2	2
PARKE	90	202	-	-	5
PERRY	180	178	6	6	4
PIKE	60	152	4	2	6
PORTER	558	532	34	24	11
PORTAGE	—	102	8	8	3
VALPARAISO	—	152	8	4	4
BALANCE OF COUNTY	—	278	18	12	4
POSEY	112	232	4	2	4
PULASKI	132	152	-	-	3
PUTNAM	222	268	2	2	4
RANDOLPH	274	362	16	14	4
RIPLEY	204	232	12	8	4
RUSH	206	258	4	4	6
ST. JOSEPH	2,436	2,378	58	48	40
WHITE	2,246	2,186	44	36	33
ALL OTHER	190	192	14	12	7
NEGRO	188	192	14	12	7
INDIANA—CON.					
ST. JOSEPH—CON.					
MISHAWAKA	—	376	14	12	7
SOUTH BEND	—	1,534	34	30	24
WHITE	—	1,348	20	18	17
ALL OTHER	—	186	14	12	7
NEGRO	—	186	14	12	7
BALANCE OF COUNTY	—	468	10	4	9
SCOTT	120	174	10	8	5
SHELBY	336	370	12	12	10
SHELBYVILLE	—	174	4	4	5
BALANCE OF COUNTY	—	196	8	8	5
SPENCER	86	210	2	2	4
STARKE	264	242	10	8	2
STEUBEN	210	210	4	2	5
SULLIVAN	298	358	6	4	6
SWITZERLAND	18	82	4	4	-
TIPPECANOE	1,138	802	20	14	19
LAFAYETTE	—	500	8	2	12
WEST LAFAYETTE	—	118	4	4	1
BALANCE OF COUNTY	—	184	8	8	6
TIPTON	194	188	6	6	4
UNION	26	48	-	-	1
VANDERBURGH	2,298	1,890	48	36	28
WHITE	2,138	1,736	44	32	22
ALL OTHER	160	154	4	4	6
NEGRO	160	154	4	4	6
EVANSVILLE	—	1,784	46	34	28
WHITE	—	1,634	42	30	22
ALL OTHER	—	150	4	4	6
NEGRO	—	150	4	4	6
BALANCE OF COUNTY	—	106	2	2	-
VERMILLION	222	248	4	2	3
VIGO	1,494	1,266	26	18	21
TERRE HAUTE	—	904	20	14	14
BALANCE OF COUNTY	—	362	6	4	7
WABASH	390	370	10	8	3
WABASH	—	134	8	6	-
BALANCE OF COUNTY	—	236	2	2	3
WARREN	62	80	-	-	1
WARRICK	150	312	4	2	5
WASHINGTON	208	216	8	6	5
WAYNE	812	822	34	28	14
RICHMOND	—	522	24	18	10
BALANCE OF COUNTY	—	300	10	10	4
WELLS	308	236	4	4	4
WHITE	150	228	6	4	5
WHITLEY	252	250	10	10	6
IOWA	29,814	29,932	720	582	424
WHITE	29,472	29,588	694	562	410
ALL OTHER	342	344	26	20	14
NEGRO	320	318	22	16	11
ADAIR	64	136	4	2	2
ADAMS	70	86	-	-	-
ALLAMAKEE	178	194	2	2	3
APPANOOSE	196	246	4	4	1
AUDUBON	92	140	4	4	1
BENTON	142	254	6	6	2
BLACK HAWK	1,268	1,152	36	30	20
CEDAR FALLS	—	218	6	6	3
WATERLOO	—	794	24	18	13
BALANCE OF COUNTY	—	140	6	6	4
BOONE	344	348	4	2	-
BOONE	—	168	-	-	-
BALANCE OF COUNTY	—	180	4	2	-
BREMER	208	214	4	2	-
BUCHANAN	188	236	6	4	5
BUENA VISTA	230	224	8	6	6
BUTLER	82	206	2	-	-
CALHOUN	144	186	-	-	1
CARROLL	264	242	2	2	3
CASS	244	218	-	-	1
CEDAR	108	184	2	2	1
CERRO GORDO	632	500	18	16	10
MASON CITY	—	320	14	12	6
BALANCE OF COUNTY	—	180	4	4	4
CHEROKEE	208	206	8	8	-
CHICKASAW	126	166	8	4	2
CLARKE	136	126	-	-	1
CLAY	214	218	8	8	2
SPENCER	—	126	8	8	1
BALANCE OF COUNTY	—	92	-	-	1

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
IOWA--CON.					
CLAYTON	176	260	8	6	-
CLINTON	580	606	16	12	8
CLINTON	---	406	10	8	4
BALANCE OF COUNTY	---	200	6	4	4
CRAWFORD	174	198	-	-	6
DALLAS	236	310	4	4	3
DAVIS	142	94	2	2	-
DECATUR	128	138	-	-	1
DELAWARE	202	224	8	8	4
DES MOINES	538	494	10	6	5
BURLINGTON	---	368	8	6	1
BALANCE OF COUNTY	---	126	2	-	4
DICKINSON	120	136	2	2	1
DUBUQUE	924	850	18	12	22
DUBUQUE	---	640	16	12	15
BALANCE OF COUNTY	---	210	2	-	7
EMMET	188	188	-	-	2
FAYETTE	244	306	4	4	2
FLOYD	266	244	2	2	3
FRANKLIN	174	194	2	2	-
FREMONT	130	134	-	-	1
GREENE	174	166	6	2	-
GRUNDY	108	148	6	6	1
GUTHRIE	102	158	-	-	2
HAMILTON	96	182	4	4	3
HANCOCK	138	160	2	2	-
HARDIN	234	286	8	8	3
HARRISON	156	228	12	4	3
HENRY	170	240	6	4	1
HOWARD	134	154	4	4	2
HUMBOLDT	90	146	4	4	2
IDA	120	102	-	-	-
IOWA	152	160	2	2	2
JACKSON	210	214	2	-	8
JASPER	278	362	6	6	5
NEWTON	---	182	4	4	3
BALANCE OF COUNTY	---	180	2	2	2
JEFFERSON	158	176	2	2	1
JOHNSON	1,506	382	14	8	13
IOWA CITY	---	222	8	2	7
BALANCE OF COUNTY	---	160	6	6	6
JONES	196	240	6	4	5
KEOKUK	138	220	4	4	3
KOSSUTH	124	218	6	6	3
LEE	630	544	10	10	8
FORT MADISON	---	172	2	2	1
KEOKUK	---	208	6	6	-
BALANCE OF COUNTY	---	164	2	2	7
LINN	1,500	1,422	46	42	20
CEDAR RAPIDS	---	1,040	36	32	16
MARION	---	126	4	4	3
BALANCE OF COUNTY	---	256	6	6	1
LOUISA	60	114	6	6	-
LUCAS	154	160	4	4	-
LYON	84	140	6	6	1
MADISON	174	184	2	2	2
MAHASKA	300	290	8	8	3
OSKALOOSA	---	170	6	6	-
BALANCE OF COUNTY	---	120	2	2	3
MARION	336	318	4	4	3
MARSHALL	404	396	4	2	4
MARSHALLTOWN	---	274	2	2	3
BALANCE OF COUNTY	---	122	2	-	1
MILLS	72	142	2	2	2
MITCHELL	174	142	2	2	1
MONONA	190	200	2	2	1
MONROE	106	130	-	-	2
MONTGOMERY	184	208	2	2	1
MUSCATINE	346	400	14	6	4
MUSCATINE	---	252	12	4	4
BALANCE OF COUNTY	---	148	2	2	-
O BRIEN	214	208	10	8	2
OSCEOLA	84	92	2	2	-
PAGE	306	290	2	2	2
PALO ALTO	134	150	4	2	4
PLYMOUTH	206	234	2	2	2
POCAHONTAS	110	134	2	2	1
POLK	3,090	2,632	96	82	45
WHITE	2,968	2,504	92	78	44
ALL OTHER	122	128	4	4	1
NEGRO	120	124	4	4	1
DES MOINES	---	2,160	72	62	41
WHITE	---	2,032	68	58	40
ALL OTHER	---	128	4	4	1
NEGRO	---	124	4	4	1
IOWA--CON.					
POLK—CON.					
URBANDALE	---	16	4	4	-
WEST DES MOINES	---	90	4	4	-
BALANCE OF COUNTY	---	366	16	12	4
POTTAWATTAMIE	732	788	34	26	15
COUNCIL BLUFFS	---	568	28	20	10
BALANCE OF COUNTY	---	220	6	6	5
POWESHIEK	224	232	2	2	-
RINGGOLD	110	98	-	-	1
SAC	152	192	2	-	2
SCOTT	1,304	1,314	40	28	48
BETTENDORF	---	116	2	2	7
DAVENPORT	---	1,054	30	20	34
BALANCE OF COUNTY	---	144	8	6	7
SHELBY	182	176	2	2	1
SIOUX	216	250	6	6	5
STORY	416	402	12	10	10
AMES	---	174	8	8	7
BALANCE OF COUNTY	---	228	4	2	3
TAMA	122	200	8	6	1
TAYLOR	56	142	-	-	1
UNION	224	202	4	2	3
VAN BUREN	130	136	2	2	1
WAPELLO	544	536	12	10	5
OTTUMWA	---	402	6	6	5
BALANCE OF COUNTY	---	134	6	4	-
WARREN	142	212	4	4	4
WASHINGTON	206	258	-	-	2
WAYNE	118	136	2	-	4
WEBSTER	590	470	14	10	9
FORT DODGE	---	302	10	6	5
BALANCE OF COUNTY	---	168	4	4	4
WINNEBAGO	128	164	2	2	1
WINNESHIEK	176	208	2	2	2
WOODBURY	1,296	1,140	46	40	22
SIOUX CITY	---	938	30	24	14
BALANCE OF COUNTY	---	202	16	16	8
WORTH	46	122	-	-	1
WRIGHT	190	224	-	-	2
KANSAS	21,876	22,388	580	458	391
WHITE	20,754	21,238	514	404	332
ALL OTHER	1,122	1,150	66	54	59
NEGRO	1,068	1,104	60	50	49
ALLEN	212	222	-	-	3
ANDERSON	108	102	-	-	2
ATCHISON	244	252	2	2	2
ATCHISON	---	192	2	2	2
BALANCE OF COUNTY	---	60	-	-	-
BARBER	100	116	2	2	-
BARTON	320	268	12	6	6
GREAT BEND	---	132	12	6	5
BALANCE OF COUNTY	---	136	-	-	1
BOURBON	348	256	4	2	-
BROWN	176	184	-	-	3
BUTLER	328	416	14	12	2
EL DORADO	---	170	4	4	1
BALANCE OF COUNTY	---	246	10	8	1
CHASE	30	64	-	-	1
CHAUTAUQUA	90	88	-	-	2
CHEROKEE	238	290	8	8	6
CHEYENNE	46	58	6	2	1
CLARK	38	34	-	-	1
CLAY	108	128	-	-	2
CLOUD	252	206	-	-	-
COFFEY	66	122	-	-	4
COMANCHE	24	32	-	-	-
COWLEY	444	422	12	10	10
ARKANSAS CITY	---	184	6	4	4
WINFIELD	---	138	2	2	4
BALANCE OF COUNTY	---	100	4	4	2
CRAWFORD	488	524	4	4	5
PITTSBURG	---	232	4	4	2
BALANCE OF COUNTY	---	292	-	-	3
DECATUR	32	58	-	-	-
DICKINSON	234	278	2	-	3
DONIPHAN	46	130	2	2	2
DOUGLAS	348	368	16	10	11
LAWRENCE	---	240	8	4	10
BALANCE OF COUNTY	---	128	8	6	1
EDWARDS	54	76	-	-	-
ELK	28	88	-	-	3
ELLIS	208	174	6	6	2
HAYS	---	102	4	4	1
BALANCE OF COUNTY	---	72	2	2	1

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
KANSAS--CON.					
ELLSWORTH	90	88	2	2	2
FINNEY	156	148	14	8	1
GARDEN CITY	---	122	12	8	1
BALANCE OF COUNTY	---	26	2	-	-
FORD	300	228	10	8	3
DODGE CITY	---	152	8	6	2
BALANCE OF COUNTY	---	76	2	2	1
FRANKLIN	210	260	8	6	4
OTTAWA	---	154	4	4	2
BALANCE OF COUNTY	---	106	4	2	2
GEARY	208	230	10	10	11
WHITE	168	192	6	6	8
ALL OTHER	40	38	4	4	3
NEGRO	34	32	4	4	3
JUNCTION CITY	---	162	8	8	10
WHITE	---	138	6	6	7
ALL OTHER	---	24	2	2	3
NEGRO	---	22	2	2	3
BALANCE OF COUNTY	---	68	2	2	1
WHITE	---	54	-	-	1
ALL OTHER	---	14	2	2	-
NEGRO	---	10	2	2	-
GOVE	34	34	-	-	1
GRAHAM	32	44	-	-	-
GRANT	58	62	2	-	2
GRAY	30	58	2	2	2
GREELEY	28	26	-	-	1
GREENWOOD	164	180	2	2	1
HAMILTON	26	30	-	-	1
HARPER	118	118	2	2	1
HARVEY	402	272	12	12	3
NEWTON	---	164	6	6	1
BALANCE OF COUNTY	---	108	6	6	2
HASKELL	24	26	2	2	-
HODGEMAN	34	32	2	2	-
JACKSON	80	134	2	2	2
JEFFERSON	120	108	-	-	4
JEWELL	40	90	2	2	-
JOHNSON	766	1,190	28	22	33
LEAWOOD	---	40	-	-	-
MERRIAM	---	38	-	-	3
OLATHE	---	122	6	4	6
OVERLAND PARK	---	278	6	4	9
PRAIRIE VILLAGE	---	164	4	2	3
SHAWNEE	---	102	4	4	5
BALANCE OF COUNTY	---	446	8	8	7
KEARNY	10	24	2	2	2
KINGMAN	114	110	2	2	1
KIOWA	58	62	-	-	1
LABETTE	350	392	6	4	5
PARSONS	---	230	4	4	4
BALANCE OF COUNTY	---	162	2	-	1
LANE	28	30	-	-	1
LEAVENWORTH	632	488	14	12	6
WHITE	568	450	12	10	5
ALL OTHER	64	38	2	2	1
NEGRO	60	38	2	2	1
LEAVENWORTH	---	324	8	6	4
WHITE	---	294	6	4	3
ALL OTHER	---	30	2	2	1
NEGRO	---	30	2	2	1
BALANCE OF COUNTY	---	164	6	6	2
LINCOLN	52	76	-	-	1
LINN	44	122	-	-	2
LOGAN	44	50	-	-	-
LYON	362	302	8	4	2
EMPORIA	---	212	6	2	-
BALANCE OF COUNTY	---	90	2	2	2
MC PHERSON	238	260	4	2	3
MC PHERSON	---	100	2	2	2
BALANCE OF COUNTY	---	160	2	-	1
MARION	150	150	2	2	2
MARSHALL	182	204	4	2	4
MEADE	56	74	-	-	1
MIAMI	302	234	10	6	3
MITCHELL	112	114	-	-	-
MONTGOMERY	638	652	14	10	4
COFFEYVILLE	---	244	6	6	4
WHITE	---	214	6	6	3
ALL OTHER	---	30	-	-	1
NEGRO	---	30	-	-	1
INDEPENDENCE	---	202	8	4	-
WHITE	---	172	8	4	-
ALL OTHER	---	30	-	-	-
NEGRO	---	30	-	-	-
BALANCE OF COUNTY	---	206	-	-	-
KANSAS--CON.					
MORRIS	78	100	2	2	-
MORTON	18	32	2	2	1
NEMAHA	144	168	6	4	1
NEOSHO	256	234	6	4	4
CHANUTE	---	142	6	4	3
BALANCE OF COUNTY	---	92	-	-	1
NESS	64	78	-	-	1
NORTON	112	94	-	-	-
OSAGE	130	204	2	-	-
OSBORNE	70	92	-	-	-
OTTAWA	94	82	-	-	-
PAWNEE	114	106	-	-	1
PHILLIPS	84	112	-	-	2
POTTAWATOMIE	146	136	-	-	1
MANHATTAN, PART	---	-	-	-	-
BALANCE OF COUNTY	---	136	-	-	1
PRATT	140	144	2	2	-
RAWLINS	44	54	-	-	-
RENO	534	594	20	18	9
HUTCHINSON	---	398	18	16	5
BALANCE OF COUNTY	---	196	2	2	4
REPUBLIC	122	132	-	-	-
RICE	136	138	2	2	-
RILEY	250	228	4	4	6
MANHATTAN, PART	---	166	-	-	5
MANHATTAN, TOTAL	---	166	-	-	5
BALANCE OF COUNTY	---	62	4	4	1
WHITE	---	62	4	4	-
ALL OTHER	---	-	-	-	1
NEGRO	---	-	-	-	-
ROOKS	76	78	4	2	4
RUSH	48	70	-	-	-
RUSSELL	110	132	2	2	2
SALINE	440	374	16	8	5
SALINA	---	330	16	8	5
BALANCE OF COUNTY	---	44	-	-	-
SCOTT	38	44	2	2	-
SEDGWICK	2,796	2,654	120	102	72
WHITE	2,598	2,450	104	88	57
ALL OTHER	198	204	16	14	15
NEGRO	190	198	16	14	13
WICHITA	---	2,368	100	88	64
WHITE	---	2,166	84	74	49
ALL OTHER	---	202	16	14	15
NEGRO	---	196	16	14	13
BALANCE OF COUNTY	---	286	20	14	8
SEWARD	154	124	6	4	2
LIBERAL	---	112	4	2	2
BALANCE OF COUNTY	---	12	2	2	-
SHAWNEE	1,720	1,382	32	26	35
WHITE	1,564	1,230	24	22	30
ALL OTHER	156	152	8	4	5
NEGRO	146	140	6	2	5
TOPEKA	---	1,252	30	24	28
WHITE	---	1,104	22	20	25
ALL OTHER	---	148	8	4	3
NEGRO	---	136	6	2	3
BALANCE OF COUNTY	---	130	2	2	7
SHERIDAN	18	20	-	-	-
SHERMAN	82	82	-	-	5
SMITH	92	114	-	-	-
STAFFORD	88	108	-	-	1
STANTON	8	14	-	-	-
STEVENS	34	30	2	2	-
SUMNER	312	338	10	10	2
THOMAS	68	66	2	-	1
TREGO	68	50	-	-	1
WABAUNSEE	48	76	2	-	1
WALLACE	8	20	2	2	-
WASHINGTON	100	130	2	2	1
WICHITA	12	26	-	-	1
WILSON	182	190	4	4	-
WOODSON	28	66	-	-	-
WYANDOTTE	1,908	1,814	72	60	51
WHITE	1,558	1,422	50	40	33
ALL OTHER	350	392	22	20	18
NEGRO	350	392	22	20	18
KANSAS CITY	---	1,708	64	52	48
WHITE	---	1,330	42	32	30
ALL OTHER	---	378	22	20	18
NEGRO	---	378	22	20	18
BALANCE OF COUNTY	---	106	8	8	3

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
KENTUCKY	33,806	34,048	980	726	691
WHITE	30,782	31,024	866	646	602
ALL OTHER	3,024	3,024	114	80	89
NEGRO	3,010	3,012	114	80	88
ADAIR	178	188	6	4	3
ALLEN	176	178	4	4	3
ANDERSON	40	92	-	-	2
BALLARD	50	116	2	2	2
BARREN	390	334	6	4	4
GLASGOW	---	148	4	2	3
BALANCE OF COUNTY	---	186	2	2	1
BATH	62	118	6	4	1
BELL	470	400	16	10	7
MIDDLESBOROUGH	---	168	6	4	2
BALANCE OF COUNTY	---	232	10	6	5
BOONE	130	206	8	6	8
FLORENCE	---	62	2	-	5
BALANCE OF COUNTY	---	144	6	6	3
BOURBON	210	230	6	6	3
WHITE	174	188	6	6	2
ALL OTHER	36	42	-	-	1
NEGRO	36	42	-	-	1
BOYD	662	600	12	8	12
ASHLAND	---	376	4	2	6
BALANCE OF COUNTY	---	224	8	6	6
BOYLE	322	220	6	6	2
WHITE	288	192	6	6	2
ALL OTHER	34	28	-	-	-
NEGRO	34	28	-	-	-
DANVILLE	---	136	6	6	1
WHITE	---	118	6	6	1
ALL OTHER	---	18	-	-	-
NEGRO	---	18	-	-	-
BALANCE OF COUNTY	---	84	-	-	1
BRACKEN	42	114	2	-	3
BREATHITT	62	152	6	6	6
BRECKINRIDGE	194	184	8	6	-
BULLITT	92	194	10	8	3
BUTLER	66	150	2	2	1
CALDWELL	180	182	-	-	4
CALLOWAY	262	280	6	6	2
MURRAY	---	94	2	2	1
BALANCE OF COUNTY	---	186	4	4	1
CAMPBELL	1,050	1,006	22	14	17
FORT THOMAS	---	168	2	-	-
NEWPORT	---	350	12	8	8
BALANCE OF COUNTY	---	488	8	6	9
CARLISLE	26	88	2	2	-
CARROLL	108	90	2	2	2
CARTER	66	166	2	-	1
CASEY	84	134	10	6	2
CHRISTIAN	616	552	16	12	14
WHITE	472	404	10	8	8
ALL OTHER	144	148	6	4	6
NEGRO	144	148	6	4	6
HOPKINSVILLE	---	292	6	4	5
WHITE	---	206	4	2	3
ALL OTHER	---	86	2	2	2
NEGRO	---	86	2	2	2
BALANCE OF COUNTY	---	260	10	8	9
WHITE	---	198	6	6	5
ALL OTHER	---	62	4	2	4
NEGRO	---	62	4	2	4
CLARK	264	246	4	4	9
WINCHESTER	---	166	-	-	6
WHITE	---	138	-	-	6
ALL OTHER	---	28	-	-	-
NEGRO	---	28	-	-	-
BALANCE OF COUNTY	---	80	4	4	3
CLAY	144	170	6	6	6
CLINTON	96	98	2	2	2
CRITTENDEN	124	142	2	2	1
CUMBERLAND	100	98	2	2	2
DAVIESS	938	772	36	30	12
OWENSBORO	---	584	24	20	9
BALANCE OF COUNTY	---	188	12	10	3
EDMONSON	30	100	2	2	2
ELLIOTT	24	56	2	-	-
ESTILL	102	134	-	-	3
KENTUCKY—CON.					
FAYETTE	2,782	1,438	38	24	34
WHITE	2,388	1,136	30	18	30
ALL OTHER	394	302	8	6	4
NEGRO	392	302	8	6	4
LEXINGTON	---	1,126	32	22	25
WHITE	---	844	24	16	21
ALL OTHER	---	282	8	6	4
NEGRO	---	282	8	6	4
BALANCE OF COUNTY	---	312	6	2	9
FLEMING	104	152	-	-	1
FLOYD	306	350	18	16	9
FRANKLIN	320	322	18	12	4
FRANKFORT	---	228	14	10	1
WHITE	---	194	12	8	-
ALL OTHER	---	34	2	2	1
NEGRO	---	34	2	2	1
BALANCE OF COUNTY	---	94	4	2	3
FULTON	172	160	2	-	4
WHITE	144	130	-	-	2
ALL OTHER	28	30	2	-	2
NEGRO	28	30	2	-	2
GALLATIN	18	56	-	-	-
GARRARD	86	120	-	-	4
GRANT	82	110	2	2	1
GRAVES	310	406	6	6	8
MAYFIELD	---	170	4	4	1
WHITE	---	148	4	4	1
ALL OTHER	---	22	-	-	-
NEGRO	---	22	-	-	-
BALANCE OF COUNTY	---	236	2	2	7
GRAYSON	154	184	-	-	3
GREEN	90	106	4	4	2
GREENUP	200	290	10	8	4
HANCOCK	16	62	4	4	2
HARDIN	538	436	40	32	26
ELIZABETHTOWN	---	102	2	2	6
BALANCE OF COUNTY	---	334	38	30	20
HARLAN	466	498	20	10	19
HARRISON	202	196	6	6	1
HART	98	146	2	2	5
HENDERSON	368	354	10	4	7
HENDERSON	---	244	8	2	6
WHITE	---	212	6	-	5
ALL OTHER	---	32	2	2	1
NEGRO	---	32	2	2	1
BALANCE OF COUNTY	---	110	2	2	1
HENRY	48	144	2	-	-
HICKMAN	108	106	-	-	-
WHITE	88	80	-	-	-
ALL OTHER	20	26	-	-	-
NEGRO	20	26	-	-	-
HOPKINS	628	474	14	12	9
MADISONVILLE	---	228	6	6	4
WHITE	---	202	4	4	4
ALL OTHER	---	26	2	2	-
NEGRO	---	26	2	2	-
BALANCE OF COUNTY	---	246	8	6	5
JACKSON	38	88	4	2	2
JEFFERSON	7,568	6,774	164	118	133
WHITE	6,346	5,584	104	74	90
ALL OTHER	1,222	1,190	60	44	43
NEGRO	1,218	1,186	60	44	43
LOUISVILLE	---	4,820	118	90	72
WHITE	---	3,696	60	48	35
ALL OTHER	---	1,124	58	42	37
NEGRO	---	1,120	58	42	37
ST. MATTHEWS	---	4	-	-	-
SHIVELY	---	-	-	-	-
BALANCE OF COUNTY	---	1,950	46	28	61
WHITE	---	1,884	44	26	55
ALL OTHER	---	66	2	2	6
NEGRO	---	66	2	2	6
JESSAMINE	62	152	2	2	6
JOHNSON	234	230	8	8	3
KENTON	1,440	1,508	26	16	26
COVINGTON	---	880	12	6	13
ERLANGER	---	72	-	-	4
BALANCE OF COUNTY	---	556	14	10	9
KNOTT	60	138	4	2	6
KNOX	196	294	16	16	6
LARUE	50	94	-	-	1
LAUREL	250	296	14	12	6

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
KENTUCKY--CON.					
LAWRENCE	152	172	2	2	3
LEE	48	86	2	-	2
LESLIE	60	102	10	8	2
LETCHER	280	296	6	4	9
LEWIS	44	108	10	8	1
LINCOLN	158	182	2	2	3
LIVINGSTON	86	124	-	-	-
LOGAN	244	260	12	8	2
WHITE	214	228	10	6	2
ALL OTHER	30	32	2	2	-
NEGRO	30	32	2	2	-
LYON	42	56	2	2	1
MC CRACKEN	982	736	14	10	13
WHITE	878	636	12	8	12
ALL OTHER	104	100	2	2	1
NEGRO	102	98	2	2	1
PADUCAH	---	546	12	8	7
WHITE	---	448	10	6	6
ALL OTHER	---	98	2	2	1
NEGRO	---	96	2	2	1
BALANCE OF COUNTY	---	190	2	2	6
MC CREARY	54	132	2	2	1
MC LEAN	110	144	2	2	-
MADISON	366	390	16	12	3
RICHMOND	---	156	4	4	2
WHITE	---	142	2	2	1
ALL OTHER	---	14	2	2	1
NEGRO	---	14	2	2	-
BALANCE OF COUNTY	---	234	12	8	1
MAGOFFIN	36	62	-	-	2
MARION	234	194	10	10	6
MARSHALL	196	226	6	4	8
MARTIN	30	84	2	-	-
MASON	284	242	6	2	3
MEADE	32	90	4	-	4
MENIFEE	20	50	2	-	2
MERCER	146	180	8	6	3
METCALFE	24	82	4	4	-
MONROE	130	142	2	2	4
MONTGOMERY	216	214	12	10	2
MORGAN	32	88	6	2	1
MUHLENBERG	304	330	12	10	8
NELSON	204	266	16	12	6
NICHOLAS	96	96	2	2	1
OHIO	206	256	4	2	6
OLDHAM	150	122	2	2	3
OWEN	84	112	-	-	1
OWSLEY	22	56	-	-	3
PENDLETON	110	136	4	2	5
PERRY	336	326	4	4	13
PIKE	742	626	38	32	21
POWELL	24	72	2	2	2
PULASKI	512	406	10	8	11
SOMERSET	---	134	2	2	6
BALANCE OF COUNTY	---	272	8	6	5
ROBERTSON	8	42	-	-	-
ROCKCASTLE	62	118	-	-	1
ROWAN	206	120	6	2	3
RUSSELL	44	132	2	2	2
SCOTT	144	204	14	8	8
SHELBY	242	244	16	12	6
WHITE	224	216	14	10	5
ALL OTHER	18	28	2	2	1
NEGRO	18	28	2	2	1
SIMPSON	96	112	-	-	2
WHITE	86	92	-	-	2
ALL OTHER	10	20	-	-	-
NEGRO	10	20	-	-	-
SPENCER	26	60	6	4	3
TAYLOR	154	174	4	4	6
TODD	80	146	2	-	2
WHITE	66	114	2	-	1
ALL OTHER	14	32	-	-	1
NEGRO	14	32	-	-	1
TRIGG	94	100	-	-	4
WHITE	82	80	-	-	2
ALL OTHER	12	20	-	-	2
NEGRO	12	20	-	-	2
TRIMBLE	16	48	2	2	1
UNION	140	180	2	-	3
WHITE	132	168	2	-	3
ALL OTHER	8	12	-	-	-
NEGRO	8	12	-	-	-
KENTUCKY--CON.					
WARREN	688	580	22	20	10
BOWLING GREEN	---	360	18	16	4
WHITE	---	306	16	14	2
ALL OTHER	---	54	2	2	2
NEGRO	---	54	2	2	2
BALANCE OF COUNTY	---	220	4	4	6
WASHINGTON	54	118	2	2	2
WHITE	50	106	2	2	1
ALL OTHER	4	12	-	-	1
NEGRO	4	12	-	-	1
WAYNE	82	184	2	-	4
WEBSTER	76	240	2	2	3
WHITLEY	252	308	8	4	4
WOLFE	44	68	2	2	-
WOODFORD	148	150	2	2	1
WHITE	140	136	2	2	1
ALL OTHER	8	14	-	-	-
NEGRO	8	14	-	-	-
LOUISIANA	34,616	34,390	1,508	1,140	899
WHITE	22,938	22,766	774	600	384
ALL OTHER	11,678	11,624	734	540	515
NEGRO	11,656	11,606	734	540	515
ACADIA	350	520	28	12	16
WHITE	290	410	20	12	8
ALL OTHER	100	110	8	-	8
NEGRO	100	110	8	-	8
CROWLEY	---	162	10	6	7
WHITE	---	118	10	6	5
ALL OTHER	---	44	-	-	2
NEGRO	---	44	-	-	2
EUNICE, PART	---	-	-	-	-
BALANCE OF PARISH	---	358	18	6	9
WHITE	---	292	10	6	3
ALL OTHER	---	66	8	-	6
NEGRO	---	66	8	-	6
ALLEN	198	238	8	2	2
WHITE	154	188	6	2	1
ALL OTHER	44	50	2	-	1
NEGRO	44	50	2	-	1
ASCENSION	238	298	2	-	12
WHITE	160	188	2	-	6
ALL OTHER	78	110	-	-	6
NEGRO	78	110	-	-	6
ASSUMPTION	108	180	12	8	9
WHITE	64	100	4	2	3
ALL OTHER	44	80	8	6	6
NEGRO	44	80	8	6	6
AVOYELLES	366	472	20	18	8
WHITE	274	346	8	6	3
ALL OTHER	92	126	12	12	5
NEGRO	92	126	12	12	5
BEAUREGARD	216	230	10	10	6
WHITE	182	188	4	4	2
ALL OTHER	34	42	6	6	4
NEGRO	34	42	6	6	4
BIENVILLE	106	208	6	6	1
WHITE	58	120	2	2	-
ALL OTHER	48	88	4	4	1
NEGRO	48	88	4	4	1
BOSSIER	302	456	32	22	14
WHITE	212	308	22	16	11
ALL OTHER	90	148	10	6	3
NEGRO	90	148	10	6	3
BOSSIER CITY	---	226	22	16	10
SHREVEPORT, PART	---	-	-	-	-
BALANCE OF PARISH	---	230	10	6	4
WHITE	---	122	6	4	2
ALL OTHER	---	108	4	2	2
NEGRO	---	108	4	2	2
CADDO	3,430	2,424	74	62	59
WHITE	2,018	1,452	40	30	15
ALL OTHER	1,412	972	34	32	44
NEGRO	1,412	972	34	32	44
SHREVEPORT, PART	---	2,014	62	50	49
WHITE	---	1,254	36	26	14
ALL OTHER	---	760	26	24	35
NEGRO	---	760	26	24	35

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
LOUISIANA—CON.					
CADDO—CON.					
SHREVEPORT, TOTAL	---	2,014	62	50	49
WHITE	---	1,254	36	26	14
ALL OTHER	---	760	26	24	35
NEGRO	---	760	26	24	35
BALANCE OF PARISH	---	410	12	12	10
WHITE	---	198	4	4	1
ALL OTHER	---	212	8	8	9
NEGRO	---	212	8	8	9
CALCASIEU	1,162	1,182	72	54	37
WHITE	912	894	42	32	19
ALL OTHER	250	288	30	22	18
NEGRO	250	288	30	22	18
LAKE CHARLES	---	678	36	24	23
WHITE	---	444	14	10	9
ALL OTHER	---	234	22	14	14
NEGRO	---	234	22	14	14
SULPHUR	---	140	8	6	2
BALANCE OF PARISH	---	364	28	24	12
WHITE	---	314	20	16	8
ALL OTHER	---	50	8	8	4
NEGRO	---	50	8	8	4
CALDWELL	138	130	2	-	5
WHITE	104	94	-	-	4
ALL OTHER	34	36	2	-	1
NEGRO	34	36	2	-	1
CAMERON	62	74	2	2	1
CATAHOULA	134	142	10	6	4
WHITE	88	92	4	2	1
ALL OTHER	46	50	6	4	3
NEGRO	46	50	6	4	3
CLAIBORNE	168	236	12	12	2
WHITE	94	120	4	4	1
ALL OTHER	74	116	8	8	1
NEGRO	74	116	8	8	1
CONCORDIA	136	202	10	6	7
WHITE	70	106	4	4	4
ALL OTHER	66	96	6	2	3
NEGRO	66	96	6	2	3
DE SOTO	164	260	10	8	5
WHITE	88	126	4	2	2
ALL OTHER	76	134	6	6	3
NEGRO	76	134	6	6	3
EAST BATON ROUGE	2,486	2,116	92	66	44
WHITE	1,588	1,330	48	36	16
ALL OTHER	898	786	44	30	28
NEGRO	896	786	44	30	28
BATON ROUGE	---	1,578	66	50	31
WHITE	---	990	36	28	12
ALL OTHER	---	588	30	22	19
NEGRO	---	588	30	22	19
BALANCE OF PARISH	---	538	26	16	13
WHITE	---	340	12	8	4
ALL OTHER	---	198	14	8	9
NEGRO	---	198	14	8	9
EAST CARROLL	120	132	6	4	5
WHITE	40	40	-	-	-
ALL OTHER	80	92	6	4	5
NEGRO	80	92	6	4	5
EAST FELICIANA	332	210	8	6	5
WHITE	176	100	4	4	3
ALL OTHER	156	110	4	2	2
NEGRO	156	110	4	2	2
EVANGELINE	266	356	12	10	6
WHITE	214	284	8	8	3
ALL OTHER	52	72	4	2	3
NEGRO	52	72	4	2	3
FRANKLIN	218	272	18	10	5
WHITE	148	166	8	6	3
ALL OTHER	70	106	10	4	2
NEGRO	70	106	10	4	2
GRANT	54	184	4	4	1
WHITE	34	150	4	4	1
ALL OTHER	20	34	-	-	-
NEGRO	20	34	-	-	-
IBERIA	432	508	28	20	15
WHITE	304	330	14	12	5
ALL OTHER	128	178	14	8	10
NEGRO	128	178	14	8	10
NEW IBERIA	---	260	8	6	2
WHITE	---	170	6	6	-
ALL OTHER	---	90	2	-	2
NEGRO	---	90	2	-	2
BALANCE OF PARISH	---	248	20	14	13
WHITE	---	160	8	6	5
ALL OTHER	---	88	12	8	8
NEGRO	---	88	12	8	8

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
LOUISIANA—CON.					
IBERVILLE	246	290	8	8	4
WHITE	136	156	2	2	-
ALL OTHER	110	134	6	6	4
NEGRO	108	134	6	6	4
JACKSON	158	182	4	4	8
WHITE	110	128	4	4	3
ALL OTHER	48	54	-	-	5
NEGRO	48	54	-	-	5
JEFFERSON	1,964	2,278	126	98	59
WHITE	1,752	1,930	94	70	46
ALL OTHER	212	348	32	28	13
NEGRO	212	346	32	28	13
GRETNA	---	254	4	-	5
WHITE	---	202	4	-	3
ALL OTHER	---	52	-	-	2
NEGRO	---	52	-	-	2
HARAHAN	---	80	2	-	-
KENNER	---	184	12	8	6
WHITE	---	116	10	6	6
ALL OTHER	---	68	2	2	-
NEGRO	---	68	2	2	-
WESTWEGO	---	122	8	6	2
WHITE	---	106	6	4	2
ALL OTHER	---	16	2	2	-
NEGRO	---	16	2	2	-
BALANCE OF PARISH	---	1,638	100	84	46
WHITE	---	1,428	72	60	35
ALL OTHER	---	210	28	24	11
NEGRO	---	208	28	24	11
JEFFERSON DAVIS	218	254	12	8	6
WHITE	170	198	10	8	5
ALL OTHER	48	56	2	-	1
NEGRO	48	56	2	-	1
JENNINGS	---	118	8	4	3
WHITE	---	76	6	4	2
ALL OTHER	---	42	2	-	1
NEGRO	---	42	2	-	1
BALANCE OF PARISH	---	136	4	4	3
WHITE	---	122	4	4	3
ALL OTHER	---	14	-	-	-
NEGRO	---	14	-	-	-
LAFAYETTE	1,058	748	44	38	24
WHITE	730	550	24	22	12
ALL OTHER	328	198	20	16	12
NEGRO	328	198	20	16	12
LAFAYETTE	---	502	32	26	17
WHITE	---	356	12	10	6
ALL OTHER	---	146	20	16	11
NEGRO	---	146	20	16	11
BALANCE OF PARISH	---	246	12	12	7
WHITE	---	194	12	12	6
ALL OTHER	---	52	-	-	1
NEGRO	---	52	-	-	1
LAFOURCHE	434	476	22	22	10
WHITE	362	380	18	18	6
ALL OTHER	72	96	4	4	4
NEGRO	72	96	4	4	4
THIBODAUX	---	124	2	2	1
WHITE	---	78	2	2	-
ALL OTHER	---	46	-	-	1
NEGRO	---	46	-	-	1
BALANCE OF PARISH	---	352	20	20	9
LA SALLE	104	150	4	4	5
WHITE	96	132	-	-	3
ALL OTHER	8	18	4	4	2
NEGRO	8	18	4	4	2
LINCOLN	308	270	20	18	11
WHITE	218	174	10	8	5
ALL OTHER	90	96	10	10	6
NEGRO	90	96	10	10	6
RUSTON	---	128	14	14	4
WHITE	---	72	4	4	2
ALL OTHER	---	56	10	10	2
NEGRO	---	56	10	10	2
BALANCE OF PARISH	---	142	6	4	7
WHITE	---	102	6	4	3
ALL OTHER	---	40	-	-	4
NEGRO	---	40	-	-	4
LIVINGSTON	186	308	16	12	5
WHITE	174	282	14	10	4
ALL OTHER	12	26	2	2	1
NEGRO	12	26	2	2	1
MADISON	144	192	6	6	11
WHITE	42	58	-	-	1
ALL OTHER	102	134	6	6	10
NEGRO	102	134	6	6	10

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
LOUISIANA—CON.					
MOREHOUSE	330	344	6	6	4
WHITE	176	174	-	-	2
ALL OTHER	154	170	6	6	2
NEGRO	154	170	6	6	2
BASTROP	---	174	2	2	2
WHITE	---	92	-	-	2
ALL OTHER	---	82	2	2	-
NEGRO	---	82	2	2	-
BALANCE OF PARISH	---	170	4	4	2
WHITE	---	82	-	-	-
ALL OTHER	---	88	4	4	2
NEGRO	---	88	4	4	2
NATCHITOCHES	334	446	26	12	11
WHITE	174	246	2	-	4
ALL OTHER	160	200	24	12	7
NEGRO	160	200	24	12	7
NATCHITOCHES	---	190	14	8	7
WHITE	---	90	-	-	3
ALL OTHER	---	100	14	8	4
NEGRO	---	100	14	8	4
BALANCE OF PARISH	---	256	12	4	4
WHITE	---	156	2	-	1
ALL OTHER	---	100	10	4	3
NEGRO	---	100	10	4	3
ORLEANS, COEX. WITH NEW ORLEANS CITY	8,504	7,236	286	218	175
WHITE	5,074	4,248	76	62	38
ALL OTHER	3,430	2,988	210	156	137
NEGRO	3,424	2,982	210	156	137
OUACHITA	1,292	1,138	44	32	34
WHITE	774	728	14	10	19
ALL OTHER	518	410	30	22	15
NEGRO	518	410	30	22	15
MONROE	---	662	26	16	20
WHITE	---	354	6	2	7
ALL OTHER	---	308	20	14	13
NEGRO	---	308	20	14	13
WEST MONROE	---	188	-	-	6
WHITE	---	152	-	-	6
ALL OTHER	---	36	-	-	-
NEGRO	---	36	-	-	-
BALANCE OF PARISH	---	288	18	16	8
WHITE	---	222	8	8	6
ALL OTHER	---	66	10	8	2
NEGRO	---	66	10	8	2
PLAQUEMINES	104	148	16	12	4
WHITE	72	122	16	12	2
ALL OTHER	32	26	-	-	2
NEGRO	30	24	-	-	2
POINTE COUPEE	136	184	4	2	3
WHITE	84	114	2	2	-
ALL OTHER	52	70	2	-	3
NEGRO	52	70	2	-	3
RAPIDES	1,700	1,186	50	36	33
WHITE	1,110	768	36	26	23
ALL OTHER	590	418	14	10	10
NEGRO	590	418	14	10	10
ALEXANDRIA	---	604	26	18	18
WHITE	---	324	14	10	11
ALL OTHER	---	280	12	8	7
NEGRO	---	280	12	8	7
BALANCE OF PARISH	---	582	24	18	15
WHITE	---	444	22	16	12
ALL OTHER	---	138	2	2	3
NEGRO	---	138	2	2	3
RED RIVER	110	124	2	2	3
WHITE	72	68	-	-	1
ALL OTHER	38	56	2	2	2
NEGRO	38	56	2	2	2
RICHLAND	232	290	16	8	7
WHITE	142	170	6	6	2
ALL OTHER	90	120	10	2	5
NEGRO	90	120	10	2	5
SABINE	206	208	10	8	3
WHITE	154	168	10	8	1
ALL OTHER	52	40	-	-	2
NEGRO	52	40	-	-	2
ST. BERNARD	196	370	18	12	11
ST. CHARLES	106	174	14	10	8
WHITE	52	98	6	4	6
ALL OTHER	54	76	8	6	2
NEGRO	54	76	8	6	2
ST. HELENA	56	96	2	2	4
WHITE	28	42	-	-	-
ALL OTHER	28	54	2	2	4
NEGRO	28	54	2	2	4
LOUISIANA—CON.					
ST. JAMES	118	160	8	6	3
WHITE	72	86	6	4	-
ALL OTHER	46	74	2	2	3
NEGRO	46	74	2	2	3
ST. JOHN THE BAPTIST	110	220	16	10	6
WHITE	58	118	6	4	4
ALL OTHER	52	102	10	6	2
NEGRO	50	102	10	6	2
ST. LANDRY	670	704	26	22	24
WHITE	448	426	8	6	4
ALL OTHER	222	278	18	16	20
NEGRO	222	278	18	16	20
EUNICE, PART	---	108	2	2	6
WHITE	---	80	-	-	1
ALL OTHER	---	28	2	2	5
NEGRO	---	28	2	2	5
EUNICE, TOTAL	---	108	2	2	6
WHITE	---	80	-	-	1
ALL OTHER	---	28	2	2	5
NEGRO	---	28	2	2	5
OPELOUSAS	---	214	6	6	7
WHITE	---	112	-	-	1
ALL OTHER	---	102	6	6	6
NEGRO	---	102	6	6	6
BALANCE OF PARISH	---	382	18	14	11
WHITE	---	234	8	6	2
ALL OTHER	---	148	10	8	9
NEGRO	---	148	10	8	9
ST. MARTIN	166	224	8	4	7
WHITE	104	130	2	2	2
ALL OTHER	62	94	6	2	5
NEGRO	62	94	6	2	5
ST. MARY	400	480	28	20	18
WHITE	264	314	14	12	6
ALL OTHER	136	166	14	8	12
NEGRO	134	164	14	8	12
MORGAN CITY	---	148	12	10	2
WHITE	---	118	10	10	1
ALL OTHER	---	30	2	-	1
NEGRO	---	30	2	-	1
BALANCE OF PARISH	---	332	16	10	16
WHITE	---	196	4	2	5
ALL OTHER	---	136	12	8	11
NEGRO	---	134	12	8	11
ST. TAMMANY	506	556	28	26	14
WHITE	398	436	18	18	4
ALL OTHER	108	120	10	8	10
NEGRO	108	120	10	8	10
SLIDELL	---	104	4	4	1
WHITE	---	82	4	4	-
ALL OTHER	---	22	-	-	1
NEGRO	---	22	-	-	1
BALANCE OF PARISH	---	452	24	22	13
WHITE	---	354	14	14	4
ALL OTHER	---	98	10	8	9
NEGRO	---	98	10	8	9
TANGIPAHOA	682	742	28	22	22
WHITE	434	480	16	14	13
ALL OTHER	248	262	12	8	9
NEGRO	248	262	12	8	9
HAMMOND	---	114	6	6	3
WHITE	---	64	2	2	1
ALL OTHER	---	50	4	4	2
NEGRO	---	50	4	4	2
BALANCE OF PARISH	---	628	22	16	19
WHITE	---	416	14	12	12
ALL OTHER	---	212	8	4	7
NEGRO	---	212	8	4	7
TENSAS	88	112	-	-	5
WHITE	44	42	-	-	2
ALL OTHER	44	70	-	-	3
NEGRO	44	70	-	-	3
TERREBONNE	476	530	38	32	25
WHITE	386	424	34	28	16
ALL OTHER	90	106	4	4	9
NEGRO	84	100	4	4	9
HOUMA	---	250	20	16	7
WHITE	---	188	16	12	3
ALL OTHER	---	62	4	4	4
NEGRO	---	60	4	4	4
BALANCE OF PARISH	---	280	18	16	18
WHITE	---	236	18	16	13
ALL OTHER	---	44	-	-	5
NEGRO	---	40	-	-	5

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
LOUISIANA--CON.					
UNION	174	236	4	2	4
WHITE	114	154	-	-	2
ALL OTHER	60	82	4	2	2
NEGRO	60	82	4	2	2
VERMILION	418	454	24	20	8
WHITE	382	400	14	10	5
ALL OTHER	36	54	10	10	3
NEGRO	36	54	10	10	3
ABBEVILLE	---	170	8	6	3
WHITE	---	136	4	2	1
ALL OTHER	---	34	4	4	2
NEGRO	---	34	4	4	2
BALANCE OF PARISH	---	284	16	14	5
WHITE	---	264	10	8	4
ALL OTHER	---	20	6	6	1
NEGRO	---	20	6	6	1
VERNON	222	284	14	10	10
WHITE	180	248	14	10	9
ALL OTHER	42	36	-	-	1
NEGRO	42	36	-	-	1
WASHINGTON	466	520	24	14	15
WHITE	326	358	16	8	6
ALL OTHER	140	162	8	6	9
NEGRO	140	162	8	6	9
BOGALUSA	---	268	12	8	6
WHITE	---	158	6	4	3
ALL OTHER	---	110	6	4	3
NEGRO	---	110	6	4	3
BALANCE OF PARISH	---	252	12	6	9
WHITE	---	200	10	4	3
ALL OTHER	---	52	2	2	6
NEGRO	---	52	2	2	6
WEBSTER	374	486	16	16	11
WHITE	264	318	10	10	2
ALL OTHER	110	168	6	6	9
NEGRO	110	168	6	6	9
MINDEN	---	186	4	4	6
WHITE	---	98	2	2	-
ALL OTHER	---	88	2	2	6
NEGRO	---	88	2	2	6
BALANCE OF PARISH	---	300	12	12	5
WHITE	---	220	8	8	2
ALL OTHER	---	80	4	4	3
NEGRO	---	80	4	4	3
WEST BATON ROUGE	58	144	8	8	5
WHITE	42	86	2	2	2
ALL OTHER	16	58	6	6	3
NEGRO	16	58	6	6	3
WEST CARROLL	90	134	-	-	4
WHITE	62	96	-	-	1
ALL OTHER	28	38	-	-	3
NEGRO	28	38	-	-	3
WEST FELICIANA	58	64	-	-	-
WHITE	14	14	-	-	-
ALL OTHER	44	50	-	-	-
NEGRO	44	50	-	-	-
WINN	188	218	4	2	6
WHITE	134	148	-	-	3
ALL OTHER	54	70	4	2	3
NEGRO	54	70	4	2	3
MAINE	11,182	11,198	298	218	110
WHITE	11,154	11,172	296	218	110
ALL OTHER	28	26	2	-	-
NEGRO	12	10	-	-	-
ANDROSCOGGIN	990	984	16	14	12
AUBURN	---	270	6	6	2
LEWISTON	---	480	8	6	5
BALANCE OF COUNTY	---	234	2	2	5
AROOSTOOK	804	832	20	12	12
CARIBOU	---	98	6	4	3
PRESQUE ISLE	---	102	2	2	-
BALANCE OF COUNTY	---	632	12	6	9
CUMBERLAND	2,410	2,146	48	42	13
PORTLAND	---	916	28	22	1
SOUTH PORTLAND	---	206	4	4	1
WESTBROOK	---	162	2	2	1
BALANCE OF COUNTY	---	862	14	14	10
FRANKLIN	164	222	6	6	3
HANCOCK	430	490	8	6	8
KENNEBEC	1,626	1,016	38	30	6
AUGUSTA	---	202	6	4	-
WATERVILLE	---	194	14	12	1
BALANCE OF COUNTY	---	620	18	14	5
KNOX	376	420	18	10	3
MAINE--CON.					
LINCOLN	274	300	12	8	2
OXFORD	406	508	10	8	5
PENOBSCOT	1,344	1,244	38	24	17
BANGOR	---	384	16	10	4
BALANCE OF COUNTY	---	860	22	14	13
PISCATAQUIS	186	200	8	8	2
SAGADAHOC	162	272	6	2	3
SOMERSET	394	522	16	10	8
WALDO	218	314	14	8	2
WASHINGTON	338	402	10	8	1
YORK	1,060	1,326	30	22	13
BIDDEFORD	---	272	4	-	-
SACO	---	106	2	2	1
SANFORD TOWN#	---	214	6	2	2
BALANCE OF COUNTY	---	734	18	18	10
MARYLAND	32,796	33,408	930	672	723
WHITE	26,124	26,826	598	440	460
ALL OTHER	6,672	6,582	332	232	263
NEGRO	6,624	6,536	324	224	260
ALLEGANY	1,012	938	16	16	22
CUMBERLAND	---	468	8	8	7
BALANCE OF COUNTY	---	470	8	8	15
ANNE ARUNDEL	1,560	1,958	48	28	57
WHITE	1,300	1,700	40	24	43
ALL OTHER	260	258	8	4	14
NEGRO	260	254	4	-	14
ANNAPOLIS	---	348	10	4	13
WHITE	---	234	6	2	6
ALL OTHER	---	114	4	2	7
NEGRO	---	112	2	-	7
BALANCE OF COUNTY	---	1,610	38	24	44
WHITE	---	1,466	34	22	37
ALL OTHER	---	144	4	2	7
NEGRO	---	142	2	-	7
BALTIMORE	4,426	4,760	94	70	70
WHITE	4,100	4,566	88	64	62
ALL OTHER	326	194	6	6	8
NEGRO	322	192	6	6	8
BALTIMORE CITY	12,706	11,260	256	180	213
WHITE	8,400	6,934	58	48	61
ALL OTHER	4,306	4,326	198	132	152
NEGRO	4,290	4,314	198	132	151
CALVERT	170	212	10	6	4
WHITE	136	166	8	4	3
ALL OTHER	34	46	2	2	1
NEGRO	32	44	2	2	1
CAROLINE	100	308	4	4	6
WHITE	86	256	2	2	5
ALL OTHER	14	52	2	2	1
NEGRO	14	52	2	2	1
CARROLL	574	622	26	20	12
CECIL	494	492	16	10	19
CHARLES	214	320	20	16	12
WHITE	142	222	14	12	7
ALL OTHER	72	98	6	4	5
NEGRO	72	98	6	4	5
DORCHESTER	406	434	16	12	4
WHITE	284	282	6	4	3
ALL OTHER	122	152	10	8	1
NEGRO	122	152	10	8	1
CAMBRIDGE	---	192	6	6	2
WHITE	---	106	-	-	2
ALL OTHER	---	86	6	6	-
NEGRO	---	86	6	6	-
BALANCE OF COUNTY	---	242	10	6	2
WHITE	---	176	6	4	1
ALL OTHER	---	66	4	2	1
NEGRO	---	66	4	2	1
FREDERICK	642	720	18	18	10
FREDERICK	---	232	2	2	2
WHITE	---	196	2	2	1
ALL OTHER	---	36	-	-	1
NEGRO	---	36	-	-	1
BALANCE OF COUNTY	---	488	16	16	8
GARRETT	222	238	12	2	5
HARFORD	646	746	34	22	29
WHITE	584	670	30	18	22
ALL OTHER	62	76	4	4	7
NEGRO	62	76	4	4	7
ABERDEEN	---	58	2	-	4
WHITE	---	44	2	-	2
ALL OTHER	---	14	-	-	2
NEGRO	---	14	-	-	2
BALANCE OF COUNTY	---	688	32	22	25

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MARYLAND--CON.					
HOWARD	118	420	8	4	9
KENT	198	284	10	8	2
WHITE	168	242	6	6	1
ALL OTHER	30	42	4	2	1
NEGRO	30	42	4	2	1
MONTGOMERY	3,752	3,208	80	58	61
WHITE	3,482	3,016	66	46	52
ALL OTHER	270	192	14	12	9
NEGRO	252	178	12	10	8
ROCKVILLE	---	406	14	10	9
TAKOMA PARK, PART	---	160	6	2	4
WHITE	---	144	4	2	3
ALL OTHER	---	16	2	-	1
NEGRO	---	12	2	-	1
TAKOMA PARK, TOTAL	---	204	8	4	8
WHITE	---	176	4	2	4
ALL OTHER	---	28	4	2	4
NEGRO	---	24	4	2	4
BALANCE OF COUNTY	---	2,642	60	46	48
WHITE	---	2,504	52	38	40
ALL OTHER	---	138	8	8	8
NEGRO	---	132	6	6	7
PRINCE GEORGES	2,350	3,516	184	130	117
WHITE	1,872	2,994	128	92	67
ALL OTHER	478	522	56	38	50
NEGRO	472	510	54	36	49
BOWIE	---	114	2	2	1
COLLEGE PARK	---	144	4	4	3
GREENBELT	---	58	10	10	2
HYATTSVILLE	---	484	12	12	8
LAUREL	---	126	20	16	6
NEW CARROLLTON	---	46	4	4	2
TAKOMA PARK, PART	---	44	2	2	4
BALANCE OF COUNTY	---	2,500	130	80	91
WHITE	---	2,044	82	48	53
ALL OTHER	---	456	48	32	38
NEGRO	---	446	48	32	37
QUEEN ANNES	76	222	4	2	3
WHITE	68	182	4	2	3
ALL OTHER	8	40	-	-	-
NEGRO	8	40	-	-	-
ST. MARYS	256	290	18	14	14
WHITE	190	220	10	10	13
ALL OTHER	66	70	8	4	1
NEGRO	64	70	8	4	1
SOMERSET	126	282	2	2	2
WHITE	100	210	2	2	2
ALL OTHER	26	72	-	-	-
NEGRO	26	72	-	-	-
TALBOT	490	296	6	4	9
WHITE	388	228	6	4	6
ALL OTHER	102	68	-	-	3
NEGRO	102	68	-	-	3
WASHINGTON	1,078	1,006	28	28	27
HAGERSTOWN	---	470	14	14	14
BALANCE OF COUNTY	---	536	14	14	13
WICOMICO	1,076	596	16	14	11
WHITE	812	482	10	8	10
ALL OTHER	264	114	6	6	1
NEGRO	264	114	6	6	1
SALISBURY	---	244	2	2	4
WHITE	---	206	-	-	4
ALL OTHER	---	38	2	2	-
NEGRO	---	38	2	2	-
BALANCE OF COUNTY	---	352	14	12	7
WHITE	---	276	10	8	6
ALL OTHER	---	76	4	4	1
NEGRO	---	76	4	4	1
WORCESTER	104	280	4	4	5
WHITE	82	202	2	2	2
ALL OTHER	22	78	2	2	3
NEGRO	22	78	2	2	3
MASSACHUSETTS	57,392	57,152	1,132	858	780
WHITE	55,698	55,562	1,018	768	712
ALL OTHER	1,604	1,590	114	90	68
NEGRO	1,502	1,488	106	86	61
BARNSTABLE	1,308	1,412	32	20	15
BERKSHIRE	1,642	1,658	42	30	26
NORTH ADAMS	---	226	2	2	6
PITTSFIELD	---	586	18	14	9
BALANCE OF COUNTY	---	846	22	14	11
MASSACHUSETTS--CON.					
BRISTOL	4,274	4,548	88	68	62
ATTLEBORO	---	302	14	12	4
FALL RIVER	---	1,170	26	20	18
NEW BEDFORD	---	1,112	20	18	16
SOMERSET TOWN#	---	166	-	-	3
TAUNTON	---	414	4	-	6
BALANCE OF COUNTY	---	1,384	24	18	15
DUKES	90	92	-	-	-
ESSEX	6,488	6,778	116	94	87
BEVERLY	---	312	4	4	2
DANVERS TOWN#	---	208	2	-	5
GLOUCESTER	---	324	6	4	5
HAVERHILL	---	644	12	8	9
LAWRENCE	---	878	18	14	13
LYNN	---	1,204	18	16	15
MARBLEHEAD TOWN#	---	194	4	4	1
METHUEN TOWN#	---	338	4	4	9
NEWBURYPORT	---	214	4	4	2
PEABODY	---	374	6	6	8
SALEM	---	454	12	10	2
SAUGUS TOWN#	---	198	4	2	2
SWAMPSCOTT TOWN#	---	132	-	-	1
BALANCE OF COUNTY	---	1,304	22	18	13
FRANKLIN	628	726	16	14	9
HAMPDEN	4,664	4,606	80	50	56
WHITE	4,514	4,442	70	44	46
ALL OTHER	150	164	10	6	10
NEGRO	150	164	10	6	10
CHICOPEE	---	588	6	4	3
HOLYOKE	---	644	12	10	6
LONGMEADOW TOWN#	---	132	-	-	1
SPRINGFIELD	---	1,938	38	22	28
WHITE	---	1,784	30	18	18
ALL OTHER	---	154	8	4	10
NEGRO	---	154	8	4	10
WESTFIELD	---	268	2	-	4
WEST SPRINGFIELD TOWN#	---	266	4	-	6
BALANCE OF COUNTY	---	770	18	14	8
HAMPSHIRE	1,044	1,054	18	12	21
AMHERST TOWN#	---	76	2	-	2
NORTHAMPTON	---	294	4	4	6
BALANCE OF COUNTY	---	684	12	8	13
MIDDLESEX	11,360	12,326	236	180	165
WHITE	11,228	12,182	228	172	158
ALL OTHER	132	144	8	8	7
NEGRO	116	130	6	6	5
ARLINGTON TOWN#	---	536	8	4	5
BELMONT TOWN#	---	356	2	2	4
BILLERICA TOWN#	---	176	8	4	2
BURLINGTON TOWN#	---	92	2	2	5
CAMBRIDGE	---	978	6	6	6
CHELMSFORD TOWN#	---	148	8	8	4
EVERETT	---	486	4	4	4
FRAMINGHAM TOWN#	---	454	12	10	8
LEXINGTON TOWN#	---	200	2	-	8
LOWELL	---	1,214	48	34	15
MALDEN	---	712	20	14	8
MARLBOROUGH	---	224	10	10	5
MEDFORD	---	676	18	16	12
MELROSE	---	308	-	-	2
NATICK TOWN#	---	232	2	2	6
NEWTON	---	822	-	-	5
READING TOWN#	---	186	2	2	1
SOMERVILLE	---	942	10	10	6
STONEHAM TOWN#	---	164	2	2	3
WAKEFIELD TOWN#	---	244	4	-	7
WALTHAM	---	588	6	4	8
WATERTOWN TOWN#	---	408	8	8	6
WINCHESTER TOWN#	---	180	2	2	1
WOBURN	---	260	6	6	5
BALANCE OF COUNTY	---	1,740	46	30	29
NANTUCKET	58	128	2	2	1
NORFOLK	4,492	5,436	90	74	72
BRAINTREE TOWN#	---	338	8	4	6
BROOKLINE TOWN#	---	784	-	-	2
DEDHAM TOWN#	---	220	2	-	1
HOLBROOK TOWN#	---	70	2	2	4
MILTON TOWN#	---	330	2	2	3
NEEDHAM TOWN#	---	206	4	4	1
NORWOOD TOWN#	---	258	2	-	7
QUINCY	---	978	14	10	9
RANDOLPH TOWN#	---	192	6	6	2
WELLESLEY TOWN#	---	232	8	8	3
WEYMOUTH TOWN#	---	454	4	2	12
BALANCE OF COUNTY	---	1,374	38	36	22

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MASSACHUSETTS--CON.					
PLYMOUTH	2,846	3,204	80	54	49
BROCKTON	---	964	32	14	12
ROCKLAND TOWN#	---	130	2	2	2
WHITMAN TOWN#	---	120	2	2	-
BALANCE OF COUNTY	---	1,990	44	36	35
SUFFOLK	12,048	8,688	198	152	125
WHITE	11,030	7,702	116	88	88
ALL OTHER	1,018	986	82	64	37
NEGRO	948	922	78	62	36
BOSTON	---	7,660	190	148	117
WHITE	---	6,684	108	84	80
ALL OTHER	---	976	82	64	37
NEGRO	---	912	78	62	36
CHELSEA	---	354	2	2	2
REVERE	---	442	4	2	2
WINTHROP TOWN#	---	232	2	-	4
WORCESTER	6,360	6,496	134	108	92
CLINTON TOWN#	---	138	10	8	1
FITCHBURG	---	520	6	4	6
GARDNER	---	228	6	4	1
LEOMINSTER	---	284	6	4	1
WORCESTER	---	2,264	34	30	25
BALANCE OF COUNTY	---	3,062	72	58	58
MICHIGAN	77,680	78,674	2,706	2,050	1,758
WHITE	68,234	69,224	1,862	1,420	1,231
ALL OTHER	9,446	9,450	844	630	527
NEGRO	9,278	9,294	836	624	513
ALCONA	52	104	4	4	2
ALGER	72	100	-	-	1
ALLEGAN	438	668	20	8	16
HOLLAND, PART	---	22	-	-	1
BALANCE OF COUNTY	---	646	20	8	15
ALPENA	342	314	8	6	4
ALPENA	---	162	4	4	1
BALANCE OF COUNTY	---	152	4	2	3
ANTRIM	110	170	4	-	4
ARENAC	130	148	2	2	3
BARAGA	118	102	4	4	2
BARRY	296	344	6	6	9
BAY	1,014	1,016	24	16	23
BAY CITY	---	580	12	8	10
MIDLAND, PART	---	-	-	-	-
BALANCE OF COUNTY	---	436	12	8	13
BENZIE	94	106	-	-	-
BERRIEN	1,654	1,620	76	56	41
WHITE	1,456	1,442	48	34	23
ALL OTHER	198	178	28	22	18
NEGRO	196	178	28	22	18
BENTON HARBOR	---	256	24	18	16
WHITE	---	160	4	-	1
ALL OTHER	---	96	20	18	15
NEGRO	---	96	20	18	15
NILES	---	168	10	10	7
ST. JOSEPH	---	146	2	2	1
BALANCE OF COUNTY	---	1,050	40	26	17
BRANCH	384	394	6	6	6
CALHOUN	1,522	1,362	54	48	38
WHITE	1,398	1,228	42	36	31
ALL OTHER	124	134	12	12	7
NEGRO	120	130	10	10	7
ALBION	---	124	4	4	5
WHITE	---	86	4	4	3
ALL OTHER	---	38	-	-	2
NEGRO	---	38	-	-	2
BATTLE CREEK	---	620	24	22	20
WHITE	---	528	14	12	15
ALL OTHER	---	92	10	10	5
NEGRO	---	92	10	10	5
BALANCE OF COUNTY	---	618	26	22	13
CASS	232	444	8	6	6
WHITE	210	406	8	6	5
ALL OTHER	22	38	-	-	1
NEGRO	22	38	-	-	1
CHARLEVOIX	132	184	4	4	1
CHEBOYGAN	178	198	4	4	3
CHIPPEWA	288	302	8	6	4
SAULT STE. MARIE	---	176	2	2	2
BALANCE OF COUNTY	---	126	6	4	2
CLARE	206	224	2	2	2
CLINTON	202	344	18	14	3
LANSING, PART	---	4	-	-	-
BALANCE OF COUNTY	---	340	18	14	3

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MICHIGAN--CON.					
CRAWFORD	144	76	-	-	2
DELTA	358	424	10	10	6
ESCANABA	---	200	6	6	3
BALANCE OF COUNTY	---	224	4	4	3
DICKINSON	428	300	2	2	6
EATON	390	520	18	14	14
LANSING, PART	---	8	-	-	1
BALANCE OF COUNTY	---	512	18	14	13
EMMET	358	218	2	2	3
GENESEE	3,240	3,180	152	122	103
WHITE	2,880	2,804	106	86	73
ALL OTHER	360	376	46	36	30
NEGRO	356	372	46	36	29
FLINT	---	1,686	80	68	59
WHITE	---	1,324	36	34	30
ALL OTHER	---	362	44	34	29
NEGRO	---	358	44	34	28
BALANCE OF COUNTY	---	1,494	72	54	44
GLADWIN	124	178	4	4	2
GOGEBIC	302	326	10	4	4
GRAND TRAVERSE	670	390	6	4	5
TRAVERSE CITY	---	168	-	-	5
BALANCE OF COUNTY	---	222	6	4	-
GRATIOT	394	362	6	6	7
HILLSDALE	268	378	10	10	7
HOUGHTON	490	516	6	6	4
HURON	342	410	6	4	8
INGHAM	1,870	1,754	80	64	54
WHITE	1,776	1,652	60	46	48
ALL OTHER	94	102	20	18	6
NEGRO	90	96	20	18	6
EAST LANSING	---	146	10	6	2
LANSING, PART	---	1,108	50	42	31
WHITE	---	1,014	34	28	25
ALL OTHER	---	94	16	14	6
NEGRO	---	88	16	14	6
LANSING, TOTAL	---	1,120	50	42	32
WHITE	---	1,026	34	28	26
ALL OTHER	---	94	16	14	6
NEGRO	---	88	16	14	6
BALANCE OF COUNTY	---	500	20	16	21
IONIA	326	458	18	8	7
IOSCO	226	262	10	10	7
IRON	192	240	4	2	1
ISABELLA	310	312	2	2	8
MOUNT PLEASANT	---	120	2	2	2
BALANCE OF COUNTY	---	192	-	-	6
JACKSON	1,266	1,364	46	24	31
JACKSON	---	594	26	14	13
WHITE	---	540	24	12	5
ALL OTHER	---	54	2	2	8
NEGRO	---	54	2	2	8
BALANCE OF COUNTY	---	770	20	10	18
KALAMAZOO	1,724	1,488	62	40	21
WHITE	1,644	1,428	46	30	17
ALL OTHER	80	60	16	10	4
NEGRO	80	60	16	10	4
KALAMAZOO	---	724	26	18	10
WHITE	---	670	12	8	6
ALL OTHER	---	54	14	10	4
NEGRO	---	54	14	10	4
PORTAGE	---	158	10	2	6
BALANCE OF COUNTY	---	606	26	20	5
KALKASKA	56	96	-	-	-
KENT	3,968	3,670	126	98	61
WHITE	3,788	3,490	98	76	50
ALL OTHER	180	180	28	22	11
NEGRO	166	170	26	22	11
EAST GRAND RAPIDS	---	66	2	-	-
GRAND RAPIDS	---	2,348	78	64	36
WHITE	---	2,174	50	42	25
ALL OTHER	---	174	28	22	11
NEGRO	---	168	26	22	11
GRANDVILLE	---	58	-	-	1
KENTWOOD	---	74	4	2	4
WALKER	---	52	2	2	1
WYOMING	---	346	8	6	6
BALANCE OF COUNTY	---	726	32	24	13
KEWEENAW	4	48	-	-	-
LAKE	56	100	4	4	1
WHITE	32	62	2	2	1
ALL OTHER	24	38	2	2	-
NEGRO	24	36	2	2	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MICHIGAN--CON.					
LAPEER	430	410	20	10	15
LEELANAU	98	150	-	-	-
LENAWEE	746	758	24	14	23
ADRIAN	---	252	14	6	9
BALANCE OF COUNTY	---	506	10	8	14
LIVINGSTON	384	520	18	14	16
LUCE	122	84	2	2	1
MACKINAC	86	110	4	4	3
MACOMB	2,882	3,818	158	130	101
CENTER LINE	---	96	2	-	3
EAST DETROIT	---	342	10	10	5
FRASER	---	66	12	12	3
MOUNT CLEMENS	---	360	14	10	7
WHITE	---	322	12	10	6
ALL OTHER	---	38	2	-	1
NEGRO	---	38	2	-	1
ROSEVILLE	---	298	22	18	9
ST. CLAIR SHORES	---	612	16	14	5
STERLING HEIGHTS	---	268	14	12	13
WARREN	---	928	36	28	28
BALANCE OF COUNTY	---	848	32	26	28
MANISTEE	242	266	2	2	4
MARQUETTE	586	572	14	6	11
MARQUETTE	---	178	2	-	2
BALANCE OF COUNTY	---	394	12	6	9
MASON	270	272	10	10	3
MECOSTA	218	276	12	6	5
BIG RAPIDS	---	80	4	4	1
BALANCE OF COUNTY	---	196	8	2	4
MENOMINEE	286	286	-	-	4
MENOMINEE	---	138	-	-	1
BALANCE OF COUNTY	---	148	-	-	3
MIDLAND	386	396	12	10	5
MIDLAND, PART	---	196	8	8	4
MIDLAND, TOTAL	---	196	8	8	4
BALANCE OF COUNTY	---	200	4	2	1
MISSAUKEE	20	72	4	2	3
MONROE	608	950	32	24	35
MONROE	---	278	12	8	10
BALANCE OF COUNTY	---	672	20	16	25
MONTCALM	506	474	4	2	4
MONTMORENCY	24	66	-	-	1
MUSKEGON	1,318	1,336	58	40	40
WHITE	1,188	1,196	46	32	28
ALL OTHER	130	140	12	8	12
NEGRO	126	138	12	8	12
MUSKEGON	---	604	24	14	17
WHITE	---	532	18	12	10
ALL OTHER	---	72	6	2	7
NEGRO	---	70	6	2	7
MUSKEGON HEIGHTS	---	210	8	8	4
WHITE	---	150	4	4	1
ALL OTHER	---	60	4	4	3
NEGRO	---	60	4	4	3
NORTON SHORES	---	84	2	-	2
BALANCE OF COUNTY	---	438	24	18	17
NEWAYGO	256	300	14	14	6
OAKLAND	6,402	6,420	196	160	130
WHITE	6,068	6,138	166	134	114
ALL OTHER	334	282	30	26	16
NEGRO	322	268	30	26	16
BERKLEY	---	146	6	6	2
BEVERLY HILLS	---	36	2	2	-
BIRMINGHAM	---	290	6	6	3
CLAWSON	---	112	-	-	3
FARMINGTON	---	168	-	-	8
FERNDALE	---	338	6	6	5
HAZEL PARK	---	172	6	6	7
MADISON HEIGHTS	---	164	10	6	9
OAK PARK	---	326	4	2	3
PONTIAC	---	868	58	46	29
WHITE	---	650	34	26	15
ALL OTHER	---	218	24	20	14
NEGRO	---	218	24	20	14
ROYAL OAK	---	596	14	12	7
SOUTHFIELD	---	574	14	10	9
TROY	---	186	4	4	5
BALANCE OF COUNTY	---	2,444	66	54	40
OCEANA	164	192	10	10	5
OGEMAW	232	176	8	8	1
ONTONAGON	104	124	-	-	4
OSCEOLA	106	174	2	2	2
OSCODA	36	92	4	2	1
OTSEGO	94	106	4	-	3
MICHIGAN--CON.					
OTTAWA	864	928	22	16	22
GRAND HAVEN	---	118	-	-	3
HOLLAND, PART	---	218	2	-	2
HOLLAND, TOTAL	---	240	2	-	3
BALANCE OF COUNTY	---	592	20	16	17
PRESQUE ISLE	118	146	2	2	2
ROSCOMMON	60	162	-	-	2
SAGINAW	1,998	1,820	88	66	45
WHITE	1,764	1,586	56	40	41
ALL OTHER	234	234	32	26	4
NEGRO	234	234	32	26	4
SAGINAW	---	1,002	60	44	18
WHITE	---	790	30	20	16
ALL OTHER	---	212	30	24	2
NEGRO	---	212	30	24	2
BALANCE OF COUNTY	---	818	28	22	27
ST. CLAIR	1,124	1,242	36	32	32
PORT HURON	---	444	8	6	9
BALANCE OF COUNTY	---	798	28	26	23
ST. JOSEPH	462	552	14	10	11
SANILAC	342	440	8	8	3
SCHOOLCRAFT	118	106	2	2	-
SHIAWASSEE	494	538	16	16	5
OWOSSO	---	176	4	4	4
BALANCE OF COUNTY	---	362	12	12	1
TUSCOLA	364	486	20	16	5
VAN BUREN	420	570	12	8	10
WASHTENAW	2,518	1,336	56	36	32
WHITE	2,272	1,194	52	34	24
ALL OTHER	246	142	4	2	8
NEGRO	236	136	4	2	7
ANN ARBOR	---	464	14	10	11
YPSILANTI	---	232	8	6	4
WHITE	---	148	6	6	-
ALL OTHER	---	84	2	-	4
NEGRO	---	84	2	-	4
BALANCE OF COUNTY	---	640	34	20	17
WAYNE	26,872	26,476	978	732	629
WHITE	19,894	19,356	386	306	251
ALL OTHER	6,978	7,120	592	426	378
NEGRO	6,948	7,098	592	426	376
ALLEN PARK	---	278	6	6	3
DEARBORN	---	1,046	4	4	11
DEARBORN HEIGHTS	---	492	14	14	9
DETROIT	---	17,952	728	528	436
WHITE	---	11,416	180	126	100
ALL OTHER	---	6,536	548	402	336
NEGRO	---	6,518	548	402	335
ECORSE	---	174	4	4	8
WHITE	---	110	2	2	2
ALL OTHER	---	64	2	2	6
NEGRO	---	64	2	2	6
GARDEN CITY	---	220	4	2	8
GROSSE POINTE FARMS	---	100	-	-	1
GROSSE POINTE PARK	---	158	2	2	2
GROSSE POINTE WOODS	---	144	2	2	-
HAMTRAMCK	---	514	8	6	4
WHITE	---	476	4	4	3
ALL OTHER	---	38	4	2	1
NEGRO	---	38	4	2	1
HARPER WOODS	---	176	4	2	1
HIGHLAND PARK	---	462	14	8	14
WHITE	---	304	4	2	2
ALL OTHER	---	158	10	6	12
NEGRO	---	158	10	6	12
INKSTER	---	280	12	8	17
WHITE	---	148	2	-	7
ALL OTHER	---	132	10	8	10
NEGRO	---	132	10	8	10
LINCOLN PARK	---	358	10	10	7
LIVONIA	---	556	16	14	7
MELVINDALE	---	120	-	-	2
PLYMOUTH	---	146	2	2	2
RIVER ROUGE	---	164	14	6	5
WHITE	---	90	2	2	4
ALL OTHER	---	74	12	4	1
NEGRO	---	74	12	4	1
RIVERVIEW	---	58	-	-	2
SOUTHGATE	---	194	2	2	6
TAYLOR	---	378	30	28	15
TRENTON	---	120	-	-	1
WAYNE	---	140	6	6	1
WESTLAND	---	408	30	26	15
WYANDOTTE	---	340	2	2	8
BALANCE OF COUNTY	---	1,498	64	50	44
WEXFORD	350	258	4	2	4

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MINNESOTA	35,046	34,554	994	756	533
WHITE	34,632	34,152	948	722	505
ALL OTHER	414	402	46	34	28
NEGRO	180	178	32	24	15
AITKIN	130	144	-	-	3
ANOKA	522	554	44	38	16
ANOKA	---	102	6	4	3
BLAINE, PART	---	36	-	-	3
BLAINE, TOTAL	---	36	-	-	3
COLUMBIA HEIGHTS	---	134	4	4	3
COON RAPIDS	---	52	10	10	2
FRIDLEY	---	86	6	6	2
BALANCE OF COUNTY	---	144	18	14	3
BECKER	294	288	4	4	5
BELTRAMI	268	246	4	2	3
WHITE	238	220	4	2	2
ALL OTHER	30	26	-	-	1
NEGRO	-	-	-	-	-
BEMIDJI	---	126	4	2	1
BALANCE OF COUNTY	---	120	-	-	2
WHITE	---	96	-	-	1
ALL OTHER	---	24	-	-	1
NEGRO	---	-	-	-	-
BENTON	82	152	4	2	2
ST. CLOUD, PART	---	36	-	-	-
BALANCE OF COUNTY	---	116	4	2	2
BIG STONE	102	90	-	-	1
BLUE EARTH	510	422	12	10	7
MANKATO	---	216	6	6	4
BALANCE OF COUNTY	---	206	6	4	3
BROWN	370	286	4	4	6
NEW ULM	---	132	4	4	2
BALANCE OF COUNTY	---	154	-	-	4
CARLTON	292	298	6	6	1
CARVER	174	214	4	4	5
CASS	190	262	10	8	1
CHIPPEWA	132	184	6	6	4
CHISAGO	178	210	8	6	2
CLAY	236	354	12	6	3
MOORHEAD	---	192	8	6	2
BALANCE OF COUNTY	---	162	4	-	1
CLEARWATER	108	112	6	2	-
COOK	36	38	-	-	-
COTTONWOOD	150	150	6	6	1
CROW WING	446	384	16	12	7
BRAINERD	---	130	10	10	2
BALANCE OF COUNTY	---	254	6	2	5
DAKOTA	482	706	34	28	29
BURNSVILLE	---	44	14	12	5
HASTINGS, PART	---	80	-	-	2
HASTINGS, TOTAL	---	80	-	-	2
INVER GROVE HEIGHTS	---	42	2	2	2
SOUTH ST. PAUL	---	164	6	4	6
WEST ST. PAUL	---	156	-	-	3
BALANCE OF COUNTY	---	220	12	10	11
DODGE	64	124	4	2	2
DOUGLAS	284	272	6	4	3
FARIBAULT	228	246	6	6	1
FILLMORE	186	266	2	2	1
FREEBORN	354	368	14	10	1
ALBERT LEA	---	218	4	4	1
BALANCE OF COUNTY	---	150	10	6	-
GOODHUE	388	380	10	10	4
RED WING	---	156	8	8	3
BALANCE OF COUNTY	---	224	2	2	1
GRANT	104	122	-	-	-
HENNEPIN	8,886	7,910	268	196	118
WHITE	8,748	7,762	244	180	103
ALL OTHER	138	148	24	16	15
NEGRO	94	94	18	14	8
BLOOMINGTON	---	302	6	6	6
BROOKLYN CENTER	---	120	6	4	2
BROOKLYN PARK	---	98	14	12	4
CRYSTAL	---	90	10	6	4
EDINA	---	298	8	6	4
GOLDEN VALLEY	---	94	4	2	1
HOPKINS	---	124	10	6	-
MINNEAPOLIS	---	5,278	148	102	70
WHITE	---	5,138	126	88	56
ALL OTHER	---	140	22	14	14
NEGRO	---	88	16	12	8
MINNETONKA	---	122	4	4	1
NEW HOPE	---	72	4	4	2
PLYMOUTH	---	62	6	6	3
RICHFIELD	---	228	10	10	6
ROBBINSDALE	---	158	12	10	2
ST. LOUIS PARK	---	362	2	2	4
BALANCE OF COUNTY	---	502	24	16	9
MINNESOTA--CON.					
HOUSTON	140	168	4	2	2
HUBBARD	172	170	-	-	3
ISANTI	228	162	2	2	3
ITASCA	370	414	8	6	8
JACKSON	134	152	4	2	3
KANABEC	112	112	2	-	2
KANDIYOHI	380	318	8	6	4
WILLMAR	---	162	4	4	-
BALANCE OF COUNTY	---	156	4	2	4
KITTSON	84	86	-	-	-
KOOCHICHING	172	188	6	4	2
LAC QUI PARLE	126	160	-	-	1
LAKE	114	116	4	2	2
LAKE OF THE WOODS	60	48	4	4	-
LE SUEUR	114	248	2	2	5
LINCOLN	124	94	6	4	2
LYON	226	254	12	12	1
MC LEOD	282	288	6	6	5
MAHNOMEN	60	60	2	-	-
WHITE	54	58	2	-	-
ALL OTHER	6	2	-	-	-
NEGRO	-	-	-	-	-
MARSHALL	108	176	-	-	3
MARTIN	248	278	16	16	3
FAIRMONT	---	140	14	14	2
BALANCE OF COUNTY	---	138	2	2	1
MEEKER	212	206	6	4	-
MILLE LACS	206	224	4	4	2
MORRISON	262	286	12	8	6
MOWER	352	404	10	6	6
AUSTIN	---	266	4	2	2
BALANCE OF COUNTY	---	138	6	4	4
MURRAY	106	128	2	2	1
NICOLLET	138	208	2	2	1
NOBLES	232	226	8	8	6
NORMAN	100	134	2	2	2
OLMSTED	1,380	552	30	26	20
ROCHESTER	---	390	14	12	12
BALANCE OF COUNTY	---	162	16	14	8
OTTER TAIL	556	608	16	8	11
FERGUS FALLS	---	158	6	6	4
BALANCE OF COUNTY	---	450	10	2	7
PENNINGTON	214	194	6	6	2
PINE	130	254	-	-	6
PIPESTONE	128	140	2	2	2
POLK	334	396	4	2	5
POPE	150	158	4	4	5
RAMSEY	4,366	4,226	108	88	70
WHITE	4,280	4,142	94	76	63
ALL OTHER	86	84	14	12	7
NEGRO	70	68	12	10	5
BLAINE, PART	---	-	-	-	-
MAPLEWOOD	---	132	2	-	2
NEW BRIGHTON	---	70	6	6	5
NORTH ST. PAUL	---	56	8	6	3
ROSEVILLE	---	162	4	2	7
ST. PAUL	---	3,500	74	64	43
WHITE	---	3,424	62	54	37
ALL OTHER	---	76	12	10	6
NEGRO	---	66	12	10	5
SHOREVIEW	---	46	4	2	2
WHITE BEAR LAKE, PART	---	94	2	2	5
WHITE BEAR LAKE, TOTAL	---	94	2	2	5
BALANCE OF COUNTY	---	166	8	6	3
RED LAKE	40	58	2	2	-
REDWOOD	178	230	6	4	3
RENVILLE	168	248	6	6	4
RICE	458	398	12	10	5
FARIBAULT	---	176	6	4	2
NORTHFIELD	---	88	2	2	2
BALANCE OF COUNTY	---	134	4	4	1
ROCK	112	112	2	2	4
ROSEAU	116	118	2	-	1
ST. LOUIS	2,420	2,320	44	34	24
DULUTH	---	1,140	12	12	12
HIBBING	---	192	4	2	-
VIRGINIA	---	186	6	4	3
BALANCE OF COUNTY	---	802	22	16	9
SCOTT	292	210	6	2	8

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MINNESOTA—CON.					
SHERBURNE	100	154	6	4	3
ST. CLOUD, PART	---	20	-	-	-
BALANCE OF COUNTY	---	134	6	4	3
SIBLEY	112	164	6	4	2
STEARNS	994	758	22	16	13
ST. CLOUD, PART	---	264	10	8	-
ST. CLOUD, TOTAL	---	320	10	8	-
BALANCE OF COUNTY	---	494	12	8	13
STEELE	216	228	-	-	3
OWATONNA	---	142	-	-	2
BALANCE OF COUNTY	---	86	-	-	1
STEVENS	112	116	2	-	3
SWIFT	118	134	4	4	1
TODD	228	312	14	10	4
TRAVERSE	66	84	-	-	-
WABASHA	216	226	6	2	3
WADENA	180	158	8	8	-
WASECA	142	192	6	4	5
WASHINGTON	328	426	16	12	13
COTTAGE GROVE	---	24	-	-	2
HASTINGS, PART	---	-	-	-	-
STILLWATER	---	108	10	8	4
WHITE BEAR LAKE, PART	---	-	-	-	-
BALANCE OF COUNTY	---	294	6	4	7
WATONWAN	122	142	4	2	2
WILKIN	166	108	2	2	-
WINONA	378	432	14	6	4
WINONA	---	296	8	4	1
BALANCE OF COUNTY	---	136	6	2	3
WRIGHT	268	428	10	8	4
YELLOW MEDICINE	200	180	2	-	4
MISSISSIPPI	23,356	23,680	1,196	858	988
WHITE	13,902	14,134	482	396	381
ALL OTHER	9,454	9,546	714	462	607
NEGRO	9,374	9,464	712	460	604
ADAMS	458	412	24	20	16
WHITE	210	186	12	12	7
ALL OTHER	248	226	12	8	9
NEGRO	246	224	12	8	9
NATCHEZ	---	276	12	10	10
WHITE	---	118	6	6	4
ALL OTHER	---	158	6	4	6
NEGRO	---	158	6	4	6
BALANCE OF COUNTY	---	136	12	10	6
WHITE	---	68	6	6	3
ALL OTHER	---	68	6	4	3
NEGRO	---	66	6	4	3
ALCORN	252	300	10	8	6
WHITE	224	272	10	8	2
ALL OTHER	28	28	-	-	4
NEGRO	28	28	-	-	4
CORINTH	---	146	2	2	3
WHITE	---	120	2	2	
ALL OTHER	---	26	-	-	3
NEGRO	---	26	-	-	3
BALANCE OF COUNTY	---	154	8	6	3
AMITE	44	134	6	6	5
WHITE	16	78	2	2	-
ALL OTHER	28	56	4	4	5
NEGRO	28	56	4	4	5
ATTALA	212	234	10	4	6
WHITE	130	144	2	-	1
ALL OTHER	82	90	8	4	5
NEGRO	82	90	8	4	5
BENTON	30	94	4	2	2
WHITE	18	72	4	2	2
ALL OTHER	12	22	-	-	-
NEGRO	12	22	-	-	-
BOLIVAR	556	592	46	28	27
WHITE	170	224	8	8	7
ALL OTHER	386	368	38	20	20
NEGRO	384	366	38	20	20
CLEVELAND	---	120	16	12	8
WHITE	---	54	2	2	4
ALL OTHER	---	66	14	10	4
NEGRO	---	66	14	10	4
BALANCE OF COUNTY	---	472	30	16	19
WHITE	---	170	6	6	3
ALL OTHER	---	302	24	10	16
NEGRO	---	300	24	10	16

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MISSISSIPPI—CON.					
CALHOUN	150	212	10	6	7
WHITE	114	166	4	2	3
ALL OTHER	36	46	6	4	4
NEGRO	36	46	6	4	4
CARROLL	34	94	2	2	2
WHITE	14	50	-	-	1
ALL OTHER	20	44	2	2	1
NEGRO	18	44	2	2	1
CHICKASAW	172	188	4	2	8
WHITE	112	118	2	2	2
ALL OTHER	60	70	2	-	6
NEGRO	60	70	2	-	6
CHOCTAW	84	110	4	4	4
WHITE	54	82	-	-	2
ALL OTHER	30	28	4	4	2
NEGRO	30	28	4	4	2
CLAIBORNE	108	146	12	8	5
WHITE	22	38	-	-	1
ALL OTHER	86	108	12	8	4
NEGRO	86	108	12	8	4
CLARKE	114	232	4	4	7
WHITE	80	158	2	2	5
ALL OTHER	34	74	2	2	2
NEGRO	34	74	2	2	2
CLAY	162	208	4	4	7
WHITE	90	122	2	2	3
ALL OTHER	72	86	2	2	4
NEGRO	72	86	2	2	4
COAHOMA	466	472	26	14	23
WHITE	172	144	6	4	3
ALL OTHER	294	328	20	10	20
NEGRO	294	326	20	10	20
CLARKSDALE	---	252	18	10	10
WHITE	---	90	6	4	3
ALL OTHER	---	162	12	6	7
NEGRO	---	160	12	6	7
BALANCE OF COUNTY	---	220	8	4	13
WHITE	---	54	-	-	-
ALL OTHER	---	166	8	4	13
NEGRO	---	166	8	4	13
COPIAH	270	358	10	4	[illegible]
WHITE	136	194	-	-	[illegible]
ALL OTHER	134	164	10	4	[illegible]
NEGRO	134	164	10	4	[illegible]
COVINGTON	136	196	12	[illegible]	[illegible]
WHITE	92	130	-	-	[illegible]
ALL OTHER	44	66	12	8	[illegible]
NEGRO	44	66	12	8	[illegible]
DE SOTO	146	274	12	10	[illegible]
WHITE	78	184	4	4	6
ALL OTHER	68	90	8	6	7
NEGRO	68	90	8	6	7
FORREST	786	604	34	26	23
WHITE	572	400	18	18	12
ALL OTHER	214	204	16	8	11
NEGRO	212	20[illegible]	16	[illegible]	
HATTIESBURG, PART	---	402	20	14	10
WHITE	---	248	8	8	3
ALL OTHER	---	154	12	6	7
NEGRO	---	152	12	6	7
HATTIESBURG, TOTAL	---	406	20	14	10
WHITE	---	252	8	8	3
ALL OTHER	---	154	12	6	7
NEGRO	---	152	12	6	7
BALANCE OF COUNTY	---	202	14	12	13
WHITE	---	152	10	10	9
ALL OTHER	---	50	4	2	4
NEGRO	---	50	4	2	4
FRANKLIN	110	120	2	-	5
WHITE	70	78	2	-	1
ALL OTHER	40	42	-	-	4
NEGRO	40	42	-	-	4
GEORGE	114	120	8	8	9
WHITE	98	104	8	8	9
ALL OTHER	16	16	-	-	-
NEGRO	16	16	-	-	-
GREENE	62	76	6	6	6
WHITE	48	62	2	2	5
ALL OTHER	14	14	4	4	1
NEGRO	14	14	4	4	1
GRENADA	282	212	12	8	7
WHITE	190	128	6	4	5
ALL OTHER	92	84	6	4	2
NEGRO	92	84	6	4	2

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MISSISSIPPI--CON.					
HANCOCK	166	206	12	10	3
WHITE	142	170	10	8	2
ALL OTHER	24	36	2	2	1
NEGRO	24	36	2	2	1
HARRISON	1,276	1,080	64	48	55
WHITE	1,020	870	48	38	40
ALL OTHER	256	210	16	10	15
NEGRO	254	208	16	10	15
BILOXI	---	352	34	24	24
WHITE	---	288	22	18	21
ALL OTHER	---	64	12	6	3
NEGRO	---	64	12	6	3
GULFPORT	---	352	10	10	18
WHITE	---	268	6	6	7
ALL OTHER	---	84	4	4	11
NEGRO	---	82	4	4	11
BALANCE OF COUNTY	---	376	20	14	13
WHITE	---	314	20	14	12
ALL OTHER	---	62	-	-	1
NEGRO	---	62	-	-	1
HINDS	2,876	1,772	68	64	95
WHITE	1,624	942	30	30	46
ALL OTHER	1,252	830	38	34	49
NEGRO	1,246	830	38	34	49
JACKSON, PART	---	1,398	52	52	73
WHITE	---	770	24	24	38
ALL OTHER	---	628	28	28	35
NEGRO	---	628	28	28	35
JACKSON, TOTAL	---	1,400	52	52	73
WHITE	---	772	24	24	38
ALL OTHER	---	628	28	28	35
NEGRO	---	628	28	28	35
BALANCE OF COUNTY	---	374	16	12	22
WHITE	---	172	6	6	8
ALL OTHER	---	202	10	6	14
NEGRO	---	202	10	6	14
HOLMES	282	316	14	12	11
WHITE	78	100	2	2	1
ALL OTHER	204	216	12	10	10
NEGRO	204	216	12	10	10
HUMPHREYS	188	182	8	6	11
WHITE	64	74	2	-	2
ALL OTHER	124	108	6	6	9
NEGRO	124	106	6	6	9
ISSAQUENA	16	24	4	-	1
WHITE	-	4	-	-	1
ALL OTHER	16	20	4	-	-
NEGRO	16	20	4	-	-
ITAWAMBA	104	172	8	4	4
JACKSON	476	516	36	30	26
WHITE	378	420	22	18	14
ALL OTHER	98	96	14	12	12
NEGRO	98	96	14	12	11
MOSS POINT	---	122	10	10	14
WHITE	---	68	2	2	5
ALL OTHER	---	54	8	8	9
NEGRO	---	54	8	8	8
PASCAGOULA	---	160	12	10	5
WHITE	---	136	8	6	3
ALL OTHER	---	24	4	4	2
NEGRO	---	24	4	4	2
BALANCE OF COUNTY	---	234	14	10	7
JASPER	138	184	8	8	5
WHITE	82	112	4	4	2
ALL OTHER	56	72	4	4	3
NEGRO	56	70	4	4	3
JEFFERSON	76	120	4	4	4
WHITE	12	28	-	-	-
ALL OTHER	64	92	4	4	4
NEGRO	64	92	4	4	4
JEFFERSON DAVIS	134	162	12	6	3
WHITE	68	84	2	2	1
ALL OTHER	66	78	10	4	2
NEGRO	66	78	10	4	2
JONES	748	654	28	22	14
WHITE	534	498	22	16	4
ALL OTHER	214	156	6	6	10
NEGRO	214	156	6	6	10
LAUREL	---	332	10	10	7
WHITE	---	218	6	6	-
ALL OTHER	---	114	4	4	7
NEGRO	---	114	4	4	7
BALANCE OF COUNTY	---	322	18	12	7
WHITE	---	280	16	10	4
ALL OTHER	---	42	2	2	3
NEGRO	---	42	2	2	3
MISSISSIPPI--CON.					
KEMPER	84	162	8	4	-
WHITE	42	80	-	-	-
ALL OTHER	42	82	8	4	-
NEGRO	40	80	8	4	-
LAFAYETTE	204	170	12	10	5
WHITE	136	104	2	2	2
ALL OTHER	68	66	10	8	3
NEGRO	68	66	10	8	3
OXFORD	---	56	4	4	-
WHITE	---	46	2	2	-
ALL OTHER	---	10	2	2	-
NEGRO	---	10	2	2	-
BALANCE OF COUNTY	---	114	8	6	5
WHITE	---	58	-	-	2
ALL OTHER	---	56	8	6	3
NEGRO	---	56	8	6	3
LAMAR	70	144	12	10	8
WHITE	62	124	6	6	6
ALL OTHER	8	20	6	4	2
NEGRO	8	20	6	4	2
HATTIESBURG, PART	---	4	-	-	-
BALANCE OF COUNTY	---	140	12	10	8
WHITE	---	120	6	6	6
ALL OTHER	---	20	6	4	2
NEGRO	---	20	6	4	2
LAUDERDALE	1,114	816	44	40	30
WHITE	758	542	24	24	13
ALL OTHER	356	274	20	16	17
NEGRO	350	274	20	16	17
MERIDIAN	---	588	30	26	19
WHITE	---	366	12	12	5
ALL OTHER	---	222	18	14	14
NEGRO	---	222	18	14	14
BALANCE OF COUNTY	---	228	14	14	11
WHITE	---	176	12	12	8
ALL OTHER	---	52	2	2	3
NEGRO	---	52	2	2	3
LAWRENCE	90	116	-	-	3
WHITE	46	72	-	-	1
ALL OTHER	44	44	-	-	2
NEGRO	44	44	-	-	2
LEAKE	178	266	12	12	5
WHITE	94	152	4	4	3
ALL OTHER	84	114	8	8	2
NEGRO	72	102	6	6	2
LEE	694	494	30	22	12
WHITE	508	338	16	12	5
ALL OTHER	186	156	14	10	7
NEGRO	186	156	14	10	7
TUPELO	---	190	12	12	4
WHITE	---	116	6	6	1
ALL OTHER	---	74	6	6	3
NEGRO	---	74	6	6	3
BALANCE OF COUNTY	---	304	18	10	8
WHITE	---	222	10	6	4
ALL OTHER	---	82	8	4	4
NEGRO	---	82	8	4	4
LEFLORE	568	504	34	26	26
WHITE	236	190	4	4	3
ALL OTHER	332	314	30	22	23
NEGRO	332	312	30	22	23
GREENWOOD	---	292	16	16	14
WHITE	---	128	2	2	2
ALL OTHER	---	164	14	14	12
NEGRO	---	162	14	14	12
BALANCE OF COUNTY	---	212	18	10	12
WHITE	---	62	2	2	1
ALL OTHER	---	150	16	8	11
NEGRO	---	150	16	8	11
LINCOLN	298	306	12	6	10
WHITE	204	208	6	6	3
ALL OTHER	94	98	6	-	7
NEGRO	94	98	6	-	7
BROOKHAVEN	---	142	8	6	2
WHITE	---	82	6	6	-
ALL OTHER	---	60	2	-	2
NEGRO	---	60	2	-	2
BALANCE OF COUNTY	---	164	4	-	8
WHITE	---	126	-	-	3
ALL OTHER	---	38	4	-	5
NEGRO	---	38	4	-	5

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MISSISSIPPI--CON.					
LOWNDES	466	462	26	16	24
WHITE	260	238	10	6	6
ALL OTHER	206	224	16	10	18
NEGRO	206	224	16	10	18
COLUMBUS	---	288	22	14	13
WHITE	---	140	8	4	3
ALL OTHER	---	148	14	10	10
NEGRO	---	148	14	10	10
BALANCE OF COUNTY	---	174	4	2	11
WHITE	---	98	2	2	3
ALL OTHER	---	76	2	-	8
NEGRO	---	76	2	-	8
MADISON	274	330	14	10	18
WHITE	86	110	-	-	5
ALL OTHER	188	220	14	10	13
NEGRO	188	220	14	10	13
CANTON	---	118	8	6	7
WHITE	---	36	-	-	2
ALL OTHER	---	82	8	6	5
NEGRO	---	82	8	6	5
BALANCE OF COUNTY	---	212	6	4	11
WHITE	---	74	-	-	3
ALL OTHER	---	138	6	4	8
NEGRO	---	138	6	4	8
MARION	176	250	14	10	9
WHITE	126	186	6	4	3
ALL OTHER	50	64	8	6	6
NEGRO	50	64	8	6	6
MARSHALL	188	260	14	6	7
WHITE	66	94	6	4	1
ALL OTHER	122	166	8	2	6
NEGRO	122	166	8	2	6
MONROE	390	406	26	20	12
WHITE	244	258	12	8	5
ALL OTHER	146	148	14	12	7
NEGRO	146	148	14	12	7
MONTGOMERY	186	174	6	4	5
WHITE	98	88	-	-	3
ALL OTHER	88	86	6	4	2
NEGRO	88	86	6	4	2
NESHOBA	240	266	4	2	10
WHITE	178	200	-	-	4
ALL OTHER	62	66	4	2	6
NEGRO	34	34	4	2	5
NEWTON	244	292	10	6	10
WHITE	156	196	6	4	2
ALL OTHER	88	96	4	2	8
NEGRO	86	92	4	2	7
NOXUBEE	166	182	20	12	6
WHITE	54	74	-	-	1
ALL OTHER	112	108	20	12	5
NEGRO	108	104	20	12	5
OKTIBBEHA	206	252	8	4	13
WHITE	106	138	2	2	4
ALL OTHER	100	114	6	2	9
NEGRO	100	112	6	2	9
STARKVILLE	---	108	4	2	5
WHITE	---	66	-	-	2
ALL OTHER	---	42	4	2	3
NEGRO	---	42	4	2	3
BALANCE OF COUNTY	---	144	4	2	8
WHITE	---	72	2	2	2
ALL OTHER	---	72	2	-	6
NEGRO	---	70	2	-	6
PANOLA	266	346	22	14	14
WHITE	128	172	6	4	4
ALL OTHER	138	174	16	10	10
NEGRO	138	174	16	10	10
PEARL RIVER	236	290	22	16	9
WHITE	186	232	12	8	6
ALL OTHER	50	58	10	8	3
NEGRO	48	56	10	8	3
PICAYUNE	---	134	10	10	2
WHITE	---	84	4	4	1
ALL OTHER	---	50	6	6	1
NEGRO	---	48	6	6	1
BALANCE OF COUNTY	---	156	12	6	7
PERRY	84	114	4	4	6
WHITE	54	72	2	2	3
ALL OTHER	30	42	2	2	3
NEGRO	30	42	2	2	3
MISSISSIPPI--CON.					
PIKE	404	390	14	12	16
WHITE	252	236	-	-	7
ALL OTHER	152	154	14	12	9
NEGRO	152	154	14	12	9
MC COMB	---	138	4	4	6
WHITE	---	96	-	-	4
ALL OTHER	---	42	4	4	2
NEGRO	---	42	4	4	2
BALANCE OF COUNTY	---	252	10	8	10
WHITE	---	140	-	-	3
ALL OTHER	---	112	10	8	7
NEGRO	---	112	10	8	7
PONTOTOC	170	218	6	4	7
WHITE	152	194	4	4	2
ALL OTHER	18	24	2	-	5
NEGRO	18	24	2	-	5
PRENTISS	180	244	10	8	5
WHITE	170	228	10	8	5
ALL OTHER	10	16	-	-	-
NEGRO	10	16	-	-	-
QUITMAN	96	196	18	16	13
WHITE	20	72	6	6	4
ALL OTHER	76	124	12	10	9
NEGRO	76	124	12	10	9
RANKIN	416	316	10	8	22
WHITE	256	224	6	6	12
ALL OTHER	160	92	4	2	10
NEGRO	160	92	4	2	10
JACKSON, PART	---	2	-	-	-
BALANCE OF COUNTY	---	314	10	8	22
WHITE	---	222	6	6	12
ALL OTHER	---	92	4	2	10
NEGRO	---	92	4	2	10
SCOTT	200	222	18	8	14
WHITE	132	140	8	6	7
ALL OTHER	68	82	10	2	7
NEGRO	68	82	10	2	7
SHARKEY	72	102	8	2	5
WHITE	18	34	-	-	1
ALL OTHER	54	68	8	2	4
NEGRO	54	68	8	2	4
SIMPSON	200	228	12	4	8
WHITE	140	160	4	4	6
ALL OTHER	60	68	8	-	2
NEGRO	60	68	8	-	2
SMITH	58	136	6	4	12
WHITE	46	110	2	2	4
ALL OTHER	12	26	4	2	8
NEGRO	12	26	4	2	8
STONE	114	104	2	-	3
WHITE	92	86	-	-	1
ALL OTHER	22	18	2	-	2
NEGRO	22	18	2	-	2
SUNFLOWER	330	356	18	14	29
WHITE	124	136	2	2	3
ALL OTHER	206	220	16	12	26
NEGRO	206	220	16	12	26
TALLAHATCHIE	206	266	24	16	8
WHITE	56	96	6	6	2
ALL OTHER	150	170	18	10	6
NEGRO	150	170	18	10	6
TATE	66	132	8	6	8
WHITE	22	70	4	4	-
ALL OTHER	44	62	4	2	8
NEGRO	44	62	4	2	8
TIPPAH	186	200	12	8	6
WHITE	160	168	8	4	4
ALL OTHER	26	32	4	4	2
NEGRO	26	32	4	4	2
TISHOMINGO	120	160	4	4	4
TUNICA	128	162	2	-	9
WHITE	32	36	-	-	-
ALL OTHER	96	126	2	-	9
NEGRO	96	126	2	-	9
UNION	218	232	14	8	10
WHITE	186	198	10	4	3
ALL OTHER	32	34	4	4	7
NEGRO	32	34	4	4	7
WALTHALL	124	126	6	4	8
WHITE	84	78	2	-	2
ALL OTHER	40	48	4	4	6
NEGRO	40	48	4	4	6

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence†† Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
MISSISSIPPI--CON.					
WARREN	632	522	30	28	31
WHITE	304	256	12	10	8
ALL OTHER	328	266	18	18	23
NEGRO	326	266	18	18	23
VICKSBURG	---	358	20	20	18
WHITE	---	170	4	4	6
ALL OTHER	---	188	16	16	12
NEGRO	---	188	16	16	12
BALANCE OF COUNTY	---	164	10	8	13
WHITE	---	86	8	6	2
ALL OTHER	---	78	2	2	11
NEGRO	---	78	2	2	11
WASHINGTON	780	762	38	22	54
WHITE	304	266	6	4	18
ALL OTHER	476	496	32	18	36
NEGRO	474	492	32	18	36
GREENVILLE	---	466	30	18	35
WHITE	---	168	6	4	10
ALL OTHER	---	298	24	14	25
NEGRO	---	294	24	14	25
BALANCE OF COUNTY	---	296	8	4	19
WHITE	---	98	-	-	8
ALL OTHER	---	198	8	4	11
NEGRO	---	198	8	4	11
WAYNE	172	212	8	6	6
WHITE	126	154	6	6	1
ALL OTHER	46	58	2	-	5
NEGRO	46	58	2	-	5
WEBSTER	104	128	4	4	3
WHITE	86	106	4	4	1
ALL OTHER	18	22	-	-	2
NEGRO	18	22	-	-	2
WILKINSON	150	124	6	2	2
WHITE	76	46	-	-	-
ALL OTHER	74	78	6	2	2
NEGRO	74	78	6	2	2
WINSTON	198	230	14	6	9
WHITE	124	144	4	4	2
ALL OTHER	74	86	10	2	7
NEGRO	70	82	10	2	7
YALOBUSHA	114	158	6	6	7
WHITE	72	110	2	2	2
ALL OTHER	42	48	4	4	5
NEGRO	42	48	4	4	5
YAZOO	268	376	16	8	14
WHITE	118	166	4	4	1
ALL OTHER	150	210	12	4	13
NEGRO	150	210	12	4	13
YAZOO CITY	---	184	6	2	9
WHITE	---	72	2	2	-
ALL OTHER	---	112	4	-	9
NEGRO	---	112	4	-	9
BALANCE OF COUNTY	---	192	10	6	5
WHITE	---	94	2	2	1
ALL OTHER	---	98	8	4	4
NEGRO	---	98	8	4	4
MISSOURI	53,266	52,458	1,308	1,002	844
WHITE	47,830	47,120	950	728	631
ALL OTHER	5,436	5,338	358	274	213
NEGRO	5,404	5,306	350	268	211
ADAIR	382	222	8	6	1
KIRKSVILLE	---	140	6	6	-
BALANCE OF COUNTY	---	82	2	-	1
ANDREW	84	166	2	2	1
ATCHISON	180	138	-	-	-
AUDRAIN	364	296	4	4	3
MEXICO	---	144	2	2	1
BALANCE OF COUNTY	---	152	2	2	2
BARRY	250	286	12	12	2
BARTON	110	160	4	4	-
BATES	174	234	2	2	6
BENTON	104	200	4	4	3
BOLLINGER	38	104	4	2	2
BOONE	1,138	558	24	14	11
COLUMBIA	---	326	14	12	5
BALANCE OF COUNTY	---	232	10	2	6
BUCHANAN	1,466	1,186	26	18	19
ST. JOSEPH	---	1,080	24	16	16
BALANCE OF COUNTY	---	106	2	2	3
BUTLER	910	444	10	10	3
POPLAR BLUFF	---	278	6	6	2
BALANCE OF COUNTY	---	166	4	4	1

Area and race	Total deaths by county of occurrence†	Deaths by place of residence†† Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
MISSOURI--CON.					
CALDWELL	68	160	-	-	2
CALLAWAY	342	304	10	4	3
FULTON	---	138	4	4	-
WHITE	---	122	4	4	-
ALL OTHER	---	16	-	-	-
NEGRO	---	16	-	-	-
JEFFERSON CITY, PART	---	-	-	-	-
BALANCE OF COUNTY	---	166	6	-	3
CAMDEN	102	176	6	2	3
CAPE GIRARDEAU	670	512	12	12	7
CAPE GIRARDEAU	---	314	10	10	5
BALANCE OF COUNTY	---	198	2	2	2
CARROLL	106	204	-	-	4
CARTER	40	64	-	-	2
CASS	244	360	8	6	9
CEDAR	146	172	4	4	-
CHARITON	72	180	-	-	-
CHRISTIAN	50	168	8	6	-
CLARK	42	122	2	2	3
CLAY	806	762	34	26	21
GLADSTONE	---	64	6	4	2
INDEPENDENCE, PART	---	-	-	-	-
KANSAS CITY, PART	---	252	22	16	11
LIBERTY	---	116	-	-	4
BALANCE OF COUNTY	---	330	6	6	4
CLINTON	164	188	-	-	3
COLE	700	408	10	6	13
JEFFERSON CITY, PART	---	292	6	4	6
JEFFERSON CITY, TOTAL	---	292	6	4	6
BALANCE OF COUNTY	---	116	4	2	7
COOPER	170	204	6	6	3
CRAWFORD	182	208	4	4	1
DADE	88	116	-	-	-
DALLAS	80	162	2	2	1
DAVIESS	86	142	2	-	3
DE KALB	44	104	2	2	1
DENT	160	172	4	2	1
DOUGLAS	48	102	4	2	3
DUNKLIN	352	458	10	6	6
FRANKLIN	480	636	18	16	11
GASCONADE	182	212	4	4	3
GENTRY	138	144	2	2	1
GREENE	2,482	1,614	42	32	26
SPRINGFIELD	---	1,328	36	28	21
BALANCE OF COUNTY	---	286	6	4	5
GRUNDY	158	200	-	-	1
HARRISON	120	148	-	-	1
HENRY	384	340	-	-	5
HICKORY	28	82	-	-	1
HOLT	62	120	2	2	-
HOWARD	158	174	6	6	1
HOWELL	368	346	4	4	2
IRON	152	128	4	2	3
JACKSON	7,530	6,724	190	136	143
WHITE	6,328	5,536	108	82	86
ALL OTHER	1,202	1,188	82	54	57
NEGRO	1,198	1,182	80	54	56
GRANDVIEW	---	88	14	12	6
INDEPENDENCE, PART	---	860	20	12	19
INDEPENDENCE, TOTAL	---	860	20	12	19
KANSAS CITY, PART	---	5,198	144	106	107
WHITE	---	4,024	66	56	53
ALL OTHER	---	1,174	78	50	54
NEGRO	---	1,168	76	50	54
KANSAS CITY, TOTAL	---	5,492	168	124	118
WHITE	---	4,318	90	74	64
ALL OTHER	---	1,174	78	50	54
NEGRO	---	1,168	76	50	54
LEE'S SUMMIT	---	158	4	2	1
RAYTOWN	---	200	2	-	4
BALANCE OF COUNTY	---	220	6	4	6
JASPER	1,124	1,160	22	14	11
CARTHAGE	---	184	-	-	2
JOPLIN, PART	---	574	12	8	2
JOPLIN, TOTAL	---	608	12	8	3
BALANCE OF COUNTY	---	402	10	6	7
JEFFERSON	500	762	34	26	21
JOHNSON	264	286	6	4	10
WARRENSBURG	---	104	2	2	2
BALANCE OF COUNTY	---	182	4	2	8
KNOX	46	100	-	-	-
LACLEDE	268	280	4	4	4
LAFAYETTE	300	332	4	4	5
LAWRENCE	376	340	10	8	3
LEWIS	62	120	-	-	1
LINCOLN	256	274	2	-	2

SEE FOOTNOTES AT END OF TABLE

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MISSOURI—CON.					
LINN	292	300	4	4	6
LIVINGSTON	296	226	6	4	1
MC DONALD	48	190	6	4	2
MACON	206	250	4	2	2
MADISON	118	144	4	4	2
MARIES	16	70	-	-	-
MARION	430	384	12	12	4
HANNIBAL, PART	---	280	6	6	3
HANNIBAL, TOTAL	---	282	6	6	3
BALANCE OF COUNTY	---	104	6	6	1
MERCER	66	82	2	2	1
MILLER	110	222	2	2	1
MISSISSIPPI	110	222	2	-	6
WHITE	80	170	-	-	4
ALL OTHER	30	52	2	-	2
NEGRO	30	52	2	-	2
MONITEAU	76	168	-	-	-
MONROE	80	152	-	-	-
MONTGOMERY	54	164	-	-	4
MORGAN	114	176	2	2	3
NEW MADRID	158	324	4	4	10
WHITE	118	256	2	2	9
ALL OTHER	40	68	2	2	1
NEGRO	40	68	2	2	1
SIKESTON, PART	---	2	-	-	-
BALANCE OF COUNTY	---	322	4	4	10
WHITE	---	254	2	2	9
ALL OTHER	---	68	2	2	1
NEGRO	---	68	2	2	1
NEWTON	424	378	8	4	9
JOPLIN, PART	---	34	-	-	1
BALANCE OF COUNTY	---	344	8	4	8
NODAWAY	266	312	4	4	2
OREGON	78	152	2	-	-
OSAGE	42	110	2	-	1
OZARK	44	104	2	2	-
PEMISCOT	318	380	14	8	7
WHITE	234	292	8	6	5
ALL OTHER	84	88	6	2	2
NEGRO	84	88	6	2	2
PERRY	162	168	2	2	2
PETTIS	578	504	2	-	1
SEDALIA	---	394	-	-	1
BALANCE OF COUNTY	---	110	2	-	-
PHELPS	332	304	8	8	6
ROLLA	---	112	4	4	3
BALANCE OF COUNTY	---	192	4	4	3
PIKE	246	236	2	2	5
PLATTE	128	222	6	6	4
KANSAS CITY, PART	---	42	2	2	-
BALANCE OF COUNTY	---	180	4	4	4
POLK	140	192	4	2	4
PULASKI	230	244	16	14	8
PUTNAM	110	110	-	-	1
RALLS	38	100	-	-	2
HANNIBAL, PART	---	2	-	-	-
BALANCE OF COUNTY	---	98	-	-	2
RANDOLPH	408	382	6	4	3
MOBERLY	---	266	4	2	2
BALANCE OF COUNTY	---	116	2	2	1
RAY	232	232	8	8	5
REYNOLDS	26	104	4	2	-
RIPLEY	102	158	6	6	3
ST. CHARLES	594	562	32	26	14
ST. CHARLES	---	276	10	8	2
BALANCE OF COUNTY	---	286	22	18	12
ST. CLAIR	146	150	2	2	2
ST. FRANCOIS	662	606	14	10	7
ST. LOUIS	5,942	7,160	186	138	114
WHITE	5,612	6,740	148	108	98
ALL OTHER	330	420	38	30	16
NEGRO	320	410	38	30	16
BALLWIN	---	78	-	-	-
BELLEFONTAINE NEIGHBORS	---	136	2	-	-
BERKELEY	---	74	2	-	1
BRENTWOOD	---	80	2	2	1
BRIDGETON	---	84	-	-	3
CLAYTON	---	194	2	2	-
CRESTWOOD	---	96	2	2	-
FERGUSON	---	238	4	2	3
FLORISSANT	---	356	24	20	8
HAZELWOOD	---	82	4	4	4
JENNINGS	---	228	-	-	3
KIRKWOOD	---	332	6	6	1
LADUE	---	74	-	-	-
MAPLEWOOD	---	138	4	2	-
MISSOURI—CON.					
ST. LOUIS—CON.					
OVERLAND	---	246	10	6	3
RICHMOND HEIGHTS	---	176	2	2	3
WHITE	---	160	-	-	2
ALL OTHER	---	16	2	2	1
NEGRO	---	16	2	2	1
ST. ANN	---	104	2	2	4
UNIVERSITY CITY	---	562	8	4	8
WHITE	---	516	4	2	4
ALL OTHER	---	46	4	2	4
NEGRO	---	44	4	2	4
WEBSTER GROVES	---	302	4	2	3
BALANCE OF COUNTY	---	3,580	108	82	69
WHITE	---	3,306	84	62	62
ALL OTHER	---	274	24	20	7
NEGRO	---	268	24	20	7
ST. LOUIS CITY	11,610	8,958	264	216	159
WHITE	8,648	6,162	74	58	46
ALL OTHER	2,962	2,796	190	158	113
NEGRO	2,950	2,786	186	154	112
STE. GENEVIEVE	118	138	2	2	-
SALINE	348	388	16	8	2
MARSHALL	---	162	12	6	2
BALANCE OF COUNTY	---	226	4	2	-
SCHUYLER	42	112	-	-	-
SCOTLAND	80	80	-	-	2
SCOTT	450	324	16	12	5
SIKESTON, PART	---	128	10	6	3
WHITE	---	106	6	4	1
ALL OTHER	---	22	4	2	2
NEGRO	---	22	4	2	2
SIKESTON, TOTAL	---	130	10	6	3
WHITE	---	108	6	4	1
ALL OTHER	---	22	4	2	2
NEGRO	---	22	4	2	2
BALANCE OF COUNTY	---	196	6	6	2
SHANNON	28	76	-	-	3
SHELBY	62	154	-	-	1
STODDARD	226	332	12	10	5
STONE	48	134	4	4	2
SULLIVAN	120	170	4	4	5
TANEY	172	178	-	-	1
TEXAS	232	246	6	4	5
VERNON	350	268	8	6	2
WARREN	74	164	4	4	-
WASHINGTON	112	148	-	-	5
WAYNE	56	146	4	4	3
WEBSTER	94	230	6	6	5
WORTH	32	68	-	-	-
WRIGHT	150	236	2	-	2
MONTANA	6,836	6,896	242	176	128
WHITE	6,532	6,606	210	152	107
ALL OTHER	304	290	32	24	21
NEGRO	14	8	-	-	-
BEAVERHEAD	68	78	-	-	1
BIG HORN	86	90	2	2	1
WHITE	52	56	-	-	1
ALL OTHER	34	34	2	2	-
NEGRO	2	-	-	-	-
BLAINE	42	74	2	-	6
WHITE	18	46	2	-	3
ALL OTHER	24	28	-	-	3
NEGRO	-	-	-	-	-
BROADWATER	32	26	-	-	1
CARBON	80	112	4	4	-
CARTER	32	26	-	-	-
CASCADE	726	660	18	12	16
GREAT FALLS	---	546	16	12	14
BALANCE OF COUNTY	---	114	2	-	2
CHOUTEAU	58	66	6	6	-
CUSTER	220	142	2	-	1
DANIELS	34	46	-	-	1
DAWSON	74	88	2	2	1
DEER LODGE	254	164	2	2	5
FALLON	24	32	4	2	-
FERGUS	172	184	2	-	1
FLATHEAD	368	408	10	6	2
KALISPELL	---	162	-	-	1
BALANCE OF COUNTY	---	246	10	6	1

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MONTANA--CON.					
GALLATIN	220	216	10	8	3
BOZEMAN	---	116	6	4	1
BALANCE OF COUNTY	---	100	4	4	2
GARFIELD	20	16	-	-	-
GLACIER	100	124	8	8	6
WHITE	48	62	-	-	1
ALL OTHER	52	62	8	8	5
NEGRO	-	-	-	-	-
GOLDEN VALLEY	2	10	-	-	1
GRANITE	16	32	2	2	1
HILL	166	170	8	8	1
WHITE	156	160	6	6	-
ALL OTHER	10	10	2	2	1
NEGRO	-	-	-	-	-
HAVRE	---	110	-	-	1
BALANCE OF COUNTY	---	60	8	8	-
WHITE	---	54	6	6	-
ALL OTHER	---	6	2	2	-
NEGRO	---	-	-	-	-
JEFFERSON	52	56	4	4	2
JUDITH BASIN	12	28	-	-	-
LAKE	164	186	10	4	3
WHITE	136	144	4	4	2
ALL OTHER	28	42	6	-	1
NEGRO	-	-	-	-	-
LEWIS AND CLARK	428	370	18	12	3
HELENA	---	276	14	8	3
BALANCE OF COUNTY	---	94	4	4	-
LIBERTY	36	30	-	-	-
LINCOLN	92	102	2	2	7
MC CONE	20	20	-	-	-
MADISON	68	66	6	2	-
MEAGHER	32	46	4	4	-
MINERAL	28	40	2	2	2
MISSOULA	582	478	24	12	7
MISSOULA	---	310	14	8	2
BALANCE OF COUNTY	---	168	10	4	5
MUSSELSHELL	54	56	-	-	1
PARK	126	136	2	2	4
PETROLEUM	2	10	-	-	-
PHILLIPS	36	50	2	2	1
PONDERA	50	62	2	2	1
POWDER RIVER	8	18	-	-	-
POWELL	56	74	2	2	2
PRAIRIE	18	26	-	-	-
RAVALLI	136	178	2	-	2
RICHLAND	80	92	2	-	1
ROOSEVELT	130	140	6	4	2
WHITE	98	112	2	-	1
ALL OTHER	32	28	4	4	1
NEGRO	-	-	-	-	-
ROSEBUD	40	50	-	-	2
WHITE	34	34	-	-	-
ALL OTHER	6	16	-	-	2
NEGRO	-	-	-	-	-
SANDERS	70	74	-	-	1
SHERIDAN	68	60	-	-	1
SILVER BOW	554	602	36	34	15
BUTTE	---	444	32	30	12
BALANCE OF COUNTY	---	158	4	4	3
STILLWATER	52	46	-	-	-
SWEET GRASS	44	42	-	-	-
TETON	56	70	-	-	1
TOOLE	54	72	-	-	-
TREASURE	2	6	2	2	-
VALLEY	92	104	4	2	2
WHEATLAND	44	32	2	-	1
WIBAUX	2	14	-	-	-
YELLOWSTONE	754	696	28	22	19
BILLINGS	---	542	16	14	15
BALANCE OF COUNTY	---	154	12	8	4
YELLOWSTONE NATIONAL PARK	-	-	-	-	-
NEBRASKA	15,668	15,534	392	304	252
WHITE	15,184	15,098	342	266	233
ALL OTHER	484	436	50	38	19
NEGRO	364	362	44	34	16
ADAMS	394	348	4	4	7
HASTINGS	---	290	4	4	5
BALANCE OF COUNTY	---	58	-	-	2
ANTELOPE	132	132	-	-	4
ARTHUR	-	2	-	-	-
BANNER	2	6	-	-	-
BLAINE	2	10	-	-	-
NEBRASKA--CON.					
BOONE	60	98	2	-	-
BOX BUTTE	120	116	4	2	1
BOYD	46	54	2	2	1
BROWN	56	68	2	2	1
BUFFALO	356	294	20	14	2
KEARNEY	---	164	14	10	1
BALANCE OF COUNTY	---	130	6	4	1
BURT	68	130	-	-	1
BUTLER	78	120	2	-	-
CASS	120	214	8	8	3
CEDAR	74	162	8	8	2
CHASE	58	60	2	2	2
CHERRY	64	54	2	-	1
CHEYENNE	122	126	2	2	3
CLAY	36	104	8	6	-
COLFAX	130	148	4	2	1
CUMING	134	144	2	2	3
CUSTER	166	182	6	6	2
DAKOTA	56	126	2	2	4
DAWES	92	92	-	-	2
DAWSON	246	250	2	2	1
DEUEL	34	54	-	-	3
DIXON	68	82	-	-	-
DODGE	332	362	-	-	5
FREMONT	---	224	-	-	3
BALANCE OF COUNTY	---	138	-	-	2
DOUGLAS	4,418	3,588	144	98	75
WHITE	4,048	3,254	102	66	61
ALL OTHER	370	334	42	32	14
NEGRO	324	328	40	30	12
OMAHA	---	3,406	142	96	65
WHITE	---	3,072	100	64	51
ALL OTHER	---	334	42	32	14
NEGRO	---	328	40	30	12
BALANCE OF COUNTY	---	182	2	2	10
DUNDY	52	32	-	-	-
FILLMORE	102	110	4	2	1
FRANKLIN	62	92	-	-	1
FRONTIER	20	44	-	-	-
FURNAS	138	126	-	-	2
GAGE	336	328	-	-	3
BEATRICE	---	166	-	-	3
BALANCE OF COUNTY	---	162	-	-	-
GARDEN	36	40	2	2	-
GARFIELD	44	32	-	-	-
GOSPER	-	18	-	-	-
GRANT	2	6	-	-	-
GREELEY	14	54	-	-	-
HALL	674	516	10	10	8
GRAND ISLAND	---	406	6	6	5
BALANCE OF COUNTY	---	110	4	4	3
HAMILTON	118	102	4	4	1
HARLAN	66	72	2	2	-
HAYES	2	16	-	-	-
HITCHCOCK	28	48	4	4	-
HOLT	122	146	2	2	3
HOOKER	20	14	-	-	1
HOWARD	96	96	-	-	1
JEFFERSON	138	158	2	-	2
JOHNSON	66	86	2	2	1
KEARNEY	58	72	2	2	1
KEITH	90	84	2	2	5
KEYA PAHA	4	14	-	-	-
KIMBALL	44	40	-	-	-
KNOX	98	128	-	-	1
LANCASTER	1,620	1,400	36	30	26
LINCOLN	---	1,284	32	26	22
BALANCE OF COUNTY	---	116	4	4	4
LINCOLN	318	346	12	10	7
NORTH PLATTE	---	236	8	6	4
BALANCE OF COUNTY	---	110	4	4	3
LOGAN	2	4	-	-	1
LOUP	2	8	-	-	-
MC PHERSON	-	6	-	-	-
MADISON	416	320	4	4	3
NORFOLK	---	152	2	2	2
BALANCE OF COUNTY	---	168	2	2	1
MERRICK	70	94	-	-	-
MORRILL	46	54	4	4	1
NANCE	82	84	2	2	1
NEMAHA	94	110	-	-	3
NUCKOLLS	110	104	-	-	2
OTOE	228	238	-	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEBRASKA--CON.					
PAWNEE	62	92	-	-	-
PERKINS	52	60	2	2	-
PHELPS	126	142	2	2	2
PIERCE	130	96	-	-	1
PLATTE	220	222	6	4	7
COLUMBUS	---	136	2	-	6
BALANCE OF COUNTY	---	86	4	4	1
POLK	72	92	2	-	1
RED WILLOW	148	160	2	2	1
RICHARDSON	138	174	2	2	3
ROCK	22	18	-	-	1
SALINE	184	160	6	6	1
SARPY	124	230	20	18	9
BELLEVUE	---	84	12	12	2
BALANCE OF COUNTY	---	146	8	6	7
SAUNDERS	144	222	-	-	2
SCOTTS BLUFF	350	342	10	8	9
SCOTTSBLUFF	---	158	6	4	4
BALANCE OF COUNTY	---	184	4	4	5
SEWARD	120	142	2	2	4
SHERIDAN	102	88	2	2	1
SHERMAN	54	74	6	6	-
SIOUX	4	18	-	-	1
STANTON	26	68	-	-	2
THAYER	68	90	-	-	-
THOMAS	8	18	-	-	-
THURSTON	74	72	-	-	-
WHITE	54	40	-	-	-
ALL OTHER	20	32	-	-	-
NEGRO	-	-	-	-	-
VALLEY	58	70	4	4	1
WASHINGTON	164	164	4	2	2
WAYNE	66	94	-	-	2
WEBSTER	130	92	2	-	1
WHEELER	6	12	-	-	-
YORK	134	154	-	-	2
NEVADA	4,432	4,090	148	104	104
WHITE	4,114	3,798	122	86	74
ALL OTHER	318	292	26	18	30
NEGRO	180	174	20	14	26
CHURCHILL	78	102	4	4	3
CLARK	2,120	1,980	82	54	62
WHITE	1,938	1,804	64	42	40
ALL OTHER	182	176	18	12	22
NEGRO	160	156	18	12	21
HENDERSON	---	112	4	2	2
LAS VEGAS	---	1,026	36	26	31
WHITE	---	920	30	20	16
ALL OTHER	---	106	6	6	15
NEGRO	---	98	6	6	14
NORTH LAS VEGAS	---	236	20	12	14
WHITE	---	190	12	8	7
ALL OTHER	---	46	8	4	7
NEGRO	---	46	8	4	7
BALANCE OF COUNTY	---	606	22	14	15
DOUGLAS	6	48	-	-	-
ELKO	170	128	2	-	3
WHITE	146	114	2	-	1
ALL OTHER	24	14	-	-	2
NEGRO	4	2	-	-	1
ESMERALDA	6	10	-	-	-
EUREKA	2	4	-	-	-
HUMBOLDT	80	104	-	-	1
WHITE	74	92	-	-	-
ALL OTHER	6	12	-	-	1
NEGRO	2	4	-	-	-
LANDER	22	24	-	-	1
LINCOLN	36	36	2	-	-
LYON	54	100	4	4	-
MINERAL	58	66	2	2	2
WHITE	42	62	2	2	1
ALL OTHER	16	4	-	-	1
NEGRO	-	-	-	-	1
NYE	42	30	-	-	1
ORMSBY, CDEX. WITH CARSON CITY	152	136	8	4	4
PERSHING	36	44	2	2	-
STOREY	2	8	-	-	-
WASHOE	1,484	1,188	38	30	24
RENO	---	876	22	16	14
SPARKS	---	184	4	4	6
BALANCE OF COUNTY	---	128	12	10	4
WHITE PINE	84	82	4	4	3

SEE FOOTNOTES AT END OF TABLE.

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW HAMPSHIRE	7,522	7,500	202	146	120
WHITE	7,500	7,482	200	146	119
ALL OTHER	22	18	2	-	1
NEGRO	20	18	2	-	-
BELKNAP	390	408	10	8	-
LACONIA	---	170	4	4	-
BALANCE OF COUNTY	---	238	6	4	-
CARROLL	278	290	2	2	4
CHESHIRE	422	496	4	-	5
KEENE	---	206	2	-	-
BALANCE OF COUNTY	---	290	2	-	5
COOS	390	428	4	4	10
BERLIN	---	182	2	2	1
BALANCE OF COUNTY	---	246	2	2	9
GRAFTON	812	562	18	14	6
HILLSBOROUGH	2,314	2,266	74	54	46
MANCHESTER	---	1,126	26	14	21
NASHUA	---	528	18	14	8
BALANCE OF COUNTY	---	612	30	26	17
MERRIMACK	1,096	970	22	14	5
CONCORD	---	430	6	4	1
BALANCE OF COUNTY	---	540	16	10	4
ROCKINGHAM	918	1,134	42	34	25
PORTSMOUTH	---	220	6	4	2
BALANCE OF COUNTY	---	914	36	30	23
STRAFFORD	620	616	18	10	12
DOVER	---	204	4	2	4
ROCHESTER	---	196	4	4	4
BALANCE OF COUNTY	---	216	10	4	4
SULLIVAN	282	330	8	6	7
CLAREMONT	---	150	4	4	2
BALANCE OF COUNTY	---	180	4	2	5
NEW JERSEY	67,910	69,250	1,754	1,362	1,213
WHITE	60,938	62,170	1,162	934	869
ALL OTHER	6,972	7,080	592	428	344
NEGRO	6,808	6,910	586	422	328
ATLANTIC	2,784	2,668	68	50	36
WHITE	2,310	2,174	42	28	30
ALL OTHER	474	494	26	22	6
NEGRO	472	488	26	22	6
ATLANTIC CITY	---	1,082	24	18	8
WHITE	---	714	8	4	5
ALL OTHER	---	368	16	14	3
NEGRO	---	364	16	14	3
HAMMONTON	---	84	-	-	3
MARGATE CITY	---	158	-	-	-
PLEASANTVILLE	---	228	16	10	4
WHITE	---	178	12	8	3
ALL OTHER	---	50	4	2	1
NEGRO	---	50	4	2	1
VENTNOR CITY	---	170	2	-	1
BALANCE OF COUNTY	---	946	26	22	20
BERGEN	6,210	7,760	124	102	87
WHITE	6,012	7,542	116	94	76
ALL OTHER	198	218	8	8	11
NEGRO	190	204	8	8	7
BERGENFIELD	---	256	6	4	1
CLIFFSIDE PARK	---	192	2	2	1
DUMONT	---	158	4	4	1
EAST PATERSON	---	156	2	2	-
ENGLEWOOD	---	240	4	2	3
WHITE	---	168	2	-	1
ALL OTHER	---	72	2	2	2
NEGRO	---	68	2	2	2
FAIR LAWN	---	306	6	6	2
FAIRVIEW	---	114	-	-	3
FORT LEE	---	262	4	2	2
GARFIELD	---	332	6	6	4
GLEN ROCK	---	100	2	2	-
HACKENSACK	---	388	14	12	4
WHITE	---	336	12	10	-
ALL OTHER	---	52	2	2	4
NEGRO	---	50	2	2	1
HASBROUCK HEIGHTS	---	136	-	-	2
HILLSDALE	---	62	2	-	2
LODI	---	224	2	2	-
LYNDHURST TWP#	---	208	2	2	6
MAYWOOD	---	116	2	2	2
NEW MILFORD	---	176	4	4	2
NORTH ARLINGTON	---	214	2	2	-
OAKLAND	---	54	2	2	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW JERSEY--CON.					
BERGEN--CON.					
PALISADES PARK	---	160	-	-	1
PARAMUS	---	180	2	2	-
RAMSEY	---	98	6	6	3
RIDGEFIELD	---	104	2	2	1
RIDGEFIELD PARK	---	152	2	-	4
RIDGEWOOD	---	222	2	2	1
RIVER EDGE	---	142	-	-	-
RUTHERFORD	---	228	2	2	-
SADDLE BROOK TWP#	---	118	2	2	2
TEANECK TWP#	---	418	6	4	6
WHITE	---	392	6	4	5
ALL OTHER	---	26	-	-	1
NEGRO	---	26	-	-	1
TENAFLY	---	150	4	2	-
WALDWICK	---	58	-	-	3
WALLINGTON	---	124	-	-	1
WASHINGTON TWP#	---	54	-	-	1
WESTWOOD	---	98	-	-	2
WYCKOFF TWP#	---	100	-	-	2
BALANCE OF COUNTY	---	1,660	30	24	24
BURLINGTON	2,112	2,190	68	56	60
WHITE	1,956	2,024	50	42	50
ALL OTHER	156	166	18	14	10
NEGRO	154	164	18	14	10
BURLINGTON	---	158	2	-	4
WHITE	---	138	2	-	3
ALL OTHER	---	20	-	-	1
NEGRO	---	20	-	-	1
CINNAMINSON TWP#	---	92	-	-	2
MAPLE SHADE TWP#	---	138	6	2	3
MOUNT HOLLY TWP#	---	116	-	-	3
WHITE	---	108	-	-	2
ALL OTHER	---	8	-	-	1
NEGRO	---	8	-	-	1
NEW HANOVER TWP#	---	4	2	-	1
WHITE	---	2	2	-	1
ALL OTHER	---	2	-	-	-
NEGRO	---	2	-	-	-
WILLINGBORO TWP#	---	164	8	8	12
WHITE	---	146	4	4	8
ALL OTHER	---	18	4	4	4
NEGRO	---	18	4	4	4
BALANCE OF COUNTY	---	1,518	50	46	35
WHITE	---	1,414	38	36	32
ALL OTHER	---	104	12	10	3
NEGRO	---	102	12	10	3
CAMDEN	4,578	4,438	148	112	80
WHITE	4,040	3,918	94	76	63
ALL OTHER	538	520	54	36	17
NEGRO	538	518	54	36	17
AUDUBON	---	132	2	2	3
BELLMAWR	---	104	6	6	-
CAMDEN	---	1,304	76	50	33
WHITE	---	878	28	18	22
ALL OTHER	---	426	48	32	11
NEGRO	---	426	48	32	11
CHERRY HILL TWP#	---	364	4	4	3
COLLINGSWOOD	---	274	4	4	3
GLOUCESTER CITY	---	172	2	2	3
GLOUCESTER TWP#	---	160	4	4	1
HADDONFIELD	---	160	2	2	-
HADDON TWP#	---	154	2	-	1
LINDENWOLD	---	86	6	6	9
PENNSAUKEN TWP#	---	326	4	4	4
RUNNEMEDE	---	68	-	-	3
BALANCE OF COUNTY	---	1,134	36	28	17
CAPE MAY	846	1,014	10	10	13
OCEAN CITY	---	210	-	-	2
BALANCE OF COUNTY	---	804	10	10	11
CUMBERLAND	1,310	1,220	46	32	33
WHITE	1,140	1,062	24	16	23
ALL OTHER	170	158	22	16	10
NEGRO	164	150	22	16	9
BRIDGETON	---	254	16	14	6
WHITE	---	184	-	-	3
ALL OTHER	---	70	16	14	3
NEGRO	---	68	16	14	3
MILLVILLE	---	258	16	8	5
VINELAND	---	132	2	-	14
BALANCE OF COUNTY	---	576	12	10	8
WHITE	---	502	8	8	4
ALL OTHER	---	74	4	2	4
NEGRO	---	68	4	2	3

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW JERSEY--CON.					
ESSEX	10,744	10,098	306	246	224
WHITE	8,244	7,580	98	86	86
ALL OTHER	2,500	2,518	208	160	138
NEGRO	2,406	2,422	202	154	134
BELLEVILLE	---	344	-	-	10
BLOOMFIELD	---	594	12	10	8
CEDAR GROVE TWP#	---	82	-	-	1
EAST ORANGE	---	606	10	8	19
WHITE	---	420	4	4	2
ALL OTHER	---	186	6	4	17
NEGRO	---	184	6	4	17
IRVINGTON	---	922	10	6	7
LIVINGSTON TWP#	---	154	4	4	2
MAPLEWOOD TWP#	---	300	6	6	1
MILLBURN TWP#	---	182	2	2	1
MONTCLAIR	---	544	8	8	9
WHITE	---	404	-	-	4
ALL OTHER	---	140	8	8	5
NEGRO	---	134	8	8	5
NEWARK	---	4,056	206	162	150
WHITE	---	2,196	40	34	43
ALL OTHER	---	1,860	166	128	107
NEGRO	---	1,776	162	124	104
NUTLEY	---	310	2	2	3
ORANGE	---	448	12	12	6
WHITE	---	318	4	4	1
ALL OTHER	---	130	8	8	5
NEGRO	---	130	8	8	5
SOUTH ORANGE	---	184	-	-	1
VERONA	---	136	2	-	-
WEST CALDWELL	---	86	4	4	1
WEST ORANGE	---	462	4	2	2
BALANCE OF COUNTY	---	688	24	20	3
GLOUCESTER	1,200	1,504	50	36	28
WHITE	1,102	1,372	40	32	25
ALL OTHER	98	132	10	4	3
NEGRO	98	132	10	4	3
GLASSBORO	---	106	6	6	3
WHITE	---	76	4	4	2
ALL OTHER	---	30	2	2	1
NEGRO	---	30	2	2	1
PITMAN	---	104	4	2	2
WOODBURY	---	144	4	4	8
WHITE	---	124	2	2	8
ALL OTHER	---	20	2	2	-
NEGRO	---	20	2	2	-
BALANCE OF COUNTY	---	1,150	36	24	15
WHITE	---	1,070	30	24	13
ALL OTHER	---	80	6	-	2
NEGRO	---	80	6	-	2
HUDSON	6,688	7,386	192	140	120
WHITE	6,116	6,782	134	98	92
ALL OTHER	572	604	58	42	28
NEGRO	560	594	58	42	26
BAYONNE	---	848	14	14	15
HARRISON	---	152	2	2	1
HOBOKEN	---	482	26	18	15
JERSEY CITY	---	3,348	110	78	59
WHITE	---	2,818	58	40	38
ALL OTHER	---	530	52	38	21
NEGRO	---	526	52	38	20
KEARNY	---	466	12	8	3
NORTH BERGEN TWP#	---	514	4	4	7
SECAUCUS	---	118	2	-	-
UNION CITY	---	710	14	10	8
WEEHAWKEN TWP#	---	178	-	-	2
WEST NEW YORK	---	396	4	4	8
BALANCE OF COUNTY	---	174	4	2	2
HUNTERDON	552	684	8	8	16
MERCER	3,558	3,044	94	82	68
WHITE	3,114	2,616	56	50	37
ALL OTHER	444	428	38	32	31
NEGRO	444	428	38	32	31
EWING TWP#	---	296	2	2	2
HAMILTON TWP#	---	682	20	20	15
PRINCETON	---	106	2	2	-
WHITE	---	92	2	2	-
ALL OTHER	---	14	-	-	-
NEGRO	---	14	-	-	-
TRENTON	---	1,444	52	42	37
WHITE	---	1,114	20	16	11
ALL OTHER	---	330	32	26	26
NEGRO	---	330	32	26	26
BALANCE OF COUNTY	---	516	18	16	14

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW JERSEY--CON.					
MIDDLESEX	3,614	4,224	122	92	64
WHITE	3,436	4,054	102	80	58
ALL OTHER	178	170	20	12	6
NEGRO	170	160	20	12	5
CARTERET	---	192	4	2	3
EAST BRUNSWICK TWP#	---	188	10	10	5
EDISON TWP#	---	228	14	10	7
HIGHLAND PARK	---	134	-	-	3
MADISON TWP#	---	190	8	6	3
METUCHEN	---	166	4	4	2
MIDDLESEX	---	122	2	2	1
NEW BRUNSWICK	---	392	18	10	7
WHITE	---	330	8	4	6
ALL OTHER	---	62	10	6	1
NEGRO	---	58	10	6	1
PERTH AMBOY	---	428	6	4	5
PISCATAWAY TWP#	---	178	8	8	4
WHITE	---	162	8	8	3
ALL OTHER	---	16	-	-	1
NEGRO	---	14	-	-	1
SAYREVILLE	---	188	6	6	4
SOUTH PLAINFIELD	---	116	2	2	4
SOUTH RIVER	---	150	-	-	2
WOODBRIDGE TWP#	---	628	12	8	5
BALANCE OF COUNTY	---	924	28	20	9
MONMOUTH	4,786	4,458	96	64	64
WHITE	4,400	4,070	78	54	46
ALL OTHER	386	388	18	10	18
NEGRO	378	382	18	10	17
ASBURY PARK	---	320	14	8	2
WHITE	---	228	6	4	1
ALL OTHER	---	92	8	4	1
NEGRO	---	92	8	4	1
EATONTOWN	---	74	6	4	4
FREEHOLD	---	152	-	-	-
HAZLET TWP#	---	140	4	4	4
LONG BRANCH	---	334	6	6	7
WHITE	---	298	6	6	3
ALL OTHER	---	36	-	-	4
NEGRO	---	36	-	-	4
MATAWAN TWP#	---	84	2	2	3
WHITE	---	72	2	2	1
ALL OTHER	---	12	-	-	2
NEGRO	---	12	-	-	2
MIDDLETOWN TWP#	---	328	8	6	3
NEPTUNE TWP#	---	376	6	2	5
WHITE	---	306	4	2	2
ALL OTHER	---	70	2	-	3
NEGRO	---	68	2	-	3
OCEAN TWP#	---	124	2	2	1
RED BANK	---	230	4	2	6
WHITE	---	200	2	2	3
ALL OTHER	---	30	2	-	3
NEGRO	---	28	2	-	3
BALANCE OF COUNTY	---	2,296	44	28	29
WHITE	---	2,190	40	24	25
ALL OTHER	---	106	4	4	4
NEGRO	---	104	4	4	3
MORRIS	3,136	2,616	70	60	63
WHITE	3,056	2,560	66	60	60
ALL OTHER	80	56	4	-	3
NEGRO	80	56	4	-	3
DOVER	---	160	10	10	7
MADISON	---	108	2	2	2
MORRISTOWN	---	242	8	6	5
WHITE	---	208	6	6	4
ALL OTHER	---	34	2	-	1
NEGRO	---	34	2	-	1
PARSIPPANY-TROY HILLS TWP#	---	218	10	6	10
PEQUANNOCK TWP#	---	72	-	-	-
BALANCE OF COUNTY	---	1,816	40	36	39
OCEAN	2,814	2,834	40	24	46
BRICK TWP#	---	354	6	6	7
DOVER TWP#	---	500	4	2	3
LAKEWOOD TWP#	---	426	8	6	11
WHITE	---	388	4	4	5
ALL OTHER	---	38	4	2	6
NEGRO	---	38	4	2	6
POINT PLEASANT	---	236	-	-	1
BALANCE OF COUNTY	---	1,318	22	10	24

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW JERSEY--CON.					
PASSAIC	4,594	4,516	120	90	100
WHITE	4,210	4,118	72	58	72
ALL OTHER	384	398	48	32	28
NEGRO	378	396	48	32	26
CLIFTON	---	882	10	8	12
HAWTHORNE	---	196	-	-	3
LITTLE FALLS TWP#	---	102	-	-	1
PASSAIC	---	602	12	12	20
WHITE	---	544	10	10	16
ALL OTHER	---	58	2	2	4
NEGRO	---	58	2	2	3
PATERSON	---	1,682	78	52	39
WHITE	---	1,362	32	22	17
ALL OTHER	---	320	46	30	22
NEGRO	---	318	46	30	22
POMPTON LAKES	---	96	-	-	3
RINGWOOD	---	40	4	4	2
TOTOWA	---	82	-	-	1
WAYNE TWP#	---	270	14	12	4
WEST PATERSON	---	80	-	-	2
BALANCE OF COUNTY	---	484	2	2	13
SALEM	622	638	22	18	10
WHITE	554	564	16	14	5
ALL OTHER	68	74	6	4	5
NEGRO	66	72	6	4	5
SOMERSET	1,352	1,376	34	28	21
BOUND BROOK	---	108	4	2	-
BRIDGEWATER TWP#	---	130	-	-	1
FRANKLIN TWP#	---	158	2	2	3
WHITE	---	142	2	2	3
ALL OTHER	---	16	-	-	-
NEGRO	---	16	-	-	-
MANVILLE	---	78	2	2	3
NORTH PLAINFIELD	---	184	4	4	3
SOMERVILLE	---	170	-	-	4
WHITE	---	156	-	-	4
ALL OTHER	---	14	-	-	-
NEGRO	---	14	-	-	-
BALANCE OF COUNTY	---	548	22	18	7
SUSSEX	722	676	10	6	11
UNION	4,970	5,078	108	90	59
WHITE	4,500	4,544	64	56	42
ALL OTHER	470	534	44	34	17
NEGRO	460	524	44	34	17
BERKELEY HEIGHTS TWP#	---	50	-	-	-
CLARK TWP#	---	110	-	-	2
CRANFORD TWP#	---	212	4	2	4
ELIZABETH	---	1,242	30	26	18
WHITE	---	1,084	16	14	11
ALL OTHER	---	158	14	12	7
NEGRO	---	156	14	12	7
HILLSIDE TWP#	---	238	2	2	3
LINDEN	---	386	12	12	4
WHITE	---	344	10	10	4
ALL OTHER	---	42	2	2	-
NEGRO	---	40	2	2	-
NEW PROVIDENCE	---	60	4	2	-
PLAINFIELD	---	504	22	20	11
WHITE	---	348	6	6	4
ALL OTHER	---	156	16	14	7
NEGRO	---	152	16	14	7
RAHWAY	---	280	8	8	3
WHITE	---	242	4	4	3
ALL OTHER	---	38	4	4	-
NEGRO	---	38	4	4	-
ROSELLE	---	204	4	-	1
WHITE	---	174	-	-	1
ALL OTHER	---	30	4	-	-
NEGRO	---	30	4	-	-
ROSELLE PARK	---	122	-	-	2
SCOTCH PLAINS TWP#	---	140	2	2	1
SPRINGFIELD TWP#	---	142	2	2	1
SUMMIT	---	234	10	8	-
UNION TWP#	---	614	4	2	5
WESTFIELD	---	250	4	4	3
BALANCE OF COUNTY	---	290	-	-	1
WARREN	718	828	18	16	10
PHILLIPSBURG	---	246	6	6	2
BALANCE OF COUNTY	---	582	12	10	8

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW MEXICO	7,984	7,926	380	280	255
WHITE	7,134	7,154	308	248	194
ALL OTHER	850	772	72	32	61
NEGRO	156	156	10	6	13
BERNALILLO	2,730	2,186	68	52	71
WHITE	2,560	2,102	64	52	60
ALL OTHER	170	84	4	-	11
NEGRO	46	44	2	-	8
ALBUQUERQUE	---	2,110	62	48	69
WHITE	---	2,048	60	48	59
ALL OTHER	---	62	2	-	10
NEGRO	---	44	2	-	8
BALANCE OF COUNTY	---	76	6	4	2
CATRON	20	24	-	-	-
CHAVES	450	448	8	8	8
ROSWELL	---	386	4	4	8
BALANCE OF COUNTY	---	62	4	4	-
COLFAX	124	128	4	2	2
CURRY	296	298	22	18	8
CLOVIS	---	250	16	12	8
BALANCE OF COUNTY	---	48	6	6	-
DE BACA	60	32	-	-	-
DONA ANA	328	410	24	18	19
LAS CRUCES	---	252	22	18	8
BALANCE OF COUNTY	---	158	2	-	11
EDDY	344	376	20	14	5
ARTESIA	---	78	6	4	-
CARLSBAD	---	262	14	10	2
BALANCE OF COUNTY	---	36	-	-	3
GRANT	238	194	6	2	3
GUADALUPE	46	60	2	2	2
HARDING	2	8	-	-	-
HIDALGO	24	38	4	4	-
LEA	298	356	20	14	9
HOBBS	---	180	10	8	3
BALANCE OF COUNTY	---	176	10	6	6
LINCOLN	82	80	2	2	1
LOS ALAMOS	46	58	2	2	1
LUNA	144	140	2	2	3
MC KINLEY	414	332	22	12	27
WHITE	108	98	-	-	5
ALL OTHER	306	234	22	12	22
NEGRO	4	4	-	-	-
GALLUP	---	108	-	-	6
WHITE	---	80	-	-	4
ALL OTHER	---	28	-	-	2
NEGRO	---	2	-	-	-
BALANCE OF COUNTY	---	224	22	12	21
WHITE	---	18	-	-	1
ALL OTHER	---	206	22	12	20
NEGRO	---	2	-	-	-
MORA	14	56	4	4	2
OTERO	192	252	26	20	12
ALAMOGORDO	---	142	12	10	9
BALANCE OF COUNTY	---	110	14	10	3
WHITE	---	90	12	10	3
ALL OTHER	---	20	2	-	-
NEGRO	---	-	-	-	-
QUAY	124	124	4	4	-
RIO ARRIBA	180	204	10	8	8
WHITE	168	172	8	6	7
ALL OTHER	12	32	2	2	1
NEGRO	-	-	-	-	-
ROOSEVELT	100	124	8	8	2
PORTALES	---	92	4	4	2
BALANCE OF COUNTY	---	32	4	4	-
SANDOVAL	54	168	14	8	6
WHITE	38	98	6	6	2
ALL OTHER	16	70	8	2	4
NEGRO	-	4	-	-	-
SAN JUAN	320	352	38	24	15
WHITE	176	204	20	18	5
ALL OTHER	144	148	18	6	10
NEGRO	4	4	-	-	-
FARMINGTON	---	168	22	16	3
BALANCE OF COUNTY	---	184	16	8	12
WHITE	---	64	4	4	3
ALL OTHER	---	120	12	4	9
NEGRO	---	-	-	-	-
SAN MIGUEL	292	218	10	6	7
SANTA FE	506	434	16	16	12
SANTA FE	---	338	16	16	10
BALANCE OF COUNTY	---	96	-	-	2
SIERRA	128	162	4	4	4
SOCORRO	64	90	6	4	8
TAOS	84	150	6	6	3

SEE FOOTNOTES AT END OF TABLE.

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW MEXICO--CON.					
TORRANCE	22	56	2	-	2
UNION	40	62	4	4	-
VALENCIA	218	306	22	12	15
WHITE	176	250	16	10	11
ALL OTHER	42	56	6	2	4
NEGRO	6	2	2	-	-
NEW YORK	184,088	185,284	4,472	3,354	3,497
WHITE	164,112	165,226	3,086	2,364	2,525
ALL OTHER	19,976	20,058	1,386	990	972
NEGRO	19,186	19,262	1,342	960	927
ALBANY	3,840	3,132	66	50	27
WHITE	3,700	3,010	52	36	22
ALL OTHER	140	122	14	14	5
NEGRO	140	122	14	14	4
ALBANY	---	1,566	40	34	13
WHITE	---	1,454	26	20	8
ALL OTHER	---	112	14	14	5
NEGRO	---	112	14	14	4
COHOES	---	302	4	-	3
WATERVLIET	---	162	2	2	3
BALANCE OF COUNTY	---	1,102	20	14	8
ALLEGANY	324	470	16	12	8
BROOME	2,114	2,040	28	22	31
BINGHAMTON	---	906	12	8	14
ENDICOTT	---	220	2	2	2
JOHNSON CITY	---	166	4	4	4
BALANCE OF COUNTY	---	748	10	8	11
CATTARAUGUS	814	868	28	18	17
OLEAN	---	226	6	4	4
BALANCE OF COUNTY	---	642	22	14	13
CAYUGA	848	850	24	18	12
AUBURN	---	458	12	10	6
BALANCE OF COUNTY	---	392	12	8	6
CHAUTAUQUA	1,634	1,796	50	36	31
DUNKIRK	---	232	8	6	7
FREDONIA	---	98	2	2	1
JAMESTOWN	---	540	14	12	9
BALANCE OF COUNTY	---	926	26	16	14
CHEMUNG	1,106	1,134	36	24	16
ELMIRA	---	566	20	16	8
BALANCE OF COUNTY	---	568	16	8	8
CHENANGO	418	532	30	24	8
CLINTON	602	570	20	20	10
PLATTSBURGH	---	168	10	10	2
BALANCE OF COUNTY	---	402	10	10	8
COLUMBIA	656	692	14	10	12
CORTLAND	452	448	10	6	1
CORTLAND	---	200	6	6	-
BALANCE OF COUNTY	---	248	4	-	1
DELAWARE	544	536	8	8	8
DUTCHESS	2,368	1,876	58	48	33
WHITE	2,232	1,782	42	34	27
ALL OTHER	136	94	16	14	6
NEGRO	134	94	16	14	6
BEACON	---	142	8	6	2
WHITE	---	124	6	4	-
ALL OTHER	---	18	2	2	2
NEGRO	---	18	2	2	2
POUGHKEEPSIE	---	488	20	16	5
WHITE	---	450	12	8	2
ALL OTHER	---	38	8	8	3
NEGRO	---	38	8	8	3
BALANCE OF COUNTY	---	1,246	30	26	26
ERIE	11,682	11,122	302	246	209
WHITE	10,702	10,160	200	166	160
ALL OTHER	980	962	102	80	49
NEGRO	938	918	100	78	45
BUFFALO	---	6,080	170	136	109
WHITE	---	5,198	74	62	64
ALL OTHER	---	882	96	74	45
NEGRO	---	860	96	74	44
DEPEW	---	138	8	8	8
HAMBURG	---	114	8	8	3
KENMORE	---	268	8	6	5
LACKAWANNA	---	300	12	8	8
WHITE	---	266	10	6	8
ALL OTHER	---	34	2	2	-
NEGRO	---	34	2	2	-
LANCASTER	---	110	4	2	1
TONAWANDA	---	234	2	2	5
BALANCE OF COUNTY	---	3,878	90	76	70
ESSEX	334	442	10	8	6

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW YORK--CON.					
FRANKLIN	514	530	4	4	7
FULTON	600	694	18	12	7
GLOVERSVILLE	---	302	8	4	3
JOHNSTOWN	---	160	-	-	-
BALANCE OF COUNTY	---	232	10	8	4
GENESEE	700	566	12	8	21
BATAVIA	---	186	2	-	6
BALANCE OF COUNTY	---	380	10	8	15
GREENE	404	538	2	2	4
HAMILTON	22	50	-	-	-
HERKIMER	666	784	12	6	14
JEFFERSON	1,104	1,078	28	24	10
WATERTOWN	---	460	12	12	4
BALANCE OF COUNTY	---	618	16	12	6
LEWIS	172	230	6	6	7
LIVINGSTON	336	448	14	8	9
MADISON	498	540	18	14	13
ONEIDA	---	150	4	4	1
BALANCE OF COUNTY	---	390	14	10	12
MONROE	6,306	6,140	152	120	99
WHITE	6,000	5,820	114	90	81
ALL OTHER	306	320	38	30	18
NEGRO	298	310	38	30	18
ROCHESTER	---	3,584	108	88	48
WHITE	---	3,274	70	58	34
ALL OTHER	---	310	38	30	14
NEGRO	---	302	38	30	14
BALANCE OF COUNTY	---	2,556	44	32	51
MONTGOMERY	662	750	10	6	16
AMSTERDAM	---	372	2	2	8
BALANCE OF COUNTY	---	378	8	4	8
NASSAU	10,844	11,608	204	168	160
WHITE	10,358	11,106	152	130	140
ALL OTHER	486	502	52	38	20
NEGRO	474	490	50	38	19
EAST ROCKAWAY	---	112	4	4	2
FLORAL PARK	---	182	4	4	2
FREEPORT	---	360	14	6	9
WHITE	---	302	2	2	5
ALL OTHER	---	58	12	4	4
NEGRO	---	56	10	4	4
GARDEN CITY	---	226	2	2	-
GLEN COVE	---	210	10	10	2
GREAT NECK	---	140	-	-	2
HEMPSTEAD	---	410	14	14	2
WHITE	---	308	8	8	1
ALL OTHER	---	102	6	6	1
NEGRO	---	102	6	6	1
LONG BEACH	---	644	4	4	7
LYNBROOK	---	180	-	-	3
MALVERNE	---	90	-	-	-
MASSAPEQUA PARK	---	142	2	2	1
MINEOLA	---	206	10	10	3
NEW HYDE PARK	---	96	2	-	-
ROCKVILLE CENTRE	---	276	8	8	-
VALLEY STREAM	---	378	-	-	3
WESTBURY	---	178	2	-	3
BALANCE OF COUNTY	---	7,778	128	104	121
WHITE	---	7,524	108	88	110
ALL OTHER	---	254	20	16	11
NEGRO	---	246	20	16	10
NEW YORK CITY	85,348	87,914	2,172	1,612	1,754
WHITE	69,826	72,106	1,170	908	994
ALL OTHER	15,522	15,808	1,002	704	760
NEGRO	14,944	15,204	972	684	733
BRONX BOR., BRONX CO.	---	15,460	470	342	387
WHITE	---	12,772	278	204	211
ALL OTHER	---	2,688	192	138	176
NEGRO	---	2,640	190	136	172
BROOKLYN BOR., KINGS CO.	---	27,732	806	582	658
WHITE	---	22,692	392	298	337
ALL OTHER	---	5,040	414	284	321
NEGRO	---	4,978	412	282	318
MANHATTAN BOR., NEW YORK CO.	---	21,284	462	364	303
WHITE	---	15,404	230	192	164
ALL OTHER	---	5,880	232	172	139
NEGRO	---	5,460	212	158	127
QUEENS BOR., QUEENS CO.	---	20,744	358	266	355
WHITE	---	18,712	208	168	238
ALL OTHER	---	2,032	150	98	117
NEGRO	---	1,968	144	96	109
RICHMOND BOR., RICHMOND CO.	---	2,694	76	58	51
WHITE	---	2,526	62	46	44
ALL OTHER	---	168	14	12	7
NEGRO	---	158	14	12	7

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW YORK--CON.					
NIAGARA	2,194	2,260	62	46	39
WHITE	2,102	2,162	58	42	34
ALL OTHER	92	98	4	4	5
NEGRO	70	76	4	4	5
LOCKPORT	---	318	8	6	6
NIAGARA FALLS	---	952	32	24	12
WHITE	---	882	28	20	7
ALL OTHER	---	70	4	4	5
NEGRO	---	64	4	4	5
NORTH TONAWANDA	---	312	8	8	3
BALANCE OF COUNTY	---	678	14	8	18
ONEIDA	3,148	2,728	52	44	45
ROME	---	410	6	6	5
UTICA	---	1,174	34	28	18
BALANCE OF COUNTY	---	1,144	12	10	22
ONONDAGA	4,414	4,154	120	76	107
WHITE	4,244	3,972	90	58	92
ALL OTHER	170	182	30	18	15
NEGRO	150	158	24	14	12
SYRACUSE	---	2,322	66	40	44
WHITE	---	2,162	38	24	29
ALL OTHER	---	160	28	16	15
NEGRO	---	150	24	14	12
BALANCE OF COUNTY	---	1,832	54	36	63
ONTARIO	962	742	6	6	18
CANANDAIGUA	---	118	-	-	3
GENEVA	---	202	2	2	3
BALANCE OF COUNTY	---	422	4	4	12
ORANGE	2,552	2,374	48	30	41
WHITE	2,432	2,262	42	28	36
ALL OTHER	120	112	6	2	5
NEGRO	112	108	6	2	4
MIDDLETOWN	---	274	-	-	6
NEWBURGH	---	438	16	6	5
WHITE	---	386	10	4	3
ALL OTHER	---	52	6	2	2
NEGRO	---	52	6	2	2
BALANCE OF COUNTY	---	1,662	32	24	30
ORLEANS	350	392	8	2	8
OSWEGO	780	1,024	36	26	19
FULTON	---	164	4	4	2
OSWEGO	---	284	16	10	3
BALANCE OF COUNTY	---	576	16	12	14
OTSEGO	684	626	2	2	18
ONEONTA	---	144	-	-	-
BALANCE OF COUNTY	---	482	2	2	18
PUTNAM	364	430	20	16	6
RENSSELAER	1,512	1,754	38	32	31
RENSSELAER	---	172	2	2	2
TROY	---	852	16	14	18
BALANCE OF COUNTY	---	730	20	16	11
ROCKLAND	1,918	1,582	50	36	36
WHITE	1,776	1,470	44	32	30
ALL OTHER	142	112	6	4	6
NEGRO	138	112	6	4	6
SPRING VALLEY	---	174	12	8	6
WHITE	---	144	12	8	1
ALL OTHER	---	30	-	-	5
NEGRO	---	30	-	-	5
BALANCE OF COUNTY	---	1,408	38	28	30
WHITE	---	1,326	32	24	29
ALL OTHER	---	82	6	4	1
NEGRO	---	82	6	4	1
ST. LAWRENCE	1,138	1,094	28	24	20
MASSENA	---	136	6	6	4
OGDENSBURG	---	166	4	4	3
BALANCE OF COUNTY	---	792	18	14	13
SARATOGA	622	1,034	38	20	22
SARATOGA SPRINGS	---	232	8	8	3
BALANCE OF COUNTY	---	802	30	12	19
SCHENECTADY	1,800	1,796	32	24	29
SCHENECTADY	---	1,218	26	22	20
BALANCE OF COUNTY	---	578	6	2	9
SCHOHARIE	290	300	6	-	5
SCHUYLER	132	178	6	2	4
SENECA	358	344	-	-	6
STEUBEN	1,060	1,082	24	14	20
CORNING	---	202	2	2	2
HORNELL	---	160	-	-	1
BALANCE OF COUNTY	---	720	22	12	17

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW YORK—CON.					
SUFFOLK	10,020	8,508	268	200	231
WHITE	9,348	8,016	236	180	207
ALL OTHER	672	492	32	20	24
NEGRO	650	476	32	20	23
BABYLON	---	130	2	-	5
LINDENHURST	---	256	8	6	7
PATCHOGUE	---	148	8	8	5
BALANCE OF COUNTY	---	7,974	250	186	214
WHITE	---	7,494	218	166	190
ALL OTHER	---	480	32	20	24
NEGRO	---	464	32	20	23
SULLIVAN	724	712	8	6	24
TIOGA	254	394	10	8	6
TOMPKINS	550	560	18	14	4
ITHACA	---	250	12	8	3
BALANCE OF COUNTY	---	310	6	6	1
ULSTER	1,346	1,560	28	28	26
KINGSTON	---	434	4	4	3
BALANCE OF COUNTY	---	1,126	24	24	23
WARREN	840	602	12	6	5
GLENS FALLS	---	238	4	2	-
BALANCE OF COUNTY	---	364	8	4	5
WASHINGTON	386	602	14	10	6
WAYNE	622	778	24	10	26
NEWARK	---	118	6	6	2
BALANCE OF COUNTY	---	660	18	4	24
WESTCHESTER	8,584	8,660	148	122	131
WHITE	7,890	7,906	108	92	106
ALL OTHER	694	754	40	30	25
NEGRO	690	748	40	30	24
DOBBS FERRY	---	92	2	2	2
MAMARONECK	---	170	-	-	-
MOUNT VERNON	---	746	22	22	14
WHITE	---	550	8	8	8
ALL OTHER	---	196	14	14	6
NEGRO	---	196	14	14	5
NEW ROCHELLE	---	696	10	8	21
WHITE	---	610	8	8	17
ALL OTHER	---	86	2	-	4
NEGRO	---	86	2	-	4
OSSINING	---	180	10	4	4
WHITE	---	156	2	-	3
ALL OTHER	---	24	8	4	1
NEGRO	---	24	8	4	1
PEEKSKILL	---	246	2	-	6
WHITE	---	224	2	-	4
ALL OTHER	---	22	-	-	2
NEGRO	---	22	-	-	2
PORT CHESTER	---	312	4	4	1
WHITE	---	296	2	2	1
ALL OTHER	---	16	2	2	-
NEGRO	---	16	2	2	-
RYE	---	144	-	-	2
SCARSDALE	---	182	-	-	-
TARRYTOWN	---	112	4	4	4
WHITE PLAINS	---	628	10	8	8
WHITE	---	562	8	6	6
ALL OTHER	---	66	2	2	2
NEGRO	---	66	2	2	2
YONKERS	---	2,240	32	26	28
WHITE	---	2,094	24	22	20
ALL OTHER	---	146	8	4	8
NEGRO	---	144	8	4	8
BALANCE OF COUNTY	---	2,912	52	44	41
WHITE	---	2,744	48	40	40
ALL OTHER	---	168	4	4	1
NEGRO	---	166	4	4	1
WYOMING	350	364	8	6	5
YATES	222	272	6	4	9
NORTH CAROLINA	47,352	47,288	2,064	1,498	1,302
WHITE	35,028	34,974	1,194	920	761
ALL OTHER	12,324	12,314	870	578	541
NEGRO	12,014	12,004	824	548	522
ALAMANCE	704	864	20	10	36
WHITE	582	706	10	4	27
ALL OTHER	122	158	10	6	9
NEGRO	120	158	10	6	8
BURLINGTON	---	368	10	2	13
WHITE	---	302	6	2	11
ALL OTHER	---	66	4	-	2
NEGRO	---	66	4	-	2
BALANCE OF COUNTY	---	496	10	8	23
WHITE	---	404	4	2	16
ALL OTHER	---	92	6	6	7
NEGRO	---	92	6	6	6
N. CAROLINA—CON.					
ALEXANDER	110	174	14	14	6
ALLEGHANY	110	98	8	6	2
ANSON	208	278	14	6	8
WHITE	124	152	2	2	1
ALL OTHER	84	126	12	4	7
NEGRO	84	126	12	4	7
ASHE	158	172	2	2	4
AVERY	138	124	2	-	2
BEAUFORT	530	484	18	10	15
WHITE	372	318	8	4	9
ALL OTHER	158	166	10	6	6
NEGRO	156	164	10	6	6
BERTIE	172	252	4	-	5
WHITE	92	136	-	-	1
ALL OTHER	80	116	4	-	4
NEGRO	80	116	4	-	4
BLADEN	202	280	16	10	7
WHITE	110	162	6	4	2
ALL OTHER	92	118	10	6	5
NEGRO	92	118	10	6	5
BRUNSWICK	148	236	12	8	9
WHITE	110	166	8	6	3
ALL OTHER	38	70	4	2	6
NEGRO	38	70	4	2	6
BUNCOMBE	2,062	1,568	58	42	28
WHITE	1,806	1,366	48	34	25
ALL OTHER	256	202	10	8	3
NEGRO	252	202	10	8	3
ASHEVILLE	---	870	26	20	6
WHITE	---	684	18	12	3
ALL OTHER	---	186	8	8	3
NEGRO	---	186	8	8	3
BALANCE OF COUNTY	---	698	32	22	22
BURKE	748	480	16	14	11
HICKORY, PART	---	-	-	-	-
MORGANTON	---	118	2	2	2
WHITE	---	90	2	2	1
ALL OTHER	---	28	-	-	1
NEGRO	---	28	-	-	1
BALANCE OF COUNTY	---	362	14	12	9
CABARRUS	682	670	30	26	16
WHITE	542	522	20	18	11
ALL OTHER	140	148	10	8	5
NEGRO	130	138	-	-	5
CONCORD	---	218	12	10	5
WHITE	---	152	8	6	2
ALL OTHER	---	66	4	4	3
NEGRO	---	62	-	-	3
BALANCE OF COUNTY	---	452	18	16	11
WHITE	---	370	12	12	9
ALL OTHER	---	82	6	4	2
NEGRO	---	76	-	-	2
CALDWELL	358	516	30	22	17
LENOIR	---	180	10	6	5
WHITE	---	154	8	4	5
ALL OTHER	---	26	2	2	-
NEGRO	---	26	2	2	-
BALANCE OF COUNTY	---	336	20	16	12
CAMDEN	12	68	2	2	-
WHITE	8	48	2	2	-
ALL OTHER	4	20	-	-	-
NEGRO	4	20	-	-	-
CARTERET	352	342	10	6	5
WHITE	312	300	8	6	5
ALL OTHER	40	42	2	-	-
NEGRO	40	42	2	-	-
CASWELL	72	174	6	-	6
WHITE	46	128	-	-	2
ALL OTHER	26	46	6	-	4
NEGRO	26	46	6	-	4
CATAWBA	796	814	38	36	19
HICKORY, PART	---	278	14	14	3
WHITE	---	230	12	12	2
ALL OTHER	---	48	2	2	1
NEGRO	---	46	2	2	1
HICKORY, TOTAL	---	278	14	14	3
WHITE	---	230	12	12	2
ALL OTHER	---	48	2	2	1
NEGRO	---	46	2	2	1
BALANCE OF COUNTY	---	536	24	22	16
CHATHAM	202	282	10	8	7
WHITE	154	206	8	8	6
ALL OTHER	48	76	2	-	1
NEGRO	48	76	2	-	1

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
N. CAROLINA--CON.					
CHEROKEE	148	194	6	4	2
CHOWAN	154	120	2	2	-
WHITE	76	58	2	2	-
ALL OTHER	78	62	-	-	-
NEGRO	78	62	-	-	-
CLAY	16	52	4	4	2
CLEVELAND	802	720	48	30	20
WHITE	654	568	28	20	8
ALL OTHER	148	152	20	10	12
NEGRO	148	152	20	10	12
SHELBY	---	170	6	6	4
WHITE	---	134	2	2	2
ALL OTHER	---	36	4	4	2
NEGRO	---	36	4	4	2
BALANCE OF COUNTY	---	550	42	24	16
WHITE	---	434	26	18	6
ALL OTHER	---	116	16	6	10
NEGRO	---	116	16	6	10
COLUMBUS	416	546	26	16	20
WHITE	280	368	10	6	13
ALL OTHER	136	178	16	10	7
NEGRO	134	176	16	10	6
CRAVEN	514	444	30	26	16
WHITE	338	294	18	14	10
ALL OTHER	176	150	12	12	6
NEGRO	176	150	12	12	6
NEW BERN	---	154	6	6	3
WHITE	---	86	-	-	1
ALL OTHER	---	68	6	6	2
NEGRO	---	68	6	6	2
BALANCE OF COUNTY	---	290	24	20	13
WHITE	---	208	18	14	9
ALL OTHER	---	82	6	6	4
NEGRO	---	82	6	6	4
CUMBERLAND	1,556	1,284	116	84	50
WHITE	1,052	900	72	58	28
ALL OTHER	504	384	44	26	22
NEGRO	472	368	42	24	20
FAYETTEVILLE	---	596	48	32	16
WHITE	---	360	18	12	7
ALL OTHER	---	236	30	20	9
NEGRO	---	234	28	18	8
BALANCE OF COUNTY	---	688	68	52	34
WHITE	---	540	54	46	21
ALL OTHER	---	148	14	6	13
NEGRO	---	134	14	6	12
CURRITUCK	48	114	4	2	1
WHITE	34	74	4	2	1
ALL OTHER	14	40	-	-	-
NEGRO	14	40	-	-	-
DARE	42	70	-	-	2
DAVIDSON	600	798	22	12	26
WHITE	520	696	18	10	18
ALL OTHER	80	102	4	2	8
NEGRO	80	102	4	2	8
HIGH POINT, PART	---	2	-	-	-
LEXINGTON	---	174	4	2	6
WHITE	---	138	4	2	3
ALL OTHER	---	36	-	-	3
NEGRO	---	36	-	-	3
THOMASVILLE	---	152	6	4	7
WHITE	---	104	2	2	2
ALL OTHER	---	48	4	2	5
NEGRO	---	48	4	2	5
BALANCE OF COUNTY	---	470	12	6	13
DAVIE	124	142	2	-	8
WHITE	118	130	2	-	5
ALL OTHER	6	12	-	-	3
NEGRO	6	12	-	-	3
DUPLIN	252	386	16	14	11
WHITE	142	236	6	6	4
ALL OTHER	110	150	10	8	7
NEGRO	110	150	10	8	7
DURHAM	2,254	1,214	34	26	31
WHITE	1,474	768	16	12	12
ALL OTHER	780	446	18	14	19
NEGRO	774	444	18	14	19
CHAPEL HILL, PART	---	-	-	-	-
DURHAM	---	976	26	18	23
WHITE	---	570	10	6	6
ALL OTHER	---	406	16	12	17
NEGRO	---	404	16	12	17
BALANCE OF COUNTY	---	238	8	8	8
WHITE	---	198	6	6	6
ALL OTHER	---	40	2	2	2
NEGRO	---	40	2	2	2
N. CAROLINA--CON.					
EDGECOMBE	370	538	18	16	20
WHITE	160	256	4	4	6
ALL OTHER	210	282	14	12	14
NEGRO	210	282	14	12	14
ROCKY MOUNT, PART	---	178	-	-	4
WHITE	---	94	-	-	-
ALL OTHER	---	84	-	-	4
NEGRO	---	84	-	-	4
BALANCE OF COUNTY	---	360	18	16	16
WHITE	---	162	4	4	6
ALL OTHER	---	198	14	12	10
NEGRO	---	198	14	12	10
FORSYTH	2,640	1,958	72	58	54
WHITE	2,044	1,382	32	26	29
ALL OTHER	596	576	40	32	25
NEGRO	596	576	40	32	25
WINSTON-SALEM	---	1,360	50	42	39
WHITE	---	812	12	10	14
ALL OTHER	---	548	38	32	25
NEGRO	---	548	38	32	25
BALANCE OF COUNTY	---	598	22	16	15
FRANKLIN	220	296	8	4	8
WHITE	132	184	2	-	2
ALL OTHER	88	112	6	4	6
NEGRO	88	112	6	4	6
GASTON	962	1,292	78	44	28
WHITE	798	1,094	54	24	20
ALL OTHER	164	198	24	20	8
NEGRO	164	196	22	18	8
GASTONIA	---	512	34	28	9
WHITE	---	396	18	14	7
ALL OTHER	---	116	16	14	2
NEGRO	---	116	16	14	2
BALANCE OF COUNTY	---	780	44	16	19
WHITE	---	698	36	10	13
ALL OTHER	---	82	8	6	6
NEGRO	---	80	6	4	6
GATES	24	122	8	4	6
WHITE	14	64	2	-	-
ALL OTHER	10	58	6	4	6
NEGRO	10	58	6	4	6
GRAHAM	26	64	4	2	2
GRANVILLE	340	346	20	18	9
WHITE	190	192	10	10	5
ALL OTHER	150	154	10	8	4
NEGRO	150	154	10	8	4
GREENE	50	124	2	-	5
WHITE	36	94	-	-	2
ALL OTHER	14	30	2	-	3
NEGRO	14	30	2	-	3
GUILFORD	2,610	2,468	98	72	66
WHITE	2,016	1,868	52	38	38
ALL OTHER	594	600	46	34	28
NEGRO	586	592	46	34	27
GREENSBORO	---	1,242	46	32	32
WHITE	---	830	8	6	16
ALL OTHER	---	412	38	26	16
NEGRO	---	406	38	26	15
HIGH POINT, PART	---	664	34	28	17
WHITE	---	548	26	20	11
ALL OTHER	---	116	8	8	6
NEGRO	---	116	8	8	6
HIGH POINT, TOTAL	---	668	34	28	17
WHITE	---	552	26	20	11
ALL OTHER	---	116	8	8	6
NEGRO	---	116	8	8	6
BALANCE OF COUNTY	---	562	18	12	17
WHITE	---	490	18	12	11
ALL OTHER	---	72	-	-	6
NEGRO	---	70	-	-	6
HALIFAX	572	566	44	32	27
WHITE	312	298	22	18	4
ALL OTHER	260	268	22	14	23
NEGRO	256	262	20	12	23
ROANOKE RAPIDS	---	138	14	10	5
WHITE	---	126	14	10	4
ALL OTHER	---	12	-	-	1
NEGRO	---	12	-	-	1
BALANCE OF COUNTY	---	428	30	22	22
WHITE	---	172	8	8	-
ALL OTHER	---	256	22	14	22
NEGRO	---	250	20	12	22
HARNETT	512	516	24	20	17
WHITE	392	370	8	8	6
ALL OTHER	120	146	16	12	11
NEGRO	120	144	16	12	11

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
N. CAROLINA--CON.					
HAYWOOD	408	390	14	14	15
HENDERSON	472	444	12	12	9
HERTFORD	334	228	12	10	4
WHITE	168	106	2	2	2
ALL OTHER	166	122	10	8	2
NEGRO	166	122	10	8	2
HOKE	150	132	10	2	5
WHITE	78	62	2	-	-
ALL OTHER	72	70	8	2	5
NEGRO	66	60	8	2	5
HYDE	24	74	6	6	2
WHITE	14	60	2	2	-
ALL OTHER	10	14	4	4	2
NEGRO	10	14	4	4	2
IREDELL	724	736	34	24	18
WHITE	590	604	16	12	12
ALL OTHER	134	132	18	12	6
NEGRO	134	132	18	12	6
STATESVILLE	---	244	8	4	4
WHITE	---	178	2	2	2
ALL OTHER	---	66	6	2	2
NEGRO	---	66	6	2	2
BALANCE OF COUNTY	---	492	26	20	14
WHITE	---	426	14	10	10
ALL OTHER	---	66	12	10	4
NEGRO	---	66	12	10	4
JACKSON	174	184	6	4	5
WHITE	170	176	4	4	5
ALL OTHER	4	8	2	-	-
NEGRO	-	-	-	-	-
JOHNSTON	424	716	32	28	15
WHITE	330	554	22	18	12
ALL OTHER	94	162	10	10	3
NEGRO	94	162	10	10	3
JONES	34	96	8	6	-
WHITE	22	60	2	2	-
ALL OTHER	12	36	6	4	-
NEGRO	12	36	6	4	-
LEE	354	338	16	12	9
WHITE	276	254	10	8	6
ALL OTHER	78	84	6	4	3
NEGRO	78	84	6	4	3
SANFORD	---	172	2	-	5
WHITE	---	134	-	-	5
ALL OTHER	---	38	2	-	-
NEGRO	---	38	2	-	-
BALANCE OF COUNTY	---	166	14	12	4
WHITE	---	120	10	8	1
ALL OTHER	---	46	4	4	3
NEGRO	---	46	4	4	3
LENOIR	532	560	26	14	12
WHITE	350	358	16	12	5
ALL OTHER	182	202	10	2	7
NEGRO	182	202	10	2	7
KINSTON	---	282	12	8	7
WHITE	---	168	10	8	3
ALL OTHER	---	114	2	-	4
NEGRO	---	114	2	-	4
BALANCE OF COUNTY	---	278	14	6	5
WHITE	---	190	6	4	2
ALL OTHER	---	88	8	2	3
NEGRO	---	88	8	2	3
LINCOLN	258	298	12	10	8
WHITE	230	262	10	8	8
ALL OTHER	28	36	2	2	-
NEGRO	28	36	2	2	-
MC DOWELL	218	296	8	8	8
MACON	162	166	-	-	2
MADISON	56	178	8	6	2
MARTIN	188	278	18	12	15
WHITE	92	148	4	4	8
ALL OTHER	96	130	14	8	7
NEGRO	96	130	14	8	7
MECKLENBURG	3,228	2,788	116	88	69
WHITE	2,384	1,970	60	48	39
ALL OTHER	844	818	56	40	30
NEGRO	840	814	56	40	29
CHARLOTTE	---	2,050	88	70	52
WHITE	---	1,334	36	32	23
ALL OTHER	---	716	52	38	29
NEGRO	---	716	52	38	28
BALANCE OF COUNTY	---	738	28	18	17
WHITE	---	636	24	16	16
ALL OTHER	---	102	4	2	1
NEGRO	---	98	4	2	1
N. CAROLINA--CON.					
MITCHELL	104	148	10	8	-
MONTGOMERY	204	238	6	6	4
WHITE	136	170	2	2	3
ALL OTHER	68	68	4	4	1
NEGRO	68	68	4	4	1
MOORE	568	456	20	14	6
WHITE	432	330	8	6	4
ALL OTHER	136	126	12	8	2
NEGRO	136	126	12	8	2
NASH	766	664	20	14	20
WHITE	458	416	6	6	6
ALL OTHER	308	248	14	8	14
NEGRO	304	248	14	8	14
ROCKY MOUNT, PART	---	208	2	2	4
WHITE	---	156	2	2	2
ALL OTHER	---	52	-	-	2
NEGRO	---	52	-	-	2
ROCKY MOUNT, TOTAL	---	386	2	2	8
WHITE	---	250	2	2	2
ALL OTHER	---	136	-	-	6
NEGRO	---	136	-	-	6
BALANCE OF COUNTY	---	456	18	12	16
WHITE	---	260	4	4	4
ALL OTHER	---	196	14	8	12
NEGRO	---	196	14	8	12
NEW HANOVER	1,044	842	30	22	15
WHITE	730	578	22	20	10
ALL OTHER	314	264	8	2	5
NEGRO	314	264	8	2	5
WILMINGTON	---	536	18	12	5
WHITE	---	320	10	10	1
ALL OTHER	---	216	8	2	4
NEGRO	---	216	8	2	4
BALANCE OF COUNTY	---	306	12	10	10
NORTHAMPTON	130	306	16	10	9
WHITE	48	124	2	2	2
ALL OTHER	82	182	14	8	7
NEGRO	82	182	14	8	7
ONSLOW	372	454	66	40	28
WHITE	292	354	52	32	24
ALL OTHER	80	100	14	8	4
NEGRO	74	94	8	2	3
JACKSONVILLE	---	116	12	10	6
WHITE	---	100	12	10	5
ALL OTHER	---	16	-	-	1
NEGRO	---	16	-	-	1
BALANCE OF COUNTY	---	338	54	30	22
WHITE	---	254	40	22	19
ALL OTHER	---	84	14	8	3
NEGRO	---	78	8	2	2
ORANGE	834	386	26	22	11
WHITE	558	310	14	12	9
ALL OTHER	276	76	12	10	2
NEGRO	274	76	12	10	2
CHAPEL HILL, PART	---	116	4	2	3
WHITE	---	92	2	-	3
ALL OTHER	---	24	2	2	-
NEGRO	---	24	2	2	-
CHAPEL HILL, TOTAL	---	116	4	2	3
WHITE	---	92	2	-	3
ALL OTHER	---	24	2	2	-
NEGRO	---	24	2	2	-
BALANCE OF COUNTY	---	270	22	20	8
WHITE	---	218	12	12	6
ALL OTHER	---	52	10	8	2
NEGRO	---	52	10	8	2
PAMLICO	18	80	-	-	5
WHITE	14	54	-	-	2
ALL OTHER	4	26	-	-	3
NEGRO	4	26	-	-	3
PASQUOTANK	408	256	2	2	3
WHITE	276	156	-	-	2
ALL OTHER	132	100	2	2	1
NEGRO	132	100	2	2	1
ELIZABETH CITY	---	170	2	2	-
WHITE	---	96	-	-	-
ALL OTHER	---	74	2	2	-
NEGRO	---	74	2	2	-
BALANCE OF COUNTY	---	86	-	-	3
WHITE	---	60	-	-	2
ALL OTHER	---	26	-	-	1
NEGRO	---	26	-	-	1
PENDER	186	222	4	2	7
WHITE	104	122	2	2	2
ALL OTHER	82	100	2	-	5
NEGRO	82	100	2	-	5

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
N. CAROLINA—CON.					
PERQUIMANS	26	94	-	-	3
WHITE	18	66	-	-	1
ALL OTHER	8	28	-	-	2
NEGRO	8	28	-	-	2
PERSON	190	270	14	12	2
WHITE	160	206	6	6	1
ALL OTHER	30	64	8	6	1
NEGRO	30	64	8	6	1
PITT	730	700	22	10	26
WHITE	422	398	2	2	8
ALL OTHER	308	302	20	8	18
NEGRO	308	302	20	8	18
GREENVILLE	---	230	6	4	6
WHITE	---	124	2	2	-
ALL OTHER	---	106	4	2	6
NEGRO	---	106	4	2	6
BALANCE OF COUNTY	---	470	16	6	20
WHITE	---	274	-	-	8
ALL OTHER	---	196	16	6	12
NEGRO	---	196	16	6	12
POLK	204	172	4	2	4
WHITE	182	148	4	2	3
ALL OTHER	22	24	-	-	1
NEGRO	22	24	-	-	1
RANDOLPH	456	706	26	22	9
ASHEBORO	---	158	2	-	1
WHITE	---	138	-	-	1
ALL OTHER	---	20	2	-	-
NEGRO	---	20	2	-	-
HIGH POINT, PART	---	2	-	-	-
BALANCE OF COUNTY	---	546	24	22	8
RICHMOND	318	508	16	16	12
WHITE	224	358	8	8	9
ALL OTHER	94	150	8	8	3
NEGRO	94	150	8	8	3
ROBESON	888	892	48	28	31
WHITE	416	408	8	8	5
ALL OTHER	472	484	40	20	26
NEGRO	324	292	22	12	15
LUMBERTON	---	206	12	8	4
WHITE	---	124	4	4	1
ALL OTHER	---	82	8	4	3
NEGRO	---	62	4	4	2
BALANCE OF COUNTY	---	686	36	20	27
WHITE	---	284	4	4	4
ALL OTHER	---	402	32	16	23
NEGRO	---	230	18	8	13
ROCKINGHAM	708	816	24	14	28
WHITE	538	646	16	8	18
ALL OTHER	170	170	8	6	10
NEGRO	170	170	8	6	10
EDEN	---	204	2	2	7
WHITE	---	182	2	2	3
ALL OTHER	---	22	-	-	4
NEGRO	---	22	-	-	4
REIDSVILLE	---	178	2	2	4
WHITE	---	110	-	-	4
ALL OTHER	---	68	2	2	-
NEGRO	---	68	2	2	-
BALANCE OF COUNTY	---	434	20	10	17
WHITE	---	354	14	6	11
ALL OTHER	---	80	6	4	6
NEGRO	---	80	6	4	6
ROWAN	880	962	32	24	18
WHITE	686	774	16	12	9
ALL OTHER	194	188	16	12	9
NEGRO	194	188	16	12	9
SALISBURY	---	278	10	8	7
WHITE	---	182	-	-	3
ALL OTHER	---	96	10	8	4
NEGRO	---	96	10	8	4
BALANCE OF COUNTY	---	684	22	16	11
WHITE	---	592	16	12	6
ALL OTHER	---	92	6	4	5
NEGRO	---	92	6	4	5
RUTHERFORD	388	488	16	12	14
WHITE	316	408	12	10	9
ALL OTHER	72	80	4	2	5
NEGRO	72	80	4	2	5
SAMPSON	412	502	24	18	8
WHITE	248	332	14	14	2
ALL OTHER	164	170	10	4	6
NEGRO	160	166	10	4	6

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
N. CAROLINA—CON.					
SCOTLAND	298	280	16	12	13
WHITE	126	154	10	8	6
ALL OTHER	172	126	6	4	7
NEGRO	146	124	6	4	6
STANLY	346	432	10	10	12
WHITE	296	366	6	6	8
ALL OTHER	50	66	4	4	4
NEGRO	50	66	4	4	4
ALBEMARLE	---	126	-	-	3
WHITE	---	106	-	-	1
ALL OTHER	---	20	-	-	2
NEGRO	---	20	-	-	2
BALANCE OF COUNTY	---	306	10	10	9
WHITE	---	260	6	6	7
ALL OTHER	---	46	4	4	2
NEGRO	---	46	4	4	2
STOKES	98	228	4	4	10
SURRY	416	524	14	8	12
SWAIN	122	106	6	4	1
WHITE	98	88	2	2	1
ALL OTHER	24	18	4	2	-
NEGRO	8	6	-	-	-
TRANSYLVANIA	104	170	8	8	3
TYRRELL	62	74	2	-	1
WHITE	42	50	2	-	-
ALL OTHER	20	24	-	-	1
NEGRO	20	24	-	-	1
UNION	418	496	32	26	21
WHITE	336	416	24	22	8
ALL OTHER	82	80	8	4	13
NEGRO	82	80	8	4	13
MONROE	---	140	8	6	3
WHITE	---	110	6	6	1
ALL OTHER	---	30	2	-	2
NEGRO	---	30	2	-	2
BALANCE OF COUNTY	---	356	24	20	18
WHITE	---	306	18	16	7
ALL OTHER	---	50	6	4	11
NEGRO	---	50	6	4	11
VANCE	384	370	22	20	11
WHITE	210	196	8	6	4
ALL OTHER	174	174	14	14	7
NEGRO	174	174	14	14	7
HENDERSON	---	184	8	8	4
WHITE	---	100	4	4	3
ALL OTHER	---	84	4	4	1
NEGRO	---	84	4	4	1
BALANCE OF COUNTY	---	186	14	12	7
WHITE	---	96	4	2	1
ALL OTHER	---	90	10	10	6
NEGRO	---	90	10	10	6
WAKE	1,928	1,700	86	62	45
WHITE	1,366	1,180	50	38	27
ALL OTHER	562	520	36	24	18
NEGRO	558	520	36	24	18
RALEIGH	---	962	40	34	22
WHITE	---	638	18	14	9
ALL OTHER	---	324	22	20	13
NEGRO	---	324	22	20	13
BALANCE OF COUNTY	---	738	46	28	23
WHITE	---	542	32	24	18
ALL OTHER	---	196	14	4	5
NEGRO	---	196	14	4	5
WARREN	116	186	4	2	4
WHITE	40	72	-	-	-
ALL OTHER	76	114	4	2	4
NEGRO	72	106	4	2	4
WASHINGTON	98	144	8	6	6
WHITE	50	84	-	-	3
ALL OTHER	48	60	8	6	3
NEGRO	48	60	8	6	3
WATAUGA	244	206	4	4	8
WAYNE	830	740	48	36	31
WHITE	462	406	22	14	19
ALL OTHER	368	334	26	22	12
NEGRO	368	334	26	22	12
GOLDSBORO	---	308	14	10	11
WHITE	---	150	8	6	3
ALL OTHER	---	158	6	4	8
NEGRO	---	158	6	4	8
BALANCE OF COUNTY	---	432	34	26	20
WHITE	---	256	14	8	16
ALL OTHER	---	176	20	18	4
NEGRO	---	176	20	18	4
WILKES	308	424	16	10	5

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
N. CAROLINA—CON.					
WILSON	816	610	16	12	15
WHITE	508	370	6	4	5
ALL OTHER	308	240	10	8	10
NEGRO	308	240	10	8	10
WILSON	---	352	8	6	5
WHITE	---	188	4	2	1
ALL OTHER	---	164	4	4	4
NEGRO	---	164	4	4	4
BALANCE OF COUNTY	---	258	8	6	10
WHITE	---	182	2	2	4
ALL OTHER	---	76	6	4	6
NEGRO	---	76	6	4	6
YADKIN	126	184	2	2	5
YANCEY	48	100	6	6	4
NORTH DAKOTA	5,828	5,616	150	106	106
WHITE	5,670	5,470	136	100	96
ALL OTHER	158	146	14	6	10
NEGRO	12	8	2	2	1
ADAMS	54	42	-	-	-
BARNES	152	158	4	2	1
BENSON	40	120	2	-	2
WHITE	30	100	-	-	2
ALL OTHER	10	20	2	-	-
NEGRO	-	-	-	-	-
BILLINGS	12	16	2	2	-
BOTTINEAU	78	106	-	-	2
BOWMAN	48	56	-	-	-
BURKE	4	52	2	2	-
BURLEIGH	484	244	-	-	9
BISMARCK	---	200	-	-	8
BALANCE OF COUNTY	---	44	-	-	1
CASS	1,088	638	18	14	12
FARGO	---	446	14	14	7
BALANCE OF COUNTY	---	192	4	-	5
CAVALIER	74	108	6	6	1
DICKEY	124	84	-	-	-
DIVIDE	54	46	-	-	-
DUNN	16	34	-	-	-
EDDY	34	36	-	-	-
EMMONS	42	66	-	-	1
FOSTER	58	46	-	-	-
GOLDEN VALLEY	34	36	-	-	-
GRAND FORKS	514	396	14	12	14
GRAND FORKS	---	254	8	8	8
BALANCE OF COUNTY	---	142	6	4	6
GRANT	32	34	-	-	1
GRIGGS	42	42	2	2	-
HETTINGER	12	26	2	2	1
KIDDER	12	36	2	2	2
LA MOURE	20	92	-	-	-
LOGAN	10	38	-	-	2
MC HENRY	20	84	2	2	-
MC INTOSH	74	60	2	2	-
MC KENZIE	42	64	2	-	4
MC LEAN	90	138	4	4	2
MERCER	40	48	2	2	-
MORTON	96	192	2	2	8
MANDAN	---	106	2	2	5
BALANCE OF COUNTY	---	86	-	-	3
MOUNTRAIL	64	82	-	-	-
NELSON	52	112	6	4	-
OLIVER	6	20	2	2	-
PEMBINA	126	136	2	2	1
PIERCE	90	64	-	-	4
RAMSEY	180	144	8	2	2
RANSOM	64	74	-	-	-
RENVILLE	22	34	-	-	-
RICHLAND	96	184	6	6	3
ROLETTE	106	100	4	4	2
WHITE	62	50	-	-	1
ALL OTHER	44	50	4	4	1
NEGRO	-	-	-	-	-
SARGENT	18	68	2	-	-
SHERIDAN	4	28	2	-	-
SIOUX	28	42	2	-	2
WHITE	-	10	-	-	-
ALL OTHER	28	32	2	-	2
NEGRO	-	-	-	-	-
SLOPE	2	8	2	2	-
STARK	190	148	8	6	2
DICKINSON	---	102	4	4	1
BALANCE OF COUNTY	---	46	4	2	1
NORTH DAKOTA—CON.					
STEELE	12	40	-	-	-
STUTSMAN	246	212	6	-	4
JAMESTOWN	---	128	6	-	4
BALANCE OF COUNTY	---	84	-	-	-
TOWNER	58	62	-	-	1
TRAILL	136	124	-	-	2
WALSH	154	174	2	-	2
WARD	518	376	20	16	14
MINOT	---	270	8	6	6
BALANCE OF COUNTY	---	106	12	10	8
WELLS	72	76	2	2	2
WILLIAMS	184	170	8	4	3
WILLISTON	---	108	2	-	2
BALANCE OF COUNTY	---	62	6	4	1
OHIO	101,668	101,982	3,120	2,258	2,022
WHITE	91,616	91,862	2,414	1,770	1,598
ALL OTHER	10,052	10,120	706	488	424
NEGRO	9,976	10,036	696	482	415
ADAMS	222	242	10	4	3
ALLEN	1,448	1,060	52	38	20
LIMA	---	632	30	26	13
WHITE	---	582	22	18	9
ALL OTHER	---	50	8	8	4
NEGRO	---	50	8	8	4
BALANCE OF COUNTY	---	428	22	12	7
ASHLAND	404	460	8	6	-
ASHLAND	---	188	4	2	-
BALANCE OF COUNTY	---	272	4	4	-
ASHTABULA	966	1,144	38	22	22
ASHTABULA	---	282	4	2	8
CONNEAUT	---	184	4	2	2
BALANCE OF COUNTY	---	678	30	18	12
ATHENS	476	514	16	14	11
ATHENS	---	92	6	6	1
BALANCE OF COUNTY	---	422	10	8	10
AUGLAIZE	356	410	16	16	5
BELMONT	904	984	18	14	23
MARTINS FERRY	---	188	2	2	-
BALANCE OF COUNTY	---	796	16	12	23
BROWN	314	308	6	6	4
BUTLER	1,910	1,760	54	44	52
WHITE	1,780	1,620	34	28	43
ALL OTHER	130	140	20	16	9
NEGRO	130	140	20	16	9
FAIRFIELD	---	98	2	2	3
HAMILTON	---	688	28	24	19
MIDDLETOWN	---	406	18	14	12
WHITE	---	342	10	8	11
ALL OTHER	---	64	8	6	1
NEGRO	---	64	8	6	1
OXFORD	---	50	-	-	-
BALANCE OF COUNTY	---	518	6	4	18
CARROLL	122	202	2	2	6
CHAMPAIGN	234	342	4	2	8
URBANA	---	144	-	-	1
BALANCE OF COUNTY	---	198	4	2	7
CLARK	1,554	1,510	48	26	21
WHITE	1,398	1,352	38	22	19
ALL OTHER	156	158	10	4	2
NEGRO	156	158	10	4	2
SPRINGFIELD	---	1,086	32	14	12
WHITE	---	932	22	10	10
ALL OTHER	---	154	10	4	2
NEGRO	---	154	10	4	2
BALANCE OF COUNTY	---	424	16	12	9
CLERMONT	248	660	22	12	12
CLINTON	362	368	8	8	3
WILMINGTON	---	130	4	4	1
BALANCE OF COUNTY	---	238	4	4	2
COLUMBIANA	1,264	1,214	36	32	21
EAST LIVERPOOL	---	328	12	12	5
SALEM	---	158	4	4	2
BALANCE OF COUNTY	---	728	20	16	14
COSHOCTON	342	410	6	6	8
COSHOCTON	---	178	4	4	4
BALANCE OF COUNTY	---	232	2	2	4
CRAWFORD	466	516	18	12	8
BUCYRUS	---	166	4	2	1
GALION	---	150	2	2	1
BALANCE OF COUNTY	---	200	12	8	6

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OHIO--CON.					
CUYAHOGA	18,050	17,424	516	386	328
WHITE	14,670	14,036	298	228	181
ALL OTHER	3,380	3,388	218	158	147
NEGRO	3,352	3,356	218	158	144
BAY VILLAGE	---	144	6	2	-
BEDFORD	---	146	2	2	1
BEDFORD HEIGHTS	---	76	4	2	2
BEREA	---	164	2	-	6
BROADVIEW HEIGHTS	---	74	2	2	2
BROOKLYN	---	70	2	2	1
BROOK PARK	---	96	8	6	4
CLEVELAND	---	9,104	320	228	185
WHITE	---	6,002	140	104	72
ALL OTHER	---	3,102	180	124	113
NEGRO	---	3,074	180	124	112
CLEVELAND HEIGHTS	---	676	12	12	3
EAST CLEVELAND	---	370	26	24	22
WHITE	---	234	-	-	1
ALL OTHER	---	136	26	24	21
NEGRO	---	134	26	24	21
EUCLID	---	666	20	20	10
FAIRVIEW PARK	---	208	4	2	1
GARFIELD HEIGHTS	---	374	12	8	7
LAKEWOOD	---	786	16	6	7
LYNDHURST	---	174	-	-	-
MAPLE HEIGHTS	---	296	2	-	9
MAYFIELD HEIGHTS	---	198	6	6	2
MIDDLEBURG HEIGHTS	---	96	2	2	-
NORTH OLMSTED	---	208	6	6	5
NORTH ROYALTON	---	90	2	-	-
PARMA	---	766	14	14	11
PARMA HEIGHTS	---	188	4	4	3
ROCKY RIVER	---	198	2	-	6
SEVEN HILLS	---	82	-	-	2
SHAKER HEIGHTS	---	432	6	4	5
WHITE	---	396	4	4	3
ALL OTHER	---	36	2	-	2
NEGRO	---	36	2	-	2
SOLON	---	80	-	-	-
SOUTH EUCLID	---	244	-	-	1
STRONGSVILLE	---	86	-	-	5
UNIVERSITY HEIGHTS	---	140	2	2	2
WARRENSVILLE HEIGHTS	---	134	10	10	6
WHITE	---	124	8	8	2
ALL OTHER	---	10	2	2	4
NEGRO	---	10	2	2	4
WESTLAKE	---	134	2	2	2
BALANCE OF COUNTY	---	924	22	20	18
DARKE	404	484	8	6	13
GREENVILLE	---	186	4	2	2
BALANCE OF COUNTY	---	298	4	4	11
DEFIANCE	388	372	16	8	4
DEFIANCE	---	150	4	-	-
BALANCE OF COUNTY	---	222	12	8	4
DELAWARE	362	372	10	6	10
DELAWARE	---	138	-	-	4
WESTERVILLE, PART	---	4	-	-	-
BALANCE OF COUNTY	---	230	10	6	6
ERIE	772	728	22	20	21
SANDUSKY	---	400	20	18	7
WHITE	---	348	10	10	7
ALL OTHER	---	52	10	8	-
NEGRO	---	52	10	8	-
BALANCE OF COUNTY	---	328	2	2	14
FAIRFIELD	662	742	8	8	15
LANCASTER	---	370	2	2	6
BALANCE OF COUNTY	---	372	6	6	9
FAYETTE	350	324	6	4	9
WASHINGTON	---	168	2	-	3
BALANCE OF COUNTY	---	156	4	4	6
FRANKLIN	7,930	6,930	274	192	156
WHITE	6,860	5,860	212	154	112
ALL OTHER	1,070	1,070	62	38	44
NEGRO	1,064	1,066	62	38	42
BEXLEY	---	134	-	-	-
COLUMBUS	---	5,038	196	132	109
WHITE	---	3,994	134	94	66
ALL OTHER	---	1,044	62	38	43
NEGRO	---	1,040	62	38	41
GAHANNA	---	58	2	2	1
GROVE CITY	---	76	2	2	2
REYNOLDSBURG, PART	---	82	14	14	3
REYNOLDSBURG, TOTAL	---	84	14	14	3
UPPER ARLINGTON	---	258	4	2	1
OHIO--CON.					
FRANKLIN--CON.					
WESTERVILLE, PART	---	80	-	-	2
WESTERVILLE, TOTAL	---	84	-	-	2
WHITEHALL	---	108	8	2	5
WORTHINGTON	---	86	4	2	2
BALANCE OF COUNTY	---	1,010	44	36	31
FULTON	238	328	10	6	8
GALLIA	490	300	12	8	4
GEAUGA	374	418	24	14	11
GREENE	632	704	34	28	22
FAIRBORN	---	146	8	8	7
XENIA	---	232	16	14	10
WHITE	---	184	10	8	9
ALL OTHER	---	48	6	6	1
NEGRO	---	48	6	6	1
BALANCE OF COUNTY	---	326	10	6	5
GUERNSEY	616	528	12	10	9
CAMBRIDGE	---	228	10	8	5
BALANCE OF COUNTY	---	300	2	2	4
HAMILTON	10,054	9,250	236	170	182
WHITE	8,392	7,598	150	118	129
ALL OTHER	1,662	1,652	86	52	53
NEGRO	1,658	1,646	86	52	53
CHEVIOT	---	158	4	4	2
CINCINNATI	---	5,074	156	104	111
WHITE	---	4,386	74	52	66
ALL OTHER	---	1,488	82	52	45
NEGRO	---	1,482	82	52	45
FOREST PARK	---	42	2	-	1
NORTH COLLEGE HILL	---	98	2	2	-
NORWOOD	---	350	-	-	7
READING	---	98	-	-	2
SHARONVILLE	---	46	-	-	-
BALANCE OF COUNTY	---	2,584	72	60	59
WHITE	---	2,424	68	60	52
ALL OTHER	---	160	4	-	7
NEGRO	---	160	4	-	7
HANCOCK	702	556	16	10	17
FINDLAY	---	352	10	8	7
FOSTORIA, PART	---	32	2	2	-
BALANCE OF COUNTY	---	172	4	-	10
HARDIN	348	370	10	6	7
HARRISON	188	220	6	2	5
HENRY	248	294	18	14	7
HIGHLAND	330	396	8	6	6
HOCKING	184	246	6	6	2
HOLMES	258	200	6	2	6
HURON	458	548	18	14	7
NORWALK	---	174	4	4	3
BALANCE OF COUNTY	---	374	14	10	4
JACKSON	204	316	12	8	3
JEFFERSON	980	1,146	32	24	14
STEUBENVILLE	---	454	12	10	8
WHITE	---	414	10	8	7
ALL OTHER	---	40	2	2	1
NEGRO	---	40	2	2	1
BALANCE OF COUNTY	---	692	20	14	6
KNOX	514	456	6	4	9
MOUNT VERNON	---	170	2	-	3
BALANCE OF COUNTY	---	286	4	4	6
LAKE	1,202	1,456	34	30	31
EASTLAKE	---	134	2	2	2
MENTOR	---	208	6	4	5
PAINESVILLE	---	182	4	4	3
WHITE	---	172	2	2	2
ALL OTHER	---	10	2	2	1
NEGRO	---	10	2	2	1
WICKLIFFE	---	122	-	-	5
WILLOUGHBY	---	184	4	2	2
WILLOWICK	---	144	-	-	3
BALANCE OF COUNTY	---	482	18	18	11
LAWRENCE	460	628	22	16	8
IRONTON	---	230	6	4	1
BALANCE OF COUNTY	---	398	16	12	7
LICKING	928	1,056	28	20	19
NEWARK	---	546	12	10	6
REYNOLDSBURG, PART	---	2	-	-	-
BALANCE OF COUNTY	---	508	16	10	13
LOGAN	338	454	24	14	13
BELLEFONTAINE	---	156	8	4	5
BALANCE OF COUNTY	---	298	16	10	8

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OHIO--CON.					
LORAIN	2,066	2,086	100	74	50
WHITE	1,912	1,938	78	54	37
ALL OTHER	154	148	22	20	13
NEGRO	152	146	22	20	13
AVON LAKE	---	92	-	-	2
ELYRIA	---	478	26	18	14
WHITE	---	428	20	12	10
ALL OTHER	---	50	6	6	4
NEGRO	---	50	6	6	4
LORAIN	---	738	54	40	20
WHITE	---	668	40	28	13
ALL OTHER	---	70	14	12	7
NEGRO	---	70	14	12	7
NORTH RIDGEVILLE	---	82	2	-	2
BALANCE OF COUNTY	---	696	18	16	12
LUCAS	5,858	5,166	182	128	95
WHITE	5,314	4,608	122	92	71
ALL OTHER	544	558	60	36	24
NEGRO	536	548	58	36	24
MAUMEE	---	104	8	6	3
OREGON	---	142	2	2	2
SYLVANIA	---	92	2	-	2
TOLEDO	---	4,342	150	106	80
WHITE	---	3,812	90	70	56
ALL OTHER	---	530	60	36	24
NEGRO	---	520	58	36	24
BALANCE OF COUNTY	---	486	20	14	8
MADISON	188	268	8	6	6
MAHONING	3,422	3,202	102	64	56
WHITE	3,014	2,786	70	46	37
ALL OTHER	408	416	32	18	19
NEGRO	406	414	32	18	19
ALLIANCE, PART	---	2	-	-	-
CAMPBELL	---	118	4	2	1
WHITE	---	98	4	2	1
ALL OTHER	---	20	-	-	-
NEGRO	---	20	-	-	-
STRUTHERS	---	110	2	-	5
YOUNGSTOWN, PART	---	1,810	60	40	30
WHITE	---	1,420	28	22	13
ALL OTHER	---	390	32	18	17
NEGRO	---	390	32	18	17
YOUNGSTOWN, TOTAL	---	1,816	60	40	30
WHITE	---	1,426	28	22	13
ALL OTHER	---	390	32	18	17
NEGRO	---	390	32	18	17
BALANCE OF COUNTY	---	1,162	36	22	20
MARION	626	642	22	16	23
MARION	---	430	10	6	13
BALANCE OF COUNTY	---	212	12	10	10
MEDINA	690	668	14	8	18
BRUNSWICK	---	114	2	-	3
MEDINA	---	126	8	4	4
WADSWORTH	---	112	2	2	6
BALANCE OF COUNTY	---	316	2	2	5
MEIGS	172	278	6	4	6
MERCER	238	326	2	2	14
MIAMI	752	764	14	12	16
PIQUA	---	246	10	10	4
TROY	---	166	-	-	5
BALANCE OF COUNTY	---	352	4	2	7
MONROE	66	168	-	-	5
MONTGOMERY	5,644	5,076	166	130	119
WHITE	4,796	4,262	124	100	81
ALL OTHER	848	814	42	30	38
NEGRO	844	810	40	28	36
CENTERVILLE	---	48	-	-	1
DAYTON	---	2,802	74	56	58
WHITE	---	2,064	40	30	26
ALL OTHER	---	738	34	26	32
NEGRO	---	738	34	26	32
KETTERING	---	426	8	6	8
MIAMISBURG	---	118	4	4	2
OAKWOOD	---	118	-	-	2
VANDALIA	---	54	2	2	1
WEST CARROLLTON	---	58	6	6	-
BALANCE OF COUNTY	---	1,452	72	56	47
MORGAN	126	146	4	4	3
MORROW	178	210	2	-	5
MUSKINGUM	1,202	936	30	18	16
ZANESVILLE	---	514	12	10	7
BALANCE OF COUNTY	---	422	18	8	9
NOBLE	56	160	2	-	-
OTTAWA	268	382	8	6	4
PAULDING	124	192	8	2	3
PERRY	110	322	14	8	3
PICKAWAY	256	390	8	4	4
CIRCLEVILLE	---	136	2	-	1
BALANCE OF COUNTY	---	254	6	4	3
OHIO--CON.					
PIKE	202	240	4	4	4
PORTAGE	684	816	34	16	23
KENT	---	168	12	10	4
RAVENNA	---	118	4	2	3
BALANCE OF COUNTY	---	530	18	4	16
PREBLE	160	356	6	4	2
PUTNAM	120	304	16	12	8
RICHLAND	1,124	1,146	28	18	21
MANSFIELD	---	696	18	14	16
WHITE	---	638	16	12	10
ALL OTHER	---	58	2	2	6
NEGRO	---	58	2	2	6
BALANCE OF COUNTY	---	450	10	4	5
ROSS	778	634	18	12	12
CHILLICOTHE	---	322	12	8	6
BALANCE OF COUNTY	---	312	6	4	6
SANDUSKY	582	592	26	20	15
FREMONT	---	226	12	8	5
BALANCE OF COUNTY	---	366	14	12	10
SCIOTO	916	924	30	14	15
PORTSMOUTH	---	454	4	2	5
BALANCE OF COUNTY	---	470	26	12	10
SENECA	490	686	26	24	9
FOSTORIA, PART	---	184	6	6	-
FOSTORIA, TOTAL	---	226	8	8	-
TIFFIN	---	256	6	6	5
BALANCE OF COUNTY	---	246	14	12	4
SHELBY	234	312	6	4	8
SIDNEY	---	148	4	4	5
BALANCE OF COUNTY	---	164	2	-	3
STARK	3,888	3,578	94	66	56
WHITE	3,628	3,324	66	50	47
ALL OTHER	260	254	28	16	9
NEGRO	256	250	26	16	8
ALLIANCE, PART	---	318	8	6	6
WHITE	---	294	4	4	3
ALL OTHER	---	24	4	2	3
NEGRO	---	22	2	2	3
ALLIANCE, TOTAL	---	320	8	6	6
WHITE	---	296	4	4	3
ALL OTHER	---	24	4	2	3
NEGRO	---	22	2	2	3
CANTON	---	1,338	42	28	23
WHITE	---	1,178	24	18	18
ALL OTHER	---	160	18	10	5
NEGRO	---	160	18	10	5
MASSILLON	---	380	12	8	1
NORTH CANTON	---	122	4	4	2
BALANCE OF COUNTY	---	1,420	28	20	24
SUMMIT	4,748	4,930	126	96	81
WHITE	4,308	4,478	88	66	65
ALL OTHER	440	452	38	30	16
NEGRO	438	450	38	30	16
AKRON	---	2,982	88	64	49
WHITE	---	2,554	52	36	33
ALL OTHER	---	428	36	28	16
NEGRO	---	426	36	28	16
BARBERTON	---	314	-	-	2
CUYAHOGA FALLS	---	392	2	2	5
NORTON	---	46	-	-	-
STOW	---	100	6	2	2
TALLMADGE	---	82	2	2	1
BALANCE OF COUNTY	---	1,014	28	26	22
TRUMBULL	1,622	2,036	66	52	47
WHITE	1,504	1,902	56	44	36
ALL OTHER	118	134	10	8	11
NEGRO	118	134	10	8	11
GIRARD	---	130	-	-	-
NILES	---	252	10	8	6
WARREN	---	692	22	18	18
WHITE	---	592	14	12	8
ALL OTHER	---	100	8	6	10
NEGRO	---	100	8	6	10
YOUNGSTOWN, PART	---	6	-	-	-
WHITE	---	6	-	-	-
ALL OTHER	---	-	-	-	-
NEGRO	---	-	-	-	-
BALANCE OF COUNTY	---	956	34	26	23
TUSCARAWAS	804	832	24	20	13
DOVER	---	116	4	4	4
NEW PHILADELPHIA	---	180	2	2	2
BALANCE OF COUNTY	---	536	18	14	7
UNION	222	260	-	-	6
VAN WERT	296	344	10	8	10
VAN WERT	---	146	8	6	4
BALANCE OF COUNTY	---	198	2	2	6

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OHIO—CON.					
VINTON	56	122	4	4	-
WARREN	214	506	22	20	20
FRANKLIN	---	68	8	6	4
BALANCE OF COUNTY	---	438	14	14	16
WASHINGTON	642	636	26	24	10
MARIETTA	---	230	4	4	4
BALANCE OF COUNTY	---	406	22	20	6
WAYNE	628	716	26	20	21
WOOSTER	---	184	4	4	1
BALANCE OF COUNTY	---	532	22	16	20
WILLIAMS	320	368	16	10	5
WOOD	396	696	24	18	15
BOWLING GREEN	---	116	2	2	2
FOSTORIA, PART	---	10	-	-	-
BALANCE OF COUNTY	---	570	22	16	13
WYANDOT	204	216	-	-	2
OKLAHOMA	26,212	26,936	808	572	487
WHITE	23,672	24,362	640	470	373
ALL OTHER	2,540	2,574	168	102	114
NEGRO	1,820	1,832	136	86	63
ADAIR	130	188	8	6	1
WHITE	102	140	4	4	-
ALL OTHER	28	48	4	2	1
NEGRO	-	-	-	-	-
ALFALFA	76	114	-	-	-
ATOKA	102	114	-	-	2
WHITE	88	98	-	-	2
ALL OTHER	14	16	-	-	-
NEGRO	12	12	-	-	-
BEAVER	44	62	-	-	-
BECKHAM	278	256	8	4	4
BLAINE	168	184	2	2	5
WHITE	152	156	2	2	3
ALL OTHER	16	28	-	-	2
NEGRO	10	14	-	-	-
BRYAN	318	390	10	8	-
DURANT	---	194	6	4	-
BALANCE OF COUNTY	---	196	4	4	-
CADDO	234	374	12	4	7
WHITE	214	324	6	4	3
ALL OTHER	20	50	6	-	4
NEGRO	4	6	2	-	-
CANADIAN	222	320	12	8	6
EL RENO	---	210	6	4	4
WHITE	---	184	6	4	2
ALL OTHER	---	26	-	-	2
NEGRO	---	24	-	-	1
OKLAHOMA CITY, PART	---	6	-	-	-
BALANCE OF COUNTY	---	104	6	4	2
CARTER	484	468	10	4	9
WHITE	442	408	8	4	9
ALL OTHER	42	60	2	-	-
NEGRO	30	44	-	-	-
ARDMORE	---	312	8	4	5
WHITE	---	276	6	4	5
ALL OTHER	---	36	2	-	-
NEGRO	---	24	-	-	-
BALANCE OF COUNTY	---	156	2	-	4
WHITE	---	132	2	-	4
ALL OTHER	---	24	-	-	-
NEGRO	---	20	-	-	-
CHEROKEE	214	210	-	-	6
WHITE	144	180	-	-	1
ALL OTHER	70	30	-	-	5
NEGRO	10	6	-	-	-
CHOCTAW	202	258	4	2	6
WHITE	148	198	4	2	5
ALL OTHER	54	60	-	-	1
NEGRO	38	42	-	-	1
CIMARRON	30	34	-	-	-
CLEVELAND	568	496	16	12	9
MOORE	---	78	4	4	3
NORMAN	---	304	8	6	4
OKLAHOMA CITY, PART	---	10	2	-	-
BALANCE OF COUNTY	---	104	2	2	2
COAL	66	80	-	-	2

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OKLAHOMA—CON.					
COMANCHE	628	610	54	44	19
WHITE	540	544	38	30	14
ALL OTHER	88	66	16	14	5
NEGRO	46	48	14	12	-
LAWTON	---	450	46	38	16
WHITE	---	402	36	28	12
ALL OTHER	---	48	10	10	4
NEGRO	---	42	10	10	-
BALANCE OF COUNTY	---	160	8	6	3
WHITE	---	142	2	2	2
ALL OTHER	---	18	6	4	1
NEGRO	---	6	4	2	-
COTTON	32	70	2	2	1
CRAIG	276	260	6	6	1
WHITE	268	256	6	6	-
ALL OTHER	8	4	-	-	1
NEGRO	8	4	-	-	1
CREEK	494	566	18	14	13
SAPULPA	---	200	6	2	4
WHITE	---	188	6	2	3
ALL OTHER	---	12	-	-	1
NEGRO	---	6	-	-	1
BALANCE OF COUNTY	---	366	12	12	9
CUSTER	290	222	2	2	1
DELAWARE	198	270	16	8	4
WHITE	180	230	12	6	2
ALL OTHER	18	40	4	2	2
NEGRO	-	-	-	-	-
DEWEY	44	84	2	2	-
ELLIS	94	60	-	-	-
GARFIELD	752	592	14	8	11
ENID	---	492	14	8	8
BALANCE OF COUNTY	---	100	-	-	3
GARVIN	316	332	4	2	3
GRADY	294	388	6	2	6
CHICKASHA	---	194	4	2	2
WHITE	---	184	4	2	2
ALL OTHER	---	10	-	-	-
NEGRO	---	8	-	-	-
BALANCE OF COUNTY	---	194	2	-	4
GRANT	40	92	-	-	1
GREER	112	126	4	4	2
HARMON	62	68	2	-	1
HARPER	52	52	-	-	3
HASKELL	88	122	4	2	3
HUGHES	240	236	6	-	-
WHITE	202	204	4	-	-
ALL OTHER	38	32	2	-	-
NEGRO	8	4	-	-	-
JACKSON	234	274	12	10	9
ALTUS	---	194	6	4	7
WHITE	---	178	6	4	6
ALL OTHER	---	16	-	-	1
NEGRO	---	16	-	-	1
BALANCE OF COUNTY	---	80	6	6	2
JEFFERSON	76	132	4	4	1
JOHNSTON	106	138	8	8	3
WHITE	102	130	8	8	2
ALL OTHER	4	8	-	-	1
NEGRO	2	4	-	-	1
KAY	586	584	12	10	4
PONCA CITY	---	316	8	6	4
BALANCE OF COUNTY	---	268	4	4	-
KINGFISHER	116	130	-	-	2
KIOWA	154	198	-	-	4
LATIMER	128	92	-	-	1
LE FLORE	260	384	14	4	6
LINCOLN	208	262	2	2	-
LOGAN	214	262	6	6	5
WHITE	194	238	6	6	1
ALL OTHER	20	24	-	-	4
NEGRO	20	24	-	-	4
LOVE	46	78	-	-	2
MC CLAIN	128	158	4	2	4
OKLAHOMA CITY, PART	---	-	-	-	-
BALANCE OF COUNTY	---	158	4	2	4
MC CURTAIN	246	332	12	6	7
WHITE	186	260	8	6	4
ALL OTHER	60	72	4	-	3
NEGRO	44	48	4	-	1
MC INTOSH	104	184	-	-	1
WHITE	74	134	-	-	-
ALL OTHER	30	50	-	-	1
NEGRO	20	38	-	-	1

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OKLAHOMA--CON.					
MAJOR	62	100	4	4	3
MARSHALL	100	108	2	2	-
MAYES	228	288	8	4	2
WHITE	222	274	8	4	1
ALL OTHER	6	14	-	-	1
NEGRO	-	2	-	-	-
MURRAY	172	160	4	-	2
MUSKOGEE	998	792	20	16	9
WHITE	810	634	16	12	7
ALL OTHER	188	158	4	4	2
NEGRO	170	148	4	4	2
MUSKOGEE	---	576	14	12	7
WHITE	---	456	10	8	5
ALL OTHER	---	120	4	4	2
NEGRO	---	112	4	4	2
BALANCE OF COUNTY	---	216	6	4	2
WHITE	---	178	6	4	2
ALL OTHER	---	38	-	-	-
NEGRO	---	36	-	-	-
NOBLE	74	102	-	-	-
NOWATA	112	146	-	-	1
WHITE	96	128	-	-	1
ALL OTHER	16	18	-	-	-
NEGRO	10	12	-	-	-
OKFUSKEE	108	172	4	4	1
WHITE	84	132	2	2	1
ALL OTHER	24	40	2	2	-
NEGRO	16	30	2	2	-
OKLAHOMA	5,478	4,540	200	146	130
WHITE	4,858	4,024	142	110	96
ALL OTHER	620	516	58	36	34
NEGRO	532	474	58	36	22
BETHANY	---	92	2	-	1
DEL CITY	---	108	-	-	8
EDMOND	---	108	8	6	2
MIDWEST CITY	---	224	6	4	13
OKLAHOMA CITY, PART	---	3,722	176	130	95
WHITE	---	3,268	120	96	68
ALL OTHER	---	454	56	34	27
NEGRO	---	416	56	34	20
OKLAHOMA CITY, TOTAL	---	3,738	178	130	95
WHITE	---	3,284	122	96	68
ALL OTHER	---	454	56	34	27
NEGRO	---	416	56	34	20
THE VILLAGE	---	2	-	-	-
BALANCE OF COUNTY	---	284	8	6	11
OKMULGEE	372	472	14	8	5
WHITE	314	388	6	4	3
ALL OTHER	58	84	8	4	2
NEGRO	50	68	8	4	1
OKMULGEE	---	234	8	6	3
WHITE	---	180	2	2	1
ALL OTHER	---	54	6	4	2
NEGRO	---	48	6	4	1
BALANCE OF COUNTY	---	238	6	2	2
WHITE	---	208	4	2	2
ALL OTHER	---	30	2	-	-
NEGRO	---	20	2	-	-
OSAGE	196	308	-	-	4
WHITE	184	280	-	-	4
ALL OTHER	12	28	-	-	-
NEGRO	2	6	-	-	-
BARTLESVILLE, PART	---	-	-	-	-
WHITE	---	-	-	-	-
ALL OTHER	---	-	-	-	-
NEGRO	---	-	-	-	-
TULSA, PART	---	2	-	-	1
WHITE	---	2	-	-	1
ALL OTHER	---	-	-	-	-
NEGRO	---	-	-	-	-
BALANCE OF COUNTY	---	306	-	-	3
WHITE	---	278	-	-	3
ALL OTHER	---	28	-	-	-
NEGRO	---	6	-	-	-
OTTAWA	316	386	18	18	3
MIAMI	---	160	10	10	1
BALANCE OF COUNTY	---	226	8	8	2
PAWNEE	128	160	2	-	2
PAYNE	432	456	16	12	5
STILLWATER	---	194	10	8	3
BALANCE OF COUNTY	---	262	6	4	2

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OKLAHOMA--CON.					
PITTSBURG	530	522	6	4	9
WHITE	480	470	4	4	9
ALL OTHER	50	52	2	-	-
NEGRO	40	38	2	-	-
MC ALESTER	---	246	6	4	4
WHITE	---	214	4	4	4
ALL OTHER	---	32	2	-	-
NEGRO	---	24	2	-	-
BALANCE OF COUNTY	---	276	-	-	5
PONTOTOC	368	350	6	4	-
ADA	---	216	2	2	-
BALANCE OF COUNTY	---	134	4	2	-
POTTAWATOMIE	558	620	14	10	5
OKLAHOMA CITY, PART	---	-	-	-	-
SHAWNEE	---	398	12	8	2
BALANCE OF COUNTY	---	222	2	2	3
PUSHMATAHA	140	154	4	4	1
ROGER MILLS	22	46	-	-	2
ROGERS	258	254	8	6	5
SEMINOLE	288	374	6	2	9
WHITE	236	308	2	-	6
ALL OTHER	52	66	4	2	3
NEGRO	24	32	2	-	2
SEQUOYAH	148	238	4	4	6
WHITE	118	194	-	-	5
ALL OTHER	30	44	4	4	1
NEGRO	14	18	2	2	1
STEPHENS	418	452	10	6	5
DUNCAN	---	236	2	2	3
BALANCE OF COUNTY	---	216	8	4	2
TEXAS	56	132	-	-	2
TILLMAN	118	156	2	-	3
WHITE	102	134	2	-	3
ALL OTHER	16	22	-	-	-
NEGRO	16	22	-	-	-
TULSA	3,832	3,488	124	96	79
WHITE	3,408	3,088	98	84	56
ALL OTHER	424	400	26	12	23
NEGRO	384	366	22	10	18
BROKEN ARROW	---	102	4	4	3
SAND SPRINGS	---	122	2	2	1
TULSA, PART	---	2,952	106	82	69
WHITE	---	2,584	82	70	46
ALL OTHER	---	368	24	12	23
NEGRO	---	350	22	10	18
TULSA, TOTAL	---	2,954	106	82	70
WHITE	---	2,586	82	70	47
ALL OTHER	---	368	24	12	23
NEGRO	---	350	22	10	18
BALANCE OF COUNTY	---	312	12	8	6
WAGONER	124	234	8	6	5
WHITE	110	200	8	6	5
ALL OTHER	14	34	-	-	-
NEGRO	12	24	-	-	-
WASHINGTON	424	408	14	14	5
BARTLESVILLE, PART	---	270	10	10	3
BARTLESVILLE, TOTAL	---	270	10	10	3
BALANCE OF COUNTY	---	138	4	4	2
WASHITA	68	122	2	2	3
WOODS	114	146	10	2	3
WOODWARD	176	144	2	-	3
OREGON	20,192	20,158	520	334	415
WHITE	19,748	19,712	488	320	391
ALL OTHER	444	446	32	14	24
NEGRO	262	262	20	10	15
BAKER	174	178	8	2	2
BENTON	312	304	8	6	3
ALBANY, PART	---	4	-	-	-
CORVALLIS	---	170	6	4	1
BALANCE OF COUNTY	---	130	2	2	2
CLACKAMAS	1,078	1,394	46	34	36
LAKE OSWEGO, PART	---	116	2	2	4
LAKE OSWEGO, TOTAL	---	118	2	2	4
MILWAUKEE, PART	---	210	4	4	5
MILWAUKEE, TOTAL	---	218	4	4	5
PORTLAND, PART	---	32	6	2	-
BALANCE OF COUNTY	---	1,036	34	26	27
CLATSOP	336	380	4	4	3
ASTORIA	---	152	2	2	-
BALANCE OF COUNTY	---	228	2	2	3
COLUMBIA	166	264	16	10	5
COOS	452	488	18	16	20
COOS BAY	---	112	8	6	3
BALANCE OF COUNTY	---	376	10	10	17
CROOK	126	126	2	-	3

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OREGON--CON.					
CURRY	86	108	2	2	3
DESCHUTES	354	306	4	2	5
BEND	---	156	2	-	1
BALANCE OF COUNTY	---	150	2	2	4
DOUGLAS	648	594	12	4	15
ROSEBURG	---	204	-	-	3
BALANCE OF COUNTY	---	390	12	4	12
GILLIAM	16	20	2	-	-
GRANT	66	70	4	2	5
HARNEY	62	54	2	-	1
HOOD RIVER	134	146	2	2	3
JACKSON	978	990	22	10	17
ASHLAND	---	138	4	4	-
MEDFORD	---	404	10	2	8
BALANCE OF COUNTY	---	448	8	4	9
JEFFERSON	50	68	2	2	6
WHITE	40	56	2	2	3
ALL OTHER	10	12	-	-	3
NEGRO	2	2	-	-	-
JOSEPHINE	476	504	10	8	11
GRANTS PASS	---	228	-	-	2
BALANCE OF COUNTY	---	276	10	8	9
KLAMATH	448	444	22	14	9
KLAMATH FALLS	---	214	14	10	3
BALANCE OF COUNTY	---	230	8	4	6
LAKE	52	64	2	2	-
LANE	1,612	1,628	58	38	26
EUGENE	---	646	18	12	9
SPRINGFIELD	---	278	22	16	1
BALANCE OF COUNTY	---	704	18	10	16
LINCOLN	216	272	8	4	6
LINN	564	654	20	12	10
ALBANY, PART	---	166	8	4	3
ALBANY, TOTAL	---	170	8	4	3
BALANCE OF COUNTY	---	488	12	8	7
MALHEUR	244	218	12	8	11
MARION	1,530	1,456	42	28	23
SALEM, PART	---	752	20	10	7
SALEM, TOTAL	---	818	20	10	7
BALANCE OF COUNTY	---	704	22	18	16
MORROW	24	40	-	-	-
MULTNOMAH	7,098	6,392	108	70	110
WHITE	6,820	6,098	84	58	94
ALL OTHER	278	294	24	12	16
NEGRO	200	222	20	10	14
LAKE OSWEGO, PART	---	-	-	-	-
MILWAUKEE, PART	---	8	-	-	-
PORTLAND, PART	---	5,200	88	58	82
WHITE	---	4,932	66	46	66
ALL OTHER	---	268	22	12	16
NEGRO	---	210	20	10	14
PORTLAND, TOTAL	---	5,260	96	60	82
WHITE	---	4,992	74	48	66
ALL OTHER	---	268	22	12	16
NEGRO	---	210	20	10	14
BALANCE OF COUNTY	---	1,184	20	12	28
POLK	212	336	10	8	11
SALEM, PART	---	66	-	-	-
BALANCE OF COUNTY	---	270	10	8	11
SHERMAN	6	26	2	2	-
TILLAMOOK	200	230	4	-	6
UMATILLA	446	482	14	8	11
PENDLETON	---	128	-	-	2
BALANCE OF COUNTY	---	354	14	8	9
UNION	194	210	-	-	4
WALLOWA	50	64	-	-	1
WASCO	252	228	6	4	5
CITY OF THE DALLES	---	134	2	2	2
BALANCE OF COUNTY	---	94	4	2	3
WASHINGTON	1,134	1,028	44	30	35
BEAVERTON	---	152	10	6	7
HILLSBORO	---	140	2	2	7
LAKE OSWEGO, PART	---	2	-	-	-
PORTLAND, PART	---	28	2	-	-
BALANCE OF COUNTY	---	706	30	22	21
WHEELER	6	18	-	-	-
YAMHILL	390	374	4	2	9
MC MINNVILLE	---	94	-	-	1
BALANCE OF COUNTY	---	280	4	2	8

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
PENNSYLVANIA	127,148	127,564	2,866	2,174	2,519
WHITE	115,270	115,698	2,250	1,740	1,865
ALL OTHER	11,878	11,866	616	434	654
NEGRO	11,774	11,784	606	428	644
ADAMS	456	598	12	6	10
ALLEGHENY	18,608	17,580	304	228	296
WHITE	16,838	15,846	194	150	210
ALL OTHER	1,770	1,734	110	78	86
NEGRO	1,758	1,722	108	76	84
BALDWIN	---	152	-	-	2
BELLEVUE	---	180	-	-	-
BETHEL PARK	---	168	-	-	2
BRENTWOOD	---	136	-	-	-
CARNEGIE	---	152	4	2	5
CASTLE SHANNON	---	96	2	2	1
CLAIRTON	---	184	4	4	4
WHITE	---	126	-	-	7
ALL OTHER	---	58	4	4	2
NEGRO	---	58	4	4	2
DORMONT	---	144	2	2	-
DUQUESNE	---	182	4	2	3
WHITE	---	158	2	-	3
ALL OTHER	---	24	2	2	-
NEGRO	---	24	2	2	-
HARRISON TWP#	---	178	-	-	3
MC KEES ROCKS	---	186	4	4	4
MC KEESPORT	---	578	10	8	13
WHITE	---	526	4	4	9
ALL OTHER	---	52	6	4	4
NEGRO	---	52	6	4	4
MONROEVILLE	---	134	8	6	2
MOUNT LEBANON TWP#	---	372	2	2	-
MUNHALL	---	200	-	-	4
NORTH BRADDOCK	---	124	2	-	1
WHITE	---	112	2	-	1
ALL OTHER	---	12	-	-	-
NEGRO	---	12	-	-	-
NORTH VERSAILLE TWP#	---	108	2	2	2
PENN HILLS TWP#	---	388	-	-	-
PITTSBURGH	---	7,162	146	110	154
WHITE	---	5,884	70	60	87
ALL OTHER	---	1,278	76	50	67
NEGRO	---	1,270	74	48	66
PLEASANT HILLS	---	46	2	2	1
PLUM	---	90	2	2	1
ROSS TWP#	---	250	2	-	-
SCOTT TWP#	---	230	4	-	1
SHALER TWP#	---	264	2	2	4
STOWE TWP#	---	148	-	-	-
SWISSVALE	---	196	2	-	-
UPPER ST. CLAIR TWP#	---	54	-	-	-
WEST MIFFLIN	---	220	2	2	1
WHITEHALL	---	128	-	-	3
WILKINSBURG	---	392	6	4	1
WHITE	---	364	4	4	1
ALL OTHER	---	28	2	-	-
NEGRO	---	26	2	-	-
BALANCE OF COUNTY	---	4,738	92	72	79
WHITE	---	4,536	76	58	69
ALL OTHER	---	202	16	14	10
NEGRO	---	200	16	14	9
ARMSTRONG	620	854	10	8	25
BEAVER	1,662	2,010	60	48	35
WHITE	1,578	1,888	54	44	30
ALL OTHER	84	122	6	4	5
NEGRO	84	122	6	4	5
ALIQUIPPA	---	296	12	8	8
WHITE	---	234	10	8	4
ALL OTHER	---	62	2	-	4
NEGRO	---	62	2	-	4
AMBRIDGE	---	176	4	4	2
BEAVER FALLS	---	206	2	-	-
WHITE	---	182	2	-	-
ALL OTHER	---	24	-	-	-
NEGRO	---	24	-	-	-
ELLWOOD CITY, PART	---	12	-	-	2
BALANCE OF COUNTY	---	1,320	42	36	23
BEDFORD	328	450	14	12	17
BERKS	3,086	3,208	70	50	48
READING	---	1,352	26	16	17
BALANCE OF COUNTY	---	1,856	44	34	31
BLAIR	1,966	1,724	34	26	25
ALTOONA	---	920	12	10	11
BALANCE OF COUNTY	---	804	22	16	14
BRADFORD	732	620	20	16	9

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
PENNSYLVANIA--CON.					
BUCKS	2,622	2,874	106	78	67
BENSALEM TWP#	---	182	6	2	-
BRISTOL	---	136	10	6	6
BRISTOL TWP#	---	286	18	12	2
FALLS TWP#	---	140	4	4	2
LOWER SOUTHAMPTON TWP#	---	68	2	2	-
MIDDLETOWN TWP#	---	124	2	2	-
MORRISVILLE	---	106	2	2	2
UPPER SOUTHAMPTON TWP#	---	54	2	-	-
WARMINSTER TWP#	---	118	4	2	5
BALANCE OF COUNTY	---	1,660	56	46	50
BUTLER	1,168	1,250	34	26	22
BUTLER	---	302	8	6	4
BALANCE OF COUNTY	---	948	26	20	18
CAMBRIA	2,112	2,172	68	52	38
JOHNSTOWN	---	748	26	20	7
BALANCE OF COUNTY	---	1,424	42	32	31
CAMERON	32	62	2	2	1
CARBON	500	652	8	6	11
CENTRE	724	634	28	26	20
STATE COLLEGE	---	108	2	2	8
BALANCE OF COUNTY	---	526	26	24	12
CHESTER	2,110	2,170	64	48	57
WHITE	1,928	1,976	56	44	44
ALL OTHER	182	194	8	4	13
NEGRO	182	192	8	4	13
COATESVILLE	---	180	8	4	12
WHITE	---	136	6	4	4
ALL OTHER	---	44	2	-	8
NEGRO	---	44	2	-	8
PHOENIXVILLE	---	158	4	4	2
WEST CHESTER	---	178	2	2	9
WHITE	---	146	2	2	6
ALL OTHER	---	32	-	-	3
NEGRO	---	30	-	-	3
BALANCE OF COUNTY	---	1,654	50	38	34
WHITE	---	1,542	44	34	32
ALL OTHER	---	112	6	4	2
NEGRO	---	112	6	4	2
CLARION	224	380	10	6	8
CLEARFIELD	738	878	24	20	22
DU BOIS	---	104	4	4	1
BALANCE OF COUNTY	---	774	20	16	21
CLINTON	396	446	6	4	9
LOCK HAVEN	---	170	-	-	4
BALANCE OF COUNTY	---	276	6	4	5
COLUMBIA	652	696	14	12	13
BERWICK	---	164	4	4	6
BLOOMSBURG	---	158	2	2	4
BALANCE OF COUNTY	---	374	8	6	3
CRAWFORD	918	932	18	10	25
MEADVILLE	---	234	2	-	10
BALANCE OF COUNTY	---	698	16	10	15
CUMBERLAND	1,236	1,334	24	20	24
CARLISLE	---	214	6	4	3
BALANCE OF COUNTY	---	1,120	18	16	21
DAUPHIN	3,102	2,530	54	44	49
WHITE	2,804	2,224	34	28	39
ALL OTHER	298	306	20	16	10
NEGRO	296	306	20	16	9
HARRISBURG	---	1,106	30	24	34
WHITE	---	858	12	10	24
ALL OTHER	---	248	18	14	10
NEGRO	---	248	18	14	9
LOWER PAXTON TWP#	---	138	4	4	-
BALANCE OF COUNTY	---	1,286	20	16	15
DELAWARE	5,254	5,654	138	114	106
WHITE	4,712	5,072	96	80	80
ALL OTHER	542	582	42	34	26
NEGRO	536	576	42	34	26
ASTON TWP#	---	84	2	-	1
CHESTER	---	668	30	22	20
WHITE	---	394	4	4	6
ALL OTHER	---	274	26	18	14
NEGRO	---	272	26	18	14
COLLINGDALE	---	88	-	-	2
DARBY	---	180	8	6	2
WHITE	---	154	6	4	2
ALL OTHER	---	26	2	2	-
NEGRO	---	26	2	2	-
DARBY TWP#	---	40	2	2	-
WHITE	---	8	-	-	-
ALL OTHER	---	32	2	2	-
NEGRO	---	32	2	2	-
DELAWARE--CON.					
HAVERFORD TWP#	---	500	6	6	2
LANSDOWNE	---	186	-	-	1
MARPLE TWP#	---	162	2	2	-
NETHER PROVIDENCE TWP#	---	68	2	2	-
RADNOR TWP#	---	172	-	-	-
RIDLEY TWP#	---	164	2	-	-
SPRINGFIELD TWP#	---	230	4	2	4
UPPER CHICHESTER TWP#	---	44	-	-	-
UPPER DARBY TWP#	---	938	14	14	14
YEADON	---	142	4	4	3
WHITE	---	128	2	2	2
ALL OTHER	---	14	2	2	1
NEGRO	---	14	2	2	1
BALANCE OF COUNTY	---	1,988	62	54	57
ELK	382	400	14	14	10
ERIE	2,862	2,702	84	70	56
ERIE	---	1,480	50	38	35
MILLCREEK TWP#	---	244	6	4	2
BALANCE OF COUNTY	---	978	28	28	19
FAYETTE	1,782	1,978	42	28	47
CONNELLSVILLE	---	174	4	4	4
UNIONTOWN	---	284	6	4	7
BALANCE OF COUNTY	---	1,520	32	20	36
FOREST	20	66	-	-	2
FRANKLIN	880	936	16	14	33
CHAMBERSBURG	---	254	4	4	4
WAYNESBORO	---	108	2	2	1
BALANCE OF COUNTY	---	574	10	8	28
FULTON	104	118	6	6	4
GREENE	418	494	16	12	6
HUNTINGDON	370	444	8	8	10
INDIANA	638	800	8	6	18
INDIANA	---	138	-	-	2
BALANCE OF COUNTY	---	662	8	6	16
JEFFERSON	512	550	20	16	6
JUNIATA	118	180	2	-	5
LACKAWANNA	3,354	3,190	76	52	37
CARBONDALE	---	188	2	2	3
DUNMORE	---	222	12	-	2
SCRANTON	---	1,582	38	30	19
BALANCE OF COUNTY	---	1,198	24	20	13
LANCASTER	3,046	2,994	76	60	61
COLUMBIA	---	142	2	2	4
LANCASTER	---	748	32	28	14
LANCASTER TWP#	---	130	2	2	-
BALANCE OF COUNTY	---	1,974	40	28	43
LAWRENCE	1,196	1,188	24	22	11
ELLWOOD CITY, PART	---	120	4	2	-
ELLWOOD CITY, TOTAL	---	132	4	2	2
NEW CASTLE	---	568	14	14	4
BALANCE OF COUNTY	---	500	6	6	7
LEBANON	1,068	1,056	22	12	29
LEBANON	---	352	12	4	9
BALANCE OF COUNTY	---	704	10	8	20
LEHIGH	3,546	2,656	42	32	35
ALLENTOWN	---	1,372	20	14	15
BETHLEHEM, PART	---	182	2	2	1
EMMAUS	---	94	2	2	2
BALANCE OF COUNTY	---	1,008	18	14	17
LUZERNE	4,606	4,600	64	48	53
HAZLETON	---	390	8	4	3
KINGSTON	---	298	2	2	5
NANTICOKE	---	216	2	2	2
PITTSTON	---	146	2	2	1
WILKES-BARRE	---	966	16	14	19
BALANCE OF COUNTY	---	2,584	34	24	23
LYCOMING	1,336	1,294	52	30	18
WILLIAMSPORT	---	472	28	16	3
BALANCE OF COUNTY	---	822	24	14	15
MC KEAN	540	600	6	6	8
BRADFORD	---	192	2	2	-
BALANCE OF COUNTY	---	408	4	4	8
MERCER	1,454	1,382	38	34	26
FARRELL	---	154	6	6	3
WHITE	---	124	4	4	2
ALL OTHER	---	30	2	2	1
NEGRO	---	30	2	2	1
SHARON	---	308	-	-	4
BALANCE OF COUNTY	---	920	32	28	19
MIFFLIN	550	506	8	6	6
LEWISTOWN	---	174	-	-	1
BALANCE OF COUNTY	---	332	8	6	5
MONROE	572	510	-	-	12

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
PENNSYLVANIA--CON.					
MONTGOMERY	6,552	5,764	132	100	105
WHITE	6,130	5,480	128	98	87
ALL OTHER	422	284	4	2	18
NEGRO	416	282	4	2	17
ABINGTON TWP#	---	556	12	12	1
CHELTENHAM TWP#	---	450	2	2	4
CONSHOHOCKEN	---	114	4	4	3
EAST NORRITON TWP#	---	78	-	-	2
LANSDALE	---	212	6	4	3
LOWER MERION TWP#	---	578	4	4	2
LOWER MORELAND TWP#	---	38	-	-	-
NORRISTOWN	---	504	16	10	16
WHITE	---	442	14	10	12
ALL OTHER	---	62	2	-	4
NEGRO	---	62	2	-	4
PLYMOUTH TWP#	---	98	-	-	-
POTTSTOWN	---	266	6	6	12
SPRINGFIELD TWP#	---	190	2	-	-
UPPER MORELAND TWP#	---	130	2	2	-
WEST NORRITON TWP#	---	34	-	-	-
BALANCE OF COUNTY	---	2,516	78	56	62
MONTOUR	756	192	4	4	2
NORTHAMPTON	1,298	2,230	42	26	38
BETHLEHEM, PART	---	584	12	6	11
BETHLEHEM, TOTAL	---	766	14	8	12
EASTON	---	378	8	6	9
BALANCE OF COUNTY	---	1,268	22	14	18
NORTHUMBERLAND	914	1,282	20	14	19
SHAMOKIN	---	208	-	-	-
SUNBURY	---	208	2	2	3
BALANCE OF COUNTY	---	866	18	12	16
PERRY	146	302	8	8	2
PHILADELPHIA, COEX. WITH PHILADELPHIA CITY	24,382	24,096	588	426	629
WHITE	17,032	16,648	240	180	200
ALL OTHER	7,350	7,448	348	246	429
NEGRO	7,296	7,402	340	242	427
PIKE	68	178	4	4	4
POTTER	162	182	-	-	3
SCHUYLKILL	2,260	2,360	42	32	35
POTTSVILLE	---	306	-	-	8
BALANCE OF COUNTY	---	2,054	42	32	27
SNYDER	198	278	14	12	6
SOMERSET	760	888	20	16	17
SULLIVAN	58	74	-	-	2
SUSQUEHANNA	358	418	10	8	5
TIOGA	378	420	10	2	4
UNION	368	272	8	8	7
VENANGO	672	694	14	14	16
OIL CITY	---	226	2	2	5
BALANCE OF COUNTY	---	468	12	12	11
WARREN	538	512	6	4	11
WARREN	---	158	4	4	1
BALANCE OF COUNTY	---	354	2	-	10
WASHINGTON	2,224	2,250	56	48	42
CANONSBURG	---	158	4	2	9
WASHINGTON	---	336	18	16	7
WHITE	---	302	14	12	7
ALL OTHER	---	34	4	4	-
NEGRO	---	34	4	4	-
BALANCE OF COUNTY	---	1,756	34	30	26
WAYNE	362	382	-	-	10
WESTMORELAND	3,316	3,570	80	60	81
GREENSBURG	---	220	2	2	9
HEMPFIELD TWP#	---	210	6	4	-
JEANNETTE	---	200	4	2	5
LATROBE	---	136	2	2	2
LOWER BURRELL	---	84	4	4	-
MONESSEN	---	162	-	-	4
NEW KENSINGTON	---	266	12	10	4
NORTH HUNTINGTON TWP#	---	144	4	-	1
BALANCE OF COUNTY	---	2,148	46	36	56
WYOMING	228	238	4	4	4
YORK	2,550	2,630	58	46	47
HANOVER	---	214	6	4	3
SPRING GARDEN TWP#	---	88	-	-	2
YORK	---	746	24	22	16
WHITE	---	666	20	18	14
ALL OTHER	---	80	4	4	2
NEGRO	---	80	4	4	2
BALANCE OF COUNTY	---	1,582	28	20	26
RHODE ISLAND	9,608	9,540	256	194	129
WHITE	9,408	9,340	226	172	110
ALL OTHER	200	200	30	22	19
NEGRO	168	170	26	18	18
BRISTOL	232	392	16	10	4
BARRINGTON TOWN#	---	120	4	4	-
BRISTOL TOWN#	---	162	8	4	4
WARREN TOWN#	---	110	4	2	-
BALANCE OF COUNTY	---	-	-	-	-
KENT	1,000	1,372	36	32	20
WARWICK	---	862	26	22	8
WEST WARWICK TOWN#	---	270	4	4	7
BALANCE OF COUNTY	---	240	6	6	5
NEWPORT	494	642	38	28	13
MIDDLETOWN TOWN#	---	80	10	8	1
NEWPORT	---	308	16	12	5
BALANCE OF COUNTY	---	254	12	8	7
PROVIDENCE	7,218	6,466	140	106	85
WHITE	7,060	6,314	118	90	69
ALL OTHER	158	152	22	16	16
NEGRO	138	140	20	14	16
CENTRAL FALLS	---	236	8	8	5
CRANSTON	---	690	10	6	8
CUMBERLAND TOWN#	---	204	-	-	1
EAST PROVIDENCE	---	462	12	12	8
NORTH PROVIDENCE TOWN#	---	180	-	-	2
PAWTUCKET	---	1,056	16	10	12
PROVIDENCE	---	2,238	58	46	30
WHITE	---	2,108	38	32	16
ALL OTHER	---	130	20	14	14
NEGRO	---	126	20	14	14
WOONSOCKET	---	592	22	16	5
BALANCE OF COUNTY	---	808	14	8	14
WASHINGTON	664	668	26	18	7
NORTH KINGSTOWN TOWN#	---	140	6	4	3
BALANCE OF COUNTY	---	528	20	14	4
SOUTH CAROLINA	23,714	23,932	1,122	760	799
WHITE	15,256	15,388	520	390	360
ALL OTHER	8,458	8,544	602	370	439
NEGRO	8,442	8,532	600	370	438
ABBEVILLE	168	222	20	18	12
WHITE	100	142	10	10	2
ALL OTHER	68	80	10	8	10
NEGRO	68	80	10	8	10
AIKEN	526	816	24	10	28
WHITE	352	558	4	2	14
ALL OTHER	174	258	20	8	14
NEGRO	172	256	18	8	14
AIKEN	---	172	8	6	8
WHITE	---	98	-	-	4
ALL OTHER	---	74	8	6	4
NEGRO	---	74	8	6	4
NORTH AUGUSTA	---	92	4	-	7
BALANCE OF COUNTY	---	552	12	4	13
WHITE	---	388	2	2	6
ALL OTHER	---	164	10	2	7
NEGRO	---	162	8	2	7
ALLENDALE	124	140	4	2	4
WHITE	56	54	-	-	-
ALL OTHER	68	86	4	2	4
NEGRO	68	86	4	2	4
ANDERSON	1,030	1,000	40	32	18
WHITE	834	816	28	20	7
ALL OTHER	196	184	12	12	11
NEGRO	196	184	12	12	11
ANDERSON	---	396	10	6	10
WHITE	---	300	8	4	2
ALL OTHER	---	96	2	2	8
NEGRO	---	96	2	2	8
BALANCE OF COUNTY	---	604	30	26	8
WHITE	---	516	20	16	5
ALL OTHER	---	88	10	10	3
NEGRO	---	88	10	10	3
BAMBERG	132	176	4	2	9
WHITE	60	84	-	-	-
ALL OTHER	72	92	4	2	9
NEGRO	72	92	4	2	9
BARNWELL	172	178	12	4	4
WHITE	88	98	2	-	4
ALL OTHER	84	80	10	4	-
NEGRO	84	80	10	4	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
S. CAROLINA--CON.					
BEAUFORT	282	298	20	14	16
WHITE	142	148	18	14	13
ALL OTHER	140	150	2	-	3
NEGRO	140	150	2	-	2
BERKELEY	240	366	24	16	5
WHITE	102	186	12	10	5
ALL OTHER	138	180	12	6	-
NEGRO	138	180	12	6	-
CALHOUN	58	116	-	-	1
WHITE	10	42	-	-	-
ALL OTHER	48	74	-	-	1
NEGRO	48	74	-	-	1
CHARLESTON	2,422	1,862	88	68	64
WHITE	1,450	1,130	42	32	31
ALL OTHER	972	732	46	36	33
NEGRO	968	730	46	36	33
CHARLESTON	---	884	38	22	22
WHITE	---	516	10	4	9
ALL OTHER	---	368	28	18	13
NEGRO	---	368	28	18	13
BALANCE OF COUNTY	---	978	50	46	42
WHITE	---	614	32	28	22
ALL OTHER	---	364	18	18	20
NEGRO	---	362	18	18	20
CHEROKEE	308	382	14	8	20
WHITE	248	302	10	8	8
ALL OTHER	60	80	4	-	12
NEGRO	60	80	4	-	12
GAFFNEY	---	148	2	2	8
WHITE	---	102	2	2	3
ALL OTHER	---	46	-	-	5
NEGRO	---	46	-	-	5
BALANCE OF COUNTY	---	234	12	6	12
WHITE	---	200	8	6	5
ALL OTHER	---	34	4	-	7
NEGRO	---	34	4	-	7
CHESTER	312	380	20	16	7
WHITE	180	232	12	10	4
ALL OTHER	132	148	8	6	3
NEGRO	132	148	8	6	3
CHESTERFIELD	262	342	14	12	13
WHITE	154	216	4	2	6
ALL OTHER	108	126	10	10	7
NEGRO	108	126	10	10	7
CLARENDON	248	282	18	6	14
WHITE	102	112	-	-	4
ALL OTHER	146	170	18	6	10
NEGRO	146	170	18	6	10
COLLETON	306	332	12	8	9
WHITE	172	178	6	4	4
ALL OTHER	134	154	6	4	5
NEGRO	134	154	6	4	5
DARLINGTON	448	518	24	14	23
WHITE	266	302	6	2	9
ALL OTHER	182	216	18	12	14
NEGRO	182	216	18	12	14
DILLON	196	270	10	4	8
WHITE	116	150	2	2	3
ALL OTHER	80	120	8	2	5
NEGRO	80	120	8	2	5
DORCHESTER	244	294	12	10	9
WHITE	164	174	2	2	6
ALL OTHER	80	120	10	8	3
NEGRO	80	120	10	8	3
EDGEFIELD	122	176	8	6	6
WHITE	50	88	2	2	1
ALL OTHER	72	88	6	4	5
NEGRO	72	88	6	4	5
FAIRFIELD	162	210	6	4	8
WHITE	58	88	2	2	1
ALL OTHER	104	122	4	2	7
NEGRO	104	122	4	2	7
FLORENCE	1,064	926	84	60	35
WHITE	600	542	32	24	13
ALL OTHER	464	384	52	36	22
NEGRO	464	384	52	36	22
FLORENCE	---	362	28	16	14
WHITE	---	170	4	2	5
ALL OTHER	---	192	24	14	9
NEGRO	---	192	24	14	9
BALANCE OF COUNTY	---	564	56	44	21
WHITE	---	372	28	22	8
ALL OTHER	---	192	28	22	13
NEGRO	---	192	28	22	13

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
S. CAROLINA--CON.					
GEORGETOWN	330	322	20	12	11
WHITE	168	156	10	8	4
ALL OTHER	162	166	10	4	7
NEGRO	162	166	10	4	7
GEORGETOWN	---	122	8	6	5
WHITE	---	52	4	4	1
ALL OTHER	---	70	4	2	4
NEGRO	---	70	4	2	4
BALANCE OF COUNTY	---	200	12	6	6
WHITE	---	104	6	4	3
ALL OTHER	---	96	6	2	3
NEGRO	---	96	6	2	3
GREENVILLE	2,270	2,158	68	48	54
WHITE	1,784	1,676	40	30	39
ALL OTHER	486	482	28	18	15
NEGRO	486	482	28	18	15
GREENVILLE	---	734	22	12	20
WHITE	---	418	6	2	10
ALL OTHER	---	316	16	10	10
NEGRO	---	316	16	10	10
GREER, PART	---	82	2	2	1
WHITE	---	68	2	2	1
ALL OTHER	---	14	-	-	-
NEGRO	---	14	-	-	-
GREER, TOTAL	---	120	8	6	2
WHITE	---	84	2	2	1
ALL OTHER	---	36	6	4	1
NEGRO	---	36	6	4	1
BALANCE OF COUNTY	---	1,342	44	34	33
WHITE	---	1,190	32	26	28
ALL OTHER	---	152	12	8	5
NEGRO	---	152	12	8	5
GREENWOOD	624	534	24	18	23
WHITE	432	358	8	4	9
ALL OTHER	192	176	16	14	14
NEGRO	192	176	16	14	14
GREENWOOD	---	260	14	10	15
WHITE	---	164	4	-	4
ALL OTHER	---	96	10	10	11
NEGRO	---	96	10	10	11
BALANCE OF COUNTY	---	274	10	8	8
WHITE	---	194	4	4	5
ALL OTHER	---	80	6	4	3
NEGRO	---	80	6	4	3
HAMPTON	140	178	4	4	5
WHITE	62	88	2	2	1
ALL OTHER	78	90	2	2	4
NEGRO	78	90	2	2	4
HORRY	670	632	34	14	21
WHITE	508	474	12	8	13
ALL OTHER	162	158	22	6	8
NEGRO	160	158	22	6	8
JASPER	78	122	6	4	3
WHITE	34	52	2	2	2
ALL OTHER	44	70	4	2	1
NEGRO	44	70	4	2	1
KERSHAW	288	354	18	18	9
WHITE	172	214	10	10	4
ALL OTHER	116	140	8	8	5
NEGRO	116	140	8	8	5
LANCASTER	354	396	36	28	19
WHITE	224	252	16	12	10
ALL OTHER	130	144	20	16	9
NEGRO	130	144	20	16	9
LAURENS	408	534	22	16	14
WHITE	274	382	12	10	7
ALL OTHER	134	152	10	6	7
NEGRO	134	152	10	6	7
LAURENS	---	96	6	6	3
WHITE	---	62	2	2	1
ALL OTHER	---	34	4	4	2
NEGRO	---	34	4	4	2
BALANCE OF COUNTY	---	438	16	10	11
WHITE	---	320	10	8	6
ALL OTHER	---	118	6	2	5
NEGRO	---	118	6	2	5
LEE	138	192	8	2	5
WHITE	60	66	-	-	1
ALL OTHER	78	126	8	2	4
NEGRO	78	126	8	2	4
LEXINGTON	518	658	24	18	14
WHITE	416	532	14	10	9
ALL OTHER	102	126	10	8	5
NEGRO	102	126	10	8	5

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
S. CAROLINA—CON.					
MC CORMICK	28	88	8	6	6
WHITE	10	34	-	-	-
ALL OTHER	18	54	8	6	6
NEGRO	18	54	8	6	6
MARION	402	372	18	14	10
WHITE	236	206	6	6	2
ALL OTHER	166	166	12	8	8
NEGRO	166	166	12	8	8
MARLBORO	312	300	12	8	19
WHITE	174	156	2	2	7
ALL OTHER	138	144	10	6	12
NEGRO	136	142	10	6	12
NEWBERRY	262	354	8	8	5
WHITE	182	252	4	4	3
ALL OTHER	80	102	4	4	2
NEGRO	80	102	4	4	2
OCONEE	368	420	20	14	12
WHITE	320	362	18	12	7
ALL OTHER	48	58	2	2	5
NEGRO	48	58	2	2	5
ORANGEBURG	792	738	30	24	32
WHITE	380	322	10	8	3
ALL OTHER	412	416	20	16	29
NEGRO	412	416	20	16	29
ORANGEBURG	—	176	10	10	5
WHITE	—	102	4	4	1
ALL OTHER	—	74	6	6	4
NEGRO	—	74	6	6	4
BALANCE OF COUNTY	—	562	20	14	27
WHITE	—	220	6	4	2
ALL OTHER	—	342	14	10	25
NEGRO	—	342	14	10	25
PICKENS	408	472	16	8	20
EASLEY	—	94	2	-	4
WHITE	—	82	-	-	3
ALL OTHER	—	12	2	-	1
NEGRO	—	12	2	-	1
BALANCE OF COUNTY	—	378	14	8	16
RICHLAND	3,028	1,862	80	54	73
WHITE	1,870	1,146	44	32	31
ALL OTHER	1,158	716	36	22	42
NEGRO	1,158	716	36	22	42
COLUMBIA	—	1,160	44	32	52
WHITE	—	730	20	16	22
ALL OTHER	—	430	24	16	30
NEGRO	—	430	24	16	30
BALANCE OF COUNTY	—	702	36	22	21
WHITE	—	416	24	16	9
ALL OTHER	—	286	12	6	12
NEGRO	—	286	12	6	12
SALUDA	90	178	8	-	2
WHITE	58	116	2	-	1
ALL OTHER	32	62	6	-	1
NEGRO	32	62	6	-	1
SPARTANBURG	1,548	1,702	72	48	55
WHITE	1,180	1,284	34	30	24
ALL OTHER	368	418	38	18	31
NEGRO	368	418	38	18	31
GREER, PART	—	38	6	4	1
WHITE	—	16	-	-	-
ALL OTHER	—	22	6	4	1
NEGRO	—	22	6	4	1
SPARTANBURG	—	544	16	10	13
WHITE	—	346	2	2	2
ALL OTHER	—	198	14	8	11
NEGRO	—	198	14	8	11
BALANCE OF COUNTY	—	1,120	50	34	41
WHITE	—	922	32	28	22
ALL OTHER	—	198	18	6	19
NEGRO	—	198	18	6	19
SUMTER	588	610	32	18	20
WHITE	280	298	20	10	9
ALL OTHER	308	312	12	8	11
NEGRO	308	312	12	8	11
SUMTER	—	266	10	4	9
WHITE	—	132	10	4	5
ALL OTHER	—	134	-	-	4
NEGRO	—	134	-	-	4
BALANCE OF COUNTY	—	344	22	14	11
WHITE	—	166	10	6	4
ALL OTHER	—	178	12	8	7
NEGRO	—	178	12	8	7
S. CAROLINA—CON.					
UNION	282	306	18	18	8
WHITE	222	230	14	14	4
ALL OTHER	60	76	4	4	4
NEGRO	60	76	4	4	4
UNION	—	126	8	8	1
WHITE	—	88	6	6	1
ALL OTHER	—	38	2	2	-
NEGRO	—	38	2	2	-
BALANCE OF COUNTY	—	180	10	10	7
WHITE	—	142	8	8	3
ALL OTHER	—	38	2	2	4
NEGRO	—	38	2	2	4
WILLIAMSBURG	232	348	28	16	22
WHITE	84	130	6	6	6
ALL OTHER	148	218	22	10	16
NEGRO	148	218	22	10	16
YORK	730	816	50	28	24
WHITE	478	554	30	16	13
ALL OTHER	252	262	20	12	11
NEGRO	246	256	20	12	11
ROCK HILL	—	368	14	6	7
WHITE	—	222	4	2	3
ALL OTHER	—	146	10	4	4
NEGRO	—	146	10	4	4
BALANCE OF COUNTY	—	448	36	22	17
WHITE	—	332	26	14	10
ALL OTHER	—	116	10	8	7
NEGRO	—	110	10	8	7
SOUTH DAKOTA	7,038	7,028	216	134	148
WHITE	6,630	6,562	168	116	122
ALL OTHER	408	466	48	18	26
NEGRO	6	10	2	2	-
AURORA	26	38	2	2	2
BEADLE	266	234	8	8	3
HURON	—	168	8	8	2
BALANCE OF COUNTY	—	66	-	-	1
BENNETT	4	20	2	-	2
WHITE	2	14	-	-	-
ALL OTHER	2	6	2	-	2
NEGRO	-	-	-	-	-
BON HOMME	90	108	-	-	2
BROOKINGS	148	176	8	4	4
BROOKINGS	—	82	6	2	2
BALANCE OF COUNTY	—	94	2	2	2
BROWN	406	326	16	16	9
ABERDEEN	—	238	16	16	7
BALANCE OF COUNTY	—	88	-	-	2
BRULE	76	68	2	2	1
BUFFALO	8	24	-	-	3
WHITE	4	8	-	-	1
ALL OTHER	4	16	-	-	2
NEGRO	-	-	-	-	-
BUTTE	78	94	2	2	2
CAMPBELL	-	20	-	-	1
CHARLES MIX	98	114	4	-	3
CLARK	28	72	-	-	1
CLAY	94	110	2	2	3
CODINGTON	244	224	2	-	5
WATERTOWN	—	174	2	-	4
BALANCE OF COUNTY	—	50	-	-	1
CORSON	30	52	4	2	2
WHITE	16	32	2	2	-
ALL OTHER	14	20	2	-	2
NEGRO	-	2	-	-	-
CUSTER	58	58	2	2	1
DAVISON	274	182	2	2	2
MITCHELL	—	146	-	-	1
BALANCE OF COUNTY	—	36	2	2	1
DAY	94	108	-	-	1
DEUEL	44	62	-	-	-
DEWEY	40	58	2	2	1
WHITE	8	22	-	-	-
ALL OTHER	32	36	2	2	1
NEGRO	-	-	-	-	-
DOUGLAS	40	58	-	-	1
EDMUNDS	46	78	-	-	3
FALL RIVER	186	116	-	-	2
FAULK	24	42	-	-	-
GRANT	122	114	2	2	-
GREGORY	92	102	-	-	1
HAAKON	22	30	-	-	1
HAMLIN	46	80	-	-	1
HAND	50	58	-	-	1
HANSON	16	46	-	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
SOUTH DAKOTA—CON.					
HARDING	-	12	-	-	-
HUGHES	144	124	6	4	3
HUTCHINSON	166	130	-	-	2
HYDE	8	24	-	-	2
JACKSON	26	18	4	2	-
JERAULD	60	50	-	-	-
JONES	10	16	2	2	-
KINGSBURY	104	94	-	-	1
LAKE	120	112	4	2	3
LAWRENCE	154	162	8	2	3
LINCOLN	90	122	2	-	1
SIOUX FALLS, PART	---	-	-	-	-
BALANCE OF COUNTY	---	122	2	-	1
LYMAN	24	46	-	-	-
WHITE	12	32	-	-	-
ALL OTHER	12	14	-	-	-
NEGRO	-	-	-	-	-
MC COOK	36	94	2	2	2
MC PHERSON	36	36	-	-	1
MARSHALL	44	76	2	-	2
MEADE	170	124	8	6	4
MELLETTE	6	20	2	-	1
WHITE	4	10	-	-	-
ALL OTHER	2	10	2	-	1
NEGRO	-	-	-	-	-
MINER	14	52	-	-	-
MINNEHAHA	1,152	820	22	14	18
SIOUX FALLS, PART	---	664	18	10	16
SIOUX FALLS, TOTAL	---	664	18	10	16
BALANCE OF COUNTY	---	156	4	4	2
MOODY	68	88	2	-	1
PENNINGTON	742	650	28	14	14
RAPID CITY	---	512	24	10	9
BALANCE OF COUNTY	---	138	4	4	5
PERKINS	30	48	-	-	1
POTTER	56	44	2	2	2
ROBERTS	116	148	6	4	2
WHITE	88	120	2	2	2
ALL OTHER	28	28	4	2	-
NEGRO	-	-	-	-	-
SANBORN	12	46	2	2	1
SHANNON	58	94	8	6	3
WHITE	-	2	-	-	-
ALL OTHER	58	92	8	6	3
NEGRO	-	-	-	-	-
SPINK	104	122	6	4	1
STANLEY	2	6	2	-	1
SULLY	2	22	-	-	-
TODD	58	92	8	2	9
WHITE	8	32	-	-	-
ALL OTHER	50	60	8	2	9
NEGRO	-	-	-	-	-
TRIPP	70	82	6	2	1
TURNER	94	140	4	2	-
UNION	50	132	2	-	1
WALWORTH	90	100	10	8	2
WASHABAUGH	4	12	-	-	1
WHITE	2	4	-	-	-
ALL OTHER	2	8	-	-	1
NEGRO	-	-	-	-	-
YANKTON	364	174	8	8	6
YANKTON	---	136	6	6	5
BALANCE OF COUNTY	---	38	2	2	1
ZIEBACH	4	24	-	-	1
WHITE	-	12	-	-	-
ALL OTHER	4	12	-	-	1
NEGRO	-	-	-	-	-
TENNESSEE	41,650	39,374	1,384	1,006	902
WHITE	34,076	32,200	902	654	633
ALL OTHER	7,574	7,174	482	352	269
NEGRO	7,546	7,152	478	348	268
ANDERSON	488	504	22	18	13
OAK RIDGE, PART	---	180	10	8	1
OAK RIDGE, TOTAL	---	180	10	8	1
BALANCE OF COUNTY	---	324	12	10	12
BEDFORD	262	306	12	8	6
WHITE	222	258	8	4	2
ALL OTHER	40	48	4	4	4
NEGRO	38	46	4	4	4
SHELBYVILLE	---	142	8	6	4
WHITE	---	114	4	2	-
ALL OTHER	---	28	4	4	4
NEGRO	---	26	4	4	4
BALANCE OF COUNTY	---	164	4	2	2
TENNESSEE—CON.					
BENTON	150	158	2	2	3
BLEDSOE	70	72	2	2	1
BLOUNT	600	616	18	12	17
MARYVILLE	---	196	6	2	7
BALANCE OF COUNTY	---	420	12	10	10
BRADLEY	488	452	34	22	7
CLEVELAND	---	236	12	8	2
BALANCE OF COUNTY	---	216	22	14	5
CAMPBELL	324	334	8	4	16
CANNON	72	112	2	-	-
CARROLL	250	314	2	2	7
WHITE	222	286	2	2	4
ALL OTHER	28	28	-	-	3
NEGRO	28	28	-	-	3
CARTER	312	396	14	14	4
ELIZABETHTON	---	102	2	2	2
BALANCE OF COUNTY	---	294	12	12	2
CHEATHAM	58	140	-	-	5
CHESTER	50	112	2	2	4
WHITE	46	104	2	2	3
ALL OTHER	4	8	-	-	1
NEGRO	4	8	-	-	1
CLAIBORNE	216	216	4	4	2
CLAY	52	66	4	4	3
COCKE	232	294	14	4	10
COFFEE	316	306	14	14	7
TULLAHOMA, PART	---	134	8	8	5
TULLAHOMA, TOTAL	---	142	8	8	5
BALANCE OF COUNTY	---	172	6	6	2
CROCKETT	68	144	2	2	-
WHITE	54	126	2	2	-
ALL OTHER	14	18	-	-	-
NEGRO	14	18	-	-	-
CUMBERLAND	232	186	8	6	6
DAVIDSON, COEX. WITH NASHVILLE CITY	5,444	3,918	128	88	95
WHITE	4,338	2,992	72	52	61
ALL OTHER	1,106	926	56	36	34
NEGRO	1,106	926	56	36	34
DECATUR	112	136	2	2	-
DE KALB	122	120	4	4	2
DICKSON	256	266	10	8	4
DYER	406	398	6	4	6
WHITE	322	314	4	2	3
ALL OTHER	84	84	2	2	3
NEGRO	84	84	2	2	3
DYERSBURG	---	204	2	2	5
WHITE	---	140	-	-	3
ALL OTHER	---	64	2	2	2
NEGRO	---	64	2	2	2
BALANCE OF COUNTY	---	194	4	2	1
FAYETTE	114	200	10	8	10
WHITE	44	78	2	2	5
ALL OTHER	70	122	8	6	5
NEGRO	70	122	8	6	5
FENTRESS	128	144	2	2	3
FRANKLIN	250	278	16	12	4
TULLAHOMA, PART	---	8	-	-	-
BALANCE OF COUNTY	---	270	16	12	4
GIBSON	516	656	20	10	14
WHITE	386	504	14	8	5
ALL OTHER	130	152	6	2	9
NEGRO	130	152	6	2	9
HUMBOLDT	---	126	6	2	6
WHITE	---	84	4	2	-
ALL OTHER	---	42	2	-	6
NEGRO	---	42	2	-	6
BALANCE OF COUNTY	---	530	14	8	8
WHITE	---	420	10	6	5
ALL OTHER	---	110	4	2	3
NEGRO	---	110	4	2	3
GILES	144	232	6	4	4
WHITE	110	184	4	2	2
ALL OTHER	34	48	2	2	2
NEGRO	34	48	2	2	2
GRAINGER	60	182	2	2	2
GREENE	498	462	14	14	13
GREENVILLE	---	134	2	2	6
BALANCE OF COUNTY	---	328	12	12	7
GRUNDY	62	108	4	2	4
HAMBLEN	334	338	8	4	10
MORRISTOWN	---	208	4	2	6
BALANCE OF COUNTY	---	130	4	2	4

SEE FOOTNOTES AT END OF TABLE.

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TENNESSEE—CON.					
HAMILTON	2,906	2,664	104	70	43
WHITE	2,286	2,034	64	50	32
ALL OTHER	620	630	40	20	11
NEGRO	618	628	40	20	11
CHATTANOOGA	—	1,810	74	46	29
WHITE	—	1,200	34	26	19
ALL OTHER	—	610	40	20	10
NEGRO	—	608	40	20	10
EAST RIDGE	—	144	8	4	2
RED BANK	—	66	-	-	-
BALANCE OF COUNTY	—	644	22	20	12
HANCOCK	40	60	2	2	3
HARDEMAN	200	244	8	6	4
WHITE	122	170	2	2	2
ALL OTHER	78	74	6	4	2
NEGRO	78	74	6	4	2
HARDIN	170	212	2	2	5
HAWKINS	184	310	6	4	8
KINGSPORT, PART	—	-	-	-	-
BALANCE OF COUNTY	—	310	6	4	8
HAYWOOD	184	212	6	4	5
WHITE	106	106	2	2	2
ALL OTHER	78	106	4	2	3
NEGRO	78	106	4	2	3
HENDERSON	208	246	10	10	4
WHITE	184	212	2	2	3
ALL OTHER	24	34	8	8	1
NEGRO	24	34	8	8	1
HENRY	392	366	4	2	4
WHITE	350	324	2	2	3
ALL OTHER	42	42	2	-	1
NEGRO	42	42	2	-	1
HICKMAN	104	160	4	2	4
HOUSTON	76	64	4	2	1
HUMPHREYS	128	166	-	-	5
JACKSON	68	104	2	2	2
JEFFERSON	198	192	4	4	11
JOHNSON	60	120	2	2	2
KNOX	3,356	2,646	88	64	68
WHITE	3,036	2,346	68	46	54
ALL OTHER	320	300	20	18	14
NEGRO	316	298	18	16	14
KNOXVILLE	—	1,910	66	46	43
WHITE	—	1,622	46	28	29
ALL OTHER	—	288	20	18	14
NEGRO	—	286	18	16	14
BALANCE OF COUNTY	—	736	22	18	25
LAKE	30	94	-	-	3
WHITE	26	76	-	-	2
ALL OTHER	4	18	-	-	1
NEGRO	4	18	-	-	1
LAUDERDALE	194	266	6	4	8
WHITE	132	190	4	2	4
ALL OTHER	62	76	2	2	4
NEGRO	60	74	2	2	4
LAWRENCE	248	320	10	4	7
LEWIS	58	96	2	2	2
LINCOLN	252	278	8	8	6
WHITE	228	252	6	6	3
ALL OTHER	24	26	2	2	3
NEGRO	24	26	2	2	3
LOUDON	222	314	16	10	4
MC MINN	358	350	20	10	3
ATHENS	—	114	8	4	2
BALANCE OF COUNTY	—	236	12	6	1
MC NAIRY	176	222	10	10	3
MACON	124	178	4	4	1
MADISON	1,044	726	26	20	15
WHITE	724	458	8	6	8
ALL OTHER	320	268	18	14	7
NEGRO	320	268	18	14	7
JACKSON	—	498	22	18	10
WHITE	—	316	8	6	5
ALL OTHER	—	182	14	12	5
NEGRO	—	182	14	12	5
BALANCE OF COUNTY	—	228	4	2	5
WHITE	—	142	-	-	3
ALL OTHER	—	86	4	2	2
NEGRO	—	86	4	2	2
MARION	170	210	8	4	4
MARSHALL	256	240	10	8	3
WHITE	234	224	10	8	2
ALL OTHER	22	16	-	-	1
NEGRO	22	16	-	-	1
TENNESSEE—CON.					
MAURY	484	502	16	8	7
WHITE	398	396	10	4	6
ALL OTHER	86	106	6	4	1
NEGRO	86	106	6	4	1
COLUMBIA	—	246	10	4	3
WHITE	—	184	6	2	3
ALL OTHER	—	62	4	2	-
NEGRO	—	62	4	2	-
BALANCE OF COUNTY	—	256	6	4	4
WHITE	—	212	4	2	3
ALL OTHER	—	44	2	2	1
NEGRO	—	44	2	2	1
MEIGS	12	50	4	2	1
MONROE	220	272	10	8	7
MONTGOMERY	450	464	22	16	18
WHITE	374	368	16	12	14
ALL OTHER	76	96	6	4	4
NEGRO	76	96	6	4	4
CLARKSVILLE	—	272	14	8	11
WHITE	—	198	12	8	7
ALL OTHER	—	74	2	-	4
NEGRO	—	74	2	-	4
BALANCE OF COUNTY	—	192	8	8	7
WHITE	—	170	4	4	7
ALL OTHER	—	22	4	4	-
NEGRO	—	22	4	4	-
MOORE	16	36	4	4	1
MORGAN	34	130	6	6	4
OBION	406	384	16	12	6
UNION CITY	—	130	10	6	-
WHITE	—	98	8	4	-
ALL OTHER	—	32	2	2	-
NEGRO	—	32	2	2	-
BALANCE OF COUNTY	—	254	6	6	6
OVERTON	186	202	10	4	1
PERRY	64	78	-	-	-
PICKETT	12	46	-	-	1
POLK	164	134	2	-	1
PUTNAM	276	310	2	2	9
COOKEVILLE	—	120	2	2	4
BALANCE OF COUNTY	—	190	-	-	5
RHEA	180	214	-	-	2
ROANE	350	432	14	6	12
OAK RIDGE, PART	—	-	-	-	-
BALANCE OF COUNTY	—	432	14	6	12
ROBERTSON	294	332	8	6	7
WHITE	262	292	4	4	4
ALL OTHER	32	40	4	2	3
NEGRO	32	40	4	2	3
RUTHERFORD	586	504	22	20	10
WHITE	496	422	20	18	9
ALL OTHER	90	82	2	2	1
NEGRO	90	82	2	2	1
MURFREESBORO	—	226	10	8	3
WHITE	—	182	10	8	3
ALL OTHER	—	44	-	-	-
NEGRO	—	44	-	-	-
BALANCE OF COUNTY	—	278	12	12	7
WHITE	—	240	10	10	6
ALL OTHER	—	38	2	2	1
NEGRO	—	38	2	2	1
SCOTT	176	146	6	4	6
SEQUATCHIE	68	78	6	6	1
SEVIER	168	254	16	10	7
SHELBY	8,400	6,622	324	246	182
WHITE	5,042	3,734	116	84	62
ALL OTHER	3,358	2,888	208	162	120
NEGRO	3,346	2,880	208	162	120
MEMPHIS	—	6,134	304	236	164
WHITE	—	3,440	104	76	55
ALL OTHER	—	2,694	200	160	109
NEGRO	—	2,686	200	160	109
MILLINGTON	—	48	8	4	4
BALANCE OF COUNTY	—	440	12	6	14
WHITE	—	248	6	4	5
ALL OTHER	—	192	6	2	9
NEGRO	—	192	6	2	9
SMITH	162	172	-	-	3
STEWART	26	102	-	-	1
SULLIVAN	1,436	1,046	26	22	27
BRISTOL*	—	230	2	2	4
KINGSPORT, PART	—	326	12	8	6
KINGSPORT, TOTAL	—	326	12	8	6
BALANCE OF COUNTY	—	490	12	12	17

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TENNESSEE--CON.					
SUMNER	400	580	30	24	10
GALLATIN	---	148	6	6	2
WHITE	---	124	2	2	-
ALL OTHER	---	24	4	4	2
NEGRO	---	24	4	4	2
BALANCE OF COUNTY	---	432	24	18	8
TIPTON	182	296	8	6	5
WHITE	116	204	6	4	3
ALL OTHER	66	92	2	2	2
NEGRO	66	92	2	2	2
TROUSDALE	72	62	-	-	1
WHITE	64	50	-	-	-
ALL OTHER	8	12	-	-	1
NEGRO	8	12	-	-	1
UNICOI	132	200	6	6	2
UNION	40	92	2	-	2
VAN BUREN	16	34	-	-	-
WARREN	232	264	8	6	6
MC MINNVILLE	---	108	6	4	4
BALANCE OF COUNTY	---	156	2	2	2
WASHINGTON	1,180	736	22	12	14
JOHNSON CITY	---	406	12	10	2
BALANCE OF COUNTY	---	330	10	2	12
WAYNE	106	116	2	2	6
WEAKLEY	274	356	6	6	8
WHITE	164	182	4	2	7
WILLIAMSON	282	366	2	2	11
WHITE	242	316	2	2	10
ALL OTHER	40	50	-	-	1
NEGRO	40	50	-	-	1
WILSON	308	354	18	14	6
WHITE	270	292	10	6	4
ALL OTHER	38	62	8	8	2
NEGRO	38	62	8	8	2
LEBANON	---	144	8	6	2
WHITE	---	112	4	2	1
ALL OTHER	---	32	4	4	1
NEGRO	---	32	4	4	1
BALANCE OF COUNTY	---	210	10	8	4
TEXAS	100,668	99,338	4,426	3,250	2,707
WHITE	86,392	85,098	3,394	2,526	2,048
ALL OTHER	14,276	14,240	1,032	724	659
NEGRO	14,162	14,126	1,024	718	646
ANDERSON	370	444	14	8	8
WHITE	262	334	6	4	8
ALL OTHER	108	110	8	4	-
NEGRO	108	110	8	4	-
PALESTINE	---	236	10	6	4
WHITE	---	178	6	4	4
ALL OTHER	---	58	4	2	-
NEGRO	---	58	4	2	-
BALANCE OF COUNTY	---	208	4	2	4
WHITE	---	156	-	-	4
ALL OTHER	---	52	4	2	-
NEGRO	---	52	4	2	-
ANDREWS	98	84	4	4	4
ANGELINA	594	538	26	18	9
WHITE	482	430	14	14	8
ALL OTHER	112	108	12	4	1
NEGRO	110	106	12	4	1
LUFKIN	---	252	12	6	3
WHITE	---	172	2	2	2
ALL OTHER	---	80	10	4	1
NEGRO	---	80	10	4	1
BALANCE OF COUNTY	---	286	14	12	6
ARANSAS	42	94	2	-	1
ARCHER	36	52	4	2	2
ARMSTRONG	6	22	-	-	1
ATASCOSA	214	244	8	8	8
AUSTIN	166	210	4	4	3
WHITE	130	172	4	4	1
ALL OTHER	36	38	-	-	2
NEGRO	36	38	-	-	2
BAILEY	44	66	14	8	-
BANDERA	40	64	6	4	-
BASTROP	252	278	8	4	2
WHITE	186	206	6	4	1
ALL OTHER	66	72	2	-	1
NEGRO	66	72	2	-	1
BAYLOR	70	70	-	-	-

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS--CON.					
BEE	178	180	14	8	4
BEEVILLE	---	114	10	6	3
BALANCE OF COUNTY	---	66	4	2	1
BELL	1,480	948	84	70	42
WHITE	1,300	830	68	56	34
ALL OTHER	180	118	16	14	8
NEGRO	176	114	16	14	5
KILLEEN	---	166	44	36	18
WHITE	---	146	38	30	14
ALL OTHER	---	20	6	6	4
NEGRO	---	18	6	6	4
TEMPLE	---	418	18	16	10
WHITE	---	354	12	12	10
ALL OTHER	---	64	6	4	-
NEGRO	---	64	6	4	-
BALANCE OF COUNTY	---	364	22	18	14
WHITE	---	330	18	14	10
ALL OTHER	---	34	4	4	4
NEGRO	---	32	4	4	1
BEXAR	7,090	6,466	336	250	227
WHITE	6,494	5,914	284	218	201
ALL OTHER	596	552	52	32	26
NEGRO	566	532	52	32	26
SAN ANTONIO	---	5,586	278	200	202
WHITE	---	5,068	234	174	177
ALL OTHER	---	518	44	26	25
NEGRO	---	504	44	26	25
BALANCE OF COUNTY	---	880	58	50	25
BLANCO	48	50	-	-	-
BORDEN	-	-	-	-	-
BOSQUE	198	220	4	2	2
BOWIE	752	736	26	18	12
WHITE	558	536	16	12	7
ALL OTHER	194	200	10	6	5
NEGRO	194	200	10	6	5
TEXARKANA[5]	---	378	12	10	8
WHITE	---	256	6	6	5
ALL OTHER	---	122	6	4	3
NEGRO	---	122	6	4	3
BALANCE OF COUNTY	---	358	14	8	4
WHITE	---	280	10	6	2
ALL OTHER	---	78	4	2	2
NEGRO	---	78	4	2	2
BRAZORIA	544	764	44	26	14
WHITE	482	670	40	26	11
ALL OTHER	62	94	4	-	3
NEGRO	62	94	4	-	3
ALVIN	---	98	10	6	2
FREEPORT	---	108	4	-	-
WHITE	---	92	4	-	-
ALL OTHER	---	16	-	-	-
NEGRO	---	16	-	-	-
LAKE JACKSON	---	56	6	2	1
BALANCE OF COUNTY	---	502	24	18	11
WHITE	---	426	20	18	8
ALL OTHER	---	76	4	-	3
NEGRO	---	76	4	-	3
BRAZOS	412	420	26	20	14
WHITE	308	318	20	18	9
ALL OTHER	104	102	6	2	5
NEGRO	102	100	6	2	4
BRYAN	---	294	20	14	8
WHITE	---	218	14	12	5
ALL OTHER	---	76	6	2	3
NEGRO	---	76	6	2	3
COLLEGE STATION	---	70	6	6	4
BALANCE OF COUNTY	---	56	-	-	2
WHITE	---	44	-	-	1
ALL OTHER	---	12	-	-	1
NEGRO	---	12	-	-	1
BREWSTER	114	70	4	4	-
BRISCOE	6	32	2	2	-
BROOKS	86	84	6	6	-
BROWN	390	378	10	6	3
BROWNWOOD	---	258	8	6	2
BALANCE OF COUNTY	---	120	2	-	1
BURLESON	98	176	2	2	2
WHITE	76	128	2	2	1
ALL OTHER	22	48	-	-	1
NEGRO	22	48	-	-	1
BURNET	182	202	2	2	4
CALDWELL	216	232	6	4	7
WHITE	188	198	6	4	6
ALL OTHER	28	34	-	-	1
NEGRO	28	34	-	-	1

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS—CON.					
CALHOUN	126	144	8	2	4
PORT LAVACA	---	86	8	2	2
BALANCE OF COUNTY	---	58	-	-	2
CALLAHAN	84	136	2	-	-
CAMERON	1,302	1,194	90	54	57
BROWNSVILLE	---	500	46	26	29
HARLINGEN	---	288	18	8	13
SAN BENITO	---	130	10	8	3
BALANCE OF COUNTY	---	276	16	12	12
CAMP	118	134	8	6	-
WHITE	78	90	2	-	-
ALL OTHER	40	44	6	6	-
NEGRO	40	44	6	6	-
CARSON	64	78	2	2	1
CASS	272	310	12	12	7
WHITE	204	238	10	10	4
ALL OTHER	68	72	2	2	3
NEGRO	68	72	2	2	3
CASTRO	48	56	2	2	3
CHAMBERS	126	132	6	6	4
WHITE	92	98	4	4	2
ALL OTHER	34	34	2	2	2
NEGRO	34	34	2	2	2
CHEROKEE	534	430	10	8	10
WHITE	418	320	8	6	3
ALL OTHER	116	110	2	2	7
NEGRO	116	110	2	2	7
CHILDRESS	88	102	-	-	1
CLAY	82	112	2	2	1
COCHRAN	42	42	2	-	1
COKE	30	44	-	-	-
COLEMAN	168	208	2	2	2
COLLIN	502	614	24	18	19
MC KINNEY	---	220	8	8	6
WHITE	---	192	8	8	6
ALL OTHER	---	28	-	-	-
NEGRO	---	28	-	-	-
PLANO	---	106	6	6	5
RICHARDSON, PART	---	4	4	2	-
BALANCE OF COUNTY	---	284	6	2	8
COLLINGSWORTH	40	64	-	-	2
COLORADO	236	216	6	6	4
WHITE	192	170	4	4	-
ALL OTHER	44	46	2	2	4
NEGRO	44	46	2	2	4
COMAL	304	284	10	8	6
NEW BRAUNFELS	---	216	8	6	4
BALANCE OF COUNTY	---	68	2	2	2
COMANCHE	152	178	-	-	2
CONCHO	22	52	-	-	-
COOKE	278	286	10	10	9
GAINESVILLE	---	216	10	10	8
BALANCE OF COUNTY	---	70	-	-	1
CORYELL	180	252	16	12	9
WHITE	174	242	16	12	8
ALL OTHER	6	10	-	-	1
NEGRO	6	10	-	-	-
COPPERAS COVE	---	40	16	12	7
BALANCE OF COUNTY	---	212	-	-	2
WHITE	---	202	-	-	2
ALL OTHER	---	10	-	-	-
NEGRO	---	10	-	-	-
COTTLE	40	44	-	-	2
WHITE	40	44	-	-	2
ALL OTHER	-	-	-	-	-
NEGRO	-	-	-	-	-
CRANE	42	38	6	4	-
CROCKETT	26	42	2	2	2
CROSBY	76	96	2	-	-
CULBERSON	28	34	2	2	1
DALLAM	16	62	4	4	1
DALLAS	10,650	9,976	522	388	304
WHITE	8,622	8,098	348	264	213
ALL OTHER	2,028	1,878	174	124	91
NEGRO	2,020	1,868	174	124	91
BALCH SPRINGS	---	34	2	2	-
CARROLLTON, PART	---	70	10	8	5
CARROLLTON, TOTAL	---	72	10	8	5
DALLAS	---	7,380	342	252	205
WHITE	---	5,588	174	132	116
ALL OTHER	---	1,792	168	120	89
NEGRO	---	1,782	168	120	89
DUNCANVILLE	---	72	6	4	2
FARMERS BRANCH	---	90	4	4	8
GARLAND	---	388	52	38	16
TEXAS—CON.					
DALLAS—CON.					
GRAND PRAIRIE, PART	---	278	20	16	16
GRAND PRAIRIE, TOTAL	---	300	20	16	18
HIGHLAND PARK	---	136	-	-	-
IRVING	---	472	26	20	19
LANCASTER	---	86	2	-	1
MESQUITE	---	252	28	22	12
RICHARDSON, PART	---	150	2	2	7
RICHARDSON, TOTAL	---	154	6	4	7
UNIVERSITY PARK	---	232	-	-	1
BALANCE OF COUNTY	---	336	28	20	12
DAWSON	144	156	10	4	5
LAMESA	---	134	6	2	4
BALANCE OF COUNTY	---	22	4	2	1
DEAF SMITH	82	96	6	6	6
HEREFORD	---	74	6	6	5
BALANCE OF COUNTY	---	22	-	-	1
DELTA	54	110	-	-	-
WHITE	48	102	-	-	-
ALL OTHER	6	8	-	-	-
NEGRO	6	8	-	-	-
DENTON	496	568	16	14	13
CARROLLTON, PART	---	2	-	-	-
DENTON	---	264	6	4	3
BALANCE OF COUNTY	---	302	10	10	10
DE WITT	206	274	6	6	5
WHITE	180	240	4	4	5
ALL OTHER	26	34	2	2	-
NEGRO	26	34	2	2	-
DICKENS	26	62	2	2	-
DIMMIT	64	100	2	2	2
DONLEY	20	48	-	-	1
DUVAL	30	106	6	6	4
EASTLAND	312	322	6	4	-
ECTOR	602	606	42	26	20
ODESSA	---	540	40	26	18
BALANCE OF COUNTY	---	66	2	-	2
EDWARDS	14	26	-	-	2
ELLIS	456	588	14	12	14
WHITE	382	486	10	8	9
ALL OTHER	74	102	4	4	5
NEGRO	74	102	4	4	5
ENNIS	---	156	4	2	6
WHITE	---	126	2	-	4
ALL OTHER	---	30	2	2	2
NEGRO	---	30	2	2	2
WAXAHACHIE	---	206	2	2	4
WHITE	---	180	2	2	2
ALL OTHER	---	26	-	-	2
NEGRO	---	26	-	-	2
BALANCE OF COUNTY	---	226	8	8	4
WHITE	---	180	6	6	3
ALL OTHER	---	46	2	2	1
NEGRO	---	46	2	2	1
EL PASO	2,464	2,244	178	128	112
WHITE	2,382	2,164	170	122	108
ALL OTHER	82	80	8	6	4
NEGRO	80	78	8	6	3
EL PASO	---	2,122	168	120	107
WHITE	---	2,050	164	118	103
ALL OTHER	---	72	4	2	4
NEGRO	---	70	4	2	3
BALANCE OF COUNTY	---	122	10	8	5
ERATH	254	282	8	6	5
FALLS	442	324	8	4	7
WHITE	330	240	-	-	4
ALL OTHER	112	84	8	4	3
NEGRO	112	84	8	4	3
FANNIN	374	368	4	4	3
FAYETTE	194	282	4	2	1
WHITE	164	242	4	2	1
ALL OTHER	30	40	-	-	-
NEGRO	28	38	-	-	-
FISHER	66	90	4	-	1
FLOYD	98	114	12	4	1
FOARD	24	38	-	-	1
FORT BEND	312	392	18	14	12
WHITE	254	306	18	14	9
ALL OTHER	58	86	-	-	3
NEGRO	58	86	-	-	3
HOUSTON, PART	---	2	-	-	-
ROSENBURG	---	104	6	4	3
BALANCE OF COUNTY	---	286	12	10	9
WHITE	---	208	12	10	6
ALL OTHER	---	78	-	-	3
NEGRO	---	78	-	-	3

SEE FOOTNOTES AT END OF TABLE

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS—CON.					
FRANKLIN	78	80	-	-	1
FREESTONE	200	204	4	-	4
WHITE	144	144	2	-	1
ALL OTHER	56	60	2	-	3
NEGRO	56	60	2	-	3
FRIO	94	102	4	4	1
GAINES	62	94	6	6	2
GALVESTON	1,782	1,414	50	42	28
WHITE	1,346	1,128	34	28	22
ALL OTHER	436	286	16	14	6
NEGRO	434	286	16	14	6
GALVESTON	---	692	18	16	4
WHITE	---	496	10	8	2
ALL OTHER	---	196	8	8	2
NEGRO	---	196	8	8	2
LA MARQUE	---	108	10	8	1
WHITE	---	82	4	4	1
ALL OTHER	---	26	6	4	-
NEGRO	---	26	6	4	-
LEAGUE CITY	---	44	4	2	2
TEXAS CITY	---	270	6	6	12
WHITE	---	238	6	6	9
ALL OTHER	---	32	-	-	3
NEGRO	---	32	-	-	3
BALANCE OF COUNTY	---	300	12	10	9
WHITE	---	270	10	8	8
ALL OTHER	---	30	2	2	1
NEGRO	---	30	2	2	1
GARZA	36	42	2	2	2
GILLESPIE	172	140	2	2	2
GLASSCOCK	6	6	-	-	1
GOLIAD	42	54	2	2	1
WHITE	40	46	-	-	1
ALL OTHER	2	8	2	2	-
NEGRO	2	8	2	2	-
GONZALES	162	216	6	4	9
WHITE	140	176	6	4	7
ALL OTHER	22	40	-	-	2
NEGRO	22	40	-	-	2
GRAY	246	256	8	8	1
PAMPA	---	210	8	8	-
BALANCE OF COUNTY	---	46	-	-	1
GRAYSON	1,038	976	14	10	6
DENISON	---	302	4	2	2
WHITE	---	250	4	2	2
ALL OTHER	---	52	-	-	-
NEGRO	---	52	-	-	-
SHERMAN	---	334	6	6	1
WHITE	---	286	6	6	1
ALL OTHER	---	48	-	-	-
NEGRO	---	48	-	-	-
BALANCE OF COUNTY	---	340	4	2	3
GREGG	878	860	34	22	20
WHITE	686	662	26	18	13
ALL OTHER	192	198	8	4	7
NEGRO	192	198	8	4	7
LONGVIEW	---	488	20	10	15
WHITE	---	364	14	8	10
ALL OTHER	---	124	6	2	5
NEGRO	---	124	6	2	5
BALANCE OF COUNTY	---	372	14	12	5
WHITE	---	298	12	10	3
ALL OTHER	---	74	2	2	2
NEGRO	---	74	2	2	2
GRIMES	144	182	4	2	6
WHITE	86	114	2	2	4
ALL OTHER	58	68	2	-	2
NEGRO	58	68	2	-	2
GUADALUPE	276	350	20	14	17
SEGUIN	---	174	10	6	10
WHITE	---	144	8	6	6
ALL OTHER	---	30	2	-	4
NEGRO	---	30	2	-	4
BALANCE OF COUNTY	---	176	10	8	7
HALE	288	298	16	16	13
PLAINVIEW	---	162	4	4	8
BALANCE OF COUNTY	---	136	12	12	5
HALL	74	82	4	4	-
WHITE	66	74	2	2	-
ALL OTHER	8	8	2	2	-
NEGRO	6	6	2	2	-
HAMILTON	148	128	2	-	1
HANSFORD	34	62	2	2	-
HARDEMAN	94	84	-	-	1
WHITE	92	80	-	-	-
ALL OTHER	2	4	-	-	1
NEGRO	2	4	-	-	1
HARDIN	206	288	14	12	7
WHITE	176	238	10	10	3
ALL OTHER	30	50	4	2	4
NEGRO	30	50	4	2	4
HARRIS	14,376	12,624	696	522	459
WHITE	11,132	9,648	410	312	264
ALL OTHER	3,244	2,976	286	210	195
NEGRO	3,206	2,936	282	206	194
BAYTOWN	---	358	16	12	4
BELLAIRE	---	120	6	6	2
DEER PARK	---	46	2	2	2
GALENA PARK	---	54	2	-	3
WHITE	---	50	-	-	2
ALL OTHER	---	4	2	-	1
NEGRO	---	4	2	-	1
HOUSTON, PART	---	9,704	502	382	389
WHITE	---	6,964	252	196	204
ALL OTHER	---	2,740	250	186	185
NEGRO	---	2,702	248	184	184
HOUSTON, TOTAL	---	9,706	502	382	389
WHITE	---	6,966	252	196	204
ALL OTHER	---	2,740	250	186	185
NEGRO	---	2,702	248	184	184
PASADENA	---	398	24	20	9
SOUTH HOUSTON	---	92	6	4	2
WEST UNIVERSITY PLACE	---	128	-	-	1
BALANCE OF COUNTY	---	1,724	138	96	47
WHITE	---	1,516	106	72	39
ALL OTHER	---	208	32	24	8
NEGRO	---	206	30	22	8
HARRISON	424	522	20	12	10
WHITE	240	296	8	6	5
ALL OTHER	184	226	12	6	5
NEGRO	184	226	12	6	5
MARSHALL	---	322	18	10	7
WHITE	---	190	8	6	4
ALL OTHER	---	132	10	4	3
NEGRO	---	132	10	4	3
BALANCE OF COUNTY	---	200	2	2	3
WHITE	---	106	-	-	1
ALL OTHER	---	94	2	2	2
NEGRO	---	94	2	2	2
HARTLEY	74	36	-	-	1
HASKELL	98	138	2	-	-
HAYS	182	202	6	6	8
SAN MARCOS	---	106	2	2	6
BALANCE OF COUNTY	---	96	4	4	2
HEMPHILL	34	32	-	-	-
HENDERSON	320	364	6	4	8
WHITE	282	316	6	4	7
ALL OTHER	38	48	-	-	1
NEGRO	38	48	-	-	1
HIDALGO	1,290	1,308	90	46	57
EDINBURG	---	100	4	4	1
MC ALLEN	---	312	18	6	12
MISSION	---	108	8	4	8
PHARR	---	76	8	6	4
WESLACO	---	120	10	2	7
BALANCE OF COUNTY	---	592	42	24	25
HILL	396	354	4	-	6
WHITE	346	312	2	-	3
ALL OTHER	50	42	2	-	3
NEGRO	50	42	2	-	3
HOCKLEY	96	146	8	4	2
LEVELLAND	---	92	2	-	1
BALANCE OF COUNTY	---	54	6	4	1
HOOD	98	124	-	-	-
HOPKINS	222	316	14	12	4
WHITE	202	286	12	10	1
ALL OTHER	20	30	2	2	3
NEGRO	20	30	2	2	3
SULPHUR SPRINGS	---	182	8	6	4
WHITE	---	158	6	4	1
ALL OTHER	---	24	2	2	3
NEGRO	---	24	2	2	3
BALANCE OF COUNTY	---	134	6	6	-
HOUSTON	230	270	6	4	3
WHITE	176	194	2	2	2
ALL OTHER	54	76	4	2	1
NEGRO	54	76	4	2	1

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS—CON.					
HOWARD	588	342	14	6	13
BIG SPRING	---	264	12	6	11
BALANCE OF COUNTY	---	78	2	-	2
HUDSPETH	10	8	-	-	-
HUNT	460	514	18	12	10
WHITE	398	436	12	10	8
ALL OTHER	62	78	6	2	2
NEGRO	62	78	6	2	2
GREENVILLE	---	252	10	8	6
WHITE	---	204	6	6	4
ALL OTHER	---	48	4	2	2
NEGRO	---	48	4	2	2
BALANCE OF COUNTY	---	262	8	4	4
WHITE	---	232	6	4	4
ALL OTHER	---	30	2	-	-
NEGRO	---	30	2	-	-
HUTCHINSON	190	246	8	6	5
BORGER	---	176	4	2	2
BALANCE OF COUNTY	---	70	4	4	3
IRION	2	20	2	2	1
JACK	56	68	-	-	1
JACKSON	106	140	4	2	6
WHITE	90	112	4	2	5
ALL OTHER	16	28	-	-	1
NEGRO	16	28	-	-	1
JASPER	270	264	8	8	4
WHITE	214	214	8	8	4
ALL OTHER	56	50	-	-	-
NEGRO	56	50	-	-	-
JEFF DAVIS	4	10	2	2	-
JEFFERSON	2,226	2,194	70	52	55
WHITE	1,690	1,594	38	34	22
ALL OTHER	536	600	32	18	33
NEGRO	536	598	32	18	33
BEAUMONT	---	1,128	34	20	32
WHITE	---	764	12	10	11
ALL OTHER	---	364	22	10	21
NEGRO	---	364	22	10	21
GROVES	---	112	2	2	2
NEDERLAND	---	72	8	8	1
PORT ARTHUR	---	646	18	14	16
WHITE	---	428	12	10	5
ALL OTHER	---	218	6	4	11
NEGRO	---	216	6	4	11
PORT NECHES	---	86	2	2	1
BALANCE OF COUNTY	---	150	6	6	3
WHITE	---	136	2	2	2
ALL OTHER	---	14	4	4	1
NEGRO	---	14	4	4	1
JIM HOGG	6	42	2	2	-
JIM WELLS	292	258	14	14	14
ALICE	---	182	8	8	11
BALANCE OF COUNTY	---	76	6	6	3
JOHNSON	458	546	20	20	11
CLEBURNE	---	272	10	10	4
FORT WORTH, PART	---	-	-	-	-
WHITE	---	-	-	-	-
ALL OTHER	---	-	-	-	-
NEGRO	---	-	-	-	-
BALANCE OF COUNTY	---	274	10	10	7
JONES	226	238	4	2	2
ABILENE, PART	---	-	-	-	-
BALANCE OF COUNTY	---	238	4	2	2
KARNES	128	170	10	6	6
KAUFMAN	614	418	12	6	5
WHITE	506	330	2	-	2
ALL OTHER	108	88	10	6	3
NEGRO	108	88	10	6	3
TERRELL	---	146	4	4	4
WHITE	---	88	-	-	1
ALL OTHER	---	58	4	4	3
NEGRO	---	58	4	4	3
BALANCE OF COUNTY	---	272	8	2	1
WHITE	---	242	2	-	1
ALL OTHER	---	30	6	2	-
NEGRO	---	30	6	2	-
KENDALL	64	86	2	2	2
KENEDY	2	2	-	-	-
KENT	-	12	-	-	-
KERR	578	294	12	8	4
KERRVILLE	---	226	12	8	3
BALANCE OF COUNTY	---	68	-	-	1
KIMBLE	36	42	2	2	-
KING	4	4	-	-	-
KINNEY	4	20	-	-	-
KLEBERG	202	194	10	4	4
KINGSVILLE	---	162	6	2	4
BALANCE OF COUNTY	---	32	4	2	-
KNOX	70	74	-	-	2
LAMAR	540	490	14	8	13
WHITE	442	390	4	4	5
ALL OTHER	98	100	10	4	8
NEGRO	98	100	10	4	8
PARIS	---	344	10	6	10
WHITE	---	266	2	2	4
ALL OTHER	---	78	8	4	6
NEGRO	---	78	8	4	6
BALANCE OF COUNTY	---	146	4	2	3
WHITE	---	124	2	2	1
ALL OTHER	---	22	2	-	2
NEGRO	---	22	2	-	2
LAMB	174	198	12	10	8
LAMPASAS	100	134	4	4	6
LA SALLE	46	60	-	-	3
LAVACA	292	290	6	6	-
LEE	84	120	4	2	1
WHITE	70	92	4	2	-
ALL OTHER	14	28	-	-	1
NEGRO	14	28	-	-	1
LEON	50	106	2	2	-
WHITE	42	80	2	2	-
ALL OTHER	8	26	-	-	-
NEGRO	8	26	-	-	-
LIBERTY	378	416	8	4	16
WHITE	308	324	8	4	10
ALL OTHER	70	92	-	-	6
NEGRO	70	92	-	-	6
LIMESTONE	270	306	4	2	1
WHITE	208	226	2	2	-
ALL OTHER	62	80	2	-	1
NEGRO	62	80	2	-	1
LIPSCOMB	10	36	-	-	3
LIVE OAK	60	98	6	2	-
LLANO	90	132	2	2	-
LOVING	-	-	-	-	-
LUBBOCK	1,528	1,244	74	62	44
WHITE	1,440	1,160	60	50	36
ALL OTHER	88	84	14	12	8
NEGRO	88	84	14	12	8
LUBBOCK	---	1,036	48	38	36
WHITE	---	964	36	28	29
ALL OTHER	---	72	12	10	7
NEGRO	---	72	12	10	7
BALANCE OF COUNTY	---	208	26	24	8
LYNN	34	96	8	4	3
MC CULLOCH	146	154	6	4	1
MC LENNAN	1,646	1,732	64	52	41
WHITE	1,346	1,404	30	24	23
ALL OTHER	300	328	34	28	18
NEGRO	300	328	34	28	18
WACO	---	1,226	46	40	35
WHITE	---	962	20	18	20
ALL OTHER	---	264	26	22	15
NEGRO	---	264	26	22	15
BALANCE OF COUNTY	---	506	18	12	6
MC MULLEN	-	20	-	-	-
MADISON	144	112	-	-	-
WHITE	110	84	-	-	-
ALL OTHER	34	28	-	-	-
NEGRO	34	28	-	-	-
MARION	56	120	4	4	2
WHITE	30	54	4	4	1
ALL OTHER	66	66	-	-	1
NEGRO	66	66	-	-	1
MARTIN	26	34	-	-	-
MASON	50	64	-	-	4
MATAGORDA	268	296	24	18	6
WHITE	202	222	22	18	4
ALL OTHER	66	74	2	-	2
NEGRO	66	74	2	-	2
BAY CITY	---	136	12	8	6
WHITE	---	102	10	8	4
ALL OTHER	---	34	2	-	2
NEGRO	---	34	2	-	2
BALANCE OF COUNTY	---	160	12	10	-
WHITE	---	120	12	10	-
ALL OTHER	---	40	-	-	-
NEGRO	---	40	-	-	-
MAVERICK	88	94	4	4	7
EAGLE PASS	---	78	2	2	5
BALANCE OF COUNTY	---	16	2	2	2

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS—CON.					
MEDINA	148	182	2	2	3
MENARD	42	50	-	-	-
MIDLAND	370	418	12	10	12
WHITE	312	346	8	6	10
ALL OTHER	58	72	4	4	2
NEGRO	58	72	4	4	2
MIDLAND	---	388	10	8	12
WHITE	---	316	6	4	10
ALL OTHER	---	72	4	4	2
NEGRO	---	72	4	4	2
BALANCE OF COUNTY	---	30	2	2	-
MILAM	196	296	10	10	12
WHITE	144	242	8	8	8
ALL OTHER	52	54	2	2	4
NEGRO	52	54	2	2	4
MILLS	72	68	2	2	-
MITCHELL	114	120	4	4	1
MONTAGUE	234	244	4	4	2
MONTGOMERY	396	568	18	16	9
WHITE	338	490	16	14	7
ALL OTHER	58	78	2	2	2
NEGRO	58	78	2	2	2
CONROE	---	164	6	6	1
WHITE	---	130	6	6	1
ALL OTHER	---	34	-	-	-
NEGRO	---	34	-	-	-
HOUSTON, PART	---	-	-	-	-
BALANCE OF COUNTY	---	404	12	10	8
WHITE	---	360	10	8	6
ALL OTHER	---	44	2	2	2
NEGRO	---	44	2	2	2
MOORE	84	88	4	-	4
MORRIS	146	174	2	2	3
WHITE	112	126	2	2	-
ALL OTHER	34	48	-	-	3
NEGRO	34	48	-	-	3
MOTLEY	12	40	-	-	-
NACOGDOCHES	342	380	16	12	5
WHITE	276	308	12	8	2
ALL OTHER	66	72	4	4	3
NEGRO	66	72	4	4	3
NACOGDOCHES	---	180	6	4	3
WHITE	---	128	6	4	1
ALL OTHER	---	52	-	-	2
NEGRO	---	52	-	-	2
BALANCE OF COUNTY	---	200	10	8	2
WHITE	---	180	6	4	1
ALL OTHER	---	20	4	4	1
NEGRO	---	20	4	4	1
NAVARRO	476	476	18	12	5
WHITE	384	372	12	6	2
ALL OTHER	92	104	6	6	3
NEGRO	92	104	6	6	3
CORSICANA	---	298	14	8	5
WHITE	---	234	12	6	2
ALL OTHER	---	64	2	2	3
NEGRO	---	64	2	2	3
BALANCE OF COUNTY	---	178	4	4	-
WHITE	---	138	-	-	-
ALL OTHER	---	40	4	4	-
NEGRO	---	40	4	4	-
NEWTON	70	106	2	-	3
WHITE	48	74	2	-	1
ALL OTHER	22	32	-	-	2
NEGRO	22	32	-	-	2
NOLAN	206	224	10	6	3
SWEETWATER	---	164	8	4	3
BALANCE OF COUNTY	---	60	2	2	-
NUECES	1,858	1,720	92	52	68
WHITE	1,724	1,572	84	44	63
ALL OTHER	134	148	8	8	5
NEGRO	134	148	8	8	4
CORPUS CHRISTI	---	1,486	76	44	60
WHITE	---	1,350	68	36	55
ALL OTHER	---	136	8	8	5
NEGRO	---	136	8	8	4
ROBSTOWN	---	100	10	2	3
BALANCE OF COUNTY	---	134	6	6	5
OCHILTREE	70	72	-	-	3
OLDHAM	8	12	-	-	-
ORANGE	348	478	22	18	15
ORANGE	---	238	10	10	9
WHITE	---	190	8	8	7
ALL OTHER	---	48	2	2	2
NEGRO	---	48	2	2	2
BALANCE OF COUNTY	---	240	12	8	6
PALO PINTO	228	270	6	4	10
MINERAL WELLS, PART	---	176	6	4	7
MINERAL WELLS, TOTAL	---	170	6	4	7
BALANCE OF COUNTY	---	94	-	-	3
PANOLA	210	220	4	2	-
WHITE	148	166	2	2	-
ALL OTHER	62	54	2	-	-
NEGRO	62	54	2	-	-
PARKER	266	332	10	6	4
MINERAL WELLS, PART	---	2	-	-	-
WEATHERFORD	---	178	8	4	2
BALANCE OF COUNTY	---	152	2	2	2
PARMER	42	66	-	-	2
PECOS	68	78	8	2	2
POLK	110	178	6	4	2
WHITE	92	130	2	2	-
ALL OTHER	18	48	4	2	2
NEGRO	18	38	2	-	2
POTTER	1,350	976	32	28	17
AMARILLO, PART	---	946	30	26	17
AMARILLO, TOTAL	---	1,142	42	36	19
BALANCE OF COUNTY	---	30	2	2	-
PRESIDIO	18	46	2	-	2
RAINS	16	76	2	-	3
RANDALL	150	270	14	12	3
AMARILLO, PART	---	196	12	10	2
BALANCE OF COUNTY	---	74	2	2	1
REAGAN	14	14	-	-	1
REAL	10	26	-	-	-
RED RIVER	192	232	4	4	-
WHITE	158	188	2	2	-
ALL OTHER	34	44	2	2	-
NEGRO	34	44	2	2	-
REEVES	112	142	4	4	5
PECOS	---	112	4	4	5
BALANCE OF COUNTY	---	30	-	-	-
REFUGIO	12	30	2	-	1
WHITE	12	28	2	-	-
ALL OTHER	-	2	-	-	1
NEGRO	-	2	-	-	1
ROBERTS	4	8	-	-	-
ROBERTSON	176	242	4	2	6
WHITE	120	166	2	2	3
ALL OTHER	56	76	2	-	3
NEGRO	56	76	2	-	3
ROCKWALL	12	62	4	4	1
WHITE	10	54	-	-	1
ALL OTHER	2	8	4	4	-
NEGRO	2	8	4	4	-
RUNNELS	150	188	2	-	3
RUSK	378	426	12	10	-
WHITE	282	328	8	8	-
ALL OTHER	96	98	4	2	-
NEGRO	94	98	4	2	-
HENDERSON	---	122	2	2	-
WHITE	---	84	2	2	-
ALL OTHER	---	38	-	-	-
NEGRO	---	38	-	-	-
BALANCE OF COUNTY	---	304	10	8	-
WHITE	---	244	6	6	-
ALL OTHER	---	60	4	2	-
NEGRO	---	60	4	2	-
SABINE	52	98	6	6	2
WHITE	46	76	2	2	-
ALL OTHER	6	22	4	4	2
NEGRO	6	22	4	4	2
SAN AUGUSTINE	92	102	-	-	2
WHITE	58	72	-	-	1
ALL OTHER	34	30	-	-	1
NEGRO	34	30	-	-	1
SAN JACINTO	8	72	2	2	1
WHITE	4	54	2	2	-
ALL OTHER	4	18	-	-	1
NEGRO	4	18	-	-	1
SAN PATRICIO	292	374	30	20	26
SAN SABA	90	106	4	4	2
SCHLEICHER	34	36	-	-	3
SCURRY	134	168	-	-	1
SNYDER	---	120	-	-	1
BALANCE OF COUNTY	---	48	-	-	-
SHACKELFORD	24	38	-	-	1
SHELBY	200	280	6	2	1
WHITE	152	216	-	-	1
ALL OTHER	48	64	6	2	-
NEGRO	48	64	6	2	-
SHERMAN	8	20	-	-	1

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS—CON.					
SMITH	1,194	1,008	44	30	32
WHITE	898	738	30	22	15
ALL OTHER	296	270	14	8	17
NEGRO	296	270	14	8	17
TYLER	---	572	22	12	24
WHITE	---	432	12	8	10
ALL OTHER	---	140	10	4	14
NEGRO	---	140	10	4	14
BALANCE OF COUNTY	---	436	22	18	8
WHITE	---	306	18	14	5
ALL OTHER	---	130	4	4	3
NEGRO	---	130	4	4	3
SOMERVELL	40	34	2	2	2
STARR	76	134	6	2	6
STEPHENS	112	130	-	-	1
STERLING	10	8	-	-	-
STONEWALL	10	20	-	-	-
SUTTON	50	44	2	2	1
SWISHER	72	84	6	6	-
TARRANT	5,912	5,736	258	214	139
WHITE	5,072	4,888	196	162	97
ALL OTHER	840	848	62	52	42
NEGRO	840	848	62	52	41
ARLINGTON	---	496	26	22	8
BEDFORD	---	44	-	-	3
EULESS	---	68	6	4	5
FORT WORTH, PART	---	3,958	160	134	90
WHITE	---	3,136	100	84	50
ALL OTHER	---	822	60	50	40
NEGRO	---	822	60	50	39
FORT WORTH, TOTAL	---	3,958	160	134	90
WHITE	---	3,136	100	84	50
ALL OTHER	---	822	60	50	40
NEGRO	---	822	60	50	39
GRAND PRAIRIE, PART	---	22	-	-	2
WHITE	---	18	-	-	2
ALL OTHER	---	4	-	-	-
NEGRO	---	4	-	-	-
HALTOM CITY	---	152	2	-	7
HURST	---	110	6	6	3
NORTH RICHLAND HILLS	---	86	8	8	2
WHITE SETTLEMENT	---	68	-	-	2
BALANCE OF COUNTY	---	732	50	40	17
TAYLOR	942	832	30	26	27
ABILENE, PART	---	740	22	20	26
ABILENE, TOTAL	---	740	22	20	26
BALANCE OF COUNTY	---	92	8	6	1
TERRELL	6	26	-	-	-
TERRY	108	128	12	10	6
THROCKMORTON	38	46	-	-	-
TITUS	222	220	6	4	1
WHITE	164	170	2	2	-
ALL OTHER	58	50	4	2	1
NEGRO	58	50	4	2	1
TOM GREEN	810	728	32	26	14
SAN ANGELO	---	658	28	22	12
BALANCE OF COUNTY	---	70	4	4	2
TRAVIS	2,400	2,102	90	60	52
WHITE	2,054	1,822	64	40	36
ALL OTHER	346	280	26	20	16
NEGRO	342	280	26	20	15
AUSTIN	---	1,844	72	50	46
WHITE	---	1,586	52	34	30
ALL OTHER	---	258	20	16	16
NEGRO	---	258	20	16	15
BALANCE OF COUNTY	---	258	18	10	6
TRINITY	94	108	-	-	-
WHITE	68	72	-	-	-
ALL OTHER	26	36	-	-	-
NEGRO	26	36	-	-	-
TYLER	154	192	10	8	1
WHITE	128	172	6	6	-
ALL OTHER	26	20	4	2	1
NEGRO	18	20	4	2	1
UPSHUR	178	274	8	4	1
WHITE	146	220	2	-	1
ALL OTHER	32	54	6	4	-
NEGRO	32	54	6	4	-
UPTON	22	32	2	2	-
UVALDE	134	182	8	6	9
UVALDE	---	120	8	6	7
BALANCE OF COUNTY	---	62	-	-	2
VAL VERDE	202	186	26	22	9
DEL RIO	---	178	24	20	7
BALANCE OF COUNTY	---	8	2	2	2
VAN ZANDT	226	390	4	4	5
VICTORIA	496	412	22	14	7
VICTORIA	---	294	14	10	7
BALANCE OF COUNTY	---	118	8	4	-
WALKER	200	210	8	8	3
WHITE	144	140	8	8	2
ALL OTHER	56	70	-	-	1
NEGRO	56	70	-	-	1
HUNTSVILLE	---	124	6	6	2
WHITE	---	86	6	6	2
ALL OTHER	---	38	-	-	-
NEGRO	---	38	-	-	-
BALANCE OF COUNTY	---	86	2	2	1
WHITE	---	54	2	2	-
ALL OTHER	---	32	-	-	1
NEGRO	---	32	-	-	1
WALLER	136	142	8	6	3
WHITE	86	80	4	2	1
ALL OTHER	50	62	4	4	2
NEGRO	50	62	4	4	2
WARD	62	100	6	6	1
WASHINGTON	290	252	4	2	3
WHITE	210	168	2	-	1
ALL OTHER	80	84	2	2	2
NEGRO	80	84	2	2	2
WEBB	570	538	40	28	30
LAREDO	---	514	40	28	30
BALANCE OF COUNTY	---	24	-	-	-
WHARTON	472	442	18	12	9
WHITE	354	336	12	10	5
ALL OTHER	118	106	6	2	4
NEGRO	118	106	6	2	4
WHEELER	100	98	-	-	3
WICHITA	1,226	1,066	76	60	33
WHITE	1,094	942	62	48	31
ALL OTHER	132	124	14	12	2
NEGRO	132	124	14	12	2
WICHITA FALLS	---	872	70	56	27
WHITE	---	750	56	44	25
ALL OTHER	---	122	14	12	2
NEGRO	---	122	14	12	2
BALANCE OF COUNTY	---	194	6	4	6
WILBARGER	216	238	4	2	5
WHITE	194	214	4	2	4
ALL OTHER	22	24	-	-	1
NEGRO	22	24	-	-	1
VERNON	---	216	4	2	4
WHITE	---	194	4	2	4
ALL OTHER	---	22	-	-	-
NEGRO	---	22	-	-	-
BALANCE OF COUNTY	---	22	-	-	1
WILLACY	52	118	6	2	3
WILLIAMSON	442	510	8	6	10
WHITE	408	462	6	6	10
ALL OTHER	34	48	2	-	-
NEGRO	34	48	2	-	-
WILSON	122	140	2	2	3
WINKLER	100	86	8	4	-
WISE	170	232	6	4	9
WOOD	304	276	12	10	3
WHITE	282	246	10	8	1
ALL OTHER	22	30	2	2	2
NEGRO	22	30	2	2	2
YOAKUM	46	50	-	-	2
YOUNG	184	198	6	4	-
ZAPATA	22	44	4	2	-
ZAVALA	50	58	2	2	3
UTAH	7,558	7,322	378	262	260
WHITE	7,380	7,150	364	258	251
ALL OTHER	178	172	14	4	9
NEGRO	44	44	-	-	4
BEAVER	34	40	-	-	2
BOX ELDER	126	168	8	4	8
BRIGHAM CITY	---	88	2	-	3
BALANCE OF COUNTY	---	80	6	4	5
CACHE	244	266	14	8	2
LOGAN	---	130	12	6	1
BALANCE OF COUNTY	---	136	2	2	1
CARBON	178	174	2	2	4
DAGGETT	4	2	-	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
UTAH--CON.					
DAVIS	200	352	28	20	35
BOUNTIFUL	---	106	14	12	10
CLEARFIELD	---	44	-	-	1
WHITE	---	40	-	-	1
ALL OTHER	---	4	-	-	-
NEGRO	---	-	-	-	-
LAYTON	---	58	4	2	8
BALANCE OF COUNTY	---	144	10	6	16
DUCHESNE	86	82	2	-	3
EMERY	28	58	4	2	2
GARFIELD	18	26	2	2	1
GRAND	44	46	2	-	-
IRON	118	114	6	6	4
JUAB	66	60	4	4	-
KANE	46	26	-	-	-
MILLARD	72	78	-	-	2
MORGAN	16	28	-	-	-
PIUTE	8	12	-	-	-
RICH	12	28	-	-	-
SALT LAKE	3,874	3,318	156	120	109
MURRAY	---	160	4	-	5
SALT LAKE CITY	---	2,056	90	76	56
BALANCE OF COUNTY	---	1,102	62	44	48
SAN JUAN	62	54	8	-	2
WHITE	30	22	-	-	1
ALL OTHER	32	32	8	-	1
NEGRO	-	-	-	-	-
SANPETE	68	102	-	-	2
SEVIER	80	108	2	-	2
SUMMIT	36	60	4	4	2
TOOELE	110	150	6	4	6
TOOELE	---	102	6	4	3
BALANCE OF COUNTY	---	48	-	-	3
UINTAH	58	84	6	4	4
WHITE	56	74	6	4	4
ALL OTHER	2	10	-	-	-
NEGRO	-	-	-	-	-
UTAH	776	802	72	48	27
OREM	---	122	16	10	7
PROVO	---	216	26	20	9
BALANCE OF COUNTY	---	464	30	18	11
WASATCH	62	56	2	2	2
WASHINGTON	144	128	4	4	2
WAYNE	2	8	-	-	-
WEBER	986	892	46	28	39
OGDEN	---	716	34	20	36
ROY	---	58	12	8	2
BALANCE OF COUNTY	---	118	-	-	1
VERMONT	4,440	4,318	100	72	84
WHITE	4,436	4,314	100	72	84
ALL OTHER	4	4	-	-	-
NEGRO	2	2	-	-	-
ADDISON	150	202	4	4	1
BENNINGTON	352	312	6	2	2
CALEDONIA	254	268	6	2	6
CHITTENDEN	920	670	16	14	17
BURLINGTON	---	354	8	6	8
BALANCE OF COUNTY	---	316	8	8	9
ESSEX	14	48	-	-	2
FRANKLIN	300	322	12	8	5
GRAND ISLE	18	28	-	-	1
LAMOILLE	112	118	2	2	2
ORANGE	166	214	2	2	5
ORLEANS	222	238	4	4	5
RUTLAND	582	584	16	10	9
RUTLAND	---	234	6	6	6
BALANCE OF COUNTY	---	350	10	4	3
WASHINGTON	504	426	12	8	17
BARRE	---	132	4	4	4
BALANCE OF COUNTY	---	294	8	4	13
WINDHAM	398	376	8	8	8
WINDSOR	448	512	12	8	4
VIRGINIA	40,278	40,960	1,538	1,202	1,315
WHITE	30,734	31,458	1,010	794	849
ALL OTHER	9,544	9,502	528	408	466
NEGRO	9,490	9,446	522	402	456
ACCOMACK	236	398	2	2	12
WHITE	164	268	-	-	5
ALL OTHER	72	130	2	2	7
NEGRO	72	130	2	2	7

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
VIRGINIA--CON.					
ALBEMARLE	868	270	6	4	3
WHITE	638	208	2	2	3
ALL OTHER	230	62	4	2	-
NEGRO	230	62	4	2	-
ALLEGHANY	76	104	2	2	5
AMELIA	34	88	4	4	5
WHITE	16	36	-	-	-
ALL OTHER	18	52	4	4	5
NEGRO	18	52	4	4	5
AMHERST	172	226	10	8	10
WHITE	146	164	6	4	7
ALL OTHER	26	62	4	4	3
NEGRO	26	62	4	4	3
APPOMATTOX	52	106	4	2	1
WHITE	38	78	-	-	-
ALL OTHER	14	28	4	2	1
NEGRO	14	28	4	2	1
ARLINGTON#	976	1,274	40	30	28
WHITE	890	1,196	34	24	21
ALL OTHER	86	78	6	6	7
NEGRO	82	70	4	4	5
AUGUSTA	116	422	16	10	6
BATH	54	70	2	2	1
WHITE	48	62	-	-	1
ALL OTHER	6	8	2	2	-
NEGRO	6	8	2	2	-
BEDFORD	92	246	6	6	6
WHITE	82	208	2	2	4
ALL OTHER	10	38	4	4	2
NEGRO	10	38	4	4	2
BLAND	26	66	2	2	-
BOTETOURT	102	192	6	6	5
BRUNSWICK	54	162	2	2	6
WHITE	20	82	-	-	1
ALL OTHER	34	80	2	2	5
NEGRO	34	80	2	2	5
BUCHANAN	194	232	18	14	6
BUCKINGHAM	42	102	4	4	3
WHITE	24	68	2	2	1
ALL OTHER	18	34	2	2	2
NEGRO	18	34	2	2	2
CAMPBELL	130	346	6	4	9
WHITE	98	270	6	4	7
ALL OTHER	32	76	-	-	2
NEGRO	32	76	-	-	2
CAROLINE	68	172	8	6	7
WHITE	40	94	4	4	2
ALL OTHER	28	78	4	2	5
NEGRO	28	78	4	2	5
CARROLL	82	236	8	4	3
CHARLES CITY	16	76	2	2	-
WHITE	4	24	-	-	-
ALL OTHER	12	52	2	2	-
NEGRO	10	50	2	2	-
CHARLOTTE	74	168	4	4	9
WHITE	34	106	2	2	4
ALL OTHER	40	62	2	2	5
NEGRO	40	62	2	2	5
CHESTERFIELD	120	412	20	18	19
WHITE	94	360	20	18	15
ALL OTHER	26	52	-	-	4
NEGRO	26	50	-	-	3
CLARKE	36	120	6	4	-
WHITE	32	90	6	4	-
ALL OTHER	4	30	-	-	-
NEGRO	4	28	-	-	-
CRAIG	14	52	-	-	-
CULPEPER	200	234	4	4	10
WHITE	164	186	2	2	6
ALL OTHER	36	48	2	2	4
NEGRO	36	48	2	2	4
CUMBERLAND	24	72	2	2	-
WHITE	10	32	2	2	-
ALL OTHER	14	40	-	-	-
NEGRO	14	40	-	-	-
DICKENSON	62	158	8	8	7
DINWIDDIE	328	154	10	4	8
WHITE	168	86	2	-	4
ALL OTHER	160	68	8	4	4
NEGRO	160	68	8	4	4

SEE FOOTNOTES AT END OF TABLE.

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
VIRGINIA--CON.					
ESSEX	164	86	4	2	5
WHITE	96	46	2	2	3
ALL OTHER	68	40	2	-	2
NEGRO	68	40	2	-	2
FAIRFAX	1,568	1,790	76	56	75
WHITE	1,464	1,676	72	52	66
ALL OTHER	104	114	4	4	9
NEGRO	98	108	4	4	6
VIENNA	---	102	4	4	5
BALANCE OF COUNTY	---	1,688	72	52	70
WHITE	---	1,594	68	48	61
ALL OTHER	---	94	4	4	9
NEGRO	---	88	4	4	6
FAUQUIER	202	308	20	16	8
WHITE	162	234	18	14	4
ALL OTHER	40	74	2	2	4
NEGRO	40	74	2	2	4
FLOYD	26	124	2	2	4
FLUVANNA	32	90	2	2	4
WHITE	22	66	2	2	2
ALL OTHER	10	24	-	-	2
NEGRO	10	24	-	-	2
FRANKLIN	170	258	6	4	10
WHITE	146	232	4	2	7
ALL OTHER	24	26	2	2	3
NEGRO	24	26	2	2	3
FREDERICK	34	248	4	4	4
GILES	172	202	14	10	4
GLOUCESTER	72	158	4	4	5
WHITE	54	114	2	2	2
ALL OTHER	18	44	2	2	3
NEGRO	18	44	2	2	3
GOOCHLAND	40	94	2	2	2
WHITE	24	62	2	2	-
ALL OTHER	16	32	-	-	2
NEGRO	16	32	-	-	2
GRAYSON	48	152	-	-	5
GREENE	26	66	2	-	2
WHITE	22	58	2	-	1
ALL OTHER	4	8	-	-	1
NEGRO	4	8	-	-	1
GREENSVILLE	34	108	6	6	4
WHITE	10	40	-	-	1
ALL OTHER	24	68	6	6	3
NEGRO	24	68	6	6	3
HALIFAX	62	328	16	10	13
WHITE	30	184	2	2	5
ALL OTHER	32	144	14	8	8
NEGRO	32	144	14	8	8
HANOVER	116	334	12	8	15
WHITE	90	258	12	8	13
ALL OTHER	26	76	-	-	2
NEGRO	26	76	-	-	2
HENRICO	872	1,210	50	46	29
WHITE	792	1,134	46	42	24
ALL OTHER	80	76	4	4	5
NEGRO	78	76	4	4	5
HENRY	120	294	6	4	17
WHITE	84	228	4	4	14
ALL OTHER	36	66	2	-	3
NEGRO	36	66	2	-	3
HIGHLAND	8	48	-	-	-
ISLE OF WIGHT	44	158	12	10	9
WHITE	30	92	4	4	1
ALL OTHER	14	66	8	6	8
NEGRO	14	66	8	6	8
JAMES CITY	264	116	2	2	3
WHITE	168	70	2	2	2
ALL OTHER	96	46	-	-	1
NEGRO	96	46	-	-	1
KING AND QUEEN	28	76	4	-	2
WHITE	18	32	2	-	1
ALL OTHER	10	44	2	-	1
NEGRO	10	44	2	-	1
KING GEORGE	24	80	2	2	2
WHITE	18	58	2	2	2
ALL OTHER	6	22	-	-	-
NEGRO	6	22	-	-	-
KING WILLIAM	36	104	4	2	3
WHITE	10	48	2	-	2
ALL OTHER	26	56	2	2	1
NEGRO	24	50	2	2	1
LANCASTER	80	102	-	-	5
WHITE	66	76	-	-	3
ALL OTHER	14	26	-	-	2
NEGRO	14	26	-	-	2
VIRGINIA--CON.					
LEE	158	284	2	2	10
LOUDOUN	180	300	12	12	6
WHITE	156	260	12	12	5
ALL OTHER	24	40	-	-	1
NEGRO	22	38	-	-	1
LOUISA	90	192	8	4	4
WHITE	68	128	6	4	1
ALL OTHER	22	64	2	-	3
NEGRO	22	62	2	-	3
LUNENBURG	48	144	-	-	5
WHITE	30	92	-	-	2
ALL OTHER	18	52	-	-	3
NEGRO	18	52	-	-	3
MADISON	44	78	2	2	3
WHITE	42	74	2	2	1
ALL OTHER	2	4	-	-	2
NEGRO	2	4	-	-	2
MATHEWS	100	128	6	6	-
WHITE	76	106	4	4	-
ALL OTHER	24	22	2	2	-
NEGRO	24	22	2	2	-
MECKLENBURG	304	350	18	14	13
WHITE	174	202	8	8	1
ALL OTHER	130	148	10	6	12
NEGRO	130	148	10	6	12
MIDDLESEX	56	96	2	2	3
WHITE	42	76	2	2	2
ALL OTHER	14	20	-	-	1
NEGRO	14	20	-	-	1
MONTGOMERY	228	292	10	2	10
NANSEMOND	502	358	26	24	16
WHITE	226	136	2	2	4
ALL OTHER	276	222	24	22	12
NEGRO	276	222	24	22	12
NELSON	60	152	-	-	2
WHITE	50	126	-	-	1
ALL OTHER	10	26	-	-	1
NEGRO	10	26	-	-	1
NEW KENT	20	36	2	2	3
WHITE	14	24	2	2	1
ALL OTHER	6	12	-	-	2
NEGRO	6	12	-	-	2
NORTHAMPTON	276	206	8	4	3
WHITE	150	84	-	-	-
ALL OTHER	126	122	8	4	3
NEGRO	126	122	8	4	3
NORTHUMBERLAND	66	160	4	2	3
WHITE	48	110	2	2	1
ALL OTHER	18	50	2	-	2
NEGRO	18	50	2	-	2
NOTTOWAY	160	180	6	6	4
WHITE	100	98	-	-	3
ALL OTHER	60	82	6	6	1
NEGRO	60	82	6	6	1
ORANGE	130	208	10	8	2
WHITE	112	160	6	4	1
ALL OTHER	18	48	4	4	1
NEGRO	18	46	4	4	1
PAGE	110	170	8	8	4
PATRICK	146	146	4	2	3
PITTSYLVANIA	140	534	24	20	20
WHITE	98	388	6	6	6
ALL OTHER	42	146	18	14	14
NEGRO	42	146	18	14	14
POWHATAN	38	82	2	2	1
WHITE	18	44	-	-	1
ALL OTHER	20	38	2	2	-
NEGRO	20	38	2	2	-
PRINCE EDWARD	268	186	4	4	6
WHITE	154	94	-	-	4
ALL OTHER	114	92	4	4	2
NEGRO	114	92	4	4	2
PRINCE GEORGE	50	92	14	8	11
WHITE	40	50	6	4	5
ALL OTHER	10	42	8	4	6
NEGRO	10	42	8	4	5
PRINCE WILLIAM	400	440	30	22	55
PULASKI	300	322	10	10	5
PULASKI	---	134	8	8	3
BALANCE OF COUNTY	---	188	2	2	2
RAPPAHANNOCK	16	70	-	-	2
WHITE	10	46	-	-	2
ALL OTHER	6	24	-	-	-
NEGRO	6	24	-	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
VIRGINIA—CON.					
RICHMOND	26	86	2	2	1
WHITE	16	62	2	2	1
ALL OTHER	10	24	-	-	-
NEGRO	10	24	-	-	-
ROANOKE	240	412	16	16	13
ROCKBRIDGE	94	204	4	4	3
ROCKINGHAM	130	468	12	12	13
RUSSELL	152	250	10	10	10
SCOTT	88	256	8	4	5
SHENANDOAH	238	290	8	6	8
SMYTH	394	262	8	8	8
SOUTHAMPTON	60	176	6	2	5
WHITE	26	94	2	2	-
ALL OTHER	34	82	4	-	5
NEGRO	34	82	4	-	5
SPOTSYLVANIA	84	162	10	8	5
WHITE	64	126	8	6	3
ALL OTHER	20	36	2	2	2
NEGRO	20	36	2	2	2
STAFFORD	56	146	8	6	5
SURRY	30	96	2	2	2
WHITE	16	44	-	-	-
ALL OTHER	14	52	2	2	2
NEGRO	14	52	2	2	2
SUSSEX	46	134	2	2	5
WHITE	16	48	2	2	1
ALL OTHER	30	86	-	-	4
NEGRO	30	86	-	-	4
TAZEWELL	380	500	18	14	13
WARREN	152	186	8	8	2
WASHINGTON	382	468	24	20	7
WESTMORELAND	46	162	8	6	3
WHITE	40	130	4	2	1
ALL OTHER	6	32	4	4	2
NEGRO	6	32	4	4	2
WISE	242	452	12	8	9
WYTHE	170	256	10	6	4
YORK	30	194	4	2	12
WHITE	24	136	2	-	10
ALL OTHER	6	58	2	2	2
NEGRO	6	58	2	2	2
INDEPENDENT CITIES[6]					
ALEXANDRIA	1,062	926	62	52	34
WHITE	900	746	44	36	23
ALL OTHER	162	180	18	16	11
NEGRO	160	178	18	16	11
BEDFORD	182	112	-	-	3
WHITE	152	98	-	-	2
ALL OTHER	30	14	-	-	1
NEGRO	30	14	-	-	-
BRISTOL[7]	140	130	2	-	3
BUENA VISTA	26	52	-	-	-
CHARLOTTESVILLE	442	394	4	4	10
WHITE	370	314	4	4	4
ALL OTHER	72	80	-	-	6
NEGRO	72	80	-	-	6
CHESAPEAKE	162	670	38	30	18
WHITE	118	504	24	18	9
ALL OTHER	44	166	14	12	9
NEGRO	44	166	14	12	9
CLIFTON FORGE	238	88	-	-	1
WHITE	216	76	-	-	-
ALL OTHER	22	12	-	-	1
NEGRO	22	12	-	-	1
COLONIAL HEIGHTS	32	122	4	4	3
COVINGTON	32	110	2	2	4
WHITE	28	94	2	2	3
ALL OTHER	4	16	-	-	1
NEGRO	4	16	-	-	1
DANVILLE	886	522	10	10	25
WHITE	642	366	4	4	9
ALL OTHER	244	156	6	6	16
NEGRO	244	156	6	6	16
EMPORIA	164	74	6	6	5
WHITE	72	40	4	4	2
ALL OTHER	92	34	2	2	3
NEGRO	92	34	2	2	3
FAIRFAX	146	130	8	8	3
FALLS CHURCH	4	134	6	6	5

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
VIRGINIA—CON.					
INDEPENDENT CITIES—CON.					
FRANKLIN	154	82	2	-	1
WHITE	80	46	2	-	1
ALL OTHER	74	36	-	-	-
NEGRO	74	36	-	-	-
FREDERICKSBURG	484	196	6	6	4
WHITE	376	156	2	2	2
ALL OTHER	108	40	4	4	2
NEGRO	108	40	4	4	2
GALAX	178	68	-	-	1
HAMPTON	984	828	54	40	39
WHITE	594	570	36	24	18
ALL OTHER	390	258	18	16	21
NEGRO	388	254	16	14	21
HARRISONBURG	530	162	2	2	3
HOPEWELL	212	214	4	4	10
WHITE	174	184	4	4	7
ALL OTHER	38	30	-	-	3
NEGRO	38	30	-	-	3
LEXINGTON	156	80	2	2	1
WHITE	138	64	2	2	1
ALL OTHER	18	16	-	-	-
NEGRO	18	16	-	-	-
LYNCHBURG	1,146	684	16	16	19
WHITE	894	518	6	6	13
ALL OTHER	252	166	10	10	6
NEGRO	252	166	10	10	6
MARTINSVILLE	312	214	2	2	6
WHITE	220	132	2	2	4
ALL OTHER	92	82	-	-	2
NEGRO	92	82	-	-	2
NEWPORT NEWS	1,296	1,018	64	52	46
WHITE	894	622	46	36	28
ALL OTHER	402	396	18	16	18
NEGRO	394	392	18	16	18
NORFOLK	3,056	2,540	96	74	72
WHITE	1,894	1,512	38	26	47
ALL OTHER	1,202	1,028	58	48	25
NEGRO	1,198	1,022	58	48	24
NORTON	238	52	2	2	1
PETERSBURG	668	516	18	12	21
WHITE	380	270	4	4	7
ALL OTHER	288	246	14	8	14
NEGRO	288	246	14	8	14
PORTSMOUTH	1,482	1,206	58	38	46
WHITE	980	720	16	8	19
ALL OTHER	502	486	42	30	27
NEGRO	496	484	42	30	27
RADFORD	208	108	4	2	5
RICHMOND	5,126	3,162	86	66	100
WHITE	3,302	1,858	32	24	39
ALL OTHER	1,824	1,304	54	42	61
NEGRO	1,818	1,302	54	42	61
ROANOKE	1,816	1,320	40	30	33
WHITE	1,540	1,054	28	26	20
ALL OTHER	276	266	12	4	13
NEGRO	276	266	12	4	12
SALEM	442	198	6	4	3
SOUTH BOSTON	374	78	-	-	3
WHITE	238	50	-	-	-
ALL OTHER	136	28	-	-	3
NEGRO	136	28	-	-	3
STAUNTON	636	234	8	6	3
WHITE	566	202	8	6	3
ALL OTHER	70	32	-	-	-
NEGRO	64	32	-	-	-
SUFFOLK	44	176	12	10	6
WHITE	28	108	-	-	3
ALL OTHER	16	68	12	10	3
NEGRO	16	68	12	10	3
VIRGINIA BEACH	602	856	50	30	44
WHITE	506	716	38	20	39
ALL OTHER	96	140	12	10	5
NEGRO	94	138	12	10	5
WAYNESBORO	256	160	10	10	6
WILLIAMSBURG	184	76	8	8	1
WHITE	128	60	4	4	1
ALL OTHER	56	16	4	4	-
NEGRO	56	14	2	2	-
WINCHESTER	678	210	2	2	1

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
WASHINGTON	30,020	29,836	824	590	422
WHITE	28,920	28,742	742	544	372
ALL OTHER	1,100	1,094	82	46	50
NEGRO	506	508	38	22	21
ADAMS	68	64	6	4	3
ASOTIN	170	166	2	2	1
BENTON	458	478	18	10	12
KENNEWICK	---	170	10	6	4
RICHLAND	---	144	4	2	3
BALANCE OF COUNTY	---	164	4	2	5
CHELAN	534	456	10	10	3
WENATCHEE	---	234	8	8	2
BALANCE OF COUNTY	---	222	2	2	1
CLALLAM	344	374	12	12	5
PORT ANGELES	---	182	12	12	4
BALANCE OF COUNTY	---	192	-	-	1
CLARK	1,242	1,156	38	30	20
VANCOUVER	---	562	12	10	10
BALANCE OF COUNTY	---	594	26	20	10
COLUMBIA	46	52	4	2	-
COWLITZ	552	590	20	14	10
KELSO	---	120	2	2	1
LONGVIEW	---	280	14	12	5
BALANCE OF COUNTY	---	190	4	-	4
DOUGLAS	46	126	-	-	1
FERRY	20	36	4	4	-
WHITE	20	28	2	2	-
ALL OTHER	-	8	2	2	-
NEGRO	-	-	-	-	-
FRANKLIN	188	204	6	4	3
PASCO	---	156	6	4	2
WHITE	---	140	4	2	2
ALL OTHER	---	16	2	2	-
NEGRO	---	16	2	2	-
BALANCE OF COUNTY	---	48	-	-	1
GARFIELD	38	44	2	2	-
GRANT	298	326	14	10	7
MOSES LAKE	---	84	4	2	2
BALANCE OF COUNTY	---	242	10	8	5
GRAYS HARBOR	602	666	32	24	12
ABERDEEN	---	238	16	14	2
HOQUIAM	---	148	4	2	4
BALANCE OF COUNTY	---	280	12	8	6
ISLAND	150	178	2	-	4
JEFFERSON	100	116	2	2	2
KING	9,920	9,426	198	140	106
WHITE	9,356	8,860	164	114	88
ALL OTHER	564	566	34	26	18
NEGRO	308	320	20	14	10
AUBURN	---	186	10	10	3
BELLEVUE	---	184	4	2	5
KENT	---	112	12	8	2
KIRKLAND	---	152	2	2	-
MERCER ISLAND CITY	---	96	2	2	1
REDMOND	---	48	-	-	2
RENTON	---	180	4	-	4
SEATTLE	---	5,968	78	60	44
WHITE	---	5,454	48	38	31
ALL OTHER	---	514	30	22	13
NEGRO	---	312	20	14	9
BALANCE OF COUNTY	---	2,500	86	56	45
KITSAP	926	974	16	14	12
BREMERTON	---	410	6	6	5
BALANCE OF COUNTY	---	564	10	8	7
KITTITAS	172	190	-	-	1
ELLENSBURG	---	64	-	-	-
BALANCE OF COUNTY	---	126	-	-	1
KLICKITAT	104	122	2	-	5
LEWIS	480	518	16	14	9
CENTRALIA	---	164	4	4	2
BALANCE OF COUNTY	---	354	12	10	7
LINCOLN	74	88	-	-	-
MASON	136	180	-	-	2
OKANOGAN	270	274	6	6	6
PACIFIC	194	214	4	4	2
PEND OREILLE	60	56	4	2	1
PIERCE	3,472	3,384	130	94	52
WHITE	3,346	3,254	114	86	42
ALL OTHER	126	130	16	8	10
NEGRO	92	94	10	4	8
PUYALLUP	---	202	4	4	2
WASHINGTON—CON.					
PIERCE—CON.					
TACOMA	---	1,842	44	32	20
WHITE	---	1,750	36	28	15
ALL OTHER	---	92	8	4	5
NEGRO	---	76	4	2	3
BALANCE OF COUNTY	---	1,340	82	58	30
WHITE	---	1,306	74	54	25
ALL OTHER	---	34	8	4	5
NEGRO	---	18	6	2	5
SAN JUAN	36	64	2	2	1
SKAGIT	630	614	16	10	3
SKAMANIA	20	44	2	2	2
SNOHOMISH	1,644	1,876	48	32	34
EDMONDS	---	212	6	4	5
EVERETT	---	636	16	8	6
LYNNWOOD	---	104	6	4	2
MOUNTLAKE TERRACE	---	62	2	-	4
BALANCE OF COUNTY	---	862	18	16	17
SPOKANE	3,280	2,986	74	52	41
SPOKANE	---	2,248	44	34	22
BALANCE OF COUNTY	---	738	30	18	19
STEVENS	154	178	10	6	1
THURSTON	576	658	10	8	8
OLYMPIA	---	286	4	2	-
BALANCE OF COUNTY	---	372	6	6	8
WAHKIAKUM	20	32	-	-	-
WALLA WALLA	578	412	6	2	3
WALLA WALLA	---	268	6	2	3
BALANCE OF COUNTY	---	144	-	-	-
WHATCOM	794	788	22	14	16
BELLINGHAM	---	460	16	10	11
BALANCE OF COUNTY	---	328	6	4	5
WHITMAN	204	236	18	16	-
PULLMAN	---	46	6	6	-
BALANCE OF COUNTY	---	190	12	10	-
YAKIMA	1,420	1,490	68	42	34
YAKIMA	---	656	28	20	9
BALANCE OF COUNTY	---	834	40	22	25
WEST VIRGINIA	20,732	20,606	564	470	432
WHITE	19,500	19,392	522	434	403
ALL OTHER	1,232	1,214	42	36	29
NEGRO	1,226	1,210	42	36	28
BARBOUR	164	186	6	6	4
BERKELEY	728	428	6	4	8
MARTINSBURG	---	258	2	2	3
BALANCE OF COUNTY	---	170	4	2	5
BOONE	172	262	8	8	8
BRAXTON	128	162	6	6	2
BROOKE	130	288	2	2	10
WEIRTON, PART	---	24	-	-	1
BALANCE OF COUNTY	---	264	2	2	9
CABELL	1,848	1,302	34	32	22
HUNTINGTON, PART	---	1,020	24	22	14
HUNTINGTON, TOTAL	---	1,064	24	22	16
BALANCE OF COUNTY	---	282	10	10	8
CALHOUN	66	86	2	2	3
CLAY	36	104	4	4	-
DODDRIDGE	42	102	6	4	-
FAYETTE	578	724	16	14	12
WHITE	512	638	16	14	11
ALL OTHER	66	86	-	-	1
NEGRO	66	86	-	-	1
GILMER	18	78	-	-	1
GRANT	100	74	4	2	2
GREENBRIER	322	420	16	12	5
HAMPSHIRE	86	170	2	2	3
HANCOCK	320	386	8	8	8
WEIRTON, PART	---	210	4	4	8
WEIRTON, TOTAL	---	234	4	4	9
BALANCE OF COUNTY	---	176	4	4	-
HARDY	42	104	4	2	3
HARRISON	1,114	972	24	20	15
CLARKSBURG	---	404	6	6	4
BALANCE OF COUNTY	---	568	18	14	11
JACKSON	140	174	4	2	5
JEFFERSON	178	248	10	8	5
WHITE	158	220	10	8	4
ALL OTHER	20	28	-	-	1
NEGRO	20	28	-	-	1

SEE FOOTNOTES AT END OF TABLE.

SECTION 7 - GEOGRAPHIC DETAIL

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
WEST VIRGINIA--CON.					
KANAWHA	2,640	2,456	60	46	51
WHITE	2,434	2,232	42	32	42
ALL OTHER	206	224	18	14	9
NEGRO	206	224	18	14	8
CHARLESTON	---	1,052	16	12	13
WHITE	---	900	8	6	7
ALL OTHER	---	152	8	6	6
NEGRO	---	152	8	6	5
ST. ALBANS	---	134	8	6	3
SOUTH CHARLESTON	---	130	14	10	4
BALANCE OF COUNTY	---	1,140	22	18	31
LEWIS	380	270	10	10	7
LINCOLN	84	214	8	6	6
LOGAN	610	644	22	16	15
MC DOWELL	520	608	16	14	18
WHITE	398	444	12	10	17
ALL OTHER	122	164	4	4	1
NEGRO	122	164	4	4	1
MARION	726	804	12	8	11
FAIRMONT	---	332	2	2	6
BALANCE OF COUNTY	---	472	10	6	5
MARSHALL	328	390	12	12	5
MOUNDSVILLE	---	170	6	6	1
BALANCE OF COUNTY	---	220	6	6	4
MASON	196	248	14	12	3
MERCER	1,000	798	26	22	15
BLUEFIELD	---	252	4	4	8
WHITE	---	192	2	2	2
ALL OTHER	---	60	2	2	6
NEGRO	---	60	2	2	6
BALANCE OF COUNTY	---	546	22	18	7
MINERAL	166	298	4	2	7
MINGO	236	420	18	16	15
MONONGALIA	1,040	644	24	20	14
MORGANTOWN	---	296	12	10	4
BALANCE OF COUNTY	---	348	12	10	10
MONROE	50	156	8	4	4
MORGAN	76	94	-	-	3
NICHOLAS	204	286	4	2	6
OHIO	1,172	946	26	24	10
WHEELING	---	816	22	20	9
BALANCE OF COUNTY	---	130	4	4	1
PENDLETON	40	96	-	-	5
PLEASANTS	20	64	2	2	2
POCAHONTAS	156	134	2	-	2
PRESTON	276	300	12	10	8
PUTNAM	70	228	14	12	8
RALEIGH	1,238	882	22	16	28
WHITE	1,048	736	16	12	26
ALL OTHER	190	146	6	4	2
NEGRO	190	146	6	4	2
BECKLEY	---	304	6	6	7
WHITE	---	222	2	2	6
ALL OTHER	---	82	4	4	1
NEGRO	---	82	4	4	1
BALANCE OF COUNTY	---	578	16	10	21
RANDOLPH	406	280	8	6	3
RITCHIE	64	122	-	-	3
ROANE	206	160	6	6	2
SUMMERS	242	220	6	6	5
TAYLOR	132	210	-	-	2
TUCKER	70	96	2	-	2
TYLER	102	118	2	2	4
UPSHUR	210	234	4	4	2
WAYNE	342	340	6	4	11
HUNTINGTON, PART	---	44	-	-	2
BALANCE OF COUNTY	---	296	6	4	9
WEBSTER	98	140	4	2	5
WETZEL	198	234	4	4	3
WIRT	12	54	-	-	2
WOOD	1,052	888	32	32	22
PARKERSBURG	---	586	16	16	12
VIENNA	---	92	6	6	1
BALANCE OF COUNTY	---	210	10	10	9
WYOMING	158	260	12	12	7
WISCONSIN	42,240	42,120	912	640	659
WHITE	41,258	41,152	816	570	569
ALL OTHER	982	968	96	70	90
NEGRO	824	810	94	68	78
ADAMS	130	134	4	2	3
ASHLAND	208	198	2	2	2
BARRON	436	452	-	-	8
BAYFIELD	86	162	2	2	-

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
WISCONSIN--CON.					
BROWN	1,434	1,174	34	26	18
DE PERE	---	104	2	2	-
GREEN BAY	---	724	20	14	12
BALANCE OF COUNTY	---	346	12	10	6
BUFFALO	88	168	2	2	4
BURNETT	126	140	2	-	2
CALUMET	186	226	8	6	7
APPLETON, PART	---	14	-	-	-
BALANCE OF COUNTY	---	212	8	6	7
CHIPPEWA	438	454	20	18	7
CHIPPEWA FALLS	---	144	4	4	1
EAU CLAIRE, PART	---	2	2	2	-
BALANCE OF COUNTY	---	308	14	12	6
CLARK	248	356	4	2	5
COLUMBIA	450	454	20	16	10
CRAWFORD	166	182	4	2	2
DANE	2,606	1,824	52	36	27
MADISON	---	1,078	34	24	17
MONONA	---	38	-	-	-
BALANCE OF COUNTY	---	708	18	12	10
DODGE	756	728	14	10	14
BEAVER DAM	---	174	2	2	2
WATERTOWN, PART	---	64	-	-	-
BALANCE OF COUNTY	---	490	12	8	12
DOOR	206	260	2	2	5
DOUGLAS	538	600	8	6	4
SUPERIOR	---	446	6	4	3
BALANCE OF COUNTY	---	154	2	2	1
DUNN	234	304	4	4	7
MENOMONIE	---	116	-	-	-
BALANCE OF COUNTY	---	188	4	4	7
EAU CLAIRE	724	602	8	4	4
EAU CLAIRE, PART	---	424	6	2	3
EAU CLAIRE, TOTAL	---	426	8	4	3
BALANCE OF COUNTY	---	178	2	2	1
FLORENCE	22	38	2	-	-
FOND DU LAC	862	860	22	10	14
FOND DU LAC	---	454	6	2	4
BALANCE OF COUNTY	---	406	16	8	10
FOREST	60	112	6	2	1
GRANT	418	474	10	10	10
GREEN	448	316	8	6	4
GREEN LAKE	174	208	2	2	4
IOWA	214	238	4	2	1
IRON	44	76	2	-	-
JACKSON	152	202	-	-	5
JEFFERSON	420	572	12	6	5
WATERTOWN, PART	---	132	4	-	-
WATERTOWN, TOTAL	---	196	4	-	-
WHITEWATER, PART	---	4	-	-	-
BALANCE OF COUNTY	---	436	8	6	5
JUNEAU	170	262	2	2	7
KENOSHA	908	976	16	12	19
KENOSHA	---	652	14	10	11
BALANCE OF COUNTY	---	324	2	2	8
KEWAUNEE	168	216	6	4	2
LA CROSSE	1,110	814	12	12	7
LA CROSSE	---	568	6	6	6
BALANCE OF COUNTY	---	246	6	6	1
LAFAYETTE	106	194	8	6	2
LANGLADE	244	260	-	-	6
LINCOLN	298	314	8	4	1
MANITOWOC	754	830	14	14	14
MANITOWOC	---	420	8	8	6
TWO RIVERS	---	140	2	2	1
BALANCE OF COUNTY	---	270	4	4	7
MARATHON	728	826	22	16	18
MARSHFIELD, PART	---	-	-	-	-
WAUSAU	---	398	8	4	4
BALANCE OF COUNTY	---	428	14	12	14
MARINETTE	422	456	4	2	5
MARINETTE	---	140	-	-	1
BALANCE OF COUNTY	---	316	4	2	4
MARQUETTE	60	130	-	-	-
MENOMINEE	-	44	2	2	2
WHITE	-	16	-	-	-
ALL OTHER	-	28	2	2	2
NEGRO	-	-	-	-	-
MILWAUKEE	10,600	10,250	274	186	177
WHITE	9,904	9,552	196	132	110
ALL OTHER	696	698	78	54	67
NEGRO	680	686	78	54	67
BROWN DEER	---	78	2	2	1
CUDAHY	---	174	4	2	4
FRANKLIN	---	60	2	2	-
GLENDALE	---	170	-	-	2

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1972—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence†	Deaths by place of residence††			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
WISCONSIN--CON.					
MILWAUKEE--CON.					
GREENDALE	---	56	2	2	2
GREENFIELD	---	130	2	2	2
MILWAUKEE, PART	---	7,430	220	144	147
WHITE	---	6,736	142	90	81
ALL OTHER	---	694	78	54	66
NEGRO	---	684	78	54	66
MILWAUKEE, TOTAL	---	7,430	220	144	147
WHITE	---	6,736	142	90	81
ALL OTHER	---	694	78	54	66
NEGRO	---	684	78	54	66
OAK CREEK	---	68	2	-	1
ST. FRANCIS	---	82	2	2	-
SHOREWOOD	---	156	4	2	-
SOUTH MILWAUKEE	---	150	8	4	1
WAUWATOSA	---	622	6	6	7
WEST ALLIS	---	718	16	16	7
WHITEFISH BAY	---	128	-	-	1
BALANCE OF COUNTY	---	228	4	2	2
MONROE	384	356	8	4	9
OCONTO	252	288	2	2	4
ONEIDA	396	312	2	2	3
OUTAGAMIE	942	918	14	10	17
APPLETON, PART	---	464	8	6	7
APPLETON, TOTAL	---	478	8	6	7
KAUKAUNA	---	96	2	-	1
BALANCE OF COUNTY	---	358	4	4	9
OZAUKEE	256	376	16	12	7
MEQUON	---	92	4	4	3
BALANCE OF COUNTY	---	284	12	8	4
PEPIN	70	72	2	2	1
PIERCE	114	262	6	2	5
POLK	302	308	2	-	7
PORTAGE	360	352	16	12	3
STEVENS POINT	---	164	6	6	1
BALANCE OF COUNTY	---	188	10	6	2
PRICE	160	208	-	-	-
RACINE	1,442	1,392	24	18	20
WHITE	1,386	1,336	12	6	12
ALL OTHER	56	56	12	12	8
NEGRO	56	56	12	12	8
RACINE	---	866	20	14	16
WHITE	---	810	8	2	8
ALL OTHER	---	56	12	12	8
NEGRO	---	56	12	12	8
BALANCE OF COUNTY	---	526	4	4	4
RICHLAND	172	196	-	-	8
ROCK	1,228	1,238	24	16	10
BELOIT	---	388	14	10	3
JANESVILLE	---	384	4	2	3
BALANCE OF COUNTY	---	466	6	4	4
RUSK	144	164	4	4	6
ST. CROIX	276	294	14	10	7
SAUK	456	462	2	-	5
SAWYER	150	158	2	2	1
SHAWANO	324	398	6	6	5
SHEBOYGAN	962	948	12	8	14
SHEBOYGAN	---	540	2	2	9
BALANCE OF COUNTY	---	408	10	6	5
TAYLOR	152	176	-	-	2
TREMPEALEAU	292	334	4	-	2
VERNON	328	300	-	-	5
VILAS	140	158	4	4	-
WALWORTH	546	726	18	12	14
WHITEWATER, PART	---	46	-	-	1
WHITEWATER, TOTAL	---	50	-	-	1
BALANCE OF COUNTY	---	680	18	12	13
WASHBURN	182	162	2	2	-
WASHINGTON	470	480	22	14	8
MILWAUKEE, PART	---	-	-	-	-
WEST BEND	---	156	6	6	1
BALANCE OF COUNTY	---	324	16	8	7
WAUKESHA	1,546	1,562	36	26	27
BROOKFIELD	---	220	6	6	1
MENOMONEE FALLS	---	128	6	4	4
MUSKEGO	---	36	-	-	1
NEW BERLIN	---	98	6	4	2
WAUKESHA	---	356	8	6	6
BALANCE OF COUNTY	---	724	10	6	13
WAUPACA	464	468	8	6	7
WAUSHARA	152	188	-	-	5
WINNEBAGO	1,214	1,176	18	16	13
MENASHA	---	132	4	2	1
NEENAH	---	186	2	2	6
OSHKOSH	---	564	6	6	4
BALANCE OF COUNTY	---	294	6	6	2
WOOD	922	602	18	12	11
MARSHFIELD, PART	---	164	2	2	2
MARSHFIELD, TOTAL	---	164	2	2	2
WISCONSIN RAPIDS	---	204	8	6	3
BALANCE OF COUNTY	---	234	8	4	6
WYOMING	3,014	3,074	152	120	65
WHITE	2,930	2,986	142	114	59
ALL OTHER	84	88	10	6	6
NEGRO	22	24	2	2	2
ALBANY	160	164	8	6	1
LARAMIE	---	126	6	4	1
BALANCE OF COUNTY	---	38	2	2	-
BIG HORN	102	114	10	10	1
CAMPBELL	78	84	4	4	2
CARBON	154	156	6	6	9
CONVERSE	52	62	4	2	1
CROOK	22	32	-	-	2
FREMONT	210	236	18	10	6
WHITE	172	192	12	8	5
ALL OTHER	38	44	6	2	1
NEGRO	-	-	-	-	-
GOSHEN	98	132	2	2	2
HOT SPRINGS	94	100	-	-	-
JOHNSON	72	82	2	2	-
LARAMIE	512	446	32	26	14
CHEYENNE	---	358	26	20	11
BALANCE OF COUNTY	---	88	6	6	3
LINCOLN	46	64	-	-	2
NATRONA	442	440	24	14	12
CASPER	---	358	18	12	9
BALANCE OF COUNTY	---	82	6	2	3
NIOBRARA	24	36	-	-	-
PARK	126	150	2	2	-
PLATTE	56	82	2	2	2
SHERIDAN	284	266	10	8	3
SHERIDAN	---	192	4	4	3
BALANCE OF COUNTY	---	74	6	4	-
SUBLETTE	16	36	-	-	1
SWEETWATER	214	194	10	10	3
ROCK SPRINGS	---	136	8	8	2
BALANCE OF COUNTY	---	58	2	2	1
TETON	58	34	6	6	1
UINTA	104	66	4	4	-
WASHAKIE	42	50	4	4	2
WESTON	48	48	4	2	1

†Deaths based on a 50-percent sample. Includes deaths occurring in the United States to nonresidents of the United States; see Technical Appendix.
††Deaths based on a 50-percent sample.
#Classified as urban under special rule; see Technical Appendix.
[1]"Districts" shown are election districts, the nearest equivalent to counties.
[2]Includes data for Texarkana, Ark., only.
[3]The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[4]Includes data for Bristol, Tenn., only.
[5]Includes data for Texarkana, Tex., only.
[6]Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
[7]Includes data for Bristol, Va., only.
[8]Includes data for Bluefield, W. Va., only.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
UNITED STATES	1,963,944	60,182	18.5	44,432	13.6	41,380	12.7
WHITE	1,721,468	43,460	16.4	32,844	12.4	29,611	11.2
ALL OTHER	242,476	16,722	27.7	11,588	19.2	11,769	19.5
URBAN PLACES	1,118,954	34,404	19.1	25,594	14.2	23,204	12.9
WHITE	948,430	22,470	16.4	17,026	12.5	15,005	11.0
ALL OTHER	170,524	11,934	27.6	8,568	19.8	8,199	18.9
BALANCE OF AREA	844,990	25,778	17.7	18,838	12.9	18,176	12.5
WHITE	773,038	20,990	16.3	15,818	12.3	14,606	11.3
ALL OTHER	71,952	4,788	28.2	3,020	17.8	3,570	21.0
METROPOLITAN COUNTIES	1,281,934	39,486	17.9	29,388	13.3	27,484	12.5
WHITE	1,111,734	27,526	15.7	20,828	11.8	19,154	10.9
ALL OTHER	170,200	11,960	26.9	8,560	19.3	8,330	18.8
URBAN PLACES	960,846	29,238	18.8	21,718	14.0	20,160	13.0
WHITE	808,936	18,554	16.0	14,028	12.1	12,799	11.0
ALL OTHER	151,910	10,684	27.2	7,690	19.6	7,361	18.7
BALANCE OF AREA	321,088	10,248	15.8	7,670	11.8	7,324	11.3
WHITE	302,798	8,972	15.0	6,800	11.4	6,355	10.7
ALL OTHER	18,290	1,276	25.0	870	17.1	969	19.0
NONMETROPOLITAN COUNTIES	682,010	20,696	19.6	15,044	14.2	13,896	13.2
WHITE	609,734	15,934	17.8	12,016	13.4	10,457	11.7
ALL OTHER	72,276	4,762	29.9	3,028	19.0	3,439	21.6
URBAN PLACES	158,108	5,166	21.0	3,876	15.8	3,044	12.4
WHITE	139,494	3,016	19.1	2,998	14.6	2,206	10.7
ALL OTHER	18,614	1,250	31.0	878	21.8	838	20.8
BALANCE OF AREA	523,902	15,530	19.2	11,168	13.8	10,852	13.4
WHITE	470,240	12,018	17.4	9,018	13.0	8,251	11.9
ALL OTHER	53,662	3,512	29.6	2,150	18.1	2,601	21.9
ALABAMA	34,572	1,406	22.8	982	15.9	1,033	16.7
WHITE	23,980	706	17.6	538	13.4	520	13.0
ALL OTHER	10,592	700	32.4	444	20.5	513	23.7
URBAN PLACES	14,926	552	21.9	386	15.3	401	15.9
WHITE	9,306	268	17.9	208	13.9	180	12.0
ALL OTHER	5,620	284	27.5	178	17.3	221	21.4
BALANCE OF AREA	19,646	854	23.4	596	16.3	632	17.3
WHITE	14,674	438	17.4	330	13.1	340	13.5
ALL OTHER	4,972	416	36.7	266	23.5	292	25.8
METROPOLITAN COUNTIES	17,452	632	20.5	442	14.3	490	15.9
WHITE	11,572	336	17.0	258	13.1	242	12.3
ALL OTHER	5,880	296	26.5	184	16.5	248	22.2
URBAN PLACES	11,440	384	20.1	270	14.1	310	16.2
WHITE	6,958	190	17.5	146	13.4	135	12.4
ALL OTHER	4,482	194	23.4	124	15.0	175	21.1
BALANCE OF AREA	6,012	248	21.1	172	14.6	180	15.3
WHITE	4,614	146	16.5	112	12.6	107	12.1
ALL OTHER	1,398	102	35.3	60	20.8	73	25.3
NONMETROPOLITAN COUNTIES	17,120	774	25.1	540	17.5	543	17.6
WHITE	12,408	370	18.1	280	13.7	278	13.6
ALL OTHER	4,712	404	38.6	260	24.8	265	25.3
URBAN PLACES	3,486	168	27.5	116	19.0	91	14.9
WHITE	2,348	78	19.1	62	15.2	45	11.0
ALL OTHER	1,138	90	44.3	54	26.6	46	22.6
BALANCE OF AREA	13,634	606	24.5	424	17.1	452	18.3
WHITE	10,060	292	17.9	218	13.4	233	14.3
ALL OTHER	3,574	314	37.2	206	24.4	219	25.9
ALASKA	1,440	126	18.2	76	11.0	60	8.7
WHITE	980	86	17.2	54	10.8	31	6.2
ALL OTHER	460	40	20.6	22	11.3	29	14.9
URBAN PLACES	370	38	24.4	26	16.7	11	7.1
WHITE	308	28	23.0	20	16.4	6	4.9
ALL OTHER	62	10	29.2	6	17.5	5	14.6
BALANCE OF AREA	1,070	88	16.4	50	9.3	49	9.1
WHITE	672	58	15.4	34	9.0	25	6.6
ALL OTHER	398	30	18.8	16	10.0	24	15.0
METROPOLITAN ELECTION DISTRICTS	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
URBAN PLACES	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
BALANCE OF AREA	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
NONMETROPOLITAN ELECTION DISTRICTS[2]	1,440	126	18.2	76	11.0	60	8.7
WHITE	980	86	17.2	54	10.8	31	6.2
ALL OTHER	460	40	20.6	22	11.3	29	14.9
URBAN PLACES	370	38	24.4	26	16.7	11	7.1
WHITE	308	28	23.0	20	16.4	6	4.9
ALL OTHER	62	10	29.2	6	17.5	5	14.6
BALANCE OF AREA	1,070	88	16.4	50	9.3	49	9.1
WHITE	672	58	15.4	34	9.0	25	6.6
ALL OTHER	398	30	18.8	16	10.0	24	15.0

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
ARIZONA	15,810	640	17.1	418	11.1	400	10.7
WHITE	14,342	494	15.6	342	10.8	325	10.3
ALL OTHER	1,468	146	24.6	76	12.8	75	12.7
URBAN PLACES	10,714	384	16.0	264	11.0	246	10.3
WHITE	10,146	328	15.0	230	10.5	215	9.8
ALL OTHER	568	56	27.6	34	16.7	31	15.3
BALANCE OF AREA	5,096	256	18.9	154	11.4	154	11.4
WHITE	4,196	166	17.2	112	11.6	110	11.4
ALL OTHER	900	90	23.1	42	10.8	44	11.3
METROPOLITAN COUNTIES	11,698	400	15.4	282	10.8	273	10.5
WHITE	11,018	332	14.0	240	10.2	238	10.1
ALL OTHER	680	68	28.6	42	17.7	35	14.7
URBAN PLACES	9,812	346	15.8	246	11.2	226	10.3
WHITE	9,308	296	14.7	212	10.6	197	9.8
ALL OTHER	504	50	26.9	34	18.3	29	15.6
BALANCE OF AREA	1,886	54	13.2	36	8.8	47	11.5
WHITE	1,710	36	10.1	28	7.9	41	11.5
ALL OTHER	176	18	34.9	8	15.5	6	11.6
NONMETROPOLITAN COUNTIES	4,112	240	20.9	136	11.9	127	11.1
WHITE	3,324	162	20.4	102	12.9	87	11.0
ALL OTHER	788	78	22.0	34	9.6	40	11.3
URBAN PLACES	902	38	18.8	18	8.9	20	9.9
WHITE	838	32	17.3	18	9.7	18	9.7
ALL OTHER	64	6	35.7	-	-	2	11.9
BALANCE OF AREA	3,210	202	21.4	118	12.5	107	11.3
WHITE	2,486	130	21.4	84	13.8	69	11.4
ALL OTHER	724	72	21.3	34	10.1	38	11.2
ARKANSAS	21,798	594	17.6	438	13.0	423	12.5
WHITE	17,424	430	17.0	322	12.7	253	10.0
ALL OTHER	4,374	164	19.4	116	13.7	170	20.1
URBAN PLACES	7,564	234	17.8	186	14.1	147	11.2
WHITE	5,784	170	18.2	134	14.3	82	8.8
ALL OTHER	1,780	64	16.7	52	13.6	65	17.0
BALANCE OF AREA	14,234	360	17.5	252	12.2	276	13.4
WHITE	11,640	260	16.3	188	11.8	171	10.7
ALL OTHER	2,594	100	21.6	64	13.8	105	22.6
METROPOLITAN COUNTIES	5,844	228	19.6	170	14.6	127	10.9
WHITE	4,278	154	18.8	108	13.2	70	8.5
ALL OTHER	1,566	74	21.6	62	18.1	57	16.6
URBAN PLACES	4,302	172	20.1	136	15.9	89	10.4
WHITE	3,182	118	19.8	90	15.1	45	7.6
ALL OTHER	1,120	54	20.7	46	17.6	44	16.8
BALANCE OF AREA	1,542	56	18.2	34	11.1	38	12.4
WHITE	1,096	36	16.0	18	8.0	25	11.1
ALL OTHER	446	20	24.4	16	19.6	13	15.9
NONMETROPOLITAN COUNTIES	15,954	366	16.5	268	12.1	296	13.4
WHITE	13,146	276	16.1	214	12.5	183	10.7
ALL OTHER	2,808	90	17.9	54	10.7	113	22.4
URBAN PLACES	3,262	62	13.5	50	10.8	58	12.6
WHITE	2,602	52	15.3	44	13.0	37	10.9
ALL OTHER	660	10	8.2	6	4.9	21	17.3
BALANCE OF AREA	12,692	304	17.3	218	12.4	238	13.6
WHITE	10,544	224	16.3	170	12.4	146	10.6
ALL OTHER	2,148	80	20.9	48	12.6	92	24.1
CALIFORNIA	169,984	4,794	15.6	3,472	11.3	3,061	10.0
WHITE	156,206	3,876	14.8	2,852	10.9	2,496	9.6
ALL OTHER	13,778	918	20.2	620	13.7	565	12.4
URBAN PLACES	127,684	3,552	15.7	2,584	11.4	2,231	9.9
WHITE	115,672	2,746	14.6	2,026	10.8	1,744	9.3
ALL OTHER	12,012	806	20.9	558	14.4	487	12.6
BALANCE OF AREA	42,300	1,242	15.5	888	11.1	830	10.3
WHITE	40,534	1,130	15.4	826	11.2	752	10.2
ALL OTHER	1,766	112	16.5	62	9.1	78	11.5
METROPOLITAN COUNTIES	155,118	4,404	15.6	3,196	11.3	2,810	9.9
WHITE	141,874	3,514	14.7	2,592	10.8	2,259	9.5
ALL OTHER	13,244	890	20.3	604	13.7	551	12.5
URBAN PLACES	123,866	3,450	15.7	2,506	11.4	2,156	9.8
WHITE	112,018	2,650	14.6	1,952	10.8	1,670	9.2
ALL OTHER	11,848	800	21.0	554	14.5	486	12.7
BALANCE OF AREA	31,252	954	15.1	690	10.9	654	10.3
WHITE	29,856	864	15.0	640	11.1	589	10.2
ALL OTHER	1,396	90	15.7	50	8.7	65	11.3
NONMETROPOLITAN COUNTIES	14,866	390	16.5	276	11.7	251	10.6
WHITE	14,332	362	16.4	260	11.8	237	10.7
ALL OTHER	534	28	19.0	16	10.8	14	9.5
URBAN PLACES	3,818	102	15.3	78	11.7	75	11.3
WHITE	3,654	96	15.5	74	11.9	74	11.9
ALL OTHER	164	6	13.6	4	9.1	1	2.3
BALANCE OF AREA	11,048	288	17.0	198	11.7	176	10.4
WHITE	10,678	266	16.7	186	11.7	163	10.2
ALL OTHER	370	22	21.3	12	11.6	13	12.6

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
COLORADO	17,824	660	17.1	492	12.8	607	15.8
WHITE	17,222	620	17.1	462	12.7	550	15.2
ALL OTHER	602	40	17.7	30	13.3	57	25.2
URBAN PLACES	11,876	430	17.4	316	12.8	423	17.1
WHITE	11,330	396	17.4	290	12.7	373	16.4
ALL OTHER	546	34	17.6	26	13.4	50	25.8
BALANCE OF AREA	5,948	230	16.6	176	12.7	184	13.3
WHITE	5,892	224	16.6	172	12.7	177	13.1
ALL OTHER	56	6	18.3	4	12.2	7	21.4
METROPOLITAN COUNTIES	11,992	468	16.6	350	12.4	468	16.6
WHITE	11,426	430	16.5	320	12.3	417	16.0
ALL OTHER	566	38	18.5	30	14.6	51	24.8
URBAN PLACES	10,480	400	17.9	294	13.1	390	17.4
WHITE	9,938	366	17.8	268	13.0	343	16.7
ALL OTHER	542	34	18.2	26	13.9	47	25.2
BALANCE OF AREA	1,512	68	11.8	56	9.7	78	13.5
WHITE	1,488	64	11.5	52	9.3	74	13.3
ALL OTHER	24	4	20.8	4	20.8	4	20.8
NONMETROPOLITAN COUNTIES	5,832	192	18.5	142	13.7	139	13.4
WHITE	5,796	190	18.7	142	14.0	133	13.1
ALL OTHER	36	2	9.8	-	-	6	29.3
URBAN PLACES	1,396	30	13.0	22	9.5	33	14.3
WHITE	1,392	30	13.4	22	9.8	30	13.4
ALL OTHER	4	-	-	-	-	3	42.9
BALANCE OF AREA	4,436	162	20.1	120	14.9	106	13.2
WHITE	4,404	160	20.2	120	15.2	103	13.0
ALL OTHER	32	2	14.8	-	-	3	22.2
CONNECTICUT	26,350	662	16.7	490	12.4	434	11.0
WHITE	25,116	544	15.6	406	11.6	357	10.2
ALL OTHER	1,234	118	25.1	84	17.9	77	16.4
URBAN PLACES	18,554	458	17.2	334	12.5	316	11.9
WHITE	17,420	346	15.6	256	11.5	245	11.0
ALL OTHER	1,134	112	25.5	78	17.7	71	16.1
BALANCE OF AREA	7,796	204	15.8	156	12.1	118	9.1
WHITE	7,696	198	15.7	150	11.9	112	8.9
ALL OTHER	100	6	20.1	6	20.1	6	20.1
METROPOLITAN COUNTIES	20,622	514	17.2	388	13.0	338	11.3
WHITE	19,484	402	15.7	310	12.1	267	10.4
ALL OTHER	1,138	112	26.1	78	18.2	71	16.6
URBAN PLACES	16,950	420	17.5	308	12.9	289	12.1
WHITE	15,884	312	15.7	234	11.8	222	11.2
ALL OTHER	1,066	108	26.1	74	17.9	67	16.2
BALANCE OF AREA	3,672	94	15.8	80	13.5	49	8.2
WHITE	3,600	90	15.5	76	13.1	45	7.8
ALL OTHER	72	4	26.7	4	26.7	4	26.7
NONMETROPOLITAN COUNTIES	5,728	148	15.3	102	10.5	96	9.9
WHITE	5,632	142	15.3	96	10.4	90	9.7
ALL OTHER	96	6	14.6	6	14.6	6	14.6
URBAN PLACES	1,604	38	14.2	26	9.7	27	10.1
WHITE	1,536	34	14.1	22	9.1	23	9.6
ALL OTHER	68	4	15.3	4	15.3	4	15.3
BALANCE OF AREA	4,124	110	15.7	76	10.9	69	9.9
WHITE	4,096	108	15.8	74	10.8	67	9.8
ALL OTHER	28	2	13.5	2	13.5	2	13.5
DELAWARE	4,962	168	19.1	122	13.8	92	10.4
WHITE	4,058	92	13.3	70	10.1	62	9.0
ALL OTHER	904	76	40.1	52	27.4	30	15.8
URBAN PLACES	1,972	56	23.4	40	16.7	27	11.3
WHITE	1,478	22	15.5	16	11.3	16	11.3
ALL OTHER	494	34	35.1	24	24.8	11	11.4
BALANCE OF AREA	2,990	112	17.4	82	12.8	65	10.1
WHITE	2,580	70	12.7	54	9.8	46	8.4
ALL OTHER	410	42	45.3	28	30.2	19	20.5
METROPOLITAN COUNTIES	3,284	100	17.3	72	12.5	47	8.1
WHITE	2,732	68	14.5	52	11.1	31	6.6
ALL OTHER	552	32	29.7	20	18.6	16	14.8
URBAN PLACES	1,798	44	23.1	30	15.8	17	8.9
WHITE	1,350	18	16.9	14	13.1	7	6.6
ALL OTHER	448	26	31.1	16	19.1	10	12.0
BALANCE OF AREA	1,486	56	14.5	42	10.8	30	7.7
WHITE	1,382	50	13.8	38	10.5	24	6.6
ALL OTHER	104	6	24.8	4	16.5	6	24.8
NONMETROPOLITAN COUNTIES	1,678	68	22.4	50	16.5	45	14.8
WHITE	1,326	24	10.8	18	8.1	31	14.0
ALL OTHER	352	44	53.9	32	39.2	14	17.1
URBAN PLACES	174	12	24.6	10	20.5	10	20.5
WHITE	128	4	11.2	2	5.6	9	25.3
ALL OTHER	46	8	60.6	8	60.6	1	7.6
BALANCE OF AREA	1,504	56	22.0	40	15.7	35	13.7
WHITE	1,198	20	10.7	16	8.6	22	11.8
ALL OTHER	306	36	52.6	24	35.0	13	19.0

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
DISTRICT OF COLUMBIA	8,462	330	27.4	242	20.1	202	16.7
WHITE	3,054	28	19.2	22	15.1	23	15.8
ALL OTHER	5,408	302	28.5	220	20.8	179	16.9
URBAN PLACES	8,462	330	27.4	242	20.1	202	16.7
WHITE	3,054	28	19.2	22	15.1	23	15.8
ALL OTHER	5,408	302	28.5	220	20.8	179	16.9
BALANCE OF AREA	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
METROPOLITAN	8,462	330	27.4	242	20.1	202	16.7
WHITE	3,054	28	19.2	22	15.1	23	15.8
ALL OTHER	5,408	302	28.5	220	20.8	179	16.9
URBAN PLACES	8,462	330	27.4	242	20.1	202	16.7
WHITE	3,054	28	19.2	22	15.1	23	15.8
ALL OTHER	5,408	302	28.5	220	20.8	179	16.9
BALANCE OF AREA	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
NONMETROPOLITAN	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
URBAN PLACES	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
BALANCE OF AREA	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
FLORIDA	83,310	2,024	18.4	1,510	13.7	1,521	13.8
WHITE	71,896	1,276	15.7	966	11.9	921	11.4
ALL OTHER	11,414	748	26.0	544	18.9	600	20.9
URBAN PLACES	46,594	990	16.5	748	12.4	814	13.5
WHITE	39,354	538	13.3	418	10.3	451	11.1
ALL OTHER	7,240	452	23.1	330	16.9	363	18.6
BALANCE OF AREA	36,716	1,034	20.8	762	15.3	707	14.2
WHITE	32,542	738	18.2	548	13.5	470	11.6
ALL OTHER	4,174	296	32.2	214	23.3	237	25.8
METROPOLITAN COUNTIES	55,420	1,270	17.2	944	12.8	1,024	13.9
WHITE	47,864	786	14.6	586	10.9	607	11.2
ALL OTHER	7,556	484	24.4	358	18.0	417	21.0
URBAN PLACES	38,552	756	15.1	566	11.3	668	13.4
WHITE	32,814	416	12.3	318	9.4	377	11.2
ALL OTHER	5,738	340	21.0	248	15.3	291	18.0
BALANCE OF AREA	16,868	514	21.5	378	15.8	356	14.9
WHITE	15,050	370	18.3	268	13.2	230	11.4
ALL OTHER	1,818	144	39.3	110	30.0	126	34.4
NONMETROPOLITAN COUNTIES	27,890	754	20.9	566	15.7	497	13.8
WHITE	24,032	490	18.0	380	14.0	314	11.6
ALL OTHER	3,858	264	29.7	186	20.9	183	20.6
URBAN PLACES	8,042	234	23.0	182	17.9	146	14.3
WHITE	6,540	122	17.8	100	14.6	74	10.8
ALL OTHER	1,502	112	33.4	82	24.5	72	21.5
BALANCE OF AREA	19,848	520	20.1	384	14.9	351	13.6
WHITE	17,492	368	18.1	280	13.8	240	11.8
ALL OTHER	2,356	152	27.4	104	18.8	111	20.0
GEORGIA	42,986	1,702	19.5	1,188	13.6	1,229	14.1
WHITE	30,226	880	15.3	680	11.8	646	11.2
ALL OTHER	12,760	822	27.5	508	17.0	583	19.5
URBAN PLACES	17,940	714	22.5	526	16.6	515	16.2
WHITE	10,874	284	17.6	222	13.8	231	14.3
ALL OTHER	7,066	430	27.5	304	19.4	284	18.2
BALANCE OF AREA	25,046	988	17.8	662	11.9	714	12.8
WHITE	19,352	596	14.4	458	11.1	415	10.0
ALL OTHER	5,694	392	27.5	204	14.3	299	21.0
METROPOLITAN COUNTIES	18,728	766	18.0	576	13.6	604	14.2
WHITE	12,792	402	14.3	316	11.2	333	11.8
ALL OTHER	5,936	364	25.5	260	18.2	271	19.0
URBAN PLACES	13,144	516	21.6	382	16.0	407	17.0
WHITE	7,778	206	17.6	158	13.5	177	15.1
ALL OTHER	5,366	310	25.5	224	18.5	230	19.0
BALANCE OF AREA	5,584	250	13.5	194	10.4	197	10.6
WHITE	5,014	196	11.9	158	9.6	156	9.5
ALL OTHER	570	54	25.3	36	16.9	41	19.2
NONMETROPOLITAN COUNTIES	24,258	936	20.8	612	13.6	625	13.9
WHITE	17,434	478	16.3	364	12.4	313	10.7
ALL OTHER	6,824	458	29.3	248	15.9	312	20.0
URBAN PLACES	4,796	198	25.2	144	18.3	108	13.7
WHITE	3,096	78	17.9	64	14.7	54	12.4
ALL OTHER	1,700	120	34.2	80	22.8	54	15.4
BALANCE OF AREA	19,462	738	19.9	468	12.6	517	14.0
WHITE	14,338	400	16.1	300	12.0	259	10.4
ALL OTHER	5,124	338	27.9	168	13.9	258	21.3

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
HAWAII	4,304	260	16.9	210	13.6	299	19.4
WHITE	1,390	64	14.7	52	12.0	94	21.6
ALL OTHER	2,914	196	17.7	158	14.3	205	18.5
URBAN PLACES	2,760	152	14.9	128	12.5	197	19.3
WHITE	944	32	11.0	22	7.5	67	23.0
ALL OTHER	1,816	120	16.5	106	14.6	130	17.8
BALANCE OF AREA	1,544	108	20.7	82	15.7	102	19.6
WHITE	446	32	22.3	30	20.9	27	18.8
ALL OTHER	1,098	76	20.1	52	13.8	75	19.9
METROPOLITAN COUNTIES	3,138	210	16.7	168	13.4	241	19.2
WHITE	1,094	62	16.0	50	12.9	82	21.1
ALL OTHER	2,044	148	17.0	118	13.6	159	18.3
URBAN PLACES	2,514	144	14.9	120	12.4	189	19.5
WHITE	888	32	11.2	22	7.7	65	22.7
ALL OTHER	1,626	112	16.4	98	14.4	124	18.2
BALANCE OF AREA	624	66	22.7	48	16.5	52	17.9
WHITE	206	30	29.5	28	27.5	17	16.7
ALL OTHER	418	36	19.1	20	10.6	35	18.6
NONMETROPOLITAN COUNTIES	1,166	50	17.7	42	14.9	58	20.5
WHITE	296	2	4.2	2	4.2	12	25.4
ALL OTHER	870	48	20.4	40	17.0	46	19.5
URBAN PLACES	246	8	15.3	8	15.3	8	15.3
WHITE	56	-	-	-	-	2	35.7
ALL OTHER	190	8	17.1	8	17.1	6	12.8
BALANCE OF AREA	920	42	18.2	34	14.8	50	21.7
WHITE	240	2	4.8	2	4.8	10	24.0
ALL OTHER	680	40	21.2	32	16.9	40	21.2
IDAHO	6,352	240	16.9	156	11.0	160	11.3
WHITE	6,224	224	16.2	148	10.7	154	11.1
ALL OTHER	128	16	42.6	8	21.3	6	16.0
URBAN PLACES	2,484	102	17.3	58	9.9	62	10.5
WHITE	2,448	96	16.7	54	9.4	60	10.4
ALL OTHER	36	6	50.8	4	33.9	2	16.9
BALANCE OF AREA	3,868	138	16.6	98	11.8	98	11.8
WHITE	3,776	128	15.8	94	11.6	94	11.6
ALL OTHER	92	10	38.8	4	15.5	4	15.5
METROPOLITAN COUNTIES	926	34	15.4	22	10.0	27	12.2
WHITE	916	32	14.7	20	9.2	27	12.4
ALL OTHER	10	2	71.4	2	71.4	-	-
URBAN PLACES	770	32	17.8	20	11.1	22	12.3
WHITE	760	30	17.0	18	10.2	22	12.5
ALL OTHER	10	2	71.4	2	71.4	-	-
BALANCE OF AREA	156	2	4.9	2	4.9	5	12.1
WHITE	156	2	4.9	2	4.9	5	12.1
ALL OTHER	-	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	5,426	206	17.1	134	11.2	133	11.1
WHITE	5,308	192	16.5	128	11.0	127	10.9
ALL OTHER	118	14	40.2	6	17.2	6	17.2
URBAN PLACES	1,714	70	17.1	38	9.3	40	9.8
WHITE	1,688	66	16.5	36	9.0	38	9.5
ALL OTHER	26	4	44.4	2	22.2	2	22.2
BALANCE OF AREA	3,712	136	17.2	96	12.1	93	11.7
WHITE	3,620	126	16.4	92	12.0	89	11.6
ALL OTHER	92	10	38.8	4	15.5	4	15.5
ILLINOIS	111,298	3,604	20.2	2,672	15.0	2,308	13.0
WHITE	97,362	2,296	16.8	1,768	13.0	1,480	10.9
ALL OTHER	13,936	1,308	31.2	904	21.6	828	19.8
URBAN PLACES	77,986	2,660	21.5	1,942	15.7	1,745	14.1
WHITE	64,736	1,404	16.7	1,072	12.7	951	11.3
ALL OTHER	13,250	1,256	31.6	870	21.9	794	20.0
BALANCE OF AREA	33,312	944	17.4	730	13.4	563	10.4
WHITE	32,626	892	17.1	696	13.3	529	10.1
ALL OTHER	686	52	24.3	34	15.9	34	15.9
METROPOLITAN COUNTIES	85,000	2,994	20.5	2,214	15.1	1,951	13.3
WHITE	71,644	1,722	16.3	1,332	12.6	1,144	10.8
ALL OTHER	13,356	1,272	31.4	882	21.8	807	19.9
URBAN PLACES	71,698	2,504	21.5	1,832	15.8	1,660	14.3
WHITE	58,750	1,270	16.4	978	12.7	877	11.3
ALL OTHER	12,948	1,234	31.7	854	21.9	783	20.1
BALANCE OF AREA	13,302	490	16.3	382	12.7	291	9.7
WHITE	12,894	452	15.9	354	12.5	267	9.4
ALL OTHER	408	38	23.7	28	17.5	24	15.0
NONMETROPOLITAN COUNTIES	26,298	610	19.0	458	14.3	357	11.1
WHITE	25,718	574	18.7	436	14.2	336	11.0
ALL OTHER	580	36	26.5	22	16.2	21	15.5
URBAN PLACES	6,288	156	20.2	110	14.2	85	11.0
WHITE	5,986	134	19.4	94	13.6	74	10.7
ALL OTHER	302	22	26.9	16	19.6	11	13.4
BALANCE OF AREA	20,010	454	18.7	348	14.3	272	11.2
WHITE	19,732	440	18.5	342	14.4	262	11.0
ALL OTHER	278	14	25.9	6	11.1	10	18.5

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
INDIANA	49,138	1,630	18.7	1,276	14.6	1,068	12.2
WHITE	45,788	1,384	17.7	1,098	14.1	876	11.2
ALL OTHER	3,350	246	26.3	178	19.0	192	20.5
URBAN PLACES	26,514	1,002	21.3	774	16.5	612	13.0
WHITE	23,266	758	20.0	596	15.7	436	11.5
ALL OTHER	3,248	244	27.0	178	19.7	176	19.5
BALANCE OF AREA	22,624	628	15.6	502	12.4	456	11.3
WHITE	22,522	626	15.6	502	12.5	440	11.0
ALL OTHER	102	2	6.1	-	-	16	48.8
METROPOLITAN COUNTIES	28,724	1,010	18.8	772	14.4	663	12.3
WHITE	25,684	782	17.3	608	13.4	507	11.2
ALL OTHER	3,040	228	27.2	164	19.6	156	18.6
URBAN PLACES	20,488	748	20.0	570	15.2	491	13.1
WHITE	17,488	522	17.9	406	13.9	340	11.7
ALL OTHER	3,000	226	27.4	164	19.9	151	18.3
BALANCE OF AREA	8,236	262	16.1	202	12.4	172	10.6
WHITE	8,196	260	16.1	202	12.5	167	10.3
ALL OTHER	40	2	13.1	-	-	5	32.7
NONMETROPOLITAN COUNTIES	20,414	620	18.4	504	15.0	405	12.0
WHITE	20,104	602	18.4	490	15.0	369	11.3
ALL OTHER	310	18	18.6	14	14.5	36	37.3
URBAN PLACES	6,026	254	26.6	204	21.4	121	12.7
WHITE	5,778	236	27.0	190	21.7	96	11.0
ALL OTHER	248	18	22.8	14	17.7	25	31.6
BALANCE OF AREA	14,388	366	15.2	300	12.5	284	11.8
WHITE	14,326	366	15.3	300	12.6	273	11.4
ALL OTHER	62	-	-	-	-	11	62.9
IOWA	29,932	720	17.6	582	14.2	424	10.4
WHITE	29,588	694	17.5	562	14.1	410	10.3
ALL OTHER	344	26	22.5	20	17.3	14	12.1
URBAN PLACES	11,506	360	20.2	288	16.2	203	11.4
WHITE	11,190	336	20.0	270	16.0	193	11.5
ALL OTHER	316	24	24.4	18	18.3	10	10.2
BALANCE OF AREA	18,426	360	15.6	294	12.7	221	9.6
WHITE	18,398	358	15.6	292	12.8	217	9.5
ALL OTHER	28	2	11.6	2	11.6	4	23.3
METROPOLITAN COUNTIES	9,298	316	19.7	260	16.2	192	12.0
WHITE	9,016	296	19.5	244	16.1	183	12.1
ALL OTHER	282	20	23.9	16	19.1	9	10.7
URBAN PLACES	7,760	256	20.4	208	16.5	156	12.4
WHITE	7,478	236	20.1	192	16.3	148	12.6
ALL OTHER	282	20	24.6	16	19.7	8	9.8
BALANCE OF AREA	1,538	60	17.5	52	15.1	36	10.5
WHITE	1,538	60	17.6	52	15.2	35	10.3
ALL OTHER	-	-	-	-	-	1	41.7
NONMETROPOLITAN COUNTIES	20,634	404	16.2	322	12.9	232	9.3
WHITE	20,572	398	16.2	318	13.0	227	9.2
ALL OTHER	62	6	19.0	4	12.7	5	15.8
URBAN PLACES	3,746	104	19.8	80	15.3	47	9.0
WHITE	3,712	100	19.7	78	15.4	45	8.9
ALL OTHER	34	4	23.8	2	11.9	2	11.9
BALANCE OF AREA	16,888	300	15.3	242	12.3	185	9.4
WHITE	16,860	298	15.3	240	12.3	182	9.3
ALL OTHER	28	2	13.5	2	13.5	3	20.3
KANSAS	22,388	580	17.5	458	13.8	391	11.8
WHITE	21,238	514	17.0	404	13.4	332	11.0
ALL OTHER	1,150	66	22.2	54	18.2	59	19.9
URBAN PLACES	10,676	372	19.4	294	15.3	245	12.8
WHITE	9,680	312	18.8	244	14.7	195	11.7
ALL OTHER	996	60	23.0	50	19.2	50	19.2
BALANCE OF AREA	11,712	208	14.8	164	11.7	146	10.4
WHITE	11,558	202	14.8	160	11.7	137	10.0
ALL OTHER	154	6	16.5	4	11.0	9	24.8
METROPOLITAN COUNTIES	7,456	266	17.5	222	14.6	193	12.7
WHITE	6,704	220	16.7	184	14.0	153	11.6
ALL OTHER	752	46	22.8	38	18.8	40	19.8
URBAN PLACES	6,242	218	18.1	182	15.1	167	13.9
WHITE	5,510	172	17.0	144	14.3	130	12.9
ALL OTHER	732	46	23.7	38	19.6	37	19.1
BALANCE OF AREA	1,214	48	15.3	40	12.8	26	8.3
WHITE	1,194	48	15.7	40	13.1	23	7.5
ALL OTHER	20	-	-	-	-	3	37.5
NONMETROPOLITAN COUNTIES	14,932	314	17.4	236	13.1	198	11.0
WHITE	14,534	294	17.2	220	12.9	179	10.5
ALL OTHER	398	20	21.0	16	16.8	19	19.9
URBAN PLACES	4,434	154	21.5	112	15.6	78	10.9
WHITE	4,170	140	21.5	100	15.4	65	10.0
ALL OTHER	264	14	20.9	12	17.9	13	19.4
BALANCE OF AREA	10,498	160	14.7	124	11.4	120	11.0
WHITE	10,364	154	14.5	120	11.3	114	10.8
ALL OTHER	134	6	21.2	4	14.1	6	21.2

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths[+]					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
KENTUCKY	34,048	980	17.7	726	13.1	691	12.5
WHITE	31,024	866	17.2	646	12.8	602	11.9
ALL OTHER	3,024	114	22.6	80	15.8	89	17.6
URBAN PLACES	11,614	300	18.5	220	13.6	197	12.1
WHITE	9,610	216	16.7	156	12.1	140	10.8
ALL OTHER	2,004	84	25.4	64	19.4	57	17.2
BALANCE OF AREA	22,434	680	17.3	506	12.9	494	12.6
WHITE	21,414	650	17.3	490	13.1	462	12.3
ALL OTHER	1,020	30	17.2	16	9.2	32	18.4
METROPOLITAN COUNTIES	12,658	316	14.7	220	10.2	249	11.6
WHITE	10,986	246	13.4	168	9.1	197	10.7
ALL OTHER	1,672	70	22.7	52	16.9	52	16.9
URBAN PLACES	8,686	214	17.3	150	12.1	148	11.9
WHITE	7,114	146	15.1	100	10.4	103	10.7
ALL OTHER	1,572	68	24.8	50	18.2	45	16.4
BALANCE OF AREA	3,972	102	11.2	70	7.7	101	11.1
WHITE	3,872	100	11.4	68	7.8	94	10.8
ALL OTHER	100	2	6.0	2	6.0	7	20.8
NONMETROPOLITAN COUNTIES	21,390	664	19.5	506	14.9	442	13.0
WHITE	20,038	620	19.4	478	14.9	405	12.6
ALL OTHER	1,352	44	22.4	28	14.2	37	18.8
URBAN PLACES	2,928	86	22.5	70	18.3	49	12.8
WHITE	2,496	70	21.4	56	17.1	37	11.3
ALL OTHER	432	16	28.5	14	24.9	12	21.4
BALANCE OF AREA	18,462	578	19.2	436	14.4	393	13.0
WHITE	17,542	550	19.1	422	14.7	368	12.8
ALL OTHER	920	28	19.9	14	10.0	25	17.8
LOUISIANA	34,390	1,508	22.0	1,140	16.7	899	13.1
WHITE	22,766	774	18.5	600	14.4	384	9.2
ALL OTHER	11,624	734	27.5	540	20.3	515	19.3
URBAN PLACES	17,186	722	22.3	542	16.7	431	13.3
WHITE	10,678	312	18.5	234	13.9	150	8.9
ALL OTHER	6,508	410	26.5	308	19.9	281	18.1
BALANCE OF AREA	17,204	786	21.8	598	16.6	468	13.0
WHITE	12,088	462	18.6	366	14.7	234	9.4
ALL OTHER	5,116	324	29.0	232	20.8	234	21.0
METROPOLITAN PARISHES[1]	18,504	816	21.4	628	16.5	471	12.3
WHITE	12,236	396	17.6	308	13.7	189	8.4
ALL OTHER	6,268	420	27.0	320	20.5	282	18.1
URBAN PLACES	13,968	568	21.8	424	16.3	347	13.3
WHITE	8,704	230	17.7	170	13.1	114	8.8
ALL OTHER	5,264	338	25.9	254	19.5	233	17.9
BALANCE OF AREA	4,536	248	20.5	204	16.9	124	10.2
WHITE	3,532	166	17.3	138	14.4	75	7.8
ALL OTHER	1,004	82	32.4	66	26.1	49	19.4
NONMETROPOLITAN PARISHES[1]	15,886	692	22.8	512	16.9	428	14.1
WHITE	10,530	378	19.7	292	15.2	195	10.2
ALL OTHER	5,356	314	28.3	220	19.8	233	21.0
URBAN PLACES	3,218	154	24.3	118	18.6	84	13.3
WHITE	1,974	82	21.1	64	16.5	36	9.3
ALL OTHER	1,244	72	29.4	54	22.0	48	19.6
BALANCE OF AREA	12,668	538	22.5	394	16.5	344	14.4
WHITE	8,556	296	19.3	228	14.9	159	10.4
ALL OTHER	4,112	242	28.0	166	19.2	185	21.4
MAINE	11,198	298	18.4	218	13.4	110	6.8
WHITE	11,172	296	18.5	218	13.6	110	6.9
ALL OTHER	26	2	9.4	-	-	-	-
URBAN PLACES	3,606	104	20.9	76	15.2	21	4.2
WHITE	3,596	104	21.1	76	15.5	21	4.3
ALL OTHER	10	-	-	-	-	-	-
BALANCE OF AREA	7,592	194	17.2	142	12.6	89	7.9
WHITE	7,576	192	17.3	142	12.8	89	8.0
ALL OTHER	16	2	13.6	-	-	-	-
METROPOLITAN COUNTIES	2,146	48	15.8	42	13.9	13	4.3
WHITE	2,144	48	16.1	42	14.1	13	4.4
ALL OTHER	2	-	-	-	-	-	-
URBAN PLACES	1,284	34	21.8	28	17.9	3	1.9
WHITE	1,282	34	22.1	28	18.2	3	2.0
ALL OTHER	2	-	-	-	-	-	-
BALANCE OF AREA	862	14	9.5	14	9.5	10	6.8
WHITE	862	14	9.7	14	9.7	10	6.9
ALL OTHER	-	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	9,052	250	18.9	176	13.3	97	7.3
WHITE	9,028	248	19.0	176	13.5	97	7.4
ALL OTHER	24	2	12.2	-	-	-	-
URBAN PLACES	2,322	70	20.5	48	14.0	18	5.3
WHITE	2,314	70	20.7	48	14.2	18	5.3
ALL OTHER	8	-	-	-	-	-	-
BALANCE OF AREA	6,730	180	18.4	128	13.1	79	8.1
WHITE	6,714	178	18.4	128	13.3	79	8.2
ALL OTHER	16	2	16.1	-	-	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
MARYLAND	33,408	930	16.0	672	11.5	723	12.4
WHITE	26,826	598	13.8	440	10.2	460	10.6
ALL OTHER	6,582	332	22.3	232	15.6	263	17.6
URBAN PLACES	14,854	374	17.4	278	12.9	298	13.9
WHITE	10,090	148	12.3	124	10.3	122	10.1
ALL OTHER	4,764	226	24.0	154	16.3	176	18.7
BALANCE OF AREA	18,554	556	15.1	394	10.7	425	11.6
WHITE	16,736	450	14.4	316	10.1	338	10.8
ALL OTHER	1,818	106	19.3	78	14.2	87	15.9
METROPOLITAN COUNTIES	26,982	746	15.3	522	10.7	587	12.1
WHITE	21,336	456	12.8	322	9.1	343	9.7
ALL OTHER	5,646	290	22.0	200	15.2	244	18.5
URBAN PLACES	13,248	342	17.5	246	12.6	269	13.8
WHITE	8,674	126	12.1	102	9.8	95	9.1
ALL OTHER	4,574	216	23.7	144	15.8	174	19.1
BALANCE OF AREA	13,734	404	13.9	276	9.5	318	10.9
WHITE	12,662	330	13.2	220	8.8	248	9.9
ALL OTHER	1,072	74	18.3	56	13.9	70	17.3
NONMETROPOLITAN COUNTIES	6,426	184	19.3	150	15.8	136	14.3
WHITE	5,490	142	18.3	118	15.2	117	15.1
ALL OTHER	936	42	24.0	32	18.3	19	10.9
URBAN PLACES	1,606	32	16.6	32	16.6	29	15.1
WHITE	1,416	22	13.6	22	13.6	27	16.6
ALL OTHER	190	10	33.3	10	33.3	2	6.7
BALANCE OF AREA	4,820	152	20.0	118	15.5	107	14.1
WHITE	4,074	120	19.5	96	15.6	90	14.7
ALL OTHER	746	32	22.1	22	15.2	17	11.7
MASSACHUSETTS	57,152	1,132	14.7	858	11.2	780	10.1
WHITE	55,562	1,018	14.2	768	10.7	712	9.9
ALL OTHER	1,590	114	21.6	90	17.0	68	12.9
URBAN PLACES	41,640	784	14.7	590	11.1	551	10.3
WHITE	40,162	674	13.9	502	10.4	487	10.1
ALL OTHER	1,478	110	22.2	88	17.7	64	12.9
BALANCE OF AREA	15,512	348	14.8	268	11.4	229	9.7
WHITE	15,400	344	14.8	266	11.5	225	9.7
ALL OTHER	112	4	12.7	2	6.3	4	12.7
METROPOLITAN COUNTIES	54,794	1,082	14.5	822	11.1	755	10.2
WHITE	53,244	968	14.0	732	10.6	687	9.9
ALL OTHER	1,550	114	22.0	90	17.3	68	13.1
URBAN PLACES	41,640	784	14.7	590	11.1	551	10.3
WHITE	40,162	674	13.9	502	10.4	487	10.1
ALL OTHER	1,478	110	22.2	88	17.7	64	12.9
BALANCE OF AREA	13,154	298	14.2	232	11.0	204	9.7
WHITE	13,082	294	14.1	230	11.0	200	9.6
ALL OTHER	72	4	17.5	2	8.8	4	17.5
NONMETROPOLITAN COUNTIES	2,358	50	20.1	36	14.5	25	10.0
WHITE	2,318	50	20.8	36	15.0	25	10.4
ALL OTHER	40	-	-	-	-	-	-
URBAN PLACES	-	-	-	-	-	-	-
WHITE	-	-	-	-	-	-	-
ALL OTHER	-	-	-	-	-	-	-
BALANCE OF AREA	2,358	50	20.1	36	14.5	25	10.0
WHITE	2,318	50	20.8	36	15.0	25	10.4
ALL OTHER	40	-	-	-	-	-	-
MICHIGAN	78,674	2,706	18.4	2,050	13.9	1,758	12.0
WHITE	69,224	1,862	15.6	1,420	11.9	1,231	10.3
ALL OTHER	9,450	844	30.7	630	22.9	527	19.2
URBAN PLACES	46,712	1,726	20.2	1,312	15.4	1,092	12.8
WHITE	37,868	916	15.4	708	11.9	600	10.1
ALL OTHER	8,844	810	31.4	604	23.4	492	19.1
BALANCE OF AREA	31,962	980	15.9	738	12.0	666	10.8
WHITE	31,356	946	15.8	712	11.9	631	10.5
ALL OTHER	606	34	20.0	26	15.3	35	20.6
METROPOLITAN COUNTIES	56,830	2,134	19.2	1,606	14.4	1,359	12.2
WHITE	48,044	1,346	15.7	1,026	12.0	872	10.2
ALL OTHER	8,786	788	30.6	580	22.5	487	18.9
URBAN PLACES	43,086	1,608	20.3	1,214	15.3	999	12.6
WHITE	34,520	832	15.3	642	11.8	531	9.7
ALL OTHER	8,566	776	31.3	572	23.1	468	18.9
BALANCE OF AREA	13,744	526	16.4	392	12.2	360	11.2
WHITE	13,524	514	16.5	384	12.3	341	10.9
ALL OTHER	220	12	13.0	8	8.7	19	20.7
NONMETROPOLITAN COUNTIES	21,844	572	16.1	444	12.5	399	11.2
WHITE	21,180	516	15.3	394	11.6	359	10.6
ALL OTHER	664	56	32.3	50	28.9	40	23.1
URBAN PLACES	3,626	118	19.4	98	16.1	93	15.3
WHITE	3,348	84	16.4	66	12.9	69	13.4
ALL OTHER	278	34	35.7	32	33.6	24	25.2
BALANCE OF AREA	18,218	454	15.4	346	11.7	306	10.4
WHITE	17,832	432	15.1	328	11.4	290	10.1
ALL OTHER	386	22	28.2	18	23.1	16	20.5

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
MINNESOTA	34,554	994	17.6	756	13.4	533	9.5
WHITE	34,152	948	17.5	722	13.3	505	9.3
ALL OTHER	402	46	21.4	34	15.8	28	13.0
URBAN PLACES	17,322	536	18.4	426	14.6	270	9.3
WHITE	17,064	496	18.1	398	14.5	246	9.0
ALL OTHER	258	40	24.4	28	17.1	24	14.7
BALANCE OF AREA	17,232	458	16.8	330	12.1	263	9.7
WHITE	17,088	452	16.9	324	12.1	259	9.7
ALL OTHER	144	6	11.7	6	11.7	4	7.8
METROPOLITAN COUNTIES	17,048	556	17.3	428	13.3	293	9.1
WHITE	16,794	516	17.0	400	13.2	268	8.8
ALL OTHER	254	40	23.2	28	16.3	25	14.5
URBAN PLACES	14,596	446	17.6	348	13.7	242	9.5
WHITE	14,344	406	17.1	320	13.5	218	9.2
ALL OTHER	252	40	25.1	28	17.5	24	15.0
BALANCE OF AREA	2,452	110	16.5	80	12.0	51	7.6
WHITE	2,450	110	16.8	80	12.2	50	7.6
ALL OTHER	2	-	-	-	-	1	7.9
NONMETROPOLITAN COUNTIES	17,506	438	18.0	328	13.5	240	9.9
WHITE	17,358	432	18.1	322	13.5	237	9.9
ALL OTHER	148	6	14.1	6	14.1	3	7.0
URBAN PLACES	2,726	90	24.1	78	20.9	28	7.5
WHITE	2,720	90	24.4	78	21.1	28	7.6
ALL OTHER	6	-	-	-	-	-	-
BALANCE OF AREA	14,780	348	16.9	250	12.2	212	10.3
WHITE	14,638	342	17.0	244	12.1	209	10.4
ALL OTHER	142	6	15.5	6	15.5	3	7.8
MISSISSIPPI	23,680	1,196	26.0	858	18.6	988	21.5
WHITE	14,134	482	20.3	396	16.7	381	16.0
ALL OTHER	9,546	714	32.1	462	20.8	607	27.3
URBAN PLACES	6,980	370	25.8	304	21.2	316	22.0
WHITE	3,954	144	20.1	130	18.1	124	17.3
ALL OTHER	3,026	226	31.5	174	24.3	192	26.8
BALANCE OF AREA	16,700	826	26.1	554	17.5	672	21.2
WHITE	10,180	338	20.4	266	16.1	257	15.5
ALL OTHER	6,520	488	32.3	288	19.1	415	27.5
METROPOLITAN COUNTIES	3,168	142	17.5	120	14.8	172	21.2
WHITE	2,036	84	16.8	74	14.8	98	19.6
ALL OTHER	1,132	58	18.7	46	14.8	74	23.8
URBAN PLACES	2,104	96	18.3	86	16.4	115	22.0
WHITE	1,328	52	17.6	48	16.2	66	22.3
ALL OTHER	776	44	19.4	38	16.7	49	21.6
BALANCE OF AREA	1,064	46	16.1	34	11.9	57	19.9
WHITE	708	32	15.8	26	12.8	32	15.8
ALL OTHER	356	14	16.8	8	9.6	25	30.0
NONMETROPOLITAN COUNTIES	20,512	1,054	27.8	738	19.5	816	21.5
WHITE	12,098	398	21.2	322	17.2	283	15.1
ALL OTHER	8,414	656	34.2	416	21.7	533	27.8
URBAN PLACES	4,876	274	30.1	218	23.9	201	22.0
WHITE	2,626	92	21.8	82	19.4	58	13.8
ALL OTHER	2,250	182	37.2	136	27.8	143	29.2
BALANCE OF AREA	15,636	780	27.1	520	18.1	615	21.4
WHITE	9,472	306	21.0	240	16.5	225	15.5
ALL OTHER	6,164	474	33.2	280	19.6	390	27.4
MISSOURI	52,458	1,308	18.0	1,002	13.8	844	11.6
WHITE	47,120	950	15.7	728	12.0	631	10.4
ALL OTHER	5,338	358	29.2	274	22.3	213	17.3
URBAN PLACES	26,074	724	20.8	556	16.0	437	12.5
WHITE	21,612	416	16.8	316	12.8	245	9.9
ALL OTHER	4,462	308	30.3	240	23.6	192	18.9
BALANCE OF AREA	26,384	584	15.4	446	11.8	407	10.7
WHITE	25,508	534	14.9	412	11.5	386	10.8
ALL OTHER	876	50	23.5	34	16.0	21	9.9
METROPOLITAN COUNTIES	29,504	864	18.3	660	14.0	552	11.7
WHITE	24,918	542	14.9	410	11.3	354	9.7
ALL OTHER	4,586	322	29.3	250	22.8	198	18.0
URBAN PLACES	22,526	640	20.8	490	15.9	402	13.1
WHITE	18,266	346	16.5	262	12.5	215	10.3
ALL OTHER	4,260	294	30.0	228	23.3	187	19.1
BALANCE OF AREA	6,978	224	13.5	170	10.3	150	9.1
WHITE	6,652	196	12.8	148	9.6	139	9.1
ALL OTHER	326	28	23.8	22	18.7	11	9.3
NONMETROPOLITAN COUNTIES	22,954	444	17.4	342	13.4	292	11.5
WHITE	22,202	408	16.9	318	13.2	277	11.5
ALL OTHER	752	36	27.7	24	18.4	15	11.5
URBAN PLACES	3,548	84	20.5	66	16.1	35	8.5
WHITE	3,346	70	18.7	54	14.4	30	8.0
ALL OTHER	202	14	39.9	12	34.2	5	14.2
BALANCE OF AREA	19,406	360	16.8	276	12.9	257	12.0
WHITE	18,856	338	16.6	264	12.9	247	12.1
ALL OTHER	550	22	23.2	12	12.6	10	10.5

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
MONTANA	6,896	242	21.2	176	15.4	128	11.2
WHITE	6,606	210	20.3	152	14.7	107	10.3
ALL OTHER	290	32	29.5	24	22.1	21	19.4
URBAN PLACES	2,506	98	24.5	76	19.0	49	12.3
WHITE	2,470	92	24.5	70	18.7	43	11.5
ALL OTHER	36	6	24.6	6	24.6	6	24.6
BALANCE OF AREA	4,390	144	19.4	100	13.4	79	10.6
WHITE	4,136	118	17.9	82	12.4	64	9.7
ALL OTHER	254	26	31.0	18	21.4	15	17.9
METROPOLITAN COUNTIES	1,356	46	15.4	34	11.4	35	11.7
WHITE	1,338	44	15.7	32	11.4	32	11.4
ALL OTHER	18	2	10.3	2	10.3	3	15.5
URBAN PLACES	1,088	32	15.0	26	12.2	29	13.6
WHITE	1,072	30	15.1	24	12.1	26	13.1
ALL OTHER	16	2	13.3	2	13.3	3	20.0
BALANCE OF AREA	268	14	16.4	8	9.3	6	7.0
WHITE	266	14	17.2	8	9.9	6	7.4
ALL OTHER	2	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	5,540	196	23.2	142	16.8	93	11.0
WHITE	5,268	166	22.0	120	15.9	75	9.9
ALL OTHER	272	30	33.7	22	24.7	18	20.2
URBAN PLACES	1,418	66	35.5	50	26.9	20	10.8
WHITE	1,398	62	35.1	46	26.1	17	9.6
ALL OTHER	20	4	42.6	4	42.6	3	31.9
BALANCE OF AREA	4,122	130	19.7	92	14.0	73	11.1
WHITE	3,870	104	18.0	74	12.8	58	10.0
ALL OTHER	252	26	32.7	18	22.6	15	19.8
NEBRASKA	15,534	392	16.7	304	12.9	252	10.7
WHITE	15,098	342	15.5	266	12.1	233	10.6
ALL OTHER	436	50	34.4	38	26.1	19	13.1
URBAN PLACES	6,706	228	19.0	166	13.8	122	10.2
WHITE	6,334	182	16.9	130	12.0	105	9.7
ALL OTHER	372	46	37.6	36	29.5	17	13.9
BALANCE OF AREA	8,828	164	14.3	138	12.0	130	11.3
WHITE	8,764	160	14.2	136	12.1	128	11.4
ALL OTHER	64	4	17.2	2	8.6	2	8.6
METROPOLITAN COUNTIES	5,344	202	18.0	148	13.2	114	10.1
WHITE	4,980	156	15.6	112	11.2	95	9.5
ALL OTHER	364	46	37.2	36	29.1	19	15.3
URBAN PLACES	4,774	186	20.2	134	14.6	89	9.7
WHITE	4,412	140	17.4	98	12.2	72	9.0
ALL OTHER	362	46	39.0	36	30.6	17	14.4
BALANCE OF AREA	570	16	7.9	14	6.9	25	12.3
WHITE	568	16	8.1	14	7.1	23	11.7
ALL OTHER	2	-	-	-	-	2	33.3
NONMETROPOLITAN COUNTIES	10,190	190	15.5	156	12.7	138	11.3
WHITE	10,118	186	15.5	154	12.8	138	11.5
ALL OTHER	72	4	18.5	2	9.3	-	-
URBAN PLACES	1,932	42	15.0	32	11.4	33	11.8
WHITE	1,922	42	15.2	32	11.6	33	12.0
ALL OTHER	10	-	-	-	-	-	-
BALANCE OF AREA	8,258	148	15.7	124	13.1	105	11.1
WHITE	8,196	144	15.5	122	13.2	105	11.3
ALL OTHER	62	4	23.3	2	11.6	-	-
NEVADA	4,090	148	16.4	104	11.5	104	11.5
WHITE	3,798	122	16.0	86	11.3	74	9.7
ALL OTHER	292	26	18.7	18	12.9	30	21.6
URBAN PLACES	2,570	94	16.5	64	11.3	71	12.5
WHITE	2,358	68	14.8	46	10.0	45	9.8
ALL OTHER	212	26	23.5	18	16.3	26	23.5
BALANCE OF AREA	1,520	54	16.1	40	12.0	33	9.9
WHITE	1,440	54	17.6	40	13.1	29	9.5
ALL OTHER	80	-	-	-	-	4	14.1
METROPOLITAN COUNTIES	3,168	120	16.2	84	11.3	86	11.6
WHITE	2,942	96	15.5	68	11.0	60	9.7
ALL OTHER	226	24	19.7	16	13.1	26	21.3
URBAN PLACES	2,434	86	15.9	60	11.1	67	12.4
WHITE	2,234	62	14.4	44	10.2	41	9.5
ALL OTHER	200	24	22.0	16	14.6	26	23.8
BALANCE OF AREA	734	34	17.1	24	12.0	19	9.5
WHITE	708	34	18.2	24	12.9	19	10.2
ALL OTHER	26	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	922	28	17.2	20	12.3	18	11.0
WHITE	856	26	17.8	18	12.3	14	9.6
ALL OTHER	66	2	11.6	2	11.6	4	23.3
URBAN PLACES	136	8	29.0	4	14.5	4	14.5
WHITE	124	6	22.9	2	7.6	4	15.3
ALL OTHER	12	2	142.9	2	142.9	-	-
BALANCE OF AREA	786	20	14.8	16	11.8	14	10.3
WHITE	732	20	16.7	16	13.4	10	8.4
ALL OTHER	54	-	-	-	-	4	25.3

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
NEW HAMPSHIRE	7,500	202	16.6	146	12.0	120	9.9
WHITE	7,482	200	16.7	146	12.2	119	9.9
ALL OTHER	18	2	15.0	-	-	1	7.5
URBAN PLACES	3,412	76	15.0	52	10.3	43	8.5
WHITE	3,404	74	14.9	52	10.5	43	8.7
ALL OTHER	8	2	23.0	-	-	-	-
BALANCE OF AREA	4,088	126	17.8	94	13.3	77	10.9
WHITE	4,078	126	17.9	94	13.4	76	10.8
ALL OTHER	10	-	-	-	-	1	21.7
METROPOLITAN COUNTIES	2,266	74	19.2	54	14.0	46	11.9
WHITE	2,266	74	19.4	54	14.1	46	12.0
ALL OTHER	-	-	-	-	-	-	-
URBAN PLACES	1,654	44	17.8	28	11.3	29	11.7
WHITE	1,654	44	18.0	28	11.5	29	11.9
ALL OTHER	-	-	-	-	-	-	-
BALANCE OF AREA	612	30	21.6	26	18.7	17	12.2
WHITE	612	30	21.7	26	18.8	17	12.3
ALL OTHER	-	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	5,234	128	15.5	92	11.1	74	8.9
WHITE	5,216	126	15.4	92	11.2	73	8.9
ALL OTHER	18	2	21.5	-	-	1	10.8
URBAN PLACES	1,758	32	12.4	24	9.3	14	5.4
WHITE	1,750	30	11.9	24	9.5	14	5.5
ALL OTHER	8	2	35.1	-	-	-	-
BALANCE OF AREA	3,476	96	16.9	68	11.9	60	10.5
WHITE	3,466	96	17.0	68	12.0	59	10.4
ALL OTHER	10	-	-	-	-	1	27.8
NEW JERSEY	69,250	1,754	17.4	1,362	13.5	1,213	12.1
WHITE	62,170	1,162	14.4	934	11.6	869	10.8
ALL OTHER	7,080	592	29.6	428	21.4	344	17.2
URBAN PLACES	49,828	1,298	18.4	1,004	14.2	897	12.7
WHITE	43,714	766	14.5	612	11.6	589	11.2
ALL OTHER	6,114	532	29.7	392	21.9	308	17.2
BALANCE OF AREA	19,422	456	15.3	358	12.0	316	10.6
WHITE	18,456	396	14.2	322	11.6	280	10.1
ALL OTHER	966	60	29.3	36	17.6	36	17.6
METROPOLITAN COUNTIES	53,984	1,434	18.7	1,130	14.7	978	12.7
WHITE	47,668	890	15.1	726	12.3	671	11.4
ALL OTHER	6,316	544	30.6	404	22.7	307	17.3
URBAN PLACES	41,812	1,122	19.7	872	15.3	769	13.5
WHITE	36,220	628	15.5	500	12.3	489	12.0
ALL OTHER	5,592	494	30.5	372	22.9	280	17.3
BALANCE OF AREA	12,172	312	15.7	258	12.9	209	10.5
WHITE	11,448	262	14.3	226	12.3	182	9.9
ALL OTHER	724	50	31.6	32	20.3	27	17.1
NONMETROPOLITAN COUNTIES	15,266	320	13.5	232	9.8	235	9.9
WHITE	14,502	272	12.6	208	9.6	198	9.2
ALL OTHER	764	48	21.9	24	10.9	37	16.9
URBAN PLACES	8,016	176	12.7	132	9.5	128	9.2
WHITE	7,494	138	11.4	112	9.2	100	8.2
ALL OTHER	522	38	22.0	20	11.6	28	16.2
BALANCE OF AREA	7,250	144	14.5	100	10.1	107	10.8
WHITE	7,008	134	14.2	96	10.2	98	10.4
ALL OTHER	242	10	21.3	4	8.5	9	19.2
NEW MEXICO	7,926	380	18.3	280	13.5	255	12.3
WHITE	7,154	308	17.6	248	14.1	194	11.1
ALL OTHER	772	72	22.5	32	10.0	61	19.1
URBAN PLACES	4,366	188	16.4	150	13.1	128	11.2
WHITE	4,166	172	16.2	140	13.2	108	10.2
ALL OTHER	200	16	18.6	10	11.6	20	23.2
BALANCE OF AREA	3,560	192	20.7	130	14.0	127	13.7
WHITE	2,988	136	19.6	108	15.6	86	12.4
ALL OTHER	572	56	23.9	22	9.4	41	17.5
METROPOLITAN COUNTIES	2,186	68	11.5	52	8.8	71	12.0
WHITE	2,102	64	11.6	52	9.4	60	10.8
ALL OTHER	84	4	10.3	-	-	11	28.2
URBAN PLACES	2,110	62	10.9	48	8.4	69	12.1
WHITE	2,048	60	11.2	48	8.9	59	11.0
ALL OTHER	62	2	6.2	-	-	10	30.9
BALANCE OF AREA	76	6	25.9	4	17.2	2	8.6
WHITE	54	4	24.1	4	24.1	1	6.0
ALL OTHER	22	2	30.3	-	-	1	15.2
NONMETROPOLITAN COUNTIES	5,740	312	21.0	228	15.4	184	12.4
WHITE	5,052	244	20.3	196	16.3	134	11.2
ALL OTHER	688	68	24.2	32	11.4	50	17.8
URBAN PLACES	2,256	126	21.8	102	17.7	59	10.2
WHITE	2,118	112	21.4	92	17.6	49	9.4
ALL OTHER	138	14	26.0	10	18.6	10	18.6
BALANCE OF AREA	3,484	186	20.6	126	13.9	125	13.8
WHITE	2,934	132	19.5	104	15.4	85	12.6
ALL OTHER	550	54	23.7	22	9.7	40	17.6

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths+					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
NEW YORK	185,284	4,472	17.6	3,354	13.2	3,497	13.8
WHITE	165,226	3,086	15.2	2,364	11.6	2,525	12.4
ALL OTHER	20,058	1,386	27.5	990	19.6	972	19.3
URBAN PLACES	128,388	3,174	19.5	2,406	14.8	2,369	14.6
WHITE	109,760	1,884	16.2	1,486	12.8	1,461	12.6
ALL OTHER	18,628	1,290	27.7	920	19.8	908	19.5
BALANCE OF AREA	56,896	1,298	14.3	948	10.4	1,128	12.4
WHITE	55,466	1,202	13.8	878	10.1	1,064	12.2
ALL OTHER	1,430	96	25.0	70	18.2	64	16.6
METROPOLITAN COUNTIES	158,792	3,854	17.8	2,892	13.4	3,046	14.1
WHITE	139,250	2,516	15.0	1,936	11.5	2,102	12.5
ALL OTHER	19,542	1,338	27.4	956	19.6	944	19.3
URBAN PLACES	121,028	2,994	19.4	2,266	14.7	2,271	14.7
WHITE	102,640	1,728	16.0	1,362	12.6	1,381	12.8
ALL OTHER	18,388	1,266	27.7	904	19.7	890	19.4
BALANCE OF AREA	37,764	860	13.8	626	10.0	775	12.4
WHITE	36,610	788	13.3	574	9.7	721	12.1
ALL OTHER	1,154	72	23.2	52	16.8	54	17.4
NONMETROPOLITAN COUNTIES	26,492	618	16.7	462	12.5	451	12.2
WHITE	25,976	570	16.1	428	12.1	423	11.9
ALL OTHER	516	48	31.4	34	22.2	28	18.3
URBAN PLACES	7,360	180	29.8	140	16.1	98	11.3
WHITE	7,120	156	19.8	124	15.7	80	10.1
ALL OTHER	240	24	30.5	16	20.3	18	22.9
BALANCE OF AREA	19,132	438	15.4	322	11.4	353	12.5
WHITE	18,856	414	15.0	304	11.0	343	12.4
ALL OTHER	276	24	32.3	18	24.2	10	13.4
NORTH CAROLINA	47,288	2,064	23.2	1,498	16.8	1,302	14.6
WHITE	34,974	1,194	19.3	920	14.9	761	12.3
ALL OTHER	12,314	870	32.0	578	21.3	541	19.9
URBAN PLACES	15,572	608	23.7	469	18.0	362	14.1
WHITE	10,544	290	18.7	226	14.5	171	11.0
ALL OTHER	5,028	318	31.6	234	23.3	191	19.0
BALANCE OF AREA	31,716	1,456	23.0	1,038	16.4	940	14.8
WHITE	24,430	904	19.6	694	15.0	590	12.8
ALL OTHER	7,286	552	32.2	344	20.1	350	20.4
METROPOLITAN COUNTIES	15,830	708	21.7	534	16.4	413	12.7
WHITE	11,736	422	18.4	336	14.7	239	10.4
ALL OTHER	4,094	286	29.6	198	20.5	174	18.0
URBAN PLACES	9,672	390	23.4	296	17.8	219	13.2
WHITE	6,438	164	16.7	128	13.0	95	9.7
ALL OTHER	3,234	226	33.1	168	24.6	124	18.2
BALANCE OF AREA	6,158	318	20.0	238	14.9	194	12.2
WHITE	5,298	258	19.7	208	15.9	144	11.0
ALL OTHER	860	60	21.2	30	10.6	50	17.7
NONMETROPOLITAN COUNTIES	31,458	1,356	24.1	964	17.1	889	15.8
WHITE	23,238	772	19.9	584	15.0	522	13.4
ALL OTHER	8,220	584	33.3	380	21.7	367	20.9
URBAN PLACES	5,900	218	24.3	164	18.3	143	16.0
WHITE	4,106	126	22.0	98	17.1	76	13.3
ALL OTHER	1,794	92	28.4	66	20.3	67	20.7
BALANCE OF AREA	25,558	1,138	24.0	800	16.9	746	15.7
WHITE	19,132	646	19.5	486	14.7	446	13.5
ALL OTHER	6,426	492	34.4	314	22.0	300	21.0
NORTH DAKOTA	5,616	150	14.8	106	10.5	106	10.5
WHITE	5,470	136	14.6	100	10.7	96	10.3
ALL OTHER	146	14	17.9	6	7.7	10	12.8
URBAN PLACES	1,614	44	11.6	34	9.0	41	10.8
WHITE	1,598	42	11.5	34	9.3	39	10.7
ALL OTHER	16	2	14.9	-	-	2	14.9
BALANCE OF AREA	4,002	106	16.8	72	11.4	65	10.3
WHITE	3,872	94	16.6	66	11.6	57	10.0
ALL OTHER	130	12	18.5	6	9.2	8	12.3
METROPOLITAN COUNTIES	638	18	14.7	14	11.4	12	9.8
WHITE	638	18	14.9	14	11.6	12	9.9
ALL OTHER	-	-	-	-	-	-	-
URBAN PLACES	446	14	16.7	14	16.7	7	8.3
WHITE	446	14	16.9	14	16.9	7	8.5
ALL OTHER	-	-	-	-	-	-	-
BALANCE OF AREA	192	4	10.3	-	-	5	12.9
WHITE	192	4	10.4	-	-	5	13.0
ALL OTHER	-	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	4,978	132	14.9	92	10.4	94	10.6
WHITE	4,832	118	14.5	86	10.6	84	10.4
ALL OTHER	146	14	18.3	6	7.8	10	13.0
URBAN PLACES	1,168	30	10.2	20	6.8	34	11.6
WHITE	1,152	28	9.9	20	7.1	32	11.3
ALL OTHER	16	2	16.7	-	-	2	16.7
BALANCE OF AREA	3,810	102	17.2	72	12.1	60	10.1
WHITE	3,680	90	17.0	66	12.5	52	9.8
ALL OTHER	130	12	18.5	6	9.3	8	12.4

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
OHIO	101,982	3,120	18.4	2,258	13.3	2,022	11.9
WHITE	91,862	2,414	16.5	1,770	12.1	1,598	10.9
ALL OTHER	10,120	706	30.5	488	21.1	424	18.3
URBAN PLACES	63,700	1,942	19.7	1,410	14.3	1,201	12.2
WHITE	54,380	1,282	16.6	952	12.4	811	10.5
ALL OTHER	9,320	660	30.7	458	21.3	390	18.2
BALANCE OF AREA	38,282	1,178	16.6	848	11.9	821	11.5
WHITE	37,482	1,132	16.3	818	11.8	787	11.3
ALL OTHER	800	46	27.9	30	18.2	34	20.6
METROPOLITAN COUNTIES	76,366	2,388	18.5	1,730	13.4	1,531	11.8
WHITE	66,792	1,720	16.1	1,272	11.9	1,124	10.5
ALL OTHER	9,574	668	30.2	458	20.7	407	18.4
URBAN PLACES	55,522	1,734	19.9	1,248	14.3	1,071	12.3
WHITE	46,506	1,102	16.6	812	12.2	690	10.4
ALL OTHER	9,016	632	30.3	436	20.9	381	18.3
BALANCE OF AREA	20,844	654	15.6	482	11.5	460	11.0
WHITE	20,286	618	15.2	460	11.3	434	10.7
ALL OTHER	558	36	27.6	22	16.9	26	20.0
NONMETROPOLITAN COUNTIES	25,616	732	18.1	528	13.0	491	12.1
WHITE	25,070	694	17.6	498	12.6	474	12.0
ALL OTHER	546	38	38.5	30	30.4	17	17.2
URBAN PLACES	8,178	208	18.6	162	14.5	130	11.6
WHITE	7,874	180	17.1	140	13.3	121	11.5
ALL OTHER	304	28	43.6	22	34.3	9	14.0
BALANCE OF AREA	17,438	524	17.9	366	12.5	361	12.3
WHITE	17,196	514	17.8	358	12.4	353	12.2
ALL OTHER	242	10	28.9	8	23.1	8	23.1
OKLAHOMA	26,936	808	19.1	572	13.5	487	11.5
WHITE	24,362	640	18.2	470	13.4	373	10.6
ALL OTHER	2,574	168	23.1	102	14.0	114	15.6
URBAN PLACES	12,924	496	20.1	372	15.1	276	11.2
WHITE	11,626	388	19.0	306	15.0	209	10.2
ALL OTHER	1,298	108	25.4	66	15.5	67	15.7
BALANCE OF AREA	14,012	312	17.6	200	11.3	211	11.9
WHITE	12,736	252	17.1	164	11.2	164	11.2
ALL OTHER	1,276	60	19.8	36	11.9	47	15.5
METROPOLITAN COUNTIES	10,950	442	19.1	328	14.2	272	11.8
WHITE	9,794	330	17.3	256	13.4	203	10.6
ALL OTHER	1,156	112	27.6	72	17.8	69	17.0
URBAN PLACES	8,692	376	19.6	282	14.7	224	11.7
WHITE	7,762	284	18.0	226	14.4	165	10.5
ALL OTHER	930	92	27.1	56	16.5	59	17.4
BALANCE OF AREA	2,258	66	16.5	46	11.5	48	12.0
WHITE	2,032	46	13.7	30	9.0	38	11.4
ALL OTHER	226	20	30.5	16	24.4	10	15.2
NONMETROPOLITAN COUNTIES	15,986	366	19.0	244	12.7	215	11.2
WHITE	14,568	310	19.3	214	13.4	170	10.6
ALL OTHER	1,418	56	17.3	30	9.3	45	13.9
URBAN PLACES	4,232	120	21.7	90	16.3	52	9.4
WHITE	3,864	104	22.3	80	17.1	44	9.4
ALL OTHER	368	16	18.5	10	11.6	8	9.3
BALANCE OF AREA	11,754	246	17.9	154	11.2	163	11.9
WHITE	10,704	206	18.1	134	11.8	126	11.1
ALL OTHER	1,050	40	16.9	20	8.4	37	15.6
OREGON	20,158	520	16.6	334	10.7	415	13.3
WHITE	19,712	488	16.4	320	10.8	391	13.1
ALL OTHER	446	32	20.8	14	9.1	24	15.6
URBAN PLACES	9,934	230	18.0	146	11.4	151	11.8
WHITE	9,618	204	17.3	132	11.2	133	11.3
ALL OTHER	316	26	26.1	14	14.1	18	18.1
BALANCE OF AREA	10,224	290	15.7	188	10.2	264	14.3
WHITE	10,094	284	15.8	188	10.5	258	14.4
ALL OTHER	130	6	11.0	-	-	6	11.0
METROPOLITAN COUNTIES	12,234	308	16.7	208	11.3	241	13.0
WHITE	11,900	282	16.2	196	11.3	224	12.9
ALL OTHER	334	26	23.5	12	10.8	17	15.4
URBAN PLACES	7,630	174	18.5	112	11.9	122	13.0
WHITE	7,346	150	17.6	100	11.7	105	12.3
ALL OTHER	284	24	27.5	12	13.8	17	19.5
BALANCE OF AREA	4,604	134	14.8	96	10.6	119	13.1
WHITE	4,554	132	14.9	96	10.9	119	13.5
ALL OTHER	50	2	8.5	-	-	-	-
NONMETROPOLITAN COUNTIES	7,924	212	16.5	126	9.8	174	13.6
WHITE	7,812	206	16.6	124	10.0	167	13.5
ALL OTHER	112	6	13.8	2	4.6	7	16.1
URBAN PLACES	2,304	56	16.5	34	10.0	29	8.5
WHITE	2,272	54	16.5	32	9.8	28	8.5
ALL OTHER	32	2	16.1	2	16.1	1	8.1
BALANCE OF AREA	5,620	156	16.6	92	9.8	145	15.4
WHITE	5,540	152	16.7	92	10.1	139	15.3
ALL OTHER	80	4	12.8	-	-	6	19.2

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
PENNSYLVANIA	127,564	2,866	17.5	2,174	13.3	2,519	15.4
WHITE	115,698	2,250	15.8	1,740	12.2	1,865	13.1
ALL OTHER	11,866	616	29.0	434	20.4	654	30.8
URBAN PLACES	68,720	1,532	19.0	1,130	14.0	1,367	17.0
WHITE	58,080	978	16.0	746	12.2	767	12.6
ALL OTHER	10,640	554	28.4	384	19.7	600	30.7
BALANCE OF AREA	58,844	1,334	16.1	1,044	12.6	1,152	13.9
WHITE	57,618	1,272	15.7	994	12.3	1,098	13.5
ALL OTHER	1,226	62	36.0	50	29.0	54	31.3
METROPOLITAN COUNTIES	100,144	2,270	18.0	1,714	13.6	1,963	15.5
WHITE	88,720	1,676	15.8	1,294	12.2	1,330	12.6
ALL OTHER	11,424	594	28.8	420	20.4	633	30.7
URBAN PLACES	63,076	1,420	19.1	1,046	14.1	1,271	17.1
WHITE	52,600	876	15.9	668	12.1	679	12.3
ALL OTHER	10,476	544	28.4	378	19.7	592	30.9
BALANCE OF AREA	37,068	850	16.3	668	12.8	692	13.3
WHITE	36,120	800	15.8	626	12.3	651	12.8
ALL OTHER	948	50	35.0	42	29.4	41	28.7
NONMETROPOLITAN COUNTIES	27,420	596	16.2	460	12.5	556	15.1
WHITE	26,978	574	15.8	446	12.3	535	14.8
ALL OTHER	442	22	34.0	14	21.6	21	32.4
URBAN PLACES	5,644	112	18.0	84	13.5	96	15.4
WHITE	5,480	102	17.4	78	13.3	88	15.0
ALL OTHER	164	10	28.2	6	16.9	8	22.6
BALANCE OF AREA	21,776	484	15.8	376	12.3	460	15.0
WHITE	21,498	472	15.5	368	12.1	447	14.7
ALL OTHER	278	12	40.8	8	27.2	13	44.2
RHODE ISLAND	9,540	256	19.2	194	14.6	129	9.7
WHITE	9,340	226	18.2	172	13.8	110	8.9
ALL OTHER	200	30	33.5	22	24.6	19	21.2
URBAN PLACES	7,710	204	19.4	158	15.0	99	9.4
WHITE	7,528	174	18.0	136	14.0	82	8.5
ALL OTHER	182	30	35.8	22	26.3	17	20.3
BALANCE OF AREA	1,830	52	18.6	36	12.9	30	10.7
WHITE	1,812	52	19.0	36	13.1	28	10.2
ALL OTHER	18	-	-	-	-	2	34.5
METROPOLITAN COUNTIES	8,230	192	18.5	148	14.2	109	10.5
WHITE	8,074	170	17.5	132	13.6	93	9.6
ALL OTHER	156	22	31.9	16	23.2	16	23.2
URBAN PLACES	7,182	172	19.4	134	15.1	90	10.1
WHITE	7,028	150	18.3	118	14.4	75	9.1
ALL OTHER	154	22	32.7	16	23.8	15	22.3
BALANCE OF AREA	1,048	20	13.2	14	9.2	19	12.5
WHITE	1,046	20	13.4	14	9.4	18	12.0
ALL OTHER	2	-	-	-	-	1	58.8
NONMETROPOLITAN COUNTIES	1,310	64	21.9	46	15.8	20	6.9
WHITE	1,266	56	20.6	40	14.7	17	6.3
ALL OTHER	44	8	38.8	6	29.1	3	14.6
URBAN PLACES	528	32	19.6	24	14.7	9	5.5
WHITE	500	24	16.3	18	12.3	7	4.8
ALL OTHER	28	8	48.5	6	36.4	2	12.1
BALANCE OF AREA	782	32	24.9	22	17.1	11	8.6
WHITE	766	32	25.7	22	17.7	10	8.0
ALL OTHER	16	-	-	-	-	1	24.4
SOUTH CAROLINA	23,932	1,122	22.5	760	15.2	799	16.0
WHITE	15,388	520	16.9	390	12.6	360	11.7
ALL OTHER	8,544	602	31.5	370	19.3	439	22.9
URBAN PLACES	6,120	252	24.3	162	15.6	205	19.8
WHITE	3,740	90	16.5	56	10.3	81	14.9
ALL OTHER	2,380	162	32.9	106	21.5	124	25.2
BALANCE OF AREA	17,812	870	22.0	598	15.1	594	15.0
WHITE	11,648	430	16.9	334	13.2	279	11.0
ALL OTHER	6,164	440	30.9	264	18.6	315	22.2
METROPOLITAN COUNTIES	8,194	324	16.8	222	11.5	258	13.3
WHITE	5,634	166	12.5	124	9.3	145	10.9
ALL OTHER	2,560	158	26.0	98	16.2	113	18.6
URBAN PLACES	3,218	120	21.5	74	13.3	114	20.4
WHITE	1,984	40	14.1	24	8.5	53	18.7
ALL OTHER	1,234	80	29.2	50	18.2	61	22.3
BALANCE OF AREA	4,976	204	14.8	148	10.8	144	10.5
WHITE	3,650	126	12.1	100	9.6	92	8.8
ALL OTHER	1,326	78	23.4	48	14.4	52	15.6
NONMETROPOLITAN COUNTIES	15,738	798	26.0	538	17.6	541	17.7
WHITE	9,754	354	20.2	266	15.1	215	12.2
ALL OTHER	5,984	444	34.0	272	20.8	326	24.9
URBAN PLACES	2,902	132	27.6	88	18.4	91	19.0
WHITE	1,756	50	19.2	32	12.3	28	10.7
ALL OTHER	1,146	82	37.6	56	25.7	63	28.9
BALANCE OF AREA	12,836	666	25.8	450	17.4	450	17.4
WHITE	7,998	304	20.3	234	15.6	187	12.5
ALL OTHER	4,838	362	33.2	216	19.8	263	24.2

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
SOUTH DAKOTA	7,028	216	19.8	134	12.3	148	13.6
WHITE	6,562	168	17.6	116	12.1	122	12.8
ALL OTHER	466	48	35.9	18	13.5	26	19.5
URBAN PLACES	2,120	80	22.2	52	14.4	46	12.8
WHITE	2,042	70	20.5	50	14.6	44	12.9
ALL OTHER	78	10	53.8	2	10.8	2	10.8
BALANCE OF AREA	4,908	136	18.7	82	11.2	102	14.0
WHITE	4,520	98	16.0	66	10.7	78	12.7
ALL OTHER	388	38	33.0	16	13.9	24	20.9
METROPOLITAN COUNTIES	820	22	14.7	14	9.4	18	12.0
WHITE	814	22	15.0	14	9.6	18	12.3
ALL OTHER	6	-	-	-	-	-	-
URBAN PLACES	664	18	15.9	10	8.8	16	14.1
WHITE	658	18	16.3	10	9.1	16	14.5
ALL OTHER	6	-	-	-	-	-	-
BALANCE OF AREA	156	4	10.9	4	10.9	2	5.5
WHITE	156	4	11.0	4	11.0	2	5.5
ALL OTHER	-	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	6,208	194	20.6	120	12.8	130	13.8
WHITE	5,748	146	18.0	102	12.6	104	12.9
ALL OTHER	460	48	36.8	18	13.8	26	19.9
URBAN PLACES	1,456	62	25.1	42	17.0	30	12.1
WHITE	1,384	52	22.5	40	17.3	28	12.1
ALL OTHER	72	10	63.3	2	12.7	2	12.7
BALANCE OF AREA	4,752	132	19.1	78	11.3	100	14.4
WHITE	4,364	94	16.3	62	10.7	76	13.1
ALL OTHER	388	38	33.2	16	14.0	24	20.9
TENNESSEE	39,374	1,384	21.0	1,006	15.2	992	13.7
WHITE	32,200	902	17.4	654	12.6	633	12.2
ALL OTHER	7,174	482	33.7	352	24.6	269	18.8
URBAN PLACES	18,668	770	24.2	552	17.4	434	13.7
WHITE	13,328	390	18.9	272	13.2	235	11.4
ALL OTHER	5,340	380	34.3	280	25.3	199	18.0
BALANCE OF AREA	20,706	614	17.9	454	13.2	468	13.6
WHITE	18,872	512	16.5	382	12.3	398	12.8
ALL OTHER	1,834	102	31.7	72	22.4	70	21.7
METROPOLITAN COUNTIES	17,904	732	22.6	536	16.6	434	13.4
WHITE	12,978	380	17.4	276	12.6	250	11.4
ALL OTHER	4,926	352	33.6	260	24.8	184	17.6
URBAN PLACES	14,698	618	24.2	446	17.5	349	13.7
WHITE	10,086	284	18.2	198	12.7	177	11.4
ALL OTHER	4,612	334	33.6	248	24.9	172	17.3
BALANCE OF AREA	3,206	114	16.8	90	13.2	85	12.5
WHITE	2,892	96	15.3	78	12.4	73	11.6
ALL OTHER	314	18	34.7	12	23.2	12	23.2
NONMETROPOLITAN COUNTIES	21,470	652	19.3	470	13.9	468	13.9
WHITE	19,222	522	17.5	378	12.6	383	12.8
ALL OTHER	2,248	130	33.9	92	24.0	85	22.2
URBAN PLACES	3,970	152	24.4	106	17.0	85	13.7
WHITE	3,242	106	20.8	74	14.5	58	11.4
ALL OTHER	728	46	40.7	32	28.3	27	23.9
BALANCE OF AREA	17,500	500	18.2	364	13.2	383	13.9
WHITE	15,980	416	16.8	304	12.3	325	13.1
ALL OTHER	1,520	84	31.1	60	22.2	58	21.5
TEXAS	99,338	4,426	20.6	3,250	15.1	2,707	12.6
WHITE	85,098	3,394	18.9	2,526	14.1	2,048	11.4
ALL OTHER	14,240	1,032	29.4	724	20.6	659	18.8
URBAN PLACES	60,736	2,998	19.9	2,200	14.6	1,934	12.9
WHITE	50,808	2,216	18.1	1,644	13.4	1,420	11.6
ALL OTHER	9,928	782	28.1	556	20.0	514	18.5
BALANCE OF AREA	38,602	1,428	22.2	1,050	16.3	773	12.0
WHITE	34,290	1,178	20.7	882	15.5	628	11.0
ALL OTHER	4,312	250	34.2	168	23.0	145	19.9
METROPOLITAN COUNTIES	64,956	3,256	19.8	2,406	14.6	2,039	12.4
WHITE	54,998	2,438	17.8	1,806	13.2	1,527	11.2
ALL OTHER	9,958	818	29.3	600	21.5	512	18.3
URBAN PLACES	52,860	2,600	19.4	1,922	14.4	1,712	12.8
WHITE	44,022	1,888	17.4	1,404	12.9	1,240	11.4
ALL OTHER	8,838	712	28.0	518	20.4	472	18.6
BALANCE OF AREA	12,096	656	21.3	484	15.7	327	10.6
WHITE	10,976	550	19.5	402	14.2	287	10.2
ALL OTHER	1,120	106	42.3	82	32.7	40	16.0
NONMETROPOLITAN COUNTIES	34,382	1,170	23.4	844	16.9	668	13.4
WHITE	30,100	956	22.4	720	16.8	521	12.2
ALL OTHER	4,282	214	29.8	124	17.3	147	20.5
URBAN PLACES	7,876	398	24.3	278	17.0	222	13.6
WHITE	6,786	328	23.4	240	17.2	190	12.9
ALL OTHER	1,090	70	29.5	38	16.0	42	17.7
BALANCE OF AREA	26,506	772	23.0	566	16.9	446	13.3
WHITE	23,314	628	21.8	480	16.7	341	11.9
ALL OTHER	3,192	144	30.0	86	17.9	105	21.9

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
UTAH	7,322	378	14.0	262	9.7	260	9.6
WHITE	7,150	364	13.9	258	9.9	251	9.6
ALL OTHER	172	14	17.2	4	4.9	9	11.0
URBAN PLACES	3,856	220	15.9	158	11.4	141	10.2
WHITE	3,758	214	15.9	154	11.5	137	10.2
ALL OTHER	98	6	14.2	4	9.4	4	9.4
BALANCE OF AREA	3,466	158	12.1	104	7.9	119	9.1
WHITE	3,392	150	11.8	104	8.2	114	9.0
ALL OTHER	74	8	20.4	-	-	5	12.8
METROPOLITAN COUNTIES	5,364	302	14.3	216	10.2	210	9.9
WHITE	5,258	296	14.3	212	10.3	204	9.9
ALL OTHER	106	6	12.3	4	8.2	6	12.3
URBAN PLACES	3,536	200	15.8	148	11.7	134	10.6
WHITE	3,438	194	15.8	144	11.8	130	10.6
ALL OTHER	98	6	15.9	4	10.6	4	10.6
BALANCE OF AREA	1,828	102	12.0	68	8.0	76	8.9
WHITE	1,820	102	12.1	68	8.1	74	8.8
ALL OTHER	8	-	-	-	-	2	18.2
NONMETROPOLITAN COUNTIES	1,958	76	13.1	46	7.9	50	8.6
WHITE	1,892	68	12.4	46	8.4	47	8.6
ALL OTHER	66	8	24.4	-	-	3	9.1
URBAN PLACES	320	20	16.2	10	8.1	7	5.7
WHITE	320	20	16.8	10	8.4	7	5.9
ALL OTHER	-	-	-	-	-	-	-
BALANCE OF AREA	1,638	56	12.3	36	7.9	43	9.4
WHITE	1,572	48	11.2	36	8.4	40	9.4
ALL OTHER	66	8	28.4	-	-	3	10.6
VERMONT	4,318	100	13.6	72	9.8	84	11.4
WHITE	4,314	100	13.7	72	9.9	84	11.5
ALL OTHER	4	-	-	-	-	-	-
URBAN PLACES	720	18	17.1	16	15.2	18	17.1
WHITE	720	18	17.3	16	15.4	18	17.3
ALL OTHER	-	-	-	-	-	-	-
BALANCE OF AREA	3,598	82	13.0	56	8.9	66	10.5
WHITE	3,594	82	13.1	56	9.0	66	10.6
ALL OTHER	4	-	-	-	-	-	-
METROPOLITAN COUNTIES	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
URBAN PLACES	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
BALANCE OF AREA	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
NONMETROPOLITAN COUNTIES	4,318	100	13.6	72	9.8	84	11.4
WHITE	4,314	100	13.7	72	9.9	84	11.5
ALL OTHER	4	-	-	-	-	-	-
URBAN PLACES	720	18	17.1	16	15.2	18	17.1
WHITE	720	18	17.3	16	15.4	18	17.3
ALL OTHER	-	-	-	-	-	-	-
BALANCE OF AREA	3,598	82	13.0	56	8.9	66	10.5
WHITE	3,594	82	13.1	56	9.0	66	10.6
ALL OTHER	4	-	-	-	-	-	-
VIRGINIA	40,960	1,538	20.5	1,202	16.0	1,315	17.5
WHITE	31,458	1,010	17.5	794	13.8	849	14.7
ALL OTHER	9,502	528	30.2	408	23.3	466	26.6
URBAN PLACES	18,474	714	21.1	554	16.4	602	17.8
WHITE	13,196	418	17.5	320	13.4	353	14.8
ALL OTHER	5,278	296	29.6	234	23.4	249	24.9
BALANCE OF AREA	22,486	824	19.9	648	15.7	713	17.2
WHITE	18,262	592	17.5	474	14.0	496	14.6
ALL OTHER	4,224	232	30.9	174	23.2	217	28.9
METROPOLITAN COUNTIES	21,708	910	19.3	700	14.9	786	16.7
WHITE	16,208	602	16.7	458	12.7	520	14.5
ALL OTHER	5,500	308	27.7	242	21.8	266	23.9
URBAN PLACES	15,900	654	21.5	500	16.5	529	17.4
WHITE	11,110	376	17.9	280	13.3	308	14.6
ALL OTHER	4,790	278	29.8	220	23.6	221	23.7
BALANCE OF AREA	5,808	256	15.3	200	12.0	257	15.4
WHITE	5,098	226	15.1	178	11.9	212	14.2
ALL OTHER	710	30	16.8	22	12.3	45	25.3
NONMETROPOLITAN COUNTIES	19,252	628	22.3	502	17.9	529	18.8
WHITE	15,250	408	18.8	336	15.5	329	15.1
ALL OTHER	4,002	220	34.5	166	26.0	200	31.3
URBAN PLACES	2,574	60	17.4	54	15.7	73	21.2
WHITE	2,086	42	15.0	40	14.3	45	16.1
ALL OTHER	488	18	27.7	14	21.5	28	43.1
BALANCE OF AREA	16,678	568	23.0	448	18.2	456	18.5
WHITE	13,164	366	19.3	296	15.6	284	15.0
ALL OTHER	3,514	202	35.2	152	26.5	172	30.0

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
WASHINGTON	29,836	824	17.1	590	12.2	422	8.7
WHITE	28,742	742	16.7	544	12.3	372	8.4
ALL OTHER	1,094	82	21.1	46	11.8	50	12.9
URBAN PLACES	16,904	396	18.9	294	14.0	191	9.1
WHITE	16,162	346	18.7	260	14.0	163	8.8
ALL OTHER	742	50	20.8	34	14.1	28	11.6
BALANCE OF AREA	12,932	428	15.7	296	10.8	231	8.5
WHITE	12,580	396	15.3	284	11.0	209	8.1
ALL OTHER	352	32	21.6	12	8.1	22	14.8
METROPOLITAN COUNTIES	18,828	488	16.0	348	11.4	253	8.3
WHITE	18,042	428	15.5	310	11.2	220	8.0
ALL OTHER	786	60	21.3	38	13.5	33	11.7
URBAN PLACES	12,794	246	16.3	180	11.9	132	8.7
WHITE	12,116	200	15.3	148	11.4	109	8.4
ALL OTHER	678	46	21.9	32	15.2	23	11.0
BALANCE OF AREA	6,034	242	15.8	168	11.0	121	7.9
WHITE	5,926	228	15.6	162	11.1	111	7.6
ALL OTHER	108	14	19.4	6	8.3	10	13.9
NONMETROPOLITAN COUNTIES	11,008	336	18.9	242	13.6	169	9.5
WHITE	10,700	314	18.8	234	14.0	152	9.1
ALL OTHER	308	22	20.6	8	7.5	17	15.9
URBAN PLACES	4,110	130	25.8	114	19.6	59	10.1
WHITE	4,046	146	26.5	112	20.3	54	9.8
ALL OTHER	64	4	13.2	2	6.6	5	16.4
BALANCE OF AREA	6,898	186	15.6	128	10.7	110	9.2
WHITE	6,654	168	15.0	122	10.9	98	8.8
ALL OTHER	244	18	23.6	6	7.9	12	15.7
WEST VIRGINIA	20,606	564	19.3	470	16.0	432	14.8
WHITE	19,392	522	18.7	434	15.5	403	14.4
ALL OTHER	1,214	42	31.9	36	27.3	29	22.0
URBAN PLACES	6,124	148	20.9	132	18.6	100	14.1
WHITE	5,618	122	18.7	108	16.6	82	12.6
ALL OTHER	506	26	45.1	24	41.7	18	31.3
BALANCE OF AREA	14,482	416	18.7	338	15.2	332	15.0
WHITE	13,774	400	18.6	326	15.2	321	15.0
ALL OTHER	708	16	21.6	12	16.2	11	14.8
METROPOLITAN COUNTIES	6,108	148	17.7	128	15.3	117	14.0
WHITE	5,748	126	15.9	110	13.9	103	13.0
ALL OTHER	360	22	53.1	18	43.5	14	33.8
URBAN PLACES	3,600	94	22.8	80	19.4	55	13.3
WHITE	3,314	76	19.9	64	16.8	44	11.5
ALL OTHER	286	18	56.6	16	50.3	11	34.6
BALANCE OF AREA	2,508	54	12.8	48	11.4	62	14.7
WHITE	2,434	50	12.1	46	11.2	59	14.3
ALL OTHER	74	4	41.7	2	20.8	3	31.3
NONMETROPOLITAN COUNTIES	14,498	416	19.9	342	16.3	315	15.0
WHITE	13,644	396	19.8	324	16.2	300	15.0
ALL OTHER	854	20	22.1	18	19.9	15	16.6
URBAN PLACES	2,524	54	18.3	52	17.6	45	15.2
WHITE	2,304	46	17.0	44	16.3	38	14.1
ALL OTHER	220	8	31.0	8	31.0	7	27.1
BALANCE OF AREA	11,974	362	20.1	290	16.1	270	15.0
WHITE	11,340	350	20.2	280	16.2	262	15.1
ALL OTHER	634	12	18.6	10	15.5	8	12.4
WISCONSIN	42,120	912	14.1	640	9.9	659	10.2
WHITE	41,152	816	13.6	570	9.5	569	9.5
ALL OTHER	968	96	19.9	70	14.5	90	18.6
URBAN PLACES	21,542	508	15.3	358	10.8	321	9.7
WHITE	20,710	414	14.4	290	10.1	240	8.3
ALL OTHER	832	94	21.5	68	15.5	81	18.5
BALANCE OF AREA	20,578	404	12.8	282	8.9	338	10.7
WHITE	20,442	402	12.9	280	9.0	329	10.6
ALL OTHER	136	2	4.5	2	4.5	9	20.1
METROPOLITAN COUNTIES	21,768	534	14.4	380	10.3	351	9.5
WHITE	20,964	442	13.6	314	9.6	272	8.3
ALL OTHER	804	92	21.1	66	15.2	79	18.1
URBAN PLACES	17,040	430	15.8	304	11.2	277	10.2
WHITE	16,250	338	14.7	238	10.4	199	8.7
ALL OTHER	790	92	21.8	66	15.6	78	18.4
BALANCE OF AREA	4,728	104	10.6	76	7.8	74	7.6
WHITE	4,714	104	10.8	76	7.9	73	7.6
ALL OTHER	14	-	-	-	-	1	7.8
NONMETROPOLITAN COUNTIES	20,352	378	13.7	260	9.4	308	11.1
WHITE	20,188	374	13.7	256	9.4	297	10.9
ALL OTHER	164	4	8.4	4	8.4	11	23.2
URBAN PLACES	4,502	78	13.1	54	9.0	44	7.4
WHITE	4,460	76	13.1	52	8.9	41	7.1
ALL OTHER	42	2	13.0	2	13.0	3	19.5
BALANCE OF AREA	15,850	300	13.8	206	9.5	264	12.2
WHITE	15,728	298	13.9	204	9.5	256	12.0
ALL OTHER	122	2	6.3	2	6.3	8	25.0

SEE FOOTNOTES AT END OF TABLE.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[See headnote at beginning of table]

Area and color	Deaths†					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
WYOMING	3,074	152	25.4	120	20.0	65	10.8
WHITE	2,986	142	24.9	114	20.0	59	10.4
ALL OTHER	88	10	33.6	6	20.1	6	20.1
URBAN PLACES	1,170	62	26.4	48	20.4	26	11.1
WHITE	1,144	58	26.0	44	19.7	23	10.3
ALL OTHER	26	4	33.9	4	33.9	3	25.4
BALANCE OF AREA	1,904	90	24.7	72	19.7	39	10.7
WHITE	1,842	84	24.2	70	20.2	36	10.4
ALL OTHER	62	6	33.3	2	11.1	3	16.7
METROPOLITAN COUNTIES	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
URBAN PLACES	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
BALANCE OF AREA	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...
NONMETROPOLITAN COUNTIES	3,074	152	25.4	120	20.0	65	10.8
WHITE	2,986	142	24.9	114	20.0	59	10.4
ALL OTHER	88	10	33.6	6	20.1	6	20.1
URBAN PLACES	1,170	62	26.4	48	20.4	26	11.1
WHITE	1,144	58	26.0	44	19.7	23	10.3
ALL OTHER	26	4	33.9	4	33.9	3	25.4
BALANCE OF AREA	1,904	90	24.7	72	19.7	39	10.7
WHITE	1,842	84	24.2	70	20.2	36	10.4
ALL OTHER	62	6	33.3	2	11.1	3	16.7

†Deaths based on a 50-percent sample.

[1]County equivalents.

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
UNITED STATES	1,963,944	60,182	11,094	16,204	48,338	41,908	68,792	168,222	311,522	455,010	511,620	270,514	538
MALE	1,096,198	34,710	6,294	9,900	35,626	28,426	42,910	107,344	202,556	270,884	253,708	103,466	374
FEMALE	867,746	25,472	4,800	6,304	12,712	13,482	25,882	60,878	108,966	184,126	257,912	167,048	164
WHITE	1,721,468	43,460	8,446	13,148	37,864	30,224	51,060	137,028	268,022	401,578	475,514	254,748	376
MALE	957,518	25,422	4,858	8,074	27,954	20,502	32,046	88,428	176,772	241,512	225,024	96,670	256
FEMALE	763,950	18,038	3,588	5,074	9,910	9,722	19,014	48,600	91,250	160,066	240,490	158,078	120
ALL OTHER	242,476	16,722	2,648	3,056	10,474	11,684	17,732	31,194	43,500	53,432	36,106	15,766	162
MALE	138,680	9,288	1,436	1,826	7,672	7,924	10,864	18,916	25,784	29,372	18,684	6,796	118
FEMALE	103,796	7,434	1,212	1,230	2,802	3,760	6,868	12,278	17,716	24,060	17,422	8,970	44
METROPOLITAN COUNTIES	1,281,934	39,486	7,160	10,222	31,118	28,982	47,678	117,894	209,438	295,600	327,568	166,484	304
MALE	705,050	22,820	4,078	6,198	22,666	19,474	29,444	74,180	134,670	172,334	158,246	60,728	212
FEMALE	576,884	16,666	3,082	4,024	8,452	9,508	18,234	43,714	74,768	123,266	169,322	105,756	92
WHITE	1,111,734	27,526	5,370	8,154	23,646	20,120	34,200	94,172	178,424	259,160	304,098	156,666	208
MALE	607,450	16,164	3,092	4,962	17,236	13,446	21,190	59,722	116,194	152,346	146,276	56,684	138
FEMALE	504,284	11,362	2,278	3,192	6,410	6,674	13,010	34,450	62,230	106,814	157,812	99,982	70
ALL OTHER	170,200	11,960	1,790	2,068	7,472	8,862	13,478	23,722	31,014	36,440	23,480	9,818	96
MALE	97,600	6,656	986	1,236	5,430	6,028	8,254	14,458	18,476	19,988	11,970	4,044	74
FEMALE	72,600	5,304	804	832	2,042	2,834	5,224	9,264	12,538	16,452	11,510	5,774	22
NONMETROPOLITAN COUNTIES	682,010	20,696	3,934	5,982	17,220	12,926	21,114	50,328	102,084	159,410	184,052	104,030	234
MALE	391,148	11,890	2,216	3,702	12,960	8,952	13,466	33,164	67,886	98,550	95,462	42,738	162
FEMALE	290,862	8,806	1,718	2,280	4,260	3,974	7,648	17,164	34,198	60,860	88,590	61,292	72
WHITE	609,734	15,934	3,076	4,994	14,218	10,104	16,860	42,856	89,598	142,418	171,426	98,082	168
MALE	350,068	9,258	1,766	3,112	10,718	7,056	10,856	28,706	60,578	89,166	88,748	39,986	118
FEMALE	259,666	6,676	1,310	1,882	3,500	3,048	6,004	14,150	29,020	53,252	82,678	58,096	50
ALL OTHER	72,276	4,762	858	988	3,002	2,822	4,254	7,472	12,486	16,992	12,626	5,948	66
MALE	41,080	2,632	450	590	2,242	1,896	2,610	4,458	7,308	9,384	6,714	2,752	44
FEMALE	31,196	2,130	408	398	760	926	1,644	3,014	5,178	7,608	5,912	3,196	22
ALABAMA	34,572	1,406	224	340	1,026	832	1,494	3,286	5,768	8,174	7,862	4,146	14
MALE	19,636	806	120	224	778	582	938	2,112	3,754	4,832	3,846	1,636	8
FEMALE	14,936	600	104	116	248	250	556	1,174	2,014	3,342	4,016	2,510	6
WHITE	23,980	706	118	228	636	518	898	2,248	3,994	5,578	5,962	3,092	2
MALE	13,986	418	56	160	492	384	596	1,558	2,760	3,458	2,894	1,210	-
FEMALE	9,994	288	62	68	144	134	302	690	1,234	2,120	3,068	1,882	2
ALL OTHER	10,592	700	106	112	390	314	596	1,338	1,774	2,596	1,900	1,054	12
MALE	5,650	388	64	64	286	198	342	554	994	1,374	952	426	8
FEMALE	4,942	312	42	48	104	116	254	484	780	1,222	948	628	4
METROPOLITAN COUNTIES	17,452	632	110	154	532	386	828	1,780	3,046	4,176	3,816	1,990	2
MALE	9,696	364	64	104	408	258	500	1,094	1,970	2,392	1,792	748	2
FEMALE	7,756	268	46	50	124	128	328	686	1,076	1,784	2,024	1,242	-
WHITE	11,572	336	62	94	316	216	466	1,140	2,008	2,698	2,780	1,456	-
MALE	6,592	200	30	72	252	162	308	766	1,394	1,614	1,270	524	-
FEMALE	4,980	136	32	22	64	54	158	374	614	1,084	1,510	932	-
ALL OTHER	5,880	296	48	60	216	170	362	640	1,038	1,478	1,036	534	2
MALE	3,104	164	34	32	156	96	192	328	576	778	522	224	2
FEMALE	2,776	132	14	28	60	74	170	312	462	700	514	310	-
NONMETROPOLITAN COUNTIES	17,120	774	114	186	494	446	666	1,506	2,722	3,998	4,046	2,156	12
MALE	9,940	442	56	120	370	324	438	1,018	1,784	2,440	2,054	888	6
FEMALE	7,180	332	58	66	124	122	228	488	938	1,558	1,992	1,268	6
WHITE	12,408	370	56	134	320	302	432	1,108	1,986	2,880	3,182	1,636	2
MALE	7,394	218	26	88	240	222	288	792	1,366	1,844	1,624	686	-
FEMALE	5,014	152	30	46	80	80	144	316	620	1,036	1,558	950	2
ALL OTHER	4,712	404	58	52	174	144	234	398	736	1,118	864	520	10
MALE	2,546	224	30	32	130	102	150	226	418	596	430	202	6
FEMALE	2,166	180	28	20	44	42	84	172	318	522	434	318	4
ALASKA	1,440	126	30	32	144	110	134	218	246	182	132	84	2
MALE	952	72	16	16	110	72	92	146	170	120	92	44	2
FEMALE	488	54	14	16	34	38	42	72	76	62	40	40	-
WHITE	980	86	16	24	84	66	84	156	178	126	98	60	2
MALE	692	54	10	12	70	46	62	110	130	88	72	36	2
FEMALE	288	32	6	12	14	20	22	46	48	38	26	24	-
ALL OTHER	460	40	14	8	60	44	50	62	68	56	34	24	-
MALE	260	18	6	4	40	26	30	36	40	32	20	8	-
FEMALE	200	22	8	4	20	18	20	26	28	24	14	16	-
MET. ELECTION DISTRICTS	---	---	---	---	---	---	---	---	---	---	---	---	---
MALE	---	---	---	---	---	---	---	---	---	---	---	---	---
FEMALE	---	---	---	---	---	---	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---	---	---	---	---	---	---
MALE	---	---	---	---	---	---	---	---	---	---	---	---	---
FEMALE	---	---	---	---	---	---	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---	---	---	---	---	---	---
MALE	---	---	---	---	---	---	---	---	---	---	---	---	---
FEMALE	---	---	---	---	---	---	---	---	---	---	---	---	---
NONMET. ELECTION DISTRICTS[1]	1,440	126	30	32	144	110	134	218	246	182	132	84	2
MALE	952	72	16	16	110	72	92	146	170	120	92	44	2
FEMALE	488	54	14	16	34	38	42	72	76	62	40	40	-
WHITE	980	86	16	24	84	66	84	156	178	126	98	60	2
MALE	692	54	10	12	70	46	62	110	130	88	72	36	2
FEMALE	288	32	6	12	14	20	22	46	48	38	26	24	-
ALL OTHER	460	40	14	8	60	44	50	62	68	56	34	24	-
MALE	260	18	6	4	40	26	30	36	40	32	20	8	-
FEMALE	200	22	8	4	20	18	20	26	28	24	14	16	-

[1] County equivalents.

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972–Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
ARIZONA	15,810	640	172	198	566	490	664	1,512	2,760	3,792	3,496	1,502	18
MALE	9,482	352	84	112	422	344	406	992	1,838	2,438	1,868	608	18
FEMALE	6,328	288	88	86	144	146	258	520	922	1,354	1,628	894	-
WHITE	14,342	494	120	174	454	334	522	1,350	2,578	3,560	3,314	1,424	18
MALE	8,586	268	66	100	340	234	314	872	1,722	2,306	1,774	572	18
FEMALE	5,756	226	54	74	114	100	208	478	856	1,254	1,540	852	-
ALL OTHER	1,468	146	52	24	112	156	142	162	182	232	182	78	-
MALE	896	84	18	12	82	110	92	120	116	132	94	36	-
FEMALE	572	62	34	12	30	46	50	42	66	100	88	42	-
METROPOLITAN COUNTIES	11,698	400	110	140	374	334	444	1,090	2,092	2,854	2,726	1,128	6
MALE	6,930	224	62	78	276	226	268	700	1,394	1,806	1,410	480	6
FEMALE	4,768	176	48	62	98	108	176	390	698	1,048	1,316	648	-
WHITE	11,018	332	92	134	330	266	380	1,014	2,008	2,726	2,624	1,106	6
MALE	6,542	182	54	74	244	184	234	646	1,340	1,748	1,358	472	6
FEMALE	4,476	150	38	60	86	82	146	368	668	978	1,266	634	-
ALL OTHER	680	68	18	6	44	68	64	76	84	128	102	22	-
MALE	388	42	8	4	32	42	34	54	54	58	52	8	-
FEMALE	292	26	10	2	12	26	30	22	30	70	50	14	-
NONMETROPOLITAN COUNTIES	4,112	240	62	58	192	156	220	422	668	938	770	374	12
MALE	2,552	128	22	34	146	118	138	292	444	632	458	128	12
FEMALE	1,560	112	40	24	46	38	82	130	224	306	312	246	-
WHITE	3,324	162	28	40	124	68	142	336	570	834	690	318	12
MALE	2,044	86	12	26	96	50	80	226	382	558	416	100	12
FEMALE	1,280	76	16	14	28	18	62	110	188	276	274	218	-
ALL OTHER	788	78	34	18	68	88	78	86	98	104	80	56	-
MALE	508	42	10	8	50	68	58	66	62	74	42	28	-
FEMALE	280	36	24	10	18	20	20	20	36	30	38	28	-
ARKANSAS	21,798	594	110	244	582	458	622	1,508	3,248	5,400	5,904	3,128	-
MALE	12,556	360	56	150	442	314	398	964	2,180	3,264	3,102	1,326	-
FEMALE	9,242	234	54	94	140	144	224	544	1,068	2,136	2,802	1,802	-
WHITE	17,424	430	62	168	418	338	432	1,206	2,576	4,206	4,896	2,692	-
MALE	10,152	270	30	106	312	240	282	800	1,784	2,652	2,556	1,120	-
FEMALE	7,272	160	32	62	106	98	150	406	792	1,554	2,340	1,572	-
ALL OTHER	4,374	164	48	76	164	120	190	302	672	1,194	1,008	436	-
MALE	2,404	90	26	44	130	74	116	164	396	612	546	206	-
FEMALE	1,970	74	22	32	34	46	74	138	276	582	462	230	-
METROPOLITAN COUNTIES	5,844	228	32	72	174	154	208	524	908	1,392	1,426	726	-
MALE	3,254	124	10	50	130	116	138	326	608	808	668	276	-
FEMALE	2,590	104	22	22	44	38	70	198	300	584	758	450	-
WHITE	4,278	154	18	44	118	114	126	384	664	982	1,100	574	-
MALE	2,396	90	6	32	84	84	86	248	448	608	510	200	-
FEMALE	1,882	64	12	12	34	30	40	136	216	374	590	374	-
ALL OTHER	1,566	74	14	28	56	40	82	140	244	410	326	152	-
MALE	858	34	4	18	46	32	52	78	160	200	158	76	-
FEMALE	708	40	10	10	10	8	30	62	84	210	168	76	-
NONMETROPOLITAN COUNTIES	15,954	366	78	172	408	304	414	984	2,340	4,008	4,478	2,402	-
MALE	9,302	236	46	100	312	198	260	638	1,572	2,456	2,434	1,050	-
FEMALE	6,652	130	32	72	96	106	154	346	768	1,552	2,044	1,352	-
WHITE	13,146	276	44	124	300	224	306	822	1,912	3,224	3,796	2,118	-
MALE	7,756	180	24	74	228	156	196	552	1,336	2,044	2,046	920	-
FEMALE	5,390	96	20	50	72	68	110	270	576	1,180	1,750	1,198	-
ALL OTHER	2,808	90	34	48	108	80	108	162	428	784	682	284	-
MALE	1,546	56	22	26	84	42	64	86	236	412	388	130	-
FEMALE	1,262	34	12	22	24	38	44	76	192	372	294	154	-
CALIFORNIA	169,984	4,794	1,090	1,352	5,106	4,518	6,458	15,182	26,408	37,128	43,298	24,624	26
MALE	93,572	2,784	634	818	3,756	3,094	4,010	9,192	16,820	22,218	21,294	8,930	22
FEMALE	76,412	2,010	456	534	1,350	1,424	2,448	5,990	9,588	14,910	22,004	15,694	4
WHITE	156,206	3,876	910	1,160	4,358	3,688	5,378	13,328	24,076	34,378	41,292	23,738	24
MALE	85,430	2,290	518	712	3,236	2,568	3,344	8,062	15,340	20,576	20,252	8,512	20
FEMALE	70,776	1,586	392	448	1,122	1,120	2,034	5,266	8,736	13,802	21,040	15,226	4
ALL OTHER	13,778	918	180	192	748	830	1,080	1,854	2,332	2,750	2,006	886	2
MALE	8,142	494	116	106	520	526	666	1,130	1,480	1,642	1,042	418	2
FEMALE	5,636	424	64	86	228	304	414	724	852	1,108	964	468	-
METROPOLITAN COUNTIES	155,118	4,404	986	1,208	4,628	4,208	6,036	14,050	24,232	33,630	39,302	22,416	18
MALE	84,566	2,574	574	730	3,392	2,870	3,716	8,462	15,376	19,898	19,056	7,904	14
FEMALE	70,552	1,830	412	478	1,236	1,338	2,320	5,588	8,856	13,732	20,246	14,512	4
WHITE	141,874	3,514	812	1,022	3,912	3,402	4,982	12,254	21,996	31,010	37,380	21,574	16
MALE	76,810	2,102	460	630	2,902	2,354	3,068	7,374	13,976	18,348	18,070	7,514	12
FEMALE	65,064	1,412	352	392	1,010	1,048	1,914	4,880	8,020	12,662	19,310	14,060	4
ALL OTHER	13,244	890	174	186	716	806	1,054	1,796	2,236	2,620	1,922	842	2
MALE	7,756	472	114	100	490	516	648	1,088	1,400	1,550	986	390	2
FEMALE	5,488	418	60	86	226	290	406	708	836	1,070	936	452	-
NONMETROPOLITAN COUNTIES	14,866	390	104	144	478	310	422	1,132	2,176	3,498	3,996	2,208	8
MALE	9,006	210	60	88	364	224	294	730	1,444	2,320	2,238	1,026	8
FEMALE	5,860	180	44	56	114	86	128	402	732	1,178	1,758	1,182	-
WHITE	14,332	362	98	138	446	286	396	1,074	2,080	3,368	3,912	2,164	8
MALE	8,620	188	58	82	334	214	276	688	1,364	2,228	2,182	998	8
FEMALE	5,712	174	40	56	112	72	120	386	716	1,140	1,730	1,166	-
ALL OTHER	534	28	6	6	32	24	26	58	96	130	84	44	-
MALE	386	22	2	6	30	10	18	42	80	92	56	28	-
FEMALE	148	6	4	-	2	14	8	16	16	38	28	16	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
COLORADO	17,824	660	108	172	632	476	664	1,520	2,560	3,602	4,522	2,906	2
MALE	10,130	416	64	106	472	330	440	938	1,660	2,178	2,314	1,210	2
FEMALE	7,694	244	44	66	160	146	224	582	900	1,424	2,208	1,696	-
WHITE	17,222	620	102	162	590	436	618	1,442	2,462	3,496	4,434	2,858	2
MALE	9,760	390	62	100	438	296	404	880	1,602	2,128	2,272	1,186	2
FEMALE	7,462	230	40	62	152	140	214	562	860	1,368	2,162	1,672	-
ALL OTHER	602	40	6	10	42	40	46	78	98	106	88	48	-
MALE	370	26	2	6	34	34	36	58	58	50	42	24	-
FEMALE	232	14	4	4	8	6	10	20	40	56	46	24	-
METROPOLITAN COUNTIES	11,992	468	88	124	414	362	462	1,110	1,744	2,356	2,990	1,874	-
MALE	6,674	302	52	80	312	252	296	690	1,086	1,366	1,504	734	-
FEMALE	5,318	166	36	44	102	110	166	420	658	990	1,486	1,140	-
WHITE	11,426	430	82	116	378	330	416	1,034	1,648	2,252	2,908	1,832	-
MALE	6,328	278	50	74	284	226	260	634	1,028	1,316	1,466	712	-
FEMALE	5,098	152	32	42	94	104	156	400	620	936	1,442	1,120	-
ALL OTHER	566	38	6	8	36	32	46	76	96	104	82	42	-
MALE	346	24	2	6	28	26	36	56	58	50	38	22	-
FEMALE	220	14	4	2	8	6	10	20	38	54	44	20	-
NONMETROPOLITAN COUNTIES	5,832	192	20	48	218	114	202	410	816	1,246	1,532	1,032	2
MALE	3,456	114	12	26	160	78	144	248	574	812	810	476	2
FEMALE	2,376	78	8	22	58	36	58	162	242	434	722	556	-
WHITE	5,796	190	20	46	212	106	202	408	814	1,244	1,526	1,026	2
MALE	3,432	112	12	26	154	70	144	246	574	812	806	474	2
FEMALE	2,364	78	8	20	58	36	58	162	240	432	720	552	-
ALL OTHER	36	2	-	2	6	8	-	2	2	2	6	6	-
MALE	24	2	-	-	6	8	-	2	-	-	4	2	-
FEMALE	12	-	-	2	-	-	-	-	2	2	2	4	-
CONNECTICUT	26,350	662	112	202	446	398	810	2,216	4,318	6,114	7,302	3,764	6
MALE	14,346	406	56	122	322	250	518	1,334	2,874	3,508	3,606	1,344	6
FEMALE	12,004	256	56	80	124	148	292	882	1,444	2,606	3,696	2,420	-
WHITE	25,116	544	94	170	408	332	682	2,026	4,128	5,876	7,158	3,694	4
MALE	13,648	332	48	102	296	214	448	1,230	2,740	3,382	3,532	1,320	4
FEMALE	11,468	212	46	68	112	118	234	796	1,388	2,494	3,626	2,374	-
ALL OTHER	1,234	118	18	32	38	66	128	190	190	238	144	70	2
MALE	698	74	8	20	26	36	70	104	134	126	74	24	2
FEMALE	536	44	10	12	12	30	58	86	56	112	70	46	-
METROPOLITAN COUNTIES	20,622	514	80	150	304	336	642	1,752	3,394	4,660	5,884	2,900	6
MALE	11,156	316	40	98	228	218	422	1,028	2,232	2,632	2,892	1,044	6
FEMALE	9,466	198	40	52	76	118	220	724	1,162	2,028	2,992	1,856	-
WHITE	19,484	402	64	120	272	274	522	1,574	3,216	4,446	5,752	2,838	4
MALE	10,508	242	34	78	206	184	354	932	2,104	2,522	2,826	1,022	4
FEMALE	8,976	160	30	42	66	90	168	642	1,112	1,924	2,926	1,816	-
ALL OTHER	1,138	112	16	30	32	62	120	178	178	214	132	62	2
MALE	648	74	6	20	22	34	68	96	128	110	66	22	2
FEMALE	490	38	10	10	10	28	52	82	50	104	66	40	-
NONMETROPOLITAN COUNTIES	5,728	148	32	52	142	62	168	464	924	1,454	1,418	864	-
MALE	3,190	90	16	24	94	32	96	306	642	876	714	300	-
FEMALE	2,538	58	16	28	48	30	72	158	282	578	704	564	-
WHITE	5,632	142	30	50	136	58	160	452	912	1,430	1,406	856	-
MALE	3,140	90	14	24	90	30	94	298	636	860	706	298	-
FEMALE	2,492	52	16	26	46	28	66	154	276	570	700	558	-
ALL OTHER	96	6	2	2	6	4	8	12	12	24	12	8	-
MALE	50	-	2	-	4	2	2	8	6	16	8	2	-
FEMALE	46	6	-	2	2	2	6	4	6	8	4	6	-
DELAWARE	4,962	168	34	54	108	106	222	488	844	1,066	1,204	668	-
MALE	2,730	108	24	22	76	76	138	306	562	630	576	212	-
FEMALE	2,232	60	10	32	32	30	84	182	282	436	628	456	-
WHITE	4,058	92	28	34	88	78	150	372	668	874	1,058	616	-
MALE	2,158	54	22	10	64	52	98	232	438	504	490	194	-
FEMALE	1,900	38	6	24	24	26	52	140	230	370	568	422	-
ALL OTHER	904	76	6	20	20	28	72	116	176	192	146	52	-
MALE	572	54	2	12	12	24	40	74	124	126	86	18	-
FEMALE	332	22	4	8	8	4	32	42	52	66	60	34	-
METROPOLITAN COUNTIES	3,284	100	18	34	70	52	154	350	578	748	784	396	-
MALE	1,822	74	14	14	50	44	86	224	382	450	364	120	-
FEMALE	1,462	26	4	20	20	8	68	126	196	298	420	276	-
WHITE	2,732	68	14	22	56	36	106	276	464	624	704	362	-
MALE	1,462	46	12	8	40	28	66	176	300	366	316	104	-
FEMALE	1,270	22	2	14	16	8	40	100	164	258	388	258	-
ALL OTHER	552	32	4	12	14	16	48	74	114	124	80	34	-
MALE	360	28	2	6	10	16	20	48	82	84	48	16	-
FEMALE	192	4	2	6	4	-	28	26	32	40	32	18	-
NONMETROPOLITAN COUNTIES	1,678	68	16	20	38	54	68	138	266	318	420	272	-
MALE	908	34	10	8	26	32	52	82	180	180	212	92	-
FEMALE	770	34	6	12	12	22	16	56	86	138	208	180	-
WHITE	1,326	24	14	12	32	42	44	96	204	250	354	254	-
MALE	696	8	10	2	24	24	32	56	138	138	174	90	-
FEMALE	630	16	4	10	8	18	12	40	66	112	180	164	-
ALL OTHER	352	44	2	8	6	12	24	42	62	68	66	18	-
MALE	212	26	-	6	2	8	20	26	42	42	38	2	-
FEMALE	140	18	2	2	4	4	4	16	20	26	28	16	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
DISTRICT OF COLUMBIA	8,462	330	36	42	234	328	536	1,142	1,566	1,850	1,528	868	2
MALE	4,608	182	20	30	154	232	372	690	964	1,014	666	282	2
FEMALE	3,854	148	16	12	80	96	164	452	602	836	862	586	-
WHITE	3,054	28	4	4	24	48	56	198	472	740	916	564	-
MALE	1,412	12	2	4	12	30	38	116	290	380	360	168	-
FEMALE	1,642	16	2	-	12	18	18	82	182	360	556	396	-
ALL OTHER	5,408	302	32	38	210	280	480	944	1,094	1,110	612	304	2
MALE	3,196	170	18	26	142	202	334	574	674	634	306	114	2
FEMALE	2,212	132	14	12	68	78	146	370	420	476	306	190	-
METROPOLITAN	8,462	330	36	42	234	328	536	1,142	1,566	1,850	1,528	868	2
MALE	4,608	182	20	30	154	232	372	690	964	1,014	666	282	2
FEMALE	3,854	148	16	12	80	96	164	452	602	836	862	586	-
WHITE	3,054	28	4	4	24	48	56	198	472	740	916	564	-
MALE	1,412	12	2	4	12	30	38	116	290	380	360	168	-
FEMALE	1,642	16	2	-	12	18	18	82	182	360	556	396	-
ALL OTHER	5,408	302	32	38	210	280	480	944	1,094	1,110	612	304	2
MALE	3,196	170	18	26	142	202	334	574	674	634	306	114	2
FEMALE	2,212	132	14	12	68	78	146	370	420	476	306	190	-
NONMETROPOLITAN	...	...	...	...	...	...	...	...	...	...	...	...	...
MALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE	...	...	...	...	...	...	...	...	...	...	...	...	...
WHITE	...	...	...	...	...	...	...	...	...	...	...	...	...
MALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE	...	...	...	...	...	...	...	...	...	...	...	...	...
ALL OTHER	...	...	...	...	...	...	...	...	...	...	...	...	...
MALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FEMALE	...	...	...	...	...	...	...	...	...	...	...	...	...
FLORIDA	83,310	2,024	462	646	1,806	1,628	2,750	6,704	12,860	22,496	22,432	9,494	38
MALE	48,692	1,150	262	382	1,296	1,102	1,682	4,226	8,200	13,850	12,472	4,046	24
FEMALE	34,618	874	200	264	510	526	1,068	2,478	4,660	8,646	9,930	5,448	14
WHITE	71,896	1,276	308	468	1,344	1,066	1,796	5,116	10,416	19,772	21,266	9,050	18
MALE	42,170	760	172	276	974	738	1,100	3,282	6,760	12,350	11,904	3,842	12
FEMALE	29,726	516	136	192	370	328	696	1,834	3,656	7,422	9,362	5,208	6
ALL OTHER	11,414	748	154	178	462	562	954	1,588	2,444	2,724	1,136	444	20
MALE	6,522	390	90	106	322	364	582	944	1,440	1,500	568	204	12
FEMALE	4,892	358	64	72	140	198	372	644	1,004	1,224	568	240	8
METROPOLITAN COUNTIES	55,420	1,270	310	418	1,230	1,048	1,836	4,558	8,476	14,830	15,100	6,320	24
MALE	31,834	696	176	238	870	722	1,120	2,874	5,360	8,928	8,204	2,630	16
FEMALE	23,586	574	134	180	360	326	716	1,684	3,116	5,902	6,896	3,690	8
WHITE	47,864	786	202	312	878	662	1,150	3,496	6,858	13,028	14,406	6,076	10
MALE	27,508	448	120	172	628	464	682	2,222	4,404	7,956	7,884	2,522	6
FEMALE	20,356	338	82	140	250	198	468	1,274	2,454	5,072	6,522	3,554	4
ALL OTHER	7,556	484	108	106	352	386	686	1,062	1,618	1,802	694	244	14
MALE	4,326	248	56	66	242	258	438	652	956	972	320	108	10
FEMALE	3,230	236	52	40	110	128	248	410	662	830	374	136	4
NONMETROPOLITAN COUNTIES	27,890	754	152	228	576	580	914	2,146	4,384	7,666	7,302	3,174	14
MALE	16,858	454	86	144	426	380	562	1,352	2,840	4,922	4,268	1,416	8
FEMALE	11,032	300	66	84	150	200	352	794	1,544	2,744	3,034	1,758	6
WHITE	24,032	490	106	156	466	404	646	1,620	3,558	6,744	6,860	2,974	8
MALE	14,662	312	52	104	346	274	418	1,060	2,356	4,394	4,020	1,320	6
FEMALE	9,370	178	54	52	120	130	228	560	1,202	2,350	2,840	1,654	2
ALL OTHER	3,858	264	46	72	110	176	268	526	826	922	442	200	6
MALE	2,196	142	34	40	80	106	144	292	484	528	248	96	2
FEMALE	1,662	122	12	32	30	70	124	234	342	394	194	104	4
GEORGIA	42,986	1,702	356	462	1,494	1,422	2,180	4,774	7,722	9,670	8,870	4,300	34
MALE	24,466	990	202	288	1,094	976	1,336	3,126	5,134	5,674	4,170	1,452	22
FEMALE	18,520	712	154	174	400	444	844	1,648	2,588	3,996	4,700	2,848	12
WHITE	30,226	880	198	306	948	756	1,272	3,038	5,244	6,668	7,196	3,716	4
MALE	17,372	540	116	198	696	524	830	2,098	3,660	4,132	3,354	1,222	2
FEMALE	12,854	340	82	108	252	232	442	940	1,584	2,536	3,842	2,494	2
ALL OTHER	12,760	822	158	156	546	666	908	1,736	2,478	3,002	1,674	584	30
MALE	7,094	450	86	90	398	454	506	1,028	1,474	1,542	816	2[illegible]	20
FEMALE	5,666	372	72	66	148	212	402	708	1,004	1,460	858	[illegible]	10
METROPOLITAN COUNTIES	18,728	766	146	172	698	742	1,068	2,398	3,414	4,126	3,442	1,746	10
MALE	10,274	422	82	104	488	510	628	1,502	2,220	2,302	1,474	534	8
FEMALE	8,454	344	64	68	210	232	440	896	1,194	1,824	1,968	1,212	2
WHITE	12,792	402	74	116	464	388	590	1,462	2,244	2,810	2,756	1,486	-
MALE	7,098	234	42	70	328	260	376	942	1,538	1,680	1,186	442	-
FEMALE	5,694	168	32	46	136	128	214	520	706	1,130	1,570	1,044	-
ALL OTHER	5,936	364	72	56	234	354	478	936	1,170	1,316	696	260	10
MALE	3,176	188	40	34	160	250	252	560	682	622	288	92	8
FEMALE	2,760	176	32	22	74	104	226	376	488	694	398	168	2
NONMETROPOLITAN COUNTIES	24,258	936	210	290	796	680	1,112	2,376	4,308	5,544	5,428	2,554	24
MALE	14,192	568	120	184	606	468	708	1,624	2,914	3,372	2,696	918	14
FEMALE	10,066	368	90	106	190	212	404	752	1,394	2,172	2,732	1,636	10
WHITE	17,434	478	124	190	484	368	682	1,576	3,000	3,858	4,440	2,230	4
MALE	10,274	306	74	128	368	264	454	1,156	2,122	2,452	2,168	780	2
FEMALE	7,160	172	50	62	116	104	228	420	878	1,406	2,272	1,450	2
ALL OTHER	6,824	458	86	100	312	312	430	800	1,308	1,686	988	324	20
MALE	3,918	262	46	56	238	204	254	468	792	920	528	138	12
FEMALE	2,906	196	40	44	74	108	176	332	516	766	460	186	8

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
HAWAII	4,304	260	34	28	122	150	170	478	722	922	850	568	-
MALE	2,640	134	20	18	80	88	112	300	510	594	504	280	-
FEMALE	1,664	126	14	10	42	62	58	178	212	328	346	288	-
WHITE	1,390	64	14	6	36	64	58	148	264	298	286	152	-
MALE	818	38	6	4	24	42	38	100	180	176	156	54	-
FEMALE	572	26	8	2	12	22	20	48	84	122	130	98	-
ALL OTHER	2,914	196	20	22	86	86	112	330	458	624	564	416	-
MALE	1,822	96	14	14	56	46	74	200	330	418	348	226	-
FEMALE	1,092	100	6	8	30	40	38	130	128	206	216	190	-
METROPOLITAN COUNTIES	3,138	210	24	24	90	114	134	378	508	638	590	428	-
MALE	1,906	106	12	18	62	74	92	246	354	398	342	202	-
FEMALE	1,232	104	12	6	28	40	42	132	154	240	248	226	-
WHITE	1,094	62	10	4	28	50	48	122	208	222	212	128	-
MALE	650	38	4	4	20	32	32	86	150	128	112	44	-
FEMALE	444	24	6	-	8	18	16	36	58	94	100	84	-
ALL OTHER	2,044	148	14	20	62	64	86	256	300	416	378	300	-
MALE	1,256	68	8	14	42	42	60	160	204	270	230	158	-
FEMALE	788	80	6	6	20	22	26	96	96	146	148	142	-
NONMETROPOLITAN COUNTIES	1,166	50	10	4	32	36	36	100	214	284	260	140	-
MALE	734	28	8	-	18	14	20	54	156	196	162	78	-
FEMALE	432	22	2	4	14	22	16	46	58	88	98	62	-
WHITE	296	2	4	2	8	14	10	26	56	76	74	24	-
MALE	168	-	2	-	4	10	6	14	30	48	44	10	-
FEMALE	128	2	2	2	4	4	4	12	26	28	30	14	-
ALL OTHER	870	48	6	2	24	22	26	74	158	208	186	116	-
MALE	566	28	6	-	14	4	14	40	126	148	118	68	-
FEMALE	304	20	-	2	10	18	12	34	32	60	68	48	-
IDAHO	6,352	240	54	88	238	150	212	460	958	1,336	1,646	964	6
MALE	3,908	150	40	56	180	114	150	296	670	882	934	432	4
FEMALE	2,444	90	14	32	58	36	62	164	288	454	712	532	2
WHITE	6,224	224	50	88	236	120	202	442	938	1,320	1,640	958	6
MALE	3,832	140	36	56	180	96	144	284	658	876	930	428	4
FEMALE	2,392	84	14	32	56	24	58	158	280	444	710	530	2
ALL OTHER	128	16	4	-	2	30	10	18	20	16	6	6	-
MALE	76	10	4	-	-	18	6	12	12	6	4	4	-
FEMALE	52	6	-	-	2	12	4	6	8	10	2	2	-
METROPOLITAN COUNTIES	926	34	6	4	30	14	18	76	136	196	280	132	-
MALE	544	26	4	2	18	10	10	42	98	122	162	50	-
FEMALE	382	8	2	2	12	4	8	34	38	74	118	82	-
WHITE	916	32	6	4	30	12	18	74	132	196	280	132	-
MALE	536	24	4	2	18	8	10	40	96	122	162	50	-
FEMALE	380	8	2	2	12	4	8	34	36	74	118	82	-
ALL OTHER	10	2	-	-	-	2	-	2	4	-	-	-	-
MALE	8	2	-	-	-	2	-	2	2	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	2	-	-	-	-
NONMETROPOLITAN COUNTIES	5,426	206	48	84	208	136	194	384	822	1,140	1,366	832	6
MALE	3,364	124	36	54	162	104	140	254	572	760	772	382	4
FEMALE	2,062	82	12	30	46	32	54	130	250	380	594	450	2
WHITE	5,308	192	44	84	206	108	184	368	806	1,124	1,360	826	6
MALE	3,296	116	32	54	162	88	134	244	562	754	768	378	4
FEMALE	2,012	76	12	30	44	20	50	124	244	370	592	448	2
ALL OTHER	118	14	4	-	2	28	10	16	16	16	6	6	-
MALE	68	8	4	-	-	16	6	10	10	6	4	4	-
FEMALE	50	6	-	-	2	12	4	6	6	10	2	2	-
ILLINOIS	111,298	3,604	642	802	2,276	2,214	3,720	9,712	17,798	25,164	30,028	15,318	20
MALE	60,740	2,064	362	504	1,628	1,454	2,240	6,166	11,450	14,814	14,340	5,704	14
FEMALE	50,558	1,540	280	298	648	760	1,480	3,546	6,348	10,350	15,688	9,614	6
WHITE	97,362	2,296	450	658	1,668	1,426	2,560	7,756	15,484	22,322	28,236	14,496	10
MALE	52,802	1,324	258	418	1,174	938	1,532	4,946	10,082	13,264	13,478	5,384	4
FEMALE	44,560	972	192	240	494	488	1,028	2,810	5,402	9,058	14,758	9,112	6
ALL OTHER	13,936	1,308	192	144	608	788	1,160	1,956	2,314	2,842	1,792	822	10
MALE	7,938	740	104	86	454	516	708	1,220	1,368	1,550	862	320	10
FEMALE	5,998	568	88	58	154	272	452	736	946	1,292	930	502	-
METROPOLITAN COUNTIES	85,000	2,994	504	630	1,850	1,848	3,196	8,152	14,366	19,200	21,774	10,470	16
MALE	46,262	1,710	282	392	1,324	1,196	1,924	5,166	9,140	11,092	10,234	3,790	12
FEMALE	38,738	1,284	222	238	526	652	1,272	2,986	5,226	8,108	11,540	6,680	4
WHITE	71,644	1,722	320	492	1,256	1,084	2,062	6,236	12,128	16,500	20,114	9,724	6
MALE	38,672	990	182	312	880	694	1,232	3,968	7,830	9,636	9,440	3,506	2
FEMALE	32,972	732	138	180	376	390	830	2,268	4,298	6,864	10,674	6,218	4
ALL OTHER	13,356	1,272	184	138	594	764	1,134	1,916	2,238	2,700	1,660	746	10
MALE	7,590	720	100	80	444	502	692	1,198	1,310	1,456	794	284	10
FEMALE	5,766	552	84	58	150	262	442	718	928	1,244	866	462	-
NONMETROPOLITAN COUNTIES	26,298	610	138	172	426	366	524	1,560	3,432	5,964	8,254	4,848	4
MALE	14,478	354	80	112	304	258	316	1,000	2,310	3,722	4,106	1,914	2
FEMALE	11,820	256	58	60	122	108	208	560	1,122	2,242	4,148	2,934	2
WHITE	25,718	574	130	166	412	342	498	1,520	3,356	5,822	8,122	4,772	4
MALE	14,130	334	76	106	294	244	300	978	2,252	3,628	4,038	1,878	2
FEMALE	11,588	240	54	60	118	98	198	542	1,104	2,194	4,084	2,894	2
ALL OTHER	580	36	8	6	14	24	26	40	76	142	132	76	-
MALE	348	20	4	6	10	14	16	22	58	94	68	36	-
FEMALE	232	16	4	-	4	10	10	18	18	48	64	40	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
INDIANA	49,138	1,630	316	434	1,020	962	1,602	3,596	7,434	11,210	13,256	7,274	4
MALE	27,146	970	174	284	738	638	982	2,590	4,834	6,612	6,432	2,883	4
FEMALE	21,992	660	142	150	282	324	620	1,406	2,600	4,598	6,824	4,386	-
WHITE	45,788	1,384	278	384	902	796	1,352	3,534	6,824	10,538	12,748	7,044	4
MALE	25,254	822	154	250	648	522	830	2,312	4,520	6,250	6,142	2,800	4
FEMALE	20,534	562	124	134	254	274	522	1,222	2,304	4,288	6,606	4,244	-
ALL OTHER	3,350	246	38	50	118	166	250	462	610	672	508	230	-
MALE	1,892	148	20	34	90	116	152	278	314	362	290	88	-
FEMALE	1,458	98	18	16	28	50	98	184	296	310	218	142	-
METROPOLITAN COUNTIES	28,724	1,010	200	256	584	638	1,008	2,582	4,592	6,620	7,440	3,786	2
MALE	15,782	610	108	164	432	420	608	1,670	2,892	3,838	3,604	1,434	2
FEMALE	12,942	400	92	92	152	218	400	912	1,700	2,788	3,836	2,352	-
WHITE	25,684	782	172	214	478	484	780	2,174	4,020	6,014	6,968	3,596	2
MALE	14,054	468	94	134	348	310	470	1,422	2,602	3,512	3,330	1,362	2
FEMALE	11,630	314	78	80	130	174	310	752	1,418	2,502	3,638	2,234	-
ALL OTHER	3,040	228	28	42	106	154	228	408	572	612	472	190	-
MALE	1,728	142	14	30	84	110	138	248	290	326	274	72	-
FEMALE	1,312	86	14	12	22	44	90	160	282	286	198	118	-
NONMETROPOLITAN COUNTIES	20,414	620	116	178	436	324	594	1,414	2,842	4,584	5,816	3,488	2
MALE	11,364	360	66	120	306	218	374	920	1,942	2,774	2,828	1,454	2
FEMALE	9,050	260	50	58	130	106	220	494	900	1,810	2,988	2,034	-
WHITE	20,104	602	106	170	424	312	572	1,360	2,804	4,524	5,780	3,448	2
MALE	11,200	354	60	116	300	212	360	890	1,918	2,738	2,812	1,438	2
FEMALE	8,904	248	46	54	124	100	212	470	886	1,786	2,968	2,010	-
ALL OTHER	310	18	10	8	12	12	22	54	38	60	36	40	-
MALE	164	6	6	4	6	6	14	30	24	36	16	16	-
FEMALE	146	12	4	4	6	6	8	24	14	24	20	24	-
IOWA	29,932	720	136	228	572	386	682	1,730	3,680	6,282	9,308	6,202	6
MALE	16,422	392	80	138	422	272	428	1,106	2,494	3,922	4,696	2,470	2
FEMALE	13,510	328	56	90	150	114	254	624	1,186	2,360	4,612	3,732	4
WHITE	29,588	694	134	228	548	368	646	1,700	3,624	6,230	9,238	6,166	6
MALE	16,212	376	80	138	406	254	408	1,082	2,460	3,896	4,656	2,454	2
FEMALE	13,376	318	54	90	142	114	238	618	1,164	2,340	4,582	3,712	4
ALL OTHER	344	26	2	-	24	18	36	30	56	46	70	36	-
MALE	210	16	-	-	16	18	20	24	34	26	40	16	-
FEMALE	134	10	2	-	8	-	16	6	22	20	30	20	-
METROPOLITAN COUNTIES	9,298	316	68	80	216	166	270	664	1,230	2,022	2,612	1,654	-
MALE	5,064	164	38	48	150	122	174	422	822	1,272	1,234	618	-
FEMALE	4,234	152	30	32	66	44	96	242	408	750	1,378	1,036	-
WHITE	9,016	296	66	80	194	154	234	638	1,184	1,980	2,560	1,630	-
MALE	4,894	150	38	48	136	110	154	402	794	1,248	1,208	606	-
FEMALE	4,122	146	28	32	58	44	80	236	390	732	1,352	1,024	-
ALL OTHER	282	20	2	-	22	12	36	26	46	42	52	24	-
MALE	170	14	-	-	14	12	20	20	28	24	26	12	-
FEMALE	112	6	2	-	8	-	16	6	18	18	26	12	-
NONMETROPOLITAN COUNTIES	20,634	404	68	148	356	220	412	1,066	2,450	4,260	6,696	4,548	6
MALE	11,358	228	42	90	272	150	254	684	1,672	2,650	3,462	1,852	2
FEMALE	9,276	176	26	58	84	70	158	382	778	1,610	3,234	2,696	4
WHITE	20,572	398	68	148	354	214	412	1,062	2,440	4,256	6,678	4,536	6
MALE	11,318	226	42	90	270	144	254	680	1,666	2,648	3,448	1,848	2
FEMALE	9,254	172	26	58	84	70	158	382	774	1,608	3,230	2,688	4
ALL OTHER	62	6	-	-	2	6	-	4	10	4	18	12	-
MALE	40	2	-	-	2	6	-	4	6	2	14	4	-
FEMALE	22	4	-	-	-	-	-	-	4	2	4	8	-
KANSAS	22,388	580	120	140	464	394	530	1,392	2,998	4,864	6,696	4,204	6
MALE	12,392	300	58	84	356	278	324	900	1,976	3,090	3,418	1,606	2
FEMALE	9,996	280	62	56	108	116	206	492	1,022	1,774	3,278	2,598	4
WHITE	21,238	514	112	132	432	358	462	1,276	2,822	4,608	6,430	4,090	2
MALE	11,736	268	56	82	332	248	284	832	1,854	2,946	3,274	1,560	-
FEMALE	9,502	246	56	50	100	110	178	444	968	1,662	3,156	2,530	2
ALL OTHER	1,150	66	8	8	32	36	68	116	176	256	266	114	4
MALE	656	32	2	2	24	30	40	68	122	144	144	46	2
FEMALE	494	34	6	6	8	6	28	48	54	112	122	68	2
METROPOLITAN COUNTIES	7,456	266	54	60	182	198	244	616	1,196	1,540	1,940	1,156	4
MALE	4,058	136	28	34	134	140	138	372	786	954	922	412	2
FEMALE	3,398	130	26	26	48	58	106	244	410	586	1,018	744	2
WHITE	6,704	220	54	52	160	166	192	536	1,076	1,388	1,772	1,086	2
MALE	3,644	114	28	32	118	114	112	326	702	868	838	392	-
FEMALE	3,060	106	26	20	42	52	80	210	374	520	934	694	2
ALL OTHER	752	46	-	8	22	32	52	80	120	152	168	70	2
MALE	414	22	-	2	16	26	26	46	84	86	84	20	2
FEMALE	338	24	-	6	6	6	26	34	36	66	84	50	-
NONMETROPOLITAN COUNTIES	14,932	314	66	80	282	196	286	776	1,802	3,324	4,756	3,048	2
MALE	8,334	164	30	50	222	136	186	528	1,190	2,136	2,496	1,194	-
FEMALE	6,598	150	36	30	60	58	100	248	612	1,188	2,260	1,854	2
WHITE	14,534	294	58	80	272	192	270	740	1,746	3,220	4,658	3,004	-
MALE	8,092	154	28	50	214	134	172	506	1,152	2,078	2,436	1,168	-
FEMALE	6,442	140	30	30	58	58	98	234	594	1,142	2,222	1,836	-
ALL OTHER	398	20	8	-	10	4	16	36	56	104	98	44	2
MALE	242	10	2	-	8	4	14	22	38	58	60	26	-
FEMALE	156	10	6	-	2	-	2	14	18	46	38	18	2

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
KENTUCKY	34,048	980	234	290	764	670	1,164	2,820	5,184	7,970	9,030	4,938	4
MALE	19,286	596	138	168	576	480	764	1,858	3,450	4,768	4,506	1,980	2
FEMALE	14,762	384	96	122	188	190	400	962	1,734	3,202	4,524	2,958	2
WHITE	31,024	866	194	260	702	592	1,006	2,524	4,634	7,216	8,366	4,660	4
MALE	17,620	524	122	152	530	418	670	1,694	3,128	4,362	4,150	1,868	2
FEMALE	13,404	342	72	108	172	174	336	830	1,506	2,854	4,216	2,792	2
ALL OTHER	3,024	114	40	30	62	78	158	296	550	754	664	278	-
MALE	1,666	72	16	16	46	62	94	164	322	406	356	112	-
FEMALE	1,358	42	24	14	16	16	64	132	228	348	308	166	-
METROPOLITAN COUNTIES	12,658	316	76	96	264	218	486	1,262	2,110	3,010	3,120	1,696	4
MALE	6,906	204	38	60	192	160	326	780	1,396	1,760	1,422	566	2
FEMALE	5,752	112	38	36	72	58	160	482	714	1,250	1,698	1,130	2
WHITE	10,986	246	56	80	226	172	398	1,070	1,786	2,584	2,790	1,574	4
MALE	5,988	160	36	48	166	126	270	682	1,210	1,528	1,244	516	2
FEMALE	4,998	86	20	32	60	46	128	388	576	1,056	1,546	1,058	2
ALL OTHER	1,672	70	20	16	38	46	88	192	324	426	330	122	-
MALE	918	44	2	12	26	34	56	98	186	232	178	50	-
FEMALE	754	26	18	4	12	12	32	94	138	194	152	72	-
NONMETROPOLITAN COUNTIES	21,390	664	158	194	500	452	678	1,558	3,074	4,960	5,910	3,242	-
MALE	12,380	392	100	108	384	320	438	1,078	2,054	3,008	3,084	1,414	-
FEMALE	9,010	272	58	86	116	132	240	480	1,020	1,952	2,826	1,828	-
WHITE	20,038	620	138	180	476	420	608	1,454	2,848	4,632	5,576	3,086	-
MALE	11,632	364	86	104	364	292	400	1,012	1,918	2,834	2,906	1,352	-
FEMALE	8,406	256	52	76	112	128	208	442	930	1,798	2,670	1,734	-
ALL OTHER	1,352	44	20	14	24	32	70	104	226	328	334	156	-
MALE	748	28	14	4	20	28	38	66	136	174	178	62	-
FEMALE	604	16	6	10	4	4	32	38	90	154	156	94	-
LOUISIANA	34,390	1,508	270	378	992	894	1,434	3,326	5,992	8,516	7,316	3,762	2
MALE	19,424	842	152	244	748	612	934	2,158	3,862	4,948	3,464	1,458	2
FEMALE	14,966	666	118	134	244	282	500	1,168	2,130	3,568	3,852	2,304	-
WHITE	22,766	774	136	232	586	482	792	2,084	3,914	5,602	5,308	2,854	2
MALE	13,102	436	86	140	456	332	518	1,452	2,718	3,444	2,480	1,038	2
FEMALE	9,664	338	50	92	130	150	274	632	1,196	2,158	2,828	1,816	-
ALL OTHER	11,624	734	134	146	406	412	642	1,242	2,078	2,914	2,008	908	-
MALE	6,322	406	66	104	292	280	416	706	1,144	1,504	984	420	-
FEMALE	5,302	328	68	42	114	132	226	536	934	1,410	1,024	488	-
METROPOLITAN PARISHES[1]	18,504	816	146	200	482	510	772	2,034	3,290	4,660	3,772	1,822	-
MALE	10,388	470	92	132	360	352	494	1,348	2,088	2,652	1,756	644	-
FEMALE	8,116	346	54	68	122	158	278	686	1,202	2,008	2,016	1,178	-
WHITE	12,236	396	76	118	274	254	428	1,246	2,144	3,026	2,816	1,458	-
MALE	6,988	218	50	72	210	174	278	882	1,470	1,842	1,306	486	-
FEMALE	5,248	178	26	46	64	80	150	364	674	1,184	1,510	972	-
ALL OTHER	6,268	420	70	82	208	256	344	788	1,146	1,634	956	364	-
MALE	3,400	252	42	60	150	178	216	466	618	810	450	158	-
FEMALE	2,868	168	28	22	58	78	128	322	528	824	506	206	-
NONMETROPOLITAN PARISHES[1]	15,886	692	124	178	510	384	662	1,292	2,702	3,856	3,544	1,940	2
MALE	9,036	372	60	112	388	260	440	810	1,774	2,296	1,708	814	2
FEMALE	6,850	320	64	66	122	124	222	482	928	1,560	1,836	1,126	-
WHITE	10,530	378	60	114	312	228	364	838	1,770	2,576	2,492	1,396	2
MALE	6,114	218	36	68	246	158	240	570	1,248	1,602	1,174	552	2
FEMALE	4,416	160	24	46	66	70	124	268	522	974	1,318	844	-
ALL OTHER	5,356	314	64	64	198	156	298	454	932	1,280	1,052	544	-
MALE	2,922	154	24	44	142	102	200	240	526	694	534	262	-
FEMALE	2,434	160	40	20	56	54	98	214	406	586	518	282	-
MAINE	11,198	298	46	72	200	138	274	756	1,602	2,710	3,232	1,864	6
MALE	6,102	174	24	42	160	90	166	486	1,048	1,646	1,594	666	6
FEMALE	5,096	124	22	30	40	48	108	270	554	1,064	1,638	1,198	-
WHITE	11,172	296	46	72	200	134	272	754	1,598	2,704	3,228	1,862	6
MALE	6,084	172	24	42	160	90	164	484	1,044	1,640	1,592	666	6
FEMALE	5,088	124	22	30	40	44	108	270	554	1,064	1,636	1,196	-
ALL OTHER	26	2	-	-	-	4	2	2	4	6	4	2	-
MALE	18	2	-	-	-	-	2	2	4	6	2	-	-
FEMALE	8	-	-	-	-	4	-	-	-	-	2	2	-
METROPOLITAN COUNTIES	2,146	48	10	12	36	24	52	136	316	516	646	350	-
MALE	1,120	26	4	6	30	16	28	90	220	298	286	116	-
FEMALE	1,026	22	6	6	6	8	24	46	96	218	360	234	-
WHITE	2,144	48	10	12	36	24	52	136	316	514	646	350	-
MALE	1,118	26	4	6	30	16	28	90	220	296	286	116	-
FEMALE	1,026	22	6	6	6	8	24	46	96	218	360	234	-
ALL OTHER	2	-	-	-	-	-	-	-	-	2	-	-	-
MALE	2	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	9,052	250	36	60	164	114	222	620	1,286	2,194	2,586	1,514	6
MALE	4,982	148	20	36	130	74	138	396	828	1,348	1,308	550	6
FEMALE	4,070	102	16	24	34	40	84	224	458	846	1,278	964	-
WHITE	9,028	248	36	60	164	110	220	618	1,282	2,190	2,582	1,512	6
MALE	4,966	146	20	36	130	74	136	394	824	1,344	1,306	550	6
FEMALE	4,062	102	16	24	34	36	84	224	458	846	1,276	962	-
ALL OTHER	24	2	-	-	-	4	2	2	4	4	4	2	-
MALE	16	2	-	-	-	-	2	2	4	4	2	-	-
FEMALE	8	-	-	-	-	4	-	-	-	-	2	2	-

[1]County equivalents.

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
MARYLAND	33,408	930	160	300	944	824	1,410	3,744	5,942	7,672	7,602	3,872	8
MALE	18,770	508	88	172	686	556	846	2,450	3,916	4,538	3,660	1,346	4
FEMALE	14,638	422	72	128	258	268	564	1,294	2,026	3,134	3,942	2,526	4
WHITE	26,826	598	110	232	626	494	864	2,788	4,682	6,242	6,722	3,462	6
MALE	14,962	340	68	132	456	324	524	1,850	3,154	3,730	3,180	1,200	4
FEMALE	11,864	258	42	100	170	170	340	938	1,528	2,512	3,542	2,262	2
ALL OTHER	6,582	332	50	68	318	330	546	956	1,260	1,430	880	410	2
MALE	3,808	168	20	40	230	232	322	600	762	808	480	146	-
FEMALE	2,774	164	30	28	88	98	224	356	498	622	400	264	2
METROPOLITAN COUNTIES	26,982	746	136	252	796	690	1,218	3,164	4,866	6,120	6,034	2,952	8
MALE	15,036	410	72	142	576	460	728	2,070	3,198	3,578	2,830	968	4
FEMALE	11,946	336	64	110	220	230	490	1,094	1,668	2,542	3,204	1,984	4
WHITE	21,336	456	94	190	514	402	732	2,310	3,768	4,920	5,332	2,612	6
MALE	11,778	260	56	108	372	252	434	1,530	2,548	2,912	2,450	852	4
FEMALE	9,558	196	38	82	142	150	298	780	1,220	2,008	2,882	1,760	2
ALL OTHER	5,646	290	42	62	282	288	486	854	1,098	1,200	702	340	2
MALE	3,258	150	16	34	204	208	294	540	650	666	380	116	-
FEMALE	2,388	140	26	28	78	80	192	314	448	534	322	224	2
NONMETROPOLITAN COUNTIES	6,426	184	24	48	148	134	192	580	1,076	1,552	1,568	920	-
MALE	3,734	98	16	30	110	96	118	380	718	960	830	378	-
FEMALE	2,692	86	8	18	38	38	74	200	358	592	738	542	-
WHITE	5,490	142	16	42	112	92	132	478	914	1,322	1,390	850	-
MALE	3,184	80	12	24	84	72	90	320	606	818	730	348	-
FEMALE	2,306	62	4	18	28	20	42	158	308	504	660	502	-
ALL OTHER	936	42	8	6	36	42	60	102	162	230	178	70	-
MALE	550	18	4	6	26	24	28	60	112	142	100	30	-
FEMALE	386	24	4	-	10	18	32	42	50	88	78	40	-
MASSACHUSETTS	57,152	1,132	258	372	1,070	812	1,580	4,366	8,546	13,304	16,484	9,218	10
MALE	29,998	692	160	210	790	520	1,032	2,756	5,470	7,486	7,770	3,106	6
FEMALE	27,154	440	98	162	280	292	548	1,610	3,076	5,818	8,714	6,112	4
WHITE	55,562	1,018	236	348	968	716	1,446	4,170	8,340	13,028	16,206	9,076	10
MALE	29,066	624	146	196	718	454	932	2,624	5,336	7,330	7,644	3,056	6
FEMALE	26,496	394	90	152	250	262	514	1,546	3,004	5,698	8,562	6,020	4
ALL OTHER	1,590	114	22	24	102	96	134	196	206	276	278	142	-
MALE	932	68	14	14	72	66	100	132	134	156	126	50	-
FEMALE	658	46	8	10	30	30	34	64	72	120	152	92	-
METROPOLITAN COUNTIES	54,794	1,082	244	352	1,016	778	1,536	4,202	8,220	12,684	15,880	8,790	10
MALE	28,730	660	150	196	750	496	1,010	2,646	5,260	7,122	7,488	2,946	6
FEMALE	26,064	422	94	156	266	282	526	1,556	2,960	5,562	8,392	5,844	4
WHITE	53,244	968	222	328	918	684	1,402	4,008	8,016	12,412	15,614	8,662	10
MALE	27,824	592	136	182	682	432	910	2,516	5,128	6,968	7,368	2,904	6
FEMALE	25,420	376	86	146	236	252	492	1,492	2,888	5,444	8,246	5,758	4
ALL OTHER	1,550	114	22	24	98	94	134	194	204	272	266	128	-
MALE	906	68	14	14	68	64	100	130	132	154	120	42	-
FEMALE	644	46	8	10	30	30	34	64	72	118	146	86	-
NONMETROPOLITAN COUNTIES	2,358	50	14	20	54	34	44	164	326	620	604	428	-
MALE	1,268	32	10	14	40	24	22	110	210	364	282	160	-
FEMALE	1,090	18	4	6	14	10	22	54	116	256	322	268	-
WHITE	2,318	50	14	20	50	32	44	162	324	616	592	414	-
MALE	1,242	32	10	14	36	22	22	108	208	362	276	152	-
FEMALE	1,076	18	4	6	14	10	22	54	116	254	316	262	-
ALL OTHER	40	-	-	-	4	2	-	2	2	4	12	14	-
MALE	26	-	-	-	4	2	-	2	2	2	6	8	-
FEMALE	14	-	-	-	-	-	-	-	-	2	6	6	-
MICHIGAN	78,674	2,706	460	658	2,308	1,758	2,828	7,150	12,606	18,032	20,096	10,064	8
MALE	44,860	1,542	254	430	1,732	1,136	1,706	4,532	8,266	11,046	10,428	3,782	6
FEMALE	33,814	1,164	206	228	576	622	1,122	2,618	4,340	6,986	9,668	6,282	2
WHITE	69,224	1,862	356	566	1,784	1,220	2,060	5,746	10,958	16,000	19,008	9,658	6
MALE	39,220	1,064	208	376	1,344	784	1,232	3,656	7,262	9,880	9,798	3,612	4
FEMALE	30,004	798	148	190	440	436	828	2,090	3,696	6,120	9,210	6,046	2
ALL OTHER	9,450	844	104	92	524	538	768	1,404	1,648	2,032	1,088	406	2
MALE	5,640	478	46	54	388	352	474	876	1,004	1,166	630	170	2
FEMALE	3,810	366	58	38	136	186	294	528	644	866	458	236	-
METROPOLITAN COUNTIES	56,830	2,134	332	458	1,724	1,370	2,260	5,662	9,294	12,938	14,098	6,556	4
MALE	32,350	1,236	182	294	1,284	876	1,344	3,566	6,054	7,842	7,298	2,370	4
FEMALE	24,480	898	150	164	440	494	916	2,096	3,240	5,096	6,800	4,186	-
WHITE	48,044	1,346	230	380	1,224	860	1,534	4,334	7,730	11,086	13,118	6,200	2
MALE	27,090	788	136	252	914	546	890	2,726	5,100	6,784	6,726	2,226	2
FEMALE	20,954	558	94	128	310	314	644	1,608	2,630	4,302	6,392	3,974	-
ALL OTHER	8,786	788	102	78	500	510	726	1,328	1,564	1,852	980	356	2
MALE	5,260	448	46	42	370	330	454	840	954	1,058	572	144	2
FEMALE	3,526	340	56	36	130	180	272	488	610	794	408	212	-
NONMETROPOLITAN COUNTIES	21,844	572	128	200	584	388	568	1,488	3,312	5,094	5,998	3,508	4
MALE	12,510	306	72	136	448	260	362	966	2,212	3,204	3,130	1,412	2
FEMALE	9,334	266	56	64	136	128	206	522	1,100	1,890	2,868	2,096	2
WHITE	21,180	516	126	186	560	360	526	1,412	3,228	4,914	5,890	3,458	4
MALE	12,130	276	72	124	430	238	342	930	2,162	3,096	3,072	1,386	2
FEMALE	9,050	240	54	62	130	122	184	482	1,066	1,818	2,818	2,072	2
ALL OTHER	664	56	2	14	24	28	42	76	84	180	108	50	-
MALE	380	30	-	12	18	22	20	36	50	108	58	26	-
FEMALE	284	26	2	2	6	6	22	40	34	72	50	24	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
MINNESOTA	34,554	994	192	310	834	518	844	2,168	4,680	7,530	10,280	6,194	10
MALE	19,574	598	96	188	646	344	560	1,412	3,080	4,654	5,352	2,596	8
FEMALE	14,980	396	96	122	188	174	284	756	1,600	2,836	4,928	3,598	2
WHITE	34,152	948	184	290	794	482	812	2,116	4,638	7,478	10,226	6,174	10
MALE	19,322	570	92	176	618	322	538	1,378	3,052	4,654	5,324	2,590	8
FEMALE	14,830	378	92	114	176	160	274	738	1,586	2,824	4,902	3,584	2
ALL OTHER	402	46	8	20	40	36	32	52	42	52	54	20	-
MALE	252	28	4	12	28	22	22	34	28	40	28	6	-
FEMALE	150	18	4	8	12	14	10	18	14	12	26	14	-
METROPOLITAN COUNTIES	17,048	556	102	154	408	326	468	1,260	2,482	3,604	4,884	2,798	6
MALE	9,330	348	48	88	316	196	314	804	1,604	2,154	2,392	1,062	4
FEMALE	7,718	208	54	66	92	130	154	456	878	1,450	2,492	1,736	2
WHITE	16,794	516	96	146	394	304	442	1,222	2,464	3,570	4,846	2,788	6
MALE	9,172	324	46	84	304	182	296	780	1,594	2,126	2,374	1,058	4
FEMALE	7,622	192	50	62	90	122	146	442	870	1,444	2,472	1,730	2
ALL OTHER	254	40	6	8	14	22	26	38	18	34	38	10	-
MALE	158	24	2	4	12	14	18	24	10	28	18	4	-
FEMALE	96	16	4	4	2	8	8	14	8	6	20	6	-
NONMETROPOLITAN COUNTIES	17,506	438	90	156	426	192	376	908	2,198	3,926	5,396	3,396	4
MALE	10,244	250	48	100	330	148	246	608	1,476	2,540	2,960	1,534	4
FEMALE	7,262	188	42	56	96	44	130	300	722	1,386	2,436	1,862	-
WHITE	17,358	432	88	144	400	178	370	894	2,174	3,908	5,380	3,386	4
MALE	10,150	246	46	92	314	140	242	598	1,458	2,528	2,950	1,532	4
FEMALE	7,208	186	42	52	86	38	128	296	716	1,380	2,430	1,854	-
ALL OTHER	148	6	2	12	26	14	6	14	24	18	16	10	-
MALE	94	4	2	8	16	8	4	10	18	12	10	2	-
FEMALE	54	2	-	4	10	6	2	4	6	6	6	8	-
MISSISSIPPI	23,680	1,196	200	276	746	606	880	1,970	3,854	5,378	5,438	3,130	6
MALE	13,712	656	110	172	546	434	546	1,316	2,566	3,224	2,816	1,324	2
FEMALE	9,968	540	90	104	200	172	334	654	1,288	2,154	2,622	1,806	4
WHITE	14,134	482	80	140	376	294	454	1,174	2,400	3,276	3,540	1,916	2
MALE	8,312	290	54	80	272	214	304	830	1,696	2,028	1,800	744	-
FEMALE	5,822	192	26	60	104	80	150	344	704	1,248	1,740	1,172	2
ALL OTHER	9,546	714	120	136	370	312	426	796	1,454	2,102	1,898	1,214	4
MALE	5,400	366	56	92	274	220	242	486	870	1,196	1,016	580	2
FEMALE	4,146	348	64	44	96	92	184	310	584	906	882	634	2
METROPOLITAN COUNTIES	3,168	142	14	46	90	106	166	346	630	686	608	332	2
MALE	1,886	90	10	32	58	78	92	226	438	400	324	138	-
FEMALE	1,282	52	4	14	32	28	74	120	192	286	284	194	2
WHITE	2,036	84	8	18	46	56	92	216	400	458	436	222	-
MALE	1,212	56	6	16	28	42	54	134	292	276	228	80	-
FEMALE	824	28	2	2	18	14	38	82	108	182	208	142	-
ALL OTHER	1,132	58	6	28	44	50	74	130	230	228	172	110	2
MALE	674	34	4	16	30	36	38	92	146	124	96	58	-
FEMALE	458	24	2	12	14	14	36	38	84	104	76	52	2
NONMETROPOLITAN COUNTIES	20,512	1,054	186	230	656	500	714	1,624	3,224	4,692	4,830	2,798	4
MALE	11,826	566	100	140	488	356	454	1,090	2,128	2,824	2,492	1,186	2
FEMALE	8,686	488	86	90	168	144	260	534	1,096	1,868	2,338	1,612	2
WHITE	12,098	398	72	122	330	238	362	958	2,000	2,818	3,104	1,694	2
MALE	7,100	234	48	64	244	172	250	696	1,404	1,752	1,572	664	-
FEMALE	4,998	164	24	58	86	66	112	262	596	1,066	1,532	1,030	2
ALL OTHER	8,414	656	114	108	326	262	352	666	1,224	1,874	1,726	1,104	2
MALE	4,726	332	52	76	244	184	204	394	724	1,072	920	522	2
FEMALE	3,688	324	62	32	82	78	148	272	500	802	806	582	-
MISSOURI	52,458	1,308	244	338	1,076	850	1,496	3,672	7,418	12,352	15,106	8,590	8
MALE	28,934	744	152	212	816	542	920	2,368	4,808	7,488	7,558	3,320	6
FEMALE	23,524	564	92	126	260	308	576	1,304	2,610	4,864	7,548	5,270	2
WHITE	47,120	950	198	296	852	672	1,188	3,012	6,508	11,064	14,206	8,166	8
MALE	25,876	558	132	188	634	408	722	1,964	4,282	6,786	7,068	3,128	6
FEMALE	21,244	392	66	108	218	264	466	1,048	2,226	4,278	7,138	5,038	2
ALL OTHER	5,338	358	46	42	224	178	308	660	910	1,288	900	424	-
MALE	3,058	186	20	24	182	134	198	404	526	702	490	192	-
FEMALE	2,280	172	26	18	42	44	110	256	384	586	410	232	-
METROPOLITAN COUNTIES	29,504	864	136	200	628	552	976	2,398	4,564	6,926	7,918	4,340	2
MALE	15,918	494	82	132	480	358	562	1,510	2,910	4,042	3,830	1,516	2
FEMALE	13,586	370	54	68	148	194	414	888	1,654	2,884	4,088	2,824	-
WHITE	24,918	542	94	162	438	398	706	1,798	3,758	5,808	7,214	3,998	2
MALE	13,326	332	64	108	322	240	398	1,148	2,440	3,446	3,458	1,368	2
FEMALE	11,592	210	30	54	116	158	308	650	1,318	2,362	3,756	2,630	-
ALL OTHER	4,586	322	42	38	190	154	270	600	806	1,118	704	342	-
MALE	2,592	162	18	24	158	118	164	362	470	596	372	148	-
FEMALE	1,994	160	24	14	32	36	106	238	336	522	332	194	-
NONMETROPOLITAN COUNTIES	22,954	444	108	138	448	298	520	1,274	2,854	5,426	7,188	4,250	6
MALE	13,016	250	70	80	336	184	358	858	1,898	3,446	3,728	1,804	4
FEMALE	9,938	194	38	58	112	114	162	416	956	1,980	3,460	2,446	2
WHITE	22,202	408	104	134	414	274	482	1,214	2,750	5,256	6,992	4,168	6
MALE	12,550	226	68	80	312	168	324	816	1,842	3,340	3,610	1,760	4
FEMALE	9,652	182	36	54	102	106	158	398	908	1,916	3,382	2,408	2
ALL OTHER	752	36	4	4	34	24	38	60	104	170	196	82	-
MALE	466	24	2	-	24	16	34	42	56	106	118	44	-
FEMALE	286	12	2	4	10	8	4	18	48	64	78	38	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
MONTANA	6,896	242	42	74	234	182	262	528	998	1,362	1,776	1,194	2
MALE	4,140	142	22	48	158	134	164	364	692	840	1,004	570	2
FEMALE	2,756	100	20	26	76	48	98	164	306	522	772	624	-
WHITE	6,606	210	38	64	202	154	236	490	964	1,330	1,742	1,174	2
MALE	3,960	126	20	42	136	110	150	340	674	816	982	562	2
FEMALE	2,646	84	18	22	66	44	86	150	290	514	760	612	-
ALL OTHER	290	32	4	10	32	28	26	38	34	32	34	20	-
MALE	180	16	2	6	22	24	14	24	18	24	22	8	-
FEMALE	110	16	2	4	10	4	12	14	16	8	12	12	-
METROPOLITAN COUNTIES	1,356	46	14	14	36	42	48	112	220	280	310	232	2
MALE	824	30	10	8	28	34	36	84	162	156	166	108	2
FEMALE	532	16	4	6	8	8	12	28	58	124	144	124	-
WHITE	1,338	44	14	14	36	40	46	110	214	280	308	230	2
MALE	814	30	10	8	28	32	34	82	160	156	164	108	2
FEMALE	524	14	4	6	8	8	12	28	54	124	144	122	-
ALL OTHER	18	2	-	-	-	2	2	2	6	-	2	2	-
MALE	10	-	-	-	-	2	2	2	2	-	2	-	-
FEMALE	8	2	-	-	-	-	-	-	4	-	-	2	-
NONMETROPOLITAN COUNTIES	5,540	196	28	60	198	140	214	416	778	1,082	1,466	962	-
MALE	3,316	112	12	40	130	100	128	280	530	684	838	462	-
FEMALE	2,224	84	16	20	68	40	86	136	248	398	628	500	-
WHITE	5,268	166	24	50	166	114	190	380	750	1,050	1,434	944	-
MALE	3,146	96	10	34	108	78	116	258	514	660	818	454	-
FEMALE	2,122	70	14	16	58	36	74	122	236	390	616	490	-
ALL OTHER	272	30	4	10	32	26	24	36	28	32	32	18	-
MALE	170	16	2	6	22	22	12	22	16	24	20	8	-
FEMALE	102	14	2	4	10	4	12	14	12	8	12	10	-
NEBRASKA	15,534	392	58	88	356	204	402	844	1,986	3,442	4,766	2,996	-
MALE	8,700	234	38	56	256	128	250	566	1,354	2,122	2,558	1,138	-
FEMALE	6,834	158	20	32	100	76	152	278	632	1,320	2,208	1,858	-
WHITE	15,098	342	52	82	342	180	352	798	1,916	3,362	4,706	2,966	-
MALE	8,464	204	34	54	246	116	220	536	1,316	2,084	2,526	1,128	-
FEMALE	6,634	138	18	28	96	64	132	262	600	1,278	2,180	1,838	-
ALL OTHER	436	50	6	6	14	24	50	46	70	80	60	30	-
MALE	236	30	4	2	10	12	30	30	38	38	32	10	-
FEMALE	200	20	2	4	4	12	20	16	32	42	28	20	-
METROPOLITAN COUNTIES	5,344	202	24	38	106	90	198	418	738	1,152	1,542	836	-
MALE	2,806	120	16	24	80	48	110	266	500	632	734	276	-
FEMALE	2,538	82	8	14	26	42	88	152	238	520	808	560	-
WHITE	4,980	156	18	34	96	68	156	382	684	1,082	1,496	808	-
MALE	2,618	92	12	22	74	38	86	242	470	602	712	268	-
FEMALE	2,362	64	6	12	22	30	70	140	214	480	784	540	-
ALL OTHER	364	46	6	4	10	22	42	36	54	70	46	28	-
MALE	188	28	4	2	6	10	24	24	30	30	22	8	-
FEMALE	176	18	2	2	4	12	18	12	24	40	24	20	-
NONMETROPOLITAN COUNTIES	10,190	190	34	50	250	114	204	426	1,248	2,290	3,224	2,160	-
MALE	5,894	114	22	32	176	80	140	300	854	1,490	1,824	862	-
FEMALE	4,296	76	12	18	74	34	64	126	394	800	1,400	1,298	-
WHITE	10,118	186	34	48	246	112	196	416	1,232	2,280	3,210	2,158	-
MALE	5,846	112	22	32	172	78	134	294	846	1,482	1,814	860	-
FEMALE	4,272	74	12	16	74	34	62	122	386	798	1,396	1,298	-
ALL OTHER	72	4	-	2	4	2	8	10	16	10	14	2	-
MALE	48	2	-	-	4	2	6	6	8	8	10	2	-
FEMALE	24	2	-	2	-	-	2	4	8	2	4	-	-
NEVADA	4,090	148	34	50	160	176	248	470	786	920	726	366	6
MALE	2,578	86	22	22	122	128	158	308	542	600	428	160	2
FEMALE	1,512	62	12	28	38	48	90	162	244	320	298	206	4
WHITE	3,798	122	34	46	138	142	202	444	738	882	698	348	4
MALE	2,390	72	22	18	108	104	128	294	506	572	416	148	2
FEMALE	1,408	50	12	28	30	38	74	150	232	310	282	200	2
ALL OTHER	292	26	-	4	22	34	46	26	48	38	28	18	2
MALE	188	14	-	4	14	24	30	14	36	28	12	12	-
FEMALE	104	12	-	-	8	10	16	12	12	10	16	6	2
METROPOLITAN COUNTIES	3,168	120	28	40	116	134	216	362	632	720	528	266	6
MALE	1,994	70	18	20	88	96	140	246	438	460	312	104	2
FEMALE	1,174	50	10	20	28	38	76	116	194	260	216	162	4
WHITE	2,942	96	28	36	98	108	180	340	592	694	508	258	4
MALE	1,842	56	18	16	76	74	114	234	408	444	302	98	2
FEMALE	1,100	40	10	20	22	34	66	106	184	250	206	160	2
ALL OTHER	226	24	-	4	18	26	36	22	40	26	20	8	2
MALE	152	14	-	4	12	22	26	12	30	16	10	6	-
FEMALE	74	10	-	-	6	4	10	10	10	10	10	2	2
NONMETROPOLITAN COUNTIES	922	28	6	10	44	42	32	108	154	200	198	100	-
MALE	584	16	4	2	34	32	18	62	104	140	116	56	-
FEMALE	338	12	2	8	10	10	14	46	50	60	82	44	-
WHITE	856	26	6	10	40	34	22	104	146	188	190	90	-
MALE	548	16	4	2	32	30	14	60	98	128	114	50	-
FEMALE	308	10	2	8	8	4	8	44	48	60	76	40	-
ALL OTHER	66	2	-	-	4	8	10	4	8	12	8	10	-
MALE	36	-	-	-	2	2	4	2	6	12	2	6	-
FEMALE	30	2	-	-	2	6	6	2	2	-	6	4	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
NEW HAMPSHIRE	7,500	202	40	54	118	122	192	566	1,058	1,910	2,046	1,192	-
MALE	4,018	140	22	40	90	88	132	348	664	1,132	958	404	-
FEMALE	3,482	62	18	14	28	34	60	218	394	778	1,088	788	-
WHITE	7,482	200	40	52	118	118	190	566	1,056	1,908	2,042	1,192	-
MALE	4,010	138	22	38	90	86	132	348	664	1,132	956	404	-
FEMALE	3,472	62	18	14	28	32	58	218	392	776	1,086	788	-
ALL OTHER	18	2	-	2	-	4	2	-	2	2	4	-	-
MALE	8	2	-	2	-	2	-	-	-	-	2	-	-
FEMALE	10	-	-	-	-	2	2	-	2	2	2	-	-
METROPOLITAN COUNTIES	2,266	74	12	10	32	40	56	188	338	556	618	342	-
MALE	1,220	56	4	6	24	32	36	118	214	340	274	116	-
FEMALE	1,046	18	8	4	8	8	20	70	124	216	344	226	-
WHITE	2,266	74	12	10	32	40	56	188	338	556	618	342	-
MALE	1,220	56	4	6	24	32	36	118	214	340	274	116	-
FEMALE	1,046	18	8	4	8	8	20	70	124	216	344	226	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	5,234	128	28	44	86	82	136	378	720	1,354	1,428	850	-
MALE	2,798	84	18	34	66	56	96	230	450	792	684	288	-
FEMALE	2,436	44	10	10	20	26	40	148	270	562	744	562	-
WHITE	5,216	126	28	42	86	78	134	378	718	1,352	1,424	850	-
MALE	2,790	82	18	32	66	54	96	230	450	792	682	288	-
FEMALE	2,426	44	10	10	20	24	38	148	268	560	742	562	-
ALL OTHER	18	2	-	2	-	4	2	-	2	2	4	-	-
MALE	8	2	-	2	-	2	-	-	-	-	2	-	-
FEMALE	10	-	-	-	-	2	2	-	2	2	2	-	-
NEW JERSEY	69,250	1,754	320	474	1,232	1,284	2,362	6,150	11,750	16,478	18,600	8,810	36
MALE	37,532	996	198	276	886	860	1,464	3,830	7,510	9,342	8,756	3,386	28
FEMALE	31,718	758	122	198	346	424	898	2,320	4,240	7,136	9,844	5,424	8
WHITE	62,170	1,162	256	356	956	776	1,740	5,134	10,476	15,158	17,696	8,426	34
MALE	33,584	672	168	210	690	512	1,066	3,226	6,808	8,662	8,324	3,220	26
FEMALE	28,586	490	88	146	266	264	674	1,908	3,668	6,496	9,372	5,206	8
ALL OTHER	7,080	592	64	118	276	508	622	1,016	1,274	1,320	904	384	2
MALE	3,948	324	30	66	196	348	398	604	702	680	432	166	2
FEMALE	3,132	268	34	52	80	160	224	412	572	640	472	218	-
METROPOLITAN COUNTIES	53,984	1,434	238	388	918	1,058	1,860	4,792	9,240	12,754	14,448	6,828	26
MALE	29,162	828	150	230	658	708	1,152	2,986	5,896	7,168	6,748	2,616	22
FEMALE	24,822	606	88	158	260	350	708	1,806	3,344	5,586	7,700	4,212	4
WHITE	47,668	890	186	278	664	590	1,294	3,894	8,112	11,584	13,660	6,492	24
MALE	25,624	528	124	168	476	386	784	2,468	5,280	6,552	6,372	2,466	20
FEMALE	22,044	362	62	110	188	204	510	1,426	2,832	5,032	7,288	4,026	4
ALL OTHER	6,316	544	52	110	254	468	566	898	1,128	1,170	788	336	2
MALE	3,538	300	26	62	182	322	368	518	616	616	376	150	2
FEMALE	2,778	244	26	48	72	146	198	380	512	554	412	186	-
NONMETROPOLITAN COUNTIES	15,266	320	82	86	314	226	502	1,358	2,510	3,724	4,152	1,982	10
MALE	8,370	168	48	46	228	152	312	844	1,614	2,174	2,008	770	6
FEMALE	6,896	152	34	40	86	74	190	514	896	1,550	2,144	1,212	4
WHITE	14,502	272	70	78	292	186	446	1,240	2,364	3,574	4,036	1,934	10
MALE	7,960	144	44	42	214	126	282	758	1,528	2,110	1,952	754	6
FEMALE	6,542	128	26	36	78	60	164	482	836	1,464	2,084	1,180	4
ALL OTHER	764	48	12	8	22	40	56	118	146	150	116	48	-
MALE	410	24	4	4	14	26	30	86	86	64	56	16	-
FEMALE	354	24	8	4	8	14	26	32	60	86	60	32	-
NEW MEXICO	7,926	380	76	140	356	332	444	710	1,306	1,510	1,772	898	2
MALE	4,710	210	32	78	264	226	296	444	856	942	954	406	2
FEMALE	3,216	170	44	62	92	106	148	266	450	568	818	492	-
WHITE	7,154	308	54	120	284	252	332	616	1,208	1,424	1,694	860	2
MALE	4,236	164	22	68	212	170	218	384	810	894	904	388	2
FEMALE	2,918	144	32	52	72	82	114	232	398	530	790	472	-
ALL OTHER	772	72	22	20	72	80	112	94	98	86	78	38	-
MALE	474	46	10	10	52	56	78	60	46	48	50	18	-
FEMALE	298	26	12	10	20	24	34	34	52	38	28	20	-
METROPOLITAN COUNTIES	2,186	68	20	36	134	74	114	212	356	418	502	252	-
MALE	1,250	38	8	20	96	52	84	132	244	226	236	114	-
FEMALE	936	30	12	16	38	22	30	80	112	192	266	138	-
WHITE	2,102	64	16	36	126	64	96	202	346	412	490	250	-
MALE	1,202	34	8	20	92	44	70	124	238	224	234	114	-
FEMALE	900	30	8	16	34	20	26	78	108	188	256	136	-
ALL OTHER	84	4	4	-	8	10	18	10	10	6	12	2	-
MALE	48	4	-	-	4	8	14	8	6	2	2	-	-
FEMALE	36	-	4	-	4	2	4	2	4	4	10	2	-
NONMETROPOLITAN COUNTIES	5,740	312	56	104	222	258	330	498	950	1,092	1,270	646	2
MALE	3,460	172	24	58	168	174	212	312	612	716	718	292	2
FEMALE	2,280	140	32	46	54	84	118	186	338	376	552	354	-
WHITE	5,052	244	38	84	158	188	236	414	862	1,012	1,204	610	2
MALE	3,034	130	14	48	120	126	148	260	572	670	670	274	2
FEMALE	2,018	114	24	36	38	62	88	154	290	342	534	336	-
ALL OTHER	688	68	18	20	64	70	94	84	88	80	66	36	-
MALE	426	42	10	10	48	48	64	52	40	46	48	18	-
FEMALE	262	26	8	10	16	22	30	32	48	34	18	18	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
NEW YORK	185,284	4,472	776	1,174	3,946	3,872	6,504	15,368	29,618	44,750	50,206	24,532	66
MALE	100,196	2,578	444	718	2,904	2,658	4,122	9,564	18,632	25,682	23,812	9,034	48
FEMALE	85,088	1,894	332	456	1,042	1,214	2,382	5,804	10,986	19,068	26,394	15,498	18
WHITE	165,226	3,086	590	948	2,806	2,524	4,582	12,266	26,050	41,008	47,712	23,604	50
MALE	88,428	1,788	324	578	2,044	1,712	2,896	7,656	16,538	23,584	22,556	8,716	36
FEMALE	76,798	1,298	266	370	762	812	1,686	4,610	9,512	17,424	25,156	14,888	14
ALL OTHER	20,058	1,386	186	226	1,140	1,348	1,922	3,102	3,568	3,742	2,494	928	16
MALE	11,768	790	120	140	860	946	1,226	1,908	2,094	2,098	1,256	318	12
FEMALE	8,290	596	66	86	280	402	696	1,194	1,474	1,644	1,238	610	4
METROPOLITAN COUNTIES	158,792	3,854	648	972	3,448	3,504	5,812	13,598	25,662	38,262	42,836	20,144	52
MALE	85,600	2,216	374	590	2,520	2,400	3,694	8,398	15,996	21,782	20,220	7,374	36
FEMALE	73,192	1,638	274	382	928	1,104	2,118	5,200	9,666	16,480	22,616	12,770	16
WHITE	139,250	2,516	468	752	2,322	2,180	3,934	10,544	22,188	34,624	40,438	19,248	36
MALE	74,160	1,460	260	454	1,670	1,472	2,500	6,526	13,958	19,748	19,016	7,072	24
FEMALE	65,090	1,056	208	298	652	708	1,434	4,018	8,230	14,876	21,422	12,176	12
ALL OTHER	19,542	1,338	180	220	1,126	1,324	1,878	3,054	3,474	3,638	2,398	896	16
MALE	11,440	756	114	136	850	928	1,194	1,872	2,038	2,034	1,204	302	12
FEMALE	8,102	582	66	84	276	396	684	1,182	1,436	1,604	1,194	594	4
NONMETROPOLITAN COUNTIES	26,492	618	128	202	498	368	692	1,770	3,956	6,488	7,370	4,388	14
MALE	14,596	362	70	128	384	258	428	1,166	2,636	3,900	3,592	1,660	12
FEMALE	11,896	256	58	74	114	110	264	604	1,320	2,588	3,778	2,728	2
WHITE	25,976	570	122	196	484	344	648	1,722	3,862	6,384	7,274	4,356	14
MALE	14,268	328	64	124	374	240	396	1,130	2,580	3,836	3,540	1,644	12
FEMALE	11,708	242	58	72	110	104	252	592	1,282	2,548	3,734	2,712	2
ALL OTHER	516	48	6	6	14	24	44	48	94	104	96	32	-
MALE	328	34	6	4	10	18	32	36	56	64	52	16	-
FEMALE	188	14	-	2	4	6	12	12	38	40	44	16	-
NORTH CAROLINA	47,288	2,064	314	496	1,564	1,372	2,368	5,082	8,288	10,906	10,010	4,816	8
MALE	27,228	1,166	182	312	1,196	990	1,450	3,318	5,512	6,494	4,826	1,776	6
FEMALE	20,060	898	132	184	368	382	918	1,764	2,776	4,412	5,184	3,040	2
WHITE	34,974	1,194	210	340	996	808	1,416	3,388	5,950	8,166	8,328	4,172	6
MALE	20,168	668	120	224	774	582	896	2,268	4,084	5,018	4,012	1,518	4
FEMALE	14,806	526	90	116	222	226	520	1,120	1,866	3,148	4,316	2,654	2
ALL OTHER	12,314	870	104	156	568	564	952	1,694	2,338	2,740	1,682	644	2
MALE	7,060	498	62	88	422	408	554	1,050	1,428	1,476	814	258	2
FEMALE	5,254	372	42	68	146	156	398	644	910	1,264	868	386	-
METROPOLITAN COUNTIES	15,830	708	116	172	524	480	852	1,782	2,872	3,536	3,226	1,558	4
MALE	8,810	404	74	116	382	326	508	1,110	1,818	2,054	1,468	546	4
FEMALE	7,020	304	42	56	142	154	344	672	1,054	1,482	1,758	1,012	-
WHITE	11,736	422	90	130	352	258	500	1,180	2,038	2,674	2,728	1,362	2
MALE	6,536	228	56	84	270	170	320	754	1,326	1,600	1,246	480	2
FEMALE	5,200	194	34	46	82	88	180	426	712	1,074	1,482	882	-
ALL OTHER	4,094	286	26	42	172	222	352	602	834	862	498	196	2
MALE	2,274	176	18	32	112	156	188	356	492	454	222	66	2
FEMALE	1,820	110	8	10	60	66	164	246	342	408	276	130	-
NONMETROPOLITAN COUNTIES	31,458	1,356	198	324	1,040	892	1,516	3,300	5,416	7,370	6,784	3,258	4
MALE	18,418	762	108	196	814	664	942	2,208	3,694	4,440	3,358	1,230	2
FEMALE	13,040	594	90	128	226	228	574	1,092	1,722	2,930	3,426	2,028	2
WHITE	23,238	772	120	210	644	550	916	2,208	3,912	5,492	5,600	2,810	4
MALE	13,632	440	64	140	504	412	576	1,514	2,758	3,418	2,766	1,038	2
FEMALE	9,606	332	56	70	140	138	340	694	1,154	2,074	2,834	1,772	2
ALL OTHER	8,220	584	78	114	396	342	600	1,092	1,504	1,878	1,184	448	-
MALE	4,786	322	44	56	310	252	366	694	936	1,022	592	192	-
FEMALE	3,434	262	34	58	86	90	234	398	568	856	592	256	-
NORTH DAKOTA	5,616	150	8	58	162	100	154	316	826	1,152	1,594	1,094	2
MALE	3,218	82	6	40	140	68	90	214	534	730	858	454	2
FEMALE	2,398	68	2	18	22	32	64	102	292	422	736	640	-
WHITE	5,470	136	6	56	144	82	138	304	804	1,130	1,576	1,092	2
MALE	3,124	72	6	38	126	52	88	206	524	714	844	452	2
FEMALE	2,346	64	-	18	18	30	50	98	280	416	732	640	-
ALL OTHER	146	14	2	2	18	18	16	12	22	22	18	2	-
MALE	94	10	-	2	14	16	2	8	10	16	14	2	-
FEMALE	52	4	2	-	4	2	14	4	12	6	4	-	-
METROPOLITAN COUNTIES	638	18	2	2	16	12	20	52	126	124	164	102	-
MALE	360	12	2	2	14	8	12	38	72	70	86	44	-
FEMALE	278	6	-	-	2	4	8	14	54	54	78	58	-
WHITE	638	18	2	2	16	12	20	52	126	124	164	102	-
MALE	360	12	2	2	14	8	12	38	72	70	86	44	-
FEMALE	278	6	-	-	2	4	8	14	54	54	78	58	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
NONMETROPOLITAN COUNTIES	4,978	132	6	56	146	88	134	264	700	1,028	1,430	992	2
MALE	2,858	70	4	38	126	60	78	176	462	660	772	410	2
FEMALE	2,120	62	2	18	20	28	56	88	238	368	658	582	-
WHITE	4,832	118	4	54	128	70	118	252	678	1,006	1,412	990	2
MALE	2,764	60	4	36	112	44	76	168	452	644	758	408	2
FEMALE	2,068	58	-	18	16	26	42	84	226	362	654	582	-
ALL OTHER	146	14	2	2	18	18	16	12	22	22	18	2	-
MALE	94	10	-	2	14	16	2	8	10	16	14	2	-
FEMALE	52	4	2	-	4	2	14	4	12	6	4	-	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
OHIO	101,982	3,120	502	852	2,196	1,866	3,292	8,944	16,156	23,108	27,470	14,472	4
MALE	56,316	1,768	254	490	1,602	1,228	2,006	5,688	10,404	13,668	13,522	5,484	2
FEMALE	45,666	1,352	248	362	594	638	1,286	3,256	5,552	9,440	13,948	8,988	2
WHITE	91,862	2,414	400	742	1,796	1,418	2,464	7,598	14,418	20,910	25,682	13,818	2
MALE	50,446	1,406	210	434	1,300	936	1,494	4,880	9,502	12,392	12,688	5,204	-
FEMALE	41,416	1,008	190	308	496	482	970	2,718	4,916	8,518	13,194	8,614	2
ALL OTHER	10,120	706	102	110	400	448	828	1,346	1,738	2,198	1,588	654	2
MALE	5,870	362	44	56	302	292	512	808	1,102	1,276	834	280	2
FEMALE	4,250	344	58	54	98	156	316	538	636	922	754	374	-
METROPOLITAN COUNTIES	76,366	2,388	362	648	1,660	1,492	2,662	7,060	12,516	17,444	20,074	10,060	-
MALE	42,122	1,354	172	374	1,202	982	1,630	4,460	8,224	10,238	9,808	3,678	-
FEMALE	34,244	1,034	190	274	458	510	1,032	2,600	4,292	7,206	10,266	6,382	-
WHITE	66,792	1,720	264	548	1,282	1,054	1,866	5,774	10,860	15,340	18,600	9,484	-
MALE	36,572	1,012	130	322	918	698	1,134	3,690	7,178	9,020	9,034	3,436	-
FEMALE	30,220	708	134	226	364	356	732	2,084	3,682	6,320	9,566	6,048	-
ALL OTHER	9,574	668	98	100	378	438	796	1,286	1,656	2,104	1,474	576	-
MALE	5,550	342	42	52	284	284	496	770	1,046	1,218	774	242	-
FEMALE	4,024	326	56	48	94	154	300	516	610	886	700	334	-
NONMETROPOLITAN COUNTIES	25,616	732	140	204	536	374	630	1,884	3,640	5,664	7,396	4,412	4
MALE	14,194	414	82	116	400	246	376	1,228	2,380	3,430	3,714	1,806	2
FEMALE	11,422	318	58	88	136	128	254	656	1,260	2,234	3,682	2,606	2
WHITE	25,070	694	136	194	514	364	598	1,824	3,558	5,570	7,282	4,334	2
MALE	13,874	394	80	112	382	238	360	1,190	2,324	3,372	3,654	1,768	-
FEMALE	11,196	300	56	82	132	126	238	634	1,234	2,198	3,628	2,566	2
ALL OTHER	546	38	4	10	22	10	32	60	82	94	114	78	2
MALE	320	20	2	4	18	8	16	38	56	58	60	38	2
FEMALE	226	18	2	6	4	2	16	22	26	36	54	40	-
OKLAHOMA	26,936	808	150	256	572	580	836	1,864	3,832	6,368	7,358	4,290	22
MALE	15,004	506	76	168	396	426	490	1,250	2,528	3,880	3,616	1,656	12
FEMALE	11,932	302	74	88	176	154	346	614	1,304	2,488	3,742	2,634	10
WHITE	24,362	640	118	210	492	478	710	1,662	3,390	5,744	6,882	4,022	14
MALE	13,578	412	62	134	350	346	416	1,112	2,290	3,544	3,362	1,542	8
FEMALE	10,784	228	56	76	142	132	294	550	1,100	2,200	3,520	2,480	6
ALL OTHER	2,574	168	32	46	80	102	126	202	442	624	476	268	8
MALE	1,426	94	14	34	46	80	74	138	238	336	254	114	4
FEMALE	1,148	74	18	12	34	22	52	64	204	288	222	154	4
METROPOLITAN COUNTIES	10,950	442	84	132	286	342	438	906	1,676	2,456	2,688	1,486	14
MALE	5,940	266	40	84	190	246	248	582	1,072	1,454	1,222	528	8
FEMALE	5,010	176	44	48	96	96	190	324	604	1,002	1,466	958	6
WHITE	9,794	330	68	102	244	296	368	814	1,486	2,212	2,480	1,386	8
MALE	5,316	212	36	66	168	208	212	516	956	1,324	1,114	500	4
FEMALE	4,478	118	32	36	76	88	156	298	530	888	1,366	886	4
ALL OTHER	1,156	112	16	30	42	46	70	92	190	244	208	100	6
MALE	624	54	4	18	22	38	36	66	116	130	108	28	4
FEMALE	532	58	12	12	20	8	34	26	74	114	100	72	2
NONMETROPOLITAN COUNTIES	15,986	366	66	124	286	238	398	958	2,156	3,912	4,670	2,804	8
MALE	9,064	240	36	84	206	180	242	668	1,456	2,426	2,394	1,128	4
FEMALE	6,922	126	30	40	80	58	156	290	700	1,486	2,276	1,676	4
WHITE	14,568	310	50	108	248	182	342	848	1,904	3,532	4,402	2,636	6
MALE	8,262	200	26	68	182	138	204	596	1,334	2,220	2,248	1,042	4
FEMALE	6,306	110	24	40	66	44	138	252	570	1,312	2,154	1,594	2
ALL OTHER	1,418	56	16	16	38	56	56	110	252	380	268	168	2
MALE	802	40	10	16	24	42	38	72	122	206	146	86	-
FEMALE	616	16	6	-	14	14	18	38	130	174	122	82	2
OREGON	20,158	520	138	182	518	400	566	1,516	3,112	4,314	5,538	3,344	10
MALE	11,514	278	76	126	390	276	366	966	2,066	2,696	2,890	1,378	6
FEMALE	8,644	242	62	56	128	124	200	550	1,046	1,618	2,648	1,966	4
WHITE	19,712	488	130	170	502	374	538	1,458	3,036	4,246	5,452	3,310	8
MALE	11,242	260	72	116	378	254	352	930	2,014	2,656	2,844	1,362	4
FEMALE	8,470	228	58	54	124	120	186	528	1,022	1,590	2,608	1,948	4
ALL OTHER	446	32	8	12	16	26	28	58	76	68	86	34	2
MALE	272	18	4	10	12	22	14	36	52	40	46	16	2
FEMALE	174	14	4	2	4	4	14	22	24	28	40	18	-
METROPOLITAN COUNTIES	12,234	308	70	108	272	256	346	956	1,770	2,578	3,392	2,172	6
MALE	6,810	156	36	76	200	182	242	622	1,172	1,546	1,700	872	6
FEMALE	5,424	152	34	32	72	74	104	334	598	1,032	1,692	1,300	-
WHITE	11,900	282	64	98	262	234	326	904	1,714	2,530	3,338	2,144	4
MALE	6,604	142	34	68	192	162	228	590	1,130	1,520	1,676	858	4
FEMALE	5,296	140	30	30	70	72	98	314	584	1,010	1,662	1,286	-
ALL OTHER	334	26	6	10	10	22	20	52	56	48	54	28	2
MALE	206	14	2	8	8	20	14	32	42	26	24	14	2
FEMALE	128	12	4	2	2	2	6	20	14	22	30	14	-
NONMETROPOLITAN COUNTIES	7,924	212	68	74	246	144	220	560	1,342	1,736	2,146	1,172	4
MALE	4,704	122	40	50	190	94	124	344	894	1,150	1,190	506	-
FEMALE	3,220	90	28	24	56	50	96	216	448	586	956	666	4
WHITE	7,812	206	66	72	240	140	212	554	1,322	1,716	2,114	1,166	4
MALE	4,638	118	38	48	186	92	124	340	884	1,136	1,168	504	-
FEMALE	3,174	88	28	24	54	48	88	214	438	580	946	662	4
ALL OTHER	112	6	2	2	6	4	8	6	20	20	32	6	-
MALE	66	4	2	2	4	2	-	4	10	14	22	2	-
FEMALE	46	2	-	-	2	2	8	2	10	6	10	4	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
PENNSYLVANIA	127,564	2,866	478	776	2,208	1,954	3,680	10,646	21,418	31,268	35,310	16,922	38
MALE	69,758	1,676	268	442	1,578	1,314	2,204	6,890	13,858	18,136	17,066	6,304	22
FEMALE	57,806	1,190	210	334	630	640	1,476	3,756	7,560	13,132	18,244	10,618	16
WHITE	115,698	2,250	360	626	1,796	1,448	2,858	8,944	19,242	28,460	33,486	16,194	34
MALE	62,950	1,320	202	356	1,262	966	1,728	5,860	12,526	16,558	16,144	6,010	18
FEMALE	52,748	930	158	270	534	482	1,130	3,084	6,716	11,902	17,342	10,184	16
ALL OTHER	11,866	616	118	150	412	506	822	1,702	2,176	2,808	1,824	728	4
MALE	6,808	356	66	86	316	348	476	1,030	1,332	1,578	922	294	4
FEMALE	5,058	260	52	64	96	158	346	672	844	1,230	902	434	-
METROPOLITAN COUNTIES	100,144	2,270	378	618	1,720	1,568	3,002	8,664	17,052	24,500	27,480	12,860	32
MALE	54,570	1,310	206	354	1,218	1,064	1,778	5,572	11,064	14,130	13,100	4,756	18
FEMALE	45,574	960	172	264	502	504	1,224	3,092	5,988	10,370	14,380	8,104	14
WHITE	88,720	1,676	262	472	1,318	1,072	2,194	6,998	14,938	21,830	25,742	12,190	28
MALE	47,994	970	142	270	910	724	1,306	4,560	9,774	12,618	12,220	4,486	14
FEMALE	40,726	706	120	202	408	348	888	2,438	5,164	9,212	13,522	7,704	14
ALL OTHER	11,424	594	116	146	402	496	808	1,666	2,114	2,670	1,738	670	4
MALE	6,576	340	64	84	308	340	472	1,012	1,290	1,512	880	270	4
FEMALE	4,848	254	52	62	94	156	336	654	824	1,158	858	400	-
NONMETROPOLITAN COUNTIES	27,420	596	100	158	488	386	678	1,982	4,366	6,768	7,830	4,062	6
MALE	15,188	366	62	88	360	250	426	1,318	2,794	4,006	3,966	1,548	4
FEMALE	12,232	230	38	70	128	136	252	664	1,572	2,762	3,864	2,514	2
WHITE	26,978	574	98	154	478	376	664	1,946	4,304	6,630	7,744	4,004	6
MALE	14,956	350	60	86	352	242	422	1,300	2,752	3,940	3,924	1,524	4
FEMALE	12,022	224	38	68	126	134	242	646	1,552	2,690	3,820	2,480	2
ALL OTHER	442	22	2	4	10	10	14	36	62	138	86	58	-
MALE	232	16	2	2	8	8	4	18	42	66	42	24	-
FEMALE	210	6	-	2	2	2	10	18	20	72	44	34	-
RHODE ISLAND	9,540	256	46	46	154	130	260	736	1,494	2,350	2,666	1,400	2
MALE	5,018	142	32	30	110	90	172	470	948	1,306	1,260	456	2
FEMALE	4,522	114	14	16	44	40	88	266	546	1,044	1,406	944	-
WHITE	9,340	226	46	44	148	116	250	706	1,468	2,298	2,644	1,392	2
MALE	4,900	128	32	30	106	82	166	454	930	1,278	1,242	450	2
FEMALE	4,440	98	14	14	42	34	84	252	538	1,020	1,402	942	-
ALL OTHER	200	30	-	2	6	14	10	30	26	52	22	8	-
MALE	118	14	-	-	4	8	6	16	18	28	18	6	-
FEMALE	82	16	-	2	2	6	4	14	8	24	4	2	-
METROPOLITAN COUNTIES	8,230	192	34	40	132	114	224	628	1,302	2,080	2,294	1,188	2
MALE	4,320	112	24	24	94	76	146	406	840	1,158	1,048	390	2
FEMALE	3,910	80	10	16	38	38	78	222	462	922	1,246	798	-
WHITE	8,074	170	34	38	126	100	214	604	1,288	2,042	2,276	1,180	2
MALE	4,222	100	24	24	90	68	140	392	828	1,136	1,034	384	2
FEMALE	3,852	70	10	14	36	32	74	212	460	906	1,242	796	-
ALL OTHER	156	22	-	2	6	14	10	24	14	38	18	8	-
MALE	98	12	-	-	4	8	6	14	12	22	14	6	-
FEMALE	58	10	-	2	2	6	4	10	2	16	4	2	-
NONMETROPOLITAN COUNTIES	1,310	64	12	6	22	16	36	108	192	270	372	212	-
MALE	698	30	8	6	16	14	26	64	108	148	212	66	-
FEMALE	612	34	4	-	6	2	10	44	84	122	160	146	-
WHITE	1,266	56	12	6	22	16	36	102	180	256	368	212	-
MALE	678	28	8	6	16	14	26	62	102	142	208	66	-
FEMALE	588	28	4	-	6	2	10	40	78	114	160	146	-
ALL OTHER	44	8	-	-	-	-	-	6	12	14	4	-	-
MALE	20	2	-	-	-	-	-	2	6	6	4	-	-
FEMALE	24	6	-	-	-	-	-	4	6	8	-	-	-
SOUTH CAROLINA	23,932	1,122	184	310	834	776	1,332	2,862	4,604	5,592	4,282	2,020	14
MALE	13,646	624	96	198	610	526	852	1,834	2,980	3,140	2,034	742	10
FEMALE	10,286	498	88	112	224	250	480	1,028	1,624	2,452	2,248	1,278	4
WHITE	15,388	520	94	182	456	340	660	1,666	2,764	3,622	3,402	1,680	2
MALE	8,976	310	46	124	334	234	412	1,154	1,968	2,226	1,572	594	2
FEMALE	6,412	210	48	58	122	106	248	512	796	1,396	1,830	1,086	-
ALL OTHER	8,544	602	90	128	378	436	672	1,196	1,840	1,970	880	340	12
MALE	4,670	314	50	74	276	292	440	680	1,012	914	462	148	8
FEMALE	3,874	288	40	54	102	144	232	516	828	1,056	418	192	4
METROPOLITAN COUNTIES	8,194	324	72	108	294	262	478	1,072	1,590	1,854	1,416	722	2
MALE	4,686	172	34	74	216	162	304	702	1,056	1,006	682	278	-
FEMALE	3,508	152	38	34	78	100	174	370	534	848	734	444	2
WHITE	5,634	166	48	64	176	116	244	690	996	1,300	1,208	626	-
MALE	3,248	100	22	50	134	66	146	468	712	756	558	236	-
FEMALE	2,386	66	26	14	42	50	98	222	284	544	650	390	-
ALL OTHER	2,560	158	24	44	118	146	234	382	594	554	208	96	2
MALE	1,438	72	12	24	82	96	158	234	344	250	124	42	-
FEMALE	1,122	86	12	20	36	50	76	148	250	304	84	54	2
NONMETROPOLITAN COUNTIES	15,738	798	112	202	540	514	854	1,790	3,014	3,738	2,866	1,298	12
MALE	8,960	452	62	124	394	364	548	1,132	1,924	2,134	1,352	464	10
FEMALE	6,778	346	50	78	146	150	306	658	1,090	1,604	1,514	834	2
WHITE	9,754	354	46	118	280	224	416	976	1,768	2,322	2,194	1,054	2
MALE	5,728	210	24	74	200	168	266	686	1,256	1,470	1,014	358	2
FEMALE	4,026	144	22	44	80	56	150	290	512	852	1,180	696	-
ALL OTHER	5,984	444	66	84	260	290	438	814	1,246	1,416	672	244	10
MALE	3,232	242	38	50	194	196	282	446	668	664	338	106	8
FEMALE	2,752	202	28	34	66	94	156	368	578	752	334	138	2

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
SOUTH DAKOTA	7,028	216	64	100	232	154	188	396	892	1,502	2,080	1,198	6
MALE	4,050	122	36	68	156	98	110	248	542	976	1,138	550	6
FEMALE	2,978	94	28	32	76	56	78	148	350	526	942	648	-
WHITE	6,562	168	42	76	172	104	156	354	836	1,454	2,024	1,170	6
MALE	3,796	96	26	48	116	72	96	230	518	946	1,112	530	6
FEMALE	2,766	72	16	28	56	32	60	124	318	508	912	640	-
ALL OTHER	466	48	22	24	60	50	32	42	56	48	56	28	-
MALE	254	26	10	20	40	26	14	18	24	30	26	20	-
FEMALE	212	22	12	4	20	24	18	24	32	18	30	8	-
METROPOLITAN COUNTIES	820	22	6	10	18	26	14	48	118	182	234	140	2
MALE	430	12	2	6	14	20	10	20	66	108	118	52	2
FEMALE	390	10	4	4	4	6	4	28	52	74	116	88	-
WHITE	814	22	4	8	18	26	14	46	118	182	234	140	2
MALE	428	12	2	4	14	20	10	20	66	108	118	52	2
FEMALE	386	10	2	4	4	6	4	26	52	74	116	88	-
ALL OTHER	6	-	2	2	-	-	-	2	-	-	-	-	-
MALE	2	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE	4	-	2	-	-	-	-	2	-	-	-	-	-
NONMETROPOLITAN COUNTIES	6,208	194	58	90	214	128	174	348	774	1,320	1,846	1,058	4
MALE	3,620	110	34	62	142	78	100	228	476	868	1,020	498	4
FEMALE	2,588	84	24	28	72	50	74	120	298	452	826	560	-
WHITE	5,748	146	38	68	154	78	142	308	718	1,272	1,790	1,030	4
MALE	3,368	84	24	44	102	52	86	210	452	838	994	478	4
FEMALE	2,380	62	14	24	52	26	56	98	266	434	796	552	-
ALL OTHER	460	48	20	22	60	50	32	40	56	48	56	28	-
MALE	252	26	10	18	40	26	14	18	24	30	26	20	-
FEMALE	208	22	10	4	20	24	18	22	32	18	30	8	-
TENNESSEE	39,374	1,384	210	358	1,054	922	1,490	3,522	6,340	9,300	9,712	5,074	8
MALE	22,502	790	128	206	824	648	990	2,328	4,232	5,584	4,744	2,022	6
FEMALE	16,872	594	82	152	230	274	500	1,194	2,108	3,716	4,968	3,052	2
WHITE	32,200	902	156	280	810	692	1,138	2,776	4,956	7,528	8,438	4,518	6
MALE	18,410	518	94	168	638	494	778	1,876	3,450	4,546	4,090	1,754	4
FEMALE	13,790	384	62	112	172	198	360	900	1,506	2,982	4,348	2,764	2
ALL OTHER	7,174	482	54	78	244	230	352	746	1,384	1,772	1,274	556	2
MALE	4,092	272	34	38	186	154	212	452	782	1,038	654	268	2
FEMALE	3,082	210	20	40	58	76	140	294	602	734	620	288	-
METROPOLITAN COUNTIES	17,904	732	104	164	480	474	706	1,762	3,170	4,226	3,950	2,134	2
MALE	9,992	418	66	78	356	318	442	1,116	2,098	2,462	1,824	812	2
FEMALE	7,912	314	38	86	124	156	264	646	1,072	1,764	2,126	1,322	-
WHITE	12,978	380	62	110	306	310	474	1,232	2,154	3,020	3,122	1,806	2
MALE	7,160	216	40	54	220	208	312	800	1,490	1,764	1,398	656	2
FEMALE	5,818	164	22	56	86	102	162	432	664	1,256	1,724	1,150	-
ALL OTHER	4,926	352	42	54	174	164	232	530	1,016	1,206	828	328	-
MALE	2,832	202	26	24	136	110	130	316	608	698	426	156	-
FEMALE	2,094	150	16	30	38	54	102	214	408	508	402	172	-
NONMETROPOLITAN COUNTIES	21,470	652	106	194	574	448	784	1,760	3,170	5,074	5,762	2,940	6
MALE	12,510	372	62	128	468	330	548	1,212	2,134	3,122	2,920	1,210	4
FEMALE	8,960	280	44	66	106	118	236	548	1,036	1,952	2,842	1,730	2
WHITE	19,222	522	94	170	504	382	664	1,544	2,802	4,508	5,316	2,712	4
MALE	11,250	302	54	114	418	286	466	1,076	1,960	2,782	2,692	1,098	2
FEMALE	7,972	220	40	56	86	96	198	468	842	1,726	2,624	1,614	2
ALL OTHER	2,248	130	12	24	70	66	120	216	368	566	446	228	2
MALE	1,260	70	8	14	50	44	82	136	174	340	228	112	2
FEMALE	988	60	4	10	20	22	38	80	194	226	218	116	-
TEXAS	99,338	4,426	770	980	3,042	2,546	4,006	8,890	15,644	22,298	24,128	12,588	20
MALE	56,702	2,588	438	588	2,208	1,696	2,548	5,830	10,330	13,596	12,032	4,836	12
FEMALE	42,636	1,838	332	392	834	850	1,458	3,060	5,314	8,702	12,096	7,752	8
WHITE	85,098	3,394	600	802	2,516	1,968	3,066	7,318	13,130	18,912	21,680	11,700	12
MALE	48,584	1,998	340	472	1,836	1,302	1,970	4,864	8,858	11,784	10,702	4,452	6
FEMALE	36,514	1,396	260	330	680	666	1,096	2,454	4,272	7,128	10,978	7,248	6
ALL OTHER	14,240	1,032	170	178	526	578	940	1,572	2,514	3,386	2,448	888	8
MALE	8,118	590	98	116	372	394	578	966	1,472	1,812	1,330	384	6
FEMALE	6,122	442	72	62	154	184	362	606	1,042	1,574	1,118	504	2
METROPOLITAN COUNTIES	64,956	3,256	546	710	2,114	2,012	3,042	6,572	10,544	14,294	14,446	7,406	14
MALE	36,980	1,918	318	424	1,528	1,340	1,928	4,234	6,924	8,620	7,048	2,692	6
FEMALE	27,976	1,338	228	286	586	672	1,114	2,338	3,620	5,674	7,398	4,714	8
WHITE	54,998	2,438	422	580	1,726	1,514	2,292	5,350	8,738	12,058	13,002	6,868	10
MALE	31,230	1,452	238	334	1,264	998	1,466	3,482	5,846	7,424	6,264	2,458	4
FEMALE	23,768	986	184	246	462	516	826	1,868	2,892	4,634	6,738	4,410	6
ALL OTHER	9,958	818	124	130	388	498	750	1,222	1,806	2,236	1,444	538	4
MALE	5,750	466	80	90	264	342	462	752	1,078	1,196	784	234	2
FEMALE	4,208	352	44	40	124	156	288	470	728	1,040	660	304	2
NONMETROPOLITAN COUNTIES	34,382	1,170	224	270	928	534	964	2,318	5,100	8,004	9,682	5,182	6
MALE	19,722	670	120	164	680	356	620	1,596	3,406	4,976	4,984	2,144	6
FEMALE	14,660	500	104	106	248	178	344	722	1,694	3,028	4,698	3,038	-
WHITE	30,100	956	178	222	790	454	774	1,968	4,392	6,854	8,678	4,832	2
MALE	17,354	546	102	138	572	304	504	1,382	3,012	4,360	4,438	1,994	2
FEMALE	12,746	410	76	84	218	150	270	586	1,380	2,494	4,240	2,838	-
ALL OTHER	4,282	214	46	48	138	80	190	350	708	1,150	1,004	350	4
MALE	2,368	124	18	26	108	52	116	214	394	616	546	150	4
FEMALE	1,914	90	28	22	30	28	74	136	314	534	458	200	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
UTAH	7,322	378	78	104	276	184	286	586	1,066	1,498	1,830	1,030	6
MALE	4,230	206	62	60	214	114	166	388	746	906	962	400	6
FEMALE	3,092	172	16	44	62	70	120	198	320	592	868	630	-
WHITE	7,150	364	76	102	264	172	260	564	1,048	1,474	1,804	1,016	6
MALE	4,122	196	60	60	204	106	152	376	734	888	946	394	6
FEMALE	3,028	168	16	42	60	66	108	188	314	586	858	622	-
ALL OTHER	172	14	2	2	12	12	26	22	18	24	26	14	-
MALE	108	10	2	-	10	8	14	12	12	18	16	6	-
FEMALE	64	4	-	2	2	4	12	10	6	6	10	8	-
METROPOLITAN COUNTIES	5,364	302	60	74	188	124	208	460	780	1,090	1,326	750	2
MALE	3,030	162	46	52	140	76	118	300	538	624	700	272	2
FEMALE	2,334	140	14	22	48	48	90	160	242	466	626	478	-
WHITE	5,258	296	58	74	184	116	196	442	768	1,074	1,308	740	2
MALE	2,962	158	44	52	136	70	114	290	528	612	688	268	2
FEMALE	2,296	138	14	22	48	46	82	152	240	462	620	472	-
ALL OTHER	106	6	2	-	4	8	12	18	12	16	18	10	-
MALE	68	4	2	-	4	6	4	10	10	12	12	4	-
FEMALE	38	2	-	-	-	2	8	8	2	4	6	6	-
NONMETROPOLITAN COUNTIES	1,958	76	18	30	88	60	78	126	286	408	504	280	4
MALE	1,200	44	16	8	74	38	48	88	208	282	262	128	4
FEMALE	758	32	2	22	14	22	30	38	78	126	242	152	-
WHITE	1,892	68	18	28	80	56	64	122	280	400	496	276	4
MALE	1,160	38	16	8	68	36	38	86	206	276	258	126	4
FEMALE	732	30	2	20	12	20	26	36	74	124	238	150	-
ALL OTHER	66	8	-	2	8	4	14	4	6	8	8	4	-
MALE	40	6	-	-	6	2	10	2	2	6	4	2	-
FEMALE	26	2	-	2	2	2	4	2	4	2	4	2	-
VERMONT	4,318	100	18	26	86	66	114	286	638	996	1,184	802	2
MALE	2,330	64	8	16	76	48	70	174	402	588	592	290	2
FEMALE	1,988	36	10	10	10	18	44	112	236	408	592	512	-
WHITE	4,314	100	18	26	86	64	114	286	636	996	1,184	802	2
MALE	2,328	64	8	16	76	48	70	174	400	588	592	290	2
FEMALE	1,986	36	10	10	10	16	44	112	236	408	592	512	-
ALL OTHER	4	-	-	-	-	2	-	-	2	-	-	-	-
MALE	2	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE	2	-	-	-	-	2	-	-	-	-	-	-	-
METROPOLITAN COUNTIES	***	***	***	***	***	***	***	***	***	***	***	***	***
MALE	***	***	***	***	***	***	***	***	***	***	***	***	***
FEMALE	***	***	***	***	***	***	***	***	***	***	***	***	***
WHITE	***	***	***	***	***	***	***	***	***	***	***	***	***
MALE	***	***	***	***	***	***	***	***	***	***	***	***	***
FEMALE	***	***	***	***	***	***	***	***	***	***	***	***	***
ALL OTHER	***	***	***	***	***	***	***	***	***	***	***	***	***
MALE	***	***	***	***	***	***	***	***	***	***	***	***	***
FEMALE	***	***	***	***	***	***	***	***	***	***	***	***	***
NONMETROPOLITAN COUNTIES	4,318	100	18	26	86	66	114	286	638	996	1,184	802	2
MALE	2,330	64	8	16	76	48	70	174	402	588	592	290	2
FEMALE	1,988	36	10	10	10	18	44	112	236	408	592	512	-
WHITE	4,314	100	18	26	86	64	114	286	636	996	1,184	802	2
MALE	2,328	64	8	16	76	48	70	174	400	588	592	290	2
FEMALE	1,986	36	10	10	10	16	44	112	236	408	592	512	-
ALL OTHER	4	-	-	-	-	2	-	-	2	-	-	-	-
MALE	2	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE	2	-	-	-	-	2	-	-	-	-	-	-	-
VIRGINIA	40,960	1,538	210	362	1,062	960	1,830	4,348	7,282	9,410	9,210	4,722	26
MALE	23,302	900	132	224	806	652	1,182	2,840	4,798	5,528	4,416	1,808	16
FEMALE	17,658	638	78	138	256	308	648	1,508	2,484	3,882	4,794	2,914	10
WHITE	31,458	1,010	144	250	756	644	1,192	3,110	5,400	7,226	7,540	4,172	14
MALE	17,848	584	90	164	568	446	808	2,042	3,680	4,350	3,564	1,548	4
FEMALE	13,610	426	54	86	188	198	384	1,068	1,720	2,876	3,976	2,624	10
ALL OTHER	9,502	528	66	112	306	316	638	1,238	1,882	2,184	1,670	550	12
MALE	5,454	316	42	60	238	206	374	798	1,118	1,178	852	260	12
FEMALE	4,048	212	24	52	68	110	264	440	764	1,006	818	290	-
METROPOLITAN COUNTIES	21,708	910	132	212	558	570	1,076	2,658	3,990	4,714	4,628	2,248	12
MALE	12,104	550	82	126	412	358	658	1,700	2,574	2,728	2,146	762	8
FEMALE	9,604	360	50	86	146	212	418	958	1,416	1,986	2,482	1,486	4
WHITE	16,208	602	94	136	398	368	672	1,858	2,870	3,500	3,728	1,976	6
MALE	8,972	364	56	88	292	230	436	1,190	1,918	2,070	1,678	648	2
FEMALE	7,236	238	38	48	106	138	236	668	952	1,430	2,050	1,328	4
ALL OTHER	5,500	308	38	76	160	202	404	800	1,120	1,214	900	272	6
MALE	3,132	186	26	38	120	128	222	510	656	658	468	114	6
FEMALE	2,368	122	12	38	40	74	182	290	464	556	432	158	-
NONMETROPOLITAN COUNTIES	19,252	628	78	150	504	390	754	1,690	3,292	4,696	4,582	2,474	14
MALE	11,198	350	50	98	394	294	524	1,140	2,224	2,800	2,270	1,046	8
FEMALE	8,054	278	28	52	110	96	230	550	1,068	1,896	2,312	1,428	6
WHITE	15,250	408	50	114	358	276	520	1,252	2,530	3,726	3,812	2,196	8
MALE	8,876	220	34	76	276	216	372	852	1,762	2,280	1,886	900	2
FEMALE	6,374	188	16	38	82	60	148	400	768	1,446	1,926	1,296	6
ALL OTHER	4,002	220	28	36	146	114	234	438	762	970	770	278	6
MALE	2,322	130	16	22	118	78	152	288	462	520	384	146	6
FEMALE	1,680	90	12	14	28	36	82	150	300	450	386	132	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
WASHINGTON	29,836	824	178	304	766	578	904	2,472	4,692	6,354	7,934	4,824	6
MALE	16,994	464	110	194	544	400	586	1,604	3,112	3,928	4,084	1,964	4
FEMALE	12,842	360	68	110	222	178	318	868	1,580	2,426	3,850	2,860	2
WHITE	28,742	742	166	286	684	526	808	2,318	4,502	6,168	7,780	4,756	6
MALE	16,250	414	102	180	474	362	524	1,500	2,972	3,794	3,998	1,926	4
FEMALE	12,492	328	64	106	210	164	284	818	1,530	2,374	3,782	2,830	2
ALL OTHER	1,094	82	12	18	82	52	96	154	190	186	154	68	-
MALE	744	50	8	14	70	38	62	104	140	134	86	38	-
FEMALE	350	32	4	4	12	14	34	50	50	52	68	30	-
METROPOLITAN COUNTIES	18,828	488	126	194	454	364	566	1,626	3,018	3,898	5,022	3,072	-
MALE	10,584	278	78	120	318	250	364	1,066	1,980	2,372	2,532	1,226	-
FEMALE	8,244	210	48	74	136	114	202	560	1,038	1,526	2,490	1,846	-
WHITE	18,042	428	114	186	406	332	504	1,502	2,888	3,768	4,904	3,010	-
MALE	10,054	246	70	114	276	230	320	982	1,882	2,274	2,468	1,192	-
FEMALE	7,988	182	44	72	130	102	184	520	1,006	1,494	2,436	1,818	-
ALL OTHER	786	60	12	8	48	32	62	124	130	130	118	62	-
MALE	530	32	8	6	42	20	44	84	98	98	64	34	-
FEMALE	256	28	4	2	6	12	18	40	32	32	54	28	-
NONMETROPOLITAN COUNTIES	11,008	336	52	110	312	214	338	846	1,674	2,456	2,912	1,752	6
MALE	6,410	186	32	74	226	150	222	538	1,132	1,556	1,552	738	4
FEMALE	4,598	150	20	36	86	64	116	308	542	900	1,360	1,014	2
WHITE	10,700	314	52	100	278	194	304	816	1,614	2,400	2,876	1,746	6
MALE	6,196	168	32	66	198	132	204	518	1,090	1,520	1,530	734	4
FEMALE	4,504	146	20	34	80	62	100	298	524	880	1,346	1,012	2
ALL OTHER	308	22	-	10	34	20	34	30	60	56	36	6	-
MALE	214	18	-	8	28	18	18	20	42	36	22	4	-
FEMALE	94	4	-	2	6	2	16	10	18	20	14	2	-
WEST VIRGINIA	20,606	564	80	164	408	358	608	1,822	3,542	4,988	5,186	2,880	6
MALE	11,904	338	42	98	286	236	374	1,188	2,308	3,056	2,750	1,224	4
FEMALE	8,702	226	38	66	122	122	234	634	1,234	1,932	2,436	1,656	2
WHITE	19,392	522	76	158	382	332	576	1,702	3,314	4,626	4,914	2,784	6
MALE	11,226	318	40	94	272	222	350	1,114	2,190	2,844	2,608	1,170	4
FEMALE	8,166	204	36	64	110	110	226	588	1,124	1,782	2,306	1,614	2
ALL OTHER	1,214	42	4	6	26	26	32	120	228	362	272	96	-
MALE	678	20	2	4	14	14	24	74	118	212	142	54	-
FEMALE	536	22	2	2	12	12	8	46	110	150	130	42	-
METROPOLITAN COUNTIES	6,108	148	20	38	78	74	162	606	1,104	1,510	1,564	804	-
MALE	3,390	80	14	24	56	38	90	404	698	886	784	316	-
FEMALE	2,718	68	6	14	22	36	72	202	406	624	780	488	-
WHITE	5,748	126	20	38	72	68	154	560	1,038	1,416	1,474	782	-
MALE	3,198	68	14	24	52	36	84	376	660	832	746	306	-
FEMALE	2,550	58	6	14	20	32	70	184	378	584	728	476	-
ALL OTHER	360	22	-	-	6	6	8	46	66	94	90	22	-
MALE	192	12	-	-	4	2	6	28	38	54	38	10	-
FEMALE	168	10	-	-	2	4	2	18	28	40	52	12	-
NONMETROPOLITAN COUNTIES	14,498	416	60	126	330	284	446	1,216	2,438	3,478	3,622	2,076	6
MALE	8,514	258	28	74	230	198	284	784	1,610	2,170	1,966	908	4
FEMALE	5,984	158	32	52	100	86	162	432	828	1,308	1,656	1,168	2
WHITE	13,644	396	56	120	310	264	422	1,142	2,276	3,210	3,440	2,002	6
MALE	8,028	250	26	70	220	186	266	738	1,530	2,012	1,862	864	4
FEMALE	5,616	146	30	50	90	78	156	404	746	1,198	1,578	1,138	2
ALL OTHER	854	20	4	6	20	20	24	74	162	268	182	74	-
MALE	486	8	2	4	10	12	18	46	80	158	104	44	-
FEMALE	368	12	2	2	10	8	6	28	82	110	78	30	-
WISCONSIN	42,120	912	204	296	914	620	978	2,796	6,024	9,850	12,580	6,946	-
MALE	23,644	528	118	194	690	408	552	1,818	3,948	6,078	6,530	2,780	-
FEMALE	18,476	384	86	102	224	212	426	978	2,076	3,772	6,050	4,166	-
WHITE	41,152	816	188	278	850	562	900	2,656	5,850	9,686	12,478	6,888	-
MALE	23,094	476	106	182	646	368	510	1,730	3,864	5,978	6,482	2,752	-
FEMALE	18,058	340	82	96	204	194	390	926	1,986	3,708	5,996	4,136	-
ALL OTHER	968	96	16	18	64	58	78	140	174	164	102	58	-
MALE	550	52	12	12	44	40	42	88	84	100	48	28	-
FEMALE	418	44	4	6	20	18	36	52	90	64	54	30	-
METROPOLITAN COUNTIES	21,768	534	96	156	480	368	560	1,674	3,374	4,984	6,286	3,256	-
MALE	11,972	290	60	100	358	256	324	1,070	2,172	2,994	3,136	1,212	-
FEMALE	9,796	244	36	56	122	112	236	604	1,202	1,990	3,150	2,044	-
WHITE	20,964	442	84	144	422	314	486	1,554	3,222	4,864	6,218	3,214	-
MALE	11,512	242	52	90	318	218	286	992	2,102	2,922	3,098	1,192	-
FEMALE	9,452	200	32	54	104	96	200	562	1,120	1,942	3,120	2,022	-
ALL OTHER	804	92	12	12	58	54	74	120	152	120	68	42	-
MALE	460	48	8	10	40	38	38	78	70	72	38	20	-
FEMALE	344	44	4	2	18	16	36	42	82	48	30	22	-
NONMETROPOLITAN COUNTIES	20,352	378	108	140	434	252	418	1,122	2,650	4,866	6,294	3,690	-
MALE	11,672	238	58	94	332	152	228	748	1,776	3,084	3,394	1,568	-
FEMALE	8,680	140	50	46	102	100	190	374	874	1,782	2,900	2,122	-
WHITE	20,188	374	104	134	428	248	414	1,102	2,628	4,822	6,260	3,674	-
MALE	11,582	234	54	92	328	150	224	738	1,762	3,056	3,384	1,560	-
FEMALE	8,606	140	50	42	100	98	190	364	866	1,766	2,876	2,114	-
ALL OTHER	164	4	4	6	6	4	4	20	22	44	34	16	-
MALE	90	4	4	2	4	2	4	10	14	28	10	8	-
FEMALE	74	-	-	4	2	2	-	10	8	16	24	8	-

Table 7-3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. For definition of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
WYOMING	3,074	152	16	22	118	78	126	212	456	668	768	458	-
MALE	1,886	94	6	16	94	54	76	152	302	456	440	196	-
FEMALE	1,188	58	10	6	24	24	50	60	154	212	328	262	-
WHITE	2,986	142	14	22	106	72	120	200	450	654	752	454	-
MALE	1,820	84	6	16	86	48	70	146	300	446	426	192	-
FEMALE	1,166	58	8	6	20	24	50	54	150	208	326	262	-
ALL OTHER	88	10	2	-	12	6	6	12	6	14	16	4	-
MALE	66	10	-	-	8	6	6	6	2	10	14	4	-
FEMALE	22	-	2	-	4	-	-	6	4	4	2	-	-
METROPOLITAN COUNTIES	---	---	---	---	---	---	---	---	---	---	---	---	---
MALE	---	---	---	---	---	---	---	---	---	---	---	---	---
FEMALE	---	---	---	---	---	---	---	---	---	---	---	---	---
WHITE	---	---	---	---	---	---	---	---	---	---	---	---	---
MALE	---	---	---	---	---	---	---	---	---	---	---	---	---
FEMALE	---	---	---	---	---	---	---	---	---	---	---	---	---
ALL OTHER	---	---	---	---	---	---	---	---	---	---	---	---	---
MALE	---	---	---	---	---	---	---	---	---	---	---	---	---
FEMALE	---	---	---	---	---	---	---	---	---	---	---	---	---
NONMETROPOLITAN COUNTIES	3,074	152	16	22	118	78	126	212	456	668	768	458	-
MALE	1,886	94	6	16	94	54	76	152	302	456	440	196	-
FEMALE	1,188	58	10	6	24	24	50	60	154	212	328	262	-
WHITE	2,986	142	14	22	106	72	120	200	450	654	752	454	-
MALE	1,820	84	6	16	86	48	70	146	300	446	426	192	-
FEMALE	1,166	58	8	6	20	24	50	54	150	208	326	262	-
ALL OTHER	88	10	2	-	12	6	6	12	6	14	16	4	-
MALE	66	10	-	-	8	6	6	6	2	10	14	4	-
FEMALE	22	-	2	-	4	-	-	6	4	4	2	-	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972

[Deaths based on a 50-percent sample. Standard metropolitan statistical areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas as defined by the Bureau of the Census for 1970. For further discussion of areas, see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
UNITED STATES, 229 AREAS	1,281,934	39,486	7,160	10,222	31,118	28,982	47,678	117,894	209,438	295,600	327,568	166,484	304
MALE	705,050	22,820	4,078	6,198	22,666	19,474	29,444	74,180	134,670	172,334	158,246	60,728	212
FEMALE	576,884	16,666	3,082	4,024	8,452	9,508	18,234	43,714	74,768	123,266	169,322	105,756	92
WHITE	1,111,734	27,526	5,370	8,154	23,646	20,120	34,200	94,172	178,424	259,160	304,088	156,666	208
MALE	607,450	16,164	3,092	4,962	17,236	13,446	21,190	59,722	116,194	152,346	146,276	56,684	138
FEMALE	504,284	11,362	2,278	3,192	6,410	6,674	13,010	34,450	62,230	106,814	157,812	99,982	70
ALL OTHER	170,200	11,960	1,790	2,068	7,472	8,862	13,478	23,722	31,014	36,440	23,480	9,818	96
MALE	97,600	6,656	986	1,236	5,430	6,028	8,254	14,458	18,476	19,988	11,970	4,044	74
FEMALE	72,600	5,304	804	832	2,042	2,834	5,224	9,264	12,538	16,452	11,510	5,774	22
ABILENE, TEX	1,070	34	14	10	30	26	26	96	134	232	262	206	-
MALE	586	24	10	4	20	18	16	58	90	132	140	74	-
FEMALE	484	10	4	6	10	8	10	38	44	100	122	132	-
WHITE	1,006	30	12	8	22	22	20	88	132	222	256	194	-
MALE	552	22	8	4	14	16	14	52	88	130	134	70	-
FEMALE	454	8	4	4	8	6	6	36	44	92	122	124	-
ALL OTHER	64	4	2	2	8	4	6	8	2	10	6	12	-
MALE	34	2	2	-	6	2	2	6	2	2	6	4	-
FEMALE	30	2	-	2	2	2	4	2	-	8	-	8	-
AKRON, OHIO	5,746	160	34	62	120	118	180	484	896	1,338	1,600	754	-
MALE	3,162	110	14	32	98	70	104	302	592	784	774	282	-
FEMALE	2,584	50	20	30	22	48	76	182	304	554	826	472	-
WHITE	5,284	120	28	58	100	100	142	428	826	1,240	1,520	722	-
MALE	2,902	86	14	30	84	58	84	268	554	716	740	268	-
FEMALE	2,382	34	14	28	16	42	58	160	272	524	780	454	-
ALL OTHER	462	40	6	4	20	18	38	56	70	98	80	32	-
MALE	260	24	-	2	14	12	20	34	38	68	34	14	-
FEMALE	202	16	6	2	6	6	18	22	32	30	46	18	-
ALBANY, GA	716	42	16	12	24	26	32	116	108	156	120	64	-
MALE	420	30	10	12	16	18	20	86	66	84	56	22	-
FEMALE	296	12	6	-	8	8	12	30	42	72	64	42	-
WHITE	388	20	10	6	10	14	18	60	56	76	78	40	-
MALE	246	10	8	6	8	8	16	48	34	52	40	16	-
FEMALE	142	10	2	-	2	6	2	12	22	24	38	24	-
ALL OTHER	328	22	6	6	14	12	14	56	52	80	42	24	-
MALE	174	20	2	6	8	10	4	38	32	32	16	6	-
FEMALE	154	2	4	-	6	2	10	18	20	48	26	18	-
ALBANY-SCHENECTADY-TROY, N.Y	7,716	174	42	36	126	108	182	564	1,178	1,854	2,230	1,222	-
MALE	4,084	86	14	30	100	76	100	368	754	1,100	1,026	430	-
FEMALE	3,632	88	28	6	26	32	82	196	424	754	1,204	792	-
WHITE	7,526	154	40	36	118	94	164	538	1,152	1,822	2,198	1,210	-
MALE	3,966	78	14	30	92	64	90	350	734	1,078	1,010	426	-
FEMALE	3,560	76	26	6	26	30	74	188	418	744	1,188	784	-
ALL OTHER	190	20	2	-	8	14	18	26	26	32	32	12	-
MALE	118	8	-	-	8	12	10	18	20	22	16	4	-
FEMALE	72	12	2	-	-	2	8	8	6	10	16	8	-
ALBUQUERQUE, N. MEX	2,186	68	20	36	134	74	114	212	356	418	502	252	-
MALE	1,250	38	8	20	96	52	84	132	244	226	236	114	-
FEMALE	936	30	12	16	38	22	30	80	112	192	266	138	-
WHITE	2,102	64	16	36	126	64	96	202	346	412	490	250	-
MALE	1,202	34	8	20	92	44	70	124	238	224	234	114	-
FEMALE	900	30	8	16	34	20	26	78	108	188	256	136	-
ALL OTHER	84	4	4	-	8	10	18	10	10	6	12	2	-
MALE	48	4	-	-	4	8	14	8	6	2	2	-	-
FEMALE	36	-	4	-	4	2	4	2	4	4	10	2	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
ALLENTOWN-BETHLEHEM-EASTON, PA.-N.J	5,714	102	10	46	90	88	158	432	874	1,326	1,774	814	-
WHITE	5,650	100	10	40	88	86	156	428	866	1,314	1,762	800	-
MALE	3,094	62	8	22	72	46	88	288	578	786	830	314	-
FEMALE	2,620	40	2	24	18	42	70	144	296	540	944	500	-
ALL OTHER	64	2	-	6	2	2	2	4	8	12	12	14	-
MALE	36	2	-	2	2	2	2	2	4	10	4	6	-
FEMALE	28	-	-	4	-	-	-	2	4	2	8	8	-
ALTOONA, PA	1,724	34	2	12	36	26	18	100	278	420	538	260	-
WHITE	1,710	32	2	12	36	26	18	98	276	418	532	260	-
MALE	904	28	2	8	14	20	8	70	194	240	218	102	-
FEMALE	820	6	-	4	22	6	10	30	84	180	320	158	-
ALL OTHER	14	2	-	-	-	-	-	2	2	2	6	-	-
MALE	10	2	-	-	-	-	-	2	2	-	4	-	-
FEMALE	4	-	-	-	-	-	-	-	-	2	2	-	-
AMARILLO, TEX	1,246	46	8	8	36	16	60	98	270	304	272	128	-
WHITE	1,160	40	8	8	34	10	56	90	248	280	260	126	-
MALE	748	28	2	6	28	8	46	54	184	228	126	38	-
FEMALE	498	18	6	2	8	8	14	44	86	76	146	90	-
ALL OTHER	86	6	-	-	2	6	4	8	22	24	12	2	-
MALE	50	4	-	-	2	4	2	2	8	22	6	-	-
FEMALE	36	2	-	-	-	2	2	6	14	2	6	2	-
ANAHEIM-SANTA ANA-GARDEN GROVE, CALIF	9,556	328	90	112	308	276	408	948	1,450	1,984	2,418	1,232	2
WHITE	9,442	310	84	112	296	266	400	938	1,434	1,964	2,410	1,226	2
MALE	5,126	176	44	70	210	184	242	564	886	1,088	1,206	454	2
FEMALE	4,316	134	40	42	86	82	158	374	548	876	1,204	772	-
ALL OTHER	114	18	6	-	12	10	8	10	16	20	8	6	-
MALE	74	12	4	-	8	8	4	8	10	12	4	4	-
FEMALE	40	6	2	-	4	2	4	2	6	8	4	2	-
ANDERSON, IND	1,212	40	10	20	18	40	26	114	190	292	304	158	-
WHITE	1,166	36	10	20	18	36	20	110	180	280	298	158	-
MALE	684	26	4	10	18	28	10	68	122	182	136	80	-
FEMALE	482	10	6	10	-	8	10	42	58	98	162	78	-
ALL OTHER	46	4	-	-	-	4	6	4	10	12	6	-	-
MALE	28	2	-	-	-	-	4	2	8	8	4	-	-
FEMALE	18	2	-	-	-	4	2	2	2	4	2	-	-
ANN ARBOR, MICH	1,336	56	16	10	50	54	38	108	202	272	322	208	-
WHITE	1,194	52	10	10	40	42	28	96	178	236	306	196	-
MALE	674	30	6	2	38	34	26	52	118	154	142	72	-
FEMALE	662	26	10	8	12	20	12	56	84	118	180	136	-
ALL OTHER	142	4	6	-	10	12	10	12	24	36	16	12	-
MALE	74	2	4	-	8	10	6	6	14	16	4	4	-
FEMALE	68	2	2	-	2	2	4	6	10	20	12	8	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
APPLETON-OSHKOSH, WIS	2,320	40	14	22	60	46	48	184	314	496	732	364	-
MALE	1,278	18	8	14	46	34	30	130	192	320	346	140	-
FEMALE	1,042	22	6	8	14	12	18	54	122	176	386	224	-
WHITE	2,312	40	14	22	56	44	48	182	314	496	732	364	-
MALE	1,272	18	8	14	42	32	30	130	192	320	346	140	-
FEMALE	1,040	22	6	8	14	12	18	52	122	176	386	224	-
ALL OTHER	8	-	-	-	4	2	-	2	-	-	-	-	-
MALE	6	-	-	-	4	2	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	2	-	-	-	-	-
ASHEVILLE, N.C	1,568	58	6	12	32	24	44	154	238	374	424	202	-
MALE	864	30	4	8	26	16	24	94	160	222	202	78	-
FEMALE	704	28	2	4	6	8	20	60	78	152	222	124	-
WHITE	1,366	48	6	8	30	22	32	128	198	308	394	192	-
MALE	762	26	4	4	24	16	18	78	132	190	196	74	-
FEMALE	604	22	2	4	6	6	14	50	66	118	198	118	-
ALL OTHER	202	10	-	4	2	2	12	26	40	66	30	10	-
MALE	102	4	-	4	2	-	6	16	28	32	6	4	-
FEMALE	100	6	-	-	-	2	6	10	12	34	24	6	-
ATLANTA, GA	11,008	428	68	96	418	504	664	1,368	1,946	2,402	2,006	1,100	8
MALE	6,100	240	38	54	300	350	398	836	1,300	1,386	862	330	6
FEMALE	4,908	188	30	42	118	154	266	532	646	1,016	1,144	770	2
WHITE	7,866	222	34	64	298	268	382	886	1,322	1,744	1,670	976	-
MALE	4,358	134	24	36	210	178	242	556	920	1,058	722	278	-
FEMALE	3,508	88	10	28	88	90	140	330	402	686	948	698	-
ALL OTHER	3,142	206	34	32	120	236	282	482	624	658	336	124	8
MALE	1,742	106	14	18	90	172	156	280	380	328	140	52	6
FEMALE	1,400	100	20	14	30	64	126	202	244	330	196	72	2
ATLANTIC CITY, N.J	2,668	68	8	16	32	36	66	194	376	704	790	374	4
MALE	1,468	32	6	14	24	18	34	128	226	404	420	158	4
FEMALE	1,200	36	2	2	8	18	32	66	150	300	370	216	-
WHITE	2,174	42	8	14	18	20	44	146	290	586	682	320	4
MALE	1,218	22	6	12	14	14	24	102	184	348	360	128	4
FEMALE	956	20	2	2	4	6	20	44	106	238	322	192	-
ALL OTHER	494	26	-	2	14	16	22	48	86	118	108	54	-
MALE	250	10	-	2	10	4	10	26	42	56	60	30	-
FEMALE	244	16	-	-	4	12	12	22	44	62	48	24	-
AUGUSTA, GA.-S.C	2,174	76	22	22	70	82	130	248	424	530	388	182	-
MALE	1,148	36	12	18	44	48	72	152	274	264	170	58	-
FEMALE	1,026	40	10	4	26	34	58	96	150	266	218	124	-
WHITE	1,388	22	10	14	42	32	70	154	274	348	290	132	-
MALE	762	10	2	12	26	18	42	110	194	194	118	36	-
FEMALE	626	12	8	2	16	14	28	44	80	154	172	96	-
ALL OTHER	786	54	12	8	28	50	60	94	150	182	98	50	-
MALE	386	26	10	6	18	30	30	42	80	70	52	22	-
FEMALE	400	28	2	2	10	20	30	52	70	112	46	28	-
AUSTIN, TEX	2,102	90	18	28	96	54	88	196	302	442	448	340	-
MALE	1,142	56	12	18	72	34	50	132	184	268	186	130	-
FEMALE	960	34	6	10	24	20	38	64	118	174	262	210	-
WHITE	1,822	64	16	26	88	46	80	154	266	372	394	316	-
MALE	992	40	10	16	64	28	48	104	160	234	164	124	-
FEMALE	830	24	6	10	24	18	32	50	106	138	230	192	-
ALL OTHER	280	26	2	2	8	8	8	42	36	70	54	24	-
MALE	150	16	2	2	8	6	2	28	24	34	22	6	-
FEMALE	130	10	-	-	-	2	6	14	12	36	32	18	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
BAKERSFIELD, CALIF	2,806	90	20	16	98	84	154	256	484	686	600	318	-
MALE	1,628	54	14	6	80	60	90	146	296	426	322	134	-
FEMALE	1,178	36	6	10	18	24	64	110	188	260	278	184	-
WHITE	2,594	76	18	16	84	78	144	236	446	622	566	308	-
MALE	1,494	46	12	6	72	54	82	134	270	382	308	128	-
FEMALE	1,100	30	6	10	12	24	62	102	176	240	258	180	-
ALL OTHER	212	14	2	-	14	6	10	20	38	64	34	10	-
MALE	134	8	2	-	8	6	8	12	26	44	14	6	-
FEMALE	78	6	-	-	6	-	2	8	12	20	20	4	-
BALTIMORE, MD	19,766	466	86	166	600	482	864	2,252	3,598	4,598	4,528	2,118	8
MALE	11,102	262	46	86	432	336	516	1,468	2,376	2,714	2,162	700	4
FEMALE	8,664	204	40	80	168	146	348	784	1,222	1,884	2,366	1,418	4
WHITE	14,866	248	50	114	358	242	440	1,514	2,624	3,538	3,914	1,818	6
MALE	8,244	150	30	58	252	156	256	1,008	1,794	2,120	1,824	592	4
FEMALE	6,622	98	20	56	106	86	184	506	830	1,418	2,090	1,226	2
ALL OTHER	4,900	218	36	52	242	240	424	738	974	1,060	614	300	2
MALE	2,858	112	16	28	180	180	260	460	582	594	338	108	-
FEMALE	2,042	106	20	24	62	60	164	278	392	466	276	192	2
BATON ROUGE, LA	2,116	92	22	14	64	68	106	264	398	466	402	220	-
MALE	1,188	56	12	14	52	40	64	168	244	260	204	74	-
FEMALE	928	36	10	-	12	28	42	96	154	206	198	146	-
WHITE	1,330	48	10	4	24	34	66	164	274	280	260	166	-
MALE	754	26	8	4	20	24	44	112	178	162	130	46	-
FEMALE	576	22	2	-	4	10	22	52	96	118	130	120	-
ALL OTHER	786	44	12	10	40	34	40	100	124	186	142	54	-
MALE	434	30	4	10	32	16	20	56	66	98	74	28	-
FEMALE	352	14	8	-	8	18	20	44	58	88	68	26	-
BAY CITY, MICH	1,016	24	2	12	24	24	42	100	174	228	262	124	-
MALE	618	16	2	10	22	12	34	66	112	156	134	54	-
FEMALE	398	8	-	2	2	12	8	34	62	72	128	70	-
WHITE	1,012	22	2	12	24	24	42	100	174	226	262	124	-
MALE	616	16	2	10	22	12	34	66	112	154	134	54	-
FEMALE	396	6	-	2	2	12	8	34	62	72	128	70	-
ALL OTHER	4	2	-	-	-	-	-	-	-	2	-	-	-
MALE	2	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-
BEAUMONT-PORT ARTHUR-ORANGE, TEX	2,672	92	24	16	46	66	96	320	454	678	594	286	-
MALE	1,550	52	20	6	36	34	56	228	298	424	294	102	-
FEMALE	1,122	40	4	10	10	32	40	92	156	254	300	184	-
WHITE	2,020	58	16	16	34	40	48	226	302	514	514	252	-
MALE	1,142	30	14	6	32	16	26	164	208	326	240	80	-
FEMALE	878	28	2	10	2	24	22	62	94	188	274	172	-
ALL OTHER	652	34	8	-	12	26	48	94	152	164	80	34	-
MALE	408	22	6	-	4	18	30	64	90	98	54	22	-
FEMALE	244	12	2	-	8	8	18	30	62	66	26	12	-
BILLINGS, MONT	696	28	6	14	20	28	22	72	104	142	154	104	2
MALE	448	20	6	8	16	24	18	54	82	84	94	40	2
FEMALE	248	8	-	6	4	4	4	18	22	58	60	64	-
WHITE	686	28	6	14	20	26	22	70	100	142	152	104	2
MALE	440	20	6	8	16	22	18	52	80	84	92	40	2
FEMALE	246	8	-	6	4	4	4	18	20	58	60	64	-
ALL OTHER	10	-	-	-	-	2	-	2	4	-	2	-	-
MALE	8	-	-	-	-	2	-	2	2	-	2	-	-
FEMALE	2	-	-	-	-	-	-	-	2	-	-	-	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
BILOXI-GULFPORT, MISS	1,080	64	2	12	38	42	42	124	220	228	212	96	-
MALE	640	40	2	10	24	26	20	82	152	134	110	40	-
FEMALE	440	24	-	2	14	16	22	42	68	94	102	56	-
WHITE	870	48	-	8	28	24	22	94	178	196	190	82	-
MALE	524	28	-	6	16	16	14	64	130	116	102	32	-
FEMALE	346	20	-	2	12	8	8	30	48	80	88	50	-
ALL OTHER	210	16	2	4	10	18	20	30	42	32	22	14	-
MALE	116	12	2	4	8	10	6	18	22	18	8	8	-
FEMALE	94	4	-	-	2	8	14	12	20	14	14	6	-
BINGHAMTON, N.Y.-PA	2,852	48	12	40	40	24	48	240	486	680	798	436	-
MALE	1,566	24	6	16	34	18	26	148	336	400	398	160	-
FEMALE	1,286	24	6	24	6	6	22	92	150	280	400	276	-
WHITE	2,834	46	12	40	38	22	48	238	484	680	794	432	-
MALE	1,558	22	6	16	32	18	26	148	336	400	396	158	-
FEMALE	1,276	24	6	24	6	4	22	90	148	280	398	274	-
ALL OTHER	18	2	-	-	2	2	-	2	2	-	4	4	-
MALE	8	2	-	-	2	-	-	-	-	-	2	2	-
FEMALE	10	-	-	-	-	2	-	2	2	-	2	2	-
BIRMINGHAM, ALA	7,736	214	46	52	226	148	362	758	1,344	1,862	1,802	922	-
MALE	4,322	130	28	40	168	106	208	466	858	1,114	856	348	-
FEMALE	3,414	84	18	12	58	42	154	292	486	748	946	574	-
WHITE	5,108	142	30	34	136	78	214	486	868	1,166	1,280	674	-
MALE	2,924	86	16	26	104	66	132	338	590	728	598	240	-
FEMALE	2,184	56	14	8	32	12	82	148	278	438	682	434	-
ALL OTHER	2,628	72	16	18	90	70	148	272	476	696	522	248	-
MALE	1,398	44	12	14	64	40	76	128	268	386	258	108	-
FEMALE	1,230	28	4	4	26	30	72	144	208	310	264	140	-
BLOOMINGTON-NORMAL, ILL	934	42	8	2	20	12	22	58	142	174	288	166	-
MALE	508	26	4	-	14	8	14	46	92	102	154	48	-
FEMALE	426	16	4	2	6	4	8	12	50	72	134	118	-
WHITE	920	38	8	2	20	12	22	56	140	172	284	166	-
MALE	498	24	4	-	14	8	14	44	90	100	152	48	-
FEMALE	422	14	4	2	6	4	8	12	50	72	132	118	-
ALL OTHER	14	4	-	-	-	-	-	2	2	2	4	-	-
MALE	10	2	-	-	-	-	-	2	2	2	2	-	-
FEMALE	4	2	-	-	-	-	-	-	-	-	2	-	-
BOISE CITY, IDAHO	926	34	6	4	30	14	18	76	136	196	280	132	-
MALE	544	26	4	2	18	10	10	42	98	122	162	50	-
FEMALE	382	8	2	2	12	4	8	34	38	74	118	82	-
WHITE	916	32	6	4	30	12	18	74	132	196	280	132	-
MALE	536	24	4	2	18	8	10	40	96	122	162	50	-
FEMALE	380	8	2	2	12	4	8	34	36	74	118	82	-
ALL OTHER	10	2	-	-	-	2	-	2	4	-	-	-	-
MALE	8	2	-	-	-	2	-	2	2	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	2	-	-	-	-
BOSTON-LOWELL-LAWRENCE, MASS	33,228	640	142	200	622	488	982	2,512	4,960	7,732	9,560	5,382	8
MALE	17,290	398	90	116	452	320	678	1,584	3,160	4,268	4,432	1,786	6
FEMALE	15,938	242	52	84	170	168	304	928	1,800	3,464	5,128	3,596	2
WHITE	32,012	548	128	184	544	414	866	2,344	4,804	7,522	9,354	5,296	8
MALE	16,562	342	78	106	400	268	588	1,470	3,058	4,152	4,332	1,762	6
FEMALE	15,450	206	50	78	144	146	278	874	1,746	3,370	5,022	3,534	2
ALL OTHER	1,216	92	14	16	78	74	116	168	156	210	206	86	-
MALE	728	56	12	10	52	52	90	114	102	116	100	24	-
FEMALE	488	36	2	6	26	22	26	54	54	94	106	62	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
BRIDGEPORT-STAMFORD-NORWALK, CONN	6,666	170	26	58	116	98	222	598	1,174	1,450	1,810	944	-
WHITE	6,300	138	22	48	104	80	194	532	1,100	1,378	1,776	928	-
MALE	3,350	74	14	32	74	56	138	326	702	762	852	320	-
FEMALE	2,950	64	8	16	30	24	56	206	398	616	924	608	-
ALL OTHER	366	32	4	10	12	18	28	66	74	72	34	16	-
MALE	218	20	4	6	8	14	16	34	52	44	18	2	-
FEMALE	148	12	-	4	4	4	12	32	22	28	16	14	-
BROCKTON, MASS	3,204	80	20	26	66	48	100	288	458	732	874	512	-
WHITE	3,158	78	18	26	66	48	98	282	452	724	870	496	-
MALE	1,674	44	10	14	48	32	56	180	284	416	408	182	-
FEMALE	1,530	36	10	12	18	16	44	108	174	316	466	330	-
ALL OTHER	46	2	2	-	-	-	2	6	6	8	4	16	-
MALE	18	2	-	-	-	-	2	2	4	4	-	4	-
FEMALE	28	-	2	-	-	-	-	4	2	4	4	12	-
BROWNSVILLE-HARLINGEN-SAN BENITO, TEX	1,194	90	12	20	30	30	54	108	160	274	284	132	-
WHITE	1,180	88	12	20	30	30	54	102	156	274	282	132	-
MALE	696	58	6	12	20	22	38	56	104	162	164	54	-
FEMALE	484	30	6	8	10	8	16	46	52	112	118	78	-
ALL OTHER	14	2	-	-	-	-	-	6	4	-	2	-	-
MALE	10	2	-	-	-	-	-	4	2	-	2	-	-
FEMALE	4	-	-	-	-	-	-	2	2	-	-	-	-
BRYAN-COLLEGE STATION, TEX	420	26	10	-	22	4	12	38	60	96	96	56	-
WHITE	318	20	6	-	20	2	12	26	42	70	70	50	-
MALE	186	10	4	-	16	-	8	10	30	56	32	20	-
FEMALE	132	10	2	-	4	2	4	16	12	14	38	30	-
ALL OTHER	102	6	4	-	2	2	-	12	18	26	26	6	-
MALE	64	4	4	-	2	2	-	4	14	14	16	4	-
FEMALE	38	2	-	-	-	-	-	8	4	12	10	2	-
BUFFALO, N.Y	13,382	364	54	66	256	212	436	1,188	2,300	3,276	3,568	1,646	16
WHITE	12,322	258	46	60	194	162	340	1,046	2,072	3,062	3,460	1,608	14
MALE	7,202	194	28	30	168	140	282	744	1,484	1,904	1,632	582	14
FEMALE	6,180	170	26	36	88	72	154	444	816	1,372	1,936	1,064	2
ALL OTHER	1,060	106	8	6	62	50	96	142	228	214	108	38	2
MALE	656	58	8	4	46	34	58	92	140	144	60	10	2
FEMALE	404	48	-	2	16	16	38	50	88	70	48	28	-
CANTON, OHIO	3,578	94	12	28	66	62	112	304	522	876	968	534	-
WHITE	3,324	66	8	26	62	50	98	276	490	794	930	524	-
MALE	1,802	42	4	18	52	34	62	150	318	446	478	198	-
FEMALE	1,522	24	4	8	10	16	36	126	172	348	452	326	-
ALL OTHER	254	28	4	2	4	12	14	28	32	82	38	10	-
MALE	150	20	2	-	2	6	10	12	20	50	22	6	-
FEMALE	104	8	2	2	2	6	4	16	12	32	16	4	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
CEDAR RAPIDS, IOWA	1,422	46	6	6	26	18	60	108	164	292	428	268	-
MALE	754	24	2	6	18	12	44	68	110	180	210	80	-
FEMALE	668	22	4	-	8	6	16	40	54	112	218	188	-
WHITE	1,400	40	6	6	24	18	60	104	162	288	424	268	-
MALE	742	20	2	6	18	12	44	66	110	176	208	80	-
FEMALE	658	20	4	-	6	6	16	38	52	112	216	188	-
ALL OTHER	22	6	-	-	2	-	-	4	2	4	4	-	-
MALE	12	4	-	-	-	-	-	2	-	4	2	-	-
FEMALE	10	2	-	-	2	-	-	2	2	-	2	-	-
CHAMPAIGN-URBANA, ILL	996	54	2	10	32	20	34	58	146	204	270	164	2
MALE	494	24	2	8	26	8	20	34	100	114	110	48	-
FEMALE	502	30	-	2	6	12	14	24	46	90	160	116	2
WHITE	920	44	2	8	26	18	30	48	136	188	258	160	2
MALE	460	22	2	8	20	6	18	24	98	106	108	48	-
FEMALE	460	22	-	-	6	12	12	24	38	82	150	112	2
ALL OTHER	76	10	-	2	6	2	4	10	10	16	12	4	-
MALE	34	2	-	-	6	2	2	10	2	8	2	-	-
FEMALE	42	8	-	2	-	-	2	-	8	8	10	4	-
CHARLESTON, S.C	2,228	112	14	34	76	88	124	336	470	528	288	158	-
MALE	1,300	66	10	26	48	62	78	226	298	282	150	54	-
FEMALE	928	46	4	8	28	26	46	110	172	246	138	104	-
WHITE	1,316	54	12	20	42	38	58	174	246	308	230	134	-
MALE	796	40	8	18	28	20	34	132	174	180	118	44	-
FEMALE	520	14	4	2	14	18	24	42	72	128	112	90	-
ALL OTHER	912	58	2	14	34	50	66	162	224	220	58	24	-
MALE	504	26	2	8	20	42	44	94	124	102	32	10	-
FEMALE	408	32	-	6	14	8	22	68	100	118	26	14	-
CHARLESTON, W. VA	2,456	60	10	24	34	48	90	280	488	554	568	300	-
MALE	1,386	32	6	18	24	22	48	178	334	324	278	122	-
FEMALE	1,070	28	4	6	10	26	42	102	154	230	290	178	-
WHITE	2,232	42	10	24	30	46	82	248	450	504	512	284	-
MALE	1,264	22	6	18	22	22	42	158	308	294	258	114	-
FEMALE	968	20	4	6	8	24	40	90	142	210	254	170	-
ALL OTHER	224	18	-	-	4	2	8	32	38	50	56	16	-
MALE	122	10	-	-	2	-	6	20	26	30	20	8	-
FEMALE	102	8	-	-	2	2	2	12	12	20	36	8	-
CHARLOTTE, N.C	3,284	148	18	38	100	124	212	422	558	670	650	342	2
MALE	1,762	94	12	28	70	90	128	240	354	360	270	114	2
FEMALE	1,522	54	6	10	30	34	84	182	204	310	380	228	-
WHITE	2,386	84	12	30	58	56	108	276	402	508	542	310	-
MALE	1,276	48	6	22	44	40	66	166	264	290	228	102	-
FEMALE	1,110	36	6	8	14	16	42	110	138	218	314	208	-
ALL OTHER	898	64	6	8	42	68	104	146	156	162	108	32	2
MALE	486	46	6	6	26	50	62	74	90	70	42	12	2
FEMALE	412	18	-	2	16	18	42	72	66	92	66	20	-
CHATTANOOGA, TENN.-GA	3,090	118	14	28	70	70	106	318	620	760	620	366	-
MALE	1,744	68	8	12	50	50	60	206	422	442	272	154	-
FEMALE	1,346	50	6	16	20	20	46	112	198	318	348	212	-
WHITE	2,438	78	10	26	48	50	74	246	436	608	528	334	-
MALE	1,394	50	4	12	38	36	48	166	314	360	232	134	-
FEMALE	1,044	28	6	14	10	14	26	80	122	248	296	200	-
ALL OTHER	652	40	4	2	22	20	32	72	184	152	92	32	-
MALE	350	18	4	-	12	14	12	40	108	82	40	20	-
FEMALE	302	22	-	2	10	6	20	32	76	70	52	12	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972-Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
CHICAGO, ILL	67,374	2,354	394	482	1,504	1,524	2,660	6,746	11,772	15,158	17,062	7,706	12
MALE	36,738	1,322	222	304	1,070	988	1,606	4,272	7,454	8,716	7,974	2,800	10
FEMALE	30,636	1,032	172	178	434	536	1,054	2,474	4,318	6,442	9,088	4,906	2
WHITE	55,304	1,226	230	360	960	832	1,614	4,994	9,770	12,684	15,594	7,036	4
MALE	29,888	690	134	230	670	532	964	3,166	6,286	7,380	7,288	2,546	2
FEMALE	25,416	536	96	130	290	300	650	1,828	3,484	5,304	8,306	4,490	2
ALL OTHER	12,070	1,128	164	122	544	692	1,046	1,752	2,002	2,474	1,468	670	8
MALE	6,850	632	88	74	400	456	642	1,106	1,168	1,336	686	254	8
FEMALE	5,220	496	76	48	144	236	404	646	834	1,138	782	416	-
CINCINNATI, OHIO-KY.-IND	13,472	348	68	104	292	214	470	1,128	2,160	3,162	3,666	1,858	2
MALE	7,044	176	30	60	186	148	288	674	1,358	1,832	1,688	604	-
FEMALE	6,428	172	38	44	106	66	182	454	802	1,330	1,978	1,254	2
WHITE	11,720	260	46	90	244	170	362	926	1,806	2,726	3,350	1,738	2
MALE	6,110	138	18	54	152	116	226	572	1,152	1,594	1,530	558	-
FEMALE	5,610	122	28	36	92	54	136	354	654	1,132	1,820	1,180	2
ALL OTHER	1,752	88	22	14	48	44	108	202	354	436	316	120	-
MALE	934	38	12	6	34	32	62	102	206	238	158	46	-
FEMALE	818	50	10	8	14	12	46	100	148	198	158	74	-
CLEVELAND, OHIO	19,966	588	98	142	384	384	792	2,000	3,484	4,324	5,340	2,430	-
MALE	11,142	312	38	90	276	254	490	1,282	2,270	2,508	2,696	926	-
FEMALE	8,824	276	60	52	108	130	302	718	1,214	1,816	2,644	1,504	-
WHITE	16,538	366	60	98	236	208	458	1,496	2,888	3,646	4,836	2,246	-
MALE	9,128	206	20	66	162	136	276	968	1,906	2,126	2,408	854	-
FEMALE	7,410	160	40	32	74	72	182	528	982	1,520	2,428	1,392	-
ALL OTHER	3,428	222	38	44	148	176	334	504	596	678	504	184	-
MALE	2,014	106	18	24	114	118	214	314	364	382	288	72	-
FEMALE	1,414	116	20	20	34	58	120	190	232	296	216	112	-
COLORADO SPRINGS, COLO	1,616	94	28	24	68	52	86	134	216	332	350	232	-
MALE	920	58	18	16	56	28	52	86	140	206	166	94	-
FEMALE	696	36	10	8	12	24	34	48	76	126	184	138	-
WHITE	1,518	86	26	18	68	46	70	126	202	316	336	224	-
MALE	860	52	16	12	56	24	40	82	130	198	162	88	-
FEMALE	658	34	10	6	12	22	30	44	72	118	174	136	-
ALL OTHER	98	8	2	6	-	6	16	8	14	16	14	8	-
MALE	60	6	2	4	-	4	12	4	10	8	4	6	-
FEMALE	38	2	-	2	-	2	4	4	4	8	10	2	-
COLUMBIA, MO	558	24	4	6	8	6	18	26	74	124	146	122	-
MALE	288	18	2	4	4	-	10	16	50	82	66	36	-
FEMALE	270	6	2	2	4	6	8	10	24	42	80	86	-
WHITE	522	18	4	6	8	6	16	24	70	112	138	120	-
MALE	268	14	2	4	4	-	10	14	48	74	62	36	-
FEMALE	254	4	2	2	4	6	6	10	22	38	76	84	-
ALL OTHER	36	6	-	-	-	-	2	2	4	12	8	2	-
MALE	20	4	-	-	-	-	-	2	2	8	4	-	-
FEMALE	16	2	-	-	-	-	2	-	2	4	4	2	-
COLUMBIA, S.C	2,520	104	24	32	100	86	158	306	504	546	442	218	-
MALE	1,408	52	8	22	64	54	108	192	320	280	234	72	-
FEMALE	1,112	52	16	10	34	32	50	114	184	266	208	146	-
WHITE	1,678	58	16	10	56	30	84	182	312	374	378	178	-
MALE	924	28	4	10	38	20	52	114	208	200	190	60	-
FEMALE	754	30	12	-	18	10	32	68	104	174	188	118	-
ALL OTHER	842	46	8	22	44	56	74	124	192	172	64	40	-
MALE	484	24	4	12	28	34	56	78	112	80	44	12	-
FEMALE	358	22	4	10	16	22	18	46	80	92	20	28	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
COLUMBUS, GA.-ALA	1,946	94	16	16	64	52	104	254	366	456	366	156	2
MALE	1,078	54	6	8	44	42	54	164	222	258	162	62	2
FEMALE	868	40	10	8	20	10	50	90	144	198	204	94	-
WHITE	1,214	44	14	6	28	20	62	142	228	292	260	118	-
MALE	686	26	6	4	20	18	38	100	152	178	96	48	-
FEMALE	528	18	8	2	8	2	24	42	76	114	164	70	-
ALL OTHER	732	50	2	10	36	32	42	112	138	164	106	38	2
MALE	392	28	-	4	24	24	16	64	70	80	66	14	2
FEMALE	340	22	2	6	12	8	26	48	68	84	40	24	-
COLUMBUS, OHIO	7,692	292	58	74	180	184	292	758	1,252	1,798	1,818	986	-
MALE	4,256	176	28	32	130	128	168	472	864	1,082	812	364	-
FEMALE	3,436	116	30	42	50	56	124	286	388	716	1,006	622	-
WHITE	6,606	228	48	60	142	138	192	610	1,064	1,552	1,664	908	-
MALE	3,634	138	24	26	100	102	108	382	732	946	748	328	-
FEMALE	2,972	90	24	34	42	36	84	228	332	606	916	580	-
ALL OTHER	1,086	64	10	14	38	46	100	148	188	246	154	78	-
MALE	622	38	4	6	30	26	60	90	132	136	64	36	-
FEMALE	464	26	6	8	8	20	40	58	56	110	90	42	-
CORPUS CHRISTI, TEX	2,094	122	22	18	80	84	78	210	398	486	396	200	-
MALE	1,296	72	12	16	70	56	60	136	264	304	218	88	-
FEMALE	798	50	10	2	10	28	18	74	134	182	178	112	-
WHITE	1,936	114	22	18	74	74	72	192	344	452	374	200	-
MALE	1,196	64	12	16	66	52	58	122	224	288	206	88	-
FEMALE	740	50	10	2	8	22	14	70	120	164	168	112	-
ALL OTHER	158	8	-	-	6	10	6	18	54	34	22	-	-
MALE	100	8	-	-	4	4	2	14	40	16	12	-	-
FEMALE	58	-	-	-	2	6	4	4	14	18	10	-	-
DALLAS, TEX	12,226	592	86	134	386	422	612	1,230	1,900	2,568	2,840	1,456	-
MALE	6,782	354	46	72	254	286	378	766	1,302	1,520	1,312	492	-
FEMALE	5,444	238	40	62	132	136	234	464	598	1,048	1,528	964	-
WHITE	10,036	394	68	94	278	298	414	962	1,538	2,104	2,544	1,342	-
MALE	5,524	228	36	42	184	208	264	612	1,084	1,268	1,154	444	-
FEMALE	4,512	166	32	52	94	90	150	350	454	836	1,390	898	-
ALL OTHER	2,190	198	18	40	108	124	198	268	362	464	296	114	-
MALE	1,258	126	10	30	70	78	114	154	218	252	158	48	-
FEMALE	932	72	8	10	38	46	84	114	144	212	138	66	-
DAVENPORT-ROCK ISLAND-MOLINE, IOWA-ILL	3,472	102	22	30	74	70	88	228	486	810	954	608	-
MALE	1,856	58	16	20	50	50	50	152	326	476	436	222	-
FEMALE	1,616	44	6	10	24	20	38	76	160	334	518	386	-
WHITE	3,376	90	22	30	68	64	80	224	460	792	946	600	-
MALE	1,808	50	16	20	48	44	44	150	316	466	436	218	-
FEMALE	1,568	40	6	10	20	20	36	74	144	326	510	382	-
ALL OTHER	96	12	-	-	6	6	8	4	26	18	8	8	-
MALE	48	8	-	-	2	6	6	2	10	10	-	4	-
FEMALE	48	4	-	-	4	-	2	2	16	8	8	4	-
DAYTON, OHIO	6,900	220	28	82	224	174	274	688	1,092	1,526	1,712	880	-
MALE	3,904	128	12	50	160	124	180	472	722	936	834	286	-
FEMALE	2,996	92	16	32	64	50	94	216	370	590	878	594	-
WHITE	6,004	170	18	72	172	122	188	572	938	1,352	1,562	838	-
MALE	3,352	98	10	44	124	90	122	392	614	836	756	266	-
FEMALE	2,652	72	8	28	48	32	66	180	324	516	806	572	-
ALL OTHER	896	50	10	10	52	52	86	116	154	174	150	42	-
MALE	552	30	2	6	36	34	58	80	108	100	78	20	-
FEMALE	344	20	8	4	16	18	28	36	46	74	72	22	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972–Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
DECATUR, ILL	1,234	30	12	6	20	18	28	106	186	264	334	230	-
WHITE	1,150	22	12	4	18	10	20	92	176	248	322	226	-
MALE	560	12	8	2	12	4	8	64	96	140	154	60	-
FEMALE	590	10	4	2	6	6	12	28	80	108	168	166	-
ALL OTHER	84	8	-	2	2	8	8	14	10	16	12	4	-
MALE	42	6	-	-	2	2	2	6	6	8	8	2	-
FEMALE	42	2	-	2	-	6	6	8	4	8	4	2	-
DENVER, COLO	9,260	342	48	96	318	274	332	884	1,378	1,778	2,338	1,472	-
WHITE	8,824	314	44	94	282	248	302	820	1,302	1,698	2,282	1,438	-
MALE	4,816	202	28	60	206	172	192	488	806	984	1,140	538	-
FEMALE	4,008	112	16	34	76	76	110	332	496	714	1,142	900	-
ALL OTHER	436	28	4	2	36	26	30	64	76	80	56	34	-
MALE	270	16	-	2	28	22	24	50	46	38	28	16	-
FEMALE	166	12	4	-	8	4	6	14	30	42	28	18	-
DES MOINES, IOWA	2,632	96	22	24	72	40	82	204	352	588	720	432	-
WHITE	2,504	92	22	24	62	38	68	190	334	570	688	416	-
MALE	1,360	38	14	12	46	28	48	112	220	346	332	164	-
FEMALE	1,144	54	8	12	16	10	20	78	114	224	356	252	-
ALL OTHER	128	4	-	-	10	2	14	14	18	18	32	16	-
MALE	80	2	-	-	8	2	10	12	12	10	16	8	-
FEMALE	48	2	-	-	2	-	4	2	6	8	16	8	-
DETROIT, MICH	36,714	1,332	212	248	1,090	944	1,604	4,034	6,268	8,494	8,966	3,520	2
WHITE	29,244	706	138	184	686	500	992	2,870	4,912	6,908	8,124	3,224	-
MALE	16,692	406	84	124	494	306	550	1,808	3,228	4,234	4,250	1,208	-
FEMALE	12,552	300	54	60	192	194	442	1,062	1,684	2,674	3,874	2,016	-
ALL OTHER	7,470	626	74	64	404	444	612	1,164	1,356	1,586	842	296	2
MALE	4,516	348	32	38	312	290	388	736	830	916	500	124	2
FEMALE	2,954	278	42	26	92	154	224	428	526	670	342	172	-
DUBUQUE, IOWA	850	18	4	8	14	12	20	66	112	184	268	144	-
WHITE	850	18	4	8	14	12	20	66	112	184	268	144	-
MALE	452	6	4	6	8	8	10	44	74	112	136	44	-
FEMALE	398	12	-	2	6	4	10	22	38	72	132	100	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
DULUTH-SUPERIOR, MINN.-WIS	2,920	52	16	14	66	44	48	202	492	650	866	468	2
WHITE	2,904	52	16	14	64	44	48	200	488	644	864	468	2
MALE	1,686	30	6	12	54	36	36	128	316	384	446	236	2
FEMALE	1,218	22	10	2	10	8	12	72	172	260	418	232	-
ALL OTHER	16	-	-	-	2	-	-	2	4	6	2	-	-
MALE	12	-	-	-	2	-	-	-	4	4	2	-	-
FEMALE	4	-	-	-	-	-	-	2	-	2	-	-	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
DURHAM, N.C.	1,600	60	6	12	46	44	76	144	318	398	336	160	-
MALE	878	38	2	6	38	30	50	76	202	236	150	50	-
FEMALE	722	22	4	6	8	14	26	68	116	162	186	110	-
WHITE	1,078	30	6	8	22	20	48	64	190	296	258	136	-
MALE	592	20	2	4	18	12	36	36	118	194	112	40	-
FEMALE	486	10	4	4	4	8	12	28	72	102	146	96	-
ALL OTHER	522	30	-	4	24	24	28	80	128	102	78	24	-
MALE	286	18	-	2	20	18	14	40	84	42	38	10	-
FEMALE	236	12	-	2	4	6	14	40	44	60	40	14	-
EL PASO, TEX.	2,244	178	24	26	76	70	110	208	330	478	522	218	4
MALE	1,276	108	12	12	62	46	80	142	202	278	250	80	4
FEMALE	968	70	12	14	14	24	30	66	128	200	272	138	-
WHITE	2,164	170	22	22	72	68	106	196	318	462	512	212	4
MALE	1,232	104	12	10	58	46	76	132	196	272	244	78	4
FEMALE	932	66	10	12	14	22	30	64	122	190	268	134	-
ALL OTHER	80	8	2	4	4	2	4	12	12	16	10	6	-
MALE	44	4	-	2	4	-	4	10	6	6	6	2	-
FEMALE	36	4	2	2	-	2	-	2	6	10	4	4	-
ERIE, PA.	2,702	84	16	14	56	34	82	216	440	658	710	392	-
MALE	1,486	52	10	6	30	30	58	122	292	372	366	148	-
FEMALE	1,216	32	6	8	26	4	24	94	148	286	344	244	-
WHITE	2,618	74	16	12	54	30	76	202	430	634	700	390	-
MALE	1,438	44	10	6	30	26	54	116	290	354	360	148	-
FEMALE	1,180	30	6	6	24	4	22	86	140	280	340	242	-
ALL OTHER	84	10	-	2	2	4	6	14	10	24	10	2	-
MALE	48	8	-	-	-	4	4	6	2	18	6	-	-
FEMALE	36	2	-	2	2	-	2	8	8	6	4	2	-
EUGENE, OREG.	1,628	58	16	12	42	36	56	120	210	378	448	252	-
MALE	932	26	10	8	34	32	38	84	128	238	210	124	-
FEMALE	696	32	6	4	8	4	18	36	82	140	238	128	-
WHITE	1,612	56	16	10	42	36	54	120	210	376	444	248	-
MALE	924	24	10	6	34	32	38	84	128	236	208	124	-
FEMALE	688	32	6	4	8	4	16	36	82	140	236	124	-
ALL OTHER	16	2	-	2	-	-	2	-	-	2	4	4	-
MALE	8	2	-	2	-	-	-	-	-	2	2	-	-
FEMALE	8	-	-	-	-	-	2	-	-	-	2	4	-
EVANSVILLE, IND.-KY.	2,556	62	18	24	44	34	98	168	374	666	742	326	-
MALE	1,400	36	8	18	28	14	68	106	224	422	356	120	-
FEMALE	1,156	26	10	6	16	20	30	62	150	244	386	206	-
WHITE	2,364	56	18	22	40	32	88	156	336	626	690	300	-
MALE	1,302	34	8	16	26	14	64	102	204	406	322	106	-
FEMALE	1,062	22	10	6	14	18	24	54	132	220	368	194	-
ALL OTHER	192	6	-	2	4	2	10	12	38	40	52	26	-
MALE	98	2	-	2	2	-	4	4	20	16	34	14	-
FEMALE	94	4	-	-	2	2	6	8	18	24	18	12	-
FALL RIVER-NEW BEDFORD, MASS.	4,548	88	14	34	74	50	108	352	722	1,104	1,338	664	-
MALE	2,424	44	10	24	56	32	76	226	472	630	664	190	-
FEMALE	2,124	44	4	10	18	18	32	126	250	474	674	474	-
WHITE	4,482	86	14	32	70	48	106	350	714	1,088	1,320	654	-
MALE	2,380	42	10	22	52	32	74	224	468	620	654	182	-
FEMALE	2,102	44	4	10	18	16	32	126	246	468	666	472	-
ALL OTHER	66	2	-	2	4	2	2	2	8	16	18	10	-
MALE	44	2	-	2	4	-	2	2	4	10	10	8	-
FEMALE	22	-	-	-	-	2	-	-	4	6	8	2	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
FARGO-MOORHEAD, N. DAK.-MINN	992	30	2	4	24	16	32	70	188	190	256	180	-
MALE	562	20	2	2	20	8	20	50	124	106	138	72	-
FEMALE	430	10	-	2	4	8	12	20	64	84	118	108	-
WHITE	992	30	2	4	24	16	32	70	188	190	256	180	-
MALE	562	20	2	2	20	8	20	50	124	106	138	72	-
FEMALE	430	10	-	2	4	8	12	20	64	84	118	108	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
FAYETTEVILLE, N.C	1,284	116	26	28	64	54	110	142	236	242	184	82	-
MALE	724	58	12	16	48	30	68	88	144	138	82	40	-
FEMALE	560	58	14	12	16	24	42	54	92	104	102	42	-
WHITE	900	72	22	20	42	36	74	90	158	168	150	68	-
MALE	496	32	10	10	34	20	46	50	104	90	66	34	-
FEMALE	404	40	12	10	8	16	28	40	54	78	84	34	-
ALL OTHER	384	44	4	8	22	18	36	52	78	74	34	14	-
MALE	228	26	2	6	14	10	22	38	40	48	16	6	-
FEMALE	156	18	2	2	8	8	14	14	38	26	18	8	-
FLINT, MICH	3,590	172	30	40	124	78	176	322	588	808	826	426	-
MALE	2,058	108	22	28	82	52	106	202	396	480	452	130	-
FEMALE	1,532	64	8	12	42	26	70	120	192	328	374	296	-
WHITE	3,214	126	20	38	84	58	128	280	528	738	796	418	-
MALE	1,844	74	16	26	62	46	80	172	356	446	436	130	-
FEMALE	1,370	52	4	12	22	12	48	108	172	292	360	288	-
ALL OTHER	376	46	10	2	40	20	48	42	60	70	30	8	-
MALE	214	34	6	2	20	6	26	30	40	34	16	-	-
FEMALE	162	12	4	-	20	14	22	12	20	36	14	8	-
FORT LAUDERDALE-HOLLYWOOD, FLA	8,128	160	26	40	164	158	254	594	1,278	2,560	2,152	740	2
MALE	4,876	82	10	24	108	108	158	360	816	1,722	1,182	306	-
FEMALE	3,252	78	16	16	56	50	96	234	462	838	970	434	2
WHITE	7,436	102	18	30	120	82	162	476	1,144	2,470	2,114	716	2
MALE	4,466	54	10	14	80	56	92	292	744	1,668	1,160	296	-
FEMALE	2,970	48	8	16	40	26	70	184	400	802	954	420	2
ALL OTHER	692	58	8	10	44	76	92	118	134	90	38	24	-
MALE	410	28	-	10	28	52	66	68	72	54	22	10	-
FEMALE	282	30	8	-	16	24	26	50	62	36	16	14	-
FORT SMITH, ARK.-OKLA	1,662	46	12	16	48	30	54	120	228	412	436	260	-
MALE	922	26	4	14	30	20	32	76	156	248	218	98	-
FEMALE	740	20	8	2	18	10	22	44	72	164	218	162	-
WHITE	1,522	42	8	12	40	26	50	106	212	376	404	246	-
MALE	864	24	4	10	26	16	32	74	150	230	204	94	-
FEMALE	658	18	4	2	14	10	18	32	62	146	200	152	-
ALL OTHER	140	4	4	4	8	4	4	14	16	36	32	14	-
MALE	58	2	-	4	4	4	-	2	6	18	14	4	-
FEMALE	82	2	4	-	4	-	4	12	10	18	18	10	-
FORT WAYNE, IND	2,332	80	4	20	42	30	78	176	366	554	634	348	-
MALE	1,216	52	4	10	30	22	48	108	232	268	322	120	-
FEMALE	1,116	28	-	10	12	8	30	68	134	286	312	228	-
WHITE	2,188	66	4	18	30	28	58	162	342	530	610	340	-
MALE	1,128	42	4	8	20	20	36	100	220	254	308	116	-
FEMALE	1,060	24	-	10	10	8	22	62	122	276	302	224	-
ALL OTHER	144	14	-	2	12	2	20	14	24	24	24	8	-
MALE	88	10	-	2	10	2	12	8	12	14	14	4	-
FEMALE	56	4	-	-	2	-	8	6	12	10	10	4	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
FORT WORTH, TEX	6,282	278	52	78	160	178	296	682	994	1,358	1,484	722	-
MALE	3,528	140	24	38	120	130	186	432	668	802	740	248	-
FEMALE	2,754	138	28	40	40	48	110	250	326	556	744	474	-
WHITE	5,412	210	36	64	132	146	236	596	828	1,144	1,346	674	-
MALE	3,050	118	12	28	102	104	146	382	572	688	664	234	-
FEMALE	2,362	92	24	36	30	42	90	214	256	456	682	440	-
ALL OTHER	870	68	16	14	28	32	60	86	166	214	138	48	-
MALE	478	22	12	10	18	26	40	50	96	114	76	14	-
FEMALE	392	46	4	4	10	6	20	36	70	100	62	34	-
FRESNO, CALIF	3,578	128	20	30	132	104	122	304	556	728	970	484	-
MALE	2,094	86	10	16	102	76	76	190	364	482	506	186	-
FEMALE	1,484	42	10	14	30	28	46	114	192	246	464	298	-
WHITE	3,252	110	18	24	122	78	106	270	492	668	904	460	-
MALE	1,880	80	8	14	94	60	62	166	320	436	464	176	-
FEMALE	1,372	30	10	10	28	18	44	104	172	232	440	284	-
ALL OTHER	326	18	2	6	10	26	16	34	64	60	66	24	-
MALE	214	6	2	2	8	16	14	24	44	46	42	10	-
FEMALE	112	12	-	4	2	10	2	10	20	14	24	14	-
GADSDEN, ALA	966	44	2	12	28	22	42	90	188	216	218	104	-
MALE	524	20	2	4	24	10	32	52	132	110	98	40	-
FEMALE	442	24	-	8	4	12	10	38	56	106	120	64	-
WHITE	794	30	2	6	28	16	32	68	152	180	188	92	-
MALE	448	16	2	4	24	10	24	40	110	96	86	36	-
FEMALE	346	14	-	2	4	6	8	28	42	84	102	56	-
ALL OTHER	172	14	-	6	-	6	10	22	36	36	30	12	-
MALE	76	4	-	-	-	-	8	12	22	14	12	4	-
FEMALE	96	10	-	6	-	6	2	10	14	22	18	8	-
GAINESVILLE, FLA	750	16	8	6	24	28	40	74	126	186	164	78	-
MALE	452	10	8	2	16	22	24	48	78	120	86	38	-
FEMALE	298	6	-	4	8	6	16	26	48	66	78	40	-
WHITE	470	8	6	2	14	18	18	44	68	114	106	72	-
MALE	292	8	6	-	8	14	10	30	50	78	54	34	-
FEMALE	178	-	-	2	6	4	8	14	18	36	52	38	-
ALL OTHER	280	8	2	4	10	10	22	30	58	72	58	6	-
MALE	160	2	2	2	8	8	14	18	28	42	32	4	-
FEMALE	120	6	-	2	2	2	8	12	30	30	26	2	-
GALVESTON-TEXAS CITY, TEX	1,414	50	8	10	50	42	70	164	286	306	284	142	2
MALE	864	26	4	8	36	26	50	104	202	214	134	58	2
FEMALE	550	24	4	2	14	16	20	60	84	92	150	84	-
WHITE	1,128	34	4	8	42	30	48	128	246	230	234	124	-
MALE	690	18	4	6	30	18	34	80	170	162	116	52	-
FEMALE	438	16	-	2	12	12	14	48	76	68	118	72	-
ALL OTHER	286	16	4	2	8	12	22	36	40	76	50	18	2
MALE	174	8	-	2	6	8	16	24	32	52	18	6	2
FEMALE	112	8	4	-	2	4	6	12	8	24	32	12	-
GARY-HAMMOND-EAST CHICAGO, IND	5,280	258	44	42	152	184	208	618	944	1,136	1,204	490	-
MALE	3,058	154	22	26	118	122	122	394	604	662	646	188	-
FEMALE	2,222	104	22	16	34	62	86	224	340	474	558	302	-
WHITE	4,222	164	34	34	104	114	120	462	748	924	1,078	440	-
MALE	2,452	86	16	22	82	72	68	310	510	542	574	170	-
FEMALE	1,770	78	18	12	22	42	52	152	238	382	504	270	-
ALL OTHER	1,058	94	10	8	48	70	88	156	196	212	126	50	-
MALE	606	68	6	4	36	50	54	84	94	120	72	18	-
FEMALE	452	26	4	4	12	20	34	72	102	92	54	32	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
GRAND RAPIDS, MICH	4,598	148	16	42	98	76	116	346	652	1,052	1,286	764	2
MALE	2,486	80	8	32	74	46	78	224	438	604	630	270	2
FEMALE	2,112	68	8	10	24	30	38	122	214	448	656	494	-
WHITE	4,416	120	12	38	98	62	102	312	626	1,012	1,270	762	2
MALE	2,380	62	6	30	74	38	68	200	426	584	620	270	2
FEMALE	2,036	58	6	8	24	24	34	112	200	428	650	492	-
ALL OTHER	182	28	4	4	-	14	14	34	26	40	16	2	-
MALE	106	18	2	2	-	8	10	24	12	20	10	-	-
FEMALE	76	10	2	2	-	6	4	10	14	20	6	2	-
GREAT FALLS, MONT	660	18	8	-	16	14	26	40	116	138	156	128	-
MALE	376	10	4	-	12	10	18	30	80	72	72	68	-
FEMALE	284	8	4	-	4	4	8	10	36	66	84	60	-
WHITE	652	16	8	-	16	14	24	40	114	138	156	126	-
MALE	374	10	4	-	12	10	16	30	80	72	72	68	-
FEMALE	278	6	4	-	4	4	8	10	34	66	84	58	-
ALL OTHER	8	2	-	-	-	-	2	-	2	-	-	2	-
MALE	2	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE	6	2	-	-	-	-	-	-	2	-	-	2	-
GREEN BAY, WIS	1,174	34	6	10	38	14	28	100	180	256	326	182	-
MALE	658	24	4	10	26	8	12	72	118	168	152	64	-
FEMALE	516	10	2	-	12	6	16	28	62	88	174	118	-
WHITE	1,166	34	6	10	38	14	28	100	178	254	324	180	-
MALE	654	24	4	10	26	8	12	72	116	166	152	64	-
FEMALE	512	10	2	-	12	6	16	28	62	88	172	116	-
ALL OTHER	8	-	-	-	-	-	-	-	2	2	2	2	-
MALE	4	-	-	-	-	-	-	-	2	2	-	-	-
FEMALE	4	-	-	-	-	-	-	-	-	-	2	2	-
GREENSBORO-WINSTON SALEM-HIGH POINT, N.C	5,316	198	36	66	184	130	260	546	978	1,262	1,106	550	-
MALE	2,986	114	24	46	136	86	144	356	630	744	514	192	-
FEMALE	2,330	84	12	20	48	44	116	190	348	518	592	358	-
WHITE	4,082	108	28	50	130	80	152	388	724	968	966	488	-
MALE	2,312	66	22	34	102	54	94	262	486	564	448	180	-
FEMALE	1,770	42	6	16	28	26	58	126	238	404	518	308	-
ALL OTHER	1,234	90	8	16	54	50	108	158	254	294	140	62	-
MALE	674	48	2	12	34	32	50	94	144	180	66	12	-
FEMALE	560	42	6	4	20	18	58	64	110	114	74	50	-
GREENVILLE, S.C	2,630	84	26	34	98	72	154	344	450	564	526	276	2
MALE	1,522	40	14	20	84	42	98	232	320	320	226	126	-
FEMALE	1,108	44	12	14	14	30	56	112	130	244	300	150	2
WHITE	2,082	50	16	30	66	44	84	268	326	452	484	262	-
MALE	1,210	28	10	18	58	26	52	176	248	272	206	116	-
FEMALE	872	22	6	12	8	18	32	92	78	180	278	146	-
ALL OTHER	548	34	10	4	32	28	70	76	124	112	42	14	2
MALE	312	12	4	2	26	16	46	56	72	48	20	10	-
FEMALE	236	22	6	2	6	12	24	20	52	64	22	4	2
HAMILTON-MIDDLETOWN, OHIO	1,760	54	2	20	46	42	74	136	316	396	424	250	-
MALE	1,008	26	2	18	36	30	44	84	226	246	202	94	-
FEMALE	752	28	-	2	10	12	30	52	90	150	222	156	-
WHITE	1,620	34	2	20	38	34	68	116	286	380	400	242	-
MALE	928	20	2	18	30	22	40	76	210	234	188	88	-
FEMALE	692	14	-	2	8	12	28	40	76	146	212	154	-
ALL OTHER	140	20	-	-	8	8	6	20	30	16	24	8	-
MALE	80	6	-	-	6	8	4	8	16	12	14	6	-
FEMALE	60	14	-	-	2	-	2	12	14	4	10	2	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
HARRISBURG, PA	4,166	86	26	28	70	78	122	344	696	900	1,202	610	4
MALE	2,256	42	16	16	56	62	78	238	460	520	568	196	4
FEMALE	1,910	44	10	12	14	16	44	106	236	380	634	414	-
WHITE	3,844	66	26	24	62	60	92	276	652	844	1,142	596	4
MALE	2,052	32	16	14	48	48	60	188	428	494	532	188	4
FEMALE	1,792	34	10	10	14	12	32	88	224	350	610	408	-
ALL OTHER	322	20	-	4	8	18	30	68	44	56	60	14	-
MALE	204	10	-	2	8	14	18	50	32	26	36	8	-
FEMALE	118	10	-	2	-	4	12	18	12	30	24	6	-
HARTFORD-NEW BRITAIN-BRISTOL, CONN	7,022	202	30	42	100	136	238	594	1,138	1,576	2,016	948	2
MALE	3,842	132	14	28	78	76	150	356	758	922	998	328	2
FEMALE	3,180	70	16	14	22	60	88	238	380	654	1,018	620	-
WHITE	6,644	154	26	36	90	120	192	534	1,076	1,514	1,974	928	-
MALE	3,632	96	12	24	72	72	126	320	712	896	980	322	-
FEMALE	3,012	58	14	12	18	48	66	214	364	618	994	606	-
ALL OTHER	378	48	4	6	10	16	46	60	62	62	42	20	2
MALE	210	36	2	4	6	4	24	36	46	26	18	6	2
FEMALE	168	12	2	2	4	12	22	24	16	36	24	14	-
HONOLULU, HAWAII	3,138	210	24	24	90	114	134	378	508	638	590	428	-
MALE	1,906	106	12	18	62	74	92	246	354	398	342	202	-
FEMALE	1,232	104	12	6	28	40	42	132	154	240	248	226	-
WHITE	1,094	62	10	4	28	50	48	122	208	222	212	128	-
MALE	650	38	4	4	20	32	32	86	150	128	112	44	-
FEMALE	444	24	6	-	8	18	16	36	58	94	100	84	-
ALL OTHER	2,044	148	14	20	62	64	86	256	300	416	378	300	-
MALE	1,256	68	8	14	42	42	60	160	204	270	230	158	-
FEMALE	788	80	6	6	20	22	26	96	96	146	148	142	-
HOUSTON, TEX	14,764	784	150	180	592	572	860	1,668	2,640	3,248	2,778	1,286	6
MALE	8,672	466	94	122	454	382	544	1,096	1,726	1,938	1,346	504	-
FEMALE	6,092	318	56	58	138	190	316	572	914	1,310	1,432	782	6
WHITE	11,438	492	104	144	458	380	572	1,224	2,010	2,556	2,356	1,138	4
MALE	6,728	296	66	96	358	244	356	826	1,358	1,590	1,096	442	-
FEMALE	4,710	196	38	48	100	136	216	398	652	966	1,260	696	4
ALL OTHER	3,326	292	46	36	134	192	288	444	630	692	422	148	2
MALE	1,944	170	28	26	96	138	188	270	368	348	250	62	-
FEMALE	1,382	122	18	10	38	54	100	174	262	344	172	86	2
HUNTINGTON-ASHLAND, W.VA.-KY.-OHIO	2,870	74	8	24	42	30	78	278	450	734	738	414	-
MALE	1,606	44	4	12	30	20	52	186	302	426	354	176	-
FEMALE	1,264	30	4	12	12	10	26	92	148	308	384	238	-
WHITE	2,740	70	8	24	40	26	72	260	424	700	714	402	-
MALE	1,538	44	4	12	28	18	46	176	288	406	342	174	-
FEMALE	1,202	26	4	12	12	8	26	84	136	294	372	228	-
ALL OTHER	130	4	-	-	2	4	6	18	26	34	24	12	-
MALE	68	-	-	-	2	2	6	10	14	20	12	2	-
FEMALE	62	4	-	-	-	2	-	8	12	14	12	10	-
HUNTSVILLE, ALA	1,516	68	16	22	50	48	74	178	228	362	322	148	-
MALE	852	40	6	18	42	30	52	108	164	194	140	58	-
FEMALE	664	28	10	4	8	18	22	70	64	168	182	90	-
WHITE	1,184	38	6	18	42	32	54	140	174	286	274	120	-
MALE	676	22	2	14	38	18	44	90	136	152	116	44	-
FEMALE	508	16	4	4	4	14	10	50	38	134	158	76	-
ALL OTHER	332	30	10	4	8	16	20	38	54	76	48	28	-
MALE	176	18	4	4	4	12	8	18	28	42	24	14	-
FEMALE	156	12	6	-	4	4	12	20	26	34	24	14	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
INDIANAPOLIS, IND	9,404	340	74	104	198	202	384	876	1,516	2,108	2,322	1,278	2
MALE	5,008	194	38	72	134	138	226	558	948	1,234	1,032	432	2
FEMALE	4,396	146	36	32	64	64	158	318	568	874	1,290	846	-
WHITE	8,164	248	60	76	168	134	300	718	1,264	1,864	2,122	1,208	2
MALE	4,322	148	32	52	110	86	174	450	822	1,108	922	416	2
FEMALE	3,842	100	28	24	58	48	126	268	442	756	1,200	792	-
ALL OTHER	1,240	92	14	28	30	68	84	158	252	244	200	70	-
MALE	686	46	6	20	24	52	52	108	126	126	110	16	-
FEMALE	554	46	8	8	6	16	32	50	126	118	90	54	-
JACKSON, MICH	1,364	46	4	8	48	40	16	96	218	302	344	242	-
MALE	734	24	4	6	34	28	8	58	134	196	162	80	-
FEMALE	630	22	-	2	14	12	8	38	84	106	182	162	-
WHITE	1,306	44	4	8	46	38	14	88	208	284	340	232	-
MALE	696	22	4	6	34	26	6	54	126	182	160	76	-
FEMALE	610	22	-	2	12	12	8	34	82	102	180	156	-
ALL OTHER	58	2	-	-	2	2	2	8	10	18	4	10	-
MALE	38	2	-	-	-	2	2	4	8	14	2	4	-
FEMALE	20	-	-	-	2	-	-	4	2	4	2	6	-
JACKSON, MISS	2,088	78	12	34	52	64	124	222	410	458	396	236	2
MALE	1,246	50	8	22	34	52	72	144	286	266	214	98	-
FEMALE	842	28	4	12	18	12	52	78	124	192	182	138	2
WHITE	1,166	36	8	10	18	32	70	122	222	262	246	140	-
MALE	688	28	6	10	12	26	40	70	162	160	126	48	-
FEMALE	478	8	2	-	6	6	30	52	60	102	120	92	-
ALL OTHER	922	42	4	24	34	32	54	100	188	196	150	96	2
MALE	558	22	2	12	22	26	32	74	124	106	88	50	-
FEMALE	364	20	2	12	12	6	22	26	64	90	62	46	2
JACKSONVILLE, FLA	4,918	182	24	56	150	120	196	526	968	1,248	1,014	432	2
MALE	2,666	90	14	36	106	92	118	312	600	712	458	126	2
FEMALE	2,252	92	10	20	44	28	78	214	368	536	556	306	-
WHITE	3,476	116	14	40	98	76	122	362	608	834	842	364	-
MALE	1,888	58	6	30	70	62	76	216	402	486	384	98	-
FEMALE	1,588	58	8	10	28	14	46	146	206	348	458	266	-
ALL OTHER	1,442	66	10	16	52	44	74	164	360	414	172	68	2
MALE	778	32	8	6	36	30	42	96	198	226	74	28	2
FEMALE	664	34	2	10	16	14	32	68	162	188	98	40	-
JERSEY CITY, N.J	7,386	192	36	38	128	142	238	660	1,324	1,898	1,982	742	6
MALE	4,002	106	22	16	94	104	146	396	846	1,080	876	310	6
FEMALE	3,384	86	14	22	34	38	92	264	478	818	1,106	432	-
WHITE	6,782	134	22	22	100	76	178	554	1,212	1,814	1,936	728	6
MALE	3,660	78	14	10	78	56	114	328	782	1,040	850	304	6
FEMALE	3,122	56	8	12	22	20	64	226	430	774	1,086	424	-
ALL OTHER	604	58	14	16	28	66	60	106	112	84	46	14	-
MALE	342	28	8	6	16	48	32	68	64	40	26	6	-
FEMALE	262	30	6	10	12	18	28	38	48	44	20	8	-
JOHNSTOWN, PA	3,060	88	4	22	38	36	70	232	516	702	928	422	2
MALE	1,698	50	4	14	28	28	50	138	332	416	460	176	2
FEMALE	1,362	38	-	8	10	8	20	94	184	286	468	246	-
WHITE	3,016	86	4	22	38	36	70	226	504	684	924	420	2
MALE	1,672	48	4	14	28	28	50	134	324	406	458	176	2
FEMALE	1,344	38	-	8	10	8	20	92	180	278	466	244	-
ALL OTHER	44	2	-	-	-	-	-	6	12	18	4	2	-
MALE	26	2	-	-	-	-	-	4	8	10	2	-	-
FEMALE	18	-	-	-	-	-	-	2	4	8	2	2	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
KALAMAZOO, MICH	1,488	62	8	20	58	24	42	102	234	346	342	250	-
MALE	812	42	4	14	44	18	18	60	162	202	166	82	-
FEMALE	676	20	4	6	14	6	24	42	72	144	176	168	-
WHITE	1,428	46	6	18	54	20	38	98	224	340	334	250	-
MALE	770	28	2	14	42	14	18	56	156	198	160	82	-
FEMALE	658	18	4	4	12	6	20	42	68	142	174	168	-
ALL OTHER	60	16	2	2	4	4	4	4	10	6	8	-	-
MALE	42	14	2	-	2	4	-	4	6	4	6	-	-
FEMALE	18	2	-	2	2	-	4	-	4	2	2	-	-
KANSAS CITY, MO.-KANS	11,072	338	70	80	260	216	374	948	1,730	2,400	2,938	1,716	2
MALE	6,048	186	42	50	190	140	228	588	1,162	1,420	1,430	610	2
FEMALE	5,024	152	28	30	70	76	146	360	568	980	1,508	1,106	-
WHITE	9,478	234	58	64	210	178	286	748	1,482	2,028	2,612	1,578	-
MALE	5,134	134	40	42	154	114	174	474	988	1,204	1,256	554	-
FEMALE	4,344	100	18	22	56	64	112	274	494	824	1,356	1,024	-
ALL OTHER	1,594	104	12	16	50	38	88	200	248	372	326	138	2
MALE	914	52	2	8	36	26	54	114	174	216	174	56	2
FEMALE	680	52	10	8	14	12	34	86	74	156	152	82	-
KENOSHA, WIS	976	16	6	6	16	22	30	98	130	232	290	130	-
MALE	506	16	6	4	16	16	12	54	82	102	146	52	-
FEMALE	470	-	-	2	-	6	18	44	48	130	144	78	-
WHITE	970	16	6	6	16	22	30	94	130	232	288	130	-
MALE	502	16	6	4	16	16	12	50	82	102	146	52	-
FEMALE	468	-	-	2	-	6	18	44	48	130	142	78	-
ALL OTHER	6	-	-	-	-	-	-	4	-	-	2	-	-
MALE	4	-	-	-	-	-	-	4	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	2	-	-
KNOXVILLE, TENN	3,766	128	12	22	84	80	168	368	616	952	884	452	-
MALE	2,124	68	6	8	58	52	110	262	408	576	412	164	-
FEMALE	1,642	60	6	14	26	28	58	106	208	376	472	288	-
WHITE	3,388	96	12	20	78	70	148	320	536	846	840	422	-
MALE	1,896	54	6	6	54	46	94	228	362	504	390	152	-
FEMALE	1,492	42	6	14	24	24	54	92	174	342	450	270	-
ALL OTHER	378	32	-	2	6	10	20	48	80	106	44	30	-
MALE	228	14	-	2	4	6	16	34	46	72	22	12	-
FEMALE	150	18	-	-	2	4	4	14	34	34	22	18	-
LA CROSSE, WIS	814	12	4	4	16	18	16	44	120	190	232	158	-
MALE	422	4	4	2	10	12	8	28	70	108	110	66	-
FEMALE	392	8	-	2	6	6	8	16	50	82	122	92	-
WHITE	814	12	4	4	16	18	16	44	120	190	232	158	-
MALE	422	4	4	2	10	12	8	28	70	108	110	66	-
FEMALE	392	8	-	2	6	6	8	16	50	82	122	92	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE, LA	748	44	12	8	32	20	30	76	136	154	172	64	-
MALE	428	18	6	4	20	14	24	56	94	88	84	20	-
FEMALE	320	26	6	4	12	6	6	20	42	66	88	44	-
WHITE	550	24	4	8	26	16	26	48	96	108	142	52	-
MALE	314	10	2	4	18	10	22	36	70	64	62	16	-
FEMALE	236	14	2	4	8	6	4	12	26	44	80	36	-
ALL OTHER	198	20	8	-	6	4	4	28	40	46	30	12	-
MALE	114	8	4	-	2	4	2	20	24	24	22	4	-
FEMALE	84	12	4	-	4	-	2	8	16	22	8	8	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
LAFAYETTE-WEST LAFAYETTE, IND	802	20	8	8	10	18	36	74	124	154	220	130	-
MALE	422	14	6	-	6	12	16	46	72	78	114	58	-
FEMALE	380	6	2	8	4	6	20	28	52	76	106	72	-
WHITE	796	20	8	8	10	18	32	74	124	152	220	130	-
MALE	422	14	6	-	6	12	16	46	72	78	114	58	-
FEMALE	374	6	2	8	4	6	16	28	52	74	106	72	-
ALL OTHER	6	-	-	-	-	-	4	-	-	2	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	6	-	-	-	-	-	4	-	-	2	-	-	-
LAKE CHARLES, LA	1,182	72	6	22	36	32	56	152	200	250	246	110	-
MALE	702	30	4	20	26	20	40	100	134	154	126	48	-
FEMALE	480	42	2	2	10	12	16	52	66	96	120	62	-
WHITE	894	42	6	16	28	30	36	120	140	182	200	94	-
MALE	544	14	4	16	22	18	26	84	104	118	98	40	-
FEMALE	350	28	2	-	6	12	10	36	36	64	102	54	-
ALL OTHER	288	30	-	6	8	2	20	32	60	68	46	16	-
MALE	158	16	-	4	4	2	14	16	30	36	28	8	-
FEMALE	130	14	-	2	4	-	6	16	30	32	18	8	-
LANCASTER, PA	2,994	76	14	26	42	32	70	186	444	698	898	506	2
MALE	1,512	38	6	16	24	16	42	114	310	372	418	154	2
FEMALE	1,482	38	8	10	18	16	28	72	134	326	480	352	-
WHITE	2,952	72	14	26	42	32	70	184	434	692	880	504	2
MALE	1,488	36	6	16	24	16	42	112	302	370	408	154	2
FEMALE	1,464	36	8	10	18	16	28	72	132	322	472	350	-
ALL OTHER	42	4	-	-	-	-	-	2	10	6	18	2	-
MALE	24	2	-	-	-	-	-	2	8	2	10	-	-
FEMALE	18	2	-	-	-	-	-	-	2	4	8	2	-
LANSING, MICH	2,618	116	20	22	74	60	80	220	398	514	692	422	-
MALE	1,472	72	10	14	54	46	50	140	268	338	334	146	-
FEMALE	1,146	44	10	8	20	14	30	80	130	176	358	276	-
WHITE	2,516	96	20	22	66	56	74	208	378	504	678	414	-
MALE	1,410	60	10	14	48	44	44	132	258	328	328	144	-
FEMALE	1,106	36	10	8	18	12	30	76	120	176	350	270	-
ALL OTHER	102	20	-	-	8	4	6	12	20	10	14	8	-
MALE	62	12	-	-	6	2	6	8	10	10	6	2	-
FEMALE	40	8	-	-	2	2	-	4	10	-	8	6	-
LAREDO, TEX	538	40	6	12	14	14	14	42	72	134	114	76	-
MALE	278	20	6	6	12	10	4	24	46	80	48	22	-
FEMALE	260	20	-	6	2	4	10	18	26	54	66	54	-
WHITE	536	40	6	10	14	14	14	42	72	134	114	76	-
MALE	276	20	6	4	12	10	4	24	46	80	48	22	-
FEMALE	260	20	-	6	2	4	10	18	26	54	66	54	-
ALL OTHER	2	-	-	2	-	-	-	-	-	-	-	-	-
MALE	2	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
LAS VEGAS, NEV	1,980	82	18	30	62	94	164	250	418	458	272	126	6
MALE	1,260	50	12	16	46	68	102	172	288	296	158	50	2
FEMALE	720	32	6	14	16	26	62	78	130	162	114	76	4
WHITE	1,804	64	18	26	52	68	134	232	386	440	258	122	4
MALE	1,142	38	12	12	40	46	80	162	264	286	152	48	2
FEMALE	662	26	6	14	12	22	54	70	122	154	106	74	2
ALL OTHER	176	18	-	4	10	26	30	18	32	18	14	4	2
MALE	118	12	-	4	6	22	22	10	24	10	6	2	-
FEMALE	58	6	-	-	4	4	8	8	8	8	8	2	2

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
LAWTON, OKLA	610	54	2	8	26	22	42	42	110	128	116	60	-
MALE	344	32	-	8	22	14	20	30	76	76	44	22	-
FEMALE	266	22	2	-	4	8	22	12	34	52	72	38	-
WHITE	544	38	-	6	24	18	36	34	102	122	106	58	-
MALE	308	24	-	6	20	10	18	24	72	70	44	20	-
FEMALE	236	14	-	-	4	8	18	10	30	52	62	38	-
ALL OTHER	66	16	2	2	2	4	6	8	8	6	10	2	-
MALE	36	8	-	2	2	4	2	6	4	6	-	2	-
FEMALE	30	8	2	-	-	-	4	2	4	-	10	-	-
LEXINGTON, KY	1,438	38	10	14	36	24	68	150	266	316	324	192	-
MALE	770	24	6	12	24	12	50	94	160	176	146	66	-
FEMALE	668	14	4	2	12	12	18	56	106	140	178	126	-
WHITE	1,136	30	6	10	30	14	54	112	218	236	262	164	-
MALE	612	20	6	8	18	6	40	74	130	136	120	54	-
FEMALE	524	10	-	2	12	8	14	38	88	100	142	110	-
ALL OTHER	302	8	4	4	6	10	14	38	48	80	62	28	-
MALE	158	4	-	4	6	6	10	20	30	40	26	12	-
FEMALE	144	4	4	-	-	4	4	18	18	40	36	16	-
LIMA, OHIO	1,708	78	8	22	32	34	30	114	210	372	516	292	-
MALE	926	58	6	18	22	16	20	68	148	242	218	110	-
FEMALE	782	20	2	4	10	18	10	46	62	130	298	182	-
WHITE	1,652	68	8	22	32	30	22	106	200	366	508	290	-
MALE	898	52	6	18	22	14	16	62	144	240	216	108	-
FEMALE	754	16	2	4	10	16	6	44	56	126	292	182	-
ALL OTHER	56	10	-	-	-	4	8	8	10	6	8	2	-
MALE	28	6	-	-	-	2	4	6	4	2	2	2	-
FEMALE	28	4	-	-	-	2	4	2	6	4	6	-	-
LINCOLN, NEBR	1,400	36	8	22	22	28	44	96	158	280	428	278	-
MALE	704	20	6	12	16	22	22	66	106	166	184	84	-
FEMALE	696	16	2	10	6	6	22	30	52	114	244	194	-
WHITE	1,376	36	6	22	22	26	38	96	156	272	426	276	-
MALE	690	20	6	12	16	20	20	66	104	160	184	82	-
FEMALE	686	16	-	10	6	6	18	30	52	112	242	194	-
ALL OTHER	24	-	2	-	-	2	6	-	2	8	2	2	-
MALE	14	-	-	-	-	2	2	-	2	6	-	2	-
FEMALE	10	-	2	-	-	-	4	-	-	2	2	-	-
LITTLE ROCK-NORTH LITTLE ROCK, ARK	3,122	134	18	44	92	104	124	284	468	730	744	380	-
MALE	1,696	72	8	28	64	80	84	174	312	400	328	146	-
FEMALE	1,426	62	10	16	28	24	40	110	156	330	416	234	-
WHITE	2,408	94	10	28	64	74	78	216	366	548	610	320	-
MALE	1,282	54	4	20	44	56	50	126	240	312	264	112	-
FEMALE	1,126	40	6	8	20	18	28	90	126	236	346	208	-
ALL OTHER	714	40	8	16	28	30	46	68	102	182	134	60	-
MALE	414	18	4	8	20	24	34	48	72	88	64	34	-
FEMALE	300	22	4	8	8	6	12	20	30	94	70	26	-
LORAIN-ELYRIA, OHIO	2,086	100	8	18	46	32	68	194	338	498	532	252	-
MALE	1,172	50	6	10	34	18	38	120	230	278	290	98	-
FEMALE	914	50	2	8	12	14	30	74	108	220	242	154	-
WHITE	1,938	78	8	18	46	24	58	168	310	468	512	248	-
MALE	1,090	42	6	10	34	12	34	104	210	262	280	96	-
FEMALE	848	36	2	8	12	12	24	64	100	206	232	152	-
ALL OTHER	148	22	-	-	-	8	10	26	28	30	20	4	-
MALE	82	8	-	-	-	6	4	16	20	16	10	2	-
FEMALE	66	14	-	-	-	2	6	10	8	14	10	2	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
LOS ANGELES-LONG BEACH, CALIF	61,378	1,648	366	446	1,698	1,696	2,520	5,652	9,614	13,176	15,408	9,154	-
MALE	32,246	946	220	268	1,188	1,110	1,524	3,346	6,080	7,564	7,006	2,994	-
FEMALE	29,132	702	146	178	510	586	996	2,306	3,534	5,612	8,402	6,160	-
WHITE	54,546	1,190	258	342	1,308	1,256	1,932	4,728	8,542	11,878	14,394	8,718	-
MALE	28,434	686	150	212	930	844	1,186	2,790	5,462	6,842	6,522	2,810	-
FEMALE	26,112	504	108	130	378	412	746	1,938	3,080	5,036	7,872	5,908	-
ALL OTHER	6,832	458	108	104	390	440	588	924	1,072	1,298	1,014	436	-
MALE	3,812	260	70	56	258	266	338	556	618	722	484	184	-
FEMALE	3,020	198	38	48	132	174	250	368	454	576	530	252	-
LOUISVILLE, KY.-IND	7,940	222	58	48	170	166	298	868	1,348	1,848	1,868	1,044	2
MALE	4,340	142	32	24	122	128	198	540	892	1,060	862	338	2
FEMALE	3,600	80	26	24	48	38	100	328	456	788	1,006	706	-
WHITE	6,676	160	42	36	140	132	234	710	1,096	1,550	1,620	954	2
MALE	3,640	100	30	16	102	100	162	458	742	900	726	302	2
FEMALE	3,036	60	12	20	38	32	72	252	354	650	894	652	-
ALL OTHER	1,264	62	16	12	30	34	64	158	252	298	248	90	-
MALE	700	42	2	8	20	28	36	82	150	160	136	36	-
FEMALE	564	20	14	4	10	6	28	76	102	138	112	54	-
LUBBOCK, TEX	1,244	74	16	16	60	42	66	130	216	204	242	178	-
MALE	678	46	8	10	36	30	42	80	136	128	100	62	-
FEMALE	566	28	8	6	24	12	24	50	80	76	142	116	-
WHITE	1,160	60	14	12	54	42	52	122	196	192	238	178	-
MALE	624	36	6	8	32	30	34	76	122	118	100	62	-
FEMALE	536	24	8	4	22	12	18	46	74	74	138	116	-
ALL OTHER	84	14	2	4	6	-	14	8	20	12	4	-	-
MALE	54	10	2	2	4	-	8	4	14	10	-	-	-
FEMALE	30	4	-	2	2	-	6	4	6	2	4	-	-
LYNCHBURG, VA	1,256	32	6	10	28	24	44	94	204	282	378	154	-
MALE	672	22	4	8	14	10	36	60	120	164	166	68	-
FEMALE	584	10	2	2	14	14	8	34	84	118	212	86	-
WHITE	952	18	4	6	14	14	22	64	150	222	308	130	-
MALE	514	12	2	4	6	8	20	40	96	136	138	52	-
FEMALE	438	6	2	2	8	6	2	24	54	86	170	78	-
ALL OTHER	304	14	2	4	14	10	22	30	54	60	70	24	-
MALE	158	10	2	4	8	2	16	20	24	28	28	16	-
FEMALE	146	4	-	-	6	8	6	10	30	32	42	8	-
MACON, GA	1,878	94	18	18	88	44	94	256	388	388	338	152	-
MALE	1,008	54	12	6	68	22	50	168	242	218	122	46	-
FEMALE	870	40	6	12	20	22	44	88	146	170	216	106	-
WHITE	1,220	56	4	14	58	24	40	148	244	246	262	124	-
MALE	668	34	2	4	44	12	26	94	162	144	106	40	-
FEMALE	552	22	2	10	14	12	14	54	82	102	156	84	-
ALL OTHER	658	38	14	4	30	20	54	108	144	142	76	28	-
MALE	340	20	10	2	24	10	24	74	80	74	16	6	-
FEMALE	318	18	4	2	6	10	30	34	64	68	60	22	-
MADISON, WIS	1,824	52	10	16	46	30	46	128	230	390	502	374	-
MALE	988	22	8	10	28	26	34	82	148	230	250	150	-
FEMALE	836	30	2	6	18	4	12	46	82	160	252	224	-
WHITE	1,810	52	10	16	42	28	46	126	228	388	502	372	-
MALE	974	22	8	10	24	24	34	80	146	228	250	148	-
FEMALE	836	30	2	6	18	4	12	46	82	160	252	224	-
ALL OTHER	14	-	-	-	4	2	-	2	2	2	-	2	-
MALE	14	-	-	-	4	2	-	2	2	2	-	2	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972–Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
MANCHESTER, N.H.	2,266	74	12	10	32	40	56	188	338	556	618	342	-
MALE	1,220	56	4	6	24	32	36	118	214	340	274	116	-
FEMALE	1,046	18	8	4	8	8	20	70	124	216	344	226	-
WHITE	2,266	74	12	10	32	40	56	188	338	556	618	342	-
MALE	1,220	56	4	6	24	32	36	118	214	340	274	116	-
FEMALE	1,046	18	8	4	8	8	20	70	124	216	344	226	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD, OHIO	1,146	28	8	8	18	30	26	98	208	284	306	132	-
MALE	640	12	8	4	10	18	20	60	138	174	154	42	-
FEMALE	506	16	-	4	8	12	6	38	70	110	152	90	-
WHITE	1,088	26	8	8	18	26	22	90	196	274	298	122	-
MALE	606	12	8	4	10	14	18	52	132	168	148	40	-
FEMALE	482	14	-	4	8	12	4	38	64	106	150	82	-
ALL OTHER	58	2	-	-	-	4	4	8	12	10	8	10	-
MALE	34	-	-	-	-	4	2	8	6	6	6	2	-
FEMALE	24	2	-	-	-	-	2	-	6	4	2	8	-
MC ALLEN-PHARR-EDINBURG, TEX	1,308	90	10	18	60	16	54	104	192	300	314	150	-
MALE	742	52	4	14	42	8	30	60	122	164	192	54	-
FEMALE	566	38	6	4	18	8	24	44	70	136	122	96	-
WHITE	1,306	90	10	18	60	16	54	102	192	300	314	150	-
MALE	742	52	4	14	42	8	30	60	122	164	192	54	-
FEMALE	564	38	6	4	18	8	24	42	70	136	122	96	-
ALL OTHER	2	-	-	-	-	-	-	2	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	2	-	-	-	-	-
MEMPHIS, TENN.-ARK.	7,056	356	58	76	232	214	276	646	1,274	1,652	1,518	754	-
MALE	3,952	202	34	40	180	154	174	368	850	950	732	268	-
FEMALE	3,104	154	24	36	52	60	102	278	424	702	786	486	-
WHITE	3,914	132	26	32	118	100	136	364	642	908	926	530	-
MALE	2,130	72	16	20	84	76	86	226	450	524	414	162	-
FEMALE	1,784	60	10	12	34	24	50	138	192	384	512	368	-
ALL OTHER	3,142	224	32	44	114	114	140	282	632	744	592	224	-
MALE	1,822	130	18	20	96	78	88	142	400	426	318	106	-
FEMALE	1,320	94	14	24	18	36	52	140	232	318	274	118	-
MIAMI, FLA.	14,628	284	80	114	300	268	528	1,338	2,228	3,774	4,110	1,600	4
MALE	8,324	152	46	64	210	192	332	858	1,388	2,142	2,260	676	4
FEMALE	6,304	132	34	50	90	76	196	480	840	1,632	1,850	924	-
WHITE	12,922	150	50	78	210	174	322	1,052	1,866	3,446	4,014	1,558	2
MALE	7,358	90	30	40	148	122	202	692	1,182	1,968	2,224	658	2
FEMALE	5,564	60	20	38	62	52	120	360	684	1,478	1,790	900	-
ALL OTHER	1,706	134	30	36	90	94	206	286	362	328	96	42	2
MALE	966	62	16	24	62	70	130	166	206	174	36	18	2
FEMALE	740	72	14	12	28	24	76	120	156	154	60	24	-
MIDLAND, TEX.	418	12	4	2	22	24	18	46	96	106	52	36	-
MALE	228	4	4	-	12	18	10	28	60	60	16	16	-
FEMALE	190	8	-	2	10	6	8	18	36	46	36	20	-
WHITE	346	8	2	2	20	16	8	40	82	86	52	30	-
MALE	184	4	2	-	10	12	4	24	48	50	16	14	-
FEMALE	162	4	-	2	10	4	4	16	34	36	36	16	-
ALL OTHER	72	4	2	-	2	8	10	6	14	20	-	6	-
MALE	44	-	2	-	2	6	6	4	12	10	-	2	-
FEMALE	28	4	-	-	-	2	4	2	2	10	-	4	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972-Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
MILWAUKEE, WIS	12,668	348	48	82	268	214	346	976	2,068	2,964	3,602	1,752	-
MALE	6,946	190	24	48	200	142	200	602	1,342	1,770	1,814	614	-
FEMALE	5,722	158	24	34	68	72	146	374	726	1,194	1,788	1,138	-
WHITE	11,960	268	36	70	224	166	274	868	1,936	2,856	3,546	1,716	-
MALE	6,546	146	16	38	174	108	162	534	1,284	1,708	1,780	596	-
FEMALE	5,414	122	20	32	50	58	112	334	652	1,148	1,766	1,120	-
ALL OTHER	708	80	12	12	44	48	72	108	132	108	56	36	-
MALE	400	44	8	10	26	34	38	68	58	62	34	18	-
FEMALE	308	36	4	2	18	14	34	40	74	46	22	18	-
MINNEAPOLIS-ST. PAUL, MINN	13,822	470	88	130	332	280	402	1,040	1,968	2,912	3,960	2,236	4
MALE	7,468	296	44	70	250	166	266	660	1,266	1,736	1,918	794	2
FEMALE	6,354	174	44	60	82	114	136	380	702	1,176	2,042	1,442	2
WHITE	13,580	430	82	122	320	258	376	1,004	1,952	2,884	3,922	2,226	4
MALE	7,318	272	42	66	240	152	248	636	1,258	1,712	1,900	790	2
FEMALE	6,262	158	40	56	80	106	128	368	694	1,172	2,022	1,436	2
ALL OTHER	242	40	6	8	12	22	26	36	16	28	38	10	-
MALE	150	24	2	4	10	14	18	24	8	24	18	4	-
FEMALE	92	16	4	4	2	8	8	12	8	4	20	6	-
MOBILE, ALA	3,578	144	26	34	128	90	138	388	686	874	718	352	-
MALE	2,018	86	16	20	100	62	86	236	436	478	350	148	-
FEMALE	1,560	58	10	14	28	28	52	152	250	396	368	204	-
WHITE	2,350	80	16	22	74	50	64	230	470	562	538	244	-
MALE	1,366	46	8	18	58	38	50	146	328	326	252	96	-
FEMALE	984	34	8	4	16	12	14	84	142	236	286	148	-
ALL OTHER	1,228	64	10	12	54	40	74	158	216	312	180	108	-
MALE	652	40	8	2	42	24	36	90	108	152	98	52	-
FEMALE	576	24	2	10	12	16	38	68	108	160	82	56	-
MODESTO, CALIF	1,814	46	20	20	68	34	78	146	264	388	482	268	-
MALE	1,058	30	4	14	54	22	40	104	148	274	242	126	-
FEMALE	756	16	16	6	14	12	38	42	116	114	240	142	-
WHITE	1,798	46	20	20	64	34	76	144	260	386	480	268	-
MALE	1,050	30	4	14	50	22	38	102	148	274	242	126	-
FEMALE	748	16	16	6	14	12	38	42	112	112	238	142	-
ALL OTHER	16	-	-	-	4	-	2	2	4	2	2	-	-
MALE	8	-	-	-	4	-	2	2	-	-	-	-	-
FEMALE	8	-	-	-	-	-	-	-	4	2	2	-	-
MONROE, LA	1,138	44	12	12	14	30	50	100	212	312	240	112	-
MALE	646	24	8	10	12	26	26	64	150	166	114	46	-
FEMALE	492	20	4	2	2	4	24	36	62	146	126	66	-
WHITE	728	14	6	8	12	14	14	68	124	214	182	72	-
MALE	430	8	6	6	10	12	8	48	88	126	92	26	-
FEMALE	298	6	-	2	2	2	6	20	36	88	90	46	-
ALL OTHER	410	30	6	4	2	16	36	32	88	98	58	40	-
MALE	216	16	2	4	2	14	18	16	62	40	22	20	-
FEMALE	194	14	4	-	-	2	18	16	26	58	36	20	-
MONTGOMERY, ALA	2,152	100	10	14	56	54	122	226	334	494	464	278	-
MALE	1,154	52	6	8	40	32	74	148	228	270	214	82	-
FEMALE	998	48	4	6	16	22	48	78	106	224	250	196	-
WHITE	1,236	30	4	4	28	26	62	130	196	282	294	180	-
MALE	702	22	2	2	22	20	42	98	132	176	130	56	-
FEMALE	534	8	2	2	6	6	20	32	64	106	164	124	-
ALL OTHER	916	70	6	10	28	28	60	96	138	212	170	98	-
MALE	452	30	4	6	18	12	32	50	96	94	84	26	-
FEMALE	464	40	2	4	10	16	28	46	42	118	86	72	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
MUNCIE, IND	1,028	30	8	8	16	14	36	98	162	232	284	140	-
MALE	586	20	2	2	16	10	26	64	112	130	164	40	-
FEMALE	442	10	6	6	-	4	10	34	50	102	120	100	-
WHITE	952	28	8	8	16	12	32	82	148	222	262	134	-
MALE	530	18	2	2	16	8	22	56	100	122	148	36	-
FEMALE	422	10	6	6	-	4	10	26	48	100	114	98	-
ALL OTHER	76	2	-	-	-	2	4	16	14	10	22	6	-
MALE	56	2	-	-	-	2	4	8	12	8	16	4	-
FEMALE	20	-	-	-	-	-	-	8	2	2	6	2	-
MUSKEGON-MUSKEGON HEIGHTS, MICH	1,336	58	14	24	28	16	48	110	188	322	330	198	-
MALE	754	40	4	10	22	10	32	68	120	196	186	66	-
FEMALE	582	18	10	14	6	6	16	42	68	126	144	132	-
WHITE	1,196	46	10	22	26	16	38	88	168	290	306	186	-
MALE	682	34	4	10	20	10	22	56	106	186	172	62	-
FEMALE	514	12	6	12	6	6	16	32	62	104	134	124	-
ALL OTHER	140	12	4	2	2	-	10	22	20	32	24	12	-
MALE	72	6	-	-	2	-	10	12	14	10	14	4	-
FEMALE	68	6	4	2	-	-	-	10	6	22	10	8	-
NASHVILLE-DAVIDSON, TENN	4,852	176	24	48	124	126	186	504	816	1,086	1,092	668	2
MALE	2,678	108	18	26	92	76	116	324	532	632	486	266	2
FEMALE	2,174	68	6	22	32	50	70	180	284	454	606	402	-
WHITE	3,822	104	18	34	88	102	130	354	644	822	930	594	2
MALE	2,084	58	14	16	64	60	92	216	438	484	406	234	2
FEMALE	1,738	46	4	18	24	42	38	138	206	338	524	360	-
ALL OTHER	1,030	72	6	14	36	24	56	150	172	264	162	74	-
MALE	594	50	4	10	28	16	24	108	94	148	80	32	-
FEMALE	436	22	2	4	8	8	32	42	78	116	82	42	-
NEW HAVEN-WATERBURY, CONN	6,934	142	24	50	88	102	182	560	1,082	1,634	2,058	1,008	4
MALE	3,746	90	8	32	68	72	118	312	720	904	1,024	394	4
FEMALE	3,188	52	16	18	20	30	64	248	362	730	1,034	614	-
WHITE	6,540	110	16	36	78	74	136	508	1,040	1,554	2,002	982	4
MALE	3,526	72	8	22	60	56	90	286	690	864	994	380	4
FEMALE	3,014	38	8	14	18	18	46	222	350	690	1,008	602	-
ALL OTHER	394	32	8	14	10	28	46	52	42	80	56	26	-
MALE	220	18	-	10	8	16	28	26	30	40	30	14	-
FEMALE	174	14	8	4	2	12	18	26	12	40	26	12	-
NEW ORLEANS, LA	10,440	458	72	98	294	284	426	1,162	1,866	2,734	2,092	954	-
MALE	5,808	286	42	56	218	194	276	770	1,166	1,546	950	304	-
FEMALE	4,632	172	30	42	76	90	150	392	700	1,188	1,142	650	-
WHITE	6,974	206	40	60	156	140	224	686	1,216	1,812	1,620	814	-
MALE	3,918	122	22	30	120	96	138	486	824	1,096	732	252	-
FEMALE	3,056	84	18	30	36	44	86	200	392	716	888	562	-
ALL OTHER	3,466	252	32	38	138	144	202	476	650	922	472	140	-
MALE	1,890	164	20	26	98	98	138	284	342	450	218	52	-
FEMALE	1,576	88	12	12	40	46	64	192	308	472	254	88	-
NEW YORK, N.Y	118,272	2,842	434	698	2,692	2,874	4,680	10,334	19,422	28,604	31,546	14,114	32
MALE	63,936	1,654	264	430	1,980	1,964	3,002	6,374	11,944	16,204	14,922	5,178	20
FEMALE	54,336	1,188	170	268	712	910	1,678	3,960	7,478	12,400	16,624	8,936	12
WHITE	100,604	1,710	274	496	1,686	1,668	2,980	7,566	16,290	25,298	29,326	13,290	20
MALE	53,640	1,010	164	310	1,222	1,120	1,918	4,668	10,118	14,388	13,810	4,900	12
FEMALE	46,964	700	110	186	464	548	1,062	2,898	6,172	10,910	15,516	8,390	8
ALL OTHER	17,668	1,132	160	202	1,006	1,206	1,700	2,768	3,132	3,306	2,220	824	12
MALE	10,296	644	100	120	758	844	1,084	1,706	1,826	1,816	1,112	278	8
FEMALE	7,372	488	60	82	248	362	616	1,062	1,306	1,490	1,108	546	4

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
NEWARK, N.J	17,792	484	94	124	308	406	650	1,610	3,014	3,968	4,700	2,424	10
MALE	9,544	292	56	74	204	274	410	986	1,954	2,124	2,236	924	10
FEMALE	8,248	192	38	50	104	132	240	624	1,060	1,844	2,464	1,500	-
WHITE	14,684	228	64	80	180	174	348	1,128	2,458	3,392	4,344	2,280	8
MALE	7,824	150	42	52	110	108	204	722	1,648	1,844	2,076	860	8
FEMALE	6,860	78	22	28	70	66	144	406	810	1,548	2,268	1,420	-
ALL OTHER	3,108	256	30	44	128	232	302	482	556	576	356	144	2
MALE	1,720	142	14	22	94	166	206	264	306	280	160	64	2
FEMALE	1,388	114	16	22	34	66	96	218	250	296	196	80	-
NEWPORT NEWS-HAMPTON, VA	2,040	122	16	26	38	80	124	266	382	430	398	156	2
MALE	1,198	72	10	12	22	50	72	188	238	278	192	62	2
FEMALE	842	50	6	14	16	30	52	78	144	152	206	94	-
WHITE	1,328	84	8	14	28	54	62	152	248	278	282	118	-
MALE	780	48	6	6	14	34	44	106	170	184	128	40	-
FEMALE	548	36	2	8	14	20	18	46	78	94	154	78	-
ALL OTHER	712	38	8	12	10	26	62	114	134	152	116	38	2
MALE	418	24	4	6	8	16	28	82	68	94	64	22	2
FEMALE	294	14	4	6	2	10	34	32	66	58	52	16	-
NORFOLK-PORTSMOUTH, VA	5,272	242	42	58	136	124	284	674	1,010	1,232	1,008	456	6
MALE	3,018	156	30	38	102	80	154	434	676	702	476	164	6
FEMALE	2,254	86	12	20	34	44	130	240	334	530	532	292	-
WHITE	3,452	116	30	26	90	58	154	410	628	830	722	386	2
MALE	1,982	74	20	22	70	38	84	266	448	494	330	134	2
FEMALE	1,470	42	10	4	20	20	70	144	180	336	392	252	-
ALL OTHER	1,820	126	12	32	46	66	130	264	382	402	286	70	4
MALE	1,036	82	10	16	32	42	70	168	228	208	146	30	4
FEMALE	784	44	2	16	14	24	60	96	154	194	140	40	-
ODESSA, TEX	606	42	10	10	34	18	50	72	118	128	70	54	-
MALE	372	28	6	6	28	16	32	52	74	78	32	20	-
FEMALE	234	14	4	4	6	2	18	20	44	50	38	34	-
WHITE	564	38	10	10	30	14	48	64	112	120	64	54	-
MALE	352	26	6	6	26	14	32	46	70	78	28	20	-
FEMALE	212	12	4	4	4	-	16	18	42	42	36	34	-
ALL OTHER	42	4	-	-	4	4	2	8	6	8	6	-	-
MALE	20	2	-	-	2	2	-	6	4	-	4	-	-
FEMALE	22	2	-	-	2	2	2	2	2	8	2	-	-
OGDEN, UTAH	892	46	14	8	40	20	38	70	124	180	242	108	2
MALE	490	26	12	8	22	12	22	52	76	92	126	40	2
FEMALE	402	20	2	-	18	8	16	18	48	88	116	68	-
WHITE	870	46	14	8	40	18	36	66	118	176	240	106	2
MALE	476	26	12	8	22	10	22	50	70	90	124	40	2
FEMALE	394	20	2	-	18	8	14	16	48	86	116	66	-
ALL OTHER	22	-	-	-	-	2	2	4	6	4	2	2	-
MALE	14	-	-	-	-	2	-	2	6	2	2	-	-
FEMALE	8	-	-	-	-	-	2	2	-	2	-	2	-
OKLAHOMA CITY, OKLA	5,356	228	40	68	126	182	210	490	858	1,198	1,242	702	12
MALE	2,940	132	18	38	76	138	122	314	550	726	572	248	6
FEMALE	2,416	96	22	30	50	44	88	176	308	472	670	454	6
WHITE	4,808	168	36	56	110	164	170	444	768	1,082	1,144	658	8
MALE	2,626	108	16	32	66	122	100	276	496	656	514	236	4
FEMALE	2,182	60	20	24	44	42	70	168	272	426	630	422	4
ALL OTHER	548	60	4	12	16	18	40	46	90	116	98	44	4
MALE	314	24	2	6	10	16	22	38	54	70	58	12	2
FEMALE	234	36	2	6	6	2	18	8	36	46	40	32	2

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972–Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
OMAHA, NEBR.-IOWA	4,606	198	14	22	96	78	174	372	668	1,034	1,272	678	-
MALE	2,458	114	8	16	74	38	100	230	452	580	594	252	-
FEMALE	2,148	84	6	6	22	40	74	142	216	454	678	426	-
WHITE	4,266	152	10	18	86	58	138	336	616	972	1,228	652	-
MALE	2,284	86	4	14	68	30	78	206	424	556	572	246	-
FEMALE	1,982	66	6	4	18	28	60	130	192	416	656	406	-
ALL OTHER	340	46	4	4	10	20	36	36	52	62	44	26	-
MALE	174	28	4	2	6	8	22	24	28	24	22	6	-
FEMALE	166	18	-	2	4	12	14	12	24	38	22	20	-
ORLANDO, FLA	4,252	156	56	50	128	94	202	418	630	940	1,000	574	4
MALE	2,418	98	28	22	96	58	132	252	436	544	508	240	4
FEMALE	1,834	58	28	28	32	36	70	166	194	396	492	334	-
WHITE	3,532	106	42	42	92	64	138	326	490	744	930	556	2
MALE	2,000	64	26	18	72	48	94	186	340	440	478	232	2
FEMALE	1,532	42	16	24	20	16	44	140	150	304	452	324	-
ALL OTHER	720	50	14	8	36	30	64	92	140	196	70	18	2
MALE	418	34	2	4	24	10	38	66	96	104	30	8	2
FEMALE	302	16	12	4	12	20	26	26	44	92	40	10	-
OWENSBORO, KY	772	36	-	-	18	8	18	50	124	186	194	130	-
MALE	448	24	-	-	16	8	12	48	88	108	96	48	-
FEMALE	324	12	-	-	2	-	6	10	36	78	98	82	-
WHITE	726	36	-	-	18	8	14	56	120	162	184	128	-
MALE	424	24	-	-	16	8	8	46	86	96	94	46	-
FEMALE	302	12	-	-	2	-	6	10	34	66	90	82	-
ALL OTHER	46	-	-	-	-	-	4	2	4	24	10	2	-
MALE	24	-	-	-	-	-	4	2	2	12	2	2	-
FEMALE	22	-	-	-	-	-	-	-	2	12	8	-	-
OXNARD-VENTURA, CALIF	2,528	94	12	24	114	120	116	258	366	484	582	358	-
MALE	1,468	72	10	24	90	82	74	172	228	286	278	152	-
FEMALE	1,060	22	2	-	24	38	42	86	138	198	304	206	-
WHITE	2,482	94	12	24	110	114	114	252	362	468	576	356	-
MALE	1,436	72	10	24	88	78	72	166	224	276	276	150	-
FEMALE	1,046	22	2	-	22	36	42	86	138	192	300	206	-
ALL OTHER	46	-	-	-	4	6	2	6	4	16	6	2	-
MALE	32	-	-	-	2	4	2	6	4	10	2	2	-
FEMALE	14	-	-	-	2	2	-	-	-	6	4	-	-
PATTERSON-CLIFTON-PASSAIC, N.J	12,276	244	56	76	182	198	382	1,114	2,194	2,948	3,268	1,610	4
MALE	6,518	144	28	48	144	128	218	708	1,382	1,666	1,492	560	-
FEMALE	5,758	100	28	28	38	70	164	406	812	1,282	1,776	1,050	4
WHITE	11,660	188	50	60	156	140	316	1,056	2,066	2,852	3,196	1,576	4
MALE	6,164	114	26	34	120	88	176	676	1,310	1,616	1,462	542	-
FEMALE	5,496	74	24	26	36	52	140	380	756	1,236	1,734	1,034	4
ALL OTHER	616	56	6	16	26	58	66	58	128	96	72	34	-
MALE	354	30	2	14	24	40	42	32	72	50	30	18	-
FEMALE	262	26	4	2	2	18	24	26	56	46	42	16	-
PENSACOLA, FLA	1,890	84	12	38	90	62	72	230	366	404	358	174	-
MALE	1,152	56	8	26	76	48	40	164	250	240	178	66	-
FEMALE	738	28	4	12	14	14	32	66	116	164	180	108	-
WHITE	1,464	60	10	32	60	42	48	168	290	292	302	160	-
MALE	886	44	6	22	52	32	22	120	196	180	152	60	-
FEMALE	578	16	4	10	8	10	26	48	94	112	150	100	-
ALL OTHER	426	24	2	6	30	20	24	62	76	112	56	14	-
MALE	266	12	2	4	24	16	18	44	54	60	26	6	-
FEMALE	160	12	-	2	6	4	6	18	22	52	30	8	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
PEORIA, ILL	3,170	132	18	28	60	42	106	260	460	692	854	518	-
MALE	1,728	84	8	14	36	26	68	166	298	426	422	180	-
FEMALE	1,442	48	10	14	24	16	38	94	162	266	432	338	-
WHITE	3,046	110	16	26	54	36	98	244	438	674	842	508	-
MALE	1,658	68	6	14	34	24	62	158	286	416	414	176	-
FEMALE	1,388	42	10	12	20	12	36	86	152	258	428	332	-
ALL OTHER	124	22	2	2	6	6	8	16	22	18	12	10	-
MALE	70	16	2	-	2	2	6	8	12	10	8	4	-
FEMALE	54	6	-	2	4	4	2	8	10	8	4	6	-
PETERSBURG-COLONIAL HEIGHTS, VA	1,098	50	6	8	22	28	44	140	220	244	234	102	-
MALE	620	28	2	4	20	24	32	88	140	144	98	40	-
FEMALE	478	22	4	4	2	4	12	52	80	100	136	62	-
WHITE	708	20	-	2	10	10	22	82	144	158	176	84	-
MALE	404	10	-	2	10	10	18	54	100	96	68	36	-
FEMALE	304	10	-	-	-	-	4	28	44	62	108	48	-
ALL OTHER	390	30	6	6	12	18	22	58	76	86	58	18	-
MALE	216	18	2	2	10	14	14	34	40	48	30	4	-
FEMALE	174	12	4	4	2	4	8	24	36	38	28	14	-
PHILADELPHIA, PA.-N.J	48,690	1,294	194	356	970	978	1,720	4,554	8,346	11,910	12,682	5,666	20
MALE	26,114	728	108	210	700	666	1,018	2,888	5,276	6,780	5,774	1,956	10
FEMALE	22,576	566	86	146	270	312	702	1,666	3,070	5,130	6,908	3,710	10
WHITE	39,290	804	98	226	612	522	1,012	3,172	6,584	9,834	11,294	5,116	16
MALE	20,814	466	56	130	428	346	600	2,038	4,226	5,656	5,114	1,748	6
FEMALE	18,476	338	42	96	184	176	412	1,134	2,358	4,178	6,180	3,368	10
ALL OTHER	9,400	490	96	130	358	456	708	1,382	1,762	2,076	1,388	550	4
MALE	5,300	262	52	80	272	320	418	850	1,050	1,124	660	208	4
FEMALE	4,100	228	44	50	86	136	290	532	712	952	728	342	-
PHOENIX, ARIZ	8,352	276	90	106	282	250	324	746	1,458	2,018	1,966	834	2
MALE	4,978	162	56	64	206	168	198	490	962	1,282	1,018	370	2
FEMALE	3,374	114	34	42	76	82	126	256	496	736	948	464	-
WHITE	7,874	228	72	100	248	206	280	688	1,396	1,926	1,904	824	2
MALE	4,682	134	48	60	180	140	176	446	916	1,232	982	366	2
FEMALE	3,192	94	24	40	68	66	104	242	480	694	922	458	-
ALL OTHER	478	48	18	6	34	44	44	58	62	92	62	10	-
MALE	296	28	8	4	26	28	22	44	46	50	36	4	-
FEMALE	182	20	10	2	8	16	22	14	16	42	26	6	-
PINE BLUFF, ARK	854	24	4	4	32	18	30	76	170	186	216	94	-
MALE	484	6	2	2	28	14	20	54	102	110	110	36	-
FEMALE	370	18	2	2	4	4	10	22	68	76	106	58	-
WHITE	440	10	2	-	18	12	12	46	104	72	120	44	-
MALE	270	2	2	-	16	8	10	38	68	52	62	12	-
FEMALE	170	8	-	-	2	4	2	8	36	20	58	32	-
ALL OTHER	414	14	2	4	14	6	18	30	66	114	96	50	-
MALE	214	4	-	2	12	6	10	16	34	58	48	24	-
FEMALE	200	10	2	2	2	-	8	14	32	56	48	26	-
PITTSBURGH, PA	25,410	500	82	118	368	290	698	2,232	4,574	6,092	7,078	3,374	4
MALE	14,184	282	42	66	278	182	404	1,438	2,956	3,622	3,508	1,406	-
FEMALE	11,226	218	40	52	90	108	294	794	1,618	2,470	3,570	1,968	4
WHITE	23,342	366	66	98	314	230	588	1,976	4,204	5,532	6,716	3,248	4
MALE	12,944	198	30	54	234	152	344	1,302	2,728	3,252	3,300	1,350	-
FEMALE	10,398	168	36	44	80	78	244	674	1,476	2,280	3,416	1,898	4
ALL OTHER	2,068	134	16	20	54	60	110	256	370	560	362	126	-
MALE	1,240	84	12	12	44	30	60	136	228	370	208	56	-
FEMALE	828	50	4	8	10	30	50	120	142	190	154	70	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972--Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
PITTSFIELD, MASS	1,658	42	6	12	36	16	40	104	262	380	494	266	-
MALE	880	28	4	4	32	2	28	48	166	218	238	112	-
FEMALE	778	14	2	8	4	14	12	56	96	162	256	154	-
WHITE	1,644	42	6	12	32	16	40	104	256	378	494	264	-
MALE	868	28	4	4	28	2	28	48	162	216	238	110	-
FEMALE	776	14	2	8	4	14	12	56	94	162	256	154	-
ALL OTHER	14	-	-	-	4	-	-	-	6	2	-	2	-
MALE	12	-	-	-	4	-	-	-	4	2	-	2	-
FEMALE	2	-	-	-	-	-	-	-	2	-	-	-	-
PORTLAND, MAINE	2,146	48	10	12	36	24	52	136	316	516	646	350	-
MALE	1,120	26	4	6	30	16	28	90	220	298	286	116	-
FEMALE	1,026	22	6	6	6	8	24	46	96	218	360	234	-
WHITE	2,144	48	10	12	36	24	52	136	316	514	646	350	-
MALE	1,118	26	4	6	30	16	28	90	220	296	286	116	-
FEMALE	1,026	22	6	6	6	8	24	46	96	218	360	234	-
ALL OTHER	2	-	-	-	-	-	-	-	-	2	-	-	-
MALE	2	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND, OREG.-WASH	9,970	236	60	80	208	192	250	806	1,474	2,100	2,760	1,798	6
MALE	5,532	138	30	50	148	126	170	526	988	1,254	1,398	698	6
FEMALE	4,438	98	30	30	60	66	80	280	486	846	1,362	1,100	-
WHITE	9,658	212	54	72	198	172	234	754	1,418	2,054	2,710	1,776	4
MALE	5,344	126	28	44	140	108	158	494	950	1,230	1,376	686	4
FEMALE	4,314	86	26	28	58	64	76	260	468	824	1,334	1,090	-
ALL OTHER	312	24	6	8	10	20	16	52	56	46	50	22	2
MALE	188	12	2	6	8	18	12	32	38	24	22	12	2
FEMALE	124	12	4	2	2	2	4	20	18	22	28	10	-
PROVIDENCE, R.I	8,230	192	34	40	132	114	224	628	1,302	2,080	2,294	1,188	2
MALE	4,320	112	24	24	94	76	146	406	840	1,158	1,048	390	2
FEMALE	3,910	80	10	16	38	38	78	222	462	922	1,246	798	-
WHITE	8,074	170	34	38	126	100	214	604	1,288	2,042	2,276	1,180	2
MALE	4,222	100	24	24	90	68	140	392	828	1,136	1,034	384	2
FEMALE	3,852	70	10	14	36	32	74	212	460	906	1,242	796	-
ALL OTHER	156	22	-	2	6	14	10	24	14	38	18	8	-
MALE	98	12	-	-	4	8	6	14	12	22	14	6	-
FEMALE	58	10	-	2	2	6	4	10	2	16	4	2	-
PROVO-OREM, UTAH	802	72	12	10	22	18	28	58	150	150	192	90	-
MALE	454	42	8	8	16	8	10	50	92	92	94	34	-
FEMALE	348	30	4	2	6	10	18	8	58	58	98	56	-
WHITE	798	70	10	10	22	18	28	58	150	150	192	90	-
MALE	450	40	6	8	16	8	10	50	92	92	94	34	-
FEMALE	348	30	4	2	6	10	18	8	58	58	98	56	-
ALL OTHER	4	2	2	-	-	-	-	-	-	-	-	-	-
MALE	4	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
PUEBLO, COLO	1,116	32	12	4	28	36	44	92	150	246	302	170	-
MALE	668	26	6	2	22	30	28	66	94	138	170	86	-
FEMALE	448	6	6	2	6	6	16	26	56	108	132	84	-
WHITE	1,084	30	12	4	28	36	44	88	144	238	290	170	-
MALE	652	24	6	2	22	30	28	64	92	134	164	86	-
FEMALE	432	6	6	2	6	6	16	24	52	104	126	84	-
ALL OTHER	32	2	-	-	-	-	-	4	6	8	12	-	-
MALE	16	2	-	-	-	-	-	2	2	4	6	-	-
FEMALE	16	-	-	-	-	-	-	2	4	4	6	-	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972-Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
RACINE, WIS	1,392	24	6	16	30	16	34	112	228	320	410	196	-
MALE	834	10	4	12	28	10	24	84	150	218	214	80	-
FEMALE	558	14	2	4	2	6	10	28	78	102	196	116	-
WHITE	1,336	12	6	16	24	14	32	108	214	312	404	194	-
MALE	806	6	4	12	22	10	24	00	144	212	212	00	-
FEMALE	530	6	2	4	2	4	8	28	70	100	192	114	-
ALL OTHER	56	12	-	-	6	2	2	4	14	8	6	2	-
MALE	28	4	-	-	6	-	-	4	6	6	2	-	-
FEMALE	28	8	-	-	-	2	2	-	8	2	4	2	-
RALEIGH, N.C	1,700	86	20	8	78	74	78	236	316	354	320	128	2
MALE	988	52	16	6	54	54	54	168	200	202	136	44	2
FEMALE	712	34	4	2	24	20	24	68	116	152	184	84	-
WHITE	1,180	50	16	8	56	28	50	146	218	254	252	100	2
MALE	666	20	12	6	40	18	38	102	138	154	102	34	2
FEMALE	514	30	4	2	16	10	12	44	80	100	150	66	-
ALL OTHER	520	36	4	-	22	46	28	90	98	100	68	28	-
MALE	322	32	4	-	14	36	16	66	62	48	34	10	-
FEMALE	198	4	-	-	8	10	12	24	36	52	34	18	-
READING, PA	3,208	70	12	14	40	46	70	202	512	850	876	516	-
MALE	1,822	46	8	10	20	30	36	132	326	506	476	232	-
FEMALE	1,386	24	4	4	20	16	34	70	186	344	400	284	-
WHITE	3,156	64	10	14	38	42	68	196	500	834	874	516	-
MALE	1,790	42	8	10	20	28	36	126	318	496	474	232	-
FEMALE	1,366	22	2	4	18	14	32	70	182	338	400	284	-
ALL OTHER	52	6	2	-	2	4	2	6	12	16	2	-	-
MALE	32	4	-	-	-	2	-	6	8	10	2	-	-
FEMALE	20	2	2	-	2	2	2	-	4	6	-	-	-
RENO, NEV	1,188	38	10	10	54	40	52	112	214	262	256	140	-
MALE	734	20	6	4	42	28	38	74	150	164	154	54	-
FEMALE	454	18	4	6	12	12	14	38	64	98	102	86	-
WHITE	1,138	32	10	10	46	40	46	108	206	254	250	136	-
MALE	700	18	6	4	36	28	34	72	144	158	150	50	-
FEMALE	438	14	4	6	10	12	12	36	62	96	100	86	-
ALL OTHER	50	6	-	-	8	-	6	4	8	8	6	4	-
MALE	34	2	-	-	6	-	4	2	6	6	4	4	-
FEMALE	16	4	-	-	2	-	2	2	2	2	2	-	-
RICHMOND, VA	5,118	168	22	36	118	110	236	562	942	1,180	1,136	606	2
MALE	2,750	98	12	16	88	62	150	346	600	646	550	182	-
FEMALE	2,368	70	10	20	30	48	86	216	342	534	586	424	2
WHITE	3,610	110	18	20	68	56	122	348	620	852	874	520	2
MALE	1,924	68	8	12	50	30	92	220	404	484	404	152	-
FEMALE	1,686	42	10	8	18	26	30	128	216	368	470	368	2
ALL OTHER	1,508	58	4	16	50	54	114	214	322	328	262	86	-
MALE	826	30	4	4	38	32	58	126	196	162	146	30	-
FEMALE	682	28	-	12	12	22	56	88	126	166	116	56	-
ROANOKE, VA	1,930	62	10	10	42	48	102	170	320	454	472	240	-
MALE	1,124	36	10	6	28	40	62	138	226	260	232	86	-
FEMALE	806	26	-	4	14	8	40	32	94	194	240	154	-
WHITE	1,638	48	6	6	32	36	78	140	266	370	424	232	-
MALE	936	30	6	2	20	30	48	110	188	208	210	84	-
FEMALE	702	18	-	4	12	6	30	30	78	162	214	148	-
ALL OTHER	292	14	4	4	10	12	24	30	54	84	48	8	-
MALE	188	6	4	4	8	10	14	28	38	52	22	2	-
FEMALE	104	8	-	-	2	2	10	2	16	32	26	6	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
ROCHESTER, MINN	552	30	-	8	8	6	18	32	64	112	158	116	-
MALE	302	20	-	6	8	2	8	22	36	72	78	50	-
FEMALE	250	10	-	2	-	4	10	10	28	40	80	66	-
WHITE	552	30	-	8	8	6	18	32	64	112	158	116	-
MALE	302	20	-	6	8	2	8	22	36	72	78	50	-
FEMALE	250	10	-	2	-	4	10	10	28	40	80	66	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCHESTER, N.Y	7,758	198	40	74	148	146	244	568	1,052	1,754	2,228	1,302	4
MALE	4,100	120	26	44	106	104	132	362	654	986	1,080	484	2
FEMALE	3,658	78	14	30	42	42	112	206	398	768	1,148	818	2
WHITE	7,378	156	36	70	118	108	200	494	998	1,704	2,200	1,292	2
MALE	3,872	98	22	40	82	78	104	322	620	958	1,070	478	-
FEMALE	3,506	58	14	30	36	30	96	172	378	746	1,130	814	2
ALL OTHER	380	42	4	4	30	38	44	74	54	50	28	10	2
MALE	228	22	4	4	24	26	28	40	34	28	10	6	2
FEMALE	152	20	-	-	6	12	16	34	20	22	18	4	-
ROCKFORD, ILL	2,268	102	14	22	54	52	70	174	312	512	622	334	-
MALE	1,298	72	8	14	40	36	32	130	212	322	292	140	-
FEMALE	970	30	6	8	14	16	38	44	100	190	330	194	-
WHITE	2,172	80	12	18	50	46	64	160	300	498	616	328	-
MALE	1,232	56	6	10	36	34	28	118	206	312	290	136	-
FEMALE	940	24	6	8	14	12	36	42	94	186	326	192	-
ALL OTHER	96	22	2	4	4	6	6	14	12	14	6	6	-
MALE	66	16	2	4	4	2	4	12	6	10	2	4	-
FEMALE	30	6	-	-	-	4	2	2	6	4	4	2	-
SACRAMENTO, CALIF	6,446	180	48	66	220	160	292	616	998	1,436	1,602	826	2
MALE	3,742	98	26	36	166	108	194	354	658	934	840	326	2
FEMALE	2,704	82	22	30	54	52	98	262	340	502	762	500	-
WHITE	5,996	150	46	60	200	140	250	564	934	1,342	1,524	786	-
MALE	3,456	84	26	30	150	94	162	326	616	860	804	304	-
FEMALE	2,540	66	20	30	50	46	88	238	318	482	720	482	-
ALL OTHER	450	30	2	6	20	20	42	52	64	94	78	40	2
MALE	286	14	-	6	16	14	32	28	42	74	36	22	2
FEMALE	164	16	2	-	4	6	10	24	22	20	42	18	-
SAGINAW, MICH	1,820	88	8	24	92	38	58	140	228	390	490	264	-
MALE	974	46	6	10	74	22	32	100	146	246	218	74	-
FEMALE	846	42	2	14	18	16	26	40	82	144	272	190	-
WHITE	1,586	56	6	20	64	30	40	110	192	340	470	258	-
MALE	854	34	6	10	56	16	26	84	128	216	208	70	-
FEMALE	732	22	-	10	8	14	14	26	64	124	262	188	-
ALL OTHER	234	32	2	4	28	8	18	30	36	50	20	6	-
MALE	120	12	-	-	18	6	6	16	18	30	10	4	-
FEMALE	114	20	2	4	10	2	12	14	18	20	10	2	-
ST. JOSEPH, MO	1,186	26	4	6	14	14	30	100	162	290	356	184	-
MALE	620	10	4	6	10	12	16	62	102	170	168	60	-
FEMALE	566	16	-	-	4	2	14	38	60	120	188	124	-
WHITE	1,136	24	4	6	14	14	30	96	154	286	334	174	-
MALE	592	10	4	6	10	12	16	60	98	168	154	54	-
FEMALE	544	14	-	-	4	2	14	36	56	118	180	120	-
ALL OTHER	50	2	-	-	-	-	-	4	8	4	22	10	-
MALE	28	-	-	-	-	-	-	2	4	2	14	6	-
FEMALE	22	2	-	-	-	-	-	2	4	2	8	4	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972-Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
ST. LOUIS, MO.-ILL	23,220	710	116	166	506	500	788	1,968	3,674	5,674	5,936	3,178	4
MALE	12,646	400	62	102	402	352	448	1,228	2,316	3,314	2,878	1,140	4
FEMALE	10,574	310	54	64	104	148	340	740	1,358	2,360	3,058	2,038	-
WHITE	19,198	410	70	132	324	326	532	1,454	2,946	4,716	5,376	2,910	2
MALE	10,370	244	38	82	242	218	294	920	1,908	2,816	2,582	1,024	2
FEMALE	8,828	166	32	50	82	108	238	534	1,038	1,900	2,794	1,886	-
ALL OTHER	4,022	300	46	34	182	174	256	514	728	958	560	268	2
MALE	2,276	156	24	20	160	134	154	308	408	498	296	116	2
FEMALE	1,746	144	22	14	22	40	102	206	320	460	264	152	-
SALEM, OREG	1,792	52	12	30	54	46	54	114	254	336	524	316	-
MALE	986	18	4	22	40	34	42	72	166	200	268	120	-
FEMALE	806	34	8	8	14	12	12	42	88	136	256	196	-
WHITE	1,778	52	12	30	54	44	52	112	250	334	524	314	-
MALE	972	18	4	22	40	32	40	70	162	198	268	118	-
FEMALE	806	34	8	8	14	12	12	42	88	136	256	196	-
ALL OTHER	14	-	-	-	-	2	2	2	4	2	-	2	-
MALE	14	-	-	-	-	2	2	2	4	2	-	2	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-
SALINAS-MONTEREY, CALIF	1,826	90	18	8	80	48	78	162	298	380	416	248	-
MALE	1,014	52	8	-	68	34	52	110	196	228	174	92	-
FEMALE	812	38	10	8	12	14	26	52	102	152	242	156	-
WHITE	1,674	82	16	6	70	40	64	146	270	340	398	242	-
MALE	904	46	8	-	58	28	46	98	170	196	164	90	-
FEMALE	770	36	8	6	12	12	18	48	100	144	234	152	-
ALL OTHER	152	8	2	2	10	8	14	16	28	40	18	6	-
MALE	110	6	-	-	10	6	6	12	26	32	10	2	-
FEMALE	42	2	2	2	-	2	8	4	2	8	8	4	-
SALT LAKE CITY, UTAH	3,670	184	34	56	126	86	142	332	506	760	892	552	-
MALE	2,086	94	26	36	102	56	86	198	370	440	480	198	-
FEMALE	1,584	90	8	20	24	30	56	134	136	320	412	354	-
WHITE	3,590	180	34	56	122	80	132	318	500	748	876	544	-
MALE	2,036	92	26	36	98	52	82	190	366	430	470	194	-
FEMALE	1,554	88	8	20	24	28	50	128	134	318	406	350	-
ALL OTHER	80	4	-	-	4	6	10	14	6	12	16	8	-
MALE	50	2	-	-	4	4	4	8	4	10	10	4	-
FEMALE	30	2	-	-	-	2	6	6	2	2	6	4	-
SAN ANGELO, TEX	728	32	-	4	8	14	26	36	104	176	222	106	-
MALE	396	14	-	2	4	4	16	30	72	102	118	34	-
FEMALE	332	18	-	2	4	10	10	6	32	74	104	72	-
WHITE	704	32	-	4	8	14	24	34	98	170	214	106	-
MALE	380	14	-	2	4	4	16	28	66	98	114	34	-
FEMALE	324	18	-	2	4	10	8	6	32	72	100	72	-
ALL OTHER	24	-	-	-	-	-	2	2	6	6	8	-	-
MALE	16	-	-	-	-	-	-	2	6	4	4	-	-
FEMALE	8	-	-	-	-	-	2	-	-	2	4	-	-
SAN ANTONIO, TEX	6,816	356	44	80	196	202	290	686	1,008	1,440	1,642	872	-
MALE	3,764	224	28	48	120	122	180	444	634	852	802	310	-
FEMALE	3,052	132	16	32	76	80	110	242	374	588	840	562	-
WHITE	6,226	300	40	66	172	172	264	618	912	1,318	1,534	830	-
MALE	3,476	194	24	42	106	106	168	404	584	792	768	288	-
FEMALE	2,750	106	16	24	66	66	96	214	328	526	766	542	-
ALL OTHER	590	56	4	14	24	30	26	68	96	122	108	42	-
MALE	288	30	4	6	14	16	12	40	50	60	34	22	-
FEMALE	302	26	-	8	10	14	14	28	46	62	74	20	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972-Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
SAN BERNARDINO-RIVERSIDE-ONTARIO, CALIF	10,550	310	62	86	282	252	344	826	1,488	2,562	2,868	1,470	-
MALE	6,154	198	36	58	212	184	230	524	962	1,682	1,508	560	-
FEMALE	4,396	112	26	28	70	68	114	302	526	880	1,360	910	-
WHITE	10,068	282	58	76	264	232	296	746	1,406	2,486	2,784	1,438	-
MALE	5,866	184	34	54	200	170	192	476	908	1,636	1,468	544	-
FEMALE	4,202	98	24	22	64	62	104	270	498	850	1,316	894	-
ALL OTHER	482	28	4	10	18	20	48	80	82	76	84	32	-
MALE	288	14	2	4	12	14	38	48	54	46	40	16	-
FEMALE	194	14	2	6	6	6	10	32	28	30	44	16	-
SAN DIEGO, CALIF	10,806	370	74	72	378	220	338	888	1,596	2,392	2,866	1,604	8
MALE	5,942	234	40	42	284	156	210	528	990	1,390	1,482	578	8
FEMALE	4,864	136	34	30	94	64	128	360	606	1,002	1,384	1,026	-
WHITE	10,312	322	66	64	336	204	286	818	1,522	2,306	2,808	1,572	8
MALE	5,664	208	36	42	256	148	184	486	944	1,348	1,442	562	8
FEMALE	4,648	114	30	22	80	56	102	332	578	958	1,366	1,010	-
ALL OTHER	494	48	8	8	42	16	52	70	74	86	58	32	-
MALE	278	26	4	-	28	8	26	42	46	42	40	16	-
FEMALE	216	22	4	8	14	8	26	28	28	44	18	16	-
SAN FRANCISCO-OAKLAND, CALIF	27,970	616	148	194	722	814	1,010	2,540	4,682	6,080	7,070	4,090	4
MALE	15,078	334	92	116	542	574	628	1,530	2,948	3,478	3,388	1,448	-
FEMALE	12,892	282	56	78	180	240	382	1,010	1,734	2,602	3,682	2,642	4
WHITE	24,612	402	116	154	568	586	780	2,044	4,024	5,396	6,642	3,896	4
MALE	13,052	230	68	90	434	408	474	1,232	2,520	3,084	3,158	1,354	-
FEMALE	11,560	172	48	64	134	178	306	812	1,504	2,312	3,484	2,542	4
ALL OTHER	3,358	214	32	40	154	228	230	496	658	684	428	194	-
MALE	2,026	104	24	26	108	166	154	298	428	394	230	94	-
FEMALE	1,332	110	8	14	46	62	76	198	230	290	198	100	-
SAN JOSE, CALIF	6,476	242	58	56	236	212	266	796	1,028	1,204	1,500	968	-
MALE	3,580	142	36	32	168	152	166	430	654	720	736	344	-
FEMALE	2,896	100	22	24	68	60	100	276	374	484	764	624	-
WHITE	6,240	218	56	56	220	200	254	686	992	1,150	1,468	940	-
MALE	3,456	128	34	32	162	148	156	424	638	686	718	330	-
FEMALE	2,784	90	22	24	58	52	98	262	354	464	750	610	-
ALL OTHER	236	24	2	-	16	12	12	20	36	54	32	28	-
MALE	124	14	2	-	6	4	10	6	16	34	18	14	-
FEMALE	112	10	-	-	10	8	2	14	20	20	14	14	-
SANTA BARBARA, CALIF	1,994	62	4	20	40	30	58	156	302	468	522	332	-
MALE	1,070	24	4	10	34	16	30	102	206	286	268	90	-
FEMALE	924	38	-	10	6	14	28	54	96	182	254	242	-
WHITE	1,914	58	4	18	36	26	54	144	292	448	510	324	-
MALE	1,022	24	4	10	30	16	28	94	198	272	260	86	-
FEMALE	892	34	-	8	6	10	26	50	94	176	250	238	-
ALL OTHER	80	4	-	2	4	4	4	12	10	20	12	8	-
MALE	48	-	-	-	4	-	2	8	8	14	8	4	-
FEMALE	32	4	-	2	-	4	2	4	2	6	4	4	-
SANTA ROSA, CALIF	2,412	50	12	12	84	58	74	162	318	564	688	388	2
MALE	1,334	30	6	6	56	42	42	106	212	372	334	126	2
FEMALE	1,078	20	6	6	28	16	32	56	106	192	354	262	-
WHITE	2,382	46	10	12	84	58	70	160	318	554	682	386	2
MALE	1,320	30	4	6	56	42	42	106	212	366	330	124	2
FEMALE	1,062	16	6	6	28	16	28	54	106	188	352	262	-
ALL OTHER	30	4	2	-	-	-	4	2	-	10	6	2	-
MALE	14	-	2	-	-	-	-	-	-	6	4	2	-
FEMALE	16	4	-	-	-	-	4	2	-	4	2	-	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972–Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
SAVANNAH, GA	1,916	68	10	26	60	50	92	252	362	430	410	154	2
MALE	1,026	32	6	16	40	36	58	158	224	236	180	38	2
FEMALE	890	36	4	10	20	14	34	94	138	194	230	116	-
WHITE	1,150	34	2	18	28	30	36	138	198	232	306	128	-
MALE	624	22	-	12	22	24	22	86	132	142	132	30	-
FEMALE	526	12	2	6	6	6	14	52	66	90	174	98	-
ALL OTHER	766	34	8	8	32	20	56	114	164	198	104	26	2
MALE	402	10	6	4	18	12	36	72	92	94	48	8	2
FEMALE	364	24	2	4	14	8	20	42	72	104	56	18	-
SCRANTON, PA	3,190	76	18	12	36	24	84	278	524	860	876	402	-
MALE	1,680	40	6	6	20	16	40	194	354	460	406	138	-
FEMALE	1,510	36	12	6	16	8	44	84	170	400	470	264	-
WHITE	3,168	76	16	12	36	24	84	278	520	852	874	396	-
MALE	1,672	40	6	6	20	16	40	194	354	456	404	136	-
FEMALE	1,496	36	10	6	16	8	44	84	166	396	470	260	-
ALL OTHER	22	-	2	-	-	-	-	-	4	8	2	6	-
MALE	8	-	-	-	-	-	-	-	-	4	2	2	-
FEMALE	14	-	2	-	-	-	-	-	4	4	-	4	-
SEATTLE-EVERETT, WASH	11,302	246	56	106	262	248	366	1,002	1,854	2,330	3,002	1,830	-
MALE	6,364	134	38	72	184	172	236	662	1,236	1,462	1,456	712	-
FEMALE	4,938	112	18	34	78	76	130	340	618	868	1,546	1,118	-
WHITE	10,718	210	48	98	230	224	324	910	1,762	2,226	2,908	1,778	-
MALE	5,970	116	34	66	158	158	206	602	1,160	1,382	1,406	682	-
FEMALE	4,748	94	14	32	72	66	118	308	602	844	1,502	1,096	-
ALL OTHER	584	36	8	8	32	24	42	92	92	104	94	52	-
MALE	394	18	4	6	26	14	30	60	76	80	50	30	-
FEMALE	190	18	4	2	6	10	12	32	16	24	44	22	-
SHERMAN-DENISON, TEX	976	14	4	6	16	20	18	64	132	228	314	160	-
MALE	528	4	-	2	8	14	10	44	86	134	168	58	-
FEMALE	448	10	4	4	8	6	8	20	46	94	146	102	-
WHITE	864	14	4	4	14	12	14	58	110	196	292	146	-
MALE	462	4	-	-	6	6	6	38	72	124	156	50	-
FEMALE	402	10	4	4	8	6	8	20	38	72	136	96	-
ALL OTHER	112	-	-	2	2	8	4	6	22	32	22	14	-
MALE	66	-	-	2	2	8	4	6	14	10	12	8	-
FEMALE	46	-	-	-	-	-	-	-	8	22	10	6	-
SHREVEPORT, LA	2,880	106	22	46	42	76	104	280	478	744	620	362	-
MALE	1,616	56	20	28	32	58	64	190	300	438	278	152	-
FEMALE	1,264	50	2	18	10	18	40	90	178	306	342	210	-
WHITE	1,760	62	10	22	28	20	62	160	294	430	412	260	-
MALE	1,028	38	8	12	20	14	40	116	206	276	192	106	-
FEMALE	732	24	2	10	8	6	22	44	88	154	220	154	-
ALL OTHER	1,120	44	12	24	14	56	42	120	184	314	208	102	-
MALE	588	18	12	16	12	44	24	74	94	162	86	46	-
FEMALE	532	26	-	8	2	12	18	46	90	152	122	56	-
SIOUX CITY, IOWA-NEBR	1,266	48	20	12	24	20	18	70	186	264	366	238	-
MALE	714	32	8	4	22	16	14	38	124	168	198	90	-
FEMALE	552	16	12	8	2	4	4	32	62	96	168	148	-
WHITE	1,246	46	18	12	22	16	14	70	186	262	362	238	-
MALE	704	30	8	4	20	12	12	38	124	168	198	90	-
FEMALE	542	16	10	8	2	4	2	32	62	94	164	148	-
ALL OTHER	20	2	2	-	2	4	4	-	-	2	4	-	-
MALE	10	2	-	-	2	4	2	-	-	-	-	-	-
FEMALE	10	-	2	-	-	-	2	-	-	2	4	-	-

Table 7-4. Deaths by Age, Color, and Sex. for Standard Metropolitan Statistical Areas of the United States: 1972–Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1–4 YEARS	5–14 YEARS	15–24 YEARS	25–34 YEARS	35–44 YEARS	45–54 YEARS	55–64 YEARS	65–74 YEARS	75–84 YEARS	85 YEARS AND OVER	NOT STATED
SIOUX FALLS, S. DAK	820	22	6	10	18	26	14	48	118	182	234	140	2
MALE	430	12	2	6	14	20	10	20	66	108	118	52	2
FEMALE	390	10	4	4	4	6	4	28	52	74	116	88	-
WHITE	814	22	4	8	18	26	14	46	118	182	234	140	2
MALE	428	12	2	4	14	20	10	20	66	108	118	52	2
FEMALE	386	10	2	4	4	6	4	26	52	74	116	88	-
ALL OTHER	6	-	2	2	-	-	-	2	-	-	-	-	-
MALE	2	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE	4	-	2	-	-	-	-	2	-	-	-	-	-
SOUTH BEND, IND	2,738	74	18	14	52	64	72	218	410	660	748	408	-
MALE	1,546	52	12	10	38	38	42	160	256	394	382	162	-
FEMALE	1,192	22	6	4	14	26	30	58	154	266	366	246	-
WHITE	2,546	60	16	12	40	56	62	190	386	612	718	394	-
MALE	1,428	42	12	8	28	34	34	138	248	372	358	154	-
FEMALE	1,118	18	4	4	12	22	28	52	138	240	360	240	-
ALL OTHER	192	14	2	2	12	8	10	28	24	48	30	14	-
MALE	118	10	-	2	10	4	8	22	8	22	24	8	-
FEMALE	74	4	2	-	2	4	2	6	16	26	6	6	-
SPOKANE, WASH	2,986	74	16	26	62	34	78	234	442	652	824	544	-
MALE	1,704	42	8	16	44	26	46	152	300	394	440	236	-
FEMALE	1,282	32	8	10	18	8	32	82	142	258	384	308	-
WHITE	2,922	66	14	26	58	34	74	226	434	640	814	536	-
MALE	1,660	38	6	16	40	26	42	148	294	384	434	232	-
FEMALE	1,262	28	8	10	18	8	32	78	140	256	380	304	-
ALL OTHER	64	8	2	-	4	-	4	8	8	12	10	8	-
MALE	44	4	2	-	4	-	4	4	6	10	6	4	-
FEMALE	20	4	-	-	-	-	-	4	2	2	4	4	-
SPRINGFIELD, ILL	1,724	42	6	18	14	24	40	128	268	398	480	306	-
MALE	890	32	2	14	12	12	28	76	174	218	208	114	-
FEMALE	834	10	4	4	2	12	12	52	94	180	272	192	-
WHITE	1,642	40	6	18	12	24	34	108	246	390	466	298	-
MALE	840	30	2	14	10	12	24	68	158	214	198	110	-
FEMALE	802	10	4	4	2	12	10	40	88	176	268	188	-
ALL OTHER	82	2	-	-	2	-	6	20	22	8	14	8	-
MALE	50	2	-	-	2	-	4	8	16	4	10	4	-
FEMALE	32	-	-	-	-	-	2	12	6	4	4	4	-
SPRINGFIELD, MO	1,614	42	2	10	50	24	50	96	208	334	526	272	-
MALE	836	24	2	6	36	4	30	56	146	196	256	80	-
FEMALE	778	18	-	4	14	20	20	40	62	138	270	192	-
WHITE	1,580	42	2	10	50	24	50	96	198	322	520	266	-
MALE	818	24	2	6	36	4	30	56	138	190	252	80	-
FEMALE	762	18	-	4	14	20	20	40	60	132	268	186	-
ALL OTHER	34	-	-	-	-	-	-	-	10	12	6	6	-
MALE	18	-	-	-	-	-	-	-	8	6	4	-	-
FEMALE	16	-	-	-	-	-	-	-	2	6	2	6	-
SPRINGFIELD, OHIO	1,510	48	8	14	32	18	48	146	262	336	394	204	-
MALE	804	32	2	4	26	14	28	98	170	186	176	68	-
FEMALE	706	16	6	10	6	4	20	48	92	150	218	136	-
WHITE	1,352	38	6	14	24	14	36	136	228	290	374	192	-
MALE	724	30	2	4	20	12	22	90	150	160	170	64	-
FEMALE	628	8	4	10	4	2	14	46	78	130	204	128	-
ALL OTHER	158	10	2	-	8	4	12	10	34	46	20	12	-
MALE	80	2	-	-	6	2	6	8	20	26	6	4	-
FEMALE	78	8	2	-	2	2	6	2	14	20	14	8	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
SPRINGFIELD-HOLYOKE, MASS	5,660	98	30	42	106	102	148	448	836	1,256	1,746	848	-
MALE	2,992	58	16	18	70	78	86	308	552	698	828	280	-
FEMALE	2,668	40	14	24	36	24	62	140	284	558	918	568	-
WHITE	5,490	86	24	36	98	84	136	432	814	1,228	1,718	834	-
MALE	2,912	54	14	16	64	66	80	298	538	682	824	276	-
FEMALE	2,578	32	10	20	34	18	56	134	276	546	894	558	-
ALL OTHER	170	12	6	6	8	18	12	16	22	28	28	14	-
MALE	80	4	2	2	6	12	6	10	14	16	4	4	-
FEMALE	90	8	4	4	2	6	6	6	8	12	24	10	-
STEUBINVILLE-WEIRTON,OHIO-W. VA	1,820	42	4	8	34	16	52	164	336	430	494	240	-
MALE	1,086	28	2	4	26	10	32	120	220	258	286	100	-
FEMALE	734	14	2	4	8	6	20	44	116	172	208	140	-
WHITE	1,748	32	4	8	32	16	50	152	328	404	486	236	-
MALE	1,040	20	2	4	24	10	30	112	212	246	280	100	-
FEMALE	708	12	2	4	8	6	20	40	116	158	206	136	-
ALL OTHER	72	10	-	-	2	-	2	12	8	26	8	4	-
MALE	46	8	-	-	2	-	2	8	8	12	6	-	-
FEMALE	26	2	-	-	-	-	-	4	-	14	2	4	-
STOCKTON, CALIF	2,808	68	18	26	86	50	110	244	442	610	770	384	-
MALE	1,704	30	12	16	70	24	70	156	310	384	454	178	-
FEMALE	1,104	38	6	10	16	26	40	88	132	226	316	206	-
WHITE	2,516	54	18	24	76	46	96	212	378	534	712	366	-
MALE	1,482	26	12	16	60	24	64	130	250	324	412	164	-
FEMALE	1,034	28	6	8	16	22	32	82	128	210	300	202	-
ALL OTHER	292	14	-	2	10	4	14	32	64	76	58	18	-
MALE	222	4	-	-	10	-	6	26	60	60	42	14	-
FEMALE	70	10	-	2	-	4	8	6	4	16	16	4	-
SYRACUSE, N.Y	5,718	174	58	52	108	102	152	438	816	1,322	1,546	950	-
MALE	3,036	104	36	36	90	74	102	248	562	728	722	334	-
FEMALE	2,682	70	22	16	18	28	50	190	254	594	824	616	-
WHITE	5,530	144	52	46	94	88	134	406	792	1,294	1,538	942	-
MALE	2,912	84	34	30	78	62	90	232	546	708	716	332	-
FEMALE	2,618	60	18	16	16	26	44	174	246	586	822	610	-
ALL OTHER	188	30	6	6	14	14	18	32	24	28	8	8	-
MALE	124	20	2	6	12	12	12	16	16	20	6	2	-
FEMALE	64	10	4	-	2	2	6	16	8	8	2	6	-
TACOMA, WASH	3,384	130	36	48	98	64	108	306	554	680	856	504	-
MALE	1,876	76	24	28	68	42	74	192	334	370	460	208	-
FEMALE	1,508	54	12	20	30	22	34	114	220	310	396	296	-
WHITE	3,254	114	34	48	86	56	92	284	528	668	842	502	-
MALE	1,788	66	22	28	56	36	64	174	318	364	452	208	-
FEMALE	1,466	48	12	20	30	20	28	110	210	304	390	294	-
ALL OTHER	130	16	2	-	12	8	16	22	26	12	14	2	-
MALE	88	10	2	-	12	6	10	18	16	6	8	-	-
FEMALE	42	6	-	-	-	2	6	4	10	6	6	2	-
TALLAHASSEE, FLA	714	44	4	2	38	16	38	76	132	190	98	74	2
MALE	410	22	4	2	24	12	22	48	86	110	44	34	2
FEMALE	304	22	-	-	14	4	16	28	46	80	54	40	-
WHITE	450	24	2	2	28	12	16	46	76	104	80	60	-
MALE	266	12	2	2	16	10	14	32	50	68	34	26	-
FEMALE	184	12	-	-	12	2	2	14	26	36	46	34	-
ALL OTHER	264	20	2	-	10	4	22	30	56	86	18	14	2
MALE	144	10	2	-	8	2	8	16	36	42	10	8	2
FEMALE	120	10	-	-	2	2	14	14	20	44	8	6	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972-Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
TAMPA-ST. PETERSBURG, FLA	15,246	230	60	84	250	190	348	964	2,000	4,116	4,818	2,178	8
MALE	8,674	124	38	44	184	116	192	606	1,252	2,464	2,702	950	2
FEMALE	6,572	106	22	40	66	74	156	358	748	1,652	2,116	1,228	6
WHITE	13,916	168	36	68	188	140	228	790	1,724	3,760	4,680	2,130	4
MALE	7,938	92	24	34	146	84	114	500	1,084	2,288	2,640	930	2
FEMALE	5,978	76	12	34	42	56	114	290	640	1,472	2,040	1,200	2
ALL OTHER	1,330	62	24	16	62	50	120	174	276	356	138	48	4
MALE	736	32	14	10	38	32	78	106	168	176	62	20	-
FEMALE	594	30	10	6	24	18	42	68	108	180	76	28	4
TERRE HAUTE, IND	2,224	46	6	16	22	30	42	148	312	564	672	366	-
MALE	1,178	24	2	16	20	16	30	106	180	314	312	158	-
FEMALE	1,046	22	4	-	2	14	12	42	132	250	360	208	-
WHITE	2,178	44	6	16	22	30	42	140	304	552	664	358	-
MALE	1,150	24	2	16	20	16	30	100	174	306	308	154	-
FEMALE	1,028	20	4	-	2	14	12	40	130	246	356	204	-
ALL OTHER	46	2	-	-	-	-	-	8	8	12	8	8	-
MALE	28	-	-	-	-	-	-	6	6	8	4	4	-
FEMALE	18	2	-	-	-	-	-	2	2	4	4	4	-
TEXARKANA, TEXAS-ARK	1,130	36	6	10	28	32	32	114	168	276	296	132	-
MALE	664	18	2	4	28	16	18	66	116	176	162	58	-
FEMALE	466	18	4	6	-	16	14	48	52	100	134	74	-
WHITE	824	22	4	10	16	24	20	78	122	186	222	120	-
MALE	496	16	2	4	16	12	10	46	86	130	120	54	-
FEMALE	328	6	2	6	-	12	10	32	36	56	102	66	-
ALL OTHER	306	14	2	-	12	8	12	36	46	90	74	12	-
MALE	168	2	-	-	12	4	8	20	30	46	42	4	-
FEMALE	138	12	2	-	-	4	4	16	16	44	32	8	-
TOLEDO, OHIO-MICH	6,812	238	22	52	154	122	196	612	986	1,666	1,820	944	-
MALE	3,784	140	14	30	124	78	102	376	646	1,006	922	346	-
FEMALE	3,028	98	8	22	30	44	94	236	340	660	898	598	-
WHITE	6,230	178	16	42	128	88	160	534	910	1,524	1,748	902	-
MALE	3,414	102	10	24	106	58	82	326	596	906	880	324	-
FEMALE	2,816	76	6	18	22	30	78	208	314	618	868	578	-
ALL OTHER	582	60	6	10	26	34	36	78	76	142	72	42	-
MALE	370	38	4	6	18	20	20	50	50	100	42	22	-
FEMALE	212	22	2	4	8	14	16	28	26	42	30	20	-
TOPEKA, KANS	1,382	32	8	12	16	28	54	106	192	300	414	220	-
MALE	714	18	8	8	10	18	28	66	126	178	192	62	-
FEMALE	668	14	-	4	6	10	26	40	66	122	222	158	-
WHITE	1,230	24	8	12	12	26	40	84	170	270	382	202	-
MALE	646	14	8	8	8	16	24	54	110	164	178	62	-
FEMALE	584	10	-	4	4	10	16	30	60	106	204	140	-
ALL OTHER	152	8	-	-	4	2	14	22	22	30	32	18	-
MALE	68	4	-	-	2	2	4	12	16	14	14	-	-
FEMALE	84	4	-	-	2	-	10	10	6	16	18	18	-
TRENTON, N.J	3,044	94	12	28	60	70	124	292	468	738	782	376	-
MALE	1,746	56	12	16	42	52	86	206	310	436	364	166	-
FEMALE	1,298	38	-	12	18	18	38	86	158	302	418	210	-
WHITE	2,616	56	12	22	40	42	80	208	410	636	752	358	-
MALE	1,476	26	12	14	28	32	58	144	282	368	352	160	-
FEMALE	1,140	30	-	8	12	10	22	64	128	268	400	198	-
ALL OTHER	428	38	-	6	20	28	44	84	58	102	30	18	-
MALE	270	30	-	2	14	20	28	62	28	68	12	6	-
FEMALE	158	8	-	4	6	8	16	22	30	34	18	12	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
TUCSON, ARIZ	3,346	124	20	34	92	84	120	344	634	836	760	294	4
MALE	1,952	62	6	14	70	58	70	210	432	524	392	110	4
FEMALE	1,394	62	14	20	22	26	50	134	202	312	368	184	-
WHITE	3,144	104	20	34	82	60	100	326	612	800	720	282	4
MALE	1,860	48	6	14	64	44	58	200	424	516	376	106	4
FEMALE	1,284	56	14	20	18	16	42	126	188	284	344	176	-
ALL OTHER	202	20	-	-	10	24	20	18	22	36	40	12	-
MALE	92	14	-	-	6	14	12	10	8	8	16	4	-
FEMALE	110	6	-	-	4	10	8	8	14	28	24	8	-
TULSA, OKLA	4,362	142	36	50	104	122	158	342	636	994	1,162	614	2
MALE	2,318	92	18	34	70	84	88	220	396	574	526	214	2
FEMALE	2,044	50	18	16	34	38	70	122	240	420	636	400	-
WHITE	3,882	110	28	38	86	102	136	308	546	878	1,080	570	-
MALE	2,068	72	16	28	62	70	76	198	338	522	484	202	-
FEMALE	1,814	38	12	10	24	32	60	110	208	356	596	368	-
ALL OTHER	480	32	8	12	18	20	22	34	90	116	82	44	2
MALE	250	20	2	6	8	14	12	22	58	52	42	12	2
FEMALE	230	12	6	6	10	6	10	12	32	64	40	32	-
TUSCALOOSA, ALA	984	36	10	10	26	14	70	92	162	232	196	136	-
MALE	540	20	6	10	20	8	38	50	102	136	96	54	-
FEMALE	444	16	4	-	6	6	32	42	60	96	100	82	-
WHITE	620	10	4	8	8	10	32	52	96	144	148	108	-
MALE	322	4	-	8	6	6	12	24	66	82	74	40	-
FEMALE	298	6	4	-	2	4	20	28	30	62	74	68	-
ALL OTHER	364	26	6	2	18	4	38	40	66	88	48	28	-
MALE	218	16	6	2	14	2	26	26	36	54	22	14	-
FEMALE	146	10	-	-	4	2	12	14	30	34	26	14	-
TYLER, TEX	1,008	44	12	12	24	26	26	80	164	242	234	144	-
MALE	552	28	6	10	16	20	12	44	96	160	106	54	-
FEMALE	456	16	6	2	8	6	14	36	68	82	128	90	-
WHITE	738	30	6	8	16	18	12	62	112	170	182	122	-
MALE	404	20	2	8	12	14	2	36	70	110	84	46	-
FEMALE	334	10	4	-	4	4	10	26	42	60	98	76	-
ALL OTHER	270	14	6	4	8	8	14	18	52	72	52	22	-
MALE	148	8	4	2	4	6	10	8	26	50	22	8	-
FEMALE	122	6	2	2	4	2	4	10	26	22	30	14	-
UTICA-ROME, N.Y	3,512	64	12	14	92	42	80	294	468	874	1,036	536	-
MALE	1,922	34	4	10	50	26	56	170	310	530	504	228	-
FEMALE	1,590	30	8	4	42	16	24	124	158	344	532	308	-
WHITE	3,472	58	12	12	88	42	78	284	460	866	1,036	536	-
MALE	1,910	32	4	8	50	26	54	170	308	526	504	228	-
FEMALE	1,562	26	8	4	38	16	24	114	152	340	532	308	-
ALL OTHER	40	6	-	2	4	-	2	10	8	8	-	-	-
MALE	12	2	-	2	-	-	2	-	2	4	-	-	-
FEMALE	28	4	-	-	4	-	-	10	6	4	-	-	-
VALLEJO-NAPA, CALIF	2,170	82	16	20	82	50	68	186	346	488	540	292	-
MALE	1,254	56	8	16	60	38	44	92	228	292	308	112	-
FEMALE	916	26	8	4	22	12	24	94	118	196	232	180	-
WHITE	2,046	74	12	14	74	44	60	166	324	468	522	288	-
MALE	1,168	52	6	10	52	34	38	80	210	278	296	112	-
FEMALE	878	22	6	4	22	10	22	86	114	190	226	176	-
ALL OTHER	124	8	4	6	8	6	8	20	22	20	18	4	-
MALE	86	4	2	6	8	4	6	12	18	14	12	-	-
FEMALE	38	4	2	-	-	2	2	8	4	6	6	4	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
VINELAND-MILLVILLE-BRIDGETON, N.J	1,220	46	4	18	30	14	46	86	200	296	328	152	-
MALE	688	36	4	10	20	6	28	54	124	172	174	60	-
FEMALE	532	10	-	8	10	8	18	32	76	124	154	92	-
WHITE	1,062	24	4	14	22	6	38	68	170	258	316	142	-
MALE	588	20	4	8	16	6	22	44	100	146	168	54	-
FEMALE	474	4	-	6	6	-	16	24	70	112	148	88	-
ALL OTHER	158	22	-	4	8	8	8	18	30	38	12	10	-
MALE	100	16	-	2	4	-	6	10	24	26	6	6	-
FEMALE	58	6	-	2	4	8	2	8	6	12	6	4	-
WACO, TEX	1,732	64	4	10	30	34	64	142	254	422	494	212	2
MALE	984	34	2	6	28	28	46	104	150	258	250	78	-
FEMALE	748	30	2	4	2	6	18	38	104	164	244	134	2
WHITE	1,404	30	2	6	18	22	42	106	202	346	438	190	2
MALE	778	18	-	2	18	18	30	76	120	214	218	64	-
FEMALE	626	12	2	4	-	4	12	30	82	132	220	126	2
ALL OTHER	328	34	2	4	12	12	22	36	52	76	56	22	-
MALE	206	16	2	4	10	10	16	28	30	44	32	14	-
FEMALE	122	18	-	-	2	2	6	8	22	32	24	8	-
WASHINGTON, D.C.-MD.-VA	20,180	828	114	180	596	686	1,098	2,770	3,664	4,140	3,920	2,180	4
MALE	10,970	456	60	122	428	446	718	1,712	2,304	2,336	1,702	684	2
FEMALE	9,210	372	54	58	168	240	380	1,058	1,360	1,804	2,218	1,496	2
WHITE	13,584	428	74	130	328	342	532	1,622	2,352	2,794	3,164	1,816	2
MALE	7,102	234	42	88	246	204	334	1,006	1,504	1,568	1,322	554	-
FEMALE	6,482	194	32	42	82	138	198	616	848	1,226	1,842	1,262	2
ALL OTHER	6,596	400	40	50	268	344	566	1,148	1,312	1,346	756	364	2
MALE	3,868	222	18	34	182	242	384	706	800	768	380	130	2
FEMALE	2,728	178	22	16	86	102	182	442	512	578	376	234	-
WATERLOO, IOWA	1,152	36	8	8	24	24	38	88	134	254	314	224	-
MALE	648	28	4	6	12	18	16	60	92	170	142	100	-
FEMALE	504	8	4	2	12	6	22	28	42	84	172	124	-
WHITE	1,080	32	8	8	22	18	24	80	116	246	304	222	-
MALE	602	26	4	6	10	12	12	54	80	166	134	98	-
FEMALE	478	6	4	2	12	6	12	26	36	80	170	124	-
ALL OTHER	72	4	-	-	2	6	14	8	18	8	10	2	-
MALE	46	2	-	-	2	6	4	6	12	4	8	2	-
FEMALE	26	2	-	-	-	-	10	2	6	4	2	-	-
WEST PALM BEACH, FLA	4,894	114	40	28	86	112	158	338	748	1,412	1,386	470	2
MALE	2,862	62	20	18	50	74	102	226	454	874	786	194	2
FEMALE	2,032	52	20	10	36	38	56	112	294	538	600	276	-
WHITE	4,198	52	24	18	68	54	96	232	592	1,264	1,338	460	-
MALE	2,414	26	10	12	36	36	58	154	356	780	758	188	-
FEMALE	1,784	26	14	6	32	18	38	78	236	484	580	272	-
ALL OTHER	696	62	16	10	18	58	62	106	156	148	48	10	2
MALE	448	36	10	6	14	38	44	72	98	94	28	6	2
FEMALE	248	26	6	4	4	20	18	34	58	54	20	4	-
WHEELING, W. VA.-OHIO	2,320	56	12	14	24	14	36	188	396	590	646	344	-
MALE	1,250	30	8	12	18	12	16	128	238	326	324	138	-
FEMALE	1,070	26	4	2	6	2	20	60	158	264	322	206	-
WHITE	2,264	56	12	14	22	14	32	184	388	572	628	342	-
MALE	1,218	30	8	12	16	12	14	128	234	318	310	136	-
FEMALE	1,046	26	4	2	6	2	18	56	154	254	318	206	-
ALL OTHER	56	-	-	-	2	-	4	4	8	18	18	2	-
MALE	32	-	-	-	2	-	2	-	4	8	14	2	-
FEMALE	24	-	-	-	-	-	2	4	4	10	4	-	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972-Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
WICHITA, KANSAS	3,070	134	24	28	72	84	86	242	508	610	810	470	2
MALE	1,672	68	10	16	50	60	56	144	308	378	394	188	-
FEMALE	1,398	66	14	12	22	24	30	98	200	232	416	282	2
WHITE	2,866	118	24	26	66	68	72	220	462	584	766	458	2
MALE	1,548	60	10	16	46	46	48	130	274	366	368	184	-
FEMALE	1,318	58	14	10	20	22	24	90	188	218	398	274	2
ALL OTHER	204	16	-	2	6	16	14	22	46	26	44	12	-
MALE	124	8	-	-	4	14	8	14	34	12	26	4	-
FEMALE	80	8	-	2	2	2	6	8	12	14	18	8	-
WICHITA FALLS, TEX	1,118	80	6	6	32	18	34	78	140	260	296	168	-
MALE	614	54	2	4	18	16	24	56	96	148	140	56	-
FEMALE	504	26	4	2	14	2	10	22	44	112	156	112	-
WHITE	994	66	-	6	26	14	28	66	132	228	274	154	-
MALE	546	42	-	4	16	12	24	48	94	136	124	46	-
FEMALE	448	24	-	2	10	2	4	18	38	92	150	108	-
ALL OTHER	124	14	6	-	6	4	6	12	8	32	22	14	-
MALE	68	12	2	-	2	4	-	8	2	12	16	10	-
FEMALE	56	2	4	-	4	-	6	4	6	20	6	4	-
WILKES-BARRE--HAZELTON, PA	4,600	64	10	20	46	48	126	394	834	1,262	1,338	456	2
MALE	2,570	48	6	10	26	38	86	276	580	688	646	164	2
FEMALE	2,030	16	4	10	20	10	40	118	254	574	692	292	-
WHITE	4,578	64	10	20	44	46	126	394	830	1,252	1,336	454	2
MALE	2,556	48	6	10	26	36	86	276	576	684	644	162	2
FEMALE	2,022	16	4	10	18	10	40	118	254	568	692	292	-
ALL OTHER	22	-	-	-	2	2	-	-	4	10	2	2	-
MALE	14	-	-	-	-	2	-	-	4	4	2	2	-
FEMALE	8	-	-	-	2	-	-	-	-	6	-	-	-
WILMINGTON, DEL.-N.J.-MD	4,414	138	24	60	94	64	218	442	756	1,016	1,068	534	-
MALE	2,490	98	16	26	70	50	122	278	506	616	524	184	-
FEMALE	1,924	40	8	34	24	14	96	164	250	400	544	350	-
WHITE	3,756	98	20	42	78	48	160	356	624	872	972	486	-
MALE	2,068	64	14	18	58	34	92	228	408	520	470	162	-
FEMALE	1,688	34	6	24	20	14	68	128	216	352	502	324	-
ALL OTHER	658	40	4	18	16	16	58	86	132	144	96	48	-
MALE	422	34	2	8	12	16	30	50	98	96	54	22	-
FEMALE	236	6	2	10	4	-	28	36	34	48	42	26	-
WILMINGTON, N.C	1,078	42	4	8	20	30	72	138	228	236	206	94	-
MALE	608	18	4	6	10	20	40	88	128	152	114	28	-
FEMALE	470	24	-	2	10	10	32	50	100	84	92	66	-
WHITE	744	30	-	6	14	16	36	88	148	172	166	68	-
MALE	432	16	-	4	8	10	22	60	84	118	94	16	-
FEMALE	312	14	-	2	6	6	14	28	64	54	72	52	-
ALL OTHER	334	12	4	2	6	14	36	50	80	64	40	26	-
MALE	176	2	4	2	2	10	18	28	44	34	20	12	-
FEMALE	158	10	-	-	4	4	18	22	36	30	20	14	-
WORCESTER, MASS	6,496	134	32	38	112	74	158	498	982	1,480	1,868	1,118	2
MALE	3,470	88	20	20	92	32	86	300	626	892	918	396	-
FEMALE	3,026	46	12	18	20	42	72	198	356	588	950	722	2
WHITE	6,458	128	32	38	108	74	156	496	976	1,472	1,858	1,118	2
MALE	3,446	84	20	20	90	32	86	298	622	886	912	396	-
FEMALE	3,012	44	12	18	18	42	70	198	354	586	946	722	2
ALL OTHER	38	6	-	-	4	-	2	2	6	8	10	-	-
MALE	24	4	-	-	2	-	-	2	4	6	6	-	-
FEMALE	14	2	-	-	2	-	2	-	2	2	4	-	-

Table 7-4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

AREA, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	NOT STATED
YORK, PA	3,228	70	10	16	76	70	98	246	522	778	894	448	-
MALE	1,826	44	6	10	60	50	76	138	344	494	456	148	-
FEMALE	1,402	26	4	6	16	20	22	108	178	284	438	300	-
WHITE	3,106	64	8	16	74	60	88	228	502	754	872	440	-
MALE	1,736	40	4	10	60	40	66	130	332	472	438	144	-
FEMALE	1,370	24	4	6	14	20	22	98	170	282	434	296	-
ALL OTHER	122	6	2	-	2	10	10	18	20	24	22	8	-
MALE	90	4	2	-	-	10	10	8	12	22	18	4	-
FEMALE	32	2	-	-	2	-	-	10	8	2	4	4	-
YOUNGSTOWN-WARREN, OHIO	5,238	168	14	32	118	102	176	456	934	1,200	1,378	660	-
MALE	2,954	92	10	16	92	62	122	290	618	702	662	288	-
FEMALE	2,284	76	4	16	26	40	54	166	316	498	716	372	-
WHITE	4,688	126	12	30	92	72	138	388	848	1,060	1,294	628	-
MALE	2,616	72	8	14	68	46	94	258	560	610	612	274	-
FEMALE	2,072	54	4	16	24	26	44	130	288	450	682	354	-
ALL OTHER	550	42	2	2	26	30	38	68	86	140	84	32	-
MALE	338	20	2	2	24	16	28	32	58	92	50	14	-
FEMALE	212	22	-	-	2	14	10	36	28	40	34	18	-
STANDARD CONSOLIDATED AREAS													
NEW YORK, N.Y.—NORTHEASTERN NEW JERSEY[1]	161,326	3,918	656	968	3,432	3,704	6,170	14,346	26,992	38,572	42,908	19,606	54
MALE	86,978	2,274	394	582	2,502	2,522	3,904	8,862	16,794	21,700	20,154	7,254	36
FEMALE	74,348	1,644	262	386	930	1,182	2,266	5,484	10,198	16,872	22,754	12,352	18
WHITE	139,114	2,394	440	686	2,234	2,138	4,012	10,894	23,030	34,472	40,194	18,580	40
MALE	74,154	1,418	268	418	1,604	1,420	2,530	6,766	14,502	19,496	18,820	6,886	26
FEMALE	64,960	976	172	268	630	718	1,482	4,128	8,528	14,976	21,374	11,694	14
ALL OTHER	22,212	1,524	216	282	1,198	1,566	2,158	3,452	3,962	4,100	2,714	1,026	14
MALE	12,824	856	126	164	898	1,102	1,374	2,096	2,292	2,204	1,334	368	10
FEMALE	9,388	668	90	118	300	464	784	1,356	1,670	1,896	1,380	658	4
CHICAGO, ILL.—NORTHWESTERN INDIANA[2]	72,654	2,612	438	524	1,656	1,708	2,068	7,364	12,716	16,294	18,266	8,196	12
MALE	39,796	1,476	244	330	1,188	1,110	1,728	4,666	8,058	9,378	8,620	2,988	10
FEMALE	32,858	1,136	194	194	468	598	1,140	2,698	4,658	6,916	9,646	5,208	2
WHITE	59,526	1,390	264	394	1,064	946	1,734	5,456	10,518	13,608	16,672	7,476	4
MALE	32,340	776	150	252	752	604	1,032	3,476	6,796	7,922	7,862	2,716	2
FEMALE	27,186	614	114	142	312	342	702	1,980	3,722	5,686	8,810	4,760	2
ALL OTHER	13,128	1,222	174	130	592	762	1,134	1,908	2,198	2,686	1,594	720	8
MALE	7,456	700	94	78	436	506	696	1,190	1,262	1,456	758	272	8
FEMALE	5,672	522	80	52	156	256	438	718	936	1,230	836	448	-

[1]Comprised of four standard metropolitan statistical areas—New York, N.Y., Newark, N.J., Jersey City, N.J., Paterson-Clifton-Passaic, N.J.—and two nonmetropolitan counties—Middlesex and Somerset Counties, N.J.
[2]Comprised of two standard metropolitan statistical areas—Chicago, Ill., and Gary-Hammond-East Chicago, Ind.

Table 7-5. Deaths From 69 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
1	ALL CAUSES	1,963,944	60,182	4,188	2,892	2,236	1,778	71,276	7,684	8,520	22,318	26,020
2	MALE	1,096,198	34,710	2,332	1,650	1,274	1,038	41,004	4,482	5,418	16,226	19,400
3	FEMALE	867,746	25,472	1,856	1,242	962	740	30,272	3,202	3,102	6,092	6,620
4	WHITE	1,721,468	43,460	3,084	2,196	1,740	1,426	51,906	6,198	6,950	18,150	19,714
5	MALE	957,518	25,422	1,736	1,272	1,016	834	30,280	3,632	4,442	13,210	14,744
6	FEMALE	763,950	18,038	1,348	924	724	592	21,626	2,566	2,508	4,940	4,970
7	ALL OTHER	242,476	16,722	1,104	696	496	352	19,370	1,486	1,570	4,168	6,306
8	MALE	138,680	9,288	596	378	258	204	10,724	850	976	3,016	4,656
9	FEMALE	103,796	7,434	508	318	238	148	8,646	636	594	1,152	1,650
10	BACILLARY DYSENTERY AND AMEBIASIS 004,006	90	14	4	2	2	2	24	2	-	-	4
11	MALE	54	10	2	2	2	-	16	-	-	-	-
12	FEMALE	36	4	2	-	-	2	8	2	-	-	4
13	WHITE	64	4	-	2	2	2	10	2	-	-	4
14	MALE	38	2	-	2	2	-	6	-	-	-	-
15	FEMALE	26	2	-	-	-	2	4	2	-	-	4
16	ALL OTHER	26	10	4	-	-	-	14	-	-	-	-
17	MALE	16	8	2	-	-	-	10	-	-	-	-
18	FEMALE	10	2	2	-	-	-	4	-	-	-	-
19	ENTERITIS AND OTHER DIARRHEAL DISEASES 008,009	2,286	704	78	22	12	2	818	20	8	20	16
20	MALE	1,062	394	52	14	6	2	468	10	2	14	6
21	FEMALE	1,224	310	26	8	6	-	350	10	6	6	10
22	WHITE	1,714	338	52	8	10	2	410	18	4	12	14
23	MALE	768	200	34	6	6	2	248	10	-	10	4
24	FEMALE	946	138	18	2	4	-	162	8	4	2	10
25	ALL OTHER	572	366	26	14	2	-	408	2	4	8	2
26	MALE	294	194	18	8	-	-	220	-	2	4	2
27	FEMALE	278	172	8	6	2	-	188	2	2	4	-
28	TUBERCULOSIS, ALL FORMS 010-019	4,376	8	8	8	2	2	28	4	2	14	24
29	MALE	3,140	8	2	2	2	2	16	4	-	10	10
30	FEMALE	1,236	-	6	6	-	-	12	-	2	4	14
31	WHITE	3,014	4	4	4	2	2	16	4	2	10	14
32	MALE	2,162	4	-	2	2	2	10	4	-	6	4
33	FEMALE	852	-	4	2	-	-	6	-	2	4	10
34	ALL OTHER	1,362	4	4	4	-	-	12	-	-	4	10
35	MALE	978	4	2	-	-	-	6	-	-	4	6
36	FEMALE	384	-	2	4	-	-	6	-	-	-	4
37	TUBERCULOSIS OF RESPIRATORY SYSTEM 010-012	3,474	6	4	2	-	2	14	-	-	10	10
38	MALE	2,552	6	2	-	-	2	10	-	-	8	4
39	FEMALE	922	-	2	2	-	-	4	-	-	2	6
40	WHITE	2,366	2	-	-	-	2	4	-	-	6	6
41	MALE	1,742	2	-	-	-	2	4	-	-	4	2
42	FEMALE	624	-	-	-	-	-	-	-	-	2	4
43	ALL OTHER	1,108	4	4	2	-	-	10	-	-	4	4
44	MALE	810	4	2	-	-	-	6	-	-	4	2
45	FEMALE	298	-	2	2	-	-	4	-	-	-	2
46	TUBERCULOSIS, OTHER FORMS 013-019	902	2	4	6	2	-	14	4	2	4	14
47	MALE	588	2	-	2	2	-	6	4	-	2	6
48	FEMALE	314	-	4	4	-	-	8	-	2	2	8
49	WHITE	648	2	4	4	2	-	12	4	2	4	8
50	MALE	420	2	-	2	2	-	6	4	-	2	2
51	FEMALE	228	-	4	2	-	-	6	-	2	2	6
52	ALL OTHER	254	-	-	2	-	-	2	-	-	-	6
53	MALE	168	-	-	-	-	-	-	-	-	-	4
54	FEMALE	86	-	-	2	-	-	2	-	-	-	2
55	WHOOPING COUGH 033	6	4	-	-	-	-	4	-	-	-	-
56	MALE	-	-	-	-	-	-	-	-	-	-	-
57	FEMALE	6	4	-	-	-	-	4	-	-	-	-
58	WHITE	2	-	-	-	-	-	-	-	-	-	-
59	MALE	-	-	-	-	-	-	-	-	-	-	-
60	FEMALE	2	-	-	-	-	-	-	-	-	-	-
61	ALL OTHER	4	4	-	-	-	-	4	-	-	-	-
62	MALE	-	-	-	-	-	-	-	-	-	-	-
63	FEMALE	4	4	-	-	-	-	4	-	-	-	-
64	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER 034	16	2	-	-	-	2	4	-	2	-	-
65	MALE	10	2	-	-	-	-	2	-	2	-	-
66	FEMALE	6	-	-	-	-	2	2	-	-	-	-
67	WHITE	16	2	-	-	-	2	4	-	2	-	-
68	MALE	10	2	-	-	-	-	2	-	2	-	-
69	FEMALE	6	-	-	-	-	2	2	-	-	-	-
70	ALL OTHER	-	-	-	-	-	-	-	-	-	-	-
71	MALE	-	-	-	-	-	-	-	-	-	-	-
72	FEMALE	-	-	-	-	-	-	-	-	-	-	-
73	MENINGOCOCCAL INFECTIONS 036	350	96	32	32	10	20	190	12	18	22	14
74	MALE	194	50	14	20	4	16	104	6	6	16	12
75	FEMALE	156	46	18	12	6	4	86	6	12	6	2
76	WHITE	284	84	26	24	10	12	156	6	12	20	12
77	MALE	154	46	8	14	4	8	80	4	4	14	10
78	FEMALE	130	38	18	10	6	4	76	2	8	6	2
79	ALL OTHER	66	12	6	8	-	8	34	6	6	2	2
80	MALE	40	4	6	6	-	8	24	2	2	2	2
81	FEMALE	26	8	-	2	-	-	10	4	4	-	-

Age, Color, and Sex: United States, [1]972

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	NOT STATED	
21,220	20,688	26,258	42,534	69,074	99,148	134,218	177,304	212,550	242,460	266,404	245,216	169,224	76,620	21,028	3,642	538	1
14,926	13,500	16,466	26,444	43,506	63,838	87,348	115,208	131,620	139,264	139,974	113,734	68,700	27,228	6,496	1,042	374	2
6,294	7,188	9,792	16,090	25,568	35,310	46,870	62,096	80,930	103,196	126,430	131,482	100,524	49,392	14,532	2,600	164	3
15,650	14,574	18,818	32,242	55,028	82,000	114,798	153,224	186,058	215,520	245,338	230,176	159,964	72,340	19,552	2,892	376	4
11,040	9,462	11,782	20,264	34,950	53,478	75,640	101,132	116,682	124,830	128,614	106,410	64,502	25,446	5,934	788	256	5
4,610	5,112	7,036	11,978	20,078	28,522	39,158	52,092	69,376	90,690	116,724	123,766	95,462	46,894	13,618	2,104	120	6
5,570	6,114	7,440	10,292	14,046	17,148	19,420	24,080	26,492	26,940	21,066	15,040	9,260	4,280	1,476	750	162	7
3,886	4,038	4,684	6,180	8,556	10,360	11,708	14,076	14,938	14,434	11,360	7,324	4,198	1,782	562	254	118	8
1,684	2,076	2,756	4,112	5,490	6,788	7,712	10,004	11,554	12,506	9,706	7,716	5,062	2,498	914	496	44	9
4	2	6	2	2	8	4	6	12	2	4	4	4	-	-	-	-	10
2	2	4	2	2	6	-	6	8	-	2	2	2	-	-	-	-	11
2	-	2	-	-	2	4	-	4	2	2	2	2	-	-	-	-	12
2	2	2	2	2	4	4	6	10	2	4	4	4	-	-	-	-	13
-	2	2	2	2	4	-	6	8	-	2	2	2	-	-	-	-	14
2	-	-	-	-	-	4	-	2	2	2	2	2	-	-	-	-	15
2	-	4	-	-	4	-	-	2	-	-	-	-	-	-	-	-	16
2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	17
-	-	2	-	-	2	-	-	2	-	-	-	-	-	-	-	-	18
12	20	16	42	40	84	82	96	104	182	220	210	160	104	26	6	-	19
6	12	6	22	20	32	42	42	46	82	80	72	60	36	4	-	-	20
6	8	10	20	20	52	40	54	58	100	140	138	100	68	22	6	-	21
12	10	12	32	32	76	76	90	86	166	192	196	148	100	24	4	-	22
6	8	4	16	16	26	40	38	38	72	72	66	56	34	4	-	-	23
6	2	8	16	16	50	36	52	48	94	120	130	92	66	20	4	-	24
-	10	4	10	8	8	6	6	18	16	28	14	12	4	2	2	-	25
-	4	2	6	4	6	2	4	8	10	8	6	4	2	-	-	-	26
-	6	2	4	4	2	4	2	10	6	20	8	8	2	2	2	-	27
44	82	108	198	300	372	458	494	586	546	450	356	214	82	8	2	4	28
22	34	68	132	226	276	336	392	442	398	340	242	130	50	6	2	4	29
22	48	40	66	74	96	122	102	144	148	110	114	84	32	2	-	-	30
16	24	42	84	144	236	326	358	416	400	368	308	166	70	8	-	2	31
6	12	18	52	98	180	238	288	314	288	278	212	104	42	6	-	2	32
10	12	24	32	46	56	88	70	102	112	90	96	62	28	2	-	-	33
28	58	66	114	156	136	132	136	170	146	82	48	48	12	-	2	2	34
16	22	50	80	128	96	98	104	128	110	62	30	26	8	-	2	2	35
12	36	16	34	28	40	34	32	42	36	20	18	22	4	-	-	-	36
36	64	88	168	250	318	352	396	470	412	338	294	178	64	6	2	4	37
14	28	62	116	192	238	276	330	354	310	256	196	108	40	4	2	4	38
22	36	26	52	58	80	76	66	116	102	82	58	70	24	2	-	-	39
14	18	26	72	112	208	250	284	324	310	272	254	142	56	6	-	2	40
4	8	12	44	80	164	196	244	244	230	206	172	88	34	4	-	2	41
10	10	14	28	32	44	54	40	80	80	66	82	54	22	2	-	-	42
22	46	62	96	138	110	102	112	146	102	66	40	36	8	-	2	2	43
10	20	50	72	112	74	80	86	110	80	50	24	20	6	-	2	2	44
12	26	12	24	26	36	22	26	36	22	16	16	16	2	-	-	-	45
8	18	20	30	50	54	106	98	116	134	112	62	36	18	2	-	-	46
8	6	6	16	34	38	60	62	88	88	84	46	22	10	2	-	-	47
-	12	14	14	16	16	46	36	28	46	28	16	14	8	-	-	-	48
2	6	16	12	32	28	76	74	92	90	96	54	24	14	2	-	-	49
2	4	6	8	18	16	42	44	70	58	72	40	16	8	2	-	-	50
-	2	10	4	14	12	34	30	22	32	24	14	8	6	-	-	-	51
6	12	4	18	18	26	30	24	24	44	16	8	12	4	-	-	-	52
6	2	-	8	16	22	18	18	18	30	12	6	6	2	-	-	-	53
-	10	4	10	2	4	12	6	6	14	4	2	6	2	-	-	-	54
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	2	-	2	2	2	-	2	-	-	-	-	-	-	64
-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	65
-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	66
-	-	-	-	2	-	2	2	2	-	2	-	-	-	-	-	-	67
-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	68
-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
4	10	4	2	8	6	20	8	10	6	10	6	-	-	-	-	-	73
2	2	2	2	4	2	8	4	6	6	8	4	-	-	-	-	-	74
2	8	2	-	4	4	12	4	4	-	2	2	-	-	-	-	-	75
4	8	4	2	4	4	16	8	10	6	8	4	-	-	-	-	-	76
2	2	2	2	2	2	6	4	6	6	6	2	-	-	-	-	-	77
2	6	2	-	2	2	10	4	4	-	2	2	-	-	-	-	-	78
-	2	-	-	4	2	4	-	-	-	2	2	-	-	-	-	-	79
-	-	-	-	2	-	2	-	-	-	2	2	-	-	-	-	-	80
-	2	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	81

Table 7-5. Deaths From 69 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
1	SEPTICEMIA----------038	4,214	820	28	10	14	10	882	28	22	42	38
2	MALE----	2,324	448	18	4	8	8	486	12	8	18	16
3	FEMALE--	1,890	372	10	6	6	2	396	16	14	24	22
4	WHITE----------	3,218	542	20	6	10	8	586	26	18	24	30
5	MALE----	1,794	306	16	4	8	6	340	12	6	12	16
6	FEMALE--	1,424	236	4	2	2	2	246	14	12	12	14
7	ALL OTHER----------	996	278	8	4	4	2	296	2	4	18	8
8	MALE----	530	142	2	-	-	2	146	-	2	6	-
9	FEMALE--	466	136	6	4	4	-	150	2	2	12	8
10	ACUTE POLIOMYELITIS----------040-043	2	-	-	-	-	-	-	-	-	-	-
11	MALE----	-	-	-	-	-	-	-	-	-	-	-
12	FEMALE--	2	-	-	-	-	-	-	-	-	-	-
13	WHITE----------	2	-	-	-	-	-	-	-	-	-	-
14	MALE----	-	-	-	-	-	-	-	-	-	-	-
15	FEMALE--	2	-	-	-	-	-	-	-	-	-	-
16	ALL OTHER----------	-	-	-	-	-	-	-	-	-	-	-
17	MALE----	-	-	-	-	-	-	-	-	-	-	-
18	FEMALE--	-	-	-	-	-	-	-	-	-	-	-
19	MEASLES----------055	24	8	8	4	-	-	20	2	-	2	-
20	MALE----	16	6	4	2	-	-	12	2	-	2	-
21	FEMALE--	8	2	4	2	-	-	8	-	-	-	-
22	WHITE----------	18	6	8	-	-	-	14	2	-	2	-
23	MALE----	12	4	4	-	-	-	8	2	-	2	-
24	FEMALE--	6	2	4	-	-	-	6	-	-	-	-
25	ALL OTHER----------	6	2	-	4	-	-	6	-	-	-	-
26	MALE----	4	2	-	2	-	-	4	-	-	-	-
27	FEMALE--	2	-	-	2	-	-	2	-	-	-	-
28	SYPHILIS AND ITS SEQUELAE----------090-097	344	2	-	-	-	-	2	-	-	-	-
29	MALE----	242	2	-	-	-	-	2	-	-	-	-
30	FEMALE--	102	-	-	-	-	-	-	-	-	-	-
31	WHITE----------	192	-	-	-	-	-	-	-	-	-	-
32	MALE----	140	-	-	-	-	-	-	-	-	-	-
33	FEMALE--	52	-	-	-	-	-	-	-	-	-	-
34	ALL OTHER----------	152	2	-	-	-	-	2	-	-	-	-
35	MALE----	102	2	-	-	-	-	2	-	-	-	-
36	FEMALE--	50	-	-	-	-	-	-	-	-	-	-
37	OTHER INFECTIVE AND PARASITIC DISEASES----------REMAINDER OF 000-136	3,910	310	60	50	34	24	478	168	108	150	142
38	MALE----	2,006	178	42	24	22	10	276	76	50	74	56
39	FEMALE--	1,904	132	18	26	12	14	202	92	58	76	86
40	WHITE----------	3,104	214	48	36	32	16	346	140	94	110	100
41	MALE----	1,606	122	32	16	22	6	198	56	50	54	46
42	FEMALE--	1,498	92	16	20	10	10	148	84	44	56	54
43	ALL OTHER----------	806	96	12	14	2	8	132	28	14	40	42
44	MALE----	400	56	10	8	-	4	78	20	-	20	10
45	FEMALE--	406	40	2	6	2	4	54	8	14	20	32
46	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES------140-209	345,618	150	164	194	238	224	970	1,128	1,040	1,360	1,560
47	MALE----	188,474	74	94	98	124	136	526	656	568	818	1,004
48	FEMALE--	157,144	76	70	96	114	88	444	472	472	542	556
49	WHITE----------	309,236	122	130	170	204	210	836	996	914	1,196	1,400
50	MALE----	167,678	56	72	86	106	128	448	580	504	722	918
51	FEMALE--	141,558	66	58	84	98	82	388	416	410	474	482
52	ALL OTHER----------	36,382	28	34	24	34	14	134	132	126	164	160
53	MALE----	20,796	18	22	12	18	8	78	76	64	96	86
54	FEMALE--	15,586	10	12	12	16	6	56	56	62	68	74
55	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX----------140-149	7,482	-	-	-	-	-	-	4	12	16	22
56	MALE----	5,348	-	-	-	-	-	-	2	4	8	14
57	FEMALE--	2,134	-	-	-	-	-	-	2	8	8	8
58	WHITE----------	6,552	-	-	-	-	-	-	4	10	10	20
59	MALE----	4,680	-	-	-	-	-	-	2	4	6	14
60	FEMALE--	1,872	-	-	-	-	-	-	2	6	4	6
61	ALL OTHER----------	930	-	-	-	-	-	-	-	2	8	2
62	MALE----	668	-	-	-	-	-	-	-	-	2	-
63	FEMALE--	262	-	-	-	-	-	-	-	2	4	2
64	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM----------150-159	95,808	8	4	-	2	4	18	14	20	46	100
65	MALE----	51,084	6	2	-	2	2	12	10	10	32	72
66	FEMALE--	44,724	2	2	-	-	2	6	4	10	14	28
67	WHITE----------	85,390	4	-	-	2	4	10	12	18	34	86
68	MALE----	45,094	4	-	-	2	2	8	10	10	24	60
69	FEMALE--	40,296	-	-	-	-	2	2	2	8	10	26
70	ALL OTHER----------	10,418	4	4	-	-	-	8	2	2	12	14
71	MALE----	5,990	2	2	-	-	-	4	-	-	8	12
72	FEMALE--	4,428	2	2	-	-	-	4	2	2	4	2
73	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM----------160-163	76,998	8	-	4	2	-	14	8	10	20	22
74	MALE----	61,160	6	-	4	-	-	10	2	6	18	12
75	FEMALE--	15,838	2	-	-	2	-	4	6	4	2	10
76	WHITE----------	69,034	4	-	4	2	-	10	6	8	18	22
77	MALE----	54,632	4	-	4	-	-	8	2	6	16	12
78	FEMALE--	14,402	-	-	-	2	-	2	4	2	2	10
79	ALL OTHER----------	7,964	4	-	-	-	-	4	2	2	2	-
80	MALE----	6,528	2	-	-	-	-	2	-	-	2	-
81	FEMALE--	1,436	2	-	-	-	-	2	2	2	-	-

Age, Color, and Sex: United States, 1972—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	NOT STATED	
42	64	52	82	152	168	218	316	358	420	542	382	268	104	22	8	4	1
18	36	30	46	68	112	138	178	220	232	298	196	134	62	8	4	4	2
24	28	22	36	84	56	80	138	138	188	244	186	134	42	14	4	-	3
22	40	36	52	110	118	166	222	264	338	448	348	248	96	22	4	-	4
8	22	22	30	48	78	102	126	170	188	248	176	124	56	8	2	-	5
14	18	14	22	62	40	64	96	94	150	200	172	124	40	14	2	-	6
20	24	16	30	42	50	52	94	94	82	94	34	20	8	-	4	4	7
10	14	8	16	20	34	36	52	50	44	50	20	10	6	-	2	4	8
10	10	8	14	22	16	16	42	44	38	44	14	10	2	-	2	-	9
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
4	-	-	2	8	10	32	54	70	62	42	32	24	2	-	-	-	28
4	-	-	2	6	4	22	38	56	40	32	20	16	-	-	-	-	29
-	-	-	-	2	6	10	16	14	22	10	12	8	2	-	-	-	30
2	-	-	2	2	2	16	24	36	36	36	20	14	2	-	-	-	31
2	-	-	2	2	-	12	20	30	24	26	12	10	-	-	-	-	32
-	-	-	-	-	2	4	4	6	12	10	8	4	2	-	-	-	33
2	-	-	-	6	8	16	30	34	26	6	12	10	-	-	-	-	34
2	-	-	-	4	4	10	18	26	16	6	8	6	-	-	-	-	35
-	-	-	-	2	4	6	12	8	10	-	4	4	-	-	-	-	36
118	144	136	148	188	236	282	300	282	298	272	214	136	74	26	6	4	37
58	56	58	82	82	122	142	180	170	160	158	100	62	32	8	2	2	38
60	88	78	66	106	114	140	120	112	138	114	114	74	42	18	4	2	39
80	82	96	102	134	196	224	254	218	260	234	204	124	70	26	6	4	40
48	26	44	58	62	100	120	148	128	138	134	98	54	32	8	2	2	41
32	56	52	44	72	96	104	106	90	122	100	106	70	38	18	4	2	42
38	62	40	46	54	40	58	46	64	38	38	10	12	4	-	-	-	43
10	30	14	24	20	22	22	32	42	22	24	2	8	-	-	-	-	44
28	32	26	22	34	18	36	14	22	16	14	8	4	4	-	-	-	45
1,816	2,482	4,330	8,800	16,682	25,952	36,636	44,944	50,384	49,478	44,272	31,516	16,410	4,764	932	122	40	46
950	1,114	1,864	3,856	7,692	13,004	20,308	26,304	29,624	28,644	24,870	16,522	7,664	2,068	354	38	26	47
866	1,368	2,466	4,944	8,990	12,948	16,328	18,640	20,760	20,834	19,402	14,994	8,746	2,696	578	84	14	48
1,584	2,076	3,574	7,312	14,106	22,256	32,240	39,830	44,932	44,652	40,892	29,590	15,426	4,460	836	90	38	49
854	934	1,548	3,168	6,384	11,022	17,646	23,242	26,364	25,748	22,800	15,390	7,142	1,904	304	30	26	50
730	1,142	2,026	4,144	7,722	11,234	14,594	16,588	18,568	18,904	18,092	14,200	8,284	2,556	532	60	12	51
232	406	756	1,488	2,576	3,696	4,396	5,114	5,452	4,826	3,380	1,926	984	304	96	32	2	52
96	180	316	688	1,308	1,982	2,662	3,062	3,260	2,896	2,070	1,132	522	164	50	8	-	53
136	226	440	800	1,268	1,714	1,734	2,052	2,192	1,930	1,310	794	462	140	46	24	2	54
16	20	54	174	454	754	1,126	1,252	1,092	876	692	508	294	96	20	-	-	55
14	16	34	118	324	540	812	908	836	646	476	352	184	54	6	-	-	56
2	4	20	56	130	214	314	344	256	230	216	156	110	42	14	-	-	57
10	10	34	120	338	602	960	1,118	994	810	636	480	286	90	20	-	-	58
10	10	20	82	240	432	680	806	764	596	444	332	182	50	6	-	-	59
-	-	14	38	98	170	280	312	230	214	192	148	104	40	14	-	-	60
6	10	20	54	116	152	166	134	98	66	56	28	8	6	-	-	-	61
4	6	14	36	84	108	132	102	72	50	32	20	2	4	-	-	-	62
2	4	6	18	32	44	34	32	26	16	24	8	6	2	-	-	-	63
182	322	734	1,506	3,168	5,498	8,848	11,712	14,542	14,994	14,752	11,166	6,030	1,776	344	22	14	64
100	178	400	806	1,794	3,208	5,318	7,030	8,154	8,018	7,504	5,248	2,388	678	104	10	10	65
82	144	334	700	1,374	2,290	3,530	4,682	6,388	6,976	7,248	5,918	3,642	1,098	240	12	4	66
136	262	590	1,216	2,526	4,514	7,586	10,230	12,818	13,470	13,672	10,506	5,698	1,664	312	16	14	67
66	132	306	642	1,428	2,606	4,542	6,144	7,128	7,184	6,930	4,914	2,232	624	88	6	10	68
70	130	284	574	1,098	1,908	3,044	4,086	5,690	6,286	6,742	5,592	3,466	1,040	224	10	4	69
46	60	144	290	642	984	1,262	1,482	1,724	1,524	1,080	660	332	112	32	6	-	70
34	46	94	164	366	602	776	886	1,026	834	574	334	156	54	16	4	-	71
12	14	50	126	276	382	486	596	698	690	506	326	176	58	16	2	-	72
56	182	672	1,980	4,292	7,356	10,556	12,904	13,292	11,286	8,096	4,246	1,516	384	78	16	12	73
36	116	448	1,366	3,146	5,360	8,222	10,582	11,094	9,406	6,724	3,260	1,054	230	50	6	12	74
20	66	224	614	1,146	1,996	2,334	2,322	2,198	1,880	1,372	986	462	154	28	10	-	75
48	142	564	1,606	3,592	6,356	9,332	11,526	12,054	10,354	7,546	3,984	1,418	362	66	8	12	76
30	84	364	1,100	2,588	4,590	7,174	9,416	10,038	8,622	6,276	3,052	980	214	42	6	12	77
18	58	200	506	1,004	1,766	2,158	2,110	2,016	1,732	1,270	932	438	148	24	2	-	78
8	40	108	374	700	1,000	1,224	1,378	1,238	932	550	262	98	22	12	8	-	79
6	32	84	266	558	770	1,048	1,166	1,056	784	448	208	74	16	8	-	-	80
2	8	24	108	142	230	176	212	182	148	102	54	24	6	4	8	-	81

Table 7-5. Deaths From 69 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES--CON.											
1	MALIGNANT NEOPLASM OF BREAST----------174	31,460	-	-	-	-	-	-	-	-	2	14
2	MALE----	298	-	-	-	-	-	-	-	-	-	-
3	FEMALE--	31,162	-	-	-	-	-	-	-	-	2	14
4	WHITE----------	28,686	-	-	-	-	-	-	-	-	-	12
5	MALE----	244	-	-	-	-	-	-	-	-	-	-
6	FEMALE--	28,442	-	-	-	-	-	-	-	-	-	12
7	ALL OTHER----------	2,774	-	-	-	-	-	-	-	-	2	2
8	MALE----	54	-	-	-	-	-	-	-	-	-	-
9	FEMALE--	2,720	-	-	-	-	-	-	-	-	2	2
10	MALIGNANT NEOPLASMS OF GENITAL ORGANS---180-187	42,366	-	2	2	4	4	12	8	26	106	218
11	MALE----	19,190	-	2	2	4	4	12	2	10	56	156
12	FEMALE--	23,176	-	-	-	-	-	-	6	16	50	62
13	WHITE----------	36,450	-	-	2	4	4	10	8	24	90	204
14	MALE----	16,268	-	-	2	4	4	10	2	10	50	156
15	FEMALE--	20,182	-	-	-	-	-	-	6	14	40	48
16	ALL OTHER----------	5,916	-	2	-	-	-	2	-	2	16	14
17	MALE----	2,922	-	2	-	-	-	2	-	-	6	-
18	FEMALE--	2,994	-	-	-	-	-	-	-	2	10	14
19	MALIGNANT NEOPLASMS OF URINARY ORGANS---188,189	15,738	16	8	10	22	20	76	62	12	18	24
20	MALE----	10,628	8	4	4	12	12	40	28	8	8	14
21	FEMALE--	5,110	8	4	6	10	8	36	34	4	10	10
22	WHITE----------	14,394	12	4	8	18	20	62	48	12	14	22
23	MALE----	9,806	6	2	4	12	12	36	22	8	4	14
24	FEMALE--	4,588	6	2	4	6	8	26	26	4	10	8
25	ALL OTHER----------	1,344	4	4	2	4	-	14	14	-	4	2
26	MALE----	822	2	2	-	-	-	4	6	-	4	-
27	FEMALE--	522	2	2	2	4	-	10	8	-	-	2
28	MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES----------170-173,190-199	41,724	56	84	104	96	72	412	362	446	518	472
29	MALE----	21,922	24	52	44	58	46	224	190	238	324	296
30	FEMALE--	19,802	32	32	60	38	26	188	172	208	194	176
31	WHITE----------	37,446	46	72	88	82	66	354	314	386	472	410
32	MALE----	19,668	16	44	36	48	42	186	162	210	292	254
33	FEMALE--	17,778	30	28	52	34	24	168	152	176	180	156
34	ALL OTHER----------	4,278	10	12	16	14	6	58	48	60	46	62
35	MALE----	2,254	8	8	8	10	4	38	28	28	32	42
36	FEMALE--	2,024	2	4	8	4	2	20	20	32	14	20
37	LEUKEMIA----------204-207	14,402	56	58	66	92	114	386	588	382	406	306
38	MALE----	8,184	26	30	38	40	66	200	362	220	226	198
39	FEMALE--	6,218	30	28	28	52	48	186	226	162	180	108
40	WHITE----------	13,288	52	46	60	80	108	346	532	340	350	280
41	MALE----	7,548	24	22	34	32	64	176	326	192	196	182
42	FEMALE--	5,740	28	24	26	48	44	170	206	148	154	98
43	ALL OTHER----------	1,114	4	12	6	12	6	40	56	42	56	26
44	MALE----	636	2	8	4	8	2	24	36	28	30	16
45	FEMALE--	478	2	4	2	4	4	16	20	14	26	10
46	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES----------200-203,208,209	19,640	6	8	8	20	10	52	82	132	228	382
47	MALE----	10,660	4	4	6	8	6	28	60	72	146	242
48	FEMALE--	8,980	2	4	2	12	4	24	22	60	82	140
49	WHITE----------	17,996	4	8	8	16	8	44	72	116	208	344
50	MALE----	9,738	2	4	6	8	4	24	54	64	134	226
51	FEMALE--	8,258	2	4	2	8	4	20	18	52	74	118
52	ALL OTHER----------	1,644	2	-	-	4	2	8	10	16	20	38
53	MALE----	922	2	-	-	-	2	4	6	8	12	16
54	FEMALE--	722	-	-	-	4	-	4	4	8	8	22
55	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE----------210-239	4,956	54	16	4	22	10	106	72	86	80	106
56	MALE----	2,428	32	4	-	12	8	56	46	50	40	62
57	FEMALE--	2,528	22	12	4	10	2	50	26	36	40	44
58	WHITE----------	4,290	44	16	4	20	8	92	58	72	58	86
59	MALE----	2,114	24	4	-	12	6	46	36	40	26	50
60	FEMALE--	2,176	20	12	4	8	2	46	22	32	32	36
61	ALL OTHER----------	666	10	-	-	2	2	14	14	14	22	20
62	MALE----	314	8	-	-	-	2	10	10	10	14	12
63	FEMALE--	352	2	-	-	2	-	4	4	4	8	8
64	DIABETES MELLITUS----------250	38,674	16	12	4	8	-	40	26	54	78	146
65	MALE----	15,824	8	6	4	4	-	22	8	34	34	58
66	FEMALE--	22,850	8	6	-	4	-	18	18	20	44	88
67	WHITE----------	32,378	14	8	4	6	-	32	26	44	70	126
68	MALE----	13,544	6	4	4	4	-	18	8	30	32	48
69	FEMALE--	18,834	8	4	-	2	-	14	18	14	38	78
70	ALL OTHER----------	6,296	2	4	-	2	-	8	-	10	8	20
71	MALE----	2,280	2	2	-	-	-	4	-	4	2	10
72	FEMALE--	4,016	-	2	-	2	-	4	-	6	6	10
73	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES----------260-269	2,538	108	10	4	2	2	126	10	12	12	12
74	MALE----	1,148	58	8	2	2	-	70	10	6	8	8
75	FEMALE--	1,390	50	2	2	-	2	56	-	6	4	4
76	WHITE----------	2,124	52	10	2	-	2	66	8	6	10	12
77	MALE----	920	26	8	2	-	-	36	8	2	6	8
78	FEMALE--	1,204	26	2	-	-	2	30	-	4	4	4
79	ALL OTHER----------	414	56	-	2	2	-	60	2	6	2	-
80	MALE----	228	32	-	-	2	-	34	2	4	2	-
81	FEMALE--	186	24	-	2	-	-	26	-	2	-	-

Age, Color, and Sex: United States, 1972—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	NOT STATED	
172	352	686	1,564	2,804	3,704	3,998	4,180	3,758	3,482	2,858	2,116	1,226	406	100	34	4	1
-	2	2	8	18	16	22	58	32	64	34	28	6	4	4	-	-	2
172	350	684	1,556	2,786	3,688	3,976	4,122	3,726	3,418	2,824	2,088	1,220	402	96	34	4	3
136	302	552	1,328	2,506	3,298	3,684	3,824	3,410	3,242	2,692	2,012	1,168	394	94	28	4	4
-	2	2	4	12	12	18	42	26	54	30	28	6	4	4	-	-	5
136	300	550	1,324	2,494	3,286	3,666	3,782	3,384	3,188	2,662	1,984	1,162	390	90	28	4	6
36	50	134	236	298	406	314	356	348	240	166	104	58	12	6	6	-	7
-	-	-	4	6	4	4	16	6	10	4	-	-	-	-	-	-	8
36	50	134	232	292	402	310	340	342	230	162	104	58	12	6	6	-	9
272	400	566	1,014	1,876	2,566	3,394	4,448	5,574	6,470	6,492	5,160	2,844	758	148	10	4	10
124	94	56	56	86	284	710	1,450	2,448	3,520	4,014	3,528	1,954	512	108	8	2	11
148	306	510	958	1,790	2,282	2,684	2,998	3,126	2,950	2,478	1,632	890	246	40	2	2	12
236	312	428	818	1,570	2,162	2,874	3,716	4,684	5,480	5,740	4,694	2,584	680	126	6	4	13
122	88	56	44	66	210	534	1,138	1,980	2,868	3,448	3,178	1,758	454	88	6	2	14
114	224	372	774	1,504	1,952	2,340	2,578	2,704	2,612	2,292	1,516	826	226	38	-	2	15
36	88	138	196	306	404	520	732	890	990	752	466	260	78	22	4	-	16
2	6	-	12	20	74	176	312	468	652	566	350	196	58	20	2	-	17
34	82	138	184	286	330	344	420	422	338	186	116	64	20	2	2	-	18
12	26	90	226	464	810	1,360	1,786	2,338	2,596	2,460	1,890	1,084	330	58	16	-	19
4	14	58	150	312	576	996	1,260	1,618	1,838	1,682	1,204	624	162	26	6	-	20
8	12	32	76	152	234	364	526	720	758	778	686	460	168	32	10	-	21
6	22	70	188	400	702	1,226	1,592	2,126	2,388	2,292	1,810	1,046	310	48	10	-	22
2	10	48	122	270	516	898	1,136	1,504	1,720	1,566	1,152	604	150	20	4	-	23
4	12	22	66	130	186	328	456	622	668	726	658	442	160	28	6	-	24
6	4	20	38	64	108	134	194	212	208	168	80	38	20	10	6	-	25
2	4	10	28	42	60	98	124	114	118	116	52	20	12	6	2	-	26
4	-	10	10	22	48	36	70	98	90	52	28	18	8	4	4	-	27
454	590	842	1,312	2,212	3,234	4,424	5,134	5,406	5,182	4,684	3,326	1,968	596	130	18	2	28
294	350	450	718	1,194	1,830	2,482	2,922	3,018	2,706	2,290	1,378	756	226	30	6	-	29
160	240	392	594	1,018	1,404	1,942	2,212	2,388	2,476	2,394	1,948	1,212	370	100	12	2	30
406	524	738	1,134	1,944	2,814	3,916	4,598	4,834	4,626	4,312	3,130	1,834	562	120	16	2	31
270	312	392	622	1,064	1,604	2,208	2,640	2,712	2,406	2,086	1,286	714	212	30	6	-	32
136	212	346	512	880	1,210	1,708	1,958	2,122	2,220	2,226	1,844	1,120	350	90	10	2	33
48	66	104	178	268	420	508	536	572	556	372	196	134	34	10	2	-	34
24	38	58	96	130	226	274	282	306	300	204	92	42	14	-	-	-	35
24	28	46	82	138	194	234	254	266	256	168	104	92	20	10	2	-	36
274	220	286	384	492	654	1,020	1,194	1,622	1,812	1,838	1,514	748	234	34	4	4	37
148	118	168	226	270	388	622	708	974	1,094	992	780	346	120	20	2	2	38
126	102	118	158	222	266	398	486	648	718	846	734	402	114	14	2	2	39
246	182	250	342	436	586	944	1,100	1,484	1,678	1,756	1,448	726	222	34	4	2	40
132	98	146	202	238	340	582	658	890	1,030	944	742	334	116	20	2	2	41
114	84	104	140	198	246	362	442	594	648	812	706	392	106	14	2	-	42
28	38	36	42	56	68	76	94	138	134	82	66	22	12	-	-	2	43
16	20	22	24	32	48	40	50	84	64	48	38	12	4	-	-	-	44
12	18	14	18	24	20	36	44	54	70	34	28	10	8	-	-	2	45
378	370	400	640	920	1,376	1,910	2,334	2,760	2,780	2,400	1,590	700	184	20	2	-	46
230	226	248	408	548	802	1,124	1,386	1,450	1,352	1,154	744	352	82	6	-	-	47
148	144	152	232	372	574	786	948	1,310	1,428	1,246	846	348	102	14	2	-	48
360	320	348	560	794	1,222	1,718	2,126	2,528	2,604	2,246	1,526	666	176	16	2	-	49
222	198	214	350	478	712	1,010	1,262	1,322	1,268	1,076	706	332	80	6	-	-	50
138	122	134	210	316	510	708	864	1,206	1,336	1,170	820	334	96	10	2	-	51
18	50	52	80	126	154	192	208	232	176	154	64	34	8	4	-	-	52
8	28	34	58	70	90	114	124	128	84	78	38	20	2	-	-	-	53
10	22	18	22	56	64	78	84	104	92	76	26	14	6	4	-	-	54
86	90	114	204	270	368	490	564	604	560	534	352	162	84	22	2	-	55
50	34	54	80	122	174	230	284	336	284	276	160	58	26	4	2	-	56
36	56	60	124	148	194	260	280	268	276	258	192	104	58	18	-	-	57
68	72	90	158	216	308	440	506	518	490	488	336	142	70	20	2	-	58
42	32	42	74	102	148	208	252	284	248	250	154	52	22	4	2	-	59
26	40	48	84	114	160	232	254	234	242	238	182	90	48	16	-	-	60
18	18	24	46	54	60	50	58	86	70	46	16	20	14	2	-	-	61
8	2	12	6	20	26	22	32	52	36	26	6	6	4	-	-	-	62
10	16	12	40	34	34	28	26	34	34	20	10	14	10	2	-	-	63
246	400	404	708	1,164	1,742	2,598	3,856	5,256	6,312	6,500	5,156	2,822	980	154	24	8	64
124	206	224	396	626	888	1,210	1,670	2,232	2,516	2,350	1,852	1,042	286	38	6	2	65
122	194	180	312	538	854	1,388	2,186	3,024	3,796	4,150	3,304	1,780	694	116	18	6	66
180	316	282	490	782	1,214	1,962	2,984	4,214	5,348	5,874	4,754	2,594	920	138	20	8	67
94	174	164	282	458	648	1,002	1,360	1,874	2,210	2,142	1,722	962	272	36	6	2	68
86	142	118	208	324	566	960	1,624	2,340	3,138	3,732	3,032	1,632	648	102	14	6	69
66	84	122	218	382	528	636	872	1,042	964	626	402	228	60	16	4	-	70
30	32	60	114	168	240	208	310	358	306	208	130	80	14	2	-	-	71
36	52	62	104	214	288	428	562	684	658	418	272	148	46	14	4	-	72
10	2	28	24	60	68	116	104	168	260	392	404	402	246	70	12	-	73
6	-	2	12	26	44	64	56	80	132	188	188	160	64	16	8	-	74
4	2	26	12	34	24	52	48	88	128	204	216	242	182	54	4	-	75
8	2	20	10	48	52	86	90	130	212	332	358	372	226	66	10	-	76
6	-	2	2	20	32	42	50	64	108	146	160	148	58	16	6	-	77
2	2	18	8	28	20	44	40	66	104	186	198	224	168	50	4	-	78
2	-	8	14	12	16	30	14	38	48	60	46	30	20	4	-2	-	79
-	-	-	10	6	12	22	6	16	24	42	28	12	6	-	2	-	80
2	-	8	4	6	4	8	8	22	24	18	18	18	14	4	-	-	81

Table 7-5. Deaths From 69 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
1	ANEMIAS----------280-285	3,426	70	42	26	14	12	164	62	72	118	78
2	MALE----	1,596	40	18	16	8	6	88	28	48	56	36
3	FEMALE--	1,830	30	24	10	6	6	76	34	24	62	42
4	WHITE----------	2,624	24	10	6	8	6	54	38	36	54	28
5	MALE----	1,214	12	4	6	2	2	26	20	30	30	18
6	FEMALE--	1,410	12	6	-	6	4	28	18	6	24	10
7	ALL OTHER----------	802	46	32	20	6	6	110	24	36	64	50
8	MALE----	382	28	14	10	6	4	62	8	18	26	18
9	FEMALE--	420	18	18	10	-	2	48	16	18	38	32
10	MENINGITIS----------320	1,482	514	98	76	44	28	760	34	24	20	26
11	MALE----	836	292	44	52	26	12	426	24	14	8	20
12	FEMALE--	646	222	54	24	18	16	334	10	10	12	6
13	WHITE----------	1,000	308	66	60	34	10	478	24	14	8	26
14	MALE----	588	186	30	40	24	6	286	16	6	4	20
15	FEMALE--	412	122	36	20	10	4	192	8	8	4	6
16	ALL OTHER----------	482	206	32	16	10	18	282	10	10	12	-
17	MALE----	248	106	14	12	2	6	140	8	8	4	-
18	FEMALE--	234	100	18	4	8	12	142	2	2	8	-
19	MAJOR CARDIOVASCULAR DISEASES----------390-448	1,035,146	852	178	112	52	68	1,262	266	398	692	1,042
20	MALE----	553,604	460	100	58	32	44	694	148	244	430	634
21	FEMALE--	481,542	392	78	54	20	24	568	118	154	262	408
22	WHITE----------	931,240	514	122	82	40	52	810	198	300	528	692
23	MALE----	499,336	276	60	46	26	32	440	120	184	344	420
24	FEMALE--	431,904	238	62	36	14	20	370	78	116	184	272
25	ALL OTHER----------	103,906	338	56	30	12	16	452	68	98	164	350
26	MALE----	54,268	184	40	12	6	12	254	28	60	86	214
27	FEMALE--	49,638	154	16	18	6	4	198	40	38	78	136
28	DISEASES OF HEART--------390-398,402,404,410-429	755,864	666	128	86	30	40	950	158	230	400	670
29	MALE----	424,634	352	66	48	16	30	512	82	138	242	438
30	FEMALE--	331,230	314	62	38	14	10	438	76	92	158	232
31	WHITE----------	684,382	404	84	72	24	30	614	120	162	286	428
32	MALE----	385,802	208	36	42	14	22	322	68	96	180	276
33	FEMALE--	298,580	196	48	30	10	8	292	52	66	106	152
34	ALL OTHER----------	71,482	262	44	14	6	10	336	38	68	114	242
35	MALE----	38,832	144	30	6	2	8	190	14	42	62	162
36	FEMALE--	32,650	118	14	8	4	2	146	24	26	52	80
37	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE----------390-398	14,118	2	4	6	2	-	14	14	38	60	106
38	MALE----	6,550	2	4	-	2	-	8	8	22	36	64
39	FEMALE--	7,568	-	-	6	-	-	6	6	16	24	42
40	WHITE----------	12,832	-	2	6	2	-	10	8	14	34	72
41	MALE----	5,896	-	2	-	2	-	4	4	8	22	48
42	FEMALE--	6,936	-	-	6	-	-	6	4	6	12	24
43	ALL OTHER----------	1,286	2	2	-	-	-	4	6	24	26	34
44	MALE----	654	2	2	-	-	-	4	4	14	14	16
45	FEMALE--	632	-	-	-	-	-	-	2	10	12	18
46	HYPERTENSIVE HEART DISEASE----------402	7,760	-	-	-	-	-	-	2	-	-	10
47	MALE----	3,058	-	-	-	-	-	-	2	-	-	10
48	FEMALE--	4,702	-	-	-	-	-	-	-	-	-	-
49	WHITE----------	5,870	-	-	-	-	-	-	2	-	-	6
50	MALE----	2,224	-	-	-	-	-	-	2	-	-	6
51	FEMALE--	3,646	-	-	-	-	-	-	-	-	-	-
52	ALL OTHER----------	1,890	-	-	-	-	-	-	-	-	-	4
53	MALE----	834	-	-	-	-	-	-	-	-	-	4
54	FEMALE--	1,056	-	-	-	-	-	-	-	-	-	-
55	HYPERTENSIVE HEART AND RENAL DISEASE--------404	5,778	-	2	-	-	-	2	-	2	2	2
56	MALE----	2,700	-	-	-	-	-	-	-	2	-	2
57	FEMALE--	3,078	-	2	-	-	-	2	-	-	2	-
58	WHITE----------	4,948	-	2	-	-	-	2	-	2	2	-
59	MALE----	2,262	-	-	-	-	-	-	-	2	-	-
60	FEMALE--	2,686	-	2	-	-	-	2	-	-	2	-
61	ALL OTHER----------	830	-	-	-	-	-	-	-	-	-	2
62	MALE----	438	-	-	-	-	-	-	-	-	-	2
63	FEMALE--	392	-	-	-	-	-	-	-	-	-	-
64	ISCHEMIC HEART DISEASE----------410-413	684,424	16	-	2	-	4	22	6	18	54	184
65	MALE----	388,030	8	-	2	-	4	14	6	8	32	120
66	FEMALE--	296,394	8	-	-	-	-	8	-	10	22	64
67	WHITE----------	624,802	10	-	2	-	4	16	4	18	42	128
68	MALE----	355,572	4	-	2	-	4	10	4	8	22	74
69	FEMALE--	269,230	6	-	-	-	-	6	-	10	20	54
70	ALL OTHER----------	59,622	6	-	-	-	-	6	2	-	12	56
71	MALE----	32,458	4	-	-	-	-	4	2	-	10	46
72	FEMALE--	27,164	2	-	-	-	-	2	-	-	2	10
73	ACUTE MYOCARDIAL INFARCTION----------410	357,844	10	-	2	-	4	16	6	12	30	108
74	MALE----	224,718	4	-	2	-	4	10	6	8	16	76
75	FEMALE--	133,126	6	-	-	-	-	6	-	4	14	32
76	WHITE----------	331,952	4	-	2	-	4	10	4	12	26	78
77	MALE----	209,784	-	-	2	-	4	6	4	8	14	50
78	FEMALE--	122,168	4	-	-	-	-	4	-	4	12	28
79	ALL OTHER----------	25,892	6	-	-	-	-	6	2	-	4	30
80	MALE----	14,934	4	-	-	-	-	4	2	-	2	26
81	FEMALE--	10,958	2	-	-	-	-	2	-	-	2	4

Age, Color, and Sex: United States, 1972—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	NOT STATED	
84	66	60	70	110	110	154	224	266	358	422	496	350	138	20	4	-	1
44	34	30	24	46	44	78	122	132	186	214	186	140	56	4	-	-	2
40	32	30	46	64	66	76	102	134	172	208	310	210	82	16	4	-	3
18	24	24	42	60	80	116	178	222	308	396	470	326	130	16	4	-	4
12	10	8	14	30	28	62	104	106	166	200	178	120	50	2	-	-	5
6	14	16	28	30	52	54	74	116	142	196	292	206	80	14	4	-	6
66	42	36	28	50	30	38	46	44	50	26	26	24	8	4	-	-	7
32	24	22	10	16	16	16	18	26	20	14	8	20	6	2	-	-	8
34	18	14	18	34	14	22	28	18	30	12	18	4	2	2	-	-	9
16	18	26	50	68	72	68	74	58	60	60	26	14	6	2	-	-	10
10	10	14	30	44	44	36	52	34	22	22	10	12	2	2	-	-	11
6	8	12	20	24	28	32	22	24	38	38	16	2	4	-	-	-	12
12	14	20	30	48	48	42	52	48	48	48	20	12	6	2	-	-	13
8	10	10	16	30	36	26	36	28	18	18	6	10	2	2	-	-	14
4	4	10	14	18	12	16	16	20	30	30	14	2	4	-	-	-	15
4	4	6	20	20	24	26	22	10	12	12	6	2	-	-	-	-	16
2	-	4	14	14	8	10	16	6	4	4	4	2	-	-	-	-	17
2	4	2	6	6	16	16	6	4	8	8	2	-	-	-	-	-	18
1,560	2,720	5,662	12,822	25,016	41,364	60,676	88,808	114,352	141,978	168,742	167,844	122,716	58,094	16,254	2,724	154	19
882	1,676	3,764	9,020	18,202	30,200	43,270	60,768	72,100	80,270	85,038	73,782	47,212	19,624	4,808	756	82	20
678	1,044	1,898	3,802	6,814	11,164	17,406	28,040	42,252	61,708	83,704	94,062	75,504	38,470	11,446	1,968	72	21
1,062	1,834	4,010	9,800	19,968	34,336	51,780	76,548	100,220	126,402	155,816	157,960	116,398	55,090	15,180	2,208	100	22
622	1,182	2,820	7,308	15,146	25,990	38,100	53,896	64,522	72,436	78,498	69,304	44,516	18,448	4,416	574	50	23
440	652	1,190	2,492	4,822	8,346	13,680	22,652	35,698	53,966	77,318	88,656	71,882	36,642	10,764	1,634	50	24
498	886	1,652	3,022	5,048	7,028	8,896	12,260	14,132	15,576	12,926	9,884	6,318	3,004	1,074	516	54	25
260	494	944	1,712	3,056	4,210	5,170	6,872	7,578	7,834	6,540	4,478	2,696	1,176	392	182	32	26
238	392	708	1,310	1,992	2,818	3,726	5,388	6,554	7,742	6,386	5,406	3,622	1,828	682	334	22	27
944	1,824	4,216	10,084	20,308	34,044	49,836	71,944	89,254	105,848	120,406	113,886	80,628	37,828	10,526	1,770	110	28
576	1,256	3,032	7,662	15,786	26,132	36,850	50,680	57,860	61,160	62,348	51,220	31,752	13,192	3,178	474	64	29
368	568	1,184	2,422	4,522	7,912	12,986	21,264	31,394	44,688	58,058	62,666	48,876	24,636	7,348	1,296	46	30
638	1,280	3,104	8,014	16,714	28,932	43,344	63,110	79,298	95,348	111,794	107,412	76,502	35,912	9,846	1,448	76	31
406	916	2,372	6,394	13,498	22,954	32,974	45,610	52,300	55,660	57,840	48,224	29,934	12,442	2,922	378	36	32
232	364	732	1,620	3,216	5,978	10,370	17,500	26,998	39,688	53,954	59,188	46,568	23,470	6,924	1,070	40	33
306	544	1,112	2,070	3,594	5,112	6,492	8,834	9,956	10,500	8,612	6,474	4,126	1,916	680	322	34	34
170	340	660	1,268	2,288	3,178	3,876	5,070	5,560	5,500	4,508	2,996	1,818	750	256	96	28	35
136	204	452	802	1,306	1,934	2,616	3,764	4,396	5,000	4,104	3,478	2,308	1,166	424	226	6	36
156	228	368	604	840	1,264	1,754	2,098	2,002	1,648	1,460	856	424	154	28	2	-	37
74	112	184	312	452	658	834	1,034	920	686	616	320	156	42	10	2	-	38
82	116	184	292	388	606	920	1,064	1,082	962	844	536	268	112	18	-	-	39
108	160	274	502	744	1,144	1,618	1,952	1,894	1,538	1,386	804	400	142	26	2	-	40
38	80	138	254	408	600	776	960	864	626	578	294	142	40	10	2	-	41
70	80	136	248	336	544	842	992	1,030	912	808	510	258	102	16	-	-	42
48	68	94	102	96	120	136	146	108	110	74	52	24	12	2	-	-	43
36	32	46	58	44	58	58	74	56	60	38	26	14	2	-	-	-	44
12	36	48	44	52	62	78	72	52	50	36	26	10	10	2	-	-	45
18	44	76	122	260	364	556	670	864	1,054	1,172	1,158	888	380	100	20	2	46
12	30	48	66	160	198	284	364	400	378	424	336	238	80	22	4	2	47
6	14	28	56	100	166	272	306	464	676	748	822	650	300	78	16	-	48
6	10	32	46	142	206	360	428	600	808	952	1,028	808	346	80	10	-	49
4	4	22	28	90	122	202	262	278	302	338	274	204	72	14	-	-	50
2	6	10	18	52	84	158	166	322	506	614	754	604	274	66	10	-	51
12	34	44	76	118	158	196	242	264	246	220	130	80	34	20	10	2	52
8	26	26	38	70	76	82	102	122	76	86	62	34	8	8	4	2	53
4	8	18	38	48	82	114	140	142	170	134	68	46	26	12	6	-	54
8	8	16	34	92	106	202	304	468	648	960	1,140	1,032	536	186	28	2	55
6	6	6	10	46	62	142	194	284	300	468	510	410	194	50	8	-	56
2	2	10	24	46	44	60	110	184	348	492	630	622	342	136	20	2	57
4	-	6	12	38	68	140	210	350	514	856	1,056	976	510	180	20	2	58
4	-	4	4	24	38	100	140	214	240	404	466	380	188	46	8	-	59
-	-	2	8	14	30	40	70	136	274	452	590	596	322	134	12	2	60
4	8	10	22	54	38	62	94	118	134	104	84	56	26	6	8	-	61
2	6	2	6	22	24	42	54	70	60	64	44	30	6	4	-	-	62
2	2	8	16	32	14	20	40	48	74	40	40	26	20	2	8	-	63
368	1,030	3,132	8,290	17,390	29,856	44,086	64,696	81,128	97,306	111,244	105,288	74,196	34,816	9,632	1,586	96	64
270	804	2,432	6,600	14,012	23,602	33,430	46,360	53,236	56,808	57,992	47,466	29,236	12,188	2,926	434	54	65
98	226	700	1,690	3,378	6,254	10,656	18,336	27,892	40,498	53,252	57,822	44,960	22,628	6,706	1,152	42	66
266	780	2,414	6,768	14,592	25,706	38,712	57,232	72,600	88,200	103,672	99,568	70,562	33,100	9,036	1,312	74	67
212	634	1,980	5,652	12,192	20,944	30,162	42,032	48,494	52,006	54,014	44,854	27,656	11,510	2,702	354	36	68
54	146	434	1,116	2,400	4,762	8,550	15,180	24,106	36,194	49,658	54,714	42,906	21,590	6,334	958	38	69
102	250	718	1,522	2,798	4,150	5,374	7,464	8,528	9,106	7,572	5,720	3,634	1,716	596	274	22	70
58	170	452	948	1,820	2,658	3,268	4,308	4,742	4,802	3,978	2,612	1,580	678	224	80	18	71
44	80	266	574	978	1,492	2,106	3,156	3,786	4,304	3,594	3,108	2,054	1,038	372	194	4	72
230	738	2,162	5,852	12,332	20,670	29,956	42,374	50,568	54,682	55,296	44,350	25,534	10,078	2,404	388	58	73
178	572	1,738	4,782	10,178	16,760	23,294	31,370	34,502	33,438	30,220	21,528	11,016	4,030	832	130	34	74
52	166	424	1,070	2,154	3,910	6,662	11,004	16,066	21,244	25,076	22,822	14,518	6,048	1,572	258	24	75
178	584	1,756	5,076	10,866	18,590	27,268	38,840	46,692	50,976	52,318	42,268	24,250	9,584	2,220	310	46	76
144	470	1,462	4,278	9,198	15,350	21,626	29,236	32,258	31,404	28,624	20,508	10,430	3,822	764	104	24	77
34	114	294	798	1,668	3,240	5,642	9,604	14,434	19,572	23,694	21,760	13,820	5,762	1,456	206	22	78
52	154	406	776	1,466	2,080	2,688	3,534	3,876	3,706	2,978	2,082	1,284	494	184	78	12	79
34	102	276	504	980	1,410	1,668	2,134	2,244	2,034	1,596	1,020	586	208	68	26	10	80
18	52	130	272	486	670	1,020	1,400	1,632	1,672	1,382	1,062	698	286	116	52	2	81

Table 7-5. Deaths From 69 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
	MAJOR CARDIOVASCULAR DISEASES—CON.											
	DISEASES OF HEART—CON.											
1	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE----------411	4,528	2	-	-	-	-	2	-	2	-	8
2	MALE----	2,942	2	-	-	-	-	2	-	-	-	2
3	FEMALE--	1,586	-	-	-	-	-	-	-	2	-	6
4	WHITE----------	3,922	2	-	-	-	-	2	-	2	-	8
5	MALE----	2,564	2	-	-	-	-	2	-	-	-	2
6	FEMALE--	1,358	-	-	-	-	-	-	-	2	-	6
7	ALL OTHER----------	606	-	-	-	-	-	-	-	-	-	-
8	MALE----	378	-	-	-	-	-	-	-	-	-	-
9	FEMALE--	228	-	-	-	-	-	-	-	-	-	-
10	CHRONIC ISCHEMIC HEART DISEASE----------412	321,884	4	-	-	-	-	4	-	4	24	66
11	MALE----	160,270	2	-	-	-	-	2	-	-	16	42
12	FEMALE--	161,614	2	-	-	-	-	2	-	4	8	24
13	WHITE----------	288,766	4	-	-	-	-	4	-	4	16	40
14	MALE----	143,124	2	-	-	-	-	2	-	-	8	22
15	FEMALE--	145,642	2	-	-	-	-	2	-	4	8	18
16	ALL OTHER----------	33,118	-	-	-	-	-	-	-	-	8	26
17	MALE----	17,146	-	-	-	-	-	-	-	-	8	20
18	FEMALE--	15,972	-	-	-	-	-	-	-	-	-	6
19	ANGINA PECTORIS----------413	168	-	-	-	-	-	-	-	-	-	2
20	MALE----	100	-	-	-	-	-	-	-	-	-	-
21	FEMALE--	68	-	-	-	-	-	-	-	-	-	2
22	WHITE----------	162	-	-	-	-	-	-	-	-	-	2
23	MALE----	100	-	-	-	-	-	-	-	-	-	-
24	FEMALE--	62	-	-	-	-	-	-	-	-	-	2
25	ALL OTHER----------	6	-	-	-	-	-	-	-	-	-	-
26	MALE----	-	-	-	-	-	-	-	-	-	-	-
27	FEMALE--	6	-	-	-	-	-	-	-	-	-	-
28	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY----------424,428	5,612	36	10	14	8	-	68	20	26	40	60
29	MALE----	2,746	20	4	6	2	-	32	12	14	24	40
30	FEMALE--	2,866	16	6	8	6	-	36	8	12	16	20
31	WHITE----------	4,910	22	8	12	8	-	50	14	20	30	44
32	MALE----	2,378	14	2	6	2	-	24	8	10	20	32
33	FEMALE--	2,532	8	6	6	6	-	26	6	10	10	12
34	ALL OTHER----------	702	14	2	2	-	-	18	6	6	10	16
35	MALE----	368	6	2	-	-	-	8	4	4	4	8
36	FEMALE--	334	8	-	2	-	-	10	2	2	6	8
37	ALL OTHER FORMS OF HEART DISEASE----------420-423,425-427,429	38,172	612	112	64	20	36	844	116	146	244	308
38	MALE----	21,550	322	58	40	12	26	458	54	92	150	202
39	FEMALE--	16,622	290	54	24	8	10	386	62	54	94	106
40	WHITE----------	31,020	372	72	52	14	26	536	92	108	178	178
41	MALE----	17,470	190	32	34	10	18	284	50	68	116	116
42	FEMALE--	13,550	182	40	18	4	8	252	42	40	62	62
43	ALL OTHER----------	7,152	240	40	12	6	10	308	24	38	66	130
44	MALE----	4,080	132	26	6	2	8	174	4	24	34	86
45	FEMALE--	3,072	108	14	6	4	2	134	20	14	32	44
46	HYPERTENSION----------400,401,403	7,754	2	-	-	-	-	2	2	-	10	22
47	MALE----	3,926	-	-	-	-	-	-	2	-	4	14
48	FEMALE--	3,828	2	-	-	-	-	2	-	-	6	8
49	WHITE----------	5,966	-	-	-	-	-	-	2	-	6	6
50	MALE----	3,020	-	-	-	-	-	-	2	-	4	4
51	FEMALE--	2,946	-	-	-	-	-	-	-	-	2	2
52	ALL OTHER----------	1,788	2	-	-	-	-	2	-	-	4	16
53	MALE----	906	-	-	-	-	-	-	-	-	-	10
54	FEMALE--	882	2	-	-	-	-	2	-	-	4	6
55	CEREBROVASCULAR DISEASES----------430-438	213,344	142	46	24	22	28	262	96	138	248	284
56	MALE----	95,380	88	30	8	16	14	156	58	86	160	146
57	FEMALE--	117,964	54	16	16	6	14	106	38	52	88	138
58	WHITE----------	187,350	86	34	8	16	22	166	70	110	204	212
59	MALE----	83,210	54	20	2	12	10	98	44	68	136	108
60	FEMALE--	104,140	32	14	6	4	12	68	26	42	68	104
61	ALL OTHER----------	25,994	56	12	16	6	6	96	26	28	44	72
62	MALE----	12,170	34	10	6	4	4	58	14	18	24	38
63	FEMALE--	13,824	22	2	10	2	2	38	12	10	20	34
64	CEREBRAL HEMORRHAGE----------431	36,748	46	10	10	8	8	82	30	44	70	84
65	MALE----	17,302	24	4	2	8	6	44	12	26	42	48
66	FEMALE--	19,446	22	6	8	-	2	38	18	18	28	36
67	WHITE----------	31,352	28	6	4	6	4	48	12	32	52	60
68	MALE----	14,670	16	2	2	6	2	28	4	20	34	38
69	FEMALE--	16,682	12	4	2	-	2	20	8	12	18	22
70	ALL OTHER----------	5,396	18	4	6	2	4	34	18	12	18	24
71	MALE----	2,632	8	2	-	2	4	16	8	6	8	10
72	FEMALE--	2,764	10	2	6	-	-	18	10	6	10	14
73	CEREBRAL THROMBOSIS----------433	57,482	2	4	-	2	-	8	6	4	14	8
74	MALE----	25,256	2	-	-	-	-	2	6	2	8	-
75	FEMALE--	32,226	-	4	-	2	-	6	-	2	6	8
76	WHITE----------	51,892	2	4	-	2	-	8	4	4	12	6
77	MALE----	22,716	2	-	-	-	-	2	4	2	8	-
78	FEMALE--	29,176	-	4	-	2	-	6	-	2	4	6
79	ALL OTHER----------	5,590	-	-	-	-	-	-	2	-	2	2
80	MALE----	2,540	-	-	-	-	-	-	2	-	-	-
81	FEMALE--	3,050	-	-	-	-	-	-	-	-	2	2

Age, Color, and Sex: United States, 1972—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	NOT STATED	
12	22	54	106	226	388	444	564	572	584	544	478	302	174	42	4	-	1
10	18	42	80	184	310	324	444	408	376	312	226	120	64	18	2	-	2
2	4	12	26	42	78	120	120	164	208	232	252	182	110	24	2	-	3
6	18	36	88	184	298	372	486	516	502	478	440	284	162	36	4	-	4
6	16	30	70	158	244	278	394	376	324	266	208	112	60	16	2	-	5
-	2	6	18	26	54	94	92	140	178	212	232	172	102	20	2	-	6
6	4	18	18	42	90	72	78	56	82	66	38	18	12	6	-	-	7
4	2	12	10	26	66	46	50	32	52	46	18	8	4	2	-	-	8
2	2	6	8	16	24	26	28	24	30	20	20	10	8	4	-	-	9
126	270	912	2,330	4,826	8,790	13,678	21,750	29,964	42,020	55,380	60,428	48,336	24,558	7,186	1,194	38	10
82	214	650	1,736	3,644	6,524	9,808	14,540	18,310	22,980	27,446	25,696	18,088	8,094	2,076	302	20	11
44	56	262	594	1,182	2,266	3,870	7,210	11,654	19,040	27,934	34,732	30,248	16,464	5,110	892	18	12
82	178	620	1,602	3,536	6,810	11,064	17,900	25,368	36,704	50,852	56,828	46,004	23,348	6,780	998	28	13
62	148	486	1,302	2,830	5,342	8,254	12,416	15,844	20,264	25,110	24,122	17,102	7,628	1,922	248	12	14
20	30	134	300	706	1,468	2,810	5,484	9,524	16,440	25,742	32,706	28,902	15,720	4,858	750	16	15
44	92	292	728	1,290	1,980	2,614	3,850	4,596	5,316	4,528	3,600	2,332	1,210	406	196	10	16
20	66	164	434	814	1,182	1,554	2,124	2,466	2,716	2,336	1,574	986	466	154	54	8	17
24	26	128	294	476	798	1,060	1,726	2,130	2,600	2,192	2,026	1,346	744	252	142	2	18
-	-	4	2	6	8	8	8	24	20	24	32	24	6	-	-	-	19
-	-	2	2	6	8	4	6	16	14	14	16	12	-	-	-	-	20
-	-	2	-	-	-	4	2	8	6	10	16	12	6	-	-	-	21
-	-	2	2	6	8	8	6	24	18	24	32	24	6	-	-	-	22
-	-	2	2	6	8	4	6	16	14	14	16	12	-	-	-	-	23
-	-	-	-	-	-	4	-	8	4	10	16	12	6	-	-	-	24
-	-	2	-	-	-	-	2	-	2	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	2	-	-	-	-	2	-	2	-	-	-	-	-	-	-	27
58	86	90	98	164	268	350	410	496	588	758	760	706	396	126	44	-	28
34	44	60	50	100	164	206	248	276	316	358	346	258	126	30	8	-	29
24	42	30	48	64	104	144	162	220	272	400	414	448	270	96	36	-	30
38	66	66	72	116	218	282	338	412	522	708	718	662	386	116	32	-	31
26	32	46	40	60	134	176	212	228	282	330	324	242	122	28	2	-	32
12	34	20	32	56	84	106	126	184	240	378	394	420	264	88	30	-	33
20	20	24	26	48	50	68	72	84	66	50	42	44	10	10	12	-	34
8	12	14	10	40	30	30	36	48	34	28	22	16	4	2	6	-	35
12	8	10	16	8	20	38	36	36	32	22	20	28	6	8	6	-	36
336	428	534	936	1,562	2,186	2,888	3,766	4,296	4,604	4,812	4,684	3,382	1,546	454	90	10	37
180	260	302	624	1,016	1,448	1,954	2,480	2,744	2,672	2,490	2,242	1,454	562	140	18	8	38
156	168	232	312	546	738	934	1,286	1,552	1,932	2,322	2,442	1,928	984	314	72	2	39
216	264	312	614	1,082	1,590	2,232	2,950	3,442	3,766	4,220	4,238	3,094	1,428	408	72	-	40
122	166	182	416	724	1,116	1,558	1,984	2,222	2,204	2,176	2,012	1,310	510	122	12	-	41
94	98	130	198	358	474	674	966	1,220	1,562	2,044	2,226	1,784	918	286	60	-	42
120	164	222	322	480	596	656	816	854	838	592	446	288	118	46	18	10	43
58	94	120	208	292	332	396	496	522	468	314	230	144	52	18	6	8	44
62	70	102	114	188	264	260	320	332	370	278	216	144	66	28	12	2	45
58	86	120	198	264	326	396	610	738	866	1,172	1,298	1,004	452	114	14	2	46
38	26	66	100	128	206	230	342	372	488	558	628	458	204	56	4	2	47
20	60	54	98	136	120	166	268	366	378	614	670	546	248	58	10	-	48
32	26	34	66	122	176	238	406	532	690	1,008	1,164	922	416	108	10	2	49
18	4	12	36	64	116	146	244	280	402	474	562	410	188	50	2	2	50
14	22	22	30	58	60	92	162	252	288	534	602	512	228	58	8	-	51
26	60	86	132	142	150	158	204	206	176	164	134	82	36	6	4	-	52
20	22	54	64	64	90	84	98	92	86	84	66	48	16	6	2	-	53
6	38	32	68	78	60	74	106	114	90	80	68	34	20	-	2	-	54
460	696	1,134	2,186	3,716	5,854	8,496	12,860	19,288	28,128	37,794	41,718	31,556	14,176	3,660	564	30	55
222	338	554	1,050	1,834	3,074	4,830	7,334	10,384	14,320	17,096	16,890	11,296	4,384	998	158	12	56
238	358	580	1,136	1,882	2,780	3,666	5,526	8,904	13,808	20,698	24,828	20,260	9,792	2,662	406	18	57
318	456	716	1,476	2,536	4,284	6,516	10,076	15,828	23,978	34,290	39,082	29,848	13,364	3,386	418	16	58
160	222	342	726	1,210	2,262	3,796	5,878	8,724	12,462	15,482	15,792	10,622	4,074	898	96	10	59
158	234	374	750	1,326	2,022	2,720	4,198	7,104	11,516	18,808	23,290	19,226	9,290	2,488	322	6	60
142	240	418	710	1,180	1,570	1,980	2,784	3,460	4,150	3,504	2,636	1,708	812	274	146	14	61
62	116	212	324	624	812	1,034	1,456	1,660	1,858	1,614	1,098	674	310	100	62	2	62
80	124	206	386	556	758	946	1,328	1,800	2,292	1,890	1,538	1,034	502	174	84	12	63
116	182	360	702	1,320	1,908	2,702	3,354	4,214	5,060	5,678	5,388	3,584	1,516	302	50	2	64
68	118	208	376	690	1,014	1,570	1,918	2,238	2,466	2,454	2,176	1,270	450	92	20	2	65
48	64	152	326	630	894	1,132	1,436	1,976	2,594	3,224	3,212	2,314	1,066	210	30	-	66
76	88	218	430	858	1,416	2,086	2,682	3,536	4,380	5,210	5,028	3,384	1,440	276	30	2	67
44	58	124	236	448	776	1,236	1,550	1,904	2,170	2,232	2,038	1,200	434	82	12	2	68
32	30	94	194	410	640	850	1,132	1,632	2,210	2,978	2,990	2,184	1,006	194	26	-	69
40	94	142	272	462	492	616	672	678	680	468	360	200	76	26	12	-	70
24	60	84	140	242	238	334	368	334	296	222	138	70	16	10	8	-	71
16	34	58	132	220	254	282	304	344	384	246	222	130	60	16	4	-	72
18	24	72	140	286	662	1,352	2,860	4,780	7,846	11,370	12,584	9,672	4,428	1,156	178	14	73
6	8	40	78	172	398	852	1,670	2,632	4,098	5,182	5,046	3,362	1,374	268	48	4	74
12	16	32	62	114	264	500	1,190	2,148	3,748	6,188	7,538	6,310	3,054	888	130	10	75
8	20	46	88	200	462	1,056	2,278	4,020	6,854	10,390	11,856	9,192	4,180	1,064	138	6	76
-	8	26	50	116	282	698	1,382	2,282	3,650	4,746	4,754	3,170	1,270	236	26	4	77
8	12	20	38	84	180	358	896	1,738	3,204	5,644	7,102	6,022	2,910	828	112	2	78
10	4	26	52	86	200	296	582	760	992	980	728	480	248	92	40	8	79
6	-	14	28	56	116	154	288	350	448	436	292	192	104	32	22	-	80
4	4	12	24	30	84	142	294	410	544	544	436	288	144	60	18	8	81

Table 7-5. Deaths From 69 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
	MAJOR CARDIOVASCULAR DISEASES--CON.											
	CEREBROVASCULAR DISEASES--CON.											
1	CEREBRAL EMBOLISM----------434	976	-	2	-	-	-	2	-	2	4	2
2	MALE----	450	-	2	-	-	-	2	-	-	4	2
3	FEMALE--	526	-	-	-	-	-	-	-	2	-	-
4	WHITE----------	892	-	2	-	-	-	2	-	-	4	-
5	MALE----	424	-	2	-	-	-	2	-	-	4	-
6	FEMALE--	468	-	-	-	-	-	-	-	-	-	-
7	ALL OTHER----------	84	-	-	-	-	-	-	-	2	-	2
8	MALE----	26	-	-	-	-	-	-	-	-	-	2
9	FEMALE--	58	-	-	-	-	-	-	-	2	-	-
10	ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	118,138	94	30	14	12	20	170	60	88	160	190
11	MALE----	52,372	62	24	6	8	8	108	40	58	106	96
12	FEMALE--	65,766	32	6	8	4	12	62	20	30	54	94
13	WHITE----------	103,214	56	22	4	8	18	108	54	74	136	146
14	MALE----	45,400	36	16	-	6	8	66	36	46	90	70
15	FEMALE--	57,814	20	6	4	2	10	42	18	28	46	76
16	ALL OTHER----------	14,924	38	8	10	4	2	62	6	14	24	44
17	MALE----	6,972	26	8	6	2	-	42	4	12	16	26
18	FEMALE--	7,952	12	-	4	2	2	20	2	2	8	18
19	ARTERIOSCLEROSIS----------440	32,486	-	-	-	-	-	-	-	-	2	-
20	MALE----	13,738	-	-	-	-	-	-	-	-	2	-
21	FEMALE--	18,748	-	-	-	-	-	-	-	-	-	-
22	WHITE----------	30,030	-	-	-	-	-	-	-	-	2	-
23	MALE----	12,558	-	-	-	-	-	-	-	-	2	-
24	FEMALE--	17,472	-	-	-	-	-	-	-	-	-	-
25	ALL OTHER----------	2,456	-	-	-	-	-	-	-	-	-	-
26	MALE----	1,180	-	-	-	-	-	-	-	-	-	-
27	FEMALE--	1,276	-	-	-	-	-	-	-	-	-	-
28	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	25,698	42	4	2	-	-	48	10	30	32	66
29	MALE----	15,926	20	4	2	-	-	26	6	20	22	36
30	FEMALE--	9,772	22	-	-	-	-	22	4	10	10	30
31	WHITE----------	23,512	24	4	2	-	-	30	6	28	30	46
32	MALE----	14,746	14	4	2	-	-	20	6	20	22	32
33	FEMALE--	8,766	10	-	-	-	-	10	-	8	8	14
34	ALL OTHER----------	2,186	18	-	-	-	-	18	4	2	2	20
35	MALE----	1,180	6	-	-	-	-	6	-	-	-	4
36	FEMALE--	1,006	12	-	-	-	-	12	4	2	2	16
37	ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	1,146	278	62	30	14	14	398	14	10	6	14
38	MALE----	678	162	30	24	6	6	228	6	8	4	4
39	FEMALE--	468	116	32	6	8	8	170	8	2	2	10
40	WHITE----------	908	152	44	26	12	6	240	12	6	2	10
41	MALE----	544	94	18	22	6	2	142	6	4	-	-
42	FEMALE--	364	58	26	4	6	4	98	6	2	2	10
43	ALL OTHER----------	238	126	18	4	2	8	158	2	4	4	4
44	MALE----	134	68	12	2	-	4	86	-	4	4	4
45	FEMALE--	104	58	6	2	2	4	72	2	-	-	-
46	INFLUENZA AND PNEUMONIA----------470-474,480-486	62,580	4,332	466	230	126	80	5,234	270	296	372	432
47	MALE----	34,724	2,532	246	124	64	42	3,008	120	162	208	242
48	FEMALE--	27,856	1,800	220	106	62	38	2,226	150	134	164	190
49	WHITE----------	53,926	2,712	324	156	98	58	3,348	226	238	288	330
50	MALE----	29,458	1,640	178	86	52	32	1,988	102	134	164	192
51	FEMALE--	24,468	1,072	146	70	46	26	1,360	124	104	124	138
52	ALL OTHER----------	8,654	1,620	142	74	28	22	1,886	44	58	84	102
53	MALE----	5,266	892	68	38	12	10	1,020	18	28	44	50
54	FEMALE--	3,388	728	74	36	16	12	866	26	30	40	52
55	INFLUENZA----------470-474	4,986	60	26	10	4	4	104	14	10	16	20
56	MALE----	2,390	32	16	8	-	4	60	6	4	10	12
57	FEMALE--	2,596	28	10	2	4	-	44	8	6	6	8
58	WHITE----------	4,570	34	22	4	4	4	68	14	10	10	16
59	MALE----	2,178	16	14	2	-	4	36	6	4	6	8
60	FEMALE--	2,392	18	8	2	4	-	32	8	6	4	8
61	ALL OTHER----------	416	26	4	6	-	-	36	-	-	6	4
62	MALE----	212	16	2	6	-	-	24	-	-	4	4
63	FEMALE--	204	10	2	-	-	-	12	-	-	2	-
64	PNEUMONIA----------480-486	57,594	4,272	440	220	122	76	5,130	256	286	356	412
65	MALE----	32,334	2,500	230	116	64	38	2,948	114	158	198	230
66	FEMALE--	25,260	1,772	210	104	58	38	2,182	142	128	158	182
67	WHITE----------	49,356	2,678	302	152	94	54	3,280	212	228	278	314
68	MALE----	27,280	1,624	164	84	52	28	1,952	96	130	158	184
69	FEMALE--	22,076	1,054	138	68	42	26	1,328	116	98	120	130
70	ALL OTHER----------	8,238	1,594	138	68	28	22	1,850	44	58	78	98
71	MALE----	5,054	876	66	32	12	10	996	18	28	40	46
72	FEMALE--	3,184	718	72	36	16	12	854	26	30	38	52
73	BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	30,768	126	42	20	18	6	212	48	48	76	72
74	MALE----	23,646	76	22	8	6	-	112	34	24	48	38
75	FEMALE--	7,122	50	20	12	12	6	100	14	24	28	34
76	WHITE----------	28,792	80	32	14	8	4	138	26	28	54	44
77	MALE----	22,228	48	18	6	2	-	74	24	16	40	20
78	FEMALE--	6,564	32	14	8	6	4	64	2	12	14	24
79	ALL OTHER----------	1,976	46	10	6	10	2	74	22	20	22	28
80	MALE----	1,418	28	4	2	4	-	38	10	8	8	18
81	FEMALE--	558	18	6	4	6	2	36	12	12	14	10

Age, Color, and Sex: United States, 1972–Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	NOT STATED	
4	2	4	12	12	40	50	76	98	178	180	150	108	46	4	2	-	1
2	2	2	8	6	20	24	48	48	90	74	64	36	16	2	-	-	2
2	-	2	4	6	20	26	28	50	88	106	86	72	30	2	2	-	3
4	2	2	10	12	34	46	62	90	158	172	144	102	46	2	-	-	4
2	2	-	8	6	18	24	42	46	84	72	64	34	16	-	-	-	5
2	-	2	2	6	16	22	20	44	74	100	80	68	30	2	-	-	6
-	-	2	2	-	6	4	14	8	20	8	6	6	-	2	2	-	7
-	-	2	-	-	2	-	6	2	6	2	-	2	-	2	-	-	8
-	-	-	2	-	4	4	8	6	14	6	6	4	-	-	2	-	9
322	488	698	1,332	2,098	3,244	4,392	6,570	10,196	15,044	20,566	23,596	18,192	8,186	2,198	334	14	10
146	210	304	588	966	1,642	2,384	3,698	5,466	7,666	9,386	9,604	6,628	2,544	636	90	6	11
176	278	394	744	1,132	1,602	2,008	2,872	4,730	7,378	11,180	13,992	11,564	5,642	1,562	244	8	12
230	346	450	948	1,466	2,372	3,328	5,054	8,182	12,586	18,518	22,054	17,170	7,698	2,044	242	8	13
114	154	192	432	640	1,186	1,838	2,904	4,492	6,558	8,432	8,936	6,218	2,354	580	58	4	14
116	192	258	516	826	1,186	1,490	2,150	3,690	6,028	10,086	13,118	10,952	5,344	1,464	184	4	15
92	142	248	384	632	872	1,064	1,516	2,014	2,458	2,048	1,542	1,022	488	154	92	6	16
32	56	112	156	326	456	546	794	974	1,108	954	668	410	190	56	32	2	17
60	86	136	228	306	416	518	722	1,040	1,350	1,094	874	612	298	98	60	4	18
2	6	6	32	112	194	436	840	1,520	2,984	5,142	7,316	7,142	4,712	1,696	338	6	19
-	2	2	24	74	140	266	536	850	1,530	2,374	3,078	2,734	1,528	488	108	2	20
2	4	4	8	38	54	170	304	670	1,454	2,768	4,238	4,408	3,184	1,208	230	4	21
2	4	6	26	98	152	352	688	1,292	2,548	4,724	6,860	6,854	4,520	1,598	298	6	22
-	-	2	20	62	110	220	452	744	1,292	2,164	2,868	2,624	1,444	462	90	2	23
2	4	4	6	36	42	132	236	548	1,256	2,560	3,992	4,230	3,076	1,136	208	4	24
-	2	-	6	14	42	84	152	228	436	418	456	288	192	98	40	-	25
-	2	-	4	12	30	46	84	106	238	210	210	110	84	26	18	-	26
-	-	-	2	2	12	38	68	122	198	208	246	178	108	72	22	-	27
96	108	186	322	616	946	1,512	2,554	3,552	4,152	4,228	3,626	2,386	926	258	38	6	28
46	54	110	184	380	648	1,094	1,876	2,634	2,772	2,662	1,966	972	316	88	12	2	29
50	54	76	138	236	298	418	678	918	1,380	1,566	1,660	1,414	610	170	26	4	30
72	68	150	218	498	792	1,330	2,268	3,270	3,838	4,000	3,442	2,272	878	242	34	-	31
38	40	92	132	312	548	964	1,712	2,474	2,620	2,538	1,858	926	300	84	8	-	32
34	28	58	86	186	244	366	556	796	1,218	1,462	1,584	1,346	578	158	26	-	33
24	40	36	104	118	154	182	286	282	314	228	184	114	48	16	4	6	34
8	14	18	52	68	100	130	164	160	152	124	108	46	16	4	4	2	35
16	26	18	52	50	54	52	122	122	162	104	76	68	32	12	-	4	36
8	22	16	14	32	38	58	42	82	110	98	70	62	38	12	2	-	37
6	12	10	8	22	22	34	30	54	64	60	44	38	20	4	-	-	38
2	10	6	6	10	16	24	12	28	46	38	26	24	18	8	2	-	39
8	14	14	6	30	32	50	34	76	100	94	70	60	36	12	2	-	40
6	8	8	2	20	18	30	26	50	62	60	44	36	18	4	-	-	41
2	6	6	4	10	14	20	8	26	38	34	26	24	18	8	2	-	42
-	8	2	8	2	6	8	8	6	10	4	-	2	2	-	-	-	43
-	4	2	6	2	4	4	4	4	2	-	-	2	2	-	-	-	44
-	4	-	2	-	2	4	4	2	8	4	-	-	-	-	-	-	45
440	462	708	1,072	1,538	2,250	2,666	3,640	4,620	6,566	8,962	9,612	7,518	4,204	1,416	284	18	46
248	250	416	624	938	1,488	1,760	2,432	3,016	4,064	5,232	4,894	3,332	1,734	460	86	10	47
192	212	292	448	600	762	906	1,208	1,604	2,502	3,730	4,718	4,186	2,470	956	198	8	48
302	286	440	716	1,124	1,696	2,144	3,036	3,932	5,756	8,222	9,070	7,170	4,008	1,348	232	14	49
162	140	242	416	660	1,100	1,404	2,018	2,552	3,530	4,752	4,580	3,166	1,638	436	72	10	50
140	146	198	300	464	596	740	1,018	1,380	2,226	3,470	4,490	4,004	2,370	912	160	4	51
138	176	268	356	414	554	522	604	688	810	740	542	348	196	68	52	4	52
86	110	174	208	278	388	356	414	464	534	480	314	166	96	24	14	-	53
52	66	94	148	136	166	166	190	224	276	260	228	182	100	44	38	4	54
32	32	48	76	138	218	256	318	402	712	786	734	552	358	126	32	2	55
8	10	28	30	62	124	140	190	234	434	390	294	208	112	32	2	-	56
24	22	20	46	76	94	116	128	168	278	396	440	344	246	94	30	2	57
28	32	36	64	120	188	208	288	362	668	740	706	522	342	122	26	-	58
6	10	20	28	54	106	126	170	214	408	366	276	198	104	30	2	-	59
22	22	16	36	66	82	82	118	148	260	374	430	324	238	92	24	-	60
4	-	12	12	18	30	48	30	40	44	46	28	30	16	4	6	2	61
2	-	8	2	8	18	14	20	20	26	24	18	10	8	2	-	-	62
2	-	4	10	10	12	34	10	20	18	22	10	20	8	2	6	2	63
408	430	660	996	1,400	2,032	2,410	3,322	4,218	5,854	8,176	8,878	6,966	3,846	1,290	252	16	64
240	240	388	594	876	1,364	1,620	2,242	2,782	3,630	4,842	4,600	3,124	1,622	428	84	10	65
168	190	272	402	524	668	790	1,080	1,436	2,224	3,334	4,278	3,842	2,224	862	168	6	66
274	254	404	652	1,004	1,508	1,936	2,748	3,570	5,088	7,482	8,364	6,648	3,666	1,226	206	14	67
156	130	222	388	606	994	1,278	1,848	2,338	3,122	4,386	4,304	2,968	1,534	406	70	10	68
118	124	182	264	398	514	658	900	1,232	1,966	3,096	4,060	3,680	2,132	820	136	4	69
134	176	256	344	396	524	474	574	648	766	694	514	318	180	64	46	2	70
84	110	166	206	270	370	342	394	444	508	456	296	156	88	22	14	-	71
50	66	90	138	126	154	132	180	204	258	238	218	162	92	42	32	2	72
84	114	180	340	686	1,382	2,438	3,962	5,106	5,768	4,944	3,292	1,426	460	112	14	4	73
46	46	78	170	412	944	1,742	3,108	4,074	4,694	4,092	2,580	1,048	282	64	6	4	74
38	68	102	170	274	438	696	854	1,032	1,074	852	712	378	178	48	8	-	75
62	86	128	262	554	1,238	2,242	3,706	4,862	5,532	4,718	3,190	1,378	426	102	12	4	76
34	38	54	132	322	850	1,596	2,914	3,878	4,496	3,902	2,496	1,010	264	58	6	4	77
28	48	74	130	232	388	646	792	984	1,036	816	694	368	162	44	6	-	78
22	28	52	78	132	144	196	256	244	236	226	102	48	34	10	2	-	79
12	8	24	38	90	94	146	194	196	198	190	84	38	18	6	-	-	80
10	20	28	40	42	50	50	62	48	38	36	18	10	16	4	2	-	81

Table 7-5. Deaths From 69 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
	BRONCHITIS, EMPHYSEMA, AND ASTHMA--CON.											
1	CHRONIC AND UNQUALIFIED BRONCHITIS-------490,491	5,862	100	28	12	6	2	148	14	20	16	12
2	MALE----	4,214	58	12	4	-	-	74	10	12	10	8
3	FEMALE---	1,648	42	16	8	6	2	74	4	8	6	4
4	WHITE----------	5,450	64	20	12	2	2	100	8	14	12	10
5	MALE----	3,934	40	10	4	-	-	54	8	8	10	8
6	FEMALE---	1,516	24	10	8	2	2	46	-	6	2	2
7	ALL OTHER----------	412	36	8	-	4	-	48	6	6	4	2
8	MALE----	280	18	2	-	-	-	20	2	4	-	-
9	FEMALE---	132	18	6	-	4	-	28	4	2	4	2
10	EMPHYSEMA----------492	22,580	16	4	2	2	-	24	2	4	10	8
11	MALE----	18,428	8	2	-	2	-	12	2	2	10	-
12	FEMALE---	4,152	8	2	2	-	-	12	-	2	-	8
13	WHITE----------	21,510	10	4	-	2	-	16	2	2	10	4
14	MALE----	17,528	2	2	-	2	-	6	2	-	10	-
15	FEMALE---	3,982	8	2	-	-	-	10	-	2	-	4
16	ALL OTHER----------	1,070	6	-	2	-	-	8	-	2	-	4
17	MALE----	900	6	-	-	-	-	6	-	2	-	-
18	FEMALE---	170	-	-	2	-	-	2	-	-	-	4
19	ASTHMA----------493	2,326	10	10	6	10	4	40	32	24	50	52
20	MALE----	1,004	10	8	4	4	-	26	22	10	28	30
21	FEMALE---	1,322	-	2	2	6	4	14	10	14	22	22
22	WHITE----------	1,832	6	8	2	4	2	22	16	12	32	30
23	MALE----	766	6	6	2	-	-	14	14	8	20	12
24	FEMALE---	1,066	-	2	-	4	2	8	2	4	12	18
25	ALL OTHER----------	494	4	2	4	6	2	18	16	12	18	22
26	MALE----	238	4	2	2	4	-	12	8	2	8	18
27	FEMALE---	256	-	-	2	2	2	6	8	10	10	4
28	PEPTIC ULCER----------531-533	7,916	58	8	2	2	4	74	6	10	16	28
29	MALE----	5,214	38	8	-	2	2	50	4	6	16	22
30	FEMALE---	2,702	20	-	2	-	2	24	2	4	-	6
31	WHITE----------	7,100	38	8	2	2	2	52	6	10	12	22
32	MALE----	4,622	24	8	-	2	2	36	4	6	12	16
33	FEMALE---	2,478	14	-	2	-	-	16	2	4	-	6
34	ALL OTHER----------	816	20	-	-	-	2	22	-	-	4	6
35	MALE----	592	14	-	-	-	-	14	-	-	4	6
36	FEMALE---	224	6	-	-	-	2	8	-	-	-	-
37	APPENDICITIS----------540-543	1,206	8	4	4	8	4	28	36	44	26	34
38	MALE----	712	6	4	4	-	4	18	16	32	22	18
39	FEMALE---	494	2	-	-	8	-	10	20	12	4	16
40	WHITE----------	998	8	2	4	6	2	22	30	38	22	22
41	MALE----	596	6	2	4	-	2	14	12	30	20	14
42	FEMALE---	402	2	-	-	6	-	8	18	8	2	8
43	ALL OTHER----------	208	-	2	-	2	2	6	6	6	4	12
44	MALE----	116	-	2	-	-	2	4	4	2	2	4
45	FEMALE---	92	-	-	-	2	-	2	2	4	2	8
46	HERNIA AND INTESTINAL OBSTRUCTION------550-553,560	6,790	488	20	14	8	4	534	12	26	26	26
47	MALE----	2,960	302	8	10	6	4	330	8	14	18	8
48	FEMALE---	3,830	186	12	4	2	-	204	4	12	8	18
49	WHITE----------	5,980	394	16	12	6	4	432	10	22	22	14
50	MALE----	2,540	240	8	8	4	4	264	8	10	16	4
51	FEMALE---	3,440	154	8	4	2	-	168	2	12	6	10
52	ALL OTHER----------	810	94	4	2	2	-	102	2	4	4	12
53	MALE----	420	62	-	2	2	-	66	-	4	2	4
54	FEMALE---	390	32	4	-	-	-	36	2	-	2	8
55	CIRRHOSIS OF LIVER----------571	32,576	26	10	6	6	10	58	12	12	36	84
56	MALE----	21,422	16	4	4	2	4	30	4	2	14	44
57	FEMALE---	11,154	10	6	2	4	6	28	8	10	22	40
58	WHITE----------	27,138	24	8	4	6	6	48	10	10	20	36
59	MALE----	17,964	14	4	2	2	4	26	4	2	10	14
60	FEMALE---	9,174	10	4	2	4	2	22	6	8	10	22
61	ALL OTHER----------	5,438	2	2	2	-	4	10	2	2	16	48
62	MALE----	3,458	2	-	2	-	-	4	-	-	4	30
63	FEMALE---	1,980	-	2	-	-	4	6	2	2	12	18
64	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	3,666	4	-	-	-	-	4	-	-	-	6
65	MALE----	1,622	4	-	-	-	-	4	-	-	-	-
66	FEMALE---	2,044	-	-	-	-	-	-	-	-	-	6
67	WHITE----------	3,418	4	-	-	-	-	4	-	-	-	6
68	MALE----	1,522	4	-	-	-	-	4	-	-	-	-
69	FEMALE---	1,896	-	-	-	-	-	-	-	-	-	6
70	ALL OTHER----------	248	-	-	-	-	-	-	-	-	-	-
71	MALE----	100	-	-	-	-	-	-	-	-	-	-
72	FEMALE---	148	-	-	-	-	-	-	-	-	-	-
73	NEPHRITIS AND NEPHROSIS----------580-584	8,548	24	4	8	8	-	44	30	46	62	130
74	MALE----	4,656	14	2	4	4	-	24	16	26	22	88
75	FEMALE---	3,892	10	2	4	4	-	20	14	20	40	42
76	WHITE----------	6,282	20	4	8	2	-	34	26	30	40	98
77	MALE----	3,442	12	2	4	2	-	20	14	18	10	66
78	FEMALE---	2,840	8	2	4	-	-	14	12	12	30	32
79	ALL OTHER----------	2,266	4	-	-	6	-	10	4	16	22	32
80	MALE----	1,214	2	-	-	2	-	4	2	8	12	22
81	FEMALE---	1,052	2	-	-	4	-	6	2	8	10	10

Age, Color, and Sex: United States, 1972—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	NOT STATED	
18	26	36	76	138	258	394	684	914	1,036	830	714	342	140	38	6	2	1
12	14	22	42	92	166	276	528	676	788	650	516	224	78	12	2	2	2
6	12	14	34	46	92	118	156	238	248	180	198	118	62	26	4	-	3
16	24	26	64	116	226	366	630	862	984	794	702	324	130	36	4	2	4
12	14	12	38	72	146	256	482	638	750	616	510	212	72	12	2	2	5
4	10	14	26	44	80	110	148	224	234	178	192	112	58	24	2	-	6
2	2	10	12	22	32	28	54	52	52	36	12	18	10	2	2	-	7
-	-	10	4	20	20	20	46	38	38	34	6	12	6	-	-	-	8
2	2	-	8	2	12	8	8	14	14	2	6	6	4	2	2	-	9
20	16	48	148	390	936	1,790	3,012	3,950	4,478	3,908	2,436	1,020	304	68	6	2	10
16	12	26	86	260	702	1,350	2,472	3,288	3,780	3,356	1,996	804	198	50	4	2	11
4	4	22	62	130	234	440	540	662	698	552	440	216	106	18	2	-	12
12	12	38	122	332	870	1,678	2,860	3,792	4,324	3,740	2,356	992	280	60	6	2	13
8	8	20	72	210	648	1,254	2,340	3,152	3,644	3,212	1,926	780	186	44	4	2	14
4	4	18	50	122	222	424	520	640	680	528	430	212	94	16	2	-	15
8	4	10	26	58	66	112	152	158	154	168	80	28	24	8	-	-	16
8	4	6	14	50	54	96	132	136	136	144	70	24	12	6	-	-	17
-	-	4	12	8	12	16	20	22	18	24	10	4	12	2	-	-	18
46	72	96	116	158	188	254	266	242	254	206	142	64	16	6	2	-	19
18	20	30	42	60	76	116	108	110	126	86	68	20	6	2	-	-	20
28	52	66	74	98	112	138	158	132	128	120	74	44	10	4	2	-	21
34	50	64	76	106	142	198	216	208	224	184	132	62	16	6	2	-	22
14	16	22	22	40	56	86	92	88	102	74	60	18	6	2	-	-	23
20	34	42	54	66	86	112	124	120	122	110	72	44	10	4	2	-	24
12	22	32	40	52	46	56	50	34	30	22	10	2	-	-	-	-	25
4	4	8	20	20	20	30	16	22	24	12	8	2	-	-	-	-	26
8	16	24	20	32	26	26	34	12	6	10	2	-	-	-	-	-	27
40	68	94	204	362	498	688	848	1,038	1,076	1,050	954	610	224	24	2	2	28
30	40	68	158	248	378	478	606	764	698	646	562	330	102	6	-	2	29
10	28	26	46	114	120	210	242	274	378	404	392	280	122	18	2	-	30
26	52	68	142	282	420	600	756	942	982	978	914	594	216	24	2	-	31
20	32	54	112	194	320	404	538	692	624	598	536	322	96	6	-	-	32
6	20	14	30	88	100	196	218	250	358	380	378	272	120	18	2	-	33
14	16	26	62	80	78	88	92	96	94	72	40	16	8	-	-	2	34
10	8	14	46	54	58	74	68	72	74	48	26	8	6	-	-	2	35
4	8	12	16	26	20	14	24	24	20	24	14	8	2	-	-	-	36
18	26	26	26	56	72	84	128	138	102	142	98	90	24	8	-	-	37
4	10	14	16	42	50	54	84	98	58	66	52	46	10	2	-	-	38
14	16	12	10	14	22	30	44	40	44	76	46	44	14	6	-	-	39
16	18	14	18	44	48	72	108	118	88	116	90	82	24	8	-	-	40
2	6	10	14	34	36	48	66	82	52	52	50	42	10	2	-	-	41
14	12	4	4	10	12	24	42	36	36	64	40	40	14	6	-	-	42
2	8	12	8	12	24	12	20	20	14	26	8	8	-	-	-	-	43
2	4	4	2	8	14	6	18	16	6	14	2	4	-	-	-	-	44
-	4	8	6	4	10	6	2	4	8	12	6	4	-	-	-	-	45
40	50	52	80	184	232	364	502	612	808	996	1,068	770	318	76	12	2	46
24	16	22	42	74	86	186	240	284	366	420	422	264	106	26	2	2	47
16	34	30	38	110	146	178	262	328	442	576	646	506	212	50	10	-	48
28	32	24	64	130	190	306	436	512	702	930	1,018	724	298	72	12	2	49
16	6	8	32	58	72	148	202	236	306	384	396	244	102	24	2	2	50
12	26	16	32	72	118	158	234	276	396	546	622	480	196	48	10	-	51
12	18	28	16	54	42	58	66	100	106	66	50	46	20	4	-	-	52
8	10	14	10	16	14	38	38	48	60	36	26	20	4	2	-	-	53
4	8	14	6	38	28	20	28	52	46	30	24	26	16	2	-	-	54
360	814	1,570	3,044	4,252	4,954	4,940	4,666	3,498	2,058	1,318	578	248	54	12	2	6	55
190	526	1,040	1,940	2,762	3,288	3,288	3,244	2,424	1,312	818	308	154	24	8	-	2	56
170	288	530	1,104	1,490	1,666	1,652	1,422	1,074	746	500	270	94	30	4	2	4	57
196	390	976	2,170	3,350	4,160	4,416	4,180	3,198	1,872	1,266	540	236	46	12	2	4	58
116	276	676	1,426	2,182	2,750	2,922	2,924	2,200	1,200	782	280	146	18	8	-	2	59
80	114	300	744	1,168	1,410	1,494	1,256	998	672	484	260	90	28	4	2	2	60
164	424	594	874	902	794	524	486	300	186	52	38	12	8	-	-	2	61
74	250	364	514	580	538	366	320	224	112	36	28	8	6	-	-	-	62
90	174	230	360	322	256	158	166	76	74	16	10	4	2	-	-	2	63
16	18	18	44	74	102	164	252	360	556	626	696	486	180	58	6	-	64
6	8	8	12	42	52	78	140	186	284	298	280	154	50	20	-	-	65
10	10	10	32	32	50	86	112	174	272	328	416	332	130	38	6	-	66
8	16	16	30	64	96	146	222	326	520	596	660	474	174	56	4	-	67
4	8	8	6	34	48	68	124	176	272	286	268	148	48	20	-	-	68
4	8	8	24	30	48	78	98	150	248	310	392	326	126	36	4	-	69
8	2	2	14	10	6	18	30	34	36	30	36	12	6	2	2	-	70
2	-	-	6	8	4	10	16	10	12	12	12	6	2	-	-	-	71
6	2	2	8	2	2	8	14	24	24	18	24	6	4	2	2	-	72
116	134	190	260	434	598	722	816	986	1,032	1,112	850	626	274	68	18	-	73
62	78	112	142	232	324	380	478	546	586	590	472	334	120	22	2	-	74
54	56	78	118	202	274	342	338	440	446	522	378	292	154	46	16	-	75
78	64	102	126	260	406	494	550	676	762	936	740	544	244	56	16	-	76
40	30	54	68	152	236	282	354	394	420	488	396	278	102	18	2	-	77
38	34	48	58	108	170	212	196	282	342	448	344	266	142	38	14	-	78
38	70	88	134	174	192	228	266	310	270	176	110	82	30	12	2	-	79
22	48	58	74	80	88	98	124	152	166	102	76	56	18	4	-	-	80
16	22	30	60	94	104	130	142	158	104	74	34	26	12	8	2	-	81

Table 7-5. Deaths From 69 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
	NEPHRITIS AND NEPHROSIS--CON.											
1	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	1,466	20	4	4	6	-	34	6	8	14	24
2	MALE	840	10	2	2	2	-	16	2	6	8	12
3	FEMALE	626	10	2	2	4	-	18	4	2	6	12
4	WHITE	1,174	16	4	4	-	-	24	6	6	8	20
5	MALE	670	8	2	2	-	-	12	2	4	4	12
6	FEMALE	504	8	2	2	-	-	12	4	2	4	8
7	ALL OTHER	292	4	-	-	6	-	10	-	2	6	4
8	MALE	170	2	-	-	2	-	4	-	2	4	-
9	FEMALE	122	2	-	-	4	-	6	-	-	2	4
10	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS--582-584	7,082	4	-	4	2	-	10	24	38	48	106
11	MALE	3,816	4	-	2	2	-	8	14	20	14	76
12	FEMALE	3,266	-	-	2	-	-	2	10	18	34	30
13	WHITE	5,108	4	-	4	2	-	10	20	24	32	78
14	MALE	2,772	4	-	2	2	-	8	12	14	6	54
15	FEMALE	2,336	-	-	2	-	-	2	8	10	26	24
16	ALL OTHER	1,974	-	-	-	-	-	-	4	14	16	28
17	MALE	1,044	-	-	-	-	-	-	2	6	8	22
18	FEMALE	930	-	-	-	-	-	-	2	8	8	6
19	INFECTIONS OF KIDNEY--590	6,946	6	-	-	-	-	6	6	4	8	28
20	MALE	3,074	4	-	-	-	-	4	2	-	-	16
21	FEMALE	3,872	2	-	-	-	-	2	4	4	8	12
22	WHITE	5,784	6	-	-	-	-	6	4	2	8	26
23	MALE	2,562	4	-	-	-	-	4	-	-	-	14
24	FEMALE	3,222	2	-	-	-	-	2	4	2	8	12
25	ALL OTHER	1,162	-	-	-	-	-	-	2	2	-	2
26	MALE	512	-	-	-	-	-	-	2	-	-	2
27	FEMALE	650	-	-	-	-	-	-	-	2	-	-
28	HYPERPLASIA OF PROSTRATE--600	1,862	-	-	-	-	-	-	-	2	-	-
29	MALE	1,862	-	-	-	-	-	-	-	2	-	-
30	WHITE	1,622	-	-	-	-	-	-	-	-	-	-
31	MALE	1,622	-	-	-	-	-	-	-	-	-	-
32	ALL OTHER	240	-	-	-	-	-	-	-	2	-	-
33	MALE	240	-	-	-	-	-	-	-	2	-	-
34	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-678	612	-	-	-	-	-	-	-	4	82	172
35	FEMALE	612	-	-	-	-	-	-	-	4	82	172
36	WHITE	380	-	-	-	-	-	-	-	2	44	116
37	FEMALE	380	-	-	-	-	-	-	-	2	44	116
38	ALL OTHER	232	-	-	-	-	-	-	-	2	38	56
39	FEMALE	232	-	-	-	-	-	-	-	2	38	56
40	ABORTIONS--640-645	70	-	-	-	-	-	-	-	-	6	34
41	FEMALE	70	-	-	-	-	-	-	-	-	6	34
42	WHITE	38	-	-	-	-	-	-	-	-	4	18
43	FEMALE	38	-	-	-	-	-	-	-	-	4	18
44	ALL OTHER	32	-	-	-	-	-	-	-	-	2	16
45	FEMALE	32	-	-	-	-	-	-	-	-	2	16
46	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM--630-639,650-678	542	-	-	-	-	-	-	-	4	76	138
47	FEMALE	542	-	-	-	-	-	-	-	4	76	138
48	WHITE	342	-	-	-	-	-	-	-	2	40	98
49	FEMALE	342	-	-	-	-	-	-	-	2	40	98
50	ALL OTHER	200	-	-	-	-	-	-	-	2	36	40
51	FEMALE	200	-	-	-	-	-	-	-	2	36	40
52	CONGENITAL ANOMALIES--740-759	14,698	9,458	676	334	228	184	10,880	566	368	362	244
53	MALE	7,860	5,148	332	170	116	96	5,862	278	186	196	142
54	FEMALE	6,838	4,310	344	164	112	88	5,018	288	182	166	102
55	WHITE	12,394	7,892	530	298	194	154	9,068	462	330	314	198
56	MALE	6,656	4,346	250	150	98	80	4,924	228	166	172	110
57	FEMALE	5,738	3,546	280	148	96	74	4,144	234	164	142	88
58	ALL OTHER	2,304	1,566	146	36	34	30	1,812	104	38	48	46
59	MALE	1,204	802	82	20	18	16	938	50	20	24	32
60	FEMALE	1,100	764	64	16	16	14	874	54	18	24	14
61	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769.2,769.4-772,774-778	33,798	33,734	14	4	-	-	33,752	2	2	6	2
62	MALE	19,752	19,716	12	2	-	-	19,730	2	-	2	2
63	FEMALE	14,046	14,018	2	2	-	-	14,022	-	2	4	-
64	WHITE	24,538	24,502	6	4	-	-	24,512	2	2	2	2
65	MALE	14,538	14,518	6	2	-	-	14,526	2	-	-	2
66	FEMALE	10,000	9,984	-	2	-	-	9,986	-	2	2	-
67	ALL OTHER	9,260	9,232	8	-	-	-	9,240	-	-	4	-
68	MALE	5,214	5,198	6	-	-	-	5,204	-	-	2	-
69	FEMALE	4,046	4,034	2	-	-	-	4,036	-	-	2	-
70	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	18,704	18,674	6	-	-	-	18,680	2	2	2	-
71	MALE	11,282	11,264	4	-	-	-	11,268	2	-	2	-
72	FEMALE	7,422	7,410	2	-	-	-	7,412	-	2	-	-
73	WHITE	13,782	13,766	-	-	-	-	13,766	2	2	-	-
74	MALE	8,468	8,460	-	-	-	-	8,460	2	-	-	-
75	FEMALE	5,314	5,306	-	-	-	-	5,306	-	2	-	-
76	ALL OTHER	4,922	4,908	6	-	-	-	4,914	-	-	2	-
77	MALE	2,814	2,804	4	-	-	-	2,808	-	-	2	-
78	FEMALE	2,108	2,104	2	-	-	-	2,106	-	-	-	-

Age, Color, and Sex: United States, 1972—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	NOT STATED	
24	26	38	30	62	102	122	148	144	192	190	152	102	32	14	2	-	1
14	14	22	22	36	64	62	92	84	124	110	86	56	6	2	2	-	2
10	12	16	8	26	38	60	56	60	68	80	66	46	26	12	-	-	3
14	16	18	16	38	82	88	108	120	164	168	138	92	32	14	2	-	4
6	6	10	14	22	52	52	72	72	100	90	80	50	6	2	2	-	5
8	10	8	2	16	30	36	36	48	64	78	58	42	26	12	-	-	6
10	10	20	14	24	20	34	40	24	28	22	14	10	-	-	-	-	7
8	8	12	8	14	12	10	20	12	24	20	6	6	-	-	-	-	8
2	2	8	6	10	8	24	20	12	4	2	8	4	-	-	-	-	9
92	108	152	230	372	496	600	668	842	840	922	698	524	242	54	16	-	10
48	64	90	120	196	260	318	386	462	462	480	386	278	114	20	-	-	11
44	44	62	110	176	236	282	282	380	378	442	312	246	128	34	16	-	12
64	48	84	110	222	324	406	442	556	598	768	602	452	212	42	14	-	13
34	24	44	54	130	184	230	282	322	320	398	316	228	96	16	-	-	14
30	24	40	56	92	140	176	160	234	278	370	286	224	116	26	14	-	15
28	60	68	120	150	172	194	226	286	242	154	96	72	30	12	2	-	16
14	40	46	66	66	76	88	104	140	142	82	70	50	18	4	-	-	17
14	20	22	54	84	96	106	122	146	100	72	26	22	12	8	2	-	18
18	34	58	84	176	248	322	444	688	966	1,238	1,256	874	362	102	24	-	19
12	18	24	44	62	98	118	188	338	474	586	536	386	132	28	8	-	20
6	16	34	40	114	150	204	256	350	492	652	720	488	230	74	16	-	21
10	28	34	46	110	146	238	340	518	766	1,092	1,148	812	338	94	18	-	22
6	14	18	28	34	58	66	144	250	390	528	484	352	122	24	6	-	23
4	14	16	18	76	88	152	196	268	376	564	664	460	216	70	12	-	24
8	6	24	38	66	102	84	104	170	200	146	108	62	24	8	6	-	25
6	4	6	16	28	40	32	44	88	84	58	52	34	10	4	2	-	26
2	2	18	22	38	62	52	60	82	116	88	56	28	14	4	4	-	27
-	-	-	-	6	10	22	58	168	218	380	482	318	166	32	-	-	28
-	-	-	-	6	10	22	58	168	218	380	482	318	166	32	-	-	29
-	-	-	-	-	6	14	44	138	180	334	434	294	148	30	-	-	30
-	-	-	-	-	6	14	44	138	180	334	434	294	148	30	-	-	31
-	-	-	-	6	4	8	14	30	38	46	48	24	18	2	-	-	32
-	-	-	-	6	4	8	14	30	38	46	48	24	18	2	-	-	33
136	110	78	26	-	4	-	-	-	-	-	-	-	-	-	-	-	34
136	110	78	26	-	4	-	-	-	-	-	-	-	-	-	-	-	35
88	70	42	14	-	4	-	-	-	-	-	-	-	-	-	-	-	36
88	70	42	14	-	4	-	-	-	-	-	-	-	-	-	-	-	37
48	40	36	12	-	-	-	-	-	-	-	-	-	-	-	-	-	38
48	40	36	12	-	-	-	-	-	-	-	-	-	-	-	-	-	39
12	10	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	40
12	10	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	41
6	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	42
6	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	43
6	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
6	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
124	100	72	24	-	4	-	-	-	-	-	-	-	-	-	-	-	46
124	100	72	24	-	4	-	-	-	-	-	-	-	-	-	-	-	47
82	64	40	12	-	4	-	-	-	-	-	-	-	-	-	-	-	48
82	64	40	12	-	4	-	-	-	-	-	-	-	-	-	-	-	49
42	36	32	12	-	-	-	-	-	-	-	-	-	-	-	-	-	50
42	36	32	12	-	-	-	-	-	-	-	-	-	-	-	-	-	51
248	172	146	152	252	226	264	230	170	160	98	84	42	20	6	-	8	52
158	112	68	70	152	128	136	104	80	70	50	26	20	14	2	-	6	53
90	60	78	82	100	98	128	126	90	90	48	58	22	6	4	-	2	54
216	138	118	132	230	210	230	208	160	140	96	74	42	16	6	-	6	55
132	90	58	66	136	114	120	90	76	66	48	24	20	10	2	-	4	56
84	48	60	66	94	96	110	118	84	74	48	50	22	6	4	-	2	57
32	34	28	20	22	16	34	22	10	20	2	10	-	4	-	-	2	58
26	22	10	4	16	14	16	14	4	4	2	2	-	4	-	-	2	59
6	12	18	16	6	2	18	8	6	16	-	8	-	-	-	-	-	60
-	-	2	-	2	4	-	-	-	-	2	-	-	-	-	-	24	61
-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	12	62
-	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	12	63
-	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	12	64
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	6	65
-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	6	66
-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	12	67
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	6	68
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	6	69
-	-	2	-	2	4	-	-	-	-	2	-	-	-	-	-	8	70
-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	6	71
-	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	2	72
-	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	6	73
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	4	74
-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	2	75
-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	2	76
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	77
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	78

Table 7-5. Deaths From 69 Selected Causes, by

[Deaths based on a 50-percent sample. Numbers after causes of death are category

	CAUSE OF DEATH, COLOR, AND SEX	TOTAL	UNDER 1 YEAR	1 YEAR	2 YEARS	3 YEARS	4 YEARS	UNDER 5 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--CON.											
1	OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	15,094	15,060	8	4	-	-	15,072	-	-	4	2
2	MALE----	8,470	8,452	8	2	-	-	8,462	-	-	-	2
3	FEMALE--	6,624	6,608	-	2	-	-	6,610	-	-	4	-
4	WHITE----------	10,756	10,736	6	4	-	-	10,746	-	-	2	2
5	MALE----	6,070	6,058	6	2	-	-	6,066	-	-	-	2
6	FEMALE--	4,686	4,678	-	2	-	-	4,680	-	-	2	-
7	ALL OTHER----------	4,338	4,324	2	-	-	-	4,326	-	-	2	-
8	MALE----	2,400	2,394	2	-	-	-	2,396	-	-	-	-
9	FEMALE--	1,938	1,930	-	-	-	-	1,930	-	-	2	-
10	SYMPTOMS AND ILL-DEFINED CONDITIONS--------780-796	27,500	3,792	198	106	42	22	4,160	80	118	368	558
11	MALE----	16,460	2,242	124	60	24	12	2,462	48	68	260	368
12	FEMALE--	11,040	1,550	74	46	18	10	1,698	32	50	108	190
13	WHITE----------	19,170	2,404	128	76	26	10	2,644	60	90	242	362
14	MALE----	11,656	1,482	88	42	14	6	1,632	36	48	166	244
15	FEMALE--	7,514	922	40	34	12	4	1,012	24	42	76	118
16	ALL OTHER----------	8,330	1,388	70	30	16	12	1,516	20	28	126	196
17	MALE----	4,804	760	36	18	10	6	830	12	20	94	124
18	FEMALE--	3,526	628	34	12	6	6	686	8	8	32	72
19	ALL OTHER DISEASES----------RESIDUAL	110,710	2,066	402	290	252	176	3,186	762	812	1,612	1,956
20	MALE----	61,990	1,192	216	156	124	82	1,770	390	412	992	1,248
21	FEMALE--	48,720	874	186	134	128	94	1,416	372	400	620	708
22	WHITE----------	94,340	1,518	306	238	206	162	2,430	670	684	1,238	1,336
23	MALE----	52,524	864	176	126	112	78	1,356	350	352	768	874
24	FEMALE--	41,816	654	130	112	94	84	1,074	320	332	470	462
25	ALL OTHER----------	16,370	548	96	52	46	14	756	92	128	374	620
26	MALE----	9,466	328	40	30	12	4	414	40	60	224	374
27	FEMALE--	6,904	220	56	22	34	10	342	52	68	150	246
28	ACCIDENTS----------E800-E949	115,448	1,784	1,388	1,188	970	812	6,142	3,844	4,398	13,146	12,616
29	MALE----	79,762	1,050	830	736	612	512	3,740	2,430	3,132	10,170	10,204
30	FEMALE--	35,686	734	558	452	358	300	2,402	1,414	1,266	2,976	2,412
31	WHITE----------	98,226	1,286	1,072	880	736	654	4,628	3,018	3,630	11,506	10,770
32	MALE----	67,190	772	654	556	474	408	2,864	1,918	2,598	8,850	8,720
33	FEMALE--	31,036	514	418	324	262	246	1,764	1,100	1,032	2,656	2,050
34	ALL OTHER----------	17,222	498	316	308	234	158	1,514	826	768	1,640	1,846
35	MALE----	12,572	278	176	180	138	104	876	512	534	1,320	1,484
36	FEMALE--	4,650	220	140	128	96	54	638	314	234	320	362
37	MOTOR VEHICLE ACCIDENTS----------E810-E823	56,278	300	422	400	390	384	1,896	2,050	2,208	9,216	8,726
38	MALE----	40,194	158	230	220	238	228	1,074	1,224	1,438	6,854	6,924
39	FEMALE--	16,084	142	192	180	152	156	822	826	770	2,362	1,802
40	WHITE----------	48,764	234	340	296	310	304	1,484	1,616	1,924	8,392	7,684
41	MALE----	34,566	130	178	158	186	174	826	972	1,262	6,218	6,092
42	FEMALE--	14,198	104	162	138	124	130	658	644	662	2,174	1,592
43	ALL OTHER----------	7,514	66	82	104	80	80	412	434	284	824	1,042
44	MALE----	5,628	28	52	62	52	54	248	252	176	636	832
45	FEMALE--	1,886	38	30	42	28	26	164	182	108	188	210
46	ALL OTHER ACCIDENTS----------E800-E807,E825-E949	59,170	1,484	966	788	580	428	4,246	1,794	2,190	3,930	3,890
47	MALE----	39,568	892	600	516	374	284	2,666	1,206	1,694	3,316	3,280
48	FEMALE--	19,602	592	366	272	206	144	1,580	588	496	614	610
49	WHITE----------	49,462	1,052	732	584	426	350	3,144	1,402	1,706	3,114	3,086
50	MALE----	32,624	642	476	398	288	234	2,038	946	1,336	2,632	2,628
51	FEMALE--	16,838	410	256	186	138	116	1,106	456	370	482	458
52	ALL OTHER----------	9,708	432	234	204	154	78	1,102	392	484	816	804
53	MALE----	6,944	250	124	118	86	50	628	260	358	684	652
54	FEMALE--	2,764	182	110	86	68	28	474	132	126	132	152
55	SUICIDE----------E950-E959	25,004	---	---	---	---	---	---	-	120	1,384	2,474
56	MALE----	17,768	---	---	---	---	---	---	-	80	1,106	1,862
57	FEMALE--	7,236	---	---	---	---	---	---	-	40	278	612
58	WHITE----------	23,264	---	---	---	---	---	---	-	114	1,196	2,082
59	MALE----	16,476	---	---	---	---	---	---	-	80	968	1,572
60	FEMALE--	6,788	---	---	---	---	---	---	-	34	228	510
61	ALL OTHER----------	1,740	---	---	---	---	---	---	-	6	188	392
62	MALE----	1,292	---	---	---	---	---	---	-	-	138	290
63	FEMALE--	448	---	---	---	---	---	---	-	6	50	102
64	HOMICIDE----------E960-E978	19,638	172	88	66	60	32	418	94	268	1,762	3,332
65	MALE----	15,642	92	48	38	36	16	230	44	166	1,356	2,716
66	FEMALE--	3,996	80	40	28	24	16	188	50	102	406	616
67	WHITE----------	8,976	102	50	40	46	18	256	58	130	790	1,296
68	MALE----	6,820	58	30	26	24	8	146	24	72	554	1,010
69	FEMALE--	2,156	44	20	14	22	10	110	34	58	236	286
70	ALL OTHER----------	10,662	70	38	26	14	14	162	36	138	972	2,036
71	MALE----	8,822	34	18	12	12	8	84	20	94	802	1,706
72	FEMALE--	1,840	36	20	14	2	6	78	16	44	170	330
73	OTHER EXTERNAL CAUSES----------E980-E999	5,074	94	68	42	40	24	268	68	86	358	604
74	MALE----	3,436	54	38	12	20	14	138	50	66	264	456
75	FEMALE--	1,638	40	30	30	20	10	130	18	20	94	148
76	WHITE----------	3,712	46	34	26	14	14	134	32	66	248	400
77	MALE----	2,480	24	18	10	6	10	68	24	48	198	310
78	FEMALE--	1,232	22	16	16	8	4	66	8	18	50	90
79	ALL OTHER----------	1,362	48	34	16	26	10	134	36	20	110	204
80	MALE----	956	30	20	2	14	4	70	26	18	66	146
81	FEMALE--	406	18	14	14	12	6	64	10	2	44	58

Age, Color, and Sex: United States, 1972–Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100+ YEARS	NOT STATED	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	9
432	520	526	860	1,240	1,654	1,938	2,422	2,562	2,490	2,386	2,134	1,542	912	376	126	96	10
296	296	308	522	830	1,142	1,350	1,638	1,668	1,512	1,382	1,060	666	342	132	36	74	11
136	224	218	338	410	512	588	784	894	978	1,004	1,074	876	570	244	90	22	12
300	304	280	548	856	1,106	1,374	1,710	1,756	1,662	1,848	1,652	1,236	720	298	64	58	13
206	166	158	332	606	792	988	1,212	1,196	1,040	1,080	802	522	278	92	20	40	14
94	138	122	216	250	314	386	498	560	622	768	850	714	442	206	44	18	15
132	216	246	312	384	548	564	712	806	828	538	482	306	192	78	62	38	16
90	130	150	190	224	350	362	426	472	472	302	258	144	64	40	16	34	17
42	86	96	122	160	198	202	286	334	356	236	224	162	128	38	46	4	18
1,792	1,974	2,626	3,664	5,210	6,664	8,576	10,750	12,720	13,316	13,884	10,998	6,640	2,724	668	146	30	19
1,002	1,116	1,434	1,994	2,948	3,896	5,320	6,644	7,554	7,690	7,652	5,546	3,022	1,038	242	54	26	20
790	858	1,192	1,670	2,262	2,768	3,256	4,106	5,166	5,626	6,232	5,452	3,618	1,686	426	92	4	21
1,152	1,242	1,752	2,590	3,918	5,326	7,158	9,244	11,126	11,828	12,820	10,274	6,270	2,542	618	104	18	22
642	694	952	1,400	2,182	3,132	4,450	5,714	6,570	6,852	7,024	5,170	2,834	942	214	36	16	23
510	548	800	1,190	1,736	2,194	2,708	3,530	4,556	4,976	5,796	5,104	3,436	1,600	404	68	2	24
640	732	874	1,074	1,292	1,338	1,418	1,506	1,594	1,488	1,064	724	370	182	50	42	12	25
360	422	482	594	766	764	870	930	984	838	628	376	188	96	28	18	10	26
280	310	392	480	526	574	548	576	610	650	436	348	182	86	22	24	2	27
7,882	5,694	4,960	5,316	6,104	5,932	5,778	5,844	5,226	5,220	5,628	5,218	3,932	1,880	508	94	86	28
6,382	4,496	3,784	3,954	4,478	4,242	4,134	4,032	3,332	3,082	3,028	2,506	1,634	704	188	30	80	29
1,500	1,198	1,176	1,362	1,626	1,690	1,644	1,812	1,894	2,138	2,600	2,712	2,298	1,176	320	64	6	30
6,616	4,562	3,896	4,284	5,020	4,984	4,942	5,038	4,520	4,616	5,150	4,946	3,728	1,768	464	74	66	31
5,380	3,576	2,952	3,164	3,642	3,528	3,484	3,428	2,856	2,682	2,732	2,364	1,534	654	182	22	60	32
1,236	986	944	1,120	1,378	1,456	1,458	1,610	1,664	1,934	2,418	2,582	2,194	1,114	282	52	6	33
1,266	1,132	1,064	1,032	1,084	948	836	806	706	604	478	272	204	112	44	20	20	34
1,002	920	832	790	836	714	650	604	476	400	296	142	100	50	6	8	20	35
264	212	232	242	248	234	186	202	230	204	182	130	104	62	38	12	-	36
4,910	3,338	2,788	2,722	3,016	2,822	2,586	2,412	2,162	1,976	1,716	1,162	422	104	20	4	22	37
3,898	2,588	2,076	1,924	2,120	1,954	1,772	1,614	1,324	1,158	1,082	776	276	78	18	2	20	38
1,012	750	712	798	896	868	814	798	838	818	634	386	146	26	2	2	2	39
4,208	2,744	2,272	2,256	2,502	2,402	2,224	2,116	1,934	1,800	1,586	1,106	386	92	18	2	16	40
3,330	2,098	1,686	1,576	1,732	1,644	1,486	1,380	1,162	1,030	986	734	252	68	18	-	14	41
878	646	586	680	770	758	738	736	772	770	600	372	134	24	-	2	2	42
702	594	516	466	514	420	362	296	228	176	130	56	36	12	2	2	6	43
568	490	390	348	388	310	286	234	162	128	96	42	24	10	-	2	6	44
134	104	126	118	126	110	76	62	66	48	34	14	12	2	2	-	-	45
2,972	2,356	2,172	2,594	3,088	3,110	3,192	3,432	3,064	3,244	3,912	4,056	3,510	1,776	488	90	64	46
2,484	1,908	1,708	2,030	2,358	2,288	2,362	2,418	2,008	1,924	1,946	1,730	1,358	626	170	28	60	47
488	448	464	564	730	822	830	1,014	1,056	1,320	1,966	2,326	2,152	1,150	318	62	4	48
2,408	1,818	1,624	2,028	2,518	2,582	2,718	2,922	2,586	2,816	3,564	3,840	3,342	1,676	446	72	50	49
2,050	1,478	1,266	1,588	1,910	1,884	1,998	2,048	1,694	1,652	1,746	1,630	1,282	586	164	22	46	50
358	340	358	440	608	698	720	874	892	1,164	1,818	2,210	2,060	1,090	282	50	4	51
564	538	548	566	570	528	474	510	478	428	348	216	168	100	42	18	14	52
434	430	442	442	448	404	364	370	314	272	200	100	76	40	6	6	14	53
130	108	106	124	122	124	110	140	164	156	148	116	92	60	36	12	-	54
2,220	1,796	1,786	2,030	2,480	2,236	2,148	1,942	1,538	1,100	814	610	248	66	6	-	6	55
1,574	1,230	1,134	1,326	1,638	1,560	1,456	1,386	1,162	856	628	500	202	56	6	-	6	56
646	566	652	704	842	676	692	556	376	244	186	110	46	10	-	-	-	57
1,964	1,628	1,626	1,914	2,356	2,158	2,078	1,876	1,498	1,068	790	594	244	66	6	-	6	58
1,384	1,098	1,018	1,244	1,550	1,496	1,408	1,334	1,128	828	612	490	198	56	6	-	6	59
580	530	608	670	806	662	670	542	370	240	178	104	46	10	-	-	-	60
256	168	160	116	124	78	70	66	40	32	24	16	4	-	-	-	-	61
190	132	116	82	88	64	48	52	34	28	16	10	4	-	-	-	-	62
66	36	44	34	36	14	22	14	6	4	8	6	-	-	-	-	-	63
2,838	2,190	1,884	1,798	1,484	1,128	868	630	334	256	142	114	56	12	4	2	24	64
2,360	1,774	1,562	1,470	1,200	930	698	508	252	178	84	56	34	10	-	-	14	65
478	416	322	328	284	198	170	122	82	78	58	58	22	2	4	2	10	66
1,162	886	818	792	696	574	496	358	212	164	106	96	50	10	4	2	20	67
944	710	660	622	544	444	388	280	156	108	56	48	32	10	-	-	12	68
218	176	158	170	152	130	108	78	56	56	50	48	18	-	4	2	8	69
1,676	1,304	1,066	1,006	788	554	372	272	122	92	36	18	6	2	-	-	4	70
1,416	1,064	902	848	656	486	310	228	96	70	28	8	2	-	-	-	2	71
260	240	164	158	132	68	62	44	26	22	8	10	4	2	-	-	2	72
484	390	392	366	432	356	342	278	192	134	120	104	54	24	4	-	18	73
348	256	262	246	254	246	228	192	132	86	84	72	26	12	2	-	16	74
136	134	130	120	178	110	114	86	60	48	36	32	28	12	2	-	2	75
346	254	258	270	344	268	302	226	162	112	106	94	52	20	4	-	14	76
236	156	166	174	200	182	194	150	114	72	74	66	24	10	2	-	12	77
110	98	92	96	144	86	108	76	48	40	32	28	28	10	2	-	2	78
138	136	134	96	88	88	40	52	30	22	14	10	2	4	-	-	4	79
112	100	96	72	54	64	34	42	18	14	10	6	2	2	-	-	4	80
26	36	38	24	34	24	6	10	12	8	4	4	-	2	-	-	-	81

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALABAMA																							
	ALL CAUSES.....	34,572	1,406	224	146	194	496	530	422	410	626	868	1,360	1,926	2,428	3,340	3,944	4,230	4,054	3,808	2,598	1,158	390	14
	WHITE.....MALE....	13,986	418	56	68	92	256	236	220	164	236	360	626	932	1,144	1,616	1,748	1,710	1,582	1,312	856	294	60	-
	FEMALE..	9,994	288	62	28	40	72	72	60	74	126	176	294	396	508	726	930	1,190	1,452	1,616	1,174	566	142	2
	ALL OTHER..MALE....	5,650	388	64	22	42	116	170	96	102	154	188	232	322	430	564	716	658	486	466	248	114	64	8
	FEMALE..	4,942	312	42	28	20	52	52	46	70	110	144	208	276	346	434	550	672	534	414	320	184	124	4
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	52	22	4	2	-	-	-	-	-	-	2	-	4	-	-	4	4	2	6	-	2	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	4	-	-	-	-
	FEMALE..	8	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	2	-	-
	ALL OTHER..MALE....	14	6	4	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	20	14	-	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	138	-	2	-	-	-	-	-	4	-	12	8	10	10	8	22	26	12	20	4	-	-	-
	WHITE.....MALE....	46	-	-	-	-	-	-	-	-	-	-	-	4	4	6	12	10	2	8	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	2	-	-	-
	ALL OTHER..MALE....	56	-	2	-	-	-	-	-	2	-	8	6	4	4	2	8	12	4	4	-	-	-	-
	FEMALE..	26	-	-	-	-	-	-	-	2	-	4	2	2	-	-	2	4	4	4	2	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	118	-	2	-	-	-	-	-	4	-	10	6	10	10	8	18	20	8	18	4	-	-	-
	WHITE.....MALE....	44	-	-	-	-	-	-	-	-	-	-	-	4	4	6	12	8	2	8	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	2	-	-	-
	ALL OTHER..MALE....	46	-	2	-	-	-	-	-	2	-	6	4	4	4	2	6	10	4	2	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	2	-	4	2	2	-	-	-	2	2	4	2	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	20	-	-	-	-	-	-	-	-	-	2	2	-	-	-	4	6	4	2	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	-	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	92	30	4	-	-	-	-	-	-	6	-	-	-	8	6	4	8	4	10	6	4	2	-
	WHITE.....MALE....	34	10	2	-	-	-	-	-	-	2	-	-	-	2	2	2	4	-	2	6	2	-	-
	FEMALE..	22	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	8	-	2	2	-
	ALL OTHER..MALE....	18	8	-	-	-	-	-	-	-	2	-	-	-	4	-	2	-	2	-	-	-	-	-
	FEMALE..	18	8	2	-	-	-	-	-	-	2	-	-	-	2	2	-	2	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	4	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALABAMA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	74	6	2	6	-	6	2	2	4	6	4	6	2	4	4	4	6	6	2	-	-	2	-
	WHITE.....MALE....	14	-	-	2	-	2	-	-	-	2	2	2	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	26	2	-	-	-	2	-	2	-	4	-	-	-	-	2	2	4	4	2	-	-	2	-
	ALL OTHER..MALE....	14	2	-	2	-	2	-	-	-	-	2	2	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	20	2	2	2	-	-	2	-	4	-	-	2	2	4	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	5,388	2	20	30	10	16	30	44	44	84	170	268	408	610	700	836	784	570	438	248	62	14	-
	WHITE.....MALE....	2,242	-	4	10	2	8	18	20	14	28	66	98	162	264	314	374	356	246	158	86	12	2	-
	FEMALE..	1,752	2	10	10	6	6	6	18	18	32	56	106	140	198	214	258	202	184	152	104	26	4	-
	ALL OTHER..MALE....	734	-	2	4	-	-	6	2	4	8	16	24	54	80	100	124	122	62	82	24	16	4	-
	FEMALE..	660	-	4	6	2	2	-	4	8	16	32	40	52	68	72	80	104	78	46	34	8	4	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	100	-	-	-	-	-	-	-	-	2	4	6	12	8	20	24	4	6	8	4	2	-	-
	WHITE.....MALE....	50	-	-	-	-	-	-	-	-	-	2	4	8	4	12	10	2	2	4	2	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	2	-	2	4	8	-	-	-	-	2	-	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	2	2	4	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	2	2	-	2	-	2	2	-	2	-	2	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	1,292	-	-	2	-	-	-	8	10	18	30	42	62	112	172	204	218	154	138	92	24	6	-
	WHITE.....MALE....	500	-	-	-	-	-	-	-	2	8	16	12	24	48	70	92	86	62	44	28	6	2	-
	FEMALE..	426	-	-	-	-	-	-	4	6	6	2	18	16	32	52	60	56	56	58	50	8	2	-
	ALL OTHER..MALE....	194	-	-	-	-	-	-	2	-	2	6	2	14	20	32	36	40	10	20	4	4	2	-
	FEMALE..	172	-	-	2	-	-	-	2	2	2	6	10	8	12	18	16	36	26	16	10	6	-	-
160-163	OF RESPIRATORY SYSTEM....	1,244	-	-	-	-	-	-	-	-	12	30	94	124	202	170	220	206	124	38	18	4	2	-
	WHITE.....MALE....	844	-	-	-	-	-	-	-	-	6	24	64	78	134	118	154	138	86	30	12	-	-	-
	FEMALE..	162	-	-	-	-	-	-	-	-	-	2	12	24	26	16	32	24	18	2	2	4	-	-
	ALL OTHER..MALE....	190	-	-	-	-	-	-	-	-	4	2	16	20	36	30	32	20	12	4	4	-	2	-
	FEMALE..	48	-	-	-	-	-	-	-	-	2	2	2	2	6	6	2	16	8	2	-	-	-	-
174	OF BREAST.....	420	-	-	-	-	-	-	6	6	16	26	30	50	58	52	48	40	32	32	18	4	2	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	308	-	-	-	-	-	-	4	4	10	22	20	36	44	34	38	28	26	24	12	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	112	-	-	-	-	-	-	2	2	6	4	10	14	14	18	10	12	6	8	6	-	-	-
180-187	OF GENITAL ORGANS.....	790	-	-	-	-	-	2	8	6	12	34	30	54	68	92	128	116	102	80	44	14	-	-
	WHITE.....MALE....	204	-	-	-	-	-	2	6	-	4	4	-	-	10	22	30	38	36	28	20	4	-	-
	FEMALE..	276	-	-	-	-	-	-	2	4	4	14	20	32	26	38	46	34	30	16	10	-	-	-
	ALL OTHER..MALE....	148	-	-	-	-	-	-	-	-	-	2	-	4	4	18	22	26	24	28	10	10	-	-
	FEMALE..	162	-	-	-	-	-	-	-	2	4	14	10	18	28	14	30	18	12	8	4	-	-	-
188, 189	OF URINARY ORGANS.....	228	-	2	-	-	-	-	-	-	2	2	2	22	26	32	44	38	26	20	10	2	-	-
	WHITE.....MALE....	118	-	-	-	-	-	-	-	-	2	2	-	12	12	18	18	22	18	12	-	2	-	-
	FEMALE..	64	-	-	-	-	-	-	-	-	-	-	2	4	8	10	8	8	6	8	10	-	-	-
	ALL OTHER..MALE....	34	-	-	-	-	-	-	-	-	-	-	-	4	4	4	14	6	2	-	-	-	-	-
	FEMALE..	12	-	2	-	-	-	-	-	-	-	-	-	2	2	-	4	2	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	748	-	12	8	8	8	12	8	14	10	18	40	60	74	106	84	94	72	72	36	8	4	-
	WHITE.....MALE....	284	-	4	-	2	4	6	4	8	2	8	12	28	28	46	34	42	20	26	10	-	-	-
	FEMALE..	290	-	4	6	6	4	4	4	2	6	4	20	20	32	42	34	28	32	22	14	6	-	-
	ALL OTHER..MALE....	90	-	2	-	-	-	2	-	4	2	4	2	8	10	10	6	14	8	14	2	2	-	-
	FEMALE..	84	-	2	2	-	-	-	-	-	-	2	6	4	4	8	10	10	12	10	10	-	4	-
204-207	LEUKEMIA.....	258	2	4	16	2	6	6	8	2	10	14	4	6	16	18	34	32	30	34	12	2	-	-
	WHITE.....MALE....	108	-	-	8	-	2	4	6	2	4	2	2	4	2	10	12	20	12	10	8	-	-	-
	FEMALE..	106	2	4	4	-	2	2	2	-	6	10	2	2	12	4	16	8	8	16	4	2	-	-
	ALL OTHER..MALE....	22	-	-	4	-	-	-	-	-	-	-	-	-	-	4	4	2	2	6	-	-	-	-
	FEMALE..	22	-	-	-	2	2	-	-	-	-	2	-	-	2	-	2	2	8	2	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	308	-	2	4	-	2	10	6	6	2	12	20	18	46	38	50	36	24	16	14	2	-	-
	WHITE.....MALE....	134	-	-	2	-	2	6	4	2	2	8	4	8	26	18	24	8	10	4	6	-	-	-
	FEMALE..	102	-	2	-	-	-	-	2	2	-	2	10	6	16	14	16	16	8	6	2	-	-	-
	ALL OTHER..MALE....	38	-	-	-	-	-	4	-	-	-	2	4	2	4	-	6	4	2	6	4	-	-	-
	FEMALE..	34	-	-	2	-	-	-	-	2	-	-	2	2	-	6	4	8	4	-	2	2	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	86	-	-	2	-	2	2	2	4	-	8	8	14	2	10	12	10	-	10	-	-	-	-
	WHITE.....MALE....	34	-	-	2	-	-	-	2	2	-	2	4	4	2	-	4	6	-	6	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	2	-	8	-	6	4	-	-	2	-	-	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	2	-	2	-	-	-	-	-	4	4	4	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	2	-	-	-	-	4	4	2	-	-	-	-	-	2	-	-	-	-
250	DIABETES MELLITUS.....	682	-	-	-	2	-	4	-	10	16	8	20	46	44	100	120	108	96	52	44	10	2	-
	WHITE.....MALE....	176	-	-	-	-	-	4	-	2	4	2	4	14	10	26	24	30	30	12	8	6	-	-
	FEMALE..	202	-	-	-	-	-	-	-	4	4	-	2	6	6	26	40	28	44	22	16	4	-	-
	ALL OTHER..MALE....	102	-	-	-	2	-	-	-	2	-	2	6	14	8	14	18	10	4	8	14	-	-	-
	FEMALE..	202	-	-	-	-	-	-	-	2	8	4	8	12	20	34	38	40	18	10	6	-	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972--Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALABAMA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	36	8	-	-	-	-	-	-	-	-	2	2	2	2	-	4	4	2	4	-	4	2	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	2	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	4	-	4	-	4	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
280-285	ANEMIAS.....	88	6	10	-	4	4	2	-	4	4	-	6	6	4	8	4	6	6	10	2	2	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	2	2	-	-	-	-
	FEMALE..	26	2	2	-	-	-	-	-	-	2	-	-	2	2	-	-	2	4	8	-	2	-	-
	ALL OTHER..MALE....	26	2	4	-	4	2	2	-	2	2	-	4	2	-	-	-	-	-	-	2	-	-	-
	FEMALE..	20	2	4	-	-	2	-	-	2	-	-	2	2	-	4	-	2	-	-	-	-	-	-
320	MENINGITIS.....	44	24	4	2	-	-	-	-	-	2	2	-	6	-	2	2	-	-	-	-	-	-	-
	WHITE.....MALE....	6	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	16	8	2	2	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	14	8	2	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	17,092	10	10	4	8	30	24	22	40	118	236	476	756	1,094	1,612	2,040	2,448	2,598	2,570	1,874	846	270	6
	WHITE.....MALE....	6,872	6	4	4	6	8	6	6	16	32	112	236	436	570	848	916	962	964	876	616	212	36	-
	FEMALE..	5,498	-	2	-	2	2	8	8	6	20	32	70	120	172	282	446	762	982	1,162	880	432	108	2
	ALL OTHER..MALE....	2,320	2	2	-	-	10	4	2	10	32	46	88	106	192	258	360	350	312	266	158	78	44	-
	FEMALE..	2,402	2	2	-	-	10	6	6	8	34	46	82	94	160	224	318	374	340	266	220	124	82	4
390-398, 402, 404, 410-429	DISEASES OF HEART.....	11,284	6	8	4	8	18	20	14	22	72	182	330	586	818	1,194	1,484	1,710	1,624	1,554	1,032	444	152	2
	WHITE.....MALE....	5,040	6	4	4	6	4	6	2	12	24	104	192	380	472	692	742	704	654	540	354	122	16	-
	FEMALE..	3,494	-	2	-	2	-	6	4	-	16	22	42	68	126	208	324	564	608	724	496	216	64	2
	ALL OTHER..MALE....	1,408	-	-	-	-	4	2	2	6	12	30	56	78	130	162	234	214	174	156	90	32	26	-
	FEMALE..	1,342	-	2	-	-	10	6	6	4	20	26	40	60	90	132	184	228	188	134	92	74	46	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	132	-	-	-	-	8	6	-	4	-	6	8	12	12	20	12	12	12	10	4	6	-	-
	WHITE.....MALE....	60	-	-	-	-	-	4	-	4	-	6	2	10	4	8	4	2	8	2	2	4	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	4	-	2	6	8	8	2	2	2	-	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	2	-	-	-	-	-	2	2	2	-	2	2	4	-	-	-	-
	FEMALE..	22	-	-	-	-	8	-	-	-	-	-	2	-	4	4	-	-	-	2	-	2	-	-
402	HYPERTENSIVE HEART DISEASE.....	120	-	-	-	-	-	-	-	-	-	-	2	12	12	12	16	26	8	22	6	-	4	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	4	4	6	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	12	2	-	2	-
	ALL OTHER..MALE....	36	-	-	-	-	-	-	-	-	-	-	2	4	8	4	4	4	-	4	4	-	2	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	-	-	6	-	6	8	18	4	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	112	-	-	-	-	-	-	-	-	-	-	4	4	2	14	18	10	12	18	20	10	-	-
	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	-	-	-	2	-	10	2	2	2	4	2	2	-	-
	FEMALE..	50	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	2	4	12	16	8	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	-	6	-	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	2	2	-	2	4	6	-	2	2	-	-	-
410-413	ISCHEMIC HEART DISEASE...	9,568	-	-	2	-	-	2	2	12	56	118	270	466	670	1,032	1,256	1,504	1,426	1,344	918	356	132	2
	WHITE.....MALE....	4,380	-	-	2	-	-	-	-	4	22	70	162	310	398	616	652	644	586	486	322	92	14	-
	FEMALE..	3,008	-	-	-	-	-	2	-	-	12	10	30	54	108	180	278	504	538	618	438	176	58	2
	ALL OTHER..MALE....	1,094	-	-	-	-	-	-	2	6	8	18	46	58	90	130	168	178	142	124	78	26	20	-
	FEMALE..	1,086	-	-	-	-	-	-	-	2	14	20	32	44	74	106	158	178	160	116	80	62	40	-
410	ACUTE MYOCARDIAL INFARCTION.....	5,736	-	-	2	-	-	2	2	12	48	80	214	368	530	724	862	922	772	612	386	144	54	2
	WHITE.....MALE....	3,002	-	-	2	-	-	-	-	4	20	54	142	260	330	468	488	462	340	238	144	44	6	-
	FEMALE..	1,674	-	-	-	-	-	2	-	-	12	8	24	46	90	130	206	300	306	284	180	70	14	2
	ALL OTHER..MALE....	550	-	-	-	-	-	-	2	6	8	10	24	38	56	78	82	86	50	56	26	14	14	-
	FEMALE..	510	-	-	-	-	-	-	-	2	8	8	24	24	54	48	86	74	76	34	36	16	20	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	18	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	2	4	-	-	4	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	3,808	-	-	-	-	-	-	-	-	8	38	56	96	138	308	388	580	650	730	532	206	78	-
	WHITE.....MALE....	1,368	-	-	-	-	-	-	-	-	2	16	20	50	66	148	162	182	244	246	178	46	8	-
	FEMALE..	1,328	-	-	-	-	-	-	-	-	-	2	6	8	18	50	70	204	230	334	258	104	44	-
	ALL OTHER..MALE....	540	-	-	-	-	-	-	-	-	-	8	22	18	34	52	84	92	92	68	52	12	6	-
	FEMALE..	572	-	-	-	-	-	-	-	-	6	12	8	20	20	58	72	102	84	82	44	44	20	-
413	ANGINA PECTORIS.....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALABAMA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	106	-	-	2	-	2	-	2	-	-	2	6	-	6	2	18	12	6	20	8	14	6	-
	WHITE.....MALE....	48	-	-	2	-	2	-	-	-	-	-	4	-	6	-	8	6	2	8	4	4	2	-
	FEMALE..	38	-	-	-	-	-	-	-	-	-	2	-	-	-	2	8	6	2	8	2	8	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	2	2	2	-
	FEMALE..	8	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	1,246	6	8	-	8	8	12	10	6	16	56	40	92	116	114	164	146	160	140	76	58	10	-
	WHITE.....MALE....	504	6	4	-	6	2	2	2	4	2	28	24	56	62	58	72	46	52	34	24	20	-	-
	FEMALE..	344	-	2	-	2	-	4	4	-	4	10	6	14	12	18	26	44	62	72	36	24	4	-
	ALL OTHER..MALE....	234	-	-	-	-	4	-	-	-	4	12	6	14	30	24	52	30	24	22	6	4	2	-
	FEMALE..	164	-	2	-	-	2	6	4	2	6	6	4	8	12	14	14	26	22	12	10	10	4	-
400, 401, 403	HYPERTENSION.....	174	-	-	-	-	-	-	2	2	8	8	10	4	18	22	10	30	26	20	6	6	2	-
	WHITE.....MALE....	48	-	-	-	-	-	-	2	-	-	-	2	-	6	8	2	14	8	4	2	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	2	-	-	2	-	-	2	4	4	8	4	-	-	2	-
	ALL OTHER..MALE....	42	-	-	-	-	-	-	-	-	4	2	-	2	2	8	2	8	4	4	2	4	-	-
	FEMALE..	56	-	-	-	-	-	-	-	-	4	6	6	2	10	4	2	4	6	8	2	2	-	-
430-438	CEREBROVASCULAR DISEASES.	4,700	-	2	-	-	10	4	4	10	36	44	108	146	226	322	466	582	814	842	684	316	82	2
	WHITE.....MALE....	1,394	-	-	-	-	2	-	2	2	6	6	20	42	74	96	136	188	256	276	202	76	10	-
	FEMALE..	1,652	-	-	-	-	2	2	2	4	4	10	22	48	42	64	100	168	314	366	316	160	28	-
	ALL OTHER..MALE....	768	-	2	-	-	6	2	-	2	16	14	30	24	54	82	112	106	120	90	56	38	14	-
	FEMALE..	886	-	-	-	-	-	-	-	2	10	14	36	32	56	80	118	120	124	110	110	42	30	2
431	CEREBRAL HEMORRHAGE.....	882	-	-	-	-	2	2	2	4	16	18	40	54	72	82	100	120	128	126	80	30	6	-
	WHITE.....MALE....	226	-	-	-	-	2	-	-	2	4	2	2	10	16	26	24	50	36	34	16	2	-	-
	FEMALE..	262	-	-	-	-	-	-	2	-	-	6	8	14	14	18	24	16	44	48	44	22	2	-
	ALL OTHER..MALE....	166	-	-	-	-	-	2	-	2	4	8	10	8	20	16	24	24	22	16	8	-	2	-
	FEMALE..	228	-	-	-	-	-	-	-	-	8	2	20	22	22	22	28	30	26	28	12	6	2	-
433	CEREBRAL THROMBOSIS.....	1,234	-	-	-	-	-	-	-	-	-	2	14	10	42	78	98	140	260	246	204	102	28	2
	WHITE.....MALE....	398	-	-	-	-	-	-	-	-	-	2	6	4	16	28	30	46	96	78	64	22	6	-
	FEMALE..	450	-	-	-	-	-	-	-	-	-	-	2	2	4	12	22	48	90	118	92	52	8	-
	ALL OTHER..MALE....	186	-	-	-	-	-	-	-	-	-	-	4	2	6	20	20	30	46	20	20	12	6	-
	FEMALE..	200	-	-	-	-	-	-	-	-	-	-	2	2	16	18	26	24	28	30	28	16	8	2
434	CEREBRAL EMBOLISM.....	8	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	2	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	2,576	-	2	-	-	8	2	2	6	20	22	52	82	112	162	266	314	426	468	400	184	48	-
	WHITE.....MALE....	768	-	-	-	-	-	-	2	-	2	2	10	28	42	42	82	92	124	164	122	52	4	-
	FEMALE..	938	-	-	-	-	2	2	-	4	4	4	12	32	24	34	54	104	180	198	180	86	18	-
	ALL OTHER..MALE....	416	-	2	-	-	6	-	-	-	12	6	16	14	28	46	68	52	52	54	28	26	6	-
	FEMALE..	454	-	-	-	-	-	-	-	2	2	10	14	8	18	40	62	66	70	52	70	20	20	-
440	ARTERIOSCLEROSIS.....	500	-	-	-	-	-	-	-	-	-	-	2	6	10	14	26	64	72	102	108	68	28	-
	WHITE.....MALE....	174	-	-	-	-	-	-	-	-	-	-	2	4	6	10	6	22	20	42	44	12	6	-
	FEMALE..	196	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	14	26	38	46	52	12	-
	ALL OTHER..MALE....	62	-	-	-	-	-	-	-	-	-	-	-	2	4	-	6	14	10	12	8	2	4	-
	FEMALE..	68	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	14	16	10	10	2	6	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	434	4	-	-	-	2	-	2	6	2	2	26	14	22	60	54	62	62	52	44	12	6	2
	WHITE.....MALE....	216	-	-	-	-	2	-	-	2	2	2	20	10	12	42	30	34	26	14	14	2	4	-
	FEMALE..	128	-	-	-	-	-	-	2	-	-	-	4	4	4	6	12	12	26	30	22	4	2	-
	ALL OTHER..MALE....	40	2	-	-	-	-	-	-	2	-	-	2	-	2	6	6	8	4	4	2	2	-	-
	FEMALE..	50	2	-	-	-	-	-	-	2	-	-	-	-	4	6	6	8	6	4	6	4	-	2
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	1,046	126	22	-	8	2	8	8	10	22	10	30	58	38	72	86	114	132	110	104	60	26	-
	WHITE.....MALE....	396	22	4	-	2	-	6	4	2	8	2	12	18	12	34	42	46	60	48	44	22	8	-
	FEMALE..	278	10	-	-	-	-	-	-	4	-	6	4	10	8	12	14	38	38	46	46	32	10	-
	ALL OTHER..MALE....	212	48	12	-	4	-	2	2	4	10	2	8	14	10	18	22	16	18	8	10	2	2	-
	FEMALE..	160	46	6	-	2	2	-	2	-	4	-	6	16	8	8	8	14	16	8	4	4	6	-
470-474	INFLUENZA.....	134	4	4	-	-	-	2	-	4	-	-	8	16	10	4	18	20	22	6	10	6	-	-
	WHITE.....MALE....	62	2	2	-	-	-	-	-	-	-	-	4	10	4	4	12	10	6	4	4	-	-	-
	FEMALE..	46	-	-	-	-	-	-	-	4	-	-	2	2	2	-	6	8	10	2	4	6	-	-
	ALL OTHER..MALE....	14	2	2	-	-	-	2	-	-	-	-	-	2	2	-	-	-	2	-	2	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	2	4	-	-	-	-	-
480-486	PNEUMONIA.....	912	122	18	-	8	2	6	8	6	22	10	22	42	28	68	68	94	110	104	94	54	26	-
	WHITE.....MALE....	334	20	2	-	2	-	6	4	2	8	2	8	8	8	30	30	36	54	44	40	22	8	-
	FEMALE..	232	10	-	-	-	-	-	-	-	-	6	2	8	6	12	8	30	28	44	42	26	10	-
	ALL OTHER..MALE....	198	46	10	-	4	-	-	2	4	10	2	8	12	8	18	22	16	16	8	8	2	2	-
	FEMALE..	148	46	6	-	2	2	-	2	-	4	-	4	14	6	8	8	12	12	8	4	4	6	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALABAMA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	426	4	-	-	-	-	-	-	4	-	8	12	24	50	78	64	72	50	30	12	16	2	-
	WHITE.....MALE	284	2	-	-	-	-	-	-	2	-	2	8	16	34	56	56	48	32	14	8	6	-	-
	FEMALE	78	-	-	-	-	-	-	-	2	-	4	-	-	8	10	4	16	12	12	4	6	-	-
	ALL OTHER..MALE	42	2	-	-	-	-	-	-	-	-	-	2	-	8	8	4	8	6	4	-	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	2	2	8	-	4	-	-	-	-	-	4	2	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	62	4	-	-	-	-	-	-	-	-	2	2	-	2	6	10	14	10	4	2	4	2	-
	WHITE.....MALE	30	2	-	-	-	-	-	-	-	-	-	2	-	2	6	6	6	4	-	-	2	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	6	4	4	2	2	-	-
	ALL OTHER..MALE	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
492	EMPHYSEMA	314	-	-	-	-	-	-	-	2	-	4	6	16	42	56	52	56	36	24	8	12	-	-
	WHITE.....MALE	238	-	-	-	-	-	-	-	2	-	2	6	16	28	42	48	40	28	14	8	4	-	-
	FEMALE	38	-	-	-	-	-	-	-	-	-	-	-	-	6	6	2	10	4	6	-	4	-	-
	ALL OTHER..MALE	32	-	-	-	-	-	-	-	-	-	-	-	-	8	8	2	6	4	4	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4	-	-
493	ASTHMA	50	-	-	-	-	-	-	-	2	-	2	4	8	6	16	2	2	4	2	2	-	-	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	-	-	-	4	8	2	2	-	-	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	2	-	2	-	-	2	4	-	-	4	2	2	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	2	8	-	4	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	96	-	-	-	-	2	-	-	2	2	2	6	12	8	10	22	6	16	2	4	2	-	-
	WHITE.....MALE	64	-	-	-	-	2	-	-	-	2	2	2	10	6	6	20	2	8	2	-	2	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	-	6	-	2	-	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	-	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	2	-	-	-	-	-
540-543	APPENDICITIS	26	-	-	-	-	-	-	-	-	6	-	-	-	2	2	2	6	4	2	2	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	4	2	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	2	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	110	12	-	-	-	-	-	-	-	2	2	6	6	10	10	10	8	16	16	6	6	-	-
	WHITE.....MALE	30	8	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	10	2	-	-	-	-
	FEMALE	42	2	-	-	-	-	-	-	-	-	-	6	-	6	4	4	4	2	6	4	4	-	-
	ALL OTHER..MALE	18	-	-	-	-	-	-	-	-	-	2	-	2	-	2	4	-	2	6	-	-	-	-
	FEMALE	20	2	-	-	-	-	-	-	-	2	-	-	4	-	2	-	2	2	2	2	2	-	-
571	CIRRHOSIS OF LIVER	300	-	-	-	-	-	-	2	6	16	26	44	50	40	56	28	24	2	6	-	-	-	-
	WHITE.....MALE	166	-	-	-	-	-	-	-	6	10	18	26	26	22	30	14	14	-	-	-	-	-	-
	FEMALE	78	-	-	-	-	-	-	-	-	2	2	14	14	12	14	8	6	2	4	-	-	-	-
	ALL OTHER..MALE	26	-	-	-	-	-	-	-	-	-	2	4	4	6	8	2	-	-	-	-	-	-	-
	FEMALE	30	-	-	-	-	-	-	2	-	4	4	-	6	-	4	4	4	-	2	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	60	-	-	-	-	-	-	-	-	-	-	4	-	2	6	4	8	12	16	6	2	-	-
	WHITE.....MALE	20	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	2	2	6	2	-	-	-
	FEMALE	30	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	4	10	6	4	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
580-584	NEPHRITIS AND NEPHROSIS	170	-	-	-	2	-	4	2	4	2	2	14	18	14	22	18	24	12	16	10	6	-	-
	WHITE.....MALE	46	-	-	-	2	-	2	-	-	-	-	-	4	6	8	8	4	2	6	2	2	-	-
	FEMALE	26	-	-	-	-	-	-	-	2	-	-	2	2	-	2	-	4	4	4	2	4	-	-
	ALL OTHER..MALE	48	-	-	-	-	-	-	-	-	-	2	4	6	2	10	6	6	2	6	4	-	-	-
	FEMALE	50	-	-	-	-	-	2	2	2	2	-	8	6	6	2	4	10	4	-	2	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	30	-	-	-	2	-	-	-	-	-	-	2	2	4	8	4	2	-	4	2	-	-	-
	WHITE.....MALE	14	-	-	-	2	-	-	-	-	-	-	-	-	2	4	4	-	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	2	2	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	140	-	-	-	-	-	4	2	4	2	2	12	16	10	14	14	22	12	12	8	6	-	-
	WHITE.....MALE	32	-	-	-	-	-	2	-	-	-	-	-	4	4	4	4	4	2	4	2	2	-	-
	FEMALE	24	-	-	-	-	-	-	-	2	-	-	2	2	-	2	-	2	4	4	2	4	-	-
	ALL OTHER..MALE	38	-	-	-	-	-	-	-	-	-	2	2	6	-	8	6	6	2	4	2	-	-	-
	FEMALE	46	-	-	-	-	-	2	2	2	2	-	8	4	6	-	4	10	4	-	2	-	-	-
590	INFECTIONS OF KIDNEY	172	-	-	-	-	-	-	-	-	2	4	4	8	6	20	14	22	30	30	20	8	4	-
	WHITE.....MALE	50	-	-	-	-	-	-	-	-	-	-	-	-	4	2	8	12	6	8	6	2	2	-
	FEMALE	62	-	-	-	-	-	-	-	-	-	-	2	2	-	4	2	4	14	14	12	6	2	-
	ALL OTHER..MALE	22	-	-	-	-	-	-	-	-	-	2	-	4	-	6	4	-	2	4	-	-	-	-
	FEMALE	38	-	-	-	-	-	-	-	-	2	2	2	2	2	8	-	6	8	4	2	-	-	-
600	HYPERPLASIA OF PROSTATE	62	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	8	12	16	12	6	-	-
	WHITE.....MALE	50	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	8	10	14	12	4	-	-
	ALL OTHER..MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	2	-	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALABAMA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	34	-	-	-	-	6	10	8	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	14	-	-	-	-	-	6	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	20	-	-	-	-	6	4	4	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	30	-	-	-	-	6	6	8	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	12	-	-	-	-	-	4	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	18	-	-	-	-	6	2	4	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	292	190	26	8	10	8	6	8	2	2	4	2	10	4	2	4	2	2	2	-	-	-	-
	WHITE.....MALE....	104	56	10	-	4	2	4	4	-	2	4	-	8	4	2	2	-	2	-	-	-	-	-
	FEMALE..	108	76	8	4	6	4	-	4	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	42	32	4	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	38	26	4	4	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	748	748	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	208	208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	442	442	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	306	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	1,856	116	10	4	8	6	12	16	36	46	64	104	134	116	222	224	220	174	170	88	50	28	8
	WHITE.....MALE....	582	28	6	2	2	-	-	8	18	8	16	50	74	44	88	68	52	46	46	18	4	4	-
	FEMALE..	292	12	2	-	-	-	4	2	2	6	10	18	14	8	38	28	30	44	42	22	6	4	-
	ALL OTHER..MALE....	512	46	-	-	4	6	4	2	10	14	28	22	20	36	60	66	66	46	36	20	8	10	8
	FEMALE..	470	30	2	2	2	-	4	4	6	18	10	14	26	28	36	62	72	38	46	28	32	10	-
RESIDUAL	ALL OTHER DISEASES.....	1,922	54	28	10	12	34	40	20	42	48	78	116	126	162	198	242	208	174	190	86	36	18	-
	WHITE.....MALE....	770	28	8	6	6	12	10	10	18	12	24	56	48	52	80	102	90	90	70	32	12	4	-
	FEMALE..	592	2	14	2	4	10	10	-	6	24	24	24	30	52	58	70	56	58	80	40	22	6	-
	ALL OTHER..MALE....	320	16	-	2	-	10	10	4	2	8	10	20	26	32	34	54	44	14	24	6	2	2	-
	FEMALE..	240	8	6	-	2	2	10	6	16	4	20	16	22	26	26	16	18	12	16	8	-	6	-
E800-E949	ACCIDENTS.....	2,606	42	74	78	122	332	272	184	124	140	144	154	164	142	140	122	88	96	72	62	34	20	-
	WHITE.....MALE....	1,340	14	16	42	68	206	164	126	66	76	74	88	76	72	78	46	38	46	20	14	8	2	-
	FEMALE..	510	10	22	12	22	46	30	14	16	16	28	22	34	22	38	38	22	34	34	32	14	4	-
	ALL OTHER..MALE....	542	6	28	12	24	58	66	34	38	48	36	32	42	30	18	22	16	6	12	6	6	2	-
	FEMALE..	214	12	8	12	8	22	12	10	4	-	6	12	12	18	6	16	12	10	6	10	6	12	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	1,380	6	36	48	62	226	190	120	70	88	74	72	98	72	74	54	34	34	10	6	6	-	-
	WHITE.....MALE....	772	2	8	24	32	138	128	82	38	48	34	44	50	42	34	24	14	20	4	4	2	-	-
	FEMALE..	272	2	8	8	18	44	16	8	14	12	20	8	28	18	24	18	10	14	-	2	-	-	-
	ALL OTHER..MALE....	266	2	18	8	4	30	38	22	14	28	18	14	20	10	10	10	10	-	6	-	4	-	-
	FEMALE..	70	-	2	8	8	14	8	8	4	-	2	6	-	2	6	2	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,226	36	38	30	60	106	82	64	54	52	70	82	66	70	66	68	54	62	62	56	28	20	-
	WHITE.....MALE....	568	12	8	18	36	68	36	44	28	28	40	44	26	30	44	22	24	26	16	10	6	2	-
	FEMALE..	238	8	14	4	4	2	14	6	2	4	8	14	6	4	14	20	12	20	34	30	14	4	-
	ALL OTHER..MALE....	276	4	10	4	20	28	28	12	24	20	18	18	22	20	8	12	6	6	6	6	2	2	-
	FEMALE..	144	12	6	4	-	8	4	2	-	-	4	6	12	16	-	14	12	10	6	10	6	12	-
E950-E959	SUICIDE.....	340	...	...	-	-	16	24	26	22	42	20	38	26	32	32	32	12	14	4	-	-	-	-
	WHITE.....MALE....	226	...	...	-	-	12	6	16	16	24	14	22	20	18	24	26	12	12	4	-	-	-	-
	FEMALE..	76	...	...	-	-	2	6	8	6	14	6	10	4	8	6	4	-	2	-	-	-	-	-
	ALL OTHER..MALE....	30	...	...	-	-	2	12	2	-	4	-	2	-	4	2	2	-	-	-	-	-	-	-
	FEMALE..	8	...	...	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	484	2	4	-	6	30	90	76	44	52	54	30	34	22	12	12	2	6	4	2	2	-	-
	WHITE.....MALE....	130	-	-	-	-	4	16	24	2	20	16	14	10	10	2	6	2	-	4	-	-	-	-
	FEMALE..	26	-	2	-	-	-	2	-	4	2	4	4	2	2	2	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	260	-	2	-	4	22	60	46	26	24	26	8	20	8	6	4	-	4	-	-	-	-	-
	FEMALE..	68	2	-	-	2	4	12	6	12	6	8	4	2	2	2	-	-	2	-	2	2	-	-
E980-E999	OTHER EXTERNAL CAUSES....	26	-	-	-	2	2	-	2	-	4	4	2	2	2	-	2	2	-	-	2	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	2	2	2	2	-	-	2	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	2	-	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALASKA																							
	ALL CAUSES	1,440	126	30	14	18	58	86	70	40	64	70	94	124	100	146	98	84	68	64	40	30	14	2
	WHITE.....MALE	692	54	10	8	4	26	44	32	14	26	36	46	64	48	82	62	26	50	22	18	16	2	2
	FEMALE	288	32	6	4	8	6	8	10	10	10	12	14	32	24	24	20	18	12	14	12	8	4	-
	ALL OTHER..MALE	260	18	6	-	4	14	26	20	6	20	10	20	16	18	22	8	24	6	14	4	2	2	-
	FEMALE	200	22	8	2	2	12	8	8	10	8	12	14	12	10	18	8	16	-	14	6	4	6	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	4	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	4	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALASKA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	10	2	2	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	220	-	-	-	-	-	2	2	-	14	14	22	30	32	40	14	20	14	8	6	-	2	-
	WHITE.....MALE....	100	-	-	-	-	-	2	2	-	8	6	6	18	8	22	8	6	8	2	4	-	-	-
	FEMALE..	66	-	-	-	-	-	-	-	-	6	6	10	10	14	8	2	4	4	-	-	-	2	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	-	-	2	4	2	4	2	-	6	2	6	-	-	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	2	-	6	8	4	4	-	-	2	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	6	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	76	-	-	-	-	-	-	-	-	6	4	6	6	6	10	8	8	10	4	6	-	2	-
	WHITE.....MALE....	38	-	-	-	-	-	-	-	-	6	2	2	6	2	4	4	2	6	-	4	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	2	2	-	-	-	2	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	4	-	2	2	-	4	2	4	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	2	-	-	-
160-163	OF RESPIRATORY SYSTEM....	42	-	-	-	-	-	-	-	-	-	-	6	14	4	12	2	2	-	2	-	-	-	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	-	-	4	10	4	6	2	2	-	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
174	OF BREAST.....	26	-	-	-	-	-	-	-	-	2	-	8	4	12	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	2	-	6	4	10	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	20	-	-	-	-	-	-	-	-	4	2	2	2	4	-	2	4	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	4	2	2	2	2	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	30	-	-	-	-	-	-	2	-	2	6	-	4	2	8	-	2	2	2	-	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	2	-	2	2	-	2	-	4	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	-	-	-	-	-
204-207	LEUKEMIA.....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	12	-	-	-	-	-	2	-	-	-	-	-	-	-	4	2	2	2	-	-	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	2	-	-	-	-	-	-	-	4	2	2	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	2	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALASKA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	426	-	2	-	-	2	-	-	4	12	14	32	44	40	74	42	42	36	30	22	22	8	-
	WHITE.....MALE....	240	-	-	-	-	-	-	-	-	4	10	22	24	28	46	26	14	26	14	10	14	2	-
	FEMALE..	78	-	-	-	-	-	-	-	2	-	2	-	10	4	10	10	6	8	8	10	6	2	-
	ALL OTHER..MALE....	66	-	-	-	-	-	-	-	-	8	-	4	4	8	14	4	14	2	4	2	2	-	-
	FEMALE..	42	-	2	-	-	2	-	-	2	-	2	6	6	-	4	2	8	-	4	-	-	4	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	310	-	-	-	-	-	-	-	4	8	8	28	32	34	66	36	30	24	16	8	10	6	-
	WHITE.....MALE....	188	-	-	-	-	-	-	-	-	2	8	18	20	24	44	24	12	18	6	6	6	-	-
	FEMALE..	44	-	-	-	-	-	-	-	2	-	-	-	6	4	6	6	4	4	6	2	2	2	-
	ALL OTHER..MALE....	52	-	-	-	-	-	-	-	-	6	-	4	4	6	12	4	10	2	2	-	2	-	-
	FEMALE..	26	-	-	-	-	-	-	-	2	-	-	6	2	-	4	2	4	-	2	-	-	4	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	8	-	-	-	-	-	-	-	2	-	-	2	-	-	4	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	238	-	-	-	-	-	-	-	-	6	6	20	22	28	48	34	18	18	14	8	10	6	-
	WHITE.....MALE....	150	-	-	-	-	-	-	-	-	2	6	14	16	18	30	24	8	14	6	6	6	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	2	4	6	2	2	2	-
	ALL OTHER..MALE....	42	-	-	-	-	-	-	-	-	4	-	4	4	6	10	4	6	-	2	-	2	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	2	2	-	4	2	2	-	-	-	-	4	-
410	ACUTE MYOCARDIAL INFARCTION.....	160	-	-	-	-	-	-	-	-	2	4	14	16	22	42	22	14	8	8	4	2	2	-
	WHITE.....MALE....	104	-	-	-	-	-	-	-	-	-	4	10	12	16	26	16	8	6	2	4	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	2	4	-	-	-	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	-	-	2	-	2	2	4	10	2	4	-	2	-	2	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	2	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	6	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	72	-	-	-	-	-	-	-	-	2	2	6	6	4	6	12	2	10	6	4	8	4	-
	WHITE.....MALE....	46	-	-	-	-	-	-	-	-	2	2	4	4	2	4	8	-	8	4	2	6	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	2	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	2	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALASKA—CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER HYDCARDIAL INSUFFICIENCY...	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	58	-	-	-	-	-	-	-	2	2	2	6	8	6	12	2	10	6	2	-	-	-	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	2	4	2	6	12	-	2	4	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	2	-	-	-	6	-	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	4	2	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	-	-	-	-
400, 401, 403	HYPERTENSION.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	78	-	2	-	-	-	-	-	-	2	6	2	12	4	6	2	12	10	10	2	6	2	-
	WHITE.....MALE....	28	-	-	-	-	-	-	-	-	-	2	2	4	2	2	-	2	6	4	-	2	2	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	2	-	4	-	2	2	2	4	2	-	4	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	4	-	2	2	-	-	-
	FEMALE..	14	-	2	-	-	-	-	-	-	-	2	-	4	-	-	-	4	-	2	-	-	-	-
431	CEREBRAL HEMORRHAGE.....	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	12	-	-	-	-	-	-	-	-	2	-	-	4	-	-	2	-	-	4	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
434	CEREBRAL EMBOLISM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	62	-	2	-	-	-	-	-	-	-	4	2	8	4	6	-	10	10	6	2	6	2	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-	-	2	4	2	2	-	2	6	2	-	2	2	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	2	-	4	-	2	-	2	4	2	-	4	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	2	-	-	-
	FEMALE..	10	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	2	-	-	-	-
440	ARTERIOSCLEROSIS.....	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	10	6	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	6	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	16	-	-	-	-	2	-	-	-	2	-	2	-	2	2	2	-	-	2	2	-	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	2	-	2	-	2	-	2	-	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	50	12	2	-	-	-	-	-	2	4	-	2	2	6	-	4	6	2	6	2	-	-	-
	WHITE.....MALE....	22	6	-	-	-	-	-	-	-	2	-	2	2	4	-	2	-	2	2	-	-	-	-
	FEMALE..	12	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	-	-	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	FEMALE..	10	2	-	-	-	-	-	-	2	2	-	-	-	2	-	-	2	-	-	-	-	-	-
470-474	INFLUENZA.....	10	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	40	12	-	-	-	-	-	-	2	4	-	2	2	4	-	4	4	2	4	-	-	-	-
	WHITE.....MALE....	20	6	-	-	-	-	-	-	-	2	-	2	2	2	-	2	-	2	2	-	-	-	-
	FEMALE..	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	2	-	-	-	-	-	-	2	2	-	-	-	2	-	-	2	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALASKA—CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	-	-	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	6	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	38	-	-	-	-	-	-	-	2	2	2	6	12	6	4	2	-	-	-	2	-	-	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	-	-	6	4	4	2	-	-	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	2	2	4	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	2	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLERDSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
600	HYPERPLASIA OF PROSTATE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALASKA—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	36	24	4	-	-	-	-	2	-	2	-	-	2	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE....	18	14	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	50	16	2	-	-	-	-	4	-	-	2	-	-	-	4	2	-	2	6	2	6	4	-
	WHITE.....MALE....	14	2	-	-	-	-	-	2	-	-	-	-	-	-	2	2	-	2	2	-	2	-	-
	FEMALE..	12	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-
	FEMALE..	18	8	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	2	2	-
RESIDUAL	ALL OTHER DISEASES.....	114	-	2	2	-	2	4	6	4	6	8	14	14	4	16	10	4	6	6	4	2	-	-
	WHITE.....MALE....	42	-	2	2	-	-	4	-	2	-	4	4	8	-	4	2	-	6	2	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	2	-	6	4	2	-	-	-	-	-	-
	ALL OTHER..MALE....	32	-	-	-	-	2	-	6	-	-	2	8	4	2	2	2	2	-	2	-	-	-	-
	FEMALE..	26	-	-	-	-	-	-	-	2	6	2	2	-	2	4	2	-	-	2	2	2	-	-
E800-E949	ACCIDENTS.....	276	4	14	10	10	44	58	34	18	16	18	12	10	10	6	6	-	2	2	2	-	-	-
	WHITE.....MALE....	136	2	8	6	4	20	24	18	8	8	10	8	4	4	4	4	-	2	-	2	-	-	-
	FEMALE..	44	2	2	2	4	6	8	2	4	4	-	-	4	4	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	60	-	4	-	2	8	18	10	2	4	4	4	-	2	2	-	-	-	-	-	-	-	-
	FEMALE..	36	-	-	2	-	10	8	4	4	-	4	-	2	-	-	-	-	-	2	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	68	2	6	4	-	18	20	4	6	2	-	-	2	2	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	24	2	4	-	-	4	10	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	22	-	2	2	-	6	4	-	2	2	-	-	2	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	16	-	-	2	-	4	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	208	2	8	6	10	26	38	30	12	14	18	12	8	8	6	4	-	2	2	2	-	-	-
	WHITE.....MALE....	112	-	4	6	4	16	14	18	6	8	10	8	4	4	4	2	-	2	-	2	-	-	-
	FEMALE..	22	2	-	-	4	-	4	2	2	2	-	-	2	2	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	54	-	4	-	2	4	18	8	2	4	4	4	-	2	2	-	-	-	-	-	-	-	-
	FEMALE..	20	-	-	-	-	6	2	2	2	-	4	-	2	-	-	-	-	-	2	-	-	-	-
E950-E959	SUICIDE.....	54	...	...	-	2	6	16	16	-	4	2	4	-	-	-	2	-	2	-	-	-	-	-
	WHITE.....MALE....	32	...	...	-	-	4	10	4	-	4	2	4	-	-	-	2	-	2	-	-	-	-	-
	FEMALE..	6	...	...	-	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	12	...	...	-	-	2	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	...	...	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	32	-	-	-	2	-	4	4	6	2	8	-	4	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	16	-	-	-	-	-	4	4	2	-	4	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	2	2	2	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	16	-	-	-	-	4	2	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2
	WHITE.....MALE....	6	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	FEMALE..	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARIZONA																							
	ALL CAUSES.....	15,810	640	172	112	86	238	328	256	234	260	404	674	838	1,140	1,620	1,784	2,008	1,984	1,512	966	418	118	18
	WHITE.....MALE....	8,586	268	66	52	48	144	196	130	104	114	200	384	488	694	1,028	1,138	1,168	1,074	700	424	126	22	18
	FEMALE..	5,756	226	54	46	28	40	74	44	56	80	128	206	272	360	496	520	734	804	736	504	262	86	-
	ALL OTHER..MALE....	896	84	18	6	6	34	48	60	50	48	44	60	60	62	54	78	54	54	40	18	12	6	-
	FEMALE..	572	62	34	8	4	20	10	22	24	18	32	24	18	24	42	48	52	52	36	20	18	4	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	28	14	2	-	-	-	-	-	-	-	-	-	2	-	2	-	4	2	-	-	2	-	-
	WHITE.....MALE....	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	2	-	-
	ALL OTHER..MALE....	12	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	58	-	-	-	-	-	2	-	-	-	6	2	8	4	8	12	4	6	4	-	2	-	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	-	2	-	4	4	6	6	-	4	2	-	2	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	2	2	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	2	-	2	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	42	-	-	-	-	-	2	-	-	-	4	2	6	4	6	8	-	6	4	-	-	-	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	-	-	2	-	2	4	4	4	-	4	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	16	-	-	-	-	-	-	-	-	-	2	-	2	-	2	4	4	-	-	-	2	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	2	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	74	20	-	-	-	-	-	-	2	-	4	2	4	-	10	6	12	4	4	2	2	2	-
	WHITE.....MALE....	30	4	-	-	-	-	-	-	2	-	-	-	-	-	6	2	8	2	2	2	2	-	-
	FEMALE..	28	6	-	-	-	-	-	-	-	-	2	2	4	-	2	2	4	2	2	-	-	2	-
	ALL OTHER..MALE....	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	10	6	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARIZONA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	42	2	-	2	2	-	2	-	-	6	4	4	-	2	2	2	4	8	-	2	-	-	-
	WHITE.....MALE....	24	2	-	-	2	-	2	-	-	-	-	4	-	2	2	2	2	6	-	-	-	-	-
	FEMALE..	12	-	-	2	-	-	-	-	-	4	2	-	-	-	-	-	2	-	-	2	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	2,574	-	8	24	14	8	18	8	22	46	52	102	214	302	376	356	390	308	210	84	28	4	-
	WHITE.....MALE....	1,384	-	4	14	8	4	10	4	10	16	16	40	104	154	218	218	218	180	114	44	8	-	-
	FEMALE..	1,068	-	4	10	4	2	8	-	12	26	34	52	94	138	148	120	150	116	94	34	18	4	-
	ALL OTHER..MALE....	70	-	-	-	-	2	-	2	-	4	2	2	12	6	2	12	12	6	2	4	2	-	-
	FEMALE..	52	-	-	-	2	-	-	2	-	-	-	8	4	4	8	6	10	6	-	2	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	60	-	-	-	-	-	-	2	-	-	-	2	6	4	18	12	6	4	2	4	-	-	-
	WHITE.....MALE....	38	-	-	-	-	-	-	-	-	-	-	-	6	-	10	10	6	2	2	2	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	2	-	2	8	2	-	2	-	2	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	660	-	-	-	-	-	-	-	8	6	4	22	46	64	82	104	122	88	76	22	16	-	-
	WHITE.....MALE....	344	-	-	-	-	-	-	-	2	2	-	10	18	40	56	56	62	52	34	8	4	-	-
	FEMALE..	280	-	-	-	-	-	-	-	6	4	4	8	20	22	26	40	54	34	42	10	10	-	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	-	6	-	-	4	4	-	-	2	2	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	4	2	2	-	4	2	2	-	2	-	-	-
160-163	OF RESPIRATORY SYSTEM....	582	-	-	-	2	-	-	-	2	10	8	22	44	90	102	110	96	62	26	6	2	-	-
	WHITE.....MALE....	458	-	-	-	-	-	-	-	2	6	4	12	30	68	88	88	82	54	20	4	-	-	-
	FEMALE..	110	-	-	-	2	-	-	-	-	4	2	8	12	20	14	18	12	8	6	2	2	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	2	-	2	2	-	4	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
174	OF BREAST.....	214	-	-	-	-	-	2	2	2	6	16	14	24	30	42	20	14	18	16	2	4	2	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	204	-	-	-	-	-	2	-	2	6	16	14	24	30	38	18	14	16	16	2	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	2	-	-	-	-	-	-	4	-	-	2	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	270	-	-	-	-	-	2	-	2	8	8	8	12	28	28	34	40	48	32	16	4	-	-
	WHITE.....MALE....	126	-	-	-	-	-	-	-	2	2	-	-	4	8	4	18	16	30	26	14	2	-	-
	FEMALE..	124	-	-	-	-	-	2	-	-	6	8	8	6	20	20	12	18	16	6	-	2	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	2	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	126	-	-	-	-	-	-	-	-	-	-	2	14	12	20	12	16	30	10	6	2	2	-
	WHITE.....MALE....	90	-	-	-	-	-	-	-	-	-	-	-	12	10	16	8	12	18	8	4	2	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	2	2	2	4	4	4	12	2	2	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	380	-	4	6	8	6	6	-	4	6	14	16	48	42	48	34	56	34	28	20	-	-	-
	WHITE.....MALE....	180	-	2	2	6	4	6	-	-	2	10	8	22	20	24	20	18	16	12	8	-	-	-
	FEMALE..	176	-	2	4	-	-	-	-	4	2	4	6	22	22	24	14	32	14	14	12	-	-	-
	ALL OTHER..MALE....	16	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-	6	2	2	-	-	-	-
	FEMALE..	8	-	-	-	2	-	-	-	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-
204-207	LEUKEMIA.....	126	-	4	18	2	2	4	2	2	2	2	6	10	10	10	10	14	12	12	4	-	-	-
	WHITE.....MALE....	76	-	2	12	2	-	4	2	2	2	2	4	6	2	8	4	6	6	8	4	-	-	-
	FEMALE..	46	-	2	6	-	2	-	-	-	-	-	2	4	6	2	4	8	6	4	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	156	-	-	-	2	-	4	2	2	8	-	10	10	22	26	20	26	12	8	4	-	-	-
	WHITE.....MALE....	70	-	-	-	-	-	-	2	2	2	-	6	6	6	12	12	16	2	4	-	-	-	-
	FEMALE..	74	-	-	-	2	-	4	-	-	4	-	2	4	14	12	8	8	8	4	4	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	2	-	2	-	2	2	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	60	-	2	2	2	-	-	-	-	-	4	-	8	2	12	4	4	12	4	4	-	-	-
	WHITE.....MALE....	24	-	-	2	2	-	-	-	-	-	-	-	2	-	6	2	-	4	4	2	-	-	-
	FEMALE..	28	-	2	-	-	-	-	-	-	-	4	-	4	2	4	-	2	8	-	2	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	254	-	-	2	-	-	4	6	2	2	6	10	12	22	34	38	46	22	28	16	4	-	-
	WHITE.....MALE....	98	-	-	-	-	-	-	4	-	-	2	2	6	6	14	16	18	6	14	8	2	-	-
	FEMALE..	100	-	-	2	-	-	2	2	2	2	2	4	2	10	12	18	18	10	10	2	2	-	-
	ALL OTHER..MALE....	24	-	-	-	-	-	2	-	-	-	-	4	4	4	2	-	4	4	-	-	-	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	2	-	-	2	6	4	6	2	4	6	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972--Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARIZONA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	38	-	-	-	4	-	-	-	-	-	-	-	-	2	4	6	4	-	6	10	2	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	4	4	-	-	-
	FEMALE..	18	-	-	-	2	-	-	-	-	-	-	-	-	2	4	2	-	-	2	4	2	-	-
	ALL OTHER..MALE....	6	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	16	-	-	-	2	2	-	-	-	-	-	-	-	2	2	6	-	-	2	-	-	-	-
	WHITE.....MALE....	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	2	-	-	-	-	-	-	-	2	2	2	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
320	MENINGITIS.....	26	8	-	2	-	2	-	-	-	2	4	-	-	-	4	-	2	-	2	-	-	-	-
	WHITE.....MALE....	10	6	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	6	2	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	6,822	14	8	4	4	2	8	14	18	34	94	190	298	412	706	828	1,048	1,156	948	672	286	78	-
	WHITE.....MALE....	3,836	2	4	2	4	2	4	-	4	14	68	134	216	296	506	550	624	618	402	280	88	18	-
	FEMALE..	2,694	8	2	-	-	-	2	8	12	14	14	44	64	96	168	236	398	488	512	382	188	58	-
	ALL OTHER..MALE....	162	2	2	2	-	-	2	4	-	4	6	8	16	14	18	22	8	22	18	6	6	2	-
	FEMALE..	130	2	-	-	-	-	-	2	2	2	6	4	2	6	14	20	18	28	16	4	4	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	5,062	14	2	2	4	2	6	4	10	22	70	152	264	352	596	668	788	822	622	428	194	40	-
	WHITE.....MALE....	2,998	2	-	-	4	2	4	-	4	10	52	116	200	258	432	472	480	446	260	182	64	10	-
	FEMALE..	1,856	8	-	-	-	-	-	-	6	8	12	28	50	74	138	160	294	346	336	240	126	30	-
	ALL OTHER..MALE....	126	2	2	2	-	-	2	2	-	4	4	6	14	14	16	20	2	14	16	4	2	-	-
	FEMALE..	82	2	-	-	-	-	-	2	-	-	2	2	-	6	10	16	12	16	10	2	2	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	154	-	-	-	-	2	2	2	4	2	6	6	8	16	28	30	20	16	8	4	-	-	-
	WHITE.....MALE....	68	-	-	-	-	2	2	-	-	-	-	2	4	12	16	14	8	4	2	2	-	-	-
	FEMALE..	82	-	-	-	-	-	-	-	4	2	6	4	4	4	12	16	12	10	6	2	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	60	-	-	-	-	-	-	-	-	2	-	-	-	-	10	12	16	8	6	2	4	-	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	2	4	2	2	2	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	12	2	4	-	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	4	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	4,542	-	-	-	-	-	2	-	4	16	58	142	240	310	520	600	712	752	576	388	182	40	-
	WHITE.....MALE....	2,784	-	-	-	-	-	2	-	4	8	52	114	192	230	390	436	446	424	250	166	60	10	-
	FEMALE..	1,608	-	-	-	-	-	-	-	-	6	4	22	38	66	112	130	254	306	302	220	118	30	-
	ALL OTHER..MALE....	92	-	-	-	-	-	-	-	-	2	2	4	10	10	12	20	2	12	14	2	2	-	-
	FEMALE..	58	-	-	-	-	-	-	-	-	-	-	2	-	4	6	14	10	10	10	-	2	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	2,250	-	-	-	-	-	2	-	2	10	34	80	140	182	312	352	372	350	232	126	48	8	-
	WHITE.....MALE....	1,520	-	-	-	-	-	2	-	2	6	34	68	114	134	244	266	228	212	116	70	22	2	-
	FEMALE..	676	-	-	-	-	-	-	-	-	2	-	10	24	40	56	72	140	132	112	56	26	6	-
	ALL OTHER..MALE....	32	-	-	-	-	-	-	-	-	2	-	-	2	6	8	6	-	4	4	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	2	-	2	4	8	4	2	-	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	260	-	-	-	-	-	-	-	-	2	10	24	38	26	60	24	46	24	6	-	-	-	-
	WHITE.....MALE....	210	-	-	-	-	-	-	-	-	-	10	18	36	18	48	22	38	18	2	-	-	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	2	-	2	-	4	10	-	8	4	4	-	-	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	-	4	2	4	2	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	2,030	-	-	-	-	-	-	-	2	4	14	38	62	102	148	224	294	378	336	262	134	32	-
	WHITE.....MALE....	1,054	-	-	-	-	-	-	-	2	2	8	28	42	78	98	148	180	194	132	96	38	8	-
	FEMALE..	896	-	-	-	-	-	-	-	-	2	4	10	14	22	46	58	106	170	184	164	92	24	-
	ALL OTHER..MALE....	46	-	-	-	-	-	-	-	-	-	2	-	6	-	2	12	2	8	10	2	2	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	6	6	10	-	2	-	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARIZONA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	30	-	-	-	-	-	-	2	-	-	2	-	-	2	4	2	6	4	4	4	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	2	2	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	4	4	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	266	14	2	2	4	-	2	-	2	2	4	4	14	24	34	22	32	42	28	30	4	-	-
	WHITE.....MALE....	108	2	-	-	4	-	-	-	-	2	-	-	4	14	20	12	20	14	4	10	2	-	-
	FEMALE..	116	8	-	-	-	-	-	-	2	-	-	2	6	4	8	10	12	24	22	16	2	-	-
	ALL OTHER..MALE....	28	2	2	2	-	-	2	-	-	-	2	2	4	4	4	-	-	-	2	2	-	-	-
	FEMALE..	14	2	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	4	-	2	-	-	-
400, 401, 403	HYPERTENSION.....	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	8	8	6	4	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	6	2	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	2	2	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
430-438	CEREBROVASCULAR DISEASES.	1,290	-	6	2	-	-	2	6	8	6	22	32	26	48	76	110	184	254	234	184	66	24	-
	WHITE.....MALE....	586	-	4	2	-	-	-	-	-	-	14	12	12	28	46	48	98	126	96	74	20	6	-
	FEMALE..	638	-	2	-	-	-	2	4	6	6	2	16	10	20	24	58	78	112	132	110	40	16	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	2	-	-	2	2	2	-	2	2	4	4	2	-	4	2	-
	FEMALE..	38	-	-	-	-	-	-	-	2	-	4	2	2	-	4	2	4	12	4	-	2	-	-
431	CEREBRAL HEMORRHAGE.....	172	-	-	2	-	-	-	-	2	2	10	4	8	6	12	24	38	24	30	4	4	2	-
	WHITE.....MALE....	82	-	-	2	-	-	-	-	-	-	6	2	4	2	8	10	14	12	16	-	4	2	-
	FEMALE..	82	-	-	-	-	-	-	-	-	2	-	2	4	4	4	14	22	12	14	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	2	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	284	-	-	-	-	-	-	-	-	2	-	2	2	6	8	32	36	54	56	68	14	4	-
	WHITE.....MALE....	134	-	-	-	-	-	-	-	-	-	-	2	2	6	2	16	20	22	24	34	6	-	-
	FEMALE..	132	-	-	-	-	-	-	-	-	2	-	-	-	-	6	14	16	24	28	34	6	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	8	2	-	-	-	-
434	CEREBRAL EMBOLISM.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	830	-	6	-	-	-	2	6	6	2	12	26	16	36	56	54	108	176	146	112	48	18	-
	WHITE.....MALE....	368	-	4	-	-	-	-	-	-	-	8	8	6	20	36	22	62	92	56	40	10	4	-
	FEMALE..	422	-	2	-	-	-	2	4	6	2	2	14	6	16	14	30	40	76	88	72	34	14	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	2	-	-	2	2	2	-	2	2	4	4	-	-	2	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	2	4	2	-	2	-	-
440	ARTERIOSCLEROSIS.....	236	-	-	-	-	-	-	-	-	-	-	2	-	2	10	8	32	44	66	46	16	10	-
	WHITE.....MALE....	92	-	-	-	-	-	-	-	-	-	-	2	-	-	8	6	10	22	24	18	2	-	-
	FEMALE..	132	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	18	20	40	26	14	10	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	200	-	-	-	-	-	-	4	-	6	2	4	8	10	24	36	42	28	18	8	6	4	-
	WHITE.....MALE....	144	-	-	-	-	-	-	-	-	4	2	4	4	10	20	22	34	20	16	4	2	2	-
	FEMALE..	52	-	-	-	-	-	-	4	-	-	-	-	4	-	4	14	8	6	2	4	4	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	24	4	-	-	2	-	-	-	-	-	-	-	-	2	4	-	4	4	-	4	-	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	4	-	2	-	-	-
	FEMALE..	6	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	604	64	16	6	4	4	2	6	8	10	8	24	16	30	36	46	64	84	78	62	34	2	-
	WHITE.....MALE....	292	26	6	2	2	2	2	2	-	6	2	8	12	14	26	34	32	38	38	32	8	-	-
	FEMALE..	220	16	2	4	-	2	-	2	2	2	2	10	4	12	6	6	28	38	32	30	22	-	-
	ALL OTHER..MALE....	40	10	2	-	-	-	-	-	4	2	2	4	-	2	2	6	-	4	2	-	-	-	-
	FEMALE..	52	12	6	-	2	-	-	2	2	-	2	2	-	2	2	-	4	4	6	-	4	2	-
470-474	INFLUENZA.....	48	2	2	-	-	-	-	-	-	2	-	-	-	2	6	6	6	6	8	2	6	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	2	-	-	-	-	6	2	-	4	8	2	-	-	-
	FEMALE..	22	2	-	-	-	-	-	-	-	-	-	-	-	2	-	4	6	2	-	-	6	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	556	62	14	6	4	4	2	6	8	8	8	24	16	28	30	40	58	78	70	60	28	2	-
	WHITE.....MALE....	268	26	6	2	2	2	2	2	-	4	2	8	12	14	20	32	32	34	30	30	8	-	-
	FEMALE..	198	14	2	4	-	2	-	2	2	2	2	10	4	10	6	2	22	36	32	30	16	-	-
	ALL OTHER..MALE....	40	10	2	-	-	-	-	-	4	2	2	4	-	2	2	6	-	4	2	-	-	-	-
	FEMALE..	50	12	4	-	2	-	-	2	2	-	2	2	-	2	2	-	4	4	6	-	4	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARIZONA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	452	-	2	-	-	4	-	-	2	-	10	20	20	44	62	84	86	80	14	16	8	-	-
	WHITE.....MALE	360	-	-	-	-	4	-	-	-	-	6	12	16	36	48	68	76	64	14	12	4	-	-
	FEMALE	88	-	2	-	-	-	-	-	2	-	4	8	4	8	14	14	10	16	-	2	4	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	62	-	-	-	-	-	-	-	-	-	-	-	6	4	8	10	18	12	-	4	-	-	-
	WHITE.....MALE	46	-	-	-	-	-	-	-	-	-	-	-	6	2	6	8	14	10	-	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	2	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
492	EMPHYSEMA	350	-	2	-	-	-	-	-	-	-	6	14	12	36	50	68	68	62	14	10	8	-	-
	WHITE.....MALE	294	-	-	-	-	-	-	-	-	-	4	8	10	32	42	56	62	52	14	10	4	-	-
	FEMALE	54	-	2	-	-	-	-	-	-	-	2	6	2	4	8	10	6	10	-	-	4	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	40	-	-	-	-	4	-	-	2	-	4	6	2	4	4	6	-	6	-	2	-	-	-
	WHITE.....MALE	20	-	-	-	-	4	-	-	-	-	2	4	-	2	-	4	-	2	-	2	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	2	-	2	2	2	2	4	2	-	4	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	66	-	-	-	-	-	-	-	2	-	-	6	6	4	8	10	8	10	6	4	-	2	-
	WHITE.....MALE	36	-	-	-	-	-	-	-	-	-	-	4	2	2	4	4	6	6	4	4	-	-	-
	FEMALE	28	-	-	-	-	-	-	-	-	-	-	2	4	2	4	6	2	4	2	-	-	2	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	6	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	56	6	-	2	-	-	-	-	-	-	-	-	2	4	4	8	10	12	6	2	-	-	-
	WHITE.....MALE	20	4	-	-	-	-	-	-	-	-	-	-	2	2	2	-	4	4	-	2	-	-	-
	FEMALE	32	2	-	2	-	-	-	-	-	-	-	-	-	-	2	8	6	8	4	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
571	CIRRHOSIS OF LIVER	318	-	2	2	-	-	-	10	8	20	32	46	42	46	30	32	22	24	2	-	-	-	-
	WHITE.....MALE	168	-	-	-	-	-	-	2	-	4	12	36	24	24	14	20	16	16	-	-	-	-	-
	FEMALE	86	-	2	2	-	-	-	-	2	-	10	10	10	12	14	10	6	6	2	-	-	-	-
	ALL OTHER..MALE	38	-	-	-	-	-	-	4	2	10	4	-	4	10	2	2	-	-	-	-	-	-	-
	FEMALE	26	-	-	-	-	-	-	4	4	6	6	-	4	-	-	-	-	2	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	24	-	-	-	-	-	-	-	-	-	2	-	-	-	6	2	4	4	2	4	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	4	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	4	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	86	-	-	-	-	2	6	-	2	2	2	12	-	10	12	8	14	10	2	-	2	2	-
	WHITE.....MALE	36	-	-	-	-	-	6	-	-	-	-	2	-	4	8	-	8	4	2	-	-	2	-
	FEMALE	30	-	-	-	-	2	-	-	-	-	2	4	-	6	4	4	2	4	-	-	2	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	2	2	-	2	-	-	-	2	4	2	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	20	-	-	-	-	-	-	-	-	2	-	2	-	2	2	2	4	2	2	-	-	2	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	2	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	66	-	-	-	-	2	6	-	2	-	2	10	-	8	10	6	10	8	-	-	2	-	-
	WHITE.....MALE	28	-	-	-	-	-	6	-	-	-	-	2	-	4	8	-	4	4	-	-	-	-	-
	FEMALE	22	-	-	-	-	2	-	-	-	-	2	4	-	4	2	2	2	2	-	-	2	-	-
	ALL OTHER..MALE	12	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	4	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	86	-	-	-	-	-	-	2	-	2	2	4	6	4	6	4	12	12	20	4	8	-	-
	WHITE.....MALE	28	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	8	8	-	2	-	-
	FEMALE	42	-	-	-	-	-	-	-	-	-	-	4	4	4	4	2	2	4	12	2	4	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	4	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARIZONA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	12	-	-	-	-	2	-	6	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	6	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	6	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	12	-	-	-	-	2	-	6	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	6	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	6	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	170	110	12	4	8	6	2	4	-	-	2	2	2	2	6	4	4	2	-	-	-	-	-
	WHITE.....MALE....	78	42	6	4	4	4	-	2	-	-	2	2	2	2	2	2	4	-	-	-	-	-	-
	FEMALE..	66	48	4	-	4	-	2	-	-	-	-	-	-	-	4	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	12	10	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	14	10	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	306	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	186	186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	324	56	8	-	2	4	10	4	10	2	18	18	18	18	26	32	22	18	24	18	8	6	2
	WHITE.....MALE....	118	22	2	-	2	2	6	4	2	-	10	8	8	6	12	14	6	4	6	2	-	-	2
	FEMALE..	102	14	2	-	-	2	-	-	2	-	4	6	2	4	12	8	6	8	10	14	4	4	-
	ALL OTHER..MALE....	72	14	-	-	-	-	4	-	4	2	4	4	6	6	2	6	6	4	8	-	-	2	-
	FEMALE..	32	6	4	-	-	-	-	-	2	-	-	-	2	2	-	4	4	2	-	2	4	-	-
RESIDUAL	ALL OTHER DISEASES.....	1,254	14	16	12	8	20	22	26	24	22	26	76	66	110	160	180	156	136	98	46	20	14	2
	WHITE.....MALE....	682	4	10	4	2	10	10	8	10	16	14	40	34	70	86	124	76	78	60	18	6	-	2
	FEMALE..	438	2	2	6	4	6	8	8	6	6	8	18	26	34	62	46	72	52	32	22	6	12	-
	ALL OTHER..MALE....	80	4	-	2	2	4	4	4	2	-	2	14	2	6	8	8	4	4	4	4	2	-	-
	FEMALE..	54	4	4	-	-	-	-	6	6	-	2	4	4	-	4	2	4	2	2	2	6	2	-
E800-E949	ACCIDENTS.....	1,444	18	88	46	28	138	168	116	84	84	68	104	68	78	70	82	64	56	46	12	12	6	8
	WHITE.....MALE....	798	14	30	20	14	90	110	70	46	42	38	66	34	42	40	46	40	20	20	4	4	-	8
	FEMALE..	356	2	28	18	12	16	32	14	10	22	16	22	24	18	16	26	14	28	20	6	8	4	-
	ALL OTHER..MALE....	220	-	12	2	2	22	20	30	24	18	12	16	10	12	14	8	10	2	4	-	-	2	-
	FEMALE..	70	2	18	6	-	10	6	2	4	2	2	-	-	6	-	2	-	6	2	2	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	778	2	46	28	16	96	112	68	46	54	48	66	26	46	30	34	22	18	14	2	2	-	2
	WHITE.....MALE....	426	2	14	10	10	60	68	36	26	26	30	40	14	24	14	18	16	8	6	2	-	-	2
	FEMALE..	192	-	16	12	6	16	26	10	8	16	8	16	8	12	10	12	2	6	6	-	2	-	-
	ALL OTHER..MALE....	124	-	10	2	-	10	14	22	10	12	8	10	4	6	6	2	4	2	2	-	-	-	-
	FEMALE..	36	-	6	4	-	10	4	-	2	-	2	-	-	4	-	2	-	2	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	666	16	42	18	12	42	56	48	38	30	20	38	42	32	40	48	42	38	32	10	10	6	6
	WHITE.....MALE....	372	12	16	10	4	30	42	34	20	16	8	26	20	18	26	28	24	12	14	2	4	-	6
	FEMALE..	164	2	12	6	6	-	6	4	2	6	8	6	16	6	6	14	12	22	14	6	6	4	-
	ALL OTHER..MALE....	96	-	2	-	2	12	6	8	14	6	4	6	6	6	8	6	6	-	2	-	-	2	-
	FEMALE..	34	2	12	2	-	-	2	2	2	2	-	-	-	2	-	-	-	4	2	2	-	-	-
E950-E959	SUICIDE.....	336	...	...	-	2	20	50	30	32	8	32	28	32	28	22	20	16	8	4	2	-	-	2
	WHITE.....MALE....	206	...	...	-	2	12	26	18	22	6	18	12	14	18	14	18	10	8	4	2	-	-	2
	FEMALE..	100	...	...	-	-	2	14	6	4	2	14	16	16	10	8	2	6	-	-	-	-	-	-
	ALL OTHER..MALE....	24	...	...	-	-	2	8	6	6	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	...	...	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	178	-	4	-	2	22	26	20	14	14	24	20	4	8	8	8	-	-	2	-	-	-	2
	WHITE.....MALE....	102	-	-	-	2	12	16	16	6	8	10	12	2	8	6	2	-	-	-	-	-	-	2
	FEMALE..	24	-	2	-	-	4	4	-	-	2	2	4	-	-	2	4	-	-	-	-	-	-	-
	ALL OTHER..MALE....	36	-	2	-	-	4	4	4	4	4	8	2	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	16	-	-	-	-	2	2	-	4	-	4	2	-	-	-	-	-	-	2	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	54	2	2	4	2	2	8	4	4	2	2	4	8	2	-	4	2	-	-	-	-	-	2
	WHITE.....MALE....	28	2	-	2	2	2	4	-	2	2	-	2	2	2	-	2	2	-	-	-	-	-	2
	FEMALE..	12	-	2	-	-	-	2	-	2	-	2	-	4	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	2	2	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARKANSAS																							
	ALL CAUSES.....	21,798	594	110	116	128	294	288	226	232	250	372	604	904	1,274	1,974	2,590	2,810	3,108	2,796	1,950	908	270	-
	WHITE.....MALE....	10,152	270	30	42	64	172	140	120	120	116	166	312	488	708	1,076	1,350	1,302	1,406	1,150	744	322	54	-
	FEMALE..	7,272	160	32	40	22	52	54	42	56	48	102	168	238	302	490	684	870	1,136	1,204	942	474	156	-
	ALL OTHER..MALE....	2,404	90	26	26	18	58	72	36	38	56	60	62	102	154	242	270	342	322	224	134	52	20	-
	FEMALE..	1,970	74	22	8	24	12	22	28	18	30	44	62	76	110	166	286	296	244	218	130	60	40	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	24	10	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	4	4	-	2	-
	WHITE.....MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-
	ALL OTHER..MALE....	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	60	-	-	-	-	-	-	-	-	-	8	4	2	-	4	10	8	4	14	4	2	-	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	4	4	10	2	2	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	4	4	-	-	2	2	2	-	2	2	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	2	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	56	-	-	-	-	-	-	-	-	-	8	2	2	-	4	10	6	4	14	4	2	-	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	4	4	10	2	2	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	4	2	-	-	2	2	-	-	2	2	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	2	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	8	2	-	-	-	-	-	-	2	-	-	-	-	4	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	62	12	-	-	-	2	2	2	-	-	-	2	4	2	2	2	12	6	6	8	-	-	-
	WHITE.....MALE....	18	4	-	-	-	-	-	2	-	-	-	-	4	-	-	-	2	-	4	2	-	-	-
	FEMALE..	32	4	-	-	-	2	-	-	-	-	-	2	-	2	2	-	8	6	2	4	-	-	-
	ALL OTHER..MALE....	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARKANSAS--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	46	8	-	2	6	2	-	-	2	4	-	-	2	2	4	-	6	4	4	-	-	-	-
	WHITE.....MALE....	16	2	-	2	-	-	-	-	2	2	-	-	2	-	4	-	2	-	-	-	-	-	-
	FEMALE..	18	4	-	-	2	-	-	-	-	2	-	-	-	2	-	-	2	2	4	-	-	-	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	6	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	3,460	2	2	14	10	4	18	8	38	44	78	152	208	288	438	570	494	518	346	154	62	12	-
	WHITE.....MALE....	1,640	2	-	4	6	4	10	4	12	16	22	58	98	142	238	276	246	260	156	60	26	-	-
	FEMALE..	1,206	-	2	6	2	-	2	4	16	22	36	68	80	104	130	190	154	158	132	70	22	8	-
	ALL OTHER..MALE....	336	-	-	2	-	-	4	-	8	4	8	10	16	22	48	52	52	50	34	16	10	-	-
	FEMALE..	278	-	-	2	2	-	2	-	2	2	12	16	14	20	22	52	42	50	24	8	4	4	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	48	-	-	-	-	-	-	-	-	-	-	2	8	2	8	6	6	6	4	6	-	-	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	-	2	6	2	4	4	6	2	2	4	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	2	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	944	-	-	2	-	-	2	-	6	12	8	24	48	66	96	146	160	160	126	54	28	6	-
	WHITE.....MALE....	420	-	-	2	-	-	-	-	2	6	2	8	28	22	42	60	68	78	66	24	12	-	-
	FEMALE..	338	-	-	-	-	-	-	-	-	4	4	10	16	24	30	54	62	50	46	26	10	2	-
	ALL OTHER..MALE....	102	-	-	-	-	-	2	-	4	-	-	6	4	10	18	14	18	12	8	2	4	-	-
	FEMALE..	84	-	-	-	-	-	-	-	-	2	2	-	-	10	6	18	12	20	6	2	2	4	-
160-163	OF RESPIRATORY SYSTEM....	768	-	-	-	2	-	-	-	8	12	20	46	54	94	158	134	102	96	38	2	2	-	-
	WHITE.....MALE....	558	-	-	-	2	-	-	-	2	6	12.	32	38	80	118	96	74	74	20	2	2	-	-
	FEMALE..	126	-	-	-	-	-	-	-	2	4	6	10	10	10	24	28	14	8	10	-	-	-	-
	ALL OTHER..MALE....	66	-	-	-	-	-	-	-	4	2	2	2	4	4	14	10	12	8	4	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	6	4	-	-	-	-
174	OF BREAST.....	266	-	-	-	-	-	-	2	6	2	16	26	32	28	22	32	40	30	18	6	2	4	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	216	-	-	-	-	-	-	2	6	2	12	24	26	24	18	24	32	22	14	4	2	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	50	-	-	-	-	-	-	-	-	-	4	2	6	4	4	8	8	8	4	2	-	-	-
180-187	OF GENITAL ORGANS.....	476	-	-	-	-	-	4	2	8	6	8	20	16	22	44	88	62	92	60	26	18	-	-
	WHITE.....MALE....	172	-	-	-	-	-	2	2	2	-	-	-	-	6	12	18	36	48	30	10	6	-	-
	FEMALE..	156	-	-	-	-	-	2	-	6	6	4	12	8	10	22	36	10	22	10	2	6	-	-
	ALL OTHER..MALE....	86	-	-	-	-	-	-	-	-	-	-	-	2	-	4	20	10	16	18	12	4	-	-
	FEMALE..	62	-	-	-	-	-	-	-	-	-	4	8	6	6	6	14	6	6	2	2	2	-	-
188, 189	OF URINARY ORGANS.....	140	-	-	-	-	-	-	-	-	-	-	2	10	10	16	28	30	18	16	8	2	-	-
	WHITE.....MALE....	96	-	-	-	-	-	-	-	-	-	-	2	8	10	12	22	16	12	8	4	2	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	12	6	8	4	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	472	-	-	8	6	2	6	2	4	6	22	20	18	40	42	60	60	68	60	38	8	2	-
	WHITE.....MALE....	198	-	-	2	2	2	2	2	4	-	8	10	10	16	24	28	26	26	22	10	4	-	-
	FEMALE..	190	-	-	4	2	-	-	-	-	4	8	4	8	20	14	22	16	32	26	26	2	2	-
	ALL OTHER..MALE....	36	-	-	-	-	-	2	-	-	2	4	2	-	4	2	2	6	6	4	-	2	-	-
	FEMALE..	48	-	-	2	2	-	2	-	-	-	2	4	-	-	2	8	12	4	8	2	-	-	-
204-207	LEUKEMIA.....	166	2	2	4	2	-	2	2	2	4	-	8	10	8	30	36	12	26	8	6	2	-	-
	WHITE.....MALE....	84	2	-	-	2	-	2	-	-	2	-	4	4	2	14	26	4	16	4	2	-	-	-
	FEMALE..	56	-	2	2	-	-	-	2	2	2	-	4	4	4	8	6	4	6	4	4	2	-	-
	ALL OTHER..MALE....	20	-	-	2	-	-	-	-	-	-	-	-	2	2	6	2	2	4	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	180	-	-	-	-	2	4	-	4	2	4	4	12	18	22	40	22	22	16	8	-	-	-
	WHITE.....MALE....	80	-	-	-	-	2	4	-	2	2	-	-	4	4	12	22	16	4	4	4	-	-	-
	FEMALE..	76	-	-	-	-	-	-	-	-	-	2	4	6	12	10	14	4	10	12	2	-	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	2	4	-	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	4	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	60	2	-	6	-	4	4	4	-	-	-	2	2	2	6	10	8	8	2	-	-	-	-
	WHITE.....MALE....	30	2	-	2	-	4	2	-	-	-	-	-	-	2	6	6	2	4	-	-	-	-	-
	FEMALE..	14	-	-	2	-	-	-	2	-	-	-	-	2	-	-	2	2	2	2	-	-	-	-
	ALL OTHER..MALE....	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	2	2	-	-	-	2	-	-	-	2	4	2	-	-	-	-	-
250	DIABETES MELLITUS.....	360	-	-	-	-	2	4	-	6	2	8	8	10	36	48	48	64	56	32	26	8	2	-
	WHITE.....MALE....	116	-	-	-	-	-	2	-	4	-	-	2	-	12	14	12	24	16	18	12	-	-	-
	FEMALE..	154	-	-	-	-	2	2	-	-	2	2	4	6	10	20	24	20	28	12	14	6	2	-
	ALL OTHER..MALE....	38	-	-	-	-	-	-	-	2	-	2	2	2	10	4	2	6	6	-	-	2	-	-
	FEMALE..	52	-	-	-	-	-	-	-	-	-	4	-	2	4	10	10	14	6	2	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARKANSAS--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	20	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	4	2	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
280-285	ANEMIAS.....	52	-	2	4	2	2	2	2	2	2	4	-	2	6	2	4	2	8	2	4	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	4	2	2	-	-	-
	FEMALE..	20	-	-	2	2	-	-	-	-	-	-	-	2	4	2	-	2	4	-	2	-	-	-
	ALL OTHER..MALE....	8	-	2	-	-	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	12	-	-	2	-	-	2	2	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	24	10	-	2	2	-	-	-	-	-	-	2	2	2	2	-	-	2	-	-	-	-	-
	WHITE.....MALE....	8	4	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	10	4	-	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	11,638	10	-	-	2	10	14	24	34	50	100	204	366	594	1,018	1,440	1,664	1,960	1,886	1,384	684	194	-
	WHITE.....MALE....	5,294	4	-	-	2	4	2	10	16	26	60	130	228	380	572	754	756	854	718	514	224	40	-
	FEMALE..	4,164	2	-	-	-	-	6	4	6	-	22	34	64	80	232	360	520	772	864	694	386	118	-
	ALL OTHER..MALE....	1,134	-	-	-	-	4	4	4	6	18	8	16	50	74	114	156	194	194	154	88	34	16	-
	FEMALE..	1,046	4	-	-	-	2	2	6	6	6	10	24	24	60	100	170	194	140	150	88	40	20	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	8,006	8	-	-	2	6	12	20	24	42	86	162	310	480	834	1,088	1,092	1,300	1,168	850	402	120	-
	WHITE.....MALE....	3,912	2	-	-	2	2	-	10	10	26	60	120	206	330	496	598	542	580	456	298	142	32	-
	FEMALE..	2,736	2	-	-	-	-	6	-	4	-	14	20	50	64	184	276	334	514	528	484	214	72	-
	ALL OTHER..MALE....	768	-	-	-	-	2	4	4	6	12	6	10	40	54	82	114	116	122	108	54	26	8	-
	FEMALE..	590	4	-	-	-	2	2	6	4	4	6	12	14	32	72	100	100	84	76	44	20	8	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	96	-	-	-	-	2	2	2	4	-	6	6	10	12	10	12	6	14	6	2	2	-	-
	WHITE.....MALE....	34	-	-	-	-	-	-	2	2	-	2	4	6	6	-	4	2	4	2	-	-	-	-
	FEMALE..	48	-	-	-	-	-	2	-	2	-	2	2	4	2	6	8	4	8	4	2	2	-	-
	ALL OTHER..MALE....	8	-	-	-	-	2	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	84	-	-	-	-	-	-	-	-	-	-	-	4	8	12	16	6	16	12	10	-	-	-
	WHITE.....MALE....	34	-	-	-	-	-	-	-	-	-	-	-	2	6	6	8	2	6	2	2	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4	4	6	-	-	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	4	4	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	2	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	10	8	10	8	18	4	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	4	4	6	8	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	2	10	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-
410-413	ISCHEMIC HEART DISEASE...	6,978	-	-	-	-	-	6	18	12	34	70	136	268	408	726	954	972	1,148	1,032	746	342	106	-
	WHITE.....MALE....	3,486	-	-	-	-	-	-	8	6	24	54	104	180	288	450	544	482	518	406	266	126	30	-
	FEMALE..	2,406	-	-	-	-	-	2	-	2	-	8	14	42	52	158	244	312	462	468	400	180	62	-
	ALL OTHER..MALE....	602	-	-	-	-	-	4	4	-	6	4	10	36	42	60	82	98	94	90	42	22	8	-
	FEMALE..	484	-	-	-	-	-	-	6	4	4	4	8	10	26	58	84	80	74	68	38	14	6	-
410	ACUTE MYOCARDIAL INFARCTION.....	4,346	-	-	-	-	-	2	16	12	30	64	128	226	328	572	698	656	680	484	298	120	32	-
	WHITE.....MALE....	2,370	-	-	-	-	-	-	8	6	20	50	96	158	236	372	412	344	310	196	104	48	10	-
	FEMALE..	1,348	-	-	-	-	-	-	-	2	-	8	14	32	46	124	180	220	270	216	156	62	18	-
	ALL OTHER..MALE....	356	-	-	-	-	-	2	4	-	6	4	10	28	24	40	50	52	62	42	22	8	2	-
	FEMALE..	272	-	-	-	-	-	-	4	4	4	2	8	8	22	36	56	40	38	30	16	2	2	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	14	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	2	4	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	2,616	-	-	-	-	-	2	2	-	4	6	8	42	78	150	256	314	466	544	448	222	74	-
	WHITE.....MALE....	1,110	-	-	-	-	-	-	-	-	4	4	8	22	52	76	132	136	206	210	162	78	20	-
	FEMALE..	1,052	-	-	-	-	-	-	-	-	-	-	-	10	6	32	64	92	192	250	244	118	44	-
	ALL OTHER..MALE....	244	-	-	-	-	-	2	-	-	-	-	-	8	18	20	32	46	32	46	20	14	6	-
	FEMALE..	210	-	-	-	-	-	-	2	-	-	2	-	2	2	22	28	40	36	38	22	12	4	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARKANSAS--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	54	-	-	-	-	2	-	-	4	-	-	-	2	-	2	8	6	8	8	4	8	2	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	4	4	-	2	2	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	6	-	4	2	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	2	-	-	-	-	-	-	6	-	-	2	-	2	-	-
	FEMALE..	6	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	732	8	-	-	2	2	4	-	4	8	10	20	26	52	84	94	92	106	100	80	32	8	-
	WHITE.....MALE....	308	2	-	-	2	2	-	-	-	2	4	12	16	30	40	36	46	44	42	22	6	2	-
	FEMALE..	222	2	-	-	-	-	2	-	-	-	4	4	4	10	14	24	16	34	40	44	18	6	-
	ALL OTHER..MALE....	126	-	-	-	-	-	-	-	4	6	2	-	2	8	20	22	16	22	12	10	2	-	-
	FEMALE..	76	4	-	-	-	-	2	-	-	-	-	4	4	4	10	12	14	6	6	4	6	-	-
400, 401, 403	HYPERTENSION.....	88	-	-	-	-	-	-	-	2	-	-	2	6	2	4	12	14	12	16	18	-	-	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	4	4	12	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	6	2	6	4	-	-	-
	ALL OTHER..MALE....	24	-	-	-	-	-	-	-	-	-	-	2	4	2	2	2	2	4	4	2	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	2	-	-	-	-	-	-	4	2	2	2	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	2,944	2	-	-	-	4	2	2	8	8	14	38	48	94	150	286	456	538	580	438	218	58	-
	WHITE.....MALE....	1,066	2	-	-	-	2	2	-	6	-	-	10	22	40	56	120	162	220	202	164	54	4	-
	FEMALE..	1,188	-	-	-	-	-	-	2	2	-	8	14	10	12	42	72	152	208	280	208	142	36	-
	ALL OTHER..MALE....	306	-	-	-	-	2	-	-	-	6	2	4	6	16	26	36	62	66	38	26	8	8	-
	FEMALE..	384	-	-	-	-	-	-	-	-	2	4	10	10	26	26	58	80	44	60	40	14	10	-
431	CEREBRAL HEMORRHAGE.....	450	2	-	-	-	-	2	2	2	2	6	14	10	20	22	38	70	76	62	72	42	8	-
	WHITE.....MALE....	156	2	-	-	-	-	2	-	2	-	-	4	2	12	2	18	26	32	18	30	4	2	-
	FEMALE..	198	-	-	-	-	-	-	2	-	-	4	2	-	4	6	12	22	32	38	36	36	4	-
	ALL OTHER..MALE....	32	-	-	-	-	-	-	-	-	2	2	2	2	-	6	2	4	6	2	2	-	2	-
	FEMALE..	64	-	-	-	-	-	-	-	-	-	-	6	6	4	8	6	18	6	4	4	2	-	-
433	CEREBRAL THROMBOSIS.....	490	-	-	-	-	-	-	-	-	-	2	4	12	8	24	24	76	96	128	56	48	12	-
	WHITE.....MALE....	172	-	-	-	-	-	-	-	-	-	-	-	8	-	10	10	26	42	44	18	14	-	-
	FEMALE..	188	-	-	-	-	-	-	-	-	-	-	4	-	-	8	2	24	28	62	28	22	10	-
	ALL OTHER..MALE....	64	-	-	-	-	-	-	-	-	-	-	-	4	4	2	4	12	18	4	6	8	2	-
	FEMALE..	66	-	-	-	-	-	-	-	-	-	2	-	-	4	4	8	14	8	18	4	4	-	-
434	CEREBRAL EMBOLISM.....	16	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	4	2	-	4	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	1,988	-	-	-	-	4	-	-	6	6	6	20	22	66	104	222	306	364	390	306	128	38	-
	WHITE.....MALE....	732	-	-	-	-	2	-	-	4	-	-	6	10	28	44	92	108	146	140	114	36	2	-
	FEMALE..	794	-	-	-	-	-	-	-	2	-	4	8	10	8	28	56	104	146	180	142	84	22	-
	ALL OTHER..MALE....	210	-	-	-	-	2	-	-	-	4	-	2	-	12	18	30	46	42	32	18	-	4	-
	FEMALE..	252	-	-	-	-	-	-	-	-	2	2	4	2	18	14	44	48	30	38	32	8	10	-
440	ARTERIOSCLEROSIS.....	346	-	-	-	-	-	-	-	-	-	-	-	-	14	10	14	40	60	86	52	54	16	-
	WHITE.....MALE....	144	-	-	-	-	-	-	-	-	-	-	-	-	6	8	6	14	22	34	28	22	4	-
	FEMALE..	144	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	10	30	42	16	28	10	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	10	-	2	4	-	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	8	8	4	4	2	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	254	-	-	-	-	-	-	2	-	-	-	2	2	4	20	40	62	50	36	26	10	-	-
	WHITE.....MALE....	140	-	-	-	-	-	-	-	-	-	-	-	-	4	10	24	34	28	22	12	6	-	-
	FEMALE..	76	-	-	-	-	-	-	2	-	-	-	-	2	-	6	8	18	18	8	12	2	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	2	2	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	6	2	4	-	2	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	16	4	4	-	-	-	-	-	2	-	-	-	2	-	-	2	-	2	-	-	-	-	-
	WHITE.....MALE....	10	4	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
	FEMALE..	6	-	2	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	630	32	4	2	8	4	-	2	-	6	12	10	24	16	40	44	60	96	78	112	52	28	-
	WHITE.....MALE....	282	12	-	2	2	4	-	-	-	-	4	-	12	6	18	34	36	36	36	54	20	6	-
	FEMALE..	220	6	2	-	-	-	-	2	-	-	2	4	6	6	10	6	18	36	22	54	28	18	-
	ALL OTHER..MALE....	72	8	-	-	2	-	-	-	-	4	4	2	2	-	10	-	6	20	12	-	2	-	-
	FEMALE..	56	6	2	-	4	-	-	-	-	2	2	4	4	4	2	4	-	4	8	4	2	4	-
470-474	INFLUENZA.....	94	2	-	-	-	-	-	2	-	-	4	4	6	2	8	6	8	8	14	16	10	4	-
	WHITE.....MALE....	36	-	-	-	-	-	-	-	-	-	2	-	2	-	2	6	6	2	6	8	-	2	-
	FEMALE..	38	-	-	-	-	-	-	2	-	-	-	4	4	-	4	-	2	2	4	4	10	2	-
	ALL OTHER..MALE....	10	2	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	2	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	4	-	-	-
480-486	PNEUMONIA.....	536	30	4	2	8	4	-	-	-	6	8	6	18	14	32	38	52	88	64	96	42	24	-
	WHITE.....MALE....	246	12	-	2	2	4	-	-	-	-	2	-	10	6	16	28	30	34	30	46	20	4	-
	FEMALE..	182	6	2	-	-	-	-	-	-	-	2	-	2	6	6	6	16	34	18	50	18	16	-
	ALL OTHER..MALE....	62	6	-	-	2	-	-	-	-	4	2	2	2	-	8	-	6	18	10	-	2	-	-
	FEMALE..	46	6	2	-	4	-	-	-	-	2	2	4	4	2	2	4	-	2	6	-	2	4	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARKANSAS--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	364	2	-	-	-	-	-	2	-	2	-	6	20	36	42	60	78	48	48	16	4	-	-
	WHITE.....MALE	282	-	-	-	-	-	-	-	-	-	-	2	12	28	36	50	64	36	38	14	2	-	-
	FEMALE	62	-	-	-	-	-	-	-	-	2	-	4	6	8	4	4	14	6	10	2	2	-	-
	ALL OTHER..MALE	20	2	-	-	-	-	-	2	-	-	-	-	2	-	2	6	-	6	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	68	2	-	-	-	-	-	-	-	-	-	2	4	12	8	12	10	6	10	2	-	-	-
	WHITE.....MALE	46	-	-	-	-	-	-	-	-	-	-	-	4	10	6	10	4	2	10	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	6	4	-	2	-	-	-
	ALL OTHER..MALE	6	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	276	-	-	-	-	-	-	-	-	-	-	4	12	24	32	46	62	42	36	14	4	-	-
	WHITE.....MALE	224	-	-	-	-	-	-	-	-	-	-	2	6	18	28	38	56	34	26	14	2	-	-
	FEMALE	40	-	-	-	-	-	-	-	-	-	-	2	4	6	4	4	6	2	10	-	2	-	-
	ALL OTHER..MALE	12	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	6	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	20	-	-	-	-	-	-	2	-	2	-	-	4	-	2	2	6	-	2	-	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	-	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	62	-	-	2	2	-	-	-	2	6	4	-	-	4	4	16	10	6	4	-	2	-	-
	WHITE.....MALE	32	-	-	-	-	-	-	-	-	2	2	-	-	2	2	8	10	2	2	-	2	-	-
	FEMALE	14	-	-	2	2	-	-	-	-	-	2	-	-	-	-	2	-	4	2	-	-	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	2	2	-	-	-	2	2	2	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-	-	-	-	-
540-543	APPENDICITIS	12	-	2	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	2	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	FEMALE	4	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	76	8	-	-	-	2	-	-	-	2	-	-	4	6	10	4	8	12	8	10	2	-	-
	WHITE.....MALE	32	4	-	-	-	-	-	-	-	-	-	-	-	2	6	2	6	6	4	2	-	-	-
	FEMALE	36	4	-	-	-	-	-	-	-	-	-	-	4	2	4	2	2	6	4	6	2	-	-
	ALL OTHER..MALE	6	-	-	-	-	2	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
571	CIRRHOSIS OF LIVER	178	-	-	-	2	-	-	2	-	4	14	18	32	20	38	24	8	14	2	-	-	-	-
	WHITE.....MALE	106	-	-	-	-	-	-	2	-	4	8	10	20	10	26	10	4	12	-	-	-	-	-
	FEMALE	50	-	-	-	2	-	-	-	-	-	2	4	12	10	10	8	-	-	2	-	-	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	-	2	2	-	-	2	6	2	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	2	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	38	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	14	12	2	2	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	-	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	6	6	2	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	126	-	-	-	-	-	-	-	2	-	4	6	2	4	20	16	20	22	14	10	4	2	-
	WHITE.....MALE	48	-	-	-	-	-	-	-	-	-	2	-	-	4	12	8	4	4	10	2	2	-	-
	FEMALE	26	-	-	-	-	-	-	-	2	-	-	2	-	-	-	4	6	4	2	4	2	-	-
	ALL OTHER..MALE	18	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	4	6	-	4	-	-	-
	FEMALE	34	-	-	-	-	-	-	-	-	-	2	2	2	-	6	4	6	8	2	-	-	2	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	16	-	-	-	-	-	-	-	2	-	-	-	-	-	6	-	2	2	2	2	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	110	-	-	-	-	-	-	-	-	-	4	6	2	4	14	16	18	20	12	8	4	2	-
	WHITE.....MALE	40	-	-	-	-	-	-	-	-	-	2	-	-	4	8	8	4	2	8	2	2	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	4	4	2	2	2	-	-
	ALL OTHER..MALE	16	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	6	-	4	-	-	-
	FEMALE	34	-	-	-	-	-	-	-	-	-	2	2	2	-	6	4	6	8	2	-	-	2	-
590	INFECTIONS OF KIDNEY	106	-	-	2	-	-	-	-	2	-	-	-	-	8	-	6	28	14	26	16	4	-	-
	WHITE.....MALE	40	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	8	6	10	8	2	-	-
	FEMALE	40	-	-	2	-	-	-	-	-	-	-	-	-	2	-	4	8	6	14	4	-	-	-
	ALL OTHER..MALE	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	8	2	2	2	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	2	2	-	-
600	HYPERPLASIA OF PROSTATE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	2	2	2	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	-	2	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARKANSAS--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	144	88	18	8	2	4	6	-	2	2	-	4	2	4	-	-	4	-	-	-	-	-	-
	WHITE.....MALE....	54	36	4	2	2	-	2	-	2	2	-	2	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	56	34	8	4	-	4	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	16	4	6	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	18	14	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	322	322	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	820	44	2	-	-	2	2	2	-	8	14	34	48	58	64	100	124	82	96	92	36	12	-
	WHITE.....MALE....	348	16	-	-	-	2	-	-	-	2	2	16	28	26	30	48	52	44	36	34	10	2	-
	FEMALE..	194	18	2	-	-	-	2	2	-	2	4	6	4	16	12	16	26	8	32	30	14	-	-
	ALL OTHER..MALE....	148	8	-	-	-	-	-	-	-	2	4	8	6	10	14	16	32	18	12	14	2	2	-
	FEMALE..	130	2	-	-	-	-	-	-	-	2	4	4	10	6	8	20	14	12	16	14	10	8	-
RE-SID-UAL	ALL OTHER DISEASES.....	1,072	12	8	10	12	14	12	14	16	20	28	34	52	66	118	136	124	144	144	74	26	8	-
	WHITE.....MALE....	518	4	4	6	10	4	4	4	8	6	10	16	24	36	54	82	52	76	68	26	20	4	-
	FEMALE..	360	6	2	4	2	4	4	6	4	4	10	12	12	18	34	34	50	50	62	38	2	2	-
	ALL OTHER..MALE....	98	-	-	-	-	6	4	2	2	6	4	2	4	8	20	10	14	4	2	6	2	2	-
	FEMALE..	96	2	2	-	-	-	-	2	2	4	4	4	12	4	10	10	8	14	12	4	2	-	-
E800-E949	ACCIDENTS.....	1,508	24	66	62	72	216	180	98	82	62	62	62	68	68	86	66	58	72	48	28	18	10	-
	WHITE.....MALE....	794	10	18	22	38	136	102	62	52	38	42	42	32	40	44	36	16	26	16	10	10	2	-
	FEMALE..	362	8	12	18	8	34	32	16	16	10	10	12	18	18	18	16	28	34	26	14	8	6	-
	ALL OTHER..MALE....	262	4	18	18	12	40	40	16	12	10	8	6	16	8	18	10	12	10	2	2	-	-	-
	FEMALE..	90	2	18	4	14	6	6	4	2	4	2	2	2	2	6	4	2	2	4	2	-	2	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	756	2	20	26	24	146	104	60	48	40	40	36	40	36	38	32	22	26	12	2	2	-	-
	WHITE.....MALE....	440	2	4	10	16	98	56	38	30	28	28	20	20	20	22	20	4	14	6	2	2	-	-
	FEMALE..	188	-	6	14	4	24	28	12	8	6	6	8	10	14	14	8	14	8	4	-	-	-	-
	ALL OTHER..MALE....	106	-	6	2	2	20	16	8	10	6	6	6	10	2	2	2	4	4	-	-	-	-	-
	FEMALE..	22	-	4	-	2	4	4	2	-	-	-	2	-	-	-	2	-	-	2	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	752	22	46	36	48	70	76	38	34	22	22	26	28	32	48	34	36	46	36	26	16	10	-
	WHITE.....MALE....	354	8	14	12	22	38	46	24	22	10	14	22	12	20	22	16	12	12	10	8	8	2	-
	FEMALE..	174	8	6	4	4	10	4	4	8	4	4	4	8	4	4	8	14	26	22	14	8	6	-
	ALL OTHER..MALE....	156	4	12	16	10	20	24	8	2	4	2	-	6	6	16	8	8	6	2	2	-	-	-
	FEMALE..	68	2	14	4	12	2	2	2	2	4	2	-	2	2	6	2	2	2	2	2	-	2	-
E950-E959	SUICIDE.....	218	...	...	-	4	12	8	24	20	14	12	30	30	18	14	10	12	6	4	-	-	-	-
	WHITE.....MALE....	152	...	...	-	4	10	6	20	16	12	8	22	14	8	8	6	8	6	4	-	-	-	-
	FEMALE..	58	...	...	-	-	-	2	4	4	2	4	6	14	8	6	4	4	-	-	-	-	-	-
	ALL OTHER..MALE....	6	...	...	-	-	2	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	...	...	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	190	-	2	2	2	8	26	30	12	16	20	16	16	20	6	10	-	-	4	-	-	-	-
	WHITE.....MALE....	56	-	2	2	-	4	2	10	2	6	4	4	10	4	2	-	-	-	4	-	-	-	-
	FEMALE..	20	-	-	-	-	2	2	2	2	-	2	2	2	2	2	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	84	-	-	-	2	2	16	8	6	6	12	8	4	12	2	6	-	-	-	-	-	-	-
	FEMALE..	30	-	-	-	-	-	6	10	2	4	2	2	-	2	-	2	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	68	-	-	-	-	4	10	10	6	6	4	10	2	6	2	-	2	-	4	2	-	-	-
	WHITE.....MALE....	32	-	-	-	-	-	8	6	4	-	-	6	-	4	-	-	-	-	2	2	-	-	-
	FEMALE..	18	-	-	-	-	2	2	-	2	2	2	2	2	2	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	4	-	2	2	2	-	-	2	-	-	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CALIFORNIA																							
	ALL CAUSES	169,984	4,794	1,090	626	726	2,168	2,938	2,378	2,140	2,548	3,910	6,352	8,830	11,516	14,892	17,224	19,904	22,388	20,910	15,140	7,144	2,340	26
	WHITE.....MALE	85,430	2,290	518	316	396	1,422	1,814	1,446	1,122	1,294	2,050	3,242	4,820	6,668	8,672	9,976	10,600	11,120	9,132	5,524	2,348	640	20
	FEMALE	70,776	1,586	392	232	216	488	634	544	576	770	1,264	2,176	3,090	3,808	4,928	5,844	7,958	10,146	10,894	9,092	4,534	1,600	4
	ALL OTHER..MALE	8,142	494	116	42	64	186	334	256	270	306	360	580	550	656	824	856	786	630	412	234	138	46	2
	FEMALE	5,636	424	64	36	50	72	156	132	172	178	236	354	370	384	468	548	560	492	472	290	124	54	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	144	48	14	4	-	-	2	-	-	2	4	4	2	2	8	6	14	8	12	10	4	-	-
	WHITE.....MALE	52	20	8	2	-	-	-	-	-	-	2	-	2	-	2	-	8	2	2	4	-	-	-
	FEMALE	76	20	4	2	-	-	2	-	-	2	2	4	-	2	4	4	6	4	10	6	4	-	-
	ALL OTHER..MALE	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	6	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	254	2	2	-	-	2	-	4	2	4	8	20	10	24	22	38	36	44	22	6	6	2	-
	WHITE.....MALE	146	2	-	-	-	2	-	2	-	2	4	6	2	10	10	24	28	34	14	2	2	2	-
	FEMALE	48	-	2	-	-	-	-	2	-	2	-	4	-	4	2	6	6	6	8	2	4	-	-
	ALL OTHER..MALE	40	-	-	-	-	-	-	-	2	-	2	6	6	8	4	6	-	4	-	2	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	2	4	2	2	6	2	2	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	156	-	-	-	-	-	-	2	-	2	8	18	6	12	8	30	18	22	16	6	6	2	-
	WHITE.....MALE	90	-	-	-	-	-	-	-	-	2	4	4	2	6	6	20	16	14	10	2	2	2	-
	FEMALE	30	-	-	-	-	-	-	2	-	-	-	4	-	2	-	6	-	4	6	2	4	-	-
	ALL OTHER..MALE	22	-	-	-	-	-	-	-	-	-	2	6	2	4	-	2	-	4	-	2	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	2	4	2	-	2	2	2	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	98	2	2	-	-	2	-	2	2	2	-	2	4	12	14	8	18	22	6	-	-	-	-
	WHITE.....MALE	56	2	-	-	-	2	-	2	-	-	-	2	-	4	4	4	12	20	4	-	-	-	-
	FEMALE	18	-	2	-	-	-	-	-	-	2	-	-	-	2	2	-	6	2	2	-	-	-	-
	ALL OTHER..MALE	18	-	-	-	-	-	-	-	2	-	-	-	4	4	4	4	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	4	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	36	14	10	2	-	-	2	-	2	-	-	-	-	4	-	-	2	-	-	-	-	-	-
	WHITE.....MALE	20	8	4	2	-	-	2	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE	14	6	4	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	252	48	-	-	-	2	-	-	-	8	4	10	6	16	14	18	22	36	38	16	10	4	-
	WHITE.....MALE	130	24	-	-	-	-	-	-	-	6	4	2	4	8	8	8	10	18	18	12	6	2	-
	FEMALE	88	10	-	-	-	2	-	-	-	2	-	4	2	8	4	4	6	18	18	4	4	2	-
	ALL OTHER..MALE	14	2	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	-	2	-	-	-	-
	FEMALE	20	12	-	-	-	-	-	-	-	-	-	2	-	-	-	4	2	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	28	-	-	-	-	-	-	-	-	-	-	2	-	4	2	10	6	2	2	-	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	4	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CALIFORNIA—CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	354	22	20	10	-	12	14	14	18	10	12	28	30	40	34	18	16	18	12	14	6	4	2
	WHITE.....MALE....	130	10	8	-	-	4	6	6	2	4	6	10	10	18	6	6	8	12	6	4	2	2	-
	FEMALE..	166	8	8	8	-	4	4	4	10	2	6	14	14	18	26	8	6	4	4	10	4	2	2
	ALL OTHER..MALE....	24	2	2	-	-	2	-	-	2	-	-	-	6	4	-	4	2	-	-	-	-	-	-
	FEMALE..	34	2	2	2	-	2	4	4	4	4	-	4	-	-	2	-	-	2	2	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	31,636	22	86	124	94	118	162	208	280	418	810	1,584	2,532	3,374	4,076	4,358	4,540	4,016	2,832	1,478	420	104	-
	WHITE.....MALE....	15,576	6	38	72	54	62	102	98	102	160	298	614	1,020	1,664	2,116	2,344	2,444	2,128	1,446	612	168	28	-
	FEMALE..	13,700	10	44	44	30	42	40	88	126	198	414	784	1,262	1,486	1,632	1,668	1,804	1,668	1,266	796	230	68	-
	ALL OTHER..MALE....	1,330	4	2	4	2	4	12	10	30	28	30	78	116	138	222	202	198	124	72	38	14	2	-
	FEMALE..	1,030	2	2	4	8	10	8	12	22	32	68	108	134	86	106	144	94	96	48	32	8	6	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	736	-	-	-	-	-	4	2	4	4	14	44	82	126	110	112	102	56	50	20	4	2	-
	WHITE.....MALE....	454	-	-	-	-	-	-	-	2	2	8	18	38	76	70	82	72	34	40	10	-	2	-
	FEMALE..	216	-	-	-	-	-	2	-	-	-	2	14	34	38	40	24	28	14	8	8	4	-	-
	ALL OTHER..MALE....	40	-	-	-	-	-	-	2	-	2	-	8	6	8	-	4	2	6	2	-	-	-	-
	FEMALE..	26	-	-	-	-	-	2	-	2	-	4	4	4	4	-	2	-	2	-	2	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	8,334	-	-	2	-	2	8	22	28	72	142	266	514	764	1,004	1,266	1,320	1,290	942	518	136	38	-
	WHITE.....MALE....	4,046	-	-	-	-	2	6	12	10	28	68	124	252	432	540	650	624	630	418	188	56	6	-
	FEMALE..	3,606	-	-	2	-	-	2	8	8	28	60	96	194	264	386	488	588	588	482	310	72	30	-
	ALL OTHER..MALE....	402	-	-	-	-	-	-	2	8	10	6	18	42	46	52	82	66	30	20	14	4	2	-
	FEMALE..	280	-	-	-	-	-	-	-	2	6	8	28	26	22	26	46	42	42	22	6	4	-	-
160-163	OF RESPIRATORY SYSTEM....	7,310	-	-	-	4	-	2	12	20	70	178	404	716	978	1,190	1,142	1,134	826	426	170	26	12	-
	WHITE.....MALE....	5,082	-	-	-	2	-	2	6	8	34	92	258	410	660	822	890	854	608	310	106	16	4	-
	FEMALE..	1,702	-	-	-	-	-	-	4	6	22	70	106	240	262	254	180	214	178	94	56	10	6	-
	ALL OTHER..MALE....	414	-	-	-	-	-	-	2	6	10	6	30	34	50	104	56	58	36	16	6	-	-	-
	FEMALE..	112	-	-	-	2	-	-	-	-	4	10	10	32	6	10	16	8	4	6	2	-	2	-
174	OF BREAST.....	2,998	-	-	-	-	-	6	16	38	58	154	298	374	412	424	346	282	254	164	118	36	18	-
	WHITE.....MALE....	28	-	-	-	-	-	-	-	-	-	-	-	2	-	14	2	4	2	4	-	-	-	-
	FEMALE..	2,790	-	-	-	-	-	6	14	32	50	140	276	336	396	384	326	268	240	156	116	32	18	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-
	FEMALE..	176	-	-	-	-	-	-	2	6	8	14	22	36	16	22	18	10	12	4	2	4	-	-
180-187	OF GENITAL ORGANS.....	3,896	-	-	2	2	6	12	38	42	50	90	170	256	320	424	476	572	624	476	262	58	16	-
	WHITE.....MALE....	1,590	-	-	-	-	4	10	20	8	10	8	6	20	44	130	182	282	364	314	150	28	10	-
	FEMALE..	1,970	-	-	2	2	2	2	14	24	34	66	136	214	252	264	250	238	210	140	92	22	6	-
	ALL OTHER..MALE....	144	-	-	-	-	-	-	-	2	-	-	-	-	6	10	18	38	34	16	12	8	-	-
	FEMALE..	192	-	-	-	-	-	-	4	8	6	16	28	22	18	20	26	14	16	6	8	-	-	-
188, 189	OF URINARY ORGANS.....	1,410	4	10	8	2	2	-	-	2	-	18	30	76	110	174	218	234	202	168	102	46	4	-
	WHITE.....MALE....	906	-	6	2	2	-	-	-	-	-	12	18	46	74	118	140	160	148	100	58	20	2	-
	FEMALE..	400	2	4	6	-	2	-	-	-	-	6	8	22	26	40	54	64	44	58	40	24	-	-
	ALL OTHER..MALE....	68	2	-	-	-	-	-	-	2	-	-	4	6	10	8	12	6	8	6	2	2	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	-	2	-	8	12	4	2	4	2	-	2	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	3,716	4	42	42	34	40	76	42	74	92	122	214	304	376	450	408	468	408	306	154	56	4	-
	WHITE.....MALE....	1,826	-	20	32	20	26	52	24	32	38	56	110	148	198	262	202	242	190	114	50	8	2	-
	FEMALE..	1,624	2	20	8	12	12	12	12	32	44	48	86	128	152	146	180	202	198	184	96	48	2	-
	ALL OTHER..MALE....	148	2	-	2	-	-	8	4	8	4	12	12	20	10	30	10	12	6	8	-	-	-	-
	FEMALE..	118	-	2	-	2	2	4	2	2	6	6	6	8	16	12	16	12	14	-	8	-	-	-
204-207	LEUKEMIA.....	1,280	14	26	62	40	44	22	28	28	32	46	48	46	82	92	150	142	142	138	68	28	2	-
	WHITE.....MALE....	642	6	8	32	22	14	14	12	16	20	32	22	14	46	52	82	80	62	64	24	18	2	-
	FEMALE..	546	6	18	26	12	22	6	14	8	8	6	20	24	34	38	58	54	74	68	40	10	-	-
	ALL OTHER..MALE....	40	-	-	-	2	2	2	-	2	2	2	2	4	-	-	6	8	2	4	2	-	-	-
	FEMALE..	52	2	-	4	4	6	-	2	2	2	6	4	4	2	2	4	-	4	2	2	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	1,956	-	8	8	12	24	32	48	44	40	46	110	164	206	208	240	286	214	162	66	30	8	-
	WHITE.....MALE....	1,002	-	4	6	8	16	18	24	26	28	22	58	90	134	108	114	126	90	82	26	22	-	-
	FEMALE..	846	-	2	-	4	4	10	22	16	12	16	42	70	62	80	108	148	122	76	38	8	6	-
	ALL OTHER..MALE....	70	-	2	2	-	2	2	-	2	-	4	4	4	8	14	14	8	2	-	2	-	-	-
	FEMALE..	38	-	-	-	-	2	2	2	-	-	4	6	-	2	6	4	4	-	4	-	-	2	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	500	4	8	4	10	6	18	8	12	8	28	18	42	56	48	66	40	62	28	22	10	2	-
	WHITE.....MALE....	196	2	4	4	6	6	6	4	4	-	14	8	14	16	24	26	14	26	10	6	2	-	-
	FEMALE..	264	2	4	-	4	-	8	4	8	8	12	6	22	36	18	36	22	34	16	14	8	2	-
	ALL OTHER..MALE....	28	-	-	-	-	-	2	-	-	-	2	2	4	2	4	4	4	-	2	2	-	-	-
	FEMALE..	12	-	-	-	-	-	2	-	-	-	-	2	2	2	2	-	-	2	-	-	-	-	-
250	DIABETES MELLITUS.....	2,544	-	2	2	8	16	14	14	42	32	50	98	106	138	234	306	394	418	356	202	98	14	-
	WHITE.....MALE....	942	-	-	-	4	6	2	6	20	10	18	44	54	60	78	124	154	148	110	60	40	4	-
	FEMALE..	1,330	-	2	2	2	8	10	8	14	16	18	32	34	56	114	144	198	256	220	134	54	8	-
	ALL OTHER..MALE....	92	-	-	-	-	-	-	-	-	2	8	8	4	8	18	16	10	8	6	4	-	-	-
	FEMALE..	180	-	-	-	2	2	2	-	8	4	6	14	14	14	24	22	32	6	20	4	4	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CALIFORNIA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	204	2	2	-	2	-	-	-	-	2	-	6	2	10	4	22	14	36	32	42	24	4	-
	WHITE.....MALE....	80	2	-	-	2	-	-	-	-	-	-	2	-	6	4	10	6	10	16	8	12	2	-
	FEMALE..	118	-	2	-	-	-	-	-	-	2	-	4	2	4	-	10	4	26	16	34	12	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-
280-285	ANEMIAS.....	252	6	6	2	2	6	8	6	4	6	2	8	10	14	10	10	26	34	54	28	10	-	-
	WHITE.....MALE....	78	2	2	2	2	-	-	-	2	-	-	-	2	8	4	2	12	16	14	10	-	-	-
	FEMALE..	132	2	2	-	-	-	2	2	-	-	-	4	6	6	6	8	12	18	38	16	10	-	-
	ALL OTHER..MALE....	14	2	-	-	-	2	-	2	-	6	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	28	-	2	-	-	4	6	2	2	-	2	4	-	-	-	-	2	-	2	2	-	-	-
320	MENINGITIS.....	134	50	16	2	6	-	2	-	2	4	6	8	4	4	8	10	2	8	-	2	-	-	-
	WHITE.....MALE....	62	28	2	2	-	-	2	-	2	4	-	-	2	2	4	6	-	6	-	2	-	-	-
	FEMALE..	44	14	8	-	4	-	-	-	-	-	-	4	-	2	4	4	2	2	-	-	-	-	-
	ALL OTHER..MALE....	20	4	4	-	-	-	-	-	-	-	6	4	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	86,618	54	24	24	26	52	128	140	238	474	1,034	1,994	3,336	4,868	6,926	8,908	11,360	14,092	14,374	11,192	5,528	1,844	2
	WHITE.....MALE....	42,390	16	12	12	10	32	68	60	126	266	678	1,244	2,212	3,240	4,386	5,368	5,972	6,728	5,908	3,844	1,722	486	-
	FEMALE..	38,518	28	6	8	6	12	22	44	56	102	214	432	760	1,122	1,914	2,784	4,610	6,662	7,860	6,964	3,620	1,290	2
	ALL OTHER..MALE....	3,216	2	6	-	8	6	26	20	24	76	94	214	238	312	394	470	422	368	252	160	92	32	-
	FEMALE..	2,494	8	-	4	2	2	12	16	32	30	48	104	126	194	232	286	356	334	354	224	94	36	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	62,330	46	20	12	16	34	94	90	168	356	830	1,638	2,788	4,114	5,636	6,942	8,414	9,898	9,444	7,142	3,510	1,136	2
	WHITE.....MALE....	32,588	12	10	8	8	16	56	44	98	230	586	1,110	1,970	2,866	3,724	4,266	4,546	4,886	4,090	2,544	1,184	334	-
	FEMALE..	25,688	26	4	2	2	12	10	22	38	50	130	280	536	870	1,462	2,100	3,314	4,532	4,968	4,348	2,210	770	2
	ALL OTHER..MALE....	2,406	2	6	-	4	4	20	12	16	62	80	180	192	240	296	378	312	250	164	116	60	12	-
	FEMALE..	1,648	6	-	2	2	2	8	12	16	14	34	68	90	138	154	198	242	230	222	134	56	20	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	1,498	-	-	2	-	-	12	16	18	26	50	50	96	156	196	200	228	192	146	80	24	6	-
	WHITE.....MALE....	642	-	-	2	-	-	6	8	6	10	30	20	44	66	100	82	96	70	68	24	6	4	-
	FEMALE..	752	-	-	-	-	-	-	8	8	6	18	20	42	78	90	100	120	120	72	52	16	2	-
	ALL OTHER..MALE....	56	-	-	-	-	-	4	-	4	4	2	4	2	6	4	8	8	2	4	2	2	-	-
	FEMALE..	48	-	-	-	-	-	2	-	-	6	-	6	8	6	2	10	4	-	2	2	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	638	-	-	-	-	-	2	2	4	8	4	26	28	26	52	68	82	98	114	74	40	10	-
	WHITE.....MALE....	200	-	-	-	-	-	2	-	-	2	2	8	10	10	32	22	28	28	32	20	4	-	-
	FEMALE..	336	-	-	-	-	-	-	-	-	2	-	12	10	6	14	28	42	54	72	52	34	10	-
	ALL OTHER..MALE....	46	-	-	-	-	-	-	-	2	2	2	4	2	4	2	14	-	6	8	-	-	-	-
	FEMALE..	56	-	-	-	-	-	-	2	2	2	-	2	6	6	4	4	12	10	2	2	2	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	294	-	-	-	-	-	-	-	-	2	-	4	6	8	4	22	34	68	56	64	14	12	-
	WHITE.....MALE....	150	-	-	-	-	-	-	-	-	2	-	-	4	6	2	10	14	46	30	22	8	6	-
	FEMALE..	110	-	-	-	-	-	-	-	-	-	-	-	2	2	2	8	10	16	26	32	6	6	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	4	-	4	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	6	2	-	6	-	-	-
410-413	ISCHEMIC HEART DISEASE...	57,606	-	-	-	2	2	10	22	90	280	694	1,464	2,540	3,772	5,206	6,478	7,830	9,252	8,878	6,710	3,296	1,078	2
	WHITE.....MALE....	30,526	-	-	-	2	2	8	20	68	200	512	1,042	1,840	2,694	3,496	4,062	4,308	4,606	3,844	2,386	1,124	312	-
	FEMALE..	23,552	-	-	-	-	-	2	-	12	30	90	222	448	750	1,288	1,900	3,020	4,210	4,682	4,098	2,064	734	2
	ALL OTHER..MALE....	2,118	-	-	-	-	-	-	2	6	46	64	152	182	212	276	336	292	228	148	106	56	12	-
	FEMALE..	1,410	-	-	-	-	-	-	-	4	4	28	48	70	116	146	180	210	208	204	120	52	20	-
410	ACUTE MYOCARDIAL INFARCTION.....	26,334	-	-	-	2	-	6	10	54	172	422	880	1,452	2,066	2,868	3,492	3,882	4,304	3,438	2,154	890	242	-
	WHITE.....MALE....	15,430	-	-	-	2	-	6	10	42	132	338	678	1,100	1,558	2,030	2,210	2,256	2,234	1,584	812	372	66	-
	FEMALE..	9,508	-	-	-	-	-	-	-	10	14	50	118	234	398	668	1,048	1,412	1,932	1,732	1,242	482	168	-
	ALL OTHER..MALE....	866	-	-	-	-	-	-	-	2	26	18	66	90	74	106	162	126	74	48	50	22	2	-
	FEMALE..	530	-	-	-	-	-	-	-	-	-	16	18	28	36	64	72	88	64	74	50	14	6	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	270	-	-	-	-	-	-	-	2	4	-	10	20	18	22	40	26	40	38	22	18	10	-
	WHITE.....MALE....	162	-	-	-	-	-	-	-	2	4	-	8	14	14	12	26	18	24	18	12	6	4	-
	FEMALE..	100	-	-	-	-	-	-	-	-	-	-	2	4	2	10	14	8	14	18	10	12	6	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	30,994	-	-	-	-	2	4	12	34	104	272	574	1,068	1,688	2,316	2,944	3,922	4,906	5,400	4,532	2,388	826	2
	WHITE.....MALE....	14,930	-	-	-	-	2	2	10	24	64	174	356	726	1,122	1,454	1,824	2,034	2,346	2,242	1,562	746	242	-
	FEMALE..	13,940	-	-	-	-	-	2	-	2	16	40	102	210	350	610	838	1,600	2,264	2,930	2,844	1,570	560	2
	ALL OTHER..MALE....	1,246	-	-	-	-	-	-	2	4	20	46	86	90	138	170	174	166	152	98	56	34	10	-
	FEMALE..	878	-	-	-	-	-	-	-	4	4	12	30	42	78	82	108	122	144	130	70	38	14	-
413	ANGINA PECTORIS.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CALIFORNIA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	502	6	10	4	6	14	36	16	30	14	24	14	36	20	30	28	32	60	42	40	30	10	-
	WHITE.....MALE....	246	2	6	4	-	6	20	10	12	6	14	4	18	14	14	16	18	30	28	12	6	6	-
	FEMALE..	192	4	2	-	2	6	6	2	12	4	4	6	16	-	12	10	12	28	12	28	22	4	-
	ALL OTHER..MALE....	28	-	2	-	2	-	6	2	2	2	2	4	-	2	2	-	2	-	-	-	-	-	-
	FEMALE..	36	-	-	-	2	2	4	2	4	2	4	-	2	4	2	2	-	2	2	-	2	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	1,792	40	10	6	8	18	34	34	26	26	58	80	82	132	148	146	208	228	208	174	106	20	-
	WHITE.....MALE....	824	10	4	2	6	8	20	6	12	10	28	36	54	76	80	74	82	106	88	80	36	6	-
	FEMALE..	746	22	2	2	-	6	2	12	6	8	18	20	18	34	56	54	110	104	104	86	68	14	-
	ALL OTHER..MALE....	142	2	4	-	2	4	10	8	2	8	10	14	6	16	12	18	6	10	4	4	2	-	-
	FEMALE..	80	6	-	2	-	-	2	8	6	-	2	10	4	6	-	-	10	8	12	4	-	-	-
400, 401, 403	HYPERTENSION.....	464	-	-	-	-	-	-	2	-	8	12	12	10	24	28	32	44	56	102	74	38	22	-
	WHITE.....MALE....	190	-	-	-	-	-	-	-	-	4	2	4	2	14	14	18	20	16	44	32	12	8	-
	FEMALE..	210	-	-	-	-	-	-	-	-	-	4	2	6	4	10	10	16	36	52	36	22	12	-
	ALL OTHER..MALE....	34	-	-	-	-	-	-	2	-	2	4	4	2	4	2	-	2	2	4	-	4	2	-
	FEMALE..	30	-	-	-	-	-	-	-	-	2	2	2	-	2	2	4	6	2	2	6	-	-	-
430-438	CEREBROVASCULAR DISEASES.	18,886	6	4	12	6	14	26	44	64	96	160	282	462	576	966	1,522	2,270	3,314	3,888	3,188	1,506	480	-
	WHITE.....MALE....	7,236	4	2	4	-	12	10	14	26	28	72	100	196	276	446	782	1,050	1,354	1,364	1,010	388	98	-
	FEMALE..	10,286	2	2	6	2	-	8	22	16	42	72	124	196	194	374	580	1,028	1,772	2,348	2,076	1,066	356	-
	ALL OTHER..MALE....	662	-	-	-	4	2	6	6	8	12	6	28	36	58	82	84	90	100	66	36	22	16	-
	FEMALE..	702	-	-	2	-	-	2	2	14	14	10	30	34	48	64	76	102	88	110	66	30	10	-
431	CEREBRAL HEMORRHAGE.....	2,510	-	2	2	4	6	8	10	16	28	40	88	150	180	218	282	346	398	374	238	100	20	-
	WHITE.....MALE....	960	-	2	-	-	4	4	2	4	6	22	38	64	82	114	128	116	154	136	64	20	-	-
	FEMALE..	1,292	-	-	2	-	-	-	6	-	14	10	22	64	60	72	122	208	230	224	168	76	14	-
	ALL OTHER..MALE....	130	-	-	-	4	2	2	2	8	8	4	10	6	24	16	12	8	10	8	2	-	4	-
	FEMALE..	128	-	-	-	-	-	2	-	4	-	4	18	16	14	16	20	14	4	6	4	4	2	-
433	CEREBRAL THROMBOSIS.....	5,676	-	-	-	-	-	-	-	6	8	16	18	50	94	236	438	664	1,110	1,328	1,052	506	150	-
	WHITE.....MALE....	2,140	-	-	-	-	-	-	-	2	6	10	8	26	62	116	244	332	440	428	302	132	32	-
	FEMALE..	3,206	-	-	-	-	-	-	-	-	-	6	4	10	20	94	150	284	594	838	726	366	114	-
	ALL OTHER..MALE....	160	-	-	-	-	-	-	-	-	2	-	2	10	6	22	24	16	36	24	12	4	2	-
	FEMALE..	170	-	-	-	-	-	-	-	4	-	-	4	4	6	4	20	32	40	38	12	4	2	-
434	CEREBRAL EMBOLISM.....	112	-	-	-	-	-	2	2	-	-	2	2	2	10	10	18	14	22	18	6	2	2	-
	WHITE.....MALE....	50	-	-	-	-	-	-	2	-	-	-	2	2	2	4	10	8	8	8	4	-	-	-
	FEMALE..	48	-	-	-	-	-	-	-	-	-	2	-	-	8	4	8	2	14	6	2	2	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	10,588	6	2	10	2	8	16	32	42	60	102	174	260	292	502	784	1,246	1,784	2,168	1,892	898	308	-
	WHITE.....MALE....	4,086	4	-	4	-	8	6	10	20	16	40	52	104	130	212	400	594	752	792	640	236	66	-
	FEMALE..	5,740	2	2	4	2	-	8	16	16	28	54	98	122	106	204	300	534	934	1,280	1,180	622	228	-
	ALL OTHER..MALE....	366	-	-	-	-	-	2	4	-	2	2	16	20	28	42	48	66	54	34	22	10	8	-
	FEMALE..	396	-	-	2	-	-	-	2	6	14	6	8	14	28	44	36	52	44	62	50	22	6	-
440	ARTERIOSCLEROSIS.....	2,566	-	-	-	-	-	-	-	-	2	4	10	10	26	54	86	222	392	586	596	398	180	-
	WHITE.....MALE....	942	-	-	-	-	-	-	-	-	-	4	2	4	16	28	52	104	176	210	188	118	40	-
	FEMALE..	1,524	-	-	-	-	-	-	-	-	2	-	6	4	6	18	34	104	196	354	390	274	136	-
	ALL OTHER..MALE....	46	-	-	-	-	-	-	-	-	-	-	2	2	2	4	-	8	8	8	8	4	-	-
	FEMALE..	54	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	6	12	14	10	2	4	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	2,372	2	-	-	4	4	8	4	6	12	28	52	66	128	242	326	410	432	354	192	76	26	-
	WHITE.....MALE....	1,434	-	-	-	2	4	2	2	2	4	14	28	40	68	174	250	252	296	200	70	20	6	-
	FEMALE..	810	-	-	-	2	-	4	-	2	8	8	20	18	48	50	60	148	126	138	114	48	16	-
	ALL OTHER..MALE....	68	-	-	-	-	-	-	-	-	-	4	-	6	8	10	8	10	8	10	-	2	2	-
	FEMALE..	60	2	-	-	-	-	2	2	2	-	2	4	2	4	8	8	-	2	6	8	6	2	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	110	16	12	-	-	-	4	-	4	2	4	4	8	8	4	8	14	6	6	6	2	2	-
	WHITE.....MALE....	62	8	10	-	-	-	-	-	2	2	-	-	6	4	4	6	8	2	4	2	2	2	-
	FEMALE..	38	6	-	-	-	-	4	-	2	-	4	4	-	4	-	2	4	2	2	4	-	-	-
	ALL OTHER..MALE....	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	4,766	418	78	18	20	28	38	36	30	48	88	108	162	184	246	312	422	662	702	600	414	152	-
	WHITE.....MALE....	2,216	172	32	10	12	18	20	24	12	18	28	42	84	116	138	184	224	348	304	250	142	38	-
	FEMALE..	2,148	144	36	8	6	10	12	8	12	16	38	44	52	42	80	110	176	274	384	332	252	112	-
	ALL OTHER..MALE....	244	62	2	-	-	-	6	2	4	6	12	8	22	16	18	12	20	28	8	6	12	-	-
	FEMALE..	158	40	8	-	2	-	-	2	2	8	10	14	4	10	10	6	2	12	6	12	8	2	-
470-474	INFLUENZA.....	318	2	2	2	-	-	2	-	-	2	-	4	10	8	18	18	48	56	42	62	28	14	-
	WHITE.....MALE....	144	2	2	2	-	-	2	-	-	-	-	-	6	6	10	8	36	24	22	18	6	-	-
	FEMALE..	164	-	-	-	-	-	-	-	-	2	-	4	4	-	6	10	12	32	18	44	18	14	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-
480-486	PNEUMONIA.....	4,448	416	76	16	20	28	36	36	30	46	88	104	152	176	228	294	374	606	660	538	386	138	-
	WHITE.....MALE....	2,072	170	30	8	12	18	18	24	12	18	28	42	78	110	128	176	188	324	282	232	136	38	-
	FEMALE..	1,984	144	36	8	6	10	12	8	12	14	38	40	48	42	74	100	164	242	366	288	234	98	-
	ALL OTHER..MALE....	240	62	2	-	-	-	6	2	4	6	12	8	22	16	18	12	20	28	8	6	8	-	-
	FEMALE..	152	40	8	-	2	-	-	2	2	8	10	14	4	8	8	6	2	12	4	12	8	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CALIFORNIA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	3,218	8	18	4	8	16	10	2	12	14	28	70	142	190	420	510	622	536	380	164	42	22	-
	WHITE.....MALE	2,218	4	8	2	-	10	8	2	6	2	14	32	78	112	296	366	444	404	284	108	28	10	-
	FEMALE	818	2	6	-	2	2	2	-	4	8	10	24	60	68	100	116	160	106	78	50	12	8	-
	ALL OTHER..MALE	138	2	2	2	4	2	-	-	-	2	4	10	2	10	16	22	16	22	14	6	-	2	-
	FEMALE	44	-	2	-	2	2	-	-	2	2	-	4	2	-	8	6	2	4	4	-	2	2	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	630	4	14	4	2	6	2	-	2	-	6	10	34	34	74	94	132	70	62	58	14	8	-
	WHITE.....MALE	434	4	6	2	-	6	2	-	2	-	4	8	16	16	54	66	92	56	52	38	8	2	-
	FEMALE	162	-	6	-	-	-	-	-	-	-	2	-	18	14	12	20	40	14	10	16	6	4	-
	ALL OTHER..MALE	24	-	-	2	2	-	-	-	-	-	-	2	-	4	6	4	-	-	-	4	-	-	-
	FEMALE	10	-	2	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	2	-
492	EMPHYSEMA	2,384	2	2	-	4	2	-	2	2	4	10	46	90	144	322	394	470	440	308	100	28	14	-
	WHITE.....MALE	1,712	-	2	-	-	2	-	2	-	-	8	20	52	92	238	290	344	338	228	68	20	8	-
	FEMALE	558	2	-	-	2	-	-	-	2	4	2	18	34	46	70	84	112	78	64	30	6	4	-
	ALL OTHER..MALE	94	-	-	-	2	-	-	-	-	-	-	8	2	6	8	18	12	22	12	2	-	2	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	-	-	2	-	6	2	2	2	4	-	2	-	-
493	ASTHMA	204	2	2	-	2	8	8	-	8	10	12	14	18	12	24	22	20	26	10	6	-	-	-
	WHITE.....MALE	72	-	-	-	-	2	6	-	4	2	2	4	10	4	4	10	8	10	4	2	-	-	-
	FEMALE	98	-	-	-	-	2	2	-	2	4	6	6	8	8	18	12	8	14	4	4	-	-	-
	ALL OTHER..MALE	20	2	2	-	-	2	-	-	-	2	4	-	-	-	2	-	4	-	2	-	-	-	-
	FEMALE	14	-	-	-	2	2	-	-	2	2	-	4	-	-	-	-	-	2	-	-	-	-	-
531-533	PEPTIC ULCER	772	4	-	-	4	-	4	-	2	8	22	32	52	66	94	94	92	96	106	72	24	-	-
	WHITE.....MALE	470	2	-	-	4	-	2	-	-	6	12	14	38	30	66	60	60	64	70	32	10	-	-
	FEMALE	252	2	-	-	-	-	2	-	2	2	2	16	8	26	26	30	30	28	30	36	12	-	-
	ALL OTHER..MALE	36	-	-	-	-	-	-	-	-	-	6	2	-	10	2	2	2	4	4	2	2	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	2	-	6	-	-	2	-	-	2	2	-	-	-
540-543	APPENDICITIS	92	2	2	-	-	2	4	-	-	2	-	8	6	6	8	10	8	6	12	14	2	-	-
	WHITE.....MALE	40	2	-	-	-	-	2	-	-	-	-	4	2	2	2	6	6	4	6	4	-	-	-
	FEMALE	38	-	2	-	-	2	2	-	-	-	-	-	2	2	6	2	2	2	6	8	2	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	2	-	4	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	572	52	2	-	6	2	8	-	6	4	8	12	18	30	40	38	56	86	92	72	28	10	2
	WHITE.....MALE	216	28	2	-	-	2	-	-	4	-	2	6	8	10	16	12	18	38	32	28	6	2	2
	FEMALE	310	20	-	-	4	-	4	-	-	2	4	4	8	20	22	22	32	46	52	42	20	8	-
	ALL OTHER..MALE	24	4	-	-	2	-	2	-	-	-	2	-	2	-	-	2	4	2	4	-	-	-	-
	FEMALE	22	-	-	-	-	-	2	-	2	2	-	2	-	-	2	2	2	-	4	2	2	-	-
571	CIRRHOSIS OF LIVER	4,400	2	4	-	-	2	6	28	92	192	424	606	668	762	690	446	230	140	58	38	10	2	-
	WHITE.....MALE	2,574	-	2	-	-	2	4	14	42	100	242	326	380	446	434	320	132	68	30	24	6	2	-
	FEMALE	1,454	2	-	-	-	-	-	12	28	48	120	212	244	280	206	106	86	68	26	14	2	-	-
	ALL OTHER..MALE	268	-	-	-	-	-	2	-	14	30	48	54	30	30	32	16	6	4	-	-	2	-	-
	FEMALE	104	-	2	-	-	-	-	2	8	14	14	14	14	6	18	4	6	-	2	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	236	2	-	-	-	-	2	-	-	2	4	6	-	10	6	32	40	42	36	46	4	4	-
	WHITE.....MALE	102	2	-	-	-	-	-	-	-	-	2	2	-	8	2	14	16	18	16	16	2	4	-
	FEMALE	120	-	-	-	-	-	2	-	-	2	2	2	-	2	2	16	20	24	20	26	2	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	4	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	546	-	-	-	-	2	6	2	8	6	2	36	30	44	58	66	72	78	64	46	20	6	-
	WHITE.....MALE	218	-	-	-	-	-	4	-	2	2	-	22	12	14	16	32	30	32	30	14	6	2	-
	FEMALE	248	-	-	-	-	2	2	2	2	-	-	8	14	22	28	24	30	44	24	28	14	4	-
	ALL OTHER..MALE	50	-	-	-	-	-	-	-	2	2	2	2	4	2	10	6	12	-	6	2	-	-	-
	FEMALE	30	-	-	-	-	-	-	-	2	2	-	4	-	6	4	4	-	2	4	2	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	110	-	-	-	-	2	2	-	2	-	-	6	6	14	8	8	22	20	14	4	2	-	-
	WHITE.....MALE	52	-	-	-	-	-	-	-	-	-	-	2	4	4	4	6	12	10	6	4	-	-	-
	FEMALE	44	-	-	-	-	2	2	-	-	-	-	2	2	8	-	2	8	10	6	-	2	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	2	-	-	-	-	2	4	-	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	436	-	-	-	-	-	4	2	6	6	2	30	24	30	50	58	50	58	50	42	18	6	-
	WHITE.....MALE	166	-	-	-	-	-	4	-	2	2	-	20	8	10	12	26	18	22	24	10	6	2	-
	FEMALE	204	-	-	-	-	-	-	2	2	-	-	6	12	14	28	22	22	34	18	28	12	4	-
	ALL OTHER..MALE	40	-	-	-	-	-	-	-	-	2	2	2	4	-	6	6	10	-	6	2	-	-	-
	FEMALE	26	-	-	-	-	-	-	-	2	2	-	2	-	6	4	4	-	2	2	2	-	-	-
590	INFECTIONS OF KIDNEY	508	2	-	-	-	4	8	2	4	4	8	14	28	26	30	56	58	92	86	56	20	10	-
	WHITE.....MALE	164	2	-	-	-	-	2	2	-	4	-	2	-	6	4	20	20	42	32	18	8	2	-
	FEMALE	282	-	-	-	-	4	6	-	2	-	4	12	12	12	22	32	28	44	50	34	12	8	-
	ALL OTHER..MALE	28	-	-	-	-	-	-	-	2	-	2	-	10	6	-	-	6	2	-	-	-	-	-
	FEMALE	34	-	-	-	-	-	-	-	-	-	2	-	6	2	4	4	4	4	4	4	-	-	-
600	HYPERPLASIA OF PROSTATE	160	-	-	-	-	-	-	-	-	-	-	-	-	2	2	14	20	34	34	26	24	4	-
	WHITE.....MALE	144	-	-	-	-	-	-	-	-	-	-	-	-	2	2	12	16	32	32	24	22	2	-
	ALL OTHER..MALE	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	2	2	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CALIFORNIA—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	54	-	-	-	-	8	12	12	14	4	2	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	46	-	-	-	-	8	12	12	8	4	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	8	-	-	-	-	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	54	-	-	-	-	8	12	12	14	4	2	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	46	-	-	-	-	8	12	12	8	4	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	8	-	-	-	-	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	1,328	840	132	56	26	38	32	18	2	10	12	28	18	22	24	28	14	14	10	2	2	-	-
	WHITE.....MALE....	638	406	56	20	12	26	12	10	2	4	6	14	12	10	10	18	6	8	2	2	2	-	-
	FEMALE..	500	290	58	28	10	12	14	8	-	6	4	14	6	10	12	10	8	4	6	-	-	-	-
	ALL OTHER..MALE....	96	74	10	2	2	-	4	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	FEMALE..	94	70	8	6	2	-	2	-	-	-	2	-	-	-	2	-	-	-	2	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	2,586	2,586	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	1,272	1,272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	826	826	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	268	268	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	1,508	1,508	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	762	762	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	470	470	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	1,078	1,078	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	510	510	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	356	356	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	586	272	22	2	-	4	12	20	12	8	16	6	10	22	28	16	18	28	20	24	16	20	10
	WHITE.....MALE....	290	128	12	2	-	4	10	12	4	8	6	2	4	16	16	6	8	14	6	12	8	4	8
	FEMALE..	196	88	6	-	-	-	2	6	2	-	4	4	2	6	4	10	6	12	10	12	8	14	-
	ALL OTHER..MALE....	52	24	4	-	-	-	-	-	4	-	2	-	2	-	4	-	4	2	4	-	-	-	2
	FEMALE..	48	32	-	-	-	-	-	2	2	-	4	-	2	-	4	-	-	-	-	-	-	2	-
RESIDUAL	ALL OTHER DISEASES.....	9,502	166	134	60	82	120	196	160	194	248	330	494	616	662	930	1,050	1,106	1,126	920	592	232	84	-
	WHITE.....MALE....	4,576	74	60	30	26	66	116	88	90	114	124	204	302	330	498	566	548	560	424	248	78	30	-
	FEMALE..	3,964	60	44	26	48	32	36	42	60	92	128	200	238	246	366	388	462	502	462	338	146	48	-
	ALL OTHER..MALE....	556	20	24	-	2	16	24	10	26	26	38	54	48	46	36	54	54	46	20	4	6	2	-
	FEMALE..	406	12	6	4	6	6	20	20	18	16	40	36	28	40	30	42	42	18	14	2	2	4	-
E800-E949	ACCIDENTS.....	11,404	122	440	294	374	1,260	1,414	1,038	622	528	548	620	552	536	552	516	436	514	496	308	182	46	6
	WHITE.....MALE....	7,028	58	234	148	242	902	970	738	412	336	344	366	348	326	320	298	256	262	236	140	70	16	6
	FEMALE..	3,222	42	142	102	76	266	278	152	112	116	128	170	156	170	190	188	164	236	246	164	100	24	-
	ALL OTHER..MALE....	814	6	48	28	36	68	126	112	70	48	50	60	28	32	36	18	14	8	10	2	8	6	-
	FEMALE..	340	16	16	16	20	24	40	36	28	28	26	24	20	8	6	12	2	8	4	2	4	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	5,440	20	158	144	212	920	908	564	362	264	272	286	254	222	196	176	162	160	98	40	16	4	2
	WHITE.....MALE....	3,542	12	68	68	136	642	616	424	246	178	168	172	164	130	112	94	106	102	64	24	12	2	2
	FEMALE..	1,406	6	60	48	58	222	200	92	68	62	70	80	66	76	70	76	54	52	28	16	2	-	-
	ALL OTHER..MALE....	346	-	24	16	10	46	70	38	36	12	20	18	10	12	14	6	2	4	4	-	2	2	-
	FEMALE..	146	2	6	12	8	10	22	10	12	12	14	16	14	4	-	-	-	2	2	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	5,964	102	282	150	162	340	506	474	260	264	276	334	298	314	356	340	274	354	398	268	166	42	4
	WHITE.....MALE....	3,486	46	166	80	106	260	354	314	166	158	176	194	184	196	208	204	150	160	172	116	58	14	4
	FEMALE..	1,816	36	82	54	18	44	78	60	44	54	58	90	90	94	120	112	110	184	218	148	98	24	-
	ALL OTHER..MALE....	468	6	24	12	26	22	56	74	34	36	30	42	18	20	22	12	12	4	6	2	6	4	-
	FEMALE..	194	14	10	4	12	14	18	26	16	16	12	8	6	4	6	12	2	6	2	2	4	-	-
E950-E959	SUICIDE.....	3,942	...	...	-	22	238	420	378	304	312	310	344	346	292	286	218	178	136	96	56	6	-	-
	WHITE.....MALE....	2,316	...	...	-	12	162	262	232	176	168	178	188	192	154	156	126	118	88	66	34	4	-	-
	FEMALE..	1,394	...	...	-	10	50	116	112	106	110	120	138	148	120	120	86	60	46	28	22	2	-	-
	ALL OTHER..MALE....	132	...	...	-	-	14	20	12	16	18	10	14	6	10	4	4	-	2	2	-	-	-	-
	FEMALE..	100	...	...	-	-	12	22	22	6	16	2	4	-	8	6	2	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	1,848	30	36	16	32	210	362	246	210	148	124	144	72	66	60	26	32	14	18	2	-	-	-
	WHITE.....MALE....	904	12	18	6	8	108	196	126	104	64	56	72	26	32	34	8	20	6	6	2	-	-	-
	FEMALE..	250	4	8	4	12	24	30	28	14	14	20	10	24	16	8	10	8	6	10	-	-	-	-
	ALL OTHER..MALE....	580	8	6	6	8	72	108	82	70	58	42	54	18	14	18	8	4	2	2	-	-	-	-
	FEMALE..	114	6	4	-	4	6	28	10	22	12	6	8	4	4	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	388	-	16	2	4	20	50	42	24	40	22	40	18	32	28	12	14	4	12	4	-	-	4
	WHITE.....MALE....	162	-	4	2	2	10	18	22	8	14	12	14	4	12	16	-	8	2	8	2	-	-	4
	FEMALE..	162	-	2	-	2	8	22	10	6	16	10	22	12	16	12	12	6	2	2	2	-	-	-
	ALL OTHER..MALE....	24	-	2	-	-	-	2	6	4	2	-	2	-	4	-	-	-	-	2	-	-	-	-
	FEMALE..	40	-	8	-	-	2	8	4	6	8	-	2	2	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	COLORADO																							
	ALL CAUSES	17,824	660	108	84	88	304	328	248	228	224	440	642	878	1,136	1,424	1,728	1,874	2,214	2,308	1,796	872	238	2
	WHITE.....MALE	9,760	390	62	52	48	206	232	156	140	138	266	334	546	682	920	1,086	1,042	1,204	1,068	780	344	62	2
	FEMALE	7,462	230	40	26	36	80	72	70	70	68	146	262	300	402	458	594	774	958	1,204	982	518	172	-
	ALL OTHER..MALE	370	26	2	4	2	12	22	22	12	16	20	36	22	28	30	22	28	22	20	18	6	-	-
	FEMALE	232	14	4	2	2	6	2	-	6	2	8	10	10	24	16	26	30	30	16	16	4	4	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	42	8	2	-	-	-	-	-	-	-	-	-	-	-	2	-	10	4	6	4	6	-	-
	WHITE.....MALE	14	2	2	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	2	-	-	-	-
	FEMALE	26	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	4	4	6	-	-
	ALL OTHER..MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	26	-	-	-	-	-	-	-	-	2	4	-	-	2	4	-	2	4	2	4	2	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	2	-	2	2	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	2	2	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	16	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	2	4	-	2	2	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	2	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	10	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	2	2	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	8	6	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	6	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	46	8	-	-	-	-	-	-	2	-	2	4	2	-	4	6	2	4	6	4	-	2	-
	WHITE.....MALE	22	6	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	4	2	2	-	2	-
	FEMALE	20	-	-	-	-	-	-	-	2	-	2	4	-	-	-	4	2	-	4	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	COLORADO--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	32	6	2	2	-	2	-	2	-	-	-	4	-	-	6	2	-	-	4	2	-	-	-
	WHITE.....MALE....	14	4	-	-	-	2	-	-	-	-	-	-	-	-	4	-	-	-	2	2	-	-	-
	FEMALE..	18	2	2	2	-	-	-	2	-	-	-	4	-	-	2	2	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	2,768	4	10	18	8	20	20	22	24	26	70	158	188	312	352	382	330	340	274	152	56	2	-
	WHITE.....MALE....	1,388	2	10	12	6	10	18	6	8	12	34	46	82	148	188	228	190	182	126	66	12	2	-
	FEMALE..	1,288	2	-	6	2	10	2	16	12	10	34	104	106	146	150	146	134	138	144	86	40	-	-
	ALL OTHER..MALE....	60	-	-	-	-	-	-	-	2	4	2	8	-	10	8	6	4	8	4	-	4	-	-
	FEMALE..	32	-	-	-	-	-	-	-	2	-	-	-	-	8	6	2	2	12	-	-	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	42	-	-	-	-	-	-	-	-	-	2	4	4	2	16	6	2	2	-	2	2	-	-
	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	-	2	2	4	-	10	6	2	-	-	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	2	-	2	6	-	-	2	-	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	764	-	-	-	-	-	-	2	8	8	8	44	52	78	66	102	92	128	90	60	26	-	-
	WHITE.....MALE....	348	-	-	-	-	-	-	-	4	-	6	14	26	44	36	62	50	58	28	18	2	-	-
	FEMALE..	388	-	-	-	-	-	-	2	4	6	2	22	26	30	30	38	40	62	62	42	22	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	2	-	8	-	-	-	2	-	2	-	-	2	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	6	-	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	534	-	-	-	-	-	-	-	-	-	22	30	36	72	90	106	72	46	34	22	4	-	-
	WHITE.....MALE....	418	-	-	-	-	-	-	-	-	-	18	16	26	52	74	92	58	42	26	12	2	-	-
	FEMALE..	104	-	-	-	-	-	-	-	-	-	4	14	10	16	14	12	14	4	6	10	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	2	-	2	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
174	OF BREAST.....	276	-	-	-	-	-	-	2	4	-	22	36	36	46	40	26	18	16	16	10	4	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	272	-	-	-	-	-	-	2	4	-	22	36	36	46	38	26	18	14	16	10	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	382	-	2	-	-	4	6	2	-	4	4	10	32	26	40	40	48	72	56	24	10	2	-
	WHITE.....MALE....	184	-	2	-	-	2	6	2	-	-	-	4	6	6	8	22	22	42	36	18	6	2	-
	FEMALE..	182	-	-	-	-	2	-	-	-	4	4	6	26	18	30	18	24	22	18	6	4	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	130	2	-	-	-	-	-	-	2	-	-	2	2	20	20	16	12	16	18	18	2	-	-
	WHITE.....MALE....	72	2	-	-	-	-	-	-	-	-	-	2	2	10	12	8	6	8	12	8	2	-	-
	FEMALE..	52	-	-	-	-	-	-	-	2	-	-	-	-	10	4	6	6	8	6	10	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	362	2	6	6	4	4	2	6	8	8	8	14	20	42	52	56	52	36	28	2	6	-	-
	WHITE.....MALE....	198	-	6	2	4	2	2	2	4	8	6	4	12	24	30	26	32	22	10	2	-	-	-
	FEMALE..	150	2	-	4	-	2	-	4	2	-	2	10	8	14	18	28	20	12	18	-	6	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	2	-	-	-	-	-	4	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-	-	-	-
204-207	LEUKEMIA.....	148	-	2	10	2	6	10	4	2	4	-	10	2	10	12	18	18	16	18	2	2	-	-
	WHITE.....MALE....	78	-	2	8	2	4	8	2	-	2	-	-	2	4	6	8	12	8	10	-	-	-	-
	FEMALE..	66	-	-	2	-	2	2	2	-	-	-	10	-	6	6	10	6	8	8	2	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	130	-	-	2	2	6	2	6	-	2	4	8	4	16	16	12	16	8	14	12	-	-	-
	WHITE.....MALE....	64	-	-	2	-	2	2	-	-	2	2	4	4	8	12	4	8	2	4	8	-	-	-
	FEMALE..	58	-	-	-	2	4	-	6	-	-	-	4	-	4	4	8	6	6	10	4	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	62	-	-	2	-	-	2	-	4	4	4	4	4	6	10	6	6	4	2	2	-	2	-
	WHITE.....MALE....	32	-	-	2	-	-	-	-	2	2	2	-	-	4	8	2	2	4	2	2	-	-	-
	FEMALE..	26	-	-	-	-	-	2	-	-	2	-	4	4	2	2	4	4	-	-	-	-	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	244	-	-	-	-	-	-	-	6	8	12	12	-	14	22	24	38	32	46	18	10	2	-
	WHITE.....MALE....	90	-	-	-	-	-	-	-	4	4	2	6	-	6	12	10	10	12	16	8	-	-	-
	FEMALE..	142	-	-	-	-	-	-	-	2	2	6	6	-	8	10	12	28	20	28	10	8	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	COLORADO--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	46	2	-	-	-	-	-	-	-	-	-	2	4	-	2	6	8	4	4	10	4	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-	-	2	4	-	-	4	4	-	-	6	4	-	-
	FEMALE..	22	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	4	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	22	-	-	2	-	-	-	-	4	-	-	-	-	-	-	2	4	6	2	2	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	10	2	2	-	-	-	-	-	-	-	2	-	2	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	8,672	8	6	2	-	8	10	24	22	42	86	224	336	470	662	894	1,014	1,330	1,474	1,270	628	162	-
	WHITE.....MALE....	4,616	4	2	2	-	4	2	16	10	24	66	160	256	332	468	558	550	704	652	518	250	38	-
	FEMALE..	3,816	4	4	-	-	4	6	6	10	18	18	52	64	114	174	304	424	600	796	722	376	120	-
	ALL OTHER..MALE....	124	-	-	-	-	-	-	2	2	-	2	10	12	12	14	14	16	10	14	16	-	-	-
	FEMALE..	116	-	-	-	-	-	2	-	-	-	-	2	4	12	6	18	24	16	12	14	2	4	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	6,308	4	4	-	-	2	10	14	12	30	72	186	292	368	550	706	770	904	1,008	854	400	122	-
	WHITE.....MALE....	3,546	2	-	-	-	-	2	12	8	20	56	144	236	284	404	462	430	492	476	338	150	30	-
	FEMALE..	2,598	2	4	-	-	2	6	-	4	10	14	38	44	76	130	224	306	396	512	492	248	90	-
	ALL OTHER..MALE....	86	-	-	-	-	-	-	2	-	-	2	4	10	2	12	8	12	8	12	14	-	-	-
	FEMALE..	78	-	-	-	-	-	2	-	-	-	-	-	2	6	4	12	22	8	8	10	2	2	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	202	-	-	-	-	-	2	-	2	2	8	14	14	18	30	20	26	32	26	8	-	-	-
	WHITE.....MALE....	82	-	-	-	-	-	-	-	2	-	4	8	10	2	14	8	10	14	10	-	-	-	-
	FEMALE..	114	-	-	-	-	-	-	-	-	2	4	6	4	16	12	12	16	18	16	8	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	40	-	-	-	-	-	-	-	-	2	-	-	2	-	-	4	6	4	8	10	4	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	-	2	2	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	6	-	8	8	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	2	10	14	8	4	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	2	-	-	-
	FEMALE..	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	6	10	8	4	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	5,604	-	-	-	-	2	4	8	6	22	54	158	258	328	492	638	690	808	900	758	370	108	-
	WHITE.....MALE....	3,236	-	-	-	-	-	-	8	4	18	44	132	214	266	370	434	396	444	420	316	142	28	-
	FEMALE..	2,224	-	-	-	-	2	4	-	2	4	8	26	32	54	110	184	264	348	462	420	226	78	-
	ALL OTHER..MALE....	74	-	-	-	-	-	-	-	-	-	2	-	10	2	10	8	10	8	12	12	-	-	-
	FEMALE..	70	-	-	-	-	-	-	-	-	-	-	-	2	6	2	12	20	8	6	10	2	2	-
410	ACUTE MYOCARDIAL INFARCTION.....	3,058	-	-	-	-	2	2	4	6	22	46	118	208	242	364	418	406	422	394	272	94	38	-
	WHITE.....MALE....	1,966	-	-	-	-	-	-	4	4	18	38	96	178	200	276	292	254	238	204	106	46	12	-
	FEMALE..	1,018	-	-	-	-	2	2	-	2	4	6	22	20	40	78	120	136	176	184	152	48	26	-
	ALL OTHER..MALE....	48	-	-	-	-	-	-	-	-	-	2	-	8	-	8	2	8	4	6	10	-	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	8	4	-	4	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	60	-	-	-	-	-	-	-	-	-	-	2	2	6	6	18	10	4	4	4	4	-	-
	WHITE.....MALE....	44	-	-	-	-	-	-	-	-	-	-	2	2	6	6	16	4	-	2	4	2	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	2	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	2,486	-	-	-	-	-	2	4	-	-	8	38	48	80	122	202	274	382	502	482	272	70	-
	WHITE.....MALE....	1,226	-	-	-	-	-	-	4	-	-	6	34	34	60	88	126	138	206	214	206	94	16	-
	FEMALE..	1,190	-	-	-	-	-	2	-	-	-	2	4	12	14	32	62	122	168	276	268	176	52	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	-	-	-	-	-	2	2	2	6	2	4	6	2	-	-	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	-	-	-	4	-	8	12	4	6	6	2	2	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	COLORADO—CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	48	-	2	-	-	-	-	-	-	-	-	4	-	-	4	4	4	8	6	6	4	6	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	-	6	2	-	-	-
	FEMALE..	30	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	-	4	4	6	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	364	4	2	-	-	-	4	6	4	4	10	10	18	22	24	36	36	50	58	58	14	4	-
	WHITE.....MALE....	192	2	-	-	-	-	2	4	2	2	8	2	10	16	16	18	20	30	36	16	6	2	-
	FEMALE..	162	2	2	-	-	-	2	-	2	2	2	6	8	6	8	18	12	20	20	42	8	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
400, 401, 403	HYPERTENSION.....	64	-	-	-	-	-	-	2	-	-	-	-	-	6	6	2	2	18	12	12	4	-	-
	WHITE.....MALE....	34	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	8	10	2	4	-	-
	FEMALE..	26	-	-	-	-	-	-	2	-	-	-	-	-	2	2	-	-	8	2	10	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	1,640	4	2	2	-	6	-	4	8	6	12	28	32	68	80	124	174	314	326	262	170	18	-
	WHITE.....MALE....	696	2	2	2	-	4	-	2	2	-	8	12	12	30	46	54	90	144	122	92	70	2	-
	FEMALE..	890	2	-	-	-	2	-	2	4	6	4	12	16	26	32	58	82	162	200	166	100	16	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	-	2	-	-	2	2	8	2	6	-	2	-	2	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	2	2	4	-	6	2	6	4	2	-	-	-
431	CEREBRAL HEMORRHAGE.....	262	2	-	-	-	6	-	-	2	4	4	2	10	18	20	28	32	56	28	24	22	4	-
	WHITE.....MALE....	116	2	-	-	-	4	-	-	-	-	2	2	4	10	12	16	14	22	12	4	12	-	-
	FEMALE..	134	-	-	-	-	2	-	-	-	4	2	-	4	4	8	10	16	34	16	20	10	4	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	2	-	-	-	2	4	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	364	-	-	-	-	-	-	-	2	-	-	4	8	4	24	16	26	84	92	58	40	6	-
	WHITE.....MALE....	138	-	-	-	-	-	-	-	2	-	-	-	4	-	16	6	16	28	34	16	16	-	-
	FEMALE..	216	-	-	-	-	-	-	-	-	-	-	2	4	2	8	8	10	54	58	40	24	6	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
434	CEREBRAL EMBOLISM.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	1,008	2	2	2	-	-	-	4	4	2	8	22	14	46	36	78	116	174	202	180	108	8	-
	WHITE.....MALE....	440	-	2	2	-	-	-	2	-	-	6	10	4	20	18	32	60	94	74	72	42	2	-
	FEMALE..	536	2	-	-	-	-	-	2	4	2	2	10	8	20	16	38	56	74	124	106	66	6	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	2	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	2	2	4	-	6	-	4	4	-	-	-	-
440	ARTERIOSCLEROSIS.....	396	-	-	-	-	-	-	-	-	-	-	-	4	8	8	18	32	54	98	110	42	22	-
	WHITE.....MALE....	180	-	-	-	-	-	-	-	-	-	-	-	2	6	4	6	10	30	28	66	22	6	-
	FEMALE..	214	-	-	-	-	-	-	-	-	-	-	-	2	2	4	12	22	24	70	44	20	14	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	264	-	-	-	-	-	-	4	2	6	2	10	8	20	18	44	36	40	30	32	12	-	-
	WHITE.....MALE....	160	-	-	-	-	-	-	2	-	4	2	4	6	10	10	34	18	30	16	20	4	-	-
	FEMALE..	88	-	-	-	-	-	-	2	2	2	-	2	2	8	6	10	14	10	12	10	8	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	4	-	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	16	-	4	-	-	2	-	-	-	-	-	4	2	-	-	-	-	2	-	-	2	-	-
	WHITE.....MALE....	6	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	10	-	2	-	-	2	-	-	-	-	-	2	2	-	-	-	-	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	698	30	12	2	-	4	2	6	-	4	8	20	28	40	28	34	50	108	140	84	60	38	-
	WHITE.....MALE....	372	18	6	-	-	-	-	6	-	2	2	8	8	24	20	22	34	62	80	42	28	10	-
	FEMALE..	300	12	4	2	-	2	2	-	-	2	2	4	16	14	8	12	16	44	60	42	30	28	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	4	4	2	2	-	-	-	2	-	-	2	-	-
	FEMALE..	10	-	2	-	-	2	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-
470-474	INFLUENZA.....	62	-	-	-	-	-	-	2	-	-	-	2	6	8	2	2	2	8	14	10	2	4	-
	WHITE.....MALE....	28	-	-	-	-	-	-	2	-	-	-	-	2	6	2	2	-	2	4	6	2	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	2	4	2	-	-	2	4	10	4	-	4	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	636	30	12	2	-	4	2	4	-	4	8	18	22	32	26	32	48	100	126	74	58	34	-
	WHITE.....MALE....	344	18	6	-	-	-	-	4	-	2	2	8	6	18	18	20	34	60	76	36	26	10	-
	FEMALE..	268	12	4	2	-	2	2	-	-	2	2	2	12	12	8	12	14	40	50	38	30	24	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	4	4	2	2	-	-	-	-	-	-	2	-	-
	FEMALE..	10	-	2	-	-	2	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	COLORADO--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	470	-	-	4	-	2	2	-	2	2	6	10	32	38	56	72	116	58	42	20	6	2	-
	WHITE.....MALE	332	-	-	-	-	2	2	-	-	2	-	6	20	18	50	62	96	36	28	10	-	-	-
	FEMALE	130	-	-	2	-	-	-	-	2	-	4	4	10	20	6	10	18	22	14	10	6	2	-
	ALL OTHER..MALE	6	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	102	-	-	-	-	-	2	-	-	-	-	6	4	2	14	12	28	16	8	6	2	2	-
	WHITE.....MALE	70	-	-	-	-	-	2	-	-	-	-	2	4	-	12	8	24	6	8	4	-	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	-	-	4	-	2	2	4	4	10	-	2	2	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	338	-	-	-	-	-	-	-	-	-	4	4	24	34	40	60	88	38	30	12	4	-	-
	WHITE.....MALE	256	-	-	-	-	-	-	-	-	-	-	4	16	18	36	54	72	30	20	6	-	-	-
	FEMALE	76	-	-	-	-	-	-	-	-	-	2	-	6	16	4	6	14	8	10	6	4	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	30	-	-	4	-	2	-	-	2	2	2	-	4	2	2	-	-	4	4	2	-	-	-
	WHITE.....MALE	6	-	-	-	-	2	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	22	-	-	2	-	-	-	-	2	-	2	-	4	2	-	-	-	4	4	2	-	-	-
	ALL OTHER..MALE	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	80	-	-	-	-	-	-	-	-	2	4	2	4	6	4	8	4	18	8	10	10	-	-
	WHITE.....MALE	56	-	-	-	-	-	-	-	-	-	2	2	4	4	2	8	2	18	4	4	6	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	2	-	2	6	4	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	12	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	4	4	-	-	-
	WHITE.....MALE	6	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	40	-	-	-	-	-	-	2	-	-	-	-	-	4	2	2	14	4	6	6	-	-	-
	WHITE.....MALE	22	-	-	-	-	-	-	2	-	-	-	-	-	2	2	-	4	4	2	6	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	10	-	4	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	312	-	-	-	-	2	-	-	6	10	24	34	68	36	54	28	22	12	10	6	-	-	-
	WHITE.....MALE	202	-	-	-	-	2	-	-	6	6	14	14	40	22	38	24	16	12	4	4	-	-	-
	FEMALE	100	-	-	-	-	-	-	-	-	2	10	14	28	14	14	4	6	-	6	2	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	50	-	-	-	-	-	-	-	-	-	-	-	2	2	-	8	-	4	16	10	6	2	-
	WHITE.....MALE	32	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	-	2	14	6	-	2	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	2	4	6	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	66	-	-	-	-	-	4	-	-	-	2	6	8	4	2	6	12	14	-	6	2	-	-
	WHITE.....MALE	28	-	-	-	-	-	4	-	-	-	-	2	2	-	-	2	6	6	-	4	2	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	-	2	4	4	4	2	4	4	6	-	2	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	16	-	-	-	-	-	2	-	-	-	-	-	2	-	-	2	2	4	-	4	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	50	-	-	-	-	-	2	-	-	-	2	6	6	4	2	4	10	10	-	2	2	-	-
	WHITE.....MALE	22	-	-	-	-	-	2	-	-	-	-	2	2	-	-	2	4	6	-	2	2	-	-
	FEMALE	24	-	-	-	-	-	-	-	-	-	2	4	2	4	2	2	4	4	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	64	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	12	12	14	16	2	-	-
	WHITE.....MALE	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	6	4	12	2	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	10	6	10	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	10	2	2	-	-
	WHITE.....MALE	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	10	2	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	COLORADO--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	164	122	12	4	4	8	-	-	-	-	2	2	4	-	2	-	2	2	-	-	-	-	-
	WHITE.....MALE....	96	74	6	2	2	6	-	-	-	-	-	-	4	-	2	-	-	-	-	-	-	-	-
	FEMALE..	60	42	6	2	2	2	-	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	374	374	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	212	212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	202	40	2	-	-	-	10	12	6	10	14	6	10	18	10	6	8	10	8	18	4	10	-
	WHITE.....MALE....	104	32	2	-	-	-	4	8	4	2	8	-	8	10	4	2	2	6	4	8	-	-	-
	FEMALE..	88	6	-	-	-	-	4	4	-	4	6	6	2	8	6	4	6	4	4	10	4	10	-
	ALL OTHER..MALE....	6	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-SID-UAL	ALL OTHER DISEASES.....	1,232	30	14	4	14	14	20	14	12	14	42	36	70	94	118	144	148	158	144	100	34	8	-
	WHITE.....MALE....	676	22	12	-	8	6	14	6	10	12	26	20	34	52	56	82	78	94	74	52	14	4	-
	FEMALE..	524	8	2	4	6	8	4	6	2	2	12	16	32	34	58	60	66	64	70	46	20	4	-
	ALL OTHER..MALE....	18	-	-	-	-	-	2	2	-	-	2	-	2	4	4	-	2	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	2	-	2	4	-	2	2	-	-	2	-	-	-
E800-E949	ACCIDENTS.....	1,390	14	36	44	50	178	162	102	86	52	88	54	70	58	44	76	58	62	76	36	36	8	-
	WHITE.....MALE....	922	6	18	34	24	134	128	68	72	38	70	34	48	40	28	58	30	26	30	12	20	4	-
	FEMALE..	428	4	16	8	22	38	30	30	14	12	18	18	20	18	14	16	26	36	44	24	16	4	-
	ALL OTHER..MALE....	26	2	2	2	2	4	4	4	-	2	-	2	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	14	2	-	-	2	2	-	-	-	-	-	-	2	-	2	-	2	-	2	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	712	2	14	24	22	130	104	68	62	28	52	32	38	30	16	20	30	18	18	-	4	-	-
	WHITE.....MALE....	490	2	2	20	8	98	76	44	52	20	40	18	26	20	8	18	12	8	14	-	4	-	-
	FEMALE..	200	-	10	4	10	30	26	22	10	6	12	12	10	10	6	2	16	10	4	-	-	-	-
	ALL OTHER..MALE....	14	-	2	-	2	2	2	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	2	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	678	12	22	20	28	48	58	34	24	24	36	22	32	28	28	56	28	44	58	36	32	8	-
	WHITE.....MALE....	432	4	16	14	16	36	52	24	20	18	30	16	22	20	20	40	18	18	16	12	16	4	-
	FEMALE..	228	4	6	4	12	8	4	8	4	6	6	6	10	8	8	14	10	26	40	24	16	4	-
	ALL OTHER..MALE....	12	2	-	2	-	2	2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	6	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
E950-E959	SUICIDE.....	426	...	...	-	2	28	64	40	40	36	48	34	32	26	26	10	4	16	10	8	-	-	2
	WHITE.....MALE....	286	...	...	-	2	22	44	28	20	24	28	20	22	14	22	8	4	10	8	8	-	-	2
	FEMALE..	118	...	...	-	-	6	10	6	18	10	20	14	10	12	4	2	-	4	2	-	-	-	-
	ALL OTHER..MALE....	20	...	...	-	-	-	10	6	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	...	...	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	178	4	2	-	8	32	28	22	10	6	20	16	4	4	8	2	6	2	-	2	2	-	-
	WHITE.....MALE....	104	4	2	-	4	16	16	14	4	4	10	8	4	4	6	2	2	2	-	-	2	-	-
	FEMALE..	40	-	-	-	4	8	8	-	4	2	6	2	-	-	-	-	4	-	-	2	-	-	-
	ALL OTHER..MALE....	34	-	-	-	-	8	4	8	2	-	4	6	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	44	2	4	-	-	2	2	2	4	6	2	8	8	2	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	2	-	4	-	4	6	-	-	-	-	-	-	-	-	-	-
	FEMALE..	14	2	2	-	-	-	2	-	2	-	2	-	-	2	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	2	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CONNECTICUT																							
	ALL CAUSES.....	26,350	662	112	90	112	220	226	198	200	288	522	878	1,338	1,946	2,372	2,860	3,254	3,808	3,494	2,274	1,122	368	6
	WHITE.....MALE....	13,648	332	48	46	56	140	156	108	106	138	310	454	776	1,226	1,514	1,650	1,732	1,930	1,602	850	382	88	4
	FEMALE..	11,468	212	46	28	40	66	46	62	56	94	140	340	456	616	772	1,094	1,400	1,780	1,846	1,394	708	272	-
	ALL OTHER..MALE....	698	74	8	4	16	8	18	12	24	34	36	46	58	72	62	74	52	46	28	10	12	2	2
	FEMALE..	536	44	10	12	-	6	6	16	14	22	36	38	48	32	24	42	70	52	18	20	20	6	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	34	2	-	2	-	2	-	-	-	-	-	-	-	-	-	6	6	6	6	-	4	-	-
	WHITE.....MALE....	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	-	-	-	-
	FEMALE..	20	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	4	4	2	-	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	54	-	-	-	2	-	-	2	4	-	2	4	-	8	6	6	6	6	6	-	2	-	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	2	-	-	-	-	4	4	4	4	6	6	-	-	-	-
	FEMALE..	20	-	-	-	2	-	-	2	2	-	2	2	-	2	2	2	2	-	-	-	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	38	-	-	-	-	-	-	2	4	-	2	4	-	6	2	4	4	4	6	-	-	-	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	2	-	-	-	-	4	2	2	2	4	6	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	2	2	-	2	2	-	-	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	16	-	-	-	2	-	-	-	-	-	-	-	-	2	4	2	2	2	-	-	2	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-
	FEMALE..	8	-	-	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	56	4	2	2	-	2	-	-	-	-	4	2	2	-	4	4	8	10	8	2	2	-	-
	WHITE.....MALE....	40	2	-	2	-	2	-	-	-	-	4	-	2	-	4	2	6	8	4	2	2	-	-
	FEMALE..	14	2	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	4	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CONNECTICUT--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	56	2	-	-	2	2	-	-	2	2	2	2	-	6	4	6	8	8	4	6	-	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	2	2	2	4	-	-	-
	FEMALE..	28	2	-	-	2	-	-	-	-	-	2	-	-	2	2	2	6	6	2	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	5,388	-	8	18	18	26	24	26	36	60	122	272	394	544	676	808	794	754	478	230	78	22	-
	WHITE.....MALE....	2,742	-	4	8	4	14	14	10	22	22	62	102	188	260	354	438	436	410	244	110	34	6	-
	FEMALE..	2,418	-	4	8	12	10	8	14	10	30	46	160	180	262	288	334	328	318	230	118	44	14	-
	ALL OTHER..MALE....	120	-	-	-	2	2	2	-	2	2	-	4	10	16	24	22	16	10	4	2	-	2	-
	FEMALE..	108	-	-	2	-	-	-	2	2	6	14	6	16	6	10	14	14	16	-	-	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	130	-	-	-	-	-	-	-	-	-	2	14	14	20	22	20	22	4	4	4	2	2	-
	WHITE.....MALE....	102	-	-	-	-	-	-	-	-	-	-	10	12	16	20	12	22	4	2	2	2	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	2	4	2	2	2	6	-	-	2	2	-	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	1,680	-	-	-	-	-	-	-	4	8	36	66	82	150	194	276	270	276	182	90	36	10	-
	WHITE.....MALE....	852	-	-	-	-	-	-	-	4	6	20	32	40	78	110	142	148	136	80	42	12	2	-
	FEMALE..	762	-	-	-	-	-	-	-	-	2	14	30	34	64	76	124	108	128	102	48	24	8	-
	ALL OTHER..MALE....	36	-	-	-	-	-	-	-	-	-	-	2	2	8	4	8	8	4	-	-	-	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	2	2	6	-	4	2	6	8	-	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	1,044	-	-	-	-	-	-	2	6	8	24	48	122	156	162	180	152	114	46	18	6	-	-
	WHITE.....MALE....	756	-	-	-	-	-	-	-	4	4	18	30	66	92	120	136	128	94	44	14	6	-	-
	FEMALE..	240	-	-	-	-	-	-	2	2	2	6	16	42	56	34	38	22	16	-	4	-	-	-
	ALL OTHER..MALE....	38	-	-	-	-	-	-	-	-	2	-	2	8	6	8	6	2	2	2	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	6	2	-	-	-	2	-	-	-	-	-
174	OF BREAST.....	548	-	-	-	-	-	-	-	4	12	12	48	62	70	88	68	74	48	36	22	4	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
	FEMALE..	520	-	-	-	-	-	-	-	4	12	6	48	60	68	86	58	70	46	36	22	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	6	-	2	2	2	6	4	2	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	542	-	-	-	-	-	4	4	10	6	16	32	24	26	64	54	90	86	78	32	14	2	-
	WHITE.....MALE....	244	-	-	-	-	-	4	2	4	2	-	-	6	6	12	22	52	50	52	22	10	-	-
	FEMALE..	268	-	-	-	-	-	-	2	2	4	12	30	18	20	46	28	36	32	24	10	4	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	2	4	2	-	-	2	-
	FEMALE..	14	-	-	-	-	-	-	-	2	-	4	2	-	-	2	4	-	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	284	-	2	2	-	-	-	-	-	4	-	2	8	30	18	46	48	58	30	22	8	6	-
	WHITE.....MALE....	194	-	2	-	-	-	-	-	-	-	-	2	8	24	12	34	30	46	20	14	-	2	-
	FEMALE..	78	-	-	-	-	-	-	-	-	2	-	-	-	6	2	10	18	12	10	6	8	4	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-
	FEMALE..	6	-	-	2	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	642	-	4	6	10	10	8	4	-	10	8	40	52	60	92	92	64	86	68	26	2	-	-
	WHITE.....MALE....	326	-	2	2	4	4	4	-	-	4	2	20	32	30	52	54	30	46	34	6	-	-	-
	FEMALE..	288	-	2	4	6	4	4	4	-	4	4	20	18	28	34	34	26	40	34	20	2	-	-
	ALL OTHER..MALE....	14	-	-	-	-	2	-	-	-	-	-	-	-	-	6	2	4	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	2	2	-	2	2	-	2	4	-	-	-	-	-	-
204-207	LEUKEMIA.....	202	-	2	6	8	8	8	8	4	6	4	8	10	10	10	22	28	34	14	8	4	-	-
	WHITE.....MALE....	102	-	-	4	-	2	4	4	4	2	4	4	8	4	8	10	10	20	6	6	2	-	-
	FEMALE..	92	-	2	2	6	6	4	4	-	2	-	2	2	6	2	10	18	14	8	2	2	-	-
	ALL OTHER..MALE....	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	316	-	-	4	-	8	4	8	8	6	20	14	20	22	26	50	46	48	20	8	2	2	-
	WHITE.....MALE....	162	-	-	2	-	8	2	4	6	4	18	4	16	10	20	24	16	14	6	4	2	2	-
	FEMALE..	146	-	-	2	-	-	-	2	2	2	2	10	4	12	6	26	30	30	14	4	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	52	-	-	-	-	4	2	-	-	4	-	4	6	6	4	4	6	6	6	-	-	-	-
	WHITE.....MALE....	22	-	-	-	-	2	2	-	-	2	-	-	2	4	-	2	2	2	4	-	-	-	-
	FEMALE..	22	-	-	-	-	2	-	-	-	-	-	2	2	2	4	-	4	4	2	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	514	-	-	-	-	-	-	-	-	4	12	26	26	40	46	58	84	88	68	44	18	-	-
	WHITE.....MALE....	218	-	-	-	-	-	-	-	-	4	8	20	12	22	30	20	42	24	14	18	4	-	-
	FEMALE..	254	-	-	-	-	-	-	-	-	-	2	2	12	12	16	28	34	58	52	26	12	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	-	-	-	-	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	2	2	2	6	-	10	4	6	2	-	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CONNECTICUT--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	2	4	2	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	50	-	-	-	2	2	-	4	-	-	2	4	-	4	2	4	6	6	4	10	-	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	2	-	-	2	2	-	4	2	-	2	2	4	4	-	-	-
	FEMALE..	20	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4	4	4	-	6	-	-	-
	ALL OTHER..MALE....	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	22	8	8	-	-	-	2	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	14	2	8	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	14,148	8	10	2	6	6	12	24	26	48	174	304	552	922	1,192	1,434	1,826	2,380	2,416	1,648	854	304	-
	WHITE.....MALE....	7,140	6	2	-	2	2	6	16	12	36	114	192	372	678	830	838	914	1,164	1,052	564	272	68	-
	FEMALE..	6,564	-	6	-	2	4	2	4	6	8	36	86	140	200	334	552	844	1,166	1,330	1,056	558	230	-
	ALL OTHER..MALE....	246	-	2	-	2	-	4	-	4	-	20	14	28	34	22	32	22	28	18	8	8	-	-
	FEMALE..	198	2	-	2	-	-	-	4	4	4	4	12	12	10	6	12	46	22	16	20	16	6	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	9,988	4	10	2	2	4	4	16	20	40	150	250	432	724	958	1,086	1,320	1,636	1,506	1,056	564	204	-
	WHITE.....MALE....	5,322	4	2	-	2	2	2	10	10	32	98	180	316	562	672	650	698	802	660	382	190	48	-
	FEMALE..	4,380	-	6	-	-	2	-	4	4	6	30	48	86	134	268	412	584	808	828	652	356	152	-
	ALL OTHER..MALE....	158	-	2	-	-	-	2	-	4	-	18	12	20	22	12	16	14	14	10	4	8	-	-
	FEMALE..	128	-	-	2	-	-	-	2	2	2	4	10	10	6	6	8	24	12	8	18	10	4	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	210	-	-	-	-	-	-	2	6	2	10	14	24	26	32	42	22	14	8	2	4	2	-
	WHITE.....MALE....	86	-	-	-	-	-	-	-	4	2	4	8	6	16	12	12	12	6	2	-	2	-	-
	FEMALE..	116	-	-	-	-	-	-	2	-	-	6	6	16	8	20	28	10	8	6	2	2	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	76	-	-	-	-	-	-	-	-	-	-	4	2	8	8	16	10	10	6	6	6	-	-
	WHITE.....MALE....	36	-	-	-	-	-	-	-	-	-	-	2	-	6	4	8	2	-	6	4	4	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	8	10	-	2	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	22	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	2	8	2	4	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	4	-	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	9,298	-	2	-	-	2	2	10	12	38	134	216	390	652	888	972	1,256	1,546	1,442	1,002	540	194	-
	WHITE.....MALE....	4,986	-	2	-	-	-	-	6	6	30	92	162	300	518	632	596	666	756	626	366	182	46	-
	FEMALE..	4,062	-	-	-	-	2	-	2	4	6	22	36	66	110	238	358	556	764	800	614	340	144	-
	ALL OTHER..MALE....	134	-	-	-	-	-	2	-	2	-	16	8	16	18	12	14	12	14	8	4	8	-	-
	FEMALE..	116	-	-	-	-	-	-	2	-	2	4	10	8	6	6	4	22	12	8	18	10	4	-
410	ACUTE MYOCARDIAL INFARCTION.....	4,898	-	2	-	-	2	2	8	10	34	98	182	284	486	648	654	700	752	598	266	136	36	-
	WHITE.....MALE....	3,060	-	2	-	-	-	-	6	6	28	72	140	230	392	478	430	394	410	286	120	58	8	-
	FEMALE..	1,718	-	-	-	-	2	-	-	4	6	14	28	44	80	156	214	296	326	304	144	74	26	-
	ALL OTHER..MALE....	76	-	-	-	-	-	2	-	-	-	10	6	8	10	10	8	4	8	6	2	2	-	-
	FEMALE..	44	-	-	-	-	-	-	2	-	-	2	8	2	4	4	2	6	8	2	-	2	2	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	4	-	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	4	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	4,382	-	-	-	-	-	-	2	2	4	36	34	104	166	238	316	552	790	840	736	404	158	-
	WHITE.....MALE....	1,910	-	-	-	-	-	-	-	-	2	20	22	68	126	152	164	268	344	336	246	124	38	-
	FEMALE..	2,342	-	-	-	-	-	-	2	-	-	8	8	22	30	82	144	260	436	496	470	266	118	-
	ALL OTHER..MALE....	58	-	-	-	-	-	-	-	2	-	6	2	8	8	2	6	8	6	2	2	6	-	-
	FEMALE..	72	-	-	-	-	-	-	-	-	2	2	2	6	2	2	2	16	4	6	18	8	2	-
413	ANGINA PECTORIS.....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CONNECTICUT—CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	56	-	2	2	-	-	-	-	2	-	-	6	-	2	2	6	2	4	6	12	6	4	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	2	-	4	2	-	-	-
	FEMALE..	32	-	2	-	-	-	-	-	-	-	-	2	-	-	-	2	-	4	2	10	6	4	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	326	4	6	-	2	2	2	4	-	-	6	10	14	36	24	50	28	54	42	30	8	4	-
	WHITE.....MALE....	188	4	-	-	2	2	2	4	-	-	2	6	10	20	20	30	16	36	20	10	2	2	-
	FEMALE..	122	-	4	-	-	-	-	-	-	-	2	4	2	14	4	10	8	10	20	20	6	2	-
	ALL OTHER..MALE....	12	-	2	-	-	-	-	-	-	-	2	-	-	2	-	2	2	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	108	-	-	-	-	-	-	2	2	-	-	2	10	4	4	16	10	14	26	10	8	-	-
	WHITE.....MALE....	48	-	-	-	-	-	-	2	-	-	-	2	2	2	-	6	4	10	10	6	4	-	-
	FEMALE..	52	-	-	-	-	-	-	-	-	-	-	-	6	2	2	8	6	4	16	4	4	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	2,906	4	-	-	4	2	6	6	2	8	24	36	82	138	130	236	348	532	642	448	186	72	-
	WHITE.....MALE....	1,202	2	-	-	-	-	2	4	2	4	16	2	44	76	82	108	146	266	252	130	50	16	-
	FEMALE..	1,588	-	-	-	2	2	2	-	-	2	6	30	32	48	44	112	184	248	380	312	130	54	-
	ALL OTHER..MALE....	62	-	-	-	2	-	2	-	-	-	2	2	6	10	4	12	6	8	4	4	-	-	-
	FEMALE..	54	2	-	-	-	-	-	2	-	2	-	2	-	4	-	4	12	10	6	2	6	2	-
431	CEREBRAL HEMORRHAGE.....	564	-	-	-	2	-	4	-	-	4	10	16	34	50	28	54	84	96	110	54	14	4	-
	WHITE.....MALE....	222	-	-	-	-	-	2	-	-	2	10	-	16	24	14	24	26	40	40	20	4	-	-
	FEMALE..	310	-	-	-	-	-	-	-	-	-	-	14	16	14	14	26	54	56	68	34	10	4	-
	ALL OTHER..MALE....	22	-	-	-	2	-	2	-	-	-	-	2	2	8	-	2	2	-	2	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	2	-	-	-	4	-	2	2	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	1,020	-	-	-	2	-	-	-	-	2	-	6	14	24	40	70	132	184	270	176	76	24	-
	WHITE.....MALE....	420	-	-	-	-	-	-	-	-	-	-	-	8	18	26	32	60	98	100	58	20	-	-
	FEMALE..	560	-	-	-	2	-	-	-	-	2	-	4	2	6	10	32	66	78	168	116	52	22	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	-	4	-	4	4	2	2	-	2	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	6	2	-	4	2	-
434	CEREBRAL EMBOLISM.....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	-	2	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	1,312	4	-	-	-	2	2	6	2	2	14	14	34	64	58	112	130	250	262	216	96	44	-
	WHITE.....MALE....	554	2	-	-	-	-	-	4	2	2	6	2	20	34	38	52	60	128	112	50	26	16	-
	FEMALE..	714	-	-	-	-	2	2	-	-	-	6	12	14	28	20	54	62	112	144	162	68	28	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	-	2	-	-	2	-	6	2	6	2	2	-	-	-
	FEMALE..	22	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	6	4	4	2	2	-	-
440	ARTERIOSCLEROSIS.....	738	-	-	-	-	-	-	-	2	-	-	10	20	28	44	56	68	142	178	86	78	26	-
	WHITE.....MALE....	338	-	-	-	-	-	-	-	-	-	-	4	6	18	34	42	32	56	90	28	24	4	-
	FEMALE..	384	-	-	-	-	-	-	-	2	-	-	6	14	10	8	12	32	84	82	58	54	22	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	4	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	408	-	-	-	-	-	2	-	-	-	-	6	8	28	56	40	80	56	64	48	18	2	-
	WHITE.....MALE....	230	-	-	-	-	-	2	-	-	-	-	4	4	20	42	32	34	30	40	18	4	-	-
	FEMALE..	160	-	-	-	-	-	-	-	-	-	-	2	2	6	12	8	38	22	24	30	14	2	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	4	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	20	2	4	-	2	-	-	-	-	-	-	-	2	-	-	-	-	2	4	4	-	-	-
	WHITE.....MALE....	16	2	2	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	4	4	-	-	-
	FEMALE..	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	812	30	12	-	2	6	2	4	4	10	18	8	34	30	46	72	106	102	152	102	56	14	2
	WHITE.....MALE....	402	8	-	-	-	4	2	-	-	2	2	8	12	20	36	48	56	58	74	46	22	2	2
	FEMALE..	366	20	6	-	2	2	-	2	2	2	12	-	12	10	6	24	44	44	76	56	34	12	-
	ALL OTHER..MALE....	22	2	2	-	-	-	-	-	2	2	-	-	8	-	-	-	4	-	2	-	-	-	-
	FEMALE..	22	-	4	-	-	-	-	2	-	4	4	-	2	-	4	-	2	-	-	-	-	-	-
470-474	INFLUENZA.....	64	-	-	-	2	-	-	-	-	2	4	-	4	6	2	4	22	2	10	2	4	-	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	12	2	4	2	4	-	-
	FEMALE..	28	-	-	-	2	-	-	-	-	-	4	-	2	2	2	2	8	-	6	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	748	30	12	-	-	6	2	4	4	8	14	8	30	24	44	68	84	100	142	100	52	14	2
	WHITE.....MALE....	372	8	-	-	-	4	2	-	-	2	2	8	12	16	36	46	44	56	70	44	18	2	2
	FEMALE..	338	20	6	-	-	2	-	2	2	2	8	-	10	8	4	22	36	44	70	56	34	12	-
	ALL OTHER..MALE....	16	2	2	-	-	-	-	-	2	-	-	-	6	-	-	-	2	-	2	-	-	-	-
	FEMALE..	22	-	4	-	-	-	-	2	-	4	4	-	2	-	4	-	2	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CONNECTICUT--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	352	-	-	-	2	-	-	2	2	4	-	10	10	26	38	70	62	50	44	22	8	-	2
	WHITE.....MALE	258	-	-	-	2	-	-	2	2	2	-	4	6	16	32	50	52	40	32	12	4	-	2
	FEMALE	82	-	-	-	-	-	-	-	-	2	-	4	4	6	6	16	10	8	12	10	4	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	106	-	-	-	2	-	-	2	2	2	-	-	4	6	4	20	20	10	20	8	4	-	2
	WHITE.....MALE	64	-	-	-	2	-	-	2	2	2	-	-	2	2	2	8	14	8	14	2	2	-	2
	FEMALE	40	-	-	-	-	-	-	-	-	-	-	-	2	4	2	10	6	2	6	6	2	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	218	-	-	-	-	-	-	-	-	-	-	2	4	14	30	48	40	40	24	12	4	-	-
	WHITE.....MALE	184	-	-	-	-	-	-	-	-	-	-	2	4	12	26	42	36	32	18	10	2	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	4	6	6	2	2	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	28	-	-	-	-	-	-	-	-	2	-	8	2	6	4	2	2	-	-	2	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	2	-	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	2	-	4	2	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	86	4	-	-	-	-	-	-	-	-	6	6	2	8	12	10	6	8	10	8	4	2	-
	WHITE.....MALE	62	-	-	-	-	-	-	-	-	-	6	4	-	4	10	8	6	6	8	6	2	2	-
	FEMALE	20	4	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	2	2	2	2	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	70	6	2	-	-	-	-	-	-	-	-	-	2	2	6	8	10	12	12	8	2	-	-
	WHITE.....MALE	28	2	2	-	-	-	-	-	-	-	-	-	2	-	4	6	2	4	4	2	-	-	-
	FEMALE	36	2	-	-	-	-	-	-	-	-	-	-	-	2	2	2	8	4	8	6	2	-	-
	ALL OTHER..MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
571	CIRRHOSIS OF LIVER	562	-	-	2	-	2	-	2	14	26	40	66	76	98	70	66	48	46	6	-	-	-	-
	WHITE.....MALE	340	-	-	-	-	-	-	-	6	12	28	34	42	64	54	34	30	32	4	-	-	-	-
	FEMALE	174	-	-	-	-	-	-	-	2	6	8	22	30	30	16	30	14	14	2	-	-	-	-
	ALL OTHER..MALE	28	-	-	-	-	2	-	2	4	8	2	6	2	-	-	2	-	-	-	-	-	-	-
	FEMALE	20	-	-	2	-	-	-	-	2	-	2	4	2	4	-	-	4	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	46	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	4	4	20	2	2	4	-
	WHITE.....MALE	24	-	-	-	-	-	-	-	-	-	2	-	-	2	-	4	2	2	8	2	-	2	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	10	-	2	2	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	90	-	-	-	-	-	4	-	-	-	6	6	12	-	4	18	16	8	4	10	2	-	-
	WHITE.....MALE	44	-	-	-	-	-	2	-	-	-	4	2	8	-	2	8	10	2	-	4	2	-	-
	FEMALE	24	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	4	6	4	6	-	-	-
	ALL OTHER..MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	2	-	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	2	2	4	-	2	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	2	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	82	-	-	-	-	-	4	-	-	-	6	6	10	-	2	18	14	8	4	8	2	-	-
	WHITE.....MALE	38	-	-	-	-	-	2	-	-	-	4	2	6	-	2	8	8	2	-	2	2	-	-
	FEMALE	24	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	4	6	4	6	-	-	-
	ALL OTHER..MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	2	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	58	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	8	10	12	12	4	-	-
	WHITE.....MALE	30	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	2	6	6	4	4	-	-
	FEMALE	28	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	4	6	8	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	6	4	2	4	-	-
	WHITE.....MALE	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	6	4	2	4	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CONNECTICUT—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	192	112	14	14	2	6	4	6	4	-	8	4	2	6	-	2	8	-	-	-	-	-	-
	WHITE.....MALE....	88	52	6	4	2	2	2	2	4	-	6	2	2	-	-	-	4	-	-	-	-	-	-
	FEMALE..	88	50	6	8	-	4	2	4	-	-	2	2	-	6	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	6	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	378	378	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	206	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	206	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	216	64	2	-	2	4	10	16	12	4	6	16	16	10	10	6	12	8	6	10	2	-	-
	WHITE.....MALE....	96	34	-	-	-	-	2	6	4	-	4	4	12	4	4	6	8	2	4	2	-	-	-
	FEMALE..	86	18	-	-	2	4	4	6	6	4	-	12	4	-	6	-	4	6	2	8	-	-	-
	ALL OTHER..MALE....	22	8	2	-	-	-	2	2	-	-	2	-	-	4	-	-	-	-	-	-	2	-	-
	FEMALE..	12	4	-	-	-	-	2	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.....	1,512	24	6	8	18	22	22	18	14	34	42	68	110	132	156	188	142	190	160	92	54	12	-
	WHITE.....MALE....	828	12	4	6	14	20	12	8	8	10	12	30	58	66	82	114	96	118	90	44	20	4	-
	FEMALE..	588	4	2	2	4	2	6	4	2	14	16	26	46	60	66	68	44	68	68	48	30	8	-
	ALL OTHER..MALE....	58	4	-	-	-	-	2	2	4	8	6	8	-	6	8	2	2	2	2	-	2	-	-
	FEMALE..	38	4	-	-	-	-	2	4	-	2	8	4	6	-	-	4	-	2	-	-	2	-	-
E800-E949	ACCIDENTS.....	1,068	12	40	40	50	120	102	54	42	56	28	32	50	52	56	50	66	86	40	54	26	10	2
	WHITE.....MALE....	628	4	16	26	30	82	84	40	26	34	12	20	34	38	36	32	40	32	10	16	12	4	-
	FEMALE..	362	6	20	8	12	34	14	12	14	12	10	8	10	10	14	16	26	48	30	38	14	6	-
	ALL OTHER..MALE....	60	2	2	2	8	2	2	2	2	8	6	4	4	4	4	2	-	4	-	-	-	-	2
	FEMALE..	18	-	2	4	-	2	2	-	-	2	-	-	2	-	2	-	-	2	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	470	2	12	26	26	84	92	42	20	34	14	12	20	18	6	16	22	14	6	2	2	-	-
	WHITE.....MALE....	314	2	2	16	16	58	74	28	14	22	8	6	16	12	4	10	14	6	2	2	2	-	-
	FEMALE..	128	-	6	6	6	26	14	12	6	6	6	4	4	4	2	6	8	8	4	-	-	-	-
	ALL OTHER..MALE....	20	-	2	2	4	-	2	2	-	4	-	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	2	2	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	598	10	28	14	24	36	10	12	22	22	14	20	30	34	50	34	44	72	34	52	24	10	2
	WHITE.....MALE....	314	2	14	10	14	24	10	12	12	12	4	14	18	26	32	22	26	26	8	14	10	4	-
	FEMALE..	234	6	14	2	6	8	-	-	8	6	4	4	6	6	12	10	18	40	26	38	14	6	-
	ALL OTHER..MALE....	40	2	-	-	4	2	-	-	2	4	6	2	4	2	4	2	-	4	-	-	-	-	2
	FEMALE..	10	-	-	2	-	2	-	-	-	-	-	-	2	-	2	-	-	2	-	-	-	-	-
E950-E959	SUICIDE.....	306	...	...	-	-	6	20	30	24	22	38	22	30	34	24	14	14	6	16	6	-	-	-
	WHITE.....MALE....	218	...	...	-	-	6	14	18	12	12	34	16	20	28	18	12	10	-	14	4	-	-	-
	FEMALE..	80	...	...	-	-	-	6	10	10	10	4	4	10	6	4	2	4	6	2	2	-	-	-
	ALL OTHER..MALE....	8	...	...	-	-	-	-	2	2	-	-	2	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	100	4	2	2	2	2	16	6	16	10	8	12	8	6	2	2	-	-	2	-	-	-	-
	WHITE.....MALE....	48	-	2	-	-	2	10	-	8	2	8	8	2	-	2	2	-	-	2	-	-	-	-
	FEMALE..	16	2	-	-	2	-	-	4	2	4	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	28	-	-	2	-	-	6	2	4	4	-	2	6	2	-	-	-	-	-	-	-	-	-
	FEMALE..	8	2	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	60	2	2	-	2	8	4	4	-	4	2	10	4	4	6	-	4	4	-	-	-	-	-
	WHITE.....MALE....	36	-	2	-	-	4	4	4	-	-	2	6	-	4	4	-	4	2	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	2	-	4	4	-	2	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	6	2	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DELAWARE																							
	ALL CAUSES	4,962	168	34	28	26	50	58	54	52	78	144	196	292	400	444	520	546	590	614	402	202	64	-
	WHITE.....MALE	2,158	54	22	4	6	26	38	22	30	36	62	88	144	202	236	252	252	256	234	114	68	12	-
	FEMALE	1,900	38	6	10	14	14	10	20	6	18	34	64	76	106	124	170	200	250	318	258	120	44	-
	ALL OTHER..MALE	572	54	2	8	4	8	4	10	14	16	24	30	44	66	58	68	58	56	30	10	6	2	-
	FEMALE	332	22	4	6	2	2	6	2	2	8	24	14	28	26	26	30	36	28	32	20	8	6	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	6	2	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	24	-	-	-	-	-	-	-	-	2	2	2	4	6	2	2	2	-	2	-	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	2	2	2	-	2	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	22	-	-	-	-	-	-	-	-	2	2	2	2	6	2	2	2	-	2	-	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	2	2	2	-	2	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	8	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DELAWARE--CON.																							
RE-	OTHER INFECTIVE AND																							
HAIN-	PARASITIC DISEASES.....	10	-	-	-	-	-	4	-	-	2	-	-	-	-	2	-	2	-	-	-	-	-	-
DER	WHITE.....MALE....	8	-	-	-	-	-	4	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-
OF	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
000-	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-	MALIGNANT NEOPLASMS,																							
209	INCLUDING NEOPLASMS OF																							
	LYMPHATIC AND HEMATO-																							
	POIETIC TISSUES.....	894	-	2	4	4	-	2	2	8	6	28	66	92	112	104	126	114	98	76	36	12	2	-
	WHITE.....MALE....	370	-	-	-	-	-	-	-	6	2	10	36	36	48	48	48	38	54	26	12	6	-	-
	FEMALE..	378	-	-	2	2	-	-	2	2	4	10	22	38	44	42	60	48	36	40	18	6	2	-
	ALL OTHER..MALE....	96	-	2	-	-	-	-	-	-	-	2	2	10	16	14	12	20	8	6	4	-	-	-
	FEMALE..	50	-	-	2	2	-	2	-	-	-	6	6	8	4	-	6	8	-	4	2	-	-	-
140-	OF BUCCAL CAVITY																							
149	AND PHARYNX.....	16	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	2	4	2	-	2	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	2	2	-	2	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-	OF DIGESTIVE ORGANS																							
159	AND PERITONEUM.....	234	-	-	-	-	-	-	-	-	2	2	18	24	22	16	42	34	28	26	14	4	2	-
	WHITE.....MALE....	82	-	-	-	-	-	-	-	-	2	-	8	10	8	10	14	6	14	4	6	-	-	-
	FEMALE..	118	-	-	-	-	-	-	-	-	-	-	8	8	12	6	22	24	10	16	6	4	2	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	4	4	2	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	2	-	6	-	-	4	-	-	4	2	-	-	-
160-	OF RESPIRATORY SYSTEM....	230	-	-	-	-	-	-	-	-	-	6	24	32	32	44	30	26	18	10	6	2	-	-
163	WHITE.....MALE....	156	-	-	-	-	-	-	-	-	-	6	24	18	20	30	20	12	14	6	4	2	-	-
	FEMALE..	40	-	-	-	-	-	-	-	-	-	-	-	6	6	8	10	4	2	2	2	-	-	-
	ALL OTHER..MALE....	32	-	-	-	-	-	-	-	-	-	-	-	8	6	6	-	8	2	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
174	OF BREAST.....	86	-	-	-	-	-	-	-	-	-	2	12	16	8	14	18	6	6	4	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	78	-	-	-	-	-	-	-	-	-	2	8	14	8	14	16	6	6	4	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	4	2	-	-	2	-	-	-	-	-	-	-
180-	OF GENITAL ORGANS.....	134	-	-	-	-	-	-	2	-	-	4	4	6	16	10	16	22	22	18	12	2	-	-
187	WHITE.....MALE....	42	-	-	-	-	-	-	-	-	-	-	-	-	6	2	4	8	12	8	-	2	-	-
	FEMALE..	60	-	-	-	-	-	-	2	-	-	4	4	6	4	4	4	6	8	10	8	-	-	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	8	2	-	4	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
188,	OF URINARY ORGANS.....	18	-	-	-	-	-	-	-	2	-	-	2	2	2	-	2	2	2	4	-	-	-	-
189	WHITE.....MALE....	8	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	2	-	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-	OF ALL OTHER AND																							
173,	UNSPECIFIED SITES.....	112	-	2	2	4	-	2	-	2	4	8	6	4	22	12	10	14	10	4	4	2	-	-
190-	WHITE.....MALE....	46	-	-	-	-	-	-	-	-	-	2	4	4	10	4	4	6	8	2	2	-	-	-
199	FEMALE..	42	-	-	-	2	-	-	-	2	4	2	-	-	10	4	6	4	2	2	2	2	-	-
	ALL OTHER..MALE....	10	-	2	-	-	-	-	-	-	-	2	-	-	2	4	-	-	-	-	-	-	-	-
	FEMALE..	14	-	-	2	2	-	2	-	-	-	2	2	-	-	-	-	4	-	-	-	-	-	-
204-	LEUKEMIA.....	36	-	-	2	-	-	-	-	-	-	2	-	6	2	4	4	6	4	6	-	-	-	-
207	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	2	2	-	-	-	-
	FEMALE..	18	-	-	2	-	-	-	-	-	-	-	-	4	-	2	-	4	2	4	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-
200-	OTHER NEOPLASMS OF																							
203,	LYMPHATIC AND HEMATO-																							
208,	POIETIC TISSUES.....	28	-	-	-	-	-	-	-	4	-	2	-	2	4	4	4	2	4	2	-	-	-	-
209	WHITE.....MALE....	12	-	-	-	-	-	-	-	4	-	-	-	-	-	-	4	2	2	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	2	-	-	2	4	-	-	2	2	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-	BENIGN NEOPLASMS AND																							
239	NEOPLASMS OF UNSPECI-																							
	FIED NATURE.....	16	-	-	-	-	-	-	-	-	-	2	-	-	6	2	-	2	2	2	-	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	86	-	-	-	-	-	-	2	2	-	2	2	-	8	2	16	12	20	10	8	2	-	-
	WHITE.....MALE....	28	-	-	-	-	-	-	-	-	-	-	-	-	6	-	6	6	6	2	-	2	-	-
	FEMALE..	40	-	-	-	-	-	-	2	2	-	2	2	-	2	-	4	4	10	6	6	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	2	2	-	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DELAWARE--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	8	2	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	8	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	2	2	-	-	-
	WHITE.....MALE....	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	2,722	8	4	-	-	4	-	4	6	28	38	80	130	188	250	278	338	390	446	312	162	56	-
	WHITE.....MALE....	1,198	2	4	-	-	2	-	2	4	8	22	40	80	100	148	154	160	156	174	82	48	12	-
	FEMALE..	1,128	2	-	-	-	2	-	2	-	8	10	22	18	44	50	84	130	168	238	212	102	36	-
	ALL OTHER..MALE....	228	2	-	-	-	-	-	-	2	8	6	14	20	34	30	24	28	40	12	2	4	2	-
	FEMALE..	168	2	-	-	-	-	-	-	-	4	-	4	12	10	22	16	20	26	22	16	8	6	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	2,124	6	4	-	-	2	-	-	6	18	32	58	114	154	210	202	270	308	352	240	110	38	-
	WHITE.....MALE....	984	2	4	-	-	-	-	-	4	6	20	34	78	84	128	128	130	116	138	70	34	8	-
	FEMALE..	844	2	-	-	-	2	-	-	-	4	8	14	14	36	44	46	104	136	184	158	68	24	-
	ALL OTHER..MALE....	172	2	-	-	-	-	-	-	2	6	4	10	12	24	20	22	20	32	12	2	2	2	-
	FEMALE..	124	-	-	-	-	-	-	-	-	2	-	-	10	10	18	6	16	24	18	10	6	4	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	30	-	-	-	-	-	-	-	-	2	4	-	6	2	2	2	6	-	6	-	-	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	4	-	6	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	28	-	-	-	-	-	-	-	-	-	-	4	2	2	4	-	-	6	4	2	4	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	2	-	2	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	4	-	2	2	-	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	12	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	4	-	2	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	1,952	-	-	-	-	-	-	-	4	14	28	54	98	142	192	188	252	292	326	228	96	38	-
	WHITE.....MALE....	916	-	-	-	-	-	-	-	2	4	18	34	72	80	126	122	116	110	128	62	34	8	-
	FEMALE..	782	-	-	-	-	-	-	-	-	4	6	14	10	30	38	40	104	130	170	154	58	24	-
	ALL OTHER..MALE....	144	-	-	-	-	-	-	-	2	4	4	6	8	22	14	20	18	30	12	2	-	2	-
	FEMALE..	110	-	-	-	-	-	-	-	-	2	-	-	8	10	14	6	14	22	16	10	4	4	-
410	ACUTE MYOCARDIAL INFARCTION.....	948	-	-	-	-	-	-	-	4	10	20	48	78	96	132	110	132	128	114	50	18	8	-
	WHITE.....MALE....	556	-	-	-	-	-	-	-	2	2	16	30	62	64	94	80	66	64	44	22	8	2	-
	FEMALE..	304	-	-	-	-	-	-	-	-	4	4	12	8	28	22	18	56	48	60	28	10	6	-
	ALL OTHER..MALE....	66	-	-	-	-	-	-	-	2	4	-	6	4	4	8	10	8	14	6	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	4	-	8	2	2	2	4	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	1,000	-	-	-	-	-	-	-	-	4	8	6	20	46	58	78	120	164	212	176	78	30	-
	WHITE.....MALE....	358	-	-	-	-	-	-	-	-	2	2	4	10	16	32	42	50	46	84	38	26	6	-
	FEMALE..	476	-	-	-	-	-	-	-	-	-	2	2	2	2	14	22	48	82	110	126	48	18	-
	ALL OTHER..MALE....	78	-	-	-	-	-	-	-	-	-	4	-	4	18	6	10	10	16	6	2	-	2	-
	FEMALE..	88	-	-	-	-	-	-	-	-	2	-	-	4	10	6	4	12	20	12	10	4	4	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DELAWARE--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	10	2	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	2	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	92	4	4	-	-	2	-	-	2	2	-	-	6	6	12	10	10	6	12	10	6	-	-
	WHITE.....MALE....	40	2	4	-	-	-	-	-	2	-	-	-	4	2	2	6	8	4	-	6	-	-	-
	FEMALE..	32	2	-	-	-	2	-	-	-	-	-	-	-	4	2	2	-	2	10	4	4	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	2	-	-	2	-	4	2	-	-	-	-	2	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	2	-	-	-	-
400, 401, 403	HYPERTENSION.....	20	-	-	-	-	-	-	-	-	2	-	2	2	-	4	-	-	2	4	2	2	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	2	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	436	2	-	-	-	2	-	2	-	6	2	18	6	28	28	62	44	70	72	54	28	12	-
	WHITE.....MALE....	128	-	-	-	-	2	-	-	-	-	-	6	-	12	10	16	12	32	20	8	8	2	-
	FEMALE..	232	-	-	-	-	-	-	2	-	4	-	6	2	8	6	34	22	28	48	42	20	10	-
	ALL OTHER..MALE....	42	-	-	-	-	-	-	-	-	2	2	2	2	8	10	2	6	8	-	-	-	-	-
	FEMALE..	34	2	-	-	-	-	-	-	-	-	-	4	2	-	2	10	4	2	4	4	-	-	-
431	CEREBRAL HEMORRHAGE.....	64	-	-	-	-	-	-	-	-	-	-	6	-	6	6	16	12	-	12	4	2	-	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	2	-	4	2	4	4	-	2	-	-	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	2	-	2	4	6	4	-	8	4	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	-	2	-	-	-	-
433	CEREBRAL THROMBOSIS.....	126	-	-	-	-	-	-	-	-	-	-	-	-	6	8	16	14	32	24	14	8	4	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	-	14	4	2	2	-	-
	FEMALE..	82	-	-	-	-	-	-	-	-	-	-	-	-	-	2	10	14	16	18	12	6	4	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	6	2	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
434	CEREBRAL EMBOLISM.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	244	2	-	-	-	2	-	2	-	6	2	12	6	16	14	30	18	36	36	36	18	8	-
	WHITE.....MALE....	78	-	-	-	-	2	-	-	-	-	-	4	-	8	4	6	8	18	14	6	6	2	-
	FEMALE..	116	-	-	-	-	-	-	2	-	4	-	4	2	6	-	18	4	10	22	26	12	6	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	-	-	2	2	-	2	2	8	2	4	8	-	-	-	-	-
	FEMALE..	20	2	-	-	-	-	-	-	-	-	-	4	2	-	2	4	2	-	-	4	-	-	-
440	ARTERIOSCLEROSIS.....	70	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	10	4	10	12	20	6	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	6	2	10	4	4	2	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	6	14	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	2	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	72	-	-	-	-	-	-	2	-	2	4	2	4	6	4	14	14	6	8	4	2	-	-
	WHITE.....MALE....	48	-	-	-	-	-	-	2	-	2	2	-	-	4	4	10	12	6	4	-	2	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	2	2	2	-	-	4	2	-	4	4	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474	INFLUENZA AND PNEUMONIA..	148	8	2	2	-	-	2	6	-	2	6	2	8	10	6	18	14	16	12	18	14	2	-
	WHITE.....MALE....	54	2	-	-	-	-	-	2	-	-	2	-	-	6	4	8	6	8	4	4	8	-	-
	FEMALE..	48	-	2	-	-	-	-	4	-	-	-	-	2	-	2	2	2	6	6	14	6	2	-
	ALL OTHER..MALE....	32	4	-	2	-	-	2	-	-	2	2	2	4	2	-	8	2	2	-	-	-	-	-
	FEMALE..	14	2	-	-	-	-	-	-	-	-	2	-	2	2	-	-	4	-	2	-	-	-	-
470-474	INFLUENZA.....	8	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	140	8	2	2	-	-	2	4	-	2	6	2	8	10	6	18	14	14	8	18	14	2	-
	WHITE.....MALE....	52	2	-	-	-	-	-	2	-	-	2	-	-	6	4	8	6	8	2	4	8	-	-
	FEMALE..	42	-	2	-	-	-	-	2	-	-	-	-	2	-	2	2	2	4	4	14	6	2	-
	ALL OTHER..MALE....	32	4	-	2	-	-	2	-	-	2	2	2	4	2	-	8	2	2	-	-	-	-	-
	FEMALE..	14	2	-	-	-	-	-	-	-	-	2	-	2	2	-	-	4	-	2	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DELAWARE--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	60	-	-	-	-	-	-	2	-	-	2	-	2	8	12	4	10	14	4	2	-	-	-
	WHITE.....MALE	36	-	-	-	-	-	-	-	-	-	2	-	-	4	8	2	8	8	2	2	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	-	4	2	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	52	-	-	-	-	-	-	-	-	-	2	-	-	8	10	4	10	12	4	2	-	-	-
	WHITE.....MALE	34	-	-	-	-	-	-	-	-	-	2	-	-	4	6	2	8	8	2	2	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	-	4	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
493	ASTHMA	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	16	-	-	-	-	-	-	-	2	-	-	-	-	2	2	2	4	2	-	2	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	2	-	-	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	12	2	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	4	-	-	-	-
	WHITE.....MALE	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	102	-	-	-	-	-	-	-	-	10	18	10	26	6	8	10	6	4	2	2	-	-	-
	WHITE.....MALE	42	-	-	-	-	-	-	-	-	6	2	4	12	4	-	6	4	4	-	-	-	-	-
	FEMALE	30	-	-	-	-	-	-	-	-	4	4	6	6	-	6	2	-	-	2	-	-	-	-
	ALL OTHER..MALE	20	-	-	-	-	-	-	-	-	-	4	-	6	2	2	2	2	-	-	2	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	8	-	2	-	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	10	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	2	-	2	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	18	-	-	-	-	-	-	-	-	-	-	2	2	-	2	4	2	-	6	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	4	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	14	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	-	4	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	16	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	-	4	2	2	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
600	HYPERPLASIA OF PROSTATE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972–Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DELAWARE--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	46	28	6	-	6	-	-	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	18	12	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	18	8	-	-	6	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	20	14	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-	-
	WHITE.....MALE....	10	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-SID-UAL	ALL OTHER DISEASES.....	230	4	4	4	2	6	8	2	4	8	16	10	8	22	18	36	12	34	16	14	2	-	-
	WHITE.....MALE....	90	2	2	-	2	2	2	2	-	6	4	4	2	8	4	12	4	16	10	8	-	-	-
	FEMALE..	82	2	-	4	-	-	4	-	-	-	2	6	4	6	10	8	8	16	6	4	2	-	-
	ALL OTHER..MALE....	40	-	-	-	-	4	-	-	2	-	6	-	-	4	4	16	-	2	-	2	-	-	-
	FEMALE..	18	-	2	-	-	-	2	-	2	2	4	-	2	4	-	-	-	-	-	-	-	-	-
E800-E949	ACCIDENTS.....	264	8	16	16	10	30	26	14	18	8	14	6	-	22	24	14	10	6	12	-	6	4	-
	WHITE.....MALE....	136	-	10	2	2	18	18	8	14	4	12	-	-	14	12	8	4	4	4	-	2	-	-
	FEMALE..	74	-	4	4	4	10	6	6	-	2	2	4	-	6	6	2	4	2	6	-	2	4	-
	ALL OTHER..MALE....	40	8	-	6	4	-	-	-	4	2	-	-	-	-	6	4	2	-	2	-	2	-	-
	FEMALE..	14	-	2	4	-	2	2	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	132	2	12	10	6	20	18	12	14	2	8	4	-	6	12	2	2	-	2	-	-	-	-
	WHITE.....MALE....	68	-	6	-	-	14	10	6	10	2	8	-	-	2	6	2	2	-	-	-	-	-	-
	FEMALE..	36	-	4	2	4	4	6	6	-	-	-	2	-	2	4	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	14	2	-	4	2	-	-	-	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	14	-	2	4	-	2	2	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	132	6	4	6	4	10	8	2	4	6	6	2	-	16	12	12	8	6	10	-	6	4	-
	WHITE.....MALE....	68	-	4	2	2	4	8	2	4	2	4	-	-	12	6	6	2	4	4	-	2	-	-
	FEMALE..	38	-	-	2	-	6	-	-	-	2	2	2	-	4	2	2	4	2	4	-	2	4	-
	ALL OTHER..MALE....	26	6	-	2	2	-	-	-	-	2	-	-	-	-	4	4	2	-	2	-	2	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	64	...	...	-	-	-	6	6	6	4	10	8	4	2	4	4	6	2	-	2	-	-	-
	WHITE.....MALE....	46	...	...	-	-	-	6	4	4	4	6	4	2	2	2	4	6	-	-	2	-	-	-
	FEMALE..	14	...	...	-	-	-	-	2	2	-	4	2	2	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	4	...	...	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	62	-	-	-	-	8	8	12	6	6	4	6	8	2	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	26	-	-	-	-	4	6	4	-	4	-	-	6	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	32	-	-	-	-	4	2	8	6	2	2	6	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	4	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DISTRICT OF COLUMBIA																							
	ALL CAUSES	8,462	330	36	24	18	70	164	152	176	206	330	490	652	712	854	928	922	828	700	496	268	104	2
	WHITE.....MALE	1,412	12	2	2	2	10	2	20	10	12	26	38	78	132	158	172	208	200	160	92	64	12	-
	FEMALE	1,642	16	2	-	-	-	12	12	6	10	8	32	50	76	106	136	224	256	300	222	120	54	-
	ALL OTHER..MALE	3,196	170	18	14	12	34	108	94	108	120	214	262	312	306	368	346	288	198	108	66	36	12	2
	FEMALE	2,212	132	14	8	4	26	42	26	52	64	82	158	212	198	222	274	202	174	132	116	48	26	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	10	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	36	-	-	-	-	-	-	2	2	2	-	4	2	2	4	6	4	2	4	2	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	20	-	-	-	-	-	-	2	2	2	-	2	-	2	2	2	4	-	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	2	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	28	-	-	-	-	-	-	2	2	2	-	4	2	2	2	6	2	-	2	2	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	16	-	-	-	-	-	-	2	2	2	-	2	-	2	2	2	2	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	4	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	4	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	46	6	-	-	-	-	-	2	-	-	-	2	4	4	6	-	10	4	2	6	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	ALL OTHER..MALE	24	2	-	-	-	-	-	2	-	-	-	2	4	2	4	-	4	2	-	2	-	-	-
	FEMALE	18	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	6	2	-	2	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DIST. OF COLUMBIA—CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	20	2	-	-	-	-	2	2	-	4	2	-	-	-	2	4	-	-	2	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	12	2	-	-	-	-	-	2	-	2	2	-	-	-	-	4	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	1,534	-	2	2	8	2	4	4	12	14	42	124	152	192	204	260	198	166	90	34	20	4	-
	WHITE.....MALE....	202	-	-	-	2	-	-	2	-	2	2	4	8	16	22	38	38	40	18	2	8	-	-
	FEMALE..	342	-	-	-	-	-	2	2	2	-	4	14	18	32	36	52	58	60	36	18	6	2	-
	ALL OTHER..MALE....	580	-	2	2	4	-	-	-	4	6	26	50	56	96	84	104	64	50	20	6	4	2	-
	FEMALE..	410	-	-	-	2	2	2	-	6	6	10	56	70	48	62	66	38	16	16	8	2	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	50	-	-	-	-	-	-	-	-	-	2	10	14	10	2	8	2	2	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	-	-	-	-	-
	ALL OTHER..MALE....	32	-	-	-	-	-	-	-	-	-	2	8	10	8	2	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	472	-	-	-	-	-	-	-	2	4	6	20	24	76	88	78	58	52	32	18	12	2	-
	WHITE.....MALE....	60	-	-	-	-	-	-	-	-	-	2	-	4	8	6	6	10	14	4	2	4	-	-
	FEMALE..	106	-	-	-	-	-	-	-	2	-	-	2	-	12	16	12	16	22	12	10	2	-	-
	ALL OTHER..MALE....	172	-	-	-	-	-	-	-	-	2	2	8	6	30	40	34	20	10	12	2	4	2	-
	FEMALE..	134	-	-	-	-	-	-	-	-	2	2	10	14	26	26	26	12	6	4	4	2	-	-
160-163	OF RESPIRATORY SYSTEM....	352	-	-	-	-	-	-	-	-	4	10	40	44	40	46	66	44	44	10	2	2	-	-
	WHITE.....MALE....	68	-	-	-	-	-	-	-	-	2	-	2	4	2	8	14	18	10	6	-	2	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	-	2	4	4	6	8	6	10	2	-	-	-	-
	ALL OTHER..MALE....	194	-	-	-	-	-	-	-	-	2	8	22	26	34	26	36	16	22	2	-	-	-	-
	FEMALE..	48	-	-	-	-	-	-	-	-	-	2	14	10	-	6	8	4	2	-	2	-	-	-
174	OF BREAST.....	150	-	-	-	-	-	2	-	2	-	6	18	28	14	14	18	14	20	6	4	4	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	64	-	-	-	-	-	-	-	-	-	-	4	4	8	4	8	10	14	4	4	4	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	80	-	-	-	-	-	2	-	2	-	6	12	24	6	8	10	2	6	2	-	-	-	-
180-187	OF GENITAL ORGANS.....	172	-	-	-	2	-	-	2	-	2	2	8	18	10	18	36	42	20	10	2	-	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	-	2	-	-	-	-
	FEMALE..	40	-	-	-	-	-	-	2	-	-	-	2	4	2	4	6	14	4	2	-	-	-	-
	ALL OTHER..MALE....	60	-	-	-	-	-	-	-	-	-	2	-	2	2	4	12	16	16	4	2	-	-	-
	FEMALE..	58	-	-	-	2	-	-	-	-	2	-	6	12	6	8	14	6	-	2	-	-	-	-
188, 189	OF URINARY ORGANS.....	50	-	-	-	-	-	-	-	-	-	2	6	6	4	8	2	6	4	12	-	-	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	4	4	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	-	-	-	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	-	2	4	6	2	2	-	4	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	174	-	-	-	2	-	-	2	4	2	12	16	12	30	20	34	16	10	8	4	2	-	-
	WHITE.....MALE....	22	-	-	-	-	-	-	2	-	-	-	-	-	2	-	8	2	4	2	-	2	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	4	4	4	4	2	4	4	4	2	4	-	-	-
	ALL OTHER..MALE....	72	-	-	-	2	-	-	-	2	2	8	4	2	18	10	16	6	2	-	-	-	-	-
	FEMALE..	44	-	-	-	-	-	-	-	2	-	-	8	6	6	8	6	4	-	4	-	-	-	-
204-207	LEUKEMIA.....	48	-	2	2	2	2	2	-	2	2	-	2	-	-	-	6	10	2	10	2	-	2	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	26	-	-	-	-	-	2	-	-	-	-	-	-	-	-	6	6	-	10	-	-	2	-
	ALL OTHER..MALE....	6	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	2	-	-	2	2	-	2	-	-	-	-	4	-	-	2	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	66	-	-	-	2	-	-	-	2	-	2	4	6	8	8	12	6	12	2	2	-	-	-
	WHITE.....MALE....	14	-	-	-	2	-	-	-	-	-	-	-	-	2	2	2	-	6	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	4	-	-	-	-	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	2	-	2	2	4	2	-	4	-	-	-	2	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	2	2	4	4	-	6	2	2	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	26	-	-	-	-	-	2	-	-	-	-	2	-	2	4	4	4	2	2	-	4	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	2	-	-	-	-	2	-	-	2	4	4	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	4	-	-
250	DIABETES MELLITUS.....	176	-	-	-	-	-	-	-	6	-	4	6	6	22	24	24	28	28	16	8	4	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	2	-	-	-	-	-	-	4	6	6	2	2	2	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	2	-	-	-	6	4	2	6	-	2	-	-
	ALL OTHER..MALE....	38	-	-	-	-	-	-	-	2	-	2	4	2	6	8	-	4	10	-	-	-	-	-
	FEMALE..	92	-	-	-	-	-	-	-	2	-	2	-	4	16	16	14	14	10	8	6	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DIST. OF COLUMBIA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
280-285	ANEMIAS.....	14	-	-	-	-	-	-	-	2	-	-	-	-	4	-	-	2	2	-	4	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	2	-	-	-	-	4	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	12	6	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	8	6	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	3,628	-	-	4	2	-	8	10	10	36	82	144	226	278	398	434	466	472	456	344	178	78	2
	WHITE.....MALE....	740	-	-	-	-	-	-	2	-	2	6	12	34	52	96	90	116	110	104	62	44	10	-
	FEMALE..	932	-	-	-	-	-	-	-	-	4	-	6	8	26	40	56	128	170	200	160	86	48	-
	ALL OTHER..MALE....	1,064	-	-	2	2	-	4	4	8	22	54	80	106	120	172	138	128	84	68	48	16	6	2
	FEMALE..	892	-	-	2	-	-	4	4	2	8	22	46	78	80	90	150	94	108	84	74	32	14	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	2,552	-	-	2	2	-	6	8	6	28	62	114	186	220	310	326	318	330	254	220	108	52	-
	WHITE.....MALE....	540	-	-	-	-	-	-	2	-	2	6	10	32	42	82	72	82	90	54	32	28	6	-
	FEMALE..	616	-	-	-	-	-	-	-	-	4	-	2	6	18	30	38	84	124	110	116	50	34	-
	ALL OTHER..MALE....	802	-	-	-	2	-	2	2	6	14	40	62	92	102	132	110	92	62	36	34	10	4	-
	FEMALE..	594	-	-	2	-	-	4	4	-	8	16	40	56	58	66	106	60	54	54	38	20	8	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	58	-	-	-	2	-	2	2	-	2	6	4	-	10	8	8	4	4	2	4	-	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	2	-	-	2	-	-	2	-	4	-	-	-	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	2	-	2	-	4	4	2	-	4	-	2	-	-	-
	ALL OTHER..MALE....	16	-	-	-	2	-	-	-	-	-	4	-	-	4	4	-	-	-	-	2	-	-	-
	FEMALE..	12	-	-	-	-	-	2	-	-	-	-	2	-	-	-	2	4	-	2	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	36	-	-	-	-	-	-	-	-	-	2	-	2	2	-	6	8	12	-	4	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	2	2	-	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	6	-	2	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	22	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	2	4	4	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	2	2	2	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	2,296	-	-	-	-	-	-	2	6	24	48	104	170	194	294	288	288	296	230	202	100	50	-
	WHITE.....MALE....	502	-	-	-	-	-	-	-	-	2	4	10	32	36	78	66	78	84	48	32	28	4	-
	FEMALE..	558	-	-	-	-	-	-	-	-	2	-	-	6	12	24	34	80	112	102	104	48	34	-
	ALL OTHER..MALE....	706	-	-	-	-	-	-	-	6	12	28	58	80	88	126	98	82	54	34	30	6	4	-
	FEMALE..	530	-	-	-	-	-	-	2	-	8	16	36	52	58	66	90	48	46	46	36	18	8	-
410	ACUTE MYOCARDIAL INFARCTION.....	664	-	-	-	-	-	-	-	-	8	12	30	36	44	76	82	116	106	74	60	8	12	-
	WHITE.....MALE....	186	-	-	-	-	-	-	-	-	2	-	8	10	14	26	22	38	36	18	10	-	2	-
	FEMALE..	194	-	-	-	-	-	-	-	-	-	-	-	2	2	14	10	44	36	40	30	8	8	-
	ALL OTHER..MALE....	170	-	-	-	-	-	-	-	-	4	10	18	18	22	22	18	20	20	10	8	-	-	-
	FEMALE..	114	-	-	-	-	-	-	-	-	2	2	4	6	6	14	32	14	14	6	12	-	2	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	1,630	-	-	-	-	-	-	2	6	16	36	74	134	150	218	206	172	190	156	142	90	38	-
	WHITE.....MALE....	316	-	-	-	-	-	-	-	-	-	4	2	22	22	52	44	40	48	30	22	28	2	-
	FEMALE..	362	-	-	-	-	-	-	-	-	2	-	-	4	10	10	24	36	76	62	74	38	26	-
	ALL OTHER..MALE....	536	-	-	-	-	-	-	-	6	8	18	40	62	66	104	80	62	34	24	22	6	4	-
	FEMALE..	416	-	-	-	-	-	-	2	-	6	14	32	46	52	52	58	34	32	40	24	18	6	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DIST. OF COLUMBIA—CON.																							
424. 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	20	-	-	-	-	-	-	2	-	-	-	2	4	4	-	-	-	2	4	2	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427. 429	ALL OTHER FORMS OF HEART DISEASE.....	120	-	-	2	-	-	4	2	-	2	6	4	8	10	6	18	16	12	14	6	8	2	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	4	2	4	-	-	2	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	4	6	2	-	-
	ALL OTHER..MALE....	50	-	-	-	-	-	2	2	-	2	6	4	4	8	-	8	6	4	-	-	4	-	-
	FEMALE..	28	-	-	2	-	-	2	-	-	-	-	-	4	-	-	8	2	2	6	-	2	-	-
400. 401. 403	HYPERTENSION.....	34	-	-	-	-	-	-	2	-	-	-	2	2	4	4	2	6	4	6	2	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	2	-	-	-	2	-	2	4	-	2	2	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	702	-	-	2	-	-	2	-	4	8	16	24	34	42	66	76	86	88	128	66	46	14	-
	WHITE.....MALE....	130	-	-	-	-	-	-	-	-	-	-	2	2	6	12	16	18	14	30	20	8	2	-
	FEMALE..	216	-	-	-	-	-	-	-	-	-	-	4	2	4	6	12	30	32	64	30	26	6	-
	ALL OTHER..MALE....	170	-	-	2	-	-	2	-	2	8	12	14	14	16	28	18	20	10	12	6	4	2	-
	FEMALE..	186	-	-	-	-	-	-	-	2	-	4	4	16	16	20	30	18	32	22	10	8	4	-
431	CEREBRAL HEMORRHAGE.....	140	-	-	2	-	-	-	-	2	2	12	8	14	10	16	16	18	12	18	8	2	-	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	2	4	-	-	-
	FEMALE..	38	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	4	8	12	4	-	-	-
	ALL OTHER..MALE....	58	-	-	2	-	-	-	-	-	2	12	6	10	4	8	6	6	-	2	-	-	-	-
	FEMALE..	26	-	-	-	-	-	-	-	2	-	-	-	2	4	4	4	4	2	2	-	2	-	-
433	CEREBRAL THROMBOSIS.....	164	-	-	-	-	-	-	-	-	2	-	-	2	6	6	22	32	24	38	18	10	4	-
	WHITE.....MALE....	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	6	16	2	4	-	-
	FEMALE..	56	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	12	4	18	10	4	2	-
	ALL OTHER..MALE....	32	-	-	-	-	-	-	-	-	2	-	-	2	-	2	2	10	6	4	4	-	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	-	-	4	2	12	4	8	-	2	2	2	-
434	CEREBRAL EMBOLISM.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430. 432. 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	396	-	-	-	-	-	2	-	2	4	4	16	18	26	44	36	36	52	72	40	34	10	-
	WHITE.....MALE....	72	-	-	-	-	-	-	-	-	-	-	2	2	6	10	6	8	6	12	14	4	2	-
	FEMALE..	120	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	14	20	34	16	22	4	-
	ALL OTHER..MALE....	80	-	-	-	-	-	2	-	2	4	-	8	2	12	18	10	4	4	6	2	4	2	-
	FEMALE..	124	-	-	-	-	-	-	-	-	-	4	4	14	8	14	14	10	22	20	8	4	2	-
440	ARTERIOSCLEROSIS.....	242	-	-	-	-	-	-	-	-	-	-	-	-	4	8	16	36	42	56	48	20	12	-
	WHITE.....MALE....	48	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	4	20	6	6	2	-
	FEMALE..	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	12	14	12	8	8	-
	ALL OTHER..MALE....	56	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	10	10	16	6	2	-	-
	FEMALE..	78	-	-	-	-	-	-	-	-	-	-	-	-	4	-	8	14	16	6	24	4	2	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	98	-	-	-	-	-	-	-	-	-	4	4	4	8	10	14	20	8	12	8	4	-	2
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	10	2	-	2	2	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	-	-	4	4	6	6	2	8	2	2	-	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	2	2	-	-	2	4	4	-	2	2	-	-	2
	FEMALE..	26	-	-	-	-	-	-	-	-	-	2	2	4	2	4	4	-	4	2	2	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474.	INFLUENZA AND PNEUMONIA..	324	12	4	-	-	2	-	6	4	8	18	16	22	22	34	20	40	32	38	18	18	10	-
	WHITE.....MALE....	52	-	-	-	-	-	-	-	-	-	2	2	2	6	2	4	6	8	10	4	4	2	-
	FEMALE..	54	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	4	4	16	10	8	4	-
480-486	ALL OTHER..MALE....	140	8	2	-	-	-	-	2	4	4	14	4	16	10	24	8	18	14	8	-	4	-	-
	FEMALE..	78	4	2	-	-	2	-	4	-	4	2	8	4	6	4	6	12	6	4	4	2	4	-
470-474	INFLUENZA.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	320	12	4	-	-	2	-	6	4	8	18	16	22	22	34	20	40	30	38	16	18	10	-
	WHITE.....MALE....	52	-	-	-	-	-	-	-	-	-	2	2	2	6	2	4	6	8	10	4	4	2	-
	FEMALE..	52	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	4	4	16	8	8	4	-
	ALL OTHER..MALE....	138	8	2	-	-	-	-	2	4	4	14	4	16	10	24	8	18	12	8	-	4	-	-
	FEMALE..	78	4	2	-	-	2	-	4	-	4	2	8	4	6	4	6	12	6	4	4	2	4	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DIST. OF COLUMBIA—CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	86	-	-	-	-	-	-	-	-	-	4	4	12	6	12	16	14	8	6	4	-	-	-
	WHITE.....MALE	28	-	-	-	-	-	-	-	-	-	-	-	2	-	6	4	4	6	4	2	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	4	2	-	-	-	-	-
	ALL OTHER..MALE	32	-	-	-	-	-	-	-	-	-	2	2	6	-	2	12	6	-	-	2	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	2	2	-	4	2	-	-	-	2	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	12	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	-	2	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	60	-	-	-	-	-	-	-	-	-	-	2	8	4	8	12	10	8	4	4	-	-	-
	WHITE.....MALE	26	-	-	-	-	-	-	-	-	-	-	-	2	-	6	4	4	6	2	2	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	2	2	-	-	-	-	-
	ALL OTHER..MALE	18	-	-	-	-	-	-	-	-	-	-	2	2	-	-	8	4	-	-	2	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-
493	ASTHMA	14	-	-	-	-	-	-	-	-	-	4	2	2	2	2	2	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	2	2	-	2	2	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	44	-	-	-	-	2	-	4	-	4	4	-	2	4	2	6	2	6	4	4	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	2	4	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	22	-	-	-	-	2	-	4	-	2	2	-	2	2	2	4	2	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	-	2	-	-	-	-	-
540-543	APPENDICITIS	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	32	2	-	-	-	-	-	-	-	-	-	-	2	2	8	-	6	-	6	4	2	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	4	-	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	2	-	-	-
	FEMALE	12	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	2	2	-	-
571	CIRRHOSIS OF LIVER	438	-	2	-	-	-	8	4	28	46	64	62	94	62	26	20	14	6	-	2	-	-	-
	WHITE.....MALE	72	-	-	-	-	-	-	-	2	-	4	4	18	28	6	4	2	4	-	-	-	-	-
	FEMALE	48	-	-	-	-	-	2	2	2	2	4	4	8	8	6	4	4	-	-	2	-	-	-
	ALL OTHER..MALE	210	-	-	-	-	-	6	2	14	20	36	42	46	16	12	10	4	2	-	-	-	-	-
	FEMALE	108	-	2	-	-	-	-	-	10	24	20	12	22	10	2	2	4	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	80	-	-	-	-	4	-	2	4	-	-	4	6	8	10	18	6	6	4	4	4	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	-
	ALL OTHER..MALE	30	-	-	-	-	2	-	-	2	-	-	2	2	4	2	8	4	-	2	-	2	-	-
	FEMALE	38	-	-	-	-	2	-	2	2	-	-	2	4	4	8	10	-	4	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	14	-	-	-	-	-	-	-	2	-	-	2	2	-	2	-	2	-	2	-	2	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	66	-	-	-	-	4	-	2	2	-	-	2	4	8	8	18	4	6	2	4	2	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-
	ALL OTHER..MALE	24	-	-	-	-	2	-	-	-	-	-	-	-	4	2	8	4	-	2	-	2	-	-
	FEMALE	36	-	-	-	-	2	-	2	2	-	-	2	4	4	6	10	-	4	-	-	-	-	-
590	INFECTIONS OF KIDNEY	44	-	-	-	-	-	-	-	-	-	-	2	-	-	8	4	6	4	6	10	2	2	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	2	-	-	-
	ALL OTHER..MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	-	2	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	2	-	4	4	-	2	-
600	HYPERPLASIA OF PROSTATE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DIST. OF COLUMBIA—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	44	28	6	2	-	-	-	2	-	-	-	4	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	6	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	20	14	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	14	8	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	206	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	140	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	82	44	-	-	-	4	2	2	2	6	2	2	2	2	2	4	2	-	2	-	4	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE..	14	4	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	2	-	2	-	-
	ALL OTHER..MALE....	36	22	-	-	-	2	2	-	2	-	-	2	2	-	-	2	-	-	-	-	2	-	-
	FEMALE..	24	18	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-SIDUAL	ALL OTHER DISEASES.....	694	2	6	4	4	12	20	20	30	16	42	46	54	50	72	82	86	56	36	32	18	6	-
	WHITE.....MALE....	110	-	-	-	-	2	-	2	2	-	6	6	4	8	12	18	26	8	8	6	2	-	-
	FEMALE..	72	-	-	-	-	-	2	-	-	-	-	2	2	4	4	8	8	10	16	6	10	-	-
	ALL OTHER..MALE....	328	2	2	4	2	8	14	14	22	14	26	24	38	24	32	40	26	22	4	4	4	2	-
	FEMALE..	184	-	4	-	2	2	4	4	6	2	10	14	10	14	24	16	26	16	8	16	2	4	-
E800-E949	ACCIDENTS.....	446	8	14	10	4	18	44	36	24	26	24	30	34	30	24	16	20	30	22	16	12	4	-
	WHITE.....MALE....	70	-	2	2	-	6	2	6	-	4	2	4	6	10	4	4	4	6	4	2	2	-	-
	FEMALE..	56	-	2	-	-	-	2	2	2	-	-	-	-	2	6	2	2	4	14	14	4	-	-
	ALL OTHER..MALE....	236	4	6	6	4	10	32	26	18	18	18	20	16	16	8	6	12	12	-	-	2	2	-
	FEMALE..	84	4	4	2	-	2	8	2	4	4	4	6	12	2	6	4	2	8	4	-	4	2	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	112	-	4	8	2	2	14	16	8	10	4	6	10	2	10	8	2	4	-	2	-	-	-
	WHITE.....MALE....	20	-	-	2	-	2	-	4	-	-	2	-	-	-	4	2	-	2	-	2	-	-	-
	FEMALE..	10	-	-	-	-	-	2	-	2	-	-	-	-	-	2	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	56	-	4	4	2	-	10	10	2	8	2	4	4	2	2	2	-	-	-	-	-	-	-
	FEMALE..	26	-	-	2	-	-	2	2	4	2	-	2	6	-	2	2	-	2	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	334	8	10	2	2	16	30	20	16	16	20	24	24	28	14	8	18	26	22	14	12	4	-
	WHITE.....MALE....	50	-	2	-	-	4	2	2	-	4	-	4	6	10	-	2	4	4	4	-	2	-	-
	FEMALE..	46	-	2	-	-	-	-	2	-	-	-	-	-	2	4	-	-	4	14	14	4	-	-
	ALL OTHER..MALE....	180	4	2	2	2	10	22	16	16	10	16	16	12	14	6	4	12	12	-	-	2	2	-
	FEMALE..	58	4	4	-	-	2	6	-	-	2	4	4	6	2	4	2	2	6	4	-	4	2	-
E950-E959	SUICIDE.....	90	...	...	-	-	4	10	12	6	10	2	12	14	4	2	4	4	2	2	2	-	-	-
	WHITE.....MALE....	26	...	...	-	-	2	-	2	4	-	-	2	2	4	-	2	2	2	2	2	-	-	-
	FEMALE..	18	...	...	-	-	-	4	4	-	-	-	-	6	-	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	30	...	...	-	-	-	6	4	2	6	2	4	4	-	2	-	-	-	-	-	-	-	-
	FEMALE..	16	...	...	-	-	2	-	2	-	4	-	6	2	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	252	2	-	2	-	16	44	40	36	22	32	16	16	12	4	4	6	-	-	-	-	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	2	-	-	-	2	-	2	2	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	176	-	-	-	-	8	32	32	22	18	26	12	12	6	2	2	4	-	-	-	-	-	-
	FEMALE..	60	2	-	2	-	8	12	4	14	2	6	2	4	4	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	72	2	-	-	-	4	20	4	6	8	8	6	2	4	4	-	-	2	2	-	-	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	4	-	2	2	-	2	4	2	-	-	2	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	34	-	-	-	-	-	10	-	6	6	4	6	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	18	2	-	-	-	4	10	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	FLORIDA																							
	ALL CAUSES	83,310	2,024	462	268	378	878	928	778	850	1,068	1,682	2,870	3,834	5,348	7,512	10,512	11,984	12,224	10,178	6,084	2,510	900	38
	WHITE.....MALE	42,170	760	172	108	168	492	482	372	366	390	710	1,346	1,936	2,814	3,946	5,726	6,624	6,680	5,224	2,664	932	246	12
	FEMALE	29,726	516	136	90	102	186	184	138	190	270	426	828	1,006	1,538	2,118	3,330	4,092	4,860	4,502	3,172	1,454	582	6
	ALL OTHER..MALE	6,522	390	90	40	66	138	184	172	192	260	322	402	542	610	830	830	670	334	234	110	56	38	12
	FEMALE	4,892	358	64	30	42	62	78	96	102	148	224	294	350	386	618	626	598	350	218	138	68	34	8
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	94	32	4	-	-	-	-	-	-	-	2	2	2	2	6	6	10	6	8	10	4	-	-
	WHITE.....MALE	34	6	-	-	-	-	-	-	-	-	-	2	-	-	4	6	-	6	2	6	2	-	-
	FEMALE	26	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	8	-	6	4	2	-	-
	ALL OTHER..MALE	18	14	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	16	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	200	-	-	-	-	-	2	-	2	4	8	20	22	34	28	26	22	10	14	2	6	-	-
	WHITE.....MALE	82	-	-	-	-	-	-	-	-	-	2	6	8	14	10	8	10	8	10	2	4	-	-
	FEMALE	36	-	-	-	-	-	2	-	2	-	-	2	-	6	4	6	10	2	2	-	-	-	-
	ALL OTHER..MALE	68	-	-	-	-	-	-	-	-	4	2	12	10	14	10	10	2	-	2	-	2	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	4	-	4	-	4	2	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	148	-	-	-	-	-	-	-	2	4	6	16	18	26	22	18	12	6	12	2	4	-	-
	WHITE.....MALE	60	-	-	-	-	-	-	-	-	-	2	6	8	10	8	4	6	4	8	2	2	-	-
	FEMALE	22	-	-	-	-	-	-	-	2	-	-	2	-	2	4	4	4	2	2	-	-	-	-
	ALL OTHER..MALE	58	-	-	-	-	-	-	-	-	4	2	8	6	14	8	10	2	-	2	-	2	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	2	-	4	-	2	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	52	-	-	-	-	-	2	-	-	-	2	4	4	8	6	8	10	4	2	-	2	-	-
	WHITE.....MALE	22	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	4	4	2	-	2	-	-
	FEMALE	14	-	-	-	-	-	2	-	-	-	-	-	-	4	-	2	6	-	-	-	-	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	4	4	-	2	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	8	-	2	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	204	26	6	2	2	2	2	-	4	6	4	10	8	2	14	20	16	30	26	22	2	-	-
	WHITE.....MALE	94	12	4	-	-	2	-	-	-	2	2	6	2	2	4	16	4	14	8	16	-	-	-
	FEMALE	68	6	-	2	2	-	2	-	2	2	-	-	4	-	4	2	8	16	12	4	2	-	-
	ALL OTHER..MALE	18	4	2	-	-	-	-	-	-	-	2	-	2	-	6	-	-	-	2	-	-	-	-
	FEMALE	24	4	-	-	-	-	-	-	2	2	-	4	-	-	-	2	4	-	4	2	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4	2	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	FLORIDA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	162	4	6	6	8	8	8	4	6	2	8	4	2	16	8	16	20	14	14	4	2	2	-
	WHITE.....MALE....	52	2	4	2	2	-	-	2	-	-	2	-	2	6	2	4	10	8	6	-	-	-	-
	FEMALE..	68	2	2	4	6	8	6	-	-	-	-	2	-	2	4	8	6	6	6	2	2	2	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	4	2	2	2	-	2	2	2	2	-	-	-	-	-	-
	FEMALE..	24	-	-	-	-	-	2	2	2	-	4	-	-	6	-	2	2	-	2	2	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	15,810	4	30	30	42	46	58	70	102	190	334	658	974	1,494	1,976	2,508	2,676	2,338	1,430	622	176	50	2
	WHITE.....MALE....	8,156	2	8	16	20	22	28	32	40	58	128	248	416	730	972	1,300	1,534	1,390	786	332	72	20	2
	FEMALE..	6,036	2	16	12	16	14	22	30	36	76	142	298	386	558	718	932	940	846	598	274	92	28	-
	ALL OTHER..MALE....	956	-	4	2	4	8	4	-	16	26	30	62	94	140	164	166	120	60	30	16	8	2	-
	FEMALE..	662	-	2	-	2	2	4	8	10	30	34	50	78	66	122	110	82	42	16	-	4	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	366	-	-	-	-	2	2	-	-	2	12	12	20	46	62	72	48	46	30	12	-	-	-
	WHITE.....MALE....	240	-	-	-	-	-	2	-	-	-	6	6	12	16	42	54	36	34	22	10	-	-	-
	FEMALE..	86	-	-	-	-	2	-	-	-	2	2	4	2	24	10	14	10	8	6	2	-	-	-
	ALL OTHER..MALE....	34	-	-	-	-	-	-	-	-	-	2	-	6	6	8	4	2	4	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	4,114	-	-	-	2	2	-	8	18	36	70	116	172	360	442	642	764	764	428	206	60	22	2
	WHITE.....MALE....	2,142	-	-	-	-	-	-	4	14	14	26	48	94	194	216	322	420	432	230	98	20	8	2
	FEMALE..	1,634	-	-	-	2	-	-	4	-	4	30	40	50	118	162	264	308	310	186	104	38	14	-
	ALL OTHER..MALE....	188	-	-	-	-	-	-	-	4	14	6	20	14	34	36	32	16	2	4	4	2	-	-
	FEMALE..	150	-	-	-	-	2	-	-	-	4	8	8	14	14	28	24	20	20	8	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	4,142	-	2	-	-	-	-	2	12	22	92	198	344	502	670	734	708	502	258	68	24	4	-
	WHITE.....MALE....	2,912	-	-	-	-	-	-	2	4	12	56	110	204	326	456	528	544	412	206	42	10	-	-
	FEMALE..	856	-	2	-	-	-	-	-	4	6	22	54	96	102	142	142	120	80	48	22	12	4	-
	ALL OTHER..MALE....	324	-	-	-	-	-	-	-	4	4	12	30	36	64	58	60	38	8	4	4	2	-	-
	FEMALE..	50	-	-	-	-	-	-	-	-	-	2	4	8	10	14	4	6	2	-	-	-	-	-
174	OF BREAST.....	1,302	-	-	-	-	-	-	12	12	36	48	98	122	140	174	200	180	116	92	64	8	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	-	2	2	-	-	-
	FEMALE..	1,186	-	-	-	-	-	-	10	10	26	40	90	108	128	158	180	168	110	88	62	8	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	102	-	-	-	-	-	-	2	2	10	8	8	12	10	16	20	6	6	2	-	-	-	-
180-187	OF GENITAL ORGANS.....	1,844	-	-	-	-	-	6	8	14	34	32	66	94	120	200	266	332	312	212	96	44	8	-
	WHITE.....MALE....	740	-	-	-	-	-	4	4	2	-	2	-	4	14	44	80	154	194	132	76	26	4	-
	FEMALE..	774	-	-	-	-	-	-	4	6	20	22	52	64	82	106	118	118	88	66	14	12	2	-
	ALL OTHER..MALE....	154	-	-	-	-	-	-	-	-	-	-	-	4	6	18	40	34	28	12	6	4	2	-
	FEMALE..	176	-	-	-	-	-	2	-	6	14	8	14	22	18	32	28	26	2	2	-	2	-	-
188, 189	OF URINARY ORGANS.....	752	-	2	4	2	2	-	-	2	-	12	16	24	52	96	120	142	136	86	44	6	6	-
	WHITE.....MALE....	458	-	-	2	2	-	-	-	-	-	6	10	14	30	54	80	102	70	50	34	2	2	-
	FEMALE..	200	-	2	-	-	-	-	-	2	-	6	2	4	12	20	28	26	50	32	8	4	4	-
	ALL OTHER..MALE....	66	-	-	2	-	2	-	-	-	-	-	2	4	8	12	8	12	12	2	2	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	2	2	2	10	4	2	4	2	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	1,878	4	14	8	30	16	16	30	26	32	38	100	130	166	206	294	278	242	146	78	16	8	-
	WHITE.....MALE....	940	2	2	4	14	10	10	18	16	22	18	52	60	78	98	142	148	138	58	40	6	4	-
	FEMALE..	718	2	8	4	12	6	4	6	10	8	10	32	36	62	74	112	104	96	80	38	10	4	-
	ALL OTHER..MALE....	124	-	2	-	4	-	2	-	-	2	8	8	18	20	22	16	12	4	6	-	-	-	-
	FEMALE..	96	-	2	-	-	-	-	6	-	-	2	8	16	6	12	24	14	4	2	-	-	-	-
204-207	LEUKEMIA.....	634	-	12	18	2	14	22	6	8	14	12	16	28	52	56	70	88	90	82	32	10	2	-
	WHITE.....MALE....	326	-	6	10	2	8	10	2	2	6	6	8	10	34	18	42	56	46	38	14	6	2	-
	FEMALE..	264	-	4	8	-	2	10	4	2	6	4	8	16	14	28	26	26	42	44	18	2	-	-
	ALL OTHER..MALE....	22	-	2	-	-	4	2	-	4	2	-	-	2	-	4	-	2	-	-	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	2	-	-	4	6	2	4	2	-	-	2	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	778	-	-	-	6	10	12	4	10	14	18	36	40	56	70	110	136	130	96	22	8	-	-
	WHITE.....MALE....	386	-	-	-	2	4	2	2	2	4	8	14	18	36	44	52	68	64	48	16	2	-	-
	FEMALE..	318	-	-	-	2	4	8	2	2	4	6	16	10	16	18	48	60	62	48	6	6	-	-
	ALL OTHER..MALE....	42	-	-	-	-	2	-	-	4	4	2	2	8	2	6	6	4	2	-	-	-	-	-
	FEMALE..	32	-	-	-	2	-	2	-	2	2	2	4	4	2	2	4	4	2	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	218	2	-	2	6	6	-	4	2	2	-	18	10	16	20	24	44	30	20	4	6	2	-
	WHITE.....MALE....	80	-	-	-	2	-	-	2	-	-	-	6	4	4	4	8	20	12	12	2	4	-	-
	FEMALE..	92	2	-	-	2	4	-	-	-	-	-	6	2	8	8	6	24	16	8	2	2	2	-
	ALL OTHER..MALE....	22	-	-	2	2	-	-	-	-	-	-	-	2	4	6	6	-	-	-	-	-	-	-
	FEMALE..	24	-	-	-	-	2	-	2	2	2	-	6	2	-	2	4	-	2	-	-	-	-	-
250	DIABETES MELLITUS.....	1,422	2	2	2	4	2	10	4	14	10	22	54	74	86	166	218	226	242	172	84	20	8	-
	WHITE.....MALE....	510	-	2	-	-	-	2	2	2	4	12	14	26	18	28	82	78	112	78	38	10	2	-
	FEMALE..	598	2	-	2	-	-	6	2	6	2	4	10	12	36	64	84	116	118	82	42	8	2	-
	ALL OTHER..MALE....	118	-	-	-	-	2	-	-	-	4	-	16	10	8	24	24	14	4	6	2	2	2	-
	FEMALE..	196	-	-	-	4	-	2	-	6	-	6	14	26	24	50	28	18	8	6	2	-	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	FLORIDA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	122	-	2	-	-	-	-	-	-	2	2	2	8	6	4	4	26	20	20	14	6	6	-
	WHITE.....MALE....	34	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	18	4	4	2	-	-	-
	FEMALE..	64	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	8	12	12	12	6	6	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	4	2	-	-	-	-
	FEMALE..	10	-	2	-	-	-	-	-	-	-	2	-	2	-	-	2	-	-	2	-	-	-	-
280-285	ANEMIAS.....	174	4	8	4	2	10	2	4	-	-	6	4	4	10	10	6	28	20	28	14	8	2	-
	WHITE.....MALE....	60	-	-	-	-	4	-	-	-	-	-	4	-	2	8	2	12	14	6	2	6	-	-
	FEMALE..	66	-	-	2	2	4	-	-	-	-	2	-	2	2	-	-	10	6	20	12	2	2	-
	ALL OTHER..MALE....	32	2	6	-	-	-	-	2	-	-	-	-	2	6	2	4	6	-	2	-	-	-	-
	FEMALE..	16	2	2	2	-	2	2	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	66	22	10	2	-	4	4	-	-	-	2	4	4	2	2	4	4	-	2	-	-	-	-
	WHITE.....MALE....	20	4	2	2	-	-	4	-	-	-	-	2	2	-	-	-	4	-	-	-	-	-	-
	FEMALE..	18	8	2	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	2	-	-	-	-
	ALL OTHER..MALE....	12	6	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	16	4	4	-	-	4	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	42,558	30	26	4	32	24	36	60	92	202	448	904	1,486	2,150	3,540	5,540	6,784	7,432	6,790	4,398	1,902	672	6
	WHITE.....MALE....	21,960	10	12	4	10	12	10	14	40	100	218	480	866	1,260	2,002	3,212	3,748	3,886	3,388	1,826	684	178	-
	FEMALE..	16,166	10	4	-	8	2	12	14	24	38	82	206	266	504	830	1,654	2,288	3,126	3,110	2,394	1,144	450	-
	ALL OTHER..MALE....	2,212	4	6	-	8	2	8	20	18	34	74	106	212	210	370	332	364	180	138	70	30	24	2
	FEMALE..	2,220	6	4	-	6	8	6	12	10	30	74	112	142	176	338	342	384	240	154	108	44	20	4
390-398, 402, 404, 410-429	DISEASES OF HEART.....	30,596	18	16	-	20	18	24	38	64	150	352	686	1,194	1,718	2,786	4,290	5,004	5,288	4,450	2,834	1,236	406	4
	WHITE.....MALE....	16,716	6	8	-	4	6	8	10	34	82	192	416	750	1,092	1,704	2,594	2,860	2,882	2,304	1,196	472	96	-
	FEMALE..	11,000	8	4	-	6	2	6	8	12	28	52	132	200	364	616	1,260	1,664	2,164	1,964	1,518	722	270	-
	ALL OTHER..MALE....	1,488	2	2	-	4	2	6	16	12	24	54	70	156	142	242	230	242	110	86	48	16	20	2
	FEMALE..	1,392	2	2	-	4	8	4	4	6	16	54	68	88	120	224	206	238	132	96	72	26	20	2
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	668	-	-	-	6	-	2	10	10	8	30	60	40	72	96	126	92	50	38	18	8	2	-
	WHITE.....MALE....	270	-	-	-	-	-	2	-	8	2	10	30	12	34	38	48	40	22	16	8	-	-	-
	FEMALE..	322	-	-	-	-	-	-	2	2	2	12	24	20	28	48	72	46	26	22	8	8	2	-
	ALL OTHER..MALE....	34	-	-	-	2	-	-	6	-	2	4	2	4	4	2	4	2	-	-	2	-	-	-
	FEMALE..	42	-	-	-	4	-	-	2	-	2	4	4	4	6	8	2	4	2	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	184	-	-	-	-	-	-	-	-	6	6	8	6	22	20	14	36	34	16	10	4	2	-
	WHITE.....MALE....	56	-	-	-	-	-	-	-	-	-	-	2	-	14	6	6	18	8	2	-	-	-	-
	FEMALE..	60	-	-	-	-	-	-	-	-	2	2	-	-	2	4	4	8	14	12	8	4	-	-
	ALL OTHER..MALE....	38	-	-	-	-	-	-	-	-	4	2	-	2	6	8	4	4	4	2	2	-	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	2	6	4	-	2	-	6	8	-	-	-	2	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	194	-	-	-	-	-	-	2	-	4	2	4	4	16	8	14	26	36	46	18	10	4	-
	WHITE.....MALE....	78	-	-	-	-	-	-	-	-	-	-	-	2	6	2	6	10	12	26	12	2	-	-
	FEMALE..	70	-	-	-	-	-	-	-	-	2	2	-	-	2	2	-	8	20	20	4	6	4	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	-	6	2	2	2	4	-	-	-	-	-
	FEMALE..	30	-	-	-	-	-	-	2	-	2	-	4	2	2	2	6	6	-	-	2	2	-	-
410-413	ISCHEMIC HEART DISEASE...	27,646	2	-	-	-	8	4	12	30	108	260	542	1,042	1,472	2,472	3,884	4,608	4,906	4,110	2,658	1,148	378	2
	WHITE.....MALE....	15,440	-	-	-	-	4	2	4	20	76	156	360	690	976	1,558	2,412	2,690	2,696	2,134	1,124	446	92	-
	FEMALE..	9,880	-	-	-	-	-	2	2	4	12	30	84	162	290	518	1,106	1,504	2,000	1,820	1,430	664	252	-
	ALL OTHER..MALE....	1,216	2	-	-	-	2	-	6	4	12	40	54	136	110	206	190	214	92	72	42	16	18	-
	FEMALE..	1,110	-	-	-	-	2	-	-	2	8	34	44	54	96	190	176	200	118	84	62	22	16	2
410	ACUTE MYOCARDIAL INFARCTION.....	14,094	2	-	-	-	4	2	10	14	64	160	356	660	976	1,478	2,306	2,584	2,428	1,720	932	330	66	2
	WHITE.....MALE....	8,762	-	-	-	-	2	2	4	10	50	106	260	476	720	982	1,530	1,626	1,398	952	464	152	28	-
	FEMALE..	4,426	-	-	-	-	-	-	2	2	8	24	62	106	178	326	644	802	922	706	442	166	36	-
	ALL OTHER..MALE....	508	2	-	-	-	-	-	4	-	6	18	24	60	50	90	70	76	52	34	12	8	2	-
	FEMALE..	398	-	-	-	-	2	-	-	2	-	12	10	18	28	80	62	80	56	28	14	4	-	2
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	174	-	-	-	-	-	-	-	2	2	4	6	14	16	20	30	18	24	20	10	6	2	-
	WHITE.....MALE....	110	-	-	-	-	-	-	-	2	2	4	4	8	12	10	26	12	10	18	2	-	-	-
	FEMALE..	50	-	-	-	-	-	-	-	-	-	-	2	-	2	6	4	6	12	2	8	6	2	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	13,376	-	-	-	-	4	2	2	14	42	96	180	368	480	974	1,548	2,004	2,454	2,370	1,716	812	310	-
	WHITE.....MALE....	6,566	-	-	-	-	2	-	-	8	24	46	96	206	244	566	856	1,050	1,288	1,164	658	294	64	-
	FEMALE..	5,404	-	-	-	-	-	2	-	2	4	6	20	56	110	186	458	696	1,066	1,112	980	492	214	-
	ALL OTHER..MALE....	698	-	-	-	-	2	-	2	4	6	22	30	72	58	114	120	138	38	38	30	8	16	-
	FEMALE..	708	-	-	-	-	-	-	-	-	8	22	34	34	68	108	114	120	62	56	48	18	16	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	FLORIDA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	162	-	-	-	2	2	2	-	2	10	-	6	8	12	12	28	20	20	26	4	8	-	-
	WHITE.....MALE....	54	-	-	-	2	-	-	-	-	2	-	2	4	2	4	10	4	10	10	-	4	-	-
	FEMALE..	90	-	-	-	-	-	-	-	2	4	-	2	2	10	8	18	14	6	16	4	4	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	2	-	-	2	-	-	2	-	-	-	-	4	-	-	-	-	-
	FEMALE..	8	-	-	-	-	2	-	-	-	2	-	2	-	-	-	-	2	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	1,742	16	16	-	12	8	16	14	22	14	54	66	94	124	178	224	222	242	214	126	58	20	2
	WHITE.....MALE....	818	6	8	-	2	2	4	6	6	2	26	22	42	60	96	112	98	134	116	52	20	4	-
	FEMALE..	578	8	4	-	6	2	4	4	4	6	6	22	16	32	36	60	84	98	74	64	36	12	-
	ALL OTHER..MALE....	174	-	2	-	4	-	4	4	8	4	8	14	12	16	24	30	20	6	12	2	-	2	2
	FEMALE..	172	2	2	-	-	4	4	-	4	2	14	8	24	16	22	22	20	4	12	8	2	2	-
400, 401, 403	HYPERTENSION.....	402	-	-	2	-	-	-	-	4	-	6	10	34	22	36	54	44	66	54	52	14	4	-
	WHITE.....MALE....	178	-	-	2	-	-	-	-	2	-	2	4	6	2	10	24	28	32	30	30	2	4	-
	FEMALE..	116	-	-	-	-	-	-	-	-	-	2	-	2	6	2	16	12	28	14	22	12	-	-
	ALL OTHER..MALE....	50	-	-	-	-	-	-	-	-	-	2	2	12	8	10	4	2	4	6	-	-	-	-
	FEMALE..	58	-	-	-	-	-	-	-	2	-	-	4	14	6	14	10	2	2	4	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	9,276	8	10	2	12	4	10	20	20	42	70	158	214	340	584	932	1,390	1,702	1,870	1,214	484	188	2
	WHITE.....MALE....	3,884	4	4	2	6	4	2	4	4	16	18	40	76	130	212	412	658	774	830	480	160	48	-
	FEMALE..	4,176	2	-	-	2	-	6	6	12	6	22	60	58	118	184	322	516	778	954	692	300	138	-
	ALL OTHER..MALE....	570	-	4	-	2	-	2	4	4	8	16	22	42	46	106	84	100	58	44	16	10	2	-
	FEMALE..	646	2	2	-	2	-	-	6	-	12	14	36	38	46	82	114	116	92	42	26	14	-	2
431	CEREBRAL HEMORRHAGE.....	1,292	-	4	-	6	4	2	12	4	12	14	56	74	86	122	206	178	198	176	98	30	10	-
	WHITE.....MALE....	530	-	2	-	4	4	2	2	2	8	4	16	22	34	42	100	76	80	88	34	8	2	-
	FEMALE..	510	-	-	-	2	-	-	4	-	2	4	18	24	28	32	68	74	88	80	58	20	8	-
	ALL OTHER..MALE....	132	-	2	-	-	-	-	4	2	2	4	8	14	12	30	18	14	14	4	2	2	-	-
	FEMALE..	120	-	-	-	-	-	-	2	-	-	2	14	14	12	18	20	14	16	4	4	-	-	-
433	CEREBRAL THROMBOSIS.....	2,940	-	-	-	-	-	-	-	-	6	8	6	24	74	160	278	462	568	676	438	180	58	2
	WHITE.....MALE....	1,304	-	-	-	-	-	-	-	-	4	2	4	12	34	52	128	238	246	306	198	66	14	-
	FEMALE..	1,304	-	-	-	-	-	-	-	-	-	-	-	4	16	56	80	160	274	334	232	106	42	-
	ALL OTHER..MALE....	172	-	-	-	-	-	-	-	-	-	4	-	6	16	28	32	34	18	26	4	2	2	-
	FEMALE..	160	-	-	-	-	-	-	-	-	2	2	2	2	8	24	38	30	30	10	4	6	-	2
434	CEREBRAL EMBOLISM.....	34	-	-	-	-	-	-	-	-	2	-	2	-	2	-	2	10	4	8	4	-	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	4	2	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	4	4	4	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	5,010	8	6	2	6	-	8	8	16	22	48	94	116	178	302	446	740	932	1,010	674	274	120	-
	WHITE.....MALE....	2,036	4	2	2	2	-	-	2	2	4	12	20	42	60	118	182	340	448	432	246	86	32	-
	FEMALE..	2,344	2	-	-	-	-	6	2	12	2	18	40	30	74	96	174	278	412	536	400	174	88	-
	ALL OTHER..MALE....	266	-	2	-	2	-	2	-	2	6	8	14	22	18	48	34	52	26	14	10	6	-	-
	FEMALE..	364	2	2	-	2	-	-	4	-	10	10	20	22	26	40	56	70	46	28	18	8	-	-
440	ARTERIOSCLEROSIS.....	1,070	-	-	-	-	-	-	-	-	-	-	8	-	14	32	60	122	158	276	192	148	60	-
	WHITE.....MALE....	456	-	-	-	-	-	-	-	-	-	-	4	-	2	10	26	58	82	138	70	44	22	-
	FEMALE..	520	-	-	-	-	-	-	-	-	-	-	-	-	6	4	22	38	72	128	116	98	36	-
	ALL OTHER..MALE....	38	-	-	-	-	-	-	-	-	-	-	2	-	6	6	8	10	-	-	2	2	2	-
	FEMALE..	56	-	-	-	-	-	-	-	-	-	-	2	-	-	12	4	16	4	10	4	4	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	1,214	4	-	-	-	2	2	2	4	10	20	42	44	56	102	204	224	218	140	106	20	14	-
	WHITE.....MALE....	726	-	-	-	-	2	-	-	-	2	6	16	34	34	66	156	144	116	86	50	6	8	-
	FEMALE..	354	-	-	-	-	-	-	-	-	4	6	14	6	10	24	34	58	84	50	46	12	6	-
	ALL OTHER..MALE....	66	2	-	-	-	-	-	-	2	2	2	10	2	8	6	6	10	8	2	4	2	-	-
	FEMALE..	68	2	-	-	-	-	2	2	2	2	6	2	2	4	6	8	12	10	2	6	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	36	8	4	-	-	-	-	-	-	-	2	2	2	6	2	2	2	4	2	-	-	-	-
	WHITE.....MALE....	18	4	2	-	-	-	-	-	-	-	-	-	-	4	-	-	2	4	2	-	-	-	-
	FEMALE..	8	2	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	10	2	2	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	2,186	114	24	12	8	18	18	14	18	26	58	70	84	110	154	186	270	288	354	202	102	54	2
	WHITE.....MALE....	1,006	36	10	8	2	6	10	8	6	6	18	26	34	50	78	68	146	178	174	82	46	12	2
	FEMALE..	806	22	6	4	4	8	4	4	2	8	10	28	24	32	38	62	94	94	158	112	52	40	-
	ALL OTHER..MALE....	224	28	2	-	2	4	-	2	4	6	14	14	18	14	28	44	20	12	10	2	-	-	-
	FEMALE..	150	28	6	-	-	-	4	-	6	6	16	2	8	14	10	12	10	4	12	6	4	2	-
470-474	INFLUENZA.....	90	-	2	-	-	2	-	2	-	-	-	2	8	12	8	10	12	8	8	4	4	8	-
	WHITE.....MALE....	40	-	-	-	-	-	-	-	-	-	-	2	2	8	8	2	4	6	6	2	-	-	-
	FEMALE..	40	-	2	-	-	-	-	2	-	-	-	-	4	4	-	6	6	2	2	2	4	6	-
	ALL OTHER..MALE....	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	2	-
480-486	PNEUMONIA.....	2,096	114	22	12	8	16	18	12	18	26	58	68	76	98	146	176	258	280	346	198	98	46	2
	WHITE.....MALE....	966	36	10	8	2	6	10	8	6	6	18	24	32	42	70	66	142	172	168	80	46	12	2
	FEMALE..	766	22	4	4	4	8	4	2	2	8	10	28	20	28	38	56	88	92	156	110	48	34	-
	ALL OTHER..MALE....	220	28	2	-	2	2	-	2	4	6	14	14	18	14	28	42	20	12	10	2	-	-	-
	FEMALE..	144	28	6	-	-	-	4	-	6	6	16	2	6	14	10	12	8	4	12	6	4	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	FLORIDA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	1,610	2	-	-	2	2	-	4	4	6	10	34	48	124	198	322	330	276	160	64	20	4	-
	WHITE.....MALE	1,212	2	-	-	-	2	-	-	2	2	6	14	34	74	140	228	274	232	130	52	18	2	-
	FEMALE	300	-	-	-	-	-	-	2	2	4	4	14	4	34	38	66	46	40	30	12	2	2	-
	ALL OTHER..MALE	68	-	-	-	-	-	-	-	-	-	-	2	4	12	18	18	10	4	-	-	-	-	-
	FEMALE	30	-	-	-	2	-	-	2	-	-	-	4	6	4	2	10	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	180	2	-	-	2	-	-	-	-	-	2	6	2	16	12	32	44	36	14	10	2	-	-
	WHITE.....MALE	130	2	-	-	-	-	-	-	-	-	2	4	-	10	10	20	34	28	12	8	-	-	-
	FEMALE	36	-	-	-	-	-	-	-	-	-	-	-	-	4	2	8	8	8	2	2	2	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-
	FEMALE	8	-	-	-	2	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	1,322	-	-	-	-	-	-	-	-	2	4	18	40	94	170	276	270	234	146	48	18	2	-
	WHITE.....MALE	1,044	-	-	-	-	-	-	-	-	2	2	8	30	58	128	206	230	200	118	44	18	-	-
	FEMALE	218	-	-	-	-	-	-	-	-	-	2	10	4	26	32	46	34	30	28	4	-	2	-
	ALL OTHER..MALE	48	-	-	-	-	-	-	-	-	-	-	-	4	10	10	14	6	4	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	2	-	-	10	-	-	-	-	-	-	-
493	ASTHMA	108	-	-	-	-	2	-	4	4	4	4	10	6	14	16	14	16	6	-	6	-	2	-
	WHITE.....MALE	38	-	-	-	-	2	-	-	2	-	2	2	4	6	2	2	10	4	-	-	-	2	-
	FEMALE	46	-	-	-	-	-	-	2	2	4	2	4	-	4	4	12	4	2	-	6	-	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	-	-	2	-	2	8	-	2	-	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	2	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	332	6	-	-	-	2	-	4	-	6	6	22	20	36	42	46	42	44	30	18	8	-	-
	WHITE.....MALE	202	2	-	-	-	2	-	2	-	2	4	8	8	26	30	30	32	26	20	8	2	-	-
	FEMALE	100	-	-	-	-	-	-	2	-	-	2	10	6	8	10	16	6	16	10	10	4	-	-
	ALL OTHER..MALE	24	4	-	-	-	-	-	-	-	-	-	2	6	2	2	-	4	2	-	-	2	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	58	-	-	-	6	-	-	2	-	-	2	2	8	10	8	6	2	6	4	2	-	-	-
	WHITE.....MALE	34	-	-	-	2	-	-	-	-	-	2	2	4	6	8	-	-	4	4	2	-	-	-
	FEMALE	14	-	-	-	2	-	-	2	-	-	-	-	2	2	-	4	-	2	-	-	-	-	-
	ALL OTHER..MALE	8	-	-	-	2	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	298	16	-	-	-	-	2	2	-	2	2	6	12	20	22	32	40	36	52	34	14	6	-
	WHITE.....MALE	112	10	-	-	-	-	-	-	-	-	-	-	6	14	4	12	12	12	30	10	-	2	-
	FEMALE	142	2	-	-	-	-	2	-	-	-	-	2	4	-	14	12	24	20	22	22	14	4	-
	ALL OTHER..MALE	20	4	-	-	-	-	-	-	-	2	2	-	2	2	-	4	2	2	-	-	-	-	-
	FEMALE	24	-	-	-	-	-	-	2	-	-	-	4	-	4	4	4	2	2	-	2	-	-	-
571	CIRRHOSIS OF LIVER	1,440	2	2	-	2	4	-	14	24	56	106	216	212	210	198	170	114	68	30	10	2	-	-
	WHITE.....MALE	736	-	2	-	2	-	-	4	2	32	28	112	112	100	122	110	50	38	18	4	-	-	-
	FEMALE	466	-	-	-	-	-	-	4	4	16	32	62	68	80	50	48	50	24	12	6	2	-	-
	ALL OTHER..MALE	134	2	-	-	-	-	-	2	8	4	22	18	22	22	12	12	8	2	-	-	-	-	-
	FEMALE	104	-	-	-	-	4	-	4	10	4	24	24	10	8	6	-	6	4	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	178	-	-	-	-	-	-	-	-	-	-	2	6	2	20	18	38	20	42	10	8	4	-
	WHITE.....MALE	84	-	-	-	-	-	-	-	-	-	-	-	2	2	8	12	20	12	22	2	2	2	-
	FEMALE	82	-	-	-	-	-	-	-	-	-	-	2	4	-	6	4	16	14	20	8	6	2	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	354	2	2	-	-	4	-	6	8	6	14	32	24	20	42	46	40	42	28	26	8	4	-
	WHITE.....MALE	138	2	2	-	-	-	-	4	6	2	2	10	6	6	12	16	18	16	14	16	4	2	-
	FEMALE	110	-	-	-	-	2	-	-	2	2	-	6	10	6	12	10	12	22	10	10	4	2	-
	ALL OTHER..MALE	60	-	-	-	-	2	-	2	-	2	8	4	2	4	10	14	6	2	4	-	-	-	-
	FEMALE	46	-	-	-	-	-	-	-	-	-	4	12	6	4	8	6	4	2	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	70	2	-	-	-	2	-	2	2	-	-	6	8	2	4	12	12	6	6	2	-	4	-
	WHITE.....MALE	38	2	-	-	-	-	-	-	-	-	-	4	4	-	-	6	8	4	6	2	-	2	-
	FEMALE	18	-	-	-	-	-	-	-	2	-	-	-	2	2	2	2	4	2	-	-	-	2	-
	ALL OTHER..MALE	12	-	-	-	-	2	-	2	-	-	-	-	2	-	2	4	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	284	-	2	-	-	2	-	4	6	6	14	26	16	18	38	34	28	36	22	24	8	-	-
	WHITE.....MALE	100	-	2	-	-	-	-	4	6	2	2	6	2	6	12	10	10	12	8	14	4	-	-
	FEMALE	92	-	-	-	-	2	-	-	-	2	-	6	8	4	10	8	8	20	10	10	4	-	-
	ALL OTHER..MALE	48	-	-	-	-	-	-	-	-	2	8	4	-	4	8	10	6	2	4	-	-	-	-
	FEMALE	44	-	-	-	-	-	-	-	-	-	4	10	6	4	8	6	4	2	-	-	-	-	-
590	INFECTIONS OF KIDNEY	302	-	-	-	-	-	-	4	-	6	-	14	4	12	20	42	40	50	50	38	12	10	-
	WHITE.....MALE	130	-	-	-	-	-	-	2	-	-	-	4	4	4	12	6	18	28	24	18	6	4	-
	FEMALE	110	-	-	-	-	-	-	2	-	2	-	-	-	4	4	14	16	16	26	18	4	4	-
	ALL OTHER..MALE	32	-	-	-	-	-	-	-	-	-	-	6	-	-	2	14	2	4	-	2	-	2	-
	FEMALE	30	-	-	-	-	-	-	-	-	4	-	4	-	4	2	8	4	2	-	-	2	-	-
600	HYPERPLASIA OF PROSTATE	76	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	16	22	14	12	4	2	-
	WHITE.....MALE	64	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	12	22	12	10	2	2	-
	ALL OTHER..MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	2	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	FLORIDA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	20	-	-	-	-	4	-	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	6	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	14	-	-	-	-	2	-	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	6	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	14	-	-	-	-	2	-	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	10	-	-	-	-	2	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	510	306	58	28	16	14	8	10	10	4	8	6	8	10	6	4	2	4	-	2	2	2	2
	WHITE.....MALE....	220	138	16	12	4	10	4	4	6	-	2	4	2	4	4	4	2	-	-	-	2	2	-
	FEMALE..	172	100	24	10	6	2	2	6	4	4	2	-	4	2	-	-	-	4	-	2	-	-	-
	ALL OTHER..MALE....	54	30	8	2	2	-	-	-	-	-	2	2	2	2	2	-	-	-	-	-	-	-	2
	FEMALE..	64	38	10	4	4	2	2	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	1,190	1,180	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	8
	WHITE.....MALE....	436	434	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	FEMALE..	306	300	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	4
	ALL OTHER..MALE....	228	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	FEMALE..	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	662	660	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	284	284	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	154	152	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	528	520	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
	WHITE.....MALE....	152	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	FEMALE..	152	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
	ALL OTHER..MALE....	108	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	FEMALE..	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	2,050	112	14	4	4	8	12	12	6	12	36	108	124	202	242	296	238	260	152	112	52	40	4
	WHITE.....MALE....	874	42	2	4	-	2	2	4	2	2	12	58	44	104	102	136	86	126	76	50	12	8	-
	FEMALE..	508	18	2	-	2	2	2	-	-	2	4	16	20	34	58	48	68	92	44	50	26	20	-
	ALL OTHER..MALE....	378	26	10	-	2	2	2	4	2	6	14	22	34	40	48	58	50	26	16	4	4	6	2
	FEMALE..	290	26	-	-	-	2	6	4	2	2	6	12	26	24	34	54	34	16	16	8	10	6	2
RE-SIDUAL	ALL OTHER DISEASES.....	4,554	72	32	16	38	50	54	58	64	88	158	190	272	338	378	628	642	646	460	252	94	22	2
	WHITE.....MALE....	2,120	22	10	6	14	24	26	20	20	14	48	88	122	150	152	290	356	346	250	116	38	8	-
	FEMALE..	1,658	18	18	6	10	12	14	8	18	26	54	50	78	98	150	240	226	260	188	122	50	12	-
	ALL OTHER..MALE....	472	22	-	2	4	6	6	16	12	24	30	28	44	56	56	78	34	20	18	8	6	2	-
	FEMALE..	304	10	4	2	10	8	8	14	14	24	26	24	28	34	20	20	26	20	4	6	-	-	2
E800-E949	ACCIDENTS.....	4,628	62	210	150	190	524	476	256	254	206	220	286	242	220	260	222	220	236	228	110	44	10	2
	WHITE.....MALE....	2,524	32	90	52	104	350	312	160	152	90	122	140	136	118	150	108	104	122	116	52	10	2	2
	FEMALE..	1,184	14	58	46	38	92	84	34	40	38	40	74	60	56	58	76	84	96	110	52	30	4	-
	ALL OTHER..MALE....	682	10	42	30	36	70	68	48	46	56	48	58	34	40	38	24	18	12	-	4	-	-	-
	FEMALE..	238	6	20	22	12	12	12	14	16	22	10	14	12	6	14	14	14	6	2	2	4	4	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	2,420	18	82	72	102	362	308	168	140	122	122	170	124	114	114	114	100	100	72	14	-	2	-
	WHITE.....MALE....	1,366	10	32	28	54	254	202	100	82	54	70	78	76	56	66	54	46	46	50	8	-	-	-
	FEMALE..	630	4	24	24	30	74	68	30	26	26	18	50	30	34	24	48	42	48	22	6	-	2	-
	ALL OTHER..MALE....	308	-	16	8	10	30	34	28	22	26	24	32	16	20	18	10	10	4	-	-	-	-	-
	FEMALE..	116	4	10	12	8	4	4	10	10	16	10	10	2	4	6	2	2	2	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	2,208	44	128	78	88	162	168	88	114	84	98	116	118	106	146	108	120	136	156	96	44	8	2
	WHITE.....MALE....	1,158	22	58	24	50	96	110	60	70	36	52	62	60	62	84	54	58	76	66	44	10	2	2
	FEMALE..	554	10	34	22	8	18	16	4	14	12	22	24	30	22	34	28	42	48	88	46	30	2	-
	ALL OTHER..MALE....	374	10	26	22	26	40	34	20	24	30	24	26	18	20	20	14	8	8	-	4	-	-	-
	FEMALE..	122	2	10	10	4	8	8	4	6	6	-	4	10	2	8	12	12	4	2	2	4	4	-
E950-E959	SUICIDE.....	1,188	...	...	-	2	62	70	96	60	96	102	98	96	134	90	90	74	56	40	16	6	-	-
	WHITE.....MALE....	794	...	...	-	2	38	44	66	36	48	68	74	66	84	64	58	46	50	30	14	6	-	-
	FEMALE..	324	...	...	-	-	12	12	16	24	38	32	20	28	46	26	26	26	6	10	2	-	-	-
	ALL OTHER..MALE....	52	...	...	-	-	6	8	12	-	8	2	4	2	4	-	4	2	-	-	-	-	-	-
	FEMALE..	18	...	...	-	-	6	6	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	1,044	2	6	2	12	72	138	124	152	128	108	80	72	60	36	14	14	8	4	2	2	-	8
	WHITE.....MALE....	286	-	4	-	2	12	24	38	44	22	30	28	26	24	14	2	4	4	-	2	2	-	4
	FEMALE..	128	2	-	2	4	22	14	6	10	12	6	10	10	8	4	2	6	4	4	-	-	-	2
	ALL OTHER..MALE....	526	-	-	-	4	30	78	60	80	82	66	38	36	22	18	8	2	-	-	-	-	-	2
	FEMALE..	104	-	2	-	2	8	22	20	18	12	6	4	-	6	-	2	2	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	204	12	12	4	2	12	28	18	24	4	14	20	6	14	14	10	4	2	2	-	-	-	2
	WHITE.....MALE....	86	-	2	2	2	6	16	8	8	4	4	10	2	6	6	6	4	-	-	-	-	-	-
	FEMALE..	62	6	4	-	-	-	-	4	12	-	10	8	4	4	6	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	38	4	2	2	-	6	10	4	2	-	-	-	-	2	2	-	-	-	2	-	-	-	2
	FEMALE..	18	2	4	-	-	-	2	2	2	-	-	2	-	2	-	2	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	GEORGIA																							
	ALL CAUSES	42,986	1,702	356	248	214	646	848	720	702	818	1,362	1,934	2,840	3,418	4,304	4,734	4,936	4,776	4,094	2,710	1,196	394	34
	WHITE.....MALE	17,372	540	116	100	98	320	376	262	262	310	520	814	1,284	1,616	2,044	2,150	1,982	1,900	1,454	800	320	102	2
	FEMALE	12,854	340	82	60	48	116	136	102	130	142	300	416	524	706	878	1,146	1,390	1,846	1,996	1,558	718	218	2
	ALL OTHER..MALE	7,094	450	86	54	36	158	240	250	204	230	276	410	618	662	812	784	758	524	292	156	56	18	20
	FEMALE	5,666	372	72	34	32	52	96	106	106	136	266	294	414	434	570	654	806	506	352	196	102	56	10
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	6	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	66	36	-	-	-	-	-	-	-	-	-	2	8	4	2	6	-	4	4	-	-	-	-
	WHITE.....MALE	14	2	-	-	-	-	-	-	-	-	-	-	4	4	2	-	-	-	2	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	2	2	-	-	-	-
	ALL OTHER..MALE	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	24	16	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	2	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	80	-	-	-	-	-	-	2	4	-	4	12	14	6	8	10	4	8	6	2	-	-	-
	WHITE.....MALE	24	-	-	-	-	-	-	-	-	-	-	2	6	2	4	2	2	2	4	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	4	-	-	-	-	-
	ALL OTHER..MALE	32	-	-	-	-	-	-	2	2	-	2	4	6	2	-	6	2	2	2	2	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	2	-	2	4	2	2	4	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	56	-	-	-	-	-	-	-	4	-	4	10	8	4	8	6	2	4	6	-	-	-	-
	WHITE.....MALE	20	-	-	-	-	-	-	-	-	-	-	2	4	2	4	2	2	-	4	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	18	-	-	-	-	-	-	-	2	-	2	4	2	-	-	4	-	2	2	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	2	-	2	4	2	2	4	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	24	-	-	-	-	-	-	2	-	-	-	2	6	2	-	4	2	4	-	2	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	2	-	-	-	-	4	2	-	2	2	-	-	2	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	138	24	6	-	2	-	-	4	4	2	8	6	6	6	2	14	24	14	8	-	4	4	-
	WHITE.....MALE	44	6	2	-	2	-	-	2	2	2	-	-	2	2	-	8	6	2	4	-	4	-	-
	FEMALE	30	2	-	-	-	-	-	-	-	-	4	4	-	-	2	2	6	6	4	-	-	-	-
	ALL OTHER..MALE	34	8	-	-	-	-	-	2	2	-	2	-	2	4	-	2	6	4	-	-	-	2	-
	FEMALE	30	8	4	-	-	-	-	-	-	-	2	2	2	-	-	2	6	2	-	-	-	2	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	2	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	GEORGIA--CON.																							
RE-	OTHER INFECTIVE AND																							
MAIN-	PARASITIC DISEASES.....	98	14	2	2	8	2	6	4	4	4	2	2	6	6	8	6	4	8	4	-	6	-	-
DER	WHITE.....MALE....	42	2	2	-	6	-	4	2	2	2	2	-	4	2	4	-	2	2	2	-	4	-	-
OF	FEMALE..	24	4	-	2	-	2	-	2	2	-	-	-	-	2	-	2	-	4	2	-	2	-	-
000-	ALL OTHER..MALE....	14	4	-	-	-	-	-	-	-	-	-	-	2	-	4	4	-	-	-	-	-	-	-
136	FEMALE..	18	4	-	-	2	-	2	-	-	2	-	2	-	2	-	-	2	2	-	-	-	-	-
140-	MALIGNANT NEOPLASMS,																							
209	INCLUDING NEOPLASMS OF																							
	LYMPHATIC AND HEMATO-																							
	POIETIC TISSUES.....	6,386	2	18	24	20	26	38	44	52	110	228	358	594	830	874	932	770	724	436	212	74	20	-
	WHITE.....MALE....	2,626	-	10	14	4	10	10	14	20	34	72	132	234	362	390	412	346	286	174	76	20	6	-
	FEMALE..	2,204	2	2	6	10	8	14	12	18	38	92	124	194	258	272	288	236	264	194	114	46	12	-
	ALL OTHER..MALE....	932	-	2	4	2	4	10	10	4	18	34	58	94	130	148	134	114	108	46	6	6	-	-
	FEMALE..	624	-	4	-	4	4	4	8	10	20	30	44	72	80	64	98	74	66	22	16	2	2	-
140-	OF BUCCAL CAVITY																							
149	AND PHARYNX.....	160	-	-	-	-	2	-	2	-	2	2	12	22	28	24	20	18	10	10	6	2	-	-
	WHITE.....MALE....	76	-	-	-	-	-	-	2	-	-	2	6	10	14	14	10	6	4	4	2	2	-	-
	FEMALE..	40	-	-	-	-	-	-	-	-	-	-	2	6	2	4	6	6	4	6	4	-	-	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	-	-	-	-	4	4	12	2	2	2	-	-	-	-	-	-
	FEMALE..	18	-	-	-	-	2	-	-	-	2	-	-	2	-	4	2	4	2	-	-	-	-	-
150-	OF DIGESTIVE ORGANS																							
159	AND PERITONEUM.....	1,474	-	-	-	-	2	2	4	12	18	30	68	134	118	208	212	218	220	138	54	30	6	-
	WHITE.....MALE....	518	-	-	-	-	2	-	-	6	6	10	14	54	46	76	80	90	58	54	16	4	2	-
	FEMALE..	558	-	-	-	-	-	-	2	6	6	8	20	34	46	66	72	74	106	62	32	20	4	-
	ALL OTHER..MALE....	254	-	-	-	-	-	2	2	-	6	8	24	32	20	50	30	32	32	12	-	4	-	-
	FEMALE..	144	-	-	-	-	-	-	-	-	-	4	10	14	6	16	30	22	24	10	6	2	-	-
160-	OF RESPIRATORY SYSTEM....	1,528	-	-	-	-	-	2	-	-	18	78	108	162	256	274	240	162	134	60	28	-	6	-
163	WHITE.....MALE....	998	-	-	-	-	-	-	-	-	8	34	66	96	176	178	178	114	92	36	18	-	2	-
	FEMALE..	204	-	-	-	-	-	2	-	-	6	24	24	26	20	30	10	18	18	14	10	-	2	-
	ALL OTHER..MALE....	280	-	-	-	-	-	-	-	-	2	18	14	34	52	60	48	24	18	10	-	-	-	-
	FEMALE..	46	-	-	-	-	-	-	-	-	2	2	4	6	8	6	4	6	6	-	-	-	2	-
174	OF BREAST.....	576	-	-	-	-	-	-	4	8	10	36	54	68	84	72	76	56	50	38	18	2	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-
	FEMALE..	440	-	-	-	-	-	-	2	2	10	24	38	52	68	62	54	40	34	36	16	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	128	-	-	-	-	-	-	2	6	-	10	16	16	16	10	22	12	16	-	2	-	-	-
180-	OF GENITAL ORGANS.....	864	-	-	-	-	2	8	8	16	22	24	26	56	130	80	134	112	136	60	32	16	2	-
187	WHITE.....MALE....	254	-	-	-	-	-	4	6	4	-	2	2	4	24	10	46	38	56	36	14	8	-	-
	FEMALE..	320	-	-	-	-	-	-	2	8	6	12	14	30	58	48	52	28	34	10	10	6	2	-
	ALL OTHER..MALE....	148	-	-	-	-	-	-	-	-	-	-	2	2	24	14	20	36	32	12	4	2	-	-
	FEMALE..	142	-	-	-	-	2	4	-	4	16	10	8	20	24	8	16	10	14	2	4	-	-	-
188,	OF URINARY ORGANS.....	244	-	2	2	-	-	-	-	-	-	4	6	14	32	30	36	40	50	18	8	2	-	-
189	WHITE.....MALE....	154	-	2	2	-	-	-	-	-	-	2	4	6	20	24	16	30	32	10	4	2	-	-
	FEMALE..	54	-	-	-	-	-	-	-	-	-	-	-	4	6	2	14	8	10	6	4	-	-	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	-	-	-	2	2	2	4	2	2	2	8	2	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	-	-	-	-	-	-	-
170-	OF ALL OTHER AND																							
173,	UNSPECIFIED SITES.....	920	2	8	6	10	6	12	8	8	24	34	48	104	118	118	124	88	70	68	38	20	6	-
190-	WHITE.....MALE....	350	-	4	2	2	6	2	4	4	14	14	20	48	50	50	44	32	20	18	10	4	2	-
199	FEMALE..	368	2	2	4	4	-	6	2	2	6	14	16	32	38	50	46	28	36	34	26	16	4	-
	ALL OTHER..MALE....	114	-	2	-	-	-	4	2	2	4	2	6	12	14	10	22	14	12	8	-	-	-	-
	FEMALE..	88	-	-	-	4	-	-	-	-	-	4	6	12	16	8	12	14	2	8	2	-	-	-
204-	LEUKEMIA.....	274	-	8	14	10	12	8	14	2	8	12	14	12	20	22	42	28	20	14	14	-	-	-
207	WHITE.....MALE....	120	-	4	8	2	2	2	2	2	2	6	4	6	10	12	20	14	8	6	10	-	-	-
	FEMALE..	94	-	-	2	6	6	4	2	-	4	4	8	4	6	2	14	10	10	8	4	-	-	-
	ALL OTHER..MALE....	34	-	-	4	2	4	2	4	-	2	2	2	2	-	2	4	2	2	-	-	-	-	-
	FEMALE..	26	-	4	-	-	-	-	6	-	-	-	-	-	4	6	4	2	-	-	-	-	-	-
200-	OTHER NEOPLASMS OF																							
203,	LYMPHATIC AND HEMATO-																							
208,	POIETIC TISSUES.....	346	-	-	2	-	2	6	4	6	8	8	22	22	44	46	48	48	34	30	14	2	-	-
209	WHITE.....MALE....	150	-	-	2	-	-	2	-	4	4	2	16	10	22	26	18	18	16	8	2	-	-	-
	FEMALE..	126	-	-	-	-	2	2	2	-	-	6	2	6	14	8	20	24	12	18	8	2	-	-
	ALL OTHER..MALE....	48	-	-	-	-	-	2	2	2	4	-	4	6	4	8	6	2	4	2	2	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	4	2	2	2	-	-	-
210-	BENIGN NEOPLASMS AND																							
239	NEOPLASMS OF UNSPECI-																							
	FIED NATURE.....	102	-	2	-	2	2	8	-	4	-	14	4	8	8	6	14	12	8	6	4	-	-	-
	WHITE.....MALE....	42	-	-	-	2	-	4	-	-	-	10	2	4	2	2	6	6	2	2	-	-	-	-
	FEMALE..	34	-	2	-	-	2	2	-	4	-	-	2	4	2	4	4	2	2	4	-	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	2	-	-	-	-	-
	FEMALE..	16	-	-	-	-	-	2	-	-	-	4	-	-	-	-	2	2	2	-	4	-	-	-
250	DIABETES MELLITUS.....	772	-	-	-	-	-	8	10	28	14	26	24	52	62	84	122	102	106	76	52	6	-	-
	WHITE.....MALE....	210	-	-	-	-	-	2	4	8	4	6	6	20	18	22	40	26	24	16	14	-	-	-
	FEMALE..	250	-	-	-	-	-	4	2	4	-	2	6	4	14	18	32	28	54	44	32	6	-	-
	ALL OTHER..MALE....	106	-	-	-	-	-	-	-	4	6	4	4	16	8	18	14	16	8	8	-	-	-	-
	FEMALE..	206	-	-	-	-	-	2	4	12	4	14	8	12	22	26	36	32	20	8	6	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	GEORGIA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	76	8	-	2	-	4	-	2	-	-	2	-	-	6	4	2	10	10	10	10	4	2	-
	WHITE.....MALE....	22	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	6	4	4	4	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	4	4	4	2	4	2	-
	ALL OTHER..MALE....	18	6	-	2	-	-	-	-	-	-	-	-	-	4	2	-	-	2	2	-	-	-	-
	FEMALE..	12	2	-	-	-	-	-	2	-	-	-	-	-	-	2	2	-	-	-	4	-	-	-
280-285	ANEMIAS.....	90	6	4	-	-	2	8	-	2	2	4	4	6	8	2	2	10	8	16	6	-	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	6	4	-	-	-
	FEMALE..	32	-	-	-	-	-	2	-	-	2	4	2	-	2	-	-	6	4	8	2	-	-	-
	ALL OTHER..MALE....	20	6	2	-	-	-	2	-	2	-	-	-	-	6	-	2	-	-	-	-	-	-	-
	FEMALE..	22	-	2	-	-	2	4	-	-	-	-	2	6	-	-	-	2	2	2	-	-	-	-
320	MENINGITIS.....	46	16	14	2	2	-	-	-	-	2	2	-	2	6	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	12	4	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	14	6	2	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	18	4	6	2	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	21,928	26	6	16	14	16	40	58	112	196	446	758	1,250	1,576	2,404	2,716	3,146	3,120	2,848	1,952	908	302	20
	WHITE.....MALE....	8,692	8	-	4	4	4	6	16	36	74	204	350	582	766	1,158	1,206	1,224	1,202	964	554	248	80	2
	FEMALE..	7,168	2	6	6	4	-	4	10	24	16	58	104	156	244	420	640	888	1,252	1,434	1,170	558	170	2
	ALL OTHER..MALE....	3,050	8	-	4	-	6	20	10	30	62	72	170	306	352	458	456	460	316	166	102	30	14	8
	FEMALE..	3,018	8	-	2	6	6	10	20	22	44	112	134	206	214	368	414	574	350	284	126	72	38	8
390-398, 402, 404, 410-429	DISEASES OF HEART.....	14,698	18	4	8	6	8	18	36	62	140	322	570	924	1,186	1,822	1,966	2,156	1,998	1,698	1,084	488	170	14
	WHITE.....MALE....	6,480	4	-	4	-	4	2	10	24	60	180	304	502	644	960	964	928	804	602	296	140	46	2
	FEMALE..	4,438	2	4	4	2	-	-	6	12	12	38	68	108	176	300	436	602	794	826	660	290	94	2
	ALL OTHER..MALE....	1,986	4	-	-	-	4	12	6	16	38	48	106	190	228	316	324	290	208	100	64	14	12	6
	FEMALE..	1,794	8	-	-	4	-	4	14	10	30	56	92	124	136	246	242	336	192	170	64	44	18	4
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	182	-	-	-	-	-	6	4	8	6	14	8	18	22	26	12	24	10	16	6	2	-	-
	WHITE.....MALE....	82	-	-	-	-	-	2	-	4	2	4	6	8	12	14	8	10	2	6	4	-	-	-
	FEMALE..	64	-	-	-	-	-	-	4	2	-	4	-	6	6	10	4	12	6	8	-	2	-	-
	ALL OTHER..MALE....	20	-	-	-	-	-	2	-	2	4	4	-	2	-	2	-	-	-	2	2	-	-	-
	FEMALE..	16	-	-	-	-	-	2	-	-	-	2	2	2	4	-	-	2	2	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	248	-	-	-	-	-	-	-	-	-	10	10	16	28	36	16	38	36	30	14	10	2	2
	WHITE.....MALE....	44	-	-	-	-	-	-	-	-	-	2	2	4	8	8	4	2	6	4	-	4	-	-
	FEMALE..	72	-	-	-	-	-	-	-	-	-	2	2	-	8	-	4	14	10	14	10	6	2	-
	ALL OTHER..MALE....	60	-	-	-	-	-	-	-	-	-	4	4	2	2	16	4	4	16	6	-	-	-	2
	FEMALE..	72	-	-	-	-	-	-	-	-	-	2	2	10	10	12	4	18	4	6	4	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	156	-	-	-	-	-	-	-	-	-	4	4	6	8	12	20	16	22	28	24	10	4	-
	WHITE.....MALE....	42	-	-	-	-	-	-	-	-	-	-	-	2	2	4	6	2	4	8	8	4	2	-
	FEMALE..	68	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	12	10	14	16	6	2	-
	ALL OTHER..MALE....	36	-	-	-	-	-	-	-	-	-	-	4	4	4	4	8	2	6	4	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	4	-	-	-	2	2	-	2	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	12,726	-	-	-	-	2	2	22	40	110	260	488	796	1,006	1,580	1,750	1,892	1,786	1,450	960	432	142	8
	WHITE.....MALE....	5,862	-	-	-	-	2	-	8	14	48	154	288	462	570	892	870	852	752	518	270	122	38	2
	FEMALE..	3,862	-	-	-	-	-	-	-	6	8	32	50	94	146	254	392	526	722	714	582	254	80	2
	ALL OTHER..MALE....	1,570	-	-	-	-	-	2	6	10	32	40	74	150	192	238	280	240	152	72	54	14	12	2
	FEMALE..	1,432	-	-	-	-	-	-	8	10	22	34	76	90	98	196	208	274	160	146	54	42	12	2
410	ACUTE MYOCARDIAL INFARCTION.....	7,818	-	-	-	-	2	2	14	34	78	200	376	636	734	1,100	1,194	1,132	1,000	696	386	174	56	4
	WHITE.....MALE....	4,222	-	-	-	-	2	-	8	14	40	134	238	408	466	726	662	580	468	280	116	62	16	2
	FEMALE..	2,114	-	-	-	-	-	-	-	6	4	26	42	80	114	176	260	328	390	318	234	100	34	2
	ALL OTHER..MALE....	818	-	-	-	-	-	2	4	6	20	26	52	102	106	118	152	106	70	32	16	2	4	-
	FEMALE..	664	-	-	-	-	-	-	2	8	14	14	44	46	48	80	120	118	72	66	20	10	2	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	26	-	-	-	-	-	-	-	-	-	-	4	-	2	2	6	-	6	4	2	-	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	4	-	2	2	2	-	2	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	4,880	-	-	-	-	-	-	8	6	32	60	108	160	270	478	550	758	780	750	572	258	86	4
	WHITE.....MALE....	1,624	-	-	-	-	-	-	-	-	8	20	46	54	102	164	206	270	282	236	154	60	22	-
	FEMALE..	1,740	-	-	-	-	-	-	-	-	4	6	8	14	32	78	128	198	330	396	346	154	46	-
	ALL OTHER..MALE....	750	-	-	-	-	-	-	2	4	12	14	22	48	86	120	128	134	80	40	38	12	8	2
	FEMALE..	766	-	-	-	-	-	-	6	2	8	20	32	44	50	116	88	156	88	78	34	32	10	2
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	GEORGIA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	116	2	2	-	-	2	-	-	2	2	2	4	4	10	12	10	8	16	20	12	4	4	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	2	-	2	-	-	6	2	-	4	4	6	2	-	2	-
	FEMALE..	36	-	2	-	-	-	-	-	-	-	-	4	-	-	2	2	-	4	10	8	4	-	-
	ALL OTHER..MALE....	26	-	-	-	-	2	-	-	-	2	-	-	4	2	4	4	-	6	2	-	-	-	-
	FEMALE..	24	2	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	2	2	2	-	2	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	1,270	16	2	8	6	4	10	10	12	22	32	56	84	112	156	158	178	128	156	68	30	18	4
	WHITE.....MALE....	420	4	-	4	-	2	-	2	4	10	18	8	26	46	40	76	58	36	60	12	10	4	-
	FEMALE..	336	2	2	4	2	-	-	2	4	4	-	12	8	16	32	30	38	42	66	44	18	10	-
	ALL OTHER..MALE....	274	4	-	-	-	2	8	-	4	-	-	24	28	28	52	28	44	28	14	8	-	-	2
	FEMALE..	240	6	-	-	4	-	2	6	-	8	14	12	22	22	32	24	38	22	16	4	2	4	2
400, 401, 403	HYPERTENSION.....	234	-	-	-	-	-	4	2	8	6	8	18	20	26	18	38	16	12	24	30	2	2	-
	WHITE.....MALE....	62	-	-	-	-	-	-	-	-	-	2	2	12	-	4	14	6	6	4	8	2	2	-
	FEMALE..	58	-	-	-	-	-	-	-	-	-	-	-	-	2	6	12	4	4	14	16	-	-	-
	ALL OTHER..MALE....	62	-	-	-	-	-	2	2	6	4	2	10	6	12	6	4	2	-	2	4	-	-	-
	FEMALE..	52	-	-	-	-	-	2	-	2	2	4	6	2	12	2	8	4	2	4	2	-	-	-
430-438	CEREBROVASCULAR DISEASES.	5,940	6	2	8	6	8	18	16	26	44	98	152	274	318	474	626	834	926	962	718	330	88	6
	WHITE.....MALE....	1,752	2	-	-	4	-	4	4	10	12	14	38	54	96	146	186	250	312	312	214	80	14	-
	FEMALE..	2,280	-	2	2	2	-	4	4	6	2	18	34	44	58	100	174	244	384	510	418	216	58	-
	ALL OTHER..MALE....	868	4	-	4	-	2	6	2	4	20	18	48	100	100	126	118	134	92	50	28	10	-	2
	FEMALE..	1,040	-	-	2	-	6	4	6	6	10	48	32	76	64	102	148	206	138	90	58	24	16	4
431	CEREBRAL HEMORRHAGE.....	1,234	2	2	4	2	4	2	-	2	18	40	68	96	106	132	150	174	140	126	122	36	8	-
	WHITE.....MALE....	350	2	-	-	2	-	-	-	-	6	2	20	20	30	34	56	54	38	34	46	6	-	-
	FEMALE..	378	-	2	-	-	-	-	-	-	-	12	16	16	20	28	26	48	50	64	60	28	8	-
	ALL OTHER..MALE....	234	-	-	2	-	2	2	-	2	6	8	18	28	38	38	26	32	22	6	4	-	-	-
	FEMALE..	272	-	-	2	-	2	-	-	-	6	18	14	32	18	32	42	40	30	22	12	2	-	-
433	CEREBRAL THROMBOSIS.....	1,472	-	-	-	-	2	-	-	2	6	14	20	36	66	106	140	226	266	252	208	100	26	2
	WHITE.....MALE....	450	-	-	-	-	-	-	-	-	2	2	2	12	18	48	42	60	86	84	68	26	-	-
	FEMALE..	608	-	-	-	-	-	-	-	2	-	2	6	6	10	24	42	72	114	128	112	70	20	-
	ALL OTHER..MALE....	174	-	-	-	-	-	-	-	-	4	4	8	14	14	22	32	28	20	16	12	-	-	-
	FEMALE..	240	-	-	-	-	2	-	-	-	-	6	4	4	24	12	24	66	46	24	16	4	6	2
434	CEREBRAL EMBOLISM.....	28	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	12	4	6	-	2	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	2	2	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	3,206	4	-	4	4	2	16	16	22	20	44	64	142	144	236	334	422	516	578	388	192	54	4
	WHITE.....MALE....	940	-	-	-	2	-	4	4	10	4	10	16	22	46	64	88	130	186	192	100	48	14	-
	FEMALE..	1,284	-	-	2	2	-	4	4	4	2	4	12	22	28	48	104	122	220	314	246	116	30	-
	ALL OTHER..MALE....	456	4	-	2	-	-	4	2	2	10	6	22	58	48	66	60	70	50	28	12	10	-	2
	FEMALE..	526	-	-	-	-	2	4	6	6	4	24	14	40	22	58	82	100	60	44	30	18	10	2
440	ARTERIOSCLEROSIS.....	562	-	-	-	-	-	-	-	4	-	4	4	10	10	22	30	84	94	112	88	64	36	-
	WHITE.....MALE....	164	-	-	-	-	-	-	-	-	-	4	2	-	4	6	4	18	30	28	30	20	18	-
	FEMALE..	240	-	-	-	-	-	-	-	2	-	-	-	2	-	6	12	22	38	58	52	36	12	-
	ALL OTHER..MALE....	80	-	-	-	-	-	-	-	2	-	-	2	8	4	2	4	26	12	10	4	4	2	-
	FEMALE..	78	-	-	-	-	-	-	-	-	-	-	-	-	2	8	10	18	14	16	2	4	4	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	494	2	-	-	2	-	-	2	12	6	14	14	22	36	68	56	56	90	52	32	24	6	-
	WHITE.....MALE....	234	2	-	-	-	-	-	2	2	2	4	4	14	22	42	38	22	50	18	6	6	-	-
	FEMALE..	152	-	-	-	-	-	-	-	4	2	2	2	2	6	8	6	16	32	26	24	16	6	-
	ALL OTHER..MALE....	54	-	-	-	-	-	-	-	2	-	4	4	2	8	8	6	8	4	4	2	2	-	-
	FEMALE..	54	-	-	-	2	-	-	-	4	2	4	4	4	-	10	6	10	4	4	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	16	6	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-
	WHITE.....MALE....	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	1,502	212	42	8	4	6	6	12	24	20	48	80	78	78	88	124	140	156	146	148	56	24	2
	WHITE.....MALE....	556	46	12	2	2	4	2	4	2	4	12	22	34	28	42	60	64	70	76	44	18	8	-
	FEMALE..	372	14	4	4	-	-	2	2	8	4	8	14	12	28	14	22	32	50	44	76	20	14	-
	ALL OTHER..MALE....	344	74	14	-	-	2	2	6	10	6	16	26	24	16	24	28	28	22	22	16	8	-	-
	FEMALE..	230	78	12	2	2	-	-	-	4	6	12	18	8	6	8	14	16	14	4	12	10	2	2
470-474	INFLUENZA.....	148	10	6	2	-	-	-	-	-	-	2	6	10	4	14	12	16	28	18	12	2	4	2
	WHITE.....MALE....	54	-	-	2	-	-	-	-	-	-	-	-	6	2	6	4	8	8	10	6	-	2	-
	FEMALE..	38	-	-	-	-	-	-	-	-	-	2	2	2	-	2	4	2	8	8	4	2	2	-
	ALL OTHER..MALE....	30	6	6	-	-	-	-	-	-	-	-	-	-	-	4	2	6	4	-	2	-	-	-
	FEMALE..	26	4	-	-	-	-	-	-	-	-	-	4	2	2	2	2	-	8	-	-	-	-	2
480-486	PNEUMONIA.....	1,354	202	36	6	4	6	6	12	24	20	46	74	68	74	74	112	124	128	128	136	54	20	-
	WHITE.....MALE....	502	46	12	-	2	4	2	4	2	4	12	22	28	26	36	56	56	62	66	38	18	6	-
	FEMALE..	334	14	4	4	-	-	2	2	8	4	6	12	10	28	12	18	30	42	36	72	18	12	-
	ALL OTHER..MALE....	314	68	8	-	-	2	2	6	10	6	16	26	24	16	20	26	22	18	22	14	8	-	-
	FEMALE..	204	74	12	2	2	-	-	-	4	6	12	14	6	4	6	12	16	6	4	12	10	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	GEORGIA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	610	4	-	-	-	2	-	2	2	6	16	14	42	62	86	102	96	92	56	20	6	2	-
	WHITE.....MALE	454	4	-	-	-	-	-	2	2	4	8	4	18	50	70	88	76	70	38	18	2	-	-
	FEMALE	102	-	-	-	-	2	-	-	-	-	4	4	14	8	8	10	10	18	18	2	4	-	-
	ALL OTHER..MALE	34	-	-	-	-	-	-	-	-	-	2	6	6	4	4	4	4	4	-	-	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	2	2	-	4	-	4	-	6	-	-	-	-	2	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	104	-	-	-	-	-	-	-	-	-	6	2	10	8	10	22	14	16	12	2	2	-	-
	WHITE.....MALE	64	-	-	-	-	-	-	-	-	-	4	-	2	8	6	18	8	12	6	-	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	-	2	4	-	4	2	2	4	6	2	2	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
492	EMPHYSEMA	462	-	-	-	-	-	-	2	-	4	6	10	26	52	64	80	78	74	42	18	4	2	-
	WHITE.....MALE	374	-	-	-	-	-	-	2	-	2	4	4	16	42	60	70	66	58	30	18	2	-	-
	FEMALE	64	-	-	-	-	-	-	-	-	-	2	2	8	8	2	8	8	12	12	-	2	-	-
	ALL OTHER..MALE	18	-	-	-	-	-	-	-	-	-	-	4	2	2	2	2	2	4	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	2	-
493	ASTHMA	44	4	-	-	-	2	-	-	2	2	4	2	6	2	12	-	4	2	2	-	-	-	-
	WHITE.....MALE	16	4	-	-	-	-	-	-	2	2	-	-	-	-	4	-	2	-	2	-	-	-	-
	FEMALE	10	-	-	-	-	2	-	-	-	-	2	-	2	-	2	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	2	-	2	-	4	-	2	-	-	-	-	-	-
531-533	PEPTIC ULCER	136	2	-	-	-	-	2	-	-	-	8	10	18	12	22	16	16	12	12	4	-	-	2
	WHITE.....MALE	82	-	-	-	-	-	-	-	-	-	2	10	8	8	18	12	6	6	8	4	-	-	-
	FEMALE	24	-	-	-	-	-	-	-	-	-	2	-	2	2	2	4	2	6	4	-	-	-	-
	ALL OTHER..MALE	24	-	-	-	-	-	2	-	-	-	4	-	6	2	-	-	8	-	-	-	-	-	2
	FEMALE	6	2	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	32	-	2	-	-	2	4	-	-	2	-	4	4	6	2	2	-	4	-	-	-	-	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	2	-	2	2	6	-	2	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	10	-	2	-	-	2	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	124	4	-	-	-	-	-	6	2	2	2	6	12	6	18	14	14	12	12	6	6	2	-
	WHITE.....MALE	38	4	-	-	-	-	-	-	-	-	-	-	4	4	8	6	-	6	2	2	2	-	-
	FEMALE	36	-	-	-	-	-	-	2	2	-	2	2	2	2	4	2	2	2	6	4	2	2	-
	ALL OTHER..MALE	28	-	-	-	-	-	-	2	-	2	-	2	-	-	4	4	10	-	2	-	2	-	-
	FEMALE	22	-	-	-	-	-	-	2	-	-	-	2	6	-	2	2	2	4	2	-	-	-	-
571	CIRRHOSIS OF LIVER	544	-	2	-	-	-	4	4	16	34	96	94	86	56	68	52	18	12	-	2	-	-	-
	WHITE.....MALE	264	-	-	-	-	-	2	-	2	16	42	44	50	30	36	24	12	6	-	-	-	-	-
	FEMALE	130	-	-	-	-	-	-	-	4	2	20	30	16	16	12	16	6	6	-	2	-	-	-
	ALL OTHER..MALE	72	-	2	-	-	-	-	-	8	6	14	8	8	6	8	12	-	-	-	-	-	-	-
	FEMALE	78	-	-	-	-	-	2	4	2	10	20	12	12	4	12	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	62	-	-	-	-	-	-	-	-	-	4	4	-	4	4	12	8	10	6	2	8	-	-
	WHITE.....MALE	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	4	4	2	-	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	-	2	-	-	4	4	6	-	6	2	-	8	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	258	-	-	-	-	4	4	8	4	8	6	14	18	38	22	40	28	24	24	10	4	2	-
	WHITE.....MALE	66	-	-	-	-	2	2	-	-	2	-	2	4	8	10	6	6	12	8	4	-	-	-
	FEMALE	52	-	-	-	-	-	2	2	-	2	-	4	4	2	-	6	4	6	14	4	2	-	-
	ALL OTHER..MALE	70	-	-	-	-	-	-	4	2	2	2	4	6	10	6	12	12	4	2	2	2	-	-
	FEMALE	70	-	-	-	-	2	-	2	2	2	4	4	4	18	6	16	6	2	-	-	-	2	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	48	-	-	-	-	2	2	4	-	2	2	-	-	10	6	2	6	2	8	2	-	-	-
	WHITE.....MALE	14	-	-	-	-	2	2	-	-	-	-	-	-	4	2	-	4	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	8	2	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	4	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	2	-	-	6	4	2	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	210	-	-	-	-	2	2	4	4	6	4	14	18	28	16	38	22	22	16	8	4	2	-
	WHITE.....MALE	52	-	-	-	-	-	-	-	-	2	-	2	4	4	8	6	2	12	8	4	-	-	-
	FEMALE	40	-	-	-	-	-	2	2	-	2	-	4	4	2	-	6	2	6	4	2	2	-	-
	ALL OTHER..MALE	62	-	-	-	-	-	-	-	2	-	2	4	6	10	6	12	12	2	2	2	2	-	-
	FEMALE	56	-	-	-	-	2	-	2	2	2	2	4	4	12	2	14	6	2	-	-	-	2	-
590	INFECTIONS OF KIDNEY	236	-	-	-	-	-	2	2	-	8	-	6	22	20	14	24	32	36	36	30	4	-	-
	WHITE.....MALE	66	-	-	-	-	-	2	-	-	2	-	-	8	2	6	4	12	12	10	8	-	-	-
	FEMALE	88	-	-	-	-	-	-	-	-	6	-	-	2	4	6	4	10	16	20	16	4	-	-
	ALL OTHER..MALE	28	-	-	-	-	-	-	2	-	-	-	2	8	2	-	4	4	4	-	2	-	-	-
	FEMALE	54	-	-	-	-	-	-	-	-	-	-	4	4	12	2	12	6	4	6	4	-	-	-
600	HYPERPLASIA OF PROSTATE	42	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	4	14	8	4	-	2	-
	WHITE.....MALE	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	4	2	-	2	-
	ALL OTHER..MALE	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	6	4	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	GEORGIA—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	20	-	-	-	-	4	2	-	4	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	8	-	-	-	-	2	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	12	-	-	-	-	2	-	-	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	18	-	-	-	-	2	2	-	4	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	6	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	12	-	-	-	-	2	-	-	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	352	204	48	30	2	-	4	10	10	6	4	2	10	4	6	4	-	-	4	-	2	2	-
	WHITE.....MALE....	112	78	10	10	-	-	-	6	4	-	2	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	108	54	12	10	-	-	2	2	-	4	2	-	6	2	6	2	-	-	4	-	-	2	-
	ALL OTHER..MALE....	90	50	18	4	-	-	-	2	4	2	-	2	4	-	-	2	-	-	-	-	2	-	-
	FEMALE..	42	22	8	6	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	904	892	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	WHITE.....MALE....	322	320	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	206	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	196	188	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	FEMALE..	180	178	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	524	518	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	92	88	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	106	104	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	380	374	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	WHITE.....MALE....	118	116	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	104	100	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	FEMALE..	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	762	104	4	-	-	4	8	6	12	6	24	36	50	52	86	56	76	66	72	52	30	16	2
	WHITE.....MALE....	224	22	4	-	-	4	4	2	2	2	6	18	18	30	20	16	14	26	16	14	2	4	-
	FEMALE..	184	18	-	-	-	-	-	2	4	2	4	2	8	6	16	10	18	14	38	22	16	4	-
	ALL OTHER..MALE....	196	38	-	-	-	-	2	-	4	2	8	4	16	16	34	18	24	12	10	4	-	2	2
	FEMALE..	158	26	-	-	-	-	2	2	2	-	6	12	8	-	16	12	20	14	8	12	12	6	-
RESIDUAL	ALL OTHER DISEASES.....	2,580	58	24	18	12	30	68	58	68	68	118	178	194	266	256	254	286	238	200	120	56	6	4
	WHITE.....MALE....	988	16	12	10	4	8	28	6	14	18	24	58	80	118	114	152	102	98	80	34	12	-	-
	FEMALE..	788	14	10	4	4	6	12	8	20	10	40	52	42	54	50	50	102	102	92	76	34	6	-
	ALL OTHER..MALE....	434	18	-	2	2	12	12	22	20	22	20	40	32	56	56	30	38	22	16	6	4	-	4
	FEMALE..	370	10	2	2	2	4	16	22	14	18	34	28	40	38	36	22	44	16	12	4	6	-	-
E800-E949	ACCIDENTS.....	3,350	74	156	140	138	424	414	260	166	166	150	180	208	200	158	146	100	78	90	68	22	10	2
	WHITE.....MALE....	1,696	22	52	58	70	242	252	136	94	78	76	102	116	110	94	68	38	42	22	14	8	2	-
	FEMALE..	672	16	38	26	26	78	66	36	18	24	22	30	36	38	30	32	28	24	52	34	12	6	-
	ALL OTHER..MALE....	714	24	38	36	30	90	78	72	38	52	38	42	36	28	22	30	24	8	12	12	2	-	2
	FEMALE..	268	12	28	20	12	14	18	16	16	12	14	6	20	24	12	16	10	4	4	8	-	2	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	1,884	18	54	92	70	292	308	172	106	88	94	110	118	116	78	70	28	32	26	10	-	-	2
	WHITE.....MALE....	1,018	8	14	34	34	164	182	88	62	44	56	72	68	66	46	40	10	22	8	-	-	-	-
	FEMALE..	380	4	20	14	18	70	56	24	16	12	14	14	20	24	22	14	16	8	10	4	-	-	-
	ALL OTHER..MALE....	374	2	12	24	14	50	60	54	24	26	18	20	18	14	6	12	2	2	8	6	-	-	2
	FEMALE..	112	4	8	20	4	8	10	6	4	6	6	4	12	12	4	4	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,466	56	102	48	68	132	106	88	60	78	56	70	90	84	80	76	72	46	64	58	22	10	-
	WHITE.....MALE....	678	14	38	24	36	78	70	48	32	34	20	30	48	44	48	28	28	20	14	14	8	2	-
	FEMALE..	292	12	18	12	8	8	10	12	2	12	8	16	16	14	8	18	12	16	42	30	12	6	-
	ALL OTHER..MALE....	340	22	26	12	16	40	18	18	14	26	20	22	18	14	16	18	22	6	4	6	2	-	-
	FEMALE..	156	8	20	-	8	6	8	10	12	6	8	2	8	12	8	12	10	4	4	8	-	2	-
E950-E959	SUICIDE.....	600	...	...	-	-	34	68	44	54	56	44	70	70	54	40	28	20	10	8	-	-	-	-
	WHITE.....MALE....	378	...	...	-	-	22	24	28	32	30	20	40	48	40	34	26	16	10	8	-	-	-	-
	FEMALE..	150	...	...	-	-	6	18	10	14	20	20	26	16	10	6	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	58	...	...	-	-	4	22	6	6	6	2	4	4	2	-	-	2	-	-	-	-	-	-
	FEMALE..	14	...	...	-	-	2	4	-	2	-	2	-	2	2	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	1,002	4	8	6	10	82	150	178	124	92	102	66	80	36	34	12	12	2	2	2	-	-	-
	WHITE.....MALE....	290	-	2	2	2	20	30	38	38	36	32	20	36	18	6	6	2	2	-	-	-	-	-
	FEMALE..	74	2	2	2	4	8	4	8	8	6	8	6	4	2	4	-	4	-	2	-	-	-	-
	ALL OTHER..MALE....	514	2	2	2	2	38	90	108	66	42	54	30	40	10	18	4	4	-	-	2	-	-	-
	FEMALE..	124	-	2	-	2	16	26	24	12	8	8	10	-	6	6	2	2	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	46	-	2	-	-	2	4	8	6	4	2	-	2	6	2	4	2	-	2	-	-	-	-
	WHITE.....MALE....	18	-	-	-	-	-	4	2	4	-	-	-	2	4	-	-	2	-	-	-	-	-	-
	FEMALE..	18	-	2	-	-	2	-	4	-	-	2	-	-	2	-	4	-	-	2	-	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	2	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	HAWAII																							
	ALL CAUSES	4,304	260	34	12	16	52	70	88	62	72	98	204	274	324	398	426	496	492	358	350	168	50	-
	WHITE.....MALE	818	38	6	2	2	12	12	32	10	12	26	44	56	74	106	96	80	100	56	34	16	4	-
	FEMALE	572	26	8	2	-	2	10	10	12	12	8	26	22	36	48	60	62	66	64	60	34	4	-
	ALL OTHER..MALE	1,822	96	14	4	10	26	30	26	20	30	44	88	112	150	180	170	248	182	166	134	70	22	-
	FEMALE	1,092	100	6	4	4	12	18	20	20	18	20	46	84	64	64	100	106	144	72	122	48	20	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	6	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	-	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	18	-	-	-	-	-	-	-	-	2	-	-	-	-	2	4	4	-	4	2	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	4	-	4	2	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	10	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	2	2	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	2	2	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	26	10	2	-	-	-	-	2	-	-	-	2	2	2	2	-	-	-	4	-	-	-	-
	WHITE.....MALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	12	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	4	-	-	-	-
	FEMALE	10	4	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	HAWAII—CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	16	-	-	2	-	-	-	-	2	-	-	-	2	2	2	2	2	-	-	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	10	-	-	2	-	-	-	-	2	-	-	-	-	2	-	2	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....	888	-	2	2	4	2	2	4	8	14	18	44	98	86	94	142	128	108	70	42	16	4	-
	WHITE.....MALE....	162	-	-	2	-	-	-	-	-	2	-	6	10	12	24	36	24	28	12	4	2	-	-
	FEMALE..	122	-	2	-	-	-	-	2	2	2	2	4	12	16	18	16	20	14	8	2	2	-	-
	ALL OTHER..MALE....	384	-	-	-	-	2	-	-	4	4	8	26	38	40	34	56	60	38	38	22	10	4	-
	FEMALE..	220	-	-	-	4	-	2	2	2	6	8	8	38	18	18	34	24	28	12	14	2	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	34	-	-	-	-	-	-	-	-	-	-	6	4	6	4	6	2	4	-	2	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	-	4	4	2	2	2	2	4	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	328	-	-	-	-	2	-	2	-	6	4	12	40	24	36	56	46	46	28	16	10	-	-
	WHITE.....MALE....	56	-	-	-	-	-	-	-	-	2	-	2	2	2	14	8	10	12	2	-	2	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	2	-	-	8	4	4	4	6	10	2	-	2	-	-
	ALL OTHER..MALE....	162	-	-	-	-	2	-	-	-	-	2	10	20	12	14	34	26	12	16	8	6	-	-
	FEMALE..	68	-	-	-	-	-	-	2	-	2	2	-	10	6	4	10	4	12	8	8	-	-	-
160-163	OF RESPIRATORY SYSTEM....	184	-	-	-	-	-	-	-	2	-	4	8	18	24	22	34	26	26	12	4	-	4	-
	WHITE.....MALE....	42	-	-	-	-	-	-	-	-	-	-	2	4	4	4	12	8	6	2	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	2	4	4	6	4	2	-	-	-	-	-	-
	ALL OTHER..MALE....	90	-	-	-	-	-	-	-	2	-	2	4	8	14	10	8	10	14	10	4	-	4	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	2	-	2	2	2	10	6	6	-	-	-	-	-
174	OF BREAST.....	46	-	-	-	-	-	-	2	2	2	4	6	10	4	6	6	4	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	2	2	-	2	-	-	4	4	2	4	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	2	2	4	10	-	2	4	-	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	80	-	-	-	-	-	-	-	-	-	2	4	6	4	2	8	12	14	12	14	2	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	2	2	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	4	2	-	-	-	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	6	8	2	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	2	2	6	2	2	2	4	2	2	4	-	-	-
188, 189	OF URINARY ORGANS.....	30	-	-	-	-	-	-	-	-	-	2	-	-	4	4	6	6	2	4	-	2	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	2	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	2	-	-	2	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	108	-	2	-	2	-	2	-	2	2	2	4	14	14	12	14	14	12	10	-	2	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-	-	-	4	4	4	6	-	4	2	-	-	-	-
	FEMALE..	12	-	2	-	-	-	-	-	-	-	-	-	-	2	-	4	4	-	-	-	-	-	-
	ALL OTHER..MALE....	46	-	-	-	-	-	-	-	2	2	2	2	4	4	4	4	10	4	6	-	2	-	-
	FEMALE..	26	-	-	-	2	-	2	-	-	-	-	2	6	4	4	-	-	4	2	-	-	-	-
204-207	LEUKEMIA.....	32	-	-	2	-	-	-	-	-	2	-	-	2	4	-	4	10	-	2	6	-	-	-
	WHITE.....MALE....	6	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	2	-	-	2	4	-	2	2	-	-	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....	46	-	-	-	2	-	-	-	2	2	-	4	4	2	8	8	8	4	2	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	4	-	2	4	-	4	2	-	-	-	-	-
	FEMALE..	20	-	-	-	2	-	-	-	2	2	-	-	4	-	2	2	4	2	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....	10	-	-	-	-	-	2	-	-	-	-	2	-	-	2	2	-	2	-	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	104	-	-	-	-	-	-	2	-	2	2	4	2	6	14	14	16	20	6	10	6	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	6	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-
	ALL OTHER..MALE....	40	-	-	-	-	-	-	-	-	-	2	4	2	2	4	-	12	2	4	6	2	-	-
	FEMALE..	44	-	-	-	-	-	-	2	-	2	-	-	-	4	6	12	2	10	-	2	4	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	HAWAII--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	12	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	4	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
280-285	ANEMIAS.....	10	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	-	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
320	MENINGITIS.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	1,870	4	4	-	-	2	2	10	14	24	36	68	88	152	206	174	244	260	218	224	100	40	-
	WHITE.....MALE....	316	-	-	-	-	-	-	2	2	4	6	12	14	36	54	36	44	38	30	24	10	4	-
	FEMALE..	254	-	2	-	-	-	-	-	2	-	2	6	4	10	22	22	26	36	54	42	22	4	-
	ALL OTHER..MALE....	788	2	-	-	-	-	2	2	2	14	22	28	42	70	100	80	112	114	78	70	38	12	-
	FEMALE..	512	2	2	-	-	2	-	6	8	6	6	22	28	36	30	36	62	72	56	88	30	20	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	1,402	4	2	-	-	2	2	6	10	18	32	52	62	120	156	138	184	184	170	160	76	24	-
	WHITE.....MALE....	268	-	-	-	-	-	-	-	2	4	6	12	12	34	48	32	32	26	24	24	8	4	-
	FEMALE..	190	-	2	-	-	-	-	-	-	-	2	6	4	8	18	18	20	24	46	26	16	-	-
	ALL OTHER..MALE....	580	2	-	-	-	-	2	2	2	10	18	22	26	52	64	58	84	88	58	54	30	8	-
	FEMALE..	364	2	-	-	-	2	-	4	6	4	6	12	20	26	26	30	48	46	42	56	22	12	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	40	-	-	-	-	-	-	2	4	2	2	6	-	8	4	2	8	-	2	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	4	-	-	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	2	2	2	-	2	-	4	2	-	4	-	2	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	6	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	1,252	-	-	-	-	-	-	2	4	14	22	44	54	102	142	130	166	178	152	152	68	22	-
	WHITE.....MALE....	246	-	-	-	-	-	-	-	2	2	2	12	12	30	44	32	28	24	24	22	8	4	-
	FEMALE..	166	-	-	-	-	-	-	-	-	-	2	2	4	8	16	12	16	24	44	26	12	-	-
	ALL OTHER..MALE....	530	-	-	-	-	-	-	-	-	10	14	20	22	46	62	58	78	88	50	48	28	6	-
	FEMALE..	310	-	-	-	-	-	-	2	2	2	4	10	16	18	20	28	44	42	34	56	20	12	-
410	ACUTE MYOCARDIAL INFARCTION.....	630	-	-	-	-	-	-	-	4	4	10	22	38	74	78	88	90	76	66	50	18	12	-
	WHITE.....MALE....	130	-	-	-	-	-	-	-	2	-	-	6	8	16	24	26	18	8	12	6	4	-	-
	FEMALE..	68	-	-	-	-	-	-	-	-	-	-	2	2	8	8	6	6	8	16	6	6	-	-
	ALL OTHER..MALE....	284	-	-	-	-	-	-	-	-	4	8	8	16	38	38	32	50	42	20	20	4	4	-
	FEMALE..	148	-	-	-	-	-	-	-	2	-	2	6	12	12	8	24	16	18	18	18	4	8	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	616	-	-	-	-	-	-	2	-	10	12	22	16	28	64	40	74	100	86	102	50	10	-
	WHITE.....MALE....	116	-	-	-	-	-	-	-	-	2	2	6	4	14	20	6	10	16	12	16	4	4	-
	FEMALE..	96	-	-	-	-	-	-	-	-	-	2	-	2	-	8	6	10	14	28	20	6	-	-
	ALL OTHER..MALE....	246	-	-	-	-	-	-	-	-	6	6	12	6	8	24	26	28	44	30	28	24	2	-
	FEMALE..	158	-	-	-	-	-	-	2	-	2	2	4	4	6	12	2	26	24	16	38	16	4	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	HAWAII--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	18	-	2	-	-	-	-	-	-	-	-	-	2	2	2	2	2	-	4	-	2	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE..	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	4	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	80	4	-	-	-	2	2	2	2	2	6	2	4	6	8	2	8	4	10	8	6	2	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	2	2	-	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	-	2	-	2	-	-
	ALL OTHER..MALE....	36	2	-	-	-	-	2	2	-	-	4	-	2	2	2	-	2	-	8	6	2	2	-
	FEMALE..	18	2	-	-	-	2	-	-	2	-	-	-	2	4	2	-	-	2	-	-	2	-	-
400, 401, 403	HYPERTENSION.....	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	2	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	368	-	2	-	-	-	-	2	4	6	4	14	20	20	42	26	50	58	38	50	22	10	-
	WHITE.....MALE....	34	-	-	-	-	-	-	2	-	-	-	-	-	2	6	2	8	10	4	-	-	-	-
	FEMALE..	50	-	-	-	-	-	-	-	2	-	-	-	-	-	4	2	6	6	8	12	6	4	-
	ALL OTHER..MALE....	164	-	-	-	-	-	-	-	-	4	4	6	12	8	28	18	26	20	12	14	8	4	-
	FEMALE..	120	-	2	-	-	-	-	-	2	2	-	8	8	10	4	4	10	22	14	24	8	2	-
431	CEREBRAL HEMORRHAGE.....	88	-	-	-	-	-	-	2	2	4	2	4	8	8	8	6	2	18	10	10	2	2	-
	WHITE.....MALE....	6	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	2	-
	ALL OTHER..MALE....	48	-	-	-	-	-	-	-	-	4	2	2	8	6	8	6	-	4	4	4	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	2	6	4	4	-	-	-
433	CEREBRAL THROMBOSIS.....	82	-	-	-	-	-	-	-	-	-	-	-	-	6	4	8	22	12	6	14	6	4	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	4	2	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	-	-	4	2	-	-
	ALL OTHER..MALE....	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	10	6	2	6	2	2	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	2	2	2	4	2	2	-
434	CEREBRAL EMBOLISM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	198	-	2	-	-	-	-	-	2	2	2	10	12	6	30	12	26	28	22	26	14	4	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	4	2	2	-	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	2	-	-	-	-	-	2	2	-	2	6	6	2	2	-
	ALL OTHER..MALE....	84	-	-	-	-	-	-	-	-	-	2	4	4	2	18	10	16	10	6	4	6	2	-
	FEMALE..	76	-	2	-	-	-	-	-	-	2	-	6	8	4	4	-	6	14	8	16	6	-	-
440	ARTERIOSCLEROSIS.....	30	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	8	4	8	2	4	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	2	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	-	4	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	62	-	-	-	-	-	-	2	-	-	-	-	6	10	8	8	8	8	4	6	-	2	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	2	2	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	4	-	-	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	-	-	-	-	4	8	8	2	-	4	2	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	4	-	-	2	-	2	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	6	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	152	20	4	-	2	4	4	4	2	-	-	2	-	2	6	14	10	18	14	22	20	4	-
	WHITE.....MALE....	24	2	2	-	-	2	-	-	-	-	-	-	-	2	-	4	2	4	2	2	2	-	-
	FEMALE..	10	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-	-	2	2	-	-
	ALL OTHER..MALE....	74	10	-	-	2	-	4	-	-	-	-	-	-	-	4	4	6	8	12	10	10	4	-
	FEMALE..	44	8	2	-	-	2	-	4	-	-	-	-	-	-	2	4	2	6	-	8	6	-	-
470-474	INFLUENZA.....	6	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
480-486	PNEUMONIA.....	146	18	4	-	2	4	2	4	2	-	-	2	-	2	6	14	10	18	14	22	18	4	-
	WHITE.....MALE....	24	2	2	-	-	2	-	-	-	-	-	-	-	2	-	4	2	4	2	2	2	-	-
	FEMALE..	10	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-	-	2	2	-	-
	ALL OTHER..MALE....	72	10	-	-	2	-	2	-	-	-	-	-	-	-	4	4	6	8	12	10	10	4	-
	FEMALE..	40	6	2	-	-	2	-	4	-	-	-	-	-	-	2	4	2	6	-	8	4	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	HAWAII--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	54	2	-	-	-	-	-	-	4	-	2	4	-	8	8	2	2	12	6	2	2	-	-
	WHITE.....MALE	24	2	-	-	-	-	-	-	2	-	-	-	-	4	4	2	-	10	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	20	-	-	-	-	-	-	-	-	-	2	2	-	4	4	-	-	-	6	-	2	-	-
	FEMALE	8	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	2	2	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	12	2	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	-	-	2	-	-
	WHITE.....MALE	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	2	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
492	EMPHYSEMA	32	-	-	-	-	-	-	-	-	-	-	2	-	4	6	2	-	10	6	2	-	-	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	8	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	12	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	6	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
493	ASTHMA	10	-	-	-	-	-	-	-	4	-	2	2	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	20	2	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	6	2	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	16	2	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	4	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
540-543	APPENDICITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	ALL OTHER..MALE	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	72	-	-	-	-	-	-	-	2	-	6	14	12	14	6	8	10	-	-	-	-	-	-
	WHITE.....MALE	24	-	-	-	-	-	-	-	-	-	2	8	8	2	-	2	2	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	2	-	2	2	-	2	2	-	3	-	-	-	-	-	-
	ALL OTHER..MALE	30	-	-	-	-	-	-	-	-	-	-	4	2	8	4	6	6	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	-	2	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	28	-	-	-	-	-	-	-	-	-	-	4	-	-	-	4	10	8	-	-	2	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	10	2	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	2	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	24	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	10	8	-	-	2	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	10	2	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	2	-	-
590	INFECTIONS OF KIDNEY	18	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	-	4	4	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	2	-	-	-
600	HYPERPLASIA OF PROSTATE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	HAWAII—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	54	34	2	-	-	2	-	4	-	2	-	-	-	8	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	12	6	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-
	FEMALE..	6	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	14	8	-	-	-	2	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	22	18	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	64	10	4	-	-	-	2	2	4	-	2	2	6	-	8	8	4	4	-	6	2	-	-
	WHITE.....MALE....	12	2	-	-	-	-	-	2	-	-	2	-	2	-	4	-	-	-	-	-	-	-	-
	FEMALE..	10	-	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	-	2	-	-	-
	ALL OTHER..MALE....	32	6	2	-	-	-	-	-	4	-	-	-	2	-	2	8	4	-	-	4	-	-	-
	FEMALE..	10	2	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	2	-	-	2	-	-
RESIDUAL	ALL OTHER DISEASES.....	240	6	2	-	4	2	2	-	4	2	8	20	28	10	24	24	24	30	22	20	6	2	-
	WHITE.....MALE....	56	-	-	-	-	-	-	-	2	-	4	6	8	4	8	6	2	6	6	4	-	-	-
	FEMALE..	42	-	-	-	-	-	2	-	-	2	2	2	4	-	-	10	6	8	2	2	2	-	-
	ALL OTHER..MALE....	88	-	-	-	4	-	-	-	-	-	-	4	8	6	12	2	14	10	10	12	4	2	-
	FEMALE..	54	6	2	-	-	2	-	-	2	-	2	8	8	-	4	6	2	6	4	2	-	-	-
E800-E949	ACCIDENTS.....	280	4	12	8	6	28	32	32	14	16	6	26	14	14	10	6	18	14	2	10	8	-	-
	WHITE.....MALE....	80	2	2	-	2	6	6	18	4	6	6	4	6	2	8	2	2	4	-	-	-	-	-
	FEMALE..	42	-	-	2	-	2	4	2	-	4	-	6	-	2	-	4	4	4	-	4	4	-	-
	ALL OTHER..MALE....	120	2	10	2	4	18	14	10	8	4	-	14	4	10	-	-	10	4	2	2	2	-	-
	FEMALE..	38	-	-	4	-	2	8	2	2	2	-	2	4	-	2	-	2	2	-	4	2	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	142	-	4	6	2	16	26	18	12	12	2	10	8	4	6	4	4	4	2	2	-	-	-
	WHITE.....MALE....	44	-	-	-	2	2	4	12	4	4	2	2	4	-	4	2	-	2	-	-	-	-	-
	FEMALE..	22	-	-	2	-	2	4	2	-	4	-	2	-	2	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	56	-	4	2	-	10	12	4	8	2	-	6	-	2	-	-	2	2	2	-	-	-	-
	FEMALE..	20	-	-	2	-	2	6	-	-	2	-	-	4	-	2	-	-	-	-	2	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	138	4	8	2	4	12	6	14	2	4	4	16	6	10	4	2	14	10	-	8	8	-	-
	WHITE.....MALE....	36	2	2	-	-	4	2	6	-	2	4	2	2	2	4	-	2	2	-	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	2	4	-	4	4	-	-
	ALL OTHER..MALE....	64	2	6	-	4	8	2	6	-	2	-	8	4	8	-	-	8	2	-	2	2	-	-
	FEMALE..	18	-	-	2	-	-	2	2	2	-	-	2	-	-	-	-	2	2	-	2	2	-	-
E950-E959	SUICIDE.....	84	...	...	-	-	4	12	12	4	2	6	6	6	4	4	10	4	4	-	4	2	-	-
	WHITE.....MALE....	16	...	...	-	-	2	2	4	-	-	2	2	2	-	-	-	-	-	-	-	2	-	-
	FEMALE..	14	...	...	-	-	-	-	4	2	-	-	2	-	-	-	4	-	-	-	2	-	-	-
	ALL OTHER..MALE....	38	...	...	-	-	2	6	4	-	2	2	2	4	4	4	4	2	-	-	2	-	-	-
	FEMALE..	16	...	...	-	-	-	4	-	2	-	2	-	-	-	-	2	2	4	-	-	-	-	-
E960-E978	HOMICIDE.....	62	-	2	-	-	8	6	12	2	4	8	2	8	4	4	2	-	-	-	-	-	-	-
	WHITE.....MALE....	16	-	-	-	-	2	2	4	-	-	2	-	4	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	34	-	2	-	-	2	2	6	-	4	6	2	4	2	4	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	4	-	2	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	22	-	-	-	-	-	4	4	2	4	4	-	4	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	2	-	2	4	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IDAHO																							
	ALL CAUSES	6,352	240	54	40	48	98	140	74	76	84	128	180	280	402	556	604	732	774	872	598	298	68	6
	WHITE.....MALE	3,832	140	36	24	32	70	110	52	44	62	82	112	172	256	402	408	468	458	472	256	142	30	4
	FEMALE	2,392	84	14	16	16	28	28	10	14	18	40	58	100	138	142	188	256	312	398	340	154	36	2
	ALL OTHER..MALE	76	10	4	-	-	-	-	8	10	2	4	8	4	6	6	2	4	2	2	-	2	2	-
	FEMALE	52	6	-	-	-	-	2	4	8	2	2	2	4	2	6	6	4	2	-	2	-	-	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	10	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	4	-	-	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	6	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IDAHO--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	12	-	2	4	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	ALL OTHER..MALE....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	960	-	6	4	4	8	6	2	4	6	16	30	72	98	140	134	144	100	114	52	16	4	-
	WHITE.....MALE....	562	-	6	-	2	6	4	2	2	4	4	22	28	50	92	82	84	66	68	26	10	4	-
	FEMALE..	396	-	-	4	2	2	2	-	2	2	12	8	44	48	46	52	60	34	46	26	6	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	16	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	2	2	2	-	-	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	2	2	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	258	-	-	-	-	-	-	-	-	2	6	6	8	30	36	28	40	22	48	22	8	2	-
	WHITE.....MALE....	148	-	-	-	-	-	-	-	-	2	4	4	6	16	26	18	18	14	20	14	4	2	-
	FEMALE..	108	-	-	-	-	-	-	-	-	-	2	2	2	14	8	10	22	8	28	8	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	190	-	-	-	-	-	-	-	-	2	-	6	10	30	38	32	40	12	12	6	2	-	-
	WHITE.....MALE....	148	-	-	-	-	-	-	-	-	2	-	6	6	20	32	26	36	8	10	2	-	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	-	-	4	10	6	6	4	4	2	4	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	OF BREAST.....	72	-	-	-	-	-	-	-	-	-	6	2	16	6	12	10	10	6	2	2	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	72	-	-	-	-	-	-	-	-	-	6	2	16	6	12	10	10	6	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	142	-	-	-	-	-	2	-	-	2	-	4	8	12	12	24	16	28	22	6	4	2	-
	WHITE.....MALE....	82	-	-	-	-	-	-	-	-	-	-	-	2	4	4	12	10	20	20	4	4	2	-
	FEMALE..	60	-	-	-	-	-	2	-	-	2	-	4	6	8	8	12	6	8	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	44	-	-	-	-	-	-	-	-	-	2	-	2	2	2	6	10	8	8	4	-	-	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	8	8	6	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	2	-	2	-	-	4	2	-	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	142	-	4	2	2	4	4	-	4	-	2	6	12	8	28	18	20	8	8	10	2	-	-
	WHITE.....MALE....	76	-	4	-	2	2	4	-	2	-	-	6	2	2	20	10	6	4	6	4	2	-	-
	FEMALE..	66	-	-	2	-	2	-	-	2	-	2	-	10	6	8	8	14	4	2	6	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204-207	LEUKEMIA.....	46	-	2	2	2	2	-	2	-	-	-	2	-	4	4	8	4	8	4	2	-	-	-
	WHITE.....MALE....	26	-	2	-	-	2	-	2	-	-	-	2	-	2	4	6	2	4	-	-	-	-	-
	FEMALE..	20	-	-	2	2	-	-	-	-	-	-	-	-	2	-	2	2	4	4	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	50	-	-	-	-	2	-	-	-	-	-	4	14	2	6	6	2	6	8	-	-	-	-
	WHITE.....MALE....	38	-	-	-	-	2	-	-	-	-	-	4	10	-	4	6	2	6	4	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	4	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	16	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	2	6	-	-	2	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
250	DIABETES MELLITUS.....	124	-	-	-	-	-	2	-	4	2	-	4	4	6	10	20	12	28	20	10	2	-	-
	WHITE.....MALE....	62	-	-	-	-	-	-	-	4	2	-	2	-	4	4	10	6	16	8	6	-	-	-
	FEMALE..	56	-	-	-	-	-	2	-	-	-	-	-	2	2	6	8	6	12	12	4	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972--Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IDAHO--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	4	2	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	4	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	12	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	4	4	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	4	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	3,126	-	2	-	-	2	4	4	10	10	28	66	118	186	256	304	416	492	556	400	220	52	-
	WHITE.....MALE....	1,822	-	-	-	-	2	2	2	6	8	20	42	84	128	204	212	266	278	272	174	100	22	-
	FEMALE..	1,268	-	2	-	-	-	2	-	2	2	8	22	30	52	48	88	146	210	282	226	120	28	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	2	-	-	-	2	2	4	2	2	2	2	2	-	-	2	-
	FEMALE..	14	-	-	-	-	-	-	-	2	-	-	-	2	2	2	2	2	2	-	-	-	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	2,204	-	-	-	-	2	2	4	8	6	26	48	98	162	200	234	304	352	370	236	124	28	-
	WHITE.....MALE....	1,370	-	-	-	-	2	2	2	6	6	18	36	72	110	168	174	202	198	192	112	58	12	-
	FEMALE..	812	-	-	-	-	-	-	-	-	-	8	10	24	48	32	58	98	152	176	124	66	16	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	2	-	-	-	2	-	4	-	-	2	2	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	2	-	-	-	-	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	56	-	-	-	-	-	2	-	-	2	2	-	8	10	10	6	6	6	2	-	2	-	-
	WHITE.....MALE....	34	-	-	-	-	-	2	-	-	2	-	-	2	8	8	6	2	2	-	-	2	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	2	-	4	2	2	-	4	4	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	28	-	-	-	-	-	-	-	-	-	-	2	-	2	-	6	4	4	2	8	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	2	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	2	2	6	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	2	2	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	2	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	1,952	-	-	-	-	-	-	2	4	4	20	42	82	138	184	210	270	316	334	212	108	26	-
	WHITE.....MALE....	1,236	-	-	-	-	-	-	-	4	4	16	32	66	94	156	160	180	182	180	102	48	12	-
	FEMALE..	702	-	-	-	-	-	-	-	-	-	4	8	16	44	28	48	86	132	152	110	60	14	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	2	2	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	1,158	-	-	-	-	-	-	-	4	2	18	38	68	118	140	150	168	164	170	78	32	8	-
	WHITE.....MALE....	782	-	-	-	-	-	-	-	4	2	14	28	54	88	124	116	114	102	86	32	18	2	-
	FEMALE..	366	-	-	-	-	-	-	-	-	-	4	8	14	30	16	34	50	62	82	46	14	6	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	10	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	4	-	-	2	2	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	782	-	-	-	-	-	-	-	-	2	2	4	14	20	44	60	98	152	164	130	74	18	-
	WHITE.....MALE....	448	-	-	-	-	-	-	-	-	2	2	4	12	6	32	44	64	82	94	68	28	10	-
	FEMALE..	332	-	-	-	-	-	-	-	-	-	-	-	2	14	12	14	34	70	70	62	46	8	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IDAHO--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	28	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	2	6	6	2	4	2	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-	2	2	2	2	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	-	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	124	-	-	-	-	2	-	2	2	-	4	4	4	12	6	12	18	18	20	12	8	-	-
	WHITE.....MALE....	68	-	-	-	-	2	-	2	-	-	2	2	-	6	4	8	16	10	6	6	4	-	-
	FEMALE..	50	-	-	-	-	-	-	-	-	-	2	2	4	2	2	4	2	8	14	6	4	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	24	-	-	-	-	-	-	-	-	2	-	2	-	2	2	-	4	2	6	2	-	2	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	2	-	4	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	680	-	2	-	-	-	2	-	2	-	2	10	14	14	50	62	80	104	138	126	62	12	-
	WHITE.....MALE....	334	-	-	-	-	-	-	-	-	-	2	2	8	10	32	32	38	62	58	52	34	4	-
	FEMALE..	338	-	2	-	-	-	2	-	2	-	-	8	6	4	14	28	42	40	80	74	28	8	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
431	CEREBRAL HEMORRHAGE.....	94	-	-	-	-	-	-	-	-	-	2	-	2	6	10	12	12	18	16	8	6	2	-
	WHITE.....MALE....	52	-	-	-	-	-	-	-	-	-	2	-	2	4	8	6	6	8	10	4	2	-	-
	FEMALE..	40	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	6	8	6	4	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	124	-	2	-	-	-	-	-	-	-	-	2	-	-	6	8	24	8	30	28	12	4	-
	WHITE.....MALE....	50	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	10	4	14	4	10	-	-
	FEMALE..	74	-	2	-	-	-	-	-	-	-	-	-	-	-	4	4	14	4	16	24	2	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	CEREBRAL EMBOLISM.....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	458	-	-	-	-	-	2	-	2	-	-	8	10	8	32	42	44	78	92	90	44	6	-
	WHITE.....MALE....	228	-	-	-	-	-	-	-	-	-	-	-	4	6	20	22	22	50	34	44	22	4	-
	FEMALE..	224	-	-	-	-	-	2	-	2	-	-	8	6	2	8	18	22	28	58	46	22	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
440	ARTERIOSCLEROSIS.....	120	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	10	18	22	28	24	10	-
	WHITE.....MALE....	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	6	4	8	4	6	-
	FEMALE..	80	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	12	18	20	20	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	98	-	-	-	-	-	-	-	-	2	-	6	6	6	2	4	18	16	20	8	10	-	-
	WHITE.....MALE....	70	-	-	-	-	-	-	-	-	2	-	4	4	6	2	4	16	10	16	2	4	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	6	4	6	6	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	202	26	2	-	2	4	2	-	-	-	2	2	-	2	14	6	16	26	34	34	26	4	-
	WHITE.....MALE....	122	16	-	-	2	2	2	-	-	-	-	-	-	2	10	6	10	18	26	8	20	-	-
	FEMALE..	74	6	2	-	-	2	-	-	-	-	2	2	-	-	4	-	6	8	8	24	6	4	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
470-474	INFLUENZA.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	196	26	2	-	2	4	2	-	-	-	2	2	-	2	12	6	16	26	34	32	24	4	-
	WHITE.....MALE....	118	16	-	-	2	2	2	-	-	-	-	-	-	2	8	6	10	18	26	8	18	-	-
	FEMALE..	72	6	2	-	-	2	-	-	-	-	2	2	-	-	4	-	6	8	8	22	6	4	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IDAHO--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	172	-	-	-	-	-	-	-	-	-	4	-	14	20	32	20	28	22	24	6	2	-	-
	WHITE.....MALE	146	-	-	-	-	-	-	-	-	-	2	-	12	16	28	14	28	20	22	4	-	-	-
	FEMALE	24	-	-	-	-	-	-	-	-	-	2	-	2	4	4	6	-	2	2	2	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	30	-	-	-	-	-	-	-	-	-	-	-	-	6	6	2	2	6	4	4	-	-	-
	WHITE.....MALE	24	-	-	-	-	-	-	-	-	-	-	-	-	6	6	-	2	6	2	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	134	-	-	-	-	-	-	-	-	-	4	-	14	10	24	16	26	16	20	2	2	-	-
	WHITE.....MALE	120	-	-	-	-	-	-	-	-	-	2	-	12	8	22	14	26	14	20	2	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	-	2	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	8	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	24	-	-	-	-	-	-	-	-	-	-	4	-	2	2	4	4	-	6	2	-	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	-	2	2	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	26	-	-	-	-	-	-	-	2	-	-	-	2	2	4	-	-	2	6	6	-	2	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	2	4	2	-	2	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	60	-	-	-	-	-	-	2	2	2	2	8	2	10	12	12	2	-	4	2	-	-	-
	WHITE.....MALE	40	-	-	-	-	-	-	-	-	-	2	6	-	6	10	12	2	-	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	2	-	-	2	2	2	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	16	-	-	-	-	-	-	-	-	-	-	2	-	-	4	4	-	2	-	2	2	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	2	-	-	4	4	-	-	-	-	2	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	22	-	-	-	-	-	-	-	-	-	-	-	2	4	-	6	-	8	-	2	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	2	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	6	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	20	-	-	-	-	-	-	-	-	-	-	-	-	4	-	6	-	8	-	2	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	2	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	6	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	10	8	2	2	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	-	2	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	4	-	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IDAHO--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	64	44	6	2	-	-	-	-	4	-	-	4	-	-	2	2	-	-	-	-	-	-	-
	WHITE.....MALE....	38	26	4	-	-	-	-	-	4	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	22	14	2	2	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	122	28	-	-	2	-	4	-	-	-	-	2	2	2	16	10	16	6	14	12	6	2	-
	WHITE.....MALE....	54	8	-	-	2	-	2	-	-	-	-	-	2	-	6	6	12	4	4	6	2	-	-
	FEMALE..	66	20	-	-	-	-	2	-	-	-	-	2	-	2	8	4	4	2	10	6	4	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-STD-UAL	ALL OTHER DISEASES.....	378	12	-	2	14	10	4	2	6	8	12	10	20	22	30	50	54	34	50	26	8	-	4
	WHITE.....MALE....	204	6	-	2	8	4	-	2	-	4	4	4	12	12	16	30	36	22	30	8	2	-	2
	FEMALE..	164	6	-	-	6	6	4	-	2	2	6	6	8	10	14	18	18	12	20	18	6	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-
E800-E949	ACCIDENTS.....	704	18	34	28	26	66	102	40	38	44	42	34	32	36	28	22	20	30	22	26	10	4	2
	WHITE.....MALE....	516	12	24	22	18	50	86	34	28	36	34	22	28	26	18	14	12	16	16	12	4	2	2
	FEMALE..	172	4	8	6	8	16	14	4	6	8	8	12	4	10	6	8	8	14	6	14	6	2	-
	ALL OTHER..MALE....	8	-	2	-	-	-	-	2	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	8	2	-	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	310	2	6	18	12	44	60	20	20	8	20	20	14	12	14	12	8	6	6	8	-	-	-
	WHITE.....MALE....	222	2	4	14	6	32	46	14	14	4	12	14	12	6	10	8	4	6	6	8	-	-	-
	FEMALE..	82	-	2	4	6	12	14	4	4	4	8	6	2	6	2	4	4	-	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	2	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	394	16	28	10	14	22	42	20	18	36	22	14	18	24	14	10	12	24	16	18	10	4	2
	WHITE.....MALE....	294	10	20	8	12	18	40	20	14	32	22	8	16	20	8	6	8	10	10	4	4	2	2
	FEMALE..	90	4	6	2	2	4	-	-	2	4	-	6	2	4	4	4	4	14	6	14	6	2	-
	ALL OTHER..MALE....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	2	-	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	90	...	...	-	-	4	12	16	-	12	10	10	6	4	2	8	6	-	-	-	-	-	-
	WHITE.....MALE....	74	...	...	-	-	4	12	10	-	8	10	6	4	4	2	8	6	-	-	-	-	-	-
	FEMALE..	14	...	...	-	-	-	-	4	-	4	-	4	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	...	...	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	26	-	-	-	-	4	2	4	4	-	8	-	-	2	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	2	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	2	2	2	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	12	-	-	-	-	-	2	2	2	-	-	-	2	2	-	-	-	-	-	2	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ILLINOIS																							
	ALL CAUSES	111,298	3,604	642	406	396	1,014	1,262	1,072	1,142	1,454	2,266	4,036	5,676	7,830	9,968	11,724	13,440	15,450	14,578	9,824	4,214	1,280	20
	WHITE.....MALE	52,802	1,324	258	190	228	508	666	490	448	566	966	1,976	2,970	4,392	5,690	6,358	6,906	7,218	6,260	3,636	1,410	338	4
	FEMALE	44,560	972	192	134	106	258	236	208	280	390	638	1,174	1,636	2,360	3,042	4,012	5,046	7,164	7,594	5,660	2,604	848	6
	ALL OTHER..MALE	7,938	740	104	46	40	182	272	256	260	306	402	568	652	630	738	730	820	560	302	224	76	20	10
	FEMALE	5,998	568	88	36	22	66	88	118	154	192	260	318	418	448	498	624	668	508	422	304	124	74	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	108	18	8	2	-	-	6	-	2	2	2	2	4	10	2	8	10	12	12	6	2	-	-
	WHITE.....MALE	44	8	6	2	-	-	2	-	2	-	-	2	-	6	2	2	4	2	2	2	2	-	-
	FEMALE	48	2	-	-	-	-	2	-	-	-	2	-	4	4	-	6	4	10	10	4	-	-	-
	ALL OTHER..MALE	12	6	2	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	4	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	232	-	2	-	-	-	-	2	8	4	6	20	28	34	32	24	28	16	12	12	4	-	-
	WHITE.....MALE	142	-	2	-	-	-	-	-	-	-	2	14	18	18	26	16	16	14	8	8	-	-	-
	FEMALE	34	-	-	-	-	-	-	-	-	-	2	-	6	8	2	2	4	-	4	2	4	-	-
	ALL OTHER..MALE	40	-	-	-	-	-	-	-	2	2	2	6	4	6	4	4	8	2	-	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	2	6	2	-	-	-	2	-	2	-	-	-	2	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	174	-	-	-	-	-	-	2	4	4	4	18	26	24	20	20	20	14	6	8	4	-	-
	WHITE.....MALE	108	-	-	-	-	-	-	-	-	-	2	12	18	12	16	14	12	12	4	6	-	-	-
	FEMALE	28	-	-	-	-	-	-	-	-	-	2	-	4	6	2	2	4	-	2	2	4	-	-
	ALL OTHER..MALE	30	-	-	-	-	-	-	-	2	2	-	6	4	6	2	2	4	2	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	2	2	2	-	-	-	-	-	2	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	58	-	2	-	-	-	-	-	4	-	2	2	2	10	12	4	8	2	6	4	-	-	-
	WHITE.....MALE	34	-	2	-	-	-	-	-	-	-	-	2	-	6	10	2	4	2	4	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	4	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	4	-	-	-	-	2	-	-	-	-	-	2	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	12	2	6	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE	8	-	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	166	22	4	-	2	-	-	4	-	2	2	4	10	8	12	8	10	26	18	22	10	2	-
	WHITE.....MALE	60	4	2	-	-	-	-	-	-	-	-	2	4	2	4	-	8	12	8	4	8	2	-
	FEMALE	60	4	-	-	2	-	-	-	-	2	2	2	2	2	8	4	2	8	10	12	-	-	-
	ALL OTHER..MALE	28	10	-	-	-	-	-	2	-	-	-	-	2	2	-	2	-	2	-	6	2	-	-
	FEMALE	18	4	2	-	-	-	-	2	-	-	-	-	2	2	-	2	-	4	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	2	4	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ILLINOIS—CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	186	12	10	12	-	6	2	14	8	8	6	12	16	18	14	10	12	6	10	2	8	-	-
	WHITE.....MALE....	80	10	6	4	-	2	-	2	2	-	-	6	6	4	10	8	4	4	6	-	6	-	-
	FEMALE..	74	-	2	6	-	2	-	4	6	4	2	4	8	14	4	2	8	2	4	-	2	-	-
	ALL OTHER..MALE....	20	2	2	2	-	-	-	6	-	2	2	2	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	12	-	-	-	-	2	2	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	19,488	10	46	62	50	44	64	92	170	234	484	976	1,552	2,164	2,550	2,814	2,652	2,432	1,842	938	278	34	-
	WHITE.....MALE....	8,944	6	28	34	16	20	40	40	58	80	164	354	636	992	1,260	1,422	1,316	1,160	822	382	104	10	-
	FEMALE..	8,410	-	10	22	26	20	16	40	74	98	230	454	652	904	984	1,094	1,068	1,108	920	512	156	22	-
	ALL OTHER..MALE....	1,202	4	6	4	2	4	4	6	14	28	42	98	148	152	184	176	160	96	44	20	10	-	-
	FEMALE..	932	-	2	2	6	-	4	6	24	28	48	70	116	116	122	122	108	68	56	24	8	2	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	416	-	-	-	-	-	2	-	-	-	8	22	56	94	72	58	36	28	22	18	-	-	-
	WHITE.....MALE....	256	-	-	-	-	-	-	-	-	-	2	8	36	48	44	42	26	18	16	16	-	-	-
	FEMALE..	98	-	-	-	-	-	2	-	-	-	2	6	10	26	16	14	10	8	2	2	-	-	-
	ALL OTHER..MALE....	38	-	-	-	-	-	-	-	-	-	2	6	4	14	8	-	-	2	2	-	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	2	2	6	6	4	2	-	-	2	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	5,816	2	-	-	2	-	14	6	26	40	86	202	368	582	736	862	846	866	698	352	118	10	-
	WHITE.....MALE....	2,570	2	-	-	2	-	8	2	8	14	38	92	170	272	392	412	370	358	290	100	36	4	-
	FEMALE..	2,528	-	-	-	-	-	2	4	8	18	30	54	108	212	250	348	364	444	374	238	68	6	-
	ALL OTHER..MALE....	412	-	-	-	-	-	4	-	8	8	12	38	60	52	54	62	58	34	10	6	6	-	-
	FEMALE..	306	-	-	-	-	-	-	-	2	-	6	18	30	46	40	40	54	30	24	8	8	-	-
160-163	OF RESPIRATORY SYSTEM....	4,032	4	-	-	-	-	-	2	14	38	106	240	370	550	716	748	530	406	226	72	10	-	-
	WHITE.....MALE....	2,834	2	-	-	-	-	-	2	2	18	62	146	232	372	494	574	404	310	162	50	4	-	-
	FEMALE..	726	-	-	-	-	-	-	-	8	8	18	54	66	110	122	110	70	80	54	20	6	-	-
	ALL OTHER..MALE....	384	2	-	-	-	-	-	-	2	10	16	38	54	58	84	52	46	12	8	2	-	-	-
	FEMALE..	88	-	-	-	-	-	-	-	2	2	10	2	18	10	16	12	10	4	2	-	-	-	-
174	OF BREAST.....	1,854	-	-	-	-	-	-	4	22	42	90	166	248	184	250	224	204	168	140	70	38	4	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	2	-	2	-	-
	FEMALE..	1,690	-	-	-	-	-	-	4	14	32	74	152	226	170	236	200	196	154	126	68	36	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	148	-	-	-	-	-	-	-	8	10	16	14	22	12	12	24	6	8	12	2	-	2	-
180-187	OF GENITAL ORGANS.....	2,402	-	4	-	-	2	4	18	30	24	62	130	152	234	244	276	366	350	282	182	36	6	-
	WHITE.....MALE....	846	-	4	-	-	2	4	6	8	4	-	4	12	34	44	88	162	196	136	116	22	4	-
	FEMALE..	1,254	-	-	-	-	-	-	10	16	8	56	104	118	180	162	138	154	120	118	54	14	2	-
	ALL OTHER..MALE....	134	-	-	-	-	-	-	-	-	-	-	-	4	4	14	30	30	24	20	8	-	-	-
	FEMALE..	168	-	-	-	-	-	-	2	6	12	6	22	18	16	24	20	20	10	8	4	-	-	-
188, 189	OF URINARY ORGANS.....	956	-	6	-	-	2	2	2	-	12	6	32	56	82	92	138	172	136	116	74	24	4	-
	WHITE.....MALE....	558	-	4	-	-	-	2	-	-	8	4	12	36	48	42	90	112	92	60	34	14	-	-
	FEMALE..	310	-	2	-	-	-	-	2	-	2	-	12	10	24	38	40	50	32	50	36	8	4	-
	ALL OTHER..MALE....	54	-	-	-	-	2	-	-	-	2	2	6	4	6	8	4	6	8	2	2	2	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	2	6	4	4	4	4	4	4	2	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	2,130	2	18	26	22	26	16	34	42	42	54	108	164	254	252	272	260	246	182	80	26	4	-
	WHITE.....MALE....	982	2	10	12	6	12	10	18	26	12	26	56	80	126	140	114	120	88	76	32	14	2	-
	FEMALE..	932	-	4	8	12	12	4	8	10	20	20	46	58	106	88	128	116	136	102	40	12	2	-
	ALL OTHER..MALE....	104	-	4	4	-	2	-	4	4	6	2	2	14	10	10	16	14	10	2	-	-	-	-
	FEMALE..	112	-	-	2	4	-	2	4	2	4	6	4	12	12	14	14	10	12	2	8	-	-	-
204-207	LEUKEMIA.....	760	2	16	28	20	8	12	4	12	18	24	34	46	54	68	80	94	106	74	40	16	4	-
	WHITE.....MALE....	372	-	10	18	8	2	6	-	6	12	6	14	28	28	36	40	46	44	44	16	8	-	-
	FEMALE..	334	-	2	10	8	6	4	4	4	6	14	14	14	22	28	30	44	60	30	22	8	4	-
	ALL OTHER..MALE....	30	2	2	-	2	-	-	-	-	-	2	4	2	4	2	4	2	2	-	2	-	-	-
	FEMALE..	24	-	2	-	2	-	2	-	2	-	2	2	2	-	2	6	2	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	1,122	-	2	8	6	6	14	22	24	18	48	42	92	130	120	156	144	126	102	50	10	2	-
	WHITE.....MALE....	514	-	-	4	-	4	10	12	8	12	26	22	42	62	66	62	76	50	36	18	4	-	-
	FEMALE..	538	-	2	4	6	2	4	8	14	4	16	12	42	54	44	86	64	74	64	32	4	2	-
	ALL OTHER..MALE....	42	-	-	-	-	-	-	2	-	2	6	4	6	4	4	8	2	2	-	-	2	-	-
	FEMALE..	28	-	-	-	-	-	-	-	2	-	-	4	2	10	6	-	2	-	2	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	248	4	6	-	12	2	-	4	8	6	8	18	16	16	36	28	24	34	20	6	-	-	-
	WHITE.....MALE....	116	-	2	-	6	-	-	2	4	2	6	8	10	10	16	8	12	20	10	-	-	-	-
	FEMALE..	110	2	4	-	2	2	-	2	2	4	2	8	6	6	16	16	10	12	10	6	-	-	-
	ALL OTHER..MALE....	10	2	-	-	2	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-
	FEMALE..	12	-	-	-	2	-	-	-	2	-	-	2	-	-	2	2	2	-	-	-	-	-	-
250	DIABETES MELLITUS.....	2,072	2	2	2	4	-	4	8	20	14	32	52	100	146	222	302	324	398	240	144	42	14	-
	WHITE.....MALE....	722	-	-	-	4	-	-	6	8	6	8	6	32	58	88	120	132	130	64	42	16	2	-
	FEMALE..	1,038	-	-	2	-	-	2	-	4	4	10	24	44	54	98	128	148	238	158	88	26	10	-
	ALL OTHER..MALE....	112	2	2	-	-	-	2	-	6	-	10	8	6	8	6	26	16	14	6	-	-	-	-
	FEMALE..	200	-	-	-	-	-	-	2	2	4	4	14	18	26	30	28	28	16	12	14	-	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ILLINOIS--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	108	8	-	-	-	-	-	-	-	6	-	2	6	6	4	4	16	16	20	14	4	2	-
	WHITE.....MALE....	34	2	-	-	-	-	-	-	-	-	-	2	2	2	2	-	8	6	6	4	-	-	-
	FEMALE..	54	2	-	-	-	-	-	-	-	4	-	-	2	-	2	4	6	6	12	10	4	2	-
	ALL OTHER..MALE....	12	4	-	-	-	-	-	-	-	-	-	-	2	4	-	-	2	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	4	2	-	-	-	-
280-285	ANEMIAS.....	168	4	2	8	-	6	4	14	-	-	6	10	4	12	14	10	18	20	12	20	4	-	-
	WHITE.....MALE....	58	-	-	4	-	-	2	2	-	-	-	6	2	4	2	2	14	6	6	8	-	-	-
	FEMALE..	58	-	-	2	-	-	-	-	-	-	-	-	2	4	10	6	2	14	6	10	2	-	-
	ALL OTHER..MALE....	16	-	-	2	-	-	-	8	-	-	2	-	-	-	-	2	-	-	-	2	-	-	-
	FEMALE..	36	4	2	-	-	6	2	4	-	-	4	4	-	4	2	-	2	-	-	-	2	-	-
320	MENINGITIS.....	74	36	14	4	-	-	-	4	-	-	-	-	8	2	2	2	2	-	-	-	-	-	-
	WHITE.....MALE....	28	14	4	2	-	-	-	2	-	-	-	-	4	-	2	-	-	-	-	-	-	-	-
	FEMALE..	24	10	6	2	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	12	4	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	FEMALE..	10	8	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	63,296	184	30	18	20	34	82	122	212	400	764	1,678	2,650	3,832	5,388	6,574	8,296	10,416	10,562	7,500	3,438	1,092	4
	WHITE.....MALE....	30,098	28	8	4	14	10	28	36	76	152	380	970	1,628	2,362	3,304	3,664	4,264	4,682	4,430	2,672	1,100	286	-
	FEMALE..	26,804	34	8	10	4	12	12	20	38	86	148	322	510	900	1,400	2,178	3,132	5,034	5,620	4,428	2,176	730	2
	ALL OTHER..MALE....	3,388	72	6	-	2	2	28	44	54	106	142	256	314	326	402	376	470	336	216	164	56	14	2
	FEMALE..	3,006	50	8	4	-	10	14	22	44	56	94	130	198	244	282	356	430	364	296	236	106	62	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	48,184	182	24	12	10	24	64	86	150	286	644	1,430	2,218	3,186	4,424	5,220	6,398	7,756	7,556	5,314	2,422	774	4
	WHITE.....MALE....	23,790	26	6	2	6	10	16	24	56	128	342	878	1,436	2,060	2,780	3,010	3,364	3,544	3,230	1,886	798	188	-
	FEMALE..	19,338	34	6	6	2	6	8	10	16	40	102	218	352	674	1,068	1,664	2,362	3,678	3,932	3,124	1,502	532	2
	ALL OTHER..MALE....	2,808	72	6	-	2	2	26	34	46	76	126	228	266	274	348	294	372	276	166	138	44	10	2
	FEMALE..	2,248	50	6	4	-	6	14	18	32	42	74	106	164	178	228	252	300	258	228	166	78	44	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	696	-	-	-	2	4	-	4	4	12	32	52	56	100	126	86	70	82	32	24	6	4	-
	WHITE.....MALE....	280	-	-	-	-	4	-	-	2	6	10	20	28	42	60	36	24	28	12	6	-	2	-
	FEMALE..	346	-	-	-	-	-	-	2	-	4	14	18	24	46	58	44	42	50	18	18	6	2	-
	ALL OTHER..MALE....	26	-	-	-	2	-	-	-	-	-	4	4	-	4	2	4	2	2	2	-	-	-	-
	FEMALE..	44	-	-	-	-	-	-	2	2	2	4	10	4	8	6	2	2	2	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	732	-	-	2	-	-	2	2	8	12	18	32	40	58	70	96	94	96	100	76	16	10	-
	WHITE.....MALE....	156	-	-	2	-	-	2	-	-	2	2	10	8	12	20	30	24	14	18	10	-	2	-
	FEMALE..	328	-	-	-	-	-	-	-	-	-	-	4	8	20	10	28	46	62	70	60	16	4	-
	ALL OTHER..MALE....	116	-	-	-	-	-	-	2	6	2	4	10	14	12	20	24	4	10	4	4	-	-	-
	FEMALE..	132	-	-	-	-	-	-	-	2	8	12	8	10	14	20	14	20	10	8	2	-	4	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	308	-	-	-	-	-	-	-	-	-	2	2	2	6	16	22	30	58	68	56	36	10	-
	WHITE.....MALE....	114	-	-	-	-	-	-	-	-	-	-	-	-	2	8	8	14	22	22	30	8	-	-
	FEMALE..	156	-	-	-	-	-	-	-	-	-	-	-	-	-	6	12	10	28	40	26	24	10	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	4	4	4	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	4	2	-	4	-	-
410-413	ISCHEMIC HEART DISEASE...	42,834	-	-	-	-	2	8	22	72	200	494	1,118	1,838	2,724	3,864	4,650	5,774	7,184	7,002	4,916	2,250	714	2
	WHITE.....MALE....	21,808	-	-	-	-	2	2	4	38	100	298	752	1,278	1,856	2,526	2,766	3,104	3,354	3,026	1,758	760	184	-
	FEMALE..	17,506	-	-	-	-	-	2	-	6	36	76	152	268	556	922	1,496	2,152	3,392	3,656	2,910	1,392	488	2
	ALL OTHER..MALE....	1,946	-	-	-	-	-	4	10	22	44	74	150	182	194	254	196	300	226	134	114	36	6	-
	FEMALE..	1,574	-	-	-	-	-	-	8	6	20	46	64	110	118	162	192	218	212	186	134	62	36	-
410	ACUTE MYOCARDIAL INFARCTION.....	22,654	-	-	-	-	2	8	16	52	158	370	902	1,402	2,004	2,606	3,024	3,332	3,438	2,856	1,692	606	184	2
	WHITE.....MALE....	13,072	-	-	-	-	2	2	2	26	82	238	624	1,002	1,436	1,804	1,918	1,936	1,690	1,342	678	236	54	-
	FEMALE..	7,926	-	-	-	-	-	2	-	6	26	54	116	196	368	582	928	1,206	1,608	1,422	938	352	120	2
	ALL OTHER..MALE....	1,010	-	-	-	-	-	4	10	18	34	48	122	134	126	136	96	122	80	42	36	2	-	-
	FEMALE..	646	-	-	-	-	-	-	4	2	16	30	40	70	74	84	82	68	60	50	40	16	10	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	126	-	-	-	-	-	-	-	-	2	6	-	4	16	6	16	20	22	18	8	6	2	-
	WHITE.....MALE....	56	-	-	-	-	-	-	-	-	2	4	-	2	8	4	12	8	6	6	2	-	2	-
	FEMALE..	58	-	-	-	-	-	-	-	-	-	2	-	-	8	2	4	8	12	12	6	4	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	2	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	20,044	-	-	-	-	-	-	6	20	40	118	216	432	700	1,252	1,610	2,420	3,722	4,126	3,216	1,638	528	-
	WHITE.....MALE....	8,676	-	-	-	-	-	-	2	12	16	56	128	274	412	718	836	1,158	1,656	1,678	1,078	524	128	-
	FEMALE..	9,516	-	-	-	-	-	-	-	-	10	20	36	72	176	338	564	938	1,772	2,220	1,966	1,036	368	-
	ALL OTHER..MALE....	928	-	-	-	-	-	-	-	4	10	26	28	48	68	118	100	174	144	92	78	32	6	-
	FEMALE..	924	-	-	-	-	-	-	4	4	4	16	24	38	44	78	110	150	150	136	94	46	26	-
413	ANGINA PECTORIS.....	10	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	2	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ILLINOIS—CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	378	2	-	-	4	2	4	2	8	2	2	20	26	18	28	18	56	52	48	46	26	14	-
	WHITE.....MALE....	172	-	-	-	2	-	-	2	6	2	-	8	16	6	20	10	32	22	24	14	8	-	-
	FEMALE..	160	-	-	-	2	2	2	-	2	-	-	6	6	4	6	6	16	28	24	26	18	12	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	-	-	-	6	4	4	-	-	4	2	-	6	-	2	-
	FEMALE..	18	2	-	-	-	-	2	-	-	-	2	-	-	4	2	2	4	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	3,236	180	24	10	4	16	50	56	58	60	96	206	256	280	320	348	374	284	306	196	88	22	2
	WHITE.....MALE....	1,260	26	6	-	4	4	12	18	10	18	32	88	106	142	146	160	166	104	128	68	22	-	-
	FEMALE..	842	34	6	6	-	4	4	8	8	-	12	38	46	48	66	78	96	118	124	84	46	16	-
	ALL OTHER..MALE....	674	72	6	-	-	2	22	22	18	30	42	58	64	58	72	70	58	32	22	14	8	2	2
	FEMALE..	460	48	6	4	-	6	12	8	22	12	10	22	40	32	36	40	54	30	32	30	12	4	-
400, 401, 403	HYPERTENSION.....	598	-	-	-	-	-	2	4	8	12	6	10	20	24	36	58	68	98	122	90	36	4	-
	WHITE.....MALE....	242	-	-	-	-	-	-	-	-	-	6	-	4	8	10	20	40	32	56	42	20	4	-
	FEMALE..	256	-	-	-	-	-	-	2	2	6	-	-	4	4	14	28	20	54	60	46	16	-	-
	ALL OTHER..MALE....	50	-	-	-	-	-	2	2	4	4	-	4	8	6	4	4	4	2	4	2	-	-	-
	FEMALE..	50	-	-	-	-	-	-	-	2	2	-	6	4	6	8	6	4	10	2	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	11,336	2	6	6	8	10	10	22	44	86	102	212	354	514	726	1,032	1,460	2,036	2,252	1,570	684	200	-
	WHITE.....MALE....	4,596	2	2	2	6	-	6	8	18	18	26	78	152	224	382	490	662	870	878	536	178	58	-
	FEMALE..	5,710	-	2	4	2	6	4	4	16	34	42	94	140	188	268	400	616	1,038	1,286	966	474	126	-
	ALL OTHER..MALE....	444	-	-	-	-	-	-	6	4	24	16	22	34	44	38	60	78	50	36	20	8	4	-
	FEMALE..	586	-	2	-	-	4	-	4	6	10	18	18	28	58	38	82	104	78	52	48	24	12	-
431	CEREBRAL HEMORRHAGE.....	2,436	2	2	4	4	6	2	6	8	30	28	72	118	198	228	254	296	418	388	270	84	18	-
	WHITE.....MALE....	1,058	2	-	-	2	-	-	-	4	6	6	30	60	92	118	104	150	194	158	108	18	6	-
	FEMALE..	1,178	-	-	4	2	2	2	2	4	14	4	28	46	66	94	128	124	214	214	154	64	12	-
	ALL OTHER..MALE....	92	-	-	-	-	-	-	2	-	8	12	6	6	14	6	12	12	6	6	-	2	-	-
	FEMALE..	108	-	2	-	-	4	-	2	-	2	6	8	6	26	10	10	10	4	10	8	-	-	-
433	CEREBRAL THROMBOSIS.....	3,476	-	-	-	-	-	-	-	2	6	6	32	36	82	170	300	472	688	754	592	256	80	-
	WHITE.....MALE....	1,370	-	-	-	-	-	-	-	2	2	-	18	16	46	94	152	198	284	280	202	60	16	-
	FEMALE..	1,810	-	-	-	-	-	-	-	-	4	6	12	14	22	52	100	204	362	440	354	182	58	-
	ALL OTHER..MALE....	118	-	-	-	-	-	-	-	-	-	-	2	4	6	12	26	26	12	12	12	4	2	-
	FEMALE..	178	-	-	-	-	-	-	-	-	-	-	-	2	8	12	22	44	30	22	24	10	4	-
434	CEREBRAL EMBOLISM.....	70	-	-	-	-	-	-	-	-	-	-	-	-	6	8	4	8	16	10	16	2	-	-
	WHITE.....MALE....	40	-	-	-	-	-	-	-	-	-	-	-	-	6	2	4	4	8	8	6	2	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	8	2	10	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	5,354	-	4	2	4	4	8	16	34	50	68	108	200	228	320	474	684	914	1,100	692	342	102	-
	WHITE.....MALE....	2,128	-	2	2	4	-	6	8	12	10	20	30	76	80	168	230	310	384	432	220	98	36	-
	FEMALE..	2,698	-	2	-	-	4	2	2	12	16	32	54	80	100	120	172	286	454	630	448	228	56	-
	ALL OTHER..MALE....	234	-	-	-	-	-	-	4	4	16	4	14	24	24	20	22	40	32	18	8	2	2	-
	FEMALE..	294	-	-	-	-	-	-	2	6	8	12	10	20	24	12	50	48	44	20	16	14	8	-
440	ARTERIOSCLEROSIS.....	1,956	-	-	-	-	-	-	-	-	-	2	4	8	46	58	108	184	330	444	418	250	104	-
	WHITE.....MALE....	790	-	-	-	-	-	-	-	-	-	2	4	8	26	30	46	84	134	170	162	92	32	-
	FEMALE..	1,064	-	-	-	-	-	-	-	-	-	-	-	-	18	24	44	88	178	256	238	152	66	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	4	8	2	4	-	-
	FEMALE..	72	-	-	-	-	-	-	-	-	-	-	-	-	2	2	12	8	14	10	16	2	6	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	1,222	-	-	-	2	-	6	10	10	16	10	22	50	62	144	156	186	196	188	108	46	10	-
	WHITE.....MALE....	680	-	-	-	2	-	6	4	2	6	4	10	28	44	102	98	114	102	96	46	12	4	-
	FEMALE..	436	-	-	-	-	-	-	4	4	6	4	10	14	16	26	42	46	86	86	54	32	6	-
	ALL OTHER..MALE....	56	-	-	-	-	-	-	2	-	2	-	2	6	2	10	12	12	4	2	2	-	-	-
	FEMALE..	50	-	-	-	-	-	-	-	4	2	2	-	2	-	6	4	14	4	4	6	2	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	174	110	18	-	2	2	-	2	-	2	-	2	-	2	2	4	6	6	6	6	2	2	-
	WHITE.....MALE....	58	28	2	-	2	-	-	2	-	2	-	2	-	2	2	2	-	2	6	4	2	-	-
	FEMALE..	32	10	8	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	-	2	-	2	-
	ALL OTHER..MALE....	36	30	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	48	42	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	3,416	284	82	22	22	24	44	36	34	62	56	92	102	150	180	278	358	476	518	358	166	72	-
	WHITE.....MALE....	1,570	86	30	8	10	10	20	8	10	18	18	48	50	84	82	148	178	288	252	130	68	24	-
	FEMALE..	1,278	64	22	6	12	8	10	10	12	18	16	28	22	34	70	78	114	156	250	210	92	46	-
	ALL OTHER..MALE....	354	84	18	4	-	4	6	10	4	20	10	12	22	22	26	26	42	24	6	6	6	2	-
	FEMALE..	214	50	12	4	-	2	8	8	8	6	12	4	8	10	2	26	24	8	10	12	-	-	-
470-474	INFLUENZA.....	186	4	2	-	-	-	2	6	-	2	-	10	4	6	8	12	30	34	26	22	12	6	-
	WHITE.....MALE....	74	-	-	-	-	-	2	2	-	2	-	8	-	4	4	8	14	16	4	4	2	4	-
	FEMALE..	100	4	2	-	-	-	-	4	-	-	-	2	4	-	4	4	10	16	22	18	8	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	-	-	-	-
480-486	PNEUMONIA.....	3,230	280	80	22	22	24	42	30	34	60	56	82	98	144	172	266	328	442	492	336	154	66	-
	WHITE.....MALE....	1,496	86	30	8	10	10	18	6	10	16	18	40	50	80	78	140	164	272	248	126	66	20	-
	FEMALE..	1,178	60	20	6	12	8	10	6	12	18	16	26	18	34	66	74	104	140	228	192	84	44	-
	ALL OTHER..MALE....	350	84	18	4	-	4	6	10	4	20	10	12	22	22	26	26	40	24	6	6	4	2	-
	FEMALE..	206	50	12	4	-	2	8	8	8	6	12	4	8	8	2	26	20	6	10	12	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ILLINOIS--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	1,624	8	6	-	2	4	10	6	10	8	18	40	54	142	190	268	326	280	160	66	24	2	-
	WHITE.....MALE	1,174	4	4	-	-	-	2	2	4	2	2	20	24	98	144	226	264	214	118	34	12	-	-
	FEMALE	348	4	-	-	2	-	2	4	-	-	8	14	24	40	40	30	48	54	38	28	10	2	-
	ALL OTHER..MALE	68	-	2	-	-	2	2	-	4	4	2	4	6	-	6	10	14	8	4	-	-	-	-
	FEMALE	34	-	-	-	-	2	4	-	2	2	6	2	-	4	-	2	-	4	-	4	2	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	336	6	-	-	-	-	4	-	2	-	4	4	10	30	34	50	58	60	38	26	8	2	-
	WHITE.....MALE	218	4	-	-	-	-	2	-	2	-	-	-	2	26	24	38	38	46	26	8	2	-	-
	FEMALE	104	2	-	-	-	-	-	-	-	-	2	2	8	4	10	12	20	12	10	16	4	2	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	2	2	-	-
492	EMPHYSEMA	1,176	2	2	-	-	-	-	2	4	2	8	26	34	104	148	206	256	214	114	40	14	-	-
	WHITE.....MALE	920	-	2	-	-	-	-	-	2	-	-	16	18	72	116	184	220	166	90	26	8	-	-
	FEMALE	204	2	-	-	-	-	-	2	-	-	4	10	10	30	26	14	26	40	22	12	6	-	-
	ALL OTHER..MALE	44	-	-	-	-	-	-	-	2	2	2	-	6	-	6	8	10	6	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	2	-	-	-
493	ASTHMA	112	-	4	-	2	4	6	4	4	6	6	10	10	8	8	12	12	6	8	-	2	-	-
	WHITE.....MALE	36	-	2	-	-	-	-	2	-	2	2	4	4	-	4	4	6	2	2	-	2	-	-
	FEMALE	40	-	-	-	2	-	2	2	-	-	2	2	6	6	4	4	2	2	6	-	-	-	-
	ALL OTHER..MALE	18	-	2	-	-	2	2	-	2	2	-	2	-	-	-	2	4	-	-	-	-	-	-
	FEMALE	18	-	-	-	-	2	2	-	2	2	2	2	-	2	-	2	-	2	-	-	-	-	-
531-533	PEPTIC ULCER	524	6	2	-	-	-	-	-	4	12	14	22	38	46	40	80	76	54	64	56	10	-	-
	WHITE.....MALE	302	6	-	-	-	-	-	-	2	8	2	6	28	24	34	54	36	44	22	32	4	-	-
	FEMALE	154	-	2	-	-	-	-	-	2	-	-	4	6	18	4	20	26	10	32	24	6	-	-
	ALL OTHER..MALE	38	-	-	-	-	-	-	-	-	2	8	10	2	2	-	4	6	-	4	-	-	-	-
	FEMALE	30	-	-	-	-	-	-	-	-	2	4	2	2	2	2	2	8	-	6	-	-	-	-
540-543	APPENDICITIS	50	-	-	-	4	-	-	-	-	2	2	2	2	-	8	6	4	6	8	4	2	-	-
	WHITE.....MALE	18	-	-	-	2	-	-	-	-	-	-	-	-	-	2	2	2	-	6	2	2	-	-
	FEMALE	16	-	-	-	2	-	-	-	-	-	-	-	-	-	4	4	2	4	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	2	2	2	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	374	22	6	-	4	4	2	-	2	12	6	8	20	20	26	46	34	48	52	36	24	2	-
	WHITE.....MALE	140	12	6	-	2	4	-	-	-	2	4	6	4	8	8	22	4	20	16	12	10	-	-
	FEMALE	192	4	-	-	2	-	2	-	2	6	-	2	14	6	14	18	28	24	34	24	12	-	-
	ALL OTHER..MALE	22	4	-	-	-	-	-	-	-	2	-	-	2	4	2	2	2	2	-	-	-	2	-
	FEMALE	20	2	-	-	-	-	-	-	-	2	2	-	-	2	2	4	-	2	2	-	2	-	-
571	CIRRHOSIS OF LIVER	1,898	2	-	-	-	2	-	22	62	74	180	280	270	256	248	226	126	76	54	16	4	-	-
	WHITE.....MALE	1,122	-	-	-	-	2	-	6	28	38	72	146	160	186	174	130	84	50	30	14	2	-	-
	FEMALE	472	2	-	-	-	-	-	4	8	18	52	64	62	62	50	66	36	22	22	2	2	-	-
	ALL OTHER..MALE	204	-	-	-	-	-	-	12	14	8	44	48	30	4	20	16	4	2	2	-	-	-	-
	FEMALE	100	-	-	-	-	-	-	-	12	10	12	22	18	4	4	14	2	2	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	196	-	-	-	-	-	2	2	-	-	4	8	8	22	14	16	26	26	42	16	4	6	-
	WHITE.....MALE	82	-	-	-	-	-	-	-	-	-	-	4	-	8	12	6	12	18	18	2	2	-	-
	FEMALE	102	-	-	-	-	-	2	-	-	-	2	4	8	14	2	8	10	8	24	14	2	4	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	-	-	-	2	-
580-584	NEPHRITIS AND NEPHROSIS	444	2	2	4	2	2	4	2	16	10	18	10	34	38	34	48	54	64	54	34	8	4	-
	WHITE.....MALE	166	-	-	2	-	-	-	-	2	4	2	4	8	14	12	18	26	32	26	14	-	2	-
	FEMALE	154	-	-	2	2	2	4	-	6	2	2	-	12	16	14	12	12	22	26	12	8	-	-
	ALL OTHER..MALE	74	2	2	-	-	-	-	2	8	-	10	2	8	6	6	8	8	8	-	4	-	-	-
	FEMALE	50	-	-	-	-	-	-	-	-	4	4	4	6	2	2	10	8	2	2	4	-	2	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	72	2	2	-	-	2	2	-	4	4	-	-	2	6	6	8	12	10	8	2	2	-	-
	WHITE.....MALE	26	-	-	-	-	-	-	-	2	2	-	-	-	-	2	6	6	2	6	-	-	-	-
	FEMALE	26	-	-	-	-	2	2	-	2	-	-	-	-	2	4	2	2	6	2	-	2	-	-
	ALL OTHER..MALE	14	2	2	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	-	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	372	-	-	4	2	-	2	2	12	6	18	10	32	32	28	40	42	54	46	32	6	4	-
	WHITE.....MALE	140	-	-	2	-	-	-	-	-	2	2	4	8	14	10	12	20	30	20	14	-	2	-
	FEMALE	128	-	-	2	2	-	2	-	4	2	2	-	12	14	10	10	10	16	24	12	6	-	-
	ALL OTHER..MALE	60	-	-	-	-	-	-	2	8	-	10	2	6	4	6	8	6	6	-	2	-	-	-
	FEMALE	44	-	-	-	-	-	-	-	-	2	4	4	6	-	2	10	6	2	2	4	-	2	-
590	INFECTIONS OF KIDNEY	324	-	-	-	-	-	4	-	-	4	12	6	16	14	22	32	46	66	50	42	10	-	-
	WHITE.....MALE	112	-	-	-	-	-	4	-	-	-	8	-	-	4	8	10	14	22	16	22	4	-	-
	FEMALE	154	-	-	-	-	-	-	-	-	-	2	4	12	4	10	12	20	40	28	16	6	-	-
	ALL OTHER..MALE	28	-	-	-	-	-	-	-	-	2	2	2	-	4	2	8	4	-	-	4	-	-	-
	FEMALE	30	-	-	-	-	-	-	-	-	2	-	-	4	2	2	2	8	4	6	-	-	-	-
600	HYPERPLASIA OF PROSTATE	110	-	-	-	-	-	-	-	-	-	-	2	2	2	8	12	12	20	22	22	8	-	-
	WHITE.....MALE	100	-	-	-	-	-	-	-	-	-	-	-	2	2	6	10	10	18	22	22	8	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	2	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ILLINOIS--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	30	-	-	-	-	2	10	6	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	18	-	-	-	-	2	8	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	12	-	-	-	-	-	2	4	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	28	-	-	-	-	2	8	6	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	16	-	-	-	-	2	6	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	12	-	-	-	-	-	2	4	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	800	94	36	16	14	12	18	12	2	16	12	12	6	10	16	12	4	8	-	-	-	-	-
	WHITE.....MALE....	346	204	32	20	6	10	8	10	6	-	6	10	4	-	6	10	6	4	4	-	-	-	-
	FEMALE..	300	188	40	10	8	2	2	8	4	-	6	2	6	6	4	4	6	-	4	-	-	-	-
	ALL OTHER..MALE....	64	42	8	6	2	-	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	90	66	14	-	-	2	-	-	-	2	4	-	-	-	-	2	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	2,102	2,102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	802	802	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	554	554	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	426	426	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	320	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	1,366	1,366	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	478	478	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	366	366	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	300	300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	736	736	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	324	324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	188	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	360	78	8	4	4	12	10	4	14	8	24	24	20	14	12	22	18	22	24	24	6	2	6
	WHITE.....MALE....	170	38	4	-	2	8	4	2	4	2	12	14	12	8	8	14	2	14	10	10	2	-	-
	FEMALE..	138	26	2	4	-	4	4	-	8	4	4	8	6	4	4	4	16	6	12	14	4	2	2
	ALL OTHER..MALE....	36	10	2	-	2	-	2	2	-	-	4	2	2	2	-	2	-	2	-	-	-	-	4
	FEMALE..	16	4	-	-	-	-	-	-	2	2	4	-	-	-	-	2	-	-	2	-	-	-	-
RE-SID-UAL	ALL OTHER DISEASES.....	4,996	92	44	50	30	72	80	104	96	170	184	244	262	404	460	588	590	598	506	290	98	30	4
	WHITE.....MALE....	2,256	40	20	30	20	28	40	32	32	50	58	98	110	206	222	314	302	266	214	130	38	4	2
	FEMALE..	1,936	32	18	12	6	30	24	18	24	52	66	98	94	138	176	202	214	262	252	142	54	22	-
	ALL OTHER..MALE....	450	16	4	4	-	4	10	26	20	36	30	28	32	38	40	36	40	48	18	14	2	2	2
	FEMALE..	354	4	2	4	4	10	6	28	20	32	30	20	26	22	22	36	34	22	22	4	4	2	-
E800-E949	ACCIDENTS.....	5,226	78	230	168	188	538	574	338	296	206	254	280	274	286	300	208	256	294	222	164	56	16	-
	WHITE.....MALE....	2,896	28	98	74	130	326	386	224	152	114	148	150	136	176	164	104	126	164	102	66	20	8	-
	FEMALE..	1,488	26	62	52	30	140	100	52	54	42	50	66	100	80	98	78	94	114	114	94	36	6	-
	ALL OTHER..MALE....	610	16	36	24	22	58	76	50	70	36	40	38	34	28	22	18	26	12	2	2	-	-	-
	FEMALE..	232	8	34	18	6	14	12	12	20	14	16	26	4	2	16	8	10	4	4	2	-	2	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	2,384	8	66	78	86	358	376	178	160	110	128	128	126	100	126	82	92	86	68	26	2	-	-
	WHITE.....MALE....	1,452	-	20	32	64	226	276	124	100	68	82	78	56	66	62	40	42	52	46	16	2	-	-
	FEMALE..	706	6	26	32	14	114	76	36	32	24	36	30	62	30	52	34	40	32	22	8	-	-	-
	ALL OTHER..MALE....	154	-	10	10	4	10	20	18	18	10	10	8	8	4	8	6	6	2	-	2	-	-	-
	FEMALE..	72	2	10	4	4	8	4	-	10	8	-	12	-	-	4	2	4	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	2,842	70	164	90	102	180	198	160	136	96	126	152	148	186	174	126	164	208	154	138	54	16	-
	WHITE.....MALE....	1,444	28	78	42	66	100	110	100	52	46	66	72	80	110	102	64	84	112	56	50	18	8	-
	FEMALE..	782	20	36	20	16	26	24	16	22	18	14	36	38	50	46	44	54	82	92	86	36	6	-
	ALL OTHER..MALE....	456	16	26	14	18	48	56	32	52	26	30	30	26	24	14	12	20	10	2	-	-	-	-
	FEMALE..	160	6	24	14	2	6	8	12	10	6	16	14	4	2	12	6	6	4	4	2	-	2	-
E950-E959	SUICIDE.....	1,058	...	...	-	6	64	106	94	58	70	50	112	92	112	96	60	70	24	28	16	-	-	-
	WHITE.....MALE....	692	...	...	-	4	40	62	62	36	36	30	60	62	78	72	40	50	20	26	14	-	-	-
	FEMALE..	284	...	...	-	2	14	22	20	16	26	18	44	24	32	22	18	18	4	2	2	-	-	-
	ALL OTHER..MALE....	54	...	...	-	-	10	12	6	6	6	-	6	4	-	2	2	-	-	-	-	-	-	-
	FEMALE..	28	...	...	-	-	-	10	6	-	2	2	2	2	2	-	-	2	-	-	-	-	-	-
E960-E978	HOMICIDE.....	1,026	10	14	8	20	158	200	146	84	88	80	78	42	36	22	18	20	-	-	2	-	-	-
	WHITE.....MALE....	278	4	-	2	6	36	48	40	20	30	24	22	12	14	8	4	8	-	-	-	-	-	-
	FEMALE..	104	2	2	2	4	16	18	18	6	8	4	4	2	4	-	6	6	-	-	2	-	-	-
	ALL OTHER..MALE....	534	2	4	-	6	90	118	74	50	42	48	42	22	16	8	6	6	-	-	-	-	-	-
	FEMALE..	110	2	8	4	4	16	16	14	8	8	4	10	6	2	6	2	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	388	8	4	6	8	24	42	26	20	44	36	40	34	32	18	10	10	6	8	4	2	-	6
	WHITE.....MALE....	178	-	-	4	4	12	20	10	2	20	20	16	16	22	10	2	4	4	8	2	-	-	2
	FEMALE..	110	4	4	2	2	4	6	6	10	10	10	18	4	6	6	8	4	-	-	2	2	-	2
	ALL OTHER..MALE....	66	2	-	-	2	6	8	8	6	8	4	2	10	4	2	-	2	-	-	-	-	-	2
	FEMALE..	34	2	-	-	-	2	8	2	2	6	2	4	4	-	-	-	-	2	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	INDIANA																							
	ALL CAUSES	49,138	1,630	316	202	232	520	500	528	434	632	970	1,646	2,350	3,196	4,238	5,196	6,014	6,794	6,462	4,652	2,048	574	4
	WHITE.....MALE	25,254	822	154	108	142	332	316	290	232	322	508	892	1,420	1,968	2,552	2,966	3,284	3,326	2,816	1,900	714	186	4
	FEMALE	20,534	562	124	64	70	134	120	154	120	210	312	514	708	980	1,324	1,942	2,346	3,158	3,448	2,600	1,276	368	-
	ALL OTHER..MALE	1,892	148	20	20	14	40	50	62	54	72	80	140	138	142	172	152	210	192	98	64	22	2	-
	FEMALE	1,458	98	18	10	6	14	14	22	28	28	70	100	84	106	190	136	174	118	100	88	36	18	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	44	22	2	-	-	-	-	2	-	-	2	-	-	-	2	2	-	-	8	-	4	-	-
	WHITE.....MALE	18	12	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-
	FEMALE	20	4	-	-	-	-	-	2	-	-	-	-	-	-	2	2	-	-	8	-	2	-	-
	ALL OTHER..MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	102	-	2	-	-	2	-	2	8	6	2	6	-	4	10	18	10	8	8	16	-	-	-
	WHITE.....MALE	64	-	2	-	-	-	-	2	4	4	2	-	-	-	8	10	6	6	8	12	-	-	-
	FEMALE	26	-	-	-	-	-	-	-	2	2	-	4	-	4	2	4	4	2	-	2	-	-	-
	ALL OTHER..MALE	12	-	-	-	-	2	-	-	2	-	-	2	-	-	-	4	-	-	-	2	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	78	-	-	-	-	2	-	2	6	4	2	4	-	4	8	12	6	4	8	16	-	-	-
	WHITE.....MALE	52	-	-	-	-	-	-	2	2	4	2	-	-	-	8	6	4	4	8	12	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	2	-	-	2	-	4	-	2	2	-	-	2	-	-	-
	ALL OTHER..MALE	12	-	-	-	-	2	-	-	2	-	-	2	-	-	-	4	-	-	-	2	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	24	-	2	-	-	-	-	-	2	2	-	2	-	-	2	6	4	4	-	-	-	-	-
	WHITE.....MALE	12	-	2	-	-	-	-	-	2	-	-	-	-	-	-	4	2	2	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	2	-	2	-	-	2	2	2	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	60	10	2	-	-	-	2	-	-	-	-	-	2	2	4	4	8	6	12	4	4	-	-
	WHITE.....MALE	20	4	2	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	2	2	-	-	-
	FEMALE	30	2	-	-	-	-	-	-	-	-	-	-	-	2	4	2	6	2	6	2	4	-	-
	ALL OTHER..MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	8	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	INDIANA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	110	14	10	4	4	6	4	-	2	-	2	2	2	4	6	8	12	8	14	2	2	4	-
	WHITE.....MALE....	42	4	4	2	4	2	-	-	-	-	-	2	2	-	2	2	4	6	4	2	2	-	-
	FEMALE..	56	8	6	2	-	2	4	-	2	-	-	-	-	4	2	2	8	2	10	-	-	4	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	8	2	-	-	-	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	8,462	4	24	38	36	44	34	38	54	142	224	430	658	892	1,032	1,212	1,170	1,054	782	470	114	10	-
	WHITE.....MALE....	4,320	4	10	16	18	26	26	22	22	62	92	172	308	478	568	666	604	536	414	224	44	8	-
	FEMALE..	3,592	-	10	16	18	16	8	16	28	66	106	212	298	366	358	482	476	464	356	228	66	2	-
	ALL OTHER..MALE....	294	-	2	4	-	-	-	-	-	8	16	18	28	26	48	42	50	36	8	8	-	-	-
	FEMALE..	256	-	2	2	-	2	-	-	4	6	10	28	24	22	58	22	40	18	4	10	4	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	166	-	-	-	-	-	-	-	-	2	4	14	16	22	30	16	18	24	12	4	4	-	-
	WHITE.....MALE....	110	-	-	-	-	-	-	-	-	2	2	10	12	16	20	12	4	20	8	4	-	-	-
	FEMALE..	46	-	-	-	-	-	-	-	-	-	2	-	4	6	8	4	10	4	4	-	4	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	2,222	-	-	-	-	-	6	-	8	34	40	54	138	212	228	350	352	318	294	152	34	2	-
	WHITE.....MALE....	1,024	-	-	-	-	-	6	-	2	14	16	26	62	112	134	154	156	134	146	54	6	2	-
	FEMALE..	1,034	-	-	-	-	-	-	-	6	20	18	22	58	80	70	168	158	172	146	90	26	-	-
	ALL OTHER..MALE....	90	-	-	-	-	-	-	-	-	-	4	6	12	8	16	18	12	10	-	4	-	-	-
	FEMALE..	74	-	-	-	-	-	-	-	-	-	2	-	6	12	8	10	26	2	2	4	2	-	-
160-163	OF RESPIRATORY SYSTEM....	1,958	-	-	-	-	-	-	6	-	20	48	108	208	264	306	340	300	190	96	60	8	4	-
	WHITE.....MALE....	1,486	-	-	-	-	-	-	4	-	8	30	60	136	210	234	296	234	154	74	38	4	4	-
	FEMALE..	364	-	-	-	-	-	-	2	-	8	10	34	60	46	50	32	50	26	20	22	4	-	-
	ALL OTHER..MALE....	80	-	-	-	-	-	-	-	-	2	6	6	8	6	16	12	16	6	2	-	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	2	2	8	4	2	6	-	-	4	-	-	-	-	-
174	OF BREAST.....	722	-	-	-	-	-	-	2	4	10	32	84	74	90	102	96	82	56	40	40	8	2	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	FEMALE..	676	-	-	-	-	-	-	2	4	10	30	74	68	86	90	94	80	54	38	36	8	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	2	10	6	4	12	2	-	2	-	4	-	-	-
180-187	OF GENITAL ORGANS.....	1,070	-	-	-	2	12	8	4	6	14	28	46	46	90	120	118	156	156	142	90	30	2	-
	WHITE.....MALE....	462	-	-	-	-	6	4	2	-	-	-	-	8	14	38	48	80	82	92	68	18	2	-
	FEMALE..	528	-	-	-	2	6	4	2	6	12	26	44	34	68	56	64	66	66	42	18	12	-	-
	ALL OTHER..MALE....	46	-	-	-	-	-	-	-	-	-	-	-	-	6	10	4	8	8	6	4	-	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	2	2	2	4	2	16	2	2	-	2	-	-	-	-
188, 189	OF URINARY ORGANS.....	330	-	2	-	-	-	-	-	-	4	12	14	14	30	34	36	54	74	30	22	4	-	-
	WHITE.....MALE....	218	-	-	-	-	-	-	-	-	4	10	10	10	22	18	24	38	44	22	14	2	-	-
	FEMALE..	94	-	-	-	-	-	-	-	-	-	-	4	2	8	12	10	16	24	8	8	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
	FEMALE..	14	-	2	-	-	-	-	-	-	-	2	-	-	-	4	2	-	4	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	1,102	-	12	14	16	10	8	8	20	34	40	64	108	110	130	152	110	118	80	52	16	-	-
	WHITE.....MALE....	560	-	4	6	10	6	4	8	14	18	22	36	56	60	76	88	46	52	30	18	6	-	-
	FEMALE..	464	-	8	6	6	4	4	-	6	12	14	22	42	48	44	56	46	56	50	32	8	-	-
	ALL OTHER..MALE....	38	-	-	2	-	-	-	-	-	2	4	2	6	2	2	4	8	6	-	-	-	-	-
	FEMALE..	40	-	-	-	-	-	-	-	-	2	-	4	4	-	8	4	10	4	-	2	2	-	-
204-207	LEUKEMIA.....	418	4	8	24	18	12	6	6	6	6	8	14	18	22	24	38	48	54	58	34	10	-	-
	WHITE.....MALE....	222	4	4	10	8	8	6	4	2	4	2	14	4	10	14	22	30	24	24	20	8	-	-
	FEMALE..	180	-	2	10	10	4	-	2	2	-	4	-	14	12	10	14	16	30	34	14	2	-	-
	ALL OTHER..MALE....	12	-	2	2	-	-	-	-	-	2	2	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE..	4	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	474	-	2	-	-	10	6	12	10	18	12	32	36	52	58	66	50	64	30	16	-	-	-
	WHITE.....MALE....	234	-	2	-	-	6	6	4	4	12	10	16	20	34	34	22	14	26	16	8	-	-	-
	FEMALE..	206	-	-	-	-	2	-	8	4	4	2	12	16	12	18	40	34	32	14	8	-	-	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	2	-	2	-	4	2	2	2	4	-	-	-	-	-
	FEMALE..	16	-	-	-	-	2	-	-	2	-	-	2	-	2	4	2	-	2	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	94	2	-	2	2	-	-	6	4	2	4	-	10	2	18	4	4	12	16	2	4	-	-
	WHITE.....MALE....	52	2	-	-	2	-	-	6	-	-	-	-	4	-	10	4	2	10	8	2	2	-	-
	FEMALE..	36	-	-	-	-	-	-	-	4	2	4	-	4	2	8	-	2	-	8	-	2	-	-
	ALL OTHER..MALE....	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	1,006	-	-	-	-	6	6	6	8	14	14	36	32	52	94	158	166	176	136	68	30	4	-
	WHITE.....MALE....	380	-	-	-	-	2	2	-	4	10	6	20	14	16	36	62	56	58	62	24	6	2	-
	FEMALE..	552	-	-	-	-	4	4	6	4	4	4	12	14	28	48	76	98	112	72	42	22	2	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	4	-	2	-	-	-	-
	FEMALE..	58	-	-	-	-	-	-	-	-	-	2	2	4	6	8	18	8	6	-	2	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	INDIANA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	36	4	-	-	-	4	-	-	2	-	-	2	-	-	-	2	4	-	10	6	2	-	-
	WHITE.....MALE....	16	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	4	2	2	-	-
	FEMALE..	20	-	-	-	-	2	-	-	2	-	-	2	-	-	-	2	2	-	6	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-285	ANEMIAS.....	76	6	-	2	2	4	-	2	-	-	-	6	2	2	4	6	10	10	12	6	-	2	-
	WHITE.....MALE....	28	-	-	-	2	2	-	-	-	-	-	2	-	2	-	-	8	2	6	4	-	-	-
	FEMALE..	34	-	-	2	-	-	-	-	-	-	-	4	2	-	4	4	2	8	6	-	-	2	-
	ALL OTHER..MALE....	12	4	-	-	-	2	-	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	26	12	2	2	-	-	2	2	-	-	-	2	2	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE....	14	6	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	26,892	10	10	6	14	14	18	32	54	138	278	646	1,050	1,508	2,210	2,904	3,656	4,454	4,524	3,360	1,554	452	-
	WHITE.....MALE....	13,500	2	6	2	8	8	8	16	26	74	164	436	724	1,000	1,414	1,714	2,010	2,078	1,840	1,308	522	140	-
	FEMALE..	11,920	4	4	4	6	4	4	14	20	48	78	120	222	372	626	1,034	1,412	2,168	2,548	1,938	998	296	-
	ALL OTHER..MALE....	750	2	-	-	-	-	4	2	4	12	10	58	66	76	76	78	124	120	60	44	14	-	-
	FEMALE..	722	2	-	-	-	2	2	-	4	4	26	32	38	60	94	78	110	88	76	70	20	16	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	18,806	10	10	4	2	8	8	22	36	114	208	526	894	1,198	1,758	2,246	2,582	3,030	2,926	2,028	922	274	-
	WHITE.....MALE....	10,028	2	6	-	2	4	2	14	20	60	140	400	644	842	1,190	1,376	1,458	1,424	1,208	830	332	74	-
	FEMALE..	7,764	4	4	4	-	4	2	8	10	38	42	70	160	274	444	768	970	1,462	1,624	1,120	570	186	-
	ALL OTHER..MALE....	528	2	-	-	-	-	4	-	2	12	8	34	58	42	60	52	90	86	40	28	10	-	-
	FEMALE..	486	2	-	-	-	-	-	-	4	4	18	22	32	40	64	50	64	58	54	50	10	14	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	306	-	-	-	2	-	2	2	4	10	6	16	24	42	46	36	42	40	18	8	6	2	-
	WHITE.....MALE....	156	-	-	-	2	-	-	-	4	4	2	10	18	18	28	16	22	18	4	8	2	-	-
	FEMALE..	138	-	-	-	-	-	2	2	-	6	4	6	2	24	16	20	16	22	12	-	4	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	180	-	-	-	-	-	-	-	-	-	8	2	10	18	4	20	20	34	20	34	8	2	-
	WHITE.....MALE....	68	-	-	-	-	-	-	-	-	-	-	-	6	8	4	8	6	20	6	8	2	-	-
	FEMALE..	98	-	-	-	-	-	-	-	-	-	4	-	2	6	-	12	14	14	12	26	6	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	4	-	2	2	-	-	-	-	2	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	400	-	-	-	-	-	-	-	-	-	-	4	2	2	14	20	40	62	108	82	50	16	-
	WHITE.....MALE....	168	-	-	-	-	-	-	-	-	-	-	-	-	2	8	10	24	22	42	38	18	4	-
	FEMALE..	218	-	-	-	-	-	-	-	-	-	-	2	-	-	6	8	16	36	64	42	32	12	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	4	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	16,832	-	2	-	-	4	2	12	24	92	176	458	776	1,036	1,620	2,070	2,342	2,742	2,644	1,802	796	234	-
	WHITE.....MALE....	9,134	-	2	-	-	2	2	8	16	54	132	364	578	760	1,112	1,280	1,322	1,302	1,110	732	294	64	-
	FEMALE..	6,798	-	-	-	-	2	-	4	6	22	26	54	126	210	392	690	880	1,308	1,446	994	482	156	-
	ALL OTHER..MALE....	472	-	-	-	-	-	-	-	2	12	6	26	50	34	58	52	84	74	38	26	10	-	-
	FEMALE..	428	-	-	-	-	-	-	-	-	4	12	14	22	32	58	48	56	58	50	50	10	14	-
410	ACUTE MYOCARDIAL INFARCTION.....	9,772	-	2	-	-	4	2	10	16	62	142	350	604	760	1,198	1,400	1,508	1,484	1,234	658	268	70	-
	WHITE.....MALE....	6,018	-	2	-	-	2	2	8	14	40	114	294	470	584	882	948	912	758	582	274	110	22	-
	FEMALE..	3,398	-	-	-	-	2	-	2	2	14	18	38	100	150	262	400	546	688	626	356	152	42	-
	ALL OTHER..MALE....	198	-	-	-	-	-	-	-	-	8	4	14	24	10	34	30	30	18	16	8	2	-	-
	FEMALE..	158	-	-	-	-	-	-	-	-	-	6	4	10	16	20	22	20	20	10	20	4	6	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	84	-	-	-	-	-	-	-	-	-	-	-	6	-	6	10	16	10	14	14	6	2	-
	WHITE.....MALE....	46	-	-	-	-	-	-	-	-	-	-	-	4	-	6	8	6	4	10	6	2	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	8	6	2	8	4	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	6,966	-	-	-	-	-	-	2	8	30	34	108	164	276	414	656	818	1,246	1,396	1,130	522	162	-
	WHITE.....MALE....	3,064	-	-	-	-	-	-	-	2	14	18	70	102	176	222	322	404	540	518	452	182	42	-
	FEMALE..	3,364	-	-	-	-	-	-	2	4	8	8	16	24	60	130	286	326	612	818	630	326	114	-
	ALL OTHER..MALE....	270	-	-	-	-	-	-	-	2	4	2	12	26	24	24	22	52	56	20	18	8	-	-
	FEMALE..	268	-	-	-	-	-	-	-	-	4	6	10	12	16	38	26	36	38	40	30	6	6	-
413	ANGINA PECTORIS.....	10	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	2	-	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	INDIANA--CON.																							
424, 428	CHRONIC DISEASE OF ENDO-CARDIUM AND OTHER MYO-CARDIAL INSUFFICIENCY...	236	-	-	-	-	-	-	-	-	-	4	6	18	26	14	20	20	38	50	22	14	4	-
	WHITE.....MALE....	112	-	-	-	-	-	-	-	-	-	2	4	12	18	10	12	14	18	12	10	-	-	-
	FEMALE..	112	-	-	-	-	-	-	-	-	-	-	-	4	6	2	8	6	18	38	12	14	4	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	852	10	8	4	-	4	4	8	8	12	14	40	64	74	60	80	118	114	86	80	48	16	-
	WHITE.....MALE....	390	2	4	-	-	2	-	6	-	2	4	22	30	36	28	50	70	44	34	34	16	6	-
	FEMALE..	400	4	4	4	-	2	-	2	4	10	8	8	26	28	28	30	38	64	52	46	32	10	-
	ALL OTHER..MALE....	34	2	-	-	-	-	4	-	-	-	2	2	4	6	2	-	6	6	-	-	-	-	-
	FEMALE..	28	2	-	-	-	-	-	-	4	-	-	8	4	4	2	-	4	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	216	-	-	-	-	-	-	6	2	2	2	-	6	14	18	14	32	40	38	26	16	-	-
	WHITE.....MALE....	98	-	-	-	-	-	-	-	-	2	2	-	4	8	8	10	16	22	18	6	2	-	-
	FEMALE..	104	-	-	-	-	-	-	4	2	-	-	-	2	4	8	4	14	18	18	16	14	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	2	-	2	4	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	6,054	-	-	2	10	6	8	4	16	16	52	98	122	242	358	548	864	1,084	1,172	950	402	100	-
	WHITE.....MALE....	2,568	-	-	2	4	4	6	2	6	6	16	26	54	116	166	270	442	470	446	354	142	36	-
	FEMALE..	3,112	-	-	-	6	-	2	2	8	10	26	40	56	80	156	228	350	560	698	572	254	64	-
	ALL OTHER..MALE....	170	-	-	-	-	-	-	-	2	-	2	22	8	28	12	24	30	24	10	8	-	-	-
	FEMALE..	204	-	-	-	-	2	-	-	-	-	8	10	4	18	24	26	42	30	18	16	6	-	-
431	CEREBRAL HEMORRHAGE.....	1,206	-	-	2	6	4	2	2	2	6	14	44	34	60	86	152	184	198	162	158	74	16	-
	WHITE.....MALE....	496	-	-	2	2	2	2	-	2	-	2	6	14	32	38	74	90	76	58	56	30	10	-
	FEMALE..	616	-	-	-	4	-	-	2	-	6	8	18	16	18	34	72	84	110	98	96	44	6	-
	ALL OTHER..MALE....	40	-	-	-	-	-	-	-	-	-	-	10	2	8	6	-	4	6	-	4	-	-	-
	FEMALE..	54	-	-	-	-	2	-	-	-	-	4	10	2	2	8	6	6	6	6	2	-	-	-
433	CEREBRAL THROMBOSIS.....	1,492	-	-	-	-	-	-	-	-	2	2	-	16	38	88	118	210	308	326	256	98	30	-
	WHITE.....MALE....	638	-	-	-	-	-	-	-	-	-	2	-	6	22	44	54	124	140	118	80	42	6	-
	FEMALE..	804	-	-	-	-	-	-	-	-	2	-	-	10	10	36	56	74	162	200	174	56	24	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	-	-	-	4	2	8	2	-	4	-	-	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	10	6	4	2	-	-	-
434	CEREBRAL EMBOLISM.....	34	-	-	-	-	-	-	-	-	-	2	-	4	2	4	-	6	8	2	2	4	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	2	-	2	-	4	-	-	4	2	-	2	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	6	4	-	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBRO-VASCULAR DISEASES.....	3,322	-	-	-	4	2	6	2	14	8	34	54	68	142	180	278	464	570	682	534	226	54	-
	WHITE.....MALE....	1,418	-	-	-	2	2	4	2	4	6	10	20	32	62	80	142	228	250	268	218	68	20	-
	FEMALE..	1,674	-	-	-	2	-	2	-	8	2	18	22	28	50	86	100	186	284	400	300	152	34	-
	ALL OTHER..MALE....	110	-	-	-	-	-	-	-	2	-	2	12	6	16	4	16	24	18	6	4	-	-	-
	FEMALE..	120	-	-	-	-	-	-	-	-	-	4	-	2	14	10	20	26	18	8	12	6	-	-
440	ARTERIOSCLEROSIS.....	1,176	-	-	-	-	-	-	-	-	-	2	2	2	10	28	34	92	170	296	286	186	68	-
	WHITE.....MALE....	450	-	-	-	-	-	-	-	-	-	-	2	2	4	20	14	48	84	124	86	38	28	-
	FEMALE..	682	-	-	-	-	-	-	-	-	-	2	-	-	4	6	16	42	78	164	192	140	38	-
	ALL OTHER..MALE....	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	8	4	4	4	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	4	4	4	2	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	640	-	-	-	2	-	2	-	-	6	14	20	26	44	48	62	86	130	92	70	28	10	-
	WHITE.....MALE....	356	-	-	-	2	-	-	-	-	6	6	8	20	30	30	44	46	78	44	32	8	2	-
	FEMALE..	258	-	-	-	-	-	-	-	-	-	8	10	4	10	12	18	36	50	44	38	20	8	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	2	2	4	-	-	-	-
	FEMALE..	10	-	-	-	-	-	2	-	-	-	-	-	2	-	4	-	2	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	26	2	4	-	-	-	-	2	-	-	2	-	-	-	-	-	2	6	4	2	2	-	-
	WHITE.....MALE....	18	-	2	-	-	-	-	2	-	-	2	-	-	-	-	-	-	6	4	2	-	-	-
	FEMALE..	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	ALL OTHER..MALE....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	1,510	112	38	6	8	6	14	8	10	16	30	36	52	70	104	114	142	204	236	166	106	32	-
	WHITE.....MALE....	792	52	18	4	4	2	4	-	6	6	14	24	34	46	58	58	90	114	112	82	48	16	-
	FEMALE..	596	34	18	-	4	2	8	6	-	6	12	8	10	16	36	46	44	78	114	80	58	16	-
	ALL OTHER..MALE....	98	20	2	2	-	2	-	2	2	4	4	4	6	8	10	8	6	10	6	2	-	-	-
	FEMALE..	24	6	-	-	-	-	2	-	2	-	-	-	2	-	-	2	2	2	4	2	-	-	-
470-474	INFLUENZA.....	146	-	-	-	-	2	-	2	-	2	2	4	6	4	18	8	18	18	22	18	18	4	-
	WHITE.....MALE....	68	-	-	-	-	2	-	-	-	-	-	4	6	2	8	4	6	6	12	8	8	2	-
	FEMALE..	76	-	-	-	-	-	-	2	-	-	2	-	-	2	10	4	12	12	10	10	10	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	1,364	112	38	6	8	4	14	6	10	14	28	32	46	66	86	106	124	186	214	148	88	28	-
	WHITE.....MALE....	724	52	18	4	4	-	4	-	6	6	14	20	28	44	50	54	84	108	100	74	40	14	-
	FEMALE..	520	34	18	-	4	2	8	4	-	6	10	8	10	14	26	42	32	66	104	70	48	14	-
	ALL OTHER..MALE....	96	20	2	2	-	2	-	2	2	2	4	4	6	8	10	8	6	10	6	2	-	-	-
	FEMALE..	24	6	-	-	-	-	2	-	2	-	-	-	2	-	-	2	2	2	4	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	INDIANA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	872	6	4	2	2	-	-	-	-	2	6	12	48	84	106	140	192	140	74	42	8	4	-
	WHITE.....MALE	676	2	4	2	2	-	-	-	-	-	2	6	34	58	86	116	160	118	50	28	6	2	-
	FEMALE	166	4	-	-	-	-	-	-	-	-	4	4	10	24	18	20	26	20	22	12	2	-	-
	ALL OTHER..MALE	24	-	-	-	-	-	-	-	-	2	-	2	2	2	2	2	4	2	2	2	-	2	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	144	4	2	-	-	-	-	-	-	2	-	-	6	6	22	20	26	16	26	8	6	-	-
	WHITE.....MALE	88	2	2	-	-	-	-	-	-	-	-	-	2	4	14	14	18	10	14	4	4	-	-
	FEMALE	48	2	-	-	-	-	-	-	-	-	-	-	2	2	8	6	6	6	12	2	2	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	688	2	-	-	-	-	-	-	-	-	6	6	38	66	84	120	160	120	48	32	2	4	-
	WHITE.....MALE	566	-	-	-	-	-	-	-	-	-	2	2	32	48	72	102	140	106	36	22	2	2	-
	FEMALE	102	2	-	-	-	-	-	-	-	-	4	2	6	16	10	14	16	12	10	10	-	-	-
	ALL OTHER..MALE	16	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	2	2	-	-	2	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
493	ASTHMA	40	-	2	2	2	-	-	-	-	-	-	6	4	12	-	-	6	4	-	2	-	-	-
	WHITE.....MALE	22	-	2	2	2	-	-	-	-	-	-	4	-	6	-	-	2	2	-	2	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	2	2	6	-	-	4	2	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	196	2	2	-	2	-	2	4	-	2	8	10	16	18	24	14	36	20	16	14	6	-	-
	WHITE.....MALE	104	-	2	-	-	-	-	4	-	2	4	4	6	12	16	10	20	8	10	6	-	-	-
	FEMALE	74	-	-	-	2	-	2	-	-	-	4	2	4	6	4	4	16	10	6	8	6	-	-
	ALL OTHER..MALE	14	2	-	-	-	-	-	-	-	-	-	2	6	-	2	-	-	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	42	-	-	-	-	-	-	-	2	-	2	-	2	4	2	6	4	8	4	6	-	2	-
	WHITE.....MALE	28	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	2	8	4	4	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-	2	-	2	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	182	22	2	2	-	2	-	2	2	-	2	6	6	8	10	14	28	22	24	18	2	10	-
	WHITE.....MALE	78	14	2	2	-	2	-	-	-	-	-	2	2	6	2	2	14	6	12	6	-	6	-
	FEMALE	96	6	-	-	-	-	-	2	2	-	2	2	4	2	6	12	12	16	12	12	2	4	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	6	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	600	-	-	-	-	-	-	6	6	26	68	70	84	82	106	58	26	38	22	6	2	-	-
	WHITE.....MALE	338	-	-	-	-	-	-	-	4	16	34	40	64	48	64	34	12	16	4	2	-	-	-
	FEMALE	208	-	-	-	-	-	-	-	-	2	22	22	20	30	36	24	10	20	16	4	2	-	-
	ALL OTHER..MALE	24	-	-	-	-	-	-	2	-	4	6	2	-	4	2	-	-	2	2	-	-	-	-
	FEMALE	30	-	-	-	-	-	-	4	2	4	6	6	-	-	4	-	4	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	90	-	-	-	-	-	-	-	-	2	-	-	6	2	6	8	12	12	20	14	8	-	-
	WHITE.....MALE	40	-	-	-	-	-	-	-	-	2	-	-	-	-	4	4	10	8	4	2	6	-	-
	FEMALE	44	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	2	4	14	12	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
580-584	NEPHRITIS AND NEPHROSIS	196	-	-	4	6	4	4	2	2	-	2	12	8	16	10	24	24	30	16	20	10	2	-
	WHITE.....MALE	104	-	-	2	4	-	2	-	-	-	-	8	2	14	4	8	12	16	12	12	6	2	-
	FEMALE	68	-	-	2	2	4	2	2	2	-	-	2	4	2	2	12	8	14	4	4	2	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	2	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	2	2	2	-	4	-	2	-	-	2	2	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	32	-	-	-	-	-	2	-	-	-	-	-	-	2	6	6	4	4	6	-	2	-	-
	WHITE.....MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	4	4	-	2	-	-
	FEMALE	10	-	-	-	-	-	2	-	-	-	-	-	-	-	-	4	2	-	2	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	164	-	-	4	6	4	2	2	2	-	2	12	8	14	4	18	20	26	10	20	8	2	-
	WHITE.....MALE	86	-	-	2	4	-	2	-	-	-	-	8	2	12	-	8	10	12	8	12	4	2	-
	FEMALE	58	-	-	2	2	4	-	2	2	-	-	2	4	2	2	8	6	14	2	4	2	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	2	-	-	2	2	-	-
590	INFECTIONS OF KIDNEY	200	-	-	-	-	-	-	-	-	-	2	4	10	6	10	16	26	46	40	18	18	4	-
	WHITE.....MALE	86	-	-	-	-	-	-	-	-	-	2	2	-	4	6	8	10	24	16	10	4	-	-
	FEMALE	100	-	-	-	-	-	-	-	-	-	-	-	6	2	4	8	14	22	22	8	10	4	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	2	-	2	-	-
600	HYPERPLASIA OF PROSTATE	56	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	2	6	16	6	14	2	-
	WHITE.....MALE	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	4	16	6	14	2	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	INDIANA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	14	-	-	-	-	2	6	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	10	-	-	-	-	2	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	4	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	10	-	-	-	-	2	4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	8	-	-	-	-	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	402	274	36	16	2	10	4	-	10	-	4	14	8	6	8	2	2	2	2	2	-	-	-
	WHITE.....MALE....	204	140	16	8	-	6	2	-	8	-	-	12	4	-	2	2	-	-	2	2	-	-	-
	FEMALE..	178	116	20	6	2	4	2	-	2	-	4	2	4	6	6	-	2	2	-	-	-	-	-
	ALL OTHER..MALE....	14	12	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	912	912	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	474	474	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	308	308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	474	474	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	234	234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	438	438	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	366	84	6	-	4	16	2	2	2	2	18	8	22	24	12	24	18	24	24	30	32	10	2
	WHITE.....MALE....	174	44	4	-	2	6	2	2	-	-	12	-	16	14	8	8	12	12	12	8	10	-	2
	FEMALE..	136	28	2	-	2	2	-	-	-	-	4	4	-	4	-	10	6	10	12	22	20	10	-
	ALL OTHER..MALE....	28	8	-	-	-	4	-	-	-	2	-	2	4	2	2	2	-	2	-	-	-	-	-
	FEMALE..	28	4	-	-	-	4	-	-	2	-	2	2	2	4	2	4	-	-	-	-	2	-	-
RESIDUAL	ALL OTHER DISEASES.....	2,690	70	50	26	32	26	28	64	46	74	52	142	122	208	250	280	310	350	276	194	68	20	2
	WHITE.....MALE....	1,310	26	26	14	20	20	10	16	24	30	24	46	64	124	142	128	158	192	134	88	18	4	2
	FEMALE..	1,134	22	18	6	10	6	8	32	12	28	18	54	48	62	82	144	142	150	128	102	46	16	-
	ALL OTHER..MALE....	148	14	2	2	2	-	4	8	6	10	6	24	8	12	14	4	8	6	12	2	4	-	-
	FEMALE..	98	8	4	4	-	-	6	8	4	6	4	18	2	10	12	4	2	2	2	2	-	-	-
E800-E949	ACCIDENTS.....	2,938	50	110	90	108	316	284	224	136	124	150	116	138	152	158	128	134	132	144	170	58	16	-
	WHITE.....MALE....	1,810	26	52	56	72	228	200	162	100	76	98	72	94	112	94	82	74	70	64	52	22	4	-
	FEMALE..	888	18	38	24	22	68	64	44	22	32	28	30	32	34	58	40	50	52	72	118	32	10	-
	ALL OTHER..MALE....	172	4	8	6	8	18	18	12	14	16	14	12	12	4	4	2	8	8	2	-	2	-	-
	FEMALE..	68	2	12	4	6	2	2	6	-	-	10	2	-	2	2	4	2	2	6	-	2	2	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	1,500	4	44	44	54	220	218	154	94	78	96	70	72	74	64	54	52	42	36	18	8	4	-
	WHITE.....MALE....	984	4	16	28	28	158	156	114	66	50	56	42	48	50	42	28	28	34	22	8	4	2	-
	FEMALE..	420	-	20	12	22	56	56	32	22	20	18	24	20	22	22	24	20	4	14	10	2	-	-
	ALL OTHER..MALE....	62	-	-	2	2	4	6	4	6	8	14	4	4	-	-	-	4	4	-	-	-	-	-
	FEMALE..	34	-	8	2	2	2	-	4	-	-	8	-	-	2	-	2	-	-	-	-	2	2	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,438	46	66	46	54	96	66	70	42	46	54	46	66	78	94	74	82	90	108	152	50	12	-
	WHITE.....MALE....	826	22	36	28	44	70	44	48	34	26	42	30	46	62	52	54	46	36	42	44	18	2	-
	FEMALE..	468	18	18	12	-	12	8	12	-	12	10	6	12	12	36	16	30	48	58	108	30	10	-
	ALL OTHER..MALE....	110	4	8	4	6	14	12	8	8	8	-	8	8	4	4	2	4	4	2	-	2	-	-
	FEMALE..	34	2	4	2	4	-	2	2	-	-	2	2	-	-	2	2	2	2	6	-	-	-	-
E950-E959	SUICIDE.....	498	...	...	-	2	12	32	60	30	44	52	56	46	38	34	34	10	24	16	8	-	-	-
	WHITE.....MALE....	332	...	...	-	-	10	26	32	18	26	32	32	30	26	24	28	10	22	8	8	-	-	-
	FEMALE..	144	...	...	-	2	2	6	20	10	16	14	24	14	12	10	6	-	2	6	-	-	-	-
	ALL OTHER..MALE....	14	...	...	-	-	-	-	6	2	-	4	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	...	...	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	2	-	-	-	-
E960-E978	HOMICIDE.....	336	10	2	2	6	36	50	52	44	34	40	26	10	8	6	4	2	-	4	-	-	-	-
	WHITE.....MALE....	130	4	-	-	4	10	26	18	14	12	12	10	8	4	-	4	2	-	2	-	-	-	-
	FEMALE..	38	2	2	-	-	12	-	4	2	4	6	4	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	142	2	-	2	2	12	24	28	22	14	18	10	2	2	2	-	-	-	2	-	-	-	-
	FEMALE..	26	2	-	-	-	2	-	2	6	4	4	2	-	2	2	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	92	2	6	-	2	10	8	12	8	2	6	4	14	4	8	2	2	-	2	-	-	-	-
	WHITE.....MALE....	44	2	2	-	-	6	6	6	2	2	4	-	8	2	2	-	-	-	2	-	-	-	-
	FEMALE..	34	-	2	-	-	4	2	6	2	-	2	2	6	-	4	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	10	-	2	-	2	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IOWA																							
	ALL CAUSES.....	29,932	720	136	100	128	304	268	204	182	250	432	628	1,102	1,506	2,174	2,740	3,542	4,502	4,806	3,720	1,868	614	6
	WHITE.....MALE....	16,212	376	80	66	72	208	198	138	116	144	264	386	696	1,016	1,444	1,808	2,088	2,460	2,196	1,594	684	176	2
	FEMALE..	13,376	318	54	34	56	88	54	54	60	86	152	224	394	462	702	910	1,430	2,002	2,580	2,106	1,174	432	4
	ALL OTHER..MALE....	210	16	-	-	-	6	10	12	6	10	10	14	10	16	18	10	16	22	18	8	4	4	-
	FEMALE..	134	10	2	-	-	2	6	-	-	10	6	4	2	12	10	12	8	18	12	12	6	2	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	-	-	4	2	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	-	-
	FEMALE..	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	26	-	-	-	-	-	-	2	-	-	-	-	2	2	2	4	4	2	2	4	2	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	4	-	-	4	2	-	-
	FEMALE..	10	-	-	-	-	-	-	2	-	-	-	-	-	-	2	2	-	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	24	-	-	-	-	-	-	2	-	-	-	-	2	2	2	2	4	2	2	4	2	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	-	-	4	2	-	-
	FEMALE..	10	-	-	-	-	-	-	2	-	-	-	-	-	-	2	2	-	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	40	10	-	-	-	-	4	-	-	-	-	2	-	2	4	6	2	4	-	2	4	-	-
	WHITE.....MALE....	16	2	-	-	-	-	2	-	-	-	-	-	-	-	4	4	-	2	-	-	2	-	-
	FEMALE..	24	8	-	-	-	-	2	-	-	-	-	2	-	2	-	2	2	2	-	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IOWA—CON.																							
RE-	OTHER INFECTIVE AND																							
MAIN-	PARASITIC DISEASES.....	56	10	-	2	-	4	4	2	-	2	2	2	2	6	-	-	6	2	8	2	2	-	-
DER	WHITE.....MALE....	24	6	-	2	-	2	-	-	-	-	-	-	-	2	-	-	2	2	4	2	2	-	-
OF	FEMALE..	30	2	-	-	-	2	4	2	-	2	2	2	2	4	-	-	4	-	4	-	-	-	-
000-	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-	MALIGNANT NEOPLASMS,																							
209	INCLUDING NEOPLASMS OF																							
	LYMPHATIC AND HEMATO-																							
	POIETIC TISSUES.....	5,118	2	18	18	22	22	20	20	28	46	110	150	306	444	556	692	790	760	564	402	110	30	-
	WHITE.....MALE....	2,760	2	10	14	16	12	16	16	12	16	52	72	142	248	326	418	460	428	246	186	58	10	-
	FEMALE..	2,312	-	8	4	6	8	4	4	16	28	56	84	162	186	228	268	326	324	314	214	52	20	-
	ALL OTHER..MALE....	28	-	-	-	-	2	-	-	-	-	2	-	2	8	2	2	2	4	4	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	2	-	2	-	2	-	4	2	4	-	2	-	-	-
140-	OF BUCCAL CAVITY																							
149	AND PHARYNX.....	76	-	-	2	-	-	-	-	-	-	2	-	2	14	16	10	10	10	8	2	-	-	-
	WHITE.....MALE....	56	-	-	2	-	-	-	-	-	-	-	-	2	14	14	6	4	8	4	2	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	6	2	4	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-	OF DIGESTIVE ORGANS																							
159	AND PERITONEUM.....	1,380	-	-	-	-	2	-	-	6	6	16	30	68	106	150	204	232	218	178	122	26	16	-
	WHITE.....MALE....	704	-	-	-	-	-	-	-	4	2	10	12	30	68	84	128	120	124	60	42	16	4	-
	FEMALE..	668	-	-	-	-	-	-	-	2	4	6	18	38	36	64	74	112	94	118	80	10	12	-
	ALL OTHER..MALE....	8	-	-	-	-	2	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-	OF RESPIRATORY SYSTEM....	1,000	-	-	-	-	-	2	-	4	2	26	32	74	124	164	176	188	108	62	30	6	2	-
163	WHITE.....MALE....	840	-	-	-	-	-	2	-	2	2	22	28	60	110	140	152	162	90	44	20	4	2	-
	FEMALE..	156	-	-	-	-	-	-	-	2	-	4	4	12	12	24	24	26	18	18	10	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	OF BREAST.....	496	-	-	-	-	-	-	-	8	8	14	28	42	44	60	72	54	68	54	26	12	6	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	492	-	-	-	-	-	-	-	8	6	14	26	42	44	60	72	54	68	54	26	12	6	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
180-	OF GENITAL ORGANS.....	684	-	-	-	-	2	6	-	-	4	14	24	44	48	46	70	102	128	82	98	16	-	-
187	WHITE.....MALE....	356	-	-	-	-	2	4	-	-	-	2	4	6	8	12	32	66	80	56	72	12	-	-
	FEMALE..	320	-	-	-	-	-	2	-	-	4	12	20	38	34	34	38	36	48	26	24	4	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-
188,	OF URINARY ORGANS.....	272	-	-	-	-	2	2	-	2	2	-	6	12	14	22	40	34	52	44	24	16	-	-
189	WHITE.....MALE....	198	-	-	-	-	2	2	-	2	-	-	6	10	10	18	26	26	38	36	16	6	-	-
	FEMALE..	68	-	-	-	-	-	-	-	-	2	-	-	2	4	4	12	6	12	8	8	10	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
170-	OF ALL OTHER AND																							
173,	UNSPECIFIED SITES.....	656	2	8	6	10	6	2	16	2	12	22	20	46	58	48	54	92	100	66	70	14	2	-
190-	WHITE.....MALE....	324	2	6	4	6	2	2	16	2	6	16	10	26	24	30	38	46	46	18	16	8	-	-
199	FEMALE..	326	-	2	2	4	4	-	-	-	6	4	10	20	34	18	16	46	52	46	54	6	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
204-	LEUKEMIA.....	258	-	10	8	12	4	4	-	4	4	8	4	8	12	24	20	28	36	38	18	12	4	-
207	WHITE.....MALE....	142	-	4	6	10	2	4	-	2	4	-	4	6	6	12	16	16	16	14	10	6	4	-
	FEMALE..	108	-	6	2	2	2	-	-	2	-	8	-	2	6	12	4	10	16	22	8	6	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
200-	OTHER NEOPLASMS OF																							
203,	LYMPHATIC AND HEMATO-																							
208,	POIETIC TISSUES.....	296	-	-	2	-	6	4	4	2	8	8	14	10	24	26	46	50	40	32	12	8	-	-
209	WHITE.....MALE....	140	-	-	2	-	4	2	-	-	2	2	8	2	8	16	20	20	26	14	8	6	-	-
	FEMALE..	154	-	-	-	-	2	2	4	2	6	6	6	8	16	10	24	30	14	18	4	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
210-	BENIGN NEOPLASMS AND																							
239	NEOPLASMS OF UNSPECI-																							
	FIED NATURE.....	62	-	-	-	-	-	2	-	2	-	-	2	4	6	4	12	8	6	16	-	-	-	-
	WHITE.....MALE....	28	-	-	-	-	-	-	-	2	-	-	2	2	4	2	6	4	-	6	-	-	-	-
	FEMALE..	32	-	-	-	-	-	2	-	-	-	-	-	2	2	2	4	4	6	10	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	588	-	-	-	2	-	-	-	4	4	6	2	22	32	42	64	84	130	102	74	10	8	2
	WHITE.....MALE....	248	-	-	-	-	-	-	-	4	2	6	-	10	20	16	22	22	44	40	54	4	4	-
	FEMALE..	330	-	-	-	2	-	-	-	-	2	-	2	10	10	24	42	62	82	62	20	6	4	2
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IOWA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	54	2	-	-	-	2	-	-	-	-	-	4	-	2	2	2	2	6	10	6	14	2	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	4	2	6	-	-
	FEMALE..	32	2	-	-	-	2	-	-	-	-	-	-	-	-	-	2	2	6	4	4	8	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	34	-	2	-	-	-	-	2	-	-	-	-	2	4	2	4	6	-	4	6	2	-	-
	WHITE.....MALE....	22	-	2	-	-	-	-	-	-	-	-	-	2	2	2	4	2	-	2	4	2	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	2	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	8	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	2	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	2	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	17,188	12	10	-	8	6	10	18	28	48	146	272	458	680	1,204	1,476	2,026	2,872	3,360	2,672	1,428	454	-
	WHITE.....MALE....	9,078	-	6	-	4	-	4	16	20	28	102	214	330	510	860	1,030	1,214	1,550	1,504	1,058	504	124	-
	FEMALE..	7,952	10	4	-	4	4	4	2	8	14	36	54	122	160	330	436	794	1,298	1,834	1,598	916	324	-
	ALL OTHER..MALE....	90	2	-	-	-	2	-	-	-	4	4	4	4	2	10	6	14	16	10	6	2	4	-
	FEMALE..	68	-	-	-	-	-	2	-	-	2	4	-	2	8	4	4	4	8	12	10	6	2	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	12,136	12	8	-	6	2	6	12	20	34	118	226	392	586	994	1,188	1,518	2,042	2,198	1,638	854	282	-
	WHITE.....MALE....	6,838	-	4	-	2	-	2	10	16	22	88	190	296	454	728	862	940	1,140	1,014	676	314	80	-
	FEMALE..	5,204	10	4	-	4	-	2	2	4	10	26	32	92	126	260	318	566	890	1,170	952	538	198	-
	ALL OTHER..MALE....	52	2	-	-	-	2	-	-	-	-	2	4	2	2	2	4	10	8	8	4	-	2	-
	FEMALE..	42	-	-	-	-	-	2	-	-	2	2	-	2	4	4	4	2	4	6	6	2	2	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	190	-	-	-	-	2	2	2	-	4	4	18	18	20	36	32	20	12	6	12	2	-	-
	WHITE.....MALE....	104	-	-	-	-	-	-	2	-	2	-	12	16	8	22	14	18	8	-	2	-	-	-
	FEMALE..	80	-	-	-	-	-	-	-	-	2	4	4	2	12	14	18	2	4	6	10	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	122	-	-	-	-	-	-	2	-	-	-	-	4	2	6	10	18	22	24	24	6	4	-
	WHITE.....MALE....	44	-	-	-	-	-	-	2	-	-	-	-	2	2	2	6	8	6	4	8	4	-	-
	FEMALE..	78	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	10	16	20	16	2	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	158	-	-	-	-	-	-	-	-	-	-	2	-	2	2	12	6	20	34	44	28	8	-
	WHITE.....MALE....	60	-	-	-	-	-	-	-	-	-	-	2	-	2	-	10	2	8	12	14	6	4	-
	FEMALE..	98	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	12	22	30	22	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	10,884	-	-	-	-	-	2	2	12	24	104	192	344	538	896	1,066	1,414	1,882	1,962	1,446	760	240	-
	WHITE.....MALE....	6,262	-	-	-	-	-	2	2	10	16	82	168	262	426	668	790	880	1,064	924	622	276	70	-
	FEMALE..	4,544	-	-	-	-	-	-	-	2	8	20	22	80	106	222	270	522	806	1,024	814	482	166	-
	ALL OTHER..MALE....	40	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	10	8	8	4	-	2	-
	FEMALE..	38	-	-	-	-	-	-	-	-	-	2	-	2	4	4	4	2	4	6	6	2	2	-
410	ACUTE MYOCARDIAL INFARCTION.....	6,366	-	-	-	-	-	-	2	10	22	92	158	284	444	696	804	900	1,072	970	576	264	72	-
	WHITE.....MALE....	4,072	-	-	-	-	-	-	2	8	14	72	144	226	358	538	616	584	626	488	272	98	26	-
	FEMALE..	2,258	-	-	-	-	-	-	-	2	8	20	12	58	82	152	184	308	442	480	300	166	44	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	6	2	-	-	-	2	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	2	2	4	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	32	-	-	-	-	-	2	-	-	-	-	-	2	4	2	6	6	2	-	6	2	-	-
	WHITE.....MALE....	16	-	-	-	-	-	2	-	-	-	-	-	2	2	2	6	2	-	-	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	6	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	4,482	-	-	-	-	-	-	-	2	2	12	34	58	90	198	256	508	806	990	864	494	168	-
	WHITE.....MALE....	2,170	-	-	-	-	-	-	-	2	2	10	24	34	66	128	168	294	436	434	350	178	44	-
	FEMALE..	2,270	-	-	-	-	-	-	-	-	-	-	10	22	22	70	86	210	362	544	508	314	122	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	8	4	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	-	2	4	2	2	2	-
413	ANGINA PECTORIS.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IOWA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	174	-	2	-	-	-	-	-	2	-	-	-	4	2	8	22	10	26	48	30	12	8	-
	WHITE.....MALE....	80	-	-	-	-	-	-	-	2	-	-	-	4	2	4	12	6	12	20	10	8	-	-
	FEMALE..	92	-	2	-	-	-	-	-	-	-	-	-	-	-	4	8	4	14	28	20	4	8	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	608	12	6	-	6	-	2	6	6	6	10	14	22	22	46	46	50	80	124	82	46	22	-
	WHITE.....MALE....	288	-	4	-	2	-	-	4	4	4	6	8	12	14	32	30	26	42	54	20	20	6	-
	FEMALE..	312	10	2	-	4	-	2	2	2	-	2	6	8	8	14	16	24	38	70	62	26	16	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	124	-	-	-	-	-	-	-	-	-	-	2	4	2	12	2	14	16	26	28	16	2	-
	WHITE.....MALE....	54	-	-	-	-	-	-	-	-	-	-	-	2	-	6	2	10	8	10	8	8	-	-
	FEMALE..	66	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	4	8	16	20	8	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	3,648	-	2	-	2	4	4	6	8	14	20	38	54	64	158	224	420	612	824	724	370	100	-
	WHITE.....MALE....	1,540	-	2	-	2	-	2	6	4	6	10	22	26	38	92	116	204	284	338	264	104	20	-
	FEMALE..	2,066	-	-	-	-	4	2	-	4	4	8	16	28	22	64	106	210	318	482	456	264	78	-
	ALL OTHER..MALE....	24	-	-	-	-	-	-	-	-	4	-	-	-	-	2	2	4	6	-	2	2	2	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	2	4	4	2	-	-	-
431	CEREBRAL HEMORRHAGE.....	536	-	-	-	-	2	2	-	-	4	6	8	20	26	40	58	62	76	110	82	34	6	-
	WHITE.....MALE....	252	-	-	-	-	-	2	-	-	4	4	8	8	20	18	30	22	38	46	44	4	4	-
	FEMALE..	284	-	-	-	-	2	-	-	-	-	2	-	12	6	22	28	40	38	64	38	30	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	874	-	-	-	2	-	-	-	-	-	2	2	6	4	38	54	108	158	200	176	94	30	-
	WHITE.....MALE....	346	-	-	-	2	-	-	-	-	-	2	2	2	2	20	22	48	84	76	52	28	6	-
	FEMALE..	520	-	-	-	-	-	-	-	-	-	-	-	4	2	18	30	60	74	122	122	64	24	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
434	CEREBRAL EMBOLISM.....	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	2	4	4	-	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	2	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	2,216	-	2	-	-	2	2	6	8	10	12	28	28	34	78	110	242	376	510	462	242	64	-
	WHITE.....MALE....	926	-	2	-	-	-	-	6	4	2	4	12	16	16	52	62	126	160	214	168	72	10	-
	FEMALE..	1,256	-	-	-	-	2	2	-	4	4	6	16	12	14	24	48	110	206	294	292	170	52	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	4	-	-	-	-	2	-	4	6	-	2	-	2	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	2	4	2	-	-	-	-
440	ARTERIOSCLEROSIS.....	818	-	-	-	-	-	-	-	-	-	2	-	-	8	10	16	32	112	212	210	152	64	-
	WHITE.....MALE....	348	-	-	-	-	-	-	-	-	-	2	-	-	4	6	10	22	52	86	90	54	22	-
	FEMALE..	456	-	-	-	-	-	-	-	-	-	-	-	-	4	-	6	10	58	122	120	94	42	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	462	-	-	-	-	-	-	-	-	-	6	6	8	20	30	46	42	90	100	72	36	6	-
	WHITE.....MALE....	298	-	-	-	-	-	-	-	-	-	2	2	6	14	28	40	38	66	56	20	24	2	-
	FEMALE..	160	-	-	-	-	-	-	-	-	-	2	4	2	6	2	6	4	24	44	50	12	4	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	10	-	-	-	-	-	-	-	2	-	-	2	-	-	2	-	2	2	-	-	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	2	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	1,108	40	12	2	6	-	8	-	4	8	16	6	18	36	48	58	94	182	198	188	120	64	-
	WHITE.....MALE....	554	20	8	-	6	-	4	-	2	2	6	4	18	20	24	38	58	100	102	86	38	18	-
	FEMALE..	546	20	4	2	-	-	4	-	2	4	10	2	-	14	24	20	36	80	94	102	82	46	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
470-474	INFLUENZA.....	108	-	-	-	-	-	2	-	-	-	2	2	6	4	6	12	6	14	14	14	18	8	-
	WHITE.....MALE....	46	-	-	-	-	-	-	-	-	-	2	2	6	-	2	12	4	6	6	4	2	-	-
	FEMALE..	62	-	-	-	-	-	2	-	-	-	-	-	-	4	4	-	2	8	8	10	16	8	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	1,000	40	12	2	6	-	6	-	4	8	14	4	12	32	42	46	88	168	184	174	102	56	-
	WHITE.....MALE....	508	20	8	-	6	-	4	-	2	2	4	2	12	20	22	26	54	94	96	82	36	18	-
	FEMALE..	484	20	4	2	-	-	2	-	2	4	10	2	-	10	20	20	34	72	86	92	66	38	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IOWA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	536	-	2	2	2	2	-	-	-	4	2	-	20	34	46	98	100	114	64	28	16	2	-
	WHITE.....MALE....	444	-	2	2	-	-	-	-	-	-	-	-	18	18	36	90	90	100	56	22	8	2	-
	FEMALE..	86	-	-	-	2	2	-	-	-	2	2	-	2	14	8	8	10	14	8	6	8	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	72	-	2	-	2	-	-	-	-	2	-	-	-	2	4	24	16	8	4	4	4	-	-
	WHITE.....MALE....	54	-	2	-	-	-	-	-	-	-	-	-	-	2	4	20	10	8	4	2	2	-	-
	FEMALE..	18	-	-	-	2	-	-	-	-	2	-	-	-	-	-	4	6	-	-	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	440	-	-	-	-	-	-	-	-	-	2	-	16	30	40	74	84	100	58	22	12	2	-
	WHITE.....MALE....	382	-	-	-	-	-	-	-	-	-	-	-	16	16	32	70	80	88	52	20	6	2	-
	FEMALE..	56	-	-	-	-	-	-	-	-	-	2	-	-	12	8	4	4	12	6	2	6	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	24	-	-	2	-	2	-	-	-	2	-	-	4	2	2	-	-	6	2	2	-	-	-
	WHITE.....MALE....	8	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	4	-	-	-	-	-
	FEMALE..	12	-	-	-	-	2	-	-	-	-	-	-	2	2	-	-	-	2	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	116	-	-	-	-	-	-	-	2	2	-	-	2	12	4	12	30	20	8	20	4	-	-
	WHITE.....MALE....	66	-	-	-	-	-	-	-	-	2	-	-	2	10	2	8	14	8	6	12	2	-	-
	FEMALE..	48	-	-	-	-	-	-	-	2	-	-	-	-	2	2	2	16	12	2	8	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
540-543	APPENDICITIS	30	2	-	2	-	-	-	2	-	-	-	2	2	2	2	4	4	4	2	2	-	-	-
	WHITE.....MALE....	16	2	-	-	-	-	-	-	-	-	-	-	2	-	2	4	2	2	-	2	-	-	-
	FEMALE..	14	-	-	2	-	-	-	2	-	-	-	2	-	2	-	-	2	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	110	4	-	-	-	-	-	-	-	2	-	-	-	4	2	6	10	24	30	18	6	4	-
	WHITE.....MALE....	48	2	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	12	10	10	4	-	-
	FEMALE..	60	2	-	-	-	-	-	-	-	-	-	-	-	4	-	2	6	12	20	8	2	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	228	-	-	-	-	-	-	2	-	4	14	18	50	36	26	26	20	12	14	4	-	-	2
	WHITE.....MALE....	162	-	-	-	-	-	-	-	-	4	10	6	36	30	18	20	16	8	12	2	-	-	-
	FEMALE..	58	-	-	-	-	-	-	2	-	-	2	8	14	6	6	6	4	4	2	2	-	-	2
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	70	-	-	-	-	-	-	-	-	-	2	-	2	2	4	6	4	12	16	16	4	2	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	2	6	8	2	-	-	-
	FEMALE..	40	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	6	8	14	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	90	-	-	-	-	-	-	-	2	4	4	-	-	2	2	10	8	22	8	16	8	4	-
	WHITE.....MALE....	52	-	-	-	-	-	-	-	-	2	4	-	-	-	2	8	4	14	4	10	-	4	-
	FEMALE..	36	-	-	-	-	-	-	-	2	2	-	-	-	2	-	2	4	8	4	4	8	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	18	-	-	-	-	-	-	-	2	-	2	-	-	-	2	2	-	6	4	-	-	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	4	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	72	-	-	-	-	-	-	-	-	4	2	-	-	2	-	8	8	16	4	16	8	4	-
	WHITE.....MALE....	42	-	-	-	-	-	-	-	-	2	2	-	-	-	-	8	4	10	2	10	-	4	-
	FEMALE..	28	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	4	6	2	4	8	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	66	-	-	-	-	-	-	-	-	-	-	2	2	-	-	8	-	8	18	16	10	2	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	6	2	8	4	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	-	2	16	8	6	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	34	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	4	14	10	2	-	-
	WHITE.....MALE....	34	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	4	14	10	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IOWA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	224	128	26	4	2	8	4	4	2	6	2	2	4	4	6	2	8	4	4	4	-	-	-
	WHITE.....MALE....	118	76	8	-	-	4	2	4	2	4	2	-	-	4	2	-	2	4	-	4	-	-	-
	FEMALE..	100	46	18	4	2	4	2	-	-	2	-	2	4	-	4	2	6	-	4	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	446	446	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	192	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	232	232	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	214	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	150	34	-	2	2	-	4	-	2	6	2	-	2	10	2	12	12	10	16	14	6	12	2
	WHITE.....MALE....	74	14	-	2	2	-	4	-	2	-	2	-	2	8	-	-	10	4	10	8	4	-	2
	FEMALE..	72	18	-	-	-	-	-	-	-	4	-	-	-	2	2	12	2	6	6	6	2	12	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-SID-UAL	ALL OTHER DISEASES.....	1,406	12	14	16	10	18	14	14	10	24	26	38	72	74	124	134	210	186	214	116	64	16	-
	WHITE.....MALE....	690	6	6	8	2	10	6	8	2	16	12	14	36	48	72	70	108	94	90	52	24	6	-
	FEMALE..	694	6	8	8	8	8	4	4	6	6	12	22	36	26	46	64	100	92	124	64	40	10	-
	ALL OTHER..MALE....	16	-	-	-	-	-	2	2	2	2	2	2	-	-	4	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
E800-E949	ACCIDENTS.....	1,740	14	50	52	70	218	168	108	70	74	68	68	100	74	70	72	86	106	124	86	48	14	-
	WHITE.....MALE....	1,170	4	38	38	40	166	140	76	46	56	44	48	68	60	50	50	52	64	66	46	10	8	-
	FEMALE..	542	10	10	14	30	52	22	30	20	16	22	16	30	14	20	20	34	42	58	40	36	6	-
	ALL OTHER..MALE....	26	-	-	-	-	-	6	2	4	2	2	4	2	-	-	2	-	-	-	-	2	-	-
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	928	-	24	26	44	174	144	74	48	44	42	38	56	24	36	36	32	36	40	10	-	-	-
	WHITE.....MALE....	636	-	14	18	20	132	116	48	30	34	24	26	32	16	24	24	18	22	30	8	-	-	-
	FEMALE..	276	-	8	8	24	42	22	26	14	10	18	10	22	8	12	12	14	14	10	2	-	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	6	-	4	-	-	2	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	812	14	26	26	26	44	24	34	22	30	26	30	44	50	34	36	54	70	84	76	48	14	-
	WHITE.....MALE....	534	4	24	20	20	34	24	28	16	22	20	22	36	44	26	26	34	42	36	38	10	8	-
	FEMALE..	266	10	2	6	6	10	-	4	6	6	4	6	8	6	8	8	20	28	48	38	36	6	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	2	-	2	2	2	-	-	-	2	-	-	-	-	2	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	280	...	...	-	2	20	14	12	22	6	26	38	26	32	18	22	20	6	6	6	4	-	-
	WHITE.....MALE....	200	...	...	-	-	14	12	6	18	4	20	16	20	24	14	16	14	6	6	6	4	-	-
	FEMALE..	76	...	...	-	2	4	2	4	4	2	6	22	6	8	4	6	6	-	-	-	-	-	-
	ALL OTHER..MALE....	4	...	...	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	60	2	-	-	-	2	12	12	2	4	2	6	2	4	2	-	4	2	-	4	-	-	-
	WHITE.....MALE....	34	2	-	-	-	-	6	10	2	2	2	2	2	2	2	-	-	-	-	2	-	-	-
	FEMALE..	16	-	-	-	-	2	2	-	-	2	-	2	-	2	-	-	4	-	-	2	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	30	-	-	-	2	2	2	6	2	4	4	2	-	2	-	-	-	2	2	-	-	-	-
	WHITE.....MALE....	20	-	-	-	2	-	2	2	2	4	2	2	-	2	-	-	-	-	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KANSAS																							
	ALL CAUSES	22,388	580	120	64	76	214	250	222	172	216	314	592	800	1,224	1,774	2,216	2,648	3,246	3,450	2,508	1,224	472	6
	WHITE.....MALE	11,736	268	56	38	44	142	190	146	102	124	160	368	464	770	1,084	1,358	1,588	1,660	1,614	986	432	142	-
	FEMALE	9,502	246	56	22	28	60	40	54	56	62	116	178	286	392	576	742	920	1,464	1,692	1,456	770	304	2
	ALL OTHER..MALE	656	32	2	2	-	10	14	18	12	18	22	24	44	50	72	62	82	64	80	28	10	8	2
	FEMALE	494	34	6	2	4	2	6	4	2	12	16	22	26	12	42	54	58	58	64	38	12	18	2
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	30	-	-	-	-	-	-	-	-	-	-	-	6	2	8	2	2	8	2	-	-	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	-	6	-	2	-	-	6	-	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	-	2	6	2	-	2	2	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	22	-	-	-	-	-	-	-	-	-	-	-	6	-	6	2	-	6	2	-	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	6	-	2	-	-	4	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	28	8	-	-	-	-	-	-	-	-	-	2	-	4	4	2	-	-	2	4	2	-	-
	WHITE.....MALE	20	6	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	2	2	2	-	-
	FEMALE	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	12	-	-	-	-	-	-	2	-	-	-	-	-	-	2	2	2	2	2	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KANSAS—CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	46	-	6	4	4	2	2	2	-	-	-	4	-	-	2	-	8	2	4	2	2	2	-
	WHITE.....MALE....	32	-	4	4	4	-	-	2	-	-	-	2	-	-	2	-	6	2	-	2	2	2	-
	FEMALE..	12	-	2	-	-	2	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	3,952	4	6	14	10	12	20	20	28	48	68	158	210	364	472	564	530	556	516	250	68	32	2
	WHITE.....MALE....	2,062	4	4	10	4	6	12	16	10	24	22	66	100	194	250	304	308	304	260	116	36	12	-
	FEMALE..	1,706	-	2	2	4	6	8	4	16	18	40	80	94	160	198	232	196	240	238	126	28	12	2
	ALL OTHER..MALE....	114	-	-	-	-	-	-	-	2	-	4	6	10	8	18	16	22	8	10	4	-	6	-
	FEMALE..	70	-	-	2	2	-	-	-	-	6	2	6	6	2	6	12	4	4	8	4	4	2	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	60	-	-	-	-	-	-	-	-	-	2	-	14	6	8	4	4	10	6	2	4	-	-
	WHITE.....MALE....	36	-	-	-	-	-	-	-	-	-	-	-	4	4	6	2	4	8	4	-	4	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	10	2	2	2	-	2	2	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	1,022	-	-	-	-	-	-	-	-	12	10	44	36	70	104	146	154	166	178	66	28	8	-
	WHITE.....MALE....	494	-	-	-	-	-	-	-	-	8	2	22	18	40	48	66	82	86	76	30	14	2	-
	FEMALE..	482	-	-	-	-	-	-	-	-	2	8	20	14	26	48	70	70	78	96	32	12	6	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	-	-	-	2	2	2	6	6	2	-	4	4	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	2	-	-	2	2	2	4	-	2	2	-	2	-	-
160-163	OF RESPIRATORY SYSTEM....	790	-	-	-	-	-	-	-	2	4	18	32	56	110	134	142	110	82	60	36	4	-	-
	WHITE.....MALE....	588	-	-	-	-	-	-	-	-	4	10	14	48	78	100	110	88	66	46	22	2	-	-
	FEMALE..	160	-	-	-	-	-	-	-	2	-	6	14	4	28	22	22	18	16	14	12	2	-	-
	ALL OTHER..MALE....	36	-	-	-	-	-	-	-	-	-	2	4	4	4	10	10	2	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	-	-	-
174	OF BREAST.....	346	-	-	-	-	-	-	2	2	10	6	14	34	44	46	64	20	52	36	10	4	2	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	332	-	-	-	-	-	-	2	2	8	6	12	34	44	46	60	20	50	34	10	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	2	-	2	-	-	-	4	-	-	2	-	-	2	-
180-187	OF GENITAL ORGANS.....	584	-	-	-	-	2	-	4	2	2	10	16	28	40	46	72	78	96	118	52	10	8	-
	WHITE.....MALE....	294	-	-	-	-	-	-	2	-	-	-	-	4	10	10	36	42	68	80	30	8	4	-
	FEMALE..	262	-	-	-	-	2	-	2	2	2	8	14	22	30	34	34	28	28	32	22	2	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	6	-	4	-	-	4	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	2	-	2	-	-	-	-
188, 189	OF URINARY ORGANS.....	226	-	-	-	2	2	2	-	-	-	2	6	6	20	30	36	30	26	22	32	4	6	-
	WHITE.....MALE....	150	-	-	-	2	-	2	-	-	-	2	6	4	12	20	32	22	16	14	12	2	4	-
	FEMALE..	68	-	-	-	-	2	-	-	-	-	-	-	2	8	10	2	6	8	8	20	2	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	444	-	6	8	4	4	10	6	10	10	10	26	22	48	44	44	58	52	36	28	12	4	2
	WHITE.....MALE....	226	-	4	6	-	2	6	6	4	8	4	12	14	26	28	30	24	20	16	12	4	-	-
	FEMALE..	192	-	2	-	2	2	4	-	4	2	6	14	2	20	14	14	28	32	20	14	6	4	2
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	2	-	-	-	2	2	2	-	6	-	-	-	-	-	-
	FEMALE..	12	-	-	2	2	-	-	-	-	-	-	-	4	-	-	-	-	-	-	2	2	-	-
204-207	LEUKEMIA.....	208	4	-	6	4	4	2	-	6	2	2	12	2	12	32	20	26	28	26	14	2	4	-
	WHITE.....MALE....	130	4	-	4	2	4	2	-	2	-	2	8	2	10	20	10	20	20	10	6	2	2	-
	FEMALE..	74	-	-	2	2	-	-	-	4	2	-	4	-	2	12	10	4	6	16	8	-	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	272	-	-	-	-	-	6	8	6	8	8	8	12	14	28	36	50	44	34	10	-	-	-
	WHITE.....MALE....	142	-	-	-	-	-	2	8	4	4	2	4	6	14	18	18	26	18	14	4	-	-	-
	FEMALE..	114	-	-	-	-	-	4	-	2	2	6	2	6	-	10	18	22	20	16	6	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	2	2	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	34	-	-	-	-	-	-	-	-	-	2	4	-	4	8	2	6	-	6	-	2	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	2	-	4	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	4	-	2	-	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	450	-	-	-	-	-	-	2	8	4	6	8	20	46	36	58	68	80	56	42	16	-	-
	WHITE.....MALE....	182	-	-	-	-	-	-	-	4	4	2	6	10	22	14	24	24	22	30	14	6	-	-
	FEMALE..	220	-	-	-	-	-	-	-	4	-	4	-	4	22	20	22	36	48	24	26	10	-	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	-	-	-	2	2	2	6	4	4	2	-	-	-	-
	FEMALE..	26	-	-	-	-	-	-	2	-	-	-	2	4	-	-	6	4	6	-	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KANSAS--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	12	6	2	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	4	6	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	46	-	-	-	2	-	-	-	-	2	-	-	2	2	6	2	2	4	12	10	2	-	-
	WHITE.....MALE....	22	-	-	-	2	-	-	-	-	2	-	-	2	2	4	-	2	-	6	2	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	6	8	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	22	6	2	-	-	-	-	2	2	2	-	4	-	-	-	-	4	-	-	-	-	-	-
	WHITE.....MALE....	18	6	-	-	-	-	-	2	2	2	-	4	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	12,306	4	2	2	4	4	10	6	34	38	110	232	312	544	894	1,164	1,538	2,006	2,328	1,804	928	340	2
	WHITE.....MALE....	6,256	2	-	2	4	2	4	2	22	20	72	166	196	376	608	756	920	996	1,032	680	300	96	-
	FEMALE..	5,468	2	2	-	-	2	4	4	8	10	24	44	84	126	224	354	538	932	1,190	1,078	616	226	-
	ALL OTHER..MALE....	302	-	-	-	-	-	-	-	2	6	6	12	18	34	40	24	38	40	56	18	6	2	-
	FEMALE..	280	-	-	-	-	-	2	-	2	2	8	10	14	8	22	30	42	38	50	28	6	16	2
390-398, 402, 404, 410-429	DISEASES OF HEART.....	8,830	4	2	2	2	4	4	4	20	26	88	186	264	454	736	898	1,130	1,440	1,562	1,186	594	224	-
	WHITE.....MALE....	4,736	2	-	2	2	2	2	2	16	14	62	150	174	318	526	596	690	722	714	470	210	62	-
	FEMALE..	3,690	2	2	-	-	2	2	2	2	8	16	26	68	102	170	260	382	662	780	676	376	152	-
	ALL OTHER..MALE....	214	-	-	-	-	-	-	-	2	2	6	6	14	26	30	20	28	26	34	16	4	-	-
	FEMALE..	190	-	-	-	-	-	-	-	-	2	4	4	8	8	10	22	30	30	34	24	4	10	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	126	-	-	-	-	-	-	-	-	2	-	12	6	16	18	20	14	22	10	2	2	2	-
	WHITE.....MALE....	54	-	-	-	-	-	-	-	-	-	-	8	-	2	10	10	8	8	4	2	-	2	-
	FEMALE..	68	-	-	-	-	-	-	-	-	2	-	4	6	12	8	10	6	12	6	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	80	-	-	-	-	-	-	-	2	-	2	2	2	4	6	12	6	14	10	12	6	2	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	2	2	-	2	4	6	6	6	-	-	4	-	-
	FEMALE..	44	-	-	-	-	-	-	-	2	-	-	-	2	2	2	4	-	6	10	12	2	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	92	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	22	18	22	16	2	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	10	6	8	4	2	-
	FEMALE..	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	12	12	14	12	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	8,080	-	-	-	-	-	-	2	12	20	78	164	242	402	684	824	1,056	1,330	1,430	1,094	534	208	-
	WHITE.....MALE....	4,392	-	-	-	-	-	-	2	10	10	60	134	166	296	498	542	656	674	670	432	184	58	-
	FEMALE..	3,314	-	-	-	-	-	-	-	-	6	10	22	56	76	158	242	342	606	698	622	342	142	-
	ALL OTHER..MALE....	196	-	-	-	-	-	-	-	2	2	4	4	14	24	26	18	28	24	30	16	4	-	-
	FEMALE..	178	-	-	-	-	-	-	-	-	2	4	4	6	6	10	22	30	26	32	24	4	8	-
410	ACUTE MYOCARDIAL INFARCTION.....	4,602	-	-	-	-	-	-	2	6	16	66	144	180	328	548	602	716	714	672	404	152	52	-
	WHITE.....MALE....	2,814	-	-	-	-	-	-	2	4	10	50	120	126	250	416	406	450	386	346	174	54	20	-
	FEMALE..	1,586	-	-	-	-	-	-	-	-	2	10	18	36	54	108	174	236	312	300	210	94	32	-
	ALL OTHER..MALE....	126	-	-	-	-	-	-	-	2	2	4	2	14	20	18	8	16	10	18	8	4	-	-
	FEMALE..	76	-	-	-	-	-	-	-	-	2	2	4	4	4	6	14	14	6	8	12	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	40	-	-	-	-	-	-	-	-	-	-	2	2	-	8	4	8	-	6	10	-	-	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	-	2	2	-	6	4	6	-	6	6	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	3,434	-	-	-	-	-	-	-	6	4	12	18	58	74	128	218	332	616	752	678	382	156	-
	WHITE.....MALE....	1,544	-	-	-	-	-	-	-	6	-	10	12	36	46	76	132	200	288	318	252	130	38	-
	FEMALE..	1,718	-	-	-	-	-	-	-	-	4	-	4	20	22	40	68	104	294	398	406	248	110	-
	ALL OTHER..MALE....	70	-	-	-	-	-	-	-	-	-	-	2	-	4	8	10	12	14	12	8	-	-	-
	FEMALE..	102	-	-	-	-	-	-	-	-	-	2	-	2	2	4	8	16	20	24	12	4	8	-
413	ANGINA PECTORIS.....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KANSAS--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	98	-	-	-	-	2	-	-	-	2	2	2	-	4	6	10	14	12	22	10	8	4	-
	WHITE.....MALE....	46	-	-	-	-	2	-	-	-	2	-	2	-	-	4	10	2	4	8	6	6	-	-
	FEMALE..	50	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	12	8	14	4	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	354	4	2	2	2	2	4	2	6	2	6	6	14	28	20	30	32	40	72	46	28	6	-
	WHITE.....MALE....	180	2	-	2	2	-	2	-	6	2	-	4	8	18	10	26	18	20	26	22	12	-	-
	FEMALE..	156	2	2	-	-	2	2	2	-	-	4	-	4	8	8	4	14	18	40	24	16	6	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	2	2	-	2	2	-	-	2	4	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
400, 401, 403	HYPERTENSION.....	84	-	-	-	-	-	-	-	-	-	2	4	-	2	10	4	6	14	14	20	6	2	-
	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	6	6	2	2	-	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	6	6	18	4	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	2	-	-	6	-	-	2	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	2,622	-	-	-	2	-	6	2	10	10	18	34	36	74	112	204	304	432	594	472	236	74	2
	WHITE.....MALE....	1,098	-	-	-	2	-	2	-	2	4	10	8	16	46	56	120	156	192	234	166	60	24	-
	FEMALE..	1,392	-	-	-	-	-	2	2	6	2	4	18	14	22	42	74	128	222	334	302	174	46	-
	ALL OTHER..MALE....	66	-	-	-	-	-	-	-	-	4	-	6	2	6	8	2	8	12	14	2	-	2	-
	FEMALE..	66	-	-	-	-	-	2	-	2	-	4	2	4	-	6	8	12	6	12	2	2	2	2
431	CEREBRAL HEMORRHAGE.....	546	-	-	-	2	-	2	2	-	2	6	10	8	18	38	48	98	84	122	58	38	10	-
	WHITE.....MALE....	252	-	-	-	2	-	-	-	-	-	2	2	4	8	20	34	54	34	62	16	8	6	-
	FEMALE..	260	-	-	-	-	-	-	2	-	-	2	6	2	8	14	12	36	46	58	42	28	4	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	2	-	2	-	2	4	-	2	2	-	-	-	-	-
	FEMALE..	20	-	-	-	-	-	2	-	-	-	2	-	2	-	-	2	6	2	2	-	2	-	-
433	CEREBRAL THROMBOSIS.....	590	-	-	-	-	-	-	-	-	2	-	4	10	8	24	50	68	106	122	118	64	12	2
	WHITE.....MALE....	242	-	-	-	-	-	-	-	-	2	-	2	4	4	18	30	34	42	48	40	14	4	-
	FEMALE..	306	-	-	-	-	-	-	-	-	-	-	-	6	-	4	18	30	54	58	78	50	8	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	-	8	6	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	10	-	-	-	2
434	CEREBRAL EMBOLISM.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	1,478	-	-	-	-	-	4	-	10	6	12	20	18	48	50	106	136	240	348	294	134	52	-
	WHITE.....MALE....	600	-	-	-	-	-	2	-	2	2	8	4	8	34	18	56	68	114	122	110	38	14	-
	FEMALE..	822	-	-	-	-	-	2	-	6	2	2	12	6	14	24	44	60	122	218	180	96	34	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	-	-	2	-	2	2	-	2	2	6	2	8	2	-	2	-
	FEMALE..	26	-	-	-	-	-	-	-	2	-	2	2	2	-	6	4	2	2	-	2	-	2	-
440	ARTERIOSCLEROSIS.....	446	-	-	-	-	-	-	-	-	-	2	2	4	-	4	18	30	66	106	102	76	36	-
	WHITE.....MALE....	182	-	-	-	-	-	-	-	-	-	-	2	-	-	2	10	16	42	44	34	22	10	-
	FEMALE..	248	-	-	-	-	-	-	-	-	-	2	-	2	-	2	8	14	22	56	66	54	22	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	2	-	4	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	324	-	-	-	-	-	-	-	4	2	-	6	8	14	32	40	68	54	52	24	16	4	-
	WHITE.....MALE....	214	-	-	-	-	-	-	-	4	2	-	4	6	10	22	28	56	34	34	8	6	-	-
	FEMALE..	94	-	-	-	-	-	-	-	-	-	-	-	-	2	8	10	12	20	14	16	8	4	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	4	-	2	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	10	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	2	-	-
	WHITE.....MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474	INFLUENZA AND PNEUMONIA..	740	44	6	4	4	10	2	8	4	6	6	6	12	16	24	46	76	130	118	112	72	34	-
	WHITE.....MALE....	372	24	4	4	-	6	-	4	2	-	4	4	8	8	16	38	42	80	56	38	28	6	-
	FEMALE..	334	14	2	-	4	2	2	4	2	6	2	2	4	8	6	8	26	42	56	74	42	28	-
480-486	ALL OTHER..MALE....	22	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	6	4	6	-	2	-	-
	FEMALE..	12	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-
470-474	INFLUENZA.....	100	2	-	-	-	2	-	2	-	-	-	2	-	4	6	8	18	12	18	18	8	-	-
	WHITE.....MALE....	60	2	-	-	-	-	-	2	-	-	-	2	-	-	4	6	12	12	8	6	6	-	-
	FEMALE..	38	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	6	-	10	12	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	640	42	6	4	4	8	2	6	4	6	6	4	12	12	18	38	58	118	100	94	64	34	-
	WHITE.....MALE....	312	22	4	4	-	6	-	2	2	-	4	2	8	8	12	32	30	68	48	32	22	6	-
	FEMALE..	296	14	2	-	4	2	2	4	2	6	2	2	4	4	4	6	20	42	46	62	40	28	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	4	6	-	2	-	-
	FEMALE..	12	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965.]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KANSAS—CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	390	2	-	-	-	-	-	-	-	-	6	2	20	24	34	52	90	62	66	20	10	2	-
	WHITE.....MALE	314	-	-	-	-	-	-	-	-	-	4	2	16	14	24	42	82	52	52	16	10	-	-
	FEMALE	70	2	-	-	-	-	-	-	-	-	2	-	4	8	8	8	8	10	14	4	-	2	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	60	2	-	-	-	-	-	-	-	-	2	-	6	-	4	10	14	8	10	4	-	-	-
	WHITE.....MALE	46	-	-	-	-	-	-	-	-	-	2	-	2	-	2	10	12	6	8	4	-	-	-
	FEMALE	14	2	-	-	-	-	-	-	-	-	-	-	4	-	2	-	2	2	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	310	-	-	-	-	-	-	-	-	-	4	2	14	22	28	40	74	48	52	16	8	2	-
	WHITE.....MALE	256	-	-	-	-	-	-	-	-	-	2	2	14	14	20	32	68	44	40	12	8	-	-
	FEMALE	48	-	-	-	-	-	-	-	-	-	2	-	-	6	6	6	6	4	12	4	-	2	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	20	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	6	4	-	2	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	-	2	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	90	2	-	-	-	-	-	2	-	-	-	4	6	4	6	10	8	20	12	10	2	4	-
	WHITE.....MALE	60	2	-	-	-	-	-	2	-	-	-	4	4	2	2	10	2	12	10	8	-	2	-
	FEMALE	28	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	4	8	2	2	2	2	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	12	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	6	-	-	4	-	-	-
	WHITE.....MALE	6	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	84	2	-	-	-	-	-	-	2	-	-	2	-	-	2	4	10	22	18	14	6	2	-
	WHITE.....MALE	30	2	-	-	-	-	-	-	-	-	-	2	-	-	-	2	8	-	6	2	6	2	-
	FEMALE	50	-	-	-	-	-	-	-	2	-	-	-	-	-	2	2	2	20	10	12	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	204	-	-	-	-	-	-	2	-	4	14	14	40	22	32	28	20	16	8	-	-	4	-
	WHITE.....MALE	118	-	-	-	-	-	-	2	-	-	4	10	24	16	16	18	14	12	2	-	-	-	-
	FEMALE	70	-	-	-	-	-	-	-	-	2	6	4	16	6	10	8	6	4	4	-	-	4	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	2	-	-	-	6	2	-	-	2	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	8	8	8	2	-	-
	WHITE.....MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	4	2	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	108	-	-	-	2	-	-	2	-	-	-	4	2	12	14	10	14	16	16	14	2	-	-
	WHITE.....MALE	52	-	-	-	-	-	-	-	-	-	-	2	-	12	4	8	6	6	10	2	2	-	-
	FEMALE	44	-	-	-	2	-	-	-	-	-	-	2	-	-	8	2	4	10	6	10	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE	8	-	-	-	-	-	-	2	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	16	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	6	2	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	6	2	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	92	-	-	-	2	-	-	2	-	-	-	4	2	12	10	8	12	16	10	12	2	-	-
	WHITE.....MALE	40	-	-	-	-	-	-	-	-	-	-	2	-	12	2	6	6	6	4	-	2	-	-
	FEMALE	42	-	-	-	2	-	-	-	-	-	-	2	-	-	6	2	4	10	6	10	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	2	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	84	-	-	-	-	-	-	-	-	-	2	2	-	2	6	12	8	16	14	10	12	-	-
	WHITE.....MALE	32	-	-	-	-	-	-	-	-	-	-	-	-	2	-	8	4	10	6	-	2	-	-
	FEMALE	44	-	-	-	-	-	-	-	-	-	-	2	-	-	4	4	4	6	6	8	10	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	2	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	38	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	2	4	4	16	4	-	-
	WHITE.....MALE	38	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	2	4	4	16	4	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KANSAS—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	140	88	16	8	4	2	4	-	-	2	-	-	-	4	6	2	2	-	2	-	-	-	-
	WHITE.....MALE....	76	52	10	-	4	-	2	-	-	-	-	-	-	2	2	-	2	-	2	-	-	-	-
	FEMALE..	56	28	6	8	-	2	2	-	-	2	-	-	-	2	4	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	374	372	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	146	144	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	182	182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	214	212	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	100	98	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	182	14	8	-	-	-	6	-	-	2	6	2	12	10	8	10	16	18	24	18	8	18	2
	WHITE.....MALE....	92	6	4	-	-	-	4	-	-	2	-	2	10	8	8	6	14	8	6	6	-	8	-
	FEMALE..	82	8	4	-	-	-	2	-	-	-	4	-	2	2	-	2	2	8	18	12	8	10	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2
	FEMALE..	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-
RE-SID-UAL	ALL OTHER DISEASES.....	1,210	16	14	-	2	12	8	8	14	24	36	42	56	62	122	158	152	190	138	96	46	14	-
	WHITE.....MALE....	602	10	4	-	2	10	6	6	8	12	16	18	20	42	72	78	96	84	62	36	18	2	-
	FEMALE..	544	2	8	-	-	2	-	2	4	10	18	20	32	18	46	68	48	102	72	54	26	12	-
	ALL OTHER..MALE....	38	2	-	-	-	-	2	-	2	-	2	4	4	2	2	8	4	2	2	2	-	-	-
	FEMALE..	26	2	2	-	-	-	-	-	-	2	-	-	-	-	2	4	4	2	2	4	2	-	-
E800-E949	ACCIDENTS.....	1,262	14	56	32	42	142	132	98	46	54	38	58	64	66	60	52	66	70	72	54	30	16	-
	WHITE.....MALE....	830	8	24	18	24	94	110	78	34	40	28	44	42	42	34	36	36	46	42	26	14	10	-
	FEMALE..	372	6	26	12	18	40	16	20	8	8	8	10	16	20	24	14	28	20	30	28	14	6	-
	ALL OTHER..MALE....	40	-	2	2	-	6	4	-	4	4	2	-	6	2	-	2	2	2	-	-	2	-	-
	FEMALE..	20	-	4	-	-	2	2	-	-	2	-	4	-	2	2	-	-	2	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	686	10	24	14	26	100	100	66	32	36	26	36	42	36	30	26	28	30	20	4	-	-	-
	WHITE.....MALE....	472	4	14	10	12	62	86	50	24	28	18	26	30	20	18	16	14	22	16	2	-	-	-
	FEMALE..	188	6	10	4	14	36	10	16	4	6	6	8	8	14	12	8	14	6	4	2	-	-	-
	ALL OTHER..MALE....	24	-	-	-	-	2	4	-	4	2	2	-	4	2	-	2	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	576	4	32	18	16	42	32	32	14	18	12	22	22	30	30	26	38	40	52	50	30	16	-
	WHITE.....MALE....	358	4	10	8	12	32	24	28	10	12	10	18	12	22	16	20	22	24	26	24	14	10	-
	FEMALE..	184	-	16	8	4	4	6	4	4	2	2	2	8	6	12	6	14	14	26	26	14	6	-
	ALL OTHER..MALE....	16	-	2	2	-	4	-	-	-	2	-	-	2	-	-	-	2	-	-	-	2	-	-
	FEMALE..	18	-	4	-	-	2	2	-	-	2	-	2	-	2	2	-	-	2	-	-	-	-	-
E950-E959	SUICIDE.....	302	...	...	-	-	18	32	40	24	14	10	28	26	30	16	20	12	12	12	6	-	2	-
	WHITE.....MALE....	222	...	...	-	-	14	30	20	16	12	6	22	20	20	12	14	6	10	12	6	-	2	-
	FEMALE..	74	...	...	-	-	4	2	14	8	2	4	6	6	10	4	6	6	2	-	-	-	-	-
	ALL OTHER..MALE....	6	...	...	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	86	-	2	-	-	4	18	16	4	12	6	8	10	-	4	-	-	2	-	-	-	-	-
	WHITE.....MALE....	34	-	2	-	-	2	10	2	2	4	2	4	4	-	2	-	-	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	4	-	2	-	4	2	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	36	-	-	-	-	2	6	10	2	6	4	-	4	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	68	-	2	-	-	4	14	12	6	2	4	8	-	4	6	2	2	-	2	-	-	-	-
	WHITE.....MALE....	44	-	-	-	-	4	12	8	2	2	-	6	-	2	2	2	2	-	2	-	-	-	-
	FEMALE..	16	-	2	-	-	-	-	2	4	-	2	2	-	2	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	2	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KENTUCKY																							
	ALL CAUSES.....	34,048	980	234	144	146	394	370	328	342	466	698	1,180	1,640	2,164	3,020	3,736	4,234	4,730	4,300	3,034	1,476	428	4
	WHITE.....MALE....	17,620	524	122	74	78	276	254	206	212	264	406	698	996	1,316	1,812	2,150	2,212	2,280	1,870	1,196	526	146	2
	FEMALE..	13,404	342	72	56	52	94	78	90	84	142	194	348	482	596	910	1,212	1,642	2,068	2,148	1,684	866	242	2
	ALL OTHER..MALE....	1,666	72	16	8	8	18	28	28	34	32	62	80	84	152	170	204	202	234	122	58	38	16	-
	FEMALE..	1,358	42	24	6	8	6	10	4	12	28	36	54	78	100	128	170	178	148	160	96	46	24	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	46	12	4	-	-	-	2	-	-	-	-	-	-	2	2	4	2	8	6	2	2	-	-
	WHITE.....MALE....	20	8	-	-	-	-	2	-	-	-	-	-	-	2	2	-	2	2	2	-	-	-	-
	FEMALE..	18	2	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	4	2	2	-	-
	ALL OTHER..MALE....	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	104	-	2	2	-	2	-	-	-	-	6	6	8	6	12	12	18	10	10	8	2	-	-
	WHITE.....MALE....	62	-	-	2	-	-	-	-	-	-	4	4	6	4	10	6	8	6	6	4	2	-	-
	FEMALE..	26	-	2	-	-	2	-	-	-	-	-	-	2	-	2	4	8	2	4	-	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	2	-	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	2	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	82	-	-	-	-	-	-	-	-	-	4	6	8	4	10	10	16	8	10	4	2	-	-
	WHITE.....MALE....	52	-	-	-	-	-	-	-	-	-	2	4	6	4	8	4	8	6	6	2	2	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	8	2	4	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	22	-	2	2	-	2	-	-	-	-	2	-	-	2	2	2	2	2	-	4	-	-	-
	WHITE.....MALE....	10	-	-	2	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	2	-	-	-
	FEMALE..	4	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	4	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	54	20	2	-	-	2	-	-	2	-	2	2	2	-	-	6	-	8	2	4	2	-	-
	WHITE.....MALE....	36	10	2	-	-	2	-	-	2	-	2	2	2	-	-	2	-	4	2	4	2	-	-
	FEMALE..	12	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KENTUCKY--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	68	2	10	4	4	2	-	2	-	-	2	10	4	4	2	10	2	4	2	4	-	-	-
	WHITE.....MALE....	28	2	6	4	-	-	-	-	-	-	-	4	-	2	2	4	-	2	2	-	-	-	-
	FEMALE..	24	-	-	-	4	2	-	-	-	-	2	2	2	2	-	2	2	2	-	4	-	-	-
	ALL OTHER..MALE....	8	-	4	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	2	-	-	-	4	-	-	-	2	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	5,698	4	14	10	18	32	22	28	28	72	152	294	446	512	808	856	824	680	494	310	98	4	-
	WHITE.....MALE....	2,792	-	10	10	12	12	12	16	10	26	80	136	228	250	424	460	394	332	224	116	38	2	-
	FEMALE..	2,450	4	4	-	6	16	10	12	16	36	60	140	176	206	324	322	352	304	236	174	50	2	-
	ALL OTHER..MALE....	250	-	-	-	-	2	-	-	-	6	2	12	14	38	32	32	54	32	20	6	-	-	-
	FEMALE..	206	-	-	-	-	2	-	-	2	4	10	6	28	18	28	42	24	12	14	14	2	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	156	-	-	-	-	-	-	-	-	4	-	10	14	14	32	22	18	18	8	12	2	2	-
	WHITE.....MALE....	98	-	-	-	-	-	-	-	-	2	-	6	12	8	16	20	8	10	8	6	2	-	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	-	2	-	4	16	2	6	6	-	6	-	2	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	4	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	1,600	-	2	-	2	-	4	2	6	10	32	72	94	120	206	272	234	212	172	120	40	-	-
	WHITE.....MALE....	736	-	2	-	2	-	2	-	2	-	20	32	44	54	110	146	106	98	66	38	14	-	-
	FEMALE..	702	-	-	-	-	-	2	2	4	6	6	34	34	44	70	100	110	100	92	74	24	-	-
	ALL OTHER..MALE....	86	-	-	-	-	-	-	-	-	2	2	4	8	12	14	14	12	8	8	2	-	-	-
	FEMALE..	76	-	-	-	-	-	-	-	-	2	4	2	8	10	12	12	6	6	6	6	2	-	-
160-163	OF RESPIRATORY SYSTEM....	1,306	-	-	-	-	-	-	2	-	12	40	70	160	172	224	232	186	104	74	24	6	-	-
	WHITE.....MALE....	954	-	-	-	-	-	-	2	-	12	30	54	120	118	174	168	126	74	44	10	2	-	-
	FEMALE..	258	-	-	-	-	-	-	-	-	-	8	12	30	40	40	28	42	22	22	10	4	-	-
	ALL OTHER..MALE....	78	-	-	-	-	-	-	-	-	-	-	4	4	14	10	12	16	8	8	2	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	2	-	6	-	-	4	2	-	-	2	-	-	-
174	OF BREAST.....	482	-	-	-	-	-	-	2	8	14	14	38	56	44	78	56	54	64	26	20	8	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-	-	-
	FEMALE..	450	-	-	-	-	-	-	2	6	14	12	38	52	42	70	54	46	64	24	18	8	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	2	-	2	-	4	2	6	-	4	-	2	2	-	-	-
180-187	OF GENITAL ORGANS.....	806	-	-	-	-	8	2	8	6	10	22	40	40	66	86	96	136	114	84	66	20	2	-
	WHITE.....MALE....	274	-	-	-	-	2	2	4	2	-	2	-	4	8	22	18	48	62	44	38	16	2	-
	FEMALE..	438	-	-	-	-	4	-	4	4	8	18	36	30	50	48	58	66	46	36	26	4	-	-
	ALL OTHER..MALE....	38	-	-	-	-	-	-	-	-	-	-	-	-	2	6	2	16	6	4	2	-	-	-
	FEMALE..	56	-	-	-	-	2	-	-	-	2	2	4	6	6	10	18	6	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	252	-	2	-	-	-	-	-	2	-	2	10	18	22	36	40	42	40	22	12	4	-	-
	WHITE.....MALE....	148	-	2	-	-	-	-	-	2	-	2	8	12	14	20	22	22	22	16	6	-	-	-
	FEMALE..	90	-	-	-	-	-	-	-	-	-	-	2	6	8	16	14	20	14	2	4	4	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	604	4	2	-	10	18	6	14	2	16	16	40	42	54	68	66	88	70	58	26	4	-	-
	WHITE.....MALE....	326	-	2	-	8	6	4	10	2	10	12	26	22	40	36	38	48	32	18	10	2	-	-
	FEMALE..	244	4	-	-	2	10	2	4	-	6	4	12	16	8	32	26	32	30	38	16	2	-	-
	ALL OTHER..MALE....	18	-	-	-	-	2	-	-	-	-	-	2	-	6	-	-	4	4	-	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	4	4	2	-	-	-	-
204-207	LEUKEMIA.....	212	-	6	10	4	4	2	-	4	-	14	8	6	6	16	36	26	26	26	16	2	-	-
	WHITE.....MALE....	108	-	4	10	2	2	-	-	2	-	8	6	4	4	10	14	14	10	16	2	-	-	-
	FEMALE..	94	-	2	-	2	2	2	-	2	-	6	2	2	2	4	18	12	14	10	12	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	280	-	2	-	2	2	8	-	-	6	12	6	16	14	62	36	40	32	24	14	4	-	-
	WHITE.....MALE....	140	-	-	-	-	2	4	-	-	2	6	4	10	4	34	12	18	24	12	6	2	-	-
	FEMALE..	130	-	2	-	2	-	4	-	-	2	6	2	6	8	28	22	18	8	12	8	2	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	40	-	-	-	-	-	-	2	4	2	-	4	-	-	6	6	2	8	-	4	2	-	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	4	-	-	2	4	2	6	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	4	2	-	-	-	-	2	2	-	-	-	2	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-
250	DIABETES MELLITUS.....	604	-	-	-	-	-	2	6	4	12	12	16	34	38	50	86	122	100	54	48	18	2	-
	WHITE.....MALE....	192	-	-	-	-	-	2	-	2	8	6	8	8	10	14	32	34	32	12	16	8	-	-
	FEMALE..	336	-	-	-	-	-	-	4	2	4	2	4	18	24	22	48	66	64	36	30	10	2	-
	ALL OTHER..MALE....	32	-	-	-	-	-	-	2	-	-	4	2	-	2	6	4	10	2	-	-	-	-	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	-	2	8	2	8	2	12	2	6	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KENTUCKY--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	54	-	2	-	-	-	-	-	-	-	-	-	-	4	2	2	-	16	14	4	8	2	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	8	4	2	4	-	-
	FEMALE..	24	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	10	2	4	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
280-285	ANEMIAS.....	46	-	4	-	-	2	-	-	2	-	2	-	2	4	4	4	2	12	2	4	2	-	-
	WHITE.....MALE....	22	-	2	-	-	-	-	-	-	-	-	-	-	4	4	2	2	6	-	2	-	-	-
	FEMALE..	18	-	-	-	-	2	-	-	2	-	2	-	2	-	-	2	-	6	2	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	10	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	WHITE.....MALE....	6	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	18,520	6	10	12	8	6	16	26	44	98	208	400	678	1,018	1,554	2,086	2,574	3,106	2,990	2,198	1,126	352	4
	WHITE.....MALE....	9,332	4	4	10	4	4	8	20	24	54	140	262	450	660	978	1,228	1,368	1,452	1,302	844	392	122	2
	FEMALE..	7,602	-	4	2	4	2	6	6	16	22	36	84	154	218	416	640	990	1,396	1,492	1,236	676	200	2
	ALL OTHER..MALE....	808	2	-	-	-	-	2	-	2	6	20	30	44	82	86	128	96	148	78	46	26	12	-
	FEMALE..	778	-	2	-	-	-	-	-	2	16	12	24	30	58	74	90	120	110	118	72	32	18	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	13,430	6	6	8	2	4	14	16	28	78	172	328	550	852	1,240	1,654	1,908	2,202	2,002	1,420	706	230	4
	WHITE.....MALE....	7,098	4	2	6	2	2	6	12	16	48	134	228	398	568	818	1,012	1,022	1,052	864	544	270	88	2
	FEMALE..	5,232	-	2	2	-	2	6	4	8	10	20	56	106	176	318	490	716	978	1,018	792	408	118	2
	ALL OTHER..MALE....	550	2	-	-	-	-	2	-	2	4	14	22	30	62	58	88	74	98	46	30	8	10	-
	FEMALE..	550	-	2	-	-	-	-	-	2	16	4	22	16	46	46	64	96	74	74	54	20	14	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	172	-	-	-	-	-	2	2	6	8	10	6	20	14	24	22	24	14	12	8	-	-	-
	WHITE.....MALE....	86	-	-	-	-	-	-	-	4	4	8	6	10	4	10	20	6	6	6	2	-	-	-
	FEMALE..	74	-	-	-	-	-	2	2	2	2	-	-	10	8	14	2	14	6	6	6	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	2	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	104	-	-	-	-	-	-	-	-	-	-	4	6	2	16	4	16	22	14	10	4	6	-
	WHITE.....MALE....	28	-	-	-	-	-	-	-	-	-	-	2	4	2	8	-	2	4	4	-	2	-	-
	FEMALE..	62	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	12	14	10	8	2	6	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	-	2	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	96	-	-	-	-	-	-	-	-	2	-	-	2	4	4	6	10	16	18	16	12	6	-
	WHITE.....MALE....	28	-	-	-	-	-	-	-	-	2	-	-	-	2	-	4	-	6	6	4	4	-	-
	FEMALE..	56	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	8	8	12	12	8	4	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	2	-
410-413	ISCHEMIC HEART DISEASE...	12,044	2	-	2	2	-	6	10	10	60	146	284	480	752	1,094	1,518	1,744	2,010	1,788	1,284	642	206	4
	WHITE.....MALE....	6,418	-	-	2	2	-	2	10	6	36	116	202	360	512	732	926	954	954	776	502	244	80	2
	FEMALE..	4,644	-	-	-	-	-	4	-	-	6	16	44	80	144	274	452	638	902	900	704	374	104	2
	ALL OTHER..MALE....	498	2	-	-	-	-	-	-	2	4	12	20	26	56	48	84	70	88	44	26	6	10	-
	FEMALE..	484	-	-	-	-	-	-	-	2	14	2	18	14	40	40	56	82	66	68	52	18	12	-
410	ACUTE MYOCARDIAL INFARCTION.....	7,438	2	-	2	2	-	6	10	10	58	130	256	410	600	852	1,100	1,148	1,154	892	482	264	58	2
	WHITE.....MALE....	4,406	-	-	2	2	-	2	10	6	36	102	184	314	422	592	728	648	572	420	222	118	26	-
	FEMALE..	2,442	-	-	-	-	-	4	-	-	6	14	40	66	106	192	286	410	502	418	228	140	28	2
	ALL OTHER..MALE....	324	2	-	-	-	-	-	-	2	4	12	18	22	38	42	58	40	54	20	8	2	2	-
	FEMALE..	266	-	-	-	-	-	-	-	2	12	2	14	8	34	26	28	50	26	34	24	4	2	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	52	-	-	-	-	-	-	-	-	-	-	-	2	6	6	10	4	6	8	-	10	-	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	-	-	2	6	4	6	2	-	6	-	6	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	6	2	-	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	4,552	-	-	-	-	-	-	-	-	2	16	28	68	146	236	406	592	850	888	802	368	148	2
	WHITE.....MALE....	1,978	-	-	-	-	-	-	-	-	-	14	18	44	84	136	190	304	382	350	280	120	54	2
	FEMALE..	2,182	-	-	-	-	-	-	-	-	-	2	4	14	38	80	162	226	394	480	476	230	76	-
	ALL OTHER..MALE....	174	-	-	-	-	-	-	-	-	-	-	2	4	18	6	26	30	34	24	18	4	8	-
	FEMALE..	218	-	-	-	-	-	-	-	-	2	-	4	6	6	14	28	32	40	34	28	14	10	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KENTUCKY--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	104	-	2	-	-	-	2	-	2	2	-	2	-	6	12	12	18	16	14	6	10	-	-
	WHITE.....MALE....	56	-	-	-	-	-	2	-	-	2	-	2	-	2	8	10	12	8	6	-	4	-	-
	FEMALE..	40	-	2	-	-	-	-	-	2	-	-	-	-	2	2	-	6	8	6	6	6	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	910	4	4	6	-	4	4	4	10	6	16	32	42	74	90	92	96	124	156	96	38	12	-
	WHITE.....MALE....	482	4	2	4	-	2	2	2	6	4	10	16	24	46	60	52	48	74	66	36	16	8	-
	FEMALE..	356	-	-	2	-	2	-	2	4	2	4	12	16	20	20	32	38	40	84	56	18	4	-
	ALL OTHER..MALE....	40	-	-	-	-	-	2	-	-	-	2	2	2	6	8	2	2	6	2	4	2	-	-
	FEMALE..	32	-	2	-	-	-	-	-	-	-	-	2	-	2	2	6	8	4	4	-	2	-	-
400, 401, 403	HYPERTENSION.....	116	-	-	-	-	-	-	-	-	2	6	8	2	4	10	6	10	14	22	22	10	-	-
	WHITE.....MALE....	38	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	6	10	4	6	4	-	-
	FEMALE..	56	-	-	-	-	-	-	-	-	-	-	4	-	-	6	4	4	4	16	14	4	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	2	-	2	2	-	-	2	-	-	2	2	2	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	6	-	-	2	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	4,046	-	4	4	6	2	2	10	12	14	28	52	112	140	250	364	560	740	772	594	310	70	-
	WHITE.....MALE....	1,738	-	2	4	2	2	2	8	4	2	6	26	44	70	122	182	292	312	336	218	88	16	-
	FEMALE..	1,904	-	2	-	4	-	-	2	8	12	14	18	42	40	78	130	230	352	372	352	198	50	-
	ALL OTHER..MALE....	204	-	-	-	-	-	-	-	-	-	6	6	12	20	24	28	18	44	24	6	14	2	-
	FEMALE..	200	-	-	-	-	-	-	-	-	-	2	2	14	10	26	24	20	32	40	18	10	2	-
431	CEREBRAL HEMORRHAGE.....	660	-	4	-	-	-	-	6	4	2	10	14	30	44	78	68	74	100	102	78	38	8	-
	WHITE.....MALE....	302	-	2	-	-	-	-	6	2	-	4	6	18	22	40	32	32	38	54	28	18	-	-
	FEMALE..	270	-	2	-	-	-	-	-	2	2	4	6	10	10	22	24	30	52	40	46	12	8	-
	ALL OTHER..MALE....	48	-	-	-	-	-	-	-	-	-	2	2	-	10	10	6	6	6	2	-	4	-	-
	FEMALE..	40	-	-	-	-	-	-	-	-	-	-	-	2	2	6	6	6	4	6	4	4	-	-
433	CEREBRAL THROMBOSIS.....	958	-	-	-	-	-	-	-	-	-	-	2	12	16	32	88	128	200	192	160	94	34	-
	WHITE.....MALE....	416	-	-	-	-	-	-	-	-	-	-	2	2	10	18	58	74	78	80	62	22	10	-
	FEMALE..	476	-	-	-	-	-	-	-	-	-	-	-	4	6	12	26	52	106	100	90	60	20	-
	ALL OTHER..MALE....	34	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	10	6	2	8	2	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	6	6	6	4	2	-
434	CEREBRAL EMBOLISM.....	16	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	6	2	-	2	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	2,412	-	-	4	6	2	2	4	8	12	18	36	68	80	140	206	356	434	476	356	176	28	-
	WHITE.....MALE....	1,010	-	-	4	2	2	2	2	2	2	2	18	22	38	64	90	184	192	202	128	48	6	-
	FEMALE..	1,152	-	-	-	4	-	-	2	6	10	10	12	28	24	44	80	148	192	230	216	124	22	-
	ALL OTHER..MALE....	122	-	-	-	-	-	-	-	-	-	4	4	8	10	14	20	12	28	16	4	2	-	-
	FEMALE..	128	-	-	-	-	-	-	-	-	-	2	2	10	8	18	16	12	22	28	8	2	-	-
440	ARTERIOSCLEROSIS.....	606	-	-	-	-	-	-	-	-	-	-	-	4	4	20	16	46	98	156	134	84	44	-
	WHITE.....MALE....	268	-	-	-	-	-	-	-	-	-	-	-	2	2	12	8	20	44	76	62	26	16	-
	FEMALE..	306	-	-	-	-	-	-	-	-	-	-	-	2	2	6	6	22	46	74	68	54	26	-
	ALL OTHER..MALE....	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	6	4	4	2	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	322	-	-	-	-	-	-	-	4	4	2	12	10	18	34	46	50	52	38	28	16	8	-
	WHITE.....MALE....	190	-	-	-	-	-	-	-	4	4	-	6	6	18	22	26	28	34	22	14	4	2	-
	FEMALE..	104	-	-	-	-	-	-	-	-	-	2	6	4	-	8	10	18	16	12	10	12	6	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	-	-	2	4	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	2	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	6	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	1,108	82	24	10	8	6	8	4	8	14	16	30	34	48	66	72	114	180	188	120	58	18	-
	WHITE.....MALE....	590	48	10	8	2	4	2	2	4	10	4	14	22	30	46	48	66	100	90	54	24	2	-
	FEMALE..	414	24	6	2	6	2	4	2	2	4	10	12	10	10	12	20	34	56	90	64	32	12	-
	ALL OTHER..MALE....	56	4	2	-	-	-	-	-	2	-	-	2	2	4	6	2	6	18	4	2	-	2	-
	FEMALE..	48	6	6	-	-	-	2	-	-	-	2	2	-	4	2	2	8	6	4	-	2	2	-
470-474	INFLUENZA.....	84	2	-	-	-	-	2	-	-	-	2	2	2	6	8	4	10	14	14	10	8	-	-
	WHITE.....MALE....	44	2	-	-	-	-	-	-	-	-	-	-	2	4	6	2	6	8	6	4	4	-	-
	FEMALE..	38	-	-	-	-	-	2	-	-	-	2	2	-	2	2	2	4	4	8	6	4	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	1,024	80	24	10	8	6	6	4	8	14	14	28	32	42	58	68	104	166	174	110	50	18	-
	WHITE.....MALE....	546	46	10	8	2	4	2	2	4	10	4	14	20	26	40	46	60	92	84	50	20	2	-
	FEMALE..	376	24	6	2	6	2	2	2	2	4	8	10	10	8	10	18	30	52	82	58	28	12	-
	ALL OTHER..MALE....	54	4	2	-	-	-	-	-	2	-	-	2	2	4	6	2	6	16	4	2	-	2	-
	FEMALE..	48	6	6	-	-	-	2	-	-	-	2	2	-	4	2	2	8	6	4	-	2	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KENTUCKY--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	544	2	-	-	2	-	-	6	4	4	6	14	30	56	70	78	108	88	46	24	4	2	-
	WHITE.....MALE	390	-	-	-	-	-	-	-	2	-	2	6	24	46	48	62	76	72	30	18	2	2	-
	FEMALE	132	2	-	-	2	-	-	6	2	4	2	6	6	10	22	14	28	6	16	6	-	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	8	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	-	-	2	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	122	2	-	-	2	-	-	-	4	2	-	4	6	10	10	18	22	20	14	8	-	-	-
	WHITE.....MALE	82	-	-	-	-	-	-	-	2	-	-	-	4	8	8	16	16	14	8	6	-	-	-
	FEMALE	36	2	-	-	2	-	-	-	2	2	-	2	2	2	2	2	6	4	6	2	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	362	-	-	-	-	-	-	2	-	-	4	8	20	40	58	52	70	66	22	14	4	2	-
	WHITE.....MALE	284	-	-	-	-	-	-	-	-	-	2	6	18	32	40	42	56	56	16	12	2	2	-
	FEMALE	64	-	-	-	-	-	-	2	-	-	2	2	2	8	18	8	12	2	6	2	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-
493	ASTHMA	60	-	-	-	-	-	-	4	-	2	2	2	4	6	2	8	16	2	10	2	-	-	-
	WHITE.....MALE	24	-	-	-	-	-	-	-	-	-	-	-	2	6	-	4	4	2	6	-	-	-	-
	FEMALE	32	-	-	-	-	-	-	4	-	2	-	2	2	-	2	4	10	-	4	2	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	134	2	-	-	-	-	2	-	-	-	4	16	8	22	10	8	16	20	14	8	4	-	-
	WHITE.....MALE	74	2	-	-	-	-	-	-	-	-	2	14	6	14	6	4	8	10	4	4	-	-	-
	FEMALE	50	-	-	-	-	-	2	-	-	-	2	-	2	6	-	4	8	8	10	4	4	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	14	-	-	2	-	-	-	-	-	-	-	-	-	-	6	2	-	2	2	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE	10	-	-	2	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	146	10	2	-	-	-	-	-	2	-	-	12	-	6	6	22	12	24	30	14	4	2	-
	WHITE.....MALE	54	2	-	-	-	-	-	-	2	-	-	2	-	4	2	8	8	8	4	8	4	2	-
	FEMALE	76	6	-	-	-	-	-	-	-	-	-	8	-	-	4	8	4	16	24	6	-	-	-
	ALL OTHER..MALE	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	352	-	-	2	-	-	-	-	16	22	34	36	52	62	56	36	8	20	8	-	-	-	-
	WHITE.....MALE	228	-	-	2	-	-	-	-	12	14	20	18	34	50	36	26	4	12	-	-	-	-	-
	FEMALE	106	-	-	-	-	-	-	-	2	8	10	12	16	10	20	10	2	8	8	-	-	-	-
	ALL OTHER..MALE	12	-	-	-	-	-	-	-	-	-	4	6	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	82	-	-	-	-	-	-	-	-	-	-	2	-	4	6	8	14	18	20	6	4	-	-
	WHITE.....MALE	32	-	-	-	-	-	-	-	-	-	-	2	-	-	6	2	6	6	6	4	-	-	-
	FEMALE	50	-	-	-	-	-	-	-	-	-	-	-	-	4	-	6	8	12	14	2	4	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	158	-	-	-	-	4	6	2	4	4	2	6	8	18	16	20	16	18	20	8	6	-	-
	WHITE.....MALE	82	-	-	-	-	-	4	-	2	2	2	2	6	4	8	18	6	6	12	6	4	-	-
	FEMALE	46	-	-	-	-	4	2	-	-	2	-	2	-	10	6	2	4	8	4	2	-	-	-
	ALL OTHER..MALE	20	-	-	-	-	-	-	2	2	-	-	2	2	2	-	-	4	4	-	-	2	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	4	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	20	-	-	-	-	-	-	-	-	2	-	-	2	2	4	2	4	4	-	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	138	-	-	-	-	4	6	2	4	2	2	6	6	16	12	18	12	14	20	8	6	-	-
	WHITE.....MALE	74	-	-	-	-	-	4	-	2	2	2	2	4	4	6	16	6	4	12	6	4	-	-
	FEMALE	40	-	-	-	-	4	2	-	-	-	-	2	-	10	4	2	2	8	4	2	-	-	-
	ALL OTHER..MALE	16	-	-	-	-	-	-	2	2	-	-	2	2	2	-	-	2	2	-	-	2	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	-	-	-	-
590	INFECTIONS OF KIDNEY	136	-	-	-	-	-	-	-	-	2	2	2	6	6	2	10	18	14	42	24	8	-	-
	WHITE.....MALE	40	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	6	2	16	8	4	-	-
	FEMALE	80	-	-	-	-	-	-	-	-	2	-	-	6	4	2	4	10	8	24	16	4	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	8	8	6	-	-
	WHITE.....MALE	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	8	8	4	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KENTUCKY--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	12	-	-	-	-	4	-	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	8	-	-	-	-	2	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	12	-	-	-	-	4	-	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	8	-	-	-	-	2	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	246	166	26	12	6	8	-	-	-	4	2	4	4	6	-	2	2	2	2	-	-	-	-
	WHITE.....MALE....	130	90	16	4	2	8	-	-	-	2	-	2	-	4	-	2	-	-	-	-	-	-	-
	FEMALE..	100	62	10	6	4	-	-	-	-	2	2	2	4	2	-	-	2	2	2	-	-	-	-
	ALL OTHER..MALE....	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	542	542	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	292	292	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	188	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	314	314	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	228	228	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	198	64	26	6	-	6	-	4	-	2	-	2	2	10	10	6	2	16	10	16	6	10	-
	WHITE.....MALE....	68	28	8	-	-	2	-	-	-	-	-	2	2	6	4	2	-	8	-	2	-	4	-
	FEMALE..	94	24	8	2	-	2	-	2	-	2	-	-	-	4	2	4	2	6	10	14	6	6	-
	ALL OTHER..MALE....	24	8	4	4	-	2	-	2	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-
	FEMALE..	12	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
RE-SID-UAL	ALL OTHER DISEASES.....	2,048	36	30	12	16	22	18	16	30	46	66	118	118	162	190	236	258	252	208	114	80	20	-
	WHITE.....MALE....	1,050	14	14	-	6	14	12	4	14	22	28	58	70	108	126	122	144	134	90	38	26	6	-
	FEMALE..	766	16	14	10	8	6	4	6	6	16	24	44	38	32	32	84	92	108	98	74	44	10	-
	ALL OTHER..MALE....	128	4	-	2	-	2	2	4	8	-	10	10	6	12	22	10	14	6	10	-	4	2	-
	FEMALE..	104	2	2	-	2	-	-	2	2	8	4	6	4	10	10	20	8	4	10	2	6	2	-
E800-E949	ACCIDENTS.....	2,224	26	76	68	80	250	228	150	136	104	90	126	120	102	100	108	90	96	118	98	42	16	-
	WHITE.....MALE....	1,462	20	50	32	48	196	176	118	100	72	62	96	78	62	60	74	54	48	46	52	12	6	-
	FEMALE..	600	6	18	30	18	46	40	26	22	24	24	22	26	36	30	22	28	42	62	44	26	8	-
	ALL OTHER..MALE....	114	-	2	2	8	6	8	6	10	8	4	8	10	4	10	10	6	4	6	-	2	-	-
	FEMALE..	48	-	6	4	6	2	4	-	4	-	-	-	6	-	-	2	2	2	4	2	2	2	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	1,112	2	36	30	44	198	176	86	80	60	36	74	52	48	40	58	34	30	20	4	4	-	-
	WHITE.....MALE....	760	-	26	12	30	148	134	70	54	40	20	48	24	28	24	38	24	16	16	4	4	-	-
	FEMALE..	286	2	10	14	12	44	36	16	16	16	14	22	14	18	16	14	8	10	4	-	-	-	-
	ALL OTHER..MALE....	44	-	-	-	-	4	4	-	6	4	2	4	8	2	-	6	2	2	-	-	-	-	-
	FEMALE..	22	-	-	4	2	2	2	-	4	-	-	-	6	-	-	-	-	2	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,112	24	40	38	36	52	52	64	56	44	54	52	68	54	60	50	56	66	98	94	38	16	-
	WHITE.....MALE....	702	20	24	20	18	48	42	48	46	32	42	48	54	34	36	36	30	32	30	48	8	6	-
	FEMALE..	314	4	8	16	6	2	4	10	6	8	10	-	12	18	14	8	20	32	58	44	26	8	-
	ALL OTHER..MALE....	70	-	2	2	8	2	4	6	4	4	2	4	2	2	10	4	4	2	6	-	2	-	-
	FEMALE..	26	-	6	-	4	-	2	-	-	-	-	-	-	-	-	2	2	-	4	2	2	2	-
E950-E959	SUICIDE.....	436	...	...	-	2	22	22	36	22	28	50	36	62	42	28	36	18	18	8	4	2	-	-
	WHITE.....MALE....	320	...	...	-	2	16	10	24	20	16	34	30	46	30	18	28	16	18	8	4	-	-	-
	FEMALE..	98	...	...	-	-	4	6	12	-	10	14	6	16	10	10	6	2	-	-	-	2	-	-
	ALL OTHER..MALE....	16	...	...	-	-	2	4	-	2	2	2	-	-	2	-	2	-	-	-	-	-	-	-
	FEMALE..	2	...	...	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	312	2	-	-	-	22	40	38	30	42	36	38	14	20	8	14	4	4	-	-	-	-	-
	WHITE.....MALE....	184	-	-	-	-	14	22	18	16	32	18	26	8	14	6	6	2	2	-	-	-	-	-
	FEMALE..	42	2	-	-	-	4	4	10	6	2	-	4	2	4	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	76	-	-	-	-	4	12	10	8	8	14	6	4	2	2	4	2	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	2	-	-	-	4	2	-	-	-	2	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	62	-	-	2	-	2	4	4	2	10	4	4	8	10	4	2	-	-	2	4	-	-	-
	WHITE.....MALE....	46	-	-	2	-	2	4	4	2	6	-	4	6	6	4	2	-	-	2	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	2	4	-	2	4	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	LOUISIANA																							
	ALL CAUSES	34,390	1,508	270	180	198	516	476	428	466	604	830	1,410	1,916	2,498	3,494	4,110	4,406	4,018	3,298	2,384	958	420	2
	WHITE.....MALE	13,102	436	86	64	76	256	200	172	160	204	314	574	878	1,164	1,554	1,744	1,700	1,418	1,062	714	256	68	2
	FEMALE	9,664	338	50	46	46	78	52	66	84	106	168	272	360	478	718	878	1,280	1,378	1,450	1,166	478	172	-
	ALL OTHER..MALE	6,322	406	66	44	60	132	160	128	152	218	198	330	376	488	656	778	726	640	344	240	106	74	-
	FEMALE	5,302	328	68	26	16	50	64	62	70	76	150	234	302	368	566	710	700	582	442	264	118	106	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
	WHITE.....MALE	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	44	6	4	-	-	4	-	-	-	-	-	-	-	-	6	2	8	6	4	-	2	2	-
	WHITE.....MALE	16	-	-	-	-	2	-	-	-	-	-	-	-	-	6	-	4	-	2	-	2	-	-
	FEMALE	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-
	ALL OTHER..MALE	8	2	2	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
010-019	TUBERCULOSIS, ALL FORMS	108	-	-	-	-	-	-	2	2	6	8	2	8	6	16	16	10	18	8	6	-	-	-
	WHITE.....MALE	46	-	-	-	-	-	-	-	-	-	-	-	-	4	12	8	2	12	6	2	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	4	-	-	2	-	-	-
	ALL OTHER..MALE	42	-	-	-	-	-	-	-	-	4	4	2	6	2	4	8	2	6	2	2	-	-	-
	FEMALE	8	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	96	-	-	-	-	-	-	2	2	6	4	2	8	4	14	14	8	18	8	6	-	-	-
	WHITE.....MALE	42	-	-	-	-	-	-	-	-	-	-	-	-	2	12	6	2	12	6	2	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	4	-	-	2	-	-	-
	ALL OTHER..MALE	38	-	-	-	-	-	-	-	-	4	2	2	6	2	2	8	2	6	2	2	-	-	-
	FEMALE	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	12	-	-	-	-	-	-	-	-	-	4	-	-	2	2	2	2	-	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	10	4	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	6	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	170	38	-	2	-	4	-	-	8	2	6	6	6	4	12	24	22	20	10	2	4	-	-
	WHITE.....MALE	62	12	-	2	-	-	-	-	2	-	2	-	4	2	6	12	10	6	2	2	-	-	-
	FEMALE	38	14	-	-	-	2	-	-	-	-	-	2	-	-	2	2	2	6	4	-	4	-	-
	ALL OTHER..MALE	46	4	-	-	-	-	-	-	4	2	4	2	-	-	4	6	10	6	4	-	-	-	-
	FEMALE	24	8	-	-	-	2	-	-	2	-	-	2	2	2	-	4	-	2	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	10	-	-	-	-	-	-	-	-	-	-	-	2	-	6	-	2	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	LOUISIANA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	102	6	8	2	2	4	4	-	6	8	-	-	8	4	14	14	10	6	4	2	-	-	-
	WHITE.....MALE....	44	2	4	2	-	-	4	-	2	2	-	-	2	2	10	8	4	2	-	-	-	-	-
	FEMALE..	22	2	2	-	2	2	-	-	-	-	-	-	2	-	-	4	2	2	4	-	-	-	-
	ALL OTHER..MALE....	20	2	-	-	-	-	-	-	4	4	-	-	2	-	-	2	2	2	-	2	-	-	-
	FEMALE..	16	-	2	-	-	2	-	-	-	2	-	-	2	2	4	-	2	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	5,736	8	18	20	22	32	26	26	60	76	192	280	462	622	750	954	770	680	414	252	58	14	-
	WHITE.....MALE....	2,294	-	-	-	10	14	16	10	10	26	50	198	188	278	304	408	318	254	176	104	18	2	-
	FEMALE..	1,694	6	10	8	6	10	8	8	28	32	60	86	120	158	184	244	222	222	156	94	26	6	-
	ALL OTHER..MALE....	994	-	4	6	6	4	2	-	12	6	46	54	86	114	160	168	114	124	52	26	6	4	-
	FEMALE..	754	2	4	6	-	4	-	8	10	12	36	32	68	72	102	134	116	80	30	28	8	2	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	146	-	-	-	-	-	-	-	-	2	2	18	12	14	30	16	12	12	14	10	2	2	-
	WHITE.....MALE....	66	-	-	-	-	-	-	-	-	-	-	6	6	8	10	10	8	2	6	8	2	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	2	2	2	4	4	6	4	-	6	-	2	-	2	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	-	-	-	8	2	2	10	2	-	2	2	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	4	2	6	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	1,428	-	-	-	-	2	-	2	12	14	40	34	100	140	174	256	244	180	128	76	22	4	-
	WHITE.....MALE....	498	-	-	-	-	-	-	-	4	6	14	20	44	46	86	90	76	46	38	20	8	-	-
	FEMALE..	450	-	-	-	-	-	-	-	2	4	4	4	12	46	42	74	82	70	60	38	10	2	-
	ALL OTHER..MALE....	260	-	-	-	-	2	-	-	6	4	16	10	26	26	28	46	38	26	18	8	4	2	-
	FEMALE..	220	-	-	-	-	-	-	2	-	-	6	-	18	22	18	46	48	38	12	10	-	-	-
160-163	OF RESPIRATORY SYSTEM....	1,516	-	-	-	-	-	-	2	6	8	48	96	162	258	236	276	170	138	78	30	6	2	-
	WHITE.....MALE....	910	-	-	-	-	-	-	2	-	6	16	54	86	166	132	160	118	98	46	22	2	2	-
	FEMALE..	238	-	-	-	-	-	-	-	4	2	12	22	34	28	20	48	20	20	20	4	4	-	-
	ALL OTHER..MALE....	314	-	-	-	-	-	-	-	2	-	12	18	38	56	70	56	30	18	10	4	-	-	-
	FEMALE..	54	-	-	-	-	-	-	-	-	-	8	2	4	8	14	12	2	2	2	-	-	-	-
174	OF BREAST.....	406	-	-	-	-	-	-	8	10	14	32	34	48	42	62	40	48	32	16	16	2	2	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	272	-	-	-	-	-	-	4	10	10	20	20	34	28	44	26	32	26	12	6	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	128	-	-	-	-	-	-	4	-	4	10	14	14	14	18	14	14	4	4	10	2	2	-
180-187	OF GENITAL ORGANS.....	656	-	-	-	2	-	6	4	8	14	22	26	34	42	70	110	90	112	66	42	6	2	-
	WHITE.....MALE....	190	-	-	-	2	-	4	2	-	2	-	-	4	4	6	36	30	34	40	26	-	-	-
	FEMALE..	210	-	-	-	-	-	2	-	2	12	12	18	12	18	28	32	22	32	10	6	4	-	-
	ALL OTHER..MALE....	136	-	-	-	-	-	-	-	-	-	-	-	2	10	20	22	22	36	14	8	-	2	-
	FEMALE..	120	-	-	-	-	-	-	2	6	-	10	8	16	10	16	20	16	10	2	2	2	-	-
188, 189	OF URINARY ORGANS.....	238	2	2	2	-	-	-	-	-	4	6	14	12	24	24	38	42	30	22	12	4	-	-
	WHITE.....MALE....	114	-	-	-	-	-	-	-	-	-	2	6	4	12	14	18	20	20	12	4	2	-	-
	FEMALE..	52	-	-	-	-	-	-	-	-	-	2	-	2	6	4	8	10	6	10	4	-	-	-
	ALL OTHER..MALE....	34	-	-	-	-	-	-	-	-	-	2	8	2	4	4	4	4	2	-	2	2	-	-
	FEMALE..	38	2	2	2	-	-	-	-	-	4	-	-	4	2	2	8	8	2	-	2	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	810	4	6	10	8	6	12	4	14	10	18	38	60	70	94	150	98	108	48	38	12	2	-
	WHITE.....MALE....	280	-	-	-	6	2	4	4	2	6	6	12	26	22	34	66	32	28	16	10	4	-	-
	FEMALE..	258	4	4	6	-	2	6	-	10	-	4	12	16	20	22	26	32	40	26	22	4	2	-
	ALL OTHER..MALE....	144	-	2	2	2	-	2	-	-	2	6	8	12	12	16	32	14	26	4	4	-	-	-
	FEMALE..	128	-	-	2	-	2	-	-	2	2	2	6	6	16	22	26	20	14	2	2	4	-	-
204-207	LEUKEMIA.....	238	2	10	8	4	16	2	4	6	6	6	12	10	12	22	20	28	36	20	14	-	-	-
	WHITE.....MALE....	108	-	-	-	-	10	2	2	2	2	4	6	6	6	8	10	18	16	8	8	-	-	-
	FEMALE..	72	2	6	2	2	4	-	2	-	2	-	4	2	6	8	4	4	10	8	6	-	-	-
	ALL OTHER..MALE....	30	-	2	4	2	-	-	-	4	-	2	2	-	-	-	2	2	8	2	-	-	-	-
	FEMALE..	28	-	2	2	-	2	-	-	-	2	-	-	2	-	6	4	4	2	2	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	298	-	-	-	8	8	6	2	4	4	18	8	24	20	38	48	38	32	22	14	4	-	-
	WHITE.....MALE....	126	-	-	-	2	2	6	-	2	4	8	4	12	14	14	18	16	8	10	6	-	-	-
	FEMALE..	108	-	-	-	4	4	-	2	-	-	4	4	4	2	10	22	20	12	10	6	4	-	-
	ALL OTHER..MALE....	44	-	-	-	2	2	-	-	-	-	6	-	4	4	12	4	2	6	2	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	2	-	-	-	4	-	2	4	-	6	-	2	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	94	2	-	2	-	2	-	4	-	6	6	2	6	10	12	12	4	8	6	8	2	2	-
	WHITE.....MALE....	30	-	-	-	-	-	-	2	-	2	2	-	-	4	4	6	2	2	4	-	-	2	-
	FEMALE..	20	-	-	2	-	-	-	-	-	-	2	-	-	-	4	6	-	2	2	2	-	-	-
	ALL OTHER..MALE....	14	2	-	-	-	2	-	-	-	2	-	-	-	2	-	-	-	2	-	2	2	-	-
	FEMALE..	30	-	-	-	-	-	-	2	-	2	2	2	6	4	4	-	2	2	-	4	-	-	-
250	DIABETES MELLITUS.....	970	2	-	2	-	-	2	10	-	10	18	46	52	70	120	154	162	140	108	48	24	2	-
	WHITE.....MALE....	222	2	-	-	-	-	-	2	-	4	4	8	14	10	26	40	40	42	14	10	6	-	-
	FEMALE..	340	-	-	2	-	-	2	2	-	4	6	6	8	22	32	40	62	58	64	18	14	-	-
	ALL OTHER..MALE....	124	-	-	-	-	-	-	2	-	2	2	10	14	10	18	26	16	14	4	4	2	-	-
	FEMALE..	284	-	-	-	-	-	-	4	-	-	6	22	16	28	44	48	44	26	26	16	2	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	LOUISIANA—CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	48	-	2	-	-	-	-	-	-	-	-	4	-	6	6	2	6	10	4	2	6	-	-
	WHITE.....MALE....	16	-	2	-	-	-	-	-	-	-	-	2	-	-	4	2	-	2	2	-	2	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	2	-	-	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	8	-	-	2	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-
280-285	ANEMIAS.....	78	2	6	2	-	12	4	2	-	2	-	2	-	4	4	8	4	10	12	2	2	-	-
	WHITE.....MALE....	24	-	-	-	-	4	-	-	-	-	-	2	-	2	2	4	-	6	4	-	-	-	-
	FEMALE..	18	-	-	-	-	2	-	-	-	-	-	-	-	-	2	2	2	2	6	-	2	-	-
	ALL OTHER..MALE....	20	2	2	-	-	4	-	-	-	2	-	-	-	2	-	2	2	2	-	2	-	-	-
	FEMALE..	16	-	4	2	-	2	4	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
320	MENINGITIS.....	26	12	8	2	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	6	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	10	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	17,474	20	16	12	4	16	16	40	84	146	272	554	880	1,214	1,866	2,272	2,650	2,474	2,214	1,706	686	332	-
	WHITE.....MALE....	6,528	-	2	6	-	6	6	20	18	56	120	262	436	596	884	964	988	824	642	464	176	58	-
	FEMALE..	5,240	6	2	-	2	-	2	2	8	24	42	66	128	182	332	438	768	874	1,010	886	340	128	-
	ALL OTHER..MALE....	2,830	6	8	4	2	8	4	6	36	46	52	132	160	234	322	450	446	372	232	170	78	62	-
	FEMALE..	2,876	8	4	2	-	2	4	12	22	20	58	94	156	202	328	420	448	404	330	186	92	84	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	12,696	12	6	10	2	8	10	22	46	108	190	446	684	996	1,492	1,740	1,950	1,754	1,506	1,086	426	202	-
	WHITE.....MALE....	5,132	-	2	6	-	2	6	12	16	48	106	240	374	524	770	768	754	616	446	308	102	32	-
	FEMALE..	3,570	6	-	-	2	-	-	2	2	16	28	54	88	144	254	332	544	584	658	546	216	94	-
	ALL OTHER..MALE....	2,038	2	2	2	-	6	2	4	20	30	30	90	114	186	244	338	340	268	166	116	48	30	-
	FEMALE..	1,956	4	2	2	-	-	2	4	8	14	26	62	108	142	224	302	312	286	236	116	60	46	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	130	-	-	2	-	-	-	4	2	12	4	20	10	18	14	22	8	10	4	-	-	-	-
	WHITE.....MALE....	62	-	-	-	-	-	-	2	2	2	-	8	10	14	4	12	2	4	2	-	-	-	-
	FEMALE..	26	-	-	-	-	-	-	2	-	2	2	10	-	-	6	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	24	-	-	-	-	-	-	-	-	8	2	-	-	-	4	4	2	2	2	-	-	-	-
	FEMALE..	18	-	-	2	-	-	-	-	-	-	-	2	-	4	-	4	2	4	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	164	-	-	-	-	-	-	-	2	-	-	6	6	12	16	28	26	18	24	14	8	4	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	6	-	-	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	6	6	8	-	-	-
	ALL OTHER..MALE....	44	-	-	-	-	-	-	-	2	-	-	-	2	4	4	4	10	4	4	6	4	-	-
	FEMALE..	74	-	-	-	-	-	-	-	-	-	-	6	4	6	8	18	8	8	8	-	4	4	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	68	-	-	-	-	-	-	-	-	-	-	-	4	4	6	6	14	6	14	12	2	-	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	-	4	2	4	-	2	2	-	4	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	4	-	-	-	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	2	6	2	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	-	8	2	-	-	-
410-413	ISCHEMIC HEART DISEASE...	11,252	-	-	2	-	2	8	8	26	86	166	382	600	848	1,326	1,570	1,726	1,602	1,346	998	382	174	-
	WHITE.....MALE....	4,682	-	-	-	-	-	6	4	10	46	102	220	332	472	708	714	684	572	410	286	90	26	-
	FEMALE..	3,234	-	-	-	-	-	-	-	-	10	22	38	80	128	218	304	496	554	598	506	198	82	-
	ALL OTHER..MALE....	1,734	-	-	2	-	2	-	2	12	20	22	80	100	148	212	302	292	236	140	98	38	28	-
	FEMALE..	1,602	-	-	-	-	-	2	2	4	10	20	44	88	100	188	250	254	240	198	108	56	38	-
410	ACUTE MYOCARDIAL INFARCTION.....	5,836	-	-	2	-	2	4	6	22	66	140	284	408	584	850	888	848	710	526	336	114	46	-
	WHITE.....MALE....	2,972	-	-	-	-	-	2	4	10	42	92	178	256	372	526	476	394	286	190	112	24	8	-
	FEMALE..	1,518	-	-	-	-	-	-	-	-	10	20	28	58	74	140	186	260	262	238	158	66	18	-
	ALL OTHER..MALE....	782	-	-	2	-	2	-	2	10	12	18	56	50	92	102	142	106	96	44	34	10	4	-
	FEMALE..	564	-	-	-	-	-	2	-	2	2	10	22	44	46	82	84	88	66	54	32	14	16	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	22	-	-	-	-	-	-	-	-	-	-	-	2	-	-	8	-	4	2	4	2	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	5,390	-	-	-	-	-	4	2	4	20	26	98	190	264	476	672	878	886	818	658	266	128	-
	WHITE.....MALE....	1,696	-	-	-	-	-	4	-	-	4	10	42	76	100	182	228	290	284	218	174	66	18	-
	FEMALE..	1,708	-	-	-	-	-	-	-	-	-	2	10	20	54	78	118	236	290	360	344	132	64	-
	ALL OTHER..MALE....	952	-	-	-	-	-	-	-	2	8	4	24	50	56	110	160	186	140	96	64	28	24	-
	FEMALE..	1,034	-	-	-	-	-	-	2	2	8	10	22	44	54	106	166	166	172	144	76	40	22	-
413	ANGINA PECTORIS.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	LOUISIANA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	194	2	2	-	-	-	-	-	-	-	-	2	6	28	24	24	34	12	26	20	8	6	-
	WHITE.....MALE....	60	-	-	-	-	-	-	-	-	-	-	-	2	12	8	8	10	2	6	4	6	2	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	8	4	12	8	2	-	-
	ALL OTHER..MALE....	42	-	-	-	-	-	-	-	-	-	-	2	2	8	4	8	10	4	2	2	-	-	-
	FEMALE..	48	2	2	-	-	-	-	-	-	-	-	-	-	6	8	6	6	2	6	6	-	4	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	888	10	4	6	2	6	2	10	16	10	20	36	58	86	106	90	142	106	92	42	26	18	-
	WHITE.....MALE....	296	-	2	6	-	2	-	6	4	-	4	12	26	22	44	32	54	36	22	14	6	4	-
	FEMALE..	224	6	-	-	2	-	-	-	2	4	4	6	6	12	24	18	30	20	38	24	16	12	-
	ALL OTHER..MALE....	174	2	2	-	-	4	2	2	6	2	6	8	10	26	18	20	22	18	16	4	4	2	-
	FEMALE..	194	2	-	-	-	-	-	2	4	4	6	10	16	26	20	20	36	32	16	-	-	-	-
400, 401, 403	HYPERTENSION.....	136	-	-	-	-	-	2	2	6	4	8	8	6	4	12	16	10	20	16	18	-	4	-
	WHITE.....MALE....	28	-	-	-	-	-	-	-	-	-	-	-	4	2	-	4	2	8	6	2	-	-	-
	FEMALE..	46	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	8	6	6	14	-	2	-
	ALL OTHER..MALE....	30	-	-	-	-	-	2	2	2	4	4	2	2	2	2	4	-	2	-	2	-	-	-
	FEMALE..	32	-	-	-	-	-	-	-	4	-	4	6	-	-	4	4	-	4	4	-	-	2	-
430-438	CEREBROVASCULAR DISEASES.	3,728	6	10	2	2	6	4	12	26	32	60	96	152	180	288	398	574	574	558	482	178	88	-
	WHITE.....MALE....	1,036	-	-	-	-	2	-	6	2	8	10	18	44	52	92	134	182	150	150	124	50	12	-
	FEMALE..	1,284	-	2	-	-	-	2	-	4	8	12	12	24	32	54	76	178	242	278	262	78	20	-
	ALL OTHER..MALE....	628	4	6	2	2	2	-	-	12	10	12	40	36	40	60	88	88	82	52	44	24	24	-
	FEMALE..	780	2	2	-	-	2	2	6	8	6	26	26	48	56	82	100	126	100	78	52	26	32	-
431	CEREBRAL HEMORRHAGE.....	634	-	4	2	-	-	4	2	2	6	18	22	44	48	54	82	110	94	62	56	18	6	-
	WHITE.....MALE....	176	-	-	-	-	-	-	2	-	-	6	6	14	16	20	24	36	24	20	6	2	-	-
	FEMALE..	184	-	-	-	-	-	2	-	-	4	-	2	4	12	10	14	36	46	20	24	10	-	-
	ALL OTHER..MALE....	134	-	2	2	-	-	-	-	2	2	4	12	12	6	10	20	14	18	12	12	2	4	-
	FEMALE..	140	-	2	-	-	-	2	-	-	-	8	2	14	14	14	24	24	6	10	14	4	2	-
433	CEREBRAL THROMBOSIS.....	788	-	2	-	-	-	-	2	2	4	2	4	6	18	48	86	136	126	134	140	58	20	-
	WHITE.....MALE....	254	-	-	-	-	-	-	-	-	-	-	-	2	8	12	38	60	38	34	40	18	4	-
	FEMALE..	270	-	2	-	-	-	-	-	2	2	-	2	-	2	12	16	36	44	70	62	20	-	-
	ALL OTHER..MALE....	118	-	-	-	-	-	-	-	-	-	-	2	4	4	4	14	22	24	10	20	8	6	-
	FEMALE..	146	-	-	-	-	-	-	2	-	2	2	-	-	4	20	18	18	20	20	18	12	10	-
434	CEREBRAL EMBOLISM.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	2,302	6	4	-	2	6	-	8	22	22	40	70	102	114	186	230	328	354	360	286	102	60	-
	WHITE.....MALE....	606	-	-	-	-	2	-	4	2	8	4	12	28	28	60	72	86	88	96	78	30	8	-
	FEMALE..	828	-	-	-	-	-	-	-	2	2	12	8	20	18	32	46	106	152	186	176	48	20	-
	ALL OTHER..MALE....	376	4	4	-	2	2	-	-	10	8	8	26	20	30	46	54	52	40	30	12	14	14	-
	FEMALE..	492	2	-	-	-	2	-	4	8	4	16	24	34	38	48	58	84	74	48	20	10	18	-
440	ARTERIOSCLEROSIS.....	510	-	-	-	-	-	-	-	-	-	-	2	4	12	24	44	56	76	96	88	74	34	-
	WHITE.....MALE....	140	-	-	-	-	-	-	-	-	-	-	2	2	2	8	12	20	28	16	16	20	14	-
	FEMALE..	238	-	-	-	-	-	-	-	-	-	-	-	2	4	4	14	20	28	60	52	42	12	-
	ALL OTHER..MALE....	64	-	-	-	-	-	-	-	-	-	-	-	-	2	6	14	10	8	10	4	6	4	-
	FEMALE..	68	-	-	-	-	-	-	-	-	-	-	-	-	4	6	4	6	12	10	16	6	4	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	404	2	-	-	-	2	-	4	6	2	14	2	34	22	50	74	60	50	38	32	8	4	-
	WHITE.....MALE....	192	-	-	-	-	2	-	2	-	-	4	2	12	16	14	46	30	22	24	14	4	-	-
	FEMALE..	102	-	-	-	-	-	-	-	2	-	2	-	14	2	14	12	18	14	8	12	4	-	-
	ALL OTHER..MALE....	70	-	-	-	-	-	-	-	2	2	6	-	8	4	10	6	8	12	4	4	-	4	-
	FEMALE..	40	2	-	-	-	-	-	2	2	-	2	-	-	-	12	10	4	2	2	2	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	20	2	8	-	-	-	-	-	-	-	-	-	4	-	-	2	-	4	-	-	-	-	-
	WHITE.....MALE....	6	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	966	142	12	-	4	6	10	-	4	10	14	24	42	42	84	74	116	130	118	82	34	18	-
	WHITE.....MALE....	372	34	-	-	-	-	6	-	2	-	4	10	20	20	30	36	48	62	52	40	8	-	-
	FEMALE..	256	24	-	-	-	2	-	-	2	-	2	8	6	-	28	14	32	38	44	32	16	8	-
	ALL OTHER..MALE....	204	46	4	-	4	2	2	-	-	10	4	2	12	16	16	16	26	20	16	2	2	4	-
	FEMALE..	134	38	8	-	-	2	2	-	-	-	4	4	4	6	10	8	10	10	6	8	8	6	-
470-474	INFLUENZA.....	76	2	-	-	-	-	-	-	-	2	-	2	6	6	8	6	12	12	16	2	2	-	-
	WHITE.....MALE....	34	-	-	-	-	-	-	-	-	-	-	-	-	4	4	6	4	8	6	-	2	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	8	4	6	-	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	4	-	-	-	-
	FEMALE..	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-
480-486	PNEUMONIA.....	890	140	12	-	4	6	10	-	4	8	14	22	36	36	76	68	104	118	102	80	32	18	-
	WHITE.....MALE....	338	34	-	-	-	-	6	-	2	-	4	10	20	16	26	30	44	54	46	40	6	-	-
	FEMALE..	230	24	-	-	-	2	-	-	2	-	2	6	2	-	26	14	24	34	38	32	16	8	-
	ALL OTHER..MALE....	194	46	4	-	4	2	2	-	-	8	4	2	10	16	14	16	26	20	12	2	2	4	-
	FEMALE..	128	36	8	-	-	2	2	-	-	-	4	4	4	4	10	8	10	10	6	6	8	6	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	LOUISIANA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	464	10	-	-	4	2	4	4	2	2	12	10	26	46	62	62	106	54	30	22	4	2	-
	WHITE.....MALE	296	-	-	-	-	-	-	-	-	-	-	4	12	26	42	52	78	42	24	10	4	2	-
	FEMALE	86	2	-	-	-	2	-	4	-	-	2	6	10	14	10	4	16	6	6	4	-	-	-
	ALL OTHER..MALE	60	4	-	-	-	-	2	-	-	-	8	-	4	4	8	4	12	6	-	8	-	-	-
	FEMALE	22	4	-	-	4	-	2	-	2	2	2	-	-	2	2	2	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	58	10	-	-	-	-	-	-	-	-	-	-	8	2	8	4	8	8	4	4	2	-	-
	WHITE.....MALE	30	-	-	-	-	-	-	-	-	-	-	-	2	-	6	2	6	6	4	2	2	-	-
	FEMALE	12	2	-	-	-	-	-	-	-	-	-	-	6	2	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	12	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	354	-	-	-	-	-	2	-	-	-	6	8	12	36	48	56	94	46	26	16	2	2	-
	WHITE.....MALE	262	-	-	-	-	-	-	-	-	-	-	4	10	26	36	50	70	36	20	6	2	2	-
	FEMALE	52	-	-	-	-	-	-	-	-	-	-	4	-	6	8	4	14	6	6	4	-	-	-
	ALL OTHER..MALE	32	-	-	-	-	-	-	-	-	-	4	-	2	2	4	-	10	4	-	6	-	-	-
	FEMALE	8	-	-	-	-	-	2	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-	-
493	ASTHMA	52	-	-	-	4	2	2	4	2	2	6	2	6	8	6	2	4	-	-	2	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE	22	-	-	-	-	2	-	4	-	-	2	2	4	6	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	16	-	-	-	-	-	2	-	-	-	4	-	2	2	2	2	2	-	-	-	-	-	-
	FEMALE	10	-	-	-	4	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	102	2	-	-	-	-	-	-	4	-	4	8	6	22	10	8	10	8	16	2	2	-	-
	WHITE.....MALE	42	-	-	-	-	-	-	-	4	-	2	4	2	10	4	4	2	-	8	2	-	-	-
	FEMALE	36	-	-	-	-	-	-	-	-	-	-	2	-	4	4	2	8	6	8	-	2	-	-
	ALL OTHER..MALE	18	-	-	-	-	-	-	-	-	-	2	2	-	8	2	2	-	2	-	-	-	-	-
	FEMALE	6	2	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	14	-	-	2	-	-	-	-	-	2	-	2	-	2	-	-	-	2	4	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	118	18	2	-	2	-	2	-	2	-	2	6	4	-	8	12	22	16	4	12	6	-	-
	WHITE.....MALE	28	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	2	2	6	2	-	-
	FEMALE	46	2	-	-	2	-	-	-	-	-	-	2	4	-	2	8	6	10	2	4	4	-	-
	ALL OTHER..MALE	22	4	2	-	-	-	-	-	2	-	-	-	-	-	6	2	4	2	-	-	-	-	-
	FEMALE	22	4	-	-	-	-	2	-	-	-	2	4	-	-	-	2	4	2	-	2	-	-	-
571	CIRRHOSIS OF LIVER	370	-	-	-	-	2	-	6	10	16	32	76	54	54	44	36	28	6	2	-	4	-	-
	WHITE.....MALE	182	-	-	-	-	-	-	2	2	8	12	40	34	28	24	20	10	2	-	-	-	-	-
	FEMALE	100	-	-	-	-	-	-	2	2	2	8	14	4	14	18	14	16	2	2	-	2	-	-
	ALL OTHER..MALE	66	-	-	-	-	-	-	2	2	6	10	16	10	10	2	2	2	2	-	-	2	-	-
	FEMALE	22	-	-	-	-	2	-	-	4	-	2	6	6	2	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	64	-	-	-	-	-	-	2	-	-	-	-	2	2	8	12	10	8	14	4	2	-	-
	WHITE.....MALE	32	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	6	6	6	-	2	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	2	4	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	2	-	-	-	-	-	-	2	4	4	-	6	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	248	2	2	2	-	2	2	2	6	12	12	20	18	14	26	30	26	20	10	24	10	8	-
	WHITE.....MALE	58	-	-	-	-	-	-	-	-	-	6	4	10	6	4	10	6	4	2	2	4	-	-
	FEMALE	54	-	-	-	-	-	-	2	-	4	-	-	-	-	6	6	6	6	4	10	4	6	-
	ALL OTHER..MALE	80	-	-	-	-	2	-	-	6	6	2	14	2	4	10	6	12	6	2	6	2	-	-
	FEMALE	56	2	2	2	-	-	2	-	-	2	4	2	6	4	6	8	2	4	2	6	-	2	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	38	2	2	-	-	2	2	-	4	-	2	2	2	-	2	4	6	2	2	2	-	2	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-
	ALL OTHER..MALE	20	-	-	-	-	2	-	-	4	-	2	2	-	-	2	2	4	2	-	-	-	-	-
	FEMALE	10	2	2	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	210	-	-	2	-	-	-	2	2	12	10	18	16	14	24	26	20	18	8	22	10	6	-
	WHITE.....MALE	54	-	-	-	-	-	-	-	-	-	6	4	8	6	4	10	4	4	2	2	4	-	-
	FEMALE	50	-	-	-	-	-	-	2	-	4	-	-	-	-	6	6	6	6	4	8	4	4	-
	ALL OTHER..MALE	60	-	-	-	-	-	-	-	2	6	-	12	2	4	8	4	8	4	2	6	2	-	-
	FEMALE	46	-	-	2	-	-	-	-	-	2	4	2	6	4	6	6	2	4	-	6	-	2	-
590	INFECTIONS OF KIDNEY	200	-	-	-	-	-	-	-	-	2	-	6	6	8	8	20	42	32	34	22	16	4	-
	WHITE.....MALE	54	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	8	18	10	8	2	-	-
	FEMALE	92	-	-	-	-	-	-	-	-	-	-	2	4	2	4	2	20	12	18	12	14	2	-
	ALL OTHER..MALE	20	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	6	2	-	2	-	-	-
	FEMALE	34	-	-	-	-	-	-	-	-	2	-	4	-	-	2	10	8	-	6	-	-	2	-
600	HYPERPLASIA OF PROSTATE	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	6	4	4	-	-	-
	WHITE.....MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	2	4	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	LOUISIANA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	12	-	-	-	2	4	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	8	-	-	-	2	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	12	-	-	-	2	4	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	8	-	-	-	2	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	318	206	42	12	6	6	12	4	6	6	-	4	2	2	8	2	-	-	-	-	-	-	-
	WHITE.....MALE....	124	76	16	4	2	4	2	4	6	2	-	2	2	-	4	-	-	-	-	-	-	-	-
	FEMALE..	92	56	14	6	2	2	4	-	-	2	-	2	-	2	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	56	40	6	2	2	-	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	46	34	6	-	-	-	2	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	882	876	-	-	-	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	266	266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	240	238	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	196	192	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	460	456	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	140	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	106	104	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	112	110	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	422	420	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	84	82	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	262	30	2	2	2	-	-	4	4	-	2	10	8	16	14	24	42	26	32	16	16	12	-
	WHITE.....MALE....	86	6	-	2	-	-	-	4	-	-	2	4	6	2	6	8	14	10	10	2	6	4	-
	FEMALE..	60	4	-	-	2	-	-	-	-	-	-	2	2	-	-	8	2	10	10	8	6	6	-
	ALL OTHER..MALE....	48	12	-	-	-	-	-	-	2	-	-	-	-	4	4	4	10	-	4	4	2	2	-
	FEMALE..	68	8	2	-	-	-	-	-	2	-	-	4	-	10	4	4	16	6	8	2	2	-	-
RESIDUAL	ALL OTHER DISEASES.....	2,072	56	30	24	8	34	34	42	36	70	66	114	134	180	212	230	232	234	160	102	52	22	-
	WHITE.....MALE....	748	14	6	10	4	10	6	18	4	20	24	34	62	90	86	76	94	78	62	36	14	-	-
	FEMALE..	618	18	4	10	4	10	2	10	8	10	16	22	28	36	40	64	82	88	72	50	28	16	-
	ALL OTHER..MALE....	360	12	8	2	-	6	10	4	16	24	6	26	28	28	48	44	32	38	12	8	6	2	-
	FEMALE..	346	12	12	2	-	8	16	10	8	16	20	32	16	26	38	46	24	30	14	8	4	4	-
E800-E949	ACCIDENTS.....	2,378	56	108	92	128	312	222	152	114	126	104	138	112	118	138	104	98	88	82	56	26	2	2
	WHITE.....MALE....	1,096	8	52	38	52	190	126	74	68	56	56	50	44	50	62	50	40	28	28	12	10	-	2
	FEMALE..	466	14	14	16	24	38	30	16	16	12	16	28	26	28	36	16	22	30	32	38	14	-	-
	ALL OTHER..MALE....	602	22	28	28	42	72	54	48	22	48	28	36	32	34	28	22	20	20	14	2	2	-	-
	FEMALE..	214	12	14	10	10	12	12	14	8	10	4	24	10	6	12	16	16	10	8	4	-	2	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	1,102	4	48	66	56	188	128	86	50	80	42	68	52	50	66	52	24	22	12	4	4	-	-
	WHITE.....MALE....	558	-	28	30	28	124	74	38	28	34	22	20	18	22	28	30	12	8	8	4	2	-	-
	FEMALE..	210	-	2	12	16	30	20	12	6	12	10	22	16	6	20	8	8	6	2	-	2	-	-
	ALL OTHER..MALE....	238	2	14	16	8	26	26	28	10	24	8	14	12	16	16	6	2	8	2	-	-	-	-
	FEMALE..	96	2	4	8	4	8	8	8	6	10	2	12	6	6	2	8	2	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,276	52	60	26	72	124	94	66	64	46	62	70	60	68	72	52	74	66	70	52	22	2	2
	WHITE.....MALE....	538	8	24	8	24	66	52	36	40	22	34	30	26	28	34	20	28	20	20	8	8	-	2
	FEMALE..	256	14	12	4	8	8	10	4	10	-	6	6	10	22	16	8	14	24	30	38	12	-	-
	ALL OTHER..MALE....	344	20	14	12	34	46	28	20	12	24	20	22	20	18	12	16	18	12	12	2	2	-	-
	FEMALE..	118	10	10	2	6	4	4	6	2	-	2	12	4	-	10	8	14	10	8	4	-	2	-
E950-E959	SUICIDE.....	396	...	...	-	2	20	34	38	48	32	28	38	40	24	40	20	14	6	4	6	2	-	-
	WHITE.....MALE....	252	...	...	-	2	12	18	18	28	22	18	20	26	18	24	20	10	6	4	6	-	-	-
	FEMALE..	92	...	...	-	-	2	4	12	16	4	8	14	14	6	10	-	-	-	-	-	2	-	-
	ALL OTHER..MALE....	42	...	...	-	-	4	10	8	-	6	2	4	-	-	4	-	4	-	-	-	-	-	-
	FEMALE..	10	...	...	-	-	2	2	-	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	574	6	2	-	12	48	98	84	66	64	48	50	30	26	18	10	4	6	-	2	-	-	-
	WHITE.....MALE....	128	-	2	-	6	12	14	18	14	4	10	16	10	8	4	4	2	2	-	2	-	-	-
	FEMALE..	34	2	-	-	2	6	-	2	2	4	2	4	2	6	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	352	2	-	-	4	24	68	58	46	50	28	28	14	12	10	6	-	2	-	-	-	-	-
	FEMALE..	60	2	-	-	-	6	16	6	4	6	8	2	4	-	4	-	-	2	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	30	-	-	-	-	-	4	-	2	6	4	6	2	2	2	-	2	-	-	-	-	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	2	2	-	2	-	2	-	2	-	-	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	2	4	2	6	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MAINE																							
	ALL CAUSES.....	11,198	298	46	40	32	116	84	66	72	104	170	276	480	670	932	1,208	1,502	1,650	1,582	1,152	550	162	6
	WHITE.....MALE....	6,084	172	24	24	18	86	74	50	40	64	100	178	306	448	596	740	900	868	724	432	190	44	6
	FEMALE..	5,088	124	22	16	14	30	10	14	30	40	68	98	172	222	332	464	600	778	858	720	360	116	-
	ALL OTHER..MALE....	18	2	-	-	-	-	-	-	-	-	2	-	2	-	4	4	2	2	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	2	-	-	-	2	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	8	-	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	2	-	-
	WHITE.....MALE....	4	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	-	4	4	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	4	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	4	4	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	4	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	14	4	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	2	2	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	2	-	-	-
	FEMALE..	8	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MAINE—CON.																							
RE-	OTHER INFECTIVE AND																							
MAIN-	PARASITIC DISEASES.....	28	2	2	-	-	2	-	-	-	-	2	-	2	2	4	4	-	2	-	2	4	-	-
DER	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	2	-	2	-	4	2	-	-	-	2	2	-	-
OF	FEMALE..	14	2	2	-	-	2	-	-	-	-	-	-	-	2	-	2	-	2	-	-	2	-	-
000-	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-	MALIGNANT NEOPLASMS,																							
209	INCLUDING NEOPLASMS OF																							
	LYMPHATIC AND HEMATO-																							
	POIETIC TISSUES.....	1,924	-	6	8	2	12	6	4	10	20	36	72	142	180	244	232	308	262	220	106	44	6	4
	WHITE.....MALE....	982	-	4	6	2	8	4	4	4	8	12	26	70	94	154	112	166	142	98	46	16	2	4
	FEMALE..	942	-	2	2	-	4	2	-	6	12	24	46	72	86	90	120	142	120	122	60	28	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-	OF BUCCAL CAVITY																							
149	AND PHARYNX.....	30	-	-	-	-	2	-	-	-	-	2	-	-	2	6	2	6	2	4	-	4	-	-
	WHITE.....MALE....	20	-	-	-	-	2	-	-	-	-	-	-	-	2	2	2	4	2	4	-	2	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	2	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-	OF DIGESTIVE ORGANS																							
159	AND PERITONEUM.....	574	-	-	-	-	-	-	-	2	4	8	10	26	60	60	78	98	88	76	34	24	2	4
	WHITE.....MALE....	294	-	-	-	-	-	-	-	-	4	4	4	12	36	40	40	44	52	32	14	8	-	4
	FEMALE..	280	-	-	-	-	-	-	-	2	-	4	6	14	24	20	38	54	36	44	20	16	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-	OF RESPIRATORY SYSTEM....	394	-	-	-	-	-	-	-	-	4	6	30	46	38	88	54	56	38	24	10	-	-	-
163	WHITE.....MALE....	296	-	-	-	-	-	-	-	-	2	2	22	28	24	80	40	44	32	14	8	-	-	-
	FEMALE..	98	-	-	-	-	-	-	-	-	2	4	8	18	14	8	14	12	6	10	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	OF BREAST.....	166	-	-	-	-	-	-	-	2	2	6	12	8	24	22	16	24	22	14	14	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	166	-	-	-	-	-	-	-	2	2	6	12	8	24	22	16	24	22	14	14	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180-	OF GENITAL ORGANS.....	252	-	-	-	-	-	-	-	2	6	2	14	18	18	18	28	42	42	36	20	6	-	-
187	WHITE.....MALE....	108	-	-	-	-	-	-	-	2	-	-	-	2	4	4	4	28	28	18	14	4	-	-
	FEMALE..	144	-	-	-	-	-	-	-	-	6	2	14	16	14	14	24	14	14	18	6	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188,	OF URINARY ORGANS.....	102	-	2	-	-	-	-	-	-	-	-	2	12	4	10	8	20	20	16	8	-	-	-
189	WHITE.....MALE....	58	-	2	-	-	-	-	-	-	-	-	-	8	2	6	2	20	8	10	-	-	-	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	-	2	4	2	4	6	-	12	6	8	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-	OF ALL OTHER AND																							
173,	UNSPECIFIED SITES.....	242	-	4	-	-	4	4	-	-	2	4	4	20	22	18	26	40	34	32	16	8	4	-
190-	WHITE.....MALE....	118	-	2	-	-	2	2	-	-	2	2	-	14	20	8	14	16	12	12	8	2	2	-
199	FEMALE..	124	-	2	-	-	2	2	-	-	-	2	4	6	2	10	12	24	22	20	8	6	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204-	LEUKEMIA.....	56	-	-	8	-	2	-	2	2	-	4	-	2	2	6	2	8	8	8	2	-	-	-
207	WHITE.....MALE....	36	-	-	6	-	2	-	2	-	-	2	-	-	2	6	-	6	2	8	-	-	-	-
	FEMALE..	20	-	-	2	-	-	-	-	2	-	2	-	2	-	-	2	2	6	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-	OTHER NEOPLASMS OF																							
203,	LYMPHATIC AND HEMATO-																							
208,	POIETIC TISSUES.....	108	-	-	-	2	4	2	2	2	2	4	-	10	10	16	18	14	8	10	2	2	-	-
209	WHITE.....MALE....	52	-	-	-	2	2	2	2	2	-	2	-	6	4	8	10	4	6	-	2	-	-	-
	FEMALE..	56	-	-	-	-	2	-	-	-	2	2	-	4	6	8	8	10	2	10	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-	BENIGN NEOPLASMS AND																							
239	NEOPLASMS OF UNSPECI-																							
	FIED NATURE.....	26	-	-	-	-	-	-	-	2	2	-	2	4	2	4	4	4	-	2	-	-	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	2	-	2	2	2	2	2	4	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	2	-	-	-	2	-	2	2	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	220	-	-	-	-	2	-	-	2	-	2	4	4	24	18	32	24	40	22	32	10	4	-
	WHITE.....MALE....	92	-	-	-	-	-	-	-	2	-	2	2	2	12	8	24	6	10	4	16	4	-	-
	FEMALE..	126	-	-	-	-	2	-	-	-	-	-	2	2	12	8	8	18	30	18	16	6	4	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MAINE--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	28	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	4	4	4	6	2	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	2	2	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	4	2	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	34	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	14	2	2	2	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	-	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	6	2	2	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	6,196	2	6	-	4	6	-	2	10	22	50	90	208	294	488	692	896	1,026	1,092	796	396	116	-
	WHITE.....MALE....	3,256	-	2	-	2	4	-	2	8	12	32	72	150	234	312	430	554	516	496	282	114	34	-
	FEMALE..	2,932	2	4	-	2	2	-	-	2	10	18	18	56	60	176	260	342	508	596	514	282	80	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	4,606	2	2	-	4	2	-	-	10	18	36	82	184	256	396	560	670	794	724	546	252	68	-
	WHITE.....MALE....	2,572	-	-	-	2	2	-	-	8	10	26	66	142	210	260	354	440	412	342	198	76	24	-
	FEMALE..	2,028	2	2	-	2	-	-	-	2	8	10	16	40	46	136	206	230	380	382	348	176	42	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	74	-	-	-	-	-	-	-	-	-	6	2	4	4	8	10	14	12	12	2	-	-	-
	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	6	8	2	2	-	-	-
	FEMALE..	48	-	-	-	-	-	-	-	-	-	6	-	4	2	8	6	8	4	10	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	24	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	4	2	4	4	-	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	2	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	12	10	4	2	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	8	4	-	2	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	4	6	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	4,212	-	-	-	-	-	-	-	8	14	26	72	166	238	376	518	620	740	656	494	232	52	-
	WHITE.....MALE....	2,392	-	-	-	-	-	-	-	6	8	24	64	130	198	254	334	416	384	312	174	72	16	-
	FEMALE..	1,814	-	-	-	-	-	-	-	2	6	2	8	34	40	122	184	204	354	344	320	160	34	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-
410	ACUTE MYOCARDIAL INFARCTION.....	2,492	-	-	-	-	-	-	-	8	12	20	54	116	200	314	366	392	442	302	170	76	20	-
	WHITE.....MALE....	1,566	-	-	-	-	-	-	-	6	6	18	50	94	172	218	242	268	248	152	58	24	10	-
	FEMALE..	926	-	-	-	-	-	-	-	2	6	2	4	22	28	96	124	124	194	150	112	52	10	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	6	2	2	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	1,706	-	-	-	-	-	-	-	-	2	6	18	50	38	60	150	228	292	352	322	156	32	-
	WHITE.....MALE....	820	-	-	-	-	-	-	-	-	2	6	14	36	26	34	90	148	136	158	116	48	6	-
	FEMALE..	880	-	-	-	-	-	-	-	-	-	-	4	12	12	26	60	80	154	194	206	108	24	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MAINE--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	54	-	2	-	-	-	-	-	-	-	2	-	2	-	-	2	8	8	8	12	4	6	-
	WHITE.....MALE....	28	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	4	6	4	2	4	-
	FEMALE..	26	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	4	4	2	8	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	196	2	-	-	4	2	-	-	2	4	2	8	10	14	10	22	18	22	32	24	12	8	-
	WHITE.....MALE....	96	-	-	-	2	2	-	-	2	2	2	-	8	10	4	10	12	12	12	14	2	2	-
	FEMALE..	100	2	-	-	2	-	-	-	-	2	-	8	2	4	6	12	6	10	20	10	10	6	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	54	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	-	6	12	16	6	2	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	8	10	4	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	2	4	6	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	1,196	-	4	-	-	4	-	2	-	2	14	6	20	30	78	110	166	170	284	170	108	28	-
	WHITE.....MALE....	488	-	2	-	-	2	-	2	-	2	6	4	6	20	44	60	70	72	112	56	28	2	-
	FEMALE..	706	-	2	-	-	2	-	-	-	-	8	2	14	10	34	48	96	98	172	114	80	26	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
431	CEREBRAL HEMORRHAGE.....	260	-	2	-	-	-	-	2	-	-	4	4	4	10	18	36	42	28	56	22	28	4	-
	WHITE.....MALE....	106	-	2	-	-	-	-	2	-	-	4	2	2	6	10	20	16	14	16	8	4	-	-
	FEMALE..	152	-	-	-	-	-	-	-	-	-	-	2	2	4	8	14	26	14	40	14	24	4	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	308	-	-	-	-	-	-	-	-	-	2	-	4	2	20	30	40	46	78	44	36	6	-
	WHITE.....MALE....	124	-	-	-	-	-	-	-	-	-	-	-	-	2	8	18	24	16	32	12	10	2	-
	FEMALE..	184	-	-	-	-	-	-	-	-	-	2	-	4	-	12	12	16	30	46	32	26	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	CEREBRAL EMBOLISM.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	624	-	2	-	-	4	-	-	-	2	8	2	12	18	40	44	82	96	148	104	44	18	-
	WHITE.....MALE....	254	-	-	-	-	2	-	-	-	2	2	2	4	12	26	22	28	42	62	36	14	-	-
	FEMALE..	370	-	2	-	-	2	-	-	-	-	6	-	8	6	14	22	54	54	86	68	30	18	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440	ARTERIOSCLEROSIS.....	198	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	20	26	56	48	20	18	-
	WHITE.....MALE....	84	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	12	12	22	16	6	8	-
	FEMALE..	114	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	8	14	34	32	14	10	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	142	-	-	-	-	-	-	-	-	2	-	2	4	2	8	12	40	30	16	16	10	-	-
	WHITE.....MALE....	82	-	-	-	-	-	-	-	-	-	-	2	2	2	4	10	32	16	12	2	-	-	-
	FEMALE..	60	-	-	-	-	-	-	-	-	2	-	-	2	-	4	2	8	14	4	14	10	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	6	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	466	12	2	2	-	2	2	-	4	2	2	8	6	28	24	40	50	94	72	72	28	16	-
	WHITE.....MALE....	222	8	-	2	-	-	2	-	2	2	-	4	6	10	14	26	24	46	28	26	18	4	-
	FEMALE..	242	4	2	-	-	2	-	-	2	-	2	4	-	18	10	14	26	46	44	46	10	12	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474	INFLUENZA.....	90	-	-	-	-	-	-	-	-	-	2	-	4	12	4	14	8	18	8	8	4	8	-
	WHITE.....MALE....	36	-	-	-	-	-	-	-	-	-	-	-	4	-	2	10	6	12	-	2	-	-	-
	FEMALE..	54	-	-	-	-	-	-	-	-	-	2	-	-	12	2	4	2	6	8	6	4	8	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	376	12	2	2	-	2	2	-	4	2	-	8	2	16	20	26	42	76	64	64	24	8	-
	WHITE.....MALE....	186	8	-	2	-	-	2	-	2	2	-	4	2	10	12	16	18	34	28	24	18	4	-
	FEMALE..	188	4	2	-	-	2	-	-	2	-	-	4	-	6	8	10	24	40	36	40	6	4	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MAINE—CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	186	2	-	-	-	-	-	-	-	-	-	2	4	16	20	42	40	34	16	6	4	-	-
	WHITE.....MALE	152	-	-	-	-	-	-	-	-	-	-	2	2	12	16	34	34	30	16	2	4	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	-	-	-	2	4	4	8	6	4	-	4	-	-	-
	ALL OTHER..MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	56	2	-	-	-	-	-	-	-	-	-	-	-	4	6	12	16	8	6	-	2	-	-
	WHITE.....MALE	50	-	-	-	-	-	-	-	-	-	-	-	-	4	6	10	14	8	6	-	2	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	114	-	-	-	-	-	-	-	-	-	-	2	2	12	10	30	22	22	10	2	2	-	-
	WHITE.....MALE	98	-	-	-	-	-	-	-	-	-	-	2	2	8	8	24	20	20	10	2	2	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	2	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	16	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	2	4	-	4	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	-	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	44	-	-	-	-	-	-	-	-	2	-	2	2	6	-	10	4	4	4	6	4	-	-
	WHITE.....MALE	32	-	-	-	-	-	-	-	-	2	-	-	2	4	-	10	4	2	2	4	2	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	2	2	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	10	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	-	-	2	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	2	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	40	2	-	-	-	2	-	-	-	-	-	-	-	2	6	4	4	4	8	4	2	2	-
	WHITE.....MALE	14	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	6	-	-	-	-
	FEMALE	26	-	-	-	-	2	-	-	-	-	-	-	-	-	4	4	2	4	2	4	2	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	168	-	-	-	-	-	-	-	4	4	22	10	22	20	26	28	18	10	4	-	-	-	-
	WHITE.....MALE	124	-	-	-	-	-	-	-	-	4	14	10	12	16	24	24	12	6	2	-	-	-	-
	FEMALE	40	-	-	-	-	-	-	-	2	-	6	-	10	4	2	4	6	4	2	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	26	-	-	-	-	-	-	-	2	-	-	2	-	2	2	2	4	8	2	2	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	2	2	2	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	6	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	10	4	-	4	2	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	6	2	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	2	-	4	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	4	-	2	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	10	-	-	2	2	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	2	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	38	-	-	-	-	-	-	2	-	-	2	2	-	-	2	2	6	2	12	6	2	-	-
	WHITE.....MALE	18	-	-	-	-	-	-	2	-	-	2	-	-	-	-	2	2	2	6	-	2	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	6	6	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MAINE--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	84	54	-	2	4	2	4	-	2	-	-	4	2	2	4	-	2	-	2	-	-	-	-
	WHITE.....MALE....	50	36	-	-	2	2	2	-	2	-	-	2	-	2	2	-	-	-	-	-	-	-	-
	FEMALE..	34	18	-	2	2	-	2	-	-	-	-	2	2	-	2	-	2	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	60	24	2	-	-	2	-	-	-	2	2	2	2	-	2	-	2	2	4	6	6	2	-
	WHITE.....MALE....	40	18	2	-	-	2	-	-	-	2	2	2	2	-	2	-	-	2	-	2	4	-	-
	FEMALE..	20	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-SIDUAL	ALL OTHER DISEASES.....	614	4	8	8	2	2	2	8	6	16	14	28	40	46	36	62	88	94	72	58	14	6	-
	WHITE.....MALE....	346	-	6	4	-	2	2	4	-	10	4	14	28	26	22	42	54	64	32	22	8	2	-
	FEMALE..	266	4	2	4	2	-	-	4	6	6	10	14	12	20	12	20	34	30	40	36	6	4	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949	ACCIDENTS.....	558	12	18	14	18	66	60	38	14	18	24	26	32	24	28	18	26	28	26	44	20	4	-
	WHITE.....MALE....	392	6	8	8	12	54	56	32	12	12	20	20	18	16	18	8	18	20	20	22	12	-	-
	FEMALE..	164	6	10	6	6	12	4	4	2	6	4	6	14	8	10	10	8	8	6	22	8	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	222	2	2	6	6	46	48	24	8	10	8	14	12	4	2	6	8	8	6	2	-	-	-
	WHITE.....MALE....	178	2	2	4	6	34	44	22	8	6	6	10	8	4	2	2	6	6	4	2	-	-	-
	FEMALE..	44	-	-	2	-	12	4	2	-	4	2	4	4	-	-	4	2	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	336	10	16	8	12	20	12	14	6	8	16	12	20	20	26	12	18	20	20	42	20	4	-
	WHITE.....MALE....	214	4	6	4	6	20	12	10	4	6	14	10	10	12	16	6	12	14	16	20	12	-	-
	FEMALE..	120	6	10	4	6	-	-	2	2	2	2	2	10	8	10	6	6	6	4	22	8	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	134	...	...	-	-	14	4	8	14	12	6	16	4	18	10	14	6	6	-	-	-	-	2
	WHITE.....MALE....	110	...	...	-	-	10	4	6	8	10	4	16	4	14	8	12	6	6	-	-	-	-	2
	FEMALE..	24	...	...	-	-	4	-	2	6	2	2	-	-	4	2	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	38	2	-	4	2	4	6	4	-	-	8	2	-	-	2	-	-	-	4	-	-	-	-
	WHITE.....MALE....	22	-	-	2	-	4	4	-	-	-	6	2	-	-	2	-	-	-	2	-	-	-	-
	FEMALE..	16	2	-	2	2	-	2	4	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	8	2	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	6	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MARYLAND																							
	ALL CAUSES.....	33,408	930	160	168	132	414	530	406	418	554	856	1,588	2,156	2,734	3,208	3,892	3,780	4,042	3,560	2,380	1,102	390	8
	WHITE.....MALE....	14,962	340	68	72	60	202	254	176	148	184	340	746	1,104	1,458	1,696	1,916	1,814	1,792	1,388	832	278	90	4
	FEMALE..	11,864	258	42	54	46	94	76	80	90	118	222	392	546	682	846	1,180	1,332	1,756	1,786	1,306	720	236	2
	ALL OTHER..MALE....	3,808	168	20	22	18	90	140	114	118	164	158	302	298	352	410	432	376	272	208	84	34	28	-
	FEMALE..	2,774	164	30	20	8	28	60	36	62	88	136	148	208	242	256	364	258	222	178	158	70	36	2
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	4	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	40	4	4	-	-	-	-	-	2	-	2	4	-	6	2	-	2	8	4	-	-	2	-
	WHITE.....MALE....	14	2	2	-	-	-	-	-	-	-	2	4	-	2	-	-	-	2	-	-	-	-	-
	FEMALE..	20	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	6	4	-	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	2	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	116	-	2	-	-	2	-	-	-	4	-	22	8	20	18	12	14	4	8	2	-	-	-
	WHITE.....MALE....	50	-	-	-	-	-	-	-	-	-	-	6	2	10	8	8	8	2	4	2	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	-	-	4	-	-	-	-
	ALL OTHER..MALE....	42	-	-	-	-	2	-	-	-	2	-	14	2	6	8	4	2	2	-	-	-	-	-
	FEMALE..	12	-	2	-	-	-	-	-	-	2	-	-	-	4	-	-	4	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	98	-	2	-	-	2	-	-	-	2	-	20	4	20	16	12	8	4	6	2	-	-	-
	WHITE.....MALE....	46	-	-	-	-	-	-	-	-	-	-	6	2	10	8	8	6	2	2	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	4	-	-	-	-
	ALL OTHER..MALE....	36	-	-	-	-	2	-	-	-	2	-	12	2	6	6	4	-	2	-	-	-	-	-
	FEMALE..	8	-	2	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	18	-	-	-	-	-	-	-	-	2	-	2	4	-	2	-	6	-	2	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	6	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	90	6	-	2	-	-	-	4	-	-	2	4	8	2	14	10	10	16	6	6	-	-	-
	WHITE.....MALE....	34	4	-	-	-	-	-	-	-	-	-	2	4	-	10	2	2	6	2	2	-	-	-
	FEMALE..	30	2	-	2	-	-	-	2	-	-	2	-	2	2	2	2	2	6	2	4	-	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	2	-	-	-	-	2	-	-	2	4	2	2	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	2	2	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	2	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MARYLAND--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	68	4	-	-	-	6	2	4	2	4	-	2	6	4	4	4	2	6	10	4	2	-	2
	WHITE.....MALE....	18	-	-	-	-	-	-	2	-	2	-	-	-	2	2	-	-	2	4	2	-	-	2
	FEMALE..	24	-	-	-	-	2	-	-	-	-	-	-	6	-	-	2	2	2	6	2	2	-	-
	ALL OTHER..MALE....	12	4	-	-	-	2	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-
	FEMALE..	14	-	-	-	-	2	2	2	2	2	-	2	-	2	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	6,386	-	16	30	20	28	36	32	74	88	192	372	658	780	874	918	782	674	482	242	60	26	2
	WHITE.....MALE....	2,846	-	6	14	4	10	18	12	32	24	56	124	318	366	412	422	378	320	200	96	28	6	-
	FEMALE..	2,352	-	4	12	14	10	12	8	30	28	98	156	238	240	258	310	284	260	236	110	28	16	-
	ALL OTHER..MALE....	724	-	6	2	-	2	2	6	4	16	18	52	58	112	128	108	88	64	34	20	2	2	-
	FEMALE..	464	-	-	2	2	6	4	6	8	20	20	40	44	62	76	78	32	30	12	16	2	2	2
140-149	OF BUCCAL CAVITY AND PHARYNX.....	164	-	-	-	-	-	-	-	-	2	6	10	24	30	32	22	20	8	4	6	-	-	-
	WHITE.....MALE....	96	-	-	-	-	-	-	-	-	-	4	6	12	20	18	14	8	6	4	4	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	-	8	2	8	2	6	2	-	-	-	-	-
	ALL OTHER..MALE....	32	-	-	-	-	-	-	-	-	2	2	-	4	8	4	4	6	-	-	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	1,724	-	2	-	-	2	-	4	6	14	34	76	136	224	216	308	214	192	174	86	22	14	-
	WHITE.....MALE....	718	-	-	-	-	2	-	-	2	6	8	34	64	106	102	122	104	66	70	20	8	4	-
	FEMALE..	654	-	-	-	-	-	-	-	-	2	18	18	48	58	46	114	78	106	98	48	12	8	-
	ALL OTHER..MALE....	204	-	2	-	-	-	-	4	4	6	4	14	10	36	38	38	22	12	4	8	-	2	-
	FEMALE..	148	-	-	-	-	-	-	-	-	-	4	10	14	24	30	34	10	8	2	10	2	-	-
160-163	OF RESPIRATORY SYSTEM....	1,576	-	-	-	-	-	2	-	4	10	48	112	196	232	276	244	218	150	58	20	4	2	-
	WHITE.....MALE....	1,004	-	-	-	-	-	-	-	2	6	16	40	132	140	178	162	164	112	38	10	4	-	-
	FEMALE..	248	-	-	-	-	-	2	-	2	2	22	38	30	40	32	36	14	12	10	6	-	2	-
	ALL OTHER..MALE....	288	-	-	-	-	-	-	-	-	-	8	30	28	44	58	42	40	24	10	4	-	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	2	2	4	6	8	8	4	-	2	-	-	-	-	-
174	OF BREAST.....	526	-	-	-	-	2	-	4	10	18	30	42	74	64	68	52	56	38	36	18	10	4	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	440	-	-	-	-	-	-	2	10	8	26	38	62	60	54	40	54	28	30	16	10	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	82	-	-	-	-	2	-	2	-	10	4	4	12	4	12	12	2	10	6	-	-	2	-
180-187	OF GENITAL ORGANS.....	672	-	-	-	2	6	2	8	18	10	28	32	72	52	80	62	76	90	78	46	10	-	-
	WHITE.....MALE....	222	-	-	-	-	2	-	2	6	-	2	2	20	2	24	18	34	40	34	28	8	-	-
	FEMALE..	298	-	-	-	2	2	2	4	10	6	20	22	44	36	40	22	24	26	26	12	-	-	-
	ALL OTHER..MALE....	72	-	-	-	-	-	-	-	-	-	2	2	2	4	4	12	8	20	14	2	2	-	-
	FEMALE..	80	-	-	-	-	2	-	2	2	4	4	6	6	10	12	10	10	4	4	4	-	-	-
188, 189	OF URINARY ORGANS.....	292	-	2	2	-	-	2	2	-	4	2	12	30	40	26	40	36	52	22	18	-	2	-
	WHITE.....MALE....	146	-	2	-	-	-	-	-	-	-	2	4	24	20	10	26	12	28	8	10	-	-	-
	FEMALE..	86	-	-	2	-	-	-	-	-	2	-	6	4	10	2	6	14	18	12	8	-	2	-
	ALL OTHER..MALE....	40	-	-	-	-	-	-	-	-	-	-	-	2	8	10	6	6	6	2	-	-	-	-
	FEMALE..	20	-	-	-	-	-	2	2	-	2	-	2	-	2	4	2	4	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	838	-	8	12	4	8	10	2	16	22	32	54	74	86	114	114	86	88	64	30	12	2	-
	WHITE.....MALE....	382	-	2	4	-	6	6	2	10	10	16	22	38	54	54	50	24	42	26	8	8	-	-
	FEMALE..	360	-	4	6	2	-	2	-	4	8	8	22	26	20	50	52	52	44	38	16	4	2	-
	ALL OTHER..MALE....	44	-	2	2	-	2	2	-	-	2	2	2	4	4	8	4	6	-	-	4	-	-	-
	FEMALE..	52	-	-	-	2	-	-	-	2	2	6	8	6	8	2	8	4	2	-	2	-	-	-
204-207	LEUKEMIA.....	236	-	4	14	12	6	8	2	10	2	2	14	18	8	20	24	30	28	20	10	-	2	2
	WHITE.....MALE....	126	-	2	8	4	-	6	-	8	-	2	8	12	4	14	16	14	14	4	8	-	2	-
	FEMALE..	90	-	-	4	8	6	2	2	2	-	-	2	4	4	2	6	16	14	16	2	-	-	-
	ALL OTHER..MALE....	12	-	2	-	-	-	-	-	-	2	-	2	2	-	2	2	-	-	-	-	-	-	-
	FEMALE..	8	-	-	2	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	2
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	358	-	-	2	2	4	12	10	10	6	10	20	34	44	42	52	46	28	26	8	2	-	-
	WHITE.....MALE....	150	-	-	2	-	-	6	8	4	2	6	8	16	20	12	14	18	12	16	6	-	-	-
	FEMALE..	148	-	-	-	2	2	4	-	2	-	4	10	12	10	24	32	26	10	6	2	2	-	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	2	-	4	-	2	6	8	2	-	-	2	4	-	-	-	-
	FEMALE..	30	-	-	-	-	2	2	-	4	-	-	-	-	6	4	6	2	4	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	124	2	2	2	4	4	6	2	4	6	6	6	6	4	14	12	10	12	16	2	4	-	-
	WHITE.....MALE....	60	-	2	2	2	-	2	-	2	2	2	2	-	4	10	8	4	8	6	2	2	-	-
	FEMALE..	42	2	-	-	2	-	2	2	-	2	-	4	4	-	4	2	4	2	10	-	2	-	-
	ALL OTHER..MALE....	12	-	-	-	-	4	2	-	-	2	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	2	2	-	-	-	-	-
250	DIABETES MELLITUS.....	872	-	-	-	2	-	-	-	12	12	12	34	42	64	88	130	152	90	130	72	18	12	2
	WHITE.....MALE....	260	-	-	-	2	-	-	-	2	-	-	18	14	22	32	40	42	30	38	18	-	2	-
	FEMALE..	376	-	-	-	-	-	-	-	6	4	4	4	10	16	28	44	76	46	70	42	16	8	2
	ALL OTHER..MALE....	96	-	-	-	-	-	-	-	-	6	2	6	12	14	14	20	14	2	6	-	-	-	-
	FEMALE..	140	-	-	-	-	-	-	-	4	2	6	6	6	12	14	26	20	12	16	12	2	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MARYLAND--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	40	-	2	-	4	-	-	-	-	4	-	-	4	-	6	2	2	2	8	-	4	2	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	-	-	2	-
	FEMALE..	10	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	2	-	2	-	-
	ALL OTHER..MALE....	10	-	2	-	2	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	2	-	-	-	-	2	-	-	-	-	2	-	-	-	2	-	2	-	-
280-285	ANEMIAS.....	94	2	8	-	-	-	4	-	2	-	4	4	2	4	6	16	4	10	10	10	6	2	-
	WHITE.....MALE....	40	-	-	-	-	-	2	-	-	-	2	2	-	4	2	4	4	8	6	4	2	-	-
	FEMALE..	28	-	2	-	-	-	-	-	-	-	-	-	2	-	4	8	-	-	2	6	4	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	18	2	6	-	-	-	2	-	-	-	-	-	-	-	-	4	-	-	2	-	-	2	-
320	MENINGITIS.....	20	10	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	-	-	-	-	-
	WHITE.....MALE....	10	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	16,716	12	8	4	2	16	30	34	50	118	286	562	862	1,190	1,522	2,094	2,122	2,618	2,372	1,658	860	296	-
	WHITE.....MALE....	7,564	4	4	-	-	6	4	8	14	58	140	318	508	720	888	1,080	1,026	1,106	884	538	194	64	-
	FEMALE..	6,520	4	4	2	2	-	6	8	16	24	60	98	130	232	374	620	758	1,218	1,232	962	588	182	-
	ALL OTHER..MALE....	1,372	4	-	-	-	6	14	10	16	18	44	96	128	136	148	198	184	152	126	42	28	22	-
	FEMALE..	1,260	-	-	2	-	4	6	8	4	18	42	50	96	102	112	196	154	142	130	116	50	28	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	13,188	4	8	4	2	12	14	24	36	90	222	468	738	1,008	1,280	1,700	1,706	1,992	1,760	1,236	652	232	-
	WHITE.....MALE....	6,324	-	4	-	-	2	2	4	10	54	132	292	470	640	782	902	844	878	664	430	156	58	-
	FEMALE..	4,880	2	4	2	2	-	2	6	12	18	40	70	98	182	304	496	606	888	892	688	440	128	-
	ALL OTHER..MALE....	1,052	2	-	-	-	6	8	8	12	10	28	76	96	106	118	148	144	126	94	30	20	20	-
	FEMALE..	932	-	-	2	-	4	2	6	2	8	22	30	74	80	76	154	112	100	110	88	36	26	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	290	-	-	-	-	2	2	6	8	8	14	22	34	42	54	48	20	22	4	4	-	-	-
	WHITE.....MALE....	112	-	-	-	-	-	-	-	-	2	4	6	16	24	18	22	6	10	2	2	-	-	-
	FEMALE..	126	-	-	-	-	-	-	2	6	6	8	12	8	16	30	18	12	8	-	-	-	-	-
	ALL OTHER..MALE....	22	-	-	-	-	2	2	4	2	-	-	4	-	-	2	4	-	2	-	-	-	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	2	-	10	2	4	4	2	2	2	2	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	106	-	-	-	-	-	-	2	2	-	4	8	6	8	10	10	20	14	10	4	8	-	-
	WHITE.....MALE....	42	-	-	-	-	-	-	-	-	-	-	6	4	6	8	6	6	2	4	-	-	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	10	8	4	4	8	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	2	4	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	2	-	2	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	88	-	-	-	-	-	-	-	-	-	-	2	-	12	2	8	24	10	14	6	4	6	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	10	4	4	2	2	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	10	4	4	4	-	4	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	4	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	2	-	2	2	-
410-413	ISCHEMIC HEART DISEASE...	12,094	-	-	-	-	-	6	8	20	68	184	406	664	906	1,142	1,572	1,574	1,858	1,660	1,178	628	220	-
	WHITE.....MALE....	5,898	-	-	-	-	-	-	2	10	50	122	262	434	588	722	852	790	836	620	404	152	54	-
	FEMALE..	4,458	-	-	-	-	-	2	2	6	8	24	54	82	152	252	454	552	814	850	662	422	122	-
	ALL OTHER..MALE....	922	-	-	-	-	-	4	2	2	6	22	62	92	98	104	132	126	114	90	28	20	20	-
	FEMALE..	816	-	-	-	-	-	-	2	2	4	16	28	56	68	64	134	106	94	100	84	34	24	-
410	ACUTE MYOCARDIAL INFARCTION.....	5,192	-	-	-	-	-	2	2	6	28	98	220	356	500	642	800	734	720	564	336	144	40	-
	WHITE.....MALE....	3,020	-	-	-	-	-	-	-	6	20	70	158	260	364	454	468	420	384	238	130	38	10	-
	FEMALE..	1,708	-	-	-	-	-	2	2	-	2	20	22	54	78	142	252	258	292	282	182	98	22	-
	ALL OTHER..MALE....	250	-	-	-	-	-	-	-	-	4	4	24	24	32	34	42	34	18	24	4	2	4	-
	FEMALE..	214	-	-	-	-	-	-	-	-	2	4	16	18	26	12	38	22	26	20	20	6	4	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	52	-	-	-	-	-	-	-	-	-	-	2	6	6	6	2	4	8	12	4	2	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-	-	2	6	2	4	-	-	6	-	2	2	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	8	2	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	6,850	-	-	-	-	-	4	6	14	40	86	184	302	400	494	770	836	1,130	1,084	838	482	180	-
	WHITE.....MALE....	2,854	-	-	-	-	-	-	2	4	30	52	102	168	222	264	384	370	446	382	272	112	44	-
	FEMALE..	2,730	-	-	-	-	-	-	-	6	6	4	32	28	72	108	200	292	520	560	478	324	100	-
	ALL OTHER..MALE....	668	-	-	-	-	-	4	2	2	2	18	38	68	66	70	90	90	96	64	24	18	16	-
	FEMALE..	598	-	-	-	-	-	-	2	2	2	12	12	38	40	52	96	84	68	78	64	28	20	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MARYLAND--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	88	-	-	2	-	2	-	4	-	-	4	4	4	10	20	-	14	12	6	6	-	-	-
	WHITE.....MALE....	40	-	-	-	-	-	-	2	-	-	2	2	2	6	8	-	8	6	4	-	-	-	-
	FEMALE..	36	-	-	2	-	-	-	-	-	-	2	-	2	4	8	-	6	6	2	4	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	2	-	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	522	4	8	2	2	8	6	4	6	14	16	26	30	30	52	62	54	76	66	38	12	6	-
	WHITE.....MALE....	202	-	4	-	-	2	2	-	-	2	4	14	14	12	24	22	24	20	30	22	2	4	-
	FEMALE..	186	2	4	-	2	-	-	2	-	4	6	2	4	6	12	20	16	48	32	14	10	2	-
	ALL OTHER..MALE....	76	2	-	-	-	2	2	-	6	4	4	8	4	6	10	10	14	4	-	-	-	-	-
	FEMALE..	58	-	-	2	-	4	2	2	-	4	2	2	8	6	6	10	-	4	4	2	-	-	-
400, 401, 403	HYPERTENSION.....	104	-	-	-	-	-	4	-	4	6	6	-	10	8	10	10	10	18	10	8	-	-	-
	WHITE.....MALE....	36	-	-	-	-	-	2	-	2	-	-	-	-	6	4	6	6	4	4	2	-	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	2	-	2	-	2	4	4	10	4	4	-	-	-
	ALL OTHER..MALE....	18	-	-	-	-	-	2	-	2	4	4	-	2	2	2	-	-	-	-	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	2	-	-	6	-	2	-	-	4	2	2	-	-	-
430-438	CEREBROVASCULAR DISEASES.	2,562	6	-	-	-	4	10	10	10	20	52	76	84	138	158	280	298	498	458	288	132	40	-
	WHITE.....MALE....	826	4	-	-	-	4	-	4	2	4	8	18	30	54	58	104	114	178	154	62	26	2	-
	FEMALE..	1,252	2	-	-	-	-	4	2	4	4	16	24	18	46	52	96	120	268	262	204	92	38	-
	ALL OTHER..MALE....	240	-	-	-	-	-	4	2	2	4	12	16	26	22	24	40	30	22	28	6	2	-	-
	FEMALE..	244	-	-	-	-	-	2	2	2	8	16	18	10	16	24	40	34	30	14	16	12	-	-
431	CEREBRAL HEMORRHAGE.....	346	4	-	-	-	-	2	2	4	8	14	24	8	30	36	50	34	40	56	24	8	2	-
	WHITE.....MALE....	118	2	-	-	-	-	-	2	-	2	-	6	4	14	14	20	10	20	16	6	2	-	-
	FEMALE..	146	2	-	-	-	-	2	-	2	-	4	4	2	8	16	18	14	18	34	14	6	2	-
	ALL OTHER..MALE....	42	-	-	-	-	-	-	-	2	2	6	8	-	6	2	8	4	-	4	-	-	-	-
	FEMALE..	40	-	-	-	-	-	-	-	-	4	4	6	2	2	4	4	6	2	2	4	-	-	-
433	CEREBRAL THROMBOSIS.....	572	-	-	-	-	2	-	-	-	-	2	2	8	18	24	56	78	138	118	66	44	16	-
	WHITE.....MALE....	206	-	-	-	-	2	-	-	-	-	-	-	2	6	16	18	30	46	50	20	14	2	-
	FEMALE..	296	-	-	-	-	-	-	-	-	-	-	2	-	4	4	26	38	76	60	44	28	14	-
	ALL OTHER..MALE....	36	-	-	-	-	-	-	-	-	-	-	-	4	6	-	6	4	8	6	2	-	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	2	-	2	2	4	6	6	8	2	-	2	-	-
434	CEREBRAL EMBOLISM.....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	1,640	2	-	-	-	2	8	8	6	12	36	50	66	90	98	174	186	320	284	196	80	22	-
	WHITE.....MALE....	500	2	-	-	-	2	-	2	2	2	8	12	24	34	28	66	74	112	88	34	10	-	-
	FEMALE..	810	-	-	-	-	-	2	2	2	4	12	18	16	34	32	52	68	174	168	146	58	22	-
	ALL OTHER..MALE....	160	-	-	-	-	-	4	2	-	2	6	8	20	10	22	26	22	14	18	4	2	-	-
	FEMALE..	170	-	-	-	-	-	2	2	2	4	10	12	6	12	16	30	22	20	10	12	10	-	-
440	ARTERIOSCLEROSIS.....	422	-	-	-	-	-	-	-	-	-	-	4	2	4	22	20	50	44	90	94	68	24	-
	WHITE.....MALE....	148	-	-	-	-	-	-	-	-	-	-	4	-	4	12	10	24	14	32	36	8	4	-
	FEMALE..	224	-	-	-	-	-	-	-	-	-	-	-	2	-	4	6	18	26	54	46	52	16	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	2	2	6	6	2	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	6	2	2	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	440	2	-	-	-	-	2	-	-	2	6	14	28	32	52	84	58	66	54	32	8	-	-
	WHITE.....MALE....	230	-	-	-	-	-	-	-	-	-	-	4	8	16	32	58	38	32	30	8	4	-	-
	FEMALE..	132	-	-	-	-	-	-	-	-	2	2	4	10	4	12	18	10	26	20	20	4	-	-
	ALL OTHER..MALE....	32	2	-	-	-	-	-	-	-	-	-	4	4	6	-	8	4	2	2	-	-	-	-
	FEMALE..	46	-	-	-	-	-	2	-	-	-	4	2	6	6	8	-	6	6	2	4	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	20	4	2	4	-	-	-	2	-	2	-	-	-	2	-	2	-	-	-	2	-	-	-
	WHITE.....MALE....	10	2	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-
	FEMALE..	8	2	-	-	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	908	38	4	4	6	4	8	16	10	18	20	30	60	30	60	90	106	118	130	100	48	8	-
	WHITE.....MALE....	406	16	4	4	2	4	4	4	4	4	4	10	20	4	34	46	62	66	50	44	16	4	-
	FEMALE..	320	8	-	-	4	-	4	6	-	4	2	6	26	18	20	26	22	40	64	46	22	2	-
	ALL OTHER..MALE....	112	4	-	-	-	-	-	4	4	10	8	12	12	6	4	4	12	6	14	8	4	-	-
	FEMALE..	70	10	-	-	-	-	-	2	2	-	6	2	2	2	2	14	10	6	2	2	6	2	-
470-474	INFLUENZA.....	56	-	2	-	-	-	-	-	-	-	2	4	6	-	4	4	14	4	4	10	2	-	-
	WHITE.....MALE....	26	-	2	-	-	-	-	-	-	-	-	-	4	-	2	-	12	2	2	2	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	2	4	2	-	2	-	-	2	2	8	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-
480-486	PNEUMONIA.....	852	38	2	4	6	4	8	16	10	18	18	26	54	30	56	86	92	114	126	90	46	8	-
	WHITE.....MALE....	380	16	2	4	2	4	4	4	4	4	4	10	16	4	32	46	50	64	48	42	16	4	-
	FEMALE..	296	8	-	-	4	-	4	6	-	4	-	2	24	18	18	26	22	38	62	38	20	2	-
	ALL OTHER..MALE....	112	4	-	-	-	-	-	4	4	10	8	12	12	6	4	4	12	6	14	8	4	-	-
	FEMALE..	64	10	-	-	-	-	-	2	2	-	6	2	2	2	2	10	8	6	2	2	6	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MARYLAND--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	388	2	2	-	-	4	2	4	-	-	-	8	22	48	42	42	72	58	48	24	8	2	-
	WHITE.....MALE	234	-	-	-	-	2	-	2	-	-	-	4	10	22	24	34	44	38	34	18	2	-	-
	FEMALE	94	2	2	-	-	-	-	-	-	-	-	2	6	14	12	8	14	10	10	6	6	2	-
	ALL OTHER..MALE	46	-	-	-	-	2	2	-	-	-	-	2	2	8	6	-	12	8	4	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	2	-	-	-	-	4	4	-	-	2	2	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	60	2	-	-	-	-	-	-	-	-	-	2	-	12	2	10	10	6	12	4	-	-	-
	WHITE.....MALE	34	-	-	-	-	-	-	-	-	-	-	-	-	6	-	10	4	2	8	4	-	-	-
	FEMALE	18	2	-	-	-	-	-	-	-	-	-	2	-	6	2	-	4	-	2	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
492	EMPHYSEMA	274	-	-	-	-	2	-	-	-	-	-	6	18	22	34	32	56	46	32	18	6	2	-
	WHITE.....MALE	182	-	-	-	-	2	-	-	-	-	-	4	8	10	22	24	38	34	24	14	2	-	-
	FEMALE	56	-	-	-	-	-	-	-	-	-	-	-	6	6	6	8	6	8	6	4	4	2	-
	ALL OTHER..MALE	34	-	-	-	-	-	-	-	-	-	-	2	2	6	6	-	12	4	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	54	-	2	-	-	2	2	4	-	-	-	-	4	14	6	-	6	6	4	2	2	-	-
	WHITE.....MALE	18	-	-	-	-	-	-	2	-	-	-	-	2	6	2	-	2	2	2	-	-	-	-
	FEMALE	20	-	2	-	-	-	-	-	-	-	-	-	-	2	4	-	4	2	2	2	2	-	-
	ALL OTHER..MALE	8	-	-	-	-	2	2	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	2	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	106	2	-	-	-	-	-	-	2	2	4	4	10	4	18	8	22	14	8	8	-	-	-
	WHITE.....MALE	58	-	-	-	-	-	-	-	-	-	2	2	6	2	12	2	14	8	6	4	-	-	-
	FEMALE	40	2	-	-	-	-	-	-	-	2	-	2	4	2	6	4	8	4	2	4	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	22	-	2	-	4	2	-	-	-	-	-	-	2	-	-	2	2	4	4	-	-	-	-
	WHITE.....MALE	10	-	2	-	2	2	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE	10	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	130	8	2	-	-	2	-	-	-	2	2	8	4	12	10	14	16	18	12	6	10	4	-
	WHITE.....MALE	28	2	-	-	-	-	-	-	-	-	-	4	-	-	8	4	2	4	4	-	-	-	-
	FEMALE	72	-	-	-	-	2	-	-	-	-	2	4	2	10	-	4	10	12	8	6	8	4	-
	ALL OTHER..MALE	14	6	-	-	-	-	-	-	-	2	-	-	2	2	-	2	-	-	-	-	-	-	-
	FEMALE	16	-	2	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	-	-	2	-	-
571	CIRRHOSIS OF LIVER	878	-	-	-	-	-	2	20	32	52	76	138	126	152	98	96	56	18	4	8	-	-	-
	WHITE.....MALE	414	-	-	-	-	-	-	6	6	8	26	62	60	72	60	64	40	6	-	4	-	-	-
	FEMALE	200	-	-	-	-	-	-	2	-	4	20	32	40	40	16	20	10	10	4	2	-	-	-
	ALL OTHER..MALE	162	-	-	-	-	-	2	6	14	26	10	30	16	26	20	8	2	-	-	2	-	-	-
	FEMALE	102	-	-	-	-	-	-	6	12	14	20	14	10	14	2	4	4	2	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	60	-	-	-	-	-	-	2	2	2	2	-	4	2	4	4	8	10	10	10	-	-	-
	WHITE.....MALE	22	-	-	-	-	-	-	-	2	-	-	-	4	-	-	4	2	4	4	2	-	-	-
	FEMALE	36	-	-	-	-	-	-	2	-	2	-	-	-	2	4	-	6	6	6	8	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	198	-	-	2	2	6	4	2	6	6	4	12	22	22	36	18	16	16	16	6	2	-	-
	WHITE.....MALE	64	-	-	2	-	-	-	2	2	4	-	2	8	6	16	2	6	4	8	2	-	-	-
	FEMALE	40	-	-	-	-	2	2	-	-	-	-	-	6	8	-	6	4	6	4	-	2	-	-
	ALL OTHER..MALE	52	-	-	-	2	2	2	-	4	-	-	4	6	4	10	6	4	2	4	2	-	-	-
	FEMALE	42	-	-	-	-	2	-	-	-	2	4	6	2	4	10	4	2	4	-	2	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	28	-	-	-	-	2	-	-	-	2	2	4	2	-	4	2	6	2	-	-	2	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	2	-	2	-	-	4	-	2	2	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	-	-	-	2	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	170	-	-	2	2	4	4	2	6	4	2	8	20	22	32	16	10	14	16	6	-	-	-
	WHITE.....MALE	52	-	-	2	-	-	-	2	2	2	-	-	8	6	12	2	4	2	8	2	-	-	-
	FEMALE	30	-	-	-	-	2	2	-	-	-	-	-	4	8	-	4	-	6	4	-	-	-	-
	ALL OTHER..MALE	50	-	-	-	2	2	2	-	4	-	-	2	6	4	10	6	4	2	4	2	-	-	-
	FEMALE	38	-	-	-	-	-	-	-	-	2	2	6	2	4	10	4	2	4	-	2	-	-	-
590	INFECTIONS OF KIDNEY	78	-	-	-	-	-	-	-	-	-	2	2	2	4	6	12	18	12	12	2	6	-	-
	WHITE.....MALE	26	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	2	8	-	4	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	-	-	2	-	4	-	4	8	6	4	2	2	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	-	2	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	6	-	2	2	2	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	-	2	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MARYLAND--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	10	-	-	-	-	4	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	6	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	10	-	-	-	-	4	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	6	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	272	168	18	14	8	10	2	8	6	6	-	10	2	6	-	8	2	2	2	-	-	-	-
	WHITE.....MALE....	120	76	12	6	2	2	2	4	2	4	-	4	2	4	-	-	-	-	-	-	-	-	-
	FEMALE..	112	66	4	8	6	6	-	4	-	2	-	2	-	2	-	8	-	2	2	-	-	-	-
	ALL OTHER..MALE....	24	14	-	-	-	2	-	-	4	-	-	4	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	16	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	502	502	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	320	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	182	182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	210	86	-	-	-	4	4	-	2	2	2	6	12	18	10	2	6	12	10	16	10	6	2
	WHITE.....MALE....	86	22	-	-	-	2	2	-	-	-	-	6	4	14	4	2	4	8	6	6	4	-	2
	FEMALE..	54	16	-	-	-	2	2	-	-	-	-	-	6	2	2	-	-	4	4	6	6	4	-
	ALL OTHER..MALE....	36	22	-	-	-	-	-	-	-	2	2	-	2	-	2	-	2	-	-	2	-	2	-
	FEMALE..	34	26	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-	2	-	-	-
RESIDUAL	ALL OTHER DISEASES.....	2,154	36	12	28	8	52	56	48	42	56	80	132	134	186	196	254	250	214	180	132	38	20	-
	WHITE.....MALE....	948	16	4	8	6	22	26	22	8	8	34	46	50	98	100	112	114	118	76	58	14	8	-
	FEMALE..	696	10	4	14	2	8	12	12	16	16	14	32	40	50	54	82	88	66	76	68	22	10	-
	ALL OTHER..MALE....	324	6	-	2	-	20	14	12	12	24	24	34	22	18	22	42	34	18	14	4	-	2	-
	FEMALE..	186	4	4	4	-	2	4	2	6	8	8	20	22	20	20	18	14	12	14	2	2	-	-
E800-E949	ACCIDENTS.....	1,762	34	54	68	56	186	208	100	90	76	84	118	84	108	100	94	84	74	68	46	22	8	-
	WHITE.....MALE....	960	14	22	32	36	118	128	66	48	44	42	70	56	68	38	44	42	32	38	12	8	2	-
	FEMALE..	418	10	20	12	12	48	30	6	8	10	14	22	8	28	34	20	30	36	26	28	10	6	-
	ALL OTHER..MALE....	258	6	6	16	6	18	28	26	26	12	18	22	10	8	18	24	6	2	4	2	-	-	-
	FEMALE..	126	4	6	8	2	2	22	2	8	10	10	4	10	4	10	6	6	4	-	4	4	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	810	4	14	38	30	128	134	62	54	40	44	58	36	40	34	30	26	22	12	2	2	-	-
	WHITE.....MALE....	468	-	6	20	16	76	84	40	28	26	28	34	26	26	12	8	10	16	12	-	-	-	-
	FEMALE..	186	2	6	4	8	42	24	6	6	8	8	12	4	8	12	10	16	6	-	2	2	-	-
	ALL OTHER..MALE....	110	2	2	10	6	8	12	14	16	2	8	8	4	4	8	6	-	-	-	-	-	-	-
	FEMALE..	46	-	-	4	-	2	14	2	4	4	-	4	2	2	2	6	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	952	30	40	30	26	58	74	38	36	36	40	60	48	68	66	64	58	52	56	44	20	8	-
	WHITE.....MALE....	492	14	16	12	20	42	44	26	20	18	14	36	30	42	26	36	32	16	26	12	8	2	-
	FEMALE..	232	8	14	8	4	6	6	-	2	2	6	10	4	20	22	10	14	30	26	26	8	6	-
	ALL OTHER..MALE....	148	4	4	6	-	10	16	12	10	10	10	14	6	4	10	18	6	2	4	2	-	-	-
	FEMALE..	80	4	6	4	2	-	8	-	4	6	10	-	8	2	8	-	6	4	-	4	4	-	-
E950-E959	SUICIDE.....	494	...	...	-	4	24	50	60	38	34	20	70	30	34	50	34	12	14	6	12	2	-	-
	WHITE.....MALE....	310	...	...	-	-	14	38	36	20	14	16	44	20	24	24	28	8	8	4	10	2	-	-
	FEMALE..	128	...	...	-	2	8	2	18	12	12	2	20	4	6	24	6	2	6	2	2	-	-	-
	ALL OTHER..MALE....	40	...	...	-	-	2	8	4	4	4	-	6	6	2	2	-	2	-	-	-	-	-	-
	FEMALE..	16	...	...	-	2	-	2	2	2	4	2	-	-	2	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	500	4	6	4	4	46	98	60	30	56	52	34	36	24	26	4	2	4	4	6	-	-	-
	WHITE.....MALE....	120	2	2	-	-	14	18	8	2	12	12	14	14	8	6	-	2	-	2	4	-	-	-
	FEMALE..	40	-	-	4	-	4	2	8	-	4	4	2	4	2	-	2	-	-	2	2	-	-	-
	ALL OTHER..MALE....	284	-	2	-	4	24	64	40	24	36	28	16	12	8	20	2	-	4	-	-	-	-	-
	FEMALE..	56	2	2	-	-	4	14	4	4	4	8	2	6	6	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	110	4	10	4	6	14	16	8	8	2	4	6	8	6	2	4	2	4	-	2	-	-	-
	WHITE.....MALE....	50	-	-	2	4	6	10	4	4	-	2	2	2	4	2	2	2	2	-	2	-	-	-
	FEMALE..	14	2	2	-	-	-	2	-	-	-	-	2	2	2	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	28	-	4	2	2	4	2	4	4	2	-	2	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	18	2	4	-	-	4	2	-	-	-	2	-	2	-	-	2	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MASSACHUSETTS																							
	ALL CAUSES.....	57,152	1,132	258	178	194	538	532	406	406	596	984	1,734	2,632	3,732	4,814	5,998	7,306	8,540	7,944	5,598	2,714	906	10
	WHITE.....MALE....	29,066	624	146	92	104	366	352	224	230	334	598	1,012	1,612	2,290	3,046	3,434	3,896	4,224	3,420	2,030	808	218	6
	FEMALE..	26,496	394	90	68	84	136	114	132	130	212	302	640	906	1,350	1,654	2,436	3,262	4,160	4,402	3,474	1,872	674	4
	ALL OTHER..MALE....	932	68	14	8	6	28	44	32	34	28	72	58	74	52	82	66	90	66	60	36	12	2	-
	FEMALE..	658	46	8	10	-	8	22	18	12	22	12	24	40	40	32	62	58	90	62	58	22	12	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	66	8	2	2	-	-	-	-	-	2	2	-	4	2	2	4	16	8	4	10	-	-	-
	WHITE.....MALE....	18	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	-	-	-
	FEMALE..	46	6	-	-	-	-	-	-	-	2	2	-	4	-	2	4	12	6	2	6	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	102	-	-	-	-	-	-	2	-	-	4	8	4	14	8	20	8	20	8	-	6	-	-
	WHITE.....MALE....	68	-	-	-	-	-	-	2	-	-	2	6	2	12	8	10	2	16	4	-	4	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	-	2	-	-	8	6	4	4	-	2	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	88	-	-	-	-	-	-	2	-	-	4	6	4	10	8	20	6	16	8	-	4	-	-
	WHITE.....MALE....	60	-	-	-	-	-	-	2	-	-	2	4	2	10	8	10	-	14	4	-	4	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	2	-	-	8	6	2	4	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	14	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	2	4	-	-	2	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	142	14	2	-	2	-	-	-	2	2	-	2	2	4	4	18	22	24	20	22	2	-	-
	WHITE.....MALE....	82	8	2	-	-	-	-	-	2	2	-	-	2	2	4	8	18	20	8	4	2	-	-
	FEMALE..	56	2	-	-	2	-	-	-	-	-	-	2	-	2	-	10	4	4	12	18	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MASSACHUSETTS--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	120	14	2	6	2	2	4	2	-	2	4	4	4	8	8	8	6	22	12	6	-	4	-
	WHITE.....MALE....	56	4	-	2	-	-	2	2	-	-	4	-	2	4	4	8	2	14	6	2	-	-	-
	FEMALE..	56	6	2	4	2	-	2	-	-	2	-	4	2	4	4	-	4	6	6	4	-	4	-
	ALL OTHER..MALE....	8	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	11,032	4	10	24	26	60	58	50	54	124	206	490	772	1,082	1,304	1,590	1,732	1,418	1,190	594	200	44	-
	WHITE.....MALE....	5,616	-	6	18	10	40	38	22	16	50	98	196	318	564	710	880	916	778	614	248	76	18	-
	FEMALE..	5,182	4	4	6	16	20	14	26	36	70	100	270	432	496	558	684	786	614	560	340	120	26	-
	ALL OTHER..MALE....	134	-	-	-	-	-	4	-	2	2	8	18	12	10	24	10	20	12	8	2	2	-	-
	FEMALE..	100	-	-	-	-	-	2	2	-	2	-	6	10	12	12	16	10	14	8	4	2	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	284	-	-	-	-	-	-	2	-	-	4	14	28	34	46	38	40	30	24	22	2	-	-
	WHITE.....MALE....	190	-	-	-	-	-	-	2	-	-	2	14	16	28	30	24	30	16	10	16	2	-	-
	FEMALE..	86	-	-	-	-	-	-	-	-	-	2	-	12	4	14	12	10	12	14	6	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	3,326	-	-	-	2	4	8	6	-	22	40	86	150	302	374	498	540	518	440	240	76	20	-
	WHITE.....MALE....	1,752	-	-	-	2	2	8	2	-	14	24	42	70	188	212	300	276	284	208	86	24	10	-
	FEMALE..	1,506	-	-	-	-	2	-	4	-	6	12	40	74	106	152	192	260	222	224	150	52	10	-
	ALL OTHER..MALE....	36	-	-	-	-	-	-	-	-	-	4	4	4	4	6	2	2	4	6	-	-	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	2	-	-	2	4	4	4	2	8	2	4	-	-	-
160-163	OF RESPIRATORY SYSTEM....	2,236	-	-	-	-	-	-	2	6	10	48	114	200	290	328	394	382	236	160	40	24	2	-
	WHITE.....MALE....	1,678	-	-	-	-	-	-	2	2	8	30	72	128	206	252	326	304	190	112	30	14	2	-
	FEMALE..	486	-	-	-	-	-	-	-	4	2	14	28	60	78	62	64	68	40	46	10	10	-	-
	ALL OTHER..MALE....	62	-	-	-	-	-	-	-	-	-	4	14	8	4	12	2	10	6	2	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	-	-	-	-	-	-	-
174	OF BREAST.....	1,122	-	-	-	-	-	-	4	4	18	32	102	138	130	122	156	154	106	88	46	16	6	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	6	-	-	-	-	-	-
	FEMALE..	1,090	-	-	-	-	-	-	2	4	18	32	100	136	126	120	150	144	104	86	46	16	6	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	24	-	-	-	-	-	-	2	-	-	-	-	2	4	2	6	4	2	2	-	-	-	-
180-187	OF GENITAL ORGANS.....	1,238	-	-	-	-	4	6	6	8	18	14	64	88	78	118	156	202	182	180	86	24	4	-
	WHITE.....MALE....	496	-	-	-	-	4	2	4	2	2	2	6	8	8	22	56	88	102	126	46	16	2	-
	FEMALE..	732	-	-	-	-	-	2	2	6	16	12	58	80	70	94	98	112	80	52	40	8	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
188, 189	OF URINARY ORGANS.....	540	-	-	-	-	-	-	-	2	2	6	14	24	54	52	76	90	66	80	48	20	6	-
	WHITE.....MALE....	350	-	-	-	-	-	-	-	-	2	4	8	12	42	38	46	58	52	62	20	4	2	-
	FEMALE..	182	-	-	-	-	-	-	-	2	-	2	6	12	12	12	26	32	14	18	28	14	4	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	1,308	-	6	12	6	20	16	8	16	36	34	58	102	132	166	142	192	154	110	64	28	6	-
	WHITE.....MALE....	646	-	4	8	2	14	8	4	4	12	16	30	62	50	106	64	98	80	46	24	12	2	-
	FEMALE..	628	-	2	4	4	6	4	4	10	22	18	24	38	80	58	78	86	72	62	38	14	4	-
	ALL OTHER..MALE....	16	-	-	-	-	-	4	-	2	2	-	-	-	-	-	-	4	-	-	2	2	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	4	2	2	2	-	4	2	2	-	-	-	-
204-207	LEUKEMIA.....	356	2	4	10	10	16	14	6	6	6	8	14	8	18	20	46	58	42	42	20	6	-	-
	WHITE.....MALE....	192	-	2	8	2	10	10	2	2	2	6	6	4	14	12	24	34	24	18	10	2	-	-
	FEMALE..	164	2	2	2	8	6	4	4	4	4	2	8	4	4	8	22	24	18	24	10	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	622	2	-	2	8	16	14	16	12	12	20	24	34	44	78	84	74	84	66	28	4	-	-
	WHITE.....MALE....	304	-	-	2	4	10	10	6	6	10	14	16	18	28	38	40	22	30	32	16	2	-	-
	FEMALE..	308	2	-	-	4	6	4	10	6	2	6	6	16	16	38	42	50	52	34	12	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	236	2	4	8	2	4	-	6	2	4	6	2	26	28	36	34	24	18	16	10	4	-	-
	WHITE.....MALE....	104	2	4	2	-	4	-	4	2	-	2	-	10	10	14	18	10	8	10	4	-	-	-
	FEMALE..	128	-	-	4	2	-	-	2	-	4	4	2	16	16	22	16	14	10	6	6	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	1,180	-	2	-	-	-	2	4	12	12	14	34	26	78	80	106	224	238	180	116	46	6	-
	WHITE.....MALE....	450	-	-	-	-	-	2	2	6	10	10	18	18	36	34	36	96	78	56	38	10	-	-
	FEMALE..	684	-	-	-	-	-	-	2	6	2	4	14	8	38	42	64	124	150	118	74	34	4	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	4	-	-	-
	FEMALE..	34	-	2	-	-	-	-	-	-	-	-	2	-	4	2	6	2	8	4	-	2	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MASSACHUSETTS--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	70	4	-	-	2	-	-	-	-	2	-	2	2	4	4	6	4	14	4	12	8	2	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	2	4	4	2	2	-	-
	FEMALE..	40	4	-	-	2	-	-	-	-	2	-	2	-	4	2	-	2	8	-	6	6	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
280-285	ANEMIAS.....	76	-	2	-	-	-	-	-	-	-	4	6	-	4	4	2	10	12	18	8	6	-	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	8	6	4	2	-	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	4	6	-	2	2	-	6	4	12	4	4	-	-
	ALL OTHER..MALE....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	36	6	2	-	-	-	2	-	-	-	2	2	-	2	4	2	2	6	4	-	2	-	-
	WHITE.....MALE....	14	2	2	-	-	-	2	-	-	-	-	2	-	-	2	2	2	-	-	-	-	-	-
	FEMALE..	18	2	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	6	2	-	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	30,282	4	14	6	4	22	20	32	50	132	314	606	1,114	1,654	2,376	3,010	4,036	5,266	5,136	3,872	1,934	676	4
	WHITE.....MALE....	14,816	4	10	-	2	16	14	10	40	90	226	434	812	1,124	1,618	1,744	2,158	2,460	2,044	1,318	546	144	2
	FEMALE..	14,876	-	4	4	2	4	2	16	8	32	76	142	258	498	714	1,200	1,800	2,716	3,012	2,496	1,366	524	2
	ALL OTHER..MALE....	290	-	-	-	-	-	4	2	2	6	10	18	32	16	28	32	42	36	38	14	8	2	-
	FEMALE..	300	-	-	2	-	2	-	4	-	4	2	12	12	16	16	34	36	54	42	44	14	6	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	22,756	4	6	2	2	10	12	14	38	100	250	498	938	1,360	1,958	2,350	3,116	3,900	3,660	2,684	1,370	484	-
	WHITE.....MALE....	11,746	4	6	-	2	8	8	6	30	76	196	396	724	982	1,348	1,382	1,724	1,866	1,532	964	384	108	-
	FEMALE..	10,580	-	-	2	-	-	2	4	8	18	44	82	182	348	578	922	1,328	1,974	2,066	1,680	970	372	-
	ALL OTHER..MALE....	212	-	-	-	-	-	2	-	-	4	10	12	26	16	20	20	36	26	26	10	4	-	-
	FEMALE..	218	-	-	-	-	2	-	4	-	2	-	8	6	14	12	26	28	34	36	30	12	4	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	440	-	-	-	-	-	2	2	4	12	10	24	30	60	60	66	48	62	24	26	10	-	-
	WHITE.....MALE....	146	-	-	-	-	-	2	-	2	6	2	10	14	20	20	26	10	24	-	6	4	-	-
	FEMALE..	284	-	-	-	-	-	-	-	2	6	8	10	14	40	38	40	38	38	24	20	6	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	362	-	-	-	-	-	2	2	-	2	2	12	14	18	38	24	60	62	62	38	20	6	-
	WHITE.....MALE....	120	-	-	-	-	-	-	-	-	2	-	8	6	10	22	8	20	18	14	8	2	2	-
	FEMALE..	226	-	-	-	-	-	-	-	-	-	2	4	8	8	14	12	38	42	48	30	16	4	-
	ALL OTHER..MALE....	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	2	-	-	-	-	-	-	2	4	-	2	-	-	2	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	126	-	-	-	-	-	-	-	-	-	-	2	2	4	2	4	10	34	24	22	14	8	-
	WHITE.....MALE....	56	-	-	-	-	-	-	-	-	-	-	2	2	2	-	4	4	16	6	12	4	4	-
	FEMALE..	68	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	18	18	10	10	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	20,870	-	-	-	-	-	-	8	30	70	218	428	820	1,214	1,756	2,150	2,892	3,596	3,448	2,496	1,290	454	-
	WHITE.....MALE....	10,930	-	-	-	-	-	-	6	26	58	176	356	648	918	1,242	1,290	1,644	1,732	1,472	896	370	96	-
	FEMALE..	9,576	-	-	-	-	-	-	2	4	6	34	56	144	268	490	826	1,188	1,814	1,922	1,562	906	354	-
	ALL OTHER..MALE....	182	-	-	-	-	-	-	-	-	4	8	10	24	16	18	14	32	24	18	10	4	-	-
	FEMALE..	182	-	-	-	-	-	-	-	-	2	-	6	4	12	6	20	28	26	36	28	10	4	-
410	ACUTE MYOCARDIAL INFARCTION.....	10,399	-	-	-	-	-	-	6	20	42	150	296	586	788	1,158	1,320	1,636	1,722	1,372	780	322	102	-
	WHITE.....MALE....	5,982	-	-	-	-	-	-	4	16	38	126	244	464	598	828	794	972	850	638	292	98	20	-
	FEMALE..	4,150	-	-	-	-	-	-	2	4	4	18	40	106	178	318	512	630	852	710	480	218	78	-
	ALL OTHER..MALE....	84	-	-	-	-	-	-	-	-	-	6	6	14	6	12	4	20	8	6	2	-	-	-
	FEMALE..	84	-	-	-	-	-	-	-	-	-	-	6	2	6	-	10	14	12	18	6	6	4	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	82	-	-	-	-	-	-	-	-	2	2	2	2	8	4	10	4	24	8	12	4	-	-
	WHITE.....MALE....	44	-	-	-	-	-	-	-	-	-	2	2	2	4	2	6	2	8	4	10	2	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	2	16	4	2	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	10,486	-	-	-	-	-	-	2	10	26	66	130	232	418	594	820	1,252	1,850	2,068	1,702	964	352	-
	WHITE.....MALE....	4,902	-	-	-	-	-	-	2	10	20	48	110	182	316	412	490	670	874	830	592	270	76	-
	FEMALE..	5,390	-	-	-	-	-	-	-	-	2	16	16	38	86	170	310	556	946	1,208	1,080	686	276	-
	ALL OTHER..MALE....	96	-	-	-	-	-	-	-	-	2	2	4	10	10	6	10	12	16	12	8	4	-	-
	FEMALE..	98	-	-	-	-	-	-	-	-	2	-	-	2	6	6	10	14	14	18	22	4	-	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MASSACHUSETTS--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	164	-	-	-	-	2	2	-	-	6	2	6	24	18	14	12	10	24	14	18	6	6	-
	WHITE.....MALE....	70	-	-	-	-	2	2	-	-	4	2	2	12	8	8	6	4	10	4	6	-	-	-
	FEMALE..	88	-	-	-	-	-	-	-	-	2	-	4	12	10	4	4	6	14	8	12	6	6	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	794	4	6	2	2	8	6	2	4	10	18	26	48	46	88	94	96	122	88	84	30	10	-
	WHITE.....MALE....	424	4	6	-	2	6	4	-	2	6	16	18	42	24	56	48	42	66	36	36	4	6	-
	FEMALE..	338	-	-	2	-	-	2	2	2	4	-	8	4	22	30	40	52	48	48	46	26	4	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	2	2	6	-	-	-	-
	FEMALE..	14	-	-	-	-	2	-	-	-	-	-	-	2	-	-	2	-	6	-	2	-	-	-
400, 401, 403	HYPERTENSION.....	208	-	-	-	-	-	-	-	-	-	4	6	8	8	6	26	18	28	42	34	24	4	-
	WHITE.....MALE....	90	-	-	-	-	-	-	-	-	-	-	-	8	4	4	10	10	14	12	18	8	2	-
	FEMALE..	104	-	-	-	-	-	-	-	-	-	2	4	-	4	-	10	8	14	30	16	14	2	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	2	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	5,754	-	8	4	2	12	8	16	10	26	50	84	144	242	316	492	716	1,086	1,132	888	392	126	-
	WHITE.....MALE....	2,244	-	4	-	-	8	6	4	8	8	24	34	62	118	186	246	324	464	372	248	108	20	-
	FEMALE..	3,386	-	4	2	2	4	-	10	-	14	26	44	70	122	122	234	380	598	746	622	282	104	-
	ALL OTHER..MALE....	60	-	-	-	-	-	2	2	2	2	-	6	6	-	4	6	6	6	12	4	2	-	-
	FEMALE..	64	-	-	2	-	-	-	-	-	2	-	-	6	2	4	6	6	18	2	14	-	2	-
431	CEREBRAL HEMORRHAGE.....	1,410	-	4	2	-	2	-	2	2	4	28	36	72	112	130	166	200	222	242	128	50	8	-
	WHITE.....MALE....	618	-	2	-	-	-	-	-	2	2	16	18	40	58	82	84	98	96	82	26	12	-	-
	FEMALE..	750	-	2	-	-	2	-	-	-	-	12	14	26	54	44	78	96	120	156	100	38	8	-
	ALL OTHER..MALE....	24	-	-	-	-	-	-	2	-	2	-	4	2	-	4	2	4	2	2	-	-	-	-
	FEMALE..	18	-	-	2	-	-	-	-	-	-	-	-	4	-	-	2	2	4	2	2	-	-	-
433	CEREBRAL THROMBOSIS.....	1,990	-	-	-	-	2	-	2	-	2	2	2	8	38	72	138	260	404	450	370	164	76	-
	WHITE.....MALE....	746	-	-	-	-	2	-	-	-	-	2	-	4	24	44	74	114	172	144	106	50	10	-
	FEMALE..	1,212	-	-	-	-	-	-	2	-	2	-	2	-	14	28	60	146	224	298	260	112	64	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	8	-	2	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	6	-	4	-	2	-
434	CEREBRAL EMBOLISM.....	56	-	-	-	-	-	-	-	-	-	-	2	2	2	6	4	6	8	12	8	6	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	4	2	6	-	-	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	6	6	8	6	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	2,298	-	4	2	2	8	8	12	8	20	20	44	62	90	108	184	250	452	428	382	172	42	-
	WHITE.....MALE....	860	-	2	-	-	6	6	4	6	6	6	16	18	34	56	86	108	194	140	116	46	10	-
	FEMALE..	1,388	-	2	2	2	2	-	8	-	12	14	26	42	54	48	94	136	248	286	254	126	32	-
	ALL OTHER..MALE....	20	-	-	-	-	-	2	-	2	-	-	2	2	-	-	2	2	2	2	4	-	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	2	-	-	-	2	4	2	4	8	-	8	-	-	-
440	ARTERIOSCLEROSIS.....	748	-	-	-	-	-	-	2	-	-	-	2	-	4	14	20	58	122	174	170	124	54	4
	WHITE.....MALE....	268	-	-	-	-	-	-	-	-	-	-	-	-	2	10	10	22	50	70	58	34	10	2
	FEMALE..	470	-	-	-	-	-	-	2	-	-	-	2	-	2	2	10	36	70	100	112	90	42	2
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	816	-	-	-	-	-	-	-	2	6	10	16	24	40	82	122	128	130	128	96	24	8	-
	WHITE.....MALE....	468	-	-	-	-	-	-	-	2	6	6	4	18	18	70	96	78	66	58	30	12	4	-
	FEMALE..	336	-	-	-	-	-	-	-	-	-	4	10	6	22	12	24	48	60	70	66	10	4	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	2	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	40	-	4	2	-	-	-	-	-	-	-	-	2	-	2	6	2	6	4	6	4	2	-
	WHITE.....MALE....	26	-	2	2	-	-	-	-	-	-	-	-	2	-	2	4	-	4	4	4	2	-	-
	FEMALE..	14	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	2,582	110	22	8	12	8	16	6	18	30	40	52	82	112	120	186	250	400	446	370	200	94	-
	WHITE.....MALE....	1,320	64	14	2	8	4	4	2	8	8	26	16	58	74	78	108	148	226	230	152	62	28	-
	FEMALE..	1,158	30	6	6	2	4	8	4	6	16	6	30	18	32	32	72	100	168	210	208	134	66	-
	ALL OTHER..MALE....	74	8	2	-	2	-	2	-	2	4	6	4	2	6	10	4	2	4	6	8	2	-	-
	FEMALE..	30	8	-	-	-	-	2	-	2	2	2	2	4	-	-	2	-	2	-	2	2	-	-
470-474	INFLUENZA.....	72	-	-	-	-	-	-	-	4	-	-	2	8	4	-	-	2	22	12	6	8	4	-
	WHITE.....MALE....	26	-	-	-	-	-	-	-	2	-	-	-	4	2	-	-	-	10	-	4	4	-	-
	FEMALE..	46	-	-	-	-	-	-	-	2	-	-	2	4	2	-	-	2	12	12	2	4	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	2,510	110	22	8	12	8	16	6	14	30	40	50	74	108	120	186	248	378	434	364	192	90	-
	WHITE.....MALE....	1,294	64	14	2	8	4	4	2	6	8	26	16	54	72	78	108	148	216	230	148	58	28	-
	FEMALE..	1,112	30	6	6	2	4	8	4	4	16	6	28	14	30	32	72	98	156	198	206	130	62	-
	ALL OTHER..MALE....	74	8	2	-	2	-	2	-	2	4	6	4	2	6	10	4	2	4	6	8	2	-	-
	FEMALE..	30	8	-	-	-	-	2	-	2	2	2	2	4	-	-	2	-	2	-	2	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MASSACHUSETTS--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	750	-	2	-	-	-	-	-	2	12	6	18	26	46	88	138	114	148	102	34	12	2	-
	WHITE.....MALE	558	-	-	-	-	-	-	-	-	6	2	10	16	34	76	102	86	118	78	22	8	-	-
	FEMALE	180	-	2	-	-	-	-	-	2	4	4	8	6	12	12	36	26	26	24	12	4	2	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	162	-	2	-	-	-	-	-	-	2	-	12	2	10	12	32	18	26	28	12	4	2	-
	WHITE.....MALE	112	-	-	-	-	-	-	-	-	-	-	6	2	6	12	24	12	22	16	10	2	-	-
	FEMALE	50	-	2	-	-	-	-	-	-	2	-	6	-	4	-	8	6	4	12	2	2	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	522	-	-	-	-	-	-	-	-	2	-	4	18	32	66	100	96	104	72	20	8	-	-
	WHITE.....MALE	416	-	-	-	-	-	-	-	-	2	-	2	12	26	56	74	74	92	60	12	6	-	-
	FEMALE	100	-	-	-	-	-	-	-	-	-	-	2	4	6	10	26	20	10	12	8	2	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
493	ASTHMA	66	-	-	-	-	-	-	-	2	8	6	2	6	4	10	6	-	18	2	2	-	-	-
	WHITE.....MALE	30	-	-	-	-	-	-	-	-	4	2	2	2	2	8	4	-	4	2	-	-	-	-
	FEMALE	30	-	-	-	-	-	-	-	2	2	4	-	2	2	2	2	-	12	-	2	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	260	-	2	-	-	2	2	-	4	4	2	8	18	16	26	44	26	34	34	22	14	2	-
	WHITE.....MALE	144	-	2	-	-	2	-	-	4	4	2	4	12	8	20	26	12	20	12	14	2	-	-
	FEMALE	100	-	-	-	-	-	-	-	-	-	-	4	2	8	6	18	10	10	22	6	12	2	-
	ALL OTHER..MALE	14	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-	4	2	-	2	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
540-543	APPENDICITIS	32	-	2	-	-	-	2	-	-	-	2	-	2	4	6	6	2	2	2	-	2	-	-
	WHITE.....MALE	24	-	-	-	-	-	2	-	-	-	2	-	2	4	4	4	2	2	2	-	-	-	-
	FEMALE	8	-	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	180	10	2	-	-	-	-	-	-	-	-	-	4	6	20	14	20	32	34	22	10	6	-
	WHITE.....MALE	68	4	2	-	-	-	-	-	-	-	-	-	-	-	14	12	8	14	8	2	4	-	-
	FEMALE	106	4	-	-	-	-	-	-	-	-	-	-	4	6	4	2	10	18	26	20	6	6	-
	ALL OTHER..MALE	6	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	1,130	-	-	-	-	-	2	10	28	52	88	134	152	204	160	120	78	66	18	14	4	-	-
	WHITE.....MALE	724	-	-	-	-	-	2	2	10	36	52	82	104	144	114	72	48	40	12	6	-	-	-
	FEMALE	356	-	-	-	-	-	-	4	12	8	26	50	36	60	46	44	28	24	6	8	4	-	-
	ALL OTHER..MALE	28	-	-	-	-	-	-	2	2	4	6	-	8	-	-	4	-	2	-	-	-	-	-
	FEMALE	22	-	-	-	-	-	-	2	4	4	4	2	4	-	-	-	2	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	96	-	-	-	-	-	-	-	-	-	-	-	2	2	4	14	10	16	24	16	8	-	-
	WHITE.....MALE	38	-	-	-	-	-	-	-	-	-	-	-	2	2	4	6	8	6	4	6	-	-	-
	FEMALE	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	2	10	20	10	8	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	204	2	2	-	-	-	-	4	2	6	6	10	14	6	18	20	26	28	24	24	12	-	-
	WHITE.....MALE	98	2	2	-	-	-	-	2	-	2	6	6	2	-	10	12	6	14	12	14	8	-	-
	FEMALE	100	-	-	-	-	-	-	2	2	4	-	4	12	4	8	6	20	12	12	10	4	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	40	2	2	-	-	-	-	-	-	-	-	4	4	-	-	8	4	4	2	6	4	-	-
	WHITE.....MALE	20	2	2	-	-	-	-	-	-	-	-	-	2	-	-	6	2	2	-	2	2	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	-	4	2	-	-	2	2	2	2	4	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	164	-	-	-	-	-	-	4	2	6	6	6	10	6	18	12	22	24	22	18	8	-	-
	WHITE.....MALE	78	-	-	-	-	-	-	2	-	2	6	6	-	-	10	6	4	12	12	12	6	-	-
	FEMALE	80	-	-	-	-	-	-	2	2	4	-	-	10	4	8	4	18	10	10	6	2	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
590	INFECTIONS OF KIDNEY	162	2	-	-	-	-	2	-	4	-	2	-	8	10	6	14	18	20	38	18	18	2	-
	WHITE.....MALE	74	2	-	-	-	-	-	-	2	-	2	-	4	6	4	8	12	12	8	10	4	-	-
	FEMALE	84	-	-	-	-	-	2	-	2	-	-	-	4	4	2	6	6	8	28	8	14	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
600	HYPERPLASIA OF PROSTATE	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	12	22	8	4	2	-
	WHITE.....MALE	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	12	22	8	4	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MASSACHUSETTS--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	8	-	-	-	-	-	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	8	-	-	-	-	-	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	8	-	-	-	-	-	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	8	-	-	-	-	-	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	360	228	42	10	22	6	2	12	2	2	-	2	6	12	4	2	6	2	-	-	-	-	-
	WHITE.....MALE....	194	128	20	6	6	4	2	8	-	-	-	2	6	4	2	2	4	-	-	-	-	-	-
	FEMALE..	142	86	20	-	14	2	-	4	2	2	-	-	-	6	2	-	2	2	-	-	-	-	-
	ALL OTHER..MALE....	14	6	2	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	10	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	622	622	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	346	346	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	302	302	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	320	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	420	40	10	4	2	12	8	12	16	14	24	18	28	28	30	32	46	40	26	16	4	8	2
	WHITE.....MALE....	252	28	10	-	2	6	6	4	6	6	14	16	24	12	22	18	26	22	14	6	2	8	-
	FEMALE..	154	10	-	4	-	6	2	8	6	8	10	2	4	12	8	12	18	18	12	10	2	-	2
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-
	FEMALE..	8	2	-	-	-	-	-	-	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-
RE-SID-UAL	ALL OTHER DISEASES.....	3,336	46	18	16	18	58	54	38	48	58	88	128	154	230	330	396	436	486	352	242	118	22	-
	WHITE.....MALE....	1,696	20	8	6	10	36	22	16	22	26	56	68	80	128	200	224	228	244	158	94	44	6	-
	FEMALE..	1,488	24	10	10	8	14	14	18	20	22	22	58	58	90	116	168	188	234	188	140	72	14	-
	ALL OTHER..MALE....	90	-	-	-	-	6	8	2	4	6	8	2	8	10	14	4	12	2	2	2	-	-	-
	FEMALE..	62	2	-	-	-	2	10	2	2	4	2	-	8	2	-	-	8	6	4	6	2	2	-
E800-E949	ACCIDENTS.....	2,784	14	100	92	98	322	246	136	104	86	96	124	124	122	142	152	162	188	194	152	92	34	4
	WHITE.....MALE....	1,664	8	58	52	62	230	186	100	76	62	58	92	88	78	84	84	74	90	76	66	24	12	4
	FEMALE..	982	4	32	30	34	72	44	24	18	18	22	20	32	44	54	62	86	98	114	84	68	22	-
	ALL OTHER..MALE....	96	-	4	6	2	16	12	6	10	2	14	12	2	-	2	4	2	-	-	2	-	-	-
	FEMALE..	42	2	6	4	-	4	4	6	-	4	2	-	2	-	2	2	-	-	4	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	1,110	2	30	40	54	216	174	78	58	44	44	60	52	42	52	42	32	42	34	8	4	2	-
	WHITE.....MALE....	750	2	14	18	30	160	136	56	46	30	26	42	32	28	32	22	18	26	20	8	2	2	-
	FEMALE..	304	-	10	20	22	52	32	14	6	12	12	12	16	14	16	20	14	16	14	-	2	-	-
	ALL OTHER..MALE....	46	-	4	2	2	4	6	6	6	2	4	6	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	10	-	2	-	-	-	-	2	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,674	12	70	52	44	106	72	58	46	42	52	64	72	80	90	110	130	146	160	144	88	32	4
	WHITE.....MALE....	914	6	44	34	32	70	50	44	30	32	32	50	56	50	52	62	56	64	56	58	22	10	4
	FEMALE..	678	4	22	10	12	20	12	10	12	6	10	8	16	30	38	42	72	82	100	84	66	22	-
	ALL OTHER..MALE....	50	-	-	4	-	12	6	-	4	-	10	6	-	-	-	4	2	-	-	2	-	-	-
	FEMALE..	32	2	4	4	-	4	4	4	-	4	-	-	-	-	-	2	-	-	4	-	-	-	-
E950-E959	SUICIDE.....	466	...	...	-	2	20	62	36	34	24	46	62	32	38	16	34	22	10	26	-	2	-	-
	WHITE.....MALE....	324	...	...	-	2	12	48	22	30	12	28	46	24	28	4	22	16	8	22	-	-	-	-
	FEMALE..	134	...	...	-	-	6	12	14	4	12	18	16	8	8	12	10	6	2	4	-	2	-	-
	ALL OTHER..MALE....	8	...	...	-	-	2	2	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	248	-	10	-	2	16	32	46	20	22	28	18	16	6	8	12	-	4	4	4	-	-	-
	WHITE.....MALE....	126	-	2	-	2	8	10	24	4	14	8	10	14	6	6	10	-	4	2	2	-	-	-
	FEMALE..	44	-	4	-	-	6	8	2	4	4	2	6	-	-	2	2	-	-	2	2	-	-	-
	ALL OTHER..MALE....	72	-	4	-	-	2	10	18	12	4	18	2	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	66	-	-	-	-	6	16	6	2	6	-	4	8	8	4	2	-	-	2	-	2	-	-
	WHITE.....MALE....	52	-	-	-	-	4	12	2	2	6	-	4	8	6	4	-	-	-	2	-	2	-	-
	FEMALE..	10	-	-	-	-	2	4	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MICHIGAN																							
	ALL CAUSES.....	78,674	2,706	460	298	360	1,028	1,280	964	794	1,074	1,754	2,984	4,166	5,676	6,930	8,450	9,582	10,508	9,588	6,290	2,844	930	8
	WHITE.....MALE....	39,220	1,064	208	160	216	610	734	444	340	462	770	1,434	2,222	3,164	4,098	4,740	5,140	5,440	4,358	2,442	910	260	4
	FEMALE..	30,004	798	148	98	92	230	210	220	216	314	514	902	1,188	1,708	1,988	2,628	3,492	4,404	4,806	3,598	1,836	612	2
	ALL OTHER..MALE....	5,640	478	46	26	28	132	256	204	148	204	270	408	468	518	486	678	488	418	212	116	40	14	2
	FEMALE..	3,810	366	58	14	24	56	80	96	90	94	200	240	288	286	358	404	462	246	212	134	58	44	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	74	6	2	-	2	-	-	-	-	-	-	2	2	6	6	6	8	12	4	14	2	2	-
	WHITE.....MALE....	22	2	2	-	-	-	-	-	-	-	-	2	-	4	4	2	2	2	-	2	-	-	-
	FEMALE..	46	-	-	-	2	-	-	-	-	-	-	-	2	2	2	4	6	10	4	10	2	2	-
	ALL OTHER..MALE....	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	148	-	4	-	-	2	4	-	4	4	14	4	14	6	24	10	16	12	12	12	6	-	-
	WHITE.....MALE....	60	-	2	-	-	2	-	-	-	-	-	4	10	4	8	2	6	4	10	6	2	-	-
	FEMALE..	44	-	-	-	-	-	2	-	2	2	6	-	-	-	6	6	6	4	2	6	2	-	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	-	-	-	6	-	2	2	8	2	2	2	-	-	2	-	-
	FEMALE..	18	-	2	-	-	-	2	-	2	2	2	-	2	-	2	-	2	2	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	108	-	2	-	-	2	2	-	2	2	12	2	12	6	16	6	12	10	10	10	2	-	-
	WHITE.....MALE....	50	-	2	-	-	2	-	-	-	-	-	2	10	4	6	-	6	4	8	6	-	-	-
	FEMALE..	30	-	-	-	-	-	2	-	2	-	4	-	-	-	2	6	4	2	2	4	2	-	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	6	-	2	2	6	-	2	2	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	2	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	40	-	2	-	-	-	2	-	2	2	2	2	2	-	8	4	4	2	2	2	4	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	2	-	2	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	2	2	-	-	-	4	-	2	2	-	2	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	-	-
	FEMALE..	10	-	2	-	-	-	2	-	2	-	-	-	2	-	-	-	2	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	8	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	WHITE.....MALE....	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	148	22	2	4	2	2	2	-	2	-	-	6	6	12	24	4	14	18	12	8	4	2	2
	WHITE.....MALE....	72	6	2	-	2	2	2	-	-	-	-	2	4	8	10	2	6	12	8	4	2	-	-
	FEMALE..	44	6	-	4	-	-	-	-	2	-	-	2	-	4	4	-	4	6	4	4	2	2	-
	ALL OTHER..MALE....	24	8	-	-	-	-	-	-	-	-	-	-	2	-	10	-	2	-	-	-	-	-	2
	FEMALE..	8	2	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	-	-	2	-	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MICHIGAN--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	134	8	4	2	4	4	10	4	6	6	14	6	14	-	12	8	10	8	10	4	-	-	-
	WHITE.....MALE....	62	-	4	2	2	-	2	2	4	2	4	2	6	-	4	6	8	6	6	2	-	-	-
	FEMALE..	50	6	-	-	2	4	4	-	-	4	4	2	6	-	6	2	2	2	4	2	-	-	-
	ALL OTHER..MALE....	12	2	-	-	-	-	-	-	2	-	6	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	4	2	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....	14,080	4	32	48	38	48	86	100	98	204	406	776	1,086	1,614	1,712	2,030	1,952	1,770	1,276	560	186	54	-
	WHITE.....MALE....	7,084	2	18	30	12	34	48	38	36	64	130	290	466	762	916	1,134	1,072	1,014	656	258	84	20	-
	FEMALE..	5,498	2	12	14	20	12	30	46	52	110	190	362	450	648	582	678	700	640	558	272	90	30	-
	ALL OTHER..MALE....	842	-	-	4	4	2	2	6	-	18	38	64	94	116	112	140	102	84	30	16	6	4	-
	FEMALE..	656	-	2	-	2	-	6	10	10	12	48	60	76	88	102	78	78	32	32	14	6	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	304	-	-	-	2	-	-	-	-	4	2	22	34	62	52	40	38	22	20	6	-	-	-
	WHITE.....MALE....	198	-	-	-	-	-	-	-	-	-	-	8	20	42	40	30	30	14	10	4	-	-	-
	FEMALE..	70	-	-	-	2	-	-	-	-	4	-	8	8	10	6	8	6	6	10	2	-	-	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	-	-	2	4	4	10	4	2	-	2	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	3,714	-	-	2	-	2	6	14	18	30	60	140	216	374	450	554	582	562	430	198	58	18	-
	WHITE.....MALE....	1,904	-	-	2	-	2	4	2	6	12	24	70	102	206	240	302	302	288	222	88	26	6	-
	FEMALE..	1,426	-	-	-	-	-	2	8	8	16	26	34	78	118	150	192	224	236	196	98	30	10	-
	ALL OTHER..MALE....	216	-	-	-	-	-	-	2	-	2	6	16	28	30	34	34	28	20	8	6	-	2	-
	FEMALE..	168	-	-	-	-	-	-	2	4	-	4	20	8	20	26	26	28	18	4	6	2	-	-
160-163	OF RESPIRATORY SYSTEM....	3,226	-	2	-	-	2	2	2	8	36	98	208	354	442	464	574	424	348	188	54	18	2	-
	WHITE.....MALE....	2,236	-	2	-	-	2	-	-	-	18	44	122	204	280	342	422	330	284	134	38	12	2	-
	FEMALE..	574	-	-	-	-	-	2	2	4	8	26	50	96	96	60	74	52	44	42	14	4	-	-
	ALL OTHER..MALE....	332	-	-	-	-	-	-	-	-	10	24	26	42	50	52	66	32	16	10	2	2	-	-
	FEMALE..	84	-	-	-	-	-	-	-	4	-	4	10	12	16	10	12	10	4	2	-	-	-	-
174	OF BREAST.....	1,322	-	-	-	-	-	2	12	14	26	76	146	134	196	158	134	150	106	90	44	26	8	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	6	4	4	-	-	-	-
	FEMALE..	1,176	-	-	-	-	-	2	10	14	20	60	130	116	180	134	122	132	100	82	42	24	8	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	126	-	-	-	-	-	-	2	-	6	16	12	16	16	24	12	12	2	4	2	2	-	-
180-187	OF GENITAL ORGANS.....	1,714	-	-	-	2	12	18	8	4	30	48	68	78	162	176	242	274	242	212	98	28	12	-
	WHITE.....MALE....	688	-	-	-	2	4	14	2	2	2	4	-	4	28	58	76	140	142	136	50	16	8	-
	FEMALE..	806	-	-	-	-	6	4	4	2	22	36	56	58	108	86	136	98	82	60	38	8	2	-
	ALL OTHER..MALE....	106	-	-	-	-	2	-	-	-	-	-	-	2	12	10	18	26	16	6	8	4	2	-
	FEMALE..	114	-	-	-	-	-	-	2	-	6	8	12	14	14	22	12	10	2	10	2	-	-	-
188, 189	OF URINARY ORGANS.....	694	-	2	4	-	-	4	2	4	10	10	28	34	56	80	94	132	96	70	48	16	4	-
	WHITE.....MALE....	466	-	2	2	-	-	2	-	-	4	6	18	20	40	54	76	96	62	38	32	12	2	-
	FEMALE..	182	-	-	2	-	-	2	2	4	4	4	6	10	12	24	12	24	24	30	16	4	2	-
	ALL OTHER..MALE....	34	-	-	-	-	-	-	-	-	2	-	2	2	2	2	4	8	10	2	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	4	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	1,690	2	10	16	16	8	22	34	30	34	68	106	140	210	178	220	178	186	132	70	22	8	-
	WHITE.....MALE....	816	-	4	12	4	4	10	20	20	16	28	44	70	118	86	124	86	88	46	24	10	2	-
	FEMALE..	728	2	6	-	10	4	10	10	8	16	22	56	52	70	74	82	88	82	78	42	10	6	-
	ALL OTHER..MALE....	72	-	-	4	2	-	-	2	-	2	4	6	8	12	6	10	2	12	2	-	-	-	-
	FEMALE..	74	-	-	-	-	-	2	2	2	-	14	-	10	10	12	4	2	4	6	4	2	-	-
204-207	LEUKEMIA.....	592	-	18	24	18	12	24	10	6	10	12	14	36	30	50	76	54	92	72	22	10	2	-
	WHITE.....MALE....	350	-	10	14	6	10	12	4	2	4	10	6	20	22	38	50	30	64	32	10	6	-	-
	FEMALE..	198	-	6	10	8	2	8	4	4	4	-	8	10	6	10	22	20	22	36	12	4	2	-
	ALL OTHER..MALE....	26	-	-	-	2	-	2	2	-	2	2	-	4	-	-	2	2	6	2	-	-	-	-
	FEMALE..	18	-	2	-	2	-	2	-	-	-	-	-	2	2	2	2	2	-	2	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....	824	2	-	2	-	12	8	18	14	24	32	44	60	82	104	96	120	116	62	20	8	-	-
	WHITE.....MALE....	408	2	-	-	-	12	6	10	6	8	14	18	26	26	58	54	52	68	34	12	2	-	-
	FEMALE..	338	-	-	2	-	-	-	6	8	16	16	14	22	48	38	30	56	44	24	8	6	-	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	-	-	-	-	10	2	-	4	4	4	2	-	-	-	-	-
	FEMALE..	52	-	-	-	-	-	2	2	-	-	2	2	10	8	4	8	8	2	4	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....	174	4	-	2	2	6	4	6	4	6	10	14	12	20	12	16	22	14	6	14	-	-	-
	WHITE.....MALE....	80	2	-	-	-	2	4	4	2	-	4	4	4	10	6	10	12	8	6	2	-	-	-
	FEMALE..	76	2	-	2	2	2	-	2	-	6	2	8	8	8	4	4	8	6	-	12	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	2	-	4	2	-	-	2	2	2	-	-	-	-	-	-
250	DIABETES MELLITUS.....	2,216	-	4	2	4	-	6	8	20	22	22	70	100	174	204	318	336	382	318	140	76	10	-
	WHITE.....MALE....	778	-	2	2	2	-	2	2	8	12	8	24	24	60	78	134	140	116	102	44	16	2	-
	FEMALE..	1,158	-	-	-	2	-	4	4	8	6	4	30	46	80	94	118	158	240	208	90	58	8	-
	ALL OTHER..MALE....	124	-	-	-	-	-	-	-	-	2	4	10	20	10	12	32	10	14	2	6	2	-	-
	FEMALE..	156	-	2	-	-	-	-	2	4	2	6	6	10	24	20	34	28	12	6	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MICHIGAN--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	122	4	-	2	-	-	-	-	-	-	2	-	-	8	16	4	14	24	22	14	8	4	-
	WHITE.....MALE....	54	-	-	2	-	-	-	-	-	-	-	-	-	6	8	-	4	12	12	10	-	-	-
	FEMALE..	58	2	-	-	-	-	-	-	-	-	2	-	-	2	8	2	6	10	10	4	8	4	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
280-285	ANEMIAS.....	156	2	2	-	10	8	6	-	2	2	4	4	4	4	16	16	28	12	18	12	6	-	-
	WHITE.....MALE....	64	-	2	-	6	-	2	-	-	-	2	-	2	2	4	8	18	2	10	4	2	-	-
	FEMALE..	58	-	-	-	-	-	-	-	-	-	2	2	-	2	6	8	8	10	8	8	4	-	-
	ALL OTHER..MALE....	10	-	-	-	2	-	2	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	-
	FEMALE..	24	2	-	-	2	8	2	-	2	2	-	-	2	-	2	-	2	-	-	-	-	-	-
320	MENINGITIS.....	46	16	10	2	-	-	2	-	-	-	-	6	-	2	2	-	4	2	-	-	-	-	-
	WHITE.....MALE....	24	8	6	-	-	-	-	-	-	-	-	4	-	2	2	-	-	2	-	-	-	-	-
	FEMALE..	16	4	2	2	-	-	2	-	-	-	-	2	-	-	-	-	4	-	-	-	-	-	-
	ALL OTHER..MALE....	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	41,018	16	12	6	8	16	42	70	98	232	504	1,128	1,762	2,576	3,548	4,650	5,566	6,610	6,580	4,698	2,164	730	2
	WHITE.....MALE....	20,416	8	4	4	4	12	16	26	48	116	274	648	1,142	1,616	2,210	2,630	2,918	3,314	2,836	1,728	660	200	2
	FEMALE..	17,010	2	4	2	2	4	12	26	28	62	114	228	342	616	932	1,440	2,100	2,912	3,466	2,810	1,428	480	-
	ALL OTHER..MALE....	2,018	4	-	-	2	-	8	10	14	30	66	168	164	236	228	352	260	236	138	70	24	8	-
	FEMALE..	1,574	2	4	-	-	-	6	8	8	24	50	84	114	108	178	228	288	148	140	90	52	42	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	30,516	10	8	2	6	4	18	34	66	164	378	894	1,472	2,156	2,946	3,622	4,214	4,844	4,604	3,150	1,472	450	2
	WHITE.....MALE....	15,868	6	4	2	2	2	4	10	36	88	234	562	1,002	1,390	1,854	2,130	2,246	2,500	2,044	1,162	456	132	2
	FEMALE..	12,006	2	2	-	2	2	2	14	22	42	72	150	254	478	764	1,050	1,574	2,082	2,368	1,878	960	288	-
	ALL OTHER..MALE....	1,546	2	-	-	2	-	8	6	6	22	44	124	134	204	184	266	192	176	96	54	18	8	-
	FEMALE..	1,096	-	2	-	-	-	4	4	2	12	28	58	82	84	144	176	202	86	96	56	38	22	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	552	-	-	-	2	-	4	4	6	18	28	32	52	64	96	82	54	54	40	12	4	-	-
	WHITE.....MALE....	192	-	-	-	-	-	2	-	2	8	6	12	20	20	38	32	16	16	12	8	-	-	-
	FEMALE..	316	-	-	-	2	-	-	2	4	10	14	18	20	42	54	46	34	36	28	4	2	-	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	2	-	-	4	2	10	2	4	2	2	2	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	2	-	-	-	4	-	2	-	-	2	2	-	-	-	2	-	-
402	HYPERTENSIVE HEART DISEASE.....	320	-	-	-	-	-	-	-	4	-	4	24	12	18	24	32	48	52	48	46	6	2	-
	WHITE.....MALE....	70	-	-	-	-	-	-	-	-	-	-	4	4	2	4	12	12	10	12	6	2	2	-
	FEMALE..	172	-	-	-	-	-	-	-	4	-	-	4	-	8	12	6	30	36	28	40	4	-	-
	ALL OTHER..MALE....	42	-	-	-	-	-	-	-	-	-	4	10	2	6	-	12	2	-	6	-	-	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	6	6	2	8	2	4	6	2	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	156	-	-	-	-	-	-	-	-	-	-	2	2	12	2	18	26	18	20	28	14	14	-
	WHITE.....MALE....	62	-	-	-	-	-	-	-	-	-	-	2	-	6	-	4	14	10	8	12	2	4	-
	FEMALE..	76	-	-	-	-	-	-	-	-	-	-	-	2	4	-	10	8	8	12	14	10	8	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	2	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	2	2	-
410-413	ISCHEMIC HEART DISEASE...	28,130	-	-	-	-	-	2	12	46	134	322	784	1,358	1,978	2,712	3,352	3,940	4,534	4,266	2,904	1,372	412	2
	WHITE.....MALE....	14,956	-	-	-	-	-	-	8	30	76	220	518	956	1,320	1,738	2,018	2,124	2,388	1,914	1,082	444	118	2
	FEMALE..	10,812	-	-	-	-	-	-	4	10	28	48	118	210	396	672	942	1,442	1,904	2,174	1,718	880	266	-
	ALL OTHER..MALE....	1,374	-	-	-	-	-	-	-	4	18	30	104	120	188	176	228	182	164	86	48	18	8	-
	FEMALE..	988	-	-	-	-	-	2	-	2	12	24	44	72	74	126	164	192	78	92	56	30	20	-
410	ACUTE MYOCARDIAL INFARCTION.....	15,606	-	-	-	-	-	2	6	36	88	236	590	972	1,418	1,978	2,170	2,284	2,388	1,868	1,044	426	100	-
	WHITE.....MALE....	9,364	-	-	-	-	-	-	4	22	52	180	422	730	1,002	1,330	1,386	1,326	1,352	942	416	162	38	-
	FEMALE..	5,210	-	-	-	-	-	-	2	10	20	30	96	158	296	486	602	794	936	876	594	256	54	-
	ALL OTHER..MALE....	642	-	-	-	-	-	-	-	2	12	16	48	52	88	102	112	92	70	26	14	6	2	-
	FEMALE..	390	-	-	-	-	-	2	-	2	4	10	24	32	32	60	70	72	30	24	20	2	6	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	74	-	-	-	-	-	-	-	-	2	2	2	2	6	6	20	8	4	16	2	2	2	-
	WHITE.....MALE....	50	-	-	-	-	-	-	-	-	2	2	2	2	6	6	14	6	2	6	-	2	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	2	10	2	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	12,440	-	-	-	-	-	-	6	10	44	84	192	384	554	728	1,160	1,646	2,140	2,380	1,856	944	310	2
	WHITE.....MALE....	5,540	-	-	-	-	-	-	4	8	22	38	94	224	312	402	616	792	1,034	966	666	280	80	2
	FEMALE..	5,570	-	-	-	-	-	-	2	-	8	18	22	52	100	186	334	644	964	1,286	1,120	624	210	-
	ALL OTHER..MALE....	732	-	-	-	-	-	-	-	2	6	14	56	68	100	74	116	90	94	60	34	12	6	-
	FEMALE..	598	-	-	-	-	-	-	-	-	8	14	20	40	42	66	94	120	48	68	36	28	14	-
413	ANGINA PECTORIS.....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MICHIGAN--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER HYOCARDIAL INSUFFICIENCY...	136	2	-	-	-	2	-	-	2	2	4	2	4	2	18	8	8	22	24	26	8	2	-
	WHITE.....MALE....	58	2	-	-	-	2	-	-	-	-	2	2	2	2	12	4	2	12	10	4	2	-	-
	FEMALE..	70	-	-	-	-	-	-	-	-	2	2	-	2	-	4	2	6	8	14	22	6	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	1,222	8	8	2	4	2	12	18	8	10	20	50	44	82	94	130	138	164	206	134	68	20	-
	WHITE.....MALE....	530	4	4	2	2	-	2	2	4	4	6	24	20	40	62	60	78	64	88	50	6	8	-
	FEMALE..	560	2	2	-	-	2	2	8	4	2	8	10	20	28	22	44	54	90	112	80	58	12	-
	ALL OTHER..MALE....	86	2	-	-	2	-	8	4	-	4	6	8	2	8	4	18	4	8	4	4	-	-	-
	FEMALE..	46	-	2	-	-	-	-	4	-	-	-	8	2	6	6	8	2	2	2	-	4	-	-
400, 401, 403	HYPERTENSION.....	296	-	-	-	-	-	-	4	2	6	10	16	14	10	26	26	28	50	58	36	10	-	-
	WHITE.....MALE....	122	-	-	-	-	-	-	2	-	-	2	4	2	4	12	6	12	20	34	18	6	-	-
	FEMALE..	102	-	-	-	-	-	-	2	-	-	-	4	4	6	6	10	6	22	22	16	4	-	-
	ALL OTHER..MALE....	44	-	-	-	-	-	-	-	-	4	4	4	4	-	4	10	8	4	2	-	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	2	2	4	4	4	-	4	-	2	4	-	2	-	-	-
430-438	CEREBROVASCULAR DISEASES.	7,998	4	4	4	-	10	20	22	24	50	104	182	224	320	460	780	1,082	1,400	1,502	1,156	502	148	-
	WHITE.....MALE....	3,236	2	-	2	-	8	10	6	12	24	32	66	100	152	252	352	486	590	564	410	132	36	-
	FEMALE..	3,992	-	2	2	-	2	8	8	2	14	40	64	74	116	142	316	462	710	870	704	354	102	-
	ALL OTHER..MALE....	376	2	-	-	-	-	-	4	8	4	14	32	22	30	38	68	56	50	30	14	4	-	-
	FEMALE..	394	-	2	-	-	-	2	4	2	8	18	20	28	22	28	44	78	50	38	28	12	10	-
431	CEREBRAL HEMORRHAGE.....	1,370	-	-	-	-	4	6	-	6	18	32	88	88	110	116	164	198	210	156	118	44	12	-
	WHITE.....MALE....	554	-	-	-	-	2	2	-	2	8	6	26	42	44	54	86	86	82	54	48	8	4	-
	FEMALE..	662	-	-	-	-	2	4	-	-	4	8	32	32	56	42	56	94	120	98	70	36	8	-
	ALL OTHER..MALE....	82	-	-	-	-	-	-	-	4	4	8	16	4	4	12	18	8	4	-	-	-	-	-
	FEMALE..	72	-	-	-	-	-	-	-	-	2	10	14	10	6	8	4	10	4	4	-	-	-	-
433	CEREBRAL THROMBOSIS.....	2,398	-	-	-	-	-	2	2	-	-	16	8	20	58	116	244	336	480	508	388	170	50	-
	WHITE.....MALE....	1,016	-	-	-	-	-	-	-	-	-	6	4	12	30	78	102	162	226	196	142	50	8	-
	FEMALE..	1,184	-	-	-	-	-	2	-	-	-	8	2	2	12	32	196	126	220	282	236	118	38	-
	ALL OTHER..MALE....	104	-	-	-	-	-	-	2	-	-	2	2	2	12	4	18	30	16	16	-	-	-	-
	FEMALE..	94	-	-	-	-	-	-	-	-	-	-	-	4	4	2	18	18	18	14	10	2	4	-
434	CEREBRAL EMBOLISM.....	36	-	-	-	-	2	-	-	-	-	-	-	2	2	-	-	12	8	6	2	2	-	-
	WHITE.....MALE....	14	-	-	-	-	2	-	-	-	-	-	-	2	2	-	-	2	4	2	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	4	4	2	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	4,194	4	4	4	-	4	12	20	18	32	56	86	114	150	228	372	536	702	832	648	286	86	-
	WHITE.....MALE....	1,652	2	-	2	-	4	8	6	10	16	20	36	44	76	120	164	236	278	312	220	74	24	-
	FEMALE..	2,126	-	2	2	-	-	2	8	2	10	24	30	40	48	68	154	234	366	486	396	198	56	-
	ALL OTHER..MALE....	188	2	-	-	-	-	-	2	4	-	4	14	16	14	22	32	16	30	14	14	4	-	-
	FEMALE..	228	-	2	-	-	-	2	4	2	6	8	6	14	12	18	22	50	28	20	18	10	6	-
440	ARTERIOSCLEROSIS.....	1,162	-	-	-	-	2	-	-	-	-	-	-	12	16	26	46	82	186	260	262	154	116	-
	WHITE.....MALE....	508	-	-	-	-	2	-	-	-	-	-	-	10	10	16	28	46	104	122	90	54	26	-
	FEMALE..	610	-	-	-	-	-	-	-	-	-	-	-	2	6	8	16	32	72	128	168	96	82	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	6	-	2	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	4	4	2	8	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	1,046	2	-	-	2	-	4	10	6	12	12	36	40	74	90	176	160	130	156	94	26	16	-
	WHITE.....MALE....	682	-	-	-	2	-	2	8	-	4	6	16	28	60	76	114	128	100	72	48	12	6	-
	FEMALE..	300	-	-	-	-	-	2	2	4	6	2	10	8	10	12	48	26	26	78	44	14	8	-
	ALL OTHER..MALE....	36	-	-	-	-	-	-	-	-	-	4	8	4	2	-	6	2	4	4	2	-	-	-
	FEMALE..	28	2	-	-	-	-	-	-	2	2	-	2	-	2	2	8	4	-	2	-	-	2	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	28	-	4	-	-	-	-	2	-	-	-	-	2	2	4	2	8	4	-	-	-	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	2	-	-	-	-	2	-	-	2	6	4	-	-	-	-	-
	FEMALE..	8	-	2	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	2,188	160	38	14	14	16	20	24	16	30	52	52	54	86	114	178	270	310	316	226	146	50	2
	WHITE.....MALE....	1,112	60	14	8	8	10	12	12	4	14	14	24	34	52	80	94	146	170	170	114	56	16	-
	FEMALE..	762	52	16	6	2	4	2	4	6	8	14	12	10	20	20	44	86	112	122	98	88	34	2
	ALL OTHER..MALE....	210	22	6	-	-	-	6	6	4	6	16	16	8	10	10	36	28	16	16	2	2	-	-
	FEMALE..	104	26	2	-	4	2	-	2	2	2	8	-	2	4	4	4	10	12	8	12	-	-	-
470-474	INFLUENZA.....	196	-	-	-	-	-	-	-	2	-	6	4	6	8	8	20	36	32	26	14	22	12	-
	WHITE.....MALE....	82	-	-	-	-	-	-	-	-	-	4	2	2	4	2	12	16	20	8	2	8	2	-
	FEMALE..	108	-	-	-	-	-	-	-	2	-	2	2	4	2	6	8	20	12	18	8	14	10	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-
480-486	PNEUMONIA.....	1,992	160	38	14	14	16	20	24	14	30	46	48	48	78	106	158	234	278	290	212	124	38	2
	WHITE.....MALE....	1,030	60	14	8	8	10	12	12	4	14	10	22	32	48	78	82	130	150	162	112	48	14	-
	FEMALE..	654	52	16	6	2	4	2	4	4	8	12	10	6	18	14	36	66	100	104	90	74	24	2
	ALL OTHER..MALE....	210	22	6	-	-	-	6	6	4	6	16	16	8	10	10	36	28	16	16	2	2	-	-
	FEMALE..	98	26	2	-	4	2	-	2	2	2	8	-	2	2	4	4	10	12	8	8	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MICHIGAN--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	1,386	6	-	-	4	4	2	2	4	10	10	34	48	134	170	248	228	238	160	68	14	2	-
	WHITE.....MALE	1,004	4	-	-	2	2	-	2	-	2	2	14	30	88	124	192	188	184	116	42	10	2	-
	FEMALE	286	-	-	-	2	2	2	-	2	4	6	12	14	34	34	40	36	34	38	22	4	-	-
	ALL OTHER..MALE	76	2	-	-	-	-	-	-	2	-	-	6	2	12	8	14	4	18	4	4	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	4	2	2	2	-	4	2	-	2	2	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	244	4	-	-	2	-	-	-	-	2	2	4	12	20	34	42	44	34	32	8	2	2	-
	WHITE.....MALE	172	4	-	-	-	-	-	-	-	2	-	2	4	10	20	36	36	28	22	4	2	2	-
	FEMALE	60	-	-	-	2	-	-	-	-	-	2	2	6	10	8	6	8	6	8	2	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	-	-	-
492	EMPHYSEMA	1,038	2	-	-	-	2	2	-	-	2	2	20	34	94	130	184	176	202	120	56	12	-	-
	WHITE.....MALE	800	-	-	-	-	2	-	-	-	-	-	8	26	74	104	150	146	156	90	36	8	-	-
	FEMALE	174	-	-	-	-	-	2	-	-	2	-	8	6	14	20	20	26	28	26	18	4	-	-
	ALL OTHER..MALE	56	2	-	-	-	-	-	-	-	-	-	4	2	6	4	12	4	16	4	2	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	2	-	-	-	-	-
493	ASTHMA	104	-	-	-	2	2	-	2	4	6	6	10	2	20	6	22	8	2	8	4	-	-	-
	WHITE.....MALE	32	-	-	-	2	-	-	2	-	-	2	4	-	4	-	6	6	-	4	2	-	-	-
	FEMALE	52	-	-	-	-	2	-	-	2	2	4	2	2	10	6	14	2	-	4	2	-	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	2	-	-	2	-	6	-	2	-	2	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	330	2	-	-	-	2	-	2	-	4	12	18	14	22	34	48	46	52	38	26	8	2	-
	WHITE.....MALE	206	-	-	-	-	2	-	-	-	2	10	6	8	14	26	40	34	26	20	16	2	-	-
	FEMALE	86	-	-	-	-	-	-	2	-	-	2	6	4	4	4	4	8	18	16	10	6	2	-
	ALL OTHER..MALE	26	2	-	-	-	-	-	-	-	-	-	6	-	2	2	4	2	6	2	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	2	-	-	2	2	2	-	2	2	-	-	-	-	-
540-543	APPENDICITIS	48	-	4	4	-	-	2	-	-	-	4	2	10	-	6	2	8	4	2	-	-	-	-
	WHITE.....MALE	20	-	4	-	-	-	-	-	-	-	2	2	4	-	2	-	4	2	-	-	-	-	-
	FEMALE	14	-	-	4	-	-	2	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	2	-	4	-	2	-	-	-	2	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	284	20	2	2	2	-	4	-	4	4	6	8	6	10	24	20	40	50	46	26	10	-	-
	WHITE.....MALE	128	12	2	-	-	-	-	-	-	-	6	2	2	4	12	8	26	22	22	8	2	-	-
	FEMALE	124	6	-	-	2	-	2	-	2	2	-	2	4	2	12	8	10	26	20	18	8	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	2	-	-	-	-	-
	FEMALE	22	2	-	2	-	-	2	-	2	2	-	2	-	2	-	2	2	-	4	-	-	-	-
571	CIRRHOSIS OF LIVER	1,626	2	2	2	-	4	4	22	48	84	164	206	294	254	214	144	86	54	20	18	4	-	-
	WHITE.....MALE	812	-	2	-	-	-	-	8	14	34	54	96	120	140	136	96	54	34	8	14	2	-	-
	FEMALE	410	2	-	2	-	2	2	2	2	10	44	60	88	64	50	28	24	18	8	2	2	-	-
	ALL OTHER..MALE	240	-	-	-	-	2	2	2	18	24	32	24	54	34	22	18	4	-	4	-	-	-	-
	FEMALE	164	-	-	-	-	-	-	10	14	16	34	26	32	16	6	2	4	2	-	2	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	156	2	-	-	-	-	-	-	-	2	2	6	6	2	16	8	28	22	30	20	6	6	-
	WHITE.....MALE	68	2	-	-	-	-	-	-	-	2	-	-	4	-	12	4	14	12	8	2	4	4	-
	FEMALE	74	-	-	-	-	-	-	-	-	-	2	4	-	2	4	4	10	8	20	16	2	2	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	336	4	-	-	2	2	6	10	2	10	18	16	30	16	32	36	36	38	42	20	16	-	-
	WHITE.....MALE	134	4	-	-	-	-	2	6	-	-	4	4	8	2	22	16	10	16	22	8	10	-	-
	FEMALE	112	-	-	-	2	2	-	4	2	2	4	4	10	4	2	12	18	16	14	10	6	-	-
	ALL OTHER..MALE	46	-	-	-	-	-	4	-	-	6	6	2	10	4	2	-	6	4	-	2	-	-	-
	FEMALE	44	-	-	-	-	-	-	-	-	2	4	6	2	6	6	8	2	2	6	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	58	-	-	-	-	-	2	2	-	4	4	-	4	-	4	8	8	8	4	10	-	-	-
	WHITE.....MALE	32	-	-	-	-	-	2	2	-	-	4	-	-	-	4	8	4	4	-	4	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	4	2	6	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	278	4	-	-	2	2	4	8	2	6	14	16	26	16	28	28	28	30	38	10	16	-	-
	WHITE.....MALE	102	4	-	-	-	-	-	4	-	-	-	4	8	2	18	8	6	12	22	4	10	-	-
	FEMALE	94	-	-	-	2	2	-	4	2	-	4	4	8	4	2	12	16	12	12	4	6	-	-
	ALL OTHER..MALE	40	-	-	-	-	-	4	-	-	4	6	2	8	4	2	-	4	4	-	2	-	-	-
	FEMALE	42	-	-	-	-	-	-	-	-	2	4	6	2	6	6	8	2	2	4	-	-	-	-
590	INFECTIONS OF KIDNEY	230	-	-	-	-	-	-	-	2	2	-	8	12	16	16	22	38	44	32	22	12	4	-
	WHITE.....MALE	96	-	-	-	-	-	-	-	-	2	-	-	6	4	6	8	18	28	14	6	4	-	-
	FEMALE	86	-	-	-	-	-	-	-	-	-	-	4	-	8	8	4	14	10	14	14	6	4	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	2	2	-	2	2	-	-
	FEMALE	34	-	-	-	-	-	-	-	2	-	-	-	6	4	2	8	4	4	4	-	-	-	-
600	HYPERPLASIA OF PROSTATE	34	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	10	12	8	2	-	-
	WHITE.....MALE	30	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	6	12	8	2	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MICHIGAN--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	26	-	-	-	-	6	6	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	14	-	-	-	-	2	4	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	12	-	-	-	-	4	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	6	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	20	-	-	-	-	4	4	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	10	-	-	-	-	2	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	10	-	-	-	-	2	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	678	464	54	18	12	16	16	8	8	10	10	12	8	10	10	8	6	4	2	2	-	-	-
	WHITE.....MALE....	298	210	22	16	6	4	8	4	-	4	4	8	2	2	4	2	-	-	2	-	-	-	-
	FEMALE..	274	178	30	-	4	10	4	4	8	4	4	2	6	2	4	6	2	4	-	2	-	-	-
	ALL OTHER..MALE....	50	40	-	-	-	2	4	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	56	36	2	2	2	-	-	-	-	2	2	-	-	4	2	-	4	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	1,598	1,592	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	616	612	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	440	438	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	306	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	830	826	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	326	324	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	216	214	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	768	766	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	290	288	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	224	224	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	542	210	10	2	2	12	18	18	8	8	12	24	16	22	26	28	34	28	28	8	16	12	-
	WHITE.....MALE....	216	58	6	-	2	-	4	2	4	2	8	14	6	10	18	14	26	20	14	4	4	-	-
	FEMALE..	190	52	2	2	-	10	6	10	4	4	4	6	8	10	4	14	6	8	12	4	12	12	-
	ALL OTHER..MALE....	86	60	-	-	-	2	6	6	-	2	-	-	-	2	4	-	2	-	2	-	-	-	-
	FEMALE..	50	40	2	-	-	-	2	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.....	4,028	72	64	10	28	96	114	102	84	84	144	200	268	334	326	372	522	522	366	206	86	28	-
	WHITE.....MALE....	1,916	36	34	2	14	40	54	38	18	36	54	76	124	188	182	170	278	278	178	88	20	8	-
	FEMALE..	1,500	20	22	6	10	26	18	34	26	22	46	76	98	94	108	130	190	216	176	100	64	18	-
	ALL OTHER..MALE....	362	12	4	-	2	16	22	18	20	18	24	32	24	34	20	50	30	18	8	6	2	2	-
	FEMALE..	250	4	4	2	2	14	20	12	20	8	20	16	22	18	16	22	24	10	4	12	-	-	-
E800-E949	ACCIDENTS.....	4,590	80	184	170	198	600	548	258	200	176	184	238	238	222	228	200	196	210	208	156	70	24	2
	WHITE.....MALE....	2,806	34	78	92	144	418	430	204	132	100	118	128	136	130	138	110	104	108	102	64	26	8	2
	FEMALE..	1,202	22	54	52	38	130	74	32	44	36	32	48	62	62	62	62	74	78	98	84	44	14	-
	ALL OTHER..MALE....	420	14	24	20	10	40	34	14	18	36	20	44	36	22	28	20	16	12	6	6	-	-	-
	FEMALE..	162	10	28	6	6	12	10	8	6	4	14	18	4	8	-	8	2	12	2	2	-	2	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	2,358	14	80	100	106	434	388	166	114	108	98	124	104	120	96	80	96	60	42	24	4	-	-
	WHITE.....MALE....	1,510	6	36	48	72	308	316	130	72	68	58	60	50	68	54	34	42	46	22	16	4	-	-
	FEMALE..	606	6	30	38	26	110	50	24	32	26	24	30	30	38	30	36	44	8	18	6	-	-	-
	ALL OTHER..MALE....	184	2	8	10	6	10	20	8	10	14	10	22	20	10	12	6	10	2	2	2	-	-	-
	FEMALE..	58	-	6	4	2	6	2	4	-	-	6	12	4	4	-	4	-	4	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	2,232	66	104	70	92	166	160	92	86	68	86	114	134	102	132	120	100	150	166	132	66	24	2
	WHITE.....MALE....	1,296	28	42	44	72	110	114	74	60	32	60	68	86	62	84	76	62	62	80	48	22	8	2
	FEMALE..	596	16	24	14	12	20	24	8	12	10	8	18	32	24	32	26	30	70	80	78	44	14	-
	ALL OTHER..MALE....	236	12	16	10	4	30	14	6	8	22	10	22	16	12	16	14	6	10	4	4	-	-	-
	FEMALE..	104	10	22	2	4	6	8	4	6	4	8	6	-	4	-	4	2	8	2	2	-	2	-
E950-E959	SUICIDE.....	1,056	...	...	-	6	68	138	110	68	78	76	106	82	68	80	56	52	38	24	4	2	-	-
	WHITE.....MALE....	724	...	...	-	6	50	94	58	40	46	54	74	54	40	58	50	42	32	20	4	2	-	-
	FEMALE..	250	...	...	-	-	8	26	36	16	22	22	28	22	28	22	4	8	4	4	-	-	-	-
	ALL OTHER..MALE....	62	...	...	-	-	8	16	12	10	8	-	2	2	-	-	2	2	-	-	-	-	-	-
	FEMALE..	20	...	...	-	-	2	2	4	2	2	-	2	4	-	-	-	-	2	-	-	-	-	-
E960-E978	HOMICIDE.....	1,070	6	16	6	16	104	230	194	96	86	78	36	72	46	38	16	14	12	-	4	-	-	-
	WHITE.....MALE....	230	2	2	-	2	22	46	26	22	20	16	6	22	10	16	6	4	4	-	4	-	-	-
	FEMALE..	92	2	4	2	-	12	14	8	8	6	8	-	6	8	2	4	-	8	-	-	-	-	-
	ALL OTHER..MALE....	624	-	4	2	8	58	148	126	58	52	50	20	44	26	16	4	8	-	-	-	-	-	-
	FEMALE..	124	2	6	2	6	12	22	34	8	8	4	10	-	2	4	2	2	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	104	-	6	-	4	12	10	18	14	8	6	2	6	4	10	-	-	2	2	-	-	-	-
	WHITE.....MALE....	60	-	-	-	4	10	8	10	8	4	2	-	2	4	6	-	-	-	2	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	4	-	2	2	2	2	-	4	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	18	-	4	-	-	-	2	4	2	2	2	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	2	-	-	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MINNESOTA																							
	ALL CAUSES	34,554	994	192	144	166	392	442	274	244	328	516	822	1,346	1,880	2,800	3,348	4,182	5,130	5,150	3,824	1,832	538	10
	WHITE.....MALE	19,322	570	92	78	98	276	342	178	144	202	336	524	854	1,242	1,810	2,198	2,546	2,734	2,590	1,746	660	184	8
	FEMALE	14,830	378	92	52	62	98	78	74	86	112	162	272	466	628	958	1,210	1,614	2,368	2,534	2,070	1,168	346	2
	ALL OTHER..MALE	252	28	4	12	-	8	20	16	6	8	14	16	18	4	24	26	14	10	18	4	-	2	-
	FEMALE	150	18	4	2	6	10	2	6	8	6	4	10	8	6	8	4	8	18	8	4	4	6	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	54	16	2	-	-	-	-	-	-	-	-	-	4	-	-	4	2	4	14	6	2	-	-
	WHITE.....MALE	26	8	2	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	8	-	-	-	-
	FEMALE	28	8	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	6	6	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	36	-	-	-	-	-	-	-	-	-	-	-	-	12	2	4	4	6	4	4	-	-	-
	WHITE.....MALE	20	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	4	4	4	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	-	6	2	2	-	2	-	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	24	-	-	-	-	-	-	-	-	-	-	-	-	10	-	2	4	-	4	4	-	-	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	4	-	4	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	12	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	6	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	6	2	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	60	8	2	-	-	-	2	-	-	2	-	4	-	2	2	8	4	10	12	4	-	-	-
	WHITE.....MALE	28	4	-	-	-	-	-	-	-	2	-	2	-	2	-	8	-	2	8	-	-	-	-
	FEMALE	32	4	2	-	-	-	2	-	-	-	-	2	-	-	2	-	4	8	4	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MINNESOTA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	48	4	2	4	-	-	-	-	4	2	4	-	4	2	4	4	2	4	2	4	2	-	-
	WHITE.....MALE....	38	4	2	4	-	-	-	-	2	2	2	-	4	2	4	2	-	2	2	4	2	-	-
	FEMALE..	10	-	-	-	-	-	-	-	2	-	2	-	-	-	-	2	2	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....	6,252	-	14	22	24	32	28	24	52	56	114	194	408	562	778	838	864	918	696	436	170	18	4
	WHITE.....MALE....	3,306	-	2	6	12	16	18	12	26	24	48	90	200	290	444	442	506	500	368	212	80	6	4
	FEMALE..	2,900	-	12	14	12	16	10	12	26	30	62	102	202	268	326	392	356	408	326	224	90	12	-
	ALL OTHER..MALE....	34	-	-	2	-	-	-	-	-	-	4	2	4	2	6	2	2	8	2	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	2	-	-	2	2	2	2	-	2	-	-	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	114	-	-	-	2	2	2	-	-	-	6	4	12	12	20	10	10	6	16	6	6	-	-
	WHITE.....MALE....	84	-	-	-	-	-	2	-	-	-	4	4	8	10	16	10	6	6	12	4	2	-	-
	FEMALE..	30	-	-	-	2	2	-	-	-	-	2	-	4	2	4	-	4	-	4	2	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	1,920	-	-	-	-	-	2	2	12	16	24	42	96	144	206	294	292	310	264	168	44	2	2
	WHITE.....MALE....	1,052	-	-	-	-	-	2	-	6	6	10	24	64	84	122	138	166	182	150	76	20	-	2
	FEMALE..	846	-	-	-	-	-	-	2	6	10	12	16	26	58	84	154	124	122	114	92	24	2	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	2	2	4	-	-	2	2	4	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	1,026	-	-	2	-	-	2	2	-	8	16	28	80	130	218	152	170	114	60	32	8	4	-
	WHITE.....MALE....	814	-	-	-	-	-	-	-	-	6	10	18	60	104	188	130	148	92	40	18	-	-	-
	FEMALE..	202	-	-	2	-	-	2	2	-	2	6	10	20	24	26	22	22	18	20	14	8	4	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
174	OF BREAST.....	602	-	-	-	-	-	-	2	6	6	28	40	68	80	68	72	50	78	58	28	18	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	-	-	-	-	-
	FEMALE..	592	-	-	-	-	-	-	2	6	4	28	40	68	78	68	70	46	78	58	28	18	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	828	-	-	-	-	-	4	8	6	4	8	20	52	62	68	98	116	152	128	60	36	4	2
	WHITE.....MALE....	380	-	-	-	-	-	2	8	2	-	-	2	2	10	14	38	68	78	82	40	28	4	2
	FEMALE..	444	-	-	-	-	-	2	-	4	4	8	18	50	52	54	58	48	74	44	20	8	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	326	-	-	2	2	2	-	-	-	-	4	2	14	20	24	48	44	58	48	36	20	2	-
	WHITE.....MALE....	206	-	-	-	-	-	-	-	-	-	2	2	12	16	14	28	32	32	28	26	12	2	-
	FEMALE..	118	-	-	2	2	2	-	-	-	-	2	-	2	4	8	20	12	26	20	10	8	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	706	-	6	6	6	14	8	4	12	16	12	28	36	76	98	82	78	86	52	64	18	4	-
	WHITE.....MALE....	332	-	-	-	-	8	4	-	10	8	8	18	22	42	38	46	34	44	22	20	8	-	-
	FEMALE..	370	-	6	6	6	6	4	4	2	8	2	10	14	34	58	36	44	42	30	44	10	4	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204-207	LEUKEMIA.....	306	-	8	12	12	6	6	2	6	2	4	10	8	18	26	30	38	48	40	14	16	-	-
	WHITE.....MALE....	190	-	2	6	10.	2	4	-	-	2	2	10	4	14	18	22	22	36	18	10	8	-	-
	FEMALE..	114	-	6	4	2	4	2	2	6	-	2	-	4	4	8	8	16	12	22	4	8	-	-
	ALL OTHER..MALE....	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....	424	-	-	-	2	8	4	4	10	4	12	20	42	20	50	52	66	66	30	28	4	2	-
	WHITE.....MALE....	240	-	-	-	2	6	4	4	8	2	12	12	28	8	34	28	26	30	16	18	2	-	-
	FEMALE..	184	-	-	-	-	2	-	-	2	2	-	8	14	12	16	24	40	36	14	10	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....	84	4	-	-	2	-	6	2	-	4	6	-	-	8	10	18	2	8	10	-	4	-	-
	WHITE.....MALE....	50	4	-	-	2	-	6	2	-	2	2	-	-	4	8	8	2	4	4	-	2	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	2	4	-	-	4	2	10	-	4	6	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	598	-	2	-	2	2	2	8	10	4	10	12	14	30	54	72	88	112	98	62	12	4	-
	WHITE.....MALE....	252	-	2	-	-	2	-	2	6	2	4	8	4	12	22	28	40	36	46	34	4	-	-
	FEMALE..	338	-	-	-	2	-	2	4	4	2	6	2	10	14	32	44	48	76	52	28	8	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	2	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MINNESOTA—CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	36	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-	4	10	-	12	4	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	2	-
	FEMALE..	26	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-	4	6	-	8	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	42	-	-	-	-	6	-	-	-	-	2	2	-	4	-	-	4	4	10	4	4	2	-
	WHITE.....MALE....	20	-	-	-	-	4	-	-	-	-	-	-	-	2	-	-	-	2	6	4	2	-	-
	FEMALE..	22	-	-	-	-	2	-	-	-	-	2	2	-	2	-	-	4	2	4	-	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	20	8	4	-	-	-	-	-	-	-	-	-	2	-	-	2	-	4	-	-	-	-	-
	WHITE.....MALE....	8	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
	FEMALE..	12	4	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	18,728	4	8	8	4	12	8	18	36	70	142	298	554	814	1,424	1,882	2,454	3,178	3,410	2,688	1,316	400	-
	WHITE.....MALE....	10,316	2	6	2	2	8	6	12	20	40	110	232	432	598	992	1,288	1,520	1,652	1,630	1,174	448	142	-
	FEMALE..	8,290	2	-	6	2	4	2	6	12	28	28	58	116	214	418	580	918	1,510	1,760	1,508	864	254	-
	ALL OTHER..MALE....	68	-	-	-	-	-	-	-	2	-	2	4	6	2	12	12	8	2	12	4	-	2	-
	FEMALE..	54	-	2	-	-	-	-	-	2	2	2	4	-	-	2	2	8	14	8	2	4	2	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	13,088	2	4	8	2	6	6	10	20	50	116	248	468	658	1,156	1,498	1,844	2,132	2,126	1,674	826	234	-
	WHITE.....MALE....	7,644	-	2	2	-	4	4	8	12	36	94	204	380	496	818	1,048	1,162	1,170	1,092	762	262	88	-
	FEMALE..	5,358	2	-	6	2	2	2	2	6	14	20	40	84	160	326	438	668	954	1,020	908	562	142	-
	ALL OTHER..MALE....	56	-	-	-	-	-	-	-	2	-	2	4	4	2	10	12	6	2	8	2	-	2	-
	FEMALE..	30	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	8	6	6	2	2	2	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	264	-	2	-	-	-	2	-	2	4	8	4	20	18	38	40	30	40	30	14	12	-	-
	WHITE.....MALE....	112	-	2	-	-	-	-	-	-	2	6	-	14	6	20	28	8	10	8	6	2	-	-
	FEMALE..	152	-	-	-	-	-	2	-	2	2	2	4	6	12	18	12	22	30	22	8	10	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	120	-	-	-	-	-	-	-	-	-	2	-	4	8	2	16	10	20	22	26	8	2	-
	WHITE.....MALE....	54	-	-	-	-	-	-	-	-	-	2	-	2	4	-	8	6	12	10	8	-	2	-
	FEMALE..	66	-	-	-	-	-	-	-	-	-	-	-	2	4	2	8	4	8	12	18	8	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	60	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	8	6	14	12	10	2	-
	WHITE.....MALE....	28	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	2	6	6	2	2	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	8	6	8	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	12,030	-	-	-	-	-	2	8	14	34	100	224	404	586	1,066	1,386	1,738	1,986	1,966	1,532	762	222	-
	WHITE.....MALE....	7,100	-	-	-	-	-	2	8	8	26	84	196	338	454	766	968	1,110	1,100	1,012	696	248	84	-
	FEMALE..	4,848	-	-	-	-	-	-	-	4	8	14	26	62	130	288	406	614	878	940	832	512	134	-
	ALL OTHER..MALE....	54	-	-	-	-	-	-	-	2	-	2	2	4	2	10	12	6	2	8	2	-	2	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	8	6	6	2	2	2	-
410	ACUTE MYOCARDIAL INFARCTION.....	6,428	-	-	-	-	-	2	8	12	22	86	170	284	394	712	868	1,052	1,030	894	578	242	74	-
	WHITE.....MALE....	4,108	-	-	-	-	-	2	8	6	20	74	150	236	296	528	628	692	578	470	286	100	34	-
	FEMALE..	2,292	-	-	-	-	-	-	-	4	2	10	20	46	98	176	236	358	450	420	290	142	40	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	2	-	2	-	2	-	6	4	-	2	-	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	62	-	-	-	-	-	-	-	-	2	-	-	4	6	6	12	8	6	10	4	4	-	-
	WHITE.....MALE....	36	-	-	-	-	-	-	-	-	2	-	-	4	4	4	8	4	-	6	-	4	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	6	4	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	5,536	-	-	-	-	-	-	-	2	10	14	54	116	186	348	506	678	950	1,060	948	516	148	-
	WHITE.....MALE....	2,956	-	-	-	-	-	-	-	2	4	10	46	98	154	234	332	414	522	536	410	144	50	-
	FEMALE..	2,526	-	-	-	-	-	-	-	-	6	4	6	16	30	110	166	252	422	514	536	370	94	-
	ALL OTHER..MALE....	34	-	-	-	-	-	-	-	-	-	-	2	2	2	4	8	6	-	8	-	-	2	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	2	2	2	2	-
413	ANGINA PECTORIS.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MINNESOTA—CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	108	-	-	4	-	-	-	-	-	4	-	2	4	14	8	8	6	20	14	16	8	-	-
	WHITE.....MALE....	68	-	-	-	-	-	-	-	-	4	-	-	4	12	4	8	4	12	10	6	4	-	-
	FEMALE..	40	-	-	4	-	-	-	-	-	-	-	2	-	2	4	-	2	8	4	10	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	506	2	2	4	2	6	2	2	4	8	6	18	36	30	40	44	52	60	80	74	26	8	-
	WHITE.....MALE....	282	-	-	2	-	4	2	-	4	4	2	8	22	18	26	34	30	34	46	40	6	-	-
	FEMALE..	220	2	-	2	2	2	-	2	-	4	4	8	14	12	14	10	22	26	34	34	20	8	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	114	-	-	-	-	-	-	-	2	-	-	2	2	2	8	6	10	20	24	20	10	8	-
	WHITE.....MALE....	46	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	6	6	12	6	4	4	-
	FEMALE..	68	-	-	-	-	-	-	-	2	-	-	-	2	2	4	4	4	14	12	14	6	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	4,410	-	2	-	2	4	-	8	8	18	16	38	76	114	206	298	478	862	1,042	766	356	116	-
	WHITE.....MALE....	2,058	-	2	-	2	2	-	4	2	4	8	18	48	74	128	176	276	400	436	312	134	32	-
	FEMALE..	2,320	-	-	-	-	2	-	4	4	12	6	16	26	40	76	120	200	454	604	452	220	84	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	2	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	2	2	2	4	-	-	-	2	-	8	2	-	2	-	-
431	CEREBRAL HEMORRHAGE.....	666	-	2	-	-	-	-	4	4	4	4	12	26	34	56	84	84	130	106	80	26	10	-
	WHITE.....MALE....	344	-	2	-	-	-	-	4	2	2	4	8	14	24	30	50	56	60	50	28	8	2	-
	FEMALE..	318	-	-	-	-	-	-	-	2	2	-	2	10	10	26	34	28	70	56	52	18	8	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	1,026	-	-	-	-	2	-	-	-	-	2	2	4	14	38	70	108	214	266	192	74	40	-
	WHITE.....MALE....	478	-	-	-	-	2	-	-	-	-	2	2	4	8	32	44	68	102	98	74	28	14	-
	FEMALE..	544	-	-	-	-	-	-	-	-	-	-	-	-	6	6	24	40	112	168	118	44	26	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-
434	CEREBRAL EMBOLISM.....	26	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	12	-	2	2	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	-	-	2	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	4	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	2,692	-	-	-	2	2	-	4	4	14	10	24	46	64	112	142	280	506	670	492	254	66	-
	WHITE.....MALE....	1,226	-	-	-	2	-	-	-	-	2	2	8	30	42	66	80	152	232	288	210	96	16	-
	FEMALE..	1,444	-	-	-	-	2	-	4	2	10	6	14	16	22	44	62	126	268	380	280	158	50	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-	6	2	-	-	-	-
440	ARTERIOSCLEROSIS.....	600	-	-	-	-	-	-	-	-	-	2	2	-	6	10	26	40	82	132	160	104	36	-
	WHITE.....MALE....	254	-	-	-	-	-	-	-	-	-	2	2	-	2	8	20	22	26	58	60	40	14	-
	FEMALE..	342	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	18	56	70	100	64	22	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	516	2	2	-	-	2	2	-	6	2	8	8	8	34	44	54	82	82	86	68	20	6	-
	WHITE.....MALE....	314	2	2	-	-	2	2	-	6	-	6	6	4	26	34	42	54	50	32	34	8	4	-
	FEMALE..	202	-	-	-	-	-	-	-	-	2	2	2	4	8	10	12	28	32	54	34	12	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	WHITE.....MALE....	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	1,278	46	16	4	6	-	2	2	4	6	6	28	16	20	40	66	114	232	268	212	126	62	2
	WHITE.....MALE....	670	36	2	-	2	-	2	-	-	4	6	16	12	14	26	28	70	116	156	112	52	14	2
	FEMALE..	596	10	14	4	4	-	-	-	4	2	-	12	4	6	12	38	42	114	112	100	74	44	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-
470-474	INFLUENZA.....	182	2	-	-	-	-	-	2	2	-	-	4	2	2	10	22	22	36	36	22	12	8	-
	WHITE.....MALE....	76	-	-	-	-	-	-	-	-	-	-	-	2	-	4	10	14	12	20	14	-	-	-
	FEMALE..	102	2	-	-	-	-	-	-	2	-	-	4	-	2	6	12	8	24	16	8	12	6	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
480-486	PNEUMONIA.....	1,096	44	16	4	6	-	2	-	2	6	6	24	14	18	30	44	92	196	232	190	114	54	2
	WHITE.....MALE....	594	36	2	-	2	-	2	-	-	4	6	16	10	14	22	18	56	104	136	98	52	14	2
	FEMALE..	494	8	14	4	4	-	-	-	2	2	-	8	4	4	6	26	34	90	96	92	62	38	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MINNESOTA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	520	-	4	2	-	-	-	-	-	2	6	6	18	34	64	64	108	104	76	24	8	-	-
	WHITE.....MALE	400	-	2	2	-	-	-	-	-	2	6	-	14	22	58	50	82	80	62	14	6	-	-
	FEMALE	116	-	2	-	-	-	-	-	-	-	-	6	4	12	4	12	26	24	14	10	2	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	120	-	4	2	-	-	-	-	-	-	4	-	4	6	16	10	26	22	16	8	2	-	-
	WHITE.....MALE	84	-	2	2	-	-	-	-	-	-	4	-	4	4	12	8	18	16	10	4	-	-	-
	FEMALE	36	-	2	-	-	-	-	-	-	-	-	-	-	2	4	2	8	6	6	4	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	368	-	-	-	-	-	-	-	-	-	2	4	12	24	46	50	78	74	58	14	6	-	-
	WHITE.....MALE	302	-	-	-	-	-	-	-	-	-	2	-	8	18	46	38	62	60	52	10	6	-	-
	FEMALE	64	-	-	-	-	-	-	-	-	-	-	4	4	6	-	10	16	14	6	4	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	32	-	-	-	-	-	-	-	-	2	-	2	2	4	2	4	4	8	2	2	-	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	2	-	-	2	-	-	4	2	4	-	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	2	4	2	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	112	-	2	-	-	2	2	-	2	-	2	-	6	6	10	12	14	16	16	14	6	2	-
	WHITE.....MALE	72	-	2	-	-	2	2	-	-	-	2	-	6	4	2	10	10	10	12	8	2	-	-
	FEMALE	38	-	-	-	-	-	-	-	2	-	-	-	-	2	6	2	4	6	4	6	4	2	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	6	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	110	10	-	-	-	-	-	2	-	-	-	-	2	2	2	8	16	24	20	16	6	2	-
	WHITE.....MALE	60	4	-	-	-	-	-	2	-	-	-	-	2	2	2	6	10	12	10	8	2	-	-
	FEMALE	50	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	12	10	8	4	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	376	-	-	-	-	2	-	-	2	16	12	32	52	72	76	44	26	24	10	6	2	-	-
	WHITE.....MALE	252	-	-	-	-	-	-	-	2	10	6	20	28	54	52	32	18	18	6	6	-	-	-
	FEMALE	118	-	-	-	-	2	-	-	-	6	6	12	20	18	24	10	8	6	4	-	2	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	92	-	-	-	-	-	-	-	-	-	-	2	-	4	6	8	10	10	26	22	4	-	-
	WHITE.....MALE	42	-	-	-	-	-	-	-	-	-	-	2	-	4	4	4	2	6	10	8	2	-	-
	FEMALE	50	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	4	16	14	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	76	-	-	-	-	-	-	-	-	2	-	-	6	2	2	12	18	20	4	10	-	-	-
	WHITE.....MALE	44	-	-	-	-	-	-	-	-	-	-	-	4	2	2	8	10	10	2	6	-	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	2	-	-	2	-	-	4	8	10	2	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	20	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	8	6	-	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	6	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	56	-	-	-	-	-	-	-	-	-	-	-	4	2	2	10	10	14	4	10	-	-	-
	WHITE.....MALE	36	-	-	-	-	-	-	-	-	-	-	-	4	2	2	6	8	6	2	6	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	8	2	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	94	-	-	-	-	-	-	-	-	-	-	2	2	6	8	-	12	8	22	22	10	2	-
	WHITE.....MALE	46	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	8	4	14	8	2	2	-
	FEMALE	48	-	-	-	-	-	-	-	-	-	-	-	2	2	6	-	4	4	8	14	8	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	4	10	10	6	2	-
	WHITE.....MALE	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	4	10	10	6	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MINNESOTA—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	6	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	6	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	274	172	30	8	8	14	2	6	4	-	6	2	4	6	6	-	-	2	4	-	-	-	-
	WHITE.....MALE....	148	88	20	4	6	8	2	6	2	-	-	2	2	4	4	-	-	-	-	-	-	-	-
	FEMALE..	120	80	10	4	2	6	-	-	2	-	4	-	2	2	2	-	-	2	4	-	-	-	-
	ALL OTHER..MALE....	4	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	570	570	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	318	318	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	288	288	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	282	282	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	140	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	264	64	-	-	2	2	-	-	6	10	6	4	10	12	6	16	20	22	26	28	18	10	2
	WHITE.....MALE....	144	44	-	-	-	2	-	-	4	4	6	4	8	8	2	10	6	12	10	10	8	6	-
	FEMALE..	110	14	-	-	2	-	-	-	2	6	-	-	2	4	4	4	14	10	14	18	10	4	2
	ALL OTHER..MALE....	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.....	1,894	58	24	12	12	16	28	12	18	26	42	62	102	122	168	150	254	280	254	164	72	18	-
	WHITE.....MALE....	1,070	40	10	6	4	8	22	10	8	10	28	36	42	84	96	88	142	188	138	80	22	8	-
	FEMALE..	800	18	14	4	8	6	6	2	8	16	12	22	58	38	70	60	110	92	114	82	50	10	-
	ALL OTHER..MALE....	16	-	-	2	-	2	-	-	-	-	-	4	2	-	-	2	2	-	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	-	-	-	2	-	-	-
E800-E949	ACCIDENTS.....	2,288	22	78	84	98	262	282	140	64	80	112	122	96	104	102	92	134	128	138	88	48	12	2
	WHITE.....MALE....	1,522	8	40	54	66	192	232	98	46	64	90	78	68	76	64	54	90	64	74	48	12	2	2
	FEMALE..	670	10	32	20	26	58	34	32	12	10	18	36	26	28	36	34	44	64	64	40	36	10	-
	ALL OTHER..MALE....	60	2	4	8	-	2	14	8	4	4	4	4	-	-	2	4	-	-	-	-	-	-	-
	FEMALE..	36	2	2	2	6	10	2	2	2	2	-	4	2	-	-	-	-	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	1,072	2	28	28	56	186	200	82	34	48	48	58	30	44	40	40	56	38	36	16	2	-	-
	WHITE.....MALE....	730	-	12	20	36	126	164	54	28	36	30	32	20	28	26	20	36	22	26	12	2	-	-
	FEMALE..	286	-	14	6	16	48	26	22	6	8	14	20	8	16	14	18	20	16	10	4	-	-	-
	ALL OTHER..MALE....	34	2	2	-	-	2	10	4	-	4	4	4	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	22	-	-	2	4	10	-	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,216	20	50	56	42	76	82	58	30	32	64	64	66	60	62	52	78	90	102	72	46	12	2
	WHITE.....MALE....	792	8	28	34	30	66	68	44	18	28	60	46	48	48	38	34	54	42	48	36	10	2	2
	FEMALE..	384	10	18	14	10	10	8	10	6	2	4	16	18	12	22	16	24	48	54	36	36	10	-
	ALL OTHER..MALE....	26	-	2	8	-	-	4	4	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	14	2	2	-	2	-	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	368	...	...	-	2	24	36	28	28	26	34	32	36	34	28	34	12	4	8	-	2	-	-
	WHITE.....MALE....	266	...	...	-	2	22	28	18	20	16	18	18	22	30	20	28	12	4	6	-	2	-	-
	FEMALE..	92	...	...	-	-	2	4	10	8	8	14	14	12	4	8	6	-	-	2	-	-	-	-
	ALL OTHER..MALE....	10	...	...	-	-	-	4	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	104	2	2	-	2	8	18	20	4	16	4	6	8	8	2	-	2	-	-	-	2	-	-
	WHITE.....MALE....	62	2	-	-	-	2	8	10	4	14	4	4	2	8	-	-	2	-	-	-	2	-	-
	FEMALE..	22	-	2	-	2	2	8	4	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	18	-	-	-	-	4	2	6	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	102	-	2	-	4	8	18	10	8	6	6	14	2	12	4	6	2	-	-	-	-	-	-
	WHITE.....MALE....	76	-	2	-	2	8	14	6	4	6	4	10	2	10	4	4	-	-	-	-	-	-	-
	FEMALE..	22	-	-	-	2	-	4	2	2	-	2	4	-	2	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSISSIPPI																							
	ALL CAUSES	23,680	1,196	200	130	146	346	400	310	296	364	516	844	1,126	1,564	2,290	2,488	2,890	2,888	2,550	1,832	908	390	6
	WHITE.....MALE	8,312	290	54	26	54	126	146	140	74	108	196	332	498	680	1,016	996	1,032	1,000	800	502	204	38	-
	FEMALE	5,822	192	26	38	22	60	44	30	50	80	70	158	186	306	398	546	702	874	866	672	398	102	2
	ALL OTHER..MALE	5,400	366	56	42	50	126	148	108	112	104	138	212	274	346	524	530	666	556	460	342	142	96	2
	FEMALE	4,146	348	64	24	20	34	62	32	60	72	112	142	168	232	352	416	490	458	424	316	164	154	2
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	120	72	16	-	-	2	-	-	-	-	2	-	2	-	-	4	4	4	2	6	4	2	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	16	-	4	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	2	-	2	-	-
	ALL OTHER..MALE	48	38	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE	54	34	6	-	-	2	-	-	-	-	2	-	-	-	-	-	-	2	-	4	2	2	-
010-019	TUBERCULOSIS, ALL FORMS	64	-	-	-	-	-	-	-	-	2	-	8	6	2	8	2	14	14	6	-	2	-	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	4	4	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-
	ALL OTHER..MALE	32	-	-	-	-	-	-	-	-	-	-	8	2	2	6	-	6	8	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	2	-	-	4	-	-	2	-	2	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	52	-	-	-	-	-	-	-	-	2	-	8	4	2	4	2	12	14	4	-	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	ALL OTHER..MALE	30	-	-	-	-	-	-	-	-	-	-	8	2	2	4	-	6	8	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	-	2	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	12	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	2	-	2	-	2	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	40	20	2	-	-	2	-	-	-	-	2	-	2	-	-	2	2	2	2	4	-	-	-
	WHITE.....MALE	6	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	2	2	-	-	-
	ALL OTHER..MALE	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	14	10	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSISSIPPI--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	52	2	2	12	2	-	-	-	4	-	2	-	4	10	4	4	-	-	4	2	-	-	-
	WHITE.....MALE....	16	-	2	2	2	-	-	-	-	-	-	-	-	4	4	2	-	-	-	-	-	-	-
	FEMALE..	22	-	-	6	-	-	-	-	4	-	-	-	4	2	-	-	-	-	4	2	-	-	-
	ALL OTHER..MALE....	10	2	-	2	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	3,448	2	14	12	14	12	8	16	18	50	74	168	222	322	468	494	558	460	272	184	62	18	-
	WHITE.....MALE....	1,298	-	6	-	4	8	4	6	8	8	28	58	96	108	196	206	220	172	104	52	14	-	-
	FEMALE..	1,012	2	4	6	4	2	-	4	6	20	26	50	50	106	134	134	152	144	72	60	30	6	-
	ALL OTHER..MALE....	632	-	2	2	4	2	2	2	-	12	4	34	46	60	86	88	98	86	46	44	12	2	-
	FEMALE..	506	-	2	4	2	-	2	4	4	10	16	26	30	48	52	66	88	58	50	28	6	10	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	72	-	-	-	-	-	-	-	-	-	2	2	14	8	10	10	10	8	2	4	2	-	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	-	-	2	8	2	2	6	6	2	-	2	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	4	-	2	2	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	2	-	4	-	4	2	2	-	2	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	2	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	946	-	-	-	-	-	-	4	2	8	14	20	52	80	110	126	160	170	96	72	22	10	-
	WHITE.....MALE....	316	-	-	-	-	-	-	-	2	-	10	6	26	22	38	52	46	62	34	16	2	-	-
	FEMALE..	270	-	-	-	-	-	-	-	-	2	2	2	6	30	30	32	50	52	22	26	10	6	-
	ALL OTHER..MALE....	204	-	-	-	-	-	-	2	-	4	2	10	20	18	22	26	32	30	16	16	6	-	-
	FEMALE..	156	-	-	-	-	-	-	2	-	2	-	2	-	10	20	16	32	26	24	14	4	4	-
160-163	OF RESPIRATORY SYSTEM....	790	-	-	-	-	-	-	-	-	8	14	44	70	92	148	144	132	82	40	12	4	-	-
	WHITE.....MALE....	474	-	-	-	-	-	-	-	-	4	12	30	42	46	106	90	96	34	12	2	-	-	-
	FEMALE..	112	-	-	-	-	-	-	-	-	2	2	4	8	16	18	22	10	20	8	2	-	-	-
	ALL OTHER..MALE....	174	-	-	-	-	-	-	-	-	2	-	10	16	26	24	24	24	24	14	6	4	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	-	-	4	4	-	8	2	4	6	2	-	-	-
174	OF BREAST.....	282	-	-	-	-	-	-	-	2	16	18	20	24	40	42	30	40	28	10	10	2	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	202	-	-	-	-	-	-	-	2	14	12	18	14	30	32	18	28	18	6	8	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	78	-	-	-	-	-	-	-	-	2	6	2	10	10	8	12	12	10	4	2	-	-	-
180-187	OF GENITAL ORGANS.....	508	-	2	-	-	-	-	2	6	6	10	26	28	30	60	72	110	66	56	24	8	2	-
	WHITE.....MALE....	130	-	-	-	-	-	-	-	2	-	-	-	2	2	10	18	32	26	28	4	6	-	-
	FEMALE..	132	-	-	-	-	-	-	2	-	-	2	8	16	10	20	14	30	16	10	2	2	-	-
	ALL OTHER..MALE....	114	-	2	-	-	-	-	-	-	-	-	2	-	4	14	20	26	20	8	16	-	2	-
	FEMALE..	132	-	-	-	-	-	-	-	4	6	8	16	10	14	16	20	22	4	10	2	-	-	-
188, 189	OF URINARY ORGANS.....	152	-	-	-	-	-	-	-	2	-	-	8	6	18	16	24	22	20	18	6	8	4	-
	WHITE.....MALE....	76	-	-	-	-	-	-	-	2	-	-	4	4	8	8	12	10	12	10	4	2	-	-
	FEMALE..	38	-	-	-	-	-	-	-	-	-	-	-	2	4	2	10	4	6	4	2	4	-	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	4	-	4	6	-	2	-	2	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	2	2	-	2	4	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	406	2	8	8	4	8	2	2	4	6	14	36	18	26	54	46	48	42	30	38	8	2	-
	WHITE.....MALE....	162	-	4	-	-	4	-	-	2	2	6	12	10	18	20	16	16	18	14	18	2	-	-
	FEMALE..	138	2	2	4	2	2	-	-	2	2	6	14	2	6	20	20	18	10	14	8	4	-	-
	ALL OTHER..MALE....	52	-	-	2	2	2	2	-	-	2	-	6	4	-	10	4	4	8	-	4	2	-	-
	FEMALE..	54	-	2	2	-	-	-	2	-	-	2	4	2	2	4	6	10	6	2	8	-	2	-
204-207	LEUKEMIA.....	124	-	2	2	10	4	-	6	-	-	-	6	6	10	12	16	10	12	14	10	4	-	-
	WHITE.....MALE....	48	-	-	-	4	4	-	4	-	-	-	2	-	2	8	8	4	4	6	2	-	-	-
	FEMALE..	42	-	2	2	2	-	-	2	-	-	-	2	2	2	2	6	2	6	2	6	4	-	-
	ALL OTHER..MALE....	24	-	-	-	2	-	-	-	-	-	-	2	2	2	2	2	4	2	4	2	-	-	-
	FEMALE..	10	-	-	-	2	-	-	-	-	-	-	-	2	4	-	-	-	-	2	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	168	-	2	2	-	-	6	2	2	6	2	6	4	18	16	26	26	32	6	8	4	-	-
	WHITE.....MALE....	62	-	2	-	-	-	4	2	-	2	-	2	4	8	4	4	10	14	-	4	2	-	-
	FEMALE..	62	-	-	-	-	-	-	-	2	-	2	2	-	4	8	12	8	12	6	4	2	-	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	-	4	-	-	-	6	2	10	4	2	-	-	-	-	-
	FEMALE..	16	-	-	2	-	-	2	-	-	-	-	2	-	-	2	-	4	4	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	32	-	2	-	2	-	2	2	2	-	-	6	4	2	6	-	2	2	-	-	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	2	2	-	-	-	2	2	-	4	-	-	-	-	-	-	-	-
	FEMALE..	10	-	2	-	-	-	-	-	2	-	-	4	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	526	-	-	-	-	-	-	6	-	2	20	8	20	36	66	64	80	102	76	30	14	2	-
	WHITE.....MALE....	114	-	-	-	-	-	-	-	-	2	-	2	8	8	16	8	22	18	18	10	2	-	-
	FEMALE..	130	-	-	-	-	-	-	-	-	-	-	2	2	4	8	20	18	34	28	10	4	-	-
	ALL OTHER..MALE....	114	-	-	-	-	-	-	6	-	-	12	2	6	12	20	10	16	12	12	4	2	-	-
	FEMALE..	168	-	-	-	-	-	-	-	-	-	8	2	4	12	22	26	24	38	18	6	6	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSISSIPPI--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	26	2	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	4	2	2	4	6	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-
280-285	ANEMIAS.....	74	4	2	-	-	-	6	10	2	-	2	2	-	4	4	6	8	8	4	8	2	2	-
	WHITE.....MALE....	18	2	-	-	-	-	-	2	-	-	-	-	-	2	-	-	4	2	-	4	2	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	-	-	-
	ALL OTHER..MALE....	22	-	-	-	-	-	2	4	2	-	2	-	-	-	-	4	-	4	-	2	-	2	-
	FEMALE..	24	2	2	-	-	-	4	4	-	-	-	2	-	2	2	2	2	-	2	-	-	-	-
320	MENINGITIS.....	20	8	2	-	-	-	-	-	-	-	2	-	-	2	2	-	2	-	2	-	-	-	-
	WHITE.....MALE....	8	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	8	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	11,566	10	4	-	8	18	20	22	30	72	164	332	500	720	1,156	1,374	1,596	1,754	1,658	1,230	632	264	2
	WHITE.....MALE....	4,148	4	2	-	4	4	4	8	4	8	66	154	238	366	516	574	552	608	510	354	144	28	-
	FEMALE..	3,084	-	-	-	-	2	2	2	4	20	20	44	60	96	176	292	392	564	582	468	288	72	-
	ALL OTHER..MALE....	2,304	2	2	-	4	8	2	4	12	22	38	78	122	144	272	272	362	306	288	210	86	68	2
	FEMALE..	2,030	4	-	-	-	4	12	8	10	22	40	56	80	114	192	236	290	276	278	198	114	96	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	7,790	10	2	-	4	10	6	4	20	54	126	260	374	518	888	1,024	1,070	1,104	1,030	748	386	150	2
	WHITE.....MALE....	3,062	4	2	-	2	-	4	2	4	8	64	136	202	296	420	448	394	410	338	222	92	14	-
	FEMALE..	2,018	-	-	-	-	2	-	-	4	16	16	32	30	66	136	222	268	348	354	294	184	46	-
	ALL OTHER..MALE....	1,498	2	-	-	2	6	-	2	10	22	26	54	94	88	198	194	240	180	190	114	46	28	2
	FEMALE..	1,212	4	-	-	-	2	2	-	2	8	20	38	48	68	134	160	168	166	148	118	64	62	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	68	-	-	-	-	2	-	-	2	6	-	8	12	8	16	2	8	-	-	4	-	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	-	2	4	8	4	-	2	-	-	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	2	-	-	2	-	-	6	2	6	-	-	-	-	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	2	-	2	4	-	4	-	-	-	-	4	-	-	-
	FEMALE..	14	-	-	-	-	2	-	-	-	4	-	2	4	-	2	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	120	-	-	-	-	-	-	2	-	-	4	2	2	14	20	12	14	8	18	6	12	6	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	4	-	-	6	-	2	2	-	2	-	2	2	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	10	4	2	-	-
	ALL OTHER..MALE....	32	-	-	-	-	-	-	2	-	-	-	2	2	2	14	-	2	2	2	-	2	2	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	-	-	-	4	4	8	8	4	4	2	6	2	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	68	-	-	-	-	-	-	-	2	-	4	-	2	4	8	6	10	4	14	10	4	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	4	6	4	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	8	4	-	-	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	-	2	-	-	-	2	4	4	-	8	4	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	6,752	-	-	-	-	2	2	2	10	38	98	206	312	416	754	906	938	1,012	928	656	342	128	2
	WHITE.....MALE....	2,728	-	-	-	-	-	2	2	4	4	54	120	174	248	378	410	360	374	310	196	80	12	-
	FEMALE..	1,824	-	-	-	-	-	-	-	-	14	10	22	28	56	122	198	248	328	322	258	176	42	-
	ALL OTHER..MALE....	1,198	-	-	-	-	2	-	-	4	18	20	36	74	58	152	164	192	164	162	96	36	18	2
	FEMALE..	1,002	-	-	-	-	-	-	-	2	2	14	28	36	54	102	134	138	146	134	106	50	56	-
410	ACUTE MYOCARDIAL INFARCTION.....	3,978	-	-	-	-	-	2	2	6	28	80	164	242	322	520	606	548	560	486	242	130	38	2
	WHITE.....MALE....	1,876	-	-	-	-	-	2	2	4	4	48	104	146	200	292	306	228	236	192	80	28	4	-
	FEMALE..	992	-	-	-	-	-	-	-	-	12	8	14	24	50	82	140	156	172	164	98	62	10	-
	ALL OTHER..MALE....	654	-	-	-	-	-	-	-	-	12	14	26	54	34	98	96	102	92	66	34	14	10	2
	FEMALE..	456	-	-	-	-	-	-	-	2	-	10	20	18	38	48	64	62	60	64	30	26	14	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	34	-	-	-	-	-	-	-	-	-	-	2	-	-	6	4	8	6	4	-	2	2	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	2	2	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	-	-	2	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	2,738	-	-	-	-	2	-	-	4	10	16	40	70	94	228	296	382	446	438	414	210	88	-
	WHITE.....MALE....	838	-	-	-	-	-	-	-	-	-	4	16	28	48	82	104	128	136	116	116	52	8	-
	FEMALE..	820	-	-	-	-	-	-	-	-	2	2	8	4	6	38	54	90	154	158	160	112	32	-
	ALL OTHER..MALE....	536	-	-	-	-	2	-	-	4	6	6	8	20	24	54	68	88	70	94	62	22	8	-
	FEMALE..	544	-	-	-	-	-	-	-	-	2	4	8	18	16	54	70	76	86	70	76	24	40	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSISSIPPI--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	80	-	-	-	-	-	-	-	2	-	2	2	2	6	4	10	8	8	8	16	8	4	-
	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	4	4	8	2	-	-
	FEMALE..	22	-	-	-	-	-	-	-	2	-	-	-	-	2	-	6	-	2	2	6	2	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	4	-	2	2	-	2	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	2	-	-	4	2	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	702	10	2	-	4	6	4	-	4	10	18	42	44	70	86	88	92	72	62	56	20	12	-
	WHITE.....MALE....	248	4	2	-	2	-	2	-	-	4	6	12	24	34	36	30	26	32	18	12	4	-	-
	FEMALE..	112	-	-	-	-	2	-	-	-	2	4	8	2	6	6	12	12	16	12	22	4	4	-
	ALL OTHER..MALE....	212	2	-	-	2	4	-	-	4	2	4	14	12	22	24	30	34	10	22	12	8	6	-
	FEMALE..	130	4	-	-	-	-	2	-	-	2	4	8	6	8	20	16	20	14	10	10	4	2	-
400, 401, 403	HYPERTENSION.....	134	-	-	-	-	2	2	2	4	2	6	6	10	10	6	10	14	8	16	24	8	4	-
	WHITE.....MALE....	26	-	-	-	-	-	-	2	-	-	-	-	-	4	2	2	2	-	2	6	4	2	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	4	2	-	-
	ALL OTHER..MALE....	44	-	-	-	-	-	-	-	-	-	-	4	8	4	-	2	6	6	4	8	-	2	-
	FEMALE..	50	-	-	-	-	2	2	-	4	2	6	2	2	2	4	4	4	-	8	6	2	-	-
430-438	CEREBROVASCULAR DISEASES.	3,052	-	2	-	4	4	10	8	6	16	28	56	102	158	228	282	428	538	524	380	196	82	-
	WHITE.....MALE....	856	-	-	-	2	2	-	2	-	-	2	14	32	52	72	88	134	176	138	92	42	8	-
	FEMALE..	864	-	-	-	-	-	2	2	-	4	4	12	24	26	34	64	100	162	196	144	70	20	-
	ALL OTHER..MALE....	674	-	2	-	2	2	2	-	2	-	10	16	20	44	70	64	102	100	88	82	40	28	-
	FEMALE..	650	-	-	-	-	-	6	4	4	12	12	14	26	36	52	66	92	100	102	62	44	26	-
431	CEREBRAL HEMORRHAGE.....	544	-	-	-	-	-	4	4	2	2	6	28	32	60	64	58	66	78	60	52	18	10	-
	WHITE.....MALE....	154	-	-	-	-	-	-	2	-	-	-	8	12	18	16	16	26	32	6	14	4	-	-
	FEMALE..	112	-	-	-	-	-	2	-	-	-	2	4	8	8	10	12	10	14	16	16	10	-	-
	ALL OTHER..MALE....	132	-	-	-	-	-	-	-	2	-	-	10	4	18	26	12	12	16	16	10	-	6	-
	FEMALE..	146	-	-	-	-	-	2	2	-	2	4	6	8	16	12	18	18	16	22	12	4	4	-
433	CEREBRAL THROMBOSIS.....	644	-	-	-	-	-	-	-	-	2	4	6	16	26	42	34	86	140	132	84	56	16	-
	WHITE.....MALE....	198	-	-	-	-	-	-	-	-	-	-	2	6	12	16	14	30	44	40	18	14	2	-
	FEMALE..	208	-	-	-	-	-	-	-	-	-	-	2	4	2	4	10	28	36	54	44	20	4	-
	ALL OTHER..MALE....	120	-	-	-	-	-	-	-	-	-	2	2	4	6	16	4	12	28	14	12	14	6	-
	FEMALE..	118	-	-	-	-	-	-	-	-	2	2	-	2	6	6	6	16	32	24	10	8	4	-
434	CEREBRAL EMBOLISM.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	1,856	-	2	-	4	4	6	4	4	12	18	22	54	72	120	190	274	318	332	242	122	56	-
	WHITE.....MALE....	504	-	-	-	2	2	-	-	-	-	2	4	14	22	40	58	78	100	92	60	24	6	-
	FEMALE..	540	-	-	-	-	-	-	2	-	4	2	6	12	16	20	42	62	110	126	82	40	16	-
	ALL OTHER..MALE....	420	-	2	-	2	2	2	-	-	-	8	4	12	20	26	48	78	56	58	60	26	16	-
	FEMALE..	392	-	-	-	-	-	4	2	4	8	6	8	16	14	34	42	56	52	56	40	32	18	-
440	ARTERIOSCLEROSIS.....	296	-	-	-	-	-	-	-	-	-	-	2	2	4	6	24	48	52	48	60	28	22	-
	WHITE.....MALE....	80	-	-	-	-	-	-	-	-	-	-	-	-	2	2	10	12	8	12	28	4	2	-
	FEMALE..	108	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	30	20	20	22	4	-
	ALL OTHER..MALE....	46	-	-	-	-	-	-	-	-	-	-	2	-	-	-	8	10	12	-	6	-	8	-
	FEMALE..	62	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	18	2	16	6	2	8	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	294	-	-	-	-	2	2	8	-	-	4	8	12	30	28	34	36	52	40	18	14	6	-
	WHITE.....MALE....	124	-	-	-	-	2	-	2	-	-	-	4	4	12	20	26	10	14	20	6	2	2	-
	FEMALE..	80	-	-	-	-	-	-	-	-	-	-	-	6	4	4	2	14	22	10	6	10	2	-
	ALL OTHER..MALE....	42	-	-	-	-	-	-	2	-	-	2	2	-	8	4	4	4	8	6	-	-	2	-
	FEMALE..	48	-	-	-	-	-	2	4	-	-	2	2	2	6	-	2	8	8	4	6	2	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	2	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-
	ALL OTHER..MALE....	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	686	70	20	6	4	10	4	2	8	12	10	14	24	36	34	60	64	74	90	90	34	18	2
	WHITE.....MALE....	208	6	4	-	2	2	-	-	2	4	6	4	8	12	14	32	24	24	28	22	10	4	-
	FEMALE..	204	4	2	2	-	4	2	2	2	2	-	2	8	6	8	6	18	24	40	48	18	6	-
	ALL OTHER..MALE....	142	32	8	-	-	2	-	-	-	2	-	8	4	12	6	14	14	14	16	6	4	-	-
	FEMALE..	132	28	6	4	2	2	2	-	4	4	4	-	4	6	6	8	8	12	6	14	2	8	2
470-474	INFLUENZA.....	72	-	2	-	-	2	-	-	-	4	-	2	4	4	4	12	20	4	6	6	-	2	-
	WHITE.....MALE....	22	-	2	-	-	-	-	-	-	2	-	-	2	-	2	8	4	-	2	-	-	-	-
	FEMALE..	20	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	12	2	-	4	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	2	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	2	-	-	-	4	2	4	2	-	2	2	-	2	-
480-486	PNEUMONIA.....	614	70	18	6	4	8	4	2	8	8	10	12	20	32	30	48	44	70	84	84	34	16	2
	WHITE.....MALE....	186	6	2	-	2	2	-	-	2	2	6	4	6	12	12	24	20	24	26	22	10	4	-
	FEMALE..	184	4	2	2	-	2	2	2	2	2	-	2	8	6	8	6	6	22	40	44	18	6	-
	ALL OTHER..MALE....	132	32	8	-	-	2	-	-	-	2	-	6	2	12	6	14	12	12	14	6	4	-	-
	FEMALE..	112	28	6	4	2	2	2	-	4	2	4	-	4	2	4	4	6	12	4	12	2	6	2

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSISSIPPI--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	264	-	4	-	-	2	2	-	4	-	2	4	14	18	34	34	44	54	36	10	2	-	-
	WHITE.....MALE	178	-	-	-	-	2	2	-	-	-	-	-	4	8	26	20	36	44	26	10	-	-	-
	FEMALE	38	-	-	-	-	-	-	-	2	-	2	4	6	2	4	6	4	4	4	-	-	-	-
	ALL OTHER..MALE	34	-	2	-	-	-	-	-	-	-	-	-	2	8	2	8	2	6	4	-	-	-	-
	FEMALE	14	-	2	-	-	-	-	-	2	-	-	-	2	-	2	-	2	-	2	-	2	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	52	-	2	-	-	2	2	-	-	-	-	2	-	4	2	8	10	10	6	4	-	-	-
	WHITE.....MALE	32	-	-	-	-	2	2	-	-	-	-	-	-	2	2	2	6	8	4	4	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	2	2	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-
	FEMALE	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
492	EMPHYSEMA	188	-	-	-	-	-	-	-	-	-	-	2	10	10	30	24	34	44	26	6	2	-	-
	WHITE.....MALE	144	-	-	-	-	-	-	-	-	-	-	-	4	6	24	16	30	36	22	6	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	-	2	6	-	2	4	4	2	2	-	-	-	-
	ALL OTHER..MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	-	6	2	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-
493	ASTHMA	24	-	2	-	-	-	-	-	4	-	2	-	4	4	2	2	-	-	4	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	10	-	2	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	2	-	-	-	-
531-533	PEPTIC ULCER	66	-	-	2	-	-	-	-	-	2	4	4	-	8	8	14	10	8	2	2	2	-	-
	WHITE.....MALE	18	-	-	2	-	-	-	-	-	-	2	2	-	2	4	2	2	-	-	-	2	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	2	-	-	-	2	-	4	6	2	2	2	-	-	-
	ALL OTHER..MALE	22	-	-	-	-	-	-	-	-	-	2	-	-	2	4	8	2	4	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	-	-	-	-
540-543	APPENDICITIS	24	-	-	2	-	-	-	2	4	2	-	2	-	2	-	4	6	-	-	-	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	2	-	-	-	2	-	-	-	2	4	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	8	-	-	2	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	84	10	2	-	2	-	-	2	-	-	-	4	2	2	6	4	14	6	8	14	2	6	-
	WHITE.....MALE	18	4	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	-	2	2	-	-	-
	FEMALE	30	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	4	4	6	8	-	4	-
	ALL OTHER..MALE	24	6	-	-	2	-	-	2	-	-	-	2	-	-	4	-	4	-	-	4	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	-	2	2	-
571	CIRRHOSIS OF LIVER	178	-	-	-	2	-	-	8	6	6	14	14	26	36	32	16	6	4	2	2	4	-	-
	WHITE.....MALE	80	-	-	-	-	-	-	2	-	2	10	4	8	18	20	8	6	-	2	-	-	-	-
	FEMALE	50	-	-	-	-	-	-	6	2	2	2	6	6	16	4	6	-	-	-	-	-	-	-
	ALL OTHER..MALE	28	-	-	-	-	-	-	-	-	-	-	4	8	2	4	2	-	4	-	2	2	-	-
	FEMALE	20	-	-	-	2	-	-	-	4	2	2	-	4	-	4	-	-	-	-	-	2	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	60	-	-	-	-	-	-	-	2	-	2	-	4	2	6	6	8	6	10	6	8	-	-
	WHITE.....MALE	22	-	-	-	-	-	-	-	2	-	-	-	4	2	4	2	2	2	2	-	2	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	4	8	6	6	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	132	-	-	-	2	-	4	2	4	-	4	8	2	10	20	18	16	22	6	4	6	4	-
	WHITE.....MALE	22	-	-	-	-	-	-	2	-	-	-	-	2	2	6	-	4	6	-	-	-	-	-
	FEMALE	30	-	-	-	-	-	-	-	-	-	-	2	-	-	4	8	4	4	2	2	2	2	-
	ALL OTHER..MALE	40	-	-	-	2	-	2	-	-	-	2	2	-	4	4	2	4	10	4	-	2	2	-
	FEMALE	40	-	-	-	-	-	2	-	4	-	2	4	-	4	6	8	4	2	-	2	2	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	28	-	-	-	2	-	-	2	-	-	-	2	2	-	4	4	2	6	-	4	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	2	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	-	-	-
	ALL OTHER..MALE	8	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	104	-	-	-	-	-	4	-	4	-	4	6	-	10	16	14	14	16	6	-	6	4	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	6	-	-	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	4	2	2	-	2	2	-
	ALL OTHER..MALE	32	-	-	-	-	-	2	-	-	-	2	2	-	4	4	-	4	6	4	-	2	2	-
	FEMALE	36	-	-	-	-	-	2	-	4	-	2	2	-	4	6	8	4	2	-	-	2	-	-
590	INFECTIONS OF KIDNEY	136	-	-	-	-	-	-	2	-	4	4	-	6	4	10	8	20	24	32	8	10	4	-
	WHITE.....MALE	34	-	-	-	-	-	-	-	-	2	-	-	-	2	4	2	4	6	12	2	-	-	-
	FEMALE	44	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	2	8	16	2	6	2	-
	ALL OTHER..MALE	26	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	8	6	-	2	2	-	-
	FEMALE	32	-	-	-	-	-	-	2	-	-	2	-	6	-	2	-	6	4	4	2	2	2	-
600	HYPERPLASIA OF PROSTATE	36	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	4	4	14	6	2	-	-
	WHITE.....MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	6	6	-	-	-
	ALL OTHER..MALE	18	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	8	-	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSISSIPPI—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	22	-	-	-	-	6	6	2	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	6	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	16	-	-	-	-	4	4	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	22	-	-	-	-	6	6	2	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	6	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	16	-	-	-	-	4	4	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	194	118	20	16	4	2	2	8	4	4	-	-	4	4	4	-	-	-	-	2	2	-	-
	WHITE.....MALE....	56	30	6	2	-	-	2	4	2	-	-	-	4	2	2	-	-	-	-	-	2	-	-
	FEMALE..	56	44	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	36	18	2	8	2	-	-	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	46	26	6	4	2	-	-	-	2	4	-	-	-	2	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	662	662	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-769, 772, 776	BIRTH INJURY; DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	358	358	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	304	304	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	1,626	138	22	6	2	10	10	14	28	20	40	86	86	126	168	166	208	150	162	92	44	46	2
	WHITE.....MALE....	406	20	2	-	-	-	-	6	2	6	12	26	28	56	62	50	44	38	28	12	12	2	-
	FEMALE..	160	4	-	-	-	2	-	-	4	2	6	8	12	10	14	12	28	18	26	4	2	6	2
	ALL OTHER..MALE....	598	42	12	4	2	6	6	6	14	6	8	26	30	40	54	68	82	56	64	38	16	18	-
	FEMALE..	462	72	8	2	-	2	4	2	8	6	14	26	16	20	38	36	54	38	44	38	14	20	-
RESIDUAL	ALL OTHER DISEASES.....	1,094	22	12	10	6	20	22	26	24	24	40	48	64	96	120	118	106	122	92	62	54	6	-
	WHITE.....MALE....	370	4	6	2	2	4	6	8	8	2	10	10	28	32	52	44	50	42	38	10	10	2	-
	FEMALE..	322	4	-	8	-	4	8	-	2	4	4	16	12	34	24	38	26	44	38	30	26	-	-
	ALL OTHER..MALE....	238	8	-	-	2	6	4	10	6	12	18	12	14	18	28	24	24	18	8	12	12	2	-
	FEMALE..	164	6	6	-	2	6	4	8	8	6	8	10	10	12	16	12	6	18	8	10	6	2	-
E800-E949	ACCIDENTS.....	1,824	46	72	64	96	204	214	140	102	98	74	90	98	84	98	64	80	56	56	62	16	10	-
	WHITE.....MALE....	822	16	24	18	40	98	104	84	36	60	38	48	54	36	54	22	30	26	16	14	2	2	-
	FEMALE..	310	14	6	14	18	30	14	12	18	12	4	14	16	18	14	12	26	12	26	20	10	-	-
	ALL OTHER..MALE....	542	10	20	26	28	70	78	42	42	26	24	26	22	28	22	18	22	14	6	14	2	2	-
	FEMALE..	150	6	22	6	10	6	18	2	6	-	8	2	6	2	8	12	2	4	8	14	2	6	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	954	14	34	36	52	132	138	96	56	66	36	36	56	42	44	36	38	24	12	6	-	-	-
	WHITE.....MALE....	458	6	14	10	28	64	72	52	18	38	14	12	34	20	26	14	18	12	4	2	-	-	-
	FEMALE..	176	8	6	10	10	28	12	8	14	6	2	8	12	12	10	8	14	4	4	-	-	-	-
	ALL OTHER..MALE....	270	-	8	14	10	34	44	34	20	22	14	14	10	10	4	10	6	8	4	4	-	-	-
	FEMALE..	50	-	6	2	4	6	10	2	4	-	6	2	-	-	4	4	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	870	32	38	28	44	72	76	44	46	32	38	54	42	42	54	28	42	32	44	56	16	10	-
	WHITE.....MALE....	364	10	10	8	12	34	32	32	18	22	24	36	20	16	28	8	12	14	12	12	2	2	-
	FEMALE..	134	6	-	4	8	2	2	4	4	6	2	6	4	6	4	4	12	8	22	20	10	-	-
	ALL OTHER..MALE....	272	10	12	12	18	36	34	8	22	4	10	12	12	18	18	8	16	6	2	10	2	2	-
	FEMALE..	100	6	16	4	6	-	8	-	2	-	2	-	6	2	4	8	2	4	8	14	2	6	-
E950-E959	SUICIDE.....	204	...	...	-	-	18	26	16	4	16	10	14	16	16	28	14	18	2	4	2	-	-	-
	WHITE.....MALE....	130	...	...	-	-	6	16	10	4	10	6	8	10	8	24	12	12	2	2	-	-	-	-
	FEMALE..	48	...	...	-	-	8	8	4	-	6	2	2	4	8	2	-	4	-	-	-	-	-	-
	ALL OTHER..MALE....	22	...	...	-	-	4	2	2	-	-	-	2	2	-	2	2	2	-	2	2	-	-	-
	FEMALE..	4	...	...	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	342	-	-	-	2	28	72	28	44	38	34	28	14	16	4	8	12	4	8	2	-	-	-
	WHITE.....MALE....	56	-	-	-	-	-	6	4	6	4	12	10	-	8	-	4	2	-	-	-	-	-	-
	FEMALE..	30	-	-	-	-	-	8	-	2	4	2	4	2	-	-	-	2	2	2	2	-	-	-
	ALL OTHER..MALE....	208	-	-	-	2	22	48	24	32	22	18	4	10	8	4	2	8	2	2	-	-	-	-
	FEMALE..	48	-	-	-	-	6	10	-	4	8	2	10	2	-	-	2	-	-	4	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	54	-	2	-	-	12	2	2	4	6	10	2	4	2	4	-	2	2	-	-	-	-	-
	WHITE.....MALE....	12	-	-	-	-	2	-	-	-	-	6	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	30	-	-	-	-	6	2	2	4	2	4	2	2	-	2	-	2	2	-	-	-	-	-
	FEMALE..	6	-	2	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSOURI																							
	ALL CAUSES	52,458	1,308	244	140	198	572	504	420	430	562	934	1,422	2,250	3,098	4,320	5,898	6,454	7,678	7,428	5,376	2,400	814	8
	WHITE.....MALE	25,876	558	132	74	114	338	296	220	188	264	458	750	1,214	1,764	2,518	3,360	3,426	3,790	3,278	2,072	792	264	6
	FEMALE	21,244	392	66	44	64	122	96	126	138	148	318	396	652	974	1,252	1,912	2,366	3,372	3,766	3,036	1,904	498	2
	ALL OTHER..MALE	3,058	186	20	12	12	88	94	64	70	98	100	160	244	204	322	358	344	290	200	136	36	20	-
	FEMALE	2,280	172	26	10	8	24	18	10	34	52	58	116	140	156	228	268	318	226	184	132	68	32	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	32	4	2	-	-	-	-	-	-	-	2	-	-	2	2	4	4	6	2	-	2	2	-
	WHITE.....MALE	16	2	2	-	-	-	-	-	-	-	2	-	-	2	-	-	2	4	-	-	2	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	2	-	-	2	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	82	-	-	-	-	-	-	-	-	4	2	4	6	14	8	6	10	14	6	6	2	-	-
	WHITE.....MALE	62	-	-	-	-	-	-	-	-	-	2	-	2	10	4	6	10	14	6	6	2	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	2	-	2	2	4	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	68	-	-	-	-	-	-	-	-	4	2	2	6	12	8	4	10	8	6	6	-	-	-
	WHITE.....MALE	52	-	-	-	-	-	-	-	-	-	2	-	2	10	4	4	10	8	6	6	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	2	-	-	2	2	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	14	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	6	-	-	2	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	-	-	2	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	12	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	118	30	-	-	-	-	6	2	-	2	-	4	2	2	8	4	14	20	10	12	2	-	-
	WHITE.....MALE	58	12	-	-	-	-	2	-	-	-	-	4	2	-	2	2	8	10	4	10	2	-	-
	FEMALE	44	12	-	-	-	-	4	2	-	2	-	-	-	2	4	-	4	8	6	-	-	-	-
	ALL OTHER..MALE	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE	8	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSOURI--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	72	6	6	2	-	-	-	2	2	2	8	-	2	4	10	8	6	2	2	10	-	-	-
	WHITE.....MALE....	44	4	4	2	-	-	-	2	-	2	2	-	2	2	8	6	2	-	2	6	-	-	-
	FEMALE..	24	2	2	-	-	-	-	-	2	-	6	-	-	2	2	-	2	2	-	4	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....	8,834	2	16	12	24	26	26	36	28	84	220	378	576	888	1,098	1,386	1,254	1,234	886	494	136	30	-
	WHITE.....MALE....	4,358	-	4	4	12	16	14	12	6	38	76	152	250	460	582	752	662	618	410	230	48	12	-
	FEMALE..	3,578	2	10	6	10	6	12	22	16	36	106	152	236	344	392	500	478	492	430	238	74	16	-
	ALL OTHER..MALE....	520	-	-	2	2	2	-	2	-	2	20	26	48	54	84	82	66	82	32	14	2	-	-
	FEMALE..	378	-	2	-	-	2	-	-	6	8	18	48	42	30	40	52	48	42	14	12	12	2	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	190	-	-	-	2	-	-	-	-	-	2	10	16	28	34	26	14	16	22	14	4	2	-
	WHITE.....MALE....	120	-	-	-	2	-	-	-	-	-	2	8	4	22	22	16	10	8	12	12	2	-	-
	FEMALE..	48	-	-	-	-	-	-	-	-	-	-	-	4	4	8	6	4	6	10	2	2	2	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	-	2	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	2,208	-	-	-	-	-	2	4	2	18	36	68	126	182	264	332	302	404	266	158	38	6	-
	WHITE.....MALE....	1,022	-	-	-	-	-	2	-	2	12	12	44	64	94	124	154	138	192	110	60	14	-	-
	FEMALE..	942	-	-	-	-	-	-	2	-	4	16	16	36	74	102	134	122	178	142	90	20	6	-
	ALL OTHER..MALE....	144	-	-	-	-	-	-	2	-	-	4	-	16	10	26	26	20	24	10	6	-	-	-
	FEMALE..	100	-	-	-	-	-	-	-	-	2	4	8	10	4	12	18	22	10	4	2	4	-	-
160-163	OF RESPIRATORY SYSTEM....	2,044	-	-	-	-	2	-	2	2	18	56	82	176	298	322	382	332	202	116	40	10	4	-
	WHITE.....MALE....	1,512	-	-	-	-	2	-	2	2	12	28	44	124	218	242	308	256	158	80	28	4	4	-
	FEMALE..	338	-	-	-	-	-	-	-	-	4	14	18	34	48	48	42	56	30	32	8	4	-	-
	ALL OTHER..MALE....	180	-	-	-	-	-	-	-	-	2	12	18	14	30	32	30	20	14	2	4	2	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	2	2	4	2	-	2	-	-	2	-	-	-	-
174	OF BREAST.....	740	-	-	-	-	-	-	6	-	8	46	64	72	92	78	100	84	76	68	36	8	2	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	FEMALE..	656	-	-	-	-	-	-	6	-	6	36	50	62	90	68	90	76	64	64	34	8	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	80	-	-	-	-	-	-	-	-	2	10	14	10	2	10	10	4	12	4	2	-	-	-
180-187	OF GENITAL ORGANS.....	1,126	-	-	-	-	2	2	6	14	12	26	42	76	86	108	172	156	174	144	80	22	4	-
	WHITE.....MALE....	416	-	-	-	-	-	-	-	-	-	2	-	6	14	30	70	58	74	94	52	12	4	-
	FEMALE..	558	-	-	-	-	-	2	6	10	10	22	30	62	62	56	82	78	66	42	22	8	-	-
	ALL OTHER..MALE....	68	-	-	-	-	-	-	-	-	-	-	-	2	2	8	8	10	28	6	4	-	-	-
	FEMALE..	84	-	-	-	-	2	-	-	4	2	2	12	6	8	14	12	10	6	2	2	2	-	-
188, 189	OF URINARY ORGANS.....	428	-	2	-	-	2	-	-	-	-	2	2	20	42	38	74	72	66	54	48	6	-	-
	WHITE.....MALE....	262	-	-	-	-	-	-	-	-	-	2	-	10	30	24	52	54	34	28	26	2	-	-
	FEMALE..	128	-	2	-	-	2	-	-	-	-	-	-	4	8	8	20	12	24	22	22	4	-	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	-	-	-	-	-	4	4	6	2	4	2	4	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	6	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	1,238	2	6	2	10	14	6	8	4	16	26	64	62	100	160	192	174	170	120	66	26	10	-
	WHITE.....MALE....	614	-	2	2	4	10	-	4	-	6	18	32	36	52	96	94	80	90	48	26	10	4	-
	FEMALE..	524	2	2	-	6	2	6	4	2	10	8	26	14	38	58	86	76	60	66	38	16	4	-
	ALL OTHER..MALE....	54	-	-	-	-	2	-	-	-	-	-	4	6	2	4	6	12	14	4	-	-	-	-
	FEMALE..	46	-	2	-	-	-	-	-	2	-	-	2	6	8	2	6	6	6	2	2	-	2	-
204-207	LEUKEMIA.....	384	-	8	8	10	6	8	8	2	4	10	24	4	34	34	38	42	60	42	28	12	2	-
	WHITE.....MALE....	192	-	2	2	4	4	4	6	-	2	6	10	-	18	20	18	24	36	22	14	-	-	-
	FEMALE..	162	-	6	4	4	2	4	2	2	2	4	8	4	10	14	18	16	24	16	12	8	2	-
	ALL OTHER..MALE....	16	-	-	2	2	-	-	-	-	-	-	4	-	4	-	-	-	-	4	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	-	-	2	4	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....	476	-	-	2	2	-	8	2	4	8	16	22	24	26	60	70	78	66	54	24	10	-	-
	WHITE.....MALE....	216	-	-	-	2	-	8	-	2	6	6	14	6	12	24	40	38	26	16	12	4	-	-
	FEMALE..	222	-	-	2	-	-	-	2	2	-	6	4	16	10	30	22	38	40	36	10	4	-	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	4	-	2	-	6	6	-	-	2	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	2	-	4	-	4	-	2	2	-	-	2	2	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....	96	-	-	2	-	4	2	2	2	4	8	2	2	4	6	16	24	10	4	2	-	2	-
	WHITE.....MALE....	50	-	-	-	-	-	2	2	2	-	4	-	2	-	-	12	20	6	-	-	-	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	2	4	-	-	4	6	2	2	4	4	2	-	2	-
	ALL OTHER..MALE....	10	-	-	2	-	4	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	1,036	2	-	2	2	-	4	4	8	8	20	34	48	72	88	156	156	192	144	72	20	4	-
	WHITE.....MALE....	366	2	-	2	2	-	-	-	2	4	8	10	18	26	32	56	56	80	44	22	-	2	-
	FEMALE..	522	-	-	-	-	-	4	-	6	-	10	18	16	30	42	68	76	96	88	46	20	2	-
	ALL OTHER..MALE....	48	-	-	-	-	-	-	-	-	4	2	2	-	4	2	16	4	4	6	4	-	-	-
	FEMALE..	100	-	-	-	-	-	-	4	-	-	-	4	14	12	12	16	20	12	6	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972–Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSOURI--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	84	2	-	-	-	-	-	-	-	2	-	2	-	8	2	6	6	18	16	14	4	4	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	-	-	-	6	2	2	2	10	6	4	-	-	-
	FEMALE..	46	2	-	-	-	-	-	-	-	2	-	2	-	2	-	4	4	8	6	10	4	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	88	2	-	-	-	-	-	2	-	-	2	4	2	2	6	2	14	26	12	10	2	2	-
	WHITE.....MALE....	48	-	-	-	-	-	-	2	-	-	2	2	2	-	4	2	10	14	6	2	2	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	10	6	8	-	2	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
320	MENINGITIS.....	28	12	6	-	2	4	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
	WHITE.....MALE....	14	6	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
	FEMALE..	8	2	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	28,412	18	10	2	4	12	20	32	68	146	248	502	880	1,324	2,004	3,136	3,740	4,818	5,064	3,934	1,834	612	4
	WHITE.....MALE....	13,732	8	6	2	2	6	4	10	34	74	150	322	534	814	1,218	1,824	1,982	2,336	2,178	1,442	592	192	2
	FEMALE..	12,350	8	2	-	-	-	12	18	20	26	66	82	196	340	520	958	1,386	2,208	2,648	2,296	1,174	388	2
	ALL OTHER..MALE....	1,212	-	2	-	-	4	4	4	10	26	12	60	90	88	150	188	180	144	110	98	28	14	-
	FEMALE..	1,118	2	-	-	2	2	-	-	4	20	20	38	60	82	116	166	192	130	128	98	40	18	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	20,194	14	6	2	-	8	16	18	48	114	190	398	712	1,096	1,580	2,414	2,706	3,324	3,442	2,554	1,160	388	4
	WHITE.....MALE....	10,272	6	4	2	-	4	4	6	28	64	130	274	440	704	1,004	1,464	1,462	1,700	1,518	958	382	116	2
	FEMALE..	8,316	6	2	-	-	-	10	10	8	12	42	52	152	268	388	690	992	1,466	1,772	1,462	732	250	2
	ALL OTHER..MALE....	894	-	-	-	-	2	2	2	8	22	10	44	72	66	114	148	146	88	70	66	22	12	-
	FEMALE..	712	2	-	-	-	2	-	-	4	16	8	28	48	58	74	112	106	70	82	68	24	10	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	346	-	-	-	-	2	6	4	2	4	18	20	44	52	52	42	36	22	22	14	4	2	-
	WHITE.....MALE....	150	-	-	-	-	-	4	2	2	2	8	16	22	18	24	22	12	4	10	4	-	-	-
	FEMALE..	182	-	-	-	-	-	2	2	-	2	8	4	20	32	26	18	24	18	12	8	4	2	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	2	-	-	-
	FEMALE..	6	-	-	-	-	2	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	202	-	-	-	-	-	-	-	-	-	-	4	6	2	8	16	26	34	42	34	22	8	-
	WHITE.....MALE....	62	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	10	18	8	8	6	2	-
	FEMALE..	94	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	4	16	32	16	14	2	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	-	-	2	6	-	2	2	4	-	-	4	-	2	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	-	2	6	2	2	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	218	-	-	-	-	-	-	-	-	-	-	-	4	2	14	20	22	22	54	44	22	14	-
	WHITE.....MALE....	88	-	-	-	-	-	-	-	-	-	-	-	2	-	10	12	8	8	20	16	8	4	-
	FEMALE..	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	10	14	32	24	14	8	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	2	-	2	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	2	-	-	-
410-413	ISCHEMIC HEART DISEASE...	18,004	2	-	-	-	2	4	8	32	90	150	320	590	960	1,372	2,192	2,452	3,046	3,116	2,286	1,048	330	4
	WHITE.....MALE....	9,280	2	-	-	-	-	-	4	20	56	106	234	388	628	894	1,344	1,350	1,566	1,370	872	338	106	2
	FEMALE..	7,360	-	-	-	-	-	2	2	2	8	34	30	112	220	324	620	880	1,332	1,608	1,310	666	208	2
	ALL OTHER..MALE....	772	-	-	-	-	2	2	2	6	18	2	38	54	60	96	134	128	84	66	50	22	8	-
	FEMALE..	592	-	-	-	-	-	-	-	4	8	8	18	36	52	58	94	94	64	72	54	22	8	-
410	ACUTE MYOCARDIAL INFARCTION.....	9,698	-	-	-	-	-	-	4	28	70	112	244	434	710	992	1,378	1,478	1,712	1,322	834	290	88	2
	WHITE.....MALE....	5,726	-	-	-	-	-	-	4	20	48	84	196	308	482	684	936	864	944	638	350	132	34	2
	FEMALE..	3,392	-	-	-	-	-	-	-	2	6	24	22	74	166	232	340	522	708	646	456	142	52	-
	ALL OTHER..MALE....	352	-	-	-	-	-	-	-	4	10	2	16	32	34	44	64	64	34	22	16	8	2	-
	FEMALE..	228	-	-	-	-	-	-	-	2	6	2	10	20	28	32	38	28	26	16	12	8	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	66	2	-	-	-	-	-	-	-	2	-	2	2	4	4	10	4	12	6	6	12	-	-
	WHITE.....MALE....	28	2	-	-	-	-	-	-	-	2	-	-	2	2	2	6	2	8	-	-	2	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	4	4	6	10	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	8,206	-	-	-	-	2	4	4	4	18	38	74	154	246	376	798	966	1,320	1,776	1,440	742	242	2
	WHITE.....MALE....	3,506	-	-	-	-	-	-	-	-	6	22	38	78	144	208	398	480	614	724	518	204	72	-
	FEMALE..	3,922	-	-	-	-	-	2	2	-	2	10	8	38	52	90	276	356	618	954	846	510	156	2
	ALL OTHER..MALE....	416	-	-	-	-	2	2	2	2	8	-	20	22	26	52	70	64	50	42	34	14	6	-
	FEMALE..	362	-	-	-	-	-	-	-	2	2	6	8	16	24	26	54	66	38	56	42	14	8	-
413	ANGINA PECTORIS.....	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	2	12	6	4	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	8	4	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	2	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSOURI--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	200	-	-	-	-	-	-	-	2	-	-	6	10	6	16	16	14	26	32	46	14	12	-
	WHITE.....MALE....	94	-	-	-	-	-	-	-	2	-	-	4	8	2	8	14	10	12	18	10	6	-	-
	FEMALE..	98	-	-	-	-	-	-	-	-	-	-	2	2	4	6	2	4	12	14	32	8	12	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	1,224	12	6	2	-	4	6	6	12	20	22	48	58	74	118	128	156	174	176	130	50	22	-
	WHITE.....MALE....	598	4	4	2	-	4	-	-	4	6	16	18	20	56	66	66	72	92	92	48	24	4	-
	FEMALE..	472	6	2	-	-	-	6	6	6	2	-	16	18	10	30	36	70	74	74	72	26	18	-
	ALL OTHER..MALE....	80	-	-	-	-	-	-	-	2	4	6	4	10	4	12	10	12	4	4	8	-	-	-
	FEMALE..	74	2	-	-	-	-	-	-	-	8	-	10	10	4	10	16	2	4	6	2	-	-	-
400, 401, 403	HYPERTENSION.....	184	-	-	-	-	-	-	2	-	-	8	4	8	8	14	16	26	24	34	26	10	4	-
	WHITE.....MALE....	88	-	-	-	-	-	-	2	-	-	2	-	4	-	4	2	22	12	20	12	6	2	-
	FEMALE..	64	-	-	-	-	-	-	-	-	-	2	-	-	4	4	12	4	12	8	12	4	2	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	2	4	4	-	2	-	-	-	4	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	2	-	-	4	4	2	-	-	2	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	6,274	4	4	-	4	4	2	8	20	28	48	80	126	182	318	580	790	1,166	1,274	1,034	464	138	-
	WHITE.....MALE....	2,558	2	2	-	2	2	-	2	6	6	16	36	64	84	162	272	372	458	512	362	146	52	-
	FEMALE..	3,154	2	-	-	-	-	-	4	12	14	22	24	42	64	98	224	322	614	704	630	300	78	-
	ALL OTHER..MALE....	236	-	2	-	-	2	2	2	2	4	-	12	10	14	24	36	28	46	26	18	6	2	-
	FEMALE..	326	-	-	-	2	-	-	-	-	4	10	8	10	20	34	48	68	48	32	24	12	6	-
431	CEREBRAL HEMORRHAGE.....	1,062	-	-	-	-	4	-	2	12	10	18	20	38	58	82	130	148	184	178	122	44	12	-
	WHITE.....MALE....	462	-	-	-	-	2	-	-	2	4	8	8	18	22	48	70	60	80	72	46	20	2	-
	FEMALE..	496	-	-	-	-	-	-	-	8	2	6	8	16	16	24	46	72	100	98	70	20	10	-
	ALL OTHER..MALE....	46	-	-	-	-	2	-	2	2	2	-	4	2	10	6	4	4	2	4	2	-	-	-
	FEMALE..	58	-	-	-	-	-	-	-	-	2	4	-	2	10	4	10	12	2	4	4	4	-	-
433	CEREBRAL THROMBOSIS.....	1,850	-	-	-	-	-	-	-	-	2	4	4	24	44	86	158	248	390	394	320	146	30	-
	WHITE.....MALE....	764	-	-	-	-	-	-	-	-	-	2	4	14	24	40	72	126	166	174	92	42	8	-
	FEMALE..	906	-	-	-	-	-	-	-	-	2	-	-	4	14	22	58	92	190	198	214	94	18	-
	ALL OTHER..MALE....	68	-	-	-	-	-	-	-	-	-	-	-	4	-	8	12	8	16	10	6	4	-	-
	FEMALE..	112	-	-	-	-	-	-	-	-	-	2	-	2	6	16	16	22	18	12	8	6	4	-
434	CEREBRAL EMBOLISM.....	74	-	-	-	2	-	-	2	-	-	-	-	2	2	4	8	10	22	10	8	2	2	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	4	2	4	-	-	-
	FEMALE..	48	-	-	-	-	-	-	2	-	-	-	-	2	2	4	-	6	18	6	4	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	3,288	4	4	-	2	-	2	4	8	16	26	56	62	78	146	284	384	570	692	584	272	94	-
	WHITE.....MALE....	1,314	2	2	-	2	-	-	2	4	2	6	24	32	38	74	124	184	208	264	220	84	42	-
	FEMALE..	1,704	2	-	-	-	-	-	2	4	10	16	16	20	32	48	120	152	306	402	342	184	48	-
	ALL OTHER..MALE....	122	-	2	-	-	-	2	-	-	2	-	8	4	4	10	20	16	28	12	10	2	2	-
	FEMALE..	148	-	-	-	-	-	-	-	-	2	4	8	6	4	14	20	32	28	14	12	2	2	-
440	ARTERIOSCLEROSIS.....	1,048	-	-	-	-	-	-	-	-	-	-	4	10	8	22	56	96	146	218	248	166	74	-
	WHITE.....MALE....	394	-	-	-	-	-	-	-	-	-	-	4	8	6	6	36	46	58	78	84	48	20	-
	FEMALE..	576	-	-	-	-	-	-	-	-	-	-	-	-	-	10	16	32	68	126	156	116	52	-
	ALL OTHER..MALE....	36	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	6	10	6	8	-	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	12	10	8	-	2	2	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	712	-	-	-	-	-	2	4	-	4	2	16	24	30	70	70	122	158	96	72	34	8	-
	WHITE.....MALE....	420	-	-	-	-	-	-	-	-	4	2	8	18	20	42	50	80	108	50	26	10	2	-
	FEMALE..	240	-	-	-	-	-	2	4	-	-	-	6	2	4	20	16	36	48	38	36	22	6	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	-	-	-	-	4	6	6	4	-	-	4	4	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	6	2	4	6	2	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	18	2	-	2	-	-	-	-	-	2	-	-	2	-	-	4	-	2	2	2	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	2	-	-	-	-
	FEMALE..	10	-	-	2	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	2	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	1,628	76	16	4	8	8	6	12	8	22	22	38	52	54	102	126	178	212	266	234	128	56	-
	WHITE.....MALE....	790	20	6	-	4	4	2	2	2	8	14	12	22	30	70	72	106	100	140	100	50	26	-
	FEMALE..	696	28	6	4	4	2	2	10	2	10	2	14	20	16	28	48	52	102	120	124	76	26	-
	ALL OTHER..MALE....	82	12	2	-	-	-	-	-	2	4	6	8	10	4	4	6	16	2	-	6	-	-	-
	FEMALE..	60	16	2	-	-	2	2	-	2	-	-	4	-	4	-	-	4	8	6	4	2	4	-
470-474	INFLUENZA.....	144	2	-	-	-	-	-	-	2	-	-	6	8	4	10	12	20	18	28	18	10	6	-
	WHITE.....MALE....	76	-	-	-	-	-	-	-	-	-	-	4	4	2	6	2	18	10	18	4	4	4	-
	FEMALE..	62	2	-	-	-	-	-	-	2	-	-	2	2	2	4	8	2	8	10	12	6	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	1,484	74	16	4	8	8	6	12	6	22	22	32	44	50	92	114	158	194	238	216	118	50	-
	WHITE.....MALE....	714	20	6	-	4	4	2	2	2	8	14	8	18	28	64	70	88	90	122	96	46	22	-
	FEMALE..	634	26	6	4	4	2	2	10	-	10	2	12	18	14	24	40	50	94	110	112	70	24	-
	ALL OTHER..MALE....	76	12	2	-	-	-	-	-	2	4	6	8	8	4	4	4	16	2	-	4	-	-	-
	FEMALE..	60	16	2	-	-	2	2	-	2	-	-	4	-	4	-	-	4	8	6	4	2	4	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSOURI--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	784	2	2	2	4	-	2	2	4	4	14	16	38	44	110	148	110	112	112	40	14	4	-
	WHITE.....MALE	550	-	-	-	4	-	-	-	-	-	6	4	24	30	78	110	80	90	86	28	8	2	-
	FEMALE	172	-	2	-	-	-	2	2	2	4	6	4	8	8	24	32	20	18	24	10	6	-	-
	ALL OTHER..MALE	52	2	-	2	-	-	-	-	-	-	-	6	6	4	8	6	8	4	2	2	-	2	-
	FEMALE	10	-	-	-	-	-	-	-	2	-	2	2	-	2	-	-	2	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	128	-	2	-	2	-	-	2	2	-	2	2	-	2	18	22	16	20	28	10	-	-	-
	WHITE.....MALE	86	-	-	-	2	-	-	-	-	-	-	-	-	-	12	18	12	16	20	6	-	-	-
	FEMALE	26	-	2	-	-	-	-	2	-	-	2	2	-	-	4	2	-	2	6	4	-	-	-
	ALL OTHER..MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	2	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	582	-	-	-	-	-	-	-	2	2	10	10	34	38	82	118	78	86	78	28	12	4	-
	WHITE.....MALE	442	-	-	-	-	-	-	-	-	-	6	4	22	30	60	92	64	70	64	20	8	2	-
	FEMALE	108	-	-	-	-	-	-	-	2	2	2	-	6	4	16	24	14	14	14	6	4	-	-
	ALL OTHER..MALE	30	-	-	-	-	-	-	-	-	-	-	6	6	4	6	2	-	2	-	2	-	2	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	74	2	-	2	2	-	2	-	-	2	2	4	4	4	10	8	16	6	6	2	2	-	-
	WHITE.....MALE	22	-	-	-	2	-	-	-	-	-	-	-	2	-	6	-	4	4	2	2	-	-	-
	FEMALE	38	-	-	-	-	-	2	-	-	2	2	2	2	4	4	6	6	2	4	-	2	-	-
	ALL OTHER..MALE	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
531-533	PEPTIC ULCER	238	2	-	-	2	-	-	2	4	2	6	4	18	10	30	24	32	36	36	18	10	2	-
	WHITE.....MALE	138	-	-	-	2	-	-	2	2	2	2	2	12	6	16	22	18	18	20	6	6	2	-
	FEMALE	78	-	-	-	-	-	-	-	2	-	-	2	2	2	10	-	12	16	16	12	4	-	-
	ALL OTHER..MALE	18	2	-	-	-	-	-	-	-	-	4	-	4	2	4	-	-	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
540-543	APPENDICITIS	36	-	-	-	2	-	2	-	-	-	-	6	4	-	2	4	2	10	-	2	2	-	-
	WHITE.....MALE	16	-	-	-	2	-	2	-	-	-	-	6	2	-	-	2	-	-	-	2	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	-	-	2	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	184	4	-	2	2	-	-	2	-	-	2	2	6	4	18	18	22	30	46	18	4	4	-
	WHITE.....MALE	54	4	-	2	2	-	-	-	-	-	-	-	4	-	12	2	2	6	14	4	-	2	-
	FEMALE	116	-	-	-	-	-	-	2	-	-	2	2	2	4	2	14	20	20	32	12	2	2	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	-	-
571	CIRRHOSIS OF LIVER	554	-	2	-	-	2	-	-	10	16	60	52	60	78	104	70	34	44	14	8	-	-	-
	WHITE.....MALE	318	-	2	-	-	-	-	-	6	10	32	32	32	52	56	46	20	22	6	2	-	-	-
	FEMALE	156	-	-	-	-	-	-	-	2	2	10	10	20	20	32	20	8	20	6	6	-	-	-
	ALL OTHER..MALE	48	-	-	-	-	-	-	-	2	-	12	6	8	4	6	4	2	2	2	-	-	-	-
	FEMALE	32	-	-	-	-	2	-	-	-	4	6	4	-	2	10	-	4	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	106	-	-	-	-	-	-	-	-	-	-	-	2	4	6	10	26	14	16	18	2	8	-
	WHITE.....MALE	42	-	-	-	-	-	-	-	-	-	-	-	2	2	2	6	10	4	4	8	-	4	-
	FEMALE	58	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	12	10	10	10	2	4	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	270	-	-	2	2	-	4	2	-	2	6	12	20	10	34	28	36	38	30	22	14	8	-
	WHITE.....MALE	118	-	-	-	-	-	2	-	-	-	4	8	6	2	20	10	14	24	12	12	4	-	-
	FEMALE	102	-	-	2	2	-	2	-	-	2	2	2	6	6	4	14	12	10	12	10	8	8	-
	ALL OTHER..MALE	30	-	-	-	-	-	-	2	-	-	-	2	6	-	4	4	2	4	6	-	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	-	-	2	2	6	-	8	-	-	-	2	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	56	-	-	2	-	-	-	-	-	-	4	2	6	2	10	2	2	4	6	10	2	4	-
	WHITE.....MALE	28	-	-	-	-	-	-	-	-	-	4	-	2	-	6	2	2	4	4	4	-	-	-
	FEMALE	22	-	-	2	-	-	-	-	-	-	-	-	2	2	2	-	-	-	2	6	2	4	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	214	-	-	-	2	-	4	2	-	2	2	10	14	8	24	26	34	34	24	12	12	4	-
	WHITE.....MALE	90	-	-	-	-	-	2	-	-	-	-	8	4	2	14	8	12	20	8	8	4	-	-
	FEMALE	80	-	-	-	2	-	2	-	-	2	2	2	4	4	2	14	12	10	10	4	6	4	-
	ALL OTHER..MALE	26	-	-	-	-	-	-	2	-	-	-	-	6	-	2	4	2	4	6	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	8	-	-	-	2	-	-
590	INFECTIONS OF KIDNEY	190	-	-	-	-	-	-	-	-	4	4	-	4	4	14	26	16	32	36	30	8	12	-
	WHITE.....MALE	62	-	-	-	-	-	-	-	-	-	-	-	-	-	4	12	6	10	10	16	2	2	-
	FEMALE	94	-	-	-	-	-	-	-	-	2	2	-	2	4	10	10	8	10	20	12	6	8	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	2	4	-	-	2	-
	FEMALE	20	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	10	2	2	-	-	-
600	HYPERPLASIA OF PROSTATE	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	8	20	16	8	4	-
	WHITE.....MALE	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	18	14	8	4	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSOURI—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	14	-	-	-	-	2	4	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	12	-	-	-	-	2	2	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	14	-	-	-	-	2	4	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	12	-	-	-	-	2	2	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	304	194	30	16	8	2	4	4	6	2	-	4	2	6	8	6	6	2	2	-	2	-	-
	WHITE.....MALE....	134	82	14	12	4	2	2	2	2	-	-	-	2	-	4	2	4	2	-	-	-	-	-
	FEMALE..	126	78	8	4	2	-	2	2	4	2	-	4	-	6	4	4	2	-	2	-	2	-	-
	ALL OTHER..MALE....	24	18	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	20	16	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	782	782	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	348	348	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	498	498	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	284	284	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	1,606	74	12	2	4	10	8	6	12	12	46	54	130	132	192	182	180	192	160	96	82	18	2
	WHITE.....MALE....	876	28	6	2	2	8	4	4	4	8	22	32	80	90	138	114	96	108	62	34	26	6	2
	FEMALE..	490	18	-	-	2	-	2	-	4	-	14	10	22	24	28	48	60	70	74	52	50	12	-
	ALL OTHER..MALE....	172	18	4	-	-	2	-	-	4	2	8	8	22	12	20	20	20	8	16	2	6	-	-
	FEMALE..	68	10	2	-	-	-	2	2	-	2	2	4	6	6	6	-	4	6	8	8	-	-	-
RE-SID-UAL	ALL OTHER DISEASES.....	2,704	44	26	18	20	22	24	24	46	64	72	86	140	208	262	292	348	392	346	188	60	22	-
	WHITE.....MALE....	1,294	16	20	14	10	4	14	12	8	20	28	38	76	92	144	158	178	196	158	80	24	4	-
	FEMALE..	1,074	18	6	2	8	14	4	8	22	20	28	36	38	82	84	96	134	170	162	100	30	12	-
	ALL OTHER..MALE....	174	2	-	-	-	4	2	4	10	12	10	6	16	18	12	20	24	16	14	4	-	-	-
	FEMALE..	162	8	-	2	2	-	4	-	6	12	6	6	10	16	22	18	12	10	12	4	6	6	-
E800-E949	ACCIDENTS.....	2,936	44	100	68	94	374	262	172	140	102	120	130	168	124	138	166	190	182	158	122	60	20	2
	WHITE.....MALE....	1,720	24	60	34	60	260	194	126	86	64	86	86	86	78	90	96	130	88	64	36	14	6	2
	FEMALE..	934	10	24	24	30	80	38	32	38	24	40	32	64	34	30	62	66	82	88	82	42	12	-
	ALL OTHER..MALE....	194	8	2	4	2	30	24	14	10	12	12	10	16	12	12	4	10	8	-	4	-	-	-
	FEMALE..	88	2	14	6	2	4	6	-	6	2	2	2	2	-	6	4	14	4	6	-	4	2	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	1,468	8	34	30	42	282	192	122	82	72	68	60	88	76	56	74	74	66	28	14	-	-	-
	WHITE.....MALE....	912	4	24	12	18	200	140	90	50	44	32	36	42	48	40	38	38	30	18	8	-	-	-
	FEMALE..	448	4	10	16	20	68	36	24	22	20	24	20	38	20	14	32	28	32	10	6	-	-	-
	ALL OTHER..MALE....	84	-	-	-	2	14	14	8	8	6	4	4	8	8	-	2	2	2	-	-	-	-	-
	FEMALE..	24	-	-	2	2	-	2	-	2	2	2	-	-	-	2	2	6	2	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,468	36	66	38	52	92	70	50	58	30	52	70	80	48	82	92	116	116	130	108	60	20	2
	WHITE.....MALE....	808	20	36	22	42	60	54	36	36	20	34	50	44	30	50	54	62	58	46	28	14	6	2
	FEMALE..	486	6	14	8	10	12	2	8	16	4	12	12	26	14	16	30	38	50	78	76	42	12	-
	ALL OTHER..MALE....	110	8	2	4	-	16	10	6	2	6	-	6	8	4	12	7	8	6	-	4	-	-	-
	FEMALE..	64	2	14	4	-	4	4	-	4	-	-	2	2	-	4	7	8	2	6	-	1	2	-
E950-E959	SUICIDE.....	536	...	...	-	2	34	38	44	28	26	40	42	48	56	40	44	40	20	24	6	-	-	-
	WHITE.....MALE....	366	...	...	-	2	24	26	24	18	20	26	26	34	34	20	32	36	16	22	6	2	-	-
	FEMALE..	140	...	...	-	-	4	10	14	8	6	14	14	12	22	14	12	4	4	2	-	-	-	-
	ALL OTHER..MALE....	18	...	...	-	-	2	2	4	2	-	-	-	2	-	4	2	-	-	-	-	-	-	-
	FEMALE..	12	...	...	-	-	4	-	2	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	438	2	8	4	10	54	72	54	50	42	24	38	22	18	18	10	2	2	8	-	-	-	-
	WHITE.....MALE....	122	-	4	-	2	6	14	18	14	10	8	12	10	14	6	-	-	-	4	-	-	-	-
	FEMALE..	58	-	-	-	4	10	-	4	4	4	4	4	2	2	4	8	2	2	4	-	-	-	-
	ALL OTHER..MALE....	238	2	2	2	2	32	56	32	26	28	12	22	10	2	8	-	-	-	-	-	-	-	-
	FEMALE..	20	-	2	2	2	6	2	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	174	-	4	-	6	18	20	12	12	8	4	8	16	26	10	10	2	10	2	-	2	-	-
	WHITE.....MALE....	88	-	2	-	2	8	14	2	2	2	6	2	10	14	6	8	2	8	-	-	-	-	-
	FEMALE..	40	-	-	-	-	2	-	6	4	-	2	4	2	12	2	-	-	2	2	-	2	-	-
	ALL OTHER..MALE....	36	-	2	-	4	6	6	2	4	4	-	2	2	-	2	2	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	2	-	2	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MONTANA																							
	ALL CAUSES.....	6,896	242	4[illegible]	[illegible]	40	120	114	90	92	[illegible]	170	200	328	466	532	654	708	828	948	790	334	70	2
	WHITE.....MALE....	3,960	126	2[illegible]	18	24	74	62	50	60	[illegible]	96	128	212	314	360	418	398	474	508	414	130	18	2
	FEMALE..	2,646	84	1[illegible]	12	10	42	24	24	20	[illegible]	56	62	88	132	158	218	296	336	424	368	196	48	-
	ALL OTHER..MALE....	180	16	?	-	6	4	18	12	12	4	10	4	20	10	8	18	6	14	8	4	2	2	-
	FEMALE..	110	16	?	4	-	-	10	4	-	4	8	6	8	10	6	-	8	4	8	4	6	2	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	2	-	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	8	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	-	2	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MONTANA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	18	-	-	-	2	2	-	-	-	2	-	-	2	2	2	2	-	2	-	-	2	-	-
	WHITE.....MALE....	8	-	-	-	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	2	-	-
	FEMALE..	6	-	-	-	-	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	1,100	-	-	8	4	12	6	4	12	16	32	46	70	116	148	138	144	152	106	66	18	2	-
	WHITE.....MALE....	612	-	-	4	2	10	6	2	6	4	14	20	42	52	88	74	82	84	74	40	8	-	-
	FEMALE..	460	-	-	4	2	2	-	2	6	12	16	26	26	58	56	60	58	66	30	24	10	2	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	4	2	2	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	2	-	-	6	-	-	-	-	-	2	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	6	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	318	-	-	-	-	-	-	-	4	4	6	6	22	24	50	40	40	54	34	24	10	-	-
	WHITE.....MALE....	176	-	-	-	-	-	-	-	2	-	2	4	14	6	36	20	16	26	28	18	4	-	-
	FEMALE..	134	-	-	-	-	-	-	-	2	4	4	2	8	14	14	18	22	28	6	6	6	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	234	-	-	-	-	2	-	-	-	-	4	14	24	44	28	46	36	22	10	4	-	-	-
	WHITE.....MALE....	174	-	-	-	-	2	-	-	-	-	2	8	20	26	22	36	26	18	10	4	-	-	-
	FEMALE..	54	-	-	-	-	-	-	-	-	-	2	6	2	18	6	10	8	2	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	OF BREAST.....	92	-	-	-	-	-	-	-	-	4	4	2	12	10	14	12	12	8	6	4	2	2	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	90	-	-	-	-	-	-	-	-	4	2	2	12	10	14	12	12	8	6	4	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	146	-	-	-	-	2	-	-	6	4	10	8	-	12	16	10	16	26	20	14	2	-	-
	WHITE.....MALE....	84	-	-	-	-	2	-	-	2	2	2	-	-	4	10	4	14	18	16	10	-	-	-
	FEMALE..	60	-	-	-	-	-	-	-	4	2	8	8	-	8	6	6	2	8	4	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
188, 189	OF URINARY ORGANS.....	74	-	-	2	-	-	2	-	-	2	-	2	-	8	8	8	6	6	18	12	-	-	-
	WHITE.....MALE....	46	-	-	-	-	-	2	-	-	-	-	2	-	8	6	4	4	4	12	4	-	-	-
	FEMALE..	24	-	-	2	-	-	-	-	-	2	-	-	-	-	-	4	2	2	4	8	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	128	-	-	4	4	4	2	2	2	2	4	10	6	10	22	14	14	22	2	4	-	-	-
	WHITE.....MALE....	80	-	-	4	2	4	2	-	2	2	4	6	4	4	8	10	12	14	-	2	-	-	-
	FEMALE..	44	-	-	-	2	-	-	2	-	-	-	4	2	4	12	4	2	8	2	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
204-207	LEUKEMIA.....	36	-	-	2	-	2	-	-	-	-	2	2	-	2	6	2	6	2	4	2	4	-	-
	WHITE.....MALE....	22	-	-	-	-	2	-	-	-	-	2	-	-	2	4	-	4	2	2	-	4	-	-
	FEMALE..	14	-	-	2	-	-	-	-	-	-	-	2	-	-	2	2	2	-	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	66	-	-	-	-	2	2	2	-	-	-	2	6	6	2	6	14	10	12	2	-	-	-
	WHITE.....MALE....	24	-	-	-	-	-	2	2	-	-	-	-	4	2	-	-	6	-	6	2	-	-	-
	FEMALE..	40	-	-	-	-	2	-	-	-	-	-	2	2	4	2	4	8	10	6	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	28	-	-	2	-	-	-	-	-	-	2	2	2	4	-	4	-	8	2	2	-	-	-
	WHITE.....MALE....	12	-	-	2	-	-	-	-	-	-	-	-	-	2	-	2	-	4	2	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	2	2	2	2	-	2	-	4	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	146	-	-	-	-	2	-	4	-	-	2	6	6	8	8	18	14	16	30	22	8	2	-
	WHITE.....MALE....	66	-	-	-	-	-	-	-	-	-	-	4	2	4	4	10	2	10	12	14	2	2	-
	FEMALE..	72	-	-	-	-	2	-	2	-	-	2	2	2	4	4	6	10	6	18	8	6	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MONTANA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	4	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	24	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	-	6	6	6	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	6	4	4	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	6	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-440	MAJOR CARDIOVASCULAR DISEASES.....	3,288	6	-	-	2	-	-	4	10	16	62	60	126	170	220	306	400	472	638	528	222	46	-
	WHITE.....MALE....	1,890	-	-	-	-	-	-	2	4	14	44	48	88	144	152	212	218	266	326	278	84	10	-
	FEMALE..	1,328	6	-	-	2	-	-	2	2	2	8	10	34	22	68	88	174	194	302	244	134	36	-
	ALL OTHER..MALE....	44	-	-	-	-	-	-	-	4	-	6	2	2	4	-	6	2	10	4	4	-	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	6	2	6	2	4	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	2,288	6	-	-	2	-	-	2	6	14	58	48	104	142	174	240	308	324	394	298	142	26	-
	WHITE.....MALE....	1,366	-	-	-	-	-	-	2	4	14	42	40	74	126	124	166	162	190	212	156	46	8	-
	FEMALE..	870	6	-	-	2	-	-	-	-	-	6	6	26	14	50	68	142	128	174	138	92	18	-
	ALL OTHER..MALE....	34	-	-	-	-	-	-	-	2	-	6	2	2	2	-	6	2	6	4	2	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	2	-	4	2	4	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	68	-	-	-	2	-	-	2	-	-	4	-	4	4	12	10	12	8	8	2	-	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	2	-	-	2	-	2	-	6	6	4	2	-	-	-	-	-
	FEMALE..	40	-	-	-	2	-	-	-	-	-	-	-	2	4	6	4	8	4	8	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	6	6	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	6	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	26	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	8	8	-	6	2	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	4	2	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	4	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	1,904	-	-	-	-	-	-	-	6	14	42	36	86	122	146	198	244	284	342	242	120	22	-
	WHITE.....MALE....	1,158	-	-	-	-	-	-	-	4	14	34	32	62	114	102	138	126	174	188	126	36	8	-
	FEMALE..	708	-	-	-	-	-	-	-	-	-	2	2	22	6	44	56	116	106	146	112	82	14	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	-	2	-	4	2	2	2	-	4	-	4	4	2	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	4	2	2	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	1,158	-	-	-	-	-	-	-	6	14	38	28	72	98	114	156	142	178	168	106	32	6	-
	WHITE.....MALE....	786	-	-	-	-	-	-	-	4	14	32	24	50	90	82	112	78	114	108	66	8	4	-
	FEMALE..	348	-	-	-	-	-	-	-	-	-	-	2	20	6	32	40	64	62	56	40	24	2	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	2	-	4	2	2	2	-	4	-	2	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	744	-	-	-	-	-	-	-	-	-	4	8	14	24	32	40	102	106	174	136	88	16	-
	WHITE.....MALE....	370	-	-	-	-	-	-	-	-	-	2	8	12	24	20	24	48	60	80	60	28	4	-
	FEMALE..	360	-	-	-	-	-	-	-	-	-	2	-	2	-	12	16	52	44	90	72	58	12	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MONTANA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	54	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	14	4	12	10	4	-	-
	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	4	8	4	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	10	2	8	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	218	6	-	-	-	-	-	-	-	-	12	10	14	14	14	24	30	18	30	32	10	4	-
	WHITE.....MALE....	138	-	-	-	-	-	-	-	-	-	6	8	10	12	14	18	24	8	20	14	4	-	-
	FEMALE..	70	6	-	-	-	-	-	-	-	-	4	2	2	2	-	4	4	10	10	18	4	4	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-
400, 401, 403	HYPERTENSION.....	24	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	6	2	8	-	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	6	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	682	-	-	-	-	-	-	2	4	2	4	10	18	22	32	50	62	106	176	150	32	12	-
	WHITE.....MALE....	334	-	-	-	-	-	-	-	-	-	2	6	14	16	16	36	28	50	82	72	10	2	-
	FEMALE..	330	-	-	-	-	-	-	2	2	2	2	4	4	4	16	14	30	50	92	76	22	10	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	4	-	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-
431	CEREBRAL HEMORRHAGE.....	92	-	-	-	-	-	-	-	-	-	2	4	6	8	8	6	18	16	12	12	-	-	-
	WHITE.....MALE....	38	-	-	-	-	-	-	-	-	-	2	2	4	6	-	2	10	4	4	4	-	-	-
	FEMALE..	48	-	-	-	-	-	-	-	-	-	-	2	2	2	8	4	6	10	6	8	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
433	CEREBRAL THROMBOSIS.....	158	-	-	-	-	-	-	-	-	-	-	2	-	-	6	10	10	24	46	48	12	-	-
	WHITE.....MALE....	78	-	-	-	-	-	-	-	-	-	-	2	-	-	6	6	4	10	22	24	4	-	-
	FEMALE..	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	14	24	24	8	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	CEREBRAL EMBOLISM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	432	-	-	-	-	-	-	2	4	2	2	4	12	14	18	34	34	66	118	90	20	12	-
	WHITE.....MALE....	218	-	-	-	-	-	-	-	-	-	-	2	10	10	10	28	14	36	56	44	6	2	-
	FEMALE..	202	-	-	-	-	-	-	2	2	2	2	2	2	2	8	6	18	26	62	44	14	10	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	2	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
440	ARTERIOSCLEROSIS.....	192	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	8	16	56	58	40	8	-
	WHITE.....MALE....	100	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	6	8	24	36	22	-	-
	FEMALE..	92	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	8	32	22	18	8	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	102	-	-	-	-	-	-	-	-	-	-	2	4	4	6	14	20	20	10	14	8	-	-
	WHITE.....MALE....	76	-	-	-	-	-	-	-	-	-	-	2	-	2	6	10	20	14	8	8	6	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	-	4	2	-	4	-	6	2	6	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	WHITE.....MALE....	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	246	10	2	-	-	-	-	6	-	2	2	4	12	10	8	20	10	48	30	36	30	8	-
	WHITE.....MALE....	144	4	-	-	-	-	-	4	-	2	2	2	2	6	6	16	10	32	20	18	14	6	-
	FEMALE..	80	2	2	-	-	-	-	-	-	-	-	-	4	2	-	4	8	14	10	18	16	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	2	-	-	-	-	6	2	-	-	-	-	-	-	-	2	-
	FEMALE..	10	4	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	-	-	-	-	-
470-474	INFLUENZA.....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	2	2	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	232	10	2	-	-	-	-	6	-	2	2	4	12	10	8	18	18	44	26	34	28	8	-
	WHITE.....MALE....	138	4	-	-	-	-	-	4	-	2	2	2	2	6	6	16	10	28	20	16	14	6	-
	FEMALE..	72	2	2	-	-	-	-	-	-	-	-	-	4	2	-	2	8	14	6	18	14	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	2	-	-	-	-	6	2	-	-	-	-	-	-	-	2	-
	FEMALE..	10	4	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MONTANA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	144	2	-	-	-	-	2	2	-	-	2	6	8	14	14	28	20	14	16	14	-	2	-
	WHITE.....MALE	110	2	-	-	-	-	-	-	-	-	2	2	4	8	12	22	20	12	14	12	-	-	-
	FEMALE	34	-	-	-	-	-	2	2	-	-	-	4	4	6	2	6	-	2	2	2	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	26	2	-	-	-	-	-	2	-	-	-	-	-	4	4	2	4	4	2	-	-	2	-
	WHITE.....MALE	16	2	-	-	-	-	-	-	-	-	-	-	-	2	4	-	4	2	2	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	2	-	-	-	-	-	2	-	2	-	2	-	-	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	110	-	-	-	-	-	-	-	-	-	2	4	6	10	10	24	16	10	14	14	-	-	-
	WHITE.....MALE	92	-	-	-	-	-	-	-	-	-	2	2	4	6	8	20	16	10	12	12	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	2	2	4	2	4	-	-	2	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	8	-	-	-	-	-	2	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	40	-	-	-	-	-	-	-	-	-	-	-	4	4	6	2	4	10	-	6	4	-	-
	WHITE.....MALE	24	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	4	8	-	2	2	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	2	-	4	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	6	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-
	WHITE.....MALE	4	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	18	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	4	6	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	92	-	-	-	-	-	-	-	-	2	6	10	6	18	26	8	4	6	4	-	2	-	-
	WHITE.....MALE	50	-	-	-	-	-	-	-	-	-	4	8	2	8	20	-	-	6	2	-	-	-	-
	FEMALE	30	-	-	-	-	-	-	-	-	-	-	-	4	8	4	6	4	-	2	-	2	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	2	2	-	2	2	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	18	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	4	2	-	4	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	4	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	20	-	-	-	-	-	2	-	-	-	-	-	2	2	-	2	2	6	4	-	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	18	-	-	-	-	-	2	-	-	-	-	-	-	2	-	2	2	6	4	-	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	4	2	2	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MONTANA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	50	38	2	2	2	-	-	-	2	-	-	-	-	2	-	-	-	-	-	2	-	-	-
	WHITE.....MALE....	30	22	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	14	10	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	194	20	-	-	-	-	-	2	2	2	2	6	8	22	26	18	10	20	18	24	12	2	-
	WHITE.....MALE....	113	8	-	-	-	-	-	2	-	2	2	2	6	12	18	12	10	10	14	8	4	-	-
	FEMALE..	74	10	-	-	-	-	-	-	2	-	-	4	2	8	6	6	-	10	4	16	6	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	2	2	-
RE-SID-UAL	ALL OTHER DISEASES.....	436	12	4	2	2	10	2	6	4	8	16	12	26	30	34	60	40	40	52	54	18	4	-
	WHITE.....MALE....	248	10	-	-	2	6	2	2	4	-	4	8	18	22	26	36	20	22	28	28	10	-	-
	FEMALE..	172	2	2	2	-	4	-	2	-	4	12	4	4	8	8	22	20	18	22	26	8	4	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	10	-	2	-	-	-	-	2	-	2	-	-	2	-	-	-	-	-	2	-	-	-	-
E800-E949	ACCIDENTS.....	642	8	24	20	26	82	76	46	40	32	32	22	42	34	32	36	30	20	18	14	4	2	2
	WHITE.....MALE....	394	8	10	12	16	48	42	30	26	24	18	14	32	28	22	28	16	6	8	2	2	-	2
	FEMALE..	186	-	12	4	4	32	14	12	8	8	12	6	4	2	6	8	14	14	10	12	2	2	-
	ALL OTHER..MALE....	50	-	2	-	6	2	14	4	6	-	2	2	4	4	4	-	-	-	-	-	-	-	-
	FEMALE..	12	-	-	4	-	-	6	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	350	4	8	14	12	68	58	28	26	18	20	10	16	10	8	16	18	8	6	2	-	-	-
	WHITE.....MALE....	196	4	2	8	10	36	30	14	14	12	10	6	14	6	2	12	8	2	4	2	-	-	-
	FEMALE..	106	-	4	2	-	30	8	10	6	6	10	2	-	2	4	4	10	6	2	-	-	-	-
	ALL OTHER..MALE....	38	-	2	-	2	2	14	4	6	-	-	2	2	2	2	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	4	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	292	4	16	6	14	14	18	18	14	14	12	12	26	24	24	20	12	12	12	12	4	2	2
	WHITE.....MALE....	198	4	8	4	6	12	12	16	12	12	8	8	18	22	20	16	8	4	4	-	2	-	2
	FEMALE..	80	-	8	2	4	2	6	2	2	2	2	4	4	-	2	4	4	8	8	12	2	2	-
	ALL OTHER..MALE....	12	-	-	-	4	-	-	-	-	-	2	-	2	2	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	104	...	...	-	-	2	18	6	10	10	4	16	8	12	4	-	4	2	4	4	-	-	-
	WHITE.....MALE....	78	...	...	-	-	2	10	2	10	8	-	14	6	12	4	-	-	2	4	4	-	-	-
	FEMALE..	16	...	...	-	-	-	4	2	-	2	2	2	-	-	-	-	4	-	-	-	-	-	-
	ALL OTHER..MALE....	8	...	...	-	-	-	2	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	...	...	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	38	-	-	-	2	4	8	6	6	-	2	4	-	4	-	-	-	2	-	-	-	-	-
	WHITE.....MALE....	20	-	-	-	-	2	2	2	2	-	2	4	-	4	-	-	-	2	-	-	-	-	-
	FEMALE..	6	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	2	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	28	-	-	-	-	4	-	4	6	-	2	2	6	2	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	26	-	-	-	-	4	-	4	6	-	2	2	4	2	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEBRASKA																							
	ALL CAUSES	15,534	392	58	36	52	168	188	120	84	160	242	344	500	854	1,132	1,480	1,962	2,302	2,464	1,870	820	306	-
	WHITE.....MALE	8,464	204	34	20	34	114	132	74	42	88	132	220	316	564	752	910	1,174	1,324	1,202	720	298	110	-
	FEMALE	6,634	138	18	14	14	50	46	34	30	48	84	102	160	254	346	526	752	942	1,238	1,138	510	190	-
	ALL OTHER..MALE	236	30	4	-	2	2	8	6	6	14	16	16	14	22	16	26	12	24	8	2	4	4	-
	FEMALE	200	20	2	2	2	2	2	6	6	10	10	6	10	14	18	18	24	12	16	10	8	2	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	32	4	2	-	-	-	-	-	-	-	2	-	2	-	4	-	-	2	4	6	6	-	-
	WHITE.....MALE	12	4	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	2	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	2	6	4	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	12	-	-	-	-	-	-	-	-	-	-	-	4	2	-	4	-	-	-	2	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	10	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	2	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	16	4	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	-	-	-	-	-
	WHITE.....MALE	8	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEBRASKA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	12	4	2	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	2,712	2	10	8	10	12	16	14	20	24	74	80	132	224	256	420	422	442	314	174	44	14	-
	WHITE.....MALE....	1,488	-	10	4	4	6	14	6	4	14	26	30	58	120	156	248	242	256	164	94	24	8	-
	FEMALE..	1,164	2	-	4	4	6	2	8	14	10	40	44	70	96	94	162	178	178	146	80	20	6	-
	ALL OTHER..MALE....	38	-	-	-	2	-	-	-	-	-	4	4	4	4	2	6	2	8	2	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	2	-	4	2	-	4	4	4	-	-	2	-	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	54	-	-	-	-	-	-	-	2	-	-	8	-	6	6	14	6	8	2	2	-	-	-
	WHITE.....MALE....	44	-	-	-	-	-	-	-	-	-	-	4	-	6	6	12	6	6	2	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	760	-	-	-	2	-	-	-	-	2	14	20	26	46	64	106	120	158	108	66	22	6	-
	WHITE.....MALE....	404	-	-	-	-	-	-	-	-	-	6	8	18	20	42	62	76	84	50	32	4	2	-
	FEMALE..	336	-	-	-	2	-	-	-	-	2	6	10	8	24	18	40	44	70	56	34	18	4	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	-	4	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	2	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	476	-	-	-	-	-	-	-	2	-	8	14	32	64	68	102	66	72	30	18	-	-	-
	WHITE.....MALE....	390	-	-	-	-	-	-	-	-	-	6	8	22	54	58	86	54	62	28	12	-	-	-
	FEMALE..	70	-	-	-	-	-	-	-	2	-	2	4	8	4	10	12	12	8	2	6	-	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	-	2	2	4	-	4	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
174	OF BREAST.....	250	-	-	-	-	-	-	-	4	2	14	14	22	26	20	44	44	26	18	16	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	244	-	-	-	-	-	-	-	4	2	14	14	22	26	16	42	44	26	18	16	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	426	-	-	-	-	2	6	-	2	6	12	6	20	24	34	54	82	68	68	28	8	6	-
	WHITE.....MALE....	214	-	-	-	-	-	4	-	-	4	-	-	2	6	12	26	36	40	48	24	6	6	-
	FEMALE..	204	-	-	-	-	2	2	-	2	2	8	6	18	18	22	28	44	28	18	4	2	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	116	-	2	-	-	-	-	-	2	-	-	4	4	6	8	16	10	22	26	14	-	2	-
	WHITE.....MALE....	66	-	2	-	-	-	-	-	-	-	-	2	2	6	2	10	8	14	14	6	-	-	-
	FEMALE..	48	-	-	-	-	-	-	-	2	-	-	2	2	-	6	6	2	6	12	8	-	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	278	-	4	-	2	8	2	4	4	6	14	8	16	28	30	40	32	34	30	10	6	-	-
	WHITE.....MALE....	148	-	4	-	2	4	2	-	2	2	8	4	8	14	20	20	22	18	10	2	6	-	-
	FEMALE..	128	-	-	-	-	4	-	4	2	4	6	2	8	14	10	20	10	16	20	8	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
204-207	LEUKEMIA.....	152	2	4	6	4	-	-	4	2	2	6	2	6	10	6	18	30	24	10	10	6	-	-
	WHITE.....MALE....	96	-	4	2	2	-	-	4	-	2	2	-	2	8	2	16	22	12	4	8	6	-	-
	FEMALE..	54	2	-	4	-	-	-	-	2	-	4	2	4	2	4	2	8	12	6	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	200	-	-	2	2	2	8	6	2	6	6	4	6	14	20	26	32	30	22	10	2	-	-
	WHITE.....MALE....	124	-	-	2	-	2	8	2	2	6	4	4	4	6	12	16	18	20	8	8	2	-	-
	FEMALE..	72	-	-	-	2	-	-	4	-	-	-	-	-	8	8	10	14	10	14	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	26	-	-	-	-	-	-	-	2	-	2	2	2	4	4	4	2	2	2	-	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	2	-	2	2	-	2	2	2	-	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	278	-	-	-	-	2	2	2	4	4	2	6	2	20	26	34	50	48	42	26	6	2	-
	WHITE.....MALE....	130	-	-	-	-	-	-	2	2	2	-	4	2	16	10	14	26	22	14	12	2	2	-
	FEMALE..	144	-	-	-	-	2	2	-	2	2	2	-	-	4	16	20	22	26	28	14	4	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEBRASKA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	20	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	8	2	4	2	2	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	-	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	10	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	6	-	-	-
	WHITE.....MALE....	6	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	6	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	8,708	10	2	-	2	6	6	8	10	32	80	118	208	396	592	750	1,138	1,416	1,684	1,372	644	234	-
	WHITE.....MALE....	4,568	8	-	-	-	4	-	2	4	16	58	98	148	288	416	458	698	788	784	490	234	74	-
	FEMALE..	3,974	-	2	-	2	2	6	6	6	10	16	16	50	90	152	266	422	610	890	876	398	154	-
	ALL OTHER..MALE....	80	2	-	-	-	-	-	-	-	-	4	4	6	10	12	14	6	10	2	2	4	4	-
	FEMALE..	86	-	-	-	-	-	-	-	-	6	2	-	4	8	12	12	12	8	8	4	8	2	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	6,056	10	-	-	-	6	-	8	4	24	64	98	174	342	480	574	820	996	1,078	852	396	130	-
	WHITE.....MALE....	3,324	8	-	-	-	4	-	2	2	14	54	82	128	252	340	376	524	546	518	300	144	30	-
	FEMALE..	2,624	-	-	-	-	2	-	6	2	6	6	14	40	76	126	184	286	436	554	550	242	94	-
	ALL OTHER..MALE....	54	2	-	-	-	-	-	-	-	-	4	2	4	10	6	4	2	10	2	-	4	4	-
	FEMALE..	54	-	-	-	-	-	-	-	-	4	-	-	2	4	8	10	8	4	4	2	6	2	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	122	-	-	-	-	-	-	2	-	6	8	6	12	22	14	10	18	14	10	-	-	-	-
	WHITE.....MALE....	40	-	-	-	-	-	-	-	-	-	4	2	6	6	4	4	10	2	2	-	-	-	-
	FEMALE..	76	-	-	-	-	-	-	2	-	2	4	4	6	16	10	6	6	12	8	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	2	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	48	-	-	-	-	-	-	-	-	-	-	-	-	6	2	4	6	2	14	8	4	2	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	6	-	-	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	8	8	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	82	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	6	12	22	24	6	2	-
	WHITE.....MALE....	48	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	2	6	16	10	4	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	6	14	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	5,544	-	-	-	-	-	-	-	2	14	54	88	152	298	444	530	764	930	1,004	782	360	122	-
	WHITE.....MALE....	3,084	-	-	-	-	-	-	-	2	12	50	78	112	234	324	354	486	516	480	278	130	28	-
	FEMALE..	2,366	-	-	-	-	-	-	-	-	2	2	8	34	52	106	164	270	400	518	502	220	88	-
	ALL OTHER..MALE....	50	-	-	-	-	-	-	-	-	-	2	2	4	10	6	4	2	10	2	-	4	4	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	-	-	2	2	8	8	6	4	4	2	6	2	-
410	ACUTE MYOCARDIAL INFARCTION.....	3,158	-	-	-	-	-	-	-	2	10	36	68	96	206	316	366	508	538	504	330	146	32	-
	WHITE.....MALE....	1,932	-	-	-	-	-	-	-	2	8	34	60	68	172	236	258	340	302	256	122	68	6	-
	FEMALE..	1,196	-	-	-	-	-	-	-	-	2	2	6	26	32	70	106	168	234	244	208	74	24	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	-	-	2	2	2	6	2	-	2	2	-	2	2	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	2	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	18	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	-	2	-	4	2	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	4	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	2,368	-	-	-	-	-	-	-	-	4	18	20	56	88	124	162	256	390	500	448	212	90	-
	WHITE.....MALE....	1,146	-	-	-	-	-	-	-	-	4	16	18	44	60	84	96	146	214	224	156	62	22	-
	FEMALE..	1,158	-	-	-	-	-	-	-	-	-	-	2	8	18	36	56	102	164	274	290	144	64	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	-	-	2	-	2	8	-	2	2	8	-	-	2	2	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	-	2	2	4	8	6	4	2	2	4	2	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEBRASKA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	74	2	-	-	-	-	-	-	-	2	-	2	2	-	2	2	10	18	8	14	10	2	-
	WHITE.....MALE....	38	2	-	-	-	-	-	-	-	2	-	-	2	-	2	-	8	10	6	2	4	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	8	2	12	6	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	186	8	-	-	-	6	-	6	2	2	2	2	8	14	16	22	16	20	20	24	16	2	-
	WHITE.....MALE....	100	6	-	-	-	4	-	2	-	-	-	2	8	8	6	12	14	12	8	10	6	2	-
	FEMALE..	82	-	-	-	-	2	-	4	2	2	-	-	-	6	10	10	2	8	12	14	10	-	-
	ALL OTHER..MALE....	4	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	66	-	-	-	-	-	-	-	2	2	-	-	2	2	2	6	14	16	2	12	-	6	-
	WHITE.....MALE....	40	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	14	2	8	-	4	-
	FEMALE..	22	-	-	-	-	-	-	-	2	2	-	-	2	-	-	4	4	2	-	4	-	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	2,016	-	2	-	-	-	4	-	4	4	16	18	22	44	86	136	234	310	482	400	190	64	-
	WHITE.....MALE....	894	-	-	-	-	-	-	-	2	2	4	14	14	30	54	60	116	168	206	134	68	22	-
	FEMALE..	1,078	-	2	-	-	-	4	-	2	-	10	2	6	12	24	64	112	140	274	262	122	42	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	-	-	2	2	-	4	10	2	-	-	2	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	2	2	-	-	2	4	2	4	2	2	2	-	-	-
431	CEREBRAL HEMORRHAGE.....	318	-	2	-	-	-	-	-	-	-	6	10	10	18	22	22	42	68	42	48	20	8	-
	WHITE.....MALE....	162	-	-	-	-	-	-	-	-	-	-	10	8	12	18	8	18	38	16	20	8	6	-
	FEMALE..	152	-	2	-	-	-	-	-	-	-	4	-	2	6	4	14	22	30	26	28	12	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	468	-	-	-	-	-	2	-	-	-	2	4	2	4	16	32	52	70	108	110	54	12	-
	WHITE.....MALE....	192	-	-	-	-	-	-	-	-	-	-	2	2	4	12	12	28	34	54	26	18	-	-
	FEMALE..	266	-	-	-	-	-	2	-	-	-	2	-	-	-	4	18	22	34	54	82	36	12	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-
434	CEREBRAL EMBOLISM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	1,230	-	-	-	-	-	2	-	4	4	8	4	10	22	48	82	140	172	332	242	116	44	-
	WHITE.....MALE....	540	-	-	-	-	-	-	-	2	2	4	2	4	14	24	40	70	96	136	88	42	16	-
	FEMALE..	660	-	-	-	-	-	2	-	2	-	4	2	4	6	16	32	68	76	194	152	74	28	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	2	-	4	8	-	-	-	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	2	-	-	-	2	4	2	2	-	2	-	-	-	-
440	ARTERIOSCLEROSIS.....	322	-	-	-	-	-	-	-	-	-	-	-	4	-	4	4	26	44	80	84	48	28	-
	WHITE.....MALE....	142	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	14	26	28	36	20	14	-
	FEMALE..	172	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	12	18	50	48	26	14	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	2	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	248	-	-	-	2	-	2	-	-	2	-	2	6	8	20	30	44	50	42	24	10	6	-
	WHITE.....MALE....	168	-	-	-	-	-	-	-	-	-	-	2	6	6	18	18	36	34	30	12	2	4	-
	FEMALE..	78	-	-	-	2	-	2	-	-	2	-	-	-	2	2	12	8	14	12	12	8	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	2	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	538	24	8	-	2	4	4	6	-	2	-	6	18	22	24	36	54	72	98	90	46	22	-
	WHITE.....MALE....	306	20	4	-	2	2	2	2	-	-	-	4	10	14	20	24	32	50	62	38	10	10	-
	FEMALE..	218	2	4	-	-	2	2	4	-	2	-	2	6	8	4	12	20	22	30	50	36	12	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	-	-
470-474	INFLUENZA.....	122	-	-	-	2	-	2	-	-	2	-	4	2	10	8	2	22	28	12	14	10	4	-
	WHITE.....MALE....	68	-	-	-	2	-	2	-	-	-	-	4	-	8	6	-	14	16	8	4	4	-	-
	FEMALE..	54	-	-	-	-	-	-	-	-	2	-	-	2	2	2	2	8	12	4	10	6	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	416	24	8	-	-	4	2	6	-	-	-	2	16	12	16	34	32	44	86	76	36	18	-
	WHITE.....MALE....	238	20	4	-	-	2	-	2	-	-	-	-	10	6	14	24	18	34	54	34	6	10	-
	FEMALE..	164	2	4	-	-	2	2	4	-	-	-	2	4	6	2	10	12	10	26	40	30	8	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEBRASKA—CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	294	-	-	-	-	-	-	-	-	-	2	2	10	14	38	48	68	50	40	14	4	4	-
	WHITE.....MALE....	240	-	-	-	-	-	-	-	-	-	2	2	6	10	34	28	62	48	32	10	2	4	-
	FEMALE..	50	-	-	-	-	-	-	-	-	-	-	-	2	4	4	18	6	2	8	4	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	66	-	-	-	-	-	-	-	-	-	2	-	2	-	12	6	14	18	10	-	2	-	-
	WHITE.....MALE....	54	-	-	-	-	-	-	-	-	-	2	-	2	-	12	2	12	18	6	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	4	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	208	-	-	-	-	-	-	-	-	-	-	2	4	10	24	38	50	32	30	12	2	4	-
	WHITE.....MALE....	176	-	-	-	-	-	-	-	-	-	-	2	2	8	22	26	46	30	26	8	2	4	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	-	-	2	2	10	4	2	4	4	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	20	-	-	-	-	-	-	-	-	-	-	-	4	4	2	4	4	-	-	2	-	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	-	-	2	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	90	-	-	-	-	-	-	2	-	-	-	2	-	8	2	10	14	12	22	12	4	2	-
	WHITE.....MALE....	52	-	-	-	-	-	-	2	-	-	-	2	-	4	2	10	6	10	12	2	2	-	-
	FEMALE..	38	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	8	2	10	10	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	14	-	-	-	-	-	-	2	-	-	-	-	-	2	2	-	-	-	4	4	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-
	FEMALE..	10	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	4	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	66	-	-	-	-	-	-	-	-	-	-	2	-	8	6	2	10	8	12	8	10	-	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	8	2	8	2	6	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	2	6	4	6	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	178	-	2	-	-	-	-	-	-	8	12	34	32	26	22	18	12	8	2	2	-	-	-
	WHITE.....MALE....	118	-	-	-	-	-	-	-	-	2	6	24	26	20	14	16	4	4	-	2	-	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	4	4	8	2	6	6	-	6	4	2	-	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	2	2	2	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	8	-	2	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	48	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	8	14	12	2	2	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	4	6	2	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	6	10	2	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	32	-	-	-	-	-	-	-	2	-	-	2	2	4	-	4	2	8	-	8	-	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	2	6	-	6	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	2	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	28	-	-	-	-	-	-	-	-	-	-	2	2	4	-	4	2	8	-	6	-	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	6	-	4	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	2	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	38	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	6	8	10	8	-	2	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	4	4	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	8	4	-	-	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	8	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEBRASKA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	100	62	8	6	-	4	2	2	-	6	-	2	-	-	2	2	-	2	2	-	-	-	-
	WHITE.....MALE....	48	28	4	2	-	-	2	-	-	6	-	2	-	-	2	-	-	2	-	-	-	-	-
	FEMALE..	48	34	2	4	-	4	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	ALL OTHER..MALE....	4	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	96	18	-	-	-	2	-	2	-	2	2	-	2	4	6	12	12	6	16	8	2	2	-
	WHITE.....MALE....	54	8	-	-	-	2	-	2	-	2	2	-	2	2	4	8	6	4	8	4	-	-	-
	FEMALE..	34	6	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	2	8	4	2	2	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-SID-UAL	ALL OTHER DISEASES.....	786	18	6	8	4	10	10	8	14	14	16	18	36	64	64	66	92	116	104	76	28	14	-
	WHITE.....MALE....	410	10	4	4	4	8	4	2	4	4	4	10	26	40	30	44	34	66	60	32	8	12	-
	FEMALE..	332	6	2	4	-	2	6	2	4	6	8	4	10	20	32	22	52	44	44	42	20	2	-
	ALL OTHER..MALE....	22	2	-	-	-	-	-	-	2	4	2	2	-	4	-	-	2	4	-	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	4	4	-	2	2	-	-	2	-	4	2	-	2	-	-	-
E800-E949	ACCIDENTS.....	942	6	18	14	30	116	126	44	24	44	24	52	36	28	66	52	62	64	78	32	20	6	-
	WHITE.....MALE....	616	2	10	10	22	82	96	38	22	30	16	28	22	24	46	44	34	42	34	8	6	-	-
	FEMALE..	294	2	6	2	6	32	22	4	2	10	6	22	14	2	20	8	28	22	44	22	14	6	-
	ALL OTHER..MALE....	22	2	2	-	-	2	6	2	-	2	2	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	2	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	484	4	8	8	16	90	86	26	16	28	18	28	18	16	36	16	24	28	14	-	4	-	-
	WHITE.....MALE....	338	2	4	8	10	62	66	22	14	20	12	14	10	16	20	14	12	22	8	-	2	-	-
	FEMALE..	136	2	4	-	4	28	18	4	2	6	4	12	8	-	16	2	12	6	6	-	2	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	2	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	458	2	10	6	14	26	40	18	8	16	6	24	18	12	30	36	38	36	64	32	16	6	-
	WHITE.....MALE....	278	-	6	2	12	20	30	16	8	10	4	14	12	8	26	30	22	20	26	8	4	-	-
	FEMALE..	158	-	2	2	2	4	4	-	-	4	2	10	6	2	4	6	16	16	38	22	12	6	-
	ALL OTHER..MALE....	14	2	2	-	-	2	4	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	2	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-
E950-E959	SUICIDE.....	142	...	...	-	-	8	8	18	-	10	20	12	8	22	10	10	6	6	2	2	-	-	-
	WHITE.....MALE....	106	...	...	-	-	6	6	14	-	6	14	10	8	14	8	8	6	2	2	2	-	-	-
	FEMALE..	32	...	...	-	-	-	2	4	-	2	6	2	-	8	2	2	-	4	-	-	-	-	-
	ALL OTHER..MALE....	2	...	...	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	...	...	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	48	-	-	-	2	2	4	6	6	10	4	-	4	2	2	-	2	4	-	-	-	-	-
	WHITE.....MALE....	22	-	-	-	-	2	2	4	2	2	2	-	2	-	2	-	2	2	-	-	-	-	-
	FEMALE..	8	-	-	-	2	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	2	2	4	4	2	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	22	-	-	-	2	-	6	2	-	4	-	2	-	4	-	-	-	-	2	-	-	-	-
	WHITE.....MALE....	16	-	-	-	2	-	4	-	-	4	-	2	-	2	-	-	-	-	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	2	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEVADA																							
	ALL CAUSES.....	4,090	148	34	22	28	78	82	88	88	88	160	190	280	360	426	454	466	420	306	252	90	24	6
	WHITE.....MALE....	2,390	72	22	4	14	50	58	50	46	38	90	116	170	230	276	294	278	244	172	106	34	8	2
	FEMALE..	1,408	50	12	16	12	16	14	20	18	22	52	60	90	106	126	144	166	162	120	140	46	14	2
	ALL OTHER..MALE....	188	14	-	2	2	6	8	8	16	20	10	4	10	18	18	12	16	6	6	4	8	-	-
	FEMALE..	104	12	-	-	-	6	2	2	8	8	8	10	2	6	6	4	6	8	8	2	2	2	2
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	18	6	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	2	-	-	-	-
	WHITE.....MALE....	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-
	FEMALE..	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEVADA—CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	732	-	2	4	8	4	-	6	8	14	30	50	62	88	110	116	88	52	50	30	6	2	2
	WHITE.....MALE....	398	-	-	-	-	2	-	2	2	4	20	22	28	44	66	70	46	34	36	12	6	2	2
	FEMALE..	292	-	2	4	6	-	-	4	4	6	10	26	32	36	34	38	42	18	14	16	-	-	-
	ALL OTHER..MALE....	28	-	-	-	2	2	-	-	2	2	-	-	2	6	6	4	-	-	-	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	2	-	2	-	2	4	4	-	-	-	-	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	22	-	-	-	-	-	-	-	-	-	-	-	-	6	4	6	6	-	-	-	-	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	-	-	6	2	4	4	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	184	-	-	-	-	-	-	2	2	2	2	8	18	14	20	38	28	16	20	8	6	-	-
	WHITE.....MALE....	110	-	-	-	-	-	-	-	-	-	2	6	14	6	16	20	14	10	14	2	6	-	-
	FEMALE..	64	-	-	-	-	-	-	2	-	-	-	2	4	4	4	16	14	6	6	6	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	2	2	-	-	-	2	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	196	-	-	-	-	-	-	-	-	-	12	24	16	24	46	22	18	18	8	4	-	2	2
	WHITE.....MALE....	136	-	-	-	-	-	-	-	-	-	8	12	10	14	32	16	18	12	8	2	-	2	2
	FEMALE..	52	-	-	-	-	-	-	-	-	-	4	12	6	8	10	6	-	6	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
174	OF BREAST.....	80	-	-	-	-	-	-	-	-	8	-	12	12	10	18	8	10	2	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	72	-	-	-	-	-	-	-	-	6	-	12	12	10	14	6	10	2	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	90	-	-	-	2	2	-	-	4	-	-	2	6	14	8	10	10	8	14	10	-	-	-
	WHITE.....MALE....	42	-	-	-	-	-	-	-	-	-	-	-	-	6	4	6	4	6	10	6	-	-	-
	FEMALE..	40	-	-	-	2	-	-	-	4	-	-	-	6	6	4	2	6	2	4	4	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	24	-	-	-	-	-	-	-	-	2	2	-	-	2	2	4	8	2	2	-	-	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	2	2	-	-	-	2	4	2	2	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	66	-	-	2	-	2	-	-	2	-	10	4	10	14	4	10	2	2	-	4	-	-	-
	WHITE.....MALE....	36	-	-	-	-	2	-	-	2	-	4	4	4	10	2	4	2	2	-	-	-	-	-
	FEMALE..	24	-	-	2	-	-	-	-	-	-	6	-	4	4	-	4	-	-	-	4	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
204-207	LEUKEMIA.....	34	-	2	2	6	-	-	-	-	2	4	-	-	2	2	8	2	-	2	2	-	-	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	-	2	4	-	-	-	2	8	2	-	2	2	-	-	-
	FEMALE..	10	-	2	2	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	36	-	-	-	-	-	-	4	-	-	-	-	-	2	6	10	4	4	4	2	-	-	-
	WHITE.....MALE....	22	-	-	-	-	-	-	2	-	-	-	-	-	2	6	8	-	2	2	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	4	2	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	48	-	-	-	-	-	-	-	-	-	2	2	4	10	2	-	10	12	2	4	-	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-	2	2	4	-	2	-	4	4	2	4	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	4	8	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEVADA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-285	ANEMIAS.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	1,758	8	-	-	-	-	2	2	6	12	42	40	120	146	198	226	250	276	192	170	54	12	2
	WHITE.....MALE....	1,034	6	-	-	-	-	2	-	4	8	24	32	86	112	132	154	146	154	98	54	18	4	-
	FEMALE..	644	2	-	-	-	-	-	-	2	-	16	4	30	26	54	68	86	110	90	112	34	8	2
	ALL OTHER..MALE....	42	-	-	-	-	-	-	-	-	-	2	-	2	4	10	4	12	4	-	2	2	-	-
	FEMALE..	38	-	-	-	-	-	-	2	-	4	-	4	2	4	2	-	6	8	4	2	-	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	1,226	4	-	-	-	-	2	2	4	8	34	36	92	124	146	164	180	172	110	104	36	6	2
	WHITE.....MALE....	704	4	-	-	-	-	2	-	4	4	22	30	70	104	108	118	108	98	52	38	18	4	-
	FEMALE..	390	-	-	-	-	-	-	-	-	-	10	4	18	14	32	42	64	66	56	64	16	2	2
	ALL OTHER..MALE....	30	-	-	-	-	-	-	-	-	-	2	-	2	4	4	4	8	2	-	2	2	-	-
	FEMALE..	22	-	-	-	-	-	-	2	-	4	-	2	2	2	2	-	-	6	2	-	-	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	36	-	-	-	-	-	-	-	-	2	2	2	8	8	4	10	-	-	-	-	-	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	-	2	2	6	4	4	-	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	2	-	6	2	-	4	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	10	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	-	-	-	2	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	1,088	-	-	-	-	-	-	-	4	6	28	32	72	108	128	138	168	164	106	100	26	6	2
	WHITE.....MALE....	702	-	-	-	-	-	-	-	4	4	20	28	58	92	96	104	98	94	50	36	14	4	-
	FEMALE..	344	-	-	-	-	-	-	-	-	-	6	2	12	12	26	30	62	62	54	62	12	2	2
	ALL OTHER..MALE....	24	-	-	-	-	-	-	-	-	-	2	-	-	2	4	4	8	2	-	2	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	2	-	2	2	2	2	-	-	6	2	-	-	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	594	-	-	-	-	-	-	-	2	6	20	26	54	70	82	88	94	72	40	34	4	-	2
	WHITE.....MALE....	426	-	-	-	-	-	-	-	2	4	14	22	42	62	62	74	64	44	20	14	2	-	-
	FEMALE..	142	-	-	-	-	-	-	-	-	-	4	2	10	4	14	14	28	24	18	20	2	-	2
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	2	-	-	2	4	-	2	-	-	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	2	-	2	2	2	2	-	-	4	2	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	490	-	-	-	-	-	-	-	2	-	8	6	18	36	46	48	74	92	66	66	22	6	-
	WHITE.....MALE....	274	-	-	-	-	-	-	-	2	-	6	6	16	28	34	30	34	50	30	22	12	4	-
	FEMALE..	202	-	-	-	-	-	-	-	-	-	2	-	2	8	12	16	34	38	36	42	10	2	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	2	-	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEVADA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	80	4	-	-	-	-	2	2	-	-	4	2	10	6	10	10	10	6	2	4	8	-	-
	WHITE.....MALE....	48	4	-	-	-	-	2	-	-	-	2	-	8	6	4	6	8	2	-	2	4	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	2	2	-	-	6	4	2	4	2	2	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-
	FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	418	2	-	-	-	-	-	-	-	4	8	4	22	14	36	44	50	90	70	54	16	4	-
	WHITE.....MALE....	184	2	-	-	-	-	-	-	-	4	2	2	10	-	14	22	24	48	42	14	-	-	-
	FEMALE..	210	-	-	-	-	-	-	-	-	-	6	-	12	12	16	22	20	38	26	38	16	4	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	2	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	4	2	2	2	-	-	-
431.	CEREBRAL HEMORRHAGE.....	42	-	-	-	-	-	-	-	-	-	-	2	6	2	10	4	4	8	6	-	-	-	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	-	-	-	-	4	-	4	2	2	6	4	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	2	2	2	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	58	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	12	10	10	14	4	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	6	6	2	-	-	-
	FEMALE..	38	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	8	4	4	12	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	CEREBRAL EMBOLISM.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	316	2	-	-	-	-	-	-	-	4	8	2	16	12	20	36	34	72	54	40	12	4	-
	WHITE.....MALE....	142	2	-	-	-	-	-	-	-	4	2	2	6	-	8	20	18	36	32	12	-	-	-
	FEMALE..	154	-	-	-	-	-	-	-	-	-	6	-	10	10	8	16	10	32	20	26	12	4	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	2	2	-	-	-
440	ARTERIOSCLEROSIS.....	38	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	8	8	8	6	2	-	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	6	6	2	2	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	6	4	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	74	2	-	-	-	-	-	-	2	-	-	-	4	8	12	16	12	6	4	6	-	2	-
	WHITE.....MALE....	46	-	-	-	-	-	-	-	-	-	-	-	4	8	8	14	8	2	2	-	-	-	-
	FEMALE..	24	2	-	-	-	-	-	-	2	-	-	-	-	-	4	2	-	4	2	6	-	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	106	16	2	-	-	2	-	-	-	2	2	10	-	6	8	14	10	12	2	12	6	2	-
	WHITE.....MALE....	60	4	2	-	-	2	-	-	-	-	-	6	-	2	8	10	10	6	-	8	2	-	-
	FEMALE..	34	8	-	-	-	-	-	-	-	-	2	4	-	4	-	4	-	6	2	4	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	4	-	-
	FEMALE..	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
470-474	INFLUENZA.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	102	16	2	-	-	2	-	-	-	2	2	10	-	6	6	12	10	12	2	12	6	2	-
	WHITE.....MALE....	56	4	2	-	-	2	-	-	-	-	-	6	-	2	6	8	10	6	-	8	2	-	-
	FEMALE..	34	8	-	-	-	-	-	-	-	-	2	4	-	4	-	4	-	6	2	4	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	4	-	-
	FEMALE..	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEVADA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	94	-	-	-	-	-	-	-	-	-	-	-	2	12	20	16	22	10	6	4	-	2	-
	WHITE.....MALE	76	-	-	-	-	-	-	-	-	-	-	-	2	10	18	12	14	8	6	4	-	2	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	8	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	18	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	2	4	-	-	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	2	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	76	-	-	-	-	-	-	-	-	-	-	-	-	10	16	12	20	6	6	4	-	2	-
	WHITE.....MALE	66	-	-	-	-	-	-	-	-	-	-	-	-	10	14	10	14	6	6	4	-	2	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	12	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	4	-	4	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	4	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	10	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	4	-	2	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	172	-	-	-	-	-	-	4	-	14	20	22	28	24	24	18	10	6	-	-	-	-	2
	WHITE.....MALE	84	-	-	-	-	-	-	-	-	6	12	12	18	12	6	12	4	2	-	-	-	-	-
	FEMALE	66	-	-	-	-	-	-	4	-	-	6	6	10	10	18	4	4	4	-	-	-	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	8	-	-	-	2	-	2	2	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	2
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	10	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE	6	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	8	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEVADA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	26	18	2	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	2	-	-
	WHITE.....MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	12	8	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	66	12	2	-	-	2	-	-	-	-	2	-	-	-	6	6	16	10	4	4	2	-	-
	WHITE.....MALE....	34	4	-	-	-	-	-	-	-	-	-	-	-	-	4	2	12	6	2	4	-	-	-
	FEMALE..	22	2	2	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	2	-	2	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	2	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
RE-SID-UAL	ALL OTHER DISEASES.....	288	6	-	4	2	10	4	6	10	6	12	16	26	30	26	32	32	16	26	14	8	2	-
	WHITE.....MALE....	176	6	-	-	2	8	4	4	4	2	-	12	12	24	16	20	22	14	14	8	4	-	-
	FEMALE..	84	-	-	2	-	2	-	-	2	2	4	2	12	6	10	12	10	2	8	6	2	2	-
	ALL OTHER..MALE....	14	-	-	2	-	-	-	2	-	-	4	2	2	-	-	-	-	-	2	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	4	2	4	-	-	-	-	-	-	-	2	-	2	-	-
E800-E949	ACCIDENTS.....	408	6	22	14	14	48	46	54	36	18	30	24	14	18	14	10	12	6	6	10	12	-	-
	WHITE.....MALE....	266	6	20	4	10	30	32	42	14	10	18	16	12	10	10	6	8	2	2	10	4	-	-
	FEMALE..	102	-	2	10	4	8	10	8	8	6	8	8	-	6	2	4	4	2	4	-	8	-	-
	ALL OTHER..MALE....	34	-	-	-	-	-	4	4	12	2	4	-	2	2	2	-	-	2	-	-	-	-	-
	FEMALE..	6	-	-	-	-	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	208	-	2	8	4	28	36	32	24	10	22	14	10	4	6	-	4	4	-	-	-	-	-
	WHITE.....MALE....	126	-	2	-	2	18	26	26	6	2	14	10	8	2	4	-	4	2	-	-	-	-	-
	FEMALE..	54	-	-	8	2	6	8	4	6	6	6	4	-	2	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	22	-	-	-	-	-	2	2	10	2	2	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	200	6	20	6	10	14	10	22	12	8	8	10	4	14	8	10	8	2	6	10	12	-	-
	WHITE.....MALE....	140	6	18	4	8	12	6	16	8	8	4	6	4	8	6	6	4	-	2	10	4	-	-
	FEMALE..	48	-	2	2	2	2	2	4	2	-	2	4	-	4	2	4	4	-	4	-	8	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	2	2	2	-	2	-	-	2	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	146	...	...	-	2	10	18	10	16	12	10	18	10	12	10	6	4	4	2	2	-	-	-
	WHITE.....MALE....	108	...	...	-	2	4	14	8	14	4	10	12	6	10	8	4	4	4	2	2	-	-	-
	FEMALE..	30	...	...	-	-	4	2	2	2	6	-	6	4	2	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	...	...	-	-	2	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	...	...	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	66	-	-	-	-	6	6	4	10	8	6	2	8	10	2	2	-	-	-	-	-	2	-
	WHITE.....MALE....	32	-	-	-	-	2	2	-	6	4	4	-	6	4	2	2	-	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	2	-	2	-	2	2	-	-	2	-	-	-	-	-	-	-	2	-
	ALL OTHER..MALE....	20	-	-	-	-	2	4	2	2	2	-	2	2	4	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	14	-	-	-	2	2	4	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	10	-	-	-	-	2	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW HAMPSHIRE																							
	ALL CAUSES	7,500	202	40	26	28	66	52	60	62	68	124	236	330	380	678	922	988	1,106	940	762	326	104	-
	WHITE.....MALE	4,013	138	22	16	22	54	36	38	48	34	98	134	214	232	432	558	574	516	440	280	96	28	-
	FEMALE	3,472	62	18	10	4	12	16	20	12	32	26	102	116	146	246	362	414	586	500	482	230	76	-
	ALL OTHER..MALE	8	2	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	2	-	2	-	-	-	2	-	2	-	2	-	-	-	-	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	8	2	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE	4	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	2	-	2	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	2	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	12	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	4	-	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW HAMPSHIRE--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	10	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	-	-	-	-	-
	WHITE.....MALE....	8	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	1,440	-	-	2	6	6	4	10	6	14	30	84	92	114	166	248	232	196	128	76	22	4	-
	WHITE.....MALE....	774	-	-	-	-	2	2	6	4	2	22	38	48	50	100	164	122	108	72	24	10	-	-
	FEMALE..	662	-	-	2	4	4	2	4	2	12	8	46	44	62	66	84	110	88	56	52	12	4	-
	ALL OTHER..MALE....	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	30	-	-	-	-	-	-	-	-	-	-	2	6	6	-	2	8	4	-	2	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	4	2	-	2	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	4	6	-	2	4	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	390	-	-	-	-	2	-	-	-	2	6	12	30	30	40	58	76	70	32	28	4	-	-
	WHITE.....MALE....	186	-	-	-	-	-	-	-	-	-	2	6	18	18	18	28	44	30	14	6	2	-	-
	FEMALE..	204	-	-	-	-	2	-	-	-	2	4	6	12	12	22	30	32	40	18	22	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	338	-	-	-	-	-	-	-	-	2	6	24	18	28	54	86	44	48	22	4	2	-	-
	WHITE.....MALE....	276	-	-	-	-	-	-	-	-	-	6	16	18	18	44	72	38	42	18	2	2	-	-
	FEMALE..	62	-	-	-	-	-	-	-	-	2	-	8	-	10	10	14	6	6	4	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	OF BREAST.....	130	-	-	-	-	-	-	-	4	4	2	12	6	20	18	10	30	8	6	10	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	126	-	-	-	-	-	-	-	2	4	2	12	6	18	18	10	30	8	6	10	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	186	-	-	-	-	-	-	2	-	2	2	12	10	6	14	30	34	20	36	16	2	-	-
	WHITE.....MALE....	80	-	-	-	-	-	-	-	-	-	-	-	-	2	8	14	14	8	24	8	2	-	-
	FEMALE..	106	-	-	-	-	-	-	2	-	2	2	12	10	4	6	16	20	12	12	8	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	84	-	-	-	-	-	-	-	-	-	-	4	2	4	18	16	14	8	8	4	6	-	-
	WHITE.....MALE....	66	-	-	-	-	-	-	-	-	-	-	4	2	2	16	12	8	8	8	2	4	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	6	-	-	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	170	-	-	2	4	2	2	2	-	2	8	14	10	8	12	28	20	18	20	8	6	4	-
	WHITE.....MALE....	86	-	-	-	-	2	-	2	-	2	8	8	4	4	10	22	10	6	6	2	-	-	-
	FEMALE..	84	-	-	2	4	-	2	-	-	-	-	6	6	4	2	6	10	12	14	6	6	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204-207	LEUKEMIA.....	46	-	-	-	-	2	-	4	-	-	2	-	2	6	4	4	2	10	4	4	2	-	-
	WHITE.....MALE....	30	-	-	-	-	-	-	4	-	-	2	-	-	4	2	4	2	8	2	2	-	-	-
	FEMALE..	16	-	-	-	-	2	-	-	-	-	-	-	2	2	2	-	-	2	2	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	66	-	-	-	2	-	2	2	2	2	4	4	8	6	6	14	4	10	-	-	-	-	-
	WHITE.....MALE....	36	-	-	-	-	-	2	-	2	-	4	2	4	2	2	12	2	4	-	-	-	-	-
	FEMALE..	28	-	-	-	-	-	-	2	-	2	-	2	4	4	4	2	2	6	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	18	-	-	-	-	-	-	-	-	-	2	2	4	4	2	-	2	2	-	-	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	4	4	2	-	2	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	150	-	-	-	-	-	-	-	-	-	2	-	4	6	18	24	28	36	22	8	2	-	-
	WHITE.....MALE....	74	-	-	-	-	-	-	-	-	-	2	-	2	2	8	14	16	18	8	2	2	-	-
	FEMALE..	76	-	-	-	-	-	-	-	-	-	-	-	2	4	10	10	12	18	14	6	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW HAMPSHIRE--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	16	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	4	2	4	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	14	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	4	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	4	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	3,994	8	-	-	2	-	4	2	10	14	50	72	128	164	320	472	530	676	620	578	258	86	-
	WHITE.....MALE....	1,980	8	-	-	2	-	2	2	10	10	42	52	92	120	208	254	324	284	274	206	64	26	-
	FEMALE..	2,008	-	-	-	-	-	2	-	-	4	8	20	36	44	112	216	206	388	346	372	194	60	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	2,762	6	-	-	-	-	2	-	8	12	36	56	98	136	250	374	360	462	422	340	150	50	-
	WHITE.....MALE....	1,452	6	-	-	-	-	2	-	8	10	32	46	74	104	174	206	230	178	188	140	40	14	-
	FEMALE..	1,304	-	-	-	-	-	-	-	-	2	4	10	24	32	76	166	130	280	234	200	110	36	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	56	-	-	-	-	-	-	-	-	2	-	4	2	4	16	14	4	8	2	-	-	-	-
	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	2	-	2	2	2	10	4	2	2	-	-	-	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	-	2	-	2	6	10	2	6	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	28	-	-	-	-	-	-	-	-	2	-	-	2	-	2	2	6	6	2	2	2	2	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	4	2	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	2	-	2	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	34	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	2	8	4	10	2	2	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	2	6	2	2	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	2	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	2,528	-	-	-	-	-	-	-	6	8	36	50	92	124	218	338	340	420	396	320	140	40	-
	WHITE.....MALE....	1,342	-	-	-	-	-	-	-	6	6	32	42	72	96	156	192	222	166	174	132	38	8	-
	FEMALE..	1,180	-	-	-	-	-	-	-	-	2	4	8	20	28	62	144	118	250	222	188	102	32	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	1,412	-	-	-	-	-	-	-	6	6	28	36	70	90	156	208	208	246	198	118	32	10	-
	WHITE.....MALE....	840	-	-	-	-	-	-	-	6	4	26	30	58	68	112	132	134	106	106	48	8	2	-
	FEMALE..	568	-	-	-	-	-	-	-	-	2	2	6	12	22	44	74	74	138	92	70	24	8	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	16	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	2	4	4	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	2	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	1,100	-	-	-	-	-	-	-	-	2	6	14	22	32	60	130	132	174	196	198	104	30	-
	WHITE.....MALE....	494	-	-	-	-	-	-	-	-	2	4	12	14	26	42	60	88	60	68	84	28	6	-
	FEMALE..	604	-	-	-	-	-	-	-	-	-	2	2	8	6	18	70	44	112	128	114	76	24	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW HAMPSHIRE--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER HYDCARDIAL INSUFFICIENCY...	28	2	-	-	-	-	-	-	-	-	-	-	-	4	4	-	2	4	10	-	2	-	-
	WHITE.....MALE....	12	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	4	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	6	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	88	4	-	-	-	-	2	-	2	-	-	-	2	4	10	16	6	16	8	8	4	6	-
	WHITE.....MALE....	42	4	-	-	-	-	2	-	2	-	-	-	-	4	4	8	2	4	6	2	-	4	-
	FEMALE..	46	-	-	-	-	-	-	-	-	-	-	-	2	-	6	8	4	12	2	6	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	32	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	4	4	12	2	-	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	2	2	6	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	6	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	890	-	-	-	2	-	2	2	2	-	14	12	26	26	56	70	124	174	132	154	66	28	-
	WHITE.....MALE....	382	-	-	-	2	-	-	2	2	-	10	4	16	16	22	34	68	82	56	40	16	12	-
	FEMALE..	508	-	-	-	-	-	2	-	-	-	4	8	10	10	34	36	56	92	76	114	50	16	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
431	CEREBRAL HEMORRHAGE.....	184	-	-	-	2	-	-	2	-	-	8	6	14	8	14	22	40	22	28	10	6	2	-
	WHITE.....MALE....	88	-	-	-	2	-	-	2	-	-	6	-	8	4	8	12	18	10	8	6	4	-	-
	FEMALE..	96	-	-	-	-	-	-	-	-	-	2	6	6	4	6	10	22	12	20	4	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	276	-	-	-	-	-	-	-	-	-	-	2	-	2	12	22	24	70	44	58	32	10	-
	WHITE.....MALE....	108	-	-	-	-	-	-	-	-	-	-	2	-	2	4	8	16	28	22	14	6	6	-
	FEMALE..	168	-	-	-	-	-	-	-	-	-	-	-	-	-	8	14	8	42	22	44	26	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	CEREBRAL EMBOLISM.....	8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	2	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	422	-	-	-	-	-	2	-	2	-	6	4	10	16	28	26	58	82	60	84	28	16	-
	WHITE.....MALE....	186	-	-	-	-	-	-	-	2	-	4	2	8	10	10	14	34	44	26	20	6	6	-
	FEMALE..	236	-	-	-	-	-	2	-	-	-	2	2	2	6	18	12	24	38	34	64	22	10	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440	ARTERIOSCLEROSIS.....	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	14	20	42	68	34	8	-
	WHITE.....MALE....	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	12	16	16	8	-	-
	FEMALE..	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	8	26	52	26	8	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	116	2	-	-	-	-	-	-	-	2	-	4	4	2	10	16	30	16	20	4	6	-	-
	WHITE.....MALE....	66	2	-	-	-	-	-	-	-	-	-	2	2	-	8	8	18	10	12	4	-	-	-
	FEMALE..	50	-	-	-	-	-	-	-	-	2	-	2	2	2	2	8	12	6	8	-	6	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-
	WHITE.....MALE....	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	200	20	4	-	-	-	-	-	-	4	2	2	6	10	18	16	22	32	24	24	12	4	-
	WHITE.....MALE....	106	12	4	-	-	-	-	-	-	-	2	-	4	6	12	12	10	20	12	4	6	2	-
	FEMALE..	94	8	-	-	-	-	-	-	-	4	-	2	2	4	6	4	12	12	12	20	6	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474	INFLUENZA.....	26	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	4	6	6	4	2	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	4	4	4	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	174	20	4	-	-	-	-	-	-	2	2	2	6	10	18	14	18	26	18	20	10	4	-
	WHITE.....MALE....	100	12	4	-	-	-	-	-	-	-	2	-	4	6	12	12	10	18	10	2	6	2	-
	FEMALE..	74	8	-	-	-	-	-	-	-	2	-	2	2	4	6	2	8	8	8	18	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW HAMPSHIRE--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	154	-	-	-	-	-	-	-	-	-	-	4	4	8	16	42	32	20	16	6	4	2	-
	WHITE.....MALE	124	-	-	-	-	-	-	-	-	-	-	4	4	8	14	38	22	16	12	4	2	-	-
	FEMALE	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	10	4	4	2	2	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	30	-	-	-	-	-	-	-	-	-	-	2	2	-	6	4	4	6	4	-	-	2	-
	WHITE.....MALE	22	-	-	-	-	-	-	-	-	-	-	2	2	-	6	4	2	4	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	110	-	-	-	-	-	-	-	-	-	-	-	-	8	10	36	22	14	10	6	4	-	-
	WHITE.....MALE	96	-	-	-	-	-	-	-	-	-	-	-	-	8	8	34	18	12	10	4	2	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	2	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	14	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	6	-	2	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	38	-	-	-	-	-	-	-	-	2	-	-	2	2	2	2	6	6	12	4	-	-	-
	WHITE.....MALE	18	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	2	2	6	2	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	6	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	22	2	-	-	-	-	-	-	2	-	-	2	2	2	-	-	-	4	4	4	-	-	-
	WHITE.....MALE	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	2	-	-	2	2	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	146	-	-	-	-	-	-	2	2	-	6	10	22	10	34	30	18	6	2	4	-	-	-
	WHITE.....MALE	84	-	-	-	-	-	-	-	2	-	6	8	14	4	24	18	8	-	-	-	-	-	-
	FEMALE	62	-	-	-	-	-	-	2	-	-	-	2	8	6	10	12	10	6	2	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	28	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	6	8	2	2	2	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	2	-	2	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	2	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	2	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	20	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	8	-	2	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	2	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	2	6	2	-	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	2	4	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW HAMPSHIRE--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	44	26	4	6	-	2	2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	28	20	-	4	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	16	6	4	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	232	14	-	-	-	-	2	2	4	6	6	12	12	20	24	24	32	28	28	10	8	-	-
	WHITE.....MALE....	142	10	-	-	-	-	2	-	4	2	4	10	8	10	18	20	18	12	14	6	4	-	-
	FEMALE..	86	2	-	-	-	-	-	2	-	2	2	2	4	10	6	4	14	16	14	4	4	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.....	348	2	4	2	4	10	2	4	6	2	14	18	28	10	44	42	42	52	26	24	8	4	-
	WHITE.....MALE....	198	2	4	2	4	6	2	2	4	-	12	8	18	8	22	24	20	32	10	14	4	-	-
	FEMALE..	150	-	-	-	-	4	-	2	2	2	2	10	10	2	22	18	22	20	16	10	4	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949	ACCIDENTS.....	348	4	26	16	16	40	26	26	20	12	6	20	18	14	18	8	18	14	30	8	6	2	-
	WHITE.....MALE....	230	4	12	10	16	36	24	18	18	10	4	6	12	8	12	6	10	4	14	4	2	-	-
	FEMALE..	118	-	14	6	-	4	2	8	2	2	2	14	6	6	6	2	8	10	16	4	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	160	-	4	4	8	30	20	20	14	8	6	10	6	8	6	2	4	4	4	2	-	-	-
	WHITE.....MALE....	116	-	2	4	8	28	18	12	12	6	4	4	4	4	2	-	2	2	2	2	-	-	-
	FEMALE..	44	-	2	-	-	2	2	8	2	2	2	6	2	4	4	2	2	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	188	4	22	12	8	10	6	6	6	4	-	10	12	6	12	6	14	10	26	6	6	2	-
	WHITE.....MALE....	114	4	10	6	8	8	6	6	6	4	-	2	8	4	10	6	8	2	12	2	2	-	-
	FEMALE..	74	-	12	6	-	2	-	-	-	-	-	8	4	2	2	-	6	8	14	4	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	84	...	...	-	-	8	4	8	8	10	4	6	4	8	8	8	4	2	-	2	-	-	-
	WHITE.....MALE....	66	...	...	-	-	8	4	6	4	6	2	6	4	6	6	6	4	2	-	2	-	-	-
	FEMALE..	16	...	...	-	-	-	-	2	2	4	2	-	-	2	2	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	...	...	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	14	-	-	-	-	-	2	4	2	-	2	2	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW JERSEY																							
	ALL CAUSES	69,250	1,754	320	228	246	566	666	618	666	880	1,482	2,510	3,640	5,100	6,650	7,604	8,874	9,878	8,722	5,728	2,344	738	36
	WHITE.....MALE	33,584	672	168	106	104	328	362	252	260	400	666	1,272	1,954	2,902	3,906	4,146	4,516	4,630	3,694	2,204	824	192	26
	FEMALE	28,586	490	88	66	80	138	128	132	132	222	452	762	1,146	1,592	2,076	2,768	3,728	4,726	4,646	3,306	1,402	498	8
	ALL OTHER..MALE	3,948	324	30	32	34	80	116	164	184	154	244	280	324	344	358	368	312	262	170	102	52	12	2
	FEMALE	3,132	268	34	24	28	20	60	70	90	104	120	196	216	262	310	322	318	260	212	116	66	36	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	38	10	-	-	-	-	-	2	-	-	-	-	4	2	2	2	-	4	8	2	2	-	-
	WHITE.....MALE	14	6	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-
	FEMALE	20	2	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	2	4	2	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	154	-	-	-	-	-	6	4	6	6	10	2	8	12	22	14	24	20	12	6	2	-	-
	WHITE.....MALE	72	-	-	-	-	-	-	-	-	-	2	-	4	8	12	8	10	16	10	-	2	-	-
	FEMALE	24	-	-	-	-	-	4	-	-	-	-	2	2	-	4	2	4	2	-	4	-	-	-
	ALL OTHER..MALE	38	-	-	-	-	-	-	2	2	4	6	-	-	2	4	4	10	2	-	2	-	-	-
	FEMALE	20	-	-	-	-	-	2	2	4	2	2	-	2	2	2	-	-	-	2	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	124	-	-	-	-	-	4	4	4	6	8	2	8	8	18	10	18	16	10	6	2	-	-
	WHITE.....MALE	54	-	-	-	-	-	-	-	-	-	-	-	4	4	8	6	10	12	8	-	2	-	-
	FEMALE	18	-	-	-	-	-	2	-	-	-	-	2	2	-	4	-	2	2	-	4	-	-	-
	ALL OTHER..MALE	34	-	-	-	-	-	-	2	2	4	6	-	-	2	4	4	6	2	-	2	-	-	-
	FEMALE	18	-	-	-	-	-	2	2	2	2	2	-	2	2	2	-	-	-	2	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	30	-	-	-	-	-	2	-	2	-	2	-	-	4	4	4	6	4	2	-	-	-	-
	WHITE.....MALE	18	-	-	-	-	-	-	-	-	-	2	-	-	4	4	2	-	4	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	8	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	138	24	8	-	-	-	-	4	2	-	4	4	6	8	18	8	18	10	10	12	2	-	-
	WHITE.....MALE	38	6	6	-	-	-	-	2	-	-	-	2	2	-	2	2	8	2	2	4	-	-	-
	FEMALE	74	10	-	-	-	-	-	-	2	-	4	2	-	8	14	6	6	4	8	8	2	-	-
	ALL OTHER..MALE	10	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-
	FEMALE	16	4	2	-	-	-	-	2	-	-	-	-	4	-	-	-	2	2	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW JERSEY—CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	126	14	8	10	2	4	12	4	6	2	6	2	4	10	8	4	10	6	6	4	4	-	-
	WHITE.....MALE....	46	8	6	-	-	2	2	4	-	2	-	-	2	-	6	-	4	6	2	-	2	-	-
	FEMALE..	40	2	2	4	-	-	2	-	2	-	-	2	2	6	2	4	4	-	4	2	2	-	-
	ALL OTHER..MALE....	22	-	-	6	-	-	8	-	-	-	6	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	18	4	-	-	2	2	-	-	4	-	-	-	-	4	-	-	2	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	13,582	8	38	42	40	74	46	68	84	162	366	660	1,076	1,486	1,898	1,866	2,016	1,672	1,198	584	158	34	6
	WHITE.....MALE....	6,638	4	22	18	16	34	32	30	44	70	116	240	418	696	1,084	974	1,082	854	570	258	64	8	4
	FEMALE..	5,816	4	16	18	20	30	6	28	28	72	196	328	492	640	676	752	810	736	562	296	84	20	2
	ALL OTHER..MALE....	582	-	-	4	4	8	2	2	4	4	26	44	92	84	66	80	64	42	28	22	6	-	-
	FEMALE..	546	-	-	2	-	2	6	8	8	16	28	48	74	66	72	60	60	40	38	8	4	6	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	282	-	-	-	-	2	-	2	-	2	4	16	38	40	54	42	38	16	14	14	-	-	-
	WHITE.....MALE....	174	-	-	-	-	-	-	2	-	-	4	6	22	22	32	26	26	16	12	6	-	-	-
	FEMALE..	68	-	-	-	-	-	-	-	-	2	-	4	4	14	14	10	10	-	2	8	-	-	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	-	-	-	-	4	10	-	6	4	2	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	2	-	-	-	-	-	2	2	4	2	2	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	4,130	-	-	-	-	2	2	10	12	20	52	134	258	432	522	592	696	592	480	242	70	12	2
	WHITE.....MALE....	2,014	-	-	-	-	-	2	4	6	10	22	52	126	238	316	304	332	278	206	98	20	-	-
	FEMALE..	1,786	-	-	-	-	2	-	4	6	10	18	52	86	150	164	234	326	284	252	138	48	10	2
	ALL OTHER..MALE....	188	-	-	-	-	-	-	-	-	-	6	16	34	34	16	34	16	20	8	4	-	-	-
	FEMALE..	142	-	-	-	-	-	-	2	-	-	6	14	12	10	26	20	22	10	14	2	2	2	-
160-163	OF RESPIRATORY SYSTEM....	2,928	2	-	2	-	-	2	-	10	28	64	166	270	362	560	446	452	338	160	42	16	6	2
	WHITE.....MALE....	2,114	2	-	2	-	-	2	-	10	14	32	98	154	236	424	320	374	272	122	34	12	4	2
	FEMALE..	568	-	-	-	-	-	-	-	-	10	16	40	72	88	88	98	62	52	30	6	4	2	-
	ALL OTHER..MALE....	180	-	-	-	-	-	-	-	-	4	14	20	34	30	36	22	10	6	2	2	-	-	-
	FEMALE..	66	-	-	-	-	-	-	-	-	-	2	8	10	8	12	6	6	8	6	-	-	-	-
174	OF BREAST.....	1,402	-	-	-	-	-	-	12	12	26	84	114	170	188	180	170	162	132	90	44	10	8	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	1,294	-	-	-	-	-	-	8	12	20	76	98	158	176	172	160	142	128	84	44	8	8	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	104	-	-	-	-	-	-	4	-	6	8	16	12	12	8	10	16	4	6	-	2	-	-
180-187	OF GENITAL ORGANS.....	1,562	-	-	2	-	6	8	2	20	20	50	80	112	140	160	178	256	236	154	114	20	4	-
	WHITE.....MALE....	572	-	-	-	-	4	6	-	8	4	4	4	4	22	50	80	108	112	84	68	12	2	-
	FEMALE..	776	-	-	2	-	2	-	-	6	10	38	72	84	92	88	70	116	100	56	34	6	-	-
	ALL OTHER..MALE....	86	-	-	-	-	-	-	-	-	-	-	-	2	6	4	18	22	14	10	8	2	-	-
	FEMALE..	128	-	-	-	-	-	2	2	6	6	8	4	22	20	18	10	10	10	4	4	-	2	-
188, 189	OF URINARY ORGANS.....	636	-	4	2	-	-	2	-	-	4	14	14	44	50	78	102	90	90	94	38	10	-	-
	WHITE.....MALE....	412	-	2	2	-	-	2	-	-	2	6	6	26	32	64	66	66	54	56	24	4	-	-
	FEMALE..	170	-	2	-	-	-	-	-	-	-	6	8	8	10	14	26	14	32	36	10	4	-	-
	ALL OTHER..MALE....	32	-	-	-	-	-	-	-	-	-	2	-	2	8	-	2	10	2	-	4	2	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	2	-	-	8	-	-	8	-	2	2	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	1,402	4	12	20	18	32	10	14	10	30	62	82	102	148	204	170	168	138	108	56	14	-	-
	WHITE.....MALE....	682	2	8	8	4	20	4	6	10	16	24	48	38	74	114	86	90	58	40	20	12	-	-
	FEMALE..	644	2	4	8	12	6	2	6	-	12	32	32	50	62	86	84	74	78	62	30	2	-	-
	ALL OTHER..MALE....	38	-	-	2	2	6	2	2	-	-	2	-	10	2	-	-	2	-	4	4	-	-	-
	FEMALE..	38	-	-	2	-	-	2	-	-	2	4	2	4	10	4	-	2	2	2	2	-	-	-
204-207	LEUKEMIA.....	484	2	20	14	16	22	10	12	6	14	12	16	24	42	44	38	68	46	42	20	12	2	2
	WHITE.....MALE....	246	-	10	6	6	8	6	6	-	10	6	4	12	26	24	22	46	22	16	8	4	2	2
	FEMALE..	216	2	10	8	8	12	4	6	4	4	6	8	12	12	18	14	22	24	24	12	6	-	-
	ALL OTHER..MALE....	12	-	-	-	2	2	-	-	-	-	-	2	-	2	2	-	-	-	-	-	2	-	-
	FEMALE..	10	-	-	-	-	-	-	-	2	-	-	2	-	2	-	2	-	-	2	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	756	-	2	2	6	10	12	16	14	18	24	38	58	84	96	128	86	84	56	14	6	2	-
	WHITE.....MALE....	422	-	2	-	6	2	10	12	10	14	18	22	36	46	60	70	38	42	34	-	-	-	-
	FEMALE..	294	-	-	-	-	8	-	4	-	4	4	14	18	36	32	56	44	38	16	14	6	-	-
	ALL OTHER..MALE....	18	-	-	2	-	-	-	-	4	-	2	2	-	2	2	-	-	-	4	-	-	-	-
	FEMALE..	22	-	-	-	-	-	2	-	-	-	-	-	4	-	2	2	4	4	2	-	-	2	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	154	-	4	-	2	4	2	-	4	2	2	14	10	24	10	22	12	20	12	8	2	-	-
	WHITE.....MALE....	66	-	2	-	2	-	-	-	-	2	-	6	6	10	6	8	4	6	8	4	2	-	-
	FEMALE..	72	-	2	-	-	4	2	-	4	-	2	6	2	12	4	10	8	10	4	2	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	2	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	2	-	-	-
250	DIABETES MELLITUS.....	1,512	-	2	2	-	-	4	20	16	10	22	34	70	92	166	180	276	256	216	116	24	6	-
	WHITE.....MALE....	554	-	2	-	-	-	-	8	2	4	8	12	30	42	78	58	100	80	76	48	6	-	-
	FEMALE..	790	-	-	2	-	-	4	8	2	2	4	12	22	36	74	92	158	156	134	62	16	6	-
	ALL OTHER..MALE....	60	-	-	-	-	-	-	2	8	2	6	4	12	2	4	8	4	-	2	6	-	-	-
	FEMALE..	108	-	-	-	-	-	-	2	4	2	4	6	6	12	10	22	14	20	4	-	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW JERSEY—CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	88	2	2	-	-	-	-	-	-	-	-	-	-	-	8	2	16	14	18	16	4	6	-
	WHITE.....MALE....	26	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-	2	8	4	2	-	4	-
	FEMALE..	48	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	10	6	10	12	4	2	-
	ALL OTHER..MALE....	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-
280-285	ANEMIAS.....	124	2	2	4	8	4	2	4	2	4	-	6	6	4	8	14	4	20	18	12	-	-	-
	WHITE.....MALE....	42	2	2	2	-	-	-	-	-	-	-	2	2	2	6	4	-	10	4	6	-	-	-
	FEMALE..	54	-	-	-	-	-	2	2	-	2	-	-	4	-	2	10	4	8	14	6	-	-	-
	ALL OTHER..MALE....	10	-	-	-	2	4	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	18	-	-	2	6	-	-	-	2	2	-	2	-	2	-	-	-	2	-	-	-	-	-
320	MENINGITIS.....	40	6	6	-	-	2	-	2	-	2	2	-	2	4	4	4	-	6	-	-	-	-	-
	WHITE.....MALE....	14	-	2	-	-	-	-	-	-	-	2	-	2	2	4	2	-	-	-	-	-	-	-
	FEMALE..	10	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	4	-	-	-	-	-
	ALL OTHER..MALE....	10	2	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	38,284	22	8	8	18	30	28	54	94	232	492	994	1,634	2,452	3,372	4,276	5,276	6,426	6,114	4,280	1,872	594	8
	WHITE.....MALE....	18,604	8	2	4	10	12	18	22	42	126	260	640	1,086	1,612	2,058	2,384	2,640	2,894	2,432	1,572	622	154	6
	FEMALE..	16,714	2	4	2	6	14	4	6	14	38	112	180	332	542	954	1,500	2,256	3,188	3,426	2,564	1,164	404	2
	ALL OTHER..MALE....	1,494	6	2	-	-	2	2	16	20	40	68	100	120	172	192	194	170	170	114	58	38	10	-
	FEMALE..	1,472	6	-	2	2	2	4	10	18	28	52	74	96	126	168	198	210	174	142	86	48	26	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	29,814	14	6	2	12	12	24	32	58	176	390	824	1,392	2,116	2,758	3,400	4,180	4,938	4,522	3,130	1,378	442	8
	WHITE.....MALE....	15,028	6	2	-	6	2	18	14	32	108	224	576	966	1,440	1,756	1,936	2,152	2,292	1,806	1,130	440	116	6
	FEMALE..	12,594	2	2	-	4	8	2	4	2	26	68	116	256	432	734	1,170	1,774	2,400	2,528	1,892	872	300	2
	ALL OTHER..MALE....	1,126	2	2	-	-	-	-	10	14	26	58	78	96	136	146	152	120	126	78	44	30	8	-
	FEMALE..	1,066	4	-	2	2	2	4	4	10	16	40	54	74	108	122	142	134	120	110	64	36	18	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	606	-	-	-	-	2	2	6	8	14	18	34	68	116	94	86	58	62	18	14	6	-	-
	WHITE.....MALE....	274	-	-	-	-	-	2	2	6	4	4	14	30	64	42	28	24	34	12	4	4	-	-
	FEMALE..	288	-	-	-	-	2	-	-	-	6	10	18	34	46	44	50	32	28	6	10	2	-	-
	ALL OTHER..MALE....	24	-	-	-	-	-	-	4	-	-	2	2	-	6	4	4	2	-	-	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	2	4	2	-	4	-	4	4	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	234	-	-	-	-	-	-	-	6	10	2	4	14	20	14	34	42	48	16	20	2	2	-
	WHITE.....MALE....	76	-	-	-	-	-	-	-	-	8	2	-	6	8	4	8	10	12	2	14	2	-	-
	FEMALE..	98	-	-	-	-	-	-	-	-	-	-	-	4	4	6	20	26	26	8	2	-	2	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	4	2	-	2	2	-	2	4	6	2	2	2	-	-	-
	FEMALE..	32	-	-	-	-	-	-	-	2	-	-	2	2	8	2	2	-	8	4	2	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	126	-	-	-	-	-	-	-	-	2	-	-	4	4	4	12	24	12	38	14	8	4	-
	WHITE.....MALE....	38	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	6	4	10	6	2	2	-
	FEMALE..	76	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	16	8	26	8	6	2	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	2	-	-	-	2	-	4	2	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	27,876	2	-	-	4	2	12	18	32	130	340	730	1,258	1,916	2,562	3,166	3,962	4,682	4,330	2,978	1,318	426	8
	WHITE.....MALE....	14,210	-	-	-	2	-	8	10	22	90	214	536	908	1,334	1,676	1,842	2,056	2,182	1,730	1,062	418	114	6
	FEMALE..	11,730	-	-	-	2	2	-	-	2	14	48	84	200	372	646	1,056	1,664	2,272	2,430	1,812	836	288	2
	ALL OTHER..MALE....	990	-	-	-	-	-	-	4	6	16	52	64	84	124	132	136	110	118	64	42	30	8	-
	FEMALE..	946	2	-	-	-	-	4	4	2	10	26	46	66	86	108	132	132	110	106	62	34	16	-
410	ACUTE MYOCARDIAL INFARCTION.....	13,304	2	-	-	4	-	2	12	22	88	228	464	824	1,242	1,474	1,902	2,040	2,048	1,590	880	386	92	4
	WHITE.....MALE....	7,780	-	-	-	2	-	2	8	18	66	168	378	640	914	1,008	1,208	1,146	1,052	662	324	144	38	2
	FEMALE..	4,826	-	-	-	2	-	-	-	2	10	34	58	114	234	378	596	820	912	876	518	224	46	2
	ALL OTHER..MALE....	376	-	-	-	-	-	-	-	-	12	20	20	42	60	54	48	32	44	20	14	6	4	-
	FEMALE..	322	2	-	-	-	-	-	4	2	-	6	8	28	34	34	50	42	40	32	24	12	4	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	148	-	-	-	-	-	-	-	-	-	6	8	4	14	20	12	20	26	24	6	8	-	-
	WHITE.....MALE....	70	-	-	-	-	-	-	-	-	-	2	6	-	8	18	8	10	10	4	-	4	-	-
	FEMALE..	64	-	-	-	-	-	-	-	-	-	2	-	2	4	-	4	10	14	18	6	4	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	2	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	14,422	-	-	-	-	2	10	6	10	40	106	258	430	660	1,068	1,252	1,902	2,608	2,716	2,092	924	334	4
	WHITE.....MALE....	6,360	-	-	-	-	-	6	2	4	24	44	152	268	412	650	626	900	1,120	1,064	738	270	76	4
	FEMALE..	6,840	-	-	-	-	2	-	-	-	4	12	26	84	134	268	456	834	1,346	1,536	1,288	608	242	-
	ALL OTHER..MALE....	610	-	-	-	-	-	-	4	6	4	32	42	42	64	78	88	78	72	44	28	24	4	-
	FEMALE..	612	-	-	-	-	-	4	-	-	8	18	38	36	50	72	82	90	70	72	38	22	12	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW JERSEY—CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	120	-	-	-	2	-	-	-	-	-	2	8	6	4	10	16	12	20	12	14	12	2	-
	WHITE.....MALE....	50	-	-	-	2	-	-	-	-	-	-	2	4	2	2	8	4	8	6	10	2	-	-
	FEMALE..	60	-	-	-	-	-	-	-	-	-	-	2	-	-	8	8	8	12	6	4	10	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	852	12	6	2	6	8	10	8	12	20	28	48	42	56	74	86	82	114	108	90	32	8	-
	WHITE.....MALE....	380	6	2	-	2	2	8	2	4	6	4	24	16	30	30	48	52	52	46	34	12	-	-
	FEMALE..	342	2	2	-	2	4	2	4	-	6	10	12	16	10	28	30	28	54	52	56	18	6	-
	ALL OTHER..MALE....	68	2	2	-	-	-	-	2	4	6	4	8	8	4	8	4	-	6	10	-	-	-	-
	FEMALE..	62	2	-	2	2	2	-	-	4	2	10	4	2	12	8	4	2	2	-	-	2	2	-
400, 401, 403	HYPERTENSION.....	254	-	-	-	-	-	-	8	4	6	6	14	12	14	20	24	40	44	32	16	10	4	-
	WHITE.....MALE....	110	-	-	-	-	-	-	4	-	2	4	6	6	6	14	14	16	16	8	6	8	-	-
	FEMALE..	92	-	-	-	-	-	-	-	-	-	-	8	2	4	2	4	16	20	20	10	2	4	-
	ALL OTHER..MALE....	32	-	-	-	-	-	-	4	-	4	2	-	2	2	-	4	4	8	2	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	4	-	-	-	2	2	4	2	4	-	2	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	6,456	6	2	4	6	16	4	12	30	48	82	132	186	262	492	638	844	1,172	1,226	852	366	76	-
	WHITE.....MALE....	2,594	-	-	2	4	8	-	4	10	14	24	46	86	120	230	288	350	458	472	326	136	16	-
	FEMALE..	3,226	-	2	2	2	6	2	2	10	12	44	44	62	96	184	270	386	640	702	498	212	50	-
	ALL OTHER..MALE....	296	4	-	-	-	2	2	-	6	10	8	22	20	30	40	34	44	28	24	12	8	2	-
	FEMALE..	340	2	-	-	-	-	-	6	4	12	6	20	18	16	38	46	64	46	28	16	10	8	-
431	CEREBRAL HEMORRHAGE.....	1,218	2	-	-	-	4	-	-	6	22	24	42	64	92	136	150	168	176	166	124	36	6	-
	WHITE.....MALE....	518	-	-	-	-	-	-	-	2	6	6	22	26	44	62	68	70	72	66	58	16	-	-
	FEMALE..	550	-	-	-	-	2	-	-	-	2	14	10	24	28	56	68	74	92	96	64	16	4	-
	ALL OTHER..MALE....	68	-	-	-	-	2	-	-	2	6	4	6	6	10	8	10	8	-	2	2	2	-	-
	FEMALE..	82	2	-	-	-	-	-	-	2	8	-	4	8	10	10	4	16	12	2	-	2	2	-
433	CEREBRAL THROMBOSIS.....	2,112	-	-	-	-	-	-	-	-	-	8	12	24	44	144	174	286	438	464	320	166	32	-
	WHITE.....MALE....	836	-	-	-	-	-	-	-	-	-	-	2	10	26	68	68	118	180	184	112	62	6	-
	FEMALE..	1,102	-	-	-	-	-	-	-	-	-	4	6	8	10	48	82	136	232	266	194	94	22	-
	ALL OTHER..MALE....	82	-	-	-	-	-	-	-	-	-	2	4	4	8	22	8	12	10	4	2	4	2	-
	FEMALE..	92	-	-	-	-	-	-	-	-	-	2	-	2	-	6	16	20	16	10	12	6	2	-
434	CEREBRAL EMBOLISM.....	30	-	-	-	-	-	-	-	-	-	-	-	-	6	4	2	10	2	-	4	2	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	2	2	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	6	2	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	3,096	4	2	4	6	12	4	12	24	26	50	78	98	120	208	312	380	556	596	404	162	38	-
	WHITE.....MALE....	1,228	-	-	2	4	8	-	4	8	8	18	22	50	48	98	150	160	206	222	154	56	10	-
	FEMALE..	1,560	-	2	2	2	4	2	2	10	10	26	28	30	54	80	120	170	314	340	238	102	24	-
	ALL OTHER..MALE....	146	4	-	-	-	-	2	-	4	4	2	12	10	12	10	16	24	18	18	8	2	-	-
	FEMALE..	162	-	-	-	-	-	-	6	2	4	4	16	8	6	20	26	26	18	16	4	2	4	-
440	ARTERIOSCLEROSIS.....	852	-	-	-	-	-	-	-	-	-	-	4	2	10	14	50	66	138	200	212	94	62	-
	WHITE.....MALE....	318	-	-	-	-	-	-	-	-	-	-	4	2	8	4	20	24	42	80	82	30	22	-
	FEMALE..	498	-	-	-	-	-	-	-	-	-	-	-	-	2	6	26	38	88	114	122	62	40	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	4	2	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	2	6	2	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	908	2	-	2	-	2	-	2	2	2	14	20	42	50	88	164	146	134	134	70	24	10	-
	WHITE.....MALE....	554	2	-	2	-	2	-	-	-	2	8	8	26	38	54	126	98	86	66	28	8	-	-
	FEMALE..	304	-	-	-	-	-	-	-	2	-	-	12	12	8	28	30	42	40	62	42	16	10	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	2	-	-	-	-	2	4	2	4	-	6	6	-	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	6	-	2	-	4	4	6	2	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	20	2	4	-	-	-	2	-	-	-	-	-	-	-	2	-	2	2	4	2	-	-	-
	WHITE.....MALE....	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-
	FEMALE..	10	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	1,958	134	24	6	6	16	10	24	24	16	38	50	84	106	148	172	202	292	292	186	92	34	2
	WHITE.....MALE....	974	60	12	-	6	10	2	14	6	6	20	18	28	64	90	98	102	140	156	86	48	6	2
	FEMALE..	716	20	10	2	-	2	2	8	6	6	6	10	34	26	36	60	76	140	118	94	36	24	-
	ALL OTHER..MALE....	166	26	-	2	-	2	2	2	8	-	10	16	18	12	10	10	16	12	10	4	4	2	-
	FEMALE..	102	28	2	2	-	2	4	-	4	4	2	6	4	4	12	4	8	-	8	2	4	2	-
470-474	INFLUENZA.....	94	-	-	-	-	-	-	-	2	-	-	2	12	6	4	14	16	6	18	12	-	2	-
	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	-	-	2	4	4	-	8	4	-	-	4	-	-	-
	FEMALE..	62	-	-	-	-	-	-	-	2	-	-	-	6	2	4	6	10	6	16	8	-	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
480-486	PNEUMONIA.....	1,864	134	24	6	6	16	10	24	22	16	38	48	72	100	144	158	186	286	274	174	92	32	2
	WHITE.....MALE....	948	60	12	-	6	10	2	14	6	6	20	16	24	60	90	90	98	140	156	82	48	6	2
	FEMALE..	654	20	10	2	-	2	2	8	4	6	6	10	28	24	32	54	66	134	102	86	36	22	-
	ALL OTHER..MALE....	162	26	-	2	-	2	2	2	8	-	10	16	16	12	10	10	14	12	10	4	4	2	-
	FEMALE..	100	28	2	2	-	2	4	-	4	4	2	6	4	4	12	4	8	-	6	2	4	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are catego y numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW JERSEY--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	866	-	2	-	2	-	2	4	2	8	16	20	26	46	110	172	146	158	102	36	10	4	-
	WHITE.....MALE	606	-	-	-	2	-	-	2	-	2	10	12	18	28	84	126	104	118	74	18	8	-	-
	FEMALE	200	-	-	-	-	-	-	2	-	4	-	-	4	14	18	38	34	38	24	18	2	4	-
	ALL OTHER..MALE	38	-	-	-	-	-	-	-	-	2	2	2	2	2	6	8	8	2	4	-	-	-	-
	FEMALE	22	-	2	-	-	-	2	-	2	-	4	6	2	2	2	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	222	-	2	-	2	-	-	2	-	2	4	2	10	12	34	36	32	36	34	10	2	2	-
	WHITE.....MALE	146	-	-	-	2	-	-	2	-	-	2	2	6	8	24	24	28	22	20	4	2	-	-
	FEMALE	56	-	-	-	-	-	-	-	-	-	-	-	2	2	6	10	2	12	14	6	-	2	-
	ALL OTHER..MALE	16	-	-	-	-	-	-	-	-	2	-	-	2	2	4	2	2	2	-	-	-	-	-
	FEMALE	4	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	584	-	-	-	-	-	-	-	-	6	6	10	14	26	74	132	104	114	66	26	6	-	-
	WHITE.....MALE	442	-	-	-	-	-	-	-	-	2	6	8	12	18	58	98	70	96	54	14	6	-	-
	FEMALE	118	-	-	-	-	-	-	-	-	4	-	-	-	8	12	28	28	18	8	12	-	-	-
	ALL OTHER..MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	-	4	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-
493	ASTHMA	60	-	-	-	-	-	2	2	2	-	6	8	2	8	2	4	10	8	2	-	2	2	-
	WHITE.....MALE	18	-	-	-	-	-	-	-	-	-	2	2	-	2	2	4	6	-	-	-	-	-	-
	FEMALE	26	-	-	-	-	-	-	2	-	-	-	-	2	4	-	-	4	8	2	-	2	2	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	2	-	2	-	2	4	-	2	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	272	-	-	-	-	-	4	-	4	2	4	8	24	34	40	36	32	36	32	14	2	-	-
	WHITE.....MALE	178	-	-	-	-	-	2	-	2	2	-	2	14	20	32	28	24	18	26	6	2	-	-
	FEMALE	74	-	-	-	-	-	-	-	-	-	2	6	8	8	4	8	8	18	6	6	-	-	-
	ALL OTHER..MALE	16	-	-	-	-	-	2	-	2	-	2	-	2	6	2	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-
540-543	APPENDICITIS	34	-	-	-	-	2	2	-	-	-	2	2	2	4	6	4	2	2	4	2	-	-	-
	WHITE.....MALE	14	-	-	-	-	2	2	-	-	-	2	-	-	-	2	-	-	2	2	2	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	2	-	2	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	204	12	2	-	-	2	-	-	-	2	2	10	4	10	18	20	38	30	34	12	6	2	-
	WHITE.....MALE	90	6	-	-	-	2	-	-	-	2	2	4	4	-	4	10	14	14	20	4	2	2	-
	FEMALE	88	2	2	-	-	-	-	-	-	-	-	2	-	6	10	6	24	16	10	6	4	-	-
	ALL OTHER..MALE	18	4	-	-	-	-	-	-	-	-	-	2	-	2	4	4	-	-	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	2	2	-	-	-
571	CIRRHOSIS OF LIVER	1,370	-	-	2	-	2	4	28	40	80	94	196	198	196	194	154	88	64	20	10	-	-	-
	WHITE.....MALE	720	-	-	-	-	-	2	8	14	36	34	98	98	106	102	98	62	42	12	8	-	-	-
	FEMALE	410	-	-	2	-	-	-	8	-	18	32	60	64	64	62	46	24	22	6	2	-	-	-
	ALL OTHER..MALE	170	-	-	-	-	-	-	8	20	18	24	22	24	22	20	8	2	-	2	-	-	-	-
	FEMALE	70	-	-	-	-	2	2	4	6	8	4	16	12	4	10	2	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	130	-	-	-	-	-	-	2	2	-	2	-	6	8	8	12	28	20	20	14	6	2	-
	WHITE.....MALE	46	-	-	-	-	-	-	-	-	-	-	-	2	6	2	2	10	8	10	4	2	-	-
	FEMALE	80	-	-	-	-	-	-	2	2	-	2	-	4	2	6	8	18	10	10	10	4	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	280	4	2	-	-	2	4	2	2	6	6	20	16	44	34	28	28	22	26	24	8	2	-
	WHITE.....MALE	110	2	-	-	-	-	4	2	-	2	4	6	6	16	12	8	12	8	14	12	2	-	-
	FEMALE	114	2	2	-	-	2	-	-	-	2	-	12	6	18	12	10	10	12	10	10	4	2	-
	ALL OTHER..MALE	30	-	-	-	-	-	-	-	2	2	2	-	2	2	4	4	6	-	2	2	2	-	-
	FEMALE	26	-	-	-	-	-	-	-	-	-	-	2	2	8	6	6	-	2	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	42	4	-	-	-	-	-	-	-	2	-	2	2	12	2	4	2	4	4	4	-	-	-
	WHITE.....MALE	20	2	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	2	4	4	-	-	-
	FEMALE	20	2	-	-	-	-	-	-	-	2	-	2	2	6	2	2	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	238	-	2	-	-	2	4	2	2	4	6	18	14	32	32	24	26	18	22	20	8	2	-
	WHITE.....MALE	90	-	-	-	-	-	4	2	-	2	4	6	6	12	12	6	10	6	10	8	2	-	-
	FEMALE	94	-	2	-	-	2	-	-	-	-	-	10	4	12	10	8	10	10	10	10	4	2	-
	ALL OTHER..MALE	30	-	-	-	-	-	-	-	2	2	2	-	2	2	4	4	6	-	2	2	2	-	-
	FEMALE	24	-	-	-	-	-	-	-	-	-	-	2	2	6	6	6	-	2	-	-	-	-	-
590	INFECTIONS OF KIDNEY	216	-	-	-	-	-	-	-	2	-	-	-	4	16	12	16	28	60	28	40	4	6	-
	WHITE.....MALE	94	-	-	-	-	-	-	-	2	-	-	-	4	6	4	6	16	24	10	14	4	4	-
	FEMALE	104	-	-	-	-	-	-	-	-	-	-	-	-	6	4	2	12	36	16	26	-	2	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	-	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	66	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	8	14	14	14	4	-	-
	WHITE.....MALE	64	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	8	14	14	14	4	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW JERSEY--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	18	-	-	-	-	2	8	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	8	-	-	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	10	-	-	-	-	2	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	16	-	-	-	-	2	6	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	8	-	-	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	8	-	-	-	-	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	386	226	42	16	12	8	8	6	4	6	8	6	4	14	4	2	8	6	2	2	-	2	-
	WHITE.....MALE....	170	98	14	10	4	2	2	2	2	4	8	4	2	8	2	-	4	4	-	-	-	-	-
	FEMALE..	144	84	18	2	8	2	2	4	-	2	-	2	2	4	2	2	2	2	2	2	-	2	-
	ALL OTHER..MALE....	40	24	6	2	-	4	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	32	20	4	2	-	-	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	1,110	1,108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	WHITE.....MALE....	428	426	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	FEMALE..	316	316	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	156	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	566	564	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	WHITE.....MALE....	238	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	FEMALE..	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	544	544	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	528	108	14	2	6	24	32	20	24	18	16	26	26	28	34	24	22	34	22	18	14	6	10
	WHITE.....MALE....	202	26	10	-	-	14	18	6	2	6	4	14	8	12	22	14	10	16	6	6	2	-	6
	FEMALE..	190	22	2	2	4	8	6	2	10	4	8	10	16	14	8	10	8	12	16	10	10	4	4
	ALL OTHER..MALE....	86	38	-	-	-	2	6	8	10	4	4	-	2	-	4	-	2	4	-	2	-	-	-
	FEMALE..	50	22	2	-	2	-	2	4	2	4	-	2	-	2	-	-	2	2	-	-	2	2	-
RESIDUAL	ALL OTHER DISEASES.....	3,414	40	32	22	24	46	54	66	78	92	130	158	214	288	326	382	394	480	330	180	52	22	4
	WHITE.....MALE....	1,546	10	18	16	6	22	26	12	16	24	48	60	102	126	164	204	192	240	152	78	18	8	4
	FEMALE..	1,404	16	8	6	10	16	18	16	22	34	42	54	84	128	122	142	168	214	166	92	32	14	-
	ALL OTHER..MALE....	272	6	4	-	2	4	10	26	22	18	30	28	20	20	24	18	16	16	2	4	2	-	-
	FEMALE..	192	8	2	-	6	4	-	12	18	16	10	16	8	14	16	18	18	10	10	6	-	-	-
E800-E949	ACCIDENTS.....	2,920	26	112	114	114	280	262	184	126	116	140	192	144	142	122	140	158	172	156	124	74	18	4
	WHITE.....MALE....	1,614	10	60	56	58	190	172	100	82	64	78	102	82	98	66	74	84	80	68	48	34	6	2
	FEMALE..	834	4	18	26	30	56	42	32	16	18	26	46	44	32	46	48	66	80	88	70	34	12	-
	ALL OTHER..MALE....	314	-	16	18	20	30	28	38	24	22	26	32	14	8	6	16	6	8	-	-	-	-	2
	FEMALE..	158	12	18	14	6	4	20	14	4	12	10	12	4	4	4	2	2	4	-	6	6	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	1,294	6	30	66	56	180	166	102	76	70	78	76	68	70	46	48	48	44	42	16	4	-	2
	WHITE.....MALE....	788	2	14	40	34	114	124	58	52	36	46	36	32	48	34	34	24	20	26	12	2	-	-
	FEMALE..	318	-	8	16	14	48	26	22	8	10	14	20	26	18	12	10	24	20	16	4	2	-	-
	ALL OTHER..MALE....	136	-	-	6	6	14	6	18	16	18	14	18	8	4	-	4	-	2	-	-	-	-	2
	FEMALE..	52	4	8	4	2	4	10	4	-	6	4	2	2	-	-	-	-	2	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,626	20	82	48	58	100	96	82	50	46	62	116	76	72	76	92	110	128	114	108	70	18	2
	WHITE.....MALE....	826	8	46	16	24	76	48	42	30	28	32	66	50	50	32	40	60	60	42	36	32	6	2
	FEMALE..	516	4	10	10	16	8	16	10	8	8	12	26	18	14	34	38	42	60	72	66	32	12	-
	ALL OTHER..MALE....	178	-	16	12	14	16	22	20	8	4	12	14	6	4	6	12	6	6	-	-	-	-	-
	FEMALE..	106	8	10	10	4	-	10	10	4	6	6	10	2	4	4	2	2	2	-	6	6	-	-
E950-E959	SUICIDE.....	560	...	...	-	2	14	78	40	52	42	50	58	24	40	48	22	32	30	20	8	-	-	-
	WHITE.....MALE....	338	...	...	-	-	10	48	22	22	20	34	30	14	24	38	12	22	20	14	8	-	-	-
	FEMALE..	160	...	...	-	-	2	18	10	18	16	12	20	10	16	6	8	10	10	4	-	-	-	-
	ALL OTHER..MALE....	56	...	...	-	-	2	12	6	12	6	4	8	-	-	4	2	-	-	-	-	-	-	-
	FEMALE..	6	...	...	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
E960-E978	HOMICIDE.....	530	4	8	-	10	38	88	70	72	60	64	36	30	20	16	8	2	-	2	2	-	-	-
	WHITE.....MALE....	188	-	6	-	-	22	26	10	14	24	30	14	14	6	12	8	-	-	-	2	-	-	-
	FEMALE..	38	-	2	-	2	-	10	2	2	-	4	2	4	2	4	-	2	-	2	-	-	-	-
	ALL OTHER..MALE....	252	2	-	-	6	16	42	48	46	28	26	16	12	10	-	-	-	-	-	-	-	-	-
	FEMALE..	52	2	-	-	2	-	10	10	10	8	4	4	-	2	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	110	-	-	-	-	12	8	8	16	10	6	12	12	6	6	10	2	-	2	-	-	-	-
	WHITE.....MALE....	70	-	-	-	-	6	6	6	10	4	4	6	6	6	4	8	2	-	2	-	-	-	-
	FEMALE..	16	-	-	-	-	2	2	-	2	-	-	4	4	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	22	-	-	-	-	4	-	2	4	4	2	2	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW MEXICO																							
	ALL CAUSES	7,926	380	76	56	84	170	186	178	154	204	240	290	420	548	758	716	794	840	932	556	238	104	2
	WHITE.....MALE	4,236	164	22	24	44	100	112	88	82	92	126	156	228	330	480	450	444	434	470	242	104	42	2
	FEMALE	2,918	144	32	22	30	36	36	46	36	40	74	94	138	170	228	228	302	364	426	294	120	58	-
	ALL OTHER..MALE	474	46	10	2	8	24	28	26	30	48	30	28	32	20	26	16	32	28	22	8	8	2	-
	FEMALE	298	26	12	8	2	10	10	18	6	24	10	12	22	28	24	22	16	14	14	12	6	2	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	30	8	-	-	-	2	2	-	-	-	-	4	-	2	-	-	2	-	4	4	2	-	-
	WHITE.....MALE	8	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	4	-	-	-
	FEMALE	10	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-
	ALL OTHER..MALE	10	4	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	42	-	-	-	-	-	-	-	2	2	-	-	6	4	2	6	6	6	4	4	-	-	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4	2	2	4	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	2	2	-	-	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	2	-	2	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	2	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	30	-	-	-	-	-	-	-	2	2	-	-	6	4	-	2	4	6	2	2	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	2	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	2	-	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	2	2	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	12	2	-	-	-	-	-	-	-	2	-	2	-	-	2	-	2	-	-	2	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	6	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW MEXICO--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	34	6	-	-	2	2	-	4	-	-	-	4	4	2	-	-	2	2	2	2	2	-	-
	WHITE.....MALE....	14	2	-	-	-	-	-	2	-	-	-	-	2	2	-	-	2	-	-	2	2	-	-
	FEMALE..	10	-	-	-	2	-	-	2	-	-	-	2	2	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	6	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	1,174	-	6	8	2	2	10	4	12	10	34	60	90	128	194	148	166	142	192	38	16	2	-
	WHITE.....MALE....	630	-	2	-	2	2	10	-	4	4	20	30	40	66	118	86	76	82	66	14	6	2	-
	FEMALE..	482	-	2	8	-	-	-	2	8	6	14	28	46	56	62	56	76	58	30	20	10	-	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	-	-	-	2	-	2	4	4	8	2	2	4	-	-	-
	FEMALE..	34	-	2	-	-	-	-	2	-	-	-	-	4	4	10	2	6	-	4	-	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	22	-	-	-	-	-	-	-	-	-	2	2	-	4	2	8	-	2	-	2	-	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	2	-	2	2	6	-	-	-	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	312	-	2	-	-	-	-	-	-	2	6	16	18	36	54	40	42	44	34	10	8	-	-
	WHITE.....MALE....	170	-	-	-	-	-	-	-	-	2	4	8	10	26	36	22	18	22	14	4	4	-	-
	FEMALE..	120	-	-	-	-	-	-	-	-	-	2	6	6	8	12	18	22	22	16	4	4	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	-	-	2	-	-	-
	FEMALE..	14	-	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	4	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	250	-	-	-	-	-	-	-	-	-	8	10	24	28	54	38	32	32	20	2	2	-	-
	WHITE.....MALE....	212	-	-	-	-	-	-	-	-	-	8	8	20	24	46	32	24	32	18	-	-	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	2	4	4	8	4	6	-	-	2	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
174	OF BREAST.....	112	-	-	-	-	-	-	-	4	-	4	6	14	26	24	8	16	4	2	4	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	104	-	-	-	-	-	-	-	4	-	4	6	14	22	22	8	14	4	2	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	148	-	-	-	-	-	2	-	-	2	4	10	8	10	28	12	24	20	20	2	4	2	-
	WHITE.....MALE....	68	-	-	-	-	-	2	-	-	-	-	2	-	2	10	10	8	14	16	2	-	2	-
	FEMALE..	70	-	-	-	-	-	-	-	-	2	4	8	6	8	14	2	14	4	4	-	4	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	70	-	-	2	-	-	-	-	-	2	2	6	-	4	10	18	8	8	8	2	-	-	-
	WHITE.....MALE....	42	-	-	-	-	-	-	-	-	-	2	4	-	4	8	10	8	-	6	-	-	-	-
	FEMALE..	26	-	-	2	-	-	-	-	-	2	-	2	-	-	2	6	-	8	2	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	164	-	2	2	2	-	6	-	4	2	6	8	18	14	8	10	28	26	18	10	-	-	-
	WHITE.....MALE....	80	-	2	-	2	-	6	-	2	-	4	4	8	6	4	2	14	12	12	2	-	-	-
	FEMALE..	72	-	-	2	-	-	-	-	2	2	2	4	10	8	2	6	8	14	6	6	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
204-207	LEUKEMIA.....	44	-	2	4	-	2	2	4	4	-	-	2	2	-	6	6	6	2	-	2	-	-	-
	WHITE.....MALE....	14	-	-	-	-	2	2	-	2	-	-	2	-	-	4	-	-	2	-	-	-	-	-
	FEMALE..	28	-	2	4	-	-	-	2	2	-	-	-	2	-	2	6	6	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	52	-	-	-	-	-	-	-	-	2	2	-	6	6	8	8	10	4	-	4	2	-	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	2	2	-	2	2	8	4	4	-	-	4	2	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	4	4	-	4	6	4	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	34	-	-	-	2	2	-	-	-	-	-	4	2	2	4	10	-	6	2	-	-	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	2	2	-	4	4	-	2	-	-	-	-	-
	FEMALE..	18	-	-	-	2	2	-	-	-	-	-	2	-	2	-	4	-	4	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	146	-	-	-	2	-	-	2	4	-	6	4	10	8	24	18	24	10	30	4	-	-	-
	WHITE.....MALE....	48	-	-	-	-	-	-	-	2	-	2	2	2	2	8	4	6	2	14	4	-	-	-
	FEMALE..	86	-	-	-	-	-	-	-	2	-	2	-	6	4	16	14	18	8	16	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	2	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW MEXICO--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	18	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	4	2	-	4	2	2	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	4	-	2	-
	FEMALE..	4	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
280-285	ANEMIAS.....	16	2	-	-	-	-	-	-	-	-	-	4	-	-	-	2	2	2	2	2	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	2	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
320	MENINGITIS.....	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	3,040	-	2	-	8	4	2	12	14	28	50	68	134	192	300	318	400	394	546	338	170	60	-
	WHITE.....MALE....	1,668	-	-	-	4	2	-	6	4	6	24	42	86	126	200	218	244	200	262	138	82	24	-
	FEMALE..	1,214	-	2	-	4	-	-	4	8	8	20	20	28	46	94	92	134	176	268	192	82	36	-
	ALL OTHER..MALE....	90	-	-	-	-	2	2	2	2	8	6	4	14	6	-	2	18	12	8	-	4	-	-
	FEMALE..	68	-	-	-	-	-	-	-	-	6	-	2	6	14	6	6	4	6	8	8	2	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	2,066	-	2	-	8	2	2	8	14	22	44	56	106	138	230	248	280	244	330	198	96	38	-
	WHITE.....MALE....	1,172	-	-	-	4	-	-	4	4	6	22	40	76	96	160	164	176	124	150	84	50	12	-
	FEMALE..	792	-	2	-	4	-	-	2	8	4	16	10	16	30	66	78	90	112	172	112	44	26	-
	ALL OTHER..MALE....	58	-	-	-	-	2	2	2	2	8	6	4	12	2	-	-	10	4	4	-	-	-	-
	FEMALE..	44	-	-	-	-	-	-	-	-	4	-	2	2	10	4	6	4	4	4	2	2	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	86	-	-	-	-	2	-	2	2	8	6	6	14	4	6	10	12	8	4	2	-	-	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	4	2	6	2	4	4	8	2	-	-	-	-	-
	FEMALE..	36	-	-	-	-	-	-	2	2	2	2	2	4	2	2	4	4	4	4	2	-	-	-
	ALL OTHER..MALE....	12	-	-	-	-	2	-	-	-	4	-	-	4	-	-	-	-	2	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	20	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	4	4	4	-	2	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	4	2	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	1,800	-	-	-	2	-	-	2	8	14	28	44	86	122	204	220	254	216	298	178	92	32	-
	WHITE.....MALE....	1,052	-	-	-	-	-	-	-	4	6	16	34	68	88	144	150	158	114	138	74	46	12	-
	FEMALE..	678	-	-	-	2	-	-	-	2	2	8	8	10	22	58	68	82	98	152	102	44	20	-
	ALL OTHER..MALE....	36	-	-	-	-	-	-	2	2	4	4	2	6	2	-	-	10	-	4	-	-	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	2	-	-	2	10	2	2	4	4	4	2	2	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	1,092	-	-	-	-	-	-	2	8	14	20	38	82	92	144	158	170	112	140	70	34	8	-
	WHITE.....MALE....	710	-	-	-	-	-	-	-	4	6	12	30	64	68	102	118	114	68	74	30	18	2	-
	FEMALE..	330	-	-	-	-	-	-	-	2	2	4	6	10	16	42	40	46	40	60	40	16	6	-
	ALL OTHER..MALE....	34	-	-	-	-	-	-	2	2	4	4	2	6	2	-	-	8	-	4	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	2	-	-	2	6	-	-	2	4	2	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	12	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4	-	4	-	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	694	-	-	-	2	-	-	-	-	-	8	6	4	26	60	62	80	104	152	108	58	24	-
	WHITE.....MALE....	332	-	-	-	-	-	-	-	-	-	4	4	4	16	42	32	42	46	60	44	28	10	-
	FEMALE..	344	-	-	-	2	-	-	-	-	-	4	2	-	6	16	28	34	58	90	62	28	14	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	-	2	2	2	-	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW MEXICO--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	24	-	-	-	-	-	-	2	-	-	-	-	-	-	2	4	2	2	6	4	-	2	-
	WHITE.....MALE....	8	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	2	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	130	-	2	-	6	-	2	2	4	-	8	6	6	10	16	12	12	12	18	8	4	2	-
	WHITE.....MALE....	72	-	-	-	4	-	-	2	-	-	2	4	2	4	10	8	8	6	12	6	4	-	-
	FEMALE..	46	-	2	-	2	-	-	-	4	-	4	-	2	6	4	4	4	4	6	2	-	2	-
	ALL OTHER..MALE....	10	-	-	-	-	-	2	-	-	-	2	2	2	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	44	-	-	-	-	2	-	-	-	-	-	2	-	2	6	4	-	6	10	10	2	-	-
	WHITE.....MALE....	20	-	-	-	-	2	-	-	-	-	-	2	-	-	2	2	-	2	4	4	2	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	4	4	4	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-
430-438	CEREBROVASCULAR DISEASES.	700	-	-	-	-	-	-	2	-	6	4	8	22	38	42	48	96	108	164	98	52	12	-
	WHITE.....MALE....	354	-	-	-	-	-	-	2	-	-	2	-	6	20	26	38	52	58	84	34	26	6	-
	FEMALE..	302	-	-	-	-	-	-	-	-	4	2	8	10	12	14	10	36	44	74	60	22	6	-
	ALL OTHER..MALE....	24	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	8	4	2	-	4	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	2	-	-	4	2	2	-	-	2	4	4	-	-	-
431	CEREBRAL HEMORRHAGE.....	130	-	-	-	-	-	-	2	-	-	4	4	4	16	10	14	18	30	16	8	4	-	-
	WHITE.....MALE....	70	-	-	-	-	-	-	2	-	-	2	-	-	10	6	12	12	16	8	2	-	-	-
	FEMALE..	52	-	-	-	-	-	-	-	-	-	2	4	2	4	2	2	6	14	6	6	4	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	-	-	-
433	CEREBRAL THROMBOSIS.....	140	-	-	-	-	-	-	-	-	-	-	-	2	4	12	6	16	14	52	24	8	2	-
	WHITE.....MALE....	62	-	-	-	-	-	-	-	-	-	-	-	2	4	8	4	4	6	24	6	4	-	-
	FEMALE..	78	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	12	8	28	18	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	CEREBRAL EMBOLISM.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	428	-	-	-	-	-	-	-	-	6	-	4	16	18	20	28	62	64	96	64	40	10	-
	WHITE.....MALE....	222	-	-	-	-	-	-	-	-	-	-	-	4	6	12	22	36	36	52	26	22	6	-
	FEMALE..	170	-	-	-	-	-	-	-	-	4	-	4	8	8	8	6	18	22	40	34	14	4	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	8	4	2	-	4	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	2	2	4	-	-	-
440	ARTERIOSCLEROSIS.....	126	-	-	-	-	-	-	-	-	-	-	-	-	6	4	2	14	20	30	22	18	10	-
	WHITE.....MALE....	62	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	8	6	16	12	4	6	-
	FEMALE..	60	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	10	14	10	14	4	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	104	-	-	-	-	-	-	2	-	-	2	2	6	8	18	16	10	16	12	10	2	-	-
	WHITE.....MALE....	60	-	-	-	-	-	-	-	-	-	-	-	4	6	8	12	8	10	8	4	-	-	-
	FEMALE..	42	-	-	-	-	-	-	2	-	-	2	2	2	2	10	2	2	6	4	6	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	340	32	4	-	2	-	-	-	2	6	6	10	8	16	20	26	30	58	48	36	26	10	-
	WHITE.....MALE....	166	10	-	-	2	-	-	-	-	4	2	8	2	6	16	12	18	34	26	16	8	2	-
	FEMALE..	134	6	-	-	-	-	-	-	-	2	2	2	4	8	-	14	10	22	22	20	16	6	-
	ALL OTHER..MALE....	32	12	4	-	-	-	-	-	2	-	-	-	2	2	4	-	2	-	-	-	2	2	-
	FEMALE..	8	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-
470-474	INFLUENZA.....	40	-	-	-	-	-	-	-	-	-	2	-	2	4	2	4	6	8	10	-	-	2	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	4	4	4	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	2	-	-	2	-	4	2	4	6	-	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	300	32	4	-	2	-	-	-	2	6	4	10	6	12	18	22	24	50	38	36	26	8	-
	WHITE.....MALE....	148	10	-	-	2	-	-	-	-	4	2	8	-	4	14	12	14	30	22	16	8	2	-
	FEMALE..	112	6	-	-	-	-	-	-	-	2	-	2	4	6	-	10	8	18	16	20	16	4	-
	ALL OTHER..MALE....	32	12	4	-	-	-	-	-	2	-	-	-	2	2	4	-	2	-	-	-	2	2	-
	FEMALE..	8	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW MEXICO--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	150	-	-	-	-	-	2	-	-	-	-	2	6	16	36	26	28	12	14	8	-	-	-
	WHITE.....MALE	116	-	-	-	-	-	-	-	-	-	-	2	2	12	28	26	26	8	4	8	-	-	-
	FEMALE	34	-	-	-	-	-	2	-	-	-	-	-	4	4	8	-	2	4	10	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	14	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	4	-	2	2	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	122	-	-	-	-	-	-	-	-	-	-	2	4	12	32	26	20	10	10	6	-	-	-
	WHITE.....MALE	102	-	-	-	-	-	-	-	-	-	-	2	2	12	24	26	18	8	4	6	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	-	-	2	-	8	-	2	2	6	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	14	-	-	-	-	-	2	-	-	-	-	-	2	-	2	-	4	2	2	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	38	2	-	-	-	-	2	2	2	2	-	-	4	2	4	6	2	8	2	-	-	-	-
	WHITE.....MALE	26	2	-	-	-	-	2	-	2	2	-	-	4	-	4	4	2	2	2	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	6	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	36	4	-	-	-	-	-	-	-	-	2	-	2	4	4	4	4	6	4	-	2	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-	-	-
	FEMALE	26	2	-	-	-	-	-	-	-	-	2	-	2	4	2	2	-	6	4	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	194	-	-	-	2	-	-	8	8	20	24	16	28	24	26	16	4	8	6	4	-	-	-
	WHITE.....MALE	108	-	-	-	-	-	-	-	4	14	10	8	6	16	20	16	2	6	4	2	-	-	-
	FEMALE	52	-	-	-	2	-	-	2	-	-	10	4	16	8	4	-	2	-	2	2	-	-	-
	ALL OTHER..MALE	24	-	-	-	-	-	-	6	2	-	2	4	6	-	2	-	-	2	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	2	6	2	-	-	-	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	30	-	-	-	-	-	-	2	-	-	-	2	2	-	-	4	2	12	4	2	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	10	2	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	32	-	-	-	-	-	2	8	-	-	-	-	-	-	2	4	6	4	2	2	2	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	4	2	-	-	-	-
	FEMALE	14	-	-	-	-	-	2	6	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	4	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	28	-	-	-	-	-	2	4	-	-	-	-	-	-	2	4	6	4	2	2	2	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	4	2	-	-	-	-
	FEMALE	10	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
590	INFECTIONS OF KIDNEY	22	-	-	-	-	-	-	-	-	-	-	-	-	2	8	-	-	6	2	2	-	2	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	4	-	-	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	2	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW MEXICO—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	80	58	6	6	4	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	38	26	4	2	2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	38	28	2	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	340	16	6	-	-	-	2	4	4	6	10	10	18	30	28	26	36	52	36	36	6	14	-
	WHITE.....MALE....	176	6	2	-	-	-	2	-	-	4	6	6	12	18	10	16	20	26	18	18	6	6	-
	FEMALE..	126	4	-	-	-	-	-	2	-	-	4	4	6	10	16	6	16	20	14	18	-	6	-
	ALL OTHER..MALE....	22	2	4	-	-	-	-	2	2	-	-	-	-	-	2	4	-	2	4	-	-	-	-
	FEMALE..	16	4	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	4	-	-	-	2	-
RESIDUAL	ALL OTHER DISEASES.....	660	22	10	8	14	16	20	24	12	34	16	38	54	48	52	54	40	64	76	44	4	10	-
	WHITE.....MALE....	308	12	2	-	4	4	12	6	4	14	10	22	32	30	30	26	10	38	34	12	-	6	-
	FEMALE..	266	8	6	6	8	8	6	12	4	8	4	10	16	12	10	20	28	24	38	32	2	4	-
	ALL OTHER..MALE....	48	-	-	-	-	4	-	6	4	10	2	2	4	4	6	2	-	2	2	-	-	-	-
	FEMALE..	38	2	2	2	2	-	2	-	-	2	-	4	2	2	6	6	2	-	2	-	2	-	-
E800-E949	ACCIDENTS.....	962	12	38	34	44	104	106	78	68	64	68	46	30	54	40	36	26	44	38	22	4	4	2
	WHITE.....MALE....	572	2	12	22	28	74	64	50	50	26	44	20	20	40	28	18	16	20	24	12	-	-	2
	FEMALE..	194	4	16	4	10	14	18	14	6	10	8	12	-	8	6	14	4	18	12	8	4	4	-
	ALL OTHER..MALE....	134	2	2	2	6	12	18	6	10	22	12	10	4	6	6	2	4	6	2	2	-	-	-
	FEMALE..	62	4	8	6	-	4	6	8	2	6	4	4	6	-	-	2	2	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	504	4	16	20	24	72	74	42	38	40	32	24	12	34	22	16	12	14	6	2	-	-	-
	WHITE.....MALE....	276	-	2	10	16	52	38	18	28	10	18	6	6	24	16	12	6	8	6	-	-	-	-
	FEMALE..	90	-	6	4	6	8	14	10	4	6	4	10	-	6	2	4	2	4	-	-	-	-	-
	ALL OTHER..MALE....	92	2	2	2	2	8	16	6	4	18	8	6	2	4	4	-	4	2	-	2	-	-	-
	FEMALE..	46	2	6	4	-	4	6	8	2	6	2	2	4	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	458	8	22	14	20	32	32	36	30	24	36	22	18	20	18	20	14	30	32	20	4	4	2
	WHITE.....MALE....	296	2	10	12	12	22	26	32	22	16	26	14	14	16	12	6	10	12	18	12	-	-	2
	FEMALE..	104	4	10	-	4	6	4	4	2	4	4	2	-	2	4	10	2	14	12	8	4	4	-
	ALL OTHER..MALE....	42	-	-	-	4	4	2	-	6	4	4	4	2	2	2	2	-	4	2	-	-	-	-
	FEMALE..	16	2	2	2	-	-	-	-	-	-	2	2	2	-	-	2	2	-	-	-	-	-	-
E950-E959	SUICIDE.....	144	...	...	-	-	16	20	14	10	14	10	14	16	6	8	8	6	-	2	-	-	-	-
	WHITE.....MALE....	104	...	...	-	-	10	12	14	4	12	6	12	10	4	6	6	6	-	2	-	-	-	-
	FEMALE..	28	...	...	-	-	4	4	-	2	-	4	2	6	2	2	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	12	...	...	-	-	2	4	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	102	-	-	-	2	18	14	10	14	12	14	2	4	4	2	2	2	-	2	-	-	-	-
	WHITE.....MALE....	48	-	-	-	2	6	8	8	8	4	2	-	2	4	-	-	2	-	2	-	-	-	-
	FEMALE..	20	-	-	-	-	6	2	-	4	2	4	2	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	22	-	-	-	-	2	4	-	2	4	6	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	4	-	2	-	2	2	-	-	-	-	2	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	8	-	-	-	-	-	2	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW YORK																							
	ALL CAUSES	185,284	4,472	776	584	590	1,654	2,292	1,948	1,924	2,520	3,984	6,318	9,050	12,606	17,012	20,676	24,074	26,300	23,906	15,534	6,884	2,114	66
	WHITE.....MALE	88,428	1,788	324	256	322	892	1,152	932	780	1,098	1,798	2,960	4,696	6,976	9,562	11,402	12,182	12,364	10,192	5,840	2,244	632	36
	FEMALE	76,798	1,298	266	208	162	342	420	390	422	596	1,090	1,866	2,744	3,956	5,556	7,352	10,072	12,500	12,656	9,140	4,358	1,390	14
	ALL OTHER..MALE	11,768	790	120	74	66	296	564	446	500	544	682	912	996	1,006	1,088	1,096	1,002	776	480	204	88	26	12
	FEMALE	8,290	596	66	46	40	124	156	180	222	282	414	580	614	668	806	826	818	660	578	350	194	66	4
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	10	-	-	2	-	-	-	2	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
	FEMALE	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	144	26	4	2	-	2	4	2	6	-	4	-	14	8	6	4	14	16	16	8	8	-	-
	WHITE.....MALE	62	8	2	-	-	2	-	2	2	-	-	-	6	8	2	-	8	10	6	6	-	-	-
	FEMALE	58	2	2	2	-	-	4	-	2	-	2	-	6	-	4	2	6	6	10	2	8	-	-
	ALL OTHER..MALE	10	6	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	14	10	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	488	-	2	-	-	-	-	6	10	18	22	40	50	46	54	68	54	58	34	16	8	-	-
	WHITE.....MALE	230	-	-	-	-	-	-	-	2	2	6	12	18	26	32	34	34	28	24	6	6	-	-
	FEMALE	94	-	-	-	-	-	-	2	2	6	2	6	10	4	8	6	12	16	10	8	2	-	-
	ALL OTHER..MALE	108	-	-	-	-	-	-	4	-	6	10	16	18	14	8	20	4	8	-	-	-	-	-
	FEMALE	56	-	2	-	-	-	-	-	6	4	4	6	4	2	6	8	4	6	2	2	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	422	-	2	-	-	-	-	6	8	16	22	36	44	40	50	58	44	44	28	16	8	-	-
	WHITE.....MALE	196	-	-	-	-	-	-	-	-	2	6	12	14	22	30	26	30	24	18	6	6	-	-
	FEMALE	80	-	-	-	-	-	-	2	2	4	2	4	10	4	6	6	10	12	8	8	2	-	-
	ALL OTHER..MALE	92	-	-	-	-	-	-	4	-	6	10	14	16	12	8	18	2	2	-	-	-	-	-
	FEMALE	54	-	2	-	-	-	-	-	6	4	4	6	4	2	6	8	2	6	2	2	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	66	-	-	-	-	-	-	-	2	2	-	4	6	6	4	10	10	14	8	-	-	-	-
	WHITE.....MALE	34	-	-	-	-	-	-	-	2	-	-	-	4	4	2	8	4	4	6	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	2	-	2	-	-	2	-	2	4	2	-	-	-	-
	ALL OTHER..MALE	16	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	2	6	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	32	10	12	-	-	2	2	-	-	2	-	-	-	-	-	-	-	2	2	-	-	-	-
	WHITE.....MALE	12	6	2	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	14	4	6	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	416	50	2	2	2	8	-	2	2	2	6	8	22	26	28	48	46	60	46	36	18	2	-
	WHITE.....MALE	174	14	2	2	2	2	-	2	-	-	2	2	6	10	10	26	20	26	18	20	8	2	-
	FEMALE	146	18	-	-	-	-	-	-	-	2	-	4	10	4	8	12	22	20	24	16	6	-	-
	ALL OTHER..MALE	50	10	-	-	-	2	-	-	2	-	4	2	4	8	2	6	2	6	-	-	2	-	-
	FEMALE	46	8	-	-	-	4	-	-	-	-	-	-	2	4	8	4	2	8	4	-	2	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	26	-	-	-	-	-	-	-	-	-	-	-	2	4	6	-	4	8	-	2	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	-	2	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972–Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW YORK--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	340	20	4	18	12	12	18	6	16	16	12	20	24	22	32	22	34	20	16	10	6	-	-
	WHITE.....MALE....	142	10	2	2	2	10	6	4	-	4	4	4	8	14	16	8	20	16	8	4	-	-	-
	FEMALE..	136	2	-	16	6	2	10	2	10	8	2	10	12	2	10	12	10	2	8	6	6	-	-
	ALL OTHER..MALE....	26	6	2	-	-	-	-	-	4	2	-	2	2	2	4	-	2	-	-	-	-	-	-
	FEMALE..	36	2	-	-	4	-	2	-	2	2	6	4	2	4	2	2	2	2	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	34,952	16	84	92	100	124	130	160	222	410	824	1,630	2,368	3,558	4,648	5,274	5,280	4,676	3,202	1,628	434	90	2
	WHITE.....MALE....	16,620	8	40	58	54	58	68	70	68	136	260	544	914	1,624	2,364	2,782	2,694	2,356	1,580	730	176	34	2
	FEMALE..	15,160	4	28	28	34	46	42	72	102	198	402	802	1,150	1,544	1,850	1,998	2,200	2,072	1,476	820	244	48	-
	ALL OTHER..MALE....	1,796	2	12	6	8	4	8	8	26	32	78	140	174	232	228	306	236	178	84	26	4	4	-
	FEMALE..	1,376	2	4	-	4	16	12	10	26	44	84	144	130	158	206	188	150	70	62	52	10	4	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	770	-	-	-	-	-	4	-	4	10	18	58	70	120	110	124	92	100	38	16	6	-	-
	WHITE.....MALE....	470	-	-	-	-	-	4	-	2	6	6	28	44	60	70	90	68	58	20	8	6	-	-
	FEMALE..	206	-	-	-	-	-	-	-	-	2	4	12	16	32	34	26	18	36	18	8	-	-	-
	ALL OTHER..MALE....	70	-	-	-	-	-	-	-	2	2	4	12	4	22	6	8	4	6	-	-	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	4	6	6	6	-	-	2	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	10,900	-	2	4	4	2	8	14	22	68	148	346	514	940	1,406	1,738	1,792	1,708	1,230	726	198	30	-
	WHITE.....MALE....	5,180	-	-	4	4	2	4	6	10	28	66	130	232	456	738	876	904	806	540	288	76	10	-
	FEMALE..	4,666	-	2	-	-	-	2	4	8	24	44	128	198	346	520	646	766	810	628	404	120	16	-
	ALL OTHER..MALE....	622	-	-	-	-	-	-	4	4	10	26	52	52	92	88	116	72	62	30	10	2	2	-
	FEMALE..	432	-	-	-	-	-	2	-	-	6	12	36	32	46	60	100	50	30	32	24	-	2	-
160-163	OF RESPIRATORY SYSTEM....	7,468	2	2	-	-	-	-	4	20	60	180	378	646	970	1,208	1,300	1,146	864	478	148	50	10	2
	WHITE.....MALE....	5,264	-	2	-	-	-	-	-	8	24	86	214	362	652	900	978	860	682	338	116	30	10	2
	FEMALE..	1,510	-	-	-	-	-	-	4	4	26	40	102	186	230	204	224	200	132	118	26	14	-	-
	ALL OTHER..MALE....	532	-	-	-	-	-	-	-	8	8	30	46	76	74	72	84	72	42	16	2	2	-	-
	FEMALE..	162	2	-	-	-	-	-	-	-	2	24	16	22	14	32	14	14	8	6	4	4	-	-
174	OF BREAST.....	3,542	-	-	-	-	-	-	18	38	72	174	310	376	458	482	404	442	350	238	126	40	14	-
	WHITE.....MALE....	36	-	-	-	-	-	-	-	-	-	-	-	2	4	10	4	4	6	4	-	-	2	-
	FEMALE..	3,258	-	-	-	-	-	-	18	32	56	150	276	346	422	426	376	418	334	232	122	38	12	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-	-	-	-	-
	FEMALE..	240	-	-	-	-	-	-	-	6	16	24	34	28	30	42	22	20	10	2	4	2	-	-
180-187	OF GENITAL ORGANS.....	3,830	-	-	-	6	6	14	16	34	48	78	202	246	306	426	532	604	592	446	220	42	12	-
	WHITE.....MALE....	1,342	-	-	-	2	2	12	6	4	6	2	8	14	56	98	182	244	272	290	124	18	2	-
	FEMALE..	2,044	-	-	-	4	2	2	6	22	28	64	156	194	214	268	298	290	268	128	74	20	6	-
	ALL OTHER..MALE....	204	-	-	-	-	-	-	-	-	-	2	2	18	8	18	32	50	44	18	10	-	2	-
	FEMALE..	240	-	-	-	-	2	-	4	8	14	10	36	20	28	42	20	20	8	10	12	4	2	-
188, 189	OF URINARY ORGANS.....	1,590	4	4	10	-	-	-	4	-	10	26	40	86	112	182	234	296	250	194	104	28	6	-
	WHITE.....MALE....	1,022	2	2	8	-	-	-	2	-	8	12	18	56	74	116	164	194	164	114	70	14	4	-
	FEMALE..	468	2	2	2	-	-	-	-	-	-	12	16	22	26	56	46	88	78	70	32	14	2	-
	ALL OTHER..MALE....	72	-	-	-	-	-	-	2	-	2	-	2	6	10	6	18	8	8	10	-	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	2	4	2	2	4	6	6	-	-	2	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	3,598	8	36	16	42	58	36	32	40	68	104	146	246	372	482	500	474	438	300	142	46	12	-
	WHITE.....MALE....	1,648	4	16	6	20	28	14	26	20	30	46	72	118	170	230	254	196	190	132	54	22	-	-
	FEMALE..	1,638	2	12	6	16	22	12	6	12	32	48	54	104	158	214	200	238	228	158	80	24	12	-
	ALL OTHER..MALE....	170	2	6	4	6	-	8	-	4	4	6	14	14	16	22	28	18	10	4	4	-	-	-
	FEMALE..	142	-	2	-	-	8	2	-	4	2	4	6	10	28	16	18	22	10	6	4	-	-	-
204-207	LEUKEMIA.....	1,280	2	38	50	32	44	22	28	14	32	34	40	60	100	98	152	180	146	122	70	12	4	-
	WHITE.....MALE....	700	2	20	34	22	18	16	6	2	16	10	18	38	58	66	86	106	86	58	30	4	4	-
	FEMALE..	496	-	12	14	8	18	4	18	4	14	18	18	20	36	28	56	62	60	58	40	8	-	-
	ALL OTHER..MALE....	44	-	6	2	-	4	-	2	2	-	6	-	-	6	2	8	4	-	2	-	-	-	-
	FEMALE..	40	-	-	-	2	4	2	2	6	2	-	4	2	-	2	2	8	-	4	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	1,974	-	2	12	16	14	46	44	50	42	62	110	124	180	254	290	254	228	156	76	12	2	-
	WHITE.....MALE....	958	-	-	6	6	8	18	24	22	18	32	56	48	94	136	148	118	92	84	40	6	2	-
	FEMALE..	874	-	-	6	6	4	22	16	20	16	22	40	64	80	100	126	120	126	66	34	6	-	-
	ALL OTHER..MALE....	74	-	-	-	2	-	-	-	6	6	4	12	4	2	10	10	8	6	4	-	-	-	-
	FEMALE..	68	-	2	-	2	2	6	4	2	2	4	2	8	4	8	6	8	4	2	2	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....	592	6	6	10	-	6	4	8	4	8	8	32	44	80	58	96	98	60	34	14	14	2	-
	WHITE.....MALE....	270	-	-	4	-	2	-	4	-	4	2	14	24	34	28	56	44	28	16	8	2	-	-
	FEMALE..	258	2	4	2	-	4	2	2	2	4	6	14	14	38	28	34	44	28	16	4	8	2	-
	ALL OTHER..MALE....	26	2	-	2	-	-	2	-	-	-	-	-	4	6	-	2	6	2	-	-	-	-	-
	FEMALE..	38	2	2	2	-	-	-	2	2	-	-	4	2	2	2	4	4	2	2	2	4	-	-
250	DIABETES MELLITUS.....	3,758	-	-	2	2	-	14	26	16	28	92	108	152	236	404	462	640	658	538	258	106	16	-
	WHITE.....MALE....	1,428	-	-	2	2	-	6	14	8	10	50	54	54	108	178	168	232	210	192	98	32	10	-
	FEMALE..	1,844	-	-	-	-	-	8	4	4	8	26	16	44	82	166	224	330	396	318	146	66	6	-
	ALL OTHER..MALE....	206	-	-	-	-	-	-	4	2	4	6	22	32	24	22	24	26	26	8	4	2	-	-
	FEMALE..	280	-	-	-	-	-	-	4	2	6	10	16	22	22	38	46	52	26	20	10	6	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW YORK--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	162	8	2	-	-	2	-	-	-	-	2	2	6	6	-	16	18	26	30	24	16	4	-
	WHITE.....MALE....	66	2	2	-	-	-	-	-	-	-	-	-	4	2	-	8	8	12	14	12	2	-	-
	FEMALE..	68	2	-	-	-	-	-	-	-	-	-	-	-	2	-	8	6	12	12	10	12	4	-
	ALL OTHER..MALE....	16	2	-	-	-	2	-	-	-	-	2	-	2	-	-	-	-	2	2	2	2	-	-
	FEMALE..	12	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	4	-	2	-	-	-	-
280-285	ANEMIAS.....	290	2	6	4	6	12	12	2	18	6	6	8	10	6	20	14	32	36	40	28	16	6	-
	WHITE.....MALE....	90	-	-	-	4	4	4	-	4	-	-	-	-	2	14	4	8	22	16	6	2	-	-
	FEMALE..	128	-	2	-	-	-	2	-	6	-	2	2	4	-	4	8	20	14	24	22	12	6	-
	ALL OTHER..MALE....	48	2	4	4	2	6	4	2	8	6	-	-	4	-	-	2	2	-	-	-	2	-	-
	FEMALE..	24	-	-	-	-	2	2	-	-	-	4	6	2	4	2	-	2	-	-	-	-	-	-
320	MENINGITIS.....	144	52	12	-	-	-	2	-	2	2	8	2	10	8	16	4	4	12	8	2	-	-	-
	WHITE.....MALE....	50	18	6	-	-	-	2	-	-	-	2	2	6	2	6	2	-	2	2	-	-	-	-
	FEMALE..	48	20	4	-	-	-	-	-	2	-	2	-	-	-	6	2	-	8	4	-	-	-	-
	ALL OTHER..MALE....	18	10	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	2	-	-	-
	FEMALE..	28	4	2	-	-	-	-	-	-	2	4	-	2	6	2	-	2	2	2	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	98,724	56	30	16	30	48	70	116	228	486	1,200	2,260	3,848	5,764	8,512	11,040	14,002	16,572	16,346	11,162	5,256	1,664	18
	WHITE.....MALE....	47,100	16	16	6	14	20	42	30	88	276	698	1,352	2,424	3,622	5,134	6,322	6,950	7,504	6,556	3,918	1,616	488	8
	FEMALE..	44,378	16	8	4	10	20	14	56	56	90	210	470	828	1,426	2,464	3,790	6,106	8,232	9,132	6,894	3,436	1,108	8
	ALL OTHER..MALE....	3,758	16	2	2	4	6	10	20	42	64	172	272	358	418	518	496	484	402	280	116	60	14	2
	FEMALE..	3,488	8	4	4	2	2	4	10	42	56	120	166	238	298	396	432	462	434	378	234	144	54	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	77,034	40	18	8	18	26	40	70	150	364	960	1,886	3,256	4,906	7,180	9,058	11,108	12,568	12,210	8,118	3,818	1,220	12
	WHITE.....MALE....	38,332	12	10	4	6	12	24	18	66	230	602	1,224	2,184	3,206	4,444	5,348	5,664	5,832	4,940	2,876	1,254	370	6
	FEMALE..	33,302	16	4	2	8	8	6	38	30	54	144	336	636	1,130	2,034	3,036	4,762	6,100	6,762	4,978	2,412	802	4
	ALL OTHER..MALE....	2,856	10	-	2	4	4	8	12	32	44	130	218	276	340	402	372	346	302	216	80	48	8	2
	FEMALE..	2,544	2	4	-	-	2	2	2	22	36	84	108	160	230	300	302	336	334	292	184	104	40	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	1,646	-	4	2	8	10	6	22	36	50	68	106	154	252	224	214	214	144	90	30	12	-	-
	WHITE.....MALE....	666	-	2	-	4	2	4	4	8	24	36	60	66	102	100	86	70	50	34	6	8	-	-
	FEMALE..	802	-	2	-	2	6	2	12	6	14	16	34	74	128	104	110	134	88	42	24	4	-	-
	ALL OTHER..MALE....	98	-	-	2	2	2	-	6	12	6	12	6	10	12	10	10	4	-	4	-	-	-	-
	FEMALE..	80	-	-	-	-	-	-	-	10	6	4	6	4	10	10	8	6	6	10	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	796	-	-	-	-	-	-	4	4	14	12	30	38	70	68	86	108	112	114	88	40	8	-
	WHITE.....MALE....	238	-	-	-	-	-	-	2	-	-	4	10	14	30	28	32	38	26	28	14	10	2	-
	FEMALE..	402	-	-	-	-	-	-	2	-	4	-	8	12	22	16	34	58	68	80	66	26	6	-
	ALL OTHER..MALE....	62	-	-	-	-	-	-	-	4	10	4	6	8	4	10	6	2	4	-	4	-	-	-
	FEMALE..	94	-	-	-	-	-	-	-	-	-	4	6	4	14	14	14	10	14	6	4	4	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	260	-	-	-	-	-	-	2	-	4	-	8	10	8	20	6	32	42	50	52	16	10	-
	WHITE.....MALE....	108	-	-	-	-	-	-	-	-	-	-	4	-	4	8	6	10	28	22	18	8	-	-
	FEMALE..	122	-	-	-	-	-	-	-	-	-	-	-	4	2	6	-	20	12	26	34	8	10	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	2	-	-	-	-	2	-	6	-	2	-	2	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	4	-	4	4	2	-	-	-	2	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	71,722	-	-	-	2	2	14	16	74	252	822	1,652	2,948	4,414	6,618	8,406	10,436	11,926	11,638	7,680	3,638	1,172	12
	WHITE.....MALE....	36,124	-	-	-	-	2	8	6	44	186	538	1,114	2,050	2,978	4,176	5,036	5,404	5,588	4,708	2,736	1,186	358	6
	FEMALE..	30,892	-	-	-	2	-	2	6	18	24	106	268	516	934	1,832	2,772	4,404	5,758	6,466	4,704	2,310	766	4
	ALL OTHER..MALE....	2,510	-	-	-	-	-	4	2	10	22	108	190	246	306	348	334	324	282	202	74	48	8	2
	FEMALE..	2,196	-	-	-	-	-	-	2	2	20	70	80	136	196	262	264	304	298	262	166	94	40	-
410	ACUTE MYOCARDIAL INFARCTION.....	32,946	-	-	-	-	2	8	8	48	150	460	930	1,784	2,562	3,772	4,754	5,096	5,264	4,342	2,514	968	278	6
	WHITE.....MALE....	18,552	-	-	-	-	2	6	4	28	114	326	688	1,312	1,792	2,536	3,018	2,840	2,594	1,888	964	332	102	6
	FEMALE..	12,716	-	-	-	-	-	-	4	14	12	66	146	328	556	1,006	1,522	2,066	2,464	2,300	1,470	594	168	-
	ALL OTHER..MALE....	936	-	-	-	-	-	2	-	4	18	38	66	100	144	140	114	106	96	76	16	16	-	-
	FEMALE..	742	-	-	-	-	-	-	-	2	6	30	30	44	70	90	100	84	110	78	64	26	8	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	302	-	-	-	-	-	-	-	-	2	-	28	8	34	28	44	38	52	34	24	10	-	-
	WHITE.....MALE....	174	-	-	-	-	-	-	-	-	2	-	24	6	20	16	30	16	32	10	14	4	-	-
	FEMALE..	112	-	-	-	-	-	-	-	-	-	-	2	-	12	8	12	22	20	22	10	4	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	-	2	-	2	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	38,466	-	-	-	2	-	6	8	26	100	362	692	1,156	1,818	2,816	3,608	5,300	6,608	7,262	5,142	2,660	894	6
	WHITE.....MALE....	17,396	-	-	-	-	-	2	2	16	70	212	400	732	1,166	1,624	1,988	2,548	2,962	2,810	1,758	850	256	-
	FEMALE..	18,060	-	-	-	2	-	2	2	4	12	40	120	188	366	818	1,238	2,314	3,272	4,144	3,224	1,712	598	4
	ALL OTHER..MALE....	1,570	-	-	-	-	-	2	2	6	4	70	124	144	160	208	220	218	186	126	58	32	8	2
	FEMALE..	1,440	-	-	-	-	-	-	2	-	14	40	48	92	126	166	162	220	188	182	102	66	32	-
413	ANGINA PECTORIS.....	8	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	2	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW YORK--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	242	-	-	-	2	-	2	2	6	2	6	8	16	20	16	18	36	30	26	30	16	6	-
	WHITE.....MALE....	102	-	-	-	-	-	2	-	-	-	4	2	6	10	10	10	24	8	8	12	6	-	-
	FEMALE..	124	-	-	-	2	-	-	2	4	-	2	4	8	10	4	4	12	22	16	18	10	6	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	2	2	-	-	2	-	-	4	-	-	2	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	2,368	40	14	6	6	14	18	24	30	42	52	82	90	142	234	328	282	314	292	238	96	24	-
	WHITE.....MALE....	1,094	12	8	4	2	8	10	6	14	20	20	34	48	82	122	178	118	132	140	90	36	10	-
	FEMALE..	960	16	2	2	2	2	2	16	2	12	20	22	22	34	72	116	134	152	132	132	54	14	-
	ALL OTHER..MALE....	168	10	-	-	2	2	4	2	6	6	6	14	10	18	26	22	14	16	8	2	-	-	-
	FEMALE..	146	2	4	-	-	2	2	-	8	4	6	12	10	8	14	12	16	14	12	14	6	-	-
400, 401, 403	HYPERTENSION.....	630	-	-	-	-	-	4	8	8	6	14	12	42	22	52	42	80	110	110	58	50	12	-
	WHITE.....MALE....	246	-	-	-	-	-	2	2	-	-	6	4	18	14	22	6	36	32	48	24	26	6	-
	FEMALE..	290	-	-	-	-	-	2	2	2	4	4	6	12	2	22	18	32	68	56	32	22	6	-
	ALL OTHER..MALE....	48	-	-	-	-	-	-	-	2	2	4	2	8	4	2	10	6	6	2	-	-	-	-
	FEMALE..	46	-	-	-	-	-	-	4	4	-	-	-	4	2	6	8	6	4	4	2	2	-	-
430-438	CEREBROVASCULAR DISEASES.	16,482	14	10	6	8	16	18	34	66	92	206	384	446	676	1,004	1,524	2,186	3,126	3,176	2,310	988	268	4
	WHITE.....MALE....	6,412	2	4	2	6	6	12	10	20	38	88	94	160	310	472	686	922	1,238	1,248	782	244	66	2
	FEMALE..	8,576	-	4	2	-	8	4	14	24	24	56	112	156	246	356	622	1,052	1,724	1,812	1,464	706	188	2
	ALL OTHER..MALE....	698	6	2	-	-	2	-	6	8	14	30	44	64	60	96	104	108	78	42	24	8	2	-
	FEMALE..	796	6	-	2	2	-	2	4	14	16	32	54	66	60	80	112	104	86	74	40	30	12	-
431	CEREBRAL HEMORRHAGE.....	3,232	6	2	2	4	-	6	12	24	36	78	144	196	238	290	336	414	522	496	274	130	22	-
	WHITE.....MALE....	1,288	-	-	-	2	-	4	2	12	22	36	46	64	114	142	156	178	168	182	88	44	8	-
	FEMALE..	1,540	-	-	-	-	-	-	4	2	6	18	44	66	80	104	138	196	308	296	184	82	12	-
	ALL OTHER..MALE....	206	2	2	-	-	-	-	2	4	6	12	30	30	28	30	26	14	14	6	-	-	-	-
	FEMALE..	198	4	-	2	2	-	2	4	6	2	12	24	36	16	14	16	26	12	12	2	4	2	-
433	CEREBRAL THROMBOSIS.....	4,512	-	-	-	-	2	-	4	-	10	4	6	40	100	186	370	616	976	1,006	750	324	116	2
	WHITE.....MALE....	1,746	-	-	-	-	-	-	-	-	6	2	2	22	58	100	158	278	408	374	244	74	18	2
	FEMALE..	2,568	-	-	-	-	2	-	4	-	-	-	4	14	30	64	174	304	538	610	492	240	92	-
	ALL OTHER..MALE....	78	-	-	-	-	-	-	-	-	2	-	-	4	6	10	12	16	14	4	6	2	2	-
	FEMALE..	120	-	-	-	-	-	-	-	-	2	2	-	-	6	12	26	18	16	18	8	8	4	-
434	CEREBRAL EMBOLISM.....	60	-	-	-	-	-	-	-	-	-	-	2	4	2	10	8	10	6	12	-	6	-	-
	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	6	2	6	-	2	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	-	2	2	-	4	4	4	4	6	-	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	8,678	8	8	4	4	14	12	18	42	46	124	152	206	336	518	810	1,146	1,622	1,662	1,286	528	130	2
	WHITE.....MALE....	3,352	2	4	2	4	6	8	8	8	10	50	46	72	138	226	368	460	640	686	450	124	40	-
	FEMALE..	4,438	-	4	2	-	6	4	6	22	18	38	62	74	136	184	306	548	874	900	788	380	84	2
	ALL OTHER..MALE....	414	4	-	-	-	2	-	4	4	6	18	14	30	26	56	66	78	50	32	18	6	-	-
	FEMALE..	474	2	-	-	-	-	-	-	8	12	18	30	30	36	52	70	60	50	44	30	18	6	-
440	ARTERIOSCLEROSIS.....	2,366	-	-	-	-	-	-	-	-	2	2	2	8	34	68	110	266	428	516	460	330	138	2
	WHITE.....MALE....	882	-	-	-	-	-	-	-	-	-	-	-	8	10	40	58	116	194	182	162	74	38	-
	FEMALE..	1,376	-	-	-	-	-	-	-	-	2	-	2	-	16	16	46	130	224	314	286	244	94	2
	ALL OTHER..MALE....	70	-	-	-	-	-	-	-	-	-	2	-	-	6	8	4	12	10	14	6	4	4	-
	FEMALE..	38	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	8	-	6	6	8	2	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	2,212	2	2	2	4	6	8	4	4	22	18	56	96	126	208	306	362	340	334	216	70	26	-
	WHITE.....MALE....	1,228	2	2	-	2	2	4	-	2	8	2	30	54	82	156	224	212	208	138	74	18	8	-
	FEMALE..	834	-	-	-	2	4	2	2	-	6	6	14	24	32	36	68	130	116	188	134	52	18	-
	ALL OTHER..MALE....	86	-	-	-	-	-	2	2	-	4	6	8	10	8	10	6	12	6	6	6	-	-	-
	FEMALE..	64	-	-	2	-	-	-	-	2	4	4	4	8	4	6	8	8	10	2	2	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	104	12	12	2	-	-	-	-	6	4	2	6	-	4	4	10	12	10	10	4	6	-	-
	WHITE.....MALE....	58	6	2	-	-	-	-	-	2	-	-	6	-	2	4	8	8	6	4	4	6	-	-
	FEMALE..	30	2	6	2	-	-	-	-	-	4	-	-	-	-	-	2	4	4	6	-	-	-	-
	ALL OTHER..MALE....	12	2	4	-	-	-	-	-	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	6,902	332	60	30	32	28	44	44	56	74	120	188	286	304	420	534	754	1,008	1,114	876	430	166	2
	WHITE.....MALE....	3,170	102	28	12	14	8	18	16	10	30	56	84	126	156	226	300	400	526	510	336	166	44	2
	FEMALE..	2,786	76	14	16	12	6	20	12	16	14	34	48	70	76	128	162	278	404	530	508	250	112	-
	ALL OTHER..MALE....	584	86	8	-	4	8	2	14	22	22	18	38	64	54	44	46	56	46	26	16	4	6	-
	FEMALE..	362	68	10	2	2	6	4	2	8	8	12	18	26	18	22	26	20	32	48	16	10	4	-
470-474	INFLUENZA.....	212	4	-	2	-	-	-	-	-	2	6	10	10	14	20	20	28	38	30	12	10	6	-
	WHITE.....MALE....	90	4	-	-	-	-	-	-	-	-	2	2	2	8	12	10	18	18	8	2	4	-	-
	FEMALE..	112	-	-	2	-	-	-	-	-	2	4	6	4	4	8	8	10	20	22	10	6	6	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	6,690	328	60	28	32	28	44	44	56	72	114	178	276	290	400	514	726	970	1,084	864	420	160	2
	WHITE.....MALE....	3,080	98	28	12	14	8	18	16	10	30	54	82	124	148	214	290	382	508	502	334	162	44	2
	FEMALE..	2,674	76	14	14	12	6	20	12	16	12	30	42	66	72	120	154	268	384	508	498	244	106	-
	ALL OTHER..MALE....	578	86	8	-	4	8	2	14	22	22	18	36	60	54	44	46	56	46	26	16	4	6	-
	FEMALE..	358	68	10	2	2	6	4	2	8	8	12	18	26	16	22	24	20	32	48	16	10	4	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW YORK—CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	2,396	10	6	10	-	8	12	6	16	30	32	60	112	214	262	424	426	332	268	128	30	8	2
	WHITE.....MALE	1,650	2	4	4	-	4	2	4	8	8	16	16	60	152	164	294	326	264	206	94	16	4	2
	FEMALE	542	4	-	-	-	-	-	-	6	16	8	22	34	34	84	106	76	58	52	26	12	4	-
	ALL OTHER..MALE	146	4	-	-	-	-	8	2	2	4	8	14	10	20	12	20	20	6	10	6	-	-	-
	FEMALE	58	-	2	6	-	4	2	-	-	2	-	8	8	8	2	4	4	4	-	2	2	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	562	4	2	2	-	-	-	-	4	8	4	24	14	36	70	98	98	66	70	44	16	2	-
	WHITE.....MALE	360	2	-	-	-	-	-	-	2	2	4	8	8	24	38	62	70	46	50	32	10	2	-
	FEMALE	154	2	-	-	-	-	-	-	2	6	-	8	4	4	20	34	18	16	20	8	4	-	-
	ALL OTHER..MALE	32	-	-	-	-	-	-	-	-	-	-	8	2	6	4	-	6	4	-	2	-	-	-
	FEMALE	16	-	2	2	-	-	-	-	-	-	-	-	-	2	-	2	4	-	-	2	2	-	-
492	EMPHYSEMA	1,592	6	-	2	-	-	2	4	2	4	10	18	76	154	174	298	310	250	182	82	12	4	2
	WHITE.....MALE	1,210	-	-	2	-	-	-	2	-	4	6	4	50	114	120	222	252	214	148	62	6	2	2
	FEMALE	292	2	-	-	-	-	-	-	-	-	-	8	24	24	46	60	48	32	24	16	6	2	-
	ALL OTHER..MALE	76	4	-	-	-	-	-	2	2	-	4	2	2	10	8	16	10	2	10	4	-	-	-
	FEMALE	14	-	-	-	-	-	2	-	-	-	-	4	-	6	-	-	-	2	-	-	-	-	-
493	ASTHMA	242	-	4	6	-	8	10	2	10	18	18	18	22	24	18	28	18	16	16	2	2	2	-
	WHITE.....MALE	80	-	4	2	-	4	2	2	6	2	6	4	2	14	6	10	4	4	8	-	-	-	-
	FEMALE	96	-	-	-	-	-	-	-	4	10	8	6	6	6	10	12	10	10	8	2	2	2	-
	ALL OTHER..MALE	38	-	-	-	-	-	8	-	-	4	4	4	6	4	-	4	4	-	-	-	-	-	-
	FEMALE	28	-	-	4	-	4	-	-	-	2	-	4	8	-	2	2	-	2	-	-	-	-	-
531-533	PEPTIC ULCER	860	6	-	-	-	-	4	8	6	8	16	30	48	70	90	138	120	116	102	60	34	4	-
	WHITE.....MALE	496	2	-	-	-	-	4	4	2	4	12	14	32	40	46	92	60	76	60	36	12	-	-
	FEMALE	270	4	-	-	-	-	-	-	-	-	-	6	6	20	36	34	46	32	38	22	22	4	-
	ALL OTHER..MALE	74	-	-	-	-	-	-	2	2	4	2	6	8	8	6	12	14	4	4	2	-	-	-
	FEMALE	20	-	-	-	-	-	-	2	2	-	2	4	2	2	2	-	-	4	-	-	-	-	-
540-543	APPENDICITIS	122	-	2	4	4	6	4	2	2	2	2	4	8	8	8	16	10	18	6	12	4	-	-
	WHITE.....MALE	66	-	-	2	4	6	4	-	2	2	-	2	4	6	6	8	4	6	4	2	4	-	-
	FEMALE	38	-	-	2	-	-	-	-	-	-	-	2	-	2	-	6	4	10	2	10	-	-	-
	ALL OTHER..MALE	12	-	2	-	-	-	-	2	-	-	-	-	4	-	2	2	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	2	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	704	44	4	-	-	-	4	2	6	6	14	18	14	38	50	60	72	112	120	96	38	6	-
	WHITE.....MALE	266	20	-	-	-	-	2	-	-	-	6	6	6	12	22	26	34	50	36	26	18	2	-
	FEMALE	374	14	4	-	-	-	-	-	2	-	8	2	8	20	26	32	34	60	80	62	18	4	-
	ALL OTHER..MALE	34	4	-	-	-	-	2	2	2	2	-	4	-	6	-	2	2	2	2	4	-	-	-
	FEMALE	30	6	-	-	-	-	-	-	2	4	-	6	-	-	2	-	2	-	2	4	2	-	-
571	CIRRHOSIS OF LIVER	4,060	-	2	-	2	4	22	60	170	254	428	508	544	560	570	440	244	164	66	16	2	2	2
	WHITE.....MALE	2,060	-	-	-	-	-	-	28	48	92	166	226	298	328	338	250	136	102	32	12	2	-	2
	FEMALE	1,016	-	2	-	2	2	6	8	18	54	94	96	122	156	150	130	84	56	32	2	-	2	-
	ALL OTHER..MALE	674	-	-	-	-	-	10	6	70	76	116	138	88	46	54	40	20	6	2	2	-	-	-
	FEMALE	310	-	-	-	-	2	6	18	34	32	52	48	36	30	28	20	4	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	336	-	-	-	-	-	2	-	2	-	-	8	6	18	30	38	46	62	58	46	12	8	-
	WHITE.....MALE	138	-	-	-	-	-	-	-	2	-	-	6	2	6	8	22	24	28	20	16	4	-	-
	FEMALE	178	-	-	-	-	-	2	-	-	-	-	2	4	8	18	12	20	30	36	30	8	8	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	2	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	742	-	4	-	-	8	12	12	16	20	26	38	68	76	62	84	76	76	96	46	20	2	-
	WHITE.....MALE	314	-	-	-	-	6	4	4	6	4	6	16	26	36	24	32	22	44	50	24	10	-	-
	FEMALE	248	-	2	-	-	2	2	2	2	4	10	8	26	20	20	26	34	24	36	20	8	2	-
	ALL OTHER..MALE	98	-	-	-	-	-	4	2	6	8	6	6	8	6	10	12	16	8	6	-	-	-	-
	FEMALE	82	-	2	-	-	-	2	4	2	4	4	8	8	14	8	14	4	-	4	2	2	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	150	-	4	-	-	2	-	2	2	2	2	6	14	16	14	14	20	18	18	14	2	-	-
	WHITE.....MALE	78	-	-	-	-	2	-	-	-	-	-	2	10	10	6	6	10	10	12	10	-	-	-
	FEMALE	44	-	2	-	-	-	-	-	-	-	-	-	4	4	6	4	6	8	4	4	2	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	-	-	-	-	-	-
	FEMALE	22	-	2	-	-	-	-	2	2	2	2	2	-	2	2	4	-	-	2	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	592	-	-	-	-	6	12	10	14	18	24	32	54	60	48	70	56	58	78	32	18	2	-
	WHITE.....MALE	236	-	-	-	-	4	4	4	6	4	6	14	16	26	18	26	12	34	38	14	10	-	-
	FEMALE	204	-	-	-	-	2	2	2	2	4	10	8	22	16	14	22	28	16	32	16	6	2	-
	ALL OTHER..MALE	92	-	-	-	-	-	4	2	6	8	6	4	8	6	10	12	12	8	6	-	-	-	-
	FEMALE	60	-	-	-	-	-	2	2	-	2	2	6	8	12	6	10	4	-	2	2	2	-	-
590	INFECTIONS OF KIDNEY	490	2	-	2	-	-	2	2	6	-	4	18	10	34	22	50	82	92	90	58	12	4	-
	WHITE.....MALE	208	-	-	-	-	-	-	-	4	-	-	2	4	8	10	24	48	42	34	28	4	-	-
	FEMALE	212	2	-	-	-	-	-	-	-	-	-	8	-	20	8	20	24	42	48	28	8	4	-
	ALL OTHER..MALE	34	-	-	2	-	-	2	2	2	-	2	6	-	2	2	2	-	4	6	2	-	-	-
	FEMALE	36	-	-	-	-	-	-	-	-	-	2	2	6	4	2	4	10	4	2	-	-	-	-
600	HYPERPLASIA OF PROSTATE	194	-	-	-	-	-	-	-	-	-	-	-	2	4	6	10	30	40	52	28	14	8	-
	WHITE.....MALE	176	-	-	-	-	-	-	-	-	-	-	-	2	-	4	8	28	36	52	26	12	8	-
	ALL OTHER..MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	4	-	2	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW YORK--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	50	-	-	-	-	2	20	16	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	28	-	-	-	-	2	12	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	22	-	-	-	-	-	8	6	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	12	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	8	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	38	-	-	-	-	2	14	10	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	24	-	-	-	-	2	10	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	14	-	-	-	-	-	4	2	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	1,214	710	116	40	48	30	16	26	20	20	16	28	18	30	24	34	16	4	8	6	2	-	2
	WHITE.....MALE....	530	314	42	12	28	16	8	18	10	8	4	14	8	8	8	14	6	4	4	2	-	-	2
	FEMALE..	454	242	54	18	20	10	4	2	2	12	10	12	6	18	10	20	6	-	2	4	2	-	-
	ALL OTHER..MALE....	110	68	16	6	-	-	2	2	6	-	-	-	2	2	6	-	-	-	-	-	-	-	-
	FEMALE..	120	86	4	4	-	4	2	4	2	-	2	2	2	2	-	-	4	-	2	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	2,584	2,574	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	8
	WHITE.....MALE....	1,048	1,048	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	FEMALE..	742	738	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2
	ALL OTHER..MALE....	468	468	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	324	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	1,440	1,434	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4
	WHITE.....MALE....	652	650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	FEMALE..	398	394	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2
	ALL OTHER..MALE....	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	1,144	1,140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
	WHITE.....MALE....	398	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	344	344	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	228	228	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	174	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	1,792	298	40	10	22	106	198	132	112	122	100	102	92	84	82	60	52	62	54	22	24	6	12
	WHITE.....MALE....	704	102	8	4	4	44	90	68	36	36	26	34	36	34	36	36	28	26	32	10	10	2	2
	FEMALE..	544	86	12	4	8	6	42	24	36	28	48	36	32	34	38	16	14	28	20	12	14	4	2
	ALL OTHER..MALE....	360	60	14	-	6	40	48	32	30	38	16	18	12	10	8	4	6	8	2	-	-	-	8
	FEMALE..	184	50	6	2	4	16	18	8	10	20	10	14	12	6	-	4	4	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.....	10,762	130	70	60	60	218	364	254	258	292	362	528	592	784	958	1,144	1,348	1,454	1,024	580	210	70	2
	WHITE.....MALE....	4,874	64	26	20	30	110	136	76	92	114	126	212	252	384	486	558	716	650	460	264	72	24	2
	FEMALE..	4,018	34	34	36	20	38	44	42	44	56	100	142	182	264	340	474	518	702	492	288	128	40	-
	ALL OTHER..MALE....	1,110	18	8	2	4	50	140	90	84	66	84	106	84	74	68	66	58	50	40	12	4	2	-
	FEMALE..	760	14	2	2	6	20	44	46	38	56	52	68	74	62	64	46	56	52	32	16	6	4	-
E800-E949	ACCIDENTS.....	6,930	62	208	230	214	646	720	470	306	272	292	288	384	360	384	376	392	396	420	314	142	44	10
	WHITE.....MALE....	4,002	30	120	116	138	430	498	334	196	158	170	172	214	212	238	188	210	192	196	120	48	14	8
	FEMALE..	2,106	16	60	68	42	158	142	78	48	36	64	68	112	112	104	160	140	194	208	180	86	30	-
	ALL OTHER..MALE....	590	12	22	30	22	40	72	42	48	62	42	34	36	26	38	18	24	4	6	6	4	-	2
	FEMALE..	232	4	6	16	12	18	8	16	14	16	16	14	22	10	4	10	18	6	10	8	4	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	3,242	6	50	128	100	428	514	312	190	158	150	142	186	164	178	170	132	76	108	34	10	2	4
	WHITE.....MALE....	2,022	2	24	66	70	286	354	224	124	98	78	82	100	92	110	92	78	42	68	18	8	2	4
	FEMALE..	832	2	20	32	20	122	114	46	32	24	40	40	54	54	42	68	40	32	34	14	2	-	-
	ALL OTHER..MALE....	292	-	6	22	8	14	40	30	30	28	20	18	18	14	24	8	8	2	2	-	-	-	-
	FEMALE..	96	2	-	8	2	6	6	12	4	8	12	2	14	4	2	2	6	-	4	2	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	3,688	56	158	102	114	218	206	158	116	114	142	146	198	196	206	206	260	320	312	280	132	42	6
	WHITE.....MALE....	1,980	28	96	50	68	144	144	110	72	60	92	90	114	120	128	96	132	150	128	102	40	12	4
	FEMALE..	1,274	14	40	36	22	36	28	32	16	12	24	28	58	58	62	92	100	162	174	166	84	30	-
	ALL OTHER..MALE....	298	12	16	8	14	26	32	12	18	34	22	16	18	12	14	10	16	2	4	6	4	-	2
	FEMALE..	136	2	6	8	10	12	2	4	10	8	4	12	8	6	2	8	12	6	6	6	4	-	-
E950-E959	SUICIDE.....	1,390	...	...	-	4	74	120	114	102	92	114	116	126	118	94	96	84	68	48	12	8	-	-
	WHITE.....MALE....	904	...	...	-	4	42	82	72	62	60	68	64	78	80	72	54	70	42	34	12	8	-	-
	FEMALE..	376	...	...	-	-	14	22	24	30	22	30	44	44	38	20	40	12	24	12	-	-	-	-
	ALL OTHER..MALE....	92	...	...	-	-	14	12	18	8	8	14	6	4	-	2	2	2	-	2	-	-	-	-
	FEMALE..	18	...	...	-	-	4	4	-	2	2	2	2	-	-	-	-	-	2	-	-	-	-	-
E960-E978	HOMICIDE.....	2,020	20	20	12	26	224	362	332	200	226	148	134	88	56	72	26	28	16	10	12	-	2	6
	WHITE.....MALE....	734	6	2	6	6	78	108	128	76	98	52	38	34	22	30	16	14	8	2	6	-	-	4
	FEMALE..	174	8	10	4	4	18	26	12	14	12	12	14	2	4	4	4	4	8	6	4	-	2	2
	ALL OTHER..MALE....	940	2	6	2	10	110	206	156	96	104	70	62	46	26	30	4	10	-	-	-	-	-	-
	FEMALE..	172	4	2	-	6	18	22	36	14	12	14	20	6	4	8	2	-	-	2	2	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	1,554	26	68	36	26	84	130	138	108	118	122	134	102	80	90	84	54	64	46	30	14	-	-
	WHITE.....MALE....	768	10	20	6	16	50	66	54	52	50	66	64	50	38	56	58	26	42	24	12	8	-	-
	FEMALE..	322	2	14	4	4	12	16	38	14	22	18	32	18	26	20	12	16	16	20	16	2	-	-
	ALL OTHER..MALE....	326	10	16	18	6	14	32	34	34	36	30	20	28	14	12	6	8	4	-	2	2	-	-
	FEMALE..	138	4	18	8	-	8	16	12	8	10	8	18	6	2	2	8	4	2	2	-	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH CAROLINA																							
	ALL CAUSES	47,288	2,064	314	234	262	716	848	634	738	932	1,436	2,136	2,946	3,776	4,512	5,252	5,654	5,390	4,620	3,054	1,354	408	8
	WHITE.....MALE	20,168	668	120	106	118	372	402	306	276	328	568	900	1,368	1,822	2,262	2,510	2,508	2,270	1,742	1,068	370	80	4
	FEMALE	14,806	524	90	52	64	116	106	94	132	190	330	486	634	824	1,042	1,408	1,740	2,112	2,204	1,594	818	242	2
	ALL OTHER..MALE	7,060	498	62	48	40	176	246	172	236	230	324	464	586	708	720	772	704	536	278	168	64	26	2
	FEMALE	5,254	372	42	28	40	52	94	62	94	184	214	286	358	422	488	562	702	472	396	224	102	60	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	110	42	6	-	2	2	-	2	2	2	2	6	-	2	2	4	6	14	10	2	4	-	-
	WHITE.....MALE	28	14	-	-	-	-	-	2	-	-	-	-	-	2	-	-	4	4	-	-	2	-	-
	FEMALE	32	2	4	-	-	-	-	-	-	-	-	4	-	-	2	-	-	8	8	2	2	-	-
	ALL OTHER..MALE	32	16	2	-	2	-	-	-	2	2	2	2	-	-	-	-	2	-	2	-	-	-	-
	FEMALE	18	10	-	-	-	2	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	104	-	-	-	-	-	-	2	-	6	-	10	12	12	12	16	8	6	8	6	4	2	-
	WHITE.....MALE	42	-	-	-	-	-	-	-	-	-	-	-	6	6	4	12	4	4	2	-	2	2	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	2	-	-	-
	ALL OTHER..MALE	40	-	-	-	-	-	-	2	-	6	-	8	6	2	4	2	4	-	4	2	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	2	2	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	82	-	-	-	-	-	-	-	-	6	-	10	10	6	10	14	2	6	8	6	2	2	-
	WHITE.....MALE	38	-	-	-	-	-	-	-	-	-	-	-	6	6	4	10	2	4	2	-	2	2	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-
	ALL OTHER..MALE	30	-	-	-	-	-	-	-	-	6	-	8	4	-	4	2	-	-	4	2	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	2	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	22	-	-	-	-	-	-	2	-	-	-	-	2	6	2	2	6	-	-	-	2	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	4	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	14	6	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	118	28	2	2	-	2	2	-	2	4	2	4	6	12	10	10	6	14	12	-	-	-	-
	WHITE.....MALE	50	6	2	-	-	-	2	-	-	-	2	2	4	8	6	6	2	2	8	-	-	-	-
	FEMALE	34	8	-	2	-	2	-	-	-	2	-	2	-	-	4	-	2	8	4	-	-	-	-
	ALL OTHER..MALE	26	8	-	-	-	-	-	-	2	2	-	-	2	4	-	2	2	4	-	-	-	-	-
	FEMALE	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH CAROLINA—CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	136	14	8	12	4	10	6	4	2	4	8	2	14	4	16	6	12	4	4	2	-	-	-
	WHITE.....MALE....	54	4	6	4	4	4	-	2	2	-	2	-	6	2	4	4	6	2	2	-	-	-	-
	FEMALE..	34	2	-	4	-	2	-	-	-	2	2	2	4	-	4	2	4	2	2	2	-	-	-
	ALL OTHER..MALE....	26	2	-	4	-	4	2	2	-	-	-	-	2	-	8	-	2	-	-	-	-	-	-
	FEMALE..	22	6	2	-	-	-	4	-	-	2	4	-	2	2	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	7,022	2	22	32	20	38	38	54	56	128	230	404	632	884	924	992	1,028	690	482	274	78	14	-
	WHITE.....MALE....	3,028	-	8	22	12	24	24	34	20	34	66	120	244	402	410	470	470	308	220	106	30	4	-
	FEMALE..	2,460	2	10	2	4	2	8	6	26	42	102	166	232	268	312	324	330	266	182	132	42	2	-
	ALL OTHER..MALE....	866	-	2	6	-	12	4	4	4	10	32	56	76	134	122	118	144	66	50	16	4	6	-
	FEMALE..	668	-	2	2	4	-	2	10	6	42	30	62	80	80	80	80	84	50	30	20	2	2	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	174	-	-	-	2	2	-	2	-	2	8	6	8	30	30	12	22	24	14	8	4	-	-
	WHITE.....MALE....	86	-	-	-	-	-	-	2	-	-	2	-	4	16	18	10	12	10	8	4	-	-	-
	FEMALE..	54	-	-	-	-	-	-	-	-	-	4	-	-	8	8	2	6	14	6	4	2	-	-
	ALL OTHER..MALE....	30	-	-	-	-	2	-	-	-	2	2	6	4	4	4	-	4	-	-	-	2	-	-
	FEMALE..	4	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	1,610	-	-	-	-	2	4	6	4	14	40	64	116	176	198	238	256	206	154	94	36	2	-
	WHITE.....MALE....	662	-	-	-	-	-	4	4	2	6	6	22	40	70	96	102	112	82	74	30	12	-	-
	FEMALE..	586	-	-	-	-	-	-	2	-	2	16	20	38	46	58	80	98	90	54	60	22	-	-
	ALL OTHER..MALE....	204	-	-	-	-	2	-	-	2	4	10	6	22	36	26	40	20	18	14	2	-	2	-
	FEMALE..	158	-	-	-	-	-	-	-	-	2	8	16	16	24	18	16	26	16	12	2	2	-	-
160-163	OF RESPIRATORY SYSTEM....	1,496	-	-	-	-	2	2	2	6	16	24	106	154	244	250	224	242	126	72	24	-	2	-
	WHITE.....MALE....	1,036	-	-	-	-	-	2	2	6	10	14	56	94	182	176	176	170	90	44	14	-	-	-
	FEMALE..	190	-	-	-	-	-	-	-	-	2	2	22	24	22	20	26	28	22	16	6	-	-	-
	ALL OTHER..MALE....	232	-	-	-	-	2	-	-	-	2	8	24	26	40	48	18	42	12	8	2	-	-	-
	FEMALE..	38	-	-	-	-	-	-	-	-	2	-	4	10	-	6	4	2	2	4	2	-	2	-
174	OF BREAST.....	616	-	-	-	-	-	-	4	8	30	30	78	82	94	78	78	58	38	22	16	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	484	-	-	-	-	-	-	-	8	18	18	56	68	72	66	62	48	36	22	10	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	128	-	-	-	-	-	-	4	-	12	12	20	14	22	12	16	10	2	-	4	-	-	-
180-187	OF GENITAL ORGANS.....	936	-	-	-	2	2	6	10	12	22	30	54	74	88	102	134	140	108	82	52	16	2	-
	WHITE.....MALE....	274	-	-	-	2	-	4	6	2	-	-	2	6	16	26	40	48	42	36	30	12	2	-
	FEMALE..	368	-	-	-	-	2	-	-	6	10	24	34	46	44	46	56	36	24	26	12	2	-	-
	ALL OTHER..MALE....	150	-	-	-	-	-	-	-	-	-	-	4	4	12	12	22	40	26	20	8	2	-	-
	FEMALE..	144	-	-	-	-	-	2	4	4	12	6	14	18	16	18	16	16	16	-	2	-	-	-
188, 189	OF URINARY ORGANS.....	288	-	2	2	2	-	-	-	-	-	12	8	18	30	48	52	50	30	18	8	4	4	-
	WHITE.....MALE....	162	-	-	-	2	-	-	-	-	-	2	8	14	16	26	30	26	22	12	2	2	-	-
	FEMALE..	76	-	2	-	-	-	-	-	-	-	4	-	4	6	18	14	10	6	6	4	2	-	-
	ALL OTHER..MALE....	32	-	-	2	-	-	-	-	-	-	6	-	-	6	4	2	6	-	-	2	-	4	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	8	2	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	1,140	-	4	8	10	12	8	16	14	28	58	68	120	126	150	146	146	90	72	48	12	4	-
	WHITE.....MALE....	444	-	-	6	6	10	4	12	4	10	28	24	52	54	44	60	54	32	26	14	2	2	-
	FEMALE..	444	-	2	2	2	-	4	-	8	10	24	28	38	40	68	48	56	42	34	26	10	2	-
	ALL OTHER..MALE....	124	-	-	-	-	2	-	2	-	-	2	10	14	22	16	28	20	4	4	-	-	-	-
	FEMALE..	128	-	2	-	2	-	-	2	2	8	4	6	16	10	22	10	16	12	8	8	-	-	-
204-207	LEUKEMIA.....	350	2	14	18	4	18	14	10	2	6	12	4	24	38	30	48	44	28	18	12	4	-	-
	WHITE.....MALE....	162	-	6	14	2	14	6	4	-	2	6	2	12	18	8	24	22	12	6	4	-	-	-
	FEMALE..	128	2	6	-	2	-	4	4	2	-	4	-	4	14	18	18	18	16	6	6	4	-	-
	ALL OTHER..MALE....	42	-	2	2	-	4	4	2	-	2	2	2	4	6	2	4	4	-	2	-	-	-	-
	FEMALE..	18	-	-	2	-	-	-	-	-	2	-	-	4	-	2	2	-	-	4	2	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	412	-	2	4	-	-	4	4	10	10	16	16	36	58	38	60	70	40	30	12	2	-	-
	WHITE.....MALE....	200	-	2	2	-	-	4	4	6	6	8	6	22	30	16	28	26	18	14	6	2	-	-
	FEMALE..	130	-	-	-	-	-	-	-	2	-	6	6	10	16	10	18	30	16	12	4	-	-	-
	ALL OTHER..MALE....	50	-	-	2	-	-	-	-	2	-	2	2	2	8	10	4	8	6	2	2	-	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	4	-	2	2	4	2	10	6	-	2	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	120	-	-	-	2	2	2	-	4	4	10	12	4	12	14	16	18	10	4	2	4	-	-
	WHITE.....MALE....	42	-	-	-	-	2	2	-	4	2	4	2	2	4	4	8	2	4	-	2	-	-	-
	FEMALE..	48	-	-	-	2	-	-	-	-	-	-	6	2	6	8	2	10	6	4	-	2	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	2	-	2	-	-	-	4	2	-	-	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	6	2	-	2	2	2	4	-	-	-	2	-	-
250	DIABETES MELLITUS.....	918	2	2	2	-	2	2	10	18	22	24	38	68	100	108	154	148	84	86	36	12	-	-
	WHITE.....MALE....	258	2	-	-	-	2	-	2	10	4	14	10	14	40	30	28	38	26	24	14	-	-	-
	FEMALE..	330	-	2	2	-	-	-	-	4	2	6	8	16	24	34	64	54	44	44	16	10	-	-
	ALL OTHER..MALE....	130	-	-	-	-	-	2	8	2	6	2	6	18	18	14	30	16	2	2	4	-	-	-
	FEMALE..	200	-	-	-	-	-	-	-	2	10	2	14	20	18	30	32	40	12	16	2	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH CAROLINA—CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	46	6	-	-	-	-	-	-	-	-	2	-	-	-	2	4	4	12	2	10	4	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	4	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	4	2	-	-
	ALL OTHER..MALE....	16	4	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	6	-	-	-	-	-
	FEMALE..	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
280-285	ANEMIAS.....	62	2	-	8	-	-	2	2	-	6	-	2	2	2	8	8	2	6	4	8	-	-	-
	WHITE.....MALE....	16	2	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-	4	2	2	-	-	-
	FEMALE..	14	-	-	2	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	4	-	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	2	-	2	-	2	-	-	2	-	-	-	2	2	-	-	-
	FEMALE..	20	-	-	4	-	-	2	-	-	4	-	-	-	-	4	4	2	-	-	-	-	-	-
320	MENINGITIS.....	68	30	8	-	-	4	-	-	2	4	6	4	4	2	-	2	-	2	-	-	-	-	-
	WHITE.....MALE....	14	4	2	-	-	2	-	-	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	14	4	4	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	20	12	-	-	-	-	-	-	-	2	4	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	20	10	2	-	-	2	-	-	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	24,254	28	12	10	14	12	32	52	98	182	442	824	1,276	1,816	2,448	3,028	3,452	3,664	3,274	2,254	1,004	332	-
	WHITE.....MALE....	10,432	10	8	8	10	8	16	20	34	70	184	402	700	950	1,282	1,456	1,530	1,512	1,162	760	256	54	-
	FEMALE..	8,152	8	2	-	4	2	2	8	12	28	68	118	194	282	464	760	1,068	1,464	1,636	1,204	622	206	-
	ALL OTHER..MALE....	2,988	4	2	2	-	2	10	8	32	50	112	180	244	350	418	474	386	358	178	114	44	20	-
	FEMALE..	2,682	6	-	-	-	-	4	16	20	34	78	124	138	234	284	338	468	330	298	176	82	52	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	16,884	20	12	8	6	12	24	34	66	136	326	632	1,012	1,406	1,948	2,246	2,408	2,502	2,008	1,300	596	182	-
	WHITE.....MALE....	7,874	8	8	6	6	8	12	14	28	56	160	358	616	800	1,096	1,150	1,090	1,082	756	446	146	28	-
	FEMALE..	5,278	4	2	-	-	2	-	4	8	18	44	66	140	188	360	558	766	976	974	680	372	116	-
	ALL OTHER..MALE....	2,032	4	2	2	-	2	10	4	18	40	76	124	156	252	296	336	260	242	112	62	24	10	-
	FEMALE..	1,700	4	-	-	-	-	2	12	12	22	46	84	100	166	196	202	292	202	166	112	54	28	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	248	-	-	-	-	2	4	-	10	8	24	18	18	22	24	38	22	34	18	2	4	-	-
	WHITE.....MALE....	100	-	-	-	-	-	2	-	2	-	10	12	6	14	10	12	8	18	4	-	2	-	-
	FEMALE..	102	-	-	-	-	-	-	-	4	4	8	6	10	8	8	24	6	14	10	-	-	-	-
	ALL OTHER..MALE....	24	-	-	-	-	2	2	-	-	2	2	-	2	-	4	2	6	-	2	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	4	2	4	-	-	-	2	-	2	2	2	2	2	-	-
402	HYPERTENSIVE HEART DISEASE.....	126	-	-	-	-	-	-	-	-	-	4	10	8	16	6	16	22	12	14	8	10	-	-
	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	4	4	4	-	4	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	10	2	8	6	4	-	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	2	4	2	4	2	4	-	2	-	-	-	-	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	2	2	2	10	2	8	8	4	2	2	2	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	162	-	-	-	-	-	-	-	2	-	4	10	6	4	12	24	18	22	32	22	4	2	-
	WHITE.....MALE....	34	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	4	2	12	6	-	2	-
	FEMALE..	52	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	6	12	12	10	4	-	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	-	2	-	2	2	2	-	2	12	-	4	4	-	-	-	-
	FEMALE..	46	-	-	-	-	-	-	-	-	-	2	8	-	2	8	4	8	4	4	6	-	-	-
410-413	ISCHEMIC HEART DISEASE...	15,244	-	-	-	-	-	6	14	28	108	250	512	894	1,264	1,784	2,028	2,232	2,314	1,884	1,210	550	166	-
	WHITE.....MALE....	7,246	-	-	-	-	-	2	8	16	52	132	308	568	740	1,040	1,064	1,016	1,012	720	418	130	20	-
	FEMALE..	4,798	-	-	-	-	-	-	4	-	12	36	50	112	156	312	500	716	898	910	632	348	112	-
	ALL OTHER..MALE....	1,760	-	-	-	-	-	4	-	10	30	52	94	128	226	264	288	242	226	104	60	22	10	-
	FEMALE..	1,440	-	-	-	-	-	-	2	2	14	30	60	86	142	168	176	258	178	150	100	50	24	-
410	ACUTE MYOCARDIAL INFARCTION.....	8,890	-	-	-	-	-	2	4	20	66	178	390	644	942	1,242	1,356	1,286	1,222	892	428	156	62	-
	WHITE.....MALE....	4,856	-	-	-	-	-	2	2	12	38	108	246	452	610	780	794	638	602	344	180	40	8	-
	FEMALE..	2,428	-	-	-	-	-	-	2	-	8	22	36	74	98	218	348	420	440	446	188	90	38	-
	ALL OTHER..MALE....	962	-	-	-	-	-	-	-	6	14	36	70	80	148	152	144	116	112	40	28	12	4	-
	FEMALE..	644	-	-	-	-	-	-	-	2	6	12	38	38	86	92	70	112	68	62	32	14	12	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	118	-	-	-	-	-	-	2	-	6	10	10	22	8	12	4	18	4	12	6	4	-	-
	WHITE.....MALE....	56	-	-	-	-	-	-	-	-	4	2	8	16	2	6	4	2	2	6	2	2	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	4	-	2	2	2	-	6	2	4	2	2	-	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	2	2	2	4	2	2	-	4	-	2	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	2	-	-	2	-	-	2	2	-	6	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	6,224	-	-	-	-	-	4	8	8	36	62	110	226	312	530	668	928	1,088	978	772	390	104	-
	WHITE.....MALE....	2,324	-	-	-	-	-	-	6	4	10	22	52	98	126	254	266	376	408	368	234	88	12	-
	FEMALE..	2,342	-	-	-	-	-	-	2	-	4	10	14	36	56	92	152	290	456	460	440	256	74	-
	ALL OTHER..MALE....	776	-	-	-	-	-	4	-	4	14	14	22	44	76	110	144	122	114	62	30	10	6	-
	FEMALE..	782	-	-	-	-	-	-	-	-	8	16	22	48	54	74	106	140	110	88	68	36	12	-
413	ANGINA PECTORIS.....	12	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	2	4	-	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	2	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH CAROLINA—CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	122	2	2	-	-	2	4	2	4	2	2	6	4	8	4	24	8	22	6	14	2	4	-
	WHITE.....MALE....	42	2	2	-	-	-	2	2	-	-	-	2	-	2	-	14	2	8	2	2	-	2	-
	FEMALE..	50	-	-	-	-	2	-	-	2	-	-	-	-	4	4	8	2	10	2	12	2	2	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	2	2	2	4	2	-	-	-	2	2	2	-	-	-	-
	FEMALE..	12	-	-	-	-	-	2	-	-	-	-	-	2	2	-	2	2	2	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	982	18	10	8	6	8	10	18	22	18	42	76	82	92	118	116	106	98	54	44	26	10	-
	WHITE.....MALE....	426	6	6	6	6	8	6	4	10	4	18	36	38	42	44	50	56	38	14	20	10	4	-
	FEMALE..	240	4	2	-	-	-	-	-	2	2	-	6	14	18	34	24	26	40	32	20	14	2	-
	ALL OTHER..MALE....	180	4	2	2	-	-	4	4	4	6	16	20	20	22	24	30	10	8	-	2	2	-	-
	FEMALE..	136	4	-	-	-	-	-	10	6	6	8	14	10	10	16	12	14	12	8	2	-	4	-
400, 401, 403	HYPERTENSION.....	188	-	-	-	-	-	-	2	4	2	10	18	12	8	22	12	32	20	28	14	4	-	-
	WHITE.....MALE....	54	-	-	-	-	-	-	-	-	-	-	4	2	-	8	4	4	12	14	6	-	-	-
	FEMALE..	34	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	8	2	8	6	4	-	-
	ALL OTHER..MALE....	54	-	-	-	-	-	-	2	2	-	4	6	10	4	6	6	8	4	2	-	-	-	-
	FEMALE..	46	-	-	-	-	-	-	-	-	2	6	6	-	4	8	-	12	2	4	2	-	-	-
430-438	CEREBROVASCULAR DISEASES.	5,806	8	-	2	6	-	6	14	22	38	98	154	210	324	398	634	828	960	998	740	276	90	-
	WHITE.....MALE....	1,974	2	-	2	2	-	2	4	4	12	22	32	64	112	134	236	358	352	306	242	70	18	-
	FEMALE..	2,290	4	-	-	4	-	2	4	2	8	18	46	46	76	88	168	234	410	548	410	180	42	-
	ALL OTHER..MALE....	746	-	-	-	-	-	-	2	8	8	32	46	66	76	104	110	96	90	46	40	12	10	-
	FEMALE..	796	2	-	-	-	-	2	4	8	10	26	30	34	60	72	120	140	108	98	48	14	20	-
431	CEREBRAL HEMORRHAGE.....	916	6	-	-	4	-	-	4	6	16	44	42	54	96	92	130	118	94	116	66	24	4	-
	WHITE.....MALE....	310	-	-	-	2	-	-	2	-	6	10	8	14	42	30	50	50	26	34	26	10	-	-
	FEMALE..	290	4	-	-	2	-	-	-	-	-	4	12	12	24	16	30	34	40	66	32	12	2	-
	ALL OTHER..MALE....	166	-	-	-	-	-	-	-	4	2	16	8	16	20	28	28	14	18	6	4	2	-	-
	FEMALE..	150	2	-	-	-	-	-	2	2	8	14	14	12	10	18	22	20	10	10	4	-	2	-
433	CEREBRAL THROMBOSIS.....	1,652	-	-	2	-	-	2	-	-	-	-	6	26	46	100	158	236	354	322	246	122	32	-
	WHITE.....MALE....	602	-	-	2	-	-	-	-	-	-	-	-	12	10	32	60	108	154	92	92	34	6	-
	FEMALE..	700	-	-	-	-	-	-	-	-	-	-	4	4	12	16	52	72	140	180	128	78	14	-
	ALL OTHER..MALE....	140	-	-	-	-	-	-	-	-	-	-	2	2	14	24	22	22	16	18	12	4	4	-
	FEMALE..	210	-	-	-	-	-	2	-	-	-	-	-	8	10	28	24	34	44	32	14	6	8	-
434	CEREBRAL EMBOLISM.....	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	6	2	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	3,222	2	-	-	2	-	4	10	16	22	54	106	130	182	204	346	472	508	554	426	130	54	-
	WHITE.....MALE....	1,054	2	-	-	-	-	2	2	4	6	12	24	38	60	72	126	200	168	176	124	26	12	-
	FEMALE..	1,296	-	-	-	2	-	2	4	2	8	14	30	30	40	56	86	126	230	300	250	90	26	-
	ALL OTHER..MALE....	436	-	-	-	-	-	-	2	4	6	16	36	48	42	50	60	60	56	22	22	6	6	-
	FEMALE..	436	-	-	-	-	-	-	2	6	2	12	16	14	40	26	74	86	54	56	30	8	10	-
440	ARTERIOSCLEROSIS.....	758	-	-	-	-	-	-	-	-	-	2	6	8	12	26	50	82	110	158	158	100	46	-
	WHITE.....MALE....	240	-	-	-	-	-	-	-	-	-	-	-	2	6	14	16	26	38	48	53	34	6	-
	FEMALE..	352	-	-	-	-	-	-	-	-	-	2	4	-	4	6	14	24	46	70	90	52	40	-
	ALL OTHER..MALE....	80	-	-	-	-	-	-	-	-	-	-	2	6	-	4	10	14	18	12	8	6	-	-
	FEMALE..	86	-	-	-	-	-	-	-	-	-	-	-	-	2	2	10	18	8	28	10	8	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	618	-	-	-	2	-	2	2	6	6	6	14	34	66	54	86	102	72	82	42	28	14	-
	WHITE.....MALE....	290	-	-	-	2	-	2	2	2	2	2	8	16	32	30	50	52	28	38	16	6	2	-
	FEMALE..	198	-	-	-	-	-	-	-	-	2	4	-	8	14	10	18	36	30	36	18	14	8	-
	ALL OTHER..MALE....	76	-	-	-	-	-	-	-	4	2	-	2	6	18	8	12	8	4	6	4	2	-	-
	FEMALE..	54	-	-	-	-	-	-	-	-	-	-	4	4	2	6	6	6	10	2	4	6	4	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	28	10	-	-	-	2	-	-	2	-	-	-	2	2	-	8	-	2	-	-	-	-	-
	WHITE.....MALE....	16	4	-	-	-	-	-	-	-	-	-	-	-	2	-	8	-	2	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	8	4	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	1,550	126	20	8	-	12	18	12	14	28	38	52	54	110	106	120	164	190	216	144	94	24	-
	WHITE.....MALE....	622	40	4	-	-	2	6	6	4	8	8	22	16	34	44	68	64	94	92	66	36	8	-
	FEMALE..	536	24	6	6	-	6	6	-	-	6	10	14	10	42	16	24	64	62	106	70	52	12	-
	ALL OTHER..MALE....	232	34	4	-	-	2	2	4	8	6	6	14	18	28	32	18	20	22	8	2	4	-	-
	FEMALE..	160	28	6	2	-	2	4	2	2	8	14	2	10	6	14	10	16	12	10	6	2	4	-
470-474	INFLUENZA.....	212	4	-	2	-	2	2	2	-	4	8	10	4	28	14	28	30	24	28	10	6	6	-
	WHITE.....MALE....	70	-	-	-	-	-	-	-	-	2	2	2	2	10	4	12	14	10	6	4	2	-	-
	FEMALE..	82	4	-	2	-	2	2	-	-	-	2	4	-	4	2	10	10	8	22	4	2	4	-
	ALL OTHER..MALE....	34	-	-	-	-	-	-	2	-	2	-	4	-	8	4	4	4	4	-	-	2	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	4	-	2	6	4	2	2	2	-	2	-	2	-
480-486	PNEUMONIA.....	1,338	122	20	6	-	10	16	10	14	24	30	42	50	82	92	92	134	166	188	134	88	18	-
	WHITE.....MALE....	552	40	4	-	-	2	6	6	4	6	6	20	14	24	40	54	50	84	86	62	34	8	-
	FEMALE..	454	20	6	4	-	4	4	-	-	6	8	10	10	38	14	14	54	54	84	66	50	8	-
	ALL OTHER..MALE....	198	34	4	-	-	2	2	2	8	4	6	10	18	20	28	14	16	18	8	2	2	-	-
	FEMALE..	134	28	6	2	-	2	4	2	2	8	10	2	8	-	10	8	14	10	10	4	2	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH CAROLINA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	686	10	4	-	-	4	2	-	8	6	8	14	46	68	106	116	130	68	58	20	18	-	-
	WHITE.....MALE	462	2	-	-	-	-	-	-	-	-	-	8	26	42	82	78	102	60	40	14	8	-	-
	FEMALE	128	4	2	-	-	-	-	-	6	2	4	-	10	16	8	26	24	6	10	4	6	-	-
	ALL OTHER..MALE	54	2	-	-	-	2	2	-	-	-	4	2	6	6	6	8	4	2	4	2	4	-	-
	FEMALE	42	2	2	-	-	2	-	-	2	4	-	4	4	4	10	4	-	-	4	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	172	10	-	-	-	2	-	-	-	-	2	2	12	22	26	24	26	14	14	6	12	-	-
	WHITE.....MALE	102	2	-	-	-	-	-	-	-	-	-	-	8	16	16	12	16	10	10	4	8	-	-
	FEMALE	34	4	-	-	-	-	-	-	-	-	-	-	-	2	2	8	10	2	2	2	2	-	-
	ALL OTHER..MALE	22	2	-	-	-	-	-	-	-	-	2	2	4	2	4	2	-	2	-	-	2	-	-
	FEMALE	14	2	-	-	-	2	-	-	-	-	-	-	-	2	4	2	-	-	2	-	-	-	-
492	EMPHYSEMA	456	-	2	-	-	-	-	-	-	2	4	8	32	36	72	84	104	54	40	12	6	-	-
	WHITE.....MALE	354	-	-	-	-	-	-	-	-	-	-	8	18	22	66	66	86	50	28	10	-	-	-
	FEMALE	68	-	-	-	-	-	-	-	-	2	2	-	8	10	4	12	14	4	6	2	4	-	-
	ALL OTHER..MALE	26	-	-	-	-	-	-	-	-	-	2	-	2	4	2	6	4	-	4	-	2	-	-
	FEMALE	8	-	2	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	2	-	-	-	-
493	ASTHMA	58	-	2	-	-	2	2	-	8	4	2	4	2	10	8	8	-	-	4	2	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	-	-	-	-
	FEMALE	26	-	2	-	-	-	-	-	6	-	2	-	2	4	2	6	-	-	2	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	2	4	-	4	-	2	6	2	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	154	-	-	-	-	-	-	-	2	2	8	6	4	20	22	18	28	18	18	8	-	-	-
	WHITE.....MALE	80	-	-	-	-	-	-	-	-	2	4	6	4	10	12	8	12	8	8	6	-	-	-
	FEMALE	42	-	-	-	-	-	-	-	2	-	-	-	-	4	4	4	8	8	10	2	-	-	-
	ALL OTHER..MALE	28	-	-	-	-	-	-	-	-	-	4	-	-	4	6	4	8	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
540-543	APPENDICITIS	40	-	-	-	4	-	2	2	2	-	-	2	4	-	6	8	4	2	2	-	2	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	2	2	-	-	-	-
	FEMALE	10	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	-	4	-	6	-	-	-	-	-	-	-	-
	FEMALE	8	-	-	-	4	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	154	18	-	-	-	-	-	-	4	2	-	2	10	10	10	24	14	22	20	14	2	2	-
	WHITE.....MALE	42	2	-	-	-	-	-	-	-	2	-	-	-	-	2	10	2	8	10	4	2	-	-
	FEMALE	64	8	-	-	-	-	-	-	2	-	-	-	8	4	6	4	6	10	8	6	-	2	-
	ALL OTHER..MALE	30	4	-	-	-	-	-	-	2	-	-	2	-	6	2	4	2	2	2	4	-	-	-
	FEMALE	18	4	-	-	-	-	-	-	-	-	-	-	2	-	-	6	4	2	-	-	-	-	-
571	CIRRHOSIS OF LIVER	714	-	-	-	-	-	4	14	28	58	98	114	94	96	82	62	30	22	12	-	-	-	-
	WHITE.....MALE	294	-	-	-	-	-	-	4	4	10	38	44	48	48	40	36	8	10	4	-	-	-	-
	FEMALE	154	-	-	-	-	-	2	-	-	10	20	32	10	22	16	18	6	12	6	-	-	-	-
	ALL OTHER..MALE	164	-	-	-	-	-	2	6	14	22	20	26	26	16	16	4	10	-	2	-	-	-	-
	FEMALE	102	-	-	-	-	-	-	4	10	16	20	12	10	10	10	4	6	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	80	-	-	-	-	-	-	-	-	2	-	6	-	10	6	12	18	10	8	6	-	2	-
	WHITE.....MALE	24	-	-	-	-	-	-	-	-	-	-	4	-	4	6	2	4	2	2	-	-	-	-
	FEMALE	46	-	-	-	-	-	-	-	-	2	-	-	-	6	-	4	14	6	6	6	-	2	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	292	2	-	2	4	2	6	2	8	6	6	26	24	34	34	42	24	28	16	20	4	2	-
	WHITE.....MALE	92	-	-	2	-	2	2	-	2	4	2	12	6	10	6	12	10	10	2	6	2	2	-
	FEMALE	46	2	-	-	-	-	-	2	-	-	2	4	2	2	8	2	4	4	10	4	-	-	-
	ALL OTHER..MALE	72	-	-	-	2	-	2	-	4	2	2	-	-	12	8	14	4	6	4	10	2	-	-
	FEMALE	82	-	-	-	2	-	2	-	2	-	-	10	16	10	12	14	6	8	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	18	2	-	2	-	-	4	-	-	2	-	-	2	-	2	-	2	-	-	-	2	-	-
	WHITE.....MALE	10	-	-	2	-	-	2	-	-	2	-	-	2	-	-	-	-	-	-	-	2	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	274	-	-	-	4	2	2	2	8	4	6	26	22	34	32	42	22	28	16	20	2	2	-
	WHITE.....MALE	82	-	-	-	-	2	-	-	2	2	2	12	4	10	6	12	10	10	2	6	-	2	-
	FEMALE	44	-	-	-	-	-	-	2	-	-	2	4	2	2	8	2	4	4	10	4	-	-	-
	ALL OTHER..MALE	70	-	-	-	2	-	2	-	4	2	2	-	-	12	8	14	2	6	4	10	2	-	-
	FEMALE	78	-	-	-	2	-	-	-	2	-	-	10	16	10	10	14	6	8	-	-	-	-	-
590	INFECTIONS OF KIDNEY	226	-	-	-	-	-	2	-	-	-	4	6	12	24	32	20	34	38	20	20	12	2	-
	WHITE.....MALE	64	-	-	-	-	-	2	-	-	-	-	4	2	2	6	4	10	14	8	10	2	-	-
	FEMALE	94	-	-	-	-	-	-	-	-	-	-	-	4	12	18	8	14	12	10	8	6	2	-
	ALL OTHER..MALE	22	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	4	4	-	2	-	-	-
	FEMALE	46	-	-	-	-	-	-	-	-	-	4	2	6	8	2	4	6	8	2	-	4	-	-
600	HYPERPLASIA OF PROSTATE	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	12	10	6	2	-	-
	WHITE.....MALE	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	10	6	6	2	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972--Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH CAROLINA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	14	-	-	-	-	2	8	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	10	-	-	-	-	2	4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	4	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	10	-	-	-	-	2	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	6	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	438	284	38	16	4	14	8	10	12	2	4	8	10	6	8	2	4	4	2	2	-	-	-
	WHITE.....MALE....	152	94	16	6	-	2	-	-	4	2	4	6	4	2	4	-	4	2	-	2	-	-	-
	FEMALE..	170	108	20	4	4	6	2	8	4	-	-	-	6	2	2	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	66	48	2	-	-	4	4	2	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	50	34	-	6	-	2	2	-	-	-	-	2	-	-	2	-	-	-	2	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	1,126	1,126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	372	372	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	286	286	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	264	264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	588	588	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	156	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	538	538	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	472	190	8	-	4	4	12	2	14	8	10	10	24	26	18	18	20	28	28	24	12	8	4
	WHITE.....MALE....	138	60	4	-	4	-	2	2	2	2	4	4	6	12	10	2	6	4	6	2	-	2	4
	FEMALE..	110	28	-	-	-	-	2	-	4	2	2	2	-	4	6	2	2	6	14	18	12	6	-
	ALL OTHER..MALE....	114	60	2	-	-	4	2	-	4	2	2	2	6	8	2	6	6	8	-	-	-	-	-
	FEMALE..	110	42	2	-	-	-	6	-	4	2	2	2	12	2	-	8	6	10	8	4	-	-	-
RESIDUAL	ALL OTHER DISEASES.....	2,938	70	38	14	34	30	54	42	78	114	160	198	230	266	250	346	312	292	206	132	64	8	-
	WHITE.....MALE....	1,174	26	16	10	8	8	20	12	28	40	62	62	90	104	128	166	132	112	90	38	18	4	-
	FEMALE..	914	24	10	-	10	14	12	10	12	18	38	60	40	68	78	108	86	118	90	76	38	4	-
	ALL OTHER..MALE....	484	16	4	2	10	4	6	8	22	18	36	50	66	66	24	44	48	38	10	8	4	-	-
	FEMALE..	366	4	8	2	6	4	16	12	16	38	24	26	34	28	20	28	46	24	16	10	4	-	-
E800-E949	ACCIDENTS.....	3,898	60	124	124	162	490	460	234	240	204	218	224	280	182	214	168	162	140	104	60	34	12	2
	WHITE.....MALE....	1,942	24	46	52	76	284	278	138	112	88	96	120	120	90	128	82	74	56	42	22	10	4	-
	FEMALE..	818	10	24	26	40	72	44	34	34	42	50	36	66	44	40	44	42	60	48	34	22	6	-
	ALL OTHER..MALE....	892	16	38	34	26	108	118	52	88	62	60	60	76	34	34	30	34	12	4	2	2	-	2
	FEMALE..	246	10	16	12	20	26	20	10	6	12	12	8	18	14	12	12	12	12	10	2	-	2	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	2,002	4	50	70	98	340	340	158	138	110	104	82	136	74	76	70	80	46	18	4	4	-	-
	WHITE.....MALE....	1,030	2	20	32	42	206	214	80	62	46	44	40	58	32	50	32	40	20	10	-	-	-	-
	FEMALE..	434	-	12	16	34	66	32	34	24	28	32	16	36	16	12	26	20	18	6	4	2	-	-
	ALL OTHER..MALE....	432	-	14	16	12	52	80	36	50	30	22	22	34	20	12	6	14	8	2	-	2	-	-
	FEMALE..	106	2	4	6	10	16	14	8	2	6	6	4	8	6	2	6	6	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,896	56	74	54	64	150	120	76	102	94	114	142	144	108	138	98	82	94	86	56	30	12	2
	WHITE.....MALE....	912	22	26	20	34	78	64	58	50	42	52	80	62	58	78	50	34	36	32	22	10	4	-
	FEMALE..	384	10	12	10	6	6	12	-	10	14	18	20	30	28	28	18	22	42	42	30	20	6	-
	ALL OTHER..MALE....	460	16	24	18	14	56	38	16	38	32	38	38	42	14	22	24	20	4	2	2	-	-	2
	FEMALE..	140	8	12	6	10	10	6	2	4	6	6	4	10	8	10	6	6	12	10	2	-	2	-
E950-E959	SUICIDE.....	646	...	...	-	2	24	56	72	46	70	60	74	76	44	50	32	20	4	12	4	-	-	-
	WHITE.....MALE....	440	...	...	-	2	16	28	42	30	42	44	50	46	30	44	28	20	4	10	4	-	-	-
	FEMALE..	142	...	...	-	-	2	10	18	12	22	14	22	22	12	4	4	-	-	-	-	-	-	-
	ALL OTHER..MALE....	56	...	...	-	-	6	12	12	4	6	2	-	8	2	2	-	-	-	2	-	-	-	-
	FEMALE..	8	...	...	-	-	-	6	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	738	4	10	4	6	54	124	112	84	62	90	80	44	30	18	12	2	-	-	-	-	-	2
	WHITE.....MALE....	204	-	2	-	2	14	20	38	14	16	32	16	18	14	8	8	2	-	-	-	-	-	-
	FEMALE..	70	-	2	4	-	6	12	6	6	8	10	6	4	2	-	2	-	-	-	-	-	-	2
	ALL OTHER..MALE....	360	2	4	-	-	24	72	60	44	28	34	50	20	14	6	2	-	-	-	-	-	-	-
	FEMALE..	104	2	2	-	4	10	20	8	20	10	14	8	2	-	4	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	76	4	4	-	-	6	8	6	10	4	6	8	12	2	4	-	2	-	-	-	-	-	-
	WHITE.....MALE....	28	2	2	-	-	2	-	4	4	2	-	6	4	2	-	-	-	-	-	-	-	-	-
	FEMALE..	18	-	-	-	-	2	-	-	6	-	2	2	4	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	22	2	2	-	-	2	6	2	-	2	-	-	2	-	2	-	2	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	2	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH DAKOTA																							
	ALL CAUSES	5,616	150	8	24	34	94	68	48	52	54	100	100	216	386	440	504	648	786	808	656	322	116	2
	WHITE.....MALE	3,124	72	6	20	18	78	48	24	28	36	52	64	142	252	272	312	402	434	410	282	138	32	2
	FEMALE	2,346	64	-	4	14	8	10	16	14	8	42	30	68	122	158	184	232	342	390	374	182	84	-
	ALL OTHER..MALE	94	10	-	-	2	4	10	6	10	-	2	4	4	6	4	6	10	8	6	-	2	-	-
	FEMALE	52	4	2	-	-	4	-	2	-	10	4	2	2	6	6	2	4	2	2	-	-	-	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-
	ALL OTHER..MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	10	2	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	8	2	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH DAKOTA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	10	2	-	2	-	-	2	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE....	6	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	886	-	-	8	8	12	2	2	6	10	24	24	50	112	120	120	100	100	114	60	8	4	2
	WHITE.....MALE....	476	-	-	8	-	12	2	-	2	8	8	12	22	50	70	64	60	52	68	30	2	4	2
	FEMALE..	400	-	-	-	8	-	-	2	4	2	16	12	28	60	48	56	34	48	46	30	6	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	14	-	-	-	-	-	-	-	-	-	-	-	-	8	2	-	-	-	-	4	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	260	-	-	-	-	2	-	-	-	2	6	-	6	22	42	36	30	38	52	18	4	-	2
	WHITE.....MALE....	134	-	-	-	-	2	-	-	-	2	4	-	4	14	20	14	24	16	26	6	-	-	2
	FEMALE..	124	-	-	-	-	-	-	-	-	-	2	-	2	8	20	22	6	22	26	12	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	136	-	-	-	-	-	-	-	-	2	2	10	6	26	18	24	20	12	14	2	-	-	-
	WHITE.....MALE....	110	-	-	-	-	-	-	-	-	2	2	10	6	16	18	20	10	10	14	2	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	-	8	-	4	8	2	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
174	OF BREAST.....	80	-	-	-	-	-	-	-	-	-	6	2	14	14	14	10	6	4	-	10	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE..	76	-	-	-	-	-	-	-	-	-	6	2	14	14	14	8	4	4	-	10	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	114	-	-	-	-	-	-	-	-	2	2	2	4	10	16	22	12	12	20	10	-	2	-
	WHITE.....MALE....	56	-	-	-	-	-	-	-	-	-	-	-	-	-	8	12	4	6	14	10	-	2	-
	FEMALE..	56	-	-	-	-	-	-	-	-	2	2	2	4	10	8	10	6	6	6	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	70	-	-	2	-	-	-	-	-	-	-	8	6	8	6	6	8	10	6	8	2	-	-
	WHITE.....MALE....	40	-	-	2	-	-	-	-	-	-	-	-	2	2	6	4	6	8	4	6	-	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	-	8	4	6	-	2	2	2	2	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	102	-	-	2	6	2	2	2	2	2	4	-	10	8	16	12	12	8	6	6	-	2	-
	WHITE.....MALE....	54	-	-	2	-	2	2	-	2	2	-	-	6	4	12	4	8	4	2	2	-	2	-
	FEMALE..	48	-	-	-	6	-	-	2	-	-	4	-	4	4	4	8	4	4	4	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204-207	LEUKEMIA.....	46	-	-	4	2	-	-	-	4	2	4	-	-	2	2	6	6	6	8	-	-	-	-
	WHITE.....MALE....	26	-	-	4	-	-	-	-	-	2	2	-	-	-	2	6	2	4	4	-	-	-	-
	FEMALE..	18	-	-	-	2	-	-	-	4	-	2	-	-	2	-	-	2	2	4	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	64	-	-	-	-	8	-	-	-	-	-	2	4	14	4	4	6	10	8	2	2	-	-
	WHITE.....MALE....	44	-	-	-	-	8	-	-	-	-	-	2	4	10	2	2	4	4	4	2	2	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	6	4	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	92	-	-	-	-	-	-	-	-	2	-	4	4	4	8	14	8	22	12	6	8	-	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	12	2	2	2	-	-
	FEMALE..	56	-	-	-	-	-	-	-	-	-	-	2	2	2	6	8	6	10	10	4	6	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH DAKOTA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	2	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
	FEMALE..	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	3,082	-	2	-	-	4	4	2	6	12	20	44	96	170	212	260	410	508	560	464	218	90	-
	WHITE.....MALE....	1,710	-	2	-	-	4	-	-	6	12	14	34	68	132	136	174	250	280	286	196	94	22	-
	FEMALE..	1,340	-	-	-	-	-	2	2	-	-	6	8	26	34	72	86	156	220	268	268	124	68	-
	ALL OTHER..MALE....	24	-	-	-	-	-	2	-	-	-	-	-	2	2	4	-	4	6	4	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	2	-	-	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	2,152	-	-	-	-	2	2	-	4	10	18	40	84	128	176	210	298	346	360	292	134	48	-
	WHITE.....MALE....	1,282	-	-	-	-	2	-	-	4	10	12	32	64	110	128	144	180	196	198	126	58	18	-
	FEMALE..	844	-	-	-	-	-	2	-	-	-	6	6	18	14	44	66	114	144	158	166	76	30	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	4	4	4	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	-	-	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	48	-	-	-	-	-	-	-	-	-	2	2	14	2	6	4	8	2	2	6	-	-	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	-	-	-	2	6	2	2	2	6	2	-	-	-	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	2	-	8	-	4	2	2	-	2	6	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	14	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	6	2	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	6	4	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	2	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	1,942	-	-	-	-	-	-	-	2	10	14	26	64	118	162	200	274	322	332	258	120	40	-
	WHITE.....MALE....	1,166	-	-	-	-	-	-	-	2	10	12	20	52	100	120	138	168	186	182	112	50	14	-
	FEMALE..	758	-	-	-	-	-	-	-	-	-	2	6	10	14	38	62	104	134	146	146	70	26	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	2	2	4	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	1,252	-	-	-	-	-	-	-	2	8	14	24	60	96	138	162	198	184	192	122	44	8	-
	WHITE.....MALE....	804	-	-	-	-	-	-	-	2	8	12	20	48	84	104	114	116	108	98	60	28	2	-
	FEMALE..	436	-	-	-	-	-	-	-	-	-	2	4	10	10	30	48	80	76	92	62	16	6	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	2	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	8	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	2	-	2	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	682	-	-	-	-	-	-	-	-	-	-	2	4	22	22	38	76	136	140	134	76	32	-
	WHITE.....MALE....	356	-	-	-	-	-	-	-	-	-	-	-	4	16	14	24	52	76	84	52	22	12	-
	FEMALE..	320	-	-	-	-	-	-	-	-	-	-	2	-	4	8	14	24	58	54	82	54	20	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH DAKOTA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	8	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	2	2	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	120	-	-	-	-	2	2	-	2	-	-	10	6	8	8	4	14	18	16	14	8	8	-
	WHITE.....MALE....	72	-	-	-	-	2	-	-	2	-	-	8	6	8	6	4	6	4	10	6	6	4	-
	FEMALE..	40	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	6	10	6	8	2	4	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	20	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	2	-	2	-	6	6	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	6	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	6	-
	ALL OTHER..MALE....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	722	-	2	-	-	2	-	2	2	-	-	4	10	38	28	50	88	128	164	136	52	16	-
	WHITE.....MALE....	322	-	2	-	-	2	-	-	2	-	-	2	4	18	4	30	52	64	72	52	14	4	-
	FEMALE..	396	-	-	-	-	-	-	2	-	-	-	2	6	20	24	20	36	62	90	84	38	12	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
431	CEREBRAL HEMORRHAGE.....	124	-	-	-	-	-	-	-	2	-	-	2	8	14	2	4	12	18	24	22	12	4	-
	WHITE.....MALE....	64	-	-	-	-	-	-	-	2	-	-	2	4	8	-	4	4	8	18	12	2	-	-
	FEMALE..	60	-	-	-	-	-	-	-	-	-	-	-	4	6	2	-	8	10	6	10	10	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	162	-	-	-	-	-	-	-	-	-	-	-	-	4	10	14	20	26	38	34	12	4	-
	WHITE.....MALE....	66	-	-	-	-	-	-	-	-	-	-	-	-	4	2	10	10	14	10	8	6	2	-
	FEMALE..	94	-	-	-	-	-	-	-	-	-	-	-	-	-	8	4	10	10	28	26	6	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	CEREBRAL EMBOLISM.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	434	-	2	-	-	2	-	2	-	-	-	2	2	20	16	32	56	84	100	80	28	8	-
	WHITE.....MALE....	192	-	2	-	-	2	-	-	-	-	-	-	-	6	2	16	38	42	44	32	6	2	-
	FEMALE..	240	-	-	-	-	-	-	2	-	-	-	2	2	14	14	16	18	42	54	48	22	6	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
440	ARTERIOSCLEROSIS.....	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	20	18	24	20	18	-
	WHITE.....MALE....	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	6	12	12	-	-
	FEMALE..	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	10	12	12	8	18	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	86	-	-	-	-	-	-	-	-	2	2	-	-	4	8	-	20	14	16	12	6	2	-
	WHITE.....MALE....	58	-	-	-	-	-	-	-	-	2	2	-	-	4	4	-	16	10	10	6	4	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	4	6	6	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	8	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	278	12	-	2	-	-	-	4	2	6	4	-	6	4	4	14	36	40	42	46	46	10	-
	WHITE.....MALE....	132	6	-	-	-	-	-	2	2	4	2	-	6	4	-	6	30	16	18	20	16	-	-
	FEMALE..	142	4	-	2	-	-	-	2	-	-	2	-	-	-	4	8	6	24	24	26	30	10	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474	INFLUENZA.....	48	-	-	-	-	-	-	-	-	2	4	-	4	-	2	-	8	8	8	6	6	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	6	4	4	2	2	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	4	4	4	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	230	12	-	2	-	-	-	4	2	4	-	-	2	4	2	14	28	32	34	40	40	10	-
	WHITE.....MALE....	108	6	-	-	-	-	-	2	2	4	-	-	2	4	-	6	24	12	14	18	14	-	-
	FEMALE..	120	4	-	2	-	-	-	2	-	-	-	-	-	-	2	8	4	20	20	22	26	10	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH DAKOTA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	86	2	-	-	-	-	-	2	-	-	-	-	4	6	16	12	10	16	4	12	2	-	-
	WHITE.....MALE	74	2	-	-	-	-	-	-	-	-	-	-	4	6	14	12	10	12	2	10	2	-	-
	FEMALE	12	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	4	2	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	16	2	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	4	-	-	-	-	-
	WHITE.....MALE	16	2	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	4	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	64	-	-	-	-	-	-	-	-	-	-	-	2	4	10	10	10	10	4	12	2	-	-
	WHITE.....MALE	54	-	-	-	-	-	-	-	-	-	-	-	2	4	8	10	10	6	2	10	2	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	6	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	22	-	-	-	-	-	-	-	-	-	2	-	2	4	2	4	2	4	-	-	2	-	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	4	-	-	2	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	24	-	-	-	2	-	-	-	-	2	-	-	2	2	-	4	2	2	4	2	2	-	-
	WHITE.....MALE	10	-	-	-	2	-	-	-	-	-	-	-	2	2	-	2	2	-	-	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	2	4	2	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	52	2	-	-	-	-	-	2	2	-	8	4	6	8	6	6	4	2	2	-	-	-	-
	WHITE.....MALE	28	2	-	-	-	-	-	-	-	-	2	-	4	6	4	4	2	2	2	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	4	2	2	2	2	2	2	-	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	2	4	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	30	-	-	-	-	-	-	-	-	-	2	2	4	-	2	6	8	2	4	-	-	-	-
	WHITE.....MALE	20	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	8	-	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	2	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	2	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	20	-	-	-	-	-	-	-	-	-	2	2	2	-	2	2	6	2	2	-	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	6	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	2	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	10	4	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH DAKOTA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	20	14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-
	WHITE.....MALE....	10	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	34	8	-	-	-	-	-	-	-	-	-	-	-	2	8	2	-	6	4	-	4	-	-
	WHITE.....MALE....	12	2	-	-	-	-	-	-	-	-	-	-	-	2	6	-	-	-	-	-	2	-	-
	FEMALE..	18	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	4	-	2	-	-
	ALL OTHER..MALE....	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.....	296	2	2	4	2	2	4	6	8	8	14	4	8	26	36	34	38	36	20	24	16	2	-
	WHITE.....MALE....	152	-	2	4	-	-	2	-	2	2	6	2	6	10	22	20	22	28	8	10	6	-	-
	FEMALE..	128	2	-	-	2	2	2	6	6	2	6	2	2	14	14	12	14	8	10	14	8	2	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	4	2	-	-	2	-	-	-	-	-	-	-	-	-
E800-E949	ACCIDENTS.....	430	4	4	8	22	66	54	24	18	10	20	12	22	34	12	16	12	26	28	24	10	4	-
	WHITE.....MALE....	306	4	2	6	16	56	44	18	10	6	16	10	18	28	8	10	2	18	16	6	8	4	-
	FEMALE..	90	-	-	2	4	6	2	2	-	2	4	2	4	4	4	6	8	8	12	18	2	-	-
	ALL OTHER..MALE....	26	-	-	-	2	-	8	4	8	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE..	8	-	2	-	-	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	190	-	2	6	14	46	30	18	12	8	10	8	4	6	2	6	2	4	8	2	-	2	-
	WHITE.....MALE....	142	-	2	4	10	40	22	16	6	4	8	6	4	4	2	4	-	2	6	-	-	2	-
	FEMALE..	28	-	-	2	2	4	2	-	-	2	2	2	-	2	-	2	2	2	2	2	-	-	-
	ALL OTHER..MALE....	16	-	-	-	2	-	6	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	240	4	2	2	8	20	24	6	6	2	10	4	18	28	10	10	10	22	20	22	10	2	-
	WHITE.....MALE....	164	4	-	2	6	16	22	2	4	2	8	4	14	24	6	6	2	16	10	6	8	2	-
	FEMALE..	62	-	-	-	2	2	-	2	-	-	2	-	4	2	4	4	6	6	10	16	2	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	2	2	2	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE..	4	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	60	...	...	-	-	8	2	4	6	4	6	4	8	8	2	-	2	2	-	4	-	-	-
	WHITE.....MALE....	48	...	...	-	-	6	-	4	4	4	4	4	8	6	2	-	2	-	-	4	-	-	-
	FEMALE..	8	...	...	-	-	-	2	-	2	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	4	...	...	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	6	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	8	-	-	-	-	-	-	2	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OHIO																							
	ALL CAUSES	101,982	3,120	502	418	434	988	1,208	928	938	1,178	2,114	3,572	5,372	7,126	9,030	10,806	12,302	14,282	13,188	9,056	4,176	1,240	4
	WHITE.....MALE	50,446	1,406	210	194	240	598	702	472	464	532	962	1,884	2,996	4,206	5,296	5,970	6,422	6,876	5,812	3,432	1,436	336	-
	FEMALE	41,416	1,008	190	152	156	234	262	246	236	358	612	1,988	1,630	2,138	2,778	3,740	4,778	6,416	6,778	5,236	2,560	818	2
	ALL OTHER..MALE	5,870	362	44	36	20	116	186	150	142	170	342	374	434	534	568	668	608	512	322	162	86	32	2
	FEMALE	4,250	344	58	36	18	40	58	60	96	118	198	226	312	248	388	428	494	478	276	226	94	54	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	88	18	2	2	-	-	-	-	2	-	4	-	2	2	2	6	10	10	6	12	8	2	-
	WHITE.....MALE	38	8	2	-	-	-	-	-	-	-	4	-	-	-	2	6	2	2	2	4	6	-	-
	FEMALE	42	4	-	2	-	-	-	-	-	-	-	-	2	2	-	-	8	8	4	8	2	2	-
	ALL OTHER..MALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	204	2	-	2	-	-	4	6	2	-	6	16	14	24	24	38	22	20	12	8	2	2	-
	WHITE.....MALE	92	-	-	2	-	-	2	-	-	-	2	6	10	6	20	18	6	10	6	2	2	-	-
	FEMALE	48	-	-	-	-	-	2	-	-	-	2	4	-	10	2	12	2	2	6	6	-	-	-
	ALL OTHER..MALE	46	2	-	-	-	-	-	-	-	-	-	6	4	6	2	6	10	8	-	-	-	2	-
	FEMALE	18	-	-	-	-	-	-	6	2	-	2	-	-	2	-	2	4	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	166	2	-	-	-	-	2	6	2	-	4	12	14	20	20	30	20	16	6	8	2	2	-
	WHITE.....MALE	76	-	-	-	-	-	2	-	-	-	2	2	10	6	18	14	4	10	4	2	2	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	-	2	4	-	6	-	10	2	-	2	6	-	-	-
	ALL OTHER..MALE	42	2	-	-	-	-	-	-	-	-	-	6	4	6	2	4	10	6	-	-	-	2	-
	FEMALE	16	-	-	-	-	-	-	6	2	-	-	-	-	2	-	2	4	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	38	-	-	2	-	-	2	-	-	-	2	4	-	4	4	8	2	4	6	-	-	-	-
	WHITE.....MALE	16	-	-	2	-	-	-	-	-	-	-	4	-	-	2	4	2	-	2	-	-	-	-
	FEMALE	16	-	-	-	-	-	2	-	-	-	-	-	-	4	2	2	-	2	4	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	24	10	4	2	-	4	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	WHITE.....MALE	12	6	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	4	2	-	-	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	204	50	2	-	2	6	6	-	4	2	2	12	10	8	8	26	18	30	8	2	4	4	-
	WHITE.....MALE	86	20	-	-	-	2	2	-	2	2	2	4	8	6	-	10	8	14	2	-	4	-	-
	FEMALE	74	22	-	-	2	-	2	-	-	-	-	8	2	2	4	6	8	8	4	2	-	4	-
	ALL OTHER..MALE	24	6	2	-	-	4	-	-	-	-	-	-	-	-	2	6	-	4	-	-	-	-	-
	FEMALE	20	2	-	-	-	-	2	-	2	-	-	-	-	-	2	4	2	4	2	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	20	-	-	-	-	-	-	-	-	-	-	2	2	4	2	2	2	2	2	2	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OHIO--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	180	24	6	8	6	8	12	4	14	8	6	6	6	18	8	8	16	12	6	2	-	2	-
	WHITE.....MALE....	78	6	-	6	4	-	8	-	6	6	6	2	6	8	2	2	10	4	2	-	-	-	-
	FEMALE..	86	10	4	2	2	8	4	4	6	2	-	-	-	10	6	6	6	8	4	2	-	2	-
	ALL OTHER..MALE....	6	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	4	2	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	18,056	6	38	68	56	88	112	80	124	290	444	876	1,504	1,992	2,338	2,578	2,400	2,298	1,716	858	228	52	-
	WHITE.....MALE....	8,970	2	14	36	32	60	78	44	48	74	160	356	656	1,012	1,232	1,388	1,284	1,142	862	370	96	24	-
	FEMALE..	7,452	-	24	26	20	24	30	34	66	102	218	416	662	768	882	936	896	988	764	454	122	20	-
	ALL OTHER..MALE....	1,000	2	-	4	2	2	4	-	2	10	28	64	106	138	138	174	128	104	62	22	8	2	-
	FEMALE..	634	2	-	2	2	2	-	2	8	14	38	40	80	74	86	80	92	64	28	12	2	6	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	376	-	-	-	-	-	2	-	-	-	10	18	46	56	68	48	40	32	28	22	2	4	-
	WHITE.....MALE....	258	-	-	-	-	-	2	-	-	-	4	14	34	40	40	42	26	18	22	12	2	2	-
	FEMALE..	90	-	-	-	-	-	-	-	-	-	4	2	4	14	24	2	12	12	4	10	-	2	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	2	-	6	-	2	4	2	2	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	5,254	2	-	-	2	2	8	12	12	38	62	186	354	502	662	762	760	822	620	330	98	20	-
	WHITE.....MALE....	2,532	-	-	-	-	2	6	8	4	14	26	102	162	266	340	388	392	378	282	112	44	6	-
	FEMALE..	2,258	-	-	-	2	-	2	4	8	16	28	62	136	194	248	310	292	396	302	194	52	12	-
	ALL OTHER..MALE....	260	-	-	-	-	-	-	-	-	4	2	16	30	32	36	40	40	20	22	14	2	2	-
	FEMALE..	204	2	-	-	-	-	-	-	-	4	6	6	26	10	38	24	36	28	14	10	-	-	-
160-163	OF RESPIRATORY SYSTEM....	4,144	-	-	-	2	4	2	2	8	24	122	222	416	630	666	750	538	430	220	72	28	8	-
	WHITE.....MALE....	2,956	-	-	-	2	4	-	2	6	18	64	124	262	420	500	574	418	324	168	52	14	4	-
	FEMALE..	750	-	-	-	-	-	2	-	2	6	32	44	98	136	102	100	84	68	46	18	12	-	-
	ALL OTHER..MALE....	362	-	-	-	-	-	-	-	-	-	16	42	46	66	54	66	34	32	6	-	-	-	-
	FEMALE..	76	-	-	-	-	-	-	-	-	-	10	12	10	8	10	10	2	6	-	2	2	4	-
174	OF BREAST.....	1,664	-	-	-	-	-	2	12	24	34	82	172	210	200	196	180	160	150	144	68	24	6	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	-	2	4	-	-	2	-
	FEMALE..	1,544	-	-	-	-	-	2	12	22	32	72	160	196	178	186	166	148	140	134	68	24	4	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	102	-	-	-	-	-	-	-	2	2	8	10	12	22	8	12	12	8	6	-	-	-	-
180-187	OF GENITAL ORGANS.....	2,168	-	-	-	-	6	22	18	18	30	56	96	130	140	254	282	328	320	278	158	28	4	-
	WHITE.....MALE....	824	-	-	-	-	4	16	8	2	-	4	4	4	16	76	72	142	168	176	108	20	4	-
	FEMALE..	1,076	-	-	-	-	2	6	10	12	24	42	86	116	102	144	160	132	116	76	44	4	-	-
	ALL OTHER..MALE....	156	-	-	-	-	-	-	-	-	-	-	2	2	8	22	28	32	26	26	6	4	-	-
	FEMALE..	112	-	-	-	-	-	-	-	4	6	10	4	8	14	12	22	22	10	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	778	-	2	4	-	2	-	2	2	2	14	22	46	66	78	120	136	132	104	36	8	2	-
	WHITE.....MALE....	492	-	-	-	-	2	-	-	2	2	6	18	34	36	56	74	94	74	66	24	2	2	-
	FEMALE..	244	-	2	2	-	-	-	-	-	-	6	4	6	26	16	38	38	50	38	12	4	-	-
	ALL OTHER..MALE....	28	-	-	2	-	-	-	-	-	-	2	-	-	2	4	8	-	8	-	-	2	-	-
	FEMALE..	14	-	-	-	-	-	-	2	-	-	-	-	6	2	-	-	4	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	1,920	2	20	26	28	34	24	18	18	24	58	80	182	242	240	220	212	208	154	98	24	8	-
	WHITE.....MALE....	946	-	8	12	14	24	18	12	6	16	28	42	94	136	134	138	88	82	56	28	6	4	-
	FEMALE..	816	-	12	12	10	8	4	6	10	6	22	38	66	80	90	68	102	108	86	68	18	2	-
	ALL OTHER..MALE....	90	2	-	2	2	-	2	-	-	2	4	-	14	14	10	6	14	10	6	2	-	-	-
	FEMALE..	68	-	-	-	2	2	-	-	2	-	4	-	8	12	6	8	8	8	6	-	-	2	-
204-207	LEUKEMIA.....	774	2	14	30	18	22	16	2	10	16	4	34	30	66	66	72	108	98	110	46	10	-	-
	WHITE.....MALE....	422	2	6	18	12	14	10	2	4	8	4	20	14	46	30	30	60	48	66	22	6	-	-
	FEMALE..	300	-	8	10	6	8	4	-	4	4	-	12	14	16	30	30	40	44	42	24	4	-	-
	ALL OTHER..MALE....	36	-	-	-	-	-	2	-	2	2	-	2	2	4	4	10	4	4	-	-	-	-	-
	FEMALE..	16	-	-	2	-	-	-	-	-	2	-	-	-	-	2	2	4	2	2	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	978	-	2	8	6	18	36	14	32	32	36	46	90	90	108	144	118	106	58	28	6	-	-
	WHITE.....MALE....	524	-	-	6	4	10	26	12	24	16	22	30	50	52	54	70	64	48	22	12	2	-	-
	FEMALE..	374	-	2	2	2	6	10	2	8	14	12	8	26	22	40	62	48	54	36	16	4	-	-
	ALL OTHER..MALE....	46	-	-	-	-	2	-	-	-	2	2	2	6	12	6	10	2	2	-	-	-	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	6	8	4	8	2	4	2	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	266	4	2	2	14	6	6	4	-	10	12	14	16	28	16	40	26	30	18	10	8	-	-
	WHITE.....MALE....	90	2	2	-	10	-	-	-	-	2	2	6	2	10	8	14	8	12	4	2	6	-	-
	FEMALE..	146	2	-	2	4	2	6	4	-	6	4	6	12	16	8	16	18	16	14	8	2	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	2	-	-	-	6	-	2	-	-	-	-	-
	FEMALE..	20	-	-	-	-	4	-	-	-	2	6	-	2	2	-	4	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	2,380	-	-	-	4	18	6	16	20	26	42	64	100	152	210	308	366	454	336	198	46	14	-
	WHITE.....MALE....	878	-	-	-	4	6	2	6	12	12	16	22	50	74	96	122	128	146	122	50	8	2	-
	FEMALE..	1,238	-	-	-	-	10	4	10	6	8	8	18	32	56	74	146	212	278	204	126	36	10	-
	ALL OTHER..MALE....	82	-	-	-	-	-	-	-	-	2	12	6	4	2	14	16	12	4	4	6	-	-	-
	FEMALE..	182	-	-	-	-	2	-	-	2	4	6	18	14	20	26	24	14	26	6	16	2	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OHIO—CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	120	6	2	-	-	-	-	-	-	2	-	8	6	6	6	4	16	18	12	14	14	6	-
	WHITE.....MALE....	40	4	2	-	-	-	-	-	-	-	-	2	2	2	2	2	10	6	-	2	6	-	-
	FEMALE..	62	2	-	-	-	-	-	-	-	2	-	2	4	4	4	2	2	8	8	10	8	6	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	2	2	-	-	-	-
280-285	ANEMIAS.....	182	4	8	2	-	6	4	2	-	2	2	4	8	2	12	20	14	18	38	24	12	-	-
	WHITE.....MALE....	68	-	2	2	-	2	-	2	-	2	-	-	4	-	8	6	6	10	10	10	4	-	-
	FEMALE..	92	-	-	-	-	4	2	-	-	-	2	-	2	2	4	14	8	8	26	12	8	-	-
	ALL OTHER..MALE....	12	4	4	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	2	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	2	2	-	-	-
320	MENINGITIS.....	68	22	6	4	-	-	-	2	-	2	-	6	-	8	4	6	6	2	-	-	-	-	-
	WHITE.....MALE....	16	2	-	4	-	-	-	2	-	-	-	-	-	6	-	-	2	-	-	-	-	-	-
	FEMALE..	14	2	4	-	-	-	-	-	-	2	-	2	-	-	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	18	6	-	-	-	-	-	-	-	-	-	4	-	2	4	2	-	-	-	-	-	-	-
	FEMALE..	20	12	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	55,234	36	20	14	18	48	54	84	138	276	650	1,384	2,274	3,308	4,592	5,790	7,396	9,188	9,132	6,618	3,252	960	2
	WHITE.....MALE....	27,086	20	12	6	6	24	18	34	62	146	390	908	1,460	2,130	2,850	3,330	3,780	4,346	3,822	2,422	1,072	248	-
	FEMALE..	23,740	10	6	6	8	18	16	20	36	58	96	256	486	852	1,256	1,934	2,946	4,232	4,892	3,926	2,036	650	-
	ALL OTHER..MALE....	2,324	4	2	-	-	4	14	12	20	34	112	122	174	220	266	308	352	280	214	104	62	18	2
	FEMALE..	2,084	2	-	2	4	2	6	18	20	38	52	98	154	106	220	218	318	330	204	166	82	44	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	40,446	14	14	6	8	34	30	52	84	220	520	1,156	1,882	2,756	3,684	4,510	5,554	6,592	6,324	4,260	2,128	616	2
	WHITE.....MALE....	20,810	12	8	-	2	16	8	26	46	130	338	814	1,296	1,852	2,362	2,648	2,872	3,198	2,682	1,592	744	164	-
	FEMALE..	16,390	-	6	4	4	14	8	12	16	44	74	182	332	640	960	1,462	2,176	2,936	3,340	2,474	1,286	420	-
	ALL OTHER..MALE....	1,778	-	-	-	-	4	10	6	14	22	76	100	144	176	202	240	276	218	160	72	44	12	2
	FEMALE..	1,468	2	-	2	2	-	4	8	8	24	32	60	110	88	160	160	230	240	142	122	54	20	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	850	-	-	-	-	8	2	8	14	22	40	50	86	104	128	132	94	80	42	24	14	2	-
	WHITE.....MALE....	360	-	-	-	-	6	2	4	2	6	20	26	50	42	64	52	34	34	10	6	2	-	-
	FEMALE..	420	-	-	-	-	2	-	2	10	10	8	18	32	54	56	74	58	38	30	16	10	2	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	2	-	2	8	2	2	2	4	-	2	4	2	-	-	-	-
	FEMALE..	40	-	-	-	-	-	-	-	2	4	4	4	2	6	4	6	-	4	-	2	2	-	-
402	HYPERTENSIVE HEART DISEASE.....	436	-	-	-	-	-	4	-	6	6	8	10	20	32	28	32	50	78	84	48	22	8	-
	WHITE.....MALE....	130	-	-	-	-	-	2	-	2	-	-	8	6	8	16	8	16	28	24	8	4	-	-
	FEMALE..	228	-	-	-	-	-	-	-	-	-	2	-	2	12	10	16	32	36	60	34	18	6	-
	ALL OTHER..MALE....	36	-	-	-	-	-	2	-	4	4	6	2	4	6	2	2	-	4	-	-	-	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	2	-	-	8	6	-	6	2	10	-	6	-	2	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	700	-	-	-	-	2	2	4	-	-	6	22	24	48	56	74	74	124	122	76	50	16	-
	WHITE.....MALE....	312	-	-	-	-	-	-	4	-	-	4	4	10	36	30	44	28	52	56	24	14	6	-
	FEMALE..	258	-	-	-	-	2	-	-	-	-	-	8	8	6	16	14	24	54	48	44	24	10	-
	ALL OTHER..MALE....	70	-	-	-	-	-	2	-	-	-	-	8	2	4	10	10	8	12	8	2	4	-	-
	FEMALE..	60	-	-	-	-	-	-	-	-	-	2	2	4	2	-	6	14	6	10	6	8	-	-
410-413	ISCHEMIC HEART DISEASE...	36,690	-	-	-	-	6	6	18	46	150	436	1,018	1,654	2,474	3,332	4,108	5,154	6,072	5,810	3,908	1,938	558	2
	WHITE.....MALE....	19,184	-	-	-	-	2	-	8	34	104	298	754	1,192	1,706	2,184	2,468	2,688	2,978	2,468	1,472	676	152	-
	FEMALE..	14,742	-	-	-	-	2	2	6	2	20	60	140	252	548	828	1,282	2,004	2,700	3,062	2,276	1,180	378	-
	ALL OTHER..MALE....	1,538	-	-	-	-	2	2	-	6	14	56	82	126	150	170	220	258	184	148	66	40	12	2
	FEMALE..	1,226	-	-	-	-	-	2	4	4	12	22	42	84	70	150	138	204	210	132	94	42	16	-
410	ACUTE MYOCARDIAL INFARCTION.....	17,772	-	-	-	-	2	-	4	28	100	294	664	1,064	1,628	2,000	2,400	2,630	2,954	2,262	1,184	450	106	2
	WHITE.....MALE....	10,608	-	-	-	-	-	-	-	24	82	226	526	832	1,178	1,386	1,540	1,520	1,544	1,058	486	180	26	-
	FEMALE..	6,196	-	-	-	-	2	-	2	-	12	40	88	150	350	494	724	966	1,268	1,136	642	250	72	-
	ALL OTHER..MALE....	568	-	-	-	-	-	-	-	4	-	22	34	50	64	74	90	96	56	36	24	12	4	2
	FEMALE..	400	-	-	-	-	-	-	2	-	6	6	16	32	36	46	46	48	86	32	32	8	4	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	196	-	-	-	-	-	2	-	-	-	4	12	18	24	20	24	22	14	30	18	8	-	-
	WHITE.....MALE....	108	-	-	-	-	-	-	-	-	-	4	8	10	16	20	14	14	6	10	4	2	-	-
	FEMALE..	74	-	-	-	-	-	2	-	-	-	-	4	6	6	-	8	6	2	20	14	6	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	18,718	-	-	-	-	4	4	14	18	50	138	342	572	822	1,312	1,682	2,502	3,104	3,516	2,706	1,480	452	-
	WHITE.....MALE....	8,468	-	-	-	-	2	-	8	10	22	68	220	350	512	778	914	1,154	1,428	1,400	982	494	126	-
	FEMALE..	8,468	-	-	-	-	-	-	4	2	8	20	48	96	192	334	548	1,032	1,430	1,904	1,620	924	306	-
	ALL OTHER..MALE....	960	-	-	-	-	2	2	-	2	14	34	48	76	84	96	128	160	124	112	42	28	8	-
	FEMALE..	822	-	-	-	-	-	2	2	4	6	16	26	50	34	104	92	156	122	100	62	34	12	-
413	ANGINA PECTORIS.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OHIO—CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	226	4	4	-	4	-	-	6	2	6	-	10	8	10	6	26	16	24	38	34	22	6	-
	WHITE.....MALE....	100	2	2	-	-	-	-	2	-	4	-	2	4	6	2	8	8	16	24	10	10	-	-
	FEMALE..	114	-	2	-	4	-	-	2	2	2	-	8	4	4	4	18	8	8	12	18	12	6	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	FEMALE..	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	1,544	10	10	6	4	18	16	16	16	36	30	46	90	88	134	138	166	214	228	170	82	26	-
	WHITE.....MALE....	724	10	6	-	2	8	4	8	8	16	16	20	34	54	66	68	98	90	100	72	38	6	-
	FEMALE..	628	-	4	4	-	8	6	2	2	12	4	8	34	16	46	58	50	100	128	86	42	18	-
	ALL OTHER..MALE....	98	-	-	-	-	2	4	2	4	2	6	6	10	14	16	8	8	14	-	2	-	-	-
	FEMALE..	94	-	-	2	2	-	2	4	2	6	4	12	12	4	6	4	10	10	-	10	2	2	-
400, 401, 403	HYPERTENSION.....	414	-	-	-	-	2	2	-	4	6	6	12	18	12	40	46	34	64	78	56	30	4	-
	WHITE.....MALE....	178	-	-	-	-	-	-	-	-	2	-	2	8	8	20	16	10	34	36	26	16	-	-
	FEMALE..	170	-	-	-	-	2	-	-	4	-	-	2	2	-	10	22	18	24	40	28	14	4	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	2	4	4	-	2	6	-	-	2	-	2	-	-	-
	FEMALE..	44	-	-	-	-	-	2	-	-	2	2	4	8	2	4	8	6	4	2	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	10,976	20	4	6	8	12	16	30	44	48	100	170	320	420	680	878	1,446	1,964	2,100	1,736	774	200	-
	WHITE.....MALE....	4,458	8	2	4	2	8	6	6	12	14	40	68	124	200	354	460	664	826	830	576	204	50	-
	FEMALE..	5,654	8	-	2	4	2	6	8	16	14	18	62	144	172	236	326	646	1,022	1,190	1,092	542	144	-
	ALL OTHER..MALE....	396	4	2	-	-	-	4	6	6	10	26	14	18	34	38	52	64	42	36	28	12	-	-
	FEMALE..	468	-	-	-	2	2	-	10	10	10	16	26	34	14	52	40	72	74	44	40	16	6	-
431	CEREBRAL HEMORRHAGE.....	1,922	6	-	2	2	2	4	10	12	14	28	62	96	116	206	206	258	276	258	246	102	16	-
	WHITE.....MALE....	846	2	-	-	-	-	2	2	2	4	6	32	36	64	106	114	124	118	102	94	30	8	-
	FEMALE..	884	2	-	2	-	-	2	2	2	2	2	14	42	36	66	70	126	152	150	138	68	8	-
	ALL OTHER..MALE....	100	2	-	-	-	-	-	2	6	4	12	4	10	12	16	14	6	-	6	4	2	-	-
	FEMALE..	92	-	-	-	2	2	-	4	2	4	8	12	8	4	18	8	2	6	-	10	2	-	-
433	CEREBRAL THROMBOSIS.....	3,118	2	-	-	-	-	-	2	-	-	6	8	42	98	160	254	418	644	646	526	238	74	-
	WHITE.....MALE....	1,288	2	-	-	-	-	-	-	-	-	2	-	26	52	82	142	194	270	252	180	66	20	-
	FEMALE..	1,620	-	-	-	-	-	-	-	-	-	-	2	10	36	58	92	184	340	362	322	166	48	-
	ALL OTHER..MALE....	96	-	-	-	-	-	-	-	-	-	2	4	2	8	4	12	26	10	12	12	4	-	-
	FEMALE..	114	-	-	-	-	-	-	2	-	-	2	2	4	2	16	8	14	24	20	12	2	6	-
434	CEREBRAL EMBOLISM.....	38	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	6	6	8	2	4	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	2	-	2	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	4	6	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	5,898	12	4	4	6	10	12	18	32	34	66	100	182	204	308	414	764	1,038	1,188	962	430	110	-
	WHITE.....MALE....	2,312	4	2	4	2	8	4	4	10	10	32	36	62	84	162	204	344	436	474	302	106	22	-
	FEMALE..	3,124	6	-	-	4	2	4	6	14	12	16	46	92	98	110	160	332	526	672	630	306	88	-
	ALL OTHER..MALE....	200	2	2	-	-	-	4	4	-	6	12	6	6	14	18	26	32	32	18	12	6	-	-
	FEMALE..	262	-	-	-	-	-	-	4	8	6	6	12	22	8	18	24	56	44	24	18	12	-	-
440	ARTERIOSCLEROSIS.....	1,962	-	-	-	-	-	-	-	-	-	2	8	14	36	38	118	160	342	424	414	282	124	-
	WHITE.....MALE....	854	-	-	-	-	-	-	-	-	-	2	6	8	20	22	58	92	150	198	174	98	26	-
	FEMALE..	986	-	-	-	-	-	-	-	-	-	-	2	2	12	12	50	56	168	206	236	168	74	-
	ALL OTHER..MALE....	64	-	-	-	-	-	-	-	-	-	-	-	4	4	4	4	10	14	12	-	6	6	-
	FEMALE..	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	10	8	4	10	18	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	1,436	2	2	2	2	-	6	2	6	2	22	38	40	84	150	238	202	226	206	152	38	16	-
	WHITE.....MALE....	786	-	2	2	2	-	4	2	4	-	10	18	24	50	92	148	142	138	76	54	10	8	-
	FEMALE..	540	2	-	-	-	-	2	-	-	-	4	8	6	28	38	74	50	82	116	96	26	8	-
	ALL OTHER..MALE....	64	-	-	-	-	-	-	-	-	-	6	4	8	4	16	12	2	4	6	2	-	-	-
	FEMALE..	46	-	-	-	-	-	-	-	2	2	2	8	2	2	4	4	8	2	8	-	2	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	70	16	4	-	-	-	-	-	4	-	-	-	4	4	4	4	10	4	4	8	2	2	-
	WHITE.....MALE....	22	6	2	-	-	-	-	-	-	-	-	-	-	2	-	4	2	2	-	2	-	2	-
	FEMALE..	34	2	-	-	-	-	-	-	2	-	-	-	4	2	4	-	6	2	4	6	2	-	-
	ALL OTHER..MALE....	8	6	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	3,102	246	44	14	18	24	14	18	30	26	54	66	112	120	194	202	338	484	456	366	186	88	2
	WHITE.....MALE....	1,496	106	20	4	6	10	10	4	12	10	26	18	56	70	102	108	194	262	218	146	82	32	-
	FEMALE..	1,276	78	14	6	8	10	2	8	8	10	16	34	36	34	64	68	116	192	224	196	100	50	2
	ALL OTHER..MALE....	206	40	6	-	-	4	-	2	4	4	6	12	10	14	14	22	18	22	12	10	2	4	-
	FEMALE..	124	22	4	4	4	-	2	4	6	2	6	2	10	2	14	4	10	8	2	14	2	2	-
470-474	INFLUENZA.....	286	-	6	-	2	2	2	4	4	6	4	4	12	10	12	18	38	54	52	28	18	10	-
	WHITE.....MALE....	124	-	4	-	-	2	-	-	4	4	-	-	6	8	6	10	26	14	20	14	4	2	-
	FEMALE..	148	-	2	-	2	-	2	4	-	2	4	4	6	2	4	4	10	38	32	14	12	6	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	-	-	-	2	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
480-486	PNEUMONIA.....	2,816	246	38	14	16	22	12	14	26	20	50	62	100	110	182	184	300	430	404	338	168	78	2
	WHITE.....MALE....	1,372	106	16	4	6	8	10	4	8	6	26	18	50	62	96	98	168	248	198	132	78	30	-
	FEMALE..	1,128	78	12	6	6	10	-	4	8	8	12	30	30	32	60	64	106	154	192	182	88	44	2
	ALL OTHER..MALE....	194	40	6	-	-	4	-	2	4	4	6	12	10	14	12	18	16	20	12	10	2	2	-
	FEMALE..	122	22	4	4	4	-	2	4	6	2	6	2	10	2	14	4	10	8	2	14	-	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OHIO--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	1,878	10	4	6	6	8	4	6	2	10	26	56	82	162	274	300	340	290	162	86	34	10	-
	WHITE.....MALE	1,366	6	-	2	2	4	-	4	-	4	12	32	62	108	194	230	274	226	132	56	14	4	-
	FEMALE	372	-	-	-	-	-	4	2	-	-	12	20	12	42	56	56	50	40	26	30	16	6	-
	ALL OTHER..MALE	102	2	2	2	4	-	-	-	-	2	-	4	8	10	20	12	8	20	4	-	4	-	-
	FEMALE	38	2	2	2	-	4	-	-	2	4	2	-	-	2	4	2	8	4	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	404	6	-	2	4	2	-	2	-	2	14	16	22	26	50	44	60	58	48	30	12	6	-
	WHITE.....MALE	276	2	-	-	2	-	-	2	-	-	8	12	18	16	34	28	48	46	40	16	2	2	-
	FEMALE	104	-	-	-	-	-	-	-	-	-	6	4	2	10	16	14	8	10	8	14	8	4	-
	ALL OTHER..MALE	16	2	-	-	2	-	-	-	-	2	-	-	2	-	-	2	2	2	-	-	2	-	-
	FEMALE	8	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
492	EMPHYSEMA	1,380	2	-	-	-	2	2	-	-	4	10	38	58	126	210	246	268	222	110	56	22	4	-
	WHITE.....MALE	1,062	2	-	-	-	2	-	-	-	2	4	20	44	86	156	202	220	180	90	40	12	2	-
	FEMALE	232	-	-	-	-	-	2	-	-	-	6	14	8	28	34	36	36	26	16	16	8	2	-
	ALL OTHER..MALE	72	-	-	-	-	-	-	-	-	-	-	4	6	10	18	8	6	14	4	-	2	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	6	2	-	-	-	-	-
493	ASTHMA	94	2	4	4	2	4	2	4	2	4	2	2	2	10	14	10	12	10	4	-	-	-	-
	WHITE.....MALE	28	2	-	2	-	2	-	2	-	2	-	-	-	6	4	-	6	-	2	-	-	-	-
	FEMALE	36	-	-	-	-	-	2	2	-	-	-	2	2	4	6	6	6	4	2	-	-	-	-
	ALL OTHER..MALE	14	-	2	2	2	-	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-
	FEMALE	16	-	2	-	-	2	-	-	2	2	2	-	-	-	2	2	-	2	-	-	-	-	-
531-533	PEPTIC ULCER	452	-	2	-	-	-	4	2	4	-	12	28	32	32	46	54	66	48	74	38	8	2	-
	WHITE.....MALE	238	-	-	-	-	-	4	2	2	-	8	18	20	18	26	30	28	26	34	20	2	-	-
	FEMALE	164	-	-	-	-	-	-	-	2	-	2	4	8	10	12	12	34	18	36	18	6	2	-
	ALL OTHER..MALE	36	-	-	-	-	-	-	-	-	-	2	4	4	4	6	10	4	-	2	-	-	-	-
	FEMALE	14	-	2	-	-	-	-	-	-	-	-	2	-	-	2	2	-	4	2	-	-	-	-
540-543	APPENDICITIS	66	-	-	2	6	2	-	2	-	-	2	2	4	6	6	10	4	10	4	6	-	-	-
	WHITE.....MALE	34	-	-	2	6	2	-	-	-	-	-	2	2	6	4	2	2	2	2	2	-	-	-
	FEMALE	24	-	-	-	-	-	-	2	-	-	2	-	2	-	2	4	2	4	2	4	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	356	18	4	2	4	2	-	2	-	-	6	10	18	16	28	42	32	52	62	40	16	2	-
	WHITE.....MALE	120	8	4	2	2	2	-	-	-	-	6	2	8	6	8	12	12	14	14	16	4	-	-
	FEMALE	210	8	-	-	2	-	-	-	-	-	-	8	8	8	18	22	18	36	46	22	12	2	-
	ALL OTHER..MALE	12	-	-	-	-	-	-	2	-	-	-	-	-	-	2	4	2	2	-	-	-	-	-
	FEMALE	14	2	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	-	2	2	-	-	-
571	CIRRHOSIS OF LIVER	1,438	2	2	-	-	-	10	16	14	46	132	166	248	210	210	170	118	46	30	18	-	-	-
	WHITE.....MALE	826	2	-	-	-	-	2	4	6	16	64	86	148	136	140	92	74	26	18	12	-	-	-
	FEMALE	402	-	2	-	-	-	4	2	2	14	26	48	62	52	50	66	36	20	12	6	-	-	-
	ALL OTHER..MALE	136	-	-	-	-	-	2	2	6	8	24	22	26	18	14	10	4	-	-	-	-	-	-
	FEMALE	74	-	-	-	-	-	2	8	-	8	18	10	12	4	6	2	4	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	170	-	-	-	-	-	-	2	6	-	4	4	6	12	8	12	24	16	34	30	12	-	-
	WHITE.....MALE	62	-	-	-	-	-	-	-	-	-	2	4	4	4	4	4	12	8	8	10	2	-	-
	FEMALE	94	-	-	-	-	-	-	-	4	-	-	-	2	6	4	8	10	6	26	18	10	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	2	-	-	2	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	2	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	418	2	-	2	4	-	4	8	4	8	16	14	32	46	38	32	34	76	48	36	10	4	-
	WHITE.....MALE	200	-	-	-	2	-	-	4	2	6	2	4	22	24	18	16	22	40	16	16	6	-	-
	FEMALE	160	2	-	2	2	-	2	2	2	-	6	6	8	10	12	10	10	28	30	20	4	4	-
	ALL OTHER..MALE	40	-	-	-	-	-	2	2	-	2	8	2	-	6	6	-	2	8	2	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	2	2	6	2	6	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	74	2	-	-	2	-	-	2	2	2	2	2	6	6	8	6	6	14	10	4	-	-	-
	WHITE.....MALE	28	-	-	-	-	-	-	-	2	-	-	-	6	4	-	2	4	10	-	-	-	-	-
	FEMALE	28	2	-	-	2	-	-	-	-	-	-	-	-	-	4	2	2	4	8	4	-	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	2	-	2	2	2	-	-	4	-	-	-	2	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	344	-	-	2	2	-	4	6	2	6	14	12	26	40	30	26	28	62	38	32	10	4	-
	WHITE.....MALE	172	-	-	-	2	-	-	4	-	6	2	4	16	20	18	14	18	30	16	16	6	-	-
	FEMALE	132	-	-	2	-	-	2	2	2	-	6	6	8	10	8	8	8	24	22	16	4	4	-
	ALL OTHER..MALE	26	-	-	-	-	-	2	-	-	-	6	-	-	6	2	-	2	8	-	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	2	2	4	2	4	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	382	-	-	-	-	-	6	-	2	-	6	26	12	20	24	52	50	46	78	34	18	8	-
	WHITE.....MALE	150	-	-	-	-	-	2	-	-	-	-	4	-	6	10	16	18	26	40	16	8	4	-
	FEMALE	180	-	-	-	-	-	4	-	2	-	2	12	10	8	10	24	22	20	34	18	10	4	-
	ALL OTHER..MALE	24	-	-	-	-	-	-	-	-	-	2	4	-	4	-	6	6	-	2	-	-	-	-
	FEMALE	28	-	-	-	-	-	-	-	-	-	2	6	2	2	4	6	4	-	2	-	-	-	-
600	HYPERPLASIA OF PROSTATE	94	-	-	-	2	-	-	-	-	-	-	-	2	-	2	10	12	22	24	12	8	-	-
	WHITE.....MALE	80	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	12	18	20	12	8	-	-
	ALL OTHER..MALE	14	-	-	-	2	-	-	-	-	-	-	-	2	-	-	2	-	4	4	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OHIO—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	24	-	-	-	-	-	2	8	2	6	4	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	20	-	-	-	-	-	-	6	2	6	4	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	22	-	-	-	-	-	-	8	2	6	4	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	20	-	-	-	-	-	-	6	2	6	4	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	820	534	72	38	22	12	16	8	6	6	2	16	18	18	14	10	10	8	10	-	-	-	-
	WHITE.....MALE....	376	254	24	10	12	2	8	4	2	2	2	6	14	16	8	6	2	-	4	-	-	-	-
	FEMALE..	320	196	32	20	8	6	6	4	4	2	-	10	2	2	6	-	8	8	6	-	-	-	-
	ALL OTHER..MALE....	48	28	6	6	-	-	2	-	-	2	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	76	56	10	2	2	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	1,702	1,702	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	784	784	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	532	532	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	878	878	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	414	414	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	252	252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	824	824	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	370	370	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	280	280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	1,140	142	40	8	18	46	62	34	48	44	44	74	76	96	62	76	66	80	42	48	28	6	-
	WHITE.....MALE....	562	78	18	8	10	32	26	16	18	12	12	44	34	62	38	32	34	48	16	12	12	-	-
	FEMALE..	356	42	10	-	6	4	10	4	12	6	12	18	26	22	18	34	28	30	24	32	12	6	-
	ALL OTHER..MALE....	146	10	4	-	2	10	18	12	10	16	14	8	14	10	4	4	2	2	2	4	-	-	-
	FEMALE..	76	12	8	-	-	-	8	2	8	10	6	4	2	2	2	6	2	-	-	-	4	-	-
RESIDUAL	ALL OTHER DISEASES.....	5,330	184	50	44	28	60	74	78	62	120	212	232	342	386	516	656	590	662	522	306	162	44	-
	WHITE.....MALE....	2,508	58	16	20	10	32	42	34	26	44	56	88	154	234	286	296	320	318	280	132	52	10	-
	FEMALE..	2,124	64	26	16	18	22	26	24	16	40	86	86	140	104	168	268	222	294	216	160	100	28	-
	ALL OTHER..MALE....	404	34	2	-	-	2	2	14	12	18	40	34	28	36	48	50	28	28	6	6	10	6	-
	FEMALE..	294	28	6	8	-	4	4	6	8	18	30	24	20	12	14	42	20	22	20	8	-	-	-
E800-E949	ACCIDENTS.....	5,234	66	176	194	214	498	534	322	240	220	216	262	248	264	238	250	246	316	320	268	112	30	-
	WHITE.....MALE....	3,068	32	88	88	126	346	386	224	162	132	114	172	164	150	154	148	128	142	156	108	40	8	-
	FEMALE..	1,590	20	60	68	72	110	84	72	42	50	56	56	54	72	64	76	90	148	156	148	70	22	-
	ALL OTHER..MALE....	424	8	14	24	10	40	56	20	26	30	30	30	24	34	18	10	20	16	6	8	-	-	-
	FEMALE..	152	6	14	14	6	2	8	6	10	8	16	4	6	8	2	16	8	10	2	4	2	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	2,460	6	66	116	108	350	388	232	152	136	110	122	118	116	92	92	84	74	62	30	6	-	-
	WHITE.....MALE....	1,528	-	28	46	54	252	284	160	94	88	50	76	72	66	58	54	48	44	38	12	4	-	-
	FEMALE..	678	4	30	40	54	82	72	52	34	28	42	22	34	32	26	32	26	26	24	16	2	-	-
	ALL OTHER..MALE....	188	-	4	20	-	14	26	14	16	16	8	22	10	16	8	2	8	4	-	-	-	-	-
	FEMALE..	66	2	4	10	-	2	6	6	8	4	10	2	2	2	-	4	2	-	-	2	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	2,774	60	110	78	106	148	146	90	88	84	106	140	130	148	146	158	162	242	258	238	106	30	-
	WHITE.....MALE....	1,540	32	60	42	72	94	102	64	68	44	64	96	92	84	96	94	80	98	118	96	36	8	-
	FEMALE..	912	16	30	28	18	28	12	20	8	22	14	34	20	40	38	44	64	122	132	132	68	22	-
	ALL OTHER..MALE....	236	8	10	4	10	26	30	6	10	14	22	8	14	18	10	8	12	12	6	8	-	-	-
	FEMALE..	86	4	10	4	6	-	2	-	2	4	6	2	4	6	2	12	6	10	2	2	2	-	-
E950-E959	SUICIDE.....	1,286	...	...	-	6	64	122	96	94	86	116	136	130	126	108	74	52	32	30	8	4	2	-
	WHITE.....MALE....	812	...	...	-	4	50	68	52	64	40	60	76	92	88	72	58	36	24	20	4	2	2	-
	FEMALE..	384	...	...	-	2	6	26	36	16	42	50	50	38	34	36	16	12	6	8	4	2	-	-
	ALL OTHER..MALE....	62	...	...	-	-	6	20	6	8	4	2	6	-	4	-	-	4	2	-	-	-	-	-
	FEMALE..	28	...	...	-	-	2	8	2	6	-	4	4	-	-	-	-	-	-	2	-	-	-	-
E960-E978	HOMICIDE.....	870	8	10	4	4	78	144	120	106	68	86	72	50	52	24	24	10	6	2	2	-	-	-
	WHITE.....MALE....	230	2	2	-	2	16	36	28	36	18	14	18	12	22	8	8	2	2	2	2	-	-	-
	FEMALE..	116	4	2	2	2	8	28	12	4	4	8	12	8	6	6	2	4	4	-	-	-	-	-
	ALL OTHER..MALE....	444	2	2	-	-	44	64	76	50	38	56	42	26	22	8	12	2	-	-	-	-	-	-
	FEMALE..	80	-	4	2	-	10	16	4	16	8	8	-	4	2	2	2	2	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	122	8	4	-	2	10	8	8	10	10	8	16	12	2	10	2	8	-	-	2	2	-	-
	WHITE.....MALE....	52	-	-	-	2	6	8	8	4	4	2	4	6	-	-	2	4	-	-	2	-	-	-
	FEMALE..	44	4	4	-	-	-	-	-	4	4	-	12	4	2	6	-	2	-	-	-	2	-	-
	ALL OTHER..MALE....	10	2	-	-	-	-	-	-	2	-	4	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	16	2	-	-	-	4	-	-	-	2	2	-	2	-	2	-	2	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OKLAHOMA																							
	ALL CAUSES	26,936	808	150	118	138	282	290	290	290	306	530	744	1,120	1,532	2,300	2,872	3,496	3,810	3,548	2,596	1,266	428	22
	WHITE.....MALE	13,578	412	62	58	76	148	202	168	178	152	264	418	694	892	1,398	1,662	1,882	1,800	1,562	972	418	152	8
	FEMALE	10,784	228	56	48	28	90	52	62	70	104	190	232	318	452	648	892	1,308	1,736	1,784	1,476	764	240	6
	ALL OTHER..MALE	1,426	94	14	10	24	24	22	50	30	26	48	56	82	96	142	162	174	156	98	72	30	12	4
	FEMALE	1,148	74	18	2	10	20	14	10	12	24	28	38	26	92	112	156	132	118	104	76	54	24	4
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	34	12	2	-	-	-	-	-	2	-	2	2	-	2	2	-	2	-	4	2	2	-	-
	WHITE.....MALE	4	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	22	4	2	-	-	-	-	-	-	-	2	-	-	2	2	-	2	-	4	2	2	-	-
	ALL OTHER..MALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	78	-	-	-	-	2	-	-	2	-	4	4	2	6	10	14	16	6	8	2	2	-	-
	WHITE.....MALE	40	-	-	-	-	2	-	-	-	-	-	-	2	6	4	8	12	2	2	2	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	2	2	-	-	2	4	-	4	2	-	2	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	-	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	-	-	4	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	66	-	-	-	-	2	-	-	2	-	2	4	2	4	8	14	14	6	6	-	2	-	-
	WHITE.....MALE	32	-	-	-	-	2	-	-	-	-	-	-	2	4	2	8	10	2	2	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	2	2	-	-	2	4	-	4	2	-	2	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	2	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	12	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	2	-	2	2	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	2	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	8	2	2	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	86	24	-	-	-	2	-	4	4	2	-	2	2	6	6	2	12	6	10	4	-	-	-
	WHITE.....MALE	42	8	-	-	-	-	-	-	-	-	-	2	2	6	-	2	6	6	10	-	-	-	-
	FEMALE	28	8	-	-	-	2	-	2	4	-	-	-	-	-	2	-	6	-	-	4	-	-	-
	ALL OTHER..MALE	10	4	-	-	-	-	-	2	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-
	FEMALE	6	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972--Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OKLAHOMA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	52	4	-	2	-	-	2	2	-	-	2	4	6	2	4	6	2	4	2	8	-	2	-
	WHITE.....MALE....	26	2	-	-	-	-	-	2	-	-	2	2	2	-	4	-	2	2	2	4	-	2	-
	FEMALE..	10	2	-	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	-	-
	FEMALE..	10	-	-	-	-	-	2	-	-	-	-	2	2	-	-	2	-	2	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	4,468	4	12	6	14	24	14	16	22	56	122	192	266	384	564	686	670	630	452	240	68	24	2
	WHITE.....MALE....	2,312	-	8	-	6	8	12	10	8	16	54	96	126	192	336	372	376	324	224	98	32	12	2
	FEMALE..	1,808	2	2	4	4	12	2	6	12	40	60	90	122	142	196	254	224	272	184	134	34	12	-
	ALL OTHER..MALE....	174	2	-	2	4	4	-	-	-	-	2	-	10	20	14	34	38	18	20	4	2	-	-
	FEMALE..	174	-	2	-	-	-	-	-	2	-	6	6	8	30	18	26	32	16	24	4	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	100	-	-	-	-	2	-	-	-	-	6	-	8	12	14	10	14	16	14	4	-	-	-
	WHITE.....MALE....	74	-	-	-	-	2	-	-	-	-	4	-	4	6	10	6	12	14	12	4	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	2	-	2	6	4	2	-	2	2	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	1,058	-	2	-	-	2	2	2	2	10	14	22	50	66	110	186	158	152	158	100	16	6	-
	WHITE.....MALE....	470	-	2	-	-	-	2	2	-	4	8	10	22	36	62	90	78	54	58	34	6	2	-
	FEMALE..	486	-	-	-	-	2	-	-	2	6	6	12	20	16	38	76	60	86	84	64	10	4	-
	ALL OTHER..MALE....	46	-	-	-	-	-	-	-	-	-	-	-	4	8	2	14	6	4	6	2	-	-	-
	FEMALE..	56	-	-	-	-	-	-	-	-	-	-	-	4	6	8	6	14	8	10	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	1,094	-	-	-	-	-	-	-	2	16	20	70	82	100	202	210	162	132	62	22	6	6	2
	WHITE.....MALE....	822	-	-	-	-	-	-	-	-	8	14	54	54	72	158	164	130	106	38	16	4	2	2
	FEMALE..	228	-	-	-	-	-	-	-	2	8	6	16	28	26	32	36	24	22	16	6	2	4	-
	ALL OTHER..MALE....	36	-	-	-	-	-	-	-	-	-	-	-	-	2	10	6	8	4	6	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	2	-	-	-	-
174	OF BREAST.....	356	-	-	-	-	-	-	-	4	6	24	32	38	38	44	42	40	40	18	20	6	4	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
	FEMALE..	330	-	-	-	-	-	-	-	4	6	20	30	34	32	44	36	38	40	16	20	6	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	4	2	2	6	-	6	2	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	556	-	-	-	-	2	4	2	6	14	10	18	16	40	40	70	102	104	76	30	18	4	-
	WHITE.....MALE....	250	-	-	-	-	-	2	-	2	2	-	2	2	10	16	28	46	54	46	26	10	4	-
	FEMALE..	238	-	-	-	-	2	2	2	2	12	8	14	14	20	20	34	36	42	20	4	6	-	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	12	4	4	-	2	-	-
	FEMALE..	38	-	-	-	-	-	-	-	2	-	2	2	-	6	4	4	8	4	6	-	-	-	-
188, 189	OF URINARY ORGANS.....	212	-	-	-	-	-	-	-	-	-	6	8	16	14	26	22	44	36	30	8	2	-	-
	WHITE.....MALE....	134	-	-	-	-	-	-	-	-	-	6	8	10	8	16	12	30	20	20	4	-	-	-
	FEMALE..	62	-	-	-	-	-	-	-	-	-	-	-	6	2	8	8	12	12	8	4	2	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	640	2	-	-	10	2	2	6	6	4	26	28	34	72	82	102	82	88	38	36	16	4	-
	WHITE.....MALE....	326	-	-	-	4	2	2	4	4	2	12	18	18	38	52	54	34	40	18	10	10	4	-
	FEMALE..	264	-	-	-	2	-	-	2	2	2	12	10	12	26	28	44	36	46	16	20	6	-	-
	ALL OTHER..MALE....	26	2	-	-	4	-	-	-	-	-	2	-	2	2	-	2	6	2	2	2	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	-	2	6	2	2	6	-	2	4	-	-	-
204-207	LEUKEMIA.....	192	2	8	6	4	12	2	4	-	4	8	2	6	16	16	14	16	16	40	14	2	-	-
	WHITE.....MALE....	102	-	4	-	2	2	2	4	-	-	6	-	6	12	8	10	10	6	24	4	2	-	-
	FEMALE..	72	2	2	4	2	6	-	-	-	4	2	2	-	4	6	2	4	10	12	10	-	-	-
	ALL OTHER..MALE....	10	-	-	2	-	4	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE..	8	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	260	-	2	-	-	4	4	2	2	2	8	12	16	26	30	30	52	46	16	6	2	-	-
	WHITE.....MALE....	130	-	2	-	-	2	4	-	2	-	4	4	8	10	14	8	36	30	6	-	-	-	-
	FEMALE..	108	-	-	-	-	2	-	2	-	2	4	6	6	10	16	16	14	12	10	6	2	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	2	2	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	2	-	4	-	2	-	2	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	64	2	-	2	-	-	-	2	-	2	-	2	6	8	8	2	8	8	6	4	2	2	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	4	4	2	2	-	-	-
	FEMALE..	34	2	-	2	-	-	-	-	-	-	-	-	4	6	4	-	4	4	4	2	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
250	DIABETES MELLITUS.....	436	-	-	-	2	-	2	-	4	-	6	2	20	22	36	78	78	88	54	24	16	4	-
	WHITE.....MALE....	122	-	-	-	2	-	2	-	4	-	2	2	6	6	10	16	16	28	16	6	6	-	-
	FEMALE..	226	-	-	-	-	-	-	-	-	-	4	-	8	8	14	26	50	50	34	18	10	4	-
	ALL OTHER..MALE....	36	-	-	-	-	-	-	-	-	-	-	-	6	2	6	8	8	4	2	-	-	-	-
	FEMALE..	52	-	-	-	-	-	-	-	-	-	-	-	-	6	6	28	4	6	2	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OKLAHOMA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	38	4	2	2	-	-	-	-	-	-	-	2	-	-	2	2	6	-	4	6	8	-	-
	WHITE.....MALE....	22	4	2	2	-	-	-	-	-	-	-	2	-	-	-	2	6	-	2	2	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	6	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
280-285	ANEMIAS.....	52	2	2	-	-	4	2	-	-	4	-	-	2	-	2	-	10	10	6	6	2	-	-
	WHITE.....MALE....	24	2	-	-	-	2	2	-	-	2	-	-	2	-	2	-	2	8	2	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	4	6	2	-	-
	ALL OTHER..MALE....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	2	2	-	-	-	-	-
320	MENINGITIS.....	24	4	2	-	2	2	-	-	2	-	-	4	-	-	4	4	-	-	-	-	-	-	-
	WHITE.....MALE....	14	2	-	-	2	-	-	-	2	-	-	2	-	-	2	4	-	-	-	-	-	-	-
	FEMALE..	6	-	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	14,296	4	10	6	10	12	10	28	36	64	166	242	436	698	1,190	1,500	2,064	2,376	2,402	1,838	882	310	12
	WHITE.....MALE....	6,972	2	4	2	4	6	2	12	30	40	112	154	310	436	736	906	1,090	1,096	994	664	258	108	6
	FEMALE..	6,176	-	4	2	-	4	4	6	4	12	34	56	88	178	320	440	804	1,118	1,290	1,076	560	172	4
	ALL OTHER..MALE....	612	-	2	2	6	-	2	8	-	4	16	22	28	50	76	82	94	90	56	42	20	12	-
	FEMALE..	536	2	-	-	-	2	2	2	2	8	4	10	10	34	58	72	76	72	62	56	44	18	2
390-398, 402, 404, 410-429	DISEASES OF HEART.....	10,158	2	6	4	6	4	6	24	28	52	124	210	380	582	972	1,162	1,486	1,650	1,504	1,218	554	180	4
	WHITE.....MALE....	5,268	2	2	2	2	2	-	8	24	32	92	144	282	388	632	742	812	798	640	434	164	64	2
	FEMALE..	4,112	-	2	2	-	-	4	6	2	10	20	40	72	134	238	320	552	750	784	720	356	98	2
	ALL OTHER..MALE....	436	-	2	-	4	-	2	8	-	2	10	20	20	34	60	62	68	62	38	28	8	8	-
	FEMALE..	342	-	-	-	-	2	-	2	2	8	2	6	6	26	42	38	54	40	42	36	26	10	-
390-398.	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	136	-	-	-	-	-	2	6	-	6	6	4	12	18	16	18	18	14	10	6	-	-	-
	WHITE.....MALE....	56	-	-	-	-	-	-	4	-	4	2	2	2	4	8	8	4	10	4	4	-	-	-
	FEMALE..	64	-	-	-	-	-	-	2	-	2	2	2	6	14	6	10	8	4	6	2	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	2	-	-	-	2	-	2	-	2	-	2	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	146	-	-	-	-	-	-	-	-	-	-	-	4	10	14	20	18	26	26	16	10	2	-
	WHITE.....MALE....	44	-	-	-	-	-	-	-	-	-	-	-	2	2	4	6	8	14	4	4	-	-	-
	FEMALE..	84	-	-	-	-	-	-	-	-	-	-	-	2	4	10	6	6	10	22	12	10	2	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	4	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	94	-	-	-	2	-	-	-	-	-	-	-	2	-	6	4	12	12	20	18	14	4	-
	WHITE.....MALE....	52	-	-	-	2	-	-	-	-	-	-	-	-	-	2	4	8	10	12	8	6	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	8	8	4	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	9,118	-	-	-	-	-	2	12	22	42	108	196	344	518	894	1,062	1,372	1,490	1,330	1,090	486	146	4
	WHITE.....MALE....	4,794	-	-	-	-	-	-	2	18	26	86	134	262	360	596	696	762	708	562	376	148	56	2
	FEMALE..	3,662	-	-	-	-	-	2	4	2	8	16	38	64	110	212	286	506	688	688	654	306	76	2
	ALL OTHER..MALE....	366	-	-	-	-	-	-	6	-	2	4	20	14	26	50	48	58	62	38	24	8	6	-
	FEMALE..	296	-	-	-	-	-	-	-	2	6	2	4	4	22	36	32	46	32	42	36	24	8	-
410	ACUTE MYOCARDIAL INFARCTION.....	5,592	-	-	-	-	-	2	8	14	30	72	156	286	412	668	772	890	904	686	450	196	44	2
	WHITE.....MALE....	3,236	-	-	-	-	-	-	2	10	18	54	110	222	298	460	504	538	452	316	166	70	16	-
	FEMALE..	2,004	-	-	-	-	-	2	4	2	8	16	26	50	82	158	216	296	408	336	258	112	28	2
	ALL OTHER..MALE....	202	-	-	-	-	-	-	2	-	-	-	16	14	14	30	32	36	28	18	10	2	-	-
	FEMALE..	150	-	-	-	-	-	-	-	2	4	2	4	-	18	20	20	20	16	16	16	12	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	320	-	-	-	-	-	-	2	4	4	10	14	10	22	50	34	52	34	50	20	10	4	-
	WHITE.....MALE....	184	-	-	-	-	-	-	-	4	2	10	10	8	12	36	26	28	16	20	6	2	4	-
	FEMALE..	96	-	-	-	-	-	-	-	-	-	-	2	2	6	8	4	20	12	24	10	8	-	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	2	-	-	-	2	-	4	4	2	4	6	-	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	6	2	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	3,206	-	-	-	-	-	-	2	4	8	26	26	48	84	176	256	430	552	594	620	280	98	2
	WHITE.....MALE....	1,374	-	-	-	-	-	-	-	4	6	22	14	32	50	100	166	196	240	226	204	76	36	2
	FEMALE..	1,562	-	-	-	-	-	-	-	-	-	-	10	12	22	46	66	190	268	328	386	186	48	-
	ALL OTHER..MALE....	138	-	-	-	-	-	-	2	-	2	4	2	-	8	16	14	18	28	20	12	6	6	-
	FEMALE..	132	-	-	-	-	-	-	-	-	-	-	-	4	4	14	10	26	16	20	18	12	8	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OKLAHOMA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	64	-	-	-	2	-	-	4	-	-	-	-	-	2	2	8	6	12	14	8	2	4	-
	WHITE.....MALE....	24	-	-	-	-	-	-	2	-	-	-	-	-	2	2	2	-	6	6	4	-	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	6	8	4	2	2	-
	ALL OTHER..MALE....	8	-	-	-	2	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	600	2	6	4	2	4	2	2	6	4	10	10	18	34	40	50	60	96	104	80	42	24	-
	WHITE.....MALE....	298	2	2	2	-	2	-	-	6	2	4	8	16	20	20	26	30	50	52	38	10	8	-
	FEMALE..	240	-	2	2	-	-	2	-	-	-	2	-	-	6	10	14	26	40	52	40	30	14	-
	ALL OTHER..MALE....	34	-	2	-	2	-	-	-	-	-	4	-	2	6	6	6	4	-	-	2	-	-	-
	FEMALE..	28	-	-	-	-	2	-	2	-	2	-	2	-	2	4	4	-	6	-	-	2	2	-
400, 401, 403	HYPERTENSION.....	94	-	-	-	-	-	-	-	-	-	6	2	2	4	10	8	18	22	10	4	6	2	-
	WHITE.....MALE....	36	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	14	10	2	2	-	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	2	6	8	2	6	2	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	-	2	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	2	4	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	3,240	2	4	2	4	8	2	2	8	10	34	24	44	98	156	262	432	590	726	486	244	96	6
	WHITE.....MALE....	1,302	-	2	-	2	4	2	2	6	6	18	6	22	36	78	120	194	244	278	184	64	30	4
	FEMALE..	1,650	-	2	-	-	4	-	-	2	2	12	14	12	40	60	98	200	300	422	268	154	58	2
	ALL OTHER..MALE....	136	-	-	2	2	-	-	-	-	2	4	-	6	14	8	16	20	22	12	14	10	4	-
	FEMALE..	152	2	-	-	-	-	-	-	-	-	-	4	4	8	10	28	18	24	14	20	16	4	-
431	CEREBRAL HEMORRHAGE.....	450	2	-	-	-	-	2	-	-	2	10	4	4	28	38	32	78	78	86	44	30	12	-
	WHITE.....MALE....	190	-	-	-	-	-	2	-	-	2	8	-	-	12	14	10	34	36	34	20	14	4	-
	FEMALE..	220	-	-	-	-	-	-	-	-	-	2	2	4	10	16	16	38	38	46	24	16	8	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	4	2	-	-	-	-	-
	FEMALE..	22	2	-	-	-	-	-	-	-	-	-	2	-	2	4	2	2	2	6	-	-	-	-
433	CEREBRAL THROMBOSIS.....	686	-	-	2	-	2	-	-	-	-	-	2	4	12	24	56	100	128	154	120	48	30	4
	WHITE.....MALE....	268	-	-	-	-	-	-	-	-	-	-	-	2	6	14	18	46	54	56	44	16	10	2
	FEMALE..	356	-	-	-	-	2	-	-	-	-	-	2	-	2	6	26	46	62	96	64	30	18	2
	ALL OTHER..MALE....	30	-	-	2	-	-	-	-	-	-	-	-	2	4	2	4	6	6	-	2	-	2	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	2	6	2	10	2	-	-
434	CEREBRAL EMBOLISM.....	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	4	2	6	2	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	2	-	2	2	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	2,080	-	4	-	4	6	-	2	8	8	24	18	36	58	94	170	248	380	484	316	164	54	2
	WHITE.....MALE....	830	-	2	-	2	4	-	2	6	4	10	6	20	18	50	90	108	152	188	118	32	16	2
	FEMALE..	1,064	-	2	-	-	2	-	-	2	2	10	10	8	28	38	54	116	198	278	176	108	32	-
	ALL OTHER..MALE....	88	-	-	-	2	-	-	-	-	2	4	-	4	6	2	8	10	14	12	12	10	2	-
	FEMALE..	98	-	-	-	-	-	-	-	-	-	-	2	4	6	4	18	14	16	6	10	14	4	-
440	ARTERIOSCLEROSIS.....	466	-	-	-	-	-	-	-	-	-	-	-	4	8	18	38	44	60	94	104	70	26	-
	WHITE.....MALE....	182	-	-	-	-	-	-	-	-	-	-	-	2	6	8	20	18	18	40	34	26	10	-
	FEMALE..	252	-	-	-	-	-	-	-	-	-	-	-	-	-	10	14	22	36	48	70	40	12	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	4	4	-	2	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	-	2	4	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	338	-	-	-	-	-	2	2	-	2	2	6	6	6	34	30	84	54	68	26	8	6	2
	WHITE.....MALE....	184	-	-	-	-	-	-	2	-	2	-	2	4	4	18	22	52	26	34	10	4	4	-
	FEMALE..	126	-	-	-	-	-	-	-	-	-	2	2	2	2	8	6	28	26	28	16	4	2	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	2	-	-	6	-	2	-	2	-	-	-	-
	FEMALE..	16	-	-	-	-	-	2	-	-	-	-	-	-	-	2	2	2	2	4	-	-	-	2
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	16	2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	2	6	-	-	-	2	-
	WHITE.....MALE....	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	852	36	14	4	6	2	6	6	4	4	16	18	30	20	58	54	90	120	124	128	88	24	-
	WHITE.....MALE....	428	16	2	4	2	-	6	2	2	2	6	8	22	6	38	38	56	58	62	48	42	8	-
	FEMALE..	354	10	6	-	2	2	-	2	2	2	6	6	8	10	18	14	26	54	56	72	42	16	-
	ALL OTHER..MALE....	34	4	2	-	2	-	-	-	-	-	-	2	-	2	2	2	4	4	6	2	2	-	-
	FEMALE..	36	6	4	-	-	-	-	2	-	-	4	2	-	2	-	-	4	4	-	6	2	-	-
470-474	INFLUENZA.....	132	2	-	-	-	-	-	-	-	2	6	6	2	2	8	6	14	22	26	20	12	4	-
	WHITE.....MALE....	56	-	-	-	-	-	-	-	-	2	-	2	2	-	6	4	12	4	14	4	6	-	-
	FEMALE..	66	2	-	-	-	-	-	-	-	-	4	4	-	2	2	2	2	16	12	12	4	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	4	2	-	-
480-486	PNEUMONIA.....	720	34	14	4	6	2	6	6	4	2	10	12	28	18	50	48	76	98	98	108	76	20	-
	WHITE.....MALE....	372	16	2	4	2	-	6	2	2	-	6	6	20	6	32	34	44	54	48	44	36	8	-
	FEMALE..	288	8	6	-	2	2	-	2	2	2	2	2	8	8	16	12	24	38	44	60	38	12	-
	ALL OTHER..MALE....	34	4	2	-	2	-	-	-	-	-	-	2	-	2	2	2	4	4	6	2	2	-	-
	FEMALE..	26	6	4	-	-	-	-	2	-	-	2	2	-	2	-	-	4	2	-	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OKLAHOMA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	382	2	2	-	-	-	-	2	4	-	2	8	14	22	46	64	72	68	44	18	12	2	-
	WHITE.....MALE	290	-	-	-	-	-	-	-	2	-	-	6	8	10	42	58	60	46	36	12	8	2	-
	FEMALE	76	2	-	-	-	-	-	-	2	-	2	2	6	10	4	4	12	16	8	4	4	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-
	FEMALE	8	-	2	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	36	2	2	-	-	-	-	-	-	-	-	-	-	2	8	10	2	6	4	-	-	-	-
	WHITE.....MALE	28	-	-	-	-	-	-	-	-	-	-	-	-	-	8	8	2	6	4	-	-	-	-
	FEMALE	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	324	-	-	-	-	-	-	2	2	-	-	8	14	18	32	48	68	62	38	18	12	2	-
	WHITE.....MALE	254	-	-	-	-	-	-	-	2	-	-	6	8	10	30	46	58	40	32	12	8	2	-
	FEMALE	58	-	-	-	-	-	-	-	-	-	-	2	6	6	2	2	10	16	6	4	4	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
493	ASTHMA	22	-	-	-	-	-	-	-	2	-	2	-	-	2	6	6	2	-	2	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	2	-	2	-	-	2	2	-	2	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	112	6	-	-	-	-	-	-	2	4	4	10	2	4	8	12	18	16	12	12	2	-	-
	WHITE.....MALE	70	4	-	-	-	-	-	-	-	4	-	6	2	2	8	4	14	12	8	4	2	-	-
	FEMALE	26	-	-	-	-	-	-	-	2	-	2	-	-	2	-	4	-	4	4	8	-	-	-
	ALL OTHER..MALE	12	2	-	-	-	-	-	-	-	-	2	4	-	-	-	2	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
540-543	APPENDICITIS	20	-	-	4	2	-	2	-	2	-	-	-	-	4	2	-	-	4	-	-	-	-	-
	WHITE.....MALE	6	-	-	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	106	10	-	-	-	-	-	-	-	-	-	2	4	2	10	6	14	16	22	8	12	-	-
	WHITE.....MALE	46	6	-	-	-	-	-	-	-	-	-	-	-	2	4	2	8	4	10	4	6	-	-
	FEMALE	52	4	-	-	-	-	-	-	-	-	-	-	-	-	6	4	4	12	12	4	6	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	308	-	4	-	2	2	-	4	2	18	26	34	42	50	38	28	30	14	10	2	2	-	-
	WHITE.....MALE	158	-	-	-	-	2	-	2	2	6	8	22	22	26	20	18	22	4	4	-	-	-	-
	FEMALE	106	-	4	-	2	-	-	-	-	8	6	10	14	22	8	6	6	10	6	2	2	-	-
	ALL OTHER..MALE	30	-	-	-	-	-	-	-	-	4	6	2	6	2	4	4	2	-	-	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	2	-	-	6	-	-	-	6	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	54	-	-	-	-	-	-	-	-	-	-	-	2	-	6	4	8	8	8	10	8	-	-
	WHITE.....MALE	26	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	4	4	4	4	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	4	4	4	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	172	-	-	-	-	-	-	4	2	-	2	8	12	10	10	18	18	24	26	20	12	6	-
	WHITE.....MALE	76	-	-	-	-	-	-	-	-	-	-	4	8	4	4	10	10	4	14	10	8	-	-
	FEMALE	60	-	-	-	-	-	-	4	2	-	-	2	2	2	-	4	8	12	8	10	2	4	-
	ALL OTHER..MALE	16	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	4	4	-	2	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	2	2	-	4	2	4	-	4	-	-	-	2	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	20	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	4	6	2	-	2	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	4	2	-	2	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	152	-	-	-	-	-	-	4	2	-	2	6	12	8	10	18	16	20	20	18	12	4	-
	WHITE.....MALE	70	-	-	-	-	-	-	-	-	-	-	4	8	4	4	10	8	2	12	10	8	-	-
	FEMALE	50	-	-	-	-	-	-	4	2	-	-	-	2	2	-	4	8	12	4	8	2	2	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	2	4	-	2	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	2	2	-	2	2	4	-	4	-	-	-	2	-
590	INFECTIONS OF KIDNEY	178	-	-	-	-	-	-	-	-	-	-	4	-	8	2	16	14	34	50	26	18	6	-
	WHITE.....MALE	68	-	-	-	-	-	-	-	-	-	-	2	-	4	2	6	2	8	26	10	6	2	-
	FEMALE	94	-	-	-	-	-	-	-	-	-	-	-	-	4	-	8	12	20	20	16	10	4	-
	ALL OTHER..MALE	12	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	4	4	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-
600	HYPERPLASIA OF PROSTATE	46	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	10	8	10	4	-	-
	WHITE.....MALE	44	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	10	8	8	4	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OKLAHOMA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	10	-	-	-	-	-	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	6	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	156	106	8	6	8	4	2	2	4	2	2	-	2	-	2	2	-	-	2	2	-	-	2
	WHITE.....MALE....	70	58	2	4	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	62	30	6	2	4	4	2	-	2	2	2	-	-	-	2	2	-	-	2	-	-	-	2
	ALL OTHER..MALE....	16	10	-	-	2	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	446	444	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	WHITE.....MALE....	224	224	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	32	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	220	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	WHITE.....MALE....	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	24	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	448	64	8	4	4	6	6	8	10	8	14	10	16	24	28	44	36	40	44	30	26	16	2
	WHITE.....MALE....	218	26	4	2	2	4	2	4	6	4	6	2	6	20	20	26	26	18	20	12	6	2	-
	FEMALE..	160	10	2	2	2	2	4	-	4	4	6	8	8	4	4	12	10	16	18	14	18	12	-
	ALL OTHER..MALE....	40	10	-	-	-	-	-	4	-	-	2	-	2	-	4	4	-	6	-	4	2	-	2
	FEMALE..	30	18	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	-	-	2	-
RESIDUAL	ALL OTHER DISEASES.....	1,686	34	22	18	16	18	34	14	30	30	36	68	80	114	132	212	218	216	174	136	56	26	2
	WHITE.....MALE....	840	24	8	8	8	6	20	4	12	12	18	30	58	68	74	116	114	102	64	58	22	14	-
	FEMALE..	654	8	6	10	2	6	14	8	10	14	16	22	14	28	36	78	82	94	104	60	30	12	-
	ALL OTHER..MALE....	106	2	4	-	-	2	-	-	4	2	2	8	8	12	10	6	12	16	4	10	2	-	2
	FEMALE..	86	-	4	-	6	4	-	2	4	2	-	8	-	6	12	12	10	4	2	8	2	-	-
E800-E949	ACCIDENTS.....	1,700	38	54	64	60	170	142	112	98	70	74	88	108	110	94	80	88	84	64	56	42	4	-
	WHITE.....MALE....	1,060	26	28	36	42	102	126	82	68	46	42	58	70	76	60	42	38	38	46	20	12	2	-
	FEMALE..	462	2	22	22	10	50	10	18	22	10	24	24	28	24	14	24	42	38	14	34	28	2	-
	ALL OTHER..MALE....	122	8	2	4	8	6	4	12	8	6	6	6	8	4	14	10	6	6	2	2	-	-	-
	FEMALE..	56	2	2	2	-	12	2	-	-	8	2	-	2	6	6	4	2	2	2	-	2	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	806	6	18	30	34	118	78	56	48	36	32	48	60	52	44	44	40	38	16	4	4	-	-
	WHITE.....MALE....	508	4	6	20	22	64	74	42	34	24	16	30	34	34	26	24	16	22	12	2	2	-	-
	FEMALE..	216	-	12	10	8	42	2	8	8	6	12	16	18	10	8	12	22	16	2	2	2	-	-
	ALL OTHER..MALE....	50	2	-	-	4	4	-	6	6	2	2	2	6	4	6	4	2	-	-	-	-	-	-
	FEMALE..	32	-	-	-	-	8	2	-	-	4	2	-	2	4	4	4	-	-	2	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	894	32	36	34	26	52	64	56	50	34	42	40	48	58	50	36	48	46	48	52	38	4	-
	WHITE.....MALE....	552	22	22	16	20	38	52	40	34	22	26	28	36	42	34	18	22	16	34	18	10	2	-
	FEMALE..	246	2	10	12	2	8	8	10	14	4	12	8	10	14	6	12	20	22	12	32	26	2	-
	ALL OTHER..MALE....	72	6	2	4	4	2	4	6	2	4	4	4	2	-	8	6	4	6	2	2	-	-	-
	FEMALE..	24	2	2	2	-	4	-	-	-	4	-	-	-	2	2	-	2	2	-	-	2	-	-
E950-E959	SUICIDE.....	328	...	...	-	2	14	32	36	26	12	30	20	44	28	28	20	8	16	8	4	-	-	-
	WHITE.....MALE....	234	...	...	-	2	8	22	26	24	8	12	12	36	20	20	16	6	14	6	2	-	-	-
	FEMALE..	78	...	...	-	-	2	6	6	2	4	16	6	8	8	8	4	2	2	2	2	-	-	-
	ALL OTHER..MALE....	10	...	...	-	-	4	-	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	...	...	-	-	-	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	206	-	2	-	4	16	26	40	24	20	14	14	22	4	-	8	4	4	2	-	2	-	-
	WHITE.....MALE....	86	-	2	-	-	4	8	22	10	8	2	6	8	2	-	6	2	4	-	-	2	-	-
	FEMALE..	32	-	-	-	-	4	6	6	-	2	4	2	4	-	-	-	2	-	2	-	-	-	-
	ALL OTHER..MALE....	84	-	-	-	2	8	12	12	14	10	6	6	10	2	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	66	4	2	-	4	4	4	6	10	10	6	4	2	4	2	-	-	2	2	-	-	-	-
	WHITE.....MALE....	30	2	2	-	2	4	-	2	6	4	-	-	2	2	2	-	-	2	-	-	-	-	-
	FEMALE..	22	-	-	-	2	-	2	2	2	6	4	2	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	2	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OREGON																							
	ALL CAUSES.....	20,158	520	138	84	98	256	262	226	174	216	350	610	906	1,368	1,744	1,984	2,330	2,836	2,702	2,090	942	312	10
	WHITE.....MALE....	11,242	260	72	50	66	194	184	152	102	142	210	378	552	898	1,116	1,274	1,382	1,564	1,280	912	350	100	4
	FEMALE..	8,470	228	58	24	30	60	64	64	56	66	120	218	310	430	592	682	908	1,218	1,390	1,154	582	212	4
	ALL OTHER..MALE....	272	18	4	8	2	2	10	8	14	2	12	10	26	28	24	20	20	32	14	14	2	-	2
	FEMALE..	174	14	4	2	-	-	4	2	2	6	8	4	18	12	12	8	20	22	18	10	8	-	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	18	6	2	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	2	2	-	-
	WHITE.....MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE..	10	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	2	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	36	-	-	-	-	-	-	-	-	-	2	2	8	12	4	6	2	-	-	-	-	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-	2	2	8	6	2	2	2	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	6	2	4	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	28	-	-	-	-	-	-	-	-	-	2	2	6	10	2	6	-	-	-	-	-	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	2	2	6	6	2	2	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	8	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	36	10	-	-	-	-	2	2	2	-	2	-	-	4	2	-	2	-	4	4	2	-	-
	WHITE.....MALE....	14	2	-	-	-	-	-	-	2	-	-	-	-	-	2	-	2	-	2	2	2	-	-
	FEMALE..	16	4	-	-	-	-	2	2	-	-	-	-	-	4	-	-	-	-	2	2	-	-	-
	ALL OTHER..MALE....	6	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OREGON—CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	38	-	2	-	2	4	2	6	-	2	2	-	2	4	-	2	-	6	2	-	2	-	-
	WHITE.....MALE....	20	-	-	-	2	2	-	4	-	-	-	-	-	4	-	2	-	6	-	-	-	-	-
	FEMALE..	18	-	2	-	-	2	2	2	-	2	2	-	2	-	-	-	-	-	2	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	3,528	-	6	12	6	18	16	22	24	46	88	146	208	348	452	496	508	526	368	180	44	14	-
	WHITE.....MALE....	1,908	-	4	10	6	12	10	14	10	20	28	72	104	196	242	280	300	294	194	94	18	-	-
	FEMALE..	1,542	-	2	2	-	6	6	4	14	24	60	74	96	142	202	206	196	220	168	80	26	14	-
	ALL OTHER..MALE....	38	-	-	-	-	-	-	4	-	-	-	-	4	4	4	8	6	2	2	4	-	-	-
	FEMALE..	40	-	-	-	-	-	-	-	-	2	-	-	4	6	4	2	6	10	4	2	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	76	-	-	-	-	-	-	-	-	2	2	2	2	4	10	4	14	14	18	4	-	-	-
	WHITE.....MALE....	58	-	-	-	-	-	-	-	-	2	2	2	-	4	8	2	12	14	8	4	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	10	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	990	-	-	-	-	-	-	-	2	12	22	24	38	92	116	156	150	174	124	58	18	4	-
	WHITE.....MALE....	520	-	-	-	-	-	-	-	2	6	10	22	28	64	70	84	72	80	56	22	4	-	-
	FEMALE..	444	-	-	-	-	-	-	-	-	6	12	2	8	22	46	70	72	90	66	32	14	4	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	6	-	2	4	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	800	-	-	-	-	-	-	-	4	4	14	34	66	112	126	124	138	92	62	14	8	2	-
	WHITE.....MALE....	616	-	-	-	-	-	-	-	2	4	6	26	38	86	102	94	118	80	44	12	4	-	-
	FEMALE..	176	-	-	-	-	-	-	-	2	-	8	8	26	26	24	26	18	12	18	2	4	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
174	OF BREAST.....	306	-	-	-	-	-	-	-	-	4	14	24	30	46	56	28	40	26	16	16	4	2	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	FEMALE..	296	-	-	-	-	-	-	-	-	4	14	24	28	44	54	28	38	26	14	16	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-	-
180-187	OF GENITAL ORGANS.....	442	-	-	-	-	-	2	8	2	4	10	20	26	32	56	54	54	72	60	34	8	-	-
	WHITE.....MALE....	200	-	-	-	-	-	2	4	2	-	-	2	6	4	16	28	22	40	42	26	6	-	-
	FEMALE..	220	-	-	-	-	-	-	2	-	4	10	18	20	26	34	22	30	26	18	8	2	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	2	-	-	-	-	-	-	4	2	-	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	6	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	154	-	2	-	-	-	-	-	-	2	2	4	8	16	12	20	32	24	18	12	-	2	-
	WHITE.....MALE....	120	-	-	-	-	-	-	-	-	2	-	4	8	14	6	14	30	18	14	10	-	-	-
	FEMALE..	34	-	2	-	-	-	-	-	-	-	2	-	-	2	6	6	2	6	4	2	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	378	-	4	6	4	16	2	-	6	10	22	22	18	24	42	54	36	60	26	22	2	2	-
	WHITE.....MALE....	182	-	4	4	4	12	2	-	2	4	10	6	10	10	14	32	20	26	10	12	-	-	-
	FEMALE..	182	-	-	2	-	4	-	-	4	4	12	16	6	12	26	22	16	32	14	8	2	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	2	-	-	2	2	2	-	-	-	2	2	-	-	-
204-207	LEUKEMIA.....	172	-	-	6	-	2	8	8	6	4	2	10	6	10	10	20	16	28	24	8	2	2	-
	WHITE.....MALE....	104	-	-	6	-	-	4	6	2	-	-	6	4	10	8	10	14	12	16	4	2	-	-
	FEMALE..	68	-	-	-	-	2	4	2	4	4	2	4	2	-	2	10	2	16	8	4	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	210	-	-	-	2	-	4	6	4	4	-	6	14	12	24	36	28	36	20	12	2	-	-
	WHITE.....MALE....	104	-	-	-	2	-	2	4	-	2	-	4	10	2	16	16	12	24	4	4	2	-	-
	FEMALE..	104	-	-	-	-	-	2	-	4	2	-	2	4	10	8	20	16	12	16	8	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	54	2	-	-	-	2	-	2	-	2	-	2	4	6	8	4	4	4	6	4	2	2	-
	WHITE.....MALE....	28	2	-	-	-	2	-	2	-	2	-	2	2	4	2	4	2	4	-	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	2	-	4	4	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
250	DIABETES MELLITUS.....	290	-	-	-	-	-	-	2	4	4	-	10	4	12	34	42	36	50	54	28	8	2	-
	WHITE.....MALE....	114	-	-	-	-	-	-	-	4	2	-	2	-	2	16	16	16	24	20	12	-	-	-
	FEMALE..	168	-	-	-	-	-	-	2	-	-	-	6	4	8	18	26	20	24	34	16	8	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	2	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OREGON—CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	34	-	-	-	-	-	4	2	-	-	-	-	-	-	-	2	2	4	10	4	6	-	-
	WHITE.....MALE....	14	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	2	2	6	-	-	-	-
	FEMALE..	18	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	2	4	2	6	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
280-285	ANEMIAS.....	30	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	-	10	2	2	6	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	2	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	4	2	2	4	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	28	4	8	-	-	-	-	-	-	2	-	4	4	2	-	2	-	2	-	-	-	-	-
	WHITE.....MALE....	16	4	4	-	-	-	-	-	-	2	-	-	4	-	-	2	-	-	-	-	-	-	-
	FEMALE..	8	-	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	10,792	10	2	2	-	6	14	16	14	44	80	220	384	610	854	1,054	1,388	1,794	1,798	1,550	702	240	8
	WHITE.....MALE....	5,888	6	-	-	-	2	10	8	8	42	56	170	258	456	596	710	806	968	822	638	246	82	4
	FEMALE..	4,762	4	2	2	-	4	4	8	4	2	22	50	106	144	244	328	568	796	960	900	454	158	2
	ALL OTHER..MALE....	88	-	-	-	-	-	-	-	2	-	2	-	14	6	8	10	8	22	6	8	-	-	2
	FEMALE..	54	-	-	-	-	-	-	-	2	-	-	-	6	4	6	6	6	8	10	4	2	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	7,420	10	2	2	-	4	10	10	8	40	58	178	316	522	682	770	1,016	1,152	1,150	962	388	134	6
	WHITE.....MALE....	4,356	6	-	-	-	-	8	6	6	38	46	146	226	404	496	530	600	652	564	424	156	46	2
	FEMALE..	2,984	4	2	2	-	4	2	4	2	2	10	32	74	110	180	232	406	486	580	530	232	88	2
	ALL OTHER..MALE....	46	-	-	-	-	-	-	-	-	-	2	-	10	6	2	4	6	8	2	4	-	-	2
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	-	6	2	4	4	4	6	4	4	-	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	194	-	2	-	-	-	2	2	-	6	6	12	14	16	36	24	28	20	6	14	4	2	-
	WHITE.....MALE....	110	-	-	-	-	-	-	-	-	6	4	6	8	12	24	18	10	14	-	8	-	-	-
	FEMALE..	84	-	2	-	-	-	2	2	-	-	2	6	6	4	12	6	18	6	6	6	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	52	-	-	-	-	-	-	-	-	-	2	-	4	4	-	2	6	10	8	14	-	2	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	4	-	2	-	-	-
	FEMALE..	38	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	6	6	8	12	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	14	10	18	24	10	4	-
	WHITE.....MALE....	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	4	10	8	8	2	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	6	8	16	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	6,768	-	-	-	-	-	2	2	6	32	44	152	280	478	624	706	940	1,084	1,076	864	354	118	6
	WHITE.....MALE....	4,022	-	-	-	-	-	2	2	4	32	38	130	206	376	456	486	574	614	530	388	138	44	2
	FEMALE..	2,670	-	-	-	-	-	-	-	2	-	4	22	60	94	164	212	356	456	540	468	216	74	2
	ALL OTHER..MALE....	46	-	-	-	-	-	-	-	-	-	2	-	10	6	2	4	6	8	2	4	-	-	2
	FEMALE..	30	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	4	6	4	4	-	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	2,882	-	-	-	-	-	2	-	4	10	24	86	134	242	338	348	466	428	418	266	78	34	4
	WHITE.....MALE....	1,846	-	-	-	-	-	2	-	2	10	22	66	98	198	254	250	276	242	230	144	34	16	2
	FEMALE..	1,014	-	-	-	-	-	-	-	2	-	2	20	34	44	84	94	184	184	182	120	44	18	2
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	2	2	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	30	-	-	-	-	-	-	-	-	-	2	6	-	8	4	2	2	2	-	2	2	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	-	6	-	4	2	2	2	-	-	2	2	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	3,852	-	-	-	-	-	-	2	2	22	18	60	146	228	280	356	472	654	658	594	274	84	2
	WHITE.....MALE....	2,152	-	-	-	-	-	-	2	2	22	16	58	108	174	198	234	296	372	300	240	102	28	-
	FEMALE..	1,646	-	-	-	-	-	-	-	-	-	-	2	26	46	78	118	172	270	358	348	172	56	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	-	-	-	2	-	8	6	2	2	-	6	-	2	-	-	2
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	4	6	-	4	-	-	-
413	ANGINA PECTORIS.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OREGON--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	32	2	-	-	-	-	-	2	-	-	2	-	-	-	-	4	2	6	2	6	6	-	-
	WHITE.....MALE....	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	2	-	-
	FEMALE..	20	-	-	-	-	-	-	2	-	-	2	-	-	-	-	4	2	2	2	2	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	290	8	-	2	-	4	6	4	2	2	4	14	18	24	22	30	26	22	40	40	14	8	-
	WHITE.....MALE....	158	4	-	-	-	-	6	4	2	-	4	10	8	14	16	24	8	12	24	14	8	-	-
	FEMALE..	128	4	-	2	-	4	-	-	-	2	-	4	8	10	4	6	18	10	16	26	6	8	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	56	-	-	-	-	-	-	2	-	-	2	2	4	4	8	2	10	10	-	8	4	-	-
	WHITE.....MALE....	28	-	-	-	-	-	-	-	-	-	-	2	4	4	4	2	6	4	-	-	2	-	-
	FEMALE..	24	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	4	6	-	8	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-
430-438	CEREBROVASCULAR DISEASES.	2,516	-	-	-	-	2	2	4	8	-	16	28	54	64	128	216	272	508	494	442	202	74	2
	WHITE.....MALE....	1,088	-	-	-	-	2	-	2	2	-	8	14	26	34	72	130	140	238	178	164	56	20	2
	FEMALE..	1,374	-	-	-	-	-	2	2	2	-	8	14	24	28	50	80	130	254	306	274	146	54	-
	ALL OTHER..MALE....	40	-	-	-	-	-	-	-	2	-	-	-	4	-	6	4	2	14	4	4	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	-	2	6	-	-	-	-
431	CEREBRAL HEMORRHAGE.....	330	-	-	-	-	-	-	2	4	-	6	4	16	22	30	44	42	58	40	36	14	12	-
	WHITE.....MALE....	124	-	-	-	-	-	-	2	2	-	4	2	10	10	12	16	20	24	12	2	2	6	-
	FEMALE..	198	-	-	-	-	-	-	-	-	-	2	2	6	12	18	24	22	32	28	34	12	6	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	714	-	-	-	-	-	-	-	2	-	-	12	2	10	30	62	74	158	138	136	64	26	-
	WHITE.....MALE....	310	-	-	-	-	-	-	-	-	-	-	8	-	2	20	40	38	68	60	54	16	4	-
	FEMALE..	386	-	-	-	-	-	-	-	2	-	-	4	2	6	6	22	34	82	78	80	48	22	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	6	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
434	CEREBRAL EMBOLISM.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	1,466	-	-	-	-	2	2	2	2	-	10	12	36	32	68	110	154	292	314	268	124	36	2
	WHITE.....MALE....	654	-	-	-	-	2	-	-	-	-	4	4	16	22	40	74	82	146	106	108	38	10	2
	FEMALE..	784	-	-	-	-	-	2	2	-	-	6	8	16	10	26	34	72	140	198	158	86	26	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	-	6	4	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	6	-	-	-	-
440	ARTERIOSCLEROSIS.....	434	-	-	-	-	-	-	-	-	-	-	-	-	4	8	22	22	62	90	104	90	32	-
	WHITE.....MALE....	176	-	-	-	-	-	-	-	-	-	-	-	-	4	6	8	10	32	32	42	26	16	-
	FEMALE..	256	-	-	-	-	-	-	-	-	-	-	-	-	-	2	12	12	30	58	62	64	16	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	366	-	-	-	-	-	2	-	-	4	4	12	10	16	28	44	68	62	64	34	18	-	-
	WHITE.....MALE....	240	-	-	-	-	-	2	-	-	4	2	8	2	10	18	40	50	42	48	8	6	-	-
	FEMALE..	124	-	-	-	-	-	-	-	-	-	2	4	8	6	10	4	16	20	16	26	12	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	14	2	-	2	-	-	2	-	-	-	-	-	-	-	-	2	6	-	-	-	-	-	-
	WHITE.....MALE....	10	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	6	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	638	16	4	4	2	6	4	2	-	2	6	14	30	18	28	30	64	88	140	100	62	18	-
	WHITE.....MALE....	324	6	-	2	2	4	-	2	-	-	6	4	14	14	20	22	40	46	56	48	32	6	-
	FEMALE..	300	10	4	2	-	2	4	-	-	2	-	8	16	4	8	8	24	40	80	50	26	12	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	4	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-
470-474	INFLUENZA.....	82	-	-	2	-	2	-	-	-	-	-	-	4	2	4	4	14	14	18	12	4	2	-
	WHITE.....MALE....	42	-	-	-	-	2	-	-	-	-	-	-	2	2	2	4	12	6	2	8	2	-	-
	FEMALE..	36	-	-	2	-	-	-	-	-	-	-	-	2	-	2	-	2	8	14	4	-	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
480-486	PNEUMONIA.....	556	16	4	2	2	4	4	2	-	2	6	14	26	16	24	26	50	74	122	88	58	16	-
	WHITE.....MALE....	282	6	-	2	2	2	-	2	-	-	6	4	12	12	18	18	28	40	54	40	30	6	-
	FEMALE..	264	10	4	-	-	2	4	-	-	2	-	8	14	4	6	8	22	32	66	46	26	10	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	2	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OREGON--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	394	-	-	-	-	-	-	-	2	-	-	-	14	26	54	60	86	56	50	24	18	4	-
	WHITE.....MALE	292	-	-	-	-	-	-	-	-	-	-	-	10	14	36	44	68	44	42	18	12	4	-
	FEMALE	94	-	-	-	-	-	-	-	2	-	-	-	4	10	16	16	18	10	8	6	4	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	2	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	72	-	-	-	-	-	-	-	2	-	-	-	2	4	6	14	14	10	6	4	8	2	-
	WHITE.....MALE	52	-	-	-	-	-	-	-	-	-	-	-	2	4	2	6	12	10	4	2	8	2	-
	FEMALE	18	-	-	-	-	-	-	-	2	-	-	-	-	-	2	8	2	-	2	2	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	294	-	-	-	-	-	-	-	-	-	-	-	8	20	44	42	66	44	42	18	8	2	-
	WHITE.....MALE	230	-	-	-	-	-	-	-	-	-	-	-	4	10	34	36	54	34	36	16	4	2	-
	FEMALE	58	-	-	-	-	-	-	-	-	-	-	-	4	8	10	6	12	8	6	2	2	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	28	-	-	-	-	-	-	-	-	-	-	-	4	2	4	4	6	2	2	2	2	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	-	2	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	4	2	-	2	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	64	-	-	-	-	-	-	-	-	-	4	2	-	4	8	8	4	6	12	14	2	-	-
	WHITE.....MALE	44	-	-	-	-	-	-	-	-	-	4	2	-	-	8	6	4	2	8	8	2	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	4	4	6	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	60	6	-	-	2	-	-	-	-	-	2	-	4	2	2	4	4	10	12	12	-	-	-
	WHITE.....MALE	22	2	-	-	2	-	-	-	-	-	2	-	-	-	-	2	2	2	2	8	-	-	-
	FEMALE	36	4	-	-	-	-	-	-	-	-	-	-	4	-	2	2	2	8	10	4	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	324	2	-	-	-	-	-	-	-	2	30	26	60	70	58	38	24	6	6	2	-	-	-
	WHITE.....MALE	200	2	-	-	-	-	-	-	-	2	22	14	24	44	36	28	18	4	4	2	-	-	-
	FEMALE	92	-	-	-	-	-	-	-	-	-	2	10	28	16	20	10	4	2	-	-	-	-	-
	ALL OTHER..MALE	20	-	-	-	-	-	-	-	-	-	2	-	6	10	-	-	2	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	4	2	2	-	2	-	-	-	2	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	24	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	2	-	6	2	2	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	2	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	4	2	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	64	-	-	-	2	2	-	-	-	6	2	2	4	4	2	6	8	6	12	4	-	4	-
	WHITE.....MALE	34	-	-	-	2	-	-	-	-	2	-	-	2	4	2	6	6	2	8	-	-	-	-
	FEMALE	30	-	-	-	-	2	-	-	-	4	2	2	2	-	-	-	2	4	4	4	-	4	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	14	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	2	4	-	-	2	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	50	-	-	-	2	2	-	-	-	6	2	-	4	2	2	6	6	4	8	4	-	2	-
	WHITE.....MALE	28	-	-	-	2	-	-	-	-	2	-	-	2	2	2	6	6	2	4	-	-	-	-
	FEMALE	22	-	-	-	-	2	-	-	-	4	2	-	2	-	-	-	-	2	4	4	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	60	-	-	-	-	4	-	-	-	-	-	2	4	4	6	4	-	6	16	8	4	2	-
	WHITE.....MALE	22	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	8	4	4	-	-
	FEMALE	36	-	-	-	-	4	-	-	-	-	-	2	2	4	4	2	-	4	8	4	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	4	-	-	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OREGON--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	140	92	16	2	6	6	-	-	4	-	-	4	2	2	2	-	4	-	-	-	-	-	-
	WHITE.....MALE....	68	44	8	-	4	2	-	-	2	-	-	2	2	2	-	-	2	-	-	-	-	-	-
	FEMALE..	64	42	6	2	2	4	-	-	2	-	-	2	-	-	2	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	244	244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	284	92	4	2	-	2	2	-	2	2	4	12	12	10	30	20	12	26	22	10	18	2	-
	WHITE.....MALE....	152	44	4	-	-	2	2	-	2	-	2	6	4	6	16	12	6	22	12	6	6	-	-
	FEMALE..	116	40	-	2	-	-	-	-	-	2	-	6	8	4	12	8	6	2	10	4	10	2	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	FEMALE..	10	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-
RESIDUAL	ALL OTHER DISEASES.....	1,064	16	16	4	12	4	12	18	20	16	26	40	46	92	102	124	110	160	108	90	38	10	-
	WHITE.....MALE....	604	12	6	2	-	4	4	8	16	8	14	20	28	58	66	78	68	94	58	46	12	2	-
	FEMALE..	422	4	8	-	12	-	6	6	2	6	10	18	16	30	32	44	34	66	50	44	26	8	-
	ALL OTHER..MALE....	26	-	2	2	-	-	-	2	2	-	2	2	-	4	4	2	4	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	2	2	-	2	-	-	2	-	-	-	4	-	-	-	-	-	-
E800-E949	ACCIDENTS.....	1,378	14	70	56	58	162	154	118	64	54	58	72	70	76	62	52	48	56	60	40	20	12	2
	WHITE.....MALE....	958	8	42	34	42	136	118	92	44	46	46	50	58	56	44	34	20	30	28	16	10	4	-
	FEMALE..	382	6	24	14	14	24	28	26	20	8	10	20	10	20	16	18	24	26	32	22	10	8	2
	ALL OTHER..MALE....	22	-	2	6	2	2	6	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	16	-	2	2	-	-	2	-	-	-	-	2	2	-	-	-	4	-	-	2	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	750	8	22	22	28	114	108	84	54	44	26	42	36	38	26	26	30	16	20	6	-	-	-
	WHITE.....MALE....	524	4	14	14	20	92	80	66	34	38	18	26	32	26	18	14	10	4	12	2	-	-	-
	FEMALE..	208	4	8	8	8	20	22	18	20	6	6	14	4	12	6	12	16	12	8	4	-	-	-
	ALL OTHER..MALE....	12	-	-	-	-	2	6	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	628	6	48	34	30	48	46	34	10	10	32	30	34	38	36	26	18	40	40	34	20	12	2
	WHITE.....MALE....	434	4	28	20	22	44	38	26	10	8	28	24	26	30	26	20	10	26	16	14	10	4	-
	FEMALE..	174	2	16	6	6	4	6	8	-	2	4	6	6	8	10	6	8	14	24	18	10	8	2
	ALL OTHER..MALE....	10	-	2	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	2	2	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-
E950-E959	SUICIDE.....	314	...	...	-	4	20	24	22	16	22	28	44	20	44	20	14	10	14	2	4	4	2	-
	WHITE.....MALE....	216	...	...	-	2	16	22	14	6	12	20	26	14	26	18	12	6	10	2	4	4	2	-
	FEMALE..	92	...	...	-	2	4	2	8	6	10	6	18	6	18	2	2	4	4	-	-	-	-	-
	ALL OTHER..MALE....	4	...	...	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	...	...	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	120	-	8	-	2	12	22	8	14	6	8	6	12	6	8	2	2	-	4	-	-	-	-
	WHITE.....MALE....	72	-	4	-	2	6	14	2	8	2	6	6	6	4	6	2	2	-	2	-	-	-	-
	FEMALE..	34	-	4	-	-	6	6	4	2	2	2	-	4	2	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	2	2	4	2	-	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	60	4	-	-	2	6	4	6	4	6	6	-	10	6	2	2	-	-	2	-	-	-	-
	WHITE.....MALE....	32	-	-	-	2	6	2	4	-	2	2	-	8	2	2	2	-	-	-	-	-	-	-
	FEMALE..	22	2	-	-	-	-	-	2	2	4	4	-	2	4	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	6	2	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	PENNSYLVANIA																							
	ALL CAUSES	127,564	2,866	478	382	394	984	1,224	970	984	1,230	2,450	4,282	6,364	9,202	12,216	14,546	16,722	19,088	16,222	10,766	4,706	1,450	38
	WHITE.....MALE	62,950	1,320	202	184	172	584	678	518	448	564	1,164	2,298	3,562	5,392	7,134	8,036	8,522	9,224	6,920	4,140	1,504	366	18
	FEMALE..	52,748	930	158	128	142	246	288	210	272	340	790	1,254	1,830	2,814	3,902	5,188	6,714	8,796	8,546	6,204	2,980	1,000	16
	ALL OTHER..MALE	6,808	356	66	30	56	110	206	172	176	200	276	438	592	646	686	774	804	576	346	182	80	32	4
	FEMALE..	5,058	260	52	40	24	44	52	70	88	126	220	292	380	350	494	548	682	492	410	240	142	52	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	90	20	-	-	-	-	-	2	-	2	2	-	4	4	10	4	6	14	8	10	4	-	-
	WHITE.....MALE	36	4	-	-	-	-	-	-	-	2	-	-	4	-	4	2	6	4	2	6	2	-	-
	FEMALE..	46	10	-	-	-	-	-	2	-	-	2	-	-	4	6	2	-	8	6	4	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	324	-	-	-	-	-	-	2	6	2	16	22	24	42	38	48	44	36	24	14	4	2	-
	WHITE.....MALE	182	-	-	-	-	-	-	-	2	-	6	10	12	26	30	28	18	24	14	12	-	-	-
	FEMALE..	52	-	-	-	-	-	-	-	-	-	-	-	6	8	2	4	12	12	4	-	2	2	-
	ALL OTHER..MALE	64	-	-	-	-	-	-	2	2	-	6	6	6	4	6	12	12	-	4	2	2	-	-
	FEMALE..	26	-	-	-	-	-	-	-	2	2	4	6	-	4	-	4	2	-	2	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	290	-	-	-	-	-	-	-	6	-	16	20	24	32	36	40	42	34	20	14	4	2	-
	WHITE.....MALE	160	-	-	-	-	-	-	-	2	-	6	8	12	20	30	22	16	22	10	12	-	-	-
	FEMALE..	46	-	-	-	-	-	-	-	-	-	-	-	6	6	-	2	12	12	4	-	2	2	-
	ALL OTHER..MALE	62	-	-	-	-	-	-	-	2	-	6	6	6	4	6	12	12	-	4	2	2	-	-
	FEMALE..	22	-	-	-	-	-	-	-	2	-	4	6	-	2	-	4	2	-	2	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	34	-	-	-	-	-	-	2	-	2	-	2	-	10	2	8	2	2	4	-	-	-	-
	WHITE.....MALE	22	-	-	-	-	-	-	-	-	-	-	2	-	6	-	6	2	2	4	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	14	2	4	-	-	-	4	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	6	-	2	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	300	28	2	4	-	-	2	-	2	-	4	16	18	24	16	22	34	68	36	16	6	-	2
	WHITE.....MALE	136	14	2	2	-	-	2	-	-	-	-	6	6	10	8	12	16	32	18	8	-	-	-
	FEMALE..	96	6	-	-	-	-	-	-	-	-	-	6	4	8	4	2	14	26	12	8	6	-	-
	ALL OTHER..MALE	42	4	-	-	-	-	-	-	2	-	2	4	6	2	-	6	-	8	6	-	-	-	2
	FEMALE..	26	4	-	2	-	-	-	-	-	-	2	-	2	4	4	2	4	2	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	32	-	-	-	-	-	-	-	-	-	2	2	2	-	-	6	6	6	2	4	-	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	2	4	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	12	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	2	-	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-

Table 7-6 Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972–Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	PENNSYLVANIA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	182	12	6	6	2	4	-	4	2	10	8	6	14	18	22	18	12	18	8	6	4	2	-
	WHITE.....MALE....	64	6	-	-	-	-	-	-	-	4	4	2	4	4	10	8	8	4	6	2	2	-	-
	FEMALE..	82	2	4	6	2	-	-	2	-	6	4	4	8	12	8	4	2	10	2	4	-	2	-
	ALL OTHER..MALE....	24	2	2	-	-	2	-	-	2	-	-	-	2	2	2	6	2	2	-	-	-	-	-
	FEMALE..	12	2	-	-	-	2	-	2	-	-	-	-	-	-	2	-	-	2	-	-	2	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	22,672	2	28	54	64	72	80	104	112	192	552	1,048	1,670	2,494	3,154	3,376	3,190	3,080	2,040	1,024	286	50	-
	WHITE.....MALE....	11,144	2	14	24	30	38	36	52	42	54	182	406	708	1,240	1,650	1,760	1,650	1,654	1,026	460	100	16	-
	FEMALE..	9,580	-	10	24	26	28	42	42	56	106	302	510	726	1,016	1,228	1,312	1,270	1,248	908	524	172	30	-
	ALL OTHER..MALE....	1,164	-	2	2	2	4	-	6	6	18	30	66	122	160	174	210	162	116	60	18	2	4	-
	FEMALE..	784	-	2	4	6	2	2	4	8	14	38	66	114	78	102	94	108	62	46	22	12	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	476	-	-	-	-	-	4	-	2	4	8	32	44	64	64	88	50	60	22	14	16	4	-
	WHITE.....MALE....	316	-	-	-	-	-	2	-	-	2	4	20	28	44	42	58	38	42	18	10	6	2	-
	FEMALE..	100	-	-	-	-	-	2	-	-	-	-	10	8	10	8	22	8	14	4	4	8	2	-
	ALL OTHER..MALE....	48	-	-	-	-	-	-	-	2	2	4	2	4	10	12	8	4	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	4	-	-	2	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	6,550	-	-	-	-	2	4	8	12	30	92	180	380	572	882	986	1,054	1,096	780	368	90	14	-
	WHITE.....MALE....	3,178	-	-	-	-	2	-	8	2	14	36	90	190	304	478	502	502	522	342	148	34	4	-
	FEMALE..	2,828	-	-	-	-	-	4	-	8	12	46	68	118	194	330	392	472	518	390	212	54	10	-
	ALL OTHER..MALE....	328	-	-	-	-	-	-	-	2	2	4	12	40	50	52	62	46	30	28	-	-	-	-
	FEMALE..	216	-	-	-	-	-	-	-	-	2	6	10	32	24	22	30	34	26	20	8	2	-	-
160-163	OF RESPIRATORY SYSTEM....	4,852	-	-	-	-	6	4	6	4	44	114	232	430	708	866	860	682	526	270	80	20	-	-
	WHITE.....MALE....	3,468	-	-	-	-	4	4	4	4	18	56	152	272	490	642	614	508	428	206	52	14	-	-
	FEMALE..	912	-	-	-	-	2	-	-	-	16	36	40	98	148	166	142	118	68	46	26	6	-	-
	ALL OTHER..MALE....	410	-	-	-	-	-	-	2	-	8	14	34	50	66	50	96	44	28	16	2	-	-	-
	FEMALE..	62	-	-	-	-	-	-	-	-	2	8	6	10	4	8	8	12	2	2	-	-	-	-
174	OF BREAST.....	2,024	-	-	-	-	-	-	12	22	40	132	184	256	272	272	246	188	166	132	52	40	10	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	4	2	-	2	-	-
	FEMALE..	1,844	-	-	-	-	-	-	10	16	40	116	166	216	254	250	228	176	156	120	48	38	10	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	FEMALE..	162	-	-	-	-	-	-	2	6	-	14	16	40	16	22	14	12	6	10	4	-	-	-
180-187	OF GENITAL ORGANS.....	2,614	-	-	-	-	-	6	22	20	22	56	136	152	234	262	360	362	432	312	194	30	14	-
	WHITE.....MALE....	1,062	-	-	-	-	-	6	10	4	-	-	4	12	38	64	128	156	250	226	134	22	8	-
	FEMALE..	1,316	-	-	-	-	-	-	10	14	16	50	114	122	170	166	206	162	150	74	52	6	4	-
	ALL OTHER..MALE....	122	-	-	-	-	-	-	-	-	-	-	-	2	8	20	18	26	28	10	8	-	2	-
	FEMALE..	114	-	-	-	-	-	-	2	2	6	6	18	16	18	12	8	18	4	2	-	2	-	-
188, 189	OF URINARY ORGANS.....	1,026	-	-	6	-	2	2	-	2	6	16	34	48	80	142	164	156	176	106	62	20	4	-
	WHITE.....MALE....	636	-	-	-	-	-	-	-	-	-	6	14	26	64	94	114	102	110	66	32	6	2	-
	FEMALE..	310	-	-	4	-	2	2	-	-	4	8	18	14	16	28	48	34	54	38	28	12	-	-
	ALL OTHER..MALE....	46	-	-	-	-	-	-	-	2	2	2	2	4	-	10	-	10	8	2	-	2	2	-
	FEMALE..	34	-	-	2	-	-	-	-	-	-	-	-	4	-	10	2	10	4	-	2	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	3,002	-	10	18	28	24	26	18	26	20	60	164	230	346	416	394	398	358	260	160	44	2	-
	WHITE.....MALE....	1,364	-	6	6	10	10	12	2	14	4	32	82	104	184	208	190	186	162	94	50	8	-	-
	FEMALE..	1,386	-	4	12	14	10	14	14	12	8	20	64	108	136	168	160	178	172	158	98	34	2	-
	ALL OTHER..MALE....	136	-	-	-	-	4	-	2	-	4	4	8	12	18	22	20	24	12	-	6	-	-	-
	FEMALE..	116	-	-	-	4	-	-	-	-	4	4	10	6	8	18	24	10	12	8	6	2	-	-
204-207	LEUKEMIA.....	896	2	14	28	22	26	12	10	8	14	34	24	58	82	86	98	122	120	76	44	14	2	-
	WHITE.....MALE....	500	2	8	16	16	18	8	6	4	8	22	10	34	44	38	58	76	74	40	12	6	-	-
	FEMALE..	338	-	4	8	4	6	4	2	4	6	12	10	16	34	44	36	32	42	34	32	6	2	-
	ALL OTHER..MALE....	32	-	2	2	2	-	-	2	-	-	-	2	8	2	2	-	4	4	2	-	-	-	-
	FEMALE..	26	-	-	2	-	2	-	-	-	-	-	2	-	2	2	4	10	-	-	-	2	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	1,232	-	4	2	14	12	22	28	16	12	40	62	72	136	164	180	178	146	82	50	12	-	-
	WHITE.....MALE....	606	-	-	2	4	4	4	22	14	8	24	32	42	72	84	94	82	62	32	22	2	-	-
	FEMALE..	546	-	2	-	8	8	16	6	2	4	14	20	26	54	68	78	90	74	44	24	8	-	-
	ALL OTHER..MALE....	38	-	-	-	-	-	-	-	-	-	2	6	2	4	6	4	4	6	2	2	-	-	-
	FEMALE..	42	-	2	-	2	-	2	-	-	-	-	4	2	6	6	4	2	4	4	2	2	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	378	4	2	12	2	4	16	4	6	4	10	20	44	44	56	32	48	34	18	14	4	-	-
	WHITE.....MALE....	164	2	-	8	-	-	12	-	2	4	4	4	24	14	18	14	20	18	12	8	-	-	-
	FEMALE..	172	2	2	4	2	2	4	2	2	-	6	12	14	28	34	16	22	10	4	4	2	-	-
	ALL OTHER..MALE....	32	-	-	-	-	2	-	2	-	-	-	4	6	2	-	2	2	6	2	2	2	-	-
	FEMALE..	10	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	4	-	-	-	-	-	-
250	DIABETES MELLITUS.....	2,858	2	-	-	2	12	8	22	8	24	32	82	140	172	230	400	508	500	406	224	78	6	2
	WHITE.....MALE....	1,008	-	-	-	-	6	6	12	-	12	16	34	72	74	78	158	154	134	142	84	26	-	-
	FEMALE..	1,542	2	-	-	2	6	2	8	6	4	12	18	48	78	120	190	302	320	240	130	46	6	2
	ALL OTHER..MALE....	128	-	-	-	-	-	-	-	2	4	4	12	10	8	18	18	16	20	12	2	-	-	-
	FEMALE..	180	-	-	-	-	-	-	2	-	2	-	18	10	12	14	34	36	26	12	8	6	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	PENNSYLVANIA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	170	8	-	2	-	-	2	-	-	-	4	10	10	6	4	10	22	26	26	24	14	2	-
	WHITE.....MALE....	76	2	-	2	-	-	2	-	-	-	2	2	6	4	2	6	8	9	12	14	6	-	-
	FEMALE..	72	4	-	-	-	-	-	-	-	-	-	8	2	-	2	-	8	14	14	10	8	2	-
	ALL OTHER..MALE....	12	2	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	2	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	2	2	-	-	-	-	-
280-285	ANEMIAS.....	209	2	-	2	8	4	-	12	-	4	2	2	10	12	18	28	28	22	24	14	12	4	-
	WHITE.....MALE....	80	-	-	-	2	-	-	-	-	-	2	-	2	6	6	16	14	8	10	6	6	2	-
	FEMALE..	92	2	-	2	2	2	-	-	-	4	-	-	8	6	2	10	12	12	14	8	6	2	-
	ALL OTHER..MALE....	14	-	-	-	2	2	-	2	-	-	-	-	-	-	6	-	2	-	-	-	-	-	-
	FEMALE..	22	-	-	-	2	-	-	10	-	-	-	2	-	-	4	2	-	2	-	-	-	-	-
320	MENINGITIS.....	68	22	8	-	2	-	-	2	2	-	-	2	-	2	4	4	8	-	6	4	-	2	-
	WHITE.....MALE....	26	8	4	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	4	-	2	-
	FEMALE..	22	4	-	-	2	-	-	2	-	-	-	2	-	-	-	2	6	-	4	-	-	-	-
	ALL OTHER..MALE....	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	14	6	4	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	70,074	36	22	24	24	44	70	84	162	348	816	1,594	2,724	4,206	5,976	7,758	9,992	12,096	11,298	7,914	3,684	1,182	20
	WHITE.....MALE....	33,772	14	6	8	12	22	34	44	76	200	488	1,040	1,818	2,750	3,656	4,320	5,026	5,506	4,488	2,844	1,130	282	8
	FEMALE..	31,698	18	8	4	6	16	28	18	48	78	206	352	604	1,094	1,802	2,860	4,178	6,006	6,338	4,788	2,396	840	10
	ALL OTHER..MALE....	2,248	2	4	2	4	-	6	14	20	28	60	116	178	216	284	278	386	282	184	104	54	24	2
	FEMALE..	2,356	2	4	10	2	6	2	8	18	42	62	86	124	146	234	300	402	302	288	178	104	36	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	53,296	28	18	14	20	24	46	46	110	264	644	1,313	2,272	3,548	4,938	6,168	7,640	9,024	8,156	5,576	2,588	844	18
	WHITE.....MALE....	26,884	10	6	4	12	12	18	30	56	174	442	942	1,622	2,402	3,110	3,532	3,902	4,232	3,278	2,064	816	214	6
	FEMALE..	23,166	14	6	4	2	8	20	6	32	38	136	248	448	880	1,416	2,216	3,186	4,380	4,558	3,310	1,664	584	10
	ALL OTHER..MALE....	1,634	2	4	-	4	-	6	6	16	22	38	84	122	162	236	200	274	198	122	76	40	20	2
	FEMALE..	1,612	2	2	6	2	4	2	4	6	30	28	36	80	104	176	220	278	214	198	126	68	26	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	1,126	-	-	2	4	8	6	10	16	30	54	80	136	126	178	150	120	120	56	22	6	2	-
	WHITE.....MALE....	436	-	-	-	2	6	2	2	2	10	16	36	70	58	66	56	46	32	20	10	-	2	-
	FEMALE..	622	-	-	2	-	2	2	2	10	14	32	42	60	64	102	94	66	80	34	12	4	-	-
	ALL OTHER..MALE....	42	-	-	-	2	-	-	4	2	2	4	2	4	2	6	-	8	6	-	-	-	-	-
	FEMALE..	26	-	-	-	-	-	2	2	2	4	2	-	2	2	4	-	-	2	2	-	2	-	-
402	HYPERTENSIVE HEART DISEASE.....	416	-	-	-	-	-	-	-	2	4	2	12	14	26	34	52	52	70	50	62	30	6	-
	WHITE.....MALE....	138	-	-	-	-	-	-	-	-	4	-	6	6	12	16	10	18	32	8	22	4	-	-
	FEMALE..	216	-	-	-	-	-	-	-	-	-	-	2	8	6	10	26	30	32	40	34	24	4	-
	ALL OTHER..MALE....	26	-	-	-	-	-	-	-	2	-	2	2	-	2	2	8	2	2	-	2	-	2	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	2	-	6	6	8	2	4	2	4	2	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	408	-	2	-	-	-	-	-	-	-	-	2	2	10	22	34	34	102	78	62	42	18	-
	WHITE.....MALE....	174	-	-	-	-	-	-	-	-	-	-	-	-	4	14	24	18	48	30	12	24	-	-
	FEMALE..	216	-	2	-	-	-	-	-	-	-	-	-	2	2	6	10	14	50	46	50	16	18	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	2	4	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
410-413	ISCHEMIC HEART DISEASE...	48,732	2	2	-	2	4	22	24	72	186	534	1,106	2,002	3,194	4,452	5,684	7,064	8,344	7,648	5,176	2,386	782	16
	WHITE.....MALE....	24,936	-	2	-	-	-	8	22	48	142	490	838	1,494	2,224	2,898	3,336	3,644	3,916	3,106	1,926	750	206	6
	FEMALE..	21,044	2	-	-	2	4	12	-	18	18	88	174	340	744	1,214	2,012	2,542	4,056	4,252	3,080	1,542	534	10
	ALL OTHER..MALE....	1,350	-	-	-	-	-	2	2	4	10	28	68	108	138	194	174	226	176	106	62	34	18	-
	FEMALE..	1,372	-	-	-	-	-	-	-	2	16	18	26	60	88	146	192	252	196	184	108	60	24	-
410	ACUTE MYOCARDIAL INFARCTION.....	26,454	-	2	-	2	-	18	16	68	138	434	912	1,562	2,400	3,178	3,774	4,114	4,180	3,104	1,714	654	176	8
	WHITE.....MALE....	15,410	-	2	-	-	-	8	14	46	112	324	716	1,200	1,730	2,162	2,334	2,260	2,078	1,422	790	242	56	4
	FEMALE..	9,674	-	-	-	2	-	8	-	16	14	72	136	252	542	840	1,230	1,634	1,930	1,564	940	386	104	4
	ALL OTHER..MALE....	698	-	-	-	-	-	2	2	4	4	22	46	78	80	96	100	90	82	44	32	8	8	-
	FEMALE..	672	-	-	-	-	-	-	-	2	8	16	14	32	48	80	110	130	90	74	42	18	8	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	200	-	-	-	-	-	2	-	-	2	-	8	20	24	22	22	28	24	22	18	6	2	-
	WHITE.....MALE....	106	-	-	-	-	-	-	-	-	-	-	2	16	18	18	12	14	10	8	2	6	-	-
	FEMALE..	76	-	-	-	-	-	2	-	-	-	-	4	2	4	4	10	10	12	12	14	-	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	2	2	-	2	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	22,040	2	-	-	-	4	2	8	4	46	100	184	420	770	1,250	1,888	2,918	4,140	4,522	3,444	1,726	604	8
	WHITE.....MALE....	9,414	-	-	-	-	-	-	8	2	30	76	118	278	476	716	960	1,368	1,828	1,676	1,224	502	150	2
	FEMALE..	11,294	2	-	-	-	4	2	-	2	4	16	34	86	198	370	772	1,298	2,114	2,676	2,126	1,156	428	6
	ALL OTHER..MALE....	646	-	-	-	-	-	-	-	-	6	6	22	28	58	98	74	134	94	60	30	26	10	-
	FEMALE..	686	-	-	-	-	-	-	-	-	6	2	10	28	38	66	82	118	104	110	64	42	16	-
413	ANGINA PECTORIS.....	8	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	4	-	-	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	PENNSYLVANIA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	356	2	-	-	4	2	6	2	6	16	8	6	22	26	26	38	30	56	40	28	34	4	-
	WHITE.....MALE....	160	-	-	-	4	2	4	-	2	12	2	2	4	10	16	18	14	38	12	10	10	-	-
	FEMALE..	170	2	-	-	-	-	2	2	-	2	4	4	10	14	10	14	16	18	26	18	24	4	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	2	2	-	-	4	2	-	4	-	-	2	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	2	-	2	-	4	-	-	2	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	2,288	24	14	12	10	10	12	10	14	28	46	104	96	166	226	210	340	332	284	226	90	32	2
	WHITE.....MALE....	1,040	10	4	4	6	4	4	6	4	6	24	60	48	94	100	118	162	166	192	84	28	6	-
	FEMALE..	898	10	4	2	-	2	4	2	4	4	12	26	28	50	74	60	118	144	160	116	54	24	-
	ALL OTHER..MALE....	184	2	4	-	2	-	4	-	6	8	4	10	6	14	32	14	36	10	12	12	6	-	2
	FEMALE..	166	2	2	6	2	4	-	2	-	10	6	8	14	8	20	18	24	12	10	14	2	2	-
400, 401, 403	HYPERTENSION.....	460	-	-	-	-	-	-	2	6	10	6	28	12	14	30	40	60	88	84	46	28	4	2
	WHITE.....MALE....	188	-	-	-	-	-	-	-	-	-	-	10	4	6	16	26	20	40	36	22	6	-	2
	FEMALE..	198	-	-	-	-	-	-	-	-	6	-	8	-	4	12	8	30	40	44	22	20	4	-
	ALL OTHER..MALE....	34	-	-	-	-	-	-	2	2	2	4	2	4	-	2	4	6	4	-	2	-	-	-
	FEMALE..	40	-	-	-	-	-	-	-	4	2	2	8	4	4	-	2	4	4	4	-	2	-	-
430-438	CEREBROVASCULAR DISEASES.	12,516	6	4	6	4	18	20	30	40	72	146	218	374	526	782	1,200	1,812	2,350	2,348	1,654	716	190	-
	WHITE.....MALE....	4,942	4	-	2	-	10	12	12	16	24	36	72	152	268	384	550	828	930	882	524	200	36	-
	FEMALE..	6,498	2	2	-	4	6	8	8	16	34	66	86	142	182	306	522	792	1,284	1,352	1,064	478	144	-
	ALL OTHER..MALE....	482	-	-	2	-	-	-	6	2	4	16	22	48	44	40	64	84	66	48	22	10	4	-
	FEMALE..	594	-	2	2	-	2	-	4	6	10	28	38	32	32	52	64	108	70	66	44	28	6	-
431	CEREBRAL HEMORRHAGE.....	2,352	-	2	2	2	8	10	6	6	16	32	88	128	180	220	260	342	426	330	200	76	18	-
	WHITE.....MALE....	962	-	-	-	-	6	4	2	4	8	6	30	60	96	112	112	166	150	116	60	26	4	-
	FEMALE..	1,176	-	-	-	2	2	6	2	2	4	18	34	44	64	78	122	144	256	200	136	48	14	-
	ALL OTHER..MALE....	88	-	-	-	-	-	-	2	-	2	2	8	16	8	12	10	12	6	10	-	-	-	-
	FEMALE..	126	-	2	2	-	-	-	-	-	2	6	16	8	12	18	16	20	14	4	4	2	-	-
433	CEREBRAL THROMBOSIS.....	3,812	-	2	-	-	-	-	4	4	4	12	12	42	104	184	342	610	748	844	580	252	68	-
	WHITE.....MALE....	1,554	-	-	-	-	-	-	-	-	-	2	6	10	58	94	162	302	306	342	200	62	10	-
	FEMALE..	1,984	-	2	-	-	-	-	-	4	2	6	4	18	40	64	142	254	410	460	348	174	56	-
	ALL OTHER..MALE....	106	-	-	-	-	-	-	4	-	-	4	-	6	4	8	22	18	8	12	12	6	2	-
	FEMALE..	168	-	-	-	-	-	-	-	-	2	-	2	8	2	18	16	36	24	30	20	10	-	-
434	CEREBRAL EMBOLISM.....	56	-	-	-	-	-	-	-	-	-	4	-	6	4	8	-	8	6	10	10	-	-	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	-	4	-	2	2	8	-	4	4	2	4	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	4	2	8	6	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	6,296	6	-	4	2	10	10	20	30	52	98	118	198	238	370	598	852	1,170	1,164	864	388	104	-
	WHITE.....MALE....	2,396	4	-	2	-	4	8	10	12	16	24	36	80	112	170	276	356	470	422	260	112	22	-
	FEMALE..	3,314	2	-	-	2	4	2	6	10	28	42	48	76	78	164	258	390	616	684	574	256	74	-
	ALL OTHER..MALE....	288	-	-	2	-	-	-	-	2	2	10	14	26	32	20	32	54	52	26	10	4	2	-
	FEMALE..	298	-	-	-	-	2	-	4	6	6	22	20	16	16	16	32	52	32	32	20	16	6	-
440	ARTERIOSCLEROSIS.....	2,130	-	-	-	-	-	-	-	-	-	2	6	10	14	40	104	186	342	508	502	286	130	-
	WHITE.....MALE....	784	-	-	-	-	-	-	-	-	-	-	4	6	4	20	46	76	138	188	182	88	32	-
	FEMALE..	1,244	-	-	-	-	-	-	-	-	-	-	2	2	4	20	48	92	186	298	308	190	94	-
	ALL OTHER..MALE....	46	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	14	8	10	4	4	-	-
	FEMALE..	56	-	-	-	-	-	-	-	-	-	2	-	2	4	-	6	4	10	12	8	4	4	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	1,672	2	-	4	-	2	4	6	6	2	18	32	56	104	186	246	294	292	202	136	66	14	-
	WHITE.....MALE....	974	-	-	2	-	-	4	2	4	2	10	12	34	70	126	166	200	166	104	52	20	-	-
	FEMALE..	592	2	-	-	-	2	-	4	-	-	4	8	12	24	48	66	78	116	86	84	44	14	-
	ALL OTHER..MALE....	52	-	-	-	-	-	-	-	-	-	2	8	4	8	6	6	8	6	4	-	-	-	-
	FEMALE..	54	-	-	2	-	-	-	-	2	-	2	4	6	2	6	8	8	4	8	-	2	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	52	12	2	-	-	-	-	-	-	-	-	6	-	4	2	4	8	2	10	-	2	-	-
	WHITE.....MALE....	22	2	2	-	-	-	-	-	-	-	-	4	-	2	2	2	6	-	2	-	-	-	-
	FEMALE..	24	6	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	8	-	2	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	3,428	134	38	16	12	18	26	12	18	34	52	94	144	174	222	306	364	560	552	370	204	78	-
	WHITE.....MALE....	1,642	68	22	4	-	6	6	2	6	16	22	42	80	100	132	160	194	284	232	156	88	22	-
	FEMALE..	1,390	30	12	10	8	8	16	6	8	10	14	30	26	44	60	102	116	236	298	202	108	46	-
	ALL OTHER..MALE....	254	16	2	2	2	4	4	2	-	6	12	16	24	20	16	32	46	22	16	8	2	2	-
	FEMALE..	142	20	2	-	2	-	-	2	4	2	4	6	14	10	14	12	8	18	6	4	6	8	-
470-474	INFLUENZA.....	252	-	2	-	2	-	-	2	-	4	4	4	10	12	20	24	32	46	40	22	22	6	-
	WHITE.....MALE....	116	-	-	-	-	-	-	-	-	2	4	2	4	6	10	8	26	28	12	6	6	2	-
	FEMALE..	124	-	2	-	2	-	-	2	-	2	-	2	2	4	8	14	6	16	28	16	16	4	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-
480-486	PNEUMONIA.....	3,176	134	36	16	10	18	26	10	18	30	48	90	134	162	202	282	332	514	512	348	182	72	-
	WHITE.....MALE....	1,526	68	22	4	-	6	6	2	6	14	18	40	76	94	122	152	168	256	220	150	82	20	-
	FEMALE..	1,266	30	10	10	6	8	16	4	8	8	14	28	24	40	52	88	110	220	270	186	92	42	-
	ALL OTHER..MALE....	248	16	2	2	2	4	4	2	-	6	12	16	22	20	14	30	46	22	16	8	2	2	-
	FEMALE..	136	20	2	-	2	-	-	2	4	2	4	6	12	8	14	12	8	16	6	4	6	8	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	PENNSYLVANIA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	1,530	2	2	2	-	-	2	8	6	4	10	50	76	114	216	280	248	288	122	76	16	8	-
	WHITE.....MALE	1,148	-	-	2	-	-	2	4	4	2	2	26	46	76	156	222	198	230	92	70	10	6	-
	FEMALE	302	-	-	-	-	-	-	-	2	-	4	16	24	34	42	52	40	48	28	4	6	2	-
	ALL OTHER..MALE	60	-	-	-	-	-	-	4	-	-	-	6	6	4	14	6	10	8	2	-	-	-	-
	FEMALE	20	2	2	-	-	-	-	-	-	2	4	2	-	-	4	-	-	2	-	2	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	240	2	-	-	-	-	-	-	2	-	2	10	16	14	28	48	26	46	24	12	8	2	-
	WHITE.....MALE	160	-	-	-	-	-	-	-	2	-	-	4	8	8	18	36	22	32	14	12	4	-	-
	FEMALE	64	-	-	-	-	-	-	-	-	-	2	2	6	6	8	10	2	12	10	-	4	2	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	-	-	4	2	-	2	2	2	2	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	1,166	-	-	-	-	-	-	6	2	2	2	30	44	94	166	216	206	232	90	62	8	6	-
	WHITE.....MALE	940	-	-	-	-	-	-	2	2	2	2	18	36	64	130	178	168	194	74	58	6	6	-
	FEMALE	178	-	-	-	-	-	-	-	-	-	-	10	6	26	22	36	30	30	14	2	2	-	-
	ALL OTHER..MALE	42	-	-	-	-	-	-	4	-	-	-	2	2	4	12	2	8	6	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-
493	ASTHMA	124	-	2	2	-	-	2	2	2	2	6	10	16	6	22	16	16	10	8	2	-	-	-
	WHITE.....MALE	48	-	-	2	-	-	2	2	-	-	-	4	2	4	8	8	8	4	4	-	-	-	-
	FEMALE	60	-	-	-	-	-	-	-	2	-	2	4	12	2	12	6	8	6	4	2	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE	12	-	2	-	-	-	-	-	-	2	4	2	-	-	2	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	494	-	-	-	-	-	-	4	2	-	12	22	30	60	64	54	62	78	64	26	16	-	-
	WHITE.....MALE	274	-	-	-	-	-	-	-	-	-	4	12	16	44	34	36	40	38	28	12	10	-	-
	FEMALE	170	-	-	-	-	-	-	2	-	-	4	4	10	10	24	16	18	32	36	12	2	-	-
	ALL OTHER..MALE	28	-	-	-	-	-	-	-	-	-	4	2	2	6	4	2	2	4	-	-	2	-	-
	FEMALE	22	-	-	-	-	-	-	2	2	-	-	4	2	-	2	-	2	4	-	2	2	-	-
540-543	APPENDICITIS	78	-	-	-	4	2	-	2	2	2	2	2	4	4	6	10	16	10	4	8	-	-	-
	WHITE.....MALE	52	-	-	-	4	2	-	-	2	2	2	2	4	2	2	8	10	2	4	6	-	-	-
	FEMALE	20	-	-	-	-	-	-	2	-	-	-	-	-	2	2	2	6	6	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	410	22	2	-	-	-	2	2	-	-	10	14	12	30	32	30	56	48	72	48	26	4	-
	WHITE.....MALE	168	12	-	-	-	-	2	-	-	-	4	6	4	18	16	16	18	22	30	16	4	-	-
	FEMALE	220	10	2	-	-	-	-	2	-	-	2	8	6	10	12	14	36	22	42	30	20	4	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	2	2	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	2	-	-	2	4	-	2	4	-	-	-	-	-
571	CIRRHOSIS OF LIVER	1,948	-	2	-	-	2	8	22	32	62	140	232	266	294	322	244	170	86	38	20	6	2	-
	WHITE.....MALE	1,198	-	2	-	-	-	2	8	8	24	78	134	154	190	230	164	94	64	28	14	2	2	-
	FEMALE	470	-	-	-	-	2	2	4	2	6	24	36	70	76	80	66	62	22	8	6	4	-	-
	ALL OTHER..MALE	184	-	-	-	-	-	2	8	16	22	14	36	36	22	10	6	10	-	2	-	-	-	-
	FEMALE	96	-	-	-	-	-	2	2	6	10	24	26	6	6	2	8	4	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	186	-	-	-	-	-	-	-	-	2	-	2	2	2	12	10	42	50	24	34	6	-	-
	WHITE.....MALE	80	-	-	-	-	-	-	-	-	-	-	-	-	-	10	4	26	22	12	4	2	-	-
	FEMALE	98	-	-	-	-	-	-	-	-	-	-	2	2	2	2	6	14	28	10	28	4	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	554	2	2	2	4	2	4	8	4	12	14	24	42	56	38	54	72	92	46	46	24	6	-
	WHITE.....MALE	256	-	2	-	4	-	4	4	2	6	2	16	30	24	28	22	22	36	18	26	6	4	-
	FEMALE	212	2	-	-	-	-	-	-	-	-	4	6	6	20	2	28	36	52	20	16	18	2	-
	ALL OTHER..MALE	44	-	-	2	-	-	-	2	2	4	4	-	-	6	4	4	8	-	4	4	-	-	-
	FEMALE	42	-	-	-	-	2	-	2	-	2	4	2	6	6	4	-	6	4	4	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	96	2	2	-	2	-	2	-	-	4	-	8	8	20	4	10	10	8	8	4	4	-	-
	WHITE.....MALE	60	-	2	-	2	-	2	-	-	4	-	8	4	12	4	6	6	2	6	2	-	-	-
	FEMALE	30	2	-	-	-	-	-	-	-	-	-	-	2	8	-	4	2	6	2	-	4	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	458	-	-	2	2	2	2	8	4	8	14	16	34	36	34	44	62	84	38	42	20	6	-
	WHITE.....MALE	196	-	-	-	2	-	2	4	2	2	2	8	26	12	24	16	16	34	12	24	6	4	-
	FEMALE	182	-	-	-	-	-	-	-	-	-	4	6	4	12	2	24	34	46	18	16	14	2	-
	ALL OTHER..MALE	40	-	-	2	-	-	-	2	2	4	4	-	-	6	4	4	6	-	4	2	-	-	-
	FEMALE	40	-	-	-	-	2	-	2	-	2	4	2	4	6	4	-	6	4	4	-	-	-	-
590	INFECTIONS OF KIDNEY	360	-	-	-	-	-	-	2	4	6	2	12	12	18	28	52	54	72	52	34	8	4	-
	WHITE.....MALE	154	-	-	-	-	-	-	-	2	4	2	6	2	4	8	20	24	42	26	8	4	2	-
	FEMALE	160	-	-	-	-	-	-	2	2	-	-	2	4	10	14	26	20	26	24	24	4	2	-
	ALL OTHER..MALE	20	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	2	4	-	2	-	-	-
	FEMALE	26	-	-	-	-	-	-	-	-	2	-	4	2	2	4	2	8	-	2	-	-	-	-
600	HYPERPLASIA OF PROSTATE	86	-	-	-	-	-	-	-	-	-	-	-	-	2	2	12	12	16	26	10	4	2	-
	WHITE.....MALE	78	-	-	-	-	-	-	-	-	-	-	-	-	-	2	12	12	14	24	8	4	2	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	PENNSYLVANIA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	26	-	-	-	2	4	12	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	18	-	-	-	2	-	8	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	8	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	22	-	-	-	2	4	8	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	18	-	-	-	2	-	8	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	754	502	78	30	20	4	16	4	-	8	10	16	18	10	18	2	8	8	2	-	-	-	-
	WHITE.....MALE....	366	250	28	14	10	-	6	-	-	4	4	12	12	6	8	-	4	8	-	-	-	-	-
	FEMALE..	294	192	30	14	8	4	8	2	-	2	6	2	6	2	10	2	4	-	2	-	-	-	-
	ALL OTHER..MALE....	56	36	14	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	38	24	6	2	2	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	1,674	1,670	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	776	774	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	544	544	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	216	214	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	850	848	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	404	404	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	252	252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	122	120	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	824	822	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	372	370	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	292	292	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	2,702	188	22	2	4	10	22	18	38	46	92	188	230	288	316	362	286	220	188	86	62	24	10
	WHITE.....MALE....	1,074	80	10	2	2	2	6	8	8	2	26	90	78	116	136	168	112	98	72	30	16	4	8
	FEMALE..	540	32	6	-	-	4	4	2	8	6	10	12	28	38	46	66	56	60	82	34	30	14	2
	ALL OTHER..MALE....	678	46	-	-	2	4	10	6	10	28	32	58	84	94	76	80	70	36	24	10	8	-	-
	FEMALE..	410	30	6	-	-	-	2	2	12	10	24	28	40	40	58	48	48	26	10	12	8	6	-
RESIDUAL	ALL OTHER DISEASES.....	8,226	112	48	38	56	82	78	78	112	148	230	308	456	644	946	1,080	1,074	1,226	830	496	154	30	-
	WHITE.....MALE....	4,568	42	10	20	22	36	40	26	34	54	106	134	208	384	598	678	656	726	484	236	64	10	-
	FEMALE..	2,814	40	28	12	28	32	20	34	46	58	74	104	152	198	286	304	338	440	284	234	86	16	-
	ALL OTHER..MALE....	509	16	10	2	6	6	14	12	22	24	20	48	48	36	40	64	48	42	22	16	2	2	-
	FEMALE..	344	14	-	4	-	8	4	6	10	12	30	22	48	26	22	34	32	18	40	10	2	2	-
E800-E949	ACCIDENTS.....	5,338	70	184	182	154	544	552	318	244	172	244	286	290	316	312	238	274	352	256	232	76	38	4
	WHITE.....MALE....	3,212	32	86	98	78	384	408	226	182	120	150	186	196	206	202	116	124	186	104	100	16	10	2
	FEMALE..	1,562	24	54	52	48	124	96	42	40	30	58	64	58	74	86	84	124	140	152	126	56	28	2
	ALL OTHER..MALE....	394	8	24	16	18	28	32	42	16	14	30	28	28	30	14	32	16	10	-	4	4	-	-
	FEMALE..	170	6	20	16	10	8	16	8	6	8	6	8	8	6	10	6	10	16	-	2	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	2,492	10	60	118	70	390	390	222	138	84	122	124	132	124	114	78	120	116	56	22	-	2	-
	WHITE.....MALE....	1,630	10	18	52	34	282	290	168	106	62	84	70	94	70	64	50	54	78	28	14	-	2	-
	FEMALE..	668	-	28	42	28	92	78	34	24	16	26	40	26	46	42	24	54	34	28	6	-	-	-
	ALL OTHER..MALE....	128	-	6	12	8	10	10	18	4	2	10	12	8	6	4	4	12	-	-	2	-	-	-
	FEMALE..	66	-	8	12	-	6	12	2	4	4	2	2	4	2	4	-	-	4	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	2,846	60	124	64	84	154	162	96	106	88	122	162	158	192	198	160	154	236	200	210	76	36	4
	WHITE.....MALE....	1,582	22	68	46	44	102	118	58	76	58	66	116	102	136	138	66	70	108	76	86	16	8	2
	FEMALE..	894	24	26	10	20	32	18	8	16	14	32	24	32	28	44	60	70	106	124	120	56	28	2
	ALL OTHER..MALE....	266	8	18	4	10	18	22	24	12	12	20	16	20	24	10	28	4	10	-	2	4	-	-
	FEMALE..	104	6	12	4	10	2	4	6	2	4	4	6	4	4	6	6	10	12	-	2	-	-	-
E950-E959	SUICIDE.....	1,320	...	...	-	4	82	122	112	106	72	100	158	86	100	116	90	58	66	34	10	4	-	-
	WHITE.....MALE....	880	...	...	-	-	60	74	78	52	40	42	106	68	66	88	74	46	50	28	4	4	-	-
	FEMALE..	348	...	...	-	4	14	40	24	34	20	44	46	18	28	26	14	12	14	4	6	-	-	-
	ALL OTHER..MALE....	64	...	...	-	-	6	6	6	18	8	6	2	-	4	2	2	-	2	2	-	-	-	-
	FEMALE..	28	...	...	-	-	2	2	4	2	4	8	4	-	2	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	772	10	12	2	26	68	132	114	90	64	62	48	30	50	26	4	18	8	4	2	2	-	-
	WHITE.....MALE....	214	6	8	-	6	18	18	44	22	14	10	10	6	20	12	-	12	4	-	2	2	-	-
	FEMALE..	80	-	-	-	-	4	16	8	10	8	10	6	-	8	2	2	2	2	2	-	-	-	-
	ALL OTHER..MALE....	402	2	2	-	20	42	84	48	48	32	38	26	22	20	8	2	4	2	2	-	-	-	-
	FEMALE..	76	2	2	2	-	4	14	14	10	10	4	6	2	2	4	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	254	4	12	4	2	26	66	28	22	8	20	16	6	12	10	4	2	6	2	-	-	4	-
	WHITE.....MALE....	76	-	2	-	-	10	18	10	4	-	4	8	2	4	6	2	-	2	2	-	-	2	-
	FEMALE..	20	-	-	-	2	-	-	2	4	-	2	2	-	4	-	-	2	-	-	-	-	2	-
	ALL OTHER..MALE....	132	2	6	4	-	10	44	14	10	8	12	4	4	4	4	2	-	4	-	-	-	-	-
	FEMALE..	26	2	4	-	-	6	4	2	4	-	2	2	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	RHODE ISLAND																							
	ALL CAUSES.....	9,540	256	46	24	22	94	60	64	66	86	174	266	470	666	828	1,064	1,286	1,394	1,272	908	374	118	2
	WHITE.....MALE....	4,900	128	32	16	14	66	40	46	36	52	114	162	292	414	516	622	656	712	530	306	108	36	2
	FEMALE..	4,440	98	14	6	8	24	18	8	26	30	54	90	162	238	300	408	612	666	736	598	264	80	-
	ALL OTHER..MALE....	118	14	-	-	-	4	-	8	-	4	2	6	10	8	10	18	10	12	6	2	2	2	-
	FEMALE..	82	16	-	2	-	-	2	2	4	-	4	8	6	6	2	16	8	4	-	2	-	-	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	24	-	-	-	-	-	-	-	-	-	2	2	4	4	2	2	2	2	-	4	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	2	-	-	2	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	2	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	20	-	-	-	-	-	-	-	-	-	2	-	4	4	2	2	2	2	-	2	-	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	2	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	8	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	RHODE ISLAND--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	12	2	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	2	4	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-
	FEMALE..	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	1,938	-	4	6	2	6	14	14	16	8	48	84	126	232	220	272	322	260	168	112	14	8	2
	WHITE.....MALE....	970	-	4	2	2	2	6	6	8	4	22	38	56	116	112	136	176	142	74	52	6	4	2
	FEMALE..	940	-	-	2	-	4	8	6	8	4	26	38	66	116	106	128	146	118	92	60	8	4	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	2	-	-	-	2	4	-	2	4	-	-	2	-	-	-	-
	FEMALE..	12	-	-	2	-	-	-	-	-	-	-	6	-	-	-	4	-	-	-	-	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	34	-	-	-	-	-	-	-	-	2	-	2	2	6	4	6	6	2	2	-	2	-	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	-	2	-	2	-	4	4	4	2	-	2	-	2	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	4	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	610	-	-	-	-	-	-	2	2	-	10	10	30	66	66	90	118	98	68	42	8	-	-
	WHITE.....MALE....	318	-	-	-	-	-	-	-	2	-	10	8	18	42	40	42	60	50	26	18	2	-	-
	FEMALE..	282	-	-	-	-	-	-	-	-	-	-	-	12	24	26	42	58	48	42	24	6	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	2	-	-	-	2	-	-	-	4	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	422	-	-	-	-	-	-	-	-	2	14	20	32	52	68	86	66	52	18	8	-	2	2
	WHITE.....MALE....	324	-	-	-	-	-	-	-	-	2	10	16	24	42	46	64	54	44	14	4	-	2	2
	FEMALE..	94	-	-	-	-	-	-	-	-	-	4	4	8	10	20	20	12	8	4	4	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
174	OF BREAST.....	234	-	-	-	-	-	-	-	4	2	12	14	20	48	20	28	32	18	20	12	2	2	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-
	FEMALE..	224	-	-	-	-	-	-	-	4	2	12	10	20	46	20	28	28	18	20	12	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	208	-	-	-	-	-	4	2	-	2	4	12	14	10	24	18	40	38	24	14	2	-	-
	WHITE.....MALE....	82	-	-	-	-	-	4	-	-	-	-	-	2	-	4	6	18	24	14	8	2	-	-
	FEMALE..	124	-	-	-	-	-	-	2	-	2	4	12	12	10	20	12	22	14	8	6	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	90	-	-	-	-	-	2	-	-	-	-	2	6	8	10	6	12	14	12	18	-	-	-
	WHITE.....MALE....	62	-	-	-	-	-	2	-	-	-	-	2	2	6	6	2	10	8	10	14	-	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	2	6	2	4	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	156	-	-	2	-	2	2	2	6	-	4	12	6	22	14	18	28	14	10	12	-	2	-
	WHITE.....MALE....	74	-	-	-	-	2	-	2	4	-	-	2	4	12	4	10	12	8	6	8	-	-	-
	FEMALE..	80	-	-	2	-	-	2	-	2	-	4	8	2	10	10	8	16	6	4	4	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
204-207	LEUKEMIA.....	74	-	4	2	2	4	2	4	-	-	2	2	8	6	8	6	10	8	2	4	-	-	-
	WHITE.....MALE....	34	-	4	-	2	-	-	2	-	-	2	2	2	-	4	2	10	4	-	-	-	-	-
	FEMALE..	36	-	-	-	-	4	2	2	-	-	-	-	4	6	4	4	-	4	2	4	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	110	-	-	2	-	-	4	4	4	-	2	10	8	14	6	14	10	16	12	2	-	2	-
	WHITE.....MALE....	48	-	-	2	-	-	-	2	2	-	-	6	4	8	4	6	6	4	2	-	-	2	-
	FEMALE..	62	-	-	-	-	-	4	2	2	-	2	4	4	6	2	8	4	12	10	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	20	-	-	2	-	-	-	-	-	2	-	-	2	2	2	6	-	2	2	-	-	-	-
	WHITE.....MALE....	8	-	-	2	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	2	-	-	-	-	2	4	-	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	244	-	-	-	-	2	-	2	-	-	-	4	12	24	20	36	36	32	42	26	6	2	-
	WHITE.....MALE....	94	-	-	-	-	2	-	2	-	-	-	4	2	12	6	24	12	12	10	8	-	-	-
	FEMALE..	148	-	-	-	-	-	-	-	-	-	-	-	10	12	14	12	22	20	32	18	6	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	RHODE ISLAND--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	4	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	20	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	6	2	4	4	-	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	6	2	2	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	5,264	4	-	-	-	6	4	12	6	40	56	120	218	274	444	590	700	898	864	630	304	94	-
	WHITE.....MALE....	2,666	2	-	-	-	6	-	12	6	26	48	90	166	202	308	364	340	440	352	196	86	22	-
	FEMALE..	2,534	2	-	-	-	-	2	-	-	12	6	26	42	64	128	206	348	444	538	430	216	70	-
	ALL OTHER..MALE....	62	-	-	-	-	-	-	-	-	2	2	2	6	6	6	10	8	10	4	2	2	2	-
	FEMALE..	32	-	-	-	-	-	2	-	-	-	-	2	4	2	2	10	4	4	-	2	-	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	4,094	4	-	-	-	6	-	10	4	28	46	92	186	238	382	504	544	668	644	454	208	76	-
	WHITE.....MALE....	2,146	2	-	-	-	6	-	10	4	20	42	72	142	180	274	308	266	326	264	146	64	20	-
	FEMALE..	1,872	2	-	-	-	-	-	-	-	8	4	18	34	52	100	176	266	334	376	306	142	54	-
	ALL OTHER..MALE....	50	-	-	-	-	-	-	-	-	-	-	-	6	4	6	10	8	6	4	2	2	2	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	2	4	2	2	10	4	2	-	-	-	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	60	-	-	-	-	-	-	-	2	4	4	10	2	6	8	18	4	-	2	-	-	-	-
	WHITE.....MALE....	36	-	-	-	-	-	-	-	2	2	4	8	2	4	2	8	2	-	2	-	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	2	-	2	-	2	6	10	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	38	-	-	-	-	-	-	-	-	-	2	-	2	4	4	2	2	8	4	6	4	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	2	-	-	2	4	-	2	-	-	2	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	6	4	4	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	2	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	3,826	-	-	-	-	-	-	6	2	22	38	78	178	218	354	460	516	640	612	434	194	74	-
	WHITE.....MALE....	2,022	-	-	-	-	-	-	6	2	16	34	64	138	168	258	284	254	318	256	140	64	20	-
	FEMALE..	1,740	-	-	-	-	-	-	-	-	6	4	14	32	44	88	162	250	316	352	292	128	52	-
	ALL OTHER..MALE....	46	-	-	-	-	-	-	-	-	-	-	-	6	4	6	6	8	6	4	2	2	2	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	2	2	2	8	4	-	-	-	-	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	1,898	-	-	-	-	-	-	-	-	12	32	56	94	144	230	272	276	318	250	150	50	14	-
	WHITE.....MALE....	1,086	-	-	-	-	-	-	-	-	10	28	48	70	110	180	162	134	172	102	48	20	2	-
	FEMALE..	786	-	-	-	-	-	-	-	-	2	4	8	20	32	46	104	140	140	148	102	30	10	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	2	6	-	-	-	2	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	248	-	-	-	-	-	-	6	2	4	4	18	42	24	36	36	22	20	16	14	-	4	-
	WHITE.....MALE....	184	-	-	-	-	-	-	6	2	2	4	14	32	24	28	24	16	14	10	6	-	2	-
	FEMALE..	56	-	-	-	-	-	-	-	-	2	-	4	6	-	6	12	4	6	6	8	-	2	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	1,680	-	-	-	-	-	-	-	-	6	2	4	42	50	88	152	218	302	346	270	144	56	-
	WHITE.....MALE....	752	-	-	-	-	-	-	-	-	4	2	2	36	34	50	98	104	132	144	86	44	16	-
	FEMALE..	898	-	-	-	-	-	-	-	-	2	-	2	6	12	36	46	106	170	198	182	98	40	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	4	-	4	2	2	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	4	-	-	-	-	-	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	RHODE ISLAND--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	148	4	-	-	-	6	-	4	-	2	2	4	4	10	16	22	18	18	22	8	6	2	-
	WHITE.....MALE....	70	2	-	-	-	6	-	4	-	2	2	-	2	6	10	14	6	8	6	2	-	-	-
	FEMALE..	68	2	-	-	-	-	-	-	-	-	-	2	-	4	6	2	12	10	16	6	6	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	36	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	4	6	8	6	4	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	2	4	2	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	4	6	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	878	-	-	-	-	-	4	-	2	8	8	16	28	22	50	72	122	170	168	134	58	16	-
	WHITE.....MALE....	368	-	-	-	-	-	-	-	2	4	6	10	20	12	24	42	56	76	68	34	12	2	-
	FEMALE..	498	-	-	-	-	-	2	-	-	2	2	4	8	10	26	30	66	90	100	98	46	14	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
431	CEREBRAL HEMORRHAGE.....	176	-	-	-	-	-	4	-	2	2	6	10	8	10	14	12	30	28	32	14	2	2	-
	WHITE.....MALE....	60	-	-	-	-	-	-	-	2	2	4	6	4	8	6	4	10	8	6	-	-	-	-
	FEMALE..	112	-	-	-	-	-	2	-	-	-	2	2	4	2	8	8	20	20	26	14	2	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	260	-	-	-	-	-	-	-	-	-	-	-	-	-	8	20	32	56	54	64	22	4	-
	WHITE.....MALE....	108	-	-	-	-	-	-	-	-	-	-	-	-	-	4	18	18	24	20	20	4	-	-
	FEMALE..	148	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	14	30	34	42	18	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
434	CEREBRAL EMBOLISM.....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	436	-	-	-	-	-	-	-	-	6	2	6	20	10	28	40	58	86	80	56	34	10	-
	WHITE.....MALE....	198	-	-	-	-	-	-	-	-	2	2	4	16	4	14	20	26	44	42	14	8	2	-
	FEMALE..	234	-	-	-	-	-	-	-	-	2	-	2	4	6	14	20	32	40	38	42	26	8	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440	ARTERIOSCLEROSIS.....	104	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	6	18	18	26	26	2	-
	WHITE.....MALE....	38	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	4	10	4	6	8	-	-
	FEMALE..	64	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	6	14	20	18	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	152	-	-	-	-	-	-	2	-	4	2	6	-	12	10	12	24	36	26	10	8	-	-
	WHITE.....MALE....	98	-	-	-	-	-	-	2	-	2	-	6	-	10	8	12	12	26	14	6	-	-	-
	FEMALE..	50	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	12	10	12	4	8	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	WHITE.....MALE....	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	302	18	2	-	-	-	2	-	2	-	8	4	8	12	18	30	38	48	48	38	22	4	-
	WHITE.....MALE....	154	6	2	-	-	-	2	-	-	-	4	2	4	4	12	18	18	30	22	20	8	2	-
	FEMALE..	138	6	-	-	-	-	-	-	2	-	2	2	4	8	6	10	20	18	26	18	14	2	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	4	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-
470-474	INFLUENZA.....	14	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	4	4	-	2	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	2	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	288	18	2	-	-	-	2	-	2	-	6	2	8	12	18	30	34	44	48	36	22	4	-
	WHITE.....MALE....	150	6	2	-	-	-	2	-	-	-	2	2	4	4	12	18	18	28	22	20	8	2	-
	FEMALE..	128	6	-	-	-	-	-	-	2	-	2	-	4	8	6	10	16	16	26	16	14	2	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	4	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	RHODE ISLAND--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	98	-	-	-	-	-	-	-	2	-	-	-	2	6	20	18	18	16	12	4	-	-	-
	WHITE.....MALE	74	-	-	-	-	-	-	-	2	-	-	-	2	4	14	12	16	16	8	-	-	-	-
	FEMALE	24	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	2	-	4	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	28	-	-	-	-	-	-	-	2	-	-	-	-	-	2	6	8	4	6	-	-	-	-
	WHITE.....MALE	20	-	-	-	-	-	-	-	2	-	-	-	-	-	2	2	6	4	4	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	60	-	-	-	-	-	-	-	-	-	-	-	-	6	14	12	8	12	6	2	-	-	-
	WHITE.....MALE	50	-	-	-	-	-	-	-	-	-	-	-	-	4	12	10	8	12	4	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	2	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	10	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	2	-	-	2	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	32	-	2	-	-	-	-	-	-	-	2	-	2	-	4	6	4	2	4	2	4	-	-
	WHITE.....MALE	20	-	2	-	-	-	-	-	-	-	2	-	2	-	2	6	-	2	4	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	4	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
540-543	APPENDICITIS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	34	2	-	-	-	2	-	-	-	-	-	-	-	4	-	2	6	6	2	8	-	2	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	4	-	2	-	2	-
	FEMALE	18	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	6	2	2	6	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	166	-	-	-	-	-	-	-	6	4	12	10	36	26	18	20	16	14	4	-	-	-	-
	WHITE.....MALE	100	-	-	-	-	-	-	-	2	2	10	2	24	14	16	12	10	6	2	-	-	-	-
	FEMALE	58	-	-	-	-	-	-	-	2	-	2	6	10	12	2	8	6	8	2	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	8	2	2	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	-	2	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	48	-	-	-	-	-	-	-	2	2	2	2	2	4	6	2	8	8	8	2	-	-	-
	WHITE.....MALE	28	-	-	-	-	-	-	-	-	2	-	-	2	2	4	-	6	8	4	-	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	2	-	2	2	-	2	2	2	2	-	4	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	6	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	2	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	42	-	-	-	-	-	-	-	2	2	-	2	2	4	4	2	8	8	8	-	-	-	-
	WHITE.....MALE	26	-	-	-	-	-	-	-	-	2	-	-	2	2	2	-	6	8	4	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	2	-	-	2	-	2	2	2	2	-	4	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	26	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	4	4	10	2	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	4	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	6	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	RHODE ISLAND--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	86	56	12	2	6	2	-	2	-	-	-	2	-	-	-	-	-	2	-	2	-	-	-
	WHITE.....MALE....	48	28	8	2	2	2	-	2	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	34	24	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	140	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	38	20	-	-	-	-	-	-	-	-	-	4	-	-	-	2	4	2	-	4	2	-	-
	WHITE.....MALE....	18	6	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	2	-	2	2	-	-
	FEMALE..	16	10	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	2	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-SID-UAL	ALL OTHER DISEASES.....	514	2	6	6	6	10	8	2	4	8	12	16	36	56	46	60	88	58	54	28	6	2	-
	WHITE.....MALE....	266	-	2	4	4	4	4	2	2	4	8	12	14	38	24	30	50	28	20	14	-	2	-
	FEMALE..	236	-	4	2	2	6	4	-	2	4	4	4	22	12	20	28	38	30	34	14	6	-	-
	ALL OTHER..MALE....	8	2	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
E800-E949	ACCIDENTS.....	360	4	12	6	8	50	20	26	14	12	18	12	16	16	14	8	26	20	30	28	14	6	-
	WHITE.....MALE....	220	2	6	6	6	42	18	20	10	10	12	6	10	12	10	6	8	10	14	4	4	4	-
	FEMALE..	130	2	6	-	2	6	2	2	2	2	6	6	6	4	4	-	18	10	16	24	10	2	-
	ALL OTHER..MALE....	8	-	-	-	-	2	-	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	134	-	6	4	2	30	12	16	8	6	12	10	6	6	2	2	2	6	2	2	-	-	-
	WHITE.....MALE....	94	-	2	4	2	24	10	12	6	4	8	6	4	4	2	2	-	-	2	2	-	-	-
	FEMALE..	34	-	4	-	-	4	2	2	-	2	4	4	2	2	-	-	2	6	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	226	4	6	2	6	20	8	10	6	6	6	2	10	10	12	6	24	14	28	26	14	6	-
	WHITE.....MALE....	126	2	4	2	4	18	8	8	4	6	4	-	6	8	8	4	8	10	12	2	4	4	-
	FEMALE..	96	2	2	-	2	2	-	-	2	-	2	2	4	2	4	-	16	4	16	24	10	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	62	...	...	-	-	8	6	-	8	2	8	2	4	4	8	2	-	4	4	2	-	-	-
	WHITE.....MALE....	32	...	...	-	-	6	4	-	2	-	2	-	4	2	4	2	-	-	4	2	-	-	-
	FEMALE..	28	...	...	-	-	2	2	-	6	2	6	2	-	2	4	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	2	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	22	-	2	-	-	4	2	6	4	-	-	2	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE....	14	-	2	-	-	-	2	2	4	-	-	2	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	22	-	2	2	-	2	4	-	-	4	2	2	2	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	16	-	2	-	-	2	4	-	-	2	2	2	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	2	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH CAROLINA																							
	ALL CAUSES	23,932	1,122	184	140	170	382	452	386	390	508	824	1,178	1,684	2,028	2,576	2,756	2,836	2,400	1,882	1,314	506	200	14
	WHITE.....MALE	8,976	310	46	48	76	168	166	116	118	166	246	472	682	862	1,106	1,106	1,120	944	628	436	126	32	2
	FEMALE	6,412	210	48	28	30	44	78	40	66	88	160	200	312	338	458	654	742	882	948	672	290	124	-
	ALL OTHER..MALE	4,670	314	50	34	40	124	152	148	144	168	272	286	394	484	528	466	448	306	156	100	34	14	8
	FEMALE	3,874	288	40	30	24	46	56	82	62	86	146	220	296	344	484	530	526	268	150	106	56	30	4
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	4	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	62	46	6	-	2	-	-	-	-	-	-	2	-	-	-	-	2	4	-	-	-	-	-
	WHITE.....MALE	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	6	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	20	16	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	28	24	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	94	-	-	-	-	-	-	4	-	10	8	4	8	10	8	14	18	6	4	-	-	-	-
	WHITE.....MALE	28	-	-	-	-	-	-	-	-	-	-	2	-	4	4	4	8	6	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	2	-	4	-	-	-	-
	ALL OTHER..MALE	48	-	-	-	-	-	-	2	-	10	8	2	4	4	4	8	6	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	82	-	-	-	-	-	-	4	-	10	8	4	8	6	4	14	16	4	4	-	-	-	-
	WHITE.....MALE	20	-	-	-	-	-	-	-	-	-	-	2	-	4	-	4	6	4	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	2	-	4	-	-	-	-
	ALL OTHER..MALE	46	-	-	-	-	-	-	2	-	10	8	2	4	2	4	8	6	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	12	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	2	2	-	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	48	12	-	-	-	-	2	-	4	2	4	2	4	6	6	2	4	-	-	-	-	-	-
	WHITE.....MALE	16	6	-	-	-	-	2	-	-	2	-	-	-	2	-	2	2	-	-	-	-	-	-
	FEMALE	8	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	12	4	-	-	-	-	-	-	2	-	-	-	2	2	2	-	-	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	2	-	4	2	-	-	4	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	8	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	2	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH CAROLINA—CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	76	6	2	4	2	2	2	4	8	-	2	2	2	2	10	12	4	4	4	-	2	2	-
	WHITE.....MALE....	24	-	-	-	2	2	2	-	-	-	-	2	2	-	6	4	-	2	2	-	-	-	-
	FEMALE..	16	-	-	2	-	-	-	-	-	-	2	-	-	-	2	2	-	2	2	-	2	2	-
	ALL OTHER..MALE....	14	2	2	-	-	-	-	-	4	-	-	-	-	-	2	2	2	-	-	-	-	-	-
	FEMALE..	22	4	-	2	-	-	-	4	4	-	-	-	-	2	-	4	2	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....	3,456	4	14	4	16	14	22	34	42	38	134	214	340	456	474	532	478	290	186	118	32	14	-
	WHITE.....MALE....	1,392	2	4	-	16	4	4	12	12	12	44	74	146	192	206	200	200	118	80	42	20	4	-
	FEMALE..	1,062	2	6	2	-	4	10	4	20	20	40	70	88	108	124	162	142	112	80	50	10	8	-
	ALL OTHER..MALE....	528	-	2	-	-	2	4	6	4	2	24	24	52	84	80	86	76	44	22	16	-	-	-
	FEMALE..	474	-	2	2	-	4	4	12	6	4	26	46	54	72	64	84	60	16	4	10	2	2	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	88	-	-	-	-	-	-	-	-	-	2	4	12	8	18	18	16	4	6	-	-	-	-
	WHITE.....MALE....	48	-	-	-	-	-	-	-	-	-	-	-	8	2	16	12	10	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	2	-	-	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	2	4	2	2	-	-	2	-	4	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	2	4	-	4	-	4	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	844	-	-	-	-	6	2	6	4	4	18	54	60	102	120	134	126	110	52	36	2	8	-
	WHITE.....MALE....	298	-	-	-	-	4	-	4	-	2	6	18	24	42	50	44	40	40	16	6	-	2	-
	FEMALE..	290	-	-	-	-	-	-	-	4	2	6	14	18	12	26	48	44	50	32	28	2	4	-
	ALL OTHER..MALE....	130	-	-	-	-	-	2	2	-	-	2	6	12	26	24	22	18	12	2	2	-	-	-
	FEMALE..	126	-	-	-	-	2	-	-	-	-	4	16	6	22	20	20	24	8	2	-	-	2	-
160-163	OF RESPIRATORY SYSTEM....	788	-	-	-	-	-	-	2	-	10	28	50	104	126	124	124	114	66	22	10	8	-	-
	WHITE.....MALE....	514	-	-	-	-	-	-	-	-	8	10	32	70	80	82	74	86	40	18	6	8	-	-
	FEMALE..	94	-	-	-	-	-	-	-	-	2	4	8	16	14	6	18	10	14	2	-	-	-	-
	ALL OTHER..MALE....	140	-	-	-	-	-	-	2	-	-	8	6	12	24	34	26	14	12	-	2	-	-	-
	FEMALE..	40	-	-	-	-	-	-	-	-	-	6	4	6	8	2	6	4	-	2	2	-	-	-
174	OF BREAST.....	298	-	-	-	-	-	-	2	4	10	20	28	46	50	42	46	18	16	10	4	-	2	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	230	-	-	-	-	-	-	-	2	8	16	24	30	36	36	32	14	16	10	4	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	66	-	-	-	-	-	-	2	2	2	4	4	16	14	6	12	4	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	470	-	-	-	-	-	2	6	8	6	14	22	30	36	68	70	78	46	40	30	12	2	-
	WHITE.....MALE....	120	-	-	-	-	-	-	-	2	-	-	2	4	4	14	12	16	18	22	16	8	2	-
	FEMALE..	152	-	-	-	-	-	2	-	4	4	6	8	12	20	26	24	22	8	8	6	2	-	-
	ALL OTHER..MALE....	108	-	-	-	-	-	-	-	-	-	2	2	8	4	10	16	28	20	10	8	-	-	-
	FEMALE..	90	-	-	-	-	-	-	6	2	2	6	10	6	8	18	18	12	-	-	-	2	-	-
188, 189	OF URINARY ORGANS.....	148	-	2	2	-	-	-	-	-	-	6	6	14	20	22	20	22	10	18	4	-	2	-
	WHITE.....MALE....	70	-	-	-	-	-	-	-	-	-	2	2	4	14	8	12	12	2	12	2	-	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	-	2	-	-	6	6	4	6	2	2	-	2	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	2	-	4	6	2	-	2	-	4	-	-	-	-
	FEMALE..	28	-	2	2	-	-	-	-	-	-	2	2	6	-	6	2	4	2	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	494	2	6	-	8	2	8	8	14	6	32	36	44	86	52	70	50	18	26	18	8	-	-
	WHITE.....MALE....	198	-	2	-	8	-	2	2	6	2	16	12	24	34	22	30	16	10	6	4	2	-	-
	FEMALE..	158	2	2	-	-	2	2	2	6	2	8	12	6	20	18	20	22	6	18	4	6	-	-
	ALL OTHER..MALE....	66	-	2	-	-	-	2	-	2	2	6	4	6	20	4	8	4	-	2	4	-	-	-
	FEMALE..	72	-	-	-	-	-	2	4	-	-	2	8	8	12	8	12	8	2	-	6	-	-	-
204-207	LEUKEMIA.....	152	2	6	2	8	6	2	10	2	-	6	-	12	8	16	28	24	8	6	6	-	-	-
	WHITE.....MALE....	64	2	2	-	8	-	-	6	-	-	4	-	6	4	10	6	6	2	4	4	-	-	-
	FEMALE..	46	-	4	2	-	2	-	2	2	-	-	-	4	-	-	10	10	6	2	2	-	-	-
	ALL OTHER..MALE....	20	-	-	-	-	2	-	2	-	-	-	-	2	-	2	8	4	-	-	-	-	-	-
	FEMALE..	22	-	-	-	-	2	2	-	-	-	2	-	-	4	4	4	4	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....	174	-	-	-	-	-	8	-	10	2	8	14	18	20	12	22	30	12	6	10	2	-	-
	WHITE.....MALE....	78	-	-	-	-	-	2	-	4	-	6	8	6	12	4	8	14	6	2	4	2	-	-
	FEMALE..	52	-	-	-	-	-	6	-	2	2	-	2	2	6	4	2	12	6	4	4	-	-	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	2	-	2	2	6	2	4	6	4	-	-	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	2	-	-	2	4	-	-	6	-	-	-	2	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....	50	2	-	-	2	-	2	2	-	2	4	-	4	2	8	12	4	4	2	-	-	-	-
	WHITE.....MALE....	18	2	-	-	-	-	-	-	-	-	-	-	-	2	6	6	2	-	-	-	-	-	-
	FEMALE..	8	-	-	-	2	-	-	-	-	-	2	-	-	-	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	2	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	2	-	2	2	-	4	-	-	2	2	2	2	-	-	-	-
250	DIABETES MELLITUS.....	530	-	-	-	2	2	4	4	4	10	16	28	40	56	78	90	58	68	34	30	4	-	2
	WHITE.....MALE....	118	-	-	-	-	-	-	-	2	4	-	6	6	12	18	18	12	20	12	4	2	-	2
	FEMALE..	168	-	-	-	2	-	-	-	2	4	-	10	8	6	18	22	24	42	12	16	2	-	-
	ALL OTHER..MALE....	78	-	-	-	-	-	2	2	-	-	10	4	12	12	12	14	-	-	6	4	-	-	-
	FEMALE..	166	-	-	-	-	2	2	2	-	2	6	8	14	26	30	36	22	6	4	6	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH CAROLINA—CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	28	6	-	-	-	-	-	-	-	2	2	-	2	2	2	4	2	2	-	2	2	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE..	10	4	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	2	-	-
280-285	ANEMIAS.....	40	-	4	-	4	4	-	4	6	2	4	2	2	-	2	4	2	-	-	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	2	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	16	-	2	-	2	-	-	2	4	2	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	14	-	2	-	2	2	-	-	-	-	2	2	-	-	2	-	2	-	-	-	-	-	-
320	MENINGITIS.....	28	14	4	2	2	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-	-	-	-
	WHITE.....MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	2	-	2	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	10	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	12,124	16	8	6	6	16	20	20	66	134	280	504	764	1,004	1,438	1,616	1,782	1,618	1,322	964	382	154	4
	WHITE.....MALE....	4,598	6	2	2	-	10	2	2	18	46	84	218	322	468	638	678	702	612	384	302	82	20	-
	FEMALE..	3,620	2	2	-	2	2	6	4	4	10	54	52	110	142	212	368	470	616	704	518	234	108	-
	ALL OTHER..MALE....	1,980	6	4	4	2	4	10	8	24	44	94	128	192	224	288	266	270	194	110	68	28	10	2
	FEMALE..	1,926	2	-	-	2	-	2	6	20	34	48	106	140	170	300	304	340	196	124	76	38	16	2
390-398, 402, 404, 410-429	DISEASES OF HEART.....	8,418	12	8	6	4	10	18	10	44	96	208	382	582	748	1,080	1,184	1,224	1,064	824	598	212	102	2
	WHITE.....MALE....	3,496	4	2	2	-	4	2	2	14	44	76	196	288	380	536	532	508	430	236	184	42	14	-
	FEMALE..	2,412	2	2	-	-	2	6	-	2	6	32	34	74	98	162	272	340	404	446	330	128	72	-
	ALL OTHER..MALE....	1,320	6	4	4	2	4	8	6	18	26	66	82	140	158	180	186	172	126	66	42	18	4	2
	FEMALE..	1,190	-	-	-	2	-	2	2	10	20	34	70	80	112	202	194	204	104	76	42	24	12	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	108	2	-	2	-	-	-	2	4	4	4	14	6	20	20	14	8	8	-	-	-	-	-
	WHITE.....MALE....	40	-	-	-	-	-	-	-	-	2	2	4	2	12	12	4	-	2	-	-	-	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	2	2	6	4	2	8	10	4	4	-	-	-	-	-
	ALL OTHER..MALE....	16	2	-	2	-	-	-	2	2	-	-	2	-	2	-	-	4	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	2	-	-	2	-	4	-	-	-	2	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	90	-	-	-	-	-	-	2	-	-	2	4	14	8	12	10	12	2	12	10	-	2	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	6	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	4	4	-	-	-
	ALL OTHER..MALE....	32	-	-	-	-	-	-	2	-	-	2	2	4	4	2	2	6	-	6	-	-	2	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	-	6	2	8	8	4	2	2	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	82	-	-	-	-	-	-	-	2	2	2	6	-	12	10	14	8	10	8	6	2	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	-	2	-	2	2	6	2	-	4	-	2	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	6	2	4	-	-	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	2	2	2	2	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	2	2	2	4	-	2	4	2	4	2	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	7,476	-	-	-	-	2	12	2	28	74	184	316	490	644	950	1,058	1,106	996	762	558	200	92	2
	WHITE.....MALE....	3,166	-	-	-	-	2	-	2	10	40	70	166	262	332	476	492	470	410	214	166	40	14	-
	FEMALE..	2,220	-	-	-	-	-	4	-	-	4	28	28	58	78	142	238	328	378	432	316	120	66	-
	ALL OTHER..MALE....	1,094	-	-	-	-	-	8	-	14	16	58	66	110	140	160	166	136	114	52	36	16	-	2
	FEMALE..	996	-	-	-	-	-	-	-	4	14	28	56	60	94	172	162	172	94	64	40	24	12	-
410	ACUTE MYOCARDIAL INFARCTION.....	4,370	-	-	-	-	-	10	2	28	60	134	264	360	450	618	658	616	490	332	242	78	26	2
	WHITE.....MALE....	2,182	-	-	-	-	-	-	2	10	34	62	154	216	278	360	346	298	222	104	76	16	4	-
	FEMALE..	1,156	-	-	-	-	-	2	-	-	2	22	24	46	50	92	160	188	186	186	142	38	18	-
	ALL OTHER..MALE....	606	-	-	-	-	-	8	-	14	14	38	52	70	82	90	82	62	46	26	14	6	-	2
	FEMALE..	426	-	-	-	-	-	-	-	4	10	12	34	28	40	76	70	68	36	16	10	18	4	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	44	-	-	-	-	-	-	-	-	-	2	-	8	12	4	6	12	-	-	-	-	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	8	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	-	-	4	6	-	-	4	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	3,062	-	-	-	-	2	2	-	-	14	48	52	122	182	328	394	478	506	430	316	122	66	-
	WHITE.....MALE....	968	-	-	-	-	2	-	-	-	6	8	12	44	52	114	144	164	188	110	90	24	10	-
	FEMALE..	1,060	-	-	-	-	-	2	-	-	2	6	4	10	26	50	78	140	192	246	174	82	48	-
	ALL OTHER..MALE....	474	-	-	-	-	-	-	-	-	2	20	14	36	52	70	84	70	68	26	22	10	-	-
	FEMALE..	560	-	-	-	-	-	-	-	-	4	14	22	32	52	94	88	104	58	48	30	6	8	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH CAROLINA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	70	-	-	2	-	-	-	2	-	2	4	2	6	4	8	8	10	8	6	6	2	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-	2	2	2	2	4	-	4	4	2	2	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	2	-	2	-	-	4	2	4	4	2	2	-	-
	ALL OTHER..MALE....	14	-	-	2	-	-	-	2	-	2	-	-	2	-	4	-	2	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	-	2	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	592	10	8	2	4	8	6	2	10	14	12	40	66	60	80	80	80	40	36	18	8	8	-
	WHITE.....MALE....	234	4	2	2	-	2	2	-	4	2	2	20	20	32	40	30	32	14	16	10	-	-	-
	FEMALE..	94	2	2	-	-	2	2	-	2	-	-	-	8	12	12	16	4	12	4	4	6	6	-
	ALL OTHER..MALE....	146	4	4	-	2	4	-	-	2	8	6	12	24	8	10	16	22	10	6	4	2	2	-
	FEMALE..	118	-	-	-	2	-	2	2	2	4	4	8	14	8	18	18	22	4	10	-	-	-	-
400, 401, 403	HYPERTENSION.....	156	-	-	-	-	-	-	-	2	4	16	16	6	16	24	20	12	18	10	8	4	-	-
	WHITE.....MALE....	30	-	-	-	-	-	-	-	-	-	2	-	-	2	4	6	2	6	4	4	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	4	4	-	4	4	4	2	-	2	2	2	-	-
	ALL OTHER..MALE....	56	-	-	-	-	-	-	-	-	4	8	2	4	10	10	2	6	8	2	-	-	-	-
	FEMALE..	42	-	-	-	-	-	-	-	2	-	2	10	2	-	6	8	2	4	2	2	2	-	-
430-438	CEREBROVASCULAR DISEASES.	2,994	2	-	-	-	6	2	8	20	30	44	104	160	210	292	354	442	458	400	296	124	40	2
	WHITE.....MALE....	852	2	-	-	-	6	-	-	4	-	4	22	30	70	76	110	140	146	110	88	38	6	-
	FEMALE..	1,004	-	-	-	-	-	-	4	2	4	12	12	30	38	44	86	114	188	216	158	72	24	-
	ALL OTHER..MALE....	526	-	-	-	-	-	2	2	6	12	18	44	46	52	92	66	70	52	34	20	4	6	-
	FEMALE..	612	-	-	-	-	-	-	2	8	14	10	26	54	50	80	92	118	72	40	30	10	4	2
431	CEREBRAL HEMORRHAGE.....	610	-	-	-	-	-	2	4	10	10	14	36	46	86	78	80	98	48	52	28	16	2	-
	WHITE.....MALE....	166	-	-	-	-	-	-	-	-	-	2	6	10	32	26	28	20	12	16	12	2	-	-
	FEMALE..	186	-	-	-	-	-	-	2	-	2	2	10	14	14	18	18	28	26	30	8	12	2	-
	ALL OTHER..MALE....	136	-	-	-	-	-	2	2	4	4	6	14	12	20	18	18	24	4	4	4	-	-	-
	FEMALE..	122	-	-	-	-	-	-	-	6	4	4	6	10	20	16	16	26	6	2	4	2	-	-
433	CEREBRAL THROMBOSIS.....	790	-	-	-	-	-	-	-	2	-	-	18	28	30	72	84	120	142	124	112	50	8	-
	WHITE.....MALE....	248	-	-	-	-	-	-	-	2	-	-	4	2	18	20	28	46	48	28	30	20	2	-
	FEMALE..	282	-	-	-	-	-	-	-	-	-	-	-	2	4	6	20	34	50	78	60	24	4	-
	ALL OTHER..MALE....	112	-	-	-	-	-	-	-	-	-	-	8	8	2	22	16	16	22	10	4	2	2	-
	FEMALE..	148	-	-	-	-	-	-	-	-	-	-	6	16	6	24	20	24	22	8	18	4	-	-
434	CEREBRAL EMBOLISM.....	12	-	-	-	-	2	-	-	-	2	-	-	2	-	-	2	-	4	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	1,582	2	-	-	-	4	-	4	8	18	30	50	84	94	142	188	224	264	224	156	58	30	2
	WHITE.....MALE....	434	2	-	-	-	4	-	-	2	-	2	12	18	20	30	54	74	84	66	46	16	4	-
	FEMALE..	534	-	-	-	-	-	-	2	2	2	10	2	14	20	20	46	52	112	108	90	36	18	-
	ALL OTHER..MALE....	276	-	-	-	-	-	-	-	2	6	12	22	26	30	52	32	30	26	20	12	2	4	-
	FEMALE..	338	-	-	-	-	-	-	2	2	10	6	14	26	24	40	56	68	42	30	8	4	4	2
440	ARTERIOSCLEROSIS.....	270	-	-	-	-	-	-	-	-	-	-	-	4	4	12	20	46	44	52	42	36	10	-
	WHITE.....MALE....	82	-	-	-	-	-	-	-	-	-	-	-	-	2	6	12	18	8	16	20	-	-	-
	FEMALE..	104	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	12	26	16	28	10	-
	ALL OTHER..MALE....	42	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	12	8	6	6	6	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	0	16	4	-	2	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	286	2	-	-	2	-	-	2	-	4	12	2	12	26	30	38	58	34	36	20	6	2	-
	WHITE.....MALE....	138	-	-	-	-	-	-	-	-	2	2	-	4	14	16	18	34	22	18	6	2	-	-
	FEMALE..	72	-	-	-	2	-	-	-	-	-	6	2	6	2	-	4	6	12	14	12	4	2	-
	ALL OTHER..MALE....	36	-	-	-	-	-	-	-	-	2	2	-	-	4	6	10	10	-	2	-	-	-	-
	FEMALE..	40	2	-	-	-	-	-	2	-	-	2	-	2	6	8	6	8	-	2	2	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	16	6	-	-	-	-	2	-	-	-	-	-	-	4	2	-	-	-	-	2	-	-	-
	WHITE.....MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	722	120	14	2	2	10	10	6	12	18	16	20	36	38	54	48	70	82	76	54	26	6	-
	WHITE.....MALE....	234	16	-	-	2	2	4	-	4	2	8	6	14	6	20	10	32	36	36	24	10	2	-
	FEMALE..	168	4	2	2	-	2	2	4	2	2	-	2	4	6	18	10	10	26	34	26	10	2	-
	ALL OTHER..MALE....	174	62	2	-	-	2	2	-	6	8	8	8	6	12	14	8	8	18	4	2	4	-	-
	FEMALE..	146	38	10	-	-	4	2	2	-	6	-	4	12	14	2	20	20	2	2	4	2	2	-
470-474	INFLUENZA.....	60	6	-	-	-	2	-	-	2	-	2	2	-	2	12	4	6	8	8	6	-	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	2	-	2	-	-	-	8	-	-	6	2	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	6	-	-	-
	ALL OTHER..MALE....	10	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-	-	-
	FEMALE..	14	2	-	-	-	2	-	-	-	-	-	2	-	2	-	4	2	-	-	-	-	-	-
480-486	PNEUMONIA.....	662	114	14	2	2	8	10	6	10	18	14	18	36	36	42	44	64	74	68	50	26	6	-
	WHITE.....MALE....	214	16	-	-	2	2	4	-	2	2	6	6	14	6	12	10	32	30	34	24	10	2	-
	FEMALE..	152	4	2	2	-	2	2	4	2	2	-	2	4	6	18	10	8	24	28	20	10	2	-
	ALL OTHER..MALE....	164	58	2	-	-	2	2	-	6	8	8	8	6	12	10	8	6	18	4	2	4	-	-
	FEMALE..	132	36	10	-	-	2	2	2	-	6	-	2	12	12	2	16	18	2	2	4	2	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH CAROLINA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	318	2	-	2	-	-	2	-	-	6	4	-	24	32	58	52	48	30	42	14	2	-	-
	WHITE.....MALE	218	-	-	-	-	-	-	-	-	-	-	-	16	18	42	42	34	20	34	10	2	-	-
	FEMALE	52	-	-	-	-	-	2	-	-	4	2	-	8	4	10	2	8	-	8	4	-	-	-
	ALL OTHER..MALE	42	2	-	2	-	-	-	-	-	2	2	-	-	10	6	4	6	8	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	52	2	-	-	-	-	2	-	-	2	-	-	6	2	10	8	2	10	8	-	-	-	-
	WHITE.....MALE	26	-	-	-	-	-	-	-	-	-	-	-	6	-	6	2	2	6	4	-	-	-	-
	FEMALE	8	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-
	ALL OTHER..MALE	14	2	-	-	-	-	-	-	-	2	-	-	-	2	4	-	-	4	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
492	EMPHYSEMA	232	-	-	-	-	-	-	-	-	2	2	-	10	24	46	42	42	18	30	14	2	-	-
	WHITE.....MALE	180	-	-	-	-	-	-	-	-	-	-	-	8	14	34	40	32	14	26	10	2	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	2	-	-	2	4	10	-	6	-	4	4	-	-	-
	ALL OTHER..MALE	20	-	-	-	-	-	-	-	-	-	2	-	-	6	2	2	4	4	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	34	-	-	2	-	-	-	-	-	2	2	-	8	6	2	2	4	2	4	-	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-	4	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	2	2	-	6	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	8	-	-	2	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
531-533	PEPTIC ULCER	66	-	-	-	-	-	-	2	-	2	12	4	6	10	4	2	12	10	2	-	-	-	-
	WHITE.....MALE	28	-	-	-	-	-	-	-	-	-	10	2	4	6	-	-	2	2	2	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	6	-	-	-	-	-
	ALL OTHER..MALE	18	-	-	-	-	-	-	2	-	2	-	2	2	-	2	-	6	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	12	-	-	-	-	2	2	-	2	-	-	-	-	2	2	-	2	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	2	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	84	12	-	-	-	2	-	-	-	2	-	-	2	4	8	6	14	10	8	14	2	-	-
	WHITE.....MALE	22	6	-	-	-	2	-	-	-	-	-	-	-	-	2	-	2	2	6	2	-	-	-
	FEMALE	34	4	-	-	-	-	-	-	-	2	-	-	-	2	4	2	2	6	2	8	2	-	-
	ALL OTHER..MALE	8	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	8	2	-	2	-	-	-
571	CIRRHOSIS OF LIVER	274	2	-	-	-	-	2	6	4	32	30	38	50	38	36	18	12	2	4	-	-	-	-
	WHITE.....MALE	130	-	-	-	-	-	-	2	-	6	14	18	24	24	22	14	2	2	2	-	-	-	-
	FEMALE	48	2	-	-	-	-	-	-	-	8	2	6	12	8	2	2	4	-	2	-	-	-	-
	ALL OTHER..MALE	52	-	-	-	-	-	-	2	2	6	8	6	12	2	8	2	4	-	-	-	-	-	-
	FEMALE	44	-	-	-	-	-	2	2	2	12	6	8	2	4	4	-	2	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	40	-	-	-	-	-	-	-	-	-	-	-	4	-	8	4	8	4	6	4	2	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	6	2	-	-	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	6	4	2	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	134	-	-	2	6	4	8	4	-	10	20	2	8	12	6	18	12	6	10	2	4	-	-
	WHITE.....MALE	30	-	-	2	-	-	2	2	-	2	-	-	4	2	-	4	4	2	4	2	-	-	-
	FEMALE	28	-	-	-	-	-	-	-	-	2	6	-	-	4	2	2	2	4	2	-	4	-	-
	ALL OTHER..MALE	42	-	-	-	2	4	6	2	-	4	6	2	2	4	2	4	2	-	2	-	-	-	-
	FEMALE	34	-	-	-	4	-	-	-	-	2	8	-	2	2	2	8	4	-	2	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	18	-	-	-	-	-	-	-	-	4	2	-	2	2	-	2	2	4	-	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	116	-	-	2	6	4	8	4	-	6	18	2	6	10	6	16	10	2	10	2	4	-	-
	WHITE.....MALE	22	-	-	2	-	-	2	2	-	2	-	-	2	2	-	2	2	-	4	2	-	-	-
	FEMALE	26	-	-	-	-	-	-	-	-	2	6	-	-	4	2	2	2	2	2	-	4	-	-
	ALL OTHER..MALE	36	-	-	-	2	4	6	2	-	2	4	2	2	2	2	4	2	-	2	-	-	-	-
	FEMALE	32	-	-	-	4	-	-	-	-	-	8	-	2	2	2	8	4	-	2	-	-	-	-
590	INFECTIONS OF KIDNEY	124	-	-	-	-	-	-	-	-	-	-	4	10	8	22	16	18	14	16	14	2	-	-
	WHITE.....MALE	38	-	-	-	-	-	-	-	-	-	-	-	4	2	4	4	6	8	2	8	-	-	-
	FEMALE	48	-	-	-	-	-	-	-	-	-	-	4	2	2	8	6	6	-	14	4	2	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	-	2	-	-	-	-	-
	FEMALE	24	-	-	-	-	-	-	-	-	-	-	-	2	-	6	4	6	4	-	2	-	-	-
600	HYPERPLASIA OF PROSTATE	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	6	6	2	-	-	-
	WHITE.....MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	6	2	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH CAROLINA—CON.																							
639-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	14	-	-	-	-	2	6	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	12	-	-	-	-	2	4	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	14	-	-	-	-	2	6	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	12	-	-	-	-	2	4	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES	230	138	34	10	2	10	4	4	-	4	2	6	8	6	-	-	-	-	-	2	-	-	-
	WHITE.....MALE	94	64	14	2	-	4	2	2	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	78	38	16	4	-	-	2	2	-	2	2	2	8	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	36	18	2	2	2	6	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-
	FEMALE..	22	18	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	584	580	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	WHITE.....MALE	164	162	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	138	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	FEMALE..	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS	322	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	WHITE.....MALE	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	80	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	FEMALE..	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY	262	260	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	74	72	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	736	72	8	2	-	2	4	4	16	18	38	36	74	78	74	86	94	52	32	22	8	14	2
	WHITE.....MALE	210	14	-	-	-	-	2	-	4	4	8	18	24	24	18	26	26	16	12	8	2	4	-
	FEMALE..	86	6	4	-	-	-	-	-	2	2	4	-	4	8	2	14	12	10	12	4	-	2	-
	ALL OTHER..MALE	218	26	4	-	-	-	-	2	6	8	20	10	32	24	20	18	26	10	6	4	-	2	-
	FEMALE..	222	26	-	2	-	2	2	2	4	4	6	8	14	22	34	28	30	16	2	6	6	6	2
RESIDUAL	ALL OTHER DISEASES	1,252	28	18	6	16	24	20	32	39	34	50	98	120	128	148	136	104	122	70	40	20	6	2
	WHITE.....MALE	450	8	6	6	6	10	2	6	2	12	8	42	34	44	66	52	34	62	22	20	6	2	-
	FEMALE..	318	6	2	-	-	-	14	4	8	6	12	18	28	18	26	38	24	42	44	18	10	-	-
	ALL OTHER..MALE	258	10	-	-	6	2	-	6	10	8	14	22	24	48	36	30	26	8	2	2	-	2	2
	FEMALE..	226	4	10	-	4	12	4	16	10	8	16	16	34	18	20	16	20	10	2	-	4	2	-
E800-E949	ACCIDENTS	2,004	50	66	98	104	244	228	150	120	94	116	144	110	86	98	64	68	56	56	28	18	4	2
	WHITE.....MALE	822	14	16	36	46	122	110	64	58	42	40	54	48	30	36	22	34	18	22	8	2	-	-
	FEMALE..	354	8	10	18	22	30	30	10	14	12	18	26	18	16	18	16	22	12	22	18	12	2	-
	ALL OTHER..MALE	640	18	28	24	26	82	74	54	48	40	46	46	36	34	36	14	8	16	4	2	2	-	2
	FEMALE..	188	10	12	20	10	10	14	22	-	-	12	18	8	6	8	12	4	10	8	-	2	2	-
E810-E823	MOTOR VEHICLE ACCIDENTS	1,062	4	32	52	58	182	176	102	66	38	66	68	42	44	42	30	30	20	8	2	-	-	-
	WHITE.....MALE	466	-	10	20	24	94	78	44	30	16	28	26	18	14	16	12	20	8	8	-	-	-	-
	FEMALE..	176	2	10	12	14	28	26	8	10	8	10	12	6	6	10	6	6	2	-	-	-	-	-
	ALL OTHER..MALE	350	2	10	12	10	56	62	38	26	14	22	24	14	24	14	8	2	10	-	2	-	-	-
	FEMALE..	70	-	2	8	10	4	10	12	-	-	6	6	4	-	2	4	2	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS	942	46	34	46	46	62	52	48	54	56	50	76	68	42	56	34	38	36	48	26	18	4	2
	WHITE.....MALE	356	14	6	16	22	28	32	20	28	26	12	28	30	16	20	10	14	10	14	8	2	-	-
	FEMALE..	178	6	-	6	8	2	4	2	4	4	8	14	12	10	8	10	16	10	22	18	12	2	-
	ALL OTHER..MALE	290	16	18	12	16	26	12	16	22	26	24	22	22	10	22	6	6	6	4	-	2	-	2
	FEMALE..	118	10	10	12	-	6	4	10	-	-	6	12	4	6	6	8	2	10	8	-	2	2	-
E950-E959	SUICIDE	278	...	...	-	2	18	38	24	14	30	26	28	36	22	14	12	6	8	-	-	-	-	-
	WHITE.....MALE	180	...	...	-	2	12	22	14	6	20	18	20	22	16	6	10	4	8	-	-	-	-	-
	FEMALE..	56	...	...	-	-	2	-	4	6	8	6	6	14	2	4	2	2	-	-	-	-	-	-
	ALL OTHER..MALE	32	...	...	-	-	4	10	4	-	2	2	2	-	4	4	-	-	-	-	-	-	-	-
	FEMALE..	10	...	...	-	-	-	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE	418	2	-	2	2	22	64	78	54	50	48	36	24	18	8	6	2	-	2	-	-	-	-
	WHITE.....MALE	76	-	-	-	2	-	8	10	8	12	8	4	8	4	4	4	2	-	2	-	-	-	-
	FEMALE..	32	2	-	-	-	-	8	4	6	4	2	2	2	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	250	-	-	-	-	16	36	56	30	28	30	28	12	10	2	2	-	-	-	-	-	-	-
	FEMALE..	60	-	-	2	-	6	12	8	10	6	8	2	2	4	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES	48	-	-	-	-	4	10	2	8	4	6	4	4	4	2	-	-	-	-	-	-	-	-
	WHITE.....MALE	18	-	-	-	-	-	4	-	2	-	4	4	-	4	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	2	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	16	-	-	-	-	2	4	-	4	2	-	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH DAKOTA																							
	ALL CAUSES.....	7,028	216	64	50	50	114	118	80	74	60	128	162	234	376	516	646	856	1,010	1,079	748	354	96	6
	WHITE.....MALE....	3,796	96	26	22	26	60	56	48	24	30	66	104	126	194	324	438	508	568	544	344	154	32	6
	FEMALE..	2,766	72	16	14	14	32	24	18	14	18	42	48	76	150	168	182	326	402	510	384	196	60	-
	ALL OTHER..MALE....	254	26	10	12	8	12	28	6	20	4	10	6	12	22	2	14	16	22	4	14	2	4	-
	FEMALE..	212	22	12	2	2	10	10	8	16	8	10	4	20	10	22	12	6	18	12	6	2	-	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	14	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	2	-	-
	WHITE.....MALE....	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	10	2	-	-	-	-	2	-	2	-	-	-	4	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	2	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	6	2	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	4	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH DAKOTA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	8	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-
	WHITE.....MALE....	6	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	1,112	-	6	-	-	2	2	6	4	8	26	32	54	106	152	122	140	184	140	92	26	10	-
	WHITE.....MALE....	588	-	4	-	-	-	2	2	2	2	10	22	22	54	78	78	88	96	74	40	10	4	-
	FEMALE..	400	-	2	-	-	2	-	4	-	4	14	10	28	46	68	40	48	82	64	46	16	6	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	2	-	-	-	-	2	-	4	4	2	-	2	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	2	2	-	4	4	6	-	-	4	2	4	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	24	-	-	-	-	-	-	-	-	-	2	4	-	4	2	2	4	-	4	2	-	-	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	2	4	-	-	2	2	4	-	4	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	386	-	-	-	-	-	-	2	2	-	6	10	14	34	42	46	44	60	70	40	12	4	-
	WHITE.....MALE....	182	-	-	-	-	-	-	-	-	-	4	10	6	20	22	24	22	26	30	10	6	2	-
	FEMALE..	180	-	-	-	-	-	-	2	-	-	-	-	8	12	16	22	20	30	38	24	6	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	2	-	-	2	4	-	-	4	2	4	-	-	-
160-163	OF RESPIRATORY SYSTEM....	156	-	-	-	-	-	-	-	-	2	4	10	12	20	36	28	22	16	2	4	-	-	-
	WHITE.....MALE....	134	-	-	-	-	-	-	-	-	-	-	8	10	14	36	26	20	16	2	2	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	2	4	2	2	4	-	2	2	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
174	OF BREAST.....	108	-	-	-	-	-	-	-	-	2	4	8	2	10	24	8	12	26	6	4	2	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	108	-	-	-	-	-	-	-	-	2	4	8	2	10	24	8	12	26	6	4	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	166	-	-	-	-	-	-	2	-	2	4	-	16	10	22	12	18	34	22	14	6	4	-
	WHITE.....MALE....	76	-	-	-	-	-	-	-	-	2	-	-	-	2	4	6	12	18	16	10	4	2	-
	FEMALE..	82	-	-	-	-	-	-	2	-	-	4	-	12	8	16	4	6	16	6	4	2	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	48	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	10	14	6	10	-	-	-
	WHITE.....MALE....	36	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	8	10	4	8	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	2	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	96	-	-	-	-	2	2	-	-	-	2	-	4	12	10	10	20	10	14	4	4	2	-
	WHITE.....MALE....	52	-	-	-	-	-	2	-	-	-	-	-	2	10	8	4	14	6	4	2	-	-	-
	FEMALE..	40	-	-	-	-	2	-	-	-	-	2	-	2	2	2	4	6	2	10	2	4	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204-207	LEUKEMIA.....	48	-	2	-	-	-	-	-	-	-	4	-	2	-	4	6	8	12	4	6	-	-	-
	WHITE.....MALE....	40	-	2	-	-	-	-	-	-	-	4	-	2	-	2	6	6	10	4	4	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	80	-	4	-	-	-	-	2	2	2	-	-	4	12	12	6	2	12	12	8	2	-	-
	WHITE.....MALE....	50	-	2	-	-	-	-	2	2	-	-	-	2	6	4	6	2	10	10	4	-	-	-
	FEMALE..	26	-	2	-	-	-	-	-	-	-	-	-	2	4	8	-	-	2	2	4	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	20	2	-	-	-	-	-	-	2	-	2	2	2	2	-	-	-	2	4	-	2	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	4	-	-	-	-
	FEMALE..	10	2	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	114	-	-	-	2	-	-	4	-	-	-	-	6	6	8	10	20	22	24	6	2	4	-
	WHITE.....MALE....	42	-	-	-	2	-	-	-	-	-	-	-	2	2	6	-	10	6	8	2	2	2	-
	FEMALE..	60	-	-	-	-	-	-	2	-	-	-	-	2	4	2	8	10	12	16	2	-	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH DAKOTA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	16	-	-	-	-	-	-	2	-	-	-	-	-	-	4	-	-	-	6	4	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	22	-	2	2	-	-	-	-	-	-	-	-	-	2	-	4	-	2	4	4	2	-	-
	WHITE.....MALE....	10	-	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	2	-	-
	FEMALE..	12	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	3,694	4	2	-	4	4	2	4	8	10	34	60	88	150	242	354	548	592	736	514	262	72	4
	WHITE.....MALE....	2,060	-	2	-	-	2	-	4	4	6	22	44	58	94	172	252	318	344	368	228	116	22	4
	FEMALE..	1,532	2	-	-	2	-	-	-	-	4	6	12	22	46	64	98	218	236	358	274	144	46	-
	ALL OTHER..MALE....	60	-	-	-	2	-	2	-	2	-	4	4	4	10	-	2	8	4	2	10	2	4	-
	FEMALE..	42	2	-	-	-	2	-	-	2	-	2	-	4	-	6	2	4	8	8	2	-	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	2,706	2	2	-	-	2	2	2	8	6	30	54	84	122	208	282	412	424	522	338	160	44	2
	WHITE.....MALE....	1,570	-	2	-	-	2	-	2	4	6	20	44	54	74	150	208	246	246	262	158	74	16	2
	FEMALE..	1,054	2	-	-	-	-	-	-	-	-	4	8	22	38	54	70	160	168	252	168	84	24	-
	ALL OTHER..MALE....	50	-	-	-	-	-	2	-	2	-	4	2	4	10	-	2	4	2	2	10	2	4	-
	FEMALE..	32	-	-	-	-	-	-	-	2	-	2	-	4	-	4	2	2	8	6	2	-	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	50	-	-	-	-	-	-	-	2	-	4	4	-	6	8	4	2	10	8	-	2	-	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	2	-	4	4	2	2	2	2	-	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	2	2	-	-	4	2	-	6	6	-	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	2	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	8	4	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	6	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	34	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	6	10	8	2	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	4	6	2	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	2,396	2	-	-	-	-	2	-	2	6	22	48	80	98	186	254	368	378	474	292	142	40	2
	WHITE.....MALE....	1,412	-	-	-	-	-	-	-	2	6	18	42	50	56	134	192	222	224	244	134	70	16	2
	FEMALE..	922	2	-	-	-	-	-	-	-	-	2	6	22	34	48	58	140	148	222	148	70	22	-
	ALL OTHER..MALE....	38	-	-	-	-	-	2	-	-	-	2	-	4	8	-	2	4	2	2	8	2	2	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	-	4	-	4	2	2	4	6	2	-	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	1,449	2	-	-	-	-	2	-	-	6	22	38	64	80	136	192	254	226	256	98	52	10	2
	WHITE.....MALE....	896	-	-	-	-	-	-	-	-	6	18	36	40	44	106	148	156	132	134	44	26	4	2
	FEMALE..	510	2	-	-	-	-	-	-	-	-	2	2	18	30	28	44	96	90	120	46	26	6	-
	ALL OTHER..MALE....	22	-	-	-	-	-	2	-	-	-	2	-	4	6	-	-	-	2	-	6	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	2	2	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	14	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	4	4	-	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	4	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	942	-	-	-	-	-	-	-	2	-	-	10	14	18	48	62	112	148	214	194	90	30	-
	WHITE.....MALE....	504	-	-	-	-	-	-	-	2	-	-	6	8	12	26	44	64	90	106	90	44	12	-
	FEMALE..	410	-	-	-	-	-	-	-	-	-	-	4	4	4	20	14	44	56	102	102	44	16	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	2	2	2	2	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	4	-	-	-	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH DAKOTA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	24	-	-	-	-	-	-	2	-	-	-	-	-	-	-	4	10	-	-	4	4	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	6	-	-	2	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	2	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	176	-	2	-	-	2	-	-	4	-	4	2	4	18	12	18	22	26	26	26	6	4	-
	WHITE.....MALE....	102	-	2	-	-	2	-	-	2	-	2	-	4	14	10	12	14	14	10	14	2	-	-
	FEMALE..	62	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	8	10	16	10	4	2	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	2	-	2	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	32	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	-	12	4	4	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	4	2	4	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	8	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	744	-	-	-	4	2	-	2	-	4	2	2	4	26	28	52	92	138	154	140	76	16	2
	WHITE.....MALE....	364	-	-	-	-	-	-	2	-	-	-	-	4	18	20	28	48	76	74	58	30	4	2
	FEMALE..	368	-	-	-	2	-	-	-	-	4	2	2	-	8	6	24	40	62	78	82	46	12	-
	ALL OTHER..MALE....	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-
431	CEREBRAL HEMORRHAGE.....	150	-	-	-	-	-	-	-	-	4	2	2	2	12	4	8	24	36	20	24	8	2	2
	WHITE.....MALE....	72	-	-	-	-	-	-	-	-	-	-	-	2	6	2	6	10	18	10	12	4	-	2
	FEMALE..	78	-	-	-	-	-	-	-	-	4	2	2	-	6	2	2	14	18	10	12	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	154	-	-	-	-	-	-	-	-	-	-	-	-	2	8	12	18	16	36	30	26	6	-
	WHITE.....MALE....	58	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	10	4	14	8	8	2	-
	FEMALE..	96	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	8	12	22	22	18	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	CEREBRAL EMBOLISM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	440	-	-	-	4	2	-	2	-	-	-	-	2	12	16	32	50	86	98	86	42	8	-
	WHITE.....MALE....	234	-	-	-	-	-	-	2	-	-	-	-	2	12	12	16	28	54	50	38	18	2	-
	FEMALE..	194	-	-	-	2	-	-	-	-	-	-	-	-	-	2	16	18	32	46	48	24	6	-
	ALL OTHER..MALE....	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-
440	ARTERIOSCLEROSIS.....	110	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	14	16	28	18	22	8	-
	WHITE.....MALE....	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	12	18	6	8	-	-
	FEMALE..	54	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	4	10	12	14	8	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	102	-	-	-	-	-	-	-	-	-	2	2	-	2	6	14	24	14	20	14	-	4	-
	WHITE.....MALE....	56	-	-	-	-	-	-	-	-	-	2	-	-	2	2	12	12	10	10	4	-	2	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	12	2	10	10	-	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	12	4	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	WHITE.....MALE....	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	248	20	4	2	-	-	2	6	4	2	8	-	4	2	16	14	22	28	36	44	30	4	-
	WHITE.....MALE....	128	6	2	-	-	-	-	4	-	2	6	-	4	2	10	10	12	16	14	22	16	2	-
	FEMALE..	92	6	-	-	-	-	-	2	2	-	2	-	-	-	4	2	8	6	22	22	14	2	-
	ALL OTHER..MALE....	16	8	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	4	-	-	-	-	-
	FEMALE..	12	-	2	2	-	-	2	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-
470-474	INFLUENZA.....	60	-	-	-	-	-	-	2	-	-	-	-	4	-	2	6	8	8	12	10	8	-	-
	WHITE.....MALE....	34	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4	6	6	2	8	4	-	-
	FEMALE..	26	-	-	-	-	-	-	2	-	-	-	-	-	-	2	2	2	2	10	2	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	188	20	4	2	-	-	2	4	4	2	8	-	-	2	14	8	14	20	24	34	22	4	-
	WHITE.....MALE....	94	6	2	-	-	-	-	4	-	2	6	-	-	2	10	6	6	10	12	14	12	2	-
	FEMALE..	66	6	-	-	-	-	-	-	2	-	2	-	-	-	2	-	6	4	12	20	10	2	-
	ALL OTHER..MALE....	16	8	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	4	-	-	-	-	-
	FEMALE..	12	-	2	2	-	-	2	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH DAKOTA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	128	-	2	-	-	-	-	-	-	2	2	2	2	4	14	16	36	24	14	6	2	2	-
	WHITE.....MALE	100	-	-	-	-	-	-	-	-	-	-	-	2	2	10	14	34	20	12	6	-	-	-
	FEMALE	26	-	2	-	-	-	-	-	-	2	2	2	-	2	4	2	2	4	2	-	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	18	-	2	-	-	-	-	-	-	-	-	-	-	-	4	4	4	4	-	-	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	2	-	-	-	-	-
	FEMALE	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	102	-	-	-	-	-	-	-	-	-	2	2	2	2	10	12	32	18	12	6	2	2	-
	WHITE.....MALE	86	-	-	-	-	-	-	-	-	-	-	-	2	2	6	12	30	16	12	6	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	2	2	-	-	4	-	2	2	-	-	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
493	ASTHMA	8	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	2	2	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	8	6	-	-	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	8	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
540-543	APPENDICITIS	10	-	-	-	-	-	2	-	-	-	-	-	2	-	2	2	2	-	-	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	28	-	-	-	-	2	-	-	-	-	-	-	-	4	2	2	4	8	-	4	2	-	-
	WHITE.....MALE	16	-	-	-	-	2	-	-	-	-	-	-	-	-	2	2	2	4	-	2	2	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	4	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	70	-	-	-	-	-	-	4	-	6	4	4	6	14	12	6	4	6	2	2	-	-	-
	WHITE.....MALE	22	-	-	-	-	-	-	-	-	-	2	2	4	-	6	2	2	2	2	-	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	-	-	-	10	4	-	2	4	-	2	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	2	-	-	-	4	-	2	-	-	-	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	4	-	4	2	2	2	-	2	2	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	26	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	6	4	4	4	2	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	2	4	-	2	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	24	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	8	4	4	-	-	-
	WHITE.....MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	4	2	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	-	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	4	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	4	4	2	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH DAKOTA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES	48	30	2	2	-	-	-	-	-	-	-	4	-	2	-	4	-	-	-	2	-	-	2
	WHITE.....MALE	26	18	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	2	-	-	2
	FEMALE..	20	12	-	2	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	56	14	-	-	-	-	-	-	-	-	2	-	-	2	4	10	8	10	6	-	-	-	-
	WHITE.....MALE	34	6	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	8	6	-	-	-	-
	FEMALE..	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	12	6	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES	338	12	2	8	4	8	2	4	4	4	16	4	22	22	16	46	28	50	48	28	10	-	-
	WHITE.....MALE	164	4	2	4	2	4	2	4	2	2	6	2	4	12	8	30	14	22	28	10	2	-	-
	FEMALE..	138	6	-	2	2	2	-	-	2	2	6	-	10	8	6	14	12	20	20	18	8	-	-
	ALL OTHER..MALE	20	-	-	2	-	2	-	-	-	-	2	2	4	-	-	2	-	6	-	-	-	-	-
	FEMALE..	16	2	-	-	-	-	-	-	-	-	2	-	4	2	2	-	2	2	-	-	-	-	-
E800-E949	ACCIDENTS	768	14	36	36	36	96	92	44	42	24	26	42	34	38	34	36	20	48	30	26	10	4	-
	WHITE.....MALE	404	4	14	16	20	52	46	28	16	14	20	20	22	16	20	26	8	22	16	18	4	2	-
	FEMALE..	246	6	8	10	10	28	24	8	10	6	6	20	10	16	10	8	12	24	14	8	6	2	-
	ALL OTHER..MALE	82	2	6	10	6	10	22	6	8	2	-	-	2	4	2	-	-	2	-	-	-	-	-
	FEMALE..	36	2	8	-	-	6	-	2	8	2	-	2	-	2	2	2	-	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS	304	6	6	4	20	68	58	24	24	10	2	8	10	12	8	14	4	16	4	6	-	-	-
	WHITE.....MALE	166	2	6	2	10	34	32	16	10	6	2	4	6	2	6	10	-	10	2	6	-	-	-
	FEMALE..	90	2	-	2	6	20	14	4	6	4	-	4	4	8	2	4	4	4	2	-	-	-	-
	ALL OTHER..MALE	40	-	-	-	4	8	12	4	8	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	FEMALE..	8	2	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS	464	8	30	32	16	28	34	20	18	14	24	34	24	26	26	22	16	32	26	20	10	4	-
	WHITE.....MALE	238	2	8	14	10	18	14	12	6	8	18	16	16	14	14	16	8	12	14	12	4	2	-
	FEMALE..	156	4	8	8	4	8	10	4	4	2	6	16	6	8	8	4	8	20	12	8	6	2	-
	ALL OTHER..MALE	42	2	6	10	2	2	10	2	-	2	-	-	2	2	2	-	-	-	-	-	-	-	-
	FEMALE..	28	-	8	-	-	-	-	2	8	2	-	2	-	2	2	2	-	-	-	-	-	-	-
E950-E959	SUICIDE	76	...	...	-	2	2	14	4	2	2	4	10	6	8	8	8	6	-	-	-	-	-	-
	WHITE.....MALE	46	...	...	-	-	-	6	2	-	2	-	8	6	8	8	4	2	-	-	-	-	-	-
	FEMALE..	14	...	...	-	-	-	-	2	-	-	2	2	-	-	-	4	4	-	-	-	-	-	-
	ALL OTHER..MALE	6	...	...	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	...	...	-	2	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE	22	-	2	-	-	-	-	2	6	2	-	2	-	2	2	2	-	2	-	-	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	2	-	2	-	2	-	2	-	2	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	6	-	2	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES	8	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TENNESSEE																							
	ALL CAUSES.....	39,374	1,384	210	166	192	510	544	486	436	590	900	1,464	2,058	2,608	3,732	4,296	5,004	5,034	4,678	3,184	1,446	444	8
	WHITE.....MALE....	18,410	518	94	66	102	334	304	280	214	282	496	738	1,138	1,402	2,948	2,178	2,368	2,188	1,902	1,160	472	122	4
	FEMALE..	13,790	384	62	72	40	80	92	96	102	138	222	392	508	630	876	1,292	1,690	2,108	2,240	1,682	828	254	2
	ALL OTHER..MALE....	4,092	272	34	14	24	72	114	70	84	98	114	208	244	314	468	490	548	386	268	170	60	38	2
	FEMALE..	3,082	210	20	14	26	24	34	40	36	72	68	126	168	262	340	336	398	352	268	172	86	30	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	44	20	2	-	-	-	-	-	-	-	2	2	2	-	2	-	8	2	-	4	-	-	-
	WHITE.....MALE....	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-
	FEMALE..	18	4	2	-	-	-	-	-	-	-	2	-	-	-	2	-	4	2	-	2	-	-	-
	ALL OTHER..MALE....	10	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	152	-	-	-	-	-	-	-	4	6	2	12	8	6	14	18	18	20	18	20	6	-	-
	WHITE.....MALE....	72	-	-	-	-	-	-	-	2	2	2	2	6	2	6	12	12	6	8	10	2	-	-
	FEMALE..	44	-	-	-	-	-	-	-	-	4	-	-	-	2	4	4	4	8	10	6	2	-	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	2	-	-	10	-	2	4	2	2	4	-	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	2	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	114	-	-	-	-	-	-	-	4	4	2	4	8	2	12	16	14	16	14	12	6	-	-
	WHITE.....MALE....	58	-	-	-	-	-	-	-	2	2	2	-	6	2	6	10	10	6	4	6	2	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	2	-	-	-	-	2	4	2	4	10	2	2	-	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	2	-	-	4	-	-	4	2	2	4	-	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	2	-	-
013-019	TUBERCULOSIS, OTHER FORMS	38	-	-	-	-	-	-	-	-	2	-	8	-	4	2	2	4	4	4	8	-	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	4	4	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	2	4	-	4	-	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	4	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	64	24	-	-	2	2	-	-	2	-	4	2	2	2	6	2	4	6	2	-	2	2	-
	WHITE.....MALE....	30	10	-	-	-	-	-	-	2	-	2	-	-	-	2	2	4	4	2	-	-	2	-
	FEMALE..	14	4	-	-	-	-	-	-	-	-	2	2	2	-	2	-	-	-	-	-	2	-	-
	ALL OTHER..MALE....	6	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	14	6	-	-	2	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	-	4	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TENNESSEE-CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	88	18	2	-	4	6	-	4	-	2	2	10	4	4	2	8	10	6	2	-	4	-	-
	WHITE.....MALE....	30	12	2	-	2	2	-	-	-	-	-	-	-	2	2	4	-	2	-	-	2	-	-
	FEMALE..	26	2	-	-	2	-	-	-	-	2	2	2	4	2	-	-	8	2	-	-	-	-	-
	ALL OTHER..MALE....	12	2	-	-	-	4	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
	FEMALE..	20	2	-	-	-	-	-	4	-	-	-	8	-	-	-	4	-	-	-	-	2	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	6,164	2	10	12	10	14	20	38	46	100	164	346	482	662	816	896	954	742	512	264	66	8	-
	WHITE.....MALE....	2,840	-	-	6	4	8	8	22	20	34	74	144	218	292	416	428	454	350	240	96	26	-	-
	FEMALE..	2,330	-	4	6	6	6	10	12	16	50	76	140	170	234	248	328	344	296	220	122	36	6	-
	ALL OTHER..MALE....	564	2	6	-	-	-	-	-	-	4	6	34	50	80	104	72	92	60	26	26	2	-	-
	FEMALE..	430	-	-	-	-	-	2	4	10	12	8	28	44	56	48	68	64	36	26	20	2	2	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	154	-	-	-	-	-	-	2	2	2	2	4	16	14	28	24	20	14	10	12	4	-	-
	WHITE.....MALE....	72	-	-	-	-	-	-	-	2	-	-	-	4	10	16	12	8	10	8	2	-	-	-
	FEMALE..	56	-	-	-	-	-	-	-	-	2	-	2	4	2	10	8	8	4	2	10	4	-	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	-	2	2	8	2	2	2	4	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	1,548	2	-	-	-	-	4	4	-	14	24	54	94	154	190	248	284	202	154	90	26	4	-
	WHITE.....MALE....	628	-	-	-	-	-	-	-	-	-	12	14	42	62	88	112	124	74	66	28	6	-	-
	FEMALE..	696	-	-	-	-	-	4	4	-	8	10	28	38	64	64	104	116	114	74	48	18	2	-
	ALL OTHER..MALE....	136	2	-	-	-	-	-	-	-	2	-	4	8	18	32	14	30	10	8	8	-	-	-
	FEMALE..	88	-	-	-	-	-	-	-	-	4	2	8	6	10	6	18	14	4	6	6	2	2	-
160-163	OF RESPIRATORY SYSTEM....	1,452	-	-	-	-	-	-	-	2	22	58	114	150	198	262	236	190	118	66	32	4	-	-
	WHITE.....MALE....	1,020	-	-	-	-	-	-	-	-	18	42	76	104	134	200	172	132	90	40	10	2	-	-
	FEMALE..	212	-	-	-	-	-	-	-	2	4	14	18	18	20	24	30	32	12	20	16	2	-	-
	ALL OTHER..MALE....	176	-	-	-	-	-	-	-	-	-	-	16	24	36	32	28	20	12	4	4	-	-	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	2	4	4	8	6	6	6	4	2	2	-	-	-
174	OF BREAST.....	538	-	-	-	-	-	-	4	10	12	26	44	76	60	66	66	56	54	34	24	4	2	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	426	-	-	-	-	-	-	4	6	6	26	38	58	50	52	52	40	42	26	20	4	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	106	-	-	-	-	-	-	-	4	6	-	6	18	10	14	14	14	8	8	4	-	-	-
180-187	OF GENITAL ORGANS.....	798	-	-	-	-	-	6	6	8	12	12	36	48	54	98	116	124	126	98	38	16	-	-
	WHITE.....MALE....	278	-	-	-	-	-	2	2	2	-	-	-	6	6	20	28	50	74	56	18	14	-	-
	FEMALE..	342	-	-	-	-	-	2	2	4	10	10	30	30	34	48	62	46	30	26	8	-	-	-
	ALL OTHER..MALE....	86	-	-	-	-	-	-	-	-	-	-	2	-	2	20	12	18	16	6	8	2	-	-
	FEMALE..	92	-	-	-	-	-	2	2	2	2	2	4	12	12	10	14	10	6	10	4	-	-	-
188, 189	OF URINARY ORGANS.....	194	-	2	-	-	-	-	-	-	-	2	8	8	30	20	16	34	36	28	10	-	-	-
	WHITE.....MALE....	114	-	-	-	-	-	-	-	-	-	-	6	6	18	8	14	20	18	18	6	-	-	-
	FEMALE..	52	-	-	-	-	-	-	-	-	-	-	2	-	10	10	-	8	12	8	2	-	-	-
	ALL OTHER..MALE....	18	-	2	-	-	-	-	-	-	-	-	-	2	2	2	2	2	4	2	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	2	-	2	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	808	-	4	4	2	8	6	10	18	30	22	52	54	100	86	104	124	92	44	36	10	2	-
	WHITE.....MALE....	368	-	-	-	2	4	2	10	10	12	10	24	30	34	42	50	64	34	14	22	4	-	-
	FEMALE..	316	-	-	4	-	4	4	-	4	16	10	14	16	38	28	40	42	48	30	10	6	2	-
	ALL OTHER..MALE....	76	-	4	-	-	-	-	-	-	2	2	8	4	18	6	10	12	8	-	2	-	-	-
	FEMALE..	48	-	-	-	-	-	-	-	4	-	-	6	4	10	10	4	6	2	-	2	-	-	-
204-207	LEUKEMIA.....	298	-	4	6	6	4	4	4	6	8	4	20	12	18	22	36	42	46	38	16	2	-	-
	WHITE.....MALE....	160	-	-	4	2	2	4	4	6	4	2	12	8	10	10	18	20	22	22	10	-	-	-
	FEMALE..	102	-	4	2	4	2	-	-	-	4	2	6	2	6	4	12	16	18	12	6	2	-	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	-	2	2	-	6	2	2	2	4	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	4	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	374	-	-	2	2	2	-	8	-	-	14	14	24	34	44	50	80	54	40	6	-	-	-
	WHITE.....MALE....	196	-	-	2	-	2	-	6	-	-	8	12	18	18	32	22	34	26	16	-	-	-	-
	FEMALE..	128	-	-	-	2	-	-	2	-	-	4	2	4	10	8	20	36	16	22	2	-	-	-
	ALL OTHER..MALE....	28	-	-	-	-	-	-	-	-	-	2	-	2	2	4	2	4	6	2	4	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	-	4	-	6	6	6	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	64	2	2	2	2	-	-	-	2	-	10	4	6	12	6	4	10	2	-	-	-	-	-
	WHITE.....MALE....	16	-	2	2	-	-	-	-	-	-	-	2	-	6	-	-	4	-	-	-	-	-	-
	FEMALE..	22	-	-	-	2	-	-	-	2	-	2	-	4	4	2	2	2	2	-	-	-	-	-
	ALL OTHER..MALE....	14	2	-	-	-	-	-	-	-	-	2	-	2	-	4	2	2	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	6	2	-	2	-	-	2	-	-	-	-	-	-
250	DIABETES MELLITUS.....	604	-	2	-	-	-	2	-	12	10	14	18	36	28	62	90	124	80	98	22	6	-	-
	WHITE.....MALE....	202	-	-	-	-	-	-	-	8	4	8	10	12	4	8	28	50	30	34	4	2	-	-
	FEMALE..	244	-	2	-	-	-	-	-	2	2	4	2	10	8	32	46	36	30	50	18	4	-	-
	ALL OTHER..MALE....	48	-	-	-	-	-	2	-	2	2	-	2	4	4	10	4	14	2	2	-	-	-	-
	FEMALE..	110	-	-	-	-	-	-	-	-	2	2	4	10	12	12	12	24	18	12	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TENNESSEE-CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	44	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	6	14	4	18	-	-	-
	WHITE.....MALE....	20	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	6	4	8	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	-	8	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
280-285	ANEMIAS.....	78	-	-	4	2	2	2	2	2	-	-	4	2	2	2	12	6	10	18	8	-	-	-
	WHITE.....MALE....	24	-	-	-	2	-	-	-	-	-	-	2	-	-	2	6	2	4	6	-	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	4	8	8	-	-	-
	ALL OTHER..MALE....	10	-	-	2	-	2	2	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	16	-	-	2	-	-	-	2	2	-	-	-	-	2	-	2	2	2	2	-	-	-	-
320	MENINGITIS.....	34	14	6	-	2	-	-	-	-	-	-	2	4	2	2	2	-	-	-	-	-	-	-
	WHITE.....MALE....	14	8	2	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	12	2	4	-	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	21,392	6	-	2	14	16	16	32	66	136	318	556	908	1,276	2,038	2,540	2,968	3,308	3,318	2,374	1,134	364	2
	WHITE.....MALE....	9,862	-	-	-	8	10	6	16	36	72	188	308	566	744	1,208	1,346	1,398	1,364	1,288	848	360	96	-
	FEMALE..	7,940	4	-	2	-	4	6	8	14	18	50	112	162	248	372	698	996	1,444	1,654	1,282	654	210	2
	ALL OTHER..MALE....	1,922	2	-	-	-	-	2	4	12	24	52	86	102	148	242	294	320	260	186	112	46	30	-
	FEMALE..	1,668	-	-	-	6	2	2	4	4	22	28	50	78	136	216	202	254	240	190	132	74	28	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	14,850	6	-	2	6	12	12	20	48	92	252	462	728	1,020	1,662	1,920	2,098	2,128	2,050	1,394	690	246	2
	WHITE.....MALE....	7,362	-	-	-	2	6	4	12	26	54	164	282	488	636	1,052	1,080	1,040	924	774	536	214	68	-
	FEMALE..	5,152	4	-	2	-	4	6	6	10	12	34	74	116	174	280	498	690	920	1,062	716	406	136	2
	ALL OTHER..MALE....	1,328	2	-	-	-	-	2	2	10	16	36	72	72	110	184	208	214	158	120	72	28	22	-
	FEMALE..	1,008	-	-	-	4	2	-	-	2	10	18	34	52	100	146	134	154	126	94	70	42	20	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	188	-	-	-	4	2	6	2	4	6	8	10	26	24	28	24	14	18	8	4	-	-	-
	WHITE.....MALE....	94	-	-	-	-	2	2	2	2	2	6	6	18	10	16	12	6	6	2	2	-	-	-
	FEMALE..	76	-	-	-	-	-	4	-	2	4	2	4	8	10	10	6	8	10	6	2	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	2	-	-	-	-	-
	FEMALE..	8	-	-	-	4	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	92	-	-	-	-	-	-	-	-	-	4	4	4	8	6	10	20	16	8	12	-	-	-
	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	-	-	2	-	4	2	2	4	8	2	2	-	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	12	8	4	4	-	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	2	-	2	2	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	2	-	4	2	2	-	2	-	-	4	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	106	-	-	-	-	-	-	-	2	-	-	2	2	2	10	12	14	10	20	22	4	6	-
	WHITE.....MALE....	36	-	-	-	-	-	-	-	-	-	-	2	-	2	4	6	4	4	4	8	2	-	-
	FEMALE..	50	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	2	6	14	12	2	6	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	4	-	2	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	13,716	-	-	-	2	-	6	12	32	68	220	416	650	930	1,548	1,784	1,972	1,980	1,936	1,282	654	222	2
	WHITE.....MALE....	6,912	-	-	-	2	-	2	6	20	44	152	266	440	592	1,000	1,018	1,002	874	732	496	202	64	-
	FEMALE..	4,676	-	-	-	-	-	2	4	4	6	24	62	102	148	244	444	630	838	1,006	660	382	118	2
	ALL OTHER..MALE....	1,208	-	-	-	-	-	2	2	8	12	28	60	62	106	172	192	198	146	106	64	28	22	-
	FEMALE..	920	-	-	-	-	-	-	-	-	6	16	28	46	84	132	130	142	122	92	62	42	18	-
410	ACUTE MYOCARDIAL INFARCTION.....	8,478	-	-	-	2	-	4	10	26	54	188	318	502	712	1,156	1,224	1,304	1,130	996	538	232	80	2
	WHITE.....MALE....	4,908	-	-	-	2	-	2	4	20	36	138	226	362	504	828	782	734	546	382	238	80	24	-
	FEMALE..	2,572	-	-	-	-	-	-	4	2	4	18	50	88	104	170	304	412	466	522	248	134	44	2
	ALL OTHER..MALE....	574	-	-	-	-	-	2	2	4	8	16	28	24	62	84	88	86	70	58	26	10	6	-
	FEMALE..	424	-	-	-	-	-	-	-	-	6	16	14	28	42	74	50	72	48	34	26	8	6	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	-	2	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	5,228	-	-	-	-	-	2	2	6	14	32	98	148	216	390	558	668	848	940	744	420	142	-
	WHITE.....MALE....	2,004	-	-	-	-	-	-	2	-	8	14	40	78	88	172	236	268	328	350	258	122	40	-
	FEMALE..	2,094	-	-	-	-	-	2	-	2	2	6	12	14	42	72	138	218	370	484	412	246	74	-
	ALL OTHER..MALE....	634	-	-	-	-	-	-	-	4	4	12	32	38	44	88	104	112	76	48	38	18	16	-
	FEMALE..	496	-	-	-	-	-	-	-	-	-	-	14	18	42	58	80	70	74	58	36	34	12	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TENNESSEE-CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	144	-	-	-	-	-	-	2	2	4	4	6	2	8	6	10	18	14	22	22	16	8	-
	WHITE.....MALE....	50	-	-	-	-	-	-	-	-	2	2	2	-	4	2	4	6	2	6	12	6	2	-
	FEMALE..	78	-	-	-	-	-	-	2	2	-	2	2	-	4	-	6	10	12	14	10	10	4	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	2	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	-	-	-	-	2	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	604	6	-	2	-	10	-	4	8	14	16	24	44	48	64	80	60	90	56	52	16	10	-
	WHITE.....MALE....	244	-	-	-	-	4	-	4	4	6	4	4	30	24	28	38	18	30	28	16	4	2	-
	FEMALE..	236	4	-	2	-	4	-	-	2	2	6	4	4	10	24	34	28	46	18	28	12	8	-
	ALL OTHER..MALE....	78	2	-	-	-	-	-	-	-	2	6	12	10	4	6	4	10	10	8	4	-	-	-
	FEMALE..	46	-	-	-	-	2	-	-	2	4	-	4	-	10	6	4	4	4	2	4	-	-	-
400, 401, 403	HYPERTENSION.....	228	-	-	-	-	-	-	-	-	8	12	8	6	20	22	24	26	38	28	24	12	-	-
	WHITE.....MALE....	70	-	-	-	-	-	-	-	-	2	-	-	4	6	8	12	12	6	14	4	2	-	-
	FEMALE..	70	-	-	-	-	-	-	-	-	-	2	-	2	4	4	6	6	20	6	12	8	-	-
	ALL OTHER..MALE....	56	-	-	-	-	-	-	-	-	4	6	4	-	6	6	2	6	6	8	8	-	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	2	4	4	-	4	4	4	2	6	-	-	2	-	-
430-438	CEREBROVASCULAR DISEASES.	5,254	-	-	-	8	4	-	10	18	34	48	78	136	212	298	524	722	942	1,056	764	308	92	-
	WHITE.....MALE....	1,972	-	-	-	6	4	-	4	10	14	22	20	48	84	110	216	296	350	432	242	92	22	-
	FEMALE..	2,266	-	-	-	-	-	-	2	4	6	14	38	44	66	82	176	248	422	494	438	176	56	-
	ALL OTHER..MALE....	458	-	-	-	-	-	-	2	2	4	8	10	22	30	46	76	84	78	44	30	16	6	-
	FEMALE..	558	-	-	-	2	-	-	2	2	10	4	10	22	32	60	56	94	92	86	54	24	8	-
431	CEREBRAL HEMORRHAGE.....	750	-	-	-	4	4	-	2	2	8	14	24	38	50	66	114	90	122	124	54	30	4	-
	WHITE.....MALE....	278	-	-	-	2	4	-	2	-	2	4	2	16	14	24	54	32	44	58	14	4	2	-
	FEMALE..	330	-	-	-	-	-	-	-	-	4	4	14	10	24	24	42	36	60	52	36	22	2	-
	ALL OTHER..MALE....	58	-	-	-	-	-	-	-	2	2	2	4	8	4	6	8	12	8	2	-	-	-	-
	FEMALE..	84	-	-	-	2	-	-	-	-	-	4	4	4	8	12	10	10	10	12	4	4	-	-
433	CEREBRAL THROMBOSIS.....	1,328	-	-	-	-	-	-	-	-	4	4	10	20	24	74	94	180	268	298	236	94	22	-
	WHITE.....MALE....	554	-	-	-	-	-	-	-	-	4	2	6	8	12	28	46	80	112	144	84	24	4	-
	FEMALE..	602	-	-	-	-	-	-	-	-	-	-	2	8	10	20	26	72	128	126	134	60	16	-
	ALL OTHER..MALE....	74	-	-	-	-	-	-	-	-	-	2	2	4	-	8	10	14	14	8	4	6	2	-
	FEMALE..	98	-	-	-	-	-	-	-	-	-	-	-	-	2	18	12	14	14	20	14	4	-	-
434	CEREBRAL EMBOLISM.....	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	2	4	2	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	3,156	-	-	-	4	-	-	8	16	22	30	44	78	138	158	312	448	548	632	470	182	66	-
	WHITE.....MALE....	1,130	-	-	-	4	-	-	2	10	8	16	12	24	58	58	116	180	192	228	142	64	16	-
	FEMALE..	1,324	-	-	-	-	-	-	2	4	2	10	22	26	32	38	104	140	232	316	266	92	38	-
	ALL OTHER..MALE....	326	-	-	-	-	-	-	2	-	2	4	4	10	26	32	58	58	56	34	26	10	4	-
	FEMALE..	376	-	-	-	-	-	-	2	2	10	-	6	18	22	30	34	70	68	54	36	16	8	-
440	ARTERIOSCLEROSIS.....	634	-	-	-	-	-	-	-	-	-	-	2	6	2	14	24	62	130	128	146	94	26	-
	WHITE.....MALE....	224	-	-	-	-	-	-	-	-	-	-	2	4	-	6	8	16	46	44	52	40	6	-
	FEMALE..	324	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	32	64	70	84	46	18	-
	ALL OTHER..MALE....	42	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	10	10	6	2	2	2	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	10	8	8	6	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	426	-	-	-	-	-	4	2	-	2	6	6	32	22	42	48	60	70	56	46	30	-	-
	WHITE.....MALE....	234	-	-	-	-	-	2	-	-	2	2	4	22	18	32	30	34	38	24	14	12	-	-
	FEMALE..	128	-	-	-	-	-	-	-	-	-	-	-	-	4	4	10	20	18	22	32	18	-	-
	ALL OTHER..MALE....	38	-	-	-	-	-	-	-	-	-	2	-	6	-	4	4	6	8	8	-	-	-	-
	FEMALE..	26	-	-	-	-	-	2	2	-	-	2	2	4	-	2	4	-	6	2	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	20	-	2	-	-	-	-	-	-	-	-	2	-	2	-	2	4	2	4	2	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	2	2	-	-	-	-
	FEMALE..	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	1,240	82	12	10	2	8	2	14	8	4	32	26	38	42	70	76	158	178	212	140	84	42	-
	WHITE.....MALE....	534	30	8	6	2	4	2	4	6	2	4	16	14	24	24	30	74	88	92	60	28	16	-
	FEMALE..	510	22	2	-	-	2	-	4	-	2	8	4	16	8	20	28	58	76	104	78	54	24	-
	ALL OTHER..MALE....	126	14	2	4	-	-	-	2	2	-	10	4	6	10	16	14	24	6	8	-	2	2	-
	FEMALE..	70	16	-	-	-	2	-	4	-	-	10	2	2	-	10	4	2	8	8	2	-	-	-
470-474	INFLUENZA.....	100	-	-	2	-	-	-	-	2	-	4	-	4	6	4	8	22	18	6	12	10	2	-
	WHITE.....MALE....	36	-	-	2	-	-	-	-	2	-	-	-	-	2	-	4	6	10	2	6	2	-	-
	FEMALE..	56	-	-	-	-	-	-	-	-	-	2	-	4	2	4	2	14	8	4	6	8	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	1,140	82	12	8	2	8	2	14	6	4	28	26	34	36	66	68	136	160	206	128	74	40	-
	WHITE.....MALE....	498	30	8	4	2	4	2	4	4	2	4	16	14	22	24	26	68	78	90	54	26	16	-
	FEMALE..	454	22	2	-	-	2	-	4	-	2	6	4	12	6	16	26	44	68	100	72	46	22	-
	ALL OTHER..MALE....	120	14	2	4	-	-	-	2	2	-	10	4	6	8	16	12	22	6	8	-	2	2	-
	FEMALE..	68	16	-	-	-	2	-	4	-	-	8	2	2	-	10	4	2	8	8	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TENNESSEE-CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	598	-	4	-	2	-	2	4	-	10	8	20	34	52	70	66	108	114	60	28	16	-	-
	WHITE.....MALE	406	-	-	-	2	-	2	2	-	-	6	8	16	36	48	44	84	92	40	16	10	-	-
	FEMALE	124	-	2	-	-	-	-	-	-	6	2	8	12	6	8	18	18	18	14	8	4	-	-
	ALL OTHER..MALE	54	-	-	-	-	-	-	-	-	4	-	4	6	6	10	4	6	4	4	4	2	-	-
	FEMALE	14	-	2	-	-	-	-	2	-	-	-	-	-	4	4	-	-	-	2	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	124	-	2	-	-	-	-	4	-	4	-	8	8	10	6	10	22	22	18	8	2	-	-
	WHITE.....MALE	70	-	-	-	-	-	-	2	-	-	-	6	2	8	4	4	14	16	12	2	-	-	-
	FEMALE	38	-	2	-	-	-	-	-	-	2	-	2	4	-	-	4	4	6	6	6	2	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	2	-	-	2	2	2	2	4	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	432	-	-	-	-	-	-	-	-	2	8	10	26	34	56	52	80	90	40	20	14	-	-
	WHITE.....MALE	328	-	-	-	-	-	-	-	-	-	6	2	14	28	44	38	70	74	28	14	10	-	-
	FEMALE	64	-	-	-	-	-	-	-	-	-	2	4	8	4	4	12	8	12	6	2	2	-	-
	ALL OTHER..MALE	38	-	-	-	-	-	-	-	-	2	-	4	4	2	8	2	2	4	4	4	2	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
493	ASTHMA	42	-	2	-	2	-	2	-	-	4	-	2	-	8	8	4	6	2	2	-	-	-	-
	WHITE.....MALE	8	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	4	-	2	-	2	4	2	6	-	2	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	10	-	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	124	2	-	-	-	-	-	2	4	2	2	10	8	16	12	22	8	18	10	4	4	-	-
	WHITE.....MALE	70	-	-	-	-	-	-	2	2	-	2	4	4	10	4	18	4	10	6	2	2	-	-
	FEMALE	30	-	-	-	-	-	-	-	2	-	-	4	2	4	6	-	2	6	2	-	2	-	-
	ALL OTHER..MALE	20	-	-	-	-	-	-	-	-	2	-	2	2	2	2	4	2	2	2	-	-	-	-
	FEMALE	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
540-543	APPENDICITIS	30	-	2	-	-	-	2	-	4	-	-	2	-	2	2	4	-	-	4	6	-	2	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	4	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	2	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-	2	2	-	-	-
	FEMALE	4	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	122	4	-	-	-	2	-	4	-	2	2	2	12	12	10	16	8	24	8	12	4	-	-
	WHITE.....MALE	30	2	-	-	-	-	-	2	-	-	-	-	4	4	-	4	2	8	2	-	2	-	-
	FEMALE	72	-	-	-	-	-	-	2	-	-	2	-	6	8	10	8	2	14	6	12	2	-	-
	ALL OTHER..MALE	8	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE	12	-	-	-	-	2	-	-	-	-	-	2	2	-	-	4	2	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	356	2	-	-	-	2	-	4	10	20	36	40	70	50	48	32	18	16	8	-	-	-	-
	WHITE.....MALE	216	-	-	-	-	2	-	2	6	8	28	20	44	30	34	18	10	10	4	-	-	-	-
	FEMALE	72	2	-	-	-	-	-	2	2	-	6	10	16	10	8	6	4	4	2	-	-	-	-
	ALL OTHER..MALE	46	-	-	-	-	-	-	-	2	10	-	6	8	2	4	6	4	2	2	-	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	2	2	4	2	8	2	2	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	102	-	-	-	-	-	-	2	2	2	-	2	6	6	10	12	22	14	12	8	4	-	-
	WHITE.....MALE	48	-	-	-	-	-	-	2	-	2	-	2	-	-	4	8	10	8	4	6	2	-	-
	FEMALE	48	-	-	-	-	-	-	-	2	-	-	-	6	2	4	4	12	6	8	2	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	204	-	-	2	-	-	2	2	2	6	2	8	14	16	34	26	28	18	22	16	4	2	-
	WHITE.....MALE	72	-	-	2	-	-	2	-	-	2	-	2	2	6	20	4	8	10	10	4	-	-	-
	FEMALE	58	-	-	-	-	-	-	2	-	-	-	2	2	8	6	10	6	6	6	8	2	-	-
	ALL OTHER..MALE	44	-	-	-	-	-	-	-	2	2	2	-	8	-	-	10	8	2	4	4	-	2	-
	FEMALE	30	-	-	-	-	-	-	-	-	2	-	4	2	2	8	2	6	-	2	-	2	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	40	-	-	-	-	-	-	-	-	-	-	2	4	4	6	4	4	6	4	4	2	-	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	-	2	-	-	6	-	2	2	2	2	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	2	2	2	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	164	-	-	2	-	-	2	2	2	6	2	6	10	12	28	22	24	12	18	12	2	2	-
	WHITE.....MALE	56	-	-	2	-	-	2	-	-	2	-	-	2	6	14	4	6	8	8	2	-	-	-
	FEMALE	42	-	-	-	-	-	-	2	-	-	-	2	-	6	6	8	4	4	4	6	-	-	-
	ALL OTHER..MALE	38	-	-	-	-	-	-	-	2	2	2	-	6	-	-	8	8	-	4	4	-	2	-
	FEMALE	28	-	-	-	-	-	-	-	-	2	-	4	2	-	8	2	6	-	2	-	2	-	-
590	INFECTIONS OF KIDNEY	246	-	-	-	2	-	2	-	2	4	4	6	12	6	10	18	42	50	44	30	12	2	-
	WHITE.....MALE	72	-	-	-	-	-	2	-	-	2	-	2	6	-	8	6	12	14	12	6	2	-	-
	FEMALE	116	-	-	-	-	-	-	-	2	-	4	2	2	4	2	6	16	26	24	18	10	-	-
	ALL OTHER..MALE	32	-	-	-	-	-	-	-	-	-	-	2	-	2	-	6	10	-	6	4	-	2	-
	FEMALE	26	-	-	-	2	-	-	-	-	2	-	-	4	-	-	-	4	10	2	2	-	-	-
600	HYPERPLASIA OF PROSTATE	58	-	-	-	-	-	-	-	-	-	-	2	-	-	-	8	8	12	12	8	8	-	-
	WHITE.....MALE	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	12	8	6	4	-	-
	ALL OTHER..MALE	22	-	-	-	-	-	-	-	-	-	-	2	-	-	-	8	2	-	4	2	4	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TENNESSEE-CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	14	-	-	-	-	2	2	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	8	-	-	-	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	6	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	14	-	-	-	-	2	2	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	8	-	-	-	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	6	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	360	238	44	14	4	10	-	8	2	4	6	4	8	8	6	-	2	-	2	-	-	-	-
	WHITE.....MALE....	160	114	20	6	4	4	-	2	-	-	2	-	2	2	-	-	2	-	2	-	-	-	-
	FEMALE..	130	76	8	8	-	4	-	4	2	2	4	4	6	6	6	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	36	24	10	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	34	24	6	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	750	750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	262	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	218	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	422	422	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	328	328	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	580	98	10	2	4	2	6	6	2	4	14	20	50	44	62	58	46	46	44	40	16	6	-
	WHITE.....MALE....	268	36	4	2	-	2	2	4	2	2	14	14	20	20	30	30	30	22	8	18	6	2	-
	FEMALE..	164	18	6	-	4	-	2	2	-	-	-	2	10	10	22	10	12	16	24	16	8	2	-
	ALL OTHER..MALE....	98	26	-	-	-	-	-	-	-	2	-	2	16	10	8	16	2	4	6	4	-	2	-
	FEMALE..	50	18	-	-	-	-	2	-	-	-	-	2	4	4	2	2	2	4	6	2	2	-	-
RESIDUAL	ALL OTHER DISEASES.....	2,040	36	24	26	12	38	32	30	52	58	62	102	126	158	238	242	270	224	164	94	44	8	-
	WHITE.....MALE....	876	12	6	2	4	20	12	12	18	18	28	40	70	74	116	100	118	98	74	42	8	4	-
	FEMALE..	736	8	14	20	6	12	6	14	16	12	20	36	34	36	76	90	98	88	68	46	32	4	-
	ALL OTHER..MALE....	232	12	-	-	-	4	8	2	6	12	6	18	8	24	32	28	34	22	10	4	2	-	-
	FEMALE..	196	4	4	4	2	2	6	2	12	16	8	8	14	24	14	24	20	16	12	2	2	-	-
E800-E949	ACCIDENTS.....	2,670	80	86	88	110	340	310	194	124	126	130	176	126	114	128	82	132	116	82	82	32	6	6
	WHITE.....MALE....	1,696	24	50	38	66	246	212	144	72	90	80	116	92	84	62	40	56	44	44	24	16	2	4
	FEMALE..	612	26	20	34	16	50	52	20	14	16	26	42	22	16	34	20	52	50	34	50	14	4	-
	ALL OTHER..MALE....	314	10	12	8	20	36	36	24	32	14	20	12	10	12	20	14	16	10	-	4	2	-	2
	FEMALE..	138	20	4	8	8	8	10	6	6	6	4	6	2	2	12	8	8	12	4	4	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	1,398	16	48	48	50	238	234	126	66	72	76	96	66	60	60	40	48	26	18	4	-	2	4
	WHITE.....MALE....	904	4	28	18	28	178	166	92	32	46	44	64	42	46	28	26	28	18	12	-	-	2	2
	FEMALE..	298	8	10	20	14	38	40	14	12	14	20	28	18	8	20	6	18	2	6	2	-	-	-
	ALL OTHER..MALE....	146	-	8	4	4	20	22	16	16	8	10	2	6	6	10	6	2	2	-	2	-	-	2
	FEMALE..	50	4	2	6	4	2	6	4	6	4	2	2	-	-	2	2	-	4	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,272	64	38	40	60	102	76	68	58	54	54	80	60	54	68	42	84	90	64	78	32	4	2
	WHITE.....MALE....	702	20	22	20	38	68	46	52	40	44	36	52	50	38	34	14	28	26	32	24	16	-	2
	FEMALE..	314	18	10	14	2	12	12	6	2	2	6	14	4	8	14	14	34	48	28	48	14	4	-
	ALL OTHER..MALE....	168	10	4	4	16	16	14	8	16	6	10	10	4	6	10	8	14	8	-	2	2	-	-
	FEMALE..	88	16	2	2	4	6	4	2	-	2	2	4	2	2	10	6	8	8	4	4	-	-	-
E950-E959	SUICIDE.....	464	...	...	-	10	26	36	34	26	28	36	36	50	40	48	46	24	2	10	4	-	-	-
	WHITE.....MALE....	334	...	...	-	8	18	22	18	16	16	28	26	36	34	42	36	20	2	8	4	-	-	-
	FEMALE..	100	...	...	-	2	-	4	14	8	12	8	10	12	10	4	10	4	-	2	-	-	-	-
	ALL OTHER..MALE....	20	...	...	-	-	6	10	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	...	...	-	-	2	-	2	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	570	-	-	2	8	34	94	90	56	60	48	44	46	30	24	8	14	8	2	-	-	2	-
	WHITE.....MALE....	224	-	-	-	-	12	28	38	22	24	28	16	20	18	10	4	2	-	2	-	-	-	-
	FEMALE..	70	-	-	2	-	2	4	8	12	12	4	8	8	-	4	-	-	4	-	-	-	2	-
	ALL OTHER..MALE....	228	-	-	-	2	20	52	36	20	20	16	18	16	10	8	2	6	2	-	-	-	-	-
	FEMALE..	48	-	-	-	6	-	10	8	2	4	-	2	2	2	2	2	6	2	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	76	4	-	-	-	6	14	10	4	4	2	6	4	8	8	2	-	2	2	-	-	-	-
	WHITE.....MALE....	50	4	-	-	-	6	6	8	2	4	2	2	4	6	-	2	-	2	2	-	-	-	-
	FEMALE..	16	-	-	-	-	-	6	2	2	-	-	-	-	2	4	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TEXAS																							
	ALL CAUSES	99,338	4,426	770	444	536	1,378	1,664	1,300	1,246	1,584	2,422	3,740	5,150	6,606	9,038	10,690	11,608	12,634	11,494	7,838	3,592	1,158	20
	WHITE.....MALE	48,584	1,998	340	210	262	840	996	716	586	722	1,248	2,014	2,850	3,724	5,124	5,842	5,942	5,838	4,864	2,948	1,216	288	6
	FEMALE	36,514	1,396	260	160	170	326	354	310	356	472	624	1,342	1,412	1,836	2,436	3,148	3,980	5,354	5,624	4,348	2,156	744	6
	ALL OTHER..MALE	8,118	590	98	44	72	148	224	199	204	254	324	428	538	612	860	934	878	814	516	248	90	46	6
	FEMALE	6,122	442	72	30	32	64	90	84	100	136	226	256	350	434	608	766	808	628	490	294	130	80	2
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	12	-	-	-	-	-	2	2	-	-	-	-	2	-	4	2	-	-	-	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	184	80	10	-	-	-	-	2	-	4	2	2	8	4	8	-	4	18	20	10	8	4	-
	WHITE.....MALE	74	44	4	-	-	-	-	-	-	-	-	-	2	2	2	-	-	4	6	4	6	-	-
	FEMALE	84	22	2	-	-	-	-	2	-	4	-	2	6	2	6	-	4	12	10	6	2	4	-
	ALL OTHER..MALE	18	12	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	254	-	2	-	-	2	4	-	6	4	18	16	22	28	26	34	42	20	16	12	2	-	-
	WHITE.....MALE	148	-	-	-	-	-	2	-	-	4	10	6	14	16	20	20	24	16	10	6	-	-	-
	FEMALE	56	-	2	-	-	2	-	-	2	-	4	6	4	6	-	6	12	-	6	4	2	-	-
	ALL OTHER..MALE	38	-	-	-	-	-	2	-	2	-	4	4	2	6	6	6	2	4	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	4	-	-	2	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	198	-	-	-	-	2	-	-	4	2	14	12	18	24	26	26	36	8	16	8	2	-	-
	WHITE.....MALE	114	-	-	-	-	-	-	-	-	2	6	4	12	14	20	16	20	6	10	4	-	-	-
	FEMALE	44	-	-	-	-	2	-	-	-	-	4	4	4	4	-	4	12	-	6	2	2	-	-
	ALL OTHER..MALE	28	-	-	-	-	-	-	-	2	-	4	4	-	6	6	4	-	2	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	4	-	-	2	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	56	-	2	-	-	-	4	-	2	2	4	4	4	4	-	8	6	12	-	4	-	-	-
	WHITE.....MALE	34	-	-	-	-	-	2	-	-	2	4	2	2	2	-	4	4	10	-	2	-	-	-
	FEMALE	12	-	2	-	-	-	-	-	2	-	-	2	-	2	-	2	-	-	-	2	-	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	2	-	-	-	-	-	2	-	-	2	2	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	36	6	10	2	4	2	2	-	2	-	2	2	2	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	18	2	6	-	2	2	2	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	16	2	4	2	2	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	276	82	2	2	2	4	2	4	4	6	4	8	10	24	16	30	16	24	10	16	8	2	-
	WHITE.....MALE	112	38	2	-	-	-	2	-	2	2	-	-	6	14	2	12	8	8	8	4	4	-	-
	FEMALE	88	24	-	2	2	2	-	-	-	2	2	2	2	6	4	8	4	10	2	10	4	2	-
	ALL OTHER..MALE	36	10	-	-	-	-	-	-	-	-	-	4	2	4	6	6	2	2	-	-	-	-	-
	FEMALE	40	10	-	-	-	2	-	4	2	2	2	2	-	-	4	4	2	4	-	2	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	36	2	-	-	-	-	-	2	-	-	-	2	-	2	4	8	6	4	2	4	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	20	2	-	-	-	-	-	2	-	-	-	2	-	2	-	2	6	-	2	2	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TEXAS--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	288	16	20	10	6	16	6	4	8	10	4	20	18	22	16	26	26	26	10	12	10	2	-
	WHITE.....MALE....	120	6	8	4	2	12	2	2	-	4	4	8	6	12	6	14	16	4	4	4	-	2	-
	FEMALE..	108	6	6	4	4	2	2	2	4	4	-	10	8	4	4	6	6	14	4	8	10	-	-
	ALL OTHER..MALE....	30	2	4	2	-	-	-	-	4	2	-	-	-	2	4	4	-	6	-	-	-	-	-
	FEMALE..	30	2	2	-	-	2	2	-	-	-	-	2	4	4	2	2	4	2	2	-	-	-	-
140-239	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	16,798	18	44	52	54	66	92	102	150	298	480	872	1,422	1,786	2,188	2,512	2,100	2,022	1,442	698	248	62	2
	WHITE.....MALE....	8,156	6	14	26	30	30	50	44	60	98	164	346	652	904	1,142	1,382	1,150	1,020	672	280	80	6	-
	FEMALE..	6,430	10	22	18	18	24	34	44	68	148	206	362	526	662	712	804	764	800	652	370	144	40	2
	ALL OTHER..MALE....	1,298	2	2	6	2	8	6	8	10	16	48	90	138	132	206	200	172	134	66	30	14	8	-
	FEMALE..	914	-	6	2	4	4	2	6	12	36	62	74	106	88	128	126	102	68	52	18	10	8	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	344	-	-	2	-	2	-	2	4	2	8	20	34	50	64	42	40	30	26	4	14	-	-
	WHITE.....MALE....	246	-	-	-	-	2	-	2	2	2	8	14	20	34	48	30	28	30	14	2	10	-	-
	FEMALE..	74	-	-	2	-	-	-	-	-	-	-	4	6	14	8	10	12	-	12	2	4	-	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	2	-	-	2	6	2	8	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	4,268	-	-	2	4	-	8	16	22	34	74	168	270	398	508	672	614	666	476	238	80	18	-
	WHITE.....MALE....	1,880	-	-	2	-	-	4	6	8	12	18	84	116	214	242	324	266	280	202	80	20	2	-
	FEMALE..	1,762	-	-	-	2	-	2	4	12	18	30	56	90	120	166	242	254	314	242	142	56	12	-
	ALL OTHER..MALE....	378	-	-	-	-	-	2	6	-	2	18	8	44	38	62	70	56	48	14	6	2	2	-
	FEMALE..	248	-	-	-	2	-	-	-	2	2	8	20	20	26	38	36	38	24	18	10	2	2	-
160-163	OF RESPIRATORY SYSTEM....	4,212	-	-	-	-	2	-	2	16	54	110	292	476	584	690	740	524	384	228	82	22	6	-
	WHITE.....MALE....	2,930	-	-	-	-	2	-	-	12	22	68	154	320	380	506	558	408	288	162	40	8	2	-
	FEMALE..	772	-	-	-	-	-	-	-	2	22	22	68	82	134	102	98	70	68	56	36	12	-	-
	ALL OTHER..MALE....	422	-	-	-	-	-	-	-	2	6	18	56	58	52	72	76	40	22	10	6	2	2	-
	FEMALE..	88	-	-	-	-	-	-	2	-	4	2	14	16	18	10	8	6	6	-	-	-	2	-
174	OF BREAST.....	1,332	-	-	-	-	-	-	10	18	60	68	130	146	154	186	140	150	108	86	56	12	8	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	1,176	-	-	-	-	-	-	6	16	44	54	112	122	142	168	116	140	102	82	52	12	8	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	150	-	-	-	-	-	-	4	2	16	14	16	24	12	16	24	10	4	4	4	-	-	-
180-187	OF GENITAL ORGANS.....	2,156	-	-	2	4	4	12	6	28	22	66	76	148	174	238	310	338	294	260	118	44	10	2
	WHITE.....MALE....	828	-	-	2	2	4	12	2	2	4	2	4	6	36	76	126	168	146	144	70	20	2	-
	FEMALE..	930	-	-	-	2	-	-	4	18	12	44	56	110	110	112	134	96	100	76	36	14	4	2
	ALL OTHER..MALE....	202	-	-	-	-	-	-	-	2	-	-	2	4	8	20	24	56	32	30	12	8	4	-
	FEMALE..	196	-	-	-	-	-	-	-	6	6	20	14	28	20	30	26	18	16	10	-	2	-	-
188, 189	OF URINARY ORGANS.....	686	4	-	2	-	-	2	-	-	8	18	30	30	68	72	102	100	116	84	32	16	2	-
	WHITE.....MALE....	422	2	-	2	-	-	-	-	-	6	8	18	22	54	50	62	60	80	42	12	4	-	-
	FEMALE..	194	2	-	-	-	-	2	-	-	-	4	8	6	8	12	30	32	26	34	18	12	-	-
	ALL OTHER..MALE....	42	-	-	-	-	-	-	-	-	2	4	4	2	2	8	6	2	6	4	2	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	2	-	-	4	2	4	6	4	4	-	-	2	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	2,096	6	22	16	20	34	26	28	36	76	72	110	196	218	242	298	196	210	140	98	34	18	-
	WHITE.....MALE....	1,006	4	4	6	16	12	8	16	20	32	30	52	106	104	116	172	102	102	52	44	8	-	-
	FEMALE..	828	2	12	6	2	16	18	10	12	32	34	42	68	92	78	96	68	84	72	50	18	16	-
	ALL OTHER..MALE....	128	-	2	2	-	6	-	2	2	4	-	12	14	18	20	14	12	16	2	-	2	-	-
	FEMALE..	134	-	4	2	2	-	-	-	2	8	8	4	8	4	28	16	14	8	14	4	6	2	-
204-207	LEUKEMIA.....	764	6	18	26	18	14	24	18	12	18	22	14	48	56	68	84	90	98	80	40	10	-	-
	WHITE.....MALE....	374	-	10	12	4	6	14	6	10	10	8	4	22	42	28	50	56	36	30	18	8	-	-
	FEMALE..	322	6	6	10	12	4	6	12	2	8	8	6	20	12	36	30	26	54	44	18	2	-	-
	ALL OTHER..MALE....	44	-	-	4	2	-	2	-	-	-	4	2	4	2	4	4	4	4	4	4	-	-	-
	FEMALE..	24	-	2	-	-	4	2	-	-	-	2	2	2	-	-	-	4	4	2	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	940	2	4	2	8	10	20	20	14	24	42	32	74	84	120	124	136	116	62	30	16	-	-
	WHITE.....MALE....	466	-	-	2	8	4	12	12	6	10	22	14	40	40	76	60	62	56	26	14	2	-	-
	FEMALE..	372	-	4	-	-	4	6	8	6	12	10	10	22	30	30	48	66	52	34	16	14	-	-
	ALL OTHER..MALE....	60	2	-	-	-	2	2	-	2	2	4	4	6	10	10	6	2	6	2	-	-	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	6	4	6	4	4	10	6	2	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	180	2	4	2	8	2	10	2	2	14	8	10	16	18	14	12	16	16	18	2	-	4	-
	WHITE.....MALE....	78	2	2	2	4	2	4	2	2	8	2	2	6	8	8	4	10	8	2	-	-	-	-
	FEMALE..	74	-	2	-	-	-	6	-	-	2	4	6	4	8	4	6	6	8	12	2	-	4	-
	ALL OTHER..MALE....	14	-	-	-	4	-	-	-	-	4	-	2	2	-	-	-	-	-	2	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	2	-	4	2	2	2	-	-	2	-	-	-	-
250	DIABETES MELLITUS.....	1,848	-	-	-	6	6	10	14	24	28	40	72	84	128	214	236	336	298	210	88	50	4	-
	WHITE.....MALE....	642	-	-	-	4	6	8	10	8	8	18	32	32	56	70	84	106	90	72	22	12	4	-
	FEMALE..	906	-	-	-	2	-	-	4	14	12	14	26	32	46	110	100	172	162	116	58	38	-	-
	ALL OTHER..MALE....	94	-	-	-	-	-	-	-	-	4	6	4	4	10	16	10	12	20	6	2	-	-	-
	FEMALE..	206	-	-	-	-	-	2	-	2	4	2	10	16	16	18	42	46	26	16	6	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TEXAS--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	152	12	-	-	-	-	-	-	-	4	4	4	4	6	4	6	14	18	22	34	16	4	-
	WHITE.....MALE....	50	4	-	-	-	-	-	-	-	-	-	-	2	2	4	4	4	4	8	16	-	2	-
	FEMALE..	62	2	-	-	-	-	-	-	-	2	-	4	2	-	-	-	6	8	6	16	14	2	-
	ALL OTHER..MALE....	22	4	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	4	6	-	2	-	-
	FEMALE..	18	2	-	-	-	-	-	-	-	2	-	-	-	2	-	2	4	2	2	2	-	-	-
280-285	ANEMIAS.....	206	4	8	6	8	12	6	4	2	4	8	6	4	6	18	18	20	14	36	16	6	-	-
	WHITE.....MALE....	72	-	2	2	2	4	4	-	-	-	-	6	-	4	8	8	14	2	10	2	4	-	-
	FEMALE..	96	2	4	4	-	2	-	2	2	2	4	-	4	-	8	8	4	10	24	14	2	-	-
	ALL OTHER..MALE....	22	2	2	-	2	-	2	2	-	2	2	-	-	2	2	2	-	-	2	-	-	-	-
	FEMALE..	16	-	-	-	4	6	-	-	-	-	2	-	-	-	-	-	2	2	-	-	-	-	-
320	MENINGITIS.....	104	32	32	4	2	-	2	-	-	-	4	8	2	8	4	-	4	-	-	-	2	-	-
	WHITE.....MALE....	40	8	14	4	-	-	2	-	-	-	4	4	-	2	-	-	2	-	-	-	-	-	-
	FEMALE..	32	10	8	-	-	-	-	-	-	-	-	4	2	2	2	-	2	-	-	-	2	-	-
	ALL OTHER..MALE....	14	6	2	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	FEMALE..	18	8	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	48,922	58	28	14	24	46	64	86	148	288	702	1,330	1,966	2,964	4,424	5,614	6,766	7,760	7,674	5,582	2,570	812	2
	WHITE.....MALE....	23,514	20	6	4	10	26	26	38	50	124	420	838	1,204	1,822	2,630	3,104	3,436	3,496	3,192	2,036	846	186	-
	FEMALE..	18,974	6	10	10	10	14	20	28	46	80	106	254	404	636	1,010	1,532	2,332	3,360	3,842	3,168	1,570	536	-
	ALL OTHER..MALE....	3,354	16	8	-	2	4	6	10	28	48	94	154	224	266	438	510	514	468	304	168	58	32	2
	FEMALE..	3,080	16	4	-	2	2	12	10	24	36	82	84	134	240	346	468	484	436	336	210	96	58	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	34,654	42	22	6	16	18	40	46	92	228	544	1,088	1,594	2,410	3,562	4,300	4,902	5,330	4,890	3,454	1,576	492	2
	WHITE.....MALE....	17,900	12	2	-	4	8	18	22	42	106	358	722	1,050	1,576	2,266	2,514	2,606	2,552	2,112	1,294	528	108	-
	FEMALE..	12,524	4	10	6	8	6	12	16	24	60	66	178	284	472	756	1,148	1,674	2,200	2,406	1,914	956	324	-
	ALL OTHER..MALE....	2,298	12	8	-	2	4	4	6	14	34	70	128	174	212	306	340	332	300	172	120	38	20	2
	FEMALE..	1,932	14	2	-	2	-	6	2	12	28	50	60	86	150	234	298	290	278	200	126	54	40	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	472	-	2	2	2	2	6	12	12	18	22	34	36	48	84	70	54	34	20	12	-	2	-
	WHITE.....MALE....	202	-	-	-	-	-	-	-	2	4	12	20	16	20	44	34	24	16	6	2	-	2	-
	FEMALE..	202	-	2	2	-	-	2	10	6	8	6	10	14	24	32	28	26	12	10	10	-	-	-
	ALL OTHER..MALE....	36	-	-	-	2	2	-	2	2	6	2	2	2	-	2	4	4	4	2	-	-	-	-
	FEMALE..	32	-	-	-	-	-	4	-	2	-	2	2	4	4	6	4	-	2	2	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	418	-	-	-	-	-	-	-	2	4	10	10	10	34	44	52	48	62	68	46	24	4	-
	WHITE.....MALE....	106	-	-	-	-	-	-	-	-	-	4	2	2	8	10	16	12	16	20	14	2	-	-
	FEMALE..	182	-	-	-	-	-	-	-	-	-	-	2	2	14	8	20	12	34	38	28	20	4	-
	ALL OTHER..MALE....	42	-	-	-	-	-	-	-	-	-	-	4	2	4	-	10	8	6	6	-	2	-	-
	FEMALE..	88	-	-	-	-	-	-	-	2	4	6	2	4	8	26	6	16	6	4	4	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	228	-	-	-	-	-	-	-	-	-	6	10	2	8	12	20	22	48	26	48	18	8	-
	WHITE.....MALE....	94	-	-	-	-	-	-	-	-	-	-	2	2	2	4	6	6	26	8	28	8	2	-
	FEMALE..	92	-	-	-	-	-	-	-	-	-	4	2	-	2	2	6	12	20	12	20	10	2	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	2	2	-	4	-	4	-	-	2	-	-	2	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	4	-	-	6	4	4	2	4	-	-	2	-
410-413	ISCHEMIC HEART DISEASE...	29,452	-	-	-	-	4	18	20	40	144	410	878	1,338	1,984	2,940	3,646	4,238	4,650	4,338	3,008	1,380	414	2
	WHITE.....MALE....	15,454	-	-	-	-	-	8	14	24	80	292	606	920	1,362	1,898	2,180	2,278	2,248	1,866	1,120	462	96	-
	FEMALE..	10,694	-	-	-	-	4	6	4	4	34	40	130	222	342	622	968	1,448	1,920	2,160	1,686	830	274	-
	ALL OTHER..MALE....	1,796	-	-	-	-	-	4	2	4	20	48	96	136	170	250	256	264	256	140	100	34	14	2
	FEMALE..	1,508	-	-	-	-	-	-	-	8	10	30	46	60	110	170	242	248	226	172	102	54	30	-
410	ACUTE MYOCARDIAL INFARCTION.....	16,374	-	-	-	-	2	6	16	26	106	294	584	894	1,336	1,944	2,236	2,568	2,510	2,100	1,152	506	94	-
	WHITE.....MALE....	9,652	-	-	-	-	-	2	12	16	70	222	442	680	982	1,344	1,442	1,480	1,280	986	492	178	24	-
	FEMALE..	5,296	-	-	-	-	2	4	4	2	22	32	82	142	228	396	576	850	1,052	968	580	300	56	-
	ALL OTHER..MALE....	760	-	-	-	-	-	-	-	2	10	26	40	58	66	118	118	120	74	72	42	12	2	-
	FEMALE..	666	-	-	-	-	-	-	-	6	4	14	20	14	60	86	100	118	104	74	38	16	12	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	120	-	-	-	-	-	2	-	-	-	2	-	14	6	10	16	16	14	24	8	4	4	-
	WHITE.....MALE....	64	-	-	-	-	-	-	-	-	-	2	-	6	6	6	14	10	6	8	6	-	-	-
	FEMALE..	42	-	-	-	-	-	2	-	-	-	-	-	4	-	4	-	4	6	12	2	4	4	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	2	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	12,954	-	-	-	-	2	10	4	14	38	114	294	430	642	986	1,394	1,654	2,122	2,214	1,848	870	316	2
	WHITE.....MALE....	5,736	-	-	-	-	-	6	2	8	10	68	164	234	374	548	724	788	960	872	622	284	72	-
	FEMALE..	5,354	-	-	-	-	2	-	-	2	12	8	48	76	114	222	392	594	860	1,180	1,104	526	214	-
	ALL OTHER..MALE....	1,024	-	-	-	-	-	4	2	2	10	22	56	74	104	132	136	142	180	66	58	22	12	2
	FEMALE..	840	-	-	-	-	-	-	-	2	6	16	26	46	50	84	142	130	122	96	64	38	18	-
413	ANGINA PECTORIS.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TEXAS--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	326	4	-	-	-	2	-	2	2	8	2	4	14	18	24	18	40	54	36	64	26	8	-
	WHITE.....MALE....	116	-	-	-	-	2	-	2	-	4	2	-	4	8	16	2	18	10	22	20	6	-	-
	FEMALE..	164	2	-	-	-	-	-	-	2	-	-	2	8	4	2	12	18	32	14	40	20	8	-
	ALL OTHER..MALE....	24	2	-	-	-	-	-	-	-	-	-	2	2	2	6	4	2	4	-	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	4	-	-	-	4	-	-	2	8	-	4	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	3,758	38	20	4	14	10	16	12	36	54	94	152	194	318	458	494	500	482	402	276	128	56	-
	WHITE.....MALE....	1,928	12	2	-	4	6	10	6	16	18	48	92	106	176	294	276	268	236	190	110	50	8	-
	FEMALE..	1,190	2	8	4	8	2	4	2	12	18	16	32	38	86	90	114	158	182	172	130	76	36	-
	ALL OTHER..MALE....	384	10	8	-	-	2	-	2	8	8	18	22	32	32	48	62	54	30	22	20	2	4	-
	FEMALE..	256	14	2	-	2	-	2	2	-	10	12	6	18	24	26	42	20	34	18	16	-	8	-
400, 401, 403	HYPERTENSION.....	376	-	-	-	-	4	-	2	4	8	14	8	10	22	30	54	42	60	56	34	22	6	-
	WHITE.....MALE....	138	-	-	-	-	2	-	2	-	-	-	4	8	8	10	12	18	20	32	8	10	4	-
	FEMALE..	122	-	-	-	-	-	-	-	2	2	-	2	2	8	4	12	8	28	18	24	10	2	-
	ALL OTHER..MALE....	40	-	-	-	-	-	-	-	-	2	4	-	-	2	10	8	6	8	-	-	-	-	-
	FEMALE..	76	-	-	-	-	2	-	-	2	4	10	2	-	4	6	22	10	4	6	2	2	-	-
430-438	CEREBROVASCULAR DISEASES.	11,076	14	6	8	6	22	22	36	44	44	114	192	304	446	664	990	1,498	1,920	2,204	1,632	690	220	-
	WHITE.....MALE....	4,246	6	4	4	4	14	8	14	6	16	48	86	112	194	260	410	654	736	826	572	214	58	-
	FEMALE..	5,062	2	-	4	2	8	8	10	18	16	38	60	102	126	212	306	528	920	1,168	962	438	134	-
	ALL OTHER..MALE....	844	4	-	-	-	-	-	4	12	10	14	24	44	46	100	142	150	130	102	40	10	12	-
	FEMALE..	924	2	2	-	-	-	6	8	8	2	14	22	46	80	92	132	166	134	108	58	28	16	-
431	CEREBRAL HEMORRHAGE.....	1,744	6	2	-	-	6	6	4	16	18	32	66	86	126	146	180	234	268	262	168	92	26	-
	WHITE.....MALE....	706	4	-	-	-	2	4	-	4	6	12	34	38	56	58	72	114	118	112	42	24	6	-
	FEMALE..	740	2	-	-	-	4	-	2	4	6	10	16	18	30	60	68	86	118	128	114	58	16	-
	ALL OTHER..MALE....	138	-	-	-	-	-	-	2	4	6	6	10	22	12	16	22	18	12	4	4	-	-	-
	FEMALE..	160	-	2	-	-	-	2	-	4	-	4	6	8	28	12	18	16	20	18	8	10	4	-
433	CEREBRAL THROMBOSIS.....	2,004	-	-	-	-	2	-	2	2	4	12	14	32	54	132	178	290	392	450	292	118	30	-
	WHITE.....MALE....	774	-	-	-	-	2	-	-	-	-	8	4	6	26	54	92	128	152	172	94	32	4	-
	FEMALE..	938	-	-	-	-	-	-	2	2	2	-	4	14	20	40	40	100	186	240	186	82	20	-
	ALL OTHER..MALE....	144	-	-	-	-	-	-	-	-	2	4	4	6	4	20	14	30	36	12	6	2	4	-
	FEMALE..	148	-	-	-	-	-	-	-	-	-	-	2	6	4	18	32	32	18	26	6	2	2	-
434	CEREBRAL EMBOLISM.....	42	-	-	-	-	-	-	-	-	-	-	2	4	2	2	6	6	12	4	-	4	-	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	4	4	2	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	2	6	2	-	4	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	7,286	8	4	8	6	14	16	30	26	22	70	110	182	264	384	626	968	1,248	1,488	1,172	476	164	-
	WHITE.....MALE....	2,748	2	4	4	4	10	4	14	2	10	28	46	66	110	146	246	408	462	540	436	158	48	-
	FEMALE..	3,362	-	-	4	2	4	8	6	12	8	28	40	68	76	112	192	340	610	798	662	294	98	-
	ALL OTHER..MALE....	560	4	-	-	-	-	-	2	8	2	4	10	16	30	64	106	102	80	86	30	8	8	-
	FEMALE..	616	2	-	-	-	-	4	8	4	2	10	14	32	48	62	82	118	96	64	44	16	10	-
440	ARTERIOSCLEROSIS.....	1,738	-	-	-	-	-	-	-	-	-	6	10	14	32	60	104	184	274	374	356	248	76	-
	WHITE.....MALE....	632	-	-	-	-	-	-	-	-	-	4	6	10	18	28	52	66	84	144	124	82	14	-
	FEMALE..	914	-	-	-	-	-	-	-	-	-	-	4	4	10	22	32	88	156	184	210	144	60	-
	ALL OTHER..MALE....	90	-	-	-	-	-	-	-	-	-	2	-	-	-	2	8	16	22	26	4	10	-	-
	FEMALE..	102	-	-	-	-	-	-	-	-	-	-	-	-	4	8	12	14	12	20	18	12	2	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	1,078	2	-	-	2	2	2	2	8	8	24	32	44	54	108	166	140	176	150	106	34	18	-
	WHITE.....MALE....	598	2	-	-	2	2	-	-	2	2	10	20	24	26	66	116	92	104	78	38	12	2	-
	FEMALE..	352	-	-	-	-	-	-	2	2	2	2	10	12	20	16	34	34	56	66	58	22	16	-
	ALL OTHER..MALE....	82	-	-	-	-	-	2	-	2	2	4	2	6	6	20	12	10	8	4	4	-	-	-
	FEMALE..	46	-	-	-	-	-	-	-	2	2	8	-	2	2	6	4	4	8	2	6	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	54	18	4	-	4	-	-	-	2	2	2	2	6	2	4	2	-	-	-	4	2	-	-
	WHITE.....MALE....	24	8	2	-	-	-	-	-	2	2	-	2	2	-	2	2	-	-	-	2	-	-	-
	FEMALE..	18	8	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	2	2	-	-
	ALL OTHER..MALE....	8	-	2	-	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	3,350	382	70	22	26	32	28	32	26	40	50	82	126	134	182	216	332	440	484	332	214	100	-
	WHITE.....MALE....	1,570	172	26	-	10	16	14	8	6	10	28	42	66	70	108	114	176	220	220	144	82	38	-
	FEMALE..	1,332	118	26	16	10	10	6	8	18	10	14	22	36	46	56	64	112	178	224	172	126	60	-
	ALL OTHER..MALE....	272	52	14	2	4	2	2	14	2	12	6	16	20	12	6	28	22	28	22	6	2	-	-
	FEMALE..	176	40	4	4	2	4	6	2	-	8	2	2	4	6	12	10	22	14	18	10	4	2	-
470-474	INFLUENZA.....	286	8	4	-	2	-	-	-	4	2	-	14	10	26	22	20	46	40	30	26	22	10	-
	WHITE.....MALE....	136	4	-	-	2	-	-	-	-	-	-	8	4	14	16	12	30	22	6	6	6	6	-
	FEMALE..	136	2	4	-	-	-	-	-	4	2	-	6	6	12	6	6	14	18	18	18	16	4	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	-	-	-
480-486	PNEUMONIA.....	3,064	374	66	22	24	32	28	32	22	38	50	68	116	108	160	196	286	400	454	306	192	90	-
	WHITE.....MALE....	1,434	168	26	-	8	16	14	8	6	10	28	34	62	56	92	102	146	198	214	138	76	32	-
	FEMALE..	1,196	116	22	16	10	10	6	8	14	8	14	16	30	34	50	58	98	160	206	154	110	56	-
	ALL OTHER..MALE....	266	50	14	2	4	2	2	14	2	12	6	16	20	12	6	28	22	28	18	6	2	-	-
	FEMALE..	168	40	4	4	2	4	6	2	-	8	2	2	4	6	12	8	20	14	16	8	4	2	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TEXAS--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	1,562	20	6	8	-	12	2	4	-	6	24	30	82	96	188	248	290	264	186	76	14	6	-
	WHITE.....MALE	1,076	8	2	6	-	8	-	2	-	4	10	14	50	70	128	174	202	194	124	62	10	2	-
	FEMALE	398	4	2	-	-	4	2	-	-	2	10	12	28	22	48	68	64	56	54	14	4	4	-
	ALL OTHER..MALE	62	2	2	-	-	-	-	2	-	-	2	2	-	2	10	4	16	12	8	-	-	-	-
	FEMALE	26	6	-	2	-	-	-	-	-	-	2	2	4	2	2	2	2	2	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	342	20	6	2	-	4	-	2	-	2	10	6	22	18	38	48	64	38	44	14	2	2	-
	WHITE.....MALE	238	8	2	2	-	2	-	2	-	2	4	4	16	14	26	38	46	24	34	12	2	-	-
	FEMALE	80	4	2	-	-	2	-	-	-	-	4	2	4	4	8	10	12	14	10	2	-	2	-
	ALL OTHER..MALE	14	2	2	-	-	-	-	-	-	-	-	-	-	-	4	-	6	-	-	-	-	-	-
	FEMALE	10	6	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	1,108	-	-	-	-	2	-	-	-	-	6	16	52	66	138	192	220	212	134	56	12	2	-
	WHITE.....MALE	810	-	-	-	-	2	-	-	-	-	4	10	30	52	98	136	162	168	90	48	8	2	-
	FEMALE	246	-	-	-	-	-	-	-	-	-	2	2	22	12	32	50	46	30	38	8	4	-	-
	ALL OTHER..MALE	42	-	-	-	-	-	-	-	-	-	-	2	-	2	6	4	10	12	6	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	2	-	-	-	-	-
493	ASTHMA	112	-	-	6	-	6	2	2	-	4	8	8	8	12	12	8	6	14	8	6	-	2	-
	WHITE.....MALE	28	-	-	4	-	4	-	-	-	2	2	-	4	4	4	-	-	2	-	2	-	-	-
	FEMALE	72	-	-	-	-	2	2	-	-	2	4	8	2	6	8	8	6	12	6	4	-	2	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	6	-	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	348	2	2	-	-	2	-	-	6	2	2	14	24	22	36	42	74	48	52	14	4	-	-
	WHITE.....MALE	218	-	2	-	-	2	-	-	4	2	2	8	20	16	20	34	48	24	32	4	-	-	-
	FEMALE	108	2	-	-	-	-	-	-	2	-	-	2	-	4	10	8	26	22	18	10	4	-	-
	ALL OTHER..MALE	16	-	-	-	-	-	-	-	-	-	-	-	6	2	4	-	-	2	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	84	-	2	8	6	-	2	-	2	2	2	6	-	4	8	10	2	20	6	2	2	-	-
	WHITE.....MALE	42	-	2	4	4	-	2	-	2	-	2	2	-	-	4	8	-	10	2	-	-	-	-
	FEMALE	38	-	-	2	2	-	-	-	-	2	-	4	-	4	4	2	2	8	4	2	2	-	-
	ALL OTHER..MALE	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	438	40	6	-	-	-	2	2	8	-	6	16	16	28	26	46	44	44	44	64	16	-	-
	WHITE.....MALE	144	22	4	-	-	-	-	2	-	-	-	4	8	12	6	18	16	16	24	12	-	-	-
	FEMALE	212	10	2	-	-	-	-	-	4	-	4	8	6	10	18	22	20	24	20	48	16	-	-
	ALL OTHER..MALE	32	6	-	-	-	-	-	-	4	-	2	-	-	6	-	4	6	2	-	2	-	-	-
	FEMALE	20	2	-	-	-	-	2	-	-	-	-	4	2	-	2	2	2	2	-	2	-	-	-
571	CIRRHOSIS OF LIVER	1,264	6	2	-	-	-	4	6	42	80	130	168	216	168	164	112	78	54	20	12	2	-	-
	WHITE.....MALE	742	6	-	-	-	-	-	4	18	48	76	106	130	88	110	66	50	26	6	6	2	-	-
	FEMALE	372	-	2	-	-	-	2	2	6	16	30	46	64	60	44	40	22	24	8	6	-	-	-
	ALL OTHER..MALE	106	-	-	-	-	-	2	-	6	16	14	8	18	16	8	6	4	2	6	-	-	-	-
	FEMALE	44	-	-	-	-	-	-	-	12	-	10	8	4	4	2	-	2	2	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	188	-	-	-	-	-	-	-	-	-	-	6	4	14	6	20	20	38	32	24	18	6	-
	WHITE.....MALE	64	-	-	-	-	-	-	-	-	-	-	4	2	4	-	6	10	18	8	8	2	2	-
	FEMALE	110	-	-	-	-	-	-	-	-	-	-	2	2	8	4	12	10	18	18	16	16	4	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	514	-	2	4	2	4	4	6	8	16	28	20	42	40	46	56	62	58	60	36	14	6	-
	WHITE.....MALE	182	-	2	2	-	-	4	6	2	2	8	2	16	16	12	20	22	24	20	18	6	-	-
	FEMALE	184	-	-	2	-	2	-	-	2	6	6	8	14	12	20	16	20	20	32	12	6	6	-
	ALL OTHER..MALE	72	-	-	-	-	-	-	-	-	4	8	8	2	6	4	8	10	10	6	4	2	-	-
	FEMALE	76	-	-	-	2	2	-	-	4	4	6	2	10	6	10	12	10	4	2	2	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	94	-	-	2	-	-	-	2	-	2	4	4	8	6	16	8	10	14	8	8	2	-	-
	WHITE.....MALE	32	-	-	-	-	-	-	2	-	-	2	-	6	4	6	-	2	4	-	6	-	-	-
	FEMALE	42	-	-	2	-	-	-	-	-	-	-	4	2	-	6	8	4	6	8	-	2	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	4	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	2	-	-	-	2	4	-	-	-	-	2	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	420	-	2	2	2	4	4	4	8	14	24	16	34	34	30	48	52	44	52	28	12	6	-
	WHITE.....MALE	150	-	2	2	-	-	4	4	2	2	6	2	10	12	6	20	20	20	20	12	6	-	-
	FEMALE	142	-	-	-	-	2	-	-	2	6	6	4	12	12	14	8	16	14	24	12	4	6	-
	ALL OTHER..MALE	62	-	-	-	-	-	-	-	-	4	6	8	2	6	4	8	6	6	6	4	2	-	-
	FEMALE	66	-	-	-	2	2	-	-	4	2	6	2	10	4	6	12	10	4	2	-	-	-	-
590	INFECTIONS OF KIDNEY	488	-	-	-	-	-	-	-	2	2	4	10	6	6	38	56	60	110	70	70	34	20	-
	WHITE.....MALE	180	-	-	-	-	-	-	-	-	-	4	2	2	2	16	28	26	30	22	36	8	4	-
	FEMALE	250	-	-	-	-	-	-	-	2	-	-	6	2	4	14	14	22	66	46	32	26	16	-
	ALL OTHER..MALE	22	-	-	-	-	-	-	-	-	2	-	-	-	-	4	6	2	6	2	-	-	-	-
	FEMALE	36	-	-	-	-	-	-	-	-	-	-	2	2	-	4	8	10	8	-	2	-	-	-
600	HYPERPLASIA OF PROSTATE	84	-	-	-	-	-	-	-	-	-	-	-	-	2	4	10	8	20	18	12	10	-	-
	WHITE.....MALE	74	-	-	-	-	-	-	-	-	-	-	-	-	2	4	10	6	18	14	10	10	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TEXAS--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	70	-	-	-	-	6	18	18	16	6	6	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	56	-	-	-	-	6	16	12	10	6	6	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	14	-	-	-	-	-	2	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	10	-	-	-	-	-	2	4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	10	-	-	-	-	-	2	4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	60	-	-	-	-	6	16	14	16	4	4	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	46	-	-	-	-	6	14	8	10	4	4	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	14	-	-	-	-	-	2	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	898	650	70	18	18	30	16	14	4	8	8	12	2	14	8	2	6	6	2	6	4	-	-
	WHITE.....MALE....	394	272	38	10	14	16	8	10	2	4	2	4	-	8	2	-	-	-	-	2	2	-	-
	FEMALE..	406	300	28	6	4	10	8	-	2	2	6	6	2	6	4	2	6	6	2	4	2	-	-
	ALL OTHER..MALE....	54	46	-	-	-	2	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	44	32	4	2	-	2	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	2,420	2,416	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	1,128	1,128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	712	708	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	340	340	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	1,426	1,426	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	726	726	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	410	410	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	994	990	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	402	402	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	302	298	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	2,346	206	20	6	8	18	30	28	30	36	72	72	126	136	232	276	228	256	228	186	112	38	2
	WHITE.....MALE....	1,120	90	8	4	2	6	16	16	12	18	34	36	76	86	138	154	110	110	76	70	46	12	-
	FEMALE..	652	42	8	-	6	8	6	8	10	8	22	14	22	14	52	54	42	84	98	86	50	18	-
	ALL OTHER..MALE....	322	42	-	2	-	4	4	-	4	8	6	10	18	24	20	36	44	38	32	18	8	2	2
	FEMALE..	252	32	4	-	-	-	4	4	4	2	10	12	10	12	22	32	32	24	22	12	8	6	-
RE-SIDUAL	ALL OTHER DISEASES.....	5,796	134	74	54	60	98	110	106	92	154	168	282	342	424	616	634	650	686	594	320	136	60	2
	WHITE.....MALE....	2,638	52	30	26	16	46	38	34	32	52	78	126	162	222	366	306	306	320	232	122	54	16	2
	FEMALE..	2,286	50	30	24	36	34	36	44	32	60	54	92	118	134	166	232	232	308	312	180	74	38	-
	ALL OTHER..MALE....	484	18	6	2	8	4	20	12	16	24	22	34	34	36	56	66	48	36	28	8	2	4	-
	FEMALE..	388	14	8	2	-	14	16	16	12	18	14	30	28	32	28	30	64	22	22	10	6	2	-
E800-E949	ACCIDENTS.....	7,098	222	320	224	288	840	816	506	328	300	370	386	360	312	378	346	244	318	218	198	88	28	8
	WHITE.....MALE....	4,214	102	156	112	158	562	570	348	216	196	230	276	244	158	226	170	140	138	82	72	40	14	4
	FEMALE..	1,850	68	88	66	72	174	148	96	70	52	76	70	72	84	94	122	84	144	112	106	40	10	2
	ALL OTHER..MALE....	760	24	52	28	42	86	80	44	38	42	52	36	38	56	42	34	12	28	16	6	2	-	2
	FEMALE..	274	28	24	18	16	18	18	13	4	10	12	4	6	14	16	20	8	8	8	14	6	4	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	3,740	40	132	118	130	588	556	336	202	184	188	214	196	160	184	180	114	128	52	30	4	-	4
	WHITE.....MALE....	2,328	12	64	52	70	386	384	226	128	118	118	148	138	82	118	94	66	68	32	20	2	-	2
	FEMALE..	928	14	44	42	32	142	114	74	46	38	48	34	38	40	46	72	34	46	16	6	-	-	2
	ALL OTHER..MALE....	374	8	16	14	16	46	48	28	26	20	18	30	16	34	18	12	8	12	2	-	2	-	-
	FEMALE..	110	6	8	10	12	14	10	8	2	8	4	2	4	4	2	2	6	2	2	4	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	3,358	182	188	106	158	252	260	170	126	116	182	172	164	152	194	166	130	190	166	168	84	28	4
	WHITE.....MALE....	1,886	90	92	60	88	176	186	122	88	78	112	128	106	76	108	76	74	70	50	52	38	14	2
	FEMALE..	922	54	44	24	40	32	34	22	24	14	28	36	34	44	48	50	50	98	96	100	40	10	-
	ALL OTHER..MALE....	386	16	36	14	26	40	32	16	12	22	34	6	22	22	24	22	4	16	14	6	-	-	2
	FEMALE..	164	22	16	8	4	4	8	10	2	2	8	2	2	10	14	18	2	6	6	10	6	4	-
E950-E959	SUICIDE.....	1,430	...	...	-	2	76	178	122	106	114	126	128	128	128	104	94	54	42	20	6	2	-	-
	WHITE.....MALE....	950	...	...	-	2	56	110	80	58	60	76	78	96	88	64	74	48	34	18	6	2	-	-
	FEMALE..	410	...	...	-	-	12	50	28	42	50	42	48	32	40	34	20	4	6	2	-	-	-	-
	ALL OTHER..MALE....	54	...	...	-	-	8	12	10	4	2	8	2	-	-	4	-	2	2	-	-	-	-	-
	FEMALE..	16	...	...	-	-	-	6	4	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	1,534	14	20	6	8	94	240	216	222	150	138	144	104	74	58	18	12	10	-	2	-	-	4
	WHITE.....MALE....	726	8	6	2	2	38	124	96	106	76	68	62	48	38	32	16	2	2	-	-	-	-	-
	FEMALE..	162	2	8	4	2	18	14	26	18	2	12	18	14	10	6	-	-	4	-	2	-	-	2
	ALL OTHER..MALE....	520	-	2	-	2	30	86	80	84	62	42	52	30	22	20	2	2	4	-	-	-	-	-
	FEMALE..	126	4	4	-	2	8	16	14	14	10	16	12	12	4	-	-	8	-	-	-	-	-	2
E980-E999	OTHER EXTERNAL CAUSES....	102	4	6	2	-	8	14	18	6	6	10	10	4	4	-	4	6	-	-	-	-	-	-
	WHITE.....MALE....	56	-	2	2	-	8	8	14	4	-	6	4	-	2	-	2	4	-	-	-	-	-	-
	FEMALE..	22	-	2	-	-	-	2	2	-	-	2	6	2	2	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE....	16	4	-	-	-	-	2	2	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	2	-	-	-	2	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	UTAH																							
	ALL CAUSES	7,322	378	78	48	56	142	134	96	88	112	174	232	354	436	630	730	768	906	924	690	238	102	6
	WHITE.....MALE	4,122	196	60	28	32	106	98	58	48	58	94	156	220	308	426	438	450	516	430	274	88	32	6
	FEMALE	3,028	168	16	18	24	34	26	30	36	42	66	66	122	114	200	282	304	376	482	406	148	68	-
	ALL OTHER..MALE	108	10	2	-	-	-	10	6	2	4	10	6	6	8	4	8	10	6	10	4	-	2	-
	FEMALE	64	4	-	2	-	2	-	2	2	8	4	4	6	6	-	2	4	8	2	6	2	-	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	24	10	-	-	-	-	-	-	4	-	-	-	2	2	-	-	2	2	-	2	-	-	-
	WHITE.....MALE	14	4	-	-	-	-	-	-	4	-	-	-	-	2	-	-	2	2	-	-	-	-	-
	FEMALE	8	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	10	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	2	-	2	-	-	2
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	2
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	2
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	2
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	14	4	2	-	-	-	-	2	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-
	WHITE.....MALE	6	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	FEMALE	8	2	2	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	UTAH--CON.																							
RE-	OTHER INFECTIVE AND																							
MAIN-	PARASITIC DISEASES.....	20	-	4	2	-	-	-	-	-	2	-	4	-	2	-	2	2	-	2	-	-	-	-
DER	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
OF	FEMALE..	14	-	4	2	-	-	-	-	-	2	-	4	-	-	-	-	2	-	-	-	-	-	-
000-	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
140-	MALIGNANT NEOPLASMS,																							
209	INCLUDING NEOPLASMS OF																							
	LYMPHATIC AND HEMATO-																							
	POIETIC TISSUES.....	1,002	-	4	8	12	10	6	16	10	10	32	56	62	66	148	152	116	116	110	56	10	2	-
	WHITE.....MALE....	550	-	4	6	4	6	2	10	6	4	14	22	30	30	90	80	76	68	58	34	6	-	-
	FEMALE..	434	-	-	-	8	4	4	6	4	6	16	32	32	34	58	68	38	48	48	22	4	2	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	2	2	-	-	-	4	2	-	2	-	-	-	-
	FEMALE..	6	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-
140-	OF BUCCAL CAVITY																							
149	AND PHARYNX.....	18	-	-	-	-	-	-	-	-	-	4	-	-	2	-	4	2	-	4	2	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	2	-	2	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-	OF DIGESTIVE ORGANS																							
159	AND PERITONEUM.....	268	-	-	-	-	-	2	-	-	4	8	16	18	20	32	44	28	34	40	18	2	2	-
	WHITE.....MALE....	150	-	-	-	-	-	-	-	-	2	4	8	12	10	22	22	18	18	24	8	2	-	-
	FEMALE..	110	-	-	-	-	-	2	-	-	2	4	6	6	8	10	20	8	16	16	10	-	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
160-	OF RESPIRATORY SYSTEM....	144	-	-	-	-	-	-	-	-	-	2	6	8	10	44	24	18	20	8	2	2	-	-
163	WHITE.....MALE....	106	-	-	-	-	-	-	-	-	-	2	4	6	6	34	16	16	14	6	2	-	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	2	2	4	10	6	2	6	-	-	2	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	OF BREAST.....	92	-	-	-	-	-	-	-	-	2	2	14	6	4	20	18	8	8	4	6	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	90	-	-	-	-	-	-	-	-	2	2	14	6	4	18	18	8	8	4	6	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180-	OF GENITAL ORGANS.....	156	-	-	-	-	-	-	4	4	-	4	6	8	8	16	26	20	26	20	10	4	-	-
187	WHITE.....MALE....	94	-	-	-	-	-	-	-	2	-	-	-	-	2	6	20	14	20	18	10	2	-	-
	FEMALE..	62	-	-	-	-	-	-	4	2	-	4	6	8	6	10	6	6	6	2	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188,	OF URINARY ORGANS.....	46	-	-	-	2	-	-	-	-	-	-	2	2	2	6	8	8	6	6	4	-	-	-
189	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	-	2	-	-	6	4	8	4	4	4	-	-	-
	FEMALE..	14	-	-	-	2	-	-	-	-	-	-	-	2	2	-	4	-	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-	OF ALL OTHER AND																							
173,	UNSPECIFIED SITES.....	150	-	2	-	4	4	2	6	6	4	8	10	16	8	16	16	16	12	12	8	-	-	-
190-	WHITE.....MALE....	68	-	2	-	2	-	-	6	4	2	2	6	8	6	10	6	4	6	-	4	-	-	-
199	FEMALE..	80	-	-	-	2	4	2	-	2	2	6	4	8	2	6	10	12	6	10	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
204-	LEUKEMIA.....	64	-	2	8	4	2	-	4	-	-	2	-	4	6	8	6	4	4	8	2	-	-	-
207	WHITE.....MALE....	42	-	2	6	-	2	-	2	-	-	2	-	4	2	4	4	4	4	4	2	-	-	-
	FEMALE..	20	-	-	-	4	-	-	2	-	-	-	-	-	4	4	2	-	-	4	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-	OTHER NEOPLASMS OF																							
203,	LYMPHATIC AND HEMATO-																							
208,	POIETIC TISSUES.....	64	-	-	-	2	4	2	2	-	-	2	2	-	6	6	6	12	6	8	4	2	-	-
209	WHITE.....MALE....	44	-	-	-	2	4	2	2	-	-	2	2	-	4	6	4	10	2	-	2	2	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	8	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-	BENIGN NEOPLASMS AND																							
239	NEOPLASMS OF UNSPECI-																							
	FIED NATURE.....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	4	2	-	-	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	156	-	-	-	-	-	4	4	-	6	4	-	8	4	8	24	24	14	34	14	6	2	-
	WHITE.....MALE....	64	-	-	-	-	-	-	2	-	-	-	-	2	2	6	10	10	12	10	6	4	-	-
	FEMALE..	84	-	-	-	-	-	4	2	-	4	4	-	4	2	2	14	12	2	24	6	2	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	UTAH—CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	10	-	-	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	2	-	2	-
	WHITE.....MALE....	6	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	10	4	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	6	2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	3,430	4	2	2	-	2	2	2	10	24	32	60	164	194	296	352	436	570	568	476	172	58	4
	WHITE.....MALE....	1,844	-	-	2	-	2	2	-	8	16	18	42	118	154	210	230	238	302	254	174	58	12	4
	FEMALE..	1,548	4	2	-	-	-	-	2	2	4	12	16	42	36	84	122	194	262	312	298	112	44	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	4	4	2	-	-	2	-
	FEMALE..	18	-	-	-	-	-	-	-	-	4	2	2	2	-	-	-	-	2	-	4	2	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	2,468	4	2	2	-	-	-	-	8	18	26	42	126	174	232	284	346	366	378	318	96	42	4
	WHITE.....MALE....	1,420	-	-	2	-	-	-	-	8	14	18	34	100	140	166	190	202	196	164	136	36	10	4
	FEMALE..	1,030	4	2	-	-	-	-	-	-	2	6	8	24	32	64	94	140	168	214	180	60	32	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	4	2	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	2	-	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	88	-	-	-	-	-	-	-	4	-	4	-	8	8	18	12	18	10	4	-	2	-	-
	WHITE.....MALE....	34	-	-	-	-	-	-	-	4	-	4	-	2	4	4	2	6	8	-	-	-	-	-
	FEMALE..	54	-	-	-	-	-	-	-	-	-	-	-	6	4	14	10	12	2	4	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	32	-	-	-	-	-	-	-	-	-	2	-	-	2	2	6	2	4	8	4	2	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	2	-	2	-	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	6	4	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	2,112	2	-	-	-	-	-	-	4	6	16	38	104	144	182	246	306	318	330	290	82	40	4
	WHITE.....MALE....	1,238	-	-	-	-	-	-	-	4	6	10	32	86	122	142	170	182	168	142	130	30	10	4
	FEMALE..	862	2	-	-	-	-	-	-	-	-	4	6	18	20	40	76	120	148	188	158	52	30	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	1,144	2	-	-	-	-	-	-	2	2	14	32	78	108	120	184	194	154	150	82	10	8	4
	WHITE.....MALE....	782	-	-	-	-	-	-	-	2	2	8	26	66	96	98	134	122	88	86	42	6	2	4
	FEMALE..	356	2	-	-	-	-	-	-	-	-	4	6	12	12	22	50	70	64	64	40	4	6	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	4	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	962	-	-	-	-	-	-	-	-	2	2	6	24	36	62	62	112	164	180	208	72	32	-
	WHITE.....MALE....	450	-	-	-	-	-	-	-	-	2	2	6	18	26	44	36	60	80	56	88	24	8	-
	FEMALE..	506	-	-	-	-	-	-	-	-	-	-	-	6	8	18	26	50	84	124	118	48	24	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	UTAH—CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	26	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	2	4	-	4	2	2	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	-	2	-	2	2	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	200	2	2	2	-	-	-	-	-	12	4	4	14	16	26	16	18	28	32	16	8	-	-
	WHITE.....MALE....	116	-	-	2	-	-	-	-	-	8	2	2	12	10	16	10	12	16	18	4	4	-	-
	FEMALE..	78	2	2	-	-	-	-	-	-	2	2	2	-	6	8	6	6	12	14	12	4	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	16	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	6	-	4	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	2	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	738	-	-	-	-	2	2	2	2	6	6	10	28	20	48	56	64	156	154	118	56	8	-
	WHITE.....MALE....	312	-	-	-	-	2	2	-	-	2	-	4	8	14	32	32	26	80	68	28	12	2	-
	FEMALE..	414	-	-	-	-	-	-	2	2	2	6	6	18	4	16	24	38	72	84	90	44	6	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	2	-	-	-	-	-
431	CEREBRAL HEMORRHAGE.....	98	-	-	-	-	2	-	-	-	2	-	2	4	6	18	6	10	14	18	10	6	-	-
	WHITE.....MALE....	42	-	-	-	-	2	-	-	-	-	-	-	2	4	10	4	4	6	8	-	2	-	-
	FEMALE..	52	-	-	-	-	-	-	-	-	2	-	2	2	-	8	2	6	6	10	10	4	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	134	-	-	-	-	-	-	-	-	-	-	2	2	2	8	12	10	32	40	20	6	-	-
	WHITE.....MALE....	68	-	-	-	-	-	-	-	-	-	-	2	2	2	4	8	8	18	18	6	-	-	-
	FEMALE..	64	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	14	20	14	6	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	CEREBRAL EMBOLISM.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	502	-	-	-	-	-	2	2	2	4	6	6	22	12	22	38	44	108	96	86	44	8	-
	WHITE.....MALE....	200	-	-	-	-	-	2	-	-	2	-	2	4	8	18	20	14	56	42	20	10	2	-
	FEMALE..	296	-	-	-	-	-	-	2	2	-	6	4	16	4	4	18	30	50	54	66	34	6	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
440	ARTERIOSCLEROSIS.....	116	-	-	-	-	-	-	-	-	-	-	-	4	-	6	4	16	22	12	32	14	6	-
	WHITE.....MALE....	52	-	-	-	-	-	-	-	-	-	-	-	4	-	6	2	2	12	6	10	10	-	-
	FEMALE..	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	14	10	6	22	4	4	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	92	-	-	-	-	-	-	-	-	-	-	8	2	-	8	8	10	20	24	4	6	2	-
	WHITE.....MALE....	52	-	-	-	-	-	-	-	-	-	-	4	2	-	4	6	8	12	16	-	-	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	2	8	8	2	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	2	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	194	20	-	-	2	-	-	2	-	2	-	4	2	4	12	12	16	28	36	34	12	8	-
	WHITE.....MALE....	92	12	-	-	-	-	-	-	-	-	-	4	2	-	8	8	10	16	14	12	4	2	-
	FEMALE..	90	4	-	-	2	-	-	2	-	2	-	-	-	4	4	4	6	10	18	20	8	6	-
	ALL OTHER..MALE....	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
470-474	INFLUENZA.....	10	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	4	2	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	184	20	-	-	2	-	-	2	-	-	-	4	-	4	12	12	16	28	32	32	12	8	-
	WHITE.....MALE....	90	12	-	-	-	-	-	-	-	-	-	4	-	-	8	8	10	16	14	12	4	2	-
	FEMALE..	84	4	-	-	2	-	-	2	-	-	-	-	-	4	4	4	6	10	16	18	8	6	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	UTAH--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	126	-	-	-	-	-	-	-	-	2	4	4	4	6	10	20	30	28	12	4	-	2	-
	WHITE.....MALE	104	-	-	-	-	-	-	-	-	2	-	2	2	6	10	20	22	28	6	4	-	2	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	8	-	6	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	28	-	-	-	-	-	-	-	-	-	2	-	4	-	2	8	4	6	2	-	-	-	-
	WHITE.....MALE	22	-	-	-	-	-	-	-	-	-	-	-	2	-	2	8	4	6	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	88	-	-	-	-	-	-	-	-	2	2	2	-	6	8	10	22	20	10	4	-	2	-
	WHITE.....MALE	78	-	-	-	-	-	-	-	-	2	-	2	-	6	8	10	18	20	6	4	-	2	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	4	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	10	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	2	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	20	-	-	-	-	-	-	-	-	2	-	-	2	-	-	6	2	-	4	4	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	4	2	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	26	8	-	-	-	-	-	-	-	-	-	-	2	6	-	2	-	2	4	2	-	-	-
	WHITE.....MALE	10	2	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	2	-	-	-
	FEMALE	14	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	4	-	-	-	-
	ALL OTHER..MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	130	2	-	-	-	-	-	2	4	4	6	10	14	20	16	30	14	4	2	-	-	2	-
	WHITE.....MALE	74	2	-	-	-	-	-	-	-	-	6	8	6	16	6	14	12	2	-	-	-	2	-
	FEMALE	50	-	-	-	-	-	-	-	4	2	-	2	8	4	10	14	2	2	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	16	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	6	2	-	-	2	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	38	-	-	-	2	-	4	-	-	-	-	2	2	-	6	6	10	4	-	2	-	-	-
	WHITE.....MALE	20	-	-	-	2	-	2	-	-	-	-	-	-	-	4	-	8	4	-	-	-	-	-
	FEMALE	18	-	-	-	-	-	2	-	-	-	-	2	2	-	2	6	2	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	36	-	-	-	2	-	4	-	-	-	-	2	2	-	6	4	10	4	-	2	-	-	-
	WHITE.....MALE	20	-	-	-	2	-	2	-	-	-	-	-	-	-	4	-	8	4	-	-	-	-	-
	FEMALE	16	-	-	-	-	-	2	-	-	-	-	2	2	-	2	4	2	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	20	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	2	2	4	4	2	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	4	2	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	UTAH—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	8	-	-	-	-	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	8	-	-	-	-	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	6	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	104	84	4	-	2	6	2	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-
	WHITE.....MALE....	52	44	2	-	-	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE..	52	40	2	-	2	4	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	278	30	-	-	2	4	2	4	2	2	8	10	16	16	20	20	26	36	36	20	12	12	-
	WHITE.....MALE....	164	18	-	-	2	2	2	4	-	2	4	10	12	10	16	12	16	20	16	6	6	6	-
	FEMALE..	108	10	-	-	-	2	-	-	2	-	4	-	2	6	4	6	10	16	20	14	6	6	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-SID-UAL	ALL OTHER DISEASES.....	562	12	8	2	4	8	10	12	8	12	32	22	34	60	50	64	50	54	64	38	12	6	-
	WHITE.....MALE....	328	2	8	-	2	4	6	2	2	8	16	18	18	38	34	34	28	40	38	20	6	4	-
	FEMALE..	204	10	-	2	2	4	2	8	6	2	12	2	14	18	16	28	16	12	24	18	6	2	-
	ALL OTHER..MALE....	22	-	-	-	-	-	2	2	-	2	2	-	2	2	-	2	4	2	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	2	-	-	-	-	-	-
E800-F949	ACCIDENTS.....	702	14	44	32	30	96	66	28	32	22	36	34	28	46	28	16	26	26	34	28	10	6	-
	WHITE.....MALE....	472	6	40	18	22	78	68	20	18	14	22	30	18	38	18	10	14	10	12	10	2	4	-
	FEMALE..	204	8	4	14	8	16	12	4	14	8	10	2	10	6	10	6	12	12	22	16	8	2	-
	ALL OTHER..MALE....	20	-	-	-	-	-	6	4	-	-	4	2	-	2	-	-	-	-	-	2	-	-	-
	FEMALE..	6	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	350	4	12	22	14	82	70	10	22	4	12	20	14	16	14	4	8	12	6	4	-	-	-
	WHITE.....MALE....	240	-	8	10	12	66	52	8	14	4	4	18	8	10	10	-	4	4	6	2	-	-	-
	FEMALE..	90	4	4	12	2	14	12	2	8	-	4	-	6	4	4	4	4	4	-	2	-	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	6	-	-	-	4	2	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
E800-F807, E825-E949	ALL OTHER ACCIDENTS.....	352	10	32	10	16	14	16	18	10	18	24	14	14	30	14	12	18	14	28	24	10	6	-
	WHITE.....MALE....	232	6	32	8	10	12	16	12	4	10	18	12	10	28	8	10	10	6	6	8	2	4	-
	FEMALE..	114	4	-	2	6	2	-	2	6	8	6	2	4	2	6	2	8	8	22	14	8	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	136	...	...	-	-	8	14	14	6	12	10	20	8	4	20	6	2	6	6	-	-	-	-
	WHITE.....MALE....	112	...	...	-	-	8	12	14	6	8	8	16	6	4	14	4	2	4	6	-	-	-	-
	FEMALE..	20	...	...	-	-	-	-	-	-	4	2	4	2	-	4	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	4	...	...	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	42	-	4	-	-	8	4	4	6	4	2	2	2	-	2	2	2	-	-	-	-	-	-
	WHITE.....MALE....	30	-	4	-	-	4	4	4	2	2	2	2	-	-	2	2	2	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	4	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	30	-	-	-	2	-	-	4	2	2	6	2	2	2	2	4	-	-	-	2	-	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	2	2	-	2	-	2	-	2	2	-	-	-	-	-	-	-
	FEMALE..	16	-	-	-	2	-	-	2	-	2	2	2	-	2	-	2	-	-	-	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VERMONT																							
	ALL CAUSES	4,318	100	18	16	10	44	42	36	30	42	72	114	172	240	398	472	524	612	572	509	224	78	2
	WHITE.....MALE	2,328	64	8	10	6	38	38	28	20	30	40	66	108	164	236	302	286	322	270	184	90	16	2
	FEMALE	1,986	36	10	6	4	6	4	6	10	12	32	48	64	76	160	170	238	290	302	316	134	62	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	WHITE.....MALE	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	WHITE.....MALE	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-
	WHITE.....MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VERMONT--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	10	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	4	2	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	4	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	768	-	2	6	4	2	6	2	6	2	18	36	42	82	98	116	104	114	62	50	16	-	-
	WHITE.....MALE....	416	-	2	4	4	2	4	2	4	2	6	16	20	44	48	68	60	62	36	22	10	-	-
	FEMALE..	352	-	-	2	-	-	2	-	2	-	12	20	22	38	50	48	44	52	26	28	6	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	10	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	2	-	-	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	220	-	-	-	-	-	2	-	-	-	2	8	8	14	32	32	26	40	24	22	10	-	-
	WHITE.....MALE....	116	-	-	-	-	-	-	-	-	-	-	2	6	6	16	20	14	24	14	8	6	-	-
	FEMALE..	104	-	-	-	-	-	2	-	-	-	2	6	2	8	16	12	12	16	10	14	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	156	-	-	-	-	-	-	-	-	2	8	12	16	30	16	22	24	16	8	2	-	-	-
	WHITE.....MALE....	118	-	-	-	-	-	-	-	-	2	2	10	12	22	12	18	18	14	6	2	-	-	-
	FEMALE..	38	-	-	-	-	-	-	-	-	-	6	2	4	8	4	4	6	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	OF BREAST.....	60	-	-	-	-	-	-	-	2	-	-	4	6	8	6	14	4	12	4	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	60	-	-	-	-	-	-	-	2	-	-	4	6	8	6	14	4	12	4	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	92	-	-	-	-	-	2	-	-	-	2	8	4	14	6	8	12	14	10	8	4	-	-
	WHITE.....MALE....	48	-	-	-	-	-	2	-	-	-	-	-	-	4	-	8	6	14	6	4	4	-	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	2	8	4	10	6	-	6	-	4	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	36	-	-	-	-	-	-	-	-	-	-	-	-	2	8	10	6	2	6	2	-	-	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	-	6	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	2	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	90	-	2	2	2	-	-	2	4	-	4	2	4	6	18	10	10	8	2	12	2	-	-
	WHITE.....MALE....	56	-	2	2	2	-	-	2	4	-	4	2	2	6	8	8	6	2	-	6	-	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	-	2	-	10	2	4	6	2	6	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204-207	LEUKEMIA.....	52	-	-	4	2	2	-	-	-	-	-	-	4	-	-	12	10	14	4	-	-	-	-
	WHITE.....MALE....	26	-	-	2	2	2	-	-	-	-	-	-	-	-	-	6	6	6	2	-	-	-	-
	FEMALE..	26	-	-	2	-	-	-	-	-	-	-	-	4	-	-	6	4	8	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	52	-	-	-	-	-	2	-	-	-	2	-	-	8	8	6	10	8	4	4	-	-	-
	WHITE.....MALE....	24	-	-	-	-	-	2	-	-	-	-	-	-	4	6	2	6	2	2	-	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	2	-	-	4	2	4	4	6	2	4	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	20	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	8	2	2	-	2	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	-	-	-	2	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	66	-	-	-	-	-	-	2	-	-	6	-	2	2	6	12	14	4	8	6	4	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	2	-	-	2	-	-	2	-	6	6	2	4	-	-	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	4	-	2	-	6	6	8	2	4	6	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VERMONT--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	2,342	2	-	-	-	2	-	-	6	8	16	26	82	94	210	256	290	368	400	349	180	62	-
	WHITE.....MALE....	1,212	-	-	-	-	-	-	-	4	2	12	16	50	78	140	170	162	190	184	124	68	12	-
	FEMALE..	1,130	2	-	-	-	2	-	-	2	6	4	10	32	16	70	86	128	178	216	216	112	50	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	1,684	2	-	-	-	-	-	-	6	6	8	20	60	82	170	196	218	270	270	220	114	42	-
	WHITE.....MALE....	902	-	-	-	-	-	-	-	4	2	6	16	42	70	112	136	110	136	136	76	44	12	-
	FEMALE..	782	2	-	-	-	-	-	-	2	4	2	4	18	12	58	60	108	134	134	144	70	30	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	20	-	-	-	-	-	-	-	-	-	-	2	-	-	4	4	-	6	4	-	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	-	2	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	4	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	2	-	2	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	1,558	-	-	-	-	-	-	-	4	4	6	18	48	78	158	180	208	242	256	212	108	36	-
	WHITE.....MALE....	850	-	-	-	-	-	-	-	2	2	4	14	38	68	102	126	108	126	132	76	42	10	-
	FEMALE..	708	-	-	-	-	-	-	-	2	2	2	4	10	10	56	54	100	116	124	136	66	26	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	722	-	-	-	-	-	-	-	2	-	2	18	32	50	98	118	116	120	94	44	20	8	-
	WHITE.....MALE....	448	-	-	-	-	-	-	-	-	-	2	14	24	44	56	88	68	64	52	22	10	4	-
	FEMALE..	274	-	-	-	-	-	-	-	2	-	-	4	8	6	42	30	48	56	42	22	10	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	834	-	-	-	-	-	-	-	2	4	4	-	16	28	60	60	92	122	162	168	88	28	-
	WHITE.....MALE....	409	-	-	-	-	-	-	-	2	2	2	-	14	24	46	36	40	62	80	54	32	6	-
	FEMALE..	434	-	-	-	-	-	-	-	-	2	2	-	2	4	14	24	52	60	82	114	56	22	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VERMONT--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	10	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	4	-	2	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	78	2	-	-	-	-	-	-	2	-	2	-	10	2	6	12	10	14	4	4	6	4	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	2	-	2	-	4	-	4	10	2	4	-	-	2	2	-
	FEMALE..	46	2	-	-	-	-	-	-	-	-	-	-	6	2	2	2	8	10	4	4	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	34	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	4	6	10	6	4	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	2	6	4	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	4	8	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	432	-	-	-	-	2	-	-	-	-	6	4	8	10	30	40	52	64	80	82	36	18	-
	WHITE.....MALE....	186	-	-	-	-	-	-	-	-	-	4	-	4	6	20	20	38	28	30	26	10	-	-
	FEMALE..	246	-	-	-	-	2	-	-	-	-	2	4	4	4	10	20	14	36	50	56	26	18	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
431	CEREBRAL HEMORRHAGE.....	80	-	-	-	-	-	-	-	-	-	-	-	2	2	12	22	12	8	10	6	4	2	-
	WHITE.....MALE....	44	-	-	-	-	-	-	-	-	-	-	-	2	-	6	12	12	4	4	2	2	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	-	4	6	4	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	146	-	-	-	-	-	-	-	-	-	-	-	2	4	4	6	26	14	32	38	14	6	-
	WHITE.....MALE....	66	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	18	8	14	14	4	-	-
	FEMALE..	80	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	8	6	18	24	10	6	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	CEREBRAL EMBOLISM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	206	-	-	-	-	2	-	-	-	-	6	4	4	4	14	12	14	42	38	38	18	10	-
	WHITE.....MALE....	76	-	-	-	-	-	-	-	-	-	4	-	2	4	10	6	8	16	12	10	4	-	-
	FEMALE..	130	-	-	-	-	2	-	-	-	-	2	4	2	-	4	6	6	26	26	28	14	10	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440	ARTERIOSCLEROSIS.....	114	-	-	-	-	-	-	-	-	-	-	2	-	-	2	12	2	18	32	22	22	2	-
	WHITE.....MALE....	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	2	14	8	10	8	-	-
	FEMALE..	62	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	4	24	12	14	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	78	-	-	-	-	-	-	-	-	2	-	-	12	2	8	8	14	10	8	10	4	-	-
	WHITE.....MALE....	56	-	-	-	-	-	-	-	-	-	-	-	4	2	8	4	12	10	8	6	2	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	2	-	-	8	-	-	4	2	-	-	4	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	164	6	2	-	-	-	-	2	-	-	-	10	2	6	6	4	18	26	32	32	12	6	-
	WHITE.....MALE....	72	6	2	-	-	-	-	-	-	-	-	8	2	4	-	4	6	14	10	10	4	2	-
	FEMALE..	92	-	-	-	-	-	-	2	-	-	-	2	-	2	6	-	12	12	22	22	8	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474	INFLUENZA.....	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	6	2	2	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	146	6	2	-	-	-	-	2	-	-	-	10	2	6	6	4	18	22	28	26	10	4	-
	WHITE.....MALE....	66	6	2	-	-	-	-	-	-	-	-	8	2	4	-	4	6	12	8	8	4	2	-
	FEMALE..	80	-	-	-	-	-	-	2	-	-	-	2	-	2	6	-	12	10	20	18	6	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VERMONT--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	68	-	-	-	-	-	-	-	-	4	-	-	2	8	10	6	22	6	8	-	2	-	-
	WHITE.....MALE	54	-	-	-	-	-	-	-	-	4	-	-	2	4	6	4	18	6	8	-	2	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	6	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	54	-	-	-	-	-	-	-	-	-	-	-	2	4	10	2	22	6	8	-	-	-	-
	WHITE.....MALE	44	-	-	-	-	-	-	-	-	-	-	-	2	2	6	2	18	6	8	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	8	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-	-	2	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	2	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	16	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	4	2	4	-	-	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	2	2	4	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	12	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	8	-	2	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	4	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	62	-	-	-	-	-	-	-	-	-	2	8	12	10	8	16	6	-	-	-	-	-	-
	WHITE.....MALE	40	-	-	-	-	-	-	-	-	-	2	4	8	4	4	14	4	-	-	-	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	-	4	4	6	4	2	2	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	12	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	2	4	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	2	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	24	-	-	2	-	-	-	-	-	-	-	-	4	2	-	6	4	4	-	-	2	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4	-	-	-	-	-	-	-
	FEMALE	16	-	-	2	-	-	-	-	-	-	-	-	-	2	-	2	4	4	-	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	22	-	-	2	-	-	-	-	-	-	-	-	4	2	-	4	4	4	-	-	2	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4	-	-	-	-	-	-	-
	FEMALE	14	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	4	4	-	-	2	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	2	2	-	2	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	2	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VERMONT--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	32	16	6	2	-	2	2	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	22	12	2	2	-	2	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	10	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	34	8	-	-	-	-	-	-	2	2	-	-	-	4	4	2	-	6	6	-	-	-	-
	WHITE.....MALE....	26	6	-	-	-	-	-	-	2	-	-	-	-	4	4	2	-	2	6	-	-	-	-
	FEMALE..	8	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	4	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-SID-UAL	ALL OTHER DISEASES.....	292	10	2	-	-	4	2	2	2	-	12	20	16	16	32	28	32	40	32	34	6	2	-
	WHITE.....MALE....	162	4	2	-	-	4	2	2	2	-	6	12	14	12	18	14	16	22	12	16	4	-	-
	FEMALE..	130	6	-	-	-	-	-	-	-	-	6	8	2	4	14	14	16	18	20	18	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949	ACCIDENTS.....	208	2	4	6	4	30	26	22	8	20	6	8	4	6	10	4	14	12	8	10	2	2	-
	WHITE.....MALE....	148	2	-	4	2	26	24	18	4	18	4	4	4	6	4	2	10	6	2	6	2	-	-
	FEMALE..	58	-	4	2	2	4	2	2	4	2	2	4	-	-	6	2	4	6	6	4	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	100	-	2	4	-	22	20	12	6	6	2	6	2	-	4	2	4	4	2	2	-	-	-
	WHITE.....MALE....	74	-	-	2	-	20	18	10	4	6	-	4	2	-	-	-	4	2	-	2	-	-	-
	FEMALE..	24	-	2	2	-	2	2	-	2	-	2	2	-	-	4	2	-	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	108	2	2	2	4	8	6	10	2	14	4	2	2	6	6	2	10	8	6	8	2	2	-
	WHITE.....MALE....	74	2	-	2	2	6	6	8	-	12	4	-	2	6	4	2	6	4	2	4	2	-	-
	FEMALE..	34	-	2	-	2	2	-	2	2	2	-	2	-	-	2	-	4	4	4	4	-	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	66	...	...	-	2	4	6	6	4	6	4	6	-	2	12	4	-	4	4	2	-	-	-
	WHITE.....MALE....	54	...	...	-	-	4	6	4	4	4	4	6	-	-	10	4	-	4	2	2	-	-	-
	FEMALE..	12	...	...	-	2	-	-	2	-	2	-	-	-	2	2	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	10	-	2	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	2
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	2
	FEMALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VIRGINIA																							
	ALL CAUSES	40,960	1,538	210	156	206	478	584	448	512	638	1,192	1,846	2,502	3,212	4,070	4,512	4,898	4,758	4,452	2,966	1,262	494	26
	WHITE.....MALE	17,848	584	90	62	102	254	314	226	220	260	548	846	1,196	1,602	2,078	2,180	2,170	1,968	1,596	1,048	394	106	4
	FEMALE	13,610	426	54	46	40	102	86	86	112	152	232	424	644	760	960	1,300	1,576	1,840	2,136	1,582	732	310	10
	ALL OTHER..MALE	5,454	316	42	26	34	96	142	92	114	138	236	366	432	482	636	580	598	506	346	180	50	30	12
	FEMALE	4,048	212	24	22	30	26	42	44	66	88	176	210	230	368	396	452	554	444	374	156	86	48	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	60	10	2	-	-	2	-	-	-	-	-	-	4	4	4	4	6	10	4	2	4	4	-
	WHITE.....MALE	24	4	2	-	-	2	-	-	-	-	-	-	4	4	-	-	4	-	2	-	-	2	-
	FEMALE	24	2	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	4	2	2	2	2	-
	ALL OTHER..MALE	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-
	FEMALE	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	86	-	-	-	-	-	-	-	-	6	6	6	10	6	16	6	6	6	2	12	2	-	2
	WHITE.....MALE	24	-	-	-	-	-	-	-	-	2	2	2	-	2	4	2	2	2	2	4	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-
	ALL OTHER..MALE	40	-	-	-	-	-	-	-	-	4	4	2	6	2	10	-	4	2	-	2	2	-	2
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	2	4	2	-	2	-	2	-	4	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	62	-	-	-	-	-	-	-	-	4	4	4	8	4	12	4	4	6	-	8	2	-	2
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	2	2	-	2	4	-	-	2	-	4	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
	ALL OTHER..MALE	30	-	-	-	-	-	-	-	-	4	2	2	4	-	8	-	4	2	-	-	2	-	2
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	2	-	2	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	24	-	-	-	-	-	-	-	-	2	2	2	2	2	4	2	2	-	2	4	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	2	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	-	2	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	12	-	4	2	2	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	4	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	6	-	2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	124	24	2	4	2	-	2	2	2	-	8	4	4	-	24	12	6	16	8	4	-	-	-
	WHITE.....MALE	48	10	-	2	-	-	-	-	2	-	6	2	-	-	12	4	-	4	4	2	-	-	-
	FEMALE	26	2	2	2	-	-	-	2	-	-	-	-	-	-	-	6	4	4	4	-	-	-	-
	ALL OTHER..MALE	24	4	-	-	2	-	-	-	-	-	-	2	2	-	6	2	-	4	-	2	-	-	-
	FEMALE	26	8	-	-	-	-	2	-	-	-	2	-	2	-	6	-	2	4	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VIRGINIA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	66	2	2	-	4	4	6	2	2	-	8	2	4	6	8	4	2	4	2	4	-	-	-
	WHITE.....MALE....	24	-	-	-	2	2	-	-	2	-	2	-	-	4	2	4	2	-	2	2	-	-	-
	FEMALE..	22	-	-	-	2	2	4	-	-	-	2	-	2	-	6	-	-	2	-	2	-	-	-
	ALL OTHER..MALE....	10	-	2	-	-	-	-	-	-	-	-	2	2	2	-	-	-	2	-	-	-	-	-
	FEMALE..	10	2	-	-	-	-	2	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	7,240	2	14	24	18	20	26	52	68	104	220	418	646	932	992	1,014	928	798	576	286	68	28	6
	WHITE.....MALE....	3,080	-	12	6	14	4	14	24	24	38	78	142	238	412	480	452	404	346	244	112	28	6	2
	FEMALE..	2,556	-	2	12	2	8	8	16	32	36	64	168	274	282	306	328	306	286	234	138	30	20	4
	ALL OTHER..MALE....	928	-	-	2	2	6	2	10	8	12	34	52	76	146	128	144	134	88	54	26	4	-	-
	FEMALE..	676	2	-	4	-	2	2	2	4	18	44	56	58	92	78	90	84	78	44	10	6	2	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	152	-	-	-	-	-	2	-	2	4	6	6	16	38	30	20	10	6	6	6	-	-	-
	WHITE.....MALE....	96	-	-	-	-	-	2	-	2	-	2	2	10	28	20	12	4	6	6	2	-	-	-
	FEMALE..	20	-	-	-	-	-	-	-	-	-	2	2	-	4	-	2	6	-	-	4	-	-	-
	ALL OTHER..MALE....	24	-	-	-	-	-	-	-	-	2	-	2	4	4	8	4	-	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	2	2	-	2	2	2	2	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	1,822	-	-	-	-	4	-	4	10	18	44	102	142	216	246	238	248	242	182	94	22	10	-
	WHITE.....MALE....	716	-	-	-	-	2	-	-	4	6	16	36	58	100	126	80	92	88	64	34	8	2	-
	FEMALE..	656	-	-	-	-	2	-	-	4	6	14	26	48	54	58	96	88	102	84	54	12	8	-
	ALL OTHER..MALE....	254	-	-	-	-	-	-	4	-	6	8	24	20	36	36	38	34	32	12	4	-	-	-
	FEMALE..	196	-	-	-	-	-	-	-	2	-	6	16	16	26	26	24	34	20	22	2	2	-	-
160-163	OF RESPIRATORY SYSTEM....	1,782	-	-	2	-	-	-	-	6	14	64	104	184	280	332	270	232	166	84	32	10	-	2
	WHITE.....MALE....	1,132	-	-	-	-	-	-	-	2	6	40	64	98	160	222	194	152	126	48	12	6	-	2
	FEMALE..	268	-	-	-	-	-	-	-	2	6	2	18	44	40	50	28	26	16	22	10	4	-	-
	ALL OTHER..MALE....	310	-	-	-	-	-	-	-	2	2	18	16	34	66	54	40	44	16	10	8	-	-	-
	FEMALE..	72	-	-	2	-	-	-	-	-	-	4	6	8	14	6	8	10	8	4	2	-	-	-
174	OF BREAST.....	592	-	-	-	-	-	-	2	6	12	38	50	102	78	70	52	50	48	48	24	4	4	4
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-	-	-	-
	FEMALE..	478	-	-	-	-	-	-	2	6	6	20	44	92	56	56	42	40	38	44	22	4	2	4
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	108	-	-	-	-	-	-	-	-	4	18	6	10	20	12	10	10	10	4	2	-	2	-
180-187	OF GENITAL ORGANS.....	908	-	-	2	-	4	2	4	14	14	24	58	52	72	100	138	142	114	96	56	12	4	-
	WHITE.....MALE....	248	-	-	-	-	-	2	4	2	-	-	-	4	2	20	40	54	52	38	26	4	-	-
	FEMALE..	404	-	-	2	-	2	-	-	10	6	14	46	40	44	54	56	50	32	24	16	4	4	-
	ALL OTHER..MALE....	144	-	-	-	-	2	-	-	-	-	-	-	2	16	14	22	26	20	26	14	2	-	-
	FEMALE..	112	-	-	-	-	-	-	-	2	8	10	12	6	10	12	20	12	10	8	-	2	-	-
188, 189	OF URINARY ORGANS.....	286	-	-	-	-	-	2	-	-	2	2	14	12	22	30	56	32	38	38	28	8	2	-
	WHITE.....MALE....	132	-	-	-	-	-	-	-	-	2	2	6	10	10	10	24	14	16	22	14	2	-	-
	FEMALE..	88	-	-	-	-	-	2	-	-	-	-	2	2	6	8	20	8	10	12	12	4	2	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	-	-	-	-	2	-	2	6	8	6	6	-	-	-	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	4	-	4	6	4	4	6	4	2	2	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	956	2	8	4	2	4	8	16	18	34	20	54	82	120	112	144	124	06	74	32	6	6	-
	WHITE.....MALE....	390	-	8	-	2	2	6	4	10	18	10	16	30	60	44	60	42	22	34	18	2	2	-
	FEMALE..	378	-	-	2	-	2	2	6	8	12	6	22	28	40	52	44	56	46	34	12	2	4	-
	ALL OTHER..MALE....	100	-	-	-	-	-	-	4	-	2	2	6	10	12	6	24	18	10	4	-	2	-	-
	FEMALE..	88	2	-	2	-	-	-	2	-	2	2	10	14	8	10	16	8	8	2	2	-	-	-
204-207	LEUKEMIA.....	306	-	6	16	8	6	4	14	8	2	6	6	16	42	22	38	26	48	26	6	4	2	-
	WHITE.....MALE....	164	-	4	6	8	-	2	8	4	2	2	2	12	18	12	18	14	24	20	2	4	2	-
	FEMALE..	102	-	2	8	-	-	2	4	-	-	4	2	2	20	10	14	6	18	6	4	-	-	-
	ALL OTHER..MALE....	28	-	-	2	-	4	-	2	4	-	-	2	2	2	-	6	2	2	-	-	-	-	-
	FEMALE..	12	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	4	4	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	436	-	-	-	8	2	8	12	4	4	16	24	40	64	50	58	64	50	22	8	2	-	-
	WHITE.....MALE....	196	-	-	-	4	-	2	8	-	2	6	16	16	32	24	24	32	12	12	4	2	-	-
	FEMALE..	162	-	-	-	2	2	2	4	2	-	2	6	18	18	18	26	26	24	8	4	-	-	-
	ALL OTHER..MALE....	38	-	-	-	2	-	2	-	2	-	6	-	4	8	4	2	4	2	2	-	-	-	-
	FEMALE..	40	-	-	-	-	-	2	-	-	2	2	2	2	6	4	6	2	12	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	112	-	4	-	6	2	-	4	4	2	6	8	4	6	14	10	14	20	6	2	-	-	-
	WHITE.....MALE....	42	-	2	-	-	-	-	2	2	2	4	4	2	4	2	4	4	8	-	2	-	-	-
	FEMALE..	44	-	-	-	4	2	-	-	2	-	2	-	2	2	10	4	4	6	6	-	-	-	-
	ALL OTHER..MALE....	20	-	2	-	-	-	-	2	-	-	-	4	-	-	2	2	4	4	-	-	-	-	-
	FEMALE..	6	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
250	DIABETES MELLITUS.....	728	4	-	-	-	2	-	4	10	8	18	22	42	74	94	72	144	86	84	50	12	2	-
	WHITE.....MALE....	190	-	-	-	-	-	-	-	6	2	8	8	8	28	26	24	40	14	14	10	2	-	-
	FEMALE..	284	4	-	-	-	2	-	2	4	4	6	-	12	14	26	32	48	44	46	30	8	2	-
	ALL OTHER..MALE....	84	-	-	-	-	-	-	2	-	2	4	8	12	6	12	4	18	10	4	2	-	-	-
	FEMALE..	170	-	-	-	-	-	-	-	-	-	-	6	10	26	30	12	38	18	20	8	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VIRGINIA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	40	-	-	-	-	-	2	-	-	-	-	-	4	-	2	8	8	2	4	8	-	2	-
	WHITE.....MALE....	16	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-	4	-	-	4	-	2	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	2	-	-	-
280-285	ANEMIAS.....	76	-	-	4	4	-	2	4	6	2	-	-	4	-	4	6	6	16	12	2	2	2	-
	WHITE.....MALE....	24	-	-	2	2	-	2	-	-	-	-	-	-	-	-	4	2	4	6	-	2	-	-
	FEMALE..	20	-	-	2	-	-	-	-	-	-	-	-	2	-	-	2	-	10	2	-	-	2	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	2	-	2	-	-	-
	FEMALE..	24	-	-	-	2	-	-	4	4	2	-	-	2	-	4	-	2	-	4	-	-	-	-
320	MENINGITIS.....	38	6	14	-	-	-	-	2	2	-	2	2	4	2	-	-	4	-	-	-	-	-	-
	WHITE.....MALE....	18	2	6	-	-	-	-	-	-	-	2	2	4	-	-	-	2	-	-	-	-	-	-
	FEMALE..	8	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	8	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	20,490	28	8	12	14	14	22	34	66	160	418	662	1,030	1,372	1,996	2,508	2,850	2,920	2,926	2,140	944	356	10
	WHITE.....MALE....	8,828	10	-	4	6	10	10	8	12	78	220	346	556	768	1,102	1,224	1,260	1,176	970	724	274	70	-
	FEMALE..	7,416	10	4	2	2	4	8	10	18	32	66	92	200	252	386	698	930	1,186	1,510	1,194	572	234	6
	ALL OTHER..MALE....	2,204	4	4	4	4	-	2	4	16	30	66	148	176	172	292	290	330	274	212	116	34	22	4
	FEMALE..	2,942	4	-	2	2	-	2	12	20	20	66	76	98	180	216	296	330	284	234	106	64	30	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	14,778	20	4	6	8	6	12	16	42	106	316	528	832	1,058	1,616	1,952	2,080	2,080	1,924	1,348	598	218	8
	WHITE.....MALE....	6,806	8	-	2	-	6	6	2	8	54	192	316	496	630	934	1,006	952	874	644	464	176	36	-
	FEMALE..	5,102	8	2	2	2	-	4	6	14	18	40	64	134	194	316	528	712	812	976	754	366	146	4
	ALL OTHER..MALE....	1,572	-	2	2	4	-	2	-	10	22	50	102	130	110	222	224	222	206	154	68	24	14	4
	FEMALE..	1,298	4	-	-	2	-	-	8	10	12	34	46	72	124	144	194	194	188	150	62	32	22	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	230	-	-	-	2	-	6	4	4	8	10	6	30	24	24	38	22	28	12	10	-	2	-
	WHITE.....MALE....	88	-	-	-	-	-	4	-	-	2	2	-	10	10	12	14	4	20	6	4	-	-	-
	FEMALE..	106	-	-	-	-	-	-	2	2	2	8	2	18	12	8	22	14	6	6	4	-	-	-
	ALL OTHER..MALE....	14	-	-	-	-	-	2	-	-	4	-	4	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	22	-	-	-	2	-	-	2	2	-	-	-	2	2	2	-	4	2	-	2	-	2	-
402	HYPERTENSIVE HEART DISEASE.....	138	-	-	-	-	-	-	-	-	2	2	-	12	8	16	14	20	16	24	14	6	4	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	2	-	-	4	2	6	4	2	-	4	-	-	-	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	6	6	6	12	6	2	-
	ALL OTHER..MALE....	34	-	-	-	-	-	-	-	-	-	-	-	4	2	4	2	6	6	6	2	-	2	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	2	-	-	4	6	6	6	4	8	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	142	-	-	-	-	-	-	-	-	-	2	-	4	-	18	14	10	18	34	24	12	4	2
	WHITE.....MALE....	28	-	-	-	-	-	-	-	-	-	-	-	-	-	8	2	-	-	10	6	2	-	-
	FEMALE..	68	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	8	18	16	10	4	2
	ALL OTHER..MALE....	24	-	-	-	-	-	-	-	-	-	-	-	-	-	8	6	4	2	2	2	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	2	-	2	-	-	4	2	8	4	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	13,388	2	-	-	2	2	4	4	30	90	274	488	730	936	1,468	1,774	1,894	1,920	1,766	1,240	568	190	6
	WHITE.....MALE....	6,358	2	-	-	-	2	2	2	6	50	182	306	458	590	868	938	896	816	600	438	170	32	-
	FEMALE..	4,602	-	-	-	2	-	2	2	8	12	24	52	104	162	288	480	648	756	898	690	342	130	2
	ALL OTHER..MALE....	1,336	-	-	-	-	-	-	-	8	18	44	86	114	88	182	188	186	182	138	62	24	12	4
	FEMALE..	1,092	-	-	-	-	-	-	-	8	10	24	44	54	96	130	168	164	166	130	50	32	16	-
410	ACUTE MYOCARDIAL INFARCTION.....	6,574	-	-	-	-	2	-	-	12	58	176	310	456	566	842	1,056	942	844	694	388	172	52	4
	WHITE.....MALE....	3,698	-	-	-	-	2	-	-	4	38	120	216	320	392	530	638	496	412	228	150	52	10	-
	FEMALE..	2,004	-	-	-	-	-	-	-	4	8	16	36	64	96	180	248	322	316	368	206	106	34	-
	ALL OTHER..MALE....	550	-	-	-	-	-	-	-	2	8	28	42	46	36	76	102	70	52	52	20	6	6	4
	FEMALE..	412	-	-	-	-	-	-	-	2	4	12	16	26	42	56	68	54	64	46	12	8	2	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	860	-	-	-	2	-	-	-	6	12	36	54	104	108	138	90	114	84	48	44	14	6	-
	WHITE.....MALE....	410	-	-	-	-	-	-	-	2	2	18	30	38	56	82	40	58	42	18	18	4	2	-
	FEMALE..	152	-	-	-	2	-	-	-	-	2	8	2	14	18	4	20	18	10	26	18	8	2	-
	ALL OTHER..MALE....	190	-	-	-	-	-	-	-	2	6	8	10	36	22	38	18	20	22	-	4	2	2	-
	FEMALE..	108	-	-	-	-	-	-	-	2	2	2	12	16	12	14	12	18	10	4	4	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	5,952	2	-	-	-	-	4	4	12	20	62	124	170	262	488	628	836	992	1,024	808	382	132	2
	WHITE.....MALE....	2,338	2	-	-	-	-	2	2	-	10	44	60	100	142	256	260	340	362	354	270	114	20	-
	FEMALE..	2,446	-	-	-	-	-	2	2	4	2	-	14	26	48	104	212	308	430	504	466	228	94	2
	ALL OTHER..MALE....	596	-	-	-	-	-	-	-	4	4	8	34	32	30	68	68	96	108	86	38	16	4	-
	FEMALE..	572	-	-	-	-	-	-	-	4	4	10	16	12	42	60	88	92	92	80	34	24	14	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VIRGINIA--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	196	-	-	2	-	2	2	2	-	2	10	10	14	24	32	22	20	16	16	14	2	6	-
	WHITE.....MALE....	64	-	-	-	-	2	-	-	-	-	2	-	10	6	16	2	10	6	6	4	-	-	-
	FEMALE..	60	-	-	-	-	-	2	-	-	2	2	2	-	6	8	8	-	8	8	6	2	6	-
	ALL OTHER..MALE....	48	-	-	2	-	-	-	-	-	-	4	8	2	6	6	10	6	2	2	-	-	-	-
	FEMALE..	24	-	-	-	-	-	-	2	-	-	2	-	2	6	2	2	4	-	-	4	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	684	18	4	4	4	2	-	6	8	4	18	24	42	66	58	90	114	82	72	46	10	12	-
	WHITE.....MALE....	244	6	-	2	-	2	-	-	2	-	6	10	14	22	24	46	40	32	18	12	4	4	-
	FEMALE..	222	8	2	2	-	-	-	2	4	2	6	8	6	14	10	14	40	28	40	26	6	4	-
	ALL OTHER..MALE....	116	-	2	-	4	-	-	-	2	-	2	4	10	14	20	16	20	14	6	2	-	-	-
	FEMALE..	102	4	-	-	-	-	-	4	-	2	4	2	12	16	4	14	14	8	8	6	-	4	-
400, 401, 403	HYPERTENSION.....	176	-	-	-	-	-	-	2	4	4	4	6	6	20	10	26	14	18	24	22	10	6	-
	WHITE.....MALE....	40	-	-	-	-	-	-	-	-	-	-	-	-	8	2	4	4	8	8	4	-	2	-
	FEMALE..	46	-	-	-	-	-	-	-	-	-	-	2	2	6	-	4	-	2	10	10	8	2	-
	ALL OTHER..MALE....	40	-	-	-	-	-	-	-	2	4	2	2	2	2	2	8	2	4	2	6	-	2	-
	FEMALE..	50	-	-	-	-	-	-	2	2	-	2	2	2	4	6	10	8	4	4	2	2	-	-
430-438	CEREBROVASCULAR DISEASES.	4,358	8	4	6	6	6	8	12	16	40	88	116	170	242	296	410	610	638	776	584	242	78	2
	WHITE.....MALE....	1,490	2	-	2	6	4	4	2	2	18	24	26	48	100	118	146	256	214	240	184	72	22	-
	FEMALE..	1,754	2	2	-	-	2	4	4	2	12	24	20	58	42	58	134	158	292	424	326	138	50	2
	ALL OTHER..MALE....	500	4	2	2	-	-	-	4	4	2	12	42	40	54	58	52	86	52	46	34	6	-	-
	FEMALE..	614	-	-	2	-	-	-	2	8	8	28	28	24	46	62	78	110	80	66	40	26	6	-
431	CEREBRAL HEMORRHAGE.....	690	6	-	4	-	-	4	2	8	12	22	42	52	66	66	68	98	78	84	58	16	4	-
	WHITE.....MALE....	248	-	-	-	-	-	4	-	-	8	6	12	24	30	34	24	40	24	22	10	8	2	-
	FEMALE..	252	2	-	-	-	-	-	-	2	-	4	6	16	10	6	26	32	40	54	44	8	2	-
	ALL OTHER..MALE....	102	4	-	2	-	-	-	2	4	2	6	16	4	16	14	8	14	6	2	2	-	-	-
	FEMALE..	88	-	-	2	-	-	-	-	2	2	6	8	8	10	12	10	12	8	6	2	-	-	-
433	CEREBRAL THROMBOSIS.....	1,134	-	-	2	-	-	-	-	-	-	2	10	32	46	56	108	176	190	242	184	70	16	-
	WHITE.....MALE....	404	-	-	2	-	-	-	-	-	-	-	-	10	22	24	50	82	68	82	42	20	2	-
	FEMALE..	488	-	-	-	-	-	-	-	-	-	2	4	10	10	4	32	44	84	124	122	40	12	-
	ALL OTHER..MALE....	102	-	-	-	-	-	-	-	-	-	-	2	6	6	12	10	26	14	18	8	-	-	-
	FEMALE..	140	-	-	-	-	-	-	-	-	-	-	4	6	8	16	16	24	24	18	12	10	2	-
434	CEREBRAL EMBOLISM.....	16	-	-	-	-	-	-	-	2	-	2	-	-	-	-	4	-	-	2	6	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	2,518	2	4	-	6	6	4	10	6	28	62	64	86	130	174	230	336	370	448	336	156	58	2
	WHITE.....MALE....	832	2	-	-	6	4	-	2	-	10	16	14	14	48	60	70	134	122	136	132	44	18	-
	FEMALE..	1,010	-	2	-	-	2	4	4	-	12	18	10	32	22	48	76	82	168	244	158	90	36	2
	ALL OTHER..MALE....	294	-	2	-	-	-	-	2	-	-	6	24	30	32	32	32	46	32	26	24	6	-	-
	FEMALE..	382	-	-	-	-	-	-	2	6	6	22	16	10	28	34	52	74	48	42	22	16	4	-
440	ARTERIOSCLEROSIS.....	616	-	-	-	-	-	-	-	-	-	-	4	2	10	24	28	58	98	140	128	76	48	-
	WHITE.....MALE....	212	-	-	-	-	-	-	-	-	-	-	2	2	4	12	12	20	32	50	48	22	8	-
	FEMALE..	306	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	16	52	72	72	48	34	-
	ALL OTHER..MALE....	52	-	-	-	-	-	-	-	-	-	-	2	-	4	6	2	14	4	6	6	2	6	-
	FEMALE..	46	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	8	10	12	2	4	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	562	-	-	-	-	2	2	4	4	10	10	8	20	42	50	92	88	86	62	58	18	6	-
	WHITE.....MALE....	280	-	-	-	-	-	-	4	2	6	4	2	10	26	36	56	28	48	28	24	4	2	-
	FEMALE..	208	-	-	-	-	2	-	-	2	2	2	6	6	10	8	24	44	28	28	32	12	2	-
	ALL OTHER..MALE....	40	-	-	-	-	-	-	-	-	2	2	-	4	2	4	4	6	8	4	2	2	-	-
	FEMALE..	34	-	-	-	-	-	2	-	-	-	2	-	-	4	2	8	10	2	2	-	-	2	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	14	4	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	4	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	1,456	88	18	8	8	6	8	8	14	18	18	38	74	86	92	114	168	216	196	156	74	48	-
	WHITE.....MALE....	644	22	8	4	4	-	2	2	6	6	6	10	28	28	40	58	88	120	98	76	24	14	-
	FEMALE..	438	24	2	4	2	4	-	-	4	4	6	8	20	26	18	26	44	50	68	58	46	24	-
	ALL OTHER..MALE....	246	30	-	-	-	2	2	4	2	6	6	6	20	22	28	22	26	38	12	16	2	2	-
	FEMALE..	128	12	8	-	2	-	4	2	2	2	-	14	6	10	6	8	10	8	18	6	2	8	-
470-474	INFLUENZA.....	86	-	2	2	-	-	-	-	-	2	4	4	6	4	4	8	14	16	8	6	4	2	-
	WHITE.....MALE....	38	-	2	-	-	-	-	-	-	2	4	-	2	-	2	4	10	6	2	2	-	2	-
	FEMALE..	36	-	-	2	-	-	-	-	-	-	-	2	4	-	2	4	2	8	6	2	4	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	1,370	88	16	6	8	6	8	8	14	16	14	34	68	82	88	106	154	200	188	150	70	46	-
	WHITE.....MALE....	606	22	6	4	4	-	2	2	6	4	2	10	26	28	38	54	78	114	96	74	24	12	-
	FEMALE..	402	24	2	2	2	4	-	-	4	4	6	6	16	26	16	22	42	42	62	56	42	24	-
	ALL OTHER..MALE....	238	30	-	-	-	2	2	4	2	6	6	6	20	20	28	22	24	36	12	14	2	2	-
	FEMALE..	124	12	8	-	2	-	4	2	2	2	-	12	6	8	6	8	10	8	18	6	2	8	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VIRGINIA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	574	2	-	-	4	-	-	4	2	4	14	26	26	58	88	90	100	72	60	18	4	2	-
	WHITE.....MALE	374	-	-	-	-	-	-	2	-	2	4	12	18	30	62	54	78	56	44	12	-	-	-
	FEMALE	138	-	-	-	-	-	-	-	-	2	4	8	6	22	18	30	14	10	12	6	4	2	-
	ALL OTHER..MALE	38	-	-	-	-	-	-	-	-	-	-	6	2	2	8	6	6	6	2	-	-	-	-
	FEMALE	24	2	-	-	4	-	-	2	2	-	6	-	-	4	-	-	2	-	2	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	106	2	-	-	-	-	-	2	-	2	4	2	2	12	16	20	8	18	16	2	-	-	-
	WHITE.....MALE	72	-	-	-	-	-	-	2	-	2	2	2	-	8	10	16	4	14	10	2	-	-	-
	FEMALE	24	-	-	-	-	-	-	-	-	-	-	-	2	4	6	2	4	2	4	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	FEMALE	6	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-
492	EMPHYSEMA	422	-	-	-	-	-	-	-	-	-	6	18	24	38	70	66	86	52	40	16	4	2	-
	WHITE.....MALE	296	-	-	-	-	-	-	-	-	-	2	10	18	22	52	38	70	42	32	10	-	-	-
	FEMALE	94	-	-	-	-	-	-	-	-	-	4	2	4	16	10	24	8	6	8	6	4	2	-
	ALL OTHER..MALE	30	-	-	-	-	-	-	-	-	-	-	6	2	-	8	4	6	4	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
493	ASTHMA	46	-	-	-	4	-	-	2	2	2	4	6	-	8	2	4	6	2	4	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	2	-	6	-	2	2	4	2	2	-	-	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-
	FEMALE	16	-	-	-	4	-	-	2	2	-	4	-	-	4	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	146	-	-	2	-	2	-	-	-	4	2	16	18	12	14	18	10	22	12	10	2	2	-
	WHITE.....MALE	60	-	-	2	-	-	-	-	-	-	-	8	10	8	2	10	4	8	4	2	2	-	-
	FEMALE	62	-	-	-	-	-	-	-	-	4	-	2	8	2	10	-	6	14	6	8	-	2	-
	ALL OTHER..MALE	14	-	-	-	-	2	-	-	-	-	-	6	-	-	2	4	-	-	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	2	-	-	2	-	4	-	-	2	-	-	-	-
540-543	APPENDICITIS	24	2	-	4	-	-	2	2	-	-	-	4	2	-	2	-	2	2	-	-	2	-	-
	WHITE.....MALE	14	-	-	2	-	-	-	-	-	-	-	4	2	-	2	-	2	-	-	-	2	-	-
	FEMALE	6	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	144	14	2	-	-	-	-	4	-	-	-	8	2	8	8	12	14	36	22	6	8	-	-
	WHITE.....MALE	64	6	-	-	-	-	-	4	-	-	-	2	-	2	4	8	6	16	10	-	6	-	-
	FEMALE	52	8	2	-	-	-	-	-	-	-	-	2	-	4	2	2	-	12	12	6	2	-	-
	ALL OTHER..MALE	22	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	8	8	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	642	-	2	2	-	2	2	2	12	38	66	120	106	100	92	44	30	14	8	-	2	-	-
	WHITE.....MALE	314	-	2	2	-	-	-	2	4	16	30	54	62	54	42	24	12	10	-	-	-	-	-
	FEMALE	186	-	-	-	-	2	-	-	-	6	18	36	32	28	24	14	12	4	8	-	2	-	-
	ALL OTHER..MALE	76	-	-	-	-	-	-	-	4	8	10	14	8	6	18	4	4	-	-	-	-	-	-
	FEMALE	66	-	-	-	-	-	2	-	4	8	8	16	4	12	8	2	2	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	88	-	-	-	-	-	-	-	-	2	-	2	2	8	6	8	10	18	18	4	8	2	-
	WHITE.....MALE	24	-	-	-	-	-	-	-	-	2	-	-	2	2	-	4	4	4	6	-	-	-	-
	FEMALE	46	-	-	-	-	-	-	-	-	-	-	2	-	2	4	2	4	10	10	4	8	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	-	-	2	-
580-584	NEPHRITIS AND NEPHROSIS	220	2	-	-	2	-	4	6	8	12	12	12	16	18	26	34	24	34	6	4	-	-	-
	WHITE.....MALE	80	2	-	-	2	-	2	2	-	-	6	2	2	6	12	18	10	10	4	2	-	-	-
	FEMALE	46	-	-	-	-	-	2	2	2	2	-	2	2	2	2	6	6	16	-	2	-	-	-
	ALL OTHER..MALE	56	-	-	-	-	-	-	2	4	10	2	8	6	6	6	6	-	4	2	-	-	-	-
	FEMALE	38	-	-	-	-	-	-	-	2	-	4	-	6	4	6	4	8	4	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	28	2	-	-	-	-	2	2	2	2	2	-	2	2	4	2	2	4	-	-	-	-	-
	WHITE.....MALE	8	2	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	2	4	-	-	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	192	-	-	-	2	-	2	4	6	10	10	12	14	16	22	32	22	30	6	4	-	-	-
	WHITE.....MALE	72	-	-	-	2	-	2	2	-	-	4	2	2	6	10	16	10	10	4	2	-	-	-
	FEMALE	34	-	-	-	-	-	-	-	-	2	-	2	2	2	2	6	4	12	-	2	-	-	-
	ALL OTHER..MALE	50	-	-	-	-	-	-	2	4	8	2	8	4	6	4	6	-	4	2	-	-	-	-
	FEMALE	36	-	-	-	-	-	-	-	2	-	4	-	6	2	6	4	8	4	-	-	-	-	-
590	INFECTIONS OF KIDNEY	144	-	-	-	-	-	-	-	-	4	2	2	10	6	8	12	26	32	18	14	6	4	-
	WHITE.....MALE	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	10	6	-	2	2	-
	FEMALE	68	-	-	-	-	-	-	-	-	2	-	2	-	4	2	8	8	16	8	12	4	2	-
	ALL OTHER..MALE	28	-	-	-	-	-	-	-	-	2	-	-	8	-	4	2	4	2	4	2	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	8	4	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	8	2	2	-	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	4	2	-	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VIRGINIA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	12	-	-	-	-	-	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	8	-	-	-	-	-	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	10	-	-	-	-	-	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	6	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	318	234	20	2	8	12	4	8	12	2	2	4	4	-	2	2	2	-	-	-	-	-	-
	WHITE.....MALE.....	154	112	10	-	4	2	2	4	6	2	2	4	4	-	-	2	-	-	-	-	-	-	-
	FEMALE..	116	90	8	-	2	6	2	4	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE.....	18	12	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	30	20	-	-	2	4	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	890	890	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE.....	324	324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	244	244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE.....	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	456	456	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE.....	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE.....	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RE-MAIN-DER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	434	434	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE.....	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE.....	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	674	126	10	4	4	8	14	6	10	8	16	38	42	32	66	40	46	58	64	40	24	14	4
	WHITE.....MALE.....	268	56	4	-	4	-	4	2	-	-	6	16	28	18	32	14	14	34	16	8	8	2	2
	FEMALE..	168	22	4	2	-	2	4	4	4	4	2	8	2	8	8	8	18	14	22	14	10	8	-
	ALL OTHER..MALE.....	140	32	2	2	-	4	2	-	2	2	6	14	10	6	18	14	4	2	8	6	2	2	2
	FEMALE..	98	16	-	-	-	2	4	-	4	2	2	-	2	-	8	4	10	8	18	12	4	2	-
RE-SID-UAL	ALL OTHER DISEASES.....	2,568	48	16	10	14	34	28	38	38	50	102	132	198	240	288	324	318	244	262	106	60	18	-
	WHITE.....MALE.....	1,096	14	8	4	4	14	8	18	12	12	34	64	92	108	122	172	136	90	104	50	26	4	-
	FEMALE..	832	6	4	6	6	12	6	14	8	12	20	30	40	74	90	96	114	96	114	46	30	8	-
	ALL OTHER..MALE.....	396	16	2	-	2	2	8	4	10	12	30	14	44	50	50	38	40	36	28	4	2	4	-
	FEMALE..	244	12	2	-	2	6	6	2	8	14	18	24	22	8	26	18	28	22	16	6	2	2	-
E800-E949	ACCIDENTS.....	2,742	48	84	76	106	286	302	164	144	116	132	180	144	164	144	134	138	100	138	96	32	10	4
	WHITE.....MALE.....	1,408	22	32	34	56	168	208	110	82	58	64	94	62	80	70	70	68	32	46	36	12	4	-
	FEMALE..	600	8	22	14	16	48	34	20	24	20	20	36	30	22	22	30	44	50	66	56	14	4	-
	ALL OTHER..MALE.....	560	16	18	12	20	64	52	30	34	28	38	42	42	46	44	30	6	16	16	2	-	-	4
	FEMALE..	174	2	12	16	14	6	8	4	4	10	10	8	10	16	8	4	20	2	10	2	6	2	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	1,228	4	30	38	44	192	224	84	78	52	62	88	58	66	58	48	52	24	16	6	2	2	-
	WHITE.....MALE.....	678	4	14	18	30	116	150	60	38	36	26	38	26	32	24	20	28	6	8	-	2	2	-
	FEMALE..	260	-	10	8	6	44	30	12	16	4	12	24	14	8	16	14	20	16	4	2	-	-	-
	ALL OTHER..MALE.....	216	-	4	2	2	30	36	10	20	6	18	18	16	18	14	14	-	2	4	2	-	-	-
	FEMALE..	74	-	2	10	6	2	8	2	4	6	6	8	2	8	4	-	4	-	-	2	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,514	44	54	38	62	94	78	80	66	64	70	92	86	98	86	86	86	76	122	90	30	8	4
	WHITE.....MALE.....	730	18	18	16	26	52	58	50	44	22	38	56	36	48	46	50	40	26	38	36	10	2	-
	FEMALE..	340	8	12	6	10	4	4	8	8	16	8	12	16	14	6	16	24	34	62	54	14	4	-
	ALL OTHER..MALE.....	344	16	14	10	18	34	16	20	14	22	20	24	26	28	30	16	6	14	12	-	-	-	4
	FEMALE..	100	2	10	6	8	4	-	2	-	4	4	-	8	8	4	4	16	2	10	-	6	2	-
E950-E959	SUICIDE.....	676	...	...	-	2	52	66	46	52	46	76	88	66	44	62	20	20	20	10	-	6	-	-
	WHITE.....MALE.....	474	...	...	-	2	38	38	28	42	24	50	58	54	32	48	20	12	14	8	-	6	-	-
	FEMALE..	132	...	...	-	-	8	6	6	8	18	18	24	10	12	12	-	4	4	2	-	-	-	-
	ALL OTHER..MALE.....	62	...	...	-	-	4	22	10	2	-	8	6	2	-	2	-	4	2	-	-	-	-	-
	FEMALE..	8	...	...	-	-	2	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	498	4	8	2	8	26	84	50	58	46	62	48	32	26	16	8	10	4	6	-	-	-	-
	WHITE.....MALE.....	158	-	2	-	2	10	20	16	20	14	22	12	12	8	10	-	4	4	2	-	-	-	-
	FEMALE..	42	2	2	-	2	-	8	-	4	4	4	2	2	2	4	-	2	-	4	-	-	-	-
	ALL OTHER..MALE.....	236	2	2	2	4	12	50	24	26	20	28	28	14	12	2	6	4	-	-	-	-	-	-
	FEMALE..	62	-	2	-	-	4	6	10	8	8	8	6	4	4	-	2	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES.....	34	-	-	-	-	4	4	2	2	2	2	2	4	4	2	2	4	-	-	-	-	-	-
	WHITE.....MALE.....	20	-	-	-	-	2	2	2	-	2	2	-	4	4	2	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE.....	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WASHINGTON																							
	ALL CAUSES.....	29,836	824	178	140	164	348	418	296	282	322	582	976	1,496	2,096	2,596	2,918	3,436	3,860	4,074	2,968	1,388	468	6
	WHITE.....MALE....	16,250	414	102	82	98	220	254	210	152	178	346	552	948	1,302	1,670	1,838	1,956	2,058	1,940	1,270	482	174	4
	FEMALE..	12,492	328	64	54	52	90	120	64	100	104	180	346	472	702	828	978	1,396	1,714	2,068	1,666	882	282	2
	ALL OTHER..MALE....	744	50	8	4	10	34	36	14	24	22	40	50	54	70	70	82	52	50	36	18	16	4	-
	FEMALE..	350	32	4	-	4	4	8	8	6	18	16	28	22	22	28	20	32	38	30	14	8	8	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	42	12	-	-	-	-	-	-	-	-	-	-	-	2	2	2	6	4	8	4	-	2	-
	WHITE.....MALE....	12	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	-	-	-	-
	FEMALE..	24	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	4	4	-	2	-
	ALL OTHER..MALE....	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	34	-	-	-	-	-	-	-	-	-	2	2	-	10	2	-	-	10	4	2	2	-	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	-	2	-	6	2	-	-	8	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	4	-	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	26	-	-	-	-	-	-	-	-	-	2	2	-	6	2	-	-	6	4	2	2	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	-	4	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	4	-	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	8	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	4	-	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	8	2	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	42	12	2	2	-	-	-	-	-	-	-	2	2	-	4	2	2	8	2	2	2	-	-
	WHITE.....MALE....	22	6	-	2	-	-	-	-	-	-	-	-	-	-	2	2	-	6	2	2	-	-	-
	FEMALE..	16	6	2	-	-	-	-	-	-	-	-	2	2	-	2	-	2	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WASHINGTON--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	56	6	4	-	4	2	-	2	2	-	-	-	4	2	6	4	4	4	10	-	-	2	-
	WHITE.....MALE....	28	2	2	-	2	2	-	-	-	-	-	-	2	2	2	4	2	2	6	-	-	-	-
	FEMALE..	26	4	2	-	2	-	-	2	2	-	-	-	-	-	4	-	2	2	4	-	-	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	5,356	2	22	18	24	18	36	20	36	66	132	222	404	548	712	686	764	666	554	306	98	22	-
	WHITE.....MALE....	2,922	2	16	12	12	8	26	12	14	32	64	86	192	294	392	430	444	392	294	148	42	10	-
	FEMALE..	2,276	-	6	6	10	8	10	8	22	28	64	122	198	240	296	238	302	248	252	156	52	10	-
	ALL OTHER..MALE....	100	-	-	-	2	2	-	-	-	2	4	4	2	10	18	16	14	20	4	-	2	-	-
	FEMALE..	58	-	-	-	-	-	-	-	-	4	-	10	12	4	6	2	4	6	4	2	2	2	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	94	-	-	-	4	-	-	-	-	-	4	6	12	14	16	12	12	8	4	-	2	-	-
	WHITE.....MALE....	64	-	-	-	2	-	-	-	-	-	2	2	6	12	12	8	10	4	4	-	2	-	-
	FEMALE..	24	-	-	-	2	-	-	-	-	-	-	2	6	2	4	4	-	4	-	-	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	1,420	2	-	-	-	-	-	-	6	12	12	38	78	148	154	168	228	202	212	120	36	4	-
	WHITE.....MALE....	786	2	-	-	-	-	-	-	4	8	8	14	46	78	96	92	146	112	112	50	16	2	-
	FEMALE..	586	-	-	-	-	-	-	-	2	2	4	24	28	60	48	74	76	82	96	68	20	2	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	-	-	-	-	-	-	8	8	2	4	6	2	-	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	-	2	-	-	4	2	2	-	2	2	2	2	-	-	-
160-163	OF RESPIRATORY SYSTEM....	1,216	-	-	-	-	-	-	-	2	8	38	50	132	134	218	210	178	134	70	36	6	-	-
	WHITE.....MALE....	946	-	-	-	-	-	-	-	2	6	26	32	94	112	156	178	142	114	56	26	2	-	-
	FEMALE..	240	-	-	-	-	-	-	-	-	2	10	14	34	20	56	28	30	18	14	10	4	-	-
	ALL OTHER..MALE....	24	-	-	-	-	-	-	-	-	-	2	2	-	2	6	4	6	2	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-
174	OF BREAST.....	492	-	-	-	-	-	-	-	8	4	16	40	58	64	72	48	64	36	48	22	10	2	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	474	-	-	-	-	-	-	-	8	2	16	38	56	64	70	44	62	36	46	22	10	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	2	-	2	2	-	2	2	-	-	2	-	-	2	-
180-187	OF GENITAL ORGANS.....	688	-	2	-	-	4	12	2	-	8	16	16	46	48	82	74	94	100	104	58	12	10	-
	WHITE.....MALE....	298	-	2	-	-	4	10	2	-	-	-	-	4	8	20	32	36	62	66	38	6	8	-
	FEMALE..	372	-	-	-	-	-	2	-	-	8	16	14	40	40	60	42	58	28	36	20	6	2	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	2	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	4	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	252	-	-	-	-	-	-	-	-	2	2	8	6	18	36	36	44	56	30	6	8	-	-
	WHITE.....MALE....	176	-	-	-	-	-	-	-	-	2	2	6	4	14	24	28	30	40	16	2	8	-	-
	FEMALE..	70	-	-	-	-	-	-	-	-	-	-	-	2	4	12	8	12	14	14	4	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	612	-	12	2	6	6	12	10	10	16	20	42	44	76	64	66	68	58	36	40	12	4	-
	WHITE.....MALE....	356	-	8	-	2	2	8	6	4	8	14	24	22	48	50	48	42	28	20	18	4	-	-
	FEMALE..	238	-	4	2	2	4	4	4	6	8	14	16	22	26	14	12	26	26	16	22	6	4	-
	ALL OTHER..MALE....	12	-	-	-	2	-	-	-	-	-	-	-	-	-	-	6	-	4	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	2	-	-
204-207	LEUKEMIA.....	246	-	6	14	8	6	4	2	4	6	6	8	10	20	24	22	28	38	20	14	6	-	-
	WHITE.....MALE....	132	-	4	10	4	2	2	-	-	4	4	2	8	8	14	12	14	22	12	8	2	-	-
	FEMALE..	108	-	2	4	4	4	2	2	4	-	2	6	2	12	8	10	14	16	8	6	2	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	2	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	336	-	2	2	6	2	8	6	6	10	10	14	18	26	46	50	48	34	30	10	6	2	-
	WHITE.....MALE....	162	-	2	2	4	-	6	4	4	4	8	6	8	14	20	30	24	10	8	6	2	-	-
	FEMALE..	164	-	-	-	2	-	2	2	2	6	2	8	8	12	24	16	24	24	22	4	4	2	-
	ALL OTHER..MALE....	8	-	-	-	-	2	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	50	-	-	2	-	2	-	-	-	-	2	6	2	8	10	2	6	2	2	4	2	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-	-	2	-	6	4	-	6	2	2	2	-	-	-
	FEMALE..	26	-	-	2	-	2	-	-	-	-	2	4	2	2	6	2	-	-	-	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	468	-	2	-	-	-	6	2	10	2	12	14	20	20	36	54	66	94	72	38	8	12	-
	WHITE.....MALE....	182	-	2	-	-	-	-	2	6	-	6	10	12	16	14	22	24	36	20	10	2	-	-
	FEMALE..	270	-	-	-	-	-	6	-	4	-	6	4	2	4	20	32	40	58	48	28	6	12	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	2	-	-	6	-	2	-	-	-	4	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WASHINGTON—CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	50	4	-	-	-	-	-	-	-	-	-	-	2	4	-	4	-	10	8	10	4	4	-
	WHITE.....MALE....	16	2	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	2	-	4	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	8	6	8	4	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	48	2	-	-	-	-	-	-	-	2	-	-	6	2	2	-	8	4	4	8	10	-	-
	WHITE.....MALE....	18	2	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-	4	6	-	-
	FEMALE..	30	-	-	-	-	-	-	-	-	2	-	-	2	2	2	-	6	4	4	4	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	16	4	2	2	-	2	-	-	2	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	12	2	2	-	-	2	-	-	2	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	15,762	10	4	6	12	8	12	26	38	78	180	344	560	938	1,262	1,556	1,938	2,418	2,816	2,132	1,076	348	-
	WHITE.....MALE....	8,382	2	2	6	6	4	6	12	18	38	124	234	416	658	906	986	1,098	1,230	1,248	908	356	124	-
	FEMALE..	6,978	4	-	-	-	2	6	12	14	28	40	84	114	248	314	518	798	1,148	1,528	1,202	704	214	-
	ALL OTHER..MALE....	270	4	2	-	6	2	-	2	6	6	14	20	24	24	30	42	26	18	18	12	10	4	-
	FEMALE..	132	-	-	-	-	-	-	-	-	6	2	6	6	8	12	10	16	22	22	10	6	6	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	11,074	6	-	4	8	6	8	14	32	54	132	274	442	748	1,012	1,208	1,398	1,736	1,844	1,330	628	190	-
	WHITE.....MALE....	6,274	2	-	4	4	2	6	6	16	32	102	202	358	548	756	782	834	894	840	604	214	68	-
	FEMALE..	4,504	-	-	-	-	2	2	6	10	12	20	56	64	182	220	382	536	808	982	706	402	114	-
	ALL OTHER..MALE....	210	4	-	-	4	2	-	2	6	6	10	16	18	16	26	38	18	14	10	10	8	2	-
	FEMALE..	86	-	-	-	-	-	-	-	-	4	-	-	2	2	10	6	10	20	12	10	4	6	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	288	-	-	2	2	-	2	4	4	16	8	10	12	30	34	50	30	40	26	10	8	-	-
	WHITE.....MALE....	140	-	-	2	-	-	2	-	-	8	4	4	8	20	22	26	12	22	6	4	-	-	-
	FEMALE..	134	-	-	-	-	-	-	2	-	6	4	6	4	10	10	24	16	18	20	6	8	-	-
	ALL OTHER..MALE....	10	-	-	-	2	-	-	2	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	108	-	-	-	-	-	-	-	-	-	-	4	4	6	14	14	8	20	20	6	8	4	-
	WHITE.....MALE....	34	-	-	-	-	-	-	-	-	-	-	-	2	2	8	8	-	2	4	6	2	-	-
	FEMALE..	54	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	6	10	16	-	6	2	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	4	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	-	-	-	2	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	116	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	14	18	18	36	16	4	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	4	10	4	2	2	-
	FEMALE..	80	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	12	8	32	14	2	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	9,916	-	-	-	-	-	-	4	18	32	112	248	384	692	906	1,072	1,280	1,580	1,678	1,192	550	168	-
	WHITE.....MALE....	5,720	-	-	-	-	-	-	2	10	22	92	190	322	516	690	706	774	824	768	544	198	62	-
	FEMALE..	3,972	-	-	-	-	-	-	2	6	4	12	48	48	160	186	324	486	732	892	630	342	100	-
	ALL OTHER..MALE....	164	-	-	-	-	-	-	-	2	6	8	10	14	16	24	36	12	10	8	8	8	2	-
	FEMALE..	60	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	8	14	10	10	2	4	-
410	ACUTE MYOCARDIAL INFARCTION.....	5,078	-	-	-	-	-	-	4	10	22	70	184	282	464	604	716	708	748	686	414	128	38	-
	WHITE.....MALE....	3,236	-	-	-	-	-	-	2	4	14	58	142	242	362	476	484	434	416	320	204	62	16	-
	FEMALE..	1,738	-	-	-	-	-	-	2	4	4	8	36	32	94	112	208	270	326	356	204	64	18	-
	ALL OTHER..MALE....	80	-	-	-	-	-	-	-	2	4	4	6	8	8	14	18	2	2	4	4	2	2	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	2	4	6	2	-	2	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	124	-	-	-	-	-	-	-	2	2	2	6	16	12	16	14	8	18	14	8	4	2	-
	WHITE.....MALE....	82	-	-	-	-	-	-	-	-	2	2	4	12	10	14	8	6	14	6	2	-	2	-
	FEMALE..	36	-	-	-	-	-	-	-	2	-	-	-	4	2	2	4	2	4	8	4	4	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	4,712	-	-	-	-	-	-	-	6	8	40	58	86	216	286	340	564	814	978	770	418	128	-
	WHITE.....MALE....	2,402	-	-	-	-	-	-	-	6	6	32	44	68	144	200	214	334	394	442	338	136	44	-
	FEMALE..	2,196	-	-	-	-	-	-	-	-	-	4	12	12	64	72	110	214	402	528	422	274	82	-
	ALL OTHER..MALE....	80	-	-	-	-	-	-	-	-	2	4	2	6	8	10	16	10	8	4	4	6	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	6	10	4	6	2	2	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WASHINGTON—CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	68	2	-	2	-	-	-	-	-	-	-	-	-	-	4	2	4	10	14	16	10	4	-
	WHITE.....MALE....	32	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	2	4	8	10	2	2	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	6	6	6	8	2	-
	ALL OTHER..MALE....	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	578	4	-	-	6	6	6	6	10	6	12	12	42	20	48	66	62	68	88	70	36	10	-
	WHITE.....MALE....	316	2	-	-	4	2	4	4	6	2	6	8	26	10	32	40	40	38	44	36	10	2	-
	FEMALE..	232	-	-	-	-	2	2	2	4	2	4	2	12	10	12	24	22	30	40	32	24	8	-
	ALL OTHER..MALE....	20	2	-	-	2	2	-	-	-	-	2	2	2	-	2	2	-	-	2	2	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	2	-	2	-	-
400, 401, 403	HYPERTENSION.....	88	-	-	-	-	-	-	-	2	2	4	4	-	6	6	12	8	10	12	18	4	-	-
	WHITE.....MALE....	36	-	-	-	-	-	-	-	-	-	2	2	-	2	2	4	8	4	2	8	2	-	-
	FEMALE..	48	-	-	-	-	-	-	-	2	-	2	2	-	2	4	8	-	6	10	10	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	3,486	2	4	2	2	-	4	10	4	20	38	60	98	138	182	268	434	508	748	546	314	104	-
	WHITE.....MALE....	1,510	-	2	2	-	-	-	6	2	4	16	24	44	78	104	154	194	228	310	204	104	34	-
	FEMALE..	1,886	2	-	-	-	-	4	4	2	16	16	26	46	50	72	108	230	274	420	340	208	68	-
	ALL OTHER..MALE....	46	-	2	-	2	-	-	-	-	-	4	4	4	4	4	2	4	4	8	2	-	2	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	2	6	4	6	2	4	6	2	10	-	2	-	-
431	CEREBRAL HEMORRHAGE.....	468	-	2	-	-	-	-	2	-	4	8	10	24	38	42	54	78	68	62	42	24	10	-
	WHITE.....MALE....	216	-	-	-	-	-	-	2	-	-	2	6	16	24	24	36	20	26	30	18	6	6	-
	FEMALE..	238	-	-	-	-	-	-	-	-	4	4	4	8	14	18	16	58	38	28	24	18	4	-
	ALL OTHER..MALE....	10	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	4	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
433	CEREBRAL THROMBOSIS.....	812	-	-	-	-	-	2	-	-	-	4	6	8	22	32	54	118	130	164	154	98	20	-
	WHITE.....MALE....	362	-	-	-	-	-	-	-	-	-	2	4	6	14	12	36	66	68	64	54	30	6	-
	FEMALE..	432	-	-	-	-	-	2	-	-	-	-	-	-	6	20	16	46	62	100	100	66	14	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	4	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-
434	CEREBRAL EMBOLISM.....	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-
	WHITE.....MALE....	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	2,198	2	-	2	2	-	2	8	4	16	26	44	66	78	108	158	236	308	522	350	192	74	-
	WHITE.....MALE....	926	-	-	2	-	-	-	4	2	4	12	14	22	40	68	80	106	134	216	132	68	22	-
	FEMALE..	1,214	2	-	-	-	-	2	4	2	12	12	22	38	30	34	76	126	172	292	216	124	50	-
	ALL OTHER..MALE....	24	-	-	-	2	-	-	-	-	-	-	2	2	2	4	2	-	-	6	2	-	2	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	2	6	4	6	2	-	4	2	8	-	-	-	-
440	ARTERIOSCLEROSIS.....	676	-	-	-	-	-	-	-	-	2	-	-	4	8	8	24	36	98	148	182	116	50	-
	WHITE.....MALE....	290	-	-	-	-	-	-	-	-	2	-	-	4	4	8	18	20	58	60	66	32	18	-
	FEMALE..	380	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	16	40	88	116	82	32	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	2	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	438	2	-	-	2	2	-	2	-	-	6	6	16	38	54	44	62	66	64	56	14	4	-
	WHITE.....MALE....	272	-	-	-	2	2	-	-	-	-	4	6	10	26	36	28	42	46	36	26	4	4	-
	FEMALE..	160	2	-	-	-	-	-	2	-	-	2	-	4	12	18	16	16	20	28	30	10	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	18	4	4	-	-	-	-	-	-	-	-	-	-	2	-	4	-	2	-	2	-	-	-
	WHITE.....MALE....	14	2	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	942	42	18	4	8	12	12	6	4	6	10	10	42	38	28	82	88	128	144	150	72	38	-
	WHITE.....MALE....	480	18	6	2	4	6	4	2	-	2	4	6	30	28	14	50	52	68	76	62	26	20	-
	FEMALE..	416	14	12	2	4	6	6	2	2	4	4	2	10	8	12	20	32	56	68	88	46	18	-
	ALL OTHER..MALE....	32	6	-	-	-	-	2	2	-	-	-	2	2	2	2	10	-	4	-	-	-	-	-
	FEMALE..	14	4	-	-	-	-	-	-	2	-	2	-	-	-	-	2	4	-	-	-	-	-	-
470-474	INFLUENZA.....	96	-	4	-	-	-	-	2	2	-	2	-	2	4	4	12	10	12	14	20	8	-	-
	WHITE.....MALE....	42	-	4	-	-	-	-	-	-	-	-	-	2	2	2	8	2	6	8	8	-	-	-
	FEMALE..	50	-	-	-	-	-	-	2	2	-	-	-	-	2	2	2	8	6	6	12	8	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	846	42	14	4	8	12	12	4	2	6	8	10	40	34	24	70	78	116	130	130	64	38	-
	WHITE.....MALE....	438	18	2	2	4	6	4	2	-	2	4	6	28	26	12	42	50	62	68	54	26	20	-
	FEMALE..	366	14	12	2	4	6	6	-	-	4	4	2	10	6	10	18	24	50	62	76	38	18	-
	ALL OTHER..MALE....	30	6	-	-	-	-	2	2	-	-	-	2	2	2	2	8	-	4	-	-	-	-	-
	FEMALE..	12	4	-	-	-	-	-	-	2	-	-	-	-	-	-	2	4	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WASHINGTON—CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	588	2	2	-	-	-	4	-	2	4	-	10	20	46	94	98	110	84	80	22	8	2	-
	WHITE.....MALE	434	2	-	-	-	-	-	-	-	2	-	8	12	28	64	70	82	70	74	18	2	2	-
	FEMALE	142	-	2	-	-	-	4	-	2	-	-	2	8	18	28	26	26	12	6	4	4	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	2	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	86	2	2	-	-	-	-	-	2	-	-	2	-	10	4	18	24	2	14	4	2	-	-
	WHITE.....MALE	64	2	-	-	-	-	-	-	-	-	-	2	-	8	-	10	20	2	14	4	2	-	-
	FEMALE	20	-	2	-	-	-	-	-	2	-	-	-	-	2	4	6	4	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
492	EMPHYSEMA	462	-	-	-	-	-	-	-	-	4	-	6	16	32	78	78	80	78	64	18	6	2	-
	WHITE.....MALE	356	-	-	-	-	-	-	-	-	2	-	4	10	20	58	58	62	66	60	14	-	2	-
	FEMALE	96	-	-	-	-	-	-	-	-	-	-	2	6	12	18	20	16	10	4	4	4	-	-
	ALL OTHER..MALE	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	2	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
493	ASTHMA	40	-	-	-	-	-	4	-	-	-	-	2	4	4	12	2	6	4	2	-	-	-	-
	WHITE.....MALE	14	-	-	-	-	-	-	-	-	-	-	2	2	-	6	2	-	2	-	-	-	-	-
	FEMALE	26	-	-	-	-	-	4	-	-	-	-	-	2	4	6	-	6	2	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	144	2	-	-	-	-	-	-	2	2	-	12	8	10	18	18	32	12	12	10	6	-	-
	WHITE.....MALE	104	2	-	-	-	-	-	-	2	2	-	8	6	4	16	14	20	8	8	8	6	-	-
	FEMALE	34	-	-	-	-	-	-	-	-	-	-	2	2	4	-	4	12	4	4	2	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	16	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	4	2	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	100	10	-	-	-	-	-	-	2	-	-	2	2	4	6	6	18	10	20	14	2	4	-
	WHITE.....MALE	46	6	-	-	-	-	-	-	-	-	-	2	-	2	4	-	8	6	10	4	2	2	-
	FEMALE	48	4	-	-	-	-	-	-	2	-	-	-	-	2	2	2	10	4	10	10	-	2	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	510	-	-	-	-	-	-	2	4	12	48	90	88	98	68	44	26	18	6	4	2	-	-
	WHITE.....MALE	290	-	-	-	-	-	-	-	2	6	28	40	58	46	46	32	16	10	2	2	2	-	-
	FEMALE	172	-	-	-	-	-	-	-	-	2	8	38	26	40	22	12	10	8	4	2	-	-	-
	ALL OTHER..MALE	26	-	-	-	-	-	-	-	-	-	8	4	2	12	-	-	-	-	-	-	-	-	-
	FEMALE	22	-	-	-	-	-	-	2	2	4	4	8	2	-	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	54	-	-	-	-	-	-	-	-	2	-	4	2	-	2	8	6	8	8	12	2	-	-
	WHITE.....MALE	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	2	8	6	4	2	-	-
	FEMALE	24	-	-	-	-	-	-	-	-	2	-	4	2	-	-	2	4	-	2	8	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	120	-	-	-	-	-	2	-	-	-	4	4	12	14	10	6	22	12	18	8	4	4	-
	WHITE.....MALE	62	-	-	-	-	-	-	-	-	-	2	2	6	6	8	4	12	2	14	4	2	-	-
	FEMALE	42	-	-	-	-	-	2	-	-	-	2	-	4	4	-	2	8	6	4	4	2	4	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	2	2	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	4	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	108	-	-	-	-	-	2	-	-	-	4	4	12	12	10	6	20	8	14	8	4	4	-
	WHITE.....MALE	58	-	-	-	-	-	-	-	-	-	2	2	6	6	8	4	12	2	10	4	2	-	-
	FEMALE	36	-	-	-	-	-	2	-	-	-	2	-	4	4	-	2	6	2	4	4	2	4	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-
590	INFECTIONS OF KIDNEY	74	-	-	-	2	-	-	-	2	-	-	4	2	2	6	2	6	14	10	18	6	-	-
	WHITE.....MALE	30	-	-	-	-	-	-	-	2	-	-	2	-	-	2	2	2	6	2	6	6	-	-
	FEMALE	42	-	-	-	2	-	-	-	-	-	-	2	2	2	4	-	4	8	6	12	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	6	-	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	4	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WASHINGTON—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	4	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	230	150	22	6	6	6	2	4	2	2	-	4	6	6	4	-	4	4	-	-	2	-	-
	WHITE.....MALE....	90	64	10	-	-	2	2	2	-	-	-	-	2	2	-	-	2	2	-	-	2	-	-
	FEMALE..	128	78	10	4	6	4	-	2	2	2	-	4	4	4	4	-	2	2	-	-	-	-	-
	ALL OTHER..MALE....	8	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	392	392	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	216	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	148	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	156	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	176	96	-	-	-	2	4	-	-	-	4	4	12	2	6	4	8	14	8	8	2	-	2
	WHITE.....MALE....	92	50	-	-	-	2	4	-	-	-	4	4	8	-	6	2	-	4	8	-	-	-	-
	FEMALE..	80	42	-	-	-	-	-	-	-	-	-	-	4	2	-	2	8	10	-	8	2	-	2
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.....	1,838	46	14	18	12	20	34	18	14	38	50	102	124	154	156	218	234	210	178	132	52	14	-
	WHITE.....MALE....	986	20	8	10	10	14	14	8	10	26	24	60	70	74	88	136	130	122	86	56	18	2	-
	FEMALE..	746	10	4	8	2	4	16	10	-	12	18	34	48	70	54	78	94	82	86	70	34	12	-
	ALL OTHER..MALE....	66	10	-	-	-	-	-	-	2	-	4	6	6	8	10	2	4	2	6	6	-	-	-
	FEMALE..	40	6	2	-	-	2	4	-	2	-	4	2	-	2	4	2	6	4	-	-	-	-	-
E800-E949	ACCIDENTS.....	1,958	22	74	78	92	252	218	144	88	70	84	82	106	108	92	76	60	106	84	80	24	16	2
	WHITE.....MALE....	1,248	12	44	46	60	164	142	122	62	44	54	50	78	76	54	48	32	60	54	28	6	10	2
	FEMALE..	560	8	24	30	26	58	52	12	20	18	20	22	20	26	30	24	24	44	26	52	18	6	-
	ALL OTHER..MALE....	118	-	6	2	2	28	22	6	6	4	6	8	8	4	6	4	4	2	-	-	-	-	-
	FEMALE..	32	2	-	-	4	2	2	4	-	4	4	2	-	2	2	-	-	-	4	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	850	10	22	38	44	162	140	72	46	34	32	44	40	42	22	22	22	32	18	4	-	2	2
	WHITE.....MALE....	528	4	14	22	22	106	90	56	30	22	16	26	26	24	10	12	10	22	10	2	-	2	2
	FEMALE..	254	6	6	16	18	36	40	8	16	10	10	16	14	14	8	10	10	8	6	2	-	-	-
	ALL OTHER..MALE....	50	-	2	-	2	20	8	6	-	-	4	-	-	2	2	-	2	2	-	-	-	-	-
	FEMALE..	18	-	-	-	2	-	2	2	-	2	2	2	-	2	2	-	-	-	2	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,108	12	52	40	48	90	78	72	42	36	52	38	66	66	70	54	38	74	66	76	24	14	-
	WHITE.....MALE....	720	8	30	24	38	58	52	66	32	22	38	24	52	52	44	36	22	38	44	26	6	8	-
	FEMALE..	306	2	18	14	8	22	12	4	4	8	10	6	6	12	22	14	14	36	20	50	18	6	-
	ALL OTHER..MALE....	68	-	4	2	-	8	14	-	6	4	2	8	8	2	4	4	2	-	-	-	-	-	-
	FEMALE..	14	2	-	-	2	2	-	2	-	2	2	-	-	-	-	-	-	-	2	-	-	-	-
E950-E959	SUICIDE.....	518	...	...	-	4	14	48	54	54	20	38	46	52	54	54	32	18	12	14	2	2	-	-
	WHITE.....MALE....	354	...	...	-	4	14	34	40	28	14	26	28	40	36	32	22	14	8	12	-	2	-	-
	FEMALE..	150	...	...	-	-	-	10	12	22	6	12	18	12	16	22	10	4	2	2	2	-	-	-
	ALL OTHER..MALE....	14	...	...	-	-	-	4	2	4	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	142	4	4	2	-	8	24	12	14	18	14	6	14	12	6	2	-	-	2	-	-	-	-
	WHITE.....MALE....	78	2	4	2	-	-	12	6	6	12	10	4	8	6	4	-	-	-	2	-	-	-	-
	FEMALE..	30	2	-	-	-	6	4	2	2	-	2	-	6	4	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	32	-	-	-	-	2	8	2	6	6	2	2	-	2	-	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	54	-	2	2	-	2	14	6	4	-	-	6	2	4	2	4	-	-	2	-	2	-	2
	WHITE.....MALE....	36	-	-	2	-	2	10	4	-	-	-	4	2	4	-	4	-	-	2	-	-	-	2
	FEMALE..	18	-	2	-	-	-	4	2	4	-	-	2	-	-	2	-	-	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WEST VIRGINIA																							
	ALL CAUSES.....	20,606	564	80	88	76	210	198	184	174	186	422	740	1,082	1,526	2,016	2,310	2,678	2,730	2,456	1,778	858	244	6
	WHITE.....MALE....	11,226	318	40	50	44	132	140	118	104	98	252	464	650	916	1,274	1,328	1,516	1,432	1,176	728	360	82	4
	FEMALE..	8,166	204	36	38	26	60	50	58	52	84	142	230	358	510	614	818	964	1,122	1,184	996	468	150	2
	ALL OTHER..MALE....	678	20	2	-	4	12	2	6	8	4	20	26	48	50	68	104	108	98	44	36	12	6	-
	FEMALE..	536	22	2	-	2	6	6	2	10	-	8	20	26	50	60	60	90	78	52	18	18	6	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES.....	14	2	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	4	-	-	2	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	2	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS..	66	-	-	-	-	-	-	-	-	-	2	-	12	8	12	10	8	-	10	2	2	-	-
	WHITE.....MALE....	42	-	-	-	-	-	-	-	-	-	-	-	6	4	10	8	6	-	4	2	2	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	4	-	-	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM.....	60	-	-	-	-	-	-	-	-	-	2	-	12	6	10	10	8	-	8	2	2	-	-
	WHITE.....MALE....	38	-	-	-	-	-	-	-	-	-	-	-	6	2	8	8	6	-	4	2	2	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS.	4	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA.....	28	-	-	-	-	-	-	-	2	-	-	-	-	4	2	4	4	2	6	2	2	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	2	4	-	2	-	-
	FEMALE..	12	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	4	-	2	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WEST VIRGINIA--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	34	2	-	-	2	-	4	2	2	-	2	-	4	-	-	8	-	-	2	2	2	2	-
	WHITE.....MALE....	16	2	-	-	-	-	2	2	-	-	2	-	4	-	-	2	-	-	-	-	-	2	-
	FEMALE..	16	-	-	-	2	-	2	-	-	-	-	-	-	-	-	6	-	-	2	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	3,322	-	6	16	2	16	10	22	12	44	66	188	216	336	512	512	500	394	256	150	54	8	2
	WHITE.....MALE....	1,754	-	2	6	-	8	6	14	6	18	24	88	96	178	298	294	276	224	114	74	28	-	-
	FEMALE..	1,350	-	4	10	2	8	2	8	4	26	40	92	110	140	176	176	178	138	130	72	24	8	2
	ALL OTHER..MALE....	124	-	-	-	-	-	2	-	-	-	2	6	8	10	18	20	26	22	6	4	-	-	-
	FEMALE..	94	-	-	-	-	-	-	-	2	-	-	2	2	8	20	22	20	10	6	-	2	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	78	-	-	-	-	-	-	-	-	-	-	14	2	10	16	16	6	10	-	4	-	-	-
	WHITE.....MALE....	40	-	-	-	-	-	-	-	-	-	-	8	2	4	8	8	2	6	-	2	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	6	-	4	6	4	2	4	-	2	-	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	914	-	-	-	-	-	-	-	-	2	14	36	52	62	124	148	152	142	102	62	12	4	2
	WHITE.....MALE....	460	-	-	-	-	-	-	-	-	-	4	18	22	40	68	86	76	76	36	30	4	-	-
	FEMALE..	376	-	-	-	-	-	-	-	-	2	10	14	26	18	44	52	60	46	60	32	6	4	2
	ALL OTHER..MALE....	42	-	-	-	-	-	-	-	-	-	-	4	2	2	4	6	8	16	-	-	-	-	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	2	2	2	8	4	8	4	6	-	2	-	-
160-163	OF RESPIRATORY SYSTEM....	854	-	-	-	-	-	-	2	2	10	16	38	56	116	162	164	136	76	40	24	12	-	-
	WHITE.....MALE....	656	-	-	-	-	-	-	-	-	8	8	32	38	86	130	126	106	64	28	18	12	-	-
	FEMALE..	142	-	-	-	-	-	-	2	-	2	8	4	16	20	22	30	18	8	8	4	-	-	-
	ALL OTHER..MALE....	38	-	-	-	-	-	-	-	-	-	-	2	2	6	4	6	10	2	4	2	-	-	-
	FEMALE..	18	-	-	-	-	-	-	-	2	-	-	-	-	4	6	2	2	2	-	-	-	-	-
174	OF BREAST.....	232	-	-	-	-	-	-	-	-	8	4	22	34	32	32	20	24	22	18	6	10	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	228	-	-	-	-	-	-	-	-	8	4	20	34	32	32	20	22	22	18	6	10	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	392	-	-	-	-	2	2	6	2	10	12	24	16	38	44	54	64	54	34	20	10	-	-
	WHITE.....MALE....	136	-	-	-	-	2	-	4	2	-	-	-	-	4	10	22	26	30	16	12	8	-	-
	FEMALE..	236	-	-	-	-	-	2	2	-	10	12	24	16	34	30	24	36	18	18	8	2	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	-	2	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	138	-	-	-	-	-	-	-	-	-	6	2	6	22	24	16	24	10	14	10	2	2	-
	WHITE.....MALE....	96	-	-	-	-	-	-	-	-	-	6	2	6	16	16	10	16	8	10	4	2	-	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	-	-	6	8	2	6	2	4	4	-	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	438	-	4	2	-	6	4	-	4	6	12	30	34	38	78	60	58	52	28	16	4	2	-
	WHITE.....MALE....	224	-	2	-	-	2	4	-	2	6	6	18	16	20	46	26	30	26	12	6	2	-	-
	FEMALE..	186	-	2	2	-	4	-	-	2	-	6	12	16	16	22	32	18	24	16	10	2	2	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	-	-	2	-	8	2	2	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	8	2	-	-	-	-	-
204-207	LEUKEMIA.....	120	-	2	14	2	8	-	4	-	6	-	12	4	4	6	8	20	12	10	6	2	-	-
	WHITE.....MALE....	54	-	-	6	-	4	-	4	-	2	-	4	2	-	4	4	12	4	8	-	-	-	-
	FEMALE..	64	-	2	8	2	4	-	-	-	4	-	8	2	4	2	2	8	8	2	6	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	156	-	-	-	-	-	4	10	4	2	2	10	12	14	26	26	16	16	10	2	2	-	-
	WHITE.....MALE....	88	-	-	-	-	-	2	6	2	2	-	6	10	8	16	12	8	10	4	2	-	-	-
	FEMALE..	56	-	-	-	-	-	-	4	2	-	-	4	-	6	10	10	8	6	4	-	2	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	2	-	-	-	2	-	2	-	-	2	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	28	-	-	-	-	2	-	-	-	-	-	4	-	6	8	4	-	2	-	2	-	-	-
	WHITE.....MALE....	14	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	-	2	-	-	-	-	-
	FEMALE..	14	-	-	-	-	2	-	-	-	-	-	4	-	2	4	-	-	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	362	-	-	2	2	-	-	-	4	4	12	10	18	24	36	60	48	54	54	30	4	-	-
	WHITE.....MALE....	132	-	-	-	2	-	-	-	2	2	8	4	12	6	10	18	12	24	26	6	-	-	-
	FEMALE..	210	-	-	2	-	-	-	-	2	2	4	6	6	12	18	42	34	30	24	24	4	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	-	6	6	-	2	-	2	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WEST VIRGINIA--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	28	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	4	4	4	6	2	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-
	FEMALE..	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	4	2	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	22	-	4	-	-	-	-	-	-	-	-	-	2	4	2	6	2	-	2	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
	FEMALE..	14	-	2	-	-	-	-	-	-	-	-	-	2	4	-	6	-	-	-	-	-	-	-
	ALL OTHER..MALE....	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	10	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	WHITE.....MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	11,056	4	-	4	2	8	16	16	16	24	134	264	510	732	972	1,222	1,566	1,740	1,672	1,326	642	186	-
	WHITE.....MALE....	5,774	-	-	4	-	-	6	8	6	10	86	182	332	472	630	708	844	856	770	526	268	66	-
	FEMALE..	4,680	2	-	-	2	6	6	8	6	14	34	66	136	206	298	434	618	780	844	758	348	114	-
	ALL OTHER..MALE....	318	2	-	-	-	2	-	-	4	-	6	10	24	26	24	48	58	54	24	24	10	2	-
	FEMALE..	284	-	-	-	-	-	4	-	-	-	8	6	18	28	20	32	46	50	34	18	16	4	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	8,148	-	-	2	2	2	6	12	10	18	112	218	432	598	802	946	1,216	1,234	1,130	900	390	118	-
	WHITE.....MALE....	4,458	-	-	2	-	-	2	8	4	8	78	158	296	396	542	564	678	616	544	354	162	46	-
	FEMALE..	3,264	-	-	-	2	2	2	4	4	10	24	50	100	166	224	322	462	534	560	516	212	70	-
	ALL OTHER..MALE....	232	-	-	-	-	-	-	-	2	-	4	6	22	16	20	38	44	46	14	18	2	-	-
	FEMALE..	194	-	-	-	-	-	2	-	-	-	6	4	14	20	16	22	32	38	12	12	14	2	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	118	-	-	-	-	-	-	-	-	-	8	8	16	16	16	22	16	6	6	4	-	-	-
	WHITE.....MALE....	40	-	-	-	-	-	-	-	-	-	4	2	2	8	2	16	2	-	2	2	-	-	-
	FEMALE..	74	-	-	-	-	-	-	-	-	-	4	6	14	6	12	6	14	6	4	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	92	-	-	-	-	-	-	-	2	-	-	10	4	6	4	6	6	18	12	16	6	2	-
	WHITE.....MALE....	40	-	-	-	-	-	-	-	2	-	-	6	2	-	2	4	4	2	6	8	4	-	-
	FEMALE..	48	-	-	-	-	-	-	-	-	-	-	4	-	4	2	2	2	16	6	8	2	2	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	62	-	-	-	-	-	-	-	-	-	-	-	2	4	-	4	6	12	8	10	10	6	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	4	2	2	4	2	-
	FEMALE..	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	6	8	6	4	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	7,416	-	-	-	-	2	2	8	4	16	98	182	378	538	732	858	1,146	1,144	1,042	822	346	98	-
	WHITE.....MALE....	4,160	-	-	-	-	-	2	6	2	8	72	142	270	366	510	522	646	596	508	328	140	42	-
	FEMALE..	2,880	-	-	-	-	2	-	2	2	8	18	34	80	144	190	282	424	472	508	468	192	54	-
	ALL OTHER..MALE....	200	-	-	-	-	-	-	-	-	-	4	4	16	12	16	32	44	42	14	14	2	-	-
	FEMALE..	176	-	-	-	-	-	-	-	-	-	4	2	12	16	16	22	32	34	12	12	12	2	-
410	ACUTE MYOCARDIAL INFARCTION.....	4,252	-	-	-	-	2	2	2	4	10	80	140	296	422	550	546	664	632	428	322	122	30	-
	WHITE.....MALE....	2,622	-	-	-	-	-	2	2	2	4	60	110	220	292	396	348	394	362	220	146	52	12	-
	FEMALE..	1,420	-	-	-	-	2	-	-	2	6	14	26	56	110	132	166	230	238	190	164	66	18	-
	ALL OTHER..MALE....	126	-	-	-	-	-	-	-	-	-	2	2	12	12	16	24	20	18	10	8	2	-	-
	FEMALE..	84	-	-	-	-	-	-	-	-	-	4	2	8	8	6	8	20	14	8	4	2	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	22	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	4	2	2	4	2	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	3,149	-	-	-	-	-	-	6	-	6	18	40	82	114	180	310	478	508	612	496	222	68	-
	WHITE.....MALE....	1,524	-	-	-	-	-	-	4	-	4	12	32	50	72	112	174	250	230	286	180	88	30	-
	FEMALE..	1,452	-	-	-	-	-	-	2	-	2	4	6	24	34	58	114	192	234	318	302	126	36	-
	ALL OTHER..MALE....	74	-	-	-	-	-	-	-	-	-	2	2	4	-	-	8	24	24	4	6	-	-	-
	FEMALE..	90	-	-	-	-	-	-	-	-	-	-	-	4	8	10	14	12	20	4	8	8	2	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WEST VIRGINIA—CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	50	-	-	-	-	-	-	-	-	-	2	-	4	6	6	-	2	4	8	8	4	6	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	2	-	4	-	-	2	-
	FEMALE..	30	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	4	4	8	4	4	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	410	-	-	2	2	-	4	4	4	2	4	18	28	28	44	56	40	50	54	40	24	6	-
	WHITE.....MALE....	180	-	-	2	-	-	-	2	-	-	2	8	16	18	26	20	22	14	22	14	14	-	-
	FEMALE..	196	-	-	-	2	-	2	2	2	2	2	6	6	8	18	30	18	30	32	22	8	6	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	2	-	-	2	4	-	-	6	-	4	-	4	-	-	-
	FEMALE..	12	-	-	-	-	-	2	-	-	-	-	2	2	2	-	-	-	2	-	-	2	-	-
400, 401, 403	HYPERTENSION.....	102	-	-	-	-	-	-	-	-	-	4	-	4	6	6	14	14	10	18	14	8	4	-
	WHITE.....MALE....	48	-	-	-	-	-	-	-	-	-	-	-	4	2	4	12	2	4	6	8	2	4	-
	FEMALE..	40	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	8	6	12	4	2	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	2	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-	2	-	-
430-438	CEREBROVASCULAR DISEASES.	2,210	4	-	2	-	6	10	2	6	4	16	36	54	96	126	216	262	408	424	312	180	46	-
	WHITE.....MALE....	974	-	-	2	-	-	4	-	2	2	6	16	22	50	68	108	124	184	176	114	84	12	-
	FEMALE..	1,108	2	-	-	-	4	4	2	2	2	8	14	28	32	54	90	116	208	228	190	94	30	-
	ALL OTHER..MALE....	62	2	-	-	-	2	-	-	2	-	2	4	-	6	2	10	12	8	6	2	2	2	-
	FEMALE..	66	-	-	-	-	-	2	-	-	-	-	2	4	8	2	8	10	8	14	6	-	2	-
431	CEREBRAL HEMORRHAGE.....	436	-	-	-	-	-	2	-	2	2	4	10	14	32	40	64	40	86	64	42	34	-	-
	WHITE.....MALE....	174	-	-	-	-	-	2	-	2	2	-	2	8	16	20	26	16	22	28	16	14	-	-
	FEMALE..	234	-	-	-	-	-	-	-	-	-	4	4	4	14	20	32	20	60	32	24	20	-	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	4	-	2	-	2	2	4	2	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	-	2	2	-	-	-
433	CEREBRAL THROMBOSIS.....	620	-	-	-	-	-	-	-	-	-	-	4	10	10	30	44	68	132	144	110	46	22	-
	WHITE.....MALE....	270	-	-	-	-	-	-	-	-	-	-	4	4	6	10	26	24	74	58	36	22	6	-
	FEMALE..	320	-	-	-	-	-	-	-	-	-	-	-	6	2	20	18	34	54	80	70	24	12	-
	ALL OTHER..MALE....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	-	2	-	2	-
	FEMALE..	18	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	2	6	2	-	2	-
434	CEREBRAL EMBOLISM.....	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	2	2	-	2	2	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	2	-	-	2	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	1,138	4	-	2	-	6	8	2	4	2	12	22	30	52	56	102	152	188	216	158	98	24	-
	WHITE.....MALE....	520	-	-	2	-	-	2	-	-	-	6	10	10	26	38	52	84	86	90	62	46	6	-
	FEMALE..	550	2	-	-	-	4	4	2	2	2	4	10	18	16	14	40	60	94	116	94	50	18	-
	ALL OTHER..MALE....	34	2	-	-	-	2	-	-	2	-	2	-	-	4	2	8	4	2	4	-	2	-	-
	FEMALE..	34	-	-	-	-	-	2	-	-	-	-	2	2	6	2	2	4	6	6	2	-	-	-
440	ARTERIOSCLEROSIS.....	346	-	-	-	-	-	-	-	-	-	-	-	2	2	14	22	40	50	72	76	56	12	-
	WHITE.....MALE....	150	-	-	-	-	-	-	-	-	-	-	-	2	2	6	8	16	28	30	40	16	2	-
	FEMALE..	176	-	-	-	-	-	-	-	-	-	-	-	-	-	4	12	24	22	32	34	38	10	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	2	2	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	6	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	250	-	-	-	-	-	-	2	-	2	2	10	18	30	24	24	34	38	28	24	8	6	-
	WHITE.....MALE....	144	-	-	-	-	-	-	-	-	-	2	8	8	22	10	16	24	24	14	10	4	2	-
	FEMALE..	92	-	-	-	-	-	-	2	-	2	-	2	8	6	14	8	8	10	12	14	2	4	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	2	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	12	2	-	-	-	-	2	-	-	-	-	-	-	2	-	-	2	4	-	-	-	-	-
	WHITE.....MALE....	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	766	20	4	2	2	4	-	2	4	4	16	18	22	42	56	50	110	122	128	90	48	22	-
	WHITE.....MALE....	450	18	4	-	-	2	-	-	4	4	10	16	16	32	38	32	70	72	68	42	18	4	-
	FEMALE..	276	2	-	2	2	2	-	2	-	-	4	2	6	6	14	14	32	42	54	44	30	18	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	4	2	-	4	-	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	4	6	6	-	-	-	-
470-474	INFLUENZA.....	72	-	-	-	-	-	-	-	-	-	2	2	2	6	8	-	14	12	8	14	4	-	-
	WHITE.....MALE....	42	-	-	-	-	-	-	-	-	-	2	2	-	4	6	-	8	10	2	6	2	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	6	2	6	8	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	694	20	4	2	2	4	-	2	4	4	14	16	20	36	48	50	96	110	120	76	44	22	-
	WHITE.....MALE....	408	18	4	-	-	2	-	-	4	4	8	14	16	28	32	32	62	62	66	36	16	4	-
	FEMALE..	248	2	-	2	2	2	-	2	-	-	4	2	4	6	12	14	26	40	48	36	28	18	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	4	2	-	4	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	4	6	6	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WEST VIRGINIA--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	400	-	2	-	-	-	-	2	2	-	2	10	34	36	50	64	78	70	26	16	6	2	-
	WHITE.....MALE	300	-	-	-	-	-	-	-	-	-	-	8	22	22	46	52	54	54	24	14	2	2	-
	FEMALE	86	-	2	-	-	-	-	2	2	-	2	2	12	14	2	12	20	8	2	2	4	-	-
	ALL OTHER..MALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	8	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	76	-	-	-	-	-	-	-	2	-	-	2	10	10	16	4	16	4	6	4	2	-	-
	WHITE.....MALE	56	-	-	-	-	-	-	-	-	-	-	2	6	6	14	4	12	2	6	4	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	2	-	-	-	4	4	2	-	4	-	-	-	2	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	298	-	-	-	-	-	-	-	-	-	-	6	20	24	34	56	60	62	20	10	4	2	-
	WHITE.....MALE	236	-	-	-	-	-	-	-	-	-	-	6	14	16	32	46	42	50	18	8	2	2	-
	FEMALE	52	-	-	-	-	-	-	-	-	-	-	-	6	8	-	10	14	8	2	2	2	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	26	-	2	-	-	-	-	2	-	-	2	2	4	2	-	4	2	4	-	2	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	2	-	-	-
	FEMALE	16	-	2	-	-	-	-	2	-	-	2	2	2	2	-	2	2	-	-	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	68	-	-	-	-	-	-	-	-	-	2	2	8	6	6	14	14	4	4	8	-	-	-
	WHITE.....MALE	50	-	-	-	-	-	-	-	-	-	2	2	6	4	6	6	14	2	4	4	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	2	2	-	8	-	2	-	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	20	-	-	2	-	-	-	-	2	-	-	2	-	4	4	-	-	-	4	2	-	-	-
	WHITE.....MALE	14	-	-	2	-	-	-	-	-	-	-	2	-	2	2	-	-	-	4	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	70	4	-	-	-	-	-	4	-	-	-	4	6	-	2	4	14	8	14	4	6	-	-
	WHITE.....MALE	26	2	-	-	-	-	-	2	-	-	-	2	-	-	2	2	10	-	2	-	4	-	-
	FEMALE	38	-	-	-	-	-	-	2	-	-	-	2	4	-	-	2	4	8	10	4	2	-	-
	ALL OTHER..MALE	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	262	-	-	-	-	-	2	4	8	10	22	34	46	44	26	36	14	10	-	6	-	-	-
	WHITE.....MALE	158	-	-	-	-	-	-	2	4	4	16	24	30	24	16	18	12	4	-	4	-	-	-
	FEMALE	86	-	-	-	-	-	2	2	2	4	6	10	6	20	10	18	-	4	-	2	-	-	-
	ALL OTHER..MALE	10	-	-	-	-	-	-	-	-	2	-	-	6	-	-	-	-	2	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	2	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	40	-	-	-	-	-	-	-	-	-	-	-	4	2	2	6	-	10	8	6	-	2	-
	WHITE.....MALE	24	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	8	6	4	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	2	2	2	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	50	-	-	-	-	-	6	-	-	2	-	-	-	4	10	6	6	4	8	-	4	-	-
	WHITE.....MALE	30	-	-	-	-	-	6	-	-	-	-	-	-	2	8	2	2	4	4	-	2	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	2	-	4	-	2	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	6	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	44	-	-	-	-	-	4	-	-	2	-	-	-	4	8	6	6	2	8	-	4	-	-
	WHITE.....MALE	24	-	-	-	-	-	4	-	-	-	-	-	-	2	6	2	2	2	4	-	2	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	2	-	4	-	2	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	48	-	-	-	-	-	-	-	-	-	4	-	2	4	4	-	6	14	8	6	-	-	-
	WHITE.....MALE	28	-	-	-	-	-	-	-	-	-	4	-	-	-	4	-	4	4	8	4	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	2	8	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	12	2	2	2	-	-
	WHITE.....MALE	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	8	2	-	2	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972–Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WEST VIRGINIA--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	166	116	16	8	6	4	2	2	-	-	2	-	2	-	2	2	2	2	-	-	-	-	-
	WHITE.....MALE....	82	64	6	4	2	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	84	52	10	4	4	2	2	-	-	-	2	-	-	-	2	2	2	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	354	352	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	194	192	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	160	158	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	86	84	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	554	28	-	-	-	2	-	-	4	2	12	30	44	56	64	70	70	44	54	44	22	8	-
	WHITE.....MALE....	312	20	-	-	-	-	-	-	4	2	6	14	22	38	48	42	44	12	30	18	10	2	-
	FEMALE..	194	6	-	-	-	2	-	-	-	-	2	8	18	16	10	22	22	28	22	26	10	2	-
	ALL OTHER..MALE....	22	-	-	-	-	-	-	-	-	-	4	2	4	-	-	6	2	-	-	-	2	2	-
	FEMALE..	26	2	-	-	-	-	-	-	-	-	-	6	-	2	6	-	2	4	2	-	-	2	-
RESIDUAL	ALL OTHER DISEASES.....	1,188	16	10	12	4	18	4	14	20	18	52	46	78	112	142	142	150	152	124	40	26	8	-
	WHITE.....MALE....	678	14	10	8	2	6	4	6	10	6	24	20	52	62	86	74	116	96	62	14	4	2	-
	FEMALE..	420	2	-	4	2	8	-	6	8	12	24	20	26	46	34	48	24	50	54	26	22	4	-
	ALL OTHER..MALE....	60	-	-	-	-	2	-	-	-	-	4	2	-	4	18	16	4	2	6	-	-	2	-
	FEMALE..	30	-	-	-	-	2	-	2	2	-	-	4	-	-	4	4	6	4	2	-	-	-	-
E800-E949	ACCIDENTS.....	1,290	14	38	42	48	144	120	90	70	64	60	82	50	62	80	70	64	62	56	34	32	4	4
	WHITE.....MALE....	860	2	18	26	32	108	96	64	52	44	46	60	38	38	52	48	40	50	28	14	14	2	4
	FEMALE..	364	10	18	16	10	28	24	22	16	18	12	18	20	16	28	16	16	10	26	20	18	2	-
	ALL OTHER..MALE....	38	-	-	-	4	4	-	4	2	2	2	4	-	8	-	4	2	-	2	-	-	-	-
	FEMALE..	20	2	2	-	2	4	-	-	-	-	-	-	-	-	-	2	6	2	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	560	2	12	14	20	94	92	54	34	24	22	24	22	26	36	28	18	22	14	2	-	-	-
	WHITE.....MALE....	390	-	8	6	12	72	74	36	28	20	18	18	14	14	22	14	8	16	8	2	-	-	-
	FEMALE..	142	2	2	8	4	16	18	14	6	4	4	4	8	10	14	10	8	6	4	-	-	-	-
	ALL OTHER..MALE....	20	-	-	-	2	4	-	4	-	-	-	2	-	2	-	4	-	-	2	-	-	-	-
	FEMALE..	8	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	730	12	26	28	28	50	28	36	36	40	38	58	28	36	44	42	46	40	42	32	32	4	4
	WHITE.....MALE....	478	2	10	20	20	36	22	28	24	24	28	42	16	24	30	34	32	34	20	12	14	2	4
	FEMALE..	222	8	16	8	6	12	6	8	10	14	8	14	12	6	14	6	8	4	22	20	18	2	-
	ALL OTHER..MALE....	18	-	-	-	2	-	-	-	2	2	2	2	-	6	-	-	2	-	-	-	-	-	-
	FEMALE..	12	2	-	-	-	2	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-	-	-
E950-E959	SUICIDE.....	176	---	---	-	4	4	8	14	8	8	16	28	12	18	16	18	6	4	8	-	4	-	-
	WHITE.....MALE....	132	...	...	-	2	4	8	12	4	4	10	28	8	10	8	14	4	4	8	-	4	-	-
	FEMALE..	42	...	...	-	2	-	-	2	4	4	6	-	2	8	8	4	2	-	-	-	-	-	-
	ALL OTHER..MALE....	2	...	...	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	102	-	-	-	4	4	12	6	18	6	16	14	4	8	-	-	4	4	2	-	-	-	-
	WHITE.....MALE....	70	-	-	-	4	-	10	4	10	4	12	12	4	6	-	-	2	-	2	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	4	2	4	-	-	2	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	14	-	-	-	-	4	-	2	2	-	-	2	-	-	-	-	2	2	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	36	-	-	-	-	2	6	6	-	-	2	4	4	4	4	-	-	4	-	-	-	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	2	-	-	2	2	4	2	-	-	-	4	-	-	-	-	-
	FEMALE..	16	-	-	-	-	2	6	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WISCONSIN																							
	ALL CAUSES	42,120	912	204	150	146	474	440	316	304	362	616	1,086	1,710	2,592	3,432	4,428	5,422	6,330	6,250	4,346	2,022	578	-
	WHITE.....MALE	23,094	476	106	80	102	344	302	194	174	194	316	668	1,062	1,674	2,190	2,778	3,200	3,500	2,974	1,810	734	200	-
	FEMALE	18,058	340	82	58	38	108	96	98	96	136	254	362	564	834	1,152	1,570	2,138	2,770	3,226	2,500	1,268	368	-
	ALL OTHER..MALE	550	52	12	8	4	10	34	18	22	18	24	34	54	46	38	42	58	32	16	18	8	2	-
	FEMALE	418	44	4	4	2	12	8	6	12	14	22	22	30	38	52	38	26	20	34	18	12	-	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	46	8	-	-	-	4	-	-	-	-	2	2	2	2	2	-	4	6	8	2	2	2	-
	WHITE.....MALE	28	4	-	-	-	4	-	-	-	-	-	-	2	-	-	-	2	4	8	2	2	-	-
	FEMALE	16	4	-	-	-	-	-	-	-	-	2	-	-	2	2	-	2	2	-	-	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	46	-	-	-	-	-	-	-	-	2	-	4	8	4	4	12	2	2	6	2	-	-	-
	WHITE.....MALE	32	-	-	-	-	-	-	-	-	-	-	4	4	4	4	10	-	-	4	2	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	2	-	-	4	-	-	2	2	2	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	34	-	-	-	-	-	-	-	-	2	-	4	4	2	4	6	2	2	6	2	-	-	-
	WHITE.....MALE	26	-	-	-	-	-	-	-	-	-	-	4	4	2	4	6	-	-	4	2	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	2	2	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	12	-	-	-	-	-	-	-	-	-	-	-	4	2	-	6	-	-	-	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	6	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	72	16	-	-	-	-	-	2	-	-	-	2	-	8	6	12	10	12	2	2	-	-	-
	WHITE.....MALE	42	8	-	-	-	-	-	-	-	-	-	2	-	6	4	6	6	8	2	-	-	-	-
	FEMALE	30	8	-	-	-	-	-	2	-	-	-	-	-	2	2	6	4	4	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WISCONSIN--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	84	2	-	2	2	2	-	2	8	2	6	10	8	10	2	6	8	10	2	2	-	-	-
	WHITE.....MALE....	50	-	-	2	2	2	-	2	-	-	6	6	6	6	2	6	2	6	2	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	2	-	-	2	2	4	-	-	6	4	-	2	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	2	-	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	7,390	2	20	26	18	24	32	32	48	80	156	308	462	750	918	1,058	1,104	1,012	770	432	116	22	-
	WHITE.....MALE....	3,936	-	16	14	14	20	20	14	28	42	54	152	212	412	496	624	612	552	404	192	48	10	-
	FEMALE..	3,304	2	4	12	4	4	12	16	16	36	92	142	234	314	398	418	470	454	364	236	64	12	-
	ALL OTHER..MALE....	72	-	-	-	-	-	-	-	4	2	4	6	8	14	10	4	14	-	2	2	2	-	-
	FEMALE..	78	-	-	-	-	-	-	2	-	-	6	8	8	10	14	12	8	6	-	2	2	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	132	-	-	-	-	-	-	-	-	-	4	10	8	18	24	20	16	-	22	6	2	2	-
	WHITE.....MALE....	96	-	-	-	-	-	-	-	-	-	-	6	6	14	18	20	14	-	12	6	-	-	-
	FEMALE..	28	-	-	-	-	-	-	-	-	-	-	2	2	4	6	-	2	-	10	-	-	2	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	2	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	2,194	-	-	-	-	-	-	4	8	14	30	62	84	204	296	292	308	370	298	172	42	10	-
	WHITE.....MALE....	1,126	-	-	-	-	-	-	2	4	10	16	46	44	126	162	146	152	204	130	64	14	6	-
	FEMALE..	1,026	-	-	-	-	-	-	2	4	4	14	14	34	70	122	144	150	164	166	108	26	4	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	2	4	4	-	4	-	2	-	-	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	2	4	4	8	2	2	2	-	-	2	-	-
160-163	OF RESPIRATORY SYSTEM....	1,264	-	-	2	-	-	-	-	2	12	14	56	122	174	194	254	216	120	56	36	6	-	-
	WHITE.....MALE....	1,008	-	-	-	-	-	-	-	2	4	10	40	86	132	146	226	180	102	50	26	4	-	-
	FEMALE..	222	-	-	2	-	-	-	-	-	6	2	12	34	34	44	20	32	18	6	10	2	-	-
	ALL OTHER..MALE....	30	-	-	-	-	-	-	-	-	2	2	4	2	8	4	4	4	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
174	OF BREAST.....	750	-	-	-	-	-	-	4	4	8	30	42	98	102	104	98	92	64	44	38	16	6	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	-	-	-	-	-	-	-
	FEMALE..	728	-	-	-	-	-	-	4	4	8	26	42	90	98	102	96	90	64	44	38	16	6	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	4	-	4	2	-	-	2	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	904	-	2	-	-	2	2	4	4	6	16	38	40	72	72	116	138	158	136	82	16	-	-
	WHITE.....MALE....	432	-	2	-	-	-	2	-	2	2	-	2	6	10	20	68	76	82	98	54	8	-	-
	FEMALE..	452	-	-	-	-	2	-	2	2	4	16	34	32	58	48	48	58	76	38	26	8	-	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	2	-	-	-
	FEMALE..	12	-	-	-	-	-	-	2	-	-	-	2	-	2	4	-	2	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	404	-	2	2	-	-	-	-	-	4	-	16	10	34	32	52	68	72	54	40	18	-	-
	WHITE.....MALE....	276	-	2	-	-	-	-	-	-	2	-	12	6	26	26	38	44	56	34	18	12	-	-
	FEMALE..	122	-	-	2	-	-	-	-	-	2	-	4	4	8	6	12	24	14	20	20	6	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	906	-	6	10	8	10	10	10	18	16	24	58	64	78	108	116	128	110	84	32	14	2	-
	WHITE.....MALE....	502	-	6	6	6	10	6	6	12	12	12	32	42	44	66	58	78	50	34	12	8	2	-
	FEMALE..	386	-	-	4	2	-	4	4	4	4	12	22	22	34	40	54	46	58	50	20	6	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	4	-	-	2	4	-	2	-	-	-	-	-
204-207	LEUKEMIA.....	356	2	6	8	10	6	8	4	8	4	12	10	12	26	28	38	60	62	34	14	2	2	-
	WHITE.....MALE....	206	-	2	4	8	6	2	2	6	2	4	6	6	20	22	26	32	26	24	4	2	2	-
	FEMALE..	146	2	4	4	2	-	6	2	-	2	8	4	6	4	6	12	28	36	10	10	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES.....	480	-	4	4	-	6	12	6	4	16	26	16	24	42	60	72	78	56	42	12	-	-	-
	WHITE.....MALE....	280	-	4	4	-	4	10	4	2	10	12	8	12	38	34	40	36	32	22	8	-	-	-
	FEMALE..	194	-	-	-	-	2	2	2	2	6	14	8	10	4	24	32	40	24	20	4	-	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECI-FIED NATURE.....	90	-	2	-	-	-	2	4	-	2	4	6	4	4	14	6	8	14	10	8	-	2	-
	WHITE.....MALE....	38	-	-	-	-	-	2	-	-	2	2	6	2	2	8	-	-	8	4	-	-	2	-
	FEMALE..	52	-	2	-	-	-	-	4	-	-	2	-	2	2	6	6	8	6	6	8	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	878	-	2	4	-	-	8	4	14	6	14	10	36	38	74	126	130	172	116	86	38	-	-
	WHITE.....MALE....	368	-	2	2	-	-	4	2	4	2	6	6	12	18	32	50	72	76	44	24	12	-	-
	FEMALE..	494	-	-	2	-	-	4	2	10	4	8	2	22	16	38	76	56	96	70	62	26	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	FEMALE..	12	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	2	-	2	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WISCONSIN--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	84	-	-	-	-	-	-	-	-	2	-	-	-	4	4	4	2	18	16	14	20	-	-
	WHITE.....MALE....	42	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	12	8	8	6	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	2	6	8	6	14	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	68	-	-	-	2	2	-	-	2	2	-	2	-	-	10	2	8	10	18	8	2	-	-
	WHITE.....MALE....	34	-	-	-	2	2	-	-	-	2	-	-	-	-	6	2	4	8	6	2	-	-	-
	FEMALE..	32	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	4	2	12	6	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	22	6	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	WHITE.....MALE....	18	4	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	FEMALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	23,770	18	6	4	8	16	8	16	36	72	186	388	746	1,198	1,702	2,450	3,286	4,152	4,366	3,154	1,508	450	-
	WHITE.....MALE....	12,878	14	2	4	4	12	4	8	22	50	122	282	560	866	1,188	1,602	1,980	2,262	1,980	1,242	524	150	-
	FEMALE..	10,514	4	-	-	4	4	4	6	14	14	44	88	150	288	466	796	1,262	1,858	2,356	1,886	970	300	-
	ALL OTHER..MALE....	196	-	2	-	-	-	-	-	-	2	10	12	20	20	20	34	30	22	8	12	4	-	-
	FEMALE..	182	-	2	-	-	-	-	2	-	6	10	6	16	24	28	18	14	10	22	14	10	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	17,236	14	6	2	2	12	6	10	30	48	162	324	604	938	1,350	1,946	2,438	2,990	2,966	2,100	990	298	-
	WHITE.....MALE....	9,816	12	2	2	-	8	2	6	22	40	108	248	476	724	972	1,294	1,494	1,708	1,364	870	362	102	-
	FEMALE..	7,168	2	-	-	2	4	4	4	8	6	34	64	104	182	354	612	920	1,260	1,588	1,208	616	196	-
	ALL OTHER..MALE....	142	-	2	-	-	-	-	-	-	-	10	6	16	18	12	26	18	16	4	12	2	-	-
	FEMALE..	110	-	2	-	-	-	-	-	-	2	10	6	8	14	12	14	6	6	10	10	10	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	264	-	2	-	-	-	4	2	4	4	10	2	18	48	38	42	26	42	16	4	2	-	-
	WHITE.....MALE....	134	-	-	-	-	-	2	-	2	4	2	2	8	20	22	26	14	22	6	2	2	-	-
	FEMALE..	124	-	-	-	-	-	2	2	2	-	6	-	10	26	16	16	12	20	10	2	-	-	-
	ALL OTHER..MALE....	4	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	182	-	-	-	-	-	-	-	-	2	2	8	16	22	16	26	22	16	42	10	-	-	-
	WHITE.....MALE....	72	-	-	-	-	-	-	-	-	-	-	2	10	14	6	10	10	8	10	2	-	-	-
	FEMALE..	94	-	-	-	-	-	-	-	-	-	2	2	2	6	6	16	12	8	32	8	-	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	2	-	2	2	2	2	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	112	-	-	-	-	-	-	-	-	-	-	-	-	4	4	8	10	18	16	32	16	4	-
	WHITE.....MALE....	46	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	-	6	14	10	6	-	-
	FEMALE..	66	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	10	12	2	22	10	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	15,628	-	-	-	-	2	-	4	18	42	130	292	494	786	1,198	1,746	2,266	2,750	2,752	1,938	930	280	-
	WHITE.....MALE....	8,936	-	-	-	-	2	-	2	16	36	92	234	402	630	870	1,162	1,396	1,582	1,276	798	344	.94	-
	FEMALE..	6,490	-	-	-	-	-	-	2	2	6	22	52	78	136	312	546	846	1,146	1,462	1,120	574	186	-
	ALL OTHER..MALE....	116	-	-	-	-	-	-	-	-	-	8	2	10	10	10	26	18	16	4	10	2	-	-
	FEMALE..	86	-	-	-	-	-	-	-	-	-	8	4	4	10	6	12	6	6	10	10	10	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	7,978	-	-	-	-	2	-	4	10	34	96	220	364	540	804	1,078	1,362	1,360	1,202	644	200	58	-
	WHITE.....MALE....	5,092	-	-	-	-	2	-	2	8	30	68	174	300	454	574	756	884	828	616	286	82	28	-
	FEMALE..	2,790	-	-	-	-	-	-	2	2	4	20	46	52	80	222	298	472	518	582	348	114	30	-
	ALL OTHER..MALE....	54	-	-	-	-	-	-	-	-	-	4	-	8	2	6	16	2	10	-	6	-	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	4	-	4	4	2	8	4	4	4	4	4	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	100	-	-	-	-	-	-	-	2	-	2	2	8	4	10	14	16	22	6	6	4	4	-
	WHITE.....MALE....	66	-	-	-	-	-	-	-	2	-	2	2	6	2	6	12	12	14	4	2	-	2	-
	FEMALE..	34	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	4	8	2	4	4	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	7,548	-	-	-	-	-	-	-	6	8	32	70	122	242	384	652	888	1,368	1,544	1,288	726	218	-
	WHITE.....MALE....	3,776	-	-	-	-	-	-	-	6	6	22	58	96	174	290	392	500	740	686	510	262	64	-
	FEMALE..	3,666	-	-	-	-	-	-	-	-	2	2	6	24	54	86	246	370	620	878	768	456	154	-
	ALL OTHER..MALE....	62	-	-	-	-	-	-	-	-	-	4	2	2	8	4	10	16	6	4	4	2	-	-
	FEMALE..	44	-	-	-	-	-	-	-	-	-	4	4	-	6	4	4	2	2	6	6	6	-	-
413	ANGINA PECTORIS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WISCONSIN—CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	156	-	-	-	-	-	-	-	4	-	2	4	4	8	8	10	18	34	16	32	10	6	-
	WHITE.....MALE....	68	-	-	-	-	-	-	-	2	-	2	4	-	4	6	6	4	18	-	14	2	6	-
	FEMALE..	84	-	-	-	-	-	-	-	2	-	-	-	4	2	2	2	14	16	16	18	8	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	894	14	4	2	2	10	2	4	4	-	18	18	72	70	86	114	96	130	124	84	32	8	-
	WHITE.....MALE....	560	12	2	2	-	6	-	4	2	-	12	6	56	52	66	86	70	72	58	44	8	2	-
	FEMALE..	310	2	-	-	2	4	2	-	2	-	4	10	10	12	16	28	26	58	66	38	24	6	-
	ALL OTHER..MALE....	14	-	-	-	-	-	-	-	-	-	2	2	4	4	-	-	-	-	-	2	-	-	-
	FEMALE..	10	-	2	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	190	-	-	-	-	-	-	-	-	2	-	2	2	14	10	16	24	32	40	32	8	8	-
	WHITE.....MALE....	102	-	-	-	-	-	-	-	-	-	-	2	2	8	4	6	16	14	24	18	4	4	-
	FEMALE..	76	-	-	-	-	-	-	-	-	-	-	-	-	6	6	6	8	16	12	14	4	4	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	2	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	4,866	-	-	2	4	4	2	6	4	20	18	52	124	198	272	398	674	844	1,092	750	322	80	-
	WHITE.....MALE....	2,238	-	-	2	2	4	2	2	-	10	12	26	70	104	172	232	380	390	460	242	104	24	-
	FEMALE..	2,532	-	-	-	2	-	-	2	4	6	6	20	44	82	80	162	276	448	624	504	216	56	-
	ALL OTHER..MALE....	36	-	-	-	-	-	-	-	-	-	-	6	2	2	6	4	12	2	-	-	2	-	-
	FEMALE..	60	-	-	-	-	-	-	2	-	4	-	-	8	10	14	-	6	4	8	4	-	-	-
431	CEREBRAL HEMORRHAGE.....	758	-	-	-	-	-	-	2	-	4	8	14	40	56	84	88	106	102	136	76	34	8	-
	WHITE.....MALE....	334	-	-	-	-	-	-	2	-	2	4	6	22	28	52	34	60	36	50	24	12	2	-
	FEMALE..	400	-	-	-	-	-	-	-	-	2	4	6	14	24	24	54	44	64	84	52	22	6	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	2	-	-	6	-	2	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	-	4	4	2	-	-	2	2	-	-	-	-
433	CEREBRAL THROMBOSIS.....	1,214	-	-	-	-	-	-	-	-	2	-	12	10	28	44	78	192	236	288	204	90	30	-
	WHITE.....MALE....	560	-	-	-	-	-	-	-	-	-	-	8	6	16	28	58	108	104	134	60	28	10	-
	FEMALE..	632	-	-	-	-	-	-	-	-	-	-	4	2	12	12	18	78	130	152	144	60	20	-
	ALL OTHER..MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	2	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	2	-	-	2	-	4	-	2	2	2	-	-	-	-
434	CEREBRAL EMBOLISM.....	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	6	-	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	2,878	-	-	2	4	4	2	4	4	14	10	26	74	114	144	230	372	502	662	470	198	42	-
	WHITE.....MALE....	1,336	-	-	2	2	4	2	-	-	8	8	12	42	60	92	140	210	248	272	158	64	12	-
	FEMALE..	1,492	-	-	-	2	-	-	2	4	4	2	10	28	46	44	88	152	252	386	308	134	30	-
	ALL OTHER..MALE....	18	-	-	-	-	-	-	-	-	-	-	4	2	2	-	2	6	2	-	-	-	-	-
	FEMALE..	32	-	-	-	-	-	-	2	-	2	-	-	2	6	8	-	4	-	4	4	-	-	-
440	ARTERIOSCLEROSIS.....	884	-	-	-	-	-	-	-	-	-	-	2	2	8	14	18	62	150	194	226	156	52	-
	WHITE.....MALE....	352	-	-	-	-	-	-	-	-	-	-	-	2	4	8	16	32	66	84	82	44	14	-
	FEMALE..	524	-	-	-	-	-	-	-	-	-	-	2	-	4	6	2	28	82	106	144	112	38	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	594	4	-	-	2	-	-	-	2	2	6	8	14	40	56	72	88	136	74	46	32	12	-
	WHITE.....MALE....	370	2	-	-	2	-	-	-	-	-	2	6	10	26	32	54	58	84	48	30	10	6	-
	FEMALE..	214	2	-	-	-	-	-	-	2	2	4	2	2	14	20	14	30	52	26	16	22	6	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	20	2	4	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	2	2	2	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	2	-	-	-
	FEMALE..	10	2	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	1,258	64	18	-	6	6	14	6	4	12	6	22	36	42	78	68	146	182	238	174	102	34	-
	WHITE.....MALE....	704	34	6	-	6	2	8	4	2	4	-	14	24	28	50	54	100	110	118	80	48	12	-
	FEMALE..	504	20	8	-	-	2	6	-	2	2	6	6	8	12	26	14	40	72	116	90	54	20	-
	ALL OTHER..MALE....	34	4	4	-	-	-	-	2	-	4	-	2	2	2	2	-	6	-	2	2	-	2	-
	FEMALE..	16	6	-	-	-	2	-	-	-	2	-	-	2	-	-	-	-	-	2	2	-	-	-
470-474	INFLUENZA.....	148	-	2	-	-	-	2	-	2	2	-	4	4	2	8	8	22	26	30	10	18	8	-
	WHITE.....MALE....	68	-	2	-	-	-	2	-	-	2	-	2	-	2	-	6	16	10	12	4	6	4	-
	FEMALE..	78	-	-	-	-	-	-	-	2	-	-	2	2	-	8	2	6	16	18	6	12	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	1,110	64	16	-	6	6	12	6	2	10	6	18	32	40	70	60	124	156	208	164	84	26	-
	WHITE.....MALE....	636	34	4	-	6	2	6	4	2	2	-	12	24	26	50	48	84	100	106	76	42	8	-
	FEMALE..	426	20	8	-	-	2	6	-	-	2	6	4	6	12	18	12	34	56	98	84	42	16	-
	ALL OTHER..MALE....	34	4	4	-	-	-	-	2	-	4	-	2	2	2	2	-	6	-	2	2	-	2	-
	FEMALE..	14	6	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WISCONSIN--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	574	-	4	4	2	-	2	2	4	-	4	10	10	32	62	80	116	106	76	36	16	8	-
	WHITE.....MALE	450	-	-	2	-	-	-	2	-	-	2	6	10	22	42	66	86	98	66	32	10	6	-
	FEMALE	114	-	4	-	2	-	-	-	4	-	2	4	-	10	20	12	28	8	8	4	6	2	-
	ALL OTHER..MALE	6	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	FEMALE	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	116	-	2	2	-	-	-	-	-	-	2	4	-	-	10	10	26	10	18	6	12	6	-
	WHITE.....MALE	82	-	-	2	-	-	-	-	-	-	-	4	-	-	8	8	18	14	14	4	6	4	-
	FEMALE	34	-	2	-	-	-	-	-	-	-	2	-	-	-	2	2	8	4	4	2	6	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	398	-	-	-	-	-	-	-	-	-	2	4	10	28	50	60	76	82	50	30	4	2	-
	WHITE.....MALE	344	-	-	-	-	-	-	-	-	-	2	2	10	20	32	54	66	78	46	28	4	2	-
	FEMALE	50	-	-	-	-	-	-	-	-	-	-	2	-	8	18	4	10	4	2	2	-	-	-
	ALL OTHER..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	60	-	2	2	2	-	2	2	4	-	-	2	-	4	2	10	14	6	8	-	-	-	-
	WHITE.....MALE	24	-	-	-	-	-	-	2	-	-	-	-	-	2	2	4	2	6	6	-	-	-	-
	FEMALE	30	-	2	-	2	-	-	-	4	-	-	2	-	2	-	6	10	-	2	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
531-533	PEPTIC ULCER	206	-	2	-	-	-	-	-	-	-	2	8	8	16	30	26	20	32	30	26	6	-	-
	WHITE.....MALE	140	-	2	-	-	-	-	-	-	-	-	6	4	12	24	20	16	16	18	20	2	-	-
	FEMALE	62	-	-	-	-	-	-	-	-	-	2	-	4	4	4	6	4	16	12	6	4	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	4	2	2	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	118	4	-	-	-	-	-	2	4	4	-	4	2	2	14	8	14	18	20	12	10	-	-
	WHITE.....MALE	56	2	-	-	-	-	-	2	-	2	-	4	-	2	6	2	6	12	10	6	2	-	-
	FEMALE	58	2	-	-	-	-	-	-	4	2	-	-	2	-	8	4	8	6	8	6	8	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
571	CIRRHOSIS OF LIVER	472	-	-	-	-	-	-	2	2	6	26	52	68	80	76	82	32	22	22	-	-	2	-
	WHITE.....MALE	300	-	-	-	-	-	-	-	2	4	12	30	40	52	58	62	12	18	8	-	-	2	-
	FEMALE	160	-	-	-	-	-	-	2	-	2	14	18	26	28	16	20	20	4	10	-	-	-	-
	ALL OTHER..MALE	8	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	2	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	104	-	-	-	-	-	-	2	-	-	6	-	2	2	8	8	24	22	16	10	2	2	-
	WHITE.....MALE	50	-	-	-	-	-	-	2	-	-	-	-	2	2	4	6	12	16	4	2	-	-	-
	FEMALE	52	-	-	-	-	-	-	-	-	-	6	-	-	-	2	2	12	6	12	8	2	2	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	156	-	-	-	-	2	4	4	-	4	2	-	4	20	6	14	22	28	20	18	8	-	-
	WHITE.....MALE	88	-	-	-	-	-	4	-	-	2	-	-	4	14	2	10	16	20	6	8	2	-	-
	FEMALE	64	-	-	-	-	2	-	4	-	2	2	-	-	4	4	4	6	6	14	10	6	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	22	-	-	-	-	-	-	2	-	-	-	-	-	2	2	-	4	8	-	4	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	-	2	-	-	-
	FEMALE	10	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	2	2	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	134	-	-	-	-	2	4	2	-	4	2	-	4	18	4	14	18	20	20	14	8	-	-
	WHITE.....MALE	76	-	-	-	-	-	4	-	-	2	-	-	4	12	2	10	14	14	6	6	2	-	-
	FEMALE	54	-	-	-	-	2	-	2	-	2	2	-	-	4	2	4	4	4	14	8	6	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	128	-	-	2	-	-	-	-	2	-	2	-	8	4	2	10	22	14	32	20	10	-	-
	WHITE.....MALE	56	-	-	-	-	-	-	-	-	-	-	-	8	2	-	-	14	4	14	10	4	-	-
	FEMALE	70	-	-	2	-	-	-	-	2	-	2	-	-	2	-	10	8	10	18	10	6	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	58	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	6	6	14	16	4	-	-
	WHITE.....MALE	58	-	-	-	-	-	-	-	-	-	-	-	-	2	4	6	6	6	14	16	4	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WISCONSIN—CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	6	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	6	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	6	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	286	170	22	4	12	6	12	8	4	-	8	8	6	8	4	2	4	2	4	2	-	-	-
	WHITE.....MALE....	150	92	8	-	6	4	8	6	4	-	2	4	2	4	-	2	4	2	2	-	-	-	-
	FEMALE..	120	66	14	4	4	2	4	2	-	-	4	4	4	4	4	-	-	-	2	2	-	-	-
	ALL OTHER..MALE....	12	10	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	474	474	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	258	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	218	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	256	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	140	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	274	56	-	-	-	6	6	-	2	-	6	-	2	12	12	16	16	22	30	44	24	20	-
	WHITE.....MALE....	132	26	-	-	-	4	4	-	2	-	-	-	-	6	10	6	6	14	20	18	8	8	-
	FEMALE..	130	20	-	-	-	2	-	-	-	-	6	-	2	6	2	10	10	8	10	26	16	12	-
	ALL OTHER..MALE....	6	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.....	2,348	46	22	12	10	44	30	26	32	42	46	68	120	160	228	280	284	320	278	192	90	18	-
	WHITE.....MALE....	1,198	18	10	4	8	26	10	10	14	20	22	22	64	92	128	144	148	176	136	98	38	10	-
	FEMALE..	1,088	26	10	6	2	14	12	14	14	16	20	46	48	68	96	128	134	144	140	92	50	8	-
	ALL OTHER..MALE....	40	2	-	-	-	2	6	2	4	4	2	-	8	-	2	2	2	-	-	2	2	-	-
	FEMALE..	22	-	2	2	-	2	2	-	-	2	2	-	-	-	2	6	-	-	2	-	-	-	-
E800-E949	ACCIDENTS.....	2,322	38	84	92	82	312	234	140	92	80	90	116	94	122	102	108	134	126	124	76	60	16	-
	WHITE.....MALE....	1,502	14	50	52	56	234	188	106	70	40	60	84	52	80	66	66	78	66	68	40	24	8	-
	FEMALE..	724	18	30	32	22	68	42	32	14	36	26	24	30	34	36	42	52	50	56	36	36	8	-
	ALL OTHER..MALE....	74	2	4	8	2	8	2	2	6	2	4	6	8	8	-	-	4	8	-	-	-	-	-
	FEMALE..	22	4	-	-	2	2	2	-	2	2	-	2	4	-	-	-	-	2	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	1,126	6	36	52	40	246	152	112	64	50	46	48	28	46	40	40	48	30	30	8	4	-	-
	WHITE.....MALE....	732	2	20	22	18	176	128	84	50	22	32	34	16	24	14	16	26	14	22	8	4	-	-
	FEMALE..	358	4	16	24	20	64	24	26	10	26	10	12	6	22	26	24	22	14	8	-	-	-	-
	ALL OTHER..MALE....	28	-	-	6	2	6	-	2	4	-	4	-	4	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	2	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	1,196	32	48	40	42	66	82	28	28	30	44	68	66	76	62	68	86	96	94	68	56	16	-
	WHITE.....MALE....	770	12	30	30	38	58	60	22	20	18	28	50	36	56	52	50	52	52	46	32	20	8	-
	FEMALE..	366	14	14	8	2	4	18	6	4	10	16	12	24	12	10	18	30	36	48	36	36	8	-
	ALL OTHER..MALE....	46	2	4	2	-	2	2	-	2	2	-	6	4	8	-	-	4	8	-	-	-	-	-
	FEMALE..	14	4	-	-	2	2	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	562	...	...	-	2	30	50	36	32	30	42	52	80	64	56	32	16	18	20	2	-	-	-
	WHITE.....MALE....	400	...	...	-	2	28	40	30	22	18	24	30	54	36	42	24	16	12	20	2	-	-	-
	FEMALE..	152	...	...	-	-	2	8	4	8	12	16	22	24	28	14	8	-	6	-	-	-	-	-
	ALL OTHER..MALE....	6	...	...	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	...	...	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	146	6	4	-	2	16	30	20	14	8	8	10	4	4	4	6	2	2	4	2	-	-	-
	WHITE.....MALE....	40	2	-	-	2	4	4	2	4	-	4	8	-	2	2	4	-	-	-	2	-	-	-
	FEMALE..	40	2	4	-	-	6	4	6	2	4	-	2	2	2	2	2	-	-	2	-	-	-	-
	ALL OTHER..MALE....	50	2	-	-	-	-	20	10	6	4	4	-	2	-	-	-	2	-	-	-	-	-	-
	FEMALE..	16	-	-	-	-	6	2	2	2	-	-	-	-	-	-	-	-	2	2	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	30	-	-	-	-	2	6	4	4	8	-	2	-	2	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	18	-	-	-	-	2	4	4	-	6	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	2	2	-	2	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WYOMING																							
	ALL CAUSES	3,074	152	16	14	8	62	56	38	40	50	76	98	114	212	244	302	366	386	382	296	122	40	-
	WHITE.....MALE	1,820	84	6	12	4	40	46	22	26	28	42	70	76	132	168	198	248	236	190	144	38	10	-
	FEMALE	1,166	58	8	2	4	12	8	12	12	18	32	22	32	76	74	94	114	140	186	148	84	30	-
	ALL OTHER..MALE	66	10	-	-	-	8	-	4	2	4	2	2	4	-	2	8	2	8	6	4	-	-	-
	FEMALE	22	-	2	-	-	2	2	-	-	-	-	4	2	4	-	2	2	2	-	-	-	-	-
004, 006	BACILLARY DYSENTERY AND AMEBIASIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008, 009	ENTERITIS AND OTHER DIARRHEAL DISEASES	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, ALL FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
013-019	TUBERCULOSIS, OTHER FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
036	MENINGOCOCCAL INFECTIONS	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
038	SEPTICEMIA	8	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	2	-	-	-	2	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040-043	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	MEASLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
090-097	SYPHILIS AND ITS SEQUELAE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WYOMING--CON.																							
RE-MAIN-DER OF 000-136	OTHER INFECTIVE AND PARASITIC DISEASES.....	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....	432	-	-	-	-	2	2	4	4	14	14	22	22	52	46	48	68	66	32	26	10	-	-
	WHITE.....MALE....	264	-	-	-	-	-	-	2	2	8	10	12	8	32	24	32	44	46	22	16	6	-	-
	FEMALE..	162	-	-	-	-	2	2	2	2	6	4	10	14	20	22	14	22	20	8	10	4	-	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-149	OF BUCCAL CAVITY AND PHARYNX.....	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-159	OF DIGESTIVE ORGANS AND PERITONEUM.....	88	-	-	-	-	-	-	-	-	-	4	4	-	12	8	10	16	14	10	8	2	-	-
	WHITE.....MALE....	60	-	-	-	-	-	-	-	-	-	2	4	-	10	6	6	10	12	4	4	2	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	6	2	4	4	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-163	OF RESPIRATORY SYSTEM....	96	-	-	-	-	-	-	-	-	4	2	6	8	12	10	14	22	14	2	2	-	-	-
	WHITE.....MALE....	74	-	-	-	-	-	-	-	-	4	2	4	6	6	8	10	18	12	2	2	-	-	-
	FEMALE..	22	-	-	-	-	-	-	-	-	-	-	2	2	6	2	4	4	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	OF BREAST.....	32	-	-	-	-	-	-	-	-	-	2	6	6	-	6	-	6	2	2	2	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	2	6	6	-	6	-	6	2	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180-187	OF GENITAL ORGANS.....	58	-	-	-	-	-	-	-	-	4	-	2	-	8	8	6	6	10	6	4	4	-	-
	WHITE.....MALE....	32	-	-	-	-	-	-	-	-	2	-	-	-	-	2	4	6	8	4	2	4	-	-
	FEMALE..	24	-	-	-	-	-	-	-	-	2	-	2	-	8	6	-	-	2	2	2	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188, 189	OF URINARY ORGANS.....	18	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	4	4	2	-	-	-
	WHITE.....MALE....	16	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	2	4	2	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-173, 190-199	OF ALL OTHER AND UNSPECIFIED SITES.....	76	-	-	-	-	2	2	4	-	2	4	2	8	8	8	6	8	12	4	4	2	-	-
	WHITE.....MALE....	48	-	-	-	-	-	-	2	-	2	4	2	2	8	2	4	6	8	4	4	-	-	-
	FEMALE..	26	-	-	-	-	2	2	2	-	-	-	-	6	-	6	2	-	4	-	-	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204-207	LEUKEMIA.....	16	-	-	-	-	-	-	-	2	2	-	-	-	2	-	2	2	2	-	2	2	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	FEMALE..	10	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	2	-	2	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 208, 209	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....	38	-	-	-	-	-	-	-	2	2	-	-	-	8	4	2	6	8	4	2	-	-	-
	WHITE.....MALE....	24	-	-	-	-	-	-	-	-	-	-	-	-	6	4	2	2	4	4	2	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	4	4	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....	8	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	-	-	-	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	DIABETES MELLITUS.....	36	-	-	-	-	-	-	2	-	-	-	-	2	6	-	4	8	6	4	2	2	-	-
	WHITE.....MALE....	12	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	4	2	2	-	-	-	-
	FEMALE..	22	-	-	-	-	-	-	2	-	-	-	-	-	6	-	2	4	2	2	2	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972-Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WYOMING--CON.																							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	ANEMIAS.....	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	MENINGITIS.....	6	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448	MAJOR CARDIOVASCULAR DISEASES.....	1,530	-	-	-	-	-	2	2	2	8	14	38	46	90	120	170	204	224	276	210	88	36	-
	WHITE.....MALE....	858	-	-	-	-	-	2	-	-	6	10	30	34	54	88	114	134	126	126	98	26	10	-
	FEMALE..	644	-	-	-	-	-	-	2	2	2	4	6	8	36	30	48	68	94	146	110	62	26	-
	ALL OTHER..MALE....	20	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	-	4	4	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	-	-	-	-	-	-
390-398, 402, 404, 410-429	DISEASES OF HEART.....	1,068	-	-	-	-	-	2	-	2	8	10	30	36	80	84	128	162	164	168	118	54	22	-
	WHITE.....MALE....	658	-	-	-	-	-	2	-	-	6	8	26	30	50	68	96	106	92	92	58	18	6	-
	FEMALE..	386	-	-	-	-	-	-	-	2	2	2	2	2	30	14	24	54	70	74	58	36	16	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	-	2	2	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	-	-	-	-	-	-
390-398	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE.....	22	-	-	-	-	-	-	-	-	-	-	2	2	4	4	4	4	2	-	-	-	-	-
	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	-	-	-
	FEMALE..	14	-	-	-	-	-	-	-	-	-	-	2	-	4	2	2	2	2	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE.....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	2	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-413	ISCHEMIC HEART DISEASE...	938	-	-	-	-	-	2	-	-	6	10	28	30	68	68	110	134	152	148	114	48	20	-
	WHITE.....MALE....	594	-	-	-	-	-	2	-	-	6	8	26	24	44	60	86	88	84	84	58	18	6	-
	FEMALE..	320	-	-	-	-	-	-	-	-	-	2	-	2	24	6	16	44	66	62	54	30	14	-
	ALL OTHER..MALE....	16	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	-	2	2	2	-	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	-	-	-	-	-	-
410	ACUTE MYOCARDIAL INFARCTION.....	574	-	-	-	-	-	2	-	-	2	8	28	28	54	50	90	86	98	62	50	16	-	-
	WHITE.....MALE....	400	-	-	-	-	-	2	-	-	2	8	26	22	34	42	72	58	62	40	24	8	-	-
	FEMALE..	158	-	-	-	-	-	-	-	-	-	-	-	2	20	6	14	28	34	22	24	8	-	-
	ALL OTHER..MALE....	10	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	-	2	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	CHRONIC ISCHEMIC HEART DISEASE.....	362	-	-	-	-	-	-	-	-	4	2	-	2	14	18	20	48	54	86	64	30	20	-
	WHITE.....MALE....	194	-	-	-	-	-	-	-	-	4	-	-	2	10	18	14	30	22	44	34	10	6	-
	FEMALE..	160	-	-	-	-	-	-	-	-	-	2	-	-	4	-	2	16	32	40	30	20	14	-
	ALL OTHER..MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-
	FEMALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
413	ANGINA PECTORIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WYOMING--CON.																							
424, 428	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY...	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	10	-	2	-	-	-	-
	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	-	2	-	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429	ALL OTHER FORMS OF HEART DISEASE.....	78	-	-	-	-	-	-	-	2	2	-	-	4	6	10	10	12	10	14	4	4	-	-
	WHITE.....MALE....	42	-	-	-	-	-	-	-	-	-	-	-	4	4	4	6	10	8	6	-	-	-	-
	FEMALE..	36	-	-	-	-	-	-	-	2	2	-	-	-	2	6	4	2	2	8	4	4	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400, 401, 403	HYPERTENSION.....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	6	-	-	-
	WHITE.....MALE....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-
	FEMALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASES.	362	-	-	-	-	-	-	2	-	-	4	6	10	10	24	36	32	40	88	78	26	6	-
	WHITE.....MALE....	146	-	-	-	-	-	-	-	-	-	2	2	4	4	10	14	20	26	22	36	6	-	-
	FEMALE..	212	-	-	-	-	-	-	2	-	-	2	4	6	6	14	22	12	12	64	42	20	6	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
431	CEREBRAL HEMORRHAGE.....	46	-	-	-	-	-	-	-	-	-	2	2	4	4	4	6	2	2	16	2	2	-	-
	WHITE.....MALE....	18	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	-	2	4	2	-	-	-
	FEMALE..	26	-	-	-	-	-	-	-	-	-	-	2	4	2	2	2	2	-	10	-	2	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
433	CEREBRAL THROMBOSIS.....	64	-	-	-	-	-	-	-	-	-	-	-	2	-	4	10	2	6	16	22	2	-	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	4	2	10	-	-	-
	FEMALE..	42	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	-	2	14	12	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
434	CEREBRAL EMBOLISM.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430, 432, 435-438	ALL OTHER CEREBROVASCULAR DISEASES.....	248	-	-	-	-	-	-	2	-	-	2	4	4	6	16	20	24	32	56	54	22	6	-
	WHITE.....MALE....	102	-	-	-	-	-	-	-	-	-	-	2	2	2	8	8	14	20	16	24	6	-	-
	FEMALE..	144	-	-	-	-	-	-	2	-	-	2	2	2	4	8	12	10	10	40	30	16	6	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440	ARTERIOSCLEROSIS.....	54	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	14	8	8	6	8	-
	WHITE.....MALE....	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	4	4	-	4	-
	FEMALE..	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	8	4	4	6	4	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....	34	-	-	-	-	-	-	-	-	-	-	2	-	-	8	2	6	6	8	-	2	-	-
	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	-	-	2	-	-	8	2	6	2	4	-	2	-	-
	FEMALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474, 480-486	INFLUENZA AND PNEUMONIA..	96	12	-	-	-	-	-	-	-	-	2	-	-	4	-	8	10	16	16	20	8	-	-
	WHITE.....MALE....	52	6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	8	12	8	12	2	-	-
	FEMALE..	42	6	-	-	-	-	-	-	-	-	2	-	-	2	-	6	2	4	8	6	6	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474	INFLUENZA.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	FEMALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	PNEUMONIA.....	88	12	-	-	-	-	-	-	-	-	2	-	-	4	-	8	8	16	14	16	8	-	-
	WHITE.....MALE....	48	6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	6	12	8	10	2	-	-
	FEMALE..	38	6	-	-	-	-	-	-	-	-	2	-	-	2	-	6	2	4	6	4	6	-	-
	ALL OTHER..MALE....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WYOMING--CON.																							
490-493	BRONCHITIS, EMPHYSEMA, AND ASTHMA	88	-	-	-	-	-	-	-	-	2	2	2	4	2	10	14	26	16	10	-	-	-	-
	WHITE.....MALE	72	-	-	-	-	-	-	-	-	-	-	-	4	2	8	12	20	16	10	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	2	2	2	-	-	2	2	6	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	4	-	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	4	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
492	EMPHYSEMA	74	-	-	-	-	-	-	-	-	2	2	-	4	2	8	10	26	14	6	-	-	-	-
	WHITE.....MALE	60	-	-	-	-	-	-	-	-	-	-	-	4	2	6	8	20	14	6	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	6	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
493	ASTHMA	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
531-533	PEPTIC ULCER	18	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	2	2	2	4	2	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	2	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	4	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540-543	APPENDICITIS	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	18	2	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	6	-	-	-
	WHITE.....MALE	10	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	-	-	-
	FEMALE	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
571	CIRRHOSIS OF LIVER	46	-	-	-	-	-	-	2	-	-	6	2	6	12	8	-	2	4	4	-	-	-	-
	WHITE.....MALE	26	-	-	-	-	-	-	-	-	-	4	-	4	10	2	-	2	2	2	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	2	-	-	-	2	2	2	6	-	-	2	2	-	-	-	-
	ALL OTHER..MALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580-584	NEPHRITIS AND NEPHROSIS	6	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
580, 581	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590	INFECTIONS OF KIDNEY	10	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	2	2	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	-	-	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	HYPERPLASIA OF PROSTATE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	ALL OTHER..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1972—Con.

[Deaths based on a 50-percent sample. Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

8th Revision Number	Area, cause of death, color, and sex	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WYOMING--CON.																							
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-645	ABORTIONS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639, 650-678	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759	CONGENITAL ANOMALIES.....	20	16	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	12	8	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772, 776	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS..	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 760-778	OTHER CAUSES OF MORTALITY IN EARLY INFANCY.....	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS.....	26	8	-	-	-	-	-	-	-	-	4	2	-	-	-	2	-	8	-	-	2	-	-
	WHITE.....MALE....	16	4	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	6	-	-	-	-	-
	FEMALE..	10	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	2	-	-
	ALL OTHER..MALE....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.....	210	10	-	-	-	4	10	-	4	6	-	6	14	14	34	20	30	18	22	10	6	2	-
	WHITE.....MALE....	120	8	-	-	-	-	6	-	2	-	-	4	8	10	28	6	18	10	12	6	2	-	-
	FEMALE..	76	-	-	-	-	4	2	-	2	2	-	-	6	2	6	14	12	6	10	4	4	2	-
	ALL OTHER..MALE....	6	2	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	8	-	-	-	-	-	2	-	-	-	-	2	-	2	-	-	-	2	-	-	-	-	-
E800-E949	ACCIDENTS.....	318	-	14	8	8	48	28	26	24	16	16	20	14	20	8	18	6	14	14	12	4	-	-
	WHITE.....MALE....	220	-	6	6	4	38	24	18	20	12	10	16	12	14	6	14	6	4	6	4	-	-	-
	FEMALE..	76	-	6	2	4	4	4	4	2	4	6	2	-	4	2	4	-	8	8	8	4	-	-
	ALL OTHER..MALE....	16	-	-	-	-	4	-	4	2	-	-	2	2	-	-	-	-	2	-	-	-	-	-
	FEMALE..	8	-	2	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
E810-E823	MOTOR VEHICLE ACCIDENTS..	174	-	4	4	2	40	24	24	12	10	6	12	6	12	6	8.	-	2	-	2	-	-	-
	WHITE.....MALE....	128	-	-	4	-	30	20	16	10	8	4	8	6	8	4	6	-	2	-	2	-	-	-
	FEMALE..	28	-	2	-	2	4	4	4	-	2	2	2	-	2	2	2	-	-	-	-	-	-	-
	ALL OTHER..MALE....	12	-	-	-	-	4	-	4	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	6	-	2	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
E800-E807, E825-E949	ALL OTHER ACCIDENTS.....	144	-	10	4	6	8	4	2	12	6	10	8	8	8	2	10	6	12	14	10	4	-	-
	WHITE.....MALE....	92	-	6	2	4	8	4	2	10	4	6	8	6	6	2	8	6	2	6	2	-	-	-
	FEMALE..	48	-	4	2	2	-	-	-	2	2	4	-	-	2	-	2	-	8	8	8	4	-	-
	ALL OTHER..MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959	SUICIDE.....	70	...	...	-	-	6	12	2	2	4	8	6	2	10	4	10	2	2	-	-	-	-	-
	WHITE.....MALE....	56	...	...	-	-	2	12	2	-	2	4	6	2	8	4	10	2	2	-	-	-	-	-
	FEMALE..	12	...	...	-	-	2	-	-	2	2	4	-	-	2	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	...	...	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E960-E978	HOMICIDE.....	10	2	2	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	FEMALE..	4	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-E999	OTHER EXTERNAL CAUSES....	4	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE....	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER..MALE....	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1972

[Deaths based on a 50-percent sample. Includes deaths occurring in the United States to nonresidents of the United States; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	UNITED STATES	ALABAMA	ALASKA	ARIZONA	ARKANSAS	CALIFORNIA	COLORADO	CONNECTICUT	DELAWARE	DISTRICT OF COLUMBIA
ALL CAUSES	1,966,002	34,448	1,410	16,122	21,656	170,162	18,424	26,348	5,166	10,154
BACILLARY DYSENTERY AND AMEBIASIS 004,006	96	4	-	6	2	8	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES 008,009	2,302	50	2	34	26	142	46	36	6	16
TUBERCULOSIS, ALL FORMS 010-019	4,382	134	4	58	58	260	28	54	22	30
TUBERCULOSIS OF RESPIRATORY SYSTEM 010-012	3,476	114	4	40	54	158	18	38	20	22
TUBERCULOSIS, OTHER FORMS 013-019	906	20	-	18	4	102	10	16	2	8
WHOOPING COUGH 033	6	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER 034	16	-	-	-	-	4	2	-	-	-
MENINGOCOCCAL INFECTIONS 036	350	-	-	4	10	36	8	2	-	6
SEPTICEMIA 038	4,220	94	8	68	62	260	48	54	8	50
ACUTE POLIOMYELITIS 040-043	2	-	-	-	-	-	-	-	-	-
MEASLES 055	24	-	-	-	-	2	-	-	-	-
SYPHILIS AND ITS SEQUELAE 090-097	346	10	2	-	6	30	4	4	2	2
OTHER INFECTIVE AND PARASITIC DISEASES REMAINDER OF 000-136	3,924	72	8	44	50	352	42	54	10	26
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-209	345,830	5,310	190	2,570	3,370	31,772	2,884	5,398	978	2,144
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX 140-149	7,488	94	6	60	46	738	42	128	18	76
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM 150-159	95,850	1,290	72	666	932	8,358	782	1,682	260	590
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM 160-163	77,028	1,220	34	572	738	7,352	564	1,050	258	512
MALIGNANT NEOPLASM OF BREAST 174	31,478	412	20	220	254	3,022	292	556	92	214
MALIGNANT NEOPLASMS OF GENITAL ORGANS 180-187	42,386	782	18	260	462	3,906	400	540	152	212
MALIGNANT NEOPLASMS OF URINARY ORGANS 188,189	15,752	224	6	128	138	1,412	142	288	20	68
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES 170-173,190-199	41,760	732	24	394	466	3,714	368	640	118	276
LEUKEMIA 204-207	14,428	244	2	120	164	1,302	158	202	32	100
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 200-203,208,209	19,660	312	8	150	170	1,968	136	312	28	96
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE 210-239	4,958	86	4	56	56	498	60	50	24	48
DIABETES MELLITUS 250	38,694	676	8	250	358	2,552	248	508	96	220
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES 260-269	2,538	38	2	36	20	204	46	18	8	8
ANEMIAS 280-285	3,432	88	2	14	44	250	24	50	10	28
MENINGITIS 320	1,486	42	4	20	16	134	14	20	4	12
MAJOR CARDIOVASCULAR DISEASES 390-448	1,036,002	17,004	426	7,036	11,670	86,808	8,892	14,178	2,796	4,080
DISEASES OF HEART 390-398,402,404,410-429	756,570	11,206	316	5,268	8,040	62,456	6,472	10,012	2,172	2,938
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE 390-398	14,164	154	4	158	90	1,514	208	208	30	90
HYPERTENSIVE HEART DISEASE 402	7,766	118	2	64	84	642	46	76	30	44
HYPERTENSIVE HEART AND RENAL DISEASE 404	5,780	112	2	10	66	294	52	18	12	30
ISCHEMIC HEART DISEASE 410-413	685,020	9,460	248	4,722	7,014	57,750	5,748	9,328	2,012	2,610
ACUTE MYOCARDIAL INFARCTION 410	358,182	5,674	170	2,318	4,406	26,348	3,138	4,898	960	820
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE 411	4,540	20	6	300	14	266	62	10	4	2
CHRONIC ISCHEMIC HEART DISEASE 412	322,130	3,760	72	2,102	2,592	31,128	2,548	4,416	1,048	1,788
ANGINA PECTORIS 413	168	6	-	2	2	8	-	4	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY 424,428	5,616	106	2	32	54	502	52	64	10	16
ALL OTHER FORMS OF HEART DISEASE 420-423,425-427,429	38,224	1,256	58	282	732	1,754	366	318	78	148

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. Includes deaths occurring in the United States to nonresidents of the United States; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	UNITED STATES	ALABAMA	ALASKA	ARIZONA	ARKANSAS	CALIFORNIA	COLORADO	CONNECTICUT	DELAWARE	DISTRICT OF COLUMBIA
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION----------400,401,403	7,756	178	2	36	86	466	64	108	22	32
CEREBROVASCULAR DISEASES----------430-438	213,448	4,694	74	1,304	2,932	18,928	1,682	2,920	460	726
CEREBRAL HEMORRHAGE----------431	36,782	876	4	166	428	2,508	266	572	68	150
CEREBRAL THROMBOSIS----------433	57,502	1,228	10	284	484	5,696	370	1,028	120	168
CEREBRAL EMBOLISM----------434	976	10	-	6	14	112	6	10	2	4
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	118,188	2,580	60	848	2,006	10,612	1,040	1,310	270	404
ARTERIOSCLEROSIS----------440	32,498	504	20	238	350	2,568	398	740	70	250
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	25,730	422	14	190	262	2,390	276	398	72	134
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	1,146	6	-	24	16	110	18	20	2	6
INFLUENZA AND PNEUMONIA----------470-474,480-486	62,612	1,068	46	602	636	4,784	738	812	154	376
INFLUENZA----------470-474	4,986	132	10	50	102	316	64	62	6	8
PNEUMONIA----------480-486	57,626	936	36	552	534	4,468	674	750	148	368
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	30,788	432	12	460	342	3,228	484	350	60	114
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	5,864	62	2	62	58	626	104	102	6	24
EMPHYSEMA----------492	22,596	320	8	336	264	2,402	346	220	52	72
ASTHMA----------493	2,328	50	2	42	20	200	34	28	2	18
PEPTIC ULCER----------531-533	7,924	92	4	66	64	774	80	84	14	60
APPENDICITIS----------540-543	1,208	22	-	8	12	90	12	4	-	6
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	6,794	112	6	56	74	574	36	74	10	40
CIRRHOSIS OF LIVER----------571	32,604	308	40	332	182	4,398	314	554	104	490
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	3,668	56	-	20	38	238	54	40	10	10
NEPHRITIS AND NEPHROSIS----------580-584	8,552	174	-	84	124	550	68	88	18	88
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	1,466	32	-	20	14	112	14	8	4	22
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	7,086	142	-	64	110	438	54	80	14	66
INFECTIONS OF KIDNEY----------590	6,952	172	2	90	104	506	62	56	18	44
HYPERPLASIA OF PROSTRATE----------600	1,864	58	-	8	22	158	20	24	8	8
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	612	34	-	12	8	56	2	2	2	4
ABORTIONS----------640-645	70	4	-	-	-	2	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	542	30	-	12	8	54	2	2	2	4
CONGENITAL ANOMALIES----------740-759	14,756	316	22	168	136	1,342	166	182	50	110
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	33,848	738	58	304	292	2,596	372	376	94	354
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	18,728	428	30	188	156	1,508	234	208	50	156
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	15,120	310	28	116	136	1,088	138	168	44	198
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	27,536	1,880	48	332	820	552	214	214	22	86
ALL OTHER DISEASES----------RESIDUAL	110,838	1,908	106	1,246	1,042	9,488	1,284	1,526	240	810
ACCIDENTS----------E800-E949	115,896	2,602	304	1,544	1,510	11,222	1,468	1,038	270	448
MOTOR VEHICLE ACCIDENTS----------E810-E823	56,528	1,356	64	858	750	5,300	746	444	130	100
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	59,368	1,246	240	686	760	5,922	722	594	140	348
SUICIDE----------E950-E959	25,028	346	54	338	228	3,938	442	318	62	96
HOMICIDE----------E960-E978	19,676	490	32	180	196	1,850	190	94	60	248
OTHER EXTERNAL CAUSES----------E980-E999	5,092	26	16	52	62	396	54	66	4	86

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. Includes deaths occurring in the United States to nonresidents of the United States; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	FLORIDA	GEORGIA	HAWAII	IDAHO	ILLINOIS	INDIANA	IOWA	KANSAS	KENTUCKY	LOUISIANA
ALL CAUSES	85,534	43,524	4,488	6,102	108,894	49,030	29,814	21,876	33,806	34,616
BACILLARY DYSENTERY AND AMEBIASIS 004,006	2	8	-	-	2	-	2	2	-	6
ENTERITIS AND OTHER DIARRHEAL DISEASES 008,009	96	66	6	6	100	48	16	8	44	40
TUBERCULOSIS, ALL FORMS 010-019	196	86	18	4	232	96	28	28	106	116
TUBERCULOSIS OF RESPIRATORY SYSTEM 010-012	142	58	10	2	174	74	24	20	86	102
TUBERCULOSIS, OTHER FORMS 013-019	54	28	8	2	58	22	4	8	20	14
WHOOPING COUGH 033	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER 034	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 036	6	6	2	-	12	4	2	4	4	6
SEPTICEMIA 038	208	138	26	4	164	64	32	30	60	174
ACUTE POLIOMYELITIS 040-043	-	-	-	-	-	-	-	-	2	-
MEASLES 055	2	2	-	-	2	-	-	-	2	-
SYPHILIS AND ITS SEQUELAE 090-097	10	14	2	-	16	8	2	12	2	8
OTHER INFECTIVE AND PARASITIC DISEASES REMAINDER OF 000-136	168	106	16	8	180	102	46	46	72	100
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-209	15,866	6,404	910	918	19,082	8,344	5,136	3,810	5,574	5,808
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX 140-149	358	166	34	16	414	160	72	60	152	152
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM 150-159	4,150	1,484	334	252	5,694	2,208	1,400	998	1,572	1,470
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM 160-163	4,150	1,518	188	196	3,944	1,938	1,016	746	1,272	1,538
MALIGNANT NEOPLASM OF BREAST 174	1,290	586	48	70	1,838	712	478	336	480	406
MALIGNANT NEOPLASMS OF GENITAL ORGANS 180-187	1,862	870	84	130	2,368	1,056	678	578	792	656
MALIGNANT NEOPLASMS OF URINARY ORGANS 188,189	754	236	32	38	960	324	268	218	238	244
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES 170-173,190-199	1,864	924	112	138	2,064	1,102	666	424	608	820
LEUKEMIA 204-207	646	276	30	34	694	396	250	186	202	226
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 200-203,208,209	792	344	48	44	1,106	448	308	264	258	296
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE 210-239	208	96	10	16	252	86	66	26	42	96
DIABETES MELLITUS 250	1,446	794	104	114	2,016	1,002	566	440	616	984
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES 260-269	122	80	12	16	102	38	60	32	52	48
ANEMIAS 280-285	184	88	10	12	164	72	30	46	48	78
MENINGITIS 320	68	46	2	4	70	26	6	14	8	26
MAJOR CARDIOVASCULAR DISEASES 390-448	44,040	22,292	1,976	2,990	62,218	27,010	17,160	12,100	18,380	17,516
DISEASES OF HEART 390-398,402,404,410-429	31,826	14,994	1,502	2,104	47,352	18,864	12,116	8,680	13,384	12,708
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE 390-398	676	190	44	46	654	306	174	110	168	118
HYPERTENSIVE HEART DISEASE 402	196	248	6	26	724	180	126	82	102	168
HYPERTENSIVE HEART AND RENAL DISEASE 404	190	160	6	16	310	400	154	86	94	70
ISCHEMIC HEART DISEASE 410-413	28,736	12,990	1,346	1,868	42,118	16,904	10,884	7,966	12,000	11,282
ACUTE MYOCARDIAL INFARCTION 410	14,658	8,022	676	1,120	22,196	9,820	6,376	4,520	7,458	5,856
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE 411	176	22	6	8	128	78	26	36	50	22
CHRONIC ISCHEMIC HEART DISEASE 412	13,900	4,942	664	738	19,786	6,996	4,478	3,406	4,490	5,400
ANGINA PECTORIS 413	2	4	-	2	8	10	4	4	2	4
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY 424,428	162	118	18	24	366	234	178	92	98	194
ALL OTHER FORMS OF HEART DISEASE 420-423,425-427,429	1,866	1,288	82	124	3,180	840	600	344	922	876

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1972–Con.

[Deaths based on a 50-percent sample. Includes deaths occurring in the United States to nonresidents of the United States; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	FLORIDA	GEORGIA	HAWAII	IDAHO	ILLINOIS	INDIANA	IOWA	KANSAS	KENTUCKY	LOUISIANA
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION----------400,401,403	404	228	8	24	600	208	130	84	110	134
CEREBROVASCULAR DISEASES----------430-438	9,490	5,990	374	652	11,142	6,094	3,668	2,598	3,966	3,746
CEREBRAL HEMORRHAGE----------431	1,312	1,250	90	96	2,420	1,214	546	546	632	636
CEREBRAL THROMBOSIS----------433	3,012	1,496	80	120	3,426	1,510	880	586	932	792
CEREBRAL EMBOLISM----------434	34	28	-	4	72	32	20	8	16	4
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	5,132	3,216	204	432	5,224	3,338	2,222	1,458	2,386	2,314
ARTERIOSCLEROSIS----------440	1,064	578	32	116	1,954	1,204	810	444	614	514
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	1,256	502	60	94	1,170	640	436	294	306	414
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	36	16	6	-	170	26	10	10	8	20
INFLUENZA AND PNEUMONIA----------470-474,480-486	2,224	1,504	154	194	3,348	1,488	1,110	744	1,124	980
INFLUENZA----------470-474	92	154	6	8	174	148	104	104	78	78
PNEUMONIA----------480-486	2,132	1,350	148	186	3,174	1,340	1,006	640	1,046	902
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	1,632	618	52	174	1,584	868	550	380	546	460
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	184	106	12	32	328	144	76	56	124	58
EMPHYSEMA----------492	1,340	468	30	132	1,146	684	448	304	364	350
ASTHMA----------493	108	44	10	10	110	40	26	20	58	52
PEPTIC ULCER----------531-533	338	136	22	18	504	198	112	82	126	104
APPENDICITIS----------540-543	54	36	-	4	46	42	32	10	12	16
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	300	122	8	26	352	186	108	78	140	120
CIRRHOSIS OF LIVER----------571	1,462	564	68	52	1,872	602	224	196	326	390
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	194	64	8	16	192	90	72	36	84	66
NEPHRITIS AND NEPHROSIS----------580-584	366	256	28	22	438	180	84	98	152	248
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	80	46	4	2	74	26	20	14	22	40
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	286	210	24	20	364	154	64	84	130	208
INFECTIONS OF KIDNEY----------590	318	230	18	26	326	194	66	86	136	206
HYPERPLASIA OF PROSTRATE----------600	84	44	2	14	110	54	32	36	34	24
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	20	20	-	-	26	14	2	4	10	12
ABORTIONS----------640-645	6	2	-	-	-	4	2	2	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	14	18	-	-	26	10	-	2	10	12
CONGENITAL ANOMALIES----------740-759	514	370	62	52	758	384	218	130	250	306
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	1,200	912	164	104	2,064	872	424	358	568	878
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	664	526	82	62	1,348	458	216	204	328	464
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	536	386	82	42	716	414	208	154	240	414
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	2,180	728	64	120	344	332	142	160	208	240
ALL OTHER DISEASES----------RESIDUAL	4,582	2,620	248	346	4,824	2,684	1,416	1,182	2,036	2,090
ACCIDENTS----------E800-E949	4,954	3,416	318	716	4,902	2,996	1,688	1,236	2,224	2,436
MOTOR VEHICLE ACCIDENTS----------E810-E823	2,570	1,940	164	324	2,216	1,578	904	678	1,114	1,136
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	2,384	1,476	154	392	2,686	1,418	784	558	1,110	1,300
SUICIDE----------E950-E959	1,194	592	86	90	1,026	502	282	304	426	398
HOMICIDE----------E960-E978	1,056	1,004	60	28	1,030	328	62	82	320	588
OTHER EXTERNAL CAUSES----------E980-E999	204	46	26	8	366	90	28	66	64	28

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1972–Con.

[Deaths based on a 50-percent sample. Includes deaths occurring in the United States to nonresidents of the United States; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	MAINE	MARYLAND	MASSACHUSETTS	MICHIGAN	MINNESOTA	MISSISSIPPI	MISSOURI	MONTANA	NEBRASKA	NEVADA
ALL CAUSES	11,182	32,796	57,302	77,680	35,046	23,356	53,266	6,836	15,668	4,432
BACILLARY DYSENTERY AND AMEBIASIS-004,006	-	4	-	2	2	2	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-008,009	8	34	64	74	54	122	32	6	32	6
TUBERCULOSIS, ALL FORMS-010-019	18	118	102	148	40	60	84	10	16	-
TUBERCULOSIS OF RESPIRATORY SYSTEM-010-012	14	102	88	108	28	52	70	8	14	-
TUBERCULOSIS, OTHER FORMS-013-019	4	16	14	40	12	8	14	2	2	-
WHOOPING COUGH-033	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-034	-	-	-	-	-	2	-	-	-	-
MENINGOCOCCAL INFECTIONS-036	4	4	4	8	6	4	12	2	-	-
SEPTICEMIA-038	12	94	154	144	58	34	112	6	10	18
ACUTE POLIOMYELITIS-040-043	-	-	-	-	-	-	-	-	-	-
MEASLES-055	2	-	-	-	-	6	-	-	-	-
SYPHILIS AND ITS SEQUELAE-090-097	-	10	4	8	4	2	4	-	-	4
OTHER INFECTIVE AND PARASITIC DISEASES-REMAINDER OF 000-136	28	66	126	140	58	44	72	20	14	6
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-140-209	1,876	6,242	11,160	13,924	6,382	3,324	9,098	1,066	2,748	712
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-140-149	28	138	290	306	116	72	200	6	56	22
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-150-159	564	1,672	3,344	3,678	1,922	934	2,268	304	766	178
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-160-163	386	1,508	2,234	3,176	1,030	772	2,092	232	506	190
MALIGNANT NEOPLASM OF BREAST-174	166	492	1,156	1,306	614	270	750	94	262	78
MALIGNANT NEOPLASMS OF GENITAL ORGANS-180-187	250	676	1,250	1,702	862	490	1,148	138	414	88
MALIGNANT NEOPLASMS OF URINARY ORGANS-188,189	98	280	544	694	336	142	428	72	118	26
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-170-173,190-199	232	808	1,340	1,664	742	382	1,288	126	272	64
LEUKEMIA-204-207	54	286	358	588	332	104	426	34	154	28
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-200-203,208,209	98	382	644	810	428	158	498	60	200	38
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-210-239	26	116	238	172	96	24	92	26	28	6
DIABETES MELLITUS-250	214	846	1,184	2,192	610	512	1,066	142	286	46
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-260-269	26	40	70	124	36	22	80	14	16	6
ANEMIAS-280-285	36	86	78	152	46	72	92	22	12	4
MENINGITIS-320	4	20	38	46	22	18	34	6	4	2
MAJOR CARDIOVASCULAR DISEASES-390-448	6,198	16,572	30,238	40,524	18,880	11,480	28,572	3,242	8,732	1,994
DISEASES OF HEART-390-398,402,404,410-429	4,616	13,050	22,702	30,166	13,152	7,758	20,278	2,252	6,074	1,408
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-390-398	72	290	466	542	302	64	358	68	118	40
HYPERTENSIVE HEART DISEASE-402	26	102	366	318	118	118	206	18	46	10
HYPERTENSIVE HEART AND RENAL DISEASE-404	46	80	128	154	64	68	218	26	92	8
ISCHEMIC HEART DISEASE-410-413	4,224	11,990	20,790	27,834	12,044	6,714	18,048	1,868	5,552	1,254
ACUTE MYOCARDIAL INFARCTION-410	2,948	5,098	10,206	15,470	6,396	3,966	9,758	1,136	3,158	738
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-411	12	54	70	72	64	36	66	2	14	8
CHRONIC ISCHEMIC HEART DISEASE-412	1,664	6,838	10,512	12,282	5,580	2,710	8,190	730	2,380	508
ANGINA PECTORIS-413	-	-	2	10	4	2	34	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-424,428	56	90	168	134	118	84	202	52	74	4
ALL OTHER FORMS OF HEART DISEASE-420-423,425-427,429	192	498	784	1,184	506	710	1,246	220	192	92

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1972–Con.

[Deaths based on a 50-percent sample. Includes deaths occurring in the United States to nonresidents of the United States; see Technical Appendix. Numbers after causes of death are cateogry numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	MAINE	MARYLAND	MASSACHUSETTS	MICHIGAN	MINNESOTA	MISSISSIPPI	MISSOURI	MONTANA	NEBRASKA	NEVADA
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION----------400,401,403	52	104	208	296	116	140	186	24	64	4
CEREBROVASCULAR DISEASES----------430-438	1,188	2,570	5,754	7,874	4,442	3,012	6,324	676	2,004	464
CEREBRAL HEMORRHAGE----------431	258	338	1,412	1,342	678	538	1,074	92	328	48
CEREBRAL THROMBOSIS----------433	314	592	2,004	2,360	1,008	622	1,860	156	462	64
CEREBRAL EMBOLISM----------434	4	4	56	34	26	8	70	-	-	2
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	612	1,636	2,282	4,138	2,730	1,844	3,320	428	1,214	350
ARTERIOSCLEROSIS----------440	204	426	744	1,160	606	286	1,040	194	328	42
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	138	422	830	1,028	564	284	744	96	262	76
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	6	24	40	28	8	12	20	4	14	-
INFLUENZA AND PNEUMONIA----------470-474,480-486	470	890	2,598	2,166	1,284	666	1,648	238	548	106
INFLUENZA----------470-474	92	60	72	198	180	70	144	16	124	4
PNEUMONIA----------480-486	378	830	2,526	1,968	1,104	596	1,504	222	424	102
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	184	372	750	1,376	530	252	792	148	286	88
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	56	52	162	240	118	46	134	28	64	20
EMPHYSEMA----------492	112	270	522	1,036	300	182	582	112	204	68
ASTHMA----------493	16	50	66	100	32	24	76	8	18	-
PEPTIC ULCER----------531-533	46	92	268	322	122	62	260	38	94	12
APPENDICITIS----------540-543	10	20	30	48	6	24	34	8	20	-
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	42	126	184	282	112	78	198	22	68	8
CIRRHOSIS OF LIVER----------571	164	840	1,132	1,620	378	174	566	94	194	148
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	26	54	92	156	98	62	94	18	48	2
NEPHRITIS AND NEPHROSIS----------580-584	36	194	210	336	92	130	294	18	28	10
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	12	24	40	56	22	26	56	4	4	2
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	24	170	170	280	70	104	238	14	24	8
INFECTIONS OF KIDNEY----------590	36	82	162	228	94	140	190	14	38	8
HYPERPLASIA OF PROSTRATE----------600	8	22	54	34	46	28	60	2	16	2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	2	10	10	24	6	22	16	2	4	2
ABORTIONS----------640-645	-	-	-	6	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	2	10	10	18	6	22	16	2	4	2
CONGENITAL ANOMALIES----------740-759	82	240	384	668	332	180	338	44	104	20
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	156	394	650	1,586	578	640	812	144	254	74
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	88	252	324	822	298	346	516	64	128	46
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	68	142	326	764	280	294	296	80	126	28
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	62	200	414	506	254	1,662	1,660	198	86	64
ALL OTHER DISEASES----------RESIDUAL	608	2,112	3,402	3,988	1,992	1,072	2,792	412	778	320
ACCIDENTS----------E800-E949	608	1,794	2,704	4,426	2,244	1,834	2,998	696	970	504
MOTOR VEHICLE ACCIDENTS----------E810-E823	252	852	1,042	2,236	1,052	976	1,500	408	504	290
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	356	942	1,662	2,190	1,192	858	1,498	288	466	214
SUICIDE----------E950-E959	140	474	466	1,050	370	198	530	108	144	158
HOMICIDE----------E960-E978	36	500	236	1,076	104	340	426	34	50	70
OTHER EXTERNAL CAUSES----------E980-E999	8	98	56	102	102	52	188	32	18	12

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1972–Con.

[Deaths based on a 50-percent sample. Includes deaths occurring in the United States to nonresidents of the United States; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	NEW HAMPSHIRE	NEW JERSEY	NEW MEXICO	NEW YORK	NORTH CAROLINA	NORTH DAKOTA	OHIO	OKLAHOMA	OREGON	PENNSYLVANIA	RHODE ISLAND
ALL CAUSES	7,522	67,910	7,984	184,088	47,352	5,828	101,668	26,212	20,192	127,148	9,608
BACILLARY DYSENTERY AND AMEBIASIS 004,006	2	2	-	10	4	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES 008,009	8	40	28	138	112	10	84	34	16	92	6
TUBERCULOSIS, ALL FORMS 010-019	10	156	40	482	110	2	198	78	34	324	26
TUBERCULOSIS OF RESPIRATORY SYSTEM 010-012	4	126	28	416	86	-	160	66	26	290	22
TUBERCULOSIS, OTHER FORMS 013-019	6	30	12	66	24	2	38	12	8	34	4
WHOOPING COUGH 033	-	2	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER 034	-	-	-	-	2	-	2	-	-	4	-
MENINGOCOCCAL INFECTIONS 036	-	8	2	32	14	-	26	8	2	14	2
SEPTICEMIA 038	6	130	16	418	124	14	202	80	36	294	8
ACUTE POLIOMYELITIS 040-043	-	-	-	-	-	-	-	-	-	-	-
MEASLES 055	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 090-097	-	4	2	26	6	-	18	8	2	30	2
OTHER INFECTIVE AND PARASITIC DISEASES REMAINDER OF 000-136	10	114	30	338	138	10	176	50	38	188	10
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-209	1,432	12,808	1,106	35,264	7,038	954	18,054	4,298	3,498	22,858	1,930
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX 140-149	32	262	22	786	170	20	372	98	76	486	32
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM 150-159	396	4,048	292	10,896	1,606	278	5,260	1,012	978	6,562	606
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM 160-163	344	2,788	230	7,508	1,506	158	4,122	1,078	784	4,902	436
MALIGNANT NEOPLASM OF BREAST 174	122	1,300	106	3,574	608	78	1,664	346	306	2,074	226
MALIGNANT NEOPLASMS OF GENITAL ORGANS 180-187	186	1,490	142	3,872	938	120	2,188	528	440	2,618	200
MALIGNANT NEOPLASMS OF URINARY ORGANS 188,189	74	616	66	1,604	292	70	774	292	156	1,026	94
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES 170-173,190-199	164	1,238	152	3,668	1,138	108	1,920	630	376	3,058	152
LEUKEMIA 204-207	46	404	46	1,338	354	42	774	164	174	896	70
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 200-203,208,209	68	662	50	2,018	426	80	980	240	208	1,236	114
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE 210-239	20	138	30	610	120	8	262	70	56	370	20
DIABETES MELLITUS 250	154	1,512	142	3,714	910	104	2,386	428	294	2,848	252
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES 260-269	6	90	18	156	46	6	122	38	34	170	10
ANEMIAS 280-285	14	116	18	290	64	12	182	52	30	210	18
MENINGITIS 320	4	38	12	142	68	4	68	20	30	70	6
MAJOR CARDIOVASCULAR DISEASES 390-448	4,002	38,168	3,026	97,614	24,278	3,146	55,196	13,966	10,784	69,628	5,336
DISEASES OF HEART 390-398,402,404,410-429	2,752	29,654	2,068	76,218	16,928	2,188	40,444	9,934	7,412	52,988	4,134
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE 390-398	46	560	80	1,646	270	48	864	128	194	1,112	60
HYPERTENSIVE HEART DISEASE 402	22	226	20	790	126	14	442	138	54	410	40
HYPERTENSIVE HEART AND RENAL DISEASE 404	34	124	6	250	164	18	712	90	86	414	14
ISCHEMIC HEART DISEASE 410-413	2,542	27,816	1,806	70,962	15,256	1,972	36,638	8,928	6,774	48,408	3,866
ACUTE MYOCARDIAL INFARCTION 410	1,450	13,328	1,112	32,502	8,944	1,290	17,658	5,490	2,852	26,348	1,934
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE 411	12	142	10	306	116	8	196	324	24	192	266
CHRONIC ISCHEMIC HEART DISEASE 412	1,080	14,344	682	38,146	6,186	674	18,780	3,114	3,894	21,860	1,666
ANGINA PECTORIS 413	-	2	2	8	10	-	4	-	4	8	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY 424,428	24	120	26	234	128	8	226	68	32	354	8
ALL OTHER FORMS OF HEART DISEASE 420-423,425-427,429	84	808	130	2,336	984	128	1,562	582	272	2,290	146

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1972–Con.

[Deaths based on a 50-percent sample. Includes deaths occurring in the United States to nonresidents of the United States; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision International *Classification of Diseases*, Adapted, 1965]

CAUSE OF DEATH	NEW HAMPSHIRE	NEW JERSEY	NEW MEXICO	NEW YORK	NORTH CAROLINA	NORTH DAKOTA	OHIO	OKLAHOMA	OREGON	PENNSYLVANIA	RHODE ISLAND
MAJOR CARDIOVASCULAR DISEASES--CON.											
HYPERTENSION----------400,401,403	32	252	40	630	182	18	414	96	56	460	38
CEREBROVASCULAR DISEASES----------430-438	898	6,504	688	16,278	5,786	736	10,948	3,158	2,514	12,386	910
CEREBRAL HEMORRHAGE----------431	188	1,238	124	3,210	920	120	1,910	442	326	2,290	182
CEREBRAL THROMBOSIS----------433	272	2,184	134	4,392	1,636	182	3,112	668	704	3,770	280
CEREBRAL EMBOLISM----------434	8	32	2	56	16	2	42	28	6	52	6
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	430	3,050	428	8,620	3,214	432	5,884	2,020	1,478	6,274	442
ARTERIOSCLEROSIS----------440	214	874	130	2,300	758	112	1,956	458	428	2,132	106
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	106	884	100	2,188	624	92	1,434	320	374	1,662	148
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	6	20	8	106	32	6	70	14	12	52	6
INFLUENZA AND PNEUMONIA----------470-474,480-486	200	1,948	354	6,840	1,544	294	3,086	828	640	3,392	304
INFLUENZA----------470-474	30	92	40	202	218	50	286	126	82	252	12
PNEUMONIA----------480-486	170	1,856	314	6,638	1,326	244	2,800	702	558	3,140	292
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	152	874	146	2,350	680	80	1,914	370	390	1,534	108
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	32	228	14	550	172	16	410	36	76	242	32
EMPHYSEMA----------492	108	588	120	1,560	446	58	1,408	312	286	1,168	66
ASTHMA----------493	12	58	12	240	62	6	96	22	28	124	10
PEPTIC ULCER----------531-533	36	256	38	856	154	22	460	106	70	510	30
APPENDICITIS----------540-543	4	34	2	122	40	4	64	18	4	82	6
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	24	200	34	690	162	26	354	106	60	414	38
CIRRHOSIS OF LIVER----------571	154	1,338	198	4,066	730	72	1,424	274	312	1,932	164
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	20	132	34	326	76	14	172	44	26	184	24
NEPHRITIS AND NEPHROSIS----------580-584	32	264	30	738	292	26	424	170	62	554	46
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	8	36	6	144	16	8	72	20	14	94	6
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	24	228	24	594	276	18	352	150	48	460	40
INFECTIONS OF KIDNEY----------590	20	218	20	488	224	22	386	178	60	352	26
HYPERPLASIA OF PROSTRATE----------600	4	68	8	194	34	8	96	40	18	80	2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	2	16	4	54	14	-	24	8	4	28	-
ABORTIONS----------640-645	-	2	-	14	4	-	2	2	-	4	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	2	14	4	40	10	-	22	6	4	24	-
CONGENITAL ANOMALIES----------740-759	34	304	76	1,252	432	20	828	152	150	794	78
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	106	1,072	212	2,600	1,134	98	1,712	420	250	1,682	148
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	52	534	114	1,448	582	58	888	212	118	868	78
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	54	538	98	1,152	552	40	824	208	132	814	70
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	246	514	360	1,776	442	30	1,104	436	288	2,718	30
ALL OTHER DISEASES----------RESIDUAL	326	3,308	668	10,668	2,928	310	5,282	1,630	1,078	8,300	502
ACCIDENTS----------E800-E949	374	2,900	1,060	6,692	3,924	446	5,034	1,686	1,414	5,114	368
MOTOR VEHICLE ACCIDENTS----------E810-E823	172	1,352	588	3,140	2,026	206	2,336	792	774	2,320	144
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	202	1,548	472	3,552	1,898	240	2,698	894	640	2,794	224
SUICIDE----------E950-E959	88	538	144	1,388	644	62	1,286	324	320	1,312	60
HOMICIDE----------E960-E978	20	490	112	2,046	752	8	856	208	118	768	22
OTHER EXTERNAL CAUSES----------E980-E999	6	90	6	1,602	80	10	116	70	62	246	20

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1972—Con.

[Deaths based on a 50-percent sample. Includes deaths occurring in the United States to nonresidents of the United States; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	SOUTH CAROLINA	SOUTH DAKOTA	TENNESSEE	TEXAS	UTAH	VERMONT	VIRGINIA	WASHINGTON	WEST VIRGINIA	WISCONSIN	WYOMING
ALL CAUSES	23,714	7,038	41,650	100,668	7,558	4,440	40,278	30,020	20,732	42,240	3,014
BACILLARY DYSENTERY AND AMEBIASIS 004,006	4	2	2	12	4	-	-	-	-	2	-
ENTERITIS AND OTHER DIARRHEAL DISEASES 008,009	62	12	48	200	24	4	58	42	16	48	-
TUBERCULOSIS, ALL FORMS 010-019	92	6	156	254	10	6	88	40	72	44	-
TUBERCULOSIS OF RESPIRATORY SYSTEM 010-012	82	4	114	200	8	6	64	32	66	32	-
TUBERCULOSIS, OTHER FORMS 013-019	10	2	42	54	2	-	24	8	6	12	-
WHOOPING COUGH 033	2	-	-	-	-	-	-	2	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER 034	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 036	6	4	4	38	2	-	12	8	4	6	2
SEPTICEMIA 038	42	2	72	282	16	10	118	42	24	78	4
ACUTE POLIOMYELITIS 040-043	-	-	-	-	-	-	-	-	-	-	-
MEASLES 055	-	-	2	4	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 090-097	6	-	14	36	-	-	2	8	4	8	-
OTHER INFECTIVE AND PARASITIC DISEASES REMAINDER OF 000-136	70	6	102	298	22	8	56	58	40	84	2
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-209	3,386	1,114	6,712	17,126	1,066	786	6,900	5,392	3,324	7,408	376
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX 140-149	80	22	170	348	18	10	152	92	80	124	10
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM 150-159	832	378	1,640	4,324	282	228	1,760	1,420	916	2,230	82
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM 160-163	766	176	1,594	4,280	150	158	1,694	1,218	870	1,260	74
MALIGNANT NEOPLASM OF BREAST 174	296	104	562	1,350	96	58	576	488	234	768	28
MALIGNANT NEOPLASMS OF GENITAL ORGANS 180-187	460	168	856	2,196	162	94	858	702	380	908	56
MALIGNANT NEOPLASMS OF URINARY ORGANS 188,189	146	52	230	694	48	44	272	258	142	398	18
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES 170-173,190-199	502	90	872	2,140	158	92	914	624	438	888	66
LEUKEMIA 204-207	142	50	370	828	76	52	266	246	100	348	14
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 200-203,208,209	162	74	418	966	76	50	408	344	164	484	28
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE 210-239	48	18	82	188	18	18	112	48	26	88	4
DIABETES MELLITUS 250	526	104	628	1,866	172	64	718	478	362	894	42
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES 260-269	28	16	48	150	12	10	40	50	24	84	4
ANEMIAS 280-285	38	22	90	208	8	6	68	50	22	70	2
MENINGITIS 320	28	2	44	112	10	2	34	16	16	24	6
MAJOR CARDIOVASCULAR DISEASES 390-448	11,976	3,706	22,292	49,510	3,488	2,386	20,398	15,824	10,992	23,800	1,482
DISEASES OF HEART 390-398,402,404,410-429	8,278	2,724	15,374	35,118	2,516	1,738	14,744	11,108	8,050	17,300	1,034
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE 390-398	94	46	190	542	94	24	224	298	112	250	20
HYPERTENSIVE HEART DISEASE 402	90	24	90	420	32	4	142	108	82	190	10
HYPERTENSIVE HEART AND RENAL DISEASE 404	80	30	106	224	10	14	144	116	60	112	6
ISCHEMIC HEART DISEASE 410-413	7,360	2,414	14,208	29,774	2,140	1,602	13,372	9,930	7,356	15,678	914
ACUTE MYOCARDIAL INFARCTION 410	4,318	1,438	8,786	16,506	1,166	740	6,534	5,092	4,192	8,010	584
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE 411	44	14	10	116	4	-	886	118	22	94	2
CHRONIC ISCHEMIC HEART DISEASE 412	2,998	962	5,412	13,148	968	860	5,950	4,718	3,140	7,572	328
ANGINA PECTORIS 413	-	-	-	4	2	2	2	2	2	2	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY 424,428	64	22	152	332	26	8	194	70	46	154	16
ALL OTHER FORMS OF HEART DISEASE 420-423,425-427,429	590	188	628	3,826	214	86	668	586	394	916	68

Table 7-7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1972–Con.

[Deaths based on a 50-percent sample. Includes deaths occurring in the United States to nonresidents of the United States; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	SOUTH CAROLINA	SOUTH DAKOTA	TENNESSEE	TEXAS	UTAH	VERMONT	VIRGINIA	WASHINGTON	WEST VIRGINIA	WISCONSIN	WYOMING
MAJOR CARDIOVASCULAR DISEASES--CON.											
HYPERTENSION----------400,401,403	158	30	256	374	14	34	166	88	106	184	10
CEREBROVASCULAR DISEASES----------430-438	2,986	742	5,522	11,174	746	430	4,366	3,508	2,202	4,862	356
CEREBRAL HEMORRHAGE----------431	618	146	818	1,772	102	80	698	470	442	754	44
CEREBRAL THROMBOSIS----------433	782	156	1,396	2,046	134	148	1,126	824	608	1,218	66
CEREBRAL EMBOLISM----------434	12	-	22	42	4	-	14	8	16	18	4
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	1,574	440	3,286	7,314	506	202	2,528	2,206	1,136	2,872	242
ARTERIOSCLEROSIS----------440	274	110	644	1,744	114	104	588	680	356	868	50
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	280	100	496	1,100	98	80	534	440	278	586	32
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	12	8	20	52	-	-	12	22	8	20	-
INFLUENZA AND PNEUMONIA----------470-474,480-486	700	238	1,294	3,344	194	168	1,418	954	806	1,260	106
INFLUENZA----------470-474	56	56	104	284	10	16	80	98	80	148	8
PNEUMONIA----------480-486	644	182	1,190	3,060	184	152	1,338	856	726	1,112	98
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	302	136	686	1,586	122	68	552	584	386	558	86
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	46	20	150	344	28	4	100	80	74	112	12
EMPHYSEMA----------492	224	108	492	1,128	86	52	406	464	284	386	72
ASTHMA----------493	32	8	44	114	8	12	46	40	28	60	2
PEPTIC ULCER----------531-533	64	20	148	350	26	18	140	144	70	196	16
APPENDICITIS----------540-543	12	6	32	86	4	2	22	16	22	16	4
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	80	24	136	412	28	10	138	102	80	120	14
CIRRHOSIS OF LIVER----------571	254	68	390	1,284	130	66	612	536	270	470	46
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	40	20	104	194	16	10	84	54	42	102	4
NEPHRITIS AND NEPHROSIS----------580-584	138	26	216	518	42	22	214	122	42	152	8
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	20	8	40	96	2	4	26	14	8	22	2
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	118	18	176	422	40	18	188	108	34	130	6
INFECTIONS OF KIDNEY----------590	118	16	254	488	20	18	136	72	52	122	10
HYPERPLASIA OF PROSTRATE----------600	28	6	64	88	2	4	12	14	20	60	2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	14	-	16	70	8	-	12	4	2	6	-
ABORTIONS----------640-645	-	-	-	10	2	-	2	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	14	-	16	60	6	-	10	4	2	6	-
CONGENITAL ANOMALIES----------740-759	216	44	384	924	112	28	318	238	154	276	14
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	576	122	828	2,474	192	60	834	384	372	466	90
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	320	80	480	1,450	120	40	426	224	192	204	46
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	256	42	348	1,024	72	20	408	160	180	262	44
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	768	54	584	2,388	290	30	656	164	564	274	28
ALL OTHER DISEASES----------RESIDUAL	1,226	334	2,170	5,882	594	300	2,526	1,870	1,224	2,364	194
ACCIDENTS----------E800-E949	2,116	800	2,876	7,172	720	254	2,780	1,958	1,362	2,398	378
MOTOR VEHICLE ACCIDENTS----------E810-E823	1,148	312	1,526	3,714	354	126	1,256	836	578	1,148	196
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	968	488	1,350	3,458	366	120	1,524	1,122	784	1,250	182
SUICIDE----------E950-E959	280	72	492	1,428	132	66	686	522	186	566	72
HOMICIDE----------E960-E978	406	22	578	1,536	42	14	494	146	110	148	10
OTHER EXTERNAL CAUSES----------E980-E999	42	8	82	108	32	2	28	56	34	28	8

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1970. For further explanation of areas, see Technical Appendix]

CAUSE OF DEATH	TOTAL, 229 AREAS	STANDARD METROPOLITAN STATISTICAL AREAS											
		ABILENE, TEX.	AKRON, OHIO	ALBANY, GA	ALBANY-SCHENECTADY-TROY, N.Y.	ALBUQUERQUE, N. MEX.	ALLENTOWN-BETHLEHEM-EASTON, PA.-N.J.	ALTOONA, PA.	AMARILLO, TEX.	ANAHEIM-SANTA ANA-GARDEN GROVE, CALIF.	ANDERSON, IND.	ANN ARBOR, MICH.	APPLETON-OSHKOSH, WIS.
ALL CAUSES	1,281,934	1,070	5,746	716	7,716	2,186	5,714	1,724	1,246	9,556	1,212	1,336	2,320
BACILLARY DYSENTERY AND AMEBIASIS—004,006	56	-	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	1,228	2	2	4	6	6	4	4	2	8	-	4	2
TUBERCULOSIS, ALL FORMS—010-019	2,956	4	14	2	14	10	8	2	-	4	2	-	2
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	2,336	4	8	2	12	4	8	2	-	-	2	-	-
TUBERCULOSIS, OTHER FORMS—013-019	620	-	6	-	2	6	-	-	-	4	-	-	2
WHOOPING COUGH—033	2	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	6	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	214	-	2	-	2	-	2	-	-	8	-	-	-
SEPTICEMIA—038	3,042	2	12	4	8	6	2	2	2	16	-	2	6
ACUTE POLIOMYELITIS—040-043	2	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	0	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	222	2	-	-	-	-	-	-	-	2	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	2,530	-	12	2	14	4	10	2	4	12	4	4	6
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	235,504	192	1,024	106	1,428	338	1,016	272	224	1,938	208	274	396
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	5,476	2	20	-	28	8	22	10	6	32	2	2	12
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	65,592	52	298	36	404	92	300	68	58	482	46	58	110
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	53,214	42	236	30	350	64	218	68	68	464	58	62	42
MALIGNANT NEOPLASM OF BREAST—174	22,300	22	106	2	132	32	82	26	16	190	20	38	48
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	27,468	26	126	12	170	32	112	26	28	238	24	40	66
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	10,748	8	34	4	80	22	52	12	2	86	6	14	22
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	27,902	26	94	14	154	54	120	36	24	236	22	26	58
LEUKEMIA—204-207	9,426	6	48	4	60	16	38	14	10	100	22	10	20
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	13,378	8	62	4	50	18	72	12	12	110	8	24	18
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	3,524	-	12	-	24	10	34	2	4	32	4	6	-
DIABETES MELLITUS—250	25,472	22	128	16	170	44	116	30	30	112	32	32	76
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	1,550	2	2	2	6	-	6	2	-	8	-	2	-
ANEMIAS—280-285	2,130	2	4	-	18	6	10	-	2	12	-	2	-
MENINGITIS—320	1,030	-	2	-	6	-	-	-	-	12	-	-	-
MAJOR CARDIOVASCULAR DISEASES—390-448	665,816	506	3,080	356	4,286	816	3,370	1,036	628	4,750	658	634	1,304
DISEASES OF HEART—390-398,402,404,410-429	493,664	328	2,254	204	3,292	544	2,644	758	464	3,490	488	392	938
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	10,188	6	66	2	54	30	48	8	4	108	8	14	24
HYPERTENSIVE HEART DISEASE—402	5,194	6	28	2	22	4	16	8	-	16	2	4	16
HYPERTENSIVE HEART AND RENAL DISEASE—404	3,066	4	12	2	6	2	8	10	2	12	8	-	8
ISCHEMIC HEART DISEASE—410-413	449,242	278	2,046	186	3,072	484	2,508	704	440	3,224	446	352	856
ACUTE MYOCARDIAL INFARCTION—410	220,230	170	1,128	96	1,536	270	1,300	360	274	2,050	236	230	470
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	3,064	-	8	-	10	6	2	-	-	8	-	-	14
CHRONIC ISCHEMIC HEART DISEASE—412	225,878	108	910	90	1,526	208	1,206	344	166	1,166	210	122	372
ANGINA PECTORIS—413	70	-	-	-	-	-	-	-	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	3,066	-	10	-	14	2	2	8	2	30	6	4	6
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	22,908	34	92	12	124	22	62	20	16	100	18	18	28

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	TOTAL, 229 AREAS	STANDARD METROPOLITAN STATISTICAL AREAS											
		ABILENE, TEX.	AKRON, OHIO	ALBANY, GA	ALBANY-SCHENECTADY-TROY, N.Y.	ALBUQUERQUE, N. MEX.	ALLENTOWN-BETHLEHEM-EASTON, PA.-N.J.	ALTOONA, PA.	AMARILLO, TEX.	ANAHEIM-SANTA ANA-GARDEN GROVE, CALIF.	ANDERSON, IND.	ANN ARBOR, MICH.	APPLETON-OSHKOSH, WIS.
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION----------400,401,403	4,644	2	18	6	30	14	18	26	8	18	12	4	6
CEREBROVASCULAR DISEASES----------430-438	131,672	126	628	140	672	170	528	212	112	1,016	110	208	264
CEREBRAL HEMORRHAGE----------431	22,344	28	130	36	170	34	102	18	10	126	20	28	48
CEREBRAL THROMBOSIS----------433	37,310	6	174	46	212	38	218	66	22	288	26	40	48
CEREBRAL EMBOLISM----------434	590	-	-	2	4	-	2	-	-	6	-	-	-
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	71,428	92	324	56	286	98	206	128	80	596	64	140	168
ARTERIOSCLEROSIS----------440	19,492	32	88	4	158	44	116	24	18	76	26	18	64
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	16,344	18	92	2	134	44	64	16	26	150	22	12	32
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	840	-	6	-	2	-	2	-	2	6	2	-	2
INFLUENZA AND PNEUMONIA----------470-474,480-486	40,012	28	148	32	280	78	122	40	40	264	34	38	58
INFLUENZA----------470-474	2,266	-	12	2	6	-	12	2	-	16	2	4	4
PNEUMONIA----------480-486	37,746	28	136	30	274	78	110	38	40	248	32	34	54
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	19,402	20	82	10	192	52	60	30	38	168	38	20	26
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	3,858	6	10	-	60	6	6	8	-	22	8	6	6
EMPHYSEMA----------492	14,010	14	68	10	122	40	52	18	32	142	26	10	16
ASTHMA----------493	1,534	-	4	-	10	6	2	4	6	4	4	4	4
PEPTIC ULCER----------531-533	5,326	8	10	-	32	6	22	4	4	56	-	10	12
APPENDICITIS----------540-543	744	-	-	-	10	-	6	4	-	2	2	2	-
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	4,362	8	24	-	26	8	14	6	2	22	-	8	4
CIRRHOSIS OF LIVER----------571	25,520	12	62	10	142	62	94	20	16	204	16	20	24
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	2,180	2	14	-	12	8	6	-	-	18	2	-	14
NEPHRITIS AND NEPHROSIS----------580-584	5,522	6	28	8	24	8	28	14	8	30	8	-	14
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	960	2	10	-	2	2	4	6	4	4	-	-	2
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	4,562	4	18	8	22	6	24	8	4	26	8	-	12
INFECTIONS OF KIDNEY----------590	4,170	6	22	6	8	2	20	2	-	32	4	-	-
HYPERPLASIA OF PROSTRATE----------600	1,092	-	4	-	2	4	-	4	2	12	4	-	4
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	378	-	-	-	-	-	2	-	-	4	-	-	-
ABORTIONS----------640-645	52	-	-	-	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	326	-	-	-	-	-	2	-	-	4	-	-	-
CONGENITAL ANOMALIES----------740-759	9,930	10	36	6	52	20	28	12	18	74	14	12	18
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	22,338	24	66	20	98	42	62	16	26	204	28	26	24
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	12,492	14	38	10	44	26	34	8	12	118	20	14	16
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	9,846	10	28	10	54	16	28	8	14	86	8	12	8
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	16,026	34	396	12	30	130	28	4	14	12	4	8	18
ALL OTHER DISEASES----------RESIDUAL	74,412	72	278	38	410	204	322	116	78	518	78	80	122
ACCIDENTS----------E800-E949	67,802	82	194	54	316	226	240	80	62	680	54	114	158
MOTOR VEHICLE ACCIDENTS----------E810-E823	31,470	44	72	22	128	134	122	28	26	342	32	62	66
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	36,332	38	122	32	188	92	118	52	36	338	22	52	92
SUICIDE----------E950-E959	17,276	14	54	6	54	52	60	18	28	248	12	24	28
HOMICIDE----------E960-E978	15,216	10	24	22	24	42	18	2	12	80	4	10	-
OTHER EXTERNAL CAUSES----------E980-E999	4,094	-	4	-	20	2	2	-	-	8	-	4	2

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	ASHEVILLE, N.C.	ATLANTA, GA.	ATLANTIC CITY, N.J.	AUGUSTA, GA.-S.C.	AUSTIN, TEX.	BAKERSFIELD, CALIF.	BALTIMORE, MD.	BATON ROUGE, LA.	BAY CITY, MICH.	BEAUMONT-PORT ARTHUR-ORANGE, TEX.	BILLINGS, MONT.	BILOXI-GULFPORT, MISS.	BINGHAMTON, N.Y.-PA.
ALL CAUSES	1,568	11,008	2,668	2,174	2,102	2,806	19,766	2,116	1,016	2,672	696	1,080	2,832
BACILLARY DYSENTERY AND AMEBIASIS 004,006	2	-	-	-	-	-	4	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES 008,009	2	6	2	2	6	2	12	4	-	6	-	-	10
TUBERCULOSIS, ALL FORMS 010-019	-	22	10	4	6	4	86	2	-	10	2	2	-
TUBERCULOSIS OF RESPIRATORY SYSTEM 010-012	-	16	10	2	6	2	70	2	-	10	2	2	-
TUBERCULOSIS, OTHER FORMS 013-019	-	6	-	2	-	2	16	-	-	-	-	-	-
WHOOPING COUGH 033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER 034	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 036	-	2	2	-	2	2	4	-	-	4	-	-	-
SEPTICEMIA 038	6	58	4	8	6	8	68	8	2	16	-	-	-
ACUTE POLIOMYELITIS 040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES 055	-	-	-	-	-	2	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 090-097	-	8	-	2	-	2	4	-	-	-	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES REMAINDER OF 000-136	-	24	6	10	12	6	46	2	2	8	-	6	6
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-209	292	1,826	436	376	376	456	3,798	380	188	582	106	176	576
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX 140-149	16	56	8	14	4	8	110	16	6	16	-	12	6
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM 150-159	48	436	148	94	98	100	1,050	104	44	134	24	50	170
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM 160-163	66	446	96	100	100	124	988	82	50	170	22	38	128
MALIGNANT NEOPLASM OF BREAST 174	20	174	44	30	26	38	266	24	24	40	6	16	48
MALIGNANT NEOPLASMS OF GENITAL ORGANS 180-187	34	250	52	48	56	78	394	32	24	76	16	26	84
MALIGNANT NEOPLASMS OF URINARY ORGANS 188,189	16	72	20	10	12	8	168	16	10	24	10	4	28
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES 170-173,190-199	46	206	32	54	44	52	480	62	20	70	18	18	44
LEUKEMIA 204-207	18	98	16	2	20	20	118	14	8	24	4	4	22
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 200-203,208,209	28	88	20	24	16	28	224	30	2	28	6	8	46
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE 210-239	4	30	-	4	-	-	70	2	4	8	2	6	2
DIABETES MELLITUS 250	26	212	34	44	40	48	586	46	24	48	16	12	64
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES 260-269	2	14	2	2	-	4	28	4	-	6	2	2	2
ANEMIAS 280-285	2	24	2	6	6	10	64	2	-	6	-	2	-
MENINGITIS 320	-	8	4	4	8	-	10	-	2	2	2	-	2
MAJOR CARDIOVASCULAR DISEASES 390-448	818	5,076	1,620	1,126	1,026	1,384	9,836	1,052	562	1,254	330	544	1,624
DISEASES OF HEART 390-398,402,404,410-429	554	3,488	1,304	816	678	1,024	7,918	782	392	914	214	398	1,244
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE 390-398	16	58	14	10	20	24	178	6	6	14	4	-	22
HYPERTENSIVE HEART DISEASE 402	8	32	6	34	6	16	56	8	2	14	4	6	10
HYPERTENSIVE HEART AND RENAL DISEASE 404	-	12	4	6	-	6	30	2	-	6	4	-	6
ISCHEMIC HEART DISEASE 410-413	488	3,144	1,230	742	574	946	7,276	710	356	762	166	294	1,188
ACUTE MYOCARDIAL INFARCTION 410	260	1,638	726	450	334	396	2,968	296	210	464	102	156	642
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE 411	-	6	-	-	2	4	12	2	2	6	2	-	-
CHRONIC ISCHEMIC HEART DISEASE 412	228	1,500	504	292	238	546	4,296	412	144	292	62	138	546
ANGINA PECTORIS 413	-	-	-	-	-	-	-	-	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY 424,428	10	22	8	2	6	2	32	-	4	16	6	4	6
ALL OTHER FORMS OF HEART DISEASE 420-423,425-427,429	32	220	42	22	72	30	346	56	24	102	30	94	12

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	ASHEVILLE, N.C.	ATLANTA, GA.	ATLANTIC CITY, N.J.	AUGUSTA, GA.-S.C.	AUSTIN, TEX.	BAKERSFIELD, CALIF.	BALTIMORE, MD.	BATON ROUGE, LA.	BAY CITY, MICH.	BEAUMONT-PORT ARTHUR-ORANGE, TEX.	BILLINGS, MONT.	BILOXI-GULFPORT, MISS.	BINGHAMTON, N.Y.-PA.
MAJOR CARDIOVASCULAR DISEASES—CON.													
HYPERTENSION----------400,401,403	8	56	8	10	4	10	60	12	-	22	-	2	16
CEREBROVASCULAR DISEASES----------430-438	202	1,306	238	246	246	270	1,364	188	140	242	82	126	276
CEREBRAL HEMORRHAGE----------431	34	238	56	72	38	38	186	36	8	52	8	22	48
CEREBRAL THROMBOSIS----------433	62	304	68	80	40	70	210	28	28	52	28	50	84
CEREBRAL EMBOLISM----------434	2	10	-	-	2	2	2	-	-	-	-	-	-
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	104	754	114	94	166	160	966	124	104	138	46	54	144
ARTERIOSCLEROSIS----------440	34	102	28	32	78	40	222	36	18	44	24	4	46
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	20	124	42	22	20	40	272	34	12	32	10	14	42
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	2	4	4	-	-	4	16	-	-	-	-	-	2
INFLUENZA AND PNEUMONIA----------470-474,480-486	40	392	74	50	48	86	500	54	30	92	28	26	72
INFLUENZA----------470-474	8	20	2	-	-	4	32	2	2	12	2	-	10
PNEUMONIA----------480-486	32	372	72	50	48	82	468	52	28	80	26	26	62
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	32	168	40	34	32	74	196	18	10	44	18	28	60
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	-	32	16	-	8	10	32	2	2	10	2	6	28
EMPHYSEMA----------492	30	128	24	30	22	62	132	14	8	34	12	18	32
ASTHMA----------493	2	8	-	4	2	2	32	2	-	-	4	4	-
PEPTIC ULCER----------531-533	12	36	8	4	4	22	44	8	2	16	4	6	16
APPENDICITIS----------540-543	-	8	-	-	-	-	8	-	-	-	-	4	-
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	8	34	6	8	12	18	86	4	6	12	-	4	12
CIRRHOSIS OF LIVER----------571	26	242	54	24	36	44	594	30	12	40	16	12	30
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	2	8	8	2	8	2	26	4	-	-	6	-	8
NEPHRITIS AND NEPHROSIS----------580-584	14	76	16	8	14	18	120	10	-	22	4	6	10
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	4	18	2	-	4	2	14	2	-	6	2	2	4
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	10	58	14	8	10	16	106	8	-	16	2	4	6
INFECTIONS OF KIDNEY----------590	10	44	2	12	4	14	38	2	6	12	-	6	6
HYPERPLASIA OF PROSTRATE----------600	-	10	-	2	-	2	14	2	-	2	-	-	2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	-	4	2	-	4	-	4	2	-	-	-	-	-
ABORTIONS----------640-645	-	-	-	-	2	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	-	4	2	-	2	-	4	2	-	-	-	-	-
CONGENITAL ANOMALIES----------740-759	16	126	14	30	20	18	142	18	6	30	4	2	26
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	34	238	42	36	44	50	256	52	14	40	18	42	26
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	16	122	18	28	26	28	172	40	12	22	10	30	18
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	18	116	24	8	18	22	84	12	2	18	8	12	8
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	14	148	12	30	30	12	110	14	2	58	24	40	18
ALL OTHER DISEASES----------RESIDUAL	88	816	126	124	104	168	1,350	142	60	126	36	52	132
ACCIDENTS----------E800-E949	88	756	110	124	186	232	958	166	66	156	64	74	134
MOTOR VEHICLE ACCIDENTS----------E810-E823	18	418	56	76	106	134	396	64	38	84	28	30	58
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	70	338	54	48	80	98	562	102	28	72	36	44	76
SUICIDE----------E950-E959	20	212	14	36	30	74	240	36	12	24	6	12	10
HOMICIDE----------E960-E978	8	358	6	62	36	36	378	50	4	48	6	16	-
OTHER EXTERNAL CAUSES----------E980-E999	-	18	8	-	2	4	70	2	2	-	2	-	2

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	BIRMINGHAM, ALA.	BLOOMING-TON-NORMAL, ILL.	BOISE CITY, IDAHO	BOSTON-LOWELL-LAWRENCE, MASS.	BRIDGEPORT-STAMFORD-NORWALK, CONN.	BROCKTON, MASS.	BROWNSVILLE-HARLINGEN-SAN BENITO, TEX.	BRYAN-COLLEGE STATION, TEX.	BUFFALO, N.Y.	CANTON, OHIO	CEDAR RAPIDS, IOWA	CHAMPAIGN-URBANA, ILL.	CHARLESTON, S.C.
ALL CAUSES	7,736	934	926	33,228	6,666	3,204	1,194	420	13,382	3,578	1,422	996	2,228
BACILLARY DYSENTERY AND AMEBIASIS 004,006	2	-	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES 008,009	2	-	-	38	2	6	8	4	18	4	2	-	4
TUBERCULOSIS, ALL FORMS 010-019	24	2	-	76	12	2	4	2	22	8	4	-	6
TUBERCULOSIS OF RESPIRATORY SYSTEM 010-012	22	-	-	62	4	2	4	2	18	6	2	-	4
TUBERCULOSIS, OTHER FORMS 013-019	2	2	-	14	8	-	-	-	4	2	2	-	2
WHOOPING COUGH 033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER 034	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 036	2	-	-	-	-	-	-	-	2	-	-	-	-
SEPTICEMIA 038	18	-	-	110	18	8	4	-	30	8	-	-	8
ACUTE POLIOMYELITIS 040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES 055	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 090-097	6	-	-	2	-	-	-	-	6	2	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES REMAINDER OF 000-136	16	-	-	84	10	4	4	-	12	4	4	2	8
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-209	1,368	186	142	6,428	1,410	622	176	64	2,460	626	266	174	326
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX 140-149	28	10	2	184	36	16	6	2	78	10	4	-	8
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM 150-159	340	74	30	1,952	468	156	48	22	752	184	58	52	80
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM 160-163	332	24	32	1,304	272	124	54	12	564	138	76	48	100
MALIGNANT NEOPLASM OF BREAST 174	108	14	14	656	124	78	12	4	256	52	22	22	24
MALIGNANT NEOPLASMS OF GENITAL ORGANS 180-187	214	26	28	706	156	58	18	4	266	52	24	14	24
MALIGNANT NEOPLASMS OF URINARY ORGANS 188,189	66	4	-	308	78	36	8	8	112	36	8	8	14
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES 170-173,190-199	166	20	26	760	150	88	16	6	222	92	50	14	46
LEUKEMIA 204-207	42	6	8	198	50	20	2	-	96	28	12	2	12
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 200-203,208,209	72	8	2	360	76	46	12	6	114	34	12	14	18
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE 210-239	18	4	-	128	22	14	2	-	32	10	2	2	4
DIABETES MELLITUS 250	154	8	12	638	138	76	22	4	248	64	10	8	60
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES 260-269	8	-	2	48	8	2	6	-	10	2	2	-	-
ANEMIAS 280-285	18	2	2	44	12	2	4	2	16	-	-	4	12
MENINGITIS 320	4	-	-	18	6	-	-	-	6	-	-	2	4
MAJOR CARDIOVASCULAR DISEASES 390-448	3,616	518	512	17,276	3,466	1,748	552	198	7,312	2,042	756	540	1,000
DISEASES OF HEART 390-398,402,404,410-429	2,220	364	362	13,224	2,490	1,324	422	140	5,438	1,516	528	370	744
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE 390-398	30	2	14	276	48	26	6	-	126	38	8	6	4
HYPERTENSIVE HEART DISEASE 402	24	2	4	226	10	20	2	2	38	18	6	2	8
HYPERTENSIVE HEART AND RENAL DISEASE 404	14	-	-	52	-	10	-	-	16	8	2	-	-
ISCHEMIC HEART DISEASE 410-413	1,998	356	328	12,072	2,302	1,210	366	128	5,086	1,384	480	348	648
ACUTE MYOCARDIAL INFARCTION 410	1,078	158	192	6,286	1,260	564	212	34	3,108	678	268	210	338
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE 411	2	-	2	36	4	6	-	-	18	2	-	-	36
CHRONIC ISCHEMIC HEART DISEASE 412	918	196	134	5,750	1,034	640	154	94	1,960	704	212	138	274
ANGINA PECTORIS 413	-	2	-	-	4	-	-	-	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY 424,428	22	-	2	72	14	4	8	-	32	6	4	4	4
ALL OTHER FORMS OF HEART DISEASE 420-423,425-427,429	132	4	14	526	116	54	40	10	140	62	28	10	80

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	BIRMINGHAM, ALA.	BLOOMINGTON-NORMAL, ILL.	BOISE CITY, IDAHO	BOSTON-LOWELL-LAWRENCE, MASS.	BRIDGEPORT-STAMFORD-NORWALK, CONN.	BROCKTON, MASS.	BROWNSVILLE-HARLINGEN-SAN BENITO, TEX.	BRYAN-COLLEGE STATION, TEX.	BUFFALO, N.Y.	CANTON, OHIO	CEDAR RAPIDS, IOWA	CHAMPAIGN-URBANA, ILL.	CHARLESTON, S.C.
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION----------400,401,403	40	6	8	100	38	12	6	2	64	10	2	4	6
CEREBROVASCULAR DISEASES----------430-438	1,156	112	114	3,094	736	344	92	46	1,458	358	166	124	210
CEREBRAL HEMORRHAGE----------431	150	24	14	772	140	102	30	10	248	80	18	32	42
CEREBRAL THROMBOSIS----------433	324	42	22	1,054	256	88	20	4	564	102	24	30	50
CEREBRAL EMBOLISM----------434	4	-	-	32	4	2	-	-	4	4	2	-	2
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	678	46	78	1,236	336	152	42	32	642	172	122	62	116
ARTERIOSCLEROSIS----------440	100	22	14	426	94	24	20	-	170	104	46	30	12
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	100	14	14	432	108	44	12	10	182	54	14	12	28
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	-	2	-	22	2	-	-	-	10	4	-	2	2
INFLUENZA AND PNEUMONIA----------470-474,480-486	202	18	16	1,660	214	126	40	12	488	128	52	28	52
INFLUENZA----------470-474	18	2	4	32	18	8	6	2	20	20	6	6	4
PNEUMONIA----------480-486	184	16	12	1,628	196	118	34	10	468	108	46	22	48
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	60	16	24	406	82	42	2	2	238	74	36	6	26
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	14	6	6	86	28	12	-	-	58	8	4	-	-
EMPHYSEMA----------492	40	8	16	274	52	28	2	-	166	60	32	6	20
ASTHMA----------493	6	2	2	46	2	2	-	2	14	6	-	-	6
PEPTIC ULCER----------531-533	14	8	6	172	24	6	8	2	66	18	10	6	8
APPENDICITIS----------540-543	-	-	-	16	-	2	4	2	2	4	2	-	2
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	30	2	2	108	18	12	10	2	74	16	6	10	6
CIRRHOSIS OF LIVER----------571	70	14	20	692	166	60	20	2	256	56	16	10	34
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	18	-	6	50	16	6	2	2	30	4	4	4	2
NEPHRITIS AND NEPHROSIS----------580-584	18	4	4	118	16	6	8	2	60	6	2	2	10
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	8	4	-	18	2	-	-	-	12	-	2	-	4
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	10	-	4	100	14	6	8	2	48	6	-	2	6
INFECTIONS OF KIDNEY----------590	50	-	-	92	12	12	4	2	40	16	8	4	10
HYPERPLASIA OF PROSTRATE----------600	24	2	2	30	-	4	6	-	14	2	4	2	-
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	4	-	-	6	-	-	4	-	2	-	-	2	-
ABORTIONS----------640-645	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	4	-	-	6	-	-	4	-	2	-	-	2	-
CONGENITAL ANOMALIES----------740-759	56	10	16	214	50	26	14	6	94	30	6	8	16
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	126	28	12	360	102	34	34	14	234	42	36	28	68
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	70	18	8	158	54	18	20	6	110	28	12	16	30
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	56	10	4	202	48	16	14	8	124	14	24	12	38
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	580	2	10	264	58	40	88	40	38	4	6	16	152
ALL OTHER DISEASES----------RESIDUAL	514	32	58	2,064	372	148	62	20	730	164	70	54	140
ACCIDENTS----------E800-E949	486	64	52	1,578	298	170	72	32	594	192	86	62	196
MOTOR VEHICLE ACCIDENTS----------E810-E823	246	32	24	592	126	80	36	16	294	86	42	28	112
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	240	32	28	986	172	90	36	16	300	106	44	34	84
SUICIDE----------E950-E959	84	6	18	258	76	26	18	4	120	38	22	10	22
HOMICIDE----------E960-E978	144	6	2	178	36	-	16	2	70	8	8	6	42
OTHER EXTERNAL CAUSES----------E980-E999	-	-	8	50	20	-	-	-	48	2	2	4	8

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	CHARLESTON, W. VA.	CHARLOTTE, N.C.	CHATTANOOGA, TENN.-GA.	CHICAGO, ILL.	CINCINNATI, OHIO-KY.-IND.	CLEVELAND, OHIO	COLORADO SPRINGS, COLO.	COLUMBIA, MO.	COLUMBIA, S.C.	COLUMBUS, GA.-ALA.	COLUMBUS, OHIO	CORPUS CHRISTI, TEX.	DALLAS, TEX.
ALL CAUSES	2,456	3,284	3,090	67,374	13,472	19,966	1,616	558	2,520	1,946	7,692	2,094	12,226
BACILLARY DYSENTERY AND AMEBIASIS---004,006	-	-	2	2	-	-	-	-	2	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES---008,009	2	4	-	66	6	22	-	-	2	-	4	2	10
TUBERCULOSIS, ALL FORMS---010-019	2	14	26	180	30	36	4	-	8	8	6	8	18
TUBERCULOSIS OF RESPIRATORY SYSTEM---010-012	2	12	18	144	26	34	2	-	6	8	4	6	16
TUBERCULOSIS, OTHER FORMS---013-019	-	2	8	36	4	2	2	-	2	-	2	2	2
WHOOPING COUGH---033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER---034	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS---036	2	2	-	4	2	-	2	-	-	-	-	2	4
SEPTICEMIA---038	-	10	6	118	22	46	4	-	4	2	40	6	14
ACUTE POLIOMYELITIS---040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES---055	-	-	-	2	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE---090-097	2	-	-	12	4	4	-	-	-	-	-	-	8
OTHER INFECTIVE AND PARASITIC DISEASES---REMAINDER OF 000-136	8	12	8	114	30	22	4	2	6	4	10	4	26
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES---140-209	430	544	452	12,202	2,742	3,720	252	98	386	342	1,410	356	2,090
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX---140-149	16	18	24	290	64	90	2	2	4	10	24	12	38
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM---150-159	102	126	116	3,728	794	1,138	78	10	84	54	360	76	512
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM---160-163	100	120	106	2,484	686	826	24	18	90	82	346	88	548
MALIGNANT NEOPLASM OF BREAST---174	28	68	40	1,216	212	340	34	14	28	36	126	38	176
MALIGNANT NEOPLASMS OF GENITAL ORGANS---180-187	50	72	62	1,428	362	434	34	18	46	48	172	36	266
MALIGNANT NEOPLASMS OF URINARY ORGANS---188,189	24	16	12	614	120	146	6	2	18	20	50	18	72
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES---170-173,190-199	56	74	48	1,340	282	406	38	20	72	52	178	50	262
LEUKEMIA---204-207	16	30	16	412	108	120	22	6	18	12	72	8	90
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES---200-203,208,209	38	20	28	690	114	220	14	8	26	28	82	30	126
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE---210-239	6	12	10	150	22	86	12	2	6	6	16	8	32
DIABETES MELLITUS---250	60	58	78	1,324	258	470	18	8	52	28	166	58	162
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES---260-269	4	4	-	66	14	22	2	2	2	2	14	2	22
ANEMIAS---280-285	2	6	8	100	30	24	4	-	6	2	20	8	26
MENINGITIS---320	2	12	-	52	14	14	2	-	4	6	2	-	16
MAJOR CARDIOVASCULAR DISEASES---390-448	1,348	1,588	1,672	37,554	7,060	10,314	754	298	1,370	912	3,984	980	5,908
DISEASES OF HEART---390-398,402,404,410-429	1,044	1,126	1,186	29,264	5,392	7,730	508	194	998	624	2,836	740	4,302
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE---390-398	16	22	26	454	146	198	14	2	14	2	48	8	56
HYPERTENSIVE HEART DISEASE---402	8	2	6	518	54	86	4	-	14	30	28	14	32
HYPERTENSIVE HEART AND RENAL DISEASE---404	10	14	6	140	22	20	6	-	12	14	352	4	26
ISCHEMIC HEART DISEASE---410-413	952	982	1,080	25,358	4,992	7,076	442	174	902	450	2,258	672	3,878
ACUTE MYOCARDIAL INFARCTION---410	544	448	776	13,138	1,922	2,614	224	72	558	284	1,310	354	1,648
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE---411	-	4	-	70	12	48	40	-	-	-	14	2	16
CHRONIC ISCHEMIC HEART DISEASE---412	408	528	304	12,148	3,056	4,414	178	102	344	166	934	316	2,214
ANGINA PECTORIS---413	-	2	-	2	2	-	-	-	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY---424,428	8	16	6	200	12	38	-	-	10	12	16	4	30
ALL OTHER FORMS OF HEART DISEASE---420-423,425-427,429	50	90	62	2,594	166	312	42	18	46	116	134	38	280

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	CHARLESTON, W. VA.	CHARLOTTE, N.C.	CHATTANOOGA, TENN.-GA.	CHICAGO, ILL.	CINCINNATI, OHIO-KY.-IND.	CLEVELAND, OHIO	COLORADO SPRINGS, COLO.	COLUMBIA, MO.	COLUMBIA, S.C.	COLUMBUS, GA.-ALA.	COLUMBUS, OHIO	CORPUS CHRISTI, TEX.	DALLAS, TEX.
MAJOR CARDIOVASCULAR DISEASES—CON.													
HYPERTENSION—400,401,403	8	4	16	362	38	84	2	-	12	14	20	6	38
CEREBROVASCULAR DISEASES—430-438	242	348	394	6,296	1,262	1,948	182	90	292	238	872	174	1,232
CEREBRAL HEMORRHAGE—431	62	56	46	1,404	174	292	28	8	54	58	152	34	148
CEREBRAL THROMBOSIS—433	56	82	78	2,024	344	636	32	38	86	46	240	28	204
CEREBRAL EMBOLISM—434	-	-	4	44	4	12	-	2	4	-	-	-	2
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	124	210	266	2,824	740	1,008	122	42	148	134	480	112	878
ARTERIOSCLEROSIS—440	18	66	30	968	170	292	32	6	30	20	124	32	182
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	36	44	46	664	198	260	30	8	38	16	132	28	154
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	4	-	2	138	6	16	-	-	-	-	2	-	16
INFLUENZA AND PNEUMONIA—470-474,480-486	80	118	88	2,036	362	608	74	24	74	54	292	66	388
INFLUENZA—470-474	2	4	6	60	20	58	-	4	10	-	14	12	26
PNEUMONIA—480-486	70	114	82	1,976	342	550	74	20	64	54	278	54	362
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	42	44	56	868	238	308	44	12	24	24	138	22	216
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	4	4	14	184	56	74	14	2	6	2	30	4	60
EMPHYSEMA—492	32	32	40	602	164	210	26	8	16	22	102	14	144
ASTHMA—493	6	8	2	82	18	24	4	2	2	-	6	4	12
PEPTIC ULCER—531-533	4	6	18	318	90	108	4	-	2	8	34	2	32
APPENDICITIS—540-543	2	16	2	34	6	12	2	-	-	4	6	2	8
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	12	14	10	208	34	70	2	2	10	8	20	2	54
CIRRHOSIS OF LIVER—571	44	74	30	1,480	264	412	22	-	44	16	100	24	174
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	4	8	10	96	32	28	-	-	-	4	8	8	32
NEPHRITIS AND NEPHROSIS—580-584	2	22	24	326	40	74	2	6	18	16	26	12	64
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	-	-	4	56	6	16	2	2	-	2	4	2	18
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	2	22	20	270	34	58	-	4	18	14	22	10	46
INFECTIONS OF KIDNEY—590	2	8	10	184	48	84	8	8	14	8	10	2	76
HYPERPLASIA OF PROSTRATE—600	2	4	4	42	16	20	-	-	2	-	6	2	6
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	-	-	-	18	6	10	-	-	2	2	2	4	2
ABORTIONS—640-645	-	-	-	2	-	2	-	-	-	-	-	2	2
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	-	-	-	16	6	8	-	-	2	2	2	2	-
CONGENITAL ANOMALIES—740-759	16	40	34	512	128	172	28	6	16	16	58	38	130
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	34	70	58	1,364	174	322	46	12	64	68	168	52	328
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	18	34	34	972	72	160	20	8	48	34	74	22	188
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	16	36	24	392	102	162	26	4	16	34	94	30	140
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	40	36	30	164	24	104	12	4	6	84	198	14	194
ALL OTHER DISEASES—RESIDUAL	132	170	172	3,122	758	1,198	120	28	108	140	432	138	830
ACCIDENTS—E800-E949	126	258	190	2,698	656	994	138	36	188	120	344	192	824
MOTOR VEHICLE ACCIDENTS—E810-E823	58	118	104	1,082	276	380	66	22	90	70	152	104	426
ALL OTHER ACCIDENTS—E800-E807,E825-E949	68	140	86	1,616	380	614	72	14	98	50	192	88	398
SUICIDE—E950-E959	18	58	42	682	192	256	34	10	50	20	120	34	230
HOMICIDE—E960-E978	22	70	46	864	130	362	20	-	44	38	46	42	258
OTHER EXTERNAL CAUSES—E980-E999	2	2	2	274	34	28	2	-	6	4	10	4	28

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	DAVENPORT-ROCK ISLAND-MOLINE, IOWA-ILL.	DAYTON, OHIO	DECATUR, ILL.	DENVER COLO.	DES MOINES, IOWA	DETROIT, MICH.	DUBUQUE, IOWA	DULUTH-SUPERIOR, MINN.-WIS.	DURHAM, N.C.	EL PASO, TEX.	ERIE, PA.	EUGENE, OREG.	EVANSVILLE, IND.-KY.	FALL RIVER-NEW BEDFORD, MASS.
ALL CAUSES	3,472	6,900	1,234	9,260	2,632	36,714	850	2,920	1,600	2,244	2,702	1,628	2,556	4,548
BACILLARY DYSENTERY AND AMEBIASIS---004,006	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES---008,009	-	-	-	24	6	22	-	2	2	4	2	6	-	4
TUBERCULOSIS, ALL FORMS---010-019	4	32	-	10	2	82	-	6	4	18	4	-	10	8
TUBERCULOSIS OF RESPIRATORY SYSTEM---010-012	2	26	-	10	2	56	-	6	2	14	2	-	8	8
TUBERCULOSIS, OTHER FORMS---013-019	2	6	-	-	-	26	-	-	2	4	2	-	2	-
WHOOPING COUGH---033	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER---034	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS---036	-	2	-	4	-	2	-	-	2	-	-	-	-	-
SEPTICEMIA---038	2	4	4	28	4	96	2	2	12	4	6	2	-	6
ACUTE POLIOMYELITIS---040-043	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES---055	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE---090-097	-	6	-	2	-	4	-	-	-	-	-	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES---REMAINDER OF 000-136	8	12	-	14	6	76	2	6	-	12	2	6	6	4
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES---140-209	536	1,150	262	1,478	490	6,844	148	552	256	340	450	330	462	912
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX---140-149	10	12	4	28	6	158	2	12	10	4	4	6	10	18
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM---150-159	134	294	70	388	130	1,834	44	196	64	118	136	92	134	278
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM---160-163	128	300	58	300	108	1,702	30	90	50	78	80	94	98	190
MALIGNANT NEOPLASM OF BREAST---174	74	118	32	156	50	666	6	40	24	26	48	26	30	88
MALIGNANT NEOPLASMS OF GENITAL ORGANS---180-187	52	128	30	208	50	764	20	56	26	36	50	40	64	106
MALIGNANT NEOPLASMS OF URINARY ORGANS---188,189	28	56	12	64	36	320	8	32	10	2	22	8	22	44
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES---170-173,190-199	66	106	32	196	56	764	22	72	42	40	64	38	56	112
LEUKEMIA---204-207	18	64	10	72	18	266	8	22	14	20	14	18	16	22
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES---200-203,208,209	26	72	14	66	36	370	8	32	16	16	32	8	32	54
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE---210-239	12	14	2	28	6	82	2	-	6	8	18	2	8	30
DIABETES MELLITUS---250	70	136	20	110	32	1,058	10	56	34	60	64	18	52	134
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES---260-269	6	4	-	22	8	54	-	2	2	-	8	2	2	4
ANEMIAS---280-285	2	12	-	8	2	70	-	4	-	4	6	-	2	4
MENINGITIS---320	4	10	-	6	-	26	-	2	-	2	2	4	-	4
MAJOR CARDIOVASCULAR DISEASES---390-448	2,102	3,782	686	4,438	1,446	18,392	504	1,612	774	910	1,506	858	1,502	2,514
DISEASES OF HEART---390-398,402,404,410-429	1,578	2,704	452	3,268	1,088	14,306	348	1,194	518	670	1,146	574	1,024	1,780
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE---390-398	28	66	12	104	20	266	10	30	6	38	18	14	20	30
HYPERTENSIVE HEART DISEASE---402	16	40	12	12	8	164	2	14	2	6	4	-	2	48
HYPERTENSIVE HEART AND RENAL DISEASE---404	10	12	2	26	10	44	-	6	4	8	-	-	40	34
ISCHEMIC HEART DISEASE---410-413	1,444	2,474	384	2,926	986	13,346	312	1,110	468	486	1,080	548	924	1,616
ACUTE MYOCARDIAL INFARCTION---410	798	1,028	216	1,544	610	6,946	134	592	226	292	602	238	510	756
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE---411	6	12	4	8	4	18	4	2	6	2	2	10	-	14
CHRONIC ISCHEMIC HEART DISEASE---412	640	1,434	164	1,374	372	6,382	174	516	236	192	476	300	414	846
ANGINA PECTORIS---413	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY---424,428	10	6	8	22	2	54	6	8	-	10	6	-	10	10
ALL OTHER FORMS OF HEART DISEASE---420-423,425-427,429	70	106	34	178	62	432	18	26	38	122	38	12	28	42

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972 —Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	DAVENPORT-ROCK ISLAND-MOLINE, IOWA-ILL.	DAYTON, OHIO	DECATUR, ILL.	DENVER COLO.	DES MOINES, IOWA	DETROIT, MICH.	DUBUQUE, IOWA	DULUTH-SUPERIOR, MINN.-WIS.	DURHAM, N.C.	EL PASO, TEX.	ERIE, PA.	EUGENE, OREG.	EVANSVILLE, IND.-KY.	FALL RIVER-NEW BEDFORD, MASS.
MAJOR CARDIOVASCULAR DISEASES—CON.														
HYPERTENSION----------400,401,403	10	24	12	40	2	126	2	2	4	10	16	2	12	24
CEREBROVASCULAR DISEASES----------430-438	416	812	182	768	266	3,268	98	306	178	184	266	216	354	582
CEREBRAL HEMORRHAGE----------431	78	142	34	112	16	570	6	46	40	22	64	30	122	158
CEREBRAL THROMBOSIS----------433	150	170	56	186	74	1,098	40	66	44	28	90	70	84	210
CEREBRAL EMBOLISM----------434	-	-	-	6	2	24	2	-	-	2	2	2	-	4
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	188	500	92	464	174	1,576	50	194	94	132	110	114	148	210
ARTERIOSCLEROSIS----------440	48	128	22	218	44	260	30	56	50	22	50	28	66	80
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	50	114	18	144	46	432	26	54	24	24	28	38	46	48
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	4	2	-	14	-	12	-	2	-	6	2	2	-	8
INFLUENZA AND PNEUMONIA----------470-474,480-486	60	172	42	366	70	1,072	26	110	50	106	76	44	68	126
INFLUENZA----------470-474	4	8	2	28	8	50	2	8	6	12	4	2	14	2
PNEUMONIA----------480-486	56	164	40	338	62	1,022	24	102	44	94	72	42	54	124
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	48	114	24	232	44	580	18	46	22	52	70	30	68	76
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	6	32	2	54	4	82	4	6	16	16	14	14	8	20
EMPHYSEMA----------492	38	74	22	156	38	456	14	38	6	30	52	16	58	48
ASTHMA----------493	4	8	-	22	2	42	-	2	-	6	4	-	2	8
PEPTIC ULCER----------531-533	12	16	8	36	20	166	2	8	-	6	6	6	6	12
APPENDICITIS----------540-543	-	2	-	4	2	22	-	-	2	-	-	-	-	2
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	2	28	4	20	6	132	4	12	-	4	4	6	6	16
CIRRHOSIS OF LIVER----------571	40	112	8	186	40	1,094	10	22	30	50	52	20	20	78
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	8	8	4	22	10	60	2	6	-	4	4	2	4	10
NEPHRITIS AND NEPHROSIS----------580-584	4	26	2	36	12	196	2	-	22	14	4	4	12	10
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME---580,581	-	2	-	4	6	28	-	-	-	-	-	-	4	4
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	4	24	2	32	6	168	2	-	22	14	4	4	8	6
INFECTIONS OF KIDNEY----------590	8	32	2	38	4	90	-	12	6	10	8	4	10	8
HYPERPLASIA OF PROSTRATE----------600	2	6	4	6	6	10	2	2	-	2	4	-	-	4
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	-	-	2	2	-	20	-	2	-	2	2	-	-	2
ABORTIONS----------640-645	-	-	-	-	-	6	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	-	-	2	2	-	14	-	2	-	2	2	-	-	2
CONGENITAL ANOMALIES----------740-759	30	46	4	86	36	294	6	18	18	52	24	12	20	24
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	58	148	20	198	54	818	10	26	28	82	50	30	32	54
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	34	84	6	134	26	412	8	12	18	58	10	18	20	28
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	24	64	14	64	28	406	2	14	10	24	40	12	12	26
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	20	80	8	158	20	254	6	16	10	76	4	8	6	14
ALL OTHER DISEASES----------RESIDUAL	148	386	60	628	120	1,904	46	168	144	192	124	74	124	214
ACCIDENTS----------E800-E949	234	340	54	682	146	1,766	42	180	98	174	144	120	104	202
MOTOR VEHICLE ACCIDENTS----------E810-E823	114	200	22	342	64	830	20	86	38	80	64	66	44	88
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	120	140	32	340	82	936	22	94	60	94	80	54	60	114
SUICIDE----------E950-E959	40	118	12	234	18	504	4	34	26	34	42	12	14	38
HOMICIDE----------E960-E978	6	94	2	104	20	840	-	8	46	14	14	20	16	26
OTHER EXTERNAL CAUSES----------E980-E999	2	6	-	36	2	72	2	4	6	2	-	6	2	-

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS											
	FARGO-MOORHEAD, N. DAK.-MINN.	FAYETTEVILLE, N.C.	FLINT, MICH.	FORT LAUDERDALE-HOLLYWOOD, FLA.	FORT SMITH, ARK.-OKLA.	FORT WAYNE, IND.	FORT WORTH, TEX.	FRESNO, CALIF.	GADSDEN, ALA.	GAINESVILLE, FLA.	GALVESTON-TEXAS CITY, TEX.	GARY-HAMMOND-EAST CHICAGO, IND.
ALL CAUSES	992	1,284	3,590	8,128	1,662	2,332	6,282	3,578	966	750	1,414	5,280
BACILLARY DYSENTERY AND AMEBIASIS 004,006	-	2	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES 008,009	2	-	2	6	2	2	10	2	-	2	-	6
TUBERCULOSIS, ALL FORMS 010-019	-	-	-	12	2	6	16	8	8	2	4	12
TUBERCULOSIS OF RESPIRATORY SYSTEM 010-012	-	-	-	8	2	6	16	4	8	-	2	10
TUBERCULOSIS, OTHER FORMS 013-019	-	-	-	4	-	-	-	4	-	2	2	2
WHOOPING COUGH 033	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER 034	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 036	-	-	4	-	-	-	-	-	-	-	2	-
SEPTICEMIA 038	4	-	12	24	8	4	20	22	4	4	4	2
ACUTE POLIOMYELITIS 040-043	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES 055	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 090-097	-	-	2	-	-	-	2	-	-	-	2	2
OTHER INFECTIVE AND PARASITIC DISEASES REMAINDER OF 000-136	-	6	-	12	14	4	12	14	2	4	2	20
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-209	190	196	652	1,770	280	426	1,098	634	148	110	288	914
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX 140-149	10	6	6	38	2	6	22	16	2	2	10	20
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM 150-159	46	46	152	444	64	110	256	160	30	18	80	240
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM 160-163	38	54	166	492	78	76	242	166	44	32	84	226
MALIGNANT NEOPLASM OF BREAST 174	18	16	56	144	16	56	94	50	10	8	18	100
MALIGNANT NEOPLASMS OF GENITAL ORGANS 180-187	18	8	86	192	22	62	158	76	16	20	26	98
MALIGNANT NEOPLASMS OF URINARY ORGANS 188,189	16	10	30	96	16	20	40	24	4	2	16	26
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES 170-173,190-199	16	26	88	208	46	50	144	86	24	16	30	96
LEUKEMIA 204-207	14	8	30	70	16	24	80	18	4	8	8	46
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 200-203,208,209	14	22	38	86	20	22	62	38	14	4	16	62
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE 210-239	-	2	4	30	-	2	8	10	4	8	6	16
DIABETES MELLITUS 250	12	10	74	152	24	40	102	66	6	14	26	150
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES 260-269	-	2	4	8	-	-	16	8	2	-	2	8
ANEMIAS 280-285	2	-	8	18	2	8	6	6	2	-	4	14
MENINGITIS 320	-	8	2	8	-	-	4	6	4	-	2	6
MAJOR CARDIOVASCULAR DISEASES 390-448	524	558	1,880	4,194	838	1,286	3,110	1,724	546	346	684	2,664
DISEASES OF HEART 390-398,402,404,410-429	346	372	1,416	3,016	616	886	2,184	1,276	432	218	532	1,864
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE 390-398	12	4	22	84	8	10	34	24	12	4	8	16
HYPERTENSIVE HEART DISEASE 402	2	4	10	18	6	20	30	14	4	-	2	26
HYPERTENSIVE HEART AND RENAL DISEASE 404	-	4	6	12	12	18	12	-	6	2	8	-
ISCHEMIC HEART DISEASE 410-413	306	330	1,330	2,600	524	724	1,900	1,200	392	194	468	1,726
ACUTE MYOCARDIAL INFARCTION 410	232	200	838	1,372	274	442	904	576	238	130	224	1,016
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE 411	-	-	4	52	20	6	12	28	-	-	-	14
CHRONIC ISCHEMIC HEART DISEASE 412	74	130	488	1,176	230	276	984	596	154	64	244	694
ANGINA PECTORIS 413	-	-	-	-	-	-	-	-	-	-	-	2
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY 424,428	2	2	6	24	6	72	32	2	-	4	2	24
ALL OTHER FORMS OF HEART DISEASE 420-423,425-427,429	24	28	42	278	60	42	176	36	18	14	44	72

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS											
	FARGO-MOORHEAD, N. DAK.-MINN.	FAYETTEVILLE, N.C.	FLINT, MICH.	FORT LAUDERDALE-HOLLYWOOD, FLA.	FORT SMITH, ARK.-OKLA.	FORT WAYNE, IND.	FORT WORTH, TEX.	FRESNO, CALIF.	GADSDEN, ALA.	GAINESVILLE, FLA.	GALVESTON-TEXAS CITY, TEX.	GARY-HAMMOND-EAST CHICAGO, IND.
MAJOR CARDIOVASCULAR DISEASES--CON.												
HYPERTENSION----------400,401,403	-	10	6	46	4	4	26	18	-	4	2	26
CEREBROVASCULAR DISEASES----------430-438	144	146	336	882	194	256	728	328	92	100	126	610
CEREBRAL HEMORRHAGE----------431	28	14	44	150	20	74	74	46	22	12	22	150
CEREBRAL THROMBOSIS----------433	24	22	94	274	20	42	118	98	54	20	16	136
CEREBRAL EMBOLISM----------434	-	-	-	2	-	-	-	-	-	-	2	2
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	92	110	198	456	154	180	536	184	16	68	86	322
ARTERIOSCLEROSIS----------440	20	18	66	116	8	56	116	54	10	18	14	98
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	14	12	56	134	16	44	56	48	12	6	10	66
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	4	-	-	2	2	-	-	4	-	-	-	8
INFLUENZA AND PNEUMONIA----------470-474,480-486	36	58	86	186	48	86	196	106	32	12	34	190
INFLUENZA----------470-474	4	12	4	14	6	6	8	4	8	-	4	10
PNEUMONIA----------480-486	32	46	82	172	42	80	188	102	24	12	30	180
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	10	20	58	150	14	30	110	82	6	6	30	72
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	4	4	8	10	-	10	30	6	-	-	8	8
EMPHYSEMA----------492	6	16	50	124	14	20	68	68	4	6	22	60
ASTHMA----------493	-	-	-	16	-	-	12	8	2	-	-	4
PEPTIC ULCER----------531-533	-	-	14	20	2	10	30	16	4	4	6	32
APPENDICITIS----------540-543	2	-	4	6	-	2	8	6	-	-	-	2
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	-	2	14	18	8	12	44	22	-	4	4	22
CIRRHOSIS OF LIVER----------571	10	34	48	146	22	34	112	110	8	2	16	82
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	-	4	8	20	2	-	-	2	-	4	-	14
NEPHRITIS AND NEPHROSIS----------580-584	8	-	20	18	14	12	18	20	-	12	8	18
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	-	-	6	2	-	2	4	6	-	2	-	2
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	8	-	14	16	14	10	14	14	-	10	8	16
INFECTIONS OF KIDNEY----------590	2	4	4	20	12	10	26	14	4	4	6	20
HYPERPLASIA OF PROSTRATE----------600	-	-	2	6	4	2	6	8	-	2	-	2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	2	-	2	2	-	-	2	2	-	-	-	6
ABORTIONS----------640-645	-	-	-	2	-	-	-	-	-	-	-	2
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	2	-	2	-	-	-	2	2	-	-	-	4
CONGENITAL ANOMALIES----------740-759	8	24	54	46	20	22	52	26	12	6	10	46
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	12	60	90	86	24	48	200	66	16	6	30	120
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	8	40	52	48	14	14	136	48	6	6	22	64
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	4	20	38	38	10	34	64	18	10	-	8	56
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	14	38	26	88	110	18	40	16	12	54	2	26
ALL OTHER DISEASES----------RESIDUAL	62	76	152	482	76	112	376	210	50	52	78	280
ACCIDENTS----------E800-E949	70	122	248	352	108	118	430	286	62	52	118	338
MOTOR VEHICLE ACCIDENTS----------E810-E823	32	62	134	168	56	66	218	150	30	26	54	138
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	38	60	114	184	52	52	212	136	32	26	64	200
SUICIDE----------E950-E959	16	16	58	108	10	24	112	30	26	22	18	48
HOMICIDE----------E960-E978	2	38	56	116	10	10	108	48	6	16	26	118
OTHER EXTERNAL CAUSES----------E980-E999	-	4	2	22	6	4	8	4	2	2	2	22

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS											
	GRAND RAPIDS, MICH.	GREAT FALLS, MONT.	GREEN BAY, WIS.	GREENSBORO-WINSTON SALEM-HIGH POINT, N.C.	GREENVILLE, S.C.	HAMILTON-MIDDLETOWN, OHIO	HARRISBURG, PA.	HARTFORD-NEW BRITAIN-BRISTOL, CONN.	HONOLULU, HAWAII	HOUSTON, TEX.	HUNTINGTON-ASHLAND, W. VA.-KY.-OHIO	HUNTSVILLE, ALA.
ALL CAUSES	4,598	660	1,174	5,316	2,630	1,760	4,166	7,022	3,138	14,764	2,870	1,516
BACILLARY DYSENTERY AND AMEBIASIS—004,006	2	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	6	2	2	12	2	2	2	10	4	22	6	2
TUBERCULOSIS, ALL FORMS—010-019	10	-	4	8	10	2	2	20	16	46	4	8
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	8	-	4	8	8	2	2	16	8	34	4	4
TUBERCULOSIS, OTHER FORMS—013-019	2	-	-	-	2	-	-	4	8	12	-	4
WHOOPING COUGH—033	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	-	-	-	4	-	-	-	2	2	4	-	-
SEPTICEMIA—038	6	-	6	8	6	2	14	18	26	78	4	4
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	2	-	-	2	2	-	4	-	2	6	-	-
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	10	4	-	8	8	6	8	18	14	52	2	8
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	796	140	218	778	384	362	650	1,484	648	2,504	524	186
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	14	-	2	12	2	6	10	40	30	58	10	-
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	210	30	50	202	86	112	160	460	220	554	138	48
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	160	30	24	150	88	108	140	300	138	752	164	42
MALIGNANT NEOPLASM OF BREAST—174	72	14	32	74	30	36	84	142	42	214	22	14
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	102	18	32	88	40	34	78	142	60	280	70	16
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	50	6	12	36	24	8	40	64	26	110	20	10
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	80	18	34	122	64	34	106	198	78	312	68	34
LEUKEMIA—204-207	42	6	16	46	24	10	26	48	24	114	10	18
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	66	18	16	48	26	14	46	90	30	110	22	4
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	8	6	2	14	8	6	16	10	6	22	2	4
DIABETES MELLITUS—250	98	8	24	70	68	36	68	130	70	210	48	28
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	8	-	-	4	4	2	4	4	12	18	6	-
ANEMIAS—280-285	10	2	-	8	-	4	6	10	4	28	2	-
MENINGITIS—320	-	2	2	8	2	2	4	6	2	22	2	-
MAJOR CARDIOVASCULAR DISEASES—390-448	2,518	288	660	2,820	1,336	922	2,368	3,610	1,350	6,852	1,508	780
DISEASES OF HEART—390-398,402,404,410-429	1,818	176	478	1,936	918	698	1,780	2,564	1,022	4,904	1,140	546
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	28	6	12	40	24	4	56	52	28	98	16	4
HYPERTENSIVE HEART DISEASE—402	12	-	6	14	6	8	10	24	6	52	-	2
HYPERTENSIVE HEART AND RENAL DISEASE—404	22	2	10	12	4	20	16	6	2	16	-	6
ISCHEMIC HEART DISEASE—410-413	1,664	140	378	1,770	834	646	1,624	2,432	916	4,250	1,066	380
ACUTE MYOCARDIAL INFARCTION—410	960	76	196	1,056	572	366	1,008	1,130	430	2,086	562	256
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	2	-	-	4	-	2	4	2	4	14	2	-
CHRONIC ISCHEMIC HEART DISEASE—412	702	64	180	708	262	278	612	1,300	482	2,150	502	124
ANGINA PECTORIS—413	-	-	2	2	-	-	-	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	6	16	6	8	8	4	12	10	12	28	2	-
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	86	12	66	92	42	16	62	40	58	460	56	154

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS											
	GRAND RAPIDS, MICH.	GREAT FALLS, MONT.	GREEN BAY, WIS.	GREENSBORO-WINSTON SALEM-HIGH POINT, N.C.	GREENVILLE, S.C.	HAMILTON-MIDDLETOWN, OHIO	HARRISBURG, PA.	HARTFORD-NEW BRITAIN-BRISTOL, CONN.	HONOLULU, HAWAII	HOUSTON, TEX.	HUNTINGTON-ASHLAND, W. VA.-KY.-OHIO	HUNTSVILLE, ALA.
MAJOR CARDIOVASCULAR DISEASES--CON.												
HYPERTENSION----------400,401,403	12	4	4	22	10	8	14	30	6	60	8	4
CEREBROVASCULAR DISEASES----------430-438	504	58	128	706	338	156	462	766	266	1,528	278	192
CEREBRAL HEMORRHAGE----------431	76	4	16	72	54	24	106	116	62	290	36	36
CEREBRAL THROMBOSIS----------433	174	14	54	256	84	34	102	292	64	356	90	52
CEREBRAL EMBOLISM----------434	4	-	-	2	-	-	-	2	-	8	-	-
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	250	40	58	376	200	98	254	356	140	874	152	104
ARTERIOSCLEROSIS----------440	114	48	30	84	34	42	66	134	20	228	56	34
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	70	2	20	72	36	18	46	116	36	132	26	4
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	-	-	2	4	-	-	-	8	4	12	2	-
INFLUENZA AND PNEUMONIA----------470-474,480-486	130	16	24	170	88	56	134	200	108	456	112	44
INFLUENZA----------470-474	18	2	-	28	4	6	8	14	4	30	10	10
PNEUMONIA----------480-486	112	14	24	142	84	50	126	186	104	426	102	34
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	104	8	10	74	38	32	42	112	46	202	58	28
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	30	2	2	20	8	10	2	34	10	44	12	4
EMPHYSEMA----------492	72	4	8	50	28	20	38	64	26	144	44	22
ASTHMA----------493	2	2	-	4	2	2	2	14	10	14	2	2
PEPTIC ULCER----------531-533	16	2	4	26	6	8	26	22	12	44	12	12
APPENDICITIS----------540-543	6	-	2	6	-	4	-	-	-	12	6	2
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	20	-	-	12	6	8	10	14	8	66	8	-
CIRRHOSIS OF LIVER----------571	42	12	14	96	30	16	32	156	50	294	34	10
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	20	-	2	18	2	6	-	14	6	22	10	8
NEPHRITIS AND NEPHROSIS----------580-584	6	-	4	24	16	-	24	22	22	100	8	4
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	-	-	-	2	2	-	2	4	4	14	2	-
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	6	-	4	22	14	-	22	18	18	86	6	4
INFECTIONS OF KIDNEY----------590	22	2	-	30	22	10	12	10	12	46	14	4
HYPERPLASIA OF PROSTRATE----------600	2	-	-	6	2	2	-	8	2	6	-	4
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	2	-	-	2	-	-	-	2	-	10	-	4
ABORTIONS----------640-645	-	-	-	-	-	-	-	-	-	2	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	2	-	-	2	-	-	-	2	-	8	-	4
CONGENITAL ANOMALIES----------740-759	56	-	6	46	42	16	38	66	46	146	22	14
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	82	12	18	112	42	30	46	120	126	444	42	30
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	36	6	6	64	28	14	22	70	64	270	22	20
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	46	6	12	48	14	16	24	50	62	174	20	10
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	64	60	10	42	10	2	24	68	38	218	92	72
ALL OTHER DISEASES----------RESIDUAL	204	34	66	350	170	104	266	464	182	874	184	72
ACCIDENTS----------E800-E949	268	52	68	410	220	84	234	278	186	1,208	124	142
MOTOR VEHICLE ACCIDENTS----------E810-E823	138	20	36	222	102	54	102	108	100	630	54	84
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	130	32	32	188	118	30	132	170	86	578	70	58
SUICIDE----------E950-E959	52	10	18	62	44	22	52	94	58	310	24	26
HOMICIDE----------E960-E978	26	-	6	78	56	12	36	28	54	418	10	20
OTHER EXTERNAL CAUSES----------E980-E999	2	-	2	4	6	2	4	14	22	12	-	-

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	INDIANAPOLIS, IND.	JACKSON, MICH.	JACKSON, MISS.	JACKSONVILLE, FLA.	JERSEY CITY, N.J.	JOHNSTOWN, PA.	KALAMAZOO, MICH.	KANSAS CITY, MO.-KANS.	KENOSHA, WIS.	KNOXVILLE, TENN.	LA CROSSE, WIS.	LAFAYETTE, LA.	LAFAYETTE-WEST LAFAYETTE, IND.
ALL CAUSES	9,404	1,364	2,088	4,918	7,386	3,060	1,488	11,072	976	3,766	814	748	802
BACILLARY DYSENTERY AND AMEBIASIS---004,006	-	-	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES---008,009	12	-	4	10	10	-	2	12	2	2	-	2	-
TUBERCULOSIS, ALL FORMS---010-019	24	-	8	14	18	10	-	18	-	8	2	-	2
TUBERCULOSIS OF RESPIRATORY SYSTEM---010-012	20	-	8	10	16	10	-	16	-	4	2	-	2
TUBERCULOSIS, OTHER FORMS---013-019	4	-	-	4	2	-	-	2	-	4	-	-	-
WHOOPING COUGH---033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER---034	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS---036	2	-	-	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA---038	26	-	4	14	18	6	4	32	2	10	-	8	-
ACUTE POLIOMYELITIS---040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES---055	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE---090-097	2	-	-	2	-	-	-	2	-	2	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES---REMAINDER OF 000-136	18	2	2	6	10	10	2	18	2	6	4	-	2
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES---140-209	1,732	240	374	920	1,378	500	244	2,018	184	626	148	144	166
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX---140-149	42	10	8	18	26	16	4	54	2	16	-	2	8
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM---150-159	404	64	82	194	466	164	70	464	40	156	58	48	44
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM---160-163	438	68	96	278	320	94	54	438	40	186	24	26	28
MALIGNANT NEOPLASM OF BREAST---174	164	18	32	80	136	40	22	186	38	44	10	6	20
MALIGNANT NEOPLASMS OF GENITAL ORGANS---180-187	228	24	54	106	148	54	32	278	18	72	24	16	18
MALIGNANT NEOPLASMS OF URINARY ORGANS---188,189	76	18	34	42	42	26	12	84	8	26	6	8	6
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES---170-173,190-199	230	26	46	120	138	66	30	298	16	56	12	20	26
LEUKEMIA---204-207	68	4	10	42	46	16	12	110	4	22	10	14	6
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES---200-203,208,209	82	8	12	40	56	24	8	106	18	48	4	4	10
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE---210-239	18	2	4	24	20	8	2	22	-	8	2	2	-
DIABETES MELLITUS---250	154	54	42	88	212	68	50	214	42	50	20	16	14
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES---260-269	8	2	-	8	4	-	6	12	-	4	2	-	-
ANEMIAS---280-285	10	2	4	8	16	8	4	10	-	6	-	2	2
MENINGITIS---320	6	4	2	6	2	2	-	10	-	-	2	6	-
MAJOR CARDIOVASCULAR DISEASES---390-448	4,902	730	966	2,212	4,186	1,706	774	5,466	556	1,888	430	340	446
DISEASES OF HEART---390-398,402,404,410-429	3,538	556	650	1,578	3,400	1,274	566	3,848	442	1,260	312	238	320
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE---390-398	62	8	8	32	60	32	12	94	2	30	10	2	4
HYPERTENSIVE HEART DISEASE---402	40	2	14	28	44	18	4	32	-	10	-	-	-
HYPERTENSIVE HEART AND RENAL DISEASE---404	34	10	6	14	8	10	4	26	8	6	-	2	-
ISCHEMIC HEART DISEASE---410-413	3,190	526	546	1,408	3,176	1,154	524	3,344	418	1,158	290	218	302
ACUTE MYOCARDIAL INFARCTION---410	1,516	250	282	590	916	650	238	1,670	230	696	172	96	172
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE---411	2	-	-	16	12	2	2	16	-	2	2	-	2
CHRONIC ISCHEMIC HEART DISEASE---412	1,672	276	264	802	2,248	502	284	1,658	188	460	116	122	128
ANGINA PECTORIS---413	-	-	-	-	-	-	-	-	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY---424,428	16	2	2	4	10	14	-	28	2	4	-	2	2
ALL OTHER FORMS OF HEART DISEASE---420-423,425-427,429	196	8	74	92	102	46	22	324	12	52	12	14	12

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	INDIANAPOLIS, IND.	JACKSON, MICH.	JACKSON, MISS.	JACKSONVILLE, FLA.	JERSEY CITY, N.J.	JOHNSTOWN, PA.	KALAMAZOO, MICH.	KANSAS CITY, MO.-KANS.	KENOSHA, WIS.	KNOXVILLE, TENN.	LA CROSSE, WIS.	LAFAYETTE, LA.	LAFAYETTE-WEST LAFAYETTE, IND.
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION----------400,401,403	40	4	18	36	30	12	6	28	14	28	-	2	6
CEREBROVASCULAR DISEASES----------430-438	1,022	122	242	466	598	328	140	1,252	78	450	82	82	98
CEREBRAL HEMORRHAGE----------431	148	36	40	112	120	64	22	204	20	68	8	22	20
CEREBRAL THROMBOSIS----------433	216	24	58	128	198	142	36	296	26	106	20	8	28
CEREBRAL EMBOLISM----------434	2	-	-	-	4	-	-	14	-	2	-	-	-
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	656	62	144	226	276	122	82	738	32	274	54	52	50
ARTERIOSCLEROSIS----------440	192	34	28	46	86	48	32	194	12	94	24	18	16
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	110	14	28	86	72	44	30	144	10	56	12	-	6
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	4	2	2	-	4	2	-	4	-	4	-	-	-
INFLUENZA AND PNEUMONIA----------470-474,480-486	244	30	70	176	178	104	36	306	22	108	40	30	20
INFLUENZA----------470-474	14	4	-	10	4	16	-	12	2	10	-	4	4
PNEUMONIA----------480-486	230	26	70	166	174	88	36	294	20	98	40	26	16
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	142	20	10	104	68	32	36	194	6	40	8	12	10
CHRONIC AND UNQUALIFIED BRONCHITIS------490,491	30	6	2	12	16	6	10	48	2	8	2	2	-
EMPHYSEMA----------492	104	10	8	90	42	26	24	130	4	30	2	8	8
ASTHMA----------493	8	4	-	2	10	-	2	16	-	2	4	2	2
PEPTIC ULCER----------531-533	44	6	12	24	28	14	8	56	-	12	2	2	2
APPENDICITIS----------540-543	12	-	-	2	2	-	-	6	-	2	2	-	-
HERNIA AND INTESTINAL OBSTRUCTION------550-553,560	22	6	4	26	34	18	6	50	6	12	2	2	6
CIRRHOSIS OF LIVER----------571	162	28	32	106	186	38	16	170	16	46	8	10	12
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	16	-	4	12	20	4	2	16	6	2	4	-	-
NEPHRITIS AND NEPHROSIS----------580-584	30	-	8	26	26	20	-	44	2	12	4	2	-
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	6	-	-	4	6	6	-	6	-	2	2	-	-
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	24	-	8	22	20	14	-	38	2	10	2	2	-
INFECTIONS OF KIDNEY----------590	32	6	10	30	22	8	2	34	4	18	2	6	-
HYPERPLASIA OF PROSTRATE----------600	14	-	4	4	2	-	-	6	-	8	-	-	-
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	4	-	2	2	-	-	-	-	-	-	-	-	-
ABORTIONS----------640-645	2	-	-	2	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	2	-	2	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES----------740-759	94	14	16	42	36	28	8	72	10	32	10	4	12
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	182	16	56	104	120	46	38	208	6	72	6	30	8
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	112	10	28	64	46	20	22	130	4	40	4	12	6
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	70	6	28	40	74	26	16	78	2	32	2	18	2
SYMPTOMS AND ILL-DEFINED CONDITIONS--------780-796	64	10	104	166	76	12	14	548	-	244	8	6	6
ALL OTHER DISEASES----------RESIDUAL	652	74	106	304	356	238	98	584	36	196	64	44	42
ACCIDENTS----------E800-E949	536	86	152	292	216	150	100	620	56	238	30	66	46
MOTOR VEHICLE ACCIDENTS----------E810-E823	258	50	88	146	78	54	60	298	30	128	10	38	26
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	278	36	64	146	138	96	40	322	26	110	20	28	20
SUICIDE----------E950-E959	112	22	22	72	26	24	32	170	16	60	12	12	6
HOMICIDE----------E960-E978	86	8	60	96	76	4	4	98	2	44	2	2	-
OTHER EXTERNAL CAUSES----------E980-E999	38	-	4	18	36	-	-	52	-	6	-	-	-

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	LAKE CHARLES, LA.	LANCASTER, PA.	LANSING, MICH.	LAREDO, TEX.	LAS VEGAS, NEV.	LAWTON, OKLA.	LEXINGTON, KY.	LIMA, OHIO	LINCOLN, NEBR.	LITTLE ROCK-NORTH LITTLE ROCK, ARK.	LORAIN-ELYRIA, OHIO	LOS ANGELES-LONG BEACH, CALIF.	LOUISVILLE, KY.-IND.
ALL CAUSES	1,182	2,994	2,618	538	1,980	610	1,438	1,708	1,400	3,122	2,086	61,378	7,940
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	-	-	-	-	-	-	-	-	-	-	2	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	-	4	8	-	2	2	2	2	-	-	-	60	4
TUBERCULOSIS, ALL FORMS—010-019	2	8	4	4	-	8	2	6	-	6	2	74	28
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	2	8	2	2	-	8	-	4	-	6	2	48	20
TUBERCULOSIS, OTHER FORMS—013-019	-	-	2	2	-	-	2	2	-	-	-	26	8
WHOOPING COUGH—033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	2	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	2	-	-	-	-	-	-	2	-	-	2	4	-
SEPTICEMIA—038	4	4	-	-	10	2	4	-	-	18	-	78	12
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-	-	2
MEASLES—055	-	-	-	2	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	-	-	-	-	-	-	-	-	-	-	-	12	-
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	4	6	2	-	2	2	2	4	-	2	2	106	20
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	184	552	446	94	366	82	286	294	282	536	348	11,496	1,436
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	2	6	14	-	12	4	12	8	4	8	4	288	54
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	28	152	128	32	82	14	66	92	80	138	110	3,094	402
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	54	120	80	8	100	22	66	54	42	136	74	2,520	344
MALIGNANT NEOPLASM OF BREAST—174	20	52	34	12	44	6	28	28	18	42	36	1,160	138
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	16	62	44	14	38	4	38	28	46	74	32	1,446	158
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	14	18	24	6	12	2	14	14	10	18	10	534	64
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	20	68	66	14	48	18	34	32	46	72	50	1,286	174
LEUKEMIA—204-207	14	26	28	-	18	2	14	14	16	22	12	440	52
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	16	48	28	8	12	10	14	24	20	26	20	728	50
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	2	4	8	-	4	-	4	2	2	14	2	136	10
DIABETES MELLITUS—250	28	94	70	22	30	6	22	28	20	62	80	1,006	182
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	2	4	2	2	2	-	2	2	4	-	6	54	14
ANEMIAS—280-285	2	10	12	-	2	-	2	2	2	14	6	92	12
MENINGITIS—320	2	-	2	6	-	-	-	-	-	12	-	42	2
MAJOR CARDIOVASCULAR DISEASES—390-448	584	1,744	1,376	212	864	280	776	938	766	1,502	1,092	32,680	4,042
DISEASES OF HEART—390-398,402,404,410-429	412	1,282	1,026	152	600	200	544	698	512	986	822	23,888	2,872
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	6	36	36	-	18	6	8	10	22	12	14	486	48
HYPERTENSIVE HEART DISEASE—402	4	4	18	2	4	4	2	2	14	14	16	250	24
HYPERTENSIVE HEART AND RENAL DISEASE—404	-	14	8	-	2	-	2	2	2	4	8	86	26
ISCHEMIC HEART DISEASE—410-413	342	1,178	890	126	536	182	500	650	450	872	758	22,232	2,538
ACUTE MYOCARDIAL INFARCTION—410	216	600	516	58	338	102	244	318	224	572	346	9,022	1,642
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	-	2	8	-	2	2	2	4	6	2	38	80	2
CHRONIC ISCHEMIC HEART DISEASE—412	126	576	364	68	196	78	254	328	220	296	374	13,126	892
ANGINA PECTORIS—413	-	-	2	-	-	-	-	-	-	2	-	4	2
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	2	8	2	6	2	-	6	10	-	6	2	248	24
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	58	42	72	18	38	8	26	24	24	78	24	586	212

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	LAKE CHARLES, LA.	LANCASTER, PA.	LANSING, MICH.	LAREDO, TEX.	LAS VEGAS, NEV.	LAWTON, OKLA.	LEXINGTON, KY.	LIMA, OHIO	LINCOLN, NEBR.	LITTLE ROCK-NORTH LITTLE ROCK, ARK.	LORAIN-ELYRIA, OHIO	LOS ANGELES-LONG BEACH, CALIF.	LOUISVILLE, KY.-IND.
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION----------400,401,403	2	10	12	8	-	2	6	4	4	4	10	182	28
CEREBROVASCULAR DISEASES----------430-438	136	338	232	38	212	64	190	180	196	418	184	7,126	966
CEREBRAL HEMORRHAGE----------431	26	56	38	8	20	18	42	28	20	54	32	878	104
CEREBRAL THROMBOSIS----------433	34	112	66	6	16	10	40	22	46	110	46	2,380	260
CEREBRAL EMBOLISM----------434	-	4	2	-	-	-	-	-	-	6	-	46	4
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	76	166	126	24	176	36	108	130	130	248	106	3,822	598
ARTERIOSCLEROSIS----------440	26	80	62	10	20	8	24	20	36	58	38	892	100
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	8	34	44	4	32	6	12	36	18	36	38	592	76
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	-	-	2	-	-	-	-	2	4	6	2	20	-
INFLUENZA AND PNEUMONIA----------470-474,480-486	38	66	56	18	40	14	36	58	50	92	50	1,430	218
INFLUENZA----------470-474	4	14	4	-	2	-	-	8	10	8	8	96	4
PNEUMONIA----------480-486	34	52	52	18	38	14	36	50	40	84	42	1,334	214
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	24	30	72	14	48	2	18	40	46	30	40	1,068	132
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	-	4	6	-	18	-	-	10	14	6	2	238	14
EMPHYSEMA----------492	22	24	56	14	30	2	12	30	30	22	38	754	114
ASTHMA----------493	2	2	10	-	-	-	6	-	2	2	-	76	4
PEPTIC ULCER----------531-533	6	8	14	4	6	2	6	6	6	6	4	246	34
APPENDICITIS----------540-543	-	4	-	-	-	-	-	2	-	-	-	24	4
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	2	4	4	-	4	-	2	10	2	10	4	196	46
CIRRHOSIS OF LIVER----------571	16	14	38	14	100	16	12	14	12	44	36	1,650	126
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	-	4	4	-	-	-	-	2	2	8	8	90	18
NEPHRITIS AND NEPHROSIS----------580-584	8	16	16	2	-	2	6	6	4	20	14	156	30
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	-	2	4	-	-	-	-	-	2	-	-	36	2
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	8	14	12	2	-	2	6	6	2	20	14	120	28
INFECTIONS OF KIDNEY----------590	16	6	12	-	2	2	4	2	-	14	14	184	38
HYPERPLASIA OF PROSTRATE----------600	2	2	-	2	-	-	2	2	-	2	2	62	2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	-	2	-	-	-	-	-	2	-	-	-	30	6
ABORTIONS----------640-645	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	-	2	-	-	-	-	-	2	-	-	-	30	6
CONGENITAL ANOMALIES----------740-759	14	24	40	8	12	6	16	16	20	32	14	428	56
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	50	46	60	20	44	36	14	46	14	70	66	886	128
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	22	28	32	10	24	24	8	30	12	44	36	506	84
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	28	18	28	10	20	12	6	16	2	26	30	380	44
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	10	16	16	38	16	20	4	4	2	72	18	100	76
ALL OTHER DISEASES----------RESIDUAL	72	150	138	40	126	38	100	104	78	196	112	2,918	560
ACCIDENTS----------E800-E949	74	140	162	28	172	64	88	100	58	236	120	3,402	468
MOTOR VEHICLE ACCIDENTS----------E810-E823	28	72	68	12	88	34	46	52	32	114	52	1,488	202
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	46	68	94	16	84	30	42	48	26	122	68	1,914	266
SUICIDE----------E950-E959	18	28	32	4	70	10	8	6	20	48	28	1,522	104
HOMICIDE----------E960-E978	14	2	18	4	52	10	18	6	4	52	14	928	116
OTHER EXTERNAL CAUSES----------E980-E999	2	-	4	-	6	6	2	-	2	18	-	196	14

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	LUBBOCK, TEX.	LYNCHBURG, VA.	MACON, GA.	MADISON, WIS.	MANCHESTER, N.H.	MANSFIELD, OHIO	MCALLEN-PHARR-EDINBURG, TEX.	MEMPHIS, TENN.-ARK.	MIAMI, FLA.	MIDLAND, TEX.	MILWAUKEE, WIS.	MINNEAPOLIS-ST. PAUL, MINN.	MOBILE, ALA.
ALL CAUSES	1,244	1,256	1,878	1,824	2,266	1,146	1,308	7,056	14,628	418	12,668	13,822	3,578
BACILLARY DYSENTERY AND AMEBIASIS 004,006	-	-	2	-	-	-	6	-	2	-	2	-	2
ENTERITIS AND OTHER DIARRHEAL DISEASES 008,009	4	-	2	4	2	2	10	12	12	-	20	26	6
TUBERCULOSIS, ALL FORMS 010-019	2	2	4	2	2	4	6	12	30	-	16	16	20
TUBERCULOSIS OF RESPIRATORY SYSTEM 010-012	2	-	4	2	2	4	4	10	22	-	8	12	16
TUBERCULOSIS, OTHER FORMS 013-019	-	2	-	-	-	-	2	2	8	-	8	4	4
WHOOPING COUGH 033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER 034	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 036	2	-	-	-	-	-	-	2	6	-	4	4	-
SEPTICEMIA 038	-	-	6	2	4	2	4	12	64	4	26	38	12
ACUTE POLIOMYELITIS 040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES 055	-	-	-	-	-	-	2	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 090-097	-	-	-	-	-	-	-	8	2	-	4	-	-
OTHER INFECTIVE AND PARASITIC DISEASES REMAINDER OF 000-136	6	4	6	4	2	4	4	18	30	-	44	22	4
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-209	190	214	276	298	480	200	212	1,136	3,052	58	2,366	2,510	610
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX 140-149	6	2	6	6	8	10	10	26	102	-	52	54	14
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM 150-159	32	62	58	86	134	76	60	298	858	18	714	732	134
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM 160-163	32	44	56	42	120	36	50	268	718	14	434	456	160
MALIGNANT NEOPLASM OF BREAST 174	6	18	32	36	40	10	12	126	306	2	262	246	60
MALIGNANT NEOPLASMS OF GENITAL ORGANS 180-187	26	32	44	36	66	26	30	128	308	4	268	300	66
MALIGNANT NEOPLASMS OF URINARY ORGANS 188,189	12	8	4	20	26	12	10	32	142	6	116	138	40
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES 170-173,190-199	40	24	46	40	50	20	18	150	332	6	276	310	52
LEUKEMIA 204-207	14	8	10	14	10	4	12	60	134	6	78	108	30
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 200-203,208,209	22	16	20	18	26	6	10	48	152	2	164	166	54
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE 210-239	-	8	2	4	8	-	6	10	36	-	32	40	16
DIABETES MELLITUS 250	16	10	34	40	48	32	42	84	274	14	214	256	90
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES 260-269	-	2	4	6	-	-	6	2	26	-	22	18	-
ANEMIAS 280-285	2	4	6	4	4	-	6	16	28	-	26	14	16
MENINGITIS 320	2	4	2	2	-	-	-	22	8	-	4	10	4
MAJOR CARDIOVASCULAR DISEASES 390-448	584	716	926	1,008	1,110	598	586	3,630	7,494	180	6,868	7,314	1,822
DISEASES OF HEART 390-398,402,404,410-429	416	486	566	710	694	402	432	2,414	5,750	126	5,000	5,160	1,308
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE 390-398	4	-	8	14	16	6	4	32	148	4	72	102	6
HYPERTENSIVE HEART DISEASE 402	-	2	16	6	6	2	-	10	26	-	62	36	14
HYPERTENSIVE HEART AND RENAL DISEASE 404	2	4	10	6	18	6	2	10	16	-	6	10	28
ISCHEMIC HEART DISEASE 410-413	316	448	482	656	618	366	394	2,190	5,260	90	4,674	4,806	1,174
ACUTE MYOCARDIAL INFARCTION 410	174	200	348	332	318	214	242	884	2,422	58	2,034	2,048	696
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE 411	2	12	-	-	8	-	6	2	18	-	22	18	4
CHRONIC ISCHEMIC HEART DISEASE 412	140	236	134	324	292	152	144	1,304	2,820	32	2,618	2,736	474
ANGINA PECTORIS 413	-	-	-	-	-	-	2	-	-	-	-	4	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY 424,428	2	10	4	-	10	2	4	16	16	-	32	30	6
ALL OTHER FORMS OF HEART DISEASE 420-423,425-427,429	92	22	46	28	26	20	28	156	284	32	154	176	80

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972--Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	LUBBOCK, TEX.	LYNCHBURG, VA.	MACON, GA.	MADISON, WIS.	MANCHESTER, N.H.	MANSFIELD, OHIO	MCALLEN-PHARR-EDINBURG, TEX.	MEMPHIS, TENN.-ARK.	MIAMI, FLA.	MIDLAND, TEX.	MILWAUKEE, WIS.	MINNEAPOLIS-ST. PAUL, MINN.	MOBILE, ALA.
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION----------400,401,403	2	6	18	4	6	10	2	40	42	2	58	60	8
CEREBROVASCULAR DISEASES----------430-438	142	176	276	234	290	148	126	1,004	1,348	40	1,428	1,688	396
CEREBRAL HEMORRHAGE----------431	8	34	66	40	58	12	30	96	194	8	224	250	82
CEREBRAL THROMBOSIS----------433	20	46	68	76	92	46	36	252	480	6	402	354	80
CEREBRAL EMBOLISM----------434	-	2	2	-	-	-	-	4	8	-	4	10	-
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	114	94	140	118	140	90	60	652	666	26	798	1,074	234
ARTERIOSCLEROSIS----------440	12	20	52	42	78	24	18	108	138	4	218	218	64
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	12	28	14	18	42	14	8	64	216	8	164	188	46
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	2	-	-	-	2	-	-	4	4	-	4	2	-
INFLUENZA AND PNEUMONIA----------470-474,480-486	46	32	62	62	52	24	56	180	328	18	400	462	88
INFLUENZA----------470-474	6	4	8	-	6	6	4	6	14	2	42	44	12
PNEUMONIA----------480-486	40	28	54	62	46	18	52	174	314	16	358	418	76
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	40	24	26	22	58	22	20	122	250	10	188	228	62
CHRONIC AND UNQUALIFIED BRONCHITIS------490,491	4	6	4	6	10	8	-	28	32	4	38	64	2
EMPHYSEMA----------492	34	16	20	14	42	14	18	84	200	6	132	150	52
ASTHMA----------493	2	2	2	2	6	-	2	10	18	-	18	14	8
PEPTIC ULCER----------531-533	6	4	6	8	4	6	2	16	72	2	78	58	6
APPENDICITIS----------540-543	4	-	-	2	-	-	2	8	10	-	4	-	2
HERNIA AND INTESTINAL OBSTRUCTION------550-553,560	6	6	4	8	8	2	4	20	44	-	34	38	16
CIRRHOSIS OF LIVER----------571	16	12	36	28	54	20	14	114	282	4	208	198	50
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	4	-	-	4	-	-	2	16	28	-	26	34	8
NEPHRITIS AND NEPHROSIS----------580-584	10	2	12	12	10	2	6	62	78	6	40	34	22
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	2	-	2	2	4	-	-	8	26	4	-	10	6
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	8	2	10	10	6	2	6	54	52	2	40	24	16
INFECTIONS OF KIDNEY----------590	6	-	10	6	10	4	4	28	40	2	40	38	20
HYPERPLASIA OF PROSTRATE----------600	-	-	4	2	2	4	-	14	6	-	20	12	2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	-	-	-	-	2	-	6	-	-	-	-	-	2
ABORTIONS----------640-645	-	-	-	-	-	-	2	-	-	-	-	-	2
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	-	-	-	-	2	-	4	-	-	-	-	-	-
CONGENITAL ANOMALIES----------740-759	18	6	14	20	18	14	8	88	78	-	94	112	48
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	44	22	62	22	40	12	34	200	168	8	188	270	82
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	24	16	38	8	20	10	24	124	88	6	60	144	58
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	20	6	24	14	20	2	10	76	80	2	128	126	24
SYMPTOMS AND ILL-DEFINED CONDITIONS--------780-796	6	2	14	8	132	64	56	44	54	2	64	148	56
ALL OTHER DISEASES----------RESIDUAL	72	68	118	112	90	50	68	474	862	44	768	770	188
ACCIDENTS----------E800-E949	108	82	166	112	94	60	124	488	748	42	566	824	240
MOTOR VEHICLE ACCIDENTS----------E810-E823	60	34	108	44	36	24	82	244	356	28	252	348	126
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	48	48	58	68	58	36	42	244	392	14	314	476	114
SUICIDE----------E950-E959	24	20	24	18	26	16	6	52	270	14	194	178	28
HOMICIDE----------E960-E978	20	12	42	4	2	2	6	158	232	10	80	70	56
OTHER EXTERNAL CAUSES----------E980-E999	4	-	8	-	2	2	-	4	10	-	24	78	-

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	MODESTO, CALIF.	MONROE, LA.	MONTGOMERY, ALA.	MUNCIE, IND.	MUSKEGON-MUSKEGON HEIGHTS, MICH.	NASHVILLE-DAVIDSON, TENN.	NEW HAVEN-WATERBURY, CONN.	NEW ORLEANS, LA.	NEW YORK, N.Y.	NEWARK, N.J.	NEWPORT NEWS-HAMPTON, VA.	NORFOLK-PORTSMOUTH, VA.	ODESSA, TEX.	OGDEN, UTAH
ALL CAUSES	1,814	1,138	2,152	1,028	1,336	4,852	6,934	10,440	118,272	17,792	2,040	5,272	606	892
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	-	-	-	-	-	-	2	10	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	-	2	4	-	-	4	4	10	78	6	8	8	2	4
TUBERCULOSIS, ALL FORMS—010-019	10	2	8	-	6	16	14	46	380	54	14	4	-	2
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	6	-	8	-	4	14	12	44	332	44	6	2	-	2
TUBERCULOSIS, OTHER FORMS—013-019	4	2	-	-	2	2	2	2	48	10	8	2	-	-
WHOOPING COUGH—033	-	-	-	-	-	-	-	-	-	2	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	-	-	-	-	-	-	-	2	16	2	-	6	-	-
SEPTICEMIA—038	-	2	6	-	-	8	14	52	306	54	8	24	2	2
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE—090-097	-	-	-	-	-	-	2	2	8	2	-	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	6	8	6	4	4	10	12	28	242	30	8	10	4	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	294	184	326	154	240	854	1,380	1,860	22,794	3,362	380	986	110	114
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	8	2	12	8	6	22	30	62	488	78	10	20	-	2
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	80	60	64	30	42	190	414	464	7,280	1,010	74	236	30	28
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	66	38	82	38	56	214	280	518	4,720	662	114	248	28	18
MALIGNANT NEOPLASM OF BREAST—174	22	6	16	10	20	78	162	148	2,348	364	24	66	14	8
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	46	26	50	16	24	120	120	176	2,446	408	42	128	10	12
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	14	10	6	4	18	34	80	64	998	168	18	48	8	10
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	32	24	50	32	44	104	166	290	2,416	362	58	136	4	20
LEUKEMIA—204-207	12	10	18	10	12	42	56	56	842	120	6	40	10	8
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	14	8	28	6	18	50	72	82	1,256	190	34	64	6	8
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	8	4	10	-	4	4	14	34	418	40	2	10	4	4
DIABETES MELLITUS—250	18	34	36	10	28	56	170	382	2,538	398	40	76	8	34
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	-	-	2	-	-	4	4	24	118	26	2	6	-	2
ANEMIAS—280-285	4	2	14	-	-	14	14	24	180	36	2	8	4	-
MENINGITIS—320	2	-	2	-	2	8	8	6	98	14	6	8	-	-
MAJOR CARDIOVASCULAR DISEASES—390-448	932	570	986	590	712	2,618	3,938	5,142	61,280	9,746	852	2,600	186	388
DISEASES OF HEART—390-398,402,404,410-429	692	426	632	402	474	1,882	2,674	3,868	49,154	7,578	612	1,918	110	304
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	20	10	8	8	6	16	64	38	1,070	210	6	22	4	20
HYPERTENSIVE HEART DISEASE—402	-	30	14	-	2	16	14	42	532	74	6	32	-	8
HYPERTENSIVE HEART AND RENAL DISEASE—404	10	16	6	6	-	4	4	12	112	28	4	24	-	-
ISCHEMIC HEART DISEASE—410-413	648	326	592	380	438	1,760	2,460	3,490	45,824	7,026	554	1,670	82	250
ACUTE MYOCARDIAL INFARCTION—410	286	190	308	240	298	1,272	1,348	1,380	18,978	3,142	238	832	54	134
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	2	2	2	2	2	-	6	-	82	8	60	192	-	-
CHRONIC ISCHEMIC HEART DISEASE—412	360	134	282	138	138	488	1,106	2,108	26,760	3,876	256	646	28	116
ANGINA PECTORIS—413	-	-	-	-	-	-	-	2	4	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	4	24	2	4	6	16	14	34	86	26	6	80	4	-
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	10	20	10	4	22	70	118	252	1,530	214	36	90	20	26

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	MODESTO, CALIF.	MONROE, LA.	MONTGOMERY, ALA.	MUNCIE, IND.	MUSKEGON-MUSKEGON HEIGHTS, MICH.	NASHVILLE-DAVIDSON, TENN.	NEW HAVEN-WATERBURY, CONN.	NEW ORLEANS, LA.	NEW YORK, N.Y.	NEWARK, N.J.	NEWPORT NEWS-HAMPTON, VA.	NORFOLK-PORTSMOUTH, VA.	ODESSA, TEX.	OGDEN, UTAH
MAJOR CARDIOVASCULAR DISEASES--CON.														
HYPERTENSION----------400,401,403	-	8	8	6	4	22	14	22	330	66	6	26	-	2
CEREBROVASCULAR DISEASES----------430-438	176	106	286	166	188	590	746	1,054	9,414	1,694	180	526	56	56
CEREBRAL HEMORRHAGE----------431	24	14	46	26	32	74	160	170	1,818	342	18	88	10	20
CEREBRAL THROMBOSIS----------433	60	22	84	76	54	170	220	226	2,206	520	40	152	20	18
CEREBRAL EMBOLISM----------434	-	-	-	-	-	-	-	-	36	10	-	2	-	2
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	92	70	156	64	102	346	366	658	5,354	822	122	284	26	16
ARTERIOSCLEROSIS----------440	36	10	36	14	32	84	400	98	1,172	188	26	62	12	12
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	28	20	24	2	14	40	104	100	1,210	220	28	68	8	14
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	4	2	2	-	-	6	6	10	64	4	-	-	-	-
INFLUENZA AND PNEUMONIA----------470-474,480-486	78	36	42	26	42	144	220	258	4,674	498	86	172	32	30
INFLUENZA----------470-474	10	-	2	2	4	6	10	16	84	26	6	-	6	-
PNEUMONIA----------480-486	68	36	40	24	38	138	210	242	4,590	472	80	172	26	30
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	32	14	28	32	38	60	78	134	1,098	188	32	66	20	18
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	2	2	2	8	8	4	24	20	278	54	4	6	6	4
EMPHYSEMA----------492	28	12	22	24	26	56	46	100	646	116	22	56	10	14
ASTHMA----------493	2	-	4	-	4	-	8	14	174	18	6	4	4	-
PEPTIC ULCER----------531-533	10	2	6	6	2	18	14	34	568	72	14	12	2	2
APPENDICITIS----------540-543	2	-	-	-	-	6	4	8	82	14	-	8	-	2
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	10	2	6	-	4	22	22	48	396	46	6	16	-	2
CIRRHOSIS OF LIVER----------571	28	10	22	16	20	28	134	172	3,064	396	46	98	6	22
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	4	10	4	2	6	10	6	18	206	42	2	8	-	-
NEPHRITIS AND NEPHROSIS----------580-584	2	14	20	4	4	28	34	82	506	92	16	34	-	6
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	-	-	-	2	-	2	-	12	110	14	4	6	-	2
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	2	14	20	2	4	26	34	70	396	78	12	28	-	4
INFECTIONS OF KIDNEY----------590	8	6	10	8	8	54	18	30	304	38	8	26	2	4
HYPERPLASIA OF PROSTRATE----------600	6	2	2	-	-	2	8	4	136	28	-	2	-	-
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	2	-	4	-	-	4	-	2	42	6	2	2	-	-
ABORTIONS----------640-645	-	-	-	-	-	-	-	-	10	2	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	2	-	4	-	-	4	-	2	32	4	2	2	-	-
CONGENITAL ANOMALIES----------740-759	20	12	12	12	18	34	40	96	754	94	22	50	12	14
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	20	24	54	16	34	96	78	264	1,640	318	78	126	18	18
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	10	18	30	12	12	44	44	128	924	164	44	56	6	12
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	10	6	24	4	22	52	34	136	716	154	34	70	12	6
SYMPTOMS AND ILL-DEFINED CONDITIONS--------780-796	2	32	232	10	2	12	38	24	1,508	114	72	84	36	28
ALL OTHER DISEASES----------RESIDUAL	98	78	108	54	66	196	364	668	7,228	892	120	340	54	76
ACCIDENTS----------E800-E949	170	68	132	46	76	346	212	574	3,614	798	128	316	76	88
MOTOR VEHICLE ACCIDENTS----------E810-E823	104	28	64	22	36	164	84	192	1,670	296	40	138	36	26
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	66	40	68	24	40	182	128	382	1,944	502	88	178	40	62
SUICIDE----------E950-E959	26	8	26	24	18	68	56	144	744	162	48	76	16	22
HOMICIDE----------E960-E978	18	10	38	12	2	102	18	244	1,786	208	36	86	10	8
OTHER EXTERNAL CAUSES----------E980-E999	-	-	4	2	-	20	10	12	1,392	10	2	4	2	2

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	OKLAHOMA CITY, OKLA.	OMAHA, NEBR.-IOWA	ORLANDO, FLA.	OWENSBORO, KY.	OXNARD-VENTURA, CALIF.	PATTERSON-CLIFTON-PASSAIC, N.J.	PENSACOLA, FLA.	PEORIA, ILL.	PETERSBURG-COLONIAL HEIGHTS, VA.	PHILADELPHIA, PA.-N.J.	PHOENIX, ARIZ.	PINE BLUFF, ARK.	PITTSBURGH, PA.
ALL CAUSES	5,356	4,606	4,252	772	2,528	12,276	1,890	3,170	1,098	48,690	8,352	854	25,410
BACILLARY DYSENTERY AND AMEBIASIS 004,006	-	-	-	-	-	-	-	-	-	-	2	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES 008,009	8	8	18	2	4	4	6	2	2	42	12	-	16
TUBERCULOSIS, ALL FORMS 010-019	14	10	16	6	6	16	4	2	6	138	26	-	62
TUBERCULOSIS OF RESPIRATORY SYSTEM 010-012	10	8	14	4	4	14	4	2	4	118	16	-	54
TUBERCULOSIS, OTHER FORMS 013-019	4	2	2	2	2	2	-	-	2	20	10	-	8
WHOOPING COUGH 033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER 034	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 036	2	-	-	-	2	2	-	-	-	2	-	-	10
SEPTICEMIA 038	36	10	12	-	8	16	4	6	4	148	30	6	62
ACUTE POLIOMYELITIS 040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES 055	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 090-097	2	-	-	-	-	2	-	2	-	14	-	2	4
OTHER INFECTIVE AND PARASITIC DISEASES REMAINDER OF 000-136	4	6	8	2	12	22	4	6	-	84	18	4	20
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-209	938	836	802	122	416	2,668	336	588	232	9,020	1,478	132	4,822
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX 140-149	22	26	14	-	4	46	14	18	6	178	34	2	138
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM 150-159	218	198	202	28	86	814	80	148	60	2,622	386	30	1,344
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM 160-163	242	196	190	34	94	542	96	134	60	2,022	348	30	1,126
MALIGNANT NEOPLASM OF BREAST 174	90	96	64	16	46	298	24	62	24	810	122	4	380
MALIGNANT NEOPLASMS OF GENITAL ORGANS 180-187	104	114	122	20	68	306	38	68	28	948	166	20	578
MALIGNANT NEOPLASMS OF URINARY ORGANS 188,189	38	34	32	8	18	122	8	40	6	450	54	8	214
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES 170-173,190-199	124	58	96	2	60	286	46	68	28	1,240	198	14	606
LEUKEMIA 204-207	30	50	34	6	26	116	16	26	10	336	82	16	186
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 200-203,208,209	70	64	48	8	14	138	14	24	10	414	88	8	250
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE 210-239	22	12	10	-	8	36	2	10	2	144	26	2	64
DIABETES MELLITUS 250	98	90	42	20	34	302	24	40	30	1,022	142	16	486
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES 260-269	12	6	10	-	-	18	4	2	-	70	22	-	26
ANEMIAS 280-285	14	2	12	2	4	28	6	4	2	72	8	2	54
MENINGITIS 320	6	2	4	-	2	2	4	-	2	30	14	-	8
MAJOR CARDIOVASCULAR DISEASES 390-448	2,550	2,390	2,106	434	1,266	6,626	940	1,704	532	24,816	3,738	380	14,388
DISEASES OF HEART 390-398,402,404,410-429	1,770	1,730	1,522	328	890	5,144	692	1,222	372	19,200	2,800	254	10,926
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE 390-398	36	44	38	6	32	112	12	18	2	412	88	-	230
HYPERTENSIVE HEART DISEASE 402	18	18	18	2	12	44	-	26	4	142	46	2	86
HYPERTENSIVE HEART AND RENAL DISEASE 404	12	18	14	10	6	12	2	10	2	98	4	-	64
ISCHEMIC HEART DISEASE 410-413	1,588	1,594	1,364	274	806	4,846	656	1,110	356	17,326	2,516	234	10,088
ACUTE MYOCARDIAL INFARCTION 410	824	764	708	152	522	2,426	420	652	166	9,738	1,210	78	4,988
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE 411	124	4	6	4	2	10	-	10	48	70	246	2	28
CHRONIC ISCHEMIC HEART DISEASE 412	640	826	650	118	282	2,410	236	448	142	7,516	1,058	154	5,066
ANGINA PECTORIS 413	-	-	-	-	-	-	-	-	-	2	2	-	6
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY 424,428	10	10	4	6	4	24	-	14	-	122	18	-	46
ALL OTHER FORMS OF HEART DISEASE 420-423,425-427,429	106	46	84	30	30	106	22	44	8	1,100	128	18	412

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	OKLAHOMA CITY, OKLA.	OMAHA, NEBR.-IOWA	ORLANDO, FLA.	OWENSBORO, KY.	OXNARD-VENTURA, CALIF.	PATTERSON-CLIFTON-PASSAIC, N.J.	PENSACOLA, FLA.	PEORIA, ILL.	PETERSBURG-COLONIAL HEIGHTS, VA.	PHILADELPHIA, PA.-N.J.	PHOENIX, ARIZ.	PINE BLUFF, ARK.	PITTSBURGH, PA.
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION----------400,401,403	18	18	18	6	6	28	12	16	4	158	16	-	86
CEREBROVASCULAR DISEASES----------430-438	608	492	456	78	268	1,100	190	340	140	4,276	714	104	2,636
CEREBRAL HEMORRHAGE----------431	68	84	48	8	34	204	30	48	22	756	76	18	484
CEREBRAL THROMBOSIS----------433	170	144	110	10	44	346	26	92	44	1,250	154	18	866
CEREBRAL EMBOLISM----------434	2	-	2	-	2	8	-	-	2	14	-	-	8
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	368	264	296	60	188	542	134	200	72	2,256	484	68	1,278
ARTERIOSCLEROSIS----------440	100	66	52	18	60	170	32	84	10	574	114	10	380
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	54	84	58	4	42	184	14	42	6	608	94	12	360
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	4	2	4	-	-	2	-	-	-	20	8	2	10
INFLUENZA AND PNEUMONIA----------470-474,480-486	154	168	120	8	56	380	40	132	36	1,368	312	18	734
INFLUENZA----------470-474	6	14	2	-	4	28	4	10	-	44	20	2	56
PNEUMONIA----------480-486	148	154	118	8	52	352	36	122	36	1,324	292	16	678
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	70	78	94	18	48	160	26	54	10	538	218	18	312
CHRONIC AND UNQUALIFIED BRONCHITIS-------490,491	8	16	10	4	16	42	4	14	4	102	30	4	42
EMPHYSEMA----------492	56	56	82	12	30	110	18	40	4	382	164	14	244
ASTHMA----------493	6	6	2	2	2	8	4	-	2	54	24	-	26
PEPTIC ULCER----------531-533	18	38	22	6	10	62	4	18	6	186	26	-	100
APPENDICITIS----------540-543	10	4	4	-	-	-	-	2	-	22	-	2	12
HERNIA AND INTESTINAL OBSTRUCTION------550-553,560	18	22	14	4	6	40	6	18	2	126	22	4	100
CIRRHOSIS OF LIVER----------571	90	86	72	10	60	244	18	34	16	894	142	8	508
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	8	14	6	4	-	14	4	10	4	68	10	2	38
NEPHRITIS AND NEPHROSIS----------580-584	38	10	12	-	18	38	6	4	8	176	40	12	104
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	2	-	2	-	4	4	-	-	-	20	14	-	30
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	36	10	10	-	14	34	6	4	8	156	26	12	74
INFECTIONS OF KIDNEY----------590	14	20	32	6	2	52	12	12	4	170	42	14	82
HYPERPLASIA OF PROSTRATE----------600	4	-	4	6	2	14	2	8	-	30	4	4	16
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	2	-	4	-	2	-	-	2	-	10	6	2	4
ABORTIONS----------640-645	-	-	-	-	-	-	-	-	-	4	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	2	-	4	-	2	-	-	2	-	6	6	2	4
CONGENITAL ANOMALIES----------740-759	34	36	44	6	28	58	20	14	2	298	80	6	90
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	124	120	90	28	48	154	52	78	24	776	150	12	296
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	54	56	52	20	30	70	42	38	14	438	90	4	152
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	70	64	38	8	18	84	10	40	10	338	60	8	144
SYMPTOMS AND ILL-DEFINED CONDITIONS--------780-796	126	18	38	6	10	110	4	12	10	2,378	106	92	108
ALL OTHER DISEASES----------RESIDUAL	388	270	220	24	140	576	108	130	66	2,812	708	24	1,536
ACCIDENTS----------E800-E949	354	262	294	46	242	426	188	200	74	1,946	654	46	946
MOTOR VEHICLE ACCIDENTS----------E810-E823	174	120	148	24	138	188	96	90	32	824	350	20	416
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	180	142	146	22	104	238	92	110	42	1,122	304	26	530
SUICIDE----------E950-E959	100	50	62	6	64	80	34	54	12	536	176	16	222
HOMICIDE----------E960-E978	74	28	64	4	26	80	26	6	10	564	112	22	110
OTHER EXTERNAL CAUSES----------E980-E999	20	8	12	2	4	44	6	16	2	170	20	6	60

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	PITTSFIELD, MASS.	PORTLAND, MAINE	PORTLAND, OREG.-WASH.	PROVIDENCE, R.I.	PROVO-OREM, UTAH	PUEBLO, COLO.	RACINE, WIS.	RALEIGH, N.C.	READING, PA.	RENO, NEV.	RICHMOND, VA.	ROANOKE, VA.	ROCHESTER, MINN.	ROCHESTER, N.Y.
ALL CAUSES	1,658	2,146	9,970	8,230	802	1,116	1,392	1,700	3,208	1,188	5,118	1,930	552	7,758
BACILLARY DYSENTERY AND AMEBIASIS 004,006	-	-	-	-	2	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES 008,009	-	2	8	4	6	2	2	4	2	4	6	-	-	8
TUBERCULOSIS, ALL FORMS 010-019	-	6	22	24	-	6	-	6	6	-	16	4	-	8
TUBERCULOSIS OF RESPIRATORY SYSTEM 010-012	-	6	16	20	-	2	-	4	6	-	14	2	-	6
TUBERCULOSIS, OTHER FORMS 013-019	-	-	6	4	-	4	-	2	-	-	2	2	-	2
WHOOPING COUGH 033	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER 034	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 036	-	-	-	2	-	-	-	-	-	-	-	-	-	2
SEPTICEMIA 038	8	-	20	6	4	2	-	2	6	6	12	2	-	16
ACUTE POLIOMYELITIS 040-043	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES 055	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 090-097	2	-	-	2	-	-	-	-	-	-	2	-	-	4
OTHER INFECTIVE AND PARASITIC DISEASES REMAINDER OF 000-136	6	14	10	8	4	2	4	10	4	2	4	4	-	8
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-209	312	376	1,708	1,684	134	166	258	274	602	210	912	334	118	1,482
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX 140-149	6	8	40	30	-	-	4	4	12	6	22	12	4	44
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM 150-159	76	110	452	550	34	62	60	64	174	50	258	88	34	424
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM 160-163	62	84	384	346	18	30	48	74	124	54	214	70	10	296
MALIGNANT NEOPLASM OF BREAST 174	34	26	168	198	10	14	28	30	36	24	94	24	16	122
MALIGNANT NEOPLASMS OF GENITAL ORGANS 180-187	28	36	214	174	18	20	34	20	60	30	96	32	30	158
MALIGNANT NEOPLASMS OF URINARY ORGANS 188,189	18	22	78	80	4	18	18	10	24	10	30	16	6	88
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES 170-173,190-199	46	48	176	146	28	10	32	36	100	10	110	40	6	174
LEUKEMIA 204-207	20	12	82	58	14	2	8	18	18	8	22	26	-	54
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 200-203,208,209	22	30	114	102	8	10	26	18	54	18	66	26	12	122
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE 210-239	4	2	26	20	2	2	2	6	14	-	8	8	4	18
DIABETES MELLITUS 250	28	50	146	210	26	38	32	22	90	14	90	42	8	162
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES 260-269	2	16	12	6	-	2	8	2	-	-	4	2	-	6
ANEMIAS 280-285	2	6	10	16	-	4	2	-	-	-	10	-	-	16
MENINGITIS 320	2	-	12	4	2	-	-	4	-	-	2	-	-	4
MAJOR CARDIOVASCULAR DISEASES 390-448	870	1,176	5,376	4,544	332	536	774	774	1,852	526	2,594	932	256	4,058
DISEASES OF HEART 390-398,402,404,410-429	596	914	3,656	3,536	236	396	576	556	1,348	370	1,846	660	172	2,966
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE 390-398	12	22	96	60	4	14	10	12	30	6	30	12	6	74
HYPERTENSIVE HEART DISEASE 402	4	6	24	34	4	2	4	-	-	4	14	6	2	36
HYPERTENSIVE HEART AND RENAL DISEASE 404	8	2	46	10	-	6	-	2	16	2	26	6	-	10
ISCHEMIC HEART DISEASE 410-413	538	844	3,368	3,300	214	360	476	500	1,266	348	1,654	598	150	2,716
ACUTE MYOCARDIAL INFARCTION 410	310	512	1,244	1,618	118	190	208	308	726	144	640	338	76	1,360
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE 411	2	-	10	244	-	-	12	4	-	-	278	64	4	98
CHRONIC ISCHEMIC HEART DISEASE 412	226	332	2,110	1,438	96	170	256	188	540	204	736	196	70	1,258
ANGINA PECTORIS 413	-	-	4	-	-	-	-	-	-	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY 424,428	8	4	12	6	6	2	2	6	2	-	14	6	-	16
ALL OTHER FORMS OF HEART DISEASE 420-423,425-427,429	26	36	110	126	8	12	84	36	34	10	108	32	14	114

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	PITTSFIELD, MASS.	PORTLAND, MAINE	PORTLAND, OREG.-WASH.	PROVIDENCE, R.I.	PROVO-OREM, UTAH	PUEBLO, COLO.	RACINE, WIS.	RALEIGH, N.C.	READING, PA.	RENO, NEV.	RICHMOND, VA.	ROANOKE, VA.	ROCHESTER, MINN.	ROCHESTER, N.Y.
MAJOR CARDIOVASCULAR DISEASES--CON.														
HYPERTENSION----------400,401,403	12	8	28	28	-	4	4	10	24	-	22	-	-	30
CEREBROVASCULAR DISEASES----------430-438	198	208	1,336	762	68	102	148	178	354	124	590	196	64	824
CEREBRAL HEMORRHAGE----------431	40	28	158	148	12	12	12	24	80	10	92	28	4	134
CEREBRAL THROMBOSIS----------433	44	70	394	222	6	38	54	44	102	28	130	58	14	212
CEREBRAL EMBOLISM----------434	-	-	2	6	-	-	2	-	2	-	2	-	2	-
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	114	110	782	386	50	52	80	110	170	86	366	110	44	478
ARTERIOSCLEROSIS----------440	30	28	204	86	16	22	24	18	78	10	46	60	8	128
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	34	18	152	132	12	12	22	12	48	22	90	16	12	110
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	-	2	12	6	-	2	4	-	-	-	4	2	-	10
INFLUENZA AND PNEUMONIA----------470-474,480-486	90	82	332	260	24	26	38	40	72	36	196	84	30	332
INFLUENZA----------470-474	14	16	30	10	-	4	12	8	4	2	12	4	-	12
PNEUMONIA----------480-486	76	66	302	250	24	22	26	32	68	34	184	80	30	320
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	24	40	194	88	14	32	22	26	54	34	68	12	6	126
CHRONIC AND UNQUALIFIED BRONCHITIS------490,491	2	8	42	26	6	4	6	6	6	-	18	2	4	34
EMPHYSEMA----------492	20	28	144	52	8	28	14	18	46	34	40	10	2	82
ASTHMA----------493	2	4	8	10	-	-	2	2	2	-	10	-	-	10
PEPTIC ULCER----------531-533	10	8	26	26	-	10	6	8	16	2	10	10	4	28
APPENDICITIS----------540-543	2	-	4	4	-	-	-	2	4	-	4	2	-	4
HERNIA AND INTESTINAL OBSTRUCTION------550-553,560	4	8	28	30	2	4	2	4	10	4	26	8	2	38
CIRRHOSIS OF LIVER----------571	36	24	188	144	18	18	30	44	26	48	74	26	2	126
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	-	2	14	22	2	2	2	-	2	-	8	4	-	10
NEPHRITIS AND NEPHROSIS----------580-584	12	12	24	46	10	2	-	14	10	8	42	10	2	30
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	-	6	4	6	-	-	-	-	-	2	4	4	2	8
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	12	6	20	40	10	2	-	14	10	6	38	6	-	22
INFECTIONS OF KIDNEY----------590	2	8	36	18	2	2	4	12	10	-	8	4	-	32
HYPERPLASIA OF PROSTRATE----------600	-	4	4	-	-	2	-	-	2	-	-	-	-	6
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	-	-	4	-	-	-	-	-	2	2	-	-	-	-
ABORTIONS----------640-645	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	-	-	4	-	-	-	-	-	2	2	-	-	-	-
CONGENITAL ANOMALIES----------740-759	4	14	66	66	20	18	6	30	16	10	42	22	6	50
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	28	26	120	110	34	18	16	44	44	16	96	34	24	104
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	16	14	56	60	22	14	6	24	18	8	64	12	12	58
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	12	12	64	50	12	4	10	20	26	8	32	22	12	46
SYMPTOMS AND ILL-DEFINED CONDITIONS--------780-796	8	8	154	30	30	2	8	14	18	8	72	56	8	36
ALL OTHER DISEASES----------RESIDUAL	112	126	586	450	74	92	66	138	158	86	332	140	46	484
ACCIDENTS----------E800-E949	76	102	566	302	52	78	78	148	138	112	312	126	26	378
MOTOR VEHICLE ACCIDENTS----------E810-E823	28	40	300	106	18	40	44	76	60	50	126	58	10	168
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	48	62	266	196	34	38	34	72	78	62	186	68	16	210
SUICIDE----------E950-E959	10	18	180	56	-	36	18	26	36	48	62	48	10	104
HOMICIDE----------E960-E978	4	14	44	22	2	8	10	40	12	6	98	14	-	46
OTHER EXTERNAL CAUSES----------E980-E999	-	-	38	20	6	4	-	6	2	6	4	-	-	22

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	ROCKFORD, ILL.	SACRAMENTO, CALIF.	SAGINAW, MICH.	ST. JOSEPH, MO.	ST. LOUIS, MO.-ILL.	SALEM, OREG.	SALINAS-MONTEREY, CALIF.	SALT LAKE CITY, UTAH	SAN ANGELO, TEX.	SAN ANTONIO, TEX.	SAN BERNARDINO-RIVERSIDE-ONTARIO, CALIF.	SAN DIEGO, CALIF.	SAN FRANCISCO-OAKLAND, CALIF.
ALL CAUSES	2,268	6,446	1,820	1,186	23,220	1,792	1,826	3,670	728	6,816	10,550	10,806	27,970
BACILLARY DYSENTERY AND AMEBIASIS-004,006	-	-	-	-	-	-	-	-	-	2	-	-	2
ENTERITIS AND OTHER DIARRHEAL DISEASES-008,009	4	4	2	-	12	-	2	6	-	6	12	10	16
TUBERCULOSIS, ALL FORMS-010-019	2	14	6	-	34	6	2	4	4	26	32	8	50
TUBERCULOSIS OF RESPIRATORY SYSTEM-010-012	-	4	4	-	24	6	2	4	2	18	28	6	24
TUBERCULOSIS, OTHER FORMS-013-019	2	10	2	-	10	-	-	-	2	8	4	2	26
WHOOPING COUGH-033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-034	-	2	-	-	-	-	-	-	-	-	-	2	-
MENINGOCOCCAL INFECTIONS-036	-	2	-	-	8	-	-	-	-	2	2	4	8
SEPTICEMIA-038	8	8	-	-	42	2	-	6	2	34	14	16	54
ACUTE POLIOMYELITIS-040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES-055	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE-090-097	-	2	-	-	-	-	2	-	-	4	2	-	-
OTHER INFECTIVE AND PARASITIC DISEASES-REMAINDER OF 000-136	6	16	-	2	26	6	-	8	-	16	32	32	56
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-140-209	354	1,170	308	230	4,100	314	320	506	112	1,172	1,736	2,114	5,586
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-140-149	10	32	4	8	100	6	10	14	6	22	34	52	134
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-150-159	104	300	86	52	1,082	94	84	126	20	298	436	514	1,548
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-160-163	66	286	56	54	978	60	72	88	30	232	452	516	1,196
MALIGNANT NEOPLASM OF BREAST-174	16	98	26	22	362	26	26	50	14	100	120	208	588
MALIGNANT NEOPLASMS OF GENITAL ORGANS-180-187	56	148	46	30	480	38	36	70	10	158	206	244	666
MALIGNANT NEOPLASMS OF URINARY ORGANS-188,189	14	66	22	20	184	10	12	24	6	66	76	86	232
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-170-173,190-199	42	110	32	32	508	36	46	72	12	150	230	282	662
LEUKEMIA-204-207	18	62	14	8	176	18	16	26	8	60	76	80	212
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-200-203,208,209	28	68	22	4	230	26	18	36	6	86	106	132	348
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-210-239	6	14	6	2	54	12	10	8	2	8	48	44	80
DIABETES MELLITUS-250	26	114	44	24	510	26	20	68	10	202	136	146	364
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-260-269	2	2	-	-	28	4	2	4	-	2	24	12	38
ANEMIAS-280-285	4	2	6	-	50	2	4	6	2	10	10	4	50
MENINGITIS-320	6	6	-	-	14	4	-	6	-	8	8	12	18
MAJOR CARDIOVASCULAR DISEASES-390-448	1,262	3,220	944	632	12,608	956	876	1,742	406	3,218	5,458	5,234	13,716
DISEASES OF HEART-390-398,402,404,410-429	956	2,318	670	456	9,342	670	566	1,246	252	2,268	3,818	3,638	9,806
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-390-398	26	56	14	6	172	24	18	42	-	38	128	102	236
HYPERTENSIVE HEART DISEASE-402	4	20	4	4	112	8	2	10	4	28	62	50	100
HYPERTENSIVE HEART AND RENAL DISEASE-404	-	12	4	12	90	4	-	-	-	20	6	20	56
ISCHEMIC HEART DISEASE-410-413	896	2,148	604	416	8,546	600	522	1,058	232	2,004	3,468	3,348	9,076
ACUTE MYOCARDIAL INFARCTION-410	478	1,038	370	188	4,312	272	284	556	154	1,150	1,722	1,600	3,876
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-411	-	6	-	-	18	-	-	4	-	-	10	26	26
CHRONIC ISCHEMIC HEART DISEASE-412	418	1,104	234	228	4,212	328	238	496	78	854	1,736	1,722	5,172
ANGINA PECTORIS-413	-	-	-	-	4	-	-	2	-	-	-	-	2
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-424,428	2	14	-	2	70	2	-	14	-	18	24	20	56
ALL OTHER FORMS OF HEART DISEASE-420-423,425-427,429	28	68	44	16	352	32	24	122	16	160	130	98	282

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	ROCKFORD, ILL.	SACRAMENTO, CALIF.	SAGINAW, MICH.	ST. JOSEPH, MO.	ST. LOUIS, MO.-ILL.	SALEM, OREG.	SALINAS-MONTEREY, CALIF.	SALT LAKE CITY, UTAH	SAN ANGELO, TEX.	SAN ANTONIO, TEX.	SAN BERNARDINO-RIVERSIDE-ONTARIO, CALIF.	SAN DIEGO, CALIF.	SAN FRANCISCO-OAKLAND, CALIF.
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION----------400,401,403	14	26	10	2	104	10	6	6	-	26	28	20	62
CEREBROVASCULAR DISEASES----------430-438	234	722	198	138	2,454	182	246	402	132	702	1,236	1,232	3,002
CEREBRAL HEMORRHAGE----------431	30	120	24	24	464	30	40	44	14	106	152	172	446
CEREBRAL THROMBOSIS----------433	70	124	54	20	908	40	76	92	10	116	402	362	970
CEREBRAL EMBOLISM----------434	-	2	-	-	24	-	2	-	-	2	4	6	22
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	134	476	120	94	1,058	112	128	266	108	478	678	692	1,564
ARTERIOSCLEROSIS----------440	28	60	48	22	446	48	36	46	12	162	170	148	440
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	30	94	18	14	262	48	22	42	10	60	206	196	406
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	4	2	2	-	14	-	-	-	2	6	14	10	30
INFLUENZA AND PNEUMONIA----------470-474,480-486	60	198	58	40	654	52	52	80	42	228	354	354	778
INFLUENZA----------470-474	4	22	10	8	16	6	4	4	2	14	14	34	32
PNEUMONIA----------480-486	56	176	48	32	638	46	48	76	40	214	340	320	746
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	50	104	24	24	304	34	22	60	16	80	236	210	510
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	14	28	6	2	50	6	2	18	6	16	38	56	112
EMPHYSEMA----------492	36	68	14	18	218	24	20	38	10	58	180	140	366
ASTHMA----------493	-	8	4	4	36	4	-	4	-	6	18	14	32
PEPTIC ULCER----------531-533	8	20	6	6	98	10	4	12	8	28	36	44	138
APPENDICITIS----------540-543	-	4	-	2	16	-	2	2	2	6	6	8	14
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	12	18	6	2	68	2	-	14	-	34	38	46	96
CIRRHOSIS OF LIVER----------571	42	184	24	4	312	14	32	66	6	144	226	246	964
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	6	8	8	-	42	-	2	4	-	10	18	18	28
NEPHRITIS AND NEPHROSIS----------580-584	2	20	14	2	122	8	6	18	-	38	42	42	86
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	-	6	-	-	24	2	2	-	-	-	10	6	16
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	2	14	14	2	98	6	4	18	-	38	32	36	70
INFECTIONS OF KIDNEY----------590	4	12	6	2	54	-	-	10	4	34	36	36	64
HYPERPLASIA OF PROSTRATE----------600	4	6	-	-	38	4	2	-	-	-	10	6	20
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	-	4	-	-	-	-	2	2	2	8	2	-	-
ABORTIONS----------640-645	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	-	4	-	-	-	-	2	2	2	8	2	-	-
CONGENITAL ANOMALIES----------740-759	16	44	24	4	174	28	30	52	2	52	88	116	186
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	56	108	52	18	436	24	56	98	20	208	170	178	334
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	32	66	20	12	284	12	38	62	8	134	102	98	188
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	24	42	32	6	152	12	18	36	12	74	68	80	146
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	16	42	6	74	260	28	16	156	4	116	58	90	100
ALL OTHER DISEASES----------RESIDUAL	130	394	80	42	1,252	96	114	284	40	482	604	688	1,782
ACCIDENTS----------E800-E949	150	462	128	60	1,218	124	198	314	28	394	776	732	1,748
MOTOR VEHICLE ACCIDENTS----------E810-E823	76	230	70	24	600	72	108	168	16	178	432	346	714
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	74	232	58	36	618	52	90	146	12	216	344	386	1,034
SUICIDE----------E950-E959	18	144	22	12	214	22	30	96	8	112	232	242	722
HOMICIDE----------E960-E978	8	88	46	4	336	12	18	24	6	118	66	76	252
OTHER EXTERNAL CAUSES----------E980-E999	2	8	-	-	122	-	2	14	-	8	24	26	80

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	SAN JOSE, CALIF.	SANTA BARBARA, CALIF.	SANTA ROSA, CALIF.	SAVANNAH, GA.	SCRANTON, PA.	SEATTLE-EVERETT, WASH.	SHERMAN-DENISON, TEX.	SHREVEPORT, LA.	SIOUX CITY, IOWA-NEBR.	SIOUX FALLS, S. DAK.	SOUTH BEND, IND.	SPOKANE, WASH.	SPRINGFIELD, ILL.
ALL CAUSES	6,476	1,994	2,412	1,916	3,190	11,302	976	2,880	1,266	820	2,738	2,986	1,724
BACILLARY DYSENTERY AND AMEBIASIS---004,006	-	-	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES---008,009	6	2	2	2	-	22	2	-	-	-	-	2	2
TUBERCULOSIS, ALL FORMS---010-019	6	-	4	6	10	10	-	18	6	-	6	2	-
TUBERCULOSIS OF RESPIRATORY SYSTEM---010-012	4	-	2	4	10	8	-	14	6	-	4	-	-
TUBERCULOSIS, OTHER FORMS---013-019	2	-	2	2	-	2	-	4	-	-	2	2	-
WHOOPING COUGH---033	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER---034	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS---036	-	2	-	-	-	4	-	-	-	-	-	-	-
SEPTICEMIA---038	10	2	2	8	2	22	2	16	2	2	6	4	2
ACUTE POLIOMYELITIS---040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES---055	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE---090-097	-	-	-	-	-	2	-	2	-	-	-	-	-
OTHER INFECTIVE AND PARASITIC DISEASES---REMAINDER OF 000-136	14	4	8	-	6	18	-	6	-	-	2	2	4
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES---140-209	1,282	400	444	294	512	2,084	158	448	236	138	544	526	284
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX---140-149	18	10	14	4	8	50	2	8	2	4	8	18	2
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM---150-159	326	124	112	62	152	560	40	98	44	54	158	150	88
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM---160-163	318	88	102	80	108	480	46	122	50	16	114	92	82
MALIGNANT NEOPLASM OF BREAST---174	114	40	50	30	60	180	18	44	28	14	40	62	22
MALIGNANT NEOPLASMS OF GENITAL ORGANS---180-187	148	50	52	48	54	246	10	78	30	24	88	82	22
MALIGNANT NEOPLASMS OF URINARY ORGANS---188,189	48	20	22	12	16	92	4	10	22	4	28	22	8
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES---170-173,190-199	166	40	50	32	58	266	24	50	34	8	58	48	26
LEUKEMIA---204-207	38	8	18	16	26	86	6	22	18	4	20	24	12
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES---200-203,208,209	106	20	24	10	30	124	8	16	8	10	30	28	22
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE---210-239	38	8	6	2	14	18	-	8	-	-	4	4	8
DIABETES MELLITUS---250	102	40	22	42	70	170	12	84	44	4	50	38	36
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES---260-269	10	4	14	4	4	14	2	2	4	6	2	-	-
ANEMIAS---280-285	10	4	4	4	2	10	-	6	4	-	-	4	-
MENINGITIS---320	8	2	2	4	2	8	-	2	-	-	-	-	-
MAJOR CARDIOVASCULAR DISEASES---390-448	3,032	1,056	1,232	1,002	1,830	5,912	562	1,530	686	444	1,506	1,604	1,028
DISEASES OF HEART---390-398,402,404,410-429	2,146	760	868	686	1,410	4,170	390	1,130	510	320	1,066	1,116	762
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE---390-398	66	10	30	2	34	116	4	18	12	10	10	34	10
HYPERTENSIVE HEART DISEASE---402	12	-	10	22	32	48	4	42	4	2	8	4	4
HYPERTENSIVE HEART AND RENAL DISEASE---404	6	2	2	10	36	26	2	2	6	2	2	44	4
ISCHEMIC HEART DISEASE---410-413	1,962	730	772	568	1,236	3,734	348	954	454	296	1,004	988	714
ACUTE MYOCARDIAL INFARCTION---410	906	330	378	314	726	1,732	196	450	274	150	584	586	284
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE---411	6	-	8	-	8	12	2	4	2	2	4	6	-
CHRONIC ISCHEMIC HEART DISEASE---412	1,050	400	386	254	502	1,990	150	500	178	144	414	396	430
ANGINA PECTORIS---413	-	-	-	-	-	-	-	-	-	-	2	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY---424,428	18	2	16	4	26	24	4	26	12	2	6	2	2
ALL OTHER FORMS OF HEART DISEASE---420-423,425-427,429	82	16	38	80	46	222	28	88	22	8	36	44	28

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS												
	SAN JOSE, CALIF.	SANTA BARBARA, CALIF.	SANTA ROSA, CALIF.	SAVANNAH, GA.	SCRANTON, PA.	SEATTLE-EVERETT, WASH.	SHERMAN-DENISON, TEX.	SHREVEPORT, LA.	SIOUX CITY, IOWA-NEBR.	SIOUX FALLS, S. DAK.	SOUTH BEND, IND.	SPOKANE, WASH.	SPRINGFIELD, ILL.
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION----------400,401,403	8	-	10	4	6	28	-	18	2	-	12	8	6
CEREBROVASCULAR DISEASES----------430-438	686	220	286	252	304	1,364	140	292	124	94	342	346	222
CEREBRAL HEMORRHAGE----------431	102	34	30	90	50	202	36	38	16	36	74	48	36
CEREBRAL THROMBOSIS----------433	170	56	54	68	118	348	36	62	34	10	96	78	92
CEREBRAL EMBOLISM----------434	-	-	-	2	-	2	-	2	-	-	-	-	-
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	414	130	202	92	136	812	68	190	74	48	172	220	94
ARTERIOSCLEROSIS----------440	100	34	40	34	86	182	16	40	40	22	48	92	20
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	92	42	28	26	24	168	16	50	10	8	38	42	18
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	4	-	2	-	-	4	-	2	2	2	2	2	4
INFLUENZA AND PNEUMONIA----------470-474,480-486	222	54	116	58	84	364	32	72	30	24	70	106	38
INFLUENZA----------470-474	26	2	6	6	8	16	4	2	2	8	12	10	-
PNEUMONIA----------480-486	196	52	110	52	76	348	28	70	28	16	58	96	38
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	122	32	30	20	32	174	20	50	28	22	40	64	36
CHRONIC AND UNQUALIFIED BRONCHITIS--------490,491	40	4	4	6	8	28	8	4	2	2	4	-	8
EMPHYSEMA----------492	72	20	22	14	24	126	12	38	24	18	36	60	28
ASTHMA----------493	10	8	4	-	-	20	-	8	2	2	-	4	-
PEPTIC ULCER----------531-533	40	6	12	6	6	60	6	-	-	6	10	16	8
APPENDICITIS----------540-543	6	2	-	2	2	6	-	-	6	-	2	-	-
HERNIA AND INTESTINAL OBSTRUCTION------550-553,560	18	4	10	6	12	40	-	6	6	-	12	14	6
CIRRHOSIS OF LIVER----------571	148	40	48	30	36	222	4	36	16	12	26	50	22
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	4	4	-	8	6	24	4	2	4	-	12	6	4
NEPHRITIS AND NEPHROSIS----------580-584	18	6	10	12	18	52	2	22	4	-	12	10	-
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	6	-	-	2	4	4	-	4	-	-	2	2	-
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	12	6	10	10	14	48	2	18	4	-	10	8	-
INFECTIONS OF KIDNEY----------590	24	6	6	18	2	24	8	30	4	2	8	6	4
HYPERPLASIA OF PROSTRATE----------600	6	2	-	-	-	8	-	4	2	-	8	-	2
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	-	-	-	-	4	6	-	-	-	-	-	-	-
ABORTIONS----------640-645	-	-	-	-	-	2	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	-	-	-	-	4	4	-	-	-	-	-	-	-
CONGENITAL ANOMALIES----------740-759	76	14	12	12	38	82	6	26	22	8	16	14	16
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	130	34	24	38	40	102	6	60	26	6	52	36	26
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	76	28	6	22	12	70	2	30	8	-	20	18	12
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	54	6	18	16	28	32	4	30	18	6	32	18	14
SYMPTOMS AND ILL-DEFINED CONDITIONS--------780-796	34	6	2	12	22	58	34	14	6	2	40	12	4
ALL OTHER DISEASES----------RESIDUAL	404	102	162	120	316	806	46	186	44	54	116	206	66
ACCIDENTS----------E800-E949	452	116	176	136	96	630	40	164	62	74	144	200	84
MOTOR VEHICLE ACCIDENTS----------E810-E823	228	52	114	64	46	238	22	82	28	34	68	80	28
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	224	64	62	72	50	392	18	82	34	40	76	120	56
SUICIDE----------E950-E959	174	38	46	20	24	244	16	26	14	14	28	54	10
HOMICIDE----------E960-E978	56	2	16	48	-	82	14	52	8	-	18	4	10
OTHER EXTERNAL CAUSES----------E980-E999	20	2	-	2	-	20	-	6	-	-	2	-	20

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS											
	SPRINGFIELD, MO.	SPRINGFIELD, OHIO	SPRINGFIELD-HOLYOKE, MASS.	STEUBINVILLE-WEIRTON, OHIO-W. VA.	STOCKTON, CALIF.	SYRACUSE, N.Y.	TACOMA, WASH.	TALLAHASSEE, FLA.	TAMPA-ST. PETERSBURG, FLA.	TERRE HAUTE, IND.	TEXARKANA, TEXAS-ARK.	TOLEDO, OHIO-MICH.
ALL CAUSES	1,614	1,510	5,660	1,820	2,808	5,718	3,384	714	15,246	2,224	1,130	6,812
BACILLARY DYSENTERY AND AMEBIASIS 004,006	-	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES 008,009	-	-	8	2	2	-	2	-	12	-	-	6
TUBERCULOSIS, ALL FORMS 010-019	6	2	4	6	4	18	4	4	20	6	2	12
TUBERCULOSIS OF RESPIRATORY SYSTEM 010-012	4	2	4	6	4	14	2	4	16	4	-	10
TUBERCULOSIS, OTHER FORMS 013-019	2	-	-	-	-	4	2	-	4	2	2	2
WHOOPING COUGH 033	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER 034	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 036	-	-	4	-	-	-	2	-	-	-	2	-
SEPTICEMIA 038	6	4	6	4	-	10	2	-	32	2	-	16
ACUTE POLIOMYELITIS 040-043	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES 055	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 090-097	-	-	-	-	2	-	2	-	-	-	2	-
OTHER INFECTIVE AND PARASITIC DISEASES REMAINDER OF 000-136	2	6	12	2	10	8	2	2	24	4	6	16
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-209	266	256	1,042	322	446	1,082	602	132	2,788	392	180	1,230
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX 140-149	4	8	22	6	12	28	4	2	58	6	6	26
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM 150-159	66	66	334	100	114	276	148	34	768	96	46	330
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM 160-163	72	70	224	90	118	274	112	46	744	104	42	272
MALIGNANT NEOPLASM OF BREAST 174	28	20	108	34	50	108	52	6	240	32	14	138
MALIGNANT NEOPLASMS OF GENITAL ORGANS 180-187	28	28	106	26	62	134	78	14	294	54	18	128
MALIGNANT NEOPLASMS OF URINARY ORGANS 188,189	18	18	62	14	8	40	38	8	122	18	6	58
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES 170-173,190-199	20	18	110	34	38	116	94	14	336	36	22	142
LEUKEMIA 204-207	2	12	30	10	12	34	36	4	88	20	4	66
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 200-203,208,209	28	16	46	8	32	72	40	4	138	26	22	70
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE 210-239	4	8	26	6	8	14	6	2	34	2	4	32
DIABETES MELLITUS 250	26	28	140	44	54	70	52	20	248	34	22	166
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES 260-269	2	-	2	-	-	4	10	-	12	2	-	6
ANEMIAS 280-285	-	2	16	6	6	8	6	-	32	-	4	12
MENINGITIS 320	-	2	4	-	4	8	4	2	8	-	2	8
MAJOR CARDIOVASCULAR DISEASES 390-448	842	808	3,038	1,022	1,470	3,144	1,872	270	8,360	1,226	552	3,674
DISEASES OF HEART 390-398,402,404,410-429	564	572	2,242	800	1,066	2,314	1,316	172	5,748	842	366	2,700
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE 390-398	8	10	52	12	20	58	32	6	128	20	4	32
HYPERTENSIVE HEART DISEASE 402	2	2	28	2	14	20	18	4	26	4	10	14
HYPERTENSIVE HEART AND RENAL DISEASE 404	10	8	2	6	18	4	6	-	52	42	2	22
ISCHEMIC HEART DISEASE 410-413	518	530	2,086	734	968	2,082	1,200	128	5,256	740	246	2,542
ACUTE MYOCARDIAL INFARCTION 410	250	314	894	446	416	1,096	652	66	2,512	420	124	1,410
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE 411	-	4	4	2	12	-	14	-	6	2	-	8
CHRONIC ISCHEMIC HEART DISEASE 412	268	210	1,186	286	540	984	534	62	2,738	318	122	1,124
ANGINA PECTORIS 413	-	2	2	-	-	2	-	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY 424,428	-	4	12	8	12	12	6	-	30	10	4	14
ALL OTHER FORMS OF HEART DISEASE 420-423,425-427,429	26	18	62	38	34	138	54	34	256	26	100	76

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS											
	SPRINGFIELD, MO.	SPRINGFIELD, OHIO	SPRINGFIELD-HOLYOKE, MASS.	STEUBINVILLE-WEIRTON, OHIO-W. VA.	STOCKTON, CALIF.	SYRACUSE, N.Y.	TACOMA, WASH.	TALLAHASSEE, FLA.	TAMPA-ST. PETERSBURG, FLA.	TERRE HAUTE, IND.	TEXARKANA, TEXAS-ARK.	TOLEDO, OHIO-MICH.
MAJOR CARDIOVASCULAR DISEASES--CON.												
HYPERTENSION----------400,401,403	4	4	16	2	18	26	8	2	86	8	12	22
CEREBROVASCULAR DISEASES----------430-438	218	198	638	180	286	654	414	82	2,114	294	152	740
CEREBRAL HEMORRHAGE----------431	30	36	128	62	42	108	32	14	198	70	42	122
CEREBRAL THROMBOSIS----------433	52	84	292	36	64	210	84	28	758	116	38	226
CEREBRAL EMBOLISM----------434	-	-	2	2	8	4	2	2	8	6	-	2
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	136	78	216	80	172	332	296	38	1,150	102	72	390
ARTERIOSCLEROSIS----------440	38	20	54	20	54	96	82	6	200	68	10	158
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	18	14	88	20	46	54	52	8	212	14	12	54
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	-	-	2	-	2	-	2	-	6	-	-	6
INFLUENZA AND PNEUMONIA----------470-474,480-486	40	62	228	40	66	152	86	16	446	76	30	228
INFLUENZA----------470-474	8	8	10	8	4	6	12	2	6	12	4	10
PNEUMONIA----------480-486	32	54	218	32	62	146	74	14	440	64	26	218
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	24	32	88	36	56	122	52	8	304	58	14	156
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	-	-	20	4	10	16	8	4	34	2	2	38
EMPHYSEMA----------492	24	28	62	30	46	100	40	4	258	56	12	114
ASTHMA----------493	-	4	6	2	-	6	4	-	12	-	-	4
PEPTIC ULCER----------531-533	6	2	22	6	18	12	8	2	82	4	2	30
APPENDICITIS----------540-543	-	-	2	2	8	4	2	2	16	-	-	-
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	6	6	12	2	4	18	8	4	52	8	4	28
CIRRHOSIS OF LIVER----------571	14	16	124	34	56	70	78	8	256	28	14	88
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	-	4	12	4	6	6	2	-	38	2	-	4
NEPHRITIS AND NEPHROSIS----------580-584	10	10	22	18	10	24	10	-	50	10	6	38
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	4	-	2	-	2	2	-	-	14	-	-	10
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	6	10	20	18	8	22	10	-	36	10	6	28
INFECTIONS OF KIDNEY----------590	6	8	16	4	6	18	8	2	54	2	4	38
HYPERPLASIA OF PROSTRATE----------600	6	-	10	-	2	2	-	-	24	-	2	4
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	2	-	-	-	2	4	-	-	-	-	-	-
ABORTIONS----------640-645	-	-	-	-	-	2	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	2	-	-	-	2	2	-	-	-	-	-	-
CONGENITAL ANOMALIES----------740-759	6	10	34	18	22	36	48	14	64	16	2	48
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	26	24	38	18	26	90	56	22	134	24	22	128
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	18	12	26	8	14	54	36	10	60	16	16	68
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	8	12	12	10	12	36	20	12	74	8	6	60
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	96	2	38	8	26	28	12	92	486	32	94	20
ALL OTHER DISEASES----------RESIDUAL	86	90	294	74	134	370	176	26	698	132	60	354
ACCIDENTS----------E800-E949	108	106	326	116	228	312	202	58	616	134	66	308
MOTOR VEHICLE ACCIDENTS----------E810-E823	58	50	122	38	106	134	78	38	336	50	28	154
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	50	56	204	78	122	178	124	20	280	84	38	154
SUICIDE----------E950-E959	10	16	68	16	44	48	50	18	190	24	14	80
HOMICIDE----------E960-E978	6	6	18	6	36	26	16	8	114	4	18	66
OTHER EXTERNAL CAUSES----------E980-E999	8	-	4	4	-	10	2	2	46	2	2	10

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	TOPEKA, KANS.	TRENTON, N.J.	TUCSON, ARIZ.	TULSA, OKLA.	TUSCALOOSA, ALA.	TYLER, TEX.	UTICA-ROME, N.Y.	VALLEJO-NAPA, CALIF.	VINELAND-MILLVILLE-BRIDGETON, N.J.	WACO, TEX.	WASHINGTON, D.C.-MD.-VA.	WATERLOO, IOWA	WEST PALM BEACH, FLA.	WHEELING, W. VA.-OHIO
ALL CAUSES	1,382	3,044	3,346	4,362	984	1,008	3,512	2,170	1,220	1,732	20,180	1,152	4,894	2,320
BACILLARY DYSENTERY AND AMEBIASIS---004,006	-	-	2	-	-	-	-	-	-	-	-	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES---008,009	-	-	-	6	4	6	2	2	4	2	16	-	2	4
TUBERCULOSIS, ALL FORMS---010-019	-	12	12	6	6	-	8	4	2	2	46	-	16	4
TUBERCULOSIS OF RESPIRATORY SYSTEM---010-012	-	8	8	4	6	-	8	2	2	2	38	-	8	2
TUBERCULOSIS, OTHER FORMS---013-019	-	4	4	2	-	-	-	2	-	-	8	-	8	2
WHOOPING COUGH---033	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER---034	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS---036	-	-	2	2	-	-	-	-	-	-	6	-	-	-
SEPTICEMIA---038	2	4	12	16	2	2	2	2	-	2	78	-	6	2
ACUTE POLIOMYELITIS---040-043	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES---055	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE---090-097	2	-	-	-	-	-	-	-	-	2	2	-	2	-
OTHER INFECTIVE AND PARASITIC DISEASES---REMAINDER OF 000-136	2	8	14	4	-	4	10	4	6	2	38	2	20	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES---140-209	222	610	544	782	170	182	618	354	208	284	3,942	212	996	434
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX---140-149	2	20	6	20	6	2	8	10	6	4	108	8	22	12
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM---150-159	64	192	146	192	42	40	188	102	72	84	1,028	56	268	128
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM---160-163	50	142	106	172	36	48	136	100	38	68	940	36	248	98
MALIGNANT NEOPLASM OF BREAST---174	22	50	50	64	18	12	58	46	18	16	416	18	86	58
MALIGNANT NEOPLASMS OF GENITAL ORGANS---180-187	28	70	54	90	26	22	80	38	24	58	422	26	118	48
MALIGNANT NEOPLASMS OF URINARY ORGANS---188,189	8	24	36	48	12	10	34	16	10	4	152	16	50	26
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES---170-173,190-199	26	68	84	120	18	30	56	42	24	24	516	34	112	30
LEUKEMIA---204-207	12	16	26	32	10	10	20	10	6	8	156	10	40	20
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES---200-203,208,209	10	28	36	44	2	8	38	30	10	18	204	8	52	14
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE---210-239	2	2	20	10	4	4	4	2	2	4	88	-	10	2
DIABETES MELLITUS---250	36	88	34	68	30	20	44	16	38	22	404	24	94	52
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES---260-269	-	4	4	10	2	4	2	4	2	2	16	2	10	2
ANEMIAS---280-285	-	2	4	6	-	2	4	4	2	6	34	4	14	2
MENINGITIS---320	2	2	4	4	4	-	4	2	-	-	18	-	8	2
MAJOR CARDIOVASCULAR DISEASES---390-448	774	1,562	1,530	2,238	504	510	2,074	1,032	678	944	9,040	624	2,520	1,270
DISEASES OF HEART---390-398,402,404,410-429	506	1,178	1,156	1,620	336	344	1,570	736	522	660	6,702	394	1,772	902
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE---390-398	12	18	38	26	4	6	34	22	4	10	160	10	42	24
HYPERTENSIVE HEART DISEASE---402	4	6	8	18	8	-	20	2	2	4	78	2	4	12
HYPERTENSIVE HEART AND RENAL DISEASE---404	2	10	4	6	4	2	26	6	4	-	54	10	8	2
ISCHEMIC HEART DISEASE---410-413	472	1,102	1,058	1,470	298	302	1,450	676	498	478	6,032	360	1,658	820
ACUTE MYOCARDIAL INFARCTION---410	250	546	474	778	146	146	792	334	284	256	2,158	184	806	440
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE---411	6	4	2	120	-	8	-	6	-	-	64	4	20	-
CHRONIC ISCHEMIC HEART DISEASE---412	216	552	582	572	152	148	658	336	214	222	3,810	172	832	380
ANGINA PECTORIS---413	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY---424,428	2	10	-	-	4	-	10	8	4	-	72	2	4	4
ALL OTHER FORMS OF HEART DISEASE---420-423,425-427,429	14	32	48	100	18	34	30	22	10	168	306	10	56	40

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS													
	TOPEKA, KANS.	TRENTON, N.J.	TUCSON, ARIZ.	TULSA, OKLA.	TUSCALOOSA, ALA.	TYLER, TEX.	UTICA-ROME, N.Y.	VALLEJO-NAPA, CALIF.	VINELAND-MILLVILLE-BRIDGETON, N.J.	WACO, TEX.	WASHINGTON, D.C.-MD.-VA.	WATERLOO, IOWA	WEST PALM BEACH, FLA.	WHEELING, W. VA.-OHIO
MAJOR CARDIOVASCULAR DISEASES--CON.														
HYPERTENSION----------400,401,403	6	16	4	12	12	2	12	4	8	8	64	8	24	10
CEREBROVASCULAR DISEASES----------430-438	204	286	280	474	138	128	376	226	120	212	1,604	184	566	264
CEREBRAL HEMORRHAGE----------431	50	38	38	58	28	10	84	32	24	26	290	28	76	56
CEREBRAL THROMBOSIS----------433	48	112	72	116	38	26	102	38	16	58	424	44	252	70
CEREBRAL EMBOLISM----------434	2	2	2	-	-	-	6	-	-	-	4	-	-	-
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	104	134	168	300	72	92	184	156	80	128	886	112	238	138
ARTERIOSCLEROSIS----------440	26	38	44	46	8	24	66	34	14	40	434	22	86	70
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	32	44	46	86	10	12	50	32	14	24	236	16	72	24
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	2	-	8	4	-	-	4	-	-	-	10	-	6	2
INFLUENZA AND PNEUMONIA----------470-474,480-486	28	90	110	138	24	26	68	84	30	64	672	42	124	60
INFLUENZA----------470-474	4	12	2	20	2	4	6	4	-	4	18	2	8	4
PNEUMONIA----------480-486	24	78	108	118	22	22	62	80	30	60	654	40	116	56
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	28	40	142	68	12	20	76	58	14	28	232	30	94	36
CHRONIC AND UNQUALIFIED BRONCHITIS----------490,491	6	6	26	8	2	4	12	10	-	8	22	2	14	6
EMPHYSEMA----------492	22	28	104	56	10	14	60	48	14	18	184	24	76	26
ASTHMA----------493	-	6	12	4	-	2	4	-	-	2	26	4	4	4
PEPTIC ULCER----------531-533	10	12	14	20	-	2	8	12	2	14	106	6	16	10
APPENDICITIS----------540-543	-	-	-	-	-	-	4	-	2	-	12	-	2	4
HERNIA AND INTESTINAL OBSTRUCTION----------550-553,560	4	6	14	22	6	10	24	14	4	2	80	6	14	12
CIRRHOSIS OF LIVER----------571	12	50	80	34	8	2	52	48	12	26	738	8	120	22
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	2	4	8	4	4	-	6	2	4	2	32	-	8	10
NEPHRITIS AND NEPHROSIS----------580-584	2	18	12	24	-	8	16	6	4	4	122	-	22	12
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	-	2	2	2	-	2	4	2	-	2	26	-	2	-
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	2	16	10	22	-	6	12	4	4	2	96	-	20	12
INFECTIONS OF KIDNEY----------590	4	14	24	32	2	6	8	6	4	6	82	2	12	10
HYPERPLASIA OF PROSTRATE----------600	-	2	2	6	2	-	-	6	-	6	8	-	-	4
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	-	2	2	4	-	-	-	2	2	-	6	-	6	-
ABORTIONS----------640-645	-	-	-	2	-	-	-	-	-	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	-	2	2	2	-	-	-	2	2	-	6	-	6	-
CONGENITAL ANOMALIES----------740-759	10	22	42	28	2	8	22	32	12	8	152	16	26	18
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	24	70	60	88	18	26	34	42	26	46	484	20	64	40
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	12	34	34	42	8	12	18	32	16	22	214	12	30	20
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	12	36	26	46	10	14	16	10	10	24	270	8	34	20
SYMPTOMS AND ILL-DEFINED CONDITIONS----------780-796	18	84	54	20	38	10	20	16	8	22	212	8	30	28
ALL OTHER DISEASES----------RESIDUAL	94	156	264	306	26	58	152	132	54	82	1,444	62	276	144
ACCIDENTS----------E800-E949	70	142	226	290	76	76	198	152	62	110	1,198	66	242	104
MOTOR VEHICLE ACCIDENTS----------E810-E823	42	66	124	126	28	42	98	84	44	60	486	44	136	26
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	28	76	102	164	48	34	100	108	18	50	712	22	106	78
SUICIDE----------E950-E959	18	14	66	78	12	12	42	28	20	20	376	8	56	20
HOMICIDE----------E960-E978	12	20	26	38	28	10	6	24	16	20	380	8	58	6
OTHER EXTERNAL CAUSES----------E980-E999	2	4	10	6	-	-	-	-	2	-	106	2	20	4

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS								STANDARD CONSOLIDATED AREAS	
	WICHITA, KANSAS	WICHITA FALLS, TEX.	WILKES-BARRE-HAZELTON, PA.	WILMINGTON, DEL.-N.J.-MD.	WILMINGTON, N.C.	WORCESTER, MASS.	YORK, PA.	YOUNGSTOWN-WARREN, OHIO	NEW YORK, N.Y.-NORTHEASTERN NEW JERSEY	CHICAGO, ILL.-NORTHWESTERN INDIANA
ALL CAUSES	3,070	1,118	4,600	4,414	1,078	6,496	3,228	5,238	161,326	72,654
BACILLARY DYSENTERY AND AMEBIASIS—004,006	-	-	-	-	-	-	-	-	10	2
ENTERITIS AND OTHER DIARRHEAL DISEASES—008,009	-	2	-	2	2	4	-	2	102	72
TUBERCULOSIS, ALL FORMS—010-019	-	2	30	18	4	6	4	14	476	192
TUBERCULOSIS OF RESPIRATORY SYSTEM—010-012	-	2	28	16	4	6	4	8	410	154
TUBERCULOSIS, OTHER FORMS—013-019	-	-	2	2	-	-	-	6	66	38
WHOOPING COUGH—033	-	-	-	-	-	-	-	-	2	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER—034	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS—036	2	2	-	-	-	-	-	2	22	4
SEPTICEMIA—038	2	6	12	12	-	4	10	10	408	120
ACUTE POLIOMYELITIS—040-043	-	-	-	-	-	-	-	-	-	-
MEASLES—055	-	-	-	-	-	-	-	-	-	2
SYPHILIS AND ITS SEQUELAE—090-097	2	-	-	2	-	-	2	-	12	14
OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	14	2	2	6	2	8	8	10	306	134
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	562	168	696	806	188	1,250	606	958	31,376	13,116
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX—140-149	10	2	18	14	2	34	4	34	656	310
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM—150-159	124	52	266	240	42	388	178	296	9,898	3,968
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM—160-163	134	44	126	190	40	238	132	180	6,512	2,710
MALIGNANT NEOPLASM OF BREAST—174	62	8	46	80	6	122	72	110	3,290	1,316
MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	58	14	82	104	30	170	82	114	3,448	1,526
MALIGNANT NEOPLASMS OF URINARY ORGANS—188,189	38	12	24	32	2	50	20	46	1,370	640
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173,190-199	62	20	84	94	40	138	56	78	3,304	1,436
LEUKEMIA—204-207	22	10	22	26	18	46	30	44	1,166	458
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203,208,209	52	6	28	26	8	64	32	56	1,732	752
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	6	-	4	14	2	24	4	16	536	166
DIABETES MELLITUS—250	48	18	140	88	30	102	94	136	3,580	1,474
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	6	4	8	4	2	12	-	16	174	74
ANEMIAS—280-285	6	-	2	4	-	4	4	12	274	114
MENINGITIS—320	6	2	4	4	-	8	2	2	120	58
MAJOR CARDIOVASCULAR DISEASES—390-448	1,570	594	2,440	2,448	556	3,610	1,746	2,926	84,802	40,218
DISEASES OF HEART—390-398,402,404,410-429	1,148	430	1,974	1,906	380	2,696	1,340	2,110	67,584	31,128
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE—390-398	20	4	18	32	4	30	40	34	1,494	470
HYPERTENSIVE HEART DISEASE—402	8	8	26	24	2	30	8	28	708	544
HYPERTENSIVE HEART AND RENAL DISEASE—404	10	4	34	8	10	12	12	16	170	140
ISCHEMIC HEART DISEASE—410-413	1,068	396	1,806	1,756	340	2,500	1,212	1,918	63,072	27,084
ACUTE MYOCARDIAL INFARCTION—410	634	238	938	880	204	1,000	682	1,088	26,556	14,154
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE—411	2	-	12	4	4	16	2	12	124	84
CHRONIC ISCHEMIC HEART DISEASE—412	432	158	856	872	132	1,484	528	818	36,386	12,842
ANGINA PECTORIS—413	-	-	-	-	-	-	-	-	6	4
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424,428	-	2	28	10	-	54	14	12	154	224
ALL OTHER FORMS OF HEART DISEASE—420-423,425-427,429	42	16	62	76	24	70	54	102	1,986	2,666

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1972—Con.

[See headnote at beginning of table]

CAUSE OF DEATH	STANDARD METROPOLITAN STATISTICAL AREAS								STANDARD CONSOLIDATED AREAS	
	WICHITA, KANSAS	WICHITA FALLS, TEX.	WILKES-BARRE-HAZELTON, PA.	WILMINGTON, DEL.-N.J.-MD.	WILMINGTON, N.C.	WORCESTER, MASS.	YORK, PA.	YOUNGSTOWN-WARREN, OHIO	NEW YORK, N.Y.-NORTHEASTERN NEW JERSEY[1]	CHICAGO, ILL.-NORTHWESTERN INDIANA[2]
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION----------400,401,403	8	2	14	20	4	30	8	34	480	388
CEREBROVASCULAR DISEASES----------430-438	340	120	340	378	132	660	274	564	13,312	6,906
CEREBRAL HEMORRHAGE----------431	70	12	88	56	24	150	78	120	2,576	1,554
CEREBRAL THROMBOSIS----------433	104	34	78	104	46	236	60	210	3,458	2,160
CEREBRAL EMBOLISM----------434	2	-	6	2	-	14	-	4	58	46
ALL OTHER CEREBROVASCULAR DISEASES----------430,432,435-438	164	74	168	216	62	260	136	230	7,220	3,146
ARTERIOSCLEROSIS----------440	36	24	66	56	26	92	72	144	1,662	1,066
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES----------441-448	38	18	46	88	14	132	52	74	1,764	730
ACUTE BRONCHITIS AND BRONCHIOLITIS----------466	2	2	2	-	-	8	8	2	74	146
INFLUENZA AND PNEUMONIA----------470-474,480-486	104	68	120	116	22	284	110	142	5,898	2,226
INFLUENZA----------470-474	14	6	2	8	-	6	10	6	148	70
PNEUMONIA----------480-486	90	62	118	108	22	278	100	136	5,750	2,156
BRONCHITIS, EMPHYSEMA, AND ASTHMA----------490-493	68	8	46	46	8	80	38	90	1,614	940
CHRONIC AND UNQUALIFIED BRONCHITIS------490,491	12	2	12	10	6	16	4	10	422	192
EMPHYSEMA----------492	54	6	28	36	2	62	34	78	974	662
ASTHMA----------493	2	-	6	-	-	2	-	2	218	86
PEPTIC ULCER----------531-533	12	4	24	8	2	26	8	22	750	350
APPENDICITIS----------540-543	-	2	-	4	-	6	4	4	102	36
HERNIA AND INTESTINAL OBSTRUCTION------550-553,560	16	4	16	14	4	22	12	14	540	230
CIRRHOSIS OF LIVER----------571	48	16	58	110	16	92	26	82	4,006	1,562
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS----------574,575	8	2	2	6	2	18	6	8	290	110
NEPHRITIS AND NEPHROSIS----------580-584	12	2	18	22	8	28	6	18	674	344
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	2	-	-	4	-	12	2	6	140	58
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS----------582-584	10	2	18	18	8	16	4	12	534	286
INFECTIONS OF KIDNEY----------590	10	4	14	10	2	20	4	12	426	204
HYPERPLASIA OF PROSTRATE----------600	8	-	-	6	-	6	2	2	184	44
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-678	-	-	-	-	-	-	-	-	48	24
ABORTIONS----------640-645	-	-	-	-	-	-	-	-	12	4
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM----------630-639,650-678	-	-	-	-	-	-	-	-	36	20
CONGENITAL ANOMALIES----------740-759	30	22	12	42	10	36	28	32	986	559
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY----------760-769.2,769.4-772,774-778	104	36	40	74	26	86	38	96	2,324	1,484
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS--764-768,772,776	58	24	24	46	22	48	20	44	1,250	1,036
OTHER CAUSES OF MORTALITY IN EARLY INFANCY----------REMAINDER OF 760-778	46	12	16	28	4	38	18	52	1,074	448
SYMPTOMS AND ILL-DEFINED CONDITIONS--------780-796	6	6	28	20	8	28	6	14	1,848	190
ALL OTHER DISEASES----------RESIDUAL	154	58	674	186	58	376	222	206	9,326	3,402
ACCIDENTS----------E800-E949	166	58	164	236	76	282	172	256	5,330	3,036
MOTOR VEHICLE ACCIDENTS----------E810-E823	86	24	76	114	42	138	102	146	2,366	1,220
ALL OTHER ACCIDENTS----------E800-E807,E825-E949	80	34	88	122	34	144	70	110	2,964	1,816
SUICIDE----------E950-E959	64	14	34	50	24	38	36	68	1,050	730
HOMICIDE----------E960-E978	18	12	4	50	26	18	22	64	2,174	982
OTHER EXTERNAL CAUSES----------E980-E999	16	-	6	6	-	10	-	2	1,482	296

[1]Comprised of four standard metropolitan statistical areas--New York, N.Y., Newark, N.J., Jersey City, N.J., Paterson-Clifton-Passaic, N.J.--and two nonmetropolitan counties--Middlesex and Somerset Counties, N.J.
[2]Comprised of two standard metropolitan statistical areas--Chicago, Ill., and Gary-Hammond-East Chicago, Ind.

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
01	**UNITED STATES..**	1,963,944	4,376	344	10,898	345,618	95,808	76,998	31,460	42,366	15,738	14,402	68,846	38,674	1,035,146	755,864	14,118	13,538
02	URBAN PLACES.....	1,118,954	2,778	206	6,230	202,268	56,950	45,352	19,122	24,318	9,136	7,832	39,558	22,423	584,392	430,900	8,534	7,628
03	BALANCE OF AREA.....	844,990	1,598	138	4,668	143,350	38,858	31,646	12,338	18,048	6,602	6,570	29,288	16,254	450,754	324,964	5,584	5,917
04	METROPOLITAN COUNTIES...	1,281,934	2,956	222	7,088	235,504	65,592	53,214	22,300	27,468	10,748	9,426	46,756	25,472	665,816	493,664	10,188	8,260
05	URBAN PLACES.....	960,846	2,406	170	5,376	176,124	49,716	39,636	16,730	20,886	7,918	6,772	34,466	19,296	498,600	370,336	7,504	6,326
06	BALANCE OF AREA.....	321,088	550	52	1,712	59,380	15,876	13,578	5,570	6,582	2,830	2,654	12,290	6,176	167,216	123,328	2,684	1,934
07	NONMETROPOLITAN COUNTIES	682,010	1,420	122	3,810	110,114	30,216	23,784	9,160	14,898	4,990	4,976	22,090	13,202	369,330	262,200	3,930	5,278
08	URBAN PLACES.....	158,108	372	36	854	26,144	7,234	5,716	2,392	3,432	1,218	1,060	5,092	3,124	85,792	60,564	1,030	1,300
09	BALANCE OF AREA.....	523,902	1,048	86	2,956	83,970	22,982	18,068	6,768	11,466	3,772	3,916	16,998	10,078	283,538	201,636	2,900	3,978
10	**ALABAMA.....**	34,572	138	10	226	5,388	1,292	1,244	420	790	228	258	1,156	682	17,092	11,284	132	232
11	URBAN PLACES.....	14,926	58	8	112	2,464	588	574	192	348	126	106	530	310	7,324	4,772	56	112
12	BALANCE OF AREA.....	19,646	80	2	114	2,924	704	670	228	442	102	152	626	372	9,768	6,512	76	120
13	METROPOLITAN COUNTIES...	17,457	76	6	106	2,892	670	724	232	400	142	124	600	352	8,530	5,670	64	138
14	URBAN PLACES.....	11,440	50	6	76	1,934	450	452	150	284	102	82	414	246	5,626	3,622	44	84
15	BALANCE OF AREA.....	6,012	26	-	30	958	220	272	82	116	40	42	186	106	2,904	2,048	20	54
16	NONMETROPOLITAN COUNTIES	17,120	62	4	120	2,496	622	520	188	390	86	134	556	330	8,562	5,614	68	94
17	URBAN PLACES.....	3,486	8	2	36	530	138	122	42	64	24	24	116	64	1,698	1,150	12	28
18	BALANCE OF AREA.....	13,634	54	2	84	1,966	484	398	146	326	62	110	440	266	6,864	4,464	56	66
19	AUTAUGA.....	206	-	-	-	24	4	4	-	6	-	-	10	4	94	64	-	4
20	PRATTVILLE.....	78	-	-	-	12	2	2	-	4	-	-	4	-	40	28	-	-
21	BALANCE OF COUNTY....	128	-	-	-	12	2	2	-	2	-	-	6	4	54	36	-	4
22	BALDWIN.....	592	2	-	6	102	24	32	8	14	4	2	18	14	294	218	2	14
23	BARBOUR.....	314	-	-	2	30	6	6	2	6	-	4	6	12	154	96	4	-
24	BIBB.....	168	2	-	2	28	14	6	-	-	2	-	6	-	86	54	-	2
25	BLOUNT.....	252	2	-	2	46	6	12	6	10	2	-	10	2	140	86	-	-
26	BULLOCK.....	152	2	-	2	26	6	4	2	10	-	-	4	2	72	46	2	4
27	BUTLER.....	282	-	-	-	32	6	6	6	6	2	-	6	8	154	98	4	-
28	CALHOUN.....	908	2	-	6	138	34	38	10	12	-	6	38	16	462	310	4	-
29	ANNISTON.....	416	2	-	2	58	12	12	4	6	-	4	20	6	216	140	2	-
30	BALANCE OF COUNTY....	492	-	-	4	80	22	26	6	6	-	2	18	10	246	170	2	-
31	CHAMBERS.....	446	2	-	4	58	18	6	-	8	-	4	22	4	246	144	-	10
32	CHEROKEE.....	156	2	-	-	26	2	8	2	8	-	-	6	2	90	68	-	-
33	CHILTON.....	326	-	-	4	66	12	14	2	16	-	4	18	10	170	122	2	-
34	CHOCTAW.....	194	-	-	-	24	4	4	-	-	2	8	6	4	102	48	-	-
35	CLARKE.....	246	2	-	-	38	10	8	2	8	2	2	6	4	128	86	-	2
36	CLAY.....	166	2	-	-	18	12	-	2	4	-	-	-	4	80	56	4	-
37	CLEBURNE.....	112	-	-	-	20	-	6	-	2	2	2	8	8	40	28	-	-
38	COFFEE.....	308	-	-	2	42	4	8	-	8	2	4	16	6	160	96	-	-
39	ENTERPRISE.....	112	-	-	-	14	2	2	-	-	2	4	4	4	50	34	-	-
40	BALANCE OF COUNTY....	196	-	-	2	28	2	6	-	8	-	-	12	2	110	62	-	-
41	COLBERT.....	532	6	-	2	74	20	8	12	8	2	-	24	10	256	170	4	2
42	SHEFFIELD.....	156	-	-	-	12	2	2	2	-	2	-	4	4	88	66	2	2
43	BALANCE OF COUNTY....	376	6	-	2	62	18	6	10	8	-	-	20	6	168	104	2	-
44	CONECUH.....	194	-	-	2	20	8	6	2	2	-	-	2	2	126	78	-	2
45	COOSA.....	102	2	-	-	8	2	2	-	4	-	-	-	4	50	40	-	-
46	COVINGTON.....	436	2	-	6	68	22	30	-	6	-	-	10	4	200	126	-	2
47	ANDALUSIA.....	114	-	-	2	22	8	10	-	2	-	-	2	2	52	30	-	-
48	BALANCE OF COUNTY....	322	2	-	4	46	14	20	-	4	-	-	8	2	148	96	-	2
49	CRENSHAW.....	182	-	-	2	30	2	10	6	-	6	4	2	4	76	38	2	-
50	CULLMAN.....	482	2	2	2	78	22	18	6	14	2	4	12	10	230	172	2	-
51	CULLMAN.....	178	-	-	2	26	8	6	-	6	-	2	4	8	78	56	2	-
52	BALANCE OF COUNTY....	304	2	2	-	52	14	12	6	8	2	2	8	2	152	116	-	-
53	DALE.....	298	-	-	4	24	10	4	2	2	-	2	4	2	150	112	-	16
54	OZARK.....	96	-	-	2	6	2	2	-	-	-	-	2	-	54	40	-	10
55	BALANCE OF COUNTY....	202	-	-	2	18	8	2	2	2	-	2	2	2	96	72	-	6
56	DALLAS.....	560	8	-	4	62	18	8	2	14	6	2	12	16	206	130	6	-
57	SELMA.....	328	4	-	2	44	12	8	2	8	6	2	6	8	120	78	2	-
58	BALANCE OF COUNTY....	232	4	-	2	18	6	-	-	6	-	-	6	8	86	52	4	-
59	DE KALB.....	446	-	-	4	70	16	14	4	8	4	4	20	8	228	164	-	2
60	ELMORE.....	372	2	-	4	48	14	18	2	6	-	4	4	12	188	136	2	4
61	ESCAMBIA.....	386	-	-	-	74	24	12	4	6	4	4	20	8	202	138	4	-
62	ETOWAH.....	966	8	-	6	148	30	44	10	16	4	4	40	6	546	432	12	10
63	GADSDEN.....	628	2	-	6	102	22	24	4	14	4	2	32	6	354	282	8	8
64	BALANCE OF COUNTY....	338	6	-	-	46	8	20	6	2	-	2	8	-	192	150	4	2
65	FAYETTE.....	166	-	-	-	28	6	4	2	6	2	4	4	-	82	52	-	-
66	FRANKLIN.....	296	-	-	2	40	10	10	2	4	-	4	10	6	158	118	2	-
67	GENEVA.....	264	-	-	2	40	6	14	2	2	2	4	10	6	142	92	-	2
68	GREENE.....	146	-	-	-	18	10	4	2	2	-	-	-	8	74	44	-	-
69	HALE.....	180	-	-	-	28	6	4	4	12	-	-	2	2	98	44	-	2
70	HENRY.....	166	-	-	2	16	2	2	4	2	-	2	4	2	82	44	-	-
71	HOUSTON.....	554	-	-	4	80	20	18	6	6	4	4	22	4	284	164	-	6
72	DOTHAN.....	350	-	-	4	56	18	12	6	4	-	4	12	2	174	106	-	6
73	BALANCE OF COUNTY....	204	-	-	-	24	2	6	-	2	4	-	10	2	110	58	-	-
74	JACKSON.....	494	2	-	-	70	18	16	-	6	-	18	12	10	262	186	6	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
684,424	43,784	7,754	213,344	32,486	25,698	62,580	30,768	7,916	32,576	8,548	612	14,698	33,798	27,500	144,728	56,278	59,170	25,004	19,638	5,074	01
391,242	23,498	4,348	117,578	17,344	14,222	36,058	17,066	4,764	22,806	5,044	354	8,240	19,640	15,106	84,504	24,228	30,892	14,110	14,068	3,780	02
293,182	20,286	3,406	95,766	15,142	11,476	26,522	13,702	3,152	9,770	3,504	258	6,458	14,158	12,394	60,224	32,050	28,278	10,894	5,570	1,294	03
449,242	25,974	4,644	131,672	19,492	16,344	40,012	19,402	5,326	25,520	5,522	378	9,930	22,338	16,026	96,034	31,470	36,332	17,276	15,216	4,094	04
336,746	19,760	3,512	98,490	14,296	11,966	30,758	14,286	4,084	20,734	4,330	304	7,070	16,632	12,362	72,994	20,080	26,256	12,486	12,976	3,522	05
112,496	6,214	1,132	33,182	5,196	4,378	9,254	5,116	1,242	4,706	1,192	74	2,860	5,706	3,664	23,040	11,390	10,076	4,790	2,240	572	06
235,182	17,810	3,110	81,672	12,994	9,354	22,568	11,366	2,590	7,056	3,026	234	4,768	11,460	11,474	48,694	24,808	22,838	7,728	4,422	980	07
54,496	3,738	836	19,088	3,048	2,256	5,300	2,780	680	2,072	714	50	1,170	3,008	2,744	11,510	4,148	4,636	1,624	1,092	258	08
180,686	14,072	2,274	62,584	9,946	7,098	17,268	8,586	1,910	4,984	2,312	184	3,598	8,452	8,730	37,184	20,660	18,202	6,104	3,330	722	09
9,568	1,352	174	4,709	500	434	1,046	426	96	300	170	34	292	748	1,856	2,612	1,380	1,226	340	484	26	10
4,110	494	88	2,046	224	194	406	164	48	142	84	16	134	292	928	1,152	400	472	150	250	12	11
5,458	858	86	2,654	276	240	640	262	48	158	86	18	158	456	928	1,460	980	754	190	234	14	12
4,988	480	74	2,328	258	200	442	202	44	168	66	16	150	338	1,006	1,368	594	578	210	302	6	13
3,204	290	58	1,622	180	144	288	126	36	118	56	10	100	204	712	880	290	354	122	202	4	14
1,784	190	16	706	78	56	154	76	8	50	10	6	50	134	294	488	304	224	88	100	2	15
4,580	872	100	2,372	242	234	604	224	52	132	104	18	142	410	850	1,244	786	648	130	182	20	16
906	204	30	424	44	50	118	38	12	24	28	6	34	88	216	272	110	118	28	48	8	17
3,674	668	70	1,948	198	184	486	186	40	108	76	12	108	322	634	972	676	530	102	134	12	18
46	14	2	20	2	6	8	2	-	2	4	-	2	8	16	16	10	10	4	-	2	19
24	4	2	6	-	4	6	-	-	2	-	-	-	2	2	4	4	4	2	-	-	20
22	10	-	14	2	2	2	2	-	-	4	-	2	6	14	12	6	6	2	-	2	21
186	16	2	50	20	4	18	10	2	6	-	-	10	18	4	52	28	20	4	2	-	22
76	16	2	46	6	4	16	4	4	6	6	2	4	10	4	40	12	6	2	-	-	23
40	12	-	26	2	4	2	2	2	2	-	-	-	-	10	10	8	10	-	4	-	24
68	18	-	46	4	4	4	8	-	2	2	-	-	6	4	8	16	10	-	-	-	25
38	2	-	24	2	-	8	4	-	-	-	-	-	6	6	10	6	4	2	2	-	26
80	14	2	46	2	6	14	-	-	-	2	-	2	-	12	28	10	14	4	2	-	27
286	20	2	136	6	8	28	10	4	8	12	-	12	14	32	70	44	20	10	16	4	28
134	4	-	68	4	4	14	8	4	-	10	-	4	4	14	36	12	8	2	12	4	29
152	16	2	68	2	4	14	2	-	8	2	-	8	10	18	34	32	12	8	4	-	30
126	8	2	90	2	8	20	6	2	2	2	-	4	14	6	38	14	10	4	10	-	31
50	18	-	20	-	2	4	-	-	2	2	-	-	-	-	6	12	8	-	2	-	32
108	12	2	40	2	4	6	2	-	4	2	-	-	12	4	8	24	10	2	2	-	33
46	2	2	48	2	2	6	2	-	2	-	-	4	6	4	14	12	10	-	4	-	34
74	10	2	26	4	10	8	2	-	-	2	-	2	4	2	20	14	18	-	2	-	35
48	4	-	20	-	4	4	2	4	-	-	-	2	-	14	20	4	8	2	2	-	36
26	2	-	12	-	-	4	-	-	2	-	-	4	-	16	12	6	-	-	-	-	37
80	16	-	44	8	12	12	8	-	6	-	-	4	12	6	20	16	12	-	2	-	38
28	6	-	16	-	-	6	6	-	-	-	-	-	4	2	14	10	-	-	2	-	39
52	10	-	28	8	12	6	2	-	6	-	-	4	8	4	6	6	12	-	-	-	40
144	20	6	64	12	4	14	8	2	6	4	-	4	14	24	54	22	22	6	4	-	41
56	6	6	8	4	4	-	2	2	4	-	-	-	8	10	18	4	4	-	-	-	42
88	14	-	56	8	-	14	6	-	2	4	-	4	6	14	36	18	18	6	4	-	43
42	34	-	28	14	6	2	4	-	2	-	-	-	6	2	18	4	4	2	-	-	44
26	14	2	8	-	-	-	2	2	2	-	-	-	4	2	8	-	16	-	2	-	45
112	12	4	52	14	4	16	6	4	-	8	-	2	10	10	36	18	26	8	12	-	46
24	6	2	18	2	-	4	2	2	-	2	-	-	2	2	8	6	4	-	4	-	47
88	6	2	34	12	4	12	4	2	-	6	-	2	8	8	28	12	22	8	8	-	48
28	8	-	34	-	4	8	4	-	2	-	2	2	8	8	16	6	12	-	2	-	49
126	44	4	46	6	2	12	12	-	6	6	-	8	12	8	54	26	14	-	-	-	50
44	10	2	16	2	2	8	4	-	2	4	-	2	6	6	24	6	2	-	-	-	51
82	34	2	30	4	-	4	8	-	4	2	-	6	6	2	30	20	12	-	-	-	52
88	8	-	24	6	8	4	6	2	2	-	2	10	18	10	24	14	14	6	6	-	53
30	-	-	6	4	4	-	2	-	2	-	2	4	4	4	10	2	2	-	2	-	54
58	8	-	18	2	4	4	4	2	-	-	-	6	14	6	14	12	12	6	4	-	55
96	28	4	60	2	10	14	2	-	2	-	2	8	12	138	42	18	20	2	2	2	56
58	18	2	38	-	2	4	-	-	2	-	2	6	6	80	24	12	12	-	-	2	57
38	10	2	22	2	8	10	2	-	-	-	-	2	6	58	18	6	8	2	2	-	58
152	10	2	48	10	4	22	6	-	4	2	-	-	12	26	28	22	14	-	-	-	59
126	4	2	44	2	4	10	2	2	2	-	2	2	4	34	18	18	14	4	4	2	60
114	20	2	56	4	2	12	6	2	4	2	-	2	18	4	18	14	12	2	6	-	61
392	18	-	92	10	12	32	6	4	8	-	-	12	16	12	66	30	32	26	6	2	62
256	10	-	60	4	8	24	6	4	4	-	-	6	4	10	42	16	20	18	2	2	63
136	8	-	32	6	4	8	-	-	4	-	-	6	12	2	24	14	12	8	4	-	64
40	12	-	24	2	4	6	2	-	2	-	-	2	2	18	18	6	-	-	-	-	65
94	22	2	32	6	-	20	2	-	-	-	2	-	2	10	16	12	16	2	4	4	66
80	10	-	42	4	4	6	2	-	4	-	2	2	2	8	26	12	8	2	-	-	67
38	6	2	22	4	2	4	6	-	-	2	-	2	-	6	8	10	4	4	-	-	68
40	2	2	46	4	2	20	2	-	-	-	2	-	2	6	8	6	6	-	-	-	69
44	-	2	26	4	6	18	4	-	-	2	-	2	2	12	-	8	8	-	8	-	70
114	44	6	98	12	4	16	4	2	2	2	-	6	12	32	48	26	18	8	6	-	71
68	32	2	52	10	4	10	-	2	-	-	-	4	6	24	32	10	12	8	6	-	72
46	12	4	46	2	-	6	4	-	2	2	-	2	6	8	16	16	6	-	-	-	73
162	18	2	64	-	10	10	8	2	2	8	-	4	6	10	50	20	14	6	10	-	74

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ALABAMA--CON.																	
01	JEFFERSON	6,644	22	6	32	1,218	294	300	98	190	56	38	242	136	3,092	1,870	28	32
02	BESSEMER	538	-	-	-	106	20	22	8	22	8	2	24	16	242	140	2	6
03	BIRMINGHAM	4,296	18	6	24	744	196	172	60	114	36	26	140	96	2,056	1,224	20	22
04	FAIRFIELD	154	2	-	-	36	8	14	2	8	-	2	2	-	80	50	-	-
05	HOMEWOOD	38	-	-	-	8	2	2	-	-	2	-	2	-	18	8	-	-
06	MOUNTAIN BROOK	24	-	-	-	6	4	2	-	-	-	-	-	-	8	6	-	-
07	BALANCE OF COUNTY	1,594	2	-	8	318	64	88	28	46	10	8	74	24	688	442	6	4
08	LAMAR	184	-	-	-	20	8	4	2	2	-	-	4	10	108	80	-	-
09	LAUDERDALE	606	6	2	2	116	30	18	12	18	6	8	24	8	296	188	2	2
10	FLORENCE	338	-	2	2	68	24	12	6	10	4	2	10	6	168	108	2	2
11	BALANCE OF COUNTY	268	6	-	-	48	6	6	6	8	2	6	14	2	128	80	-	-
12	LAWRENCE	262	2	-	2	50	8	20	2	4	2	2	12	10	104	78	2	2
13	LEE	380	-	-	-	62	20	16	2	10	2	-	12	10	158	118	-	2
14	AUBURN	90	-	-	-	14	2	6	-	2	2	-	2	-	40	38	-	-
15	OPELIKA	160	-	-	-	26	8	6	2	4	-	-	6	4	76	48	-	2
16	BALANCE OF COUNTY	130	-	-	-	22	10	4	-	4	-	-	4	6	42	32	-	-
17	LIMESTONE	354	-	-	2	48	12	16	2	4	-	4	10	4	190	128	-	2
18	ATHENS	138	-	-	-	14	6	6	-	-	-	-	2	2	90	58	-	2
19	BALANCE OF COUNTY	216	-	-	2	34	6	10	2	4	-	4	8	2	100	70	-	-
20	LOWNDES	154	-	-	2	32	12	4	-	8	-	2	6	-	46	16	2	-
21	MACON	290	-	-	8	46	8	6	10	8	2	6	6	8	144	104	-	6
22	TUSKEGEE	130	-	-	8	20	8	4	6	2	-	-	-	4	54	40	-	4
23	BALANCE OF COUNTY	160	-	-	-	26	-	2	4	6	2	6	6	4	90	64	-	2
24	MADISON	1,162	8	-	12	138	36	26	12	12	10	14	28	24	590	418	4	6
25	HUNTSVILLE	798	4	-	12	108	26	18	10	12	8	8	26	18	394	266	2	2
26	BALANCE OF COUNTY	364	4	-	-	30	10	8	2	-	2	6	2	6	196	152	2	4
27	MARENGO	296	-	-	6	36	10	4	4	8	-	-	10	6	138	86	-	2
28	MARION	254	2	-	2	38	8	12	2	4	2	-	10	6	132	84	2	-
29	MARSHALL	600	-	-	4	104	24	24	6	20	6	4	20	12	316	218	-	4
30	MOBILE	2,986	18	-	18	508	110	128	52	52	36	28	102	76	1,528	1,090	4	28
31	MOBILE	2,000	16	-	16	346	68	84	38	38	28	22	68	52	1,032	712	4	16
32	PRICHARD	274	-	-	2	34	12	10	-	8	2	-	2	8	150	102	-	6
33	BALANCE OF COUNTY	712	2	-	-	128	30	34	14	6	6	6	32	16	346	276	-	6
34	MONROE	202	2	-	4	14	-	2	-	2	2	4	4	4	98	62	-	2
35	MONTGOMERY	1,780	6	-	12	278	50	64	14	44	6	14	86	24	798	496	6	16
36	MONTGOMERY	1,560	4	-	12	250	46	56	10	42	6	12	78	20	700	440	6	12
37	BALANCE OF COUNTY	220	2	-	-	28	4	8	4	2	-	2	8	4	98	56	-	4
38	MORGAN	710	2	-	6	106	24	18	12	18	4	4	26	14	354	262	2	2
39	DECATUR	344	-	-	6	48	6	10	8	4	4	2	14	4	164	132	2	2
40	BALANCE OF COUNTY	366	2	-	-	58	18	8	4	14	-	2	12	10	190	130	-	-
41	PERRY	162	-	-	-	18	2	2	4	2	-	-	8	8	74	56	-	-
42	PICKENS	228	-	-	2	34	8	4	2	14	4	-	2	6	128	56	-	4
43	PIKE	276	-	-	-	44	12	14	2	6	2	4	4	2	154	84	-	4
44	TROY	114	-	-	-	26	6	6	2	2	2	4	4	2	62	28	-	-
45	BALANCE OF COUNTY	162	-	-	-	18	6	8	-	4	-	-	-	-	92	56	-	4
46	RANDOLPH	248	6	-	4	30	8	4	4	4	-	2	8	6	130	72	2	2
47	RUSSELL	520	2	-	-	84	12	28	6	12	4	2	20	8	276	196	-	8
48	PHENIX CITY	298	-	-	-	52	8	14	4	6	4	2	14	2	168	126	-	6
49	BALANCE OF COUNTY	222	2	-	-	32	4	14	2	6	-	-	6	6	108	70	-	2
50	ST. CLAIR	328	-	-	2	42	10	16	4	2	-	-	10	2	164	112	4	-
51	SHELBY	366	-	-	2	52	12	20	6	8	2	-	4	8	164	100	-	2
52	SUMTER	224	2	-	-	20	4	4	2	2	2	-	6	4	112	62	-	-
53	TALLADEGA	682	2	-	8	114	30	24	4	24	-	4	28	12	358	246	-	2
54	SYLACAUGA	188	2	-	-	34	4	8	2	8	-	-	12	8	102	74	-	-
55	TALLADEGA	190	-	-	4	28	8	10	-	2	-	-	8	-	112	68	-	-
56	BALANCE OF COUNTY	304	-	-	4	52	18	6	2	14	-	4	8	4	144	104	-	2
57	TALLAPOOSA	380	-	-	2	54	16	6	12	6	6	4	4	2	202	132	6	-
58	ALEXANDER CITY	104	-	-	2	16	6	4	2	-	2	-	2	2	48	36	-	-
59	BALANCE OF COUNTY	276	-	-	-	38	10	2	10	6	4	4	2	-	154	96	6	-
60	TUSCALOOSA	984	6	-	6	170	42	36	18	26	12	10	26	30	504	336	4	12
61	TUSCALOOSA	562	4	-	2	112	28	26	14	16	4	6	18	22	282	176	2	4
62	BALANCE OF COUNTY	422	2	-	4	58	14	10	4	10	8	4	8	8	222	160	2	8
63	WALKER	726	2	-	6	98	34	12	4	16	8	4	20	10	360	250	2	4
64	JASPER	132	-	-	2	16	4	2	-	4	-	-	6	4	52	32	-	-
65	BALANCE OF COUNTY	594	2	-	4	82	30	10	4	12	8	4	14	6	308	218	2	4
66	WASHINGTON	138	-	-	-	26	8	-	2	6	-	-	10	-	60	42	-	-
67	WILCOX	188	-	-	4	24	10	2	2	6	-	-	4	6	90	58	-	-
68	WINSTON	208	-	-	2	22	2	2	4	8	-	-	6	2	112	84	-	4
69	**ALASKA**[1]	1,440	4	2	20	220	76	42	26	20	6	2	48	8	426	310	8	4
70	URBAN PLACES	370	-	-	6	74	22	22	12	2	2	-	14	4	112	74	2	-
71	BALANCE OF AREA	1,070	4	2	14	146	54	20	14	18	4	2	34	4	314	236	6	4
72	NONMETROPOLITAN COUNTIES	1,440	4	2	20	220	76	42	26	20	6	2	48	8	426	310	8	4
73	URBAN PLACES	370	-	-	6	74	22	22	12	2	2	-	14	4	112	74	2	-
74	BALANCE OF AREA	1,070	4	2	14	146	54	20	14	18	4	2	34	4	314	236	6	4

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,682	128	40	1,008	92	82	156	56	14	64	16	4	46	102	506	592	184	196	62	140	-	01
124	8	6	82	10	4	10	4	2	2	-	-	2	2	50	56	12	12	6	16	-	02
1,092	90	30	678	62	62	108	28	12	36	12	4	32	68	342	358	106	116	40	90	-	03
44	6	-	30	-	-	4	2	-	-	2	-	-	2	8	10	6	2	-	-	-	04
8	-	-	6	2	2	2	-	-	2	-	-	-	2	2	2	-	2	-	-	-	05
6	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	2	-	4	2	-	06
408	24	4	210	18	14	32	22	-	22	2	-	12	28	104	166	58	64	12	32	-	07
72	8	-	24	4	-	4	4	2	2	2	2	4	6	2	6	4	4	-	4	-	08
156	28	10	90	2	6	16	8	-	2	4	-	2	8	48	34	18	22	6	6	2	09
88	16	6	50	-	4	4	4	-	-	4	-	2	4	22	20	10	16	4	-	2	10
68	12	4	40	2	2	12	4	-	2	-	-	-	4	26	14	8	6	2	6	-	11
56	18	-	26	-	-	8	4	-	2	2	-	-	8	18	30	12	8	2	-	-	12
100	16	-	36	4	-	14	-	2	6	2	2	4	4	46	22	18	26	-	4	-	13
32	6	-	2	-	-	6	-	-	2	-	-	2	-	8	8	4	4	-	2	-	14
42	4	-	24	4	-	4	-	2	2	2	2	-	2	18	8	-	14	-	-	-	15
26	6	-	10	-	-	4	-	-	2	-	-	2	2	20	6	14	8	-	2	-	16
74	52	4	44	14	-	16	8	4	-	2	2	2	4	8	20	20	20	2	2	-	17
32	24	2	22	8	-	6	2	2	-	-	-	-	-	2	10	6	4	-	-	-	18
42	28	2	22	6	-	10	6	2	-	2	2	2	4	6	10	14	16	2	2	-	19
12	2	2	26	-	2	6	-	-	-	-	-	-	8	40	8	4	6	2	-	-	20
84	14	-	36	4	-	20	2	-	2	4	-	2	14	8	12	8	10	-	2	-	21
28	8	-	12	2	-	12	2	-	2	2	-	2	6	4	8	-	6	-	-	-	22
56	6	-	24	2	-	8	-	-	-	2	-	-	8	4	4	8	4	-	2	-	23
306	102	-	148	20	4	28	20	8	10	2	2	12	26	64	74	64	38	24	18	-	24
200	62	-	108	20	-	24	14	6	8	2	2	12	16	44	48	40	24	14	8	-	25
106	40	-	40	-	4	4	6	2	2	-	-	-	10	20	26	24	14	10	10	-	26
62	22	4	34	8	6	10	2	2	2	2	-	2	12	14	16	20	24	-	4	-	27
66	16	2	40	4	2	8	2	-	2	2	-	-	2	16	14	20	4	2	2	-	28
192	22	2	58	22	16	16	12	4	4	2	-	-	6	16	48	28	20	6	-	2	29
988	70	6	346	44	42	70	52	4	44	22	2	38	64	52	220	98	94	24	54	-	30
648	44	6	258	24	32	48	36	2	26	20	-	32	42	42	138	42	64	12	34	-	31
94	2	-	34	10	4	12	-	2	12	2	-	-	6	2	20	12	8	-	4	-	32
246	24	-	54	10	6	10	16	-	6	-	2	6	16	8	62	44	22	12	16	-	33
60	-	-	26	8	2	8	6	-	4	2	-	-	2	10	24	16	6	-	2	-	34
466	8	6	242	34	20	32	26	4	20	20	2	10	50	198	142	46	54	22	34	2	35
414	8	4	206	32	18	30	22	4	18	16	2	8	46	170	128	28	52	20	28	2	36
52	-	2	36	2	2	2	4	-	2	4	-	2	4	28	14	18	2	2	6	-	37
166	92	4	62	8	18	28	8	6	4	8	-	14	16	14	56	28	26	6	12	2	38
82	46	4	16	-	12	18	6	-	2	4	-	6	10	10	24	14	16	2	10	-	39
84	46	-	46	8	6	10	2	6	2	4	-	8	6	4	32	14	10	4	2	2	40
40	16	-	14	2	2	4	4	-	2	-	-	-	10	20	12	2	4	-	4	-	41
50	2	2	62	2	6	8	2	-	2	-	-	-	4	14	12	8	2	-	4	2	42
72	8	2	60	-	8	16	-	2	2	-	-	2	6	14	10	12	10	2	-	-	43
26	2	2	26	-	6	10	-	-	-	-	-	-	2	6	2	2	2	-	-	-	44
46	6	-	34	-	2	6	-	2	2	-	-	2	4	8	8	10	8	2	-	-	45
60	8	2	56	-	-	10	10	-	-	-	-	-	2	-	12	22	12	-	4	-	46
154	34	2	68	6	4	10	6	2	-	2	2	6	12	16	42	16	18	8	10	-	47
100	20	2	32	4	4	2	4	2	-	-	2	6	4	10	24	6	10	2	4	-	48
54	14	-	36	2	-	8	2	-	-	2	-	-	8	6	18	10	8	6	6	-	49
92	16	-	40	8	4	16	2	-	2	2	-	4	12	32	14	14	16	2	2	-	50
90	8	-	48	4	12	6	-	-	4	-	-	4	10	46	30	26	8	6	-	-	51
58	4	10	40	-	-	6	6	-	-	-	-	-	10	26	18	10	10	-	-	-	52
206	38	2	88	16	6	16	4	-	6	-	-	6	24	4	58	26	22	10	12	-	53
66	8	2	14	10	2	4	-	-	2	-	-	2	10	-	10	4	4	4	2	-	54
56	12	-	42	2	-	6	2	-	2	-	-	-	6	-	18	2	2	2	6	-	55
84	18	-	32	4	4	6	2	-	2	-	-	4	8	4	30	20	16	4	4	-	56
98	28	2	66	-	2	24	4	-	2	2	-	-	6	10	20	28	14	6	4	-	57
20	16	-	10	-	2	2	-	-	-	-	-	-	6	4	4	8	6	4	2	-	58
78	12	2	56	-	-	22	4	-	2	2	-	-	-	6	16	20	8	2	2	-	59
298	22	12	138	8	10	24	12	-	8	-	-	2	18	38	50	28	48	12	28	-	60
158	12	8	86	4	8	10	4	-	6	-	-	-	10	22	36	10	26	4	12	-	61
140	10	4	52	4	2	14	8	-	2	-	-	2	8	16	14	18	22	8	16	-	62
226	18	-	100	4	6	40	4	-	2	2	-	6	14	28	62	36	36	16	4	-	63
28	4	-	18	-	2	8	4	-	2	2	-	2	2	8	8	4	14	2	2	-	64
198	14	-	82	4	4	32	-	-	-	-	-	4	12	20	54	32	22	14	2	-	65
40	2	-	12	2	4	4	2	-	-	-	-	4	4	4	14	10	6	-	4	-	66
52	6	-	30	2	-	2	4	-	4	-	-	-	-	22	12	10	6	4	-	-	67
54	26	-	28	-	-	12	-	2	4	-	-	4	12	2	-	16	12	4	2	-	68
238	60	2	78	20	16	50	10	6	38	-	-	36	60	50	132	68	208	54	32	16	69
56	16	-	28	4	6	10	4	-	14	-	-	14	20	14	30	10	44	6	4	4	70
182	44	2	50	16	10	40	6	6	24	-	-	22	40	36	102	58	164	48	28	12	71
238	60	2	78	20	16	50	10	6	38	-	-	36	60	50	132	68	208	54	32	16	72
56	16	-	28	4	6	10	4	-	14	-	-	14	20	14	30	10	44	6	4	4	73
182	44	2	50	16	10	40	6	6	24	-	-	22	40	36	102	58	164	48	28	12	74

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ALASKA--CON.																	
01	DIST. 1, PRINCE OF WALES.	16	-	-	-	6	6	-	-	-	-	-	-	-	2	2	-	-
02	DIST. 2, KETCHIKAN.....	94	2	-	6	14	6	4	2	-	-	-	2	-	34	20	-	2
03	DIST. 3, WRANGELL-PETERSBURG.....	46	-	2	-	4	-	-	4	-	-	-	-	-	14	12	2	-
04	DIST. 4, SITKA.....	34	-	-	-	2	2	-	-	-	-	-	-	-	14	10	-	-
05	DIST. 5, JUNEAU.....	104	-	-	-	12	-	4	2	2	-	-	4	-	48	32	-	-
06	DIST. 6, LYNN CANAL-ICY STRAITS.....	24	2	-	2	6	2	-	-	-	-	-	4	-	6	4	-	-
07	DIST. 7, CORDOVA-MC CARTHY.....	24	-	-	-	2	2	-	-	-	-	-	-	-	14	10	-	-
08	DIST. 8, VALDEZ-CHITTINA-WHITTIER.....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
09	DIST. 9, PALMER-WASILLA-TALKEETNA.....	38	-	-	-	4	4	-	-	-	-	-	-	-	18	16	-	-
10	DIST. 10, ANCHORAGE.....	484	-	-	8	84	28	20	8	10	-	-	18	6	120	82	2	2
11	ANCHORAGE.....	256	-	-	6	48	18	12	8	2	-	-	8	4	70	42	2	-
12	BALANCE OF DISTRICT..	228	-	-	2	36	10	8	-	8	-	-	10	2	50	40	-	2
13	DIST. 11, SEWARD.....	26	-	-	-	4	2	-	-	-	2	-	-	-	12	8	-	-
14	DIST. 12, KENAI-COOK INLET.....	58	-	-	-	14	4	2	4	2	-	-	2	-	14	10	-	-
15	DIST. 13, KODIAK.....	36	-	-	-	4	-	-	-	-	-	-	4	-	12	8	-	-
16	DIST. 14, ALEUTIAN ISLANDS.....	20	-	-	-	-	-	-	-	-	-	-	-	2	8	6	-	-
17	DIST. 15, BRISTOL BAY....	36	-	-	-	2	2	-	-	-	-	-	-	-	10	8	-	-
18	DIST. 16, BETHEL.....	44	-	-	2	12	8	-	-	2	2	-	-	-	4	2	2	-
19	DIST. 17, KUSKOKWIM.....	24	-	-	-	2	2	-	-	-	-	-	-	-	4	4	-	-
20	DIST. 18, YUKON-KOYUKUK..	32	-	-	-	6	2	-	2	-	-	-	2	-	8	8	-	-
21	DIST. 19, FAIRBANKS.....	180	-	-	2	32	4	12	4	2	2	2	6	-	62	50	-	-
22	FAIRBANKS.....	114	-	-	-	26	4	10	4	-	2	-	6	-	42	32	-	-
23	BALANCE OF DISTRICT..	66	-	-	2	6	-	2	-	2	-	2	-	-	20	18	-	-
24	DIST. 20, UPPER YUKON....	10	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-
25	DIST. 21, BARROW.....	14	-	-	-	2	-	-	-	-	-	-	2	-	4	4	2	-
26	DIST. 22, KOBUK.....	28	-	-	-	4	-	-	-	2	-	-	2	-	2	2	-	-
27	DIST. 23, NOME.....	50	-	-	-	4	2	-	-	-	-	-	2	-	10	8	-	-
28	DIST. 24, WADE HAMPTON...	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
29	**ARIZONA.....**	15,810	58	-	154	2,574	660	582	214	270	126	126	596	254	6,822	5,062	154	70
30	URBAN PLACES.....	10,714	30	-	90	1,842	454	428	156	220	86	96	402	178	4,796	3,566	110	50
31	BALANCE OF AREA.....	5,096	28	-	64	732	206	154	58	50	40	30	194	76	2,026	1,496	44	20
32	METROPOLITAN COUNTIES...	11,698	38	-	92	2,022	532	454	172	220	90	108	446	176	5,268	3,956	126	62
33	URBAN PLACES.....	9,812	26	-	80	1,720	434	392	150	198	76	90	380	150	4,388	3,278	104	48
34	BALANCE OF AREA.....	1,886	12	-	12	302	98	62	22	22	14	18	66	26	880	678	22	14
35	NONMETROPOLITAN COUNTIES	4,112	20	-	62	552	128	128	42	50	36	18	150	78	1,554	1,106	28	8
36	URBAN PLACES.....	902	4	-	10	122	20	36	6	22	10	6	22	28	408	288	6	2
37	BALANCE OF AREA.....	3,210	16	-	52	430	108	92	36	28	26	12	128	50	1,146	818	22	6
38	APACHE.....	266	2	-	6	22	6	8	-	-	4	2	2	6	46	30	-	-
39	COCHISE.....	558	4	-	6	76	18	14	10	2	12	-	20	8	236	174	10	-
40	DOUGLAS.....	114	2	-	2	10	-	4	-	2	4	-	-	4	48	36	2	-
41	BALANCE OF COUNTY....	444	2	-	4	66	18	10	10	-	8	-	20	4	188	138	8	-
42	COCONINO.....	278	-	-	8	36	6	6	2	6	-	4	12	6	70	56	-	-
43	FLAGSTAFF.....	102	-	-	2	16	4	2	-	2	-	4	4	4	30	20	-	-
44	BALANCE OF COUNTY....	176	-	-	6	20	2	4	2	4	-	-	8	2	40	36	-	-
45	GILA.....	294	-	-	2	52	18	8	2	6	-	-	18	2	108	80	-	2
46	GRAHAM.....	146	-	-	4	24	2	6	-	2	2	-	12	-	64	36	4	-
47	GREENLEE.....	56	-	-	-	8	2	4	2	-	-	-	-	-	22	14	-	-
48	MARICOPA.....	8,352	26	-	62	1,478	386	348	122	166	54	82	320	142	3,738	2,800	88	50
49	CHANDLER.....	108	-	-	-	20	4	4	-	2	2	4	4	4	42	30	-	-
50	GLENDALE.....	324	-	-	2	50	16	14	6	2	2	2	8	8	144	98	2	2
51	MESA.....	638	2	-	4	108	28	18	10	28	-	4	20	8	268	212	6	10
52	PHOENIX.....	5,068	14	-	40	916	242	228	74	98	30	50	194	82	2,258	1,658	50	22
53	SCOTTSDALE.....	494	-	-	6	96	16	18	10	10	8	4	30	10	222	176	10	2
54	TEMPE.....	292	-	-	2	58	8	14	8	6	2	6	14	10	98	72	4	-
55	BALANCE OF COUNTY....	1,428	10	-	8	230	72	52	14	20	10	12	50	20	706	554	16	14
56	MOHAVE.....	274	-	-	-	44	8	10	2	2	4	2	16	2	122	86	-	2
57	NAVAJO.....	384	2	-	10	56	16	14	4	4	-	4	14	8	94	58	2	-
58	PIMA.....	3,346	12	-	30	544	146	106	50	54	36	26	126	34	1,530	1,156	38	12
59	TUCSON.....	2,888	10	-	26	472	120	96	42	52	32	20	110	28	1,356	1,032	32	12
60	BALANCE OF COUNTY....	458	2	-	4	72	26	10	8	2	4	6	16	6	174	124	6	-
61	PINAL.....	588	8	-	16	64	18	12	4	2	8	2	18	18	198	150	2	2
62	CASA GRANDE.....	68	-	-	2	10	2	2	-	2	2	-	2	-	34	18	-	-
63	BALANCE OF COUNTY....	520	8	-	14	54	16	10	4	-	6	2	16	18	164	132	2	2
64	SANTA CRUZ.....	124	2	-	2	16	4	2	-	2	2	-	6	2	52	30	4	-
65	YAVAPAI.....	594	2	-	4	92	28	26	10	10	-	-	18	6	286	202	2	2
66	PRESCOTT.....	288	2	-	-	42	12	14	2	6	-	-	8	6	144	96	-	2
67	BALANCE OF COUNTY....	306	-	-	4	50	16	12	8	4	-	-	10	-	142	106	2	-
68	YUMA.....	550	-	-	4	62	2	18	6	14	4	4	14	20	256	190	4	-
69	YUMA.....	330	-	-	4	44	2	14	4	10	4	2	8	14	152	118	4	-
70	BALANCE OF COUNTY....	220	-	-	-	18	-	4	2	4	-	2	6	6	104	72	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
-	2	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	4	-	-	-	01
16	2	-	10	2	2	2	-	2	2	-	-	-	2	-	14	-	10	6	-	-	02
8	2	-	2	-	-	4	2	-	2	-	-	-	2	-	2	-	4	2	2	6	03
8	2	-	-	4	-	2	-	-	2	-	-	4	2	-	2	2	2	2	-	-	04
30	2	2	8	6	-	-	-	-	4	-	-	4	4	2	10	6	8	4	-	2	05
2	2	-	2	-	-	2	-	-	2	-	-	2	-	-	-	-	-	2	-	-	06
10	-	-	2	-	2	-	-	-	-	-	-	-	-	-	4	-	2	2	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	2	-	08
14	2	-	2	-	-	2	-	-	-	-	-	-	-	-	2	6	6	-	-	-	09
64	14	-	30	2	6	26	6	-	14	-	-	22	28	14	30	28	66	16	12	4	10
32	8	-	22	2	4	10	2	-	10	-	-	14	14	6	16	10	36	2	4	4	11
32	6	-	8	-	2	16	4	-	4	-	-	8	14	8	14	18	30	14	8	-	12
4	4	-	2	2	-	2	-	2	-	-	-	-	-	-	2	-	4	-	-	-	13
8	2	-	4	-	-	-	-	2	-	-	-	-	-	4	2	4	12	2	2	2	14
6	2	-	4	-	-	-	-	-	2	-	-	-	-	-	2	8	8	-	-	-	15
6	-	-	-	-	2	-	-	-	-	-	-	-	2	4	2	-	-	2	-	-	16
6	2	-	2	-	-	2	-	-	-	-	-	-	-	-	4	-	16	-	2	-	17
-	-	-	2	-	-	2	-	-	-	-	-	-	2	2	8	2	8	-	2	-	18
4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	-	6	-	4	-	19
6	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	8	4	2	-	20
36	14	-	6	2	4	-	2	-	8	-	-	2	12	10	18	4	20	6	-	2	21
24	8	-	6	2	2	-	2	-	4	-	-	-	6	8	14	-	8	4	-	-	22
12	6	-	-	-	2	-	-	-	4	-	-	2	6	2	4	4	12	2	-	2	23
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	24
2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-	-	25
-	2	-	-	-	-	-	-	-	-	-	-	-	2	6	4	-	6	4	-	-	26
6	2	-	-	2	-	4	-	-	-	-	-	-	-	2	10	4	14	-	2	-	27
-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	28
4,542	296	34	1,290	236	200	604	452	66	318	86	12	170	306	324	1,598	778	666	336	178	54	29
3,232	174	18	922	160	130	416	330	44	210	58	6	106	204	134	1,112	388	374	236	126	34	30
1,310	122	16	368	76	70	188	122	22	108	28	6	64	102	190	486	390	292	100	52	20	31
3,574	194	20	994	158	140	422	360	40	222	52	8	122	210	160	1,216	474	406	242	138	30	32
2,962	164	14	838	140	118	354	316	36	188	48	6	102	188	122	1,032	362	330	214	124	26	33
612	30	6	156	18	22	68	44	4	34	4	2	20	22	38	184	112	76	28	14	4	34
968	102	14	296	78	60	182	92	26	96	34	4	48	96	164	382	304	260	94	40	24	35
270	10	4	84	20	12	62	14	8	22	10	-	4	16	12	80	26	44	22	2	8	36
698	92	10	212	58	48	120	78	18	74	24	4	44	80	152	302	278	216	72	38	16	37
14	16	-	12	2	2	18	2	2	12	2	2	4	8	18	36	40	18	12	8	2	38
142	22	-	48	4	10	20	8	4	10	-	-	8	18	24	46	46	28	8	6	2	39
32	2	-	6	2	4	14	-	-	2	-	-	-	6	-	10	4	6	2	2	2	40
110	20	-	42	2	6	6	8	4	8	-	-	8	12	24	36	42	22	6	4	-	41
46	10	-	14	-	-	12	4	2	-	2	-	4	12	14	32	30	32	6	2	6	42
18	2	-	10	-	-	8	-	2	-	-	-	-	4	2	10	8	10	2	-	4	43
28	8	-	4	-	-	4	4	-	-	2	-	4	8	12	22	22	22	4	2	2	44
74	4	-	16	2	10	8	10	2	4	2	-	4	4	14	36	24	12	6	4	-	45
30	2	-	18	10	-	8	-	-	2	-	-	-	-	-	14	12	16	2	-	-	46
14	-	-	8	-	-	-	-	-	2	2	-	2	2	-	8	2	6	-	2	-	47
2,516	146	16	714	114	94	312	218	26	142	40	6	80	150	106	864	350	304	176	112	20	48
28	2	-	8	4	-	8	-	-	2	-	-	-	2	-	14	6	4	2	4	-	49
90	4	-	40	-	6	8	16	-	8	-	-	2	14	-	34	18	6	8	2	4	50
178	18	-	40	14	2	24	20	-	4	4	-	10	8	8	76	44	24	20	6	-	51
1,494	92	10	454	78	58	196	122	14	104	34	2	50	96	62	524	170	188	100	82	14	52
160	4	-	36	4	6	26	12	2	4	-	-	2	6	12	48	18	8	14	8	-	53
66	2	-	22	2	2	8	14	6	-	-	2	6	10	6	32	10	16	12	2	-	54
500	24	6	114	12	20	42	34	4	20	2	2	10	14	18	136	84	58	20	8	2	55
74	10	2	22	8	4	8	10	-	10	-	-	-	4	16	24	18	10	2	-	4	56
48	8	-	22	8	6	22	6	2	6	4	-	6	10	26	38	46	34	6	2	6	57
1,058	48	4	280	44	46	110	142	14	80	12	2	42	60	54	352	124	102	66	26	10	58
946	42	4	238	38	44	84	132	14	66	10	2	32	52	34	304	96	84	58	20	8	59
112	6	-	42	6	2	26	10	-	14	2	-	10	8	20	48	28	18	8	6	2	60
128	18	2	30	16	-	28	18	4	14	6	2	10	14	26	46	44	40	24	8	-	61
16	2	-	12	4	-	6	2	2	-	-	-	-	-	2	4	-	4	2	-	-	62
112	16	2	18	12	-	22	16	2	14	6	2	10	14	24	42	44	36	22	8	-	63
24	2	-	16	2	4	12	-	-	4	-	-	-	4	6	10	2	6	6	-	-	64
194	4	2	46	20	16	20	22	6	12	8	-	4	12	14	54	18	16	16	2	-	65
92	2	-	30	12	6	14	8	2	8	4	-	-	2	4	32	4	4	12	-	-	66
102	2	2	16	8	10	6	14	4	4	4	-	4	10	10	22	14	12	4	2	-	67
180	6	8	44	6	8	26	12	4	20	8	-	6	8	6	38	22	42	6	6	4	68
112	2	4	26	2	2	20	4	2	12	6	-	4	4	4	24	10	20	4	-	2	69
68	4	4	18	4	6	6	8	2	8	2	-	2	4	2	14	12	22	2	6	2	70

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
01	**ARKANSAS**	21,798	60	6	144	3,460	944	768	266	476	140	166	700	360	11,638	8,006	96	146
02	URBAN PLACES	7,564	12	4	54	1,230	316	296	94	164	50	60	250	154	3,926	2,728	40	34
03	BALANCE OF AREA	14,234	48	2	90	2,230	628	472	172	312	90	106	450	206	7,712	5,278	56	112
04	METROPOLITAN COUNTIES	5,844	10	2	44	970	248	240	66	130	34	46	206	100	2,828	1,840	24	32
05	URBAN PLACES	4,302	6	2	28	730	184	178	52	102	24	34	156	82	2,088	1,396	20	24
06	BALANCE OF AREA	1,542	4	-	16	240	64	62	14	28	10	12	50	18	740	444	4	8
07	NONMETROPOLITAN COUNTIES	15,954	50	4	100	2,490	696	528	200	346	106	120	494	260	8,810	6,166	72	114
08	URBAN PLACES	3,262	6	2	26	500	132	118	42	62	26	26	94	72	1,838	1,332	20	10
09	BALANCE OF AREA	12,692	44	2	74	1,990	564	410	158	284	80	94	400	188	6,972	4,834	52	104
10	ARKANSAS	300	-	-	2	52	14	12	6	8	4	-	8	8	168	100	2	4
11	STUTTGART	98	-	-	-	26	6	8	4	4	2	-	2	2	46	26	-	-
12	BALANCE OF COUNTY	202	-	-	2	26	8	4	2	4	2	-	6	6	122	74	2	4
13	ASHLEY	248	-	-	2	44	8	16	-	6	2	2	10	-	112	64	2	-
14	BAXTER	260	2	-	6	50	16	4	8	8	-	-	14	6	136	92	2	2
15	BENTON	720	-	-	4	118	40	28	4	10	8	12	16	6	400	246	4	2
16	ROGERS	166	-	-	-	26	8	6	-	2	2	4	4	-	100	70	2	-
17	SPRINGDALE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	BALANCE OF COUNTY	554	-	-	4	92	32	22	4	8	6	8	12	6	300	176	2	2
19	BOONE	222	2	-	2	36	10	6	-	4	6	2	8	2	114	68	2	-
20	BRADLEY	176	-	-	-	30	4	8	4	4	-	2	8	2	110	82	-	-
21	CALHOUN	70	2	-	-	14	4	4	-	2	2	-	2	-	26	12	-	-
22	CARROLL	194	-	-	-	36	12	6	6	-	-	2	10	4	108	62	-	2
23	CHICOT	242	-	-	2	32	6	4	4	2	-	6	10	4	142	92	-	2
24	CLARK	228	-	-	2	38	8	10	2	6	2	4	6	-	136	100	-	2
25	CLAY	308	6	-	-	56	18	6	6	4	-	2	20	8	174	134	4	4
26	CLEBURNE	178	-	-	-	26	10	-	2	2	2	4	6	4	94	56	-	-
27	CLEVELAND	94	2	-	-	10	6	-	-	2	-	-	2	8	54	36	-	-
28	COLUMBIA	296	2	-	-	50	12	6	8	14	-	2	8	4	176	92	2	8
29	MAGNOLIA	108	-	-	-	20	4	4	2	8	-	-	2	2	72	38	2	2
30	BALANCE OF COUNTY	188	2	-	-	30	8	2	6	6	-	2	6	2	104	54	-	6
31	CONWAY	184	-	-	-	32	10	2	2	8	4	-	6	2	112	98	2	-
32	CRAIGHEAD	478	-	-	-	86	18	18	8	8	4	-	30	8	268	166	2	-
33	JONESBORO	252	-	-	-	52	10	12	4	6	-	-	20	4	136	80	2	-
34	BALANCE OF COUNTY	226	-	-	-	34	8	6	4	2	4	-	10	4	132	86	-	-
35	CRAWFORD	266	-	-	-	52	12	18	2	4	2	2	12	-	120	72	2	2
36	CRITTENDEN	434	2	-	-	64	16	14	2	10	-	6	16	2	218	100	-	-
37	WEST MEMPHIS	186	-	-	-	18	4	6	-	2	-	2	4	2	102	46	-	-
38	BALANCE OF COUNTY	248	2	-	-	46	12	8	2	8	-	4	12	-	116	54	-	-
39	CROSS	180	-	-	-	36	14	14	4	-	-	-	4	4	88	54	-	-
40	DALLAS	120	-	2	-	20	10	4	2	2	2	-	-	4	60	44	-	-
41	DESHA	254	-	-	-	40	10	8	2	14	-	-	6	8	126	94	-	6
42	DREW	170	2	-	2	26	6	2	2	6	-	-	10	-	84	54	-	2
43	FAULKNER	258	-	-	4	32	10	4	2	4	-	-	12	4	150	120	4	2
44	CONWAY	110	-	-	-	12	2	-	2	2	-	-	6	4	58	52	-	-
45	BALANCE OF COUNTY	148	-	-	4	20	8	4	-	2	-	-	6	-	92	68	4	2
46	FRANKLIN	148	2	-	-	22	4	2	2	10	-	4	-	4	76	60	-	2
47	FULTON	122	-	-	-	18	4	2	4	8	-	-	-	4	76	46	-	-
48	GARLAND	874	8	-	8	156	48	30	12	14	12	4	36	38	472	378	6	4
49	HOT SPRINGS	688	6	-	4	128	40	26	8	12	10	4	28	30	378	304	4	4
50	BALANCE OF COUNTY	186	2	-	4	28	8	4	4	2	2	-	8	8	94	74	2	-
51	GRANT	104	-	-	-	8	-	2	-	-	-	-	6	2	72	52	-	-
52	GREENE	324	-	-	2	38	10	10	-	4	-	2	12	8	176	142	-	2
53	PARAGOULD	196	-	-	2	24	4	4	-	4	-	2	10	4	104	84	-	2
54	BALANCE OF COUNTY	128	-	-	-	14	6	6	-	-	-	-	2	4	72	58	-	-
55	HEMPSTEAD	258	-	-	-	28	14	6	-	2	-	4	2	8	148	114	2	-
56	HOT SPRING	264	2	-	-	46	20	8	2	6	2	-	8	4	162	114	-	4
57	HOWARD	172	-	-	-	22	6	6	-	2	-	4	4	-	112	80	-	2
58	INDEPENDENCE	260	-	-	2	38	8	6	2	4	2	6	10	-	162	98	2	-
59	IZARD	114	-	-	2	24	10	6	-	2	2	-	4	-	56	40	2	-
60	JACKSON	270	4	-	2	44	10	10	2	6	4	2	10	2	162	108	2	2
61	JEFFERSON	854	-	2	10	132	30	30	4	20	8	16	24	16	380	254	-	2
62	PINE BLUFF	642	-	2	8	108	26	24	2	20	6	14	16	16	276	198	-	2
63	BALANCE OF COUNTY	212	-	-	2	24	4	6	2	-	2	2	8	-	104	56	-	-
64	JOHNSON	204	2	-	6	34	4	10	2	8	4	2	4	2	128	94	-	-
65	LAFAYETTE	128	-	-	2	18	8	-	-	8	-	-	2	4	46	32	-	4
66	LAWRENCE	234	-	-	2	34	14	6	-	4	2	2	6	2	140	110	-	12
67	LEE	188	-	-	2	34	8	2	4	12	-	2	6	2	94	66	2	-
68	LINCOLN	122	2	-	-	22	4	4	2	8	-	2	2	-	70	54	-	2
69	LITTLE RIVER	132	-	-	-	26	6	2	6	4	2	4	2	2	68	48	-	-
70	LOGAN	224	-	-	-	34	14	4	6	2	2	2	4	2	120	80	-	2
71	LONOKE	290	2	-	2	30	8	6	6	4	-	2	4	8	148	92	2	-
72	MADISON	120	-	-	-	14	10	2	-	-	2	-	-	-	66	46	-	-
73	MARION	134	-	-	2	36	6	10	6	2	-	4	8	-	56	36	-	2
74	MILLER	394	-	-	2	58	18	10	6	8	2	-	14	6	200	130	4	4
75	TEXARKANA[2]	246	-	-	-	40	12	8	4	6	-	-	10	4	120	82	4	4
76	BALANCE OF COUNTY	148	-	-	2	18	6	2	2	2	2	-	4	2	80	48	-	-
77	MISSISSIPPI	606	-	-	14	90	10	26	8	16	-	8	22	6	296	206	2	2
78	BLYTHEVILLE	214	-	-	6	42	4	16	4	10	-	4	4	6	98	74	-	-
79	BALANCE OF COUNTY	392	-	-	8	48	6	10	4	6	-	4	18	-	198	132	2	2

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
6,978	786	88	2,944	346	254	630	364	62	178	126	6	144	322	820	1,494	756	752	218	190	68	01
2,424	230	36	958	110	94	190	116	16	90	56	2	60	142	280	554	216	260	86	82	34	02
4,554	556	52	1,986	236	160	440	248	46	88	70	4	84	180	540	940	540	492	132	108	34	03
1,558	226	14	826	82	66	154	80	8	78	48	2	56	124	302	428	204	206	76	94	30	04
1,222	130	12	574	60	46	106	56	6	64	42	-	38	98	200	326	140	146	60	64	20	05
336	96	2	252	22	20	48	24	2	14	6	2	18	26	102	102	64	60	16	30	10	06
5,420	560	74	2,118	264	188	476	284	54	100	78	4	88	198	518	1,066	552	546	142	96	38	07
1,202	100	24	384	50	48	84	60	10	26	14	2	22	44	80	228	76	114	26	18	14	08
4,218	460	50	1,734	214	140	392	224	44	74	64	2	66	154	438	838	476	432	116	78	24	09
88	6	-	52	8	8	2	6	-	-	2	-	-	4	16	16	10	12	-	2	-	10
24	2	-	16	2	2	-	2	-	-	-	-	-	4	8	6	-	4	-	-	-	11
64	4	-	36	6	6	2	4	-	-	2	-	-	-	8	10	10	8	-	2	-	12
54	8	-	36	10	2	16	2	-	2	-	-	2	2	16	8	14	24	-	4	-	13
86	2	-	32	6	6	6	4	-	2	-	-	2	4	2	22	6	8	4	-	-	14
234	6	4	130	12	8	28	14	6	6	2	-	4	6	36	36	24	16	14	-	-	15
68	-	-	28	2	-	4	2	2	-	-	-	2	2	6	6	6	6	4	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
166	6	4	102	10	8	24	12	4	6	2	-	2	4	30	30	18	10	10	-	-	18
62	4	-	38	-	8	10	2	-	-	-	-	2	4	2	16	14	10	2	2	2	19
76	6	-	24	4	-	12	-	-	2	4	-	-	-	2	6	2	6	-	-	-	20
12	-	-	14	-	-	4	4	-	-	4	-	2	2	-	2	4	4	-	2	-	21
54	6	4	30	8	4	8	4	2	4	-	-	-	2	2	18	4	2	-	-	-	22
86	4	-	40	6	4	2	-	4	-	-	-	2	2	20	10	-	16	-	4	2	23
94	4	-	34	2	-	4	2	2	-	-	-	-	2	20	6	10	4	2	-	-	24
118	8	-	34	2	4	14	8	2	2	-	-	-	-	4	14	10	8	2	-	-	25
56	-	-	28	8	2	10	2	-	2	-	-	-	-	4	18	2	12	4	-	-	26
34	2	-	16	2	-	2	-	-	-	2	-	-	2	-	4	4	2	2	2	-	27
76	6	2	64	14	4	8	2	-	2	4	-	2	2	6	26	2	8	-	2	-	28
34	-	-	26	8	-	-	-	-	2	2	-	-	-	4	6	-	-	-	-	-	29
42	6	2	38	6	4	8	2	-	-	2	-	2	2	2	20	2	8	-	2	-	30
94	2	2	12	-	-	4	-	-	-	2	-	2	2	-	14	-	10	-	2	2	31
150	14	4	84	8	6	12	16	-	2	-	-	2	8	8	22	16	20	6	2	2	32
76	2	4	48	2	2	4	8	-	2	-	-	2	8	4	12	4	12	-	2	2	33
74	12	-	36	6	4	8	8	-	-	-	-	-	-	4	10	12	8	6	-	-	34
54	14	-	44	2	2	10	4	-	2	-	-	4	4	36	8	12	8	4	-	2	35
46	54	4	104	8	2	10	12	2	4	4	-	6	18	6	28	28	22	-	8	-	36
26	20	4	50	2	-	2	4	2	2	4	-	4	10	2	12	14	4	-	4	-	37
20	34	-	54	6	2	8	8	-	2	-	-	2	8	4	16	14	18	-	4	-	38
44	10	-	28	4	2	10	10	-	-	-	-	2	2	6	10	-	2	4	6	-	39
40	4	-	14	-	2	2	-	-	2	2	-	-	-	2	8	2	12	2	2	-	40
74	14	2	24	4	2	4	6	2	-	-	-	4	6	8	12	22	14	-	2	-	41
50	2	-	28	-	2	8	-	-	-	-	-	2	2	14	10	4	10	2	4	-	42
106	8	-	28	2	-	10	6	2	-	2	-	-	6	8	10	14	6	-	2	2	43
50	2	-	6	-	-	8	2	-	-	-	-	-	4	6	6	4	4	-	-	2	44
56	6	-	22	2	-	2	4	2	-	2	-	-	2	2	4	10	2	-	2	-	45
40	18	-	14	2	-	8	2	-	-	-	-	-	2	8	8	6	10	-	-	-	46
46	-	-	22	4	4	-	4	-	2	2	-	2	4	-	6	4	-	-	-	-	47
332	36	2	76	8	8	20	8	2	8	6	-	6	4	10	72	8	34	8	6	-	48
260	36	2	58	6	8	18	8	2	6	4	-	4	-	4	58	6	20	6	6	-	49
72	-	-	18	2	-	2	-	-	2	2	-	2	4	6	14	2	14	2	-	-	50
52	-	-	18	-	2	2	4	-	-	-	-	2	2	-	4	8	-	-	-	-	51
118	22	-	26	4	4	16	18	-	4	-	-	-	6	2	26	18	8	-	-	2	52
74	8	-	14	2	4	8	8	-	2	-	-	-	4	2	16	12	8	-	-	2	53
44	14	-	12	2	-	8	10	-	2	-	-	-	2	-	10	6	-	-	-	-	54
100	12	-	30	4	-	10	16	-	-	2	-	-	2	8	10	14	8	2	2	-	55
92	18	-	42	2	4	4	2	2	-	2	-	-	4	10	10	8	4	2	-	2	56
78	-	2	26	4	-	4	6	-	-	-	-	-	2	2	16	2	4	2	-	-	57
92	4	2	48	14	-	2	4	-	2	4	-	-	6	2	12	10	10	4	2	-	58
34	4	-	14	2	-	8	-	-	2	-	-	-	2	4	12	-	4	-	-	-	59
96	8	-	50	2	2	8	2	2	2	2	2	2	-	-	22	6	4	-	2	2	60
234	18	-	104	10	12	18	18	-	8	12	2	6	12	92	56	20	26	16	22	6	61
182	14	-	60	8	10	16	16	-	8	10	-	4	8	64	40	14	18	12	16	6	62
52	4	-	44	2	2	2	2	-	-	2	2	2	4	28	16	6	8	4	6	-	63
80	14	-	30	4	-	2	2	2	-	-	-	-	-	2	12	6	4	2	-	-	64
26	2	-	8	-	6	2	2	-	-	4	-	-	-	10	20	14	4	-	2	-	65
90	8	2	26	-	2	2	6	-	-	-	-	-	2	4	20	14	4	2	-	2	66
56	8	6	14	6	2	12	4	-	4	-	-	-	2	6	12	2	10	2	-	2	67
46	6	-	10	4	2	2	-	-	-	-	-	-	2	2	4	8	10	-	-	-	68
38	10	-	16	-	4	6	-	2	-	2	-	2	-	6	4	6	2	4	2	-	69
62	16	-	32	8	-	4	8	-	-	-	-	2	2	20	20	10	2	-	-	-	70
76	14	-	44	8	4	6	-	2	2	2	-	4	8	20	20	22	6	2	4	2	71
44	2	-	20	-	-	4	2	-	2	2	-	2	4	-	16	-	8	-	-	-	72
30	4	-	18	-	2	8	2	-	-	-	-	2	-	2	16	6	4	-	-	-	73
88	34	2	58	4	6	6	10	-	6	4	-	-	8	34	22	10	14	4	8	2	74
58	16	-	34	2	2	4	10	-	6	2	-	-	2	28	12	6	8	2	2	-	75
30	18	2	24	2	4	2	-	-	-	2	-	-	6	6	10	4	6	2	6	2	76
170	32	-	82	6	2	32	12	6	8	4	-	6	14	12	42	24	28	4	6	2	77
62	12	-	24	-	-	14	-	2	2	2	-	4	2	4	18	2	10	2	-	-	78
108	20	-	58	6	2	18	12	4	6	2	-	2	12	8	24	22	18	2	6	2	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ARKANSAS—CON.																	
01	MONROE	186	-	-	-	40	8	4	2	12	-	-	14	2	112	96	-	4
02	MONTGOMERY	72	-	-	-	12	2	-	6	-	-	-	4	-	44	36	-	-
03	NEVADA	152	-	-	2	20	4	2	4	-	-	2	8	2	74	46	-	-
04	NEWTON	80	-	-	2	12	2	4	-	-	2	2	2	4	28	22	2	2
05	OUACHITA	386	-	2	2	48	12	14	8	6	-	-	8	6	204	126	-	-
06	CAMDEN	204	-	2	2	26	8	8	4	2	-	-	4	4	112	68	-	-
07	BALANCE OF COUNTY	182	-	-	-	22	4	6	4	4	-	-	4	2	92	58	-	-
08	PERRY	56	-	-	-	4	2	2	-	-	-	-	-	-	32	26	-	-
09	PHILLIPS	420	-	-	4	48	14	8	-	10	6	2	8	2	264	192	4	2
10	HELENA	140	-	-	-	10	4	-	-	4	-	2	-	-	96	64	-	-
11	WEST HELENA	104	-	-	4	16	6	2	-	-	6	-	2	2	60	48	2	-
12	BALANCE OF COUNTY	176	-	-	-	22	4	6	-	6	-	-	6	-	108	80	2	2
13	PIKE	146	-	-	-	20	8	4	-	4	-	-	4	2	82	64	-	-
14	POINSETT	284	-	-	-	54	10	30	-	4	2	2	6	2	156	98	2	-
15	POLK	202	-	-	-	28	14	4	-	2	2	-	6	-	140	122	-	8
16	POPE	298	-	-	2	54	14	16	4	16	-	-	4	2	186	140	2	-
17	RUSSELLVILLE	118	-	-	2	12	6	2	-	4	-	-	-	2	90	70	-	-
18	BALANCE OF COUNTY	180	-	-	-	42	8	14	4	12	-	-	4	-	96	70	2	-
19	PRAIRIE	104	-	-	-	10	2	2	-	2	2	-	2	4	48	36	-	-
20	PULASKI	2,818	6	-	16	500	130	120	40	64	18	22	106	56	1,350	872	12	16
21	JACKSONVILLE	130	-	-	2	16	2	4	2	2	-	-	6	2	60	36	-	-
22	LITTLE ROCK	1,596	2	-	8	270	72	60	22	34	12	14	56	24	804	516	10	8
23	NORTH LITTLE ROCK	734	2	-	2	154	36	42	12	20	6	4	34	20	326	228	2	6
24	BALANCE OF COUNTY	358	2	-	4	60	20	14	4	8	-	4	10	10	160	92	-	2
25	RANDOLPH	146	-	-	-	28	4	8	2	6	-	-	8	2	88	72	-	-
26	ST. FRANCIS	334	-	-	6	56	22	8	-	6	8	2	10	4	170	120	2	2
27	FORREST CITY	168	-	-	4	16	6	2	-	2	4	-	2	-	98	74	2	2
28	BALANCE OF COUNTY	166	-	-	2	40	16	6	-	4	4	2	8	4	72	46	-	-
29	SALINE	304	-	-	4	36	8	16	2	10	-	-	-	6	152	114	-	2
30	BENTON	148	-	-	2	20	4	6	2	8	-	-	-	4	78	60	-	2
31	BALANCE OF COUNTY	156	-	-	2	16	4	10	-	2	-	-	-	2	74	54	-	-
32	SCOTT	100	-	-	-	14	2	2	4	2	-	-	4	-	54	34	-	-
33	SEARCY	98	-	-	-	14	10	2	-	-	-	-	2	-	38	20	-	2
34	SEBASTIAN	774	2	-	12	128	34	32	10	14	4	-	34	14	408	298	6	6
35	FORT SMITH	620	2	-	6	104	28	28	8	10	-	-	30	10	322	230	4	2
36	BALANCE OF COUNTY	154	-	-	6	24	6	4	2	4	4	-	4	4	86	68	2	4
37	SEVIER	176	4	-	4	14	-	2	2	2	4	-	4	2	110	86	-	16
38	SHARP	98	-	-	-	20	6	4	4	2	-	2	2	-	58	30	-	-
39	STONE	74	-	-	-	12	-	6	-	2	-	-	4	2	42	36	2	-
40	UNION	592	4	-	-	88	30	18	10	6	2	6	16	16	326	216	-	2
41	EL DORADO	352	-	-	-	50	14	14	6	2	2	6	6	10	190	118	-	-
42	BALANCE OF COUNTY	240	4	-	-	38	16	4	4	4	-	-	10	6	136	98	-	2
43	VAN BUREN	106	-	-	2	20	4	2	-	4	-	4	6	6	60	44	-	-
44	WASHINGTON	658	-	-	2	78	16	28	12	2	4	4	12	10	380	282	6	-
45	FAYETTEVILLE	168	-	-	2	22	6	8	4	-	-	4	-	2	80	62	4	-
46	SPRINGDALE, PART	176	-	-	-	18	4	6	4	-	-	-	4	-	120	100	2	-
47	SPRINGDALE, TOTAL	176	-	-	-	18	4	6	4	-	-	-	4	-	120	100	2	-
48	BALANCE OF COUNTY	314	-	-	-	38	6	14	4	2	4	-	8	8	180	120	-	-
49	WHITE	408	2	-	2	72	30	20	4	12	-	-	6	4	172	110	-	-
50	WOODRUFF	112	-	-	-	16	4	4	2	4	-	-	2	-	66	56	4	-
51	YELL	194	-	-	-	28	4	12	-	2	4	2	4	4	132	94	2	-
52	**CALIFORNIA**	169,984	254	28	796	31,636	8,334	7,310	2,998	3,896	1,410	1,280	6,408	2,544	86,618	62,330	1,498	932
53	URBAN PLACES	127,684	194	16	580	24,046	6,378	5,464	2,376	3,044	1,044	928	4,812	1,972	65,644	47,266	1,082	706
54	BALANCE OF AREA	42,300	60	12	216	7,590	1,956	1,846	622	852	366	352	1,596	572	20,974	15,064	416	226
55	METROPOLITAN COUNTIES	155,118	230	24	750	29,126	7,662	6,682	2,846	3,602	1,270	1,148	5,916	2,298	79,062	56,982	1,382	828
56	URBAN PLACES	123,866	186	16	572	23,372	6,196	5,312	2,320	2,948	1,004	904	4,688	1,890	63,710	45,980	1,072	682
57	BALANCE OF AREA	31,252	44	8	178	5,754	1,466	1,370	526	654	266	244	1,228	408	15,352	11,002	310	146
58	NONMETROPOLITAN COUNTIES	14,866	24	4	46	2,510	672	628	152	294	140	132	492	246	7,556	5,348	116	104
59	URBAN PLACES	3,818	8	-	8	674	182	152	56	96	40	24	124	82	1,934	1,286	10	24
60	BALANCE OF AREA	11,048	16	4	38	1,836	490	476	96	198	100	108	368	164	5,622	4,062	106	80
61	ALAMEDA	9,408	22	-	48	1,754	468	372	188	218	76	68	364	136	4,712	3,418	80	64
62	ALAMEDA	542	-	-	2	108	26	26	12	8	4	6	26	8	266	188	-	-
63	ALBANY	170	-	-	-	22	2	10	-	2	6	-	2	2	110	86	2	2
64	BERKELEY	954	-	-	8	168	44	22	24	30	10	12	26	22	496	316	18	8
65	FREMONT	504	-	-	4	106	28	16	20	10	4	4	24	4	232	180	2	-
66	HAYWARD	768	2	-	4	132	44	30	16	20	2	2	18	10	366	278	10	-
67	LIVERMORE	212	2	-	2	44	6	4	8	8	6	4	8	2	106	84	-	2
68	NEWARK	112	-	-	-	14	8	2	-	2	-	-	2	4	46	32	-	-
69	OAKLAND	4,342	12	-	18	820	224	182	70	102	36	32	174	58	2,190	1,556	30	40
70	PIEDMONT	110	-	-	-	18	-	4	2	6	-	-	6	-	74	58	4	-
71	PLEASANTON	118	-	-	-	28	8	4	10	-	-	-	6	4	42	36	-	-
72	SAN LEANDRO	736	6	-	2	150	42	42	14	10	-	2	40	4	388	316	6	4
73	UNION CITY	84	-	-	-	16	4	4	-	2	2	-	4	4	26	20	2	2
74	BALANCE OF COUNTY	756	-	-	8	128	32	26	12	18	6	6	28	14	370	268	6	6
75	ALPINE	8	-	-	-	2	-	-	-	-	-	-	2	-	2	2	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
86	6	-	10	4	2	8	-	-	2	-	-	2	4	-	6	2	4	4	-	-	01
34	2	-	6	-	2	4	-	-	-	-	-	-	2	2	2	-	6	-	-	-	02
44	2	2	20	4	2	-	6	-	2	4	-	2	2	14	14	2	8	-	-	-	03
18	-	-	2	2	2	-	4	2	-	-	-	-	-	8	12	4	-	2	2	-	04
106	20	-	66	4	8	10	6	-	2	4	2	-	2	22	36	16	12	2	8	2	05
60	8	-	38	2	4	4	4	-	-	2	2	-	-	12	16	4	8	2	2	2	06
46	12	-	28	2	4	6	2	-	2	2	-	-	2	10	20	12	4	-	6	-	07
24	2	-	6	-	-	2	4	-	-	-	-	-	-	2	2	4	4	2	-	-	08
170	16	18	46	2	6	6	6	-	-	-	-	8	8	24	16	14	12	4	4	-	09
60	4	8	22	-	2	2	2	-	-	-	-	4	2	10	6	2	4	-	2	-	10
40	6	4	6	2	-	2	2	-	-	-	-	-	-	4	6	6	2	-	-	-	11
70	6	6	18	-	4	2	2	-	-	-	-	4	6	10	4	6	6	4	2	-	12
46	18	-	12	4	2	-	-	-	2	-	-	-	2	4	18	8	4	2	2	-	13
86	10	-	46	12	-	8	4	-	4	-	-	-	-	8	22	12	10	2	2	-	14
100	14	-	14	-	4	4	2	-	-	-	-	-	2	2	14	6	2	2	-	-	15
132	6	-	36	2	8	8	8	-	-	-	-	-	6	-	18	-	12	2	-	-	16
64	6	-	14	2	4	2	4	-	-	-	-	-	-	-	2	-	4	-	-	-	17
68	-	-	22	-	4	6	4	-	-	-	-	-	6	-	16	-	8	2	-	-	18
30	6	2	8	2	-	-	6	-	-	2	-	-	-	10	8	4	6	4	2	-	19
772	72	4	390	54	30	84	24	4	44	20	-	24	66	66	246	94	112	42	48	16	20
26	10	-	22	-	2	6	-	-	-	2	-	4	12	2	10	6	8	-	-	-	21
460	38	2	236	36	14	40	14	4	24	14	-	8	44	40	130	46	54	30	28	12	22
202	18	2	76	10	8	22	4	-	12	2	-	4	8	18	74	30	34	10	10	2	23
84	6	-	54	8	6	16	6	-	8	2	-	8	2	6	32	12	16	2	10	2	24
64	8	-	14	-	2	4	-	-	2	-	-	-	-	-	12	6	4	-	-	-	25
112	4	2	42	-	6	16	6	2	2	-	-	-	4	16	24	8	14	-	2	4	26
70	-	-	20	-	4	4	4	2	2	-	-	-	2	10	8	4	10	-	-	4	27
42	4	2	22	-	2	12	2	-	-	-	-	-	2	6	16	4	4	-	2	-	28
100	12	-	28	4	6	8	6	2	-	-	-	8	4	6	30	20	10	6	4	2	29
52	6	-	14	2	2	2	4	-	-	-	-	6	2	2	14	4	6	4	-	-	30
48	6	-	14	2	4	6	2	2	-	-	-	2	2	4	16	16	4	2	4	2	31
26	8	2	18	-	-	-	6	2	4	-	-	-	-	6	4	4	2	4	-	-	32
14	4	-	18	-	-	4	-	-	-	2	-	4	-	14	10	2	4	6	-	-	33
264	22	4	98	-	8	18	6	-	14	8	-	8	12	62	38	20	14	4	4	2	34
216	8	4	80	-	8	14	4	-	12	8	-	8	12	44	34	20	14	2	4	-	35
48	14	-	18	-	-	4	2	-	2	-	-	-	-	18	4	-	-	2	-	2	36
52	18	2	20	-	2	8	8	-	2	-	-	2	4	-	8	6	4	-	-	-	37
28	2	-	22	6	-	4	2	-	-	-	-	-	-	4	6	-	-	2	-	2	38
34	-	-	6	-	-	2	-	-	-	4	-	-	-	-	6	6	-	-	-	-	39
208	6	4	70	20	16	14	8	2	4	-	-	2	10	10	48	28	20	6	6	-	40
114	4	2	42	12	16	6	6	-	4	-	-	-	8	6	32	18	16	2	4	-	41
94	2	2	28	8	-	8	2	2	-	-	-	2	2	4	16	10	4	4	2	-	42
40	4	-	16	-	-	2	4	-	-	-	-	-	2	-	6	2	2	-	-	-	43
266	10	8	62	20	8	12	10	6	10	6	-	6	14	2	48	36	18	16	2	2	44
58	-	2	12	4	-	4	6	-	4	2	-	4	2	-	20	6	4	6	2	2	45
88	10	2	10	6	2	4	2	2	2	2	-	2	6	-	10	2	2	4	-	-	46
88	10	2	10	6	2	4	2	2	2	2	-	2	6	-	10	2	2	4	-	-	47
120	-	4	40	10	6	4	2	4	4	2	-	-	6	2	18	28	12	6	-	-	48
90	20	2	56	-	4	18	-	-	-	-	-	2	6	58	40	14	12	2	-	4	49
34	18	-	8	-	2	-	2	2	-	-	-	-	4	4	6	6	4	2	-	-	50
90	2	-	38	-	-	4	-	-	2	-	-	2	-	2	8	2	8	-	2	-	51
57,606	2,294	464	18,886	2,566	2,372	4,766	3,218	772	4,400	546	54	1,328	2,586	586	12,270	5,440	5,964	3,942	1,848	388	52
43,834	1,644	332	14,506	1,914	1,626	3,472	2,296	584	3,492	408	42	992	1,924	410	9,092	3,476	4,256	2,980	1,476	332	53
13,772	650	132	4,380	652	746	1,294	922	188	908	138	12	336	662	176	3,178	1,964	1,708	962	372	56	54
52,726	2,046	416	17,326	2,274	2,064	4,298	2,852	690	4,088	490	52	1,214	2,376	542	11,122	4,770	5,322	3,664	1,770	378	55
42,636	1,590	322	14,026	1,816	1,566	3,346	2,210	562	3,398	396	42	954	1,864	404	8,790	3,354	4,122	2,892	1,458	328	56
10,090	456	94	3,300	458	498	952	642	128	690	94	10	260	512	138	2,332	1,416	1,200	772	312	50	57
4,880	248	48	1,560	292	308	468	366	82	312	56	2	114	210	44	1,148	670	642	278	78	10	58
1,198	54	10	480	98	60	126	86	22	94	12	-	38	60	6	302	122	134	88	18	4	59
3,682	194	38	1,080	194	248	342	280	60	218	44	2	76	150	38	846	548	508	190	60	6	60
3,176	98	22	940	196	136	248	200	48	274	28	-	54	166	44	724	268	340	230	80	32	61
172	16	4	54	8	12	12	10	4	18	4	-	4	12	-	58	10	12	12	-	2	62
80	2	-	20	2	2	4	6	2	4	-	-	-	2	-	8	4	6	-	-	-	63
280	10	6	132	22	20	30	14	4	14	4	-	6	8	8	84	28	28	24	4	4	64
170	8	2	44	4	2	8	12	-	12	2	-	4	16	4	26	36	16	16	-	6	65
262	6	2	50	24	12	28	26	4	24	6	-	-	12	-	60	32	24	30	6	2	66
80	2	-	16	4	2	8	6	-	2	-	-	-	-	-	8	12	6	10	-	4	67
32	-	-	12	-	2	4	-	2	2	-	-	-	8	-	4	8	16	2	2	-	68
1,446	40	6	472	98	58	112	80	18	154	10	-	24	84	26	358	80	158	80	54	6	69
54	-	-	14	-	2	4	-	2	6	-	-	-	2	-	4	-	-	-	-	-	70
36	-	-	6	-	-	4	-	2	2	-	-	4	-	2	4	10	14	2	-	-	71
300	6	-	50	8	14	14	14	2	24	-	-	2	10	2	40	18	30	20	6	4	72
16	-	-	2	2	2	4	4	6	-	-	-	2	2	2	8	2	2	2	2	2	73
248	8	2	68	24	8	16	28	2	12	2	-	8	10	-	62	28	28	32	6	2	74
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	75

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	CALIFORNIA--CON.																	
01	AMADOR	120	4	-	-	22	2	6	2	12	-	-	-	6	70	60	4	-
02	BUTTE	1,252	-	-	2	194	66	42	14	16	18	10	28	34	678	474	8	10
03	CHICO	188	-	-	-	34	18	6	2	4	2	-	2	6	92	62	-	2
04	BALANCE OF COUNTY	1,064	-	-	2	160	48	36	12	12	16	10	26	28	586	412	8	8
05	CALAVERAS	152	-	-	-	40	20	2	6	2	-	2	8	-	68	50	2	-
06	COLUSA	140	-	-	-	24	12	6	-	2	-	2	2	-	86	42	-	-
07	CONTRA COSTA	3,970	4	-	18	836	236	178	84	102	34	28	174	54	1,952	1,404	54	22
08	ANTIOCH	232	-	-	-	28	8	14	2	2	-	-	2	6	122	94	-	2
09	CONCORD	438	-	-	2	120	32	28	20	8	2	4	26	4	194	144	8	2
10	EL CERRITO	208	-	-	4	42	16	6	10	6	-	2	2	4	104	80	4	-
11	LAFAYETTE	148	-	-	2	34	6	4	10	8	-	2	4	-	76	56	-	-
12	MARTINEZ	146	-	-	4	30	8	14	2	-	2	-	4	2	74	58	2	-
13	PINOLE	62	-	-	-	12	2	4	2	4	-	-	-	2	24	16	-	-
14	PITTSBURG	200	-	-	-	20	6	-	-	2	-	-	12	4	90	70	6	2
15	PLEASANT HILL	146	-	-	-	38	4	16	2	4	2	4	6	-	76	54	4	-
16	RICHMOND	786	-	-	4	164	36	38	16	18	10	8	38	10	378	254	12	10
17	SAN PABLO	232	-	-	-	48	10	8	4	4	6	2	14	6	112	82	4	2
18	WALNUT CREEK	498	-	-	2	108	40	18	4	16	2	2	26	8	286	188	4	-
19	BALANCE OF COUNTY	874	4	-	-	192	68	28	12	30	10	4	40	8	416	308	10	4
20	DEL NORTE	172	-	-	-	16	2	8	2	-	-	2	2	4	84	60	-	2
21	EL DORADO	384	-	-	-	80	30	14	-	10	2	2	22	6	180	138	2	-
22	SOUTH LAKE TAHOE	88	-	-	-	20	8	6	-	4	-	-	2	-	40	26	-	-
23	BALANCE OF COUNTY	296	-	-	-	60	22	8	-	6	2	2	20	6	140	112	2	-
24	FRESNO	3,578	8	-	38	634	160	166	50	76	24	18	140	66	1,724	1,276	24	14
25	CLOVIS	120	-	-	-	24	2	6	4	4	-	-	8	-	68	52	-	-
26	FRESNO	1,660	6	-	22	280	88	62	20	32	12	4	62	34	822	624	8	6
27	SANGER	78	-	-	2	10	-	4	-	-	-	-	6	2	46	30	2	-
28	BALANCE OF COUNTY	1,720	2	-	14	320	70	94	26	40	12	14	64	30	788	570	14	8
29	GLENN	180	-	-	-	40	16	10	-	6	2	-	6	-	86	66	2	-
30	HUMBOLDT	912	-	-	4	160	38	42	10	16	10	20	24	14	446	308	8	4
31	EUREKA	314	-	-	2	60	16	22	4	2	6	4	6	4	152	98	-	2
32	BALANCE OF COUNTY	598	-	-	2	100	22	20	6	14	4	16	18	10	294	210	8	2
33	IMPERIAL	674	2	-	-	96	28	28	6	16	-	8	10	12	330	228	-	-
34	BRAWLEY	140	2	-	-	22	8	8	2	4	-	-	-	4	64	40	-	-
35	CALEXICO	68	-	-	-	16	2	4	-	6	-	2	2	-	22	14	-	-
36	EL CENTRO	158	-	-	-	20	10	-	4	2	-	-	4	6	86	54	-	-
37	BALANCE OF COUNTY	308	-	-	-	38	8	16	-	4	-	6	4	2	158	120	-	-
38	INYO	188	4	-	-	22	8	2	2	2	-	-	8	-	104	80	2	-
39	KERN	2,806	4	2	20	456	100	124	38	78	8	20	88	48	1,384	1,024	24	22
40	BAKERSFIELD	742	-	-	8	76	16	16	-	20	-	2	22	14	394	266	4	4
41	DELANO	134	-	-	2	24	4	10	2	6	2	-	-	2	64	50	-	-
42	BALANCE OF COUNTY	1,930	4	2	10	356	80	98	36	52	6	18	66	32	926	708	20	18
43	KINGS	470	-	-	4	52	10	12	4	14	-	-	12	8	234	164	8	4
44	HANFORD	168	-	-	-	20	8	4	2	6	-	-	-	2	96	72	-	2
45	BALANCE OF COUNTY	302	-	-	4	32	2	8	2	8	-	-	12	6	138	92	8	2
46	LAKE	396	-	-	-	80	14	30	2	4	2	6	22	4	202	136	-	8
47	LASSEN	142	2	-	-	14	-	6	2	-	-	-	6	-	66	44	-	-
48	LOS ANGELES	61,378	74	12	250	11,496	3,094	2,520	1,160	1,446	534	440	2,302	1,006	32,680	23,888	486	336
49	ALHAMBRA	788	2	-	-	136	50	20	10	20	6	2	28	22	498	402	10	8
50	ARCADIA	434	-	-	-	108	28	12	14	28	8	2	16	6	242	188	4	2
51	ARTESIA	112	-	-	2	16	4	4	2	-	2	-	4	2	50	38	-	2
52	AZUSA	248	-	-	4	46	8	14	6	6	4	-	8	6	112	80	-	2
53	BALDWIN PARK	326	-	-	-	56	16	12	6	6	6	-	10	6	156	126	6	-
54	BELL	252	-	-	-	36	12	4	4	2	2	2	10	-	158	128	-	-
55	BELLFLOWER	486	-	-	-	88	20	26	8	8	10	-	16	8	286	216	2	2
56	BELL GARDENS	228	-	-	-	36	12	16	-	4	2	-	2	4	126	92	2	8
57	BEVERLY HILLS	432	2	-	-	98	24	28	6	8	2	4	26	10	248	186	14	4
58	BURBANK	866	-	-	6	178	48	48	16	16	6	12	32	10	464	352	8	4
59	CARSON	304	-	-	-	54	12	18	4	12	-	-	8	4	150	110	-	2
60	CERRITOS	98	-	-	-	30	8	4	-	6	-	-	12	2	30	24	-	-
61	CLAREMONT	196	-	-	2	54	16	8	4	8	2	2	14	2	116	72	-	2
62	COMMERCE	44	-	-	-	14	2	8	-	2	-	-	2	-	20	16	-	-
63	COMPTON	536	2	-	4	70	14	26	8	6	4	4	8	8	220	148	6	4
64	COVINA	268	-	-	-	52	6	12	8	2	2	6	16	-	140	100	4	2
65	CUDAHY	124	-	-	-	26	4	8	-	4	-	2	8	2	56	50	-	2
66	CULVER CITY	302	2	-	-	54	18	16	2	-	4	4	10	-	170	112	-	4
67	DOWNEY	678	-	-	2	130	34	40	8	20	6	2	20	10	396	300	10	2
68	DUARTE	142	-	-	-	8	2	-	2	2	-	2	-	2	84	64	6	6
69	EL MONTE	616	2	-	4	112	28	28	14	12	8	2	20	14	306	218	2	4
70	EL SEGUNDO	84	-	-	-	8	-	6	-	2	-	-	-	-	58	38	-	-
71	GARDENA	444	2	-	2	88	16	24	12	6	4	4	22	10	226	172	-	2
72	GLENDALE	1,560	-	-	6	298	80	58	32	46	8	12	62	16	924	634	10	8
73	GLENDORA	208	-	-	-	38	10	8	2	-	4	2	12	-	132	90	2	2
74	HAWTHORNE	388	4	-	2	86	22	22	6	14	2	2	18	6	192	156	-	2
75	HERMOSA BEACH	108	-	-	-	24	12	4	2	-	2	-	4	2	52	32	-	-
76	HUNTINGTON PARK	536	4	-	8	94	30	28	12	14	-	2	8	8	254	198	2	4
77	INGLEWOOD	860	-	-	-	162	66	14	16	20	8	10	28	16	470	332	-	2
78	LAKEWOOD	422	-	-	2	84	16	20	8	12	2	6	20	6	200	138	6	2
79	LA MIRADA	172	-	-	-	36	4	14	4	4	2	2	6	2	78	64	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
56	-	-	10	-	-	-	6	2	4	2	-	-	-	-	2	-	-	2	-	-	01
422	34	10	134	26	34	32	52	6	18	4	-	2	8	4	96	40	42	32	6	2	02
58	2	-	20	6	4	4	4	-	6	-	-	-	8	4	16	-	6	6	-	2	03
364	32	10	114	20	30	28	48	6	12	4	-	2	-	-	80	40	36	26	6	-	04
46	2	-	4	4	10	2	-	-	6	-	-	-	2	-	12	12	8	2	-	-	05
42	-	4	30	6	4	2	4	-	2	4	-	-	2	-	6	6	4	-	-	-	06
1,274	54	12	402	70	64	96	54	18	68	10	-	42	60	20	268	164	156	94	48	8	07
84	8	-	16	6	6	2	-	-	-	-	-	6	4	-	24	20	12	4	4	-	08
126	8	2	34	10	4	12	2	2	2	-	-	8	10	4	26	16	16	10	6	4	09
74	2	-	18	2	4	6	-	2	4	-	-	-	2	-	20	4	6	4	6	-	10
52	4	-	14	-	6	2	2	-	-	-	-	-	2	-	10	6	2	10	2	-	11
48	8	-	12	2	2	2	12	2	4	-	-	-	4	-	-	6	2	4	-	-	12
16	-	-	6	2	-	-	-	-	-	2	-	4	-	-	4	2	4	8	-	-	13
56	6	2	16	-	2	6	4	-	2	-	-	4	6	2	22	14	18	-	8	-	14
50	-	-	18	-	4	6	2	2	4	-	-	-	-	-	2	8	8	-	-	-	15
230	2	4	86	22	12	24	8	2	26	4	-	12	12	4	52	30	32	10	14	-	16
74	2	-	20	4	6	4	2	2	10	-	-	-	2	2	12	8	10	8	4	2	17
180	4	4	74	10	10	4	8	2	2	2	-	4	-	6	30	8	10	14	2	2	18
284	10	-	88	12	8	28	14	4	14	2	-	4	18	2	66	42	36	22	2	-	19
56	2	-	18	-	6	10	4	-	2	-	-	-	4	2	18	6	14	8	-	-	20
128	8	2	26	6	8	20	2	-	8	2	-	8	-	-	36	14	14	10	4	-	21
26	-	-	10	2	2	4	-	-	4	-	-	2	-	-	8	2	4	4	-	-	22
102	8	2	16	4	6	16	2	-	4	2	-	6	-	-	28	12	10	6	4	-	23
1,200	38	18	328	54	48	106	82	16	110	20	2	26	66	16	296	150	136	30	48	4	24
52	-	-	14	-	2	4	2	-	2	2	-	-	6	-	6	4	2	-	-	-	25
594	16	4	144	30	20	42	50	10	56	10	2	6	34	8	134	52	54	12	24	2	26
28	-	2	14	-	-	-	2	-	-	-	-	4	2	-	6	2	2	-	-	-	27
526	22	12	156	24	26	60	28	6	52	8	-	16	24	8	150	92	78	18	24	2	28
64	-	-	14	2	4	8	2	-	2	-	-	2	2	-	12	6	8	8	4	-	29
200	16	4	82	30	22	34	22	6	26	4	-	12	8	2	84	30	38	16	4	2	30
92	4	2	30	12	10	14	8	-	18	2	-	4	2	-	30	4	10	2	2	-	31
188	12	2	52	18	12	20	14	6	8	2	-	8	6	2	54	26	28	14	2	2	32
216	12	-	80	14	8	24	14	6	24	8	-	6	14	4	40	48	32	6	6	2	33
36	4	-	14	6	4	6	2	2	2	2	-	-	6	2	8	14	2	2	-	-	34
14	-	-	8	-	-	-	-	2	2	2	-	-	-	-	8	14	-	2	-	-	35
50	4	-	26	6	-	6	4	2	6	-	-	4	-	-	6	6	8	2	2	-	36
116	4	-	32	2	4	12	8	-	14	4	-	2	8	2	18	14	22	-	4	2	37
74	4	-	16	2	6	4	8	2	8	2	-	2	2	2	12	14	2	-	-	-	38
946	32	10	270	40	40	86	74	22	44	18	-	18	50	12	222	134	98	74	36	4	39
250	8	4	90	20	14	32	20	10	14	8	-	6	6	2	60	34	24	14	20	-	40
48	2	-	12	2	-	4	2	2	-	4	-	-	2	-	14	4	6	2	2	-	41
648	22	6	168	18	26	50	52	10	30	6	-	12	42	10	148	96	68	58	14	4	42
142	10	2	40	20	8	12	12	6	16	-	-	6	16	2	34	28	28	10	2	-	43
64	6	2	12	10	-	6	8	2	6	-	-	-	4	-	10	8	2	4	-	-	44
78	4	-	28	10	8	6	4	4	10	-	-	6	12	2	24	20	26	6	2	-	45
122	6	-	50	6	10	12	16	-	8	2	-	2	-	-	30	8	28	4	-	-	46
42	2	-	20	-	2	4	4	-	4	-	-	4	6	2	12	4	18	2	-	-	47
22,232	834	182	7,126	892	592	1,430	1,068	246	1,650	156	30	428	886	100	3,818	1,488	1,914	1,522	928	196	48
382	2	2	78	6	10	16	20	4	2	4	-	-	12	-	38	12	8	14	-	-	49
180	2	4	42	2	6	8	4	2	10	2	2	-	2	-	14	8	18	8	-	-	50
30	6	-	12	-	-	2	-	-	-	-	-	4	4	2	12	10	2	4	2	-	51
76	2	2	22	4	4	10	8	4	4	-	-	-	12	-	10	4	4	20	2	2	52
120	-	-	14	14	2	12	8	-	12	4	-	8	8	2	14	12	14	10	4	-	53
124	4	4	18	4	4	4	8	2	4	2	-	4	4	-	12	2	6	6	4	-	54
196	16	4	42	16	8	10	10	-	2	-	-	4	6	-	24	14	16	14	-	4	55
80	2	-	28	2	4	-	8	6	6	-	-	8	12	2	12	4	-	2	2	-	56
162	6	-	50	2	10	2	8	2	-	6	-	2	2	-	20	2	10	16	4	-	57
322	18	4	88	18	2	18	14	4	20	-	-	2	4	-	66	30	26	22	-	2	58
102	6	-	34	-	6	6	6	4	4	2	-	4	6	-	22	14	12	12	4	-	59
20	4	-	6	-	-	6	-	-	-	-	-	2	4	-	16	2	4	2	-	-	60
70	-	-	38	6	-	4	2	-	-	-	-	-	-	-	6	6	-	4	-	-	61
16	-	-	4	-	-	2	-	-	2	-	-	-	-	-	-	-	-	4	2	-	62
132	6	4	64	4	-	18	6	6	18	2	2	6	16	2	48	14	28	12	46	8	63
92	2	-	34	4	2	6	6	2	2	-	-	2	4	-	18	16	12	6	2	-	64
48	-	-	4	-	2	4	-	-	-	-	-	2	8	-	8	10	4	2	2	-	65
100	8	-	48	4	6	4	-	2	6	-	-	-	4	-	20	12	10	12	6	-	66
280	8	4	62	22	8	6	2	2	14	-	-	8	10	-	26	26	16	20	6	4	67
50	2	-	16	4	-	2	6	2	4	-	-	-	4	-	12	-	12	2	2	2	68
208	4	2	66	12	8	26	16	2	12	2	-	4	8	6	40	16	22	8	14	2	69
38	-	-	16	4	-	2	-	-	2	-	-	-	2	-	4	4	2	2	-	-	70
164	6	-	44	6	4	12	12	-	10	4	-	4	8	-	34	4	8	14	2	4	71
600	16	12	234	26	18	24	22	8	30	2	-	8	10	-	102	28	44	34	4	-	72
84	2	-	32	6	4	2	2	-	6	-	-	2	-	-	8	10	6	-	-	2	73
146	8	2	32	-	2	6	8	-	18	-	-	4	2	-	22	12	10	10	4	2	74
30	2	-	12	4	4	6	-	-	8	-	-	2	-	-	4	2	4	4	-	-	75
178	14	8	36	6	6	18	10	4	26	-	-	4	8	2	50	14	18	10	2	2	76
322	8	2	116	10	10	22	12	2	34	2	-	6	10	2	48	18	18	20	14	2	77
126	4	4	50	2	6	6	6	4	16	2	-	2	4	-	36	10	20	18	4	2	78
62	2	-	12	-	2	10	4	-	4	-	-	-	2	-	6	12	2	14	2	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of deathare category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	CALIFORNIA--CON.																	
	LOS ANGELES--CON.																	
01	LA PUENTE	204	-	2	-	52	14	18	8	2	-	-	10	6	98	68	2	-
02	LA VERNE	138	-	-	-	22	6	4	-	2	2	-	8	2	92	78	-	-
03	LAWNDALE	192	-	-	-	30	10	6	4	2	-	2	6	2	92	78	2	2
04	LOMITA	160	-	-	2	32	6	12	6	-	2	2	4	2	90	76	-	-
05	LONG BEACH	4,388	2	-	16	738	200	158	60	96	48	28	148	58	2,532	1,812	32	28
06	LOS ANGELES	26,702	40	6	114	4,950	1,346	1,046	506	654	194	202	1,002	466	14,070	10,280	202	126
07	LYNWOOD	386	-	-	-	70	12	24	2	16	2	2	12	6	214	144	2	2
08	MANHATTAN BEACH	150	-	-	-	28	6	6	2	2	4	2	6	-	90	56	-	-
09	MAYWOOD	160	-	-	-	24	8	6	-	6	-	-	4	2	90	68	-	2
10	MONROVIA	330	-	-	4	46	16	6	6	4	6	2	6	2	198	144	-	4
11	MONTEBELLO	328	-	-	-	82	16	24	12	8	6	4	12	16	178	142	6	-
12	MONTEREY PARK	380	-	-	2	66	14	6	8	12	2	-	24	8	216	152	2	4
13	NORWALK	408	-	-	-	72	24	10	4	16	6	2	10	6	208	156	8	4
14	PALOS VERDES ESTATES	58	-	-	-	24	4	2	6	2	2	-	8	-	24	20	-	-
15	PARAMOUNT	278	-	-	4	58	16	20	4	4	4	-	10	8	136	110	-	2
16	PASADENA	1,476	2	-	8	240	54	44	16	42	30	8	46	32	848	536	10	10
17	PICO RIVERA	362	-	-	-	70	16	10	10	12	4	2	16	14	182	128	10	4
18	POMONA	694	-	-	2	118	32	32	12	10	4	8	20	6	394	292	8	4
19	REDONDO BEACH	448	2	-	-	80	16	24	4	14	2	-	20	2	238	178	2	-
20	ROSEMEAD	328	-	-	-	50	10	18	-	10	4	-	8	4	198	154	6	2
21	SAN DIMAS	100	-	-	-	12	4	-	4	4	-	-	-	6	64	46	-	-
22	SAN FERNANDO	194	2	-	-	32	2	8	6	2	-	-	14	2	104	68	-	2
23	SAN GABRIEL	382	-	-	-	72	28	14	16	4	-	2	8	20	208	156	2	6
24	SAN MARINO	82	-	-	-	24	6	4	2	6	-	-	6	-	44	30	-	2
25	SANTA FE SPRINGS	78	2	-	-	16	2	2	6	-	2	-	4	-	34	30	2	-
26	SANTA MONICA	1,120	-	-	4	232	66	42	18	44	18	8	36	20	616	436	10	4
27	SIERRA MADRE	112	-	-	-	26	16	-	2	4	-	-	4	2	66	44	2	-
28	SOUTH EL MONTE	66	-	-	2	10	4	4	-	-	2	-	-	2	38	30	-	-
29	SOUTH GATE	656	-	-	4	146	38	40	14	20	6	4	24	6	346	260	8	2
30	SOUTH PASADENA	214	-	-	2	46	10	6	10	4	2	4	10	2	122	80	4	-
31	TEMPLE CITY	280	-	-	-	64	16	20	10	8	4	4	2	-	134	116	-	-
32	TORRANCE	812	-	-	4	192	52	36	24	14	8	8	50	16	386	278	6	4
33	WEST COVINA	296	-	-	4	52	18	10	8	-	2	2	12	12	134	106	4	-
34	WHITTIER	714	2	-	2	134	34	26	20	12	6	10	26	12	420	334	4	6
35	BALANCE OF COUNTY	6,440	2	4	32	1,266	350	282	134	120	56	48	276	80	3,162	2,326	58	34
36	MADERA	490	-	-	2	74	14	26	4	6	4	-	20	6	266	194	4	2
37	MADERA	184	-	-	-	20	2	4	-	2	-	-	12	-	108	66	-	-
38	BALANCE OF COUNTY	306	-	-	2	54	12	22	4	4	4	-	8	6	158	128	4	2
39	MARIN	1,468	-	-	8	288	84	40	46	22	18	12	66	10	736	504	8	12
40	LARKSPUR	52	-	-	-	12	4	4	-	-	-	-	4	-	28	26	-	-
41	MILL VALLEY	174	-	-	-	52	8	8	12	4	4	2	14	2	74	50	-	-
42	NOVATO	154	-	-	2	38	12	6	6	-	2	4	8	-	58	44	2	-
43	SAN ANSELMO	156	-	-	-	24	8	-	6	-	2	-	8	2	86	46	-	4
44	SAN RAFAEL	364	-	-	2	58	22	4	8	8	2	-	14	-	206	136	-	4
45	BALANCE OF COUNTY	568	-	-	4	104	30	18	14	10	8	6	18	6	284	202	6	4
46	MARIPOSA	78	-	-	-	14	6	4	2	-	2	-	-	2	36	22	-	-
47	MENDOCINO	544	4	-	2	82	20	24	2	14	2	4	16	2	274	180	8	8
48	UKIAH	120	2	-	-	20	4	2	2	2	-	2	8	-	62	36	-	-
49	BALANCE OF COUNTY	424	2	-	2	62	16	22	-	12	2	2	8	2	212	144	8	8
50	MERCED	808	2	-	2	152	46	30	8	16	10	8	34	16	376	298	8	6
51	ATWATER	48	-	-	-	12	4	-	-	-	-	2	6	-	18	14	-	-
52	MERCED	234	2	-	-	50	14	14	6	4	2	-	10	6	112	82	-	-
53	BALANCE OF COUNTY	526	-	-	2	90	28	16	2	12	8	6	18	10	246	202	8	6
54	MODOC	78	-	-	2	14	2	6	-	2	2	-	2	-	42	28	-	-
55	MONO	26	-	-	-	12	2	4	-	4	-	2	-	-	4	2	-	-
56	MONTEREY	1,826	2	2	2	320	84	72	26	36	12	16	74	20	876	566	18	2
57	MONTEREY	232	-	-	-	50	14	8	8	4	2	-	14	-	124	86	4	-
58	PACIFIC GROVE	180	-	-	-	38	16	10	4	2	-	-	6	-	94	50	-	-
59	SALINAS	492	-	-	2	82	22	18	8	14	2	4	14	8	218	156	6	2
60	SEASIDE	140	-	-	-	24	8	6	-	2	2	-	6	2	62	42	-	-
61	BALANCE OF COUNTY	782	2	2	-	126	24	30	6	14	6	12	34	10	378	232	8	-
62	NAPA	886	-	-	4	174	38	34	20	22	12	6	42	2	434	314	6	2
63	NAPA	532	-	-	4	106	20	22	14	16	10	4	20	-	264	190	4	-
64	BALANCE OF COUNTY	354	-	-	-	68	18	12	6	6	2	2	22	2	170	124	2	2
65	NEVADA	340	-	-	-	58	10	10	4	12	8	2	12	2	206	134	-	2
66	ORANGE	9,556	4	2	44	1,938	482	464	190	238	86	100	378	112	4,750	3,490	108	28
67	ANAHEIM	1,106	-	-	4	224	62	40	12	38	14	12	46	12	544	404	12	4
68	BREA	120	-	-	-	18	6	4	-	-	-	2	6	-	56	44	-	2
69	BUENA PARK	364	-	-	2	86	22	26	10	14	2	2	10	-	182	132	4	-
70	COSTA MESA	534	-	-	2	104	10	26	6	16	8	6	32	2	288	206	12	6
71	CYPRESS	120	-	2	2	14	2	4	4	-	-	2	2	2	40	24	-	-
72	FOUNTAIN VALLEY	112	-	-	-	18	10	4	-	-	-	-	4	-	52	44	4	-
73	FULLERTON	496	-	-	2	86	20	24	10	4	6	2	20	2	272	202	10	-
74	GARDEN GROVE	674	-	-	2	148	32	42	14	26	-	4	30	8	316	242	8	4
75	HUNTINGTON BEACH	638	2	-	2	148	29	48	22	20	6	6	26	2	282	214	-	-
76	LAGUNA BEACH	210	-	-	-	48	12	18	4	6	-	4	4	-	116	82	4	-
77	LA HABRA	260	-	-	-	56	10	14	4	4	2	4	18	8	124	102	-	-
78	LOS ALAMITOS	70	-	-	2	6	-	2	-	2	-	-	2	2	50	42	-	-
79	NEWPORT BEACH	378	-	-	6	80	20	14	26	4	6	6	4	2	182	116	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
64	2	2	24	4	-	2	4	-	2	-	-	8	2	2	4	2	6	6	6	2	01
74	4	-	14	-	-	6	-	-	4	-	-	2	-	-	6	2	-	-	-	2	02
70	4	-	10	2	2	14	4	-	12	-	-	4	4	-	8	6	2	14	-	-	03
72	4	-	8	4	2	2	4	-	2	-	-	-	-	-	14	6	2	2	-	2	04
1,700	52	20	554	108	38	122	86	20	128	10	-	18	40	4	284	78	96	96	48	12	05
9,600	352	58	3,126	338	268	614	428	90	756	76	14	176	414	42	1,706	568	870	662	540	100	06
138	2	-	54	10	6	14	14	-	16	-	-	4	-	2	26	6	8	2	2	2	07
56	-	-	30	2	2	2	-	-	2	-	-	-	2	-	14	-	6	4	-	2	08
64	2	-	16	2	4	-	6	-	6	-	-	6	2	-	12	8	-	-	4	-	09
138	2	2	44	6	2	8	8	2	12	2	2	-	-	2	22	6	8	6	2	-	10
120	16	-	30	6	-	-	2	2	4	-	-	2	8	-	8	8	8	6	2	2	11
142	4	-	48	6	10	6	2	4	8	-	-	6	4	-	20	12	14	8	2	2	12
140	4	2	44	4	2	8	4	-	16	-	2	10	6	2	34	4	24	8	2	2	13
18	2	-	2	2	-	2	2	-	2	-	-	-	-	-	2	-	2	-	-	-	14
104	4	2	18	4	2	2	4	-	6	-	-	-	2	4	18	10	10	8	8	-	15
504	12	2	270	24	16	28	16	8	42	-	-	14	14	4	90	22	64	30	10	4	16
108	6	-	48	2	4	6	12	-	12	-	-	4	6	-	22	8	12	12	2	-	17
274	6	-	88	8	6	16	16	2	14	2	-	2	18	2	36	22	28	8	8	-	18
170	6	-	54	4	2	20	10	-	8	-	-	-	14	2	38	6	10	10	8	-	19
140	6	-	34	8	2	6	10	2	6	-	-	-	6	-	16	10	8	10	2	-	20
46	-	-	14	2	2	2	2	-	-	-	-	-	-	-	2	6	4	2	-	-	21
60	6	2	30	2	2	6	8	-	6	-	-	2	2	-	12	2	14	-	2	-	22
144	4	-	42	4	6	8	12	2	14	-	-	2	4	-	14	10	10	4	2	-	23
24	4	-	14	-	-	-	-	2	2	-	-	-	-	-	2	4	-	4	-	-	24
24	4	-	4	-	-	2	4	-	6	-	-	-	2	2	2	-	4	2	2	-	25
408	14	4	148	18	10	24	14	2	18	-	-	4	2	2	70	24	44	36	8	-	26
42	-	2	20	-	-	2	-	-	-	-	-	-	4	-	2	-	8	2	-	-	27
30	-	-	8	-	-	-	-	-	-	-	2	-	4	-	6	-	2	-	-	-	28
238	12	-	78	6	2	12	14	8	28	2	2	2	12	-	34	12	8	16	4	-	29
70	6	2	30	6	4	4	4	-	6	-	-	-	4	2	6	2	6	8	-	-	30
114	2	-	14	-	4	10	8	6	4	2	-	2	-	2	22	10	10	6	-	-	31
258	10	-	92	14	2	18	12	6	24	-	-	-	12	-	44	40	20	28	4	6	32
102	-	-	26	-	2	10	2	-	12	4	-	6	2	-	22	14	8	10	4	-	33
320	4	2	70	12	2	16	12	4	12	2	-	2	6	-	40	24	8	14	2	2	34
2,116	118	24	666	96	50	164	136	24	182	27	4	60	114	8	408	228	234	172	120	18	35
184	4	-	54	10	8	18	14	2	4	-	-	4	12	2	30	30	20	4	2	-	36
64	2	-	34	4	4	12	8	2	2	-	-	-	-	-	12	10	6	2	2	-	37
120	2	-	20	6	4	6	6	-	2	-	-	4	12	2	18	20	14	2	-	-	38
470	14	-	174	34	24	62	32	4	36	2	-	8	14	6	122	34	54	46	6	-	39
24	2	-	2	-	-	-	-	-	4	-	-	-	-	2	2	2	-	2	-	-	40
48	2	-	20	4	-	6	2	-	6	-	-	-	2	2	14	2	2	8	2	-	41
40	2	-	8	6	-	6	6	-	2	-	-	6	2	2	18	8	6	-	-	-	42
42	-	-	26	10	4	10	4	2	4	2	-	-	2	-	16	-	4	-	-	-	43
128	4	-	56	6	8	18	10	-	10	-	-	-	2	-	20	4	18	16	-	-	44
188	4	-	62	8	12	22	10	2	10	-	-	2	6	-	52	18	24	20	4	-	45
22	-	-	10	-	4	6	2	-	-	2	-	-	2	-	8	-	4	2	-	-	46
154	10	4	58	16	16	22	20	-	18	2	-	2	4	2	44	32	22	12	-	-	47
32	4	2	16	6	2	4	4	-	2	2	-	-	2	-	10	6	4	2	-	-	48
122	6	2	42	10	14	18	16	-	16	-	-	2	2	2	34	26	18	10	-	-	49
272	12	-	62	4	12	14	16	4	18	4	2	16	30	4	54	48	36	10	4	-	50
12	2	-	4	-	-	-	-	-	8	-	-	-	-	-	6	4	-	-	-	-	51
78	4	-	24	2	4	2	6	2	2	-	-	8	8	-	10	4	14	6	2	-	52
182	6	-	34	2	8	12	10	2	8	4	2	8	22	4	38	40	22	4	2	-	53
26	2	-	12	-	2	4	2	-	2	-	-	-	2	-	4	2	4	-	-	-	54
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	-	-	55
522	24	6	246	36	22	52	22	4	32	6	2	30	56	16	136	108	90	30	18	2	56
80	2	-	28	8	2	10	2	-	4	2	2	6	6	-	8	4	8	4	2	-	57
44	6	2	32	8	2	6	-	2	-	2	-	2	-	-	26	4	6	-	-	-	58
140	8	-	48	8	6	8	8	2	20	2	-	10	10	6	34	34	32	8	8	-	59
38	4	-	18	2	-	2	2	-	2	-	-	2	10	-	10	12	8	2	2	-	60
220	4	4	120	10	12	26	10	-	6	-	-	10	30	10	58	54	36	16	6	2	61
288	18	4	88	14	14	30	28	10	20	2	-	16	2	4	78	32	34	14	2	-	62
176	10	4	48	12	10	10	20	4	10	2	-	10	2	4	46	24	18	6	2	-	63
112	8	-	40	2	4	20	8	6	10	-	-	6	-	-	32	8	16	8	-	-	64
130	2	6	44	18	4	16	10	4	8	-	-	-	-	2	12	8	10	4	-	-	65
3,224	130	18	1,016	76	150	264	168	56	204	30	4	74	204	12	674	342	338	248	80	8	66
372	16	-	114	10	16	40	16	2	20	4	2	8	32	2	92	30	36	24	8	6	67
40	2	-	10	-	2	2	-	2	4	-	-	-	6	-	16	6	2	8	-	-	68
122	6	-	44	2	4	10	2	-	8	-	-	2	6	-	16	18	22	6	4	-	69
176	12	2	62	10	8	6	8	4	22	2	-	4	6	-	34	14	24	14	-	-	70
22	2	-	16	-	-	4	12	2	4	-	-	2	4	-	14	8	2	8	-	-	71
40	-	-	6	-	2	-	2	-	2	-	-	2	10	-	10	10	6	-	-	-	72
188	4	2	56	4	8	6	12	2	12	-	-	4	10	2	36	10	26	10	4	-	73
224	6	-	56	-	18	20	14	2	16	-	-	2	14	-	52	24	34	18	4	-	74
200	14	4	52	6	6	20	10	12	8	-	-	2	16	2	44	34	32	16	6	-	75
74	4	-	22	2	10	6	6	-	4	-	-	-	2	-	18	6	4	-	-	-	76
102	-	-	20	2	-	6	2	2	10	2	-	4	10	-	26	6	2	2	-	-	77
40	2	-	4	-	4	-	-	-	2	-	-	-	-	-	6	-	-	2	-	-	78
110	6	-	58	-	8	4	8	2	12	2	-	4	-	-	26	10	16	18	6	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	CALIFORNIA--CON.																	
	ORANGE--CON.																	
01	ORANGE	476	-	-	-	108	20	30	8	16	6	8	20	2	236	176	6	-
02	PLACENTIA	84	-	-	-	22	4	4	6	4	-	-	4	2	40	28	2	-
03	SAN CLEMENTE	200	-	-	2	52	10	16	2	6	4	14	-	2	100	74	2	-
04	SANTA ANA	1,152	-	-	4	202	76	38	14	18	6	6	44	22	552	402	10	6
05	SEAL BEACH	486	2	-	-	96	30	18	6	8	4	6	24	12	282	206	10	-
06	STANTON	126	-	-	-	26	4	10	2	4	2	-	4	4	56	48	2	-
07	TUSTIN	132	-	-	-	32	8	4	2	8	2	-	8	-	66	48	-	-
08	WESTMINSTER	270	-	-	-	46	10	18	6	6	-	-	6	8	124	96	4	2
09	YORBA LINDA	72	-	-	-	26	10	4	2	2	-	4	4	-	26	18	-	-
10	BALANCE OF COUNTY	1,476	-	-	14	292	84	56	30	32	18	12	60	20	764	540	18	4
11	PLACER	804	-	-	2	154	32	36	20	12	14	12	28	20	406	298	12	2
12	ROSEVILLE	232	-	-	-	54	10	12	10	6	6	4	6	4	120	98	4	-
13	BALANCE OF COUNTY	572	-	-	2	100	22	24	10	6	8	8	22	16	286	200	8	2
14	PLUMAS	142	-	-	-	24	8	6	-	-	4	2	4	-	72	50	-	-
15	RIVERSIDE	4,854	14	2	28	748	190	180	52	106	30	30	160	52	2,590	1,786	52	18
16	BANNING	170	-	-	-	30	4	6	2	10	-	4	4	-	94	78	-	-
17	CORONA	170	-	-	-	24	8	8	2	2	-	-	4	6	88	68	2	2
18	HEMET	364	-	-	4	66	12	16	2	12	-	2	22	2	208	126	6	-
19	INDIO	166	2	-	-	24	4	6	-	2	2	2	8	4	64	52	2	-
20	NORCO	62	-	-	-	8	2	2	-	2	-	-	2	-	26	12	-	2
21	PALM SPRINGS	338	-	-	-	62	26	14	4	8	2	-	8	4	172	128	10	-
22	RIVERSIDE	1,042	8	2	8	158	40	34	20	22	4	8	30	12	572	374	4	10
23	BALANCE OF COUNTY	2,542	4	-	16	376	94	94	22	48	22	14	82	24	1,366	948	28	4
24	SACRAMENTO	5,008	12	2	22	900	236	226	74	122	46	46	150	92	2,476	1,776	36	30
25	SACRAMENTO	3,060	8	2	10	524	146	136	30	70	24	26	92	64	1,568	1,132	28	28
26	BALANCE OF COUNTY	1,948	4	-	12	376	90	90	44	52	22	20	58	28	908	644	8	2
27	SAN BENITO	172	-	-	4	22	8	2	-	2	-	6	4	6	78	56	-	2
28	SAN BERNARDINO	5,696	18	-	32	988	246	272	68	100	46	46	210	84	2,868	2,032	76	50
29	BARSTOW	98	-	-	-	14	2	2	2	2	-	-	6	2	50	40	2	2
30	CHINO	116	-	-	4	20	6	2	2	-	2	-	8	2	56	40	-	2
31	COLTON	172	-	-	-	32	6	12	2	2	-	2	8	8	88	54	4	4
32	FONTANA	212	-	-	4	42	10	10	2	4	2	6	8	4	82	66	4	2
33	MONTCLAIR	130	-	-	-	18	4	8	-	-	2	-	4	-	58	42	2	-
34	ONTARIO	488	4	-	2	94	14	34	4	16	2	6	18	8	232	164	4	10
35	REDLANDS	326	-	-	2	58	16	10	2	4	6	4	16	6	172	112	2	-
36	RIALTO	154	-	-	-	34	2	10	4	10	2	2	4	2	74	56	-	2
37	SAN BERNARDINO	1,034	8	-	8	196	50	54	22	16	10	6	38	10	514	354	16	6
38	UPLAND	266	4	-	-	40	16	4	4	4	4	-	8	4	160	98	4	-
39	VICTORVILLE	82	-	-	2	8	-	4	-	2	-	-	2	-	48	30	-	-
40	BALANCE OF COUNTY	2,618	2	-	10	432	120	122	24	40	16	20	90	38	1,334	976	38	22
41	SAN DIEGO	10,806	8	-	64	2,114	514	516	208	244	86	80	466	146	5,234	3,638	102	70
42	CARLSBAD	148	-	-	2	30	4	12	4	-	2	2	6	2	48	36	-	2
43	CHULA VISTA	550	-	-	4	120	30	26	14	12	2	6	30	6	268	194	6	-
44	CORONADO	118	-	-	-	28	10	8	4	2	-	-	4	2	62	50	4	2
45	EL CAJON	486	-	-	2	100	20	32	12	8	4	2	22	6	212	148	4	2
46	ESCONDIDO	382	-	-	-	66	20	12	4	4	12	6	8	6	192	116	2	4
47	IMPERIAL BEACH	116	-	-	-	16	2	6	2	2	-	-	4	2	46	30	2	-
48	LA MESA	344	-	-	2	79	24	10	8	14	2	4	8	4	178	120	10	-
49	NATIONAL CITY	320	2	-	-	56	14	10	4	6	2	4	16	6	178	116	2	4
50	OCEANSIDE	338	-	-	-	86	24	20	-	22	2	-	18	2	158	132	2	-
51	SAN DIEGO	5,498	4	-	34	1,028	260	248	100	120	34	38	228	82	2,730	1,878	50	48
52	VISTA	294	-	-	-	68	14	22	8	12	-	-	12	6	136	102	-	-
53	BALANCE OF COUNTY	2,212	2	-	20	446	92	110	48	42	26	18	110	22	1,026	716	20	8
54	SAN FRANCISCO, COEX. WITH SAN FRANCISCO CITY.	9,058	14	-	42	1,844	536	424	164	220	74	68	358	124	4,292	3,102	58	36
55	SAN JOAQUIN	2,808	4	2	12	446	114	118	50	62	8	12	82	54	1,470	1,066	20	32
56	LODI	310	-	-	-	58	16	10	10	8	-	4	10	4	170	120	2	8
57	MANTECA	98	2	-	-	16	-	4	4	6	-	-	2	-	48	38	-	2
58	STOCKTON	1,208	2	2	8	162	42	54	10	22	6	4	24	20	650	484	2	12
59	TRACY	120	-	-	-	40	12	8	8	4	-	-	8	6	58	38	-	2
60	BALANCE OF COUNTY	1,072	-	-	4	170	44	42	18	22	2	4	38	24	544	386	16	8
61	SAN LUIS OBISPO	1,020	2	-	-	160	26	56	14	20	4	4	36	20	584	398	18	10
62	SAN LUIS OBISPO	232	-	-	-	42	2	16	6	6	2	2	8	14	124	70	4	2
63	BALANCE OF COUNTY	788	2	-	-	118	24	40	8	14	2	2	28	6	460	328	14	8
64	SAN MATEO	4,066	10	-	20	864	224	182	106	104	30	36	182	40	2,024	1,378	36	22
65	BELMONT	150	-	-	-	40	10	4	10	8	-	2	6	-	64	36	2	-
66	BURLINGAME	310	-	-	4	62	18	16	10	2	4	2	10	2	186	122	-	4
67	DALY CITY	444	-	-	2	94	26	14	14	16	-	-	24	8	226	160	4	2
68	MENLO PARK	320	-	-	-	66	20	14	10	8	2	6	6	-	170	110	2	2
69	MILLBRAE	110	-	-	2	30	8	6	2	4	-	2	8	2	52	34	-	2
70	PACIFICA	178	-	-	-	30	6	6	8	2	-	2	6	2	82	60	4	-
71	REDWOOD CITY	492	2	-	2	84	20	22	8	8	2	2	22	6	244	152	6	2
72	SAN BRUNO	212	-	-	2	38	12	4	6	4	2	2	8	2	100	68	-	-
73	SAN CARLOS	236	-	-	-	66	18	12	10	8	2	2	14	6	112	84	4	-
74	SAN MATEO	622	-	-	2	134	32	34	10	20	8	4	26	8	318	226	10	2
75	SOUTH SAN FRANCISCO	292	2	-	-	66	16	20	8	-	4	2	16	4	148	108	4	2
76	BALANCE OF COUNTY	700	6	-	6	154	38	30	10	24	6	10	36	-	322	218	-	6

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
170	-	-	56	4	-	22	14	4	14	2	-	2	2	-	22	18	14	8	8	-	01
26	-	-	12	-	-	6	2	-	-	2	-	2	2	2	-	2	2	-	-	-	02
70	2	-	24	-	2	8	4	-	-	-	-	2	4	-	12	4	4	6	-	-	03
368	18	4	112	14	20	44	8	8	26	8	-	22	48	4	66	48	34	28	28	-	04
192	4	-	52	10	14	16	12	2	2	-	-	-	2	-	38	8	4	10	-	-	05
46	-	-	4	-	4	2	4	-	4	-	2	-	2	-	12	8	2	2	-	2	06
48	-	-	18	-	-	-	2	-	2	2	-	-	4	-	6	10	2	4	2	-	07
88	2	-	26	-	2	4	6	2	6	2	-	2	8	-	8	14	20	16	4	-	08
18	-	-	8	-	-	6	2	-	-	-	-	2	2	-	4	-	2	2	-	-	09
488	30	6	184	12	22	32	22	10	26	4	-	8	14	-	116	54	48	46	6	-	10
280	4	4	84	6	14	36	10	2	10	-	-	10	10	-	68	34	28	14	-	-	11
94	-	-	10	6	6	6	2	-	6	-	-	4	4	-	20	6	2	4	-	-	12
186	4	4	74	-	8	30	8	2	4	-	-	6	6	-	48	28	26	10	-	-	13
46	4	-	20	-	2	2	2	-	2	-	-	-	4	-	10	12	12	2	-	-	14
1,652	64	12	598	92	102	180	116	16	92	20	-	42	58	28	378	202	146	114	28	-	15
76	2	-	12	-	4	6	8	2	4	-	-	-	-	-	16	4	-	4	2	-	16
64	-	-	10	4	6	10	6	-	-	-	-	4	6	-	8	4	8	4	2	-	17
116	4	2	66	4	10	14	4	-	4	2	-	-	2	-	38	12	4	2	2	-	18
50	-	-	12	-	-	14	2	2	6	2	-	4	4	2	18	10	8	-	-	-	19
10	-	-	14	-	-	4	-	-	4	-	-	2	2	-	10	2	2	-	2	-	20
114	4	2	32	4	6	10	18	-	8	-	-	2	-	-	22	10	10	16	4	-	21
346	14	-	158	30	10	30	20	4	16	6	-	10	16	10	78	36	36	16	4	-	22
876	40	8	294	50	66	92	58	8	50	10	-	20	28	16	188	124	78	72	12	-	23
1,636	74	22	554	52	72	142	80	16	160	20	4	34	90	42	358	168	176	122	84	8	24
1,026	50	16	354	28	38	94	46	8	108	14	4	16	44	34	202	84	94	66	64	6	25
610	24	6	200	24	34	48	34	8	52	6	-	18	46	8	156	84	82	56	20	2	26
54	-	-	20	2	-	16	4	2	2	-	-	-	4	2	14	8	8	2	-	-	27
1,816	90	16	638	78	104	174	120	20	134	22	2	46	112	30	438	230	198	118	38	24	28
32	4	-	8	-	2	-	4	2	-	-	-	-	-	2	8	4	6	4	2	-	29
38	-	-	16	-	-	2	2	-	10	-	-	-	6	2	4	6	-	2	-	-	30
46	-	-	30	-	4	8	4	-	6	-	-	2	8	-	14	2	-	-	-	-	31
58	2	-	12	2	2	14	2	2	4	2	-	-	2	-	12	18	12	4	4	4	32
40	-	-	14	2	-	10	4	-	2	2	-	2	2	2	8	8	2	10	-	2	33
148	2	-	60	4	4	4	6	2	14	2	-	14	12	2	42	20	16	8	4	2	34
104	6	4	42	10	4	20	12	-	4	-	-	2	10	-	18	6	10	4	2	-	35
46	8	-	18	-	-	8	2	-	-	-	-	2	4	2	14	6	4	2	-	-	36
312	20	6	108	14	32	34	16	6	24	4	2	8	18	6	92	22	34	16	10	6	37
94	-	-	60	-	2	4	6	-	4	2	-	-	2	2	16	8	8	2	2	2	38
30	-	-	14	-	4	6	-	-	6	-	-	-	2	-	4	2	4	-	-	-	39
868	48	6	256	46	50	64	62	8	60	10	-	16	46	12	206	128	102	66	14	8	40
3,348	118	20	1,232	148	196	354	210	44	246	42	-	116	178	90	884	346	386	242	76	26	41
32	2	-	8	2	2	8	2	-	6	-	-	2	-	-	26	10	8	4	-	-	42
182	6	-	60	2	12	8	10	2	12	4	-	2	6	4	48	14	28	12	-	2	43
44	-	-	8	4	-	4	-	-	4	-	-	2	-	-	8	6	-	2	-	-	44
138	4	-	50	10	4	24	8	4	16	4	-	8	10	2	48	8	20	12	2	-	45
102	8	-	56	6	14	10	6	2	10	2	-	2	4	-	50	16	6	8	2	-	46
26	2	-	12	2	2	2	6	-	4	-	-	2	6	2	10	8	4	4	-	4	47
108	2	2	48	4	4	12	10	2	4	2	-	2	2	2	30	4	10	4	2	4	48
104	6	2	52	2	6	10	6	-	12	4	-	8	8	-	16	4	4	2	4	-	49
128	2	-	24	-	2	14	2	2	8	-	-	4	8	2	20	10	14	6	2	-	50
1,730	50	12	666	98	76	172	102	20	132	24	-	62	86	52	440	164	182	134	40	10	51
96	6	2	26	4	2	8	2	2	8	-	-	8	8	-	20	6	14	6	2	-	52
658	30	2	222	14	72	82	56	10	30	2	-	14	40	26	168	96	96	48	22	6	53
2,888	120	18	952	98	122	266	170	50	482	36	-	42	62	18	770	138	358	232	94	24	54
968	46	18	286	54	46	66	56	18	56	10	2	22	26	26	230	106	122	44	36	-	55
94	16	-	38	8	4	8	8	2	6	-	-	4	-	2	28	4	12	4	-	-	56
34	2	-	8	2	-	6	-	2	-	-	-	2	4	2	4	6	4	2	-	-	57
452	18	10	118	14	24	32	26	6	36	6	-	6	12	8	106	44	46	12	24	-	58
34	2	2	10	4	4	2	2	-	-	-	-	-	-	-	6	-	2	4	-	-	59
354	8	6	112	26	14	18	20	8	14	4	2	10	10	14	86	52	58	22	12	-	60
354	16	4	128	28	26	20	30	6	16	2	-	4	8	-	76	40	32	8	12	-	61
62	2	-	38	14	2	4	4	-	-	-	-	2	4	-	20	4	6	2	6	-	62
292	14	4	90	14	24	16	26	6	16	2	-	2	4	-	56	36	26	6	6	-	63
1,268	52	10	534	42	60	106	54	18	104	10	-	40	32	12	336	110	126	120	24	16	64
34	-	-	22	4	2	-	-	-	6	-	-	-	-	-	16	6	6	8	2	2	65
116	2	2	48	4	10	6	4	-	6	-	-	-	2	2	16	4	8	6	-	2	66
144	10	-	58	2	6	10	6	-	10	-	-	2	6	-	36	16	16	10	-	2	67
102	4	-	52	6	2	6	2	2	2	-	-	4	-	4	40	-	8	14	2	-	68
32	-	-	18	-	-	-	-	-	4	2	-	-	-	-	14	4	-	-	-	-	69
54	2	-	20	-	2	4	4	2	6	2	-	10	-	-	20	6	2	6	2	-	70
140	4	2	80	4	6	22	10	2	8	4	-	4	8	-	40	16	26	10	2	2	71
66	2	-	26	2	4	8	2	6	6	-	-	4	4	4	14	6	4	12	-	-	72
74	6	-	24	-	4	2	-	4	6	2	-	-	-	-	12	4	6	14	-	2	73
206	8	6	68	4	14	18	12	2	10	-	-	6	-	2	56	22	14	14	4	-	74
94	8	-	34	6	-	6	8	-	8	-	-	6	2	-	22	10	2	2	6	-	75
206	6	-	84	10	10	24	6	-	32	-	-	4	10	-	50	16	34	24	6	6	76

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	CALIFORNIA--CON.																	
	SAN MATEO--CON.																	
01	SANTA BARBARA	1,994	-	-	10	400	124	88	40	50	20	8	70	40	1,056	760	10	2
02	LOMPOC	108	-	-	-	14	8	6	-	-	-	-	-	8	50	36	-	-
03	SANTA BARBARA	1,010	-	-	4	214	76	36	26	32	8	6	30	14	562	410	6	-
04	SANTA MARIA	226	-	-	2	52	14	12	4	-	6	2	14	6	118	82	2	2
05	BALANCE OF COUNTY	650	-	-	4	120	26	34	10	18	6	-	26	12	326	232	2	-
06	SANTA CLARA	6,476	6	-	30	1,282	326	318	114	148	48	38	290	102	3,032	2,146	66	18
07	CAMPBELL	232	-	-	-	52	8	14	6	6	2	4	12	6	86	58	-	-
08	CUPERTINO	144	-	-	2	32	8	8	4	4	2	2	4	-	66	54	-	-
09	GILROY	94	-	-	-	10	6	2	-	-	-	-	2	4	46	24	-	-
10	LOS ALTOS	282	-	-	-	64	16	10	6	12	10	-	10	4	152	112	2	-
11	LOS GATOS	252	-	-	-	58	14	14	10	8	4	4	4	2	126	80	2	-
12	MILPITAS	108	-	-	2	14	2	6	2	-	-	-	4	2	40	30	-	2
13	MOUNTAIN VIEW	336	-	-	-	64	12	14	4	6	2	4	22	10	150	108	6	-
14	PALO ALTO	458	-	-	4	94	22	16	10	14	2	4	26	2	234	154	8	-
15	SAN JOSE	3,014	2	-	14	564	150	128	42	70	14	14	146	52	1,406	1,020	30	12
16	SANTA CLARA	432	2	-	2	72	24	28	8	4	2	-	6	8	228	162	8	2
17	SARATOGA	190	-	-	-	34	12	10	4	2	2	-	4	-	96	60	-	-
18	SUNNYVALE	450	2	-	2	124	32	42	8	10	-	4	28	2	212	156	6	-
19	BALANCE OF COUNTY	484	-	-	4	100	20	26	10	12	8	2	22	10	190	128	4	2
20	SANTA CRUZ	1,594	2	2	2	296	76	66	22	30	26	8	68	22	866	604	12	4
21	SANTA CRUZ	578	2	-	-	90	26	18	4	10	12	-	20	12	316	218	2	2
22	WATSONVILLE	198	-	-	-	48	8	12	8	4	2	4	10	6	102	72	-	-
23	BALANCE OF COUNTY	818	-	2	2	158	42	36	10	16	12	4	38	4	448	314	10	2
24	SHASTA	762	-	2	6	140	42	32	8	18	4	14	22	10	368	288	4	4
25	REDDING	234	-	-	-	46	10	12	-	12	-	4	8	4	118	88	-	2
26	BALANCE OF COUNTY	528	-	2	6	94	32	20	8	6	4	10	14	6	250	200	4	2
27	SIERRA	22	-	-	-	6	-	6	-	-	-	-	-	-	6	6	-	-
28	SISKIYOU	374	-	-	2	62	20	22	2	4	6	2	6	4	198	138	4	-
29	SOLANO	1,284	4	-	4	220	64	66	26	16	4	4	40	14	598	422	16	6
30	FAIRFIELD	220	2	-	-	42	10	18	2	-	-	2	10	2	94	72	-	-
31	VACAVILLE	112	-	-	-	18	10	4	2	-	-	-	2	-	48	34	-	-
32	VALLEJO	670	2	-	4	112	30	30	14	14	4	-	20	8	348	246	12	4
33	BALANCE OF COUNTY	282	-	-	-	48	14	14	8	2	-	2	8	4	108	70	4	2
34	SONOMA	2,412	4	-	12	444	112	102	50	52	22	18	88	22	1,232	868	30	12
35	PETALUMA	298	2	-	4	74	18	16	10	16	4	-	10	4	144	106	2	2
36	SANTA ROSA	856	-	-	-	156	32	36	18	16	12	8	34	6	440	302	12	6
37	BALANCE OF COUNTY	1,258	2	-	8	214	62	50	22	20	6	10	44	12	648	460	16	4
38	STANISLAUS	1,814	10	-	6	294	80	66	22	46	14	12	54	18	932	692	20	10
39	MODESTO	664	2	-	2	114	26	32	10	16	4	6	20	2	320	226	8	6
40	TURLOCK	184	2	-	-	24	10	-	2	10	-	-	2	4	108	92	-	-
41	BALANCE OF COUNTY	966	6	-	4	156	44	34	10	20	10	6	32	12	504	374	12	4
42	SUTTER	380	-	-	-	42	20	6	6	8	2	4	16	8	176	142	4	4
43	YUBA CITY	142	-	-	-	12	4	2	2	-	-	2	2	4	74	54	-	4
44	BALANCE OF COUNTY	238	-	-	-	50	16	4	4	8	2	2	14	4	102	88	4	-
45	TEHAMA	320	-	-	-	54	12	16	-	6	2	2	16	2	162	118	-	4
46	TRINITY	82	-	-	-	16	2	8	-	2	-	-	4	-	38	28	-	-
47	TULARE	1,826	-	-	10	324	84	74	24	40	20	22	60	44	882	614	14	28
48	PORTERVILLE	178	-	-	2	30	4	8	2	6	4	-	6	4	80	60	2	2
49	TULARE	200	-	-	2	44	14	6	2	12	6	2	2	6	94	56	-	4
50	VISALIA	346	-	-	2	68	20	8	10	10	4	-	16	4	174	104	2	2
51	BALANCE OF COUNTY	1,102	-	-	4	182	46	52	10	12	6	20	36	30	534	394	10	20
52	TUOLUMNE	252	-	-	-	40	8	6	-	8	8	-	10	8	122	78	-	-
53	VENTURA	2,528	6	-	26	416	86	94	46	68	18	26	78	34	1,266	890	32	18
54	CAMARILLO	120	-	-	2	18	4	4	-	4	-	2	4	2	56	38	-	-
55	OXNARD	504	2	-	8	70	14	14	10	16	4	6	6	10	252	182	12	6
56	PORT HUENEME	136	-	-	-	16	4	6	2	2	-	-	2	2	64	46	-	2
57	SANTA PAULA	156	-	-	-	20	4	4	2	4	-	2	4	4	88	52	-	-
58	SIMI VALLEY	216	-	-	4	34	6	12	6	2	-	2	6	2	102	74	-	4
59	THOUSAND OAKS	164	-	-	2	42	4	6	8	12	-	6	6	-	70	52	2	-
60	VENTURA	542	-	-	6	74	22	8	6	10	8	4	16	12	296	214	12	4
61	BALANCE OF COUNTY	690	4	-	4	142	28	40	12	18	6	4	34	2	338	232	6	2
62	YOLO	634	2	-	8	116	32	24	4	14	6	4	32	2	338	244	8	-
63	DAVIS	90	-	-	-	16	2	4	-	6	-	-	4	-	52	32	-	-
64	WOODLAND	186	2	-	6	32	14	4	2	-	2	-	10	-	92	72	2	-
65	BALANCE OF COUNTY	358	-	-	2	68	16	16	2	8	4	4	18	2	194	140	6	-
66	YUBA	366	2	-	4	56	20	16	6	2	2	-	10	6	164	118	4	2
67	**COLORADO**	17,824	26	4	130	2,768	764	534	276	382	130	148	534	244	8,672	6,308	202	90
68	URBAN PLACES	11,876	18	2	88	1,834	524	344	186	262	82	84	352	158	5,804	4,210	138	58
69	BALANCE OF AREA	5,948	8	2	42	934	240	190	90	120	48	64	182	86	2,868	2,098	64	32
70	METROPOLITAN COUNTIES	11,992	20	2	86	1,896	528	354	204	262	88	96	364	166	5,728	4,172	132	56
71	URBAN PLACES	10,480	16	2	74	1,626	456	314	164	234	76	76	306	148	5,058	3,680	126	50
72	BALANCE OF AREA	1,512	4	-	12	270	72	40	40	28	12	20	58	18	670	492	6	6

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
730	18	-	220	34	42	54	32	6	40	6	-	14	34	6	138	52	64	38	2	2	01
36	-	-	14	-	-	4	-	-	8	-	-	8	-	-	6	8	2	-	-	-	02
400	4	-	108	22	22	28	16	4	10	2	-	-	12	-	72	16	34	18	2	2	03
76	2	-	26	4	6	2	4	-	4	-	-	6	4	-	8	2	10	8	-	-	04
218	12	-	72	8	14	20	12	2	18	4	-	-	18	6	52	26	18	12	-	-	05
1,962	100	8	686	100	92	222	122	40	148	18	-	76	130	34	532	228	224	174	56	20	06
58	-	-	24	-	4	6	10	4	4	-	-	-	2	4	22	14	10	10	2	-	07
50	4	-	8	-	4	4	-	-	4	-	-	-	2	-	10	6	10	8	-	-	08
22	2	2	18	-	2	6	6	-	4	-	-	-	2	-	2	6	6	-	2	-	09
104	6	-	26	8	6	8	4	4	8	-	-	2	-	-	18	-	4	14	-	-	10
76	2	-	40	2	4	14	6	-	4	-	-	6	4	-	18	2	-	12	-	-	11
26	2	-	8	-	2	2	4	-	-	-	-	4	4	4	10	12	8	2	-	-	12
92	10	-	30	8	4	14	6	2	2	2	-	2	6	-	38	10	18	12	-	-	13
140	6	-	72	6	2	10	10	2	2	-	-	6	2	2	40	10	22	12	2	4	14
948	30	4	282	52	48	110	50	20	88	8	-	40	84	16	250	96	106	58	40	10	15
138	14	2	52	6	6	16	6	-	8	6	-	2	6	-	26	16	18	8	4	4	16
58	2	-	30	2	4	10	4	-	2	-	-	2	-	-	26	6	-	10	-	-	17
138	12	-	46	8	2	8	8	6	6	-	-	2	6	-	30	16	10	12	2	2	18
112	10	-	50	8	4	14	8	2	16	2	-	10	12	8	42	34	12	16	4	-	19
562	26	4	204	26	28	58	32	8	18	-	-	8	12	4	120	34	56	48	6	-	20
208	6	2	70	12	14	24	14	-	10	-	-	2	4	-	54	6	22	22	-	-	21
68	4	-	26	-	4	4	2	4	2	-	-	2	-	-	12	2	6	8	-	-	22
286	16	2	108	14	10	30	16	4	6	-	-	4	8	4	54	26	28	18	6	-	23
262	18	2	48	14	16	16	18	6	14	4	-	2	12	4	66	38	32	16	6	2	24
82	4	-	20	4	6	8	2	-	8	-	-	2	6	-	18	6	6	6	2	2	25
180	14	2	28	10	10	8	16	6	6	4	-	-	6	4	48	32	26	10	4	-	26
6	-	-	-	-	-	-	2	-	4	-	-	-	-	-	2	2	-	-	-	-	27
126	8	-	46	6	8	14	6	2	4	-	-	2	10	-	36	12	10	10	-	2	28
388	12	-	138	20	18	54	30	2	28	4	2	16	40	12	94	52	74	14	22	-	29
70	2	-	22	-	-	8	4	-	6	-	-	2	10	-	18	16	12	2	2	-	30
34	-	-	10	2	2	6	4	-	-	2	-	-	4	2	10	6	10	2	-	-	31
224	6	-	76	14	12	28	18	-	12	2	-	4	18	4	46	16	30	6	12	-	32
60	4	-	30	4	4	12	4	2	10	-	2	10	8	6	20	14	22	4	8	-	33
772	54	10	286	40	28	116	30	12	48	10	-	12	24	2	206	114	62	46	16	-	34
88	14	-	30	6	2	10	4	-	10	6	-	2	8	-	14	10	4	2	-	-	35
268	16	4	108	12	14	34	8	6	18	-	-	2	4	-	98	26	32	20	6	-	36
416	24	6	148	22	12	72	18	6	20	4	-	8	12	2	94	78	26	24	10	-	37
648	14	-	176	36	28	78	32	10	28	2	2	20	20	2	146	104	66	26	18	-	38
212	-	-	70	16	8	38	8	2	6	-	-	10	10	2	64	36	26	12	10	-	39
88	4	-	8	6	2	6	2	4	2	-	-	2	2	-	6	10	8	4	-	-	40
348	10	-	98	14	18	34	22	4	20	2	2	8	8	-	76	58	32	10	8	-	41
128	6	-	28	2	4	10	12	-	8	4	-	6	8	-	30	22	14	16	4	-	42
46	4	-	18	-	2	2	4	-	-	2	-	2	8	-	16	6	6	6	-	-	43
82	2	-	10	2	2	8	8	-	8	2	-	4	-	-	14	16	8	10	4	-	44
104	10	-	26	4	14	14	12	2	4	2	-	-	-	2	22	24	12	8	-	-	45
22	6	2	6	-	2	-	-	2	4	-	-	-	-	-	2	10	6	4	-	-	46
556	16	4	206	38	20	62	32	14	30	4	-	20	28	-	154	92	94	22	14	-	47
56	-	-	18	2	-	16	2	2	2	-	-	6	2	-	12	6	12	2	-	-	48
50	2	-	30	8	-	6	6	2	4	2	-	-	2	-	16	10	4	2	-	-	49
100	-	2	62	4	2	4	8	2	10	-	-	4	4	-	30	10	16	8	2	-	50
350	14	2	96	24	18	36	16	8	14	2	-	10	20	-	96	66	62	10	12	-	51
78	-	-	26	6	12	8	2	-	14	-	-	-	2	2	28	14	8	4	-	-	52
806	34	6	268	60	42	56	48	10	60	18	2	28	48	10	164	138	104	64	26	4	53
36	2	-	12	-	6	2	4	2	4	2	-	4	2	-	6	6	6	4	-	-	54
158	6	2	54	6	8	8	6	-	14	2	2	8	16	4	36	20	24	16	4	2	55
44	-	-	16	-	2	2	2	4	4	-	-	-	4	-	12	8	10	4	2	2	56
48	4	-	32	4	-	6	2	-	6	-	-	2	6	-	12	4	4	2	-	-	57
66	4	2	20	4	2	8	2	-	2	2	-	2	6	4	16	20	6	4	2	-	58
50	-	-	14	4	-	6	-	-	8	2	-	-	4	-	12	14	4	-	-	-	59
188	10	-	69	16	6	10	14	2	14	4	-	2	6	-	34	18	24	20	6	-	60
216	8	2	60	26	18	14	18	2	8	6	-	10	4	2	36	48	26	14	12	-	61
232	4	-	84	2	8	20	14	2	14	-	-	-	8	-	42	28	28	8	4	-	62
30	2	-	16	2	2	2	2	-	-	-	-	-	-	-	8	6	-	2	2	-	63
70	-	-	20	-	-	8	4	-	-	-	-	-	2	-	16	12	8	4	-	-	64
132	2	-	48	-	6	10	8	2	14	-	-	-	6	-	18	10	20	2	2	-	65
100	12	-	36	2	8	4	4	2	14	4	-	6	8	2	40	24	20	2	4	-	66
5,604	412	64	1,640	396	264	698	470	80	312	66	2	164	374	202	1,574	712	678	426	178	44	67
3,758	256	44	1,104	268	178	492	310	50	222	34	2	116	236	162	1,096	382	406	284	140	40	68
1,846	156	20	536	128	86	206	160	30	90	32	-	48	138	40	478	330	272	142	38	4	69
3,728	256	46	1,052	272	186	466	308	50	226	40	2	132	262	172	1,060	448	450	304	132	42	70
3,286	218	40	940	238	160	422	274	46	202	26	2	110	222	160	956	330	374	266	126	40	71
442	38	6	112	34	26	44	34	4	24	14	-	22	40	12	104	118	76	38	6	2	72

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	COLORADO--CON.																	
01	NONMETROPOLITAN COUNTIES	5,832	6	2	44	872	236	180	72	120	42	52	170	78	2,944	2,136	70	34
02	URBAN PLACES	1,396	2	-	14	208	68	30	22	28	6	8	46	10	746	530	12	8
03	BALANCE OF AREA	4,436	4	2	30	664	168	150	50	92	36	44	124	68	2,198	1,606	58	26
04	ADAMS	992	2	-	2	134	36	18	10	26	4	8	32	16	450	326	6	2
05	ARVADA, PART	14	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-
06	AURORA, PART	150	-	-	-	24	6	-	-	6	2	2	8	4	78	48	4	-
07	COMMERCE CITY	118	-	-	-	10	4	2	-	2	-	2	-	2	56	44	-	-
08	NORTH GLENN	84	-	-	-	8	-	-	2	-	-	-	6	-	36	22	-	-
09	THORNTON	96	-	-	-	14	4	2	-	2	2	-	4	2	30	26	-	-
10	WESTMINSTER	142	-	-	-	20	2	8	-	4	-	2	4	-	70	54	-	2
11	BALANCE OF COUNTY	388	2	-	2	58	20	6	8	12	-	2	10	8	176	130	2	-
12	ALAMOSA	88	-	-	-	10	4	4	-	2	-	-	-	-	40	36	-	2
13	ARAPAHOE	920	-	-	10	146	34	32	18	20	8	6	28	8	484	352	16	10
14	AURORA, PART	212	-	-	4	36	2	8	8	2	2	-	14	2	104	64	6	4
15	AURORA, TOTAL	362	-	-	4	60	8	8	8	8	4	2	22	6	182	112	10	4
16	ENGLEWOOD	324	-	-	4	38	16	10	-	6	2	-	4	4	188	140	8	2
17	LITTLETON	238	-	-	-	48	10	12	4	10	-	2	10	2	114	94	2	4
18	BALANCE OF COUNTY	146	-	-	2	24	6	2	6	2	4	4	-	-	78	54	-	-
19	ARCHULETA	28	2	-	-	2	2	-	-	-	-	-	-	2	6	4	-	-
20	BACA	66	-	-	-	12	2	2	-	4	-	-	4	-	28	22	-	-
21	BENT	48	-	-	-	6	-	4	-	-	-	2	-	-	26	22	-	-
22	BOULDER	784	2	-	4	104	38	12	10	6	2	12	24	8	380	274	6	-
23	BOULDER	354	-	-	-	36	14	6	4	2	-	4	6	2	170	126	2	-
24	LONGMONT	252	2	-	-	28	10	2	-	2	-	4	10	2	146	98	2	-
25	BALANCE OF COUNTY	178	-	-	4	40	14	4	6	2	2	4	8	4	64	50	2	-
26	CHAFFEE	80	-	-	2	12	4	4	2	-	-	-	2	-	30	24	-	-
27	CHEYENNE	22	-	-	-	2	2	-	-	-	-	-	-	-	6	6	-	-
28	CLEAR CREEK	48	-	-	-	2	-	2	-	-	-	-	-	-	26	22	2	-
29	CONEJOS	74	-	-	-	8	4	2	-	2	-	-	-	6	30	24	-	-
30	COSTILLA	30	-	-	-	2	-	-	-	-	-	-	2	-	10	6	-	-
31	CROWLEY	50	-	-	-	8	2	2	-	2	-	2	-	2	24	22	4	-
32	CUSTER	6	-	-	-	2	-	2	-	-	-	-	-	-	4	4	-	-
33	DELTA	240	-	-	2	36	14	4	-	6	6	2	4	6	142	108	2	-
34	DENVER, COEX. WITH																	
34	DENVER CITY	5,186	6	2	42	834	230	166	88	132	34	32	152	60	2,496	1,834	64	26
35	DOLORES	14	-	-	-	-	-	-	-	-	-	-	-	-	12	12	-	-
36	DOUGLAS	54	-	-	-	8	4	2	2	-	-	-	-	-	22	14	2	-
37	EAGLE	44	-	-	-	4	2	-	-	-	2	-	-	-	16	10	2	-
38	ELBERT	46	-	-	-	12	2	2	-	-	2	4	2	-	20	16	-	-
39	EL PASO	1,616	4	-	10	252	78	24	34	34	6	22	54	18	754	508	14	10
40	COLORADO SPRINGS	1,254	2	-	10	184	62	16	22	32	4	14	34	16	600	396	14	4
41	BALANCE OF COUNTY	362	2	-	-	68	16	8	12	2	2	8	20	2	154	112	-	6
42	FREMONT	312	-	-	-	42	10	14	4	6	-	2	6	4	174	112	-	-
43	GARFIELD	150	-	-	4	22	4	4	-	4	-	4	6	4	64	48	6	2
44	GILPIN	12	-	-	-	-	-	-	-	-	-	-	-	-	8	4	-	-
45	GRAND	36	-	-	-	-	-	-	-	-	-	-	-	-	20	8	-	-
46	GUNNISON	38	-	-	-	8	2	2	-	2	-	-	2	-	14	14	-	-
47	HINSDALE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
48	HUERFANO	78	-	-	-	10	6	2	-	2	-	-	-	-	50	42	2	4
49	JACKSON	20	-	-	-	2	-	-	-	-	-	2	-	-	4	4	-	-
50	JEFFERSON	1,378	-	-	12	260	50	72	30	24	16	14	54	18	628	482	12	-
51	ARVADA, PART	210	-	-	-	42	6	14	4	2	4	2	10	2	72	56	2	-
52	ARVADA, TOTAL	224	-	-	-	42	6	14	4	2	4	2	10	2	76	58	2	-
53	LAKEWOOD	620	-	-	6	106	20	32	18	10	2	6	18	10	298	226	2	-
54	WHEAT RIDGE	210	-	-	2	44	10	8	2	6	6	4	8	4	108	90	6	-
55	BALANCE OF COUNTY	338	-	-	4	68	14	18	6	6	4	2	18	2	150	110	2	-
56	KIOWA	16	-	-	-	-	-	-	-	-	-	-	-	-	8	6	-	-
57	KIT CARSON	58	-	-	-	12	-	4	-	2	-	4	2	2	32	24	-	-
58	LAKE	44	-	-	-	10	-	4	4	2	-	-	-	2	-	-	-	-
59	LA PLATA	170	-	-	-	24	8	4	2	2	-	-	8	2	76	46	-	2
60	DURANGO	104	-	-	-	14	6	2	2	2	-	-	2	2	48	26	-	2
61	BALANCE OF COUNTY	66	-	-	-	10	2	2	-	-	-	-	6	-	28	20	-	-
62	LARIMER	664	4	-	8	116	44	16	18	10	2	2	24	4	348	232	12	4
63	FORT COLLINS	262	2	-	-	54	20	10	8	4	2	-	10	-	148	94	4	2
64	LOVELAND	240	-	-	6	34	12	4	6	2	-	2	8	-	124	88	4	-
65	BALANCE OF COUNTY	162	2	-	2	28	12	2	4	4	-	-	6	4	76	50	4	2
66	LAS ANIMAS	226	-	-	-	30	16	4	-	-	4	-	6	4	142	102	4	-
67	LINCOLN	64	-	-	2	12	2	6	-	2	2	-	-	-	44	32	-	-
68	LOGAN	174	-	-	2	26	10	6	-	2	2	2	4	-	90	72	2	2
69	STERLING	116	-	-	-	16	4	4	-	2	-	2	4	-	62	52	-	-
70	BALANCE OF COUNTY	58	-	-	2	10	6	2	-	-	2	-	-	-	28	20	2	2
71	MESA	568	-	2	4	84	16	18	8	12	2	4	24	8	304	216	6	4
72	GRAND JUNCTION	280	-	-	2	40	14	2	2	4	-	2	16	2	156	108	2	-
73	BALANCE OF COUNTY	288	-	2	2	44	2	16	6	8	2	2	8	6	148	108	4	4
74	MINERAL	12	-	-	-	4	-	-	-	2	-	-	2	-	2	-	-	-
75	MOFFAT	70	-	-	-	14	4	4	-	-	2	-	4	-	38	22	-	-
76	MONTEZUMA	116	-	-	2	22	8	4	-	4	-	2	4	2	42	22	2	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,876	156	18	588	124	78	232	162	30	86	26	-	32	112	30	514	264	228	122	46	2	01
472	38	4	164	30	18	70	36	4	20	8	-	6	14	2	140	52	32	18	14	-	02
1,404	118	14	424	94	60	162	126	26	66	18	-	26	98	28	374	212	196	104	32	2	03
292	26	2	86	16	20	30	24	4	16	6	-	16	32	22	98	60	44	20	12	4	04
2	-	-	2	-	-	2	-	-	-	-	-	2	-	2	4	-	-	-	-	-	05
40	4	-	22	4	4	-	2	-	2	-	-	2	4	8	12	4	2	6	-	2	06
38	6	-	8	2	2	6	2	-	-	-	-	2	4	2	24	8	2	-	-	-	07
20	2	-	12	-	2	2	2	-	-	-	-	2	2	-	6	8	14	2	-	2	08
24	2	-	2	-	2	2	2	-	4	-	-	-	2	-	14	8	8	2	8	-	09
50	2	-	10	2	4	6	8	-	6	-	-	4	2	4	10	4	4	2	2	-	10
118	10	2	30	8	6	12	8	4	4	6	-	4	18	6	28	28	14	8	2	-	11
32	2	-	4	-	-	6	2	-	6	-	-	-	2	-	10	6	4	2	-	-	12
304	22	6	86	22	18	26	18	-	6	4	-	10	36	8	74	30	24	28	4	4	13
52	2	4	24	10	2	4	2	-	-	2	-	-	16	-	16	8	10	4	2	2	14
92	6	4	46	14	6	4	4	-	2	2	-	2	20	8	28	12	12	10	2	4	15
124	6	-	40	2	6	10	6	-	4	2	-	6	6	6	34	6	2	6	2	-	16
78	10	2	10	4	4	10	8	-	-	-	-	2	14	2	16	8	6	8	-	-	17
50	4	-	12	6	6	2	2	-	2	-	-	2	-	-	8	8	6	10	-	2	18
4	-	-	2	-	-	4	2	-	-	-	-	-	4	-	4	-	2	-	-	-	19
18	4	-	2	4	-	4	2	-	2	-	-	-	-	-	6	2	8	2	-	-	20
22	-	-	4	-	-	4	-	-	-	-	-	-	-	-	8	2	2	-	-	-	21
258	10	4	70	20	12	28	16	8	10	4	-	14	16	8	60	50	30	34	6	2	22
120	4	-	34	4	6	14	6	6	2	-	-	6	12	6	36	20	14	18	6	-	23
94	2	4	26	14	4	6	6	2	4	-	-	8	4	2	10	10	10	10	-	2	24
44	4	-	10	2	2	8	4	-	4	4	-	-	-	-	14	20	6	6	-	-	25
24	-	-	6	-	-	2	6	-	-	-	-	-	-	-	14	6	4	4	-	-	26
6	-	-	-	-	-	-	2	-	4	-	-	-	4	-	2	-	-	-	2	-	27
20	-	-	4	-	-	2	2	2	-	-	-	-	2	-	-	4	6	-	2	-	28
22	2	-	4	-	2	4	-	-	4	-	-	-	-	-	10	6	4	-	2	-	29
6	-	-	-	2	2	6	-	-	-	-	-	-	-	2	8	2	-	-	-	-	30
18	-	-	2	-	-	4	2	-	-	-	-	-	-	-	2	2	2	4	-	-	31
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
100	6	-	30	2	2	6	8	2	4	-	-	-	-	-	10	8	12	-	2	2	33
1,638	106	24	432	132	74	228	130	18	124	20	2	36	76	112	452	140	192	112	80	24	34
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	35
10	2	-	6	2	-	2	-	-	2	-	-	-	4	-	6	2	8	-	-	-	36
6	2	-	6	-	-	-	-	-	4	-	-	-	4	-	2	6	6	2	-	-	37
16	-	-	4	-	-	2	-	-	-	-	-	-	2	2	-	2	2	4	-	-	38
442	42	2	182	32	30	74	44	4	22	2	-	28	46	12	152	66	72	34	20	2	39
340	38	2	154	26	22	66	32	4	20	-	-	20	32	8	128	36	48	26	20	2	40
102	4	-	28	6	8	8	12	-	2	2	-	8	14	4	24	30	24	8	-	-	41
108	4	-	36	20	6	16	18	6	-	6	-	-	-	-	24	12	4	4	2	-	42
36	4	2	14	-	-	6	6	-	6	-	-	-	4	-	20	8	4	2	-	-	43
4	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	44
8	-	-	10	2	-	-	-	-	2	-	-	-	4	-	8	-	2	-	-	-	45
14	-	-	-	-	-	-	2	-	-	-	-	-	2	-	6	-	4	2	-	-	46
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
36	-	-	6	2	-	-	2	-	-	-	-	-	-	-	4	6	6	-	-	-	48
4	-	-	-	-	-	-	2	-	-	-	-	-	4	-	2	2	2	2	-	-	49
434	36	4	94	28	20	54	44	6	30	2	-	10	38	8	112	62	50	40	2	2	50
50	4	-	8	2	6	8	6	2	6	2	-	-	16	2	14	16	14	8	-	-	51
52	4	-	10	2	6	10	6	2	6	2	-	2	16	4	18	16	14	8	-	-	52
208	16	2	48	16	6	24	26	4	12	-	-	4	16	2	62	16	12	20	-	2	53
80	4	-	12	2	4	10	4	-	4	-	-	2	-	2	16	6	2	6	-	-	54
96	12	2	26	8	4	12	8	-	8	-	-	4	6	2	20	24	22	6	2	-	55
4	2	-	2	-	-	-	-	-	-	-	-	-	-	2	4	-	2	-	-	-	56
24	-	-	6	-	2	-	-	-	-	-	-	-	2	-	4	2	-	2	2	-	57
-	-	-	-	-	-	2	-	2	-	-	-	4	4	-	8	4	-	8	-	-	58
32	12	4	16	10	-	20	-	-	4	-	-	2	4	-	10	18	4	2	4	-	59
16	8	-	16	6	-	12	-	-	4	-	-	-	2	-	8	10	2	-	2	-	60
16	4	4	-	4	-	8	-	-	-	-	-	2	2	-	2	8	2	2	2	-	61
202	14	-	90	14	12	18	24	2	6	4	-	8	10	-	50	22	20	12	8	-	62
80	8	-	44	6	4	6	4	-	4	-	-	4	2	-	22	6	4	4	2	-	63
78	6	-	26	6	4	8	12	-	2	4	-	-	2	-	18	14	8	4	4	-	64
44	-	-	20	2	4	4	8	2	-	-	-	4	6	-	10	2	8	4	2	-	65
94	4	-	40	-	-	6	2	2	4	4	-	-	2	4	6	4	10	4	2	-	66
22	10	-	8	-	4	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-	67
64	4	-	14	2	2	8	6	-	4	2	-	2	-	-	18	2	10	4	-	-	68
50	2	-	8	-	2	6	4	-	2	2	-	-	-	-	12	2	8	2	-	-	69
14	2	-	6	2	-	2	2	-	2	-	-	2	-	-	6	-	2	2	-	-	70
192	14	4	64	10	10	18	18	6	10	-	-	2	8	2	56	22	10	10	4	-	71
100	6	2	34	8	4	12	12	2	6	-	-	2	-	-	26	6	4	6	4	-	72
92	8	2	30	2	6	6	6	4	4	-	-	-	8	2	30	16	6	4	-	-	73
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-	74
18	4	2	6	2	6	-	4	-	2	-	-	-	-	-	4	4	2	2	-	-	75
16	4	-	16	-	4	6	2	-	2	-	-	2	-	2	10	12	6	6	-	-	76

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	COLORADO--CON.																	
01	MONTROSE	194	-	-	-	20	6	4	2	-	-	2	6	6	104	70	6	2
02	MORGAN	198	-	-	-	30	8	8	4	4	2	2	2	4	106	84	-	-
03	OTERO	244	-	-	6	26	4	-	2	8	2	-	10	6	146	114	6	2
04	OURAY	18	-	-	-	2	2	-	-	-	-	-	-	-	14	14	-	-
05	PARK	16	-	-	-	2	2	-	-	-	-	-	-	-	8	4	-	-
06	PHILLIPS	68	-	-	-	16	4	2	2	2	-	2	4	-	36	30	-	-
07	PITKIN	22	-	-	-	2	-	-	-	2	-	-	-	-	10	6	-	-
08	PROWERS	126	-	-	-	28	2	8	4	4	2	-	8	-	54	40	-	2
09	PUEBLO	1,116	6	-	6	166	62	30	14	20	18	2	20	38	536	396	14	8
10	PUEBLO	1,016	6	-	6	154	60	28	12	16	18	2	18	36	488	360	14	8
11	BALANCE OF COUNTY	100	-	-	-	12	2	2	2	4	-	-	2	2	48	36	-	-
12	RIO BLANCO	36	-	-	2	2	-	2	-	-	-	-	-	-	12	6	-	-
13	RIO GRANDE	88	-	-	-	12	-	-	2	4	-	-	6	-	42	28	2	2
14	ROUTT	44	-	-	-	4	-	-	-	-	2	-	2	-	24	18	-	-
15	SAGUACHE	30	-	-	-	8	2	2	2	-	2	-	-	-	14	6	-	-
16	SAN JUAN	8	-	-	-	2	-	-	-	-	-	-	2	-	2	2	-	-
17	SAN MIGUEL	14	-	-	-	2	-	-	-	2	-	-	-	-	2	-	-	-
18	SEDGWICK	52	-	-	-	10	2	2	2	-	2	-	2	-	24	16	2	2
19	SUMMIT	8	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-
20	TELLER	22	-	-	-	4	4	-	-	-	-	-	-	-	14	8	2	-
21	WASHINGTON	62	-	-	2	16	2	4	-	-	2	-	8	-	32	20	-	-
22	WELD	720	-	-	8	108	22	20	10	26	4	12	14	12	342	278	6	4
23	GREELEY	394	-	-	6	50	12	8	4	14	4	2	6	6	208	162	2	4
24	BALANCE OF COUNTY	326	-	-	2	58	10	12	6	12	-	10	8	6	134	116	4	-
25	YUMA	94	-	-	-	14	4	6	2	-	-	2	-	2	50	28	-	-
26	**CONNECTICUT**	26,350	54	2	148	5,388	1,680	1,044	548	542	284	202	1,088	514	14,148	9,988	210	98
27	URBAN PLACES	18,554	44	-	110	3,720	1,164	746	352	376	206	132	744	392	10,056	7,084	154	76
28	BALANCE OF AREA	7,796	10	2	38	1,668	516	298	196	166	78	70	344	122	4,092	2,904	56	22
29	METROPOLITAN COUNTIES	20,622	46	2	108	4,274	1,342	852	428	418	222	154	858	438	11,014	7,728	164	58
30	URBAN PLACES	16,950	38	-	92	3,432	1,064	698	320	344	192	116	698	376	9,114	6,412	140	52
31	BALANCE OF AREA	3,672	8	2	16	842	278	154	108	74	30	38	160	62	1,900	1,316	24	6
32	NONMETROPOLITAN COUNTIES	5,728	8	-	40	1,114	338	192	120	124	62	48	230	76	3,134	2,260	46	40
33	URBAN PLACES	1,604	6	-	18	288	100	48	32	32	14	16	46	16	942	672	14	24
34	BALANCE OF AREA	4,124	2	-	22	826	238	144	88	92	48	32	184	60	2,192	1,588	32	16
35	FAIRFIELD	6,666	12	-	30	1,410	468	272	124	156	78	50	262	138	3,466	2,490	48	10
36	BRIDGEPORT	1,720	2	-	12	346	128	76	24	28	20	6	64	42	884	650	14	-
37	DANBURY	434	-	-	-	98	36	26	4	6	6	10	10	10	234	168	6	-
38	DARIEN TOWN#	122	-	-	2	32	10	4	2	8	2	-	6	-	54	32	2	-
39	FAIRFIELD TOWN#	414	-	-	2	84	36	14	2	6	2	-	24	12	236	184	2	-
40	GREENWICH TOWN#	482	4	-	-	94	30	16	8	14	10	-	16	4	272	190	2	-
41	NORWALK	568	-	-	2	124	46	22	4	12	8	4	28	16	314	210	2	-
42	SHELTON	138	-	-	2	24	10	4	4	2	-	-	4	6	78	62	-	2
43	STAMFORD	950	-	-	2	208	54	48	32	24	8	6	36	16	464	364	10	6
44	STRATFORD TOWN#	418	2	-	-	90	34	10	8	8	6	6	18	8	218	136	-	2
45	TRUMBULL TOWN#	236	-	-	2	60	14	6	8	10	6	2	14	4	112	82	2	-
46	WESTPORT TOWN#	178	-	-	-	42	8	8	2	8	-	2	14	2	90	66	-	-
47	BALANCE OF COUNTY	1,006	4	-	6	208	62	38	26	30	10	14	28	18	510	346	8	-
48	HARTFORD	7,022	20	-	48	1,484	460	300	142	142	64	48	328	130	3,610	2,564	52	30
49	BRISTOL	404	-	-	4	74	18	16	18	6	2	-	14	14	216	164	8	2
50	EAST HARTFORD TOWN#	490	-	-	-	102	34	14	8	6	8	2	30	12	178	130	6	-
51	ENFIELD TOWN#	286	2	-	4	78	24	14	10	10	2	-	18	4	130	106	2	2
52	HARTFORD	1,694	8	-	10	262	86	46	24	18	16	6	66	24	860	618	16	8
53	MANCHESTER TOWN#	430	2	-	4	110	54	12	8	10	-	4	22	10	216	138	2	2
54	NEW BRITAIN	800	2	-	6	164	44	50	16	22	6	6	20	20	424	276	2	2
55	NEWINGTON TOWN#	168	-	-	-	58	14	12	4	10	2	4	12	-	80	58	2	2
56	PLAINVILLE TOWN#	130	-	-	2	18	4	6	-	-	-	-	8	-	76	50	-	-
57	SOUTHINGTON TOWN#	218	-	-	2	42	6	14	-	2	4	-	16	6	116	86	2	2
58	WEST HARTFORD TOWN#	786	2	-	6	170	44	32	20	22	10	8	34	16	446	316	6	2
59	WETHERSFIELD TOWN#	278	-	-	2	64	16	12	4	10	4	2	16	10	158	126	2	4
60	WINDSOR LOCKS TOWN#	106	-	-	-	22	8	6	2	-	2	-	4	2	62	46	-	-
61	BALANCE OF COUNTY	1,322	4	-	8	320	108	66	28	26	8	16	68	12	648	450	4	4
62	LITCHFIELD	1,406	-	-	8	272	98	48	34	26	10	10	46	22	772	570	6	16
63	TORRINGTON	326	-	-	2	60	26	10	12	6	-	-	6	4	194	140	2	10
64	BALANCE OF COUNTY	1,080	-	-	6	212	72	38	22	20	10	10	40	18	578	430	4	6
65	MIDDLESEX	1,054	2	-	8	208	60	34	16	24	8	14	52	12	572	408	6	6
66	MIDDLETOWN	346	2	-	4	62	14	16	4	6	4	4	14	-	200	144	2	4
67	BALANCE OF COUNTY	708	-	-	4	146	46	18	12	18	4	10	38	12	372	264	4	2
68	NEW HAVEN	6,934	14	2	30	1,380	414	280	162	120	80	56	268	170	3,938	2,674	64	18
69	ANSONIA	224	-	-	2	44	10	6	8	8	-	-	12	6	138	94	2	2
70	DERBY	142	-	-	2	20	-	10	-	2	-	4	4	8	76	56	2	-
71	EAST HAVEN TOWN#	162	-	-	4	40	12	8	2	2	2	-	14	4	82	56	2	-
72	HAMDEN TOWN#	468	-	-	4	82	24	8	8	12	6	6	18	16	296	192	2	4
73	MERIDEN	500	-	-	-	106	26	40	4	8	6	8	14	18	312	200	4	-
74	MILFORD	392	-	-	-	70	18	18	6	4	6	6	12	8	228	136	2	-
75	NAUGATUCK	228	-	-	-	36	8	8	6	8	2	-	4	-	140	100	-	-
76	NEW HAVEN	1,500	8	-	4	272	88	56	28	26	20	2	52	44	800	514	12	4
77	WALLINGFORD TOWN#	350	-	-	-	66	22	4	16	6	2	4	12	6	204	122	6	-
78	WATERBURY	1,178	2	-	12	212	66	48	14	24	12	12	36	20	694	524	20	4

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-756)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
50	12	-	24	8	2	12	10	-	-	-	-	2	4	-	14	6	10	4	2	-	01
76	8	2	16	4	-	10	4	2	-	2	-	2	4	-	10	10	8	2	4	-	02
106	-	2	22	4	4	6	6	2	4	-	-	-	2	-	20	12	8	-	-	-	03
10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	04
4	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-	-	05
26	4	-	4	-	2	-	-	-	-	-	-	-	-	-	6	6	2	2	-	-	06
4	2	-	2	-	2	-	-	-	-	-	-	2	-	-	2	2	2	2	-	-	07
38	-	-	6	4	4	12	-	2	2	-	-	-	2	4	10	4	6	-	2	-	08
360	14	4	102	22	12	26	32	10	18	2	-	18	18	2	112	40	38	36	8	4	09
328	10	2	96	18	12	24	32	10	14	-	-	14	16	2	102	32	34	36	6	4	10
32	4	2	6	4	-	2	-	-	4	2	-	4	2	-	10	8	4	-	2	-	11
6	-	-	6	-	-	-	-	-	-	2	-	-	-	4	6	-	4	4	-	-	12
18	6	-	8	6	-	-	8	-	4	-	-	2	4	-	10	-	2	2	2	-	13
18	-	-	2	2	2	-	-	-	-	2	-	-	-	2	-	4	6	2	-	-	14
6	-	-	8	-	-	2	2	-	-	-	-	-	-	2	-	2	-	-	-	-	15
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	16
-	-	-	-	2	-	-	-	-	2	-	-	2	-	-	2	2	2	-	-	-	17
12	-	-	8	-	-	2	-	-	-	-	-	-	2	2	4	4	2	2	-	-	18
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	19
4	2	-	4	2	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	20
20	-	-	4	8	-	-	-	-	-	-	-	-	-	-	6	4	-	2	-	-	21
252	16	2	52	4	6	32	14	2	8	4	-	2	26	2	86	36	22	12	4	-	22
148	8	2	36	4	4	26	4	2	2	2	-	-	8	2	54	14	6	2	2	-	23
104	8	-	16	-	2	6	10	-	6	2	-	2	18	-	32	22	16	10	2	-	24
22	6	-	14	6	2	8	2	-	-	-	-	-	2	-	12	-	2	2	-	-	25
9,298	382	108	2,906	738	408	812	352	86	562	90	2	192	378	216	1,872	470	598	306	100	60	26
6,574	280	76	2,056	554	286	578	240	54	410	70	2	130	258	154	1,354	262	406	194	80	40	27
2,724	102	32	850	184	122	234	112	32	152	20	-	62	120	62	518	208	192	112	20	20	28
7,194	312	82	2,248	628	328	634	272	60	456	72	2	156	300	164	1,484	318	470	226	82	44	29
5,966	254	68	1,836	530	268	520	228	46	384	64	2	124	236	132	1,256	236	388	176	70	36	30
1,228	58	14	412	98	60	114	44	14	72	8	-	32	64	32	228	82	82	50	12	8	31
2,104	70	26	658	110	80	178	80	26	106	18	-	36	78	52	388	152	128	80	18	16	32
608	26	8	220	24	18	58	12	8	26	6	-	6	22	22	98	26	18	18	10	4	33
1,496	44	18	438	86	62	120	68	18	80	12	-	30	56	30	290	126	110	62	8	12	34
2,302	130	38	736	94	108	214	82	24	166	16	-	50	102	58	468	126	172	76	36	20	35
606	30	4	184	28	18	64	16	10	48	-	-	14	42	12	130	14	38	18	22	6	36
160	2	4	42	10	10	6	6	2	10	4	-	2	-	4	24	18	14	-	-	2	37
28	2	4	14	2	2	4	-	-	2	-	-	2	-	2	10	8	4	2	-	-	38
174	8	-	38	6	8	10	6	2	10	-	-	-	4	-	34	12	2	-	-	-	39
140	48	4	62	6	10	18	8	-	12	-	-	6	2	2	42	-	12	6	-	-	40
206	2	2	74	10	18	18	10	2	4	-	-	4	10	2	22	12	14	10	-	4	41
58	2	-	12	2	2	6	-	-	2	-	-	4	4	-	4	-	6	2	-	-	42
332	16	2	84	2	12	38	14	2	38	6	-	10	18	6	68	14	22	12	8	4	43
130	4	8	52	16	6	6	2	-	8	-	-	2	2	-	42	12	18	8	-	-	44
80	-	-	28	2	-	8	6	-	-	-	-	-	-	12	18	6	6	2	-	-	45
66	-	2	18	-	4	6	4	-	4	2	-	2	-	4	8	2	6	2	2	2	46
322	16	8	128	10	18	30	10	6	28	4	-	4	20	14	66	28	30	14	4	2	47
2,432	50	30	766	134	116	200	112	22	156	22	2	66	120	68	548	108	170	94	28	14	48
150	4	2	40	4	6	2	16	2	6	2	-	2	10	2	28	-	6	14	4	2	49
118	6	-	34	8	6	4	6	2	12	4	-	6	8	-	32	18	10	6	-	-	50
102	-	-	20	-	4	8	2	4	6	2	-	2	16	2	6	4	12	4	-	-	51
584	10	12	170	34	26	62	38	2	54	8	-	18	42	38	180	16	34	20	16	2	52
132	2	4	56	12	6	8	6	-	14	-	2	2	2	-	24	6	20	4	-	-	53
266	6	4	120	8	16	26	4	2	24	-	-	6	4	8	76	6	12	14	2	-	54
52	2	-	18	2	2	4	-	-	4	-	-	-	2	-	8	4	4	2	-	2	55
48	2	2	22	-	2	2	2	2	2	2	-	-	2	2	14	-	-	6	-	-	56
82	-	-	24	4	2	8	4	-	4	-	-	4	6	-	16	4	4	2	-	-	57
300	8	2	80	22	26	24	10	4	6	2	-	6	2	4	46	14	24	4	-	-	58
120	-	-	20	6	6	8	6	-	2	-	-	-	4	-	16	-	6	-	-	2	59
46	-	-	12	-	4	2	2	-	-	-	-	2	-	2	10	-	-	2	-	-	60
432	10	4	150	34	10	42	16	4	22	2	-	18	22	10	92	36	38	16	6	6	61
530	18	4	156	18	24	44	32	6	24	4	-	8	10	10	88	40	36	20	4	6	62
126	2	-	46	4	4	10	6	2	4	2	-	-	2	6	18	8	-	6	2	-	63
404	16	4	110	14	20	34	26	4	20	2	-	8	8	4	70	32	36	14	2	6	64
392	4	-	130	16	18	22	12	4	30	4	-	4	16	4	92	24	20	10	6	4	65
134	4	-	46	2	8	8	-	-	6	-	-	2	6	-	34	6	4	4	6	2	66
258	-	-	84	14	10	14	12	4	24	4	-	2	10	4	58	18	16	6	-	2	67
2,460	132	14	746	400	104	220	78	14	134	34	-	40	78	38	468	84	128	56	18	10	68
80	10	-	40	4	-	6	2	-	4	-	-	2	-	6	8	-	6	-	-	-	69
54	-	-	18	2	-	6	-	-	4	-	-	-	-	-	20	-	6	-	-	-	70
52	2	-	12	12	2	2	4	-	-	2	-	2	2	-	12	2	2	2	-	2	71
178	8	-	48	52	4	8	8	-	6	2	-	-	4	-	26	2	12	2	-	-	72
186	10	2	66	36	8	10	-	-	10	2	-	-	4	-	20	4	6	8	-	-	73
130	4	-	54	34	4	4	12	-	8	2	-	2	8	2	32	4	4	8	-	-	74
98	2	-	30	4	6	4	2	-	10	-	-	2	2	2	14	10	4	2	-	-	75
470	28	-	116	142	28	72	16	-	38	16	-	8	22	16	120	10	34	6	10	4	76
112	4	-	64	16	2	16	2	6	6	-	-	6	-	-	28	6	4	-	-	-	77
476	24	6	136	18	10	38	14	2	16	8	-	6	10	4	80	16	30	4	6	4	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	CONNECTICUT--CON.																	
	NEW HAVEN--CON.																	
01	WEST HAVEN TOWN#	446	4	-	-	118	32	24	16	2	12	6	26	8	226	160	-	2
02	BALANCE OF COUNTY	1,344	-	2	2	314	108	50	54	18	12	8	64	32	742	520	12	2
03	NEW LONDON	1,884	2	-	10	378	114	62	38	60	28	16	60	26	1,056	736	26	16
04	NEW LONDON	322	2	-	6	54	14	6	10	14	2	2	6	-	198	138	2	2
05	NORWICH	396	-	-	2	80	36	8	4	6	4	10	12	6	236	164	6	8
06	BALANCE OF COUNTY	1,166	-	-	2	244	64	48	24	40	22	4	42	20	622	434	18	6
07	TOLLAND	586	4	-	4	112	20	22	18	4	8	2	38	8	290	222	6	2
08	VERNON TOWN#	136	2	-	-	20	6	8	-	-	-	-	6	4	66	46	-	-
09	BALANCE OF COUNTY	450	2	-	4	92	14	14	18	4	8	2	32	4	224	176	6	2
10	WINDHAM	798	-	-	10	144	46	26	14	10	8	6	34	8	444	324	2	-
11	WILLIMANTIC	78	-	-	4	12	4	-	2	-	4	-	2	2	48	40	2	-
12	BALANCE OF COUNTY	720	-	-	6	132	42	26	12	10	4	6	32	6	396	284	-	-
13	**DELAWARE**	4,962	24	2	24	894	234	230	86	134	18	36	156	86	2,722	2,124	30	40
14	URBAN PLACES	1,972	14	2	8	326	100	90	22	40	4	16	54	30	1,094	834	14	14
15	BALANCE OF AREA	2,990	10	-	16	568	134	140	64	94	14	20	102	56	1,628	1,290	16	26
16	METROPOLITAN COUNTIES	3,284	16	2	12	610	178	150	66	80	10	20	106	62	1,832	1,448	22	30
17	URBAN PLACES	1,798	14	2	6	304	92	86	20	36	4	12	54	28	1,000	782	14	12
18	BALANCE OF AREA	1,486	2	-	6	306	86	64	46	44	6	8	52	34	832	666	8	18
19	NONMETROPOLITAN COUNTIES	1,678	8	-	12	284	56	80	20	54	8	16	50	24	890	676	8	10
20	URBAN PLACES	174	-	-	2	22	8	4	2	4	-	4	-	2	94	52	-	2
21	BALANCE OF AREA	1,504	8	-	10	262	48	76	18	50	8	12	50	22	796	624	8	8
22	KENT	680	4	-	2	106	26	32	4	22	2	4	16	8	356	258	-	8
23	DOVER	174	-	-	2	22	8	4	2	4	-	4	-	2	94	52	-	2
24	BALANCE OF COUNTY	506	4	-	-	84	18	28	2	18	2	-	16	6	262	206	-	6
25	NEW CASTLE	3,284	16	2	12	610	178	150	66	80	10	20	106	62	1,832	1,448	22	30
26	NEWARK	156	2	-	2	18	6	4	-	4	-	2	2	-	96	66	2	-
27	WILMINGTON	1,642	12	2	4	286	86	82	20	32	4	10	52	28	904	716	12	12
28	BALANCE OF COUNTY	1,486	2	-	6	306	86	64	46	44	6	8	52	34	832	666	8	18
29	SUSSEX	998	4	-	10	178	30	48	16	32	6	12	34	16	534	418	8	2
30	**DISTRICT OF COLUMBIA**	8,462	36	-	80	1,534	472	352	150	172	50	48	290	176	3,628	2,552	58	58
31	**FLORIDA**	83,310	200	10	472	15,810	4,114	4,142	1,302	1,844	752	634	3,022	1,422	42,558	30,596	668	378
32	URBAN PLACES	46,594	126	4	258	9,082	2,362	2,318	812	1,028	428	352	1,782	818	24,064	17,156	396	220
33	BALANCE OF AREA	36,716	74	6	214	6,728	1,752	1,824	490	816	324	282	1,240	604	18,494	13,440	272	158
34	METROPOLITAN COUNTIES	55,420	118	6	346	10,906	2,866	2,844	958	1,212	502	436	2,088	956	28,442	20,468	494	244
35	URBAN PLACES	38,552	86	4	232	7,684	1,992	1,984	688	858	354	302	1,506	690	19,932	14,298	334	180
36	BALANCE OF AREA	16,868	32	2	114	3,222	874	860	270	354	148	134	582	266	8,510	6,170	160	64
37	NONMETROPOLITAN COUNTIES	27,890	82	4	126	4,904	1,248	1,298	344	632	250	198	934	466	14,116	10,128	174	134
38	URBAN PLACES	8,042	40	-	26	1,398	370	334	124	170	74	50	276	128	4,132	2,858	62	40
39	BALANCE OF AREA	19,848	42	4	100	3,506	878	964	220	462	176	148	658	338	9,984	7,270	112	94
40	ALACHUA	750	2	-	10	110	18	32	8	20	2	8	22	14	346	218	4	2
41	GAINESVILLE	444	2	-	8	70	10	22	4	12	2	8	12	6	202	120	4	2
42	BALANCE OF COUNTY	306	-	-	2	40	8	10	4	8	-	-	10	8	144	98	-	-
43	BAKER	92	-	-	-	10	2	4	-	-	-	-	4	2	50	46	-	-
44	BAY	626	4	-	2	102	18	34	6	10	2	10	22	4	296	216	4	2
45	PANAMA CITY	404	2	-	2	74	14	22	6	8	2	8	14	4	180	130	4	2
46	BALANCE OF COUNTY	222	2	-	-	28	4	12	-	2	-	2	8	-	116	86	-	-
47	BRADFORD	166	-	-	-	24	6	2	4	2	-	2	8	-	88	78	4	-
48	BREVARD	1,528	2	-	6	312	92	86	28	26	12	12	56	28	730	546	12	2
49	COCOA	162	-	-	2	38	12	14	4	-	2	-	6	4	62	40	4	-
50	MELBOURNE	376	2	-	-	76	24	16	4	16	2	4	10	4	208	170	4	2
51	ROCKLEDGE	86	-	-	-	12	2	4	2	2	2	-	-	-	44	26	-	-
52	TITUSVILLE	178	-	-	-	34	12	4	10	2	-	-	6	2	92	68	-	-
53	BALANCE OF COUNTY	726	-	-	4	152	42	48	8	6	6	8	34	18	324	242	4	-
54	BROWARD	8,128	12	-	42	1,770	444	492	144	192	96	70	332	152	4,194	3,016	84	30
55	DEERFIELD BEACH	272	-	-	4	56	12	18	6	6	2	4	8	4	148	94	4	-
56	FORT LAUDERDALE	2,168	4	-	18	472	110	134	42	48	28	14	96	30	1,046	752	22	14
57	HALLANDALE	500	-	-	-	106	30	18	14	12	4	10	18	20	296	228	2	6
58	HOLLYWOOD	1,476	2	-	2	328	86	94	26	38	12	10	62	30	788	564	8	4
59	LAUDERDALE LAKES	122	-	-	-	28	8	6	2	2	-	-	10	-	78	56	-	-
60	MIRAMAR	260	-	-	2	58	20	12	8	-	-	4	14	4	154	118	6	-
61	OAKLAND PARK	164	-	-	-	28	4	12	2	4	2	-	4	4	92	62	4	-
62	PEMBROKE PINES	146	-	-	-	16	2	6	4	-	-	-	4	2	84	56	-	-
63	PLANTATION	160	-	-	-	30	6	14	2	-	-	2	6	-	100	74	4	-
64	POMPANO BEACH	652	2	-	8	150	30	32	10	20	12	8	38	8	322	234	14	2
65	WILTON MANORS	114	-	-	-	20	2	6	-	6	2	-	4	-	70	50	-	-
66	BALANCE OF COUNTY	2,094	4	-	8	478	134	140	28	56	34	18	68	50	1,016	728	20	4
67	CALHOUN	94	-	-	2	20	4	6	-	4	-	2	4	2	50	32	-	2
68	CHARLOTTE	564	2	-	4	122	26	38	16	8	6	2	26	4	310	242	-	2
69	CITRUS	422	-	-	6	80	18	30	6	12	4	2	8	4	242	164	2	-
70	CLAY	256	2	-	2	38	10	16	2	2	2	2	4	2	138	98	2	2
71	COLLIER	524	4	-	-	112	50	30	2	14	4	2	10	4	200	146	12	4
72	NAPLES	208	-	-	-	60	34	10	-	10	2	-	4	4	92	70	8	4
73	BALANCE OF COUNTY	316	4	-	-	52	16	20	2	4	2	2	6	-	108	76	4	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
150	8	4	28	26	8	12	-	2	10	-	-	2	4	-	38	12	6	4	-	-	01
474	32	2	134	54	32	42	18	4	22	2	-	10	22	8	70	18	14	20	2	-	02
656	38	18	252	24	26	64	14	6	28	6	-	10	38	26	114	36	36	26	6	2	03
128	6	-	48	10	2	8	2	2	2	2	-	2	10	6	20	2	4	-	2	-	04
138	12	8	58	4	2	20	-	-	8	-	-	-	4	8	20	-	6	6	-	-	05
390	20	10	146	10	22	36	12	4	18	4	-	8	24	12	74	34	26	20	4	2	06
210	4	2	54	12	-	20	10	6	14	2	-	-	8	4	44	30	12	14	-	4	07
46	-	-	16	4	-	10	4	2	4	2	-	-	-	-	6	10	2	2	-	2	08
164	4	2	38	8	-	10	6	4	10	-	-	-	8	4	38	20	10	12	-	2	09
316	6	2	66	40	12	28	12	4	10	2	-	14	6	8	50	22	24	10	2	-	10
36	2	-	6	-	2	2	-	2	2	-	-	2	-	2	-	-	2	-	-	-	11
280	4	2	60	40	10	26	12	2	8	2	-	12	6	6	50	22	22	10	2	-	12
1,952	102	20	436	70	72	148	60	16	102	18	2	46	92	20	312	132	132	64	62	4	13
744	62	10	182	32	36	62	22	6	74	8	2	14	34	6	124	38	48	22	36	2	14
1,208	40	10	254	38	36	86	38	10	28	10	-	32	58	14	188	94	84	42	26	2	15
1,322	74	16	266	44	58	84	36	8	86	12	-	32	56	14	190	68	84	30	48	2	16
696	60	8	154	24	32	54	20	4	68	8	-	10	26	6	108	38	44	20	36	2	17
626	14	8	112	20	26	30	16	4	18	4	-	22	30	8	82	30	40	10	12	-	18
630	28	4	170	26	14	64	24	8	16	6	2	14	36	6	122	64	48	34	14	2	19
48	2	2	28	8	4	8	2	2	6	-	2	4	8	-	16	-	4	2	-	-	20
582	26	2	142	18	10	56	22	6	10	6	-	10	28	6	106	64	44	32	14	2	21
240	10	2	76	14	6	34	8	4	8	-	2	10	14	2	44	36	26	14	2	-	22
48	2	2	28	8	4	8	2	2	6	-	2	4	8	-	16	-	4	2	-	-	23
192	8	-	48	6	2	26	6	2	2	-	-	6	6	2	28	36	22	12	2	-	24
1,322	74	16	266	44	58	84	36	8	86	12	-	32	56	14	190	68	84	30	48	2	25
58	6	-	24	4	2	2	-	-	4	-	-	4	2	-	12	4	4	6	-	-	26
638	54	8	130	20	30	52	20	4	64	8	-	6	24	6	96	34	40	14	36	2	27
626	14	8	112	20	26	30	16	4	18	4	-	22	30	8	82	30	40	10	12	-	28
390	18	2	94	12	8	30	16	4	8	6	-	4	22	4	78	28	22	20	12	2	29
2,296	140	34	702	242	98	324	86	44	438	80	4	44	206	82	640	112	334	90	252	72	30
27,646	1,904	402	9,276	1,070	1,214	2,186	1,610	332	1,440	354	20	510	1,190	2,050	6,082	2,420	2,208	1,188	1,044	204	31
15,544	996	244	5,384	602	678	1,292	882	212	878	192	12	248	578	1,002	3,448	1,040	1,112	614	602	130	32
12,102	908	158	3,892	468	536	894	728	120	562	162	8	262	612	1,048	2,634	1,380	1,096	574	442	74	33
18,524	1,206	270	6,204	694	806	1,448	1,096	246	1,010	224	14	340	726	1,012	4,048	1,450	1,392	832	730	138	34
12,952	832	188	4,418	472	556	1,054	702	184	728	152	8	196	434	738	2,854	842	898	538	494	102	35
5,572	374	82	1,786	222	250	394	334	62	282	72	6	144	292	274	1,194	608	494	294	236	36	36
9,122	698	132	3,072	376	408	738	574	86	430	130	6	170	464	1,038	2,034	970	816	356	314	66	37
2,592	164	56	966	130	122	238	180	28	150	40	4	52	144	264	594	198	214	76	108	28	38
6,530	534	76	2,106	246	286	500	394	58	280	90	2	118	320	774	1,440	772	602	280	206	38	39
194	18	4	100	18	6	12	6	4	2	12	-	6	6	54	74	26	26	22	16	2	40
104	10	-	66	12	4	10	-	4	2	10	-	4	4	30	42	16	12	8	12	2	41
90	8	4	34	6	2	2	6	-	-	2	-	2	2	24	32	10	14	14	4	-	42
34	12	-	4	-	-	6	-	-	-	2	-	-	2	-	10	2	6	-	2	-	43
200	10	-	68	6	6	12	8	2	16	6	-	12	28	44	26	20	22	10	4	8	44
118	6	-	42	4	4	12	4	2	8	6	-	4	18	30	12	16	18	2	2	8	45
82	4	-	26	2	2	-	4	-	8	-	-	8	10	14	14	4	4	8	2	-	46
56	18	-	6	-	4	8	2	-	4	4	-	2	2	-	20	4	2	4	2	-	47
516	16	4	142	14	24	22	36	6	40	10	-	10	32	4	102	84	48	32	22	2	48
32	4	2	18	-	2	2	-	2	4	-	-	2	8	-	14	6	8	6	4	-	49
164	-	2	28	2	6	2	8	-	16	4	-	2	-	-	24	18	-	8	4	-	50
26	-	-	16	2	-	-	2	-	2	2	-	2	2	-	8	2	6	2	2	-	51
66	2	-	20	2	2	4	4	2	-	2	-	2	6	4	8	8	8	2	-	-	52
228	10	-	60	8	14	14	22	2	18	2	-	2	16	-	48	50	26	14	12	2	53
2,600	302	46	882	116	134	186	150	20	146	18	2	46	86	88	618	168	184	108	116	22	54
84	6	-	42	6	6	6	-	-	6	2	-	-	4	-	16	8	6	2	8	2	55
636	80	14	226	26	28	40	42	6	56	10	-	16	20	30	198	44	44	34	48	10	56
200	20	-	56	4	8	12	6	-	4	-	2	-	4	4	32	8	-	2	-	4	57
488	64	-	188	18	18	36	22	2	20	-	-	8	10	18	106	38	42	16	4	4	58
48	8	-	14	6	2	-	2	-	-	-	-	-	2	-	12	-	-	-	-	-	59
104	8	4	30	-	2	6	4	-	4	-	-	-	4	2	16	-	-	-	6	-	60
54	4	-	16	6	8	6	8	2	8	-	-	-	-	-	2	-	6	8	-	-	61
52	4	-	22	2	4	6	2	2	2	-	-	-	-	-	28	-	-	2	2	-	62
66	4	-	18	6	2	4	6	-	-	-	-	-	2	-	8	-	10	-	-	-	63
192	26	8	60	8	12	8	18	4	14	2	-	4	10	6	42	22	20	6	6	-	64
46	4	2	12	4	2	4	4	-	4	-	-	-	2	-	6	2	2	-	-	-	65
630	74	18	198	30	42	58	36	4	28	4	-	18	28	28	152	46	54	38	42	2	66
28	2	-	12	4	2	4	2	-	2	-	-	-	4	2	6	-	-	-	-	-	67
230	10	-	56	4	8	16	8	-	8	2	-	4	-	-	38	16	18	12	-	-	68
154	8	-	68	8	2	2	8	2	2	2	-	2	4	6	28	16	12	6	-	-	69
82	12	-	32	2	6	4	4	-	8	2	-	-	6	4	28	6	10	2	-	-	70
126	4	2	34	4	14	12	14	-	20	-	-	2	8	34	92	26	30	12	14	-	71
56	2	2	14	-	6	4	4	-	6	-	-	-	2	10	14	4	6	-	2	-	72
70	2	-	20	4	8	8	10	-	14	-	-	2	6	24	18	22	24	12	12	-	73

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-468)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	FLORIDA—CON.																	
01	COLUMBIA	304	4	-	-	40	6	10	2	8	2	2	10	6	156	92	2	4
02	LAKE CITY	160	2	-	-	24	2	4	2	4	2	2	8	-	86	52	2	2
03	BALANCE OF COUNTY	144	2	-	-	16	4	6	-	4	-	-	2	6	70	40	-	2
04	DADE	14,628	30	2	114	3,052	858	718	306	308	142	134	586	274	7,494	5,750	148	42
05	CORAL GABLES	460	-	-	2	128	34	30	8	18	6	6	26	14	220	162	-	2
06	HIALEAH	778	-	-	2	202	50	46	22	18	12	2	52	26	330	262	6	-
07	HOMESTEAD	140	-	-	-	32	6	8	4	4	2	6	2	2	70	48	2	-
08	MIAMI	4,732	14	2	52	1,016	276	252	98	102	46	40	202	88	2,238	1,644	20	18
09	MIAMI BEACH	2,404	6	-	16	490	166	110	42	34	22	34	82	38	1,500	1,230	26	8
10	MIAMI SPRINGS	116	-	-	2	18	6	2	2	6	-	-	2	-	80	62	2	-
11	NORTH MIAMI	534	-	-	2	118	36	34	14	8	4	8	14	4	294	230	10	-
12	NORTH MIAMI BEACH	628	-	-	-	146	48	32	22	8	10	4	22	10	382	280	14	-
13	OPA-LOCKA	174	-	-	2	32	12	4	-	6	2	-	8	6	70	60	2	-
14	SOUTH MIAMI	102	-	-	-	18	4	2	2	4	2	2	2	4	44	32	-	-
15	BALANCE OF COUNTY	4,560	10	-	36	852	220	198	92	100	36	32	174	82	2,266	1,740	66	14
16	DE SOTO	172	-	-	-	34	10	6	2	6	-	-	10	2	84	74	2	-
17	DIXIE	52	-	-	-	8	-	2	-	2	-	-	4	2	24	18	-	-
18	DUVAL, CDEX. WITH JACKSONVILLE CITY	4,918	14	2	30	920	194	278	80	106	42	42	178	88	2,212	1,578	32	42
19	ESCAMBIA	1,612	4	-	14	284	72	88	20	24	6	10	64	16	814	604	12	2
20	PENSACOLA	698	-	-	6	132	32	36	10	14	6	8	26	6	366	278	4	2
21	BALANCE OF COUNTY	914	4	-	8	152	40	52	10	10	-	2	38	10	448	326	8	-
22	FLAGLER	64	-	-	-	18	4	8	-	2	-	-	4	-	32	28	2	-
23	FRANKLIN	86	2	-	-	10	-	4	2	2	-	-	2	-	48	34	-	-
24	GADSDEN	312	-	-	4	32	6	6	4	4	-	4	8	6	182	110	2	4
25	GILCHRIST	40	-	-	-	8	2	2	-	2	-	-	2	-	22	12	-	-
26	GLADES	56	-	-	-	10	2	6	-	2	-	-	-	2	22	14	-	-
27	GULF	98	-	-	2	26	4	6	-	6	4	-	6	-	52	38	-	-
28	HAMILTON	98	-	-	-	24	6	6	2	6	-	2	2	-	42	30	-	2
29	HARDEE	188	2	-	-	34	2	8	2	10	-	4	8	2	102	86	-	-
30	HENDRY	106	-	-	-	14	-	-	-	4	-	2	8	6	40	26	-	-
31	HERNANDO	346	-	-	2	54	12	6	6	8	4	4	14	6	156	114	2	2
32	HIGHLANDS	474	-	-	2	70	18	12	2	10	6	4	18	6	232	146	2	-
33	HILLSBOROUGH	5,022	10	-	26	838	210	236	66	98	40	26	162	106	2,196	1,472	44	20
34	PLANT CITY	214	-	-	-	36	8	8	2	8	-	-	10	4	110	80	-	-
35	TAMPA	3,444	8	-	20	582	144	160	48	72	26	12	120	82	1,506	982	32	16
36	BALANCE OF COUNTY	1,364	2	-	6	220	58	68	16	18	14	14	32	20	580	410	12	4
37	HOLMES	108	-	-	2	10	4	2	-	2	-	2	-	2	56	48	2	-
38	INDIAN RIVER	494	-	-	-	88	28	26	4	10	4	4	12	8	258	196	2	2
39	VERO BEACH	200	-	-	-	32	6	8	2	4	2	4	6	2	118	86	-	2
40	BALANCE OF COUNTY	284	-	-	-	56	22	18	2	6	2	-	6	6	140	110	2	-
41	JACKSON	396	2	-	-	40	2	8	-	10	2	8	10	-	246	154	2	4
42	JEFFERSON	102	-	-	-	14	4	2	2	4	-	-	2	6	36	20	-	2
43	LAFAYETTE	40	-	-	-	6	-	-	-	2	-	-	4	-	24	24	-	-
44	LAKE	1,232	4	2	10	208	56	46	10	40	14	10	32	38	658	478	6	18
45	LEESBURG	238	2	-	6	40	12	6	6	4	2	-	10	-	114	84	-	2
46	BALANCE OF COUNTY	994	2	2	4	168	44	40	4	36	12	10	22	38	544	394	6	16
47	LEE	1,504	6	-	8	280	72	68	24	22	6	8	80	24	770	556	14	4
48	FORT MYERS	470	6	-	-	76	14	16	4	4	2	4	32	14	242	176	2	2
49	BALANCE OF COUNTY	1,034	-	-	8	204	58	52	20	18	4	4	48	10	528	380	12	2
50	LEON	714	4	-	2	132	34	46	6	14	8	4	20	20	270	172	6	4
51	TALLAHASSEE	488	4	-	-	94	22	32	4	12	8	2	14	12	190	120	6	-
52	BALANCE OF COUNTY	226	-	-	2	38	12	14	2	2	-	2	6	8	80	52	-	4
53	LEVY	172	-	-	-	32	4	8	2	4	4	-	10	-	82	64	-	-
54	LIBERTY	54	-	-	2	2	-	-	-	2	-	-	-	2	26	18	2	-
55	MADISON	152	-	-	-	22	8	6	2	2	-	2	2	2	84	76	-	2
56	MANATEE	1,728	2	-	4	310	78	70	30	50	18	2	62	34	906	638	4	2
57	BRADENTON	544	2	-	-	106	30	20	12	8	6	-	30	4	296	196	2	2
58	BALANCE OF COUNTY	1,184	-	-	4	204	48	50	18	42	12	2	32	30	610	442	2	-
59	MARION	906	-	-	2	148	36	42	8	12	16	6	28	22	424	282	2	12
60	OCALA	332	-	-	2	60	12	18	2	2	10	2	14	4	160	96	2	2
61	BALANCE OF COUNTY	574	-	-	-	88	24	24	6	10	6	4	14	18	264	186	-	10
62	MARTIN	508	4	-	4	88	30	26	-	6	4	2	20	6	224	154	6	-
63	MONROE	440	2	2	4	74	22	20	4	4	8	-	16	4	236	176	6	-
64	KEY WEST	206	-	-	2	24	4	4	2	4	4	-	6	2	120	92	2	-
65	BALANCE OF COUNTY	234	2	2	2	50	18	16	2	-	4	-	10	2	116	84	4	-
66	NASSAU	204	-	-	-	18	-	6	-	4	-	-	8	-	98	74	2	4
67	OKALOOSA	454	2	-	4	76	14	12	14	12	4	4	16	6	204	160	-	4
68	FORT WALTON BEACH	100	2	-	-	22	4	4	6	2	-	2	4	-	36	30	-	2
69	BALANCE OF COUNTY	354	-	-	4	54	10	8	8	10	4	2	12	6	168	130	-	2
70	OKEECHOBEE	166	-	-	-	30	8	8	4	2	2	-	6	12	46	36	-	-
71	ORANGE	3,372	16	-	30	610	146	146	50	92	20	28	128	26	1,704	1,226	24	26
72	ORLANDO	1,386	10	-	14	280	60	74	28	44	12	12	50	6	702	500	8	14
73	WINTER PARK	316	2	-	2	54	24	6	4	12	2	2	4	-	184	138	8	-
74	BALANCE OF COUNTY	1,670	4	-	14	276	62	66	18	36	6	14	74	20	818	588	8	12
75	OSCEOLA	434	-	-	2	70	24	10	2	22	6	2	4	10	252	186	8	2
76	PALM BEACH	4,894	16	2	28	996	268	248	86	118	50	40	186	94	2,520	1,772	42	12
77	BELLE GLADE	166	2	-	2	30	8	8	4	6	-	-	4	-	52	38	-	2
78	BOCA RATON	356	2	-	-	84	18	14	6	18	6	4	18	10	172	124	4	-
79	BOYNTON BEACH	342	-	-	2	82	22	12	10	10	-	4	24	8	182	120	2	-
80	DELRAY BEACH	320	2	-	2	70	16	12	6	16	6	2	12	14	152	108	-	-
81	LAKE WORTH	638	2	-	-	136	42	30	6	12	8	6	32	10	368	238	4	4

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
74	12	2	52	8	2	8	-	-	4	8	-	2	6	18	24	16	2	6	4	-	01
40	8	2	32	-	-	8	-	-	4	4	-	2	4	2	14	2	-	4	4	-	02
34	4	-	20	8	2	-	-	-	-	4	-	-	2	16	10	14	2	2	-	-	03
5,260	300	42	1,348	138	216	328	250	72	282	78	-	78	168	54	1,092	356	392	270	232	10	04
150	10	-	52	4	2	2	12	-	14	-	-	-	-	-	42	4	12	8	-	2	05
238	18	2	54	2	10	26	6	-	22	2	-	4	18	2	72	24	26	12	4	-	06
38	8	-	14	6	2	2	4	-	4	-	-	-	-	-	12	6	4	-	4	-	07
1,494	112	16	460	44	74	134	90	28	102	34	-	18	46	28	412	126	126	78	98	2	08
1,168	28	6	218	14	32	42	24	14	26	8	-	-	-	4	132	16	34	50	4	-	09
58	2	-	14	2	2	-	4	-	-	-	-	-	-	-	-	4	4	2	2	-	10
212	8	2	46	10	6	14	14	4	10	4	-	4	-	-	28	12	10	10	6	-	11
258	8	-	72	12	18	18	12	2	4	-	-	2	-	2	34	4	4	4	2	2	12
48	10	-	8	-	2	12	-	2	-	2	-	2	8	2	12	8	6	-	10	-	13
32	-	-	12	-	-	-	2	-	4	-	-	2	4	-	10	-	8	-	6	-	14
1,564	96	16	398	44	68	78	82	22	96	28	-	46	92	16	338	152	158	106	96	4	15
68	4	-	4	2	4	6	2	-	-	-	-	2	4	4	16	8	4	-	6	-	16
16	2	-	6	-	-	2	2	-	2	-	-	-	-	-	2	4	6	-	-	-	17
1,408	96	36	466	46	86	176	104	24	106	26	2	42	104	166	424	146	146	72	96	18	18
572	18	8	158	30	14	26	24	2	16	6	-	16	44	2	128	74	82	30	26	4	19
260	12	4	64	14	6	10	8	-	6	2	-	4	20	-	56	22	26	18	14	2	20
312	6	4	94	16	8	16	16	2	10	4	-	12	24	2	72	52	56	12	12	2	21
26	-	-	2	-	2	-	6	-	-	-	-	-	2	2	-	2	2	-	-	-	22
28	6	-	14	-	-	-	-	-	-	-	-	6	-	4	10	-	2	2	2	-	23
94	10	6	58	-	8	6	-	-	2	-	2	2	12	28	12	6	10	2	6	-	24
10	2	-	2	4	4	-	-	-	-	-	-	-	-	-	4	4	2	-	-	-	25
14	-	-	2	4	2	-	-	-	-	-	-	2	2	-	2	4	6	2	4	-	26
34	4	-	10	-	4	-	2	-	-	2	-	-	-	6	2	2	4	-	-	-	27
28	-	-	8	2	2	6	2	-	-	-	-	-	2	2	6	4	6	-	4	-	28
72	14	2	8	2	4	10	2	-	2	-	-	-	6	-	12	10	4	2	-	-	29
24	2	-	12	-	2	4	-	-	-	-	-	2	2	4	14	8	6	4	2	-	30
80	30	2	32	4	4	8	2	2	4	-	-	-	2	56	28	8	4	4	6	41	31
140	4	-	72	4	10	16	20	2	8	6	-	2	8	22	38	14	22	2	4	-	32
1,274	134	28	582	56	58	178	106	28	102	20	-	30	82	450	342	174	140	86	72	36	33
78	2	4	18	4	4	6	4	4	2	-	-	2	2	6	12	10	10	6	-	-	34
836	98	22	436	30	36	134	70	16	76	8	-	14	54	308	252	80	96	56	50	32	35
360	34	2	128	22	18	38	32	8	24	12	-	14	26	136	78	84	34	24	22	4	36
42	4	-	6	-	2	6	-	-	2	-	-	2	-	4	4	8	10	2	-	-	37
184	8	2	48	4	8	14	4	2	12	-	-	-	8	2	32	28	16	2	10	-	38
80	4	-	26	2	4	8	-	-	4	-	-	-	2	-	16	10	6	-	2	-	39
104	4	2	22	2	4	6	4	2	8	-	-	-	6	2	16	18	10	2	8	-	40
108	40	12	74	4	2	6	2	-	2	-	-	-	8	12	18	30	20	8	2	-	41
16	2	2	14	-	-	8	-	-	-	-	-	2	2	10	12	4	6	-	2	-	42
22	2	-	-	-	-	2	2	-	-	-	-	-	-	2	-	2	2	-	-	-	43
410	44	8	126	30	16	30	28	6	8	6	-	14	10	10	76	54	50	12	8	-	44
70	12	2	24	4	-	8	12	2	2	-	-	2	-	-	18	8	20	2	2	-	45
340	32	6	102	26	16	22	16	4	6	6	-	12	10	10	58	46	30	10	6	-	46
512	26	6	170	8	30	38	36	10	24	4	2	10	36	20	114	34	36	24	22	6	47
168	4	4	50	-	12	20	10	2	10	-	2	-	18	4	30	12	10	4	8	2	48
344	22	2	120	8	18	18	26	8	14	4	-	10	18	16	84	22	26	20	14	4	49
128	34	2	82	6	8	16	8	2	8	-	-	14	22	92	38	38	20	18	8	2	50
94	20	2	56	4	8	10	2	2	6	-	-	10	16	62	28	20	14	10	6	2	51
34	14	-	26	2	-	6	6	-	2	-	-	4	6	30	10	18	6	8	2	-	52
56	8	-	14	4	-	2	4	-	-	2	-	-	2	10	10	14	6	4	4	-	53
16	-	-	6	-	2	2	-	-	-	2	-	-	-	8	4	2	4	-	-	-	54
74	-	2	4	-	2	-	4	-	-	-	-	2	6	6	12	8	2	-	4	-	55
604	28	4	214	18	32	60	40	6	16	8	-	4	10	120	138	30	16	12	8	4	56
176	16	2	80	8	10	18	12	4	4	4	-	2	6	32	34	4	6	4	4	2	57
428	12	2	134	10	22	42	28	2	12	4	-	2	4	88	104	26	10	8	4	2	58
246	22	4	118	2	18	26	20	6	4	6	-	6	14	28	68	44	46	14	16	12	59
82	10	4	52	-	8	18	4	-	-	6	-	4	-	4	30	10	10	6	10	4	60
164	12	-	66	2	10	8	16	6	4	-	-	2	14	24	38	34	36	8	6	8	61
140	8	2	56	2	10	18	8	-	16	2	-	4	14	48	32	14	18	2	6	-	62
164	6	6	46	6	2	10	8	-	16	2	-	8	6	4	24	12	8	12	8	-	63
86	4	4	20	4	-	6	6	-	8	-	-	8	4	4	8	4	6	2	2	-	64
78	2	2	26	2	2	4	2	-	8	2	-	-	2	-	16	8	2	10	6	-	65
62	6	-	18	4	2	12	-	2	2	2	-	4	8	2	14	16	18	8	-	-	66
138	18	2	36	4	2	2	10	-	-	2	-	6	32	20	24	24	22	10	8	2	67
28	-	-	6	-	-	2	2	-	-	-	-	2	10	-	12	4	6	-	2	-	68
110	18	2	30	4	2	-	8	-	-	2	-	4	22	20	12	20	16	10	6	2	69
34	2	2	8	-	-	6	6	4	-	-	-	2	6	20	12	12	8	-	2	-	70
1,102	74	14	376	40	48	100	76	20	58	6	2	36	60	26	252	116	110	54	58	12	71
448	30	8	162	18	14	40	28	8	22	4	2	12	20	12	96	24	48	22	32	4	72
128	2	-	42	2	2	4	12	-	6	-	-	-	2	-	26	10	6	-	6	2	73
526	42	6	172	20	32	56	36	12	30	2	-	24	38	14	130	82	56	32	20	6	74
168	8	2	44	10	10	10	10	-	6	2	-	2	2	-	28	16	14	4	6	-	75
1,658	60	24	566	86	72	124	94	16	120	22	6	26	64	30	360	136	106	56	58	20	76
36	-	-	12	2	-	14	6	-	4	-	-	4	6	6	16	8	10	2	2	2	77
120	-	2	38	6	2	4	4	-	8	-	-	2	-	6	32	14	14	2	-	2	78
110	8	8	42	4	8	6	8	-	2	6	-	2	4	-	22	6	-	4	8	-	79
104	4	-	38	-	6	10	10	2	6	-	2	-	-	-	32	6	4	2	2	4	80
224	6	2	88	24	16	20	8	2	12	4	-	4	2	2	42	8	4	12	2	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	FLORIDA--CON.																	
	PALM BEACH—CON.																	
01	RIVIERA BEACH	246	-	-	4	52	14	14	6	6	2	2	8	4	118	84	6	2
02	WEST PALM BEACH	1,026	2	-	6	196	54	54	12	22	8	6	40	26	546	392	16	-
03	BALANCE OF COUNTY	1,800	6	2	12	346	94	104	36	28	20	16	48	22	930	668	10	4
04	PASCO	1,628	-	-	4	308	78	90	18	34	14	10	64	28	902	664	10	6
05	PINELLAS	10,224	10	-	42	1,950	558	508	174	196	82	62	370	142	6,164	4,276	84	58
06	CLEARWATER	1,166	-	-	8	230	66	60	28	28	6	6	36	34	664	458	14	4
07	DUNEDIN	370	-	-	-	78	14	22	8	8	2	8	16	2	242	182	-	-
08	LARGO	464	-	-	2	80	22	16	6	12	6	-	18	10	274	196	6	2
09	PINELLAS PARK	310	2	-	2	44	4	12	4	4	-	2	18	6	192	156	4	4
10	ST. PETERSBURG	4,834	6	-	8	886	258	230	76	82	38	20	182	62	2,948	2,002	36	26
11	BALANCE OF COUNTY	3,080	2	-	22	632	194	168	52	62	30	26	100	28	1,844	1,282	24	22
12	POLK	2,678	6	-	8	442	110	118	30	68	34	24	58	44	1,246	862	14	12
13	BARTOW	144	-	-	-	24	10	8	-	-	-	2	4	2	74	56	-	-
14	LAKELAND	724	4	-	-	120	30	24	14	18	10	10	14	16	356	254	4	-
15	WINTER HAVEN	316	-	-	4	46	14	16	2	10	2	-	2	-	166	98	-	2
16	BALANCE OF COUNTY	1,494	2	-	4	252	56	70	14	40	22	12	38	26	650	454	10	10
17	PUTNAM	414	-	-	-	76	20	26	8	4	-	2	16	8	204	152	-	6
18	ST. JOHNS	400	4	-	4	70	18	14	2	10	4	2	20	14	214	134	-	2
19	ST. AUGUSTINE	204	-	-	2	28	8	4	-	4	2	-	10	6	120	80	-	-
20	BALANCE OF COUNTY	196	4	-	2	42	10	10	2	6	2	2	10	8	94	54	-	2
21	ST. LUCIE	676	10	-	2	114	32	38	6	20	4	2	12	8	296	220	6	4
22	FORT PIERCE	448	8	-	2	76	22	28	2	18	2	-	4	8	170	122	2	4
23	BALANCE OF COUNTY	228	2	-	-	38	10	10	4	2	2	2	8	-	126	98	4	-
24	SANTA ROSA	278	-	-	-	52	8	8	4	14	2	6	10	8	126	88	-	-
25	SARASOTA	2,292	10	-	6	470	118	126	40	58	18	24	86	42	1,262	886	8	4
26	SARASOTA	882	4	-	-	154	32	42	12	18	8	6	36	20	492	308	8	2
27	BALANCE OF COUNTY	1,410	6	-	6	316	86	84	28	40	10	18	50	22	770	578	-	2
28	SEMINOLE	880	-	-	8	192	56	44	14	30	12	6	30	16	402	296	14	6
29	SANFORD	304	-	-	4	56	12	12	6	10	6	2	8	6	144	106	2	6
30	BALANCE OF COUNTY	576	-	-	4	136	44	32	8	20	6	4	22	10	258	190	12	-
31	SUMTER	190	-	-	4	32	6	14	2	2	-	4	4	2	94	66	-	2
32	SUWANNEE	184	2	-	-	22	4	4	-	6	2	-	6	4	82	50	-	-
33	TAYLOR	158	-	-	4	32	8	6	-	2	2	2	12	2	58	42	-	-
34	UNION	42	-	-	-	6	-	2	-	2	2	-	-	-	22	18	-	-
35	VOLUSIA	3,020	6	-	12	544	156	140	46	56	32	16	98	50	1,556	1,116	28	14
36	DAYTONA BEACH	898	4	-	4	148	46	36	14	10	8	6	28	14	498	354	12	2
37	DE LAND	278	2	-	-	36	6	-	6	12	2	-	10	8	154	106	2	6
38	NEW SMYRNA BEACH	194	-	-	-	38	12	14	4	2	-	-	6	2	96	58	2	-
39	ORMOND BEACH	290	-	-	-	50	8	12	8	8	2	-	12	8	156	106	2	2
40	BALANCE OF COUNTY	1,360	-	-	8	272	84	78	14	24	20	10	42	18	652	492	10	4
41	WAKULLA	74	-	-	-	24	-	12	-	2	2	2	6	-	30	20	-	2
42	WALTON	230	-	-	6	30	6	14	-	6	-	2	2	-	122	84	-	-
43	WASHINGTON	152	-	-	2	16	4	6	-	2	2	2	-	-	100	84	4	-
44	**GEORGIA**	42,986	80	12	316	6,386	1,474	1,528	576	864	244	274	1,426	772	21,928	14,698	182	404
45	URBAN PLACES	17,940	44	8	146	2,770	668	674	286	384	90	104	564	338	8,836	5,874	80	208
46	BALANCE OF AREA	25,046	36	4	170	3,616	806	854	290	480	154	170	862	434	13,092	8,824	102	196
47	METROPOLITAN COUNTIES	18,728	46	8	142	3,058	708	744	296	426	112	140	632	358	8,914	6,012	82	184
48	URBAN PLACES	13,144	36	8	106	2,088	506	508	214	292	68	90	410	266	6,298	4,228	56	148
49	BALANCE OF AREA	5,584	10	-	36	970	202	236	82	134	44	50	222	92	2,616	1,784	26	36
50	NONMETROPOLITAN COUNTIES	24,258	34	4	174	3,328	766	784	280	438	132	134	794	414	13,014	8,686	100	220
51	URBAN PLACES	4,796	8	-	40	682	162	166	72	92	22	14	154	72	2,538	1,646	24	60
52	BALANCE OF AREA	19,462	26	4	134	2,646	604	618	208	346	110	120	640	342	10,476	7,040	76	160
53	APPLING	146	-	-	-	14	6	4	-	-	-	2	2	6	66	48	-	-
54	ATKINSON	78	-	-	-	6	-	2	-	4	-	-	-	2	48	32	-	-
55	BACON	82	-	-	-	14	2	6	2	2	-	-	2	2	46	36	-	-
56	BAKER	46	2	-	2	4	-	-	-	-	-	2	2	-	22	16	-	-
57	BALDWIN	298	-	-	4	52	18	16	2	4	8	-	4	4	148	114	4	2
58	MILLEDGEVILLE	192	-	-	2	32	12	10	2	2	4	-	2	-	106	82	2	2
59	BALANCE OF COUNTY	106	-	-	2	20	6	6	-	2	4	-	2	4	42	32	2	-
60	BANKS	68	-	-	-	14	6	2	-	-	-	2	4	-	34	20	-	-
61	BARROW	182	-	-	-	26	6	6	4	2	-	-	8	2	98	78	-	-
62	BARTOW	322	2	-	2	60	18	16	-	12	4	-	10	2	168	100	2	4
63	BEN HILL	184	-	-	-	6	2	2	-	-	2	-	-	10	120	78	4	-
64	BERRIEN	108	-	-	2	14	4	8	-	-	-	-	2	2	64	46	-	-
65	BIBB	1,474	4	-	12	218	50	34	28	32	4	8	62	26	774	454	4	22
66	MACON	1,334	4	-	12	198	50	32	28	30	4	6	48	20	694	402	4	16
67	BALANCE OF COUNTY	140	-	-	-	20	-	2	-	2	-	2	14	6	80	52	-	6
68	BLECKLEY	112	-	-	-	20	4	2	4	6	-	2	2	2	50	36	2	-
69	BRANTLEY	70	-	-	-	10	2	6	-	-	-	-	2	2	40	28	-	-
70	BROOKS	182	-	-	2	28	4	4	2	4	-	-	14	2	100	74	-	2
71	BRYAN	64	-	-	-	10	-	6	-	-	-	-	4	-	26	20	-	4
72	BULLOCH	278	-	-	8	40	6	12	6	10	-	-	6	6	122	68	-	-
73	STATESBORO	118	-	-	2	14	4	2	4	4	-	-	-	6	56	36	-	-
74	BALANCE OF COUNTY	160	-	-	6	26	2	10	2	6	-	-	6	-	66	32	-	-
75	BURKE	224	-	-	-	26	6	6	-	-	2	2	10	-	132	78	-	2
76	BUTTS	194	-	-	2	28	4	12	4	2	-	-	6	2	40	28	-	-
77	CALHOUN	92	-	-	2	6	2	-	-	-	-	2	2	2	66	30	-	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
70	6	-	32	2	-	2	4	2	10	2	-	2	10	-	14	8	6	4	4	-	01
368	8	2	124	18	10	22	24	4	44	2	-	6	8	10	72	16	18	10	14	-	02
626	28	10	192	30	30	46	30	6	34	8	4	6	34	6	130	70	50	20	26	12	03
588	60	4	184	28	22	30	26	4	22	4	-	8	20	52	120	42	24	28	6	-	04
3,982	152	58	1,532	144	154	268	198	54	154	30	-	34	52	36	632	162	140	104	42	10	05
426	14	10	164	12	20	34	30	10	20	6	-	-	2	4	66	28	10	14	6	-	06
176	6	2	50	6	2	2	6	-	2	-	-	-	4	2	22	2	4	4	-	-	07
176	12	2	64	8	4	8	10	8	4	2	-	2	2	-	42	8	8	2	2	-	08
140	8	-	28	6	2	8	6	2	2	-	-	-	6	2	20	6	6	2	2	2	09
1,886	54	28	764	72	82	146	68	28	78	12	-	22	26	18	304	68	78	50	22	4	10
1,178	58	16	462	40	44	70	78	6	48	10	-	10	12	10	178	50	34	32	10	4	11
792	44	20	300	36	28	102	50	6	42	8	2	16	50	184	212	102	86	32	36	4	12
56	-	6	10	-	2	4	4	-	2	-	-	-	8	6	12	-	-	2	6	-	13
228	22	2	84	10	6	20	10	4	16	4	2	8	4	60	56	14	20	4	6	-	14
96	-	4	48	6	10	20	8	-	2	-	-	4	10	10	20	10	6	4	4	2	15
412	22	8	158	20	10	58	28	2	22	4	-	4	28	108	124	78	60	22	20	2	16
140	6	2	40	6	4	10	4	2	6	8	-	-	8	8	32	14	10	10	10	4	17
100	32	2	72	6	-	12	12	2	8	-	-	-	4	6	14	18	6	6	4	2	18
58	22	-	38	2	-	2	10	-	8	-	-	-	2	-	8	8	4	4	2	-	19
42	10	2	34	4	-	10	2	2	-	-	-	-	2	6	6	10	2	2	2	2	20
200	10	4	54	8	10	24	24	2	18	-	-	-	6	28	76	18	14	8	26	2	21
110	6	4	30	8	6	14	16	2	10	-	-	-	6	26	60	14	10	2	22	2	22
90	4	-	24	-	4	10	8	-	8	-	-	-	-	2	16	4	4	6	4	-	23
84	4	4	32	2	-	14	2	2	2	-	-	4	8	2	20	22	10	4	-	2	24
848	26	10	286	40	40	44	68	10	38	2	-	4	16	12	176	48	46	24	10	4	25
292	6	4	136	24	20	24	20	4	20	-	-	2	12	6	64	10	30	12	8	-	26
556	20	6	150	16	20	20	48	6	18	2	-	2	4	6	112	38	16	12	2	4	27
262	14	4	80	12	10	20	18	2	14	6	2	8	30	12	68	32	36	8	6	-	28
94	4	2	30	2	4	10	8	2	6	4	-	4	8	6	14	10	14	4	4	-	29
168	10	2	50	10	6	10	10	-	8	2	2	4	22	6	54	22	22	4	2	-	30
58	6	-	28	-	-	6	4	-	2	2	-	2	4	6	20	4	4	-	2	2	31
44	6	-	24	6	2	6	6	-	2	2	-	2	6	14	20	8	4	2	2	-	32
40	2	-	10	2	4	-	6	-	2	4	-	-	4	8	18	8	4	2	4	2	33
14	4	-	-	2	2	2	-	-	2	-	-	-	4	-	2	2	2	-	-	-	34
1,010	64	18	308	72	42	78	68	10	54	12	-	20	42	132	242	66	72	26	22	8	35
322	18	6	102	20	16	28	20	2	14	6	-	2	10	30	66	16	18	4	8	6	36
88	10	2	28	16	2	2	8	-	6	-	-	2	4	14	22	10	6	-	4	-	37
50	6	2	26	8	2	4	6	-	2	2	-	2	6	6	18	4	6	2	-	-	38
100	2	2	36	8	4	8	10	2	2	-	-	-	2	16	26	4	4	-	-	2	39
450	28	6	116	20	18	36	24	6	30	4	-	14	20	66	110	32	38	20	10	-	40
16	2	-	10	-	-	4	-	-	-	-	-	-	2	6	4	2	2	-	-	-	41
66	18	-	36	-	2	8	4	-	2	6	-	2	2	12	6	18	8	-	4	-	42
76	4	-	14	2	-	8	-	-	2	-	-	-	-	4	10	4	4	2	-	-	43
12,726	1,386	234	5,940	562	494	1,502	610	136	544	258	20	352	904	762	3,406	1,884	1,466	600	1,002	46	44
4,940	646	102	2,444	236	180	632	252	56	322	138	10	152	416	338	1,586	542	532	230	558	34	45
7,786	740	132	3,496	326	314	870	358	80	222	120	10	200	488	424	1,820	1,342	934	370	444	12	46
5,224	522	100	2,364	236	202	642	268	58	346	128	4	194	448	272	1,640	732	578	312	548	32	47
3,608	416	82	1,688	176	124	470	172	46	274	106	4	128	300	214	1,202	398	380	172	450	26	48
1,616	106	18	676	60	78	172	96	12	72	22	-	66	148	58	438	334	198	140	98	6	49
7,502	864	134	3,576	326	292	860	342	78	108	130	16	158	456	490	1,766	1,152	888	288	454	14	50
1,332	230	20	756	60	56	162	80	10	48	32	6	24	116	124	384	144	152	58	108	8	51
6,170	634	114	2,820	266	236	698	262	68	150	98	10	134	340	366	1,382	1,008	736	230	346	6	52
48	-	-	14	2	2	8	4	-	2	4	-	2	2	-	14	4	16	-	4	-	53
32	-	-	14	2	-	-	2	-	2	-	-	-	2	-	4	4	6	2	-	-	54
36	-	-	8	-	2	2	-	-	-	-	-	-	-	-	8	4	4	2	-	-	55
16	-	-	6	-	-	-	4	-	-	2	-	-	-	4	-	2	4	-	-	-	56
104	4	2	22	4	6	16	-	-	2	8	-	2	2	4	22	8	8	8	8	2	57
74	4	-	16	4	4	8	-	-	2	8	-	2	-	-	16	4	6	2	2	2	58
30	-	2	6	-	2	8	-	-	-	-	-	-	2	4	6	4	2	6	6	-	59
20	-	-	12	2	-	2	2	2	-	-	-	2	-	-	6	6	-	-	-	-	60
72	6	-	20	-	-	2	-	-	2	2	-	-	6	4	20	-	8	6	6	-	61
88	6	-	54	14	-	6	2	2	8	4	-	2	10	4	16	20	6	2	6	-	62
68	6	2	36	4	-	12	2	-	2	-	-	4	2	-	10	4	6	2	4	-	63
36	10	-	14	2	2	-	6	-	-	-	-	-	-	2	6	6	-	2	2	2	64
396	32	18	246	44	12	50	14	6	24	12	-	12	36	10	112	66	38	18	36	6	65
352	30	18	222	40	12	50	12	6	22	12	-	10	36	8	104	56	36	16	32	6	66
44	2	-	24	4	-	-	2	-	2	-	-	2	-	2	8	10	2	2	4	-	67
22	12	-	12	-	2	4	2	-	-	4	-	2	-	2	10	-	12	2	2	-	68
22	6	2	8	-	2	2	2	-	2	-	-	-	-	4	2	4	2	-	-	-	69
68	4	-	24	2	-	8	4	-	-	-	-	2	-	2	16	8	10	-	-	-	70
8	8	-	6	-	-	-	2	-	-	-	-	2	-	-	6	16	-	-	2	-	71
56	12	2	46	6	-	16	6	2	-	-	-	4	14	18	16	18	6	2	-	-	72
34	2	2	18	-	-	4	6	-	-	-	-	-	12	6	8	2	2	-	-	-	73
22	10	-	28	6	-	12	-	2	-	-	-	4	2	12	8	16	4	2	-	-	74
70	6	-	54	-	-	2	2	-	2	-	-	4	4	4	6	10	24	-	8	-	75
26	2	2	8	2	-	10	6	-	-	-	-	2	-	4	4	4	2	-	-	-	76
26	2	6	28	-	2	-	2	-	-	-	-	-	4	4	-	-	4	-	2	-	77

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	GEORGIA—CON.																	
01	CAMDEN	104	-	-	-	16	2	4	2	-	2	2	4	2	50	30	-	2
02	CANDLER	66	-	-	2	8	-	-	-	2	-	-	6	-	42	24	-	-
03	CARROLL	442	2	-	-	44	8	14	2	6	2	2	10	4	232	158	4	-
04	CARROLLTON	104	2	-	-	10	4	-	-	-	2	2	2	-	66	38	2	-
05	BALANCE OF COUNTY	338	-	-	-	34	4	14	2	6	-	-	8	4	166	120	2	-
06	CATOOSA	226	-	-	2	38	6	8	2	6	6	-	10	2	124	94	2	2
07	CHARLTON	54	-	-	-	14	2	2	-	4	2	2	2	-	18	12	-	-
08	CHATHAM	1,916	6	-	10	294	62	80	30	48	12	16	46	42	1,002	686	2	32
09	SAVANNAH	1,566	6	-	10	246	50	70	28	42	10	14	32	30	828	562	2	28
10	BALANCE OF COUNTY	350	-	-	-	48	12	10	2	6	2	2	14	12	174	124	-	4
11	CHATTAHOOCHEE	22	-	-	-	4	-	2	2	-	-	-	-	-	8	8	-	-
12	CHATTOOGA	202	2	-	-	22	4	6	2	6	-	-	4	8	88	70	-	-
13	CHEROKEE	222	-	-	-	44	10	8	6	-	6	6	8	4	114	82	-	-
14	CLARKE	438	-	-	-	74	22	20	6	6	2	2	16	4	210	130	-	-
15	ATHENS	330	-	-	-	54	12	18	6	2	2	2	12	2	162	100	-	-
16	BALANCE OF COUNTY	108	-	-	-	20	10	2	-	4	-	-	4	2	48	30	-	-
17	CLAY	60	-	-	2	10	2	2	4	-	-	-	2	2	36	20	-	2
18	CLAYTON	538	2	-	2	56	4	10	4	10	10	6	12	14	266	158	8	2
19	COLLEGE PARK, PART	24	-	-	-	2	-	2	-	-	-	-	-	-	18	14	-	-
20	FOREST PARK	164	-	-	2	12	2	2	-	4	2	2	-	4	88	54	6	2
21	BALANCE OF COUNTY	350	2	-	-	42	2	6	4	6	8	4	12	10	160	90	2	-
22	CLINCH	64	-	-	-	10	-	6	-	-	-	-	4	-	30	16	-	-
23	COBB	1,226	-	-	6	208	36	66	12	22	16	16	40	18	572	380	8	4
24	MARIETTA	366	-	-	2	58	16	22	2	8	-	-	10	4	166	112	4	2
25	SMYRNA	148	-	-	2	38	8	14	2	2	2	2	8	-	66	42	-	-
26	BALANCE OF COUNTY	712	-	-	2	112	12	30	8	12	14	14	22	14	340	226	4	2
27	COFFEE	252	-	-	2	28	6	8	2	2	-	-	10	2	156	108	4	2
28	DOUGLAS	110	-	-	-	12	2	4	2	-	-	-	4	-	72	54	2	-
29	BALANCE OF COUNTY	142	-	-	2	16	4	4	-	2	-	-	6	2	84	54	2	2
30	COLQUITT	372	-	-	-	44	12	14	4	8	-	-	6	12	194	132	2	26
31	MOULTRIE	190	-	-	-	22	6	8	2	6	-	-	-	6	94	62	-	18
32	BALANCE OF COUNTY	182	-	-	-	22	6	6	2	2	-	-	6	6	100	70	2	8
33	COLUMBIA	146	-	-	-	20	6	8	-	2	-	-	4	2	68	62	-	-
34	COOK	160	2	-	2	16	6	4	-	-	-	2	4	-	90	58	-	-
35	COWETA	360	-	-	2	52	6	8	6	12	2	-	18	4	182	118	2	8
36	NEWNAN	168	-	-	2	26	4	2	2	8	-	-	10	2	76	48	-	6
37	BALANCE OF COUNTY	192	-	-	-	26	2	6	4	4	2	-	8	2	106	70	2	2
38	CRAWFORD	66	-	-	-	6	2	2	-	-	2	-	-	-	50	38	-	2
39	CRISP	212	2	-	-	30	10	2	4	-	2	2	10	-	108	64	2	-
40	CORDELE	152	2	-	-	20	10	-	2	-	-	2	6	-	76	40	-	-
41	BALANCE OF COUNTY	60	-	-	-	10	-	2	2	-	2	-	4	-	32	24	2	-
42	DADE	88	-	-	2	18	8	6	-	-	-	-	4	8	30	20	-	-
43	DAWSON	44	-	-	-	6	-	2	-	2	-	-	2	2	22	18	2	-
44	DECATUR	238	-	-	4	52	18	12	-	2	2	-	18	6	106	68	2	-
45	BAINBRIDGE	112	-	-	2	20	6	2	-	2	2	-	8	4	58	32	2	-
46	BALANCE OF COUNTY	126	-	-	2	32	12	10	-	-	-	-	10	2	48	36	-	-
47	DE KALB	2,720	4	-	22	528	106	124	56	78	28	36	100	30	1,294	900	8	8
48	ATLANTA, PART	686	2	-	6	146	16	32	20	28	12	16	22	12	312	222	2	-
49	DECATUR	374	-	-	-	58	14	22	4	2	2	4	10	4	206	144	-	6
50	BALANCE OF COUNTY	1,660	2	-	16	324	76	70	32	48	14	16	68	14	776	534	6	2
51	DODGE	174	-	-	-	18	6	10	-	-	2	-	-	4	78	42	2	4
52	DOOLY	112	-	-	-	8	2	2	2	-	-	-	2	-	74	48	-	-
53	DOUGHERTY	716	2	-	10	106	36	30	2	12	4	4	18	16	356	204	2	4
54	ALBANY	648	2	-	10	92	34	22	2	8	4	4	18	16	334	194	2	4
55	BALANCE OF COUNTY	68	-	-	-	14	2	8	-	4	-	-	-	-	22	10	-	-
56	DOUGLAS	236	-	-	4	22	2	10	4	2	-	2	2	2	150	106	2	2
57	EARLY	158	-	-	2	24	2	4	2	4	-	4	8	4	76	36	-	12
58	ECHOLS	38	-	-	-	2	-	-	-	-	-	-	2	4	28	24	-	-
59	EFFINGHAM	104	-	-	2	10	4	-	-	-	2	-	4	4	54	40	-	8
60	ELBERT	190	-	-	-	20	6	-	4	6	-	2	2	4	114	72	-	-
61	EMANUEL	216	-	-	2	30	2	6	4	10	2	2	4	6	134	98	-	-
62	EVANS	94	-	-	2	12	4	2	-	2	-	2	2	4	56	36	-	2
63	FANNIN	132	-	-	-	16	-	6	-	4	2	2	2	4	86	52	-	2
64	FAYETTE	96	-	-	-	10	6	-	2	-	-	-	2	-	50	38	-	-
65	FLOYD	784	-	-	6	114	30	24	12	14	6	2	26	8	434	272	4	14
66	ROME	466	-	-	6	64	18	14	8	8	2	-	14	6	278	172	2	6
67	BALANCE OF COUNTY	318	-	-	-	50	12	10	4	6	4	2	12	2	156	100	2	8
68	FORSYTH	154	-	-	-	32	8	6	-	6	2	-	10	-	76	62	-	-
69	FRANKLIN	182	-	2	-	32	8	-	2	10	2	4	6	10	84	68	-	-
70	FULTON	5,964	16	8	58	926	268	216	92	116	14	36	184	146	2,686	1,862	32	30
71	ATLANTA, PART	4,822	16	8	44	754	214	180	74	106	14	28	138	122	2,150	1,482	26	28
72	ATLANTA, TOTAL	5,508	18	8	50	900	230	212	94	134	26	44	160	134	2,462	1,704	28	28
73	COLLEGE PARK, PART	174	-	-	2	20	4	4	-	2	-	2	8	8	80	66	2	-
74	COLLEGE PARK, TOTAL	198	-	-	2	22	4	6	-	2	-	2	8	8	98	80	2	-
75	EAST POINT	354	-	-	4	50	16	8	8	2	-	2	14	10	158	108	-	2
76	BALANCE OF COUNTY	614	-	-	8	102	34	24	10	6	-	4	24	6	298	206	4	-
77	GILMER	108	-	-	-	18	4	4	2	4	-	-	4	-	66	48	-	-
78	GLASCOCK	26	-	-	-	6	2	2	-	-	-	-	2	-	16	10	-	-
79	GLYNN	444	2	-	6	86	18	28	12	8	2	4	14	6	208	148	-	10
80	BRUNSWICK	236	2	-	4	40	8	14	6	4	2	-	6	4	96	60	-	4
81	BALANCE OF COUNTY	208	-	-	2	46	10	14	6	4	-	4	8	2	112	88	-	6
82	GORDON	248	-	-	4	32	6	10	2	2	-	-	12	6	128	104	4	-
83	GRADY	210	-	-	-	38	8	16	-	2	-	2	10	2	110	68	-	4

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
28	-	-	16	2	2	2	-	-	-	-	-	-	2	6	6	6	12	-	2	-	01
20	4	-	18	-	-	6	2	-	-	-	-	-	2	-	4	-	-	-	-	-	02
138	16	2	60	8	4	14	2	-	6	2	-	4	18	20	42	34	6	4	8	-	03
30	6	-	26	-	2	2	2	-	-	-	-	-	6	2	10	4	-	-	-	-	04
108	10	2	34	8	2	12	-	-	6	2	-	4	12	18	32	30	6	4	8	-	05
86	4	-	28	-	2	4	2	2	-	2	-	-	4	-	18	10	14	-	4	-	06
8	4	4	2	-	-	2	4	2	-	-	-	-	2	2	6	2	-	2	-	-	07
568	84	4	252	34	26	58	20	6	30	12	-	12	38	12	168	64	72	20	48	2	08
462	70	4	216	28	18	54	10	4	22	12	-	10	28	10	142	46	52	10	44	2	09
106	14	-	36	6	8	4	10	2	8	-	-	2	10	2	26	18	20	10	4	-	10
6	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	6	-	-	-	-	11
64	6	-	16	-	2	18	8	-	4	-	-	2	4	-	18	14	10	2	2	-	12
82	-	2	22	4	4	8	4	-	-	-	-	-	2	-	18	16	6	4	2	-	13
122	8	4	62	8	8	12	4	6	8	2	-	-	6	34	34	10	12	8	14	-	14
92	8	4	52	-	6	10	4	2	8	2	-	-	4	26	30	4	6	4	12	-	15
30	-	-	10	8	-	2	-	4	-	-	-	-	2	8	4	6	6	4	2	-	16
14	4	-	16	-	-	4	-	-	-	-	-	-	-	-	2	2	2	-	-	-	17
138	10	-	82	8	18	10	10	4	2	2	-	8	20	4	60	30	20	20	8	-	18
12	2	-	2	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	19
42	4	-	24	6	4	-	2	2	-	-	-	2	4	2	24	6	6	8	2	-	20
84	4	-	56	2	12	10	8	2	2	2	-	6	16	2	34	22	14	12	6	-	21
12	4	-	10	2	2	6	-	-	-	-	-	2	4	-	-	6	6	-	-	-	22
350	18	2	164	16	10	42	24	10	16	8	-	18	30	26	98	74	24	28	18	6	23
100	6	-	50	4	-	14	6	4	8	4	-	6	6	4	34	22	6	10	10	2	24
42	-	-	22	2	-	-	4	-	2	-	-	2	4	4	14	8	2	2	-	-	25
208	12	2	92	10	10	28	14	6	6	4	-	10	20	18	50	44	16	16	8	4	26
102	-	-	44	2	2	8	-	-	4	-	4	-	2	2	14	14	8	2	6	-	27
52	-	-	14	2	2	2	-	-	-	-	4	-	2	2	8	4	2	-	2	-	28
50	-	-	30	-	-	6	-	-	4	-	-	-	-	-	6	10	6	2	4	-	29
84	20	-	42	10	10	26	6	2	2	-	-	2	4	8	30	14	22	2	4	-	30
36	8	-	20	6	6	12	4	2	-	-	-	-	4	6	18	8	12	-	2	-	31
48	12	-	22	4	4	14	2	-	2	-	-	2	-	2	12	6	10	2	2	-	32
62	-	-	6	-	-	-	-	4	2	4	-	-	2	-	28	10	4	2	-	-	33
52	6	-	24	4	4	4	-	2	-	-	-	-	6	4	12	14	8	-	-	-	34
100	8	2	56	-	6	10	16	-	-	-	-	2	4	30	24	12	10	-	12	-	35
36	6	-	26	-	2	8	8	-	-	-	-	-	2	14	10	4	8	-	8	-	36
64	2	2	30	-	4	2	8	-	-	-	-	2	2	16	14	8	2	-	4	-	37
30	6	2	10	-	-	8	-	-	-	-	-	-	-	-	-	-	-	4	-	-	38
56	6	4	38	2	-	14	2	-	4	-	-	-	6	4	14	12	4	2	10	-	39
34	6	2	32	2	-	12	2	-	2	-	-	-	6	4	12	6	-	2	8	-	40
22	-	2	6	-	-	2	-	-	2	-	-	-	-	-	2	6	4	-	2	-	41
18	2	-	10	-	-	4	4	-	-	-	-	2	-	2	-	10	4	2	2	-	42
14	-	-	4	-	-	4	-	-	-	-	-	-	-	-	6	2	-	2	-	-	43
58	8	-	34	2	2	12	2	2	-	-	-	-	2	2	20	16	6	2	6	-	44
28	2	-	26	-	-	4	2	-	-	-	-	-	-	-	10	6	4	2	-	-	45
30	6	-	8	2	2	8	-	2	-	-	-	-	2	2	10	10	2	-	6	-	46
816	68	20	308	36	30	76	42	6	52	16	-	36	48	20	218	110	82	78	56	2	47
194	26	6	68	10	6	26	6	2	12	8	-	4	12	16	60	18	14	4	26	-	48
120	18	6	42	8	6	6	6	2	8	-	-	10	12	2	26	8	8	10	8	-	49
502	24	8	198	18	18	44	30	2	32	8	-	22	24	2	132	84	60	64	22	2	50
36	-	2	30	-	4	10	4	-	-	-	-	2	4	24	18	4	4	2	2	-	51
48	-	-	26	-	-	8	4	-	8	-	-	-	2	2	6	-	-	-	-	-	52
186	12	6	140	4	2	32	10	-	10	8	-	6	20	12	46	22	32	6	22	-	53
176	12	6	128	4	2	24	8	-	8	8	-	4	18	10	44	12	30	6	22	-	54
10	-	-	12	-	-	8	2	-	2	-	-	2	2	2	2	10	2	-	-	-	55
96	6	2	34	4	4	2	4	-	-	2	-	-	2	2	20	12	6	2	6	-	56
22	2	4	30	4	2	4	4	2	2	2	-	4	-	-	16	6	6	-	6	-	57
24	-	-	4	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	58
28	4	-	12	-	2	10	2	-	2	-	-	-	2	-	4	-	10	-	4	-	59
66	6	8	22	6	6	6	-	-	2	2	-	2	-	4	10	14	4	4	4	-	60
90	8	-	30	-	6	6	2	2	2	2	-	-	6	2	14	4	2	2	-	-	61
32	2	2	18	-	-	-	2	-	-	-	-	-	4	-	8	2	4	-	-	-	62
50	-	2	26	2	4	4	-	2	2	-	-	-	2	-	6	6	-	-	4	-	63
28	10	-	12	-	-	6	-	-	-	-	-	-	2	2	12	8	2	4	-	-	64
234	20	4	118	30	10	8	20	4	4	10	4	8	26	2	52	18	30	14	22	-	65
146	18	2	84	12	8	2	8	2	2	6	2	4	16	2	24	14	18	-	12	-	66
88	2	2	34	18	2	6	12	2	2	4	2	4	10	-	28	4	12	14	10	-	67
60	2	-	14	-	-	4	-	-	-	-	-	2	2	2	12	4	6	4	10	-	68
62	6	-	10	-	6	4	2	-	-	-	-	-	6	4	12	16	4	-	6	-	69
1,660	140	32	696	36	60	244	84	16	170	48	4	60	128	86	576	174	184	82	258	10	70
1,306	122	26	566	32	44	208	68	16	144	38	4	48	98	72	464	122	152	60	226	8	71
1,500	148	32	634	42	50	234	74	18	156	46	4	52	110	88	524	140	166	64	252	8	72
60	4	-	14	-	-	6	2	-	6	-	-	4	2	-	20	4	8	6	6	-	73
72	6	-	16	-	2	6	2	-	6	-	-	4	2	-	22	6	8	6	6	-	74
100	6	4	38	2	6	14	6	-	8	4	-	2	4	8	44	16	10	2	12	2	75
194	8	2	78	2	10	16	8	-	12	6	-	6	24	6	48	32	14	14	14	-	76
40	8	-	14	4	-	2	4	-	-	-	-	-	2	-	10	6	-	-	-	-	77
10	-	-	6	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	78
104	34	-	46	2	12	16	8	-	2	-	-	4	14	8	30	18	22	4	8	2	79
40	16	-	30	-	6	12	2	-	2	-	-	-	12	4	28	12	10	2	4	2	80
64	18	-	16	2	6	4	6	-	-	-	-	4	2	4	2	6	12	2	4	-	81
72	28	-	20	4	-	2	6	-	-	4	-	-	2	6	20	14	10	10	4	-	82
62	2	-	38	2	2	10	2	2	2	-	-	2	10	-	20	2	2	4	4	-	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	GEORGIA--CON.																	
01	GREENE	144	-	-	-	20	2	6	-	2	2	2	6	4	80	56	-	-
02	GWINNETT	560	-	-	2	108	22	30	10	24	4	4	14	4	258	188	2	-
03	HABERSHAM	150	-	-	2	16	4	4	4	-	-	-	4	-	86	62	-	-
04	HALL	590	-	-	8	80	26	20	6	14	2	-	12	6	302	216	4	-
05	GAINESVILLE	188	-	-	-	32	10	8	2	4	-	-	8	-	92	64	2	-
06	BALANCE OF COUNTY	402	-	-	8	48	16	12	4	10	2	-	4	6	210	152	2	-
07	HANCOCK	102	-	-	-	16	-	6	2	2	-	2	4	-	58	52	2	2
08	HARALSON	182	2	-	2	30	8	8	4	2	-	4	4	4	104	62	-	-
09	HARRIS	160	2	-	2	22	8	6	-	-	4	-	4	-	86	56	-	2
10	HART	164	-	-	2	24	2	14	2	2	-	-	4	8	86	56	-	2
11	HEARD	60	-	-	-	8	2	-	2	2	-	-	2	-	28	16	-	-
12	HENRY	244	-	-	2	30	-	12	4	2	-	6	6	8	132	74	4	2
13	HOUSTON	404	-	-	4	58	8	22	4	12	-	2	10	8	152	112	4	4
14	WARNER ROBINS	228	-	-	-	24	4	12	-	4	-	-	4	6	94	74	2	-
15	BALANCE OF COUNTY	176	-	-	4	34	4	10	4	8	-	2	6	2	58	38	2	4
16	IRWIN	104	-	-	2	6	-	2	-	2	-	-	2	-	74	40	-	-
17	JACKSON	252	-	-	-	44	10	10	6	2	2	4	10	6	126	98	-	-
18	JASPER	82	-	-	-	12	-	-	-	4	-	2	6	2	48	28	-	-
19	JEFF DAVIS	106	-	-	2	8	2	-	-	2	-	2	2	-	72	54	-	-
20	JEFFERSON	222	-	-	-	20	4	6	-	4	-	-	6	6	116	96	2	-
21	JENKINS	104	-	-	2	14	4	8	-	-	-	-	2	4	58	30	-	-
22	JOHNSON	96	-	-	-	16	2	4	4	4	-	-	2	-	40	32	-	-
23	JONES	106	-	-	-	8	2	2	-	2	-	-	2	2	64	40	-	-
24	LAMAR	114	-	-	-	16	10	4	-	-	2	-	-	6	64	50	-	-
25	LANIER	76	-	-	-	8	2	-	2	2	-	-	2	2	48	40	-	-
26	LAURENS	364	-	-	4	40	12	16	-	6	-	2	4	-	160	112	4	12
27	DUBLIN	196	-	-	2	24	4	14	-	4	-	-	2	-	80	54	-	6
28	BALANCE OF COUNTY	168	-	-	2	16	8	2	-	2	-	2	2	-	80	58	4	6
29	LEE	70	-	-	2	12	4	2	-	2	-	-	4	-	40	18	-	-
30	LIBERTY	128	-	-	-	14	2	8	-	-	-	2	2	2	70	56	-	-
31	LINCOLN	70	-	-	-	18	4	-	-	4	4	2	4	-	34	18	-	-
32	LONG	44	-	-	-	8	4	-	-	-	-	-	4	-	30	18	2	-
33	LOWNDES	518	-	-	2	86	6	16	8	22	4	6	24	16	298	226	2	2
34	VALDOSTA	338	-	-	2	60	2	16	6	16	-	4	16	4	206	152	2	-
35	BALANCE OF COUNTY	180	-	-	-	26	4	-	2	6	4	2	8	12	92	74	-	2
36	LUMPKIN	60	-	-	-	14	6	4	-	2	-	-	2	4	30	20	-	-
37	MC DUFFIE	170	2	-	-	20	4	4	2	6	-	2	2	-	74	60	-	-
38	MC INTOSH	56	-	-	-	8	2	4	-	-	-	-	2	-	30	20	-	-
39	MACON	140	-	-	2	12	6	2	-	-	2	-	2	6	66	50	-	6
40	MADISON	144	-	-	6	28	2	8	-	10	6	-	2	-	72	54	-	-
41	MARION	88	2	-	2	12	2	6	2	2	-	-	-	-	48	30	2	-
42	MERIWETHER	240	-	-	-	36	2	10	2	8	4	-	10	2	138	76	-	2
43	MILLER	78	-	-	-	12	4	2	2	2	-	-	2	-	44	26	2	2
44	MITCHELL	210	-	-	6	26	12	6	4	2	-	-	2	-	102	92	2	2
45	MONROE	128	-	-	-	16	4	4	-	-	-	4	4	4	62	38	-	-
46	MONTGOMERY	78	-	-	-	4	2	-	-	-	-	-	2	2	50	34	-	-
47	MORGAN	108	-	-	-	8	2	-	2	2	-	-	2	6	68	46	-	2
48	MURRAY	122	-	-	-	14	4	-	2	4	-	2	2	2	46	32	-	-
49	MUSCOGEE	1,404	6	-	6	254	42	52	28	36	16	10	70	20	628	420	2	36
50	COLUMBUS	1,340	6	-	6	240	42	50	26	34	16	10	62	20	612	412	2	36
51	BALANCE OF COUNTY	64	-	-	-	14	-	2	2	2	-	-	8	-	16	8	-	-
52	NEWTON	266	-	-	6	46	12	8	2	2	4	-	18	-	118	74	2	8
53	COVINGTON	114	-	-	-	16	4	2	-	-	2	-	8	-	48	28	-	4
54	BALANCE OF COUNTY	152	-	-	6	30	8	6	2	2	2	-	10	-	70	46	2	4
55	OCONEE	72	-	-	-	10	4	2	-	-	-	2	2	2	34	24	-	-
56	OGLETHORPE	86	-	-	-	14	4	-	2	2	-	-	6	2	42	24	-	-
57	PAULDING	166	-	-	-	20	2	8	2	2	-	2	4	-	88	62	-	-
58	PEACH	144	-	-	-	12	4	2	-	2	-	2	2	4	92	70	2	6
59	PICKENS	100	-	-	-	14	4	4	-	6	-	-	-	2	58	32	-	-
60	PIERCE	122	-	-	2	16	4	2	-	4	-	-	6	2	52	30	-	-
61	PIKE	66	-	-	-	6	-	-	6	-	-	-	-	-	32	18	-	-
62	POLK	354	-	-	2	62	16	8	-	4	8	2	24	2	204	154	2	2
63	PULASKI	94	-	-	-	14	8	-	2	-	-	2	2	8	54	34	-	4
64	PUTNAM	94	-	-	-	12	8	2	2	-	-	-	-	-	48	30	2	-
65	QUITMAN	26	-	-	-	4	-	-	2	2	-	-	-	-	12	10	-	-
66	RABUN	72	-	-	-	14	4	2	4	-	2	-	2	2	40	30	-	-
67	RANDOLPH	142	-	-	4	20	2	2	2	4	-	-	10	4	72	50	-	-
68	RICHMOND	1,358	4	-	10	234	62	60	24	26	2	-	60	18	692	484	8	38
69	AUGUSTA	916	-	-	6	150	36	36	20	20	2	-	36	10	492	340	4	24
70	BALANCE OF COUNTY	442	4	-	4	84	26	24	4	6	-	-	24	8	200	144	4	14
71	ROCKDALE	120	-	-	-	14	-	4	2	2	2	-	4	2	74	62	-	-
72	SCHLEY	44	-	-	-	4	-	2	-	-	-	-	2	-	32	10	-	-
73	SCREVEN	172	2	-	-	14	6	2	-	4	-	-	2	4	104	72	-	8
74	SEMINOLE	86	-	-	-	18	4	6	-	2	-	2	4	2	50	26	-	2
75	SPALDING	394	2	-	-	62	18	6	10	10	-	-	18	6	204	106	2	-
76	GRIFFIN	274	2	-	-	36	12	6	6	4	-	-	8	6	148	78	2	-
77	BALANCE OF COUNTY	120	-	-	-	26	6	-	4	6	-	-	10	-	56	28	-	-
78	STEPHENS	188	-	-	-	32	6	4	6	6	-	-	10	6	106	54	-	2
79	STEWART	72	-	-	-	2	-	2	-	-	-	-	-	-	44	26	-	-
80	SUMTER	288	-	-	8	44	16	8	6	4	2	-	8	4	150	104	-	-
81	AMERICUS	176	-	-	6	28	14	2	2	2	2	-	6	2	92	66	-	-
82	BALANCE OF COUNTY	112	-	-	2	16	2	6	4	2	-	-	2	2	58	38	-	-
83	TALBOT	88	-	-	-	-	-	-	-	-	-	-	-	2	54	20	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
54	2	2	14	4	4	8	2	-	2	-	-	2	2	2	8	6	4	2	2	-	01
180	6	2	56	6	6	20	8	-	2	2	-	4	12	12	48	30	28	4	18	-	02
60	2	-	24	-	-	8	2	4	-	-	-	-	2	-	14	10	2	-	4	-	03
204	8	-	76	6	4	14	2	2	16	-	-	6	12	22	54	42	12	4	8	-	04
62	-	-	22	6	-	4	2	-	10	-	-	2	2	10	20	6	4	-	4	-	05
142	8	-	54	-	4	10	-	2	6	-	-	4	10	12	34	36	8	4	4	-	06
48	-	2	4	-	-	8	-	-	2	-	-	-	2	-	8	4	4	-	-	-	07
56	6	2	30	6	4	2	4	-	2	-	-	2	6	2	6	8	4	2	2	-	08
42	12	-	18	10	2	10	-	-	-	-	-	-	2	4	6	10	6	2	6	2	09
52	2	2	22	2	4	2	-	-	6	2	-	2	2	2	8	14	2	2	2	-	10
12	4	-	12	-	-	4	2	-	4	-	-	-	2	2	4	2	-	2	2	-	11
62	6	-	52	2	4	2	2	4	4	2	-	-	2	4	24	14	14	-	-	-	12
86	18	-	30	8	2	12	12	-	12	-	-	2	26	4	38	42	20	6	6	2	13
56	16	-	10	8	2	8	6	-	10	-	-	-	16	4	24	16	10	4	4	2	14
30	2	-	20	-	-	4	6	-	2	-	-	2	10	-	14	26	10	2	2	-	15
40	-	-	30	4	-	-	4	-	-	-	-	-	-	-	8	4	4	2	-	-	16
98	-	-	24	-	4	8	6	-	-	-	-	-	2	2	14	18	10	8	8	-	17
26	2	-	20	-	-	2	-	-	-	2	-	-	2	-	2	4	4	-	4	-	18
50	4	-	16	2	-	-	2	-	-	-	-	-	2	-	4	4	10	2	-	-	19
90	4	2	16	-	2	8	2	2	2	-	-	4	4	4	24	14	10	-	6	-	20
28	2	2	20	-	6	2	2	-	-	2	-	-	-	-	4	8	4	-	4	-	21
30	2	2	4	-	2	8	-	-	2	-	-	-	2	-	12	10	4	-	2	-	22
38	2	6	16	2	-	2	-	-	2	2	-	2	4	-	6	6	4	2	2	-	23
46	4	-	10	4	-	-	2	-	2	-	-	2	2	-	6	6	6	-	2	-	24
36	4	-	4	2	2	4	-	-	-	2	-	4	2	-	2	2	-	-	2	-	25
90	6	-	42	4	2	18	10	-	4	-	-	-	8	34	32	24	16	2	10	2	26
46	2	-	22	4	-	12	8	-	2	-	-	-	4	20	16	8	10	2	6	2	27
44	4	-	20	-	2	6	2	-	2	-	-	-	4	14	16	16	6	-	4	-	28
14	4	-	20	-	2	2	2	-	-	-	-	-	2	-	4	2	2	2	-	-	29
46	10	-	12	-	2	2	-	-	-	-	-	2	10	-	8	12	8	-	-	-	30
14	4	-	16	-	-	4	-	-	-	-	-	2	2	4	-	2	2	-	2	-	31
12	4	-	10	2	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	32
108	114	2	58	8	4	16	8	2	4	-	-	-	8	-	36	18	14	2	8	-	33
64	86	-	46	6	2	6	8	-	4	-	-	-	4	-	24	10	4	2	4	-	34
44	28	2	12	2	2	10	-	2	-	-	-	-	4	-	12	8	10	-	4	-	35
18	2	-	10	-	-	4	-	-	-	-	-	-	-	-	2	2	4	-	-	-	36
58	2	-	12	-	2	2	2	2	-	-	-	-	4	34	8	12	4	-	6	-	37
20	-	-	8	-	2	-	-	2	-	-	-	-	-	4	4	-	8	-	-	-	38
42	2	-	6	10	-	8	-	-	-	4	-	4	4	8	12	6	6	-	2	-	39
48	6	-	18	-	-	10	2	-	-	-	-	-	4	4	4	2	4	8	-	-	40
22	6	-	14	2	2	6	2	2	-	-	-	-	-	2	2	2	4	-	4	-	41
68	6	6	52	4	-	8	6	-	-	-	-	-	2	2	24	12	8	2	-	-	42
22	-	2	16	-	-	4	4	-	2	-	-	2	-	2	4	-	2	2	-	-	43
44	4	-	44	2	4	6	-	-	2	4	-	2	8	16	16	12	6	2	2	-	44
36	2	-	18	2	4	6	-	-	2	-	-	-	4	-	12	12	4	-	6	-	45
28	6	-	16	-	-	8	-	-	2	-	-	-	4	-	2	4	2	-	-	-	46
40	4	-	22	-	-	4	-	-	-	-	-	-	-	2	12	2	4	2	-	-	47
28	4	-	12	-	2	12	8	-	2	-	-	-	4	-	12	8	14	-	-	-	48
290	92	12	170	14	12	44	18	6	14	14	-	10	54	68	138	48	32	12	28	4	49
284	90	12	164	14	10	38	18	6	14	14	-	10	46	66	134	38	28	12	28	4	50
6	2	-	6	-	2	6	-	-	-	-	-	-	8	2	4	10	4	-	-	-	51
62	2	-	38	4	2	8	4	2	4	2	-	-	14	8	14	20	6	2	12	-	52
22	2	-	20	-	-	4	2	-	4	2	-	-	10	6	4	8	4	-	6	-	53
40	-	-	18	4	2	4	2	2	-	-	-	-	4	2	10	12	2	2	6	-	54
18	6	-	6	-	4	4	2	-	-	-	-	-	4	2	2	6	4	2	-	-	55
20	4	-	16	2	-	-	2	-	-	-	-	2	2	-	8	8	2	-	4	-	56
54	8	-	24	-	2	6	4	-	-	-	-	4	4	-	16	14	8	2	-	-	57
58	4	-	16	4	2	4	-	2	-	-	-	2	8	-	12	4	2	-	2	-	58
32	-	-	24	-	2	6	-	-	-	-	-	-	2	4	4	6	-	2	2	-	59
26	4	-	18	2	2	6	2	2	-	2	-	-	2	-	16	12	6	2	-	-	60
16	2	-	14	-	-	8	2	2	2	-	-	-	2	-	6	2	4	-	-	-	61
144	6	-	46	4	-	16	2	-	-	-	-	2	8	-	24	18	6	6	2	-	62
26	4	-	18	-	2	2	2	-	-	-	-	-	2	2	8	-	-	-	2	-	63
26	2	2	14	-	2	-	-	-	-	6	-	2	-	-	8	10	4	-	4	-	64
10	-	-	2	-	-	-	-	-	-	-	-	-	-	-	6	2	-	2	-	-	65
28	2	-	6	2	2	2	2	-	-	-	-	-	-	-	-	4	4	-	4	-	66
50	-	-	12	6	4	6	2	-	-	-	-	2	2	12	4	2	4	6	2	-	67
426	12	-	168	26	14	36	20	4	10	6	-	24	26	10	106	46	34	30	48	-	68
302	10	-	122	18	12	22	18	4	10	6	-	16	14	8	66	24	18	22	30	-	69
124	2	-	46	8	2	14	2	-	-	-	-	8	12	2	40	22	16	8	18	-	70
60	2	-	10	-	2	4	-	-	-	-	-	-	-	-	4	12	6	2	2	-	71
10	-	2	12	4	4	2	-	-	-	-	-	2	-	-	-	2	2	-	-	-	72
56	8	-	26	2	4	8	-	-	4	2	-	-	-	2	6	10	10	-	6	-	73
12	12	-	24	-	-	-	-	-	4	2	2	-	-	-	-	2	4	-	2	-	74
98	6	2	78	6	12	12	6	2	2	2	2	4	4	-	40	10	20	6	10	-	75
72	4	2	58	2	8	10	4	2	2	2	-	2	4	-	28	4	12	6	6	-	76
26	2	-	20	4	4	2	2	-	-	-	2	2	-	-	12	6	8	-	4	-	77
42	10	-	46	2	4	8	-	-	2	2	-	4	2	-	8	2	10	4	2	-	78
22	4	-	12	6	-	4	-	-	-	-	-	-	-	4	8	2	4	2	2	-	79
88	16	4	36	2	4	12	6	2	2	-	-	2	2	2	22	8	10	6	6	2	80
56	10	2	20	2	2	6	2	-	2	-	-	2	-	2	16	2	6	4	4	2	81
32	6	2	16	-	2	6	4	2	-	-	-	-	2	-	6	6	4	2	2	-	82
20	-	4	24	4	2	2	2	-	2	2	-	-	-	4	6	4	8	2	-	-	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	GEORGIA—CON.																	
01	TALIAFERRO	36	-	-	-	2	-	-	-	-	-	2	-	-	22	18	-	-
02	TATTNALL	140	-	-	-	12	2	2	2	4	-	-	2	4	86	60	-	-
03	TAYLOR	102	-	-	-	10	2	-	2	2	-	2	2	-	72	54	2	2
04	TELFAIR	130	-	-	-	18	4	2	2	2	-	-	8	-	68	30	-	-
05	TERRELL	134	2	-	2	18	8	-	-	2	2	-	6	2	74	50	-	-
06	THOMAS	434	-	-	2	38	8	6	4	2	-	-	18	12	234	142	2	12
07	THOMASVILLE	256	-	-	2	24	4	4	4	2	-	-	10	8	140	82	-	8
08	BALANCE OF COUNTY	178	-	-	-	14	4	2	-	-	-	-	8	4	94	60	2	4
09	TIFT	270	2	-	4	32	4	12	2	4	-	2	8	4	166	102	-	-
10	TIFTON	138	-	-	-	14	2	8	-	2	-	-	2	4	86	54	-	-
11	BALANCE OF COUNTY	132	2	-	4	18	2	4	2	2	-	2	6	-	80	48	-	-
12	TOOMBS	224	-	-	-	38	14	6	2	2	-	-	14	2	112	74	-	-
13	TOWNS	54	-	-	-	10	4	2	2	-	-	-	2	4	28	10	-	-
14	TREUTLEN	76	-	-	2	6	-	-	2	-	-	-	4	2	38	22	-	-
15	TROUP	598	-	-	2	74	16	12	16	10	-	2	18	4	338	210	-	8
16	LA GRANGE	300	-	-	2	36	4	2	12	8	-	-	10	-	178	104	-	4
17	BALANCE OF COUNTY	298	-	-	-	38	12	10	4	2	-	2	8	4	160	106	-	4
18	TURNER	104	-	-	-	10	-	2	-	4	-	-	4	-	76	46	-	-
19	TWIGGS	72	-	-	2	6	-	4	-	-	-	-	2	-	32	20	-	-
20	UNION	88	-	-	-	8	-	-	2	4	-	-	2	2	54	36	-	-
21	UPSON	288	-	2	-	38	8	8	2	4	-	4	12	4	164	100	4	4
22	THOMASTON	124	-	-	-	14	2	4	-	-	-	-	8	2	64	44	2	2
23	BALANCE OF COUNTY	164	-	2	-	24	6	4	2	4	-	4	4	2	100	56	2	2
24	WALKER	426	2	-	-	64	12	18	4	10	2	2	16	16	226	156	2	4
25	WALTON	230	-	-	-	46	12	10	4	6	2	-	12	4	120	90	-	-
26	WARE	426	-	-	6	60	16	14	2	10	4	4	10	18	226	172	2	2
27	WAYCROSS	296	-	-	6	50	14	10	2	10	4	4	6	16	152	114	2	-
28	BALANCE OF COUNTY	130	-	-	-	10	2	4	-	-	-	-	4	2	74	58	-	2
29	WARREN	62	-	-	4	4	-	-	-	2	-	-	2	-	24	14	-	-
30	WASHINGTON	246	-	-	4	34	4	4	2	6	-	4	14	4	130	94	4	-
31	WAYNE	182	-	-	-	34	4	10	2	2	-	4	12	2	90	68	-	4
32	WEBSTER	16	-	-	-	2	-	-	-	-	2	-	-	-	6	4	-	-
33	WHEELER	42	-	-	-	6	2	-	-	4	-	-	-	-	20	12	-	-
34	WHITE	62	2	-	-	8	-	2	-	-	2	-	4	-	38	34	2	-
35	WHITFIELD	468	-	-	2	70	12	24	8	12	2	-	12	-	254	158	4	-
36	DALTON	218	-	-	2	34	4	16	4	4	-	-	6	-	112	82	4	-
37	BALANCE OF COUNTY	250	-	-	-	36	8	8	4	8	2	-	6	-	142	76	-	-
38	WILCOX	100	-	-	2	10	2	6	-	-	-	-	2	2	60	34	-	-
39	WILKES	110	-	-	-	10	6	-	-	-	-	-	4	2	70	52	-	-
40	WILKINSON	114	2	-	2	8	4	-	2	-	2	-	-	4	60	46	-	2
41	WORTH	158	-	-	-	16	2	4	2	2	2	-	4	6	92	44	-	-
42	**HAWAII**	4,304	18	2	50	888	328	184	46	80	30	32	188	104	1,870	1,402	40	12
43	URBAN PLACES	2,760	16	2	40	580	218	116	36	60	24	22	104	68	1,192	898	24	4
44	BALANCE OF AREA	1,544	2	-	10	308	110	68	10	20	6	10	84	36	678	504	16	8
45	METROPOLITAN COUNTIES	3,138	16	2	46	648	220	138	42	60	26	24	138	70	1,350	1,022	28	8
46	URBAN PLACES	2,514	14	2	40	528	192	106	36	52	22	22	98	58	1,098	832	20	4
47	BALANCE OF AREA	624	2	-	6	120	28	32	6	8	4	2	40	12	252	190	8	4
48	NONMETROPOLITAN COUNTIES	1,166	2	-	4	240	108	46	4	20	4	8	50	34	520	380	12	4
49	URBAN PLACES	246	2	-	-	52	26	10	-	8	2	-	6	10	94	66	4	-
50	BALANCE OF AREA	920	-	-	4	188	82	36	4	12	2	8	44	24	426	314	8	4
51	HAWAII	544	2	-	-	120	56	18	2	14	4	4	22	16	234	164	4	2
52	HILO[3]	246	2	-	-	52	26	10	-	8	2	-	6	10	94	66	4	-
53	BALANCE OF COUNTY	298	-	-	-	68	30	8	2	6	2	4	16	6	140	98	-	2
54	HONOLULU	3,138	16	2	46	648	220	138	42	60	26	24	138	70	1,350	1,022	28	8
55	AIEA	62	-	-	-	14	4	2	2	-	4	-	2	2	30	26	-	-
56	HONOLULU[3]	1,962	14	2	34	434	158	84	34	40	14	20	84	42	862	646	16	2
57	KAILUA	128	-	-	-	26	10	6	-	4	2	-	4	4	46	34	-	-
58	KANEOHE	142	-	-	-	28	8	6	-	6	2	-	6	-	66	58	4	-
59	PEARL CITY	52	-	-	2	10	4	4	-	2	-	-	-	2	22	16	-	2
60	SCHOFIELD BARRACKS	10	-	-	-	2	-	2	-	-	-	-	-	-	4	4	-	-
61	WAHIAWA	84	-	-	2	10	8	-	-	-	-	-	2	6	32	18	-	-
62	WAIPAHU	74	-	-	2	4	-	2	-	-	-	2	-	2	36	30	-	-
63	BALANCE OF COUNTY	624	2	-	6	120	28	32	6	8	4	2	40	12	252	190	8	4
64	KAUAI	222	-	-	-	40	16	10	-	4	-	2	8	6	98	78	4	-
65	MAUI	400	-	-	4	80	36	18	2	2	-	2	20	12	188	138	4	2
66	**IDAHO**	6,352	10	-	18	960	258	190	72	142	44	46	208	124	3,126	2,204	56	44
67	URBAN PLACES	2,484	2	-	4	422	124	68	24	64	14	24	104	36	1,246	850	26	18
68	BALANCE OF AREA	3,868	8	-	14	538	134	122	48	78	30	22	104	88	1,880	1,354	30	26
69	METROPOLITAN COUNTIES	926	-	-	-	142	30	32	14	28	-	8	30	12	512	362	14	4
70	URBAN PLACES	770	-	-	-	128	30	28	10	24	-	8	28	10	412	292	12	4
71	BALANCE OF AREA	156	-	-	-	14	-	4	4	4	-	-	2	2	100	70	2	-
72	NONMETROPOLITAN COUNTIES	5,426	10	-	18	818	228	158	58	114	44	38	178	112	2,614	1,842	42	40
73	URBAN PLACES	1,714	2	-	4	294	94	40	14	40	14	16	76	26	834	558	14	14
74	BALANCE OF AREA	3,712	8	-	14	524	134	118	44	74	30	22	102	86	1,780	1,284	28	26

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
18	-	2	2	-	-	6	-	-	-	-	-	-	-	2	2	-	-	-	2	-	01
56	4	2	20	-	4	6	2	-	-	-	-	-	4	-	8	8	8	-	-	2	02
46	4	2	14	2	-	-	-	-	-	-	-	-	2	-	6	6	6	-	-	-	03
24	6	-	38	-	-	10	-	-	-	2	2	2	-	2	8	10	4	2	2	-	04
44	6	2	18	2	2	8	2	-	-	-	-	-	-	-	14	4	2	-	6	-	05
120	8	2	84	2	4	28	6	-	4	4	-	2	14	4	38	20	10	10	8	-	06
70	4	2	54	-	2	18	6	-	2	-	-	2	10	4	18	4	2	10	6	-	07
50	4	-	30	2	2	10	-	-	2	4	-	-	4	-	20	16	8	-	2	-	08
90	12	4	50	8	2	4	2	-	-	8	-	-	2	6	16	14	8	-	2	-	09
44	10	4	22	6	-	2	-	-	-	2	-	-	2	4	12	10	2	-	-	-	10
46	2	-	28	2	2	2	2	-	-	6	-	-	-	2	4	4	6	-	2	-	11
66	8	2	30	4	2	12	6	-	4	-	-	-	4	-	10	4	16	4	12	-	12
10	-	2	16	-	-	-	2	-	2	-	-	-	-	-	6	-	2	-	-	-	13
18	4	-	14	-	2	-	4	-	-	-	-	-	2	2	-	6	10	-	4	-	14
194	8	-	118	2	8	22	6	2	6	10	-	6	8	8	48	16	16	20	12	-	15
96	4	-	66	2	6	12	4	2	-	6	-	4	6	4	18	2	6	12	8	-	16
98	4	-	52	-	2	10	2	-	6	4	-	2	2	4	30	14	10	8	4	-	17
46	-	-	30	-	-	6	-	-	-	-	-	-	-	-	4	6	2	-	-	-	18
12	8	-	12	-	-	4	2	-	2	-	-	2	-	-	12	8	2	-	-	-	19
30	6	-	16	-	2	6	-	-	-	-	-	-	-	2	6	4	2	2	2	-	20
86	6	2	54	4	4	8	2	-	4	-	2	4	-	2	18	10	10	10	10	-	21
36	4	-	18	2	-	4	2	-	-	-	-	2	-	2	10	4	6	6	8	-	22
50	2	2	36	2	4	4	-	-	4	-	2	2	-	-	8	6	4	4	2	-	23
122	28	4	52	4	10	18	6	-	2	-	-	2	8	8	32	20	12	8	2	-	24
84	6	2	24	-	4	12	2	-	-	2	-	-	4	-	20	4	6	6	4	-	25
148	20	-	50	-	4	2	6	2	2	2	-	2	4	4	40	18	24	4	6	-	26
100	12	-	38	-	-	2	2	-	2	-	-	2	2	2	28	8	16	2	6	-	27
48	8	-	12	-	4	-	4	2	-	2	-	-	2	2	12	10	8	2	-	-	28
12	2	-	8	2	-	4	2	-	-	-	-	2	2	8	-	4	6	2	-	-	29
82	8	-	26	4	6	8	4	-	-	-	-	-	4	16	24	4	10	-	4	-	30
60	4	2	18	2	-	4	4	2	4	-	-	2	8	-	10	8	6	2	6	-	31
2	2	-	2	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	-	-	32
12	-	-	6	2	-	-	-	-	-	-	-	-	-	4	2	6	2	-	2	-	33
30	2	-	4	-	-	-	-	-	-	-	-	-	2	-	4	4	4	-	-	-	34
112	42	4	82	6	4	12	6	-	6	4	-	6	10	4	38	22	18	8	8	-	35
62	16	-	26	4	-	6	2	-	4	4	-	2	8	4	16	10	12	2	-	-	36
50	26	4	56	2	4	6	4	-	2	-	-	4	2	-	22	12	6	6	8	-	37
34	-	-	20	6	-	2	2	-	-	-	-	2	-	-	6	10	2	-	2	-	38
50	2	-	14	4	-	4	-	-	2	-	-	-	-	2	16	2	2	-	-	-	39
42	2	-	8	6	-	-	-	2	-	-	-	-	-	-	20	10	4	2	-	-	40
32	12	2	44	-	2	4	-	-	-	-	-	-	6	-	22	4	2	-	6	-	41
1,252	98	8	368	30	62	152	54	20	72	28	-	54	164	64	316	142	138	84	62	22	42
814	56	4	236	16	38	92	38	12	44	20	-	36	88	38	228	80	76	50	40	20	43
438	42	4	132	14	24	60	16	8	28	8	-	18	76	26	88	62	62	34	22	2	44
916	70	6	266	20	36	108	46	12	50	22	-	46	126	38	238	100	86	59	54	22	45
758	50	2	216	16	32	82	36	12	42	16	-	32	80	28	198	72	70	46	40	20	46
158	20	4	50	4	4	26	10	-	8	6	-	14	46	10	40	28	16	12	14	2	47
336	28	2	102	10	26	44	8	8	22	6	-	8	38	26	78	42	52	26	8	-	48
56	6	2	20	-	6	10	2	-	2	4	-	4	8	10	30	8	6	4	-	-	49
280	22	-	82	10	20	34	6	8	20	2	-	4	30	16	48	34	46	22	8	-	50
144	14	2	48	6	14	20	6	-	6	6	-	6	14	20	40	22	22	6	4	-	51
56	6	2	20	-	6	10	2	-	2	4	-	4	8	10	30	8	6	4	-	-	52
88	8	-	28	6	8	10	4	-	4	2	-	2	6	10	10	14	16	2	4	-	53
916	70	6	266	20	36	108	46	12	50	22	-	46	126	38	238	100	86	58	54	22	54
24	2	-	4	-	-	2	2	-	-	-	-	-	-	-	4	-	4	4	-	-	55
594	34	2	176	8	30	64	24	10	38	12	-	16	56	20	158	50	38	38	32	18	56
30	4	-	10	2	-	8	8	-	4	2	-	6	4	-	6	10	2	-	-	2	57
50	4	-	6	2	-	-	-	2	-	-	-	2	10	6	10	2	10	2	4	-	58
12	2	-	4	-	2	-	-	-	-	2	-	2	-	-	2	4	4	2	-	-	59
4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	60
16	2	-	10	4	-	8	2	-	-	-	-	-	6	2	6	2	8	-	-	-	61
28	2	-	6	-	-	-	-	-	-	-	-	4	4	-	12	4	2	-	4	-	62
158	20	4	50	4	4	26	10	-	8	6	-	14	46	10	40	28	16	12	14	2	63
66	8	-	16	-	4	8	2	2	4	-	-	-	14	4	12	10	12	10	-	-	64
126	6	-	38	4	8	16	-	6	12	-	-	2	10	2	26	10	18	10	4	-	65
1,952	152	24	680	120	98	202	172	24	60	22	-	64	108	122	508	310	394	90	26	12	66
754	52	10	298	50	38	76	84	10	32	4	-	30	36	58	204	80	98	48	10	4	67
1,198	100	14	382	70	60	126	88	14	28	18	-	34	72	64	304	230	296	42	16	8	68
328	16	8	114	14	14	16	24	6	20	4	-	16	12	10	72	24	28	18	2	8	69
266	10	6	90	14	10	16	22	6	20	2	-	14	12	8	62	14	22	16	2	4	70
62	6	2	24	-	4	-	2	-	-	2	-	2	-	2	10	10	6	2	-	4	71
1,624	136	16	566	106	84	186	148	18	40	18	-	48	96	112	436	286	366	72	24	4	72
488	42	4	208	36	28	60	62	4	12	2	-	16	24	50	142	66	76	32	8	-	73
1,136	94	12	358	70	56	126	86	14	28	16	-	32	72	62	294	220	290	40	16	4	74

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	IDAHO—CON.																	
01	ADA	926	-	-	-	142	30	32	14	28	-	8	30	12	514	362	14	4
02	BOISE CITY	770	-	-	-	128	30	28	10	24	-	8	28	10	412	292	12	4
03	BALANCE OF COUNTY	156	-	-	-	14	-	4	4	4	-	-	2	2	100	70	2	-
04	ADAMS	30	-	-	-	6	2	-	2	-	-	-	2	-	10	8	-	-
05	BANNOCK	376	-	-	2	66	20	8	2	6	6	4	20	10	162	118	4	4
06	POCATELLO	292	-	-	2	54	16	6	2	4	6	4	16	6	130	92	4	4
07	BALANCE OF COUNTY	84	-	-	-	12	4	2	-	2	-	-	4	4	32	26	-	-
08	BEAR LAKE	64	-	-	-	8	2	2	-	2	-	-	2	-	40	26	2	-
09	BENEWAH	66	-	-	-	6	-	-	2	-	-	-	4	-	52	36	-	-
10	BINGHAM	236	2	-	2	32	14	2	4	6	-	-	6	8	100	74	2	-
11	BLAINE	50	-	-	-	14	4	6	2	-	-	2	-	-	22	18	-	-
12	BOISE	4	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-
13	BONNER	164	-	-	-	28	6	2	4	4	6	4	2	4	80	56	-	4
14	BONNEVILLE	308	-	-	-	48	8	6	4	12	-	4	14	8	146	106	-	4
15	IDAHO FALLS	266	-	-	-	44	6	6	4	10	-	4	14	6	124	94	-	4
16	BALANCE OF COUNTY	42	-	-	-	4	2	-	-	2	-	-	-	2	22	12	-	-
17	BOUNDARY	54	-	-	-	2	2	-	-	-	-	-	-	2	24	10	-	-
18	BUTTE	26	-	-	-	8	-	4	-	2	-	2	-	-	12	8	-	-
19	CAMAS	8	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
20	CANYON	604	-	-	-	80	16	20	6	10	4	-	24	8	316	216	6	-
21	CALDWELL	148	-	-	-	16	4	2	-	4	2	-	4	4	86	52	4	-
22	NAMPA	252	-	-	-	34	8	10	2	4	2	-	8	2	130	94	2	-
23	BALANCE OF COUNTY	204	-	-	-	30	4	8	4	2	-	-	12	2	100	70	-	-
24	CARIBOU	42	-	-	-	4	-	2	-	-	2	-	-	2	22	8	-	-
25	CASSIA	136	2	-	2	16	-	2	2	6	-	-	6	4	62	48	-	-
26	CLARK	4	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-
27	CLEARWATER	98	-	-	-	16	6	4	-	2	-	2	2	2	42	32	-	-
28	CUSTER	22	-	-	-	4	-	-	4	-	-	-	-	-	14	10	2	-
29	ELMORE	106	-	-	2	8	-	4	2	-	-	-	2	4	48	38	2	2
30	FRANKLIN	68	-	-	-	14	4	-	2	-	-	4	4	2	44	30	-	-
31	FREMONT	98	-	-	4	10	4	-	-	2	-	-	4	2	50	28	-	-
32	GEM	102	-	-	-	16	8	6	-	-	2	-	-	2	40	30	-	-
33	GOODING	100	-	-	-	16	2	6	-	2	2	-	4	-	42	30	-	-
34	IDAHO	128	-	-	-	24	8	6	-	6	-	-	4	2	60	44	2	-
35	JEFFERSON	94	-	-	-	18	4	6	-	-	4	2	2	4	46	40	-	2
36	JEROME	100	-	-	-	12	-	2	-	4	-	2	4	6	48	28	-	2
37	KOOTENAI	410	-	-	-	70	32	10	-	8	-	4	16	2	206	142	4	6
38	COEUR D ALENE	206	-	-	-	34	16	6	-	2	-	4	6	-	120	74	2	4
39	BALANCE OF COUNTY	204	-	-	-	36	16	4	-	6	-	-	10	2	86	68	2	2
40	LATAH	176	-	-	-	20	10	4	-	2	-	2	2	6	92	60	2	2
41	MOSCOW	74	-	-	-	10	6	-	-	-	-	2	2	-	38	24	-	-
42	BALANCE OF COUNTY	102	-	-	-	10	4	4	-	2	-	-	-	6	54	36	2	2
43	LEMHI	64	-	-	-	12	-	2	-	4	2	-	4	-	36	22	-	-
44	LEWIS	28	-	-	-	4	-	-	-	2	2	-	-	-	14	12	-	-
45	LINCOLN	26	-	-	-	2	-	2	-	-	-	-	-	-	16	16	2	-
46	MADISON	86	-	-	-	12	8	-	-	2	-	-	2	10	46	36	2	2
47	MINIDOKA	120	-	-	-	14	-	8	-	-	2	-	4	-	56	42	2	-
48	NEZ PERCE	330	2	-	-	78	28	8	2	16	4	2	18	10	126	76	2	2
49	LEWISTON	280	-	-	-	74	26	8	-	16	4	2	18	6	106	64	-	2
50	BALANCE OF COUNTY	50	2	-	-	4	2	-	2	-	-	-	-	4	20	12	2	-
51	ONEIDA	34	-	-	-	2	2	-	-	-	-	-	-	2	18	14	-	-
52	OWYHEE	52	-	-	-	10	-	4	2	-	-	-	4	-	26	16	2	-
53	PAYETTE	138	-	-	-	16	2	8	-	-	-	-	6	2	82	62	2	2
54	POWER	52	-	-	-	10	-	2	4	2	-	-	2	2	24	10	-	4
55	SHOSHONE	272	2	-	2	32	8	10	2	4	6	-	2	2	98	84	-	4
56	TETON	38	-	-	-	2	2	-	-	-	-	-	-	-	26	24	-	-
57	TWIN FALLS	382	2	-	2	52	18	8	10	4	-	-	12	2	200	132	4	-
58	TWIN FALLS	196	2	-	2	28	12	2	6	-	-	-	8	2	100	64	2	-
59	BALANCE OF COUNTY	186	-	-	-	24	6	6	4	4	-	-	4	-	100	68	2	-
60	VALLEY	36	-	-	-	2	-	-	-	-	-	2	-	-	22	20	-	-
61	WASHINGTON	94	-	-	2	22	6	4	2	6	2	2	-	2	38	28	-	-
62	**ILLINOIS**	111,298	232	16	476	19,488	5,816	4,032	1,854	2,402	956	760	3,668	2,072	63,296	48,184	696	1,040
63	URBAN PLACES	77,986	192	10	362	13,826	4,248	2,848	1,336	1,656	674	482	2,582	1,458	43,962	33,846	520	744
64	BALANCE OF AREA	33,312	40	6	114	5,662	1,568	1,184	518	746	282	278	1,086	614	19,334	14,338	176	296
65	METROPOLITAN COUNTIES	85,000	198	14	372	15,262	4,608	3,174	1,502	1,780	746	548	2,904	1,602	47,436	36,522	564	826
66	URBAN PLACES	71,698	186	8	328	12,742	3,934	2,592	1,240	1,492	624	454	2,406	1,366	40,226	31,140	496	704
67	BALANCE OF AREA	13,302	12	6	44	2,520	674	582	262	288	122	94	498	236	7,210	5,382	68	122
68	NONMETROPOLITAN COUNTIES	26,298	34	2	104	4,226	1,208	858	352	622	210	212	764	470	15,860	11,662	132	214
69	URBAN PLACES	6,288	6	2	34	1,084	314	256	96	164	50	28	176	92	3,736	2,706	24	40
70	BALANCE OF AREA	20,010	28	-	70	3,142	894	602	256	458	160	184	588	378	12,124	8,956	108	174
71	ADAMS	1,026	-	-	8	176	60	40	10	26	4	6	30	8	626	450	4	6
72	QUINCY	798	-	-	4	142	50	36	10	16	4	4	22	8	490	354	2	4
73	BALANCE OF COUNTY	228	-	-	4	34	10	4	-	10	-	2	8	-	136	96	2	2
74	ALEXANDER	224	-	-	-	42	8	12	4	4	-	-	14	2	130	110	-	-
75	BOND	162	-	-	-	18	6	6	-	4	-	-	2	2	122	100	2	8
76	BOONE	216	-	-	2	26	4	8	-	4	2	-	8	4	116	82	-	-
77	BELVIDERE	120	-	-	2	22	4	6	-	4	2	-	6	-	68	46	-	-
78	BALANCE OF COUNTY	96	-	-	-	4	-	2	-	-	-	-	2	4	48	36	-	-
79	BROWN	92	-	-	-	14	-	4	2	4	2	-	2	-	52	46	2	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
328	16	8	114	14	14	16	24	6	20	4	-	16	12	10	72	24	28	18	2	8	01
266	10	6	90	14	10	16	22	6	20	2	-	14	12	8	62	14	22	16	2	4	02
62	6	2	24	-	4	-	2	-	-	2	-	2	-	2	10	10	6	2	-	4	03
8	-	-	2	-	-	4	2	-	-	-	-	-	-	-	4	4	-	-	-	-	04
90	20	-	32	8	4	8	18	2	10	2	-	4	4	4	30	22	24	2	6	-	05
68	16	-	28	8	2	6	18	-	6	-	-	2	2	4	22	14	22	2	2	-	06
22	4	-	4	-	2	2	-	2	4	2	-	2	2	-	8	8	2	-	4	-	07
22	2	-	4	8	2	-	-	-	-	4	-	-	-	-	6	-	4	2	-	-	08
34	2	-	16	-	-	-	2	-	2	-	-	-	-	-	-	-	4	-	-	-	09
66	6	2	18	4	2	4	6	-	4	-	-	4	10	8	24	14	18	-	-	-	10
18	-	-	4	-	-	-	2	-	-	-	-	-	-	-	4	-	4	4	-	-	11
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
52	-	-	24	-	-	6	4	-	2	4	-	4	4	-	16	4	6	2	-	-	13
96	6	4	26	4	6	4	6	-	-	-	-	2	12	22	22	14	12	12	-	-	14
84	6	2	20	4	4	4	6	-	-	-	-	2	10	22	18	10	8	12	-	-	15
12	-	2	6	-	2	-	-	-	-	-	-	-	2	-	4	4	4	-	-	-	16
10	-	-	14	-	-	12	2	-	-	-	-	-	2	-	6	2	2	-	-	-	17
8	-	-	2	2	-	-	-	-	2	-	-	-	-	-	-	2	2	-	-	-	18
-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-	19
198	12	2	88	4	6	42	12	2	4	-	-	12	10	2	56	24	28	6	2	-	20
44	4	-	30	2	2	6	2	2	2	-	-	2	-	-	20	6	2	-	-	-	21
88	4	-	32	-	4	24	4	-	-	-	-	2	2	2	28	4	14	4	2	-	22
66	4	2	26	2	-	12	6	-	2	-	-	8	8	-	8	14	12	2	-	-	23
6	2	2	10	2	-	-	-	-	-		-	-	-	-	6	4	2	-	-	2	24
42	6	-	8	2	4	4	6	2	-		-	-	2	2	16	12	6	-	-	-	25
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
32	-	2	6	2	-	6	4	-	-	-	-	2	6	-	6	6	4	4	-	-	27
8	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	28
28	6	-	8	-	2	-	2	-	-	-	-	-	2	2	14	16	4	4	-	-	29
28	2	2	12	-	-	-	-	2	-	-	-	-	2	-	-	2	2	-	-	-	30
28	-	-	14	6	2	2	4	-	2	2	-	-	-	-	6	6	8	2	-	-	31
24	6	-	6	-	4	-	-	-	2	-	-	6	2	4	16	4	8	-	2	-	32
30	-	-	6	2	4	4	2	-	-	-	-	-	4	-	18	8	6	-	-	-	33
38	4	-	12	2	2	4	4	-	2	2	-	2	-	12	6	2	6	-	2	-	34
36	2	-	4	-	2	-	-	-	2	-	-	-	4	-	6	10	4	-	-	-	35
18	8	-	12	2	6	6	2	-	-	-	-	-	2	-	12	6	6	-	-	-	36
128	4	2	56	4	2	10	4	-	2	-	-	4	4	12	42	20	26	8	-	-	37
64	4	2	40	2	2	4	2	-	2	-	-	2	2	6	16	8	6	4	-	-	38
64	-	-	16	2	-	6	2	-	-	-	-	2	2	6	26	12	20	4	-	-	39
52	4	-	28	2	2	16	-	2	2	-	-	-	4	6	8	6	8	4	2	-	40
22	2	-	14	-	-	6	-	-	-	-	-	-	2	4	6	2	4	2	-	-	41
30	2	-	14	2	2	10	-	2	2	-	-	-	2	2	2	4	4	2	2	-	42
18	4	-	6	6	2	2	4	-	-	-	-	-	-	-	-	2	8	-	-	-	43
10	2	-	2	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	-	-	44
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	45
30	2	-	6	2	2	4	2	2	-	-	-	-	4	-	4	-	2	-	-	-	46
34	6	-	6	6	2	4	2	-	-	-	-	-	4	6	6	8	12	4	4	-	47
68	4	-	28	14	8	8	20	2	2	-	-	4	4	8	24	14	18	2	6	2	48
60	2	-	22	12	8	4	20	2	2	-	-	4	4	8	20	10	14	2	4	-	49
8	2	-	6	2	-	4	-	-	-	-	-	-	-	-	4	4	4	-	2	2	50
12	2	-	4	-	-	2	2	-	-	-	-	-	-	-	6	2	-	-	-	-	51
14	-	-	8	2	-	2	-	-	-	-	-	-	-	2	6	-	6	-	-	-	52
56	2	-	16	4	-	6	2	2	-	-	-	-	-	4	-	10	10	4	-	-	53
2	4	-	8	4	2	2	2	-	-	-	-	-	2	-	6	2	2	-	-	-	54
78	2	-	12	-	2	6	4	2	-	-	-	-	2	4	18	12	86	2	-	-	55
22	2	-	-	-	2	-	-	-	-	-	-	-	-	-	6	2	2	-	-	-	56
118	10	-	42	14	12	8	22	-	2	4	-	2	6	4	20	30	16	10	-	-	57
58	4	-	22	8	6	6	10	-	-	2	-	2	2	4	12	12	6	6	-	-	58
60	6	-	20	6	6	2	12	-	2	2	-	-	4	-	8	18	10	4	-	-	59
20	-	-	2	-	-	2	-	-	-	-	-	2	-	-	4	4	-	-	-	-	60
24	4	-	10	-	-	4	4	-	-	-	-	-	-	8	10	-	4	-	-	-	61
42,834	3,614	598	11,336	1,956	1,222	2,416	1,624	524	1,898	444	30	800	2,102	360	6,822	2,384	2,842	1,058	1,026	388	62
29,610	2,972	440	7,668	1,208	800	2,464	1,048	348	1,580	350	24	528	1,546	240	4,846	1,282	1,914	750	932	324	63
13,224	642	158	3,668	748	422	952	576	176	318	94	6	272	556	120	1,976	1,102	928	308	94	64	64
32,030	3,102	456	8,286	1,288	884	2,536	1,150	402	1,692	372	24	638	1,740	260	5,332	1,590	2,202	856	972	350	65
27,092	2,848	390	6,934	1,040	722	2,232	916	330	1,514	332	24	492	1,462	210	4,474	1,124	1,796	710	914	312	66
4,938	254	66	1,352	248	162	304	234	72	178	40	-	146	278	50	858	466	406	146	58	38	67
10,804	512	142	3,050	668	338	880	474	122	206	72	6	162	362	100	1,490	794	640	202	54	38	68
2,518	124	50	734	168	78	232	132	18	66	18	-	36	84	30	372	158	118	40	18	12	69
8,286	388	92	2,316	500	260	648	342	104	140	54	6	126	278	70	1,118	636	522	162	36	26	70
426	14	10	124	28	14	36	10	6	6	4	-	2	14	12	58	20	16	20	4	-	71
342	6	10	96	22	8	32	10	4	4	4	-	-	8	8	54	14	4	10	2	-	72
84	8	-	28	6	6	4	-	2	2	-	-	2	6	4	4	6	12	10	2	-	73
104	6	-	14	2	4	10	4	4	-	-	2	-	2	4	16	2	6	-	-	-	74
84	6	-	16	4	2	4	4	-	-	-	-	2	-	-	2	4	2	-	-	2	75
78	4	-	30	4	-	6	2	-	6	-	-	-	14	2	20	12	4	-	-	2	76
46	-	-	20	2	-	4	2	-	2	-	-	-	8	-	4	6	2	-	-	-	77
32	4	-	10	2	-	2	-	-	4	-	-	-	6	2	16	6	2	-	-	2	78
42	2	-	4	2	-	2	2	-	-	-	-	-	2	-	8	8	4	-	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population·

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ILLINOIS—CON.																	
01	BUREAU	424	-	-	2	78	20	18	10	14	4	-	12	4	252	208	2	4
02	CALHOUN	74	-	-	-	20	6	4	2	-	-	2	6	4	36	28	-	-
03	CARROLL	198	-	-	2	36	4	8	2	8	-	4	10	6	112	74	-	-
04	CASS	202	-	-	2	40	8	8	4	4	4	4	8	8	114	90	-	4
05	CHAMPAIGN	996	-	-	2	174	52	48	22	14	8	2	28	8	540	370	6	2
06	CHAMPAIGN	402	-	-	-	84	24	20	14	8	6	2	10	4	214	148	-	2
07	RANTOUL	70	-	-	-	10	2	4	2	-	-	-	2	-	28	22	2	-
08	URBANA	176	-	-	-	38	12	16	-	4	-	-	6	-	100	60	-	-
09	BALANCE OF COUNTY	348	-	-	2	42	14	8	6	2	2	-	10	4	198	140	4	-
10	CHRISTIAN	466	-	-	4	88	20	28	2	4	6	6	22	14	256	192	4	2
11	TAYLORVILLE	162	-	-	-	34	8	16	2	2	-	2	4	6	90	68	-	-
12	BALANCE OF COUNTY	304	-	-	4	54	12	12	-	2	6	4	18	8	166	124	4	2
13	CLARK	232	-	-	-	20	4	8	-	4	-	2	2	8	150	114	2	6
14	CLAY	186	-	-	2	20	12	4	-	-	2	-	2	4	120	100	2	-
15	CLINTON	248	-	-	-	30	6	8	4	2	2	2	6	14	160	118	2	-
16	CENTRALIA, PART	22	-	-	-	-	-	-	-	-	-	-	-	2	14	14	2	-
17	BALANCE OF COUNTY	226	-	-	-	30	6	8	4	2	2	2	6	12	146	104	-	-
18	COLES	504	-	-	2	84	28	18	10	12	2	2	12	10	302	198	2	2
19	CHARLESTON	150	-	-	-	22	10	2	4	4	-	-	2	-	94	66	-	-
20	MATTOON	232	-	-	-	50	14	14	6	8	-	2	6	6	136	88	2	-
21	BALANCE OF COUNTY	122	-	-	2	12	4	2	-	-	2	-	4	4	72	44	-	2
22	COOK	56,754	164	10	268	10,118	3,144	2,054	996	1,174	498	340	1,912	1,144	31,910	25,132	382	570
23	ALSIP	90	-	-	2	24	10	4	-	2	-	4	4	2	40	28	-	-
24	ARLINGTON HEIGHTS, PART	384	-	-	2	90	26	16	12	8	2	6	20	6	216	168	6	-
25	ARLINGTON HEIGHTS, TOTAL	384	-	-	2	90	26	16	12	8	2	6	20	6	216	168	6	-
26	BELLWOOD	176	-	-	-	20	6	4	2	2	-	2	4	2	110	84	2	-
27	BENSENVILLE, PART	8	-	-	-	-	-	-	-	-	-	-	-	-	8	6	-	-
28	BERWYN	724	-	-	4	148	32	36	10	22	6	10	32	10	466	358	2	6
29	BLUE ISLAND	272	-	-	-	82	20	32	8	8	8	-	6	8	132	96	-	-
30	BRIDGE VIEW	76	-	-	-	20	8	10	-	-	-	-	2	-	42	34	2	-
31	BROOKFIELD	234	-	-	-	48	10	12	6	4	4	2	10	6	126	100	-	4
32	BUFFALO GROVE, PART	28	-	-	-	10	-	-	2	-	2	-	6	2	6	2	-	-
33	BUFFALO GROVE, TOTAL	28	-	-	-	10	-	-	2	-	2	-	6	2	6	2	-	-
34	CALUMET CITY	262	-	-	2	52	6	16	2	12	4	4	8	-	144	106	2	2
35	CALUMET PARK	70	-	-	-	6	2	-	-	2	-	-	2	-	54	46	-	4
36	CHICAGO, PART	39,572	148	6	192	6,618	2,162	1,328	628	780	322	198	1,200	850	22,258	17,892	268	462
37	CHICAGO, TOTAL	39,572	148	6	192	6,618	2,162	1,328	628	780	322	198	1,200	850	22,258	17,892	268	462
38	CHICAGO HEIGHTS	394	2	2	4	92	28	20	8	12	-	4	20	18	180	130	-	-
39	CICERO	930	2	-	4	190	78	30	18	18	10	-	36	32	508	386	-	4
40	DEERFIELD, PART	12	-	-	-	4	2	2	-	-	-	-	-	2	2	2	-	-
41	DES PLAINES	468	-	-	4	102	32	26	12	10	4	2	16	8	264	196	8	4
42	DOLTON	198	-	-	-	44	12	8	2	8	-	2	12	4	100	74	2	4
43	ELGIN, PART	26	-	-	-	6	-	2	-	-	-	4	-	-	12	8	-	-
44	ELK GROVE VILLAGE, PART	42	-	-	-	12	-	2	2	2	-	2	4	-	20	18	-	-
45	ELK GROVE VILLAGE, TOTAL	42	-	-	-	12	-	2	2	2	-	2	4	-	20	18	-	-
46	ELMWOOD PARK	284	-	-	-	50	6	14	4	4	2	2	18	2	182	136	-	2
47	EVANSTON	924	-	-	4	164	48	32	24	26	6	8	20	18	546	410	12	8
48	EVERGREEN PARK	310	-	-	-	52	20	6	2	8	4	-	12	4	214	152	6	-
49	FOREST PARK	206	-	-	2	44	2	14	6	4	6	2	10	4	124	90	-	2
50	FRANKLIN PARK	140	-	-	2	30	4	10	-	4	-	-	12	2	84	62	4	2
51	GLENCOE	56	-	-	-	16	-	6	2	4	-	2	2	2	26	18	-	-
52	GLENVIEW	254	-	-	6	72	20	22	4	4	4	2	16	4	124	86	2	-
53	HANOVER PARK, PART	44	-	-	-	6	4	-	-	-	-	-	2	-	26	20	2	-
54	HANOVER PARK, TOTAL	48	-	-	-	6	4	-	-	-	-	-	2	-	28	22	2	-
55	HARVEY	296	2	-	2	46	12	8	6	6	6	4	4	6	144	108	-	4
56	HAZEL CREST	60	-	-	-	16	4	2	-	-	-	2	8	-	30	20	-	-
57	HICKORY HILLS	94	-	-	-	10	2	2	-	-	-	-	6	-	48	32	2	-
58	HINSDALE, PART	14	-	-	-	-	-	-	-	-	-	-	-	-	10	4	-	-
59	HOFFMAN ESTATES	64	-	-	-	14	2	2	4	2	2	-	2	-	22	14	-	2
60	HOMEWOOD	194	2	-	2	16	6	-	4	2	-	2	2	2	134	106	-	2
61	LA GRANGE	194	-	-	-	44	12	8	-	4	8	-	12	2	102	78	-	-
62	LA GRANGE PARK	152	-	-	-	36	12	8	8	2	-	2	4	4	94	58	-	-
63	LANSING	196	-	-	-	46	16	10	6	6	-	2	6	12	102	80	2	-
64	LINCOLNWOOD	94	-	-	-	16	6	2	2	2	-	-	4	-	58	44	2	-
65	LYONS	88	-	-	-	20	6	10	2	-	-	-	2	-	40	32	-	-
66	MARKHAM	110	-	-	2	18	-	4	6	2	2	-	4	6	56	48	2	6
67	MAYWOOD	204	2	-	4	26	4	2	2	2	2	2	12	4	116	88	-	2
68	MELROSE PARK	260	-	-	2	50	14	18	-	4	-	2	12	8	152	126	4	2
69	MIDLOTHIAN	98	-	-	-	18	8	4	2	-	-	2	2	-	48	28	-	-
70	MORTON GROVE	166	-	-	-	36	12	2	4	6	4	4	4	-	84	64	-	4
71	MOUNT PROSPECT	286	-	-	2	68	22	12	10	10	2	2	10	4	162	122	6	2
72	NILES	292	-	-	-	62	20	12	6	8	-	6	10	2	196	128	2	-
73	NORRIDGE	122	-	-	-	22	8	2	4	6	-	-	2	2	72	64	-	-
74	NORTHBROOK	176	-	-	-	36	12	6	2	-	-	-	16	-	84	62	4	-
75	NORTHLAKE, PART	112	-	-	-	22	4	2	4	2	2	-	8	-	60	48	-	-
76	NORTHLAKE, TOTAL	112	-	-	-	22	4	2	4	2	2	-	8	-	60	48	-	-
77	OAK FOREST	100	-	-	-	22	8	2	-	-	2	-	10	-	60	46	2	-
78	OAK LAWN	598	-	-	2	110	26	30	14	10	4	6	20	6	348	294	4	4
79	OAK PARK	828	-	-	2	136	46	20	24	10	4	4	28	10	540	386	2	6

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
																					01
186	16	-	32	10	2	18	-	-	4	-	-	4	8	-	30	18	4	2	-	-	02
26	2	-	6	2	-	-	4	-	-	-	-	-	-	-	6	2	2	-	-	-	03
70	4	4	20	8	6	6	8	-	-	-	-	-	4	-	8	4	6	6	-	-	04
86	-	-	18	6	-	6	4	2	-	-	-	-	6	-	6	8	4	2	-	-	05
348	14	4	124	30	12	28	6	6	10	2	2	8	28	16	84	28	34	10	6	4	06
142	4	4	46	10	6	10	-	2	6	2	2	6	2	4	30	8	16	8	4	-	07
18	2	-	4	-	2	2	2	-	-	-	-	-	10	6	10	-	-	2	-	-	08
56	4	-	30	6	4	4	2	2	2	-	-	2	2	-	18	4	-	-	-	2	09
132	4	-	44	14	-	12	2	2	2	-	-	-	14	6	26	16	18	-	2	2	
170	16	6	44	12	2	16	6	2	2	2	-	2	4	-	34	20	10	4	2	-	10
64	4	2	16	4	-	10	2	-	2	-	-	2	-	-	10	6	-	-	-	-	11
106	12	4	28	8	2	6	4	2	-	2	-	-	4	-	24	14	10	4	2	-	12
98	8	-	24	6	6	10	2	6	-	2	-	2	2	2	10	-	16	2	-	-	13
90	8	2	12	6	-	2	6	-	-	-	-	-	6	4	8	6	2	4	-	2	14
114	2	2	28	8	4	8	6	-	-	-	-	-	-	2	12	6	8	-	-	2	15
12	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	2	16
102	2	2	28	8	4	6	6	-	-	-	-	-	-	-	12	6	8	-	-	-	17
194	-	2	72	18	12	12	20	-	6	2	-	8	14	-	18	14	12	-	-	-	18
66	-	-	20	6	2	-	10	-	4	-	-	4	4	-	8	2	2	-	-	-	19
86	-	-	32	10	6	10	8	-	2	2	-	2	2	-	4	6	4	-	-	-	20
42	-	2	20	2	4	2	2	-	-	-	-	2	8	-	6	6	6	-	-	-	21
21,566	2,614	306	5,146	792	534	1,740	644	272	1,302	300	18	380	1,162	134	3,494	740	1,338	550	816	250	22
26	2	-	12	-	-	4	-	-	4	-	-	4	4	-	4	-	2	-	-	-	23
154	8	-	30	12	6	10	2	-	8	2	-	-	8	-	22	2	10	4	-	2	24
154	8	-	30	12	6	10	2	-	8	2	-	-	8	-	22	2	10	4	-	2	25
78	4	-	20	2	4	6	-	-	8	2	-	-	2	-	12	6	4	2	2	-	26
2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
332	18	6	78	14	10	18	8	2	2	2	-	4	2	-	36	8	10	4	-	-	28
96	-	-	29	2	6	6	6	-	6	-	-	-	4	-	20	4	2	-	2	-	29
30	2	-	8	-	-	-	-	-	2	-	-	2	8	-	-	-	-	-	2	-	30
94	2	-	16	2	8	10	-	2	6	-	-	2	10	-	6	4	6	4	2	2	31
2	-	-	4	-	-	-	-	-	-	-	-	2	-	-	6	-	2	-	-	-	32
2	-	-	4	-	-	-	-	-	-	-	-	2	-	-	6	-	2	-	-	-	33
94	8	-	38	-	-	8	8	-	8	-	-	2	4	4	20	4	4	-	2	-	34
42	-	2	6	-	-	-	-	-	4	-	-	-	-	-	6	-	-	-	-	-	35
14,838	2,324	214	3,306	504	342	1,296	396	210	976	222	14	250	872	92	2,502	424	992	324	734	196	36
14,838	2,324	214	3,306	504	342	1,296	396	210	976	222	14	250	872	92	2,502	424	992	324	734	196	37
118	12	-	38	10	2	10	10	-	2	2	-	8	16	-	24	8	10	4	2	-	38
362	20	2	96	16	8	28	18	4	28	2	-	4	14	2	48	12	18	8	2	6	39
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	40
182	2	4	42	20	2	10	10	2	8	-	-	6	4	-	36	2	8	2	2	-	41
66	2	-	22	2	2	4	-	-	10	-	-	2	6	-	12	4	2	4	4	2	42
8	-	-	2	2	-	4	-	-	-	-	-	-	-	2	-	-	-	2	-	-	43
18	-	-	-	-	2	-	-	-	2	2	-	-	2	-	2	-	-	2	-	-	44
18	-	-	-	-	2	-	-	-	2	2	-	-	2	-	2	-	-	2	-	-	45
132	2	6	34	4	2	4	2	6	2	-	-	-	2	2	14	6	4	6	2	-	46
370	20	4	118	6	8	36	4	-	12	2	2	4	24	4	64	10	12	12	2	4	47
144	2	8	50	4	-	4	4	-	4	2	-	-	-	2	10	2	6	4	-	2	48
88	-	2	26	6	-	2	-	-	-	2	-	2	-	-	14	-	6	4	-	2	49
54	2	2	20	-	-	2	-	-	-	-	-	2	2	-	6	2	6	-	2	-	50
16	2	2	4	2	-	2	2	-	-	-	-	-	-	-	4	2	-	2	-	-	51
82	2	2	26	8	2	8	4	2	6	-	-	-	4	-	14	2	4	4	-	-	52
16	2	-	2	2	2	6	2	-	-	-	-	-	2	-	-	-	-	-	2	-	53
18	2	-	2	2	2	6	4	-	-	-	-	-	2	-	-	-	-	-	2	-	54
98	6	-	24	8	4	4	12	2	4	-	-	6	16	-	18	8	14	6	4	2	55
20	-	-	8	2	-	-	-	-	2	2	-	-	2	-	6	-	2	-	-	-	56
30	-	4	8	2	2	4	-	-	6	2	-	-	2	-	6	8	2	-	6	-	57
4	-	-	6	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	58
12	-	-	8	-	-	-	-	-	2	-	-	2	6	-	8	-	-	2	2	6	59
194	-	-	22	6	-	10	-	-	2	4	-	-	2	2	6	8	2	2	-	-	60
76	2	-	22	-	2	4	8	-	-	2	-	2	4	2	16	4	-	2	-	2	61
58	-	2	28	2	4	2	-	-	-	-	-	-	-	-	10	2	2	2	-	-	62
78	-	-	20	-	2	2	2	-	-	-	-	2	2	-	20	6	-	-	2	-	63
42	-	-	8	2	4	-	-	-	2	-	-	-	-	-	14	-	2	-	2	-	64
32	-	-	6	2	-	-	4	-	6	-	-	-	2	-	10	2	2	-	2	-	65
34	6	-	6	-	2	-	-	-	-	-	-	-	6	-	4	6	4	6	2	-	66
84	2	2	22	2	2	-	-	-	8	2	-	-	6	4	12	-	14	2	4	-	67
116	4	-	24	-	2	4	6	4	6	2	2	2	12	-	4	-	6	-	-	-	68
24	4	-	20	-	-	6	-	-	4	-	-	4	6	-	6	-	-	4	2	-	69
58	2	-	18	2	-	2	-	2	6	-	-	-	2	-	22	6	2	2	2	-	70
110	4	2	24	8	6	6	-	2	6	2	-	2	4	-	18	6	4	-	-	-	71
122	4	2	32	20	8	2	2	2	6	-	-	-	-	2	10	4	-	2	-	2	72
62	2	-	4	2	2	8	2	-	2	-	-	2	2	-	8	-	-	-	2	-	73
58	-	-	20	-	2	6	8	-	8	2	-	-	2	-	10	8	-	10	-	2	74
44	4	-	12	-	-	4	2	2	2	-	-	-	-	2	8	2	4	4	-	-	75
44	4	-	12	-	-	4	2	2	2	-	-	-	-	2	8	2	4	4	-	-	76
44	-	-	14	-	-	-	2	4	-	-	-	2	4	-	-	6	-	-	-	-	77
280	6	6	42	2	4	20	8	2	4	2	-	6	8	2	44	8	12	14	-	2	78
346	32	4	120	16	14	34	18	8	12	2	-	2	-	2	40	4	10	6	2	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ILLINOIS--CON.																	
	COOK--CON.																	
01	PALATINE	176	-	-	-	38	16	2	2	4	2	2	10	2	94	70	-	-
02	PARK FOREST, PART	132	-	-	2	36	8	8	4	8	2	-	6	2	66	42	-	2
03	PARK FOREST, TOTAL	138	-	-	2	40	10	8	6	8	2	-	6	2	68	44	-	2
04	PARK RIDGE	352	2	-	-	82	20	8	24	12	2	2	14	2	198	138	6	-
05	RIVERDALE	192	-	-	2	34	12	8	2	2	2	-	8	2	98	70	2	-
06	RIVER FOREST	92	-	-	-	16	4	-	2	2	4	-	4	2	54	36	-	-
07	RIVER GROVE	108	-	-	-	34	14	4	4	4	2	-	6	2	54	42	-	-
08	RIVERSIDE	122	-	-	-	38	8	8	2	6	4	4	6	4	64	52	-	-
09	ROLLING MEADOWS	80	-	-	-	20	4	8	2	2	-	-	4	6	36	24	-	4
10	SCHAUMBURG, PART	60	-	-	-	10	6	-	-	2	-	-	2	-	28	24	-	-
11	SCHAUMBURG, TOTAL	62	-	-	-	10	6	-	-	2	-	-	2	-	28	24	-	-
12	SCHILLER PARK	54	-	-	-	12	2	-	4	2	2	-	2	2	30	18	-	-
13	SKOKIE	534	-	-	4	108	26	22	14	8	10	4	24	12	308	252	6	-
14	SOUTH HOLLAND	132	-	-	-	24	12	2	2	-	4	2	2	2	80	70	-	-
15	STREAMWOOD	62	2	-	-	4	2	2	-	-	-	-	-	-	24	20	-	-
16	SUMMIT	96	-	-	-	18	4	4	-	2	-	-	8	6	50	40	-	-
17	TINLEY PARK, PART	88	-	-	2	24	6	4	2	-	2	-	10	-	42	30	-	-
18	TINLEY PARK, TOTAL	88	-	-	2	24	6	4	2	-	2	-	10	-	42	30	-	-
19	WESTCHESTER	158	-	-	-	54	6	12	2	6	8	8	12	-	78	60	2	-
20	WESTERN SPRINGS	82	-	-	2	18	4	-	-	4	-	-	10	-	46	28	2	-
21	WHEELING	106	-	-	-	16	6	2	-	4	2	2	-	-	58	38	-	-
22	WILMETTE	210	-	-	2	50	16	8	8	4	6	-	8	-	122	94	-	-
23	WINNETKA	88	-	-	-	12	4	4	-	-	-	-	4	-	58	44	-	-
24	WORTH	66	-	-	-	14	4	4	2	-	-	-	4	2	40	30	-	-
25	BALANCE OF COUNTY	2,782	2	2	8	564	160	124	56	74	24	20	106	44	1,506	1,122	14	26
26	CRAWFORD	276	-	-	2	30	12	2	-	6	2	-	8	-	200	128	2	2
27	CUMBERLAND	104	-	-	-	12	8	-	-	2	-	-	2	2	68	48	-	2
28	DE KALB	492	-	-	4	74	28	14	4	6	-	2	20	14	300	238	2	4
29	DE KALB	168	-	-	2	30	14	4	2	2	-	-	8	2	100	76	2	-
30	BALANCE OF COUNTY	324	-	-	2	44	14	10	2	4	-	2	12	12	200	162	-	4
31	DE WITT	238	-	-	-	34	14	6	6	-	-	-	8	10	158	116	4	8
32	DOUGLAS	218	-	-	-	24	8	6	-	4	-	2	4	4	132	94	-	6
33	DU PAGE	2,992	-	2	10	656	170	128	78	84	16	24	156	44	1,528	1,104	22	24
34	ADDISON	92	-	-	-	12	4	-	2	4	-	2	-	2	50	32	2	-
35	BENSENVILLE, PART	128	-	-	-	24	12	4	2	-	-	2	4	2	70	42	-	-
36	BENSENVILLE, TOTAL	136	-	-	-	24	12	4	2	-	-	2	4	2	78	48	-	-
37	CHICAGO, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	DOWNERS GROVE	288	-	-	2	54	22	8	6	8	-	2	8	4	150	108	2	6
39	ELK GROVE VILLAGE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	ELMHURST	314	-	-	2	78	16	24	8	8	2	-	20	4	158	106	2	4
41	GLENDALE HEIGHTS	22	-	-	-	4	2	-	2	-	-	-	-	2	4	4	-	-
42	GLEN ELLYN	128	-	-	2	40	6	8	4	4	-	-	18	2	52	46	6	2
43	HANOVER PARK, PART	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
44	HINSDALE, PART	144	-	-	-	38	2	4	8	10	-	-	14	2	72	50	-	2
45	HINSDALE, TOTAL	158	-	-	-	38	2	4	8	10	-	-	14	2	82	54	-	2
46	LOMBARD	256	-	-	-	42	16	6	2	2	2	-	14	2	148	114	-	2
47	NAPERVILLE	140	-	-	-	26	8	6	-	4	-	-	8	-	80	48	2	-
48	NORTHLAKE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49	SCHAUMBURG, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	VILLA PARK	162	-	-	2	34	10	4	4	6	-	4	6	-	90	70	-	-
51	WEST CHICAGO	94	-	-	-	26	2	8	6	-	2	-	8	2	42	30	2	-
52	WHEATON	242	-	-	-	52	18	10	6	6	4	-	8	2	128	90	2	-
53	WOODRIDGE	34	-	-	-	8	2	-	2	-	-	4	-	-	20	14	-	-
54	BALANCE OF COUNTY	942	-	2	2	218	50	46	26	32	6	10	48	20	462	348	4	8
55	EDGAR	300	-	-	-	26	6	4	4	2	8	-	2	10	186	140	4	4
56	EDWARDS	106	-	-	-	24	6	4	-	12	-	2	-	2	60	42	-	6
57	EFFINGHAM	242	4	-	2	36	10	2	4	8	2	2	8	4	128	90	2	-
58	FAYETTE	272	-	-	-	68	20	16	2	8	6	2	14	10	148	108	4	-
59	FORD	198	-	-	2	34	12	6	2	8	2	2	2	-	124	94	2	-
60	FRANKLIN	750	6	-	-	140	34	36	10	18	6	6	30	16	468	352	-	4
61	FULTON	532	2	-	2	80	18	18	10	12	6	-	16	14	324	216	6	2
62	CANTON	190	2	-	-	36	6	10	4	10	2	-	4	2	108	66	-	-
63	BALANCE OF COUNTY	342	-	-	2	44	12	8	6	2	4	-	12	12	216	150	6	2
64	GALLATIN	116	-	-	-	22	4	6	-	4	4	2	2	-	68	52	-	-
65	GREENE	258	-	-	2	42	12	6	8	6	2	2	6	-	142	116	-	2
66	GRUNDY	254	-	-	-	34	8	4	8	4	2	2	6	2	178	136	10	4
67	HAMILTON	132	-	-	-	12	2	-	4	-	-	-	6	-	92	62	-	-
68	HANCOCK	290	-	-	-	48	20	12	2	10	-	2	2	-	172	130	2	2
69	HARDIN	72	8	-	-	10	-	2	2	4	2	-	-	-	36	22	-	-
70	HENDERSON	80	-	-	-	8	2	-	2	-	2	-	2	-	58	50	-	-
71	HENRY	638	2	-	4	104	26	28	12	12	2	2	22	16	390	292	2	2
72	KEWANEE	248	-	-	2	50	14	18	8	6	-	-	4	6	136	94	-	-
73	BALANCE OF COUNTY	390	2	-	2	54	12	10	4	6	2	2	18	10	254	198	2	2
74	IROQUOIS	432	-	-	-	56	14	6	2	6	2	6	20	8	252	194	4	-
75	JACKSON	462	-	-	6	60	12	12	6	12	4	4	10	2	268	194	2	2
76	CARBONDALE	112	-	-	-	14	4	4	-	4	2	-	-	-	60	46	-	2
77	MURPHYSBORO	150	-	-	-	20	-	4	6	6	-	2	2	2	90	62	-	-
78	BALANCE OF COUNTY	200	-	-	6	26	8	4	-	2	2	2	8	-	118	86	2	-
79	JASPER	136	-	-	-	32	8	6	2	6	2	2	6	2	74	64	2	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
68	2	-	18	4	2	10	2	-	6	2	-	-	4	-	2	6	8	2	-	-	01
40	-	4	16	-	4	4	2	-	4	2	-	-	-	-	6	-	6	2	-	-	02
42	-	4	16	-	4	4	2	-	4	2	-	-	-	-	6	-	6	2	-	-	03
132	-	-	46	8	6	8	4	2	6	-	-	4	2	-	16	10	14	2	-	-	04
64	4	-	20	-	8	8	4	-	14	4	-	2	-	-	12	2	6	2	-	2	05
34	2	-	16	-	2	6	2	-	4	-	-	-	-	-	4	-	2	2	-	-	06
42	-	-	12	-	-	2	-	-	2	4	-	-	-	2	4	-	2	2	-	-	07
48	4	-	12	-	-	2	-	-	-	2	-	-	-	-	6	-	2	4	-	-	08
20	-	-	12	-	-	-	-	-	-	-	-	-	4	-	2	6	-	6	-	-	09
24	-	-	4	-	-	2	-	-	4	2	-	2	6	-	-	4	2	-	-	-	10
24	-	-	4	-	-	2	-	-	4	2	-	2	6	-	-	4	4	-	-	-	11
18	-	-	10	2	-	2	-	-	-	-	-	2	-	-	4	-	-	-	2	-	12
244	2	4	44	4	4	6	6	4	8	4	-	4	4	4	26	12	8	8	2	6	13
70	-	-	6	-	4	4	-	-	2	-	-	-	2	-	2	6	4	6	-	-	14
18	2	-	2	-	2	-	4	-	4	-	-	4	4	-	6	6	2	2	-	-	15
38	2	-	10	-	-	2	-	-	-	-	-	-	2	2	16	-	-	-	-	-	16
28	2	-	12	-	-	-	-	-	4	-	-	4	-	-	4	4	2	-	2	-	17
28	2	-	12	-	-	-	-	-	4	-	-	4	-	-	4	4	2	-	2	-	18
54	4	2	12	2	2	4	-	-	6	2	-	-	-	-	6	2	4	2	-	-	19
24	2	-	18	-	-	6	4	-	-	-	-	-	-	-	4	-	2	-	-	-	20
38	-	-	16	2	2	6	6	-	-	-	-	-	2	-	6	10	2	-	-	-	21
90	4	-	18	10	-	2	4	2	4	-	-	-	-	-	8	2	4	8	-	2	22
42	2	-	10	4	-	-	-	-	-	2	-	-	2	-	6	2	-	6	-	-	23
30	-	-	10	-	-	-	2	-	-	2	-	2	-	-	-	-	4	-	-	-	24
1,018	64	20	270	62	32	70	54	8	48	12	-	30	48	2	170	78	72	40	16	8	25
116	8	2	62	2	6	6	8	-	-	4	-	-	-	-	18	6	2	-	-	-	26
44	2	2	16	-	2	10	-	-	-	4	-	-	4	-	2	-	2	-	-	-	27
226	6	2	48	6	6	12	6	-	6	-	-	8	6	2	27	18	18	2	-	-	28
72	2	2	14	4	4	4	2	-	4	-	-	2	2	2	6	4	8	-	-	-	29
154	4	-	34	2	2	8	4	-	2	-	-	6	4	-	16	14	10	2	-	-	30
104	-	2	22	8	10	8	2	-	-	-	-	-	8	2	4	6	6	-	-	-	31
78	10	2	26	6	4	17	4	2	-	-	-	-	6	-	12	6	14	-	2	-	32
988	70	8	314	60	42	106	44	14	48	6	-	46	56	8	214	74	62	54	10	10	33
28	2	2	12	2	2	4	2	-	2	-	-	-	10	-	6	2	-	2	-	-	34
40	2	2	18	8	-	12	4	-	2	-	-	-	-	-	8	2	2	-	2	-	35
42	6	2	20	8	-	12	4	-	2	-	-	-	-	-	8	2	2	-	2	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
94	6	-	30	6	6	4	6	4	-	2	-	4	2	-	32	12	2	8	2	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
92	8	-	48	2	2	14	2	-	8	-	-	2	4	2	20	2	4	10	2	2	40
4	-	-	-	-	-	2	-	-	2	-	-	-	4	-	2	2	-	-	-	-	41
38	-	-	4	2	-	2	4	-	-	-	-	-	4	-	10	4	4	4	-	-	42
2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	43
46	2	2	16	4	-	4	2	2	2	-	-	-	2	2	14	-	4	-	-	-	44
50	2	2	22	4	-	4	2	2	2	-	-	-	6	2	14	-	4	-	-	-	45
100	12	2	20	6	6	2	6	-	14	-	-	2	2	-	24	6	6	2	-	-	46
44	2	-	22	6	4	14	-	-	-	-	-	-	2	-	6	4	4	2	-	2	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	49
64	6	-	14	4	2	8	2	2	4	-	-	4	-	-	12	-	-	4	-	-	50
28	-	-	10	2	-	2	2	-	-	-	-	2	4	-	6	6	-	2	-	-	51
88	-	-	34	2	2	8	2	4	-	2	-	2	4	-	22	4	6	4	-	2	52
12	2	-	4	-	2	2	-	-	-	-	-	2	-	-	-	2	-	-	-	-	53
308	28	-	82	16	16	28	10	2	14	2	-	28	18	4	52	28	28	16	4	4	54
132	-	-	46	-	-	12	8	4	-	-	-	2	4	-	22	14	8	4	-	-	55
36	-	2	14	-	2	6	2	-	-	-	-	4	-	-	6	-	-	-	-	2	56
80	8	4	16	14	4	14	10	2	-	-	-	2	2	-	22	2	12	2	-	-	57
100	4	-	34	-	6	6	4	-	2	2	-	2	2	-	14	2	12	-	-	-	58
88	4	-	20	8	2	8	2	4	4	-	-	-	-	-	8	10	2	-	-	-	59
340	8	4	90	14	8	14	10	2	2	2	-	-	6	-	44	12	20	8	-	-	60
174	34	6	86	8	8	24	10	-	2	4	-	4	8	-	26	24	4	2	-	2	61
54	12	2	36	-	4	12	4	-	-	2	-	2	2	-	12	6	-	2	-	-	62
120	22	4	90	8	4	12	6	-	2	2	-	2	6	-	14	18	4	-	-	2	63
52	-	-	16	-	-	2	-	-	-	2	-	-	-	4	10	4	2	-	2	-	64
96	18	2	18	4	2	12	4	-	2	-	-	2	4	2	18	18	10	-	-	-	65
114	8	-	30	4	8	2	2	-	4	-	-	-	6	2	10	6	6	-	-	2	66
58	4	-	20	10	-	4	2	2	2	-	-	-	-	-	6	8	4	-	-	-	67
122	4	-	32	10	-	10	2	2	8	2	-	4	2	2	12	14	10	2	-	-	68
22	-	-	12	2	-	-	-	-	2	-	-	-	-	-	-	8	4	4	-	-	69
48	2	2	6	-	-	2	2	-	2	-	-	-	-	-	4	2	2	-	-	-	70
270	18	-	78	10	10	12	6	-	4	2	-	6	8	2	44	18	16	4	-	-	71
86	8	-	34	4	4	10	4	-	4	2	-	4	2	-	14	4	10	-	-	-	72
184	10	-	44	6	6	2	2	-	-	-	-	2	6	2	30	14	6	4	-	-	73
184	6	4	46	4	4	22	4	2	8	2	-	2	12	2	28	16	12	6	-	-	74
186	4	4	58	10	2	18	14	4	2	-	-	2	12	-	42	14	8	4	4	2	75
42	2	-	10	2	2	2	2	-	-	-	-	-	4	-	24	4	-	-	2	-	76
60	2	2	20	6	-	16	6	-	-	-	-	2	2	-	6	-	2	2	-	2	77
84	-	2	28	2	-	-	6	4	2	-	-	-	6	-	12	10	6	2	2	-	78
60	2	-	6	2	2	10	-	2	-	-	-	-	2	2	8	2	2	-	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ILLINOIS—CON.																	
01	JEFFERSON	452	2	-	-	42	2	18	4	6	2	4	6	8	270	184	-	4
02	MOUNT VERNON	268	-	-	-	30	-	14	4	4	2	2	4	8	160	94	-	4
03	BALANCE OF COUNTY	184	2	-	-	12	2	4	-	2	-	2	2	-	110	90	-	-
04	JERSEY	172	-	-	-	36	4	14	2	4	-	4	8	2	90	70	-	4
05	JO DAVIESS	272	-	-	-	36	6	6	4	8	4	4	4	2	162	118	2	6
06	JOHNSON	112	-	-	-	22	6	10	-	-	-	4	2	6	66	42	-	-
07	KANE	2,084	2	-	8	370	112	74	30	62	24	18	50	30	1,164	796	16	10
08	AURORA	738	2	-	4	138	46	18	8	32	8	10	16	-	416	284	6	8
09	CARPENTERSVILLE	96	-	-	2	20	6	6	2	2	-	-	4	6	36	24	-	-
10	ELGIN, PART	592	-	-	-	88	26	22	10	6	10	6	8	16	346	234	8	2
11	ELGIN, TOTAL	618	-	-	-	94	26	24	10	6	10	10	8	16	358	242	8	2
12	ST. CHARLES	82	-	-	-	14	2	6	-	2	2	-	2	-	50	32	-	-
13	BALANCE OF COUNTY	576	-	-	2	110	32	22	10	20	4	2	20	8	316	222	2	-
14	KANKAKEE	816	2	-	6	170	52	44	12	18	12	6	26	14	438	342	4	4
15	KANKAKEE	334	-	-	-	72	24	16	2	10	4	4	12	8	176	134	-	-
16	BALANCE OF COUNTY	482	2	-	6	98	28	28	10	8	8	2	14	6	262	208	4	4
17	KENDALL	180	-	-	-	30	14	2	2	4	2	-	6	2	100	74	2	-
18	KNOX	682	-	-	2	124	28	40	10	22	10	2	12	12	420	312	4	2
19	GALESBURG	424	-	-	2	74	16	26	4	16	4	-	8	6	254	180	2	2
20	BALANCE OF COUNTY	258	-	-	-	50	12	14	6	6	6	2	4	6	166	132	2	-
21	LAKE	2,542	14	-	2	490	134	104	64	48	36	14	90	36	1,360	1,038	18	16
22	ARLINGTON HEIGHTS, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	BUFFALO GROVE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	DEERFIELD, PART	96	-	-	-	16	4	2	6	-	4	-	-	2	62	44	-	-
25	DEERFIELD, TOTAL	108	-	-	-	20	6	4	6	-	4	-	-	4	64	46	-	-
26	HIGHLAND PARK	160	-	-	-	38	12	4	6	8	8	-	-	-	90	54	2	-
27	LAKE FOREST	124	2	-	-	34	6	12	2	6	4	2	2	6	62	36	2	-
28	LIBERTYVILLE	98	2	-	-	14	6	2	-	2	-	2	2	-	60	50	-	-
29	MUNDELEIN	108	-	-	2	8	4	-	-	-	-	-	4	2	62	46	2	-
30	NORTH CHICAGO	128	2	-	-	20	10	-	-	4	2	-	4	2	78	66	2	4
31	WAUKEGAN	520	4	-	-	104	26	22	14	16	2	4	20	2	268	210	-	2
32	ZION	172	-	-	-	22	6	6	4	2	2	-	2	2	92	68	2	-
33	BALANCE OF COUNTY	1,136	4	-	-	234	60	56	32	10	14	6	56	20	586	464	8	10
34	LA SALLE	1,302	2	-	4	206	68	40	22	26	14	2	34	10	776	556	8	10
35	LA SALLE	126	-	-	-	32	14	4	2	4	2	-	6	2	70	56	4	-
36	OTTAWA	204	2	-	-	30	6	4	-	10	6	2	2	2	132	98	-	-
37	PERU	140	-	-	2	20	8	4	-	-	-	-	8	-	90	68	2	6
38	STREATOR, PART	256	-	-	2	36	10	10	6	4	2	-	4	-	166	110	-	2
39	STREATOR, TOTAL	260	-	-	2	38	12	10	6	4	2	-	4	-	166	110	-	2
40	BALANCE OF COUNTY	576	-	-	-	88	30	18	14	8	4	-	14	6	318	224	2	2
41	LAWRENCE	258	-	-	2	28	8	8	6	-	2	-	4	6	158	100	2	-
42	LEE	354	2	-	2	64	18	8	4	20	-	-	14	12	186	148	2	-
43	DIXON	164	-	-	2	26	8	4	-	12	-	-	2	4	86	68	2	-
44	BALANCE OF COUNTY	190	2	-	-	38	10	4	4	8	-	-	12	8	100	80	-	-
45	LIVINGSTON	450	-	-	2	78	18	12	6	16	6	4	16	10	260	178	6	2
46	STREATOR, PART	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
47	BALANCE OF COUNTY	446	-	-	2	76	16	12	6	16	6	4	16	10	260	178	6	2
48	LOGAN	342	2	-	2	50	20	8	4	4	6	-	8	6	210	174	8	6
49	LINCOLN	166	2	-	-	24	6	6	4	-	4	-	4	2	108	92	-	2
50	BALANCE OF COUNTY	176	-	-	2	26	14	2	-	4	2	-	4	4	102	82	8	4
51	MC DONOUGH	338	-	-	-	56	12	16	6	8	-	2	12	14	202	142	2	2
52	MACOMB	152	-	-	-	28	6	10	4	4	-	-	4	6	84	48	-	2
53	BALANCE OF COUNTY	186	-	-	-	28	6	6	2	4	-	2	8	8	118	94	2	-
54	MC HENRY	1,038	-	-	4	190	56	36	22	16	12	4	44	24	566	410	6	6
55	CRYSTAL LAKE	120	-	-	2	18	4	4	-	2	-	-	8	6	64	48	2	-
56	WOODSTOCK	122	-	-	-	26	16	-	2	4	-	-	4	-	78	54	-	-
57	BALANCE OF COUNTY	796	-	-	2	146	36	32	20	10	12	4	32	18	424	308	4	6
58	MC LEAN	934	2	-	-	186	74	24	14	26	4	6	38	8	518	364	2	2
59	BLOOMINGTON	452	2	-	-	90	46	14	4	6	2	4	14	4	248	178	2	-
60	NORMAL	118	-	-	-	26	10	4	2	2	-	-	8	-	66	46	-	-
61	BALANCE OF COUNTY	364	-	-	-	70	18	6	8	18	2	2	16	4	204	140	-	2
62	MACON	1,234	-	-	4	262	70	58	32	30	12	10	50	20	686	452	12	14
63	DECATUR	1,050	-	-	4	218	56	52	26	22	10	8	44	16	584	380	12	8
64	BALANCE OF COUNTY	184	-	-	-	44	14	6	6	8	2	2	6	4	102	72	-	6
65	MACOUPIN	646	-	-	2	84	40	18	2	10	-	2	12	20	434	330	-	4
66	MADISON	2,330	4	-	12	450	124	90	36	52	20	26	102	52	1,228	926	12	16
67	ALTON	526	2	-	4	84	24	10	14	10	-	10	16	12	278	208	2	10
68	COLLINSVILLE, PART	216	-	-	-	62	20	10	4	12	2	2	12	4	116	94	2	2
69	COLLINSVILLE, TOTAL	236	-	-	-	72	22	12	4	12	4	4	14	4	122	98	2	2
70	EDWARDSVILLE	128	-	-	-	26	4	6	-	8	-	-	8	4	74	58	-	-
71	GRANITE CITY	369	-	-	2	62	10	20	2	2	12	2	14	8	182	128	2	2
72	WOOD RIVER	98	-	-	-	18	6	2	-	4	-	-	6	2	46	36	-	-
73	BALANCE OF COUNTY	1,002	2	-	6	198	60	42	16	16	6	12	46	22	532	402	6	2
74	MARION	514	-	-	6	104	32	20	8	12	-	4	28	12	282	202	2	6
75	CENTRALIA, PART	218	-	-	4	42	14	6	2	6	-	-	14	6	120	92	2	4
76	CENTRALIA, TOTAL	240	-	-	4	42	14	6	2	6	-	-	14	8	134	106	4	4
77	BALANCE OF COUNTY	296	-	-	2	62	18	14	6	6	-	4	14	6	162	110	-	2
78	MARSHALL	156	-	-	-	32	8	6	2	8	2	4	2	-	100	64	2	-
79	MASON	208	-	-	2	28	10	4	-	4	2	4	4	-	130	102	2	-
80	MASSAC	172	-	-	-	20	2	4	2	2	-	2	8	2	116	66	-	-
81	MENARD	142	-	-	-	20	8	4	-	4	2	2	-	-	108	84	-	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
154	26	4	48	26	8	22	14	2	4	-	-	2	6	4	38	20	12	4	-	2	01
76	14	4	34	20	8	14	2	-	4	-	-	-	-	2	20	20	8	-	-	-	02
78	12	-	14	6	-	8	12	2	-	-	-	2	6	2	18	-	4	4	-	2	03
60	6	-	18	-	2	8	4	2	4	-	-	2	4	-	6	4	10	-	-	-	04
106	4	-	34	6	4	22	4	-	4	-	-	-	4	-	18	14	6	-	-	-	05
40	2	-	22	-	2	-	6	-	-	-	-	-	2	-	4	2	2	2	-	-	06
750	20	18	288	38	24	58	48	4	20	2	-	30	52	6	136	68	56	24	4	2	07
262	8	12	104	12	4	28	22	-	8	-	-	8	10	4	40	34	20	4	-	-	08
24	-	2	10	-	-	4	6	-	4	-	-	6	-	-	4	4	4	-	-	-	09
220	4	2	88	12	10	22	8	2	6	-	-	12	24	2	30	12	12	8	4	-	10
228	4	2	90	14	10	26	8	2	6	-	-	12	24	4	30	12	12	10	4	-	11
32	-	-	12	2	4	-	2	-	-	-	-	-	-	-	10	2	2	2	-	-	12
212	8	2	74	12	6	4	10	2	2	2	-	4	18	-	52	16	18	10	-	2	13
314	20	4	64	20	8	24	16	4	10	-	-	4	26	-	50	20	14	6	10	2	14
128	6	2	24	14	2	12	10	-	2	-	-	2	8	-	16	6	8	4	10	-	15
186	14	2	40	6	6	12	6	4	8	-	-	2	18	-	34	14	6	2	-	2	16
72	-	-	20	4	2	8	-	-	-	2	-	2	2	-	20	4	2	2	6	-	17
296	10	2	78	22	6	20	12	4	10	2	-	8	6	-	34	12	12	2	2	-	18
168	8	2	56	12	4	14	8	4	8	2	-	4	6	-	24	8	6	2	2	-	19
128	2	-	22	10	2	6	4	-	2	-	-	4	-	-	10	4	6	-	-	-	20
962	42	12	242	28	40	56	62	10	50	6	-	24	32	6	152	106	88	26	16	6	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
44	-	-	14	2	2	-	-	-	2	-	-	2	-	-	6	2	2	-	-	2	24
46	-	-	14	2	2	-	-	-	2	-	-	2	-	-	8	2	4	-	-	2	25
50	2	2	28	2	4	4	2	-	-	-	-	-	-	-	14	-	4	6	2	-	26
30	4	-	20	-	6	-	6	-	2	-	-	-	-	-	2	6	-	4	-	-	27
48	2	-	6	2	2	2	-	-	4	-	-	-	-	-	6	6	2	2	-	-	28
44	-	-	12	4	-	2	8	-	2	-	-	2	8	-	10	2	-	-	-	-	29
58	2	2	8	-	2	-	6	-	4	2	-	2	2	-	6	-	2	-	2	-	30
198	10	2	46	6	4	20	4	4	10	2	-	6	10	2	30	24	20	2	6	2	31
64	2	-	16	8	-	6	8	-	4	-	-	-	4	-	10	12	12	-	-	-	32
426	20	6	92	4	20	22	28	6	22	2	-	12	8	4	68	54	46	12	6	2	33
526	12	2	166	28	24	66	22	2	16	2	-	10	20	4	84	32	38	8	-	-	34
48	4	-	12	-	2	2	-	-	4	-	-	-	4	-	6	4	2	-	-	-	35
96	2	-	20	6	8	10	2	-	-	2	-	-	-	-	14	2	8	-	-	-	36
60	-	2	16	4	-	2	2	-	2	-	-	2	-	2	10	2	4	2	-	-	37
106	2	-	46	8	2	14	4	-	-	-	-	2	4	-	6	10	12	-	-	-	38
106	2	-	46	8	2	14	6	-	-	-	-	2	4	-	6	10	12	-	-	-	39
216	4	-	72	10	12	38	14	2	10	-	-	6	12	2	48	14	12	6	-	-	40
98	-	2	36	16	4	8	4	4	-	4	-	-	6	-	20	6	8	2	2	-	41
144	2	-	30	4	4	8	2	2	4	-	-	2	4	6	26	12	16	6	-	-	42
64	2	-	14	4	-	6	-	-	2	-	-	-	2	6	14	6	10	-	-	-	43
80	-	-	16	-	4	2	2	2	2	-	-	2	2	-	12	6	6	6	-	-	44
152	18	-	62	16	4	12	8	6	2	-	-	-	12	4	26	14	10	4	2	-	45
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	46
152	18	-	62	16	4	12	6	6	2	-	-	-	12	4	26	14	10	4	2	-	47
158	2	2	24	8	2	8	2	-	4	-	-	2	2	6	26	14	4	2	-	2	48
88	2	2	14	-	-	2	-	-	4	-	-	2	2	4	10	4	-	2	-	-	49
70	-	-	10	8	2	6	2	-	-	-	-	-	-	2	16	10	4	-	-	2	50
134	4	-	54	4	2	10	8	-	-	2	-	2	4	2	18	12	2	4	2	-	51
42	4	-	32	2	2	4	6	-	-	-	-	2	4	-	12	4	-	2	-	-	52
92	-	-	22	2	-	6	2	-	-	2	-	-	-	2	6	8	2	2	2	-	53
380	18	12	118	22	4	26	28	4	24	2	-	12	20	4	60	30	26	10	4	4	54
46	-	2	12	2	-	4	-	-	2	-	-	2	2	-	8	4	4	4	-	-	55
54	-	4	16	4	-	2	2	2	2	-	-	-	2	-	6	2	-	-	-	-	56
280	18	6	90	16	4	20	26	2	20	2	-	10	16	4	46	24	22	6	4	4	57
356	4	6	112	22	14	18	16	8	14	4	-	10	28	2	44	32	32	6	6	-	58
172	4	6	48	10	6	12	6	4	14	2	-	6	18	-	22	6	8	4	6	-	59
46	-	-	14	6	-	-	2	-	-	2	-	2	-	2	8	2	6	2	-	-	60
138	-	-	50	6	8	6	8	4	-	-	-	2	10	-	14	24	18	-	-	-	61
384	42	12	182	22	18	42	24	8	8	2	2	4	20	8	76	22	32	12	2	-	62
322	38	10	156	22	16	36	20	6	8	2	2	4	18	8	66	20	28	8	2	-	63
62	4	2	26	-	2	6	4	2	-	-	-	-	2	-	10	2	4	4	-	-	64
316	10	4	74	22	4	14	6	4	4	-	-	2	2	4	20	22	20	6	-	2	65
856	42	10	234	44	14	50	42	6	24	14	-	14	42	20	170	76	80	14	14	18	66
188	8	-	60	10	-	16	10	2	2	4	-	2	10	4	46	16	20	4	-	10	67
84	6	2	18	2	-	2	4	-	2	-	-	-	2	2	4	6	6	4	2	-	68
88	6	2	20	2	-	2	4	-	2	-	-	-	2	2	4	10	6	4	2	-	69
56	2	-	10	2	4	-	4	-	-	-	-	-	2	-	10	2	6	-	-	-	70
114	10	2	44	8	-	18	14	-	2	2	-	-	6	-	28	16	14	-	4	2	71
30	6	-	8	-	2	-	2	-	6	-	-	-	2	4	10	6	2	-	-	-	72
384	10	6	94	22	8	14	8	4	12	8	-	12	20	10	72	30	32	6	8	6	73
182	12	2	60	4	14	12	4	2	2	4	-	-	6	-	44	10	14	8	2	2	74
82	4	2	20	2	4	6	2	-	2	4	-	-	2	-	16	4	6	-	2	2	75
94	4	2	20	2	4	8	2	-	2	4	-	-	2	2	16	4	6	-	2	4	76
100	8	-	40	2	10	6	2	2	-	-	-	-	4	-	28	6	8	8	-	-	77
62	-	-	22	8	6	2	-	2	2	-	-	2	-	-	6	2	2	6	-	-	78
94	6	4	20	4	-	8	2	-	-	-	-	4	2	-	14	14	2	2	-	-	79
62	4	2	34	10	4	6	2	2	-	-	-	2	2	-	8	4	8	-	-	-	80
82	-	-	14	4	6	6	-	2	-	-	-	-	-	2	2	-	2	-	-	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	ILLINOIS--CON.																	
01	MERCER	238	-	-	-	54	18	6	2	6	6	12	4	2	126	108	2	4
02	MONROE	204	-	-	-	38	6	6	6	14	2	-	4	-	120	86	-	6
03	MONTGOMERY	424	-	-	-	54	22	12	4	4	2	-	10	4	304	198	2	6
04	MORGAN	454	-	-	2	68	20	18	4	10	-	4	12	12	298	232	-	-
05	JACKSONVILLE	326	-	-	2	52	16	14	2	8	-	4	8	4	224	178	-	-
06	BALANCE OF COUNTY	128	-	-	-	16	4	4	2	2	-	-	4	8	74	54	-	-
07	MOULTRIE	156	-	-	-	18	6	4	4	2	-	-	2	2	114	74	-	-
08	OGLE	356	-	-	2	60	20	6	12	12	-	2	8	6	200	148	-	2
09	PEORIA	1,968	-	2	10	362	96	86	38	32	28	16	66	22	1,062	764	12	18
10	PEKIN, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
11	PEORIA	1,344	-	-	6	252	64	58	26	24	18	14	48	14	712	528	8	14
12	BALANCE OF COUNTY	622	-	2	4	110	32	28	12	8	10	2	18	8	348	234	4	4
13	PERRY	286	2	-	2	48	12	6	2	8	4	2	14	4	166	136	-	2
14	PIATT	174	-	-	-	22	4	4	2	4	2	2	4	6	104	76	-	2
15	PIKE	252	-	-	-	34	6	12	-	8	-	2	6	2	176	112	-	2
16	POPE	56	-	-	-	6	2	-	2	-	-	-	2	-	34	28	-	-
17	PULASKI	154	-	-	-	26	2	6	2	2	-	2	12	-	98	74	2	-
18	PUTNAM	58	-	-	-	10	6	-	-	2	-	-	2	-	36	28	-	-
19	RANDOLPH	396	-	-	-	70	28	10	4	12	4	6	6	10	234	176	-	10
20	RICHLAND	232	-	-	-	30	8	4	2	4	-	4	8	2	140	94	-	4
21	ROCK ISLAND	1,520	2	-	-	226	58	54	32	20	18	12	32	26	940	736	10	10
22	EAST MOLINE	160	-	-	-	20	4	8	-	2	2	2	2	2	110	80	-	-
23	MOLINE	534	-	-	-	86	28	20	10	6	8	-	14	8	324	254	4	4
24	ROCK ISLAND	522	2	-	-	62	18	8	16	8	2	4	6	14	336	260	6	6
25	BALANCE OF COUNTY	304	-	-	-	58	8	18	6	4	6	6	10	2	170	142	-	-
26	ST. CLAIR	2,812	4	-	4	432	136	106	38	52	6	22	72	46	1,586	1,178	12	74
27	BELLEVILLE	624	-	-	2	114	42	20	16	16	-	8	12	10	382	248	2	10
28	CAHOKIA	152	-	-	-	26	8	2	2	2	-	2	10	2	78	70	-	2
29	CENTREVILLE	62	-	-	-	8	6	2	-	-	-	-	-	2	30	20	-	4
30	COLLINSVILLE, PART	20	-	-	-	10	2	2	-	-	2	2	2	-	6	4	-	-
31	EAST ST. LOUIS	882	2	-	2	118	40	30	4	14	-	2	28	12	448	362	4	36
32	BALANCE OF COUNTY	1,072	2	-	-	156	38	50	16	20	4	8	20	20	642	474	6	22
33	SALINE	434	-	-	2	68	14	12	2	20	4	2	14	16	252	182	2	10
34	SANGAMON	1,724	-	-	8	284	88	82	22	22	8	12	50	36	1,028	762	10	8
35	SPRINGFIELD	1,212	-	-	6	188	68	48	10	14	6	8	34	30	734	528	8	8
36	BALANCE OF COUNTY	512	-	-	2	96	20	34	12	8	2	4	16	6	294	234	2	-
37	SCHUYLER	114	-	-	-	10	-	2	-	2	-	2	4	-	82	76	-	-
38	SCOTT	92	-	-	-	10	2	-	-	8	-	-	-	-	58	38	-	-
39	SHELBY	286	-	-	-	34	8	4	-	4	-	6	12	-	204	140	-	10
40	STARK	88	-	-	-	16	4	2	2	-	4	-	4	2	54	30	-	-
41	STEPHENSON	546	-	-	2	98	34	12	14	18	4	6	10	14	318	256	-	4
42	FREEPORT	336	-	-	2	54	18	10	8	8	2	-	8	4	206	166	-	2
43	BALANCE OF COUNTY	210	-	-	-	44	16	2	6	10	2	6	2	10	112	90	-	2
44	TAZEWELL	852	2	-	4	162	28	40	20	26	8	6	34	16	420	286	4	8
45	EAST PEORIA	142	-	-	2	28	8	4	2	2	2	2	8	6	64	40	2	-
46	MORTON	86	-	-	-	10	2	-	-	4	2	-	2	-	56	42	-	-
47	PEKIN, PART	256	2	-	-	52	8	16	8	10	-	2	8	-	128	88	-	2
48	PEKIN, TOTAL	258	2	-	-	52	8	16	8	10	-	2	8	-	130	90	-	2
49	BALANCE OF COUNTY	368	-	-	2	72	10	20	10	10	4	2	16	10	172	116	2	6
50	UNION	214	-	-	-	44	2	8	6	10	4	4	10	2	130	86	-	-
51	VERMILION	1,148	2	2	12	182	52	32	18	34	8	8	30	16	634	442	4	8
52	DANVILLE	598	-	2	8	104	32	20	12	18	4	2	16	4	326	220	2	6
53	BALANCE OF COUNTY	550	2	-	4	78	20	12	6	16	4	6	14	12	308	222	2	2
54	WABASH	200	-	-	-	32	8	4	2	6	-	2	10	2	140	100	-	2
55	WARREN	258	-	-	2	54	10	10	8	6	6	4	10	-	156	116	-	2
56	MONMOUTH	146	-	-	2	26	2	4	4	4	6	-	6	-	88	64	-	2
57	BALANCE OF COUNTY	112	-	-	-	28	8	6	4	2	-	4	4	-	68	52	-	-
58	WASHINGTON	214	-	-	-	42	16	8	-	6	-	6	6	6	126	94	2	2
59	WAYNE	174	-	-	-	20	6	4	4	-	2	2	2	2	122	98	-	-
60	WHITE	276	-	-	4	54	22	18	2	2	-	2	8	6	162	108	-	2
61	WHITESIDE	582	-	-	4	122	38	16	14	8	6	10	30	14	292	208	-	4
62	ROCK FALLS	116	-	-	-	24	10	-	4	2	-	2	6	2	60	44	-	2
63	STERLING	142	-	-	2	24	4	8	2	-	2	-	8	4	84	60	-	-
64	BALANCE OF COUNTY	324	-	-	2	74	24	8	8	6	4	8	16	8	148	104	-	2
65	WILL	1,964	-	-	14	378	112	88	26	44	28	12	68	46	1,026	784	10	32
66	JOLIET	904	-	-	8	154	46	34	8	20	12	4	30	20	520	404	8	16
67	PARK FOREST, PART	6	-	-	-	4	2	-	2	-	-	-	-	-	2	2	-	-
68	ROMEOVILLE	24	-	-	-	4	2	-	-	2	-	-	-	-	12	10	-	-
69	TINLEY PARK, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	BALANCE OF COUNTY	1,030	-	-	6	216	62	54	16	22	16	8	38	26	492	368	2	16
71	WILLIAMSON	666	-	-	-	100	36	16	10	10	10	6	12	18	404	316	4	-
72	MARION	184	-	-	-	36	12	6	2	2	4	2	8	2	120	94	2	-
73	BALANCE OF COUNTY	482	-	-	-	64	24	10	8	8	6	4	4	16	284	222	2	-
74	WINNEBAGO	2,052	2	-	16	328	100	58	16	52	12	18	72	22	1,146	874	26	4
75	LOVES PARK	68	-	-	-	14	2	-	-	6	-	2	4	-	22	14	2	-
76	ROCKFORD	1,556	2	-	10	250	74	42	14	36	10	16	58	18	886	670	18	2
77	BALANCE OF COUNTY	428	-	-	6	64	24	16	2	10	2	-	10	4	238	190	6	2
78	WOODFORD	350	-	-	-	64	24	8	4	10	4	4	10	2	222	172	2	10

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
94	8	-	18	-	-	12	6	2	2	-	-	2	4	-	16	8	2	2	-	-	01
80	-	2	22	10	-	2	2	2	2	-	-	-	8	4	12	8	6	-	-	-	02
184	6	-	78	24	4	8	4	2	-	-	-	4	2	2	18	12	6	2	2	-	03
230	2	6	52	8	-	10	6	-	4	2	-	4	8	2	10	10	12	6	-	-	04
176	2	6	32	8	-	8	6	-	-	2	-	-	4	2	6	6	6	4	-	-	05
54	-	-	20	-	-	2	-	-	4	-	-	4	4	-	4	4	6	2	-	-	06
74	-	-	34	4	2	2	4	-	2	-	-	2	-	-	12	-	-	-	-	-	07
142	4	2	36	4	10	6	14	4	-	8	-	4	6	2	18	18	8	-	-	-	08
702	32	10	214	48	26	92	38	10	20	2	-	6	46	2	130	54	68	26	4	12	09
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
480	26	4	130	32	18	76	26	4	16	2	-	4	28	2	84	36	48	18	4	12	11
220	6	6	84	16	8	16	12	6	4	-	-	2	18	-	46	18	20	8	-	-	12
132	2	2	28	-	-	8	6	2	-	-	2	2	4	2	18	10	8	2	-	-	13
72	2	-	22	4	2	10	2	-	-	-	-	-	4	-	10	6	10	-	-	-	14
106	4	2	24	36	2	6	4	4	2	4	-	-	2	-	6	4	8	-	-	-	15
26	2	-	2	-	4	2	-	-	-	2	-	-	2	-	2	2	6	-	-	-	16
64	8	-	20	4	-	6	4	-	-	-	-	-	4	-	8	2	2	-	-	4	17
26	2	-	6	2	-	-	-	-	-	-	-	4	2	-	4	2	-	-	-	-	18
166	-	-	42	12	4	12	2	4	-	2	-	2	2	2	28	20	8	-	-	-	19
90	-	4	32	6	4	8	8	4	2	-	-	2	6	2	12	10	4	2	-	-	20
686	30	4	158	20	22	26	22	6	24	2	-	8	30	8	82	36	58	18	4	2	21
76	4	2	22	2	4	2	2	-	2	-	-	-	4	-	4	6	4	4	-	-	22
242	4	-	58	6	6	10	6	4	10	2	-	2	8	-	32	12	24	6	-	-	23
234	14	2	56	8	10	8	10	-	8	-	-	2	14	6	32	4	18	4	2	-	24
134	8	-	22	4	2	6	4	2	4	-	-	4	4	2	14	14	12	4	2	2	25
1,052	40	22	306	40	40	94	26	16	30	14	-	30	60	8	172	102	94	28	52	14	26
236	-	8	100	12	14	20	6	2	10	4	-	2	-	2	28	16	22	4	-	-	27
66	2	-	8	-	-	10	-	-	-	-	-	-	4	-	16	6	2	2	4	2	28
16	-	2	8	-	-	-	-	2	-	-	-	-	8	-	-	4	2	-	6	-	29
4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	30
306	16	4	62	10	10	30	6	4	12	8	-	14	22	6	68	32	42	8	36	12	31
424	22	8	126	18	16	34	14	8	8	2	-	14	26	-	60	40	26	14	6	-	32
162	8	4	54	10	2	24	16	-	4	-	-	4	2	-	22	12	8	4	-	-	33
714	30	6	222	20	18	38	36	8	22	-	-	16	26	4	94	28	56	10	10	20	34
496	16	6	180	10	10	26	28	6	16	-	-	8	24	4	62	8	38	8	10	16	35
218	14	-	42	10	8	12	8	2	6	-	-	8	2	-	32	20	18	2	-	4	36
76	-	-	4	2	-	-	-	-	2	-	-	-	2	-	8	4	4	2	-	-	37
38	-	-	12	4	4	4	4	-	2	-	-	2	-	-	6	2	2	-	2	-	38
126	4	6	50	8	-	12	2	-	6	-	-	2	-	-	10	10	4	-	2	-	39
28	2	-	20	2	2	4	-	-	2	-	-	-	-	-	6	2	2	-	-	-	40
248	4	14	34	-	14	24	8	-	6	-	-	2	2	2	30	10	22	6	-	2	41
160	4	12	20	-	8	14	4	-	6	-	-	-	-	2	18	8	10	6	-	2	42
88	-	2	14	-	6	10	4	-	-	-	-	2	2	-	12	2	12	-	-	-	43
254	20	2	96	24	12	36	12	4	14	2	2	4	26	8	54	22	30	28	2	4	44
34	4	-	20	4	-	2	2	-	2	-	-	-	6	2	14	6	4	2	-	2	45
38	4	-	10	4	-	-	-	-	-	-	-	-	2	-	4	2	6	6	-	-	46
82	4	-	30	4	6	20	2	2	4	2	2	-	6	-	16	6	8	4	2	-	47
84	4	-	30	4	6	20	2	2	4	2	2	-	6	-	16	6	8	4	2	-	48
100	8	2	36	12	6	14	8	2	8	-	-	4	12	6	20	8	12	16	-	2	49
80	6	-	36	6	2	2	-	2	-	-	2	2	2	-	12	10	4	2	-	-	50
388	42	4	146	30	12	50	56	6	14	-	-	10	16	-	76	32	24	14	-	2	51
188	24	-	82	20	4	30	32	6	8	-	-	4	8	-	36	16	10	2	-	2	52
200	18	4	64	10	8	20	24	-	6	-	-	6	8	-	40	16	14	12	-	-	53
94	4	-	28	10	2	-	-	-	2	-	-	-	-	-	8	6	6	-	4	-	54
102	12	-	36	2	2	4	2	2	-	-	-	2	-	-	18	14	4	-	-	-	55
54	8	-	20	2	2	2	2	2	-	-	-	2	-	-	12	8	2	-	-	-	56
48	4	-	16	-	-	2	-	-	-	-	-	-	-	-	6	6	2	-	-	-	57
86	4	-	24	4	4	4	4	-	-	2	-	2	2	-	14	4	4	4	-	-	58
96	2	-	14	4	6	14	2	-	-	-	-	-	-	-	4	6	-	4	-	-	59
102	4	2	32	18	2	4	4	-	6	2	-	2	2	-	8	10	6	-	4	2	60
192	12	-	62	16	6	20	12	4	14	-	-	6	20	2	24	18	18	8	-	4	61
40	2	-	8	8	-	-	2	2	6	-	-	-	8	-	6	2	2	-	-	2	62
58	2	-	22	2	-	2	2	-	-	-	-	2	8	-	8	4	-	2	-	-	63
94	8	-	32	6	6	18	8	2	8	-	-	4	4	2	10	12	16	6	-	2	64
712	30	6	188	28	20	50	42	14	36	10	-	20	42	6	136	64	46	18	14	2	65
362	18	4	88	14	10	26	22	4	16	-	-	12	10	4	52	18	18	14	4	2	66
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
8	2	-	2	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
340	10	2	98	14	10	24	20	10	20	10	-	8	30	2	82	46	26	2	10	-	70
298	14	2	64	8	14	14	14	-	4	2	-	6	4	6	52	20	16	6	-	-	71
86	6	-	18	2	6	2	2	-	2	-	-	-	-	-	14	2	4	-	-	-	72
212	8	2	46	6	8	12	12	-	2	2	-	6	4	6	38	18	12	6	-	-	73
818	26	14	204	24	30	54	48	8	36	2	-	16	42	14	158	64	70	18	8	-	74
12	-	-	6	-	2	6	-	-	4	-	-	6	2	-	4	2	4	4	-	-	75
634	16	12	160	22	22	40	36	2	28	2	-	8	26	10	118	48	52	12	8	-	76
172	10	2	38	2	6	8	12	6	4	-	-	2	14	4	36	14	14	2	-	-	77
154	6	4	30	12	4	4	4	4	-	-	-	4	6	2	12	14	12	-	-	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with mention of without renal disease (402,404)
01	**INDIANA**	49,138	102	8	218	8,462	2,222	1,958	722	1,070	330	418	1,742	1,006	26,892	18,806	306	580
02	URBAN PLACES	26,514	70	2	124	4,798	1,242	1,152	430	620	174	222	958	540	14,102	9,920	166	232
03	BALANCE OF AREA	22,624	32	6	94	3,664	980	806	292	450	156	196	784	466	12,790	8,886	140	348
04	METROPOLITAN COUNTIES	28,724	70	4	134	5,202	1,316	1,226	480	674	208	250	1,048	562	15,378	10,860	164	260
05	URBAN PLACES	20,488	58	2	94	3,790	946	900	354	516	144	180	750	416	10,802	7,622	114	164
06	BALANCE OF AREA	8,236	12	2	40	1,412	370	326	126	158	64	70	298	146	4,576	3,238	50	96
07	NONMETROPOLITAN COUNTIES	20,414	32	4	84	3,260	906	732	242	396	122	168	694	444	11,514	7,946	142	320
08	URBAN PLACES	6,026	12	-	30	1,008	296	252	76	104	30	42	208	124	3,300	2,298	52	68
09	BALANCE OF AREA	14,388	20	4	54	2,252	610	480	166	292	92	126	486	320	8,214	5,648	90	252
10	ADAMS	256	-	-	2	36	8	10	-	8	2	2	6	4	170	114	4	2
11	ALLEN	2,332	6	-	10	426	110	76	56	62	20	24	78	40	1,286	886	10	38
12	FORT WAYNE	1,786	6	-	8	332	90	58	44	48	16	18	58	30	988	688	8	34
13	BALANCE OF COUNTY	546	-	-	2	94	20	18	12	14	4	6	20	10	298	198	2	4
14	BARTHOLOMEW	464	2	-	2	84	20	20	6	12	6	4	16	14	232	148	8	6
15	COLUMBUS	270	2	-	2	54	14	14	4	8	-	4	10	4	136	86	6	6
16	BALANCE OF COUNTY	194	-	-	-	30	6	6	2	4	6	-	6	10	96	62	2	-
17	BENTON	120	-	-	-	14	8	4	2	-	-	-	-	4	74	58	-	6
18	BLACKFORD	170	-	-	-	12	-	6	-	-	2	-	4	-	112	74	-	4
19	BOONE	350	-	-	2	42	12	6	4	8	2	-	10	2	234	180	4	4
20	BROWN	96	-	-	-	18	4	8	-	4	-	-	2	2	50	34	-	-
21	CARROLL	204	-	-	-	30	10	4	4	-	2	-	10	6	120	76	2	2
22	CASS	448	-	-	2	64	12	14	6	8	6	-	18	10	254	180	2	4
23	LOGANSPORT	284	-	-	2	42	8	8	4	2	6	-	14	10	164	122	2	-
24	BALANCE OF COUNTY	164	-	-	-	22	4	6	2	6	-	-	4	-	90	58	-	4
25	CLARK	654	-	-	2	114	32	26	8	8	2	10	28	14	334	228	-	4
26	CLARKSVILLE	82	-	-	-	26	4	4	2	2	-	4	10	-	36	18	-	-
27	JEFFERSONVILLE	284	-	-	-	56	14	14	2	6	2	4	14	8	138	100	-	2
28	BALANCE OF COUNTY	288	-	-	2	32	14	8	4	-	-	2	4	6	160	110	-	2
29	CLAY	352	2	-	-	80	18	16	6	24	2	2	12	4	180	100	2	12
30	CLINTON	326	-	-	2	52	14	20	2	4	-	4	8	8	192	134	-	-
31	FRANKFORT	186	-	-	2	32	12	10	-	2	-	2	6	6	98	66	-	-
32	BALANCE OF COUNTY	140	-	-	-	20	2	10	2	2	-	2	2	2	94	68	-	-
33	CRAWFORD	138	-	-	-	18	6	4	-	2	-	-	6	2	82	64	-	4
34	DAVIESS	308	2	-	-	46	16	14	-	4	-	4	8	6	170	114	2	6
35	WASHINGTON	150	2	-	-	22	4	6	-	2	-	4	6	4	70	48	-	4
36	BALANCE OF COUNTY	158	-	-	-	24	12	8	-	2	-	-	2	2	100	66	2	2
37	DEARBORN	336	-	-	2	60	22	10	-	10	2	8	8	10	184	130	4	2
38	DECATUR	236	-	-	-	36	14	8	4	2	-	-	8	-	158	92	2	-
39	DE KALB	302	-	-	4	64	16	12	4	4	2	6	20	6	170	110	2	6
40	DELAWARE	1,028	-	-	4	154	30	38	10	16	4	10	46	10	590	402	8	6
41	MUNCIE	756	-	-	2	118	18	32	8	14	2	10	34	6	418	288	8	6
42	BALANCE OF COUNTY	272	-	-	2	36	12	6	2	2	2	-	12	4	172	114	-	-
43	DUBOIS	266	-	-	2	52	14	6	8	4	4	4	12	14	146	106	2	-
44	ELKHART	1,022	-	-	6	190	60	50	14	26	10	6	24	32	544	390	4	2
45	ELKHART	458	-	-	4	94	32	22	6	12	8	2	12	8	226	168	2	2
46	GOSHEN	194	-	-	2	40	10	20	4	2	-	-	4	10	114	70	-	-
47	BALANCE OF COUNTY	370	-	-	-	56	18	8	4	12	2	4	8	14	204	152	2	-
48	FAYETTE	318	-	-	2	44	10	22	2	2	-	4	4	6	190	134	-	2
49	CONNERSVILLE	264	-	-	2	40	10	18	2	2	-	4	4	6	156	108	-	2
50	BALANCE OF COUNTY	54	-	-	-	4	-	4	-	-	-	-	-	-	34	26	-	-
51	FLOYD	512	2	-	4	88	24	22	8	8	2	-	24	10	258	198	4	4
52	NEW ALBANY	392	2	-	-	74	22	18	6	8	2	-	18	8	212	160	4	4
53	BALANCE OF COUNTY	120	-	-	4	14	2	4	2	-	-	-	6	2	46	38	-	-
54	FOUNTAIN	208	-	-	4	26	8	2	-	4	2	-	10	6	116	82	2	-
55	FRANKLIN	170	-	-	-	30	4	6	4	2	2	2	10	8	94	58	-	2
56	FULTON	220	-	-	-	40	6	10	-	6	4	2	12	4	126	86	-	-
57	GIBSON	382	-	-	-	70	20	14	10	8	2	2	14	10	206	150	-	4
58	GRANT	760	-	-	2	126	30	32	10	16	4	14	20	4	450	324	4	24
59	MARION	450	-	-	-	78	22	22	6	6	2	8	12	2	270	204	2	22
60	BALANCE OF COUNTY	310	-	-	2	48	8	10	4	10	2	6	8	2	180	120	2	2
61	GREENE	360	-	-	2	52	18	10	4	12	-	4	4	10	228	150	2	26
62	HAMILTON	420	-	-	2	76	22	12	14	10	4	2	12	8	224	160	2	6
63	HANCOCK	308	2	-	-	44	12	10	2	2	2	2	14	6	182	130	2	8
64	HARRISON	244	-	-	2	40	10	8	-	4	2	6	10	4	130	98	-	-
65	HENDRICKS	354	-	-	-	62	10	22	14	4	2	4	6	6	202	138	-	2
66	HENRY	544	4	-	-	74	20	18	10	2	6	2	16	10	308	204	6	4
67	NEW CASTLE	280	2	-	-	40	8	10	6	2	4	2	8	6	158	108	6	2
68	BALANCE OF COUNTY	264	2	-	-	34	12	8	4	-	2	-	8	4	150	96	-	2
69	HOWARD	694	4	-	6	102	20	22	16	4	2	4	34	10	372	266	12	6
70	KOKOMO	498	4	-	4	66	14	16	8	2	2	2	22	6	270	196	10	2
71	BALANCE OF COUNTY	196	-	-	2	36	6	6	8	2	-	2	12	4	102	70	2	4
72	HUNTINGTON	434	-	-	-	54	28	6	2	8	-	4	6	8	262	164	2	2
73	HUNTINGTON	174	-	-	-	20	12	-	-	6	-	2	-	-	100	72	-	2
74	BALANCE OF COUNTY	260	-	-	-	34	16	6	2	2	-	2	6	8	162	92	2	-
75	JACKSON	306	-	-	2	50	14	10	6	4	-	-	16	8	164	120	2	14
76	SEYMOUR	134	-	-	-	16	8	2	2	-	-	-	4	4	86	60	2	6
77	BALANCE OF COUNTY	172	-	-	2	34	6	8	4	4	-	-	12	4	78	60	-	8
78	JASPER	192	-	-	-	42	20	8	2	4	-	2	6	6	108	74	4	4
79	JAY	284	2	-	-	40	10	16	2	-	6	4	2	8	142	70	-	-
80	JEFFERSON	288	-	-	-	48	20	8	2	4	4	4	6	4	130	88	2	-
81	MADISON	166	-	-	-	28	10	6	-	-	4	4	4	-	70	46	2	-
82	BALANCE OF COUNTY	122	-	-	-	20	10	2	2	4	-	-	2	4	60	42	-	-
83	JENNINGS	192	2	-	2	28	-	10	2	4	2	4	6	4	114	84	6	10

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
16,832	1,088	216	6,054	1,176	640	1,510	872	196	600	196	14	402	912	366	3,518	1,500	1,438	498	336	92	01
8,906	616	110	3,192	542	338	814	468	118	388	112	12	246	538	232	2,004	648	734	240	268	56	02
7,926	472	106	2,862	634	302	696	404	78	212	84	2	156	374	134	1,514	852	704	258	68	36	03
9,806	630	134	3,428	590	366	836	514	116	408	108	10	262	540	222	2,100	728	868	312	278	72	04
6,866	478	90	2,444	384	262	612	362	84	328	78	10	194	382	178	1,546	454	598	194	254	52	05
2,940	152	44	984	206	104	224	152	32	80	30	-	68	158	44	554	274	270	118	24	20	06
7,026	458	82	2,626	586	274	674	358	80	192	88	4	140	372	144	1,418	772	570	186	58	20	07
2,040	138	20	748	158	76	202	106	34	60	34	2	52	156	54	458	194	136	46	14	4	08
4,986	320	62	1,878	428	198	472	252	46	132	54	2	88	216	90	960	578	434	140	44	16	09
																					10
104	4	-	38	16	2	2	4	-	6	-	-	4	6	-	14	4	4	-	-	-	11
724	114	4	296	56	44	86	30	10	34	12	-	22	48	19	148	66	52	24	10	4	12
546	100	4	226	42	28	58	20	10	30	8	-	20	24	16	116	48	46	14	8	4	13
178	14	-	70	14	16	28	10	-	4	4	-	2	24	2	32	18	6	10	2	-	14
126	8	2	66	10	6	10	8	2	2	4	2	10	16	2	38	16	14	4	-	2	15
70	4	2	42	2	4	6	4	2	-	2	-	8	10	-	24	8	8	-	-	-	16
56	4	-	24	8	2	4	4	-	2	2	2	2	6	2	14	8	6	4	-	2	17
50	2	-	16	-	-	6	2	-	2	-	-	-	-	-	10	4	4	-	-	-	18
62	8	-	30	4	4	6	4	-	2	-	-	-	-	4	12	8	8	2	-	-	19
166	6	2	42	6	4	4	4	6	4	-	-	4	-	-	20	16	8	4	-	-	20
34	-	-	10	6	-	6	4	-	2	-	-	-	-	2	12	-	-	-	-	-	21
64	8	-	38	4	2	6	-	2	2	-	-	-	6	6	12	10	2	2	-	-	22
156	18	4	42	20	8	20	6	4	6	-	-	4	10	-	32	18	14	4	-	-	23
104	16	4	22	10	6	8	4	2	4	-	-	-	4	-	24	8	10	2	-	-	24
52	2	-	20	10	2	12	2	2	2	-	-	4	6	-	8	10	4	2	-	-	
202	22	8	86	10	2	14	10	4	4	-	-	6	24	10	66	14	30	4	4	-	25
14	4	2	16	-	-	-	-	2	-	-	-	-	2	-	14	-	-	2	-	-	26
92	6	2	28	8	-	6	8	-	2	-	-	2	8	4	24	6	20	-	2	-	27
96	12	4	42	2	2	8	2	2	2	-	-	4	14	6	28	8	10	2	2	-	28
78	8	-	70	10	-	8	4	2	6	2	-	4	4	-	30	8	14	4	-	-	29
128	6	2	36	14	6	16	8	-	-	-	-	-	6	4	22	14	2	-	-	-	30
62	4	2	24	2	4	10	6	-	-	-	-	-	6	4	12	10	-	-	-	-	31
66	2	-	12	12	2	6	2	-	-	-	-	-	-	-	10	4	2	-	-	-	32
58	2	4	12	2	-	4	2	-	-	2	-	-	-	-	16	4	4	4	-	-	33
100	6	-	44	10	2	8	14	-	4	-	-	6	4	2	36	2	8	-	-	-	34
42	2	-	20	2	-	6	10	-	2	-	-	4	4	2	20	-	4	-	-	-	35
58	4	-	24	8	2	2	4	-	2	-	-	2	-	-	16	2	4	-	-	-	36
118	6	-	40	6	8	6	14	-	6	-	-	6	4	-	16	10	14	4	-	-	37
86	4	-	62	2	2	8	4	-	2	-	-	2	6	-	2	10	8	-	-	-	38
92	10	2	50	4	4	8	4	-	-	-	-	2	-	6	18	10	6	4	-	-	39
380	8	6	166	14	2	26	32	6	16	4	-	12	16	10	64	22	24	24	12	2	40
270	4	-	118	10	2	22	26	4	16	4	-	6	14	8	48	16	20	18	8	2	41
110	4	6	48	4	-	4	6	2	-	-	-	6	2	2	16	6	4	6	4	-	42
98	6	2	28	10	-	8	-	-	2	2	-	6	-	-	16	6	6	2	2	2	43
368	16	2	104	40	8	22	22	6	16	6	-	2	24	10	54	38	30	16	2	2	44
158	6	-	48	4	6	14	12	4	6	2	-	2	6	4	32	22	12	6	2	2	45
70	-	2	22	20	-	4	-	-	4	2	-	-	8	2	4	2	-	2	-	-	46
140	10	-	34	16	2	4	10	2	6	2	-	-	10	4	18	14	18	8	-	-	47
124	8	4	36	4	12	8	12	2	-	-	-	4	12	-	22	8	4	2	2	-	48
100	6	4	32	4	8	8	8	2	-	-	-	4	12	-	14	6	4	2	-	-	49
24	2	-	4	-	4	-	4	-	-	-	-	-	-	-	8	2	-	-	2	-	50
170	20	-	50	2	8	12	10	-	6	2	-	4	6	6	48	14	20	12	8	2	51
136	16	-	42	2	8	10	8	-	4	2	-	4	4	2	28	8	12	6	8	-	52
34	4	-	8	-	-	2	2	-	2	-	-	-	2	4	20	6	8	6	-	2	53
76	4	-	20	6	8	6	2	-	4	-	-	-	-	-	16	10	8	8	2	-	54
52	4	2	24	8	2	8	2	-	-	-	-	-	6	-	8	6	6	-	2	-	55
80	6	4	20	6	10	6	10	2	-	4	-	2	-	-	12	6	8	-	-	-	56
134	12	-	28	22	6	12	10	2	6	-	-	4	8	-	32	10	10	2	-	-	57
206	10	-	108	8	10	24	20	-	6	2	-	2	8	10	40	30	28	8	-	-	58
172	8	-	56	6	4	14	10	-	2	2	-	-	8	4	24	10	20	6	-	-	59
114	2	-	52	2	6	10	10	-	4	-	-	2	-	6	16	20	8	2	-	-	60
112	10	-	66	10	2	12	6	-	2	-	-	-	2	4	16	14	10	2	-	-	61
138	14	6	36	16	6	10	10	2	6	-	-	4	6	2	30	20	6	12	2	-	62
116	4	2	40	8	2	6	4	4	2	2	-	8	6	2	18	8	8	6	-	-	63
96	2	2	24	6	-	6	4	2	2	6	-	2	2	-	14	12	12	4	2	-	64
132	4	2	46	10	6	16	8	-	6	-	-	-	6	-	26	4	10	8	-	-	65
186	8	4	82	8	10	18	4	2	4	-	-	2	22	6	46	20	16	8	-	-	66
92	8	2	42	4	2	12	-	2	-	-	-	-	12	2	26	14	2	4	-	-	67
94	-	2	40	4	8	6	4	-	4	-	-	2	10	4	20	6	14	4	-	-	68
228	20	-	82	14	10	32	16	2	4	2	-	6	18	4	68	26	10	8	4	-	69
168	16	-	56	10	8	20	12	2	2	2	-	6	14	-	58	16	6	6	4	-	70
60	4	-	26	4	2	12	4	-	2	-	-	-	4	4	10	10	4	2	-	-	71
146	14	-	60	32	6	8	8	2	4	2	-	6	6	2	40	18	8	6	-	-	72
62	8	-	26	-	2	4	8	2	-	2	-	4	4	2	8	12	6	2	-	-	73
84	6	-	34	32	4	4	-	-	4	-	-	2	2	-	32	6	2	4	-	-	74
102	2	2	28	4	10	20	4	-	-	2	-	4	8	-	22	6	12	4	-	-	75
50	2	2	20	2	2	6	2	-	-	-	-	2	8	-	6	2	2	-	-	-	76
52	-	-	8	2	8	14	2	-	-	2	-	2	-	-	16	4	10	4	-	-	77
66	-	-	28	2	4	6	-	-	2	-	-	-	-	-	10	6	6	-	6	-	78
70	-	-	42	30	-	12	6	-	2	-	-	2	6	4	26	22	8	4	-	-	79
70	16	-	20	16	6	10	10	-	6	2	-	4	8	4	36	14	12	-	-	-	80
36	8	-	6	16	2	4	6	-	4	2	-	4	8	2	20	10	8	-	-	-	81
34	8	-	14	-	4	6	4	-	2	-	-	-	-	2	16	4	4	-	-	-	82
62	6	-	20	2	8	2	4	-	-	-	-	2	6	-	10	10	2	4	2	-	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	INDIANA—CON.																	
01	JOHNSON	466	-	-	4	86	18	24	4	12	8	6	14	6	222	154	2	2
02	FRANKLIN	124	-	-	-	14	-	4	2	2	2	-	4	2	66	40	-	2
03	GREENWOOD	92	-	-	-	12	4	-	-	2	2	2	2	2	58	38	2	-
04	BALANCE OF COUNTY	250	-	-	4	60	14	20	2	8	4	4	8	2	98	76	-	-
05	KNOX	554	-	-	-	94	26	26	2	12	4	-	24	14	306	212	8	6
06	VINCENNES	274	-	-	-	42	12	10	2	6	-	-	12	6	152	104	6	-
07	BALANCE OF COUNTY	280	-	-	-	52	14	16	-	6	4	-	12	8	154	108	2	6
08	KOSCIUSKO	502	2	-	4	78	22	16	4	8	2	4	22	26	276	190	2	6
09	LAGRANGE	194	-	-	-	28	4	4	8	-	2	-	10	2	98	76	2	6
10	LAKE	4,748	12	2	24	834	224	204	94	86	22	40	164	128	2,392	1,656	16	22
11	CROWN POINT	142	-	-	-	26	6	6	2	-	-	2	10	-	68	50	-	-
12	EAST CHICAGO	458	2	-	-	64	20	16	2	10	2	2	12	8	254	186	2	4
13	GARY	1,820	10	-	8	338	110	86	32	38	8	8	56	64	782	508	2	6
14	GRIFFITH	92	-	-	-	10	2	-	2	-	-	-	6	2	48	34	-	-
15	HAMMOND	940	-	-	8	180	42	50	16	14	-	12	46	36	518	370	2	6
16	HIGHLAND	142	-	-	-	30	4	6	8	6	-	6	-	-	80	60	2	-
17	HOBART	170	-	-	-	22	6	2	4	2	4	2	2	8	94	62	4	-
18	MUNSTER	90	-	-	-	16	-	4	-	6	2	2	2	-	56	36	-	-
19	BALANCE OF COUNTY	894	-	2	8	148	34	34	28	10	6	6	30	10	492	350	4	6
20	LA PORTE	1,146	-	-	2	218	70	46	12	32	6	12	40	34	616	464	6	12
21	LA PORTE	274	-	-	2	44	20	12	-	6	-	-	6	10	162	120	2	4
22	MICHIGAN CITY	458	-	-	-	92	32	18	4	12	2	4	20	18	234	162	2	4
23	BALANCE OF COUNTY	414	-	-	-	82	18	16	8	14	4	8	14	6	220	182	2	4
24	LAWRENCE	412	-	-	2	58	6	12	4	10	-	6	20	2	254	168	12	4
25	BEDFORD	178	-	-	-	24	2	6	2	4	-	2	8	-	106	74	4	4
26	BALANCE OF COUNTY	234	-	-	2	34	4	6	2	6	-	4	12	2	148	94	8	-
27	MADISON	1,212	2	-	4	208	46	58	20	24	6	22	32	32	658	488	8	10
28	ANDERSON	682	2	-	2	142	30	46	14	18	6	10	18	16	354	276	2	2
29	ELWOOD	162	-	-	-	14	2	2	2	-	-	4	4	6	102	62	-	2
30	BALANCE OF COUNTY	368	-	-	2	52	14	10	4	6	-	8	10	10	202	150	6	6
31	MARION	6,788	16	2	44	1,294	308	320	120	172	54	48	272	114	3,436	2,502	46	42
32	BEECH GROVE	96	-	-	-	26	2	6	4	8	-	-	6	-	44	28	-	2
33	INDIANAPOLIS	6,456	16	2	44	1,214	296	304	116	158	52	46	242	112	3,270	2,374	44	38
34	LAWRENCE	32	-	-	-	6	-	4	-	2	-	-	-	-	18	12	-	-
35	SPEEDWAY	46	-	-	-	12	2	-	-	2	-	-	8	-	28	24	-	-
36	BALANCE OF COUNTY	158	-	-	-	36	8	6	-	2	2	2	16	2	76	64	2	2
37	MARSHALL	360	-	-	4	64	14	18	4	6	8	4	10	8	204	132	-	-
38	MARTIN	94	2	-	2	18	8	2	-	-	-	4	4	-	50	42	2	8
39	MIAMI	388	-	-	4	70	20	16	8	10	2	-	14	6	214	160	-	6
40	PERU	230	-	-	2	48	14	10	6	8	2	-	8	4	120	98	-	4
41	BALANCE OF COUNTY	158	-	-	2	22	6	6	2	2	-	-	6	2	94	62	-	2
42	MONROE	490	2	-	2	92	30	22	4	16	-	-	20	10	260	158	6	-
43	BLOOMINGTON	278	2	-	2	48	18	10	2	8	-	-	10	4	158	98	2	-
44	BALANCE OF COUNTY	212	-	-	-	44	12	12	2	8	-	-	10	6	102	60	4	-
45	MONTGOMERY	372	-	-	2	68	16	18	10	8	-	-	16	14	202	118	2	-
46	CRAWFORDSVILLE	170	-	-	-	44	10	14	8	4	-	-	8	10	86	60	-	-
47	BALANCE OF COUNTY	202	-	-	2	24	6	4	2	4	-	-	8	4	116	58	2	-
48	MORGAN	348	2	-	-	56	6	22	-	10	2	2	14	4	184	128	4	2
49	NEWTON	164	-	-	4	40	10	6	2	4	-	-	18	2	78	60	2	2
50	NOBLE	320	-	-	4	68	20	20	4	8	4	2	10	4	164	116	2	4
51	OHIO	54	-	-	-	10	4	2	-	2	-	-	2	2	32	30	-	-
52	ORANGE	214	-	-	-	30	10	6	-	4	2	2	6	6	134	100	-	8
53	OWEN	176	-	-	-	38	10	6	2	4	6	4	6	4	88	68	-	-
54	PARKE	202	-	-	-	42	10	6	2	4	2	4	14	2	120	88	2	6
55	PERRY	178	2	-	2	16	4	-	-	4	2	2	4	2	96	52	2	-
56	PIKE	152	-	-	2	26	6	6	4	8	-	-	2	4	92	60	2	-
57	PORTER	532	-	-	4	80	16	22	6	12	4	6	14	22	272	208	-	4
58	PORTAGE	102	-	-	2	18	-	6	2	4	2	2	2	2	40	34	-	-
59	VALPARAISO	152	-	-	2	14	2	6	-	2	-	4	-	6	88	60	-	-
60	BALANCE OF COUNTY	278	-	-	-	48	14	10	4	6	2	-	12	14	144	114	-	4
61	POSEY	232	2	-	-	34	12	6	4	6	2	-	4	-	138	98	-	-
62	PULASKI	152	-	-	-	32	10	4	-	8	2	2	6	2	82	54	2	6
63	PUTNAM	268	-	-	-	36	2	12	-	2	2	4	14	8	164	112	2	4
64	RANDOLPH	362	4	-	-	46	14	6	6	8	2	2	8	12	208	150	-	38
65	RIPLEY	232	-	-	-	42	14	12	-	6	-	-	10	2	126	110	-	6
66	RUSH	258	-	2	-	38	8	12	4	6	-	2	6	8	162	114	-	2
67	ST. JOSEPH	2,378	6	-	4	480	144	96	36	82	20	16	86	42	1,302	934	10	10
68	MISHAWAKA	376	-	-	-	66	8	20	10	18	4	2	4	2	222	156	-	-
69	SOUTH BEND	1,534	6	-	4	310	100	60	24	52	14	10	50	38	826	588	8	10
70	BALANCE OF COUNTY	468	-	-	-	104	36	16	2	12	2	4	32	2	254	190	2	-
71	SCOTT	174	-	-	-	20	6	2	4	2	-	2	4	4	100	60	-	4
72	SHELBY	370	4	-	6	72	16	22	6	10	2	4	12	8	218	146	2	8
73	SHELBYVILLE	174	2	-	4	26	2	10	2	8	-	2	2	6	106	68	-	6
74	BALANCE OF COUNTY	196	2	-	2	46	14	12	4	2	2	2	10	2	112	78	2	2
75	SPENCER	210	-	-	-	22	4	4	2	4	2	-	6	2	140	84	2	2
76	STARKE	242	2	-	-	28	8	10	2	4	-	-	4	6	132	88	-	-
77	STEUBEN	210	-	-	-	22	6	4	4	6	-	2	-	4	128	84	-	-
78	SULLIVAN	358	2	-	-	52	18	14	4	2	-	-	14	6	226	138	-	8
79	SWITZERLAND	82	-	-	-	16	4	2	2	4	2	-	2	-	38	28	-	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
144	6	-	50	10	8	20	4	4	6	2	-	4	12	8	52	12	18	2	4	-	01
36	2	-	14	8	4	6	2	-	2	-	-	2	-	4	12	-	12	-	2	-	02
36	-	-	18	2	-	2	-	-	2	-	-	-	2	-	6	4	2	2	-	-	03
72	4	-	18	-	4	12	2	4	2	2	-	2	10	4	34	8	4	-	2	-	04
190	8	4	74	10	6	24	12	-	10	2	-	10	6	-	38	24	6	6	-	2	05
92	6	-	38	4	6	14	2	-	10	2	-	4	4	-	22	8	2	4	-	2	06
98	2	4	36	6	-	10	10	-	-	-	-	6	2	-	16	16	4	2	-	-	07
168	14	4	62	14	6	18	2	4	6	6	-	2	8	4	28	22	12	4	-	-	08
66	2	-	14	4	4	4	2	4	-	-	-	-	4	2	20	6	8	4	-	2	09
1,536	82	22	564	92	58	172	66	30	72	18	6	44	100	26	354	116	180	40	116	16	10
50	-	2	8	2	6	6	2	-	-	2	-	2	2	-	14	6	10	2	-	2	11
166	14	2	52	10	4	30	8	8	12	-	2	4	6	-	34	16	2	2	6	-	12
470	30	8	228	26	12	88	14	10	24	19	2	10	66	20	154	32	78	16	90	4	13
30	4	-	10	2	2	-	2	-	4	2	-	4	4	-	6	-	10	-	-	-	14
350	12	4	112	20	12	14	10	8	10	-	2	12	6	4	58	18	36	6	10	4	15
54	4	2	12	2	4	2	2	-	-	2	-	2	-	-	2	6	10	6	-	-	16
52	6	-	26	6	-	2	-	2	6	-	-	4	-	-	14	4	10	-	4	-	17
36	-	-	12	4	4	4	2	-	2	-	-	-	-	-	8	-	-	-	2	-	18
328	12	4	104	20	14	26	26	2	14	2	-	6	16	2	64	34	24	8	4	6	19
430	16	2	120	20	10	28	10	10	8	10	-	2	26	16	66	46	38	12	2	2	20
114	-	-	32	8	2	6	2	-	2	4	-	-	-	2	16	10	8	6	-	-	21
146	10	-	58	10	4	8	4	6	-	6	-	-	12	14	28	16	16	4	-	-	22
170	6	2	30	2	4	14	4	4	6	-	-	2	14	-	22	20	14	2	2	2	23
130	22	4	66	14	2	22	2	-	2	4	2	-	6	4	30	2	14	6	2	-	24
54	12	-	26	6	-	14	-	-	2	-	2	-	4	4	14	2	6	-	-	-	25
76	10	4	40	8	2	8	2	-	-	4	-	-	2	-	16	-	8	6	2	-	26
446	24	12	110	26	22	34	38	-	16	8	-	14	28	4	96	32	22	12	4	-	27
254	18	2	52	8	16	18	26	-	10	6	-	8	16	2	52	12	8	8	-	-	28
60	-	8	26	4	2	2	6	-	4	-	-	2	4	2	16	2	2	-	-	-	29
132	6	2	32	14	4	14	6	-	2	2	-	4	8	-	28	18	12	4	4	-	30
2,246	168	28	726	112	68	174	106	28	128	22	4	68	142	44	604	172	208	72	76	34	31
26	-	-	12	-	4	2	-	-	-	-	-	2	-	-	12	2	6	-	-	2	32
2,130	162	26	700	110	60	162	102	28	126	22	4	66	142	42	574	166	190	70	74	30	33
12	-	-	4	-	2	-	-	-	2	-	-	-	-	-	4	-	2	-	-	-	34
24	-	2	-	-	2	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	35
54	6	-	10	2	-	6	4	-	-	-	-	-	-	2	12	4	10	2	2	2	36
126	6	-	66	4	2	6	10	-	4	2	-	2	10	2	16	10	16	2	-	-	37
32	-	-	2	4	2	-	6	-	-	-	-	-	-	-	4	8	4	-	-	-	38
144	10	2	26	20	6	16	8	-	2	-	-	6	8	2	24	20	8	-	-	-	39
90	4	-	10	10	2	14	6	-	2	-	-	6	8	-	16	4	-	-	-	-	40
54	6	2	16	10	4	2	2	-	-	-	-	-	-	2	8	16	8	-	-	-	41
148	4	2	74	10	16	16	2	4	10	6	-	-	10	2	38	14	14	4	4	-	42
94	2	-	40	8	12	4	-	4	8	2	-	-	6	2	20	4	10	-	4	-	43
54	2	2	34	2	4	12	2	-	2	4	-	-	4	-	18	10	4	4	-	-	44
112	4	2	64	12	6	6	6	-	6	2	-	-	6	2	28	16	8	4	2	-	45
58	2	-	22	4	-	2	4	-	4	2	-	-	2	2	6	6	2	-	-	-	46
54	2	2	42	8	6	4	2	-	2	-	-	-	4	-	22	10	6	4	2	-	47
116	6	-	28	20	8	10	-	-	6	4	-	2	2	-	34	18	12	8	2	4	48
50	6	2	10	2	4	6	-	2	-	-	-	2	2	-	14	6	4	4	-	-	49
94	16	2	36	8	2	4	6	-	4	-	-	2	2	6	18	22	10	6	-	-	50
28	2	-	2	-	-	2	-	-	-	-	-	-	2	-	2	2	2	-	-	-	51
88	4	2	28	2	2	6	2	2	-	-	-	2	8	-	6	12	4	-	2	-	52
58	10	-	18	2	-	2	2	-	-	2	-	-	2	-	16	6	4	8	4	-	53
78	2	-	28	4	-	-	2	2	-	-	-	-	-	-	20	6	6	2	-	-	54
46	4	-	24	20	-	14	6	-	2	-	-	6	4	-	22	6	-	-	-	-	55
56	2	-	24	2	6	4	2	-	-	2	-	-	2	-	8	4	6	-	-	-	56
190	14	4	46	6	8	18	6	2	10	-	-	2	20	-	38	22	20	8	2	6	57
30	4	2	4	-	-	2	-	-	8	-	-	-	6	-	4	4	8	4	2	2	58
56	4	-	24	-	4	6	4	-	2	-	-	2	2	-	18	6	-	-	-	2	59
104	6	2	18	6	4	10	2	2	-	-	-	-	12	-	16	12	12	4	-	2	60
96	2	-	32	4	4	2	-	-	4	2	-	2	2	-	10	8	16	6	4	2	61
36	10	-	16	8	4	4	-	-	-	2	-	-	-	-	12	8	8	2	-	-	62
96	10	-	40	-	12	8	8	4	2	-	-	-	2	2	22	4	6	2	-	-	63
102	10	2	48	6	2	14	12	4	4	2	-	4	8	-	16	22	4	2	-	-	64
96	8	-	12	4	-	10	-	-	10	-	-	-	8	2	14	8	8	2	-	-	65
112	-	-	34	10	4	10	4	2	2	-	-	-	4	-	14	6	6	-	-	-	66
878	36	12	276	44	36	64	30	10	22	10	-	14	42	38	150	58	60	26	18	2	67
144	12	2	48	10	6	14	10	2	-	4	-	2	10	2	18	8	8	6	2	-	68
556	14	6	180	26	26	42	16	6	16	4	-	4	26	32	100	34	38	16	16	-	69
178	10	4	48	8	4	8	4	2	6	2	-	8	6	4	32	16	14	4	-	2	70
54	2	-	34	6	-	6	6	2	2	2	-	-	8	-	18	4	2	-	-	-	71
132	4	-	54	10	8	4	6	-	4	-	-	4	8	8	10	8	8	-	2	-	72
60	2	-	28	8	2	4	4	-	4	-	-	4	-	4	6	2	-	-	2	-	73
72	2	-	26	2	6	-	2	-	-	-	-	-	8	4	4	6	8	-	-	-	74
80	-	2	42	8	4	2	2	-	8	2	-	-	2	-	18	12	-	-	-	-	75
76	12	-	36	4	4	12	10	-	2	-	-	-	6	12	6	12	12	-	-	2	76
80	4	-	38	-	6	4	6	-	2	-	-	2	-	6	18	4	14	-	-	-	77
130	-	2	76	8	2	10	2	-	2	6	-	2	4	-	10	18	16	2	-	-	78
24	2	-	10	-	-	4	2	-	2	-	-	2	2	-	8	4	4	-	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-468)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	INDIANA—CON.																	
01	TIPPECANOE	802	2	-	2	166	44	28	20	18	6	6	44	14	446	320	4	-
02	LAFAYETTE	500	2	-	-	104	22	24	14	12	4	-	28	10	288	206	4	-
03	WEST LAFAYETTE	118	-	-	-	30	8	2	4	2	2	6	6	-	64	44	-	-
04	BALANCE OF COUNTY	184	-	-	2	32	14	2	2	4	-	-	10	4	94	70	-	-
05	TIPTON	188	-	-	-	18	8	4	-	-	-	2	4	6	104	76	-	20
06	UNION	48	-	-	-	8	-	2	-	2	-	2	2	2	22	18	-	2
07	VANDERBURGH	1,890	8	-	4	358	100	72	22	56	14	16	78	32	1,126	758	18	26
08	EVANSVILLE	1,784	8	-	4	346	96	68	22	54	14	16	76	28	1,048	702	14	26
09	BALANCE OF COUNTY	106	-	-	-	12	4	4	-	2	-	-	2	4	78	56	4	-
10	VERMILLION	248	-	-	-	32	8	6	2	4	2	2	8	4	154	118	2	4
11	VIGO	1,266	2	-	6	228	52	68	20	24	14	16	34	20	666	486	16	22
12	TERRE HAUTE	904	2	-	6	144	34	42	10	18	4	6	30	16	488	350	8	14
13	BALANCE OF COUNTY	362	-	-	-	84	18	26	10	6	10	10	4	4	178	136	8	8
14	WABASH	370	-	-	2	50	22	2	2	8	-	8	8	8	204	126	-	-
15	WABASH	134	-	-	2	18	6	2	-	4	-	-	6	-	68	42	-	-
16	BALANCE OF COUNTY	236	-	-	-	32	16	-	2	4	-	8	2	8	136	84	-	-
17	WARREN	80	-	-	2	14	2	2	-	4	-	-	6	2	40	28	-	-
18	WARRICK	312	2	-	2	46	10	14	-	4	4	-	14	12	198	140	-	14
19	WASHINGTON	216	-	2	-	40	14	10	4	10	-	-	2	2	134	104	-	6
20	WAYNE	822	-	-	4	102	22	18	14	12	2	6	28	10	480	314	8	10
21	RICHMOND	522	-	-	4	76	18	16	10	6	-	2	24	6	296	186	4	4
22	BALANCE OF COUNTY	300	-	-	-	26	4	2	4	6	2	4	4	4	184	128	4	6
23	WELLS	236	-	-	2	38	14	2	-	4	2	2	14	4	146	94	2	2
24	WHITE	228	-	-	2	42	12	8	6	-	4	2	10	6	126	92	4	4
25	WHITLEY	250	-	-	-	36	8	14	-	4	-	4	6	4	146	104	2	4
26	**IOWA**	29,932	26	2	116	5,118	1,380	1,000	496	684	272	258	1,028	588	17,188	12,136	190	280
27	URBAN PLACES	11,506	18	2	42	2,106	544	488	208	240	110	96	420	198	6,452	4,634	82	108
28	BALANCE OF AREA	18,426	8	-	74	3,012	836	512	288	444	162	162	608	390	10,736	7,502	108	172
29	METROPOLITAN COUNTIES	9,298	14	-	40	1,668	404	378	178	180	104	78	346	158	5,118	3,658	80	80
30	URBAN PLACES	7,760	14	-	28	1,416	350	326	150	154	80	66	290	128	4,316	3,042	64	70
31	BALANCE OF AREA	1,538	-	-	12	252	54	52	28	26	24	12	56	30	802	616	16	10
32	NONMETROPOLITAN COUNTIES	20,634	12	2	76	3,450	976	622	318	504	168	180	682	430	12,070	8,478	110	200
33	URBAN PLACES	3,746	4	2	14	690	194	162	58	86	30	30	130	70	2,136	1,592	18	38
34	BALANCE OF AREA	16,888	8	-	62	2,760	782	460	260	418	138	150	552	360	9,934	6,886	92	162
35	ADAIR	136	-	-	-	26	8	2	2	4	2	-	8	2	72	48	-	-
36	ADAMS	86	-	-	-	20	12	2	2	2	-	2	-	-	44	26	-	-
37	ALLAMAKEE	194	-	-	6	18	8	2	-	4	-	-	4	2	116	76	2	-
38	APPANOOSE	246	-	-	-	32	6	4	4	6	4	4	4	6	158	124	-	-
39	AUDUBON	140	-	-	-	26	6	4	6	4	2	2	2	6	84	56	2	-
40	BENTON	254	-	-	2	48	6	14	2	4	4	-	18	2	158	110	-	2
41	BLACK HAWK	1,152	-	-	2	212	56	36	18	26	16	10	50	24	624	394	10	12
42	CEDAR FALLS	218	-	-	2	36	12	4	2	4	2	2	10	-	124	68	-	8
43	WATERLOO	794	-	-	-	142	38	26	12	16	10	6	34	20	444	286	6	4
44	BALANCE OF COUNTY	140	-	-	-	34	6	6	4	6	4	2	6	4	56	40	4	-
45	BOONE	348	-	-	2	54	10	14	2	6	4	2	16	6	236	172	2	2
46	BOONE	168	-	-	-	28	2	10	2	4	2	-	8	2	118	90	-	-
47	BALANCE OF COUNTY	180	-	-	2	26	8	4	-	2	2	2	8	4	118	82	2	2
48	BREMER	214	-	-	-	32	10	2	-	-	2	8	10	-	134	90	4	-
49	BUCHANAN	236	2	-	-	26	4	4	2	8	-	-	8	12	140	108	-	-
50	BUENA VISTA	224	-	-	6	44	16	6	6	2	-	4	10	2	106	66	-	-
51	BUTLER	206	-	-	-	22	4	2	2	-	6	4	4	10	128	94	4	2
52	CALHOUN	186	-	-	-	20	8	2	2	2	-	2	4	6	122	76	-	8
53	CARROLL	242	-	-	-	56	20	8	-	2	6	6	14	2	154	118	-	4
54	CASS	218	2	-	-	30	6	4	-	8	-	6	6	10	142	108	2	8
55	CEDAR	184	-	-	-	34	10	6	-	8	2	6	2	2	102	52	-	-
56	CERRO GORDO	500	-	-	2	90	28	16	6	4	2	4	30	6	290	204	4	-
57	MASON CITY	320	-	-	2	60	22	14	4	4	2	2	12	4	170	116	-	-
58	BALANCE OF COUNTY	180	-	-	-	30	6	2	2	-	-	2	18	2	120	88	4	-
59	CHEROKEE	206	-	-	2	32	8	6	6	2	2	2	6	-	128	94	-	-
60	CHICKASAW	166	-	-	-	24	6	6	2	2	-	-	8	10	74	44	-	2
61	CLARKE	126	-	-	-	16	4	2	4	2	-	-	4	2	82	62	2	-
62	CLAY	218	-	-	2	38	18	10	2	2	-	2	4	6	122	72	-	2
63	SPENCER	126	-	-	-	20	8	6	-	2	-	2	2	4	74	46	-	-
64	BALANCE OF COUNTY	92	-	-	2	18	10	4	2	-	-	-	2	2	48	26	-	2
65	CLAYTON	260	-	-	-	34	6	6	2	4	4	4	8	12	136	106	-	2
66	CLINTON	606	-	-	2	98	28	30	18	8	-	4	10	18	342	254	4	8
67	CLINTON	406	-	-	2	72	22	22	12	4	-	4	8	8	236	172	2	4
68	BALANCE OF COUNTY	200	-	-	-	26	6	8	6	4	-	-	2	10	106	82	2	4
69	CRAWFORD	198	-	-	-	24	4	10	2	4	-	2	2	8	116	86	-	-
70	DALLAS	310	-	-	2	56	16	14	2	10	-	2	12	2	174	110	2	-
71	DAVIS	94	-	-	-	14	6	2	2	4	-	-	-	-	66	50	-	-
72	DECATUR	138	-	-	-	24	8	4	-	4	2	-	6	2	68	42	-	-
73	DELAWARE	224	-	-	-	36	10	8	2	10	2	-	4	4	132	84	-	6
74	DES MOINES	494	-	-	4	70	24	10	12	8	4	2	10	12	286	218	2	12
75	BURLINGTON	368	-	-	2	58	22	10	10	4	4	2	6	6	220	178	-	8
76	BALANCE OF COUNTY	126	-	-	2	12	2	-	2	4	-	-	4	6	66	40	2	4

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (-residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
302	14	6	98	16	6	20	10	2	12	-	-	12	8	6	50	26	20	6	-	-	01
194	8	4	62	10	6	12	8	-	10	-	-	4	2	4	30	20	4	2	-	-	02
42	2	2	16	2	-	-	-	-	-	-	-	6	2	-	6	2	6	2	-	-	03
66	4	-	20	4	-	8	2	2	2	-	-	2	4	2	14	4	10	2	-	-	04
56	-	4	20	4	-	10	8	-	2	-	-	2	4	-	22	6	2	2	-	2	05
14	2	-	2	-	2	4	-	-	-	-	-	2	-	-	4	4	2	-	-	-	06
684	30	8	274	42	44	52	52	2	16	12	-	14	26	4	102	24	34	10	14	-	07
632	30	6	264	36	40	52	52	2	16	10	-	14	24	4	100	22	32	8	14	-	08
52	-	2	10	6	4	-	-	-	-	2	-	-	2	-	2	2	2	2	-	-	09
106	6	2	22	10	2	6	10	-	-	-	-	-	2	2	16	4	12	4	-	2	10
426	22	4	126	40	10	52	42	2	20	2	-	10	14	30	92	20	42	14	4	-	11
308	20	4	102	26	6	42	30	2	16	2	-	8	10	28	66	10	26	4	4	-	12
118	2	-	24	14	4	10	12	-	4	-	-	2	4	2	26	10	16	10	-	-	13
120	6	2	72	4	-	14	6	2	4	2	-	6	2	2	26	30	6	6	-	-	14
38	4	2	22	2	-	2	2	2	2	-	-	4	2	2	18	10	-	2	-	-	15
82	2	-	50	2	-	12	4	-	2	2	-	2	-	-	8	20	6	4	-	-	16
26	2	-	8	-	4	2	6	-	2	-	-	-	-	2	2	-	4	2	-	2	17
120	6	4	40	12	2	6	6	2	-	-	-	-	2	2	10	6	14	4	-	-	18
96	2	2	26	2	-	6	-	-	-	2	-	2	6	-	12	4	2	-	4	-	19
278	18	6	122	32	6	32	10	8	6	4	-	6	20	6	64	32	28	2	8	-	20
168	10	-	84	24	2	22	4	6	6	4	-	4	14	6	46	14	10	-	4	-	21
110	8	6	38	8	4	10	6	2	-	-	-	2	6	-	18	18	18	2	4	-	22
80	10	-	40	12	-	12	4	2	-	-	-	-	4	-	8	6	10	-	-	-	23
78	6	-	22	12	-	8	2	-	2	2	-	2	2	4	12	8	10	-	-	-	24
92	6	2	36	2	2	18	2	-	-	-	-	2	6	-	18	6	8	2	2	-	25
10,884	782	124	3,648	818	462	1,108	536	116	228	90	2	224	446	150	1,884	928	812	280	60	30	26
4,202	242	30	1,322	292	174	398	202	52	134	32	2	118	218	64	732	274	270	122	46	24	27
6,682	540	94	2,326	526	288	710	334	64	94	58	-	106	228	86	1,152	654	542	158	14	6	28
3,288	210	28	1,082	210	140	280	182	52	104	22	-	112	186	56	590	288	276	94	46	12	29
2,740	168	22	944	190	118	236	142	42	104	20	-	94	150	44	490	200	204	80	40	12	30
548	42	6	138	20	22	44	40	10	-	2	-	18	36	12	100	88	72	14	6	-	31
7,596	572	96	2,566	608	322	828	354	64	124	68	2	112	260	94	1,294	640	536	186	14	18	32
1,462	74	8	378	102	56	162	60	10	30	12	2	24	68	20	242	74	66	42	6	12	33
6,134	498	88	2,188	506	266	666	294	54	94	56	-	88	192	74	1,052	566	470	144	8	6	34
42	6	2	16	4	2	4	-	2	-	-	-	2	2	-	8	10	8	-	-	-	35
26	-	-	14	-	4	4	2	-	-	-	-	-	-	-	8	-	4	4	-	-	36
70	4	2	24	10	4	14	-	-	-	2	-	2	2	2	16	10	2	2	-	-	37
92	32	-	22	6	6	8	10	4	-	2	-	2	4	-	10	2	4	4	-	-	38
52	2	-	24	2	2	2	2	-	-	-	-	-	4	-	4	4	8	-	-	-	39
100	8	-	44	-	4	14	2	-	2	-	-	2	4	-	10	2	4	4	-	-	40
360	12	8	184	22	16	42	30	6	8	-	-	16	20	8	76	44	22	8	8	2	41
60	-	2	44	6	4	6	8	2	-	-	-	6	4	-	20	4	4	2	-	-	42
268	8	6	126	14	12	28	20	2	8	-	-	6	10	6	48	30	16	6	6	2	43
32	4	-	14	2	-	8	2	2	-	-	-	4	6	2	8	10	2	-	2	-	44
160	8	2	52	10	-	10	-	-	2	-	-	-	2	4	18	6	6	2	-	-	45
84	6	-	26	2	-	2	-	-	2	-	-	-	-	2	6	4	4	-	-	-	46
76	2	2	26	8	-	8	-	-	-	-	-	-	2	2	12	2	2	2	-	-	47
86	-	-	38	4	2	6	-	2	-	2	-	-	2	-	14	8	10	4	-	-	48
98	10	-	22	2	8	4	4	6	-	-	-	-	4	-	22	6	4	6	-	-	49
64	2	2	22	8	8	6	-	2	-	2	-	4	6	-	28	4	14	-	-	-	50
84	4	-	28	4	2	10	6	2	-	-	-	-	-	2	12	10	4	-	-	-	51
66	2	-	34	10	2	6	2	-	-	2	-	-	-	-	16	4	6	2	-	-	52
110	4	-	28	6	2	8	4	-	-	-	-	2	2	-	4	8	2	-	-	-	53
86	12	4	10	14	6	8	-	-	2	2	-	-	-	2	4	10	4	2	-	-	54
50	2	-	42	8	-	2	8	2	-	2	-	-	2	-	14	8	8	-	-	-	55
192	8	6	58	16	6	20	16	2	6	2	-	-	14	-	36	6	8	-	-	2	56
114	2	2	34	12	6	18	14	2	4	-	-	-	10	-	26	4	6	-	-	-	57
78	6	4	24	4	-	2	2	-	2	2	-	-	4	-	10	2	2	-	-	2	58
94	-	-	26	6	2	14	2	-	2	-	-	2	4	-	8	4	4	4	-	-	59
42	-	-	26	2	2	12	4	-	-	2	-	2	4	4	14	8	6	2	-	-	60
52	8	-	14	6	-	2	6	-	2	-	-	-	-	-	6	2	6	2	-	-	61
66	4	-	42	4	4	4	-	4	-	-	-	-	8	4	6	8	8	8	-	-	62
44	2	-	22	4	2	2	-	-	-	-	-	-	8	4	2	2	4	6	-	-	63
22	2	-	20	-	2	2	-	4	-	-	-	-	-	-	4	6	4	2	-	-	64
98	6	2	20	6	2	20	6	2	8	-	-	-	6	2	16	10	6	2	-	-	65
228	14	-	58	12	18	30	8	2	8	2	-	6	10	-	46	10	16	4	2	2	66
158	8	-	42	8	14	18	6	2	8	-	-	2	8	-	30	-	8	2	2	2	67
70	6	-	16	4	4	12	2	-	-	2	-	4	2	-	16	10	8	2	-	-	68
76	10	-	22	6	2	6	4	-	2	2	-	-	-	-	14	10	8	4	-	-	69
96	12	6	52	6	-	12	10	-	6	4	-	2	2	-	14	8	12	6	-	-	70
48	2	-	8	6	2	2	2	-	-	-	-	2	-	-	4	-	2	2	-	-	71
34	8	-	12	8	6	8	-	-	-	-	-	-	-	4	22	4	6	-	-	-	72
76	2	-	44	4	-	8	12	-	-	-	-	-	8	-	14	6	4	-	-	-	73
200	4	2	50	12	4	30	14	-	-	-	-	-	6	6	34	10	10	8	2	2	74
170	-	-	28	10	4	26	8	-	-	-	-	-	6	2	24	4	4	4	2	2	75
30	4	2	22	2	-	4	6	-	-	-	-	-	-	4	10	6	6	4	-	-	76

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	IOWA--CON.																	
01	DICKINSON	136	-	-	-	24	4	8	2	2	2	2	4	6	74	56	2	-
02	DUBUQUE	850	-	-	4	148	44	30	6	20	8	8	32	10	504	348	10	2
03	DUBUQUE	640	-	-	2	114	32	26	4	18	8	4	22	8	384	250	6	2
04	BALANCE OF COUNTY	210	-	-	2	34	12	4	2	2	-	4	10	2	120	98	4	-
05	EMMET	188	-	-	-	54	16	12	6	18	-	-	2	4	104	78	-	-
06	FAYETTE	306	-	-	-	50	10	6	2	10	4	4	14	8	166	114	4	6
07	FLOYD	244	-	-	-	46	14	4	4	4	2	6	12	4	144	98	-	2
08	FRANKLIN	194	-	-	-	20	2	2	6	4	-	2	4	2	150	104	2	-
09	FREMONT	134	-	-	4	18	8	2	-	4	-	-	4	4	74	60	-	10
10	GREENE	166	-	-	2	20	6	4	4	4	2	-	-	2	114	70	-	2
11	GRUNDY	148	-	-	-	26	4	6	2	8	-	4	2	2	70	50	-	2
12	GUTHRIE	158	-	-	-	30	6	2	4	10	-	2	6	2	94	58	-	6
13	HAMILTON	182	-	-	2	16	2	4	2	2	-	-	6	6	110	80	4	6
14	HANCOCK	160	-	-	-	24	8	2	-	4	-	-	10	-	100	90	2	2
15	HARDIN	286	-	-	-	46	2	12	4	12	6	2	8	8	184	130	-	2
16	HARRISON	228	-	-	2	46	14	18	6	4	2	-	2	8	116	86	-	-
17	HENRY	240	-	-	2	48	12	10	2	2	4	4	14	2	128	92	12	2
18	HOWARD	154	-	-	2	22	4	4	-	4	2	4	4	2	110	82	2	2
19	HUMBOLDT	146	-	-	-	26	10	-	4	2	-	4	6	-	80	64	-	4
20	IDA	102	-	-	-	18	8	4	-	2	-	-	4	4	66	42	2	-
21	IOWA	160	-	-	2	28	8	4	-	4	2	2	8	-	108	80	-	4
22	JACKSON	214	-	-	-	38	10	4	4	6	-	2	12	8	108	72	2	-
23	JASPER	362	-	-	-	58	14	14	2	10	-	-	18	8	214	156	4	-
24	NEWTON	182	-	-	-	36	8	8	-	6	-	-	14	2	104	76	2	-
25	BALANCE OF COUNTY	180	-	-	-	22	6	6	2	4	-	-	4	6	110	80	2	-
26	JEFFERSON	176	-	-	-	22	2	6	2	4	-	-	8	6	108	74	2	2
27	JOHNSON	382	-	-	2	92	24	16	8	20	8	4	12	10	194	148	2	-
28	IOWA CITY	222	-	-	2	54	12	12	6	10	2	4	8	10	116	88	-	-
29	BALANCE OF COUNTY	160	-	-	-	38	12	4	2	10	6	-	4	-	78	60	2	-
30	JONES	240	-	-	2	48	10	8	8	8	-	4	10	4	126	72	-	2
31	KEOKUK	220	-	-	-	38	12	8	-	10	-	-	8	4	128	110	2	-
32	KOSSUTH	218	-	-	-	38	14	2	2	14	-	-	6	8	116	86	-	2
33	LEE	544	2	-	-	96	20	24	4	20	4	4	20	2	322	248	-	6
34	FORT MADISON	172	2	-	-	24	4	6	-	8	-	2	4	2	116	90	-	2
35	KEOKUK	208	-	-	-	40	6	12	2	4	4	2	10	-	110	90	-	2
36	BALANCE OF COUNTY	164	-	-	-	32	10	6	2	8	-	-	6	-	96	68	-	2
37	LINN	1,422	4	-	6	266	58	76	22	24	8	12	66	10	756	528	8	8
38	CEDAR RAPIDS	1,040	4	-	4	202	42	64	16	16	4	10	50	6	558	400	8	8
39	MARION	126	-	-	-	20	6	6	4	2	-	-	2	2	66	36	-	-
40	BALANCE OF COUNTY	256	-	-	2	44	10	6	2	6	4	2	14	2	132	92	-	-
41	LOUISA	114	-	-	-	26	10	2	-	2	-	2	10	2	44	32	2	4
42	LUCAS	160	-	-	2	18	2	6	4	2	-	-	4	12	94	58	-	-
43	LYON	140	-	-	-	24	6	2	4	4	4	-	4	6	78	72	2	-
44	MADISON	184	-	-	-	14	8	-	-	2	-	-	4	-	124	76	-	-
45	MAHASKA	290	-	-	2	40	16	10	6	-	2	-	6	8	164	114	2	2
46	OSKALOOSA	170	-	-	2	16	6	4	2	-	-	-	4	6	104	70	2	2
47	BALANCE OF COUNTY	120	-	-	-	24	10	6	4	-	2	-	2	2	60	44	-	-
48	MARION	318	-	-	-	64	16	6	12	10	2	4	14	2	152	106	-	4
49	MARSHALL	396	2	2	2	80	16	18	12	10	6	6	12	4	222	152	6	2
50	MARSHALLTOWN	274	-	2	-	58	12	12	8	10	6	2	8	2	150	104	4	2
51	BALANCE OF COUNTY	122	2	-	2	22	4	6	4	-	-	4	4	2	72	48	2	-
52	MILLS	142	-	-	-	28	10	-	8	4	-	-	6	-	90	64	-	2
53	MITCHELL	142	-	-	-	16	10	-	-	-	4	-	2	4	82	44	-	2
54	MONONA	200	-	-	-	22	2	4	4	6	2	2	2	10	140	98	-	2
55	MONROE	130	-	-	-	22	2	-	4	6	-	2	8	-	80	54	-	-
56	MONTGOMERY	208	-	-	-	28	10	2	2	4	2	-	8	-	142	82	-	2
57	MUSCATINE	400	-	-	4	54	20	8	8	6	2	2	8	16	260	204	2	4
58	MUSCATINE	252	-	-	2	30	14	4	4	2	2	-	4	10	162	132	-	-
59	BALANCE OF COUNTY	148	-	-	2	24	6	4	4	4	-	2	4	6	98	72	2	4
60	O BRIEN	208	-	-	2	40	12	4	6	6	2	4	6	8	120	78	-	-
61	OSCEOLA	92	-	-	-	18	8	4	-	2	-	-	4	8	42	34	-	-
62	PAGE	290	-	-	-	58	8	12	6	18	2	2	10	2	168	110	2	4
63	PALO ALTO	150	2	-	-	24	8	6	4	2	2	-	2	-	102	78	2	-
64	PLYMOUTH	234	-	-	2	52	22	6	4	2	8	2	8	6	116	68	2	4
65	POCAHONTAS	134	-	-	2	22	8	2	4	2	2	2	2	4	74	44	-	-
66	POLK	2,632	2	-	16	490	130	108	50	50	36	18	98	32	1,446	1,088	20	18
67	DES MOINES	2,160	2	-	10	408	110	86	46	44	26	18	78	22	1,204	900	20	16
68	URBANDALE	16	-	-	-	4	-	2	-	-	2	-	-	-	6	6	-	-
69	WEST DES MOINES	90	-	-	2	16	6	4	2	-	-	-	4	-	46	36	-	-
70	BALANCE OF COUNTY	366	-	-	4	62	14	16	2	6	8	-	16	10	190	146	-	2
71	POTTAWATTAMIE	788	2	-	4	134	28	36	26	14	8	10	12	12	394	286	6	16
72	COUNCIL BLUFFS	568	2	-	2	96	22	26	16	10	4	8	10	8	282	198	6	10
73	BALANCE OF COUNTY	220	-	-	2	38	6	10	10	4	4	2	2	4	112	88	-	6
74	POWESHIEK	232	-	-	-	26	6	8	4	-	2	2	4	2	150	128	2	2
75	RINGGOLD	98	-	-	-	18	8	2	2	-	2	-	4	-	58	44	-	-
76	SAC	192	-	-	-	48	24	4	10	6	-	-	4	-	110	70	2	2
77	SCOTT	1,314	-	-	6	206	50	46	30	20	8	4	48	28	772	550	16	14
78	BETTENDORF	116	-	-	-	20	8	2	4	-	-	-	6	6	64	44	-	2
79	DAVENPORT	1,054	-	-	6	178	40	42	24	20	8	4	40	20	618	436	12	10
80	BALANCE OF COUNTY	144	-	-	-	8	2	2	2	-	-	-	2	2	90	70	4	2
81	SHELBY	176	-	-	-	38	10	8	4	2	2	4	8	2	108	86	-	2
82	SIOUX	250	-	-	-	38	4	2	8	4	6	4	10	8	148	102	-	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
54	-	-	14	4	-	8	4	-	-	-	-	-	2	-	8	6	4	-	-	-	01
312	24	2	98	30	26	26	18	2	10	2	-	6	10	6	56	20	22	4	-	2	02
226	16	2	86	30	16	24	10	2	10	2	-	2	10	4	44	10	12	-	-	2	03
86	8	-	12	-	10	2	8	-	-	-	-	4	-	2	12	10	10	4	-	-	04
78	-	-	20	2	4	2	-	-	2	2	-	-	-	-	12	4	2	2	-	-	05
92	12	4	36	8	4	18	12	-	-	-	-	-	4	4	18	16	10	-	-	-	06
94	2	2	36	6	2	6	-	-	2	-	-	2	-	2	16	14	4	4	-	-	07
100	2	2	32	6	6	6	2	-	-	-	-	-	2	-	2	4	6	-	-	-	08
46	4	-	8	4	2	6	4	-	-	-	-	-	-	-	12	4	8	-	-	-	09
66	2	4	32	6	2	4	6	-	2	-	-	4	-	2	8	2	-	-	-	-	10
42	6	-	16	2	2	4	4	-	2	2	-	2	4	-	16	4	6	6	-	-	11
50	2	-	24	6	6	10	2	-	-	2	-	-	-	-	2	14	2	-	-	-	12
56	14	2	20	6	2	8	4	-	2	-	-	-	4	-	12	6	10	2	-	-	13
78	8	-	10	-	-	14	2	2	-	-	-	2	-	-	10	4	2	-	-	-	14
116	12	-	36	14	4	16	2	-	2	-	-	-	8	-	12	2	6	-	-	-	15
82	4	-	18	8	4	12	8	2	4	-	-	4	2	2	8	6	6	-	2	-	16
70	8	-	28	6	2	10	4	-	-	-	-	4	2	-	20	10	6	2	2	-	17
78	-	2	18	6	2	-	2	-	4	-	-	-	4	-	6	-	2	-	-	-	18
56	4	2	12	-	2	4	-	2	-	-	-	4	4	2	4	14	4	2	-	-	19
34	6	-	16	6	2	2	2	-	2	-	-	2	-	-	2	4	-	-	-	-	20
74	2	4	14	4	6	6	-	-	-	2	-	-	-	-	6	2	4	2	-	-	21
66	4	-	24	6	6	18	-	-	-	-	-	-	-	2	14	14	10	2	-	-	22
136	16	2	30	18	8	20	2	-	2	2	-	-	6	-	20	14	6	8	-	2	23
68	6	2	14	10	2	10	-	-	-	2	-	-	4	-	6	8	2	6	-	2	24
68	10	-	16	8	6	10	2	-	2	-	-	-	2	-	14	6	4	2	-	-	25
66	4	-	32	-	2	10	2	-	-	2	-	-	2	-	8	6	10	-	-	-	26
128	18	2	38	6	-	18	2	2	2	-	-	6	6	8	22	8	6	2	2	-	27
74	14	-	26	2	-	8	2	2	2	-	-	6	2	2	10	4	2	-	-	-	28
54	4	2	12	4	-	10	-	-	-	-	-	-	4	6	12	4	4	2	2	-	29
62	8	-	36	18	-	14	2	-	-	-	-	2	2	-	12	16	10	2	-	-	30
98	10	2	12	2	2	12	6	2	-	-	-	2	4	2	10	10	2	-	-	-	31
76	8	4	18	4	4	18	2	-	-	4	-	-	4	2	6	14	2	4	-	-	32
232	10	-	62	6	6	10	14	-	8	-	-	2	8	4	40	12	16	8	-	-	33
86	2	-	24	2	-	4	4	-	2	-	-	-	2	-	8	-	2	6	-	-	34
82	6	-	12	4	4	6	6	-	2	-	-	2	4	4	16	4	12	2	-	-	35
64	2	-	26	-	2	-	4	-	4	-	-	-	2	-	16	8	2	-	-	-	36
480	32	2	166	46	14	52	36	10	16	2	-	6	36	6	98	42	44	22	8	2	37
360	24	2	120	26	10	36	20	10	12	2	-	4	28	6	66	20	32	22	6	2	38
34	2	-	18	8	4	8	-	-	4	-	-	-	4	-	12	6	2	-	2	-	39
86	6	-	28	12	-	8	16	-	-	-	-	2	4	-	20	16	10	-	-	-	40
24	2	-	8	-	4	2	8	-	2	-	-	6	2	2	4	4	10	2	-	-	41
42	16	2	14	16	4	4	-	-	-	-	-	4	2	-	20	2	2	-	-	-	42
60	10	-	6	-	-	4	6	-	-	-	-	2	2	-	6	8	2	2	-	-	43
74	2	-	34	12	2	6	10	6	-	-	-	-	2	-	8	6	8	-	-	-	44
102	8	2	38	2	8	20	-	2	4	-	-	2	4	-	18	8	14	2	2	-	45
60	6	2	26	2	4	14	-	2	2	-	-	-	4	-	10	4	4	-	2	-	46
42	2	-	12	-	4	6	-	-	2	-	-	2	-	-	8	4	10	2	-	-	47
98	4	2	38	2	4	20	4	2	2	4	-	2	4	2	24	14	12	4	2	4	48
134	10	-	36	28	6	8	6	2	6	6	-	2	-	-	34	12	6	-	-	2	49
90	8	-	28	16	2	8	6	2	4	6	-	2	-	-	26	6	-	-	-	2	50
44	2	-	8	12	4	-	-	-	2	-	-	-	-	-	8	6	6	-	-	-	51
58	4	-	18	2	6	2	-	-	2	2	-	-	2	2	8	4	2	-	-	-	52
38	4	-	28	4	6	10	2	-	-	-	-	2	2	2	14	6	2	-	-	-	53
74	22	4	34	4	-	6	2	-	2	-	-	-	2	-	6	4	6	-	-	-	54
46	8	-	20	6	-	6	-	2	-	-	-	-	-	2	16	-	2	-	-	-	55
78	2	2	44	12	2	4	2	2	2	-	-	-	2	-	12	8	4	2	-	-	56
186	12	-	42	8	6	6	2	2	2	2	-	-	6	2	14	12	14	4	-	-	57
126	6	-	26	2	2	6	2	-	2	2	-	-	4	2	8	8	10	4	-	-	58
60	6	-	16	6	4	-	-	2	-	-	-	-	2	-	6	4	4	-	-	-	59
76	2	2	34	2	4	8	2	-	-	-	-	2	8	-	8	8	2	-	-	-	60
34	-	-	8	-	-	-	2	-	2	2	-	-	2	2	2	4	8	-	-	-	61
98	6	4	28	16	10	10	6	-	4	-	-	2	2	2	12	8	8	8	-	-	62
70	6	-	18	4	2	4	-	-	2	-	-	2	2	-	6	-	6	-	-	-	63
62	-	2	38	6	2	18	-	-	-	-	-	-	2	2	12	16	6	2	-	-	64
38	6	-	24	2	4	6	6	-	-	-	-	2	2	-	8	2	6	-	-	-	65
986	64	2	266	44	46	70	44	20	40	12	-	36	54	20	164	64	82	18	20	2	66
812	52	2	226	38	38	58	34	12	38	12	-	28	42	14	136	38	66	16	18	2	67
6	-	-	-	-	-	-	2	-	-	-	-	4	-	-	-	-	-	-	-	-	68
34	2	-	6	-	4	6	-	-	2	-	-	-	4	-	8	4	-	2	-	-	69
134	10	-	34	6	4	6	8	8	-	-	-	4	8	6	20	22	16	-	2	-	70
250	14	6	89	12	10	40	12	8	6	2	-	12	20	2	60	32	30	12	2	4	71
176	6	2	62	12	8	32	8	8	6	2	-	10	16	2	42	22	16	8	2	4	72
74	8	4	18	-	2	8	4	-	-	-	-	2	4	-	18	10	14	4	-	-	73
120	4	-	18	4	-	6	4	-	-	-	-	2	2	-	32	6	2	-	-	-	74
38	6	-	10	2	2	-	-	-	-	-	-	-	-	2	10	8	2	-	-	-	75
64	2	-	24	16	-	4	6	-	2	-	-	-	-	2	14	2	4	-	-	-	76
488	32	6	189	18	18	22	20	6	12	-	-	16	20	10	70	60	46	18	2	-	77
40	2	2	14	4	-	2	2	-	2	-	-	2	-	-	6	8	2	2	-	-	78
384	30	4	150	14	14	14	18	6	10	-	-	14	14	10	56	38	38	12	2	-	79
64	-	-	16	-	4	6	-	-	-	-	-	-	6	-	8	14	6	4	-	-	80
82	2	-	14	2	6	6	-	-	-	-	-	-	2	-	4	8	4	4	-	-	81
92	8	-	38	6	2	8	-	-	2	2	-	-	6	2	14	10	8	4	-	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	IOWA—CON.																	
01	STORY	402	-	-	4	66	22	16	8	4	2	2	12	10	222	152	4	8
02	AMES	174	-	-	2	26	4	10	4	-	-	2	6	6	90	68	2	6
03	BALANCE OF COUNTY	228	-	-	2	40	18	6	4	4	2	-	6	4	132	84	2	2
04	TAMA	200	-	-	-	32	8	6	-	10	4	-	4	4	112	52	-	6
05	TAYLOR	142	-	-	-	22	6	4	2	4	-	2	4	2	84	46	-	4
06	UNION	202	-	-	-	34	12	-	6	4	-	2	10	2	130	96	-	2
07	VAN BUREN	136	-	-	-	24	6	4	4	-	4	-	6	2	88	56	-	2
08	WAPELLO	536	-	-	-	120	32	24	6	26	6	4	22	6	298	246	6	12
09	OTTUMWA	402	-	-	-	98	32	18	4	20	4	2	18	4	220	184	6	12
10	BALANCE OF COUNTY	134	-	-	-	22	-	6	2	6	2	2	4	2	78	62	-	-
11	WARREN	212	-	-	2	38	18	6	2	2	2	-	8	6	124	88	-	-
12	WASHINGTON	258	-	-	-	38	10	8	2	8	2	-	8	2	154	106	-	2
13	WAYNE	136	-	-	2	12	4	6	-	-	-	2	-	2	104	68	-	-
14	WEBSTER	470	2	-	-	100	30	18	2	10	10	10	20	6	246	152	-	2
15	FORT DODGE	302	2	-	-	70	20	14	-	8	4	6	18	4	146	88	-	-
16	BALANCE OF COUNTY	168	-	-	-	30	10	4	2	2	6	4	2	2	100	64	-	2
17	WINNEBAGO	164	-	-	-	16	6	4	-	4	-	-	2	4	102	76	2	-
18	WINNESHIEK	208	-	-	-	40	10	14	-	8	-	2	6	8	112	70	2	2
19	WOODBURY	1,140	6	-	2	212	38	46	26	26	20	16	40	42	622	464	10	10
20	SIOUX CITY	938	6	-	-	180	34	38	20	24	16	14	34	36	520	382	6	10
21	BALANCE OF COUNTY	202	-	-	2	32	4	8	6	2	4	2	6	6	102	82	4	-
22	WORTH	122	-	-	2	10	2	2	-	2	-	-	4	-	74	46	-	-
23	WRIGHT	224	-	-	-	44	20	8	2	6	-	-	8	8	132	76	-	-
24	**KANSAS**	22,388	30	12	88	3,952	1,022	790	346	584	226	208	776	450	12,306	8,830	126	172
25	URBAN PLACES	10,676	10	6	46	1,944	458	424	190	294	106	84	388	224	5,708	4,066	66	70
26	BALANCE OF AREA	11,712	20	6	42	2,008	564	366	156	290	120	124	388	226	6,598	4,764	60	102
27	METROPOLITAN COUNTIES	7,456	6	4	40	1,370	318	298	140	184	78	74	278	152	3,884	2,766	56	42
28	URBAN PLACES	6,242	2	4	32	1,152	270	254	114	158	62	60	234	126	3,256	2,308	46	32
29	BALANCE OF AREA	1,214	4	-	8	218	48	44	26	26	16	14	44	26	628	458	10	10
30	NONMETROPOLITAN COUNTIES	14,932	24	8	48	2,582	704	492	206	400	148	134	498	298	8,422	6,064	70	130
31	URBAN PLACES	4,434	8	2	14	792	188	170	76	136	44	24	154	98	2,452	1,758	20	38
32	BALANCE OF AREA	10,498	16	6	34	1,790	516	322	130	264	104	110	344	200	5,970	4,306	50	92
33	ALLEN	222	-	-	-	28	10	10	2	-	-	-	6	6	140	112	-	-
34	ANDERSON	102	-	-	-	22	10	4	-	4	2	-	2	4	62	36	2	-
35	ATCHISON	252	-	-	-	38	4	4	8	10	2	-	10	8	138	110	-	18
36	ATCHISON	192	-	-	-	30	4	2	8	10	-	-	6	8	94	72	-	10
37	BALANCE OF COUNTY	60	-	-	-	8	-	2	-	-	2	-	4	-	44	38	-	8
38	BARBER	116	-	-	-	28	10	4	-	6	-	-	8	-	68	52	-	2
39	BARTON	268	-	-	-	56	6	12	10	4	4	2	18	-	146	110	-	-
40	GREAT BEND	132	-	-	-	30	2	8	-	2	2	-	16	-	68	58	-	-
41	BALANCE OF COUNTY	136	-	-	-	26	4	4	10	2	2	2	2	-	78	52	-	-
42	BOURBON	256	-	-	-	30	6	6	6	-	2	2	8	2	168	102	2	-
43	BROWN	184	-	-	-	34	8	4	2	4	4	-	12	8	110	90	-	-
44	BUTLER	416	-	-	-	56	22	6	8	4	4	2	10	6	238	162	2	-
45	EL DORADO	170	-	-	-	32	16	2	6	-	2	2	4	-	94	52	2	-
46	BALANCE OF COUNTY	246	-	-	-	24	6	4	2	4	2	-	6	6	144	110	-	-
47	CHASE	64	-	-	-	6	2	-	-	-	2	-	2	2	38	26	-	-
48	CHAUTAUQUA	88	-	2	-	24	10	4	2	2	-	2	4	-	38	22	-	-
49	CHEROKEE	290	2	-	-	66	10	18	2	12	4	4	16	16	126	88	-	2
50	CHEYENNE	58	-	-	-	6	2	-	-	2	-	-	2	2	38	32	-	-
51	CLARK	34	-	-	-	6	-	2	2	-	-	-	2	-	18	14	-	-
52	CLAY	128	-	-	-	14	2	-	4	6	-	-	2	4	92	60	-	8
53	CLOUD	206	-	-	-	64	18	12	4	14	6	4	6	4	104	68	-	-
54	COFFEY	122	-	-	-	14	6	-	-	2	-	2	4	2	88	58	-	6
55	COMANCHE	32	-	-	-	-	-	-	-	-	-	-	-	-	22	12	-	2
56	COWLEY	422	2	-	2	70	18	12	8	18	6	-	8	12	222	138	4	-
57	ARKANSAS CITY	184	-	-	2	24	10	2	2	8	-	-	2	6	102	60	-	-
58	WINFIELD	138	2	-	-	30	6	6	6	8	2	-	2	4	72	44	4	-
59	BALANCE OF COUNTY	100	-	-	-	16	2	4	-	2	4	-	4	2	48	34	-	-
60	CRAWFORD	524	-	-	2	106	28	22	14	12	8	6	16	8	326	250	-	6
61	PITTSBURG	232	-	-	-	44	6	10	10	6	6	-	6	-	158	134	-	4
62	BALANCE OF COUNTY	292	-	-	2	62	22	12	4	6	2	6	10	8	168	116	-	2
63	DECATUR	58	-	-	-	12	4	4	-	2	-	-	2	-	28	20	-	-
64	DICKINSON	278	2	-	-	50	24	6	2	6	2	6	4	2	144	106	-	4
65	DONIPHAN	130	-	-	-	20	8	4	4	-	2	-	2	4	72	54	-	-
66	DOUGLAS	368	-	-	2	74	10	16	4	12	4	6	22	8	182	146	2	4
67	LAWRENCE	240	-	-	2	52	10	10	4	10	2	-	16	6	126	96	-	4
68	BALANCE OF COUNTY	128	-	-	-	22	-	6	-	2	2	6	6	2	56	50	2	-
69	EDWARDS	76	2	-	-	14	10	-	2	2	-	-	-	2	36	28	-	2
70	ELK	88	-	-	-	12	2	2	2	-	2	4	-	2	50	26	-	-
71	ELLIS	174	-	-	-	32	6	2	6	6	-	2	10	2	86	58	-	-
72	HAYS	102	-	-	-	24	4	2	6	6	-	-	6	2	58	40	-	-
73	BALANCE OF COUNTY	72	-	-	-	8	2	-	-	-	-	2	4	-	28	18	-	-
74	ELLSWORTH	88	-	-	-	6	2	-	-	2	2	-	-	2	58	50	-	2
75	FINNEY	148	-	-	-	26	4	-	2	6	4	2	8	6	68	54	2	-
76	GARDEN CITY	122	-	-	-	20	4	-	2	4	4	2	4	4	58	46	2	-
77	BALANCE OF COUNTY	26	-	-	-	6	-	-	-	2	-	-	4	2	10	8	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
126	14	-	38	22	10	18	8	-	-	-	-	4	4	2	36	20	4	2	-	2	01
56	4	-	10	8	4	10	2	-	-	-	-	2	4	2	16	12	-	-	-	2	02
70	10	-	28	14	6	8	6	-	-	-	-	2	-	-	20	8	4	2	-	-	03
40	6	2	44	6	8	6	4	-	-	-	-	-	6	-	22	6	2	4	-	-	04
42	-	2	28	4	4	6	4	-	-	-	-	-	-	-	10	2	10	2	-	-	05
86	8	2	28	2	2	6	4	-	2	-	-	2	2	-	16	-	2	2	-	-	06
46	8	2	22	6	2	-	4	-	-	2	-	-	2	-	8	2	4	-	-	-	07
226	2	-	38	6	8	26	4	-	2	2	-	4	10	2	36	6	10	8	-	2	08
166	-	-	24	4	8	16	2	-	2	2	-	4	6	2	26	6	6	6	-	2	09
60	2	-	14	2	-	10	2	-	-	-	-	-	4	-	10	-	4	2	-	-	10
80	8	2	26	8	-	6	6	-	2	-	-	2	2	-	6	6	6	6	-	-	11
94	10	2	30	12	4	6	6	4	4	2	-	-	-	4	26	6	6	-	-	-	12
54	14	-	24	6	6	4	-	2	-	-	-	-	-	-	6	-	4	-	-	-	13
146	4	2	66	18	8	18	12	-	-	-	2	6	10	-	40	14	8	6	-	-	14
84	4	2	36	16	4	14	8	-	-	-	2	6	6	-	28	8	2	6	-	-	15
62	-	-	30	2	4	4	4	-	-	-	-	-	4	-	12	6	6	-	-	-	16
68	6	-	20	6	-	4	4	-	4	-	-	-	-	-	10	16	2	2	-	-	17
60	6	-	32	8	2	10	6	-	-	2	-	-	2	-	16	6	6	-	-	-	18
412	32	2	108	38	10	28	22	-	12	4	-	20	26	4	66	26	30	12	6	-	19
340	26	-	92	38	8	22	20	-	12	2	-	18	18	2	52	20	16	10	4	-	20
72	6	2	16	-	2	6	2	-	-	2	-	2	8	2	14	6	14	2	2	-	21
46	-	2	20	2	4	12	6	-	2	-	-	-	-	-	12	4	-	-	-	-	22
76	-	-	42	10	4	8	6	-	-	-	-	-	-	2	16	4	4	-	-	-	23
8,080	452	84	2,622	446	324	740	390	90	204	108	2	140	374	182	1,602	686	576	302	86	68	24
3,748	182	44	1,256	186	156	320	198	44	128	40	-	76	250	100	738	296	262	182	66	38	25
4,332	270	40	1,366	260	168	420	192	46	76	68	2	64	124	82	864	390	314	120	20	30	26
2,550	118	18	890	100	110	212	144	34	102	26	-	60	192	56	534	222	180	146	56	36	27
2,124	106	18	750	86	94	168	122	28	92	24	-	44	160	46	448	174	144	136	54	30	28
426	12	-	140	14	16	44	22	6	10	2	-	16	32	10	86	48	36	10	2	6	29
5,530	334	66	1,732	346	214	528	246	56	102	82	2	80	182	126	1,068	464	396	156	30	32	30
1,624	76	26	506	100	62	152	76	16	36	16	-	32	90	54	290	122	118	46	12	8	31
3,906	258	40	1,226	246	152	376	170	40	66	66	2	48	92	72	778	342	278	110	18	24	32
106	6	-	24	4	-	6	2	2	-	4	-	-	-	6	14	6	6	2	-	-	33
34	-	-	24	2	-	-	2	-	-	4	-	-	-	-	4	2	2	-	-	-	34
88	4	4	12	8	4	14	4	2	2	6	-	-	2	8	12	-	10	2	-	6	35
60	2	4	8	8	2	12	4	2	2	6	-	-	2	8	12	-	8	2	-	2	36
28	2	-	4	-	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-	4	37
46	4	-	14	2	-	2	-	-	-	-	-	2	-	-	6	6	4	-	-	-	38
100	10	2	28	-	6	2	8	-	6	2	-	2	4	-	18	20	2	2	-	-	39
54	4	2	8	-	-	-	-	-	2	-	-	2	4	-	8	18	-	-	-	-	40
46	6	-	20	-	6	2	8	-	4	2	-	-	-	-	10	2	2	2	-	-	41
98	2	6	48	8	4	6	10	2	2	-	-	-	2	-	14	10	10	-	-	-	42
88	2	-	12	4	4	8	2	2	-	-	-	-	-	2	10	4	2	2	-	-	43
154	6	-	64	6	6	24	8	2	4	-	-	6	12	-	20	20	14	4	-	2	44
48	2	-	38	2	2	8	4	2	-	-	-	-	4	-	12	6	8	-	-	-	45
106	4	-	26	4	4	16	4	-	4	-	-	6	8	-	8	14	6	4	-	2	46
26	-	-	12	-	-	4	-	2	-	-	-	-	-	-	8	4	-	-	-	-	47
18	4	-	6	8	2	6	-	2	-	2	-	-	-	4	2	4	2	2	-	-	48
82	4	-	30	6	2	8	8	2	6	2	-	2	6	-	26	4	14	2	-	-	49
32	-	-	4	-	2	2	-	-	-	-	-	-	2	-	6	-	2	-	-	-	50
10	4	-	4	-	-	4	-	-	-	-	-	-	-	-	2	-	-	4	-	-	51
46	6	-	22	4	6	2	-	-	4	-	-	-	-	-	12	-	-	-	-	-	52
68	-	-	30	2	4	6	2	2	2	-	-	-	-	2	8	4	6	2	-	-	53
50	2	-	24	6	-	2	-	-	-	2	-	-	-	-	10	-	-	4	-	-	54
10	-	2	8	-	-	-	2	-	2	-	-	-	-	-	6	-	-	-	-	-	55
122	12	2	60	12	10	22	12	2	-	-	-	4	6	-	38	10	18	2	-	-	56
54	6	-	32	6	4	8	8	-	-	-	-	2	2	-	12	2	16	-	-	-	57
34	6	2	16	6	4	8	4	2	-	-	-	-	2	-	12	2	2	-	-	-	58
34	-	-	12	-	2	8	-	-	-	-	-	2	2	-	14	6	-	2	-	-	59
228	16	-	66	4	6	16	8	-	2	4	-	-	4	2	20	14	8	4	-	-	60
120	10	-	22	-	2	4	2	-	-	-	-	-	4	2	8	2	6	2	-	-	61
108	6	-	44	4	4	12	6	-	2	4	-	-	-	-	12	12	2	2	-	-	62
20	-	-	6	-	2	-	2	2	2	-	-	-	-	2	8	-	2	-	-	-	63
94	8	-	24	6	8	20	-	-	2	-	-	-	-	2	28	12	14	-	2	-	64
52	2	-	14	4	-	4	4	-	-	-	-	-	2	-	14	2	6	2	-	-	65
140	-	-	24	8	4	10	2	2	-	2	-	4	8	8	34	18	4	8	2	-	66
92	-	-	18	8	4	8	-	2	-	2	-	2	4	-	20	8	2	6	-	-	67
48	-	-	6	-	-	2	2	-	-	-	-	2	4	8	14	10	2	2	2	-	68
26	-	-	4	-	4	4	6	-	2	2	-	-	-	-	6	-	-	-	2	-	69
24	2	-	20	2	2	-	4	-	-	-	-	-	-	-	8	10	2	-	-	-	70
56	2	-	22	2	4	6	-	-	-	-	-	4	2	4	18	10	8	2	-	-	71
38	2	-	18	-	-	-	-	-	-	-	-	2	2	-	8	2	4	-	-	-	72
18	-	-	4	2	4	6	-	-	-	-	-	2	-	4	10	8	4	2	-	-	73
44	4	-	8	-	-	4	-	-	-	-	-	-	-	-	10	6	-	2	-	-	74
48	4	2	12	-	-	6	2	-	-	2	-	2	10	-	8	6	8	2	2	-	75
40	4	-	12	-	-	4	2	-	-	2	-	2	8	-	6	4	8	2	2	-	76
8	-	2	-	-	-	2	-	-	-	-	-	-	2	-	2	2	-	-	-	-	77

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	KANSAS--CON.																	
01	FORD	228	-	2	-	28	12	-	4	-	2	2	8	2	154	128	2	8
02	DODGE CITY	152	-	2	-	20	8	-	4	-	2	2	4	-	102	88	-	2
03	BALANCE OF COUNTY	76	-	-	-	8	4	-	-	-	-	-	4	2	52	40	2	6
04	FRANKLIN	260	-	-	2	40	10	16	-	4	6	-	4	6	158	132	4	4
05	OTTAWA	154	-	-	-	22	4	12	-	2	4	-	-	6	92	76	2	-
06	BALANCE OF COUNTY	106	-	-	2	18	6	4	-	2	2	-	4	-	66	56	2	4
07	GEARY	230	2	-	-	40	18	12	2	2	-	-	6	4	92	66	2	4
08	JUNCTION CITY	162	2	-	-	32	14	10	2	2	-	-	4	4	74	54	-	4
09	BALANCE OF COUNTY	68	-	-	-	8	4	2	-	-	-	-	2	-	18	12	2	-
10	GOVE	34	-	-	-	8	4	-	-	4	-	-	-	-	20	14	-	-
11	GRAHAM	44	-	-	2	6	2	-	-	2	-	-	2	2	24	14	-	-
12	GRANT	62	2	-	-	6	4	-	-	2	-	-	-	-	26	22	-	2
13	GRAY	58	-	-	2	10	-	2	-	-	2	2	4	-	32	22	-	-
14	GREELEY	26	-	-	-	4	4	-	-	-	-	-	-	2	12	6	-	-
15	GREENWOOD	180	-	-	-	26	10	6	2	4	-	2	2	-	98	78	2	2
16	HAMILTON	30	-	-	-	6	-	4	2	-	-	-	-	-	18	14	-	2
17	HARPER	118	-	2	2	22	6	4	4	2	-	-	6	-	56	34	2	-
18	HARVEY	272	-	-	-	58	14	12	8	14	-	4	6	6	150	110	-	2
19	NEWTON	164	-	-	-	44	8	8	8	10	-	4	6	4	86	66	-	-
20	BALANCE OF COUNTY	108	-	-	-	14	6	4	-	4	-	-	-	2	64	44	-	2
21	HASKELL	26	-	-	-	2	2	-	-	-	-	-	-	-	10	10	-	2
22	HODGEMAN	32	-	-	-	8	2	4	-	-	-	-	2	2	14	10	-	-
23	JACKSON	134	-	-	-	24	10	2	-	4	-	2	6	2	82	54	-	-
24	JEFFERSON	108	-	-	-	10	2	4	-	-	-	-	4	6	72	48	-	-
25	JEWELL	90	-	-	-	14	4	-	-	-	4	2	4	-	56	42	-	2
26	JOHNSON	1,190	4	-	2	260	54	58	22	42	16	24	44	16	622	446	12	8
27	LEAWOOD	40	-	-	-	14	4	2	2	4	-	2	-	-	18	16	-	-
28	MERRIAM	38	-	-	-	-	-	-	-	-	-	-	-	-	30	20	-	-
29	OLATHE	122	-	-	2	20	2	4	2	-	-	2	10	-	58	40	-	-
30	OVERLAND PARK	278	-	-	-	54	8	16	4	12	4	2	8	4	158	108	4	4
31	PRAIRIE VILLAGE	164	-	-	-	46	10	10	4	14	2	6	-	4	76	62	-	-
32	SHAWNEE	102	-	-	-	20	4	6	2	4	-	2	2	-	52	34	-	-
33	BALANCE OF COUNTY	446	4	-	-	106	26	20	8	8	10	10	24	8	230	166	8	4
34	KEARNY	24	-	-	-	6	-	4	-	-	-	-	2	-	8	4	-	-
35	KINGMAN	110	-	-	-	12	2	2	4	2	2	-	-	-	78	68	-	-
36	KIOWA	62	-	-	-	6	2	-	-	-	-	-	4	6	38	24	2	-
37	LABETTE	392	2	-	-	84	24	16	4	16	8	8	8	4	226	162	-	4
38	PARSONS	230	2	-	-	54	16	14	2	12	4	2	4	4	128	84	-	2
39	BALANCE OF COUNTY	162	-	-	-	30	8	2	2	4	4	6	4	-	98	78	-	2
40	LANE	30	-	-	-	4	-	-	-	-	2	-	2	-	20	18	-	-
41	LEAVENWORTH	488	-	-	-	84	22	24	8	8	4	4	14	14	264	190	2	2
42	LEAVENWORTH	324	-	-	-	52	10	16	6	6	2	-	12	12	178	132	2	2
43	BALANCE OF COUNTY	164	-	-	-	32	12	8	2	2	2	4	2	2	86	58	-	-
44	LINCOLN	76	-	-	-	8	2	2	-	4	-	-	-	-	38	34	2	4
45	LINN	122	-	-	4	22	4	8	2	-	-	2	6	6	64	56	-	2
46	LOGAN	50	-	-	2	6	4	-	2	-	-	-	-	-	26	12	2	2
47	LYON	302	-	-	-	60	20	10	4	12	4	4	6	4	160	126	-	-
48	EMPORIA	212	-	-	-	44	16	6	4	8	4	2	4	2	106	90	-	-
49	BALANCE OF COUNTY	90	-	-	-	16	4	4	-	4	-	2	2	2	54	36	-	-
50	MC PHERSON	260	-	-	-	50	14	8	4	10	-	6	8	8	144	92	-	-
51	MC PHERSON	100	-	-	-	22	8	4	-	4	-	4	2	4	58	30	-	-
52	BALANCE OF COUNTY	160	-	-	-	28	6	4	4	6	-	2	6	4	86	62	-	-
53	MARION	150	-	-	-	34	14	2	6	2	4	-	6	4	66	48	-	-
54	MARSHALL	204	-	-	2	26	6	6	2	4	2	2	4	2	142	104	-	-
55	MEADE	74	-	-	-	10	-	2	2	2	2	2	-	2	44	40	-	2
56	MIAMI	234	-	-	-	42	10	14	-	4	2	4	8	2	138	106	-	-
57	MITCHELL	114	-	-	-	22	2	-	4	2	2	-	12	-	76	46	2	-
58	MONTGOMERY	652	4	-	-	88	34	16	2	12	4	2	18	16	368	248	-	4
59	COFFEYVILLE	244	2	-	-	46	12	10	2	6	2	2	12	8	148	98	-	2
60	INDEPENDENCE	202	-	-	-	22	8	6	-	2	2	-	4	4	106	70	-	-
61	BALANCE OF COUNTY	206	2	-	-	20	14	-	-	4	-	-	2	4	114	80	-	2
62	MORRIS	100	2	-	-	26	6	2	2	4	2	2	8	4	40	30	-	-
63	MORTON	32	-	-	-	6	6	-	-	-	-	-	-	-	16	12	-	2
64	NEMAHA	168	-	-	2	28	6	8	2	6	-	2	4	-	102	70	-	2
65	NEOSHO	234	-	-	-	28	4	10	-	6	-	2	6	8	146	88	2	2
66	CHANUTE	142	-	-	-	20	4	8	-	4	-	2	2	4	88	50	-	2
67	BALANCE OF COUNTY	92	-	-	-	8	-	2	-	2	-	-	4	4	58	38	2	-
68	NESS	78	-	-	-	12	-	-	4	-	4	2	2	-	46	34	-	-
69	NORTON	94	-	-	-	24	10	-	2	-	-	2	10	4	50	38	-	2
70	OSAGE	204	-	-	-	30	8	4	-	8	2	2	6	4	142	98	-	-
71	OSBORNE	92	-	-	2	18	4	6	-	6	-	-	2	-	56	46	4	-
72	OTTAWA	82	-	-	-	12	-	2	2	6	-	2	-	6	54	36	-	-
73	PAWNEE	106	-	-	2	18	4	-	2	8	-	2	2	-	68	50	-	-
74	PHILLIPS	112	2	-	-	20	8	-	4	4	4	-	-	2	62	44	-	-
75	POTTAWATOMIE	136	-	-	2	28	16	4	-	-	-	4	4	4	72	60	-	6
76	MANHATTAN, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	BALANCE OF COUNTY	136	-	-	2	28	16	4	-	-	-	4	4	4	72	60	-	6
78	PRATT	144	-	-	-	38	10	2	-	10	2	-	14	4	68	50	-	-
79	RAWLINS	54	-	-	-	4	2	-	-	-	2	-	-	2	36	28	-	-
80	RENO	594	-	-	6	88	24	18	14	8	4	2	18	12	340	242	4	2
81	HUTCHINSON	398	-	-	6	50	14	12	4	6	4	2	8	6	232	162	4	2
82	BALANCE OF COUNTY	196	-	-	-	38	10	6	10	2	-	-	10	6	108	80	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
118	-	-	26	-	-	4	-	-	-	2	-	2	6	-	8	12	4	4	-	-	01
86	-	-	14	-	-	4	-	-	-	-	-	-	6	-	8	4	2	4	-	-	02
32	-	-	12	-	-	-	-	-	-	2	-	2	-	-	-	8	2	-	-	-	03
118	6	2	20	4	-	10	4	2	2	-	-	2	6	2	10	4	8	4	-	-	04
72	2	2	14	-	-	8	4	2	2	-	-	-	4	2	6	2	4	-	-	-	05
46	4	-	6	4	-	2	-	-	-	-	-	2	2	-	4	2	4	4	-	-	06
56	4	-	20	4	2	12	2	-	2	-	-	-	4	4	10	26	22	8	2	-	07
48	2	-	16	2	2	10	2	-	2	-	-	-	4	4	10	6	8	4	-	-	08
8	2	-	4	2	-	2	-	-	-	-	-	-	-	-	-	20	14	4	2	-	09
14	-	-	2	2	2	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	10
12	2	-	10	-	-	-	-	-	-	-	-	-	-	-	6	2	2	-	-	-	11
18	2	-	-	2	2	2	2	-	-	2	-	2	-	2	4	6	4	-	2	2	12
22	-	-	6	4	-	-	2	-	-	-	-	2	2	-	8	-	-	-	-	-	13
6	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	14
72	2	-	10	10	-	4	2	-	2	2	-	-	2	-	22	14	4	4	-	-	15
8	4	-	4	-	-	2	-	-	-	-	-	-	-	-	4	-	-	-	-	-	16
32	-	-	14	4	4	4	-	2	6	-	-	-	2	4	6	4	6	2	-	-	17
108	-	-	26	14	-	10	4	2	4	-	-	2	10	-	22	2	-	2	-	-	18
66	-	-	12	8	-	8	4	-	-	-	-	2	4	-	10	2	-	-	-	-	19
42	-	-	14	6	-	2	-	2	4	-	-	-	6	-	12	-	-	2	-	-	20
8	-	-	-	-	-	-	2	-	-	-	-	2	-	-	2	4	2	2	-	-	21
10	-	2	-	2	-	2	-	-	-	-	-	-	2	-	2	2	-	-	-	-	22
52	2	-	24	2	2	6	2	-	-	-	-	-	2	-	6	4	4	2	-	-	23
48	-	2	16	4	2	6	-	-	-	2	-	-	-	-	4	2	2	2	2	-	24
40	-	-	10	-	4	4	2	-	-	2	-	-	2	-	8	2	-	-	-	-	25
402	24	2	142	12	20	26	30	2	12	-	-	8	14	10	76	42	24	30	4	8	26
16	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	27
18	2	-	6	4	-	-	-	-	2	-	-	-	-	-	2	2	-	2	-	-	28
38	2	-	12	2	4	4	4	-	2	-	-	2	2	4	10	8	2	4	-	-	29
88	12	2	40	-	8	6	6	-	-	-	-	-	4	2	10	10	6	14	2	2	30
62	-	-	14	-	-	2	8	-	6	-	-	4	-	-	10	-	4	4	-	-	31
30	4	-	18	-	-	4	2	-	-	-	-	-	4	-	4	8	4	2	-	2	32
150	4	-	50	6	8	10	10	2	2	-	-	2	4	4	38	14	6	2	2	2	33
2	2	-	4	-	-	-	4	-	-	-	-	-	-	-	4	2	-	-	-	-	34
66	2	-	6	4	-	2	-	-	-	-	-	-	2	-	14	2	-	-	-	-	35
22	-	-	4	10	-	2	-	-	-	-	-	-	-	-	4	2	2	2	-	-	36
150	8	6	42	10	6	16	10	2	2	6	-	4	2	-	10	14	-	6	2	2	37
78	4	-	32	10	2	6	4	2	2	2	-	2	2	-	6	8	-	4	2	2	38
72	4	6	10	-	4	10	6	-	-	4	-	2	-	-	4	6	-	2	-	-	39
18	-	-	2	-	-	-	2	-	2	-	-	-	-	-	-	2	-	-	-	-	40
178	8	2	56	6	10	16	10	4	6	2	-	4	8	4	30	16	18	4	2	2	41
122	6	2	36	-	8	14	10	2	6	2	-	-	6	4	18	6	10	2	2	-	42
56	2	-	20	6	2	2	-	2	-	-	-	4	2	-	12	10	8	2	-	2	43
26	2	-	2	2	-	8	4	-	-	-	-	-	-	-	10	-	6	2	-	-	44
48	6	-	8	-	-	4	4	-	-	2	-	-	-	-	8	-	4	2	2	-	45
8	-	-	12	2	-	2	-	-	-	-	-	-	-	2	6	-	2	4	-	-	46
124	2	-	18	8	8	6	4	-	2	2	-	2	4	2	24	12	8	8	2	2	47
88	2	-	8	4	4	6	2	-	2	-	-	-	2	2	22	8	6	6	2	2	48
36	-	-	10	4	4	-	2	-	-	2	-	2	2	-	2	4	2	2	-	-	49
86	6	-	44	6	2	16	4	-	2	-	-	-	2	-	18	4	12	-	-	-	50
28	2	-	22	4	2	2	4	-	2	-	-	-	2	-	4	-	2	-	-	-	51
58	4	-	22	2	-	14	-	-	-	-	-	-	-	-	14	4	10	-	-	-	52
42	6	-	18	-	-	6	2	2	-	2	-	2	2	-	16	-	10	-	-	4	53
102	2	-	28	6	4	10	-	-	-	-	-	2	2	-	10	4	-	4	-	-	54
38	-	-	2	2	-	-	6	-	2	-	-	-	-	-	4	2	4	-	-	-	55
100	6	2	16	12	2	10	4	-	4	-	-	2	4	-	18	6	2	2	-	-	56
36	8	-	16	14	-	2	4	-	-	-	-	-	-	-	4	4	2	-	-	-	57
230	14	10	78	18	14	16	6	2	10	8	-	8	8	30	46	18	20	2	2	-	58
94	2	6	22	12	10	6	2	-	-	-	-	2	4	2	20	2	2	-	-	-	59
66	4	2	28	4	2	2	4	2	8	2	-	6	4	18	6	6	10	-	2	-	60
70	8	2	28	2	2	8	-	-	2	6	-	-	-	10	20	10	8	2	-	-	61
28	2	-	6	2	2	6	2	-	-	-	-	-	2	2	12	2	2	-	-	-	62
8	2	-	4	-	-	2	2	-	-	-	-	-	2	-	2	2	-	-	-	-	63
68	-	-	18	12	2	8	-	2	-	2	-	-	4	2	10	6	-	2	-	-	64
60	24	2	48	4	4	12	4	-	-	-	-	-	4	8	12	6	4	-	2	-	65
42	6	2	34	-	2	10	2	-	-	-	-	-	4	4	8	-	-	-	2	-	66
18	18	-	14	4	2	2	2	-	-	-	-	-	-	4	4	6	4	-	-	-	67
32	2	-	8	4	-	2	-	-	-	-	-	-	-	-	10	4	2	2	-	-	68
36	-	-	8	2	2	2	2	-	2	-	-	-	-	-	4	-	6	-	-	-	69
98	-	4	36	4	-	4	6	2	-	-	-	2	-	2	4	2	4	-	2	-	70
38	4	-	10	-	-	2	2	-	2	-	-	-	-	-	10	-	-	-	-	-	71
34	2	-	16	-	2	-	2	-	-	-	-	-	-	-	8	-	-	-	-	-	72
48	2	-	16	2	-	2	-	2	-	-	-	-	-	-	6	4	-	4	-	-	73
40	4	-	12	4	2	4	-	-	2	4	-	-	-	-	12	2	2	-	-	-	74
54	-	-	12	-	-	4	2	-	2	2	-	-	-	-	6	6	6	-	-	2	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
54	-	-	12	-	-	4	2	-	2	2	-	-	-	-	6	6	6	-	-	2	77
48	2	-	14	2	2	-	4	-	2	-	-	-	2	2	8	4	8	2	-	2	78
28	-	-	4	4	-	2	-	-	-	-	-	-	-	-	4	2	4	-	-	-	79
226	10	4	64	18	12	26	18	2	4	2	-	6	12	-	38	16	14	8	-	2	80
152	4	2	48	12	8	16	8	2	4	-	-	6	10	-	32	12	6	6	-	2	81
74	6	2	16	6	4	10	10	-	-	2	-	-	2	-	6	4	8	2	-	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	KANSAS—CON.																	
01	REPUBLIC	132	-	-	-	26	10	6	2	4	-	-	4	2	86	58	2	-
02	RICE	138	-	-	2	24	8	8	-	-	-	-	8	2	84	46	-	-
03	RILEY	228	-	-	2	34	4	10	-	4	4	-	12	8	116	76	2	2
04	MANHATTAN, PART	166	-	-	-	28	4	6	-	4	4	-	10	8	84	54	-	2
05	MANHATTAN, TOTAL	166	-	-	-	28	4	6	-	4	4	-	10	8	84	54	-	2
06	BALANCE OF COUNTY	62	-	-	2	6	-	4	-	-	-	-	2	-	32	22	2	-
07	ROOKS	78	-	-	-	18	2	2	-	4	2	2	6	2	42	30	-	-
08	RUSH	70	-	-	-	16	2	-	-	4	2	2	6	2	32	20	-	-
09	RUSSELL	132	-	-	-	44	8	6	10	18	2	-	-	4	68	38	4	-
10	SALINE	374	-	-	4	64	18	20	-	10	-	2	14	4	212	132	6	2
11	SALINA	330	-	-	4	54	16	16	-	8	-	2	12	2	190	120	4	2
12	BALANCE OF COUNTY	44	-	-	-	10	2	4	-	2	-	-	2	2	22	12	2	-
13	SCOTT	44	-	-	-	6	2	2	-	-	2	-	-	2	12	10	-	-
14	SEDGWICK	2,654	-	2	18	506	102	128	54	54	34	20	114	42	1,332	986	18	18
15	WICHITA	2,368	-	2	12	450	94	114	44	46	30	16	106	36	1,196	888	16	14
16	BALANCE OF COUNTY	286	-	-	6	56	8	14	10	8	4	4	8	6	136	98	2	4
17	SEWARD	124	-	-	-	28	-	2	6	8	-	-	12	-	50	40	2	-
18	LIBERAL	112	-	-	-	28	-	2	6	8	-	-	12	-	44	34	2	-
19	BALANCE OF COUNTY	12	-	-	-	-	-	-	-	-	-	-	-	-	6	6	-	-
20	SHAWNEE	1,382	-	2	4	222	64	50	22	28	8	12	38	36	774	506	12	6
21	TOPEKA	1,252	-	2	4	206	58	48	22	24	8	12	34	30	708	460	12	4
22	BALANCE OF COUNTY	130	-	-	-	16	6	2	-	4	-	-	4	6	66	46	-	2
23	SHERIDAN	20	-	-	-	4	-	2	-	2	-	-	-	-	14	10	-	-
24	SHERMAN	82	-	-	-	4	4	-	-	-	-	-	-	-	54	46	-	-
25	SMITH	114	-	-	-	22	2	4	2	8	2	4	-	2	62	34	2	-
26	STAFFORD	108	-	-	-	14	2	4	2	2	2	-	2	2	68	52	-	-
27	STANTON	14	-	-	-	4	-	-	-	4	-	-	-	-	4	4	-	-
28	STEVENS	30	-	-	-	-	-	-	-	-	-	-	-	-	22	20	-	-
29	SUMNER	338	2	2	-	68	20	14	-	8	2	6	18	-	194	136	6	4
30	THOMAS	66	-	-	-	18	4	8	-	-	2	-	4	2	34	24	-	-
31	TREGO	50	-	-	-	6	2	2	-	-	-	2	-	4	30	14	-	-
32	WABAUNSEE	76	-	-	2	10	8	2	-	-	-	-	-	-	42	32	-	-
33	WALLACE	20	-	-	-	8	4	2	-	-	2	-	-	-	6	6	-	-
34	WASHINGTON	130	-	-	-	14	4	2	-	6	-	2	-	-	78	62	2	2
35	WICHITA	26	-	-	-	2	-	-	-	-	-	-	2	-	16	10	-	-
36	WILSON	190	-	-	-	18	4	6	-	4	-	-	4	6	114	98	-	-
37	WOODSON	66	-	-	2	16	4	6	-	-	-	2	4	-	42	36	-	-
38	WYANDOTTE	1,814	2	-	16	326	76	56	34	56	16	16	72	52	918	666	12	10
39	KANSAS CITY	1,708	2	-	14	310	74	52	28	54	16	16	70	52	866	628	12	10
40	BALANCE OF COUNTY	106	-	-	2	16	2	4	6	2	-	-	2	-	52	38	-	-
41	**KENTUCKY**	34,048	104	2	176	5,698	1,600	1,306	482	806	252	212	1,040	604	18,520	13,430	172	200
42	URBAN PLACES	11,614	46	-	52	2,028	550	480	208	294	94	66	336	230	6,286	4,464	60	78
43	BALANCE OF AREA	22,434	58	2	124	3,670	1,050	826	274	512	158	146	704	374	12,234	8,966	112	122
44	METROPOLITAN COUNTIES	12,658	42	-	52	2,344	622	584	224	298	114	82	420	268	6,716	4,872	84	88
45	URBAN PLACES	8,686	32	-	34	1,504	404	360	158	204	66	44	268	184	4,652	3,356	46	68
46	BALANCE OF AREA	3,972	10	-	18	840	218	224	66	94	48	38	152	84	2,064	1,516	38	20
47	NONMETROPOLITAN COUNTIES	21,390	62	2	124	3,354	978	722	258	508	138	130	620	336	11,804	8,558	88	112
48	URBAN PLACES	2,928	14	-	18	524	146	120	50	90	28	22	68	46	1,634	1,108	14	10
49	BALANCE OF AREA	18,462	48	2	106	2,830	832	602	208	418	110	108	552	290	10,170	7,450	74	102
50	ADAIR	188	2	-	-	34	6	10	2	6	-	2	8	2	116	86	-	-
51	ALLEN	178	-	-	2	28	10	6	2	4	2	2	2	-	110	90	2	4
52	ANDERSON	92	-	-	-	20	6	2	-	6	4	-	2	2	60	36	-	-
53	BALLARD	116	-	-	-	14	4	4	-	-	-	2	4	-	82	64	2	-
54	BARREN	334	2	-	2	56	16	12	4	14	6	-	4	4	192	134	-	4
55	GLASGOW	148	-	-	2	22	6	6	2	8	-	-	-	4	94	58	-	2
56	BALANCE OF COUNTY	186	2	-	-	34	10	6	2	6	6	-	4	-	98	76	-	2
57	BATH	118	-	-	2	26	12	2	4	2	4	-	2	-	66	38	-	-
58	BELL	400	-	-	2	44	16	8	2	4	2	-	12	4	232	156	4	4
59	MIDDLESBOROUGH	168	-	-	-	20	6	4	-	2	2	-	6	4	104	64	2	4
60	BALANCE OF COUNTY	232	-	-	2	24	10	4	2	2	-	-	6	-	128	92	2	-
61	BOONE	206	-	-	-	48	6	10	6	8	-	4	14	2	92	70	2	-
62	FLORENCE	62	-	-	-	12	4	2	-	2	-	2	2	-	28	20	-	-
63	BALANCE OF COUNTY	144	-	-	-	36	2	8	6	6	-	2	12	2	64	50	2	-
64	BOURBON	230	2	-	2	60	14	14	8	4	-	4	16	6	104	76	-	-
65	BOYD	600	-	-	2	116	30	36	10	14	6	4	16	6	358	288	-	-
66	ASHLAND	376	-	-	-	74	18	22	8	12	2	-	12	2	238	182	-	-
67	BALANCE OF COUNTY	224	-	-	2	42	12	14	2	2	4	4	4	4	120	106	-	-
68	BOYLE	220	4	-	2	32	8	4	6	-	2	4	8	6	112	68	-	-
69	DANVILLE	136	4	-	2	14	2	2	4	-	-	2	4	4	72	38	-	-
70	BALANCE OF COUNTY	84	-	-	-	18	6	2	2	-	2	2	4	2	40	30	-	-
71	BRACKEN	114	-	-	2	20	6	2	2	2	-	-	8	4	70	60	-	-
72	BREATHITT	152	-	-	-	22	6	2	-	4	2	-	8	-	72	54	-	-
73	BRECKINRIDGE	184	4	-	2	20	4	6	2	4	2	-	2	-	120	92	-	-
74	BULLITT	194	2	-	-	40	10	12	4	2	-	2	10	4	92	60	2	-
75	BUTLER	150	-	-	-	20	8	4	4	-	-	2	2	6	84	62	-	-
76	CALDWELL	182	-	-	2	26	6	4	-	2	2	4	8	4	100	74	-	-
77	CALLOWAY	280	-	-	2	42	12	14	2	10	-	2	2	6	164	110	6	-
78	MURRAY	94	-	-	-	18	-	6	2	8	-	2	-	-	62	42	-	-
79	BALANCE OF COUNTY	186	-	-	2	24	12	8	-	2	-	-	2	6	102	68	6	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E955)	Homicide (E960-E978)	All other external causes (E980-E999)	
52	4	2	22	2	2	2	-	-	-	-	-	-	-	2	8	2	2	2	-	-	01
40	6	2	30	-	6	8	4	-	-	2	-	-	2	-	6	-	4	-	-	-	02
72	-	-	30	6	4	12	2	-	4	-	-	6	2	4	22	2	8	6	-	-	03
52	-	-	22	6	2	8	2	-	4	-	-	4	-	4	12	2	4	6	-	-	04
52	-	-	22	6	2	8	2	-	4	-	-	4	-	4	12	2	4	6	-	-	05
20	-	-	8	-	2	4	-	-	-	-	-	2	2	-	10	-	4	-	-	-	06
30	-	-	10	-	2	2	-	2	-	-	-	-	2	-	2	2	4	2	-	-	07
16	4	-	12	-	-	4	-	4	-	2	-	-	-	-	4	-	2	2	-	2	08
32	2	-	24	-	6	4	2	-	2	-	-	2	2	-	2	2	-	-	-	-	09
116	8	2	66	8	4	10	6	-	2	-	-	-	8	4	30	22	6	2	-	-	10
106	8	2	56	8	4	10	6	-	-	-	-	-	8	4	26	18	6	2	-	-	11
10	-	-	10	-	-	-	-	-	2	-	-	-	-	-	4	4	-	-	-	-	12
10	-	-	2	-	-	4	2	-	-	-	-	-	2	2	8	4	-	-	-	2	13
914	36	8	276	30	32	80	60	10	44	12	-	24	92	6	202	66	66	60	18	14	14
822	36	8	246	26	28	72	56	8	44	10	-	18	80	6	176	60	54	58	18	12	15
92	-	-	30	4	4	8	4	2	-	2	-	6	12	-	26	6	12	2	-	2	16
38	-	-	8	2	-	2	2	-	-	-	-	2	4	-	16	8	12	-	-	-	17
32	-	-	8	2	-	-	2	-	-	-	-	-	2	-	16	8	12	-	-	-	18
6	-	-	-	-	-	2	-	-	-	-	-	2	2	-	-	-	-	-	-	-	19
472	16	6	204	26	32	28	28	10	12	2	-	10	24	18	110	42	28	18	12	2	20
428	16	6	184	26	32	20	24	10	12	2	-	8	22	16	106	30	22	16	12	2	21
44	-	-	20	-	-	8	4	-	-	-	-	2	2	2	4	12	6	2	-	-	22
10	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	23
42	4	-	6	2	-	14	-	-	-	-	-	-	-	-	6	4	-	-	-	-	24
32	-	-	24	4	-	4	4	-	-	-	-	-	-	-	12	6	-	-	-	2	25
52	-	-	10	2	4	2	2	-	-	-	-	-	-	-	12	-	6	2	-	-	26
2	2	-	-	-	-	-	2	-	-	-	-	-	-	-	4	-	-	-	-	-	27
20	-	-	2	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	28
90	36	6	46	-	6	14	-	-	2	2	-	4	6	4	28	6	4	-	-	2	29
16	8	-	8	2	-	-	-	-	-	-	-	-	-	-	6	-	4	2	-	-	30
14	-	-	6	8	2	2	-	-	-	2	-	-	-	-	4	2	-	-	-	-	31
32	-	-	6	-	4	2	-	-	-	-	-	-	-	-	10	4	4	2	-	-	32
6	-	-	-	-	-	-	2	-	-	-	-	2	-	-	2	-	-	-	-	-	33
46	12	-	8	6	2	6	2	4	-	-	-	-	2	2	16	2	2	2	-	-	34
10	-	-	6	-	-	2	-	-	-	-	-	-	-	2	2	2	-	-	-	-	35
96	2	-	14	2	-	12	4	-	-	-	2	-	4	-	16	4	4	4	2	-	36
36	-	-	4	-	2	-	2	-	-	-	-	-	-	-	2	2	-	-	-	-	37
608	36	2	204	26	20	54	18	10	30	12	-	12	50	22	126	52	48	34	22	10	38
574	32	2	190	26	20	52	18	8	26	12	-	12	44	18	116	50	42	34	22	10	39
34	4	-	14	-	-	2	-	2	4	-	-	-	6	4	10	2	6	-	-	-	40
12,044	1,014	116	4,046	606	322	1,108	544	134	352	158	12	246	542	198	2,616	1,112	1,112	436	312	62	41
4,012	314	44	1,462	190	126	368	200	52	162	40	4	82	178	74	924	258	356	106	154	14	42
8,032	790	72	2,584	416	196	740	344	82	190	118	8	164	364	124	1,692	854	756	330	158	48	43
4,378	322	40	1,490	196	118	324	202	60	206	36	6	98	178	78	1,048	324	364	142	150	20	44
3,006	236	28	1,056	124	88	256	162	36	140	30	4	68	124	54	740	190	252	84	128	12	45
1,372	86	12	434	72	30	68	40	24	66	6	2	30	54	24	308	134	112	58	22	8	46
7,666	692	76	2,556	410	204	784	342	74	146	122	6	148	364	120	1,568	788	748	294	162	42	47
1,006	78	16	436	66	38	112	38	16	22	10	-	14	54	20	184	68	104	22	26	2	48
6,660	614	60	2,150	344	166	672	304	58	124	112	6	134	310	100	1,384	720	644	272	136	40	49
72	14	-	24	6	-	10	-	-	2	2	-	-	2	2	2	6	6	2	-	-	50
84	-	-	18	2	-	4	-	2	-	-	-	-	4	-	16	4	8	-	-	-	51
36	-	2	20	-	2	-	2	-	-	-	-	2	-	2	4	-	-	-	-	-	52
58	4	2	16	-	-	4	2	-	-	-	-	-	2	-	2	6	2	-	2	-	53
124	6	4	44	6	4	4	4	4	4	2	-	-	4	2	32	10	6	4	2	-	54
54	2	2	26	4	4	2	2	2	2	-	-	-	2	-	10	4	-	-	2	-	55
70	4	2	18	2	-	2	2	2	2	2	-	-	2	2	22	6	6	4	-	-	56
38	-	4	18	6	-	6	2	-	-	-	-	-	4	-	4	2	2	4	-	-	57
124	24	-	54	16	6	14	2	2	2	4	-	8	6	2	34	12	16	6	8	2	58
52	6	-	28	6	6	8	-	-	-	2	-	-	4	-	10	8	4	2	2	-	59
72	18	-	26	10	-	6	2	2	2	2	-	8	2	2	24	4	12	4	6	2	60
62	6	-	22	-	-	6	-	2	12	-	-	-	4	-	28	2	8	2	-	-	61
20	-	-	8	-	-	4	-	-	2	-	-	-	-	-	10	2	4	-	-	-	62
42	6	-	14	-	-	2	-	2	10	-	-	-	4	-	18	-	4	2	-	-	63
76	-	4	16	6	2	6	4	-	4	4	-	2	4	-	14	10	2	6	-	-	64
270	18	2	42	20	6	16	4	-	2	-	-	2	6	2	50	8	16	10	2	-	65
170	12	2	36	12	6	14	4	-	-	-	-	2	2	-	18	4	10	8	-	-	66
100	6	-	6	8	-	2	-	-	2	-	-	-	4	2	32	4	6	2	2	-	67
64	4	-	30	6	8	10	6	2	2	-	-	2	4	-	12	6	16	4	-	-	68
38	-	-	24	4	6	8	4	2	2	-	-	-	4	-	8	6	6	-	-	-	69
26	4	-	6	2	2	2	2	-	-	-	-	2	-	-	4	-	10	4	-	-	70
58	2	-	8	-	2	2	4	-	-	-	-	-	-	-	6	2	4	-	-	-	71
50	4	2	16	-	-	6	4	-	-	-	-	2	4	-	12	12	14	4	-	-	72
88	4	-	24	2	2	-	4	4	-	-	-	4	4	-	10	2	2	4	4	-	73
54	4	-	24	4	4	8	2	-	2	-	-	2	6	2	10	6	8	4	6	-	74
60	2	-	22	-	-	4	4	-	-	2	-	-	2	-	6	14	8	-	-	-	75
72	2	6	16	2	2	10	2	-	-	-	-	-	-	4	12	10	8	4	-	-	76
94	10	-	50	2	2	12	2	-	4	-	-	2	4	-	22	8	8	4	-	-	77
40	2	-	18	2	-	2	-	-	-	-	-	-	2	-	6	2	2	-	-	-	78
54	8	-	32	-	2	10	2	-	4	-	-	2	2	-	16	6	6	4	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	KENTUCKY--CON.																	
01	CAMPBELL	1,006	2	-	4	182	34	48	14	40	6	4	36	24	586	446	14	18
02	FORT THOMAS	168	-	-	-	24	4	4	2	10	-	-	4	2	108	76	4	2
03	NEWPORT	350	2	-	-	66	4	14	10	18	2	4	14	6	194	148	4	8
04	BALANCE OF COUNTY	488	-	-	4	92	26	30	2	12	4	-	18	16	284	222	6	8
05	CARLISLE	88	-	-	-	14	2	2	2	2	2	-	4	-	52	36	-	-
06	CARROLL	90	-	-	-	14	6	2	-	2	-	-	4	2	58	42	-	-
07	CARTER	166	-	-	-	30	8	6	2	10	-	-	4	-	110	80	-	-
08	CASEY	134	-	-	-	22	10	2	2	2	2	2	2	2	78	64	-	-
09	CHRISTIAN	552	2	-	2	88	26	12	18	14	2	2	14	10	256	206	-	2
10	HOPKINSVILLE	292	-	-	-	48	18	8	12	6	-	-	4	4	160	120	-	2
11	BALANCE OF COUNTY	260	2	-	2	40	8	4	6	8	2	2	10	6	96	86	-	-
12	CLARK	246	-	-	4	40	14	14	-	4	-	-	8	2	138	102	-	-
13	WINCHESTER	166	-	-	2	32	12	14	-	2	-	-	4	-	90	66	-	-
14	BALANCE OF COUNTY	80	-	-	2	8	2	-	-	2	-	-	4	2	48	36	-	-
15	CLAY	170	2	-	-	18	6	4	-	-	2	2	4	4	98	68	-	-
16	CLINTON	98	-	-	-	20	4	6	-	4	-	2	4	2	52	50	2	-
17	CRITTENDEN	142	-	-	-	26	6	6	2	6	-	-	6	2	80	48	-	-
18	CUMBERLAND	98	-	-	-	24	10	4	2	4	-	-	4	2	44	34	-	-
19	DAVIESS	772	6	-	4	122	28	34	16	20	8	6	10	20	434	328	6	12
20	OWENSBORO	584	4	-	4	94	24	28	12	18	2	2	8	18	322	242	4	10
21	BALANCE OF COUNTY	188	2	-	-	28	4	6	4	2	6	4	2	2	112	86	2	2
22	EDMONSON	100	-	-	-	12	8	2	-	2	-	-	-	2	60	44	-	-
23	ELLIOTT	56	-	-	-	12	2	4	2	2	-	-	2	2	26	20	-	-
24	ESTILL	134	-	-	-	14	2	-	-	6	-	-	6	-	92	68	2	4
25	FAYETTE	1,438	2	-	8	286	66	66	28	38	14	14	60	22	776	544	8	4
26	LEXINGTON	1,126	-	-	8	216	48	44	26	26	14	8	50	20	604	432	6	4
27	BALANCE OF COUNTY	312	2	-	-	70	18	22	2	12	-	6	10	2	172	112	2	-
28	FLEMING	152	-	-	-	22	4	6	2	4	2	-	4	-	96	72	2	-
29	FLOYD	350	-	-	2	60	8	24	6	6	2	-	14	6	162	128	2	-
30	FRANKLIN	322	-	-	2	56	20	12	2	8	6	-	8	4	186	130	2	-
31	FRANKFORT	228	-	-	2	48	16	12	2	8	6	-	4	4	120	90	2	-
32	BALANCE OF COUNTY	94	-	-	-	8	4	-	-	-	-	-	4	-	66	40	-	-
33	FULTON	160	-	-	-	16	4	-	2	10	-	-	-	8	108	88	-	4
34	GALLATIN	56	-	-	-	6	2	2	-	-	-	2	-	-	44	40	-	-
35	GARRARD	120	-	-	-	18	2	6	2	2	-	-	6	4	84	60	-	-
36	GRANT	110	-	-	2	26	10	8	2	-	-	2	4	2	52	38	-	2
37	GRAVES	406	2	-	4	62	8	8	2	22	6	2	14	8	240	154	4	-
38	MAYFIELD	170	2	-	-	28	4	6	-	6	4	2	6	6	98	64	-	-
39	BALANCE OF COUNTY	236	-	-	4	34	4	2	2	16	2	-	8	2	142	90	4	-
40	GRAYSON	184	2	-	-	28	14	4	-	2	-	4	4	2	92	54	-	-
41	GREEN	106	-	-	-	16	4	4	-	-	2	-	6	2	60	50	-	2
42	GREENUP	290	-	-	-	56	16	6	4	10	-	2	18	8	162	122	-	2
43	HANCOCK	62	-	-	-	12	6	4	-	2	-	-	-	2	28	20	-	-
44	HARDIN	436	-	-	6	68	14	22	10	10	2	2	8	6	204	152	-	-
45	ELIZABETHTOWN	102	-	-	-	30	2	12	6	6	-	-	4	2	46	32	-	-
46	BALANCE OF COUNTY	334	-	-	6	38	12	10	4	4	2	2	4	4	158	120	-	-
47	HARLAN	498	-	-	-	98	36	24	8	12	-	4	14	4	236	184	2	-
48	HARRISON	196	-	-	-	22	6	4	-	6	-	6	-	12	118	90	-	2
49	HART	146	2	-	2	30	10	8	2	-	2	2	6	2	70	52	-	-
50	HENDERSON	354	-	-	-	58	24	12	8	4	4	-	6	8	178	126	2	2
51	HENDERSON	244	-	-	-	48	20	8	8	4	2	-	6	6	116	86	-	2
52	BALANCE OF COUNTY	110	-	-	-	10	4	4	-	-	2	-	-	2	62	40	2	-
53	HENRY	144	-	-	-	16	2	2	2	6	-	-	4	6	90	60	4	2
54	HICKMAN	106	-	-	2	16	6	2	2	4	2	-	-	-	64	44	-	-
55	HOPKINS	474	-	-	6	82	26	16	6	10	10	4	10	2	264	184	4	2
56	MADISONVILLE	228	-	-	-	44	10	10	4	4	6	2	8	-	130	84	2	-
57	BALANCE OF COUNTY	246	-	-	6	38	16	6	2	6	4	2	2	2	134	100	2	2
58	JACKSON	88	-	-	-	16	6	4	-	2	-	2	2	-	46	34	-	-
59	JEFFERSON	6,774	26	-	32	1,234	346	296	122	142	60	42	226	158	3,450	2,446	44	42
60	LOUISVILLE	4,820	20	-	20	800	238	186	78	100	36	26	136	106	2,494	1,774	24	34
61	ST. MATTHEWS	4	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-
62	SHIVELY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	BALANCE OF COUNTY	1,950	6	-	12	434	108	110	44	42	24	16	90	52	952	670	20	8
64	JESSAMINE	152	4	-	-	32	8	4	6	4	-	-	10	2	76	58	2	-
65	JOHNSON	230	2	-	2	20	6	6	-	2	4	-	2	6	134	94	-	2
66	KENTON	1,508	6	-	2	298	88	82	20	32	16	8	52	28	842	624	8	10
67	COVINGTON	880	6	-	2	158	42	50	14	14	6	2	30	22	500	362	2	8
68	ERLANGER	72	-	-	-	12	2	2	-	-	2	-	6	2	44	32	2	-
69	BALANCE OF COUNTY	556	-	-	-	128	44	30	6	18	8	6	16	4	298	230	4	2
70	KNOTT	138	-	-	2	30	6	12	-	4	2	-	6	4	62	52	-	-
71	KNOX	294	-	-	4	38	12	4	2	8	-	2	10	2	168	118	2	4
72	LARUE	94	-	-	2	18	4	4	-	4	2	2	2	2	48	42	-	-
73	LAUREL	296	-	-	-	44	6	12	8	-	2	4	12	6	154	120	2	2
74	LAWRENCE	172	4	-	4	16	4	2	2	2	4	2	-	-	116	96	2	2
75	LEE	-	-	-	-	16	4	2	-	6	-	2	2	-	50	36	-	2
76	LESLIE	102	-	-	2	14	6	2	-	-	4	-	2	2	50	34	-	-
77	LETCHER	296	-	-	-	52	6	14	4	6	-	2	20	10	126	102	-	-
78	LEWIS	108	-	2	-	10	2	2	-	2	-	2	2	-	70	56	2	-
79	LINCOLN	182	-	-	2	12	6	2	2	-	-	2	-	4	122	92	-	-
80	LIVINGSTON	124	-	-	-	12	6	-	-	-	2	-	4	2	60	44	-	-
81	LOGAN	260	-	-	-	40	14	8	8	6	2	-	2	4	144	102	-	-
82	LYON	56	-	-	-	4	2	-	-	-	-	-	2	-	40	30	-	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
408	6	4	118	6	12	28	10	2	26	-	-	12	12	-	66	14	18	10	10	-	01
70	-	2	26	-	4	4	-	-	4	-	-	2	-	-	12	2	4	4	2	-	02
132	4	-	40	-	6	8	4	-	12	-	-	6	8	-	28	4	6	-	6	-	03
206	2	2	52	6	2	16	6	2	10	-	-	4	4	-	26	8	8	6	2	-	04
32	4	-	14	2	-	-	-	-	-	-	-	-	-	2	10	4	4	-	-	2	05
38	4	-	16	-	-	6	-	-	-	-	-	-	2	-	2	2	2	-	2	-	06
58	22	-	26	4	-	-	-	-	-	4	-	-	-	-	14	2	2	2	2	-	07
54	10	-	14	-	-	2	-	-	-	-	-	2	6	-	14	4	2	2	-	-	08
190	14	-	32	12	6	28	6	4	2	10	2	2	10	6	50	22	32	10	10	-	09
108	10	-	26	10	4	20	-	4	2	2	-	-	4	2	22	6	14	-	4	-	10
82	4	-	6	2	2	8	6	-	-	8	2	2	6	4	28	16	18	10	6	-	11
100	2	2	28	6	-	8	6	-	-	2	-	-	4	2	10	8	14	4	4	-	12
64	2	2	16	6	-	6	4	-	-	-	-	-	-	2	8	6	14	-	2	-	13
36	-	-	12	-	-	2	2	-	-	2	-	-	4	-	2	2	-	4	2	-	14
58	10	2	14	14	-	8	2	2	-	-	-	-	4	4	12	4	6	-	6	-	15
46	2	-	2	-	-	4	-	-	-	-	-	2	2	2	6	2	6	-	-	-	16
46	2	2	20	10	-	10	2	-	2	4	-	-	2	-	8	2	2	2	-	-	17
32	2	2	8	-	-	2	2	-	-	-	-	2	-	-	8	8	4	2	-	-	18
274	34	6	78	18	4	8	18	6	10	-	-	6	28	6	46	24	22	6	4	2	19
206	22	4	54	18	4	6	16	6	8	-	-	2	18	4	40	14	18	4	4	2	20
68	14	2	24	-	-	2	2	-	2	-	-	4	10	2	6	10	4	2	-	-	21
36	8	-	14	2	-	2	4	-	-	-	-	2	-	6	6	2	2	2	-	-	22
16	4	-	6	-	-	4	-	-	-	-	-	-	-	-	2	2	2	4	2	-	23
52	10	-	24	-	-	8	-	-	-	-	-	-	-	-	10	4	2	2	2	-	24
500	32	6	190	24	12	36	18	6	12	6	-	16	14	4	116	46	42	8	18	2	25
396	26	6	144	14	8	32	12	4	10	6	-	16	12	-	96	30	34	6	18	2	26
104	6	-	46	10	4	4	6	2	2	-	-	-	2	4	20	16	8	2	-	-	27
68	2	-	20	4	-	4	6	2	-	-	-	2	-	-	12	-	2	4	2	-	28
126	-	-	24	6	4	22	6	4	4	-	-	4	10	-	28	14	22	2	-	4	29
120	8	4	40	4	8	14	-	2	2	-	-	6	10	4	18	4	12	-	-	2	30
80	8	4	20	2	4	12	-	2	2	-	-	2	8	2	12	-	12	-	-	2	31
40	-	-	20	2	4	2	-	-	-	-	-	4	2	2	6	4	-	-	-	-	32
72	12	-	8	8	4	6	4	-	-	2	-	-	-	-	4	2	8	2	-	-	33
40	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	34
52	8	-	22	2	-	2	4	-	-	-	-	-	-	-	8	-	-	-	-	-	35
32	4	-	12	2	-	4	-	-	-	-	-	-	2	-	8	10	4	-	-	-	36
108	42	-	62	12	12	-	14	-	2	2	-	-	4	4	28	14	16	4	-	2	37
50	14	-	22	6	6	-	2	-	-	-	-	-	2	4	12	8	8	-	-	-	38
58	28	-	40	6	6	-	12	-	2	2	-	-	2	-	16	6	8	4	-	2	39
50	4	-	32	2	4	8	10	2	2	2	-	-	-	-	20	2	12	2	-	-	40
32	16	-	8	2	-	4	2	-	-	2	-	2	2	2	8	2	4	-	-	-	41
116	4	-	26	10	4	12	6	4	4	4	-	-	6	-	14	6	6	2	-	-	42
20	-	-	6	-	2	2	-	-	-	-	-	-	4	2	8	4	-	-	-	-	43
144	8	-	38	10	4	24	4	2	6	-	-	8	18	4	26	20	18	12	8	2	44
28	4	-	12	-	2	8	4	-	2	-	-	-	2	-	2	2	4	-	-	-	45
116	4	-	26	10	2	16	-	2	4	-	-	8	16	4	24	18	14	12	8	2	46
176	6	2	42	6	2	28	8	2	4	4	-	8	2	8	50	18	16	2	10	-	47
86	2	2	20	6	-	6	-	-	2	-	-	2	4	-	22	-	4	4	-	-	48
46	6	-	18	-	-	-	2	-	2	2	-	2	-	2	16	8	4	2	-	-	49
120	2	-	40	12	-	10	10	2	4	-	-	6	4	-	44	14	12	-	2	2	50
82	2	-	24	6	-	10	10	2	4	-	-	6	2	-	26	8	4	-	2	-	51
38	-	-	16	6	-	-	-	-	-	-	-	-	2	-	18	6	8	-	-	2	52
50	4	-	24	2	4	2	2	2	6	-	-	-	-	2	8	6	4	-	-	-	53
44	-	-	14	4	2	2	-	-	4	-	-	-	-	-	6	4	6	-	2	-	54
174	4	-	70	8	2	6	18	2	-	-	-	-	12	-	34	18	20	10	-	-	55
82	-	-	40	4	2	4	8	2	-	-	-	-	6	-	18	2	8	6	-	-	56
92	4	-	30	4	-	2	10	-	-	-	-	-	6	-	16	16	12	4	-	-	57
34	-	-	8	2	2	2	-	-	-	-	-	-	2	-	8	4	6	2	2	-	58
2,166	194	20	830	88	66	192	112	30	116	28	6	46	98	60	592	174	216	88	104	12	59
1,564	152	12	610	54	44	158	88	20	84	22	4	30	76	44	440	108	156	56	88	6	60
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
600	42	8	218	34	22	34	24	10	32	6	2	16	22	16	152	66	60	32	16	6	63
54	2	-	12	4	2	6	-	2	-	-	-	-	2	-	10	6	-	8	4	-	64
78	14	-	28	8	4	8	-	-	-	2	-	-	6	-	24	10	10	6	-	-	65
578	28	2	170	28	18	28	30	12	24	2	-	10	12	6	106	42	30	18	10	2	66
334	18	2	100	20	16	20	26	4	16	2	-	4	6	6	60	18	14	6	8	2	67
30	-	-	12	-	-	-	2	-	-	-	-	-	-	-	10	-	2	-	-	-	68
214	10	-	58	8	2	8	2	8	8	-	-	6	6	-	36	24	14	12	2	-	69
52	-	-	8	-	2	6	-	-	4	-	-	2	2	-	8	8	8	-	2	-	70
84	28	-	40	4	6	2	14	-	2	-	-	4	10	2	22	6	8	10	-	2	71
36	6	-	4	-	2	2	8	-	-	-	-	-	-	-	4	2	6	-	-	2	72
106	10	-	26	8	-	10	10	-	2	4	-	2	8	-	24	6	14	4	6	2	73
86	6	2	10	8	-	12	4	2	-	-	-	2	-	-	8	2	-	-	2	-	74
34	-	-	14	-	-	6	2	-	-	-	-	-	-	-	4	4	4	-	-	-	75
32	2	-	12	2	2	4	2	-	-	-	-	2	6	-	8	8	2	2	-	-	76
98	4	2	18	2	2	14	6	4	4	-	-	2	4	-	36	14	16	2	4	2	77
52	2	-	10	4	-	8	-	-	-	-	-	-	8	-	4	4	-	2	-	-	78
86	6	-	28	2	-	6	4	-	2	-	-	-	2	-	12	4	12	-	-	-	79
40	4	-	12	4	-	24	6	-	-	-	-	-	-	2	4	12	2	-	-	-	80
96	6	2	38	2	-	2	2	2	4	2	-	2	6	4	18	26	2	2	-	-	81
24	4	4	6	-	-	4	2	-	2	-	-	-	2	-	-	2	-	-	-	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	KENTUCKY—CON.																	
01	MC CRACKEN	736	-	-	2	130	42	30	6	24	4	10	14	8	426	294	6	4
02	PADUCAH	546	-	-	2	100	24	22	6	22	4	10	12	6	316	218	2	2
03	BALANCE OF COUNTY	190	-	-	-	30	18	8	-	2	-	-	2	2	110	76	4	2
04	MC CREARY	132	-	-	4	22	4	2	4	4	-	-	8	-	68	50	-	2
05	MC LEAN	144	-	-	-	22	8	-	2	-	-	-	12	-	92	72	-	-
06	MADISON	390	2	-	2	82	16	18	4	10	-	6	28	8	188	144	4	6
07	RICHMOND	156	2	-	2	32	8	6	4	2	-	2	10	4	76	54	4	-
08	BALANCE OF COUNTY	234	-	-	-	50	8	12	-	8	-	4	18	4	112	90	-	6
09	MAGOFFIN	62	-	-	-	14	-	6	2	-	-	-	6	-	32	22	-	-
10	MARION	194	-	-	2	22	4	8	2	8	-	-	-	-	118	80	-	2
11	MARSHALL	226	2	-	-	36	10	8	4	6	2	-	6	8	140	112	-	-
12	MARTIN	84	2	-	-	14	6	4	2	2	-	-	-	-	44	28	-	-
13	MASON	242	-	-	2	38	12	6	8	10	-	-	2	14	132	104	-	-
14	MEADE	90	-	-	-	14	6	4	-	4	-	-	-	-	48	38	-	-
15	MENIFEE	50	-	-	-	4	2	2	-	-	-	-	-	-	30	18	-	-
16	MERCER	180	-	-	-	26	10	6	2	2	2	-	4	-	88	62	2	-
17	METCALFE	82	-	-	-	12	4	4	-	2	-	2	-	2	46	30	-	-
18	MONROE	142	-	-	-	16	6	2	2	4	-	-	2	2	94	70	-	-
19	MONTGOMERY	214	2	-	2	36	18	4	-	4	-	-	10	2	100	68	4	-
20	MORGAN	88	-	-	-	8	4	2	-	-	-	-	2	2	42	28	-	2
21	MUHLENBERG	330	-	-	2	48	12	16	4	10	-	-	6	8	184	120	2	4
22	NELSON	266	-	-	-	34	14	8	2	8	-	-	2	-	120	80	-	-
23	NICHOLAS	96	-	-	2	20	12	-	4	2	-	-	2	-	50	32	-	-
24	OHIO	256	-	-	2	30	12	6	-	4	-	2	6	-	134	98	-	-
25	OLDHAM	122	-	-	-	16	-	4	2	6	-	-	4	2	78	58	2	2
26	OWEN	112	2	-	-	16	2	6	-	-	2	-	6	-	78	50	-	2
27	OWSLEY	56	-	-	2	10	4	-	2	2	2	-	-	-	28	14	-	-
28	PENDLETON	136	-	-	-	30	6	8	-	6	-	-	10	2	84	66	2	4
29	PERRY	326	-	-	-	62	8	18	4	4	4	2	22	4	196	148	2	2
30	PIKE	626	4	-	2	94	28	28	8	12	2	-	16	16	306	216	4	-
31	POWELL	72	-	-	-	12	6	2	-	-	-	2	2	-	42	32	-	-
32	PULASKI	406	2	-	10	84	24	26	2	6	6	8	12	8	196	150	2	-
33	SOMERSET	134	2	-	4	30	14	8	2	4	-	-	2	4	62	50	-	-
34	BALANCE OF COUNTY	272	-	-	6	54	10	18	-	2	6	8	10	4	134	100	2	-
35	ROBERTSON	42	-	-	-	4	4	-	-	-	-	-	-	2	20	16	-	-
36	ROCKCASTLE	118	-	-	-	22	8	2	4	4	-	2	2	-	72	46	-	4
37	ROWAN	120	-	-	2	26	10	2	-	4	4	-	6	-	62	46	2	-
38	RUSSELL	132	-	-	2	14	4	-	-	8	-	2	-	4	66	52	-	-
39	SCOTT	204	-	-	2	20	10	4	2	-	-	-	4	4	112	74	2	-
40	SHELBY	244	-	-	-	28	2	14	4	6	-	-	2	6	144	88	-	2
41	SIMPSON	112	-	-	-	16	6	2	2	2	-	2	2	-	66	54	-	2
42	SPENCER	60	-	-	2	-	-	-	-	-	-	-	-	2	32	20	-	-
43	TAYLOR	174	-	-	2	30	12	4	4	2	2	2	4	-	100	66	-	2
44	TODD	146	2	-	-	28	8	4	-	12	2	-	2	4	74	54	-	2
45	TRIGG	100	2	-	-	10	4	-	-	-	4	-	2	-	70	56	-	2
46	TRIMBLE	48	-	-	4	10	2	2	-	6	-	-	-	2	14	10	-	-
47	UNION	180	-	-	-	26	12	4	-	4	-	2	4	6	92	66	-	-
48	WARREN	580	4	-	4	96	30	10	12	24	6	2	12	6	316	216	2	-
49	BOWLING GREEN	360	4	-	2	58	24	4	6	12	6	2	4	4	204	128	2	-
50	BALANCE OF COUNTY	220	-	-	2	38	6	6	6	12	-	-	8	2	112	88	-	-
51	WASHINGTON	118	-	-	-	16	4	6	2	2	-	2	-	-	86	52	-	-
52	WAYNE	184	-	-	-	24	8	4	-	2	2	-	8	6	122	90	2	16
53	WEBSTER	240	2	-	-	40	12	8	4	2	4	-	10	4	136	108	-	4
54	WHITLEY	308	-	-	2	38	10	12	2	-	-	2	12	2	166	124	-	-
55	WOLFE	68	-	-	-	10	2	2	-	2	-	-	4	2	28	26	-	-
56	WOODFORD	150	-	-	-	22	6	4	-	6	-	-	6	-	96	56	-	-
57	**LOUISIANA**	34,390	108	10	332	5,736	1,428	1,516	406	656	238	238	1,254	970	17,474	12,696	130	232
58	URBAN PLACES	17,186	70	4	158	2,888	708	768	226	328	108	106	644	530	8,740	6,444	70	136
59	BALANCE OF AREA	17,204	38	6	174	2,848	720	748	180	328	130	132	610	440	8,734	6,252	60	96
60	METROPOLITAN PARISHES	18,504	70	4	162	3,200	802	840	248	344	122	130	714	590	9,218	6,856	80	160
61	URBAN PLACES	13,968	60	2	120	2,368	598	612	190	280	86	88	514	456	7,062	5,242	64	120
62	BALANCE OF AREA	4,536	10	2	42	832	204	228	58	64	36	42	200	134	2,156	1,614	16	40
63	NONMETROPOLITAN PARISHES	15,886	38	6	170	2,536	626	676	158	312	116	108	540	380	8,256	5,840	50	72
64	URBAN PLACES	3,218	10	2	38	520	110	156	36	48	22	18	130	74	1,678	1,202	6	16
65	BALANCE OF AREA	12,668	28	4	132	2,016	516	520	122	264	94	90	410	306	6,578	4,638	44	56
66	ACADIA	520	2	-	6	106	32	32	6	8	6	2	20	6	256	130	-	-
67	CROWLEY	162	2	-	4	28	6	8	2	2	-	2	8	4	80	42	-	-
68	EUNICE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	BALANCE OF PARISH	358	-	-	2	78	26	24	4	6	6	-	12	2	176	88	-	-
70	ALLEN	238	2	-	2	36	12	10	2	4	2	-	6	10	132	100	-	-
71	ASCENSION	298	-	-	2	38	22	10	-	-	-	2	4	10	162	110	2	2
72	ASSUMPTION	180	-	-	-	34	12	18	2	2	-	-	-	12	66	50	-	-
73	AVOYELLES	472	2	-	6	74	20	20	2	6	4	4	18	16	254	182	2	-
74	BEAUREGARD	230	-	-	4	34	2	6	2	6	-	2	16	8	144	86	-	-
75	BIENVILLE	208	-	-	-	26	4	2	2	14	-	-	4	8	96	66	-	-
76	BOSSIER	456	4	-	6	82	16	26	8	10	-	2	20	6	218	166	4	2
77	BOSSIER CITY	226	-	-	4	38	4	12	4	4	-	2	12	2	118	96	2	-
78	SHREVEPORT, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
79	BALANCE OF PARISH	230	4	-	2	44	12	14	4	6	-	-	8	4	100	70	2	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
270	14	4	114	10	4	28	12	-	8	2	-	8	6	6	46	12	16	12	14	-	01
204	10	4	84	8	2	18	8	-	8	-	-	6	4	6	38	6	10	8	10	-	02
66	4	-	30	2	2	10	4	-	-	2	-	2	2	-	8	6	6	4	4	-	03
46	2	-	8	8	2	2	-	-	-	2	-	2	-	4	12	12	-	2	2	-	04
52	20	-	14	6	-	4	-	-	2	-	-	-	2	-	12	2	2	4	2	-	05
126	8	2	36	6	-	12	2	-	4	2	-	2	8	-	38	16	18	2	2	2	06
48	2	-	16	6	-	2	-	-	2	-	-	-	2	-	16	2	14	2	-	-	07
78	6	2	20	-	-	10	2	-	2	2	-	2	6	-	22	14	4	-	2	2	08
12	10	-	10	-	-	-	-	-	2	-	-	-	-	2	-	8	2	-	2	-	09
76	2	-	32	2	4	6	6	-	2	-	-	-	8	-	16	8	6	-	-	-	10
110	2	2	24	2	-	4	2	-	-	4	-	4	2	-	10	8	4	2	-	-	11
18	10	-	6	2	8	6	2	-	-	-	2	-	-	-	6	4	2	-	2	-	12
100	4	2	22	4	-	4	2	-	2	2	-	-	2	-	18	12	4	10	-	-	13
32	6	-	6	2	2	2	2	-	-	2	-	-	-	2	8	6	4	-	2	-	14
16	2	-	6	4	2	8	-	-	-	-	-	-	-	-	4	-	4	-	-	-	15
54	6	-	24	2	-	-	4	2	-	6	2	-	6	-	22	6	16	2	-	-	16
28	2	-	12	4	-	2	-	-	-	-	-	-	4	2	8	2	-	4	-	-	17
68	2	2	18	2	2	-	2	2	2	-	-	-	2	-	6	8	6	2	-	-	18
52	12	2	22	6	2	12	-	-	4	2	-	2	6	2	18	10	6	4	4	2	19
18	8	-	12	2	-	4	-	-	2	6	-	4	-	-	6	6	8	-	-	-	20
106	8	-	58	4	2	6	-	-	2	-	-	2	10	-	42	4	16	6	-	-	21
76	4	-	30	6	4	20	4	-	2	-	-	4	10	-	28	20	12	6	4	2	22
30	2	-	18	-	-	8	-	2	-	-	-	2	-	-	4	6	2	-	-	-	23
98	-	-	28	6	2	24	6	-	4	2	-	-	2	-	22	16	10	2	-	2	24
52	2	-	18	-	2	-	4	-	2	-	-	-	-	-	8	6	4	2	-	-	25
44	4	-	24	2	2	2	2	-	-	-	-	-	-	-	4	-	6	2	-	-	26
14	-	-	12	2	-	2	2	-	-	2	-	-	-	-	2	2	4	2	-	-	27
44	16	2	10	2	4	4	2	-	-	-	-	4	2	-	4	-	-	2	-	2	28
122	22	-	44	4	-	8	2	-	2	2	-	-	4	2	26	10	4	2	2	-	29
200	12	2	74	2	12	30	16	-	2	2	-	4	26	2	60	26	18	14	4	-	30
28	4	-	6	2	2	-	-	-	-	-	-	-	2	-	14	-	-	-	2	-	31
132	16	-	34	8	4	4	8	2	-	-	-	4	6	-	32	22	20	4	4	-	32
44	6	-	10	2	-	4	4	-	-	-	-	-	2	-	8	6	6	-	2	-	33
88	10	-	24	6	4	-	4	2	-	-	-	4	4	-	24	16	14	4	2	-	34
14	2	-	4	-	-	4	4	-	-	-	-	-	-	-	6	-	2	-	-	-	35
40	2	-	22	-	4	4	2	2	-	-	-	-	-	2	10	2	-	-	2	-	36
44	-	2	14	-	-	14	-	-	2	2	-	-	-	2	6	2	-	2	-	-	37
48	4	-	10	2	2	10	-	-	2	2	-	-	2	2	12	10	4	2	-	-	38
70	2	2	30	4	2	4	-	-	2	4	-	2	8	2	18	8	10	6	2	-	39
80	6	-	44	12	-	4	-	-	2	2	-	8	4	4	14	10	10	2	4	2	40
50	2	-	10	-	2	4	6	-	2	2	-	-	-	2	4	4	6	-	-	-	41
18	2	-	8	4	-	2	-	-	-	-	-	2	-	-	4	2	6	4	-	4	42
60	4	-	30	4	-	6	2	2	-	-	-	-	4	-	12	10	2	2	2	-	43
52	-	-	16	2	2	4	2	-	-	-	-	2	-	-	12	6	8	4	-	-	44
50	4	-	14	-	-	2	-	2	2	2	-	-	-	2	2	4	-	2	-	-	45
10	-	-	4	-	-	2	4	-	-	-	-	-	-	-	2	8	2	-	-	-	46
60	6	-	18	8	-	2	2	2	2	-	-	-	-	4	14	8	20	2	-	-	47
192	22	4	82	12	2	28	6	4	4	8	-	6	16	4	32	20	8	6	10	2	48
114	12	4	64	6	2	18	2	4	2	6	-	6	12	4	14	10	2	4	4	-	49
78	10	-	18	6	-	10	4	-	2	2	-	-	4	-	18	10	6	2	6	2	50
52	-	-	34	-	-	2	-	-	-	-	-	-	2	-	8	2	-	2	-	-	51
68	4	-	28	-	4	6	4	-	2	-	-	2	-	-	8	2	4	4	-	-	52
84	20	-	24	2	2	14	2	2	-	2	-	-	2	2	20	4	8	2	-	-	53
110	14	-	34	2	6	20	14	-	2	-	-	-	4	-	26	16	10	2	4	2	54
26	-	-	-	-	2	2	2	-	-	2	-	-	2	-	10	-	10	-	-	-	55
56	-	-	26	12	2	4	-	-	-	-	-	-	-	-	10	8	6	4	-	-	56
11,252	1,082	136	3,728	510	404	966	464	102	370	248	12	318	882	262	2,758	1,102	1,276	396	574	30	57
5,660	578	62	1,814	218	202	458	224	60	240	126	4	124	438	90	1,486	360	614	202	350	20	58
5,592	504	74	1,914	292	202	508	240	42	130	122	8	194	444	172	1,272	742	662	194	224	10	59
6,040	576	64	1,858	228	212	488	252	52	274	138	4	170	480	100	1,552	432	680	244	372	22	60
4,598	460	50	1,452	164	154	362	174	42	212	102	4	98	342	72	1,236	262	510	168	298	18	61
1,442	116	14	406	64	58	126	78	10	62	36	-	72	138	28	316	170	170	76	74	4	62
5,212	506	72	1,870	282	192	478	212	50	96	110	8	148	402	162	1,206	670	596	152	202	8	63
1,062	118	12	362	54	48	96	50	18	28	24	-	26	96	18	250	98	104	34	52	2	64
4,150	388	60	1,508	228	144	382	162	32	60	86	8	122	306	144	956	572	492	118	150	6	65
126	4	2	80	32	12	18	8	-	10	2	-	8	10	6	42	14	10	6	10	-	66
42	-	2	20	12	4	2	2	-	4	-	-	2	6	2	12	8	4	-	2	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
84	4	-	60	20	8	16	6	-	6	2	-	6	4	4	30	6	6	6	8	-	69
92	8	-	30	-	2	8	2	6	-	-	-	-	2	6	12	10	10	-	-	-	70
94	12	2	42	4	4	6	4	-	-	10	-	4	-	-	12	24	18	6	2	-	71
48	2	-	12	4	-	6	4	-	-	2	-	2	6	2	12	18	4	-	12	-	72
176	4	-	58	10	4	24	8	2	6	2	-	6	14	-	30	10	10	4	4	-	73
84	2	2	46	6	4	2	4	-	2	-	-	-	10	-	14	6	-	-	2	-	74
58	8	-	24	4	2	12	2	-	4	8	-	-	4	2	22	8	14	-	2	-	75
146	14	2	42	8	-	18	14	-	10	6	-	8	14	2	30	18	10	-	10	-	76
84	10	-	18	4	-	6	4	-	8	-	-	4	12	-	14	8	4	-	4	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
62	4	2	24	4	-	12	10	-	2	6	-	4	2	2	16	10	6	-	6	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	LOUISIANA--CON.																	
01	CADDO	2,424	14	2	16	366	82	96	36	68	10	20	54	78	1,312	964	14	42
02	SHREVEPORT, PART	2,014	12	-	14	298	64	80	30	58	8	14	44	70	1,096	804	10	26
03	SHREVEPORT, TOTAL	2,014	12	-	14	298	64	80	30	58	8	14	44	70	1,096	804	10	26
04	BALANCE OF PARISH	410	2	2	2	68	18	16	6	10	2	6	10	8	216	160	4	16
05	CALCASIEU	1,182	2	-	10	184	28	54	20	16	14	14	38	28	584	412	6	4
06	LAKE CHARLES	678	2	-	4	94	6	26	14	8	12	6	22	12	348	246	6	4
07	SULPHUR	140	-	-	2	24	6	6	4	-	-	2	6	-	64	42	-	-
08	BALANCE OF PARISH	364	-	-	4	66	16	22	2	8	2	6	10	16	172	124	-	-
09	CALDWELL	130	-	-	4	14	4	-	-	4	-	-	6	-	80	66	-	-
10	CAMERON	74	-	-	-	16	4	2	4	4	-	-	2	2	32	18	-	-
11	CATAHOULA	142	-	-	-	72	4	8	-	2	-	-	8	-	86	46	-	2
12	CLAIBORNE	236	-	-	2	36	16	2	4	8	-	2	4	4	120	78	-	2
13	CONCORDIA	202	-	-	2	28	-	12	4	6	-	2	4	2	108	74	2	4
14	DE SOTO	260	-	-	4	38	10	2	-	6	-	-	20	10	142	92	-	2
15	EAST BATON ROUGE	2,116	2	-	14	380	104	82	24	32	16	14	108	46	1,052	782	6	10
16	BATON ROUGE	1,578	2	-	8	272	80	54	18	28	10	6	76	34	810	594	4	4
17	BALANCE OF PARISH	538	-	-	6	108	24	28	6	4	6	8	32	12	242	188	2	6
18	EAST CARROLL	132	-	-	-	16	6	2	-	2	-	-	6	4	78	46	-	-
19	EAST FELICIANA	210	-	2	2	32	8	6	4	6	6	-	2	2	112	102	2	-
20	EVANGELINE	356	-	-	8	60	28	16	4	2	-	2	8	4	170	116	-	-
21	FRANKLIN	272	-	-	-	42	10	8	4	6	2	-	12	14	150	116	-	-
22	GRANT	184	4	-	4	22	6	4	-	2	-	2	8	4	112	78	-	-
23	IBERIA	508	-	2	8	98	26	28	12	8	2	-	22	16	242	158	2	2
24	NEW IBERIA	260	-	2	4	50	12	14	8	2	2	-	12	6	130	84	-	-
25	BALANCE OF PARISH	248	-	-	4	48	14	14	4	4	-	-	10	10	112	74	2	2
26	IBERVILLE	290	-	-	2	54	20	14	6	2	2	-	10	10	154	112	2	2
27	JACKSON	182	-	-	2	38	4	18	-	6	-	2	8	4	100	66	-	-
28	JEFFERSON	2,278	4	-	28	470	106	134	34	36	12	20	128	70	1,034	782	8	4
29	GRETNA	254	-	-	-	62	18	14	6	4	-	-	20	8	130	90	2	-
30	HARAHAN	80	-	-	-	24	4	6	-	4	-	-	10	2	36	34	-	2
31	KENNER	184	-	-	4	36	12	10	-	2	-	2	10	6	74	58	-	-
32	WESTWEGO	122	-	-	4	18	4	6	2	-	-	2	4	2	62	44	-	2
33	BALANCE OF PARISH	1,638	4	-	20	330	68	98	26	26	12	16	84	52	732	556	6	-
34	JEFFERSON DAVIS	254	-	-	2	44	8	12	2	8	4	-	10	6	124	94	-	-
35	JENNINGS	118	-	-	2	18	4	8	-	2	-	-	4	2	52	42	-	-
36	BALANCE OF PARISH	136	-	-	-	26	4	4	2	6	4	-	6	4	72	52	-	-
37	LAFAYETTE	748	-	-	10	144	48	26	6	16	8	14	26	16	340	238	2	2
38	LAFAYETTE	502	-	-	8	100	38	14	4	14	4	10	16	12	214	148	2	2
39	BALANCE OF PARISH	246	-	-	2	44	10	12	2	2	4	4	10	4	126	90	-	-
40	LAFOURCHE	476	-	-	-	86	20	16	8	4	4	6	28	26	228	182	2	-
41	THIBODAUX	124	-	-	-	32	6	10	4	2	-	-	10	10	60	50	-	-
42	BALANCE OF PARISH	352	-	-	-	54	14	6	4	2	4	6	18	16	168	132	2	-
43	LA SALLE	150	2	-	2	14	-	4	4	-	-	2	4	2	90	76	-	-
44	LINCOLN	270	-	-	-	36	10	12	2	6	-	2	4	-	164	102	4	4
45	RUSTON	128	-	-	-	22	6	8	2	2	-	-	4	-	72	44	2	2
46	BALANCE OF PARISH	142	-	-	-	14	4	4	-	4	-	2	-	-	92	58	2	2
47	LIVINGSTON	308	2	-	4	52	10	16	6	4	4	2	10	8	132	108	-	-
48	MADISON	192	-	-	2	34	14	8	-	6	2	2	2	2	110	88	-	2
49	MOREHOUSE	344	2	-	2	44	10	14	4	8	-	-	8	6	204	138	-	4
50	BASTROP	174	-	-	-	28	8	8	4	2	-	-	6	2	108	80	-	-
51	BALANCE OF PARISH	170	2	-	2	16	2	6	-	6	-	-	2	4	96	58	-	4
52	NATCHITOCHES	446	8	-	6	78	8	26	2	16	6	4	16	14	238	138	2	-
53	NATCHITOCHES	190	2	-	6	30	-	8	2	12	2	-	6	6	100	54	-	-
54	BALANCE OF PARISH	256	6	-	-	48	8	18	-	4	4	4	10	8	138	84	2	-
55	ORLEANS, COEX. WITH NEW ORLEANS CITY	7,236	42	2	54	1,246	314	344	102	134	46	34	272	280	3,626	2,718	28	46
56	OUACHITA	1,138	2	-	12	184	60	38	6	26	10	10	34	34	570	426	10	46
57	MONROE	662	2	-	8	116	38	24	6	18	4	8	18	18	332	246	6	26
58	WEST MONROE	188	-	-	4	28	8	8	-	6	2	2	2	6	92	70	4	8
59	BALANCE OF PARISH	288	-	-	-	40	14	6	-	2	4	-	14	10	146	110	-	12
60	PLAQUEMINES	148	-	-	4	24	4	6	2	2	-	2	8	4	56	44	-	-
61	POINTE COUPEE	184	-	-	2	40	10	8	2	2	4	4	10	-	90	60	-	-
62	RAPIDES	1,186	2	-	14	146	28	26	12	22	8	2	48	18	638	460	8	10
63	ALEXANDRIA	604	2	-	4	78	18	18	6	8	4	-	24	4	332	252	2	8
64	BALANCE OF PARISH	582	-	-	10	68	10	8	6	14	4	2	24	14	306	208	6	2
65	RED RIVER	124	-	-	2	10	4	-	2	-	-	4	-	12	68	54	4	2
66	RICHLAND	290	-	-	2	50	14	16	-	6	-	4	10	4	164	100	2	-
67	SABINE	208	-	-	-	40	8	12	4	8	-	6	2	2	116	90	-	-
68	ST. BERNARD	370	-	-	-	66	26	22	4	4	2	-	8	6	188	144	-	4
69	ST. CHARLES	174	-	-	2	28	10	4	4	4	-	4	2	-	88	72	-	-
70	ST. HELENA	96	-	-	-	14	2	6	-	6	-	-	-	2	46	30	-	-
71	ST. JAMES	160	-	-	2	22	4	2	2	2	2	2	8	4	92	68	-	-
72	ST. JOHN THE BAPTIST	220	-	-	8	30	12	6	2	-	-	-	10	4	118	92	2	2
73	ST. LANDRY	704	-	-	6	114	30	40	-	10	6	6	22	12	374	286	-	2
74	EUNICE, PART	108	-	-	-	20	2	8	-	-	2	2	6	4	58	48	-	-
75	EUNICE, TOTAL	108	-	-	-	20	2	8	-	-	2	2	6	4	58	48	-	-
76	OPELOUSAS	214	-	-	4	38	14	12	-	-	4	-	8	4	118	92	-	-
77	BALANCE OF PARISH	382	-	-	2	56	14	20	-	10	-	4	8	4	198	146	-	2
78	ST. MARTIN	224	-	-	-	48	12	20	-	6	4	-	6	4	116	78	-	4
79	ST. MARY	480	2	-	2	80	16	22	2	4	6	4	26	18	234	186	-	2
80	MORGAN CITY	148	-	-	2	22	2	10	-	-	-	4	6	6	64	54	-	-
81	BALANCE OF PARISH	332	2	-	-	58	14	12	2	4	6	-	20	12	170	132	-	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
808	100	16	250	32	50	54	36	-	26	16	-	18	46	12	218	64	72	26	42	6	01
682	86	16	208	24	44	38	22	-	22	10	-	16	36	12	188	48	68	20	38	6	02
682	86	16	208	24	44	38	22	-	22	10	-	16	36	12	188	48	68	20	38	6	03
126	14	-	42	8	6	16	14	-	4	6	-	2	10	-	30	16	4	6	4	-	04
342	60	2	136	26	8	38	24	6	16	8	-	14	50	10	100	28	46	18	14	2	05
198	38	-	76	20	6	22	18	2	10	8	-	4	22	8	70	10	26	10	6	2	06
36	6	-	20	2	-	8	2	-	2	-	-	4	6	-	14	6	2	4	2	-	07
108	16	2	40	4	2	8	4	4	4	-	-	6	22	2	16	12	18	4	6	-	08
62	4	-	6	6	2	8	2	-	-	2	-	2	-	2	4	4	4	2	2	-	09
18	-	-	12	-	2	-	-	-	2	-	-	2	2	-	4	4	10	-	-	-	10
40	4	-	40	-	-	2	2	-	-	-	-	4	4	4	14	-	4	-	-	-	11
66	10	-	32	2	8	16	-	-	-	-	-	2	8	4	28	6	8	-	2	-	12
64	4	2	26	4	2	8	2	-	-	2	-	-	6	24	14	4	-	-	2	-	13
76	14	2	40	8	-	10	2	-	-	-	-	-	6	4	20	10	10	2	2	-	14
710	56	12	188	36	34	54	18	8	30	10	2	18	52	14	162	64	102	36	50	2	15
538	48	10	152	28	26	46	16	6	28	4	2	8	44	6	116	32	76	26	40	2	16
172	8	2	36	8	8	8	2	2	2	6	-	10	8	8	46	32	26	10	10	-	17
38	8	2	20	6	4	2	-	-	-	4	-	-	4	2	4	12	6	-	-	-	18
94	6	-	10	-	-	4	-	-	-	-	-	2	4	4	26	6	8	4	2	-	19
100	16	2	42	8	2	18	6	-	6	-	-	4	6	2	22	22	12	10	6	-	20
108	8	-	28	4	2	12	2	2	2	-	-	2	10	-	20	12	-	-	4	-	21
74	4	-	28	2	4	12	-	-	2	2	-	-	4	-	6	6	6	-	-	-	22
140	14	4	48	22	10	14	8	2	2	2	-	4	20	6	48	14	20	-	2	-	23
70	14	2	30	8	6	8	2	2	2	-	-	-	6	-	28	6	12	-	2	-	24
70	-	2	18	14	4	6	6	-	-	2	-	4	14	6	20	8	8	-	-	-	25
92	16	2	34	4	2	4	4	-	-	2	-	-	8	2	24	12	8	2	4	-	26
62	4	-	28	2	4	-	2	-	2	2	-	2	4	-	14	10	-	-	2	-	27
722	48	8	192	22	30	46	36	6	34	14	-	44	64	4	172	60	94	44	50	4	28
86	2	2	32	4	2	6	6	4	-	-	-	4	-	-	20	2	4	2	4	2	29
30	2	-	2	-	-	-	2	-	-	2	-	-	-	-	6	4	2	2	-	-	30
56	2	2	10	2	2	4	2	-	8	-	-	2	8	-	16	4	6	6	8	-	31
36	6	-	16	2	-	2	2	-	-	-	-	-	6	2	10	4	10	-	-	-	32
514	36	4	132	14	26	34	24	2	26	12	-	38	50	2	120	46	72	34	38	2	33
82	12	-	20	6	4	8	6	6	2	4	-	2	6	4	22	6	4	6	2	-	34
34	8	-	8	-	2	6	2	6	-	4	-	2	2	2	12	6	-	-	2	-	35
48	4	-	12	6	2	2	4	-	2	-	-	-	4	2	10	-	4	6	-	-	36
218	16	2	82	18	-	30	12	2	10	2	-	4	30	6	62	38	28	12	2	-	37
130	14	2	58	6	-	22	10	-	6	2	-	2	24	2	48	24	16	10	2	-	38
88	2	-	24	12	-	8	2	2	4	-	-	2	6	4	14	14	12	2	-	-	39
174	6	-	34	6	6	8	4	4	-	2	-	4	18	2	48	22	10	2	10	2	40
48	2	-	4	2	4	4	2	2	-	-	-	-	-	-	12	-	-	-	2	-	41
126	4	-	30	4	2	4	2	2	-	2	-	4	18	2	36	22	10	2	8	2	42
74	2	-	10	2	2	4	2	-	-	2	2	-	2	-	8	8	10	-	2	-	43
84	10	4	56	2	-	8	-	-	2	-	-	8	10	-	20	8	2	2	8	2	44
40	-	2	26	-	-	2	-	-	-	-	-	4	10	-	8	4	-	2	4	-	45
44	10	2	30	2	-	6	-	-	2	-	-	4	-	-	12	4	2	-	4	2	46
94	14	2	12	4	6	8	4	-	-	-	2	10	4	10	28	16	16	2	10	-	47
78	8	4	16	2	-	6	-	-	-	4	-	-	6	2	14	-	8	-	4	-	48
126	8	-	44	8	14	10	6	-	4	4	-	2	4	-	18	10	16	10	2	-	49
74	6	-	20	2	6	2	4	-	2	2	-	-	2	-	12	2	4	4	2	-	50
52	2	-	24	6	8	8	2	-	2	2	-	2	2	-	6	8	12	6	-	-	51
128	8	2	88	2	8	16	6	4	-	-	-	8	8	2	26	18	10	-	4	-	52
50	4	2	44	-	-	12	2	2	-	-	-	2	4	-	14	6	2	-	2	-	53
78	4	-	44	2	8	4	4	2	-	-	-	6	4	2	12	12	8	-	2	-	54
2,432	212	14	774	62	58	180	80	28	122	64	2	42	170	18	644	106	256	84	184	6	55
326	44	8	106	10	20	36	14	2	10	14	-	12	24	32	106	28	40	8	10	-	56
184	30	-	66	8	12	16	6	2	4	4	-	6	12	18	64	10	30	4	10	-	57
56	2	4	18	-	-	12	4	-	-	8	-	2	-	6	20	2	4	-	-	-	58
86	12	4	22	2	8	8	4	-	6	2	-	4	12	8	22	16	6	4	-	-	59
40	4	-	12	-	-	2	2	4	-	-	-	6	10	2	16	14	2	-	2	-	60
58	4	-	26	4	-	10	2	-	-	2	-	4	2	-	16	6	10	-	-	-	61
400	42	4	130	18	26	40	20	-	6	14	-	16	28	4	106	62	46	10	12	4	62
218	24	2	56	8	14	18	12	-	4	6	-	10	14	2	52	18	28	6	12	2	63
182	18	2	74	10	12	22	8	-	2	8	-	6	14	2	54	44	18	4	-	2	64
44	4	-	10	4	-	-	4	-	-	-	-	-	2	4	10	4	6	-	2	-	65
92	6	6	54	2	2	14	-	-	-	-	2	-	8	-	18	8	12	-	8	-	66
74	16	-	18	6	2	12	2	-	2	-	-	-	8	-	16	-	6	2	2	-	67
134	6	-	36	2	6	12	6	-	6	2	-	4	10	-	24	12	14	10	8	2	68
70	2	-	14	2	-	-	-	-	6	2	-	6	4	-	12	14	12	-	-	-	69
24	4	-	14	2	-	4	2	-	-	2	-	2	-	-	4	6	6	2	6	-	70
56	12	2	18	-	4	8	4	2	-	-	-	4	-	2	8	4	6	2	-	-	71
80	8	-	20	4	2	4	-	-	2	-	-	2	8	-	22	12	6	4	-	-	72
256	28	6	60	12	10	20	20	-	6	4	2	2	18	2	36	36	34	10	8	-	73
42	6	-	8	2	-	-	2	-	2	-	-	-	2	-	8	6	6	-	-	-	74
42	6	-	8	2	-	-	2	-	2	-	-	-	2	-	8	6	6	-	-	-	75
86	6	-	20	-	6	10	4	-	2	2	-	-	6	-	6	6	4	4	6	-	76
128	16	6	32	10	4	10	14	-	2	2	2	2	10	2	22	24	24	6	2	-	77
74	-	-	32	-	6	2	8	-	2	2	-	-	4	-	16	14	6	2	-	-	78
170	14	-	34	8	6	8	10	2	2	2	-	2	14	2	44	18	26	6	8	-	79
48	6	-	10	-	-	-	4	-	2	-	-	-	8	-	18	6	12	2	2	-	80
122	8	-	24	8	6	8	6	2	-	2	-	2	6	2	26	12	14	4	6	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	LOUISIANA--CON.																	
01	ST. TAMMANY	556	-	-	12	78	18	18	8	2	4	2	26	26	294	224	2	-
02	SLIDELL	104	-	-	6	12	2	8	-	-	-	-	2	4	60	52	-	-
03	BALANCE OF PARISH	452	-	-	6	66	16	10	8	2	4	2	24	22	234	172	2	-
04	TANGIPAHOA	742	-	2	12	102	20	24	16	22	6	2	12	14	392	262	4	6
05	HAMMOND	114	-	-	2	6	2	-	2	-	-	-	2	2	68	34	-	2
06	BALANCE OF PARISH	628	-	2	10	96	18	24	14	22	6	2	10	12	324	228	4	4
07	TENSAS	112	-	-	2	16	4	6	-	4	-	-	2	-	74	60	2	-
08	TERREBONNE	530	2	-	14	108	24	36	8	14	6	6	14	10	214	164	2	-
09	HOUMA	250	-	-	8	54	10	18	4	10	2	2	8	-	98	72	-	-
10	BALANCE OF PARISH	280	2	-	6	54	14	18	4	4	4	4	6	10	116	92	2	-
11	UNION	236	-	-	2	42	14	4	-	6	4	2	12	-	136	82	2	-
12	VERMILION	454	2	-	2	80	16	24	2	8	4	4	22	10	222	164	-	-
13	ABBEVILLE	170	2	-	2	28	8	6	2	2	-	4	6	6	88	62	-	-
14	BALANCE OF PARISH	284	-	-	-	52	8	18	-	6	4	-	16	4	134	102	-	-
15	VERNON	284	4	-	6	46	8	10	4	8	-	6	10	6	118	88	-	-
16	WASHINGTON	520	-	-	4	70	16	24	2	4	6	2	16	26	266	202	2	4
17	BOGALUSA	268	-	-	-	36	10	10	-	2	4	2	8	14	144	100	-	-
18	BALANCE OF PARISH	252	-	-	4	34	6	14	2	2	2	-	8	12	122	102	2	4
19	WEBSTER	486	2	-	2	92	16	34	6	10	4	4	18	10	246	180	2	4
20	MINDEN	186	2	-	-	30	2	10	-	2	2	2	12	4	106	92	2	4
21	BALANCE OF PARISH	300	-	-	2	62	14	24	6	8	2	2	6	6	140	88	-	-
22	WEST BATON ROUGE	144	-	-	2	20	6	2	-	2	4	2	4	2	80	64	-	6
23	WEST CARROLL	134	-	-	-	14	6	4	-	-	2	2	-	2	82	52	-	2
24	WEST FELICIANA	64	-	-	-	16	6	2	-	-	2	2	4	2	30	18	-	-
25	WINN	218	-	-	4	32	6	10	2	6	4	-	4	4	110	66	-	2
26	**MAINE**	11,198	18	-	56	1,924	574	394	166	252	102	56	380	220	6,196	4,606	74	70
27	URBAN PLACES	3,606	4	-	24	600	190	118	52	64	26	20	130	68	2,070	1,604	22	20
28	BALANCE OF AREA	7,592	14	-	32	1,324	384	276	114	188	76	36	250	152	4,126	3,002	52	50
29	METROPOLITAN COUNTIES	2,146	6	-	16	376	110	84	26	36	22	12	86	50	1,176	914	22	8
30	URBAN PLACES	1,284	-	-	2	210	58	48	6	22	14	6	56	22	744	584	10	2
31	BALANCE OF AREA	862	6	-	14	166	52	36	20	14	8	6	30	28	432	330	12	6
32	NONMETROPOLITAN COUNTIES	9,052	12	-	40	1,548	464	310	140	216	80	44	294	170	5,020	3,692	52	62
33	URBAN PLACES	2,322	4	-	22	390	132	70	46	42	12	14	74	46	1,326	1,020	12	18
34	BALANCE OF AREA	6,730	8	-	18	1,158	332	240	94	174	68	30	220	124	3,694	2,672	40	44
35	ANDROSCOGGIN	984	-	-	6	194	64	34	12	24	18	2	40	20	584	462	2	4
36	AUBURN	270	-	-	6	64	24	10	4	8	2	-	16	2	138	96	-	2
37	LEWISTON	480	-	-	-	86	32	16	6	8	6	2	16	12	308	256	-	2
38	BALANCE OF COUNTY	234	-	-	-	44	8	8	2	8	10	-	8	6	138	110	2	-
39	AROOSTOOK	832	4	-	6	124	50	24	6	18	2	4	20	16	450	300	6	4
40	CARIBOU	98	2	-	4	22	8	6	2	-	-	-	6	4	38	30	4	-
41	PRESQUE ISLE	102	-	-	2	18	8	-	-	4	2	-	4	2	60	44	2	2
42	BALANCE OF COUNTY	632	2	-	-	84	34	18	4	14	-	4	10	10	352	226	-	2
43	CUMBERLAND	2,146	6	-	16	376	110	84	26	36	22	12	86	50	1,176	914	22	8
44	PORTLAND	916	-	-	2	140	42	32	4	8	10	4	40	16	532	412	8	-
45	SOUTH PORTLAND	206	-	-	-	44	8	6	2	14	2	2	10	2	110	80	2	2
46	WESTBROOK	162	-	-	-	26	8	10	-	-	2	-	6	4	102	92	-	-
47	BALANCE OF COUNTY	862	6	-	14	166	52	36	20	14	8	6	30	28	432	330	12	6
48	FRANKLIN	222	-	-	-	44	10	14	4	10	-	2	4	4	110	76	2	-
49	HANCOCK	490	2	-	2	94	26	24	10	6	12	4	12	6	266	182	4	4
50	KENNEBEC	1,016	2	-	-	146	38	28	20	22	6	10	22	18	550	406	6	2
51	AUGUSTA	202	-	-	-	30	6	6	4	6	-	4	4	8	108	82	-	-
52	WATERVILLE	194	-	-	-	28	6	4	4	-	2	6	6	2	104	76	-	-
53	BALANCE OF COUNTY	620	2	-	-	88	26	18	12	16	4	-	12	8	338	248	6	2
54	KNOX	420	-	-	4	70	16	14	8	10	6	2	14	6	250	166	2	2
55	LINCOLN	300	-	-	-	48	8	8	-	10	2	2	18	4	160	126	2	2
56	OXFORD	508	-	-	4	78	18	14	12	14	-	2	18	16	272	190	4	-
57	PENOBSCOT	1,244	2	-	6	220	68	48	26	30	8	4	36	22	698	488	2	4
58	BANGOR	384	2	-	4	56	14	14	12	6	-	-	10	8	222	158	2	2
59	BALANCE OF COUNTY	860	-	-	2	164	54	34	14	24	8	4	26	14	476	330	-	2
60	PISCATAQUIS	200	-	-	-	34	16	-	4	10	-	2	2	8	102	78	-	12
61	SAGADAHOC	272	-	-	4	58	16	18	-	6	2	2	14	2	140	114	4	-
62	SOMERSET	522	2	-	2	98	28	12	4	14	6	-	34	6	280	210	6	2
63	WALDO	314	-	-	-	30	6	4	-	10	4	-	6	6	188	138	2	2
64	WASHINGTON	402	-	-	-	66	16	14	6	8	2	2	18	6	220	184	-	10
65	YORK	1,326	-	-	6	244	84	54	28	24	12	6	36	30	750	572	10	14
66	BIDDEFORD	272	-	-	2	32	8	6	6	4	-	2	6	2	158	130	-	2
67	SACO	106	-	-	-	26	10	4	2	6	-	-	4	2	48	36	-	4
68	SANFORD TOWN#	214	-	-	4	28	16	4	6	-	-	-	2	4	142	112	4	4
69	BALANCE OF COUNTY	734	-	-	-	158	50	40	14	14	12	4	24	22	402	294	6	4
70	**MARYLAND**	33,408	116	10	208	6,386	1,724	1,576	526	672	292	236	1,360	872	16,716	13,188	290	194
71	URBAN PLACES	14,854	78	4	96	2,822	804	716	224	306	114	64	594	432	7,276	5,798	138	58
72	BALANCE OF AREA	18,554	38	6	112	3,564	920	860	302	366	178	172	766	440	9,440	7,390	152	136

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-774,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
202	20	-	52	12	6	20	12	-	10	2	-	6	20	2	34	14	18	6	2	-	01
50	2	-	2	2	4	-	-	-	2	-	-	4	2	-	6	2	6	-	-	-	02
152	18	-	50	10	2	20	12	-	8	2	-	2	18	2	28	12	12	6	2	-	03
236	16	4	114	4	8	14	4	4	4	6	-	6	18	8	70	34	34	16	2	-	04
32	-	-	28	2	4	4	-	2	-	2	-	-	6	2	8	4	2	6	-	-	05
204	16	4	86	2	4	10	4	2	4	4	-	6	12	6	62	30	32	10	2	-	06
56	2	2	10	-	2	2	-	-	-	-	-	-	-	4	6	2	6	-	-	-	07
154	8	2	28	18	2	6	16	4	4	6	-	6	26	4	38	30	24	10	8	-	08
70	2	-	16	10	-	2	6	2	4	4	-	6	14	2	18	10	10	4	8	-	09
84	6	2	12	8	2	4	10	2	-	2	-	-	12	2	20	20	14	6	-	-	10
76	4	2	40	8	4	8	2	-	4	-	-	2	-	-	12	8	16	-	4	-	11
146	18	2	44	10	2	12	4	-	2	4	-	6	16	6	50	14	18	2	4	-	12
56	6	-	18	6	2	4	4	-	2	2	-	-	4	2	18	2	4	-	2	-	13
90	12	2	26	4	-	8	-	-	-	2	-	6	12	4	32	12	14	2	2	-	14
74	14	2	26	-	2	6	-	2	-	2	-	-	8	18	26	16	12	4	10	-	15
142	54	4	58	2	-	18	4	2	8	4	-	-	14	4	32	30	22	10	6	-	16
68	32	2	42	-	-	12	2	-	4	2	-	-	8	4	18	4	10	4	6	-	17
74	22	2	16	2	-	6	2	2	4	2	-	-	6	-	14	26	12	6	-	-	18
170	4	4	50	10	2	18	8	2	-	-	-	2	16	6	34	20	18	6	4	-	19
84	2	-	12	2	-	10	2	2	-	-	-	-	4	2	6	10	6	2	-	-	20
86	2	4	38	8	2	8	6	-	-	-	-	2	12	4	28	10	12	4	4	-	21
50	8	-	12	4	-	2	-	-	-	2	-	2	6	-	10	10	6	-	2	-	22
48	2	-	24	4	2	4	2	-	-	-	-	-	-	2	6	4	10	4	4	-	23
16	2	-	12	-	-	-	2	2	-	-	-	-	-	-	2	2	8	-	-	-	24
34	10	-	44	-	-	10	6	-	2	2	-	2	2	4	20	2	6	4	8	-	25
4,212	250	54	1,196	198	142	466	186	44	168	32	2	84	170	60	834	222	336	134	38	8	26
1,500	62	8	374	46	38	158	56	22	58	14	2	32	52	18	254	48	94	24	8	-	27
2,712	188	46	822	152	104	308	130	22	110	18	-	52	118	42	580	174	242	110	30	8	28
844	40	8	208	28	18	82	40	8	24	12	-	14	26	8	174	40	62	18	14	-	29
560	12	2	126	18	14	48	30	6	16	8	-	10	20	6	98	18	36	8	2	-	30
284	28	6	82	10	4	34	10	2	8	4	-	4	6	2	76	22	26	10	12	-	31
3,368	210	46	988	170	124	384	146	36	144	20	2	70	144	52	660	182	274	116	24	8	32
940	50	6	248	28	24	110	26	16	42	6	2	22	32	12	156	30	58	16	6	-	33
2,428	160	40	740	142	100	274	120	20	102	14	-	48	112	40	504	152	216	100	18	8	34
446	10	4	102	6	10	42	8	2	24	2	-	8	6	2	50	19	20	6	-	-	35
94	-	-	34	4	4	14	6	2	8	2	-	4	2	-	14	4	4	-	-	-	36
248	6	4	46	2	-	18	2	-	8	-	-	4	2	2	22	-	10	6	-	-	37
104	4	-	22	-	6	10	-	-	8	-	-	-	2	-	14	6	6	-	-	-	38
276	14	6	116	16	12	44	16	4	16	4	-	10	8	2	66	22	28	12	-	-	39
26	-	-	8	-	-	8	-	2	4	-	-	2	-	-	6	4	-	2	-	-	40
40	-	-	12	-	4	-	2	-	2	-	-	-	2	-	12	-	2	-	-	-	41
210	14	6	96	16	8	36	14	2	10	4	-	8	6	2	48	18	26	10	-	-	42
844	40	8	208	28	18	82	40	8	24	12	-	14	26	8	174	40	62	18	14	-	43
396	8	-	100	10	10	38	26	6	14	4	-	6	18	6	66	12	20	8	2	-	44
74	2	2	22	6	-	2	2	-	2	4	-	2	2	-	20	6	10	-	-	-	45
90	2	-	4	2	4	8	2	-	-	-	-	2	-	-	12	-	6	-	-	-	46
284	28	6	82	10	4	34	10	2	8	4	-	4	6	2	76	22	26	10	12	-	47
70	4	-	28	4	2	4	2	-	-	-	-	2	6	-	28	6	8	6	2	-	48
164	10	2	62	2	18	14	4	-	2	2	-	6	6	2	46	10	20	8	-	-	49
386	12	6	98	26	14	52	18	10	12	-	-	4	28	8	70	30	44	18	6	-	50
80	2	-	24	-	2	12	2	4	4	-	-	-	4	2	10	6	8	2	2	-	51
74	2	2	20	6	-	8	-	4	4	-	-	-	10	4	14	2	10	2	2	-	52
232	8	4	54	20	12	32	16	2	4	-	-	4	14	2	46	22	26	14	2	-	53
160	2	4	58	12	10	22	8	-	2	-	-	2	8	6	22	-	12	6	2	-	54
120	2	2	22	6	4	10	16	2	8	2	-	2	6	2	14	12	12	2	-	-	55
168	18	8	50	18	6	18	8	4	12	-	-	6	6	2	46	16	12	6	-	2	56
442	40	6	168	18	18	42	18	2	20	4	-	10	22	16	92	30	30	6	4	-	57
130	24	-	48	6	10	18	6	-	6	2	-	6	8	4	28	6	6	2	-	-	58
312	16	6	120	12	8	24	12	2	14	2	-	4	14	12	64	24	24	4	4	-	59
58	8	-	16	4	4	10	-	2	6	2	-	2	6	-	18	-	4	6	-	-	60
108	2	-	22	4	-	20	8	2	4	-	-	-	-	-	16	2	8	4	4	-	61
194	8	2	48	14	6	16	16	2	8	-	-	4	8	4	40	10	18	4	4	-	62
114	20	2	32	16	-	6	6	-	4	2	-	2	8	4	34	8	8	4	-	4	63
148	26	-	32	-	4	24	6	-	10	-	-	2	8	4	24	4	14	12	-	2	64
514	34	4	134	24	16	60	12	6	16	2	2	10	18	-	94	22	36	16	2	-	65
112	16	-	20	6	2	20	4	4	-	2	2	4	-	-	28	4	6	2	2	-	66
32	-	-	12	-	-	8	2	-	2	-	-	-	2	-	8	-	8	-	-	-	67
104	-	-	24	4	2	4	2	-	4	-	-	2	2	-	14	4	4	-	-	-	68
266	18	4	78	14	12	28	4	2	10	-	-	4	14	-	44	14	18	14	-	-	69
12,094	610	104	2,562	422	440	908	388	106	878	198	10	272	502	210	2,762	810	952	494	500	110	70
5,332	270	58	1,068	148	204	386	156	46	504	110	4	92	218	76	1,324	234	406	184	348	58	71
6,762	340	46	1,494	274	236	522	232	60	374	88	6	180	284	134	1,438	576	546	310	152	52	72

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MARYLAND--CON.																	
01	METROPOLITAN COUNTIES...	26,982	94	6	172	5,258	1,400	1,322	436	536	244	182	1,138	742	13,270	10,626	248	138
02	URBAN PLACES.....	13,248	72	4	90	2,536	706	660	188	274	106	56	546	412	6,338	5,086	124	42
03	BALANCE OF AREA.....	13,734	22	2	82	2,722	694	662	248	262	138	126	592	330	6,932	5,540	124	96
04	NONMETROPOLITAN COUNTIES	6,426	22	4	36	1,128	324	254	90	136	48	54	222	130	3,446	2,562	42	56
05	URBAN PLACES.....	1,606	6	-	6	286	98	56	36	32	8	8	48	20	938	712	14	16
06	BALANCE OF AREA.....	4,820	16	4	30	842	226	198	54	104	40	46	174	110	2,508	1,850	28	40
07	ALLEGANY.....	938	2	-	6	148	38	30	16	22	4	8	30	22	574	484	12	4
08	CUMBERLAND.....	468	2	-	-	72	20	10	10	12	-	4	16	8	304	252	2	2
09	BALANCE OF COUNTY....	470	-	-	6	76	18	20	6	10	4	4	14	14	270	232	10	2
10	ANNE ARUNDEL.....	1,958	6	-	6	410	112	88	42	44	26	12	86	44	998	794	24	6
11	ANNAPOLIS.....	348	-	-	2	74	24	12	4	12	10	2	10	6	176	130	2	-
12	BALANCE OF COUNTY....	1,610	6	-	4	336	88	76	38	32	16	10	76	38	822	664	22	6
13	BALTIMORE.....	4,760	8	-	42	938	260	248	72	82	44	42	190	136	2,548	2,058	36	42
14	BALTIMORE CITY.....	11,260	70	4	80	2,144	612	580	140	236	74	40	462	372	5,386	4,318	104	30
15	CALVERT.....	212	-	-	2	44	12	8	4	2	2	6	10	6	56	38	2	-
16	CAROLINE.....	308	4	-	-	42	12	14	-	4	2	-	10	6	170	130	-	6
17	CARROLL.....	622	-	-	2	100	18	22	2	10	2	6	40	10	332	244	4	4
18	CECIL.....	492	-	-	2	92	28	20	8	12	10	2	12	14	258	196	8	-
19	CHARLES.....	320	-	-	6	38	10	8	2	6	2	6	4	12	136	88	2	4
20	DORCHESTER.....	434	4	-	-	88	28	24	4	10	2	6	14	8	216	164	6	14
21	CAMBRIDGE.....	192	2	-	-	36	4	14	4	8	-	4	2	4	100	82	6	10
22	BALANCE OF COUNTY....	242	2	-	-	52	24	10	-	2	2	2	12	4	116	82	-	4
23	FREDERICK.....	720	2	-	-	140	50	28	16	14	2	8	22	16	382	294	6	4
24	FREDERICK.....	232	-	-	-	58	24	12	10	2	2	-	8	-	118	84	4	-
25	BALANCE OF COUNTY....	488	2	-	-	82	26	16	6	12	-	8	14	16	264	210	2	4
26	GARRETT.....	238	-	-	2	36	8	6	2	6	-	2	12	6	136	116	2	2
27	HARFORD.....	746	2	-	2	120	26	30	4	16	8	12	24	14	366	326	4	4
28	ABERDEEN.....	58	-	-	-	10	4	2	-	2	2	-	-	2	24	20	-	2
29	BALANCE OF COUNTY....	688	2	-	2	110	22	28	4	14	6	12	24	12	342	306	4	2
30	HOWARD.....	420	-	-	2	86	22	20	6	6	14	6	12	10	206	178	6	-
31	KENT.....	284	-	-	2	50	12	8	4	6	2	4	14	6	138	102	-	2
32	MONTGOMERY.....	3,208	6	-	14	656	174	150	96	52	26	32	126	58	1,628	1,278	28	20
33	ROCKVILLE.....	406	2	-	-	70	20	12	10	4	2	4	18	14	196	172	6	2
34	TAKOMA PARK, PART....	160	-	-	-	24	4	6	6	-	2	2	4	4	88	70	4	2
35	TAKOMA PARK, TOTAL...	204	-	-	-	38	10	6	6	2	4	2	8	4	108	88	6	2
36	BALANCE OF COUNTY....	2,642	4	-	14	562	150	132	80	48	22	26	104	40	1,344	1,036	18	16
37	PRINCE GEORGES.....	3,516	2	2	22	712	148	164	66	78	40	30	186	84	1,548	1,234	34	32
38	BOWIE.....	114	-	-	4	36	4	8	12	4	4	2	2	-	50	40	-	-
39	COLLEGE PARK.....	144	-	-	-	32	4	10	2	4	2	-	10	4	70	60	2	-
40	GREENBELT.....	58	-	-	-	10	-	-	-	-	-	-	10	4	24	18	-	-
41	HYATTSVILLE.....	484	-	-	2	102	24	26	12	10	6	4	20	4	228	180	-	2
42	LAUREL.....	126	-	-	-	16	4	4	2	-	-	2	4	2	58	46	2	4
43	NEW CARROLLTON.....	46	-	-	2	4	-	-	-	-	2	-	2	-	18	14	2	-
44	TAKOMA PARK, PART....	44	-	-	-	14	6	-	-	2	2	-	4	-	20	18	2	-
45	BALANCE OF COUNTY....	2,500	2	2	14	498	106	116	38	58	24	22	134	70	1,080	858	26	26
46	QUEEN ANNES.....	222	2	-	-	36	4	14	2	8	2	2	4	6	114	82	2	-
47	ST. MARYS.....	290	2	-	2	70	16	18	2	10	6	2	16	6	110	76	2	4
48	SOMERSET.....	282	-	2	6	38	12	14	2	6	-	-	4	6	164	108	-	2
49	TALBOT.....	296	-	-	2	56	10	12	4	4	6	-	20	4	158	106	2	4
50	WASHINGTON.....	1,006	2	-	4	188	58	36	18	26	10	4	36	12	580	444	6	-
51	HAGERSTOWN.....	470	2	-	4	80	26	16	8	10	6	-	14	6	272	204	2	-
52	BALANCE OF COUNTY....	536	-	-	-	108	32	20	10	16	4	4	22	6	308	240	4	-
53	WICOMICO.....	596	2	2	2	108	48	16	12	6	4	6	16	10	338	216	-	8
54	SALISBURY.....	244	-	-	2	40	24	4	4	-	-	-	8	2	144	90	-	4
55	BALANCE OF COUNTY....	352	2	2	-	68	24	12	8	6	4	6	8	8	194	126	-	4
56	WORCESTER.....	280	2	-	2	46	6	18	2	6	4	-	10	4	174	114	-	2
57	**MASSACHUSETTS...**	57,152	102	4	332	11,032	3,326	2,236	1,122	1,238	540	356	2,214	1,180	30,282	22,756	440	488
58	URBAN PLACES.....	41,640	88	2	270	8,024	2,496	1,610	802	876	400	238	1,602	870	21,946	16,558	334	364
59	BALANCE OF AREA.....	15,512	14	2	62	3,008	830	626	320	362	140	118	612	310	8,336	6,198	106	124
60	METROPOLITAN COUNTIES...	54,794	96	4	324	10,566	3,184	2,142	1,086	1,174	518	336	2,126	1,118	29,056	21,862	426	474
61	URBAN PLACES.....	41,640	88	2	270	8,024	2,496	1,610	802	876	400	238	1,602	870	21,946	16,558	334	364
62	BALANCE OF AREA.....	13,154	8	2	54	2,542	688	532	284	298	118	98	524	248	7,110	5,304	92	110
63	NONMETROPOLITAN COUNTIES	2,358	6	-	8	466	142	94	36	64	22	20	88	62	1,226	894	14	14
64	URBAN PLACES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65	BALANCE OF AREA.....	2,358	6	-	8	466	142	94	36	64	22	20	88	62	1,226	894	14	14
66	BARNSTABLE.....	1,412	4	-	4	296	96	58	24	46	10	10	52	34	728	524	14	6
67	BERKSHIRE.....	1,658	-	2	14	312	76	62	34	28	18	20	74	28	870	596	12	12
68	NORTH ADAMS.....	226	-	-	-	40	6	12	4	2	2	4	10	2	140	102	2	-
69	PITTSFIELD.....	586	-	-	6	124	38	26	12	8	6	4	30	14	284	178	4	4
70	BALANCE OF COUNTY....	846	-	2	8	148	32	24	18	18	10	12	34	12	446	316	6	8
71	BRISTOL.....	4,548	8	-	14	912	278	190	88	106	44	22	184	134	2,514	1,780	30	82
72	ATTLEBORO.....	302	2	-	2	50	22	8	2	4	2	-	12	4	164	112	4	6
73	FALL RIVER.....	1,170	-	-	4	214	76	28	30	28	10	10	32	52	632	440	12	12
74	NEW BEDFORD.....	1,112	4	-	-	238	80	52	8	32	14	4	48	32	622	426	-	30
75	SOMERSET TOWN#.....	166	-	-	4	28	6	2	-	4	2	-	14	4	100	86	-	-
76	TAUNTON.....	414	2	-	-	92	22	22	14	12	4	2	16	18	220	156	-	10
77	BALANCE OF COUNTY....	1,384	-	-	4	290	72	78	34	26	12	6	62	24	776	560	14	24
78	DUKES.....	92	2	-	-	8	2	-	-	-	2	-	4	2	52	36	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
9,710	530	84	1,872	324	364	722	284	78	780	158	6	218	400	158	2,326	612	754	388	454	102	01
4,656	264	50	898	134	170	340	120	38	472	100	4	78	198	74	1,230	218	360	162	344	58	02
5,054	266	34	974	190	194	382	164	40	308	58	2	140	202	84	1,096	394	394	226	110	44	03
2,384	80	20	690	98	76	186	104	28	98	40	4	54	102	52	436	198	198	106	46	8	04
676	6	8	170	14	34	46	36	8	32	10	-	14	20	2	94	16	46	22	4	-	05
1,708	74	12	520	84	42	140	68	20	66	30	4	40	82	50	342	182	152	84	42	8	06
460	8	2	62	14	12	10	14	2	18	4	-	4	10	2	46	20	30	24	2	-	07
244	4	2	36	6	8	6	4	2	14	-	-	-	6	-	18	-	20	10	2	-	08
216	4	-	26	8	4	4	10	-	4	4	-	4	4	2	28	20	10	14	-	-	09
732	32	4	152	26	22	46	22	8	50	8	2	16	24	18	122	58	62	32	20	6	10
124	4	-	34	6	6	4	4	2	6	-	2	2	2	8	28	6	14	8	2	2	11
608	28	4	118	20	16	42	18	6	44	8	-	14	22	10	94	52	48	24	18	4	12
1,878	102	6	350	56	78	126	52	8	88	16	-	44	48	14	376	90	128	68	22	8	13
3,960	224	44	764	112	148	272	102	26	426	90	2	54	148	60	1,056	158	318	112	330	50	14
30	6	-	12	6	-	8	2	-	8	-	-	4	4	30	22	10	8	-	8	-	15
122	2	2	34	4	-	14	-	-	4	2	-	4	2	-	32	10	6	6	6	-	16
228	8	2	60	14	12	30	8	-	6	2	-	10	16	4	58	16	20	6	2	-	17
182	6	4	38	4	16	14	6	-	18	2	-	10	2	2	24	24	14	6	-	4	18
78	4	-	40	4	4	8	-	2	12	-	-	4	12	-	22	32	16	14	6	-	19
138	6	4	36	2	10	12	2	6	10	4	-	-	12	2	40	10	16	2	2	-	20
64	2	2	10	-	6	-	2	2	6	2	-	-	6	-	20	4	8	-	-	-	21
74	4	2	26	2	4	12	-	4	4	2	-	-	6	2	20	6	8	2	2	-	22
278	6	2	72	8	6	20	16	6	14	4	-	8	10	2	44	30	16	10	-	-	23
80	-	-	24	6	4	6	4	4	6	2	-	-	2	2	14	4	4	8	-	-	24
198	6	2	48	2	2	14	12	2	8	2	-	8	8	-	30	26	12	2	-	-	25
110	2	-	10	8	2	4	4	4	2	2	-	-	2	-	14	10	8	8	-	-	26
308	10	2	24	8	6	22	12	-	10	-	-	14	16	10	60	56	16	20	2	4	27
16	2	-	-	2	2	-	-	-	4	-	-	4	-	-	8	4	-	-	-	2	28
292	8	2	24	6	4	22	12	-	6	-	-	10	16	10	52	52	16	20	2	2	29
170	2	2	14	6	6	4	-	2	14	4	-	4	4	4	38	18	18	2	2	2	30
90	10	-	22	12	2	14	2	4	-	-	-	-	6	4	40	2	8	8	-	-	31
1,154	76	10	242	64	34	82	44	16	76	22	2	14	44	16	256	86	98	70	14	6	32
156	8	4	12	6	2	18	6	-	6	4	-	2	6	-	32	22	8	20	-	-	33
54	10	-	16	2	-	4	-	-	8	2	-	-	2	-	16	6	4	2	-	-	34
70	10	-	18	2	-	8	-	-	8	2	-	2	2	2	18	6	4	2	-	-	35
944	58	6	214	56	32	60	38	16	62	16	2	12	36	16	208	58	86	48	14	6	36
1,098	70	10	228	34	42	126	38	18	92	14	-	52	98	30	336	106	80	72	62	22	37
38	2	2	8	-	-	-	-	4	2	2	-	-	2	-	4	4	2	-	2	2	38
54	4	-	6	2	2	4	4	-	4	2	-	-	4	-	14	4	2	-	-	-	39
18	-	-	6	-	-	2	2	-	-	-	-	4	8	-	2	-	-	-	2	-	40
170	8	-	38	2	8	20	-	6	12	-	-	6	8	2	48	12	10	14	8	2	41
38	2	-	8	2	2	10	-	-	2	-	-	4	14	2	14	2	2	-	-	-	42
12	-	-	4	-	-	2	2	-	2	-	-	-	4	-	6	-	-	6	-	-	43
16	-	-	2	-	-	4	-	-	-	-	-	2	-	2	2	-	-	-	-	-	44
752	54	8	156	28	30	84	30	8	70	10	-	36	58	24	246	84	64	52	50	18	45
80	-	-	28	-	4	2	4	-	-	-	-	4	-	2	20	14	10	6	2	-	46
68	2	2	26	2	4	12	-	-	6	2	2	-	14	-	18	14	18	8	2	4	47
100	6	2	50	4	-	10	4	-	10	6	-	4	2	2	20	2	6	-	-	-	48
98	2	-	34	8	10	6	4	-	-	2	2	-	4	2	36	4	8	4	4	-	49
430	8	4	106	14	12	38	28	-	10	4	-	20	10	2	54	18	26	8	2	-	50
202	-	4	54	-	10	22	16	-	6	-	-	12	4	-	32	4	8	2	-	-	51
228	8	-	52	14	2	16	12	-	4	4	-	8	6	2	22	14	18	6	2	-	52
202	6	2	106	4	10	24	16	2	2	10	-	2	10	2	20	16	16	4	8	2	53
86	-	-	46	2	6	12	10	-	-	6	-	2	2	-	10	4	6	2	2	-	54
116	6	2	60	2	4	12	6	2	2	4	-	-	8	2	10	12	10	2	6	2	55
100	12	-	52	8	-	4	8	2	2	-	-	-	4	2	8	6	6	4	4	2	56
20,870	958	208	5,754	748	816	2,582	750	260	1,130	204	8	360	622	420	4,320	1,110	1,674	466	248	66	57
15,122	738	140	4,136	522	590	1,968	552	186	868	160	6	250	428	294	3,208	696	1,236	312	216	60	58
5,748	220	68	1,618	226	226	614	198	74	262	44	2	110	194	126	1,112	414	438	154	32	6	59
20,022	940	194	5,516	706	778	2,514	716	248	1,082	196	8	338	600	392	4,156	1,048	1,586	438	244	64	60
15,122	738	140	4,136	522	590	1,968	552	186	868	160	6	250	428	294	3,208	696	1,236	312	216	60	61
4,900	202	54	1,380	184	188	546	164	62	214	36	2	88	172	98	948	352	350	126	28	4	62
848	18	14	238	42	38	60	34	12	48	8	-	22	22	28	164	62	88	28	4	2	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
848	18	14	238	42	38	68	34	12	48	8	-	22	22	28	164	62	88	28	4	2	65
492	12	6	146	32	20	34	20	4	26	4	-	14	14	20	102	38	50	16	4	-	66
538	34	12	198	30	34	90	24	10	36	12	-	4	28	8	130	28	48	10	4	-	67
94	6	2	24	4	8	10	8	4	2	-	-	-	2	-	10	2	4	2	-	-	68
154	16	2	82	10	12	44	2	-	18	6	-	2	12	2	40	8	18	4	2	-	69
290	12	8	92	16	14	36	14	6	16	6	-	2	14	6	80	18	26	4	2	-	70
1,616	52	24	582	80	48	126	76	12	78	10	2	24	54	14	304	88	114	38	26	-	71
94	8	-	44	4	4	14	4	-	8	-	-	4	10	2	16	8	14	-	-	-	72
406	10	8	148	22	14	32	26	4	16	6	-	4	18	6	84	18	30	10	14	-	73
384	12	4	158	28	6	36	14	4	20	-	-	6	14	4	66	14	32	4	2	-	74
82	4	-	10	4	-	-	4	-	4	-	-	-	-	-	14	-	6	2	-	-	75
146	-	2	58	4	-	6	6	2	8	2	-	-	-	2	30	8	12	4	2	-	76
504	18	10	164	18	24	38	22	2	22	2	2	10	12	-	94	40	20	18	8	-	77
36	-	-	10	2	4	4	4	-	6	2	-	-	-	-	2	2	4	2	-	2	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MASSACHUSETTS-CON.																	
01	ESSEX	6,778	14	-	60	1,308	422	252	86	174	62	50	262	140	3,776	2,858	46	54
02	BEVERLY	312	-	-	2	64	28	10	2	2	4	4	14	2	166	130	-	2
03	DANVERS TOWN#	208	2	-	2	46	18	4	6	6	4	2	6	2	96	86	-	2
04	GLOUCESTER	324	-	-	6	46	14	16	-	6	4	-	6	6	188	140	2	-
05	HAVERHILL	644	-	-	10	102	32	32	-	14	-	10	14	24	372	268	-	16
06	LAWRENCE	878	2	-	4	164	48	22	12	22	12	8	40	8	518	376	4	-
07	LYNN	1,204	2	-	6	252	88	34	22	38	8	10	52	20	676	542	8	6
08	MARBLEHEAD TOWN#	194	-	-	4	50	18	6	10	2	2	-	12	4	110	70	4	2
09	METHUEN TOWN#	338	-	-	2	58	30	6	2	6	2	-	12	16	194	146	2	4
10	NEWBURYPORT	214	-	-	-	32	12	4	2	2	4	-	8	8	124	90	2	-
11	PEABODY	374	2	-	6	86	16	22	12	12	4	2	18	2	196	162	8	2
12	SALEM	454	2	-	6	76	18	12	4	14	4	-	24	12	226	166	-	4
13	SAUGUS TOWN#	198	-	-	-	50	16	20	-	6	-	-	8	10	96	76	-	2
14	SWAMPSCOTT TOWN#	132	2	-	-	22	6	-	2	4	4	2	4	2	82	66	-	2
15	BALANCE OF COUNTY	1,304	2	-	12	260	78	64	12	40	10	12	44	24	732	540	16	12
16	FRANKLIN	726	-	-	4	138	38	36	8	12	6	10	28	26	370	284	-	8
17	HAMPDEN	4,606	4	-	28	834	266	184	88	86	50	28	132	116	2,480	1,834	42	24
18	CHICOPEE	588	-	-	4	108	42	26	4	12	6	4	14	22	316	248	6	-
19	HOLYOKE	644	2	-	2	120	38	18	26	8	12	4	14	12	362	274	6	6
20	LONGMEADOW TOWN#	132	-	-	-	22	8	2	2	6	-	-	4	2	84	58	-	-
21	SPRINGFIELD	1,938	2	-	16	330	102	72	26	30	24	8	68	46	1,024	728	26	12
22	WESTFIELD	268	-	-	4	60	16	18	8	10	-	2	6	6	140	100	2	-
23	WEST SPRINGFIELD TOWN#	266	-	-	-	50	24	10	2	4	2	2	6	14	138	92	-	-
24	BALANCE OF COUNTY	770	-	-	2	144	36	38	20	16	6	8	20	14	416	334	2	6
25	HAMPSHIRE	1,054	-	-	2	208	68	40	20	20	12	2	46	24	558	408	10	6
26	AMHERST TOWN#	76	-	-	-	10	6	-	-	-	-	-	4	2	38	22	2	-
27	NORTHAMPTON	294	-	-	2	56	10	18	6	6	2	2	12	10	158	118	4	-
28	BALANCE OF COUNTY	684	-	-	-	142	52	22	14	14	10	-	30	12	362	268	4	6
29	MIDDLESEX	12,326	16	-	72	2,436	744	510	286	248	130	52	466	224	6,464	4,958	108	102
30	ARLINGTON TOWN#	536	4	-	-	94	34	24	10	12	-	2	12	14	282	204	2	4
31	BELMONT TOWN#	356	-	-	-	82	10	28	8	12	4	-	20	4	192	150	6	4
32	BILLERICA TOWN#	176	2	-	-	34	6	12	2	2	-	-	12	-	82	62	-	2
33	BURLINGTON TOWN#	92	-	-	-	20	8	6	-	-	2	-	4	2	38	20	-	2
34	CAMBRIDGE	978	-	-	2	194	56	48	18	16	8	2	46	8	488	374	14	4
35	CHELMSFORD TOWN#	148	-	-	2	26	16	4	2	-	-	-	4	-	76	68	-	6
36	EVERETT	486	-	-	6	120	44	38	10	2	4	4	18	10	248	192	4	10
37	FRAMINGHAM TOWN#	454	-	-	6	82	24	12	16	14	4	-	12	6	258	208	8	-
38	LEXINGTON TOWN#	200	-	-	2	40	14	8	10	2	-	2	4	2	94	68	-	2
39	LOWELL	1,214	2	-	4	210	76	32	24	12	26	2	38	12	696	534	6	10
40	MALDEN	712	-	-	8	138	34	32	14	30	6	2	20	10	412	322	12	10
41	MARLBOROUGH	224	-	-	4	34	10	6	-	6	2	2	8	6	120	90	4	2
42	MEDFORD	676	2	-	2	134	62	22	10	12	2	4	22	12	378	286	2	10
43	MELROSE	308	2	-	-	62	12	10	4	12	6	-	18	4	176	128	2	6
44	NATICK TOWN#	232	-	-	2	36	14	4	2	2	6	-	8	12	112	76	-	2
45	NEWTON	822	-	-	2	162	54	22	26	16	4	2	38	28	452	354	8	4
46	READING TOWN#	186	2	-	2	34	8	8	6	-	-	2	10	-	100	74	-	2
47	SOMERVILLE	942	-	-	6	208	52	56	36	16	12	2	34	22	448	358	12	4
48	STONEHAM TOWN#	164	-	-	4	40	8	10	4	2	2	4	10	-	88	56	-	-
49	WAKEFIELD TOWN#	244	-	-	6	46	16	4	2	10	4	2	8	8	126	96	2	-
50	WALTHAM	588	-	-	2	116	42	22	14	18	8	2	10	12	286	222	2	2
51	WATERTOWN TOWN#	408	-	-	4	78	12	18	6	4	6	2	30	14	208	164	2	2
52	WINCHESTER TOWN#	180	-	-	-	44	10	6	12	2	6	2	6	4	88	60	6	-
53	WOBURN	260	2	-	-	44	16	10	2	2	-	2	12	-	146	114	4	6
54	BALANCE OF COUNTY	1,740	-	-	8	358	106	68	48	44	18	12	62	34	870	678	12	8
55	NANTUCKET	128	-	-	-	24	6	-	4	6	4	-	4	-	76	50	-	-
56	NORFOLK	5,436	8	-	48	1,132	304	218	132	122	48	36	272	98	2,768	2,042	36	42
57	BRAINTREE TOWN#	338	-	-	4	70	26	16	14	4	-	2	8	6	194	152	2	2
58	BROOKLINE TOWN#	784	-	-	4	190	54	30	20	16	6	2	62	14	398	306	6	4
59	DEDHAM TOWN#	220	-	-	4	50	10	10	8	8	2	-	12	6	100	82	6	-
60	HOLBROOK TOWN#	70	-	-	-	24	10	2	2	2	2	-	6	-	40	32	-	4
61	MILTON TOWN#	330	-	-	4	82	36	8	8	10	6	2	12	8	164	136	4	2
62	NEEDHAM TOWN#	206	-	-	-	34	14	4	4	4	2	-	6	4	92	68	6	-
63	NORWOOD TOWN#	258	-	-	6	52	14	10	2	6	2	8	10	2	128	94	-	4
64	QUINCY	978	-	-	10	208	46	44	26	26	10	2	54	14	498	366	2	20
65	RANDOLPH TOWN#	192	6	-	-	46	14	10	6	2	4	2	8	2	86	66	-	-
66	WELLESLEY TOWN#	232	-	-	4	38	18	2	4	8	-	2	4	10	122	90	2	-
67	WEYMOUTH TOWN#	454	-	-	2	92	10	34	10	6	8	4	20	6	246	166	-	-
68	BALANCE OF COUNTY	1,374	2	-	10	246	52	48	28	30	6	12	70	26	700	484	8	6
69	PLYMOUTH	3,204	2	-	18	622	156	124	78	58	36	20	150	76	1,748	1,324	26	30
70	BROCKTON	964	-	-	12	186	54	44	26	8	12	6	36	28	510	378	10	8
71	ROCKLAND TOWN#	130	-	-	-	22	8	-	-	8	-	2	4	2	78	58	2	-
72	WHITMAN TOWN#	120	-	-	-	32	16	6	2	2	2	-	4	4	60	44	-	-
73	BALANCE OF COUNTY	1,990	2	-	6	382	78	74	50	40	22	12	106	42	1,100	844	14	22
74	SUFFOLK	8,688	38	2	52	1,552	482	324	152	162	68	60	304	176	4,268	3,366	86	80
75	BOSTON	7,660	36	2	46	1,344	424	284	116	140	58	56	266	166	3,670	2,858	74	68
76	CHELSEA	354	2	-	4	72	20	6	18	12	4	-	12	4	204	174	8	4
77	REVERE	442	-	-	2	100	28	24	14	6	6	4	18	6	234	198	2	6
78	WINTHROP TOWN#	232	-	-	-	36	10	10	4	4	-	-	8	-	160	136	2	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
2,612	146	38	688	124	68	292	72	36	122	20	-	48	60	36	444	106	160	58	18	8	01
124	4	2	24	4	6	16	2	4	10	-	-	4	2	2	18	6	10	4	-	-	02
82	2	-	6	2	2	10	-	2	2	-	-	4	-	4	24	4	4	4	-	2	03
132	6	-	36	12	-	30	2	-	2	-	-	2	2	4	18	6	6	4	2	-	04
236	16	6	82	6	10	18	10	2	12	6	-	4	4	6	50	4	18	2	-	-	05
362	10	8	102	24	8	36	6	2	32	2	-	2	12	2	52	16	18	2	-	-	06
502	26	-	110	12	12	52	6	4	12	6	-	6	14	2	66	18	34	16	8	4	07
58	6	4	26	8	2	-	-	2	-	-	-	2	2	-	8	2	4	6	-	-	08
130	10	-	36	8	4	8	6	4	2	-	-	2	2	-	24	4	6	8	2	-	09
80	8	-	30	4	-	8	4	-	2	2	-	2	2	2	4	8	12	2	2	-	10
142	10	2	30	-	2	16	4	-	8	-	-	2	4	-	30	4	10	2	2	-	11
146	16	4	42	8	6	14	16	-	16	4	-	4	4	2	54	6	10	-	-	2	12
66	8	-	20	-	-	10	2	2	4	-	-	2	2	2	10	4	4	-	-	-	13
62	2	-	14	-	2	10	-	-	-	-	-	-	-	-	14	-	-	-	-	-	14
490	22	12	130	36	14	64	14	14	20	-	-	12	10	10	72	24	24	8	2	-	15
272	4	8	62	2	14	24	10	8	16	-	-	6	8	8	52	18	28	10	-	-	16
1,714	54	16	502	50	78	178	64	18	110	20	-	28	30	32	312	96	174	60	18	4	17
232	10	-	56	-	12	26	8	2	16	2	-	4	2	4	36	12	18	8	-	-	18
260	2	-	76	4	8	20	6	2	18	4	-	4	6	2	42	14	22	4	-	2	19
58	-	-	22	2	2	2	4	-	2	-	-	-	-	-	4	2	4	4	2	-	20
662	28	10	222	32	32	80	32	4	50	8	-	16	14	16	142	44	80	18	14	2	21
92	6	-	38	-	2	12	2	2	4	2	-	-	-	2	12	8	10	4	-	-	22
88	4	6	30	2	8	8	-	4	4	2	-	-	-	2	24	-	14	6	-	-	23
322	4	-	58	10	14	30	12	4	16	2	-	4	8	6	52	16	26	16	2	-	24
372	20	-	136	4	10	50	24	4	14	2	-	6	8	6	84	26	30	8	-	-	25
18	2	-	16	-	-	6	2	-	2	-	-	-	-	-	8	2	6	-	-	-	26
106	8	-	36	2	2	12	8	2	2	-	-	2	2	2	24	8	2	4	-	-	27
248	10	-	84	2	8	32	14	2	10	2	-	4	6	4	52	16	22	4	-	-	28
4,562	186	34	1,162	148	162	598	190	70	236	38	4	84	114	80	906	254	372	116	36	16	29
190	8	-	62	8	8	24	10	4	8	6	-	-	4	8	48	12	10	4	4	-	30
140	-	2	32	4	4	26	8	4	2	-	-	-	2	-	18	4	6	6	2	-	31
60	-	-	16	4	-	12	4	-	2	2	-	4	2	2	12	12	4	2	-	-	32
18	-	-	18	-	-	8	2	-	4	-	-	2	-	-	10	2	4	-	-	-	33
342	14	4	88	2	20	70	16	-	22	-	2	2	4	14	94	10	36	14	2	-	34
60	2	-	6	2	-	6	2	2	4	-	-	2	6	-	8	8	6	-	-	-	35
168	10	2	48	4	2	12	8	-	8	2	-	4	2	4	46	4	12	-	-	-	36
198	2	-	46	-	4	26	6	2	8	2	-	6	8	2	28	2	6	2	2	2	37
62	4	-	22	-	4	16	6	-	4	-	-	-	-	2	22	2	6	4	-	-	38
512	6	6	114	32	10	48	12	6	38	2	-	12	16	2	74	22	40	10	4	4	39
288	12	4	60	12	14	22	6	8	18	-	-	4	10	-	40	10	22	2	2	-	40
80	4	-	26	2	2	16	6	2	2	-	-	6	2	-	16	8	2	-	-	-	41
258	16	2	64	14	12	18	8	2	14	8	-	8	10	4	44	12	14	4	-	2	42
112	8	-	38	4	6	14	8	2	2	-	-	-	-	-	16	6	14	-	-	2	43
72	2	-	20	8	8	16	4	2	8	2	-	-	2	2	26	4	4	-	-	-	44
324	18	2	82	4	10	30	4	6	-	4	-	-	-	10	64	12	38	4	4	2	45
70	2	-	18	2	6	12	6	2	8	-	-	2	2	-	12	-	-	4	-	-	46
324	18	-	70	12	8	60	22	12	30	-	-	6	6	10	54	8	28	8	10	4	47
54	2	2	26	-	4	-	4	2	2	-	-	-	2	4	4	4	8	2	-	-	48
84	10	-	28	-	2	12	6	2	4	-	-	2	-	-	14	-	14	4	-	-	49
202	16	-	42	14	8	36	6	2	14	-	-	-	4	-	62	20	18	8	2	-	50
150	10	2	38	-	4	16	10	2	10	-	-	-	8	4	36	-	10	4	4	-	51
52	2	2	16	4	6	8	-	-	-	2	2	4	-	2	12	4	6	4	-	-	52
104	-	-	28	-	4	14	8	-	4	2	-	2	4	-	14	14	4	2	-	-	53
638	20	6	154	16	16	76	18	8	20	6	-	18	20	10	132	74	60	28	-	-	54
48	2	-	20	6	-	6	-	-	-	2	-	2	-	-	8	4	6	-	-	-	55
1,072	92	12	558	68	88	230	56	16	100	24	-	38	56	120	432	94	150	42	22	2	56
140	8	-	28	8	6	8	4	-	2	2	-	4	4	-	26	-	14	-	-	-	57
274	22	-	74	6	12	42	4	4	8	4	-	2	-	12	70	8	12	4	8	-	58
70	6	-	12	6	-	10	2	2	-	2	-	-	-	4	24	4	8	4	-	-	59
28	-	-	8	-	-	-	2	-	-	-	-	4	-	-	-	-	-	-	-	-	60
128	2	-	20	2	6	12	2	-	8	-	-	4	-	2	22	10	10	2	-	-	61
60	2	2	20	-	2	8	4	-	-	-	-	6	2	2	32	4	12	6	-	-	62
86	4	-	26	4	4	14	4	2	6	-	-	2	-	16	14	4	8	-	-	-	63
324	20	-	112	6	14	32	10	2	28	4	-	4	10	54	70	10	14	4	4	2	64
64	2	-	10	-	10	14	-	-	-	-	-	4	2	6	12	12	-	2	-	-	65
82	6	2	24	2	4	10	4	-	6	2	-	2	6	2	10	2	10	-	4	-	66
164	2	6	52	12	10	20	8	-	6	-	-	-	2	4	34	12	12	8	2	-	67
452	18	2	172	22	20	60	12	6	36	10	-	6	30	18	118	28	50	12	4	-	68
1,210	58	12	344	24	44	126	42	6	60	6	-	26	34	40	202	80	90	26	-	-	69
346	14	4	108	8	12	48	20	2	20	2	-	10	8	12	56	16	28	6	-	-	70
56	-	-	14	4	2	4	-	-	2	2	-	-	2	2	6	4	6	-	-	-	71
44	-	-	16	-	-	-	2	-	4	-	-	2	2	-	8	2	2	2	-	-	72
764	44	8	206	12	30	74	20	4	34	2	-	14	22	26	132	58	54	18	-	-	73
3,026	174	16	686	86	114	540	88	50	234	36	2	44	130	28	838	138	304	42	102	24	74
2,558	158	14	614	72	112	496	80	44	224	26	-	44	126	26	776	122	276	38	96	22	75
160	2	-	22	6	2	18	4	2	8	2	-	-	2	-	14	2	14	-	2	-	76
180	10	2	30	4	-	16	2	4	2	8	2	-	2	-	36	8	14	-	4	2	77
128	4	-	20	4	-	10	2	-	-	-	-	-	-	2	12	6	-	4	-	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MASSACHUSETTS--CON.																	
01	WORCESTER	6,496	6	-	16	1,250	388	238	122	170	50	46	236	102	3,610	2,696	30	42
02	CLINTON TOWN#	138	-	-	2	22	6	4	2	4	2	-	4	-	76	54	-	2
03	FITCHBURG	520	-	-	2	108	38	12	8	18	6	4	22	8	292	202	-	4
04	GARDNER	228	-	-	2	54	26	8	4	6	-	-	10	-	114	88	4	-
05	LEOMINSTER	284	2	-	-	46	10	12	2	6	2	4	10	4	144	106	2	-
06	WORCESTER	2,264	2	-	6	448	126	86	46	66	16	14	94	30	1,276	966	8	14
07	BALANCE OF COUNTY	3,062	2	-	4	572	182	116	60	70	24	24	96	60	1,708	1,280	16	18
08	**MICHIGAN**	78,674	148	10	366	14,080	3,714	3,226	1,322	1,714	694	592	2,818	2,216	41,018	30,516	552	476
09	URBAN PLACES	46,712	110	4	238	8,422	2,236	1,978	832	1,014	396	338	1,628	1,348	23,834	18,046	324	286
10	BALANCE OF AREA	31,962	38	6	128	5,658	1,478	1,248	490	700	298	254	1,190	868	17,184	12,470	228	190
11	METROPOLITAN COUNTIES	56,830	108	8	280	10,416	2,752	2,480	996	1,200	526	434	2,028	1,548	29,008	21,980	418	322
12	URBAN PLACES	43,086	102	4	220	7,818	2,092	1,858	770	920	378	304	1,496	1,252	21,824	16,654	294	258
13	BALANCE OF AREA	13,744	6	4	60	2,598	660	622	226	280	148	130	532	296	7,184	5,326	124	64
14	NONMETROPOLITAN COUNTIES	21,844	40	2	86	3,664	962	746	326	514	168	158	790	668	12,010	8,536	134	154
15	URBAN PLACES	3,626	8	-	18	604	144	120	62	94	18	34	132	96	2,010	1,392	30	28
16	BALANCE OF AREA	18,218	32	2	68	3,060	818	626	264	420	150	124	658	572	10,000	7,144	104	126
17	ALCONA	104	-	-	-	26	4	6	2	2	4	2	6	2	56	36	-	2
18	ALGER	100	-	-	-	18	8	4	2	2	-	-	2	8	48	30	-	4
19	ALLEGAN	668	2	-	-	88	26	12	4	18	4	4	20	28	346	236	6	2
20	HOLLAND, PART	22	-	-	-	8	2	-	-	2	2	-	2	2	10	8	-	-
21	BALANCE OF COUNTY	646	2	-	-	80	24	12	4	16	2	4	18	26	336	228	6	2
22	ALPENA	314	-	-	-	54	16	8	6	12	2	-	10	18	160	120	4	-
23	ALPENA	162	-	-	-	28	4	6	2	8	-	-	8	10	86	64	4	-
24	BALANCE OF COUNTY	152	-	-	-	26	12	2	4	4	2	-	2	8	74	56	-	-
25	ANTRIM	170	-	-	-	28	6	6	-	4	4	2	6	8	94	72	-	2
26	ARENAC	148	-	-	-	28	2	8	4	2	-	2	10	4	78	54	-	-
27	BARAGA	102	-	-	-	18	2	4	4	2	4	-	2	-	58	34	2	4
28	BARRY	344	-	-	2	66	20	8	8	18	4	-	8	6	194	132	4	4
29	BAY	1,016	-	-	4	188	44	50	24	24	10	8	28	24	562	392	6	2
30	BAY CITY	590	-	-	2	94	20	28	12	16	4	2	12	22	320	222	-	2
31	MIDLAND, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	BALANCE OF COUNTY	436	-	-	2	94	24	22	12	8	6	6	16	2	242	170	6	-
33	BENZIE	106	-	-	-	20	4	2	2	2	-	2	8	-	66	52	2	-
34	BERRIEN	1,620	4	-	8	302	78	50	40	48	14	16	56	38	846	604	6	22
35	BENTON HARBOR	256	2	-	4	26	6	4	6	6	-	2	2	6	140	94	2	4
36	NILES	168	-	-	-	36	10	8	6	6	-	2	4	2	84	58	2	2
37	ST. JOSEPH	146	-	-	-	22	2	8	4	2	-	-	6	-	90	72	2	2
38	BALANCE OF COUNTY	1,050	2	-	4	218	60	30	24	34	14	12	44	30	532	380	-	14
39	BRANCH	394	2	-	6	66	22	12	8	4	-	-	20	8	220	146	2	-
40	CALHOUN	1,362	4	-	6	250	60	54	22	32	4	8	70	42	708	518	10	18
41	ALBION	124	-	-	-	16	2	-	4	2	-	2	6	6	66	58	4	2
42	BATTLE CREEK	620	4	-	2	116	26	22	12	18	2	4	32	16	320	224	2	4
43	BALANCE OF COUNTY	618	-	-	4	118	32	32	6	12	2	2	32	20	322	236	4	12
44	CASS	444	-	-	2	88	28	24	6	14	6	-	10	-	206	140	-	2
45	CHARLEVOIX	184	-	-	2	30	6	2	6	6	4	4	2	6	106	78	2	-
46	CHEBOYGAN	198	-	-	2	22	4	4	8	2	-	-	4	-	114	102	-	-
47	CHIPPEWA	302	-	-	-	54	14	18	4	4	-	2	12	10	166	110	2	6
48	SAULT STE. MARIE	176	-	-	-	30	8	8	4	-	-	2	8	2	100	74	2	4
49	BALANCE OF COUNTY	126	-	-	-	24	6	10	-	4	-	-	4	8	66	36	-	2
50	CLARE	224	2	-	-	44	6	12	-	4	4	6	12	6	136	106	-	-
51	CLINTON	344	-	-	-	62	14	12	8	6	2	6	14	8	208	138	6	6
52	LANSING, PART	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
53	BALANCE OF COUNTY	340	-	-	-	62	14	12	8	6	2	6	14	8	206	138	6	6
54	CRAWFORD	76	-	-	-	22	6	-	2	-	6	-	8	-	40	24	-	-
55	DELTA	424	2	-	4	80	24	24	8	10	4	2	8	16	226	154	2	-
56	ESCANABA	200	-	-	2	42	14	12	8	4	2	2	-	4	108	60	-	-
57	BALANCE OF COUNTY	224	2	-	2	38	10	12	-	6	2	-	8	12	118	94	2	-
58	DICKINSON	300	-	-	-	48	14	14	2	8	2	-	8	6	192	116	2	6
59	EATON	520	2	-	2	84	30	16	2	2	4	4	26	14	290	226	10	6
60	LANSING, PART	8	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-
61	BALANCE OF COUNTY	512	2	-	2	84	30	16	2	2	4	4	26	14	286	222	10	6
62	EMMET	218	-	-	4	40	12	12	4	6	-	4	2	4	130	104	-	2
63	GENESEE	3,180	-	2	18	584	128	152	52	74	28	26	124	62	1,660	1,246	22	14
64	FLINT	1,686	-	-	12	310	64	84	24	54	12	10	62	44	844	626	8	8
65	BALANCE OF COUNTY	1,494	-	2	6	274	64	68	28	20	16	16	62	18	816	620	14	6
66	GLADWIN	178	-	-	-	20	2	8	2	-	4	-	4	2	116	86	-	-
67	GOGEBIC	326	-	-	4	34	8	10	-	4	-	-	12	22	190	150	-	8
68	GRAND TRAVERSE	390	-	-	2	66	24	16	2	8	2	8	6	6	206	130	2	-
69	TRAVERSE CITY	168	-	-	2	24	6	6	-	4	-	6	2	4	100	58	-	-
70	BALANCE OF COUNTY	222	-	-	-	42	18	10	2	4	2	2	4	2	106	72	2	-
71	GRATIOT	362	-	-	-	54	14	6	2	14	4	2	12	10	208	136	-	-
72	HILLSDALE	378	-	-	2	58	6	10	8	12	2	8	12	16	194	138	6	-
73	HOUGHTON	516	2	-	2	66	28	4	8	4	2	-	20	8	314	240	2	2
74	HURON	410	2	-	-	66	26	16	4	4	2	2	12	12	236	146	2	4
75	INGHAM	1,754	2	-	8	300	84	52	24	36	18	18	68	48	878	662	20	14
76	EAST LANSING	146	2	-	-	22	10	-	4	-	2	-	6	-	82	54	-	-
77	LANSING, PART	1,108	-	-	6	190	58	30	14	22	12	14	40	34	572	428	16	12
78	LANSING, TOTAL	1,120	-	-	6	190	58	30	14	22	12	14	40	34	578	432	16	12
79	BALANCE OF COUNTY	500	-	-	2	88	16	22	6	14	4	4	22	14	224	180	4	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
2,500	124	30	660	92	132	284	80	26	92	28	-	36	86	28	504	138	144	38	18	10	01
48	4	-	14	-	8	4	-	-	2	-	-	6	2	-	18	-	4	2	-	-	02
192	6	4	54	16	16	14	10	2	4	4	-	-	2	-	46	18	8	-	2	-	03
84	-	6	12	-	8	4	8	4	6	-	-	2	2	-	22	4	4	-	2	-	04
102	2	6	26	-	6	14	-	-	14	4	-	-	2	4	30	6	8	6	-	-	05
802	58	6	234	24	46	112	24	4	26	14	-	10	28	6	172	32	52	12	4	6	06
1,192	54	8	320	52	48	136	38	16	40	6	-	18	50	18	216	78	68	18	10	4	07
28,130	1,358	296	7,998	1,162	1,046	2,188	1,386	330	1,626	336	26	678	1,598	542	5,306	2,358	2,232	1,056	1,070	104	08
16,712	724	172	4,530	522	564	1,378	794	200	1,198	226	24	396	1,054	346	3,214	1,044	1,234	614	962	72	09
11,418	634	124	3,468	640	482	810	592	130	428	110	2	282	544	196	2,092	1,314	998	442	108	32	10
20,366	874	186	5,442	690	710	1,614	988	248	1,358	258	24	534	1,244	408	3,816	1,522	1,562	780	1,020	86	11
15,468	634	154	4,052	446	518	1,290	734	184	1,156	216	24	368	970	320	2,958	948	1,126	560	944	68	12
4,898	240	32	1,390	244	192	324	254	64	202	42	-	166	274	88	858	574	436	220	76	18	13
7,764	484	110	2,556	472	336	574	398	82	268	78	2	144	354	134	1,490	836	670	276	50	18	14
1,244	90	18	478	76	46	88	60	16	42	10	-	28	84	26	256	96	108	54	18	4	15
6,520	394	92	2,078	396	290	486	338	66	226	68	2	116	270	108	1,234	740	562	222	32	14	16
30	4	-	18	-	2	2	-	-	-	-	-	-	4	4	10	-	-	-	-	-	17
24	2	-	12	2	4	4	-	-	4	2	-	-	-	-	10	-	2	4	-	-	18
216	12	6	64	26	14	34	10	2	6	2	-	6	6	4	56	38	22	14	4	-	19
6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	20
210	10	6	62	26	14	34	10	2	6	2	-	6	6	4	54	38	22	14	4	-	21
114	2	2	26	6	6	6	4	-	2	4	-	2	6	-	18	20	12	8	-	-	22
58	2	-	18	4	-	4	4	-	-	2	-	-	4	-	8	10	4	2	-	-	23
56	-	2	8	2	6	2	-	-	2	2	-	2	2	-	10	10	8	6	-	-	24
70	-	-	20	2	-	4	10	-	-	-	-	2	-	-	14	6	4	-	-	-	25
48	6	2	20	2	-	2	6	-	6	-	-	-	2	-	16	2	4	-	-	-	26
26	2	2	16	-	6	8	-	-	-	2	-	-	4	-	6	2	4	-	-	-	27
122	2	4	36	10	12	4	6	2	2	-	-	-	6	-	32	6	14	4	-	-	28
356	28	-	140	18	12	30	10	2	12	-	-	6	14	2	78	38	28	12	4	2	29
210	10	-	78	10	10	20	8	2	4	-	-	4	8	-	50	18	16	8	4	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
146	18	-	62	8	2	10	2	-	8	-	-	2	6	2	28	20	12	4	-	2	32
48	2	-	14	-	-	10	4	-	2	-	-	-	-	-	2	-	-	-	-	2	33
548	28	12	182	32	16	30	26	8	20	2	-	12	46	12	122	48	62	20	12	2	34
84	4	4	34	6	2	6	6	-	6	-	-	-	18	2	14	6	12	-	8	-	35
48	6	-	20	-	6	-	-	4	2	-	-	4	4	6	20	2	2	2	-	-	36
66	2	-	10	8	-	-	-	-	2	-	-	-	2	-	18	2	4	6	-	-	37
350	16	8	118	18	8	24	20	4	10	2	-	8	22	4	70	38	44	12	4	2	38
136	8	4	54	12	4	12	10	-	14	-	-	2	6	-	20	8	10	8	2	-	39
452	38	6	142	20	22	32	36	4	14	4	-	16	38	2	88	44	40	24	8	2	40
48	4	-	4	4	-	-	2	-	2	-	-	2	4	-	12	4	4	4	2	-	41
204	14	2	80	4	10	16	18	2	8	2	-	4	20	-	42	12	26	6	6	-	42
200	20	4	58	12	12	16	16	2	4	2	-	10	14	2	34	28	10	14	-	2	43
128	10	-	46	12	8	8	8	8	12	2	-	-	6	4	28	38	18	10	6	-	44
72	4	-	18	4	6	4	2	-	-	2	-	2	4	-	16	4	4	-	2	-	45
100	2	-	10	-	2	6	2	6	4	-	-	2	4	2	16	10	6	-	-	2	46
88	14	2	38	12	4	14	6	-	4	4	-	4	2	2	14	6	4	8	2	2	47
62	6	-	16	8	2	8	6	-	4	4	-	-	2	2	8	4	2	2	-	2	48
26	8	2	22	4	2	6	-	-	-	-	-	4	-	-	6	2	2	6	2	-	49
104	2	-	26	4	-	2	4	-	-	-	-	-	2	-	10	10	8	-	-	-	50
124	2	2	42	18	8	8	4	-	4	-	-	8	6	2	14	6	8	4	2	-	51
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	52
124	2	2	42	16	8	8	4	-	4	-	-	8	6	2	14	6	6	4	2	-	53
24	-	-	12	-	4	-	2	-	2	-	-	-	-	-	6	4	-	-	-	-	54
140	12	2	58	6	6	14	2	2	8	-	-	2	8	2	28	18	12	-	-	-	55
52	8	-	42	4	2	8	-	-	2	-	-	2	4	-	18	8	2	-	-	-	56
88	4	2	16	2	4	6	2	2	6	-	-	-	4	2	10	10	10	-	-	-	57
102	6	2	44	26	4	6	6	2	6	2	-	-	2	-	14	10	6	-	-	-	58
198	12	4	36	18	6	10	16	2	4	-	-	4	14	2	30	18	20	4	-	4	59
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	60
194	12	4	36	18	6	10	16	2	4	-	-	4	14	2	26	18	20	4	-	4	61
102	-	4	14	8	-	4	8	-	-	-	-	4	2	-	8	4	10	-	-	-	62
1,166	44	6	298	58	52	76	46	10	48	18	2	52	82	24	174	112	102	52	54	2	63
590	20	6	156	26	30	44	32	2	24	16	2	26	48	14	96	48	60	16	48	-	64
576	24	-	142	32	22	32	14	8	24	2	-	26	34	10	78	64	42	36	6	2	65
84	2	-	20	4	6	8	6	4	2	-	-	2	-	-	6	4	6	-	-	2	66
128	14	-	30	4	6	4	-	2	6	2	-	6	4	-	24	14	6	8	-	-	67
128	-	2	60	8	6	12	10	4	4	4	-	4	2	4	28	16	12	10	-	-	68
58	-	-	34	8	-	8	2	2	2	-	-	-	-	2	10	2	2	8	-	-	69
70	-	2	26	-	6	4	8	2	2	4	-	4	2	2	18	14	10	2	-	-	70
120	16	-	52	10	10	14	6	-	4	2	-	2	4	-	38	4	12	2	2	-	71
118	14	-	42	10	4	18	10	2	-	-	-	2	6	-	36	18	14	-	-	-	72
220	16	6	52	2	14	14	2	-	8	6	-	4	4	2	48	12	18	6	-	-	73
126	14	-	74	8	8	14	4	2	-	-	-	4	2	2	24	28	8	6	-	-	74
568	60	6	154	26	30	38	52	12	30	16	-	28	40	12	140	44	66	24	16	-	75
50	4	-	16	6	6	6	2	-	-	-	-	4	2	4	10	2	6	4	-	-	76
356	44	6	100	20	18	20	24	8	26	12	-	14	32	6	84	28	36	6	10	-	77
360	44	6	100	22	18	20	24	8	26	12	-	14	32	6	88	28	38	6	10	-	78
162	12	-	38	-	6	12	26	4	4	4	-	10	6	2	46	14	24	14	6	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-468)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MICHIGAN--CON.																	
01	IONIA	458	-	-	2	76	20	20	6	10	4	2	14	6	252	182	4	-
02	IOSCO	262	-	-	-	42	14	10	4	4	2	4	4	4	142	90	4	-
03	IRON	240	-	-	-	48	10	16	6	6	2	-	8	12	116	66	2	4
04	ISABELLA	312	2	-	-	48	8	6	2	12	2	2	16	12	186	124	-	-
05	MOUNT PLEASANT	120	2	-	-	18	4	2	-	4	-	-	8	4	66	44	-	-
06	BALANCE OF COUNTY	192	-	-	-	30	4	4	2	8	2	2	8	8	120	80	-	-
07	JACKSON	1,364	-	-	2	240	64	68	18	24	18	4	44	54	730	556	8	12
08	JACKSON	594	-	-	-	92	24	30	2	8	8	-	20	18	356	270	6	6
09	BALANCE OF COUNTY	770	-	-	2	148	40	38	16	16	10	4	24	36	374	286	2	6
10	KALAMAZOO	1,488	-	-	8	244	79	54	22	32	12	12	42	50	774	566	12	8
11	KALAMAZOO	724	-	-	4	116	40	26	8	18	2	4	18	28	392	282	8	4
12	PORTAGE	158	-	-	-	20	2	4	4	4	-	2	4	6	74	54	2	-
13	BALANCE OF COUNTY	606	-	-	4	108	28	24	10	10	10	6	20	16	308	230	2	4
14	KALKASKA	96	-	-	-	18	8	2	-	2	-	6	-	8	40	24	-	2
15	KENT	3,670	8	-	20	616	164	122	58	74	30	30	138	76	2,012	1,444	22	22
16	EAST GRAND RAPIDS	66	-	-	-	22	10	4	2	-	-	-	6	2	36	26	2	-
17	GRAND RAPIDS	2,348	8	-	14	398	110	82	40	48	18	22	78	46	1,302	938	8	16
18	GRANDVILLE	58	-	-	-	10	4	2	-	-	-	4	-	2	34	28	-	-
19	KENTWOOD	74	-	-	2	14	6	2	2	2	-	-	2	2	42	28	2	-
20	WALKER	52	-	-	-	10	2	-	4	-	-	-	4	-	30	24	-	-
21	WYOMING	346	-	-	2	60	14	10	4	8	8	-	16	10	180	130	-	-
22	BALANCE OF COUNTY	726	-	-	2	102	18	22	6	16	4	4	32	14	388	270	10	6
23	KEWEENAW	48	-	-	-	4	-	-	2	-	-	-	2	4	34	30	-	-
24	LAKE	100	-	-	-	12	2	2	-	4	-	-	4	2	56	40	-	-
25	LAPEER	410	-	-	-	68	24	14	4	12	2	4	8	12	220	170	-	2
26	LEELANAU	150	4	-	-	22	4	2	12	2	-	2	-	4	98	70	-	-
27	LENAWEE	758	-	-	6	132	16	22	18	26	8	4	38	34	374	250	2	-
28	ADRIAN	252	-	-	4	46	10	6	6	6	4	2	12	2	124	78	-	-
29	BALANCE OF COUNTY	506	-	-	2	86	6	16	12	20	4	2	26	32	250	172	2	-
30	LIVINGSTON	520	6	-	6	100	34	32	6	4	6	4	14	16	240	190	6	4
31	LUCE	84	-	-	-	16	10	6	-	-	-	-	-	6	38	28	-	-
32	MACKINAC	110	-	-	2	14	6	6	-	-	-	-	2	6	54	36	-	-
33	MACOMB	3,818	4	-	16	766	222	132	70	92	44	34	172	114	1,864	1,464	22	18
34	CENTER LINE	96	-	-	-	26	4	4	2	4	4	-	8	2	46	32	-	-
35	EAST DETROIT	342	-	-	-	86	42	6	2	12	2	6	16	16	176	140	2	4
36	FRASER	66	-	-	-	8	4	-	-	-	-	-	4	4	32	28	-	-
37	MOUNT CLEMENS	360	2	-	4	74	12	18	8	6	6	-	24	12	158	114	2	2
38	ROSEVILLE	298	-	-	2	58	18	12	-	6	2	4	16	10	138	112	2	4
39	ST. CLAIR SHORES	612	-	-	2	100	30	14	12	6	6	4	28	20	348	272	6	4
40	STERLING HEIGHTS	268	2	-	-	50	14	12	6	4	2	-	12	6	122	96	-	-
41	WARREN	928	-	-	4	184	56	36	22	30	2	16	22	30	406	328	6	2
42	BALANCE OF COUNTY	848	-	-	4	180	42	30	18	24	20	4	42	14	438	342	4	2
43	MANISTEE	266	2	-	-	38	12	8	-	2	-	-	16	8	172	138	4	-
44	MARQUETTE	572	-	-	-	88	26	18	6	8	2	4	24	10	374	298	2	2
45	MARQUETTE	178	-	-	-	32	12	6	-	2	-	4	8	8	106	94	-	-
46	BALANCE OF COUNTY	394	-	-	-	56	14	12	6	6	2	-	16	2	268	204	2	2
47	MASON	272	-	-	2	36	10	4	-	8	4	-	10	4	164	126	4	-
48	MECOSTA	276	-	-	2	44	12	4	8	10	-	2	8	6	150	126	2	-
49	BIG RAPIDS	80	-	-	2	18	6	-	2	6	-	-	4	2	38	32	2	-
50	BALANCE OF COUNTY	196	-	-	-	26	6	4	6	4	-	2	4	4	112	94	-	-
51	MENOMINEE	286	-	-	2	48	22	6	4	6	-	-	10	8	166	112	2	-
52	MENOMINEE	138	-	-	2	18	6	2	4	2	-	-	4	4	90	58	-	-
53	BALANCE OF COUNTY	148	-	-	-	30	16	4	-	4	-	-	6	4	76	54	2	-
54	MIDLAND	396	-	-	-	74	32	8	2	2	4	4	22	8	194	128	2	2
55	MIDLAND, PART	196	-	-	-	36	16	6	-	2	2	2	8	6	106	70	-	2
56	MIDLAND, TOTAL	196	-	-	-	36	16	6	-	2	2	2	8	6	106	70	-	2
57	BALANCE OF COUNTY	200	-	-	-	38	16	2	2	-	2	2	14	2	88	58	2	-
58	MISSAUKEE	72	-	-	2	14	8	2	-	-	-	-	4	-	40	22	-	-
59	MONROE	950	-	-	2	184	64	26	20	14	8	8	44	16	486	364	6	2
60	MONROE	278	-	-	-	62	20	8	10	4	6	2	12	2	134	96	2	2
61	BALANCE OF COUNTY	672	-	-	2	122	44	18	10	10	2	6	32	14	352	268	4	-
62	MONTCALM	474	2	-	4	76	16	8	6	20	2	8	16	10	274	168	4	2
63	MONTMORENCY	66	-	-	-	12	2	2	-	4	2	-	2	2	48	40	2	2
64	MUSKEGON	1,336	6	-	4	240	42	56	20	24	18	12	68	28	712	474	6	2
65	MUSKEGON	604	4	-	-	92	10	24	2	14	8	2	32	12	338	218	-	-
66	MUSKEGON HEIGHTS	210	2	-	-	44	10	10	4	2	2	2	14	4	116	92	-	-
67	NORTON SHORES	84	-	-	2	16	2	2	4	2	2	-	4	2	22	16	-	-
68	BALANCE OF COUNTY	438	-	-	2	88	20	20	10	6	6	8	18	10	236	148	6	2
69	NEWAYGO	300	-	2	2	46	16	8	-	8	2	-	12	12	154	100	-	-
70	OAKLAND	6,420	12	-	40	1,350	344	340	124	126	70	54	292	146	3,228	2,452	74	24
71	BERKLEY	146	-	-	-	34	6	8	4	2	-	2	12	2	64	50	4	2
72	BEVERLY HILLS	36	-	-	-	4	2	-	-	2	-	-	-	-	18	10	-	-
73	BIRMINGHAM	290	-	-	6	72	18	18	4	10	-	2	20	6	144	114	2	-
74	CLAWSON	112	-	-	2	24	-	6	4	4	2	-	8	2	54	44	4	-
75	FARMINGTON	168	-	-	-	44	16	8	4	8	2	-	6	6	88	68	-	2
76	FERNDALE	338	2	-	-	76	24	14	10	12	-	2	14	2	162	130	8	2
77	HAZEL PARK	172	-	-	2	38	10	12	4	2	2	-	8	2	74	60	2	-
78	MADISON HEIGHTS	164	-	-	2	32	2	16	2	6	-	2	4	10	78	66	-	2
79	OAK PARK	326	-	-	4	78	12	16	10	8	12	4	16	18	166	136	-	-
80	PONTIAC	868	4	-	2	134	36	26	10	10	12	6	34	22	418	298	20	6
81	ROYAL OAK	596	4	-	2	114	32	34	20	4	6	-	18	10	322	244	4	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
168	10	-	52	10	8	22	12	2	6	2	-	4	6	2	28	20	16	2	-	-	01
80	6	10	28	8	6	6	8	-	8	2	-	4	8	-	20	10	8	-	-	-	02
56	4	-	48	-	2	6	4	2	6	-	-	-	4	6	20	2	8	6	-	-	03
106	18	2	46	10	4	6	6	-	2	-	2	4	2	-	8	18	12	4	-	-	04
36	8	-	16	6	-	2	4	-	-	-	-	2	2	-	4	10	2	4	-	-	05
70	10	2	30	4	4	4	2	-	2	-	2	2	-	-	4	8	10	-	-	-	06
526	10	4	122	34	14	30	20	6	28	-	-	14	16	10	98	50	36	22	8	-	07
254	4	2	62	18	4	18	4	2	8	-	-	6	8	6	42	8	14	8	4	-	08
272	6	2	60	16	10	12	16	4	20	-	-	8	8	4	56	42	22	14	4	-	09
524	22	6	140	32	30	36	36	8	16	-	-	8	38	14	120	60	40	32	4	-	10
260	10	2	84	12	12	22	14	4	8	-	-	4	16	6	58	22	18	8	4	-	11
46	6	-	12	6	2	2	4	-	-	-	-	2	2	4	20	6	6	12	-	-	12
218	6	4	44	14	16	12	18	4	8	-	-	2	20	4	42	32	16	12	-	-	13
22	-	-	12	4	-	4	6	-	2	-	-	-	-	-	4	4	8	2	-	-	14
1,334	66	12	418	88	50	112	90	14	40	6	2	40	72	60	238	98	98	46	22	-	15
24	-	-	8	-	2	2	-	-	-	-	-	-	-	-	4	-	-	-	-	-	16
874	40	10	268	62	24	72	56	8	28	2	-	20	54	50	156	38	58	20	18	-	17
28	-	-	4	2	-	2	-	-	-	-	-	-	-	-	4	-	4	2	-	-	18
24	2	-	8	-	6	-	-	-	-	-	-	-	2	-	4	2	6	-	-	-	19
22	2	-	6	-	-	4	2	-	-	-	-	2	-	-	-	2	-	2	-	-	20
124	6	2	38	2	8	8	6	2	2	-	2	2	6	2	28	18	6	12	-	-	21
238	16	-	86	22	10	24	26	4	10	4	-	16	10	8	42	38	24	10	4	-	22
28	2	-	4	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	23
38	2	-	14	2	-	4	2	-	-	2	-	-	4	2	-	6	8	2	-	-	24
164	4	-	38	8	4	10	12	4	-	2	-	2	8	2	28	22	12	6	2	-	25
68	2	-	22	4	2	8	2	-	4	-	-	-	-	-	2	-	6	-	-	-	26
216	32	-	92	16	16	28	18	4	10	4	-	8	12	6	60	30	24	6	2	-	27
58	20	-	38	8	-	14	6	2	2	2	-	6	4	2	20	4	12	2	-	-	28
158	12	-	54	8	16	14	12	2	8	2	-	2	8	4	40	26	12	4	2	-	29
164	16	-	32	14	4	24	10	-	4	2	-	4	8	4	48	24	16	6	-	2	30
22	6	-	8	-	2	-	2	2	-	-	-	-	2	-	6	4	8	-	-	-	31
36	-	-	14	2	2	-	2	-	-	-	-	-	2	-	10	12	6	2	-	-	32
1,338	86	6	310	40	44	98	80	22	94	22	2	42	100	20	276	114	102	44	28	10	33
32	-	2	4	4	4	-	2	2	2	-	-	-	-	-	10	2	4	-	-	-	34
126	8	-	34	-	2	10	4	2	12	-	-	2	8	2	8	6	4	4	2	-	35
26	2	-	4	-	-	-	-	-	-	-	2	-	12	-	4	-	4	-	-	-	36
102	8	2	32	10	-	10	10	2	10	4	-	2	10	2	30	10	10	4	4	2	37
96	10	-	18	4	4	6	8	4	12	-	-	6	12	2	18	10	10	-	-	2	38
240	22	-	62	6	8	6	6	2	12	4	-	6	10	2	52	12	16	6	6	2	39
92	4	-	22	2	2	14	6	-	6	4	-	4	8	-	28	6	10	2	-	-	40
302	18	-	60	6	12	34	30	10	28	4	-	12	18	10	76	30	24	18	8	2	41
322	14	2	74	8	12	18	14	-	12	6	-	10	22	2	50	38	20	10	8	2	42
130	4	-	22	10	2	2	-	-	2	-	-	-	-	-	24	10	4	4	-	-	43
284	10	4	52	12	8	4	6	2	8	2	-	-	6	12	20	20	16	2	-	2	44
92	2	-	8	-	4	-	2	-	2	-	-	-	-	6	6	6	6	2	-	2	45
192	8	4	44	12	4	4	4	2	6	2	-	-	6	6	14	14	10	-	-	-	46
122	-	6	18	6	8	16	2	2	2	-	-	-	8	-	16	12	6	2	-	-	47
124	-	-	16	6	2	-	4	2	2	-	-	4	6	6	26	10	8	6	-	-	48
30	-	-	2	2	2	-	2	2	-	-	-	-	4	-	10	-	2	-	-	-	49
94	-	-	14	4	-	-	2	-	2	-	-	4	2	6	16	10	6	6	-	-	50
108	2	2	50	-	2	2	10	-	4	2	-	2	-	4	16	4	8	8	2	-	51
58	-	-	32	-	-	2	-	-	2	-	-	-	-	2	8	2	2	4	2	-	52
50	2	2	18	-	2	-	10	-	2	2	-	2	-	2	8	2	6	4	-	-	53
110	14	2	48	8	8	4	20	-	8	2	-	2	8	4	24	22	16	10	-	-	54
64	4	-	24	4	8	2	2	-	4	-	-	2	6	2	12	6	4	8	-	-	55
64	4	-	24	4	8	2	2	-	4	-	-	2	6	2	12	6	4	8	-	-	56
46	10	2	24	4	-	2	18	-	4	2	-	-	2	2	12	16	12	2	-	-	57
20	2	-	18	-	-	-	2	-	-	-	-	-	2	2	6	4	-	-	-	-	58
336	20	2	106	6	8	36	26	4	16	2	-	8	14	8	68	36	34	4	6	-	59
84	8	-	38	-	-	16	8	-	-	-	-	6	2	4	22	8	14	-	-	-	60
252	12	2	68	6	8	20	18	4	16	2	-	2	12	4	46	28	20	4	6	-	61
150	12	-	78	14	14	6	4	-	8	-	-	-	2	6	48	16	8	6	2	2	62
36	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	63
438	28	4	188	32	14	42	38	2	20	4	-	18	34	2	90	36	40	18	2	-	64
204	14	2	90	20	8	22	20	2	8	-	-	8	12	2	36	18	26	4	-	-	65
86	6	-	20	-	4	8	-	-	2	2	-	-	6	-	14	-	4	6	2	-	66
16	-	-	6	-	-	6	10	-	4	-	-	2	-	-	12	8	-	-	-	-	67
132	8	2	72	12	2	6	8	-	6	2	-	8	16	-	28	10	10	8	-	-	68
94	6	-	32	12	10	10	8	-	-	2	-	2	10	8	22	10	2	10	-	-	69
2,258	96	26	618	54	78	148	118	32	108	30	6	72	122	50	412	214	188	102	38	4	70
44	-	-	8	-	6	4	-	2	4	2	-	2	4	-	16	2	6	4	-	-	71
8	2	-	8	-	-	-	4	-	-	-	-	-	2	2	4	2	-	-	-	-	72
106	6	-	24	-	6	8	4	2	2	8	-	2	4	-	16	8	2	4	2	-	73
38	2	-	6	-	4	-	2	-	4	-	-	-	-	-	10	4	6	2	2	-	74
62	4	-	16	-	4	-	-	-	4	-	-	4	-	2	8	8	2	2	-	-	75
116	4	2	30	-	-	4	18	-	6	4	-	4	2	-	28	6	14	10	-	-	76
56	2	-	10	-	4	6	4	-	8	-	-	-	6	-	16	10	2	4	-	-	77
60	4	2	10	-	-	6	4	2	-	-	2	2	4	4	6	6	6	-	-	-	78
132	4	-	26	4	-	6	2	-	6	2	2	2	2	2	20	2	6	8	-	-	79
254	18	6	92	10	12	30	16	-	26	4	2	20	38	10	54	30	30	10	16	2	80
236	4	4	64	2	8	20	16	4	6	-	-	12	10	2	34	18	14	6	2	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MICHIGAN--CON.																	
	OAKLAND--CON.																	
01	SOUTHFIELD	574	-	-	6	144	52	28	8	10	6	8	32	14	308	258	2	2
02	TROY	186	-	-	-	34	10	2	6	6	2	4	4	6	88	66	-	2
03	BALANCE OF COUNTY	2,444	2	-	14	522	124	152	38	42	26	24	116	46	1,244	908	28	6
04	OCEANA	192	-	-	2	24	-	4	2	6	-	-	12	10	106	78	-	-
05	OGEMAW	176	-	-	-	24	10	8	2	2	2	-	-	20	100	70	-	2
06	ONTONAGON	124	-	-	-	18	-	10	2	2	-	-	4	4	70	58	4	-
07	OSCEOLA	174	-	-	2	22	2	2	2	10	2	-	4	10	100	70	2	-
08	OSCODA	92	-	-	-	14	-	2	-	4	2	2	4	-	46	42	-	2
09	OTSEGO	106	-	-	-	22	2	2	-	2	2	-	14	2	48	24	-	-
10	OTTAWA	928	2	2	4	180	46	38	14	28	20	12	22	22	506	374	6	12
11	GRAND HAVEN	118	-	-	-	28	6	8	2	-	8	-	4	4	62	36	2	2
12	HOLLAND, PART	218	-	-	-	38	12	8	6	2	2	4	4	4	142	100	2	2
13	HOLLAND, TOTAL	240	-	-	-	46	14	8	6	4	4	4	6	6	152	108	2	2
14	BALANCE OF COUNTY	592	2	2	4	114	28	22	6	26	10	8	14	14	302	238	2	8
15	PRESQUE ISLE	146	-	-	-	32	8	8	2	2	-	4	8	4	80	52	-	-
16	ROSCOMMON	162	-	-	-	34	14	8	-	4	-	2	6	6	90	72	-	-
17	SAGINAW	1,820	6	-	2	308	86	56	26	46	22	14	58	44	944	670	14	8
18	SAGINAW	1,002	6	-	2	170	48	28	14	32	12	-	36	30	500	336	8	8
19	BALANCE OF COUNTY	818	-	-	-	138	38	28	12	14	10	14	22	14	444	334	6	-
20	ST. CLAIR	1,242	-	-	2	202	44	46	8	42	12	12	38	48	686	476	8	14
21	PORT HURON	444	-	-	-	64	6	16	4	16	4	6	12	14	262	174	4	8
22	BALANCE OF COUNTY	798	-	-	2	138	38	30	4	26	8	6	26	34	424	302	4	6
23	ST. JOSEPH	552	-	-	2	106	32	32	16	8	4	-	14	26	292	210	-	6
24	SANILAC	440	-	-	2	90	28	20	6	8	4	8	16	6	238	176	4	-
25	SCHOOLCRAFT	106	-	-	-	14	4	2	-	2	2	2	2	8	52	46	-	2
26	SHIAWASSEE	538	-	-	-	102	16	26	10	12	6	4	28	6	318	220	12	6
27	OWOSSO	176	-	-	-	24	4	8	-	4	2	-	6	4	114	72	6	-
28	BALANCE OF COUNTY	362	-	-	-	78	12	18	10	8	4	4	22	2	204	148	6	6
29	TUSCOLA	486	-	-	-	74	18	12	12	6	-	-	26	12	290	212	-	2
30	VAN BUREN	570	4	-	-	84	18	14	8	16	6	6	16	22	338	252	6	10
31	WASHTENAW	1,336	-	-	10	274	58	62	38	40	14	10	52	32	634	392	14	4
32	ANN ARBOR	464	-	-	6	118	22	22	18	14	4	10	28	12	214	134	8	-
33	YPSILANTI	232	-	-	-	36	4	6	4	14	-	-	8	2	98	58	2	-
34	BALANCE OF COUNTY	640	-	-	4	120	32	34	16	12	10	-	16	18	322	200	4	4
35	WAYNE	26,476	66	4	140	4,728	1,268	1,230	472	546	206	178	828	798	13,300	10,390	170	166
36	ALLEN PARK	278	-	-	2	44	14	6	6	6	2	2	8	8	156	126	2	2
37	DEARBORN	1,046	2	-	6	230	76	50	28	32	2	6	36	26	580	458	8	2
38	DEARBORN HEIGHTS	492	-	-	2	122	30	28	10	16	4	12	22	18	242	200	6	-
39	DETROIT	17,952	54	4	98	3,080	812	826	300	328	146	108	560	556	8,862	6,924	106	140
40	ECORSE	174	-	-	-	30	8	10	-	6	2	4	-	4	76	66	-	-
41	GARDEN CITY	220	-	-	-	48	6	16	10	2	-	6	8	-	124	100	2	2
42	GROSSE POINTE FARMS	190	-	-	-	18	4	4	2	2	2	2	2	2	62	46	-	2
43	GROSSE POINTE PARK	158	-	-	-	28	10	2	4	4	4	-	4	8	110	78	-	-
44	GROSSE POINTE WOODS	144	-	-	-	38	12	8	6	4	4	-	4	6	76	60	2	-
45	HAMTRAMCK	514	6	-	4	94	48	22	4	10	2	4	4	12	292	226	4	-
46	HARPER WOODS	176	-	-	-	54	14	8	6	8	2	-	16	6	86	62	2	-
47	HIGHLAND PARK	462	2	-	4	78	24	18	8	12	4	2	10	14	228	160	4	2
48	INKSTER	280	-	-	-	42	10	10	8	6	-	-	8	12	124	98	-	2
49	LINCOLN PARK	358	-	-	-	80	14	20	14	10	4	-	18	14	180	146	2	2
50	LIVONIA	556	2	-	8	120	28	32	10	14	-	12	24	10	272	212	6	-
51	MELVINDALE	120	-	-	-	30	6	8	2	4	2	-	8	8	58	50	2	-
52	PLYMOUTH	146	-	-	-	24	8	4	-	6	2	-	4	6	86	70	-	-
53	RIVER ROUGE	164	-	-	-	16	4	2	4	2	4	-	-	8	70	44	-	-
54	RIVERVIEW	58	-	-	-	8	-	4	2	-	-	2	-	-	40	32	-	-
55	SOUTHGATE	194	-	-	-	38	16	10	4	-	-	-	8	6	96	82	-	-
56	TAYLOR	378	-	-	-	66	16	18	8	8	2	-	14	16	172	142	2	-
57	TRENTON	120	-	-	-	10	-	8	-	-	-	-	2	-	70	54	-	-
58	WAYNE	140	-	-	-	22	8	-	-	8	4	2	-	4	70	50	-	2
59	WESTLAND	408	-	-	6	52	14	10	6	8	-	-	14	8	182	144	6	4
60	WYANDOTTE	340	-	-	-	70	12	26	6	8	8	4	6	14	204	158	-	2
61	BALANCE OF COUNTY	1,498	-	-	10	286	74	80	24	42	6	12	48	32	782	602	16	4
62	WEXFORD	258	-	-	-	38	8	4	6	4	4	2	10	14	136	96	2	4
63	**MINNESOTA**	34,554	36	4	168	6,252	1,920	1,026	602	828	326	306	1,244	598	18,728	13,088	264	180
64	URBAN PLACES	17,322	24	2	102	3,170	938	528	310	394	180	156	664	316	9,312	6,592	134	94
65	BALANCE OF AREA	17,232	12	2	66	3,082	982	498	292	434	146	150	580	282	9,416	6,496	130	86
66	METROPOLITAN COUNTIES	17,048	20	-	100	3,150	944	554	300	386	172	132	662	308	9,024	6,370	134	64
67	URBAN PLACES	14,596	18	-	94	2,702	798	472	264	318	154	118	578	270	7,796	5,506	106	52
68	BALANCE OF AREA	2,452	2	-	6	448	146	82	36	68	18	14	84	38	1,228	864	28	12
69	NONMETROPOLITAN COUNTIES	17,506	16	4	68	3,102	976	472	302	442	154	174	582	290	9,704	6,718	130	116
70	URBAN PLACES	2,726	6	2	8	468	140	56	46	76	26	38	86	46	1,516	1,086	28	42
71	BALANCE OF AREA	14,780	10	2	60	2,634	836	416	256	366	128	136	496	244	8,188	5,632	102	74
72	AITKIN	144	-	-	-	24	8	2	4	4	-	-	6	2	94	64	-	-
73	ANOKA	554	-	-	6	102	34	18	10	6	2	4	28	10	244	188	4	-
74	ANOKA	102	-	-	-	22	6	8	4	-	-	2	2	2	50	36	-	-
75	BLAINE, PART	36	-	-	-	10	2	2	2	2	-	-	2	-	10	8	-	-
76	BLAINE, TOTAL	36	-	-	-	10	2	2	2	2	-	-	2	-	10	8	-	-
77	COLUMBIA HEIGHTS	134	-	-	2	22	12	-	2	2	-	2	4	2	72	56	2	-
78	COON RAPIDS	52	-	-	2	10	4	-	-	-	-	-	6	-	18	16	2	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
248	6	-	42	4	4	16	12	2	4	-	-	4	6	6	22	6	10	10	4	-	01
62	2	-	20	-	2	-	2	4	2	-	-	2	-	2	12	16	12	6	-	-	02
836	38	12	262	34	28	48	34	16	36	10	-	18	44	20	166	96	78	36	12	2	03
76	2	-	20	4	4	2	6	-	4	-	-	2	8	10	8	4	4	2	-	-	04
62	6	4	22	2	2	2	4	-	2	2	-	2	6	-	6	-	4	4	-	-	05
54	-	-	10	-	2	6	2	2	-	-	-	-	-	-	12	6	4	-	-	-	06
64	4	2	22	6	-	4	6	2	-	-	-	-	2	-	12	8	4	2	-	-	07
40	-	-	4	-	-	2	2	-	-	-	-	2	2	-	10	10	2	2	-	-	08
24	-	-	14	8	2	6	-	-	-	-	-	2	2	-	12	4	6	2	-	-	09
330	26	-	86	26	20	18	14	2	2	-	-	16	10	4	62	40	32	6	4	2	10
30	2	-	16	6	4	6	-	-	-	-	-	2	-	-	6	8	-	-	2	-	11
92	4	-	30	4	8	4	6	-	-	-	-	2	-	-	6	6	8	2	-	-	12
98	6	-	32	4	8	4	6	-	-	-	-	2	-	-	8	6	8	2	-	-	13
208	20	-	40	16	8	8	8	2	2	-	-	12	10	4	50	26	24	4	2	2	14
52	-	2	22	2	2	-	-	-	-	2	-	-	2	-	10	8	6	2	-	-	15
70	2	-	16	2	-	-	-	-	8	-	-	-	-	-	10	6	-	8	-	-	16
604	44	10	198	48	18	58	24	6	24	14	-	24	52	4	114	70	58	22	46	-	17
300	20	8	116	34	6	30	10	4	16	4	-	16	36	2	70	24	34	10	38	-	18
304	24	2	82	14	12	28	14	2	8	10	-	8	16	2	44	46	24	12	8	-	19
438	16	10	160	26	14	32	12	4	24	4	-	12	24	6	82	42	46	14	2	-	20
154	8	8	60	10	10	14	4	2	4	-	-	4	6	2	32	18	14	4	-	-	21
284	8	2	100	16	4	18	8	2	20	4	-	8	18	4	50	24	32	10	2	-	22
182	22	2	68	8	4	10	14	2	2	-	-	2	8	4	40	28	10	6	-	-	23
158	14	-	46	6	10	14	2	2	4	2	-	-	8	-	32	22	10	8	-	-	24
40	4	-	4	2	-	4	2	-	2	-	-	-	2	-	10	8	2	2	-	-	25
198	4	6	80	8	4	8	10	2	4	-	-	4	12	-	36	10	24	2	-	-	26
66	-	4	38	-	-	4	2	2	-	-	-	2	4	-	12	-	8	-	-	-	27
132	4	2	42	8	4	4	8	-	4	-	-	2	8	-	24	10	16	2	-	-	28
200	10	2	60	8	8	14	4	2	2	6	-	6	12	-	18	26	14	6	-	-	29
222	14	-	74	6	6	16	10	2	-	-	-	-	4	8	26	28	20	4	4	-	30
352	22	4	208	18	12	38	20	10	20	-	-	12	26	8	100	62	52	24	10	4	31
118	8	2	68	6	4	8	8	2	4	-	-	2	6	2	32	22	10	12	4	2	32
54	2	2	34	-	4	10	4	6	10	-	-	2	4	-	28	12	14	2	4	-	33
180	12	-	106	12	4	20	8	2	6	-	-	8	16	6	40	28	28	10	2	2	34
9,750	304	94	2,340	166	310	826	382	112	892	144	12	180	596	184	1,774	502	646	358	774	58	35
122	-	-	26	2	2	8	10	2	6	-	-	-	6	-	18	4	2	8	4	-	36
434	14	4	94	6	18	36	18	4	22	-	-	6	2	12	62	6	14	12	6	2	37
186	8	-	36	4	2	10	2	6	10	2	-	4	12	-	36	10	8	4	4	-	38
6,454	224	72	1,596	88	182	574	236	78	696	114	10	114	436	124	1,244	304	434	216	678	40	39
66	-	-	10	-	-	8	4	-	6	-	-	2	2	2	16	6	6	4	6	2	40
92	4	-	18	6	-	6	4	-	4	-	-	-	2	4	16	4	4	4	-	-	41
44	-	-	14	2	-	2	6	-	-	2	-	-	-	-	2	2	4	-	-	-	42
78	-	2	20	6	4	-	2	-	-	-	-	-	2	-	6	-	2	-	-	-	43
58	-	-	14	-	2	6	2	-	-	-	-	-	2	-	12	2	-	-	-	-	44
212	10	2	56	4	4	8	4	4	14	4	2	6	4	-	34	2	8	10	6	-	45
58	2	4	14	2	4	4	-	-	6	2	-	-	2	-	6	-	6	2	2	-	46
150	4	2	46	10	10	18	10	-	10	6	-	4	6	6	40	8	10	2	14	2	47
96	-	4	18	-	4	12	2	-	4	2	-	-	8	4	30	8	12	6	10	4	48
142	-	-	28	4	2	8	10	-	6	4	-	2	10	-	20	6	12	6	-	-	49
198	8	-	44	4	12	26	10	2	8	-	-	2	12	4	36	16	8	14	4	2	50
48	-	-	6	2	-	4	4	-	6	-	-	-	-	2	2	4	-	2	-	-	51
66	4	-	12	2	2	4	2	-	-	-	-	-	2	-	10	4	4	-	4	-	52
42	2	-	16	8	2	4	2	2	14	-	-	-	6	8	14	4	14	-	2	-	53
32	-	-	6	2	-	2	-	-	-	-	-	-	-	-	2	-	-	4	2	-	54
80	2	-	10	2	2	2	4	-	6	-	-	2	2	-	14	10	8	4	2	-	55
138	2	-	24	2	4	8	10	4	6	-	-	4	24	-	24	16	12	8	8	-	56
54	-	-	14	-	2	4	4	-	4	-	-	2	-	-	4	10	4	8	-	-	57
48	-	-	14	-	6	10	6	-	12	-	-	-	4	-	6	4	-	2	-	-	58
128	6	2	28	-	8	14	8	2	10	8	-	8	26	2	32	20	14	4	8	4	59
154	2	2	38	2	4	2	6	-	8	-	-	2	-	2	14	6	6	6	-	-	60
570	12	-	138	8	34	46	16	8	34	-	-	22	26	14	74	46	54	32	14	2	61
84	6	-	20	16	4	12	6	-	10	2	-	-	2	4	18	10	6	-	-	-	62
12,030	614	114	4,410	600	516	1,278	520	112	376	76	6	274	570	264	2,430	1,072	1,216	368	104	102	63
6,098	266	68	2,102	294	256	618	284	70	234	34	2	144	318	156	1,242	410	536	206	72	70	64
5,932	348	46	2,308	306	260	660	236	42	142	42	4	130	252	108	1,188	662	680	162	32	32	65
5,918	254	62	2,068	276	248	602	278	66	224	36	4	138	320	168	1,296	444	578	222	78	82	66
5,146	202	56	1,792	234	208	488	246	62	200	32	2	120	256	144	1,064	340	448	180	68	66	67
772	52	6	276	42	40	114	32	4	24	4	2	18	64	24	142	104	130	42	10	16	68
6,112	360	52	2,342	324	268	676	242	46	152	40	2	136	250	96	1,224	628	638	146	26	20	69
952	64	12	310	60	48	130	38	8	34	2	-	24	62	12	178	70	88	26	4	4	70
5,160	296	40	2,032	264	220	546	204	38	118	38	2	112	188	84	1,046	558	550	120	22	16	71
64	-	-	26	-	4	4	-	-	-	-	-	-	-	-	6	6	6	2	-	-	72
172	12	-	44	4	8	30	14	6	6	-	-	10	28	2	26	24	32	8	4	2	73
34	2	-	12	-	2	-	-	4	2	-	-	-	4	2	4	6	4	2	-	-	74
8	-	-	2	-	-	2	2	-	-	-	-	-	-	-	6	-	6	-	-	-	75
8	-	-	2	-	-	2	2	-	-	-	-	-	-	-	6	-	6	-	-	-	76
52	2	-	14	2	-	14	4	-	2	-	-	6	-	-	4	4	2	-	-	-	77
14	-	-	2	-	-	-	-	-	-	-	-	-	8	-	2	4	6	-	2	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MINNESOTA—CON.																	
	ANOKA—CON.																	
01	FRIDLEY	86	-	-	2	22	4	8	-	-	-	-	10	2	40	34	-	-
02	BALANCE OF COUNTY	144	-	-	-	16	6	-	2	2	2	-	4	4	54	38	-	-
03	BECKER	288	-	-	2	42	18	6	2	2	2	4	8	2	166	118	6	2
04	BELTRAMI	246	2	-	-	50	14	10	4	4	4	4	10	6	118	92	2	-
05	BEMIDJI	126	2	-	-	36	10	8	2	2	4	4	6	2	58	38	2	-
06	BALANCE OF COUNTY	120	-	-	-	14	4	2	2	2	-	-	4	4	60	54	-	-
07	BENTON	152	-	2	-	28	12	6	2	6	-	2	-	-	82	62	-	4
08	ST. CLOUD, PART	36	-	2	-	8	2	2	2	-	-	2	-	-	16	10	-	4
09	BALANCE OF COUNTY	116	-	-	-	20	10	4	-	6	-	-	-	-	66	52	-	-
10	BIG STONE	90	-	-	-	14	6	4	-	2	-	-	2	-	56	34	-	-
11	BLUE EARTH	422	-	-	2	88	26	12	8	14	4	4	20	8	204	152	4	4
12	MANKATO	216	-	-	2	40	10	6	6	6	2	4	6	6	106	82	2	4
13	BALANCE OF COUNTY	206	-	-	-	48	16	8	2	8	2	-	14	2	98	70	2	-
14	BROWN	286	-	-	8	60	16	6	12	8	2	-	16	4	160	112	2	2
15	NEW ULM	132	-	-	4	20	2	-	2	6	2	-	8	2	78	48	2	-
16	BALANCE OF COUNTY	154	-	-	4	40	14	6	10	2	-	-	8	2	82	64	-	2
17	CARLTON	298	2	-	-	70	18	16	8	2	4	6	16	-	142	102	6	2
18	CARVER	214	-	-	-	48	14	6	4	12	-	4	8	6	108	70	-	-
19	CASS	262	-	-	-	40	10	6	10	8	-	2	4	-	140	96	2	6
20	CHIPPEWA	184	-	-	-	32	8	4	2	8	2	2	6	-	118	64	2	-
21	CHISAGO	210	-	-	4	40	14	10	-	8	-	-	8	2	120	74	-	-
22	CLAY	354	-	-	4	62	16	14	6	6	2	6	12	6	196	124	-	2
23	MOORHEAD	192	-	-	2	36	8	8	4	2	2	4	8	4	102	60	-	-
24	BALANCE OF COUNTY	162	-	-	2	26	8	6	2	4	-	2	4	2	94	64	-	2
25	CLEARWATER	112	-	-	-	28	8	4	-	6	4	2	4	2	64	40	2	2
26	COOK	38	-	-	-	2	2	-	-	-	-	-	-	2	20	16	2	-
27	COTTONWOOD	150	-	-	-	28	10	4	2	8	-	-	4	4	76	50	2	-
28	CROW WING	384	-	-	2	74	28	16	14	10	2	4	-	4	214	148	2	-
29	BRAINERD	130	-	-	-	22	4	6	6	2	2	2	-	2	74	50	-	-
30	BALANCE OF COUNTY	254	-	-	2	52	24	10	8	8	-	2	-	2	140	98	2	-
31	DAKOTA	706	-	-	4	156	40	28	12	20	10	14	32	16	300	240	6	2
32	BURNSVILLE	44	-	-	-	4	2	-	-	-	-	2	-	-	10	8	-	-
33	HASTINGS, PART	80	-	-	-	8	-	-	-	2	4	2	-	-	46	32	2	2
34	HASTINGS, TOTAL	80	-	-	-	8	-	-	-	2	4	2	-	-	46	32	2	2
35	INVER GROVE HEIGHTS	42	-	-	-	12	2	6	-	-	-	4	-	-	14	10	-	-
36	SOUTH ST. PAUL	164	-	-	4	46	8	12	6	6	2	2	10	2	72	62	2	-
37	WEST ST. PAUL	156	-	-	-	32	12	6	2	-	4	2	6	8	78	66	2	-
38	BALANCE OF COUNTY	220	-	-	-	54	16	4	4	12	-	2	16	6	80	62	-	-
39	DODGE	124	-	-	-	20	6	-	2	4	2	-	6	2	74	52	2	2
40	DOUGLAS	272	-	-	2	66	20	4	6	10	8	4	14	4	146	106	-	2
41	FARIBAULT	246	-	-	-	56	24	10	6	2	-	-	14	4	144	86	2	-
42	FILLMORE	266	-	-	-	42	16	4	4	4	-	2	12	2	168	130	6	2
43	FREEBORN	368	2	-	2	74	22	12	8	8	-	8	16	4	198	148	6	6
44	ALBERT LEA	218	2	-	2	58	20	8	4	4	-	8	14	-	110	84	6	4
45	BALANCE OF COUNTY	150	-	-	-	16	2	4	4	4	-	-	2	4	88	64	-	2
46	GOODHUE	380	2	-	-	54	22	6	4	10	4	2	6	4	222	168	4	4
47	RED WING	156	-	-	-	16	4	4	-	2	4	-	2	2	96	80	4	4
48	BALANCE OF COUNTY	224	2	-	-	38	18	2	4	8	-	2	4	2	126	88	-	-
49	GRANT	122	-	-	2	14	6	2	-	4	-	2	-	-	76	60	-	-
50	HENNEPIN	7,910	14	-	58	1,326	406	238	138	154	82	50	258	130	4,338	3,000	56	34
51	BLOOMINGTON	302	-	-	4	76	10	10	16	4	2	8	26	4	136	100	2	2
52	BROOKLYN CENTER	120	-	-	-	18	10	2	2	2	-	-	2	-	68	52	2	2
53	BROOKLYN PARK	98	-	-	-	26	8	4	2	-	4	4	4	2	26	20	-	-
54	CRYSTAL	90	-	-	8	22	4	2	4	2	-	-	10	-	34	24	2	-
55	EDINA	298	-	-	2	56	8	14	10	4	2	4	14	4	178	122	4	-
56	GOLDEN VALLEY	94	-	-	-	26	10	4	2	2	4	-	4	-	48	34	2	-
57	HOPKINS	124	-	-	-	22	6	4	-	2	-	-	10	6	60	40	2	-
58	MINNEAPOLIS	5,278	14	-	40	822	272	156	76	102	46	24	146	86	2,952	2,050	24	28
59	MINNETONKA	122	-	-	-	28	4	10	2	4	4	-	4	-	52	42	2	2
60	NEW HOPE	72	-	-	-	12	4	-	2	-	-	-	6	4	34	22	-	-
61	PLYMOUTH	62	-	-	-	12	2	2	-	4	2	2	-	2	36	26	2	-
62	RICHFIELD	228	-	-	-	38	12	4	8	4	4	-	6	6	136	94	2	-
63	ROBBINSDALE	158	-	-	-	28	10	4	2	4	4	2	2	2	82	48	-	-
64	ST. LOUIS PARK	362	-	-	2	64	20	6	10	8	8	-	12	12	224	148	6	-
65	BALANCE OF COUNTY	502	-	-	2	76	26	16	2	12	2	6	12	2	272	178	6	-
66	HOUSTON	168	-	-	-	40	14	10	4	4	2	4	2	-	76	58	2	-
67	HUBBARD	170	-	-	-	32	8	6	4	6	-	2	6	4	92	52	-	-
68	ISANTI	162	-	-	-	26	10	6	4	2	-	-	4	-	106	54	-	-
69	ITASCA	414	-	-	-	86	20	24	4	6	10	2	20	12	232	164	8	2
70	JACKSON	152	-	-	-	24	-	4	8	-	2	2	8	-	100	78	-	2
71	KANABEC	112	-	-	-	16	-	6	-	2	-	2	6	2	68	44	-	2
72	KANDIYOHI	318	-	2	-	62	24	4	2	14	2	6	10	6	148	98	-	2
73	WILLMAR	162	-	-	-	20	10	-	-	6	2	2	-	6	84	60	-	2
74	BALANCE OF COUNTY	156	-	2	-	42	14	4	2	8	-	4	10	-	64	38	-	-
75	KITTSON	86	-	-	-	14	4	2	-	4	4	-	-	4	42	28	-	-
76	KOOCHICHING	188	-	-	-	20	6	8	-	-	2	-	4	2	114	80	-	-
77	LAC QUI PARLE	160	-	-	4	30	14	4	-	6	2	2	2	2	90	56	-	-
78	LAKE	116	-	-	4	18	10	2	-	2	-	2	2	-	60	44	2	2
79	LAKE OF THE WOODS	48	-	-	-	2	-	-	-	-	-	-	2	6	22	16	-	-
80	LE SUEUR	248	-	-	2	46	16	6	6	6	4	2	6	2	128	84	2	2
81	LINCOLN	94	-	-	-	10	4	-	-	2	4	-	-	2	68	50	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
32	2	-	4	-	2	2	4	2	-	-	-	-	6	-	-	2	2	2	-	-	01
32	6	-	10	2	4	12	4	-	2	-	-	4	10	-	10	8	12	4	2	2	02
198	2	2	34	4	8	4	4	-	6	-	-	-	4	4	18	10	16	10	-	-	03
88	2	-	22	-	4	8	4	-	-	-	-	2	2	4	10	8	20	4	6	2	04
36	-	-	18	-	2	4	4	-	-	-	-	2	2	-	4	4	4	2	2	-	05
52	2	-	4	-	2	4	-	-	-	-	-	-	-	4	6	4	16	2	4	2	06
54	4	-	18	2	-	6	2	-	-	2	-	4	-	-	12	12	2	-	-	-	07
6	-	-	4	2	-	-	-	-	-	-	-	-	-	-	6	4	-	-	-	-	08
48	4	-	14	-	-	6	2	-	-	2	-	4	-	-	6	8	2	-	-	-	09
28	6	-	22	-	-	-	2	-	-	3	-	-	-	-	6	2	8	-	-	-	10
142	2	2	40	6	4	16	8	-	6	2	-	2	8	4	34	22	10	8	-	-	11
76	-	2	14	4	4	6	4	-	4	-	-	-	6	2	16	12	8	4	-	-	12
66	2	-	26	2	-	10	4	-	2	2	-	2	2	2	18	10	2	4	-	-	13
92	16	-	38	8	2	6	2	2	-	-	-	2	-	2	10	10	16	2	-	2	14
42	4	-	24	4	2	4	-	2	-	-	-	2	-	2	6	-	8	2	-	2	15
50	12	-	14	4	-	2	2	-	-	-	-	-	-	-	4	10	8	-	-	-	16
90	4	-	40	-	-	6	4	-	2	-	-	4	4	4	28	20	8	4	-	-	17
66	4	-	30	6	2	-	8	-	2	-	-	2	2	-	16	10	6	4	2	-	18
88	-	4	34	2	4	20	2	4	2	-	-	2	8	-	16	16	8	2	-	2	19
60	2	2	42	8	2	6	6	-	-	-	-	-	4	-	8	8	-	2	-	-	20
70	4	-	34	8	4	8	-	-	2	-	-	2	4	2	14	6	6	-	-	-	21
112	10	-	58	8	6	16	4	-	4	-	2	4	4	4	20	12	12	4	-	-	22
52	8	-	32	6	4	10	2	-	2	-	-	4	4	-	14	6	6	-	-	-	23
60	2	-	26	2	2	6	2	-	2	-	2	-	-	4	6	6	6	4	-	-	24
32	4	-	24	-	-	4	-	-	-	-	-	2	2	-	-	10	-	-	-	-	25
14	-	-	-	2	2	2	-	-	-	-	-	-	-	2	2	4	2	2	-	-	26
44	4	-	20	2	4	14	2	-	2	-	-	2	4	-	8	2	2	6	-	-	27
140	6	-	56	2	8	18	-	4	4	-	-	2	12	-	30	8	8	2	2	-	28
48	2	-	16	2	6	8	-	2	2	-	-	-	10	-	8	2	-	-	-	-	29
92	4	-	40	-	2	10	-	2	2	-	-	2	2	-	22	6	8	2	2	-	30
212	20	-	42	16	2	14	10	6	12	-	-	16	14	2	56	36	34	12	4	14	31
8	-	-	2	-	-	-	-	-	2	-	-	6	4	-	6	6	4	-	-	2	32
26	2	-	6	6	2	4	2	2	2	-	-	-	-	-	10	2	4	-	-	-	33
26	2	-	6	6	2	4	2	2	2	-	-	-	-	-	10	2	4	-	-	-	34
6	4	-	4	-	-	-	2	-	-	-	-	-	2	-	6	6	-	-	-	-	35
56	4	-	8	2	-	2	2	-	2	-	-	4	-	-	14	4	8	4	-	-	36
60	4	-	8	4	-	-	2	2	6	-	-	2	-	-	10	-	6	2	2	6	37
56	6	-	14	4	-	8	2	2	-	-	-	4	8	2	10	18	12	6	2	6	38
46	2	-	20	2	-	4	2	-	2	-	-	-	2	-	6	6	6	-	-	-	39
100	4	-	24	8	8	8	2	-	2	-	-	2	4	2	18	6	6	4	-	-	40
82	2	2	54	2	-	2	4	-	2	-	-	2	6	-	14	8	4	-	-	-	41
110	12	-	32	4	2	6	4	2	2	-	-	-	2	-	14	10	14	-	-	-	42
126	10	-	36	4	10	10	10	-	2	-	-	10	6	-	28	10	8	2	2	-	43
68	6	-	18	4	4	10	2	-	2	-	-	4	2	-	18	2	4	-	2	-	44
58	4	-	18	-	6	-	8	-	-	-	-	6	4	-	10	8	4	2	-	-	45
148	12	-	49	10	4	16	2	2	-	-	-	-	10	-	22	20	20	6	-	-	46
72	-	-	8	4	4	6	-	2	-	-	-	-	8	-	8	10	6	2	-	-	47
76	12	-	32	6	-	10	2	-	-	-	-	-	2	-	14	10	14	4	-	-	48
58	2	-	14	-	2	2	2	-	6	2	-	-	-	-	14	4	-	-	-	-	49
2,810	100	34	1,084	108	112	264	122	20	124	8	-	56	152	122	552	180	272	108	30	34	50
92	4	-	36	-	-	12	6	2	2	2	-	2	4	2	26	4	18	2	-	-	51
48	-	-	12	-	4	4	-	2	-	-	-	2	4	2	6	4	6	4	-	-	52
20	-	-	6	-	-	2	-	-	4	-	-	8	8	4	2	6	4	2	-	4	53
22	-	2	6	2	-	-	-	2	2	-	-	2	4	4	8	2	-	2	-	-	54
118	-	-	44	-	12	8	4	-	6	-	-	2	4	2	18	6	4	4	-	-	55
32	-	-	10	4	-	2	2	-	2	-	-	2	2	2	2	-	4	-	2	-	56
38	-	-	18	2	-	-	2	-	2	-	-	-	6	6	10	4	2	4	-	-	57
1,922	76	22	736	74	70	204	86	14	80	4	-	24	82	90	382	108	176	60	28	26	58
38	-	-	8	-	2	6	2	-	2	-	-	-	4	-	6	8	10	4	-	-	59
22	-	-	10	-	2	2	2	-	2	-	-	-	4	-	4	6	2	-	-	-	60
22	2	-	4	2	4	-	-	-	-	-	-	6	2	-	4	-	-	-	-	-	61
88	4	4	32	2	4	2	-	-	2	-	-	-	10	-	16	4	6	6	-	2	62
46	2	2	20	6	6	-	4	-	2	2	-	2	8	-	18	2	6	2	-	-	63
138	4	2	60	10	4	2	4	-	2	-	-	2	-	2	24	6	6	12	-	-	64
164	8	2	82	6	4	20	10	-	16	-	-	4	10	8	26	20	28	6	-	2	65
50	6	-	16	2	-	16	2	-	2	2	-	2	2	2	8	4	12	-	-	-	66
48	4	-	32	6	2	4	2	-	-	-	-	-	-	2	16	2	12	4	-	-	67
50	4	2	46	-	4	4	-	-	2	-	-	-	2	-	12	8	2	-	-	-	68
148	6	-	50	8	10	10	4	2	4	8	-	-	6	2	16	14	12	6	-	-	69
68	8	-	16	2	4	2	2	-	2	-	-	2	2	-	10	2	6	-	-	-	70
40	2	-	20	2	2	2	6	-	-	-	2	2	-	-	4	2	4	2	-	2	71
90	6	2	44	4	-	20	4	-	4	2	-	-	6	2	30	14	16	2	-	-	72
54	4	-	22	2	-	14	4	-	2	-	-	-	4	2	10	6	8	2	-	-	73
36	2	2	22	2	-	6	-	-	2	2	-	-	2	-	20	8	8	-	-	-	74
28	-	-	10	4	-	8	2	-	2	2	-	-	-	-	4	6	2	-	-	-	75
80	-	-	22	4	8	8	6	-	-	-	-	-	4	-	10	6	14	4	-	-	76
56	-	-	32	2	-	8	-	-	2	-	-	-	-	-	6	8	4	4	2	-	77
36	4	-	12	-	4	4	6	-	-	-	-	-	-	-	12	6	6	-	-	-	78
14	2	-	6	-	-	-	6	-	2	-	-	2	2	-	-	4	2	-	-	-	79
78	2	-	32	4	8	12	4	4	6	-	-	4	2	4	18	6	8	2	-	-	80
46	4	-	16	2	-	2	2	-	2	-	-	-	4	-	4	-	-	-	-	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MINNESOTA--CON.																	
01	LYON	254	-	-	2	54	18	10	4	14	2	4	2	2	132	92	-	2
02	MC LEOD	288	-	-	-	52	16	6	4	8	-	6	12	4	164	96	6	2
03	MAHNOMEN	60	-	-	-	14	6	4	-	-	-	-	4	-	38	26	-	2
04	MARSHALL	176	-	-	-	22	4	4	4	-	-	2	8	2	120	90	2	2
05	MARTIN	278	-	-	2	42	8	10	6	8	-	2	8	4	164	118	2	-
06	FAIRMONT	140	-	-	-	16	2	4	2	4	-	-	4	2	84	66	2	-
07	BALANCE OF COUNTY	138	-	-	2	26	6	6	4	4	-	2	4	2	80	52	-	-
08	MEEKER	206	-	-	4	38	12	6	4	2	4	2	8	4	118	66	4	-
09	MILLE LACS	224	-	-	4	38	12	8	2	4	2	-	10	8	120	66	-	-
10	MORRISON	286	-	-	-	44	12	2	4	10	2	4	10	4	160	114	-	2
11	MOWER	404	-	-	2	60	24	2	4	8	6	2	14	14	228	156	2	2
12	AUSTIN	266	-	-	-	42	14	2	4	6	4	2	10	14	146	102	-	2
13	BALANCE OF COUNTY	138	-	-	2	18	10	-	-	2	2	-	4	-	82	54	2	-
14	MURRAY	128	-	-	-	20	2	2	4	4	6	2	-	4	72	52	-	-
15	NICOLLET	208	-	-	-	40	14	8	2	6	-	2	8	-	100	72	-	2
16	NOBLES	226	2	-	2	38	4	2	6	8	6	2	10	-	132	102	2	8
17	NORMAN	134	-	-	-	30	10	4	2	8	2	-	4	4	52	36	-	-
18	OLMSTED	552	-	-	-	118	34	10	16	30	6	-	22	8	256	172	6	2
19	ROCHESTER	390	-	-	-	84	26	8	8	18	6	-	18	8	178	112	2	-
20	BALANCE OF COUNTY	162	-	-	-	34	8	2	8	12	-	-	4	-	78	60	4	2
21	OTTER TAIL	608	2	-	6	98	32	10	14	18	4	2	18	12	340	218	-	4
22	FERGUS FALLS	158	2	-	-	18	2	2	2	6	-	2	4	4	96	56	-	2
23	BALANCE OF COUNTY	450	-	-	6	80	30	8	12	12	4	-	14	8	244	162	-	2
24	PENNINGTON	194	2	-	-	16	6	2	2	-	4	-	2	2	130	78	4	4
25	PINE	254	-	-	2	32	12	8	2	-	2	2	6	4	140	96	-	4
26	PIPESTONE	140	-	-	-	24	6	6	2	-	-	2	8	6	68	50	2	-
27	POLK	396	-	-	-	70	24	10	8	4	4	6	14	14	214	144	-	-
28	POPE	158	-	-	-	20	4	4	-	4	-	4	4	8	100	78	2	-
29	RAMSEY	4,226	2	-	22	840	224	152	80	114	38	38	194	92	2,216	1,572	34	10
30	BLAINE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	MAPLEWOOD	132	-	-	-	22	6	6	-	4	-	2	4	-	78	48	2	2
32	NEW BRIGHTON	70	-	-	-	14	4	2	4	2	-	-	2	4	34	30	-	-
33	NORTH ST. PAUL	56	-	-	-	10	-	-	-	-	-	2	8	-	20	16	-	-
34	ROSEVILLE	162	-	-	-	44	10	10	-	14	2	2	6	-	70	50	-	-
35	ST. PAUL	3,500	2	-	18	688	188	124	68	82	30	32	164	84	1,888	1,342	32	8
36	SHOREVIEW	46	-	-	-	12	-	4	-	-	-	-	6	-	18	12	-	-
37	WHITE BEAR LAKE, PART	94	-	-	2	20	12	2	-	4	2	-	-	2	40	30	-	-
38	WHITE BEAR LAKE, TOTAL	94	-	-	2	20	12	2	-	4	2	-	-	2	40	30	-	-
39	BALANCE OF COUNTY	166	-	-	2	30	4	4	8	8	2	-	4	2	68	44	-	-
40	RED LAKE	58	-	-	-	22	4	4	4	2	4	-	4	2	26	18	2	-
41	REDWOOD	230	-	-	-	52	22	6	2	8	6	4	4	6	130	64	-	-
42	RENVILLE	248	-	-	-	50	14	4	6	8	2	4	12	2	136	96	-	-
43	RICE	398	-	-	-	60	16	2	6	10	2	4	20	8	234	158	4	16
44	FARIBAULT	176	-	-	-	20	6	2	2	4	-	2	4	2	110	74	2	10
45	NORTHFIELD	88	-	-	-	16	4	-	-	4	-	2	6	2	52	30	-	2
46	BALANCE OF COUNTY	134	-	-	-	24	6	-	4	2	2	-	10	4	72	54	2	4
47	ROCK	112	-	-	-	18	8	-	4	-	-	2	4	2	66	44	-	-
48	ROSEAU	118	-	-	-	18	6	-	2	4	-	2	4	-	76	40	-	-
49	ST. LOUIS	2,320	4	-	6	460	162	74	32	50	26	18	98	38	1,258	914	26	14
50	DULUTH	1,140	2	-	6	230	76	30	16	24	8	12	64	16	636	458	10	4
51	HIBBING	192	-	-	-	34	16	2	6	6	2	-	2	-	112	78	-	-
52	VIRGINIA	186	-	-	-	40	14	4	2	6	6	4	4	2	86	74	-	2
53	BALANCE OF COUNTY	802	2	-	-	156	56	38	8	14	10	2	28	20	424	304	16	8
54	SCOTT	210	-	-	2	40	10	4	2	12	-	2	10	2	114	78	2	-
55	SHERBURNE	154	-	-	-	38	8	10	8	4	2	-	6	2	56	32	-	-
56	ST. CLOUD, PART	20	-	-	-	2	2	-	-	-	-	-	-	-	10	6	-	-
57	BALANCE OF COUNTY	134	-	-	-	36	6	10	8	4	2	-	6	2	46	26	-	-
58	SIBLEY	164	-	-	2	26	4	6	6	6	2	-	2	-	92	68	-	-
59	STEARNS	758	-	-	-	142	60	14	10	14	4	8	32	12	408	294	4	-
60	ST. CLOUD, PART	264	-	-	-	50	14	6	2	10	2	2	14	-	154	126	4	-
61	ST. CLOUD, TOTAL	320	-	2	-	60	18	8	4	10	2	4	14	-	180	142	4	4
62	BALANCE OF COUNTY	494	-	-	-	92	46	8	8	4	2	6	18	12	254	168	-	-
63	STEELE	228	-	-	-	50	10	4	8	12	4	6	6	2	138	100	4	2
64	OWATONNA	142	-	-	-	30	8	-	8	6	2	4	2	-	86	70	2	-
65	BALANCE OF COUNTY	86	-	-	-	20	2	4	-	6	2	2	4	2	52	30	2	2
66	STEVENS	116	-	-	-	22	-	2	4	4	-	2	10	4	60	34	-	-
67	SWIFT	134	-	-	-	16	6	2	4	-	2	-	2	6	72	48	-	2
68	TODD	312	-	-	-	44	14	10	2	4	2	2	10	2	172	150	-	-
69	TRAVERSE	84	-	-	-	16	4	4	-	4	-	2	2	-	42	34	-	-
70	WABASHA	226	-	-	2	32	4	2	6	10	-	2	8	2	132	100	8	-
71	WADENA	158	-	-	-	18	10	2	2	2	-	-	2	-	100	80	2	2
72	WASECA	192	-	-	-	30	6	6	4	8	-	-	6	6	122	106	-	-
73	WASHINGTON	426	-	-	-	86	28	20	6	6	6	2	18	8	216	160	2	-
74	COTTAGE GROVE	24	-	-	-	10	2	4	-	-	-	-	4	-	4	2	-	-
75	HASTINGS, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76	STILLWATER	108	-	-	-	20	4	4	4	2	4	-	2	6	54	44	-	-
77	WHITE BEAR LAKE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78	BALANCE OF COUNTY	294	-	-	-	56	22	12	2	4	2	2	12	2	158	114	2	-
79	WATONWAN	142	2	-	2	14	4	2	2	4	-	2	-	2	74	44	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
88	2	-	34	4	2	8	4	-	2	-	-	2	10	-	18	6	10	-	-	4	01
82	6	2	42	16	8	4	4	-	2	-	-	4	4	-	24	12	12	2	-	-	02
22	2	-	10	-	2	-	-	-	-	-	-	2	-	2	2	-	2	-	-	-	03
84	2	-	22	2	6	6	-	2	2	-	-	-	-	2	6	8	6	-	-	-	04
106	10	-	42	4	-	8	2	-	-	-	-	2	14	-	20	6	12	2	-	-	05
56	8	-	14	4	-	4	2	-	-	-	-	2	12	-	10	2	6	-	-	-	06
50	2	-	28	-	-	4	-	-	-	-	-	-	2	-	10	4	6	2	-	-	07
58	4	-	40	10	2	6	4	-	2	2	-	-	2	4	8	6	6	-	2	-	08
62	4	-	44	4	6	6	2	-	2	2	-	-	4	2	16	8	10	2	-	-	09
108	4	-	38	2	6	12	4	2	-	-	-	4	6	-	20	14	14	2	-	-	10
126	26	-	64	4	4	20	6	-	10	-	-	2	4	2	28	14	10	4	-	-	11
84	16	-	36	4	4	14	4	-	10	-	-	-	2	2	20	4	4	4	-	-	12
42	10	-	28	-	-	6	2	-	-	-	-	2	2	-	8	10	6	-	-	-	13
50	2	-	16	4	-	4	4	-	4	-	-	-	2	2	6	10	-	-	-	-	14
64	6	-	28	-	-	6	2	-	4	-	-	2	2	8	24	8	10	2	-	-	15
92	-	-	26	-	4	12	2	2	2	-	-	-	6	-	14	2	12	-	-	-	16
36	-	-	8	8	-	8	-	2	-	-	-	-	2	2	14	14	6	-	-	-	17
150	14	-	64	8	12	30	6	4	2	2	-	6	24	8	52	10	16	10	-	-	18
100	10	-	52	4	10	22	4	4	-	-	-	4	10	4	42	8	14	8	-	-	19
50	4	-	12	4	2	8	2	-	2	2	-	2	14	4	10	2	2	2	-	-	20
206	8	6	96	12	8	36	8	6	4	2	-	4	8	2	48	12	18	2	-	-	21
50	4	2	30	6	2	14	2	2	-	2	-	-	6	-	6	-	6	-	-	-	22
156	4	4	66	6	6	22	6	4	4	-	-	4	2	2	42	12	12	2	-	-	23
68	2	2	36	10	4	-	4	-	4	-	-	2	4	2	14	6	8	-	-	-	24
84	8	-	30	6	8	12	12	-	-	-	-	-	-	2	22	14	12	-	2	-	25
44	4	-	16	-	2	10	2	2	-	-	-	-	2	2	12	4	6	-	-	2	26
136	8	2	46	18	4	14	4	-	8	-	-	2	-	2	32	16	16	4	-	-	27
74	2	-	20	-	2	8	-	-	-	-	-	-	4	-	10	6	2	-	-	-	28
1,462	66	26	476	80	62	134	80	26	56	24	-	28	66	22	314	88	112	44	32	28	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
44	-	-	18	8	4	-	2	-	2	2	-	2	-	-	12	6	4	2	-	-	31
30	-	-	4	-	-	2	-	-	-	-	-	-	6	-	4	2	2	-	2	-	32
16	-	-	2	2	-	-	-	-	-	2	-	-	4	-	14	-	2	2	-	2	33
50	-	-	16	2	2	4	-	2	6	2	-	-	-	-	20	6	2	2	2	2	34
1,244	58	24	410	60	52	120	72	22	46	18	-	22	48	20	238	54	84	32	24	20	35
12	-	-	6	-	-	2	-	-	-	-	-	2	-	-	4	4	2	2	-	-	36
26	4	-	6	2	2	2	2	2	2	-	-	2	2	-	4	8	4	-	2	-	37
26	4	-	6	2	2	2	2	2	2	-	-	2	2	-	4	8	4	-	2	-	38
40	4	2	14	6	2	4	4	-	-	-	-	-	6	2	18	8	12	4	2	4	39
16	-	-	8	-	-	-	-	-	-	-	-	4	-	-	2	-	2	-	-	-	40
64	-	-	52	8	6	6	2	2	2	-	-	2	2	2	14	2	6	2	-	-	41
90	6	2	32	4	2	12	6	-	-	-	-	-	6	-	8	12	14	2	-	-	42
130	8	4	54	14	4	18	8	-	2	-	-	6	8	2	34	6	6	6	-	-	43
56	6	2	24	10	-	4	4	-	2	-	-	6	4	-	18	2	2	2	-	-	44
28	-	-	14	4	4	6	2	-	-	-	-	-	-	-	6	2	2	-	-	-	45
46	2	2	16	-	-	8	2	-	-	-	-	-	4	2	10	2	2	4	-	-	46
44	-	-	18	-	4	6	-	-	-	-	-	2	2	-	6	4	4	2	-	-	47
38	2	-	24	8	4	2	-	-	-	-	-	2	-	-	12	2	6	-	-	-	48
850	24	2	258	42	42	94	40	4	20	-	2	16	22	8	158	74	74	30	8	4	49
438	6	-	136	28	14	42	18	-	12	-	2	8	4	4	78	40	24	14	4	-	50
76	2	-	28	4	2	2	8	-	2	-	-	2	2	-	20	2	4	2	-	2	51
70	2	-	10	-	2	12	6	2	4	-	-	2	4	-	14	2	10	2	-	-	52
266	14	2	84	10	24	38	8	2	2	-	-	4	12	4	46	30	36	12	4	2	53
76	-	-	22	4	10	12	-	-	4	2	-	-	-	4	16	4	8	2	-	-	54
30	2	2	18	2	2	8	6	-	2	-	-	4	-	2	10	18	4	4	-	-	55
8	-	-	4	-	-	4	2	-	-	-	-	-	-	-	-	-	2	-	-	-	56
24	2	2	14	2	2	4	4	-	2	-	-	4	-	2	10	18	2	4	-	-	57
62	6	-	16	4	4	4	-	-	2	-	-	4	-	6	18	8	2	-	-	-	58
278	12	2	80	16	16	24	12	-	2	2	-	8	6	4	60	34	34	6	-	4	59
114	8	-	16	4	8	10	4	-	-	-	-	2	4	4	16	10	6	2	-	2	60
126	8	-	24	6	8	14	6	-	-	-	-	2	4	4	22	14	8	2	-	2	61
164	4	2	64	12	8	14	8	-	2	2	-	6	2	-	44	24	28	4	-	2	62
84	10	2	32	2	2	16	-	-	4	-	-	2	-	-	4	2	10	-	-	-	63
62	6	-	14	-	2	12	-	-	2	-	-	-	-	-	2	2	8	-	-	-	64
22	4	2	18	2	-	4	-	-	2	-	-	2	-	-	2	-	2	-	-	-	65
32	2	-	20	6	-	10	4	-	-	2	-	-	-	-	12	-	2	-	-	-	66
34	12	2	20	2	-	16	2	2	-	2	-	-	2	-	8	6	2	-	-	-	67
150	-	-	20	2	-	24	4	-	-	-	-	4	10	-	26	10	14	-	2	-	68
30	4	-	8	-	-	6	-	-	-	-	-	-	-	-	6	4	6	4	-	-	69
82	10	-	30	2	-	12	2	-	2	2	-	2	2	-	18	8	10	-	-	-	70
74	2	-	18	-	2	6	2	-	-	2	-	2	6	-	10	-	6	-	6	-	71
94	12	-	14	-	2	2	2	2	2	-	-	2	4	-	16	4	-	-	-	-	72
150	8	-	42	10	4	20	2	-	-	2	-	2	10	-	28	20	26	6	-	-	73
2	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	6	-	2	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
44	-	-	6	2	2	2	-	-	-	-	-	2	6	-	12	2	4	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
104	8	-	34	8	2	18	-	-	-	2	-	-	4	-	16	12	22	4	-	-	78
42	2	-	18	4	8	6	2	-	-	-	-	2	2	2	16	6	6	6	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MINNESOTA--CON.																	
01	WILKIN	108	-	-	-	36	16	10	2	2	-	-	6	-	58	38	-	2
02	WINONA	432	-	-	-	74	30	14	6	12	2	2	8	4	230	156	6	8
03	WINONA	296	-	-	-	54	26	6	4	8	2	2	6	2	156	104	2	8
04	BALANCE OF COUNTY	136	-	-	-	20	4	8	2	4	-	-	2	2	74	52	4	-
05	WRIGHT	428	-	-	-	70	24	6	4	6	4	6	20	14	230	182	2	-
06	YELLOW MEDICINE	180	-	-	2	42	12	18	-	2	4	4	2	12	88	54	4	-
07	**MISSISSIPPI**	23,680	64	-	224	3,448	946	790	282	508	152	124	646	526	11,566	7,790	68	188
08	URBAN PLACES	6,980	26	-	40	1,040	284	252	98	150	46	36	174	172	3,288	2,208	28	52
09	BALANCE OF AREA	16,700	38	-	184	2,408	662	538	184	358	106	88	472	354	8,278	5,582	40	136
10	METROPOLITAN COUNTIES	3,168	10	-	16	550	132	134	48	80	38	14	104	54	1,510	1,048	8	26
11	URBAN PLACES	2,104	6	-	12	372	94	100	28	56	20	8	66	46	980	686	8	18
12	BALANCE OF AREA	1,064	4	-	4	178	38	34	20	24	18	6	38	8	530	362	-	8
13	NONMETROPOLITAN COUNTIES	20,512	54	-	208	2,898	814	656	234	428	114	110	542	472	10,056	6,742	60	162
14	URBAN PLACES	4,876	20	-	28	668	190	152	70	94	26	28	108	126	2,308	1,522	20	34
15	BALANCE OF AREA	15,636	34	-	180	2,230	624	504	164	334	88	82	434	346	7,748	5,220	40	128
16	ADAMS	412	2	-	4	80	22	10	8	20	-	6	14	14	184	144	6	2
17	NATCHEZ	276	2	-	2	60	22	8	8	10	-	4	8	12	124	96	6	-
18	BALANCE OF COUNTY	136	-	-	2	20	-	2	-	10	-	2	6	2	60	48	-	2
19	ALCORN	300	-	-	4	40	10	4	4	6	6	-	10	4	170	122	2	2
20	CORINTH	146	-	-	-	26	2	4	2	6	4	-	8	2	94	68	-	2
21	BALANCE OF COUNTY	154	-	-	4	14	8	-	2	-	2	-	2	2	76	54	2	-
22	AMITE	134	-	-	2	28	10	8	-	4	-	2	4	-	46	28	-	2
23	ATTALA	234	-	-	2	24	6	4	-	2	2	4	6	8	128	92	-	4
24	BENTON	94	2	-	-	10	2	-	-	4	-	2	2	4	44	42	2	-
25	BOLIVAR	592	2	-	6	74	18	22	4	14	6	-	10	4	290	164	4	4
26	CLEVELAND	120	-	-	6	14	8	4	-	-	-	-	2	-	46	22	-	2
27	BALANCE OF COUNTY	472	2	-	-	60	10	18	4	14	6	-	8	4	244	142	4	2
28	CALHOUN	212	-	-	4	22	6	2	2	2	4	-	6	2	112	88	2	12
29	CARROLL	94	-	-	2	14	6	4	-	2	-	2	-	2	48	38	-	2
30	CHICKASAW	188	-	-	-	28	4	12	2	6	-	-	4	4	94	66	-	-
31	CHOCTAW	110	-	-	4	8	4	-	-	2	-	-	2	-	62	46	-	-
32	CLAIBORNE	146	-	-	4	20	6	4	-	-	2	-	8	2	82	62	-	-
33	CLARKE	232	-	-	6	38	16	16	-	4	2	-	-	2	124	90	-	-
34	CLAY	208	-	-	-	38	10	4	-	4	2	2	16	10	104	62	-	4
35	COAHOMA	472	-	-	4	52	16	8	6	6	-	4	12	12	220	152	-	6
36	CLARKSDALE	252	-	-	-	26	10	2	4	2	-	4	4	2	130	90	-	-
37	BALANCE OF COUNTY	220	-	-	4	26	6	6	2	4	-	-	8	10	90	62	-	6
38	COPIAH	358	-	-	6	34	12	2	2	6	-	2	10	10	202	142	2	2
39	COVINGTON	196	-	-	2	28	10	6	4	-	-	-	8	6	102	48	2	-
40	DE SOTO	274	-	-	8	48	8	10	8	10	-	-	12	6	96	68	-	-
41	FORREST	604	8	-	4	72	20	24	2	8	2	2	14	22	298	206	2	4
42	HATTIESBURG, PART	402	6	-	4	50	14	18	2	6	2	2	6	14	200	136	2	4
43	HATTIESBURG, TOTAL	406	6	-	4	50	14	18	2	6	2	2	6	14	202	136	2	4
44	BALANCE OF COUNTY	202	2	-	-	22	6	6	-	2	-	-	8	8	98	70	-	-
45	FRANKLIN	120	-	-	-	24	4	6	4	2	2	2	4	2	56	40	-	-
46	GEORGE	120	-	-	-	14	4	4	-	2	-	-	4	2	52	40	-	-
47	GREENE	76	-	-	2	10	4	2	2	-	-	-	2	-	40	30	-	2
48	GRENADA	212	2	-	2	32	14	4	-	8	2	2	2	6	108	76	-	-
49	HANCOCK	206	-	-	-	22	4	8	4	2	-	-	4	6	108	72	-	-
50	HARRISON	1,080	2	-	6	176	50	38	16	26	4	4	38	12	544	398	-	6
51	BILOXI	352	2	-	2	64	24	18	4	4	2	-	12	6	158	120	-	2
52	GULFPORT	352	-	-	4	46	14	6	6	6	-	-	14	4	182	132	-	2
53	BALANCE OF COUNTY	376	-	-	-	66	12	14	6	16	2	4	12	2	204	146	-	2
54	HINDS	1,772	6	-	8	330	74	86	22	50	32	10	56	40	810	544	8	20
55	JACKSON, PART	1,398	4	-	6	262	56	76	18	46	18	8	40	36	640	434	8	14
56	JACKSON, TOTAL	1,400	4	-	6	262	56	76	18	46	18	8	40	36	640	434	8	14
57	BALANCE OF COUNTY	374	2	-	2	68	18	10	4	4	14	2	16	4	170	110	-	6
58	HOLMES	316	4	-	4	44	18	14	2	2	-	2	6	12	160	96	-	10
59	HUMPHREYS	182	-	-	2	24	2	14	4	2	-	-	2	4	88	68	-	-
60	ISSAQUENA	24	-	-	2	-	-	-	-	-	-	-	-	-	16	12	-	-
61	ITAWAMBA	172	-	-	-	24	4	8	2	2	2	-	6	4	102	68	-	2
62	JACKSON	516	-	-	2	90	22	22	6	14	4	4	18	14	222	154	2	-
63	MOSS POINT	122	-	-	-	8	2	-	-	6	-	-	-	4	66	42	-	-
64	PASCAGOULA	160	-	-	-	32	8	8	2	-	-	2	12	4	64	44	-	-
65	BALANCE OF COUNTY	234	-	-	2	50	12	14	4	8	4	2	6	6	92	68	2	-
66	JASPER	184	-	-	2	28	16	2	2	6	-	-	2	8	96	68	-	-
67	JEFFERSON	120	-	-	-	76	12	6	-	6	-	-	2	2	60	44	-	4
68	JEFFERSON DAVIS	162	-	-	4	26	10	8	-	-	2	2	4	2	76	44	-	2
69	JONES	654	4	-	2	90	32	16	16	6	2	2	16	12	268	166	-	2
70	LAUREL	332	2	-	-	44	16	10	12	2	2	-	2	8	146	94	-	-
71	BALANCE OF COUNTY	322	2	-	2	46	16	6	4	4	-	2	14	4	122	72	-	2
72	KEMPER	162	2	-	2	12	2	2	-	4	2	-	2	-	76	52	-	-
73	LAFAYETTE	170	-	-	2	28	8	8	-	4	-	-	8	8	72	48	2	-
74	OXFORD	56	-	-	-	10	4	4	-	-	-	-	2	2	24	18	-	-
75	BALANCE OF COUNTY	114	-	-	2	18	4	4	-	4	-	-	6	6	48	30	2	-
76	LAMAR	144	-	-	4	24	4	4	2	6	-	-	8	2	70	40	2	-
77	HATTIESBURG, PART	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
78	BALANCE OF COUNTY	140	-	-	4	24	4	4	2	6	-	-	8	2	68	40	2	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
36	-	-	14	6	-	-	2	-	-	-	-	2	-	-	8	-	2	-	-	-	01
136	6	6	48	10	10	10	4	-	14	-	-	10	4	-	44	12	20	6	-	-	02
94	-	6	34	6	6	10	4	-	10	-	-	6	2	-	24	8	14	6	-	-	03
42	6	-	14	4	4	-	-	-	4	-	-	4	2	-	20	4	6	-	-	-	04
172	8	4	36	2	6	16	2	4	-	-	-	-	8	2	50	16	14	-	-	2	05
46	4	-	28	4	2	10	2	-	-	-	-	-	-	2	4	4	12	2	-	-	06
6,752	782	134	3,052	296	294	686	264	66	178	132	22	194	662	1,626	1,598	954	870	204	342	54	07
1,874	254	52	832	96	100	180	76	32	86	46	2	56	246	480	540	220	258	40	130	22	08
4,878	528	82	2,220	200	194	506	188	34	92	86	20	138	416	1,146	1,058	734	612	164	212	32	09
840	174	20	368	32	42	96	38	18	44	14	2	18	98	144	216	118	108	34	76	4	10
560	100	14	230	20	30	54	32	12	32	10	2	10	68	60	164	80	82	22	56	4	11
280	74	6	138	12	12	42	6	6	12	4	-	8	30	84	52	38	26	12	20	-	12
5,912	608	114	2,684	264	252	590	226	48	134	118	20	176	564	1,482	1,382	836	762	170	266	50	13
1,314	154	38	602	76	70	126	44	20	54	36	-	46	178	420	376	140	176	18	74	18	14
4,598	454	76	2,082	188	182	464	182	28	80	82	20	130	386	1,062	1,006	696	586	152	192	32	15
128	8	-	28	6	6	10	2	2	4	-	-	2	18	22	30	18	8	2	10	-	16
86	4	-	20	4	4	8	-	2	2	-	-	-	10	16	22	6	4	2	4	-	17
42	4	-	8	2	2	2	2	-	2	-	-	2	8	6	8	12	4	-	6	-	18
104	14	-	40	4	4	6	2	-	2	-	-	-	8	6	22	16	12	6	-	2	19
58	8	-	22	2	2	-	-	-	-	-	-	-	2	-	8	6	8	-	-	-	20
46	6	-	18	2	2	6	2	-	2	-	-	-	6	6	14	10	4	6	-	2	21
26	-	-	16	-	2	-	-	-	4	2	-	-	4	30	8	4	2	2	2	-	22
80	8	-	36	-	-	6	2	-	4	-	-	2	4	12	24	4	4	4	6	-	23
38	2	-	2	-	-	4	2	-	-	2	-	-	2	10	2	8	4	-	-	-	24
142	14	8	92	8	18	8	8	-	6	8	2	8	20	64	42	14	20	2	10	4	25
18	2	2	16	2	4	-	-	-	2	2	-	-	10	22	12	2	-	-	2	2	26
124	12	6	76	6	14	8	8	-	4	6	2	8	10	42	30	12	20	2	8	2	27
68	6	2	20	-	2	10	8	-	-	2	2	2	4	4	18	14	6	2	-	-	28
34	2	-	10	-	-	-	4	-	-	-	-	-	-	6	4	6	6	-	-	2	29
64	2	2	24	2	-	4	-	-	-	2	-	2	2	24	14	8	4	-	-	2	30
44	2	-	16	-	-	4	-	-	2	-	-	-	-	8	4	8	8	-	2	-	31
46	16	-	18	-	2	4	-	-	-	2	-	-	6	-	16	2	4	-	2	2	32
86	4	2	30	2	-	12	-	-	-	-	-	2	-	18	20	4	2	2	2	-	33
50	8	2	38	2	-	2	-	-	2	-	2	2	4	12	20	6	4	2	-	-	34
102	44	-	56	8	4	14	4	-	-	6	-	2	14	50	36	22	20	2	12	2	35
64	26	-	30	6	4	10	2	-	-	4	-	2	10	16	20	10	14	-	6	-	36
38	18	-	26	2	-	4	2	-	-	2	-	-	4	34	16	12	6	2	6	2	37
132	6	-	44	6	10	16	6	-	6	2	-	-	2	20	20	4	14	4	10	2	38
44	2	2	48	4	-	-	2	2	2	-	-	2	6	16	14	6	8	-	-	-	39
68	-	-	20	8	-	6	8	2	4	-	-	4	6	34	16	12	14	2	8	-	40
182	18	4	72	8	8	20	16	-	6	4	-	12	12	42	46	20	10	6	4	2	41
118	12	4	48	4	8	14	8	-	4	4	-	8	4	24	30	14	10	2	4	2	42
118	12	4	50	4	8	16	8	-	4	4	-	8	4	24	30	14	10	2	4	2	43
64	6	-	24	4	-	6	8	-	2	-	-	4	8	18	16	6	-	4	-	-	44
40	-	-	14	-	2	2	-	-	2	2	-	-	-	8	6	14	2	-	2	-	45
34	6	-	12	-	-	6	2	-	-	-	-	-	8	2	6	14	12	2	-	-	46
26	2	-	10	-	-	2	-	-	-	-	2	2	4	4	-	6	2	2	-	-	47
72	4	2	30	-	-	6	4	-	2	2	2	2	6	22	6	2	2	4	2	-	48
66	6	2	30	2	2	8	-	-	2	-	-	-	10	16	16	10	6	-	2	-	49
294	98	2	126	4	14	26	28	6	12	6	-	2	42	40	76	30	44	12	16	-	50
96	22	-	32	2	4	12	18	2	8	2	-	-	20	2	16	14	20	4	2	-	51
92	38	-	40	2	8	6	6	4	-	4	-	-	8	14	44	4	14	4	8	-	52
106	38	2	54	-	2	8	4	-	4	-	-	2	14	24	16	12	10	4	6	-	53
452	64	18	208	18	22	56	8	10	32	8	2	16	48	66	124	74	56	16	58	4	54
372	40	14	158	16	18	36	8	6	24	4	2	10	40	44	104	60	48	14	46	4	55
372	40	14	158	16	18	36	8	6	24	4	2	10	40	44	104	62	48	14	46	4	56
80	24	4	50	2	4	20	-	4	8	4	-	6	8	22	20	14	8	2	12	-	57
72	14	-	52	6	6	6	4	-	4	4	-	-	8	26	8	4	18	4	6	-	58
60	8	-	10	10	-	2	2	-	-	-	-	2	6	26	12	6	6	-	2	-	59
10	2	-	2	2	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	60
66	-	2	28	-	4	2	4	-	2	-	-	-	4	-	2	22	4	2	-	-	61
144	8	4	44	6	14	10	2	-	8	2	-	8	20	18	30	36	38	6	8	2	62
40	2	2	16	4	2	-	-	-	2	-	-	2	8	-	10	2	12	2	4	2	63
42	2	2	10	2	6	6	-	-	4	-	-	2	6	6	4	14	14	2	2	-	64
62	4	-	18	-	6	4	2	-	2	2	-	4	6	12	16	20	12	2	2	-	65
64	4	-	18	8	2	4	-	-	-	2	-	2	2	4	8	14	6	8	-	-	66
38	2	-	12	2	2	-	-	-	2	2	-	4	2	2	6	8	6	-	-	-	67
38	4	-	30	2	-	8	-	-	2	-	-	2	6	4	16	-	10	2	4	-	68
160	4	-	80	12	10	18	14	4	4	6	-	6	18	64	72	20	44	4	4	-	69
92	2	-	36	12	4	8	6	2	2	6	-	4	6	32	38	6	18	-	4	-	70
68	2	-	44	-	6	10	8	2	2	-	-	2	12	32	34	14	26	4	-	-	71
50	2	-	22	-	2	6	6	2	-	2	-	2	4	16	12	6	6	8	-	-	72
44	2	-	18	2	4	2	2	4	-	-	-	-	8	18	8	8	2	-	6	2	73
18	-	-	4	-	2	2	-	2	-	-	-	-	4	2	4	2	-	-	2	2	74
26	2	-	14	2	2	-	2	2	-	-	-	-	4	16	4	6	2	-	4	-	75
34	4	2	24	-	4	6	4	-	-	-	-	-	8	2	10	6	2	2	4	-	76
-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
34	4	2	22	-	4	4	4	-	-	-	-	-	8	2	10	6	2	2	4	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MISSISSIPPI—CON.																	
01	LAUDERDALE	816	-	-	4	134	18	44	16	20	6	6	24	10	326	178	2	2
02	MERIDIAN	588	-	-	2	100	12	38	12	14	6	6	12	10	244	138	2	-
03	BALANCE OF COUNTY	228	-	-	2	34	6	6	4	6	-	-	12	-	82	40	-	2
04	LAWRENCE	116	2	-	2	14	2	4	-	4	-	2	2	4	78	50	-	6
05	LEAKE	266	-	-	-	34	4	14	2	2	-	4	8	10	150	100	2	2
06	LEE	494	-	-	8	68	24	10	4	14	6	2	8	6	288	218	-	6
07	TUPELO	190	-	-	2	34	16	4	2	4	2	2	4	2	112	90	-	-
08	BALANCE OF COUNTY	304	-	-	6	34	8	6	2	10	4	-	4	4	176	128	-	6
09	LEFLORE	504	2	-	8	78	32	22	2	18	-	2	2	4	264	166	-	2
10	GREENWOOD	292	-	-	-	38	14	10	2	10	-	-	2	4	164	106	-	2
11	BALANCE OF COUNTY	212	2	-	8	40	18	12	-	8	-	2	-	-	100	60	-	-
12	LINCOLN	306	2	-	2	38	4	12	4	6	2	2	8	12	150	100	-	4
13	BROOKHAVEN	142	2	-	2	16	-	6	2	4	2	-	2	6	68	44	-	4
14	BALANCE OF COUNTY	164	-	-	-	22	4	6	2	2	-	2	6	6	82	56	-	-
15	LOWNDES	462	6	-	2	64	18	10	4	8	2	-	22	8	198	108	-	6
16	COLUMBUS	288	4	-	2	36	14	-	2	6	2	-	12	8	120	70	-	6
17	BALANCE OF COUNTY	174	2	-	-	28	4	10	2	2	-	-	10	-	78	38	-	-
18	MADISON	330	-	-	6	20	4	6	-	-	6	2	2	10	150	106	-	6
19	CANTON	118	-	-	2	8	4	2	-	-	-	2	-	4	50	34	-	2
20	BALANCE OF COUNTY	212	-	-	4	12	-	4	-	-	6	-	2	6	100	72	-	4
21	MARION	250	-	-	-	46	12	8	2	6	4	2	12	2	116	52	-	2
22	MARSHALL	260	2	-	4	38	8	6	4	10	-	-	10	-	120	68	2	-
23	MONROE	406	-	-	8	50	16	8	4	6	2	-	14	10	222	162	-	2
24	MONTGOMERY	174	-	-	-	22	10	4	4	-	-	2	2	6	104	58	-	2
25	NESHOBA	266	-	-	2	40	8	12	4	4	4	-	8	2	138	92	2	4
26	NEWTON	292	-	-	2	34	14	6	2	4	2	2	4	14	172	114	2	4
27	NOXUBEE	182	-	-	4	30	4	6	6	6	-	2	6	6	62	46	-	-
28	OKTIBBEHA	252	-	-	4	20	6	2	2	6	2	-	2	8	138	104	4	6
29	STARKVILLE	108	-	-	2	10	4	-	2	2	2	-	-	6	66	52	2	2
30	BALANCE OF COUNTY	144	-	-	2	10	2	2	-	4	-	-	2	2	72	52	2	4
31	PANOLA	346	-	-	2	44	12	12	6	6	-	-	8	14	196	140	-	6
32	PEARL RIVER	290	-	-	-	46	8	6	4	4	-	6	18	6	138	100	2	-
33	PICAYUNE	134	-	-	-	18	4	2	-	-	-	4	8	4	62	40	-	-
34	BALANCE OF COUNTY	156	-	-	-	28	4	4	4	4	-	2	10	2	76	60	2	-
35	PERRY	114	-	-	2	18	4	4	-	2	-	2	6	2	50	36	-	-
36	PIKE	390	4	-	2	58	12	20	10	6	-	2	8	6	182	118	-	-
37	MC COMB	138	2	-	-	16	2	6	6	2	-	-	-	4	66	44	-	-
38	BALANCE OF COUNTY	252	2	-	2	42	10	14	4	4	-	2	8	2	116	74	-	-
39	PONTOTOC	218	-	-	-	34	14	6	2	6	-	-	6	-	132	94	-	-
40	PRENTISS	244	-	-	2	30	4	10	2	8	-	-	6	2	124	94	-	2
41	QUITMAN	196	-	-	8	24	6	8	-	4	-	2	4	2	86	48	-	2
42	RANKIN	316	2	-	2	44	8	10	10	4	2	-	10	2	156	106	-	-
43	JACKSON, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	BALANCE OF COUNTY	314	2	-	2	44	8	10	10	4	2	-	10	2	156	106	-	-
45	SCOTT	222	-	-	2	26	10	4	4	2	-	2	4	4	112	76	-	2
46	SHARKEY	102	-	-	-	18	4	2	2	2	-	-	8	-	40	24	-	-
47	SIMPSON	228	2	-	2	42	12	12	2	2	8	2	4	6	126	86	2	-
48	SMITH	136	-	-	-	20	4	6	2	-	4	-	4	2	84	62	-	-
49	STONE	104	-	-	2	20	8	2	2	4	-	-	4	2	58	40	-	-
50	SUNFLOWER	356	-	-	2	72	14	14	4	16	6	8	10	18	150	88	-	-
51	TALLAHATCHIE	266	-	-	8	38	18	10	2	-	-	-	8	6	144	106	-	-
52	TATE	132	-	-	-	22	8	6	-	4	2	2	-	4	62	42	-	2
53	TIPPAH	200	-	-	2	28	6	4	2	4	2	2	8	6	110	88	-	-
54	TISHOMINGO	160	-	-	2	26	12	4	-	4	2	-	4	4	78	46	-	2
55	TUNICA	162	2	-	2	24	8	4	2	8	2	-	-	4	74	46	-	-
56	UNION	232	-	-	2	34	14	6	6	2	-	6	-	4	104	68	-	2
57	WALTHALL	126	-	-	2	16	4	2	2	2	-	2	4	4	62	40	-	6
58	WARREN	522	2	-	-	78	22	10	6	14	2	2	22	14	238	156	2	-
59	VICKSBURG	358	-	-	-	48	14	10	4	6	2	-	12	8	160	104	2	-
60	BALANCE OF COUNTY	164	2	-	-	30	8	-	2	8	-	2	10	6	78	52	-	-
61	WASHINGTON	762	2	-	4	94	34	16	10	16	4	-	14	18	344	238	4	10
62	GREENVILLE	466	2	-	4	54	18	10	8	6	2	-	10	14	220	144	4	8
63	BALANCE OF COUNTY	296	-	-	-	40	16	6	2	10	2	-	4	4	124	94	-	2
64	WAYNE	212	-	-	2	26	6	8	-	4	-	-	8	12	124	82	2	-
65	WEBSTER	128	-	-	2	22	6	-	8	2	-	-	6	2	80	48	2	-
66	WILKINSON	124	-	-	4	24	8	6	4	2	-	-	4	6	64	48	-	2
67	WINSTON	230	-	-	2	32	10	8	2	8	-	2	2	6	110	74	-	2
68	YALOBUSHA	158	2	-	2	28	8	12	2	2	-	-	4	-	80	58	-	2
69	YAZOO	376	-	-	2	48	8	12	2	14	4	2	6	10	152	96	4	2
70	YAZOO CITY	184	-	-	-	20	2	6	-	8	-	2	2	8	80	46	2	2
71	BALANCE OF COUNTY	192	-	-	2	28	6	6	2	6	4	-	4	2	72	50	2	-
72	**MISSOURI**	52,458	82	4	234	8,834	2,208	2,044	740	1,126	428	384	1,904	1,036	28,412	20,194	346	420
73	URBAN PLACES	26,074	48	2	108	4,594	1,136	1,086	424	584	238	186	940	544	13,748	9,904	172	190
74	BALANCE OF AREA	26,384	34	2	126	4,240	1,072	958	316	542	190	198	964	492	14,664	10,290	174	230

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
170	4	4	124	14	6	16	8	2	16	4	-	6	34	134	44	34	22	6	16	-	01
132	4	2	94	8	2	10	4	2	16	4	-	2	24	100	32	10	16	-	12	-	02
38	-	2	30	6	4	6	4	-	-	-	-	4	10	34	12	24	6	6	4	-	03
36	8	4	18	-	6	2	2	-	-	-	-	2	-	2	2	2	4	-	-	-	04
94	2	-	48	-	2	6	2	2	-	2	-	-	8	-	20	14	10	2	4	2	05
204	8	-	60	6	4	14	6	-	2	6	-	6	18	8	22	14	22	2	4	-	06
86	4	-	20	2	-	2	-	-	2	7	-	2	10	-	10	6	6	-	-	-	07
118	4	-	40	4	4	12	6	-	-	4	-	4	8	8	12	8	16	2	4	-	08
122	42	14	72	10	2	18	4	-	-	-	-	4	24	18	32	26	12	2	8	-	09
78	26	10	42	4	2	12	4	-	-	-	-	-	16	10	22	6	6	2	8	-	10
44	16	4	30	6	-	6	-	-	-	-	-	4	8	8	10	20	6	-	-	-	11
92	4	2	46	-	2	12	4	2	2	2	-	2	4	28	24	4	8	6	4	-	12
38	2	2	22	-	-	6	2	2	-	2	-	2	4	18	10	-	2	-	-	-	13
54	2	-	24	-	2	6	2	-	2	-	-	-	-	10	14	4	6	6	4	-	14
88	14	4	72	8	6	14	10	4	4	2	-	-	14	48	36	14	24	4	8	2	15
54	10	2	40	4	4	6	4	2	4	2	-	-	14	36	24	4	14	2	4	2	16
34	4	2	32	4	2	8	6	2	-	-	-	-	-	12	12	10	10	2	4	-	17
76	24	-	30	10	4	20	-	-	-	4	-	4	4	56	20	8	12	2	10	4	18
22	10	-	14	-	2	8	-	-	-	-	-	2	4	16	14	2	2	-	2	4	19
54	14	-	16	10	2	12	-	-	-	4	-	2	-	40	6	6	10	2	8	-	20
48	2	6	44	4	10	4	2	-	-	2	2	2	8	12	18	18	14	-	4	-	21
50	16	2	42	6	2	4	2	-	-	4	2	-	6	26	22	18	8	-	4	-	22
138	22	2	44	8	6	12	2	-	-	-	-	2	16	20	14	22	18	6	2	2	23
56	-	2	44	-	-	2	2	2	-	2	-	2	2	8	14	2	4	2	-	-	24
80	6	2	40	-	4	6	2	-	-	-	-	8	2	10	14	18	16	2	6	-	25
106	2	-	52	2	4	6	2	-	-	2	2	2	6	12	20	10	4	2	2	-	26
44	2	-	16	-	-	14	-	2	-	-	2	-	4	30	12	6	8	-	2	-	27
82	12	-	30	4	-	8	8	-	-	6	-	-	4	-	40	8	2	2	4	-	28
40	8	-	14	-	-	2	4	-	-	-	-	-	2	-	12	2	-	-	2	-	29
42	4	-	16	4	-	6	4	-	-	6	-	-	2	-	28	6	2	2	2	-	30
122	12	-	44	6	6	10	6	-	-	-	-	6	12	12	20	6	14	-	4	-	31
96	2	-	34	-	4	10	-	-	2	-	-	6	12	20	18	14	14	4	-	-	32
40	-	-	18	-	4	4	-	-	-	-	-	4	6	8	14	4	8	2	-	-	33
56	2	-	16	-	-	6	-	-	2	-	-	2	6	12	4	10	6	2	-	-	34
34	2	-	14	-	-	8	2	2	4	-	-	-	2	2	4	6	10	-	2	-	35
106	12	2	54	2	6	12	-	2	6	2	-	2	10	40	30	16	12	4	2	-	36
42	2	2	14	2	4	4	-	2	6	2	-	-	4	14	12	4	2	-	-	-	37
64	10	-	40	-	2	8	-	-	-	-	-	2	6	26	18	12	10	4	2	-	38
86	8	2	28	8	-	4	2	2	-	-	-	-	4	2	14	12	6	6	-	-	39
78	14	-	18	4	8	8	6	-	-	-	-	-	4	22	22	6	16	2	-	-	40
36	10	-	34	4	-	6	6	2	-	-	2	2	8	14	20	4	10	-	2	-	41
94	12	-	34	10	6	14	2	2	-	-	-	-	8	38	16	14	8	6	2	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	43
94	12	-	34	10	6	14	2	2	-	-	-	-	8	38	16	12	8	6	2	-	44
72	2	2	26	6	2	4	-	2	-	-	-	2	8	20	16	8	12	-	6	-	45
20	4	2	14	-	-	2	-	-	-	-	-	-	2	14	12	10	4	-	-	-	46
78	6	-	36	-	4	14	-	2	-	-	-	4	2	6	16	-	2	-	4	-	47
54	8	-	18	-	4	4	2	-	-	-	-	2	4	2	8	4	-	-	2	2	48
40	-	-	6	12	-	-	-	-	-	-	-	2	-	4	2	8	4	2	-	-	49
84	4	-	58	-	4	18	2	-	4	4	-	2	10	20	24	10	8	2	10	-	50
102	4	-	30	4	4	14	4	-	-	4	-	-	12	16	6	8	4	-	2	-	51
38	2	-	14	-	6	6	2	-	-	-	-	2	6	4	8	6	6	-	4	-	52
84	4	-	18	4	-	2	4	-	2	-	-	2	6	2	12	8	8	2	4	2	53
42	2	2	30	-	-	4	-	-	-	-	-	-	4	12	12	4	6	6	-	2	54
38	8	-	26	2	-	6	2	-	-	-	-	2	-	14	12	8	8	-	4	-	55
62	4	-	30	-	6	12	2	-	2	-	-	2	8	18	16	16	8	4	-	-	56
28	6	2	18	2	-	10	2	-	2	-	-	-	-	2	2	14	8	-	2	-	57
136	18	4	62	4	12	12	4	-	4	2	-	4	24	44	46	16	20	6	4	4	58
94	8	2	42	4	8	8	2	-	4	-	-	4	16	32	42	8	16	4	4	2	59
42	10	2	20	-	4	4	2	-	-	2	-	-	8	12	4	8	4	2	-	2	60
192	32	6	88	4	8	18	10	6	6	2	-	10	20	76	48	42	38	2	20	2	61
116	16	6	58	4	8	14	6	6	4	2	-	8	16	34	30	24	16	-	12	-	62
76	16	-	30	-	-	4	4	-	2	-	-	2	4	42	18	18	22	2	8	2	63
66	14	14	26	-	2	12	-	-	-	-	-	2	6	4	14	2	4	-	4	-	64
42	4	-	28	-	4	2	-	-	-	2	-	-	4	2	6	6	-	-	-	-	65
34	12	-	10	2	4	2	-	-	-	-	-	-	-	8	6	4	6	-	-	-	66
70	2	-	30	4	2	6	2	-	2	4	-	8	4	8	22	10	6	2	2	4	67
52	4	-	22	-	-	2	2	-	-	-	-	-	6	2	14	4	10	6	-	-	68
78	12	2	40	14	-	10	2	-	6	10	-	6	6	68	24	12	14	2	2	2	69
36	6	2	20	12	-	-	2	-	2	6	-	4	2	34	6	8	8	-	2	2	70
42	6	-	20	2	-	10	-	-	4	4	-	2	4	34	18	4	6	2	-	-	71
18,004	1,424	184	6,274	1,048	712	1,628	784	238	554	270	14	304	782	1,606	3,592	1,468	1,468	536	438	174	72
8,902	640	86	2,904	540	314	778	394	102	352	148	-	162	450	882	1,876	526	686	256	308	110	73
9,102	784	98	3,370	508	398	850	390	136	202	122	14	142	332	724	1,716	942	782	280	130	64	74

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MISSOURI--CON.																	
01	METROPOLITAN COUNTIES...	29,504	44	2	128	5,244	1,284	1,250	482	632	250	214	1,132	616	15,492	11,188	234	180
02	URBAN PLACES.....	22,526	42	2	98	4,040	978	948	388	512	200	168	846	474	11,790	8,516	164	152
03	BALANCE OF AREA.....	6,978	2	-	30	1,204	306	302	94	120	50	46	286	142	3,702	2,672	70	28
04	NONMETROPOLITAN COUNTIES	22,954	38	2	106	3,590	924	794	258	494	178	170	772	420	12,920	9,006	112	240
05	URBAN PLACES.....	3,548	6	-	10	554	158	138	36	72	38	18	94	70	1,958	1,388	8	38
06	BALANCE OF AREA.....	19,406	32	2	96	3,036	766	656	222	422	140	152	678	350	10,962	7,618	104	202
07	ADAIR.....	222	-	-	4	36	12	6	4	2	-	4	8	2	128	96	-	-
08	KIRKSVILLE.....	140	-	-	-	24	8	6	4	-	-	4	2	2	76	60	-	-
09	BALANCE OF COUNTY....	82	-	-	4	12	4	-	-	2	-	-	6	-	52	36	-	-
10	ANDREW.....	166	-	-	-	28	8	2	2	8	-	2	6	-	84	66	-	-
11	ATCHISON.....	138	-	-	-	26	14	8	-	2	-	-	2	2	96	74	-	2
12	AUDRAIN.....	296	2	-	-	48	12	10	6	6	4	-	10	2	174	118	-	12
13	MEXICO.....	144	-	-	-	26	10	2	-	2	4	-	8	2	86	58	-	8
14	BALANCE OF COUNTY....	152	2	-	-	22	2	8	6	4	-	-	2	-	88	60	-	4
15	BARRY.....	286	4	-	4	48	14	2	2	4	-	-	26	8	150	98	2	2
16	BARTON.....	160	-	2	-	20	6	-	-	2	4	2	6	-	108	66	-	-
17	BATES.....	234	-	-	-	42	10	6	6	10	2	4	4	8	122	80	2	2
18	BENTON.....	200	-	-	4	20	2	6	-	4	4	2	2	2	122	76	-	2
19	BOLLINGER.....	104	-	-	2	16	2	2	-	2	-	4	6	2	64	46	-	2
20	BOONE.....	558	-	-	2	98	10	18	14	18	2	6	30	8	298	194	2	-
21	COLUMBIA.....	326	-	-	-	52	10	6	6	14	-	4	12	6	170	118	2	-
22	BALANCE OF COUNTY....	232	-	-	2	46	-	12	8	4	2	2	18	2	128	76	-	-
23	BUCHANAN.....	1,186	-	-	2	230	52	54	22	30	20	8	44	24	632	456	6	16
24	ST. JOSEPH.....	1,080	-	-	2	218	50	52	20	28	18	8	42	24	568	404	6	14
25	BALANCE OF COUNTY....	106	-	-	-	12	2	2	2	2	2	-	2	-	64	52	-	2
26	BUTLER.....	444	-	-	-	66	16	22	4	6	2	4	12	14	214	136	-	-
27	POPLAR BLUFF.....	278	-	-	-	36	12	12	2	2	2	-	6	10	132	80	-	-
28	BALANCE OF COUNTY....	166	-	-	-	30	4	10	2	4	-	4	6	4	82	56	-	-
29	CALDWELL.....	160	-	-	-	24	10	2	2	4	-	-	6	4	90	68	2	-
30	CALLAWAY.....	304	-	-	2	44	12	8	6	12	2	-	4	4	138	88	4	2
31	FULTON.....	138	-	-	-	16	4	2	2	4	2	-	2	2	66	34	-	-
32	JEFFERSON CITY, PART.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	BALANCE OF COUNTY....	166	-	-	2	28	8	6	4	8	-	-	2	2	72	54	4	2
34	CAMDEN.....	176	-	-	2	30	8	4	-	8	2	-	8	-	90	54	4	-
35	CAPE GIRARDEAU.....	512	-	-	-	90	30	20	6	8	2	12	12	14	292	208	-	2
36	CAPE GIRARDEAU.....	314	-	-	-	56	18	16	4	6	2	6	4	10	168	126	-	-
37	BALANCE OF COUNTY....	198	-	-	-	34	12	4	2	2	-	6	8	4	124	82	-	2
38	CARROLL.....	204	-	-	-	24	6	2	2	2	-	2	10	6	124	80	-	-
39	CARTER.....	64	-	-	-	4	-	4	-	-	-	-	-	8	38	34	-	-
40	CASS.....	360	-	-	2	54	18	6	-	4	4	2	20	6	198	132	8	-
41	CEDAR.....	172	-	-	-	20	10	6	-	-	-	-	4	4	106	66	2	-
42	CHARITON.....	180	-	-	2	28	12	6	2	6	-	-	2	4	100	76	-	-
43	CHRISTIAN.....	168	-	-	-	28	2	4	-	12	2	-	8	2	96	62	-	-
44	CLARK.....	122	-	-	-	16	4	2	-	4	-	-	6	4	66	54	-	-
45	CLAY.....	762	-	-	6	132	22	18	16	24	2	14	36	16	412	278	2	8
46	GLADSTONE.....	64	-	-	-	16	-	4	4	2	-	2	4	-	22	16	-	-
47	INDEPENDENCE, PART...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	KANSAS CITY, PART....	252	-	-	4	42	6	2	6	8	-	6	14	4	124	82	-	2
49	LIBERTY.....	116	-	-	-	18	2	2	6	2	-	2	4	-	70	54	2	2
50	BALANCE OF COUNTY....	330	-	-	2	56	14	10	-	12	2	4	14	12	196	126	-	4
51	CLINTON.....	188	-	-	-	40	8	8	6	10	-	-	8	2	110	84	-	-
52	COLE.....	408	2	-	-	86	16	28	6	16	2	4	14	6	220	162	4	4
53	JEFFERSON CITY, PART.	292	2	-	-	62	10	22	6	12	2	-	10	4	156	114	4	2
54	JEFFERSON CITY, TOTAL.....	292	2	-	-	62	10	22	6	12	2	-	10	4	156	114	4	2
55	BALANCE OF COUNTY....	116	-	-	-	24	6	6	-	4	-	4	4	2	64	48	-	2
56	COOPER.....	204	-	-	4	34	10	8	4	4	-	-	8	4	118	92	2	-
57	CRAWFORD.....	208	2	-	-	24	4	8	2	2	2	-	6	4	130	98	2	2
58	DADE.....	116	-	-	-	12	-	2	2	-	-	-	8	2	60	36	-	2
59	DALLAS.....	162	-	-	2	12	2	4	2	-	-	-	4	-	108	62	-	-
60	DAVIESS.....	142	-	-	-	18	6	4	-	4	-	-	4	6	84	56	-	6
61	DE KALB.....	104	-	-	2	20	6	2	2	4	2	-	4	2	62	38	-	-
62	DENT.....	172	-	-	-	20	2	6	4	2	-	-	6	-	102	66	2	4
63	DOUGLAS.....	102	-	-	4	18	8	-	-	2	2	-	6	-	62	36	-	-
64	DUNKLIN.....	458	-	-	2	76	18	20	8	6	4	2	18	2	218	154	-	2
65	FRANKLIN.....	636	-	-	-	84	32	24	4	4	2	2	16	10	348	266	8	4
66	GASCONADE.....	212	-	-	-	52	22	4	2	4	2	2	16	8	120	88	2	-
67	GENTRY.....	144	-	-	2	26	10	-	2	6	-	2	6	6	74	56	-	2
68	GREENE.....	1,614	6	-	8	266	66	72	28	28	18	2	52	26	842	564	8	12
69	SPRINGFIELD.....	1,328	4	-	6	200	50	56	22	18	16	-	38	18	716	474	6	10
70	BALANCE OF COUNTY....	286	2	-	2	66	16	16	6	10	2	2	14	8	126	90	2	2
71	GRUNDY.....	200	-	-	2	46	16	8	8	8	-	2	4	6	106	64	-	8
72	HARRISON.....	148	-	-	-	22	6	2	2	4	2	4	2	4	94	66	-	-
73	HENRY.....	340	2	-	2	46	14	12	4	8	2	-	6	6	186	132	2	2
74	HICKORY.....	82	-	-	-	14	8	-	-	-	4	-	2	-	48	30	-	6
75	HOLT.....	120	-	-	-	12	4	2	2	2	-	2	-	-	78	56	-	-
76	HOWARD.....	174	-	-	-	26	2	12	2	6	2	2	-	2	90	52	-	2
77	HOWELL.....	346	-	-	2	46	14	18	-	2	4	2	6	2	212	150	-	-
78	IRON.....	128	-	-	-	14	2	6	-	2	-	-	4	-	64	34	2	-
79	JACKSON.....	6,724	12	2	36	1,220	290	294	110	152	46	54	274	120	3,208	2,264	60	32
80	GRANDVIEW.....	88	-	-	2	26	8	8	4	2	-	-	4	-	32	30	2	-
81	INDEPENDENCE, PART...	860	-	-	8	164	32	42	12	26	6	8	38	8	434	326	4	4
82	INDEPENDENCE, TOTAL..	860	-	-	8	164	32	42	12	26	6	8	38	8	434	326	4	4

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
10,080	694	102	3,266	584	352	840	442	132	404	144	2	198	534	922	2,042	730	794	310	352	132	01
7,652	548	76	2,473	460	268	638	334	88	334	122	-	142	402	754	1,604	440	594	220	300	108	02
2,428	146	26	796	124	84	202	108	44	70	22	2	56	132	168	438	290	200	90	52	24	03
7,924	730	82	3,008	464	360	788	342	106	150	126	12	106	248	684	1,550	738	674	226	86	42	04
1,250	92	10	434	80	46	140	60	14	18	26	-	20	48	128	272	86	92	36	8	2	05
6,674	638	72	2,574	384	314	648	282	92	132	100	12	86	200	556	1,278	652	582	190	78	40	06
88	8	-	26	4	2	8	2	-	-	2	-	4	4	-	16	8	6	2	-	-	07
58	2	-	14	-	2	6	2	-	-	2	-	4	4	-	10	6	4	-	-	-	08
30	6	-	12	4	-	2	-	-	-	-	-	-	-	-	6	2	2	2	-	-	09
64	2	-	14	2	2	14	-	2	-	2	-	-	2	-	20	10	2	2	-	-	10
72	-	2	16	2	2	2	2	2	-	-	-	-	-	-	4	2	-	-	-	2	11
94	12	-	30	26	-	14	8	-	2	-	-	-	2	6	26	2	4	4	2	-	12
46	4	-	12	16	-	4	4	-	2	-	-	-	-	4	14	2	-	-	-	-	13
48	8	-	18	10	-	10	4	-	-	-	-	-	2	2	12	-	4	4	2	-	14
88	6	2	34	12	4	10	-	2	2	2	-	-	10	14	14	12	6	-	-	-	15
60	6	-	34	2	6	2	4	2	-	-	-	-	4	2	12	2	-	2	-	-	16
66	10	2	34	4	2	4	4	-	2	2	-	-	2	10	24	2	10	2	-	-	17
62	12	-	42	-	4	2	2	-	4	4	-	-	2	6	8	14	8	-	2	-	18
38	6	-	16	-	2	6	-	-	-	-	-	-	2	-	2	2	6	2	-	-	19
174	18	-	90	6	8	24	12	-	-	6	-	6	12	4	42	22	14	10	-	-	20
108	8	-	44	4	4	14	8	-	-	6	-	4	10	2	28	12	10	4	-	-	21
66	10	-	46	2	4	10	4	-	-	-	-	2	2	2	14	10	4	6	-	-	22
416	18	2	138	22	14	40	24	6	4	2	-	4	18	74	50	24	36	12	4	-	23
368	16	2	126	22	14	38	22	6	4	-	-	4	16	68	48	18	32	10	2	-	24
48	2	-	12	-	-	2	2	-	-	2	-	-	2	6	2	6	4	2	2	-	25
114	22	2	64	6	6	16	10	2	6	2	-	-	10	38	32	12	16	4	2	-	26
64	16	-	44	2	6	10	6	2	4	2	-	-	6	28	20	8	8	4	2	-	27
50	6	2	20	4	-	6	4	-	2	-	-	-	4	10	12	4	8	-	-	-	28
62	4	2	12	2	6	4	4	-	2	2	-	-	-	-	16	8	6	-	-	-	29
76	6	-	38	10	2	16	2	-	-	-	-	4	2	16	38	6	26	2	2	2	30
34	-	-	24	8	-	14	2	-	-	-	-	2	2	8	14	2	10	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
42	6	-	14	2	2	2	-	-	-	-	-	2	-	8	24	4	16	2	2	2	33
48	2	2	24	4	6	6	2	-	2	-	-	2	-	4	20	6	8	4	-	-	34
202	4	2	60	8	14	14	8	-	-	-	-	2	8	14	38	8	14	4	4	2	35
126	-	2	26	4	10	8	8	-	-	-	-	-	8	8	26	4	12	2	4	-	36
76	4	-	34	4	4	6	-	-	-	-	-	2	-	6	12	4	2	2	-	2	37
70	10	-	36	8	-	8	6	-	4	-	2	-	-	4	16	4	4	2	-	-	38
34	-	-	4	-	-	4	-	-	-	-	-	-	-	4	-	-	6	-	-	-	39
118	6	-	60	6	-	14	2	2	-	4	-	-	6	-	20	16	20	6	2	2	40
60	4	2	36	2	-	6	2	-	2	-	-	-	4	-	14	-	14	-	-	-	41
70	6	-	18	4	2	2	-	-	2	2	2	-	-	12	8	12	4	-	-	2	42
60	2	-	30	2	2	4	2	-	2	-	-	2	4	-	14	8	4	-	-	2	43
46	8	-	10	2	-	2	4	2	-	-	-	2	2	2	14	6	2	-	-	-	44
254	14	2	98	16	18	14	22	2	12	-	-	8	22	12	60	16	14	10	2	2	45
16	-	-	6	-	-	2	-	-	2	-	-	2	4	-	6	4	2	4	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
72	8	-	30	4	8	4	4	-	4	-	-	6	14	10	22	6	4	2	2	-	48
48	2	-	14	-	2	2	4	-	2	-	-	-	-	-	18	-	2	-	-	-	49
118	4	2	48	12	8	6	14	2	4	-	-	-	4	2	14	6	6	4	-	2	50
74	10	2	20	2	2	8	4	-	-	-	-	-	-	2	6	4	8	4	-	-	51
150	4	2	48	2	6	10	10	-	4	-	-	4	4	-	34	12	12	4	-	-	52
106	2	2	36	-	4	10	6	-	2	-	-	2	4	-	22	8	10	4	-	-	53
106	2	2	36	-	4	10	6	-	2	-	-	2	4	-	22	8	10	4	-	-	54
44	2	-	12	2	2	-	4	-	2	-	-	2	-	-	12	4	2	-	-	-	55
82	8	-	22	2	2	6	2	-	2	-	-	6	-	2	14	6	6	-	-	-	56
80	14	2	18	4	8	4	4	4	-	2	-	-	4	-	14	4	4	4	2	2	57
30	4	-	20	-	4	4	6	-	-	2	-	-	-	2	12	8	6	-	2	-	58
58	4	8	30	4	4	4	6	4	-	-	-	-	2	4	14	-	4	2	-	-	59
48	2	-	26	2	-	8	4	2	-	2	-	-	-	-	8	-	6	4	-	-	60
30	8	-	14	8	2	-	-	2	-	-	-	-	2	-	4	4	4	2	-	-	61
60	-	-	24	6	6	6	2	2	-	-	-	-	2	12	16	4	4	-	2	-	62
32	4	-	20	4	2	-	2	2	-	-	-	2	-	-	2	6	2	-	-	2	63
144	8	-	52	6	6	28	4	4	2	14	-	2	4	24	34	16	18	8	-	2	64
238	16	2	62	8	10	24	10	4	2	4	-	2	14	16	42	34	28	8	2	4	65
86	-	-	22	4	6	2	2	-	2	-	-	2	2	4	6	6	2	4	-	-	66
52	2	2	16	-	-	8	6	-	-	-	-	2	-	-	12	4	2	2	-	-	67
518	26	4	218	38	18	40	24	6	14	10	2	6	26	96	110	58	50	10	6	8	68
440	18	4	194	30	14	38	22	4	14	8	-	6	22	80	96	28	44	10	4	8	69
78	8	-	24	8	4	2	2	2	-	2	2	-	4	16	14	30	6	-	2	-	70
50	6	-	38	4	-	10	4	-	2	2	-	-	-	-	12	2	8	-	-	-	71
64	2	2	18	6	2	2	-	-	2	2	-	-	-	4	4	2	8	4	-	-	72
120	8	2	40	4	8	10	6	-	-	2	-	-	-	12	32	12	20	4	-	-	73
20	4	-	16	-	2	4	-	-	-	-	-	-	-	8	4	-	2	2	-	-	74
50	6	-	20	2	-	4	-	-	-	2	-	-	2	-	8	4	4	6	-	-	75
48	2	2	26	4	6	6	2	-	2	2	-	4	2	2	16	8	6	2	2	2	76
128	22	-	58	-	4	10	8	2	-	-	-	2	2	2	34	6	10	6	2	-	77
28	4	-	16	12	2	4	2	2	-	-	-	-	2	6	16	8	10	-	-	-	78
1,994	268	16	716	126	86	196	116	34	112	28	-	44	110	476	460	160	212	84	64	30	79
26	2	-	-	-	2	-	2	-	-	-	-	-	12	-	6	6	2	-	-	-	80
284	34	2	92	6	8	20	20	12	14	-	-	4	10	36	68	26	20	10	2	4	81
284	34	2	92	6	8	20	20	12	14	-	-	4	10	36	68	26	20	10	2	4	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MISSOURI--CON.																	
	JACKSON--CON.																	
01	KANSAS CITY, PART....	5,198	12	2	26	944	228	228	90	116	38	42	202	106	2,430	1,684	48	24
02	KANSAS CITY, TOTAL...	5,492	12	2	30	992	234	232	100	124	38	48	216	110	2,570	1,776	48	26
03	LEE'S SUMMIT.....	158	-	-	-	20	8	4	-	2	-	-	6	4	90	60	2	2
04	RAYTOWN.....	200	-	-	-	44	10	6	4	6	2	2	14	2	90	68	-	-
05	BALANCE OF COUNTY....	220	-	-	-	22	4	6	-	-	-	2	10	-	132	96	4	2
06	JASPER.....	1,160	6	-	4	164	40	46	14	20	14	8	22	20	656	484	4	12
07	CARTHAGE.....	184	2	-	-	28	4	8	6	4	2	-	4	4	116	96	-	2
08	JOPLIN, PART.....	574	-	-	4	92	24	26	2	14	10	6	10	8	294	218	4	10
09	JOPLIN, TOTAL.....	608	-	-	4	96	26	28	2	14	10	6	10	10	314	230	4	10
10	BALANCE OF COUNTY....	402	4	-	-	44	12	12	6	2	2	2	8	8	246	170	-	-
11	JEFFERSON.....	762	-	-	8	102	36	24	4	6	8	2	22	24	412	318	8	-
12	JOHNSON.....	286	-	-	-	42	8	10	-	8	6	-	10	-	166	118	-	2
13	WARRENSBURG.....	104	-	-	-	18	4	4	-	6	2	-	2	-	62	38	-	-
14	BALANCE OF COUNTY....	182	-	-	-	24	4	6	-	2	4	-	8	-	104	80	-	2
15	KNOX.....	100	-	-	-	18	2	-	2	8	2	-	4	4	70	50	2	-
16	LACLEDE.....	280	2	-	2	38	12	4	2	2	2	2	14	10	162	124	2	2
17	LAFAYETTE.....	332	-	-	-	58	6	14	8	10	2	6	12	10	180	136	-	4
18	LAWRENCE.....	340	4	-	2	64	14	16	2	8	8	2	14	2	180	116	4	2
19	LEWIS.....	120	-	-	-	22	2	6	4	2	2	2	4	-	82	68	4	-
20	LINCOLN.....	274	-	-	-	36	6	4	2	4	4	4	12	8	170	100	2	-
21	LINN.....	300	-	-	4	54	20	12	-	8	6	6	2	8	164	112	4	-
22	LIVINGSTON.....	226	-	-	-	36	4	14	-	6	-	2	10	6	130	80	-	4
23	MC DONALD.....	190	-	-	-	32	8	12	-	4	2	2	4	4	106	74	2	2
24	MACON.....	250	-	-	4	30	4	6	4	4	6	2	4	-	174	128	-	12
25	MADISON.....	144	-	-	-	20	6	6	2	2	-	-	4	8	84	54	-	-
26	MARIES.....	70	-	-	-	4	4	-	-	-	-	-	-	2	34	24	-	-
27	MARION.....	384	-	-	-	48	10	16	-	6	4	-	12	6	216	150	-	2
28	HANNIBAL, PART.....	280	-	-	-	24	8	8	-	-	2	-	6	4	162	106	-	-
29	HANNIBAL, TOTAL.....	282	-	-	-	24	8	8	-	-	2	-	6	4	164	108	-	-
30	BALANCE OF COUNTY....	104	-	-	-	24	2	8	-	6	2	-	6	2	54	44	-	2
31	MERCER.....	82	-	-	-	16	8	2	2	2	2	-	-	4	50	28	-	2
32	MILLER.....	222	-	-	-	30	8	6	4	6	2	-	4	2	130	92	4	2
33	MISSISSIPPI.....	222	-	-	-	34	6	12	2	4	-	4	6	-	106	78	-	2
34	MONITEAU.....	168	-	-	-	26	4	2	-	6	2	-	12	4	104	76	-	8
35	MONROE.....	152	-	-	-	26	6	4	2	2	-	2	10	6	96	70	2	-
36	MONTGOMERY.....	164	-	-	-	26	8	8	2	2	-	-	6	4	98	66	2	2
37	MORGAN.....	176	-	-	-	24	4	6	6	6	-	-	2	-	114	78	2	2
38	NEW MADRID.....	324	-	-	-	46	8	16	6	2	2	4	8	6	160	112	2	2
39	SIKESTON, PART.....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
40	BALANCE OF COUNTY....	322	-	-	-	46	8	16	6	2	2	4	8	6	158	110	2	2
41	NEWTON.....	378	-	-	-	60	10	16	6	6	4	4	14	8	194	142	4	-
42	JOPLIN, PART.....	34	-	-	-	4	2	2	-	-	-	-	-	2	20	12	-	-
43	BALANCE OF COUNTY....	344	-	-	-	56	8	14	6	6	4	4	14	6	174	130	4	-
44	NODAWAY.....	312	-	-	6	28	10	6	2	-	2	-	8	14	194	124	2	6
45	OREGON.....	152	-	-	2	24	2	8	4	2	-	-	8	-	100	80	-	-
46	OSAGE.....	110	-	-	-	28	8	6	8	4	-	-	2	2	66	48	2	-
47	OZARK.....	104	-	-	-	16	2	4	2	-	-	-	8	-	54	26	-	2
48	PEMISCOT.....	380	-	-	-	50	14	8	2	4	-	6	16	12	190	146	-	12
49	PERRY.....	168	-	-	4	42	18	8	-	4	2	2	8	6	92	70	4	6
50	PETTIS.....	504	-	-	-	78	22	14	2	6	8	2	24	8	316	214	2	12
51	SEDALIA.....	394	-	-	-	66	22	10	2	6	8	-	18	6	244	166	-	12
52	BALANCE OF COUNTY....	110	-	-	-	12	-	4	-	-	-	2	6	2	72	48	2	-
53	PHELPS.....	304	4	-	2	46	16	10	6	4	-	-	10	6	148	110	-	2
54	ROLLA.....	112	2	-	-	12	6	2	2	-	-	-	2	4	46	36	-	2
55	BALANCE OF COUNTY....	192	2	-	2	34	10	8	4	4	-	-	8	2	102	74	-	-
56	PIKE.....	236	-	-	4	46	12	8	2	2	4	6	12	2	142	88	-	4
57	PLATTE.....	222	-	-	-	26	4	6	4	-	-	-	12	4	108	62	-	-
58	KANSAS CITY, PART....	42	-	-	-	6	-	2	4	-	-	-	-	-	16	10	-	-
59	BALANCE OF COUNTY....	180	-	-	-	20	4	4	-	-	-	-	12	4	92	52	-	-
60	POLK.....	192	-	-	-	32	4	12	-	6	-	2	8	-	110	68	2	-
61	PULASKI.....	244	-	-	2	30	8	8	-	2	-	2	10	8	112	84	2	8
62	PUTNAM.....	110	-	-	-	16	4	-	-	4	-	-	8	2	72	46	-	2
63	RALLS.....	100	-	-	-	20	2	4	2	8	-	2	2	-	58	36	4	-
64	HANNIBAL, PART.....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
65	BALANCE OF COUNTY....	98	-	-	-	20	2	4	2	8	-	2	2	-	56	34	4	-
66	RANDOLPH.....	382	-	-	-	50	22	8	6	4	-	2	8	12	238	162	-	-
67	MOBERLY.....	266	-	-	-	34	12	8	4	4	-	2	4	10	160	110	-	-
68	BALANCE OF COUNTY....	116	-	-	-	16	10	-	2	-	-	-	4	2	78	52	-	-
69	RAY.....	232	-	-	-	42	12	6	10	2	2	4	6	6	118	90	4	-
70	REYNOLDS.....	104	-	-	-	22	6	6	-	-	4	2	4	-	40	24	-	-
71	RIPLEY.....	158	2	-	-	20	2	6	4	2	2	2	2	4	92	76	-	2
72	ST. CHARLES.....	562	-	-	2	112	16	42	10	10	10	4	20	6	270	192	-	-
73	ST. CHARLES.....	276	-	-	2	56	10	20	8	4	6	-	8	2	146	100	-	-
74	BALANCE OF COUNTY....	286	-	-	-	56	6	22	2	6	4	4	12	4	124	92	-	-
75	ST. CLAIR.....	150	-	-	2	24	6	6	-	6	4	-	2	-	78	60	-	-
76	ST. FRANCOIS.....	606	2	-	-	130	22	36	8	16	4	6	38	14	302	208	4	2
77	ST. LOUIS.....	7,160	4	-	26	1,390	348	328	134	156	60	56	308	152	3,858	2,812	76	32
78	BALLWIN.....	78	-	-	-	24	6	-	-	4	2	2	10	-	34	28	-	-
79	BELLEFONTAINE NEIGHBORS.....	136	-	-	-	34	12	8	2	2	-	-	10	4	76	52	-	2
80	BERKELEY.....	74	-	-	-	20	4	2	2	2	2	-	8	2	28	18	-	-
81	BRENTWOOD.....	80	-	-	2	16	4	4	6	2	-	-	-	-	36	26	-	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,406	206	12	552	110	72	158	86	22	96	24	-	32	86	410	346	102	162	68	62	24	01
1,486	216	12	586	116	80	164	92	22	100	24	-	38	102	426	370	112	166	72	64	24	02
48	8	2	24	4	-	4	-	-	2	2	-	8	-	4	12	10	2	-	-	-	03
64	4	-	20	2	-	8	4	-	-	2	-	-	-	12	16	4	12	4	-	2	04
76	14	-	28	4	4	6	4	-	-	-	-	-	2	14	12	12	14	2	-	-	05
438	30	-	134	26	12	24	20	6	16	14	-	10	10	58	70	32	38	8	4	-	06
90	4	-	16	4	-	-	-	-	2	2	-	-	-	8	8	6	8	-	-	-	07
192	12	-	56	14	6	14	12	6	4	8	-	4	6	40	46	14	18	4	-	-	08
204	12	-	64	14	6	14	12	6	4	8	-	4	6	40	50	16	18	6	-	-	09
156	14	-	62	8	6	10	8	-	10	4	-	6	4	10	16	12	12	4	4	-	10
290	20	2	70	14	8	28	10	8	6	-	-	12	18	8	36	52	20	10	6	2	11
102	14	-	30	14	4	10	12	-	4	-	-	-	-	-	18	16	12	4	-	2	12
34	4	-	12	10	2	4	2	-	2	-	-	-	-	-	6	8	-	-	-	2	13
68	10	-	18	4	2	6	10	-	2	-	-	-	-	-	12	8	12	4	-	-	14
44	4	4	16	-	-	-	-	-	-	2	-	-	-	-	-	4	-	2	-	-	15
116	4	2	30	4	2	6	8	2	2	2	-	-	2	10	16	6	10	2	-	-	16
118	14	-	38	4	2	8	6	2	2	2	-	4	-	6	28	6	16	2	2	-	17
106	4	-	42	10	12	12	6	-	2	-	-	-	8	6	28	16	6	4	-	-	18
62	2	-	12	-	2	2	2	-	-	2	-	-	-	4	-	-	4	2	-	-	19
86	12	2	54	8	6	6	2	2	-	6	-	-	-	18	8	8	4	4	2	-	20
98	10	-	50	-	2	8	2	-	2	-	-	-	4	2	40	6	4	2	-	-	21
66	10	-	32	4	14	16	2	-	-	-	-	4	2	-	10	12	4	4	-	-	22
54	16	2	28	-	2	-	2	2	-	4	-	-	4	6	16	4	8	2	-	-	23
106	10	-	34	6	6	6	4	2	4	-	-	2	2	-	10	4	6	2	-	-	24
50	4	-	20	8	2	4	2	2	-	2	2	2	2	6	8	-	-	2	-	-	25
22	2	-	10	-	-	6	-	2	2	2	-	-	-	2	6	4	2	2	2	-	26
130	18	-	50	8	8	30	-	2	4	4	-	-	10	10	28	14	2	10	-	-	27
90	16	-	42	8	6	26	-	-	2	4	-	-	6	10	22	10	-	10	-	-	28
92	16	-	42	8	6	26	-	-	2	4	-	-	6	10	22	10	-	10	-	-	29
40	2	-	8	-	2	4	-	2	2	-	-	-	4	-	6	4	2	-	-	-	30
16	10	-	14	8	-	2	4	-	-	-	-	-	2	-	2	-	-	-	2	-	31
78	8	-	34	4	-	6	4	-	2	-	-	-	2	-	20	10	10	2	4	-	32
60	16	-	24	-	4	20	4	-	2	-	-	-	-	14	10	14	8	-	10	-	33
66	2	-	26	2	-	6	2	2	-	-	2	-	-	2	10	6	2	2	-	-	34
58	10	6	14	4	2	6	2	-	-	-	-	-	-	4	8	4	-	-	-	-	35
60	2	4	20	8	-	2	2	-	6	-	-	-	-	4	16	2	2	2	-	-	36
68	6	-	26	6	4	6	-	4	-	2	-	-	2	-	8	6	6	-	2	2	37
106	2	2	40	4	2	12	2	4	4	-	-	-	2	38	22	12	8	4	2	2	38
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
104	2	2	40	4	2	12	2	4	4	-	-	-	2	38	22	12	8	4	2	2	40
120	18	2	44	-	6	12	4	-	6	2	-	2	2	24	24	24	12	4	-	-	41
12	-	-	8	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	-	42
108	18	2	36	-	6	12	4	-	6	2	-	2	2	24	20	22	12	2	-	-	43
108	8	4	48	4	14	12	4	4	2	4	-	-	4	-	10	16	8	2	4	-	44
78	2	-	16	2	2	-	-	-	4	-	-	-	-	-	4	8	10	-	-	-	45
40	6	-	16	2	-	2	-	-	-	-	-	2	-	-	6	2	2	-	-	-	46
22	2	-	16	8	4	-	4	-	4	-	-	-	2	2	8	8	4	2	-	-	47
120	14	-	38	4	2	14	4	-	4	4	2	2	8	44	22	8	8	-	6	2	48
60	-	-	22	-	-	-	-	-	2	-	-	-	2	-	10	2	4	-	-	4	49
172	28	-	88	10	4	20	10	-	-	4	-	2	-	2	42	10	6	6	-	-	50
136	18	-	68	6	4	18	10	-	-	4	-	-	-	2	28	6	6	4	-	-	51
36	10	-	20	4	-	2	-	-	-	-	-	2	-	-	14	4	-	2	-	-	52
104	4	2	26	6	4	28	-	-	-	-	-	4	6	14	16	10	14	6	-	-	53
32	2	2	6	-	2	14	-	-	-	-	-	2	4	8	4	6	8	2	-	-	54
72	2	-	20	6	2	14	-	-	-	-	-	2	2	6	12	4	6	4	-	-	55
74	10	-	36	12	6	4	4	-	2	-	-	-	2	4	10	2	10	-	2	2	56
58	4	6	32	8	-	2	6	-	4	-	-	-	6	28	12	12	4	6	4	-	57
8	2	-	4	2	-	2	2	-	-	-	-	-	2	6	2	4	-	2	-	-	58
50	2	6	28	6	-	-	4	-	4	-	-	-	4	22	10	8	4	4	4	-	59
60	6	-	32	-	10	4	4	-	-	4	-	2	2	10	8	14	-	2	-	-	60
70	4	-	14	14	-	10	2	-	2	-	-	-	12	10	12	10	12	14	6	2	61
34	10	-	16	6	4	2	2	-	2	-	-	-	-	-	8	-	6	-	-	-	62
28	4	-	12	6	4	6	4	2	-	2	-	2	-	2	2	-	2	-	-	-	63
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
26	4	-	12	6	4	6	4	2	-	2	-	2	-	2	2	-	2	-	-	-	65
148	14	2	60	6	8	10	8	-	-	2	-	2	4	18	26	4	6	2	-	-	66
102	8	2	38	6	4	8	4	-	-	2	-	2	2	12	26	2	2	2	-	-	67
46	6	-	22	-	4	2	4	-	-	-	-	-	2	6	-	2	4	-	-	-	68
74	12	-	16	10	2	12	4	4	-	-	-	4	4	-	14	2	14	6	2	-	69
24	-	-	12	2	2	10	2	-	-	-	-	2	-	2	14	8	2	-	2	-	70
70	4	2	8	4	2	12	2	-	-	-	-	-	4	8	6	6	2	-	-	-	71
190	2	4	62	8	4	24	4	-	4	-	-	4	24	18	36	22	22	10	2	2	72
98	2	4	38	-	4	10	4	-	2	-	-	4	6	8	16	8	8	2	-	2	73
92	-	-	24	8	-	14	-	-	2	-	-	-	18	10	20	14	14	8	2	-	74
58	2	-	16	-	2	8	-	2	-	2	-	2	2	4	12	4	2	6	-	2	75
192	10	-	68	10	16	18	2	8	8	-	-	2	8	36	32	28	10	2	4	-	76
2,580	124	22	806	122	96	188	102	32	98	24	-	64	98	132	500	176	162	70	52	32	77
26	2	-	4	-	2	2	2	-	-	-	-	-	-	6	4	-	6	-	-	-	78
46	4	-	24	-	-	4	2	-	-	2	-	-	-	2	4	2	4	-	-	2	79
18	-	-	8	-	2	2	-	2	2	2	-	-	-	2	8	2	2	-	-	2	80
24	-	-	8	2	-	2	4	-	2	-	-	-	2	6	8	-	2	-	-	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MISSOURI--CON.																	
	ST. LOUIS--CON.																	
01	BRIDGETON	84	-	-	2	14	4	4	-	-	-	-	6	2	58	42	6	-
02	CLAYTON	194	-	-	-	32	6	2	8	2	2	4	8	4	126	92	-	2
03	CRESTWOOD	96	-	-	-	12	2	-	4	2	-	-	4	2	66	46	2	-
04	FERGUSON	238	2	-	-	42	4	18	2	4	2	2	10	6	140	112	2	-
05	FLORISSANT	356	-	-	2	82	22	12	8	8	8	4	20	8	166	120	4	2
06	HAZELWOOD	82	-	-	-	14	2	4	2	2	-	-	4	2	40	32	-	2
07	JENNINGS	228	-	-	-	40	16	4	2	4	2	2	10	6	142	98	4	-
08	KIRKWOOD	332	-	-	2	54	16	12	2	6	4	4	10	4	192	134	4	2
09	LADUE	74	-	-	-	22	2	4	4	-	-	2	10	-	40	26	-	-
10	MAPLEWOOD	138	2	-	2	20	8	2	2	2	-	-	6	4	72	54	-	-
11	OVERLAND	246	-	-	2	38	6	14	6	8	-	-	4	6	132	90	2	2
12	RICHMOND HEIGHTS	176	-	-	-	42	2	16	8	6	-	4	6	-	88	66	6	-
13	ST. ANN	104	-	-	-	26	4	12	-	4	-	-	6	2	44	32	2	-
14	UNIVERSITY CITY	562	-	-	-	116	40	18	4	18	14	2	20	24	328	246	2	-
15	WEBSTER GROVES	302	-	-	-	56	14	16	4	8	-	4	10	4	168	126	2	4
16	BALANCE OF COUNTY	3,580	-	-	14	686	174	176	68	72	24	26	146	72	1,882	1,372	40	14
17	ST. LOUIS CITY	8,958	22	-	36	1,530	390	364	136	200	78	64	298	220	4,906	3,650	56	76
18	STE. GENEVIEVE	138	-	-	2	20	8	6	-	2	-	-	4	-	74	52	-	4
19	SALINE	388	-	-	4	80	16	16	2	18	4	-	24	6	220	176	-	6
20	MARSHALL	162	-	-	4	34	8	4	-	8	2	-	12	-	86	66	-	-
21	BALANCE OF COUNTY	226	-	-	-	46	8	12	2	10	2	-	12	6	134	110	-	6
22	SCHUYLER	112	-	-	-	20	2	4	-	2	4	2	6	-	70	56	-	-
23	SCOTLAND	80	-	-	-	8	4	2	2	-	-	-	-	-	52	44	-	-
24	SCOTT	324	-	-	2	52	18	14	2	10	2	-	6	6	180	142	-	4
25	SIKESTON, PART	128	-	-	2	22	6	6	2	4	-	-	4	2	80	64	-	2
26	SIKESTON, TOTAL	130	-	-	2	22	6	6	2	4	-	-	4	2	82	66	-	2
27	BALANCE OF COUNTY	196	-	-	-	30	12	8	-	6	2	-	2	4	100	78	-	2
28	SHANNON	76	-	-	-	8	2	2	-	2	-	-	2	2	48	28	-	-
29	SHELBY	154	-	-	-	28	8	2	6	-	2	4	6	-	92	62	-	4
30	STODDARD	332	2	-	2	44	12	6	6	8	2	2	8	10	192	124	2	4
31	STONE	134	-	-	6	24	6	6	2	4	-	-	6	2	60	50	2	-
32	SULLIVAN	170	-	-	-	20	14	-	-	2	-	-	4	6	100	72	2	6
33	TANEY	178	2	-	4	38	8	6	2	8	4	2	8	-	86	48	-	-
34	TEXAS	246	-	-	-	38	12	6	4	6	-	2	8	-	152	96	-	8
35	VERNON	268	-	-	-	60	18	14	4	4	4	4	12	-	148	106	-	8
36	WARREN	164	-	-	-	26	8	10	-	-	-	-	8	4	88	66	-	-
37	WASHINGTON	148	-	-	4	28	8	6	-	6	2	-	6	2	58	36	-	-
38	WAYNE	146	-	-	2	18	6	4	-	6	-	-	2	2	76	54	-	-
39	WEBSTER	230	2	-	-	14	-	2	-	6	-	-	6	4	142	86	-	4
40	WORTH	68	-	-	-	6	-	-	-	6	-	-	-	4	46	32	-	-
41	WRIGHT	236	-	-	-	38	6	10	-	6	-	8	8	2	140	98	8	6
42	**MONTANA**	6,896	10	-	34	1,100	318	234	92	146	74	36	200	146	3,288	2,288	68	44
43	URBAN PLACES	2,506	4	-	10	420	110	92	36	60	24	12	86	52	1,172	806	22	16
44	BALANCE OF AREA	4,390	6	-	24	680	208	142	56	86	50	24	114	94	2,116	1,482	46	28
45	METROPOLITAN COUNTIES	1,356	2	-	6	246	54	52	20	34	16	10	60	24	618	390	10	10
46	URBAN PLACES	1,088	2	-	2	200	44	40	20	30	14	6	46	18	508	316	8	8
47	BALANCE OF AREA	268	-	-	4	46	10	12	-	4	2	4	14	6	110	74	2	2
48	NONMETROPOLITAN COUNTIES	5,540	8	-	28	854	264	182	72	112	58	26	140	122	2,670	1,898	58	34
49	URBAN PLACES	1,418	2	-	8	220	66	52	16	30	10	6	40	34	664	490	14	8
50	BALANCE OF AREA	4,122	6	-	20	634	198	130	56	82	48	20	100	88	2,006	1,408	44	26
51	BEAVERHEAD	78	-	-	-	12	6	-	-	4	-	-	2	-	36	28	-	2
52	BIG HORN	90	-	-	-	16	2	4	2	-	2	2	4	4	38	22	2	-
53	BLAINE	74	-	-	-	16	2	4	4	4	2	-	-	-	28	22	-	-
54	BROADWATER	26	-	-	-	2	2	-	-	-	-	-	-	2	14	8	-	2
55	CARBON	112	-	-	-	10	6	-	-	2	2	-	-	2	60	34	2	-
56	CARTER	26	-	-	-	6	2	-	-	-	2	-	2	-	14	12	-	-
57	CASCADE	660	-	-	6	140	30	30	14	18	6	6	36	8	288	176	6	2
58	GREAT FALLS	546	-	-	2	112	22	26	14	16	4	4	26	4	252	152	6	2
59	BALANCE OF COUNTY	114	-	-	4	28	8	4	-	2	2	2	10	4	36	24	-	-
60	CHOUTEAU	66	-	-	-	6	4	-	-	-	-	-	2	2	34	22	-	-
61	CUSTER	142	-	-	-	22	8	6	-	-	4	-	4	2	74	56	-	-
62	DANIELS	46	-	-	-	2	-	2	-	-	-	-	-	4	34	20	-	2
63	DAWSON	88	-	-	-	22	8	4	4	2	-	2	2	2	46	28	-	-
64	DEER LODGE	164	2	-	-	38	12	10	8	-	4	4	-	2	64	44	-	-
65	FALLON	32	-	-	-	4	2	2	-	-	-	-	-	-	18	10	-	-
66	FERGUS	184	-	-	2	26	8	4	4	2	-	-	8	2	92	66	4	-
67	FLATHEAD	408	-	-	-	82	22	18	6	12	2	2	20	6	188	128	2	-
68	KALISPELL	162	-	-	-	38	6	10	4	12	-	-	6	4	74	54	2	-
69	BALANCE OF COUNTY	246	-	-	-	44	16	8	2	-	2	2	14	2	114	74	-	-
70	GALLATIN	216	-	-	-	44	24	4	4	4	2	-	6	4	100	66	2	-
71	BOZEMAN	116	-	-	-	18	14	-	-	2	-	-	2	4	54	34	-	-
72	BALANCE OF COUNTY	100	-	-	-	26	10	4	4	2	2	-	4	-	46	32	2	-
73	GARFIELD	16	-	-	-	8	-	4	-	-	-	2	2	-	8	8	-	2
74	GLACIER	124	-	-	2	12	-	-	-	2	2	-	8	-	42	34	-	-
75	GOLDEN VALLEY	10	-	-	-	-	-	-	-	-	-	-	-	-	6	2	-	-
76	GRANITE	32	-	-	-	8	2	2	2	-	-	-	2	-	12	8	-	-
77	HILL	170	-	-	2	16	4	6	2	-	-	-	4	-	84	76	2	-
78	HAVRE	110	-	-	-	10	4	2	2	-	-	-	2	-	58	56	2	-
79	BALANCE OF COUNTY	60	-	-	2	6	-	4	-	-	-	-	2	-	26	20	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
34	2	-	8	8	-	-	2	-	-	-	-	2	-	-	-	4	-	-	-	-	01
90	-	-	22	8	4	2	4	-	2	-	-	2	2	2	12	2	4	-	-	-	02
44	-	-	16	4	-	2	-	-	-	-	-	-	2	-	6	-	4	2	-	-	03
108	2	-	14	6	8	4	2	-	8	-	-	-	2	6	18	4	2	-	2	-	04
110	4	-	34	8	4	4	4	-	6	2	-	10	12	10	16	14	10	6	-	4	05
30	-	-	8	-	-	4	2	-	-	-	-	2	2	-	12	2	2	-	-	-	06
90	4	-	40	2	2	10	6	-	2	-	-	-	-	-	14	2	4	-	-	2	07
122	6	4	40	6	8	8	8	-	10	-	-	2	4	4	18	10	8	4	2	2	08
26	-	-	14	-	-	-	-	-	-	-	-	-	-	-	8	2	2	-	-	-	09
50	4	2	14	2	-	8	-	-	-	-	-	-	2	6	16	-	2	2	2	-	10
76	10	-	38	2	2	4	4	4	4	2	-	2	2	8	18	6	8	6	-	-	11
58	2	2	16	4	-	12	2	-	2	-	-	-	2	-	14	2	6	2	4	-	12
28	2	-	10	-	2	2	-	-	-	2	-	-	2	2	12	4	2	2	2	2	13
242	2	-	58	10	14	14	2	6	4	4	-	-	4	2	30	10	8	4	6	-	14
104	16	-	36	4	2	8	2	-	4	-	-	4	2	4	28	8	6	2	2	4	15
1,254	64	14	394	56	46	96	56	20	52	10	-	40	58	72	254	102	80	40	32	14	16
3,340	178	42	914	210	90	246	110	32	148	66	-	48	180	58	674	138	212	74	208	50	17
48	-	-	18	2	2	6	4	-	2	-	2	-	2	2	6	14	4	-	-	-	18
160	10	-	38	4	2	14	2	8	-	-	-	2	6	2	24	4	10	6	-	-	19
62	4	-	20	-	-	2	2	6	-	-	-	2	4	-	16	-	4	2	-	-	20
98	6	-	18	4	2	12	-	2	-	-	-	-	2	2	8	4	6	4	-	-	21
48	8	-	10	2	2	2	2	-	-	-	-	-	-	4	12	-	2	-	-	-	22
44	-	-	4	4	-	-	4	-	-	-	-	-	-	-	12	2	2	-	-	-	23
130	8	2	34	2	-	10	2	4	-	4	-	2	6	2	22	18	8	2	4	-	24
62	-	2	12	2	-	2	2	-	-	2	-	2	2	-	6	2	2	-	2	-	25
64	-	2	12	2	-	2	2	-	-	2	-	2	2	-	6	2	2	-	2	-	26
68	8	-	22	-	-	8	-	4	-	2	-	-	4	2	16	16	6	2	2	-	27
28	-	2	18	-	-	4	2	2	-	-	-	-	-	-	4	4	2	-	-	-	28
56	2	2	22	-	6	2	-	-	2	-	-	-	-	4	12	4	6	4	-	-	29
104	14	-	52	6	10	12	8	-	2	-	-	-	10	12	22	10	6	-	-	-	30
46	2	-	8	-	2	2	2	-	-	-	-	2	2	14	6	8	4	2	-	-	31
50	14	-	26	-	2	12	4	2	-	-	-	-	4	2	12	6	2	-	-	-	32
44	4	-	24	12	2	6	2	-	2	-	-	-	-	8	14	4	10	2	-	-	33
84	4	-	54	-	2	6	4	2	2	2	-	4	2	4	16	10	2	-	-	2	34
88	10	2	40	-	-	6	4	-	2	2	-	2	2	6	20	8	6	2	-	-	35
58	8	-	16	4	2	8	4	-	-	2	-	4	4	-	8	10	4	2	-	-	36
34	2	-	18	4	-	6	2	-	-	-	-	-	-	14	14	10	10	-	-	-	37
52	2	-	18	2	2	10	-	-	2	2	-	-	4	8	6	8	4	2	-	2	38
72	10	-	42	6	8	12	2	-	2	-	-	-	6	2	22	10	8	-	4	-	39
32	-	2	8	-	4	4	2	-	-	-	-	-	-	2	2	2	-	-	-	-	40
72	12	-	34	6	2	2	8	-	-	-	-	-	-	12	10	14	6	2	-	2	41
1,904	272	24	682	192	102	246	144	40	92	20	2	50	146	194	572	350	292	104	38	28	42
682	86	10	242	84	30	76	54	16	52	2	-	20	64	90	248	82	102	26	6	10	43
1,222	186	14	440	108	72	170	90	24	40	18	2	30	82	104	324	268	190	78	32	18	44
306	64	4	140	72	12	44	26	6	28	4	-	4	30	84	94	48	68	16	6	2	45
250	50	4	118	58	12	32	22	6	24	2	-	4	24	62	84	38	46	8	4	2	46
56	14	-	22	14	-	12	4	-	4	2	-	-	6	22	10	10	22	8	2	-	47
1,598	208	20	542	120	90	202	118	34	64	16	2	46	116	110	478	302	224	88	32	26	48
432	36	6	124	26	18	44	32	10	28	-	-	16	40	28	164	44	56	18	2	8	49
1,166	172	14	418	94	72	158	86	24	36	16	2	30	76	82	314	258	168	70	30	18	50
20	6	-	8	-	-	4	2	-	2	-	-	-	-	10	8	-	2	2	-	-	51
18	2	-	12	2	2	4	-	-	2	-	-	-	2	2	10	2	-	4	4	2	52
14	8	-	4	-	2	-	-	-	-	-	-	-	-	-	10	14	2	2	2	-	53
4	2	-	4	2	-	-	-	-	-	-	-	-	-	2	-	4	2	-	-	-	54
24	8	-	22	-	4	4	6	2	2	-	-	2	2	-	10	2	6	4	-	-	55
8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	56
140	28	4	58	48	2	16	8	2	12	-	-	-	12	60	46	20	32	10	-	-	57
118	26	4	50	44	2	14	8	2	10	-	-	-	12	44	44	14	24	4	-	-	58
22	2	-	8	4	-	2	-	-	2	-	-	-	-	16	2	6	8	6	-	-	59
14	8	-	8	4	-	-	2	-	-	-	-	2	4	-	6	6	2	2	-	-	60
48	8	2	12	2	2	8	-	-	2	-	-	-	-	-	14	14	6	-	-	-	61
18	-	-	10	-	4	2	-	-	-	-	-	-	-	-	-	-	4	-	-	-	62
26	2	-	14	2	2	-	4	4	-	-	-	-	2	-	-	6	2	-	-	-	63
36	8	-	12	4	4	6	2	-	6	-	-	-	2	-	16	8	12	-	2	4	64
10	-	-	4	-	4	-	-	-	-	-	-	-	2	2	4	-	2	-	-	-	65
60	2	-	14	4	8	6	2	2	-	-	-	-	-	6	24	10	6	4	-	2	66
122	4	2	42	8	8	14	10	12	-	2	-	2	6	8	30	16	12	18	2	-	67
50	2	2	14	4	-	4	4	8	-	-	-	-	-	2	16	2	6	4	-	-	68
72	2	-	28	4	8	10	6	4	-	2	-	2	6	6	14	14	6	14	2	-	69
56	8	2	20	8	4	10	6	-	6	-	-	-	8	4	20	4	6	-	2	2	70
26	8	2	16	-	2	4	2	-	6	-	-	-	4	4	12	2	4	-	-	2	71
30	-	-	4	8	2	6	4	-	-	-	-	-	4	-	8	2	2	-	2	-	72
2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
32	2	2	6	-	-	10	-	-	4	2	-	4	4	6	14	14	4	4	2	-	74
-	2	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	75
8	-	-	2	-	2	-	-	-	-	-	-	-	2	-	6	-	4	-	-	-	76
68	6	-	4	4	-	12	4	-	-	-	-	4	6	6	14	10	6	6	-	-	77
48	6	-	-	2	-	10	4	-	-	-	-	-	-	2	14	6	2	4	-	-	78
20	-	-	4	2	-	2	-	-	-	-	-	4	6	4	-	4	4	2	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MONTANA--CON.																	
01	JEFFERSON	56	-	-	-	14	8	-	2	4	-	-	-	2	22	6	-	-
02	JUDITH BASIN	28	-	-	-	4	-	-	2	2	-	-	-	-	12	8	-	-
03	LAKE	186	-	-	2	28	6	12	-	-	-	-	10	-	94	68	4	-
04	LEWIS AND CLARK	370	-	-	4	48	20	4	6	12	2	-	4	12	162	118	2	2
05	HELENA	276	-	-	2	30	12	2	2	8	2	-	4	10	118	82	2	2
06	BALANCE OF COUNTY	94	-	-	2	18	8	2	4	4	-	-	-	2	44	36	-	-
07	LIBERTY	30	-	-	2	2	-	-	-	2	-	-	-	-	22	14	-	-
08	LINCOLN	102	-	-	-	16	6	-	-	8	2	-	-	8	54	36	2	-
09	MC CONE	20	-	-	-	2	-	-	-	-	-	-	2	2	6	6	-	-
10	MADISON	66	-	-	-	10	-	8	2	-	-	-	-	-	20	16	2	-
11	MEAGHER	46	-	-	-	2	2	-	-	-	-	-	-	-	30	26	2	-
12	MINERAL	40	-	-	-	6	4	-	-	-	2	-	-	-	16	12	-	-
13	MISSOULA	478	-	-	4	76	18	14	2	10	8	4	20	12	226	158	6	10
14	MISSOULA	310	-	-	-	52	12	10	-	4	6	4	16	6	150	102	4	6
15	BALANCE OF COUNTY	168	-	-	4	24	6	4	2	6	2	-	4	6	76	56	2	4
16	MUSSELSHELL	56	-	-	-	10	2	-	-	4	-	2	2	-	38	34	-	-
17	PARK	136	-	-	-	14	-	4	-	2	4	2	2	8	88	60	2	-
18	PETROLEUM	10	-	-	-	2	2	-	-	-	-	-	-	-	2	-	-	-
19	PHILLIPS	50	-	-	-	6	2	4	-	-	-	-	-	2	22	18	2	-
20	PONDERA	62	-	-	-	12	8	2	-	-	-	-	2	2	22	18	-	2
21	POWDER RIVER	18	-	-	2	2	-	-	-	2	-	-	-	-	14	10	-	-
22	POWELL	74	2	-	-	6	-	2	-	2	2	-	-	2	38	32	-	2
23	PRAIRIE	26	-	-	-	-	-	-	-	-	-	-	-	2	18	10	-	2
24	RAVALLI	178	-	-	-	40	14	4	2	6	4	-	10	2	94	66	-	-
25	RICHLAND	92	-	-	-	14	4	2	2	2	-	-	4	6	50	38	2	-
26	ROOSEVELT	140	-	-	2	12	6	-	-	4	2	-	-	2	68	52	-	6
27	ROSEBUD	50	2	-	-	6	-	2	-	2	-	-	2	4	4	2	-	-
28	SANDERS	74	-	-	-	14	-	2	2	2	4	2	2	-	28	18	-	-
29	SHERIDAN	60	-	-	-	8	2	4	-	-	-	-	2	-	36	32	-	-
30	SILVER BOW	602	2	-	6	104	28	40	10	10	2	2	12	12	284	208	6	-
31	BUTTE	444	2	-	6	72	18	28	8	4	2	2	10	10	210	162	4	-
32	BALANCE OF COUNTY	158	-	-	-	32	10	12	2	6	-	-	2	2	74	46	2	-
33	STILLWATER	46	-	-	-	4	2	2	-	-	-	-	-	2	28	22	4	-
34	SWEET GRASS	42	-	-	-	2	2	-	-	-	-	-	-	2	30	16	-	-
35	TETON	70	-	-	-	14	-	-	4	6	2	2	-	2	38	16	-	-
36	TOOLE	72	-	-	-	10	4	2	2	-	2	-	-	-	44	34	2	-
37	TREASURE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	VALLEY	104	-	-	-	6	2	4	-	-	-	-	-	2	48	34	2	2
39	WHEATLAND	32	-	-	-	4	4	-	-	-	-	-	-	4	14	12	4	-
40	WIBAUX	14	-	-	-	4	4	-	-	-	-	-	-	-	6	4	2	-
41	YELLOWSTONE	696	2	-	-	106	24	22	6	16	10	4	24	16	330	214	4	8
42	BILLINGS	542	2	-	-	88	22	14	6	14	10	2	20	14	256	164	2	6
43	BALANCE OF COUNTY	154	-	-	-	18	2	8	-	2	-	2	4	2	74	50	2	2
44	YELLOWSTONE NATIONAL PARK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	**NEBRASKA**	15,534	12	-	60	2,712	760	476	250	426	116	152	532	278	8,708	6,056	122	130
46	URBAN PLACES	6,706	10	-	18	1,212	328	224	106	192	58	72	232	128	3,620	2,542	68	46
47	BALANCE OF AREA	8,828	2	-	42	1,500	432	252	144	234	58	80	300	150	5,088	3,514	54	84
48	METROPOLITAN COUNTIES	5,344	8	-	20	1,008	256	206	90	150	38	58	210	100	2,826	2,002	62	36
49	URBAN PLACES	4,774	8	-	16	898	230	184	80	136	34	52	182	84	2,544	1,802	56	32
50	BALANCE OF AREA	570	-	-	4	110	26	22	10	14	4	6	28	16	282	200	6	4
51	NONMETROPOLITAN COUNTIES	10,190	4	-	40	1,704	504	270	160	276	78	94	322	178	5,882	4,054	60	94
52	URBAN PLACES	1,932	2	-	2	314	98	40	26	56	24	20	50	44	1,076	740	12	14
53	BALANCE OF AREA	8,258	2	-	38	1,390	406	230	134	220	54	74	272	134	4,806	3,314	48	80
54	ADAMS	348	-	-	-	48	16	4	-	10	4	4	10	6	198	132	2	-
55	HASTINGS	290	-	-	-	38	14	4	-	6	4	4	6	6	170	116	2	-
56	BALANCE OF COUNTY	58	-	-	-	10	2	-	-	4	-	-	4	-	28	16	-	-
57	ANTELOPE	132	-	-	-	20	4	-	2	2	2	6	4	-	88	66	2	-
58	ARTHUR	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	BANNER	6	-	-	-	2	-	-	2	-	-	-	-	-	2	2	-	-
60	BLAINE	10	-	-	-	2	-	2	-	-	-	-	-	-	2	-	-	-
61	BOONE	98	-	-	2	22	4	4	6	4	-	-	4	-	58	54	-	-
62	BOX BUTTE	116	-	-	-	10	2	-	2	6	-	-	-	2	66	40	-	2
63	BOYD	54	-	-	-	8	4	-	2	-	-	-	2	-	40	38	-	-
64	BROWN	68	-	-	-	8	2	2	-	2	-	-	2	-	48	34	-	-
65	BUFFALO	294	-	-	2	58	18	6	2	10	6	-	16	2	142	104	4	-
66	KEARNEY	164	-	-	-	42	18	6	2	6	4	-	6	2	62	42	-	-
67	BALANCE OF COUNTY	130	-	-	2	16	-	-	-	4	2	-	10	-	80	62	4	-
68	BURT	130	-	-	-	18	6	4	-	2	-	2	4	-	90	68	2	4
69	BUTLER	120	-	-	-	22	14	4	2	-	-	-	2	2	82	52	2	-
70	CASS	214	-	-	-	38	14	12	-	6	-	-	6	-	124	76	2	2
71	CEDAR	162	-	-	2	32	8	2	2	2	-	2	16	6	98	60	2	-
72	CHASE	60	-	-	-	14	-	2	2	-	-	2	8	-	28	22	-	-
73	CHERRY	54	-	-	-	8	2	2	-	-	-	2	2	-	32	24	-	4
74	CHEYENNE	126	-	-	-	26	8	12	2	4	-	-	-	2	74	56	-	12
75	CLAY	104	-	-	2	24	6	10	-	6	-	-	2	-	56	36	-	-
76	COLFAX	148	-	-	-	20	8	2	-	2	4	2	2	6	72	50	4	-
77	CUMING	144	-	-	2	36	10	10	6	10	-	-	-	-	72	44	-	4
78	CUSTER	182	-	-	-	42	14	4	4	10	4	2	4	2	100	72	-	2
79	DAKOTA	126	-	-	-	24	6	4	2	4	2	2	4	2	64	46	2	-
80	DAWES	92	-	-	-	12	-	4	-	2	-	2	4	2	48	38	-	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
4	2	2	10	4	-	2	-	-	2	-	-	-	4	2	4	4	-	-	-	-	01
4	4	-	4	-	-	2	2	-	-	-	-	-	-	2	2	2	-	-	-	2	02
56	8	-	24	-	2	8	4	-	4	4	-	2	4	2	6	16	8	4	-	-	03
100	14	-	34	6	4	10	12	2	-	-	-	6	8	12	44	22	20	6	-	2	04
66	12	-	28	4	4	8	10	-	-	-	-	4	6	12	40	16	16	4	-	-	05
34	2	-	6	2	-	2	2	2	-	-	-	2	2	-	4	6	4	2	-	2	06
12	2	-	6	-	2	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	07
30	4	-	16	2	-	2	4	-	-	-	-	-	2	-	4	4	6	2	-	-	08
2	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	8	-	-	-	-	09
10	4	-	4	-	-	4	2	-	-	-	-	-	2	12	10	4	2	-	-	-	10
14	10	-	2	2	-	-	-	-	-	-	-	2	2	-	2	6	2	-	-	-	11
2	10	-	2	-	2	2	-	-	-	-	-	-	2	2	4	2	6	-	-	-	12
134	8	-	48	8	12	14	6	6	6	-	-	10	8	2	50	14	34	6	2	2	13
86	6	-	34	4	10	10	4	2	6	-	-	4	6	-	40	10	14	4	2	-	14
48	2	-	14	4	2	4	2	4	-	-	-	6	2	2	10	4	20	2	-	2	15
32	2	-	4	-	-	-	2	-	-	-	-	-	-	-	4	2	-	-	-	-	16
54	4	2	18	6	2	-	2	2	2	-	-	-	2	-	10	6	-	2	-	-	17
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	2	2	-	-	-	18
14	2	-	2	-	2	4	2	-	-	2	-	-	2	-	4	4	2	-	-	-	19
6	10	-	4	-	-	6	4	-	-	-	-	-	2	2	6	2	4	-	-	-	20
8	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
26	4	-	4	2	-	2	-	-	-	-	-	-	2	2	6	4	2	8	-	-	22
6	2	-	2	6	-	-	-	2	-	-	-	-	-	4	-	-	-	-	-	-	23
60	6	2	20	4	2	4	8	-	2	-	-	-	-	-	10	14	-	2	2	-	24
34	2	-	6	2	4	-	2	-	-	-	-	-	-	2	6	8	4	-	-	-	25
38	8	-	14	-	2	14	2	-	-	-	-	-	4	2	10	18	2	-	4	-	26
2	-	-	-	2	-	16	-	-	2	-	2	-	-	-	8	2	-	-	4	-	27
16	2	-	8	2	-	4	2	-	2	2	-	-	-	4	6	2	8	2	-	-	28
32	-	-	4	-	-	-	4	-	-	-	-	2	-	-	4	4	2	-	-	-	29
200	2	4	50	20	2	12	12	2	16	-	-	8	28	10	54	16	22	4	4	6	30
156	2	2	32	12	2	8	8	-	16	-	-	8	24	8	42	8	14	2	-	6	31
44	-	2	18	8	-	4	4	2	-	-	-	-	4	2	12	8	8	2	4	-	32
16	2	-	6	-	-	4	2	-	-	-	-	-	-	-	4	-	2	-	-	-	33
16	-	-	14	-	-	-	-	-	-	-	-	-	-	-	6	-	2	-	-	-	34
16	-	-	16	6	-	-	2	-	-	2	-	-	-	-	2	8	2	-	-	-	35
32	-	-	6	2	2	2	-	-	-	-	-	-	-	-	4	4	4	4	-	-	36
-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	2	-	-	-	-	37
26	4	-	10	2	2	4	4	-	2	-	-	2	2	2	16	8	4	-	2	2	38
8	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	4	4	-	-	-	39
-	2	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	40
166	36	-	82	24	10	28	18	4	16	4	-	4	18	24	48	28	36	6	6	2	41
132	24	-	68	14	10	18	14	4	14	2	-	4	12	18	40	24	22	4	4	2	42
34	12	-	14	10	-	10	4	-	2	2	-	-	6	6	8	4	14	2	2	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
5,544	260	66	2,016	322	248	538	294	90	178	32	4	100	238	96	1,040	484	458	142	48	22	45
2,334	94	20	798	130	130	242	122	48	108	12	-	52	134	32	500	174	178	70	38	8	46
3,210	166	46	1,218	192	118	296	172	42	70	20	4	48	104	64	540	310	280	72	10	14	47
1,836	68	16	624	92	92	180	118	36	96	12	-	46	114	20	398	122	142	60	32	6	48
1,656	58	14	558	84	86	162	96	36	84	10	-	42	106	18	364	96	124	50	30	6	49
180	10	2	66	8	6	18	22	-	12	2	-	4	8	2	34	26	18	10	2	-	50
3,708	192	50	1,392	230	156	358	176	54	82	20	4	54	124	76	642	362	316	82	16	16	51
678	36	6	240	46	44	80	26	12	24	2	-	10	28	14	136	78	54	20	8	2	52
3,030	156	44	1,152	184	112	278	150	42	58	18	4	44	96	62	506	284	262	62	8	14	53
126	4	-	56	4	6	14	10	4	-	-	-	-	4	4	24	20	8	6	2	-	54
112	2	-	44	4	6	10	8	4	-	-	-	-	4	4	20	14	6	4	2	-	55
14	2	-	12	-	-	4	2	-	-	-	-	-	-	-	4	6	2	2	-	-	56
64	-	-	14	4	4	2	-	2	-	-	-	-	-	-	8	4	6	2	-	-	57
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	58
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	59
-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	4	-	-	-	-	-	60
54	-	-	4	-	-	-	-	-	-	-	-	-	-	-	6	2	4	-	-	4	61
38	-	-	12	10	4	12	6	2	4	-	-	4	2	4	-	-	2	2	-	-	62
38	-	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	-	-	63
32	2	-	14	-	-	2	-	-	-	-	-	-	2	-	-	4	2	2	-	-	64
96	4	-	28	8	2	16	2	2	4	-	-	2	14	4	24	10	6	6	-	-	65
42	-	-	12	6	2	8	2	-	2	-	-	-	10	4	18	6	4	4	-	-	66
54	4	-	16	2	-	8	-	2	2	-	-	2	4	-	6	4	2	2	-	-	67
56	6	-	22	-	-	4	2	-	4	-	-	-	-	-	10	-	2	-	-	-	68
48	2	2	20	-	8	2	-	-	2	-	-	2	-	-	2	-	-	6	-	-	69
66	6	-	42	2	4	12	4	-	-	-	-	4	6	-	14	10	2	-	-	-	70
56	2	-	26	12	-	-	2	6	-	-	-	-	6	-	4	4	2	-	-	-	71
20	2	-	6	-	-	2	4	-	-	-	-	-	2	-	6	-	2	-	-	2	72
18	2	-	6	-	2	-	-	-	-	-	-	-	-	4	6	2	2	-	-	-	73
40	4	-	12	4	2	-	6	-	-	2	-	-	2	-	8	4	2	-	-	-	74
28	8	-	10	10	-	2	4	-	-	-	-	2	4	-	2	6	2	-	-	-	75
42	4	2	18	-	2	12	2	-	2	-	-	-	2	8	16	6	-	2	-	-	76
40	-	2	20	4	2	4	-	2	-	-	-	-	2	-	12	10	2	2	-	-	77
68	2	4	14	6	4	6	6	2	-	-	-	-	6	-	8	4	6	-	-	-	78
42	2	-	16	2	-	2	6	-	4	-	-	2	-	2	10	2	4	2	2	-	79
34	2	-	4	4	2	6	6	-	2	-	-	-	-	-	6	4	6	-	-	-	80

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MONTANA--CON.																	
01	DAWSON	250	-	-	2	40	14	10	4	4	4	-	4	4	148	112	2	-
02	DEUEL	54	-	-	-	12	4	-	2	4	-	-	2	-	38	28	-	-
03	DIXON	82	-	-	-	20	8	-	2	-	-	-	10	-	48	32	-	-
04	DODGE	362	-	-	-	70	26	4	8	8	6	6	12	6	174	110	-	2
05	FREMONT	224	-	-	-	50	20	4	4	4	6	4	8	2	108	70	-	2
06	BALANCE OF COUNTY	138	-	-	-	20	6	-	4	4	-	2	4	4	66	40	-	-
07	DOUGLAS	3,588	8	-	18	656	160	148	68	94	22	40	124	70	1,896	1,366	36	18
08	OMAHA	3,406	8	-	16	622	154	140	62	94	20	38	114	64	1,810	1,296	34	16
09	BALANCE OF COUNTY	182	-	-	2	34	6	8	6	-	2	2	10	6	86	70	2	2
10	DUNDY	32	-	-	-	6	2	-	-	-	-	-	4	-	22	20	-	-
11	FILLMORE	110	-	-	-	20	2	2	-	6	-	2	8	-	66	44	-	-
12	FRANKLIN	92	-	-	-	14	2	4	2	-	2	-	4	4	58	40	-	-
13	FRONTIER	44	-	-	-	6	4	2	-	-	-	-	-	4	26	20	-	-
14	FURNAS	126	-	-	-	20	6	-	4	-	-	-	10	2	72	38	-	-
15	GAGE	328	-	-	2	56	10	10	8	12	-	2	14	8	198	138	-	4
16	BEATRICE	166	-	-	-	28	2	6	2	6	-	2	10	6	98	60	-	4
17	BALANCE OF COUNTY	162	-	-	2	28	8	4	6	6	-	-	4	2	100	78	-	-
18	GARDEN	40	-	-	-	4	-	4	-	-	-	-	-	-	32	24	-	6
19	GARFIELD	32	-	-	-	2	2	-	-	-	-	-	-	2	22	16	-	-
20	GOSPER	18	-	-	-	-	-	-	-	-	-	-	-	-	12	8	-	-
21	GRANT	6	-	-	-	2	2	-	-	-	-	-	-	-	4	2	-	-
22	GREELEY	54	-	-	-	10	4	6	-	-	-	-	-	-	34	20	-	2
23	HALL	516	-	-	-	104	30	16	16	24	-	8	10	6	262	194	2	4
24	GRAND ISLAND	406	-	-	-	70	14	10	10	22	-	6	8	6	220	162	2	4
25	BALANCE OF COUNTY	110	-	-	-	34	16	6	6	2	-	2	2	-	42	32	-	-
26	HAMILTON	102	-	-	-	18	4	6	-	2	2	-	4	-	58	38	-	-
27	HARLAN	72	-	-	-	6	-	-	-	6	-	-	-	2	52	30	-	-
28	HAYES	16	-	-	-	4	-	-	-	-	-	2	2	-	12	8	-	-
29	HITCHCOCK	48	-	-	-	4	2	-	-	-	2	-	-	-	26	22	-	-
30	HOLT	146	-	-	-	34	8	6	-	10	2	-	8	2	60	34	-	-
31	HOOKER	14	-	-	-	2	-	-	-	2	-	-	-	2	8	8	-	-
32	HOWARD	96	-	-	-	12	2	2	4	-	-	-	4	-	70	38	-	2
33	JEFFERSON	158	-	-	2	22	6	2	-	4	-	4	6	4	78	48	2	2
34	JOHNSON	86	-	-	-	20	14	2	2	-	2	-	-	-	42	24	4	2
35	KEARNEY	72	-	-	2	16	6	2	-	2	-	4	2	-	34	18	-	-
36	KEITH	84	-	-	-	12	-	2	-	4	2	2	2	2	44	36	-	2
37	KEYA PAHA	14	-	-	-	2	2	-	-	-	-	-	-	-	10	6	-	-
38	KIMBALL	40	-	-	-	2	-	2	-	-	-	-	-	2	20	8	4	-
39	KNOX	128	-	-	-	30	8	4	2	8	2	-	6	2	70	50	2	-
40	LANCASTER	1,400	-	-	-	282	80	42	18	46	10	16	70	20	766	512	22	16
41	LINCOLN	1,284	-	-	-	262	74	40	16	42	10	14	66	16	696	474	22	16
42	BALANCE OF COUNTY	116	-	-	-	20	6	2	2	4	-	2	4	4	70	38	-	-
43	LINCOLN	346	2	-	-	42	12	4	6	6	2	4	8	12	202	144	2	-
44	NORTH PLATTE	236	2	-	-	26	8	2	4	4	2	2	4	8	144	96	2	-
45	BALANCE OF COUNTY	110	-	-	-	16	4	2	2	2	-	2	4	4	58	48	-	-
46	LOGAN	4	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-
47	LOUP	8	-	-	-	-	-	-	-	-	-	-	-	-	8	8	-	-
48	MC PHERSON	6	-	-	-	2	-	2	-	-	-	-	-	-	4	2	-	-
49	MADISON	320	-	-	4	40	10	4	4	8	10	-	4	4	212	150	4	-
50	NORFOLK	152	-	-	2	24	6	4	2	4	6	-	2	2	96	68	2	-
51	BALANCE OF COUNTY	168	-	-	2	16	4	-	2	4	4	-	2	2	116	82	2	-
52	MERRICK	94	-	-	-	6	-	2	2	2	-	-	-	4	66	46	-	-
53	MORRILL	54	-	-	2	8	4	-	-	-	-	2	2	-	22	20	2	2
54	NANCE	84	-	-	-	6	-	2	-	2	-	2	-	-	54	36	-	-
55	NEMAHA	110	-	-	2	20	4	2	2	6	2	2	2	-	62	42	-	-
56	NUCKOLLS	104	-	-	-	10	4	2	-	2	-	-	2	-	74	38	-	-
57	OTOE	238	-	-	-	40	8	10	4	6	-	2	10	4	136	106	-	4
58	PAWNEE	92	-	-	-	8	2	-	2	-	-	2	2	2	62	38	-	4
59	PERKINS	60	-	-	2	6	2	-	-	-	-	-	4	4	34	20	-	4
60	PHELPS	142	-	-	2	18	8	6	-	4	-	-	-	8	66	52	2	-
61	PIERCE	96	-	-	-	18	8	-	4	2	2	-	2	2	64	48	-	-
62	PLATTE	222	-	-	-	32	12	4	4	4	-	2	6	8	126	88	-	2
63	COLUMBUS	136	-	-	-	16	4	2	2	2	-	2	4	4	82	62	-	2
64	BALANCE OF COUNTY	86	-	-	-	16	8	2	2	2	-	-	2	4	44	26	-	-
65	POLK	92	-	-	2	4	4	-	-	-	-	-	-	2	62	42	-	2
66	RED WILLOW	160	-	-	-	40	10	4	4	4	2	4	12	4	96	62	-	-
67	RICHARDSON	174	-	-	-	24	8	4	2	6	2	-	2	-	112	66	-	-
68	ROCK	18	-	-	-	2	-	-	-	2	-	-	-	-	12	10	-	-
69	SALINE	160	-	-	2	36	6	4	2	14	-	2	8	2	92	56	-	-
70	SARPY	230	-	-	2	46	10	12	2	6	4	-	12	8	100	78	2	2
71	BELLEVUE	84	-	-	-	14	2	4	2	-	4	-	2	4	38	32	-	-
72	BALANCE OF COUNTY	146	-	-	2	32	8	8	-	6	-	-	10	4	62	46	2	2
73	SAUNDERS	222	-	-	-	42	22	-	4	4	2	2	8	2	132	74	-	2
74	SCOTTS BLUFF	342	-	-	2	60	18	12	8	10	6	-	6	12	188	134	6	2
75	SCOTTSBLUFF	158	-	-	-	20	12	2	-	2	2	-	2	8	96	64	4	2
76	BALANCE OF COUNTY	184	-	-	2	40	6	10	8	8	4	-	4	4	92	70	2	-
77	SEWARD	142	-	-	-	22	4	8	2	2	-	-	6	2	78	58	-	4
78	SHERIDAN	88	-	-	-	16	2	2	2	2	-	2	6	-	44	28	-	-
79	SHERMAN	74	-	-	2	10	4	-	4	-	-	-	2	4	32	22	-	-
80	SIOUX	18	-	-	-	-	-	-	-	-	-	-	-	2	16	16	-	-
81	STANTON	68	-	-	-	12	4	2	-	-	2	2	2	-	38	26	-	-
82	THAYER	90	-	-	-	24	4	4	2	6	-	2	6	2	50	38	-	6
83	THOMAS	18	-	-	-	2	2	-	-	-	-	-	-	-	16	12	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
98	12	-	28	6	2	8	-	-	2	4	-	-	2	2	16	8	14	-	-	-	01
28	-	-	6	2	2	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	02
32	-	-	16	-	-	2	2	-	-	-	-	-	-	-	6	2	2	-	-	-	03
100	8	-	50	10	4	14	6	-	6	2	-	-	-	8	36	14	22	4	-	-	04
62	6	-	30	6	2	12	2	-	4	2	-	-	-	4	14	12	12	2	-	-	05
38	2	-	20	4	2	2	4	-	2	-	-	-	-	4	22	2	10	2	-	-	06
1,276	36	10	394	54	72	122	58	30	76	8	-	24	82	16	280	78	102	34	26	4	07
1,212	34	10	380	52	72	116	54	30	72	8	-	24	80	16	272	62	92	30	26	4	08
64	2	-	14	2	-	6	4	-	4	-	-	-	2	-	8	16	10	4	-	-	09
20	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	10
44	-	-	18	4	-	4	4	-	-	2	-	-	-	2	6	4	2	-	-	-	11
34	6	-	12	2	4	8	-	-	-	-	-	2	-	-	6	-	-	-	-	-	12
20	-	-	2	4	-	2	2	-	-	-	-	-	-	-	2	-	-	2	-	-	13
34	4	-	30	4	-	8	2	-	-	-	-	-	-	-	6	6	8	2	-	-	14
130	4	2	44	8	6	12	4	2	-	-	-	-	-	2	22	8	8	6	-	-	15
52	4	2	26	4	6	8	2	-	-	-	-	-	-	2	14	-	6	2	-	-	16
78	-	-	18	4	-	4	2	2	-	-	-	-	-	-	8	8	2	4	-	-	17
16	2	-	6	-	2	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	18
16	-	-	6	-	-	2	-	-	-	-	-	-	-	-	2	-	2	-	-	-	19
8	-	-	4	-	-	2	-	-	-	-	-	-	-	-	2	-	2	-	-	-	20
2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
16	2	-	10	2	2	4	-	-	-	-	-	-	-	-	-	4	2	-	-	-	22
180	8	4	48	6	10	30	10	-	12	-	-	4	8	-	30	28	12	6	4	-	23
152	4	2	42	6	8	24	6	-	6	-	-	2	6	-	24	24	10	6	2	-	24
28	4	2	6	-	2	6	4	-	6	-	-	2	2	-	6	4	2	-	2	-	25
38	-	-	14	4	2	2	2	-	-	-	-	-	2	-	8	6	4	2	-	-	26
30	-	-	22	-	-	2	4	-	-	-	-	-	2	-	2	-	-	2	-	-	27
8	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
20	2	-	4	-	-	4	-	-	-	-	-	2	4	-	2	4	2	-	-	-	29
34	-	-	20	4	2	8	2	4	2	-	-	-	2	-	14	6	12	-	-	-	30
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	31
36	-	-	28	2	2	-	2	-	-	-	-	-	-	2	4	4	2	-	-	-	32
40	4	2	26	2	-	6	6	4	2	-	2	2	-	8	16	2	2	2	-	-	33
16	2	-	16	2	-	4	4	-	4	-	-	-	2	-	2	-	8	-	-	-	34
18	-	-	14	2	-	6	2	-	-	2	-	-	2	-	8	-	-	-	-	-	35
32	2	-	8	-	-	6	2	-	-	-	-	-	2	2	4	6	2	2	-	-	36
6	-	-	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	37
4	-	-	8	4	-	-	-	-	-	-	-	2	-	-	4	4	2	2	-	2	38
46	2	-	16	4	-	-	6	-	-	2	-	-	-	2	6	2	8	-	-	-	39
450	24	4	196	36	18	50	46	6	12	4	-	20	14	2	94	32	26	20	4	2	40
412	24	4	172	32	14	46	42	6	12	2	-	18	14	2	90	28	24	20	4	2	41
38	-	-	24	4	4	4	4	-	-	2	-	2	-	-	4	4	2	-	-	-	42
124	18	-	38	10	10	14	2	2	6	-	-	-	8	-	28	12	10	-	2	4	43
84	10	-	30	8	10	8	2	2	4	-	-	-	4	-	18	8	6	-	2	2	44
40	8	-	8	2	-	6	-	-	2	-	-	-	4	-	10	4	4	-	-	2	45
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
142	4	2	46	10	4	-	4	2	4	-	-	4	2	-	20	10	12	2	-	-	49
62	4	2	22	4	-	-	2	2	4	-	-	4	-	-	10	4	2	-	-	-	50
80	-	-	24	6	4	-	2	-	-	-	-	-	2	-	10	6	10	2	-	-	51
46	-	2	14	2	2	2	-	-	2	-	-	2	-	-	8	4	-	-	-	-	52
14	2	-	2	-	-	-	2	-	-	2	-	2	2	-	6	2	6	-	-	-	53
36	-	-	12	2	4	6	-	4	-	-	-	-	2	-	4	4	4	-	-	-	54
40	2	-	20	-	-	6	2	-	-	-	-	-	-	2	2	8	4	-	-	2	55
38	-	2	30	-	4	-	-	-	2	-	-	-	-	-	8	2	4	2	-	2	56
98	4	2	28	-	-	14	10	-	2	-	-	-	-	6	10	8	4	4	-	-	57
32	2	-	20	2	2	4	-	2	-	-	-	-	-	-	8	-	4	2	-	-	58
16	-	2	6	4	2	2	4	-	2	-	-	-	2	-	4	-	-	-	-	-	59
46	4	-	6	2	6	8	2	-	-	2	-	-	2	2	6	8	18	-	-	-	60
46	2	-	16	-	-	-	2	-	-	-	-	-	-	-	2	4	4	-	-	-	61
82	4	-	26	8	4	4	-	4	4	-	-	4	4	-	12	14	8	-	2	-	62
58	2	-	16	4	-	4	-	2	4	-	-	4	-	-	8	4	6	-	2	-	63
24	2	-	10	4	4	-	-	2	-	-	-	-	4	-	4	10	2	-	-	-	64
40	-	-	18	-	2	2	4	-	-	-	-	-	-	-	4	10	-	2	-	-	65
62	-	-	22	10	2	4	-	-	-	-	-	-	2	-	4	6	4	-	-	-	66
66	-	6	38	-	2	8	4	-	-	-	-	-	2	2	16	-	6	-	-	-	67
10	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	68
56	-	-	28	4	4	2	2	-	-	-	-	4	2	-	10	2	4	-	2	-	69
68	6	2	18	-	2	6	8	-	4	-	-	-	18	-	14	10	10	4	-	-	70
32	-	-	6	-	-	-	-	-	-	-	-	-	12	-	2	6	8	-	-	-	71
36	6	2	12	-	2	6	8	-	4	-	-	-	6	-	12	4	2	4	-	-	72
70	2	4	36	10	8	8	4	2	2	-	-	-	-	-	6	18	6	-	-	-	73
122	4	2	34	8	10	14	6	2	-	-	-	4	6	-	28	12	4	4	-	-	74
54	4	-	18	4	10	6	2	2	-	-	-	-	4	-	10	6	2	2	-	-	75
68	-	2	16	4	-	8	4	-	-	-	-	4	2	-	16	6	2	2	-	-	76
46	8	2	16	-	2	4	4	2	-	2	-	2	-	2	16	2	4	2	-	-	77
24	4	2	14	-	-	2	-	2	2	-	-	-	-	-	10	4	8	-	-	-	78
20	2	-	10	-	-	4	-	-	-	-	-	-	6	2	8	2	4	-	-	-	79
14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
26	-	-	12	-	-	-	2	-	-	-	-	-	-	2	8	6	-	-	-	-	81
30	2	2	10	-	-	4	2	2	-	-	-	-	-	-	-	4	2	-	-	-	82
12	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	MONTANA--CON.																	
01	THURSTON	72	2	-	-	14	2	4	2	4	-	2	-	2	30	22	2	-
02	VALLEY	70	-	-	-	12	4	2	-	-	-	4	2	-	50	34	-	2
03	WASHINGTON	164	-	-	2	22	8	6	-	2	-	2	4	8	106	70	4	-
04	WAYNE	94	-	-	-	26	14	4	2	-	2	-	4	-	54	46	2	-
05	WEBSTER	92	-	-	-	20	-	4	6	-	2	-	8	2	44	32	-	-
06	WHEELER	12	-	-	-	4	2	-	-	-	-	2	-	-	4	4	-	-
07	YORK	154	-	-	-	16	4	-	4	4	-	-	4	4	110	80	-	2
08	**NEVADA**	4,090	-	4	28	732	184	196	80	90	24	34	124	48	1,758	1,226	36	18
09	URBAN PLACES	2,570	-	-	18	494	112	136	56	66	16	20	88	34	1,108	762	14	8
10	BALANCE OF AREA	1,520	-	4	10	238	72	60	24	24	8	14	36	14	650	464	22	10
11	METROPOLITAN COUNTIES	3,168	-	-	26	576	132	154	68	68	22	26	106	44	1,390	970	24	12
12	URBAN PLACES	2,434	-	-	18	462	100	130	52	60	16	20	84	32	1,060	726	14	8
13	BALANCE OF AREA	734	-	-	8	114	32	24	16	8	6	6	22	12	330	244	10	4
14	NONMETROPOLITAN COUNTIES	922	-	4	2	156	52	42	12	22	2	8	18	4	368	256	12	6
15	URBAN PLACES	136	-	-	-	32	12	6	4	6	-	-	4	2	48	36	-	-
16	BALANCE OF AREA	786	-	4	2	124	40	36	8	16	2	8	14	2	320	220	12	6
17	CHURCHILL	102	-	-	-	20	8	4	-	4	-	2	2	-	32	14	-	-
18	CLARK	1,980	-	-	14	366	82	100	44	38	12	18	72	30	864	600	18	6
19	HENDERSON	112	-	-	-	22	4	12	4	-	-	-	2	-	54	40	2	-
20	LAS VEGAS	1,026	-	-	6	202	32	64	20	24	6	10	46	18	452	316	6	4
21	NORTH LAS VEGAS	236	-	-	-	42	20	4	4	6	2	2	4	2	84	44	-	-
22	BALANCE OF COUNTY	606	-	-	8	100	26	20	16	8	4	6	20	10	274	200	10	7
23	DOUGLAS	48	-	2	-	8	4	2	-	-	-	2	-	-	18	16	2	-
24	ELKO	128	-	-	-	26	10	6	-	6	-	-	4	-	48	40	-	-
25	ESMERALDA	10	-	-	-	-	-	-	-	-	-	-	-	-	8	4	-	-
26	EUREKA	4	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-
27	HUMBOLDT	104	-	-	-	10	4	6	-	-	-	-	-	-	52	38	2	-
28	LANDER	24	-	-	-	4	-	4	-	-	-	-	-	-	12	6	-	2
29	LINCOLN	36	-	-	-	6	-	-	2	-	2	-	2	2	14	6	-	-
30	LYON	100	-	2	2	8	2	2	2	-	-	2	-	-	48	36	2	-
31	MINERAL	66	-	-	-	12	2	-	2	2	-	2	4	-	28	26	2	-
32	NYE	30	-	-	-	4	-	2	-	2	-	-	-	-	8	8	2	-
33	ORMSBY, CORX. WITH CARSON CITY	136	-	-	-	32	12	6	4	6	-	-	4	2	48	36	-	-
34	PERSHING	44	-	-	-	2	-	2	-	-	-	-	-	-	16	10	-	4
35	STOREY	8	-	-	-	2	-	2	-	-	-	-	-	-	6	2	-	-
36	WASHOE	1,188	-	-	12	210	50	54	24	30	10	8	34	14	526	370	6	6
37	RENO	876	-	-	10	166	38	42	22	20	8	8	28	12	396	272	4	4
38	SPARKS	184	-	-	2	30	6	8	2	10	-	-	4	-	74	54	2	-
39	BALANCE OF COUNTY	128	-	-	-	14	6	4	-	-	2	-	2	2	56	44	-	2
40	WHITE PINE	82	-	-	-	20	10	6	2	-	-	-	2	-	30	14	2	-
41	**NEW HAMPSHIRE**	7,500	10	-	32	1,440	390	338	130	186	84	46	266	150	3,994	2,762	56	62
42	URBAN PLACES	3,412	4	-	12	684	190	150	52	96	36	14	136	70	1,784	1,212	30	26
43	BALANCE OF AREA	4,088	6	-	20	756	200	178	78	90	48	32	130	80	2,210	1,550	26	36
44	METROPOLITAN COUNTIES	2,266	2	-	8	480	134	120	40	66	26	10	84	48	1,110	694	16	24
45	URBAN PLACES	1,654	2	-	4	368	100	92	32	50	22	10	62	34	820	520	14	16
46	BALANCE OF AREA	612	-	-	4	112	34	28	8	16	4	-	22	14	290	174	2	8
47	NONMETROPOLITAN COUNTIES	5,234	8	-	24	960	256	218	90	120	58	36	182	102	2,884	2,068	40	38
48	URBAN PLACES	1,758	2	-	8	316	90	68	20	46	14	4	74	36	964	692	16	10
49	BALANCE OF AREA	3,476	6	-	16	644	166	150	70	74	44	32	108	66	1,920	1,376	24	28
50	BELKNAP	408	-	-	2	94	26	16	6	8	8	-	30	8	230	172	2	6
51	LACONIA	170	-	-	-	44	16	6	-	2	2	-	18	2	94	66	2	-
52	BALANCE OF COUNTY	238	-	-	2	50	10	10	6	6	6	-	12	6	136	106	-	6
53	CARROLL	290	-	-	-	46	8	8	4	6	-	4	16	2	190	138	-	2
54	CHESHIRE	496	-	-	2	110	40	24	4	20	10	-	12	12	260	174	4	4
55	KEENE	206	-	-	2	54	18	10	-	10	6	-	10	-	108	72	2	2
56	BALANCE OF COUNTY	290	-	-	-	56	22	14	4	10	4	-	2	12	152	102	2	2
57	COOS	428	-	-	2	62	16	18	2	14	4	2	6	12	244	162	4	6
58	BERLIN	182	-	-	-	22	6	10	-	2	2	-	2	8	106	84	4	2
59	BALANCE OF COUNTY	246	-	-	2	40	10	8	2	12	2	2	4	4	138	78	-	4
60	GRAFTON	562	2	-	-	106	24	26	8	12	10	4	22	6	282	192	4	-
61	HILLSBOROUGH	2,266	2	-	8	480	134	120	40	66	26	10	84	48	1,110	694	16	24
62	MANCHESTER	1,126	2	-	2	256	64	66	26	42	10	8	40	26	520	356	6	10
63	NASHUA	528	-	-	2	112	36	26	6	8	12	2	22	8	300	164	8	6
64	BALANCE OF COUNTY	612	-	-	4	112	34	28	8	16	4	-	22	14	290	174	2	8
65	MERRIMACK	970	2	-	6	178	54	38	26	30	8	6	16	24	524	368	10	6
66	CONCORD	430	-	-	4	70	14	18	10	18	2	-	8	-	248	172	4	2
67	BALANCE OF COUNTY	540	2	-	2	108	40	20	16	12	6	6	8	24	276	196	6	4
68	ROCKINGHAM	1,134	-	-	10	214	44	54	30	20	12	8	46	18	612	456	10	10
69	PORTSMOUTH	220	-	-	2	40	10	6	6	6	-	-	12	8	110	72	2	2
70	BALANCE OF COUNTY	914	-	-	8	174	34	48	24	14	12	8	34	10	502	384	8	8
71	STRAFFORD	616	4	-	2	98	32	30	4	4	2	6	20	16	340	262	4	2
72	DOVER	204	2	-	-	26	8	10	-	2	-	-	6	10	108	84	2	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
20	-	-	4	4	-	-	-	-	2	-	-	-	-	-	14	4	2	-	2	-	01
32	-	2	12	2	-	2	-	-	2	-	2	-	2	-	-	-	-	-	-	-	02
58	8	-	30	4	2	2	-	-	4	-	-	-	2	4	6	4	4	-	-	-	03
42	2	-	4	4	-	2	2	-	-	-	-	-	-	-	4	6	-	-	-	-	04
32	-	-	10	-	2	4	-	-	-	-	-	2	-	-	8	2	6	2	2	-	05
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	06
72	6	-	28	-	2	4	2	-	-	-	-	-	-	-	8	2	6	2	-	-	07
1,088	84	2	418	38	74	106	94	12	172	10	2	26	74	66	324	208	200	146	66	14	08
700	40	-	278	22	46	68	68	8	120	8	2	18	42	20	196	110	116	86	44	10	09
388	44	2	140	16	28	38	26	4	52	2	-	8	32	46	128	98	84	60	22	4	10
884	50	-	336	30	54	76	82	8	148	8	2	22	60	24	230	138	146	118	58	12	11
668	36	-	268	22	44	62	66	8	116	8	2	18	38	18	188	102	108	74	44	10	12
216	14	-	68	8	10	14	16	-	32	-	-	4	22	6	42	36	38	44	14	2	13
204	34	2	82	8	20	30	12	4	24	2	-	4	14	42	94	70	54	28	8	2	14
32	4	-	10	-	2	6	2	-	4	-	-	-	4	2	8	8	8	12	-	-	15
172	30	2	72	8	18	24	10	4	20	2	-	4	10	40	86	62	46	16	8	2	16
12	2	-	14	2	2	8	2	-	2	-	-	2	2	8	12	10	2	2	-	-	17
536	40	-	212	20	32	40	48	6	100	-	-	12	44	16	140	88	84	70	52	6	18
30	8	-	12	2	-	2	4	-	8	-	-	-	2	2	4	6	2	4	2	-	19
292	14	-	112	10	14	20	26	4	54	-	-	6	18	4	82	52	38	18	24	2	20
40	4	-	30	2	8	6	6	2	8	-	-	2	10	4	18	6	18	14	12	2	21
174	14	-	58	6	10	12	12	-	30	-	-	4	14	6	36	24	26	34	14	2	22
14	-	-	-	-	2	2	-	-	-	-	-	-	-	-	2	6	6	2	-	2	23
34	6	-	6	2	-	6	4	2	8	-	-	-	-	8	10	4	4	4	4	-	24
4	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	26
22	14	-	12	-	2	-	2	-	2	2	-	-	-	6	16	6	8	-	-	-	27
4	-	-	6	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	28
-	6	-	6	-	2	2	-	-	-	-	-	-	-	2	6	2	2	-	-	-	29
34	-	2	8	-	2	2	-	-	-	-	-	-	4	4	10	12	6	2	-	-	30
22	2	-	2	-	-	-	-	-	4	-	-	-	2	-	6	4	6	4	-	-	31
6	-	-	-	-	-	2	-	-	-	-	-	-	-	4	2	6	2	-	2	-	32
32	4	-	10	-	2	6	2	-	4	-	-	-	4	2	8	8	8	12	-	-	33
6	-	-	4	2	-	-	2	-	-	-	-	2	-	4	8	8	-	-	2	-	34
2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
348	10	-	124	10	22	36	34	2	48	8	2	10	16	8	90	50	62	48	6	6	36
258	6	-	96	8	20	28	20	2	44	8	2	8	8	4	70	22	40	24	6	6	37
48	4	-	18	-	2	6	10	-	2	-	-	2	-	4	14	16	10	14	-	-	38
42	-	-	10	2	-	2	4	-	2	-	-	-	8	-	6	12	12	10	-	-	39
12	-	-	12	-	4	2	-	2	4	-	-	-	2	2	10	2	6	2	-	-	40
2,528	116	32	890	194	116	200	154	38	146	28	4	44	116	232	464	160	188	84	14	2	41
1,102	54	18	396	102	56	86	72	18	76	20	2	22	40	126	208	60	92	32	4	-	42
1,426	62	14	494	92	60	114	82	20	70	8	2	22	76	106	256	100	96	52	10	2	43
618	36	6	290	78	42	52	58	4	54	10	2	18	40	132	124	36	58	26	2	2	44
460	30	2	204	58	36	42	34	2	44	8	2	14	20	98	88	16	40	18	-	-	45
158	6	4	86	20	6	10	24	2	10	2	-	4	20	34	36	20	18	8	2	2	46
1,910	80	26	600	116	74	148	96	34	92	18	2	26	76	100	340	124	130	58	12	-	47
642	24	16	192	44	20	44	38	16	32	12	-	8	20	28	120	44	52	14	4	-	48
1,268	56	10	408	72	54	104	58	18	60	6	2	18	56	72	220	80	78	44	8	-	49
156	8	2	36	18	2	12	2	-	6	-	-	-	8	8	20	6	6	4	2	-	50
62	2	2	18	8	-	8	2	-	4	-	-	-	4	2	4	4	2	-	-	-	51
94	6	-	18	10	2	4	-	-	2	-	-	-	4	6	16	2	4	4	2	-	52
130	6	-	42	6	4	6	2	-	4	-	2	2	-	8	18	4	4	2	-	-	53
160	6	6	70	10	-	10	6	2	12	6	-	2	-	4	24	14	22	10	-	-	54
64	4	4	28	4	-	6	2	2	2	4	-	-	-	2	2	6	14	2	-	-	55
96	2	2	42	6	-	4	4	-	10	2	-	2	-	2	22	8	8	8	-	-	56
148	4	4	70	4	4	8	6	8	10	-	-	4	2	8	34	14	6	8	-	-	57
74	4	-	18	4	-	2	2	2	4	-	-	4	-	4	20	4	2	2	-	-	58
74	-	4	52	-	4	6	4	6	6	-	-	-	2	4	14	10	4	6	-	-	59
178	10	-	62	20	8	28	16	4	4	-	-	2	12	26	32	16	20	4	2	-	60
618	36	6	290	78	42	52	58	4	54	10	2	18	40	132	124	36	58	26	2	2	61
322	18	-	102	34	28	32	28	2	36	6	-	10	12	94	52	6	28	14	-	-	62
138	12	2	102	24	8	10	6	-	8	2	2	4	8	4	36	10	12	4	-	-	63
158	6	4	86	20	6	10	24	2	10	2	-	4	20	34	36	20	18	8	2	2	64
334	18	2	118	22	14	36	22	6	24	4	-	2	14	6	60	24	32	4	2	-	65
158	8	2	54	16	4	16	18	4	4	-	-	-	4	4	32	10	16	-	-	-	66
176	10	-	64	6	10	20	4	2	20	4	-	2	10	2	28	14	16	4	2	-	67
414	22	2	116	14	24	32	26	8	18	2	-	10	26	28	70	26	18	12	4	-	68
66	2	2	32	2	2	4	4	2	8	2	-	2	4	10	16	2	4	-	2	-	69
348	20	-	84	12	22	28	22	6	10	-	-	8	22	18	54	24	14	12	2	-	70
252	4	10	46	10	12	8	12	4	12	6	-	2	10	2	64	12	12	12	-	-	71
80	2	4	10	6	4	-	4	4	4	4	-	-	2	-	26	2	4	8	-	-	72

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-468)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEW HAMPSHIRE--CON.																	
	STRAFFORD--CON.																	
01	ROCHESTER	196	-	-	-	34	16	6	-	2	-	2	8	4	108	86	-	-
02	BALANCE OF COUNTY	216	2	-	2	38	8	14	4	-	2	4	6	2	124	92	2	2
03	SULLIVAN	330	-	-	-	52	12	4	6	6	4	6	14	4	202	144	2	2
04	CLAREMONT	150	-	-	-	26	2	2	4	4	2	2	10	4	82	56	-	2
05	BALANCE OF COUNTY	180	-	-	-	26	10	2	2	2	2	4	4	-	120	88	2	-
06	**NEW JERSEY**	69,250	154	6	314	13,582	4,130	2,928	1,402	1,562	636	484	2,440	1,512	38,284	29,814	606	360
07	URBAN PLACES	49,828	128	4	236	9,712	3,028	2,050	1,032	1,170	444	332	1,656	1,168	27,442	21,492	454	278
08	BALANCE OF AREA	19,422	26	2	78	3,870	1,102	878	370	392	192	152	784	344	10,842	8,322	152	82
09	METROPOLITAN COUNTIES	53,984	128	6	262	10,468	3,230	2,216	1,078	1,206	478	392	1,868	1,260	29,740	23,288	492	292
10	URBAN PLACES	41,812	106	4	206	8,040	2,536	1,674	844	976	360	276	1,374	1,012	23,054	18,130	392	244
11	BALANCE OF AREA	12,172	22	2	56	2,428	694	542	234	230	118	116	494	248	6,686	5,158	100	48
12	NONMETROPOLITAN COUNTIES	15,266	26	-	52	3,114	900	712	324	356	158	92	572	252	8,544	6,526	114	68
13	URBAN PLACES	8,016	22	-	30	1,672	492	376	188	194	84	56	282	156	4,388	3,362	62	34
14	BALANCE OF AREA	7,250	4	-	22	1,442	408	336	136	162	74	36	290	96	4,156	3,164	52	34
15	ATLANTIC	2,668	10	-	14	436	148	96	44	52	20	16	60	34	1,620	1,304	14	10
16	ATLANTIC CITY	1,082	6	-	4	146	52	24	18	28	4	4	16	8	714	590	2	8
17	HAMMONTON	84	-	-	-	12	2	8	-	-	-	-	2	-	48	42	2	-
18	MARGATE CITY	158	-	-	-	42	18	8	2	2	2	6	4	6	90	78	-	-
19	PLEASANTVILLE	228	2	-	6	32	8	8	2	4	2	2	6	2	142	104	8	-
20	VENTNOR CITY	170	-	-	-	22	12	6	-	2	2	-	-	4	102	84	-	-
21	BALANCE OF COUNTY	946	2	-	4	182	56	42	22	16	10	4	32	14	524	406	2	2
22	BERGEN	7,760	10	2	28	1,770	546	350	212	188	84	88	302	166	4,204	3,208	74	32
23	BERGENFIELD	256	-	2	-	46	16	6	4	6	4	-	10	4	156	132	2	-
24	CLIFFSIDE PARK	192	-	-	-	30	16	4	4	2	2	-	2	6	118	88	2	-
25	DUMONT	158	-	-	4	36	12	8	6	2	2	6	-	-	94	66	8	-
26	EAST PATERSON	156	-	-	-	26	10	2	4	8	-	-	2	12	88	68	-	-
27	ENGLEWOOD	240	2	-	2	60	22	8	6	4	8	2	10	6	114	84	-	-
28	FAIR LAWN	306	-	-	2	78	26	20	8	6	4	2	12	2	168	140	2	8
29	FAIRVIEW	114	-	-	-	40	22	6	4	4	-	-	4	-	56	44	2	-
30	FORT LEE	262	-	-	-	62	20	6	8	10	-	6	12	2	136	110	-	-
31	GARFIELD	332	2	-	-	62	24	18	2	6	4	4	4	8	202	158	-	2
32	GLEN ROCK	100	-	-	-	24	4	2	8	6	-	-	4	-	46	34	2	-
33	HACKENSACK	388	-	-	8	84	38	18	8	12	2	2	4	10	208	164	2	6
34	HASBROUCK HEIGHTS	136	2	-	-	32	8	10	4	2	-	-	8	2	76	50	-	-
35	HILLSDALE	62	-	-	-	10	2	2	2	2	-	-	2	-	36	26	2	-
36	LODI	224	-	-	2	46	14	6	6	6	2	-	12	8	122	94	4	2
37	LYNDHURST TWP#	208	-	-	-	38	8	14	2	4	2	-	8	8	134	102	-	-
38	MAYWOOD	116	-	-	-	36	10	10	10	4	-	-	2	-	56	44	-	-
39	NEW MILFORD	176	-	-	-	50	12	16	4	6	4	-	8	2	76	64	-	-
40	NORTH ARLINGTON	214	2	-	-	48	16	2	18	4	-	-	8	8	118	94	10	2
41	OAKLAND	54	-	-	-	12	4	2	-	2	-	-	4	2	20	16	-	-
42	PALISADES PARK	160	-	-	-	42	12	10	4	4	4	2	6	8	74	58	2	2
43	PARAMUS	180	-	-	-	44	20	8	4	2	4	-	6	8	88	70	2	-
44	RAMSEY	98	-	-	-	22	8	-	-	2	4	-	8	-	48	34	2	-
45	RIDGEFIELD	104	-	-	-	34	12	4	8	6	2	-	2	4	42	36	-	-
46	RIDGEFIELD PARK	152	-	-	-	22	4	4	6	-	2	-	6	2	72	48	2	-
47	RIDGEWOOD	222	2	-	-	66	14	12	8	10	6	10	6	2	102	70	-	2
48	RIVER EDGE	142	-	-	-	28	10	4	2	-	2	2	8	2	86	72	4	2
49	RUTHERFORD	228	-	-	2	38	8	10	6	8	2	-	4	2	146	108	6	-
50	SADDLE BROOK TWP#	118	-	-	-	24	6	6	2	4	-	4	2	2	72	58	-	-
51	TEANECK TWP#	418	-	-	-	112	22	18	16	22	2	14	18	6	208	154	-	-
52	TENAFLY	150	-	-	-	32	8	4	8	2	-	4	6	4	74	42	2	2
53	WALDWICK	58	-	-	-	4	4	-	-	-	-	-	-	-	48	40	-	-
54	WALLINGTON	124	-	-	-	22	4	2	-	-	-	2	14	2	80	68	-	-
55	WASHINGTON TWP#	54	-	-	-	10	4	4	-	-	-	-	2	2	30	18	-	2
56	WESTWOOD	98	-	-	-	32	12	2	8	6	-	4	-	-	44	34	-	-
57	WYCKOFF TWP#	100	-	-	-	14	8	2	-	2	-	-	2	2	72	54	2	-
58	BALANCE OF COUNTY	1,660	-	-	8	404	106	100	32	24	22	24	96	40	894	666	16	2
59	BURLINGTON	2,190	6	-	2	422	122	78	54	40	20	18	90	36	1,198	950	20	18
60	BURLINGTON	158	-	-	-	26	8	2	6	2	2	2	4	4	100	84	-	4
61	CINNAMINSON TWP#	92	2	-	-	20	10	2	2	2	-	-	4	8	44	34	-	-
62	MAPLE SHADE TWP#	138	-	-	-	26	6	6	6	-	-	-	8	-	84	64	-	4
63	MOUNT HOLLY TWP#	116	-	-	-	28	14	2	6	2	2	-	2	-	70	56	-	4
64	NEW HANOVER TWP#	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
65	WILLINGBORO TWP#	164	-	-	2	38	10	8	6	4	2	-	8	2	76	62	2	-
66	BALANCE OF COUNTY	1,518	4	-	-	284	74	58	28	30	14	16	64	22	822	648	18	6
67	CAMDEN	4,438	4	2	32	844	248	212	70	96	34	32	152	78	2,446	1,912	32	18
68	AUDUBON	132	2	-	2	28	6	4	4	4	2	2	6	2	72	60	-	-
69	BELLMAWR	104	-	-	2	20	4	6	2	2	-	2	4	4	64	50	-	-
70	CAMDEN	1,304	2	-	14	228	74	62	8	34	12	4	34	22	664	536	16	4
71	CHERRY HILL TWP#	364	-	-	-	84	26	18	14	10	2	6	8	8	200	152	-	2
72	COLLINGSWOOD	274	-	-	2	54	14	8	8	6	4	-	14	-	168	138	2	2
73	GLOUCESTER CITY	172	-	-	-	22	8	4	-	-	-	-	10	4	110	94	-	-
74	GLOUCESTER TWP#	160	-	-	-	30	10	12	-	2	-	2	4	-	94	78	2	-
75	HADDONFIELD	160	-	-	-	26	6	4	6	4	-	-	6	2	102	78	-	2
76	HADDON TWP#	154	-	-	2	34	14	6	2	2	-	2	8	-	90	60	-	4
77	LINDENWOLD	86	-	-	-	26	6	6	4	2	-	-	8	4	38	32	2	-
78	PENNSAUKEN TWP#	326	-	-	-	68	12	22	4	12	4	2	12	8	186	148	-	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
84	2	2	14	2	4	6	4	-	4	2	-	-	4	-	12	10	6	2	-	-	01
88	-	4	22	2	4	2	4	-	4	-	-	2	4	2	26	-	2	2	-	-	02
138	2	-	40	12	6	8	4	2	2	-	-	2	4	10	18	8	10	2	2	-	03
54	-	-	18	2	6	2	2	2	-	-	-	2	2	6	8	6	4	-	2	-	04
84	2	-	22	10	-	6	2	-	-	-	-	-	2	4	10	2	6	2	-	-	05
27,876	972	254	6,456	852	908	1,958	866	272	1,370	280	18	386	1,110	528	4,490	1,294	1,626	560	530	110	06
20,056	704	206	4,556	576	612	1,474	578	186	1,050	210	12	262	826	426	3,278	778	1,148	358	452	100	07
7,820	268	48	1,900	276	296	484	288	86	320	70	6	124	284	102	1,212	516	478	202	78	10	08
21,688	816	188	4,922	654	688	1,556	618	216	1,110	220	16	282	936	464	3,488	936	1,278	418	478	104	09
16,858	636	166	3,764	482	512	1,240	446	158	898	182	10	216	726	386	2,758	606	962	284	422	96	10
4,830	180	22	1,158	172	176	316	172	58	212	38	6	66	210	78	730	330	316	134	56	8	11
6,188	156	66	1,534	198	220	402	248	56	260	60	2	104	174	64	1,002	358	348	142	52	6	12
3,198	68	40	792	94	100	234	132	28	152	28	2	46	100	40	520	172	186	74	30	4	13
2,990	88	26	742	104	120	168	116	28	108	32	-	58	74	24	482	186	162	68	22	2	14
1,230	50	8	238	28	42	74	40	8	54	16	2	14	42	12	154	56	54	14	6	8	15
562	18	4	90	8	22	30	8	-	24	6	-	4	16	4	70	6	18	6	4	8	16
40	-	-	2	2	2	6	4	-	2	-	-	-	-	-	6	2	4	-	-	-	17
74	4	-	10	-	2	-	2	-	4	-	-	-	-	2	6	2	4	-	-	-	18
90	6	2	26	4	6	2	2	-	-	4	-	4	8	-	8	4	10	2	-	-	19
84	-	-	14	2	2	6	6	-	4	2	-	2	-	2	12	4	4	-	-	-	20
380	22	2	96	12	8	30	18	8	20	4	2	4	18	4	52	38	14	6	2	-	21
3,012	90	20	714	122	140	234	90	38	134	26	-	40	76	78	490	108	148	62	28	28	22
126	4	2	18	-	4	8	2	-	2	-	-	4	2	-	18	-	6	2	4	-	23
84	2	-	22	2	6	4	4	-	4	-	-	-	-	4	14	-	8	-	-	-	24
54	4	-	22	4	2	4	2	-	2	2	-	-	4	-	4	4	-	-	-	2	25
64	4	-	14	4	2	6	4	-	-	-	-	-	2	-	16	-	-	-	-	2	26
80	4	-	24	2	4	12	-	-	6	-	-	2	2	2	10	-	14	4	-	4	27
128	2	-	18	6	4	4	4	-	6	6	-	-	4	-	18	8	2	4	-	-	28
38	4	-	12	-	-	-	2	8	4	-	-	-	-	-	4	-	-	-	-	-	29
106	4	-	24	2	-	8	-	2	10	-	-	2	2	-	28	2	4	-	4	-	30
150	6	2	32	6	4	16	-	2	4	-	-	2	4	4	18	-	4	4	-	-	31
30	2	-	6	2	4	6	4	-	-	-	-	-	2	-	14	2	-	-	-	2	32
150	6	-	26	10	8	6	8	-	6	-	-	4	10	6	26	-	4	4	-	4	33
50	-	-	22	-	4	4	-	-	2	2	-	-	-	2	-	-	10	-	2	2	34
24	-	-	4	2	4	4	-	2	-	-	-	-	-	2	2	2	2	2	-	-	35
86	2	4	18	2	4	8	4	2	6	-	-	-	2	2	12	8	-	2	-	-	36
102	-	2	20	6	4	6	-	2	4	4	-	-	-	-	10	-	2	-	-	-	37
44	-	-	6	4	2	4	2	-	2	-	-	-	2	2	6	2	4	-	-	-	38
64	-	-	10	2	-	4	2	-	4	-	-	-	4	2	20	2	6	2	-	2	39
78	4	-	22	2	-	2	4	-	2	-	-	-	2	4	12	2	6	2	2	-	40
16	-	-	-	-	4	2	-	2	4	2	-	-	2	-	2	4	2	-	-	-	41
54	-	-	12	-	4	8	2	2	2	-	-	-	-	2	14	2	2	2	-	-	42
66	2	2	14	-	2	2	2	-	6	-	-	-	2	2	12	2	6	4	-	2	43
32	-	-	12	-	2	4	-	-	-	-	-	-	6	4	6	6	2	-	-	-	44
34	2	2	2	2	-	4	-	2	2	-	-	2	-	-	8	2	2	-	2	-	45
44	2	-	14	4	6	14	2	6	8	-	-	-	-	6	12	4	2	2	-	-	46
66	2	-	30	2	-	10	4	2	-	-	-	-	2	2	16	4	6	2	2	-	47
62	4	-	8	4	2	2	2	-	-	-	-	-	-	-	14	4	2	2	-	-	48
102	-	2	28	2	6	2	4	2	4	-	-	6	2	2	8	2	6	-	-	2	49
58	-	2	6	2	4	2	2	2	2	-	-	-	2	-	6	-	4	-	-	-	50
146	8	-	36	10	8	14	4	-	10	2	-	2	2	10	28	6	6	6	2	-	51
38	-	-	26	2	4	6	4	2	-	2	-	2	2	-	18	-	2	2	-	-	52
40	-	-	8	-	-	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	53
66	2	-	8	-	4	4	2	-	2	-	-	-	-	-	4	4	4	-	-	-	54
16	-	-	10	-	2	2	-	-	2	-	-	-	-	-	8	-	-	-	-	-	55
34	-	-	6	2	2	2	-	-	-	-	-	-	-	-	12	-	6	2	-	-	56
52	-	-	14	2	2	4	-	-	-	-	-	-	-	2	2	-	2	-	-	2	57
628	20	2	160	34	32	44	18	-	28	6	-	14	14	18	88	36	20	14	10	4	58
874	38	10	194	22	22	62	34	2	28	4	2	12	48	18	154	48	74	26	14	-	59
78	2	-	16	-	-	4	2	-	4	-	-	2	-	-	12	-	4	-	-	-	60
30	4	-	6	-	4	4	2	-	2	2	-	2	-	-	2	-	2	-	2	-	61
56	4	2	14	2	2	4	4	-	2	-	-	-	2	2	12	-	2	-	-	-	62
48	4	-	14	-	-	4	-	-	4	-	-	-	-	2	2	4	2	-	-	-	63
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	64
56	4	2	12	-	-	2	4	-	-	2	-	4	6	-	10	4	8	2	4	-	65
604	20	6	132	20	16	44	22	2	16	-	2	4	40	14	114	40	56	24	8	-	66
1,720	142	16	428	48	42	166	42	20	92	8	2	26	94	22	292	78	100	44	46	-	67
54	6	-	6	2	4	10	-	-	4	-	-	-	2	2	4	2	2	-	-	-	68
48	2	-	12	-	2	4	-	-	2	-	-	-	6	-	2	-	-	-	-	-	69
470	46	10	114	2	2	58	10	6	46	8	-	14	42	8	86	24	26	12	34	-	70
134	16	-	38	8	2	4	4	4	4	-	-	2	2	2	18	10	10	4	8	-	71
126	8	-	18	8	4	10	2	-	-	-	-	-	4	2	28	-	4	-	-	-	72
86	8	2	12	-	2	6	2	-	4	-	-	-	2	-	10	6	4	2	-	-	73
70	6	2	12	-	2	8	-	-	6	-	-	-	2	-	6	2	8	4	-	-	74
64	12	-	22	-	2	6	-	2	-	-	-	-	2	2	16	2	-	-	-	-	75
52	4	2	16	4	8	8	-	-	-	-	2	-	-	2	10	4	-	2	-	-	76
30	-	-	4	2	-	-	-	-	-	-	-	2	6	-	4	2	2	2	-	-	77
134	12	-	36	2	-	14	2	2	4	-	-	4	2	-	22	6	6	2	-	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEW JERSEY--CON.																	
	CAMDEN--CON.																	
01	RUNNEMEDE	68	-	-	-	18	2	6	-	2	2	-	6	2	34	22	-	-
02	BALANCE OF COUNTY	1,134	-	2	10	206	66	54	18	16	8	12	32	22	624	464	10	2
03	CAPE MAY	1,014	-	-	-	154	48	52	2	20	10	2	20	12	666	532	10	12
04	OCEAN CITY	210	-	-	-	32	6	12	-	6	4	-	4	6	136	110	8	6
05	BALANCE OF COUNTY	804	-	-	-	122	42	40	2	14	6	2	16	6	530	422	2	6
06	CUMBERLAND	1,220	2	-	10	208	72	38	18	24	10	6	40	38	678	522	4	6
07	BRIDGETON	254	2	-	2	36	14	4	-	6	2	2	8	12	142	112	2	4
08	MILLVILLE	258	-	-	4	52	6	16	4	2	4	2	18	2	130	104	-	2
09	VINELAND	132	-	-	2	22	6	4	2	4	-	2	4	6	70	52	-	-
10	BALANCE OF COUNTY	576	-	-	2	98	46	14	12	12	4	-	10	18	336	254	2	-
11	ESSEX	10,098	34	2	58	1,806	532	352	196	252	100	60	314	232	5,594	4,394	120	70
12	BELLEVILLE	344	-	-	2	78	18	6	16	10	8	4	16	10	198	176	4	-
13	BLOOMFIELD	594	2	-	-	112	30	30	8	8	4	2	30	8	372	274	8	2
14	CEDAR GROVE TWP#	82	-	-	-	22	6	12	2	-	-	2	-	2	52	38	4	-
15	EAST ORANGE	606	2	-	2	144	44	36	14	24	4	4	18	16	330	248	10	6
16	IRVINGTON	922	-	-	2	172	66	32	12	26	6	2	28	22	540	414	4	-
17	LIVINGSTON TWP#	154	-	-	2	34	12	2	10	-	2	4	4	4	82	50	2	2
18	MAPLEWOOD TWP#	300	-	-	-	66	32	4	8	6	2	2	12	4	178	140	-	-
19	MILLBURN TWP#	182	-	-	-	48	16	6	6	6	2	-	12	-	110	88	2	2
20	MONTCLAIR	544	2	2	4	114	36	20	20	14	6	4	14	6	310	214	16	4
21	NEWARK	4,056	24	-	34	594	154	134	50	98	38	8	112	98	2,116	1,734	48	34
22	NUTLEY	310	-	-	-	66	10	12	8	10	10	8	8	4	186	136	2	4
23	ORANGE	448	-	-	6	76	24	14	8	14	8	2	6	4	246	208	2	6
24	SOUTH ORANGE	184	-	-	-	40	12	6	6	6	-	-	10	6	102	74	2	2
25	VERONA	136	-	-	-	34	10	6	2	2	2	4	8	2	78	58	2	-
26	WEST CALDWELL	86	-	-	2	20	8	4	6	2	-	-	-	4	40	32	2	-
27	WEST ORANGE	462	-	-	-	92	36	14	6	8	4	8	16	22	264	188	10	4
28	BALANCE OF COUNTY	688	4	-	4	94	18	14	14	18	4	6	20	20	390	322	2	4
29	GLOUCESTER	1,504	4	-	10	292	84	78	28	32	14	12	44	50	840	660	14	4
30	GLASSBORO	106	-	-	2	18	2	8	2	4	2	-	-	10	44	30	2	-
31	PITMAN	104	-	-	-	10	4	2	-	2	-	-	2	-	72	58	2	-
32	WOODBURY	144	-	-	-	20	2	8	2	2	-	2	4	4	80	62	2	-
33	BALANCE OF COUNTY	1,150	4	-	8	244	76	60	24	24	12	10	38	36	644	510	8	4
34	HUDSON	7,386	18	-	38	1,378	466	320	136	148	42	46	220	212	4,186	3,400	60	52
35	BAYONNE	848	2	-	2	186	72	38	12	24	6	4	30	20	488	412	6	12
36	HARRISON	152	-	-	-	26	6	14	2	2	2	-	-	6	96	82	-	2
37	HOBOKEN	482	-	-	6	92	28	20	8	6	4	6	20	10	246	186	-	4
38	JERSEY CITY	3,348	16	-	24	558	188	126	62	58	20	20	84	114	1,874	1,516	30	22
39	KEARNY	466	-	-	2	110	38	32	16	4	6	-	14	8	252	188	4	2
40	NORTH BERGEN TWP#	514	-	-	-	86	42	18	6	8	-	-	12	20	330	264	4	2
41	SECAUCUS	118	-	-	-	16	6	2	2	4	-	-	2	-	78	60	2	-
42	UNION CITY	710	-	-	-	146	46	34	18	18	-	6	24	12	410	358	6	2
43	WEEHAWKEN TWP#	178	-	-	2	32	8	10	4	6	-	-	4	6	102	90	-	-
44	WEST NEW YORK	396	-	-	2	74	20	16	6	14	-	2	16	12	230	182	4	4
45	BALANCE OF COUNTY	174	-	-	-	52	12	10	-	4	4	8	14	4	80	62	4	2
46	HUNTERDON	684	-	-	2	126	34	18	10	14	14	6	30	8	406	312	6	4
47	MERCER	3,044	12	-	12	610	192	142	50	70	24	16	116	88	1,562	1,178	18	16
48	EWING TWP#	296	-	-	2	76	26	16	8	4	2	4	16	4	160	126	2	-
49	HAMILTON TWP#	682	2	-	2	136	44	30	10	16	8	10	18	22	386	288	2	-
50	PRINCETON	106	-	-	-	18	4	2	4	2	-	-	6	-	54	40	-	2
51	TRENTON	1,444	10	-	4	276	88	68	22	32	12	2	52	50	678	506	14	8
52	BALANCE OF COUNTY	516	-	-	4	104	30	26	6	16	2	-	24	12	284	218	-	6
53	MIDDLESEX	4,224	8	-	20	858	266	192	94	98	26	36	146	104	2,290	1,760	34	18
54	CARTERET	192	-	-	-	34	10	4	4	6	2	-	8	2	106	84	-	-
55	EAST BRUNSWICK TWP#	188	-	-	4	56	18	8	12	6	2	2	8	2	84	62	4	-
56	EDISON TWP#	228	2	-	-	54	14	8	-	16	2	2	12	8	104	74	2	2
57	HIGHLAND PARK	134	-	-	2	22	6	2	10	2	2	-	-	8	90	68	-	-
58	MADISON TWP#	190	-	-	-	46	16	16	6	2	-	-	6	2	94	64	-	-
59	METUCHEN	166	-	-	-	30	6	8	4	4	-	-	8	2	108	90	4	2
60	MIDDLESEX	122	-	-	2	32	10	4	8	6	-	-	4	2	66	54	2	-
61	NEW BRUNSWICK	392	-	-	2	62	20	20	4	10	-	4	4	10	210	156	-	2
62	PERTH AMBOY	428	-	-	-	76	28	18	6	8	2	2	12	14	242	182	2	2
63	PISCATAWAY TWP#	178	2	-	2	32	10	12	2	-	-	-	8	4	96	64	2	2
64	SAYREVILLE	188	-	-	-	42	4	10	8	4	4	2	10	2	104	90	4	-
65	SOUTH PLAINFIELD	116	-	-	-	16	2	2	2	4	2	4	-	4	64	60	2	-
66	SOUTH RIVER	150	-	-	-	32	16	4	4	4	-	4	-	6	80	68	-	4
67	WOODBRIDGE TWP#	628	2	-	-	150	50	40	6	10	4	8	32	16	342	248	8	-
68	BALANCE OF COUNTY	924	2	-	8	174	56	36	18	16	6	8	34	22	500	396	4	4
69	MONMOUTH	4,458	8	-	16	950	290	188	108	94	48	20	202	60	2,468	1,826	38	20
70	ASBURY PARK	320	-	-	-	50	14	14	6	4	2	2	8	10	170	110	-	2
71	EATONTOWN	74	-	-	2	18	6	2	2	2	-	2	4	2	26	18	2	-
72	FREEHOLD	152	-	-	-	24	10	4	-	4	2	-	4	-	102	86	-	-
73	HAZLET TWP#	140	-	-	2	44	10	12	6	2	4	-	10	4	64	42	2	2
74	LONG BRANCH	334	-	-	2	64	20	12	16	4	2	-	10	2	178	158	-	-
75	MATAWAN TWP#	84	-	-	-	14	8	4	-	-	-	-	2	2	48	34	2	-
76	MIDDLETOWN TWP#	328	-	-	2	88	32	14	10	6	4	6	16	2	154	128	2	-
77	NEPTUNE TWP#	376	2	-	-	54	14	16	4	14	4	-	2	6	230	164	2	2
78	OCEAN TWP#	124	-	-	2	38	6	6	6	2	8	-	10	2	64	52	6	2
79	RED BANK	230	4	-	-	58	32	4	4	6	2	-	10	6	122	92	2	-
80	BALANCE OF COUNTY	2,296	2	-	6	498	138	100	54	50	20	10	126	24	1,310	942	20	12
81	MORRIS	2,616	2	-	10	538	154	110	72	46	14	34	108	48	1,406	1,078	36	12
82	DOVER	160	-	-	-	36	16	8	2	-	-	4	6	4	74	64	-	-
83	MADISON	108	-	-	-	22	8	2	2	-	-	2	8	-	52	38	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
22	-	-	12	-	-	-	4	-	2	-	-	-	-	-	-	6	-	2	-	-	01
430	22	-	126	20	14	38	18	6	20	-	-	4	24	4	86	14	38	14	4	-	02
530	10	-	94	26	14	28	14	2	16	10	-	2	8	2	62	14	20	4	-	-	03
96	-	-	24	2	-	4	4	-	-	4	-	-	-	-	8	2	8	4	-	-	04
404	10	-	70	24	14	24	10	2	16	4	-	2	8	2	54	12	12	-	-	-	05
498	14	8	120	14	14	30	14	2	12	4	2	12	26	8	74	44	18	20	16	2	06
102	4	4	24	2	-	4	4	-	2	-	-	4	10	-	20	10	2	-	4	-	07
98	4	-	20	2	4	12	-	-	4	2	-	2	8	2	22	10	4	4	-	-	08
50	2	2	14	-	2	4	2	-	-	-	-	2	-	4	6	2	4	2	6	-	09
248	4	2	62	10	8	10	8	2	6	2	2	4	8	2	26	22	8	14	6	2	10
4,038	166	40	974	82	104	254	92	32	206	58	6	44	202	66	656	154	328	92	180	2	11
170	2	-	20	2	-	6	2	-	4	-	-	2	-	4	22	6	6	2	2	-	12
262	2	4	72	14	8	6	2	6	12	2	-	4	8	2	34	10	12	2	-	-	13
34	-	-	12	-	2	2	-	-	-	-	-	-	-	-	2	-	2	-	-	-	14
220	12	8	62	4	8	8	2	4	6	2	2	6	6	2	40	4	20	-	10	-	15
400	10	6	104	-	16	18	8	-	12	8	-	2	6	-	66	16	20	22	8	-	16
46	-	-	24	8	-	8	-	2	4	-	-	-	2	-	6	8	-	2	-	-	17
138	2	-	32	4	2	4	4	-	4	2	-	-	6	-	10	4	12	4	2	-	18
82	2	-	16	2	4	2	-	-	2	-	-	-	2	-	6	4	6	-	2	-	19
192	2	2	80	6	8	20	4	-	6	-	2	-	6	2	40	6	14	4	2	-	20
1,558	94	12	318	22	30	124	38	8	104	30	2	24	130	44	292	58	164	34	136	2	21
126	4	2	40	2	6	-	2	6	12	-	-	-	2	-	18	4	10	-	-	-	22
196	4	2	26	8	2	16	8	-	6	6	-	-	12	-	34	8	16	2	8	-	23
68	2	2	22	-	4	8	2	-	4	-	-	2	-	2	12	-	4	2	-	-	24
48	8	2	16	-	2	2	2	-	6	-	-	-	-	2	4	2	2	2	-	-	25
28	2	-	4	-	4	-	-	-	2	-	-	2	4	4	4	2	-	2	-	-	26
164	10	-	68	6	2	12	6	-	8	4	-	2	-	-	26	8	10	8	-	-	27
306	10	-	58	4	6	18	12	6	14	4	-	-	18	4	40	14	30	6	10	-	28
612	30	2	124	28	26	34	16	8	28	2	-	6	32	12	86	36	32	10	6	-	29
28	-	-	8	4	2	6	2	-	2	-	-	-	6	2	12	2	-	-	-	-	30
56	-	-	14	-	-	-	2	-	-	-	-	-	2	-	16	-	2	-	-	-	31
54	6	-	10	4	4	6	-	-	6	2	-	-	4	4	12	4	2	-	-	-	32
474	24	2	92	20	20	22	12	8	20	-	-	6	20	6	46	30	28	10	6	-	33
3,176	112	30	598	86	72	178	68	28	186	26	-	36	120	76	482	78	138	26	76	36	34
390	4	2	58	8	8	14	6	2	20	4	-	6	14	-	52	4	22	2	2	2	35
80	-	-	10	-	4	2	2	-	4	-	-	2	-	-	12	-	2	-	-	-	36
168	14	2	40	6	12	2	8	-	18	4	-	-	18	4	28	8	16	2	18	2	37
1,402	62	20	270	40	28	94	28	16	102	6	-	16	68	58	204	38	50	10	48	24	38
178	4	-	56	4	4	8	2	-	12	6	-	6	4	2	32	6	10	2	-	4	39
242	16	2	54	8	2	6	6	-	4	-	-	-	4	6	34	4	10	2	2	-	40
58	-	-	10	6	2	4	4	-	-	-	-	-	-	-	10	-	4	2	-	-	41
346	4	2	36	8	6	24	6	6	10	4	-	4	6	4	48	6	12	4	4	4	42
90	-	-	8	4	-	6	2	-	2	-	-	-	-	2	18	-	6	-	-	-	43
168	6	2	40	2	4	14	4	2	10	2	-	-	4	-	28	10	4	-	-	-	44
54	2	-	16	-	2	4	-	2	4	-	-	2	2	-	16	2	2	2	2	-	45
288	14	2	78	14	-	22	6	2	4	6	-	4	8	2	38	28	18	4	-	-	46
1,132	42	16	286	38	44	90	40	12	50	18	2	22	70	84	192	66	76	14	20	4	47
120	4	2	28	2	2	8	2	2	6	-	-	-	2	6	14	8	4	2	-	-	48
280	6	2	76	8	12	10	10	6	8	4	-	-	20	14	40	8	10	4	-	-	49
38	-	2	4	4	4	4	4	-	-	-	-	2	-	2	10	4	6	-	-	2	50
470	14	4	128	20	20	60	14	4	34	12	2	14	34	54	106	28	38	4	20	2	51
194	18	6	50	4	6	8	10	-	2	2	-	6	14	8	22	18	18	4	-	-	52
1,668	40	20	410	34	66	106	84	14	82	6	-	28	74	28	258	94	116	30	24	-	53
84	-	-	14	4	4	4	8	2	8	-	-	2	-	-	14	4	6	2	-	-	54
54	4	2	18	-	2	8	2	-	-	-	-	-	6	-	8	6	10	2	-	-	55
70	-	4	20	-	6	6	4	4	4	2	-	2	10	2	18	2	4	2	-	-	56
68	-	2	14	2	4	-	2	-	-	-	-	-	-	-	6	2	-	2	-	-	57
64	-	-	24	-	6	2	4	-	2	-	-	2	6	4	8	8	8	2	2	-	58
82	2	2	12	4	-	8	2	-	4	-	-	-	4	-	4	-	-	4	-	-	59
50	2	-	6	2	4	2	-	-	2	-	-	-	2	-	4	4	4	2	-	-	60
148	6	4	36	6	8	16	8	2	8	2	-	2	8	4	32	6	12	2	6	-	61
174	4	2	56	2	-	14	12	-	10	-	-	2	4	4	26	4	12	4	4	-	62
60	-	2	28	2	-	2	2	-	4	-	-	4	4	2	6	12	2	2	2	-	63
84	2	-	12	2	-	8	6	2	4	-	-	-	4	2	10	-	4	-	-	-	64
56	2	-	4	-	-	-	2	-	2	-	-	4	2	2	12	-	6	-	2	-	65
62	2	-	8	2	2	4	4	-	4	-	-	-	-	2	10	2	6	-	-	-	66
238	2	-	76	6	12	14	12	2	12	2	-	-	8	2	30	16	16	2	2	-	67
374	14	2	82	2	18	18	16	2	18	-	-	10	16	4	70	28	26	4	6	-	68
1,714	54	26	484	76	56	110	80	18	82	14	2	32	44	12	308	92	90	48	20	4	69
102	6	8	40	10	2	18	6	2	6	-	-	4	4	-	30	12	2	4	2	-	70
16	-	2	4	2	-	4	2	-	4	-	-	-	4	-	2	4	2	2	2	-	71
84	2	-	14	-	2	2	-	-	2	2	-	2	-	-	4	10	2	2	-	-	72
36	2	-	18	4	-	2	-	-	-	-	-	2	4	-	12	6	-	-	-	-	73
154	4	-	18	-	2	12	7	-	10	-	-	-	6	-	38	2	10	2	4	2	74
30	2	-	12	2	-	-	-	-	6	2	-	-	2	-	2	8	-	-	-	-	75
122	4	-	22	-	4	8	4	-	8	2	2	-	4	2	40	10	2	-	-	-	76
156	4	2	42	18	4	10	18	4	8	-	-	4	-	4	14	-	12	8	2	-	77
44	-	-	8	4	-	2	2	-	-	-	-	2	-	-	6	-	4	2	-	-	78
88	2	-	20	6	4	6	2	6	4	2	-	2	2	2	6	-	8	-	-	-	79
882	28	14	286	30	38	46	44	6	34	6	-	16	18	4	154	40	48	28	10	2	80
1,010	20	6	250	28	44	96	36	22	72	8	-	24	44	6	158	56	64	22	2	2	81
64	-	-	4	-	6	10	-	-	6	-	-	2	8	-	16	2	2	-	-	-	82
38	-	2	12	-	-	14	-	-	2	-	-	-	2	2	12	-	-	2	-	-	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEW JERSEY--CON.																	
	MORRIS--CON.																	
01	MORRISTOWN	242	-	-	2	38	18	8	4	2	-	2	4	8	140	88	2	-
02	PARSIPPANY-TROY HILLS TWP#	218	-	-	2	52	16	12	8	6	2	4	4	10	116	82	2	2
03	PEQUANNOCK TWP#	72	-	-	-	14	2	6	2	-	-	2	2	4	38	32	2	-
04	BALANCE OF COUNTY	1,816	2	-	6	376	94	74	54	38	12	20	84	22	986	774	30	10
05	OCEAN	2,834	10	-	8	580	168	136	48	70	42	22	94	34	1,664	1,274	6	6
06	BRICK TWP#	354	-	-	-	72	24	12	4	12	4	2	14	12	200	160	-	-
07	DOVER TWP#	500	-	-	4	98	28	24	6	14	8	4	14	-	308	228	2	-
08	LAKEWOOD TWP#	426	8	-	2	86	22	22	10	8	6	8	10	4	242	182	-	4
09	POINT PLEASANT	236	2	-	2	50	14	14	4	8	2	-	8	-	142	102	2	-
10	BALANCE OF COUNTY	1,318	-	-	-	274	80	64	24	28	22	8	48	18	772	602	2	2
11	PASSAIC	4,516	6	-	16	898	268	192	86	118	38	28	168	136	2,422	1,936	38	24
12	CLIFTON	882	-	-	2	178	48	38	20	26	6	8	32	30	504	400	6	6
13	HAWTHORNE	196	-	-	-	54	14	10	4	12	2	2	10	6	100	74	2	-
14	LITTLE FALLS TWP#	102	-	-	-	12	4	-	2	2	2	2	-	4	58	52	-	-
15	PASSAIC	602	4	-	2	120	46	20	12	16	6	-	20	16	320	262	4	2
16	PATERSON	1,682	-	-	12	294	70	80	22	40	18	10	54	58	868	710	14	10
17	POMPTON LAKES	96	-	-	-	24	10	2	2	4	-	2	4	4	50	40	2	2
18	RINGWOOD	40	-	-	-	8	4	-	2	-	-	-	2	-	18	12	-	-
19	TOTOWA	82	-	-	-	24	4	6	4	-	-	-	10	2	46	38	2	-
20	WAYNE TWP#	270	-	-	-	58	26	8	8	8	-	-	8	2	146	102	-	-
21	WEST PATERSON	80	-	-	-	16	4	2	4	-	2	-	4	4	42	38	6	-
22	BALANCE OF COUNTY	484	2	-	-	110	38	26	6	10	2	4	24	10	270	208	2	4
23	SALEM	638	2	-	6	104	34	20	6	12	12	4	16	12	358	262	2	2
24	SOMERSET	1,376	-	-	2	316	62	76	50	42	14	6	66	26	674	548	8	6
25	BOUND BROOK	108	-	-	-	24	6	2	2	4	2	-	8	6	50	42	-	-
26	BRIDGEWATER TWP#	130	-	-	-	30	8	6	4	2	2	2	6	2	68	52	-	-
27	FRANKLIN TWP#	158	-	-	-	34	2	6	8	2	2	-	14	4	66	56	-	-
28	MANVILLE	78	-	-	-	26	4	14	-	4	-	-	4	2	30	24	-	-
29	NORTH PLAINFIELD	184	-	-	-	52	10	14	14	4	2	2	6	-	96	78	2	-
30	SOMERVILLE	170	-	-	-	32	6	6	6	4	4	-	6	2	102	80	-	2
31	BALANCE OF COUNTY	548	-	-	2	118	26	28	16	22	2	2	22	10	262	216	6	4
32	SUSSEX	676	-	-	4	130	32	50	12	18	4	-	14	8	376	274	12	2
33	UNION	5,078	18	-	26	1,018	324	200	96	110	54	26	208	118	2,746	2,106	54	20
34	BERKELEY HEIGHTS TWP#	50	-	-	-	10	4	2	-	-	-	-	4	2	28	18	-	-
35	CLARK TWP#	110	-	-	-	16	4	2	-	-	2	2	6	-	62	48	-	-
36	CRANFORD TWP#	212	2	-	-	46	10	8	6	8	4	-	10	6	122	84	4	-
37	ELIZABETH	1,242	10	-	6	234	82	48	24	22	12	-	46	26	672	516	16	8
38	HILLSIDE TWP#	238	-	-	-	46	14	6	6	2	2	4	12	8	128	112	4	-
39	LINDEN	386	2	-	-	68	26	14	6	6	2	-	14	6	210	182	-	6
40	NEW PROVIDENCE	60	-	-	2	12	2	2	4	-	2	-	2	2	32	18	-	-
41	PLAINFIELD	504	-	-	8	90	32	20	8	8	10	2	10	4	260	198	10	2
42	RAHWAY	280	-	-	-	78	36	12	2	12	6	-	10	6	138	102	4	-
43	ROSELLE	204	-	-	2	42	12	12	8	6	-	-	4	4	112	86	4	-
44	ROSELLE PARK	122	-	-	-	24	8	6	4	2	-	-	4	4	70	56	-	-
45	SCOTCH PLAINS TWP#	140	-	-	-	38	12	8	4	2	-	6	6	8	72	54	2	-
46	SPRINGFIELD TWP#	142	-	-	-	44	8	4	8	10	2	-	12	4	72	56	-	2
47	SUMMIT	234	-	-	2	34	10	6	2	10	2	-	4	12	128	90	2	2
48	UNION TWP#	614	2	-	2	116	38	16	8	16	2	6	30	16	358	284	6	-
49	WESTFIELD	250	-	-	-	48	10	6	2	6	4	4	16	4	142	102	2	-
50	BALANCE OF COUNTY	290	2	-	4	72	16	28	4	-	4	2	18	6	140	100	-	-
51	WARREN	828	-	-	-	144	40	28	10	18	12	6	30	12	480	378	6	8
52	PHILLIPSBURG	246	-	-	-	46	12	12	2	8	4	-	8	2	146	114	2	4
53	BALANCE OF COUNTY	582	-	-	-	98	28	16	8	10	8	6	22	10	334	264	4	4
54	**NEW MEXICO**	7,926	42	2	78	1,174	312	250	112	148	70	44	238	146	3,040	2,066	86	26
55	URBAN PLACES	4,366	18	2	26	682	184	132	66	70	52	34	144	88	1,758	1,164	54	18
56	BALANCE OF AREA	3,560	24	-	52	492	128	118	46	78	18	10	94	58	1,282	902	32	8
57	METROPOLITAN COUNTIES	2,186	10	-	16	338	92	64	32	32	22	16	80	44	816	544	30	6
58	URBAN PLACES	2,110	10	-	14	330	88	60	32	32	22	16	80	40	798	534	28	6
59	BALANCE OF AREA	76	-	-	2	8	4	4	-	-	-	-	-	4	18	10	2	-
60	NONMETROPOLITAN COUNTIES	5,740	32	2	62	836	220	186	80	116	48	28	158	102	2,224	1,522	56	20
61	URBAN PLACES	2,256	8	2	12	352	96	72	34	38	30	18	64	48	960	630	26	12
62	BALANCE OF AREA	3,484	24	-	50	484	124	114	46	78	18	10	94	54	1,264	892	30	8
63	BERNALILLO	2,186	10	-	16	338	92	64	32	32	22	16	80	44	816	544	30	6
64	ALBUQUERQUE	2,110	10	-	14	330	88	60	32	32	22	16	80	40	798	534	28	6
65	BALANCE OF COUNTY	76	-	-	2	8	4	4	-	-	-	-	-	4	18	10	2	-
66	CATRON	24	-	-	2	4	2	-	-	-	-	-	2	-	14	14	-	2
67	CHAVES	448	2	-	-	74	20	20	2	6	6	8	12	12	188	114	6	-
68	ROSWELL	386	2	-	-	62	16	20	2	4	6	6	8	12	176	106	6	-
69	BALANCE OF COUNTY	62	-	-	-	12	4	-	-	2	-	2	4	-	12	8	-	-
70	COLFAX	128	-	-	-	20	4	4	4	6	-	-	2	10	58	52	-	2
71	CURRY	298	-	-	-	40	2	12	4	8	2	4	8	10	144	96	2	-
72	CLOVIS	250	-	-	-	32	2	10	4	4	2	4	6	10	124	84	2	-
73	BALANCE OF COUNTY	48	-	-	-	8	-	2	-	4	-	-	2	-	20	12	-	-
74	DE BACA	32	-	-	-	2	-	-	2	-	-	-	-	-	18	8	-	-
75	DONA ANA	410	-	-	6	58	8	28	4	-	8	2	8	12	160	104	4	-
76	LAS CRUCES	252	-	-	4	34	8	14	2	-	4	2	4	6	98	64	4	-
77	BALANCE OF COUNTY	158	-	-	2	24	-	14	2	-	4	-	4	6	62	40	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769,2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
86	-	2	38	6	6	12	4	-	6	-	-	-	6	-	10	-	14	2	-	-	01
76	2	2	26	4	2	6	2	2	4	-	-	4	4	-	6	4	4	2	-	-	02
30	-	-	4	-	2	6	2	-	2	-	-	-	-	-	4	2	-	-	-	-	03
716	18	-	166	18	28	48	28	20	52	8	-	18	24	4	110	48	44	16	2	2	04
1,230	32	12	300	22	56	56	36	10	32	16	-	20	16	6	180	68	58	34	4	2	05
152	8	2	28	-	10	4	6	-	4	2	-	2	2	2	26	10	6	6	-	-	06
224	2	4	60	4	12	14	8	-	6	-	-	-	-	2	28	12	8	10	-	2	07
174	4	-	52	-	8	8	2	4	2	2	-	4	6	-	32	10	8	4	2	-	08
100	-	-	40	-	-	6	2	-	6	2	-	-	-	-	12	4	6	2	-	-	09
580	18	6	120	18	26	24	18	6	14	10	-	14	8	2	82	32	30	12	2	-	10
1,834	40	8	386	48	44	146	70	24	110	12	-	18	78	32	292	80	90	18	52	16	11
376	12	2	80	14	8	10	16	8	12	-	-	4	8	4	62	16	18	6	4	-	12
70	2	-	20	4	2	10	-	-	2	-	-	-	-	2	16	2	2	2	-	-	13
52	-	-	6	-	-	2	-	2	2	-	-	-	-	2	10	-	6	-	2	2	14
252	4	2	44	8	4	18	10	8	8	4	-	-	10	4	42	6	12	2	8	6	15
672	14	4	132	8	14	70	30	6	64	4	-	8	46	14	104	22	36	4	36	6	16
36	-	-	6	2	2	4	-	-	2	2	-	-	-	2	6	2	-	-	-	-	17
10	2	-	4	-	2	2	-	-	2	-	-	-	4	-	-	2	4	-	-	-	18
36	-	-	6	-	2	2	-	-	-	-	-	-	-	-	6	-	-	-	-	2	19
130	2	-	34	8	2	16	6	-	6	-	-	4	8	-	10	10	2	2	-	-	20
30	2	-	4	-	-	6	-	-	4	2	-	-	-	-	4	2	-	-	-	-	21
200	2	-	50	4	8	6	8	-	8	-	-	2	2	2	32	18	10	2	2	-	22
252	6	-	74	8	14	18	4	-	6	8	-	-	16	4	38	22	24	14	2	-	23
532	2	6	96	12	12	62	16	6	34	6	-	16	18	12	114	40	26	8	-	-	24
40	2	-	6	-	2	2	4	-	2	-	-	-	4	-	12	2	2	-	-	-	25
52	-	4	10	2	-	6	-	-	2	2	-	2	-	-	8	2	8	-	-	-	26
56	-	-	10	-	-	12	2	-	6	-	-	4	2	-	18	8	2	-	-	-	27
24	-	-	4	-	2	4	-	-	6	-	-	-	2	-	4	-	2	2	-	-	28
76	-	-	14	4	-	12	-	-	4	-	-	-	-	2	14	2	2	-	-	-	29
78	-	-	18	4	-	10	-	-	2	-	-	-	-	2	16	2	2	-	-	-	30
206	-	2	34	2	8	16	10	6	12	4	-	10	10	8	42	24	8	6	-	-	31
256	4	-	72	14	16	18	12	4	10	2	-	2	6	2	42	22	20	14	4	-	32
1,978	54	20	470	78	72	148	60	18	118	26	-	26	72	42	366	86	110	48	26	6	33
18	-	-	9	-	2	4	-	-	-	-	-	-	-	-	4	2	-	-	-	-	34
48	-	-	10	2	2	6	-	-	6	-	-	-	-	-	8	2	8	2	-	-	35
76	4	2	22	10	4	2	2	-	4	4	-	2	-	2	8	4	6	2	-	-	36
482	10	2	102	32	20	34	12	4	42	8	-	6	20	6	98	24	20	4	12	4	37
102	6	2	14	-	-	8	2	4	2	-	-	-	2	-	22	2	8	2	4	-	38
172	4	-	24	2	2	6	2	2	10	2	-	8	8	2	32	8	14	2	2	2	39
18	-	-	10	2	2	-	2	-	-	-	-	-	2	-	6	-	2	-	-	-	40
182	4	-	52	4	6	22	8	-	10	2	-	4	16	10	36	14	10	4	6	-	41
96	2	2	28	4	2	2	4	-	4	-	-	-	8	2	22	6	4	6	-	-	42
80	2	2	22	-	2	8	6	2	2	-	-	-	-	-	14	8	2	-	2	-	43
54	2	2	8	4	-	2	2	-	6	-	-	-	-	-	4	6	2	2	-	-	44
52	-	2	12	2	2	6	6	-	4	-	-	-	2	-	2	-	2	-	-	-	45
52	2	2	12	2	-	2	-	-	2	-	-	-	2	4	8	-	2	2	-	-	46
82	4	2	28	4	4	12	-	2	4	2	-	2	8	4	16	-	4	4	-	-	47
266	12	2	56	2	14	16	6	2	16	4	-	-	2	2	48	4	14	6	-	-	48
98	2	-	30	6	4	8	2	-	-	-	-	4	2	6	22	-	4	8	-	-	49
100	-	-	32	2	6	10	6	2	6	4	-	-	-	4	16	6	8	4	-	-	50
352	12	4	66	24	8	26	12	2	14	4	-	2	16	4	54	24	22	8	4	-	51
108	-	2	22	8	-	10	4	-	4	4	-	-	6	-	10	2	6	4	2	-	52
244	12	2	44	16	8	16	8	2	10	-	-	2	10	4	44	22	16	4	2	-	53
1,800	154	44	700	126	104	340	150	38	194	32	6	80	210	340	838	504	458	144	102	8	54
1,022	70	28	414	86	66	188	86	18	128	14	2	42	122	190	438	206	202	88	62	6	55
778	84	16	286	40	38	152	64	20	66	18	4	38	88	150	400	298	256	56	40	2	56
484	24	14	170	44	44	78	52	6	62	8	-	20	42	130	242	134	92	52	42	2	57
476	24	12	166	42	44	76	50	6	60	6	-	20	38	128	236	118	88	50	40	2	58
8	-	2	4	2	-	2	2	-	2	2	-	-	4	2	6	16	4	2	2	-	59
1,316	130	30	530	82	69	262	98	32	132	24	6	60	168	210	596	370	366	92	60	6	60
546	46	16	248	44	22	112	36	12	68	8	2	22	84	62	202	88	114	38	22	4	61
770	84	14	282	38	38	150	62	20	64	16	4	38	84	148	394	282	252	54	38	2	62
484	24	14	170	44	44	78	52	6	62	8	-	20	42	130	242	134	92	52	42	2	63
476	24	12	166	42	44	76	50	6	60	6	-	20	38	128	236	118	88	50	40	2	64
8	-	2	4	2	-	2	2	-	2	2	-	-	4	2	6	16	4	2	2	-	65
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	66
106	2	4	56	8	6	16	8	6	6	2	-	4	6	34	34	24	18	10	4	-	67
98	2	4	52	8	6	16	4	2	6	2	-	2	4	30	26	20	8	10	4	-	68
8	-	-	4	-	-	-	4	4	-	-	-	2	2	4	8	4	10	-	-	-	69
50	-	-	6	-	-	8	2	4	-	2	-	-	2	-	12	8	2	-	-	-	70
88	6	2	30	14	2	12	6	2	10	-	2	2	16	4	28	2	12	2	6	-	71
76	6	2	24	12	2	10	4	2	10	-	2	2	10	4	24	2	10	-	4	-	72
12	-	-	6	2	-	2	2	-	-	-	-	-	6	-	4	-	2	2	2	-	73
6	2	-	10	-	-	2	-	-	-	-	-	-	-	4	2	-	-	2	2	-	74
96	4	-	42	8	6	24	8	-	6	4	-	6	16	6	48	26	22	2	4	2	75
58	2	-	26	6	2	18	4	-	6	4	-	6	16	4	22	12	10	2	4	2	76
38	2	-	16	2	4	6	4	-	-	-	-	-	-	2	26	14	12	-	-	-	77

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEW MEXICO—CON.																	
01	EDDY	376	-	-	2	70	22	16	6	8	2	4	12	2	174	104	-	2
02	ARTESIA	78	-	-	-	22	6	4	2	2	-	2	6	2	36	18	-	-
03	CARLSBAD	262	-	-	2	40	14	8	4	4	2	2	6	-	118	74	-	2
04	BALANCE OF COUNTY	36	-	-	-	8	2	4	-	2	-	-	-	-	20	12	-	-
05	GRANT	194	-	-	2	36	8	16	-	4	2	-	6	6	78	46	-	-
06	GUADALUPE	60	-	-	-	6	-	-	4	2	-	-	-	-	18	16	-	-
07	HARDING	8	-	-	-	2	-	2	-	-	-	-	-	-	4	4	-	-
08	HIDALGO	38	-	-	-	2	-	2	-	-	-	-	-	2	10	10	-	-
09	LEA	356	2	-	4	70	18	18	2	8	8	-	16	6	160	114	-	-
10	HOBBS	180	2	-	-	36	6	6	2	6	8	-	8	6	78	56	-	-
11	BALANCE OF COUNTY	176	-	-	4	34	12	12	-	2	-	-	8	-	82	58	-	-
12	LINCOLN	80	-	-	2	26	4	8	4	4	2	-	4	-	20	14	2	-
13	LOS ALAMOS	58	-	-	2	6	4	-	2	-	-	-	-	-	18	14	-	-
14	LUNA	140	-	-	4	12	2	6	2	2	-	-	-	2	72	50	2	-
15	MC KINLEY	332	8	-	12	30	10	8	6	2	-	-	4	6	88	70	8	2
16	GALLUP	108	-	-	-	18	8	4	4	-	-	-	2	-	46	34	2	2
17	BALANCE OF COUNTY	224	8	-	12	12	2	4	2	2	-	-	2	6	42	36	6	-
18	MORA	56	2	-	-	6	-	-	-	2	2	-	2	4	18	14	-	-
19	OTERO	252	-	-	4	20	6	-	4	4	-	2	4	2	78	60	2	-
20	ALAMOGORDO	142	-	-	2	10	2	-	2	4	-	-	2	2	44	30	2	-
21	BALANCE OF COUNTY	110	-	-	2	10	4	-	2	-	-	2	2	-	34	30	-	-
22	QUAY	124	-	-	-	24	14	2	-	-	-	2	6	-	52	30	-	2
23	RIO ARRIBA	204	4	-	-	22	10	2	2	4	2	-	2	2	64	38	2	-
24	ROOSEVELT	124	2	-	2	26	6	2	6	4	2	2	4	2	64	50	2	2
25	PORTALES	92	2	-	-	18	4	-	4	4	2	2	2	2	52	40	2	2
26	BALANCE OF COUNTY	32	-	-	2	8	2	2	2	-	-	-	2	-	12	10	-	-
27	SANDOVAL	168	-	-	4	26	6	4	2	6	-	-	8	-	46	30	2	-
28	SAN JUAN	352	4	-	8	44	22	4	4	8	2	-	4	2	98	66	10	-
29	FARMINGTON	168	-	-	4	24	12	2	2	2	2	-	4	-	66	44	6	-
30	BALANCE OF COUNTY	184	4	-	4	20	10	2	2	6	-	-	-	2	32	22	4	-
31	SAN MIGUEL	218	-	-	-	24	8	4	2	6	-	-	4	-	74	46	2	-
32	SANTA FE	434	2	2	2	68	20	6	8	10	6	-	18	10	160	104	8	6
33	SANTA FE	338	2	2	-	56	18	4	6	8	4	-	16	8	122	80	2	6
34	BALANCE OF COUNTY	96	-	-	2	12	2	2	2	2	2	-	2	2	38	24	6	-
35	SIERRA	162	2	-	2	16	2	4	4	4	-	-	2	-	78	56	-	-
36	SOCORRO	90	-	-	-	12	2	2	-	4	-	2	2	2	44	30	2	-
37	TAOS	150	2	-	-	22	4	8	-	2	-	-	8	2	58	46	-	-
38	TORRANCE	56	-	-	-	14	2	2	2	4	-	-	4	4	24	18	-	-
39	UNION	62	-	-	2	10	4	-	2	-	2	-	2	-	24	14	-	-
40	VALENCIA	306	2	-	2	44	10	6	2	8	2	2	14	4	118	90	2	2
41	**NEW YORK**	185,284	488	26	942	34,952	10,900	7,468	3,542	3,830	1,590	1,280	6,342	3,758	98,724	77,034	1,646	1,056
42	URBAN PLACES	128,388	402	16	700	23,854	7,720	4,996	2,364	2,562	1,036	840	4,336	2,690	67,710	53,558	1,084	758
43	BALANCE OF AREA	56,896	86	10	242	11,098	3,180	2,472	1,178	1,268	554	440	2,006	1,068	31,014	23,476	562	298
44	METROPOLITAN COUNTIES	158,792	450	18	826	30,360	9,476	6,446	3,060	3,330	1,374	1,126	5,548	3,282	83,560	65,800	1,434	856
45	URBAN PLACES	121,028	390	14	672	22,600	7,312	4,740	2,218	2,434	986	800	4,110	2,552	63,358	50,376	1,026	694
46	BALANCE OF AREA	37,764	60	4	154	7,760	2,164	1,706	842	896	388	326	1,438	730	20,202	15,424	408	162
47	NONMETROPOLITAN COUNTIES	26,492	38	8	116	4,592	1,424	1,022	482	500	216	154	794	476	15,164	11,234	212	200
48	URBAN PLACES	7,360	12	2	28	1,254	408	256	146	128	50	40	226	138	4,352	3,182	58	64
49	BALANCE OF AREA	19,132	26	6	88	3,338	1,016	766	336	372	166	114	568	338	10,812	8,052	154	136
50	ALBANY	3,132	10	-	16	614	170	150	56	58	36	40	104	70	1,656	1,282	16	2
51	ALBANY	1,566	8	-	10	308	86	96	22	18	14	22	50	32	810	640	6	2
52	COHOES	302	-	-	2	72	22	18	8	10	6	-	8	6	170	128	2	-
53	WATERVLIET	162	-	-	-	26	6	4	2	6	2	2	4	8	80	70	4	-
54	BALANCE OF COUNTY	1,102	2	-	4	208	56	32	24	24	14	16	42	24	596	444	4	-
55	ALLEGANY	470	-	-	8	74	16	18	10	10	6	6	8	14	248	170	4	4
56	BROOME	2,040	-	-	8	422	138	90	28	58	18	16	74	46	1,194	918	16	14
57	BINGHAMTON	906	-	-	4	188	62	36	10	30	10	6	34	14	532	392	8	10
58	ENDICOTT	220	-	-	-	36	14	10	2	2	2	2	4	4	134	100	2	-
59	JOHNSON CITY	166	-	-	-	32	6	10	6	2	-	-	8	6	100	70	2	2
60	BALANCE OF COUNTY	748	-	-	4	166	56	34	10	24	6	8	28	22	428	356	4	2
61	CATTARAUGUS	868	-	-	4	130	46	26	14	18	4	4	18	34	460	344	6	4
62	OLEAN	226	-	-	2	42	14	8	6	4	2	2	6	2	140	102	-	-
63	BALANCE OF COUNTY	642	-	-	2	88	32	18	8	14	2	2	12	32	320	242	6	4
64	CAYUGA	850	-	-	2	130	36	30	8	22	6	12	16	30	532	374	-	10
65	AUBURN	458	-	-	2	72	24	16	2	8	4	10	8	24	290	212	-	4
66	BALANCE OF COUNTY	392	-	-	-	58	12	14	6	14	2	2	8	6	242	162	-	6
67	CHAUTAUQUA	1,796	4	-	4	300	90	74	32	30	16	2	56	42	1,082	826	12	8
68	DUNKIRK	232	-	-	-	38	18	8	2	4	2	-	4	8	138	104	4	-
69	FREDONIA	98	-	-	-	24	6	6	6	2	2	-	2	2	64	52	2	-
70	JAMESTOWN	540	2	-	2	80	20	18	10	10	4	-	18	12	330	240	2	6
71	BALANCE OF COUNTY	926	2	-	2	158	46	42	14	14	8	2	32	20	550	430	4	2
72	CHEMUNG	1,134	2	2	4	198	58	46	32	16	14	6	26	12	646	454	16	2
73	ELMIRA	566	2	-	2	90	26	20	20	8	6	4	6	6	312	236	8	2
74	BALANCE OF COUNTY	568	-	2	2	108	32	26	12	8	8	2	20	6	334	218	8	-
75	CHENANGO	532	-	-	-	104	34	26	10	16	4	2	12	22	272	204	4	6
76	CLINTON	570	-	-	2	98	38	22	4	10	6	2	16	6	308	218	6	4
77	PLATTSBURGH	168	-	-	2	30	10	2	2	6	4	-	6	-	98	68	-	4
78	BALANCE OF COUNTY	402	-	-	-	68	28	20	2	4	2	2	10	6	210	150	6	-
79	COLUMBIA	692	-	-	4	132	40	20	18	16	8	8	22	14	366	276	10	8

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
94	8	6	54	8	2	20	12	-	14	-	-	2	10	2	28	10	22	8	-	-	01
18	-	6	8	4	-	-	-	-	-	-	-	2	2	-	6	4	4	-	-	-	02
68	4	-	40	4	-	20	12	-	12	-	-	-	8	2	20	4	16	8	-	-	03
8	4	-	6	-	2	-	-	-	2	-	-	-	-	-	2	2	2	-	-	-	04
46	-	-	26	4	2	8	6	4	4	2	-	2	2	2	16	8	14	2	2	-	05
12	4	2	-	-	-	6	-	-	2	-	-	-	2	10	8	-	6	-	2	-	06
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	07
8	2	-	-	-	-	4	4	-	2	-	-	-	4	2	6	-	2	-	-	-	08
108	6	4	34	4	4	14	4	2	4	-	-	6	10	4	28	18	18	-	4	2	09
52	4	2	18	-	2	8	2	2	4	-	-	2	8	2	14	4	8	-	2	2	10
56	2	2	16	4	2	6	2	-	-	-	-	4	2	2	14	14	10	-	2	-	11
12	-	-	2	-	4	4	-	-	-	-	-	-	2	2	8	4	4	8	-	-	12
14	-	-	2	2	-	2	-	-	-	-	-	-	2	-	4	10	14	-	-	-	13
44	4	-	18	-	4	6	4	-	-	2	-	-	2	2	16	4	10	4	-	-	14
54	6	-	18	-	-	22	2	2	34	4	2	-	6	10	28	44	24	2	8	-	15
28	2	-	12	-	-	4	2	-	14	2	-	-	-	-	8	8	6	-	-	-	16
26	4	-	6	-	-	18	-	2	20	2	2	-	6	10	20	36	18	2	8	-	17
8	6	2	-	-	2	2	-	-	2	-	-	-	4	2	2	8	6	-	-	-	18
46	12	-	16	-	2	14	4	-	2	-	-	6	16	16	30	28	22	4	6	-	19
20	8	-	12	-	2	10	2	-	-	-	-	2	8	8	26	12	14	2	-	-	20
26	4	-	4	-	-	4	2	-	2	-	-	4	8	8	4	16	8	2	6	-	21
20	8	-	16	2	4	10	2	-	-	4	-	-	4	-	12	4	8	4	-	-	22
36	-	-	16	4	6	2	2	-	6	-	-	-	8	12	42	12	20	6	2	-	23
42	4	-	10	4	-	4	-	-	-	-	-	-	6	2	8	6	2	-	-	-	24
34	2	-	8	4	-	4	-	-	-	-	-	-	4	2	6	2	-	-	-	-	25
8	2	-	2	-	-	-	-	-	-	-	-	-	2	-	2	4	2	-	-	-	26
22	6	2	10	4	-	4	-	-	2	-	2	2	6	20	22	16	12	2	4	-	27
38	18	-	24	2	6	14	8	-	4	-	-	10	14	22	32	40	40	4	8	-	28
28	10	-	16	2	4	8	4	-	4	-	-	4	12	6	8	8	14	2	4	-	29
10	8	-	8	-	2	6	4	-	-	-	-	6	2	16	24	32	26	2	4	-	30
42	2	4	16	4	4	14	4	-	4	2	-	6	2	32	20	12	18	6	-	-	31
82	8	2	44	6	4	22	6	6	14	-	-	2	12	6	50	22	30	14	6	-	32
66	6	2	32	4	4	14	2	6	12	-	-	2	12	4	42	12	24	14	4	-	33
16	2	-	12	2	-	8	4	-	2	-	-	-	-	2	8	10	6	-	2	-	34
54	2	2	20	-	-	4	8	-	2	2	-	-	2	-	26	10	6	4	-	-	35
26	2	-	10	2	2	4	-	-	2	-	-	2	2	-	6	6	8	2	-	-	36
46	-	-	12	-	-	8	2	2	4	-	-	2	6	2	22	8	8	-	-	2	37
18	-	-	4	2	-	-	2	-	2	-	-	-	-	-	6	-	2	2	-	-	38
10	4	-	10	-	-	2	-	2	-	-	-	2	2	2	12	2	-	-	2	-	39
74	12	-	24	4	-	10	4	2	6	-	-	6	4	12	38	38	14	2	-	-	40
71,722	2,610	630	16,482	2,366	2,212	6,902	2,396	860	4,060	742	50	1,214	2,584	1,792	13,900	3,242	3,688	1,390	2,020	1,554	41
49,828	1,888	398	10,778	1,564	1,412	5,088	1,444	608	3,176	578	44	774	1,876	1,364	10,092	1,690	2,190	820	1,874	1,398	42
21,894	722	232	5,704	802	800	1,814	952	252	884	164	6	440	708	428	3,808	1,552	1,498	570	146	156	43
61,250	2,260	508	13,648	1,830	1,774	6,050	1,904	730	3,738	670	48	1,030	2,222	1,678	12,140	2,534	2,980	1,120	1,958	1,494	44
46,852	1,804	354	9,942	1,412	1,274	4,872	1,334	574	3,058	558	42	730	1,756	1,322	9,618	1,562	2,044	752	1,852	1,368	45
14,398	456	154	3,706	418	500	1,178	570	156	680	112	6	300	466	356	2,522	972	936	368	106	126	46
10,472	350	122	2,834	536	438	852	492	130	322	72	2	184	362	114	1,760	708	708	270	62	60	47
2,976	84	44	836	152	138	216	110	34	118	20	2	44	120	42	474	128	146	68	22	30	48
7,496	266	78	1,998	384	300	636	382	96	204	52	-	140	242	72	1,286	580	562	202	40	30	49
1,200	64	4	280	54	36	128	84	12	70	16	-	16	38	18	220	46	78	16	12	12	50
598	34	2	126	30	12	62	46	4	38	14	-	6	28	10	112	18	34	6	12	8	51
124	2	-	28	10	4	18	2	2	2	2	-	2	-	2	8	4	10	-	-	-	52
62	4	-	2	4	4	2	10	2	4	-	-	-	-	-	18	6	2	4	-	-	53
416	24	2	124	10	16	46	26	4	26	-	-	8	10	6	82	18	32	6	-	4	54
160	2	2	52	20	4	20	8	-	4	2	-	6	6	10	40	14	10	2	-	4	55
874	14	14	194	34	34	50	46	12	24	6	-	14	14	16	100	26	52	8	-	2	56
366	8	6	94	18	22	32	30	2	14	-	-	6	4	8	42	6	20	2	-	2	57
98	-	-	34	-	-	8	4	4	2	-	-	4	-	2	16	4	-	2	-	-	58
64	2	4	18	6	2	-	8	2	-	6	-	2	2	-	4	2	2	-	-	-	59
346	4	4	48	10	10	10	4	4	8	-	-	2	8	6	38	14	30	4	-	-	60
318	16	6	80	18	12	38	16	6	14	4	-	10	14	-	70	18	40	6	-	4	61
98	4	2	24	6	6	6	4	2	2	-	-	-	4	-	10	4	4	2	-	2	62
220	12	4	56	12	6	32	12	4	12	4	-	10	10	-	60	14	36	4	-	2	63
352	12	2	122	14	20	12	4	2	20	-	-	6	16	-	40	14	28	10	2	2	64
206	2	2	52	8	16	10	4	-	10	-	-	4	8	-	18	4	8	2	-	2	65
146	10	-	70	6	4	2	-	2	10	-	-	2	8	-	22	10	20	8	2	-	66
778	28	8	200	24	24	52	32	10	16	-	-	20	30	12	94	36	44	14	2	2	67
98	2	-	26	4	4	-	2	4	6	-	-	2	6	-	12	6	8	2	-	-	68
50	-	2	6	2	2	-	2	-	-	-	-	2	2	-	-	2	-	-	-	-	69
226	6	4	70	8	8	20	6	2	2	-	-	-	12	6	28	6	22	8	2	-	70
404	20	2	98	10	10	32	22	4	8	-	-	16	10	6	54	22	14	4	-	2	71
430	6	10	122	40	20	26	30	4	18	6	-	4	24	8	78	26	24	20	2	-	72
226	-	2	52	18	4	6	20	4	18	6	-	4	16	6	42	8	14	10	-	-	73
204	6	8	70	22	16	20	10	-	-	-	-	-	8	2	36	18	10	10	2	-	74
190	4	4	38	12	14	14	4	-	4	2	-	10	18	2	34	14	24	6	-	2	75
200	8	8	62	16	4	16	6	2	10	4	-	4	12	8	48	12	26	4	-	4	76
60	4	6	18	2	4	2	2	-	4	2	-	-	6	2	8	6	4	-	-	2	77
140	4	2	44	14	-	14	4	2	6	2	-	4	6	6	40	6	22	4	-	2	78
246	12	8	80	2	-	32	12	2	2	6	-	4	8	-	44	26	28	6	4	2	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEW YORK--CON.																	
01	CORTLAND	448	-	-	4	82	26	24	6	6	4	2	14	2	278	192	2	4
02	CORTLAND	200	-	-	2	30	8	10	-	2	2	-	8	-	138	94	-	4
03	BALANCE OF COUNTY	248	-	-	2	52	18	14	6	4	2	2	6	2	140	98	2	-
04	DELAWARE	536	2	-	2	94	16	12	14	20	-	10	22	4	330	266	2	4
05	DUTCHESS	1,876	4	-	8	290	86	66	30	30	14	12	52	24	1,086	856	28	12
06	BEACON	142	-	-	-	22	6	10	2	4	-	-	-	-	80	66	2	-
07	POUGHKEEPSIE	488	4	-	-	78	28	14	6	8	-	8	14	6	270	208	4	8
08	BALANCE OF COUNTY	1,246	-	-	8	190	52	42	22	18	14	4	38	18	736	582	22	4
09	ERIE	11,122	20	2	54	2,056	632	468	224	214	106	74	338	208	6,090	4,546	114	44
10	BUFFALO	6,080	20	2	34	1,064	330	256	108	110	58	38	164	108	3,320	2,462	48	22
11	DEPEW	138	-	-	-	24	6	4	-	4	4	-	6	-	70	50	4	-
12	HAMBURG	114	-	-	-	16	6	2	-	2	2	-	4	-	66	48	6	-
13	KENMORE	268	-	-	-	36	16	6	2	4	2	-	6	6	168	132	2	-
14	LACKAWANNA	300	-	-	2	58	28	12	4	4	-	-	10	12	158	126	-	2
15	LANCASTER	110	-	-	2	12	2	4	2	-	-	4	-	2	68	58	-	-
16	TONAWANDA	234	-	-	-	58	20	6	2	10	2	2	16	4	118	86	-	-
17	BALANCE OF COUNTY	3,878	-	-	16	788	224	178	106	80	38	30	132	76	2,122	1,584	54	20
18	ESSEX	442	4	-	2	68	30	8	4	10	4	-	12	8	248	184	2	2
19	FRANKLIN	530	2	-	-	106	32	24	10	12	4	-	24	10	284	192	6	4
20	FULTON	694	-	-	2	114	36	22	14	14	4	-	24	14	408	302	4	6
21	GLOVERSVILLE	302	-	-	-	56	10	6	10	6	4	-	20	10	170	124	4	2
22	JOHNSTOWN	160	-	-	-	24	8	8	4	4	-	-	-	2	104	78	-	4
23	BALANCE OF COUNTY	232	-	-	2	34	18	8	-	4	-	-	4	2	134	100	-	-
24	GENESEE	566	2	2	-	94	42	20	12	4	4	-	12	18	340	234	4	2
25	BATAVIA	186	-	-	-	42	14	8	12	4	2	-	2	4	104	76	-	2
26	BALANCE OF COUNTY	380	2	2	-	52	28	12	-	-	2	-	10	14	236	158	4	-
27	GREENE	538	-	-	2	110	36	30	16	4	6	2	16	6	312	250	2	6
28	HAMILTON	50	-	-	-	8	2	2	-	-	-	-	4	-	30	24	-	-
29	HERKIMER	784	2	-	2	142	40	32	10	28	12	2	18	6	468	370	10	6
30	JEFFERSON	1,078	-	-	10	164	44	40	14	18	10	8	30	22	630	468	6	-
31	WATERTOWN	460	-	-	4	78	24	12	8	6	4	2	22	8	270	198	2	-
32	BALANCE OF COUNTY	618	-	-	6	86	20	28	6	12	6	6	8	14	360	270	4	-
33	LEWIS	230	-	-	-	38	16	6	4	6	-	-	6	6	144	102	-	-
34	LIVINGSTON	448	2	2	4	76	22	16	6	6	6	4	16	12	236	172	8	-
35	MADISON	540	4	-	-	114	26	36	16	12	-	2	22	8	290	222	4	-
36	ONEIDA	150	2	-	-	28	8	6	2	2	-	2	8	2	90	70	-	-
37	BALANCE OF COUNTY	390	2	-	-	86	18	30	14	10	-	-	14	6	200	152	4	-
38	MONROE	6,140	6	2	28	1,230	352	250	96	122	74	42	294	132	3,168	2,298	58	34
39	ROCHESTER	3,584	4	-	20	678	210	140	52	60	44	20	152	94	1,868	1,358	28	28
40	BALANCE OF COUNTY	2,556	2	2	8	552	142	110	44	62	30	22	142	38	1,300	940	30	6
41	MONTGOMERY	750	-	-	4	164	66	32	12	12	8	4	30	10	438	252	8	2
42	AMSTERDAM	372	-	-	2	90	34	22	4	8	6	2	14	8	222	122	8	2
43	BALANCE OF COUNTY	378	-	-	2	74	32	10	8	4	2	2	16	2	216	130	-	-
44	NASSAU	11,608	28	-	52	2,474	712	578	310	228	116	94	436	202	6,438	5,108	120	52
45	EAST ROCKAWAY	112	-	-	-	16	6	6	4	-	-	-	-	4	64	48	-	-
46	FLORAL PARK	182	2	-	2	44	10	8	6	4	2	2	12	-	102	84	2	2
47	FREEPORT	360	-	-	4	74	18	20	14	10	-	2	10	2	190	158	2	6
48	GARDEN CITY	226	-	-	2	52	16	12	6	10	-	2	6	4	128	94	-	2
49	GLEN COVE	210	-	-	-	52	14	16	6	10	2	2	2	-	104	78	4	-
50	GREAT NECK	140	-	-	-	22	10	2	-	-	2	-	8	4	82	64	-	-
51	HEMPSTEAD	410	-	-	4	68	20	16	8	4	2	2	16	6	228	164	2	-
52	LONG BEACH	644	-	-	4	96	26	26	-	6	-	6	32	10	418	340	8	2
53	LYNBROOK	180	-	-	-	28	8	10	6	2	-	-	2	-	120	102	2	-
54	MALVERNE	90	-	-	-	28	14	10	2	2	-	-	-	2	42	28	2	-
55	MASSAPEQUA PARK	142	-	-	-	22	4	6	4	-	2	-	6	6	98	82	4	-
56	MINEOLA	206	4	-	-	32	6	6	2	2	4	6	6	8	108	90	-	2
57	NEW HYDE PARK	96	-	-	-	8	6	2	-	-	-	-	-	2	70	62	4	-
58	ROCKVILLE CENTRE	276	-	-	-	58	14	18	4	8	2	4	8	2	160	116	4	-
59	VALLEY STREAM	378	-	-	-	76	16	12	22	2	4	-	20	4	242	192	2	2
60	WESTBURY	178	-	-	-	44	14	10	2	8	-	2	8	2	92	66	2	-
61	BALANCE OF COUNTY	7,778	22	-	36	1,754	510	398	224	160	96	66	300	146	4,190	3,340	82	36
62	NEW YORK CITY	87,914	320	8	518	16,452	5,476	3,264	1,614	1,774	716	592	3,016	1,894	45,000	36,418	734	500
63	BRONX BOR., BRONX CO.	15,460	40	4	88	2,936	950	614	264	330	122	110	546	384	7,466	6,062	122	108
64	BROOKLYN BOR., KINGS CO.	27,732	128	2	174	4,878	1,660	918	476	528	200	182	914	588	14,728	11,884	228	156
65	MANHATTAN BOR., NEW YORK CO.	21,284	110	2	126	3,880	1,278	784	386	448	170	136	678	420	9,882	7,874	190	96
66	QUEENS BOR., QUEENS CO.	20,744	36	-	118	4,238	1,436	832	452	422	194	140	762	456	11,436	9,374	164	124
67	RICHMOND BOR., RICHMOND CO.	2,694	6	-	12	520	152	116	36	46	30	24	116	46	1,488	1,224	30	16
68	NIAGARA	2,260	2	4	8	404	120	96	32	52	6	22	76	40	1,222	892	12	10
69	LOCKPORT	318	-	-	2	48	16	12	2	6	2	2	8	12	162	124	-	-
70	NIAGARA FALLS	952	-	4	2	160	44	42	16	24	-	6	28	10	518	364	8	6
71	NORTH TONAWANDA	312	2	-	-	56	20	10	8	4	-	4	10	4	188	146	2	2
72	BALANCE OF COUNTY	678	-	-	4	140	40	32	6	18	4	10	30	14	354	258	2	2
73	ONEIDA	2,728	6	-	12	476	148	104	48	52	22	18	84	38	1,606	1,200	24	40
74	ROME	410	-	-	-	60	16	16	8	6	4	2	8	10	254	190	4	4
75	UTICA	1,174	4	-	8	208	54	46	24	28	4	8	44	16	684	526	12	14
76	BALANCE OF COUNTY	1,144	2	-	4	208	78	42	16	18	14	8	32	12	668	484	8	22
77	ONONDAGA	4,154	10	-	16	824	214	206	80	104	34	26	160	42	2,254	1,628	40	8
78	SYRACUSE	2,322	6	-	12	454	134	116	44	60	14	6	80	22	1,270	922	14	6
79	BALANCE OF COUNTY	1,832	4	-	4	370	80	90	36	44	20	20	80	20	984	706	26	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E825)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
184	2	4	66	10	6	16	4	-	-	4	-	-	4	2	22	12	16	2	-	-	01
90	-	2	34	4	4	4	-	-	-	4	-	-	4	2	4	2	8	2	-	-	02
94	2	2	32	6	2	12	4	-	-	-	-	-	-	-	18	10	8	-	-	-	03
230	30	4	42	14	4	12	6	8	2	-	-	2	8	-	38	14	10	4	-	-	04
802	14	8	160	30	32	68	32	6	24	2	-	16	36	8	136	56	46	22	6	6	05
64	-	-	10	2	2	6	-	4	2	-	-	2	6	-	12	4	2	-	2	-	06
192	4	2	42	12	6	20	6	2	10	-	-	4	12	6	38	14	8	4	-	6	07
546	10	6	108	16	24	42	26	-	12	2	-	10	18	2	86	38	36	18	4	-	08
4,238	150	54	1,186	152	152	406	202	54	210	52	2	86	192	28	804	198	254	96	60	48	09
2,292	100	34	660	82	82	260	122	34	122	30	-	34	112	18	484	64	132	52	44	24	10
46	-	-	12	6	2	2	2	-	6	4	-	-	8	-	10	8	-	4	-	-	11
40	2	-	12	2	4	4	2	-	2	-	-	-	6	2	10	2	4	-	-	-	12
126	4	-	30	4	2	10	4	4	8	-	-	6	6	-	14	2	2	2	-	-	13
120	4	2	30	-	-	10	4	-	8	6	-	-	8	-	18	-	16	-	-	-	14
56	2	-	6	4	-	2	2	-	4	-	-	4	-	-	8	2	4	-	-	-	15
82	4	-	24	4	4	10	4	-	4	-	2	-	2	2	20	4	-	4	-	2	16
1,476	34	18	412	50	58	108	62	16	56	12	-	42	50	6	240	116	96	34	16	22	17
174	6	6	40	6	12	30	12	-	-	2	-	6	4	2	24	16	14	2	-	-	18
172	10	-	66	16	10	20	18	4	4	-	-	4	2	-	40	24	10	2	-	-	19
284	8	2	82	10	12	28	16	4	8	2	-	6	12	4	36	20	12	6	-	2	20
118	-	-	34	8	4	12	6	-	6	2	-	2	4	2	20	6	2	4	-	-	21
68	6	-	20	-	6	8	2	2	2	-	-	2	-	-	2	4	6	-	-	2	22
98	2	2	28	2	2	8	8	2	-	-	-	2	8	2	14	10	4	2	-	-	23
220	8	4	76	10	16	18	12	2	6	4	-	2	6	-	34	12	8	6	-	-	24
72	2	-	18	4	6	8	2	-	2	-	-	-	-	-	12	4	2	6	-	-	25
148	6	4	58	6	10	10	10	2	4	4	-	2	6	-	22	8	6	-	-	-	26
234	8	-	40	10	12	18	10	4	6	-	-	4	-	-	34	18	10	4	-	-	27
24	-	-	6	-	-	6	2	-	-	-	-	-	-	-	2	2	-	-	-	-	28
338	16	4	68	16	10	18	12	-	20	4	-	2	4	8	40	34	18	4	-	-	29
454	8	-	132	14	16	28	16	4	6	12	-	8	18	-	86	24	34	4	8	4	30
196	-	-	62	4	6	14	6	4	4	4	-	4	10	-	34	8	12	-	-	-	31
258	8	-	70	10	10	14	19	-	2	8	-	4	8	-	52	16	22	4	8	4	32
102	-	-	34	2	6	2	-	2	2	-	-	4	4	-	8	8	4	8	-	-	33
152	12	-	54	2	8	22	10	2	2	-	-	4	4	-	30	18	18	6	-	-	34
214	4	6	58	4	-	14	14	-	8	-	-	-	14	4	36	16	10	8	-	-	35
68	2	-	18	2	-	2	6	-	2	-	-	-	4	-	6	4	2	2	-	-	36
146	2	6	40	2	-	12	8	-	6	-	-	-	10	4	30	12	8	6	-	-	37
2,102	104	22	652	120	76	254	90	22	106	26	-	38	88	28	508	106	160	84	42	22	38
1,232	70	12	382	70	46	170	50	10	76	20	-	20	64	18	278	46	94	26	32	16	39
870	34	10	270	50	30	84	40	12	30	6	-	18	24	10	230	60	66	58	10	6	40
234	8	6	146	24	10	20	8	2	4	4	-	4	4	2	52	12	14	4	2	2	41
108	4	4	76	10	10	8	2	-	2	2	-	-	2	2	26	-	2	2	2	-	42
126	4	2	70	14	-	12	6	2	2	2	-	4	2	-	26	12	12	2	-	2	43
4,806	130	46	1,050	82	152	428	104	52	222	44	-	46	128	66	748	158	230	104	44	40	44
48	-	2	8	2	4	2	-	-	2	4	-	-	4	-	10	2	2	-	2	-	45
80	-	4	12	-	2	8	-	-	4	-	-	-	4	-	12	4	-	-	-	-	46
144	6	2	24	2	4	14	4	2	10	-	-	2	4	-	34	2	6	6	-	6	47
88	4	-	30	2	2	6	8	-	2	2	-	2	2	2	10	2	4	-	-	-	48
72	2	-	18	2	6	10	4	4	4	4	-	-	10	-	8	4	-	2	4	-	49
62	2	-	12	2	4	2	-	-	2	-	-	-	-	4	16	4	2	2	-	-	50
162	-	4	50	2	8	10	4	2	6	-	-	2	12	-	24	10	10	10	12	2	51
324	6	-	66	2	10	34	4	2	8	4	-	-	4	4	32	-	14	6	-	4	52
98	2	-	10	4	4	8	2	2	2	-	-	-	-	2	10	-	2	2	-	2	53
26	-	-	14	-	-	2	-	-	2	-	-	-	-	-	10	2	2	-	-	-	54
74	4	-	16	-	-	2	2	2	-	-	-	-	2	-	2	2	4	-	-	-	55
86	2	-	14	-	4	12	2	-	6	2	-	-	6	4	14	6	2	-	-	-	56
56	2	-	8	-	-	4	-	-	2	-	-	-	-	2	6	-	2	-	-	-	57
110	2	-	36	6	2	8	-	4	4	-	-	4	6	2	20	2	4	2	-	-	58
184	4	4	38	2	6	6	6	2	4	2	-	-	-	4	18	2	4	4	4	-	59
62	2	-	24	2	-	10	6	-	4	-	-	-	-	-	12	4	4	-	-	-	60
3,130	92	30	670	54	96	290	62	32	160	26	-	36	74	42	510	112	168	70	22	26	61
33,902	1,282	224	6,630	894	834	3,688	760	440	2,422	418	38	550	1,244	1,156	7,208	1,060	1,326	474	1,666	1,272	62
5,626	206	44	1,100	90	170	688	140	80	456	44	8	104	260	264	1,320	212	216	84	402	264	63
11,016	484	72	2,022	500	250	1,210	218	130	572	146	12	172	470	276	2,318	346	402	148	548	266	64
7,264	324	50	1,644	136	178	948	186	106	900	106	12	140	276	382	2,056	216	378	124	540	494	65
8,848	238	50	1,658	150	204	730	178	100	420	102	6	110	196	208	1,358	262	294	106	162	228	66
1,148	30	8	206	18	32	112	38	24	74	20	-	24	42	26	156	24	36	12	14	20	67
848	22	10	272	18	30	82	36	12	46	8	-	8	42	10	160	96	46	24	10	-	68
120	4	2	28	2	6	16	4	2	8	2	-	2	6	-	28	8	6	10	2	-	69
342	8	2	130	6	16	36	14	2	26	-	-	2	20	8	70	40	24	8	8	-	70
140	2	2	30	4	6	14	2	-	2	-	-	-	8	-	20	10	2	4	-	-	71
246	8	4	84	6	2	16	16	8	10	6	-	4	8	2	42	38	14	2	-	-	72
1,112	24	8	308	50	40	50	64	8	32	12	-	20	30	12	172	64	82	38	6	-	73
178	4	2	36	16	10	8	2	2	6	-	-	8	2	-	28	12	16	-	2	-	74
490	10	2	126	18	12	26	32	4	6	6	-	8	18	6	74	18	38	14	4	-	75
444	10	4	146	16	18	16	30	2	20	6	-	4	10	6	70	34	28	24	-	-	76
1,464	116	16	490	78	42	126	72	8	52	16	2	32	54	18	348	84	126	38	24	8	77
826	76	12	262	54	20	66	36	6	24	12	2	10	30	10	214	40	68	18	18	4	78
638	40	4	228	24	22	60	36	2	28	4	-	22	24	8	134	44	58	20	6	4	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NEW YORK—CON.																	
01	ONTARIO	742	-	-	6	102	22	26	10	14	-	4	26	8	440	330	12	6
02	CANANDAIGUA	118	-	-	-	20	8	-	2	4	-	-	6	2	72	50	-	4
03	GENEVA	202	-	-	2	14	6	-	4	-	-	-	4	6	122	102	4	2
04	BALANCE OF COUNTY	422	-	-	4	68	8	26	4	10	-	4	16	-	246	178	8	-
05	ORANGE	2,374	6	-	14	424	134	106	42	38	22	14	68	28	1,370	1,054	10	20
06	MIDDLETOWN	274	-	-	4	40	12	8	8	2	-	2	8	6	172	140	2	-
07	NEWBURGH	438	2	-	-	76	26	18	6	6	2	2	16	6	246	198	4	-
08	BALANCE OF COUNTY	1,662	4	-	10	308	96	80	28	30	20	10	44	16	952	716	4	20
09	ORLEANS	392	-	-	-	58	8	10	10	12	2	-	16	6	228	162	2	8
10	OSWEGO	1,024	4	-	2	144	36	32	12	18	6	6	34	20	600	464	14	16
11	FULTON	164	-	-	-	28	4	10	2	2	-	2	8	2	94	72	4	2
12	OSWEGO	284	2	-	-	38	12	12	2	2	4	-	6	4	182	150	6	8
13	BALANCE OF COUNTY	576	2	-	2	78	20	10	8	14	2	4	20	14	324	242	4	6
14	OTSEGO	626	2	-	2	104	32	24	14	14	4	2	14	12	360	270	6	4
15	ONEONTA	144	-	-	-	18	4	4	2	6	-	-	2	2	104	86	4	2
16	BALANCE OF COUNTY	482	2	-	2	86	28	20	12	8	4	2	12	10	256	184	2	2
17	PUTNAM	430	-	2	2	104	32	28	10	6	6	4	18	8	208	166	2	2
18	RENSSELAER	1,754	2	-	4	308	88	70	26	50	14	8	52	52	998	738	14	10
19	RENSSELAER	172	2	-	-	28	2	6	2	6	-	-	12	4	106	76	-	-
20	TROY	852	-	-	2	152	48	42	14	24	6	2	16	14	490	358	6	10
21	BALANCE OF COUNTY	730	-	-	2	128	38	22	10	20	8	6	24	34	402	304	8	-
22	ROCKLAND	1,582	2	-	6	316	108	60	34	30	14	8	62	30	838	632	18	12
23	SPRING VALLEY	174	-	-	4	34	12	12	2	2	-	2	4	2	82	60	2	2
24	BALANCE OF COUNTY	1,408	2	-	2	282	96	48	32	28	14	6	58	28	756	572	16	10
25	ST. LAWRENCE	1,094	2	-	2	188	60	38	24	18	8	6	34	28	596	446	8	22
26	MASSENA	136	-	-	-	18	6	4	2	-	-	2	4	2	74	50	-	-
27	OGDENSBURG	166	-	-	-	36	10	6	6	4	2	2	6	2	86	66	2	4
28	BALANCE OF COUNTY	792	2	-	2	134	44	28	16	14	6	2	24	24	436	330	6	18
29	SARATOGA	1,034	-	-	-	174	58	38	14	24	10	6	24	14	566	434	6	10
30	SARATOGA SPRINGS	232	-	-	-	50	14	12	4	2	4	-	14	10	120	96	2	4
31	BALANCE OF COUNTY	802	-	-	-	124	44	26	10	22	6	6	10	4	446	338	4	6
32	SCHENECTADY	1,796	2	-	10	332	88	92	36	38	20	6	52	34	1,066	838	18	6
33	SCHENECTADY	1,218	-	-	6	202	46	60	20	26	12	4	34	28	742	576	14	4
34	BALANCE OF COUNTY	578	2	-	4	130	42	32	16	12	8	2	18	6	324	262	4	2
35	SCHOHARIE	300	-	-	2	54	26	6	6	8	-	-	8	6	170	134	-	-
36	SCHUYLER	178	-	-	-	32	6	12	2	4	2	4	2	6	92	74	-	2
37	SENECA	344	2	-	2	54	14	12	6	6	4	2	10	4	194	154	2	4
38	STEUBEN	1,082	-	-	4	164	52	34	16	22	6	8	26	22	608	426	18	10
39	CORNING	202	-	-	-	24	8	2	-	2	-	-	12	8	124	80	2	2
40	HORNELL	160	-	-	-	24	14	6	2	-	-	2	-	-	114	74	2	2
41	BALANCE OF COUNTY	720	-	-	4	116	30	26	14	20	6	6	14	14	370	272	14	6
42	SUFFOLK	8,508	14	-	34	1,724	440	412	172	212	72	78	338	216	4,482	3,508	100	20
43	BABYLON	130	-	-	2	20	8	2	-	2	-	-	8	4	62	54	-	-
44	LINDENHURST	256	-	-	-	66	16	28	4	6	2	-	10	6	152	128	-	-
45	PATCHOGUE	148	-	-	2	14	2	2	-	2	-	-	8	-	90	80	-	-
46	BALANCE OF COUNTY	7,974	14	-	30	1,624	414	380	168	202	70	78	312	206	4,178	3,246	100	20
47	SULLIVAN	712	2	-	4	138	28	32	16	20	12	8	22	12	400	324	12	6
48	TIOGA	394	-	-	8	74	14	16	8	18	4	4	10	4	212	148	2	-
49	TOMPKINS	560	-	-	-	100	34	18	10	6	8	2	22	10	322	240	2	10
50	ITHACA	250	-	-	-	48	18	10	6	2	2	-	10	8	144	104	-	2
51	BALANCE OF COUNTY	310	-	-	-	52	16	8	4	4	6	2	12	2	178	136	2	8
52	ULSTER	1,560	4	2	4	298	98	64	24	30	8	10	64	10	880	628	4	12
53	KINGSTON	434	2	2	2	90	36	10	6	12	2	2	22	2	234	158	-	4
54	BALANCE OF COUNTY	1,126	2	-	2	208	62	54	18	18	6	8	42	8	646	470	4	8
55	WARREN	602	-	-	4	126	40	30	16	18	4	2	16	6	334	250	4	12
56	GLENS FALLS	238	-	-	2	50	10	20	8	6	-	-	6	2	130	94	2	4
57	BALANCE OF COUNTY	364	-	-	2	76	30	10	8	12	4	2	10	4	204	156	2	8
58	WASHINGTON	602	-	-	4	78	26	18	6	8	2	2	16	10	386	296	6	2
59	WAYNE	778	-	-	2	118	42	20	10	18	6	8	14	12	426	334	6	4
60	NEWARK	118	-	-	-	14	-	4	4	2	-	2	2	2	74	66	-	2
61	BALANCE OF COUNTY	660	-	-	2	104	42	16	6	16	6	6	12	10	352	268	6	2
62	WESTCHESTER	8,660	16	-	42	1,828	544	406	218	202	80	70	308	196	4,522	3,488	98	60
63	DOBBS FERRY	92	-	-	-	24	8	4	6	2	-	2	2	2	56	42	-	-
64	MAMARONECK	170	-	-	2	38	18	6	2	6	-	2	4	4	88	64	2	2
65	MOUNT VERNON	746	2	-	6	128	34	34	10	18	6	4	22	30	388	314	6	20
66	NEW ROCHELLE	696	2	-	-	144	40	28	16	12	8	10	30	16	372	286	8	4
67	OSSINING	180	-	-	2	36	14	6	4	6	2	-	4	4	102	80	-	2
68	PEEKSKILL	246	-	-	2	64	24	16	8	2	2	2	10	6	128	92	2	-
69	PORT CHESTER	312	4	-	4	70	32	20	12	-	2	-	4	6	158	122	6	4
70	RYE	144	-	-	-	38	14	4	6	4	2	-	8	10	62	42	2	2
71	SCARSDALE	182	-	-	-	54	18	10	8	6	2	2	8	4	102	78	2	-
72	TARRYTOWN	112	2	-	-	26	10	6	2	2	-	2	4	4	58	42	2	-
73	WHITE PLAINS	628	2	-	-	116	26	32	16	8	10	6	18	8	340	248	-	-
74	YONKERS	2,240	2	-	8	422	126	88	50	58	18	12	70	60	1,234	1,002	38	14
75	BALANCE OF COUNTY	2,912	2	-	18	668	180	152	78	78	28	28	124	42	1,434	1,076	30	12
76	WYOMING	364	-	-	2	70	22	14	8	4	4	4	14	6	202	128	4	-
77	YATES	272	-	-	2	58	8	12	8	10	4	2	14	2	160	126	-	-
78	**NORTH CAROLINA**	47,288	104	6	384	7,022	1,610	1,496	616	936	288	350	1,726	918	24,254	16,884	248	288
79	URBAN PLACES	15,572	48	6	118	2,344	500	496	232	306	112	116	582	268	7,886	5,424	110	98
80	BALANCE OF AREA	31,716	56	-	266	4,678	1,110	1,000	384	630	176	234	1,144	650	16,368	11,460	138	190

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
298	14	-	78	20	12	34	20	4	4	2	-	4	2	2	50	24	20	18	2	-	01
40	6	-	16	2	4	2	4	-	-	-	-	2	-	-	8	2	2	2	2	-	02
96	-	-	14	4	2	14	6	-	4	-	-	-	2	-	16	8	2	6	-	-	03
162	8	-	48	14	6	18	10	4	-	2	-	2	-	2	26	14	16	10	-	-	04
978	46	4	236	32	44	60	40	18	40	-	-	20	24	10	174	56	46	22	16	6	05
126	12	2	20	6	4	8	2	2	6	-	-	2	-	2	18	8	2	-	2	-	06
190	4	2	38	4	4	10	6	2	10	-	-	12	2	-	36	6	12	2	6	4	07
662	30	-	178	22	36	42	32	14	24	-	-	6	22	8	120	42	32	20	8	2	08
150	2	-	50	2	14	12	14	-	4	2	-	-	2	2	32	14	12	4	2	-	09
404	30	4	106	14	12	12	36	4	10	6	2	4	22	6	68	34	42	2	2	2	10
60	6	2	10	4	6	4	2	2	2	-	-	-	2	2	8	12	4	-	2	-	11
128	8	-	26	6	-	-	10	-	6	4	-	-	12	-	14	4	8	-	-	-	12
216	16	2	70	4	6	8	24	2	2	4	2	4	8	4	46	18	30	2	-	2	13
252	8	6	54	22	8	34	14	4	8	4	-	2	2	2	50	8	8	8	-	2	14
78	2	2	10	4	2	6	4	-	2	-	-	-	-	-	6	-	-	2	-	-	15
174	6	4	44	18	6	28	10	4	6	4	-	2	2	2	44	8	8	6	-	2	16
160	2	-	26	2	14	8	2	-	10	4	-	10	10	8	26	12	14	2	-	-	17
676	38	10	168	40	42	48	42	8	32	4	-	6	28	8	134	32	26	14	6	2	18
72	4	-	16	6	8	4	2	-	2	-	-	-	2	-	18	2	-	-	2	-	19
326	16	2	90	26	14	20	28	4	18	2	-	6	10	6	72	8	12	8	-	-	20
278	18	8	62	8	20	24	12	4	12	2	-	-	16	2	44	22	14	6	4	2	21
582	20	12	168	8	18	50	20	8	30	2	-	14	32	10	98	50	50	10	8	8	22
56	-	4	16	-	2	4	6	-	4	-	-	2	8	4	10	4	2	2	6	-	23
526	20	8	152	8	16	46	14	8	26	2	-	12	24	6	88	46	48	8	2	8	24
406	10	2	124	10	14	32	38	4	16	-	-	4	24	4	62	36	34	18	-	6	25
50	-	-	16	2	6	-	6	2	4	-	-	-	6	-	8	8	-	4	-	4	26
60	-	-	16	2	2	8	4	-	2	-	-	-	4	2	18	2	2	-	-	-	27
296	10	2	92	6	6	24	28	2	10	-	-	4	14	2	36	26	32	14	-	2	28
408	10	12	84	20	16	32	28	6	16	2	-	18	14	2	84	32	32	6	4	4	29
86	4	2	16	2	4	8	6	-	2	-	-	-	8	-	20	2	6	-	-	-	30
322	6	10	68	18	12	24	22	6	14	2	-	18	6	2	64	30	26	6	4	4	31
788	26	4	140	44	40	72	38	6	24	2	-	12	18	2	86	18	52	18	2	2	32
540	18	2	110	26	28	46	26	6	12	2	-	10	16	2	60	14	38	4	2	2	33
248	8	2	30	18	12	26	12	-	12	-	-	2	2	-	26	4	14	14	-	-	34
132	2	-	32	-	4	12	4	-	4	-	-	-	-	-	20	10	12	6	-	-	35
72	-	-	8	6	4	10	4	2	4	-	-	2	-	-	16	4	4	-	2	-	36
136	12	-	28	2	10	10	4	4	6	2	-	-	-	-	22	22	14	4	-	-	37
386	12	6	120	34	22	24	34	4	14	-	2	6	14	4	84	30	48	14	2	4	38
68	8	-	22	14	8	-	4	-	4	-	-	-	2	-	16	2	10	4	-	4	39
70	-	2	32	4	2	2	-	-	4	-	2	-	-	-	10	2	-	2	-	-	40
248	4	4	66	16	12	22	30	4	6	-	-	6	12	4	58	26	38	8	2	-	41
3,318	70	24	766	72	112	230	110	28	174	20	4	78	150	228	506	224	168	56	24	38	42
52	2	2	4	-	2	8	4	-	2	-	-	2	-	2	20	2	-	-	-	2	43
128	-	-	22	-	2	4	-	-	2	-	-	2	2	4	12	2	4	-	-	-	44
80	-	2	6	2	-	4	4	-	8	-	-	-	8	2	10	2	4	-	-	-	45
3,058	68	20	734	70	108	214	102	28	162	20	4	74	140	220	464	218	160	56	24	36	46
302	4	2	46	18	10	18	20	8	16	2	-	4	6	2	34	20	14	10	-	2	47
146	-	2	56	6	-	6	6	4	4	4	-	8	8	2	30	16	8	-	-	-	48
216	12	2	64	14	2	8	6	4	10	-	-	6	10	6	40	12	8	12	2	4	49
96	6	2	28	8	2	6	-	2	6	-	-	2	6	6	14	2	-	-	2	4	50
120	6	-	36	6	-	2	6	2	4	-	-	4	4	-	26	10	8	12	-	-	51
594	18	10	196	20	26	46	28	12	22	2	-	4	22	6	114	42	44	10	10	-	52
148	6	6	56	6	8	14	8	2	6	-	-	-	4	2	42	8	12	-	4	-	53
446	12	4	140	14	18	32	20	10	16	2	-	4	18	4	72	34	32	10	6	-	54
226	8	2	56	12	14	28	10	2	8	-	-	-	4	6	40	14	12	8	-	-	55
82	6	2	24	4	6	22	2	-	-	-	-	-	2	4	16	2	2	4	-	-	56
144	2	-	32	8	8	6	8	2	8	-	-	-	2	2	24	12	10	4	-	-	57
282	6	4	64	10	12	26	12	-	4	2	-	2	8	2	32	16	16	4	-	-	58
312	12	8	68	4	12	44	12	4	14	2	-	8	10	6	58	30	20	10	2	-	59
60	4	-	6	-	2	6	-	-	-	-	-	2	6	2	6	2	4	-	-	-	60
252	8	8	62	4	10	38	12	4	14	2	-	6	4	4	52	28	16	10	2	-	61
3,216	114	24	800	116	94	278	104	40	216	22	-	66	86	48	670	178	170	100	44	24	62
42	-	-	12	2	-	-	-	-	-	-	-	-	2	-	2	4	-	-	2	-	63
58	2	-	16	2	6	8	4	-	4	2	-	-	-	-	10	-	2	6	-	2	64
274	14	2	56	10	6	26	2	10	24	2	-	4	16	4	66	4	10	8	10	6	65
270	4	2	64	8	12	26	6	-	6	2	-	6	4	6	76	8	10	8	4	-	66
74	4	-	16	-	6	6	-	-	2	-	-	6	2	-	14	4	-	2	-	-	67
90	-	4	26	4	2	6	6	-	2	-	-	2	-	2	16	6	4	2	-	-	68
106	6	-	32	2	2	10	2	-	10	-	-	-	2	-	18	6	14	6	-	2	69
38	-	2	18	-	-	8	4	-	10	2	-	2	-	-	2	4	2	-	-	-	70
76	-	-	24	-	-	8	-	-	-	-	-	-	-	-	8	2	-	4	-	-	71
36	4	-	10	4	2	6	-	-	6	-	-	2	2	-	4	2	-	-	-	-	72
230	18	2	72	12	6	14	6	4	22	-	-	4	6	2	56	16	14	10	4	4	73
922	28	4	176	32	20	62	28	8	66	4	-	6	22	18	168	46	42	26	10	8	74
1,000	34	8	278	40	32	98	46	18	64	10	-	34	30	16	230	76	72	28	14	12	75
120	4	2	36	30	6	16	4	2	6	-	-	-	6	4	26	12	4	2	-	2	76
124	2	-	20	12	2	10	4	-	-	-	-	-	4	-	10	12	8	-	2	-	77
15,244	1,104	188	5,806	758	618	1,550	686	154	714	202	14	438	1,126	472	3,796	2,002	1,896	646	738	76	78
4,882	334	62	1,910	274	216	502	220	62	350	104	2	138	324	160	1,412	470	588	210	338	22	79
10,362	770	126	3,896	484	402	1,048	466	92	364	188	12	300	802	312	2,384	1,532	1,308	436	400	54	80

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NORTH CAROLINA--CON.																	
01	METROPOLITAN COUNTIES...	15,830	36	2	114	2,528	592	554	238	278	100	152	614	250	7,888	5,442	104	78
02	URBAN PLACES.....	9,672	26	2	72	1,542	348	328	158	194	58	94	362	156	4,816	3,296	64	56
03	BALANCE OF AREA.....	6,158	10	-	42	986	244	226	80	84	42	58	252	94	3,072	2,146	40	22
04	NONMETROPOLITAN COUNTIES	31,458	68	4	270	4,494	1,018	942	378	658	188	198	1,112	668	16,366	11,442	144	210
05	URBAN PLACES.....	5,900	22	4	46	802	152	168	74	112	54	22	220	112	3,070	2,128	46	42
06	BALANCE OF AREA.....	25,558	46	-	224	3,692	866	774	304	546	134	176	892	556	13,296	9,314	98	168
07	ALAMANCE.....	864	2	-	10	156	18	38	24	20	6	4	46	16	416	284	12	4
08	BURLINGTON.....	368	-	-	8	66	4	14	12	12	4	2	18	2	162	104	8	2
09	BALANCE OF COUNTY....	496	2	-	2	90	14	24	12	8	2	2	28	14	254	180	4	2
10	ALEXANDER.....	174	-	-	4	28	6	-	2	6	4	2	8	6	64	52	-	-
11	ALLEGHANY.....	98	-	-	2	10	-	-	-	6	2	-	2	2	56	36	-	-
12	ANSON.....	278	-	-	2	36	12	-	6	10	-	6	2	4	166	102	4	6
13	ASHE.....	172	-	-	-	20	6	2	4	2	2	2	2	4	96	70	4	2
14	AVERY.....	124	-	-	-	22	8	4	2	-	2	-	6	2	70	56	-	-
15	BEAUFORT.....	484	-	-	-	84	18	30	12	4	-	4	16	8	226	144	-	4
16	BERTIE.....	252	-	-	4	30	8	6	-	10	-	-	6	4	138	100	-	4
17	BLADEN.....	280	-	-	-	32	8	10	4	4	2	-	4	8	136	86	2	6
18	BRUNSWICK.....	236	2	-	-	40	12	8	2	8	-	4	6	-	120	86	2	-
19	BUNCOMBE.....	1,568	-	-	10	292	48	66	20	34	16	18	90	26	818	554	16	8
20	ASHEVILLE.....	870	-	-	6	158	28	36	8	20	8	10	48	14	460	292	12	6
21	BALANCE OF COUNTY....	698	-	-	4	134	20	30	12	14	8	8	42	12	358	262	4	2
22	BURKE.....	480	2	-	2	66	12	18	10	12	-	6	8	8	230	162	4	-
23	HICKORY, PART.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	MORGANTON.....	118	2	-	2	6	2	-	-	-	-	2	2	2	54	36	4	-
25	BALANCE OF COUNTY....	362	-	-	-	60	10	18	10	12	-	4	6	6	176	126	-	-
26	CABARRUS.....	670	2	-	2	108	32	22	-	16	8	4	26	16	348	254	2	2
27	CONCORD.....	218	2	-	-	36	4	10	-	6	4	2	10	6	112	84	2	-
28	BALANCE OF COUNTY....	452	-	-	2	72	28	12	-	10	4	2	16	10	236	170	-	2
29	CALDWELL.....	516	-	-	2	70	12	16	8	10	4	2	18	10	252	180	4	4
30	LENOIR.....	180	-	-	-	22	4	6	6	2	-	-	4	4	90	58	-	-
31	BALANCE OF COUNTY....	336	-	-	2	48	8	10	2	8	4	2	14	6	162	122	4	4
32	CAMDEN.....	68	-	-	-	16	4	2	-	2	4	-	4	6	36	32	-	-
33	CARTERET.....	342	-	-	8	60	12	16	4	4	-	4	20	4	190	148	-	2
34	CASWELL.....	174	-	-	-	26	2	6	-	6	-	8	4	-	106	72	-	-
35	CATAWBA.....	814	-	-	-	112	22	28	10	18	4	2	28	18	426	298	6	10
36	HICKORY, PART.....	278	-	-	-	38	12	6	2	4	2	-	12	2	126	96	4	4
37	HICKORY, TOTAL.....	278	-	-	-	38	12	6	2	4	2	-	12	2	126	96	4	4
38	BALANCE OF COUNTY....	536	-	-	-	74	10	22	8	14	2	2	16	16	300	202	2	6
39	CHATHAM.....	282	-	-	6	48	10	6	2	12	-	4	14	6	130	104	2	4
40	CHEROKEE.....	194	-	-	2	32	6	8	4	8	2	-	4	12	104	74	-	-
41	CHOWAN.....	120	2	-	-	10	4	2	-	-	-	-	4	-	62	38	2	2
42	CLAY.....	52	-	-	-	10	-	-	-	2	-	-	8	-	20	18	-	-
43	CLEVELAND.....	720	-	-	12	94	30	16	12	12	6	4	14	14	408	326	2	10
44	SHELBY.....	170	-	-	4	28	4	4	6	6	4	2	2	6	102	80	2	2
45	BALANCE OF COUNTY....	550	-	-	8	66	26	12	6	6	2	2	12	8	306	246	-	8
46	COLUMBUS.....	546	6	-	6	46	4	10	4	10	2	-	16	12	324	240	6	6
47	CRAVEN.....	444	2	-	-	50	10	18	2	4	2	-	14	8	224	128	4	-
48	NEW BERN.....	154	2	-	-	8	-	6	-	2	-	-	-	2	86	46	-	-
49	BALANCE OF COUNTY....	290	-	-	-	42	10	12	2	2	2	-	14	6	138	82	4	-
50	CUMBERLAND.....	1,284	-	-	8	196	46	54	16	8	10	8	54	10	558	372	4	8
51	FAYETTEVILLE.....	596	-	-	4	88	20	22	8	6	8	4	20	6	272	158	2	4
52	BALANCE OF COUNTY....	688	-	-	4	108	26	32	8	2	2	4	34	4	286	214	2	4
53	CURRITUCK.....	114	-	-	-	12	8	2	-	2	-	-	-	2	58	44	-	-
54	DARE.....	70	-	-	-	14	-	4	2	2	-	2	4	-	32	26	2	-
55	DAVIDSON.....	798	-	-	6	134	36	24	8	14	6	10	36	4	438	292	8	-
56	HIGH POINT, PART.....	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
57	LEXINGTON.....	174	-	-	4	22	2	4	-	2	2	2	10	-	96	72	2	-
58	THOMASVILLE.....	152	-	-	-	20	6	2	4	2	2	-	4	2	88	62	4	-
59	BALANCE OF COUNTY....	470	-	-	2	92	28	18	4	10	2	8	22	2	252	156	2	-
60	DAVIE.....	142	-	-	-	18	2	-	4	-	-	2	10	4	76	56	-	4
61	DUPLIN.....	386	-	-	2	62	22	14	4	8	2	2	10	8	186	126	-	-
62	DURHAM.....	1,214	4	-	14	218	46	44	24	24	8	14	58	30	592	400	4	4
63	CHAPEL HILL, PART....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	DURHAM.....	976	2	-	10	172	32	34	14	24	8	10	50	24	472	318	4	4
65	BALANCE OF COUNTY....	238	2	-	4	46	14	10	10	-	-	4	8	6	120	82	-	-
66	EDGECOMBE.....	538	-	-	4	82	18	12	10	12	4	2	24	16	258	156	2	2
67	ROCKY MOUNT, PART....	178	-	-	-	32	8	6	2	4	2	2	8	4	94	64	2	2
68	BALANCE OF COUNTY....	360	-	-	4	50	10	6	8	8	2	-	16	12	164	92	-	-
69	FORSYTH.....	1,958	4	-	8	276	76	46	28	32	10	16	68	22	1,074	750	16	4
70	WINSTON-SALEM.....	1,360	4	-	8	188	56	34	22	16	6	12	42	18	718	506	10	4
71	BALANCE OF COUNTY....	598	-	-	-	88	20	12	6	16	4	4	26	4	356	244	6	-
72	FRANKLIN.....	296	4	-	6	54	18	16	8	6	-	2	4	-	158	110	-	2
73	GASTON.....	1,292	2	2	4	182	30	48	12	32	12	4	44	28	660	482	2	8
74	GASTONIA.....	512	-	2	4	62	12	12	6	10	6	-	16	6	268	198	-	6
75	BALANCE OF COUNTY....	780	2	-	-	120	18	36	6	22	6	4	28	22	392	284	2	2
76	GATES.....	122	-	-	2	14	6	-	-	2	2	2	2	8	62	36	-	2
77	GRAHAM.....	64	-	-	-	8	2	2	-	-	-	-	4	2	26	16	-	-
78	GRANVILLE.....	346	-	-	-	38	10	4	2	8	-	2	12	8	164	130	-	2
79	GREENE.....	124	-	-	2	14	-	6	-	-	-	4	4	4	82	56	-	-
80	GUILFORD.....	2,468	2	2	20	380	88	90	34	48	16	24	80	24	1,254	874	14	14
81	GREENSBORO.....	1,242	-	2	10	196	46	46	16	30	4	16	38	14	606	408	6	12
82	HIGH POINT, PART.....	664	2	-	4	110	22	20	12	14	6	8	28	6	362	262	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
4,878	382	62	1,890	296	198	498	226	54	320	104	2	184	374	162	1,328	576	624	232	306	22	01
2,948	228	42	1,162	188	128	302	130	36	236	66	2	100	204	94	876	264	378	134	218	18	02
1,930	154	20	728	108	70	196	96	18	84	38	-	84	170	68	452	312	246	98	88	4	03
10,366	722	126	3,916	462	420	1,052	460	100	394	188	12	254	752	310	2,468	1,426	1,272	414	432	54	04
1,934	106	20	748	86	88	200	90	26	114	38	-	38	120	66	536	206	210	76	120	4	05
8,432	616	106	3,168	376	332	852	370	74	280	150	12	216	632	244	1,932	1,220	1,062	338	312	50	06
248	20	2	104	6	20	32	8	4	12	6	-	2	8	8	80	42	34	20	8	-	07
80	14	2	46	-	10	16	6	2	6	4	-	2	2	6	46	14	14	8	4	-	08
168	6	-	58	6	10	16	2	2	6	2	-	-	6	2	34	28	20	12	4	-	09
50	2	-	12	-	-	10	6	2	4	-	-	-	10	2	14	10	4	6	4	-	10
34	2	-	18	-	2	4	4	-	-	-	-	-	2	-	14	2	-	2	-	-	11
86	6	8	44	6	6	10	-	-	2	-	-	-	8	4	16	18	8	-	4	-	12
56	8	2	12	6	6	6	4	-	2	-	-	4	-	2	12	6	8	6	2	-	13
54	2	-	10	-	4	10	-	-	-	-	-	-	-	-	10	2	4	-	4	-	14
124	16	2	72	4	4	26	10	4	10	-	-	14	6	4	34	20	20	6	10	2	15
92	4	4	30	2	2	6	4	4	2	2	-	2	-	-	26	10	14	2	-	4	16
74	4	-	44	4	2	12	8	-	2	2	-	4	8	-	20	24	14	-	10	-	17
78	6	-	26	4	4	4	6	-	4	2	-	2	6	-	10	22	8	4	6	-	18
488	42	8	202	34	20	40	32	12	26	14	-	16	34	14	118	18	70	20	8	-	19
252	22	6	124	20	18	24	18	10	14	4	-	10	16	10	60	8	40	12	6	-	20
236	20	2	78	14	2	16	14	2	12	10	-	6	18	4	58	10	30	8	2	-	21
156	2	-	56	6	6	20	8	-	10	4	-	6	8	2	46	22	24	8	12	2	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
32	-	-	16	-	2	6	2	-	6	2	-	-	-	2	14	4	4	4	8	-	24
124	2	-	40	6	4	14	6	-	4	2	-	6	8	-	32	18	20	4	4	2	25
234	16	2	74	6	12	20	4	-	14	4	-	6	20	6	56	32	20	6	4	2	26
72	10	2	22	2	2	8	2	-	8	-	-	-	8	4	16	6	6	-	2	2	27
162	6	-	52	4	10	12	2	-	6	4	-	6	12	2	40	26	14	6	2	-	28
162	10	-	62	4	6	18	8	4	8	2	-	4	20	4	52	24	22	10	6	-	29
56	2	-	28	-	4	8	2	2	8	-	-	2	6	-	16	6	12	2	-	-	30
106	8	-	34	4	2	10	6	2	-	2	-	2	14	4	36	18	10	8	6	-	31
32	-	2	2	-	-	2	-	-	-	-	-	2	-	-	4	-	2	-	-	-	32
134	12	-	38	-	4	8	6	-	8	4	-	2	4	2	22	6	10	6	2	-	33
64	8	-	30	4	-	8	2	-	2	-	-	2	-	2	6	6	10	4	-	-	34
268	14	-	100	18	10	30	20	2	6	2	-	12	28	6	58	36	32	12	14	-	35
80	8	-	18	8	4	14	12	2	6	2	-	6	8	4	30	12	6	4	6	-	36
80	8	-	18	8	4	14	12	2	6	2	-	6	8	4	30	12	6	4	6	-	37
188	6	-	82	10	6	16	8	-	-	-	-	6	20	2	28	24	26	8	8	-	38
88	10	2	10	4	10	12	8	-	2	-	-	2	4	4	18	20	10	4	8	-	39
68	6	-	28	2	-	2	4	4	-	2	-	-	4	4	14	2	4	-	4	-	40
32	2	2	16	4	2	4	4	-	2	-	-	-	2	-	20	8	4	-	2	-	41
18	-	-	2	-	-	2	6	-	-	-	-	-	4	-	4	2	2	-	2	-	42
306	8	4	62	10	6	6	6	-	8	4	-	8	26	12	48	22	36	12	2	2	43
74	2	-	16	2	4	2	-	-	-	-	-	-	6	-	6	2	10	4	-	-	44
232	6	4	46	8	2	4	6	-	8	4	-	8	20	12	42	20	26	8	2	2	45
190	38	-	76	-	8	18	4	-	6	6	-	2	14	6	30	30	18	8	8	2	46
122	2	2	68	6	20	16	8	2	2	6	-	-	26	6	44	24	18	4	4	-	47
46	-	-	30	4	6	8	2	-	2	2	-	-	6	4	26	-	-	4	2	-	48
76	2	2	38	2	14	8	6	2	-	4	-	-	20	2	18	24	18	-	2	-	49
330	30	10	146	18	12	58	20	-	34	-	-	24	60	38	98	62	60	16	38	4	50
144	8	8	88	12	6	24	10	-	18	-	-	12	24	16	44	22	32	4	18	2	51
186	22	2	58	6	6	34	10	-	16	-	-	12	36	22	54	40	28	12	20	2	52
44	-	2	4	4	4	8	-	2	-	-	-	-	2	-	12	14	-	-	2	2	53
24	-	-	2	2	2	-	6	-	-	2	-	-	-	-	4	6	4	2	-	-	54
274	10	4	116	18	8	16	10	2	6	4	-	6	8	4	68	40	24	10	14	4	55
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
66	4	2	18	4	-	4	4	-	-	-	-	2	-	-	20	12	4	2	4	-	57
54	4	-	18	4	4	-	4	2	4	-	-	-	4	2	8	4	4	2	8	-	58
152	2	2	80	10	4	12	2	-	2	4	-	4	4	2	40	24	16	6	2	4	59
52	-	2	18	-	-	8	4	-	2	-	-	2	-	2	8	8	8	2	-	-	60
122	4	-	54	4	2	22	6	-	4	4	-	-	14	2	48	14	10	2	2	-	61
364	28	4	124	44	20	28	16	-	22	20	-	16	14	8	120	16	42	18	32	4	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
286	24	4	100	36	14	22	14	-	18	18	-	12	10	4	106	14	34	14	26	4	64
78	4	-	24	8	6	6	2	-	4	2	-	4	4	4	14	2	8	4	6	-	65
134	18	2	86	8	6	16	4	6	14	8	-	6	10	4	44	26	18	6	14	2	66
58	2	-	24	2	4	-	4	6	4	2	-	-	-	-	6	6	6	4	8	2	67
76	16	2	62	6	2	16	-	-	10	6	-	6	10	4	38	20	12	2	6	-	68
690	40	10	260	26	28	56	28	6	48	8	2	16	40	8	172	76	62	14	36	2	69
462	30	8	168	18	18	34	16	6	42	4	2	10	28	4	146	40	46	10	34	2	70
228	10	2	92	8	10	22	12	-	6	4	-	6	12	4	26	36	16	4	2	-	71
100	8	2	40	6	-	2	-	-	2	2	2	8	-	-	24	16	10	6	2	-	72
446	26	4	146	14	14	72	18	6	16	10	-	10	32	24	110	34	44	12	26	-	73
182	10	4	60	4	2	40	6	6	6	4	-	-	20	8	42	16	4	6	12	-	74
264	16	-	86	10	12	32	12	-	10	6	-	10	12	16	68	18	40	6	14	-	75
32	2	-	26	-	-	8	-	-	-	2	-	-	4	2	14	4	-	-	2	-	76
16	-	2	8	-	-	-	4	-	-	2	-	-	2	4	-	4	8	2	2	-	77
122	6	2	22	10	-	12	4	2	10	4	-	-	14	10	32	20	12	6	10	-	78
46	10	-	26	-	-	4	4	-	2	-	-	2	-	2	2	2	4	-	-	-	79
794	52	4	296	46	34	84	42	18	38	14	-	18	58	32	222	98	88	36	36	2	80
372	18	2	152	28	16	50	18	10	26	10	-	6	30	20	112	44	48	14	24	2	81
240	22	-	78	12	10	24	8	4	4	2	-	6	18	2	56	22	16	10	8	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NORTH CAROLINA--CON.																	
	GUILFORD--CON.																	
01	HIGH POINT, TOTAL	668	2	-	4	110	22	20	12	14	6	8	28	6	364	264	-	-
02	BALANCE OF COUNTY	562	-	-	6	74	20	24	6	4	6	-	14	4	286	204	8	2
03	HALIFAX	566	2	2	2	60	12	16	6	4	2	2	18	10	284	196	-	6
04	ROANOKE RAPIDS	138	-	2	-	8	2	2	4	-	-	-	-	2	58	34	-	-
05	BALANCE OF COUNTY	428	2	-	2	52	10	14	2	4	2	2	18	8	226	162	-	6
06	HARNETT	516	2	-	6	54	14	12	6	6	-	4	12	22	278	210	4	-
07	HAYWOOD	390	-	-	2	58	12	12	6	8	4	2	14	2	190	126	2	2
08	HENDERSON	444	-	-	-	80	18	18	12	16	2	2	12	6	234	166	2	2
09	HERTFORD	228	-	-	-	44	18	8	-	6	-	4	8	2	118	94	-	-
10	HOKE	132	-	-	4	10	4	2	-	-	-	-	4	-	76	52	2	-
11	HYDE	74	-	-	-	12	2	-	2	-	2	-	6	-	36	24	-	-
12	IREDELL	736	4	-	6	82	20	18	2	8	8	-	26	22	408	310	-	8
13	STATESVILLE	244	2	-	2	32	8	6	2	2	4	-	10	10	126	88	-	-
14	BALANCE OF COUNTY	492	2	-	4	50	12	12	-	6	4	-	16	12	282	222	-	8
15	JACKSON	184	-	-	4	22	4	8	2	6	-	2	-	8	110	76	-	-
16	JOHNSTON	716	4	-	2	108	28	14	6	14	8	4	34	22	374	286	2	4
17	JONES	96	-	-	-	10	2	-	-	2	-	2	4	-	44	26	-	-
18	LEE	338	2	-	2	50	12	10	2	10	-	2	14	6	168	132	2	-
19	SANFORD	172	-	-	-	28	10	6	-	8	-	-	4	4	80	68	2	-
20	BALANCE OF COUNTY	166	2	-	2	22	2	4	2	2	-	2	10	2	88	64	-	-
21	LENOIR	560	-	-	2	80	14	30	6	6	-	4	20	6	300	184	-	2
22	KINSTON	282	-	-	-	40	6	18	4	2	-	-	10	2	142	88	-	2
23	BALANCE OF COUNTY	278	-	-	2	40	8	12	2	4	-	4	10	4	158	96	-	-
24	LINCOLN	298	2	-	-	42	10	18	6	-	-	-	8	-	182	134	-	-
25	MC DOWELL	296	-	-	6	40	8	16	2	4	-	4	6	12	144	94	-	-
26	MACON	166	-	-	2	28	10	8	4	4	-	-	2	2	84	74	-	10
27	MADISON	178	-	-	6	26	2	4	-	4	2	2	12	2	94	66	2	-
28	MARTIN	278	2	-	6	34	10	4	4	4	2	-	10	12	130	94	2	8
29	MECKLENBURG	2,788	14	-	26	450	112	98	60	62	8	24	86	52	1,354	978	20	10
30	CHARLOTTE	2,050	12	-	18	324	80	72	44	50	6	14	58	38	978	702	16	8
31	BALANCE OF COUNTY	738	2	-	8	126	32	26	16	12	2	10	28	14	376	276	4	2
32	MITCHELL	148	-	-	-	18	-	2	2	6	2	2	4	2	82	46	-	2
33	MONTGOMERY	238	-	-	-	26	8	2	-	4	-	2	10	6	136	98	-	-
34	MOORE	456	-	-	12	72	14	20	2	10	-	6	20	8	262	168	2	4
35	NASH	664	8	-	4	86	32	16	-	10	6	4	18	8	364	248	4	6
36	ROCKY MOUNT, PART	208	2	-	-	24	12	4	-	2	-	2	4	2	122	88	2	2
37	ROCKY MOUNT, TOTAL	386	2	-	-	56	20	10	2	6	2	4	12	6	216	152	4	4
38	BALANCE OF COUNTY	456	6	-	4	62	20	12	-	8	6	2	14	6	242	160	2	4
39	NEW HANOVER	842	2	-	4	148	30	32	4	22	2	14	44	30	436	294	2	12
40	WILMINGTON	536	2	-	4	92	16	18	-	18	2	8	30	16	282	188	2	10
41	BALANCE OF COUNTY	306	-	-	-	56	14	14	4	4	-	6	14	14	154	106	-	2
42	NORTHAMPTON	306	2	-	10	44	10	12	8	4	-	-	10	10	144	104	-	-
43	ONSLOW	454	-	-	12	56	12	16	10	-	-	4	14	4	168	128	2	-
44	JACKSONVILLE	116	-	-	6	8	-	2	4	-	-	-	2	4	56	44	2	-
45	BALANCE OF COUNTY	338	-	-	6	48	12	14	6	-	-	4	12	-	112	84	-	-
46	ORANGE	386	-	-	2	38	18	6	-	2	2	-	10	4	182	118	2	2
47	CHAPEL HILL, PART	116	-	-	2	16	10	2	-	-	-	-	4	2	52	28	-	2
48	CHAPEL HILL, TOTAL	116	-	-	2	16	10	2	-	-	-	-	4	2	52	28	-	2
49	BALANCE OF COUNTY	270	-	-	-	22	8	4	-	2	2	-	6	2	130	90	2	-
50	PAMLICO	80	-	-	-	22	4	8	2	-	-	2	6	4	40	18	-	-
51	PASQUOTANK	256	2	-	6	44	8	6	4	10	4	4	8	6	136	100	-	6
52	ELIZABETH CITY	170	2	-	4	28	8	2	2	6	2	2	6	4	94	70	-	4
53	BALANCE OF COUNTY	86	-	-	2	16	-	4	2	4	2	2	2	2	42	30	-	2
54	PENDER	222	-	-	-	20	4	6	2	2	-	2	4	4	122	68	-	2
55	PERQUIMANS	94	-	-	-	10	2	-	2	2	-	-	4	6	58	30	-	-
56	PERSON	270	-	-	2	40	12	10	-	8	2	-	8	2	140	110	-	2
57	PITT	700	2	-	2	102	14	24	4	16	8	4	32	14	382	268	2	6
58	GREENVILLE	230	2	-	2	36	2	12	-	6	2	4	10	2	130	96	-	2
59	BALANCE OF COUNTY	470	-	-	-	66	12	12	4	10	6	-	22	12	252	172	2	4
60	POLK	172	-	-	-	26	8	2	-	6	2	-	8	2	90	70	-	-
61	RANDOLPH	706	2	-	4	80	28	12	8	4	6	4	18	14	392	250	8	6
62	ASHEBORO	158	-	-	-	16	6	2	2	-	4	-	2	2	96	60	2	-
63	HIGH POINT, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	BALANCE OF COUNTY	546	2	-	4	64	22	10	6	4	2	4	16	12	296	190	6	6
65	RICHMOND	508	-	-	8	76	24	12	6	6	2	4	22	12	260	186	-	4
66	ROBESON	892	-	-	16	104	16	24	6	22	6	2	28	22	456	286	2	2
67	LUMBERTON	206	-	-	2	26	2	4	-	4	4	-	12	8	102	62	2	-
68	BALANCE OF COUNTY	686	-	-	14	78	14	20	6	18	2	2	16	14	354	224	-	2
69	ROCKINGHAM	816	-	-	8	138	28	40	14	12	10	4	30	14	424	322	4	4
70	EDEN	204	-	-	-	34	4	8	2	-	6	-	14	2	118	84	-	-
71	REIDSVILLE	178	-	-	-	18	6	6	2	4	-	-	-	-	100	78	-	-
72	BALANCE OF COUNTY	434	-	-	8	86	18	26	10	8	4	4	16	12	206	160	4	4
73	ROWAN	962	2	-	-	140	28	32	10	16	8	8	38	42	526	338	4	4
74	SALISBURY	278	-	-	-	42	6	4	4	2	2	-	24	14	152	88	-	4
75	BALANCE OF COUNTY	684	2	-	-	98	22	28	6	14	6	8	14	28	374	250	4	-
76	RUTHERFORD	488	-	-	4	82	22	12	6	20	4	-	18	8	274	202	4	2
77	SAMPSON	502	-	-	-	62	-	18	10	12	6	2	14	4	280	198	4	2
78	SCOTLAND	280	-	-	-	54	18	6	6	10	2	-	12	8	128	78	-	2
79	STANLY	432	-	-	8	74	18	10	12	12	-	-	22	12	208	156	2	-
80	ALBEMARLE	126	-	-	2	22	4	4	2	4	-	-	8	6	64	50	-	-
81	BALANCE OF COUNTY	306	-	-	6	52	14	6	10	8	-	-	14	6	144	106	2	-
82	STOKES	228	-	-	2	40	14	4	2	6	-	4	10	8	102	72	2	4

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
242	22	-	78	12	10	26	8	4	4	2	-	6	18	2	56	22	16	10	8	-	01
182	12	2	66	6	8	10	16	4	8	2	-	6	10	10	54	32	24	12	4	-	02
180	10	2	68	12	6	20	10	-	12	2	-	10	26	2	44	32	32	6	10	-	03
34	-	-	18	2	4	8	6	-	4	-	-	6	6	-	18	8	8	-	4	-	04
146	10	2	50	10	2	12	4	-	8	2	-	4	20	2	26	24	24	6	6	-	05
106	20	4	50	12	2	10	2	-	12	-	-	-	18	-	42	32	16	16	4	2	06
118	4	2	54	4	4	20	10	-	4	2	-	-	14	6	54	6	14	6	-	2	07
156	6	-	54	6	8	26	6	-	10	2	-	4	12	2	28	12	18	4	-	-	08
78	16	-	18	-	6	4	4	2	6	-	-	2	10	2	16	6	10	-	2	-	09
46	4	-	20	2	2	6	-	-	4	-	-	2	2	6	2	10	8	-	2	-	10
20	4	-	10	-	2	6	2	-	-	-	-	-	6	-	4	2	6	-	-	-	11
288	14	-	84	10	4	24	6	4	4	2	-	8	20	4	54	24	40	10	14	-	12
84	4	-	34	2	2	8	2	-	4	-	-	2	4	2	18	6	16	4	6	-	13
204	10	-	50	8	2	16	4	4	-	2	-	6	16	2	36	18	24	6	8	-	14
76	-	-	18	6	10	6	4	-	-	2	-	-	2	-	8	4	6	4	4	-	15
258	22	2	62	18	6	14	14	-	14	2	-	12	12	4	50	36	30	12	4	2	16
24	2	-	18	-	-	4	4	-	-	-	-	2	4	2	10	4	10	2	-	-	17
126	4	-	28	4	4	4	10	-	4	4	-	4	10	-	30	16	10	14	2	2	18
66	-	-	10	2	-	2	6	-	4	2	-	-	-	-	16	14	4	10	2	-	19
60	4	-	18	2	4	2	4	-	-	2	-	4	10	-	14	2	6	4	-	2	20
178	4	4	82	10	20	22	-	-	16	10	-	4	12	4	38	20	30	4	12	-	21
86	-	4	34	4	12	10	-	-	8	4	-	2	6	4	28	10	18	-	8	-	22
92	4	-	48	6	8	12	-	-	8	6	-	2	6	-	10	10	12	4	4	-	23
118	16	-	36	8	4	2	2	-	-	2	-	4	10	-	26	12	8	2	4	-	24
90	4	2	38	4	6	10	6	4	2	-	-	4	2	4	34	12	6	6	2	2	25
64	-	-	6	2	2	8	2	-	2	-	-	-	-	-	24	6	6	-	2	-	26
64	-	-	24	2	2	6	4	-	-	-	-	-	4	2	18	6	6	4	-	-	27
62	22	-	28	2	6	22	-	-	-	-	-	-	12	10	26	10	12	-	2	-	28
868	80	4	284	44	44	102	36	6	70	22	-	34	48	26	212	98	120	50	66	2	29
618	60	2	218	26	30	68	24	4	64	16	-	24	38	20	162	66	98	36	58	2	30
250	20	2	66	18	14	34	12	2	6	6	-	10	10	6	50	32	22	14	8	-	31
34	10	6	26	2	2	8	4	-	2	-	-	2	8	4	12	-	6	-	-	-	32
98	-	2	30	2	4	10	6	-	-	-	2	-	6	-	20	8	14	4	-	-	33
154	8	2	76	12	4	14	4	-	10	2	-	2	10	6	18	14	10	8	4	-	34
230	8	-	102	8	6	22	6	-	-	2	-	8	4	10	54	36	36	8	6	2	35
82	2	-	32	2	-	2	4	-	-	-	-	-	-	6	26	6	14	-	-	-	36
140	4	-	56	4	4	2	8	6	4	2	-	-	-	6	32	12	20	4	8	2	37
148	6	-	70	6	6	20	2	-	-	2	-	8	4	4	28	30	22	8	6	2	38
262	18	4	106	22	10	18	2	2	12	6	-	8	20	8	60	20	26	20	20	-	39
162	14	4	66	20	4	14	-	2	10	6	-	2	12	8	40	10	16	10	10	-	40
100	4	-	40	2	6	4	2	-	2	-	-	6	8	-	20	10	10	10	10	-	41
92	12	-	34	4	2	6	2	2	6	-	2	4	10	8	24	18	8	-	6	-	42
116	10	-	28	4	8	18	2	4	6	-	-	2	34	8	42	48	24	14	8	4	43
42	-	-	6	2	4	-	-	-	-	-	-	2	8	2	18	2	4	4	2	-	44
74	10	-	22	2	4	18	2	4	6	-	-	-	26	6	24	46	20	10	6	4	45
104	10	-	54	6	4	22	6	-	8	2	-	2	14	2	40	22	18	8	14	2	46
22	4	-	24	-	-	4	-	-	4	-	-	-	2	-	18	4	2	4	4	2	47
22	4	-	24	-	-	4	-	-	4	-	-	-	2	-	18	4	2	4	4	2	48
82	6	-	30	6	4	18	6	-	4	2	-	2	12	2	22	18	16	4	10	-	49
16	2	-	18	-	4	4	4	-	-	-	-	-	-	-	2	-	4	-	-	-	50
94	-	-	34	-	2	4	2	-	4	2	-	2	2	6	14	10	10	2	2	2	51
66	-	-	22	-	2	2	-	-	4	2	-	-	2	4	10	6	6	-	2	-	52
28	-	-	12	-	-	2	2	-	-	-	-	2	-	2	4	4	4	2	-	2	53
60	6	-	44	6	4	10	2	-	2	6	-	2	2	-	12	18	14	-	6	2	54
30	-	-	28	-	-	4	-	-	-	2	-	-	-	2	8	-	2	-	-	2	55
102	6	-	26	4	-	4	12	-	-	2	-	4	10	4	18	16	8	4	2	2	56
234	26	2	92	14	6	24	18	4	2	2	-	4	8	8	56	36	16	12	8	-	57
86	8	-	26	8	-	4	4	-	2	2	-	2	4	4	22	4	2	4	4	-	58
148	18	2	66	6	6	20	14	4	-	-	-	2	4	4	34	32	14	8	4	-	59
66	4	-	10	6	4	2	2	4	6	2	-	-	2	2	24	6	2	2	-	-	60
230	6	4	120	12	6	28	4	-	10	2	-	10	14	-	58	42	30	10	6	-	61
58	-	2	24	6	4	8	-	-	4	-	-	2	-	-	14	6	8	2	-	-	62
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
172	6	2	96	6	2	18	4	-	6	2	-	8	14	-	44	36	22	8	6	-	64
100	2	2	62	-	10	10	2	2	8	10	2	2	12	2	36	28	22	4	10	2	65
270	12	2	128	32	8	22	4	-	10	2	2	4	22	12	52	72	48	14	30	-	66
60	-	-	26	10	4	8	-	-	4	-	-	2	4	4	14	10	12	6	4	-	67
210	12	2	102	22	4	14	4	-	6	2	2	2	18	8	38	62	36	8	26	-	68
300	14	6	74	12	10	30	10	2	12	4	-	2	12	4	50	34	38	14	20	-	69
82	2	-	28	2	4	10	2	-	4	4	-	-	-	-	18	2	4	-	6	-	70
72	6	2	14	6	-	10	4	2	2	-	-	-	2	2	10	12	10	-	6	-	71
146	6	4	32	4	6	10	4	-	6	-	-	2	10	2	22	20	24	14	8	-	72
314	16	6	156	10	16	18	18	6	16	8	-	8	16	12	74	28	34	10	4	-	73
78	6	-	58	2	4	6	2	4	4	2	-	2	6	4	16	12	6	4	2	-	74
236	10	6	98	8	12	12	16	2	12	6	-	6	10	8	58	16	28	6	2	-	75
184	12	2	56	6	8	18	2	4	6	-	2	4	10	-	28	14	18	8	6	-	76
176	16	4	56	18	4	10	12	2	-	12	-	8	12	4	32	28	16	10	8	2	77
74	2	2	20	12	16	26	2	-	2	2	-	2	8	4	22	14	4	-	4	-	78
144	10	-	44	-	8	6	6	6	12	2	-	4	8	-	32	18	24	4	8	-	79
48	2	-	10	-	4	-	2	-	4	-	-	2	-	-	8	4	8	-	4	-	80
96	8	-	34	-	4	6	4	6	8	2	-	2	8	-	24	14	16	4	4	-	81
66	-	2	24	2	2	16	-	-	2	-	-	-	4	-	22	10	12	6	4	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NORTH CAROLINA—CON.																	
01	SURRY	524	-	-	8	84	18	12	8	18	2	2	24	12	266	190	4	2
02	SWAIN	106	-	-	-	10	2	-	-	2	-	-	6	4	54	34	-	-
03	TRANSYLVANIA	170	-	-	-	34	4	10	4	-	-	-	16	2	74	38	-	-
04	TYRRELL	74	-	-	6	14	4	4	-	2	2	-	2	2	34	16	-	-
05	UNION	496	-	-	2	94	14	22	8	10	8	6	26	6	234	148	2	6
06	MONROE	140	-	-	-	26	-	8	4	6	-	2	6	6	60	42	2	4
07	BALANCE OF COUNTY	356	-	-	2	68	14	14	4	4	8	4	20	-	174	106	-	2
08	VANCE	370	-	-	4	38	14	8	4	4	2	-	6	12	194	118	-	6
09	HENDERSON	184	-	-	-	26	6	6	4	4	-	-	6	8	88	56	-	4
10	BALANCE OF COUNTY	186	-	-	4	12	8	2	-	-	2	-	-	4	106	62	-	2
11	WAKE	1,700	6	-	16	274	64	74	30	20	10	18	58	22	774	556	12	2
12	RALEIGH	962	4	-	6	156	32	34	28	10	6	10	36	10	458	332	8	2
13	BALANCE OF COUNTY	738	2	-	10	118	32	40	2	10	4	8	22	12	316	224	4	-
14	WARREN	186	-	-	2	32	10	2	2	10	2	-	6	4	80	64	-	-
15	WASHINGTON	144	-	-	-	20	8	4	2	2	-	2	2	2	84	72	-	4
16	WATAUGA	206	-	-	2	44	18	4	-	2	2	8	10	4	100	72	4	-
17	WAYNE	740	8	-	6	96	14	12	10	28	6	8	18	10	390	280	6	12
18	GOLDSBORO	308	6	-	4	44	8	8	2	10	4	2	10	4	162	114	2	2
19	BALANCE OF COUNTY	432	2	-	2	52	6	4	8	18	2	6	8	6	228	166	4	10
20	WILKES	424	-	-	-	46	4	4	4	16	-	2	16	8	254	176	-	-
21	WILSON	610	4	-	6	86	24	12	8	12	4	4	22	16	314	190	12	6
22	WILSON	352	2	-	2	46	10	6	4	8	4	-	14	4	196	118	8	6
23	BALANCE OF COUNTY	258	2	-	4	40	14	6	4	4	-	4	8	12	118	72	4	-
24	YADKIN	184	-	-	-	42	10	2	4	4	4	2	16	10	100	62	2	2
25	YANCEY	100	-	-	4	16	6	-	2	2	-	-	6	-	58	20	-	-
26	**NORTH DAKOTA**	5,616	2	-	30	886	260	136	80	114	70	46	180	92	3,082	2,152	48	34
27	URBAN PLACES	1,614	-	-	6	252	64	42	22	32	28	14	50	24	874	580	30	4
28	BALANCE OF AREA	4,002	2	-	24	634	196	94	58	82	42	32	130	68	2,208	1,572	18	30
29	METROPOLITAN COUNTIES	638	-	-	2	128	30	24	12	12	14	8	28	6	328	222	12	-
30	URBAN PLACES	446	-	-	-	88	22	16	10	8	10	4	18	4	234	154	12	-
31	BALANCE OF AREA	192	-	-	2	40	8	8	2	4	4	4	10	2	94	68	-	-
32	NONMETROPOLITAN COUNTIES	4,978	2	-	28	758	230	112	68	102	56	38	152	86	2,754	1,930	36	34
33	URBAN PLACES	1,168	-	-	6	164	42	26	12	24	18	10	32	20	640	426	18	4
34	BALANCE OF AREA	3,810	2	-	22	594	188	86	56	78	38	28	120	66	2,114	1,504	18	30
35	ADAMS	42	-	-	-	6	-	-	-	2	-	-	4	-	24	18	-	-
36	BARNES	158	-	-	-	20	6	-	-	2	2	-	10	4	92	72	-	2
37	BENSON	120	-	-	-	22	6	-	4	8	2	-	2	4	66	52	-	4
38	BILLINGS	16	-	-	-	-	-	-	-	-	-	-	-	-	10	6	-	-
39	BOTTINEAU	106	-	-	-	22	6	2	-	6	-	2	6	-	64	54	2	2
40	BOWMAN	56	-	-	-	4	-	-	4	-	-	-	-	2	30	18	-	-
41	BURKE	52	-	-	2	14	8	-	-	2	-	-	4	-	26	14	-	-
42	BURLEIGH	244	-	-	-	38	8	12	4	2	4	2	6	4	124	74	2	-
43	BISMARCK	200	-	-	-	30	6	10	2	2	4	2	4	4	98	52	2	-
44	BALANCE OF COUNTY	44	-	-	-	8	2	2	2	-	-	-	2	-	26	22	-	-
45	CASS	638	-	-	2	128	30	24	12	12	14	8	28	6	328	222	12	-
46	FARGO	446	-	-	-	88	22	16	10	8	10	4	18	4	234	154	12	-
47	BALANCE OF COUNTY	192	-	-	2	40	8	8	2	4	4	4	10	2	94	68	-	-
48	CAVALIER	108	-	-	-	22	8	8	-	2	2	-	2	-	48	34	2	-
49	DICKEY	84	-	-	4	12	4	4	2	-	-	-	2	2	46	38	-	-
50	DIVIDE	46	-	-	-	12	-	-	-	10	-	-	2	-	18	10	-	-
51	DUNN	34	-	-	-	4	-	2	-	-	-	-	2	-	16	10	-	-
52	EDDY	36	-	-	-	10	2	-	-	2	2	2	2	-	20	14	-	-
53	EMMONS	66	-	-	2	14	8	-	2	2	-	-	2	-	30	20	-	-
54	FOSTER	46	-	-	-	4	-	-	-	-	4	-	-	4	32	28	-	-
55	GOLDEN VALLEY	36	-	-	-	2	2	-	-	-	-	-	-	-	26	26	-	2
56	GRAND FORKS	396	-	-	-	50	10	10	2	4	12	2	10	4	222	170	6	10
57	GRAND FORKS	254	-	-	-	36	8	4	2	4	8	2	8	2	138	98	6	-
58	BALANCE OF COUNTY	142	-	-	-	14	2	6	-	-	4	-	2	2	84	72	-	10
59	GRANT	34	-	-	-	12	2	4	-	2	-	-	4	2	20	12	-	-
60	GRIGGS	42	-	-	-	6	2	2	-	-	-	-	2	-	18	6	-	-
61	HETTINGER	26	-	-	-	4	2	-	-	2	-	-	-	-	14	12	-	-
62	KIDDER	36	-	-	-	2	-	-	-	2	-	-	-	2	24	14	-	-
63	LA MOURE	92	-	-	-	12	4	2	-	-	2	4	-	-	64	56	-	-
64	LOGAN	38	-	-	-	4	2	-	-	-	-	-	2	-	30	24	-	-
65	MC HENRY	84	-	-	-	10	2	2	-	-	-	4	2	-	50	44	-	-
66	MC INTOSH	60	-	-	-	12	2	4	2	-	2	2	-	-	40	34	-	-
67	MC KENZIE	64	-	-	-	8	2	2	2	-	-	-	2	2	36	22	-	-
68	MC LEAN	138	-	-	-	24	16	2	2	2	2	-	-	-	76	48	2	-
69	MERCER	48	-	-	-	14	4	2	6	-	-	-	2	-	24	20	-	-
70	MORTON	192	-	-	-	22	8	4	-	4	-	2	4	2	116	80	4	-
71	MANDAN	106	-	-	-	8	2	2	-	2	-	-	2	2	62	48	4	-
72	BALANCE OF COUNTY	86	-	-	-	14	6	2	-	2	-	2	2	-	54	32	-	-
73	MOUNTRAIL	82	-	-	2	6	2	4	-	-	-	-	-	2	40	26	-	-
74	NELSON	112	-	-	-	10	4	2	-	-	-	-	4	-	72	54	2	-
75	OLIVER	20	-	-	-	-	-	-	-	-	-	-	-	-	8	2	-	-
76	PEMBINA	136	-	-	-	20	10	2	4	-	2	-	2	2	74	28	2	-
77	PIERCE	64	-	-	-	8	2	-	-	4	-	-	2	4	40	32	-	2
78	RAMSEY	144	-	-	2	32	10	6	2	6	2	2	4	-	76	54	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
172	12	2	64	4	6	20	6	4	2	2	-	6	4	8	44	22	26	4	4	2	01
32	2	-	16	4	-	6	4	-	-	-	-	-	4	2	8	-	8	2	4	-	02
36	2	-	26	8	2	12	6	2	2	-	-	-	6	-	16	2	8	6	-	-	03
16	-	-	18	-	-	4	-	-	-	-	-	2	-	4	6	-	2	-	-	-	04
114	26	-	64	22	-	16	8	-	4	-	-	6	22	10	42	20	20	8	4	-	05
30	6	-	18	-	-	6	2	-	2	-	-	-	6	4	18	2	4	2	2	-	06
84	20	-	46	22	-	10	6	-	2	-	-	6	16	6	24	18	16	6	2	-	07
106	6	6	70	-	-	8	6	-	10	2	-	4	16	-	44	16	12	2	2	-	08
50	2	2	30	-	-	4	4	-	6	-	-	4	4	-	26	10	4	-	-	-	09
56	4	4	40	-	-	4	2	-	4	2	-	-	12	-	18	6	8	2	2	-	10
500	42	10	178	18	12	40	26	8	44	14	-	30	44	14	168	76	72	26	40	6	11
302	20	4	102	10	8	22	20	-	30	6	-	16	20	6	100	26	34	16	28	4	12
198	22	4	76	8	4	18	6	8	14	8	-	14	24	8	68	50	38	10	12	2	13
58	6	-	14	-	2	6	4	-	4	-	-	-	2	-	18	14	12	4	2	-	14
62	6	-	10	2	-	4	-	2	-	-	-	-	6	2	12	4	6	2	-	-	15
66	2	4	16	2	6	4	2	2	2	-	-	6	-	2	14	10	8	2	4	-	16
246	16	-	96	10	4	16	18	-	8	2	-	4	32	8	52	34	30	6	18	2	17
96	14	-	40	8	-	12	6	-	4	-	-	2	12	2	22	8	10	-	10	-	18
150	2	-	56	2	4	4	12	-	4	2	-	2	20	6	30	26	20	6	8	2	19
124	52	2	72	2	2	6	4	-	2	2	-	6	8	8	18	30	26	2	4	-	20
160	12	6	96	14	8	14	12	-	10	10	-	-	6	2	60	28	28	4	10	-	21
100	4	2	64	6	6	8	4	-	10	6	-	-	2	2	36	10	14	4	6	-	22
60	8	4	32	8	2	6	8	-	-	4	-	-	4	-	24	18	14	-	4	-	23
56	2	4	30	-	4	2	-	2	-	-	-	2	-	2	8	6	8	2	-	-	24
18	2	-	34	2	2	2	-	-	-	-	-	-	4	2	2	2	8	2	-	-	25
1,942	128	20	722	102	86	278	86	22	52	30	-	20	94	34	404	190	240	60	6	8	26
508	38	4	210	42	38	72	28	6	16	12	-	8	24	10	118	46	84	30	4	-	27
1,434	90	16	512	60	48	206	58	16	36	18	-	12	70	24	286	144	156	30	2	8	28
194	16	-	86	12	8	20	6	-	6	8	-	4	8	10	52	20	26	12	2	-	29
128	14	-	64	8	8	12	4	-	4	6	-	2	8	6	34	14	20	8	2	-	30
66	2	-	22	4	-	8	2	-	2	2	-	2	-	4	18	6	6	4	-	-	31
1,748	112	20	636	90	78	258	80	22	46	22	-	16	86	24	352	170	214	48	4	8	32
300	24	4	146	34	30	60	24	6	12	6	-	6	16	4	84	32	64	22	2	-	33
1,368	88	16	490	56	48	198	56	16	34	16	-	10	70	20	268	138	150	26	2	8	34
18	-	-	6	-	-	4	2	-	-	-	-	-	-	-	2	-	4	-	-	-	35
64	6	-	12	4	4	10	8	2	2	2	-	2	2	-	2	2	6	4	-	-	36
46	2	-	12	2	-	6	-	-	2	-	-	-	-	-	8	4	6	2	-	-	37
2	4	-	4	-	-	2	2	-	-	-	-	-	2	-	-	-	-	-	-	-	38
50	-	-	10	-	-	2	-	-	-	-	-	-	-	-	10	4	4	-	-	-	39
18	-	-	10	2	-	2	-	-	-	-	-	-	-	-	12	4	2	-	-	-	40
14	-	-	10	2	-	2	-	-	-	-	-	-	2	-	4	2	-	-	-	-	41
70	2	-	34	8	8	16	2	-	-	2	-	-	-	-	28	8	16	6	-	-	42
48	2	-	30	8	8	14	2	-	-	2	-	-	-	-	24	6	14	6	-	-	43
22	-	-	4	-	-	2	-	-	-	-	-	-	-	-	4	2	2	-	-	-	44
194	16	-	86	12	8	20	6	-	6	8	-	4	8	10	52	20	26	12	2	-	45
128	14	-	64	8	8	12	4	-	4	6	-	2	8	6	34	14	20	8	2	-	46
66	2	-	22	4	-	8	2	-	2	2	-	2	-	4	18	6	6	4	-	-	47
30	2	-	14	-	-	12	-	-	2	-	-	-	6	-	6	8	4	-	-	-	48
38	-	-	8	-	-	4	-	-	-	-	-	-	-	-	8	-	8	-	-	-	49
10	-	-	8	-	-	2	2	-	-	-	-	-	-	-	4	2	6	-	-	-	50
10	-	2	4	-	-	4	-	2	-	-	-	-	-	2	-	-	6	-	-	-	51
10	4	-	6	-	-	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	52
18	2	-	6	2	2	-	-	-	-	-	-	-	-	-	10	4	2	4	-	-	53
28	-	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	54
22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	-	-	-	55
152	2	-	46	6	-	18	6	-	8	-	-	-	12	2	44	2	24	4	-	-	56
92	-	-	34	6	-	14	4	-	6	-	-	-	8	-	20	2	20	4	-	-	57
60	2	-	12	-	-	4	2	-	2	-	-	-	4	2	24	-	4	-	-	-	58
12	-	-	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
4	2	-	8	2	2	6	2	2	2	-	-	-	2	-	4	-	-	-	-	-	60
12	-	-	2	-	-	2	-	-	-	-	-	-	2	-	4	-	-	-	-	-	61
12	2	-	10	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	62
54	2	-	8	-	-	6	2	-	-	-	-	-	-	4	-	4	-	-	-	-	63
22	2	-	4	-	2	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	64
42	2	-	4	2	-	2	2	-	2	-	-	2	2	-	10	-	4	-	-	-	65
32	2	-	4	-	2	2	2	-	-	-	-	-	2	-	2	-	-	-	-	-	66
20	2	2	10	2	-	-	2	-	2	-	-	-	-	-	4	4	6	-	-	-	67
46	-	-	28	-	-	8	-	-	2	2	-	-	4	-	16	2	4	-	-	-	68
20	-	-	4	-	-	4	-	2	-	-	-	-	2	-	-	2	-	-	-	-	69
72	4	4	30	-	2	8	2	2	-	-	-	-	2	-	16	8	8	4	2	-	70
40	4	2	10	-	2	8	2	2	-	-	-	-	2	-	12	-	4	2	2	-	71
32	-	2	20	-	-	-	-	-	-	-	-	-	-	-	4	8	4	2	-	-	72
22	4	4	6	2	2	-	6	2	-	-	-	-	-	2	10	2	8	2	-	-	73
44	8	-	14	2	2	6	-	-	-	-	-	2	4	-	8	4	6	-	-	-	74
2	-	-	6	-	-	2	2	-	-	-	-	-	2	-	-	2	2	-	-	2	75
26	-	-	32	10	4	4	2	-	-	2	-	-	2	-	10	8	6	6	-	-	76
30	-	-	4	-	4	2	-	4	-	-	-	-	-	-	4	2	-	-	-	-	77
52	2	-	18	2	2	6	4	-	-	-	-	2	2	2	10	4	4	-	-	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	NORTH DAKOTA--CON.																	
01	RANSOM	74	-	-	-	10	2	2	2	-	2	-	2	-	48	32	-	-
02	RENVILLE	34	-	-	2	6	2	-	-	4	-	-	-	2	16	10	-	-
03	RICHLAND	184	2	-	-	22	6	2	4	6	2	-	2	4	106	70	-	-
04	ROLETTE	100	-	-	-	12	4	2	-	-	-	2	4	6	38	34	2	-
05	SARGENT	68	-	-	-	8	2	2	-	-	-	-	4	-	42	28	2	-
06	SHERIDAN	28	-	-	-	4	2	2	-	-	-	-	-	2	8	8	-	-
07	SIOUX	42	-	-	4	8	-	2	-	-	-	-	6	4	8	4	-	-
08	SLOPE	8	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-
09	STARK	148	-	-	-	28	6	6	-	4	6	2	4	6	70	60	2	-
10	DICKINSON	102	-	-	-	16	4	2	-	4	4	-	2	4	54	46	2	-
11	BALANCE OF COUNTY	46	-	-	-	12	2	4	-	-	2	2	2	2	16	14	-	-
12	STEELE	40	-	-	-	10	-	-	2	2	-	-	6	4	24	14	-	-
13	STUTSMAN	212	-	-	-	36	10	4	4	10	-	2	6	6	138	94	2	6
14	JAMESTOWN	128	-	-	-	22	6	4	-	6	-	2	4	4	78	44	-	-
15	BALANCE OF COUNTY	84	-	-	-	14	4	-	4	4	-	-	2	2	60	50	2	6
16	TOWNER	62	-	-	-	16	2	2	4	-	4	-	4	2	28	16	-	-
17	TRAILL	124	-	-	2	16	12	-	-	-	-	-	4	2	70	42	-	-
18	WALSH	174	-	-	-	30	12	4	4	2	2	-	6	4	100	66	-	2
19	WARD	376	-	-	4	54	22	2	8	6	2	4	10	2	192	128	2	4
20	MINOT	270	-	-	4	38	14	-	6	4	2	4	8	2	140	90	-	4
21	BALANCE OF COUNTY	106	-	-	-	16	8	2	2	2	-	-	2	-	52	38	2	-
22	WELLS	76	-	-	-	16	4	2	2	2	-	2	4	-	38	26	-	-
23	WILLIAMS	170	-	-	4	20	2	4	2	2	-	4	6	2	108	70	4	-
24	WILLISTON	108	-	-	2	14	2	4	2	2	-	-	4	2	70	48	4	-
25	BALANCE OF COUNTY	62	-	-	2	6	-	-	-	-	-	4	2	-	38	22	-	-
26	**OHIO**	101,982	204	20	498	18,056	5,254	4,144	1,664	2,168	778	774	3,274	2,380	55,234	40,446	850	1,136
27	URBAN PLACES	63,700	156	12	314	11,438	3,324	2,714	1,066	1,370	452	438	2,074	1,474	34,172	25,088	570	762
28	BALANCE OF AREA	38,282	48	8	184	6,618	1,930	1,430	598	798	326	336	1,200	906	21,062	15,358	280	374
29	METROPOLITAN COUNTIES	76,366	168	16	374	14,012	4,070	3,268	1,328	1,602	600	588	2,556	1,728	40,574	29,940	656	810
30	URBAN PLACES	55,522	138	12	270	10,146	2,950	2,434	958	1,182	406	390	1,826	1,236	29,412	21,790	496	652
31	BALANCE OF AREA	20,844	30	4	104	3,866	1,120	834	370	420	194	198	730	492	11,162	8,150	160	158
32	NONMETROPOLITAN COUNTIES	25,616	36	4	124	4,044	1,184	876	336	566	178	186	718	652	14,660	10,506	194	326
33	URBAN PLACES	8,178	18	-	44	1,292	374	280	108	188	46	48	248	238	4,760	3,298	74	110
34	BALANCE OF AREA	17,438	18	4	80	2,752	810	596	228	378	132	138	470	414	9,900	7,208	120	216
35	ADAMS	242	-	-	2	52	12	10	8	14	-	2	6	2	142	112	-	-
36	ALLEN	1,060	2	-	6	202	64	40	18	22	12	12	34	18	548	402	6	-
37	LIMA	632	2	-	4	132	46	26	12	14	10	4	20	8	324	228	4	-
38	BALANCE OF COUNTY	428	-	-	2	70	18	14	6	8	2	8	14	10	224	174	2	-
39	ASHLAND	460	-	-	4	68	28	12	-	6	6	2	14	6	272	180	6	2
40	ASHLAND	188	-	-	4	30	6	8	-	4	6	-	6	2	110	78	2	-
41	BALANCE OF COUNTY	272	-	-	-	38	22	4	-	2	-	2	8	4	162	102	4	2
42	ASHTABULA	1,144	-	-	6	196	46	46	16	36	8	2	42	36	624	448	8	10
43	ASHTABULA	282	-	-	4	46	12	10	2	8	-	-	14	16	164	114	6	4
44	CONNEAUT	184	-	-	2	18	4	4	4	2	2	-	2	6	110	76	-	2
45	BALANCE OF COUNTY	678	-	-	-	132	30	32	10	26	6	2	26	14	350	258	2	4
46	ATHENS	514	-	-	2	86	24	28	10	6	2	4	12	12	308	232	4	2
47	ATHENS	92	-	-	-	16	4	2	4	-	-	2	4	2	58	38	-	2
48	BALANCE OF COUNTY	422	-	-	2	70	20	26	6	6	2	2	8	10	250	194	4	-
49	AUGLAIZE	410	-	-	2	62	22	8	6	6	4	6	10	4	252	178	6	2
50	BELMONT	984	2	-	4	164	52	34	30	16	6	10	16	36	572	378	8	-
51	MARTINS FERRY	188	-	-	2	34	8	10	12	-	-	-	4	12	100	70	4	-
52	BALANCE OF COUNTY	796	2	-	2	130	44	24	18	16	6	10	12	24	472	308	4	-
53	BROWN	308	-	-	-	58	18	10	6	6	4	2	12	-	176	138	2	-
54	BUTLER	1,760	2	-	10	362	112	108	36	34	8	10	54	36	922	698	4	28
55	FAIRFIELD	98	-	-	2	20	2	10	2	4	-	-	2	2	44	38	-	2
56	HAMILTON	688	2	-	4	144	36	46	6	14	8	8	26	16	358	286	-	10
57	MIDDLETOWN	406	-	-	-	78	30	24	10	2	-	-	12	2	204	138	2	-
58	OXFORD	50	-	-	-	10	4	2	-	4	-	-	-	2	30	22	-	4
59	BALANCE OF COUNTY	518	-	-	4	110	40	26	18	10	-	2	14	14	286	214	2	12
60	CARROLL	202	-	-	-	40	14	6	2	6	-	2	10	10	118	88	2	8
61	CHAMPAIGN	342	-	-	-	60	20	16	6	8	-	-	10	6	196	132	-	2
62	URBANA	144	-	-	-	28	6	8	6	4	-	-	4	2	84	52	-	-
63	BALANCE OF COUNTY	198	-	-	-	32	14	8	-	4	-	-	6	4	112	80	-	2
64	CLARK	1,510	2	-	10	256	66	70	20	28	18	12	42	28	808	572	10	10
65	SPRINGFIELD	1,086	2	-	6	184	54	50	18	20	10	4	28	18	578	428	8	8
66	BALANCE OF COUNTY	424	-	-	4	72	12	20	2	8	8	8	14	10	230	144	2	2
67	CLERMONT	660	-	-	8	128	46	18	10	18	2	10	24	12	328	248	10	6
68	CLINTON	368	-	-	6	64	14	26	4	10	2	2	6	2	234	168	4	4
69	WILMINGTON	130	-	-	-	16	6	8	2	-	-	-	-	-	96	64	-	2
70	BALANCE OF COUNTY	238	-	-	6	48	8	18	2	10	2	2	6	2	138	104	4	2
71	COLUMBIANA	1,214	2	-	4	176	60	24	8	24	10	10	40	36	708	544	4	10
72	EAST LIVERPOOL	328	-	-	2	54	22	6	4	6	2	-	14	10	172	144	-	4
73	SALEM	158	-	-	-	20	6	2	2	2	-	-	8	6	94	72	-	-
74	BALANCE OF COUNTY	728	2	-	2	102	32	16	2	16	8	10	18	20	442	328	4	6
75	COSHOCTON	410	-	-	-	82	16	26	8	10	-	2	20	14	222	152	4	4
76	COSHOCTON	178	-	-	-	42	8	16	4	4	-	-	10	6	88	58	4	4
77	BALANCE OF COUNTY	232	-	-	-	40	8	10	4	6	-	2	10	8	134	94	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
32	-	-	14	-	2	4	-	-	2	-	-	-	-	-	2	2	4	2	-	-	01
10	-	-	4	2	-	-	-	-	2	-	-	-	-	2	-	2	2	-	-	-	02
64	6	-	34	-	2	8	2	-	2	4	-	-	6	-	16	6	6	-	-	-	03
26	6	-	4	-	-	4	-	2	-	2	-	-	4	-	8	16	6	-	-	2	04
26	-	-	10	2	2	2	2	-	-	-	-	-	-	2	4	6	-	2	-	-	05
8	-	-	-	-	-	6	-	-	2	-	-	-	-	-	4	-	2	-	-	-	06
4	-	2	2	-	-	-	-	-	4	-	-	-	-	2	4	4	-	-	2	2	07
2	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	08
56	2	2	6	2	-	6	4	-	2	4	-	2	4	2	6	8	6	-	-	-	09
44	-	-	6	2	-	4	2	-	2	2	-	2	2	-	4	6	4	-	-	-	10
12	2	2	-	-	-	2	2	-	-	2	-	-	2	2	2	2	2	-	-	-	11
4	10	-	6	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	12
82	4	-	36	-	8	6	6	-	-	2	-	-	-	-	4	2	10	2	-	-	13
42	2	-	28	-	6	4	6	-	-	2	-	-	-	-	4	-	6	2	-	-	14
40	2	-	8	-	2	2	-	-	-	-	-	-	-	-	-	2	4	-	-	-	15
16	-	-	10	2	-	2	4	-	-	-	-	-	-	-	8	-	-	2	-	-	16
40	2	-	26	2	-	22	-	-	2	-	-	-	-	-	2	-	8	-	-	-	17
62	2	-	22	8	4	20	-	-	2	2	-	-	-	-	8	6	2	-	-	-	18
110	12	2	40	8	14	16	6	4	6	-	-	4	12	4	24	24	14	8	-	2	19
74	12	2	28	8	12	10	6	4	4	-	-	2	4	4	18	14	12	8	-	-	20
36	-	-	12	-	2	6	-	-	2	-	-	2	8	-	6	10	2	-	-	2	21
20	6	-	6	-	6	6	-	-	-	-	-	-	2	-	4	4	6	-	-	-	22
62	4	2	22	12	2	10	4	-	-	-	-	2	4	-	4	6	6	-	-	-	23
40	4	-	10	10	2	6	2	-	-	-	-	2	-	-	2	4	4	-	-	-	24
22	-	2	12	2	-	4	2	-	-	-	-	-	4	-	2	2	2	-	-	-	25
36,690	1,770	414	10,976	1,962	1,436	3,102	1,878	452	1,438	418	24	820	1,702	1,140	7,194	2,460	2,774	1,286	870	122	26
22,658	1,098	240	6,844	1,100	900	2,002	1,108	290	1,088	272	12	482	1,084	758	4,660	1,190	1,634	740	726	88	27
14,032	672	174	4,132	862	536	1,100	770	162	350	146	12	338	618	382	2,444	1,270	1,140	546	144	34	28
27,202	1,272	292	7,892	1,368	1,082	2,288	1,340	350	1,228	304	20	614	1,308	954	5,468	1,640	2,052	1,002	816	100	29
19,698	944	200	5,738	912	772	1,748	946	258	990	226	12	428	964	698	4,122	1,096	1,432	684	714	80	30
7,504	328	92	2,154	456	310	550	394	92	238	78	8	186	344	256	1,346	634	620	318	102	20	31
9,488	498	122	3,084	594	354	804	538	102	210	114	4	206	394	186	1,636	820	722	284	54	22	32
2,960	154	40	1,106	188	128	254	162	32	98	46	-	54	120	60	538	184	202	56	12	8	33
6,528	344	82	1,978	406	226	550	376	70	112	68	4	152	274	126	1,098	636	520	228	42	14	34
110	2	-	20	10	-	4	2	-	-	-	-	2	4	2	18	4	4	-	2	2	35
380	16	-	110	12	24	30	30	-	8	2	2	14	30	2	96	32	28	6	4	-	36
216	8	-	72	8	16	16	20	-	8	2	-	6	24	2	50	10	16	4	4	-	37
164	8	-	38	4	8	14	10	-	-	-	2	8	6	-	46	22	12	2	-	-	38
156	16	6	74	6	6	12	6	-	-	-	-	-	4	10	42	14	16	4	2	-	39
70	6	2	24	2	4	4	4	-	-	-	-	-	-	2	18	6	6	-	2	-	40
86	10	4	50	4	2	8	2	-	-	-	-	-	4	8	24	8	10	4	-	-	41
414	16	-	138	30	8	32	20	2	16	4	-	14	18	10	66	36	44	14	4	2	42
98	6	-	40	6	4	6	2	-	10	2	-	2	2	-	12	8	8	-	-	-	43
74	-	-	28	6	-	4	2	-	-	-	-	-	2	2	26	4	6	2	-	-	44
242	10	-	70	18	4	22	16	2	6	2	-	12	14	8	28	24	30	12	4	2	45
212	14	4	58	6	8	24	10	4	-	4	-	2	10	4	22	6	10	8	2	-	46
36	-	-	16	2	2	6	4	2	-	-	-	2	2	-	-	-	-	-	-	-	47
176	14	4	42	4	6	18	6	2	-	4	-	-	8	4	22	6	10	8	2	-	48
164	6	6	52	12	4	6	8	-	6	-	-	6	10	-	18	18	14	2	2	-	49
358	12	8	138	32	16	24	8	6	8	8	-	10	12	24	54	6	32	12	-	2	50
66	-	-	24	4	2	2	-	-	6	2	-	2	2	6	10	-	6	4	-	-	51
292	12	8	114	28	14	22	8	6	2	6	-	8	10	18	44	6	26	8	-	2	52
126	10	-	26	10	2	6	4	4	2	-	-	4	2	2	22	12	10	4	2	-	53
646	20	8	156	42	18	56	37	8	16	-	-	16	30	2	148	54	30	22	12	2	54
36	-	-	4	2	-	4	2	-	-	-	-	-	2	-	14	-	2	4	-	2	55
270	6	4	54	14	-	26	12	2	6	-	-	6	16	2	60	18	6	6	4	-	56
130	6	4	40	10	12	16	8	4	6	-	-	8	8	-	40	16	12	2	2	-	57
14	4	-	8	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	2	-	58
196	4	-	50	16	6	10	10	2	4	-	-	2	4	-	30	18	10	10	4	-	59
72	6	-	22	6	2	4	6	2	2	-	-	2	-	-	10	2	2	2	2	-	60
120	10	2	46	6	10	14	18	2	4	4	-	2	2	-	10	12	8	2	2	-	61
42	10	2	24	2	4	4	6	-	4	2	-	-	-	-	8	-	4	-	2	-	62
78	-	-	22	4	6	10	12	2	-	2	-	2	2	-	2	12	4	2	-	-	63
530	22	4	198	20	14	62	32	2	16	10	-	10	24	2	120	50	56	16	6	-	64
396	16	2	126	10	12	54	26	-	12	10	-	2	14	-	94	26	46	8	6	-	65
134	6	2	72	10	2	8	6	2	4	-	-	8	10	2	26	24	10	8	-	-	66
224	8	-	58	10	12	26	10	2	12	-	-	4	8	2	52	28	28	6	2	4	67
156	4	-	56	8	2	4	-	-	2	-	-	-	6	-	20	16	12	2	-	-	68
62	-	-	32	-	-	2	-	-	2	-	-	-	4	-	2	4	4	-	-	-	69
94	4	-	24	8	2	2	-	-	-	-	-	-	2	-	18	12	8	2	-	-	70
508	22	6	108	42	8	28	20	4	16	10	-	14	30	2	76	46	30	8	4	-	71
136	4	2	22	4	-	10	4	-	6	4	-	4	10	2	30	8	10	2	-	-	72
68	4	2	16	4	-	6	2	-	4	-	-	2	4	-	10	4	2	-	4	-	73
304	14	2	70	34	8	12	14	4	6	6	-	8	16	-	36	34	18	6	-	-	74
140	4	2	52	10	6	12	8	2	6	2	-	2	6	-	28	16	8	2	-	-	75
48	2	2	20	2	6	6	2	-	6	2	-	-	4	-	10	2	8	2	-	-	76
92	2	-	32	8	-	6	6	2	-	-	-	2	2	-	18	14	-	-	-	-	77

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OHIO--CON.																	
01	CRAWFORD	516	-	-	-	72	12	20	4	6	8	10	12	14	298	198	8	10
02	BUCYRUS	166	-	-	-	24	-	6	2	4	6	4	2	2	100	64	2	2
03	GALION	150	-	-	-	20	4	10	2	-	-	2	2	6	82	58	2	4
04	BALANCE OF COUNTY	200	-	-	-	28	8	4	-	2	2	4	8	6	116	76	4	4
05	CUYAHOGA	17,424	34	4	74	3,244	1,020	722	294	362	134	102	610	410	9,006	6,758	170	96
06	BAY VILLAGE	144	-	-	2	36	12	6	4	4	4	2	4	6	68	42	-	-
07	BEDFORD	146	-	-	-	28	6	8	2	4	2	2	4	4	68	46	-	-
08	BEDFORD HEIGHTS	76	-	-	2	14	8	4	-	2	-	-	-	-	44	38	-	-
09	BEREA	164	2	-	2	34	12	2	4	4	2	-	10	6	72	56	2	-
10	BROADVIEW HEIGHTS	74	-	-	-	12	2	4	2	-	-	-	4	-	50	38	-	-
11	BROOKLYN	70	-	-	-	12	-	2	2	2	2	-	4	2	34	30	-	2
12	BROOK PARK	96	-	-	-	10	6	2	-	-	-	-	2	2	52	42	6	-
13	CLEVELAND	9,104	24	4	42	1,550	476	358	118	212	46	54	286	230	4,474	3,376	86	68
14	CLEVELAND HEIGHTS	676	-	-	-	126	60	18	10	4	6	2	26	8	388	282	8	-
15	EAST CLEVELAND	370	-	-	-	58	14	16	6	4	-	-	18	8	194	128	4	-
16	EUCLID	666	-	-	-	122	36	30	10	10	6	2	28	6	382	294	6	-
17	FAIRVIEW PARK	208	2	-	-	52	18	12	8	4	4	-	6	2	104	82	-	-
18	GARFIELD HEIGHTS	374	-	-	2	66	24	12	4	10	6	-	10	14	200	150	6	2
19	LAKEWOOD	786	4	-	6	162	50	34	20	16	12	8	22	20	412	300	8	6
20	LYNDHURST	174	-	-	2	40	10	6	14	4	-	-	6	8	106	80	6	2
21	MAPLE HEIGHTS	296	-	-	-	54	14	18	6	4	2	2	8	2	180	128	2	-
22	MAYFIELD HEIGHTS	198	-	-	2	40	16	10	2	4	4	2	2	4	106	78	2	4
23	MIDDLEBURG HEIGHTS	96	-	-	-	28	6	8	2	4	2	-	6	4	46	38	-	-
24	NORTH OLMSTED	208	-	-	-	42	12	10	2	2	2	2	12	4	122	96	-	-
25	NORTH ROYALTON	90	-	-	-	20	8	4	4	2	-	2	-	2	48	30	-	2
26	PARMA	766	-	-	4	188	50	56	32	18	2	2	28	12	396	318	2	6
27	PARMA HEIGHTS	188	-	-	-	44	16	14	-	-	2	2	10	10	92	68	-	-
28	ROCKY RIVER	198	-	-	-	34	10	4	2	2	2	-	14	4	114	80	-	-
29	SEVEN HILLS	82	-	-	-	12	2	4	2	-	2	-	2	-	54	38	-	-
30	SHAKER HEIGHTS	432	-	-	-	102	26	14	16	16	6	8	16	8	240	184	2	-
31	SOLON	80	-	-	-	14	4	2	-	-	2	-	6	-	48	40	-	-
32	SOUTH EUCLID	244	-	-	-	66	16	8	6	4	-	2	30	6	142	106	12	2
33	STRONGSVILLE	86	-	-	-	18	14	2	-	-	-	-	2	6	36	28	-	-
34	UNIVERSITY HEIGHTS	140	2	-	4	22	6	4	6	-	-	-	6	2	80	58	4	-
35	WARRENSVILLE HEIGHTS	134	-	-	-	28	20	4	-	-	4	-	-	-	76	64	6	-
36	WESTLAKE	134	-	-	-	28	14	6	4	-	-	-	4	-	76	54	2	-
37	BALANCE OF COUNTY	924	-	-	6	182	52	40	6	26	14	10	34	30	502	366	6	2
38	DARKE	484	2	-	4	68	24	18	6	8	-	6	6	16	296	218	4	14
39	GREENVILLE	186	-	-	2	28	8	8	-	6	-	4	2	10	106	76	2	8
40	BALANCE OF COUNTY	298	2	-	2	40	16	10	6	2	-	2	4	6	190	142	2	6
41	DEFIANCE	372	2	-	-	54	4	18	8	4	4	-	16	14	198	124	2	6
42	DEFIANCE	150	-	-	-	18	-	6	-	2	2	-	8	8	88	58	2	6
43	BALANCE OF COUNTY	222	2	-	-	36	4	12	8	2	2	-	8	6	110	66	-	-
44	DELAWARE	372	-	-	4	68	18	16	2	10	2	4	16	12	212	160	2	-
45	DELAWARE	138	-	-	2	34	12	6	2	4	-	4	6	10	66	60	2	-
46	WESTERVILLE, PART	4	-	-	-	2	-	-	-	2	-	-	-	-	2	2	-	-
47	BALANCE OF COUNTY	230	-	-	2	32	6	10	-	4	2	-	10	2	144	98	-	-
48	ERIE	728	2	-	-	130	38	26	6	22	4	12	22	24	356	238	8	10
49	SANDUSKY	400	2	-	-	60	20	12	4	12	-	2	10	12	200	128	4	10
50	BALANCE OF COUNTY	328	-	-	-	70	18	14	2	10	4	10	12	12	156	110	4	-
51	FAIRFIELD	742	-	-	2	128	50	36	10	18	4	2	8	18	428	288	4	6
52	LANCASTER	370	-	-	2	70	26	16	10	10	2	-	6	14	204	136	2	2
53	BALANCE OF COUNTY	372	-	-	-	58	24	20	-	8	2	2	2	4	224	152	2	4
54	FAYETTE	324	-	-	2	54	8	16	8	8	-	2	12	14	184	100	-	2
55	WASHINGTON	168	-	-	2	30	4	8	4	6	-	2	6	4	104	60	-	2
56	BALANCE OF COUNTY	156	-	-	-	24	4	8	4	2	-	-	6	10	80	40	-	-
57	FRANKLIN	6,930	6	-	46	1,274	322	316	116	154	46	64	256	148	3,550	2,532	46	374
58	BEXLEY	134	-	-	2	24	12	2	4	-	-	2	4	6	66	48	-	2
59	COLUMBUS	5,038	4	-	36	928	228	244	90	124	26	34	182	112	2,574	1,838	32	322
60	GAHANNA	58	-	-	2	8	4	-	-	2	-	-	2	-	28	20	-	4
61	GROVE CITY	76	-	-	-	12	2	4	4	-	2	-	-	-	30	26	4	-
62	REYNOLDSBURG, PART	82	-	-	2	16	6	4	-	-	-	4	2	-	38	26	2	-
63	REYNOLDSBURG, TOTAL	84	-	-	2	18	6	4	-	2	-	4	2	-	38	26	2	-
64	UPPER ARLINGTON	258	2	-	-	46	8	10	2	4	2	6	14	4	156	98	2	12
65	WESTERVILLE, PART	80	-	-	-	4	2	-	-	-	-	-	2	-	52	36	-	-
66	WESTERVILLE, TOTAL	84	-	-	-	6	2	-	-	2	-	-	2	-	54	38	-	-
67	WHITEHALL	108	-	-	-	16	4	2	4	4	-	2	-	-	52	38	-	8
68	WORTHINGTON	86	-	-	-	22	4	4	2	6	-	-	6	2	50	34	-	-
69	BALANCE OF COUNTY	1,010	-	-	4	198	52	46	10	14	16	16	44	24	504	368	6	26
70	FULTON	328	-	-	-	64	20	18	8	6	4	-	8	10	184	126	6	-
71	GALLIA	300	-	-	6	42	14	4	6	2	6	-	10	6	172	128	4	6
72	GEAUGA	418	-	-	4	70	16	8	12	10	2	4	18	8	226	168	6	-
73	GREENE	704	2	-	2	116	32	36	10	6	6	4	22	6	386	272	8	4
74	FAIRBORN	146	2	-	-	28	4	12	4	2	-	-	6	2	74	54	2	2
75	XENIA	232	-	-	-	32	10	8	4	-	4	-	6	-	124	80	4	2
76	BALANCE OF COUNTY	326	-	-	2	56	18	16	2	4	2	4	10	4	188	138	2	-
77	GUERNSEY	528	4	-	6	72	20	14	6	10	8	2	12	4	330	242	-	14
78	CAMBRIDGE	228	2	-	-	40	10	12	4	6	-	2	6	2	142	102	-	-
79	BALANCE OF COUNTY	300	2	-	6	32	10	2	2	4	8	-	6	2	188	140	-	14
80	HAMILTON	9,250	22	4	40	1,936	570	486	160	242	94	70	312	174	4,778	3,706	104	38
81	CHEVIOT	158	-	-	2	20	4	4	4	4	2	-	2	6	100	74	-	-
82	CINCINNATI	5,874	20	2	30	1,176	364	290	76	166	56	44	180	104	3,018	2,386	72	24
83	FOREST PARK	42	-	-	-	14	6	2	2	-	-	-	4	-	18	18	-	-
84	NORTH COLLEGE HILL	98	-	-	-	36	8	10	8	4	-	-	6	4	46	42	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
176	4	4	72	18	6	16	14	-	6	-	-	10	6	4	32	26	14	2	-	2	01
58	2	-	30	6	-	6	6	-	2	-	-	-	2	-	12	4	4	2	-	2	02
52	-	2	14	6	2	8	4	-	4	-	-	4	-	2	6	10	4	-	-	-	03
46	2	2	28	6	4	2	4	-	-	-	-	6	4	2	14	12	6	-	-	-	04
6,192	300	72	1,712	250	214	528	260	98	388	66	8	154	278	38	1,408	310	524	212	354	26	05
42	-	2	22	-	2	8	4	-	-	-	-	-	2	-	14	-	2	2	-	-	06
40	6	-	14	2	6	6	4	-	-	-	-	2	2	-	20	6	4	-	2	-	07
38	-	-	6	-	-	2	2	2	-	-	-	-	2	-	2	-	2	4	-	-	08
52	2	-	12	4	-	8	2	2	4	4	-	2	-	-	16	2	2	6	-	-	09
34	4	-	8	2	2	4	2	-	-	-	-	-	-	-	4	-	2	-	-	-	10
26	2	-	2	2	-	4	-	-	4	2	-	-	2	-	8	-	-	2	-	-	11
34	2	-	10	-	-	4	-	-	-	-	-	8	4	-	6	4	4	2	-	-	12
3,056	166	48	794	154	102	294	150	44	250	40	6	74	172	32	798	200	300	90	312	18	13
252	22	-	90	10	6	14	8	2	12	4	-	4	10	-	50	10	22	10	4	4	14
172	2	-	52	6	8	2	8	4	6	-	-	8	20	-	30	6	12	4	10	-	15
286	2	4	60	10	14	28	8	-	14	2	-	12	10	-	44	10	10	14	4	-	16
80	2	-	18	2	2	10	-	2	6	-	-	-	2	-	18	4	6	-	-	-	17
140	2	-	48	-	2	14	4	4	10	-	-	2	4	-	34	4	10	4	2	-	18
268	18	6	84	8	14	18	16	8	10	-	-	2	6	-	58	18	36	10	-	-	19
64	8	-	22	2	2	2	-	-	-	-	-	-	-	-	6	2	6	2	-	-	20
118	8	-	50	2	-	8	14	2	4	-	-	2	-	-	26	-	2	-	2	-	21
70	2	-	24	2	2	2	-	2	4	-	-	2	4	-	20	4	8	-	-	-	22
38	-	-	6	-	2	4	2	-	-	-	-	-	2	-	4	-	2	-	4	-	23
96	-	-	20	4	2	-	2	2	2	2	-	-	6	-	14	-	6	6	-	-	24
24	4	-	14	4	-	2	2	2	2	-	2	-	-	-	6	-	4	-	-	-	25
300	10	2	60	4	12	26	12	2	18	4	-	6	12	2	50	10	10	12	-	2	26
62	6	2	20	-	2	-	-	4	6	-	-	2	-	-	8	-	10	8	4	-	27
80	-	-	28	-	6	4	-	8	6	-	-	4	-	-	14	2	6	2	-	-	28
38	-	-	14	2	-	-	-	-	-	-	-	-	-	2	4	-	4	6	-	-	29
172	10	2	42	4	8	6	4	4	2	-	-	6	-	-	32	8	12	6	-	2	30
38	2	-	6	2	-	4	2	-	-	-	-	-	-	-	2	2	6	2	-	-	31
90	2	-	30	4	2	10	-	-	-	2	-	-	-	-	12	4	2	-	-	-	32
28	-	-	2	4	2	-	-	2	-	-	-	-	-	-	16	2	6	-	-	-	33
50	4	2	18	2	-	4	-	-	-	-	-	2	-	-	18	-	4	2	-	-	34
56	2	-	6	-	6	6	2	-	6	-	-	2	8	-	4	-	-	2	-	-	35
52	-	-	22	-	-	6	2	-	4	-	-	2	-	-	4	4	4	4	-	-	36
346	12	4	108	14	10	28	10	2	18	6	-	12	10	2	66	8	20	12	10	-	37
192	8	2	58	12	6	8	6	-	-	2	-	-	6	2	44	18	4	6	-	2	38
62	4	2	16	6	6	2	2	-	-	-	-	-	2	2	16	10	2	2	-	2	39
130	4	-	42	6	-	6	4	-	-	2	-	-	4	-	28	8	2	4	-	-	40
106	10	-	46	18	10	8	10	4	2	2	-	2	8	4	32	14	8	8	2	-	41
46	4	-	18	8	4	6	-	-	2	-	-	2	-	2	16	4	2	2	-	-	42
60	6	-	28	10	6	2	10	4	-	2	-	-	8	2	16	10	6	6	2	-	43
152	6	-	38	12	2	10	4	2	4	-	-	2	2	6	20	6	4	12	4	-	44
54	4	-	4	2	-	4	2	-	4	-	-	2	-	2	4	2	-	4	2	-	45
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
96	2	-	34	10	2	6	2	2	-	-	-	-	2	4	16	4	4	8	2	-	47
204	16	6	88	18	6	18	18	6	12	4	-	4	16	44	38	24	26	6	-	-	48
110	4	6	50	14	2	14	14	4	2	2	-	4	14	26	22	6	16	2	-	-	49
94	12	-	38	4	4	4	4	2	10	2	-	-	2	18	16	18	10	4	-	-	50
256	22	6	104	18	12	18	6	8	10	2	-	2	8	4	60	20	22	2	2	2	51
116	16	2	52	8	6	12	4	6	8	2	-	2	2	-	28	6	10	-	-	-	52
140	6	4	52	10	6	6	2	2	2	-	-	-	6	4	32	14	12	2	2	2	53
98	-	2	60	10	12	10	2	-	-	-	-	2	4	-	22	14	12	4	-	-	54
58	-	-	34	8	2	6	2	-	-	-	-	2	-	-	6	8	4	-	-	-	55
40	-	2	26	2	10	4	-	-	-	-	-	-	4	-	16	6	8	4	-	-	56
1,980	132	18	768	104	128	262	128	32	88	26	2	56	160	188	498	130	178	108	40	10	57
46	-	-	18	-	-	2	-	-	-	-	-	-	-	4	22	2	4	2	-	-	58
1,398	94	16	548	76	96	196	86	22	74	22	2	38	110	146	360	84	130	74	32	8	59
16	-	-	6	-	2	2	2	-	2	2	-	2	-	2	2	2	4	-	-	-	60
20	2	-	2	2	-	12	4	-	-	-	-	-	2	2	2	4	6	-	2	-	61
22	2	-	12	-	-	-	2	-	-	-	-	2	10	-	6	4	-	2	-	-	62
22	2	-	12	-	-	-	2	-	-	-	-	2	10	-	6	4	-	2	-	-	63
76	8	-	44	8	6	14	4	-	-	-	-	2	2	8	14	-	4	-	-	2	64
36	-	-	14	2	-	2	4	-	-	-	-	-	-	-	12	4	2	-	-	-	65
38	-	-	14	2	-	2	4	-	-	-	-	-	-	-	12	4	2	-	-	-	66
28	2	-	10	-	4	-	2	2	-	-	-	2	2	4	12	6	4	4	2	-	67
32	2	-	10	2	4	-	-	-	-	-	-	2	2	-	4	2	2	-	-	-	68
314	22	2	104	14	16	34	24	8	12	2	-	8	32	22	64	22	22	26	4	-	69
116	4	-	50	6	2	6	4	-	-	-	-	-	6	-	20	18	14	2	-	-	70
116	2	4	30	6	4	18	4	-	2	-	-	2	4	2	14	14	8	6	-	-	71
150	12	4	40	12	2	12	16	6	4	2	-	2	14	4	24	10	12	4	-	-	72
252	8	2	86	14	12	20	10	2	20	6	-	8	24	10	40	16	12	20	2	2	73
48	2	-	14	4	2	-	2	-	4	2	-	4	6	4	6	4	4	4	-	-	74
74	-	-	30	8	6	14	4	-	8	2	-	4	12	4	8	-	6	10	2	2	75
130	6	2	42	2	4	6	4	2	8	2	-	-	6	2	26	12	2	6	-	-	76
212	16	2	76	10	-	18	14	4	4	2	-	4	8	-	36	12	8	2	-	-	77
94	8	-	36	4	-	4	4	-	2	2	-	-	8	-	18	2	2	-	-	-	78
118	8	2	40	6	-	14	10	4	2	-	-	4	-	-	18	10	6	2	-	-	79
3,444	120	30	786	108	148	256	168	72	180	36	6	94	118	16	660	158	272	132	102	26	80
70	4	-	18	4	4	2	2	-	2	-	-	2	2	-	8	-	8	2	-	2	81
2,208	82	18	500	40	74	178	108	54	138	24	2	56	78	10	446	100	166	62	84	18	82
18	-	-	-	-	-	4	-	-	-	-	-	2	-	-	-	-	-	4	-	-	83
42	-	-	4	-	-	-	-	4	2	-	-	-	2	-	2	-	-	2	-	-	84

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OHIO--CON.																	
	HAMILTON--CON.																	
01	NORWOOD	350	-	-	-	80	18	24	12	10	8	2	6	6	198	150	2	2
02	READING	98	-	-	-	20	2	4	2	2	-	-	10	4	48	36	4	2
03	SHARONVILLE	46	-	-	-	6	-	-	2	-	2	-	2	2	28	22	2	-
04	BALANCE OF COUNTY	2,584	2	2	8	584	168	154	54	56	26	24	102	48	1,322	978	24	10
05	HANCOCK	556	-	-	-	88	24	12	12	16	2	6	16	24	318	202	12	6
06	FINDLAY	352	-	-	-	56	18	8	8	8	2	4	8	14	200	124	8	4
07	FOSTORIA, PART	32	-	-	-	8	2	-	-	2	-	2	2	4	16	10	-	-
08	BALANCE OF COUNTY	172	-	-	-	24	4	4	4	6	-	-	6	6	102	68	4	2
09	HARDIN	370	-	-	4	62	22	14	4	10	2	4	6	6	204	154	2	6
10	HARRISON	220	-	-	2	28	6	12	-	6	-	-	4	2	120	88	2	6
11	HENRY	294	-	-	-	52	18	2	4	12	2	2	12	8	154	104	-	4
12	HIGHLAND	396	-	-	2	50	16	18	4	2	2	-	8	6	262	202	2	14
13	HOCKING	246	-	-	-	46	14	14	-	4	6	6	2	14	120	82	2	4
14	HOLMES	200	-	-	4	22	10	-	4	2	2	-	4	8	106	70	2	-
15	HURON	548	-	-	4	86	24	20	10	14	6	2	10	12	334	234	-	6
16	NORWALK	174	-	-	2	28	12	6	4	2	2	-	2	2	110	74	-	-
17	BALANCE OF COUNTY	374	-	-	2	58	12	14	6	12	4	2	8	10	224	160	-	6
18	JACKSON	316	-	-	6	48	12	10	4	10	-	2	10	10	180	136	2	4
19	JEFFERSON	1,146	4	-	6	196	56	52	20	18	10	8	32	30	642	506	8	8
20	STEUBENVILLE	454	4	-	2	62	12	20	10	8	2	-	10	8	268	210	4	4
21	BALANCE OF COUNTY	692	-	-	4	134	44	32	10	10	8	8	22	22	374	296	4	4
22	KNOX	456	-	-	2	76	22	12	10	8	4	6	14	6	268	184	4	2
23	MOUNT VERNON	170	-	-	2	22	4	4	4	2	-	6	2	2	114	76	2	2
24	BALANCE OF COUNTY	286	-	-	-	54	18	8	6	6	4	-	12	4	154	108	2	-
25	LAKE	1,456	2	-	8	310	80	74	26	40	4	12	74	26	708	540	16	8
26	EASTLAKE	134	-	-	-	18	2	4	2	8	-	-	2	4	74	58	-	2
27	MENTOR	208	-	-	-	62	20	8	6	4	-	2	22	4	92	68	2	-
28	PAINESVILLE	182	-	-	-	36	12	12	-	4	-	-	8	-	94	70	2	-
29	WICKLIFFE	122	-	-	-	28	8	10	2	-	-	-	8	-	60	48	2	2
30	WILLOUGHBY	184	-	-	2	40	12	10	4	4	2	2	6	6	100	86	4	-
31	WILLOWICK	144	2	-	2	40	8	12	6	4	-	4	6	2	68	50	-	-
32	BALANCE OF COUNTY	482	-	-	4	86	18	18	6	16	2	4	22	10	220	160	6	4
33	LAWRENCE	628	2	-	6	104	26	32	6	8	8	-	24	14	330	256	2	-
34	IRONTON	230	2	-	2	30	8	8	2	2	-	-	10	4	146	112	2	-
35	BALANCE OF COUNTY	398	-	-	4	74	18	24	4	6	8	-	14	10	184	144	-	-
36	LICKING	1,056	-	-	-	180	48	48	10	24	14	8	28	22	600	428	14	22
37	NEWARK	546	-	-	-	90	26	18	4	14	6	4	18	14	312	226	10	6
38	REYNOLDSBURG, PART	2	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-
39	BALANCE OF COUNTY	508	-	-	-	88	22	30	6	8	8	4	10	8	288	202	4	16
40	LOGAN	454	-	-	4	76	22	14	6	16	2	6	10	8	248	156	6	6
41	BELLEFONTAINE	156	-	-	2	20	4	6	-	4	-	2	4	2	88	48	4	2
42	BALANCE OF COUNTY	298	-	-	2	56	18	8	6	12	2	4	6	6	160	108	2	4
43	LORAIN	2,086	2	-	4	348	110	74	36	32	10	12	74	80	1,092	822	14	24
44	AVON LAKE	92	-	-	-	32	6	6	6	4	2	-	8	2	40	26	2	-
45	ELYRIA	478	-	-	-	72	26	22	4	6	2	2	10	16	266	208	4	12
46	LORAIN	738	-	-	-	112	40	14	16	12	6	4	20	38	364	276	6	8
47	NORTH RIDGEVILLE	82	-	-	-	14	4	4	-	2	-	-	4	6	32	24	-	-
48	BALANCE OF COUNTY	696	2	-	4	118	34	28	10	8	-	6	32	18	390	288	2	4
49	LUCAS	5,166	12	-	34	904	238	214	100	90	40	46	176	136	2,814	2,080	22	32
50	MAUMEE	104	-	-	4	14	2	4	4	2	-	-	2	4	62	48	-	-
51	OREGON	142	-	-	2	20	-	8	4	4	-	2	2	2	74	56	-	-
52	SYLVANIA	92	-	-	2	14	4	-	4	-	-	-	6	-	56	30	2	-
53	TOLEDO	4,342	12	-	22	776	202	194	82	74	36	42	146	116	2,352	1,734	20	30
54	BALANCE OF COUNTY	486	-	-	4	80	30	8	6	10	4	2	20	14	270	212	-	2
55	MADISON	268	-	-	2	40	12	16	4	-	-	4	4	2	152	96	-	6
56	MAHONING	3,202	10	-	20	578	180	106	66	76	22	24	104	90	1,782	1,210	22	32
57	ALLIANCE, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	CAMPBELL	118	-	-	-	24	4	12	2	4	-	-	2	4	70	50	-	-
59	STRUTHERS	110	-	-	2	10	4	4	-	-	-	-	2	-	76	52	-	-
60	YOUNGSTOWN, PART	1,810	10	-	10	326	104	66	38	44	14	8	52	48	986	654	18	18
61	YOUNGSTOWN, TOTAL	1,816	10	-	10	326	104	66	38	44	14	8	52	48	988	656	18	20
62	BALANCE OF COUNTY	1,162	-	-	8	218	68	24	26	28	8	16	48	38	650	454	4	14
63	MARION	642	4	-	6	90	34	18	4	16	4	2	12	20	376	286	4	10
64	MARION	430	4	-	6	68	26	16	4	8	2	2	10	12	252	180	2	4
65	BALANCE OF COUNTY	212	-	-	-	22	8	2	-	8	2	-	2	8	124	106	2	6
66	MEDINA	668	-	-	4	96	22	22	8	22	6	2	14	26	374	264	6	2
67	BRUNSWICK	114	-	-	-	24	4	6	-	8	-	2	4	4	52	42	2	-
68	MEDINA	126	-	-	2	22	6	6	4	4	-	-	2	4	66	36	-	-
69	WADSWORTH	112	-	-	2	8	-	4	-	2	2	-	-	-	78	60	-	-
70	BALANCE OF COUNTY	316	-	-	-	42	12	6	4	8	4	-	8	18	178	126	4	2
71	MEIGS	278	2	-	6	48	12	12	-	4	4	10	6	4	160	108	2	-
72	MERCER	326	-	2	4	66	14	10	14	10	2	-	16	8	158	120	2	6
73	MIAMI	764	-	-	2	148	42	34	22	16	6	8	20	18	434	292	8	6
74	PIQUA	246	-	-	-	40	8	12	8	4	2	2	4	6	152	106	2	2
75	TROY	166	-	-	-	30	12	4	4	6	2	-	2	6	94	56	2	-
76	BALANCE OF COUNTY	352	-	-	2	78	22	18	10	6	2	6	14	6	188	130	4	4
77	MONROE	168	2	-	-	16	8	2	-	2	-	-	4	8	104	68	-	-
78	MONTGOMERY	5,076	28	6	14	834	198	214	82	98	44	50	148	106	2,758	2,000	48	38
79	CENTERVILLE	48	-	-	-	4	-	-	2	-	-	-	2	4	30	24	-	-
80	DAYTON	2,802	14	6	8	426	106	120	42	50	16	28	64	60	1,518	1,102	26	30
81	KETTERING	426	4	-	2	94	14	30	6	16	8	4	16	2	240	180	2	-
82	MIAMISBURG	118	-	-	-	22	6	4	6	-	-	-	6	6	52	36	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
140	6	-	30	14	4	6	8	2	2	-	-	-	-	-	34	-	10	2	2	-	01
28	2	-	8	-	4	-	-	2	-	-	-	-	-	-	10	2	8	2	2	-	02
20	-	-	6	-	-	2	2	-	-	-	-	-	-	-	2	2	-	2	-	-	03
918	26	12	220	50	62	64	48	10	36	12	4	34	36	6	158	54	80	56	14	6	04
176	8	4	86	18	8	16	12	2	4	2	-	4	8	-	34	18	14	10	2	-	05
108	4	2	56	12	6	8	10	2	4	-	-	4	6	-	24	10	6	6	2	-	06
10	-	2	4	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	07
58	4	-	26	6	2	6	2	-	-	2	-	-	-	-	10	8	8	4	-	-	08
142	4	2	38	2	8	12	8	-	-	2	-	4	6	-	40	10	10	-	2	-	09
78	2	-	20	12	-	6	10	-	-	2	-	-	2	-	18	10	12	8	-	-	10
96	4	2	34	10	4	12	-	-	4	2	-	4	10	-	14	24	8	2	-	-	11
170	16	2	44	12	2	10	4	2	6	4	2	2	4	2	18	6	10	4	-	2	12
72	4	2	30	2	4	6	4	-	-	-	-	4	6	6	16	6	14	4	-	-	13
66	2	-	30	2	4	16	8	-	-	2	-	-	2	-	20	6	4	2	-	-	14
210	18	-	66	22	12	12	16	2	6	2	-	6	10	2	26	14	12	4	-	-	15
68	6	-	26	4	6	4	6	-	4	-	-	2	2	-	8	2	4	-	-	-	16
142	12	-	40	18	6	8	10	2	2	2	-	4	8	2	18	12	8	4	-	-	17
128	2	2	32	8	2	12	6	-	2	-	-	4	6	-	20	6	12	2	2	-	18
462	28	2	102	20	12	28	24	6	20	8	-	12	10	4	70	18	50	12	6	-	19
188	14	-	44	10	4	20	4	-	12	4	-	6	2	2	26	8	16	8	2	-	20
274	14	2	58	10	8	8	20	6	8	4	-	6	8	2	44	10	34	4	4	-	21
168	10	2	68	12	2	18	8	2	4	2	-	2	2	2	36	14	6	6	-	2	22
68	4	-	32	4	2	10	-	2	-	-	-	-	-	-	14	2	-	2	-	-	23
100	6	2	36	8	-	8	8	-	4	2	-	2	2	2	22	12	6	4	-	2	24
488	28	6	120	10	32	46	28	2	14	4	-	10	24	52	104	40	38	34	4	2	25
52	4	-	14	-	2	2	4	-	2	-	-	2	2	4	10	2	6	4	-	-	26
62	4	2	20	-	2	8	-	-	-	-	-	-	4	4	16	10	2	4	-	2	27
62	6	-	16	4	4	12	6	-	2	-	-	2	4	8	10	-	2	4	2	-	28
44	-	-	12	-	-	2	4	-	4	-	-	-	-	4	8	4	6	2	-	-	29
78	4	-	10	-	4	-	-	2	-	2	-	-	2	6	16	2	2	4	-	-	30
50	-	-	16	-	2	6	2	-	2	-	-	-	-	-	8	6	6	-	-	-	31
140	10	4	32	6	18	16	12	-	4	2	-	6	12	26	36	16	14	16	2	-	32
244	10	4	58	10	2	20	22	4	6	4	-	8	10	10	44	22	18	2	2	-	33
102	8	2	28	4	-	10	2	-	2	2	-	4	-	2	14	6	4	-	-	-	34
142	2	2	30	6	2	10	20	4	4	2	-	4	10	8	30	16	14	2	2	-	35
374	18	12	124	24	12	38	34	4	6	6	-	12	16	4	70	22	22	14	6	-	36
196	14	4	62	14	6	22	20	4	2	2	-	8	6	2	44	6	8	6	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
178	4	8	62	10	6	16	14	-	4	4	-	4	10	2	26	16	14	8	6	-	39
132	12	2	72	10	8	10	8	2	2	4	-	4	12	4	40	14	16	2	-	-	40
40	2	2	32	6	-	2	4	-	2	4	-	4	2	-	14	8	4	-	-	-	41
92	10	-	40	4	8	8	4	2	-	-	-	-	10	4	26	6	12	2	-	-	42
758	26	10	184	38	38	50	40	4	36	14	-	14	66	18	156	52	68	28	14	-	43
22	2	-	12	-	2	-	2	-	2	-	-	-	-	-	6	-	6	2	-	-	44
188	4	4	46	2	6	22	12	-	8	4	-	2	16	-	32	6	16	4	2	-	45
254	8	4	60	12	12	12	12	2	22	4	-	8	36	14	66	12	18	12	6	-	46
24	-	-	4	4	-	-	4	-	-	-	-	2	-	-	14	2	4	4	-	-	47
270	12	2	62	20	18	16	10	2	4	6	-	2	14	4	38	32	24	6	6	-	48
1,962	64	20	552	124	38	178	116	20	64	34	-	32	102	10	374	94	106	72	56	8	49
48	-	-	8	6	-	2	-	-	2	-	-	-	6	-	4	4	-	2	-	-	50
56	-	-	12	4	2	2	2	4	2	-	-	-	2	2	12	8	-	4	2	4	51
28	-	2	18	6	-	2	-	-	-	-	-	-	-	2	6	2	4	4	-	-	52
1,626	58	14	482	90	32	162	106	14	56	30	-	28	84	6	312	70	92	50	50	4	53
204	6	4	32	18	4	10	8	2	4	4	-	4	10	-	40	10	10	12	4	-	54
90	-	-	52	4	-	6	2	-	2	-	-	2	6	-	20	18	8	8	-	-	55
1,109	56	16	388	116	52	194	60	14	46	8	-	20	56	8	182	76	64	38	44	2	56
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	57
50	-	-	10	8	2	4	2	-	-	-	-	2	2	-	4	-	2	2	2	-	58
48	4	-	12	8	4	2	-	-	-	-	-	-	-	-	6	4	8	-	2	-	59
582	36	12	228	60	32	68	28	6	36	8	-	8	38	2	124	38	24	18	32	-	60
582	36	12	228	60	32	68	28	6	36	8	-	8	38	2	124	40	26	18	32	-	61
420	16	4	138	40	14	30	28	8	10	-	-	10	16	6	48	34	30	18	8	2	62
254	18	2	74	6	8	22	16	2	10	4	-	2	10	2	36	14	18	8	2	-	63
164	10	2	60	4	6	12	12	2	6	2	-	-	4	-	22	8	16	2	2	-	64
90	8	-	14	2	2	10	4	-	4	2	-	2	6	2	14	6	2	6	-	-	65
246	10	2	76	20	12	22	4	2	6	2	2	6	6	10	38	20	40	6	4	-	66
40	-	-	10	-	-	2	2	2	2	-	-	2	-	-	10	-	10	4	-	-	67
34	2	-	18	4	8	4	-	-	-	-	-	2	4	2	10	2	8	-	-	-	68
60	-	-	14	4	-	8	-	-	2	-	-	-	-	4	8	2	-	-	-	-	69
112	8	2	34	12	4	8	2	-	2	2	2	2	2	4	10	16	22	2	4	-	70
98	8	2	44	4	2	12	2	-	-	-	-	-	2	2	22	6	10	2	-	-	71
102	10	-	26	8	4	14	10	4	4	-	-	2	2	-	14	16	18	4	-	-	72
262	16	2	114	12	14	16	6	-	10	2	-	6	10	2	56	26	14	14	-	-	73
96	6	-	40	2	4	6	4	-	4	-	-	2	8	-	8	6	4	6	-	-	74
52	2	2	30	4	2	2	-	-	2	-	-	-	-	-	18	8	4	2	-	-	75
114	8	-	44	6	8	8	2	-	4	2	-	4	2	2	30	12	6	6	-	-	76
66	2	-	24	10	2	4	4	2	-	-	-	-	-	-	16	-	12	-	-	-	77
1,830	84	20	568	90	80	128	88	14	80	16	-	30	112	66	382	138	102	78	92	4	78
24	-	-	6	-	-	-	-	-	-	-	-	-	-	-	2	6	-	2	-	-	79
996	50	10	300	60	46	82	42	6	52	12	-	16	50	46	226	54	52	46	84	2	80
170	8	-	50	4	6	4	10	2	4	-	-	-	4	2	32	16	4	4	-	2	81
36	-	-	12	2	2	6	-	-	4	-	-	-	4	-	16	6	-	2	-	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-468)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OHIO--CON.																	
	MONTGOMERY--CON.																	
01	OAKWOOD	118	4	-	-	18	4	4	2	-	2	2	4	2	78	58	2	-
02	VANDALIA	54	-	-	2	6	2	-	-	2	-	-	2	-	30	22	-	-
03	WEST CARROLLTON	58	-	-	-	12	4	4	-	-	-	-	4	-	28	20	-	-
04	BALANCE OF COUNTY	1,452	6	-	2	252	62	52	24	30	18	16	50	32	782	558	18	8
05	MORGAN	146	-	-	-	18	2	6	2	2	-	-	6	2	80	68	-	4
06	MORROW	210	-	-	-	18	6	6	-	2	-	-	4	4	146	100	-	2
07	MUSKINGUM	936	4	-	-	124	44	18	6	12	6	10	28	30	558	410	6	28
08	ZANESVILLE	514	4	-	-	68	26	12	2	10	-	2	16	20	312	212	4	16
09	BALANCE OF COUNTY	422	-	-	-	56	18	6	4	2	6	8	12	10	246	198	2	12
10	NOBLE	160	-	-	-	42	16	10	4	2	2	2	6	4	88	66	-	-
11	OTTAWA	382	-	-	-	70	20	10	8	8	6	2	16	8	212	160	4	8
12	PAULDING	192	-	-	-	14	8	2	-	-	2	-	2	4	132	110	2	2
13	PERRY	322	2	-	2	58	22	12	4	8	2	-	10	8	188	144	6	2
14	PICKAWAY	390	-	-	4	68	20	14	8	8	2	4	12	6	222	144	-	6
15	CIRCLEVILLE	136	-	-	-	20	8	2	2	4	-	-	4	2	84	54	-	2
16	BALANCE OF COUNTY	254	-	-	4	48	12	12	6	4	2	4	8	4	138	90	-	4
17	PIKE	240	-	-	-	28	10	6	-	4	-	2	6	22	140	110	2	4
18	PORTAGE	816	-	-	8	140	54	28	18	8	8	4	20	14	442	346	12	4
19	KENT	168	-	-	2	28	14	4	2	2	-	-	6	6	88	70	4	-
20	RAVENNA	118	-	-	2	18	6	2	2	-	2	2	4	-	80	54	-	-
21	BALANCE OF COUNTY	530	-	-	4	94	34	22	14	6	6	2	10	8	274	222	8	4
22	PREBLE	356	2	-	-	52	22	16	4	8	-	2	-	6	204	140	2	4
23	PUTNAM	304	2	-	2	44	12	4	4	6	2	2	14	6	182	128	4	2
24	RICHLAND	1,146	4	-	8	200	76	36	10	26	12	4	36	32	598	402	6	8
25	MANSFIELD	696	2	-	8	120	48	28	4	10	6	4	20	16	376	244	6	2
26	BALANCE OF COUNTY	450	2	-	-	80	28	8	6	16	6	-	16	16	222	158	-	6
27	ROSS	634	2	-	2	86	26	22	14	12	2	2	8	28	374	246	6	4
28	CHILLICOTHE	322	2	-	-	40	16	8	6	4	2	2	2	20	200	122	2	4
29	BALANCE OF COUNTY	312	-	-	2	46	10	14	8	8	-	-	6	8	174	124	4	-
30	SANDUSKY	592	-	-	-	98	34	16	4	20	2	2	20	10	344	266	-	20
31	FREMONT	226	-	-	-	32	14	2	-	8	2	-	6	2	138	110	-	12
32	BALANCE OF COUNTY	366	-	-	-	66	20	14	4	12	-	2	14	8	206	156	-	8
33	SCIOTO	924	-	-	-	172	44	52	12	32	4	2	26	26	512	396	12	4
34	PORTSMOUTH	454	-	-	-	104	26	32	4	16	2	-	24	6	258	194	8	2
35	BALANCE OF COUNTY	470	-	-	-	68	18	20	8	16	2	2	2	20	254	202	4	2
36	SENECA	686	2	-	4	118	18	20	14	26	2	8	30	20	382	296	6	4
37	FOSTORIA, PART	184	-	-	2	30	6	6	2	8	-	-	8	4	100	80	2	2
38	FOSTORIA, TOTAL	226	-	-	2	42	10	8	2	10	-	2	10	6	116	90	2	2
39	TIFFIN	256	2	-	-	36	6	6	2	6	2	-	14	14	148	114	2	-
40	BALANCE OF COUNTY	246	-	-	2	52	6	8	10	12	-	8	8	2	134	102	2	2
41	SHELBY	312	2	-	2	44	14	6	2	6	-	4	12	8	166	126	4	2
42	STONEY	148	-	-	2	20	6	2	-	4	-	2	6	4	80	60	4	2
43	BALANCE OF COUNTY	164	2	-	-	24	8	4	2	2	-	2	6	4	86	66	-	-
44	STARK	3,578	8	2	16	626	184	138	52	52	36	28	136	64	2,042	1,516	38	26
45	ALLIANCE, PART	318	-	-	2	42	12	8	2	6	2	-	12	4	214	148	4	6
46	ALLIANCE, TOTAL	320	-	-	2	42	12	8	2	6	2	-	12	4	214	148	4	6
47	CANTON	1,338	2	-	6	242	74	60	20	16	12	12	48	12	754	556	10	8
48	MASSILLON	380	-	-	4	74	26	14	6	8	2	6	12	14	214	172	2	-
49	NORTH CANTON	122	-	-	-	16	4	2	2	-	-	2	6	4	80	56	2	-
50	BALANCE OF COUNTY	1,420	6	2	4	252	68	54	22	22	20	8	58	30	780	584	20	12
51	SUMMIT	4,930	14	-	20	884	244	208	88	118	26	44	156	114	2,638	1,908	54	36
52	AKRON	2,982	8	-	16	496	138	128	38	76	14	20	82	68	1,626	1,168	38	24
53	BARBERTON	314	-	-	-	72	20	14	10	8	4	2	14	4	158	122	-	2
54	CUYAHOGA FALLS	392	2	-	-	84	22	18	8	10	-	8	18	6	216	146	8	-
55	NORTON	46	-	-	-	12	8	2	-	-	-	2	-	2	28	20	-	-
56	STOW	100	-	-	-	18	4	4	2	-	-	2	6	-	46	36	-	-
57	TALLMADGE	82	-	-	-	20	4	4	-	4	-	2	6	6	36	28	-	-
58	BALANCE OF COUNTY	1,014	4	-	4	182	48	38	30	20	8	8	30	28	528	388	8	10
59	TRUMBULL	2,036	4	-	4	380	116	74	44	38	24	20	64	46	1,144	900	12	12
60	GIRARD	130	-	-	2	26	10	-	2	-	2	2	10	4	78	64	-	-
61	NILES	252	-	-	-	52	18	14	6	4	2	4	4	6	146	116	2	-
62	WARREN	692	4	-	-	114	26	22	8	20	12	8	18	18	400	308	6	-
63	YOUNGSTOWN, PART	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2
64	BALANCE OF COUNTY	956	-	-	2	188	62	38	28	14	8	6	32	18	518	410	4	10
65	TUSCARAWAS	832	-	-	6	136	46	22	8	18	6	12	24	24	492	342	4	4
66	DOVER	116	-	-	4	6	6	-	-	-	-	-	-	2	78	50	-	-
67	NEW PHILADELPHIA	180	-	-	-	40	8	4	4	6	4	2	12	4	112	84	-	-
68	BALANCE OF COUNTY	536	-	-	2	90	32	18	4	12	2	10	12	18	302	208	4	4
69	UNION	260	-	-	-	32	8	2	2	-	4	2	14	8	146	100	2	4
70	VAN WERT	344	2	-	-	48	16	10	6	-	-	-	16	4	208	168	-	2
71	VAN WERT	146	-	-	-	28	10	6	2	-	-	-	10	-	82	68	-	-
72	BALANCE OF COUNTY	198	2	-	-	20	6	4	4	-	-	-	6	4	126	100	-	2
73	VINTON	122	-	-	-	14	8	-	-	2	-	2	2	4	64	52	2	2
74	WARREN	506	-	-	4	90	28	30	2	12	-	4	14	8	250	168	4	2
75	FRANKLIN	68	-	-	-	10	2	4	2	2	-	-	-	-	36	26	-	-
76	BALANCE OF COUNTY	438	-	-	4	80	26	26	-	10	-	4	14	8	214	142	4	2
77	WASHINGTON	636	4	2	2	88	28	16	8	8	6	4	18	10	372	242	-	4
78	MARIETTA	230	2	-	2	32	12	4	4	2	2	2	6	2	146	100	-	-
79	BALANCE OF COUNTY	406	2	2	-	56	16	12	4	6	4	2	12	8	226	142	-	4
80	WAYNE	716	-	-	8	106	30	20	16	18	4	2	16	8	370	248	4	4
81	WOOSTER	184	-	-	4	30	10	4	6	6	-	-	4	2	94	56	-	2
82	BALANCE OF COUNTY	532	-	-	4	76	20	16	10	12	4	2	12	6	276	192	4	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
54	2	2	18	-	-	2	8	-	4	-	-	-	-	-	2	-	-	-	-	-	01
20	2	-	8	-	-	4	2	-	-	-	-	-	2	-	2	2	2	2	-	-	02
20	-	-	4	-	4	-	-	-	2	-	-	2	4	-	2	4	4	-	-	-	03
510	22	8	170	24	22	30	26	6	14	4	-	12	48	18	100	50	40	22	8	-	04
58	6	-	6	2	4	4	10	-	4	-	-	2	2	6	12	-	2	4	-	-	05
90	8	-	38	4	4	8	6	-	-	2	-	-	-	4	8	6	4	4	-	-	06
368	8	2	96	24	26	34	28	-	10	6	-	8	12	8	66	14	28	4	2	-	07
190	2	2	72	12	14	12	12	-	10	6	-	2	6	6	40	2	14	-	-	-	08
178	6	-	24	12	12	22	16	-	-	-	-	6	6	2	26	12	14	4	2	-	09
64	2	2	16	-	4	-	4	-	4	-	-	2	-	2	12	2	-	-	-	-	10
144	4	-	34	14	4	10	8	2	4	-	2	2	4	-	22	14	18	6	-	-	11
94	12	2	10	6	4	4	-	-	2	4	-	-	2	2	14	10	-	4	-	-	12
134	2	-	32	6	6	6	6	2	6	2	-	4	6	2	20	2	4	2	-	2	13
126	12	2	66	8	2	20	6	-	8	-	-	-	6	4	18	16	10	-	2	-	14
46	6	2	24	2	2	6	-	-	4	-	-	-	2	2	8	6	2	-	-	-	15
80	6	-	42	6	-	14	6	-	4	-	-	-	4	2	10	10	8	-	2	-	16
88	16	2	20	8	-	14	12	-	-	4	-	-	4	2	8	4	2	-	-	-	17
318	12	-	68	16	12	18	12	2	4	4	-	6	6	16	56	24	44	12	6	2	18
66	-	-	14	2	2	4	2	-	-	-	-	2	4	8	10	2	6	4	2	-	19
52	2	-	14	2	10	2	-	-	-	-	-	-	-	2	2	2	8	2	-	-	20
200	10	-	40	12	-	12	10	2	4	4	-	4	2	6	44	20	30	6	4	2	21
130	4	-	44	12	8	8	10	-	2	2	-	2	2	2	26	20	12	6	-	-	22
108	14	4	38	4	8	8	4	4	4	2	-	-	10	-	18	10	8	-	-	-	23
366	22	10	148	24	14	24	22	6	20	2	-	14	12	64	60	24	36	16	2	2	24
220	16	8	106	10	8	18	12	6	14	-	-	10	8	34	32	10	16	12	2	-	25
146	6	2	42	14	6	6	10	-	6	2	-	4	4	30	28	14	20	4	-	2	26
228	8	-	88	26	14	12	10	4	8	2	-	4	8	12	36	14	18	14	-	-	27
112	4	-	54	12	12	8	2	-	6	-	-	4	4	4	16	4	6	6	-	-	28
116	4	-	34	14	2	4	8	4	2	2	-	-	4	8	20	10	12	8	-	-	29
240	6	6	54	6	12	18	6	-	8	-	-	10	16	6	24	28	18	6	-	-	30
94	4	-	20	4	4	8	2	-	2	-	-	2	6	4	10	10	8	2	-	-	31
146	2	6	34	2	8	10	4	-	6	-	-	8	10	2	14	18	10	4	-	-	32
356	24	4	84	12	16	46	22	4	4	6	-	4	10	-	58	30	20	8	2	-	33
166	18	-	46	10	8	12	10	-	2	6	-	-	2	-	30	10	10	4	-	-	34
190	6	4	38	2	8	34	12	4	2	-	-	4	8	-	28	20	10	4	2	-	35
278	8	-	62	18	6	26	6	4	4	2	-	4	20	4	32	20	20	16	2	-	36
74	2	-	20	-	-	10	2	4	2	-	-	-	6	-	12	2	2	8	-	-	37
84	2	2	24	-	-	12	4	4	2	-	-	-	8	-	12	6	2	8	-	-	38
110	2	-	24	6	4	8	-	-	2	2	-	4	2	2	12	12	10	2	-	-	39
94	4	-	18	12	2	8	4	-	-	-	-	-	12	2	8	6	8	6	2	-	40
116	4	4	28	6	2	12	8	-	-	4	-	4	4	-	20	26	10	2	-	-	41
52	2	2	10	6	2	8	4	-	-	4	-	-	4	-	12	8	2	-	-	-	42
64	2	2	18	-	-	4	4	-	-	-	-	4	-	-	8	18	8	2	-	-	43
1,384	68	10	358	104	54	128	74	18	56	6	-	30	42	4	222	86	106	38	8	2	44
136	2	-	44	18	4	12	8	-	2	2	-	4	4	-	10	4	6	4	-	-	45
136	2	-	44	18	4	12	10	-	2	2	-	4	4	-	10	4	6	4	-	-	46
504	34	2	132	40	24	58	32	8	16	2	-	10	16	-	100	22	38	14	4	2	47
162	8	2	26	10	4	2	4	-	10	-	-	2	8	2	28	8	8	2	-	-	48
52	2	-	16	8	-	-	2	4	-	-	-	4	2	-	6	2	2	-	-	-	49
530	22	6	140	28	22	56	28	6	28	2	-	10	12	2	78	50	52	18	4	-	50
1,728	90	18	560	72	80	130	70	8	58	24	-	30	60	380	312	48	78	42	18	2	51
1,036	70	12	354	46	46	86	36	4	34	18	-	12	44	234	192	20	50	24	14	-	52
118	2	-	26	2	8	4	4	-	6	4	-	-	-	22	26	8	4	-	-	2	53
132	6	-	54	8	8	10	4	2	2	-	-	2	2	30	20	6	2	4	-	-	54
20	-	-	8	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	55
34	2	-	6	-	4	2	4	-	2	-	-	-	2	12	10	-	2	2	-	-	56
24	4	-	6	2	-	2	2	-	-	-	-	2	-	4	4	-	2	4	-	-	57
364	6	6	106	14	14	26	20	2	10	2	-	14	12	78	60	14	18	8	4	-	58
818	58	18	176	28	22	38	30	8	36	10	-	12	40	6	112	70	46	30	20	-	59
62	2	-	14	-	-	-	2	-	2	-	-	-	-	-	10	4	-	2	-	-	60
106	8	-	24	4	2	8	2	4	4	4	-	-	8	-	8	4	2	2	2	-	61
288	14	8	64	8	12	14	10	2	14	4	-	6	14	4	32	16	20	6	14	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	63
362	34	10	74	16	8	16	16	2	16	2	-	6	18	2	62	44	22	20	4	-	64
310	24	4	116	12	18	20	10	6	6	8	-	10	14	2	46	12	34	4	2	-	65
46	4	-	22	4	2	4	-	2	2	-	-	-	4	-	8	2	4	-	-	-	66
78	6	-	24	-	4	2	2	2	-	4	-	-	2	2	2	-	8	-	-	-	67
186	14	4	70	8	12	14	8	2	4	4	-	10	8	-	36	10	22	4	2	-	68
92	2	-	30	10	6	14	14	2	2	-	-	4	-	2	16	4	12	4	-	-	69
162	4	-	32	4	4	20	6	2	2	2	-	2	6	2	16	10	12	-	2	-	70
66	2	-	10	-	4	4	4	2	2	-	-	-	6	2	8	4	4	-	-	-	71
96	2	-	22	4	-	16	2	-	-	2	-	2	-	-	8	6	8	-	2	-	72
44	4	-	8	2	2	4	2	2	-	-	-	2	2	-	10	8	10	-	-	-	73
158	4	2	68	12	-	12	6	-	4	2	-	2	16	-	52	22	10	20	6	2	74
24	2	-	10	-	-	2	4	-	-	-	-	-	6	-	6	-	-	2	2	-	75
134	2	2	58	12	-	10	2	-	4	2	-	2	10	-	46	22	10	18	4	2	76
234	4	8	110	2	10	22	14	8	6	-	-	8	14	2	42	14	12	12	-	4	77
100	-	2	36	-	8	4	8	-	2	-	-	-	4	-	16	2	6	-	-	4	78
134	4	6	74	2	2	18	6	8	4	-	-	8	10	2	26	12	6	12	-	-	79
226	14	-	98	8	16	34	22	2	2	2	-	10	8	16	52	44	14	14	4	-	80
54	-	-	34	2	2	12	6	2	-	-	-	-	2	2	14	10	2	4	-	-	81
172	14	-	64	6	14	22	16	-	2	2	-	10	6	14	38	34	12	10	4	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OHIO--CON.																	
01	WILLIAMS	368	-	-	4	50	12	12	2	8	4	2	10	6	210	180	2	8
02	WOOD	696	-	-	2	142	28	32	18	24	10	12	18	14	374	256	4	2
03	BOWLING GREEN	116	-	-	-	26	4	4	4	6	2	4	2	4	60	40	-	-
04	FOSTORIA, PART	10	-	-	-	4	2	2	-	-	-	-	-	-	-	-	-	-
05	BALANCE OF COUNTY	570	-	-	2	112	22	26	14	18	8	8	16	10	314	216	4	2
06	WYANDOT	216	-	-	2	26	6	2	4	6	-	2	6	2	122	92	-	2
07	**OKLAHOMA**	26,936	78	8	180	4,468	1,058	1,094	356	556	212	192	1,000	436	14,296	10,158	136	240
08	URBAN PLACES	12,924	42	6	90	2,204	524	526	208	252	110	82	502	214	6,568	4,548	70	94
09	BALANCE OF AREA	14,012	36	2	90	2,264	534	568	148	304	102	110	498	222	7,728	5,610	66	146
10	METROPOLITAN COUNTIES	10,950	28	2	96	1,902	442	464	164	202	98	78	454	182	5,378	3,836	68	68
11	URBAN PLACES	8,692	24	2	68	1,530	358	374	144	172	68	56	358	148	4,224	2,988	56	42
12	BALANCE OF AREA	2,258	4	-	28	372	84	90	20	30	30	22	96	34	1,154	848	12	26
13	NONMETROPOLITAN COUNTIES	15,986	50	6	84	2,566	616	630	192	354	114	114	546	254	8,918	6,322	68	172
14	URBAN PLACES	4,232	18	4	22	674	166	152	64	80	42	26	144	66	2,344	1,560	14	52
15	BALANCE OF AREA	11,754	32	2	62	1,892	450	478	128	274	72	88	402	188	6,574	4,762	54	120
16	ADAIR	188	-	-	-	38	8	8	2	6	-	2	12	-	92	52	2	4
17	ALFALFA	114	-	-	-	20	10	4	-	4	-	2	-	6	74	56	-	6
18	ATOKA	114	-	-	-	16	-	6	-	8	2	-	-	-	62	54	-	-
19	BEAVER	62	-	-	-	8	-	2	-	2	-	2	2	4	42	30	-	-
20	BECKHAM	256	-	-	2	46	12	10	6	2	-	4	12	6	132	98	-	2
21	BLAINE	184	-	-	-	24	2	6	4	4	2	-	6	-	94	66	2	-
22	BRYAN	390	2	-	2	68	18	18	4	8	2	4	14	10	222	160	4	2
23	DURANT	194	-	-	-	36	10	8	2	4	2	4	6	4	116	72	-	2
24	BALANCE OF COUNTY	196	2	-	2	32	8	10	2	4	-	-	8	6	106	88	4	-
25	CADDO	374	-	-	2	60	12	14	-	14	2	2	16	14	196	142	2	2
26	CANADIAN	320	2	2	2	52	12	12	2	14	-	2	10	6	170	118	-	6
27	EL RENO	210	-	2	2	34	4	8	2	12	-	2	6	4	120	84	-	4
28	OKLAHOMA CITY, PART	6	-	-	-	2	-	-	-	-	-	-	2	-	2	2	-	-
29	BALANCE OF COUNTY	104	2	-	-	16	8	4	-	2	-	-	2	2	48	32	-	2
30	CARTER	468	-	-	6	98	16	24	8	16	2	4	28	6	252	166	2	4
31	ARDMORE	312	-	-	4	72	16	18	8	10	2	-	18	4	166	108	-	2
32	BALANCE OF COUNTY	156	-	-	2	26	-	6	-	6	-	4	10	2	86	58	2	2
33	CHEROKEE	210	-	-	-	44	4	18	-	2	-	-	20	4	112	88	-	2
34	CHOCTAW	258	-	-	4	42	8	14	2	10	-	-	8	8	160	138	-	8
35	CIMARRON	34	-	-	-	4	2	-	2	-	-	-	-	-	20	14	2	-
36	CLEVELAND	496	-	-	4	70	14	30	10	-	2	-	14	-	268	184	4	2
37	MOORE	78	-	-	-	12	4	2	-	-	-	-	6	-	40	32	2	2
38	NORMAN	304	-	-	2	46	10	20	8	-	2	-	6	-	168	118	2	-
39	OKLAHOMA CITY, PART	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	BALANCE OF COUNTY	104	-	-	2	12	-	8	2	-	-	-	2	-	60	34	-	-
41	COAL	80	-	-	-	12	2	2	-	2	-	-	6	2	54	44	2	-
42	COMANCHE	610	8	-	6	82	14	22	6	4	2	2	32	6	280	200	6	4
43	LAWTON	450	8	-	2	64	12	16	6	4	2	2	22	4	198	142	2	2
44	BALANCE OF COUNTY	160	-	-	4	18	2	6	-	-	-	-	10	2	82	58	4	2
45	COTTON	70	-	-	-	10	4	4	-	-	2	-	-	2	30	20	-	2
46	CRAIG	260	-	-	-	32	4	10	-	12	2	-	4	-	166	98	-	2
47	CREEK	566	-	-	2	106	20	22	6	12	8	4	34	6	298	240	2	6
48	SAPULPA	200	-	-	-	34	4	8	4	6	2	4	6	4	102	82	-	2
49	BALANCE OF COUNTY	366	-	-	2	72	16	14	2	6	6	-	28	2	196	158	2	4
50	CUSTER	222	4	-	-	40	10	8	2	6	2	2	10	2	114	86	2	6
51	DELAWARE	270	-	-	2	60	12	12	8	4	8	-	16	8	128	96	-	-
52	DEWEY	84	-	-	-	12	-	6	2	2	-	-	2	-	48	42	2	-
53	ELLIS	60	-	-	-	16	-	2	4	4	-	-	6	-	32	26	-	-
54	GARFIELD	592	2	2	-	82	26	12	6	12	4	-	22	12	360	260	2	14
55	ENID	492	2	2	-	64	22	10	6	2	4	-	20	12	292	216	2	12
56	BALANCE OF COUNTY	100	-	-	-	18	4	2	-	10	-	-	2	-	68	44	-	2
57	GARVIN	332	2	-	4	62	8	16	6	18	2	-	12	2	202	154	4	2
58	GRADY	388	-	-	2	40	10	8	8	6	-	4	4	2	230	150	4	4
59	CHICKASHA	194	-	-	2	26	6	6	2	6	-	4	2	-	108	68	-	-
60	BALANCE OF COUNTY	194	-	-	-	14	4	2	6	-	-	-	2	2	122	82	4	4
61	GRANT	92	-	-	2	22	10	-	2	4	-	2	4	-	48	38	-	2
62	GREER	126	-	-	-	20	6	4	-	2	4	2	2	-	68	46	-	-
63	HARMON	68	-	-	-	8	6	2	-	-	-	-	-	-	38	26	-	-
64	HARPER	52	-	-	-	6	4	-	-	-	-	2	-	2	30	22	-	-
65	HASKELL	122	2	-	-	24	8	6	4	2	-	2	2	6	54	42	-	-
66	HUGHES	236	-	-	-	32	10	4	2	2	4	6	4	-	146	110	-	-
67	JACKSON	274	-	-	2	32	8	4	4	2	2	-	12	4	146	92	-	4
68	ALTUS	194	-	-	-	22	6	4	2	2	2	-	6	2	108	64	-	2
69	BALANCE OF COUNTY	80	-	-	2	10	2	-	2	-	-	-	6	2	38	28	-	2
70	JEFFERSON	132	-	-	2	26	4	10	2	2	2	-	6	4	62	48	-	-
71	JOHNSTON	138	-	-	-	22	6	12	-	2	-	-	2	-	78	58	-	-
72	KAY	584	2	-	2	98	28	22	4	14	8	4	18	16	326	240	4	-
73	PONCA CITY	316	2	-	-	58	16	14	4	6	8	-	10	12	160	124	2	-
74	BALANCE OF COUNTY	268	-	-	2	40	12	8	-	8	-	4	8	4	166	116	2	-
75	KINGFISHER	130	-	-	-	20	6	6	-	4	-	4	-	-	84	58	-	-
76	KIOWA	198	-	-	-	30	4	6	4	4	2	8	2	4	120	94	-	2
77	LATIMER	92	-	2	-	14	2	4	2	-	2	-	4	-	62	48	4	2
78	LE FLORE	384	-	-	8	58	8	22	2	-	8	8	10	6	202	156	-	4

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769,2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
162	8	-	28	-	2	14	8	-	-	4	-	2	6	2	20	18	12	8	2	2	01
244	6	-	82	28	8	14	14	6	8	2	-	8	12	2	50	24	14	4	4	2	02
40	-	-	14	6	-	2	2	-	2	-	-	2	2	-	12	-	2	-	-	2	03
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	4	-	-	-	-	04
204	6	-	68	22	8	12	10	6	6	2	-	6	10	2	38	20	12	4	4	-	05
86	4	2	26	-	2	10	10	2	-	-	-	-	-	-	28	4	4	6	-	-	06
9,118	664	94	3,240	466	338	852	382	112	308	172	10	156	446	448	2,284	806	894	328	206	66	07
4,128	256	54	1,578	204	184	400	204	58	164	84	8	86	282	240	1,126	350	430	206	122	40	08
4,990	408	40	1,662	262	154	452	178	54	144	88	2	70	164	208	1,158	456	464	122	84	26	09
3,446	254	32	1,198	160	152	326	144	42	146	70	6	76	256	178	1,004	358	404	190	128	34	10
2,726	164	28	966	118	124	268	110	36	120	54	6	62	218	154	770	256	328	170	112	32	11
720	90	4	232	42	28	58	34	6	26	16	-	14	38	24	234	102	76	20	16	2	12
5,672	410	62	2,042	306	186	526	238	70	162	102	4	80	190	270	1,280	448	490	138	78	32	13
1,402	92	26	612	86	60	132	94	22	44	30	2	24	64	86	356	94	102	36	10	8	14
4,270	318	36	1,430	220	126	394	144	48	118	72	2	56	126	184	924	354	388	102	68	24	15
42	4	-	30	2	8	6	4	2	2	2	-	2	6	-	12	6	6	6	4	-	16
48	2	2	14	2	-	2	-	-	-	-	-	-	-	-	10	2	-	-	-	-	17
46	8	-	6	-	2	6	4	-	4	-	-	-	-	-	12	6	2	2	-	-	18
30	-	2	8	-	2	2	2	-	-	-	-	-	-	-	-	2	2	-	-	-	19
86	10	-	34	-	-	10	4	-	-	-	-	2	2	14	24	2	10	2	-	-	20
58	6	-	22	2	4	16	2	-	8	-	-	-	2	4	18	2	12	-	2	-	21
148	6	-	48	8	6	10	6	4	8	7	-	-	8	2	24	4	8	6	2	2	22
68	2	-	34	6	4	4	6	2	6	-	-	-	4	-	8	2	4	-	-	2	23
80	4	-	14	2	2	6	-	2	2	2	-	-	4	2	16	2	4	6	2	-	24
122	16	-	32	14	8	14	6	4	4	2	-	2	2	6	36	14	8	4	-	-	25
98	14	-	38	10	4	6	-	-	2	2	-	2	6	4	28	14	14	2	4	2	26
72	8	-	26	6	4	4	-	-	-	2	-	2	2	4	18	6	6	-	4	-	27
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	28
24	6	-	12	4	-	2	-	-	2	-	-	-	4	-	10	8	8	2	-	-	29
146	14	2	68	8	8	12	2	2	8	2	-	4	4	14	34	8	10	6	-	-	30
100	6	2	42	6	8	4	2	2	2	2	-	4	4	4	30	4	4	4	-	-	31
46	8	-	26	2	-	8	-	-	6	-	-	-	-	10	4	4	6	2	-	-	32
80	6	-	18	2	4	2	2	-	-	-	-	-	-	6	26	2	12	-	-	-	33
124	6	-	16	6	-	2	4	-	-	2	-	2	2	-	14	14	4	-	-	-	34
12	-	-	4	2	-	4	-	-	-	-	-	-	-	-	-	2	4	-	-	-	35
170	8	2	58	20	4	20	8	-	2	-	-	2	12	10	32	20	20	16	6	6	36
28	-	-	2	4	2	6	-	-	-	-	-	-	4	-	4	4	2	6	-	-	37
108	8	2	38	8	2	12	4	-	-	-	-	-	6	6	24	8	14	6	2	6	38
-	-	-	-	-	-	2	-	-	-	-	-	-	-	4	-	-	-	2	2	-	39
34	-	-	18	8	-	-	4	-	2	-	-	2	2	-	4	8	4	2	2	-	40
38	4	-	6	2	2	-	6	-	-	-	-	-	-	-	6	-	-	-	-	-	41
182	8	2	64	8	6	14	2	2	16	2	-	6	36	20	40	34	30	10	10	6	42
130	8	2	46	4	4	10	-	2	12	-	-	6	32	14	32	24	20	8	8	6	43
52	-	-	18	4	2	4	2	-	4	2	-	-	4	6	8	10	10	2	2	-	44
18	-	2	6	2	-	2	-	-	-	-	-	-	2	2	14	4	-	2	2	-	45
92	4	-	62	2	4	12	10	2	-	2	-	-	6	2	18	2	4	4	-	-	46
226	6	2	44	6	6	10	8	-	2	2	-	2	14	6	68	22	10	8	2	-	47
80	-	-	18	2	-	8	2	-	-	-	-	2	4	4	24	8	4	4	-	-	48
146	6	2	26	4	6	2	6	-	2	2	-	-	10	2	44	14	6	4	2	-	49
74	4	2	18	6	2	8	2	2	2	-	-	-	2	2	20	8	12	4	-	-	50
74	22	-	22	8	2	10	4	2	-	2	-	-	8	4	16	14	8	2	2	-	51
34	6	2	2	-	2	4	-	2	-	-	-	-	2	-	4	6	2	4	-	-	52
26	-	-	6	-	-	2	-	-	2	-	-	-	-	-	4	4	-	-	-	-	53
222	22	8	72	10	10	22	18	-	2	-	-	4	2	4	50	8	20	4	-	-	54
182	20	8	48	10	10	20	16	-	-	-	-	4	2	4	46	6	18	4	-	-	55
40	2	-	24	-	-	2	2	-	2	-	-	-	-	-	4	2	2	-	-	-	56
138	10	-	46	2	-	6	2	-	-	2	-	-	-	2	22	6	16	4	-	-	57
132	10	-	60	20	-	22	8	-	2	-	-	2	-	6	24	20	24	2	2	2	58
66	2	-	32	8	-	12	4	-	2	-	-	2	-	2	18	8	8	-	-	2	59
66	8	-	28	12	-	10	4	-	-	-	-	-	-	4	6	12	16	2	2	-	60
32	4	-	8	-	2	4	2	-	-	-	-	-	-	-	10	2	-	-	-	2	61
42	4	-	20	2	-	2	-	-	4	-	-	-	4	-	14	4	4	2	2	2	62
24	2	-	6	4	2	2	2	4	-	-	-	-	-	2	6	2	2	2	-	-	63
18	4	-	8	-	-	4	2	-	2	-	-	-	-	-	6	-	-	-	-	-	64
40	2	-	12	-	-	-	2	-	8	2	-	-	2	4	2	4	6	4	2	-	65
104	6	2	26	2	6	8	4	-	2	-	-	2	-	-	12	8	14	-	6	2	66
74	14	-	50	4	-	16	2	2	6	6	-	2	6	6	22	12	8	-	2	-	67
54	8	-	40	4	-	10	2	2	4	6	-	2	-	4	16	12	2	-	2	-	68
20	6	-	10	-	-	6	-	-	2	-	-	-	6	2	6	-	6	-	-	-	69
42	6	-	10	4	-	6	2	-	-	2	-	-	4	4	8	2	6	2	2	-	70
58	-	-	18	2	-	4	2	-	-	-	-	-	8	-	14	8	-	-	-	2	71
214	22	-	64	18	4	12	8	2	8	6	-	6	8	4	44	16	16	8	-	2	72
108	14	-	24	10	2	8	4	-	2	-	-	4	6	2	30	10	10	6	-	2	73
106	8	-	40	8	2	4	4	2	6	6	-	2	2	2	14	6	6	2	-	-	74
56	2	-	18	8	-	6	4	-	-	-	-	-	-	2	4	8	-	2	-	-	75
92	-	-	16	4	6	4	-	-	-	-	-	-	-	-	20	2	12	4	2	-	76
36	6	-	14	-	-	4	-	-	-	-	-	-	-	-	6	-	-	4	-	-	77
132	20	-	34	6	6	14	-	2	4	2	-	8	4	6	40	18	6	-	4	2	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OKLAHOMA--CON.																	
01	LINCOLN	262	-	-	2	44	16	10	-	6	4	-	8	2	164	128	-	10
02	LOGAN	262	-	-	4	30	6	12	2	6	-	-	4	-	168	104	-	2
03	LOVE	78	-	-	-	14	-	6	-	-	2	-	6	-	48	30	-	-
04	MC CLAIN	158	-	-	-	32	14	6	4	4	-	-	4	2	82	50	-	-
05	OKLAHOMA CITY, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
06	BALANCE OF COUNTY	158	-	-	-	32	14	6	4	4	-	-	4	2	82	50	-	-
07	MC CURTAIN	332	4	-	4	62	16	14	2	10	-	2	18	-	160	124	-	6
08	MC INTOSH	184	-	-	-	22	2	-	-	4	-	2	14	6	98	56	2	-
09	MAJOR	100	-	-	-	12	4	2	-	4	-	2	-	12	52	34	-	-
10	MARSHALL	108	-	-	2	18	12	2	-	-	2	-	2	2	66	52	-	2
11	MAYES	288	2	-	2	34	6	12	-	4	2	2	8	2	170	108	2	-
12	MURRAY	160	-	-	-	24	6	8	-	2	2	4	2	-	96	54	-	-
13	MUSKOGEE	792	8	-	12	128	32	34	10	14	10	6	22	12	412	264	4	4
14	MUSKOGEE	576	8	-	6	100	24	24	8	14	6	4	20	8	302	196	2	4
15	BALANCE OF COUNTY	216	-	-	6	28	8	10	2	-	4	2	2	4	110	68	2	-
16	NOBLE	102	-	-	-	16	6	2	-	4	-	-	4	2	74	60	-	-
17	NOWATA	146	-	-	-	24	4	8	-	2	-	-	10	10	64	42	-	-
18	OKFUSKEE	172	-	-	-	30	8	10	2	6	2	-	2	-	100	80	-	2
19	OKLAHOMA	4,540	12	-	44	816	192	200	78	90	36	28	192	92	2,112	1,468	32	22
20	BETHANY	92	-	-	-	18	4	6	-	-	-	-	8	-	42	38	-	-
21	DEL CITY	108	2	-	-	20	2	8	-	4	-	2	4	-	46	32	-	-
22	EDMOND	108	-	-	-	20	6	6	2	4	-	-	2	4	54	30	-	-
23	MIDWEST CITY	224	2	-	-	56	10	10	12	8	-	2	14	8	92	74	-	-
24	OKLAHOMA CITY, PART	3,722	6	-	42	660	162	166	62	66	34	20	150	78	1,752	1,218	28	20
25	OKLAHOMA CITY, TOTAL	3,738	6	-	42	662	162	166	62	66	34	20	152	78	1,754	1,220	28	20
26	THE VILLAGE	2	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-
27	BALANCE OF COUNTY	284	2	-	2	40	8	4	2	8	2	4	12	2	126	76	4	2
28	OKMULGEE	472	2	-	2	86	24	14	8	12	4	8	16	2	276	212	2	4
29	OKMULGEE	234	-	-	2	38	14	10	2	4	-	6	2	-	136	92	-	2
30	BALANCE OF COUNTY	238	2	-	-	48	10	4	6	8	4	2	14	2	140	120	2	2
31	OSAGE	308	-	-	2	58	14	16	6	6	8	2	6	10	174	130	-	4
32	BARTLESVILLE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	TULSA, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	BALANCE OF COUNTY	306	-	-	2	58	14	16	6	6	8	2	6	10	174	130	-	4
35	OTTAWA	386	4	-	4	70	18	20	-	6	2	2	22	6	180	118	4	2
36	MIAMI	160	2	-	2	22	2	6	-	2	2	-	10	2	84	50	4	-
37	BALANCE OF COUNTY	226	2	-	2	48	16	14	-	4	-	2	12	4	96	68	-	2
38	PAWNEE	160	-	-	-	14	2	4	-	2	-	2	4	2	104	78	-	2
39	PAYNE	456	-	-	2	82	22	20	14	12	2	6	6	10	262	174	2	10
40	STILLWATER	194	-	-	-	30	6	4	8	8	2	2	-	6	112	64	-	2
41	BALANCE OF COUNTY	262	-	-	2	52	16	16	6	4	-	4	6	4	150	110	2	8
42	PITTSBURG	522	2	-	4	68	20	20	4	2	-	2	20	8	292	202	-	14
43	MC ALESTER	246	-	-	4	30	8	10	-	2	-	-	10	4	148	100	-	12
44	BALANCE OF COUNTY	276	2	-	-	38	12	10	4	-	-	2	10	4	144	102	-	2
45	PONTOTOC	350	-	2	2	58	8	14	10	6	4	-	16	-	204	130	-	4
46	ADA	216	-	2	-	40	4	6	8	4	4	-	14	-	124	80	-	2
47	BALANCE OF COUNTY	134	-	-	2	18	4	8	2	2	-	-	2	-	80	50	-	2
48	POTTAWATOMIE	620	2	-	-	98	24	22	14	10	14	2	12	12	332	236	6	8
49	OKLAHOMA CITY, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	SHAWNEE	398	2	-	-	54	12	14	6	2	10	2	8	8	220	152	2	6
51	BALANCE OF COUNTY	222	-	-	-	44	12	8	8	8	4	-	4	4	112	84	4	2
52	PUSHMATAHA	154	2	-	-	22	10	6	2	2	-	-	2	-	76	48	-	-
53	ROGER MILLS	46	-	-	-	10	4	-	-	-	-	-	6	-	26	18	-	-
54	ROGERS	254	2	-	2	36	8	8	2	4	-	4	10	4	154	112	2	-
55	SEMINOLE	374	-	-	2	58	12	20	2	6	-	-	18	10	190	148	2	12
56	SEQUOYAH	238	-	-	4	42	10	6	2	4	2	6	12	4	108	90	-	6
57	STEPHENS	452	6	-	6	54	12	12	8	4	2	6	10	8	256	178	-	8
58	DUNCAN	236	2	-	2	28	8	6	4	-	-	2	8	2	136	92	-	4
59	BALANCE OF COUNTY	216	4	-	4	26	4	6	4	4	2	4	2	6	120	86	-	4
60	TEXAS	132	-	-	2	20	4	6	4	2	2	2	-	-	76	62	-	2
61	TILLMAN	156	-	-	-	26	4	6	2	4	2	-	8	4	94	74	-	4
62	TULSA	3,488	6	-	24	618	158	134	52	72	32	26	144	52	1,766	1,250	24	14
63	BROKEN ARROW	102	-	-	-	18	8	4	2	2	-	2	-	-	56	42	2	-
64	SAND SPRINGS	122	-	-	-	20	8	2	2	2	-	2	4	2	80	48	-	2
65	TULSA, PART	2,952	6	-	20	524	124	118	44	64	28	20	126	44	1,472	1,046	20	10
66	TULSA, TOTAL	2,954	6	-	20	524	124	118	44	64	28	20	126	44	1,472	1,046	20	10
67	BALANCE OF COUNTY	312	-	-	4	56	18	10	4	4	4	2	14	6	158	114	2	2
68	WAGONER	234	2	-	-	42	6	12	-	12	-	-	12	2	122	90	-	2
69	WASHINGTON	408	-	-	-	84	20	24	4	16	4	2	14	6	196	126	2	2
70	BARTLESVILLE, PART	270	-	-	-	54	12	12	4	14	-	2	10	2	132	82	2	2
71	BARTLESVILLE, TOTAL	270	-	-	-	54	12	12	4	14	-	2	10	2	132	82	2	2
72	BALANCE OF COUNTY	138	-	-	-	30	8	12	-	2	4	-	4	4	64	44	-	-
73	WASHITA	122	-	-	-	12	4	-	2	4	-	-	2	2	80	54	-	-
74	WOODS	146	-	-	-	22	4	4	6	2	-	2	4	4	76	56	-	2
75	WOODWARD	144	-	-	-	26	8	8	2	2	-	2	4	-	84	58	2	-
76	**OREGON**	20,158	36	2	94	3,528	990	800	306	442	154	172	664	290	10,792	7,420	194	136
77	URBAN PLACES	9,934	22	-	64	1,770	506	406	160	216	74	78	330	152	5,406	3,738	104	60
78	BALANCE OF AREA	10,224	14	2	30	1,758	484	394	146	226	80	94	334	138	5,386	3,682	90	76

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
112	6	4	22	8	2	4	2	4	2	-	-	2	2	2	14	4	8	2	4	-	01
96	6	-	60	-	4	8	2	2	2	-	-	2	4	2	22	2	12	-	-	2	02
30	-	-	14	4	-	8	-	-	2	-	-	-	-	2	4	-	-	-	-	-	03
46	4	-	22	8	2	4	2	-	-	-	-	2	2	2	18	8	4	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
46	4	-	22	8	2	4	2	-	-	-	-	2	2	2	18	8	4	-	-	-	06
106	12	-	22	10	4	20	2	-	6	2	2	4	4	2	36	10	6	2	4	2	07
54	-	4	32	2	4	12	4	-	-	4	-	-	-	2	16	6	10	-	4	-	08
34	-	-	14	2	2	-	-	-	2	-	-	2	4	-	8	2	6	-	-	-	09
48	2	-	14	-	-	2	-	-	2	-	-	-	2	-	4	2	4	4	-	-	10
102	4	-	52	2	8	14	-	4	4	-	-	2	4	2	28	8	6	4	2	-	11
52	2	-	40	2	-	4	-	-	2	-	-	-	-	10	16	2	6	-	-	-	12
246	10	4	116	12	16	34	6	4	10	12	-	-	10	34	58	22	16	10	4	-	13
182	8	4	80	10	12	16	4	4	8	6	-	-	8	26	44	12	14	8	2	-	14
64	2	-	36	2	4	18	2	-	2	6	-	-	2	8	14	10	2	2	2	-	15
52	8	-	12	2	-	-	2	-	-	-	-	-	-	-	-	4	4	-	-	-	16
40	2	-	18	2	2	-	2	-	-	2	-	-	-	6	20	6	8	-	4	-	17
74	4	-	16	4	-	4	-	2	2	2	-	2	4	4	12	2	4	-	4	-	18
1,320	94	16	512	70	46	128	62	18	86	36	2	30	106	112	440	140	146	82	64	12	19
32	6	-	4	-	-	-	4	2	-	2	-	-	-	-	12	2	8	-	2	-	20
32	-	-	12	-	2	6	2	-	2	-	-	-	-	4	4	8	8	4	2	-	21
22	8	-	22	2	-	4	2	2	2	-	-	-	2	2	6	2	8	-	-	-	22
68	6	-	10	4	4	6	-	-	4	-	-	4	4	2	28	6	8	4	-	-	23
1,110	60	14	424	56	40	102	50	14	70	30	2	26	96	100	344	102	108	70	58	12	24
1,112	60	14	424	54	40	104	50	14	70	30	2	26	96	104	344	102	108	72	60	14	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
56	14	2	40	8	-	10	4	-	8	4	-	-	4	4	46	20	6	4	2	-	27
200	6	2	54	4	4	14	12	-	2	-	-	2	6	8	34	10	8	4	2	2	28
86	4	2	38	2	2	6	8	-	2	-	-	2	4	4	20	-	6	4	2	-	29
114	2	-	16	2	2	8	4	-	-	-	-	-	2	4	14	10	2	-	-	2	30
116	10	-	34	4	6	12	6	4	2	-	-	-	-	-	30	4	6	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	33
116	10	-	34	4	6	12	6	4	2	-	-	-	-	-	28	4	6	-	-	-	34
106	6	-	48	10	4	18	2	10	6	8	-	2	14	2	38	12	8	-	2	-	35
42	4	-	28	2	4	8	2	8	4	6	-	-	8	-	10	-	2	-	-	-	36
64	2	-	20	8	-	10	-	2	2	2	-	2	6	2	28	12	6	-	2	-	37
58	18	-	22	4	-	2	4	-	-	2	-	-	-	2	22	2	2	2	-	2	38
160	2	4	72	10	2	10	12	2	-	2	-	2	10	12	28	8	12	-	2	-	39
60	2	-	38	8	2	6	6	-	-	2	-	2	6	8	8	4	4	-	-	-	40
100	-	4	34	2	-	4	6	2	-	-	-	-	4	4	20	4	8	-	2	-	41
182	6	2	76	8	4	20	8	6	4	10	-	4	4	-	46	16	12	6	10	2	42
86	2	2	44	-	2	6	4	2	2	2	-	2	4	-	16	8	8	2	2	2	43
96	4	-	32	8	2	14	4	4	2	8	-	2	-	-	30	8	4	4	8	-	44
120	6	6	54	10	4	6	4	-	6	-	-	6	2	8	26	10	10	4	2	-	45
72	6	4	30	8	2	4	4	-	4	-	-	-	2	4	20	2	6	4	-	-	46
48	-	2	24	2	2	2	-	-	2	-	-	6	-	4	6	8	4	-	2	-	47
216	6	-	86	2	8	22	14	4	10	8	-	2	6	18	62	8	16	4	2	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
142	2	-	58	2	8	12	14	2	8	4	-	2	4	12	40	4	8	2	2	-	50
74	4	-	28	-	-	10	-	2	2	4	-	-	2	6	22	4	8	2	-	-	51
42	6	-	26	2	-	8	-	-	4	2	-	2	2	2	16	6	10	2	-	-	52
18	-	-	8	-	-	2	-	-	2	-	-	-	-	2	2	2	-	-	-	-	53
104	6	2	30	6	4	4	2	-	-	2	-	2	4	10	16	12	2	-	-	2	54
126	8	6	28	4	4	12	12	2	4	4	-	-	2	2	44	14	12	4	-	2	55
74	10	-	18	-	-	6	4	-	2	4	-	-	4	6	20	6	24	2	2	-	56
154	16	4	50	16	8	16	12	-	-	-	-	-	6	20	38	18	10	-	-	2	57
82	6	4	34	4	2	8	8	-	-	-	-	-	2	8	22	14	4	-	-	-	58
72	10	-	16	12	6	8	4	-	-	-	-	-	4	12	16	4	6	-	-	2	59
58	2	-	14	-	-	-	2	-	10	-	-	-	-	-	2	6	14	-	-	-	60
70	-	-	12	4	4	4	-	-	2	-	-	2	-	-	12	6	6	-	-	-	61
1,128	84	10	396	36	74	116	54	16	30	22	4	26	74	14	306	100	148	70	36	6	62
32	8	2	10	-	2	8	-	2	-	-	-	2	2	-	6	2	2	4	-	-	63
46	-	-	26	2	4	-	2	-	-	2	-	-	2	2	2	4	4	-	2	-	64
964	52	8	328	30	60	100	44	14	30	18	4	20	64	12	264	80	136	62	32	6	65
964	52	8	328	30	60	100	44	14	30	18	4	20	64	12	266	80	136	62	32	6	66
86	24	-	32	4	8	8	8	-	-	2	-	4	6	-	34	14	6	4	2	-	67
84	4	-	26	4	2	6	-	-	4	2	-	4	4	4	14	6	12	6	2	2	68
110	12	-	58	8	4	12	14	2	-	4	2	-	10	8	38	18	12	2	-	-	69
72	6	-	42	6	2	8	10	-	-	2	2	-	10	8	28	8	4	2	-	-	70
72	6	-	42	6	2	8	10	-	-	2	2	-	10	8	28	8	4	2	-	-	71
38	6	-	16	2	2	4	4	2	-	2	-	-	-	-	10	10	8	-	-	-	72
52	2	-	24	-	2	4	-	-	-	-	-	2	2	6	6	4	2	2	-	-	73
44	10	-	16	4	-	2	2	-	-	4	-	4	2	6	10	6	8	-	-	-	74
54	2	2	14	6	4	4	-	-	2	-	-	2	-	2	14	2	8	-	-	-	75
6,768	322	56	2,516	434	366	638	394	64	324	64	4	140	244	284	1,388	750	628	314	120	60	76
3,412	162	26	1,288	200	154	306	162	28	202	34	4	64	108	144	702	282	258	142	52	32	77
3,356	160	30	1,228	234	212	322	232	36	122	30	-	76	136	140	686	468	370	172	68	28	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OREGON--CON.																	
01	METROPOLITAN COUNTIES...	12,234	28	-	56	2,198	590	500	202	278	88	114	426	180	6,518	4,426	120	62
02	URBAN PLACES.....	7,630	20	-	48	1,384	366	314	132	172	60	66	274	124	4,100	2,788	84	28
03	BALANCE OF AREA.....	4,604	8	-	8	814	224	186	70	106	28	48	152	56	2,418	1,638	36	34
04	NONMETROPOLITAN COUNTIES	7,924	8	2	38	1,330	400	300	104	164	66	58	238	110	4,274	2,994	74	74
05	URBAN PLACES.....	2,304	2	-	16	386	140	92	28	44	14	12	56	28	1,306	950	20	32
06	BALANCE OF AREA.....	5,620	6	2	22	944	260	208	76	120	52	46	182	82	2,968	2,044	54	42
07	BAKER.....	178	-	-	2	30	6	6	-	10	-	-	8	2	96	72	2	2
08	BENTON.....	304	-	-	4	48	16	10	10	6	2	-	4	-	178	122	-	-
09	ALBANY, PART.....	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
10	CORVALLIS.....	170	-	-	4	14	8	2	2	-	2	-	-	-	110	78	-	-
11	BALANCE OF COUNTY....	130	-	-	-	32	6	8	8	6	-	-	4	-	68	44	-	-
12	CLACKAMAS.....	1,394	4	-	6	212	46	50	20	30	4	20	42	12	760	494	10	16
13	LAKE OSWEGO, PART....	116	-	-	-	16	2	8	4	-	-	-	2	-	70	56	-	-
14	LAKE OSWEGO, TOTAL...	118	-	-	-	18	2	8	4	-	-	-	4	-	70	56	-	-
15	MILWAUKEE, PART.....	210	-	-	2	24	-	10	4	4	-	4	2	-	108	68	2	-
16	MILWAUKEE, TOTAL.....	218	-	-	2	26	-	12	4	4	-	4	2	-	112	72	2	-
17	PORTLAND, PART.....	32	-	-	-	6	-	2	-	2	-	-	2	-	6	4	-	-
18	BALANCE OF COUNTY....	1,036	4	-	4	166	44	30	12	24	4	16	36	12	576	366	8	16
19	CLATSOP.....	380	-	-	4	54	20	8	4	4	2	4	12	4	232	160	4	2
20	ASTORIA.....	152	-	-	2	16	10	-	-	2	-	-	4	2	112	80	-	2
21	BALANCE OF COUNTY....	228	-	-	2	38	10	8	4	2	2	4	8	2	120	80	4	-
22	COLUMBIA.....	264	-	-	2	36	8	10	6	2	-	2	8	6	138	86	4	2
23	COOS.....	488	2	-	4	88	28	14	4	8	8	10	16	6	236	172	4	4
24	COOS BAY.....	112	-	-	-	18	8	4	-	-	4	-	2	-	60	44	4	-
25	BALANCE OF COUNTY....	376	2	-	4	70	20	10	4	8	4	10	14	6	176	128	-	4
26	CROOK.....	126	-	-	-	30	12	2	4	4	-	2	6	-	46	32	-	-
27	CURRY.....	108	-	-	-	22	4	8	-	2	4	-	4	4	46	30	-	-
28	DESCHUTES.....	306	-	-	4	44	18	6	4	8	-	2	6	2	168	124	4	2
29	BEND.....	156	-	-	4	22	10	2	-	8	-	-	2	2	74	58	-	-
30	BALANCE OF COUNTY....	150	-	-	-	22	8	4	4	-	-	2	4	-	94	66	4	2
31	DOUGLAS.....	594	-	-	2	102	30	28	6	10	4	4	20	22	312	200	4	-
32	ROSEBURG.....	204	-	-	2	42	20	8	2	4	-	2	6	8	100	60	-	-
33	BALANCE OF COUNTY....	390	-	-	-	60	10	20	4	6	4	2	14	14	212	140	4	-
34	GILLIAM.....	20	-	-	-	2	-	2	-	-	-	-	-	-	14	12	-	-
35	GRANT.....	70	-	-	-	8	4	2	-	-	-	2	-	-	42	26	2	-
36	HARNEY.....	54	-	-	-	6	2	2	-	-	-	-	2	2	20	16	-	-
37	HOOD RIVER.....	146	-	-	-	22	8	4	-	4	-	-	6	2	88	56	-	-
38	JACKSON.....	990	4	-	-	176	44	62	10	18	6	4	32	6	552	384	10	38
39	ASHLAND.....	138	2	-	-	22	6	10	-	2	-	-	4	-	90	60	2	8
40	MEDFORD.....	404	-	-	-	76	16	24	8	12	2	2	12	4	228	174	4	14
41	BALANCE OF COUNTY....	448	2	-	-	78	22	28	2	4	4	2	16	2	234	150	4	16
42	JEFFERSON.....	68	-	-	-	8	-	2	-	2	-	2	2	2	20	18	-	-
43	JOSEPHINE.....	504	-	-	-	86	26	16	8	8	6	4	18	12	284	206	2	2
44	GRANTS PASS.....	228	-	-	-	38	12	10	4	-	2	2	8	6	134	96	-	2
45	BALANCE OF COUNTY....	276	-	-	-	48	14	6	4	8	4	2	10	6	150	110	2	-
46	KLAMATH.....	444	-	-	2	60	20	8	8	8	6	6	4	2	240	174	10	12
47	KLAMATH FALLS.....	214	-	-	2	30	10	4	6	-	2	4	4	-	112	84	4	4
48	BALANCE OF COUNTY....	230	-	-	-	30	10	4	2	8	4	2	-	2	128	90	6	8
49	LAKE.....	64	-	-	-	10	4	2	2	2	-	-	-	-	36	24	-	-
50	LANE.....	1,628	-	-	14	330	92	94	26	40	8	18	52	18	858	574	14	-
51	EUGENE.....	646	-	-	10	138	34	30	14	18	2	10	30	4	346	232	8	-
52	SPRINGFIELD.....	278	-	-	4	50	12	14	6	6	2	-	10	2	152	100	-	-
53	BALANCE OF COUNTY....	704	-	-	-	142	46	50	6	16	4	8	12	12	360	242	6	-
54	LINCOLN.....	272	-	-	-	40	8	10	4	-	6	-	12	2	156	106	2	2
55	LINN.....	654	-	-	6	110	34	26	10	16	2	2	20	6	350	246	10	4
56	ALBANY, PART.....	166	-	-	2	34	6	10	2	8	-	-	8	-	76	62	2	2
57	ALBANY, TOTAL.....	170	-	-	2	36	8	10	2	8	-	-	8	-	76	62	2	2
58	BALANCE OF COUNTY....	488	-	-	4	76	28	16	8	8	2	2	12	6	274	184	8	2
59	MALHEUR.....	218	-	2	6	40	8	10	2	8	-	2	10	2	102	74	4	-
60	MARION.....	1,456	4	-	6	256	76	50	24	30	10	14	52	20	796	560	20	4
61	SALEM, PART.....	752	4	-	4	152	54	36	12	16	4	2	28	16	412	288	14	-
62	SALEM, TOTAL.....	818	4	-	4	160	56	36	12	16	4	4	32	18	460	322	16	-
63	BALANCE OF COUNTY....	704	-	-	2	104	22	14	12	14	6	12	24	4	384	272	6	4
64	MORROW.....	40	-	-	-	6	-	2	-	2	-	-	2	-	24	14	-	-
65	MULTNOMAH.....	6,392	16	-	26	1,176	310	262	122	150	60	48	224	102	3,394	2,294	62	28
66	LAKE OSWEGO, PART....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
67	MILWAUKEE, PART.....	8	-	-	-	2	-	2	-	-	-	-	-	-	4	4	-	-
68	PORTLAND, PART.....	5,200	16	-	26	930	252	204	88	122	50	42	172	90	2,800	1,896	56	28
69	PORTLAND, TOTAL.....	5,260	16	-	26	938	254	206	88	124	50	42	174	92	2,820	1,908	56	28
70	BALANCE OF COUNTY....	1,184	-	-	-	244	58	56	34	28	10	6	52	12	590	394	6	-
71	POLK.....	336	2	-	2	58	18	10	2	8	-	4	16	6	162	110	4	8
72	SALEM, PART.....	66	-	-	-	8	2	-	-	-	-	2	4	2	48	34	2	-
73	BALANCE OF COUNTY....	270	2	-	2	50	16	10	2	8	-	2	12	4	114	76	2	8
74	SHERMAN.....	26	-	-	-	2	-	-	-	-	-	2	-	-	18	14	-	-
75	TILLAMOOK.....	230	-	-	-	50	10	16	6	8	4	-	6	4	112	78	-	2
76	UMATILLA.....	482	2	-	2	80	24	18	12	6	4	-	16	12	258	190	6	2
77	PENDLETON.....	128	-	-	-	34	12	12	4	2	2	-	2	4	62	44	2	-
78	BALANCE OF COUNTY....	354	2	-	2	46	12	6	8	4	2	-	14	8	196	146	4	2
79	UNION.....	210	-	-	-	26	6	6	-	8	2	2	2	-	116	74	2	-
80	WALLOWA.....	64	-	-	-	14	6	-	-	2	-	2	4	-	30	22	-	-
81	WASCO.....	228	-	-	-	40	18	6	2	6	-	6	2	2	134	94	4	-
82	CITY OF THE DALLES...	134	-	-	-	24	14	4	-	2	-	2	2	-	84	60	2	-
83	BALANCE OF COUNTY....	94	-	-	-	16	4	2	2	4	-	4	-	2	50	34	2	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
4,086	158	36	1,596	240	220	376	222	38	210	36	4	92	150	178	896	408	338	192	70	44	01
2,570	106	22	1,040	132	118	239	118	14	166	26	4	48	76	118	566	212	202	116	34	24	02
1,516	52	14	556	108	102	146	104	24	44	10	-	44	74	60	330	196	136	76	36	20	03
2,682	164	20	920	194	146	262	172	26	114	28	-	48	94	106	492	342	290	122	50	16	04
842	56	4	248	68	36	76	44	14	36	8	-	16	32	26	136	70	56	26	18	8	05
1,840	108	16	672	126	110	186	128	12	78	20	-	32	62	80	356	272	234	96	32	8	06
62	6	-	18	6	-	2	2	-	2	-	-	4	2	2	24	2	4	2	2	-	07
118	4	-	46	4	6	10	-	2	-	-	-	4	6	-	16	18	8	6	-	4	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	09
76	2	-	30	-	2	6	-	2	-	-	-	2	4	-	10	8	6	2	-	2	10
42	2	-	16	4	4	4	-	-	-	-	-	2	2	-	6	10	2	4	-	-	11
454	14	2	210	28	26	42	24	4	20	2	-	8	30	24	116	56	38	26	2	8	12
50	6	-	14	-	-	6	-	-	4	-	-	-	2	2	6	-	6	4	-	-	13
50	6	-	14	-	-	6	-	-	4	-	-	-	2	2	6	-	6	4	-	-	14
64	2	-	40	-	-	6	10	2	6	2	-	4	2	2	20	12	2	6	2	-	15
66	4	-	40	-	-	6	10	2	6	2	-	4	2	2	22	12	2	6	2	-	16
4	-	-	2	-	-	2	-	-	2	-	-	2	2	2	4	2	4	-	-	-	17
336	6	2	154	28	26	28	14	2	8	-	-	2	24	18	86	42	26	16	-	8	18
144	10	-	58	12	2	16	12	2	10	-	-	-	2	4	16	6	8	8	2	-	19
74	4	-	28	4	-	6	2	2	2	-	-	-	2	2	-	2	-	2	-	-	20
70	6	-	30	8	2	10	10	-	8	-	-	-	-	2	16	4	8	6	2	-	21
76	4	4	42	4	2	16	-	-	6	-	-	-	8	6	20	12	6	4	2	2	22
152	12	-	54	6	4	12	18	-	10	-	-	2	14	8	22	28	32	6	-	-	23
34	6	-	10	4	2	6	2	-	4	-	-	-	6	4	2	4	4	2	-	-	24
118	6	-	44	2	2	6	16	-	6	-	-	2	8	4	20	24	28	4	-	-	25
30	2	-	10	2	2	8	10	2	-	-	-	-	-	2	8	10	6	2	2	-	26
30	-	-	16	-	-	2	4	-	-	-	-	-	-	2	8	12	8	-	-	-	27
102	16	-	36	6	2	14	2	-	8	2	-	2	2	2	24	12	14	2	4	-	28
48	10	-	10	4	2	10	-	-	8	2	-	-	-	2	14	8	8	-	2	-	29
54	6	-	26	2	-	4	2	-	-	-	-	2	2	-	10	4	6	2	2	-	30
188	8	4	70	22	16	24	12	4	4	4	-	2	2	4	36	26	22	8	8	-	31
56	4	-	30	6	4	12	6	4	2	-	-	2	-	-	10	2	8	2	4	-	32
132	4	4	40	16	12	12	6	-	2	4	-	-	2	4	26	24	14	6	4	-	33
10	2	-	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	34
24	-	-	14	-	2	-	2	-	-	-	-	2	-	2	2	6	6	-	-	-	35
14	2	-	4	-	-	4	-	-	-	-	-	-	-	2	6	10	4	-	-	-	36
54	2	-	26	2	4	4	-	-	-	2	-	-	2	2	6	8	8	2	-	-	37
328	8	2	118	20	28	22	24	4	20	6	-	6	10	20	46	40	26	22	2	4	38
50	-	-	24	2	4	4	6	2	-	-	-	-	4	-	2	4	2	-	-	-	39
150	6	2	36	8	8	4	8	-	12	2	-	2	2	10	30	12	6	4	-	4	40
128	2	-	58	10	16	14	10	2	8	4	-	4	4	10	14	24	18	18	2	-	41
18	-	-	2	-	-	-	4	-	4	2	-	-	2	-	16	2	4	4	-	-	42
180	22	-	42	28	8	10	14	-	6	-	-	8	4	2	30	14	24	8	2	-	43
86	8	-	24	12	2	2	12	-	2	-	-	4	-	-	16	4	6	4	-	-	44
94	14	-	18	16	6	8	2	-	4	-	-	4	4	2	14	10	18	4	2	-	45
138	14	4	40	14	8	16	8	6	8	4	-	2	10	8	26	18	20	6	8	-	46
72	4	-	14	12	2	8	4	2	4	2	-	2	10	4	12	10	6	2	4	-	47
66	10	4	26	2	6	8	4	4	4	2	-	-	-	4	14	8	14	4	4	-	48
24	-	-	6	2	4	-	4	-	2	-	-	-	2	-	2	4	2	-	2	-	49
548	12	2	216	28	38	44	30	6	20	4	-	12	30	8	96	66	54	12	20	6	50
218	6	-	92	10	12	14	20	-	12	-	-	2	12	2	36	26	16	2	4	2	51
100	-	-	42	2	8	6	2	2	-	2	-	6	10	2	20	8	12	-	-	-	52
230	6	2	82	16	18	24	8	4	8	2	-	4	8	4	40	32	26	10	16	4	53
94	8	-	36	10	4	10	8	-	6	-	-	2	-	4	18	6	14	4	2	-	54
226	6	2	80	8	14	26	6	2	10	-	-	4	10	8	44	46	12	10	4	-	55
54	4	-	4	6	4	10	2	-	-	-	-	4	2	2	18	10	-	2	4	-	56
54	4	-	4	6	4	10	2	-	-	-	-	4	2	2	18	10	-	2	4	2	57
172	2	2	76	2	10	16	4	2	10	-	-	-	8	6	26	36	12	8	-	-	58
64	6	-	20	4	4	8	6	-	-	2	-	2	4	2	14	18	6	2	-	2	59
508	28	8	144	40	44	36	22	6	10	8	-	24	18	28	90	56	46	18	12	-	60
260	14	4	76	24	20	12	6	-	8	6	-	12	8	14	56	18	16	4	4	-	61
290	16	4	90	24	20	12	6	-	8	6	-	12	8	14	60	20	16	6	4	-	62
248	14	4	68	16	24	24	16	6	2	2	-	12	10	14	34	38	30	14	8	-	63
14	-	-	8	2	-	2	2	-	-	-	-	-	-	-	2	-	2	2	-	-	64
2,114	90	20	876	116	88	218	110	12	146	20	4	34	46	92	488	174	162	112	34	26	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	67
1,742	70	18	726	84	76	176	76	10	130	16	4	20	36	84	386	130	136	92	22	20	68
1,754	70	18	734	84	76	180	76	10	132	16	4	22	38	88	394	134	140	92	22	20	69
370	18	2	150	32	12	42	34	2	16	4	-	14	10	8	100	44	26	20	12	6	70
92	6	2	38	8	4	16	12	4	4	-	-	4	6	-	34	16	6	4	-	-	71
30	2	-	14	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	-	72
62	4	2	24	8	4	16	12	4	4	-	-	4	6	-	30	14	6	2	-	-	73
14	-	-	-	-	4	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	74
74	2	-	26	8	-	12	8	2	2	-	-	4	-	4	14	4	8	4	2	-	75
168	14	-	48	10	10	18	12	-	10	4	-	2	6	8	32	12	8	8	6	2	76
36	6	-	14	-	4	6	2	-	2	2	-	-	-	2	6	-	-	4	4	-	77
132	8	-	34	10	6	12	10	-	8	2	-	2	6	6	26	12	8	4	2	2	78
68	4	2	32	-	8	6	8	-	4	-	-	-	-	4	20	6	12	6	2	-	79
16	6	-	4	2	2	6	-	-	-	-	-	-	-	-	10	2	2	-	-	-	80
90	-	2	30	6	2	-	2	2	2	2	-	2	4	-	14	10	14	-	-	-	81
58	-	2	16	6	-	-	-	2	-	-	-	-	2	-	10	2	10	-	-	-	82
32	-	-	14	-	2	-	2	-	2	2	-	2	2	-	4	8	4	-	-	-	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	OREGON--CON.																	
01	WASHINGTON	1,028	2	-	2	166	48	34	8	20	6	10	40	22	548	394	10	6
02	BEAVERTON	152	-	-	2	24	6	2	4	2	2	2	6	4	64	46	2	-
03	HILLSBORO	140	-	-	-	30	2	6	-	2	-	4	16	4	76	52	-	-
04	LAKE OSWEGO, PART	2	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-
05	PORTLAND, PART	28	-	-	-	2	2	-	-	-	-	-	-	2	14	8	-	-
06	BALANCE OF COUNTY	706	2	-	-	108	38	26	4	16	4	4	16	12	394	288	8	6
07	WHEELER	18	-	-	-	6	-	2	-	-	2	-	2	-	8	6	-	-
08	YAMHILL	374	-	-	-	84	36	12	2	12	8	-	14	10	218	162	-	-
09	MC MINNVILLE	94	-	-	-	14	6	2	-	4	-	-	2	2	64	50	-	-
10	BALANCE OF COUNTY	280	-	-	-	70	30	10	2	8	8	-	12	8	154	112	-	-
11	**PENNSYLVANIA**	127,564	324	30	590	22,672	6,550	4,852	2,024	2,614	1,026	896	4,710	2,858	70,074	53,296	1,126	824
12	URBAN PLACES	68,720	202	18	360	12,534	3,626	2,854	1,090	1,428	590	434	2,512	1,472	36,558	28,088	596	422
13	BALANCE OF AREA	58,844	122	12	230	10,138	2,924	1,998	934	1,186	436	462	2,198	1,386	33,516	25,208	530	402
14	METROPOLITAN COUNTIES	100,144	270	22	484	18,116	5,240	3,984	1,586	2,008	844	686	3,768	2,180	54,056	41,360	894	626
15	URBAN PLACES	63,076	186	16	334	11,528	3,348	2,648	972	1,296	554	398	2,312	1,322	33,214	25,606	538	354
16	BALANCE OF AREA	37,068	84	6	150	6,588	1,892	1,336	614	712	290	288	1,456	858	20,842	15,754	356	272
17	NONMETROPOLITAN COUNTIES	27,420	54	8	106	4,556	1,310	868	438	606	182	210	942	678	16,018	11,936	232	198
18	URBAN PLACES	5,644	16	2	26	1,006	278	206	118	132	36	36	200	150	3,344	2,482	58	68
19	BALANCE OF AREA	21,776	38	6	80	3,550	1,032	662	320	474	146	174	742	528	12,674	9,454	174	130
20	ADAMS	598	-	-	6	96	22	22	8	20	-	2	22	28	322	246	12	2
21	ALLEGHENY	17,580	34	4	82	3,384	962	802	256	408	138	136	682	318	9,876	7,642	170	110
22	BALDWIN	152	2	-	-	22	10	6	-	-	-	2	4	2	90	78	-	2
23	BELLEVUE	180	-	-	-	44	12	12	2	4	2	2	10	2	106	90	4	-
24	BETHEL PARK	168	-	-	-	36	12	6	-	2	2	2	12	4	106	82	2	-
25	BRENTWOOD	136	-	-	2	30	10	8	2	-	-	2	8	4	80	66	2	-
26	CARNEGIE	152	-	-	-	22	-	2	2	8	2	2	6	2	96	70	-	2
27	CASTLE SHANNON	96	-	-	-	14	2	8	-	2	2	-	-	-	70	60	2	-
28	CLAIRTON	184	2	-	-	40	12	6	4	6	2	-	10	6	86	72	2	2
29	DORMONT	144	-	-	-	50	18	10	-	6	2	2	12	-	56	38	2	-
30	DUQUESNE	182	-	-	2	38	12	10	-	6	-	2	8	-	106	78	-	2
31	HARRISON TWP#	178	-	-	-	30	6	6	2	4	-	-	12	-	100	80	2	-
32	MC KEES ROCKS	186	-	-	2	30	6	16	-	4	2	-	2	4	110	82	4	-
33	MC KEESPORT	578	2	-	-	100	22	28	8	24	6	-	12	10	330	278	6	8
34	MONROEVILLE	134	-	-	-	32	8	10	-	2	2	6	4	2	76	56	-	-
35	MOUNT LEBANON TWP#	372	-	-	-	68	20	18	4	8	6	4	8	2	234	170	8	-
36	MUNHALL	200	-	-	-	28	8	6	2	-	4	-	8	18	130	114	-	2
37	NORTH BRADDOCK	124	-	-	-	30	14	4	-	4	-	-	8	4	64	50	2	-
38	NORTH VERSAILLE TWP#.	108	-	-	-	24	10	8	-	6	-	-	-	-	56	46	-	2
39	PENN HILLS TWP#	388	-	-	-	106	26	34	6	14	4	8	14	6	216	172	2	-
40	PITTSBURGH	7,162	16	4	48	1,322	378	320	108	144	54	36	282	124	3,952	3,070	80	46
41	PLEASANT HILLS	46	-	-	2	12	-	-	2	8	2	-	-	-	18	6	-	-
42	PLUM	90	-	-	-	18	6	2	-	4	-	-	6	-	50	40	2	-
43	ROSS TWP#	250	-	-	4	70	22	20	4	12	2	2	8	-	124	88	2	4
44	SCOTT TWP#	230	-	-	-	34	6	6	6	8	-	4	4	4	132	98	-	-
45	SHALER TWP#	264	-	-	-	50	18	14	4	2	-	4	8	12	134	106	-	-
46	STOWE TWP#	148	-	-	-	42	12	6	4	10	-	2	8	2	76	64	4	2
47	SWISSVALE	196	2	-	2	38	8	14	6	10	-	-	-	4	112	78	-	6
48	UPPER ST. CLAIR TWP#.	54	-	-	-	8	4	2	-	2	-	-	-	-	30	26	2	-
49	WEST MIFFLIN	220	-	-	2	36	8	8	-	4	4	2	10	8	148	124	6	-
50	WHITEHALL	128	-	-	-	36	12	4	4	4	2	4	6	4	66	56	-	-
51	WILKINSBURG	392	2	-	-	70	20	14	4	12	2	4	14	4	244	174	4	4
52	BALANCE OF COUNTY	4,738	8	-	18	904	260	194	82	88	36	46	198	90	2,678	2,030	32	28
53	ARMSTRONG	854	-	2	-	148	40	32	14	18	8	8	28	12	528	412	2	4
54	BEAVER	2,010	10	-	8	374	98	80	26	46	30	14	80	38	1,098	742	16	14
55	ALIQUIPPA	296	-	-	-	56	20	10	6	6	4	2	8	6	152	110	2	2
56	AMBRIDGE	176	2	-	2	30	8	4	2	4	6	2	4	2	98	62	-	2
57	BEAVER FALLS	206	-	-	-	30	10	10	2	4	-	-	4	4	118	88	4	-
58	ELLWOOD CITY, PART	12	-	-	2	2	-	-	-	2	-	-	-	-	2	-	-	-
59	BALANCE OF COUNTY	1,320	8	-	4	256	60	56	16	30	20	10	64	26	728	482	10	10
60	BEDFORD	450	-	-	4	84	16	22	8	12	2	4	20	14	258	194	2	2
61	BERKS	3,208	6	-	12	602	174	124	36	60	24	18	166	90	1,852	1,348	30	16
62	READING	1,352	4	-	6	236	54	64	10	22	6	8	72	24	818	566	8	6
63	BALANCE OF COUNTY	1,856	2	-	6	366	120	60	26	38	18	10	94	66	1,034	782	22	10
64	BLAIR	1,724	2	-	8	272	68	68	26	26	12	14	58	30	1,036	758	8	18
65	ALTOONA	920	-	-	6	164	40	42	10	22	8	8	34	18	550	392	4	4
66	BALANCE OF COUNTY	804	2	-	2	108	28	26	16	4	4	6	24	12	486	366	4	14
67	BRADFORD	620	2	-	-	104	36	22	8	12	8	6	12	10	376	272	4	-
68	BUCKS	2,874	2	-	6	552	146	96	44	58	30	26	152	54	1,540	1,144	20	4
69	BENSALEM TWP#	182	-	-	-	42	8	4	4	8	-	-	18	2	110	86	2	-
70	BRISTOL	136	-	-	-	22	6	8	2	2	-	-	4	2	68	54	2	-
71	BRISTOL TWP#	286	-	-	-	40	8	-	2	-	4	2	24	4	144	118	-	-
72	FALLS TWP#	140	-	-	2	22	4	4	-	-	4	-	10	6	68	52	-	-
73	LOWER SOUTHAMPTON TWP#	68	-	-	-	16	2	4	-	2	2	-	6	2	34	22	-	-
74	MIDDLETOWN TWP#	124	-	-	-	26	2	8	2	2	4	-	8	-	62	52	2	-
75	MORRISVILLE	106	-	-	-	24	8	2	-	10	-	2	2	6	50	40	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
370	8	2	112	20	20	20	24	6	10	2	-	10	20	26	72	40	32	20	2	4	01
44	-	-	10	8	-	2	2	-	2	-	-	-	4	6	22	8	6	4	-	2	02
48	4	-	18	4	2	4	2	-	2	-	-	2	-	2	6	4	4	2	2	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
8	-	-	6	-	-	2	-	-	-	-	-	-	-	2	4	2	-	-	-	-	05
270	4	2	78	8	18	12	20	6	6	2	-	8	16	16	40	26	22	14	-	2	06
6	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
156	6	-	32	16	8	10	4	-	-	-	-	-	2	6	14	10	8	6	-	2	08
48	2	-	8	4	2	2	-	-	-	-	-	-	-	-	6	4	-	2	-	-	09
108	4	-	24	12	6	8	4	-	-	-	-	-	2	6	8	6	8	4	-	2	10
48,702	2,644	460	12,516	2,130	1,672	3,428	1,530	494	1,948	554	26	754	1,674	2,702	10,222	2,492	2,846	1,320	772	254	11
25,544	1,526	254	6,386	944	886	1,900	794	286	1,316	292	14	390	876	2,376	5,320	1,014	1,474	650	652	222	12
23,158	1,118	206	6,130	1,186	786	1,528	736	208	632	262	12	364	798	326	4,902	1,478	1,372	670	120	32	13
37,792	2,048	360	9,532	1,524	1,280	2,758	1,188	388	1,638	420	22	594	1,314	2,592	8,046	1,796	2,272	1,026	718	244	14
23,318	1,396	230	5,742	842	794	1,746	712	254	1,228	264	12	366	800	2,364	4,966	912	1,384	608	638	222	15
14,474	652	130	3,790	682	486	1,012	476	134	410	156	10	228	514	228	3,080	884	888	418	80	22	16
10,910	596	100	2,984	606	392	670	342	106	310	134	4	160	360	110	2,176	696	574	294	54	10	17
2,226	130	24	644	102	92	154	82	32	88	28	2	24	76	12	354	102	90	42	14	-	18
8,684	466	76	2,340	504	300	516	260	74	222	106	2	136	284	98	1,822	594	484	252	40	10	19
226	6	-	52	16	8	28	10	2	2	4	-	6	2	-	46	28	12	4	2	-	20
7,038	324	58	1,680	260	236	504	216	68	404	72	-	64	176	76	1,384	250	366	160	84	58	21
74	2	-	10	-	2	8	2	-	2	-	-	-	-	-	16	-	-	4	2	2	22
84	2	-	14	-	2	-	2	2	4	-	-	-	-	-	12	4	-	2	-	2	23
78	2	-	14	6	4	-	4	-	2	-	-	-	-	-	6	4	2	2	-	2	24
62	2	-	10	4	-	2	-	-	2	-	-	-	-	-	12	2	2	-	-	-	25
64	4	-	16	4	6	6	2	-	4	-	-	2	2	-	10	-	6	-	-	-	26
58	-	-	8	2	-	-	-	2	4	-	-	4	-	-	-	-	2	-	-	-	27
64	4	-	12	2	-	8	4	-	8	-	-	2	2	-	16	4	6	-	-	-	28
34	2	2	12	2	2	4	4	2	6	-	-	-	2	-	12	4	-	-	2	2	29
72	4	-	22	6	-	4	-	-	6	2	-	2	2	-	16	4	-	-	-	-	30
76	2	-	12	8	-	4	8	-	2	-	-	-	-	2	10	6	8	2	6	-	31
74	4	2	24	-	2	6	2	2	12	-	-	-	4	-	4	8	2	-	-	-	32
250	14	-	40	12	-	18	8	4	14	2	-	2	8	2	50	12	14	-	-	2	33
54	2	2	16	2	-	-	-	-	4	-	-	2	4	-	8	2	2	2	-	-	34
154	8	2	46	14	2	10	4	-	8	2	-	-	2	-	26	8	2	4	-	2	35
108	4	-	14	-	2	6	2	-	2	-	-	-	-	-	6	-	4	4	-	-	36
46	2	-	14	-	-	2	-	-	8	-	-	2	-	2	6	4	2	-	-	-	37
44	-	-	8	2	-	2	2	-	2	-	-	-	2	-	16	2	-	2	-	-	38
160	10	-	38	2	4	6	6	-	2	-	-	-	-	2	26	8	6	4	-	-	39
2,792	152	30	666	76	110	210	88	40	184	38	-	32	80	34	606	66	170	62	56	30	40
6	-	-	12	-	-	4	2	-	-	-	-	-	-	-	4	2	-	2	-	-	41
34	4	-	10	-	-	2	-	2	-	-	-	-	2	-	6	2	2	4	2	-	42
74	8	-	32	-	4	6	4	-	6	2	-	2	-	4	22	4	2	-	-	-	43
90	8	-	24	8	2	12	4	-	12	-	-	-	-	2	28	2	-	-	-	-	44
106	-	2	18	8	-	10	6	-	8	2	-	-	2	2	24	6	6	2	-	-	45
58	-	-	12	-	-	4	-	-	10	-	-	-	-	2	6	2	4	-	-	-	46
66	6	-	24	2	8	8	2	-	-	-	-	-	-	-	24	2	2	-	-	-	47
22	2	-	-	-	4	-	-	-	2	-	-	-	-	-	8	2	-	2	-	2	48
116	2	2	18	4	-	2	2	-	2	-	-	2	2	-	12	2	2	-	-	-	49
56	-	-	6	4	-	4	-	-	2	-	-	-	-	-	10	2	2	2	-	-	50
158	8	-	56	6	8	8	2	2	8	-	-	2	4	2	28	2	8	2	2	2	51
1,904	66	16	472	86	74	148	56	12	78	24	-	10	58	22	354	84	110	58	14	12	52
394	12	-	94	14	8	16	6	-	12	8	-	4	4	4	44	28	22	12	4	-	53
684	28	4	272	24	56	64	32	8	38	4	-	6	42	6	166	42	40	26	8	-	54
104	2	-	34	2	6	10	2	4	6	-	-	2	10	2	28	2	6	6	4	-	55
58	2	2	24	4	6	2	2	-	10	-	-	-	4	-	16	-	6	2	-	-	56
82	2	-	16	8	6	14	2	-	4	-	-	-	-	-	22	4	6	-	2	-	57
-	-	-	2	-	-	-	-	-	-	4	-	-	-	-	-	-	2	-	-	-	58
440	22	2	196	10	38	38	26	4	18	-	-	4	28	4	100	36	20	18	2	-	59
188	2	-	54	6	4	16	10	-	-	2	-	10	4	-	28	14	4	2	-	-	60
1,266	36	24	354	78	48	72	54	16	26	10	2	16	44	18	200	60	78	36	12	2	61
534	18	16	180	30	26	38	28	4	14	6	2	8	10	10	72	22	30	12	8	-	62
732	18	8	174	48	22	34	26	12	12	4	-	8	34	8	128	38	48	24	4	2	63
704	28	26	212	24	16	40	30	4	20	14	-	12	16	4	136	28	52	18	2	-	64
370	14	12	120	16	10	24	16	-	12	8	-	4	6	2	78	8	14	8	2	-	65
334	14	14	92	8	6	16	14	4	8	6	-	8	10	2	58	20	38	10	-	-	66
250	18	-	56	44	4	6	10	-	4	-	-	6	10	2	36	22	20	10	2	-	67
1,026	94	4	290	42	60	74	46	12	54	4	-	22	66	52	186	72	78	36	18	-	68
76	8	-	16	-	8	4	-	-	-	-	-	2	2	2	6	2	4	6	-	-	69
46	6	-	10	-	4	2	6	2	-	-	-	2	6	-	18	2	6	-	-	-	70
110	8	-	16	4	6	8	6	-	14	-	-	2	10	12	20	4	12	4	6	-	71
48	4	2	12	2	-	2	-	-	4	-	-	-	4	4	12	8	4	4	-	-	72
18	4	-	10	-	2	-	2	-	2	-	-	-	-	2	2	2	4	2	-	-	73
46	4	-	4	2	4	8	2	-	2	-	-	-	2	-	8	8	4	-	2	-	74
32	8	-	6	2	2	2	-	-	8	-	-	-	2	-	10	2	2	-	-	-	75

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	PENNSYLVANIA--CON.																	
	BUCKS--CON.																	
01	UPPER SOUTHAMPTON TWP#.....	54	-	-	-	12	2	2	2	-	2	-	4	2	26	22	-	-
02	WARMINSTER TWP#.....	118	-	-	-	30	10	2	4	2	4	2	6	2	44	40	-	-
03	BALANCE OF COUNTY....	1,660	2	-	4	318	96	62	28	32	10	20	70	28	934	658	14	4
04	BUTLER.....	1,250	2	-	22	196	54	36	16	22	6	14	48	18	742	540	8	14
05	BUTLER.....	302	-	-	8	60	18	18	6	4	-	2	12	10	160	102	-	-
06	BALANCE OF COUNTY....	948	2	-	14	136	36	18	10	18	6	12	36	8	582	438	8	14
07	CAMBRIA.....	2,172	8	-	12	372	130	68	24	40	16	14	80	44	1,196	892	28	20
08	JOHNSTOWN.....	748	6	-	4	152	52	42	10	8	6	4	30	16	402	298	8	4
09	BALANCE OF COUNTY....	1,424	2	-	8	220	78	26	14	32	10	10	50	28	794	594	20	16
10	CAMERON.....	62	-	-	-	12	4	-	-	2	-	-	6	2	40	34	-	10
11	CARBON.....	652	2	2	-	120	42	30	14	20	2	-	12	12	376	286	4	4
12	CENTRE.....	634	2	-	4	104	34	10	14	12	4	4	26	12	372	268	8	4
13	STATE COLLEGE.....	108	2	-	-	30	10	2	2	6	-	2	8	2	54	36	2	2
14	BALANCE OF COUNTY....	526	-	-	4	74	24	8	12	6	4	2	18	10	318	232	6	2
15	CHESTER.....	2,170	2	-	10	428	120	90	46	36	20	24	92	36	1,162	902	24	10
16	COATESVILLE.....	180	-	-	-	34	14	4	6	-	-	2	8	2	100	72	-	-
17	PHOENIXVILLE.....	158	-	-	-	40	12	14	4	2	4	2	2	-	88	74	-	4
18	WEST CHESTER.....	178	-	-	-	30	6	8	2	2	2	-	10	2	94	78	2	-
19	BALANCE OF COUNTY....	1,654	2	-	10	324	88	64	34	32	14	20	72	32	880	678	22	6
20	CLARION.....	380	-	-	2	74	30	4	10	10	-	4	16	14	224	174	2	4
21	CLEARFIELD.....	878	-	-	2	168	50	28	12	28	14	4	32	24	496	350	8	6
22	DU BOIS.....	104	-	-	-	24	8	4	4	-	2	-	6	2	52	32	-	-
23	BALANCE OF COUNTY....	774	-	-	2	144	42	24	8	28	12	4	26	22	444	318	8	6
24	CLINTON.....	446	-	-	-	78	20	10	18	8	2	8	12	16	254	184	-	-
25	LOCK HAVEN.....	170	-	-	-	40	12	6	10	2	2	4	4	8	96	66	-	-
26	BALANCE OF COUNTY....	276	-	-	-	38	8	4	8	6	-	4	8	8	158	118	-	-
27	COLUMBIA.....	696	2	-	4	112	26	18	10	16	10	6	26	10	416	280	10	-
28	BERWICK.....	164	-	-	-	30	6	6	2	4	2	2	8	2	102	66	2	-
29	BLOOMSBURG.....	158	-	-	2	22	6	4	2	2	2	-	6	2	102	72	6	-
30	BALANCE OF COUNTY....	374	2	-	2	60	14	8	6	10	6	4	12	6	212	142	2	-
31	CRAWFORD.....	932	2	-	6	180	42	24	24	24	12	14	40	12	546	386	14	2
32	MEADVILLE.....	234	2	-	-	48	6	10	6	10	2	2	12	2	148	106	2	2
33	BALANCE OF COUNTY....	698	-	-	6	132	36	14	18	14	10	12	28	10	398	280	12	-
34	CUMBERLAND.....	1,334	-	2	4	228	64	40	26	30	12	8	48	20	802	564	26	10
35	CARLISLE.....	214	-	-	2	26	10	4	2	4	2	-	4	6	126	74	2	2
36	BALANCE OF COUNTY....	1,120	-	2	2	202	54	36	24	26	10	8	44	14	676	490	24	8
37	DAUPHIN.....	2,530	2	2	18	408	78	86	54	46	28	18	98	42	1,404	1,090	20	16
38	HARRISBURG.....	1,106	2	2	4	174	26	42	24	18	12	12	40	12	620	484	6	2
39	LOWER PAXTON TWP#....	138	-	-	2	34	10	10	10	2	-	-	2	4	64	58	-	4
40	BALANCE OF COUNTY....	1,286	-	-	12	200	42	34	20	26	16	6	56	26	720	548	14	10
41	DELAWARE.....	5,654	14	2	26	1,100	346	244	84	94	72	28	232	126	3,154	2,504	60	38
42	ASTON TWP#.....	84	-	-	2	20	2	8	-	4	2	-	4	2	38	34	6	-
43	CHESTER.....	668	4	-	6	142	60	36	6	4	16	-	20	12	332	276	4	8
44	COLLINGDALE.....	88	-	-	-	18	6	2	4	2	-	-	4	4	56	38	2	2
45	DARBY.....	180	-	-	-	36	4	14	2	8	2	-	6	6	102	80	6	2
46	DARBY TWP#.....	40	-	-	-	6	4	-	-	2	-	-	-	-	22	22	-	-
47	HAVERFORD TWP#.....	500	-	-	6	104	38	16	10	12	6	4	18	10	280	226	2	2
48	LANSDOWNE.....	186	2	-	-	42	22	4	6	2	2	-	6	-	110	82	-	-
49	MARPLE TWP#.....	162	-	-	2	28	6	10	-	-	6	-	6	2	90	72	-	-
50	NETHER PROVIDENCE TWP#.....	68	-	-	-	8	2	2	2	2	-	-	-	-	44	36	-	-
51	RADNOR TWP#.....	172	-	-	-	30	8	2	4	2	4	2	8	4	112	86	2	-
52	RIDLEY TWP#.....	164	-	-	-	38	10	10	2	-	2	-	14	8	74	48	4	-
53	SPRINGFIELD TWP#.....	230	-	-	2	42	12	12	2	-	2	4	10	4	140	116	2	-
54	UPPER CHICHESTER TWP#	44	-	-	-	4	4	-	-	-	-	-	-	2	36	32	-	-
55	UPPER DARBY TWP#.....	938	-	-	2	190	62	42	16	12	10	6	42	22	532	426	14	8
56	YEADON.....	142	-	-	-	28	8	6	-	2	-	4	8	6	72	56	-	-
57	BALANCE OF COUNTY....	1,988	8	2	6	364	98	80	30	42	20	8	86	44	1,114	874	18	16
58	ELK.....	400	-	-	-	66	22	10	16	4	4	2	8	22	220	174	2	-
59	ERIE.....	2,702	4	-	10	450	136	80	48	50	22	14	100	64	1,506	1,146	18	4
60	ERIE.....	1,480	-	-	6	258	92	40	28	26	14	4	54	36	826	632	12	-
61	MILLCREEK TWP#.....	244	2	-	-	36	8	10	2	8	-	-	8	-	148	106	4	-
62	BALANCE OF COUNTY....	978	2	-	4	156	36	30	18	16	8	10	38	28	532	408	2	4
63	FAYETTE.....	1,978	12	2	2	346	94	70	34	44	8	14	82	52	1,178	910	26	2
64	CONNELLSVILLE.....	174	-	-	-	18	-	-	8	6	2	-	2	8	118	100	-	-
65	UNIONTOWN.....	284	4	-	-	56	12	12	8	10	2	2	10	12	152	128	4	-
66	BALANCE OF COUNTY....	1,520	8	2	2	272	82	58	18	28	4	12	70	32	908	682	22	2
67	FOREST.....	66	-	-	-	8	-	-	2	4	-	-	2	2	42	36	-	-
68	FRANKLIN.....	936	6	-	-	162	56	30	14	22	4	8	28	16	586	422	6	8
69	CHAMBERSBURG.....	254	2	-	-	38	14	8	2	6	-	2	6	2	166	128	2	6
70	WAYNESBORO.....	108	-	-	-	8	2	2	2	-	-	-	2	-	78	50	-	-
71	BALANCE OF COUNTY....	574	4	-	-	116	40	20	10	16	4	6	20	14	342	244	4	2
72	FULTON.....	118	-	-	-	10	4	-	2	-	-	2	2	2	74	52	-	-
73	GREENE.....	494	-	-	2	56	18	12	2	4	2	-	18	4	308	238	4	2
74	HUNTINGDON.....	444	2	-	-	82	22	20	6	14	8	2	10	8	254	180	-	6
75	INDIANA.....	800	-	-	2	134	38	20	10	20	10	12	24	22	526	406	8	2
76	INDIANA.....	138	-	-	-	16	4	2	2	4	-	2	2	4	108	82	2	-
77	BALANCE OF COUNTY....	662	-	-	2	118	34	18	8	16	10	10	22	18	418	324	6	2
78	JEFFERSON.....	550	-	-	-	70	30	10	8	6	-	2	14	12	344	248	-	4

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
20	2	-	2	2	-	2	2	2	2	-	-	2	-	-	4	-	-	-	-	-	01
36	4	-	2	2	-	4	-	2	4	-	-	-	2	-	12	6	4	4	2	-	02
594	46	2	212	28	34	42	28	6	18	2	-	14	38	32	94	38	38	16	8	-	03
500	18	-	140	44	18	64	18	4	12	6	-	4	20	4	80	30	14	14	-	-	04
100	2	-	32	14	12	20	6	-	6	2	-	-	6	-	16	4	4	-	-	-	05
400	16	-	108	30	6	44	12	4	6	4	-	4	14	4	64	26	10	14	-	-	06
806	38	10	230	32	32	72	24	10	20	18	-	24	36	12	208	32	72	10	2	-	07
274	12	4	80	4	16	34	8	6	6	4	-	10	12	4	46	8	26	4	-	-	08
532	26	6	150	28	16	38	16	4	14	14	-	14	24	8	162	24	46	6	2	-	09
24	-	-	4	2	-	-	2	-	-	-	-	-	2	-	2	2	-	-	-	-	10
266	12	2	68	12	8	20	4	2	4	-	-	8	4	-	80	12	4	2	-	-	11
250	6	2	74	18	10	16	14	-	2	4	-	4	24	2	26	22	22	4	-	-	12
30	2	2	12	2	2	4	-	-	-	4	-	-	2	-	-	10	-	-	-	-	13
220	4	-	62	16	8	12	14	-	2	-	-	4	22	2	26	12	22	4	-	-	14
840	28	6	186	40	28	54	26	4	30	10	-	24	40	28	152	66	52	34	12	-	15
68	4	-	24	4	-	4	4	-	4	-	-	4	2	2	16	8	-	-	-	-	16
66	4	-	12	-	2	2	-	-	2	-	-	2	2	2	8	4	4	-	4	-	17
74	2	-	8	6	2	4	4	-	6	2	-	-	2	6	12	6	6	2	2	-	18
632	18	6	142	30	24	44	18	4	18	8	-	18	34	18	116	48	42	32	6	-	19
156	12	-	40	4	6	6	6	-	-	4	-	-	6	2	22	6	10	4	-	-	20
316	20	4	122	12	8	26	10	4	12	2	-	4	16	2	56	22	22	8	4	-	21
28	4	2	18	-	-	4	2	-	4	-	-	-	4	-	4	2	4	2	-	-	22
288	16	2	104	12	8	22	8	4	8	2	-	4	12	2	52	20	18	6	4	-	23
166	18	-	46	16	8	6	2	4	6	2	-	4	4	-	38	20	10	2	-	-	24
58	8	-	22	6	2	-	2	4	2	-	-	-	-	-	14	2	-	2	-	-	25
108	10	-	24	10	6	6	-	-	4	2	-	4	4	-	24	18	10	-	-	-	26
262	8	2	98	30	6	10	2	8	2	-	-	4	10	-	70	26	16	2	-	2	27
60	4	-	28	6	2	2	-	6	-	-	-	-	4	-	12	4	-	2	-	-	28
64	2	-	20	8	2	4	2	2	-	-	-	4	-	-	10	6	2	-	-	-	29
138	2	2	50	16	2	4	-	-	2	-	-	-	6	-	48	16	14	-	-	2	30
348	22	4	120	16	20	34	18	-	4	2	-	6	8	4	66	20	12	12	-	-	31
94	8	-	34	-	8	8	2	-	-	-	-	2	-	2	14	2	2	2	-	-	32
254	14	4	86	16	12	26	16	-	4	2	-	4	8	2	52	18	10	10	-	-	33
506	22	2	198	20	18	46	14	2	6	8	-	16	10	-	74	44	32	18	6	2	34
68	2	-	46	6	-	10	4	-	-	2	-	4	2	-	16	2	10	4	-	-	35
438	20	2	152	14	18	36	10	2	6	6	-	12	8	-	58	42	22	14	6	2	36
1,006	48	12	236	38	28	80	22	24	26	14	-	16	30	24	222	48	86	32	28	2	37
454	22	6	100	16	14	46	6	10	12	6	-	8	14	16	86	24	32	10	20	2	38
52	2	-	6	-	-	-	2	2	-	-	-	-	4	-	16	2	-	6	2	-	39
500	24	6	130	22	14	34	14	12	14	8	-	8	12	8	120	22	54	16	6	-	40
2,306	100	16	474	86	74	144	84	24	80	22	2	34	86	86	416	64	114	60	14	2	41
28	-	-	4	-	-	6	-	-	2	-	-	-	-	-	6	2	4	2	-	-	42
252	12	-	46	4	6	16	6	2	14	2	2	6	18	16	44	4	20	8	12	2	43
34	-	-	16	-	2	-	-	-	-	-	-	-	-	2	-	2	2	2	2	-	44
68	4	-	14	4	4	-	2	2	6	-	-	2	4	6	8	2	2	2	-	-	45
18	4	-	-	-	-	2	-	-	-	2	-	-	2	-	4	-	2	-	-	-	46
216	6	2	30	12	10	18	8	-	8	2	-	-	2	8	32	6	12	4	-	-	47
80	2	2	22	-	4	6	2	-	-	-	-	-	-	-	22	-	-	2	-	-	48
70	2	2	12	2	2	4	4	4	6	2	-	-	2	-	8	4	4	2	-	-	49
36	-	-	8	-	-	-	2	-	-	-	-	-	-	2	2	-	6	4	-	-	50
82	2	2	10	8	6	2	2	-	4	-	-	2	-	-	10	-	2	4	-	-	51
42	2	-	20	2	4	-	10	2	-	2	-	-	-	4	14	2	8	2	-	-	52
112	2	2	12	8	2	10	-	-	-	-	-	2	2	2	24	-	2	-	-	-	53
32	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	54
396	8	6	78	8	14	26	18	4	16	4	-	2	10	12	64	10	12	14	-	-	55
50	6	-	12	4	-	4	2	-	-	2	-	-	4	6	12	2	4	-	-	-	56
790	50	-	186	34	20	50	28	10	24	6	-	20	42	28	166	30	32	14	-	-	57
168	4	-	24	14	8	10	2	4	4	4	-	6	10	-	22	14	10	6	-	-	58
1,080	44	16	266	50	28	76	70	6	52	4	2	24	50	4	180	64	80	42	14	-	59
598	22	12	146	16	20	40	38	4	30	2	-	12	28	-	104	24	38	20	14	-	60
100	2	2	32	6	2	8	-	-	10	-	-	2	4	2	14	8	6	4	-	-	61
382	20	2	88	28	6	28	32	2	12	2	2	10	18	2	62	32	36	18	-	-	62
812	70	4	220	18	26	36	14	8	32	16	-	8	24	16	136	50	22	22	-	2	63
86	14	-	12	-	6	6	4	2	-	-	-	2	2	-	6	2	2	4	-	-	64
114	10	-	22	2	-	4	2	-	6	2	-	2	4	2	28	4	2	4	-	-	65
612	46	4	186	16	20	26	8	6	26	14	-	4	18	14	102	44	18	14	-	2	66
34	2	-	4	2	-	4	-	-	2	-	-	-	-	-	2	6	-	-	-	-	67
382	26	10	114	20	20	20	10	2	8	2	-	-	12	4	64	20	10	10	4	-	68
120	-	2	26	4	6	6	2	2	4	-	-	-	4	-	20	4	2	2	-	-	69
44	6	2	16	6	4	2	4	-	2	-	-	-	2	-	6	-	6	-	-	-	70
218	20	6	72	10	10	12	4	-	2	2	-	-	6	4	38	16	2	8	4	-	71
50	2	2	10	6	4	4	2	2	-	-	-	2	6	-	8	4	2	2	-	-	72
224	8	2	56	4	8	18	4	2	8	-	-	2	12	-	38	12	18	4	4	2	73
162	12	-	46	26	2	18	6	-	6	-	-	-	8	2	28	14	8	4	4	-	74
388	8	2	100	8	10	4	6	2	4	-	-	4	4	-	52	8	22	8	2	-	75
80	-	-	24	-	2	-	2	2	-	-	-	-	-	-	4	2	-	-	-	-	76
308	8	2	76	8	8	4	4	-	4	-	-	4	4	-	48	6	22	8	2	-	77
230	14	-	74	14	8	16	8	2	2	4	-	8	8	6	34	12	12	12	-	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	PENNSYLVANIA—CON.																	
01	JUNIATA	180	-	-	-	20	6	4	-	2	-	2	6	6	112	82	-	-
02	LACKAWANNA	3,190	10	-	8	512	152	108	60	54	16	26	96	70	1,830	1,410	34	68
03	CARBONDALE	188	-	-	-	30	8	6	4	2	4	2	4	2	106	88	2	6
04	DUNMORE	222	-	-	-	30	8	6	2	6	4	-	4	6	120	84	-	6
05	SCRANTON	1,582	4	-	6	288	84	60	34	38	6	6	60	28	942	712	24	20
06	BALANCE OF COUNTY	1,198	6	-	2	164	52	36	20	8	2	18	28	34	662	526	8	36
07	LANCASTER	2,994	8	-	16	552	152	120	52	62	18	26	122	94	1,744	1,282	36	18
08	COLUMBIA	142	-	-	-	22	6	6	4	2	-	2	2	6	88	68	2	-
09	LANCASTER	748	2	-	4	126	44	34	12	10	-	4	22	30	430	332	8	6
10	LANCASTER TWP#	130	-	-	-	26	8	6	2	6	2	-	2	2	84	46	-	-
11	BALANCE OF COUNTY	1,974	6	-	12	378	94	74	34	44	16	20	96	56	1,142	836	26	12
12	LAWRENCE	1,188	-	-	2	220	66	44	32	28	14	8	28	26	682	466	6	20
13	ELLWOOD CITY, PART	120	-	-	-	26	8	2	8	2	-	2	4	4	54	32	-	2
14	ELLWOOD CITY, TOTAL	132	-	-	2	28	8	2	8	4	-	2	4	4	56	32	-	2
15	NEW CASTLE	568	-	-	2	98	30	22	8	12	6	-	20	12	348	250	6	14
16	BALANCE OF COUNTY	500	-	-	-	96	28	20	16	14	8	6	4	10	280	184	-	4
17	LEBANON	1,056	-	-	6	192	36	42	28	22	6	8	50	22	632	546	18	6
18	LEBANON	352	-	-	2	64	10	18	6	6	2	6	16	8	218	192	12	2
19	BALANCE OF COUNTY	704	-	-	4	128	26	24	22	16	4	2	34	14	414	354	6	4
20	LEHIGH	2,656	6	-	10	424	122	90	40	54	24	14	80	44	1,592	1,244	28	12
21	ALLENTOWN	1,372	2	-	6	220	68	42	20	34	8	12	36	28	838	656	8	8
22	BETHLEHEM, PART	182	-	-	-	34	10	8	4	2	6	-	4	2	108	82	2	-
23	EMMAUS	94	-	-	-	14	2	4	-	4	-	2	2	-	60	46	4	-
24	BALANCE OF COUNTY	1,008	4	-	4	156	42	36	16	14	10	-	38	14	586	460	14	4
25	LUZERNE	4,600	30	-	14	696	266	126	46	82	24	22	130	140	2,440	1,974	18	60
26	HAZLETON	390	6	-	4	52	20	4	2	4	-	2	20	16	206	174	4	2
27	KINGSTON	298	-	-	2	46	20	4	2	10	2	-	8	6	188	142	-	6
28	NANTICOKE	216	4	-	-	26	12	4	-	-	2	-	8	2	104	80	-	2
29	PITTSTON	146	2	-	-	24	6	8	-	4	2	2	2	4	62	46	-	2
30	WILKES-BARRE	966	6	-	-	172	66	36	18	18	6	4	24	24	532	444	2	8
31	BALANCE OF COUNTY	2,584	12	-	8	376	142	70	24	46	12	14	68	88	1,348	1,088	12	40
32	LYCOMING	1,294	2	2	12	220	74	50	14	28	6	12	36	28	768	556	10	10
33	WILLIAMSPORT	472	2	2	2	88	24	20	8	16	2	4	14	10	270	212	4	8
34	BALANCE OF COUNTY	822	-	-	10	132	50	30	6	12	4	8	22	18	498	344	6	2
35	MC KEAN	600	-	-	4	114	46	8	10	16	10	2	22	6	356	264	6	6
36	BRADFORD	192	-	-	4	36	18	2	4	2	4	-	6	-	106	82	-	-
37	BALANCE OF COUNTY	408	-	-	-	78	28	6	6	14	6	2	16	6	250	182	6	6
38	MERCER	1,382	-	-	6	222	46	60	12	28	14	10	52	32	828	610	12	16
39	FARRELL	154	-	-	2	24	2	10	4	2	2	-	4	8	84	52	4	2
40	SHARON	308	-	-	-	50	16	14	2	4	-	2	12	8	188	138	2	6
41	BALANCE OF COUNTY	920	-	-	4	148	28	36	6	22	12	8	36	16	556	420	6	8
42	MIFFLIN	506	2	-	2	80	26	18	4	8	4	2	18	16	288	220	10	4
43	LEWISTOWN	174	-	-	2	40	14	6	2	6	2	-	10	4	84	62	2	2
44	BALANCE OF COUNTY	332	2	-	-	40	12	12	2	2	2	2	8	12	204	158	8	2
45	MONROE	510	2	-	2	96	32	20	2	16	4	4	18	8	276	200	10	4
46	MONTGOMERY	5,764	8	2	28	1,168	344	224	112	142	60	50	236	110	3,220	2,446	64	24
47	ABINGTON TWP#	556	2	-	-	126	42	18	12	18	4	2	30	16	324	240	4	2
48	CHELTENHAM TWP#	450	-	-	4	86	26	10	8	10	4	2	26	8	278	222	8	4
49	CONSHOHOCKEN	114	-	-	-	40	6	16	2	10	-	-	6	6	42	36	-	-
50	EAST NORRITON TWP#	78	-	-	-	24	8	4	6	-	-	-	6	2	32	30	-	-
51	LANSDALE	212	-	-	2	26	10	-	-	4	4	-	8	2	128	82	2	-
52	LOWER MERION TWP#	578	2	-	6	134	42	20	16	18	8	4	26	10	336	262	6	4
53	LOWER MORELAND TWP#	38	-	-	-	12	4	2	-	-	-	2	4	-	24	16	-	-
54	NORRISTOWN	504	2	-	2	88	26	22	6	12	6	-	16	16	280	222	-	4
55	PLYMOUTH TWP#	98	2	-	-	28	6	6	6	2	2	2	4	2	50	40	-	-
56	POTTSTOWN	266	-	-	-	60	12	8	6	10	4	-	20	6	140	102	2	2
57	SPRINGFIELD TWP#	190	-	-	-	38	10	8	4	4	2	4	6	4	112	100	8	-
58	UPPER MORELAND TWP#	130	-	-	2	18	8	6	2	-	-	-	2	-	82	66	8	-
59	WEST NORRITON TWP#	34	-	-	-	6	-	2	2	2	-	-	-	2	20	16	2	-
60	BALANCE OF COUNTY	2,516	-	2	12	482	144	102	42	52	26	34	82	36	1,372	1,012	24	8
61	MONTOUR	192	-	-	-	48	10	12	6	8	-	2	10	2	102	74	-	-
62	NORTHAMPTON	2,230	2	-	8	448	138	100	32	40	16	18	104	60	1,298	1,022	14	4
63	BETHLEHEM, PART	584	2	-	2	110	36	24	8	14	4	2	22	20	346	274	4	2
64	BETHLEHEM, TOTAL	766	2	-	2	144	46	32	12	16	10	2	26	22	454	356	6	2
65	EASTON	378	-	-	2	84	8	22	10	8	4	8	24	8	206	158	-	-
66	BALANCE OF COUNTY	1,268	-	-	4	254	94	54	14	18	8	8	58	32	746	590	10	2
67	NORTHUMBERLAND	1,282	8	-	-	220	58	36	22	30	4	6	64	44	720	528	10	14
68	SHAMOKIN	208	2	-	-	38	10	2	8	4	-	-	14	4	136	90	4	4
69	SUNBURY	208	2	-	-	34	8	8	4	8	-	-	6	10	126	88	-	4
70	BALANCE OF COUNTY	866	4	-	-	148	40	26	10	18	4	6	44	30	458	350	6	6
71	PERRY	302	-	-	2	54	18	14	4	2	-	-	16	6	162	126	10	-
72	PHILADELPHIA, COEX. WITH PHILADELPHIA CITY	24,096	98	8	162	4,214	1,212	1,000	372	450	200	146	834	532	11,256	8,682	178	124
73	PIKE	178	-	-	-	28	6	6	-	4	-	4	8	4	100	76	-	6
74	POTTER	182	-	-	2	38	12	8	4	6	-	2	6	-	98	88	-	4
75	SCHUYLKILL	2,360	4	-	6	322	90	62	32	36	2	22	78	106	1,264	954	16	10
76	POTTSVILLE	306	-	-	2	46	10	12	8	4	2	4	6	8	178	150	2	4
77	BALANCE OF COUNTY	2,054	4	-	4	276	80	50	24	32	-	18	72	98	1,086	804	14	6
78	SNYDER	278	-	-	-	34	8	8	4	2	-	6	6	4	158	108	2	2
79	SOMERSET	888	2	-	4	128	34	26	16	14	10	2	26	24	510	382	4	8
80	SULLIVAN	74	-	-	2	14	4	4	-	2	2	-	2	2	44	36	-	-
81	SUSQUEHANNA	418	-	-	-	80	18	22	12	8	6	2	12	14	218	178	4	2
82	TIOGA	420	-	-	2	64	20	12	4	16	-	4	8	8	234	176	6	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
80	2	2	26	-	2	4	-	-	-	2	-	-	-	2	18	6	8	2	-	-	01
1,236	72	6	304	86	24	84	32	6	36	18	4	38	40	22	360	46	50	24	-	-	02
76	4	-	14	4	-	6	2	-	2	4	2	2	-	-	24	2	4	2	-	-	03
74	4	-	20	12	4	6	2	-	4	-	-	16	-	-	34	-	4	-	-	-	04
622	46	6	174	34	16	42	18	4	12	8	-	16	24	16	120	24	18	12	-	-	05
464	18	-	96	36	4	30	10	2	18	6	2	4	16	6	182	20	24	10	-	-	06
1,178	50	10	338	80	34	66	30	8	14	16	2	24	46	16	188	72	68	28	2	-	07
64	2	-	16	2	2	4	4	-	-	-	-	2	2	-	12	-	2	-	-	-	08
302	16	-	76	18	4	20	10	4	8	2	-	6	20	6	48	12	14	6	-	-	09
40	6	2	30	6	-	-	-	-	-	-	-	2	2	-	6	2	4	2	-	-	10
772	26	8	216	54	28	42	16	4	6	14	2	14	22	10	122	58	48	20	2	-	11
404	36	6	170	22	18	32	16	12	22	20	-	10	18	2	60	12	30	16	8	-	12
30	-	-	16	6	-	6	2	2	4	-	-	2	2	-	12	4	-	2	-	-	13
30	-	-	18	6	-	6	2	2	4	4	-	2	2	-	12	4	2	2	-	-	14
210	20	4	74	6	14	14	6	2	10	10	-	4	12	2	18	2	14	8	6	-	15
164	16	2	80	10	4	12	8	8	8	10	-	4	4	-	30	6	16	6	2	-	16
504	18	2	68	10	6	26	4	4	4	2	-	6	12	4	74	18	26	20	4	-	17
176	2	-	24	2	-	10	2	4	2	-	-	-	6	2	18	6	2	4	4	-	18
328	16	2	44	8	6	16	2	-	2	2	-	6	6	2	56	12	24	16	-	-	19
1,178	26	4	260	60	24	58	24	10	48	8	2	18	24	8	234	54	54	28	10	-	20
624	16	-	140	28	14	32	6	4	24	6	-	12	10	6	110	24	30	8	6	-	21
80	-	2	16	6	2	2	4	2	8	-	-	-	2	2	10	2	2	4	-	-	22
40	2	-	8	6	-	-	2	-	2	-	-	2	2	-	4	2	2	4	-	-	23
434	8	2	96	20	8	24	12	4	14	2	2	4	10	-	110	26	20	12	4	-	24
1,806	90	14	340	66	46	120	46	24	58	18	-	12	40	28	726	76	88	34	4	6	25
166	2	2	22	6	2	18	4	2	4	-	-	-	4	-	62	-	10	2	-	-	26
130	6	2	34	6	4	4	2	-	4	-	-	2	-	-	30	2	8	4	-	-	27
78	-	-	18	-	6	-	2	4	2	-	-	-	2	-	60	4	2	2	-	2	28
42	2	-	12	4	-	6	2	-	4	-	-	2	2	-	32	2	4	-	-	-	29
412	22	-	72	8	8	18	12	4	14	6	-	2	10	10	114	10	22	6	2	2	30
978	58	10	182	42	26	74	24	14	30	12	-	6	22	18	428	58	42	20	2	2	31
516	20	8	144	32	28	20	28	2	20	2	-	12	26	4	76	36	28	6	2	-	32
198	2	-	50	4	4	4	12	-	10	-	-	6	14	2	38	8	4	-	-	-	33
318	18	8	94	28	24	16	16	2	10	2	-	6	12	2	38	28	24	6	2	-	34
242	10	4	70	8	10	16	14	8	16	2	2	2	6	-	30	12	8	4	-	-	35
80	2	2	16	-	6	6	4	-	10	2	2	-	2	-	10	4	6	-	-	-	36
162	8	2	54	8	4	10	10	8	6	-	-	2	4	-	20	8	2	4	-	-	37
556	26	8	174	14	22	38	24	-	22	8	-	6	28	-	92	18	38	16	4	-	38
44	2	-	30	-	2	6	2	-	-	-	-	-	6	-	12	-	8	-	2	-	39
122	8	-	44	6	-	12	6	-	12	2	-	-	-	-	22	4	2	-	2	-	40
390	16	8	100	8	20	20	16	-	10	6	-	6	22	-	58	14	28	16	-	-	41
196	10	8	46	4	10	14	4	2	2	4	-	4	4	-	46	20	12	6	-	-	42
54	4	-	20	-	2	10	2	2	2	-	-	-	-	-	14	4	10	-	-	-	43
142	6	8	26	4	8	4	2	-	-	4	-	4	4	-	32	16	2	6	-	-	44
174	12	2	62	8	4	12	2	4	8	2	-	2	-	-	62	20	4	10	-	-	45
2,238	120	22	612	60	80	140	72	20	104	14	-	44	76	40	402	120	98	92	6	-	46
212	22	-	74	6	4	16	-	-	14	-	-	2	8	-	30	8	4	6	-	-	47
194	16	6	40	-	10	12	2	-	4	2	-	4	-	2	36	8	2	2	-	-	48
32	4	-	4	2	-	4	2	-	4	-	-	2	2	-	4	6	2	-	-	-	49
30	-	-	2	-	-	-	-	-	-	2	-	-	-	-	2	6	6	4	-	-	50
80	-	2	40	-	4	4	2	-	4	2	-	-	4	4	18	4	4	6	2	-	51
248	4	4	52	10	8	4	6	2	12	-	-	2	4	-	38	4	8	10	-	-	52
16	-	-	6	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	53
206	12	-	42	10	6	10	2	6	12	-	-	4	8	4	50	8	8	4	-	-	54
40	-	-	8	2	-	4	-	-	2	-	-	2	-	-	4	-	-	4	-	-	55
90	8	-	28	2	8	-	2	4	4	-	-	2	4	-	16	8	14	2	4	-	56
88	4	-	12	-	-	12	6	-	4	-	-	2	-	2	6	4	-	-	-	-	57
52	6	-	12	2	2	6	4	-	4	-	-	-	2	-	6	2	2	2	-	-	58
14	-	-	4	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	59
936	44	10	288	26	36	68	44	8	36	6	-	24	44	28	192	62	48	52	-	-	60
70	4	-	20	8	-	6	6	2	-	2	-	-	4	2	4	6	6	2	-	-	61
978	26	10	202	32	32	38	24	10	32	16	-	8	22	16	132	44	42	24	4	2	62
262	6	4	56	6	6	10	2	6	10	4	-	4	6	4	32	10	10	4	2	-	63
342	6	6	72	12	8	12	6	8	18	4	-	4	8	6	42	12	12	8	2	-	64
154	4	-	30	10	8	6	6	4	6	4	-	-	6	4	30	8	2	2	-	-	65
562	16	6	116	16	18	22	16	-	16	8	-	4	10	8	70	26	30	18	2	2	66
482	22	14	128	26	24	26	16	2	18	6	-	6	10	2	142	32	22	6	2	-	67
82	-	-	36	6	4	-	4	-	-	-	-	-	-	-	12	6	4	2	-	-	68
78	6	8	18	8	4	4	2	2	-	2	-	2	-	-	12	6	4	2	-	-	69
322	16	6	74	12	16	22	10	-	18	4	-	4	10	2	118	20	14	2	2	-	70
112	4	-	28	8	-	8	6	-	-	2	-	6	6	-	22	10	14	2	2	-	71
7,710	670	82	1,968	248	276	694	218	96	478	112	4	130	334	2,120	1,876	340	574	234	448	168	72
66	4	-	14	6	4	2	2	-	6	2	-	4	-	4	12	10	4	-	-	-	73
80	4	-	6	2	2	14	4	-	2	-	-	2	-	-	14	2	2	4	-	-	74
846	82	6	214	54	36	32	32	6	30	12	2	10	20	26	358	48	48	28	6	-	75
130	14	2	18	2	6	4	8	-	4	2	-	-	-	2	34	6	6	6	-	-	76
716	68	4	196	52	30	28	24	6	26	10	2	10	20	24	324	42	42	22	6	-	77
100	4	-	38	4	8	6	8	2	2	-	-	2	10	4	32	4	8	4	-	-	78
348	22	2	98	16	12	32	8	4	18	2	-	4	10	-	80	22	24	14	2	-	79
36	-	-	6	-	2	2	-	-	-	-	-	2	-	-	2	-	2	4	-	-	80
168	4	-	26	6	8	16	8	-	2	-	-	4	4	-	38	16	16	2	-	-	81
168	2	2	48	4	4	10	4	2	6	2	-	2	2	2	36	32	10	2	-	2	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	PENNSYLVANIA--CON.																	
01	UNION	272	-	-	-	44	10	16	4	6	-	-	8	8	168	110	4	2
02	VENANGO	694	2	-	4	96	32	28	4	18	4	-	10	22	372	296	4	16
03	OIL CITY	226	-	-	-	42	18	10	2	6	2	-	4	12	124	92	2	10
04	BALANCE OF COUNTY	468	2	-	4	54	14	18	2	12	2	-	6	10	248	204	2	6
05	WARREN	512	-	-	-	66	24	10	6	10	4	-	12	16	310	234	4	-
06	WARREN	158	-	-	-	30	12	6	-	6	-	-	6	8	92	74	-	-
07	BALANCE OF COUNTY	354	-	-	-	36	12	4	6	4	4	-	6	8	218	160	4	-
08	WASHINGTON	2,250	4	-	8	416	108	98	28	50	18	18	96	52	1,320	984	22	16
09	CANONSBURG	158	-	-	-	34	6	8	4	4	4	2	6	4	94	76	-	-
10	WASHINGTON	336	-	-	2	46	8	16	2	4	4	4	8	6	198	152	4	-
11	BALANCE OF COUNTY	1,756	4	-	6	336	94	74	22	42	10	12	82	42	1,028	756	18	16
12	WAYNE	382	2	-	4	58	14	6	4	8	4	-	22	20	218	164	4	2
13	WESTMORELAND	3,570	14	-	10	648	176	146	70	74	28	18	136	78	2,094	1,558	22	10
14	GREENSBURG	220	-	-	-	50	20	8	8	4	-	-	10	4	132	88	2	2
15	HEMPFIELD TWP#	210	-	-	2	56	22	8	4	4	4	2	12	6	94	72	-	2
16	JEANNETTE	200	-	-	-	22	2	6	-	8	-	-	6	6	138	102	-	-
17	LATROBE	136	-	-	-	34	12	8	2	2	2	4	4	-	76	58	2	-
18	LOWER BURRELL	84	2	-	2	18	6	6	2	-	-	-	4	2	42	30	2	-
19	MONESSEN	162	-	-	-	28	4	2	4	6	-	-	12	2	100	78	-	-
20	NEW KENSINGTON	266	-	-	-	52	16	16	2	6	6	-	6	6	132	102	-	-
21	NORTH HUNTINGTON TWP#	144	2	-	-	38	16	8	-	2	6	4	2	4	74	48	2	2
22	BALANCE OF COUNTY	2,148	10	-	6	350	78	84	48	42	10	8	80	48	1,306	980	14	4
23	WYOMING	238	-	-	2	46	12	6	4	10	-	2	12	2	128	102	2	2
24	YORK	2,630	4	2	12	510	156	110	64	62	20	28	70	66	1,424	1,094	28	18
25	HANOVER	214	-	-	2	38	8	6	2	12	2	4	4	6	112	82	4	-
26	SPRING GARDEN TWP#	88	-	-	-	22	4	12	-	2	2	2	-	-	52	42	2	2
27	YORK	746	-	2	2	134	44	38	16	12	2	8	14	18	396	306	4	4
28	BALANCE OF COUNTY	1,582	4	-	8	316	100	54	46	36	14	14	52	42	864	664	18	12
29	**RHODE ISLAND**	9,540	24	2	28	1,938	610	422	234	208	90	74	300	244	5,264	4,094	60	52
30	URBAN PLACES	7,710	24	2	18	1,578	510	320	190	164	62	62	270	194	4,246	3,306	56	44
31	BALANCE OF AREA	1,830	-	-	10	360	100	102	44	44	28	12	30	50	1,018	788	4	8
32	METROPOLITAN COUNTIES	8,230	24	2	20	1,684	550	346	198	174	80	58	278	210	4,544	3,536	60	44
33	URBAN PLACES	7,182	24	2	16	1,476	486	292	178	156	60	48	256	184	3,958	3,080	56	42
34	BALANCE OF AREA	1,048	-	-	4	208	64	54	20	18	20	10	22	26	586	456	4	2
35	NONMETROPOLITAN COUNTIES	1,310	-	-	8	254	60	76	36	34	10	16	22	34	720	558	-	8
36	URBAN PLACES	528	-	-	2	102	24	28	12	8	2	14	14	10	288	226	-	2
37	BALANCE OF AREA	782	-	-	6	152	36	48	24	26	8	2	8	24	432	332	-	6
38	BRISTOL	392	2	-	-	102	26	20	14	10	4	2	26	12	202	154	8	6
39	BARRINGTON TOWN#	120	-	-	-	36	8	10	4	4	-	-	10	-	64	48	-	4
40	BRISTOL TOWN#	162	-	-	-	48	14	8	4	6	4	2	10	6	80	64	4	2
41	WARREN TOWN#	110	2	-	-	18	4	2	6	-	-	-	6	6	58	42	4	-
42	BALANCE OF COUNTY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	KENT	1,372	2	-	6	260	86	50	42	32	8	8	34	24	792	622	8	6
44	WARWICK	862	2	-	4	168	56	28	28	16	8	8	24	20	494	386	4	6
45	WEST WARWICK TOWN#	270	-	-	-	52	18	10	10	10	-	-	4	2	152	116	2	-
46	BALANCE OF COUNTY	240	-	-	2	40	12	12	4	6	-	-	6	2	146	120	2	-
47	NEWPORT	642	-	-	-	132	30	44	14	16	4	10	14	12	362	280	-	4
48	MIDDLETOWN TOWN#	80	-	-	-	18	2	4	-	4	-	2	6	2	40	34	-	-
49	NEWPORT	308	-	-	-	62	18	22	4	4	-	8	6	6	176	134	-	2
50	BALANCE OF COUNTY	254	-	-	-	52	10	18	10	8	4	-	2	4	146	112	-	2
51	PROVIDENCE	6,466	20	2	14	1,322	438	276	142	132	68	48	218	174	3,550	2,760	44	32
52	CENTRAL FALLS	236	2	-	-	54	26	10	-	6	2	-	10	14	118	98	2	2
53	CRANSTON	690	-	-	2	138	38	28	22	12	10	6	22	22	376	292	2	4
54	CUMBERLAND TOWN#	204	-	-	-	42	12	14	6	2	2	2	4	-	116	96	4	-
55	EAST PROVIDENCE	462	4	2	2	96	34	16	12	6	6	4	18	8	260	190	6	-
56	NORTH PROVIDENCE TOWN#	180	2	-	-	32	12	8	4	2	-	-	6	6	94	80	-	-
57	PAWTUCKET	1,056	8	-	-	200	64	38	22	18	14	6	38	26	616	464	6	6
58	PROVIDENCE	2,238	4	-	4	472	164	88	54	62	14	14	76	62	1,202	952	18	10
59	WOONSOCKET	592	-	-	4	120	36	32	6	12	-	6	28	12	328	252	4	8
60	BALANCE OF COUNTY	808	-	-	2	168	52	42	16	12	20	10	16	24	440	336	2	2
61	WASHINGTON	668	-	-	8	122	30	32	22	18	6	6	8	22	358	278	-	4
62	NORTH KINGSTOWN TOWN#	140	-	-	2	22	4	2	8	-	2	4	2	2	72	58	-	-
63	BALANCE OF COUNTY	528	-	-	6	100	26	30	14	18	4	2	6	20	286	220	-	4
64	**SOUTH CAROLINA**	23,932	94	8	196	3,456	844	788	298	470	148	152	756	530	12,124	8,418	108	172
65	URBAN PLACES	6,120	28	4	40	836	202	178	68	108	32	54	194	168	3,140	2,200	32	54
66	BALANCE OF AREA	17,812	66	4	156	2,620	642	610	230	362	116	98	562	362	8,984	6,218	76	118
67	METROPOLITAN COUNTIES	8,194	24	4	60	1,238	282	318	88	132	64	56	298	206	4,140	2,992	44	46
68	URBAN PLACES	3,218	14	2	10	450	106	118	34	42	16	24	110	90	1,668	1,230	16	22
69	BALANCE OF AREA	4,976	10	2	50	788	176	200	54	90	48	32	188	116	2,472	1,762	28	24
70	NONMETROPOLITAN COUNTIES	15,738	70	4	136	2,218	562	470	210	338	84	96	458	324	7,984	5,426	64	126
71	URBAN PLACES	2,902	14	2	30	386	96	60	34	66	16	30	84	78	1,472	970	16	32
72	BALANCE OF AREA	12,836	56	2	106	1,832	466	410	176	272	68	66	374	246	6,512	4,456	48	94

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-485)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
194	-	-	40	12	6	4	4	2	2	2	-	-	8	-	10	2	8	8	2	-	01
260	16	4	40	22	10	24	8	8	16	6	-	-	10	2	78	16	16	10	2	2	02
76	4	-	18	10	4	10	4	-	10	2	-	-	2	-	14	4	2	-	-	-	03
184	12	4	22	12	6	14	4	8	6	4	-	-	8	2	64	12	14	10	2	2	04
210	20	-	58	14	4	24	6	2	2	2	-	2	4	4	36	24	12	2	-	-	05
68	6	-	14	4	-	8	-	2	-	-	-	-	4	-	4	6	4	-	-	-	06
142	14	-	44	10	4	16	6	-	2	2	-	2	-	4	32	18	8	2	-	-	07
900	46	8	266	32	30	64	22	8	22	12	-	10	36	12	168	40	34	16	4	2	08
70	6	-	18	-	-	2	-	-	-	-	-	-	2	-	14	-	2	4	2	-	09
144	4	-	36	-	10	16	2	2	8	2	-	2	12	-	28	4	4	4	-	-	10
686	36	8	212	32	20	46	20	6	14	10	-	8	22	12	126	36	28	8	2	2	11
154	4	-	34	14	6	6	4	4	2	-	-	2	-	-	34	8	16	4	-	-	12
1,466	60	16	418	64	38	102	42	16	44	16	4	10	42	14	228	84	90	20	14	-	13
82	2	-	34	8	2	-	2	-	-	-	-	-	2	2	24	2	2	-	-	-	14
70	-	-	18	2	2	6	4	-	8	2	-	-	2	4	14	2	6	2	2	-	15
102	-	2	20	8	6	4	4	-	-	2	-	-	-	-	18	-	6	-	-	-	16
56	-	-	18	-	-	4	4	-	2	-	-	-	2	-	2	6	-	4	2	-	17
28	-	-	10	-	2	4	-	-	4	-	-	-	4	-	2	2	-	2	-	-	18
68	10	-	16	4	2	6	2	-	-	-	-	-	-	-	12	2	6	2	2	-	19
94	8	-	28	2	-	12	6	2	4	-	-	2	6	-	32	6	6	-	-	-	20
44	-	2	20	2	2	2	-	-	2	4	2	-	-	-	6	6	4	-	-	-	21
922	40	12	254	38	22	64	20	14	24	8	2	8	26	8	118	58	60	10	8	-	22
92	6	-	14	12	-	2	2	-	6	2	-	2	2	4	28	6	6	-	-	-	23
986	62	8	222	56	44	82	28	6	24	2	-	22	36	6	222	74	58	32	20	-	24
76	2	-	22	6	2	12	6	-	4	-	-	2	4	-	18	2	8	-	-	-	25
36	2	-	4	-	6	-	-	-	-	-	-	-	-	-	2	4	2	6	-	-	26
286	12	-	64	14	12	20	8	2	12	-	-	10	18	-	74	18	12	6	14	-	27
588	46	8	132	36	24	50	14	4	8	2	-	10	14	6	128	50	36	20	6	-	28
3,826	156	36	878	104	152	302	98	32	166	48	-	86	140	38	664	134	226	62	22	22	29
3,078	128	18	714	88	120	242	76	28	134	38	-	66	108	28	562	100	178	48	20	20	30
748	28	18	164	16	32	60	22	4	32	10	-	20	32	10	102	34	48	14	2	2	31
3,300	132	28	762	86	132	260	88	26	144	46	-	66	110	30	576	106	196	56	22	20	32
2,862	120	18	666	78	116	230	74	26	122	38	-	60	96	22	520	86	164	46	20	18	33
438	12	10	96	8	16	30	14	-	22	8	-	6	14	8	56	20	32	10	2	2	34
526	24	8	116	18	20	42	10	6	22	2	-	20	30	8	88	28	30	6	-	2	35
216	8	-	48	10	4	12	2	2	12	-	-	6	12	6	42	14	14	2	-	2	36
310	16	8	68	8	16	30	8	4	10	2	-	14	18	2	46	14	16	4	-	-	37
128	12	-	38	2	8	8	2	2	2	4	-	4	10	4	24	2	6	6	-	-	38
38	6	-	10	2	4	2	-	-	2	2	-	-	4	4	2	-	-	4	-	-	39
56	2	-	16	-	-	4	-	2	-	2	-	2	4	-	10	-	4	-	-	-	40
34	4	-	12	-	4	2	2	-	-	-	-	2	2	-	12	2	2	2	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
588	20	8	126	10	26	44	20	6	30	2	-	12	26	-	96	16	32	2	2	-	43
362	14	4	80	8	16	26	14	2	18	2	-	8	18	-	48	8	28	-	2	-	44
114	-	4	24	2	6	12	2	4	6	-	-	4	2	-	28	4	-	2	-	-	45
112	6	-	22	-	4	6	4	-	6	-	-	-	6	-	20	4	4	-	-	-	46
262	14	2	64	8	8	12	4	2	10	-	-	6	18	6	44	14	14	4	-	2	47
32	2	-	6	-	-	-	2	-	2	-	-	2	4	-	4	2	2	2	-	-	48
126	6	-	32	6	4	8	-	2	8	-	-	-	8	4	22	4	6	-	-	2	49
104	6	2	26	2	4	4	2	-	-	-	-	4	6	2	18	8	6	2	-	-	50
2,584	100	20	598	74	98	208	66	18	112	40	-	50	74	26	456	88	158	48	20	20	51
90	4	-	16	4	-	8	4	2	4	2	-	6	2	-	10	6	2	-	-	2	52
282	4	-	64	8	12	28	-	-	12	4	-	4	4	8	56	10	16	4	2	4	53
92	-	2	10	6	2	8	2	2	4	-	-	4	-	-	18	2	6	-	-	-	54
176	8	-	60	2	8	4	8	-	14	-	-	4	6	4	38	2	8	2	-	-	55
74	6	2	12	-	-	6	4	-	4	4	-	-	-	-	16	2	8	2	-	-	56
442	10	-	114	14	24	34	6	2	14	8	-	4	8	-	76	16	18	10	4	6	57
866	58	4	188	26	32	86	20	10	32	8	-	20	32	4	170	28	58	8	12	6	58
236	4	2	60	6	8	10	12	2	12	6	-	2	14	2	36	6	14	12	-	-	59
326	6	10	74	8	12	24	10	-	16	8	-	6	8	8	36	16	28	10	2	2	60
264	10	6	52	10	12	30	6	4	12	2	-	14	12	2	44	14	16	2	-	-	61
58	-	-	10	4	-	4	-	-	2	-	-	4	-	2	16	8	6	-	-	-	62
206	10	6	42	6	12	26	6	4	10	2	-	10	12	-	28	6	10	2	-	-	63
7,476	662	156	2,994	270	286	772	318	66	274	134	14	230	584	726	1,698	1,062	942	278	418	48	64
1,942	172	58	746	62	74	168	82	20	94	36	8	54	142	226	472	150	230	78	136	8	65
5,534	490	98	2,248	208	212	554	236	46	180	98	6	176	442	510	1,226	912	712	200	282	40	66
2,700	202	38	918	82	110	228	102	16	122	46	2	80	184	188	608	334	314	122	156	20	67
1,084	108	24	342	24	48	90	40	8	54	18	-	24	72	82	262	78	124	52	74	6	68
1,616	94	14	576	58	62	138	62	8	68	28	2	56	112	106	346	256	190	70	82	14	69
4,776	460	118	2,076	188	176	494	216	50	152	88	12	150	400	548	1,090	728	628	156	262	28	70
858	64	34	404	38	26	78	42	12	40	18	8	30	70	144	210	72	106	26	62	2	71
3,918	396	84	1,672	150	150	416	174	38	112	70	4	120	330	404	880	656	522	130	200	26	72

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hemaropoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	SOUTH CAROLINA--CON.																	
01	ABBEVILLE	222	-	-	6	28	10	4	-	6	-	2	6	8	126	90	2	4
02	AIKEN	816	-	2	10	142	32	40	6	22	8	2	32	26	434	332	2	2
03	AIKEN	172	-	-	-	28	10	4	-	6	-	-	8	8	88	68	-	-
04	NORTH AUGUSTA	92	-	-	-	18	-	10	2	4	2	-	-	-	60	46	-	2
05	BALANCE OF COUNTY	552	-	2	10	96	22	26	4	12	6	2	24	18	286	218	2	-
06	ALLENDALE	140	2	-	-	20	2	2	-	6	-	-	10	4	92	76	-	2
07	ANDERSON	1,000	4	-	6	166	40	30	12	30	4	2	48	24	480	344	2	6
08	ANDERSON	396	4	-	2	70	20	8	4	14	2	2	20	8	184	116	-	4
09	BALANCE OF COUNTY	604	-	-	4	96	20	22	8	16	2	-	28	16	296	228	2	2
10	BAMBERG	176	-	-	2	26	10	4	-	4	2	-	6	2	98	52	-	2
11	BARNWELL	178	-	-	4	16	4	2	2	2	2	2	2	6	100	76	-	-
12	BEAUFORT	298	2	-	-	48	18	12	4	6	4	-	4	4	126	94	-	2
13	BERKELEY	366	2	-	6	52	14	14	4	4	2	4	10	2	198	162	-	-
14	CALHOUN	116	-	-	-	22	-	6	4	6	2	-	4	2	52	42	-	-
15	CHARLESTON	1,862	4	-	14	274	66	86	20	20	12	8	62	58	802	582	4	8
16	CHARLESTON	884	4	-	2	132	32	40	16	10	4	8	22	30	406	298	2	6
17	BALANCE OF COUNTY	978	-	-	12	142	34	46	4	10	8	-	40	28	396	284	2	2
18	CHEROKEE	382	-	-	4	76	14	12	12	12	6	4	16	12	174	124	2	2
19	GAFFNEY	148	-	-	4	28	4	2	4	6	6	2	4	4	72	54	2	2
20	BALANCE OF COUNTY	234	-	-	-	48	10	10	8	6	-	2	12	8	102	70	-	-
21	CHESTER	380	-	-	2	40	10	10	6	8	-	-	6	10	214	128	-	4
22	CHESTERFIELD	342	-	-	6	54	6	16	-	12	-	6	14	-	172	98	-	-
23	CLARENDON	282	-	-	2	32	8	12	6	6	-	-	-	6	150	88	-	-
24	COLLETON	332	2	-	4	38	10	8	2	12	-	2	4	12	160	112	4	-
25	DARLINGTON	518	4	-	6	68	18	8	8	12	6	4	12	6	278	208	6	6
26	DILLON	270	2	-	-	36	12	6	4	4	-	2	8	-	112	66	-	-
27	DORCHESTER	294	-	-	-	64	16	20	14	6	2	2	4	6	144	92	-	2
28	EDGEFIELD	176	2	-	-	30	2	4	4	14	-	2	4	-	80	56	-	2
29	FAIRFIELD	210	-	-	-	30	16	-	2	6	-	2	4	-	104	70	-	2
30	FLORENCE	926	6	-	20	118	44	24	4	8	10	8	20	8	482	316	2	10
31	FLORENCE	362	-	-	12	42	12	6	2	4	2	6	10	4	200	122	2	4
32	BALANCE OF COUNTY	564	6	-	8	76	32	18	2	4	8	2	10	4	282	194	-	6
33	GEORGETOWN	322	-	-	4	50	8	10	8	6	4	-	14	14	162	110	2	10
34	GEORGETOWN	122	-	-	2	18	2	2	2	4	2	-	6	6	64	46	2	8
35	BALANCE OF COUNTY	200	-	-	2	32	6	8	6	2	2	-	8	8	98	64	-	2
36	GREENVILLE	2,158	8	2	8	322	74	80	24	30	24	18	72	52	1,088	756	24	10
37	GREENVILLE	734	2	2	2	84	26	20	6	4	4	2	22	16	366	260	6	4
38	GREER, PART	82	-	-	2	10	-	-	-	2	-	2	6	4	44	36	-	2
39	GREER, TOTAL	120	-	-	2	14	-	-	2	2	-	2	8	6	58	44	-	2
40	BALANCE OF COUNTY	1,342	6	-	4	228	48	60	18	24	20	14	44	32	678	460	18	4
41	GREENWOOD	534	2	-	2	82	14	12	16	18	8	4	10	12	274	190	2	4
42	GREENWOOD	260	-	-	-	36	8	6	6	2	4	4	6	6	126	86	-	2
43	BALANCE OF COUNTY	274	2	-	2	46	6	6	10	16	4	-	4	6	148	104	2	2
44	HAMPTON	178	2	-	-	28	10	4	-	4	-	2	8	4	84	62	-	2
45	HORRY	632	4	-	6	88	16	26	2	10	2	6	26	10	290	198	6	12
46	JASPER	122	-	-	-	12	4	4	-	2	-	-	2	4	64	36	2	2
47	KERSHAW	354	4	-	2	62	10	16	6	6	2	-	22	8	186	144	2	-
48	LANCASTER	396	-	-	4	42	2	12	4	10	2	2	10	14	216	152	2	6
49	LAURENS	534	2	-	8	70	24	16	6	8	2	6	8	6	298	214	2	2
50	LAURENS	96	-	-	2	12	4	2	2	2	-	2	-	2	58	38	-	-
51	BALANCE OF COUNTY	438	2	-	6	58	20	14	4	6	2	4	8	4	240	176	2	2
52	LEE	192	4	-	-	36	10	4	4	8	-	-	10	6	96	66	-	-
53	LEXINGTON	658	-	-	2	96	20	24	10	14	4	2	22	10	356	266	2	4
54	MC CORMICK	88	-	-	2	10	-	4	-	4	-	-	2	4	40	28	-	-
55	MARION	372	4	-	-	64	22	24	2	6	-	2	8	8	206	122	-	8
56	MARLBORO	300	2	-	6	28	6	8	6	2	-	-	6	8	176	98	-	-
57	NEWBERRY	354	2	-	2	52	14	14	8	4	2	-	10	6	216	144	2	-
58	OCONEE	420	-	-	8	76	14	14	10	10	10	2	16	14	200	136	2	6
59	ORANGEBURG	738	10	-	6	82	24	14	2	18	2	2	20	28	356	226	-	10
60	ORANGEBURG	176	6	-	-	16	4	2	-	6	-	2	2	12	92	58	-	2
61	BALANCE OF COUNTY	562	4	-	6	66	20	12	2	12	2	-	18	16	264	168	-	8
62	PICKENS	472	2	-	8	62	12	8	6	10	-	6	20	16	248	162	-	-
63	EASLEY	94	2	-	-	6	2	-	-	2	-	-	2	8	50	34	-	-
64	BALANCE OF COUNTY	378	-	-	8	56	10	8	6	8	-	6	18	8	198	128	-	-
65	RICHLAND	1,862	8	-	12	290	64	66	18	32	14	16	80	42	1,014	732	12	22
66	COLUMBIA	1,160	6	-	4	172	36	44	10	14	6	12	50	24	654	488	8	8
67	BALANCE OF COUNTY	702	2	-	8	118	28	22	8	18	8	4	30	18	360	244	4	14
68	SALUDA	178	-	-	-	24	6	8	4	-	-	-	6	-	94	48	-	-
69	SPARTANBURG	1,702	6	2	8	248	78	42	24	26	2	14	62	26	804	570	18	8
70	GREER, PART	38	-	-	-	4	-	-	2	-	-	-	2	2	14	8	-	-
71	SPARTANBURG	544	2	2	2	76	20	8	6	14	-	6	22	6	256	174	8	4
72	BALANCE OF COUNTY	1,120	4	-	6	168	58	34	16	12	2	8	38	18	534	388	10	4
73	SUMTER	610	2	-	4	88	22	14	8	16	4	4	20	12	268	194	2	4
74	SUMTER	266	-	-	2	32	8	6	2	8	-	2	6	10	126	88	-	-
75	BALANCE OF COUNTY	344	2	-	2	56	14	8	6	8	4	2	14	2	142	106	2	4
76	UNION	306	-	-	4	28	6	2	8	6	2	-	4	4	190	134	-	-
77	UNION	126	-	-	2	10	4	-	2	2	-	-	2	-	74	52	-	-
78	BALANCE OF COUNTY	180	-	-	2	18	2	2	6	4	2	-	2	4	116	82	-	-
79	WILLIAMSBURG	348	-	-	-	42	6	6	2	6	2	8	12	-	176	116	-	-
80	YORK	816	2	2	8	94	26	36	6	8	2	6	10	26	444	306	4	8
81	ROCK HILL	368	2	-	2	42	10	18	2	4	-	4	4	18	206	128	2	6
82	BALANCE OF COUNTY	448	-	2	6	52	16	18	4	4	2	2	6	8	238	178	2	2

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
78	6	-	32	2	2	10	2	-	2	-	-	6	6	6	8	10	4	-	-	-	01
316	12	10	78	6	8	14	14	-	14	2	-	6	10	20	58	30	14	6	14	-	02
64	4	4	12	2	2	-	6	-	-	-	-	2	6	4	12	6	4	6	2	-	03
42	2	-	10	2	2	4	-	-	2	-	-	-	-	-	4	2	-	-	2	-	04
210	6	6	56	2	4	10	8	-	12	2	-	4	4	16	42	22	10	-	10	-	05
60	14	-	16	-	-	4	-	-	-	-	-	-	2	-	4	2	10	-	-	-	06
302	34	8	98	12	18	50	16	4	8	2	-	6	24	24	90	46	16	20	12	2	07
104	8	4	52	6	6	24	4	2	6	-	-	-	4	14	36	14	8	10	4	2	08
198	26	4	46	6	12	26	12	2	2	7	-	6	20	10	54	32	8	10	8	-	09
50	-	4	38	-	4	6	2	-	-	-	-	-	2	-	18	8	4	6	2	-	10
68	8	-	22	2	-	4	-	2	2	4	-	2	4	2	18	4	6	2	2	-	11
86	6	-	39	2	-	4	6	-	10	2	-	6	10	12	24	14	18	8	2	2	12
158	4	-	34	2	-	2	4	-	4	-	-	2	12	6	24	26	14	2	10	-	13
40	2	4	6	-	-	2	-	2	2	2	-	-	-	-	10	10	8	-	4	-	14
490	80	6	176	10	28	50	22	8	30	10	-	14	56	146	158	86	70	20	32	8	15
252	38	4	86	4	14	18	10	6	10	4	-	2	20	70	90	18	30	12	18	2	16
238	42	2	90	6	14	32	12	2	20	6	-	12	36	76	68	68	40	8	14	6	17
106	14	2	42	4	2	12	12	-	-	6	-	2	8	6	30	16	16	2	4	2	18
44	6	2	16	-	-	4	8	-	-	4	-	-	2	-	12	-	6	-	4	-	19
62	8	-	26	4	2	8	4	-	-	2	-	2	6	6	18	16	10	2	-	2	20
112	12	6	56	18	6	10	4	4	6	4	-	2	12	6	18	18	16	8	6	-	21
90	8	6	52	10	6	10	2	-	8	-	-	4	6	6	26	18	14	6	10	-	22
66	22	2	48	6	6	16	4	-	-	2	-	6	6	6	12	20	16	-	4	-	23
96	12	-	40	2	6	8	8	2	6	2	-	2	4	12	26	16	22	4	4	-	24
182	14	8	54	2	6	14	6	-	8	2	2	2	8	4	48	28	26	2	6	-	25
64	2	-	46	-	-	18	6	2	4	-	-	2	-	24	26	16	6	6	10	-	26
88	2	4	42	2	4	10	8	-	-	2	-	2	10	2	14	12	16	-	4	-	27
48	6	-	20	2	2	6	4	-	4	2	-	2	6	6	14	14	2	-	4	-	28
56	12	4	24	6	-	8	-	-	-	2	-	4	-	6	24	16	10	-	6	-	29
290	14	16	136	4	10	18	10	2	8	2	2	6	52	10	46	48	46	10	30	2	30
106	10	14	58	2	4	12	2	-	4	2	2	-	12	6	24	12	10	-	18	-	31
184	4	2	78	2	6	6	8	2	4	-	-	6	40	4	22	36	36	10	12	2	32
90	8	2	44	2	4	6	2	-	2	4	-	-	12	12	20	18	14	-	2	-	33
32	4	-	16	-	2	-	-	-	2	4	-	-	6	6	6	2	6	-	-	-	34
58	4	2	28	2	2	6	2	-	-	-	-	-	6	6	14	16	8	-	2	-	35
678	44	6	274	24	28	78	24	6	26	16	-	36	40	10	174	86	84	36	56	6	36
226	24	4	90	4	8	34	6	2	16	8	-	10	12	6	74	18	36	12	28	-	37
32	2	-	6	2	-	4	-	-	-	-	-	-	2	-	2	-	8	-	6	-	38
40	2	-	10	2	2	6	-	-	-	2	-	2	6	2	4	-	10	-	8	-	39
420	18	2	178	18	20	40	18	4	10	8	-	26	26	4	98	68	40	24	22	6	40
174	10	4	68	6	6	18	8	2	8	2	-	12	8	2	30	26	26	12	8	-	41
78	6	-	36	4	-	10	2	2	8	-	-	10	4	-	20	6	18	8	4	-	42
96	4	4	32	2	6	8	6	-	-	2	-	2	4	2	10	20	8	4	4	-	43
54	6	2	20	-	-	4	2	-	-	2	-	4	2	4	18	4	14	2	2	2	44
152	28	2	76	4	10	38	14	2	6	4	-	8	8	44	40	36	24	-	10	-	45
30	2	-	26	-	2	6	-	-	2	-	-	2	4	4	10	4	6	-	2	2	46
134	8	-	38	4	-	6	2	-	4	4	2	4	16	-	20	14	14	4	2	-	47
138	6	-	52	2	10	18	-	-	2	-	-	4	22	4	32	16	16	4	2	-	48
194	16	4	70	4	6	28	12	2	4	-	-	-	18	2	30	18	20	8	8	-	49
34	4	2	16	2	-	2	4	-	2	-	-	-	6	-	8	-	-	-	-	-	50
160	12	2	54	2	6	26	8	2	2	-	-	-	12	2	22	18	20	8	8	-	51
64	2	-	30	-	-	-	2	-	-	2	-	4	2	2	20	8	6	-	4	-	52
250	10	4	70	8	8	26	6	2	10	4	-	-	12	2	42	28	32	16	14	-	53
18	10	-	8	2	2	4	2	2	-	-	-	-	6	2	4	2	6	-	4	-	54
94	20	2	72	10	-	6	4	-	-	2	-	-	10	28	20	10	4	-	2	4	55
92	6	2	66	4	6	12	2	2	2	2	-	2	2	6	24	8	6	4	8	-	56
134	8	-	66	2	4	16	2	-	-	2	-	2	6	-	26	6	10	4	2	-	57
114	14	4	48	4	8	16	-	-	4	4	-	-	14	4	32	20	12	6	10	-	58
200	16	10	96	8	16	18	6	2	4	2	-	6	22	32	62	46	40	-	12	4	59
56	-	-	26	2	6	-	2	-	-	-	-	-	10	8	10	10	8	-	2	-	60
144	16	10	70	6	10	18	4	2	4	2	-	6	12	24	52	36	32	-	10	4	61
156	6	4	64	10	8	10	14	-	4	-	-	6	2	-	42	16	34	8	-	-	62
30	4	4	8	-	4	2	4	-	-	-	-	-	-	-	14	2	6	-	-	-	63
126	2	-	56	10	4	8	10	-	4	-	-	6	2	-	28	14	28	8	-	-	64
652	46	8	222	22	30	48	18	-	34	14	2	16	52	4	110	62	66	34	30	6	65
438	34	8	130	10	18	28	14	-	28	6	-	10	32	2	66	32	40	22	18	4	66
214	12	-	92	12	12	20	4	-	8	8	2	6	20	2	44	30	26	12	12	2	67
46	2	2	36	4	4	8	6	-	-	-	-	-	-	4	8	18	12	2	2	-	68
486	58	8	184	38	4	38	34	10	20	12	4	16	32	152	104	52	76	20	32	6	69
8	-	-	4	-	2	2	-	-	-	2	-	2	4	2	2	-	2	-	2	-	70
150	12	4	66	12	-	16	10	6	10	2	4	2	8	56	36	4	28	4	14	-	71
328	46	4	114	26	2	20	24	4	10	8	-	12	20	94	66	48	46	16	16	6	72
170	18	6	64	-	4	8	4	4	4	6	2	12	8	80	38	42	20	2	6	-	73
84	4	6	30	-	2	2	2	2	-	2	2	8	2	36	12	12	10	2	4	-	74
86	14	-	34	-	2	6	2	2	4	4	-	4	6	44	26	30	10	-	2	-	75
134	-	-	50	2	4	4	4	2	6	-	-	2	16	2	18	10	10	2	4	-	76
52	-	-	20	2	-	2	2	-	2	-	-	-	8	-	16	4	2	2	2	-	77
82	-	-	30	-	4	2	2	2	4	-	-	2	8	2	2	6	8	-	2	-	78
100	16	-	56	2	2	18	6	2	2	-	-	4	10	10	26	20	14	4	14	-	79
276	18	6	104	16	12	12	14	2	14	6	-	14	22	22	52	34	22	8	16	2	80
110	10	2	64	8	4	4	6	-	6	2	-	8	4	16	28	8	8	-	8	-	81
166	8	4	40	8	8	8	8	2	8	4	-	6	18	6	24	26	14	8	8	2	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
01	**SOUTH DAKOTA...**	7,028	10	-	32	1,112	386	156	108	166	48	48	200	114	3,694	2,706	50	60
02	URBAN PLACES.....	2,120	4	-	8	320	114	46	26	46	14	14	60	24	1,052	770	22	8
03	BALANCE OF AREA.....	4,908	6	-	24	792	272	110	82	120	34	34	140	90	2,642	1,936	28	52
04	METROPOLITAN COUNTIES...	820	-	-	2	138	54	16	14	24	4	4	22	4	444	320	10	4
05	URBAN PLACES.....	664	-	-	2	114	42	14	14	20	4	2	18	4	348	252	10	4
06	BALANCE OF AREA.....	156	-	-	-	24	12	2	-	4	-	2	4	-	96	68	-	-
07	NONMETROPOLITAN COUNTIES	6,208	10	-	30	974	332	140	94	142	44	44	178	110	3,250	2,386	40	56
08	URBAN PLACES.....	1,456	4	-	6	206	72	32	12	26	10	12	42	20	704	518	12	4
09	BALANCE OF AREA.....	4,752	6	-	24	768	260	108	82	116	34	32	136	90	2,546	1,868	28	52
10	AURORA.....	38	-	-	-	8	6	-	-	-	-	-	2	-	20	18	-	-
11	BEADLE.....	234	-	-	2	36	10	6	4	4	2	4	6	4	134	110	4	6
12	HURON.....	168	-	-	2	22	8	2	2	4	-	4	2	4	92	76	4	4
13	BALANCE OF COUNTY....	66	-	-	-	14	2	4	2	-	2	-	4	-	42	34	-	2
14	BENNETT.....	20	-	-	-	2	2	-	-	-	-	-	-	-	4	2	-	-
15	BON HOMME.....	108	-	-	-	22	8	4	2	2	2	2	2	4	68	50	-	-
16	BROOKINGS.....	176	-	-	-	24	4	4	-	6	2	2	6	-	100	72	4	-
17	BROOKINGS.....	82	-	-	-	8	-	-	-	2	-	2	4	-	50	36	2	-
18	BALANCE OF COUNTY....	94	-	-	-	16	4	4	-	4	2	-	2	-	50	36	2	-
19	BROWN.....	326	-	-	-	56	22	8	4	12	2	-	8	6	186	146	-	-
20	ABERDEEN.....	238	-	-	-	38	16	6	2	8	2	-	4	4	130	106	-	-
21	BALANCE OF COUNTY....	88	-	-	-	18	6	2	2	4	-	-	4	2	56	40	-	-
22	BRULE.....	68	-	-	-	10	4	-	-	2	-	2	2	2	42	22	-	-
23	BUFFALO.....	24	-	-	-	4	2	-	2	-	-	-	-	-	8	6	-	-
24	BUTTE.....	94	-	-	-	14	2	2	4	2	-	-	4	-	44	26	-	-
25	CAMPBELL.....	20	-	-	-	-	-	-	-	-	-	-	-	-	16	10	-	-
26	CHARLES MIX.....	114	2	-	4	24	6	4	6	2	2	-	4	-	48	32	-	10
27	CLARK.....	72	-	-	-	8	-	2	2	2	-	-	2	2	46	36	-	2
28	CLAY.....	110	-	-	2	16	2	-	4	2	-	-	8	4	72	50	-	2
29	CODINGTON.....	224	-	-	-	44	18	4	4	6	4	4	4	2	116	82	-	-
30	WATERTOWN.....	174	-	-	-	34	12	4	4	2	4	4	4	2	90	66	-	-
31	BALANCE OF COUNTY....	50	-	-	-	10	6	-	-	4	-	-	-	-	26	16	-	-
32	CORSON.....	52	-	-	-	4	2	-	-	-	-	-	2	2	28	18	-	-
33	CUSTER.....	58	-	-	-	6	4	-	-	-	-	-	2	-	32	20	2	-
34	DAVISON.....	182	-	-	-	26	6	4	6	4	-	-	6	2	110	78	-	-
35	MITCHELL.....	146	-	-	-	18	6	4	-	4	-	-	4	2	92	66	-	-
36	BALANCE OF COUNTY....	36	-	-	-	8	-	-	6	-	-	-	2	-	18	12	-	-
37	DAY.....	108	-	-	2	24	12	2	2	-	2	2	4	6	50	40	2	-
38	DEUEL.....	62	-	-	-	2	-	-	2	-	-	-	-	-	54	36	-	-
39	DEWEY.....	58	-	-	-	6	-	4	-	2	-	-	-	2	22	20	-	-
40	DOUGLAS.....	58	-	-	2	6	-	2	2	2	-	-	-	-	40	28	-	-
41	EDMUNDS.....	78	-	-	-	14	4	-	2	4	2	-	2	-	38	34	-	-
42	FALL RIVER.....	116	-	-	2	14	4	4	-	-	-	-	6	2	58	42	-	-
43	FAULK.....	42	-	-	-	8	4	2	-	2	-	-	-	2	16	14	-	-
44	GRANT.....	114	-	-	-	18	10	4	-	4	-	-	-	-	78	54	-	-
45	GREGORY.....	102	-	-	-	14	4	2	-	-	2	2	4	4	64	56	-	2
46	HAAKON.....	30	-	-	2	2	2	-	-	-	-	-	-	2	16	12	-	-
47	HAMLIN.....	80	-	-	-	10	2	6	-	2	-	-	-	4	50	38	-	-
48	HAND.....	58	-	-	-	20	12	2	-	-	2	2	2	-	32	28	-	-
49	HANSON.....	46	-	-	-	4	-	-	2	-	-	-	2	2	28	22	-	-
50	HARDING.....	12	-	-	-	2	2	-	-	-	-	-	-	-	4	2	-	-
51	HUGHES.....	124	-	-	-	30	8	2	8	2	2	4	4	4	60	48	2	4
52	HUTCHINSON.....	130	-	-	-	28	6	4	8	4	-	-	6	4	76	60	2	2
53	HYDE.....	24	-	-	-	4	-	-	-	-	-	-	4	2	14	8	-	-
54	JACKSON.....	18	-	-	-	-	-	-	-	-	-	-	-	2	8	4	-	-
55	JERAULD.....	50	-	-	-	8	2	2	-	2	-	2	-	2	30	28	-	2
56	JONES.....	16	-	-	-	2	-	2	-	-	-	-	-	-	10	10	-	-
57	KINGSBURY.....	94	-	-	-	16	8	-	2	6	-	-	-	-	46	26	-	2
58	LAKE.....	112	-	-	2	16	4	2	6	4	-	-	-	-	68	50	-	-
59	LAWRENCE.....	162	-	-	-	30	6	4	4	2	-	2	12	6	80	62	-	2
60	LINCOLN.....	122	-	-	-	22	8	-	-	8	2	4	-	2	74	64	2	-
61	SIOUX FALLS, PART....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	BALANCE OF COUNTY....	122	-	-	-	22	8	-	-	8	2	4	-	2	74	64	2	-
63	LYMAN.....	46	2	-	-	2	-	-	-	2	-	-	-	2	28	18	-	2
64	MC COOK.....	94	-	-	-	20	4	-	4	6	-	-	6	-	54	34	-	2
65	MC PHERSON.....	36	-	-	-	6	4	-	-	-	-	2	-	-	26	18	2	-
66	MARSHALL.....	76	-	-	-	14	2	-	-	4	-	-	8	2	46	34	-	-
67	MEADE.....	124	-	-	-	16	8	2	-	4	-	-	2	-	68	56	-	4
68	MELLETTE.....	20	-	-	2	2	2	-	-	-	-	-	-	-	4	4	-	2
69	MINER.....	52	-	-	-	16	12	-	-	2	2	-	-	-	26	22	-	-
70	MINNEHAHA.....	820	-	-	2	138	54	16	14	24	4	4	22	4	444	320	10	4
71	SIOUX FALLS, PART....	664	-	-	2	114	42	14	14	20	4	2	18	4	348	252	10	4
72	SIOUX FALLS, TOTAL...	664	-	-	2	114	42	14	14	20	4	2	18	4	348	252	10	4
73	BALANCE OF COUNTY....	156	-	-	-	24	12	2	-	4	-	2	4	-	96	68	-	-
74	MOODY.....	88	-	-	-	16	6	-	2	6	2	-	-	-	56	50	4	-
75	PENNINGTON.....	650	2	-	4	74	22	20	-	4	4	2	22	12	224	142	6	2
76	RAPID CITY.....	512	2	-	4	64	20	14	-	4	4	2	20	8	172	112	6	-
77	BALANCE OF COUNTY....	138	-	-	-	10	2	6	-	-	-	-	2	4	52	30	-	2
78	PERKINS.....	48	-	-	-	6	2	2	-	-	-	-	2	6	20	10	-	-
79	POTTER.....	44	-	-	-	6	-	2	-	4	-	-	-	-	10	8	-	-
80	ROBERTS.....	148	2	-	2	16	10	-	2	2	-	-	2	2	88	44	-	-
81	SANBORN.....	46	-	-	-	6	-	-	-	-	-	-	6	4	24	20	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E825)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
2,396	200	32	744	110	192	248	128	22	70	24	-	48	102	56	494	304	464	74	22	8	01
698	42	2	214	38	28	80	44	12	20	2	-	18	38	12	152	80	232	20	2	-	02
1,698	158	30	530	72	74	168	84	10	50	22	-	30	64	44	342	224	232	56	20	8	03
296	10	-	94	22	8	24	22	6	12	-	-	8	6	2	64	34	40	14	-	-	04
228	10	-	66	22	8	18	18	6	12	-	-	6	4	2	54	30	38	8	-	-	05
68	-	-	28	-	-	6	4	-	-	-	-	2	2	-	10	4	2	6	-	-	06
2,100	190	32	650	88	94	224	106	16	58	24	-	40	96	54	430	270	424	62	22	8	07
470	32	2	148	16	20	62	26	6	8	2	-	12	34	10	98	50	194	12	2	-	08
1,630	158	30	502	72	74	162	80	10	50	22	-	28	62	44	332	220	230	50	20	8	09
16	2	-	2	-	-	-	-	-	-	-	-	-	2	-	6	2	-	-	-	-	10
90	10	2	12	2	8	14	4	-	2	-	-	-	8	-	14	4	12	-	-	-	11
60	8	-	8	2	6	14	4	-	2	-	-	-	8	-	10	2	8	-	-	-	12
30	2	2	4	-	2	-	-	-	-	-	-	-	-	-	4	2	4	-	-	-	13
2	-	2	-	-	-	4	-	2	-	-	-	-	-	-	2	4	2	-	-	-	14
44	6	-	8	4	6	2	-	-	-	-	-	-	-	2	6	2	-	2	-	-	15
62	6	-	24	4	-	6	6	-	2	6	-	2	4	2	10	8	-	6	-	-	16
32	2	-	14	-	-	4	2	-	2	-	-	2	2	2	4	2	-	4	-	-	17
30	4	-	10	4	-	2	4	-	-	6	-	-	2	-	6	6	-	2	-	-	18
134	12	-	32	4	4	6	4	2	2	2	-	4	12	-	26	10	8	2	-	-	19
98	8	-	22	-	2	6	4	2	-	-	-	4	12	-	20	8	8	2	-	-	20
36	4	-	10	4	2	-	-	-	2	2	-	-	-	-	6	2	-	-	-	-	21
20	2	-	20	-	-	-	4	-	-	-	-	2	-	-	2	4	2	-	-	-	22
4	2	-	2	-	-	2	-	-	-	-	-	-	-	-	4	2	-	2	2	-	23
22	4	2	10	2	4	6	-	-	-	-	-	-	2	-	2	18	8	-	-	-	24
10	-	-	2	-	4	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	25
18	4	-	16	-	-	6	4	-	2	-	-	-	-	6	10	4	-	4	-	-	26
28	6	-	8	-	2	2	2	-	-	-	-	-	-	-	2	8	2	-	-	-	27
42	6	2	16	2	2	2	-	-	-	-	-	-	2	-	10	-	2	-	-	-	28
76	6	2	26	-	6	8	2	2	2	-	-	2	-	-	22	10	10	2	2	-	29
62	4	-	22	-	2	6	2	2	-	-	-	2	-	-	16	10	8	-	2	-	30
14	2	2	4	-	4	2	-	-	2	-	-	-	-	-	6	-	2	2	-	-	31
14	4	-	6	2	2	6	-	-	-	-	-	-	-	2	6	-	4	-	-	-	32
16	2	-	10	-	2	4	-	-	2	-	-	-	2	-	4	2	4	-	2	-	33
76	2	-	24	8	-	10	6	-	-	2	-	-	2	-	6	12	6	-	-	-	34
64	2	-	20	6	-	8	6	-	-	2	-	-	-	-	6	8	4	-	-	-	35
12	-	-	4	2	-	2	-	-	-	-	-	-	2	-	-	4	2	-	-	-	36
36	2	-	4	6	-	-	2	-	2	2	-	-	-	-	12	4	4	-	-	-	37
30	6	2	14	2	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	38
14	6	-	-	-	2	2	2	2	-	-	-	-	2	2	10	4	-	2	2	-	39
20	8	-	4	4	4	-	4	-	-	-	-	-	-	-	4	-	-	2	-	-	40
34	-	-	4	-	-	2	-	-	-	-	-	-	-	-	14	2	8	-	-	-	41
38	4	-	14	2	-	2	4	-	2	-	-	-	-	8	2	4	12	2	2	2	42
12	2	-	2	-	-	4	-	-	-	-	-	2	-	-	2	4	2	2	-	-	43
50	4	-	22	-	2	2	2	-	-	-	-	4	-	-	6	2	2	-	-	-	44
54	-	-	6	-	2	4	2	-	-	-	-	2	-	-	2	4	6	-	-	-	45
12	-	-	4	-	-	-	2	-	-	-	-	-	-	-	4	-	2	-	-	-	46
36	2	-	12	-	-	2	-	-	-	-	-	-	-	-	8	2	2	2	-	-	47
28	-	-	4	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	48
22	-	-	6	-	-	2	2	-	-	-	-	-	-	-	-	2	6	-	-	-	49
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	50
42	-	-	8	-	4	2	-	2	-	-	-	2	2	-	4	6	10	2	-	-	51
52	4	-	12	2	2	4	2	-	4	-	-	2	-	-	4	2	4	-	-	-	52
6	2	-	2	4	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	53
4	-	-	2	-	2	-	-	-	-	-	-	-	2	-	2	2	2	-	-	-	54
26	-	-	2	-	-	-	4	-	-	-	-	-	-	-	4	2	-	-	-	-	55
10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	56
20	4	2	14	2	2	6	4	2	2	-	-	-	-	-	6	4	2	4	2	-	57
40	10	-	10	4	4	8	6	-	-	-	-	2	2	-	6	-	2	-	-	-	58
50	10	-	18	-	-	6	-	-	2	-	-	2	2	4	10	10	10	-	-	-	59
60	2	-	8	2	-	10	-	2	-	2	-	-	-	-	2	8	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
60	2	-	8	2	-	10	-	2	-	2	-	-	-	-	2	8	-	-	-	-	62
16	-	-	8	-	2	2	-	-	-	2	-	-	-	-	-	4	4	-	-	-	63
30	2	2	14	4	-	2	2	-	-	-	-	-	2	-	6	4	2	-	-	2	64
16	-	-	8	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	65
32	2	-	12	-	-	-	-	-	-	-	-	-	-	-	8	4	2	-	-	-	66
44	8	-	12	-	-	4	-	-	-	-	-	2	6	-	10	8	6	4	-	-	67
2	-	-	-	-	-	4	-	-	-	-	-	-	-	2	2	-	-	-	2	2	68
20	2	-	4	-	-	2	-	-	-	-	-	-	-	-	6	-	2	-	-	-	69
296	10	-	94	22	8	24	22	6	12	-	-	8	6	2	64	34	40	14	-	-	70
228	10	-	66	22	8	18	18	6	12	-	-	6	4	2	54	30	38	8	-	-	71
228	10	-	66	22	8	18	18	6	12	-	-	6	4	2	54	30	38	8	-	-	72
68	-	-	28	-	-	6	4	-	-	-	-	2	2	-	10	4	2	6	-	-	73
46	-	-	4	-	2	-	-	-	2	-	-	-	-	2	10	2	-	-	-	-	74
130	4	-	66	6	10	24	6	2	6	2	-	4	10	6	36	28	202	8	-	-	75
102	4	-	50	4	6	22	4	2	2	-	-	2	8	6	28	20	164	4	-	-	76
28	-	-	16	2	4	2	2	-	4	2	-	2	2	-	8	8	38	4	-	-	77
10	-	4	4	2	-	-	4	-	2	-	-	-	-	-	6	-	2	2	-	-	78
8	-	-	2	-	-	6	6	-	-	-	-	2	2	2	4	-	6	-	-	-	79
38	6	-	38	2	4	6	2	-	4	-	-	-	2	-	4	10	4	2	2	2	80
20	-	-	2	-	2	-	4	-	-	-	-	-	2	-	4	-	2	-	-	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	SOUTH DAKOTA—CON.																	
01	SHANNON	94	-	-	-	16	6	2	-	2	2	-	4	4	10	8	2	-
02	SPINK	122	-	-	-	18	4	4	-	4	2	-	4	-	76	50	-	4
03	STANLEY	6	-	-	-	2	2	-	-	-	-	-	-	-	2	2	-	-
04	SULLY	22	-	-	2	-	-	-	-	-	-	-	-	2	14	10	-	-
05	TODD	92	-	-	2	6	6	-	-	-	-	-	-	-	34	30	4	2
06	TRIPP	82	-	-	-	18	8	8	-	-	-	-	2	-	38	28	-	-
07	TURNER	140	-	-	-	30	8	4	4	8	2	-	4	-	88	62	2	-
08	UNION	132	-	-	-	26	10	6	-	-	4	4	2	-	72	54	2	2
09	WALWORTH	100	-	-	-	14	2	4	-	4	-	2	2	-	38	32	-	2
10	WASHABAUGH	12	-	-	-	2	2	-	-	-	-	-	-	-	4	4	-	-
11	YANKTON	174	2	-	-	34	14	4	6	2	-	2	6	-	100	74	-	-
12	YANKTON	136	2	-	-	22	10	2	4	2	-	-	4	-	78	56	-	-
13	BALANCE OF COUNTY	38	-	-	-	12	4	2	2	-	-	2	2	-	22	18	-	-
14	ZIEBACH	24	-	-	-	4	2	-	-	-	-	-	2	2	10	8	-	-
15	**TENNESSEE**	39,374	152	14	204	6,164	1,548	1,452	538	798	194	298	1,336	604	21,392	14,850	188	198
16	URBAN PLACES	18,668	54	12	114	3,014	740	766	302	384	98	140	584	280	9,832	6,800	84	74
17	BALANCE OF AREA	20,706	98	2	90	3,150	808	686	236	414	96	158	752	324	11,560	8,050	104	124
18	METROPOLITAN COUNTIES	17,904	58	10	100	2,940	732	742	282	362	102	132	588	250	9,364	6,486	102	64
19	URBAN PLACES	14,698	44	10	86	2,458	604	634	240	316	84	110	470	216	7,632	5,288	74	54
20	BALANCE OF AREA	3,206	14	-	14	482	128	108	42	46	18	22	118	34	1,732	1,198	28	10
21	NONMETROPOLITAN COUNTIES	21,470	94	4	104	3,224	816	710	256	436	92	166	748	354	12,028	8,364	86	134
22	URBAN PLACES	3,970	10	2	28	556	136	132	62	68	14	30	114	64	2,200	1,512	10	20
23	BALANCE OF AREA	17,500	84	2	76	2,668	680	578	194	368	78	136	634	290	9,828	6,852	76	114
24	ANDERSON	504	-	-	2	82	24	24	2	2	4	8	18	14	256	188	8	-
25	OAK RIDGE, PART	180	-	-	2	34	10	14	-	-	2	4	4	6	84	56	4	-
26	OAK RIDGE, TOTAL	180	-	-	2	34	10	14	-	-	2	4	4	6	84	56	4	-
27	BALANCE OF COUNTY	324	-	-	-	48	14	10	2	2	2	4	14	8	172	132	4	-
28	BEDFORD	306	-	-	-	40	12	10	2	8	2	-	6	2	190	134	-	6
29	SHELBYVILLE	142	-	-	-	16	4	4	-	4	-	-	4	-	96	64	-	4
30	BALANCE OF COUNTY	164	-	-	-	24	8	6	2	4	2	-	2	2	94	70	-	2
31	BENTON	158	-	-	-	22	8	4	-	2	-	2	6	2	108	82	-	2
32	BLEDSOE	72	-	-	-	4	-	-	-	2	2	-	-	-	48	34	-	-
33	BLOUNT	616	2	-	4	108	28	38	2	16	-	2	22	12	352	210	2	4
34	MARYVILLE	196	2	-	-	36	10	18	2	-	-	-	6	8	106	60	-	2
35	BALANCE OF COUNTY	420	-	-	4	72	18	20	-	16	-	2	16	4	246	150	2	2
36	BRADLEY	452	2	-	8	78	18	18	14	6	4	4	14	6	212	130	4	-
37	CLEVELAND	236	2	-	6	50	6	16	10	4	2	4	8	4	112	62	2	-
38	BALANCE OF COUNTY	216	-	-	2	28	12	2	4	2	2	-	6	2	100	68	2	-
39	CAMPBELL	334	4	-	-	34	10	8	2	2	-	-	12	8	164	120	2	-
40	CANNON	112	2	-	-	18	2	4	2	2	2	2	4	2	66	46	-	-
41	CARROLL	314	-	-	2	30	10	4	2	-	4	-	10	4	222	166	-	4
42	CARTER	396	-	-	2	56	18	12	8	6	-	2	10	16	226	152	2	-
43	ELIZABETHTON	102	-	-	-	16	8	2	4	-	-	-	2	4	70	52	-	-
44	BALANCE OF COUNTY	294	-	-	2	40	10	10	4	6	-	2	8	12	156	100	2	-
45	CHEATHAM	140	-	-	-	30	6	10	2	4	2	4	2	-	92	68	-	2
46	CHESTER	112	-	-	-	22	10	2	-	2	2	-	6	2	72	52	-	-
47	CLAIBORNE	216	6	-	-	46	10	4	8	6	-	2	16	2	98	76	-	-
48	CLAY	66	2	-	-	6	2	2	2	-	-	-	-	-	38	34	-	-
49	COCKE	294	2	-	2	34	12	4	2	4	-	2	10	16	150	108	-	4
50	COFFEE	306	2	-	-	46	8	6	2	12	2	6	10	2	172	118	-	2
51	TULLAHOMA, PART	134	2	-	-	20	4	2	-	10	-	2	2	-	70	54	-	-
52	TULLAHOMA, TOTAL	142	2	-	-	20	4	2	-	10	-	2	2	-	78	60	-	-
53	BALANCE OF COUNTY	172	-	-	-	26	4	4	2	2	2	4	8	2	102	64	-	2
54	CROCKETT	144	2	-	-	28	8	6	2	6	-	-	6	4	70	40	-	2
55	CUMBERLAND	186	-	-	-	36	6	6	2	10	-	2	10	2	108	72	4	2
56	DAVIDSON, COEX. WITH NASHVILLE CITY	3,918	12	-	16	708	160	180	56	112	22	34	144	44	2,110	1,524	10	14
57	DECATUR	136	-	-	-	20	6	2	4	4	-	-	4	-	88	44	-	-
58	DE KALB	120	-	-	2	18	8	6	-	2	-	-	2	2	56	42	-	-
59	DICKSON	266	2	-	-	34	6	8	4	4	4	-	8	4	162	114	2	6
60	DYER	398	2	-	2	60	20	12	8	4	4	2	10	4	240	156	-	-
61	DYERSBURG	204	-	-	-	32	8	4	6	-	4	2	8	4	116	78	-	-
62	BALANCE OF COUNTY	194	2	-	2	28	12	8	2	4	-	-	2	-	124	78	-	-
63	FAYETTE	200	-	-	4	28	2	4	6	8	2	-	6	8	106	56	-	2
64	FENTRESS	144	-	-	-	18	4	2	2	4	-	-	6	2	84	64	4	-
65	FRANKLIN	278	4	-	4	32	4	14	2	2	2	-	8	8	160	128	-	-
66	TULLAHOMA, PART	8	-	-	-	-	-	-	-	-	-	-	-	-	8	6	-	-
67	BALANCE OF COUNTY	270	4	-	4	32	4	14	2	2	2	-	8	8	152	122	-	-
68	GIBSON	656	-	-	2	116	28	28	14	12	4	2	28	6	376	262	2	12
69	HUMBOLDT	126	-	-	2	10	2	2	2	2	-	-	2	2	72	56	2	2
70	BALANCE OF COUNTY	530	-	-	-	106	26	26	12	10	4	2	26	4	304	206	-	10
71	GILES	232	-	-	-	32	8	8	4	6	2	-	4	2	130	86	4	2
72	GRAINGER	182	4	-	-	36	10	6	4	2	2	-	12	2	94	70	-	2
73	GREENE	462	2	-	2	74	28	14	8	8	-	-	16	8	286	226	4	4
74	GREENVILLE	134	-	-	-	32	18	4	4	2	-	-	4	2	82	66	-	2
75	BALANCE OF COUNTY	328	2	-	2	42	10	10	4	6	-	-	12	6	204	160	4	2
76	GRUNDY	108	-	-	-	16	4	6	-	4	-	-	2	4	50	32	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
6	-	-	-	2	-	6	2	-	10	-	-	-	4	-	12	12	14	2	2	-	01
46	-	-	24	-	2	6	-	-	2	-	-	-	4	-	8	4	4	-	-	-	02
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	03
10	-	-	2	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	04
22	2	-	2	2	-	8	-	-	2	2	-	-	-	4	10	10	8	2	4	-	05
26	2	-	10	-	-	2	-	-	-	-	-	-	2	-	6	8	8	-	-	-	06
54	6	8	12	6	-	4	-	-	-	-	-	2	2	-	6	4	4	-	-	-	07
46	4	2	16	-	-	4	-	-	4	2	-	-	-	8	8	4	2	2	-	-	08
24	6	-	4	2	-	6	6	-	-	2	-	-	10	2	12	6	2	2	-	-	09
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	10
70	4	2	14	4	6	2	4	-	2	-	-	4	4	2	16	-	2	2	-	-	11
52	4	2	12	4	4	2	4	-	2	-	-	2	4	2	14	-	2	2	-	-	12
18	-	-	2	-	2	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	13
6	2	-	2	-	-	2	-	-	-	-	-	-	-	-	4	2	-	-	-	-	14
13,716	748	228	5,254	634	426	1,240	598	124	356	204	14	360	750	580	2,838	1,398	1,272	464	570	76	15
6,328	314	110	2,400	302	220	552	292	72	206	118	4	190	414	292	1,460	568	604	212	340	38	16
7,388	434	118	2,854	332	206	688	306	52	150	86	10	170	336	288	1,378	830	668	252	230	38	17
6,020	300	98	2,282	304	194	492	260	62	212	122	4	180	400	316	1,368	592	588	214	340	32	18
4,916	244	76	1,866	234	168	408	212	52	186	106	4	152	334	232	1,146	442	488	168	292	30	19
1,104	56	22	416	70	26	84	48	10	26	16	-	28	66	84	222	150	100	46	48	2	20
7,696	448	130	2,972	330	232	748	338	62	144	87	10	180	350	264	1,470	806	684	250	230	44	21
1,412	70	34	534	68	52	144	80	20	20	12	-	38	80	60	314	126	116	44	48	8	22
6,284	378	96	2,438	262	180	604	258	42	124	70	10	142	270	204	1,156	680	568	206	182	36	23
170	10	6	42	10	10	14	8	-	4	2	-	8	14	24	32	16	12	10	4	2	24
50	2	6	14	-	8	4	2	-	4	2	-	4	6	4	8	6	4	8	-	2	25
50	2	6	14	-	8	4	2	-	4	2	-	4	6	4	8	6	4	8	-	2	26
120	8	-	28	10	2	10	6	-	-	-	-	4	8	20	24	10	8	2	4	-	27
110	18	4	44	6	2	14	4	-	-	2	-	4	6	4	20	6	4	6	4	-	28
50	10	2	26	2	2	8	2	-	-	2	-	4	4	2	6	-	2	-	-	-	29
60	8	2	18	4	-	6	2	-	-	-	-	-	2	2	14	6	2	6	4	-	30
78	2	-	16	6	4	2	2	-	-	-	-	2	2	2	6	-	6	2	2	-	31
34	-	-	12	-	2	-	4	-	-	-	-	-	2	-	4	6	2	-	2	-	32
198	6	6	94	36	6	28	8	-	8	2	-	4	8	2	34	18	10	8	8	-	33
54	4	2	22	20	2	16	4	-	2	-	-	2	2	-	8	6	2	-	2	-	34
144	2	4	72	16	4	12	4	-	6	2	-	2	6	2	26	12	8	8	6	-	35
104	22	2	66	4	10	12	6	2	6	2	-	-	20	4	44	16	20	8	6	-	36
52	8	2	40	2	6	4	2	2	4	-	-	-	8	-	16	4	14	4	4	-	37
52	14	-	26	2	4	8	4	-	2	2	-	-	12	4	28	12	6	4	2	-	38
118	-	-	38	4	2	16	2	-	4	2	-	4	2	4	46	12	16	6	10	-	39
44	2	-	16	2	2	4	-	-	-	2	-	-	-	2	10	4	-	2	-	-	40
160	2	10	26	18	2	6	4	2	2	-	-	2	2	-	14	10	4	6	4	-	41
136	14	-	66	6	2	16	6	-	2	2	-	8	12	-	26	8	14	-	2	-	42
52	-	-	14	2	2	-	2	-	-	-	-	-	2	-	6	2	-	-	-	-	43
84	14	-	52	4	-	16	4	-	2	2	-	8	10	-	20	6	14	-	2	-	44
62	4	-	16	4	4	-	2	-	-	-	-	-	-	2	6	4	-	4	-	-	45
50	2	2	16	-	2	2	4	-	-	-	-	2	2	-	-	2	2	-	2	-	46
72	4	-	18	4	-	14	-	-	2	-	-	-	2	2	18	14	8	2	2	-	47
28	6	-	4	-	-	8	-	-	2	-	-	2	2	-	6	-	-	-	-	-	48
100	4	8	32	2	-	14	-	2	-	-	2	2	2	8	24	12	12	4	6	2	49
112	4	-	52	2	-	8	8	2	6	2	-	-	12	4	18	8	6	10	-	-	50
50	4	-	14	2	-	2	6	2	4	-	-	-	6	2	8	4	6	2	-	-	51
56	4	-	16	2	-	2	6	2	4	-	-	-	6	2	8	4	6	2	-	-	52
62	-	-	38	-	-	6	2	-	2	2	-	-	6	2	10	4	-	8	-	-	53
36	2	-	30	-	-	6	4	-	2	-	-	2	-	2	4	14	-	4	-	2	54
62	4	-	32	4	-	6	2	-	2	-	-	-	6	2	10	2	8	-	-	2	55
1,432	68	14	458	74	40	106	48	8	24	24	4	26	72	4	280	116	150	52	96	18	56
42	2	-	42	2	-	-	-	-	-	2	-	-	2	2	16	4	-	-	2	-	57
42	-	-	14	-	-	4	4	-	2	-	-	-	4	-	12	10	4	2	-	-	58
104	2	-	34	2	12	4	-	2	2	-	-	2	8	4	26	10	2	-	2	2	59
138	18	4	64	8	8	4	16	-	2	-	-	2	2	16	14	10	8	8	6	2	60
72	6	2	32	2	2	-	8	-	-	-	-	-	2	12	10	6	4	2	6	2	61
66	12	2	32	6	6	4	8	-	2	-	-	2	-	4	4	4	4	6	-	-	62
52	2	4	40	4	2	8	4	2	-	-	2	-	6	12	4	4	8	2	-	2	63
56	4	-	18	-	2	6	6	-	2	-	-	-	2	-	8	4	6	-	6	-	64
128	-	2	28	2	-	14	6	-	2	-	-	2	10	4	10	8	12	2	-	-	65
6	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
122	-	2	26	2	-	14	6	-	2	-	-	2	10	4	10	8	12	2	-	-	67
244	4	4	88	12	10	14	20	4	4	4	-	4	8	6	46	24	12	6	4	-	68
52	-	2	6	2	6	4	2	-	-	2	-	-	2	-	16	8	4	-	2	-	69
192	4	2	82	10	4	10	18	4	4	2	-	4	6	6	30	16	8	6	2	-	70
68	12	-	32	4	8	8	2	-	-	-	-	4	2	4	24	-	8	8	8	-	71
68	-	2	22	-	-	4	-	-	2	-	-	2	2	2	10	6	16	-	2	-	72
214	4	2	32	16	10	10	2	2	-	-	-	6	6	-	34	10	18	-	2	-	73
64	-	2	8	6	-	-	-	-	-	-	-	2	-	-	12	2	-	-	2	-	74
150	4	-	24	10	10	10	2	2	-	-	-	4	6	-	22	8	18	-	-	-	75
26	6	-	14	2	2	4	2	2	-	-	-	2	2	2	6	6	4	-	8	-	76

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TENNESSEE--CON.																	
01	HAMBLEN	338	2	-	2	46	12	6	2	8	-	2	16	10	164	120	-	-
02	MORRISTOWN	208	2	-	2	22	4	-	-	2	-	2	14	8	102	72	-	-
03	BALANCE OF COUNTY	130	-	-	-	24	8	6	2	6	-	-	2	2	62	48	-	-
04	HAMILTON	2,664	24	-	16	388	104	88	36	52	10	14	84	62	1,446	1,030	24	8
05	CHATTANOOGA	1,810	16	-	12	242	72	56	18	40	4	8	44	52	990	700	18	6
06	EAST RIDGE	144	-	-	-	26	-	6	10	2	-	-	8	4	78	56	2	2
07	RED BANK	66	-	-	-	12	2	2	-	2	-	-	6	-	40	18	-	-
08	BALANCE OF COUNTY	644	8	-	4	108	30	24	8	8	6	6	26	6	338	256	4	-
09	HANCOCK	60	-	-	-	14	-	6	-	-	-	2	6	-	38	30	-	-
10	HARDEMAN	244	2	-	2	42	12	10	2	6	-	4	8	2	124	88	-	-
11	HARDIN	212	-	-	2	28	6	8	2	4	-	2	6	6	128	98	4	-
12	HAWKINS	310	2	-	2	46	12	8	2	8	6	4	6	6	192	152	-	-
13	KINGSPORT, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	BALANCE OF COUNTY	310	2	-	2	46	12	8	2	8	6	4	6	6	192	152	-	-
15	HAYWOOD	212	-	-	4	36	4	12	2	6	2	4	6	6	106	64	-	-
16	HENDERSON	246	-	-	2	28	16	2	-	2	-	4	4	6	152	80	-	2
17	HENRY	366	4	2	2	58	24	10	6	6	-	-	12	20	184	136	2	2
18	HICKMAN	160	2	-	-	28	4	6	4	2	-	2	10	4	74	56	-	2
19	HOUSTON	64	-	-	-	12	6	-	2	2	-	-	2	-	36	24	2	-
20	HUMPHREYS	166	2	-	-	28	8	6	2	4	-	2	6	-	86	64	-	-
21	JACKSON	104	2	-	2	16	6	2	2	2	-	-	4	2	64	52	-	-
22	JEFFERSON	192	2	-	2	28	10	6	-	4	-	-	8	-	100	62	-	2
23	JOHNSON	120	-	-	-	16	-	4	-	4	-	2	6	2	68	48	-	-
24	KNOX	2,646	6	2	12	436	104	124	40	54	22	12	80	24	1,280	862	20	12
25	KNOXVILLE	1,910	4	2	12	342	86	100	30	44	20	10	52	18	888	604	8	10
26	BALANCE OF COUNTY	736	2	-	-	94	18	24	10	10	2	2	28	6	392	258	12	2
27	LAKE	94	-	-	-	14	4	2	-	2	2	2	2	-	50	42	2	-
28	LAUDERDALE	266	-	-	2	42	12	2	2	6	-	6	14	-	144	82	2	2
29	LAWRENCE	320	2	-	-	62	18	14	2	14	-	6	8	2	182	134	2	2
30	LEWIS	96	-	-	-	16	4	2	-	2	-	6	2	-	48	44	2	-
31	LINCOLN	278	-	-	-	40	10	16	2	4	-	2	6	4	158	90	2	4
32	LOUDON	314	-	-	-	60	16	4	6	14	-	2	18	4	172	126	2	12
33	MC MINN	350	-	-	6	54	16	10	8	4	2	2	12	20	188	120	-	6
34	ATHENS	114	-	-	2	20	4	4	4	2	2	-	4	10	54	38	-	2
35	BALANCE OF COUNTY	236	-	-	4	34	12	6	4	2	-	2	8	10	134	82	-	4
36	MC NAIRY	222	-	-	4	56	24	10	4	4	2	-	12	-	106	84	2	-
37	MACON	178	-	-	-	20	8	4	-	-	-	-	8	2	110	88	2	-
38	MADISON	726	-	-	6	102	20	30	4	14	-	6	28	14	414	240	2	-
39	JACKSON	498	-	-	4	58	16	22	2	4	-	-	14	12	280	172	2	-
40	BALANCE OF COUNTY	228	-	-	2	44	4	8	2	10	-	6	14	2	134	68	-	-
41	MARION	210	2	-	-	24	4	6	2	4	-	-	8	6	124	90	2	2
42	MARSHALL	240	2	-	2	36	16	10	4	-	-	2	4	8	118	92	-	2
43	MAURY	502	2	-	2	84	28	16	10	8	2	-	20	4	274	206	-	-
44	COLUMBIA	246	2	-	-	46	16	8	6	6	2	-	8	-	130	98	-	-
45	BALANCE OF COUNTY	256	-	-	2	38	12	8	4	2	-	-	12	4	144	108	-	-
46	MEIGS	50	-	-	-	10	-	2	-	4	-	2	2	2	24	14	2	-
47	MONROE	272	-	-	-	46	14	12	-	6	-	2	12	-	144	92	-	2
48	MONTGOMERY	464	2	-	-	92	20	34	8	12	2	6	10	8	220	152	2	2
49	CLARKSVILLE	272	-	-	-	38	8	10	4	6	-	2	8	4	138	98	-	2
50	BALANCE OF COUNTY	192	2	-	-	54	12	24	4	6	2	4	2	4	82	54	2	-
51	MOORE	36	-	-	-	8	-	2	-	4	-	2	-	2	20	14	-	-
52	MORGAN	130	-	-	-	20	2	4	-	8	-	-	6	-	80	56	-	2
53	OBION	384	-	-	2	50	16	12	2	4	2	2	12	2	240	164	2	2
54	UNION CITY	130	-	-	-	16	2	4	2	2	-	2	4	2	76	58	2	-
55	BALANCE OF COUNTY	254	-	-	2	34	14	8	-	2	2	-	8	-	164	106	-	2
56	OVERTON	202	-	-	2	18	10	-	-	2	2	-	4	2	110	86	-	-
57	PERRY	78	-	-	-	18	4	4	2	-	-	2	6	2	42	38	-	-
58	PICKETT	46	-	-	-	2	-	-	-	2	-	-	-	-	30	22	2	-
59	POLK	134	2	-	-	22	4	4	-	4	-	2	8	2	76	50	-	-
60	PUTNAM	310	2	-	-	58	14	14	4	6	6	2	12	-	162	112	-	-
61	COOKEVILLE	120	-	-	-	26	8	8	-	4	2	2	2	-	60	38	-	-
62	BALANCE OF COUNTY	190	2	-	-	32	6	6	4	2	4	-	10	-	102	74	-	-
63	RHEA	214	-	-	2	40	10	8	4	6	-	8	4	6	116	82	-	2
64	ROANE	432	2	-	2	64	10	18	8	6	2	4	16	6	240	180	4	4
65	OAK RIDGE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66	BALANCE OF COUNTY	432	2	-	2	64	10	18	8	6	2	4	16	6	240	180	4	4
67	ROBERTSON	332	2	-	-	50	8	20	6	8	-	-	8	2	190	140	-	4
68	RUTHERFORD	504	2	2	4	56	16	10	6	8	-	4	12	14	268	156	6	4
69	MURFREESBORO	226	2	2	2	18	6	4	2	4	-	-	2	8	116	64	-	2
70	BALANCE OF COUNTY	278	-	-	2	38	10	6	4	4	-	4	10	6	152	92	6	2
71	SCOTT	146	-	-	-	16	6	4	2	-	-	-	4	6	78	60	2	2
72	SEQUATCHIE	78	-	-	-	4	-	4	-	-	-	-	-	-	48	36	-	-
73	SEVIER	254	2	-	-	28	6	8	4	2	2	2	4	10	140	104	2	-
74	SHELBY	6,622	10	8	44	1,072	282	254	124	118	32	54	208	82	3,412	2,314	32	20
75	MEMPHIS	6,134	10	8	42	1,000	254	240	116	112	32	50	196	78	3,160	2,136	30	18
76	MILLINGTON	48	-	-	-	14	4	4	4	-	-	-	2	-	16	14	-	-
77	BALANCE OF COUNTY	440	-	-	2	58	24	10	4	6	-	4	10	4	236	164	2	2
78	SMITH	172	-	-	2	22	8	2	-	4	-	2	6	-	132	92	-	-
79	STEWART	102	-	-	-	14	2	2	-	2	2	-	6	2	66	38	-	-
80	SULLIVAN	1,046	2	-	8	148	32	32	6	18	4	8	48	6	602	412	4	6
81	BRISTOL[4]	230	-	-	-	28	6	10	-	2	-	2	8	-	150	102	-	2

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
112	8	-	40	2	2	12	4	2	8	-	-	-	4	-	26	24	28	2	4	-	01
70	2	-	26	2	2	8	2	2	4	-	-	-	2	-	20	20	10	-	4	-	02
42	6	-	14	-	-	4	2	-	4	-	-	-	2	-	6	4	18	2	-	-	03
958	40	12	347	26	36	70	50	18	28	24	-	32	50	22	196	84	74	34	44	2	04
656	20	8	238	16	28	46	34	16	22	22	-	18	38	12	142	48	44	26	28	2	05
50	2	-	18	4	-	6	2	2	-	-	-	4	-	4	12	-	4	-	2	-	06
18	-	-	20	-	2	6	2	-	-	-	-	-	-	-	2	4	-	-	-	-	07
234	18	4	66	6	6	12	12	-	6	2	-	10	12	6	40	32	26	8	14	-	08
30	-	-	8	-	-	4	-	-	-	-	-	-	2	-	2	-	-	-	-	-	09
88	-	2	34	-	-	4	4	-	2	-	2	2	6	-	18	20	4	4	4	2	10
86	8	4	20	-	6	2	8	-	2	-	-	2	2	-	10	14	6	2	-	-	11
144	8	4	28	6	2	4	10	2	-	2	-	-	6	2	10	14	6	-	6	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
144	8	4	28	6	2	4	10	2	-	2	-	-	6	2	10	14	6	-	6	-	14
60	4	-	40	2	-	10	2	2	-	4	-	-	2	-	10	4	12	4	10	-	15
66	12	4	66	2	-	6	2	-	2	-	2	-	8	-	10	12	6	8	2	-	16
128	4	-	46	2	-	16	4	-	-	-	-	-	2	-	22	28	12	10	2	-	17
50	4	-	12	2	4	4	-	-	-	-	-	-	2	6	20	12	2	4	2	-	18
20	2	-	12	-	-	4	-	-	-	-	-	2	2	4	2	-	2	-	-	-	19
58	6	4	16	-	2	10	-	2	4	-	-	-	-	-	14	6	10	4	-	-	20
52	-	-	8	4	-	4	2	-	2	-	-	-	-	-	2	6	2	-	-	-	21
58	2	2	30	2	4	6	2	-	2	2	-	4	2	8	6	12	12	-	2	2	22
48	-	-	20	-	-	2	2	-	-	-	-	-	2	4	14	6	-	2	-	2	23
790	40	16	314	48	40	66	24	12	34	8	-	20	50	218	194	94	88	42	32	4	24
558	28	8	216	30	30	58	14	8	28	2	-	18	32	168	138	52	68	26	28	4	25
232	12	8	98	18	10	8	10	4	6	6	-	2	18	50	56	42	20	16	4	-	26
40	-	-	6	-	2	2	4	-	2	-	-	-	-	-	6	6	6	-	4	-	27
76	2	2	58	2	-	8	2	-	2	4	-	-	4	2	26	14	6	2	6	2	28
110	20	2	46	-	-	12	6	-	6	2	-	6	2	2	10	12	8	4	2	-	29
42	-	-	2	2	-	6	2	-	2	-	-	-	2	2	6	8	2	-	-	2	30
80	4	2	60	4	2	8	2	-	4	-	-	2	6	14	14	6	14	-	6	-	31
106	6	-	42	4	-	8	8	-	2	4	-	6	6	2	12	6	18	2	2	2	32
110	4	4	62	2	-	8	8	-	2	-	-	6	6	-	20	12	12	4	4	-	33
36	-	-	16	-	-	2	2	-	-	-	-	-	4	-	6	2	8	2	2	-	34
74	4	4	46	2	-	6	6	-	2	-	-	6	2	-	14	10	4	2	2	-	35
80	2	-	16	4	2	8	4	-	2	-	-	2	8	2	8	10	8	2	2	-	36
76	10	-	18	4	-	6	-	-	-	2	-	-	4	-	10	12	4	6	2	-	37
226	12	10	136	20	8	22	6	6	2	4	-	6	16	10	58	24	14	8	14	-	38
162	8	8	80	14	6	14	4	6	-	2	-	6	14	4	52	14	10	6	12	-	39
64	4	2	56	6	2	8	2	-	2	2	-	-	2	6	6	10	4	2	2	-	40
82	4	2	28	4	-	6	-	-	2	6	-	2	6	-	12	10	4	2	4	-	41
80	10	2	18	6	-	18	-	-	-	-	-	2	6	2	20	14	4	4	2	2	42
194	12	2	58	2	6	16	6	2	-	8	-	6	6	12	44	8	22	4	2	-	43
90	8	2	28	-	2	10	2	2	-	2	-	6	2	4	24	2	10	2	2	-	44
104	4	-	30	2	4	6	4	-	-	6	-	-	4	8	20	6	12	2	-	-	45
8	4	-	6	4	-	-	-	-	-	-	-	4	-	-	4	4	2	-	-	-	46
86	4	4	40	6	2	10	4	-	2	2	-	6	4	10	16	16	8	4	-	-	47
132	16	6	46	8	8	16	8	2	-	2	-	8	10	14	40	22	8	6	6	-	48
86	10	6	28	4	2	6	6	2	-	-	-	6	4	14	30	12	6	2	4	-	49
46	6	-	18	4	6	10	2	-	-	2	-	2	6	-	10	10	2	4	2	-	50
12	2	-	6	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-	-	51
48	6	2	18	2	2	2	2	2	2	-	-	2	4	2	2	6	6	-	-	-	52
158	2	2	64	-	10	24	16	2	6	-	-	4	6	-	18	4	8	2	-	-	53
56	-	2	16	-	-	14	2	-	6	-	-	4	-	-	6	2	-	2	-	-	54
102	2	-	48	-	10	10	14	2	-	-	-	-	6	-	12	2	8	-	-	-	55
84	2	-	22	2	-	24	2	2	-	2	-	4	2	2	18	2	6	2	4	-	56
36	2	-	4	-	-	2	-	-	2	-	-	-	-	-	8	2	2	-	-	-	57
20	-	-	8	-	-	2	-	-	-	-	-	-	-	2	4	4	2	-	-	-	58
50	-	-	24	-	2	6	2	-	2	2	-	-	-	-	10	2	6	-	2	-	59
110	2	-	34	8	8	8	6	4	4	4	-	-	2	8	22	16	6	6	2	-	60
38	-	-	14	4	4	2	4	-	-	2	-	-	2	6	8	4	4	2	-	-	61
72	2	-	20	4	4	6	2	4	4	2	-	-	-	2	14	12	2	4	2	-	62
70	10	-	30	2	2	8	4	-	-	4	2	2	-	-	2	18	8	-	2	-	63
158	14	2	42	12	4	16	10	-	4	-	-	6	2	4	34	16	20	4	-	2	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
158	14	2	42	12	4	16	10	-	4	-	-	6	2	4	34	16	20	4	-	2	66
130	6	-	40	10	-	14	-	2	-	2	-	2	2	2	28	8	22	2	4	-	67
146	-	4	86	10	12	34	8	4	-	2	-	4	12	2	30	26	16	10	8	2	68
62	-	4	38	6	4	18	8	2	-	2	-	-	6	-	16	6	8	8	4	-	69
84	-	-	48	4	8	16	-	2	-	-	-	4	6	2	14	20	8	2	4	2	70
54	2	-	14	2	2	-	6	2	-	-	-	-	4	2	20	6	4	2	-	-	71
34	2	-	10	2	-	-	2	-	-	-	-	-	6	-	8	4	2	4	-	-	72
100	2	-	32	4	-	12	2	-	-	-	-	4	6	10	26	4	10	-	-	-	73
2,144	118	36	900	100	62	170	110	14	110	58	-	82	182	38	586	216	222	52	150	4	74
1,976	112	34	844	88	58	154	102	12	104	56	-	78	176	32	538	194	206	48	132	4	75
14	-	-	2	-	-	2	2	-	-	-	-	2	2	2	2	2	2	-	2	-	76
154	6	2	54	12	4	14	6	2	6	2	-	2	4	4	46	20	14	4	16	-	77
84	8	-	36	2	2	2	2	-	-	-	-	-	-	-	6	-	4	2	-	-	78
38	-	-	20	2	6	2	-	-	2	-	-	-	-	-	12	2	-	2	-	-	79
392	10	6	146	18	20	44	18	2	6	-	-	14	18	4	84	46	36	4	2	2	80
100	-	2	38	6	2	10	4	2	-	-	-	-	2	2	20	4	6	2	-	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TENNESSEE-CON.																	
	SULLIVAN--CON.																	
01	KINGSPORT, PART.....	326	-	-	8	38	6	10	4	8	-	4	6	4	170	112	-	-
02	KINGSPORT, TOTAL.....	326	-	-	8	38	6	10	4	8	-	4	6	4	170	112	-	-
03	BALANCE OF COUNTY....	490	2	-	-	82	20	12	2	8	4	2	34	2	282	198	4	4
04	SUMNER.....	580	4	-	6	86	24	12	14	8	6	4	18	4	316	232	4	4
05	GALLATIN.....	148	-	-	2	18	2	4	2	4	2	2	2	2	76	68	-	-
06	BALANCE OF COUNTY....	432	4	-	4	68	22	8	12	4	4	2	16	2	240	164	4	4
07	TIPTON.....	296	-	-	-	30	4	2	2	10	2	2	8	2	162	124	-	-
08	TROUSDALE.....	62	4	-	-	12	-	-	2	2	-	-	8	-	28	16	-	2
09	UNICOI.....	200	-	-	2	28	2	14	-	6	2	-	4	6	114	82	-	4
10	UNION.....	92	4	-	-	10	-	-	-	2	-	2	6	-	58	38	-	-
11	VAN BUREN.....	34	-	-	-	4	-	2	2	-	-	-	-	2	20	16	-	-
12	WARREN.....	264	-	-	4	38	10	8	-	8	-	4	8	8	124	86	-	-
13	MC MINNVILLE.....	108	-	-	2	20	6	4	-	2	-	4	4	-	52	40	-	-
14	BALANCE OF COUNTY....	156	-	-	2	18	4	4	-	6	-	-	4	8	72	46	-	-
15	WASHINGTON.....	736	2	-	-	100	10	26	16	12	6	12	18	8	428	300	4	6
16	JOHNSON CITY.....	406	-	-	-	50	4	14	12	4	2	4	10	-	246	182	2	4
17	BALANCE OF COUNTY....	330	2	-	-	50	6	12	4	8	4	8	8	8	182	118	2	2
18	WAYNE.....	116	2	-	-	10	2	6	-	-	-	-	2	-	72	58	-	-
19	WEAKLEY.....	356	-	-	2	76	18	10	2	14	-	6	26	2	208	130	-	2
20	WHITE.....	182	-	-	-	18	6	4	-	-	4	-	4	-	126	58	-	-
21	WILLIAMSON.....	366	4	-	2	62	14	20	4	10	-	-	14	8	188	132	-	-
22	WILSON.....	354	-	-	-	60	6	22	8	-	6	4	14	8	192	126	2	2
23	LEBANON.....	144	-	-	-	26	4	10	2	-	2	2	6	4	84	52	2	2
24	BALANCE OF COUNTY....	210	-	-	-	34	2	12	6	-	4	2	8	4	108	74	-	-
25	**TEXAS**.....	99,338	254	36	800	16,798	4,268	4,212	1,332	2,156	686	764	3,380	1,848	48,922	34,654	472	646
26	URBAN PLACES.....	60,736	160	26	466	10,424	2,576	2,658	844	1,308	440	518	2,080	1,120	29,204	20,708	348	350
27	BALANCE OF AREA.....	38,602	94	10	334	6,374	1,692	1,554	488	848	246	246	1,300	728	19,718	13,946	124	296
28	METROPOLITAN COUNTIES...	64,956	184	28	540	11,152	2,742	2,870	908	1,376	468	530	2,258	1,186	30,942	22,094	370	342
29	URBAN PLACES.....	52,860	142	26	430	9,120	2,248	2,342	754	1,136	376	448	1,816	960	25,238	17,956	310	274
30	BALANCE OF AREA.....	12,096	42	2	110	2,032	494	528	154	240	92	82	442	226	5,704	4,138	60	68
31	NONMETROPOLITAN COUNTIES	34,382	70	8	260	5,646	1,526	1,342	424	780	218	234	1,122	662	17,980	12,560	102	304
32	URBAN PLACES.....	7,876	18	-	36	1,304	328	316	90	172	64	70	264	160	3,966	2,752	38	76
33	BALANCE OF AREA.....	26,506	52	8	224	4,342	1,198	1,026	334	608	154	164	858	502	14,014	9,808	64	228
34	ANDERSON.....	444	-	-	2	76	20	24	2	12	2	-	16	10	238	166	4	2
35	PALESTINE.....	236	-	-	-	42	14	14	2	2	-	-	10	6	136	96	2	-
36	BALANCE OF COUNTY....	208	-	-	2	34	6	10	-	10	2	-	6	4	102	70	2	2
37	ANDREWS.....	84	-	-	-	22	4	6	-	6	-	4	2	10	26	22	-	-
38	ANGELINA.....	538	-	-	4	72	28	16	6	8	4	2	8	4	286	186	-	4
39	LUFKIN.....	252	-	-	-	36	16	8	2	2	2	2	4	2	130	88	-	2
40	BALANCE OF COUNTY....	286	-	-	4	36	12	8	4	6	2	-	4	2	156	98	-	2
41	ARANSAS.....	94	-	-	-	34	10	6	2	6	-	2	8	2	46	40	2	-
42	ARCHER.....	52	-	-	-	4	-	-	-	-	2	-	2	-	36	24	-	2
43	ARMSTRONG.....	22	-	-	-	10	2	2	-	2	-	2	2	-	6	2	-	-
44	ATASCOSA.....	244	-	-	-	44	12	22	4	6	-	-	-	8	112	76	-	2
45	AUSTIN.....	210	-	-	2	36	6	8	2	2	-	2	16	4	116	84	-	2
46	BAILEY.....	66	-	-	-	10	4	4	-	-	-	-	2	2	22	12	2	-
47	BANDERA.....	64	-	-	-	20	2	6	4	-	-	-	8	-	30	22	-	-
48	BASTROP.....	278	-	-	4	34	2	8	8	4	-	2	10	4	162	122	2	4
49	BAYLOR.....	70	2	-	-	10	2	4	-	-	-	-	4	2	46	30	-	-
50	BEE.....	180	-	-	-	28	-	14	4	4	-	-	6	6	82	62	-	2
51	BEEVILLE.....	114	-	-	-	18	-	8	2	4	-	-	4	2	48	36	-	-
52	BALANCE OF COUNTY....	66	-	-	-	10	-	6	2	-	-	-	2	4	34	26	-	2
53	BELL.....	948	4	-	10	136	28	24	4	24	6	4	46	10	424	308	8	4
54	KILLEEN.....	166	-	-	-	22	2	8	-	2	-	-	10	4	54	32	6	-
55	TEMPLE.....	418	2	-	6	54	12	6	2	6	4	2	22	-	220	164	2	2
56	BALANCE OF COUNTY....	364	2	-	4	60	14	10	2	16	2	2	14	6	150	112	-	2
57	BEXAR.....	6,466	26	4	56	1,112	282	226	92	150	58	54	250	200	3,038	2,132	36	46
58	SAN ANTONIO.....	5,586	24	4	44	944	250	192	76	128	48	44	206	190	2,630	1,846	26	38
59	BALANCE OF COUNTY....	880	2	-	12	168	32	34	16	22	10	10	44	10	408	286	10	8
60	BLANCO.....	50	-	-	-	2	-	-	-	-	-	-	2	-	38	26	-	-
61	BORDEN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	BOSQUE.....	220	-	-	2	28	10	4	2	2	2	-	8	4	136	82	-	-
63	BOWIE.....	736	2	2	6	122	28	32	8	10	4	4	36	16	352	236	-	8
64	TEXARKANA[5].....	378	-	2	-	64	14	18	4	6	2	2	18	10	176	100	-	-
65	BALANCE OF COUNTY....	358	2	-	6	58	14	14	4	4	2	2	18	6	176	136	-	8
66	BRAZORIA.....	764	2	-	6	138	34	40	18	22	6	4	14	14	346	248	-	4
67	ALVIN.....	98	-	-	4	16	-	4	2	4	2	-	4	-	50	28	-	-
68	FREEPORT.....	108	-	-	-	18	2	10	2	-	2	-	2	2	48	40	-	-
69	LAKE JACKSON.....	56	-	-	-	12	6	2	-	2	2	-	-	-	26	20	-	-
70	BALANCE OF COUNTY....	502	2	-	2	92	26	24	14	16	-	4	8	12	222	160	-	4
71	BRAZOS.....	420	2	-	4	64	22	12	4	4	8	-	14	4	198	140	-	2
72	BRYAN.....	294	2	-	2	48	16	12	4	2	2	-	12	2	140	96	-	2
73	COLLEGE STATION.....	70	-	-	-	8	4	-	-	2	2	-	-	-	34	28	-	-
74	BALANCE OF COUNTY....	56	-	-	2	8	2	-	-	-	4	-	2	2	24	16	-	-
75	BREWSTER.....	70	-	-	-	12	4	2	2	2	-	-	2	4	30	22	-	-
76	BRISCOE.....	32	-	-	-	6	-	-	4	-	2	-	-	-	12	8	-	-
77	BROOKS.....	84	-	-	2	16	6	4	2	2	-	-	2	4	28	24	-	2

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
110	2	-	44	8	4	14	6	-	-	-	-	8	6	2	36	20	10	2	-	2	01
110	2	-	44	8	6	14	6	-	-	-	-	8	6	2	36	20	10	2	-	2	02
182	8	4	64	4	12	20	8	-	6	-	-	6	10	-	28	22	20	-	2	-	03
222	2	2	76	6	-	28	8	8	4	2	-	8	12	8	34	24	16	6	4	2	04
66	2	-	8	-	-	6	-	4	2	-	-	-	2	6	14	10	2	2	2	-	05
156	-	2	68	6	-	22	8	4	2	2	-	8	10	2	20	14	14	4	2	2	06
114	10	-	38	-	-	10	2	-	10	4	-	4	2	6	18	16	20	2	8	-	07
14	-	2	8	2	-	4	-	-	-	-	-	-	-	-	6	-	4	2	2	-	08
78	-	2	26	4	-	6	2	2	-	-	-	-	6	2	16	6	6	2	2	-	09
34	4	-	18	2	-	2	2	-	-	-	-	2	-	-	8	-	4	2	-	-	10
16	-	-	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	-	11
80	6	2	26	-	10	16	-	-	2	-	-	4	4	4	22	18	4	8	8	-	12
38	2	-	10	-	2	4	-	-	-	-	-	2	4	-	8	8	2	2	4	-	13
42	4	2	16	-	8	12	-	-	2	-	-	2	-	4	14	10	2	6	4	-	14
268	22	2	94	24	8	36	28	-	4	-	-	2	12	16	48	12	18	14	4	4	15
166	10	-	54	6	4	24	18	-	2	-	-	-	10	12	14	6	12	6	2	4	16
102	12	2	40	18	4	12	10	-	2	-	-	2	2	4	34	6	6	8	2	-	17
48	10	-	10	2	2	4	4	-	-	-	-	-	2	-	12	4	2	-	2	2	18
124	4	4	62	10	2	4	4	-	-	-	-	6	2	10	24	6	8	-	-	4	19
56	2	-	64	-	4	2	2	2	-	-	-	-	2	2	4	8	10	2	2	2	20
124	8	2	52	2	-	14	4	-	6	2	-	2	-	-	38	14	8	6	8	-	21
106	16	6	56	4	-	10	4	2	-	2	-	-	12	-	12	24	16	10	2	-	22
42	6	4	26	2	-	4	2	2	-	-	-	-	4	-	2	4	6	6	-	-	23
64	10	2	30	2	-	6	2	-	-	2	-	-	8	-	10	20	10	4	2	-	24
29,452	4,084	376	11,076	1,738	1,078	3,350	1,562	348	1,264	514	70	898	2,420	2,346	7,744	3,740	3,358	1,430	1,534	102	25
17,974	2,036	248	6,524	1,038	686	2,040	1,022	216	996	314	48	626	1,638	1,146	4,946	2,076	2,060	1,014	1,132	62	26
11,478	2,048	128	4,552	700	392	1,310	540	132	268	200	22	272	782	1,200	2,798	1,664	1,298	416	402	40	27
19,128	2,254	248	6,766	1,126	708	2,160	1,050	242	1,056	356	44	672	1,798	1,198	5,272	2,402	2,260	1,112	1,230	72	28
15,700	1,672	208	5,574	910	590	1,750	888	194	946	286	42	542	1,436	858	4,328	1,816	1,798	950	1,054	56	29
3,428	582	40	1,192	216	118	410	162	48	110	70	2	130	362	340	944	586	462	162	176	16	30
10,324	1,830	128	4,310	612	370	1,190	512	106	208	158	26	226	622	1,148	2,472	1,338	1,098	318	304	30	31
2,274	364	40	950	128	96	290	134	22	50	28	6	84	202	288	618	260	262	64	78	6	32
8,050	1,466	88	3,360	484	274	900	378	84	158	130	20	142	420	860	1,854	1,078	836	254	226	24	33
150	10	2	58	4	8	8	4	-	4	2	-	2	2	38	36	6	10	4	2	-	34
88	6	2	30	2	6	4	2	-	-	-	-	2	2	16	18	-	6	-	2	-	35
62	4	-	28	2	2	4	2	-	4	2	-	-	-	22	18	6	4	4	-	-	36
8	14	-	4	-	-	-	4	-	-	-	-	-	4	2	6	4	4	2	-	-	37
160	22	-	90	6	4	14	10	-	2	4	-	2	14	18	44	18	28	4	12	2	38
74	12	-	36	4	2	8	-	-	2	4	-	-	4	4	30	14	12	-	4	2	39
86	10	-	54	2	2	6	10	-	-	-	-	2	10	14	14	4	16	4	8	-	40
36	2	-	-	-	6	4	-	-	-	-	-	2	-	-	4	-	-	-	2	-	41
20	2	-	4	6	2	-	-	4	-	-	-	2	-	-	4	-	2	-	-	-	42
2	-	-	4	-	-	-	2	-	-	-	-	-	-	-	4	-	-	-	-	-	43
70	4	2	30	4	-	12	8	-	-	-	2	4	6	2	18	12	10	4	2	-	44
74	8	-	26	4	2	6	-	4	8	-	-	-	2	10	16	-	-	2	4	-	45
6	4	-	4	2	4	10	-	-	-	-	-	-	6	-	12	2	2	-	-	-	46
14	8	-	6	2	-	2	-	-	-	-	-	2	2	-	2	2	4	-	-	-	47
104	12	-	30	8	2	4	2	2	-	-	-	2	2	6	34	8	2	4	6	2	48
26	4	-	16	-	-	2	-	-	2	-	-	-	-	2	-	-	4	-	-	-	49
44	16	-	14	2	4	8	2	2	-	-	-	4	8	6	14	12	6	2	-	-	50
26	10	-	6	2	4	6	2	2	-	-	-	4	6	-	14	6	4	2	-	-	51
18	6	-	8	-	-	2	-	-	-	-	-	-	2	6	-	6	2	-	-	-	52
210	86	4	90	16	6	40	8	2	4	2	-	14	54	34	56	58	58	12	22	-	53
18	8	-	20	2	-	4	-	-	4	-	-	8	28	2	12	10	14	2	2	-	54
108	52	2	40	10	4	12	8	-	-	2	-	2	12	14	32	22	14	6	12	-	55
84	26	2	30	4	2	24	-	2	-	-	-	4	14	18	12	26	30	4	8	-	56
1,886	164	22	670	154	60	220	76	24	142	34	8	52	194	106	578	164	204	108	112	8	57
1,642	140	22	574	132	56	192	72	18	138	28	8	44	156	86	516	136	166	88	94	8	58
244	24	-	96	22	4	28	4	6	4	6	-	8	38	20	62	28	38	20	18	-	59
24	2	-	6	6	-	-	2	-	-	-	-	-	-	4	2	-	2	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
68	14	-	40	8	6	12	2	-	-	-	2	2	-	2	16	8	4	2	-	-	62
158	70	10	94	6	6	24	4	2	8	2	-	2	14	60	58	18	24	10	10	-	63
80	20	6	66	-	4	12	-	2	6	2	-	-	8	40	30	6	8	6	6	-	64
78	50	4	28	6	2	12	4	-	2	-	-	2	6	20	28	12	16	4	4	-	65
208	36	-	76	12	10	24	8	-	4	6	-	4	18	40	64	50	28	8	4	-	66
26	2	-	20	2	-	-	4	-	2	2	-	-	2	6	6	2	4	-	-	-	67
36	4	-	6	2	-	2	2	-	2	-	-	2	-	4	10	12	2	2	2	-	68
14	6	-	2	2	2	2	-	-	-	-	-	-	2	2	4	2	4	2	-	-	69
132	24	-	48	6	8	20	2	-	-	4	-	2	14	28	44	34	18	4	2	-	70
128	10	2	46	-	10	12	2	2	2	2	-	6	14	40	30	16	16	4	2	-	71
90	4	2	34	-	8	10	-	2	2	2	-	4	10	26	22	6	12	4	-	-	72
24	4	-	4	-	2	-	-	-	-	-	-	2	4	6	6	6	2	-	2	-	73
14	2	-	8	-	-	2	2	-	-	-	-	-	-	8	2	4	2	-	-	-	74
22	-	-	6	2	-	-	2	-	-	-	-	-	4	2	4	2	6	2	2	-	75
8	-	-	4	-	-	4	2	-	-	-	-	-	2	2	-	2	2	-	-	-	76
18	4	-	4	-	-	4	-	2	2	-	-	2	6	-	4	8	4	2	-	-	77

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-468)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TEXAS—CON.																	
01	BROWN	378	-	-	-	54	16	16	-	6	4	2	10	2	208	164	-	8
02	BROWNWOOD	258	-	-	-	46	16	14	-	4	4	-	8	2	124	98	-	6
03	BALANCE OF COUNTY	120	-	-	-	8	-	2	-	2	-	2	2	-	84	66	-	2
04	BURLESON	176	-	-	2	40	8	10	-	6	6	2	8	4	82	56	-	2
05	BURNET	202	-	-	-	34	8	6	-	4	4	6	6	-	108	72	-	2
06	CALDWELL	232	-	-	-	40	10	8	6	2	-	4	10	10	106	66	-	12
07	CALHOUN	144	-	-	-	38	6	18	4	-	4	-	6	4	58	46	2	2
08	PORT LAVACA	86	-	-	-	20	2	8	2	-	4	-	4	4	26	22	-	-
09	BALANCE OF COUNTY	58	-	-	-	18	4	10	2	-	-	-	2	-	32	24	2	2
10	CALLAHAN	136	-	-	-	28	8	6	4	4	4	2	-	4	82	60	2	-
11	CAMERON	1,194	4	-	16	176	48	54	12	18	8	2	34	22	552	422	6	2
12	BROWNSVILLE	500	-	-	8	56	16	16	2	12	-	-	10	2	242	180	-	2
13	HARLINGEN	288	-	-	-	52	10	12	4	2	6	-	18	8	144	106	4	-
14	SAN BENITO	130	-	-	4	18	6	2	4	2	2	2	-	2	60	52	-	-
15	BALANCE OF COUNTY	276	4	-	4	50	16	24	2	2	-	-	6	10	106	84	2	-
16	CAMP	134	-	-	-	24	8	8	-	-	4	-	4	2	74	56	-	2
17	CARSON	78	-	-	-	10	-	4	2	-	-	2	2	-	38	26	-	2
18	CASS	310	-	-	2	60	20	8	6	10	-	-	16	6	150	104	2	2
19	CASTRO	56	-	-	2	6	-	2	-	2	-	-	2	2	24	18	-	-
20	CHAMBERS	132	-	-	-	20	6	4	-	4	-	2	4	2	62	38	-	-
21	CHEROKEE	430	-	2	-	66	16	16	8	14	4	2	6	12	230	162	2	4
22	CHILDRESS	102	-	-	-	20	2	10	2	2	-	-	4	2	48	36	-	-
23	CLAY	112	-	-	-	24	8	6	2	4	2	2	-	2	58	48	-	-
24	COCHRAN	42	-	-	2	8	-	4	-	2	-	-	2	-	16	12	-	-
25	COKE	44	-	-	-	10	2	2	4	-	-	-	2	-	28	14	-	2
26	COLEMAN	208	2	-	2	38	8	8	2	4	4	2	10	4	110	76	2	2
27	COLLIN	614	-	-	2	62	16	8	4	14	-	4	16	12	344	250	-	2
28	MC KINNEY	220	-	-	2	16	6	4	-	4	-	2	-	6	128	92	-	-
29	PLANO	106	-	-	-	12	4	4	2	-	-	-	2	-	50	24	-	-
30	RICHARDSON, PART	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	BALANCE OF COUNTY	284	-	-	-	34	6	-	2	10	-	2	14	6	166	134	-	2
32	COLLINGSWORTH	64	-	-	-	8	2	4	-	2	-	-	-	-	48	24	2	-
33	COLORADO	216	-	-	2	36	12	10	2	4	-	2	6	2	114	64	-	-
34	COMAL	284	4	-	4	50	20	8	4	6	-	2	10	8	142	98	-	10
35	NEW BRAUNFELS	216	2	-	2	34	10	6	4	6	-	2	6	8	120	78	-	8
36	BALANCE OF COUNTY	68	2	-	2	16	10	2	-	-	-	-	4	-	22	20	-	2
37	COMANCHE	178	-	-	-	22	2	6	4	4	2	-	4	4	108	72	2	4
38	CONCHO	52	-	-	-	6	2	2	-	2	-	-	-	-	26	22	-	2
39	COOKE	286	-	-	-	48	16	12	6	2	2	2	8	6	156	112	-	2
40	GAINESVILLE	216	-	-	-	36	12	6	4	2	2	2	8	4	114	78	-	2
41	BALANCE OF COUNTY	70	-	-	-	12	4	6	2	-	-	-	-	2	42	34	-	-
42	CORYELL	252	-	-	-	38	12	8	-	2	4	-	12	-	140	72	-	4
43	COPPERAS COVE	40	-	-	-	4	-	2	-	-	-	-	2	-	10	8	-	-
44	BALANCE OF COUNTY	212	-	-	-	34	12	6	-	2	4	-	10	-	130	64	-	4
45	COTTLE	44	-	-	-	12	6	4	-	-	-	-	2	-	14	10	-	-
46	CRANE	38	-	-	-	6	2	2	-	-	-	-	2	2	12	8	-	-
47	CROCKETT	42	-	-	-	6	2	-	-	2	2	-	-	-	12	8	2	-
48	CROSBY	96	-	-	2	22	10	8	2	-	-	-	2	4	54	38	2	-
49	CULBERSON	34	-	-	-	8	2	-	-	4	-	-	2	-	14	14	-	-
50	DALLAM	62	-	-	-	6	2	-	-	-	-	2	2	-	24	18	-	-
51	DALLAS	9,976	14	8	48	1,762	434	470	160	202	60	76	360	114	4,718	3,458	54	44
52	BALCH SPRINGS	34	-	-	-	12	-	2	-	2	-	2	6	-	14	14	-	-
53	CARROLLTON, PART	70	-	-	-	12	2	4	2	2	-	-	2	-	30	20	-	-
54	CARROLLTON, TOTAL	72	-	-	-	12	2	4	2	2	-	-	2	-	30	20	-	-
55	DALLAS	7,380	12	8	34	1,290	334	344	116	152	34	50	260	70	3,502	2,522	46	32
56	DUNCANVILLE	72	-	-	-	10	-	2	2	-	2	-	4	-	40	32	-	2
57	FARMERS BRANCH	90	-	-	2	14	2	4	2	2	2	-	2	-	56	40	-	-
58	GARLAND	388	-	-	4	64	10	16	8	8	4	4	14	6	168	130	-	-
59	GRAND PRAIRIE, PART	278	-	-	2	54	12	24	2	4	-	2	10	4	102	80	-	2
60	GRAND PRAIRIE, TOTAL	300	-	-	2	54	12	24	2	4	-	2	10	6	114	90	-	2
61	HIGHLAND PARK	136	-	-	-	22	6	4	4	4	2	-	2	-	82	60	-	2
62	IRVING	472	2	-	2	94	32	16	2	10	8	8	18	6	212	160	4	-
63	LANCASTER	86	-	-	-	12	2	4	2	2	-	2	-	2	54	40	-	-
64	MESQUITE	252	-	-	-	20	-	14	-	-	2	2	2	12	122	94	2	4
65	RICHARDSON, PART	150	-	-	2	40	2	10	6	2	2	4	14	-	58	46	-	-
66	RICHARDSON, TOTAL	154	-	-	2	40	2	10	6	2	2	4	14	-	58	46	-	-
67	UNIVERSITY PARK	232	-	-	-	60	12	10	10	6	2	2	18	2	126	98	2	-
68	BALANCE OF COUNTY	336	-	-	2	58	20	16	4	8	2	-	8	12	152	122	-	2
69	DAWSON	156	-	-	6	32	16	6	2	6	-	-	2	6	70	48	-	-
70	LAMESA	134	-	-	4	26	14	4	-	6	-	-	2	6	60	44	-	-
71	BALANCE OF COUNTY	22	-	-	2	6	2	2	2	-	-	-	-	-	10	4	-	-
72	DEAF SMITH	96	-	-	-	8	4	2	-	-	2	-	-	-	42	30	2	-
73	HEREFORD	74	-	-	-	4	4	-	-	-	-	-	-	-	28	18	-	-
74	BALANCE OF COUNTY	22	-	-	-	4	-	2	-	-	2	-	-	-	14	12	2	-
75	DELTA	110	-	-	-	24	6	6	4	-	-	-	8	-	54	40	-	-
76	DENTON	568	-	-	-	98	18	26	6	18	4	4	22	14	288	202	-	4
77	CARROLLTON, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
78	DENTON	264	-	-	-	44	10	8	4	6	2	2	12	8	142	100	-	2
79	BALANCE OF COUNTY	302	-	-	-	54	8	18	2	12	2	2	10	6	146	102	-	2
80	DE WITT	274	-	-	6	54	12	16	2	14	2	-	8	6	134	84	-	2
81	DICKENS	62	-	-	-	20	-	4	2	8	-	-	6	2	20	12	-	-
82	DIMMIT	100	2	-	2	16	2	2	-	6	-	2	4	4	48	30	-	-
83	DONLEY	48	-	-	-	8	-	4	-	2	-	-	2	2	28	16	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
134	22	-	40	2	2	4	-	2	8	-	2	4	4	22	36	12	10	6	4	-	01
76	16	-	22	2	2	4	-	-	2	-	-	4	4	16	30	8	10	4	4	-	02
58	6	-	18	-	-	-	-	2	6	-	2	-	-	6	6	4	-	2	-	-	03
52	2	2	14	8	2	10	2	-	-	-	-	-	2	12	10	4	4	4	-	-	04
64	6	-	28	4	4	6	10	-	2	-	-	-	2	12	10	10	6	2	-	-	05
52	2	2	34	4	-	10	4	-	4	2	-	2	2	16	12	14	6	-	4	-	06
36	6	-	8	-	4	4	4	-	-	2	-	6	-	2	4	12	8	-	2	-	07
18	4	-	2	-	2	4	4	-	-	2	-	6	-	2	4	6	6	-	2	-	08
18	2	-	6	-	2	-	-	-	-	-	-	-	-	-	-	6	2	-	-	-	09
40	18	2	14	4	2	2	6	2	2	-	-	2	-	-	4	2	-	-	2	-	10
366	48	6	92	20	12	40	2	8	20	8	4	14	34	88	100	36	36	18	16	-	11
174	4	2	52	6	2	18	-	2	10	4	4	12	16	56	24	14	16	12	4	-	12
82	20	-	16	12	10	4	2	4	4	2	-	-	6	12	32	6	6	2	4	-	13
42	10	-	8	-	-	4	-	-	2	2	-	-	4	4	14	8	2	2	4	-	14
68	14	4	16	2	-	14	-	2	4	-	-	2	8	16	30	8	12	2	4	-	15
52	2	-	12	4	2	4	-	-	-	-	-	2	4	-	12	6	-	2	4	-	16
22	2	2	10	-	-	-	-	2	-	2	-	2	-	2	12	4	6	-	-	-	17
90	10	-	34	8	4	14	-	-	-	-	-	2	10	14	14	16	16	4	2	-	18
16	2	-	6	-	-	-	2	-	-	-	-	-	2	-	8	10	-	-	-	-	19
34	4	-	16	6	2	-	-	-	-	-	-	-	6	10	14	10	8	-	-	-	20
124	32	4	44	10	10	14	2	2	4	4	-	2	4	18	28	18	16	4	4	-	21
36	-	-	10	2	-	2	2	-	2	-	-	2	-	2	10	4	4	2	2	-	22
40	8	-	8	-	2	2	-	-	-	-	-	-	2	6	12	4	2	-	-	-	23
12	-	-	4	-	-	-	-	-	-	-	-	-	-	-	10	-	6	-	-	-	24
10	2	-	4	10	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	25
62	10	-	30	4	-	10	4	-	2	-	-	-	2	-	18	6	2	4	4	-	26
222	26	-	82	8	4	26	6	-	8	6	-	8	8	8	56	26	24	12	6	-	27
84	8	-	32	2	2	16	2	-	-	2	-	2	2	4	18	4	10	4	4	-	28
16	8	-	18	6	2	2	-	-	-	-	-	2	4	-	22	8	-	6	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	30
122	10	-	32	-	-	8	4	-	8	4	-	2	-	4	16	14	14	2	2	-	31
20	2	-	22	2	-	-	-	-	-	2	-	-	-	-	4	-	2	-	-	-	32
56	8	-	38	10	4	4	10	2	-	-	-	4	6	4	12	16	4	-	-	-	33
80	8	-	40	-	4	2	4	-	-	-	-	4	6	6	22	8	20	4	-	-	34
66	4	-	38	-	4	-	4	-	-	-	-	2	4	6	16	2	14	2	-	-	35
14	4	-	2	-	-	2	-	-	-	-	-	2	2	-	6	6	6	2	-	-	36
60	6	2	28	6	-	4	2	-	-	-	-	-	-	2	18	10	8	-	-	-	37
20	-	-	4	-	-	-	-	-	-	-	-	-	-	2	14	2	-	-	2	-	38
84	26	-	38	6	-	6	8	2	2	2	-	2	8	6	20	8	10	-	-	2	39
60	16	-	32	4	-	6	6	2	2	-	-	2	8	4	16	6	8	-	-	2	40
24	10	-	6	2	-	-	2	-	-	2	-	-	-	2	4	2	2	-	-	-	41
52	16	-	58	8	2	10	10	-	-	-	-	4	8	10	12	16	4	-	-	-	42
4	4	-	2	-	-	-	-	-	-	-	-	4	8	4	-	8	2	-	-	-	43
48	12	-	56	8	2	10	10	-	-	-	-	-	-	6	12	8	2	-	-	-	44
10	-	-	4	-	-	2	4	-	-	-	-	-	-	8	4	-	-	-	-	-	45
6	2	-	4	-	-	6	-	-	-	-	-	-	4	-	-	-	8	-	-	-	46
6	-	-	4	-	-	6	-	-	-	-	-	-	-	2	6	6	4	-	-	-	47
32	4	2	12	-	2	4	-	-	-	-	-	-	-	4	-	4	-	-	2	-	48
10	4	-	-	-	-	-	-	-	-	-	2	-	2	-	6	2	-	-	-	-	49
12	6	-	6	-	-	-	2	-	-	2	-	-	4	-	10	6	4	4	-	-	50
3,176	184	32	954	142	132	292	192	26	156	48	2	114	294	134	910	326	342	208	242	26	51
12	2	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	-	-	52
14	6	-	10	-	-	4	-	-	-	-	-	2	6	-	10	4	2	-	-	-	53
14	6	-	10	-	-	4	-	-	-	-	-	2	6	-	10	4	4	-	-	-	54
2,328	116	22	734	116	108	214	146	14	130	38	2	78	190	106	696	208	260	136	224	22	55
26	4	-	6	2	-	-	-	-	-	-	-	-	4	2	4	4	4	4	-	-	56
36	4	-	8	6	2	2	-	-	-	-	-	2	2	-	4	4	4	-	-	-	57
126	4	2	26	4	6	12	4	-	4	2	-	14	34	6	28	24	12	4	2	-	58
76	2	-	16	4	2	8	8	2	12	-	-	4	8	6	26	20	10	8	4	-	59
86	2	-	18	4	2	8	8	2	12	-	-	4	8	6	28	20	14	10	4	-	60
54	4	2	16	2	2	6	2	-	-	-	-	-	-	-	10	2	2	8	2	-	61
142	14	2	44	2	4	24	4	-	2	2	-	4	16	6	48	18	14	16	2	-	62
38	2	-	14	-	-	2	-	-	-	-	-	-	-	-	6	2	-	6	-	2	63
82	6	-	26	2	-	6	6	2	4	2	-	8	16	2	18	20	10	4	-	-	64
40	6	-	12	-	-	2	2	-	2	2	-	-	2	-	16	8	4	8	4	-	65
40	6	-	12	-	-	2	2	-	2	2	-	2	4	-	16	8	4	8	4	-	66
92	4	4	14	4	6	4	10	4	2	-	-	-	-	4	12	2	4	2	-	-	67
110	10	-	28	-	2	8	10	4	-	2	-	2	14	2	30	10	14	10	4	2	68
36	12	2	18	2	-	6	2	-	-	-	-	-	2	4	18	4	6	-	-	-	69
32	12	2	14	-	-	6	2	-	-	-	-	-	-	4	18	4	4	-	-	-	70
4	-	-	4	2	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	71
22	6	-	8	4	-	8	8	-	-	-	-	-	8	-	10	6	2	-	4	-	72
16	2	-	6	4	-	6	8	-	-	-	-	-	8	-	10	4	2	-	4	-	73
6	4	-	2	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	74
36	4	-	10	2	2	2	4	-	-	2	-	-	-	-	16	8	-	-	-	-	75
158	40	2	66	8	10	20	6	2	6	-	-	4	8	16	52	42	8	2	-	2	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	77
84	14	2	28	4	8	6	4	-	4	-	-	-	4	6	26	14	4	2	-	-	78
74	26	-	38	4	2	14	2	2	2	-	-	4	4	10	26	28	2	-	-	2	79
64	18	-	42	6	2	12	12	-	2	-	-	-	6	6	24	4	4	2	2	-	80
10	2	-	6	2	-	4	2	-	-	2	-	-	2	4	-	-	2	-	4	-	81
24	6	2	16	-	-	2	4	-	-	-	-	-	2	2	2	4	10	-	-	2	82
16	-	-	10	2	-	2	-	-	-	-	-	-	-	-	6	2	-	-	-	-	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TEXAS--CON.																	
01	DUVAL	106	-	-	-	26	-	4	4	-	2	4	12	2	52	46	2	2
02	EASTLAND	322	-	-	2	26	4	4	10	4	-	-	4	6	208	128	-	4
03	ECTOR	606	-	-	8	110	30	28	14	10	8	10	10	8	186	110	4	-
04	ODESSA	540	-	-	8	104	26	28	14	10	8	10	8	8	160	92	4	-
05	BALANCE OF COUNTY	66	-	-	-	6	4	-	-	-	-	-	2	-	26	18	-	-
06	EDWARDS	26	-	-	-	-	-	-	-	-	-	-	-	-	16	6	-	-
07	ELLIS	588	-	-	4	102	30	24	4	20	6	2	16	14	292	204	-	6
08	ENNIS	156	-	-	2	24	4	2	2	8	4	-	4	6	74	44	-	-
09	WAXAHACHIE	206	-	-	-	38	12	10	2	10	2	-	2	2	108	86	-	4
10	BALANCE OF COUNTY	226	-	-	2	40	14	12	-	2	-	2	10	6	110	74	-	2
11	EL PASO	2,244	18	-	20	340	118	78	26	36	2	20	60	60	910	670	38	14
12	EL PASO	2,122	14	-	20	328	106	78	26	36	2	20	60	54	868	648	38	14
13	BALANCE OF COUNTY	122	4	-	-	12	12	-	-	-	-	-	-	6	42	22	-	-
14	ERATH	282	-	-	4	44	20	8	4	8	2	-	2	6	148	118	-	-
15	FALLS	324	-	2	6	52	22	8	-	12	2	2	6	-	192	124	-	-
16	FANNIN	368	-	-	6	62	14	10	8	12	4	2	12	6	196	138	-	2
17	FAYETTE	282	-	-	2	64	16	8	4	6	8	6	16	10	134	104	-	2
18	FISHER	90	-	-	-	20	-	8	2	6	-	4	-	2	48	30	-	-
19	FLOYD	114	-	-	6	12	4	-	4	-	-	-	4	-	68	38	-	-
20	FOARD	38	-	-	-	10	2	6	2	-	-	-	-	-	24	12	-	-
21	FORT BEND	392	-	-	4	58	12	14	6	6	6	6	8	14	184	122	-	2
22	HOUSTON, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	ROSENBURG	104	-	-	-	18	-	8	4	-	2	4	-	4	42	32	-	-
24	BALANCE OF COUNTY	286	-	-	4	40	12	6	2	6	4	2	8	10	142	90	-	2
25	FRANKLIN	80	2	-	-	12	6	-	2	2	-	-	2	2	42	32	-	-
26	FREESTONE	204	-	-	2	36	12	8	2	8	-	4	2	-	118	96	-	2
27	FRIO	102	-	-	-	16	6	-	2	-	-	-	8	-	58	46	-	-
28	GAINES	94	-	-	2	10	2	4	-	2	-	2	-	2	50	44	-	-
29	GALVESTON	1,414	4	2	8	288	80	84	18	26	16	8	56	26	684	532	8	10
30	GALVESTON	692	2	2	6	152	48	52	8	8	8	2	26	14	346	272	2	2
31	LA MARQUE	108	-	-	-	16	2	4	-	6	2	-	2	2	66	50	-	-
32	LEAGUE CITY	44	-	-	-	8	4	-	2	-	-	-	2	-	26	22	-	-
33	TEXAS CITY	270	-	-	2	54	10	14	6	4	4	6	10	2	108	92	2	4
34	BALANCE OF COUNTY	300	2	-	-	58	16	14	2	8	2	-	16	8	138	96	4	4
35	GARZA	42	-	-	-	10	6	4	-	-	-	-	-	-	20	8	-	-
36	GILLESPIE	140	-	-	-	20	2	10	2	2	-	2	2	-	92	58	-	2
37	GLASSCOCK	6	-	-	-	4	2	2	-	-	-	-	-	-	-	-	-	-
38	GOLIAD	54	-	-	-	10	4	2	-	-	-	-	4	-	34	26	-	-
39	GONZALES	216	-	-	2	36	6	22	-	4	-	-	4	2	120	72	-	2
40	GRAY	256	-	-	-	44	10	18	2	-	2	-	12	4	154	130	2	4
41	PAMPA	210	-	-	-	30	8	14	2	-	2	-	4	4	132	108	2	2
42	BALANCE OF COUNTY	46	-	-	-	14	2	4	-	-	-	-	8	-	22	22	-	2
43	GRAYSON	976	-	-	4	158	40	46	18	10	4	6	34	12	562	390	4	6
44	DENISON	302	-	-	2	52	12	18	4	6	2	-	10	4	168	112	-	4
45	SHERMAN	334	-	-	-	58	12	16	8	-	2	4	16	4	194	132	2	-
46	BALANCE OF COUNTY	340	-	-	2	48	16	12	6	4	-	2	8	4	200	146	2	2
47	GREGG	860	-	-	4	136	38	32	22	14	6	2	22	18	410	290	2	8
48	LONGVIEW	488	-	-	4	74	18	8	12	10	4	2	20	16	216	146	2	6
49	BALANCE OF COUNTY	372	-	-	-	62	20	24	10	4	2	-	2	2	194	144	-	2
50	GRIMES	182	-	-	2	36	16	10	-	6	-	2	2	2	98	70	-	6
51	GUADALUPE	350	-	-	4	60	16	6	8	8	8	6	8	2	180	136	2	2
52	SEGUIN	174	-	-	2	26	8	2	4	4	-	4	4	-	94	70	2	-
53	BALANCE OF COUNTY	176	-	-	2	34	8	4	4	4	8	2	4	2	86	66	-	2
54	HALE	298	-	-	-	56	8	8	8	10	2	4	16	4	140	82	2	-
55	PLAINVIEW	162	-	-	-	26	6	4	4	4	-	2	6	4	72	46	2	-
56	BALANCE OF COUNTY	136	-	-	-	30	2	4	4	6	2	2	10	-	68	36	-	-
57	HALL	82	-	-	-	8	2	2	2	2	-	-	-	-	58	40	-	-
58	HAMILTON	128	-	-	-	12	-	-	4	8	-	-	-	2	82	68	-	-
59	HANSFORD	62	-	-	2	10	-	8	-	-	-	-	2	-	26	24	-	-
60	HARDEMAN	84	-	-	2	16	8	2	-	2	2	-	2	2	48	22	-	2
61	HARDIN	288	4	-	4	50	12	14	2	16	2	2	2	4	130	96	-	4
62	HARRIS	12,624	42	6	132	2,166	468	652	182	242	90	100	432	170	5,858	4,208	90	56
63	BAYTOWN	358	2	-	2	50	14	14	8	-	-	6	8	6	192	146	-	2
64	BELLAIRE	120	-	-	2	22	6	4	4	4	-	-	4	-	56	40	-	-
65	DEER PARK	46	-	-	-	14	2	6	-	-	-	-	6	-	18	12	-	-
66	GALENA PARK	54	-	-	-	8	-	4	2	-	-	-	2	-	28	20	-	2
67	HOUSTON, PART	9,704	30	6	108	1,646	368	474	136	196	68	82	322	140	4,584	3,258	74	48
68	HOUSTON, TOTAL	9,706	30	6	108	1,646	368	474	136	196	68	82	322	140	4,584	3,258	74	48
69	PASADENA	398	2	-	8	58	4	26	4	4	4	4	12	8	184	140	4	2
70	SOUTH HOUSTON	92	-	-	-	12	6	2	-	-	-	-	4	4	42	34	2	2
71	WEST UNIVERSITY PLACE	128	-	-	-	30	8	14	-	4	2	-	2	-	64	50	-	-
72	BALANCE OF COUNTY	1,724	8	-	12	326	60	108	28	34	16	8	72	12	690	508	10	-
73	HARRISON	522	2	-	4	74	18	10	6	12	6	10	12	8	272	176	-	8
74	MARSHALL	322	-	-	2	46	10	4	4	8	4	8	8	4	168	114	-	6
75	BALANCE OF COUNTY	200	2	-	2	28	8	6	2	4	2	2	4	4	104	62	-	2
76	HARTLEY	36	-	-	-	-	-	-	-	-	-	-	-	-	20	20	-	-
77	HASKELL	138	-	-	2	14	10	-	-	-	-	2	2	4	86	46	-	-
78	HAYS	202	2	-	-	44	12	12	4	4	-	2	10	2	100	80	2	2
79	SAN MARCOS	106	2	-	-	22	6	6	4	4	-	-	2	2	52	40	-	-
80	BALANCE OF COUNTY	96	-	-	-	22	6	6	-	-	-	2	8	-	48	40	2	2
81	HEMPHILL	32	-	-	-	2	-	-	2	-	-	-	-	-	22	16	-	-
82	HENDERSON	364	-	-	8	60	20	18	2	-	-	-	20	4	200	160	-	4

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
38	4	-	6	-	-	2	-	-	2	4	-	-	4	6	4	2	2	-	-	-	01
94	30	-	66	12	2	12	4	-	-	-	-	2	2	4	30	10	10	6	-	-	02
82	24	-	56	12	8	32	20	2	6	-	-	12	18	36	64	36	40	16	10	2	03
70	18	-	48	12	8	24	20	2	6	-	-	12	18	26	56	32	40	12	10	2	04
12	6	-	8	-	-	8	-	-	-	-	-	-	-	10	8	4	-	4	-	-	05
6	-	-	8	-	2	-	-	-	-	-	-	-	-	-	4	4	2	-	-	-	06
172	26	2	74	8	4	30	4	2	2	6	-	4	8	28	44	18	18	4	8	-	07
36	8	2	22	2	4	8	-	-	-	4	-	-	-	6	10	10	8	2	2	-	08
78	4	-	18	4	-	18	-	2	2	-	-	-	2	6	18	4	4	-	2	-	09
58	14	-	34	2	-	4	4	-	-	2	-	4	6	16	16	4	6	2	4	-	10
486	132	10	184	22	24	106	52	6	50	14	2	52	82	76	232	80	94	34	14	2	11
474	122	10	170	22	18	98	52	6	46	14	2	50	74	66	230	68	88	30	12	2	12
12	10	-	14	-	6	8	-	-	4	-	-	2	8	10	2	12	6	4	2	-	13
86	32	2	16	10	2	-	6	2	2	2	-	4	2	4	28	8	18	2	2	-	14
110	14	-	62	4	2	14	4	2	-	-	-	-	4	4	20	12	6	4	2	-	15
118	18	2	42	8	6	8	6	4	-	4	-	-	-	24	32	8	12	-	-	-	16
86	16	4	20	6	-	12	2	2	4	-	-	-	2	8	22	6	8	2	4	-	17
20	10	-	12	6	-	4	2	-	-	-	-	-	-	2	4	4	4	-	-	-	18
38	-	-	16	10	4	6	6	-	-	-	-	2	2	2	6	-	4	-	-	-	19
10	2	-	10	2	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	20
80	40	-	54	6	2	10	4	-	2	4	-	4	12	12	36	20	10	6	10	2	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	22
18	14	-	10	-	-	-	2	-	-	-	-	-	4	2	14	8	6	-	4	-	23
62	26	-	44	6	2	10	2	-	2	4	-	4	8	10	22	10	4	6	6	2	24
24	8	-	10	-	-	2	-	-	-	-	2	-	-	-	10	4	-	2	2	-	25
80	14	-	20	-	2	10	2	-	4	-	-	-	-	12	4	6	6	2	-	2	26
42	4	2	6	4	-	-	-	-	-	2	-	-	2	-	10	6	4	2	2	-	27
40	4	2	2	2	-	-	2	2	-	2	-	-	6	2	8	6	2	-	-	-	29
468	46	2	126	14	10	34	30	6	16	8	-	10	30	2	102	54	64	18	26	2	29
242	26	2	66	2	4	14	16	-	4	4	-	2	12	-	56	14	24	10	12	2	30
44	6	-	14	2	-	4	-	2	-	2	-	4	4	-	-	6	-	-	2	-	31
22	-	-	-	2	2	-	2	-	2	-	-	-	2	-	2	-	2	-	-	-	32
78	8	-	12	4	-	10	10	4	8	-	-	-	4	2	26	12	18	-	10	-	33
82	6	-	34	4	4	6	2	-	2	2	-	4	8	-	18	22	20	8	2	-	34
6	2	-	10	2	-	2	-	-	2	-	-	-	2	-	2	2	2	-	-	-	35
44	12	-	26	8	-	2	-	-	-	-	-	-	2	2	6	10	2	4	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	37
24	2	-	6	2	-	-	2	-	-	-	-	-	-	2	2	-	2	2	-	-	38
60	10	2	38	2	6	6	8	-	4	2	-	2	-	10	2	8	10	-	4	-	39
118	6	-	18	4	2	4	2	-	4	-	-	4	4	-	20	6	8	2	-	-	40
98	6	-	18	4	2	2	2	-	2	-	-	4	4	-	16	4	8	2	-	-	41
20	-	-	-	-	-	2	-	-	2	-	-	-	-	-	4	2	-	-	-	-	42
348	32	-	140	16	16	32	20	6	4	2	-	6	6	34	60	22	18	16	14	-	43
102	6	-	46	8	2	6	10	-	4	2	-	2	2	2	18	10	8	8	4	-	44
122	8	-	50	4	8	14	2	2	-	-	-	2	4	14	18	6	6	4	6	-	45
124	18	-	44	4	6	12	8	4	-	-	-	2	-	18	24	6	4	4	4	-	46
264	16	6	90	10	14	40	12	-	12	4	2	8	18	70	70	26	16	4	10	-	47
132	6	6	54	2	8	28	12	-	2	4	2	6	6	50	32	18	10	2	6	-	48
132	10	-	36	8	6	12	-	-	10	-	-	2	12	20	38	8	6	2	4	-	49
54	10	-	24	4	-	6	2	-	2	-	-	2	2	12	6	6	2	-	4	-	50
118	14	4	32	8	-	8	4	4	2	4	-	-	14	10	22	14	12	4	6	-	51
62	6	-	22	2	-	4	-	2	-	2	-	-	6	6	12	10	4	2	4	-	52
56	8	4	10	6	-	4	4	2	2	2	-	-	8	4	10	4	8	2	2	-	53
74	6	-	54	2	2	2	8	2	-	-	-	4	10	16	24	18	14	-	-	-	54
42	2	-	24	-	2	-	6	-	-	-	-	-	4	14	14	12	10	-	-	-	55
32	4	-	30	2	-	2	2	2	-	-	-	4	6	2	10	6	4	-	-	-	56
38	2	-	16	-	2	2	-	-	-	-	-	-	4	-	6	2	2	-	-	-	57
56	12	-	10	4	-	4	2	-	-	-	-	2	-	2	10	6	2	4	-	-	58
22	2	-	2	-	-	6	-	-	-	-	-	-	2	4	6	4	2	-	-	-	59
16	4	-	26	-	-	2	-	2	-	-	-	-	-	4	2	4	-	2	-	-	60
70	22	4	24	4	2	6	6	-	2	-	-	2	8	26	14	14	12	4	2	-	61
3,722	340	58	1,306	176	110	394	170	44	278	84	10	132	402	94	952	498	506	286	390	10	62
126	18	-	40	4	2	10	12	6	10	4	-	4	10	-	24	14	4	2	6	-	63
38	2	-	10	-	6	2	2	2	6	-	-	-	6	-	6	-	6	6	4	-	64
12	-	-	6	-	-	2	-	-	4	-	-	-	2	-	2	4	-	-	-	-	65
16	2	-	6	2	-	4	-	-	2	-	-	2	-	-	-	8	2	-	-	-	66
2,868	268	56	1,052	138	80	286	124	26	218	62	6	82	296	78	744	336	384	218	324	6	67
2,868	268	56	1,052	138	80	286	124	26	218	62	6	82	296	78	744	338	384	218	324	6	68
128	6	-	36	4	4	12	6	2	8	4	2	4	14	2	28	14	18	14	8	2	69
30	-	-	8	-	-	6	-	2	-	-	-	4	4	-	2	4	4	8	-	-	70
48	2	-	4	6	4	2	2	-	8	-	-	2	-	2	10	-	4	2	2	-	71
456	42	2	144	22	14	70	24	6	22	14	2	34	70	12	136	118	84	36	46	2	72
148	20	2	86	-	8	28	6	-	10	2	-	2	10	20	36	18	18	6	6	-	73
96	12	2	46	-	6	22	4	-	6	-	-	2	8	16	22	6	10	2	4	-	74
52	8	-	40	-	2	6	2	-	4	2	-	-	2	4	14	12	8	4	2	-	75
18	2	-	-	-	-	6	2	-	-	-	-	-	-	6	2	-	-	-	-	-	76
40	6	-	30	8	2	4	-	-	-	4	-	-	-	-	16	2	4	-	2	-	77
62	14	2	18	-	-	4	-	-	-	-	2	-	4	2	10	18	4	4	6	-	78
34	6	2	10	-	-	4	-	-	-	-	2	-	-	2	4	10	2	-	4	-	79
28	8	-	8	-	-	-	-	-	-	-	-	-	4	-	6	8	2	4	2	-	80
14	2	-	6	-	-	-	-	-	-	-	-	-	-	-	6	-	2	-	-	-	81
120	36	-	36	-	4	24	2	-	-	4	-	-	4	6	22	14	6	10	-	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TEXAS--CON.																	
01	HIDALGO	1,308	6	-	26	212	60	50	12	30	10	12	38	42	586	432	4	2
02	EDINBURG	100	2	-	2	20	8	8	-	2	2	-	-	4	54	32	-	-
03	MC ALLEN	312	2	-	2	50	10	16	-	8	4	4	8	8	130	106	-	-
04	MISSION	108	-	-	4	26	8	4	2	6	-	-	6	2	48	30	-	2
05	PHARR	76	-	-	2	14	4	6	-	2	-	-	2	-	40	26	-	-
06	WESLACO	120	-	-	2	26	6	4	2	4	2	4	4	4	58	46	-	-
07	BALANCE OF COUNTY	592	2	-	14	76	24	12	8	8	2	4	18	24	256	192	4	-
08	HILL	354	-	-	2	48	18	14	4	4	-	-	8	4	204	156	-	-
09	HOCKLEY	146	-	-	-	28	10	4	-	4	-	2	8	-	74	48	-	-
10	LEVELLAND	92	-	-	-	18	4	4	-	4	-	2	4	-	48	34	-	-
11	BALANCE OF COUNTY	54	-	-	-	10	6	-	-	-	-	-	4	-	26	14	-	-
12	HOOD	124	-	-	-	16	2	4	2	-	-	-	8	2	68	46	-	-
13	HOPKINS	316	2	-	2	48	14	16	6	6	-	-	6	2	178	116	2	2
14	SULPHUR SPRINGS	182	2	-	2	24	6	8	2	4	-	-	4	2	104	62	-	2
15	BALANCE OF COUNTY	134	-	-	-	24	8	8	4	2	-	-	2	-	74	54	2	-
16	HOUSTON	270	2	-	2	34	4	6	4	10	2	-	6	8	150	110	-	-
17	HOWARD	342	-	-	-	64	6	18	8	6	4	6	16	-	146	104	-	-
18	BIG SPRING	264	-	-	-	54	6	14	8	6	4	6	10	-	112	76	-	-
19	BALANCE OF COUNTY	78	-	-	-	10	-	4	-	-	-	-	6	-	34	28	-	-
20	HUDSPETH	8	-	-	-	2	-	2	-	-	-	-	-	-	2	2	-	-
21	HUNT	514	-	-	-	92	22	20	4	22	2	2	20	8	270	194	2	6
22	GREENVILLE	252	-	-	-	42	8	10	-	14	-	2	8	4	134	86	-	-
23	BALANCE OF COUNTY	262	-	-	-	50	14	10	4	8	2	-	12	4	136	108	2	6
24	HUTCHINSON	246	-	-	-	54	8	20	2	12	2	-	10	12	108	76	-	2
25	BORGER	176	-	-	-	40	6	16	2	8	2	-	6	8	72	56	-	2
26	BALANCE OF COUNTY	70	-	-	-	14	2	4	-	4	-	-	4	4	36	20	-	-
27	IRION	20	-	-	-	2	-	-	-	-	-	-	2	2	12	6	-	-
28	JACK	68	-	-	-	10	2	-	-	2	2	-	4	2	30	24	-	2
29	JACKSON	140	-	-	2	28	10	2	-	4	2	-	10	4	68	50	-	-
30	JASPER	264	-	-	2	24	4	10	2	4	-	2	2	8	162	112	-	4
31	JEFF DAVIS	10	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-
32	JEFFERSON	2,194	10	-	28	484	118	134	36	66	22	16	92	38	1,040	732	12	12
33	BEAUMONT	1,128	8	-	16	242	64	70	22	28	8	2	48	22	522	384	2	6
34	GROVES	112	-	-	-	16	2	8	-	-	-	-	6	-	68	46	-	-
35	NEDERLAND	72	-	-	4	20	-	8	2	6	-	-	4	-	30	20	-	-
36	PORT ARTHUR	646	2	-	8	156	36	42	12	20	8	10	28	14	296	196	6	6
37	PORT NECHES	86	-	-	-	20	6	-	-	4	4	4	2	2	48	36	2	-
38	BALANCE OF COUNTY	150	-	-	-	30	10	6	-	8	2	-	4	-	76	50	2	-
39	JIM HOGG	42	-	-	-	2	-	2	-	-	-	-	-	-	20	16	-	-
40	JIM WELLS	258	2	-	2	44	18	8	-	4	2	-	12	8	128	92	2	-
41	ALICE	182	-	-	2	26	12	6	-	2	2	-	4	6	102	76	2	-
42	BALANCE OF COUNTY	76	2	-	-	18	6	2	-	2	-	-	8	2	26	16	-	-
43	JOHNSON	546	-	-	-	102	24	26	12	14	2	6	18	8	284	200	2	4
44	CLEBURNE	272	-	-	-	42	14	14	6	4	-	-	4	6	148	104	-	2
45	FORT WORTH, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	BALANCE OF COUNTY	274	-	-	-	60	10	12	6	10	2	6	14	2	136	96	2	2
47	JONES	238	2	-	-	32	12	6	6	-	4	-	4	6	116	78	-	4
48	ABILENE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49	BALANCE OF COUNTY	238	2	-	-	32	12	6	6	-	4	-	4	6	116	78	-	4
50	KARNES	170	-	-	4	30	4	2	2	12	-	4	6	6	88	54	-	2
51	KAUFMAN	418	2	-	-	56	12	18	2	10	-	2	12	8	238	164	2	2
52	TERRELL	146	2	-	-	16	2	6	-	4	-	-	4	-	90	62	-	2
53	BALANCE OF COUNTY	272	-	-	-	40	10	12	2	6	-	2	8	8	148	102	2	-
54	KENDALL	86	-	-	-	22	14	4	-	2	-	-	2	2	44	28	-	-
55	KENEDY	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
56	KENT	12	-	-	-	4	-	2	-	2	-	-	-	-	4	4	-	-
57	KERR	294	4	-	2	54	16	16	4	4	2	6	6	8	142	100	-	-
58	KERRVILLE	226	4	-	-	48	14	16	4	4	2	6	2	6	108	70	-	-
59	BALANCE OF COUNTY	68	-	-	2	6	2	-	-	-	-	-	4	2	34	30	-	-
60	KIMBLE	42	2	-	-	14	4	-	-	6	-	-	4	-	20	16	-	2
61	KING	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
62	KINNEY	20	-	-	-	4	-	-	-	4	-	-	-	-	6	4	-	-
63	KLEBERG	194	-	-	-	40	10	8	4	-	4	2	12	4	88	58	-	2
64	KINGSVILLE	162	-	-	-	36	8	6	4	-	4	2	12	2	76	50	-	2
65	BALANCE OF COUNTY	32	-	-	-	4	2	2	-	-	-	-	-	2	12	8	-	-
66	KNOX	74	-	-	-	8	2	4	-	-	-	2	-	2	46	14	-	-
67	LAMAR	490	-	-	2	94	24	20	6	6	6	12	20	6	272	166	6	8
68	PARIS	344	-	-	-	64	14	12	6	6	6	8	12	2	196	120	6	6
69	BALANCE OF COUNTY	146	-	-	2	30	10	8	-	-	-	4	8	4	76	46	-	2
70	LAMB	198	-	-	-	30	12	4	-	8	-	-	6	4	108	82	-	2
71	LAMPASAS	134	-	-	2	24	4	10	4	4	-	2	-	-	66	38	-	-
72	LA SALLE	60	-	-	2	10	4	2	2	2	-	-	-	2	28	20	-	-
73	LAVACA	290	-	-	-	42	14	10	6	-	2	2	8	12	150	114	-	4
74	LEE	120	-	-	2	26	10	2	-	4	-	2	8	4	54	46	-	2
75	LEON	106	-	-	-	16	-	6	-	6	-	-	4	-	54	42	-	-
76	LIBERTY	416	2	-	2	62	14	20	8	2	2	2	14	8	224	140	6	4
77	LIMESTONE	306	2	-	4	44	6	8	8	10	2	-	10	2	186	140	4	14
78	LIPSCOMB	36	-	-	-	10	4	2	-	2	-	-	2	-	18	14	-	-
79	LIVE OAK	98	-	-	2	16	4	4	2	2	-	2	2	2	48	28	-	-
80	LLANO	132	-	-	2	30	8	6	2	2	-	-	12	4	68	42	-	-
81	LOVING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
394	32	2	126	18	8	56	20	2	14	6	6	8	34	56	98	82	42	6	6	-	01
32	-	-	22	-	-	-	-	-	-	2	2	-	2	2	6	4	-	-	-	-	02
92	14	2	16	4	2	12	6	-	8	2	2	2	6	22	12	24	14	6	4	-	03
28	-	-	12	4	2	-	-	-	4	-	-	2	2	4	12	-	4	-	-	-	04
20	6	-	12	2	-	8	2	-	-	-	2	2	2	2	-	2	-	-	-	-	05
44	2	-	12	-	-	12	2	-	-	-	-	-	2	2	4	6	2	-	-	-	06
178	10	-	52	8	4	24	10	2	2	2	-	2	20	24	64	46	22	-	2	-	07
118	38	-	38	4	6	12	12	-	2	-	-	-	-	18	34	6	4	4	4	-	08
44	4	-	22	4	-	8	2	2	-	4	-	4	4	6	4	6	2	2	-	-	09
32	2	-	10	4	-	6	2	2	-	2	-	2	-	6	2	-	2	2	-	-	10
12	2	-	12	-	-	2	-	-	-	2	-	2	4	-	2	6	-	-	-	-	11
34	12	-	14	4	4	8	-	2	2	2	-	-	-	4	8	4	6	2	-	-	12
96	16	-	38	14	10	12	4	-	-	-	-	8	6	6	18	22	6	2	-	-	13
54	6	-	28	8	6	10	4	-	-	-	-	4	4	4	4	14	2	2	-	-	14
42	10	-	10	6	4	2	-	-	-	-	-	4	2	2	14	8	4	-	-	-	15
96	14	2	36	-	2	8	6	2	2	2	-	-	4	20	18	6	6	-	-	-	16
86	18	4	28	6	4	6	14	-	2	-	-	2	6	26	28	12	22	4	8	2	17
66	10	4	24	4	4	6	10	-	2	-	-	2	6	12	26	8	18	2	6	-	18
20	8	-	4	2	-	-	4	-	-	-	-	-	-	14	2	4	4	2	2	2	19
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	20
166	20	6	54	14	2	20	6	-	-	2	-	2	10	16	40	18	16	-	8	6	21
84	2	-	36	12	-	10	2	-	-	-	-	-	8	14	20	6	10	-	2	-	22
82	18	6	18	2	2	10	4	-	-	2	-	2	2	2	20	12	6	-	6	6	23
68	6	-	24	2	6	4	2	-	2	2	-	-	6	4	26	10	8	8	-	-	24
48	6	-	12	-	4	2	2	-	2	2	-	-	2	4	24	8	2	8	-	-	25
20	-	-	12	2	2	2	-	-	-	-	-	-	4	-	2	2	6	-	-	-	26
4	2	-	6	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	27
18	4	-	2	2	2	4	2	-	-	-	-	-	-	4	8	4	4	-	-	-	28
40	10	4	10	-	4	6	-	-	-	2	-	-	-	2	14	6	4	4	-	-	29
88	20	2	32	6	10	4	-	-	-	-	-	-	6	2	14	24	14	4	-	-	30
2	-	-	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	31
642	66	20	220	38	30	86	40	10	28	20	-	26	24	20	160	70	52	18	40	-	32
350	26	12	96	12	18	46	24	6	22	8	-	6	12	14	84	42	20	14	20	-	33
38	8	-	16	4	2	4	-	-	2	-	-	-	2	-	6	12	2	-	-	-	34
18	2	-	8	2	-	2	4	-	-	-	-	6	-	-	2	4	-	-	-	-	35
164	20	4	76	14	6	30	10	4	4	12	-	10	4	6	44	10	16	4	16	-	36
28	6	-	8	4	-	2	2	-	-	-	-	-	2	-	6	-	4	-	-	-	37
44	4	4	16	2	4	2	-	-	-	-	-	4	4	-	18	2	10	-	4	-	38
12	4	-	4	-	-	2	-	-	-	-	-	-	2	2	6	6	-	-	2	-	39
86	4	2	22	10	2	6	2	-	-	-	-	10	4	2	20	4	14	10	2	-	40
72	2	2	16	6	2	6	2	-	-	-	-	8	2	2	10	4	6	6	-	-	41
14	2	-	6	4	-	-	-	-	-	-	-	2	2	-	10	-	8	4	2	-	42
166	28	4	72	8	-	4	12	6	2	4	-	6	16	6	38	28	24	6	-	-	43
88	14	2	36	6	-	-	8	2	-	4	-	4	8	4	18	10	16	2	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
78	14	2	36	2	-	4	4	4	2	-	-	2	8	2	20	18	8	4	-	-	46
70	4	-	28	4	6	4	4	2	-	-	-	2	2	24	30	2	10	2	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
70	4	-	28	4	6	4	4	2	-	-	-	2	2	24	30	2	10	2	-	-	49
48	4	-	32	-	2	4	-	-	-	4	-	2	6	4	8	4	10	-	-	-	50
126	34	2	52	16	4	10	8	2	2	4	-	-	6	8	48	14	6	4	2	-	51
46	14	-	26	2	-	4	-	2	-	-	-	-	4	2	18	6	-	-	2	-	52
80	20	2	26	14	4	6	8	-	2	4	-	-	2	6	30	8	6	4	-	-	53
26	2	-	14	2	-	-	-	-	4	-	-	-	2	2	2	4	2	2	-	-	54
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	56
86	14	-	30	10	2	10	8	2	4	-	-	8	2	2	32	8	6	2	-	-	57
66	4	-	30	6	2	8	6	-	2	-	-	8	2	2	24	2	6	-	-	-	58
20	10	-	-	4	-	2	2	2	2	-	-	-	-	-	8	6	-	2	-	-	59
12	2	-	4	-	-	2	-	-	-	-	-	-	2	-	-	-	-	2	-	-	60
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	61
4	-	-	2	-	-	4	-	-	-	-	-	-	-	2	2	2	-	-	-	-	62
42	14	4	16	8	2	10	-	-	4	2	-	2	4	6	10	8	6	6	2	2	63
40	8	4	12	8	2	8	-	-	4	2	-	-	2	6	10	6	4	4	-	2	64
2	6	-	4	-	-	2	-	-	-	-	-	2	2	-	-	2	2	2	2	-	65
10	4	-	28	4	-	2	-	-	6	2	-	2	-	-	-	4	-	2	-	-	66
126	26	4	74	18	10	24	6	-	4	2	-	2	8	20	32	4	6	-	6	2	67
88	20	4	48	16	8	18	4	-	4	2	-	2	6	14	22	2	2	-	6	-	68
38	6	-	26	2	2	6	2	-	-	-	-	-	2	6	10	2	4	-	-	2	69
74	6	4	20	2	-	8	-	-	-	-	-	4	4	8	12	10	6	2	2	-	70
26	12	2	26	-	-	4	4	-	2	-	-	-	4	6	14	6	2	-	-	-	71
14	6	-	6	2	-	-	-	-	2	-	-	-	-	4	6	6	-	-	-	-	72
82	28	-	30	4	2	10	2	-	-	-	-	-	4	28	24	8	6	2	2	-	73
30	14	2	4	2	-	8	2	-	-	-	-	2	2	8	8	2	2	-	-	-	74
38	4	-	12	-	-	4	2	-	-	2	-	2	2	8	4	6	6	-	-	-	75
108	22	2	46	30	6	10	10	-	2	4	-	-	2	18	24	24	16	4	4	-	76
102	20	4	30	8	4	-	4	2	-	6	-	-	2	18	16	6	10	2	2	-	77
12	2	-	2	-	2	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	78
28	-	-	12	2	6	10	-	-	-	-	-	-	-	8	6	4	-	2	-	-	79
36	6	-	18	8	-	2	2	-	-	-	-	-	-	2	14	-	4	2	2	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TEXAS--CON.																	
01	LUBBOCK	1,244	2	-	12	190	32	32	6	26	12	14	68	16	584	416	4	2
02	LUBBOCK	1,036	2	-	6	162	24	28	6	24	12	8	60	14	484	348	4	2
03	BALANCE OF COUNTY	208	-	-	6	28	8	4	-	2	-	6	8	2	100	68	-	-
04	LYNN	96	-	-	-	12	4	2	-	2	-	-	4	4	44	26	-	-
05	MC CULLOCH	154	-	-	-	32	8	-	-	10	2	-	12	4	90	68	-	-
06	MC LENNAN	1,732	2	2	6	284	84	68	16	58	4	8	46	22	944	660	10	4
07	WACO	1,226	-	2	2	202	62	50	12	42	2	4	30	16	650	444	6	4
08	BALANCE OF COUNTY	506	2	-	4	82	22	18	4	16	2	4	16	6	294	216	4	-
09	MC MULLEN	20	-	-	-	6	2	-	-	-	-	-	4	2	6	-	-	-
10	MADISON	112	-	-	-	24	16	4	-	2	-	-	2	-	68	42	-	-
11	MARION	120	2	-	2	14	6	-	-	4	-	-	4	4	58	40	-	2
12	MARTIN	34	-	-	-	2	-	-	-	-	2	-	-	-	20	14	-	-
13	MASON	64	-	-	-	10	-	-	2	6	-	-	2	2	32	24	-	-
14	MATAGORDA	296	-	-	2	42	6	14	6	6	4	2	4	-	168	128	2	4
15	BAY CITY	136	-	-	-	18	2	4	4	4	2	-	2	-	84	64	2	2
16	BALANCE OF COUNTY	160	-	-	2	24	4	10	2	2	2	2	2	-	84	64	-	2
17	MAVERICK	94	4	-	-	10	4	2	-	2	-	2	-	2	46	34	-	-
18	EAGLE PASS	78	4	-	-	10	4	2	-	2	-	2	-	2	40	30	-	-
19	BALANCE OF COUNTY	16	-	-	-	-	-	-	-	-	-	-	-	-	6	4	-	-
20	MEDINA	182	2	-	2	40	6	12	4	6	4	-	8	2	88	80	-	4
21	MENARD	50	-	-	2	8	4	-	-	4	-	-	-	4	36	32	-	2
22	MIDLAND	418	-	-	4	58	18	14	2	4	6	6	8	14	180	126	4	-
23	MIDLAND	388	-	-	4	52	18	12	2	2	6	4	8	10	172	120	4	-
24	BALANCE OF COUNTY	30	-	-	-	6	-	2	-	2	-	2	-	4	8	6	-	-
25	MILAM	296	-	-	4	36	10	8	4	6	2	-	6	6	194	146	-	-
26	MILLS	68	-	-	2	12	2	4	2	-	-	-	4	2	36	26	-	-
27	MITCHELL	120	-	-	-	16	4	2	4	-	-	-	6	4	64	36	-	-
28	MONTAGUE	244	2	-	-	34	8	8	2	-	2	-	14	2	146	90	-	-
29	MONTGOMERY	568	-	-	12	80	26	26	-	8	6	2	12	4	240	186	2	2
30	CONROE	164	-	-	6	24	8	8	-	2	2	2	2	-	68	52	-	-
31	HOUSTON, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	BALANCE OF COUNTY	404	-	-	6	56	18	18	-	6	4	-	10	4	172	134	2	2
33	MOORE	88	-	-	4	12	4	2	2	4	-	-	-	6	38	28	-	6
34	MORRIS	174	-	-	2	26	6	4	2	6	-	2	6	4	88	74	-	-
35	MOTLEY	40	-	-	-	8	4	2	-	2	-	-	-	-	26	18	-	-
36	NACOGDOCHES	380	2	-	2	74	24	14	2	20	-	4	10	8	198	132	-	10
37	NACOGDOCHES	180	-	-	-	46	12	8	-	18	-	2	6	4	82	62	-	8
38	BALANCE OF COUNTY	200	2	-	2	28	12	6	2	2	-	2	4	4	116	70	-	2
39	NAVARRO	476	2	-	2	80	26	22	4	6	-	8	14	10	244	150	2	10
40	CORSICANA	298	2	-	-	50	16	10	2	4	-	4	14	4	160	102	2	6
41	BALANCE OF COUNTY	178	-	-	2	30	10	12	2	2	-	4	-	6	84	48	-	4
42	NEWTON	106	-	-	2	20	2	4	-	-	-	-	14	2	56	42	-	-
43	NOLAN	224	-	-	-	44	6	8	2	12	4	2	10	4	124	90	2	2
44	SWEETWATER	164	-	-	-	36	6	6	2	8	4	2	8	2	92	64	2	2
45	BALANCE OF COUNTY	60	-	-	-	8	-	2	-	4	-	-	2	2	32	26	-	-
46	NUECES	1,720	8	-	10	280	62	68	30	30	16	4	70	54	802	604	8	16
47	CORPUS CHRISTI	1,486	8	-	10	246	50	66	24	30	14	4	58	48	682	510	8	14
48	ROBSTOWN	100	-	-	-	8	4	-	-	-	-	-	4	4	46	36	-	-
49	BALANCE OF COUNTY	134	-	-	-	26	8	2	6	-	2	-	8	2	74	58	-	2
50	OCHILTREE	72	-	-	-	16	4	4	-	6	-	-	2	-	38	32	-	-
51	OLDHAM	12	-	-	-	2	-	-	-	2	-	-	-	2	4	2	-	-
52	ORANGE	478	-	-	6	98	16	36	4	10	2	8	22	10	214	182	2	8
53	ORANGE	238	-	-	2	56	10	22	2	6	-	6	10	4	102	92	-	6
54	BALANCE OF COUNTY	240	-	-	4	42	6	14	2	4	2	2	12	6	112	90	2	2
55	PALO PINTO	270	-	-	-	54	8	22	4	10	-	4	6	4	126	64	2	-
56	MINERAL WELLS, PART	176	-	-	-	34	4	10	4	8	-	4	4	2	88	40	2	-
57	MINERAL WELLS, TOTAL	178	-	-	-	34	4	10	4	8	-	4	4	2	90	42	2	-
58	BALANCE OF COUNTY	94	-	-	-	20	4	12	-	2	-	-	2	2	38	24	-	-
59	PANOLA	220	-	-	2	34	12	6	-	8	-	2	6	8	124	86	-	-
60	PARKER	332	-	-	4	46	10	20	4	-	-	-	12	8	168	132	-	-
61	MINERAL WELLS, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
62	WEATHERFORD	178	-	-	2	18	2	8	4	-	-	-	4	6	90	76	-	-
63	BALANCE OF COUNTY	152	-	-	2	28	8	12	-	-	-	-	8	2	76	54	-	-
64	PARMER	66	-	-	-	10	6	2	-	-	-	-	2	2	28	18	-	-
65	PECOS	78	-	-	4	10	2	4	-	-	-	2	2	2	28	26	-	-
66	POLK	178	-	-	-	22	6	8	-	2	-	-	6	4	88	56	-	6
67	POTTER	976	-	-	6	164	44	50	12	24	2	10	22	26	496	362	4	2
68	AMARILLO, PART	946	-	-	6	156	42	46	12	24	2	10	20	26	480	348	4	2
69	AMARILLO, TOTAL	1,142	-	-	6	200	54	62	14	26	2	10	32	28	572	422	4	2
70	BALANCE OF COUNTY	30	-	-	-	8	2	4	-	-	-	-	2	-	16	14	-	-
71	PRESIDIO	46	-	-	-	4	2	-	2	-	-	-	-	2	20	16	-	-
72	RAINS	76	-	-	-	18	8	4	-	-	2	-	4	2	42	30	-	-
73	RANDALL	270	-	-	2	60	14	18	4	4	-	-	20	4	132	102	-	-
74	AMARILLO, PART	196	-	-	-	44	12	16	2	2	-	-	12	2	92	74	-	-
75	BALANCE OF COUNTY	74	-	-	2	16	2	2	2	2	-	-	8	2	40	28	-	-
76	REAGAN	14	-	-	-	4	4	-	-	-	-	-	-	-	10	6	-	-
77	REAL	26	-	-	-	6	2	-	-	-	-	-	4	2	12	10	-	-
78	RED RIVER	232	-	-	-	40	16	8	4	8	2	-	2	-	130	92	-	6
79	REEVES	142	-	-	-	20	4	8	-	2	2	-	4	6	78	56	2	2
80	PECOS	112	-	-	-	12	-	6	-	2	2	-	2	6	66	48	2	-
81	BALANCE OF COUNTY	30	-	-	-	8	4	2	-	-	-	-	2	-	12	8	-	2
82	REFUGIO	30	-	-	-	12	2	4	-	2	-	2	2	-	12	8	-	-
83	ROBERTS	8	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
316	94	2	142	12	12	46	40	6	16	10	-	18	44	6	98	60	48	24	20	4	01
266	76	2	112	12	10	40	34	6	12	10	-	14	32	4	88	48	40	24	14	2	02
50	18	-	30	-	2	6	6	-	4	-	-	4	12	2	10	12	8	-	6	2	03
20	6	-	14	2	2	8	2	-	-	-	-	2	4	2	4	2	10	-	-	2	04
60	8	-	20	-	2	2	2	-	-	-	-	2	2	-	16	2	2	-	-	-	05
478	168	8	212	40	24	64	28	14	26	4	-	8	46	22	110	60	50	20	20	-	06
322	112	4	158	30	14	50	22	12	20	-	-	6	34	18	76	44	42	16	14	-	07
156	56	4	54	10	10	14	6	2	6	4	-	2	12	4	34	16	8	4	6	-	08
-	-	-	6	-	-	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	09
40	2	-	16	6	4	-	4	-	-	2	-	-	-	6	4	2	2	-	-	-	10
34	4	-	12	-	6	6	-	-	4	2	-	-	4	2	14	2	2	-	4	-	11
12	2	2	2	2	-	-	4	-	-	-	2	-	-	-	-	6	-	-	-	-	12
24	-	-	6	-	2	-	6	-	-	-	-	2	-	-	6	2	-	-	4	-	13
116	6	-	34	4	2	4	8	-	4	-	-	2	14	4	16	18	12	-	2	-	14
56	4	-	16	2	2	-	2	-	-	-	-	2	6	2	10	10	2	-	-	-	15
60	2	-	18	2	-	4	6	-	4	-	-	-	8	2	6	8	10	-	2	-	16
28	6	-	10	-	2	10	4	-	-	-	-	-	-	-	6	4	8	-	-	-	17
24	6	-	8	-	2	8	2	-	-	-	-	-	-	-	4	2	6	-	-	-	18
4	-	-	2	-	-	2	2	-	-	-	-	-	-	-	2	2	2	-	-	-	19
62	14	-	8	-	-	10	4	-	-	-	-	-	2	-	12	12	4	-	2	2	20
20	10	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
90	32	2	40	4	8	18	10	2	4	6	-	-	8	2	46	28	14	14	10	-	22
86	30	2	38	4	8	18	8	2	4	4	-	-	6	2	44	28	12	14	8	-	23
4	2	-	2	-	-	-	2	-	-	2	-	-	2	-	2	-	2	-	2	-	24
108	38	-	32	14	2	10	4	2	4	-	-	2	4	2	14	6	6	2	-	-	25
26	-	-	8	2	-	2	-	-	-	2	-	-	-	-	8	-	2	2	-	-	26
34	2	-	16	8	4	2	-	-	-	-	-	4	2	4	10	6	2	-	6	-	27
84	6	2	46	4	4	10	2	2	-	2	-	-	4	6	14	6	8	2	4	-	28
132	50	-	46	4	4	18	10	-	8	2	-	6	10	54	52	38	18	6	10	-	29
42	10	-	14	-	2	4	2	-	2	2	-	4	2	24	12	10	-	2	2	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
90	40	-	32	4	2	14	8	-	6	-	-	2	8	30	40	28	18	4	8	-	32
16	6	-	10	-	-	-	2	-	-	-	2	-	-	-	12	4	2	2	4	-	33
70	4	-	14	-	-	16	-	2	-	-	-	-	2	6	6	16	4	2	-	-	34
16	2	-	6	2	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	35
100	22	2	54	2	8	12	-	2	-	2	-	8	6	-	28	18	8	4	8	-	36
42	12	2	18	-	-	4	-	2	-	2	-	4	2	-	16	6	4	2	6	-	37
58	10	-	36	2	8	8	-	-	-	-	-	4	4	-	12	12	4	2	2	-	38
102	36	2	84	6	2	20	12	-	2	2	-	4	10	8	42	12	16	4	6	-	39
72	22	2	52	2	2	16	10	-	-	-	-	2	6	2	28	4	10	2	2	-	40
30	14	-	32	4	-	4	2	-	2	2	-	2	4	6	14	8	6	2	4	-	41
40	2	2	10	2	-	8	-	-	-	-	-	2	-	-	8	4	4	-	-	-	42
70	16	2	30	2	-	2	4	-	-	-	-	-	6	14	10	4	2	8	-	2	43
46	14	2	24	2	-	2	4	-	-	-	-	-	4	14	4	-	2	4	-	-	44
24	2	-	6	-	-	-	-	-	-	-	-	-	2	-	6	4	-	4	-	2	45
556	24	4	138	32	24	56	20	2	20	8	4	32	38	10	154	80	74	30	36	2	46
466	22	4	120	28	20	48	18	2	18	8	2	28	30	10	132	68	68	30	28	2	47
34	2	-	8	-	2	4	2	-	-	-	2	4	2	-	14	4	4	-	6	-	48
56	-	-	10	4	2	4	-	-	2	-	-	-	6	-	8	8	2	-	2	-	49
30	2	-	6	-	-	2	-	-	-	2	-	-	-	-	4	2	-	4	4	-	50
2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	51
120	52	2	22	6	2	6	4	6	12	2	-	4	16	38	14	14	20	6	8	-	52
46	40	-	8	2	-	6	2	2	2	-	-	-	10	30	6	2	8	6	-	-	53
74	12	2	14	4	2	-	2	4	10	2	-	4	6	8	8	12	12	-	8	-	54
60	2	2	56	-	4	10	6	-	-	2	-	-	4	18	22	12	6	2	4	-	55
36	2	2	44	-	2	4	4	-	-	-	-	-	4	8	16	6	6	2	2	-	56
38	2	2	44	-	2	4	4	-	-	-	-	-	4	8	16	6	6	2	2	-	57
24	-	-	12	-	2	6	2	-	-	2	-	-	-	10	6	6	-	-	2	-	58
78	8	-	30	6	2	8	8	8	-	-	-	-	2	-	8	8	4	-	6	-	59
116	16	-	22	10	4	20	6	2	2	2	-	-	6	8	34	6	14	2	4	-	60
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
66	10	-	8	4	2	12	4	-	2	2	-	-	4	6	24	2	6	-	-	-	62
48	6	-	14	6	2	8	2	2	-	-	-	-	2	2	10	4	8	2	4	-	63
12	6	-	10	-	-	2	2	-	-	-	-	-	-	2	10	4	4	-	2	-	64
22	4	-	2	-	-	2	-	-	4	-	-	2	-	4	10	10	2	-	-	-	65
42	8	-	26	2	4	6	6	-	2	-	-	-	2	10	16	6	10	2	4	-	66
340	16	8	90	14	22	36	38	4	16	8	-	10	20	8	66	24	24	20	10	-	67
328	14	8	88	14	22	36	38	4	16	8	-	10	18	8	62	24	24	20	10	-	68
400	16	8	100	16	26	38	38	4	16	8	-	16	24	14	80	26	34	26	12	-	69
12	2	-	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	70
16	-	-	4	-	-	6	-	-	2	-	-	-	-	-	12	-	-	-	-	-	71
30	-	-	8	2	2	2	-	-	-	-	-	-	-	-	6	4	-	2	-	-	72
100	2	-	22	4	4	4	-	-	-	-	-	8	6	6	24	2	12	8	2	-	73
72	2	-	12	2	4	2	-	-	-	-	-	6	6	6	18	2	10	6	2	-	74
28	-	-	10	2	-	2	-	-	-	-	-	2	-	-	6	-	2	2	-	-	75
6	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
8	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-	77
78	8	2	30	2	4	14	2	-	-	2	-	-	4	14	14	8	2	2	-	-	78
46	6	-	14	8	-	6	-	-	-	-	-	-	4	4	10	10	4	-	-	-	79
42	4	-	10	8	-	6	-	-	-	-	-	-	4	4	6	6	2	-	-	-	80
4	2	-	4	-	-	-	-	-	-	-	-	-	-	-	4	4	2	-	-	-	81
6	2	-	4	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-	-	-	82
4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TEXAS--CON.																	
01	ROBERTSON	242	-	-	2	50	12	18	2	8	2	2	6	10	130	84	-	-
02	ROCKWALL	62	2	-	-	10	2	2	-	2	2	2	-	-	28	24	-	-
03	RUNNELS	188	-	-	-	42	20	6	2	4	6	-	4	-	112	74	-	-
04	RUSK	426	-	-	2	60	18	14	2	8	4	4	10	12	234	166	-	4
05	HENDERSON	122	-	-	-	14	4	6	-	-	2	-	2	2	72	56	-	2
06	BALANCE OF COUNTY	304	-	-	2	46	14	8	2	8	2	4	8	10	162	110	-	2
07	SABINE	98	-	-	-	10	2	2	-	-	-	2	4	-	62	34	-	2
08	SAN AUGUSTINE	102	-	-	-	14	2	6	-	-	-	-	6	-	66	44	2	4
09	SAN JACINTO	72	-	-	-	12	4	-	-	2	2	-	4	4	34	18	-	-
10	SAN PATRICIO	374	-	-	4	76	14	20	8	6	2	4	22	4	178	136	-	2
11	SAN SABA	106	-	-	4	14	4	2	-	4	-	-	4	4	52	34	-	2
12	SCHLEICHER	36	-	-	-	8	-	-	-	6	-	2	-	-	24	10	-	-
13	SCURRY	168	-	-	4	30	8	6	2	4	-	-	10	4	88	58	-	-
14	SNYDER	120	-	-	2	20	4	6	-	2	-	-	8	4	70	44	-	-
15	BALANCE OF COUNTY	48	-	-	2	10	4	-	2	2	-	-	2	-	18	14	-	-
16	SHACKELFORD	38	-	-	-	10	-	6	2	-	2	-	-	2	10	8	-	-
17	SHELBY	280	4	-	6	40	12	8	4	2	-	2	12	6	132	102	-	-
18	SHERMAN	20	-	-	-	-	-	-	-	-	-	-	-	-	12	6	-	-
19	SMITH	1,008	-	-	12	182	40	48	12	22	10	10	40	20	510	344	6	2
20	TYLER	572	-	-	4	110	24	30	10	16	4	8	18	12	300	192	4	2
21	BALANCE OF COUNTY	436	-	-	8	72	16	18	2	6	6	2	22	8	210	152	2	-
22	SOMERVELL	34	-	-	2	-	-	-	-	-	-	-	-	-	18	8	-	-
23	STARR	134	2	2	2	22	8	2	2	4	-	-	6	10	60	48	-	-
24	STEPHENS	130	-	-	-	22	-	8	2	6	2	-	4	4	78	56	-	-
25	STERLING	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
26	STONEWALL	20	-	-	-	2	2	-	-	-	-	-	-	2	10	8	-	-
27	SUTTON	44	2	-	-	4	2	-	-	2	-	-	-	-	24	12	-	-
28	SWISHER	84	-	-	-	12	2	4	2	2	-	-	2	-	46	26	-	-
29	TARRANT	5,736	16	2	42	996	232	216	82	144	38	74	210	94	2,826	1,984	32	38
30	ARLINGTON	496	2	-	4	62	6	12	6	4	6	6	22	4	250	200	4	-
31	BEDFORD	44	-	-	2	8	2	-	2	2	-	2	-	-	18	8	-	-
32	EULESS	68	-	-	-	10	-	-	4	-	2	-	4	-	32	28	-	-
33	FORT WORTH, PART	3,958	8	2	28	702	164	150	54	118	22	50	144	58	1,962	1,316	22	32
34	FORT WORTH, TOTAL	3,958	8	2	28	702	164	150	54	118	22	50	144	58	1,962	1,316	22	32
35	GRAND PRAIRIE, PART	22	-	-	-	-	-	-	-	-	-	-	-	2	12	10	-	-
36	HALTOM CITY	152	2	-	2	22	8	4	2	-	-	2	6	2	82	60	-	-
37	HURST	110	-	-	2	26	10	4	-	4	2	-	6	-	48	42	-	-
38	NORTH RICHLAND HILLS	86	-	-	-	32	10	6	2	2	-	8	4	2	36	28	-	-
39	WHITE SETTLEMENT	68	-	-	2	12	2	6	-	-	-	-	4	6	34	24	-	-
40	BALANCE OF COUNTY	732	4	-	2	122	30	34	12	14	6	6	20	20	352	268	6	6
41	TAYLOR	832	2	2	4	160	40	36	16	26	4	6	32	16	390	250	6	6
42	ABILENE, PART	740	2	-	4	152	40	36	16	24	2	6	28	16	342	222	6	4
43	ABILENE, TOTAL	740	2	-	4	152	40	36	16	24	2	6	28	16	342	222	6	4
44	BALANCE OF COUNTY	92	-	2	-	8	-	-	-	2	2	-	4	-	48	28	-	2
45	TERRELL	26	-	-	2	2	2	-	-	-	-	-	-	2	8	6	-	-
46	TERRY	128	-	-	2	34	14	10	4	2	-	-	4	-	44	32	-	2
47	THROCKMORTON	46	-	-	-	8	2	4	-	-	-	-	2	-	32	28	-	-
48	TITUS	220	-	-	2	50	14	6	2	8	6	2	12	8	98	78	-	4
49	TOM GREEN	728	4	-	2	112	20	30	14	10	6	8	24	10	406	252	-	4
50	SAN ANGELO	658	-	-	2	106	20	26	14	10	6	8	22	10	368	226	-	4
51	BALANCE OF COUNTY	70	4	-	-	6	-	4	-	-	-	-	2	-	38	26	-	-
52	TRAVIS	2,102	6	-	26	376	98	100	26	56	12	20	64	40	1,026	678	20	6
53	AUSTIN	1,844	6	-	20	328	90	80	24	48	12	18	56	32	920	608	20	4
54	BALANCE OF COUNTY	258	-	-	6	48	8	20	2	8	-	2	8	8	106	70	-	2
55	TRINITY	108	-	-	-	14	10	-	4	-	-	-	-	-	56	40	2	-
56	TYLER	192	2	-	2	28	2	10	2	4	4	2	4	2	96	64	-	-
57	UPSHUR	274	2	-	-	40	18	-	10	4	2	4	2	4	138	92	-	10
58	UPTON	32	-	-	-	2	-	2	-	-	-	-	-	-	18	12	-	-
59	UVALDE	182	-	-	2	18	6	4	-	2	-	-	6	10	90	52	2	4
60	UVALDE	120	-	-	2	12	6	4	-	-	-	-	2	6	56	30	-	4
61	BALANCE OF COUNTY	62	-	-	-	6	-	-	-	2	-	-	4	4	34	22	2	-
62	VAL VERDE	186	-	-	4	30	8	8	-	4	-	-	10	10	82	60	-	2
63	DEL RIO	178	-	-	4	30	8	8	-	4	-	-	10	10	78	58	-	2
64	BALANCE OF COUNTY	8	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-
65	VAN ZANDT	390	4	-	6	64	14	20	2	8	-	-	20	10	198	152	4	2
66	VICTORIA	412	-	-	-	68	14	24	2	6	4	8	10	6	228	182	4	4
67	VICTORIA	294	-	-	-	42	6	14	-	4	4	8	6	4	170	134	2	4
68	BALANCE OF COUNTY	118	-	-	-	26	8	10	2	2	-	-	4	2	58	48	2	-
69	WALKER	210	-	-	-	44	14	10	2	2	2	2	12	8	98	62	-	-
70	HUNTSVILLE	124	-	-	-	24	8	4	2	-	-	2	8	6	58	34	-	-
71	BALANCE OF COUNTY	86	-	-	-	20	6	6	-	2	2	-	4	2	40	28	-	-
72	WALLER	142	-	-	-	16	4	6	4	-	-	2	-	2	80	46	2	-
73	WARD	100	-	-	-	8	2	-	-	2	2	-	2	-	54	46	-	-
74	WASHINGTON	252	-	-	4	38	10	8	6	4	-	2	8	8	154	104	-	2
75	WEBB	538	4	-	2	94	32	8	12	14	6	-	22	22	212	152	-	2
76	LAREDO	514	4	-	2	92	32	8	12	14	6	-	20	22	202	146	-	2
77	BALANCE OF COUNTY	24	-	-	-	2	-	-	-	-	-	-	2	-	10	6	-	-
78	WHARTON	442	-	2	6	72	18	18	10	2	6	2	16	8	222	148	-	10
79	WHEELER	98	-	-	-	20	4	2	4	6	-	-	4	-	56	40	2	-
80	WICHITA	1,066	2	-	12	164	52	44	8	14	10	10	26	18	558	406	4	10
81	WICHITA FALLS	872	2	-	10	130	40	32	8	10	10	8	22	18	466	334	4	10
82	BALANCE OF COUNTY	194	-	-	2	34	12	12	-	4	-	2	4	-	92	72	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
76	8	-	32	14	-	8	6	-	2	2	-	-	2	4	8	8	4	2	4	-	01
24	-	-	4	-	-	10	-	-	-	-	-	-	4	-	8	-	-	-	-	-	02
66	8	-	36	2	-	6	-	-	-	2	-	-	-	6	14	2	2	2	-	-	03
148	14	2	52	2	12	12	-	-	-	2	-	-	8	44	14	16	16	2	4	-	04
46	8	2	10	2	2	6	-	-	-	-	-	-	2	14	2	2	6	-	2	-	05
102	6	-	42	-	10	6	-	-	-	2	-	-	6	30	12	14	10	2	2	-	06
32	-	-	24	2	2	2	2	2	-	-	-	2	4	-	12	2	-	-	-	-	07
38	-	-	20	2	-	4	-	-	-	2	-	-	-	-	4	6	6	-	-	-	08
10	8	-	8	6	2	-	-	-	-	2	-	-	-	4	12	2	-	-	2	-	09
116	18	2	36	-	4	10	2	-	4	4	-	6	14	4	18	24	14	4	6	2	10
30	2	-	14	2	2	6	4	-	-	2	-	-	4	-	6	4	6	-	-	-	11
8	2	-	14	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	12
48	10	-	28	-	2	8	2	-	2	-	-	-	-	4	16	-	8	2	-	-	13
36	8	-	24	-	2	6	2	-	2	-	-	-	-	2	8	-	4	-	-	-	14
12	2	-	4	-	-	2	-	-	-	-	-	-	-	2	8	-	4	2	-	-	15
4	4	-	-	-	2	2	2	-	-	-	-	-	-	4	4	-	4	-	-	-	16
84	18	-	28	2	-	6	6	2	4	-	-	2	2	14	18	12	14	6	6	-	17
4	2	-	4	2	-	-	-	-	-	-	2	-	-	-	2	2	-	2	-	-	18
302	34	2	128	24	12	26	20	2	2	8	-	8	26	10	84	42	34	12	10	-	19
172	14	2	88	12	6	18	10	-	2	2	-	6	8	4	34	26	20	12	4	-	20
130	20	-	40	12	6	8	10	2	-	6	-	2	18	6	50	16	14	-	6	-	21
6	2	2	8	-	-	-	-	-	-	-	-	-	2	4	6	2	-	-	-	-	22
44	4	-	12	-	-	14	-	-	4	-	-	2	2	2	8	2	-	-	2	-	23
46	10	-	20	2	-	2	4	-	-	-	-	2	-	4	10	2	2	-	-	-	24
-	-	-	2	-	-	2	2	-	-	-	-	-	-	2	-	-	-	-	-	-	25
8	-	-	2	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	26
10	2	-	12	-	-	-	2	-	-	-	-	-	2	2	4	-	-	2	2	-	27
22	4	-	18	2	-	6	-	-	-	-	-	2	2	2	4	2	4	2	2	-	28
1,734	180	22	656	108	56	192	98	24	110	14	2	46	184	34	456	190	188	106	108	8	29
178	18	-	44	-	6	30	10	-	8	-	-	4	20	8	48	28	12	6	-	-	30
8	-	-	8	2	-	-	2	-	-	-	-	-	-	-	6	4	2	2	-	-	31
24	4	-	2	-	2	2	-	-	2	-	-	2	4	2	4	4	2	4	-	-	32
1,136	126	18	500	84	44	120	70	20	82	14	2	20	120	16	324	114	128	68	96	4	33
1,136	126	18	500	84	44	120	70	20	82	14	2	20	120	16	324	114	128	68	96	4	34
10	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	-	-	35
56	4	-	18	4	-	6	6	2	4	-	-	-	-	-	14	4	2	4	-	-	36
42	-	-	2	4	-	2	2	-	-	-	-	4	4	2	2	6	8	4	-	-	37
28	-	-	8	-	-	-	2	-	-	-	-	2	6	-	4	2	-	-	-	-	38
24	-	-	10	-	-	4	-	-	2	-	-	-	-	-	2	4	-	2	-	-	39
228	28	4	62	14	4	28	6	2	12	-	-	14	30	6	50	24	30	14	12	4	40
208	30	2	98	28	12	24	16	6	12	6	-	8	22	10	62	42	28	12	10	-	41
186	26	-	86	26	8	18	14	6	10	6	-	6	16	6	60	40	24	10	8	-	42
186	26	-	86	26	8	18	14	6	10	6	-	6	16	6	60	40	24	10	8	-	43
22	4	2	12	2	4	6	2	-	2	-	-	2	6	4	2	2	4	2	2	-	44
6	-	-	2	-	-	2	-	-	-	-	-	-	-	2	2	-	6	-	-	-	45
26	4	-	10	-	2	2	6	-	-	-	-	4	8	-	14	6	2	4	-	2	46
26	2	-	4	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	47
52	22	2	14	4	-	4	4	-	-	2	-	2	2	8	12	10	8	6	4	-	48
232	16	-	132	12	10	42	16	8	6	-	2	2	20	4	52	16	12	8	6	-	49
206	16	-	120	12	10	40	14	8	6	-	2	2	16	4	46	14	6	8	6	-	50
26	-	-	12	-	-	2	2	-	-	-	-	-	4	-	6	2	6	-	-	-	51
574	78	4	246	78	20	48	32	4	36	14	4	20	44	30	142	106	80	30	36	2	52
518	66	2	224	66	20	46	32	4	34	14	4	14	38	20	118	92	66	26	28	2	53
56	12	2	22	12	-	2	-	-	2	-	-	6	6	10	24	14	14	4	8	-	54
36	2	-	14	2	-	2	2	-	-	-	-	-	-	10	8	8	8	-	-	-	55
48	16	-	32	-	-	16	2	-	-	6	-	-	6	6	10	2	6	2	6	-	56
58	24	-	36	6	4	6	4	2	2	-	-	-	4	14	26	14	12	2	4	-	57
8	4	-	6	-	-	-	-	-	2	-	-	-	2	-	2	-	4	2	-	-	58
42	4	-	32	6	-	10	-	-	4	2	-	2	4	6	14	8	6	2	4	-	59
26	-	-	20	6	-	8	-	-	2	2	-	2	4	6	8	4	6	-	2	-	60
16	4	-	12	-	-	2	-	-	2	-	-	-	-	-	6	4	-	2	2	-	61
48	10	-	20	-	2	8	6	6	4	-	-	2	14	-	12	2	4	-	2	-	62
48	8	-	18	-	2	8	6	6	4	-	-	2	12	-	12	2	2	-	2	-	63
-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	64
118	28	2	36	6	2	20	4	2	2	4	-	-	4	10	26	18	14	4	-	-	65
160	14	-	40	4	2	8	6	8	4	-	-	4	12	2	30	14	16	4	2	-	66
116	12	-	32	2	2	6	4	8	4	-	-	-	8	-	22	10	12	4	-	-	67
44	2	-	8	2	-	2	2	-	-	-	-	4	4	2	8	4	4	-	2	-	68
56	6	-	34	-	2	12	4	-	2	-	2	2	6	4	14	6	4	-	4	-	69
30	4	-	22	-	2	4	-	-	2	-	2	-	6	2	12	4	2	-	2	-	70
26	2	-	12	-	-	8	4	-	-	-	-	2	-	2	2	2	2	-	2	-	71
40	4	2	28	4	-	4	-	-	2	4	-	-	6	10	8	2	8	-	-	-	72
38	8	-	6	-	2	2	-	-	-	-	-	-	4	2	8	12	8	2	-	-	73
84	18	-	48	-	2	4	2	6	-	2	-	2	2	6	6	10	8	-	-	-	74
126	24	8	38	10	4	18	14	4	14	2	-	8	20	38	50	12	16	4	4	-	75
120	24	8	36	10	2	14	12	4	14	2	-	8	20	36	46	12	16	4	4	-	76
6	-	-	2	-	2	4	2	-	-	-	-	-	-	2	4	-	-	-	-	-	77
110	28	2	64	2	6	14	6	-	8	2	2	2	10	14	34	26	8	2	4	-	78
36	2	-	14	-	2	4	-	-	-	4	-	-	-	2	8	-	4	-	-	-	79
376	16	2	116	18	16	68	8	-	16	2	-	20	36	6	74	24	32	14	12	-	80
308	12	2	102	16	12	46	2	-	14	-	-	18	34	4	68	14	26	8	12	-	81
68	4	-	14	2	4	22	6	-	2	2	-	2	2	2	6	10	6	6	-	-	82

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	TEXAS--CON.																	
01	WILBARGER	238	-	-	4	46	18	8	2	8	4	-	6	6	110	74	2	-
02	VERNON	216	-	-	4	46	18	8	2	8	4	-	6	4	96	62	2	-
03	BALANCE OF COUNTY	22	-	-	-	-	-	-	-	-	-	-	-	2	14	12	-	-
04	WILLACY	118	-	-	6	20	6	6	2	-	-	-	6	2	60	48	-	-
05	WILLIAMSON	510	-	-	4	56	18	12	6	2	2	2	14	4	312	230	-	-
06	WILSON	140	-	-	2	32	12	4	-	4	2	4	6	2	70	50	-	2
07	WINKLER	86	-	-	2	12	6	2	-	-	-	2	2	-	48	34	-	-
08	WISE	232	-	-	-	38	14	6	4	8	2	2	2	4	126	98	4	-
09	WOOD	276	2	-	-	42	14	10	-	6	2	6	4	4	162	100	-	2
10	YOAKUM	50	-	-	-	2	-	-	2	-	-	-	-	-	34	28	-	-
11	YOUNG	198	-	-	2	22	6	6	-	2	-	-	8	4	108	76	-	2
12	ZAPATA	44	-	-	-	6	-	-	-	2	-	2	2	-	22	16	-	-
13	ZAVALA	58	-	-	-	10	4	-	-	2	-	-	4	-	34	26	4	-
14	**UTAH**	7,322	10	-	62	1,002	268	144	92	156	46	64	232	156	3,430	2,468	88	42
15	URBAN PLACES	3,856	4	-	28	520	128	80	40	78	32	38	124	86	1,862	1,336	52	20
16	BALANCE OF AREA	3,466	6	-	34	482	140	64	52	78	14	26	108	70	1,568	1,132	36	22
17	METROPOLITAN COUNTIES	5,364	6	-	42	754	188	124	68	100	38	48	188	128	2,462	1,786	66	22
18	URBAN PLACES	3,536	4	-	24	484	116	78	36	68	30	34	122	78	1,684	1,220	44	14
19	BALANCE OF AREA	1,828	2	-	18	270	72	46	32	32	8	14	66	50	778	566	22	8
20	NONMETROPOLITAN COUNTIES	1,958	4	-	20	248	80	20	24	56	8	16	44	28	968	682	22	20
21	URBAN PLACES	320	-	-	4	36	12	2	4	10	2	4	2	8	178	116	8	6
22	BALANCE OF AREA	1,638	4	-	16	212	68	18	20	46	6	12	42	20	790	566	14	14
23	BEAVER	40	-	-	-	6	2	2	2	-	-	-	-	-	22	16	-	2
24	BOX ELDER	168	-	-	4	14	6	-	-	2	-	2	4	4	90	46	2	-
25	BRIGHAM CITY	88	-	-	2	6	2	-	-	2	-	-	2	2	52	28	-	-
26	BALANCE OF COUNTY	80	-	-	2	8	4	-	-	-	-	2	2	2	38	18	2	-
27	CACHE	266	-	-	2	36	4	-	8	14	2	6	2	-	154	104	8	8
28	LOGAN	130	-	-	2	14	2	-	4	4	-	4	-	-	78	48	8	6
29	BALANCE OF COUNTY	136	-	-	-	22	2	-	4	10	2	2	2	-	76	56	-	2
30	CARBON	174	2	-	-	24	8	4	4	4	-	-	4	2	88	78	-	-
31	DAGGETT	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
32	DAVIS	352	-	-	2	44	12	4	2	8	2	2	14	2	170	122	6	-
33	BOUNTIFUL	106	-	-	-	8	-	-	-	-	2	-	6	-	52	44	2	-
34	CLEARFIELD	44	-	-	-	10	2	2	-	4	-	2	-	2	20	14	2	-
35	LAYTON	58	-	-	-	12	6	-	-	-	-	-	6	-	28	20	-	-
36	BALANCE OF COUNTY	144	-	-	2	14	4	2	2	4	-	-	2	-	70	44	2	-
37	DUCHESNE	82	-	-	-	12	6	-	2	-	-	-	4	-	40	26	-	-
38	EMERY	58	-	-	-	4	2	-	-	-	-	2	-	-	28	18	-	-
39	GARFIELD	26	-	-	-	6	4	-	-	2	-	-	-	-	8	4	-	-
40	GRAND	46	-	-	-	4	-	2	-	2	-	-	-	2	20	10	-	-
41	IRON	114	-	-	-	10	6	-	-	-	-	-	4	2	64	46	-	2
42	JUAB	60	-	-	-	16	4	2	-	6	-	-	4	-	32	20	-	-
43	KANE	26	-	-	-	-	-	-	-	-	-	-	-	-	16	14	-	-
44	MILLARD	78	-	-	-	6	4	2	-	-	-	-	-	2	36	20	2	-
45	MORGAN	28	-	-	-	2	-	-	-	-	2	-	-	-	14	10	2	2
46	PIUTE	12	-	-	-	2	-	-	-	-	-	-	2	-	2	2	-	-
47	RICH	28	-	-	-	2	-	-	-	-	-	-	2	-	20	18	2	-
48	SALT LAKE	3,318	4	-	18	462	114	84	48	62	22	24	108	66	1,572	1,124	36	10
49	MURRAY	160	-	-	-	26	6	4	2	4	2	2	6	2	86	62	-	-
50	SALT LAKE CITY	2,056	2	-	6	272	68	48	26	38	16	14	62	40	1,018	728	24	6
51	BALANCE OF COUNTY	1,102	2	-	12	164	40	32	20	20	4	8	40	24	468	334	12	4
52	SAN JUAN	54	-	-	4	2	-	2	-	-	-	-	-	-	12	6	-	2
53	SANPETE	102	-	-	-	14	4	-	-	4	2	-	4	-	54	30	2	-
54	SEVIER	108	-	-	-	16	8	4	2	2	-	-	-	-	52	42	-	-
55	SUMMIT	60	-	-	-	10	4	-	-	4	-	2	-	-	30	24	-	2
56	TOOELE	150	-	-	2	22	10	2	-	4	2	2	2	8	72	60	-	2
57	TOOELE	102	-	-	-	16	8	2	-	4	2	-	-	6	48	40	-	-
58	BALANCE OF COUNTY	48	-	-	2	6	2	-	-	-	-	2	2	2	24	20	-	2
59	UINTAH	84	2	-	6	12	4	-	4	2	-	-	2	2	20	16	2	-
60	UTAH	892	-	-	16	134	34	18	10	18	4	14	36	26	332	236	4	4
61	OREM	122	-	-	4	20	6	2	-	4	-	4	4	-	58	38	-	-
62	PROVO	216	-	-	8	34	10	4	-	6	-	4	10	6	88	58	-	-
63	BALANCE OF COUNTY	464	-	-	4	80	18	12	10	8	4	6	22	20	186	140	4	4
64	WASATCH	56	-	-	-	10	2	-	-	-	-	2	6	2	30	24	2	-
65	WASHINGTON	128	-	-	2	16	2	-	2	8	-	-	4	4	58	44	-	-
66	WAYNE	8	-	-	-	2	-	-	-	2	-	-	-	-	4	2	-	-
67	WEBER	892	2	-	6	114	28	18	8	12	10	8	30	34	388	304	20	8
68	OGDEN	716	-	-	6	88	12	16	8	10	10	8	24	28	324	246	16	8
69	ROY	58	2	-	-	14	6	2	-	2	-	-	4	-	10	10	-	-
70	BALANCE OF COUNTY	118	-	-	-	12	10	-	-	-	-	-	2	6	54	48	4	-
71	**VERMONT**	4,318	6	-	22	768	220	156	60	92	36	52	152	66	2,342	1,684	20	18
72	URBAN PLACES	720	2	-	2	132	40	24	10	12	4	6	36	22	382	262	2	-
73	BALANCE OF AREA	3,598	4	-	20	636	180	132	50	80	32	46	116	44	1,960	1,422	18	18

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
58	14	-	30	-	6	10	4	-	2	2	-	-	2	10	16	16	4	4	2	-	01
48	12	-	28	-	6	10	4	-	-	2	-	-	2	10	16	12	4	4	2	-	02
10	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-	4	-	-	-	-	03
40	8	-	12	-	-	8	2	-	-	-	-	-	2	-	4	10	2	2	-	-	04
216	14	2	56	16	8	18	2	-	-	4	-	2	6	6	44	26	22	2	2	-	05
40	8	2	16	2	-	4	2	-	-	-	-	-	2	-	14	8	2	2	-	-	06
24	10	-	10	2	2	2	-	4	-	2	-	-	4	-	-	6	4	2	-	-	07
74	20	-	24	-	4	10	2	-	-	-	2	-	4	10	10	14	10	2	-	-	08
70	28	-	60	-	2	4	4	2	-	-	-	6	4	4	16	10	10	6	-	-	09
26	2	-	6	-	-	-	-	-	-	-	-	-	-	2	2	2	8	-	-	-	10
54	20	-	26	4	2	16	2	2	-	-	-	-	2	4	18	10	6	2	-	-	11
12	4	-	4	-	2	-	-	-	2	-	-	-	2	4	4	2	-	2	-	-	12
22	-	-	8	-	-	2	-	2	-	-	-	-	2	-	8	-	-	-	-	-	13
2,112	226	16	738	116	92	194	126	20	130	38	8	104	184	278	670	350	352	136	42	30	14
1,130	134	10	396	64	56	98	62	8	88	26	2	68	98	136	360	132	148	80	30	20	15
982	92	6	342	52	36	96	64	12	42	12	6	36	86	142	310	218	204	56	12	10	16
1,522	176	8	526	74	68	134	92	14	106	34	2	86	150	214	512	212	242	118	34	22	17
1,040	122	6	348	60	50	86	54	8	80	26	2	58	94	130	338	124	136	78	30	18	18
482	54	2	178	14	18	48	38	6	26	8	-	28	56	84	174	88	106	40	4	4	19
590	50	8	212	42	24	60	34	6	24	4	6	18	34	64	158	138	110	18	8	8	20
90	12	4	48	4	6	12	8	-	8	-	-	10	4	6	22	8	12	2	-	2	21
500	38	4	164	38	18	48	26	6	16	4	6	8	30	58	136	130	98	16	8	6	22
14	-	-	4	2	-	-	-	-	-	-	-	-	-	2	2	6	2	-	-	-	23
40	4	6	28	8	2	4	4	-	-	-	2	2	4	6	14	6	12	2	-	-	24
26	2	2	16	4	2	4	2	-	-	-	-	2	-	-	6	4	6	2	-	-	25
14	2	4	12	4	-	-	2	-	-	-	2	-	4	6	8	2	6	-	-	-	26
80	8	2	44	2	2	4	6	-	6	-	-	6	4	6	18	10	10	2	-	2	27
28	6	2	26	-	2	2	4	-	4	-	-	6	2	4	8	2	2	-	-	2	28
52	2	-	18	2	-	2	2	-	2	-	-	-	2	2	10	8	8	2	-	-	29
78	-	-	2	2	6	12	2	-	4	-	-	-	2	-	18	6	6	2	6	-	30
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
100	16	-	42	4	2	6	6	-	4	-	-	6	10	16	30	14	24	8	6	4	32
40	2	-	8	-	-	6	-	-	4	-	-	2	6	6	10	-	10	2	-	-	33
10	2	-	4	2	-	-	-	-	-	-	-	-	-	-	6	-	2	-	4	-	34
12	8	-	8	-	-	-	-	-	-	-	-	2	-	-	4	2	2	4	-	4	35
38	4	-	22	2	2	-	6	-	-	-	-	2	4	10	10	12	10	2	2	-	36
24	2	-	14	-	-	4	-	-	2	-	-	2	-	2	12	6	2	-	-	-	37
16	2	-	8	2	-	2	4	-	2	-	-	-	2	2	10	-	2	2	-	-	38
4	-	-	4	-	-	-	-	-	-	-	-	2	-	2	-	2	4	2	-	-	39
10	-	-	10	-	-	2	-	-	-	-	-	-	-	-	2	4	10	-	-	2	40
42	2	-	14	-	4	-	8	2	-	-	-	-	6	4	4	8	6	-	-	-	41
18	2	-	8	4	-	2	-	-	-	-	-	-	4	-	-	4	2	-	-	-	42
14	-	-	2	-	-	-	-	-	-	-	-	-	-	-	6	4	-	-	-	-	43
16	2	-	10	4	2	4	-	-	-	-	-	-	-	6	14	6	4	-	-	-	44
4	2	-	4	-	-	-	-	-	2	-	-	-	-	-	6	2	2	-	-	-	45
2	-	-	-	-	-	-	-	-	-	2	-	-	-	4	-	2	-	-	-	-	46
10	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	47
958	120	6	360	42	40	74	54	12	62	18	2	46	88	140	308	154	122	88	18	10	48
56	6	-	20	2	2	2	2	-	2	4	-	-	-	10	10	8	2	6	-	-	49
612	86	4	228	30	28	46	30	6	42	12	2	26	52	84	196	86	64	46	16	10	50
290	28	2	112	10	10	26	22	6	18	2	-	20	36	46	102	60	56	36	2	-	51
2	2	-	4	2	-	6	2	-	-	-	-	-	-	8	2	14	2	-	-	2	52
28	-	-	16	2	6	4	-	-	-	-	-	-	-	10	10	6	4	-	-	-	53
40	2	-	8	2	-	2	2	-	-	2	-	2	-	-	8	14	8	-	2	-	54
20	2	-	4	2	-	4	-	2	-	-	-	-	4	2	2	2	4	-	-	-	55
54	4	-	8	2	2	6	2	-	6	-	-	2	2	4	8	6	8	2	-	-	56
36	4	-	6	-	2	6	2	-	4	-	-	2	2	2	8	2	4	-	-	-	57
18	-	-	2	2	-	-	-	-	2	-	-	-	-	2	-	4	4	2	-	-	58
8	6	-	4	-	-	-	2	-	2	-	2	-	2	-	6	14	10	2	-	2	59
214	14	-	68	16	12	24	14	-	18	10	-	20	34	30	84	18	34	-	2	6	60
38	-	-	16	4	-	2	2	-	4	-	-	8	6	2	10	4	2	-	-	-	61
56	2	-	14	10	6	2	6	-	6	4	-	6	12	4	26	4	6	-	2	2	62
120	12	-	38	2	6	20	6	-	8	6	-	6	16	24	48	10	26	-	-	4	63
20	2	-	4	2	-	2	2	-	-	-	-	-	2	-	2	2	4	-	-	-	64
42	2	-	10	4	-	2	-	2	-	-	2	2	2	6	14	6	8	4	-	-	65
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	66
250	26	2	56	12	14	30	18	2	22	6	-	14	18	28	90	26	62	22	8	2	67
206	16	2	50	12	14	26	14	2	22	4	-	14	12	22	72	20	38	14	8	2	68
10	-	-	-	-	-	2	-	-	-	2	-	-	6	2	4	-	10	6	-	-	69
34	10	-	6	-	-	2	4	-	-	-	-	-	-	4	14	6	14	2	-	-	70
1,558	88	34	432	114	78	164	68	16	62	24	-	32	52	34	376	100	108	66	10	2	71
242	18	6	86	14	14	28	6	-	10	2	-	12	10	-	76	8	10	14	4	-	72
1,316	70	28	346	100	64	136	62	16	52	22	-	20	42	34	300	92	98	52	6	2	73

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	VERMONT—CON.																	
01	NONMETROPOLITAN COUNTIES	4,318	6	-	22	768	220	156	60	92	36	52	152	66	2,342	1,684	20	18
02	URBAN PLACES	720	2	-	2	132	40	24	10	12	4	6	36	22	382	262	2	-
03	BALANCE OF AREA	3,598	4	-	20	636	180	132	50	80	32	46	116	44	1,960	1,422	18	18
04	ADDISON	202	-	-	-	34	8	6	-	8	2	4	6	2	118	86	2	-
05	BENNINGTON	312	-	-	-	48	14	8	10	6	-	2	8	6	192	142	2	-
06	CALEDONIA	268	-	-	-	42	18	4	-	6	2	2	10	2	124	86	-	2
07	CHITTENDEN	670	-	-	6	136	38	22	14	16	4	6	36	16	342	256	4	-
08	BURLINGTON	354	-	-	2	68	24	6	4	6	2	2	24	12	180	132	2	-
09	BALANCE OF COUNTY	316	-	-	4	68	14	16	10	10	2	4	12	4	162	124	2	-
10	ESSEX	48	-	-	2	12	6	-	-	2	-	2	2	-	30	10	-	-
11	FRANKLIN	322	2	-	4	70	20	10	10	16	4	4	6	2	166	140	-	2
12	GRAND ISLE	28	-	-	-	4	-	2	-	-	-	-	2	-	16	10	2	-
13	LAMOILLE	118	-	-	-	14	4	6	-	-	-	2	2	2	78	58	-	-
14	ORANGE	214	-	-	2	34	12	8	2	4	2	-	6	6	114	88	-	-
15	ORLEANS	238	2	-	-	52	16	10	4	4	6	4	8	8	118	92	-	-
16	RUTLAND	584	-	-	2	94	14	26	6	10	2	14	22	8	304	212	4	6
17	RUTLAND	234	-	-	-	38	4	14	6	2	2	2	8	4	124	82	-	-
18	BALANCE OF COUNTY	350	-	-	2	56	10	12	-	8	-	12	14	4	180	130	4	6
19	WASHINGTON	426	2	-	6	72	28	12	6	6	4	2	14	8	236	158	-	2
20	BARRE	132	2	-	-	26	12	4	-	4	-	2	4	6	78	48	-	-
21	BALANCE OF COUNTY	294	-	-	6	46	16	8	6	2	4	-	10	2	158	110	-	2
22	WINDHAM	376	-	-	-	64	12	24	6	8	6	2	6	4	214	148	-	4
23	WINDSOR	512	-	-	-	92	30	18	2	6	4	8	24	2	290	198	6	2
24	**VIRGINIA**	40,960	86	2	262	7,240	1,822	1,782	592	908	286	306	1,544	728	20,490	14,778	230	280
25	URBAN PLACES	18,474	36	2	114	3,400	856	842	292	410	140	134	726	326	9,054	6,536	98	138
26	BALANCE OF AREA	22,486	50	-	148	3,840	966	940	300	498	146	172	818	402	11,436	8,242	132	142
27	METROPOLITAN COUNTIES	21,708	48	2	132	4,098	1,012	1,024	354	478	162	158	910	374	10,462	7,532	112	152
28	URBAN PLACES	15,900	36	2	102	2,954	732	752	254	346	124	114	632	272	7,716	5,590	78	118
29	BALANCE OF AREA	5,808	12	-	30	1,144	280	272	100	132	38	44	278	102	2,746	1,942	34	34
30	NONMETROPOLITAN COUNTIES	19,252	38	-	130	3,142	810	758	238	430	124	148	634	354	10,028	7,246	118	128
31	URBAN PLACES	2,574	-	-	12	446	124	90	38	64	16	20	94	54	1,338	946	20	20
32	BALANCE OF AREA	16,678	38	-	118	2,696	686	668	200	366	108	128	540	300	8,690	6,300	98	108
33	ACCOMACK	398	-	-	4	78	16	14	2	18	10	4	14	4	212	158	4	-
34	ALBEMARLE	270	-	-	4	68	8	18	12	10	2	2	16	10	112	90	2	-
35	ALLEGHANY	104	-	-	-	14	2	6	-	2	-	-	4	-	60	44	6	-
36	AMELIA	88	-	-	-	14	4	6	2	-	-	-	2	2	48	44	-	6
37	AMHERST	226	-	-	2	42	18	6	6	4	-	2	6	6	116	62	-	2
38	APPOMATTOX	106	-	-	-	10	-	4	-	-	-	4	2	2	70	58	2	-
39	ARLINGTON#	1,274	-	-	2	270	68	58	24	32	16	10	62	14	648	474	8	4
40	AUGUSTA	422	-	-	-	58	18	16	-	8	2	6	8	8	230	154	2	2
41	BATH	70	-	-	-	12	2	2	2	4	2	-	-	4	32	32	-	-
42	BEDFORD	246	-	-	-	22	4	2	6	2	2	-	6	8	120	70	2	-
43	BLAND	66	-	-	-	4	-	-	2	-	-	-	2	-	46	40	-	-
44	BOTETOURT	192	-	-	2	28	6	10	-	-	2	-	10	4	106	64	-	2
45	BRUNSWICK	162	-	-	2	32	2	12	2	2	2	2	10	4	84	62	-	-
46	BUCHANAN	232	-	-	-	22	4	10	-	4	-	-	4	4	116	108	-	-
47	BUCKINGHAM	102	-	-	2	12	4	6	-	2	-	-	-	-	56	38	-	-
48	CAMPBELL	346	2	-	2	58	20	10	4	12	4	2	6	2	184	142	-	2
49	CAROLINE	172	2	-	2	42	12	14	4	2	2	4	4	2	64	50	2	-
50	CARROLL	236	-	-	2	32	10	6	-	2	-	2	12	6	136	92	-	6
51	CHARLES CITY	76	-	-	2	10	-	4	-	4	2	-	-	2	34	24	-	-
52	CHARLOTTE	168	2	-	-	18	2	4	4	2	-	-	6	4	102	64	4	4
53	CHESTERFIELD	412	2	-	2	80	20	20	14	8	-	6	12	6	174	136	-	4
54	CLARKE	120	-	-	-	28	10	6	2	6	-	2	2	2	48	34	-	6
55	CRAIG	52	2	-	-	4	2	-	-	2	-	-	-	-	40	28	2	-
56	CULPEPER	234	-	-	-	42	14	8	6	2	2	-	10	2	120	94	2	2
57	CUMBERLAND	72	-	-	2	4	-	-	-	2	-	-	2	4	38	32	-	2
58	DICKENSON	158	-	-	-	22	8	2	2	6	2	2	-	2	82	60	2	-
59	DINWIDDIE	154	2	-	-	28	6	6	2	2	-	2	10	4	74	46	-	-
60	ESSEX	86	-	-	-	20	2	6	-	4	2	-	6	-	36	20	-	-
61	FAIRFAX	1,790	2	-	12	394	82	96	44	42	10	14	106	36	800	590	12	10
62	VIENNA	102	2	-	-	28	2	10	10	2	-	2	2	-	32	26	-	-
63	BALANCE OF COUNTY	1,688	-	-	12	366	80	86	34	40	10	12	104	36	768	564	12	10
64	FAUQUIER	308	-	-	6	56	20	12	4	8	2	-	10	6	160	120	-	4
65	FLOYD	124	-	-	2	20	-	8	2	2	-	-	8	4	70	40	-	-
66	FLUVANNA	90	-	-	2	8	-	2	-	-	-	-	6	-	42	36	-	-
67	FRANKLIN	258	-	-	-	48	8	14	8	-	4	4	10	2	122	78	2	2
68	FREDERICK	248	-	-	2	36	10	8	4	6	-	-	8	-	142	88	-	-
69	GILES	202	2	-	2	22	8	6	-	6	-	-	2	2	116	92	2	6
70	GLOUCESTER	158	2	-	4	30	12	6	2	-	-	2	8	-	86	60	-	-
71	GOOCHLAND	94	-	-	2	20	4	2	8	4	-	-	2	2	52	40	-	-
72	GRAYSON	152	-	-	2	22	4	6	2	2	-	2	6	6	86	66	4	2
73	GREENE	66	-	-	2	2	-	2	-	-	-	-	-	-	36	26	-	-
74	GREENSVILLE	108	-	-	-	6	2	-	4	-	-	-	-	6	56	48	-	-
75	HALIFAX	328	2	-	6	52	22	8	-	4	-	10	8	4	184	124	4	4
76	HANOVER	334	-	-	-	64	18	6	6	10	2	2	20	10	164	104	-	6
77	HENRICO	1,210	4	-	2	256	74	72	14	18	12	6	60	18	600	438	12	6
78	HENRY	294	-	-	-	52	10	6	2	10	4	2	18	4	136	84	2	-
79	HIGHLAND	48	-	-	-	14	4	4	-	4	-	-	2	-	24	10	2	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,558	88	34	432	114	78	164	68	16	62	24	-	32	52	34	376	100	108	66	10	2	01
242	18	6	86	14	14	28	6	-	10	2	-	12	10	-	76	8	10	14	4	-	02
1,316	70	28	346	100	64	136	62	16	52	22	-	20	42	34	300	92	98	52	6	2	03
84	-	-	20	4	8	6	4	-	2	-	-	2	2	-	18	6	4	4	-	-	04
136	4	4	30	10	6	16	6	-	4	-	-	2	-	-	28	4	2	2	2	-	05
80	4	-	30	4	4	12	6	2	2	-	-	-	2	20	38	6	4	6	2	-	06
236	16	4	54	12	16	26	4	-	10	4	-	8	10	-	62	14	16	12	4	-	07
116	14	2	28	8	10	18	2	-	8	-	-	4	4	-	38	2	6	6	4	-	08
120	2	2	26	4	6	8	2	-	2	4	-	4	6	-	24	12	10	6	-	-	09
10	-	-	14	2	4	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	10
134	4	-	12	10	4	18	2	4	6	-	-	4	4	2	20	10	6	2	-	-	11
6	2	2	4	-	-	-	-	-	-	-	-	-	-	2	4	-	-	2	-	-	12
54	4	2	6	12	-	2	2	-	-	-	-	-	2	-	10	4	2	-	-	2	13
84	4	2	16	8	-	16	2	-	4	-	-	-	2	-	12	2	14	6	-	-	14
86	6	2	14	-	10	4	4	4	8	-	-	-	2	-	14	10	8	4	-	-	15
188	14	8	54	16	14	12	6	2	10	8	-	12	8	4	68	16	18	10	2	-	16
80	2	2	32	6	2	10	-	-	2	-	-	6	4	-	30	4	4	8	-	-	17
108	12	6	22	10	12	2	6	2	8	8	-	6	4	4	38	12	14	2	2	-	18
146	10	2	66	6	4	16	12	-	4	6	-	4	6	-	30	10	6	8	-	-	19
46	2	2	26	-	2	-	4	-	-	2	-	2	2	-	8	2	-	-	-	-	20
100	8	-	40	6	2	16	8	-	4	4	-	2	4	-	22	8	6	8	-	-	21
134	10	4	44	12	6	18	6	2	6	-	-	-	6	-	30	4	18	4	-	-	22
180	10	4	68	18	2	18	14	2	4	6	-	-	8	6	40	14	10	6	-	-	23
13,388	880	176	4,358	616	562	1,456	574	146	642	220	12	318	890	674	3,270	1,228	1,514	676	498	34	24
5,850	450	62	1,948	260	248	678	260	76	362	116	4	142	424	352	1,500	422	610	300	280	16	25
7,538	430	114	2,410	356	314	778	314	70	280	104	8	176	466	322	1,770	806	904	376	218	18	26
6,764	504	74	2,240	318	298	746	276	84	404	118	4	186	516	380	1,722	610	810	410	308	18	27
5,000	394	56	1,620	232	218	578	196	68	308	96	4	128	384	308	1,300	372	542	262	258	14	28
1,764	110	18	620	86	80	168	80	16	96	22	-	58	132	72	422	238	268	148	50	4	29
6,624	376	102	2,118	298	264	710	298	62	238	102	8	132	374	294	1,548	618	704	266	190	16	30
850	56	6	328	28	30	100	64	8	54	20	-	14	40	44	200	50	68	38	22	2	31
5,774	320	96	1,790	270	234	610	234	54	184	82	8	118	334	250	1,348	568	636	228	168	14	32
144	10	2	38	8	6	18	2	-	-	2	-	-	2	-	34	14	10	-	18	-	33
76	12	-	14	2	6	8	4	-	8	-	-	4	-	8	18	8	14	4	-	-	34
36	2	2	10	2	2	-	6	-	2	-	-	-	-	4	6	2	4	4	2	-	35
26	12	2	2	-	-	-	-	-	2	-	-	-	4	2	6	4	6	-	-	-	36
56	4	4	42	4	4	8	6	-	2	-	-	-	6	2	12	6	16	2	-	-	37
52	4	-	12	-	-	2	-	-	-	-	-	-	2	-	10	2	4	4	-	-	38
442	20	2	134	20	18	28	16	14	46	2	-	2	24	26	84	22	38	34	4	-	39
142	8	2	52	6	16	10	6	-	6	2	4	8	4	10	38	14	18	4	2	-	40
28	4	-	-	-	-	2	-	-	2	-	-	-	2	-	12	2	-	2	-	-	41
66	2	-	38	8	4	10	4	2	2	4	-	2	6	14	20	8	12	2	6	4	42
40	-	-	4	-	2	2	-	-	-	-	-	-	2	-	8	-	4	-	-	-	43
62	-	-	30	8	4	4	4	2	2	-	-	2	4	-	16	6	8	4	-	-	44
60	2	2	14	4	2	4	2	2	-	2	-	2	2	2	6	8	8	2	-	-	45
108	-	-	6	-	2	14	2	2	2	-	-	8	6	-	22	8	16	4	6	-	46
34	4	-	12	4	2	4	4	-	7	2	-	-	4	2	2	6	6	-	-	-	47
124	16	2	32	6	2	10	4	2	-	-	-	2	4	-	28	22	14	8	4	-	48
46	2	-	12	-	2	6	-	-	-	-	-	-	6	12	14	6	10	2	2	2	49
82	4	-	40	2	2	8	-	-	4	-	-	2	4	8	20	6	6	-	2	-	50
24	-	-	10	-	-	4	-	-	-	-	-	-	2	-	8	6	6	2	-	-	51
54	2	-	28	8	2	2	-	-	4	-	-	2	2	-	10	8	8	2	4	-	52
124	8	4	26	2	6	22	6	-	6	4	-	8	10	4	36	20	18	10	4	-	53
26	2	-	6	4	4	6	4	-	-	-	-	2	2	2	8	4	6	4	4	-	54
24	2	-	10	2	-	2	-	-	-	-	-	-	-	-	4	-	-	-	-	-	55
90	-	-	18	2	6	4	2	-	2	2	-	2	2	2	24	10	16	2	2	-	56
24	6	-	6	-	-	2	-	-	-	-	-	-	2	-	6	8	4	2	-	-	57
54	4	-	12	4	6	6	6	-	-	-	-	2	6	2	26	2	2	-	-	-	58
42	4	-	24	2	2	6	-	-	-	-	-	-	4	2	12	10	10	2	-	-	59
20	-	-	12	4	-	6	2	-	2	-	-	-	2	-	6	4	4	-	4	-	60
540	28	4	156	32	18	42	18	6	42	-	-	14	36	32	124	74	78	66	12	2	61
22	4	-	4	2	-	6	4	2	4	-	-	-	4	2	8	2	4	2	2	-	62
518	24	4	152	30	18	36	14	4	38	-	-	14	32	30	116	72	74	64	10	2	63
112	4	-	26	12	2	10	-	-	7	-	-	6	8	8	16	12	12	2	4	-	64
36	4	4	20	2	4	10	2	-	-	-	-	-	2	-	4	2	6	2	-	-	65
30	6	-	6	-	-	4	2	-	-	-	-	-	2	2	14	2	12	-	-	-	66
72	2	-	38	2	4	10	8	-	4	-	-	4	2	10	26	10	8	2	2	-	67
82	6	4	34	6	10	10	4	2	4	-	-	-	4	4	14	10	8	6	2	-	68
82	2	-	14	8	2	10	2	-	2	-	-	4	8	-	18	4	6	-	4	-	69
58	2	4	16	4	2	8	4	4	-	-	-	-	4	-	8	2	4	2	-	-	70
38	2	-	8	2	2	-	2	-	2	-	-	-	-	2	4	4	2	2	-	-	71
56	4	-	16	2	2	2	4	-	-	2	-	-	-	-	18	-	6	4	-	-	72
24	2	-	8	2	-	10	-	-	-	-	-	-	-	-	8	4	2	2	-	-	73
46	2	4	4	-	-	12	2	-	-	-	-	2	4	-	8	2	4	2	4	-	74
106	10	4	56	-	-	10	2	4	2	2	-	2	10	2	18	8	10	4	6	-	75
84	14	-	54	-	6	14	8	-	8	4	-	4	6	2	22	10	10	4	4	-	76
412	8	2	124	10	26	30	26	2	22	6	-	16	30	8	80	32	48	20	10	-	77
78	4	2	42	6	2	6	6	-	4	-	-	-	4	8	18	20	14	16	6	-	78
8	-	-	8	4	2	-	-	-	-	2	-	-	-	-	6	-	2	-	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	VIRGINIA--CON.																	
01	ISLE OF WIGHT	158	-	-	4	30	10	4	2	2	4	2	6	4	68	52	-	-
02	JAMES CITY	116	2	-	-	26	4	8	2	2	2	-	8	2	46	34	4	-
03	KING AND QUEEN	76	-	-	-	16	6	4	-	2	2	2	-	2	32	28	-	-
04	KING GEORGE	80	-	-	-	18	4	4	-	4	-	-	6	2	32	20	-	-
05	KING WILLIAM	104	-	-	-	16	-	8	-	4	2	-	2	4	48	24	-	2
06	LANCASTER	102	-	-	-	26	6	12	-	6	-	-	2	-	56	42	-	-
07	LEE	284	-	-	-	46	6	12	-	14	-	4	10	8	150	112	2	-
08	LOUDOUN	300	-	-	2	54	6	18	-	16	2	4	8	-	150	100	2	-
09	LOUISA	192	-	-	2	32	14	8	4	4	-	-	2	2	100	64	-	-
10	LUNENBURG	144	-	-	-	28	14	4	4	-	-	2	4	4	82	64	-	-
11	MADISON	78	-	-	-	8	2	2	-	4	-	-	-	2	48	32	-	-
12	MATHEWS	128	2	-	-	20	8	2	-	2	-	2	6	2	78	46	-	-
13	MECKLENBURG	350	-	-	6	64	6	18	6	12	-	6	16	10	158	118	-	-
14	MIDDLESEX	96	-	-	4	24	2	6	-	-	6	-	10	4	44	34	-	-
15	MONTGOMERY	292	-	-	-	34	4	-	2	8	2	2	16	-	138	108	2	2
16	NANSEMOND	358	2	-	4	78	22	14	10	8	2	-	22	4	148	108	-	-
17	NELSON	152	-	-	2	24	2	10	-	6	-	2	4	-	76	50	-	-
18	NEW KENT	36	-	-	2	4	-	-	-	-	-	-	4	-	20	14	-	2
19	NORTHAMPTON	206	4	-	-	56	10	16	2	18	-	2	8	2	94	60	2	2
20	NORTHUMBERLAND	160	-	-	2	24	2	12	-	2	-	-	8	8	80	50	-	2
21	NOTTOWAY	180	-	-	8	26	2	6	2	2	2	4	8	2	94	78	-	2
22	ORANGE	208	-	-	2	52	16	14	4	2	-	2	14	4	96	70	-	-
23	PAGE	170	-	-	-	28	8	6	2	6	-	4	2	4	80	66	-	2
24	PATRICK	146	-	-	-	26	12	4	6	2	-	-	2	6	66	44	-	-
25	PITTSYLVANIA	534	-	-	2	88	24	22	12	8	2	6	14	4	284	196	6	-
26	POWHATAN	82	-	-	-	10	4	-	-	-	2	-	4	-	44	24	-	-
27	PRINCE EDWARD	186	-	-	-	36	16	6	2	2	-	2	8	6	84	62	-	4
28	PRINCE GEORGE	92	-	-	2	18	10	6	2	-	-	-	-	-	46	24	-	-
29	PRINCE WILLIAM	440	-	-	-	70	12	16	12	4	-	4	22	8	170	118	4	2
30	PULASKI	322	-	-	-	58	18	22	2	4	-	2	10	14	158	126	6	8
31	PULASKI	134	-	-	-	14	4	4	-	2	-	-	4	10	70	54	4	2
32	BALANCE OF COUNTY	188	-	-	-	44	14	18	2	2	-	2	6	4	88	72	2	6
33	RAPPAHANNOCK	70	-	-	-	18	2	4	-	6	4	2	-	-	28	22	-	-
34	RICHMOND	86	-	-	-	12	2	2	-	2	2	-	4	-	54	48	-	-
35	ROANOKE	412	2	-	4	74	12	16	6	12	4	4	20	6	204	140	2	-
36	ROCKBRIDGE	204	-	-	-	34	12	8	2	2	2	2	6	-	116	84	2	-
37	ROCKINGHAM	468	-	-	2	70	22	16	8	12	4	2	6	12	276	214	4	14
38	RUSSELL	250	2	-	2	32	10	10	-	2	4	2	4	10	130	90	4	-
39	SCOTT	256	-	-	-	38	12	2	4	8	2	2	8	2	148	94	4	-
40	SHENANDOAH	290	2	-	2	40	10	10	2	2	6	2	8	2	180	154	-	-
41	SMYTH	262	-	-	2	48	12	18	-	6	4	4	4	2	150	106	6	-
42	SOUTHAMPTON	176	4	-	2	26	6	2	2	6	2	2	6	-	106	68	-	2
43	SPOTSYLVANIA	162	-	-	4	32	6	10	2	6	2	2	4	-	86	64	-	2
44	STAFFORD	146	-	-	2	14	4	2	-	4	-	-	4	4	70	56	-	2
45	SURRY	96	2	-	-	26	6	4	-	4	-	6	6	2	42	34	-	-
46	SUSSEX	134	-	-	-	30	18	6	2	-	-	-	4	-	66	44	-	-
47	TAZEWELL	500	-	-	4	60	22	14	4	4	2	-	14	12	262	200	2	-
48	WARREN	186	-	-	-	30	10	8	4	4	-	-	4	-	98	90	-	4
49	WASHINGTON	468	2	-	-	60	22	20	6	-	2	4	6	4	262	172	4	4
50	WESTMORELAND	162	-	-	2	22	4	10	-	4	-	-	4	4	94	70	-	2
51	WISE	452	-	-	2	50	12	20	4	4	-	2	8	12	246	196	2	2
52	WYTHE	256	-	-	-	28	4	4	8	8	-	-	4	8	148	112	-	-
53	YORK	194	-	-	2	34	4	10	-	6	4	-	10	6	96	68	2	2
	INDEPENDENT CITIES[6]																	
54	ALEXANDRIA	926	-	-	4	176	50	66	10	20	4	8	18	18	370	296	10	6
55	BEDFORD	112	-	-	-	20	2	4	-	4	-	2	8	4	48	24	2	-
56	BRISTOL[7]	130	-	-	-	18	4	2	2	6	-	-	4	2	90	58	-	-
57	BUENA VISTA	52	-	-	2	16	4	4	2	-	2	-	4	-	22	14	-	-
58	CHARLOTTESVILLE	394	-	-	2	76	24	20	4	6	-	4	18	2	194	148	4	-
59	CHESAPEAKE	670	2	-	4	134	30	40	14	18	2	8	22	6	334	254	2	4
60	CLIFTON FORGE	88	-	-	-	12	4	2	4	2	-	-	-	2	50	34	2	-
61	COLONIAL HEIGHTS	122	2	-	-	26	4	4	2	6	-	4	6	6	58	48	-	-
62	COVINGTON	110	-	-	2	18	4	6	-	2	-	-	6	-	58	38	-	-
63	DANVILLE	522	-	-	-	94	32	12	14	14	-	4	18	12	258	170	8	6
64	EMPORIA	74	2	-	-	12	2	2	-	6	-	-	2	-	42	36	-	-
65	FAIRFAX	130	-	-	2	40	6	14	6	2	2	6	4	4	44	24	-	-
66	FALLS CHURCH	134	-	-	-	36	10	6	8	4	2	-	6	6	54	36	4	-
67	FRANKLIN	82	-	-	-	14	6	4	-	-	-	-	4	-	56	36	2	-
68	FREDERICKSBURG	196	-	-	2	36	-	8	2	16	-	-	10	-	106	76	2	2
69	GALAX	68	-	-	-	14	6	2	-	2	2	2	-	2	36	26	-	-
70	HAMPTON	828	2	-	10	158	32	48	8	28	10	2	30	24	330	240	4	4
71	HARRISONBURG	162	-	-	2	34	14	4	2	2	4	2	6	6	82	58	-	2
72	HOPEWELL	214	2	-	-	48	8	12	10	4	-	-	14	8	96	70	-	2
73	LEXINGTON	80	-	-	2	12	4	-	-	-	-	-	8	6	36	26	-	2
74	LYNCHBURG	684	-	-	-	114	24	28	8	16	4	4	30	2	416	282	-	2
75	MARTINSVILLE	214	-	-	2	38	10	14	-	2	2	2	8	10	110	82	-	4
76	NEWPORT NEWS	1,018	12	-	12	188	38	56	16	8	4	4	62	10	426	304	-	4
77	NORFOLK	2,540	-	-	22	444	110	112	32	52	22	10	106	42	1,258	938	12	24
78	NORTON	52	-	-	-	4	2	-	-	2	-	-	-	2	36	24	-	-
79	PETERSBURG	516	-	-	4	112	32	32	8	16	6	4	14	12	258	184	2	4
80	PORTSMOUTH	1,206	2	-	8	222	52	60	10	36	14	6	44	10	624	440	6	26
81	RADFORD	108	-	-	-	12	-	2	-	4	-	2	4	-	64	50	-	-
82	RICHMOND	3,162	10	2	18	512	146	116	60	60	16	8	106	56	1,656	1,168	18	24
83	ROANOKE	1,320	2	-	-	226	62	46	16	16	12	22	52	34	610	436	8	10

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
48	4	6	10	-	-	10	-	-	-	-	-	-	10	2	10	8	8	4	-	-	01
28	2	-	12	-	-	-	4	-	2	4	-	-	2	-	14	10	2	2	-	-	02
26	2	-	4	-	-	2	-	-	-	2	-	2	-	-	10	2	8	-	-	-	03
20	-	-	12	-	-	4	-	-	-	-	-	-	2	-	14	2	6	-	-	-	04
22	-	2	20	2	-	8	2	-	2	-	-	2	2	2	10	4	4	-	-	-	05
40	2	-	14	-	-	2	4	-	4	-	-	-	-	-	6	2	2	-	-	-	06
100	10	-	30	6	2	8	2	-	2	-	-	2	2	12	30	8	10	4	-	-	07
88	10	-	40	8	2	12	8	-	2	-	-	4	8	-	26	8	10	14	2	-	08
56	8	2	20	10	4	4	-	-	2	-	-	-	4	6	18	14	6	2	-	-	09
60	4	6	10	-	2	6	-	-	-	2	-	-	-	-	14	2	4	2	-	-	10
30	2	-	10	2	4	2	-	-	-	2	-	-	2	-	6	4	2	2	-	-	11
44	2	8	16	6	2	4	-	-	2	-	-	-	6	-	8	-	6	-	-	-	12
112	6	4	30	2	4	16	6	-	6	2	-	-	6	2	34	14	16	-	8	2	13
34	-	-	8	2	-	2	2	-	4	-	-	-	2	2	4	-	4	-	-	-	14
94	10	2	26	2	-	18	6	-	4	2	-	4	-	4	24	28	14	14	2	-	15
106	2	-	36	4	-	6	2	2	2	4	-	-	22	10	30	14	10	6	14	-	16
46	4	2	18	4	2	6	8	2	-	-	-	-	-	-	22	6	4	2	-	-	17
12	-	-	6	-	-	4	-	-	-	-	-	-	2	-	4	-	-	-	-	-	18
54	2	2	26	2	4	8	-	-	-	-	-	-	2	2	14	8	12	2	2	-	19
44	4	2	24	2	2	-	2	2	6	-	-	-	2	4	20	4	4	2	-	-	20
70	6	-	12	2	2	12	2	-	2	-	-	-	4	-	16	6	4	2	2	-	21
68	2	-	20	-	6	10	-	-	2	-	-	-	8	4	12	8	6	2	2	-	22
54	10	-	10	4	-	14	2	-	2	2	-	-	6	2	20	2	2	4	2	-	23
40	4	2	16	2	2	2	2	-	4	-	-	2	2	-	16	2	12	6	-	-	24
182	8	-	70	10	8	22	8	-	2	7	2	6	14	6	46	16	22	6	2	2	25
24	-	2	18	-	-	8	-	-	-	-	-	-	-	2	8	6	4	-	-	-	26
48	10	-	16	6	-	6	-	2	4	2	-	2	2	2	22	6	12	-	-	-	27
22	2	-	20	-	2	4	-	2	-	-	-	2	4	2	6	4	2	-	-	-	28
106	6	2	30	12	8	14	4	2	10	-	-	6	14	12	40	34	36	8	10	2	29
112	-	2	22	6	2	8	6	-	6	2	-	2	8	4	24	10	6	10	6	-	30
48	-	-	10	4	2	2	-	-	-	2	-	-	8	4	12	4	2	2	4	-	31
64	-	2	12	2	-	6	6	-	6	-	-	2	-	-	12	6	4	8	2	-	32
20	2	-	4	2	-	4	6	-	-	-	-	-	-	-	10	-	4	-	-	-	33
44	4	-	6	-	-	-	2	-	-	-	-	-	2	-	10	-	4	2	-	-	34
126	12	-	52	12	-	8	2	-	6	4	-	2	14	6	34	16	16	14	-	-	35
76	6	-	18	8	6	4	2	-	2	2	-	2	2	2	20	10	2	4	2	-	36
192	4	-	50	4	8	12	8	2	2	2	-	4	8	4	20	16	18	8	2	2	37
86	-	-	30	2	8	4	6	4	4	6	-	2	10	2	14	14	8	-	-	-	38
90	-	2	36	12	4	16	4	2	2	-	-	4	4	2	14	6	10	2	2	-	39
144	10	-	20	2	4	12	2	-	6	-	-	2	4	4	14	8	6	6	-	-	40
96	4	2	34	4	4	8	6	-	-	2	2	-	6	-	14	4	10	6	2	-	41
62	4	8	22	2	6	4	-	-	2	-	-	-	2	4	16	4	6	-	-	-	42
60	2	-	18	2	2	8	-	-	-	-	-	2	8	2	10	6	4	-	-	-	43
52	2	-	10	-	4	4	2	-	6	-	-	-	4	2	12	6	12	4	4	-	44
30	4	-	6	2	-	4	-	-	-	-	-	-	2	6	2	2	6	-	2	-	45
40	4	-	18	2	2	2	-	2	-	4	-	-	2	-	6	14	6	-	2	-	46
190	8	-	44	14	4	28	14	-	6	4	-	4	8	18	46	12	8	10	4	-	47
80	6	-	4	2	2	6	2	-	4	-	-	-	6	14	10	8	4	2	2	-	48
162	2	6	68	6	10	8	10	6	6	7	-	6	14	2	44	16	14	6	4	2	49
66	2	2	14	2	6	4	8	-	2	-	-	2	4	2	8	4	6	-	-	-	50
184	8	-	40	8	2	18	6	2	10	2	-	2	4	-	50	8	22	10	8	-	51
108	4	-	34	-	2	10	4	4	4	-	-	4	4	2	18	10	6	4	2	-	52
62	2	-	24	-	4	4	2	4	2	4	-	-	-	4	10	4	14	2	6	-	53
252	28	2	46	14	12	36	14	4	26	4	-	14	44	12	102	28	30	20	22	2	54
22	-	-	18	4	2	2	2	2	-	-	-	-	-	10	12	4	4	4	-	-	55
58	-	-	24	4	4	2	2	-	4	-	-	-	-	-	2	2	2	2	4	-	56
14	-	-	8	-	-	-	-	-	2	-	-	-	-	-	4	2	-	-	4	-	57
132	12	-	40	6	-	22	4	-	12	-	-	4	2	10	32	4	16	8	6	-	58
218	30	6	58	8	8	14	4	2	6	2	2	6	20	12	50	16	42	6	8	-	59
32	-	-	12	2	2	6	2	-	-	4	-	-	-	-	6	-	4	-	2	-	60
46	2	-	10	-	-	-	2	4	4	2	-	-	4	-	4	-	6	4	-	-	61
38	-	-	12	2	6	2	4	-	4	2	-	-	2	2	6	6	4	-	-	-	62
146	10	-	80	-	8	20	22	-	14	10	-	2	8	10	52	8	6	4	-	2	63
36	-	-	6	-	-	2	-	-	-	2	-	2	4	2	2	-	2	-	2	-	64
24	-	-	14	4	2	-	2	2	2	-	-	2	4	-	10	12	2	2	2	-	65
32	-	-	12	4	2	8	2	-	4	-	-	-	6	2	6	4	6	-	-	-	66
34	-	-	18	-	2	-	-	-	-	2	-	-	-	-	2	6	-	-	2	-	67
72	-	-	28	2	-	8	2	2	-	4	-	2	6	2	8	8	6	4	-	-	68
24	2	-	6	2	2	6	2	-	-	4	-	-	-	-	4	-	-	-	-	-	69
212	20	2	62	16	10	26	16	6	26	2	2	12	32	56	60	16	20	22	8	-	70
56	-	2	22	-	-	6	4	4	-	-	-	6	-	2	8	2	2	4	-	-	71
68	-	2	20	2	2	6	4	-	2	-	-	-	4	-	20	10	8	2	2	2	72
24	-	-	8	-	2	8	-	-	2	-	-	2	2	2	6	-	2	-	-	-	73
268	12	-	102	10	22	14	14	2	10	7	-	4	12	-	52	6	18	10	8	-	74
66	12	2	22	2	2	6	6	-	4	-	-	-	2	2	12	4	6	4	8	-	75
280	20	4	94	10	14	56	14	4	18	10	-	10	46	12	78	20	54	24	22	2	76
818	84	16	244	26	34	106	36	4	46	16	-	22	54	52	198	72	74	40	52	2	77
24	-	-	12	-	-	2	-	-	-	-	-	2	2	-	4	-	-	-	-	-	78
178	-	2	66	6	-	20	4	-	10	6	-	-	8	6	40	8	16	4	8	-	79
372	36	4	156	10	14	38	14	6	20	6	-	8	32	14	120	18	30	14	18	2	80
46	4	-	10	2	2	6	8	-	-	-	-	-	2	-	4	6	4	2	-	-	81
1,034	92	16	386	34	52	130	28	8	38	28	-	14	50	58	268	64	110	28	80	4	82
396	22	-	120	40	14	68	8	8	20	6	-	18	18	48	124	34	50	32	14	-	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	VIRGINIA--CON.																	
01	SALEM	198	-	-	2	34	14	8	2	4	-	-	6	2	118	84	2	2
02	SOUTH BOSTON	78	-	-	-	10	4	6	-	-	-	-	-	2	48	34	-	-
03	STAUNTON	234	-	-	-	36	12	2	8	4	4	-	6	8	112	80	2	4
04	SUFFOLK	176	2	-	-	32	4	12	2	8	-	-	6	4	86	60	-	2
05	VIRGINIA BEACH	856	-	-	14	186	44	36	10	22	10	16	48	18	384	286	2	2
06	WAYNESBORO	160	-	-	2	22	6	4	2	4	2	4	-	-	94	64	-	-
07	WILLIAMSBURG	76	-	-	-	12	-	2	-	6	-	-	4	4	30	24	-	-
08	WINCHESTER	210	-	-	-	48	14	12	4	2	4	2	10	4	100	68	-	-
09	**WASHINGTON**	29,836	34	8	150	5,356	1,420	1,216	492	688	252	246	1,042	468	15,762	11,074	288	224
10	URBAN PLACES	16,904	18	6	68	3,068	846	674	278	384	134	128	624	244	9,122	6,382	172	156
11	BALANCE OF AREA	12,932	16	2	82	2,288	574	542	214	304	118	118	418	224	6,640	4,692	116	68
12	METROPOLITAN COUNTIES	18,828	16	4	86	3,366	906	722	312	420	160	150	696	270	10,062	7,076	196	166
13	URBAN PLACES	12,794	14	4	48	2,334	664	496	208	278	110	100	478	168	6,900	4,836	130	128
14	BALANCE OF AREA	6,034	2	-	38	1,032	242	226	104	142	50	50	218	102	3,162	2,240	66	38
15	NONMETROPOLITAN COUNTIES	11,008	18	4	64	1,990	514	494	180	268	92	96	346	198	5,700	3,998	92	58
16	URBAN PLACES	4,110	4	2	20	734	182	178	70	106	24	28	146	76	2,222	1,546	42	28
17	BALANCE OF AREA	6,898	14	2	44	1,256	332	316	110	162	68	68	200	122	3,478	2,452	50	30
18	ADAMS	64	-	-	-	18	6	6	2	-	-	2	2	-	30	22	-	-
19	ASOTIN	166	2	-	2	30	4	6	4	6	4	2	4	-	88	42	-	-
20	BENTON	478	-	2	2	98	26	30	10	14	-	6	12	6	236	170	6	2
21	KENNEWICK	170	-	-	-	36	16	8	2	4	-	2	4	-	84	58	2	2
22	RICHLAND	144	-	-	-	30	2	12	6	4	-	2	4	2	74	50	4	-
23	BALANCE OF COUNTY	164	-	2	2	32	8	10	2	6	-	2	4	4	78	62	-	-
24	CHELAN	456	-	-	2	94	16	32	8	12	2	6	18	4	238	166	10	-
25	WENATCHEE	234	-	-	2	38	8	10	4	6	2	-	8	4	128	88	6	-
26	BALANCE OF COUNTY	222	-	-	-	56	8	22	4	6	-	6	10	-	110	78	4	-
27	CLALLAM	374	-	-	-	50	18	8	2	10	4	4	4	6	198	160	2	4
28	PORT ANGELES	182	-	-	-	30	10	4	2	6	2	2	4	2	96	80	2	-
29	BALANCE OF COUNTY	192	-	-	-	20	8	4	-	4	2	2	-	4	102	80	-	4
30	CLARK	1,156	-	-	4	154	48	38	18	14	8	4	24	10	674	474	14	20
31	VANCOUVER	562	-	-	2	94	30	26	10	8	2	4	14	6	308	210	6	10
32	BALANCE OF COUNTY	594	-	-	2	60	18	12	8	6	6	-	10	4	366	264	8	10
33	COLUMBIA	52	-	-	2	12	6	4	-	-	-	-	2	2	18	12	-	-
34	COWLITZ	590	-	-	4	118	30	34	6	20	8	4	16	16	304	210	6	-
35	KELSO	120	-	-	-	22	2	6	2	6	-	-	6	4	82	60	2	-
36	LONGVIEW	280	-	-	4	60	16	20	2	8	2	2	10	10	126	84	4	-
37	BALANCE OF COUNTY	190	-	-	-	36	12	8	2	6	6	2	-	2	96	66	-	-
38	DOUGLAS	126	-	-	-	28	2	8	2	4	-	-	12	-	60	46	2	-
39	FERRY	36	-	-	-	6	2	-	-	-	-	2	2	4	12	6	-	-
40	FRANKLIN	204	-	-	4	42	4	16	6	8	-	-	8	4	104	74	4	2
41	PASCO	156	-	-	4	32	4	10	6	6	-	-	6	-	78	50	-	2
42	BALANCE OF COUNTY	48	-	-	-	10	-	6	-	2	-	-	2	4	26	24	4	-
43	GARFIELD	44	-	-	-	6	2	-	-	-	2	-	2	2	28	18	-	-
44	GRANT	326	-	-	-	52	8	8	8	4	2	8	14	8	154	108	-	6
45	MOSES LAKE	84	-	-	-	16	4	2	4	-	-	-	6	2	40	28	-	4
46	BALANCE OF COUNTY	242	-	-	-	36	4	6	4	4	2	8	8	6	114	80	-	2
47	GRAYS HARBOR	666	-	2	-	110	26	32	8	14	4	6	20	8	338	248	4	4
48	ABERDEEN	238	-	2	-	34	4	10	2	4	2	4	8	4	110	80	2	4
49	HOQUIAM	148	-	-	-	32	12	8	2	2	-	2	6	2	82	64	2	-
50	BALANCE OF COUNTY	280	-	-	-	44	10	14	4	8	2	-	6	2	146	104	-	-
51	ISLAND	178	-	-	2	30	6	8	2	4	4	-	6	8	92	60	4	-
52	JEFFERSON	116	-	-	4	20	8	10	-	-	-	2	-	2	46	28	-	-
53	KING	9,426	8	2	54	1,762	486	428	148	192	66	76	366	136	4,916	3,456	94	56
54	AUBURN	186	-	-	-	26	6	6	6	2	-	2	4	8	98	60	2	2
55	BELLEVUE	184	-	-	-	48	6	12	-	6	2	2	20	2	68	34	-	-
56	KENT	112	-	-	2	10	2	2	-	2	-	-	4	-	56	42	-	-
57	KIRKLAND	152	-	-	2	40	10	6	6	6	-	4	8	-	70	54	-	-
58	MERCER ISLAND CITY	96	-	-	-	20	4	6	-	-	-	4	6	2	46	34	-	-
59	REDMOND	48	-	-	-	8	4	-	-	-	2	-	2	-	36	20	-	-
60	RENTON	180	-	-	-	30	10	8	2	4	2	-	4	-	88	64	2	2
61	SEATTLE	5,968	8	2	24	1,150	348	288	86	118	38	40	232	76	3,180	2,228	62	48
62	BALANCE OF COUNTY	2,500	-	-	26	430	96	100	48	54	22	24	86	48	1,274	920	28	4
63	KITSAP	974	2	-	2	198	56	50	16	16	12	6	42	16	530	384	12	-
64	BREMERTON	410	-	-	2	70	22	18	6	8	4	2	10	8	246	180	8	-
65	BALANCE OF COUNTY	564	2	-	-	128	34	32	10	8	8	4	32	8	284	204	4	-
66	KITTITAS	190	-	-	2	26	10	2	4	2	2	2	4	4	90	70	2	2
67	ELLENSBURG	64	-	-	-	6	2	-	-	-	2	-	2	2	32	24	-	-
68	BALANCE OF COUNTY	126	-	-	2	20	8	2	4	2	-	2	2	2	58	46	2	2
69	KLICKITAT	122	-	-	-	20	8	4	2	6	-	-	-	-	60	38	4	2
70	LEWIS	518	2	-	-	86	22	22	8	20	2	6	6	10	278	176	4	10
71	CENTRALIA	164	2	-	-	24	4	10	2	6	2	-	-	6	94	58	2	4
72	BALANCE OF COUNTY	354	-	-	-	62	18	12	6	14	-	6	6	4	184	118	2	6
73	LINCOLN	88	2	-	-	16	6	2	2	-	-	2	4	-	50	42	2	-
74	MASON	180	-	-	4	34	10	8	4	8	-	2	2	4	96	68	4	-
75	OKANOGAN	274	-	-	-	56	16	12	6	6	2	2	12	2	130	92	2	4
76	PACIFIC	214	-	-	4	48	14	14	8	4	-	2	6	4	104	78	-	2
77	PEND OREILLE	56	-	-	-	8	2	4	-	2	-	-	-	2	30	24	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
76	4	-	24	8	2	8	2	2	-	-	-	2	2	2	12	8	2	2	-	-	01
28	6	-	12	-	2	2	2	2	2	2	-	-	-	-	-	4	2	2	-	-	02
66	8	2	24	2	4	10	8	-	4	2	-	-	4	8	24	-	12	6	-	-	03
58	-	2	22	-	2	8	-	-	2	-	-	-	10	2	16	2	8	-	4	-	04
262	20	-	68	18	12	14	12	-	26	10	-	14	20	6	64	32	32	16	8	-	05
58	6	-	30	-	-	4	-	-	2	-	-	-	4	4	22	4	2	-	-	-	06
24	-	-	4	-	2	2	-	2	2	-	-	2	6	2	6	4	2	-	2	-	07
64	4	-	26	4	2	12	4	2	10	-	-	-	2	-	18	2	6	2	-	-	08
9,916	646	88	3,486	676	438	942	588	144	510	120	6	230	392	176	2,278	850	1,108	518	142	54	09
5,736	318	64	2,082	362	232	532	354	84	322	68	2	118	202	76	1,328	330	572	278	88	24	10
4,180	328	24	1,404	314	206	410	234	60	188	52	4	112	190	100	950	520	536	240	54	30	11
6,352	362	48	2,262	396	280	608	326	88	362	72	6	158	218	94	1,496	426	670	370	108	22	12
4,342	236	40	1,590	266	168	432	252	62	270	48	2	84	114	40	1,040	222	430	240	76	14	13
2,010	126	8	672	130	112	176	74	26	92	24	4	74	104	54	456	204	240	130	32	8	14
3,564	284	40	1,224	280	158	334	262	56	148	48	-	72	174	82	782	424	438	148	34	32	15
1,394	82	24	492	96	64	100	102	22	52	20	-	34	88	36	288	108	142	38	12	10	16
2,170	202	16	732	184	94	234	160	34	96	28	-	38	86	46	494	316	296	110	22	22	17
16	6	-	4	4	-	2	2	-	-	-	-	2	2	-	4	-	2	-	-	2	18
38	4	-	32	10	4	8	6	-	2	-	-	-	2	2	10	2	10	2	-	-	19
154	8	2	44	10	10	14	10	4	8	2	-	-	12	2	36	20	14	2	6	4	20
52	2	-	18	6	2	6	8	2	4	2	-	-	8	-	10	2	6	-	-	2	21
44	2	2	20	-	2	-	2	2	2	-	-	-	2	2	14	6	2	2	2	2	22
50	4	-	6	4	6	8	-	-	2	-	-	-	2	-	12	12	6	-	4	-	23
150	6	-	48	16	8	8	20	-	4	-	-	-	10	-	28	18	22	6	2	-	24
80	2	-	22	12	6	6	12	-	4	-	-	-	8	-	12	10	8	-	2	-	25
70	4	-	26	4	2	2	8	-	-	-	-	-	2	-	16	8	14	6	-	-	26
138	16	2	28	-	8	14	2	2	-	4	-	4	8	-	34	16	30	4	2	-	27
66	12	2	12	-	2	6	-	-	-	-	-	2	8	-	12	6	18	2	-	-	28
72	4	-	16	-	6	8	2	2	-	4	-	2	-	-	22	10	12	2	2	-	29
430	10	4	138	40	18	52	36	4	12	-	-	14	24	12	68	30	34	22	6	-	30
190	4	2	72	16	8	28	20	4	10	-	-	8	8	4	30	8	16	12	4	-	31
240	6	2	66	24	10	24	16	-	2	-	-	6	16	8	38	22	18	10	2	-	32
12	-	-	6	-	-	2	-	-	2	-	-	-	2	-	10	2	-	-	-	-	33
200	4	2	76	4	12	14	14	-	12	2	-	12	8	10	38	14	16	6	-	2	34
58	-	-	16	2	4	-	-	-	2	-	-	2	-	-	6	-	2	-	-	-	35
78	2	2	40	-	-	8	4	-	6	2	-	8	8	6	18	8	8	4	-	-	36
64	2	-	20	2	8	6	10	-	4	-	-	2	-	4	14	6	6	2	-	2	37
40	4	-	10	2	2	6	6	-	4	-	-	-	-	-	8	8	6	-	-	-	38
4	2	-	4	2	-	-	-	-	-	-	-	-	2	-	4	4	4	-	-	-	39
66	2	2	22	-	6	4	2	-	-	2	-	2	2	-	14	8	12	2	2	-	40
48	-	2	20	-	6	4	2	-	-	2	-	2	2	-	10	6	10	2	2	-	41
18	2	-	2	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	42
14	4	-	10	-	-	2	-	-	-	-	-	-	-	-	2	2	2	-	-	-	43
92	10	8	26	12	-	8	16	2	8	-	-	2	10	-	20	16	22	6	-	2	44
24	-	2	10	-	-	4	4	2	2	-	-	2	2	-	6	-	4	-	-	-	45
68	10	6	16	12	-	4	12	-	6	-	-	-	8	-	14	16	18	6	-	2	46
230	10	4	60	20	6	20	20	2	14	6	-	4	20	8	46	30	20	10	4	4	47
72	2	4	22	4	-	2	8	-	4	6	-	2	12	2	18	14	12	6	2	-	48
56	6	-	10	4	4	4	4	-	8	-	-	-	2	2	10	-	2	-	-	-	49
102	2	-	28	12	2	14	8	2	2	-	-	2	6	4	18	16	6	4	2	4	50
54	2	-	26	4	2	10	2	-	6	2	-	-	-	-	8	8	2	8	-	-	51
26	2	-	16	2	-	10	4	2	2	2	-	-	-	-	8	10	4	2	-	-	52
3,116	190	24	1,152	146	138	328	156	44	192	46	6	68	80	34	806	176	320	202	74	16	53
56	-	2	26	6	4	8	4	2	2	2	-	2	6	-	10	6	4	6	2	-	54
34	-	-	24	4	6	2	-	-	4	-	-	4	2	-	24	2	12	14	2	-	55
40	2	-	12	2	-	2	2	2	6	-	-	2	8	-	12	2	2	6	-	-	56
48	6	-	12	4	-	6	4	2	-	-	2	2	-	-	14	4	4	-	2	-	57
28	6	-	8	2	2	2	2	2	2	-	-	-	-	-	10	6	2	2	-	-	58
20	-	-	12	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	59
52	8	-	22	2	-	12	6	-	2	-	-	-	-	2	10	10	8	10	2	-	60
2,002	116	22	754	84	92	202	116	28	138	26	-	34	34	12	530	62	182	110	44	10	61
836	52	-	282	40	32	92	22	8	38	18	4	24	30	20	196	84	106	54	20	6	62
350	22	2	108	20	16	20	14	8	12	6	-	6	10	2	52	30	32	24	6	4	63
162	10	2	52	6	6	4	6	2	-	4	-	4	6	2	22	10	14	6	2	2	64
188	12	-	56	14	10	16	8	6	12	2	-	2	4	-	30	20	18	18	4	2	65
58	8	-	18	2	-	2	6	-	-	2	-	2	-	6	26	12	4	6	2	-	66
24	-	-	6	2	-	2	2	-	-	-	-	2	-	-	8	6	-	2	2	-	67
34	8	-	12	-	-	-	4	-	-	2	-	-	-	6	18	6	4	4	-	-	68
28	4	-	14	4	4	6	2	2	-	2	-	-	-	2	10	14	4	-	-	-	69
144	18	2	60	26	14	8	16	4	8	2	-	4	10	2	34	32	14	6	2	-	70
46	6	2	14	14	6	4	4	-	2	-	-	-	4	-	14	8	2	-	-	-	71
98	12	-	46	12	8	4	12	4	6	2	-	4	6	2	20	24	12	6	2	-	72
32	8	-	4	2	2	-	2	-	-	-	-	-	-	4	4	6	4	-	-	-	73
56	8	-	26	2	-	4	4	2	-	2	-	-	-	-	2	8	16	-	-	4	74
78	8	-	26	8	4	6	8	-	6	2	-	2	6	-	22	20	8	4	2	-	75
68	8	-	22	4	-	4	6	-	2	2	-	-	2	-	16	6	10	4	-	2	76
22	2	-	4	-	2	-	-	-	-	-	-	2	2	2	2	6	2	-	-	-	77

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	WASHINGTON--CON.																	
01	PIERCE	3,384	4	2	8	602	148	112	52	78	38	36	138	52	1,872	1,316	32	24
02	PUYALLUP	202	-	-	-	32	10	2	-	6	6	6	2	4	120	90	2	2
03	TACOMA	1,842	2	2	2	314	78	58	28	44	20	14	72	32	1,060	750	12	12
04	BALANCE OF COUNTY	1,340	2	-	6	256	60	52	24	28	12	16	64	16	692	476	18	10
05	SAN JUAN	64	-	-	-	10	2	2	6	-	-	-	-	-	36	20	-	-
06	SKAGIT	614	4	-	-	110	34	20	14	18	4	8	12	14	312	222	6	-
07	SKAMANIA	44	-	-	-	2	-	-	-	-	-	-	2	-	28	24	-	2
08	SNOHOMISH	1,876	2	-	12	322	74	52	32	54	26	10	74	34	996	714	22	18
09	EDMONDS	212	2	-	-	42	12	2	4	8	4	4	8	4	110	90	2	2
10	EVERETT	636	-	-	8	90	26	12	12	10	10	2	18	8	358	248	10	8
11	LYNNWOOD	104	-	-	-	26	4	4	4	4	4	-	6	-	52	40	-	4
12	MOUNTLAKE TERRACE	62	-	-	-	10	-	2	-	-	2	2	4	-	34	26	2	-
13	BALANCE OF COUNTY	862	-	-	4	154	32	32	12	32	6	2	38	22	442	310	8	4
14	SPOKANE	2,986	2	-	8	526	150	92	62	82	22	24	94	38	1,604	1,116	34	48
15	SPOKANE	2,248	2	-	8	394	114	62	50	60	18	16	74	26	1,216	846	30	38
16	BALANCE OF COUNTY	738	-	-	-	132	36	30	12	22	4	8	20	12	388	270	4	10
17	STEVENS	178	2	-	2	18	4	4	2	-	2	-	6	2	92	62	-	-
18	THURSTON	658	-	-	-	130	28	30	12	20	8	6	26	14	354	272	2	-
19	OLYMPIA	286	-	-	-	58	16	12	4	10	-	-	16	8	160	122	2	-
20	BALANCE OF COUNTY	372	-	-	-	72	12	18	8	10	8	6	10	6	194	150	-	-
21	WAHKIAKUM	32	-	-	2	8	-	2	2	2	2	-	-	2	18	16	-	-
22	WALLA WALLA	412	2	-	6	84	22	18	4	14	6	6	14	8	224	142	2	-
23	WALLA WALLA	268	2	-	2	44	12	8	4	8	4	2	6	6	154	96	2	-
24	BALANCE OF COUNTY	144	-	-	4	40	10	10	-	6	2	4	8	2	70	46	-	-
25	WHATCOM	788	2	-	6	118	32	22	14	10	6	8	26	8	452	304	4	4
26	BELLINGHAM	460	-	-	6	64	18	4	10	6	2	8	16	8	258	168	4	4
27	BALANCE OF COUNTY	328	2	-	-	54	14	18	4	4	4	-	10	-	194	136	-	-
28	WHITMAN	236	-	-	4	32	8	10	-	2	4	-	8	12	120	82	-	6
29	PULLMAN	46	-	-	-	8	2	2	-	-	-	-	4	-	20	12	-	4
30	BALANCE OF COUNTY	190	-	-	4	24	6	8	-	2	4	-	4	12	100	70	-	2
31	YAKIMA	1,490	-	-	10	272	76	66	18	42	12	4	54	26	750	512	10	8
32	YAKIMA	656	-	-	-	130	28	34	12	22	2	2	30	8	358	244	-	4
33	BALANCE OF COUNTY	834	-	-	10	142	48	32	6	20	10	2	24	18	392	268	10	4
34	**WEST VIRGINIA**	20,606	66	4	80	3,322	914	854	232	392	138	120	672	362	11,056	8,148	118	154
35	URBAN PLACES	6,124	6	4	20	1,156	292	308	86	132	50	42	246	110	3,282	2,452	34	44
36	BALANCE OF AREA	14,482	60	-	60	2,166	622	546	146	260	88	78	426	252	7,774	5,696	84	110
37	METROPOLITAN COUNTIES	6,108	8	2	20	1,130	304	298	76	138	54	34	226	118	3,246	2,458	50	32
38	URBAN PLACES	3,600	4	2	8	718	180	186	54	90	30	22	156	68	1,858	1,424	26	22
39	BALANCE OF AREA	2,508	4	-	12	412	124	112	22	48	24	12	70	50	1,388	1,034	24	10
40	NONMETROPOLITAN COUNTIES	14,498	58	2	60	2,192	610	556	156	254	84	86	446	244	7,810	5,690	68	122
41	URBAN PLACES	2,524	2	2	12	438	112	122	32	42	20	20	90	42	1,424	1,028	8	22
42	BALANCE OF AREA	11,974	56	-	48	1,754	498	434	124	212	64	66	356	202	6,386	4,662	60	100
43	BARBOUR	186	-	-	2	18	10	-	-	2	-	2	4	-	98	72	-	-
44	BERKELEY	428	-	-	4	54	16	18	-	6	2	2	10	2	260	166	-	-
45	MARTINSBURG	258	-	-	4	30	6	12	-	4	2	2	4	2	152	94	-	-
46	BALANCE OF COUNTY	170	-	-	-	24	10	6	-	2	-	-	6	-	108	72	-	-
47	BOONE	262	-	-	4	32	14	8	-	-	2	-	8	2	114	66	2	-
48	BRAXTON	162	-	-	-	16	4	6	2	2	2	-	-	4	106	78	4	6
49	BROOKE	288	2	-	2	46	16	14	4	4	-	2	6	4	168	130	4	-
50	WEIRTON, PART	24	-	-	-	2	-	2	-	-	-	-	-	2	16	12	-	-
51	BALANCE OF COUNTY	264	2	-	2	44	16	12	4	4	-	2	6	2	152	118	4	-
52	CABELL	1,302	2	-	2	240	70	78	6	36	2	4	44	20	650	480	10	-
53	HUNTINGTON, PART	1,020	2	-	2	194	56	62	6	28	2	2	38	16	496	364	8	-
54	HUNTINGTON, TOTAL	1,064	2	-	2	206	58	64	6	28	2	4	44	18	514	380	8	-
55	BALANCE OF COUNTY	282	-	-	-	46	14	16	-	8	-	2	6	4	154	116	2	-
56	CALHOUN	86	-	-	-	20	2	-	-	6	4	2	6	2	42	32	4	-
57	CLAY	104	-	-	-	26	6	10	2	4	2	2	-	-	16	14	-	-
58	DODDRIDGE	102	-	-	-	6	2	2	-	2	-	-	-	2	56	42	-	-
59	FAYETTE	724	2	-	4	100	22	24	6	24	6	2	16	10	372	272	2	4
60	GILMER	78	-	-	-	10	2	-	2	-	-	2	4	2	50	38	-	2
61	GRANT	74	-	-	-	16	4	4	-	2	-	-	6	-	44	30	-	-
62	GREENBRIER	420	4	-	-	58	16	20	2	8	-	4	8	2	250	150	-	10
63	HAMPSHIRE	170	4	-	2	30	6	8	2	4	2	2	6	2	76	50	2	4
64	HANCOCK	386	-	-	-	80	28	24	10	4	4	-	10	10	212	164	-	-
65	WEIRTON, PART	210	-	-	-	44	12	14	6	4	2	-	6	8	112	94	-	-
66	WEIRTON, TOTAL	234	-	-	-	46	12	16	6	4	2	-	6	10	128	106	-	-
67	BALANCE OF COUNTY	176	-	-	-	36	16	10	4	-	2	-	4	2	100	70	-	-
68	HARDY	104	-	-	-	10	4	2	2	-	-	-	2	2	52	40	-	2
69	HARRISON	972	2	-	-	158	44	38	10	18	12	6	30	18	582	442	4	8
70	CLARKSBURG	404	-	-	-	74	12	24	2	14	6	2	14	4	250	192	2	6
71	BALANCE OF COUNTY	568	2	-	-	84	32	14	8	4	6	4	16	14	332	250	2	2
72	JACKSON	174	2	-	-	18	8	2	2	2	-	-	4	4	122	98	-	-
73	JEFFERSON	248	-	-	-	24	6	8	-	2	2	2	4	2	142	108	-	-
74	KANAWHA	2,456	2	2	12	430	102	100	28	50	24	16	110	60	1,348	1,044	16	18
75	CHARLESTON	1,052	-	-	2	216	50	40	16	28	8	10	64	24	582	460	4	14
76	ST. ALBANS	134	-	-	2	22	4	6	2	4	4	-	2	6	68	50	4	-
77	SOUTH CHARLESTON	130	-	2	2	18	2	6	-	2	-	4	4	2	64	48	2	-
78	BALANCE OF COUNTY	1,140	2	-	6	174	46	48	10	16	12	2	40	28	634	486	6	4
79	LEWIS	270	-	-	-	50	22	10	6	4	2	2	4	-	152	82	2	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
1,200	60	8	414	82	52	86	52	8	78	10	-	48	56	12	224	78	124	50	16	2	01
78	8	-	24	6	-	8	4	-	2	2	-	2	2	-	12	4	6	2	2	-	02
698	28	6	246	38	20	52	34	2	54	4	-	18	16	4	114	36	66	20	10	-	03
424	24	2	144	38	32	26	14	6	22	4	-	28	38	8	98	38	52	28	4	2	04
18	2	-	16	-	-	-	2	-	-	-	-	-	2	-	4	2	8	-	-	-	05
192	24	2	72	10	6	24	20	2	10	-	-	6	4	4	46	18	24	14	2	-	06
20	2	-	2	2	-	-	-	-	-	-	-	2	-	2	4	2	4	-	-	-	07
618	56	4	212	36	30	36	18	16	30	6	-	14	22	24	156	62	72	42	8	4	08
82	4	-	14	4	2	4	-	-	2	-	-	-	4	-	20	6	10	8	-	-	09
210	20	2	80	20	8	16	12	8	14	4	-	6	4	8	68	4	20	8	-	-	10
30	6	2	10	-	-	-	2	-	-	-	-	-	4	4	4	4	2	4	2	-	11
24	-	-	8	-	-	-	2	-	-	-	-	-	-	2	4	-	4	2	-	4	12
272	26	-	100	12	20	16	2	8	14	2	-	8	10	10	60	48	36	20	6	-	13
988	46	8	346	92	42	106	64	16	50	10	-	14	36	12	242	80	120	54	4	-	14
750	28	4	266	76	24	88	44	12	34	10	-	6	26	4	178	68	92	36	4	-	15
238	18	4	80	16	18	18	20	4	16	-	-	8	10	8	64	12	28	18	-	-	16
50	12	-	20	10	-	8	2	4	2	-	-	2	6	2	10	6	12	8	-	-	17
244	26	2	56	14	10	10	18	2	6	6	-	-	8	20	40	14	24	8	2	2	18
108	12	-	22	12	4	4	8	2	2	4	-	-	2	14	12	-	12	-	-	-	19
136	14	2	34	2	6	6	10	-	4	2	-	-	6	6	28	14	12	8	2	2	20
14	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	21
128	12	-	62	10	10	14	8	2	2	2	-	2	2	2	36	-	12	4	-	2	22
86	8	-	50	2	6	10	8	2	2	-	-	2	2	2	20	-	10	-	-	2	23
42	4	-	12	8	4	4	-	-	-	2	-	-	-	-	16	-	2	4	-	-	24
278	18	4	100	40	4	30	12	8	10	-	-	2	12	4	66	20	28	10	-	-	25
150	10	2	62	22	4	14	10	6	6	-	-	2	8	-	50	8	12	8	-	-	26
128	8	2	38	18	-	16	2	2	4	-	-	-	4	4	16	12	16	2	-	-	27
72	4	2	20	8	8	10	4	4	4	-	-	4	10	4	12	8	4	2	-	2	28
6	2	-	8	-	-	-	-	2	-	-	-	2	4	2	6	2	-	-	-	-	29
66	2	2	12	8	8	10	4	2	4	-	-	2	6	2	6	6	4	2	-	2	30
478	16	6	180	32	20	66	34	6	24	2	-	12	22	4	124	62	62	10	2	2	31
234	6	4	88	10	12	22	20	2	8	-	-	4	10	4	40	22	20	6	-	2	32
244	10	2	92	22	8	44	14	4	16	2	-	8	12	-	84	40	42	4	2	-	33
7,416	460	102	2,210	346	250	766	400	68	262	50	2	166	354	554	1,490	560	730	176	102	36	34
2,242	132	32	630	98	70	222	112	24	88	14	-	44	100	116	460	124	152	48	34	8	35
5,174	328	70	1,580	248	180	544	288	44	174	36	2	122	254	438	1,030	436	578	128	68	28	36
2,238	138	12	624	82	70	204	114	16	98	20	-	42	96	128	482	122	178	42	34	8	37
1,294	82	6	344	54	30	124	72	8	62	10	-	26	60	72	300	62	90	26	26	4	38
944	56	6	280	28	40	80	42	8	36	10	-	16	36	56	182	60	88	16	8	4	39
5,178	322	90	1,586	264	180	562	286	52	164	30	2	124	258	426	1,008	438	552	134	68	28	40
948	50	26	286	44	40	98	40	16	26	4	-	18	40	44	160	62	62	22	8	4	41
4,230	272	64	1,300	220	140	464	246	36	138	26	2	106	218	382	848	376	490	112	60	24	42
68	4	-	20	4	2	14	8	-	2	-	-	2	6	10	16	6	4	-	-	-	43
162	4	-	82	6	6	6	10	4	14	-	-	-	4	-	34	14	18	-	2	2	44
92	2	-	50	4	4	6	6	2	8	-	-	-	2	-	30	6	8	-	-	2	45
70	2	-	32	2	2	-	4	2	6	-	-	-	2	-	4	8	10	-	2	-	46
62	2	2	38	6	2	12	8	2	4	-	-	2	4	34	18	14	8	4	-	-	47
66	2	2	12	12	2	-	-	-	2	-	-	-	6	8	12	6	2	-	-	-	48
116	10	-	32	-	6	4	6	-	10	4	-	2	2	-	10	6	18	2	-	2	49
10	2	-	4	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	50
106	8	-	28	-	6	2	6	-	10	2	-	2	2	-	10	6	18	2	-	2	51
454	16	-	142	16	12	66	28	4	24	2	-	10	24	60	108	22	24	10	6	-	52
346	10	-	106	16	10	50	24	2	24	2	-	6	16	52	84	18	22	4	6	-	53
360	12	-	108	16	10	50	24	2	24	2	-	6	16	56	90	18	24	4	6	-	54
108	6	-	36	-	2	16	4	2	-	-	-	4	8	8	24	4	2	6	-	-	55
26	2	-	8	2	-	2	2	-	-	-	-	-	2	4	6	2	2	-	2	-	56
10	4	-	2	-	-	2	2	-	2	-	-	-	4	24	18	6	4	-	-	-	57
38	4	-	10	-	4	4	6	-	2	-	-	-	4	-	16	2	4	-	-	-	58
250	16	2	74	4	20	42	18	2	8	2	-	4	12	26	54	28	24	14	2	-	59
32	4	-	12	-	-	-	-	-	2	-	-	-	-	-	8	6	-	-	-	-	60
30	-	-	14	-	-	2	-	-	2	-	-	2	2	-	2	-	4	-	-	-	61
136	4	-	64	26	10	4	6	-	12	-	-	4	8	-	40	24	4	2	2	-	62
42	2	-	22	-	4	14	4	-	2	-	-	2	-	2	16	6	2	6	-	2	63
156	8	-	46	-	2	8	6	-	4	6	-	4	6	4	18	14	10	2	-	2	64
88	6	-	18	-	-	8	6	-	4	2	-	-	4	2	6	6	6	-	-	2	65
98	8	-	22	-	-	10	6	-	4	4	-	-	4	2	6	6	6	-	-	2	66
68	2	-	28	-	2	-	-	-	-	4	-	4	2	2	12	8	4	2	-	-	67
36	2	-	10	-	2	4	-	-	2	-	-	6	-	4	10	6	6	2	-	-	68
422	8	22	70	32	16	46	8	4	10	-	-	10	14	12	52	8	30	8	10	-	69
182	2	8	28	14	8	22	-	-	4	-	-	8	2	4	20	4	12	-	-	-	70
240	6	14	42	18	8	24	8	4	6	-	-	2	12	8	32	4	18	8	10	-	71
98	-	2	20	-	2	4	6	-	2	2	-	-	2	-	8	2	-	2	-	-	72
104	4	4	24	2	4	22	8	2	6	-	-	4	6	2	8	6	12	4	-	-	73
952	58	8	242	18	36	80	42	4	44	2	-	16	34	40	172	58	68	18	22	2	74
408	34	4	100	6	12	28	16	2	14	-	-	10	6	8	78	20	18	12	14	2	75
46	-	-	18	-	-	6	-	-	-	-	-	2	4	2	10	4	8	-	-	-	76
42	4	-	12	2	2	2	-	-	6	2	-	-	10	2	16	-	2	2	-	-	77
456	20	4	112	10	22	44	26	2	24	-	-	4	14	28	68	34	40	4	8	-	78
76	4	-	50	12	8	18	6	-	4	-	-	-	10	4	18	2	6	-	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	WEST VIRGINIA--CON.																	
01	LINCOLN	214	2	-	2	28	10	6	4	-	2	-	6	6	116	96	-	2
02	LOGAN	644	4	-	4	56	6	16	4	6	10	4	10	10	224	178	2	6
03	MC DOWELL	608	10	-	2	78	22	18	4	4	2	6	22	10	302	200	6	2
04	MARION	804	-	-	6	140	32	48	4	16	6	6	28	12	494	362	6	8
05	FAIRMONT	332	-	-	2	68	14	24	2	12	2	4	10	4	194	126	4	2
06	BALANCE OF COUNTY	472	-	-	4	72	18	24	2	4	4	2	18	8	300	236	2	6
07	MARSHALL	390	2	-	2	74	28	22	4	4	4	4	8	8	202	158	6	2
08	MOUNDSVILLE	170	2	-	-	38	14	16	2	2	-	-	4	4	80	68	-	2
09	BALANCE OF COUNTY	220	-	-	2	36	14	6	2	2	4	4	4	4	122	90	6	-
10	MASON	248	2	-	-	34	12	18	-	-	2	-	2	6	128	96	2	2
11	MERCER	798	2	-	4	132	28	30	10	12	4	8	40	4	370	250	2	6
12	BLUEFIELD[5]	252	-	-	4	42	8	8	6	2	4	4	10	2	112	74	-	2
13	BALANCE OF COUNTY	546	2	-	-	90	20	22	4	10	-	4	30	2	258	176	2	4
14	MINERAL	298	-	-	2	60	16	12	8	12	-	2	10	10	178	148	2	-
15	MINGO	420	2	-	2	68	6	24	10	6	2	4	16	6	230	176	2	2
16	MONONGALIA	644	-	-	6	108	34	28	10	12	-	8	16	22	344	260	-	2
17	MORGANTOWN	296	-	-	2	62	18	16	10	2	-	6	10	10	148	114	-	2
18	BALANCE OF COUNTY	348	-	-	4	46	16	12	-	10	-	2	6	12	196	146	-	-
19	MONROE	156	-	-	4	14	4	2	-	2	-	-	6	-	92	60	-	2
20	MORGAN	94	2	-	-	28	10	4	2	2	2	-	8	2	42	30	2	-
21	NICHOLAS	286	4	-	-	36	6	12	4	4	-	-	10	2	164	128	2	8
22	OHIO	946	-	-	-	196	48	42	24	28	16	6	32	8	496	366	10	12
23	WHEELING	816	-	-	-	172	40	38	22	22	14	4	32	4	422	312	8	6
24	BALANCE OF COUNTY	130	-	-	-	24	8	4	2	6	2	2	-	4	74	54	2	6
25	PENDLETON	96	-	-	-	14	6	-	2	-	-	-	6	-	66	50	-	-
26	PLEASANTS	64	-	-	-	16	4	2	2	2	-	2	4	-	34	20	-	4
27	POCAHONTAS	134	-	-	2	14	8	2	-	2	2	-	-	6	80	54	-	-
28	PRESTON	300	2	-	-	36	14	2	6	8	-	-	6	6	168	140	2	-
29	PUTNAM	228	2	-	-	44	18	8	-	8	-	4	6	8	118	90	2	-
30	RALEIGH	982	8	-	6	162	36	58	10	18	4	2	34	14	442	344	4	2
31	BECKLEY	304	2	-	-	62	22	14	6	2	2	-	16	2	160	120	2	-
32	BALANCE OF COUNTY	578	6	-	6	100	14	44	4	16	2	2	18	12	282	224	2	2
33	RANDOLPH	280	-	-	-	48	18	14	4	10	-	-	2	2	138	88	-	4
34	RITCHIE	122	-	-	2	22	12	2	4	2	-	-	2	4	76	62	-	2
35	ROANE	160	2	-	2	20	2	6	-	8	-	-	4	4	84	54	2	4
36	SUMMERS	220	-	-	-	20	4	8	2	2	-	-	4	10	126	90	2	4
37	TAYLOR	210	-	-	-	46	12	4	10	4	2	-	14	4	90	60	-	-
38	TUCKER	96	-	-	-	14	6	2	-	6	-	-	-	-	52	40	2	-
39	TYLER	118	-	-	-	24	8	8	2	2	-	-	4	10	60	46	-	-
40	UPSHUR	234	-	-	-	38	16	10	6	-	-	2	4	4	146	100	-	4
41	WAYNE	340	-	-	2	64	12	18	-	12	4	2	16	8	170	116	4	-
42	HUNTINGTON, PART	44	-	-	-	12	2	2	-	-	-	2	6	2	18	16	-	-
43	BALANCE OF COUNTY	296	-	-	2	52	10	16	-	12	4	-	10	6	152	100	4	-
44	WEBSTER	140	-	-	-	26	4	8	-	4	4	-	6	4	76	60	4	-
45	WETZEL	234	2	-	-	44	8	8	4	4	-	2	18	4	138	110	-	8
46	WIRT	54	-	-	-	14	8	2	-	2	2	-	-	-	28	14	-	2
47	WOOD	888	-	2	-	126	42	26	8	8	4	6	32	18	546	408	2	10
48	PARKERSBURG	586	-	2	-	84	24	24	4	6	4	2	20	16	352	268	-	10
49	VIENNA	92	-	-	-	16	8	-	2	-	-	-	6	2	56	40	-	-
50	BALANCE OF COUNTY	210	-	-	-	26	10	2	2	2	-	4	6	-	138	100	2	-
51	WYOMING	260	-	-	-	36	10	8	-	2	-	2	14	2	124	96	2	2
52	**WISCONSIN**	42,120	46	6	210	7,390	2,194	1,264	750	904	404	356	1,518	878	23,770	17,236	264	294
53	URBAN PLACES	21,542	28	2	130	3,868	1,168	652	444	468	214	140	782	432	12,124	8,784	124	152
54	BALANCE OF AREA	20,578	18	4	80	3,522	1,026	612	306	436	190	216	736	446	11,646	8,452	140	142
55	METROPOLITAN COUNTIES	21,768	28	4	148	3,960	1,152	670	462	484	208	154	830	466	11,954	8,736	148	138
56	URBAN PLACES	17,040	24	2	118	3,146	944	540	380	366	168	108	640	352	9,372	6,782	102	116
57	BALANCE OF AREA	4,728	4	2	30	814	208	130	82	118	40	46	190	114	2,582	1,954	46	22
58	NONMETROPOLITAN COUNTIES	20,352	18	2	62	3,430	1,042	594	288	420	196	202	688	412	11,816	8,500	116	156
59	URBAN PLACES	4,502	4	-	12	722	224	112	64	102	46	32	142	80	2,752	2,002	22	36
60	BALANCE OF AREA	15,850	14	2	50	2,708	818	482	224	318	150	170	546	332	9,064	6,498	94	120
61	ADAMS	134	-	-	-	30	4	10	2	-	6	-	8	2	66	38	2	-
62	ASHLAND	198	-	-	-	28	8	4	-	2	2	4	8	6	128	102	-	-
63	BARRON	452	-	-	2	92	32	14	12	16	4	-	14	14	238	148	2	2
64	BAYFIELD	162	-	-	-	34	12	6	2	4	4	2	4	-	98	80	-	4
65	BROWN	1,174	4	-	8	218	50	24	32	32	12	16	52	24	660	478	12	16
66	DE PERE	104	2	-	2	22	4	2	4	-	4	2	6	4	54	42	-	4
67	GREEN BAY	724	2	-	2	130	34	20	22	18	2	6	28	8	414	288	10	10
68	BALANCE OF COUNTY	346	-	-	4	66	12	2	6	14	6	8	18	12	192	148	2	2
69	BUFFALO	168	-	-	-	34	6	2	4	8	2	4	8	-	80	62	2	-
70	BURNETT	140	-	-	-	24	4	6	2	-	-	2	10	4	72	50	6	2
71	CALUMET	226	-	-	2	30	6	4	4	2	2	6	6	10	122	82	2	-
72	APPLETON, PART	14	-	-	-	2	-	2	-	-	-	-	-	-	6	6	-	-
73	BALANCE OF COUNTY	212	-	-	2	28	6	2	4	2	2	6	6	10	116	76	2	-
74	CHIPPEWA	454	-	-	-	60	16	2	8	2	8	4	20	6	276	176	2	4
75	CHIPPEWA FALLS	144	-	-	-	20	4	-	4	-	4	-	8	6	94	58	-	-
76	EAU CLAIRE, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	BALANCE OF COUNTY	308	-	-	-	40	12	2	4	2	4	4	12	-	182	118	2	4
78	CLARK	356	-	-	-	82	28	-12	8	16	2	8	8	16	198	154	2	-
79	COLUMBIA	454	-	-	2	84	32	6	10	12	4	4	16	16	254	208	2	-

SEE FOOTNOTES AT END OF TABLE.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
90	4	-	16	4	-	6	2	-	2	2	-	-	4	18	10	6	6	4	-	-	01
164	6	-	34	6	6	12	32	2	8	4	-	4	12	70	48	18	126	2	8	-	02
178	14	-	86	6	10	10	16	-	6	-	-	4	12	12	84	24	16	4	12	6	03
336	12	4	102	16	10	24	8	4	10	6	-	4	4	10	44	14	20	4	-	-	04
116	4	2	48	12	6	6	2	4	6	2	-	-	2	6	16	10	8	2	-	-	05
220	8	2	54	4	4	18	6	-	4	4	-	4	2	4	28	4	12	2	-	-	06
138	12	-	34	8	2	12	4	-	-	4	-	-	12	-	40	8	14	2	6	-	07
58	8	-	6	6	-	4	4	-	-	2	-	-	6	-	14	4	4	2	6	-	08
80	4	-	28	2	2	8	-	-	-	2	-	-	6	-	26	4	10	-	-	-	09
82	10	2	22	6	2	12	6	-	-	-	-	2	10	-	24	12	10	2	-	-	10
216	26	14	86	16	4	32	10	2	6	-	-	12	16	98	54	22	22	6	4	2	11
66	6	4	28	4	2	14	2	2	2	-	-	-	4	32	20	4	6	2	2	2	12
150	20	10	58	12	2	18	8	-	4	-	-	12	12	66	34	18	16	4	2	-	13
142	4	-	22	4	4	6	-	-	2	-	2	2	-	4	8	10	10	2	2	-	14
164	8	-	48	6	-	18	16	-	2	-	-	6	10	6	30	6	10	2	2	4	15
246	12	4	64	8	8	26	12	4	8	2	-	8	16	-	42	8	24	8	4	2	16
108	4	-	26	2	6	14	4	2	2	-	-	4	8	-	24	2	8	4	2	-	17
138	8	4	38	6	2	12	8	2	6	2	-	4	8	-	18	6	16	4	2	2	18
54	4	-	24	8	-	6	4	2	-	-	-	-	6	4	6	4	12	2	-	-	19
24	4	-	8	4	-	6	-	-	-	-	-	-	-	-	6	4	4	-	-	-	20
114	4	-	32	-	4	16	6	-	2	-	-	-	2	10	14	18	8	-	2	2	21
324	20	2	92	30	6	24	24	4	14	-	-	8	16	4	100	12	32	6	-	2	22
282	16	2	78	24	6	24	22	4	14	-	-	8	14	2	86	10	28	6	-	-	23
42	4	-	14	6	-	-	2	-	-	-	-	-	2	2	14	2	4	-	-	2	24
48	2	-	12	4	-	-	-	-	-	-	-	-	-	-	-	8	2	6	-	-	25
14	2	-	8	4	2	-	2	-	-	-	-	2	2	-	4	2	2	-	-	-	26
52	2	-	24	2	-	4	2	2	-	-	-	2	-	4	12	-	6	-	-	-	27
124	14	-	24	4	-	22	-	4	8	2	-	4	4	2	16	16	6	4	-	-	28
86	2	-	22	4	2	6	2	-	4	-	-	4	8	-	12	10	4	2	2	2	29
278	60	4	70	18	6	22	26	6	2	4	-	8	12	6	82	34	32	4	10	2	30
100	18	2	32	6	-	6	10	2	-	-	-	-	6	2	22	14	8	4	4	-	31
178	42	2	38	12	6	16	16	4	2	4	-	8	6	4	60	20	24	-	6	2	32
80	4	6	36	6	2	26	4	-	2	-	-	2	6	12	16	8	12	2	-	2	33
58	2	2	12	-	-	4	-	-	-	-	-	-	-	-	2	6	6	-	-	-	34
44	4	-	26	4	-	6	-	-	6	2	-	4	2	6	10	2	8	2	-	-	35
76	8	-	32	-	4	6	10	-	-	-	-	2	6	8	20	8	4	-	-	-	36
52	8	-	22	6	2	16	-	2	2	-	-	-	-	14	14	6	6	8	2	-	37
36	2	-	4	2	6	8	4	-	-	-	-	-	-	-	10	2	6	-	-	-	38
46	-	-	14	-	-	4	2	-	2	2	-	-	2	-	8	-	4	-	-	-	39
92	4	-	40	2	4	6	4	2	-	-	-	2	2	4	12	2	10	2	-	-	40
98	14	2	36	10	6	10	4	4	2	2	-	2	2	20	34	2	12	2	-	-	41
14	2	-	2	-	-	-	-	-	-	-	-	-	-	4	6	-	2	-	-	-	42
84	12	2	34	10	6	10	4	4	2	2	-	2	2	16	28	2	10	2	-	-	43
52	4	2	12	2	-	4	4	-	2	-	-	2	2	2	8	2	8	-	-	-	44
96	6	2	20	4	2	8	-	4	4	-	-	-	4	2	10	2	6	6	-	-	45
8	4	-	10	-	4	4	-	-	-	-	-	-	-	-	2	-	4	-	-	2	46
378	18	16	100	8	14	34	20	4	4	2	-	10	24	-	36	32	18	12	-	-	47
248	10	8	60	2	14	30	14	4	4	2	-	4	10	-	24	18	12	10	-	-	48
36	4	2	14	-	-	-	2	-	-	-	-	2	6	-	4	4	-	-	-	-	49
94	4	6	26	6	-	4	4	-	-	-	-	4	8	-	8	10	6	2	-	-	50
90	2	-	22	4	2	12	2	-	6	-	-	4	8	4	28	14	10	8	2	-	51
15,628	1,050	190	4,866	884	594	1,258	574	206	472	156	6	286	474	274	3,054	1,126	1,196	562	146	30	52
8,042	466	102	2,498	448	292	644	306	122	320	74	-	152	264	116	1,564	416	540	308	110	22	53
7,586	584	88	2,368	436	302	614	268	84	152	82	6	134	210	158	1,490	710	656	254	36	8	54
8,008	442	90	2,410	428	290	660	288	114	330	76	-	166	284	124	1,626	494	606	308	104	28	55
6,230	334	80	1,954	328	228	522	238	98	274	56	-	120	228	88	1,272	314	442	252	100	22	56
1,778	108	10	456	100	62	138	50	16	56	20	-	46	56	36	354	180	164	56	4	6	57
7,620	608	100	2,456	456	304	598	286	92	142	80	6	120	190	150	1,428	632	590	254	42	2	58
1,812	132	22	544	120	64	122	68	24	46	18	-	32	36	28	292	102	98	56	10	-	59
5,808	476	78	1,912	336	240	476	218	68	96	62	6	88	154	122	1,136	530	492	198	32	2	60
36	-	2	20	2	4	10	2	-	2	-	-	-	2	-	10	2	6	2	-	-	61
98	4	-	20	-	6	2	2	-	2	-	-	-	2	4	10	2	8	4	-	-	62
140	4	-	68	12	10	18	8	4	4	-	-	-	-	10	34	8	16	4	-	-	63
74	2	-	12	-	6	8	-	2	-	-	-	2	-	-	8	4	4	-	2	-	64
378	72	4	128	30	20	24	10	4	14	4	-	6	18	10	76	36	32	18	6	2	65
32	6	-	10	2	-	2	2	-	4	-	-	-	-	-	6	-	6	-	-	-	66
224	44	4	90	20	12	16	8	4	4	4	-	4	12	4	48	20	22	16	6	-	67
122	22	-	28	8	8	6	-	-	6	-	-	2	6	6	22	16	4	2	-	2	68
58	2	2	14	-	2	24	2	2	4	-	-	2	-	2	10	6	2	-	-	-	69
40	2	-	18	2	2	8	2	4	-	-	-	2	-	-	14	4	4	2	-	-	70
78	2	-	28	10	2	12	-	-	-	2	-	4	4	4	10	8	14	4	-	-	71
6	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	2	-	-	-	72
72	2	-	28	10	2	10	-	-	-	2	-	4	4	4	8	8	12	4	-	-	73
148	22	4	68	14	14	10	8	-	4	-	-	2	16	2	36	18	16	-	-	-	74
50	8	2	24	-	10	4	2	-	2	-	-	-	4	2	8	2	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	76
98	14	2	44	14	4	6	6	-	2	-	-	2	10	-	28	16	16	-	-	-	77
136	16	2	40	2	-	10	2	-	2	-	-	-	4	-	24	6	10	2	-	-	78
192	14	-	34	8	4	6	2	2	-	-	-	8	6	6	28	16	20	4	-	-	79

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402,404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	WISCONSIN--CON.																	
01	CRAWFORD	182	-	-	2	26	8	4	-	6	2	-	6	2	94	76	-	-
02	DANE	1,824	2	-	10	298	86	42	36	36	20	14	64	40	1,008	710	14	12
03	MADISON	1,078	2	-	6	188	56	24	26	24	12	10	36	18	592	406	4	4
04	MONONA	38	-	-	-	6	2	2	-	-	-	2	-	-	18	12	2	-
05	BALANCE OF COUNTY	708	-	-	4	104	28	16	10	12	8	2	28	22	398	292	8	8
06	DODGE	728	-	-	2	112	42	14	8	16	6	6	20	18	394	302	6	4
07	BEAVER DAM	174	-	-	-	30	10	2	6	4	2	4	2	10	102	80	-	-
08	WATERTOWN, PART	64	-	-	-	6	4	-	-	2	-	-	-	-	38	28	-	-
09	BALANCE OF COUNTY	490	-	-	2	76	28	12	2	10	4	2	18	8	254	194	6	4
10	DOOR	260	-	-	-	46	12	6	6	4	2	6	10	2	152	92	4	-
11	DOUGLAS	600	2	-	4	92	34	16	8	6	6	4	18	18	354	280	4	6
12	SUPERIOR	446	2	-	4	74	28	14	8	4	4	4	12	12	272	218	4	6
13	BALANCE OF COUNTY	154	-	-	-	18	6	2	-	2	2	-	6	6	82	62	-	-
14	DUNN	304	-	-	-	60	18	8	-	4	2	4	24	4	172	106	-	2
15	MENOMONIE	116	-	-	-	24	10	6	-	2	-	-	6	4	54	36	-	-
16	BALANCE OF COUNTY	188	-	-	-	36	8	2	-	2	2	4	18	-	118	70	-	2
17	EAU CLAIRE	602	-	-	2	104	30	18	8	8	8	2	30	2	386	324	2	10
18	EAU CLAIRE, PART	424	-	-	2	82	24	12	8	8	4	-	26	2	274	224	2	8
19	EAU CLAIRE, TOTAL	426	-	-	2	82	24	12	8	8	4	-	26	2	274	224	2	8
20	BALANCE OF COUNTY	178	-	-	-	22	6	6	-	-	4	2	4	-	112	100	-	2
21	FLORENCE	38	-	-	-	8	2	2	-	2	-	2	-	-	22	14	-	-
22	FOND DU LAC	860	-	-	-	146	34	30	8	28	8	16	22	24	486	354	4	8
23	FOND DU LAC	454	-	-	-	66	20	8	4	20	4	4	6	12	270	202	-	6
24	BALANCE OF COUNTY	406	-	-	-	80	14	22	4	8	4	12	16	12	216	152	4	2
25	FOREST	112	-	-	-	6	2	-	-	2	2	-	-	-	84	54	-	-
26	GRANT	474	-	-	2	80	16	14	12	2	6	14	16	12	262	184	4	2
27	GREEN	316	-	-	2	52	16	14	2	6	4	-	10	6	180	118	-	2
28	GREEN LAKE	208	-	-	2	28	8	6	2	-	2	4	6	6	114	92	2	2
29	IOWA	238	-	-	-	32	6	8	2	6	2	-	8	2	148	72	2	-
30	IRON	76	-	-	-	6	2	-	4	-	-	-	-	-	58	44	-	2
31	JACKSON	202	-	-	-	24	12	-	4	2	-	2	4	8	134	102	-	2
32	JEFFERSON	572	-	-	-	94	26	18	12	6	4	2	26	20	340	232	4	4
33	WATERTOWN, PART	132	-	-	-	16	8	-	-	2	-	-	6	2	82	46	-	2
34	WATERTOWN, TOTAL	196	-	-	-	22	12	-	-	4	-	-	6	2	120	74	-	2
35	WHITEWATER, PART	4	-	-	-	2	-	-	-	-	2	-	-	-	2	-	-	-
36	BALANCE OF COUNTY	436	-	-	-	76	18	18	12	4	2	2	20	18	256	186	4	2
37	JUNEAU	262	-	-	-	36	14	6	-	2	-	2	12	4	180	140	2	12
38	KENOSHA	976	-	-	6	184	40	40	38	18	8	4	36	42	556	442	2	8
39	KENOSHA	652	-	-	4	122	26	24	28	12	2	2	28	32	358	280	2	8
40	BALANCE OF COUNTY	324	-	-	2	62	14	16	10	6	6	2	8	10	198	162	-	-
41	KEWAUNEE	216	-	-	-	42	6	10	2	6	6	2	10	12	132	94	-	-
42	LA CROSSE	814	2	-	4	148	58	24	10	24	6	10	16	20	430	312	10	-
43	LA CROSSE	568	-	-	4	106	44	18	6	14	6	6	12	16	302	204	2	-
44	BALANCE OF COUNTY	246	2	-	-	42	14	6	4	10	-	4	4	4	128	108	8	-
45	LAFAYETTE	194	-	-	-	38	20	6	2	4	-	-	6	-	110	74	4	-
46	LANGLADE	260	-	-	2	46	18	6	8	4	-	4	6	16	140	110	-	-
47	LINCOLN	314	-	-	6	60	14	10	10	8	2	-	16	2	186	142	2	6
48	MANITOWOC	830	-	-	2	120	38	18	6	12	14	2	30	22	518	402	4	12
49	MANITOWOC	420	-	-	2	64	24	10	2	6	4	2	16	16	264	200	4	4
50	TWO RIVERS	140	-	-	-	18	4	2	-	2	4	-	6	-	102	80	-	-
51	BALANCE OF COUNTY	270	-	-	-	38	10	6	4	4	6	-	8	6	152	122	-	8
52	MARATHON	826	6	-	8	160	42	20	16	26	10	16	30	4	460	312	8	14
53	MARSHFIELD, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54	WAUSAU	398	2	-	4	70	18	12	8	8	6	8	10	2	254	164	4	12
55	BALANCE OF COUNTY	428	4	-	4	90	24	8	8	18	4	8	20	2	206	148	4	2
56	MARINETTE	456	2	-	2	84	22	14	10	12	10	4	12	18	242	184	6	6
57	MARINETTE	140	-	-	-	18	10	-	-	4	-	2	2	2	98	68	2	-
58	BALANCE OF COUNTY	316	2	-	2	66	12	14	10	8	10	2	10	16	144	116	4	6
59	MARQUETTE	130	-	-	-	20	4	8	4	2	-	-	2	2	90	62	2	-
60	MENOMINEE	44	-	-	-	6	2	-	-	-	-	-	4	-	26	14	-	-
61	MILWAUKEE	10,250	14	2	72	1,926	596	358	224	210	94	56	388	184	5,618	4,066	52	64
62	BROWN DEER	78	-	-	4	18	6	2	2	4	-	-	4	2	38	28	-	-
63	CUDAHY	174	-	-	-	48	14	14	-	2	4	-	14	-	76	56	-	-
64	FRANKLIN	60	-	-	-	12	6	-	-	6	-	-	-	-	20	16	-	-
65	GLENDALE	170	-	-	-	16	6	2	2	2	-	-	4	2	122	86	2	2
66	GREENDALE	56	-	-	-	12	2	2	4	2	2	-	-	-	28	20	-	-
67	GREENFIELD	130	-	-	2	20	4	2	8	4	-	-	2	-	82	72	-	-
68	MILWAUKEE, PART	7,430	10	2	46	1,398	416	288	154	144	60	44	292	128	4,048	2,932	34	56
69	MILWAUKEE, TOTAL	7,430	10	2	46	1,398	416	288	154	144	60	44	292	128	4,048	2,932	34	56
70	OAK CREEK	68	-	-	-	18	2	4	4	2	6	-	-	2	28	22	-	-
71	ST. FRANCIS	82	-	-	2	14	10	2	-	-	-	-	2	-	54	34	2	-
72	SHOREWOOD	156	-	-	-	38	10	8	6	8	4	-	2	6	80	56	-	-
73	SOUTH MILWAUKEE	150	-	-	4	28	14	2	-	-	-	2	10	4	76	58	-	2
74	WAUWATOSA	622	4	-	6	102	32	12	12	14	10	6	16	20	372	256	6	-
75	WEST ELLIS	718	-	-	2	142	56	18	26	10	4	2	26	18	396	286	6	4
76	WHITEFISH BAY	128	-	-	4	24	6	-	-	4	4	2	8	-	70	44	-	-
77	BALANCE OF COUNTY	228	-	-	2	36	12	2	6	8	-	-	8	2	128	100	2	-
78	MONROE	356	-	-	2	66	14	14	6	2	8	4	18	6	210	144	-	2
79	OCONTO	288	2	2	-	48	14	8	-	6	-	4	16	8	158	114	2	4
80	ONEIDA	312	2	-	-	50	12	18	4	2	4	2	8	8	172	116	4	2
81	OUTAGAMIE	918	-	-	6	168	52	10	22	30	6	2	46	24	502	378	10	12
82	APPLETON, PART	464	-	-	4	82	28	2	14	14	6	-	18	8	258	194	6	4
83	APPLETON, TOTAL	478	-	-	4	84	28	4	14	14	6	-	18	8	264	200	6	4

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
60	16	2	12	2	2	16	8	-	-	-	2	-	2	-	14	6	8	2	-	-	01
656	28	4	234	42	18	62	22	8	28	12	-	20	22	8	150	44	68	18	4	-	02
384	14	4	140	26	16	42	16	4	20	8	-	12	14	2	82	18	38	14	2	-	03
10	-	-	4	2	-	-	4	-	-	-	-	-	-	-	6	4	-	-	-	-	04
262	14	-	90	14	2	20	2	4	8	4	-	8	8	6	62	22	30	4	2	-	05
262	30	2	66	18	6	26	8	-	4	4	-	2	10	12	82	28	12	10	4	-	06
76	4	-	14	8	-	4	4	-	-	-	-	2	2	-	16	2	-	2	-	-	07
24	4	-	8	2	-	4	-	-	-	-	-	-	-	4	6	4	2	-	-	-	08
162	22	2	44	8	6	18	4	-	4	4	-	-	8	8	60	22	10	8	4	-	09
76	12	2	38	12	8	12	2	4	2	-	-	2	-	-	22	6	8	2	-	-	10
260	10	-	48	14	12	16	6	4	2	-	-	2	4	8	52	12	20	4	-	-	11
200	8	-	34	12	8	8	4	4	2	-	-	-	4	4	36	6	12	2	-	-	12
60	2	-	14	2	4	8	2	-	-	-	-	2	-	4	16	6	8	2	-	-	13
102	2	-	52	10	4	12	4	2	6	-	-	-	4	-	12	12	12	4	-	-	14
36	-	-	12	4	2	8	4	2	6	-	-	-	-	-	2	6	4	2	-	-	15
66	2	-	40	6	2	4	-	-	-	-	-	-	4	-	10	6	8	2	-	-	16
288	24	2	42	6	12	14	4	-	4	-	-	2	4	-	48	18	12	2	-	-	17
196	18	2	32	4	12	6	4	-	4	-	-	2	2	-	26	12	6	2	-	-	18
196	18	2	32	4	12	6	4	-	4	-	-	2	4	-	26	12	6	2	-	-	19
92	6	-	10	2	-	8	-	-	-	-	-	-	2	-	22	6	6	-	-	-	20
10	4	-	4	2	2	-	4	-	-	2	-	-	-	-	-	-	2	-	-	-	21
322	20	2	98	22	10	32	10	2	10	8	-	16	6	8	52	34	18	6	2	-	22
178	18	2	46	18	2	18	4	2	10	6	-	6	-	4	34	6	8	6	2	-	23
144	2	-	52	4	8	14	6	-	-	2	-	10	6	4	18	28	10	-	-	-	24
44	10	2	20	4	4	-	6	-	-	-	-	-	2	2	10	2	-	-	-	-	25
168	10	4	62	10	2	26	6	2	-	-	-	4	8	-	28	22	10	10	2	-	26
112	4	-	54	-	8	4	2	-	-	4	-	2	4	2	36	8	10	4	-	-	27
80	8	2	18	-	2	8	4	-	-	2	-	2	-	6	18	10	4	2	2	-	28
66	4	-	64	6	6	2	4	2	2	-	-	2	-	2	18	6	14	4	-	-	29
42	-	2	8	4	-	6	-	-	-	-	-	-	-	-	2	2	-	2	-	-	30
96	4	2	18	6	6	8	2	-	2	-	-	-	-	2	6	10	4	2	-	-	31
206	18	2	78	18	10	10	12	-	8	6	-	8	-	4	28	4	20	16	2	-	32
40	4	-	24	6	6	-	6	-	2	-	-	2	-	2	8	-	6	6	-	-	33
64	8	-	32	8	6	4	6	-	2	-	-	2	-	6	14	4	8	6	-	-	34
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
166	14	2	52	12	4	10	6	-	6	6	-	6	-	2	20	4	14	10	2	-	36
100	26	2	26	10	2	6	2	-	-	-	-	2	2	4	8	6	8	4	-	-	37
418	14	14	78	12	10	22	6	-	16	2	-	10	6	-	52	30	26	16	2	-	38
260	10	12	52	8	6	20	4	-	12	2	-	8	6	-	32	22	18	10	2	-	39
158	4	2	26	4	4	2	2	-	4	-	-	2	-	-	20	8	8	6	-	-	40
92	2	-	28	6	4	4	2	2	-	-	2	-	4	-	4	6	4	2	-	-	41
290	12	-	82	24	12	40	8	2	8	4	-	10	6	8	80	10	20	12	2	-	42
194	8	-	70	20	8	32	8	2	8	2	-	8	2	2	54	6	8	6	2	-	43
98	4	-	12	4	4	8	-	-	-	2	-	2	4	6	26	4	12	6	-	-	44
66	4	-	28	6	2	4	4	-	2	2	-	2	4	4	14	2	2	6	-	-	45
100	10	2	26	-	2	12	2	-	4	-	-	-	-	-	18	12	6	2	-	-	46
130	4	2	32	8	2	8	4	2	4	-	-	-	4	2	20	12	4	-	-	-	47
376	10	4	90	12	10	24	8	6	4	2	-	4	10	6	34	28	22	20	-	-	48
188	4	4	48	8	4	10	8	4	2	-	-	4	4	2	18	12	6	4	-	-	49
78	2	-	20	-	2	2	-	-	-	-	-	-	2	-	2	2	2	10	-	-	50
110	4	-	22	4	4	12	-	2	2	2	-	-	4	4	14	14	14	6	-	-	51
264	26	10	106	24	8	16	10	4	2	4	-	6	10	8	52	42	24	10	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
136	12	4	64	16	6	4	4	-	2	4	-	2	-	2	24	14	10	-	-	-	54
128	14	6	42	8	2	12	6	4	-	-	-	4	10	6	28	28	14	10	-	-	55
160	12	-	42	12	4	8	10	4	-	2	-	-	2	2	48	6	14	8	4	-	56
60	6	-	24	4	2	4	2	4	-	-	-	-	-	-	6	-	2	2	2	-	57
100	6	-	18	8	2	4	8	-	-	2	-	-	2	2	42	6	12	6	2	-	58
54	6	-	20	8	-	-	2	-	-	-	-	-	-	-	6	2	4	4	-	-	59
14	-	2	10	-	-	-	-	-	-	-	-	-	2	-	6	-	4	-	-	-	60
3,814	136	50	1,194	180	128	296	146	66	174	30	-	74	140	46	780	162	256	162	80	22	61
28	-	2	4	4	-	-	-	-	2	-	-	-	2	-	8	-	2	2	-	-	62
56	-	-	12	2	6	12	2	-	2	-	-	-	2	-	16	6	8	2	-	-	63
16	-	-	4	-	-	2	2	-	-	-	-	-	2	-	12	4	2	4	-	-	64
78	4	-	26	8	2	6	4	2	-	2	-	-	-	-	10	4	2	-	-	-	65
20	-	-	6	2	-	-	-	-	2	-	-	4	-	-	10	-	-	-	-	-	66
70	2	-	8	-	2	-	2	2	2	-	-	-	2	-	12	4	-	2	-	-	67
2,726	116	36	866	128	86	230	104	48	130	22	-	64	106	34	548	120	190	108	76	18	68
2,726	116	36	866	128	86	230	104	48	130	22	-	64	106	34	548	120	190	108	76	18	69
22	-	-	6	-	-	2	-	-	2	-	-	2	-	-	8	2	2	-	2	-	70
32	-	4	8	6	2	-	2	2	2	-	-	-	2	-	4	-	-	-	-	-	71
54	2	-	20	2	2	8	-	4	2	-	-	-	2	2	12	-	-	-	-	2	72
56	-	4	12	2	-	2	4	-	2	-	-	-	4	2	14	-	8	2	-	-	73
244	6	-	80	22	14	16	8	2	2	2	-	2	6	4	32	4	18	22	-	-	74
274	2	4	96	2	8	18	14	4	18	-	-	2	10	2	58	10	12	10	2	-	75
42	2	-	24	-	2	-	2	-	-	2	-	-	-	2	14	6	2	2	-	-	76
96	2	-	22	2	4	-	2	2	8	2	-	-	2	-	22	2	10	8	-	2	77
140	2	2	52	6	6	6	4	2	4	-	-	2	2	2	30	10	10	-	-	-	78
62	46	-	38	2	4	6	4	-	8	4	-	-	2	2	28	8	6	2	-	-	79
80	30	4	34	6	12	16	8	4	-	2	-	-	2	-	22	10	12	4	-	-	80
344	12	2	88	18	16	26	10	2	10	4	-	6	8	6	66	38	32	8	-	2	81
176	8	-	48	8	8	12	4	2	8	2	-	2	6	2	42	12	14	4	-	2	82
182	8	-	48	8	8	14	4	2	8	2	-	2	6	2	44	12	16	4	-	2	83

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	WISCONSIN--CON.																	
	OUTAGAMIE--CON.																	
01	KAUKAUNA	96	-	-	-	20	6	4	2	6	-	-	2	8	48	40	-	4
02	BALANCE OF COUNTY	358	-	-	2	66	18	4	6	10	-	2	26	8	196	144	4	4
03	OZAUKEE	376	-	2	8	62	12	14	10	14	2	2	8	4	204	178	8	2
04	MEQUON	92	-	-	2	18	4	4	2	6	2	-	-	-	54	52	6	-
05	BALANCE OF COUNTY	284	-	2	6	44	8	10	8	8	-	2	8	4	150	126	2	2
06	PEPIN	72	-	-	-	10	-	2	-	4	-	2	2	-	38	24	-	-
07	PIERCE	262	-	-	-	40	6	8	-	6	4	4	12	6	152	116	2	-
08	POLK	308	2	-	4	64	28	2	8	8	2	4	12	4	168	106	-	2
09	PORTAGE	352	-	-	2	66	20	6	6	2	2	8	22	4	198	154	4	-
10	STEVENS POINT	164	-	-	-	34	8	6	4	2	2	-	12	4	92	70	-	-
11	BALANCE OF COUNTY	188	-	-	2	32	12	-	2	-	-	8	10	-	106	84	4	-
12	PRICE	208	-	-	-	36	16	12	2	4	-	-	2	2	118	80	-	2
13	RACINE	1,392	-	-	6	258	60	48	28	34	18	8	62	32	774	576	10	4
14	RACINE	866	-	-	4	162	38	24	16	20	12	6	46	20	460	344	4	4
15	BALANCE OF COUNTY	526	-	-	2	96	22	24	12	14	6	2	16	12	314	232	6	-
16	RICHLAND	196	-	-	-	28	10	8	2	6	-	-	2	8	130	76	-	-
17	ROCK	1,238	2	-	4	184	58	50	18	26	8	6	18	10	712	524	2	8
18	BELOIT	388	-	-	2	50	4	18	10	4	6	-	8	2	224	166	-	2
19	JANESVILLE	384	2	-	2	56	20	16	2	10	-	2	6	6	228	170	2	-
20	BALANCE OF COUNTY	466	-	-	-	78	34	16	6	12	2	4	4	2	260	188	-	6
21	RUSK	164	-	-	-	38	20	4	4	4	4	2	-	-	100	68	-	2
22	ST. CROIX	294	-	-	-	50	16	2	2	8	2	2	18	2	158	104	-	2
23	SAUK	462	-	-	4	64	22	12	2	2	8	4	14	4	282	202	-	4
24	SAWYER	158	-	-	-	34	10	8	4	2	4	-	6	4	92	76	-	4
25	SHAWANO	398	-	-	2	58	24	12	-	6	2	2	12	16	246	192	2	-
26	SHEBOYGAN	948	-	-	-	148	44	18	14	28	6	14	24	18	582	406	4	8
27	SHEBOYGAN	540	-	-	-	94	32	10	6	18	2	10	16	10	330	232	4	2
28	BALANCE OF COUNTY	408	-	-	-	54	12	8	8	10	4	4	8	8	252	174	-	6
29	TAYLOR	176	-	-	-	30	12	-	-	6	-	2	10	6	90	66	2	2
30	TREMPEALEAU	334	-	-	2	56	16	6	2	8	-	8	16	8	164	118	-	2
31	VERNON	300	-	-	-	50	22	12	-	6	-	6	4	2	180	132	4	-
32	VILAS	158	-	-	2	24	6	6	-	4	2	-	6	2	102	70	2	-
33	WALWORTH	726	-	-	-	140	40	36	16	16	2	8	22	18	432	312	2	4
34	WHITEWATER, PART	46	-	-	-	2	2	-	-	-	-	-	-	-	36	26	-	-
35	WHITEWATER, TOTAL	50	-	-	-	4	2	-	-	-	2	-	-	-	38	26	-	-
36	BALANCE OF COUNTY	680	-	-	-	138	38	36	16	16	2	8	22	18	396	286	2	4
37	WASHBURN	162	-	-	-	26	14	6	-	6	-	-	-	2	86	60	-	-
38	WASHINGTON	480	-	-	-	68	20	14	4	4	4	6	16	4	264	188	4	-
39	MILWAUKEE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	WEST BEND	156	-	-	-	24	10	2	-	4	2	2	4	-	96	72	-	-
41	BALANCE OF COUNTY	324	-	-	-	44	10	12	4	-	2	4	12	4	168	116	4	-
42	WAUKESHA	1,562	2	-	16	310	86	48	24	40	16	14	82	22	782	568	8	2
43	BROOKFIELD	220	-	-	8	34	6	4	10	4	2	-	8	-	106	78	-	2
44	MENOMONEE FALLS	128	-	-	-	32	10	12	-	2	-	-	8	4	64	40	2	-
45	MUSKEGO	36	-	-	-	8	4	-	2	-	-	2	-	-	16	12	-	-
46	NEW BERLIN	98	-	-	-	16	2	-	-	4	2	2	6	-	50	42	-	-
47	WAUKESHA	356	-	-	2	66	18	8	8	8	4	2	18	6	182	132	4	-
48	BALANCE OF COUNTY	724	2	-	6	154	46	24	4	22	8	8	42	12	364	264	2	-
49	WAUPACA	468	2	-	2	80	26	14	10	12	6	4	8	14	270	186	6	4
50	WAUSHARA	188	-	-	2	28	8	10	2	4	-	-	4	4	110	76	-	-
51	WINNEBAGO	1,176	2	-	6	198	52	28	22	34	14	12	36	42	680	478	12	12
52	MENASHA	132	2	-	2	16	6	-	2	4	2	-	2	8	76	46	4	2
53	NEENAH	186	-	-	2	32	12	8	2	2	4	-	4	10	98	66	2	2
54	OSHKOSH	564	-	-	2	96	22	10	10	18	8	6	22	16	358	242	-	2
55	BALANCE OF COUNTY	294	-	-	-	54	12	10	8	10	-	6	8	8	148	124	6	6
56	WOOD	602	-	-	-	108	28	18	12	14	10	-	26	6	346	260	6	4
57	MARSHFIELD, PART	164	-	-	-	34	8	6	4	4	6	-	6	2	92	68	2	-
58	MARSHFIELD, TOTAL	164	-	-	-	34	8	6	4	4	6	-	6	2	92	68	2	-
59	WISCONSIN RAPIDS	204	-	-	-	36	14	4	6	6	-	-	6	-	116	84	2	-
60	BALANCE OF COUNTY	234	-	-	-	38	6	8	2	4	4	-	14	4	138	108	2	4
61	**WYOMING**	3,074	-	-	16	432	88	96	32	58	18	16	124	36	1,530	1,068	22	16
62	URBAN PLACES	1,170	-	-	12	166	38	36	14	20	12	4	42	16	588	414	8	6
63	BALANCE OF AREA	1,904	-	-	4	266	50	60	18	38	6	12	82	20	942	654	14	10
64	NONMETROPOLITAN COUNTIES	3,074	-	-	16	432	88	96	32	58	18	16	124	36	1,530	1,068	22	16
65	URBAN PLACES	1,170	-	-	12	166	38	36	14	20	12	4	42	16	588	414	8	6
66	BALANCE OF AREA	1,904	-	-	4	266	50	60	18	38	6	12	82	20	942	654	14	10
67	ALBANY	164	-	-	-	32	8	4	-	6	2	-	12	-	78	50	-	-
68	LARAMIE	126	-	-	-	28	6	4	-	6	2	-	10	-	58	36	-	-
69	BALANCE OF COUNTY	38	-	-	-	4	2	-	-	-	-	-	2	-	20	14	-	-
70	BIG HORN	114	-	-	-	14	2	4	-	-	-	-	8	-	56	42	-	2
71	CAMPBELL	84	-	-	-	12	4	2	-	2	-	-	4	4	42	24	-	-
72	CARBON	156	-	-	-	12	-	4	-	2	-	-	6	-	78	60	2	-
73	CONVERSE	62	-	-	-	20	2	-	4	4	2	-	8	-	20	10	-	-
74	CROOK	32	-	-	-	6	2	2	-	-	-	-	2	-	18	6	-	-
75	FREMONT	236	-	-	-	32	2	10	2	2	-	4	12	2	102	82	2	-
76	GOSHEN	132	-	-	-	10	6	2	-	-	-	2	-	4	90	62	-	2
77	HOT SPRINGS	100	-	-	-	24	-	4	-	8	2	2	8	-	46	30	-	-
78	JOHNSON	82	-	-	-	14	4	4	-	4	-	-	2	-	40	24	-	-

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
36	-	-	4	-	4	4	2	-	-	-	-	-	-	2	4	2	6	-	-	-	01
132	4	2	36	10	4	10	4	-	2	2	-	4	2	2	20	24	12	4	-	-	02
166	2	2	16	6	2	8	4	-	2	2	-	4	10	2	32	16	14	-	-	2	03
46	-	-	2	-	-	-	-	-	-	-	-	2	4	2	6	-	4	-	-	-	04
120	2	2	14	6	2	8	4	-	2	2	-	-	6	-	26	16	10	-	-	2	05
22	2	-	12	2	-	-	-	2	-	-	-	-	2	-	8	2	6	4	-	-	06
104	10	6	14	6	10	8	6	4	2	-	-	-	2	2	24	8	8	-	-	-	07
104	-	2	54	2	4	12	2	-	4	-	-	-	-	6	16	14	6	6	-	-	08
146	4	-	38	4	2	10	8	4	2	-	-	-	12	4	22	4	8	8	-	-	09
70	-	-	20	-	2	6	4	2	-	-	-	-	6	-	6	4	4	2	-	-	10
76	4	-	18	4	-	4	4	2	2	-	-	-	6	4	16	-	4	6	-	-	11
68	10	8	22	-	8	12	4	-	4	-	-	2	-	10	10	4	4	-	2	-	12
476	86	4	148	24	22	38	22	6	30	-	-	6	16	8	90	44	34	18	10	-	13
280	56	4	88	14	10	28	14	4	22	-	-	2	12	6	64	20	24	16	8	-	14
196	30	-	60	10	12	10	8	2	8	-	-	4	4	2	26	24	10	2	2	-	15
70	6	2	42	8	2	4	2	-	-	4	-	-	-	-	14	4	2	-	-	-	16
492	22	4	128	42	14	36	22	8	12	2	-	4	14	6	108	52	40	12	10	-	17
158	6	4	30	18	6	12	6	2	4	-	-	4	8	4	38	10	12	6	4	-	18
160	8	-	46	12	-	10	8	4	4	2	-	-	2	2	30	10	14	2	2	-	19
174	8	-	52	12	8	14	8	2	4	-	-	-	4	-	40	32	14	4	4	-	20
60	6	-	30	-	2	-	2	-	2	-	-	-	4	-	6	6	6	-	-	-	21
100	2	-	42	8	4	12	8	-	-	-	-	2	8	4	22	14	10	4	-	-	22
184	14	-	56	14	10	16	16	2	2	-	-	4	-	2	20	18	14	12	2	-	23
72	-	-	14	-	2	4	-	2	2	-	2	-	2	-	6	-	6	4	-	-	24
166	24	2	28	16	8	12	4	2	2	-	-	2	2	-	26	18	8	-	-	-	25
360	34	2	150	8	16	26	10	8	8	6	-	8	4	2	74	20	24	8	-	2	26
196	30	2	82	8	6	18	8	4	6	4	-	2	-	2	40	6	12	4	-	-	27
164	4	-	68	-	10	8	2	4	2	2	-	6	4	-	34	14	12	4	-	2	28
62	-	-	20	2	2	6	-	-	2	2	-	-	-	-	24	4	10	-	2	-	29
112	4	2	26	16	2	10	6	4	2	4	-	4	-	6	52	8	4	4	-	-	30
122	6	-	40	2	6	8	4	-	-	-	-	2	-	-	14	14	20	6	-	-	31
58	10	-	28	4	-	6	2	-	2	-	-	2	2	-	2	4	2	2	4	-	32
292	14	6	84	18	12	6	6	4	6	6	-	4	8	2	38	20	22	12	2	-	33
24	2	-	6	2	2	-	2	-	2	-	-	-	-	-	2	2	-	-	-	-	34
24	2	-	8	2	2	-	2	-	2	-	-	-	-	-	2	2	-	-	-	-	35
268	12	6	78	16	10	6	4	4	4	6	-	4	8	2	36	18	22	12	2	-	36
58	2	-	20	4	2	6	-	-	2	2	-	2	2	-	18	4	6	4	2	-	37
168	16	2	50	12	12	16	6	4	8	2	-	8	14	6	42	26	12	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
64	8	2	16	2	4	4	2	-	-	-	-	-	6	2	8	14	-	-	-	-	40
104	8	-	34	10	8	12	4	4	8	2	-	8	8	4	34	12	12	-	-	-	41
526	32	4	168	20	22	80	32	8	24	6	-	8	24	10	126	48	32	32	-	-	42
76	-	-	26	-	2	6	4	4	10	6	-	2	6	-	26	-	2	6	-	-	43
38	-	-	14	2	8	-	2	2	-	-	-	-	4	2	14	2	-	2	-	-	44
10	2	-	4	-	-	-	-	-	-	-	-	-	-	-	6	2	2	2	-	-	45
34	8	-	4	2	2	12	2	-	-	-	-	2	2	-	8	4	-	2	-	-	46
116	12	2	44	-	4	26	10	-	8	-	-	-	6	6	18	12	6	8	-	-	47
252	10	2	76	16	6	36	14	2	6	-	-	4	6	2	54	28	22	12	-	-	48
166	10	2	64	12	6	6	12	2	2	6	-	-	6	4	30	6	16	10	-	-	49
70	6	-	30	4	-	2	2	-	-	2	-	2	-	4	20	2	10	-	-	-	50
434	20	4	148	36	14	20	16	10	14	8	-	8	12	8	70	20	46	16	-	-	51
40	-	-	22	2	6	4	-	-	4	-	-	-	2	-	8	2	8	-	-	-	52
56	6	2	20	8	2	-	4	-	-	-	-	2	2	4	18	4	10	-	-	-	53
230	10	-	90	22	4	8	4	8	6	4	-	2	2	4	26	4	14	10	-	-	54
108	4	2	16	4	2	8	8	2	4	4	-	4	6	-	18	10	14	6	-	-	55
238	12	2	54	24	6	14	6	-	2	4	-	10	8	6	34	28	18	12	-	-	56
64	2	2	16	6	-	2	2	-	-	2	-	4	-	2	14	4	4	2	-	-	57
64	2	2	16	6	-	2	2	-	-	2	-	4	-	2	14	4	4	2	-	-	58
78	4	-	26	4	2	10	-	-	2	-	-	4	4	2	12	6	6	6	-	-	59
96	6	-	12	14	4	2	4	-	-	2	-	2	4	2	8	18	8	4	-	-	60
938	92	12	362	54	34	96	88	18	46	6	-	20	90	26	268	174	144	70	10	4	61
366	34	4	136	26	8	40	34	2	20	4	-	10	32	12	118	48	42	24	2	-	62
572	58	8	226	28	26	56	54	16	26	2	-	10	58	14	150	126	102	46	8	4	63
938	92	12	362	54	34	96	88	18	46	6	-	20	90	26	268	174	144	70	10	4	64
366	34	4	136	26	8	40	34	2	20	4	-	10	32	12	118	48	42	24	2	-	65
572	58	8	226	28	26	56	54	16	26	2	-	10	58	14	150	126	102	46	8	4	66
46	4	4	16	8	-	8	6	-	-	-	-	4	2	-	20	8	4	2	-	-	67
32	4	4	12	6	-	6	4	-	-	-	-	4	2	-	16	2	4	2	-	-	68
14	-	-	4	2	-	2	2	-	-	-	-	-	-	-	4	6	-	-	-	-	69
40	-	-	12	2	-	4	4	-	-	-	-	2	8	-	6	8	10	2	-	-	70
22	2	-	8	10	-	2	2	-	-	-	-	2	2	-	2	4	8	2	-	2	71
48	10	2	16	-	-	4	8	-	10	-	-	2	4	-	8	6	18	6	-	-	72
10	-	2	4	-	4	-	-	-	-	-	-	-	2	-	12	4	-	4	-	-	73
6	-	-	8	2	2	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-	74
22	8	-	20	-	-	12	2	4	4	2	-	-	10	2	20	24	10	6	2	2	75
56	4	-	24	4	-	6	2	-	-	-	-	-	2	-	6	10	-	2	-	-	76
28	2	2	12	-	2	2	-	-	-	-	-	-	-	-	6	10	10	2	-	-	77
24	-	-	14	-	2	4	2	4	-	-	-	-	2	-	10	2	2	2	-	-	78

Table 7-9. Deaths From 34 Selected Causes: United States, Each State and County, Population

[Deaths based on a 50-percent sample. Numbers after causes of death are category numbers of Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metro-

	Area	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Of digestive organs and peritoneum (150-159)	Of respiratory system (160-163)	Of breast (174)	Of genital organs (180-187)	Of urinary organs (188,189)	Leukemia (204-207)	Other malignant neoplasms (140-149,170-173,190-203,208,209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398,402, 404,410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402,404)
	WYOMING--CON.																	
01	LARAMIE	446	-	-	4	72	20	18	6	2	8	4	14	-	216	158	4	-
02	CHEYENNE	358	-	-	4	56	16	14	4	2	6	4	10	-	178	132	4	-
03	BALANCE OF COUNTY	88	-	-	-	16	4	4	2	-	2	-	4	-	38	26	-	-
04	LINCOLN	64	-	-	4	8	-	4	2	2	-	-	-	-	28	20	2	2
05	NATRONA	440	-	-	6	50	4	10	10	6	4	2	14	12	208	160	2	8
06	CASPER	358	-	-	6	42	4	8	6	6	4	-	14	8	164	128	2	6
07	BALANCE OF COUNTY	82	-	-	-	8	-	2	4	-	-	2	-	4	44	32	-	2
08	NIOBRARA	36	-	-	-	4	2	2	-	-	-	-	-	-	16	8	-	-
09	PARK	150	-	-	-	20	10	4	4	-	-	2	-	2	84	58	2	-
10	PLATTE	82	-	-	-	4	2	-	-	-	-	-	2	-	46	30	-	2
11	SHERIDAN	266	-	-	-	44	12	14	4	4	-	-	10	2	140	72	4	-
12	SHERIDAN	192	-	-	-	24	6	8	4	2	-	-	4	2	114	58	2	-
13	BALANCE OF COUNTY	74	-	-	-	20	6	6	-	2	-	-	6	-	26	14	2	-
14	SUBLETTE	36	-	-	-	6	-	2	-	2	-	-	2	-	18	12	-	-
15	SWEETWATER	194	-	-	2	24	6	4	-	10	-	-	4	6	98	82	2	-
16	ROCK SPRINGS	136	-	-	2	16	6	2	-	4	-	-	4	6	74	60	-	-
17	BALANCE OF COUNTY	58	-	-	-	8	-	2	-	6	-	-	-	-	24	22	2	-
18	TETON	34	-	-	-	4	-	-	-	2	-	-	2	-	16	12	2	-
19	UINTA	66	-	-	-	6	-	-	-	2	-	-	4	4	38	22	-	-
20	WASHAKIE	50	-	-	-	10	-	-	-	-	-	-	10	-	24	22	-	-
21	WESTON	48	-	-	-	4	2	2	-	-	-	-	-	-	28	22	-	-

Classified as urban under special rule; see Technical Appendix.

[1] "Districts" shown are election districts, the nearest equivalent to counties.

[2] Includes data for Texarkana, Ark., only.

[3] The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.

[4] Includes data for Bristol, Tenn., only.

[5] Includes data for Texarkana, Tex., only.

[6] Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.

[7] Includes data for Bristol, Va., only.

[8] Includes data for Bluefield, W. Va., only.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1972—Con.

politan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000; see Technical Appendix]

Ischemic heart disease (410-413)	Other forms of heart disease (420-429)	Hypertension (400,401,403)	Cerebrovascular diseases (430-438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Influenza and pneumonia (470-474, 480-486)	Bronchitis, emphysema, and asthma (490-493)	Peptic ulcer (531-533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580-584)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E949)	Suicide (E950-E959)	Homicide (E960-E978)	All other external causes (E980-E999)	
142	12	-	40	12	6	14	10	-	10	-	-	2	20	2	60	18	10	8	-	-	01
122	6	-	32	10	4	14	6	-	8	-	-	2	16	2	46	12	6	8	-	-	02
20	6	-	8	2	2	-	4	-	2	-	-	-	4	-	14	6	4	-	-	-	03
14	2	-	4	2	2	2	2	-	-	-	-	-	-	-	10	4	6	-	-	-	04
128	22	-	38	4	6	14	12	-	12	2	-	-	10	10	36	28	26	12	2	-	05
102	18	-	28	4	4	12	8	-	10	2	-	-	8	6	32	24	24	10	2	-	06
26	4	-	10	-	2	2	4	-	2	-	-	-	2	4	4	4	2	2	-	-	07
8	-	-	8	-	-	4	2	2	-	-	-	-	-	2	4	-	2	-	-	-	08
54	2	-	20	2	4	-	4	2	6	-	-	-	2	2	12	6	8	2	-	-	09
26	2	-	16	-	-	6	-	-	-	-	-	-	2	-	8	6	8	2	-	-	10
62	6	-	62	6	-	6	10	4	-	-	-	4	4	4	32	6	8	2	-	-	11
50	6	-	50	6	-	6	8	2	-	-	-	2	2	4	24	-	4	-	-	-	12
12	-	-	12	-	-	-	2	2	-	-	-	2	2	-	8	6	4	2	-	-	13
6	6	-	6	-	-	-	-	-	-	-	-	-	-	2	4	2	-	2	2	-	14
78	2	-	16	-	-	6	12	2	2	2	-	2	6	-	4	14	6	8	-	-	15
60	-	-	14	-	-	2	8	-	2	2	-	2	4	-	-	10	4	4	-	-	16
18	2	-	2	-	-	4	4	2	-	-	-	-	2	-	4	4	2	4	-	-	17
8	2	-	2	-	2	-	-	-	-	-	-	-	6	-	2	-	-	4	2	-	18
22	-	-	12	2	2	-	2	-	-	-	-	2	4	-	2	2	2	2	2	-	19
18	4	-	-	-	2	2	4	-	-	-	-	-	2	2	-	4	2	-	-	-	20
20	2	2	4	-	-	-	4	-	2	-	-	-	2	-	2	4	2	-	-	-	21

☆ U. S. GOVERNMENT PRINTING OFFICE : 1975 O - 578-755