VITAL STATISTICS OF THE UNITED STATES

1975

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
NATIONAL CENTER FOR HEALTH STATISTICS

Hyattsville, Maryland: 1977
(PHS) 78-1102

NATIONAL CENTER FOR HEALTH STATISTICS

DOROTHY P. RICE, *Director*

ROBERT A. ISRAEL, *Deputy Director*
JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis*
GAIL F. FISHER, *Associate Director for the Cooperative Health Statistics System*
ELIJAH L. WHITE, *Associate Director for Data Systems*
JAMES T. BAIRD, JR., Ph.D., *Associate Director for International Statistics*
ROBERT C. HUBER, *Associate Director for Management*
MONROE G. SIRKEN, Ph.D., *Associate Director for Mathematical Statistics*
PETER L. HURLEY, *Associate Director for Operations*
JAMES M. ROBEY, Ph.D., *Associate Director for Program Development*
PAUL E. LEAVERTON, Ph.D., *Associate Director for Research*
ALICE HAYWOOD, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*
ALICE M. HETZEL, *Deputy Director*
MARVIN C. TEMPLETON, *Assistant to the Director*
ROBERT J. ARMSTRONG, M.S., *Actuarial Adviser*
HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, M.A., *Chief, Natality Statistics Branch*
ALICE M. HETZEL, *Chief, Marriage and Divorce Statistics Branch*
LOREN E. CHANCELLOR, *Chief, Registration Methods Branch*
WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*
MARSHALL C. EVANS, *Chief, Data Control Branch*
MABEL G. SMITH, *Acting Chief, Statistical Resources Branch*
RITA U. HOFFMAN, *Chief, Programming Branch*

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402

Stock No. 017-022-00601-4

VITAL STATISTICS OF THE UNITED STATES, 1975
VOLUME II — MORTALITY

PART B

Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Section 8. Guam, Puerto Rico, and Virgin Islands (U.S.)

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Complete contents pages for Sections 7 and 8 are on pages 7-1 and 8-1. Sections 1 through 6 are in Part A of Volume II of *Vital Statistics of the United States, 1975.* Section 6, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

Guide to tables in Section 7

[All data are for deaths occurring in the United States during 1975. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE: 7	-3	-72	-90	-108	-134	-152	-458	-466	-524
Geographic area:									
Counties	1[1]								9
Metropolitan and nonmetropolitan counties		2	3						9
Specified urban places	1								9
Standard metropolitan statistical areas				4				8	
States	1[1]	2	3			6	7[2]		9
United States	1	2	3		5		7		9
Population-size groups		2							9
Type of entry:									
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Fetal-death ratios (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Characteristics:									
Age:									
5-year age groups					5	6			
10-year age groups			3	4					
Cause of death:									
34 selected causes									9
69 selected causes					5	6	7	8	
Color		2	3	4	5	6			
Race	1								
Sex			3	4	5	6			

[1]Deaths by place of occurrence and place of residence.
[2]Deaths by place of occurrence.

Guide to tables in Section 8

[All data are for deaths occurring in Guam, Puerto Rico, or the Virgin Islands. Data are by place of residence unless otherwise noted]

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
PAGE: 8	-3	-3	-4	-8	-12	-17	-17	-18	-18	-19	-19	-20
Geographic area:												
Guam	1	2	3			6	7		9	10	11	12
Puerto Rico	1	2		4		6	7	8		10	11	12
Municipios								8				
Virgin Islands	1	2			5	6	7		9	10	11	12
Islands									9			
Specified urban place									9			
Years:												
1940-75	1											
1975 only		2	3	4	5	6	7	8	9	10	11	12
Type of entry:												
Number of deaths	1	2	3	4	5	6	7	8[1]	9[1]			
Death rates	1											
Number of infant deaths			3	4	5			8	9	10	11	12
Number of neonatal deaths								8	9	10	11	12
Number of postneonatal deaths											11	12
Characteristics:												
Age of decedent			3	4	5						11	
Cause of death:												
65 selected causes of infant mortality												12
69 selected causes			3	4	5							
Motor vehicle accidents						6						
Nontransport accidents							7					
Person injured						6						
Color (for Virgin Islands only)		2			5	6	7		9	10	11	12
Month		2								10		
Place of accident							7					
Sex		2	3	4	5	6	7				11	

[1]Deaths by place of occurrence and place of residence.

Section 7.
Geographic Detail for Mortality

Table		Page
7-1.	Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1975 ---	7-3
7-2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1975 ----------	7-72
7-3.	Deaths by age, color, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1975 ----------	7-90
7-4.	Deaths by age, color, and sex, for standard metropolitan statistical areas of the United States: 1975----------	7-108
7-5.	Deaths from 69 selected causes, by age, color, and sex: United States, 1975 ---	7-134
7-6.	Deaths from 69 selected causes, by age, color, and sex: Each State, 1975 -----	7-152
7-7.	Deaths from 69 selected causes by State of occurrence: United States and each State, 1975----------	7-458
7-8.	Deaths from 69 selected causes for standard metropolitan statistical areas of the United States: 1975----------	7-466
7-9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1975 ----------	7-524

SYMBOLS USED IN TABLES

Data not available ----------	---
Category not applicable ----------	...
Quantity zero ----------	-
Quantity more than 0 but less than 0.05----------	0.0
Figure does not meet standards of reliability or precision ----------	*

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Negro" are shown separately for those counties and urban places in which the 1970 populations for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
United States	1,895,135	1,892,879	50,525	36,416	33,796
White	1,662,441	1,660,366	36,173	26,478	24,309
All other	232,694	232,513	14,352	9,938	9,487
Negro	217,982	217,932	13,409	9,371	8,721
Alabama	33,493	33,658	1,131	818	826
White	23,656	23,762	552	424	412
All other	9,837	9,896	579	394	414
Negro	9,826	9,882	578	394	412
Autauga	118	196	8	6	4
White	70	121	3	2	2
All other	48	75	5	4	2
Negro	48	75	5	4	2
Prattville	---	89	1	1	2
White	---	73	1	1	1
All other	---	16	–	–	1
Negro	---	16	–	–	1
Balance of county	---	107	7	5	2
White	---	48	2	1	1
All other	---	59	5	4	1
Negro	---	59	5	4	1
Baldwin	523	622	17	11	17
White	444	520	9	5	8
All other	79	102	8	6	9
Negro	78	99	8	6	9
Barbour	262	258	13	8	5
White	133	139	3	2	1
All other	129	119	10	6	4
Negro	129	119	10	6	4
Bibb	80	169	9	9	4
White	56	124	6	6	1
All other	24	45	3	3	3
Negro	24	44	3	3	3
Blount	199	273	4	3	5
Bullock	86	141	9	6	7
White	19	35	–	–	–
All other	67	106	9	6	7
Negro	67	106	9	6	7
Butler	282	251	13	12	8
White	181	151	6	6	–
All other	101	100	7	6	8
Negro	101	100	7	6	8
Calhoun	920	963	35	29	33
White	741	766	24	19	24
All other	179	197	11	10	9
Negro	179	197	11	10	9
Anniston	---	463	14	13	10
White	---	310	6	5	4
All other	---	153	8	8	6
Negro	---	153	8	8	6
Balance of county	---	500	21	16	23
Chambers	366	419	16	11	14
White	250	284	5	5	7
All other	116	135	11	6	7
Negro	116	134	11	6	7
Cherokee	128	182	6	5	4
Chilton	251	319	13	10	1
White	208	271	8	7	1
All other	43	48	5	3	–
Negro	43	48	5	3	–
Choctaw	100	145	13	6	5
White	49	77	2	–	3
All other	51	68	11	6	2
Negro	51	68	11	6	2
Clarke	265	260	14	7	9
White	132	152	3	–	2
All other	133	108	11	7	7
Negro	133	108	11	7	7
Clay	121	148	5	3	4
White	95	119	1	–	3
All other	26	29	4	3	1
Negro	26	29	4	3	1
Cleburne	58	108	1	–	3
Coffee	255	321	8	3	7
White	191	244	4	2	3
All other	64	77	4	1	4
Negro	64	77	4	1	4
Enterprise	---	128	3	1	1
White	---	85	1	1	–
All other	---	43	2	–	1
Negro	---	43	2	–	1
Alabama—Con.					
Coffee—Con.					
Balance of county	---	193	5	2	6
White	---	159	3	1	3
All other	---	34	2	1	3
Negro	---	34	2	1	3
Colbert	457	490	16	13	5
White	345	374	10	8	2
All other	112	116	6	5	3
Negro	112	116	6	5	3
Sheffield	---	148	6	5	1
White	---	107	2	2	–
All other	---	41	4	3	1
Negro	---	41	4	3	1
Balance of county	---	342	10	8	4
White	---	267	8	6	2
All other	---	75	2	2	2
Negro	---	75	2	2	2
Conecuh	105	200	4	1	3
White	65	136	–	–	2
All other	40	64	4	1	1
Negro	40	64	4	1	1
Coosa	34	109	3	3	2
White	19	76	1	1	–
All other	15	33	2	2	2
Negro	15	33	2	2	2
Covington	464	448	5	5	6
White	377	371	3	3	5
All other	87	77	2	2	1
Negro	87	77	2	2	1
Andalusia	---	120	2	2	1
White	---	86	1	1	–
All other	---	34	1	1	1
Negro	---	34	1	1	1
Balance of county	---	328	3	3	5
White	---	285	2	2	5
All other	---	43	1	1	–
Negro	---	43	1	1	–
Crenshaw	127	182	4	4	2
White	94	145	1	1	–
All other	33	37	3	3	2
Negro	33	37	3	3	2
Cullman	416	516	15	9	7
Cullman	---	143	2	1	1
Balance of county	---	373	13	8	6
Dale	309	321	14	11	7
White	255	253	8	6	3
All other	54	68	6	5	4
Negro	54	68	6	5	3
Ozark	---	119	6	5	2
White	---	86	4	3	–
All other	---	33	2	2	2
Negro	---	33	2	2	2
Balance of county	---	202	8	6	5
White	---	167	4	3	3
All other	---	35	4	3	2
Negro	---	35	4	3	1
Dallas	600	557	32	17	25
White	262	231	5	1	7
All other	338	326	27	16	18
Negro	338	326	27	16	17
Selma	---	345	24	14	14
White	---	156	3	–	3
All other	---	189	21	14	11
Negro	---	189	21	14	10
Balance of county	---	212	8	3	11
White	---	75	2	1	4
All other	---	137	6	2	7
Negro	---	137	6	2	7
De Kalb	383	488	17	11	8
Elmore	260	339	12	9	7
White	194	243	4	4	2
All other	66	96	8	5	5
Negro	66	96	8	5	5
Escambia	363	357	15	12	11
White	268	254	3	2	4
All other	95	103	12	10	7
Negro	95	103	12	10	7
Etowah	1,047	1,008	32	29	13
White	901	860	25	23	9
All other	146	148	7	6	4
Negro	146	148	7	6	4
Gadsden	---	612	16	15	9
White	---	487	10	10	6
All other	---	125	6	5	3
Negro	---	125	6	5	3
Balance of county	---	396	16	14	4

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama—Con.					
Fayette	150	185	3	2	4
White	133	166	3	2	1
All other	17	19	–	–	3
Negro	17	19	–	–	3
Franklin	269	289	8	7	6
Geneva	145	228	13	11	2
White	127	199	9	7	2
All other	18	29	4	4	–
Negro	18	29	4	4	–
Greene	124	142	2	2	3
White	27	34	–	–	–
All other	97	108	2	2	3
Negro	97	108	2	2	3
Hale	163	186	5	3	8
White	42	55	–	–	1
All other	121	131	5	3	7
Negro	121	131	5	3	7
Henry	79	165	14	6	5
White	44	100	2	1	2
All other	35	65	12	5	3
Negro	35	64	12	5	3
Houston	692	577	31	21	11
White	503	418	20	15	5
All other	189	159	11	6	6
Negro	187	157	11	6	6
Dothan	---	347	15	12	5
White	---	230	8	7	3
All other	---	117	7	5	2
Negro	---	116	7	5	2
Balance of county	---	230	16	9	6
White	---	188	12	8	2
All other	---	42	4	1	4
Negro	---	41	4	1	4
Jackson	349	434	12	10	17
Jefferson	7,609	6,323	139	115	142
White	5,027	3,986	66	56	65
All other	2,582	2,337	73	59	77
Negro	2,582	2,337	73	59	77
Bessemer	---	410	11	7	18
White	---	182	2	1	5
All other	---	228	9	6	13
Negro	---	228	9	6	13
Birmingham	---	3,385	73	62	88
White	---	1,786	23	21	31
All other	---	1,599	50	41	57
Negro	---	1,599	50	41	57
Fairfield	---	144	3	3	2
White	---	69	1	1	1
All other	---	75	2	2	1
Negro	---	75	2	2	1
Homewood	---	172	3	3	–
Mountain Brook	---	150	1	–	–
Balance of county	---	2,062	48	40	34
White	---	1,639	36	30	28
All other	---	423	12	10	6
Negro	---	423	12	10	6
Lamar	117	158	1	1	6
White	98	134	1	1	5
All other	19	24	–	–	1
Negro	19	24	–	–	1
Lauderdale	622	566	14	12	9
White	565	516	12	10	6
All other	57	50	2	2	3
Negro	57	50	2	2	3
Florence	---	292	2	1	5
White	---	256	2	1	2
All other	---	36	–	–	3
Negro	---	36	–	–	3
Balance of county	---	274	12	11	4
Lawrence	171	233	12	9	10
White	127	173	8	7	9
All other	44	60	4	2	1
Negro	44	60	4	2	1
Lee	427	423	12	8	10
White	258	235	4	3	4
All other	169	188	8	5	6
Negro	169	188	8	5	6
Auburn	---	93	4	4	3
White	---	49	1	1	1
All other	---	44	3	3	2
Negro	---	44	3	3	2
Opelika	---	162	3	2	5
White	---	103	2	1	3
All other	---	59	1	1	2
Negro	---	59	1	1	2
Balance of county	---	168	5	2	2
White	---	83	1	1	–
All other	---	85	4	1	2
Negro	---	85	4	1	2
Alabama—Con.					
Limestone	325	369	13	8	8
White	274	305	5	2	5
All other	51	64	8	6	3
Negro	51	64	8	6	3
Athens	---	141	6	4	3
White	---	104	3	1	2
All other	---	37	3	3	1
Negro	---	37	3	3	1
Balance of county	---	228	7	4	5
White	---	201	2	1	3
All other	---	27	5	3	2
Negro	---	27	5	3	2
Lowndes	48	129	4	2	9
White	15	47	–	–	–
All other	33	82	4	2	9
Negro	33	82	4	2	9
Macon	535	280	12	8	5
White	155	51	1	–	–
All other	380	229	11	8	5
Negro	379	228	11	8	5
Tuskegee	---	138	6	4	5
White	---	20	–	–	–
All other	---	118	6	4	5
Negro	---	118	6	4	5
Balance of county	---	142	6	4	–
White	---	31	1	–	–
All other	---	111	5	4	–
Negro	---	110	5	4	–
Madison	1,262	1,124	41	26	32
White	1,006	888	19	17	20
All other	256	236	22	9	12
Negro	254	234	21	9	12
Huntsville	---	814	33	19	26
White	---	636	12	10	16
All other	---	178	21	9	10
Negro	---	176	20	9	10
Balance of county	---	310	8	7	6
White	---	252	7	7	4
All other	---	58	1	–	2
Negro	---	58	1	–	2
Marengo	239	265	12	10	7
White	83	98	4	4	1
All other	156	167	8	6	6
Negro	156	167	8	6	6
Marion	247	282	7	5	4
Marshall	555	580	12	8	13
Mobile	2,987	2,805	113	79	76
White	1,985	1,826	60	44	36
All other	1,002	979	53	35	40
Negro	999	977	53	35	40
Mobile	---	1,852	67	44	41
White	---	1,171	32	22	18
All other	---	681	35	22	23
Negro	---	681	35	22	23
Prichard	---	276	14	11	17
White	---	99	3	3	6
All other	---	177	11	8	11
Negro	---	176	11	8	11
Balance of county	---	677	32	24	18
White	---	556	25	19	12
All other	---	121	7	5	6
Negro	---	120	7	5	6
Monroe	188	222	6	3	3
White	121	136	1	–	2
All other	67	86	5	3	1
Negro	67	86	5	3	1
Montgomery	2,058	1,681	75	58	52
White	1,240	962	27	22	16
All other	818	719	48	36	36
Negro	817	719	48	36	36
Montgomery	---	1,503	68	53	49
White	---	884	26	21	16
All other	---	619	42	32	33
Negro	---	619	42	32	33
Balance of county	---	178	7	5	3
White	---	78	1	1	–
All other	---	100	6	4	3
Negro	---	100	6	4	3
Morgan	721	680	29	21	19
Decatur	---	325	12	10	10
White	---	251	7	6	8
All other	---	74	5	4	2
Negro	---	73	5	4	2
Balance of county	---	355	17	11	9
Perry	103	158	4	3	3
White	47	53	1	1	1
All other	56	105	3	2	2
Negro	56	105	3	2	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Alabama—Con.					
Pickens	135	215	9	7	9
White	55	122	1	–	2
All other	80	93	8	7	7
Negro	80	93	8	7	7
Pike	229	277	14	6	8
White	149	180	3	2	2
All other	80	97	11	4	6
Negro	80	97	11	4	6
Troy	– – –	115	3	2	5
White	– – –	72	1	–	1
All other	– – –	43	2	2	4
Negro	– – –	43	2	2	4
Balance of county	– – –	162	11	4	3
White	– – –	108	2	2	1
All other	– – –	54	9	2	2
Negro	– – –	54	9	2	2
Randolph	173	216	11	8	7
White	121	162	6	6	3
All other	52	54	5	2	4
Negro	52	54	5	2	4
Russell	402	478	20	14	11
White	248	281	7	5	3
All other	154	197	13	9	8
Negro	154	197	13	9	8
Phenix City	– – –	296	9	7	4
White	– – –	195	3	2	1
All other	– – –	101	6	5	3
Negro	– – –	101	6	5	3
Balance of county	– – –	182	11	7	7
White	– – –	86	4	3	2
All other	– – –	96	7	4	5
Negro	– – –	96	7	4	5
St. Clair	212	316	7	5	11
White	175	267	6	5	7
All other	37	49	1	–	4
Negro	37	49	1	–	4
Shelby	281	370	12	7	8
White	227	304	9	5	8
All other	54	66	3	2	–
Negro	54	66	3	2	–
Sumter	126	179	4	1	6
White	39	52	–	–	–
All other	87	127	4	1	6
Negro	87	127	4	1	6
Talladega	559	631	30	20	22
White	398	450	12	9	8
All other	161	181	18	11	14
Negro	161	181	18	11	14
Sylacauga	– – –	162	4	4	5
White	– – –	116	2	2	3
All other	– – –	46	2	2	2
Negro	– – –	46	2	2	2
Talladega	– – –	162	12	8	9
White	– – –	110	2	2	1
All other	– – –	52	10	6	8
Negro	– – –	52	10	6	8
Balance of county	– – –	307	14	8	8
White	– – –	224	8	5	4
All other	– – –	83	6	3	4
Negro	– – –	83	6	3	4
Tallapoosa	397	408	12	7	5
White	283	307	5	4	3
All other	114	101	7	3	2
Negro	114	101	7	3	2
Alexander City	– – –	128	6	5	4
White	– – –	88	3	2	2
All other	– – –	40	3	3	2
Negro	– – –	40	3	3	2
Balance of county	– – –	280	6	2	1
White	– – –	219	2	2	1
All other	– – –	61	4	–	–
Negro	– – –	61	4	–	–
Tuscaloosa	1,272	1,080	33	27	17
White	843	704	10	9	8
All other	429	376	23	18	9
Negro	429	376	23	18	9
Tuscaloosa	– – –	605	16	13	12
White	– – –	350	3	3	5
All other	– – –	255	13	10	7
Negro	– – –	255	13	10	7
Balance of county	– – –	475	17	14	5
White	– – –	354	7	6	3
All other	– – –	121	10	8	2
Negro	– – –	121	10	8	2
Walker	511	682	13	12	18
Jasper	– – –	153	1	1	6
White	– – –	119	1	1	5
All other	– – –	34	–	–	1
Negro	– – –	34	–	–	1
Balance of county	– – –	529	12	11	12
Alabama—Con.					
Washington	78	141	5	2	2
White	55	100	5	2	1
All other	23	41	–	–	1
Negro	23	41	–	–	1
Wilcox	122	162	11	9	9
White	38	51	–	–	2
All other	84	111	11	9	7
Negro	84	111	11	9	7
Winston	232	229	3	2	3
Alaska[1]	1,558	1,529	108	70	66
White	1,066	1,037	67	41	53
All other	492	492	41	29	13
Negro	44	43	7	7	2
Dist. 1, Prince of Wales	7	13	–	–	–
White	3	3	–	–	–
All other	4	10	–	–	–
Negro	–	–	–	–	–
Dist. 2, Ketchikan	70	73	5	3	–
White	46	51	3	2	–
All other	24	22	2	1	–
Negro	–	–	–	–	–
Dist. 3, Wrangell–Petersburg	30	32	2	2	–
White	23	22	–	–	–
All other	7	10	2	2	–
Negro	–	–	–	–	–
Dist. 4, Sitka	60	42	1	1	1
White	39	27	–	–	–
All other	21	15	1	1	1
Negro	–	–	–	–	–
Dist. 5, Juneau	65	73	8	4	4
White	51	58	7	3	2
All other	14	15	1	1	2
Negro	–	–	–	–	–
Dist. 6, Lynn Canal–Icy Straits	23	27	1	1	–
White	15	16	–	–	–
All other	8	11	1	1	–
Negro	–	–	–	–	–
Dist. 7, Cordova–McCarthy	9	7	–	–	–
White	8	6	–	–	–
All other	1	1	–	–	–
Negro	–	–	–	–	–
Dist. 8, Valdez–Chittina–Whittier	49	32	3	2	–
White	32	20	3	2	–
All other	17	12	–	–	–
Negro	1	1	–	–	–
Dist. 9, Palmer–Wasilla–Talkeetna	62	67	3	2	1
Dist. 10, Anchorage	567	548	36	21	38
White	428	455	28	16	34
All other	139	93	8	5	4
Negro	28	28	4	4	1
Anchorage	– – –	320	19	13	17
White	– – –	251	14	10	14
All other	– – –	69	5	3	3
Negro	– – –	20	2	2	–
Balance of district	– – –	228	17	8	21
Dist. 11, Seward	34	23	–	–	–
White	26	19	–	–	–
All other	8	4	–	–	–
Negro	2	1	–	–	–
Dist. 12, Kenai–Cook Inlet	64	78	6	4	2
Dist. 13, Kodiak	39	41	5	3	3
White	24	24	–	–	3
All other	15	17	5	3	–
Negro	–	–	–	–	–
Dist. 14, Aleutian Islands	15	15	2	2	1
White	6	4	–	–	1
All other	9	11	2	2	–
Negro	–	–	–	–	–
Dist. 15, Bristol Bay	28	23	1	1	–
White	18	7	–	–	–
All other	10	16	1	1	–
Negro	–	–	–	–	–
Dist. 16, Bethel	38	42	3	2	–
White	4	4	1	1	–
All other	34	38	2	1	–
Negro	–	–	–	–	–
Dist. 17, Kuskokwim	12	19	–	–	1
White	1	2	–	–	–
All other	11	17	–	–	1
Negro	–	–	–	–	–
Dist. 18, Yukon–Koyukuk	45	40	2	–	1
White	25	14	2	–	1
All other	20	26	–	–	–
Negro	–	–	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alaska—Con.					
Dist. 19, Fairbanks	227	197	18	15	11
Fairbanks	---	138	10	10	7
White	---	110	7	7	4
All other	---	28	3	3	3
Negro	---	9	2	2	1
Balance of district	---	59	8	5	4
Dist. 20, Upper Yukon	20	13	–	–	–
White	15	3	–	–	–
All other	5	10	–	–	–
Negro	–	–	–	–	–
Dist. 21, Barrow	11	14	–	–	–
White	–	–	–	–	–
All other	11	14	–	–	–
Negro	–	–	–	–	–
Dist. 22, Kobuk	23	28	5	3	–
White	2	1	–	–	–
All other	21	27	5	3	–
Negro	–	–	–	–	–
Dist. 23, Nome	48	61	3	3	2
White	11	13	–	–	1
All other	37	48	3	3	1
Negro	–	–	–	–	–
Dist. 24, Wade Hampton	12	21	4	1	1
White	–	1	1	–	–
All other	12	20	3	1	1
Negro	–	–	–	–	–
Arizona	**17,450**	**16,980**	**586**	**380**	**361**
White	16,078	15,506	458	313	298
All other	1,372	1,474	128	67	63
Negro	514	506	35	27	20
Apache	231	317	31	13	13
White	46	45	1	1	1
All other	185	272	30	12	12
Negro	1	2	–	–	–
Cochise	433	511	24	18	20
Douglas	---	106	3	3	7
Balance of county	---	405	21	15	13
Coconino	327	278	30	15	10
White	208	176	15	10	4
All other	119	102	15	5	6
Negro	7	5	–	–	3
Flagstaff	---	104	8	4	6
White	---	96	7	4	4
All other	---	8	1	–	2
Negro	---	5	–	–	1
Balance of county	---	174	22	11	4
White	---	80	8	6	–
All other	---	94	14	5	4
Negro	---	–	–	–	2
Gila	254	284	12	7	8
White	229	247	10	6	7
All other	25	37	2	1	1
Negro	4	2	–	–	–
Graham	145	176	7	3	6
White	140	163	5	1	5
All other	5	13	2	2	1
Negro	1	–	–	–	–
Greenlee	58	74	7	6	4
Maricopa	9,671	9,157	288	206	167
White	9,141	8,741	255	181	150
All other	530	416	33	25	17
Negro	305	295	27	22	13
Chandler	---	113	4	3	–
Glendale	---	379	18	15	16
Mesa	---	800	22	18	19
Phoenix	---	5,231	186	130	94
White	---	4,924	158	109	81
All other	---	307	28	21	13
Negro	---	256	24	19	10
Scottsdale	---	609	10	9	3
Tempe	---	329	15	11	15
Balance of county	---	1,696	33	20	20
Mohave	377	409	6	5	6
Navajo	273	356	32	17	24
White	167	173	6	5	9
All other	106	183	26	12	15
Negro	8	8	–	–	–
Pima	3,940	3,519	81	46	54
White	3,712	3,288	71	42	45
All other	228	231	10	4	9
Negro	116	116	4	1	4
Tucson	---	2,980	64	38	36
White	---	2,834	60	36	31
All other	---	146	4	2	5
Negro	---	111	3	1	4
Balance of county	---	539	17	8	18
Arizona—Con.					
Pinal	395	575	31	18	24
White	311	457	25	14	22
All other	84	118	6	4	2
Negro	32	40	4	4	–
Casa Grande	---	74	6	6	7
Balance of county	---	501	25	12	17
White	---	394	21	10	15
All other	---	107	4	2	2
Negro	---	30	2	2	–
Santa Cruz	92	120	5	4	7
Yavapai	665	641	7	4	5
Prescott	---	262	3	2	2
Balance of county	---	379	4	2	3
Yuma	589	563	25	18	13
Yuma	---	310	19	16	9
Balance of county	---	253	6	2	4
White	---	214	3	1	4
All other	---	39	3	1	–
Negro	---	4	–	–	–
Arkansas	**21,484**	**21,700**	**625**	**446**	**426**
White	17,504	17,605	398	303	261
All other	3,980	4,095	227	143	165
Negro	3,938	4,062	219	139	162
Arkansas	341	294	12	8	9
White	271	233	7	5	5
All other	70	61	5	3	4
Negro	70	61	5	3	4
Stuttgart	---	139	4	4	3
White	---	106	1	1	–
All other	---	33	3	3	3
Negro	---	33	3	3	3
Balance of county	---	155	8	4	6
White	---	127	6	4	5
All other	---	28	2	–	1
Negro	---	28	2	–	1
Ashley	174	265	13	11	3
White	114	180	4	4	2
All other	60	85	9	7	1
Negro	60	85	9	7	1
Baxter	300	300	8	8	1
Benton	688	664	13	9	8
Rogers	---	193	5	3	5
Springdale, part	---	–	–	–	–
Balance of county	---	471	8	6	3
Boone	381	279	4	3	3
Bradley	191	200	2	1	3
White	144	149	1	–	2
All other	47	51	1	1	1
Negro	47	51	1	1	1
Calhoun	32	62	2	2	1
White	27	41	–	–	1
All other	5	21	2	2	–
Negro	5	21	2	2	–
Carroll	138	169	2	2	1
Chicot	208	190	9	9	3
White	96	79	2	2	1
All other	112	111	7	7	2
Negro	112	111	7	7	2
Clark	188	222	1	1	4
White	147	173	1	1	2
All other	41	49	–	–	2
Negro	41	49	–	–	2
Clay	142	266	3	2	3
Cleburne	140	146	5	4	–
Cleveland	34	79	3	3	1
White	23	63	2	2	1
All other	11	16	1	1	–
Negro	11	16	1	1	–
Columbia	267	296	5	3	2
White	204	229	3	3	–
All other	63	67	2	–	2
Negro	63	67	2	–	2
Magnolia	---	118	1	1	–
White	---	96	1	1	–
All other	---	22	–	–	–
Negro	---	22	–	–	–
Balance of county	---	178	4	2	2
White	---	133	2	2	–
All other	---	45	2	–	2
Negro	---	45	2	–	2
Conway	191	189	3	1	5
White	169	161	2	1	2
All other	22	28	1	–	3
Negro	21	27	1	–	3
Craighead	639	548	13	9	7
Jonesboro	---	252	7	6	2
Balance of county	---	296	6	3	5
Crawford	193	276	7	6	4

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Arkansas—Con.					
Crittenden	410	491	16	10	24
White	221	225	10	7	9
All other	189	266	6	3	15
Negro	189	265	6	3	15
West Memphis	---	257	8	4	9
White	---	148	5	3	3
All other	---	109	3	1	6
Negro	---	108	3	1	6
Balance of county	---	234	8	6	15
White	---	77	5	4	6
All other	---	157	3	2	9
Negro	---	157	3	2	9
Cross	161	192	6	4	7
White	110	135	1	–	5
All other	51	57	5	4	2
Negro	51	57	5	4	2
Dallas	125	130	2	–	3
White	66	74	–	–	–
All other	59	56	2	–	3
Negro	59	56	2	–	3
Desha	209	206	9	8	5
White	104	110	4	3	3
All other	105	96	5	5	2
Negro	105	96	5	5	2
Drew	116	154	6	4	3
White	72	104	1	–	3
All other	44	50	5	4	–
Negro	44	50	5	4	–
Faulkner	251	300	10	10	5
Conway	---	121	4	4	3
Balance of county	---	179	6	6	2
White	---	172	6	6	2
All other	---	7	–	–	–
Negro	---	7	–	–	–
Franklin	136	146	3	3	5
Fulton	162	126	4	4	1
Garland	919	913	20	15	12
Hot Springs	---	674	10	9	9
White	---	601	4	4	5
All other	---	73	6	5	4
Negro	---	73	6	5	4
Balance of county	---	239	10	6	3
Grant	57	104	3	2	1
Greene	316	262	5	5	3
Paragould	---	144	3	3	–
Balance of county	---	118	2	2	3
Hempstead	220	237	6	4	2
White	165	179	4	4	–
All other	55	58	2	–	2
Negro	55	58	2	–	2
Hot Spring	201	235	7	5	7
White	177	212	7	5	4
All other	24	23	–	–	3
Negro	24	23	–	–	3
Howard	131	153	7	5	2
White	92	113	2	2	–
All other	39	40	5	3	2
Negro	39	40	5	3	2
Independence	276	304	7	6	4
Izard	88	115	–	–	1
Jackson	209	223	4	3	5
White	170	188	4	3	3
All other	39	35	–	–	2
Negro	39	35	–	–	2
Jefferson	839	821	26	20	20
White	480	432	9	7	10
All other	359	389	17	13	10
Negro	359	389	17	13	10
Pine Bluff	---	631	18	13	19
White	---	325	5	4	10
All other	---	306	13	9	9
Negro	---	306	13	9	9
Balance of county	---	190	8	7	1
White	---	107	4	3	–
All other	---	83	4	4	1
Negro	---	83	4	4	1
Johnson	142	210	3	1	2
Lafayette	105	127	4	2	5
White	59	71	1	–	–
All other	46	56	3	2	5
Negro	46	56	3	2	5
Lawrence	168	223	3	3	2
Lee	138	198	7	3	6
White	39	79	1	–	1
All other	99	119	6	3	5
Negro	99	119	6	3	5
Lincoln	48	124	3	1	4
White	30	81	2	1	3
All other	18	43	1	–	1
Negro	18	43	1	–	1
Arkansas—Con.					
Little River	83	110	4	3	4
White	61	80	4	3	2
All other	22	30	–	–	2
Negro	22	30	–	–	2
Logan	132	217	5	4	4
Lonoke	164	295	7	7	4
White	136	242	5	5	3
All other	28	53	2	2	1
Negro	28	53	2	2	1
Madison	96	125	1	–	–
Marion	102	118	2	2	4
Miller	335	342	8	5	5
White	260	261	7	4	3
All other	75	81	1	1	2
Negro	75	81	1	1	2
Texarkana[2]	---	237	5	2	3
White	---	176	4	1	1
All other	---	61	1	1	2
Negro	---	61	1	1	2
Balance of county	---	105	3	3	2
White	---	85	3	3	2
All other	---	20	–	–	–
Negro	---	20	–	–	–
Mississippi	569	660	47	30	19
White	370	441	20	15	14
All other	199	219	27	15	5
Negro	199	219	27	15	5
Blytheville	---	246	14	9	8
White	---	146	4	4	6
All other	---	100	10	5	2
Negro	---	100	10	5	2
Balance of county	---	414	33	21	11
White	---	295	16	11	8
All other	---	119	17	10	3
Negro	---	119	17	10	3
Monroe	141	183	9	6	8
White	75	106	5	4	3
All other	66	77	4	2	5
Negro	66	77	4	2	5
Montgomery	47	94	2	1	–
Nevada	126	164	3	1	1
White	97	123	1	1	–
All other	29	41	2	–	1
Negro	29	41	2	–	1
Newton	32	69	–	–	–
Ouachita	330	362	6	3	5
White	189	223	2	1	2
All other	141	139	4	2	3
Negro	141	139	4	2	3
Camden	---	180	2	1	4
White	---	112	1	1	2
All other	---	68	1	–	2
Negro	---	68	1	–	2
Balance of county	---	182	4	2	1
White	---	111	1	–	–
All other	---	71	3	2	1
Negro	---	71	3	2	1
Perry	15	66	–	–	3
Phillips	384	469	20	15	14
White	138	184	11	10	2
All other	246	285	9	5	12
Negro	246	284	9	5	11
Helena	---	168	5	3	3
White	---	59	2	2	–
All other	---	109	3	1	3
Negro	---	108	3	1	3
West Helena	---	117	4	3	7
White	---	63	4	3	2
All other	---	54	–	–	5
Negro	---	54	–	–	5
Balance of county	---	184	11	9	4
White	---	62	5	5	–
All other	---	122	6	4	4
Negro	---	122	6	4	3
Pike	90	105	4	4	1
Poinsett	117	294	4	1	8
Polk	160	192	8	5	1
Pope	290	307	6	3	6
Russellville	---	135	3	2	3
Balance of county	---	172	3	1	3
Prairie	24	110	3	1	1
White	20	94	3	1	1
All other	4	16	–	–	–
Negro	4	16	–	–	–
Pulaski	3,961	2,703	96	72	60
White	3,045	2,032	46	36	28
All other	916	671	50	36	32
Negro	915	669	49	35	31
Jacksonville	---	108	8	5	5

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas—Con.					
Pulaski—Con.					
Little Rock	---	1,540	42	38	31
White	---	1,153	15	14	11
All other	---	387	27	24	20
Negro	---	386	26	23	20
North Little Rock	---	728	27	19	11
White	---	552	14	10	7
All other	---	176	13	9	4
Negro	---	175	13	9	4
Balance of county	---	327	19	10	13
White	---	226	9	7	8
All other	---	101	10	3	5
Negro	---	101	10	3	5
Randolph	134	179	8	8	1
St. Francis	277	340	12	9	13
White	147	178	4	4	5
All other	130	162	8	5	8
Negro	130	162	8	5	8
Forrest City	---	156	5	3	5
White	---	80	1	1	1
All other	---	76	4	2	4
Negro	---	76	4	2	4
Balance of county	---	184	7	6	8
White	---	98	3	3	4
All other	---	86	4	3	4
Negro	---	86	4	3	4
Saline	303	304	9	5	6
Benton	---	165	6	3	3
Balance of county	---	139	3	2	3
Scott	58	112	1	1	2
Searcy	43	83	–	–	–
Sebastian	1,270	781	29	16	15
Fort Smith	---	593	19	11	9
Balance of county	---	188	10	5	6
Sevier	217	151	7	5	6
Sharp	44	135	1	1	2
Stone	71	87	3	3	–
Union	591	561	14	8	16
White	422	394	7	6	4
All other	169	167	7	2	12
Negro	169	167	7	2	12
El Dorado	---	315	11	7	12
White	---	223	7	6	3
All other	---	92	4	1	9
Negro	---	92	4	1	9
Balance of county	---	246	3	1	4
White	---	171	–	–	1
All other	---	75	3	1	3
Negro	---	75	3	1	3
Van Buren	69	101	3	2	1
Washington	874	679	13	8	16
Fayetteville	---	197	2	2	5
Springdale, part	---	171	6	3	7
Springdale, total	---	171	6	3	7
Balance of county	---	311	5	3	4
White	391	429	17	15	8
Woodruff	94	134	3	1	3
White	67	87	1	1	–
All other	27	47	2	–	3
Negro	27	47	2	–	3
Yell	176	200	4	1	2
California	**171,074**	**170,687**	**4,260**	**2,923**	**2,872**
White	156,593	156,182	3,425	2,339	2,230
All other	14,481	14,505	835	584	642
Negro	11,114	11,156	724	505	491
Alameda	9,156	9,015	175	117	145
White	7,652	7,480	117	78	79
All other	1,504	1,535	58	39	66
Negro	1,299	1,331	55	37	52
Alameda	---	539	9	4	9
Albany	---	151	1	1	2
White	---	144	1	1	–
All other	---	7	–	–	2
Negro	---	2	–	–	1
Berkeley	---	877	12	8	9
White	---	628	4	3	3
All other	---	249	8	5	6
Negro	---	222	7	5	6
Fremont	---	494	21	15	11
Hayward	---	760	13	9	16
Livermore	---	251	9	8	7
Newark	---	94	4	4	7
Oakland	---	3,936	77	46	61
White	---	2,764	30	14	16
All other	---	1,172	47	32	45
Negro	---	1,058	45	30	39
Piedmont	---	94	–	–	–
Pleasanton	---	139	5	4	3

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California—Con.					
Alameda—Con.					
San Leandro	---	767	11	9	2
Union City	---	114	4	2	6
Balance of county	---	799	9	7	12
Alpine	13	4	–	–	–
White	11	2	–	–	–
All other	2	2	–	–	–
Negro	1	–	–	–	–
Amador	123	144	3	–	1
Butte	1,251	1,241	13	8	9
Chico	---	225	5	3	1
Balance of county	---	1,016	8	5	8
Calaveras	166	170	1	1	1
Colusa	109	123	3	–	4
Contra Costa	3,922	4,129	90	56	68
White	3,552	3,745	71	48	48
All other	370	384	19	8	20
Negro	326	343	19	8	17
Antioch	---	223	7	5	6
Concord	---	482	11	4	8
El Cerrito	---	225	1	1	2
White	---	210	1	1	1
All other	---	15	–	–	1
Negro	---	8	–	–	–
Lafayette	---	141	3	2	–
Martinez	---	162	2	2	2
Pinole	---	67	2	2	2
Pittsburg	---	219	8	7	9
White	---	159	4	3	2
All other	---	60	4	4	7
Negro	---	53	4	4	7
Pleasant Hill	---	132	7	4	5
Richmond	---	710	19	8	14
White	---	458	6	4	4
All other	---	252	13	4	10
Negro	---	245	13	4	9
San Pablo	---	226	8	4	5
Walnut Creek	---	513	3	3	3
Balance of county	---	1,029	19	14	12
Del Norte	178	178	2	1	5
El Dorado	452	441	11	6	5
South Lake Tahoe	---	80	4	1	2
Balance of county	---	361	7	5	3
Fresno	4,037	3,682	118	82	80
White	3,674	3,350	103	71	70
All other	363	332	15	11	10
Negro	257	239	14	10	9
Clovis	---	114	–	–	3
Fresno	---	1,747	48	34	34
White	---	1,528	37	26	24
All other	---	219	11	8	10
Negro	---	192	11	8	9
Sanger	---	83	4	3	2
Balance of county	---	1,738	66	45	41
White	---	1,630	62	42	41
All other	---	108	4	3	–
Negro	---	47	3	2	–
Glenn	153	200	5	2	1
Humboldt	876	898	18	9	14
Eureka	---	318	5	3	5
Balance of county	---	580	13	6	9
Imperial	560	612	22	11	13
Brawley	---	95	2	1	2
Calexico	---	58	2	2	2
El Centro	---	169	9	4	5
Balance of county	---	290	9	4	4
Inyo	203	197	6	6	4
Kern	2,813	2,900	96	69	64
White	2,574	2,657	85	59	55
All other	239	243	11	10	9
Negro	190	194	10	9	7
Bakersfield	---	787	30	20	9
White	---	665	26	17	6
All other	---	122	4	3	3
Negro	---	112	4	3	3
Delano	---	133	3	2	3
White	---	102	3	2	3
All other	---	31	–	–	–
Negro	---	6	–	–	–
Balance of county	---	1,980	63	47	52
White	---	1,890	56	40	46
All other	---	90	7	7	6
Negro	---	76	6	6	4
Kings	452	523	24	18	12
Hanford	---	218	7	5	5
Balance of county	---	305	17	13	7
Lake	353	457	8	7	3
Lassen	120	157	4	1	1
Los Angeles	60,104	59,368	1,538	1,059	1,111
White	52,962	52,186	1,084	736	800
All other	7,142	7,182	454	323	311
Negro	6,145	6,197	413	294	266

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
California—Con.					
Los Angeles—Con.					
Alhambra	---	678	13	9	9
Arcadia	---	415	5	4	3
Artesia	---	113	3	1	3
Azusa	---	195	7	3	4
Baldwin Park	---	358	16	8	7
Bell	---	242	5	2	2
Bellflower	---	481	10	7	13
Bell Gardens	---	238	12	7	6
Beverly Hills	---	438	2	1	3
Burbank	---	849	2	2	6
Carson	---	361	17	8	15
White	---	285	8	5	7
All other	---	76	9	3	8
Negro	---	43	8	3	5
Cerritos	---	99	9	8	8
Claremont	---	210	3	3	3
Commerce	---	46	1	1	2
Compton	---	481	42	26	33
White	---	152	11	6	4
All other	---	329	31	20	29
Negro	---	324	31	20	28
Covina	---	332	4	2	8
Cudahy	---	106	12	7	3
Culver City	---	310	4	4	3
Downey	---	610	14	10	8
Duarte	---	143	4	3	3
El Monte	---	603	30	22	15
El Segundo	---	91	–	–	–
Gardena	---	521	10	6	6
White	---	429	7	4	2
All other	---	92	3	2	4
Negro	---	26	1	1	3
Glendale	---	1,548	19	14	14
Glendora	---	277	8	4	2
Hawthorne	---	416	12	9	8
Hermosa Beach	---	105	3	2	3
Huntington Park	---	511	22	14	14
Inglewood	---	821	36	25	25
White	---	683	13	11	12
All other	---	138	23	14	13
Negro	---	134	23	14	12
Lakewood	---	479	13	12	10
La Mirada	---	148	4	3	1
La Puente	---	291	22	13	15
La Verne	---	140	4	3	2
Lawndale	---	165	15	13	6
Lomita	---	209	6	6	3
Long Beach	---	4,180	58	41	36
White	---	3,993	41	26	28
All other	---	187	17	15	8
Negro	---	146	15	13	6
Los Angeles	---	26,033	665	461	529
White	---	20,746	380	253	345
All other	---	5,287	285	208	184
Negro	---	4,698	264	193	162
Lynwood	---	340	13	6	8
Manhattan Beach	---	165	2	2	2
Maywood	---	165	6	2	2
Monrovia	---	317	12	5	6
White	---	286	10	4	5
All other	---	31	2	1	1
Negro	---	29	2	1	1
Montebello	---	378	11	8	6
Monterey Park	---	298	3	3	5
White	---	277	2	2	4
All other	---	21	1	1	1
Negro	---	–	–	–	–
Norwalk	---	467	17	12	11
Palos Verdes Estates	---	68	1	1	2
Paramount	---	243	12	7	10
Pasadena	---	1,342	22	17	16
White	---	1,165	11	8	13
All other	---	177	11	9	3
Negro	---	156	11	9	3
Pico Rivera	---	309	8	8	7
Pomona	---	707	25	19	14
White	---	641	17	13	8
All other	---	66	8	6	6
Negro	---	62	8	6	5
Redondo Beach	---	415	16	13	4
Rosemead	---	339	8	7	4
San Dimas	---	114	1	1	2
San Fernando	---	176	6	5	4
San Gabriel	---	403	8	5	4
San Marino	---	94	–	–	–
Santa Fe Springs	---	71	6	2	2
Santa Monica	---	1,142	19	16	10
Sierra Madre	---	97	1	1	1
South El Monte	---	58	1	1	5
South Gate	---	624	20	13	7
South Pasadena	---	224	–	–	5
Temple City	---	283	6	3	1
Torrance	---	858	19	16	10
West Covina	---	355	9	5	4
Whittier	---	884	18	12	12
Balance of county	---	5,189	156	105	116
White	---	4,720	125	82	81
All other	---	469	31	23	35
Negro	---	414	27	19	30
Madera	352	472	17	12	9
Madera	---	211	5	5	4
White	---	193	4	4	2
All other	---	18	1	1	2
Negro	---	16	1	1	2
Balance of county	---	261	12	7	5
Marin	1,460	1,462	31	24	16
Larkspur	---	46	–	–	–
Mill Valley	---	171	2	1	3
Novato	---	181	6	4	3
San Anselmo	---	107	1	1	–
San Rafael	---	411	9	7	4
Balance of county	---	546	13	11	6
Mariposa	92	84	3	2	–
Mendocino	532	571	14	11	8
Ukiah	---	131	3	2	1
Balance of county	---	440	11	9	7
Merced	675	803	25	16	25
Atwater	---	58	2	1	3
White	---	56	1	–	–
All other	---	2	1	1	3
Negro	---	2	1	1	2
Merced	---	257	6	5	3
White	---	230	6	5	3
All other	---	27	–	–	–
Negro	---	26	–	–	–
Balance of county	---	488	17	10	19
Modoc	73	75	2	1	1
Mono	46	28	–	–	–
Monterey	1,804	1,902	70	49	43
White	1,676	1,754	63	45	32
All other	128	148	7	4	11
Negro	63	72	6	3	6
Monterey	---	178	3	3	–
Pacific Grove	---	203	1	–	1
Salinas	---	550	27	19	19
Seaside	---	141	9	7	5
White	---	95	5	5	1
All other	---	46	4	2	4
Negro	---	39	4	2	4
Balance of county	---	830	30	20	18
Napa	1,097	841	6	3	14
Napa	---	469	4	3	9
Balance of county	---	372	2	–	5
Nevada	428	418	3	3	2
Orange	9,886	10,445	302	214	190
White	9,748	10,307	294	208	177
All other	138	138	8	6	13
Negro	63	59	5	4	5
Anaheim	---	1,304	43	36	26
Brea	---	127	–	–	–
Buena Park	---	336	9	4	7
Costa Mesa	---	531	14	6	5
Cypress	---	146	4	2	6
Fountain Valley	---	177	5	3	4
Fullerton	---	552	15	13	10
Garden Grove	---	706	15	13	10
Huntington Beach	---	659	19	12	13
Laguna Beach	---	208	2	2	1
La Habra	---	266	10	8	3
Los Alamitos	---	106	2	–	–
Newport Beach	---	420	5	4	3
Orange	---	485	22	19	11
Placentia	---	117	11	9	4
San Clemente	---	199	8	7	5
Santa Ana	---	1,226	65	41	39
White	---	1,182	64	40	35
All other	---	44	1	1	4
Negro	---	34	1	1	3
Seal Beach	---	476	2	2	1
Stanton	---	131	5	2	–
Tustin	---	201	7	2	5
Westminster	---	374	9	6	9
Yorba Linda	---	76	2	1	4
Balance of county	---	1,622	28	22	24
Placer	833	833	15	13	7
Roseville	---	212	5	3	–
Balance of county	---	621	10	10	7
Plumas	128	118	2	–	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California—Con.					
Riverside	4,876	5,154	101	64	78
White	4,664	4,927	93	57	65
All other	212	227	8	7	13
Negro	167	181	6	5	10
Banning	---	173	4	2	–
White	---	159	3	1	–
All other	---	14	1	1	–
Negro	---	11	1	1	–
Corona	---	216	12	7	5
Hemet	---	494	3	3	1
Indio	---	141	9	5	4
Norco	---	62	1	1	1
Palm Springs	---	347	1	1	2
Riverside	---	1,113	23	18	20
Balance of county	---	2,608	48	27	45
White	---	2,484	46	26	38
All other	---	124	2	1	7
Negro	---	94	2	1	5
Sacramento	5,358	5,187	135	84	79
White	4,967	4,803	105	65	66
All other	391	384	30	19	13
Negro	243	243	26	15	12
Sacramento	---	3,105	82	51	37
White	---	2,773	57	35	28
All other	---	332	25	16	9
Negro	---	219	23	14	8
Balance of county	---	2,082	53	33	42
White	---	2,030	48	30	38
All other	---	52	5	3	4
Negro	---	24	3	1	4
San Benito	153	169	3	2	3
San Bernardino	6,059	5,782	160	116	90
White	5,825	5,579	139	106	74
All other	234	203	21	10	16
Negro	207	180	18	9	15
Barstow	---	106	5	3	1
White	---	102	5	3	1
All other	---	4	–	–	–
Negro	---	3	–	–	–
Chino	---	147	7	7	4
Colton	---	181	5	1	4
Fontana	---	211	6	4	3
Montclair	---	125	6	5	2
Ontario	---	492	12	7	10
Redlands	---	287	4	3	3
Rialto	---	184	9	6	3
San Bernardino	---	1,071	29	24	16
White	---	974	20	18	9
All other	---	97	9	6	7
Negro	---	95	9	6	7
Upland	---	264	4	3	4
Victorville	---	87	4	4	1
Balance of county	---	2,627	69	49	39
White	---	2,562	61	47	35
All other	---	65	8	2	4
Negro	---	49	5	1	4
San Diego	11,833	11,434	324	226	206
White	11,243	10,856	269	188	160
All other	590	578	55	38	46
Negro	424	414	43	28	27
Carlsbad	---	152	3	2	2
Chula Vista	---	535	14	11	12
Coronado	---	133	2	1	2
El Cajon	---	501	13	3	4
Escondido	---	486	12	7	6
Imperial Beach	---	120	9	5	3
La Mesa	---	368	4	4	2
National City	---	274	18	15	16
White	---	254	14	11	8
All other	---	20	4	4	8
Negro	---	10	3	3	3
Oceanside	---	401	16	13	13
San Diego	---	5,748	156	107	91
White	---	5,288	121	84	65
All other	---	460	35	23	26
Negro	---	369	30	19	21
Vista	---	306	3	3	6
Balance of county	---	2,410	74	55	49
White	---	2,351	66	49	42
All other	---	59	8	6	7
Negro	---	18	3	2	1
San Francisco, coext. with San Francisco city	8,461	8,216	82	57	66
White	6,971	6,756	36	27	34
All other	1,490	1,460	46	30	32
Negro	813	802	35	25	19
San Joaquin	2,714	2,822	52	37	34
White	2,469	2,567	42	30	28
All other	245	255	10	7	6
Negro	124	129	9	7	3
Lodi	---	357	5	3	4
Manteca	---	143	3	2	–
California—Con.					
San Joaquin—Con.					
Stockton	---	1,254	30	21	14
White	---	1,064	20	14	9
All other	---	190	10	7	5
Negro	---	101	9	7	3
Tracy	---	137	1	–	–
Balance of county	---	931	13	11	16
White	---	877	13	11	15
All other	---	54	–	–	1
Negro	---	24	–	–	–
San Luis Obispo	1,100	1,136	26	13	13
San Luis Obispo	---	233	3	2	1
Balance of county	---	903	23	11	12
San Mateo	3,890	4,226	96	71	61
White	3,704	3,990	71	50	45
All other	186	236	25	21	16
Negro	118	164	18	16	7
Belmont	---	147	3	3	–
Burlingame	---	283	2	2	–
Daly City	---	443	20	7	10
White	---	407	18	5	8
All other	---	36	2	2	2
Negro	---	18	1	1	–
Menlo Park	---	320	8	5	4
White	---	293	3	1	2
All other	---	27	5	4	2
Negro	---	25	5	4	2
Millbrae	---	162	–	–	1
Pacifica	---	168	10	9	2
Redwood City	---	565	9	8	8
San Bruno	---	208	2	2	5
San Carlos	---	227	1	1	1
San Mateo	---	751	14	10	12
South San Francisco	---	295	7	5	6
Balance of county	---	657	20	19	12
White	---	581	10	9	9
All other	---	76	10	10	3
Negro	---	65	8	8	3
Santa Barbara	2,135	2,116	50	38	30
White	2,072	2,056	48	37	29
All other	63	60	2	1	1
Negro	30	28	2	1	–
Lompoc	---	139	7	5	2
Santa Barbara	---	956	9	8	10
Santa Maria	---	272	11	10	7
Balance of county	---	749	23	15	11
Santa Clara	7,549	6,848	215	157	120
White	7,209	6,560	185	133	104
All other	340	288	30	24	16
Negro	180	121	20	16	11
Campbell	---	202	6	4	3
Cupertino	---	155	8	5	3
Gilroy	---	125	6	4	–
Los Altos	---	209	2	2	–
Los Gatos	---	261	3	2	–
Milpitas	---	103	8	5	5
White	---	93	8	5	5
All other	---	10	–	–	–
Negro	---	4	–	–	–
Mountain View	---	361	9	6	8
Palo Alto	---	414	6	6	3
San Jose	---	3,304	118	87	77
White	---	3,130	98	71	64
All other	---	174	20	16	13
Negro	---	82	14	12	9
Santa Clara	---	555	23	17	10
Saratoga	---	166	–	–	–
Sunnyvale	---	613	17	15	4
Balance of county	---	380	9	4	7
Santa Cruz	1,617	1,610	26	21	16
Santa Cruz	---	497	5	4	2
Watsonville	---	220	11	9	2
White	---	204	11	9	2
All other	---	16	–	–	–
Negro	---	3	–	–	–
Balance of county	---	893	10	8	12
Shasta	814	790	19	12	8
Redding	---	218	4	3	1
Balance of county	---	572	15	9	7
Sierra	17	27	1	1	–
Siskiyou	328	393	6	4	5
Solano	1,247	1,268	41	30	24
White	1,142	1,149	33	23	18
All other	105	119	8	7	6
Negro	76	91	7	6	4
Fairfield	---	199	8	4	5
White	---	184	5	2	4
All other	---	15	3	2	1
Negro	---	9	3	2	–
Vacaville	---	181	10	6	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California—Con.					
Solano—Con.					
Vallejo	---	664	16	15	8
White	---	577	12	11	5
All other	---	87	4	4	3
Negro	---	72	3	3	3
Balance of county	---	224	7	5	9
Sonoma	2,360	2,368	30	21	27
Petaluma	---	279	6	4	4
Santa Rosa	---	783	8	6	3
Balance of county	---	1,306	16	11	20
Stanislaus	2,056	1,987	57	35	34
Modesto	---	753	19	10	14
Turlock	---	221	6	4	2
Balance of county	---	1,013	32	21	18
Sutter	332	381	11	6	8
Yuba City	---	157	8	4	5
Balance of county	---	224	3	2	3
Tehama	293	333	10	5	3
Trinity	62	81	2	1	2
Tulare	1,600	1,807	74	52	37
White	1,549	1,740	70	48	35
All other	51	67	4	4	2
Negro	27	34	3	3	2
Porterville	---	233	6	5	2
Tulare	---	198	4	3	4
White	---	182	3	2	3
All other	---	16	1	1	1
Negro	---	14	1	1	1
Visalia	---	326	15	11	8
Balance of county	---	1,050	49	33	23
Tuolumne	259	280	3	1	4
Ventura	2,510	2,658	78	50	51
White	2,444	2,599	73	48	45
All other	66	59	5	2	6
Negro	40	32	3	1	5
Camarillo	---	110	2	–	2
Oxnard	---	515	21	15	17
White	---	481	20	15	12
All other	---	34	1	–	5
Negro	---	22	1	–	4
Port Hueneme	---	114	4	3	3
Santa Paula	---	164	4	3	4
Simi Valley	---	246	11	9	9
Thousand Oaks	---	162	1	1	1
Ventura	---	509	13	7	3
Balance of county	---	838	22	12	12
Yolo	655	761	17	11	9
Davis	---	92	2	2	1
Woodland	---	252	4	2	6
Balance of county	---	417	11	7	2
Yuba	349	362	14	7	7
Colorado	**17,969**	**17,434**	**572**	**383**	**486**
White	17,375	16,873	520	346	446
All other	594	561	52	37	40
Negro	464	460	39	30	32
Adams	912	1,081	68	47	45
Arvada, part	---	5	–	–	–
Aurora, part	---	158	15	10	8
Commerce City	---	150	7	6	10
North Glenn	---	89	3	3	1
Thornton	---	108	10	7	3
Westminster	---	172	10	7	6
Balance of county	---	399	23	14	17
Alamosa	86	71	2	–	2
Arapahoe	854	1,004	45	34	27
Aurora, part	---	294	20	15	9
Aurora, total	---	452	35	25	17
Englewood	---	344	6	4	7
Littleton	---	231	12	9	5
Balance of county	---	135	7	6	6
Archuleta	14	28	3	3	2
Baca	40	56	2	2	1
Bent	88	63	4	4	2
Boulder	769	784	21	12	14
Boulder	---	371	9	7	8
Longmont	---	214	6	3	3
Balance of county	---	199	6	2	3
Chaffee	109	106	3	2	1
Cheyenne	16	23	2	2	2
Clear Creek	21	28	1	1	1
Conejos	55	67	4	3	5
Costilla	9	28	1	1	1
Crowley	19	35	1	1	2
Custer	2	16	–	–	–
Delta	151	217	3	1	2
Denver, coext. with Denver city	6,049	4,600	105	62	97
White	5,666	4,219	75	40	75
All other	383	381	30	22	22
Negro	338	348	26	19	19

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Colorado—Con.					
Dolores	3	17	–	–	–
White	3	17	–	–	–
All other	–	–	–	–	–
Negro	–	–	–	–	–
Douglas	31	63	1	–	2
Eagle	37	48	2	2	2
Elbert	14	28	1	1	–
El Paso	1,586	1,576	95	62	80
White	1,525	1,511	85	53	72
All other	61	65	10	9	8
Negro	52	55	8	7	7
Colorado Springs	---	1,255	72	48	64
Balance of county	---	321	23	14	16
Fremont	324	356	6	2	6
Garfield	157	161	4	3	6
Gilpin	18	12	2	–	–
Grand	34	26	–	–	1
Gunnison	51	40	2	1	6
Hinsdale	1	1	–	–	–
Huerfano	79	91	1	–	1
Jackson	4	9	–	–	–
Jefferson	1,250	1,492	44	31	39
Arvada, part	---	282	9	4	13
Arvada, total	---	287	9	4	13
Lakewood	---	605	13	9	10
Wheat Ridge	---	256	3	2	3
Balance of county	---	349	19	16	13
Kiowa	18	21	–	–	–
Kit Carson	65	63	2	2	1
Lake	36	40	–	–	2
La Plata	211	173	7	7	5
Durango	---	104	3	3	1
Balance of county	---	69	4	4	4
Larimer	675	723	14	8	12
Fort Collins	---	305	7	4	2
Loveland	---	219	2	2	8
Balance of county	---	199	5	2	2
Las Animas	168	204	6	5	1
Lincoln	56	67	–	–	1
Logan	158	164	4	2	5
Sterling	---	113	3	2	5
Balance of county	---	51	1	–	–
Mesa	658	577	15	10	8
Grand Junction	---	280	5	4	4
Balance of county	---	297	10	6	4
Mineral	1	3	1	1	–
Moffat	50	52	2	2	3
Montezuma	105	115	4	4	4
Montrose	189	178	5	3	4
Morgan	180	186	4	1	9
Otero	236	255	5	2	4
Ouray	11	20	–	–	–
Park	20	25	1	1	1
Phillips	48	55	1	1	–
Pitkin	40	27	–	–	1
Prowers	127	150	6	5	2
Pueblo	1,125	1,039	28	21	30
Pueblo	---	939	25	19	28
Balance of county	---	100	3	2	2
Rio Blanco	52	46	1	1	–
Rio Grande	113	110	–	–	5
Routt	46	53	–	–	4
Saguache	11	25	1	–	1
San Juan	5	5	1	1	–
San Miguel	19	15	1	1	–
Sedgwick	35	31	–	–	2
Summit	11	12	3	3	1
Teller	15	39	1	1	–
Washington	28	60	1	–	–
Weld	569	656	31	21	32
Greeley	---	328	16	10	17
Balance of county	---	328	15	11	15
Yuma	105	118	4	3	1
Connecticut	**25,728**	**25,740**	**557**	**445**	**349**
White	24,451	24,470	431	347	292
All other	1,277	1,270	126	98	57
Negro	1,252	1,244	124	97	56
Fairfield	6,219	6,651	118	100	93
White	5,881	6,272	88	73	66
All other	338	379	30	27	27
Negro	332	373	30	27	27
Bridgeport	---	1,605	36	29	29
White	---	1,451	21	17	15
All other	---	154	15	12	14
Negro	---	151	15	12	14
Danbury	---	422	14	13	12
Darien town†	---	137	1	1	–
Fairfield town†	---	463	4	4	2
Greenwich town†	---	470	3	2	8

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Connecticut—Con.					
Fairfield—Con.					
Norwalk	---	660	13	10	10
White	---	598	9	6	9
All other	---	62	4	4	1
Negro	---	62	4	4	1
Shelton	---	191	3	2	2
Stamford	---	887	20	18	11
White	---	787	13	11	6
All other	---	100	7	7	5
Negro	---	100	7	7	5
Stratford town†	---	466	4	4	3
Trumbull town†	---	206	–	–	2
Westport town†	---	197	–	–	–
Balance of county	---	947	20	17	14
Hartford	6,861	6,677	163	127	84
White	6,481	6,291	116	95	77
All other	380	386	47	32	7
Negro	372	378	46	32	7
Bristol	---	430	10	10	8
East Hartford town†	---	395	10	9	9
Enfield town†	---	255	1	1	3
Hartford	---	1,480	70	50	25
White	---	1,173	27	21	18
All other	---	307	43	29	7
Negro	---	306	43	29	7
Manchester town†	---	441	11	8	4
New Britain	---	788	8	6	3
Newington town†	---	192	7	5	1
Plainville town†	---	107	1	1	2
Southington town†	---	202	4	3	6
West Hartford town†	---	682	5	4	2
Wethersfield town†	---	229	3	2	–
Windsor Locks town†	---	103	3	3	2
Balance of county	---	1,373	30	25	19
Litchfield	1,229	1,333	24	20	21
Torrington	---	339	6	4	8
Balance of county	---	994	18	16	13
Middlesex	1,094	1,021	24	15	8
Middletown	---	291	10	8	3
Balance of county	---	730	14	7	5
New Haven	7,266	6,788	131	106	83
White	6,824	6,384	93	75	65
All other	442	404	38	31	18
Negro	436	398	37	30	18
Ansonia	---	183	4	3	2
Derby	---	114	3	3	2
East Haven town†	---	188	–	–	3
Hamden town†	---	446	4	2	3
Meriden	---	530	10	6	4
Milford	---	380	2	2	5
Naugatuck	---	200	2	2	2
New Haven	---	1,431	43	34	16
White	---	1,169	14	11	9
All other	---	262	29	23	7
Negro	---	259	28	22	7
Wallingford town†	---	299	5	5	4
Waterbury	---	1,111	25	20	12
White	---	1,039	18	14	7
All other	---	72	7	6	5
Negro	---	72	7	6	5
West Haven town†	---	495	9	8	6
Balance of county	---	1,411	24	21	24
New London	1,846	1,863	56	46	36
New London	---	332	9	7	4
White	---	304	4	3	2
All other	---	28	5	4	2
Negro	---	26	5	4	1
Norwich	---	430	13	12	4
Balance of county	---	1,101	34	27	28
Tolland	439	588	23	19	9
Vernon town†	---	162	7	6	2
Balance of county	---	426	16	13	7
Windham	774	819	18	12	15
Willimantic	---	77	2	1	2
Balance of county	---	742	16	11	13
Delaware	**4,908**	**4,682**	**119**	**91**	**98**
White	4,092	3,903	81	60	64
All other	816	779	38	31	34
Negro	807	770	36	29	32
Kent	616	684	19	13	18
White	495	558	17	12	13
All other	121	126	2	1	5
Negro	119	124	2	1	5
Dover	---	221	5	4	11
White	---	170	4	3	9
All other	---	51	1	1	2
Negro	---	50	1	1	2
Delaware—Con.					
Kent—Con.					
Balance of county	---	463	14	9	7
White	---	388	13	9	4
All other	---	75	1	–	3
Negro	---	74	1	–	3
New Castle	3,322	3,057	67	50	60
White	2,803	2,590	47	33	39
All other	519	467	20	17	21
Negro	514	463	19	16	19
Newark	---	209	9	5	1
Wilmington	---	1,596	22	18	20
White	---	1,217	11	8	8
All other	---	379	11	10	12
Negro	---	378	11	10	12
Balance of county	---	1,252	36	27	39
White	---	1,183	32	23	31
All other	---	69	4	4	8
Negro	---	69	4	4	7
Sussex	970	941	33	28	20
White	794	755	17	15	12
All other	176	186	16	13	8
Negro	174	183	15	12	8
District of Columbia	**9,418**	**7,481**	**283**	**227**	**149**
White	4,269	2,465	29	26	14
All other	5,149	5,016	254	201	135
Negro	5,096	4,977	252	200	134
Florida	**88,784**	**87,074**	**1,869**	**1,322**	**1,201**
White	78,078	76,406	1,081	794	740
All other	10,706	10,668	788	528	461
Negro	10,640	10,603	782	522	457
Alachua	1,766	770	33	21	23
White	1,334	535	21	14	14
All other	432	235	12	7	9
Negro	430	235	12	7	9
Gainesville	---	410	24	16	11
White	---	288	15	11	6
All other	---	122	9	5	5
Negro	---	122	9	5	5
Balance of county	---	360	9	5	12
White	---	247	6	3	8
All other	---	113	3	2	4
Negro	---	113	3	2	4
Baker	140	87	4	3	2
White	109	65	3	2	–
All other	31	22	1	1	2
Negro	31	21	1	1	2
Bay	707	671	33	22	13
White	584	557	25	16	9
All other	123	114	8	6	4
Negro	122	113	8	6	4
Panama City	---	409	19	14	6
White	---	317	13	9	3
All other	---	92	6	5	3
Negro	---	91	6	5	3
Balance of county	---	262	14	8	7
Bradford	127	152	4	4	–
White	105	130	4	4	–
All other	22	22	–	–	–
Negro	22	22	–	–	–
Brevard	1,660	1,740	36	23	25
White	1,506	1,578	23	14	16
All other	154	162	13	9	9
Negro	153	161	13	9	9
Cocoa	---	158	8	4	4
White	---	104	4	1	2
All other	---	54	4	3	2
Negro	---	54	4	3	2
Melbourne	---	385	4	3	4
White	---	357	2	1	1
All other	---	28	2	2	3
Negro	---	28	2	2	3
Rockledge	---	77	1	–	–
Titusville	---	224	10	8	2
Balance of county	---	896	13	8	15
Broward	8,603	9,161	135	93	111
White	7,974	8,489	82	62	62
All other	629	672	53	31	49
Negro	621	663	52	30	49
Deerfield Beach	---	350	4	4	3
White	---	296	3	3	1
All other	---	54	1	1	2
Negro	---	54	1	1	2
Fort Lauderdale	---	2,377	32	25	37
White	---	2,159	21	17	20
All other	---	218	11	8	17
Negro	---	215	11	8	17

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Florida—Con.					
Broward—Con.					
Hallandale	---	504	10	8	5
White	---	464	3	3	–
All other	---	40	7	5	5
Negro	---	40	7	5	5
Hollywood	---	1,486	11	8	22
Lauderdale Lakes	---	242	2	1	2
Miramar	---	255	5	4	2
Oakland Park	---	141	3	1	–
Pembroke Pines	---	180	3	3	–
Plantation	---	204	2	1	3
Pompano Beach	---	776	9	4	10
White	---	707	7	3	3
All other	---	69	2	1	7
Negro	---	69	2	1	7
Wilton Manor	---	152	–	–	–
Balance of county	---	2,494	54	34	27
White	---	2,248	25	20	13
All other	---	246	29	14	14
Negro	---	241	28	13	14
Calhoun	82	89	2	1	2
White	74	79	1	1	1
All other	8	10	1	–	1
Negro	8	10	1	–	1
Charlotte	666	698	3	2	3
Citrus	438	547	5	3	3
Clay	274	413	17	12	7
Collier	699	653	9	6	14
Naples	---	269	3	2	2
Balance of county	---	384	6	4	12
Columbia	516	284	13	7	6
White	377	206	4	2	3
All other	139	78	9	5	3
Negro	139	78	9	5	3
Lake City	---	134	7	5	4
White	---	84	–	–	2
All other	---	50	7	5	2
Negro	---	50	7	5	2
Balance of county	---	150	6	2	2
White	---	122	4	2	1
All other	---	28	2	–	1
Negro	---	28	2	–	1
Dade	15,843	14,585	286	219	243
White	14,097	12,892	143	110	147
All other	1,746	1,693	143	109	96
Negro	1,735	1,683	143	109	94
Coral Gables	---	402	4	2	3
Hialeah	---	893	16	11	21
Homestead	---	125	10	5	5
White	---	98	6	2	2
All other	---	27	4	3	3
Negro	---	27	4	3	3
Miami	---	4,474	102	79	67
White	---	3,660	52	41	40
All other	---	814	50	38	27
Negro	---	809	50	38	27
Miami Beach	---	2,567	3	3	4
Miami Springs	---	135	1	1	3
North Miami	---	587	5	3	5
North Miami Beach	---	876	2	2	4
Opa-Locka	---	134	10	9	4
White	---	75	3	2	2
All other	---	59	7	7	2
Negro	---	59	7	7	2
South Miami	---	78	2	–	–
White	---	54	1	–	–
All other	---	24	1	–	–
Negro	---	24	1	–	–
Balance of county	---	4,314	131	104	127
White	---	3,584	55	47	67
All other	---	730	76	57	60
Negro	---	727	76	57	58
De Soto	278	186	3	2	–
White	224	145	–	–	–
All other	54	41	3	2	–
Negro	54	41	3	2	–
Dixie	42	58	1	–	1
White	38	51	1	–	1
All other	4	7	–	–	–
Negro	4	7	–	–	–
Duval, coext. with Jacksonville city	4,792	4,651	153	107	101
White	3,497	3,342	77	57	61
All other	1,295	1,309	76	50	40
Negro	1,291	1,304	76	50	40
Escambia	1,827	1,578	61	42	29
White	1,417	1,194	38	28	21
All other	410	384	23	14	8
Negro	407	382	23	14	8
Florida—Con.					
Escambia—Con.					
Pensacola	---	692	23	16	11
White	---	454	12	9	6
All other	---	238	11	7	5
Negro	---	237	11	7	5
Balance of county	---	886	38	26	18
White	---	740	26	19	15
All other	---	146	12	7	3
Negro	---	145	12	7	3
Flagler	56	71	3	3	1
White	49	58	2	2	1
All other	7	13	1	1	–
Negro	7	13	1	1	–
Franklin	50	85	–	–	1
White	43	72	–	–	1
All other	7	13	–	–	–
Negro	7	13	–	–	–
Gadsden	453	349	32	20	4
White	238	148	6	5	1
All other	215	201	26	15	3
Negro	215	201	26	15	3
Gilchrist	22	42	–	–	–
Glades	21	55	6	2	1
White	11	37	3	1	–
All other	10	18	3	1	1
Negro	9	16	2	–	–
Gulf	59	92	3	2	2
White	43	63	1	–	1
All other	16	29	2	2	1
Negro	16	29	2	2	1
Hamilton	86	100	3	3	5
White	61	69	2	2	2
All other	25	31	1	1	3
Negro	25	31	1	1	3
Hardee	136	173	10	6	4
White	121	152	7	4	1
All other	15	21	3	2	3
Negro	15	21	3	2	3
Hendry	155	166	12	10	4
White	101	117	5	4	1
All other	54	49	7	6	3
Negro	50	47	7	6	2
Hernando	268	372	4	3	4
White	246	342	2	2	2
All other	22	30	2	1	2
Negro	22	30	2	1	2
Highlands	539	553	7	5	7
White	471	478	3	2	5
All other	68	75	4	3	2
Negro	68	74	4	3	2
Hillsborough	5,458	5,072	140	99	93
White	4,683	4,317	81	60	65
All other	775	755	59	39	28
Negro	771	753	59	39	28
Plant City	---	212	6	6	6
White	---	151	3	3	3
All other	---	61	3	3	3
Negro	---	61	3	3	3
Tampa	---	3,210	92	62	51
White	---	2,571	39	28	28
All other	---	639	53	34	23
Negro	---	638	53	34	23
Balance of county	---	1,650	42	31	36
Holmes	85	121	3	3	2
Indian River	560	544	7	4	2
White	503	481	3	2	1
All other	57	63	4	2	1
Negro	57	63	4	2	1
Vero Beach	---	240	1	1	–
Balance of county	---	304	6	3	2
White	---	245	2	1	1
All other	---	59	4	2	1
Negro	---	59	4	2	1
Jackson	323	411	12	9	11
White	227	289	7	6	9
All other	96	122	5	3	2
Negro	96	122	5	3	2
Jefferson	80	101	6	3	8
White	38	47	–	–	3
All other	42	54	6	3	5
Negro	42	54	6	3	5
Lafayette	9	33	1	–	–
White	5	28	1	–	–
All other	4	5	–	–	–
Negro	4	5	–	–	–
Lake	1,237	1,154	24	19	11
White	1,077	1,012	13	12	6
All other	160	142	11	7	5
Negro	159	142	11	7	5

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Florida—Con.					
Lake—Con.					
Leesburg	---	187	3	1	–
White	---	155	1	1	–
All other	---	32	2	–	–
Negro	---	32	2	–	–
Balance of county	---	967	21	18	11
White	---	857	12	11	6
All other	---	110	9	7	5
Negro	---	110	9	7	5
Lee	1,676	1,722	40	31	26
White	1,564	1,600	21	17	14
All other	112	122	19	14	12
Negro	112	122	19	14	12
Fort Myers	---	471	21	16	8
White	---	364	8	6	2
All other	---	107	13	10	6
Negro	---	107	13	10	6
Balance of county	---	1,251	19	15	18
Leon	966	712	33	19	22
White	655	471	21	12	14
All other	311	241	12	7	8
Negro	311	241	12	7	8
Tallahassee	---	495	22	13	14
White	---	312	12	7	7
All other	---	183	10	6	7
Negro	---	183	10	6	7
Balance of county	---	217	11	6	8
White	---	159	9	5	7
All other	---	58	2	1	1
Negro	---	58	2	1	1
Levy	128	180	5	3	–
White	112	148	3	2	–
All other	16	32	2	1	–
Negro	16	32	2	1	–
Liberty	2	29	1	–	–
White	1	27	1	–	–
All other	1	2	–	–	–
Negro	1	2	–	–	–
Madison	92	149	7	6	4
White	56	95	5	4	1
All other	36	54	2	2	3
Negro	36	54	2	2	3
Manatee	1,820	1,719	21	14	13
White	1,710	1,602	14	10	9
All other	110	117	7	4	4
Negro	108	116	7	4	4
Bradenton	---	543	7	3	4
White	---	485	4	1	3
All other	---	58	3	2	1
Negro	---	58	3	2	1
Balance of county	---	1,176	14	11	9
Marion	933	955	16	7	13
White	745	754	8	3	5
All other	188	201	8	4	8
Negro	187	200	7	3	8
Ocala	---	343	6	3	8
White	---	266	2	1	3
All other	---	77	4	2	5
Negro	---	76	3	1	5
Balance of county	---	612	10	4	5
White	---	488	6	2	2
All other	---	124	4	2	3
Negro	---	124	4	2	3
Martin	619	593	6	5	4
White	581	550	3	3	3
All other	38	43	3	2	1
Negro	37	42	3	2	1
Monroe	527	545	16	12	12
Key West	---	291	13	10	7
White	---	243	10	9	7
All other	---	48	3	1	–
Negro	---	48	3	1	–
Balance of county	---	254	3	2	5
Nassau	115	203	6	5	5
White	84	160	4	3	4
All other	31	43	2	2	1
Negro	31	43	2	2	1
Okaloosa	452	511	32	25	18
Fort Walton Beach	---	115	6	4	6
Balance of county	---	396	26	21	12
Okeechobee	112	157	11	8	3
White	98	137	8	7	3
All other	14	20	3	1	–
Negro	14	20	3	1	–
Orange	3,569	3,232	117	78	51
White	3,083	2,764	71	47	29
All other	486	468	46	31	22
Negro	481	462	46	31	22

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Florida—Con.					
Orange—Con.					
Orlando	---	1,275	55	39	24
White	---	999	26	19	10
All other	---	276	29	20	14
Negro	---	274	29	20	14
Winter Park	---	326	8	7	2
White	---	294	3	3	2
All other	---	32	5	4	–
Negro	---	31	5	4	–
Balance of county	---	1,631	54	32	25
White	---	1,471	42	25	17
All other	---	160	12	7	8
Negro	---	157	12	7	8
Osceola	489	498	9	4	7
Palm Beach	5,673	5,502	99	73	49
White	5,062	4,901	39	35	27
All other	611	601	60	38	22
Negro	610	599	60	38	22
Belle Glade	---	133	14	10	1
White	---	48	2	2	–
All other	---	85	12	8	1
Negro	---	85	12	8	1
Boca Raton	---	481	–	–	–
Boynton Beach	---	461	5	2	3
White	---	434	3	1	2
All other	---	27	2	1	1
Negro	---	26	2	1	1
Delray Beach	---	375	7	6	4
White	---	319	–	–	–
All other	---	56	7	6	4
Negro	---	56	7	6	4
Lake Worth	---	627	6	6	1
Riviera Beach	---	232	11	6	7
White	---	137	2	2	1
All other	---	95	9	4	6
Negro	---	95	9	4	6
West Palm Beach	---	976	22	16	10
White	---	771	5	5	4
All other	---	205	17	11	6
Negro	---	205	17	11	6
Balance of county	---	2,217	34	27	23
White	---	2,091	21	19	19
All other	---	126	13	8	4
Negro	---	126	13	8	4
Pasco	1,525	2,037	24	16	15
Pinellas	10,702	10,206	84	64	55
White	10,284	9,796	59	44	35
All other	418	410	25	20	20
Negro	416	409	24	19	20
Clearwater	---	1,103	9	9	9
White	---	1,049	8	8	6
All other	---	54	1	1	3
Negro	---	54	1	1	3
Dunedin	---	455	2	1	1
Largo	---	627	12	10	2
Pinellas Park	---	395	1	–	–
St. Petersburg	---	4,367	38	28	34
White	---	4,057	19	13	17
All other	---	310	19	15	17
Negro	---	310	19	15	17
Balance of county	---	3,259	22	16	9
Polk	2,885	2,813	96	71	39
White	2,452	2,360	57	42	22
All other	433	453	39	29	17
Negro	432	453	39	29	17
Bartow	---	147	9	8	7
White	---	90	4	4	2
All other	---	57	5	4	5
Negro	---	57	5	4	5
Lakeland	---	648	25	22	8
White	---	513	12	11	6
All other	---	135	13	11	2
Negro	---	135	13	11	2
Winter Haven	---	290	9	8	5
White	---	244	7	6	2
All other	---	46	2	2	3
Negro	---	46	2	2	3
Balance of county	---	1,728	53	33	19
White	---	1,513	34	21	12
All other	---	215	19	12	7
Negro	---	215	19	12	7
Putnam	409	527	13	5	6
White	300	385	5	2	3
All other	109	142	8	3	3
Negro	109	142	8	3	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida—Con.					
St. Johns	429	498	6	4	4
White	329	389	3	3	3
All other	100	109	3	1	1
Negro	100	109	3	1	1
St. Augustine	---	236	2	1	1
White	---	185	1	1	1
All other	---	51	1	–	–
Negro	---	51	1	–	–
Balance of county	---	262	4	3	3
White	---	204	2	2	2
All other	---	58	2	1	1
Negro	---	58	2	1	1
St. Lucie	669	781	20	15	17
White	517	602	7	7	1
All other	152	179	13	8	16
Negro	152	179	13	8	16
Fort Pierce	---	478	15	11	14
White	---	311	5	5	–
All other	---	167	10	6	14
Negro	---	167	10	6	14
Balance of county	---	303	5	4	3
Santa Rosa	212	312	8	7	6
Sarasota	2,518	2,434	30	23	16
Sarasota	---	890	14	10	6
White	---	812	7	5	4
All other	---	78	7	5	2
Negro	---	78	7	5	2
Balance of county	---	1,544	16	13	10
Seminole	897	924	17	16	22
White	743	748	14	14	16
All other	154	176	3	2	6
Negro	153	176	3	2	6
Sanford	---	251	3	2	5
White	---	170	1	1	3
All other	---	81	2	1	2
Negro	---	81	2	1	2
Balance of county	---	673	14	14	17
White	---	578	13	13	13
All other	---	95	1	1	4
Negro	---	95	1	1	4
Sumter	36	264	14	9	2
White	28	209	6	3	1
All other	8	55	8	6	1
Negro	8	55	8	6	1
Suwannee	130	207	7	4	5
White	105	167	5	3	3
All other	25	40	2	1	2
Negro	25	40	2	1	2
Taylor	113	152	5	2	2
White	85	115	5	2	1
All other	28	37	–	–	1
Negro	28	37	–	–	1
Union	24	44	2	–	1
White	15	28	1	–	–
All other	9	16	1	–	1
Negro	9	16	1	–	1
Volusia	2,739	2,938	44	31	32
White	2,475	2,666	31	23	18
All other	264	272	13	8	14
Negro	263	271	13	8	14
Daytona Beach	---	810	19	12	7
White	---	655	8	6	–
All other	---	155	11	6	7
Negro	---	154	11	6	7
De Land	---	292	8	7	3
White	---	256	6	5	1
All other	---	36	2	2	2
Negro	---	36	2	2	2
New Smyrna Beach	---	238	–	–	2
White	---	217	–	–	2
All other	---	21	–	–	–
Negro	---	21	–	–	–
Ormond Beach	---	277	3	1	5
Balance of county	---	1,321	14	11	15
Wakulla	61	69	3	3	4
White	46	57	3	3	2
All other	15	12	–	–	2
Negro	15	12	–	–	2
Walton	106	199	4	2	3
White	97	183	3	1	2
All other	9	16	1	1	1
Negro	9	16	1	1	1
Washington	99	145	2	2	2
White	82	120	–	–	2
All other	17	25	2	2	–
Negro	17	25	2	2	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia	41,828	41,363	1,465	1,005	1,099
White	29,929	29,541	751	543	589
All other	11,899	11,822	714	462	510
Negro	11,872	11,796	710	460	505
Appling	96	124	2	2	6
White	82	107	2	2	2
All other	14	17	–	–	4
Negro	14	17	–	–	4
Atkinson	28	80	5	3	2
White	23	62	3	3	1
All other	5	18	2	–	1
Negro	4	17	2	–	1
Bacon	86	85	2	2	2
White	75	75	–	–	2
All other	11	10	2	2	–
Negro	11	10	2	2	–
Baker	12	41	2	1	1
White	4	22	–	–	–
All other	8	19	2	1	1
Negro	8	19	2	1	1
Baldwin	626	270	7	5	5
White	459	164	3	2	1
All other	167	106	4	3	4
Negro	167	106	4	3	4
Milledgeville	---	159	4	3	–
White	---	92	2	1	–
All other	---	67	2	2	–
Negro	---	67	2	2	–
Balance of county	---	111	3	2	5
White	---	72	1	1	1
All other	---	39	2	1	4
Negro	---	39	2	1	4
Banks	18	71	1	–	–
Barrow	148	173	1	–	1
White	129	148	–	–	1
All other	19	25	1	–	–
Negro	19	25	1	–	–
Bartow	262	342	15	11	18
White	222	294	13	10	12
All other	40	48	2	1	6
Negro	40	48	2	1	6
Ben Hill	165	149	1	–	5
White	115	104	–	–	1
All other	50	45	1	–	4
Negro	50	45	1	–	4
Berrien	67	122	2	–	–
White	57	107	1	–	–
All other	10	15	1	–	–
Negro	10	15	1	–	–
Bibb	1,625	1,501	58	42	32
White	1,072	975	23	19	11
All other	553	526	35	23	21
Negro	553	526	35	23	21
Macon	---	1,383	53	38	–
White	---	880	20	16	–
All other	---	503	33	22	–
Negro	---	503	33	22	–
Balance of county	---	118	5	4	32
White	---	95	3	3	11
All other	---	23	2	1	21
Negro	---	23	2	1	21
Bleckley	87	112	3	2	1
White	62	86	2	1	–
All other	25	26	1	1	1
Negro	25	26	1	1	1
Brantley	17	67	2	1	4
White	14	62	2	1	4
All other	3	5	–	–	–
Negro	3	5	–	–	–
Brooks	130	172	7	4	–
White	83	103	3	2	–
All other	47	69	4	2	–
Negro	47	69	4	2	–
Bryan	15	64	2	1	2
White	11	47	2	1	2
All other	4	17	–	–	–
Negro	4	17	–	–	–
Bulloch	274	263	11	8	6
White	195	185	4	4	2
All other	79	78	7	4	4
Negro	79	78	7	4	4
Statesboro	---	110	3	3	–
White	---	73	1	1	–
All other	---	37	2	2	–
Negro	---	37	2	2	–
Balance of county	---	153	8	5	6
White	---	112	3	3	2
All other	---	41	5	2	4
Negro	---	41	5	2	4

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Georgia—Con.					
Burke	161	181	7	7	3
White	96	97	–	–	–
All other	65	84	7	7	3
Negro	65	84	7	7	3
Butts	99	128	4	2	4
White	62	87	2	1	2
All other	37	41	2	1	2
Negro	37	41	2	1	2
Calhoun	71	69	2	1	5
White	32	32	1	1	2
All other	39	37	1	–	3
Negro	39	37	1	–	3
Camden	70	104	1	1	2
White	47	58	–	–	1
All other	23	46	1	1	1
Negro	23	46	1	1	1
Candler	154	72	5	2	–
White	84	46	2	1	–
All other	70	26	3	1	–
Negro	70	26	3	1	–
Carroll	390	428	15	10	13
White	339	374	10	6	6
All other	51	54	5	4	7
Negro	51	54	5	4	7
Carrollton	---	122	3	2	–
White	---	95	2	1	–
All other	---	27	1	1	–
Negro	---	27	1	1	–
Balance of county	---	306	12	8	13
White	---	279	8	5	6
All other	---	27	4	3	7
Negro	---	27	4	3	7
Catoosa	415	223	1	1	2
Charlton	61	50	2	2	1
White	46	37	1	1	–
All other	15	13	1	1	1
Negro	15	13	1	1	1
Chatham	2,005	1,810	47	36	60
White	1,220	1,053	23	19	22
All other	785	757	24	17	38
Negro	784	757	24	17	36
Savannah	---	1,434	36	26	–
White	---	719	14	11	–
All other	---	715	22	15	–
Negro	---	715	22	15	–
Balance of county	---	376	11	10	60
White	---	334	9	8	22
All other	---	42	2	2	38
Negro	---	42	2	2	36
Chattahoochee	129	28	4	4	1
White	96	17	–	–	1
All other	33	11	4	4	–
Negro	33	10	4	4	–
Chattooga	165	212	7	4	5
Cherokee	168	247	10	6	5
Clarke	674	408	17	12	5
White	519	276	9	7	4
All other	155	132	8	5	1
Negro	153	128	7	4	1
Athens	---	302	11	8	–
White	---	194	5	4	–
All other	---	108	6	4	–
Negro	---	105	6	4	–
Balance of county	---	106	6	4	5
White	---	82	4	3	4
All other	---	24	2	1	1
Negro	---	23	1	–	1
Clay	69	54	1	1	–
White	26	17	–	–	–
All other	43	37	1	1	–
Negro	43	37	1	1	–
Clayton	394	531	29	20	20
College Park, part	---	36	2	2	–
Forest Park	---	134	4	4	–
Balance of county	---	361	23	14	20
Clinch	63	63	2	1	–
White	42	46	–	–	–
All other	21	17	2	1	–
Negro	21	17	2	1	–
Cobb	1,289	1,310	45	38	52
Marietta	---	381	18	13	–
White	---	339	16	11	–
All other	---	42	2	2	–
Negro	---	42	2	2	–
Smyrna	---	200	4	4	–
Balance of county	---	729	23	21	52
Coffee	212	239	17	11	10
White	168	184	13	10	2
All other	44	55	4	1	8
Negro	44	55	4	1	8

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Georgia—Con.					
Coffee—Con.					
Douglas	---	120	6	4	–
White	---	87	3	3	–
All other	---	33	3	1	–
Negro	---	33	3	1	–
Balance of county	---	119	11	7	10
White	---	97	10	7	2
All other	---	22	1	–	8
Negro	---	22	1	–	8
Colquitt	289	349	7	4	3
White	229	282	2	2	1
All other	60	67	5	2	2
Negro	60	67	5	2	2
Moultrie	---	166	6	3	–
White	---	117	2	2	–
All other	---	49	4	1	–
Negro	---	49	4	1	–
Balance of county	---	183	1	1	3
White	---	165	–	–	1
All other	---	18	1	1	2
Negro	---	18	1	1	2
Columbia	25	167	13	8	8
White	17	129	8	4	7
All other	8	38	5	4	1
Negro	8	38	5	4	1
Cook	106	121	–	–	1
White	78	91	–	–	–
All other	28	30	–	–	1
Negro	28	30	–	–	1
Coweta	408	367	14	6	7
White	288	247	9	4	3
All other	120	120	5	2	4
Negro	120	120	5	2	4
Newnan	---	146	1	1	–
White	---	87	–	–	–
All other	---	59	1	1	–
Negro	---	59	1	1	–
Balance of county	---	221	13	5	7
White	---	160	9	4	3
All other	---	61	4	1	4
Negro	---	61	4	1	4
Crawford	26	57	1	–	1
White	18	37	1	–	1
All other	8	20	–	–	–
Negro	8	20	–	–	–
Crisp	230	218	12	11	5
White	140	142	6	6	–
All other	90	76	6	5	5
Negro	90	76	6	5	5
Cordele	---	148	8	7	–
White	---	84	3	3	–
All other	---	64	5	4	–
Negro	---	64	5	4	–
Balance of county	---	70	4	4	5
White	---	58	3	3	–
All other	---	12	1	1	5
Negro	---	12	1	1	5
Dade	62	91	2	1	2
Dawson	18	46	–	–	2
Decatur	175	240	13	8	8
White	118	143	1	1	2
All other	57	97	12	7	6
Negro	56	96	12	7	6
Bainbridge	---	121	6	6	–
White	---	68	–	–	–
All other	---	53	6	6	–
Negro	---	52	6	6	–
Balance of county	---	119	7	2	8
White	---	75	1	1	2
All other	---	44	6	1	6
Negro	---	44	6	1	6
De Kalb	2,964	2,620	82	63	67
White	2,520	2,060	43	29	44
All other	444	560	39	34	23
Negro	441	558	39	34	23
Atlanta, part	---	725	29	24	–
White	---	425	8	7	–
All other	---	300	21	17	–
Negro	---	299	21	17	–
Decatur	---	470	17	15	–
White	---	310	7	6	–
All other	---	160	10	9	–
Negro	---	160	10	9	–
Balance of county	---	1,425	36	24	67
White	---	1,325	28	16	44
All other	---	100	8	8	23
Negro	---	99	8	8	23
Dodge	143	196	2	–	2
White	106	151	2	–	1
All other	37	45	–	–	1
Negro	37	45	–	–	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Georgia—Con.					
Dooly	114	134	5	2	7
White	55	74	1	–	3
All other	59	60	4	2	4
Negro	58	59	4	2	4
Dougherty	807	667	40	30	20
White	486	365	18	15	7
All other	321	302	22	15	13
Negro	321	302	22	15	13
Albany	---	603	39	29	–
White	---	313	18	15	–
All other	---	290	21	14	–
Negro	---	290	21	14	–
Balance of county	---	64	1	1	20
White	---	52	–	–	7
All other	---	12	1	1	13
Negro	---	12	1	1	13
Douglas	217	258	12	12	7
Early	103	135	4	1	3
White	57	76	–	–	2
All other	46	59	4	1	1
Negro	46	59	4	1	1
Echols	5	15	2	1	–
White	4	9	1	1	–
All other	1	6	1	–	–
Negro	1	6	1	–	–
Effingham	71	114	2	–	3
White	54	92	–	–	2
All other	17	22	2	–	1
Negro	16	22	2	–	1
Elbert	186	203	7	4	2
White	141	147	7	4	–
All other	45	56	–	–	2
Negro	45	56	–	–	2
Emanuel	166	196	6	4	4
White	107	132	5	4	3
All other	59	64	1	–	1
Negro	58	63	1	–	1
Evans	86	83	2	1	2
White	71	59	1	1	–
All other	15	24	1	–	2
Negro	15	24	1	–	2
Fannin	65	173	5	4	5
Fayette	35	102	1	1	2
White	30	87	1	1	1
All other	5	15	–	–	1
Negro	5	15	–	–	1
Floyd	920	761	25	17	24
White	777	648	21	13	12
All other	143	113	4	4	12
Negro	143	113	4	4	12
Rome	---	433	9	6	–
White	---	347	7	4	–
All other	---	86	2	2	–
Negro	---	86	2	2	–
Balance of county	---	328	16	11	24
Forsyth	92	146	5	2	7
Franklin	118	158	6	5	2
White	103	142	3	2	2
All other	15	16	3	3	–
Negro	15	16	3	3	–
Fulton	6,502	5,403	200	148	132
White	3,879	3,058	41	29	51
All other	2,623	2,345	159	119	81
Negro	2,619	2,343	158	118	79
Atlanta, part	---	4,338	169	122	–
White	---	2,129	22	12	–
All other	---	2,209	147	110	–
Negro	---	2,207	146	109	–
Atlanta, total	---	5,063	198	146	–
White	---	2,554	30	19	–
All other	---	2,509	168	127	–
Negro	---	2,506	167	126	–
College Park, part	---	223	8	5	–
White	---	178	5	4	–
All other	---	45	3	1	–
Negro	---	45	3	1	–
College Park, total	---	259	10	7	–
White	---	213	7	6	–
All other	---	46	3	1	–
Negro	---	46	3	1	–
East Point	---	313	9	8	–
Balance of county	---	529	14	13	132
Gilmer	69	93	3	1	–
Glascock	6	29	–	–	2
White	4	24	–	–	1
All other	2	5	–	–	1
Negro	2	5	–	–	1
Glynn	548	465	15	7	15
White	359	306	8	2	5
All other	189	159	7	5	10
Negro	189	159	7	5	10
Georgia—Con.					
Glynn—Con.					
Brunswick	---	255	8	4	–
White	---	136	4	1	–
All other	---	119	4	3	–
Negro	---	119	4	3	–
Balance of county	---	210	7	3	15
White	---	170	4	1	5
All other	---	40	3	2	10
Negro	---	40	3	2	10
Gordon	169	229	11	7	7
Grady	153	208	7	5	7
White	102	160	4	4	1
All other	51	48	3	1	6
Negro	51	48	3	1	6
Greene	112	109	2	2	3
White	62	59	–	–	1
All other	50	50	2	2	2
Negro	49	49	2	2	2
Gwinnett	403	610	24	20	27
Habersham	127	174	3	2	4
Hall	629	560	15	10	6
White	568	495	9	5	6
All other	61	65	6	5	–
Negro	60	65	6	5	–
Gainesville	---	201	5	5	–
White	---	157	2	2	–
All other	---	44	3	3	–
Negro	---	44	3	3	–
Balance of county	---	359	10	5	6
Hancock	56	101	3	3	4
White	18	33	–	–	2
All other	38	68	3	3	2
Negro	38	68	3	3	2
Haralson	124	156	3	2	4
Harris	43	124	3	–	3
White	21	80	–	–	1
All other	22	44	3	–	2
Negro	22	44	3	–	2
Hart	136	156	6	3	4
White	111	128	2	2	1
All other	25	28	4	1	3
Negro	25	28	4	1	3
Heard	46	62	4	3	3
White	41	57	3	3	1
All other	5	5	1	–	2
Negro	5	5	1	–	2
Henry	84	222	7	5	4
White	62	173	5	4	1
All other	22	49	2	1	3
Negro	22	48	2	1	3
Houston	327	340	22	16	17
White	250	258	16	13	8
All other	77	82	6	3	9
Negro	77	82	6	3	9
Warner Robins	---	189	19	13	–
Balance of county	---	151	3	3	17
White	---	95	3	3	8
All other	---	56	–	–	9
Negro	---	56	–	–	9
Irwin	90	98	3	1	2
White	60	71	1	1	1
All other	30	27	2	–	1
Negro	30	27	2	–	1
Jackson	158	203	8	7	6
White	140	179	8	7	4
All other	18	24	–	–	2
Negro	18	24	–	–	2
Jasper	41	65	–	–	3
White	25	39	–	–	–
All other	16	26	–	–	3
Negro	16	26	–	–	3
Jeff Davis	77	87	2	2	1
White	50	67	1	1	1
All other	27	20	1	1	–
Negro	27	20	1	1	–
Jefferson	145	209	12	3	2
White	73	112	2	–	1
All other	72	97	10	3	1
Negro	72	97	10	3	1
Jenkins	71	92	3	1	1
White	41	58	1	1	1
All other	30	34	2	–	–
Negro	29	34	2	–	–
Johnson	39	85	2	2	3
White	27	67	1	1	–
All other	12	18	1	1	3
Negro	11	18	1	1	3
Jones	57	79	3	2	–
White	33	52	1	1	–
All other	24	27	2	1	–
Negro	24	27	2	1	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia—Con.					
Lamar	50	112	6	4	2
White	33	84	4	2	1
All other	17	28	2	2	1
Negro	17	28	2	2	1
Lanier	50	58	1	1	4
White	29	43	1	1	3
All other	21	15	–	–	1
Negro	21	15	–	–	1
Laurens	554	337	15	11	9
White	397	225	6	5	3
All other	157	112	9	6	6
Negro	157	112	9	6	6
Dublin	– – –	157	7	5	–
White	– – –	91	–	–	–
All other	– – –	66	7	5	–
Negro	– – –	66	7	5	–
Balance of county	– – –	180	8	6	9
White	– – –	134	6	5	3
All other	– – –	46	2	1	6
Negro	– – –	46	2	1	6
Lee	20	72	3	2	–
White	7	39	2	2	–
All other	13	33	1	–	–
Negro	13	33	1	–	–
Liberty	147	145	7	7	8
White	63	73	6	6	3
All other	84	72	1	1	5
Negro	84	72	1	1	5
Lincoln	26	77	3	3	–
White	22	56	1	1	–
All other	4	21	2	2	–
Negro	4	21	2	2	–
Long	7	44	–	–	2
White	4	35	–	–	2
All other	3	9	–	–	–
Negro	3	9	–	–	–
Lowndes	587	507	19	11	16
White	416	330	9	7	12
All other	171	177	10	4	4
Negro	170	176	10	4	4
Valdosta	– – –	342	12	6	3
White	– – –	201	6	5	2
All other	– – –	141	6	1	1
Negro	– – –	141	6	1	1
Balance of county	– – –	165	7	5	13
White	– – –	129	3	2	10
All other	– – –	36	4	3	3
Negro	– – –	35	4	3	3
Lumpkin	51	68	2	2	–
McDuffie	159	128	8	5	9
White	90	73	2	2	5
All other	69	55	6	3	4
Negro	69	55	6	3	4
McIntosh	23	72	2	1	4
White	14	38	1	–	1
All other	9	34	1	1	3
Negro	9	34	1	1	3
Macon	101	137	7	4	2
White	57	64	3	2	–
All other	44	73	4	2	2
Negro	44	73	4	2	2
Madison	35	139	2	1	3
White	31	128	1	–	1
All other	4	11	1	1	2
Negro	4	11	1	1	2
Marion	53	51	–	–	3
White	26	26	–	–	1
All other	27	25	–	–	2
Negro	27	25	–	–	2
Meriwether	122	181	8	4	4
White	79	114	2	2	–
All other	43	67	6	2	4
Negro	43	67	6	2	4
Miller	60	82	1	1	2
White	36	58	–	–	2
All other	24	24	1	1	–
Negro	24	24	1	1	–
Mitchell	110	177	4	3	3
White	62	108	–	–	1
All other	48	69	4	3	2
Negro	48	69	4	3	2
Monroe	115	103	8	5	5
White	73	60	2	2	2
All other	42	43	6	3	3
Negro	42	43	6	3	3
Montgomery	22	71	3	–	1
White	11	50	1	–	–
All other	11	21	2	–	1
Negro	11	21	2	–	1
Georgia—Con.					
Morgan	89	115	6	5	3
White	45	67	–	–	3
All other	44	48	6	5	–
Negro	44	48	6	5	–
Murray	58	103	4	3	1
Muscogee	1,549	1,418	72	53	25
White	992	936	38	29	19
All other	557	482	34	24	6
Negro	556	482	34	24	6
Columbus	– – –	1,375	68	50	1
White	– – –	908	35	27	1
All other	– – –	467	33	23	–
Negro	– – –	467	33	23	–
Balance of county	– – –	43	4	3	24
White	– – –	28	3	2	18
All other	– – –	15	1	1	6
Negro	– – –	15	1	1	6
Newton	203	254	11	6	7
White	155	188	6	5	4
All other	48	66	5	1	3
Negro	48	66	5	1	3
Covington	– – –	88	3	1	–
White	– – –	54	1	1	–
All other	– – –	34	2	–	–
Negro	– – –	34	2	–	–
Balance of county	– – –	166	8	5	7
White	– – –	134	5	4	4
All other	– – –	32	3	1	3
Negro	– – –	32	3	1	3
Oconee	19	72	3	2	2
White	15	64	3	2	1
All other	4	8	–	–	1
Negro	4	8	–	–	1
Oglethorpe	32	98	4	1	1
White	20	72	2	–	–
All other	12	26	2	1	1
Negro	12	26	2	1	1
Paulding	116	157	7	5	4
Peach	136	150	11	6	8
White	78	75	1	1	3
All other	58	75	10	5	5
Negro	58	75	10	5	5
Pickens	130	109	2	1	1
Pierce	78	109	3	1	1
White	56	83	–	–	1
All other	22	26	3	1	–
Negro	22	26	3	1	–
Pike	18	79	3	3	3
White	7	50	1	1	2
All other	11	29	2	2	1
Negro	11	29	2	2	1
Polk	283	328	13	7	5
White	246	285	12	7	4
All other	37	43	1	–	1
Negro	37	43	1	–	1
Pulaski	111	96	1	–	5
White	76	63	–	–	2
All other	35	33	1	–	3
Negro	35	33	1	–	3
Putnam	103	84	1	1	4
White	46	42	–	–	–
All other	57	42	1	1	4
Negro	57	42	1	1	4
Quitman	10	29	2	2	3
White	5	16	2	2	–
All other	5	13	–	–	3
Negro	5	13	–	–	3
Rabun	60	81	4	3	2
Randolph	116	137	6	3	5
White	57	59	1	–	1
All other	59	78	5	3	4
Negro	59	78	5	3	4
Richmond	2,433	1,346	44	26	59
White	1,570	823	25	14	25
All other	863	523	19	12	34
Negro	860	518	19	12	33
Augusta	– – –	897	25	16	–
White	– – –	457	10	6	–
All other	– – –	440	15	10	–
Negro	– – –	439	15	10	–
Balance of county	– – –	449	19	10	59
White	– – –	366	15	8	25
All other	– – –	83	4	2	34
Negro	– – –	79	4	2	33
Rockdale	111	161	9	6	3
White	96	138	7	5	3
All other	15	23	2	1	–
Negro	15	22	1	1	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia—Con.					
Schley	8	41	2	–	–
White	6	30	1	–	–
All other	2	11	1	–	–
Negro	2	11	1	–	–
Screven	117	157	4	4	4
White	74	98	2	2	2
All other	43	59	2	2	2
Negro	43	59	2	2	2
Seminole	121	93	–	–	1
White	79	63	–	–	–
All other	42	30	–	–	1
Negro	42	30	–	–	1
Spalding	418	417	17	12	9
White	304	303	6	5	4
All other	114	114	11	7	5
Negro	114	114	11	7	5
Griffin	– – –	293	13	11	–
White	– – –	206	6	5	–
All other	– – –	87	7	6	–
Negro	– – –	87	7	6	–
Balance of county	– – –	124	4	1	9
White	– – –	97	–	–	4
All other	– – –	27	4	1	5
Negro	– – –	27	4	1	5
Stephens	237	187	5	3	4
White	211	162	4	3	3
All other	26	25	1	–	1
Negro	26	25	1	–	1
Stewart	72	82	1	–	2
White	22	29	–	–	1
All other	50	53	1	–	1
Negro	50	53	1	–	1
Sumter	336	259	9	3	8
White	187	135	2	2	2
All other	149	124	7	1	6
Negro	149	124	7	1	6
Americus	– – –	151	7	2	–
White	– – –	78	2	2	–
All other	– – –	73	5	–	–
Negro	– – –	73	5	–	–
Balance of county	– – –	108	2	1	8
White	– – –	57	–	–	2
All other	– – –	51	2	1	6
Negro	– – –	51	2	1	6
Talbot	38	82	2	1	1
White	17	35	–	–	–
All other	21	47	2	1	1
Negro	21	47	2	1	1
Taliaferro	3	49	1	1	2
White	1	26	–	–	2
All other	2	23	1	1	–
Negro	2	23	1	1	–
Tattnall	127	178	5	4	4
White	100	146	1	1	2
All other	27	32	4	3	2
Negro	27	32	4	3	2
Taylor	56	94	2	1	2
White	33	54	1	1	–
All other	23	40	1	–	2
Negro	23	40	1	–	2
Telfair	136	149	5	3	2
White	101	103	1	1	1
All other	35	46	4	2	1
Negro	35	46	4	2	1
Terrell	105	127	4	1	1
White	45	62	–	–	1
All other	60	65	4	1	–
Negro	60	65	4	1	–
Thomas	449	383	13	10	4
White	311	251	7	5	–
All other	138	132	6	5	4
Negro	138	132	6	5	4
Thomasville	– – –	214	5	4	–
White	– – –	125	2	2	–
All other	– – –	89	3	2	–
Negro	– – –	89	3	2	–
Balance of county	– – –	169	8	6	4
White	– – –	126	5	3	–
All other	– – –	43	3	3	4
Negro	– – –	43	3	3	4
Tift	294	254	13	10	4
White	222	184	9	7	1
All other	72	70	4	3	3
Negro	72	70	4	3	3
Tifton	– – –	131	7	6	–
White	– – –	109	5	4	–
All other	– – –	22	2	2	–
Negro	– – –	22	2	2	–
Balance of county	– – –	123	6	4	4
White	– – –	75	4	3	1
All other	– – –	48	2	1	3
Negro	– – –	48	2	1	3
Georgia—Con.					
Toombs	179	231	8	6	3
White	137	173	6	5	1
All other	42	58	2	1	2
Negro	42	58	2	1	2
Towns	68	64	–	–	2
Treutlen	61	73	–	–	1
White	50	56	–	–	1
All other	11	17	–	–	–
Negro	11	17	–	–	–
Troup	562	539	8	6	11
White	398	376	2	1	7
All other	164	163	6	5	4
Negro	164	163	6	5	4
La Grange	– – –	293	5	4	–
White	– – –	195	2	1	–
All other	– – –	98	3	3	–
Negro	– – –	98	3	3	–
Balance of county	– – –	246	3	2	11
White	– – –	181	–	–	7
All other	– – –	65	3	2	4
Negro	– – –	65	3	2	4
Turner	90	102	8	6	3
White	52	61	1	1	1
All other	38	41	7	5	2
Negro	38	41	7	5	2
Twiggs	47	58	2	1	1
White	25	22	1	1	–
All other	22	36	1	–	1
Negro	22	36	1	–	1
Union	102	73	2	2	1
Upson	272	238	8	4	6
White	195	176	2	1	3
All other	77	62	6	3	3
Negro	77	62	6	3	3
Thomaston	– – –	138	6	3	–
White	– – –	109	1	1	–
All other	– – –	29	5	2	–
Negro	– – –	29	5	2	–
Balance of county	– – –	100	2	1	6
White	– – –	67	1	–	3
All other	– – –	33	1	1	3
Negro	– – –	33	1	1	3
Walker	196	506	10	5	10
Walton	180	230	6	4	11
White	137	180	5	4	7
All other	43	50	1	–	4
Negro	43	50	1	–	4
Ware	433	377	13	8	15
White	328	266	8	7	9
All other	105	111	5	1	6
Negro	105	111	5	1	6
Waycross	– – –	273	8	3	–
White	– – –	168	3	2	–
All other	– – –	105	5	1	–
Negro	– – –	105	5	1	–
Balance of county	– – –	104	5	5	15
Warren	14	64	–	–	3
White	7	28	–	–	–
All other	7	36	–	–	3
Negro	7	36	–	–	3
Washington	194	192	9	5	2
White	109	101	2	1	1
All other	85	91	7	4	1
Negro	85	91	7	4	1
Wayne	204	169	6	5	7
White	156	141	4	4	3
All other	48	28	2	1	4
Negro	48	28	2	1	4
Webster	7	26	1	1	–
White	1	6	–	–	–
All other	6	20	1	1	–
Negro	6	20	1	1	–
Wheeler	54	51	1	–	1
White	38	40	1	–	1
All other	16	11	–	–	–
Negro	16	11	–	–	–
White	39	53	1	1	–
Whitfield	435	442	18	15	14
Dalton	– – –	196	7	7	1
White	– – –	171	6	6	1
All other	– – –	25	1	1	–
Negro	– – –	25	1	1	–
Balance of county	– – –	246	11	8	13
Wilcox	29	74	2	1	3
White	12	48	–	–	–
All other	17	26	2	1	3
Negro	17	26	2	1	3
Wilkes	138	136	1	–	1
White	83	84	1	–	–
All other	55	52	–	–	1
Negro	55	52	–	–	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Georgia—Con.					
Wilkinson	59	112	5	3	2
White	30	70	1	–	2
All other	29	42	4	3	–
Negro	29	42	4	3	–
Worth	113	145	2	2	8
White	62	96	1	1	2
All other	51	49	1	1	6
Negro	51	49	1	1	6
Hawaii	**4,575**	**4,350**	**203**	**150**	**210**
White	1,532	1,350	57	38	59
All other	3,043	3,000	146	112	151
Negro	31	25	5	3	2
Hawaii	535	562	18	13	11
White	149	144	4	3	–
All other	386	418	14	10	11
Negro	2	2	–	–	–
Hilo[3]	---	247	9	7	7
White	---	65	1	1	–
All other	---	182	8	6	7
Negro	---	2	–	–	–
Balance of county	---	315	9	6	4
White	---	79	3	2	–
All other	---	236	6	4	4
Negro	---	–	–	–	–
Honolulu	3,470	3,188	172	129	173
White	1,221	1,054	50	33	55
All other	2,249	2,134	122	96	118
Negro	28	23	5	3	2
Aiea	---	56	3	1	7
White	---	7	1	–	2
All other	---	49	2	1	5
Negro	---	–	–	–	–
Honolulu[3]	---	2,022	67	54	71
White	---	669	11	9	13
All other	---	1,353	56	45	58
Negro	---	12	1	1	1
Kailua	---	153	4	1	9
White	---	99	1	–	5
All other	---	54	3	1	4
Negro	---	2	1	–	–
Kaneohe	---	127	11	10	14
White	---	51	4	4	6
All other	---	76	7	6	8
Negro	---	–	–	–	–
Pearl City	---	78	4	4	5
White	---	18	–	–	4
All other	---	60	4	4	1
Negro	---	–	–	–	–
Schofield Barracks	---	12	4	1	5
White	---	7	2	1	5
All other	---	5	2	–	–
Negro	---	2	1	–	–
Wahiawa	---	82	8	4	5
White	---	19	4	2	3
All other	---	63	4	2	2
Negro	---	1	–	–	–
Waipahu	---	83	14	11	13
White	---	10	7	6	5
All other	---	73	7	5	8
Negro	---	2	1	1	1
Balance of county	---	575	57	43	44
White	---	174	20	11	12
All other	---	401	37	32	32
Negro	---	4	1	1	–
Kauai	193	200	3	2	13
White	49	49	1	–	1
All other	144	151	2	2	12
Negro	1	–	–	–	–
Maui	377	400	10	6	13
White	113	103	2	2	3
All other	264	297	8	4	10
Negro	–	–	–	–	–
Idaho	**6,226**	**6,514**	**214**	**152**	**148**
White	6,121	6,410	208	149	132
All other	105	104	6	3	16
Negro	14	11	–	–	9
Ada	1,229	1,043	27	18	20
Boise City	---	889	23	16	16
Balance of county	---	154	4	2	4
Adams	12	16	–	–	1
Bannock	485	427	15	9	12
Pocatello	---	356	13	9	11
Balance of county	---	71	2	–	1
Idaho—Con.					
Bear Lake	29	55	6	6	–
Benewah	55	66	2	2	2
Bingham	146	218	9	7	4
Blaine	40	39	1	–	–
Boise	13	10	–	–	–
Bonner	133	174	4	3	8
Bonneville	471	359	18	12	7
Idaho Falls	---	291	15	9	5
Balance of county	---	68	3	3	2
Boundary	57	60	3	2	1
Butte	24	24	2	2	–
Camas	–	7	–	–	–
Canyon	607	632	19	13	5
Caldwell	---	163	2	2	–
Nampa	---	239	7	6	3
Balance of county	---	230	10	5	2
Caribou	50	50	3	2	4
Cassia	137	153	6	5	3
Clark	2	9	1	1	–
Clearwater	71	61	2	1	3
Custer	12	30	–	–	–
Elmore	77	92	8	3	5
Franklin	47	72	1	1	–
Fremont	60	76	5	3	–
Gem	89	117	3	3	2
Gooding	90	110	3	3	3
Idaho	112	118	1	–	3
Jefferson	37	96	2	1	2
Jerome	112	119	4	4	4
Kootenai	378	407	10	9	14
Coeur d'Alene	---	212	2	2	5
Balance of county	---	195	8	7	9
Latah	175	190	7	4	2
Moscow	---	93	4	3	2
Balance of county	---	97	3	1	–
Lemhi	59	59	1	1	1
Lewis	5	32	1	–	1
Lincoln	19	25	1	1	2
Madison	67	71	6	6	5
Minidoka	93	126	8	6	7
Nez Perce	287	300	10	4	8
Lewiston	---	251	9	3	5
Balance of county	---	49	1	1	3
White	---	37	–	–	2
All other	---	12	1	1	1
Negro	---	–	–	–	–
Oneida	22	36	–	–	–
Owyhee	44	61	1	1	–
Payette	68	146	–	–	4
Power	41	39	2	1	–
Shoshone	158	199	3	2	3
Teton	23	23	1	1	–
Twin Falls	456	443	16	13	10
Twin Falls	---	264	6	5	3
Balance of county	---	179	10	8	7
Valley	58	34	1	1	–
Washington	76	90	1	1	2
Illinois	**101,085**	**103,552**	**3,118**	**2,230**	**1,906**
White	87,601	89,864	1,953	1,450	1,254
All other	13,484	13,688	1,165	780	652
Negro	13,196	13,394	1,138	762	626
Adams	1,103	944	17	14	12
Quincy	---	713	15	12	7
Balance of county	---	231	2	2	5
Alexander	131	213	5	3	9
White	72	138	3	3	6
All other	59	75	2	–	3
Negro	59	75	2	–	3
Bond	157	186	4	3	1
Boone	228	216	7	3	5
Belvidere	---	149	5	2	4
Balance of county	---	67	2	1	1
Brown	25	89	3	3	–
Bureau	422	429	14	6	7
Calhoun	34	70	–	–	–
Carroll	131	212	3	2	1
Cass	140	174	2	2	–
Champaign	1,187	893	44	28	23
White	1,105	813	32	21	18
All other	82	80	12	7	5
Negro	80	78	12	7	3
Champaign	---	335	14	7	3
White	---	282	9	6	2
All other	---	53	5	1	1
Negro	---	53	5	1	1
Rantoul	---	61	8	5	7

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois—Con.					
Champaign—Con.					
Urbana	---	197	8	7	7
White	---	179	4	4	7
All other	---	18	4	3	–
Negro	---	18	4	3	–
Balance of county	---	300	14	9	6
Christian	376	439	15	13	1
Taylorville	---	165	6	5	–
Balance of county	---	274	9	8	1
Clark	109	215	3	1	–
Clay	162	184	1	1	4
Clinton	190	272	5	3	2
Centralia, part	---	18	–	–	–
Balance of county	---	254	5	3	2
Coles	571	501	10	8	8
Charleston	---	140	1	1	3
Mattoon	---	246	6	5	2
Balance of county	---	115	3	2	3
Cook	50,637	51,306	1,735	1,208	1,059
White	39,341	39,938	799	588	525
All other	11,296	11,368	936	620	534
Negro	11,033	11,100	911	604	515
Alsip	---	105	5	4	5
Arlington Heights, part	---	447	8	8	13
Arlington Heights, total	---	448	8	8	13
Bellwood	---	134	4	3	1
Bensenville, part	---	6	1	–	1
Berwyn	---	740	12	9	2
Blue Island	---	270	11	8	4
Bridge View	---	122	6	4	2
Brookfield	---	186	4	2	1
Buffalo Grove, part	---	34	–	–	3
Buffalo Grove, total	---	42	–	–	3
Calumet City	---	398	10	8	3
Calumet Park	---	76	2	–	–
Chicago, part	---	34,226	1,299	877	773
White	---	23,617	447	314	291
All other	---	10,609	852	563	482
Negro	---	10,383	836	554	469
Chicago, total	---	34,228	1,299	877	773
White	---	23,618	447	314	291
All other	---	10,610	852	563	482
Negro	---	10,384	836	554	469
Chicago Heights	---	330	16	9	18
White	---	273	5	4	4
All other	---	57	11	5	14
Negro	---	56	11	5	14
Cicero	---	843	19	13	8
Deerfield, part	---	3	–	–	–
Des Plaines	---	509	9	7	13
Dolton	---	204	9	8	3
Elgin, part	---	20	–	–	1
Elk Grove Village, part	---	88	1	1	4
Elk Grove Village, total	---	88	1	1	4
Elmwood Park	---	274	4	4	1
Evanston	---	851	16	13	9
White	---	740	9	7	5
All other	---	111	7	6	4
Negro	---	109	7	6	3
Evergreen Park	---	298	2	1	5
Forest Park	---	228	2	1	2
Franklin Park	---	142	2	1	2
Glencoe	---	75	1	1	1
Glenview	---	260	3	2	4
Hanover Park, part	---	47	6	3	3
Hanover Park, total	---	53	9	5	4
Harvey	---	302	25	19	5
White	---	189	6	5	1
All other	---	113	19	14	4
Negro	---	113	19	14	4
Hazel Crest	---	84	4	3	2
Hickory Hills	---	85	3	3	3
Hinsdale, part	---	22	–	–	–
Hoffman Estates	---	91	6	4	4
Homewood	---	171	2	2	–
La Grange	---	176	2	1	3
La Grange Park	---	172	3	2	1
Lansing	---	207	9	9	3
Lincolnwood	---	90	–	–	–
Lyons	---	86	2	2	–
Markham	---	95	2	1	2
White	---	32	–	–	–
All other	---	63	2	1	2
Negro	---	63	2	1	2
Maywood	---	215	11	7	9
White	---	135	5	3	–
All other	---	80	6	4	9
Negro	---	80	6	4	9
Melrose Park	---	221	7	6	2
Midlothian	---	121	2	–	3
Illinois—Con.					
Cook—Con.					
Morton Grove	---	176	2	1	2
Mount Prospect	---	269	8	5	5
Niles	---	293	1	1	2
Norridge	---	136	1	1	–
Northbrook	---	195	3	3	2
Northlake, part	---	126	3	3	–
Northlake, total	---	127	3	3	–
Oak Forest	---	105	6	5	3
Oak Lawn	---	571	7	5	7
Oak Park	---	644	16	14	4
Palatine	---	214	6	5	5
Park Forest, part	---	132	8	6	7
Park Forest, total	---	140	9	7	8
Park Ridge	---	310	3	3	5
Riverdale	---	177	2	1	1
River Forest	---	119	–	–	2
River Grove	---	95	1	–	3
Riverside	---	108	–	–	2
Rolling Meadows	---	90	10	7	7
Schaumburg, part	---	101	6	6	10
Schaumburg, total	---	102	6	6	11
Schiller Park	---	72	2	2	1
Skokie	---	512	3	3	5
South Holland	---	171	1	1	2
Streamwood	---	57	5	4	4
Summit	---	93	6	6	1
White	---	76	6	6	1
All other	---	17	–	–	–
Negro	---	14	–	–	–
Tinley Park, part	---	149	6	6	2
Tinley Park, total	---	150	6	6	2
Westchester	---	145	2	2	2
Western Springs	---	86	–	–	1
Wheeling	---	64	3	3	5
Wilmette	---	232	2	2	4
Winnetka	---	111	1	1	1
Worth	---	105	3	3	2
Balance of county	---	2,594	88	63	43
White	---	2,393	67	50	33
All other	---	201	21	13	10
Negro	---	197	21	13	9
Crawford	215	239	5	2	3
Cumberland	53	125	2	1	2
De Kalb	488	445	14	11	10
De Kalb	---	141	6	5	1
Balance of county	---	304	8	6	9
De Witt	166	200	–	–	1
Douglas	125	189	5	4	3
Du Page	2,912	3,122	93	76	66
Addison	---	95	11	8	2
Bensenville, part	---	135	5	3	1
Bensenville, total	---	141	6	3	2
Chicago, part	---	2	–	–	–
Downers Grove	---	319	8	7	5
Elk Grove Village, part	---	–	–	–	–
Elmhurst	---	379	7	6	2
Glendale Heights	---	27	5	4	5
Glen Ellyn	---	145	2	1	2
Hanover Park, part	---	6	3	2	1
Hinsdale, part	---	107	1	1	–
Hinsdale, total	---	129	1	1	–
Lombard	---	263	8	7	8
Naperville	---	178	7	7	6
Northlake, part	---	1	–	–	–
Schaumburg, part	---	1	–	–	1
Villa Park	---	182	4	3	2
West Chicago	---	101	4	4	3
Wheaton	---	218	4	4	3
Woodridge	---	46	2	2	2
Balance of county	---	917	22	17	23
Edgar	254	263	5	3	–
Edwards	31	97	–	–	3
Effingham	317	270	7	6	5
Fayette	209	261	5	4	2
Ford	172	189	1	1	7
Franklin	495	602	10	8	7
Fulton	428	508	11	7	6
Canton	---	190	6	3	1
Balance of county	---	318	5	4	5
Gallatin	33	112	4	1	2
Greene	179	232	6	5	2
Grundy	199	240	10	9	3
Hamilton	101	124	2	2	2
Hancock	155	283	7	6	2
Hardin	76	77	1	1	2
Henderson	22	80	2	2	2
Henry	527	627	16	8	10
Kewanee	---	215	6	4	3
Balance of county	---	412	10	4	7

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois—Con.					
Iroquois	236	356	5	3	4
Jackson	506	434	13	9	3
Carbondale	---	145	5	3	1
White	---	109	3	3	1
All other	---	36	2	–	–
Negro	---	35	2	–	–
Murphysboro	---	128	5	4	–
Balance of county	---	161	3	2	2
Jasper	58	133	2	1	1
Jefferson	435	438	8	8	7
Mount Vernon	---	257	4	4	4
Balance of county	---	181	4	4	3
Jersey	176	164	4	2	1
Jo Daviess	137	253	3	3	4
Johnson	33	100	2	–	–
Kane	2,290	2,026	81	61	37
Aurora	---	680	28	24	11
Carpentersville	---	114	10	5	2
Elgin, part	---	568	26	20	4
Elgin, total	---	588	26	20	5
St. Charles	---	94	2	2	1
Balance of county	---	570	15	10	19
Kankakee	962	849	33	19	16
White	831	732	18	11	11
All other	131	117	15	8	5
Negro	131	117	15	8	5
Kankakee	---	345	13	9	8
White	---	301	6	5	5
All other	---	44	7	4	3
Negro	---	44	7	4	3
Balance of county	---	504	20	10	8
White	---	431	12	6	6
All other	---	73	8	4	2
Negro	---	73	8	4	2
Kendall	75	184	5	4	5
Knox	733	642	12	6	7
Galesburg	---	381	10	5	3
Balance of county	---	261	2	1	4
Lake	2,676	2,526	82	60	55
White	2,514	2,381	65	49	42
All other	162	145	17	11	13
Negro	158	142	17	11	13
Arlington Heights, part	---	1	–	–	–
Buffalo Grove, part	---	8	–	–	–
Deerfield, part	---	93	1	1	–
Deerfield, total	---	96	1	1	–
Highland Park	---	168	2	1	–
Lake Forest	---	109	–	–	–
Libertyville	---	109	3	3	2
Mundelein	---	84	1	1	1
North Chicago	---	103	6	3	3
White	---	68	1	1	–
All other	---	35	5	2	3
Negro	---	35	5	2	3
Waukegan	---	564	23	14	11
White	---	485	14	8	4
All other	---	79	9	6	7
Negro	---	79	9	6	7
Zion	---	179	9	7	9
White	---	157	6	4	6
All other	---	22	3	3	3
Negro	---	22	3	3	3
Balance of county	---	1,108	37	30	29
La Salle	1,251	1,233	27	21	20
La Salle	---	158	2	2	1
Ottawa	---	222	2	2	1
Peru	---	122	–	–	4
Streator, part	---	218	6	6	2
Streator, total	---	220	6	6	2
Balance of county	---	513	17	11	12
Lawrence	193	251	5	4	4
Lee	388	359	12	10	5
Dixon	---	186	7	6	–
Balance of county	---	173	5	4	5
Livingston	381	437	7	6	7
Streator, part	---	2	–	–	–
Balance of county	---	435	7	6	7
Logan	364	349	3	2	1
Lincoln	---	184	–	–	1
Balance of county	---	165	3	2	–
McDonough	290	305	9	7	2
Macomb	---	127	4	3	–
Balance of county	---	178	5	4	2
McHenry	807	998	37	26	16
Crystal Lake	---	107	4	2	2
Woodstock	---	109	4	3	1
Balance of county	---	782	29	21	13
McLean	867	916	25	20	8
Bloomington	---	469	15	11	2
Normal	---	124	4	4	1
Balance of county	---	323	6	5	5
Illinois—Con.					
Macon	1,371	1,212	40	25	22
White	1,295	1,127	24	14	18
All other	76	85	16	11	4
Negro	76	85	16	11	4
Decatur	---	993	35	20	19
White	---	908	19	9	15
All other	---	85	16	11	4
Negro	---	85	16	11	4
Balance of county	---	219	5	5	3
Macoupin	432	590	9	5	4
Madison	1,839	2,236	53	40	32
White	1,710	2,094	46	36	27
All other	129	142	7	4	5
Negro	129	142	7	4	5
Alton	---	449	6	4	6
White	---	375	4	4	2
All other	---	74	2	–	4
Negro	---	74	2	–	4
Collinsville, part	---	213	5	4	4
Collinsville, total	---	227	5	4	4
Edwardsville	---	130	3	3	1
Granite City	---	327	8	7	6
Wood River	---	108	3	3	–
Balance of county	---	1,009	28	19	15
Marion	531	519	10	7	8
Centralia, part	---	214	4	3	4
White	---	198	4	3	4
All other	---	16	–	–	–
Negro	---	16	–	–	–
Centralia, total	---	232	4	3	4
Balance of county	---	305	6	4	4
Marshall	56	153	1	1	2
Mason	127	222	1	–	–
Massac	161	181	1	–	1
Menard	56	102	1	1	3
Mercer	119	180	4	3	2
Monroe	88	194	2	2	1
Montgomery	429	389	7	7	4
Morgan	505	407	7	5	3
Jacksonville	---	287	4	3	2
Balance of county	---	120	3	2	1
Moultrie	119	151	4	2	2
Ogle	207	395	12	9	7
Peoria	2,335	1,816	57	43	33
White	2,204	1,685	35	26	27
All other	131	131	22	17	6
Negro	131	130	22	17	6
Pekin, part	---	1	–	–	–
Peoria	---	1,228	47	38	17
White	---	1,100	25	21	11
All other	---	128	22	17	6
Negro	---	128	22	17	6
Balance of county	---	587	10	5	16
Perry	249	262	4	3	11
Piatt	96	146	3	1	1
Pike	189	241	2	2	5
Pope	19	64	1	1	3
Pulaski	43	128	3	2	4
White	24	74	–	–	–
All other	19	54	3	2	4
Negro	19	54	3	2	4
Putnam	8	54	1	1	1
Randolph	457	382	14	9	4
Richland	271	186	8	7	1
Rock Island	1,558	1,521	34	24	29
East Moline	---	179	5	4	4
Moline	---	457	6	4	2
Rock Island	---	525	16	10	16
White	---	488	13	8	6
All other	---	37	3	2	10
Negro	---	37	3	2	9
Balance of county	---	360	7	6	7
St. Clair	2,617	2,674	121	87	60
White	2,048	1,958	54	41	25
All other	569	716	67	46	35
Negro	567	715	67	46	32
Belleville	---	600	14	12	6
Cahokia	---	126	5	3	2
Centreville	---	60	5	3	–
White	---	6	–	–	–
All other	---	54	5	3	–
Negro	---	54	5	3	–
Collinsville, part	---	14	–	–	–
East St. Louis	---	841	66	46	31
White	---	247	5	4	1
All other	---	594	61	42	30
Negro	---	593	61	42	30
Balance of county	---	1,033	31	23	21
Saline	514	488	2	2	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Illinois—Con.					
Sangamon	2,058	1,642	31	26	33
Springfield	---	1,124	24	19	21
Balance of county	---	518	7	7	12
Schuyler	152	100	2	2	5
Scott	33	81	–	–	1
Shelby	180	275	4	3	5
Stark	21	100	1	1	–
Stephenson	528	481	8	6	7
Freeport	---	331	3	3	5
Balance of county	---	150	5	3	2
Tazewell	599	900	34	29	11
East Peoria	---	150	4	4	2
Morton	---	73	3	3	–
Pekin, part	---	286	9	7	5
Pekin, total	---	287	9	7	5
Balance of county	---	391	18	15	4
Union	161	195	2	1	1
Vermilion	1,264	1,067	31	26	14
Danville	---	539	13	10	7
White	---	481	11	9	4
All other	---	58	2	1	3
Negro	---	58	2	1	3
Balance of county	---	528	18	16	7
Wabash	221	209	5	5	7
Warren	233	227	4	1	4
Monmouth	---	146	3	1	2
Balance of county	---	81	1	–	2
Washington	147	188	1	1	3
Wayne	189	237	6	4	3
White	211	254	3	3	3
Whiteside	490	542	13	10	8
Rock Falls	---	94	1	–	1
Sterling	---	139	4	4	1
Balance of county	---	309	8	6	6
Will	1,760	1,943	70	56	36
White	1,653	1,824	53	40	35
All other	107	119	17	16	1
Negro	106	118	16	15	1
Joliet	---	869	29	24	10
White	---	782	16	12	10
All other	---	87	13	12	–
Negro	---	86	12	11	–
Park Forest, part	---	8	1	1	1
Romeoville	---	39	–	–	2
Tinley Park, part	---	1	–	–	–
Balance of county	---	1,026	40	31	23
Williamson	717	578	12	7	6
Marion	---	164	6	2	2
Balance of county	---	414	6	5	4
Winnebago	1,942	1,798	39	32	37
White	1,851	1,704	29	23	28
All other	91	94	10	9	9
Negro	91	94	10	9	9
Loves Park	---	81	2	1	1
Rockford	---	1,276	25	23	24
White	---	1,198	16	15	15
All other	---	78	9	8	9
Negro	---	78	9	8	9
Balance of county	---	441	12	8	12
Woodford	165	261	1	1	3
Indiana	**46,668**	**46,723**	**1,217**	**876**	**891**
White	43,274	43,292	996	720	734
All other	3,394	3,431	221	156	157
Negro	3,364	3,405	219	156	154
Adams	180	218	6	4	8
Allen	2,657	2,276	63	44	49
White	2,515	2,130	52	38	38
All other	142	146	11	6	11
Negro	141	145	11	6	11
Fort Wayne	---	1,809	50	37	39
White	---	1,668	39	31	28
All other	---	141	11	6	11
Negro	---	140	11	6	11
Balance of county	---	467	13	7	10
Bartholomew	472	414	20	13	8
Columbus	---	258	12	7	4
Balance of county	---	156	8	6	4
Benton	44	124	1	1	2
Blackford	150	168	3	3	2
Boone	235	328	4	4	2
Brown	34	79	2	1	2
Carroll	51	149	3	3	4
Cass	407	451	16	9	6
Logansport	---	281	14	8	3
Balance of county	---	170	2	1	3
Clark	592	660	14	12	12
Clarksville	---	95	4	2	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Indiana—Con.					
Clark—Con.					
Jeffersonville	---	282	3	3	6
White	---	252	2	2	3
All other	---	30	1	1	3
Negro	---	29	1	1	3
Balance of county	---	283	7	7	6
Clay	272	300	4	3	6
Clinton	293	378	5	3	5
Frankfort	---	227	3	2	4
Balance of county	---	151	2	1	1
Crawford	30	96	2	1	3
Daviess	332	334	16	11	2
Washington	---	176	7	6	1
Balance of county	---	158	9	5	1
Dearborn	319	310	4	3	9
Decatur	198	235	5	3	2
De Kalb	249	283	10	8	5
Delaware	1,168	1,098	26	21	12
Muncie	---	781	17	13	5
Balance of county	---	317	9	8	7
Dubois	312	267	2	1	3
Elkhart	1,104	1,050	46	38	10
Elkhart	---	478	22	19	2
Goshen	---	187	9	6	2
Balance of county	---	385	15	13	6
Fayette	227	259	12	6	4
Connersville	---	194	9	6	2
Balance of county	---	65	3	–	2
Floyd	545	577	12	11	5
New Albany	---	466	10	9	4
Balance of county	---	111	2	2	1
Fountain	72	200	1	1	5
Franklin	49	140	5	5	2
Fulton	126	178	2	1	4
Gibson	302	362	8	8	11
Grant	774	698	12	9	16
Marion	---	419	12	9	11
White	---	379	10	8	9
All other	---	40	2	1	2
Negro	---	38	2	1	2
Balance of county	---	279	–	–	5
Greene	293	355	8	5	7
Hamilton	321	423	17	14	4
Hancock	271	272	10	9	9
Harrison	198	227	5	3	5
Hendricks	354	393	15	11	5
Henry	365	443	6	4	13
New Castle	---	207	6	4	7
Balance of county	---	236	–	–	6
Howard	606	616	12	9	24
Kokomo	---	460	8	6	16
Balance of county	---	156	4	3	8
Huntington	252	350	4	2	3
Huntington	---	164	2	2	–
Balance of county	---	186	2	–	3
Jackson	319	345	5	5	8
Seymour	---	171	3	3	4
Balance of county	---	174	2	2	4
Jasper	148	211	7	3	4
Jay	177	261	3	1	3
Jefferson	360	243	6	3	4
Madison	---	132	4	3	1
Balance of county	---	111	2	–	3
Jennings	108	177	1	1	4
Johnson	407	464	5	3	11
Franklin	---	123	–	–	5
Greenwood	---	140	2	2	–
Balance of county	---	201	3	1	6
Knox	555	472	11	10	7
Vincennes	---	235	7	7	3
Balance of county	---	237	4	3	4
Kosciusko	293	433	11	10	11
Lagrange	130	174	4	1	11
Lake	4,464	4,394	187	143	126
White	3,471	3,334	114	89	54
All other	993	1,060	73	54	72
Negro	991	1,059	73	54	71
Crown Point	---	139	1	–	3
East Chicago	---	450	16	11	15
White	---	317	11	7	2
All other	---	133	5	4	13
Negro	---	133	5	4	13
Gary	---	1,576	86	64	63
White	---	691	22	18	14
All other	---	885	64	46	49
Negro	---	885	64	46	49
Griffith	---	93	3	2	3
Hammond	---	863	33	25	20
Highland	---	115	1	1	2
Hobart	---	167	6	5	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana—Con.					
Lake—Con.					
Munster	---	99	2	1	4
Balance of county	---	892	39	34	13
La Porte	1,098	962	39	26	24
La Porte	---	257	6	5	3
Michigan City	---	395	21	13	11
White	---	340	9	6	6
All other	---	55	12	7	5
Negro	---	55	12	7	4
Balance of county	---	310	12	8	10
Lawrence	389	384	5	3	6
Bedford	---	176	2	1	3
Balance of county	---	208	3	2	3
Madison	1,035	1,187	45	28	23
Anderson	---	701	31	18	12
White	---	641	21	13	11
All other	---	60	10	5	1
Negro	---	60	10	5	1
Elwood	---	125	3	2	3
Balance of county	---	361	11	8	8
White	---	357	11	8	7
All other	---	4	–	–	1
Negro	---	4	–	–	1
Marion	8,119	6,717	176	119	131
White	6,785	5,413	108	68	88
All other	1,334	1,304	68	51	43
Negro	1,325	1,297	68	51	43
Beech Grove	---	124	1	1	2
Indianapolis	---	6,404	169	117	122
White	---	5,106	101	66	80
All other	---	1,298	68	51	42
Negro	---	1,292	68	51	42
Lawrence	---	27	1	–	–
Speedway	---	58	–	–	1
Balance of county	---	104	5	1	6
Marshall	377	368	10	6	6
Martin	35	103	4	2	3
Miami	222	308	14	12	7
Peru	---	167	9	9	2
Balance of county	---	141	5	3	5
Monroe	557	478	15	12	7
Bloomington	---	291	10	10	4
Balance of county	---	187	5	2	3
Montgomery	314	350	5	4	12
Crawfordsville	---	186	3	3	7
Balance of county	---	164	2	1	5
Morgan	250	363	8	6	8
Newton	89	132	2	1	2
Noble	255	325	4	3	5
Ohio	13	50	1	1	1
Orange	131	188	2	1	3
Owen	63	140	1	–	1
Parke	84	206	1	1	2
Perry	158	169	4	3	7
Pike	81	184	1	–	1
Porter	622	608	24	15	11
Portage	---	117	8	5	1
Valparaiso	---	185	10	7	2
Balance of county	---	306	6	3	8
Posey	96	218	4	2	3
Pulaski	116	135	3	2	1
Putnam	195	236	3	3	7
Randolph	211	260	6	6	1
Ripley	205	246	2	2	3
Rush	168	209	5	4	2
St. Joseph	2,263	2,153	56	40	25
White	2,096	1,993	42	32	20
All other	167	160	14	8	5
Negro	162	155	14	8	5
Mishawaka	---	365	14	11	5
South Bend	---	1,298	34	22	17
White	---	1,146	20	14	12
All other	---	152	14	8	5
Negro	---	149	14	8	5
Balance of county	---	490	8	7	3
Scott	124	155	4	3	2
Shelby	294	365	7	5	12
Shelbyville	---	173	4	2	8
Balance of county	---	192	3	3	4
Spencer	96	189	3	2	3
Starke	214	232	3	1	9
Steuben	162	202	8	6	2
Sullivan	229	260	4	4	2
Switzerland	18	59	3	3	–
Tippecanoe	1,125	779	23	12	19
Lafayette	---	455	16	9	10
West Lafayette	---	96	4	2	2
Balance of county	---	228	3	1	7
Tipton	165	155	4	4	1
Union	32	76	1	1	–
Indiana—Con.					
Vanderburgh	2,317	1,819	30	21	27
White	2,173	1,678	23	17	24
All other	144	141	7	4	3
Negro	144	141	7	4	3
Evansville	---	1,703	26	17	25
White	---	1,564	19	13	22
All other	---	139	7	4	3
Negro	---	139	7	4	3
Balance of county	---	116	4	4	2
Vermillion	198	228	2	1	1
Vigo	1,348	1,239	23	17	21
Terre Haute	---	873	18	13	10
Balance of county	---	366	5	4	11
Wabash	357	362	5	4	2
Wabash	---	146	2	2	1
Balance of county	---	216	3	2	1
Warren	79	91	–	–	1
Warrick	164	270	6	3	2
Washington	172	201	3	3	3
Wayne	866	798	16	10	16
Richmond	---	536	9	6	12
Balance of county	---	262	7	4	4
Wells	327	223	2	2	3
White	161	220	3	3	1
Whitley	259	236	6	5	4
Iowa	**27,935**	**28,097**	**557**	**435**	**363**
White	27,578	27,770	531	415	343
All other	357	327	26	20	20
Negro	318	301	24	19	16
Adair	81	109	–	–	2
Adams	75	81	2	2	1
Allamakee	148	159	–	–	3
Appanoose	198	255	2	1	5
Audubon	67	106	1	1	–
Benton	153	236	2	2	5
Black Hawk	1,259	1,090	34	30	20
Cedar Falls	---	218	4	4	4
Waterloo	---	698	24	22	15
Balance of county	---	174	6	4	1
Boone	318	342	9	8	3
Boone	---	207	6	5	1
Balance of county	---	135	3	3	2
Bremer	191	199	2	1	2
Buchanan	178	236	8	5	2
Buena Vista	203	223	2	2	6
Butler	86	204	2	2	5
Calhoun	153	174	3	2	1
Carroll	254	246	6	4	–
Cass	234	227	2	2	2
Cedar	88	166	6	3	3
Cerro Gordo	652	515	15	14	1
Mason City	---	337	11	10	–
Balance of county	---	178	4	4	1
Cherokee	159	153	3	2	2
Chickasaw	116	163	6	4	5
Clarke	105	116	1	1	2
Clay	199	193	3	3	4
Spencer	---	112	1	1	3
Balance of county	---	81	2	2	1
Clayton	148	220	6	5	3
Clinton	574	550	12	9	11
Clinton	---	355	7	5	2
Balance of county	---	195	5	4	9
Crawford	159	187	5	3	1
Dallas	212	293	2	1	4
Davis	150	101	1	1	–
Decatur	143	124	1	1	1
Delaware	175	196	3	2	3
Des Moines	516	474	4	4	4
Burlington	---	359	2	2	4
Balance of county	---	115	2	2	–
Dickinson	141	161	–	–	2
Dubuque	887	835	17	10	9
Dubuque	---	644	13	8	5
Balance of county	---	191	4	2	4
Emmet	161	152	5	4	2
Fayette	238	290	3	3	6
Floyd	201	176	3	2	2
Franklin	134	135	3	2	–
Fremont	115	116	2	1	1
Greene	185	165	1	1	1
Grundy	83	123	1	1	3
Guthrie	109	158	3	2	–
Hamilton	112	196	4	3	1
Hancock	126	171	2	1	–
Hardin	196	263	1	1	1
Harrison	147	206	3	1	8
Henry	180	205	2	2	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa—Con.					
Howard	122	152	3	2	–
Humboldt	119	139	2	1	1
Ida	108	120	2	2	2
Iowa	157	187	4	4	–
Jackson	168	203	4	3	1
Jasper	276	346	4	3	4
Newton	---	163	2	2	2
Balance of county	---	183	2	1	2
Jefferson	166	174	4	2	1
Johnson	1,599	436	8	7	7
Iowa City	---	281	5	4	6
Balance of county	---	155	3	3	1
Jones	141	179	4	3	5
Keokuk	107	192	2	1	2
Kossuth	120	205	4	4	3
Lee	587	501	6	1	7
Fort Madison	---	174	3	–	–
Keokuk	---	209	2	1	4
Balance of county	---	118	1	–	3
Linn	1,203	1,211	37	31	25
Cedar Rapids	---	878	26	20	19
Marion	---	99	1	1	1
Balance of county	---	234	10	10	5
Louisa	57	117	2	–	1
Lucas	136	144	2	1	–
Lyon	63	100	3	2	2
Madison	119	143	1	1	–
Mahaska	276	272	6	2	3
Oskaloosa	---	173	4	1	2
Balance of county	---	99	2	1	1
Marion	359	309	5	4	6
Marshall	433	403	10	9	4
Marshalltown	---	264	6	5	3
Balance of county	---	139	4	4	1
Mills	73	148	3	3	3
Mitchell	170	157	4	4	–
Monona	153	160	–	–	1
Monroe	86	115	2	2	1
Montgomery	164	169	2	2	3
Muscatine	296	358	11	9	5
Muscatine	---	223	6	5	1
Balance of county	---	135	5	4	4
O'Brien	203	202	2	2	2
Osceola	72	95	2	1	2
Page	244	251	1	1	1
Palo Alto	166	198	4	3	3
Plymouth	181	217	–	–	–
Pocahontas	117	144	2	2	2
Polk	3,052	2,543	64	49	40
White	2,918	2,406	57	44	35
All other	134	137	7	5	5
Negro	131	134	7	5	4
Des Moines	---	2,025	50	39	35
White	---	1,892	43	34	30
All other	---	133	7	5	5
Negro	---	130	7	5	4
Urbandale	---	47	2	1	–
West Des Moines	---	144	3	2	–
Balance of county	---	327	9	7	5
Pottawattamie	697	784	24	22	13
Council Bluffs	---	567	17	15	10
Balance of county	---	217	7	7	3
Poweshiek	186	179	1	1	1
Ringgold	93	90	1	1	–
Sac	124	191	5	4	–
Scott	1,157	1,159	31	25	20
Bettendorf	---	123	2	2	3
Davenport	---	894	24	19	16
Balance of county	---	142	5	4	1
Shelby	141	144	3	3	2
Sioux	230	255	9	7	2
Story	399	372	8	6	4
Ames	---	138	5	4	2
Balance of county	---	234	3	2	2
Tama	114	230	7	7	1
Taylor	47	125	–	–	1
Union	202	195	2	2	1
Van Buren	65	102	2	–	1
Wapello	487	496	9	7	4
Ottumwa	---	377	7	5	3
Balance of county	---	119	2	2	1
Warren	146	236	5	1	4
Washington	227	248	3	3	–
Wayne	88	123	2	2	2
Webster	525	475	5	5	11
Fort Dodge	---	337	4	4	7
Balance of county	---	138	1	1	4
Winnebago	109	135	3	3	–
Winneshiek	171	214	–	–	4
Woodbury	1,213	1,053	28	23	16
Sioux City	---	902	21	17	14
Balance of county	---	151	7	6	2
Worth	43	120	2	–	1
Wright	169	191	4	3	1
Kansas	**21,137**	**21,781**	**474**	**348**	**346**
White	20,090	20,702	415	309	299
All other	1,047	1,079	59	39	47
Negro	1,002	1,035	53	37	43
Allen	205	205	2	2	1
Anderson	107	115	1	1	4
Atchison	228	243	6	4	6
Atchison	---	169	3	2	4
Balance of county	---	74	3	2	2
Barber	97	89	2	2	1
Barton	338	300	10	8	3
Great Bend	---	155	6	5	–
Balance of county	---	145	4	3	3
Bourbon	329	249	3	2	5
Brown	157	174	3	3	2
Butler	304	396	5	3	10
El Dorado	---	177	3	2	3
Balance of county	---	219	2	1	7
Chase	29	57	1	1	–
Chautauqua	80	82	–	–	–
Cherokee	226	305	5	3	2
Cheyenne	42	58	1	1	2
Clark	38	39	–	–	–
Clay	92	130	1	1	–
Cloud	215	183	1	1	2
Coffey	99	135	1	–	–
Comanche	23	41	–	–	–
Cowley	423	416	7	6	5
Arkansas City	---	174	4	3	2
Winfield	---	135	1	1	1
Balance of county	---	107	2	2	2
Crawford	508	519	7	7	4
Pittsburg	---	278	5	5	2
Balance of county	---	241	2	2	2
Decatur	50	64	3	2	–
Dickinson	221	257	3	3	6
Doniphan	43	108	2	1	2
Douglas	365	379	4	3	8
Lawrence	---	277	4	3	6
Balance of county	---	102	–	–	2
Edwards	53	67	1	1	–
Elk	26	61	–	–	–
Ellis	217	152	8	8	6
Hays	---	90	4	4	5
Balance of county	---	62	4	4	1
Ellsworth	85	83	1	1	–
Finney	173	142	7	5	6
Garden City	---	119	5	4	3
Balance of county	---	23	2	1	3
Ford	267	221	6	4	7
Dodge City	---	141	5	3	6
Balance of county	---	80	1	1	1
Franklin	171	220	1	–	6
Ottawa	---	135	1	–	4
Balance of county	---	85	–	–	2
Geary	196	210	32	25	10
White	164	174	25	20	6
All other	32	36	7	5	4
Negro	27	31	4	4	4
Junction City	---	161	24	19	6
White	---	137	19	14	3
All other	---	24	5	5	3
Negro	---	23	4	4	3
Balance of county	---	49	8	6	4
White	---	37	6	6	3
All other	---	12	2	–	1
Negro	---	8	–	–	1
Gove	40	46	–	–	–
Graham	35	46	–	–	2
Grant	48	45	1	1	4
Gray	12	36	1	1	–
Greeley	22	21	–	–	1
Greenwood	110	150	2	2	2
Hamilton	42	36	–	–	1
Harper	93	111	1	1	3
Harvey	382	250	5	5	5
Newton	---	149	5	5	3
Balance of county	---	101	–	–	2
Haskell	18	26	1	1	3
Hodgeman	17	27	–	–	–
Jackson	76	119	2	–	1
Jefferson	101	116	–	–	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kansas—Con.					
Jewell	63	99	2	2	–
Johnson	785	1,264	36	25	25
Leawood	---	70	1	1	–
Merriam	---	63	2	2	3
Olathe	---	106	6	4	4
Overland Park	---	322	12	10	4
Prairie Village	---	169	–	–	3
Shawnee	---	100	4	1	4
Balance of county	---	434	11	7	7
Kearny	16	21	–	–	–
Kingman	96	120	–	–	–
Kiowa	55	55	1	1	–
Labette	329	336	4	2	2
Parsons	---	183	2	1	–
Balance of county	---	153	2	1	2
Lane	21	35	–	–	–
Leavenworth	530	421	9	7	4
White	482	381	8	6	2
All other	48	40	1	1	2
Negro	48	40	1	1	2
Leavenworth	---	284	6	5	3
White	---	244	5	4	1
All other	---	40	1	1	2
Negro	---	40	1	1	2
Balance of county	---	137	3	2	1
Lincoln	67	81	–	–	1
Linn	62	121	1	–	1
Logan	24	32	1	1	–
Lyon	321	297	6	3	2
Emporia	---	200	4	2	2
Balance of county	---	97	2	1	–
McPherson	252	271	4	3	4
McPherson	---	114	1	–	2
Balance of county	---	157	3	3	2
Marion	150	168	2	2	1
Marshall	199	209	5	3	1
Meade	32	45	1	1	1
Miami	233	218	5	4	3
Mitchell	108	99	2	2	3
Montgomery	525	574	9	4	3
Coffeyville	---	218	4	1	2
White	---	199	2	1	2
All other	---	19	2	–	–
Negro	---	19	2	–	–
Independence	---	160	2	–	–
White	---	147	2	–	–
All other	---	13	–	–	–
Negro	---	13	–	–	–
Balance of county	---	196	3	3	1
Morris	73	85	2	–	1
Morton	15	40	3	2	–
Nemaha	96	142	2	1	1
Neosho	227	256	2	2	1
Chanute	---	167	1	1	1
Balance of county	---	89	1	1	–
Ness	64	68	2	2	–
Norton	106	112	3	3	1
Osage	117	184	–	–	2
Osborne	89	108	–	–	1
Ottawa	105	99	1	1	1
Pawnee	89	91	2	2	1
Phillips	71	91	1	–	–
Pottawatomie	134	151	5	3	–
Manhattan, part	---	1	–	–	–
Balance of county	---	150	5	3	–
Pratt	142	138	–	–	2
Rawlins	38	50	1	1	–
Reno	530	575	14	9	8
Hutchinson	---	401	9	4	6
Balance of county	---	174	5	5	2
Republic	92	114	1	1	1
Rice	129	150	5	5	1
Riley	210	235	7	6	7
Manhattan, part	---	175	6	5	5
Manhattan, total	---	176	6	5	5
Balance of county	---	60	1	1	2
White	---	59	1	1	2
All other	---	1	–	–	–
Negro	---	1	–	–	–
Rooks	86	103	2	2	–
Rush	27	60	1	1	–
Russell	91	113	–	–	1
Saline	401	368	14	11	6
Salina	---	323	13	10	5
Balance of county	---	45	1	1	1
Scott	48	55	1	1	–
Sedgwick	2,998	2,698	90	59	66
White	2,787	2,488	74	49	51
All other	211	210	16	10	15
Negro	203	205	15	10	14
Kansas—Con.					
Sedgwick—Con.					
Wichita	---	2,399	79	53	55
White	---	2,190	63	43	41
All other	---	209	16	10	14
Negro	---	204	15	10	14
Balance of county	---	299	11	6	11
Seward	143	113	3	3	5
Liberal	---	97	3	3	5
Balance of county	---	16	–	–	–
Shawnee	1,676	1,320	19	16	22
White	1,530	1,186	15	13	18
All other	146	134	4	3	4
Negro	133	122	4	3	4
Topeka	---	1,185	16	13	20
White	---	1,053	12	10	16
All other	---	132	4	3	4
Negro	---	120	4	3	4
Balance of county	---	135	3	3	2
Sheridan	29	33	–	–	1
Sherman	77	82	–	–	2
Smith	102	114	2	1	1
Stafford	79	84	–	–	–
Stanton	20	26	1	1	–
Stevens	43	35	1	1	–
Sumner	284	303	6	4	4
Thomas	80	89	4	3	3
Trego	46	50	1	1	–
Wabaunsee	44	81	–	–	–
Wallace	5	15	–	–	1
Washington	99	139	4	3	–
Wichita	19	29	–	–	1
Wilson	155	154	2	–	1
Woodson	31	84	1	1	–
Wyandotte	1,956	1,749	46	33	32
White	1,576	1,351	28	19	20
All other	380	398	18	14	12
Negro	377	396	18	14	11
Kansas City	---	1,648	39	26	31
White	---	1,262	22	13	20
All other	---	386	17	13	11
Negro	---	384	17	13	10
Balance of county	---	101	7	7	1
Kentucky	**32,992**	**33,187**	**854**	**634**	**578**
White	30,179	30,383	759	566	483
All other	2,813	2,804	95	68	95
Negro	2,800	2,792	92	66	95
Adair	177	189	2	1	4
Allen	169	185	4	2	5
Anderson	37	109	2	1	–
Ballard	56	120	–	–	2
Barren	372	324	10	9	6
Glasgow	---	137	3	2	4
Balance of county	---	187	7	7	2
Bath	44	97	1	1	3
Bell	432	400	11	8	6
Middlesborough	---	173	4	3	3
Balance of county	---	227	7	5	3
Boone	129	244	9	7	5
Florence	---	95	6	5	3
Balance of county	---	149	3	2	2
Bourbon	172	210	7	7	4
White	153	187	7	7	4
All other	19	23	–	–	–
Negro	19	23	–	–	–
Boyd	619	567	12	11	5
Ashland	---	388	6	5	2
Balance of county	---	179	6	6	3
Boyle	261	218	3	3	4
White	234	189	3	3	2
All other	27	29	–	–	2
Negro	27	29	–	–	2
Danville	---	125	2	2	2
White	---	103	2	2	–
All other	---	22	–	–	2
Negro	---	22	–	–	2
Balance of county	---	93	1	1	2
Bracken	37	109	2	2	1
Breathitt	79	137	4	4	7
Breckinridge	169	191	5	4	2
Bullitt	83	151	3	2	3
Butler	75	126	1	–	3
Caldwell	206	209	3	3	3
Calloway	319	296	3	3	2
Murray	---	133	2	2	1
Balance of county	---	163	1	1	1
Campbell	876	948	16	12	10
Fort Thomas	---	165	2	2	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Kentucky—Con.					
Campbell—Con.					
Newport	---	307	6	3	1
Balance of county	---	476	8	7	7
Carlisle	18	78	1	–	–
Carroll	115	112	3	2	1
Carter	75	214	10	5	5
Casey	88	138	4	2	2
Christian	564	473	20	17	16
White	428	336	15	12	8
All other	136	137	5	5	8
Negro	135	136	5	5	8
Hopkinsville	---	256	9	9	5
White	---	172	5	5	2
All other	---	84	4	4	3
Negro	---	84	4	4	3
Balance of county	---	217	11	8	11
White	---	164	10	7	6
All other	---	53	1	1	5
Negro	---	52	1	1	5
Clark	189	203	6	6	6
Winchester	---	151	5	5	5
White	---	138	5	5	4
All other	---	13	–	–	1
Negro	---	13	–	–	1
Balance of county	---	52	1	1	1
Clay	148	159	9	8	3
Clinton	73	97	2	2	2
Crittenden	62	111	–	–	1
Cumberland	82	90	1	1	2
Daviess	856	731	18	14	16
Owensboro	---	556	13	10	13
Balance of county	---	175	5	4	3
Edmonson	23	76	1	1	1
Elliott	23	59	2	–	–
Estill	114	144	1	1	8
Fayette	2,940	1,541	60	47	32
White	2,580	1,243	41	32	23
All other	360	298	19	15	9
Negro	358	296	19	15	9
Lexington	---	1,417	58	46	28
White	---	1,130	40	32	19
All other	---	287	18	14	9
Negro	---	285	18	14	9
Balance of county	---	124	2	1	4
Fleming	101	135	4	2	1
Floyd	411	396	15	13	12
Franklin	281	323	9	4	2
Frankfort	---	216	3	1	1
White	---	192	3	1	1
All other	---	24	–	–	–
Negro	---	24	–	–	–
Balance of county	---	107	6	3	1
Fulton	178	183	5	5	2
White	151	151	4	4	2
All other	27	32	1	1	–
Negro	27	32	1	1	–
Gallatin	14	54	1	1	–
Garrard	76	100	3	3	–
Grant	77	125	–	–	1
Graves	264	392	9	7	4
Mayfield	---	151	2	2	–
White	---	135	2	2	–
All other	---	16	–	–	–
Negro	---	16	–	–	–
Balance of county	---	241	7	5	4
Grayson	153	211	5	4	3
Green	87	121	2	1	–
Greenup	200	316	7	6	3
Hancock	27	90	5	5	–
Hardin	492	413	22	16	19
Elizabethtown	---	119	2	2	5
Balance of county	---	294	20	14	14
Harlan	407	433	19	12	5
Harrison	212	186	4	4	6
Hart	132	172	3	2	4
Henderson	403	417	6	4	7
Henderson	---	300	4	3	6
White	---	256	4	3	3
All other	---	44	–	–	3
Negro	---	44	–	–	3
Balance of county	---	117	2	1	1
Henry	56	131	1	1	3
Hickman	84	93	1	–	–
White	78	85	1	–	–
All other	6	8	–	–	–
Negro	6	8	–	–	–
Hopkins	627	483	15	11	7
Madisonville	---	198	9	7	2
White	---	178	9	7	2
All other	---	20	–	–	–
Negro	---	20	–	–	–
Kentucky—Con.					
Hopkins—Con.					
Balance of county	---	285	6	4	5
Jackson	33	103	4	3	2
Jefferson	7,463	6,487	150	107	115
White	6,256	5,330	103	75	72
All other	1,207	1,157	47	32	43
Negro	1,205	1,155	46	31	43
Louisville	---	4,478	80	56	75
White	---	3,412	37	26	37
All other	---	1,066	43	30	38
Negro	---	1,066	43	30	38
St. Matthews	---	2	–	–	–
Shively	---	7	–	–	1
Balance of county	---	2,000	70	51	39
White	---	1,909	66	49	34
All other	---	91	4	2	5
Negro	---	89	3	1	5
Jessamine	89	153	4	3	2
Johnson	195	226	8	7	5
Kenton	1,413	1,316	28	20	28
Covington	---	706	14	8	15
Erlanger	---	93	4	4	5
Balance of county	---	517	10	8	8
Knott	61	131	5	4	10
Knox	194	273	11	9	4
Larue	87	130	2	1	3
Laurel	322	299	4	4	3
Lawrence	203	160	8	6	4
Lee	45	90	2	2	1
Leslie	62	106	6	4	2
Letcher	204	279	13	10	5
Lewis	54	145	6	2	4
Lincoln	136	206	5	2	–
Livingston	107	106	6	5	1
Logan	218	244	4	4	3
White	202	223	4	4	3
All other	16	21	–	–	–
Negro	16	21	–	–	–
Lyon	49	70	–	–	–
McCracken	1,074	735	14	9	5
White	970	649	13	9	3
All other	104	86	1	–	2
Negro	103	86	1	–	2
Paducah	---	519	12	7	4
White	---	444	11	7	2
All other	---	75	1	–	2
Negro	---	75	1	–	2
Balance of county	---	216	2	2	1
McCreary	49	136	7	3	3
McLean	89	123	3	3	2
Madison	355	318	7	4	6
Richmond	---	147	2	1	1
White	---	128	1	1	–
All other	---	19	1	–	1
Negro	---	19	1	–	1
Balance of county	---	171	5	3	5
Magoffin	27	80	2	2	2
Marion	179	144	3	3	6
Marshall	200	241	3	2	–
Martin	42	95	4	4	–
Mason	262	193	4	3	–
Meade	48	93	3	3	1
Menifee	19	44	3	2	1
Mercer	119	176	8	5	4
Metcalfe	23	100	5	5	1
Monroe	143	150	3	3	1
Montgomery	176	182	6	5	2
Morgan	87	111	3	3	–
Muhlenberg	276	336	8	8	7
Nelson	141	206	6	5	4
Nicholas	71	73	2	1	1
Ohio	172	222	4	3	–
Oldham	87	126	1	1	2
Owen	76	96	2	–	2
Owsley	21	54	1	1	3
Pendleton	87	133	3	2	1
Perry	298	266	6	4	13
Pike	725	649	24	20	19
Powell	36	81	5	1	–
Pulaski	467	403	7	3	10
Somerset	---	107	1	1	3
Balance of county	---	296	6	2	7
Robertson	11	30	–	–	–
Rockcastle	97	130	3	1	3
Rowan	216	115	4	3	1
Russell	46	139	1	1	1
Scott	131	187	4	4	–
Shelby	244	226	2	1	–
White	224	203	1	1	–
All other	20	23	1	–	–
Negro	20	23	1	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Kentucky—Con.					
Simpson	108	137	4	4	2
White	94	119	3	3	–
All other	14	18	1	1	2
Negro	14	18	1	1	2
Spencer	31	60	2	1	–
Taylor	152	158	3	3	2
Todd	58	141	3	3	2
White	46	124	3	3	1
All other	12	17	–	–	1
Negro	12	17	–	–	1
Trigg	106	124	5	2	–
White	94	113	5	2	–
All other	12	11	–	–	–
Negro	12	11	–	–	–
Trimble	13	51	1	1	–
Union	159	195	2	1	6
White	137	171	2	1	3
All other	22	24	–	–	3
Negro	22	24	–	–	3
Warren	706	533	11	6	10
Bowling Green	---	340	4	1	4
White	---	288	3	–	2
All other	---	52	1	1	2
Negro	---	52	1	1	2
Balance of county	---	193	7	5	6
Washington	49	110	2	1	2
White	42	95	1	1	1
All other	7	15	1	–	1
Negro	7	15	1	–	1
Wayne	110	157	2	1	4
Webster	57	205	3	1	2
Whitley	279	331	8	7	5
Wolfe	33	74	–	–	1
Woodford	138	164	9	5	–
White	126	146	7	4	–
All other	12	18	2	1	–
Negro	12	18	2	1	–
Louisiana	**33,810**	**33,700**	**1,238**	**926**	**754**
White	22,708	22,609	586	451	340
All other	11,102	11,091	652	475	414
Negro	11,076	11,071	652	475	411
Acadia	357	466	19	14	19
White	284	384	12	9	12
All other	73	82	7	5	7
Negro	73	82	7	5	7
Crowley	---	154	4	2	8
White	---	114	–	–	5
All other	---	40	4	2	3
Negro	---	40	4	2	3
Eunice, part	---	1	–	–	–
Balance of parish	---	311	15	12	11
White	---	269	12	9	7
All other	---	42	3	3	4
Negro	---	42	3	3	4
Allen	180	221	9	8	7
White	151	183	8	7	2
All other	29	38	1	1	5
Negro	29	36	1	1	5
Ascension	231	299	10	8	2
White	147	186	7	6	1
All other	84	113	3	2	1
Negro	84	113	3	2	1
Assumption	108	180	5	4	7
White	64	113	3	3	3
All other	44	67	2	1	4
Negro	44	67	2	1	4
Avoyelles	352	437	15	10	9
White	273	326	8	5	5
All other	79	111	7	5	4
Negro	76	108	7	5	4
Beauregard	187	227	6	4	8
White	158	193	5	4	2
All other	29	34	1	–	6
Negro	29	34	1	–	6
Bienville	83	204	5	3	1
White	56	136	2	1	1
All other	27	68	3	2	–
Negro	27	68	3	2	–
Bossier	365	482	19	13	18
White	245	336	11	8	10
All other	120	146	8	5	8
Negro	120	146	8	5	8
Bossier City	---	279	13	9	7
Shreveport, part	---	–	–	–	1
Balance of parish	---	203	6	4	10
White	---	96	1	1	4
All other	---	107	5	3	6
Negro	---	107	5	3	6
Louisiana—Con.					
Caddo	3,217	2,362	64	47	51
White	1,991	1,437	19	15	18
All other	1,226	925	45	32	33
Negro	1,225	924	45	32	33
Shreveport, part	---	1,996	55	42	35
White	---	1,239	15	12	13
All other	---	757	40	30	22
Negro	---	756	40	30	22
Shreveport, total	---	1,996	55	42	36
White	---	1,239	15	12	13
All other	---	757	40	30	23
Negro	---	756	40	30	23
Balance of parish	---	366	9	5	16
White	---	198	4	3	5
All other	---	168	5	2	11
Negro	---	168	5	2	11
Calcasieu	1,203	1,174	38	28	25
White	931	886	15	13	15
All other	272	288	23	15	10
Negro	272	288	23	15	9
Lake Charles	---	645	25	18	13
White	---	415	7	7	4
All other	---	230	18	11	9
Negro	---	230	18	11	8
Sulphur	---	115	2	1	3
Balance of parish	---	414	11	9	9
White	---	359	6	5	8
All other	---	55	5	4	1
Negro	---	55	5	4	1
Caldwell	110	108	1	–	–
White	84	85	1	–	–
All other	26	23	–	–	–
Negro	25	23	–	–	–
Cameron	37	53	6	4	–
Catahoula	119	133	2	1	3
White	72	91	2	1	2
All other	47	42	–	–	1
Negro	47	42	–	–	1
Claiborne	149	202	6	5	4
White	83	105	2	2	1
All other	66	97	4	3	3
Negro	66	97	4	3	3
Concordia	140	202	12	9	8
White	65	100	4	4	4
All other	75	102	8	5	4
Negro	75	102	8	5	4
De Soto	144	289	8	6	1
White	84	141	2	2	–
All other	60	148	6	4	1
Negro	60	148	6	4	1
East Baton Rouge	2,550	2,096	72	56	39
White	1,586	1,264	34	31	24
All other	964	832	38	25	15
Negro	963	831	38	25	15
Baton Rouge	---	1,553	46	38	28
White	---	971	24	22	15
All other	---	582	22	16	13
Negro	---	581	22	16	13
Balance of parish	---	543	26	18	11
White	---	293	10	9	9
All other	---	250	16	9	2
Negro	---	250	16	9	2
East Carroll	116	133	1	1	4
White	42	44	–	–	2
All other	74	89	1	1	2
Negro	74	89	1	1	2
East Feliciana	221	190	7	4	4
White	125	99	3	3	1
All other	96	91	4	1	3
Negro	95	91	4	1	3
Evangeline	285	334	17	14	8
White	225	265	6	6	2
All other	60	69	11	8	6
Negro	59	69	11	8	6
Franklin	222	268	8	7	6
White	161	186	6	5	3
All other	61	82	2	2	3
Negro	61	82	2	2	3
Grant	46	177	1	1	1
White	30	142	–	–	1
All other	16	35	1	1	–
Negro	16	34	1	1	–
Iberia	437	496	21	15	16
White	317	341	13	9	10
All other	120	155	8	6	6
Negro	120	155	8	6	6
New Iberia	---	284	13	9	9
White	---	205	10	7	5
All other	---	79	3	2	4
Negro	---	79	3	2	4

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Louisiana—Con.					
Iberia—Con.					
Balance of parish	---	212	8	6	7
White	---	136	3	2	5
All other	---	76	5	4	2
Negro	---	76	5	4	2
Iberville	225	273	6	4	4
White	101	121	3	2	2
All other	124	152	3	2	2
Negro	124	152	3	2	2
Jackson	147	171	2	1	1
White	94	120	1	–	–
All other	53	51	1	1	1
Negro	53	51	1	1	1
Jefferson	2,147	2,565	109	79	60
White	1,889	2,207	80	56	45
All other	258	358	29	23	15
Negro	258	356	29	23	14
Gretna	---	299	13	10	5
White	---	233	6	5	4
All other	---	66	7	5	1
Negro	---	66	7	5	1
Harahan	---	84	–	–	–
Kenner	---	191	10	7	7
White	---	133	7	5	3
All other	---	58	3	2	4
Negro	---	58	3	2	4
Westwego	---	107	3	1	5
White	---	92	3	1	5
All other	---	15	–	–	–
Negro	---	15	–	–	–
Balance of parish	---	1,884	83	61	43
White	---	1,665	64	45	33
All other	---	219	19	16	10
Negro	---	217	19	16	9
Jefferson Davis	253	281	14	12	5
White	213	222	8	7	3
All other	40	59	6	5	2
Negro	40	59	6	5	2
Jennings	---	124	6	4	2
White	---	95	2	1	1
All other	---	29	4	3	1
Negro	---	29	4	3	1
Balance of parish	---	157	8	8	3
White	---	127	6	6	2
All other	---	30	2	2	1
Negro	---	30	2	2	1
Lafayette	1,073	770	38	34	25
White	753	573	21	19	13
All other	320	197	17	15	12
Negro	318	196	17	15	12
Lafayette	---	526	29	25	14
White	---	375	14	12	3
All other	---	151	15	13	11
Negro	---	150	15	13	11
Balance of parish	---	244	9	9	11
White	---	198	7	7	10
All other	---	46	2	2	1
Negro	---	46	2	2	1
Lafourche	487	524	27	19	13
White	433	462	19	14	10
All other	54	62	8	5	3
Negro	53	60	8	5	3
Thibodaux	---	134	4	2	1
White	---	108	2	2	1
All other	---	26	2	–	–
Negro	---	26	2	–	–
Balance of parish	---	390	23	17	12
La Salle	110	144	2	1	3
White	96	121	1	–	3
All other	14	23	1	1	–
Negro	13	22	1	1	–
Lincoln	261	295	14	12	5
White	168	170	6	5	2
All other	93	125	8	7	3
Negro	93	125	8	7	3
Ruston	---	147	7	6	4
White	---	79	2	2	2
All other	---	68	5	4	2
Negro	---	68	5	4	2
Balance of parish	---	148	7	6	1
White	---	91	4	3	–
All other	---	57	3	3	1
Negro	---	57	3	3	1
Livingston	196	349	17	11	7
White	181	304	14	9	6
All other	15	45	3	2	1
Negro	15	45	3	2	1
Madison	116	179	8	6	6
White	27	55	2	1	–
All other	89	124	6	5	6
Negro	89	124	6	5	6

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Louisiana—Con.					
Morehouse	341	354	9	4	4
White	192	189	5	3	3
All other	149	165	4	1	1
Negro	149	165	4	1	1
Bastrop	---	196	5	2	1
White	---	105	4	2	1
All other	---	91	1	–	–
Negro	---	91	1	–	–
Balance of parish	---	158	4	2	3
White	---	84	1	1	2
All other	---	74	3	1	1
Negro	---	74	3	1	1
Natchitoches	255	349	14	10	10
White	145	204	6	5	2
All other	110	145	8	5	8
Negro	110	145	8	5	8
Natchitoches	---	139	8	6	5
White	---	69	4	3	1
All other	---	70	4	3	4
Negro	---	70	4	3	4
Balance of parish	---	210	6	4	5
White	---	135	2	2	1
All other	---	75	4	2	4
Negro	---	75	4	2	4
Orleans, coext. with New Orleans city	8,115	6,614	230	181	124
White	4,809	3,786	44	37	18
All other	3,306	2,828	186	144	106
Negro	3,295	2,825	186	144	106
Ouachita	1,228	1,079	43	32	32
White	761	699	19	14	14
All other	467	380	24	18	18
Negro	467	380	24	18	18
Monroe	---	651	30	24	17
White	---	354	10	8	4
All other	---	297	20	16	13
Negro	---	297	20	16	13
West Monroe	---	196	4	2	7
White	---	152	3	2	6
All other	---	44	1	–	1
Negro	---	44	1	–	1
Balance of parish	---	232	9	6	8
White	---	193	6	4	4
All other	---	39	3	2	4
Negro	---	39	3	2	4
Plaquemines	108	161	5	3	6
White	71	104	4	2	5
All other	37	57	1	1	1
Negro	37	57	1	1	1
Pointe Coupee	155	215	5	4	3
White	87	113	–	–	1
All other	68	102	5	4	2
Negro	68	102	5	4	2
Rapides	1,782	1,215	43	30	24
White	1,210	831	22	13	11
All other	572	384	21	17	13
Negro	572	384	21	17	13
Alexandria	---	628	22	16	16
White	---	340	6	4	6
All other	---	288	16	12	10
Negro	---	288	16	12	10
Balance of parish	---	587	21	14	8
White	---	491	16	9	5
All other	---	96	5	5	3
Negro	---	96	5	5	3
Red River	134	121	4	4	3
White	86	86	4	4	1
All other	48	35	–	–	2
Negro	48	35	–	–	2
Richland	257	249	10	9	7
White	170	158	3	3	2
All other	87	91	7	6	5
Negro	87	91	7	6	5
Sabine	225	250	6	4	4
White	173	200	1	1	2
All other	52	50	5	3	2
Negro	52	50	5	3	2
St. Bernard	146	389	14	10	9
St. Charles	94	174	9	7	2
White	62	120	7	6	1
All other	32	54	2	1	1
Negro	32	54	2	1	1
St. Helena	53	88	4	3	2
White	36	55	2	1	1
All other	17	33	2	2	1
Negro	17	33	2	2	1
St. James	126	161	10	7	3
White	77	80	2	2	–
All other	49	81	8	5	3
Negro	49	81	8	5	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Louisiana—Con.					
St. John the Baptist	92	175	9	8	5
White	51	97	5	4	1
All other	41	78	4	4	4
Negro	40	78	4	4	4
St. Landry	632	752	24	19	21
White	414	456	9	9	4
All other	218	296	15	10	17
Negro	217	295	15	10	17
Eunice, part	---	146	3	3	2
White	---	117	1	1	2
All other	---	29	2	2	–
Negro	---	29	2	2	–
Eunice, total	---	147	3	3	2
White	---	118	1	1	2
All other	---	29	2	2	–
Negro	---	29	2	2	–
Opelousas	---	202	7	5	7
White	---	99	3	3	–
All other	---	103	4	2	7
Negro	---	103	4	2	7
Balance of parish	---	404	14	11	12
White	---	240	5	5	2
All other	---	164	9	6	10
Negro	---	163	9	6	10
St. Martin	159	247	18	14	7
White	118	176	9	9	2
All other	41	71	9	5	5
Negro	41	71	9	5	5
St. Mary	385	453	30	23	18
White	245	278	17	14	9
All other	140	175	13	9	9
Negro	139	175	13	9	9
Morgan City	---	129	3	3	6
White	---	90	2	2	5
All other	---	39	1	1	1
Negro	---	39	1	1	1
Balance of parish	---	324	27	20	12
White	---	188	15	12	4
All other	---	136	12	8	8
Negro	---	136	12	8	8
St. Tammany	558	617	20	14	12
White	463	498	13	9	10
All other	95	119	7	5	2
Negro	95	119	7	5	2
Slidell	---	136	4	2	2
White	---	116	3	2	2
All other	---	20	1	–	–
Negro	---	20	1	–	–
Balance of parish	---	481	16	12	10
White	---	382	10	7	8
All other	---	99	6	5	2
Negro	---	99	6	5	2
Tangipahoa	715	740	37	26	27
White	467	488	14	12	9
All other	248	252	23	14	18
Negro	248	252	23	14	18
Hammond	---	139	10	8	1
White	---	75	5	5	–
All other	---	64	5	3	1
Negro	---	64	5	3	1
Balance of parish	---	601	27	18	26
White	---	413	9	7	9
All other	---	188	18	11	17
Negro	---	188	18	11	17
Tensas	82	113	5	4	3
White	26	40	–	–	–
All other	56	73	5	4	3
Negro	56	73	5	4	3
Terrebonne	468	536	28	20	18
White	392	427	22	15	10
All other	76	109	6	5	8
Negro	76	108	6	5	7
Houma	---	263	7	5	7
White	---	204	4	3	2
All other	---	59	3	2	5
Negro	---	59	3	2	5
Balance of parish	---	273	21	15	11
White	---	223	18	12	8
All other	---	50	3	3	3
Negro	---	49	3	3	2
Union	141	217	6	4	5
White	89	148	3	2	2
All other	52	69	3	2	3
Negro	52	69	3	2	3
Vermilion	348	384	5	4	8
White	307	332	1	1	5
All other	41	52	4	3	3
Negro	41	52	4	3	3
Louisiana—Con.					
Vermilion—Con.					
Abbeville	---	147	3	2	2
White	---	111	–	–	–
All other	---	36	3	2	2
Negro	---	36	3	2	2
Balance of parish	---	237	2	2	6
White	---	221	1	1	5
All other	---	16	1	1	1
Negro	---	16	1	1	1
Vernon	195	302	16	10	8
White	167	262	14	9	6
All other	28	40	2	1	2
Negro	28	40	2	1	2
Washington	386	460	16	12	2
White	277	323	9	7	2
All other	109	137	7	5	–
Negro	109	137	7	5	–
Bogalusa	---	234	9	7	–
White	---	162	5	4	–
All other	---	72	4	3	–
Negro	---	72	4	3	–
Balance of parish	---	226	7	5	2
White	---	161	4	3	2
All other	---	65	3	2	–
Negro	---	65	3	2	–
Webster	383	436	11	5	4
White	263	286	6	3	3
All other	120	150	5	2	1
Negro	120	150	5	2	1
Minden	---	169	4	2	1
White	---	103	2	2	–
All other	---	66	2	–	1
Negro	---	66	2	–	1
Balance of parish	---	267	7	3	3
White	---	183	4	1	3
All other	---	84	3	2	–
Negro	---	84	3	2	–
West Baton Rouge	59	149	5	3	2
White	21	71	3	2	–
All other	38	78	2	1	2
Negro	38	78	2	1	2
West Carroll	76	144	4	4	4
White	69	118	2	2	1
All other	7	26	2	2	3
Negro	7	26	2	2	3
West Feliciana	62	60	1	1	2
White	30	26	–	–	2
All other	32	34	1	1	–
Negro	32	34	1	1	–
Winn	176	212	8	6	5
White	136	147	5	3	1
All other	40	65	3	3	4
Negro	40	65	3	3	4
Maine	**10,290**	**10,273**	**202**	**137**	**103**
White	10,252	10,236	201	137	102
All other	38	37	1	–	1
Negro	17	16	–	–	1
Androscoggin	864	859	21	12	14
Auburn	---	255	6	3	3
Lewiston	---	387	7	4	6
Balance of county	---	217	8	5	5
Aroostook	699	717	15	12	6
Caribou	---	76	3	3	–
Presque Isle	---	83	2	1	–
Balance of county	---	558	10	8	6
Cumberland	2,286	1,997	37	24	12
Portland	---	821	16	11	3
South Portland	---	206	–	–	2
Westbrook	---	109	3	2	1
Balance of county	---	861	18	11	6
Franklin	156	202	6	3	3
Hancock	403	421	5	4	3
Kennebec	1,374	957	16	10	7
Augusta	---	204	3	3	1
Waterville	---	194	3	1	–
Balance of county	---	559	10	6	6
Knox	366	395	4	4	2
Lincoln	235	282	1	1	1
Oxford	373	460	7	–	4
Penobscot	1,293	1,225	28	25	8
Bangor	---	418	9	7	2
Balance of county	---	807	19	18	6
Piscataquis	178	205	5	2	2
Sagadahoc	187	261	6	5	5
Somerset	404	431	12	8	6
Waldo	174	255	3	2	2
Washington	373	457	12	8	5

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maine—Con.					
York	925	1,149	24	17	23
Biddeford	---	230	7	4	6
Saco	---	146	1	1	1
Sanford	---	141	5	4	3
Balance of county	---	632	11	8	13
Maryland	**31,093**	**32,055**	**908**	**688**	**535**
White	24,811	25,662	574	438	335
All other	6,282	6,393	334	250	200
Negro	6,208	6,314	328	245	192
Allegany	957	898	10	9	9
Cumberland	---	409	4	4	4
Balance of county	---	489	6	5	5
Anne Arundel	1,500	1,948	62	47	37
White	1,276	1,704	51	37	28
All other	224	244	11	10	9
Negro	223	242	11	10	8
Annapolis	---	316	6	4	8
White	---	223	5	3	2
All other	---	93	1	1	6
Negro	---	91	1	1	6
Balance of county	---	1,632	56	43	29
White	---	1,481	46	34	26
All other	---	151	10	9	3
Negro	---	151	10	9	2
Baltimore	4,303	5,073	101	76	61
White	4,056	4,838	81	62	53
All other	247	235	20	14	8
Negro	243	227	19	13	6
Baltimore city	11,698	9,947	267	199	130
White	7,583	5,938	86	64	37
All other	4,115	4,009	181	135	93
Negro	4,083	3,993	180	134	93
Calvert	193	226	4	4	7
White	160	181	2	2	4
All other	33	45	2	2	3
Negro	33	45	2	2	3
Caroline	75	233	–	–	1
White	54	182	–	–	1
All other	21	51	–	–	–
Negro	21	51	–	–	–
Carroll	588	597	17	14	15
Cecil	410	416	16	11	6
Charles	244	372	17	14	4
White	182	265	10	9	1
All other	62	107	7	5	3
Negro	62	107	7	5	3
Dorchester	357	379	9	6	5
White	251	272	7	4	2
All other	106	107	2	2	3
Negro	106	107	2	2	3
Cambridge	---	156	4	2	–
White	---	99	2	–	–
All other	---	57	2	2	–
Negro	---	57	2	2	–
Balance of county	---	223	5	4	5
White	---	173	5	4	2
All other	---	50	–	–	3
Negro	---	50	–	–	3
Frederick	634	771	15	12	12
Frederick	---	260	–	–	2
White	---	225	–	–	2
All other	---	35	–	–	–
Negro	---	35	–	–	–
Balance of county	---	511	15	12	10
Garrett	223	236	4	3	6
Harford	639	748	28	21	23
White	577	670	24	17	19
All other	62	78	4	4	4
Negro	62	78	4	4	4
Aberdeen	---	80	2	1	4
White	---	65	2	1	1
All other	---	15	–	–	3
Negro	---	15	–	–	3
Balance of county	---	668	26	20	19
Howard	217	419	18	13	8
Kent	169	209	4	3	2
White	136	160	2	2	–
All other	33	49	2	1	2
Negro	33	48	1	1	2
Montgomery	3,638	3,284	93	74	54
White	3,402	3,091	77	61	42
All other	236	193	16	13	12
Negro	211	165	13	10	9
Rockville	---	413	18	12	7
Maryland—Con.					
Montgomery—Con.					
Takoma Park, part	---	113	3	3	2
White	---	103	2	2	2
All other	---	10	1	1	–
Negro	---	9	1	1	–
Takoma Park, total	---	162	10	10	2
White	---	146	6	6	2
All other	---	16	4	4	–
Negro	---	15	4	4	–
Balance of county	---	2,758	72	59	45
White	---	2,608	61	49	36
All other	---	150	11	10	9
Negro	---	124	8	7	6
Prince Georges	2,266	3,494	173	134	106
White	1,749	2,845	104	82	59
All other	517	649	69	52	47
Negro	509	630	69	52	45
Bowie	---	131	1	–	3
College Park	---	109	2	1	2
Greenbelt	---	66	2	1	4
Hyattsville	---	447	12	9	6
Laurel	---	157	9	5	3
New Carrollton	---	49	1	1	–
Takoma Park, part	---	49	7	7	–
Balance of county	---	2,486	139	110	88
White	---	1,934	80	66	42
All other	---	552	59	44	46
Negro	---	538	59	44	44
Queen Annes	68	212	4	2	1
White	54	164	2	2	–
All other	14	48	2	–	1
Negro	14	48	2	–	1
St. Marys	225	275	9	7	17
White	181	219	6	4	13
All other	44	56	3	3	4
Negro	43	55	3	3	4
Somerset	109	209	4	3	–
White	88	158	2	2	–
All other	21	51	2	1	–
Negro	21	51	2	1	–
Talbot	500	285	4	3	3
White	387	212	3	3	3
All other	113	73	1	–	–
Negro	113	73	1	–	–
Washington	1,099	992	24	17	16
Hagerstown	---	490	11	7	9
Balance of county	---	502	13	10	7
Wicomico	883	570	19	12	8
White	696	449	12	7	5
All other	187	121	7	5	3
Negro	187	121	7	5	3
Salisbury	---	287	9	4	3
White	---	236	5	2	2
All other	---	51	4	2	1
Negro	---	51	4	2	1
Balance of county	---	283	10	8	5
White	---	213	7	5	3
All other	---	70	3	3	2
Negro	---	70	3	3	2
Worcester	98	262	6	4	4
White	75	188	3	3	2
All other	23	74	3	1	2
Negro	23	74	3	1	2
Massachusetts	**54,222**	**54,015**	**920**	**693**	**621**
White	52,751	52,561	825	628	558
All other	1,471	1,454	95	65	63
Negro	1,363	1,351	91	64	59
Barnstable	1,393	1,562	21	18	7
Berkshire	1,574	1,499	22	18	14
North Adams	---	213	2	2	1
Pittsfield	---	583	12	9	9
Balance of county	---	703	8	7	4
Bristol	4,151	4,442	94	67	60
Attleboro	---	272	7	3	3
Fall River	---	1,153	17	13	18
New Bedford	---	1,157	29	19	9
Somerset town†	---	136	1	1	1
Taunton	---	457	14	10	6
Balance of county	---	1,267	26	21	23
Dukes	87	94	1	1	1
Essex	6,202	6,431	107	85	77
Beverly	---	336	11	10	3
Danvers town†	---	210	2	2	3
Gloucester	---	301	5	5	2
Haverhill	---	559	8	7	7
Lawrence	---	836	19	16	16
Lynn	---	1,091	14	10	12

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Massachusetts—Con.					
Essex—Con.					
Marblehead town†	---	183	1	1	–
Methuen town†	---	363	11	7	7
Newburyport	---	178	1	1	–
Peabody	---	349	4	3	1
Salem	---	453	7	4	4
Saugus town†	---	221	4	4	1
Swampscott town†	---	146	1	–	1
Balance of county	---	1,205	19	15	20
Franklin	516	632	4	2	4
Hampden	4,370	4,259	78	59	48
White	4,218	4,097	66	49	44
All other	152	162	12	10	4
Negro	152	162	12	10	4
Chicopee	---	488	10	6	2
Holyoke	---	612	9	5	10
Longmeadow town†	---	105	–	–	–
Springfield	---	1,722	36	30	19
White	---	1,572	25	20	17
All other	---	150	11	10	2
Negro	---	150	11	10	2
Westfield	---	273	10	9	6
West Springfield town†	---	255	2	1	2
Balance of county	---	804	11	8	9
Hampshire	955	1,014	10	8	8
Amherst town†	---	103	–	–	2
Northampton	---	285	2	2	–
Balance of county	---	626	8	6	6
Middlesex	10,598	11,627	183	145	131
White	10,468	11,494	177	141	121
All other	130	133	6	4	10
Negro	117	118	5	4	10
Arlington town†	---	521	4	2	5
Belmont town†	---	270	1	–	–
Billerica town†	---	134	5	3	4
Burlington town†	---	102	4	4	2
Cambridge	---	843	7	3	10
Chelmsford town†	---	187	5	5	3
Everett	---	448	6	5	4
Framingham town†	---	474	8	6	6
Lexington town†	---	196	1	1	2
Lowell	---	1,078	16	13	15
Malden	---	625	9	9	11
Marlborough	---	209	7	4	5
Medford	---	642	8	7	4
Melrose	---	302	7	7	4
Natick town†	---	227	7	7	4
Newton	---	746	7	6	1
Reading town†	---	148	2	1	1
Somerville	---	877	14	13	9
Stoneham town†	---	187	5	3	–
Wakefield town†	---	243	4	3	2
Waltham	---	502	6	6	6
Watertown town†	---	362	2	2	3
Winchester town†	---	169	3	2	2
Woburn	---	279	5	3	3
Balance of county	---	1,856	40	30	25
Nantucket	54	55	–	–	1
Norfolk	4,428	5,270	70	57	61
Braintree town†	---	302	4	1	4
Brookline town†	---	644	2	2	3
Dedham town†	---	219	4	3	4
Holbrook town†	---	98	–	–	2
Milton town†	---	265	1	1	2
Needham town†	---	229	7	7	1
Norwood town†	---	295	7	7	2
Quincy	---	1,012	10	8	10
Randolph town†	---	223	5	3	–
Wellesley town†	---	198	–	–	1
Weymouth town†	---	432	6	4	8
Balance of county	---	1,353	24	21	24
Plymouth	2,749	3,129	87	63	56
Brockton	---	903	33	22	22
Rockland town†	---	123	8	4	2
Whitman town†	---	97	3	3	–
Balance of county	---	2,006	43	34	32
Suffolk	11,117	7,799	140	101	101
White	10,203	6,917	80	58	64
All other	914	882	60	43	37
Negro	840	822	58	42	35
Boston	---	6,814	127	92	96
White	---	5,934	67	49	59
All other	---	880	60	43	37
Negro	---	820	58	42	35
Chelsea	---	324	6	3	1
Revere	---	431	6	5	2
Winthrop town†	---	230	1	1	2
Massachusetts—Con.					
Worcester	6,028	6,202	103	69	52
Clinton town†	---	154	3	2	2
Fitchburg	---	419	4	1	5
Gardner	---	211	–	–	3
Leominster	---	282	9	9	4
Worcester	---	2,134	37	21	10
Balance of county	---	3,002	50	36	28
Michigan	**73,741**	**74,596**	**2,179**	**1,535**	**1,312**
White	64,589	65,411	1,572	1,119	982
All other	9,152	9,185	607	416	330
Negro	8,972	9,006	598	410	319
Alcona	54	113	1	1	2
Alger	101	123	3	3	2
Allegan	390	549	12	9	4
Holland, part	---	20	1	1	–
Balance of county	---	529	11	8	4
Alpena	301	251	6	5	8
Alpena	---	121	4	4	3
Balance of county	---	130	2	1	5
Antrim	113	165	–	–	2
Arenac	126	130	5	2	–
Baraga	118	100	1	–	–
Barry	253	373	7	6	11
Bay	883	922	25	20	16
Bay City	---	487	7	7	7
Midland, part	---	–	–	–	–
Balance of county	---	435	18	13	9
Benzie	128	133	1	1	3
Berrien	1,453	1,498	51	36	30
White	1,260	1,317	30	21	20
All other	193	181	21	15	10
Negro	186	175	21	15	10
Benton Harbor	---	188	15	10	8
White	---	93	2	1	–
All other	---	95	13	9	8
Negro	---	94	13	9	8
Niles	---	210	4	2	2
St. Joseph	---	138	6	5	2
Balance of county	---	962	26	19	18
Branch	339	373	4	2	9
Calhoun	1,428	1,297	28	19	29
White	1,299	1,173	22	15	21
All other	129	124	6	4	8
Negro	123	119	6	4	7
Albion	---	101	3	2	1
White	---	82	3	2	1
All other	---	19	–	–	–
Negro	---	19	–	–	–
Battle Creek	---	537	11	7	13
White	---	438	7	5	5
All other	---	99	4	2	8
Negro	---	96	4	2	7
Balance of county	---	659	14	10	15
Cass	227	410	8	3	10
White	190	344	7	3	9
All other	37	66	1	–	1
Negro	36	65	1	–	1
Charlevoix	124	199	5	4	2
Cheboygan	133	193	3	3	–
Chippewa	255	265	6	3	9
Sault Ste. Marie	---	157	3	1	4
Balance of county	---	108	3	2	5
Clare	219	254	6	5	4
Clinton	153	293	4	3	3
Lansing, part	---	1	–	–	–
Balance of county	---	292	4	3	3
Crawford	186	93	4	3	–
Delta	355	434	14	10	12
Escanaba	---	196	4	3	3
Balance of county	---	238	10	7	9
Dickinson	445	313	3	1	4
Eaton	340	529	11	8	11
Lansing, part	---	4	–	–	–
Balance of county	---	525	11	8	11
Emmet	440	203	4	2	3
Genesee	3,288	3,255	137	82	69
White	2,878	2,820	95	54	48
All other	410	435	42	28	21
Negro	405	430	41	28	21
Flint	---	1,646	74	45	34
White	---	1,236	33	17	14
All other	---	410	41	28	20
Negro	---	408	41	28	20
Balance of county	---	1,609	63	37	35
Gladwin	109	171	6	6	3
Gogebic	292	305	7	6	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Michigan—Con.					
Grand Traverse	593	371	9	7	8
Traverse City	---	162	5	5	3
Balance of county	---	209	4	2	5
Gratiot	445	356	11	8	5
Hillsdale	256	375	10	5	3
Houghton	433	466	4	1	4
Huron	345	419	7	5	4
Ingham	1,879	1,635	65	51	48
White	1,802	1,557	55	43	42
All other	77	78	10	8	6
Negro	72	74	10	8	6
East Lansing	---	115	3	3	2
Lansing, part	---	997	45	34	33
White	---	924	35	26	28
All other	---	73	10	8	5
Negro	---	70	10	8	5
Lansing, total	---	1,002	45	34	33
White	---	927	35	26	28
All other	---	75	10	8	5
Negro	---	72	10	8	5
Balance of county	---	523	17	14	13
Ionia	272	400	11	8	10
Iosco	210	265	6	3	3
Iron	198	207	1	1	1
Isabella	294	279	15	13	6
Mount Pleasant	---	109	6	5	1
Balance of county	---	170	9	8	5
Jackson	1,159	1,233	35	28	22
Jackson	---	538	13	9	8
White	---	488	10	8	7
All other	---	50	3	1	1
Negro	---	50	3	1	1
Balance of county	---	695	22	19	14
Kalamazoo	1,653	1,310	45	27	30
White	1,560	1,252	34	22	26
All other	93	58	11	5	4
Negro	92	58	11	5	4
Kalamazoo	---	649	29	17	15
White	---	594	18	12	11
All other	---	55	11	5	4
Negro	---	55	11	5	4
Portage	---	143	3	1	3
Balance of county	---	518	13	9	12
Kalkaska	56	89	2	2	1
Kent	3,719	3,266	93	67	65
White	3,540	3,092	73	57	50
All other	179	174	20	10	15
Negro	166	163	20	10	14
East Grand Rapids	---	71	1	1	1
Grand Rapids	---	1,838	53	37	40
White	---	1,667	33	27	27
All other	---	171	20	10	13
Negro	---	162	20	10	12
Grandville	---	58	1	1	2
Kentwood	---	113	7	6	–
Walker	---	61	1	1	–
Wyoming	---	375	9	7	7
Balance of county	---	750	21	14	15
Keweenaw	5	34	1	1	–
Lake	39	101	1	–	–
White	28	66	–	–	–
All other	11	35	1	–	–
Negro	10	35	1	–	–
Lapeer	374	430	17	13	4
Leelanau	60	120	–	–	2
Lenawee	739	755	15	8	9
Adrian	---	203	6	3	5
Balance of county	---	552	9	5	4
Livingston	358	500	11	6	13
Luce	113	78	1	1	1
Mackinac	61	103	4	3	2
Macomb	2,923	3,890	106	74	63
Center Line	---	86	1	–	–
East Detroit	---	361	3	–	1
Fraser	---	73	3	2	1
Mount Clemens	---	316	13	9	9
White	---	287	10	8	9
All other	---	29	3	1	–
Negro	---	28	3	1	–
Roseville	---	341	12	8	2
St. Clair Shores	---	613	5	3	4
Sterling Heights	---	315	8	7	10
Warren	---	993	22	15	16
Balance of county	---	792	39	30	20
Manistee	245	268	4	4	1
Marquette	516	514	21	16	4
Marquette	---	130	4	4	–
Balance of county	---	384	17	12	4
Mason	238	252	7	6	2
Michigan—Con.					
Mecosta	213	248	7	4	3
Big Rapids	---	76	–	–	–
Balance of county	---	172	7	4	3
Menominee	218	260	4	4	6
Menominee	---	130	2	2	2
Balance of county	---	130	2	2	4
Midland	361	382	17	11	8
Midland, part	---	179	11	8	5
Midland, total	---	179	11	8	5
Balance of county	---	203	6	3	3
Missaukee	20	80	1	1	1
Monroe	567	830	29	24	16
Monroe	---	245	7	4	4
Balance of county	---	585	22	20	12
Montcalm	457	433	9	4	5
Montmorency	35	92	4	3	–
Muskegon	1,378	1,425	47	30	30
White	1,223	1,260	30	17	20
All other	155	165	17	13	10
Negro	153	163	17	13	9
Muskegon	---	604	25	16	9
White	---	532	16	9	6
All other	---	72	9	7	3
Negro	---	70	9	7	3
Muskegon Heights	---	182	9	7	6
White	---	97	1	1	–
All other	---	85	8	6	6
Negro	---	85	8	6	6
Norton Shores	---	110	–	–	3
Balance of county	---	529	13	7	12
Newaygo	290	335	13	10	–
Oakland	6,728	6,407	185	137	108
White	6,367	6,158	167	123	98
All other	361	249	18	14	10
Negro	349	235	16	12	9
Berkley	---	151	5	4	–
Beverly Hills	---	71	1	1	1
Birmingham	---	246	1	–	4
Clawson	---	100	5	5	2
Farmington	---	126	–	–	2
Ferndale	---	316	9	7	6
Hazel Park	---	197	5	3	8
Madison Heights	---	180	6	5	7
Oak Park	---	340	2	–	4
Pontiac	---	695	31	20	17
White	---	528	19	12	10
All other	---	167	12	8	7
Negro	---	166	12	8	7
Royal Oak	---	623	17	15	7
Southfield	---	591	19	17	5
Troy	---	246	13	11	6
Balance of county	---	2,525	71	49	39
Oceana	160	200	5	4	4
Ogemaw	233	185	5	2	2
Ontonagon	112	125	5	5	2
Osceola	140	178	5	5	1
Oscoda	38	82	1	–	3
Otsego	88	97	3	1	4
Ottawa	821	886	23	12	18
Grand Haven	---	110	2	1	–
Holland, part	---	226	4	1	2
Holland, total	---	246	5	2	2
Balance of county	---	550	17	10	16
Presque Isle	105	122	1	1	4
Roscommon	73	192	5	4	1
Saginaw	2,016	1,778	56	39	32
White	1,802	1,554	41	29	23
All other	214	224	15	10	9
Negro	213	223	15	10	9
Saginaw	---	905	30	19	19
White	---	705	18	11	10
All other	---	200	12	8	9
Negro	---	200	12	8	9
Balance of county	---	873	26	20	13
St. Clair	1,105	1,249	30	23	14
Port Huron	---	440	17	15	3
Balance of county	---	809	13	8	11
St. Joseph	391	458	18	9	10
Sanilac	294	411	8	7	2
Schoolcraft	128	114	2	1	2
Shiawassee	482	542	16	10	20
Owosso	---	185	6	4	8
Balance of county	---	357	10	6	12
Tuscola	328	427	16	9	11
Van Buren	393	568	15	10	17
Washtenaw	2,427	1,245	42	29	41
White	2,222	1,127	34	23	28
All other	205	118	8	6	13
Negro	200	115	8	6	12

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Michigan—Con.					
Washtenaw—Con.					
Ann Arbor	---	441	12	8	20
Ypsilanti	---	186	9	8	10
White	---	135	5	4	1
All other	---	51	4	4	9
Negro	---	51	4	4	9
Balance of county	---	618	21	13	11
Wayne	24,391	24,367	739	533	385
White	17,689	17,474	326	241	178
All other	6,702	6,893	413	292	207
Negro	6,648	6,841	409	288	205
Allen Park	---	278	7	4	–
Dearborn	---	967	10	7	6
Dearborn Heights	---	490	13	10	7
Detroit	---	15,793	492	347	260
White	---	9,445	117	82	70
All other	---	6,348	375	265	190
Negro	---	6,306	372	262	188
Ecorse	---	148	3	2	2
White	---	89	2	1	1
All other	---	59	1	1	1
Negro	---	59	1	1	1
Garden City	---	196	10	9	4
Grosse Pointe Farms	---	121	2	1	–
Grosse Pointe Park	---	156	3	2	–
Grosse Pointe Woods	---	158	2	2	–
Hamtramck	---	422	5	3	2
White	---	384	3	1	2
All other	---	38	2	2	–
Negro	---	38	2	2	–
Harper Woods	---	191	–	–	–
Highland Park	---	367	14	12	5
White	---	209	1	1	1
All other	---	158	13	11	4
Negro	---	157	13	11	4
Inkster	---	280	16	9	8
White	---	129	5	3	6
All other	---	151	11	6	2
Negro	---	151	11	6	2
Lincoln Park	---	379	10	7	3
Livonia	---	666	19	14	4
Melvindale	---	100	2	2	1
Plymouth	---	169	6	5	2
River Rouge	---	166	3	1	1
White	---	113	2	1	1
All other	---	53	1	–	–
Negro	---	53	1	–	–
Riverview	---	76	2	1	2
Southgate	---	182	10	5	3
Taylor	---	394	22	15	13
Trenton	---	149	5	5	2
Wayne	---	176	12	10	1
Westland	---	419	18	15	15
Wyandotte	---	403	4	4	7
Balance of county	---	1,521	49	41	37
Wexford	313	218	4	2	3
Minnesota	**33,254**	**32,689**	**764**	**567**	**478**
White	32,800	32,255	717	540	451
All other	454	434	47	27	27
Negro	254	248	27	15	17
Aitkin	141	175	–	–	–
Anoka	573	604	30	22	19
Anoka	---	134	4	3	4
Blaine, part	---	46	3	2	3
Blaine, total	---	46	3	2	3
Columbia Heights	---	112	1	1	2
Coon Rapids	---	58	4	2	3
Fridley	---	93	9	8	1
Balance of county	---	161	9	6	6
Becker	278	271	5	3	2
Beltrami	249	233	6	4	4
White	226	208	3	2	3
All other	23	25	3	2	1
Negro	–	–	–	–	–
Bemidji	---	102	2	2	3
Balance of county	---	131	4	2	1
White	---	108	1	–	1
All other	---	23	3	2	–
Negro	---	–	–	–	–
Benton	93	185	2	2	4
St. Cloud, part	---	35	–	–	1
Balance of county	---	150	2	2	3
Big Stone	96	99	1	–	2
Blue Earth	507	418	10	8	6
Mankato	---	219	4	3	3
Balance of county	---	199	6	5	3
Minnesota—Con.					
Brown	336	297	3	2	2
New Ulm	---	136	1	–	1
Balance of county	---	161	2	2	1
Carlton	304	288	10	9	1
Carver	177	185	3	2	6
Cass	145	225	1	–	1
Chippewa	140	165	5	3	1
Chisago	193	219	1	–	3
Clay	239	351	10	8	5
Moorhead	---	181	5	3	2
Balance of county	---	170	5	5	3
Clearwater	97	91	4	3	–
Cook	32	31	–	–	–
Cottonwood	163	174	4	3	1
Crow Wing	444	423	9	6	7
Brainerd	---	160	6	5	4
Balance of county	---	263	3	1	3
Dakota	482	734	34	26	16
Burnsville	---	54	7	5	1
Hastings, part	---	93	4	3	1
Hastings, total	---	93	4	3	1
Inver Grove Heights	---	52	4	4	2
South St. Paul	---	153	2	2	2
West St. Paul	---	156	2	2	1
Balance of county	---	226	15	10	9
Dodge	62	125	5	3	1
Douglas	223	236	6	5	–
Faribault	182	231	1	1	2
Fillmore	203	267	3	1	2
Freeborn	328	320	6	4	3
Albert Lea	---	205	2	–	–
Balance of county	---	115	4	4	3
Goodhue	384	379	7	4	5
Red Wing	---	169	3	1	–
Balance of county	---	210	4	3	5
Grant	81	106	3	2	1
Hennepin	8,737	7,556	176	140	97
White	8,532	7,369	154	123	86
All other	205	187	22	17	11
Negro	146	141	15	11	7
Bloomington	---	327	10	9	5
Brooklyn Center	---	132	11	8	4
Brooklyn Park	---	70	8	8	2
Crystal	---	140	4	3	4
Edina	---	325	4	3	2
Golden Valley	---	109	2	2	2
Hopkins	---	147	2	–	3
Minneapolis	---	4,709	90	70	41
White	---	4,537	68	53	30
All other	---	172	22	17	11
Negro	---	135	15	11	7
Minnetonka	---	146	5	5	3
New Hope	---	88	4	4	3
Plymouth	---	79	3	3	4
Richfield	---	267	7	4	2
Robbinsdale	---	146	4	2	3
St. Louis Park	---	364	7	7	4
Balance of county	---	507	15	12	15
Houston	116	171	1	1	2
Hubbard	162	160	3	3	1
Isanti	169	154	2	2	4
Itasca	358	360	11	8	8
Jackson	119	140	5	4	3
Kanabec	98	99	–	–	–
Kandiyohi	362	309	7	4	5
Willmar	---	150	4	1	2
Balance of county	---	159	3	3	3
Kittson	79	81	1	1	–
Koochiching	117	140	4	2	–
Lac qui Parle	105	115	1	1	–
Lake	90	105	–	–	2
Lake of the Woods	56	53	2	2	–
Le Sueur	126	215	5	3	2
Lincoln	105	95	1	1	–
Lyon	224	230	8	6	5
McLeod	253	250	3	2	7
Mahnomen	45	61	–	–	–
White	40	56	–	–	–
All other	5	5	–	–	–
Negro	–	–	–	–	–
Marshall	76	143	1	1	4
Martin	257	268	3	1	5
Fairmont	---	139	2	–	3
Balance of county	---	129	1	1	2
Meeker	218	239	4	3	6
Mille Lacs	176	186	2	2	3
Morrison	286	302	2	1	10
Mower	343	405	4	3	8
Austin	---	265	3	2	6
Balance of county	---	140	1	1	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota—Con.					
Murray	97	129	4	1	1
Nicollet	117	168	3	1	6
Nobles	185	170	8	7	1
Norman	117	148	–	–	2
Olmsted	1,332	540	10	9	11
Rochester	---	408	8	7	9
Balance of county	---	132	2	2	2
Otter Tail	490	533	5	3	9
Fergus Falls	---	149	1	1	2
Balance of county	---	384	4	2	7
Pennington	190	154	7	5	6
Pine	113	191	3	2	3
Pipestone	116	149	3	3	2
Polk	345	397	9	8	2
Pope	153	164	4	4	–
Ramsey	3,874	3,756	93	61	61
White	3,772	3,649	79	55	51
All other	102	107	14	6	10
Negro	90	92	11	4	8
Blaine, part	---	–	–	–	–
Maplewood	---	139	4	3	3
New Brighton	---	101	8	3	2
North St. Paul	---	54	2	2	2
Roseville	---	171	3	1	2
St. Paul	---	2,932	62	41	44
White	---	2,831	49	36	35
All other	---	101	13	5	9
Negro	---	88	11	4	8
Shoreview	---	40	1	1	1
White Bear Lake, part	---	141	6	4	4
White Bear Lake, total	---	142	6	4	4
Balance of county	---	178	7	6	3
Red Lake	48	64	1	–	–
Redwood	137	182	5	2	3
Renville	154	224	7	5	7
Rice	388	361	4	3	3
Faribault	---	182	3	2	1
Northfield	---	78	1	1	–
Balance of county	---	101	–	–	2
Rock	86	104	4	4	1
Roseau	101	113	4	4	1
St. Louis	2,390	2,291	48	35	21
Duluth	---	1,118	25	22	11
Hibbing	---	197	3	2	5
Virginia	---	156	4	2	2
Balance of county	---	820	16	9	3
Scott	268	230	5	5	5
Sherburne	115	162	11	9	4
St. Cloud, part	---	44	4	2	–
Balance of county	---	118	7	7	4
Sibley	142	184	3	1	1
Stearns	868	617	30	24	10
St. Cloud, part	---	215	5	4	4
St. Cloud, total	---	294	9	6	5
Balance of county	---	402	25	20	6
Steele	217	217	9	6	5
Owatonna	---	150	6	4	3
Balance of county	---	67	3	2	2
Stevens	115	121	5	4	–
Swift	136	170	4	4	3
Todd	212	253	7	5	4
Traverse	56	67	–	–	3
Wabasha	215	200	3	3	5
Wadena	144	153	5	4	1
Waseca	109	162	10	8	3
Washington	338	470	14	9	11
Cottage Grove	---	27	–	–	2
Hastings, part	---	–	–	–	–
Stillwater	---	107	3	3	–
White Bear Lake, part	---	1	–	–	–
Balance of county	---	335	11	6	9
Watonwan	121	148	1	–	2
Wilkin	185	98	1	1	2
Winona	360	397	7	5	2
Winona	---	265	2	1	1
Balance of county	---	132	5	4	1
Wright	234	373	9	8	11
Yellow Medicine	157	160	3	2	–
Mississippi	22,385	22,786	977	679	804
White	13,524	13,807	358	260	296
All other	8,861	8,979	619	419	508
Negro	8,804	8,921	613	415	498
Adams	483	402	16	11	13
White	225	171	6	4	6
All other	258	231	10	7	7
Negro	258	231	10	7	7

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi—Con.					
Adams—Con.					
Natchez	---	269	14	10	7
White	---	104	5	4	2
All other	---	165	9	6	5
Negro	---	165	9	6	5
Balance of county	---	133	2	1	6
White	---	67	1	–	4
All other	---	66	1	1	2
Negro	---	66	1	1	2
Alcorn	241	287	9	4	4
White	209	245	5	3	4
All other	32	42	4	1	–
Negro	32	42	4	1	–
Corinth	---	140	2	1	1
White	---	115	1	1	1
All other	---	25	1	–	–
Negro	---	25	1	–	–
Balance of county	---	147	7	3	3
Amite	43	157	6	4	2
White	17	87	1	1	1
All other	26	70	5	3	1
Negro	26	70	5	3	1
Attala	188	232	5	3	9
White	111	137	3	1	2
All other	77	95	2	2	7
Negro	77	94	2	2	7
Benton	16	76	1	1	2
White	8	51	1	1	1
All other	8	25	–	–	1
Negro	8	25	–	–	1
Bolivar	467	505	29	25	27
White	126	144	6	6	6
All other	341	361	23	19	21
Negro	340	360	23	19	21
Cleveland	---	126	10	9	7
White	---	54	6	6	2
All other	---	72	4	3	5
Negro	---	71	4	3	5
Balance of county	---	379	19	16	20
White	---	90	–	–	4
All other	---	289	19	16	16
Negro	---	289	19	16	16
Calhoun	138	208	7	7	5
White	109	174	5	5	2
All other	29	34	2	2	3
Negro	29	34	2	2	3
Carroll	28	110	2	2	2
White	10	59	1	1	1
All other	18	51	1	1	1
Negro	18	51	1	1	1
Chickasaw	188	204	8	6	2
White	119	123	2	1	–
All other	69	81	6	5	2
Negro	69	81	6	5	2
Choctaw	80	111	2	2	2
White	49	85	1	1	1
All other	31	26	1	1	1
Negro	31	26	1	1	1
Claiborne	97	129	11	8	5
White	27	36	1	1	–
All other	70	93	10	7	5
Negro	70	93	10	7	5
Clarke	85	164	4	3	3
White	57	108	–	–	–
All other	28	56	4	3	3
Negro	28	55	4	3	3
Clay	151	179	6	5	3
White	81	96	3	3	–
All other	70	83	3	2	3
Negro	70	83	3	2	3
Coahoma	477	438	16	10	16
White	179	132	–	–	–
All other	298	306	16	10	16
Negro	297	305	16	10	16
Clarksdale	---	266	7	3	11
White	---	80	–	–	–
All other	---	186	7	3	11
Negro	---	185	7	3	11
Balance of county	---	172	9	7	5
White	---	52	–	–	–
All other	---	120	9	7	5
Negro	---	120	9	7	5
Copiah	209	295	13	9	7
White	92	140	3	2	2
All other	117	155	10	7	5
Negro	117	155	10	7	5

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Mississippi—Con.					
Covington	107	147	9	2	2
White	72	106	3	–	1
All other	35	41	6	2	1
Negro	35	41	6	2	1
De Soto	113	280	16	9	12
White	58	185	7	5	5
All other	55	95	9	4	7
Negro	55	95	9	4	7
Forrest	835	619	25	15	19
White	603	413	10	5	11
All other	232	206	15	10	8
Negro	232	206	15	10	8
Hattiesburg, part	---	418	19	13	16
White	---	257	6	5	8
All other	---	161	13	8	8
Negro	---	161	13	8	8
Hattiesburg, total	---	418	19	13	16
White	---	257	6	5	8
All other	---	161	13	8	8
Negro	---	161	13	8	8
Balance of county	---	201	6	2	3
White	---	156	4	–	3
All other	---	45	2	2	–
Negro	---	45	2	2	–
Franklin	103	110	3	2	7
White	64	68	2	2	5
All other	39	42	1	–	2
Negro	39	42	1	–	2
George	114	129	4	2	4
White	101	116	4	2	1
All other	13	13	–	–	3
Negro	13	13	–	–	3
Greene	62	91	5	4	1
White	45	72	2	2	1
All other	17	19	3	2	–
Negro	17	19	3	2	–
Grenada	317	239	3	3	6
White	179	128	–	–	1
All other	138	111	3	3	5
Negro	138	111	3	3	5
Hancock	159	193	3	3	4
White	134	161	2	2	4
All other	25	32	1	1	–
Negro	24	31	1	1	–
Harrison	1,322	1,038	57	34	45
White	1,064	841	34	18	28
All other	258	197	23	16	17
Negro	257	195	22	15	15
Biloxi	---	304	17	12	15
White	---	254	10	7	10
All other	---	50	7	5	5
Negro	---	50	7	5	4
Gulfport	---	371	13	8	20
White	---	285	5	3	9
All other	---	86	8	5	11
Negro	---	86	8	5	11
Balance of county	---	363	27	14	10
White	---	302	19	8	9
All other	---	61	8	6	1
Negro	---	59	7	5	–
Hinds	3,074	1,928	76	57	87
White	1,759	1,101	20	18	32
All other	1,315	827	56	39	55
Negro	1,311	826	56	39	54
Jackson, part	---	1,470	56	44	65
White	---	863	14	13	22
All other	---	607	42	31	43
Negro	---	606	42	31	42
Jackson, total	---	1,471	56	44	65
White	---	863	14	13	22
All other	---	608	42	31	43
Negro	---	607	42	31	42
Balance of county	---	458	20	13	22
White	---	238	6	5	10
All other	---	220	14	8	12
Negro	---	220	14	8	12
Holmes	207	269	12	7	5
White	50	84	–	–	–
All other	157	185	12	7	5
Negro	157	185	12	7	5
Humphreys	157	161	7	5	6
White	37	51	–	–	–
All other	120	110	7	5	6
Negro	120	110	7	5	6
Issaquena	19	35	1	1	–
White	7	11	–	–	–
All other	12	24	1	1	–
Negro	12	24	1	1	–
Itawamba	143	186	9	8	3

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Mississippi—Con.					
Jackson	502	585	35	23	31
White	406	478	25	16	19
All other	96	107	10	7	12
Negro	96	106	10	7	12
Moss Point	---	123	8	6	9
White	---	68	1	1	1
All other	---	55	7	5	8
Negro	---	55	7	5	8
Pascagoula	---	181	12	9	10
White	---	152	11	9	7
All other	---	29	1	–	3
Negro	---	28	1	–	3
Balance of county	---	281	15	8	12
Jasper	122	165	12	8	3
White	69	85	2	2	1
All other	53	80	10	6	2
Negro	53	79	9	5	2
Jefferson	52	95	4	3	1
White	4	22	–	–	–
All other	48	73	4	3	1
Negro	48	73	4	3	1
Jefferson Davis	96	119	7	3	6
White	47	55	2	1	3
All other	49	64	5	2	3
Negro	49	64	5	2	3
Jones	660	585	18	13	13
White	460	433	7	3	8
All other	200	152	11	10	5
Negro	198	151	11	10	5
Laurel	---	277	10	9	7
White	---	173	2	1	4
All other	---	104	8	8	3
Negro	---	104	8	8	3
Balance of county	---	308	8	4	6
White	---	260	5	2	4
All other	---	48	3	2	2
Negro	---	47	3	2	2
Kemper	61	107	4	1	2
White	28	54	1	–	–
All other	33	53	3	1	2
Negro	31	50	3	1	2
Lafayette	233	202	10	9	7
White	169	133	1	–	4
All other	64	69	9	9	3
Negro	64	69	9	9	3
Oxford	---	76	2	2	–
White	---	59	–	–	–
All other	---	17	2	2	–
Negro	---	17	2	2	–
Balance of county	---	126	8	7	7
White	---	74	1	–	4
All other	---	52	7	7	3
Negro	---	52	7	7	3
Lamar	52	155	2	1	3
White	46	137	1	1	2
All other	6	18	1	–	1
Negro	6	18	1	–	1
Hattiesburg, part	---	–	–	–	–
Balance of county	---	155	2	1	3
White	---	137	1	1	2
All other	---	18	1	–	1
Negro	---	18	1	–	1
Lauderdale	994	802	36	26	30
White	657	510	17	13	9
All other	337	292	19	13	21
Negro	333	291	18	12	21
Meridian	---	575	23	15	16
White	---	350	6	4	4
All other	---	225	17	11	12
Negro	---	224	16	10	12
Balance of county	---	227	13	11	14
White	---	160	11	9	5
All other	---	67	2	2	9
Negro	---	67	2	2	9
Lawrence	116	133	2	2	2
White	73	94	1	1	1
All other	43	39	1	1	1
Negro	43	39	1	1	1
Leake	147	202	6	3	8
White	99	133	2	2	2
All other	48	69	4	1	6
Negro	42	60	2	1	3
Lee	667	483	26	18	9
White	538	377	15	11	4
All other	129	106	11	7	5
Negro	129	106	11	7	5
Tupelo	---	208	11	8	6
White	---	151	6	5	3
All other	---	57	5	3	3
Negro	---	57	5	3	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Mississippi—Con.					
Lee—Con.					
Balance of county	---	275	15	10	3
White	---	226	9	6	1
All other	---	49	6	4	2
Negro	---	49	6	4	2
Leflore	489	420	33	23	27
White	230	177	8	5	8
All other	259	243	25	18	19
Negro	258	242	25	18	19
Greenwood	---	265	18	11	9
White	---	122	5	3	5
All other	---	143	13	8	4
Negro	---	143	13	8	4
Balance of county	---	155	15	12	18
White	---	55	3	2	3
All other	---	100	12	10	15
Negro	---	99	12	10	15
Lincoln	257	306	13	12	2
White	186	222	4	4	–
All other	71	84	9	8	2
Negro	71	84	9	8	2
Brookhaven	---	122	6	6	1
White	---	80	2	2	–
All other	---	42	4	4	1
Negro	---	42	4	4	1
Balance of county	---	184	7	6	1
White	---	142	2	2	–
All other	---	42	5	4	1
Negro	---	42	5	4	1
Lowndes	400	411	18	15	13
White	244	236	6	6	4
All other	156	175	12	9	9
Negro	156	174	12	9	9
Columbus	---	252	13	12	7
White	---	137	6	6	2
All other	---	115	7	6	5
Negro	---	114	7	6	5
Balance of county	---	159	5	3	6
White	---	99	–	–	2
All other	---	60	5	3	4
Negro	---	60	5	3	4
Madison	225	308	18	13	20
White	86	112	3	2	5
All other	139	196	15	11	15
Negro	138	196	15	11	15
Canton	---	137	10	8	6
White	---	48	2	1	3
All other	---	89	8	7	3
Negro	---	89	8	7	3
Balance of county	---	171	8	5	14
White	---	64	1	1	2
All other	---	107	7	4	12
Negro	---	107	7	4	12
Marion	179	248	12	8	7
White	119	174	5	4	3
All other	60	74	7	4	4
Negro	60	74	7	4	4
Marshall	184	282	11	6	9
White	88	137	2	1	2
All other	96	145	9	5	7
Negro	96	145	9	5	7
Monroe	364	364	25	18	9
White	256	250	14	10	2
All other	108	114	11	8	7
Negro	108	114	11	8	7
Montgomery	191	183	6	5	4
White	119	118	4	4	–
All other	72	65	2	1	4
Negro	72	65	2	1	4
Neshoba	176	217	8	4	9
White	115	157	4	2	2
All other	61	60	4	2	7
Negro	32	34	3	1	4
Newton	201	266	6	4	11
White	147	202	2	2	6
All other	54	64	4	2	5
Negro	53	61	4	2	4
Noxubee	139	149	9	4	5
White	33	52	1	1	–
All other	106	97	8	3	5
Negro	106	97	8	3	5
Oktibbeha	255	221	6	4	14
White	131	109	3	2	5
All other	124	112	3	2	9
Negro	124	112	3	2	9
Starkville	---	93	4	2	7
White	---	62	3	2	5
All other	---	31	1	–	2
Negro	---	31	1	–	2
Oktibbeha—Con.					
Balance of county	---	128	2	2	7
White	---	47	–	–	–
All other	---	81	2	2	7
Negro	---	81	2	2	7
Panola	256	301	15	10	7
White	116	152	2	1	1
All other	140	149	13	9	6
Negro	140	149	13	9	6
Pearl River	213	263	11	9	8
White	170	218	7	6	4
All other	43	45	4	3	4
Negro	43	45	4	3	4
Picayune	---	100	4	3	3
White	---	67	1	1	–
All other	---	33	3	2	3
Negro	---	33	3	2	3
Balance of county	---	163	7	6	5
Perry	55	86	4	2	2
White	44	63	3	1	1
All other	11	23	1	1	1
Negro	11	23	1	1	1
Pike	475	445	13	8	10
White	281	246	4	2	3
All other	194	199	9	6	7
Negro	194	199	9	6	7
McComb	---	181	6	6	4
White	---	119	2	2	1
All other	---	62	4	4	3
Negro	---	62	4	4	3
Balance of county	---	264	7	2	6
White	---	127	2	–	2
All other	---	137	5	2	4
Negro	---	137	5	2	4
Pontotoc	163	219	7	5	4
White	142	187	5	4	2
All other	21	32	2	1	2
Negro	21	32	2	1	2
Prentiss	122	192	9	5	5
White	106	174	6	4	3
All other	16	18	3	1	2
Negro	16	18	3	1	2
Quitman	81	184	18	10	4
White	14	65	2	1	2
All other	67	119	16	9	2
Negro	67	119	16	9	2
Rankin	322	344	20	14	23
White	196	256	16	12	15
All other	126	88	4	2	8
Negro	124	87	4	2	8
Jackson, part	---	1	–	–	–
Balance of county	---	343	20	14	23
White	---	256	16	12	15
All other	---	87	4	2	8
Negro	---	86	4	2	8
Scott	210	254	5	4	7
White	142	160	1	–	3
All other	68	94	4	4	4
Negro	68	94	4	4	4
Sharkey	60	84	1	1	4
White	24	38	1	1	1
All other	36	46	–	–	3
Negro	36	46	–	–	3
Simpson	217	235	8	4	10
White	151	162	4	4	3
All other	66	73	4	–	7
Negro	66	73	4	–	7
Smith	40	112	3	3	4
White	31	98	2	2	1
All other	9	14	1	1	3
Negro	9	14	1	1	3
Stone	69	87	2	1	3
White	59	64	2	1	2
All other	10	23	–	–	1
Negro	10	23	–	–	1
Sunflower	318	399	23	14	22
White	125	160	1	1	2
All other	193	239	22	13	20
Negro	193	239	22	13	20
Tallahatchie	182	230	16	8	5
White	75	107	3	3	1
All other	107	123	13	5	4
Negro	107	123	13	5	4
Tate	82	181	5	3	4
White	37	103	1	1	1
All other	45	78	4	2	3
Negro	45	78	4	2	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Mississippi—Con.					
Tippah	163	183	4	4	9
White	139	156	2	2	8
All other	24	27	2	2	1
Negro	24	27	2	2	1
Tishomingo	139	186	1	–	1
Tunica	91	114	6	5	5
White	25	34	2	1	–
All other	66	80	4	4	5
Negro	66	80	4	4	5
Union	239	230	8	5	7
White	187	191	3	3	4
All other	52	39	5	2	3
Negro	52	39	5	2	3
Walthall	132	131	2	2	14
White	96	81	–	–	1
All other	36	50	2	2	13
Negro	36	50	2	2	13
Warren	616	506	29	27	19
White	306	254	10	10	9
All other	310	252	19	17	10
Negro	310	252	19	17	10
Vicksburg	---	313	17	15	7
White	---	137	4	4	2
All other	---	176	13	11	5
Negro	---	176	13	11	5
Balance of county	---	193	12	12	12
White	---	117	6	6	7
All other	---	76	6	6	5
Negro	---	76	6	6	5
Washington	809	786	39	30	41
White	311	295	7	6	8
All other	498	491	32	24	33
Negro	497	490	32	24	33
Greenville	---	493	20	16	27
White	---	203	3	3	5
All other	---	290	17	13	22
Negro	---	289	17	13	22
Balance of county	---	293	19	14	14
White	---	92	4	3	3
All other	---	201	15	11	11
Negro	---	201	15	11	11
Wayne	154	164	6	5	5
White	93	96	3	2	3
All other	61	68	3	3	2
Negro	61	68	3	3	2
Webster	92	121	1	1	3
White	83	105	–	–	3
All other	9	16	1	1	–
Negro	9	16	1	1	–
Wilkinson	162	143	3	2	1
White	64	51	2	1	–
All other	98	92	1	1	1
Negro	98	92	1	1	1
Winston	179	197	6	6	9
White	111	112	4	4	2
All other	68	85	2	2	7
Negro	68	84	2	2	7
Yalobusha	98	151	2	1	5
White	69	112	1	1	1
All other	29	39	1	–	4
Negro	29	39	1	–	4
Yazoo	261	328	18	12	15
White	118	131	3	2	4
All other	143	197	15	10	11
Negro	143	197	15	10	11
Yazoo City	---	167	13	8	10
White	---	48	2	1	3
All other	---	119	11	7	7
Negro	---	119	11	7	7
Balance of county	---	161	5	4	5
White	---	83	1	1	1
All other	---	78	4	3	4
Negro	---	78	4	3	4
Missouri	**49,986**	**49,059**	**1,124**	**816**	**702**
White	44,761	44,029	833	608	512
All other	5,225	5,030	291	208	190
Negro	5,182	4,988	289	206	187
Adair	396	219	8	8	2
Kirksville	---	149	5	5	1
Balance of county	---	70	3	3	1
Andrew	81	162	3	3	1
Atchison	113	96	3	3	1
Audrain	411	315	5	4	4
Mexico	---	169	4	3	–
Balance of county	---	146	1	1	4
Barry	205	287	7	6	3
Barton	128	163	2	2	3

See footnotes at end of table.

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Missouri—Con.					
Bates	141	205	1	1	3
Benton	81	163	–	–	1
Bollinger	57	136	4	3	2
Boone	1,314	515	23	17	2
Columbia	---	303	12	9	1
Balance of county	---	212	11	8	1
Buchanan	1,282	1,047	20	12	16
St. Joseph	---	956	18	11	16
Balance of county	---	91	2	1	–
Butler	859	455	9	6	12
Poplar Bluff	---	255	4	3	9
Balance of county	---	200	5	3	3
Caldwell	53	136	2	2	–
Callaway	303	281	6	5	3
Fulton	---	123	1	1	1
White	---	108	1	1	1
All other	---	15	–	–	–
Negro	---	15	–	–	–
Jefferson City, part	---	–	–	–	–
Balance of county	---	158	5	4	2
Camden	103	184	3	1	–
Cape Girardeau	674	489	12	11	6
Cape Girardeau	---	281	9	8	2
Balance of county	---	208	3	3	4
Carroll	113	178	2	1	1
Carter	28	61	2	1	1
Cass	216	354	7	4	8
Cedar	137	162	4	3	–
Chariton	64	171	1	1	–
Christian	57	177	2	2	5
Clark	52	124	–	–	–
Clay	844	787	15	11	20
Gladstone	---	77	2	1	2
Independence, part	---	2	–	–	–
Kansas City, part	---	319	5	4	14
Liberty	---	107	5	4	3
Balance of county	---	282	3	2	1
Clinton	157	173	1	1	2
Cole	684	425	14	12	3
Jefferson City, part	---	313	10	8	–
Jefferson City, total	---	313	10	8	–
Balance of county	---	112	4	4	3
Cooper	143	189	5	3	6
Crawford	178	200	7	5	–
Dade	56	97	1	1	–
Dallas	82	153	4	3	–
Daviess	96	137	1	1	–
De Kalb	32	102	4	3	–
Dent	132	186	7	4	1
Douglas	72	122	1	1	–
Dunklin	360	477	14	9	7
Franklin	453	599	16	12	6
Gasconade	139	172	–	–	2
Gentry	136	144	3	2	1
Greene	2,420	1,573	37	26	19
Springfield	---	1,288	28	21	13
Balance of county	---	285	9	5	6
Grundy	204	191	1	1	–
Harrison	74	115	1	1	1
Henry	329	291	5	3	1
Hickory	24	69	1	1	1
Holt	47	114	–	–	2
Howard	123	128	3	2	3
Howell	345	319	7	7	5
Iron	122	112	1	–	3
Jackson	7,282	6,281	178	130	107
White	6,139	5,159	105	73	58
All other	1,143	1,122	73	57	49
Negro	1,135	1,115	73	57	48
Grandview	---	114	4	4	1
Independence, part	---	869	25	21	15
Independence, total	---	871	25	21	15
Kansas City, part	---	4,635	133	93	80
White	---	3,530	61	37	32
All other	---	1,105	72	56	48
Negro	---	1,100	72	56	48
Kansas City, total	---	5,000	140	97	96
White	---	3,892	68	41	48
All other	---	1,108	72	56	48
Negro	---	1,102	72	56	48
Lee's Summit	---	190	5	3	5
Raytown	---	218	3	2	3
Balance of county	---	255	8	7	3
Jasper	1,023	1,060	25	18	7
Carthage	---	174	3	1	1
Joplin, part	---	499	13	10	4
Joplin, total	---	528	14	11	5
Balance of county	---	387	9	7	2
Jefferson	460	766	20	13	22

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Missouri—Con.					
Johnson	268	300	12	10	6
Warrensburg	---	117	4	3	1
Balance of county	---	183	8	7	5
Knox	38	85	–	–	–
Laclede	281	281	3	3	7
Lafayette	294	328	11	10	7
Lawrence	342	333	4	3	1
Lewis	53	144	2	2	2
Lincoln	186	215	3	2	8
Linn	257	259	6	5	5
Livingston	240	190	6	3	6
McDonald	48	165	3	1	5
Macon	145	184	1	1	2
Madison	116	137	2	2	–
Maries	22	77	2	2	1
Marion	389	341	12	9	4
Hannibal, part	---	247	8	6	3
Hannibal, total	---	248	8	6	3
Balance of county	---	94	4	3	1
Mercer	51	98	4	4	–
Miller	71	184	1	–	2
Mississippi	133	237	5	3	4
White	99	189	4	2	3
All other	34	48	1	1	1
Negro	34	48	1	1	1
Moniteau	48	149	–	–	3
Monroe	88	151	4	2	1
Montgomery	56	174	2	–	–
Morgan	124	183	2	–	1
New Madrid	121	281	8	6	3
White	101	235	7	5	2
All other	20	46	1	1	1
Negro	20	46	1	1	1
Sikeston, part	---	3	–	–	–
Balance of county	---	278	8	6	3
White	---	232	7	5	2
All other	---	46	1	1	1
Negro	---	46	1	1	1
Newton	436	335	10	9	3
Joplin, part	---	29	1	1	1
Balance of county	---	306	9	8	2
Nodaway	201	226	7	5	5
Oregon	67	140	3	3	–
Osage	51	126	3	2	1
Ozark	29	93	5	4	1
Pemiscot	270	316	13	8	7
White	188	227	7	6	4
All other	82	89	6	2	3
Negro	82	89	6	2	3
Perry	181	203	2	2	2
Pettis	451	433	8	6	8
Sedalia	---	332	6	4	5
Balance of county	---	101	2	2	3
Phelps	355	291	7	5	3
Rolla	---	97	4	3	3
Balance of county	---	194	3	2	–
Pike	193	223	4	3	1
Platte	81	198	5	2	6
Kansas City, part	---	46	2	–	2
Balance of county	---	152	3	2	4
Polk	96	198	3	2	1
Pulaski	157	208	16	9	9
Putnam	94	116	–	–	–
Ralls	45	106	–	–	–
Hannibal, part	---	1	–	–	–
Balance of county	---	105	–	–	–
Randolph	274	288	5	3	6
Moberly	---	188	4	2	3
Balance of county	---	100	1	1	3
Ray	139	206	2	2	4
Reynolds	23	76	1	1	1
Ripley	127	172	3	2	–
St. Charles	651	611	32	24	19
St. Charles	---	267	13	10	6
Balance of county	---	344	19	14	13
St. Clair	149	136	1	–	–
St. Francois	623	481	9	8	2
St. Louis	6,518	7,207	136	106	94
White	6,161	6,790	98	76	73
All other	357	417	38	30	21
Negro	351	410	37	29	21
Ballwin	---	83	2	2	–
Bellefontaine Neighbors	---	154	1	1	–
Berkeley	---	88	4	4	–
Brentwood	---	81	5	5	2
Bridgeton	---	104	4	3	1
Clayton	---	161	–	–	–
Crestwood	---	67	1	1	–
Ferguson	---	224	1	1	–
Florissant	---	431	10	8	8
Hazelwood	---	119	5	5	1
Missouri—Con.					
St. Louis—Con.					
Jennings	---	229	2	1	1
Kirkwood	---	323	4	2	3
Ladue	---	71	–	–	–
Maplewood	---	161	4	3	1
Overland	---	242	3	2	2
Richmond Heights	---	148	3	2	1
White	---	137	2	1	1
All other	---	11	1	1	–
Negro	---	11	1	1	–
St. Ann	---	143	3	1	5
University City	---	467	6	3	3
White	---	412	2	1	2
All other	---	55	4	2	1
Negro	---	54	4	2	1
Webster Groves	---	241	2	1	3
Balance of county	---	3,670	76	61	63
White	---	3,396	53	44	44
All other	---	274	23	17	19
Negro	---	271	23	17	19
St. Louis city	9,924	7,677	193	127	122
White	7,025	4,994	57	33	32
All other	2,899	2,683	136	94	90
Negro	2,889	2,674	136	94	90
Ste. Genevieve	89	128	3	3	1
Saline	311	347	5	3	2
Marshall	---	153	2	1	1
Balance of county	---	194	3	2	1
Schuyler	32	87	–	–	–
Scotland	79	90	–	–	1
Scott	481	384	17	14	10
Sikeston, part	---	167	12	10	2
White	---	139	7	7	1
All other	---	28	5	3	1
Negro	---	28	5	3	1
Sikeston, total	---	170	12	10	2
White	---	142	7	7	1
All other	---	28	5	3	1
Negro	---	28	5	3	1
Balance of county	---	217	5	4	8
Shannon	34	87	–	–	3
Shelby	60	131	2	2	–
Stoddard	187	306	9	6	3
Stone	52	157	5	4	–
Sullivan	103	133	1	1	1
Taney	222	230	5	4	3
Texas	206	213	4	3	3
Vernon	298	269	1	1	3
Warren	68	129	4	3	2
Washington	91	150	4	2	3
Wayne	61	144	2	–	–
Webster	90	189	1	1	7
Worth	26	62	–	–	1
Wright	105	199	2	2	3
Montana	6,494	6,538	186	128	117
White	6,217	6,255	168	118	102
All other	277	283	18	10	15
Negro	17	17	2	1	–
Beaverhead	94	92	–	–	4
Big Horn	91	95	6	4	3
White	52	53	2	2	–
All other	39	42	4	2	3
Negro	–	–	–	–	–
Blaine	43	81	–	–	–
White	34	68	–	–	–
All other	9	13	–	–	–
Negro	–	–	–	–	–
Broadwater	22	31	3	2	–
Carbon	50	77	–	–	1
Carter	16	21	–	–	–
Cascade	717	633	21	15	15
Great Falls	---	541	16	12	9
Balance of county	---	92	5	3	6
Chouteau	43	65	–	–	1
Custer	218	154	4	3	2
Daniels	19	24	–	–	–
Dawson	77	77	3	2	1
Deer Lodge	216	162	4	3	1
Fallon	33	35	–	–	1
Fergus	145	161	2	2	–
Flathead	354	353	12	9	3
Kalispell	---	135	2	1	1
Balance of county	---	218	10	8	2
Gallatin	246	235	8	5	6
Bozeman	---	140	6	3	4
Balance of county	---	95	2	2	2
Garfield	7	13	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Montana—Con.					
Glacier	89	102	7	7	–
White	50	56	2	2	–
All other	39	46	5	5	–
Negro	–	–	–	–	–
Golden Valley	2	9	–	–	–
Granite	24	37	2	1	1
Hill	173	162	6	4	5
White	160	147	5	4	3
All other	13	15	1	–	2
Negro	–	–	–	–	–
Havre	– – –	102	1	1	1
Balance of county	– – –	60	5	3	4
White	– – –	50	4	3	2
All other	– – –	10	1	–	2
Negro	– – –	–	–	–	–
Jefferson	30	51	1	–	2
Judith Basin	11	21	1	1	–
Lake	159	190	4	4	4
White	139	164	4	4	3
All other	20	26	–	–	1
Negro	–	–	–	–	–
Lewis and Clark	407	329	15	13	6
Helena	– – –	236	9	8	4
Balance of county	– – –	93	6	5	2
Liberty	26	20	1	–	1
Lincoln	85	116	3	3	3
McCone	24	27	1	1	–
Madison	49	69	–	–	–
Meagher	21	22	1	–	–
Mineral	15	22	2	1	–
Missoula	515	422	11	6	13
Missoula	– – –	289	7	4	7
Balance of county	– – –	133	4	2	6
Musselshell	30	51	4	2	1
Park	132	143	2	2	2
Petroleum	1	2	–	–	–
Phillips	44	66	2	2	–
Pondera	53	64	1	–	–
Powder River	5	13	–	–	–
Powell	67	75	5	5	1
Prairie	12	23	–	–	–
Ravalli	157	190	2	1	1
Richland	101	96	–	–	1
Roosevelt	97	104	4	2	4
White	64	68	1	1	2
All other	33	36	3	1	2
Negro	–	–	–	–	–
Rosebud	35	56	–	–	1
White	24	35	–	–	1
All other	11	21	–	–	–
Negro	–	–	–	–	–
Sanders	75	93	3	2	6
Sheridan	49	60	1	–	1
Silver Bow	523	545	16	8	10
Butte	– – –	379	12	7	7
Balance of county	– – –	166	4	1	3
Stillwater	69	57	3	3	–
Sweet Grass	34	35	–	–	–
Teton	51	63	1	1	–
Toole	44	65	–	–	1
Treasure	3	5	–	–	–
Valley	75	88	4	–	1
Wheatland	31	32	1	1	–
Wibaux	3	13	–	–	–
Yellowstone	782	691	19	13	14
Billings	– – –	506	17	12	10
Balance of county	– – –	185	2	1	4
Yellowstone National Park	–	–	–	–	–
Nebraska	**14,755**	**14,603**	**329**	**244**	**222**
White	14,286	14,150	293	223	199
All other	469	453	36	21	23
Negro	356	365	33	19	18
Adams	420	344	3	1	2
Hastings	– – –	283	3	1	2
Balance of county	– – –	61	–	–	–
Antelope	107	121	2	1	2
Arthur	–	7	–	–	–
Banner	3	6	–	–	–
Blaine	1	8	–	–	–
Boone	83	110	3	3	1
Box Butte	103	111	3	3	2
Boyd	34	42	1	1	–
Brown	64	66	1	1	1
Buffalo	324	296	6	4	3
Kearney	– – –	170	6	4	1
Balance of county	– – –	126	–	–	2
Burt	91	122	–	–	3
Nebraska—Con.					
Butler	59	97	–	–	1
Cass	96	177	3	1	3
Cedar	50	113	5	4	3
Chase	55	53	1	1	–
Cherry	80	74	3	2	–
Cheyenne	118	113	1	1	4
Clay	40	103	1	–	1
Colfax	95	125	2	2	2
Cuming	121	128	2	1	–
Custer	171	188	4	3	1
Dakota	63	135	3	2	1
Dawes	101	102	2	2	–
Dawson	206	234	3	1	4
Deuel	16	44	–	–	–
Dixon	55	77	1	1	–
Dodge	368	382	10	6	2
Fremont	– – –	229	5	5	–
Balance of county	– – –	153	5	1	2
Douglas	4,239	3,365	102	77	73
White	3,894	3,019	70	57	54
All other	345	346	32	20	19
Negro	319	328	31	19	16
Omaha	– – –	3,247	99	74	68
White	– – –	2,902	67	54	49
All other	– – –	345	32	20	19
Negro	– – –	328	31	19	16
Balance of county	– – –	118	3	3	5
Dundy	63	60	–	–	1
Fillmore	86	99	1	1	–
Franklin	63	81	–	–	–
Frontier	21	40	1	–	–
Furnas	138	142	2	2	1
Gage	281	280	3	2	6
Beatrice	– – –	173	2	1	5
Balance of county	– – –	107	1	1	1
Garden	33	34	2	2	–
Garfield	47	41	–	–	–
Gosper	8	14	–	–	–
Grant	–	5	–	–	–
Greeley	29	46	–	–	–
Hall	619	463	14	9	7
Grand Island	– – –	382	12	9	4
Balance of county	– – –	81	2	–	3
Hamilton	98	81	2	1	5
Harlan	44	54	1	1	2
Hayes	5	14	–	–	–
Hitchcock	32	60	1	1	1
Holt	110	129	2	2	1
Hooker	14	20	–	–	–
Howard	85	75	4	4	1
Jefferson	103	124	1	1	–
Johnson	72	60	–	–	–
Kearney	60	83	2	1	1
Keith	89	87	1	–	4
Keya Paha	–	12	–	–	–
Kimball	37	40	–	–	1
Knox	100	142	3	3	1
Lancaster	1,580	1,303	25	19	24
Lincoln	– – –	1,193	22	17	22
Balance of county	– – –	110	3	2	2
Lincoln	265	279	4	3	5
North Platte	– – –	203	3	2	3
Balance of county	– – –	76	1	1	2
Logan	2	7	–	–	–
Loup	4	12	1	1	–
McPherson	3	3	–	–	–
Madison	373	284	8	6	4
Norfolk	– – –	171	7	6	2
Balance of county	– – –	113	1	–	2
Merrick	54	87	3	2	–
Morrill	57	91	4	4	–
Nance	57	65	2	2	1
Nemaha	75	100	2	2	2
Nuckolls	80	119	2	1	2
Otoe	185	194	2	1	1
Pawnee	46	57	–	–	–
Perkins	44	41	1	1	–
Phelps	136	131	2	2	1
Pierce	98	82	3	3	4
Platte	210	237	6	4	2
Columbus	– – –	166	3	2	1
Balance of county	– – –	71	3	2	1
Polk	57	80	–	–	2
Red Willow	111	135	3	3	2
Richardson	190	204	4	4	1
Rock	25	34	–	–	–
Saline	182	177	–	–	1
Sarpy	112	239	20	15	7
Bellevue	– – –	88	10	6	3
Balance of county	– – –	151	10	9	4

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Nebraska—Con.					
Saunders	120	202	5	3	2
Scotts Bluff	367	318	11	6	7
Scottsbluff	---	138	3	2	2
Balance of county	---	180	8	4	5
Seward	134	150	2	2	4
Sheridan	105	97	1	–	–
Sherman	29	46	1	1	–
Sioux	5	14	1	1	–
Stanton	18	69	1	–	1
Thayer	71	104	–	–	1
Thomas	3	4	–	–	1
Thurston	83	87	2	2	1
White	65	57	2	2	–
All other	18	30	–	–	1
Negro	–	–	–	–	–
Valley	72	81	–	–	2
Washington	127	132	3	2	–
Wayne	63	77	–	–	–
Webster	72	74	3	3	–
Wheeler	–	5	–	–	–
York	140	153	5	3	3
Nevada	4,821	4,479	158	105	79
White	4,483	4,146	124	84	53
All other	338	333	34	21	26
Negro	230	223	24	13	19
Churchill	114	127	1	1	2
Clark	2,423	2,267	83	54	52
White	2,210	2,060	57	40	31
All other	213	207	26	14	21
Negro	200	196	24	13	16
Henderson	---	95	4	2	3
Las Vegas	---	1,148	41	27	29
White	---	1,028	27	18	17
All other	---	120	14	9	12
Negro	---	114	13	8	10
North Las Vegas	---	201	12	7	7
White	---	141	4	3	3
All other	---	60	8	4	4
Negro	---	59	8	4	3
Balance of county	---	823	26	18	13
Douglas	25	66	2	1	3
Elko	162	146	3	1	5
White	140	121	2	–	4
All other	22	25	1	1	1
Negro	2	1	–	–	–
Esmeralda	6	9	1	–	–
Eureka	3	10	–	–	–
Humboldt	54	70	5	5	2
White	45	56	1	1	2
All other	9	14	4	4	–
Negro	1	1	–	–	–
Lander	23	22	2	2	–
Lincoln	33	34	1	1	–
Lyon	49	78	1	1	–
Mineral	47	50	1	–	–
White	43	47	1	–	–
All other	4	3	–	–	–
Negro	2	3	–	–	–
Nye	52	54	2	1	–
Ormsby, coext. with Carson City	176	157	9	6	2
Pershing	34	39	1	1	1
Storey	6	13	–	–	–
Washoe	1,528	1,248	44	30	12
Reno	---	906	22	12	5
Sparks	---	202	8	7	6
Balance of county	---	140	14	11	1
White Pine	86	89	2	1	–
New Hampshire	7,212	7,220	148	112	82
White	7,189	7,201	146	110	80
All other	23	19	2	2	2
Negro	20	15	1	1	1
Belknap	416	386	6	6	3
Laconia	---	155	4	4	1
Balance of county	---	231	2	2	2
Carroll	261	270	–	–	–
Cheshire	381	471	13	10	8
Keene	---	201	2	2	2
Balance of county	---	270	11	8	6
Coos	373	400	7	5	6
Berlin	---	168	3	2	2
Balance of county	---	232	4	3	4
Grafton	818	502	3	1	2
Hillsborough	2,118	2,079	40	35	33
Manchester	---	1,006	13	11	13
Nashua	---	475	16	13	12
New Hampshire—Con.					
Hillsborough—Con.					
Balance of county	---	598	11	11	8
Merrimack	979	932	23	19	5
Concord	---	403	9	8	1
Balance of county	---	529	14	11	4
Rockingham	1,019	1,247	36	21	9
Portsmouth	---	252	5	4	1
Balance of county	---	995	31	17	8
Strafford	597	610	12	9	11
Dover	---	186	3	2	3
Rochester	---	190	5	4	3
Balance of county	---	234	4	3	5
Sullivan	250	323	8	6	5
Claremont	---	165	5	4	3
Balance of county	---	158	3	2	2
New Jersey	64,029	65,498	1,377	997	932
White	57,603	58,874	955	709	681
All other	6,426	6,624	422	288	251
Negro	6,301	6,497	405	275	243
Atlantic	2,767	2,630	45	33	25
White	2,339	2,190	27	20	13
All other	428	440	18	13	12
Negro	424	436	18	13	11
Atlantic City	---	1,049	16	11	11
White	---	724	5	5	1
All other	---	325	11	6	10
Negro	---	321	11	6	9
Hammonton	---	94	1	1	2
Margate City	---	142	–	–	–
Pleasantville	---	223	7	6	3
White	---	156	2	1	2
All other	---	67	5	5	1
Negro	---	67	5	5	1
Ventnor City	---	200	4	2	1
Balance of county	---	922	17	13	8
Bergen	6,078	7,515	94	72	56
White	5,846	7,247	78	61	51
All other	232	268	16	11	5
Negro	226	256	13	8	5
Bergenfield	---	213	1	1	1
Cliffside Park	---	228	1	1	1
Dumont	---	163	1	1	3
East Paterson	---	141	2	1	1
Englewood	---	290	4	3	7
White	---	196	1	1	2
All other	---	94	3	2	5
Negro	---	93	3	2	5
Fair Lawn	---	292	5	5	2
Fairview	---	100	2	2	–
Fort Lee	---	298	4	4	3
Garfield	---	333	4	3	3
Glen Rock	---	108	–	–	–
Hackensack	---	374	5	3	2
White	---	316	2	2	2
All other	---	58	3	1	–
Negro	---	58	3	1	–
Hasbrouck Heights	---	109	–	–	–
Hillsdale	---	62	1	1	1
Lodi	---	207	2	1	2
Lyndhurst township†	---	206	2	1	1
Maywood	---	96	2	2	–
New Milford	---	138	1	1	–
North Arlington	---	197	1	–	1
Oakland	---	67	4	4	1
Palisades Park	---	160	5	5	1
Paramus	---	173	1	–	–
Ramsey	---	92	1	–	1
Ridgefield	---	111	2	1	–
Ridgefield Park	---	123	2	1	1
Ridgewood	---	203	–	–	1
River Edge	---	112	–	–	1
Rutherford	---	218	2	2	1
Saddle Brook township†	---	98	1	1	2
Teaneck township†	---	336	7	4	2
White	---	287	6	3	2
All other	---	49	1	1	–
Negro	---	49	1	1	–
Tenafly	---	143	2	1	1
Waldwick	---	67	1	1	–
Wallington	---	116	–	–	1
Washington township†	---	44	2	1	1
Westwood	---	108	1	1	2
Wyckoff township†	---	111	2	1	1
Balance of county	---	1,678	23	19	11
Burlington	2,247	2,175	58	44	61
White	2,075	2,003	46	36	43
All other	172	172	12	8	18
Negro	167	169	12	8	16

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey—Con.					
Burlington—Con.					
Burlington	---	146	5	4	5
White	---	112	1	1	3
All other	---	34	4	3	2
Negro	---	34	4	3	2
Cinnaminson township†	---	73	1	1	1
Maple Shade township†	---	155	1	–	7
Mount Holly township†	---	116	3	2	3
White	---	103	3	2	3
All other	---	13	–	–	–
Negro	---	13	–	–	–
New Hanover township†	---	11	–	–	1
White	---	10	–	–	1
All other	---	1	–	–	–
Negro	---	1	–	–	–
Willingboro township†	---	160	7	4	5
White	---	131	5	4	3
All other	---	29	2	–	2
Negro	---	29	2	–	2
Balance of county	---	1,514	41	33	39
White	---	1,431	35	28	27
All other	---	83	6	5	12
Negro	---	80	6	5	10
Camden	3,933	4,132	130	105	45
White	3,485	3,661	87	68	34
All other	448	471	43	37	11
Negro	445	465	43	37	11
Audubon	---	140	1	1	–
Bellmawr	---	89	7	5	3
Camden	---	1,055	73	59	18
White	---	715	38	30	8
All other	---	340	35	29	10
Negro	---	338	35	29	10
Cherry Hill township†	---	404	3	2	2
Collingswood	---	221	3	3	–
Gloucester	---	184	6	4	1
Gloucester township†	---	175	4	4	4
Haddonfield	---	143	1	–	–
Haddon township†	---	138	–	–	–
Lindenwold	---	93	3	3	1
Pennsauken township†	---	337	2	2	–
Runnemede	---	75	1	1	–
Balance of county	---	1,078	26	21	16
Cape May	1,007	1,127	7	5	13
Ocean City	---	202	1	1	–
Balance of county	---	925	6	4	13
Cumberland	1,171	1,181	42	28	26
White	1,020	1,017	27	18	17
All other	151	164	15	10	9
Negro	149	161	15	10	8
Bridgeton	---	239	11	9	7
White	---	172	3	3	4
All other	---	67	8	6	3
Negro	---	67	8	6	3
Millville	---	249	9	5	4
Vineland	---	143	2	2	6
Balance of county	---	550	20	12	9
White	---	476	15	9	6
All other	---	74	5	3	3
Negro	---	71	5	3	2
Essex	9,602	8,793	199	124	136
White	7,347	6,544	90	59	71
All other	2,255	2,249	109	65	65
Negro	2,206	2,201	101	59	64
Belleville	---	351	8	8	5
Bloomfield	---	543	4	3	2
Cedar Grove township†	---	85	2	2	1
East Orange	---	472	21	18	16
White	---	267	1	1	1
All other	---	205	20	17	15
Negro	---	199	18	15	15
Irvington	---	738	13	8	13
Livingston township†	---	209	3	3	1
Maplewood township†	---	247	3	3	2
Millburn township†	---	199	1	1	2
Montclair	---	563	12	8	1
White	---	401	8	6	–
All other	---	162	4	2	1
Negro	---	161	4	2	1
Newark	---	3,271	101	51	72
White	---	1,766	37	20	32
All other	---	1,505	64	31	40
Negro	---	1,471	60	28	39
Nutley	---	294	1	1	3
Orange	---	372	10	5	6
White	---	245	4	2	4
All other	---	127	6	3	2
Negro	---	126	6	3	2
South Orange	---	187	2	1	1
Verona	---	136	4	2	1
West Caldwell	---	82	2	2	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey—Con.					
Essex—Con.					
West Orange	---	416	1	1	6
Balance of county	---	628	11	7	3
Gloucester	1,321	1,425	40	28	24
White	1,194	1,279	33	24	19
All other	127	146	7	4	5
Negro	126	145	6	4	5
Glassboro	---	118	5	2	3
White	---	86	3	1	1
All other	---	32	2	1	2
Negro	---	32	2	1	2
Pitman	---	108	1	1	1
Woodbury	---	142	6	4	2
White	---	123	5	3	1
All other	---	19	1	1	1
Negro	---	19	1	1	1
Balance of county	---	1,057	28	21	18
White	---	963	24	19	16
All other	---	94	4	2	2
Negro	---	93	3	2	2
Hudson	5,605	6,255	140	94	98
White	5,138	5,734	94	67	69
All other	467	521	46	27	29
Negro	458	511	45	27	28
Bayonne	---	804	12	8	12
Harrison	---	158	2	2	–
Hoboken	---	394	10	7	13
Jersey City	---	2,653	83	51	51
White	---	2,189	41	27	24
All other	---	464	42	24	27
Negro	---	456	41	24	26
Kearny	---	387	4	3	4
North Bergen township†	---	532	5	5	6
Secaucus	---	124	3	2	4
Union City	---	576	13	10	3
Weehawken township†	---	143	2	2	–
West New York	---	350	3	2	4
Balance of county	---	134	3	2	1
Hunterdon	477	583	10	7	11
Mercer	3,065	2,665	70	52	40
White	2,668	2,267	37	28	24
All other	397	398	33	24	16
Negro	393	396	32	23	16
Ewing township†	---	267	2	–	–
Hamilton township†	---	659	5	5	8
Princeton	---	81	–	–	1
White	---	71	–	–	1
All other	---	10	–	–	–
Negro	---	10	–	–	–
Trenton	---	1,139	48	34	25
White	---	830	19	14	10
All other	---	309	29	20	15
Negro	---	309	29	20	15
Balance of county	---	519	15	13	6
Middlesex	3,375	4,040	94	71	66
White	3,205	3,860	70	50	49
All other	170	180	24	21	17
Negro	164	173	23	20	16
Carteret	---	180	6	6	1
East Brunswick township†	---	173	9	6	3
Edison township†	---	200	8	8	8
Highland Park	---	98	1	1	1
Madison township†	---	165	10	5	2
Metuchen	---	133	2	2	2
Middlesex	---	95	1	1	1
New Brunswick	---	353	13	10	8
White	---	284	4	4	3
All other	---	69	9	6	5
Negro	---	69	9	6	5
Perth Amboy	---	413	12	10	4
Piscataway township†	---	179	9	8	3
White	---	165	6	5	–
All other	---	14	3	3	3
Negro	---	14	3	3	3
Sayreville	---	209	3	2	5
South Plainfield	---	128	2	2	3
South River	---	149	2	1	1
Woodbridge township†	---	626	3	2	4
Balance of county	---	939	13	7	20
Monmouth	4,629	4,378	84	54	72
White	4,200	3,974	60	40	59
All other	429	404	24	14	13
Negro	422	395	24	14	13
Asbury Park	---	328	10	6	3
White	---	226	3	1	1
All other	---	102	7	5	2
Negro	---	102	7	5	2
Eatontown	---	89	3	1	–
Freehold	---	130	5	3	–
Hazlet township†	---	120	4	4	4

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
New Jersey—Con.					
Monmouth—Con.					
Long Branch	---	303	6	2	10
White	---	265	4	2	6
All other	---	38	2	–	4
Negro	---	38	2	–	4
Matawan township†	---	95	–	–	3
White	---	81	–	–	3
All other	---	14	–	–	–
Negro	---	14	–	–	–
Middletown township†	---	360	7	6	15
Neptune township†	---	342	9	5	2
White	---	267	4	2	1
All other	---	75	5	3	1
Negro	---	74	5	3	1
Ocean township†	---	152	3	3	6
Red Bank	---	195	3	2	3
White	---	161	2	1	2
All other	---	34	1	1	1
Negro	---	34	1	1	1
Balance of county	---	2,264	34	22	26
White	---	2,175	32	21	22
All other	---	89	2	1	4
Negro	---	84	2	1	4
Morris	3,057	2,593	64	56	46
White	2,974	2,527	59	51	41
All other	83	66	5	5	5
Negro	78	62	5	5	4
Dover	---	159	13	10	5
Madison	---	129	–	–	3
Morristown	---	226	2	2	6
White	---	189	–	–	4
All other	---	37	2	2	2
Negro	---	37	2	2	2
Parsippany–Troy Hills township†	---	177	7	7	1
Pequannock township†	---	89	1	1	6
Balance of county	---	1,813	41	36	25
Ocean	3,134	3,309	49	35	40
Brick township†	---	402	6	3	6
Dover township†	---	551	11	9	6
Lakewood township†	---	477	6	5	9
White	---	436	3	3	4
All other	---	41	3	2	5
Negro	---	41	3	2	5
Point Pleasant	---	208	2	2	–
Balance of county	---	1,671	24	16	19
Passaic	4,400	4,341	91	65	64
White	4,068	3,976	58	43	51
All other	332	365	33	22	13
Negro	325	358	32	21	13
Clifton	---	872	10	8	8
Hawthorne	---	195	2	1	1
Little Falls township†	---	105	2	2	2
Passaic	---	614	4	3	17
White	---	548	2	1	16
All other	---	66	2	2	1
Negro	---	65	2	2	1
Paterson	---	1,430	54	34	30
White	---	1,152	24	15	19
All other	---	278	30	19	11
Negro	---	273	29	18	11
Pompton Lakes	---	86	–	–	–
Ringwood	---	44	2	2	–
Totowa	---	87	–	–	–
Wayne township†	---	326	4	3	1
West Paterson	---	84	2	2	1
Balance of county	---	498	11	10	4
Salem	549	583	13	10	13
White	460	492	11	8	9
All other	89	91	2	2	4
Negro	89	91	2	2	4
Somerset	1,262	1,343	27	21	15
Bound Brook	---	112	4	3	–
Bridgewater township†	---	151	2	1	1
Franklin township†	---	157	7	6	–
White	---	142	5	4	–
All other	---	15	2	2	–
Negro	---	15	2	2	–
Manville	---	77	2	2	2
North Plainfield	---	165	4	3	3
Somerville	---	148	–	–	2
White	---	131	–	–	2
All other	---	17	–	–	–
Negro	---	15	–	–	–
Balance of county	---	533	8	6	7
Sussex	712	683	10	9	15
Union	4,809	4,868	87	63	51
White	4,371	4,375	61	45	34
All other	438	493	26	18	17
Negro	431	488	26	18	17
Berkeley Heights township†	---	53	–	–	1
Clark township†	---	117	1	1	1
New Jersey—Con.					
Union—Con.					
Cranford township†	---	205	1	1	4
Elizabeth	---	1,158	32	20	18
White	---	1,022	26	18	11
All other	---	136	6	2	7
Negro	---	133	6	2	7
Hillside township†	---	245	1	1	1
Linden	---	404	7	5	4
White	---	376	5	4	3
All other	---	28	2	1	1
Negro	---	28	2	1	1
New Providence	---	78	3	3	1
Plainfield	---	441	19	16	6
White	---	294	4	3	2
All other	---	147	15	13	4
Negro	---	147	15	13	4
Rahway	---	254	2	1	1
White	---	229	2	1	1
All other	---	25	–	–	–
Negro	---	25	–	–	–
Roselle	---	214	1	1	2
White	---	175	–	–	1
All other	---	39	1	1	1
Negro	---	38	1	1	1
Roselle Park	---	136	1	1	1
Scotch Plains township†	---	150	1	1	2
Springfield township†	---	136	–	–	–
Summit	---	203	1	1	2
Union township†	---	559	6	3	2
Westfield	---	240	2	2	3
Balance of county	---	275	9	6	2
Warren	829	879	23	21	15
Phillipsburg	---	231	7	6	4
Balance of county	---	648	16	15	11
New Mexico	7,948	7,977	358	229	191
White	7,052	7,172	282	193	142
All other	896	805	76	36	49
Negro	149	151	20	11	13
Bernalillo	2,802	2,149	67	43	34
White	2,599	2,068	61	41	31
All other	203	81	6	2	3
Negro	50	40	2	–	1
Albuquerque	---	2,069	62	39	30
White	---	2,012	57	38	29
All other	---	57	5	1	1
Negro	---	38	2	–	1
Balance of county	---	80	5	4	4
Catron	11	15	–	–	1
Chaves	481	479	16	7	12
Roswell	---	410	12	4	10
Balance of county	---	69	4	3	2
Colfax	108	113	7	5	6
Curry	277	300	22	17	9
Clovis	---	249	19	15	8
Balance of county	---	51	3	2	1
De Baca	37	36	1	1	–
Dona Ana	306	387	21	15	23
Las Cruces	---	213	11	8	13
Balance of county	---	174	10	7	10
Eddy	332	367	14	11	8
Artesia	---	116	4	4	1
Carlsbad	---	201	6	5	7
Balance of county	---	50	4	2	–
Grant	196	183	9	8	–
Guadalupe	39	39	1	1	2
Harding	1	7	–	–	–
Hidalgo	64	58	3	2	–
Lea	262	353	22	14	10
Hobbs	---	196	11	8	5
Balance of county	---	157	11	6	5
Lincoln	83	108	5	4	1
Los Alamos	50	47	7	5	–
Luna	138	150	9	6	2
McKinley	422	379	29	15	19
White	94	100	7	4	–
All other	328	279	22	11	19
Negro	8	7	–	–	–
Gallup	---	116	8	5	2
White	---	93	6	4	–
All other	---	23	2	1	2
Negro	---	5	–	–	–
Balance of county	---	263	21	10	17
White	---	7	1	–	–
All other	---	256	20	10	17
Negro	---	2	–	–	–
Mora	14	49	2	–	1
Otero	202	230	21	16	11
Alamogordo	---	140	12	10	4

See footnotes at end of table.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Mexico—Con.					
Otero—Con.					
Balance of county	---	90	9	6	7
White	---	68	7	6	6
All other	---	22	2	–	1
Negro	---	1	–	–	1
Quay	142	138	4	3	4
Rio Arriba	190	237	10	8	5
White	172	212	8	7	5
All other	18	25	2	1	–
Negro	–	1	–	–	–
Roosevelt	100	133	5	–	5
Portales	---	97	5	–	3
Balance of county	---	36	–	–	2
Sandoval	73	211	8	5	5
White	48	146	3	3	1
All other	25	65	5	2	4
Negro	–	–	–	–	–
San Juan	339	357	20	11	8
White	192	213	5	4	2
All other	147	144	15	7	6
Negro	6	6	1	1	–
Farmington	---	149	9	6	2
Balance of county	---	208	11	5	6
White	---	85	2	1	–
All other	---	123	9	4	6
Negro	---	–	–	–	–
San Miguel	229	215	15	6	2
Santa Fe	479	437	16	10	8
Santa Fe	---	359	14	9	5
Balance of county	---	78	2	1	3
Sierra	124	158	3	2	1
Socorro	78	95	2	2	5
Taos	112	135	7	5	3
Torrance	15	34	–	–	1
Union	48	59	1	–	1
Valencia	194	319	11	7	4
White	161	254	10	7	1
All other	33	65	1	–	3
Negro	3	4	–	–	1
New York	**169,862**	**169,618**	**3,782**	**2,803**	**2,689**
White	150,049	150,602	2,545	1,912	1,916
All other	19,013	19,016	1,237	891	773
Negro	18,191	18,194	1,188	860	734
Albany	3,655	2,894	52	37	28
White	3,507	2,763	43	30	20
All other	148	131	9	7	8
Negro	148	130	9	7	8
Albany	---	1,445	24	20	18
White	---	1,325	16	14	11
All other	---	120	8	6	7
Negro	---	120	8	6	7
Cohoes	---	229	6	5	2
Watervliet	---	190	4	1	1
Balance of county	---	1,030	18	11	7
Allegany	307	429	5	3	7
Broome	2,165	1,978	32	22	25
Binghamton	---	835	7	6	9
Endicott	---	200	3	2	5
Johnson City	---	195	5	2	1
Balance of county	---	748	17	12	10
Cattaraugus	804	881	24	20	18
Olean	---	237	4	3	3
Balance of county	---	644	20	17	15
Cayuga	737	732	15	10	19
Auburn	---	365	4	4	8
Balance of county	---	367	11	6	11
Chautauqua	1,460	1,598	38	29	29
Dunkirk	---	186	5	4	5
Fredonia	---	80	1	1	–
Jamestown	---	519	12	10	8
Balance of county	---	813	20	14	16
Chemung	1,014	958	15	8	11
Elmira	---	474	10	5	8
Balance of county	---	484	5	3	3
Chenango	362	463	12	9	11
Clinton	557	489	5	4	10
Plattsburgh	---	172	2	2	4
Balance of county	---	317	3	2	6
Columbia	664	653	12	8	13
Cortland	489	456	9	6	6
Cortland	---	220	5	4	–
Balance of county	---	236	4	2	6
Delaware	522	553	16	14	4
Dutchess	2,166	1,841	30	26	14
White	2,053	1,756	25	21	11
All other	113	85	5	5	3
Negro	110	85	5	5	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York—Con.					
Dutchess—Con.					
Beacon	---	134	5	5	1
White	---	121	4	4	1
All other	---	13	1	1	–
Negro	---	13	1	1	–
Poughkeepsie	---	428	6	6	4
White	---	383	3	3	3
All other	---	45	3	3	1
Negro	---	45	3	3	1
Balance of county	---	1,279	19	15	9
Erie	11,126	10,564	234	178	128
White	10,147	9,593	159	120	100
All other	979	971	75	58	28
Negro	932	917	74	57	24
Buffalo	---	5,450	142	101	59
White	---	4,561	73	49	35
All other	---	889	69	52	24
Negro	---	868	69	52	23
Depew	---	150	6	4	5
Hamburg	---	106	1	1	2
Kenmore	---	230	3	2	1
Lackawanna	---	232	5	5	4
White	---	206	1	1	3
All other	---	26	4	4	1
Negro	---	26	4	4	1
Lancaster	---	99	2	1	–
Tonawanda	---	222	3	3	2
Balance of county	---	4,075	72	61	55
Essex	302	403	3	3	6
Franklin	439	468	7	4	7
Fulton	560	668	18	13	11
Gloversville	---	279	4	2	4
Johnstown	---	140	3	1	1
Balance of county	---	249	11	10	6
Genesee	675	572	10	8	12
Batavia	---	202	5	4	3
Balance of county	---	370	5	4	9
Greene	339	465	5	4	4
Hamilton	22	67	1	1	–
Herkimer	665	731	12	6	12
Jefferson	1,002	1,002	24	16	12
Watertown	---	390	8	6	4
Balance of county	---	612	16	10	8
Lewis	159	226	5	4	5
Livingston	362	462	7	5	12
Madison	488	540	15	10	5
Oneida	---	118	3	1	–
Balance of county	---	422	12	9	5
Monroe	5,885	5,653	113	86	98
White	5,546	5,317	77	60	70
All other	339	336	36	26	28
Negro	335	333	36	26	27
Rochester	---	3,191	79	59	62
White	---	2,864	44	34	35
All other	---	327	35	25	27
Negro	---	325	35	25	27
Balance of county	---	2,462	34	27	36
Montgomery	531	575	4	2	10
Amsterdam	---	281	2	–	7
Balance of county	---	294	2	2	3
Nassau	10,506	11,201	172	135	131
White	9,995	10,679	132	103	108
All other	511	522	40	32	23
Negro	496	504	37	30	23
East Rockaway	---	101	1	1	3
Floral Park	---	147	4	2	2
Freeport	---	370	13	13	9
White	---	330	9	9	5
All other	---	40	4	4	4
Negro	---	39	4	4	4
Garden City	---	232	1	1	2
Glen Cove	---	254	3	1	3
Great Neck	---	138	2	2	2
Hempstead	---	372	14	11	10
White	---	269	3	2	2
All other	---	103	11	9	8
Negro	---	103	11	9	8
Long Beach	---	657	10	7	3
Lynbrook	---	224	3	3	1
Malverne	---	100	3	3	1
Massapequa Park	---	140	1	1	1
Mineola	---	198	–	–	1
New Hyde Park	---	79	–	–	3
Rockville Centre	---	304	5	3	1
Valley Stream	---	359	3	2	1
Westbury	---	141	2	1	1
Balance of county	---	7,385	107	84	87
White	---	7,091	88	69	76
All other	---	294	19	15	11
Negro	---	282	17	14	11

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York—Con.					
New York City	76,307	77,517	1,923	1,442	1,228
White	61,598	62,681	1,009	780	669
All other	14,709	14,836	914	662	559
Negro	14,126	14,241	878	639	537
Bronx Borough, Bronx County	---	13,455	371	272	247
White	---	10,890	201	148	137
All other	---	2,565	170	124	110
Negro	---	2,524	166	121	108
Brooklyn Borough, Kings County	---	23,786	797	605	466
White	---	19,089	374	304	212
All other	---	4,697	423	301	254
Negro	---	4,607	411	295	250
Manhattan Borough, New York County	---	17,985	365	270	197
White	---	12,710	190	141	105
All other	---	5,275	175	129	92
Negro	---	4,902	165	123	85
Queens Borough, Queens County	---	19,639	315	238	275
White	---	17,472	182	140	177
All other	---	2,167	133	98	98
Negro	---	2,081	124	91	89
Richmond Borough, Richmond County	---	2,652	75	57	43
White	---	2,520	62	47	38
All other	---	132	13	10	5
Negro	---	127	12	9	5
Niagara	2,062	2,120	60	46	37
White	1,973	2,020	47	38	26
All other	89	100	13	8	11
Negro	71	81	12	7	10
Lockport	---	294	9	6	3
Niagara Falls	---	880	22	16	23
White	---	806	13	12	12
All other	---	74	9	4	11
Negro	---	67	9	4	10
North Tonawanda	---	322	10	8	6
Balance of county	---	624	19	16	5
Oneida	2,786	2,545	50	36	32
Rome	---	425	12	9	3
Utica	---	1,103	25	19	15
Balance of county	---	1,017	13	8	14
Onondaga	4,314	4,007	90	62	80
White	4,152	3,850	72	54	67
All other	162	157	18	8	13
Negro	148	144	17	8	13
Syracuse	---	2,166	37	27	34
White	---	2,027	20	19	21
All other	---	139	17	8	13
Negro	---	136	17	8	13
Balance of county	---	1,841	53	35	46
Ontario	821	701	15	12	16
Canandaigua	---	127	3	3	3
Geneva	---	167	4	4	5
Balance of county	---	407	8	5	8
Orange	2,276	2,185	51	35	32
White	2,159	2,071	37	26	23
All other	117	114	14	9	9
Negro	112	110	13	8	7
Middletown	---	271	9	6	7
Newburgh	---	377	23	17	3
White	---	312	13	10	1
All other	---	65	10	7	2
Negro	---	64	10	7	1
Balance of county	---	1,537	19	12	22
Orleans	309	358	10	6	9
Oswego	713	925	27	19	13
Fulton	---	159	4	2	2
Oswego	---	206	8	7	–
Balance of county	---	560	15	10	11
Otsego	657	622	16	12	10
Oneonta	---	128	5	5	–
Balance of county	---	494	11	7	10
Putnam	361	462	5	3	9
Rensselaer	1,350	1,588	33	24	18
Rensselaer	---	114	3	1	2
Troy	---	845	24	17	7
Balance of county	---	629	6	6	9
Rockland	1,752	1,588	36	29	31
White	1,655	1,512	29	23	20
All other	97	76	7	6	11
Negro	93	72	7	6	11
Spring Valley	---	169	4	3	6
White	---	149	1	1	2
All other	---	20	3	2	4
Negro	---	20	3	2	4
Balance of county	---	1,419	32	26	25
White	---	1,363	28	22	18
All other	---	56	4	4	7
Negro	---	52	4	4	7
St. Lawrence	1,032	1,020	35	28	12
Massena	---	141	5	2	5
Ogdensburg	---	151	3	2	–
Balance of county	---	728	27	24	7
Saratoga	691	1,134	30	25	16
Saratoga Springs	---	256	1	1	–
New York—Con.					
Saratoga—Con.					
Balance of county	---	878	29	24	16
Schenectady	1,676	1,608	31	20	29
Schenectady	---	1,007	25	16	18
Balance of county	---	601	6	4	11
Schoharie	295	317	2	2	7
Schuyler	96	167	4	3	4
Seneca	295	297	4	3	2
Steuben	949	1,006	22	18	19
Corning	---	169	–	–	3
Hornell	---	176	4	3	2
Balance of county	---	661	18	15	14
Suffolk	9,558	8,570	194	127	236
White	9,030	8,140	166	115	211
All other	528	430	28	12	25
Negro	503	409	26	11	24
Babylon	---	141	3	2	3
Lindenhurst	---	205	4	2	1
Patchogue	---	131	3	2	6
Balance of county	---	8,093	184	121	226
White	---	7,671	156	109	202
All other	---	422	28	12	24
Negro	---	401	26	11	23
Sullivan	648	677	18	14	8
Tioga	219	369	9	4	10
Tompkins	557	558	15	11	11
Ithaca	---	234	7	4	6
Balance of county	---	324	8	7	5
Ulster	1,269	1,515	31	21	24
Kingston	---	367	8	5	2
Balance of county	---	1,148	23	16	22
Warren	815	578	9	6	2
Glens Falls	---	232	3	2	–
Balance of county	---	346	6	4	2
Washington	336	539	11	8	1
Wayne	498	652	14	7	20
Newark	---	86	–	–	1
Balance of county	---	566	14	7	19
Westchester	7,870	7,872	138	106	113
White	7,130	7,089	95	72	85
All other	740	783	43	34	28
Negro	719	763	43	34	27
Dobbs Ferry	---	65	–	–	–
Mamaroneck	---	149	4	4	1
Mount Vernon	---	734	14	10	13
White	---	527	6	3	7
All other	---	207	8	7	6
Negro	---	204	8	7	6
New Rochelle	---	728	8	6	11
White	---	599	2	2	4
All other	---	129	6	4	7
Negro	---	127	6	4	7
Ossining	---	203	2	1	5
White	---	171	1	1	5
All other	---	32	1	–	–
Negro	---	32	1	–	–
Peekskill	---	213	5	5	1
White	---	191	4	4	1
All other	---	22	1	1	–
Negro	---	21	1	1	–
Port Chester	---	255	5	5	–
White	---	213	1	1	–
All other	---	42	4	4	–
Negro	---	40	4	4	–
Rye	---	139	–	–	1
Scarsdale	---	155	–	–	5
Tarrytown	---	111	2	1	1
White Plains	---	474	9	6	6
White	---	402	7	4	4
All other	---	72	2	2	2
Negro	---	71	2	2	1
Yonkers	---	2,031	34	27	37
White	---	1,905	21	17	27
All other	---	126	13	10	10
Negro	---	123	13	10	10
Balance of county	---	2,615	55	41	32
White	---	2,493	50	38	29
All other	---	122	5	3	3
Negro	---	115	5	3	3
Wyoming	359	329	2	1	8
Yates	228	270	2	2	4
North Carolina	46,014	45,777	1,485	1,059	989
White	34,124	33,933	803	600	544
All other	11,890	11,844	682	459	445
Negro	11,559	11,509	646	440	419
Alamance	674	856	22	14	15
White	567	704	17	12	11
All other	107	152	5	2	4
Negro	107	152	5	2	4

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
North Carolina—Con.					
Alamance—Con.					
Burlington	---	342	8	5	5
White	---	284	5	4	3
All other	---	58	3	1	2
Negro	---	58	3	1	2
Balance of county	---	514	14	9	10
White	---	420	12	8	8
All other	---	94	2	1	2
Negro	---	94	2	1	2
Alexander	104	163	4	4	4
Alleghany	128	124	4	2	–
Anson	177	262	4	1	7
White	106	154	2	–	2
All other	71	108	2	1	5
Negro	70	108	2	1	5
Ashe	147	199	4	1	3
Avery	141	138	1	–	1
Beaufort	430	424	19	17	11
White	302	282	8	8	4
All other	128	142	11	9	7
Negro	128	142	11	9	7
Bertie	137	270	13	8	5
White	51	137	4	2	–
All other	86	133	9	6	5
Negro	86	133	9	6	5
Bladen	182	265	8	5	4
White	107	161	–	–	3
All other	75	104	8	5	1
Negro	75	104	8	5	1
Brunswick	146	247	8	7	5
White	115	183	5	5	3
All other	31	64	3	2	2
Negro	31	64	3	2	2
Buncombe	2,135	1,473	29	23	33
White	1,888	1,281	20	16	29
All other	247	192	9	7	4
Negro	244	192	9	7	3
Asheville	---	782	15	13	8
White	---	608	6	6	5
All other	---	174	9	7	3
Negro	---	174	9	7	3
Balance of county	---	691	14	10	25
Burke	569	473	18	14	10
Hickory, part	---	1	–	–	–
Morganton	---	122	1	1	3
White	---	105	1	1	3
All other	---	17	–	–	–
Negro	---	17	–	–	–
Balance of county	---	350	17	13	7
Cabarrus	677	683	14	10	12
White	565	557	9	6	8
All other	112	126	5	4	4
Negro	110	124	5	4	4
Concord	---	205	6	4	5
White	---	167	3	2	3
All other	---	38	3	2	2
Negro	---	37	3	2	2
Balance of county	---	478	8	6	7
White	---	390	6	4	5
All other	---	88	2	2	2
Negro	---	87	2	2	2
Caldwell	326	464	20	17	6
Lenoir	---	166	9	7	2
White	---	142	7	6	2
All other	---	24	2	1	–
Negro	---	24	2	1	–
Balance of county	---	298	11	10	4
Camden	19	62	–	–	2
White	11	39	–	–	–
All other	8	23	–	–	2
Negro	8	23	–	–	2
Carteret	306	321	12	9	4
White	267	288	11	8	3
All other	39	33	1	1	1
Negro	38	33	1	1	1
Caswell	53	168	12	10	4
White	33	95	3	3	2
All other	20	73	9	7	2
Negro	20	73	9	7	2
Catawba	715	697	23	17	11
Hickory, part	---	233	8	6	1
White	---	199	6	4	1
All other	---	34	2	2	–
Negro	---	34	2	2	–
Hickory, total	---	234	8	6	1
White	---	200	6	4	1
All other	---	34	2	2	–
Negro	---	34	2	2	–
Balance of county	---	464	15	11	10
Chatham	220	254	10	7	4
White	165	186	7	4	2
All other	55	68	3	3	2
Negro	55	68	3	3	2
Cherokee	155	179	4	3	2
Chowan	172	126	6	5	3
White	105	82	3	3	1
All other	67	44	3	2	2
Negro	67	44	3	2	2
Clay	13	52	–	–	2
Cleveland	704	671	24	15	19
White	546	500	11	9	9
All other	158	171	13	6	10
Negro	158	171	13	6	10
Shelby	---	182	4	1	8
White	---	135	–	–	2
All other	---	47	4	1	6
Negro	---	47	4	1	6
Balance of county	---	489	20	14	11
White	---	365	11	9	7
All other	---	124	9	5	4
Negro	---	124	9	5	4
Columbus	315	463	15	13	24
White	210	309	7	6	10
All other	105	154	8	7	14
Negro	102	151	8	7	14
Craven	597	557	32	17	19
White	395	358	20	11	12
All other	202	199	12	6	7
Negro	201	198	11	6	7
New Bern	---	203	9	7	5
White	---	113	3	2	1
All other	---	90	6	5	4
Negro	---	90	6	5	4
Balance of county	---	354	23	10	14
White	---	245	17	9	11
All other	---	109	6	1	3
Negro	---	108	5	1	3
Cumberland	1,481	1,262	83	59	55
White	961	840	48	36	30
All other	520	422	35	23	25
Negro	494	397	35	23	24
Fayetteville	---	600	27	20	18
White	---	344	16	11	5
All other	---	256	11	9	13
Negro	---	246	11	9	13
Balance of county	---	662	56	39	37
White	---	496	32	25	25
All other	---	166	24	14	12
Negro	---	151	24	14	11
Currituck	30	88	4	2	–
White	18	65	3	1	–
All other	12	23	1	1	–
Negro	12	23	1	1	–
Dare	46	88	2	1	1
Davidson	542	735	15	9	7
White	476	651	12	8	6
All other	66	84	3	1	1
Negro	66	84	3	1	1
High Point, part	---	2	–	–	–
Lexington	---	165	5	2	–
White	---	134	2	1	–
All other	---	31	3	1	–
Negro	---	31	3	1	–
Thomasville	---	152	1	1	2
White	---	119	1	1	1
All other	---	33	–	–	1
Negro	---	33	–	–	1
Balance of county	---	416	9	6	5
Davie	124	168	5	5	9
White	120	163	5	5	6
All other	4	5	–	–	3
Negro	4	5	–	–	3
Duplin	219	364	8	4	9
White	130	237	3	3	3
All other	89	127	5	1	6
Negro	89	127	5	1	6
Durham	2,536	1,260	30	20	22
White	1,647	768	11	5	3
All other	889	492	19	15	19
Negro	882	491	19	15	19
Chapel Hill, part	---	1	–	–	–
Durham	---	1,004	21	15	19
White	---	562	7	4	2
All other	---	442	14	11	17
Negro	---	441	14	11	17
Balance of county	---	255	9	5	3
White	---	205	4	1	1
All other	---	50	5	4	2
Negro	---	50	5	4	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina—Con.					
Edgecombe	356	540	16	12	10
White	188	287	1	1	6
All other	168	253	15	11	4
Negro	168	253	15	11	4
Rocky Mount, part	---	160	5	3	2
White	---	64	–	–	2
All other	---	96	5	3	–
Negro	---	96	5	3	–
Balance of county	---	380	11	9	8
White	---	223	1	1	4
All other	---	157	10	8	4
Negro	---	157	10	8	4
Forsyth	2,700	1,873	59	49	39
White	2,072	1,318	32	28	22
All other	628	555	27	21	17
Negro	628	555	27	21	17
Winston-Salem	---	1,325	36	30	25
White	---	805	13	12	9
All other	---	520	23	18	16
Negro	---	520	23	18	16
Balance of county	---	548	23	19	14
Franklin	203	319	8	5	7
White	123	200	5	4	4
All other	80	119	3	1	3
Negro	76	117	3	1	3
Gaston	966	1,269	34	26	18
White	814	1,086	25	20	16
All other	152	183	9	6	2
Negro	152	182	9	6	2
Gastonia	---	488	14	9	7
White	---	379	7	5	6
All other	---	109	7	4	1
Negro	---	109	7	4	1
Balance of county	---	781	20	17	11
White	---	707	18	15	10
All other	---	74	2	2	1
Negro	---	73	2	2	1
Gates	32	89	1	–	1
White	18	48	–	–	–
All other	14	41	1	–	1
Negro	14	41	1	–	1
Graham	16	59	1	1	3
Granville	272	291	8	3	9
White	167	165	3	3	2
All other	105	126	5	–	7
Negro	105	126	5	–	7
Greene	40	136	6	4	6
White	23	91	3	3	2
All other	17	45	3	1	4
Negro	17	45	3	1	4
Guilford	2,608	2,436	67	51	43
White	2,017	1,845	36	29	26
All other	591	591	31	22	17
Negro	589	589	30	22	16
Greensboro	---	1,284	34	24	27
White	---	906	15	11	16
All other	---	378	19	13	11
Negro	---	376	18	13	10
High Point, part	---	563	19	15	6
White	---	421	10	9	2
All other	---	142	9	6	4
Negro	---	142	9	6	4
High Point, total	---	567	19	15	6
White	---	424	10	9	2
All other	---	143	9	6	4
Negro	---	143	9	6	4
Balance of county	---	589	14	12	10
White	---	518	11	9	8
All other	---	71	3	3	2
Negro	---	71	3	3	2
Halifax	576	571	20	13	15
White	312	293	7	6	7
All other	264	278	13	7	8
Negro	263	273	12	7	7
Roanoke Rapids	---	152	3	3	3
White	---	140	3	3	3
All other	---	12	–	–	–
Negro	---	12	–	–	–
Balance of county	---	419	17	10	12
White	---	153	4	3	4
All other	---	266	13	7	8
Negro	---	261	12	7	7
Harnett	415	490	17	10	10
White	309	356	5	1	5
All other	106	134	12	9	5
Negro	102	130	11	8	5
Haywood	409	398	5	3	2
Henderson	494	502	16	10	5
North Carolina—Con.					
Hertford	309	223	10	7	5
White	164	106	1	1	2
All other	145	117	9	6	3
Negro	145	117	9	6	3
Hoke	160	133	12	8	4
White	83	65	3	2	1
All other	77	68	9	6	3
Negro	68	57	6	5	2
Hyde	34	65	–	–	1
White	21	47	–	–	–
All other	13	18	–	–	1
Negro	13	18	–	–	1
Iredell	659	680	15	11	7
White	541	545	8	6	5
All other	118	135	7	5	2
Negro	118	135	7	5	2
Statesville	---	221	6	5	–
White	---	158	3	3	–
All other	---	63	3	2	–
Negro	---	63	3	2	–
Balance of county	---	459	9	6	7
White	---	387	5	3	5
All other	---	72	4	3	2
Negro	---	72	4	3	2
Jackson	159	209	9	8	–
White	148	185	8	7	–
All other	11	24	1	1	–
Negro	1	2	–	–	–
Johnston	494	692	14	9	19
White	352	527	6	3	14
All other	142	165	8	6	5
Negro	142	165	8	6	5
Jones	20	93	3	1	–
White	12	54	–	–	–
All other	8	39	3	1	–
Negro	8	39	3	1	–
Lee	335	299	6	6	10
White	250	217	3	3	8
All other	85	82	3	3	2
Negro	85	82	3	3	2
Sanford	---	127	4	4	4
White	---	84	2	2	4
All other	---	43	2	2	–
Negro	---	43	2	2	–
Balance of county	---	172	2	2	6
White	---	133	1	1	4
All other	---	39	1	1	2
Negro	---	39	1	1	2
Lenoir	518	518	17	8	14
White	317	298	4	1	1
All other	201	220	13	7	13
Negro	201	220	13	7	13
Kinston	---	276	12	4	10
White	---	135	4	1	–
All other	---	141	8	3	10
Negro	---	141	8	3	10
Balance of county	---	242	5	4	4
White	---	163	–	–	1
All other	---	79	5	4	3
Negro	---	79	5	4	3
Lincoln	253	326	8	8	8
White	224	293	8	8	6
All other	29	33	–	–	2
Negro	29	33	–	–	2
McDowell	171	288	14	10	3
Macon	182	201	4	4	5
Madison	52	185	3	3	2
Martin	204	241	8	8	9
White	114	145	3	3	4
All other	90	96	5	5	5
Negro	90	96	5	5	5
Mecklenburg	3,266	2,696	94	61	57
White	2,370	1,860	46	29	32
All other	896	836	48	32	25
Negro	892	832	47	31	24
Charlotte	---	2,095	74	47	42
White	---	1,349	31	19	21
All other	---	746	43	28	21
Negro	---	744	43	28	21
Balance of county	---	601	20	14	15
White	---	511	15	10	11
All other	---	90	5	4	4
Negro	---	88	4	3	3
Mitchell	90	135	1	1	2
Montgomery	179	224	7	3	3
White	132	168	1	–	1
All other	47	56	6	3	2
Negro	47	56	6	3	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina—Con.					
Moore	515	436	16	13	12
White	368	305	8	7	4
All other	147	131	8	6	8
Negro	144	130	8	6	8
Nash	631	597	24	16	16
White	372	373	6	4	8
All other	259	224	18	12	8
Negro	257	223	18	12	7
Rocky Mount, part	---	228	10	6	8
White	---	164	3	2	5
All other	---	64	7	4	3
Negro	---	64	7	4	2
Rocky Mount, total	---	388	15	9	10
White	---	228	3	2	7
All other	---	160	12	7	3
Negro	---	160	12	7	2
Balance of county	---	369	14	10	8
White	---	209	3	2	3
All other	---	160	11	8	5
Negro	---	159	11	8	5
New Hanover	981	817	25	16	19
White	681	564	8	5	3
All other	300	253	17	11	16
Negro	298	253	17	11	14
Wilmington	---	513	16	11	15
White	---	305	4	3	1
All other	---	208	12	8	14
Negro	---	208	12	8	14
Balance of county	---	304	9	5	4
Northampton	84	257	11	9	2
White	45	120	1	1	–
All other	39	137	10	8	2
Negro	39	137	10	8	2
Onslow	382	436	46	31	27
White	298	348	33	23	22
All other	84	88	13	8	5
Negro	82	86	12	7	4
Jacksonville	---	116	11	7	5
White	---	94	6	4	5
All other	---	22	5	3	–
Negro	---	22	5	3	–
Balance of county	---	320	35	24	22
White	---	254	27	19	17
All other	---	66	8	5	5
Negro	---	64	7	4	4
Orange	805	364	18	10	8
White	484	265	13	9	6
All other	321	99	5	1	2
Negro	319	99	5	1	2
Chapel Hill, part	---	100	5	2	–
White	---	74	4	2	–
All other	---	26	1	–	–
Negro	---	26	1	–	–
Chapel Hill, total	---	101	5	2	–
White	---	75	4	2	–
All other	---	26	1	–	–
Negro	---	26	1	–	–
Balance of county	---	264	13	8	8
White	---	191	9	7	6
All other	---	73	4	1	2
Negro	---	73	4	1	2
Pamlico	25	105	–	–	6
White	21	80	–	–	3
All other	4	25	–	–	3
Negro	4	25	–	–	3
Pasquotank	437	296	12	9	4
White	303	203	4	4	2
All other	134	93	8	5	2
Negro	134	93	8	5	2
Elizabeth City	---	197	7	7	–
White	---	126	2	2	–
All other	---	71	5	5	–
Negro	---	71	5	5	–
Balance of county	---	99	5	2	4
White	---	77	2	2	2
All other	---	22	3	–	2
Negro	---	22	3	–	2
Pender	162	190	4	2	1
White	107	114	3	2	–
All other	55	76	1	–	1
Negro	55	76	1	–	1
Perquimans	19	95	2	1	2
White	14	53	–	–	1
All other	5	42	2	1	1
Negro	5	42	2	1	1
Person	198	250	8	4	3
White	138	180	5	1	–
All other	60	70	3	3	3
Negro	60	70	3	3	3
North Carolina—Con.					
Pitt	677	670	27	20	17
White	406	397	9	7	7
All other	271	273	18	13	10
Negro	271	273	18	13	10
Greenville	---	207	6	5	9
White	---	126	4	3	4
All other	---	81	2	2	5
Negro	---	81	2	2	5
Balance of county	---	463	21	15	8
White	---	271	5	4	3
All other	---	192	16	11	5
Negro	---	192	16	11	5
Polk	230	185	3	3	4
White	209	167	3	3	3
All other	21	18	–	–	1
Negro	21	18	–	–	1
Randolph	404	615	12	7	12
Asheboro	---	137	4	3	4
White	---	121	4	3	3
All other	---	16	–	–	1
Negro	---	16	–	–	1
High Point, part	---	2	–	–	–
Balance of county	---	476	8	4	8
Richmond	274	417	12	9	8
White	190	291	6	4	2
All other	84	126	6	5	6
Negro	83	126	6	5	6
Robeson	854	891	37	21	34
White	400	424	8	7	6
All other	454	467	29	14	28
Negro	278	252	7	4	14
Lumberton	---	197	3	3	5
White	---	132	1	1	3
All other	---	65	2	2	2
Negro	---	46	–	–	2
Balance of county	---	694	34	18	29
White	---	292	7	6	3
All other	---	402	27	12	26
Negro	---	206	7	4	12
Rockingham	628	755	29	20	18
White	472	579	16	14	6
All other	156	176	13	6	12
Negro	156	176	13	6	12
Eden	---	193	4	1	4
White	---	156	2	1	–
All other	---	37	2	–	4
Negro	---	37	2	–	4
Reidsville	---	173	7	5	6
White	---	116	3	3	2
All other	---	57	4	2	4
Negro	---	57	4	2	4
Balance of county	---	389	18	14	8
White	---	307	11	10	4
All other	---	82	7	4	4
Negro	---	82	7	4	4
Rowan	871	820	17	14	16
White	688	668	11	8	11
All other	183	152	6	6	5
Negro	183	152	6	6	5
Salisbury	---	275	2	2	2
White	---	196	–	–	1
All other	---	79	2	2	1
Negro	---	79	2	2	1
Balance of county	---	545	15	12	14
White	---	472	11	8	10
All other	---	73	4	4	4
Negro	---	73	4	4	4
Rutherford	447	522	19	15	6
White	382	447	12	8	5
All other	65	75	7	7	1
Negro	65	75	7	7	1
Sampson	363	464	19	14	10
White	244	310	8	8	4
All other	119	154	11	6	6
Negro	115	148	9	4	5
Scotland	284	240	9	6	6
White	150	145	4	4	2
All other	134	95	5	2	4
Negro	104	91	5	2	4
Stanly	357	427	14	13	2
White	292	364	9	8	–
All other	65	63	5	5	2
Negro	65	63	5	5	2
Albemarle	---	134	3	3	1
White	---	105	1	1	–
All other	---	29	2	2	1
Negro	---	29	2	2	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina—Con.					
Stanly—Con.					
Balance of county	---	293	11	10	1
White	---	259	8	7	–
All other	---	34	3	3	1
Negro	---	34	3	3	1
Stokes	126	232	11	8	3
Surry	455	492	12	8	5
Swain	111	106	5	4	–
White	93	94	3	2	–
All other	18	12	2	2	–
Negro	–	1	–	–	–
Transylvania	131	157	2	2	2
Tyrrell	30	41	–	–	1
White	22	29	–	–	1
All other	8	12	–	–	–
Negro	8	12	–	–	–
Union	374	473	7	4	8
White	282	371	3	2	5
All other	92	102	4	2	3
Negro	92	102	4	2	3
Monroe	---	144	1	1	3
White	---	90	–	–	1
All other	---	54	1	1	2
Negro	---	54	1	1	2
Balance of county	---	329	6	3	5
White	---	281	3	2	4
All other	---	48	3	1	1
Negro	---	48	3	1	1
Vance	324	363	11	9	11
White	193	224	5	5	5
All other	131	139	6	4	6
Negro	131	139	6	4	6
Henderson	---	168	3	2	2
White	---	99	1	1	1
All other	---	69	2	1	1
Negro	---	69	2	1	1
Balance of county	---	195	8	7	9
White	---	125	4	4	4
All other	---	70	4	3	5
Negro	---	70	4	3	5
Wake	1,984	1,738	55	43	42
White	1,402	1,234	22	18	24
All other	582	504	33	25	18
Negro	576	501	33	25	18
Raleigh	---	963	27	21	16
White	---	665	11	9	10
All other	---	298	16	12	6
Negro	---	297	16	12	6
Balance of county	---	775	28	22	26
White	---	569	11	9	14
All other	---	206	17	13	12
Negro	---	204	17	13	12
Warren	95	199	2	1	3
White	44	85	1	–	–
All other	51	114	1	1	3
Negro	51	112	1	1	3
Washington	89	126	7	5	2
White	56	77	–	–	2
All other	33	49	7	5	–
Negro	33	49	7	5	–
Watauga	198	175	4	4	–
Wayne	811	736	28	26	21
White	494	436	12	11	7
All other	317	300	16	15	14
Negro	314	297	16	15	13
Goldsboro	---	345	9	9	7
White	---	178	1	1	1
All other	---	167	8	8	6
Negro	---	166	8	8	5
Balance of county	---	391	19	17	14
White	---	258	11	10	6
All other	---	133	8	7	8
Negro	---	131	8	7	8
Wilkes	288	398	12	7	4
Wilson	814	636	22	17	17
White	547	410	10	9	5
All other	267	226	12	8	12
Negro	267	226	12	8	12
Wilson	---	369	7	6	6
White	---	213	4	4	2
All other	---	156	3	2	4
Negro	---	156	3	2	4
Balance of county	---	267	15	11	11
White	---	197	6	5	3
All other	---	70	9	6	8
Negro	---	70	9	6	8
Yadkin	102	196	4	4	4
Yancey	62	123	3	2	3

See footnotes at end of table.

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Dakota	**5,656**	**5,496**	**157**	**119**	**101**
White	5,496	5,345	141	107	89
All other	160	151	16	12	12
Negro	5	5	–	–	1
Adams	83	44	–	–	–
Barnes	145	172	1	1	–
Benson	25	94	3	2	6
White	18	69	–	–	3
All other	7	25	3	2	3
Negro	–	1	–	–	–
Billings	–	5	–	–	–
Bottineau	75	107	5	3	–
Bowman	31	33	–	–	–
Burke	9	45	2	2	1
Burleigh	548	298	13	10	7
Bismarck	---	250	10	8	5
Balance of county	---	48	3	2	2
Cass	1,054	590	13	11	14
Fargo	---	432	9	8	11
Balance of county	---	158	4	3	3
Cavalier	82	105	4	4	–
Dickey	113	80	3	2	2
Divide	44	48	2	1	1
Dunn	5	31	–	–	–
Eddy	45	49	3	3	–
Emmons	42	51	1	1	2
Foster	43	45	–	–	–
Golden Valley	15	26	3	3	1
Grand Forks	484	365	14	12	11
Grand Forks	---	243	8	7	7
Balance of county	---	122	6	5	4
Grant	21	36	1	–	2
Griggs	38	52	1	–	1
Hettinger	7	43	1	–	–
Kidder	16	41	–	–	–
La Moure	28	72	1	1	1
Logan	6	35	1	1	2
McHenry	18	70	–	–	1
McIntosh	61	53	–	–	–
McKenzie	47	62	3	3	–
McLean	83	117	3	–	1
Mercer	49	57	–	–	2
Morton	74	160	7	3	7
Mandan	---	85	6	3	4
Balance of county	---	75	1	–	3
Mountrail	89	115	4	3	1
Nelson	57	97	1	–	1
Oliver	2	16	–	–	–
Pembina	130	150	2	1	–
Pierce	103	64	2	2	1
Ramsey	169	146	2	2	3
Ransom	71	105	2	2	2
Renville	24	37	–	–	2
Richland	89	204	4	3	3
Rolette	80	91	8	6	5
White	47	46	2	2	1
All other	33	45	6	4	4
Negro	–	–	–	–	–
Sargent	16	63	2	2	1
Sheridan	7	30	1	1	–
Sioux	19	26	3	2	2
White	3	6	–	–	–
All other	16	20	3	2	2
Negro	–	–	–	–	–
Slope	2	10	–	–	–
Stark	205	169	10	8	3
Dickinson	---	102	7	5	2
Balance of county	---	67	3	3	1
Steele	15	39	–	–	1
Stutsman	283	245	6	3	2
Jamestown	---	170	4	3	2
Balance of county	---	75	2	–	–
Towner	61	53	2	2	1
Traill	106	100	1	1	–
Walsh	155	186	4	4	–
Ward	454	338	12	8	10
Minot	---	230	9	6	4
Balance of county	---	108	3	2	6
Wells	63	70	1	1	1
Williams	165	156	5	5	–
Williston	---	93	4	4	–
Balance of county	---	63	1	1	–
Ohio	**95,972**	**96,385**	**2,508**	**1,838**	**1,626**
White	86,668	87,056	1,956	1,444	1,294
All other	9,304	9,329	552	394	332
Negro	9,220	9,249	545	390	322
Adams	211	252	9	6	5
Allen	1,397	1,033	37	29	18

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975—Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio—Con.					
Allen—Con.					
Lima	---	632	22	17	15
White	---	564	17	13	13
All other	---	68	5	4	2
Negro	---	67	5	4	2
Balance of county	---	401	15	12	3
Ashland	358	395	4	1	3
Ashland	---	185	1	–	1
Balance of county	---	210	3	1	2
Ashtabula	766	919	18	14	18
Ashtabula	---	249	3	2	6
Conneaut	---	142	3	2	4
Balance of county	---	528	12	10	8
Athens	441	446	15	9	7
Athens	---	78	2	2	2
Balance of county	---	368	13	7	5
Auglaize	260	327	11	9	8
Belmont	848	991	13	6	9
Martins Ferry	---	146	3	2	–
Balance of county	---	845	10	4	9
Brown	278	296	5	2	8
Butler	1,859	1,841	48	35	31
White	1,760	1,735	42	31	27
All other	99	106	6	4	4
Negro	99	106	6	4	4
Fairfield	---	102	3	3	2
Hamilton	---	694	21	16	12
Middletown	---	455	8	5	4
White	---	407	8	5	2
All other	---	48	–	–	2
Negro	---	48	–	–	2
Oxford	---	48	–	–	1
Balance of county	---	542	16	11	12
Carroll	91	200	10	6	1
Champaign	226	311	8	5	7
Urbana	---	132	3	1	2
Balance of county	---	179	5	4	5
Clark	1,444	1,424	43	35	34
White	1,299	1,269	29	24	28
All other	145	155	14	11	6
Negro	145	155	14	11	6
Springfield	---	1,023	32	25	20
White	---	869	19	15	14
All other	---	154	13	10	6
Negro	---	154	13	10	6
Balance of county	---	401	11	10	14
Clermont	361	705	29	27	16
Clinton	291	310	10	7	2
Wilmington	---	99	3	2	–
Balance of county	---	211	7	5	2
Columbiana	1,159	1,184	24	16	15
East Liverpool	---	274	4	4	4
Salem	---	158	2	1	1
Balance of county	---	752	18	11	10
Coshocton	378	399	9	6	7
Coshocton	---	201	5	3	1
Balance of county	---	198	4	3	6
Crawford	436	483	12	12	6
Bucyrus	---	142	4	4	3
Galion	---	148	4	4	1
Balance of county	---	193	4	4	2
Cuyahoga	16,732	16,087	374	288	230
White	13,639	13,015	223	176	137
All other	3,093	3,072	151	112	93
Negro	3,063	3,044	150	111	90
Bay Village	---	118	4	3	1
Bedford	---	147	4	4	2
Bedford Heights	---	91	4	3	1
Berea	---	138	1	1	–
Broadview Heights	---	80	5	4	–
Brooklyn	---	98	1	1	3
Brook Park	---	87	1	1	4
Cleveland	---	8,068	231	165	132
White	---	5,302	105	78	53
All other	---	2,766	126	87	79
Negro	---	2,745	125	86	78
Cleveland Heights	---	615	11	11	4
East Cleveland	---	323	9	9	5
White	---	182	–	–	–
All other	---	141	9	9	5
Negro	---	140	9	9	5
Euclid	---	600	8	8	12
Fairview Park	---	176	3	2	2
Garfield Heights	---	382	3	3	1
Lakewood	---	720	11	7	8
Lyndhurst	---	171	–	–	1
Maple Heights	---	288	4	3	4
Mayfield Heights	---	236	–	–	1
Middleburg Heights	---	93	2	2	1
North Olmstead	---	213	7	5	3

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio—Con.					
Cuyahoga—Con.					
North Royalton	---	95	2	2	–
Parma	---	802	17	16	14
Parma Heights	---	197	3	3	2
Rocky River	---	226	1	1	3
Seven Hills	---	104	1	1	–
Shaker Heights	---	326	6	6	1
White	---	289	2	2	1
All other	---	37	4	4	–
Negro	---	37	4	4	–
Solon	---	75	2	–	–
South Euclid	---	242	3	3	3
Strongsville	---	96	4	3	4
University Heights	---	122	4	4	–
Warrensville Heights	---	121	6	6	2
White	---	102	3	3	–
All other	---	19	3	3	2
Negro	---	19	3	3	1
Westlake	---	153	–	–	2
Balance of county	---	884	16	11	14
Darke	393	547	18	14	10
Greenville	---	205	4	4	3
Balance of county	---	342	14	10	7
Defiance	324	307	10	7	3
Defiance	---	161	6	4	1
Balance of county	---	146	4	3	2
Delaware	341	365	12	6	8
Delaware	---	150	5	2	3
Westerville, part	---	5	–	–	–
Balance of county	---	210	7	4	5
Erie	758	693	16	11	17
Sandusky	---	371	6	6	12
White	---	331	5	5	8
All other	---	40	1	1	4
Negro	---	40	1	1	4
Balance of county	---	322	10	5	5
Fairfield	599	739	18	12	13
Lancaster	---	357	12	8	5
Balance of county	---	382	6	4	8
Fayette	298	291	10	5	6
Washington	---	181	5	3	5
Balance of county	---	110	5	2	1
Franklin	7,595	6,623	246	181	136
White	6,543	5,579	170	129	100
All other	1,052	1,044	76	52	36
Negro	1,036	1,028	72	50	35
Bexley	---	106	1	1	1
Columbus	---	4,882	195	138	107
White	---	3,888	123	88	73
All other	---	994	72	50	34
Negro	---	983	68	48	34
Gahanna	---	70	6	6	1
Grove City	---	97	8	8	3
Reynoldsburg, part	---	78	2	2	7
Reynoldsburg, total	---	80	2	2	7
Upper Arlington	---	284	–	–	2
Westerville, part	---	83	5	4	–
Westerville, total	---	88	5	4	–
Whitehall	---	135	3	1	1
Worthington	---	95	1	1	–
Balance of county	---	793	25	20	14
Fulton	209	312	9	8	8
Gallia	459	281	9	6	6
Geauga	321	395	7	6	9
Greene	654	717	33	20	15
Fairborn	---	161	9	5	5
Xenia	---	191	9	5	6
White	---	147	6	2	5
All other	---	44	3	3	1
Negro	---	44	3	3	1
Balance of county	---	365	15	10	4
Guernsey	493	450	5	4	9
Cambridge	---	207	2	2	3
Balance of county	---	243	3	2	6
Hamilton	9,661	8,726	174	128	118
White	8,180	7,255	118	91	75
All other	1,481	1,471	56	37	43
Negro	1,472	1,462	56	37	41
Cheviot	---	127	1	1	2
Cincinnati	---	5,536	119	87	80
White	---	4,210	65	51	42
All other	---	1,326	54	36	38
Negro	---	1,318	54	36	36
Forest Park	---	39	3	3	1
North College Hill	---	114	–	–	–
Norwood	---	332	5	4	–
Reading	---	106	1	1	2
Sharonville	---	42	4	3	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio—Con.					
Hamilton—Con.					
Balance of county	---	2,430	41	29	33
White	---	2,287	39	28	29
All other	---	143	2	1	4
Negro	---	142	2	1	4
Hancock	701	576	5	3	12
Findlay	---	348	2	1	5
Fostoria, part	---	25	–	–	2
Balance of county	---	203	3	2	5
Hardin	305	352	10	9	4
Harrison	175	212	3	2	–
Henry	225	256	7	6	2
Highland	320	395	9	5	5
Hocking	185	225	4	3	1
Holmes	266	193	11	9	5
Huron	378	466	13	8	9
Norwalk	---	135	4	2	4
Balance of county	---	331	9	6	5
Jackson	199	313	4	4	6
Jefferson	939	1,066	26	22	16
Steubenville	---	396	9	9	7
White	---	354	8	8	5
All other	---	42	1	1	2
Negro	---	42	1	1	2
Balance of county	---	670	17	13	9
Knox	477	458	6	4	2
Mount Vernon	---	189	2	1	–
Balance of county	---	269	4	3	2
Lake	1,209	1,380	41	29	29
Eastlake	---	111	6	4	6
Mentor	---	204	9	7	8
Painesville	---	207	10	7	2
White	---	188	8	5	2
All other	---	19	2	2	–
Negro	---	19	2	2	–
Wickliffe	---	110	2	1	1
Willoughby	---	138	4	3	3
Willowick	---	146	1	–	2
Balance of county	---	464	9	7	7
Lawrence	422	601	15	10	11
Ironton	---	201	3	1	2
Balance of county	---	400	12	9	9
Licking	774	913	22	14	17
Newark	---	446	11	5	5
Reynoldsburg, part	---	2	–	–	–
Balance of county	---	465	11	9	12
Logan	338	432	12	9	9
Bellefontaine	---	149	5	3	5
Balance of county	---	283	7	6	4
Lorain	1,963	1,984	87	66	47
White	1,797	1,814	63	44	41
All other	166	170	24	22	6
Negro	166	170	24	22	6
Avon Lake	---	80	1	1	1
Elyria	---	446	19	14	11
White	---	390	10	7	8
All other	---	56	9	7	3
Negro	---	56	9	7	3
Lorain	---	699	34	26	15
White	---	624	23	15	13
All other	---	75	11	11	2
Negro	---	75	11	11	2
North Ridgeville	---	67	7	5	5
Balance of county	---	692	26	20	15
Lucas	5,503	4,910	105	68	96
White	4,979	4,381	73	50	75
All other	524	529	32	18	21
Negro	517	522	32	18	21
Maumee	---	116	2	2	1
Oregon	---	174	2	2	3
Sylvania	---	98	2	2	1
Toledo	---	4,043	87	53	82
White	---	3,542	58	36	61
All other	---	501	29	17	21
Negro	---	495	29	17	21
Balance of county	---	479	12	9	9
Madison	244	280	8	7	9
Mahoning	2,541	3,094	69	49	55
White	2,228	2,680	41	31	30
All other	313	414	28	18	25
Negro	312	412	27	18	25
Alliance, part	---	–	–	–	–
Campbell	---	102	3	2	1
White	---	82	–	–	1
All other	---	20	3	2	–
Negro	---	20	3	2	–
Struthers	---	141	–	–	1
Youngstown, part	---	1,685	42	27	31
White	---	1,309	17	11	7
All other	---	376	25	16	24
Negro	---	375	24	16	24

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio—Con.					
Mahoning—Con.					
Youngstown, total	---	1,688	42	27	31
White	---	1,312	17	11	7
All other	---	376	25	16	24
Negro	---	375	24	16	24
Balance of county	---	1,166	24	20	22
Marion	608	593	15	11	8
Marion	---	392	13	9	5
Balance of county	---	201	2	2	3
Medina	584	602	24	18	12
Brunswick	---	80	6	4	5
Medina	---	132	8	6	1
Wadsworth	---	102	4	4	1
Balance of county	---	288	6	4	5
Meigs	146	245	4	3	3
Mercer	241	310	8	6	9
Miami	714	780	20	17	16
Piqua	---	241	6	5	4
Troy	---	172	5	3	4
Balance of county	---	367	9	9	8
Monroe	51	197	1	1	4
Montgomery	5,314	4,726	148	94	82
White	4,514	3,954	90	57	53
All other	800	772	58	37	29
Negro	796	770	58	37	29
Centerville	---	52	2	1	4
Dayton	---	2,442	85	56	45
White	---	1,733	33	22	20
All other	---	709	52	34	25
Negro	---	708	52	34	25
Kettering	---	490	4	2	4
Miamisburg	---	114	5	1	3
Oakwood	---	128	–	–	–
Vandalia	---	54	2	1	–
West Carrollton	---	60	2	2	1
Balance of county	---	1,386	48	31	25
Morgan	96	142	1	1	2
Morrow	153	186	10	7	3
Muskingum	1,074	888	21	19	11
Zanesville	---	481	13	11	6
Balance of county	---	407	8	8	5
Noble	58	126	3	–	2
Ottawa	232	346	10	5	7
Paulding	113	171	3	2	2
Perry	97	312	4	1	8
Pickaway	284	345	9	9	7
Circleville	---	130	4	4	1
Balance of county	---	215	5	5	6
Pike	159	192	5	3	4
Portage	590	730	16	14	16
Kent	---	148	2	2	1
Ravenna	---	113	4	4	3
Balance of county	---	469	10	8	12
Preble	136	312	5	3	4
Putnam	106	264	10	8	10
Richland	1,113	1,119	32	25	19
Mansfield	---	691	22	17	8
White	---	625	15	12	7
All other	---	66	7	5	1
Negro	---	66	7	5	1
Balance of county	---	428	10	8	11
Ross	731	600	10	9	8
Chillicothe	---	320	3	3	6
Balance of county	---	280	7	6	2
Sandusky	516	543	12	10	6
Fremont	---	200	4	4	3
Balance of county	---	343	8	6	3
Scioto	1,045	979	23	17	10
Portsmouth	---	473	10	7	4
Balance of county	---	506	13	10	6
Seneca	331	552	12	9	13
Fostoria, part	---	141	6	3	4
Fostoria, total	---	175	6	3	6
Tiffin	---	200	1	1	5
Balance of county	---	211	5	5	4
Shelby	287	320	11	9	7
Sidney	---	171	8	6	2
Balance of county	---	149	3	3	5
Stark	3,705	3,337	92	69	48
White	3,521	3,150	79	64	43
All other	184	187	13	5	5
Negro	184	187	13	5	5
Alliance, part	---	291	14	7	2
White	---	267	11	7	2
All other	---	24	3	–	–
Negro	---	24	3	–	–
Alliance, total	---	291	14	7	2
White	---	267	11	7	2
All other	---	24	3	–	–
Negro	---	24	3	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Ohio—Con.					
Stark—Con.					
Canton	---	1,286	21	17	18
White	---	1,170	17	15	15
All other	---	116	4	2	3
Negro	---	116	4	2	3
Massillon	---	408	21	14	4
North Canton	---	97	1	1	1
Balance of county	---	1,255	35	30	23
Summit	4,721	4,689	124	89	66
White	4,263	4,221	79	51	49
All other	458	468	45	38	17
Negro	457	467	44	37	17
Akron	---	2,742	84	60	46
White	---	2,314	42	25	29
All other	---	428	42	35	17
Negro	---	427	41	34	17
Barberton	---	325	5	3	6
Cuyahoga Falls	---	358	7	6	1
Norton	---	58	2	1	–
Stow	---	119	4	3	4
Tallmadge	---	79	–	–	1
Balance of county	---	1,008	22	16	8
Trumbull	2,316	1,972	44	34	35
White	2,121	1,855	39	29	25
All other	195	117	5	5	10
Negro	193	115	5	5	9
Girard	---	123	4	1	1
Niles	---	179	5	4	3
Warren	---	689	16	13	16
White	---	598	11	8	9
All other	---	91	5	5	7
Negro	---	90	5	5	7
Youngstown, part	---	3	–	–	–
White	---	3	–	–	–
All other	---	–	–	–	–
Negro	---	–	–	–	–
Balance of county	---	978	19	16	15
Tuscarawas	773	897	17	16	15
Dover	---	137	3	3	3
New Philadelphia	---	194	3	2	1
Balance of county	---	566	11	11	11
Union	223	252	8	7	4
Van Wert	286	321	8	7	5
Van Wert	---	138	1	–	1
Balance of county	---	183	7	7	4
Vinton	52	124	4	3	4
Warren	243	557	17	8	9
Franklin	---	98	3	2	1
Balance of county	---	459	14	6	8
Washington	585	577	14	12	14
Marietta	---	197	5	5	1
Balance of county	---	380	9	7	13
Wayne	589	699	23	17	12
Wooster	---	193	9	9	1
Balance of county	---	506	14	8	11
Williams	292	339	9	6	6
Wood	427	686	24	18	12
Bowling Green	---	104	4	4	2
Fostoria, part	---	9	–	–	–
Balance of county	---	573	20	14	10
Wyandot	176	200	4	3	5
Oklahoma	26,413	27,194	690	487	403
White	23,751	24,478	537	384	290
All other	2,662	2,716	153	103	113
Negro	1,893	1,923	114	85	69
Adair	105	176	5	4	4
White	78	126	4	4	1
All other	27	50	1	–	3
Negro	–	–	–	–	–
Alfalfa	59	112	–	–	–
Atoka	110	124	2	1	2
White	96	109	2	1	1
All other	14	15	–	–	1
Negro	7	8	–	–	1
Beaver	53	54	2	1	–
Beckham	239	243	3	3	3
Blaine	172	209	3	2	–
White	157	181	3	2	–
All other	15	28	–	–	–
Negro	6	9	–	–	–
Bryan	259	350	7	7	7
Durant	---	155	4	4	1
Balance of county	---	195	3	3	6
Caddo	224	349	6	2	3
White	196	299	3	2	1
All other	28	50	3	–	2
Negro	1	7	–	–	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Oklahoma—Con.					
Canadian	238	346	7	5	4
El Reno	---	192	3	3	3
White	---	175	2	2	2
All other	---	17	1	1	1
Negro	---	12	1	1	–
Oklahoma City, part	---	3	–	–	–
Balance of county	---	151	4	2	1
Carter	482	485	10	9	7
White	446	438	8	7	6
All other	36	47	2	2	1
Negro	32	43	2	2	1
Ardmore	---	311	6	5	5
White	---	274	4	3	5
All other	---	37	2	2	–
Negro	---	33	2	2	–
Balance of county	---	174	4	4	2
White	---	164	4	4	1
All other	---	10	–	–	1
Negro	---	10	–	–	1
Cherokee	222	256	10	8	2
White	148	203	7	7	1
All other	74	53	3	1	1
Negro	5	5	–	–	–
Choctaw	198	247	2	1	1
White	161	193	2	1	–
All other	37	54	–	–	1
Negro	28	39	–	–	1
Cimarron	28	34	4	3	1
Cleveland	547	497	19	13	9
Moore	---	84	4	3	4
Norman	---	327	10	6	4
Oklahoma City, part	---	4	–	–	–
Balance of county	---	82	5	4	1
Coal	73	89	1	1	2
Comanche	659	607	39	22	15
White	563	531	32	19	10
All other	96	76	7	3	5
Negro	57	61	4	2	3
Lawton	---	465	27	12	13
White	---	404	23	11	9
All other	---	61	4	1	4
Negro	---	56	3	1	3
Balance of county	---	142	12	10	2
White	---	127	9	8	1
All other	---	15	3	2	1
Negro	---	5	1	1	–
Cotton	40	85	1	1	1
Craig	172	168	3	2	1
White	155	160	3	2	1
All other	17	8	–	–	–
Negro	11	4	–	–	–
Creek	434	486	19	14	7
Sapulpa	---	204	7	6	2
White	---	185	7	6	2
All other	---	19	–	–	–
Negro	---	16	–	–	–
Balance of county	---	282	12	8	5
Custer	293	257	3	3	3
Delaware	215	262	3	3	2
White	198	236	3	3	1
All other	17	26	–	–	1
Negro	–	–	–	–	–
Dewey	36	87	–	–	–
Ellis	104	86	4	4	2
Garfield	722	617	19	14	12
Enid	---	481	15	10	10
Balance of county	---	136	4	4	2
Garvin	309	333	2	1	6
Grady	358	383	7	5	3
Chickasha	---	225	3	2	2
White	---	208	3	2	1
All other	---	17	–	–	1
Negro	---	16	–	–	1
Balance of county	---	158	4	3	1
Grant	49	99	–	–	–
Greer	104	123	2	1	1
Harmon	66	84	–	–	1
Harper	64	66	1	1	–
Haskell	108	148	3	3	1
Hughes	206	201	–	–	2
White	175	179	–	–	1
All other	31	22	–	–	1
Negro	13	5	–	–	–
Jackson	246	275	11	9	6
Altus	---	192	9	8	4
White	---	172	5	4	2
All other	---	20	4	4	2
Negro	---	20	4	4	2
Balance of county	---	83	2	1	2
Jefferson	94	129	4	3	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

(See headnote at beginning of table)

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma—Con.					
Johnston	85	120	2	1	–
White	80	112	1	–	–
All other	5	8	1	1	–
Negro	2	3	–	–	–
Kay	552	571	8	6	8
Ponca City	---	300	1	1	3
Balance of county	---	271	7	5	5
Kingfisher	118	135	1	1	2
Kiowa	192	212	8	7	2
Latimer	111	118	2	1	1
Le Flore	258	408	12	6	2
Lincoln	163	232	5	5	1
Logan	226	294	5	3	3
White	193	248	2	1	2
All other	33	46	3	2	1
Negro	33	46	3	2	1
Love	51	79	1	1	–
McClain	115	167	7	2	3
Oklahoma City, part	---	2	–	–	–
Balance of county	---	165	7	2	3
McCurtain	262	382	14	9	4
White	203	294	8	7	4
All other	59	88	6	2	–
Negro	45	61	3	1	–
McIntosh	106	186	7	4	3
White	90	154	4	2	2
All other	16	32	3	2	1
Negro	11	19	3	2	–
Major	97	99	–	–	–
Marshall	128	148	1	1	3
Mayes	243	302	3	3	3
White	228	279	2	2	1
All other	15	23	1	1	2
Negro	–	1	–	–	–
Murray	207	166	3	1	2
Muskogee	983	759	13	9	12
White	771	567	9	5	10
All other	212	192	4	4	2
Negro	195	175	4	4	1
Muskogee	---	537	6	4	8
White	---	396	4	2	7
All other	---	141	2	2	1
Negro	---	129	2	2	–
Balance of county	---	222	7	5	4
White	---	171	5	3	3
All other	---	51	2	2	1
Negro	---	46	2	2	1
Noble	93	118	–	–	–
Nowata	96	132	4	2	2
White	89	125	4	2	2
All other	7	7	–	–	–
Negro	6	6	–	–	–
Okfuskee	115	173	2	2	2
White	84	122	1	1	1
All other	31	51	1	1	1
Negro	21	34	1	1	–
Oklahoma	5,753	4,755	184	127	79
White	5,063	4,173	128	83	47
All other	690	582	56	44	32
Negro	601	521	54	43	25
Bethany	---	118	–	–	3
Del City	---	132	13	11	2
Edmond	---	130	2	1	5
Midwest City	---	286	9	6	3
Oklahoma City, part	---	3,804	146	100	62
White	---	3,289	96	61	37
All other	---	515	50	39	25
Negro	---	468	48	38	22
Oklahoma City, total	---	3,813	146	100	62
White	---	3,298	96	61	37
All other	---	515	50	39	25
Negro	---	468	48	38	22
The Village	---	4	–	–	–
Balance of county	---	281	14	9	4
Okmulgee	360	465	2	1	3
White	294	378	–	–	1
All other	66	87	2	1	2
Negro	50	71	1	1	1
Okmulgee	---	219	1	1	–
White	---	162	–	–	–
All other	---	57	1	1	–
Negro	---	50	1	1	–
Balance of county	---	246	1	–	3
White	---	216	–	–	1
All other	---	30	1	–	2
Negro	---	21	–	–	1
Osage	208	333	2	1	1
White	181	299	2	1	1
All other	27	34	–	–	–
Negro	8	11	–	–	–
Oklahoma—Con.					
Osage—Con.					
Bartlesville, part	---	1	–	–	–
White	---	1	–	–	–
All other	---	–	–	–	–
Negro	---	–	–	–	–
Tulsa, part	---	4	–	–	–
White	---	4	–	–	–
All other	---	–	–	–	–
Negro	---	–	–	–	–
Balance of county	---	328	2	1	1
White	---	294	2	1	1
All other	---	34	–	–	–
Negro	---	11	–	–	–
Ottawa	303	370	2	2	6
Miami	---	178	–	–	3
Balance of county	---	192	2	2	3
Pawnee	146	172	2	2	1
Payne	376	401	15	13	11
Stillwater	---	159	6	6	3
Balance of county	---	242	9	7	8
Pittsburg	466	464	13	9	6
White	428	423	12	8	5
All other	38	41	1	1	1
Negro	30	32	1	1	–
McAlester	---	240	8	6	4
White	---	210	7	5	3
All other	---	30	1	1	1
Negro	---	25	1	1	–
Balance of county	---	224	5	3	2
Pontotoc	370	362	3	–	4
Ada	---	223	3	–	3
Balance of county	---	139	–	–	1
Pottawatomie	530	521	8	5	8
Oklahoma City, part	---	–	–	–	–
Shawnee	---	318	2	2	5
Balance of county	---	203	6	3	3
Pushmataha	114	134	2	2	5
Roger Mills	28	36	1	1	–
Rogers	254	297	8	6	6
Seminole	286	393	4	1	4
White	232	321	1	1	1
All other	54	72	3	–	3
Negro	31	38	1	–	2
Sequoyah	137	231	2	2	4
White	128	216	2	2	1
All other	9	15	–	–	3
Negro	2	5	–	–	2
Stephens	396	434	6	3	3
Duncan	---	232	1	1	1
Balance of county	---	202	5	2	2
Texas	109	157	7	4	5
Tillman	114	166	5	5	4
White	98	145	3	3	3
All other	16	21	2	2	1
Negro	16	21	2	2	1
Tulsa	4,025	3,590	109	82	65
White	3,588	3,180	86	68	49
All other	437	410	23	14	16
Negro	374	357	20	13	12
Broken Arrow	---	118	4	3	–
Sand Springs	---	125	2	2	1
Tulsa, part	---	2,962	88	65	57
White	---	2,589	69	53	42
All other	---	373	19	12	15
Negro	---	343	17	11	11
Tulsa, total	---	2,966	88	65	57
White	---	2,593	69	53	42
All other	---	373	19	12	15
Negro	---	343	17	11	11
Balance of county	---	385	15	12	7
Wagoner	141	217	2	1	5
White	128	181	1	1	2
All other	13	36	1	–	3
Negro	11	31	–	–	1
Washington	405	364	5	5	12
Bartlesville, part	---	244	4	4	8
Bartlesville, total	---	245	4	4	8
Balance of county	---	120	1	1	4
Washita	82	139	–	–	3
Woods	119	147	2	2	1
Woodward	202	178	6	3	4
Oregon	**20,184**	**20,176**	**502**	**330**	**296**
White	19,753	19,757	472	317	279
All other	431	419	30	13	17
Negro	216	216	13	8	10
Baker	164	183	4	1	3
Benton	350	342	14	14	8
Albany, part	---	1	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Oregon—Con.					
Benton—Con.					
Corvallis	---	197	7	7	5
Balance of county	---	144	7	7	3
Clackamas	1,326	1,471	52	29	20
Lake Oswego, part	---	129	6	5	4
Lake Oswego, total	---	130	6	5	5
Milwaukee, part	---	201	6	3	2
Milwaukee, total	---	201	6	3	2
Portland, part	---	2	–	–	–
Balance of county	---	1,139	40	21	14
Clatsop	276	316	5	4	5
Astoria	---	121	2	1	2
Balance of county	---	195	3	3	3
Columbia	199	275	5	5	8
Coos	496	521	8	2	10
Coos Bay	---	168	3	1	3
Balance of county	---	353	5	1	7
Crook	99	113	5	3	2
Curry	107	145	3	2	3
Deschutes	382	339	9	7	9
Bend	---	148	4	4	6
Balance of county	---	191	5	3	3
Douglas	676	668	20	14	13
Roseburg	---	205	6	4	5
Balance of county	---	463	14	10	8
Gilliam	6	17	1	1	–
Grant	65	82	1	1	2
Harney	58	64	2	1	2
Hood River	105	112	3	2	2
Jackson	1,023	981	29	19	12
Ashland	---	103	2	2	2
Medford	---	385	13	8	5
Balance of county	---	493	14	9	5
Jefferson	72	89	3	–	1
White	56	64	–	–	1
All other	16	25	3	–	–
Negro	–	1	–	–	–
Josephine	437	468	12	8	7
Grants Pass	---	200	3	2	3
Balance of county	---	268	9	6	4
Klamath	452	439	10	6	7
Klamath Falls	---	187	2	–	5
Balance of county	---	252	8	6	2
Lake	54	64	3	3	1
Lane	1,631	1,626	34	23	30
Eugene	---	706	15	11	8
Springfield	---	245	7	4	7
Balance of county	---	675	12	8	15
Lincoln	240	311	5	4	4
Linn	569	644	14	12	5
Albany, part	---	200	10	8	2
Albany, total	---	201	10	8	2
Balance of county	---	444	4	4	3
Malheur	260	224	7	5	7
Marion	1,569	1,570	49	34	16
Salem, part	---	839	19	12	7
Salem, total	---	937	20	13	9
Balance of county	---	731	30	22	9
Morrow	26	45	1	1	2
Multnomah	6,712	5,976	110	69	63
White	6,453	5,713	94	59	52
All other	259	263	16	10	11
Negro	182	193	12	8	8
Lake Oswego, part	---	1	–	–	–
Milwaukee, part	---	–	–	–	–
Portland, part	---	4,651	84	51	45
White	---	4,410	69	42	35
All other	---	241	15	9	10
Negro	---	186	12	8	8
Portland, total	---	4,659	85	51	45
White	---	4,418	70	42	35
All other	---	241	15	9	10
Negro	---	186	12	8	8
Balance of county	---	1,324	26	18	18
Polk	262	359	6	5	7
Salem, part	---	98	1	1	2
Balance of county	---	261	5	4	5
Sherman	10	18	1	–	–
Tillamook	176	203	4	3	2
Umatilla	396	448	12	9	5
Pendleton	---	128	4	2	2
Balance of county	---	320	8	7	3
Union	181	186	3	2	2
Wallowa	61	78	–	–	1
Wasco	226	209	3	–	2
City of the Dalles	---	136	1	–	–
Balance of county	---	73	2	–	2
Washington	1,138	1,156	57	39	23
Beaverton	---	171	5	2	3
Hillsboro	---	166	9	6	5
Oregon—Con.					
Washington—Con.					
Lake Oswego, part	---	–	–	–	1
Portland, part	---	6	1	–	–
Balance of county	---	813	42	31	14
Wheeler	4	10	1	–	–
Yamhill	376	424	6	2	12
McMinnville	---	123	1	–	4
Balance of county	---	301	5	2	8
Pennsylvania	**120,242**	**120,579**	**2,442**	**1,874**	**1,759**
White	109,376	109,739	1,884	1,471	1,388
All other	10,866	10,840	558	403	371
Negro	10,761	10,734	546	396	361
Adams	391	519	6	5	10
Allegheny	18,022	16,676	266	216	195
White	16,321	15,026	193	160	146
All other	1,701	1,650	73	56	49
Negro	1,694	1,645	72	55	47
Baldwin	---	192	4	3	3
Bellevue	---	147	1	1	1
Bethel Park	---	216	8	6	5
Brentwood	---	151	2	2	2
Carnegie	---	144	2	1	2
Castle Shannon	---	73	1	1	1
Clairton	---	184	2	1	–
White	---	140	1	1	–
All other	---	44	1	–	–
Negro	---	44	1	–	–
Dormont	---	131	–	–	–
Duquesne	---	174	3	3	1
White	---	150	1	1	–
All other	---	24	2	2	1
Negro	---	24	2	2	1
Harrison township†	---	142	4	4	–
McKees Rocks	---	165	4	4	2
McKeesport	---	525	3	3	6
White	---	485	2	2	6
All other	---	40	1	1	–
Negro	---	40	1	1	–
Monroeville	---	177	4	4	7
Mount Lebanon township†	---	396	1	1	2
Munhall	---	199	3	2	1
North Braddock	---	128	5	3	–
White	---	119	5	3	–
All other	---	9	–	–	–
Negro	---	9	–	–	–
North Versailles township†	---	91	2	1	3
Penn Hills township†	---	460	5	5	2
Pittsburgh	---	6,376	111	91	80
White	---	5,165	58	49	51
All other	---	1,211	53	42	29
Negro	---	1,208	53	42	28
Pleasant Hills	---	59	2	2	–
Plum	---	118	8	8	2
Ross township†	---	296	2	1	1
Scott township†	---	245	2	2	–
Shaler township†	---	259	7	4	1
Stowe township†	---	114	–	–	–
Swissvale	---	150	2	2	3
Upper St. Clair township†	---	67	–	–	–
West Mifflin	---	225	1	1	2
Whitehall	---	115	5	4	4
Wilkinsburg	---	355	5	5	5
White	---	320	1	1	1
All other	---	35	4	4	4
Negro	---	35	4	4	4
Balance of county	---	4,602	67	51	59
White	---	4,417	60	47	53
All other	---	185	7	4	6
Negro	---	184	7	4	6
Armstrong	540	789	13	12	8
Beaver	1,552	1,936	45	37	31
White	1,467	1,830	38	33	23
All other	85	106	7	4	8
Negro	85	106	7	4	8
Aliquippa	---	239	5	3	7
White	---	182	2	2	–
All other	---	57	3	1	7
Negro	---	57	3	1	7
Ambridge	---	149	1	1	2
Beaver Falls	---	187	6	4	5
White	---	169	4	3	4
All other	---	18	2	1	1
Negro	---	18	2	1	1
Ellwood City, part	---	9	–	–	–
Balance of county	---	1,352	33	29	17
Bedford	326	444	11	9	11

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania—Con.					
Berks	2,959	3,107	47	36	40
Reading	---	1,247	23	16	21
Balance of county	---	1,860	24	20	19
Blair	1,854	1,545	26	17	13
Altoona	---	806	15	8	4
Balance of county	---	739	11	9	9
Bradford	688	575	14	12	12
Bucks	2,939	3,034	68	48	51
Bensalem township†	---	171	6	4	4
Bristol	---	152	5	4	4
Bristol township†	---	305	10	9	3
Falls township†	---	115	3	3	2
Lower Southampton township†	---	82	1	1	–
Middletown township†	---	136	4	2	3
Morrisville	---	105	1	1	–
Upper Southampton township†	---	29	1	1	–
Warminster township†	---	136	4	1	3
Balance of county	---	1,803	33	22	32
Butler	1,036	1,175	19	15	16
Butler	---	245	5	5	3
Balance of county	---	930	14	10	13
Cambria	1,871	1,958	45	35	20
Johnstown	---	599	14	10	10
Balance of county	---	1,359	31	25	10
Cameron	24	59	–	–	4
Carbon	482	655	16	13	9
Centre	723	626	24	23	17
State College	---	106	2	2	4
Balance of county	---	520	22	21	13
Chester	2,058	2,190	70	56	42
White	1,856	1,969	54	44	33
All other	202	221	16	12	9
Negro	201	219	16	12	9
Coatesville	---	138	6	4	2
White	---	108	4	3	1
All other	---	30	2	1	1
Negro	---	30	2	1	1
Phoenixville	---	173	7	6	5
West Chester	---	221	12	11	6
White	---	174	10	9	3
All other	---	47	2	2	3
Negro	---	47	2	2	3
Balance of county	---	1,658	45	35	29
White	---	1,520	33	26	24
All other	---	138	12	9	5
Negro	---	136	12	9	5
Clarion	197	372	6	4	6
Clearfield	819	957	17	15	15
Du Bois	---	124	4	2	2
Balance of county	---	833	13	13	13
Clinton	309	357	11	8	8
Lock Haven	---	136	2	2	3
Balance of county	---	221	9	6	5
Columbia	644	623	11	11	16
Berwick	---	163	4	4	4
Bloomsburg	---	126	1	1	1
Balance of county	---	334	6	6	11
Crawford	813	896	22	12	27
Meadville	---	234	2	–	6
Balance of county	---	662	20	12	21
Cumberland	1,257	1,271	21	13	16
Carlisle	---	212	2	–	2
Balance of county	---	1,059	19	13	14
Dauphin	3,043	2,410	59	41	43
White	2,781	2,137	36	27	25
All other	262	273	23	14	18
Negro	254	271	23	14	18
Harrisburg	---	924	33	23	25
White	---	703	14	11	9
All other	---	221	19	12	16
Negro	---	221	19	12	16
Lower Paxton township†	---	165	3	3	2
Balance of county	---	1,321	23	15	16
Delaware	5,358	5,530	90	73	69
White	4,889	5,036	71	58	49
All other	469	494	19	15	20
Negro	467	487	19	15	19
Aston township†	---	101	4	3	1
Chester	---	613	16	11	13
White	---	346	3	2	3
All other	---	267	13	9	10
Negro	---	266	13	9	10
Collingdale	---	91	–	–	1
Darby	---	158	4	4	4
White	---	136	3	3	3
All other	---	22	1	1	1
Negro	---	22	1	1	1
Darby township†	---	46	–	–	–
White	---	23	–	–	–
All other	---	23	–	–	–
Negro	---	23	–	–	–
Pennsylvania—Con.					
Delaware—Con.					
Haverford township†	---	511	5	5	2
Lansdowne	---	169	2	2	–
Marple township†	---	198	5	4	3
Nether Providence township†	---	65	2	2	–
Radnor township†	---	193	1	–	1
Ridley township†	---	199	3	1	2
Springfield township†	---	196	5	5	1
Upper Chichester township†	---	74	2	2	–
Upper Darby township†	---	896	11	9	5
Yeadon	---	133	2	2	–
White	---	123	2	2	–
All other	---	10	–	–	–
Negro	---	10	–	–	–
Balance of county	---	1,887	28	23	36
Elk	333	346	4	2	8
Erie	2,773	2,648	91	67	59
Erie	---	1,429	48	34	25
Millcreek township†	---	342	9	8	7
Balance of county	---	877	34	25	27
Fayette	1,678	1,852	39	32	31
Connellsville	---	166	4	3	3
Uniontown	---	299	7	5	2
Balance of county	---	1,387	28	24	26
Forest	17	60	–	–	–
Franklin	822	940	18	14	14
Chambersburg	---	216	2	2	2
Waynesboro	---	128	3	2	1
Balance of county	---	596	13	10	11
Fulton	106	121	1	–	3
Greene	321	445	9	7	2
Huntingdon	367	437	14	10	6
Indiana	600	770	19	17	14
Indiana	---	100	1	1	3
Balance of county	---	670	18	16	11
Jefferson	476	553	11	9	–
Juniata	137	172	3	2	4
Lackawanna	2,989	2,953	31	22	25
Carbondale	---	195	2	2	1
Dunmore	---	223	3	2	–
Scranton	---	1,455	19	14	14
Balance of county	---	1,080	7	4	10
Lancaster	3,118	3,029	79	48	59
Columbia	---	152	–	–	3
Lancaster	---	672	13	9	16
Lancaster township†	---	111	3	3	–
Balance of county	---	2,094	63	36	40
Lawrence	1,165	1,119	17	14	19
Ellwood City, part	---	106	2	2	3
Ellwood City, total	---	115	2	2	3
New Castle	---	509	6	5	8
Balance of county	---	504	9	7	8
Lebanon	1,051	993	24	16	12
Lebanon	---	332	8	5	5
Balance of county	---	661	16	11	7
Lehigh	3,186	2,433	48	37	33
Allentown	---	1,238	18	12	15
Bethlehem, part	---	183	6	5	1
Emmaus	---	84	2	2	1
Balance of county	---	928	22	18	16
Luzerne	4,357	4,306	50	39	42
Hazleton	---	430	2	2	1
Kingston	---	226	4	3	2
Nanticoke	---	235	1	1	2
Pittston	---	139	2	2	2
Wilkes-Barre	---	777	8	5	14
Balance of county	---	2,499	33	26	21
Lycoming	1,265	1,239	27	24	14
Williamsport	---	464	14	12	9
Balance of county	---	775	13	12	5
McKean	486	564	7	6	10
Bradford	---	182	2	1	3
Balance of county	---	382	5	5	7
Mercer	1,352	1,248	28	14	18
Farrell	---	118	1	–	1
White	---	81	–	–	–
All other	---	37	1	–	1
Negro	---	37	1	–	1
Sharon	---	245	8	4	3
Balance of county	---	885	19	10	14
Mifflin	424	432	13	12	14
Lewistown	---	140	–	–	5
Balance of county	---	292	13	12	9
Monroe	629	575	8	5	4
Montgomery	6,360	5,516	82	63	71
White	5,964	5,281	65	51	59
All other	396	235	17	12	12
Negro	390	228	17	12	9
Abington township†	---	530	10	9	4
Cheltenham township†	---	371	–	–	2
Conshohocken	---	131	3	3	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Pennsylvania—Con.					
Montgomery—Con.					
East Norriton township†	---	66	4	4	–
Lansdale	---	224	1	–	5
Lower Merion township†	---	557	4	2	1
Lower Moreland township†	---	49	–	–	–
Norristown	---	428	13	10	8
White	---	371	8	6	3
All other	---	57	5	4	5
Negro	---	57	5	4	5
Plymouth township†	---	81	2	2	–
Pottstown	---	245	6	3	8
Springfield township†	---	185	–	–	–
Upper Moreland township†	---	142	1	–	5
West Norriton township†	---	67	–	–	–
Balance of county	---	2,440	38	30	38
Montour	756	183	3	1	1
Northampton	1,287	2,033	33	27	28
Bethlehem, part	---	575	8	7	4
Bethlehem, total	---	758	14	12	5
Easton	---	322	11	8	2
Balance of county	---	1,136	14	12	22
Northumberland	762	1,206	15	12	13
Shamokin	---	181	2	2	1
Sunbury	---	180	5	2	1
Balance of county	---	845	8	8	11
Perry	126	262	7	4	6
Philadelphia, coext. with Philadelphia city	21,664	21,594	576	440	372
White	15,057	14,923	248	200	149
All other	6,607	6,671	328	240	223
Negro	6,554	6,628	326	239	219
Pike	86	180	2	2	1
Potter	154	173	2	1	4
Schuylkill	2,014	2,166	26	23	16
Pottsville	---	264	4	4	3
Balance of county	---	1,902	22	19	13
Snyder	171	264	7	5	9
Somerset	800	825	14	10	17
Sullivan	53	81	3	2	–
Susquehanna	276	357	14	12	11
Tioga	340	420	5	3	5
Union	373	273	6	6	5
Venango	713	677	14	11	14
Oil City	---	165	1	–	5
Balance of county	---	512	13	11	9
Warren	520	479	7	6	10
Warren	---	184	2	1	4
Balance of county	---	295	5	5	6
Washington	2,124	2,243	47	35	28
Canonsburg	---	126	2	1	2
Washington	---	266	11	9	2
White	---	243	10	8	2
All other	---	23	1	1	–
Negro	---	23	1	1	–
Balance of county	---	1,851	34	25	24
Wayne	287	373	8	6	6
Westmoreland	3,256	3,645	58	46	33
Greensburg	---	204	3	3	1
Hempfield township†	---	259	3	–	2
Jeannette	---	173	5	5	3
Latrobe	---	128	–	–	1
Lower Burrell	---	106	–	–	1
Monessen	---	178	1	1	1
New Kensington	---	269	4	2	1
North Huntington township†	---	169	4	4	1
Balance of county	---	2,159	38	31	22
Wyoming	143	200	4	3	2
York	2,420	2,490	61	48	37
Hanover	---	196	5	5	4
Spring Garden township†	---	92	1	–	–
York	---	649	24	17	13
White	---	579	16	12	10
All other	---	70	8	5	3
Negro	---	70	8	5	3
Balance of county	---	1,553	31	26	20
Rhode Island	9,037	8,898	156	107	160
White	8,837	8,692	141	98	146
All other	200	206	15	9	14
Negro	184	188	15	9	13
Bristol	205	365	7	5	5
Barrington	---	126	3	2	2
Bristol	---	129	3	2	3
Warren	---	109	1	1	–
Balance of county	---	1	–	–	–
Kent	1,014	1,311	21	13	22
Warwick	---	814	11	6	16
West Warwick town†	---	226	3	2	4
Balance of county	---	271	7	5	2
Rhode Island—Con.					
Newport	483	600	17	12	9
Middletown town†	---	94	3	2	2
Newport	---	294	9	6	2
Balance of county	---	212	5	4	5
Providence	6,779	6,043	102	72	114
White	6,618	5,881	89	64	101
All other	161	162	13	8	13
Negro	153	154	13	8	13
Central Falls	---	233	5	3	6
Cranston	---	726	6	6	9
Cumberland town†	---	189	6	5	2
East Providence	---	493	6	6	15
North Providence town†	---	230	2	1	5
Pawtucket	---	912	15	10	11
Providence	---	1,984	31	21	39
White	---	1,854	19	14	31
All other	---	130	12	7	8
Negro	---	126	12	7	8
Woonsocket	---	514	11	6	12
Balance of county	---	762	20	14	15
Washington	556	579	9	5	10
North Kingstown town†	---	99	3	1	3
Balance of county	---	480	6	4	7
South Carolina	22,978	23,497	907	644	638
White	15,195	15,585	435	321	282
All other	7,783	7,912	472	323	356
Negro	7,761	7,895	470	321	354
Abbeville	162	211	5	1	2
White	103	147	3	1	1
All other	59	64	2	–	1
Negro	59	64	2	–	1
Aiken	533	818	17	12	21
White	361	586	8	6	18
All other	172	232	9	6	3
Negro	171	231	9	6	3
Aiken	---	178	4	3	–
White	---	112	1	1	–
All other	---	66	3	2	–
Negro	---	66	3	2	–
North Augusta	---	106	–	–	2
Balance of county	---	534	13	9	19
White	---	377	7	5	17
All other	---	157	6	4	2
Negro	---	156	6	4	2
Allendale	86	101	6	4	3
White	33	33	1	1	2
All other	53	68	5	3	1
Negro	53	68	5	3	1
Anderson	940	994	36	21	22
White	776	797	27	15	13
All other	164	197	9	6	9
Negro	164	197	9	6	9
Anderson	---	346	8	6	7
White	---	255	6	4	3
All other	---	91	2	2	4
Negro	---	91	2	2	4
Balance of county	---	648	28	15	15
White	---	542	21	11	10
All other	---	106	7	4	5
Negro	---	106	7	4	5
Bamberg	138	170	10	9	2
White	68	91	3	3	–
All other	70	79	7	6	2
Negro	70	79	7	6	2
Barnwell	131	171	9	5	8
White	68	106	3	1	2
All other	63	65	6	4	6
Negro	63	65	6	4	6
Beaufort	290	315	25	14	10
White	153	163	12	7	7
All other	137	152	13	7	3
Negro	137	152	13	7	3
Berkeley	209	390	23	18	21
White	110	235	13	10	13
All other	99	155	10	8	8
Negro	99	155	10	8	8
Calhoun	60	115	3	2	5
White	22	60	–	–	–
All other	38	55	3	2	5
Negro	38	55	3	2	5
Charleston	2,418	1,806	78	56	59
White	1,438	1,059	35	24	28
All other	980	747	43	32	31
Negro	975	745	43	32	30
Charleston	---	806	21	15	18
White	---	397	9	7	6
All other	---	409	12	8	12
Negro	---	409	12	8	12

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
South Carolina—Con.					
Charleston—Con.					
Balance of county	---	1,000	57	41	41
White	---	662	26	17	22
All other	---	338	31	24	19
Negro	---	336	31	24	18
Cherokee	318	380	12	9	7
White	258	310	9	8	3
All other	60	70	3	1	4
Negro	60	70	3	1	4
Gaffney	---	139	4	3	4
White	---	91	3	2	1
All other	---	48	1	1	3
Negro	---	48	1	1	3
Balance of county	---	241	8	6	3
White	---	219	6	6	2
All other	---	22	2	–	1
Negro	---	22	2	–	1
Chester	249	341	14	10	3
White	145	213	3	3	2
All other	104	128	11	7	1
Negro	104	128	11	7	1
Chesterfield	230	323	18	14	14
White	130	183	5	3	2
All other	100	140	13	11	12
Negro	100	140	13	11	12
Clarendon	232	278	9	5	6
White	78	100	1	1	–
All other	154	178	8	4	6
Negro	154	178	8	4	6
Colleton	290	312	6	4	7
White	180	180	3	1	1
All other	110	132	3	3	6
Negro	110	132	3	3	6
Darlington	473	549	21	17	15
White	291	339	5	5	6
All other	182	210	16	12	9
Negro	182	210	16	12	9
Dillon	167	285	21	15	11
White	95	165	11	8	5
All other	72	120	10	7	6
Negro	70	118	10	7	6
Dorchester	180	296	7	6	14
White	118	182	6	5	9
All other	62	114	1	1	5
Negro	62	114	1	1	5
Edgefield	115	180	7	4	3
White	52	87	1	1	2
All other	63	93	6	3	1
Negro	63	93	6	3	1
Fairfield	120	187	4	3	8
White	52	86	2	2	2
All other	68	101	2	1	6
Negro	68	101	2	1	6
Florence	1,070	913	57	48	22
White	629	529	21	21	6
All other	441	384	36	27	16
Negro	438	383	36	27	16
Florence	---	361	19	14	7
White	---	197	7	7	2
All other	---	164	12	7	5
Negro	---	163	12	7	5
Balance of county	---	552	38	34	15
White	---	332	14	14	4
All other	---	220	24	20	11
Negro	---	220	24	20	11
Georgetown	339	341	11	7	11
White	180	176	3	2	1
All other	159	165	8	5	10
Negro	158	164	8	5	10
Georgetown	---	99	2	1	3
White	---	49	–	–	–
All other	---	50	2	1	3
Negro	---	50	2	1	3
Balance of county	---	242	9	6	8
White	---	127	3	2	1
All other	---	115	6	4	7
Negro	---	114	6	4	7
Greenville	2,302	2,138	76	52	36
White	1,888	1,729	54	37	19
All other	414	409	22	15	17
Negro	413	408	22	15	17
Greenville	---	695	27	18	16
White	---	425	15	11	4
All other	---	270	12	7	12
Negro	---	269	12	7	12
Greer, part	---	109	6	4	–
White	---	91	4	3	–
All other	---	18	2	1	–
Negro	---	18	2	1	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
South Carolina—Con.					
Greenville—Con.					
Greer, total	---	168	7	5	1
White	---	132	5	4	1
All other	---	36	2	1	–
Negro	---	36	2	1	–
Balance of county	---	1,334	43	30	20
White	---	1,213	35	23	15
All other	---	121	8	7	5
Negro	---	121	8	7	5
Greenwood	609	490	16	12	14
White	430	345	7	5	6
All other	179	145	9	7	8
Negro	179	145	9	7	8
Greenwood	---	221	10	7	5
White	---	147	4	2	1
All other	---	74	6	5	4
Negro	---	74	6	5	4
Balance of county	---	269	6	5	9
White	---	198	3	3	5
All other	---	71	3	2	4
Negro	---	71	3	2	4
Hampton	157	194	7	4	7
White	66	97	2	1	–
All other	91	97	5	3	7
Negro	91	97	5	3	7
Horry	717	678	27	16	26
White	560	535	12	9	12
All other	157	143	15	7	14
Negro	154	142	15	7	14
Jasper	73	121	6	5	6
White	32	52	4	4	1
All other	41	69	2	1	5
Negro	41	69	2	1	5
Kershaw	265	328	9	7	8
White	160	213	5	4	5
All other	105	115	4	3	3
Negro	105	115	4	3	3
Lancaster	320	369	25	19	17
White	229	257	10	8	10
All other	91	112	15	11	7
Negro	91	112	15	11	7
Laurens	409	490	19	17	13
White	267	336	8	7	3
All other	142	154	11	10	10
Negro	142	154	11	10	10
Laurens	---	124	2	2	2
White	---	79	–	–	–
All other	---	45	2	2	2
Negro	---	45	2	2	2
Balance of county	---	366	17	15	11
White	---	257	8	7	3
All other	---	109	9	8	8
Negro	---	109	9	8	8
Lee	128	188	19	16	9
White	48	79	3	3	4
All other	80	109	16	13	5
Negro	80	109	16	13	5
Lexington	511	731	24	19	19
White	431	629	16	14	13
All other	80	102	8	5	6
Negro	80	101	8	5	6
McCormick	40	93	5	4	3
White	19	40	2	1	–
All other	21	53	3	3	3
Negro	21	53	3	3	3
Marion	431	340	19	15	16
White	217	155	5	4	4
All other	214	185	14	11	12
Negro	213	184	13	10	12
Marlboro	257	261	16	12	16
White	147	149	7	5	2
All other	110	112	9	7	14
Negro	110	111	9	7	14
Newberry	262	335	3	3	6
White	167	226	3	3	4
All other	95	109	–	–	2
Negro	95	109	–	–	2
Oconee	359	414	15	12	8
White	308	362	14	11	6
All other	51	52	1	1	2
Negro	51	52	1	1	2
Orangeburg	812	738	25	16	17
White	434	363	3	2	2
All other	378	375	22	14	15
Negro	378	375	22	14	15
Orangeburg	---	175	7	4	4
White	---	113	–	–	1
All other	---	62	7	4	3
Negro	---	62	7	4	3

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
South Carolina—Con.					
Orangeburg—Con.					
Balance of county	---	563	18	12	13
White	---	250	3	2	1
All other	---	313	15	10	12
Negro	---	313	15	10	12
Pickens	379	480	14	9	11
Easley	---	120	2	2	8
White	---	95	2	2	7
All other	---	25	–	–	1
Negro	---	25	–	–	1
Balance of county	---	360	12	7	3
Richland	2,767	1,695	51	31	42
White	1,764	1,040	24	15	15
All other	1,003	655	27	16	27
Negro	1,001	654	27	16	26
Columbia	---	1,094	29	20	22
White	---	673	15	10	7
All other	---	421	14	10	15
Negro	---	421	14	10	15
Balance of county	---	601	22	11	20
White	---	367	9	5	8
All other	---	234	13	6	12
Negro	---	233	13	6	11
Saluda	90	160	7	4	8
White	64	114	4	3	1
All other	26	46	3	1	7
Negro	26	46	3	1	7
Spartanburg	1,620	1,752	45	32	28
White	1,271	1,379	26	22	19
All other	349	373	19	10	9
Negro	349	373	19	10	9
Greer, part	---	59	1	1	1
White	---	41	1	1	1
All other	---	18	–	–	–
Negro	---	18	–	–	–
Spartanburg	---	521	12	8	5
White	---	352	2	2	2
All other	---	169	10	6	3
Negro	---	169	10	6	3
Balance of county	---	1,172	32	23	22
White	---	986	23	19	16
All other	---	186	9	4	6
Negro	---	186	9	4	6
Sumter	581	611	29	19	18
White	287	296	15	10	7
All other	294	315	14	9	11
Negro	294	315	14	9	11
Sumter	---	292	14	9	5
White	---	145	7	5	2
All other	---	147	7	4	3
Negro	---	147	7	4	3
Balance of county	---	319	15	10	13
White	---	151	8	5	5
All other	---	168	7	5	8
Negro	---	168	7	5	8
Union	238	314	11	7	8
White	171	233	8	7	4
All other	67	81	3	–	4
Negro	67	80	3	–	4
Union	---	124	6	5	3
White	---	95	5	5	2
All other	---	29	1	–	1
Negro	---	28	1	–	1
Balance of county	---	190	5	2	5
White	---	138	3	2	2
All other	---	52	2	–	3
Negro	---	52	2	–	3
Williamsburg	241	350	16	11	11
White	97	156	4	2	3
All other	144	194	12	9	8
Negro	144	194	12	9	8
York	660	751	24	18	17
White	479	550	13	9	9
All other	181	201	11	9	8
Negro	178	198	10	8	8
Rock Hill	---	303	8	6	3
White	---	202	5	4	–
All other	---	101	3	2	3
Negro	---	101	3	2	3
Balance of county	---	448	16	12	14
White	---	348	8	5	9
All other	---	100	8	7	5
Negro	---	97	7	6	5
South Dakota	**6,434**	**6,484**	**181**	**124**	**124**
White	6,029	6,021	133	99	98
All other	405	463	48	25	26
Negro	11	9	2	2	2
Aurora	14	24	–	–	–

See footnotes at end of table.

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
South Dakota—Con.					
Beadle	236	202	2	2	–
Huron	---	159	1	1	–
Balance of county	---	43	1	1	–
Bennett	15	26	2	–	1
White	8	17	1	–	1
All other	7	9	1	–	–
Negro	–	–	–	–	–
Bon Homme	80	85	–	–	1
Brookings	141	165	5	3	4
Brookings	---	97	5	3	4
Balance of county	---	68	–	–	–
Brown	386	295	7	4	8
Aberdeen	---	221	5	3	6
Balance of county	---	74	2	1	2
Brule	65	49	–	–	–
Buffalo	5	18	–	–	2
White	3	7	–	–	–
All other	2	11	–	–	2
Negro	–	–	–	–	–
Butte	69	75	4	4	1
Campbell	4	27	–	–	–
Charles Mix	108	118	3	1	3
Clark	34	76	1	–	–
Clay	85	104	3	1	3
Codington	259	214	3	1	3
Watertown	---	168	3	1	3
Balance of county	---	46	–	–	–
Corson	32	51	6	4	3
White	19	28	3	1	–
All other	13	23	3	3	3
Negro	–	–	–	–	–
Custer	65	65	–	–	2
Davison	252	206	7	6	4
Mitchell	---	168	5	5	4
Balance of county	---	38	2	1	–
Day	75	104	1	1	1
Deuel	42	62	–	–	1
Dewey	26	39	7	4	3
White	6	17	–	–	1
All other	20	22	7	4	2
Negro	–	–	–	–	–
Douglas	48	57	–	–	1
Edmunds	47	49	–	–	1
Fall River	190	124	6	4	–
Faulk	27	43	1	1	–
Grant	77	89	2	2	1
Gregory	59	72	1	–	1
Haakon	21	33	2	2	1
Hamlin	36	79	1	1	–
Hand	41	51	–	–	–
Hanson	6	27	–	–	1
Harding	7	12	–	–	1
Hughes	121	100	4	4	3
Hutchinson	145	142	4	3	–
Hyde	10	23	–	–	–
Jackson	31	24	–	–	1
Jerauld	42	45	–	–	1
Jones	5	14	–	–	1
Kingsbury	112	107	1	1	1
Lake	102	108	3	2	–
Lawrence	130	149	2	2	5
Lincoln	66	124	3	3	3
Sioux Falls, part	---	1	–	–	–
Balance of county	---	123	3	3	3
Lyman	6	34	–	–	1
White	5	24	–	–	–
All other	1	10	–	–	1
Negro	–	–	–	–	–
McCook	39	74	–	–	–
McPherson	38	54	1	1	–
Marshall	62	83	1	–	2
Meade	144	108	5	3	5
Mellette	9	26	–	–	–
White	4	8	–	–	–
All other	5	18	–	–	–
Negro	–	–	–	–	–
Miner	21	53	–	–	1
Minnehaha	1,215	807	29	24	13
Sioux Falls, part	---	657	22	18	11
Sioux Falls, total	---	658	22	18	11
Balance of county	---	150	7	6	2
Moody	60	78	1	1	–
Pennington	510	413	21	17	11
Rapid City	---	312	14	11	7
Balance of county	---	101	7	6	4
Perkins	21	51	–	–	1
Potter	52	56	1	1	1
Roberts	128	152	6	4	2
White	101	125	3	2	1
All other	27	27	3	2	1
Negro	–	–	–	–	–

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
South Dakota—Con.					
Sanborn	14	50	1	–	–
Shannon	60	111	14	4	7
White	5	5	–	–	–
All other	55	106	14	4	7
Negro	–	–	–	–	–
Spink	77	117	–	–	3
Stanley	13	20	–	–	–
Sully	4	17	1	1	1
Todd	64	83	6	4	4
White	5	14	1	1	1
All other	59	69	5	3	3
Negro	–	–	–	–	–
Tripp	67	83	2	–	1
Turner	87	134	2	2	3
Union	47	102	2	1	2
Walworth	72	78	3	2	1
Washabaugh	5	18	–	–	–
White	–	2	–	–	–
All other	5	16	–	–	–
Negro	–	–	–	–	–
Yankton	284	175	3	2	2
Yankton	– – –	126	1	1	2
Balance of county	– – –	49	2	1	–
Ziebach	19	30	1	1	1
White	4	10	–	–	–
All other	15	20	1	1	1
Negro	–	–	–	–	–
Tennessee	**40,978**	**38,564**	**1,008**	**734**	**739**
White	33,530	31,537	674	488	491
All other	7,448	7,027	334	246	248
Negro	7,425	7,009	334	246	246
Anderson	454	470	11	11	11
Oak Ridge, part	– – –	170	4	4	–
Oak Ridge, total	– – –	173	4	4	–
Balance of county	– – –	300	7	7	11
Bedford	236	293	3	3	4
White	207	255	3	3	3
All other	29	38	–	–	1
Negro	29	38	–	–	1
Shelbyville	– – –	154	3	3	2
White	– – –	131	3	3	1
All other	– – –	23	–	–	1
Negro	– – –	23	–	–	1
Balance of county	– – –	139	–	–	2
Benton	184	170	2	2	1
Bledsoe	64	85	2	1	1
Blount	546	590	14	10	6
Maryville	– – –	202	6	4	1
Balance of county	– – –	388	8	6	5
Bradley	413	404	19	11	7
Cleveland	– – –	249	13	6	6
Balance of county	– – –	155	6	5	1
Campbell	257	296	8	6	8
Cannon	84	103	1	1	1
Carroll	233	330	1	1	3
White	197	284	1	1	2
All other	36	46	–	–	1
Negro	36	46	–	–	1
Carter	330	427	6	5	15
Elizabethton	– – –	143	2	2	1
Balance of county	– – –	284	4	3	14
Cheatham	58	146	5	4	2
Chester	63	124	1	1	1
White	55	108	1	1	–
All other	8	16	–	–	1
Negro	8	16	–	–	1
Claiborne	217	234	3	3	4
Clay	47	70	–	–	2
Cocke	214	273	9	5	7
Coffee	362	328	10	6	6
Tullahoma, part	– – –	143	6	3	–
Tullahoma, total	– – –	144	6	3	–
Balance of county	– – –	185	4	3	6
Crockett	56	172	2	2	2
White	48	142	1	1	1
All other	8	30	1	1	1
Negro	8	30	1	1	1
Cumberland	315	234	3	3	2
Davidson, coext. with Nashville city	5,401	3,962	113	81	77
White	4,277	3,005	70	52	41
All other	1,124	957	43	29	36
Negro	1,122	955	43	29	36
Decatur	86	119	–	–	2
De Kalb	134	138	3	3	–
Dickson	254	247	3	3	4
Dyer	381	383	6	3	2
White	318	318	4	3	2
All other	63	65	2	–	–
Negro	63	65	2	–	–
Tennessee—Con.					
Dyer—Con.					
Dyersburg	– – –	204	5	3	–
White	– – –	153	3	3	–
All other	– – –	51	2	–	–
Negro	– – –	51	2	–	–
Balance of county	– – –	179	1	–	2
Fayette	119	183	7	5	14
White	58	88	1	1	–
All other	61	95	6	4	14
Negro	61	95	6	4	14
Fentress	108	155	3	3	1
Franklin	238	276	3	2	1
Tullahoma, part	– – –	1	–	–	–
Balance of county	– – –	275	3	2	1
Gibson	544	571	17	13	10
White	430	452	8	7	6
All other	114	119	9	6	4
Negro	113	118	9	6	4
Humboldt	– – –	122	6	4	2
White	– – –	81	1	1	–
All other	– – –	41	5	3	2
Negro	– – –	41	5	3	2
Balance of county	– – –	449	11	9	8
White	– – –	371	7	6	6
All other	– – –	78	4	3	2
Negro	– – –	77	4	3	2
Giles	195	282	8	6	6
White	168	236	7	5	4
All other	27	46	1	1	2
Negro	27	46	1	1	2
Grainger	40	132	1	–	4
Greene	493	441	13	9	8
Greenville	– – –	140	3	3	2
Balance of county	– – –	301	10	6	6
Grundy	71	142	1	1	3
Hamblen	344	347	13	10	2
Morristown	– – –	206	6	3	–
Balance of county	– – –	141	7	7	2
Hamilton	2,834	2,506	66	52	47
White	2,285	1,950	44	33	37
All other	549	556	22	19	10
Negro	548	556	22	19	10
Chattanooga	– – –	1,729	49	38	31
White	– – –	1,197	27	19	21
All other	– – –	532	22	19	10
Negro	– – –	532	22	19	10
East Ridge	– – –	177	1	1	–
Red Bank	– – –	104	3	2	1
Balance of county	– – –	496	13	11	15
Hancock	46	74	6	3	2
Hardeman	256	246	14	10	6
White	168	163	3	1	1
All other	88	83	11	9	5
Negro	88	83	11	9	5
Hardin	166	200	4	2	2
Hawkins	133	306	6	5	7
Kingsport, part	– – –	–	–	–	–
Balance of county	– – –	306	6	5	7
Haywood	206	228	14	12	7
White	105	105	2	2	–
All other	101	123	12	10	7
Negro	101	123	12	10	7
Henderson	188	233	4	4	–
White	168	209	4	4	–
All other	20	24	–	–	–
Negro	20	24	–	–	–
Henry	317	333	7	4	4
White	275	285	6	3	2
All other	42	48	1	1	2
Negro	42	48	1	1	2
Hickman	71	128	1	1	–
Houston	60	57	2	1	–
Humphreys	103	146	2	2	4
Jackson	87	118	–	–	3
Jefferson	209	241	3	–	3
Johnson	88	111	2	1	2
Knox	3,560	2,626	64	46	41
White	3,222	2,320	52	37	31
All other	338	306	12	9	10
Negro	335	305	12	9	10
Knoxville	– – –	1,843	51	35	25
White	– – –	1,550	39	26	15
All other	– – –	293	12	9	10
Negro	– – –	292	12	9	10
Balance of county	– – –	783	13	11	16
Lake	72	109	5	4	1
White	49	77	2	2	1
All other	23	32	3	2	–
Negro	23	32	3	2	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee—Con.					
Lauderdale	168	267	13	9	9
White	108	170	5	2	4
All other	60	97	8	7	5
Negro	58	95	8	7	5
Lawrence	261	302	8	5	4
Lewis	56	74	2	1	3
Lincoln	208	282	6	4	2
White	181	249	3	3	2
All other	27	33	3	1	–
Negro	27	33	3	1	–
Loudon	182	258	4	2	5
McMinn	358	382	14	7	9
Athens	---	124	3	1	–
Balance of county	---	258	11	6	9
McNairy	166	226	1	1	3
Macon	102	147	2	1	1
Madison	1,050	755	18	16	13
White	742	499	6	6	5
All other	308	256	12	10	8
Negro	307	254	12	10	8
Jackson	---	523	13	12	10
White	---	334	3	3	4
All other	---	189	10	9	6
Negro	---	188	10	9	6
Balance of county	---	232	5	4	3
White	---	165	3	3	1
All other	---	67	2	1	2
Negro	---	66	2	1	2
Marion	183	234	3	3	2
Marshall	211	200	2	2	1
White	182	179	2	2	1
All other	29	21	–	–	–
Negro	29	21	–	–	–
Maury	460	465	9	6	3
White	386	371	6	5	1
All other	74	94	3	1	2
Negro	74	94	3	1	2
Columbia	---	231	5	3	3
White	---	178	3	3	1
All other	---	53	2	–	2
Negro	---	53	2	–	2
Balance of county	---	234	4	3	–
White	---	193	3	2	–
All other	---	41	1	1	–
Negro	---	41	1	1	–
Meigs	20	57	2	–	2
Monroe	195	234	10	7	5
Montgomery	440	498	28	19	22
White	354	392	20	13	14
All other	86	106	8	6	8
Negro	86	106	8	6	7
Clarksville	---	301	18	13	16
White	---	226	12	8	9
All other	---	75	6	5	7
Negro	---	75	6	5	6
Balance of county	---	197	10	6	6
White	---	166	8	5	5
All other	---	31	2	1	1
Negro	---	31	2	1	1
Moore	9	43	–	–	1
Morgan	40	138	1	1	1
Obion	408	387	7	7	8
Union City	---	161	2	2	4
White	---	130	–	–	2
All other	---	31	2	2	2
Negro	---	31	2	2	2
Balance of county	---	226	5	5	4
Overton	164	182	5	4	3
Perry	59	69	–	–	2
Pickett	9	33	–	–	–
Polk	132	115	4	3	3
Putnam	334	353	3	1	5
Cookeville	---	137	1	1	1
Balance of county	---	216	2	–	4
Rhea	154	202	1	–	6
Roane	312	357	8	6	8
Oak Ridge, part	---	3	–	–	–
Balance of county	---	354	8	6	8
Robertson	295	349	3	1	3
White	251	295	2	1	2
All other	44	54	1	–	1
Negro	44	54	1	–	1
Rutherford	540	491	9	6	9
White	467	423	5	4	7
All other	73	68	4	2	2
Negro	73	68	4	2	2
Murfreesboro	---	234	3	–	4
White	---	198	1	–	2
All other	---	36	2	–	2
Negro	---	36	2	–	2
Tennessee—Con.					
Rutherford—Con.					
Balance of county	---	257	6	6	5
White	---	225	4	4	5
All other	---	32	2	2	–
Negro	---	32	2	2	–
Scott	159	157	5	3	6
Sequatchie	60	63	3	2	1
Sevier	193	275	4	3	8
Shelby	8,366	6,461	220	163	150
White	4,977	3,563	77	55	47
All other	3,389	2,898	143	108	103
Negro	3,381	2,893	143	108	102
Memphis	---	6,061	196	145	139
White	---	3,306	67	48	40
All other	---	2,755	129	97	99
Negro	---	2,750	129	97	98
Millington	---	56	7	3	2
Balance of county	---	344	17	15	9
White	---	216	8	7	5
All other	---	128	9	8	4
Negro	---	128	9	8	4
Smith	133	147	5	2	2
Stewart	16	82	1	1	1
Sullivan	1,367	1,047	31	25	20
Bristol[4]	---	268	8	7	3
Kingsport, part	---	310	8	7	2
Kingsport, total	---	310	8	7	2
Balance of county	---	469	15	11	15
Sumner	349	475	8	3	11
Gallatin	---	118	2	2	3
White	---	91	1	1	3
All other	---	27	1	1	–
Negro	---	27	1	1	–
Balance of county	---	357	6	1	8
Tipton	234	302	10	8	8
White	146	197	4	3	6
All other	88	105	6	5	2
Negro	88	105	6	5	2
Trousdale	52	56	1	1	1
White	40	45	1	1	1
All other	12	11	–	–	–
Negro	12	11	–	–	–
Unicoi	112	168	6	4	1
Union	27	69	–	–	5
Van Buren	11	38	2	–	–
Warren	230	268	6	6	5
McMinnville	---	125	4	4	1
Balance of county	---	143	2	2	4
Washington	1,167	736	19	16	16
Johnson City	---	434	10	8	7
Balance of county	---	302	9	8	9
Wayne	76	121	2	2	1
Weakley	240	325	9	6	4
White	175	202	7	5	4
Williamson	278	335	9	5	7
White	245	299	8	4	6
All other	33	36	1	1	1
Negro	33	36	1	1	1
Wilson	280	348	6	6	9
White	250	302	6	6	7
All other	30	46	–	–	2
Negro	30	46	–	–	2
Lebanon	---	139	2	2	1
White	---	119	2	2	1
All other	---	20	–	–	–
Negro	---	20	–	–	–
Balance of county	---	209	4	4	8
Texas	**100,099**	**98,471**	**3,572**	**2,554**	**2,279**
White	86,099	84,547	2,725	1,969	1,791
All other	14,000	13,924	847	585	488
Negro	13,871	13,824	836	577	485
Anderson	366	409	14	11	5
White	270	316	11	9	3
All other	96	93	3	2	2
Negro	96	93	3	2	2
Palestine	---	217	10	8	3
White	---	166	7	6	1
All other	---	51	3	2	2
Negro	---	51	3	2	2
Balance of county	---	192	4	3	2
White	---	150	4	3	2
All other	---	42	–	–	–
Negro	---	42	–	–	–
Andrews	134	84	9	7	5

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Angelina	621	551	23	17	11
White	506	455	15	12	8
All other	115	96	8	5	3
Negro	114	96	8	5	3
Lufkin	---	302	16	12	6
White	---	222	9	8	3
All other	---	80	7	4	3
Negro	---	80	7	4	3
Balance of county	---	249	7	5	5
Aransas	36	105	3	3	1
Archer	33	53	4	3	–
Armstrong	11	18	1	1	–
Atascosa	162	183	4	3	7
Austin	193	227	6	5	2
White	158	184	3	3	1
All other	35	43	3	2	1
Negro	35	42	3	2	1
Bailey	40	55	2	–	–
Bandera	40	87	2	1	–
Bastrop	178	236	6	1	2
White	132	176	3	1	1
All other	46	60	3	–	1
Negro	46	60	3	–	1
Baylor	74	79	–	–	–
Bee	159	172	14	9	4
Beeville	---	112	7	3	4
Balance of county	---	60	7	6	–
Bell	1,500	936	59	40	36
White	1,269	807	47	31	24
All other	231	129	12	9	12
Negro	228	127	12	9	11
Killeen	---	196	32	20	26
White	---	164	26	16	19
All other	---	32	6	4	7
Negro	---	31	6	4	7
Temple	---	350	9	8	1
White	---	294	5	4	1
All other	---	56	4	4	–
Negro	---	56	4	4	–
Balance of county	---	390	18	12	9
White	---	349	16	11	4
All other	---	41	2	1	5
Negro	---	40	2	1	4
Bexar	7,210	6,296	214	145	195
White	6,550	5,704	181	125	183
All other	660	592	33	20	12
Negro	632	571	29	17	12
San Antonio	---	5,540	189	126	171
White	---	4,983	161	109	162
All other	---	557	28	17	9
Negro	---	542	25	14	9
Balance of county	---	756	25	19	24
Blanco	54	65	–	–	–
Borden	3	6	–	–	–
Bosque	198	192	1	–	–
Bowie	752	716	23	14	8
White	577	560	10	6	4
All other	175	156	13	8	4
Negro	174	156	13	8	4
Texarkana[3]	---	382	15	9	4
White	---	277	4	3	1
All other	---	105	11	6	3
Negro	---	105	11	6	3
Balance of county	---	334	8	5	4
White	---	283	6	3	3
All other	---	51	2	2	1
Negro	---	51	2	2	1
Brazoria	554	770	31	25	22
White	475	672	23	20	17
All other	79	98	8	5	5
Negro	79	98	8	5	5
Alvin	---	93	7	5	2
Freeport	---	96	4	3	3
White	---	80	1	1	3
All other	---	16	3	2	–
Negro	---	16	3	2	–
Lake Jackson	---	60	3	3	3
Balance of county	---	521	17	14	14
White	---	442	13	11	11
All other	---	79	4	3	3
Negro	---	79	4	3	3
Brazos	405	422	17	8	12
White	299	304	11	7	9
All other	106	118	6	1	3
Negro	106	118	6	1	3
Bryan	---	324	15	8	7
White	---	232	10	7	4
All other	---	92	5	1	3
Negro	---	92	5	1	3
Texas—Con.					
Brazos—Con.					
College Station	---	46	2	–	4
Balance of county	---	52	–	–	1
White	---	35	–	–	1
All other	---	17	–	–	–
Negro	---	17	–	–	–
Brewster	90	51	1	1	–
Briscoe	10	31	2	1	3
Brooks	79	76	3	3	–
Brown	355	363	3	2	4
Brownwood	---	239	2	1	3
Balance of county	---	124	1	1	1
Burleson	94	146	1	–	3
White	76	109	–	–	3
All other	18	37	1	–	–
Negro	18	37	1	–	–
Burnet	178	189	–	–	3
Caldwell	162	202	4	3	3
White	140	173	2	2	2
All other	22	29	2	1	1
Negro	22	29	2	1	1
Calhoun	103	127	10	5	4
Port Lavaca	---	74	7	2	4
Balance of county	---	53	3	3	–
Callahan	59	128	2	2	1
Cameron	1,242	1,171	88	69	60
Brownsville	---	492	53	42	30
Harlingen	---	291	13	11	12
San Benito	---	107	6	6	6
Balance of county	---	281	16	10	12
Camp	107	110	1	1	3
White	72	77	–	–	–
All other	35	33	1	1	3
Negro	35	33	1	1	3
Carson	59	70	4	4	–
Cass	269	291	8	6	7
White	205	227	4	2	4
All other	64	64	4	4	3
Negro	64	64	4	4	3
Castro	53	62	1	1	2
Chambers	118	118	5	5	4
White	85	93	4	4	4
All other	33	25	1	1	–
Negro	33	25	1	1	–
Cherokee	503	452	11	8	12
White	409	356	5	3	9
All other	94	96	6	5	3
Negro	94	96	6	5	3
Childress	82	87	4	4	–
Clay	82	110	1	1	1
Cochran	34	42	1	1	–
Coke	49	60	1	1	–
Coleman	136	168	2	2	2
Collin	470	588	21	14	19
McKinney	---	191	6	6	3
White	---	174	4	4	2
All other	---	17	2	2	1
Negro	---	17	2	2	1
Plano	---	107	5	1	4
Richardson, part	---	3	1	1	–
Balance of county	---	287	9	6	12
Collingsworth	62	71	3	3	1
Colorado	268	238	4	1	2
White	208	166	2	1	1
All other	60	72	2	–	1
Negro	60	72	2	–	1
Comal	293	296	8	7	5
New Braunfels	---	229	7	6	5
Balance of county	---	67	1	1	–
Comanche	153	181	2	–	1
Concho	39	47	–	–	1
Cooke	235	270	5	2	3
Gainesville	---	185	2	1	3
Balance of county	---	85	3	1	–
Coryell	134	222	23	18	11
White	130	209	19	14	11
All other	4	13	4	4	–
Negro	4	11	3	3	–
Copperas Cove	---	51	15	13	8
Balance of county	---	171	8	5	3
White	---	164	7	4	3
All other	---	7	1	1	–
Negro	---	6	1	1	–
Cottle	31	39	1	1	1
White	31	37	1	1	1
All other	–	2	–	–	–
Negro	–	2	–	–	–
Crane	34	40	4	4	–
Crockett	30	26	3	3	–
Crosby	78	81	1	1	7

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Culberson	21	19	–	–	2
Dallam	15	66	2	1	–
Dallas	10,537	9,765	385	277	235
White	8,565	7,917	256	190	156
All other	1,972	1,848	129	87	79
Negro	1,955	1,832	127	85	79
Balch Springs	---	64	4	2	2
Carrollton, part	---	89	8	7	6
Carrollton, total	---	93	8	7	8
Dallas	---	6,988	252	180	147
White	---	5,236	131	99	74
All other	---	1,752	121	81	73
Negro	---	1,741	119	79	73
Duncanville	---	79	4	3	1
Farmers Branch	---	99	6	4	3
Garland	---	482	32	22	23
Grand Prairie, part	---	284	14	11	9
Grand Prairie, total	---	321	16	13	10
Highland Park	---	86	–	–	–
Irving	---	463	20	14	18
Lancaster	---	117	1	–	1
Mesquite	---	292	16	13	10
Richardson, part	---	186	14	10	5
Richardson, total	---	189	15	11	5
University Park	---	174	1	1	–
Balance of county	---	362	13	10	10
Dawson	144	155	7	5	5
Lamesa	---	125	5	4	3
Balance of county	---	30	2	1	2
Deaf Smith	111	141	14	9	2
Hereford	---	110	12	7	2
Balance of county	---	31	2	2	–
Delta	37	88	–	–	–
White	32	80	–	–	–
All other	5	8	–	–	–
Negro	5	8	–	–	–
Denton	541	575	22	20	11
Carrollton, part	---	4	–	–	2
Denton	---	260	5	4	4
Balance of county	---	311	17	16	5
De Witt	229	281	5	5	9
White	199	239	5	5	8
All other	30	42	–	–	1
Negro	30	42	–	–	1
Dickens	9	56	4	2	–
Dimmit	58	63	1	1	6
Donley	26	57	1	1	–
Duval	43	108	4	4	2
Eastland	329	327	3	3	2
Ector	674	632	36	23	17
Odessa	---	578	34	21	12
Balance of county	---	54	2	2	5
Edwards	20	30	–	–	1
Ellis	424	531	15	13	8
White	366	447	11	9	6
All other	58	84	4	4	2
Negro	58	84	4	4	2
Ennis	---	154	4	3	3
White	---	131	4	3	2
All other	---	23	–	–	1
Negro	---	23	–	–	1
Waxahachie	---	160	3	3	2
White	---	130	1	1	2
All other	---	30	2	2	–
Negro	---	30	2	2	–
Balance of county	---	217	8	7	3
White	---	186	6	5	2
All other	---	31	2	2	1
Negro	---	31	2	2	1
El Paso	2,633	2,374	118	84	101
White	2,531	2,296	115	82	96
All other	102	78	3	2	5
Negro	88	76	3	2	5
El Paso	---	2,221	111	78	91
White	---	2,151	108	76	86
All other	---	70	3	2	5
Negro	---	68	3	2	5
Balance of county	---	153	7	6	10
Erath	185	235	2	–	–
Falls	316	233	2	2	3
White	236	164	1	1	1
All other	80	69	1	1	2
Negro	80	69	1	1	2
Fannin	266	314	7	6	3
Fayette	182	286	4	3	3
White	162	249	4	3	2
All other	20	37	–	–	1
Negro	20	37	–	–	1
Fisher	62	61	1	1	1
Floyd	83	98	2	1	3

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Foard	12	21	–	–	–
Fort Bend	334	477	22	15	21
White	260	375	18	12	16
All other	74	102	4	3	5
Negro	74	102	4	3	5
Houston, part	---	1	–	–	–
Rosenburg	---	117	6	4	3
Balance of county	---	359	16	11	18
White	---	272	13	9	13
All other	---	87	3	2	5
Negro	---	87	3	2	5
Franklin	70	84	1	–	2
Freestone	213	202	3	3	1
White	161	149	2	2	1
All other	52	53	1	1	–
Negro	52	53	1	1	–
Frio	75	96	2	2	2
Gaines	55	83	8	7	–
Galveston	1,934	1,549	58	41	32
White	1,445	1,203	36	26	20
All other	489	346	22	15	12
Negro	489	346	22	15	12
Galveston	---	776	16	10	13
White	---	554	8	5	5
All other	---	222	8	5	8
Negro	---	222	8	5	8
La Marque	---	104	8	6	–
White	---	90	6	4	–
All other	---	14	2	2	–
Negro	---	14	2	2	–
League City	---	48	4	3	1
Texas City	---	280	14	10	7
White	---	227	8	6	5
All other	---	53	6	4	2
Negro	---	53	6	4	2
Balance of county	---	341	16	12	11
White	---	285	10	8	9
All other	---	56	6	4	2
Negro	---	56	6	4	2
Garza	41	63	1	–	1
Gillespie	158	163	1	–	–
Glasscock	2	6	1	1	–
Goliad	52	65	–	–	1
White	45	53	–	–	1
All other	7	12	–	–	–
Negro	7	12	–	–	–
Gonzales	157	215	4	2	3
White	137	178	4	2	2
All other	20	37	–	–	1
Negro	20	37	–	–	1
Gray	255	267	9	9	2
Pampa	---	228	8	8	1
Balance of county	---	39	1	1	1
Grayson	1,066	974	16	7	11
Denison	---	347	4	3	5
White	---	299	4	3	3
All other	---	48	–	–	2
Negro	---	48	–	–	2
Sherman	---	299	4	–	5
White	---	270	4	–	5
All other	---	29	–	–	–
Negro	---	28	–	–	–
Balance of county	---	328	8	4	1
Gregg	851	820	26	16	14
White	647	620	17	11	7
All other	204	200	9	5	7
Negro	204	200	9	5	7
Longview	---	462	14	10	10
White	---	339	10	7	5
All other	---	123	4	3	5
Negro	---	123	4	3	5
Balance of county	---	358	12	6	4
White	---	281	7	4	2
All other	---	77	5	2	2
Negro	---	77	5	2	2
Grimes	154	182	4	1	2
White	96	120	2	1	2
All other	58	62	2	–	–
Negro	58	62	2	–	–
Guadalupe	213	303	10	4	9
Seguin	---	148	5	3	7
White	---	114	2	2	6
All other	---	34	3	1	1
Negro	---	34	3	1	1
Balance of county	---	155	5	1	2
Hale	297	298	14	11	13
Plainview	---	184	6	5	11
Balance of county	---	114	8	6	2

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Hall	85	98	1	1	1
White	76	88	1	1	–
All other	9	10	–	–	1
Negro	9	10	–	–	1
Hamilton	133	139	1	–	1
Hansford	25	38	1	1	–
Hardeman	115	114	4	3	3
White	103	101	4	3	1
All other	12	13	–	–	2
Negro	12	13	–	–	2
Hardin	202	317	11	9	6
White	159	255	6	6	5
All other	43	62	5	3	1
Negro	43	62	5	3	1
Harris	14,757	12,849	580	412	341
White	11,498	9,855	357	257	219
All other	3,259	2,994	223	155	122
Negro	3,232	2,971	221	154	120
Baytown	---	314	13	9	3
Bellaire	---	117	2	2	3
Deer Park	---	64	5	5	1
Galena Park	---	50	4	3	1
White	---	43	2	1	1
All other	---	7	2	2	–
Negro	---	7	2	2	–
Houston, part	---	10,257	441	317	276
White	---	7,383	232	172	159
All other	---	2,874	209	145	117
Negro	---	2,855	207	144	117
Houston, total	---	10,258	441	317	276
White	---	7,384	232	172	159
All other	---	2,874	209	145	117
Negro	---	2,855	207	144	117
Pasadena	---	513	32	22	21
South Houston	---	69	3	1	2
West University Place	---	64	1	1	–
Balance of county	---	1,401	79	52	34
White	---	1,313	68	45	30
All other	---	88	11	7	4
Negro	---	84	11	7	3
Harrison	368	474	15	9	11
White	199	271	5	3	2
All other	169	203	10	6	9
Negro	169	203	10	6	9
Marshall	---	273	10	5	9
White	---	148	3	1	2
All other	---	125	7	4	7
Negro	---	125	7	4	7
Balance of county	---	201	5	4	2
White	---	123	2	2	–
All other	---	78	3	2	2
Negro	---	78	3	2	2
Hartley	66	33	1	1	1
Haskell	94	123	–	–	–
Hays	154	203	4	2	2
San Marcos	---	128	4	2	1
Balance of county	---	75	–	–	1
Hemphill	38	36	2	1	–
Henderson	292	359	8	5	5
White	250	303	7	4	3
All other	42	56	1	1	2
Negro	42	56	1	1	2
Hidalgo	1,455	1,470	98	67	99
Edinburg	---	153	4	4	9
McAllen	---	342	26	15	15
Mission	---	117	5	4	9
Pharr	---	111	6	4	7
Weslaco	---	144	8	7	12
Balance of county	---	603	49	33	47
Hill	324	331	7	3	6
White	286	296	6	3	5
All other	38	35	1	–	1
Negro	38	35	1	–	1
Hockley	101	164	13	7	1
Levelland	---	106	10	5	–
Balance of county	---	58	3	2	1
Hood	101	135	5	3	–
Hopkins	226	296	7	5	1
White	206	270	7	5	–
All other	20	26	–	–	1
Negro	20	26	–	–	1
Sulphur Springs	---	172	3	1	1
White	---	152	3	1	–
All other	---	20	–	–	1
Negro	---	20	–	–	1
Balance of county	---	124	4	4	–
Houston	203	245	2	2	4
White	156	174	2	2	–
All other	47	71	–	–	4
Negro	47	71	–	–	4
Texas—Con.					
Howard	491	316	22	16	8
Big Spring	---	266	14	11	7
Balance of county	---	50	8	5	1
Hudspeth	6	15	2	1	–
Hunt	506	581	15	12	9
White	429	505	9	7	7
All other	77	76	6	5	2
Negro	77	76	6	5	2
Greenville	---	290	8	8	5
White	---	236	4	4	3
All other	---	54	4	4	2
Negro	---	54	4	4	2
Balance of county	---	291	7	4	4
White	---	269	5	3	4
All other	---	22	2	1	–
Negro	---	22	2	1	–
Hutchinson	168	226	10	10	3
Borger	---	161	9	9	3
Balance of county	---	65	1	1	–
Irion	7	15	–	–	–
Jack	73	95	–	–	–
Jackson	80	103	2	2	3
White	67	84	2	2	1
All other	13	19	–	–	2
Negro	13	19	–	–	2
Jasper	230	292	5	4	3
White	191	245	3	2	3
All other	39	47	2	2	–
Negro	39	47	2	2	–
Jeff Davis	2	15	–	–	–
Jefferson	2,409	2,262	72	59	43
White	1,825	1,615	34	29	23
All other	584	647	38	30	20
Negro	583	646	38	30	20
Beaumont	---	1,179	39	31	28
White	---	770	12	10	11
All other	---	409	27	21	17
Negro	---	409	27	21	17
Groves	---	117	2	2	1
Nederland	---	111	6	6	3
Port Arthur	---	603	16	12	8
White	---	380	8	6	5
All other	---	223	8	6	3
Negro	---	222	8	6	3
Port Neches	---	86	2	2	–
Balance of county	---	166	7	6	3
White	---	155	4	3	3
All other	---	11	3	3	–
Negro	---	11	3	3	–
Jim Hogg	11	36	3	2	–
Jim Wells	252	244	8	6	2
Alice	---	153	5	5	2
Balance of county	---	91	3	1	–
Johnson	430	517	18	14	8
Cleburne	---	238	9	6	6
Fort Worth, part	---	1	–	–	–
White	---	–	–	–	–
All other	---	1	–	–	–
Negro	---	1	–	–	–
Balance of county	---	278	9	8	2
Jones	241	249	3	3	2
Abilene, part	---	1	–	–	–
Balance of county	---	248	3	3	2
Karnes	116	129	3	2	–
Kaufman	485	398	8	5	6
White	416	327	6	4	3
All other	69	71	2	1	3
Negro	69	71	2	1	3
Terrell	---	156	4	2	1
White	---	110	2	1	–
All other	---	46	2	1	1
Negro	---	46	2	1	1
Balance of county	---	242	4	3	5
White	---	217	4	3	3
All other	---	25	–	–	2
Negro	---	25	–	–	2
Kendall	72	102	1	1	2
Kenedy	1	3	–	–	–
Kent	5	11	–	–	–
Kerr	481	289	4	3	3
Kerrville	---	214	4	3	3
Balance of county	---	75	–	–	–
Kimble	41	48	1	1	–
King	–	2	1	1	–
Kinney	9	26	–	–	–
Kleberg	177	181	5	4	6
Kingsville	---	157	5	4	6
Balance of county	---	24	–	–	–
Knox	64	75	3	2	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Lamar	490	448	9	5	9
White	427	385	5	2	4
All other	63	63	4	3	5
Negro	59	62	4	3	5
Paris	---	300	7	4	8
White	---	247	3	1	3
All other	---	53	4	3	5
Negro	---	53	4	3	5
Balance of county	---	148	2	1	1
White	---	138	2	1	1
All other	---	10	–	–	–
Negro	---	9	–	–	–
Lamb	143	180	8	4	3
Lampasas	91	121	2	2	3
La Salle	33	50	1	1	2
Lavaca	225	248	–	–	1
Lee	121	139	3	1	1
White	95	112	3	1	–
All other	26	27	–	–	1
Negro	26	27	–	–	1
Leon	40	149	3	–	1
White	28	106	2	–	1
All other	12	43	1	–	–
Negro	12	43	1	–	–
Liberty	352	407	20	16	13
White	283	314	16	13	10
All other	69	93	4	3	3
Negro	69	93	4	3	3
Limestone	216	270	8	7	4
White	160	200	3	3	2
All other	56	70	5	4	2
Negro	56	70	5	4	2
Lipscomb	1	34	2	2	1
Live Oak	47	66	2	2	1
Llano	90	135	–	–	1
Loving	1	1	–	–	–
Lubbock	1,549	1,223	55	45	36
White	1,410	1,085	44	37	31
All other	139	138	11	8	5
Negro	139	138	11	8	5
Lubbock	---	1,029	48	40	27
White	---	908	37	32	23
All other	---	121	11	8	4
Negro	---	121	11	8	4
Balance of county	---	194	7	5	9
Lynn	37	80	3	2	–
McCulloch	125	136	3	2	4
McLennan	1,558	1,633	38	30	28
White	1,295	1,353	18	13	16
All other	263	280	20	17	12
Negro	263	280	20	17	12
Waco	---	1,173	32	24	23
White	---	944	14	9	12
All other	---	229	18	15	11
Negro	---	229	18	15	11
Balance of county	---	460	6	6	5
McMullen	4	8	–	–	–
Madison	148	108	2	1	–
White	115	84	1	–	–
All other	33	24	1	1	–
Negro	33	24	1	1	–
Marion	103	128	1	–	4
White	69	86	–	–	1
All other	34	42	1	–	3
Negro	34	42	1	–	3
Martin	29	35	3	2	–
Mason	27	58	2	1	–
Matagorda	262	281	6	5	4
White	216	222	3	3	4
All other	46	59	3	2	–
Negro	46	59	3	2	–
Bay City	---	163	4	3	2
White	---	120	2	2	2
All other	---	43	2	1	–
Negro	---	43	2	1	–
Balance of county	---	118	2	2	2
White	---	102	1	1	2
All other	---	16	1	1	–
Negro	---	16	1	1	–
Maverick	126	149	10	5	9
Eagle Pass	---	121	8	4	8
Balance of county	---	28	2	1	1
Medina	161	196	5	5	4
Menard	41	34	–	–	–
Midland	417	506	26	20	12
White	359	433	22	16	12
All other	58	73	4	4	–
Negro	58	73	4	4	–
Texas—Con.					
Midland—Con.					
Midland	---	460	24	18	11
White	---	387	20	14	11
All other	---	73	4	4	–
Negro	---	73	4	4	–
Balance of county	---	46	2	2	1
Milam	218	308	7	4	4
White	182	252	3	1	3
All other	36	56	4	3	1
Negro	36	56	4	3	1
Mills	76	86	1	1	–
Mitchell	111	116	3	2	3
Montague	218	232	5	3	1
Montgomery	417	562	11	8	8
White	348	485	8	6	7
All other	69	77	3	2	1
Negro	69	77	3	2	1
Conroe	---	170	2	2	1
White	---	136	1	1	1
All other	---	34	1	1	–
Negro	---	34	1	1	–
Houston, part	---	–	–	–	–
Balance of county	---	392	9	6	7
White	---	349	7	5	6
All other	---	43	2	1	1
Negro	---	43	2	1	1
Moore	99	109	8	7	5
Morris	142	144	3	2	4
White	102	98	1	1	3
All other	40	46	2	1	1
Negro	40	46	2	1	1
Motley	6	26	–	–	2
Nacogdoches	355	383	10	7	9
White	275	297	6	4	5
All other	80	86	4	3	4
Negro	80	86	4	3	4
Nacogdoches	---	222	6	5	9
White	---	164	5	4	5
All other	---	58	1	1	4
Negro	---	58	1	1	4
Balance of county	---	161	4	2	–
White	---	133	1	–	–
All other	---	28	3	2	–
Negro	---	28	3	2	–
Navarro	448	457	13	6	3
White	353	359	11	4	1
All other	95	98	2	2	2
Negro	95	98	2	2	2
Corsicana	---	278	4	1	2
White	---	209	4	1	1
All other	---	69	–	–	1
Negro	---	69	–	–	1
Balance of county	---	179	9	5	1
White	---	150	7	3	–
All other	---	29	2	2	1
Negro	---	29	2	2	1
Newton	63	103	1	1	4
White	42	71	–	–	4
All other	21	32	1	1	–
Negro	21	32	1	1	–
Nolan	165	197	7	6	7
Sweetwater	---	155	4	3	6
Balance of county	---	42	3	3	1
Nueces	1,860	1,640	72	51	47
White	1,759	1,542	66	47	41
All other	101	98	6	4	6
Negro	100	98	6	4	6
Corpus Christi	---	1,420	67	47	39
White	---	1,325	61	43	33
All other	---	95	6	4	6
Negro	---	95	6	4	6
Robstown	---	99	3	3	2
Balance of county	---	121	2	1	6
Ochiltree	68	69	3	2	4
Oldham	5	12	–	–	–
Orange	386	571	28	21	11
Orange	---	240	8	7	3
White	---	191	8	7	1
All other	---	49	–	–	2
Negro	---	49	–	–	2
Balance of county	---	331	20	14	8
Palo Pinto	230	251	9	8	4
Mineral Wells, part	---	161	9	8	2
Mineral Wells, total	---	162	9	8	2
Balance of county	---	90	–	–	2
Panola	189	179	4	3	1
White	133	129	1	1	–
All other	56	50	3	2	1
Negro	56	50	3	2	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Parker	251	330	6	5	3
Mineral Wells, part	---	1	–	–	–
Weatherford	---	184	1	–	3
Balance of county	---	145	5	5	–
Parmer	31	55	7	5	3
Pecos	85	99	8	6	1
Polk	143	229	5	4	7
White	119	180	2	2	4
All other	24	49	3	2	3
Negro	23	48	2	1	3
Potter	1,448	915	37	29	17
Amarillo, part	---	900	37	29	17
Amarillo, total	---	1,154	42	33	23
Balance of county	---	15	–	–	–
Presidio	15	38	1	1	–
Rains	9	37	1	1	–
Randall	145	327	8	5	7
Amarillo, part	---	254	5	4	6
Balance of county	---	73	3	1	1
Reagan	14	15	1	1	1
Real	6	29	1	1	–
Red River	182	229	1	1	1
White	146	192	1	1	–
All other	36	37	–	–	1
Negro	36	37	–	–	1
Reeves	105	121	12	9	8
Pecos	---	105	12	9	6
Balance of county	---	16	–	–	2
Refugio	79	88	2	–	–
White	68	74	2	–	–
All other	11	14	–	–	–
Negro	11	14	–	–	–
Roberts	2	6	–	–	–
Robertson	123	211	6	2	2
White	80	136	1	1	2
All other	43	75	5	1	–
Negro	43	75	5	1	–
Rockwall	5	64	–	–	–
White	5	55	–	–	–
All other	–	9	–	–	–
Negro	–	9	–	–	–
Runnels	131	177	3	1	3
Rusk	399	482	10	7	4
White	298	361	5	4	2
All other	101	121	5	3	2
Negro	101	121	5	3	2
Henderson	---	163	2	1	1
White	---	124	1	1	1
All other	---	39	1	–	–
Negro	---	39	1	–	–
Balance of county	---	319	8	6	3
White	---	237	4	3	1
All other	---	82	4	3	2
Negro	---	82	4	3	2
Sabine	56	110	3	2	2
White	48	91	1	1	2
All other	8	19	2	1	–
Negro	8	19	2	1	–
San Augustine	96	113	2	1	1
White	72	74	–	–	1
All other	24	39	2	1	–
Negro	24	39	2	1	–
San Jacinto	24	93	2	–	3
White	17	56	1	–	2
All other	7	37	1	–	1
Negro	7	37	1	–	1
San Patricio	309	393	21	11	11
San Saba	91	104	1	–	1
Schleicher	14	18	–	–	–
Scurry	155	174	10	9	1
Snyder	---	136	8	7	1
Balance of county	---	38	2	2	–
Shackelford	35	48	2	1	1
Shelby	223	281	8	5	–
White	179	225	3	3	–
All other	44	56	5	2	–
Negro	44	56	5	2	–
Sherman	7	22	2	2	1
Smith	1,303	1,052	33	26	17
White	1,017	796	17	14	11
All other	286	256	16	12	6
Negro	285	254	16	12	6
Tyler	---	587	19	15	10
White	---	457	8	7	7
All other	---	130	11	8	3
Negro	---	129	11	8	3
Balance of county	---	465	14	11	7
White	---	339	9	7	4
All other	---	126	5	4	3
Negro	---	125	5	4	3
Texas—Con.					
Somervell	39	41	–	–	2
Starr	99	137	4	3	3
Stephens	130	152	2	1	1
Sterling	6	11	–	–	–
Stonewall	9	31	–	–	–
Sutton	31	40	–	–	1
Swisher	73	92	3	3	3
Tarrant	6,045	5,676	206	156	127
White	5,320	4,956	151	110	98
All other	725	720	55	46	29
Negro	719	715	55	46	29
Arlington	---	492	29	23	20
Bedford	---	50	4	3	1
Euless	---	78	3	2	5
Fort Worth, part	---	3,772	125	93	75
White	---	3,087	72	49	46
All other	---	685	53	44	29
Negro	---	681	53	44	29
Fort Worth, total	---	3,773	125	93	75
White	---	3,087	72	49	46
All other	---	686	53	44	29
Negro	---	682	53	44	29
Grand Prairie, part	---	37	2	2	1
White	---	24	2	2	1
All other	---	13	–	–	–
Negro	---	13	–	–	–
Haltom City	---	176	8	5	1
Hurst	---	104	1	1	1
North Richland Hills	---	95	2	1	2
White Settlement	---	71	2	2	3
Balance of county	---	801	30	24	18
Taylor	971	806	51	34	18
Abilene, part	---	689	47	31	17
Abilene, total	---	690	47	31	17
Balance of county	---	117	4	3	1
Terrell	6	21	–	–	–
Terry	109	118	5	4	10
Throckmorton	32	45	–	–	–
Titus	205	223	6	3	2
White	178	192	5	3	2
All other	27	31	1	–	–
Negro	26	30	1	–	–
Tom Green	810	729	21	17	9
San Angelo	---	648	14	12	9
Balance of county	---	81	7	5	–
Travis	2,251	2,013	68	46	35
White	1,918	1,699	49	31	27
All other	333	314	19	15	8
Negro	332	313	19	15	8
Austin	---	1,706	60	41	30
White	---	1,419	42	27	22
All other	---	287	18	14	8
Negro	---	287	18	14	8
Balance of county	---	307	8	5	5
Trinity	86	127	2	1	3
White	69	99	–	–	2
All other	17	28	2	1	1
Negro	17	28	2	1	1
Tyler	144	176	3	2	3
White	125	160	2	1	1
All other	19	16	1	1	2
Negro	18	16	1	1	2
Upshur	145	248	3	3	1
White	122	200	2	2	–
All other	23	48	1	1	1
Negro	23	48	1	1	1
Upton	26	31	4	2	–
Uvalde	133	159	4	2	3
Uvalde	---	106	3	1	3
Balance of county	---	53	1	1	–
Val Verde	208	211	13	10	7
Del Rio	---	190	12	9	6
Balance of county	---	21	1	1	1
Van Zandt	172	338	6	6	3
Victoria	516	456	16	15	10
Victoria	---	329	12	12	8
Balance of county	---	127	4	3	2
Walker	220	201	7	3	7
White	133	126	4	1	4
All other	87	75	3	2	3
Negro	86	75	3	2	3
Huntsville	---	101	3	–	3
White	---	72	3	–	1
All other	---	29	–	–	2
Negro	---	29	–	–	2
Balance of county	---	100	4	3	4
White	---	54	1	1	3
All other	---	46	3	2	1
Negro	---	46	3	2	1

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas—Con.					
Waller	109	132	5	3	4
White	71	80	1	1	2
All other	38	52	4	2	2
Negro	38	52	4	2	2
Ward	55	90	3	1	2
Washington	279	260	3	1	2
White	208	188	1	–	1
All other	71	72	2	1	1
Negro	71	72	2	1	1
Webb	538	493	22	17	23
Laredo	– – –	470	22	17	21
Balance of county	– – –	23	–	–	2
Wharton	425	380	8	5	7
White	325	291	4	2	4
All other	100	89	4	3	3
Negro	100	89	4	3	3
Wheeler	81	109	2	2	1
Wichita	1,112	1,033	32	22	17
White	981	901	24	18	14
All other	131	132	8	4	3
Negro	130	130	8	4	3
Wichita Falls	– – –	827	28	20	15
White	– – –	701	21	17	12
All other	– – –	126	7	3	3
Negro	– – –	125	7	3	3
Balance of county	– – –	206	4	2	2
Wilbarger	184	196	7	5	2
White	169	181	5	4	–
All other	15	15	2	1	2
Negro	15	15	2	1	2
Vernon	– – –	170	7	5	2
White	– – –	157	5	4	–
All other	– – –	13	2	1	2
Negro	– – –	13	2	1	2
Balance of county	– – –	26	–	–	–
Willacy	68	131	5	4	9
Williamson	390	471	18	13	6
White	344	412	18	13	6
All other	46	59	–	–	–
Negro	46	59	–	–	–
Wilson	121	146	2	–	1
Winkler	87	89	2	2	5
Wise	179	226	5	4	2
Wood	254	267	3	1	6
White	228	240	2	1	6
All other	26	27	1	–	–
Negro	26	27	1	–	–
Yoakum	61	50	1	1	3
Young	237	233	8	5	1
Zapata	22	42	2	2	2
Zavala	58	81	8	4	4
Utah	7,854	7,530	416	296	259
White	7,640	7,328	388	280	250
All other	214	202	28	16	9
Negro	69	63	5	4	–
Beaver	43	39	2	2	1
Box Elder	136	207	9	8	2
Brigham City	– – –	91	3	3	–
Balance of county	– – –	116	6	5	2
Cache	270	272	17	11	5
Logan	– – –	123	6	4	2
Balance of county	– – –	149	11	7	3
Carbon	177	200	9	8	3
Daggett	10	4	–	–	–
Davis	227	411	35	23	22
Bountiful	– – –	129	15	9	6
Clearfield	– – –	54	5	4	3
White	– – –	52	5	4	3
All other	– – –	2	–	–	–
Negro	– – –	–	–	–	–
Layton	– – –	63	3	2	2
Balance of county	– – –	165	12	8	11
Duchesne	79	67	9	5	2
Emery	28	53	–	–	4
Garfield	24	21	1	1	1
Grand	53	48	3	2	1
Iron	94	91	3	3	4
Juab	51	39	2	2	–
Kane	37	21	2	1	2
Millard	55	74	6	4	1
Morgan	14	25	1	1	–
Piute	2	13	–	–	–
Rich	1	14	–	–	2
Salt Lake	3,972	3,302	154	107	116
Murray	– – –	153	6	4	6
Utah—Con.					
Salt Lake—Con.					
Salt Lake City	– – –	1,984	60	45	56
Balance of county	– – –	1,165	88	58	54
San Juan	67	61	16	5	3
White	42	30	5	–	2
All other	25	31	11	5	1
Negro	–	–	–	–	–
Sanpete	97	154	6	5	2
Sevier	88	113	4	2	3
Summit	46	54	2	2	–
Tooele	122	151	4	3	6
Tooele	– – –	107	2	1	5
Balance of county	– – –	44	2	2	1
Uintah	75	113	9	5	2
White	64	87	7	3	2
All other	11	26	2	2	–
Negro	–	–	–	–	–
Utah	796	805	74	53	48
Orem	– – –	137	16	10	8
Provo	– – –	247	27	21	19
Balance of county	– – –	421	31	22	21
Wasatch	53	43	–	–	2
Washington	146	134	14	14	1
Wayne	5	12	–	–	–
Weber	1,086	989	34	29	26
Ogden	– – –	746	22	18	16
Roy	– – –	73	4	3	3
Balance of county	– – –	170	8	8	7
Vermont	4,324	4,282	90	68	56
White	4,312	4,270	89	68	56
All other	12	12	1	–	–
Negro	9	9	–	–	–
Addison	156	219	6	3	1
Bennington	317	309	6	5	3
Caledonia	214	244	2	2	7
Chittenden	974	672	22	17	14
Burlington	– – –	331	6	6	8
Balance of county	– – –	341	16	11	6
Essex	22	68	1	–	1
Franklin	285	297	6	3	3
Grand Isle	5	39	–	–	1
Lamoille	103	131	2	2	–
Orange	141	211	5	5	1
Orleans	190	204	2	2	2
Rutland	593	600	13	11	8
Rutland	– – –	247	7	5	5
Balance of county	– – –	353	6	6	3
Washington	476	463	10	7	6
Barre	– – –	125	1	1	–
Balance of county	– – –	338	9	6	6
Windham	379	361	7	4	4
Windsor	469	464	8	7	5
Virginia	38,874	39,553	1,223	921	1,008
White	29,789	30,538	792	590	626
All other	9,085	9,015	431	331	382
Negro	9,022	8,954	420	321	373
Accomack	232	428	8	5	6
White	152	279	3	1	1
All other	80	149	5	4	5
Negro	80	149	5	4	5
Albemarle	879	313	7	1	2
White	653	252	6	–	2
All other	226	61	1	1	–
Negro	225	61	1	1	–
Alleghany	59	112	3	3	1
Amelia	35	88	3	3	1
White	19	48	2	2	1
All other	16	40	1	1	–
Negro	14	38	1	1	–
Amherst	147	206	3	2	6
White	129	164	2	2	4
All other	18	42	1	–	2
Negro	18	42	1	–	1
Appomattox	48	102	2	2	1
White	32	80	1	1	1
All other	16	22	1	1	–
Negro	16	22	1	1	–
Arlington†	958	1,090	25	17	17
White	884	1,015	18	13	14
All other	74	75	7	4	3
Negro	66	70	7	4	3
Augusta	216	348	7	7	7
Bath	29	58	2	2	–
White	23	44	2	2	–
All other	6	14	–	–	–
Negro	6	14	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Virginia—Con.					
Bedford	125	260	6	4	5
White	109	194	4	2	2
All other	16	66	2	2	3
Negro	16	66	2	2	3
Bland	19	61	1	1	1
Botetourt	81	191	4	2	2
Brunswick	63	168	–	–	6
White	25	87	–	–	–
All other	38	81	–	–	6
Negro	38	81	–	–	6
Buchanan	183	263	26	18	8
Buckingham	49	126	2	2	2
White	35	87	2	2	1
All other	14	39	–	–	1
Negro	14	39	–	–	1
Campbell	123	332	7	7	17
White	95	265	5	5	13
All other	28	67	2	2	4
Negro	28	67	2	2	4
Caroline	63	147	11	9	3
White	23	73	4	4	1
All other	40	74	7	5	2
Negro	40	74	7	5	2
Carroll	76	235	7	3	3
Charles City	20	53	5	3	3
White	5	14	2	2	–
All other	15	39	3	1	3
Negro	14	38	3	1	3
Charlotte	62	138	2	2	4
White	36	86	–	–	2
All other	26	52	2	2	2
Negro	26	52	2	2	2
Chesterfield	178	492	17	14	20
White	138	424	15	13	19
All other	40	68	2	1	1
Negro	40	68	2	1	1
Clarke	31	92	1	1	1
White	25	77	1	1	1
All other	6	15	–	–	–
Negro	6	15	–	–	–
Craig	9	47	–	–	2
Culpeper	187	196	6	6	6
White	159	153	4	4	4
All other	28	43	2	2	2
Negro	28	43	2	2	2
Cumberland	29	81	2	2	5
White	13	38	1	1	1
All other	16	43	1	1	4
Negro	16	43	1	1	4
Dickenson	54	152	5	4	7
Dinwiddie	226	170	6	5	4
White	99	85	3	3	2
All other	127	85	3	2	2
Negro	127	85	3	2	2
Essex	165	87	2	2	4
White	99	53	1	1	1
All other	66	34	1	1	3
Negro	66	34	1	1	3
Fairfax	1,513	1,979	67	49	82
White	1,428	1,875	55	39	68
All other	85	104	12	10	14
Negro	81	98	11	10	10
Vienna	– – –	79	1	1	–
Balance of county	– – –	1,900	66	48	82
White	– – –	1,801	54	38	68
All other	– – –	99	12	10	14
Negro	– – –	93	11	10	10
Fauquier	218	292	5	4	6
White	174	230	5	4	4
All other	44	62	–	–	2
Negro	43	62	–	–	2
Floyd	48	115	–	–	–
Fluvanna	30	89	3	2	2
White	18	56	2	1	–
All other	12	33	1	1	2
Negro	12	33	1	1	2
Franklin	168	288	8	5	11
White	138	248	5	2	6
All other	30	40	3	3	5
Negro	30	40	3	3	5
Frederick	23	217	2	–	4
Giles	119	173	7	7	6
Gloucester	64	145	1	1	1
White	51	113	1	1	–
All other	13	32	–	–	1
Negro	13	32	–	–	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Virginia—Con.					
Goochland	45	90	2	–	–
White	25	56	1	–	–
All other	20	34	1	–	–
Negro	20	34	1	–	–
Grayson	46	157	5	3	4
Greene	24	61	–	–	–
White	21	55	–	–	–
All other	3	6	–	–	–
Negro	3	6	–	–	–
Greensville	39	97	5	1	8
White	15	34	–	–	1
All other	24	63	5	1	7
Negro	24	63	5	1	7
Halifax	81	302	9	7	5
White	50	178	5	4	1
All other	31	124	4	3	4
Negro	31	123	4	3	4
Hanover	153	323	2	2	13
White	115	258	2	2	6
All other	38	65	–	–	7
Negro	38	65	–	–	7
Henrico	1,156	1,274	28	18	25
White	1,019	1,162	18	12	20
All other	137	112	10	6	5
Negro	137	112	10	6	5
Henry	97	416	9	3	11
White	73	308	5	2	7
All other	24	108	4	1	4
Negro	24	108	4	1	4
Highland	11	27	–	–	–
Isle of Wight	53	170	7	5	1
White	27	93	3	1	–
All other	26	77	4	4	1
Negro	26	77	4	4	1
James City	205	103	4	3	2
White	133	63	1	1	1
All other	72	40	3	2	1
Negro	72	40	3	2	1
King and Queen	24	63	2	2	1
White	17	36	–	–	–
All other	7	27	2	2	1
Negro	7	27	2	2	1
King George	33	87	–	–	–
White	27	63	–	–	–
All other	6	24	–	–	–
Negro	6	24	–	–	–
King William	32	71	4	3	–
White	18	40	3	2	–
All other	14	31	1	1	–
Negro	13	27	1	1	–
Lancaster	63	136	1	–	2
White	47	97	1	–	–
All other	16	39	–	–	2
Negro	16	39	–	–	2
Lee	211	284	9	6	4
Loudoun	237	290	15	12	10
White	201	246	13	11	10
All other	36	44	2	1	–
Negro	36	42	1	–	–
Louisa	78	171	2	1	2
White	46	107	1	1	–
All other	32	64	1	–	2
Negro	32	64	1	–	2
Lunenburg	65	169	6	3	3
White	34	105	2	2	2
All other	31	64	4	1	1
Negro	31	64	4	1	1
Madison	67	110	5	4	–
White	53	89	5	4	–
All other	14	21	–	–	–
Negro	14	21	–	–	–
Mathews	65	126	1	1	1
White	54	104	–	–	1
All other	11	22	1	1	–
Negro	11	22	1	1	–
Mecklenburg	280	336	8	7	10
White	149	193	4	3	6
All other	131	143	4	4	4
Negro	131	143	4	4	4
Middlesex	68	103	–	–	2
White	52	72	–	–	–
All other	16	31	–	–	2
Negro	16	31	–	–	2
Montgomery	234	328	10	9	10
Nansemond[6]	–	–	–	–	–
White	–	–	–	–	–
All other	–	–	–	–	–
Negro	–	–	–	–	–

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Virginia—Con.					
Nelson	73	143	3	2	1
White	54	99	1	1	1
All other	19	44	2	1	–
Negro	19	44	2	1	–
New Kent	29	63	4	4	1
White	23	40	2	2	–
All other	6	23	2	2	1
Negro	6	22	2	2	1
Northampton	271	190	5	4	1
White	145	96	1	1	–
All other	126	94	4	3	1
Negro	126	94	4	3	1
Northumberland	53	125	3	3	3
White	40	94	1	1	1
All other	13	31	2	2	2
Negro	13	31	2	2	2
Nottoway	101	161	6	5	2
White	60	105	6	5	2
All other	41	56	–	–	–
Negro	41	56	–	–	–
Orange	133	174	4	2	1
White	104	138	3	2	–
All other	29	36	1	–	1
Negro	29	36	1	–	1
Page	144	182	2	–	5
Patrick	145	141	4	3	4
Pittsylvania	166	494	6	5	14
White	105	345	2	1	6
All other	61	149	4	4	8
Negro	61	149	4	4	8
Powhatan	30	66	1	–	3
White	19	44	1	–	3
All other	11	22	–	–	–
Negro	11	22	–	–	–
Prince Edward	221	131	5	5	2
White	148	70	–	–	1
All other	73	61	5	5	1
Negro	73	61	5	5	1
Prince George	37	85	3	3	4
White	26	59	3	3	2
All other	11	26	–	–	2
Negro	11	26	–	–	2
Prince William	465	483	34	27	26
Pulaski	258	305	9	9	5
Pulaski	– – –	110	3	3	2
Balance of county	– – –	195	6	6	3
Rappahannock	16	58	–	–	–
White	14	48	–	–	–
All other	2	10	–	–	–
Negro	2	10	–	–	–
Richmond	17	73	1	1	3
White	11	54	–	–	–
All other	6	19	1	1	3
Negro	6	19	1	1	3
Roanoke	323	494	14	13	13
Rockbridge	61	163	3	2	1
Rockingham	158	445	14	11	9
Russell	144	236	4	2	8
Scott	67	258	4	4	4
Shenandoah	232	284	4	2	4
Smyth	387	299	8	7	4
Southampton	49	170	2	1	4
White	23	92	1	1	–
All other	26	78	1	–	4
Negro	26	78	1	–	4
Spotsylvania	68	158	6	4	7
White	56	136	5	3	3
All other	12	22	1	1	4
Negro	12	22	1	1	4
Stafford	70	167	7	5	7
Surry	19	64	1	–	4
White	10	29	–	–	–
All other	9	35	1	–	4
Negro	9	35	1	–	4
Sussex	48	134	5	5	4
White	18	55	3	3	–
All other	30	79	2	2	4
Negro	30	79	2	2	4
Tazewell	415	462	18	12	13
Warren	162	185	4	3	1
Washington	382	403	17	12	2
Westmoreland	61	165	1	1	–
White	43	116	–	–	–
All other	18	49	1	1	–
Negro	18	49	1	1	–
Wise	267	451	11	8	10
Wythe	223	230	6	4	3
Virginia—Con.					
York	37	170	5	3	8
White	33	135	4	2	6
All other	4	35	1	1	2
Negro	4	35	1	1	2
Independent Cities[7]					
Alexandria	1,012	838	37	32	15
White	861	689	20	17	8
All other	151	149	17	15	7
Negro	146	145	16	14	6
Bedford	158	103	–	–	–
White	132	95	–	–	–
All other	26	8	–	–	–
Negro	26	8	–	–	–
Bristol[8]	164	193	3	2	3
Buena Vista	26	67	1	1	1
Charlottesville	415	343	12	10	9
White	332	257	8	6	7
All other	83	86	4	4	2
Negro	83	86	4	4	2
Chesapeake	210	746	39	26	19
White	149	541	15	8	11
All other	61	205	24	18	8
Negro	61	204	24	18	8
Clifton Forge	226	74	1	–	1
White	207	63	–	–	1
All other	19	11	1	–	–
Negro	19	11	1	–	–
Colonial Heights	26	127	–	–	3
Covington	30	94	1	1	3
White	24	81	–	–	1
All other	6	13	1	1	2
Negro	6	13	1	1	2
Danville	765	454	7	3	12
White	526	330	3	1	6
All other	239	124	4	2	6
Negro	239	124	4	2	6
Emporia	142	56	3	3	–
White	60	33	1	1	–
All other	82	23	2	2	–
Negro	82	23	2	2	–
Fairfax	175	122	5	2	4
Falls Church	18	129	6	5	6
Franklin	164	77	2	1	–
White	95	40	1	1	–
All other	69	37	1	–	–
Negro	69	37	1	–	–
Fredericksburg	460	187	8	7	5
White	370	156	5	5	4
All other	90	31	3	2	1
Negro	90	31	3	2	–
Galax	187	64	2	1	2
Hampton	938	837	40	29	33
White	549	553	23	19	15
All other	389	284	17	10	18
Negro	388	283	17	10	18
Harrisonburg	463	110	1	–	2
Hopewell	181	197	2	2	10
White	143	164	2	2	6
All other	38	33	–	–	4
Negro	38	33	–	–	4
Lexington	174	67	1	1	–
White	159	55	1	1	–
All other	15	12	–	–	–
Negro	14	12	–	–	–
Lynchburg	1,056	623	13	10	15
White	814	473	7	6	7
All other	242	150	6	4	8
Negro	242	150	6	4	8
Martinsville	409	164	4	4	9
White	313	118	1	1	2
All other	96	46	3	3	7
Negro	96	46	3	3	7
Newport News	1,219	994	50	43	29
White	827	610	29	24	17
All other	392	384	21	19	12
Negro	389	381	19	17	12
Norfolk	2,974	2,283	96	72	59
White	1,798	1,346	56	40	29
All other	1,176	937	40	32	30
Negro	1,171	932	39	31	29
Norton	212	54	1	1	1
Petersburg	600	511	22	16	18
White	360	262	6	3	5
All other	240	249	16	13	13
Negro	240	249	16	13	13

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Virginia—Con.					
Independent Cities—Con.					
Portsmouth	1,364	1,072	53	41	27
White	899	603	19	13	14
All other	465	469	34	28	13
Negro	452	463	33	27	13
Radford	191	74	4	3	2
Richmond	4,596	2,875	64	52	84
White	2,939	1,666	23	20	21
All other	1,657	1,209	41	32	63
Negro	1,650	1,207	41	32	63
Roanoke	1,493	1,183	26	20	25
White	1,235	937	16	14	15
All other	258	246	10	6	10
Negro	258	246	10	6	10
Salem	716	204	7	7	6
South Boston	300	77	4	4	2
White	182	48	2	2	–
All other	118	29	2	2	2
Negro	117	29	2	2	2
Staunton	370	238	3	2	2
White	342	213	3	2	2
All other	28	25	–	–	–
Negro	28	25	–	–	–
Suffolk [6]	445	471	23	15	15
White	225	236	3	–	6
All other	220	235	20	15	9
Negro	219	234	20	15	9
Virginia Beach	748	970	57	45	30
White	596	796	43	33	26
All other	152	174	14	12	4
Negro	149	167	10	8	4
Waynesboro	204	156	4	3	3
Williamsburg	170	65	–	–	1
White	136	58	–	–	–
All other	34	7	–	–	1
Negro	34	7	–	–	1
Winchester	645	214	–	–	1
Washington	**30,092**	**29,833**	**801**	**553**	**430**
White	28,889	28,660	707	497	380
All other	1,203	1,173	94	56	50
Negro	588	578	43	31	35
Adams	80	93	13	3	5
Asotin	165	164	1	1	1
Benton	500	503	20	17	5
Kennewick	---	178	8	7	3
Richland	---	159	5	4	1
Balance of county	---	166	7	6	1
Chelan	491	422	11	8	6
Wenatchee	---	220	7	5	2
Balance of county	---	202	4	3	4
Clallam	392	431	7	4	3
Port Angeles	---	204	5	2	–
Balance of county	---	227	2	2	3
Clark	1,180	1,141	29	21	12
Vancouver	---	532	8	5	5
Balance of county	---	609	21	16	7
Columbia	60	56	1	1	2
Cowlitz	570	594	17	9	14
Kelso	---	127	6	1	2
Longview	---	268	3	2	9
Balance of county	---	199	8	6	3
Douglas	66	126	4	2	2
Ferry	27	32	1	1	1
White	21	23	–	–	1
All other	6	9	1	1	–
Negro	–	–	–	–	–
Franklin	174	200	14	11	4
Pasco	---	147	2	1	1
White	---	131	2	1	1
All other	---	16	–	–	–
Negro	---	14	–	–	–
Balance of county	---	53	12	10	3
Garfield	21	30	–	–	–
Grant	261	309	13	10	4
Moses Lake	---	78	7	6	2
Balance of county	---	231	6	4	2
Grays Harbor	595	678	16	12	16
Aberdeen	---	263	6	6	6
Hoquiam	---	105	1	1	1
Balance of county	---	310	9	5	9
Island	139	193	6	4	3
Jefferson	137	139	3	2	1
King	9,949	9,273	197	142	123
White	9,275	8,619	156	113	100
All other	674	654	41	29	23
Negro	384	379	21	18	18

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Washington—Con.					
King—Con.					
Auburn	---	189	7	5	5
Bellevue	---	310	10	8	9
Kent	---	146	5	1	2
Kirkland	---	155	3	1	4
Mercer Island city	---	97	–	–	2
Redmond	---	76	5	4	–
Renton	---	233	7	5	6
Seattle	---	5,755	86	66	51
White	---	5,173	58	46	34
All other	---	582	28	20	17
Negro	---	359	15	13	15
Balance of county	---	2,312	74	52	44
Kitsap	899	938	22	19	15
Bremerton	---	394	16	14	8
Balance of county	---	544	6	5	7
Kittitas	182	191	7	4	2
Ellensburg	---	85	5	2	–
Balance of county	---	106	2	2	2
Klickitat	101	138	7	5	5
Lewis	442	497	13	11	7
Centralia	---	183	2	2	2
Balance of county	---	314	11	9	5
Lincoln	98	111	3	3	1
Mason	198	241	4	2	1
Okanogan	244	248	4	1	3
Pacific	178	206	1	1	1
Pend Oreille	50	71	3	2	1
Pierce	3,431	3,373	121	71	44
White	3,280	3,226	98	59	29
All other	151	147	23	12	15
Negro	104	105	18	11	14
Puyallup	---	193	4	4	1
Tacoma	---	1,724	39	20	17
White	---	1,618	30	15	10
All other	---	106	9	5	7
Negro	---	81	8	5	7
Balance of county	---	1,456	78	47	26
White	---	1,415	64	40	18
All other	---	41	14	7	8
Negro	---	24	10	6	7
San Juan	29	45	1	1	1
Skagit	580	572	10	6	5
Skamania	40	51	2	1	1
Snohomish	1,689	1,962	52	38	32
Edmonds	---	223	3	3	3
Everett	---	614	15	8	12
Lynnwood	---	101	4	3	1
Mountlake Terrace	---	54	3	2	4
Balance of county	---	970	27	22	12
Spokane	3,247	2,831	84	61	34
Spokane	---	2,059	52	37	20
Balance of county	---	772	32	24	14
Stevens	152	209	2	2	8
Thurston	701	721	20	13	17
Olympia	---	303	7	5	7
Balance of county	---	418	13	8	10
Wahkiakum	22	33	–	–	–
Walla Walla	540	431	9	7	8
Walla Walla	---	302	8	6	5
Balance of county	---	129	1	1	3
Whatcom	760	773	17	13	6
Bellingham	---	457	6	5	2
Balance of county	---	316	11	8	4
Whitman	197	261	7	3	3
Pullman	---	63	6	3	1
Balance of county	---	198	1	–	2
Yakima	1,505	1,546	59	41	33
Yakima	---	729	20	15	15
Balance of county	---	817	39	26	18
West Virginia	**19,650**	**19,559**	**516**	**387**	**331**
White	18,514	18,417	482	360	310
All other	1,136	1,142	34	27	21
Negro	1,131	1,136	33	26	20
Barbour	170	164	–	–	2
Berkeley	715	434	15	11	11
Martinsburg	---	262	7	6	3
Balance of county	---	172	8	5	8
Boone	179	269	2	1	15
Braxton	49	144	4	3	2
Brooke	74	262	9	6	2
Weirton, part	---	39	1	1	–
Balance of county	---	223	8	5	2
Cabell	1,696	1,203	26	21	21
Huntington, part	---	895	18	15	10
Huntington, total	---	939	19	15	11
Balance of county	---	308	8	6	11

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
West Virginia—Con.					
Calhoun	70	105	10	9	4
Clay	39	107	2	1	3
Doddridge	36	89	2	2	1
Fayette	559	714	19	14	11
White	489	622	17	12	7
All other	70	92	2	2	4
Negro	70	92	2	2	4
Gilmer	21	63	4	4	1
Grant	98	96	5	4	1
Greenbrier	319	406	10	10	4
Hampshire	78	139	2	2	2
Hancock	311	377	10	7	6
Weirton, part	---	228	3	2	4
Weirton, total	---	267	4	3	4
Balance of county	---	149	7	5	2
Hardy	35	85	2	2	1
Harrison	942	888	19	15	16
Clarksburg	---	370	7	6	4
Balance of county	---	518	12	9	12
Jackson	149	185	7	5	2
Jefferson	178	272	8	7	3
White	153	229	6	5	2
All other	25	43	2	2	1
Negro	25	42	2	2	1
Kanawha	2,680	2,400	55	43	24
White	2,480	2,170	48	38	22
All other	200	230	7	5	2
Negro	198	229	7	5	2
Charleston	---	1,013	19	16	11
White	---	857	13	11	9
All other	---	156	6	5	2
Negro	---	156	6	5	2
St. Albans	---	163	4	4	1
South Charleston	---	182	7	4	3
Balance of county	---	1,042	25	19	9
Lewis	266	228	9	6	3
Lincoln	78	235	7	6	1
Logan	443	510	22	17	12
McDowell	541	612	21	11	22
White	406	448	15	6	17
All other	135	164	6	5	5
Negro	135	164	6	5	5
Marion	665	746	17	14	7
Fairmont	---	327	5	5	2
Balance of county	---	419	12	9	5
Marshall	303	389	10	7	6
Moundsville	---	148	4	3	–
Balance of county	---	241	6	4	6
Mason	200	242	4	4	8
Mercer	936	767	25	21	10
Bluefield	---	262	4	2	3
White	---	193	3	1	1
All other	---	69	1	1	2
Negro	---	69	1	1	2
Balance of county	---	505	21	19	7
Mineral	130	227	5	2	4
Mingo	239	392	18	11	14
Monongalia	1,115	557	8	4	8
Morgantown	---	248	4	2	–
Balance of county	---	309	4	2	8
Monroe	37	143	2	1	3
Morgan	81	95	1	–	2
Nicholas	203	241	11	10	7
Ohio	1,091	769	16	11	9
Wheeling	---	663	10	8	7
Balance of county	---	106	6	3	2
Pendleton	32	88	3	3	4
Pleasants	25	69	3	2	2
Pocahontas	146	121	–	–	1
Preston	245	264	5	4	2
Putnam	89	262	11	6	11
Raleigh	1,253	873	18	14	13
White	1,077	742	15	12	12
All other	176	131	3	2	1
Negro	175	130	3	2	1
Beckley	---	319	5	4	6
White	---	227	3	3	6
All other	---	92	2	1	–
Negro	---	91	2	1	–
Balance of county	---	554	13	10	7
Randolph	375	274	7	4	4
Ritchie	68	152	1	1	3
Roane	198	182	4	3	2
Summers	184	201	7	7	3
Taylor	137	212	2	2	2
Tucker	55	96	1	1	–
Tyler	88	135	3	3	1
Upshur	188	204	5	5	3
West Virginia—Con.					
Wayne	301	312	4	2	6
Huntington, part	---	44	1	–	1
Balance of county	---	268	3	2	5
Webster	98	137	1	–	1
Wetzel	190	228	8	6	3
Wirt	18	66	1	–	–
Wood	1,119	849	33	23	12
Parkersburg	---	540	18	14	6
Vienna	---	97	3	1	3
Balance of county	---	212	12	8	3
Wyoming	115	279	12	9	10
Wisconsin	**39,892**	**39,885**	**888**	**638**	**527**
White	38,934	38,954	805	585	471
All other	958	931	83	53	56
Negro	807	779	79	52	51
Adams	150	155	3	2	–
Ashland	226	215	3	3	1
Barron	351	396	7	5	7
Bayfield	72	139	2	1	1
Brown	1,374	1,109	47	36	19
De Pere	---	77	8	8	3
Green Bay	---	710	22	15	10
Balance of county	---	322	17	13	6
Buffalo	112	150	–	–	–
Burnett	101	150	2	1	1
Calumet	146	180	3	3	2
Appleton, part	---	9	–	–	–
Balance of county	---	171	3	3	2
Chippewa	438	438	9	8	9
Chippewa Falls	---	135	1	1	3
Eau Claire, part	---	6	–	–	–
Balance of county	---	297	8	7	6
Clark	211	309	6	4	6
Columbia	395	443	10	7	4
Crawford	163	183	1	1	6
Dane	2,566	1,824	40	25	18
Madison	---	1,059	19	12	11
Monona	---	57	–	–	–
Balance of county	---	708	21	13	7
Dodge	713	676	16	10	10
Beaver Dam	---	157	1	–	1
Watertown, part	---	52	1	1	–
Balance of county	---	467	14	9	9
Door	201	251	6	5	2
Douglas	407	503	15	12	3
Superior	---	393	12	9	3
Balance of county	---	110	3	3	–
Dunn	217	279	10	6	4
Menomonie	---	94	4	3	–
Balance of county	---	185	6	3	4
Eau Claire	719	607	16	11	6
Eau Claire, part	---	407	8	5	6
Eau Claire, total	---	413	8	5	6
Balance of county	---	200	8	6	–
Florence	21	41	–	–	–
Fond du Lac	764	788	19	19	11
Fond du Lac	---	412	9	9	3
Balance of county	---	376	10	10	8
Forest	59	97	–	–	–
Grant	387	427	4	2	9
Green	387	284	9	3	3
Green Lake	134	204	3	1	4
Iowa	162	205	8	5	5
Iron	30	86	–	–	1
Jackson	148	176	3	1	1
Jefferson	399	555	11	7	3
Watertown, part	---	144	1	1	–
Watertown, total	---	196	2	2	–
Whitewater, part	---	–	–	–	–
Balance of county	---	411	10	6	3
Juneau	140	215	4	3	1
Kenosha	912	993	20	14	14
Kenosha	---	730	16	11	11
Balance of county	---	263	4	3	3
Kewaunee	128	169	6	4	2
La Crosse	1,083	734	17	14	7
La Crosse	---	535	9	7	5
Balance of county	---	199	8	7	2
Lafayette	103	164	1	–	–
Langlade	212	207	2	2	1
Lincoln	263	255	3	3	2
Manitowoc	678	754	14	9	10
Manitowoc	---	391	4	2	2
Two Rivers	---	139	3	3	3
Balance of county	---	224	7	4	5

See footnotes at end of table.

Table 7–1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1975–Con.

[See headnote at beginning of table]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wisconsin—Con.					
Marathon	664	752	20	14	13
Marshfield, part	---	1	1	–	–
Wausau	---	326	6	5	4
Balance of county	---	425	13	9	9
Marinette	422	461	10	6	3
Marinette	---	163	2	1	1
Balance of county	---	298	8	5	2
Marquette	56	136	4	3	–
Menominee	10	21	–	–	1
White	3	1	–	–	–
All other	7	20	–	–	1
Negro	–	–	–	–	–
Milwaukee	9,929	9,512	210	142	144
White	9,245	8,826	141	97	100
All other	684	686	69	45	44
Negro	660	663	69	45	43
Brown Deer	---	49	–	–	–
Cudahy	---	166	4	2	2
Franklin	---	55	–	–	3
Glendale	---	166	–	–	–
Greendale	---	68	1	1	2
Greenfield	---	187	4	3	4
Milwaukee, part	---	6,779	173	117	113
White	---	6,099	104	72	71
All other	---	680	69	45	42
Negro	---	659	69	45	42
Milwaukee, total	---	6,781	173	117	113
White	---	6,101	104	72	71
All other	---	680	69	45	42
Negro	---	659	69	45	42
Oak Creek	---	77	3	2	–
St. Francis	---	81	1	1	1
Shorewood	---	156	2	2	–
South Milwaukee	---	157	4	3	3
Wauwatosa	---	580	2	2	1
West Allis	---	688	14	8	8
Whitefish Bay	---	95	1	1	3
Balance of county	---	208	1	–	4
Monroe	383	346	6	4	2
Oconto	225	287	5	3	2
Oneida	349	276	2	2	2
Outagamie	889	835	26	20	8
Appleton, part	---	417	13	10	4
Appleton, total	---	426	13	10	4
Kaukauna	---	78	1	1	1
Balance of county	---	340	12	9	3
Ozaukee	283	385	11	11	4
Mequon	---	99	4	4	1
Balance of county	---	286	7	7	3
Pepin	74	86	3	2	1
Pierce	122	243	8	5	4
Polk	344	345	6	4	4
Portage	376	374	7	7	4
Stevens Point	---	186	4	4	2
Balance of county	---	188	3	3	2
Price	163	209	4	3	4
Racine	1,305	1,364	32	23	18
White	1,250	1,306	28	21	14
All other	55	58	4	2	4
Negro	55	58	4	2	4
Racine	---	831	18	13	6
White	---	776	14	11	5
All other	---	55	4	2	1
Negro	---	55	4	2	1
Balance of county	---	533	14	10	12
Richland	186	212	2	–	2
Rock	1,145	1,187	29	21	19
Beloit	---	358	6	5	4
Janesville	---	388	17	10	9
Balance of county	---	441	6	6	6
Rusk	152	193	5	4	2
St. Croix	285	303	12	11	6
Sauk	419	433	9	6	11
Sawyer	149	150	3	3	3
Shawano	293	361	2	2	6
Sheboygan	966	980	20	14	10
Sheboygan	---	564	11	9	5
Wisconsin—Con.					
Sheboygan—Con.					
Balance of county	---	416	9	5	5
Taylor	160	167	2	2	3
Trempealeau	226	276	6	5	3
Vernon	306	307	4	2	8
Vilas	119	164	1	1	–
Walworth	496	660	8	4	6
Whitewater, part	---	70	1	–	–
Whitewater, total	---	70	1	–	–
Balance of county	---	590	7	4	6
Washburn	179	151	5	3	1
Washington	420	468	19	14	4
Milwaukee, part	---	2	–	–	–
West Bend	---	129	7	5	2
Balance of county	---	337	12	9	2
Waukesha	1,501	1,505	40	33	28
Brookfield	---	168	3	2	1
Menomonee Falls	---	153	6	6	4
Muskego	---	68	1	1	–
New Berlin	---	112	1	1	2
Waukesha	---	328	12	11	7
Balance of county	---	676	17	12	14
Waupaca	502	523	9	6	4
Waushara	177	213	1	–	3
Winnebago	1,115	1,105	25	23	17
Menasha	---	118	1	1	1
Neenah	---	177	3	3	6
Oshkosh	---	527	14	13	5
Balance of county	---	283	7	6	5
Wood	930	534	12	8	4
Marshfield, part	---	158	4	3	–
Marshfield, total	---	159	5	3	–
Wisconsin Rapids	---	178	3	2	–
Balance of county	---	198	5	3	4
Wyoming	3,028	3,078	121	89	75
White	2,964	3,018	118	87	72
All other	64	60	3	2	3
Negro	18	13	–	–	–
Albany	143	136	3	2	4
Laramie	---	113	2	2	4
Balance of county	---	23	1	–	–
Big Horn	92	96	2	1	1
Campbell	78	86	6	6	2
Carbon	132	143	10	8	5
Converse	69	86	5	5	1
Crook	22	41	1	1	2
Fremont	253	261	16	10	6
White	222	224	13	8	4
All other	31	37	3	2	2
Negro	–	–	–	–	–
Goshen	76	106	–	–	1
Hot Springs	71	66	2	1	1
Johnson	67	70	3	2	4
Laramie	539	484	25	17	11
Cheyenne	---	397	16	11	9
Balance of county	---	87	9	6	2
Lincoln	58	70	2	1	2
Natrona	417	409	19	14	15
Casper	---	330	12	10	12
Balance of county	---	79	7	4	3
Niobrara	23	30	1	1	1
Park	145	154	1	1	7
Platte	87	97	3	2	–
Sheridan	250	244	1	1	1
Sheridan	---	180	–	–	–
Balance of county	---	64	1	1	1
Sublette	26	29	–	–	–
Sweetwater	228	231	10	6	5
Rock Springs	---	151	5	2	3
Balance of county	---	80	5	4	2
Teton	44	31	2	2	1
Uinta	87	75	4	4	3
Washakie	69	80	1	–	1
Weston	52	53	4	4	1

† Classified as urban under special rule; see Technical Appendix.
[1] "Districts" shown are election districts, the nearest equivalent to counties.
[2] Includes data for Texarkana, Ark., only.
[3] The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[4] Includes data for Bristol, Tenn., only.
[5] Includes data for Texarkana, Tex., only.
[6] On January 1, 1974, Nansemond merged with the independent city of Suffolk.
[7] Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
[8] Includes data for Bristol, Va., only.
[9] Includes data for Bluefield, W. Va., only.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
United States	**1,892,879**	**50,525**	**16.1**	**36,416**	**11.6**	**33,796**	**10.7**
White	1,660,366	36,173	14.2	26,478	10.4	24,309	9.5
All other	232,513	14,352	24.2	9,938	16.8	9,487	16.0
Urban places	1,066,191	28,774	17.0	20,838	12.3	18,100	10.7
White	901,364	18,570	14.6	13,614	10.7	11,863	9.3
All other	164,827	10,204	24.1	7,224	17.0	6,237	14.7
Balance of area	826,688	21,751	15.0	15,578	10.8	15,696	10.8
White	759,002	17,603	13.8	12,864	10.1	12,446	9.7
All other	67,686	4,148	24.7	2,714	16.1	3,250	19.3
Metropolitan counties	1,231,227	33,119	15.7	24,044	11.4	22,014	10.5
White	1,066,543	22,788	13.7	16,707	10.0	15,393	9.2
All other	164,684	10,331	23.6	7,337	16.7	6,621	15.1
Urban places	912,561	24,516	16.7	17,739	12.1	15,497	10.6
White	765,425	15,385	14.2	11,247	10.4	9,940	9.2
All other	147,136	9,131	23.8	6,492	16.9	5,557	14.5
Balance of area	318,666	8,603	13.5	6,305	9.9	6,517	10.2
White	301,118	7,403	12.7	5,460	9.3	5,453	9.3
All other	17,548	1,200	21.9	845	15.4	1,064	19.4
Nonmetropolitan counties	661,652	17,406	16.7	12,372	11.9	11,782	11.3
White	593,823	13,385	15.1	9,771	11.0	8,916	10.1
All other	67,829	4,021	26.2	2,601	16.9	2,866	18.7
Urban places	153,630	4,258	18.4	3,099	13.4	2,603	11.2
White	135,939	3,185	16.6	2,367	12.4	1,923	10.0
All other	17,691	1,073	26.7	732	18.2	680	16.9
Balance of area	508,022	13,148	16.3	9,273	11.5	9,179	11.4
White	457,884	10,200	14.7	7,404	10.7	6,993	10.1
All other	50,138	2,948	26.0	1,869	16.5	2,186	19.3
Alabama	**33,658**	**1,131**	**19.5**	**818**	**14.1**	**826**	**14.2**
White	23,762	552	14.6	424	11.2	412	10.9
All other	9,896	579	28.6	394	19.5	414	20.5
Urban places	13,992	446	19.9	336	15.0	363	16.2
White	8,733	171	13.9	135	11.0	145	11.8
All other	5,259	275	27.2	201	19.8	218	21.5
Balance of area	19,666	685	19.2	482	13.5	463	13.0
White	15,029	381	14.9	289	11.3	267	10.4
All other	4,637	304	30.1	193	19.1	196	19.4
Metropolitan counties	16,881	520	17.5	395	13.3	401	13.5
White	11,481	253	13.4	204	10.8	196	10.4
All other	5,400	267	24.4	191	17.4	205	18.7
Urban places	10,513	321	18.9	242	14.3	275	16.2
White	6,392	123	14.0	99	11.3	112	12.7
All other	4,121	198	24.2	143	17.5	163	19.9
Balance of area	6,368	199	15.5	153	11.9	126	9.8
White	5,089	130	12.9	105	10.4	84	8.4
All other	1,279	69	25.0	48	17.4	42	15.2
Nonmetropolitan counties	16,777	611	21.6	423	15.0	425	15.0
White	12,281	299	15.7	220	11.6	216	11.4
All other	4,496	312	33.6	203	21.9	209	22.5
Urban places	3,479	125	23.1	94	17.4	88	16.3
White	2,341	48	13.8	36	10.4	33	9.5
All other	1,138	77	39.6	58	29.9	55	28.3
Balance of area	13,298	486	21.2	329	14.4	337	14.7
White	9,940	251	16.1	184	11.8	183	11.8
All other	3,358	235	32.1	145	19.8	154	21.0
Alaska	**1,529**	**108**	**14.5**	**70**	**9.4**	**66**	**8.8**
White	1,037	67	12.6	41	7.7	53	10.0
All other	492	41	19.1	29	13.5	13	6.1
Urban places	458	29	16.4	23	13.0	24	13.6
White	361	21	15.3	17	12.4	18	13.1
All other	97	8	20.5	6	15.3	6	15.3
Balance of area	1,071	79	13.9	47	8.2	42	7.4
White	676	46	11.7	24	6.1	35	8.9
All other	395	33	18.8	23	13.1	7	4.0
Metropolitan election districts[1]	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan election districts[1]	1,529	108	14.5	70	9.4	66	8.8
White	1,037	67	12.6	41	7.7	53	10.0
All other	492	41	19.1	29	13.5	13	6.1
Urban places	458	29	16.4	23	13.0	24	13.6
White	361	21	15.3	17	12.4	18	13.1
All other	97	8	20.5	6	15.3	6	15.3
Balance of area	1,071	79	13.9	47	8.2	42	7.4
White	676	46	11.7	24	6.1	35	8.9
All other	395	33	18.8	23	13.1	7	4.0

[1] County equivalents.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Arizona	16,980	586	14.8	380	9.6	361	9.1
White	15,506	458	13.7	313	9.4	298	8.9
All other	1,474	128	20.8	67	10.9	63	10.2
Urban places	11,297	358	14.6	255	10.4	214	8.7
White	10,759	319	14.2	227	10.1	191	8.5
All other	538	39	19.2	28	13.8	23	11.3
Balance of area	5,683	228	15.1	125	8.3	147	9.7
White	4,747	139	12.6	86	7.8	107	9.7
All other	936	89	21.6	39	9.5	40	9.7
Metropolitan counties	12,676	369	13.6	252	9.3	221	8.1
White	12,029	326	13.1	223	9.0	195	7.9
All other	647	43	18.0	29	12.1	26	10.9
Urban places	10,441	319	14.3	224	10.0	183	8.2
White	9,952	283	13.8	198	9.7	162	7.9
All other	489	36	19.6	26	14.1	21	11.4
Balance of area	2,235	50	10.2	28	5.7	38	7.7
White	2,077	43	9.8	25	5.7	33	7.6
All other	158	7	12.7	3	5.5	5	9.1
Nonmetropolitan counties	4,304	217	17.6	128	10.4	140	11.3
White	3,477	132	15.4	90	10.5	103	12.0
All other	827	85	22.6	38	10.1	37	9.8
Urban places	856	39	18.1	31	14.4	31	14.4
White	807	36	18.3	29	14.8	29	14.8
All other	49	3	16.0	2	10.6	2	10.6
Balance of area	3,448	178	17.5	97	9.5	109	10.7
White	2,670	96	14.5	61	9.2	74	11.2
All other	778	82	22.9	36	10.1	35	9.8
Arkansas	21,700	625	18.1	446	12.9	426	12.4
White	17,605	398	15.6	303	11.9	261	10.3
All other	4,095	227	25.2	143	15.9	165	18.3
Urban places	7,585	219	16.8	158	12.1	166	12.8
White	5,797	124	14.1	92	10.4	87	9.9
All other	1,788	95	22.6	66	15.7	79	18.8
Balance of area	14,115	406	18.9	288	13.4	260	12.1
White	11,808	274	16.5	211	12.7	174	10.5
All other	2,307	132	27.5	77	16.0	86	17.9
Metropolitan counties	5,718	191	16.0	134	11.2	134	11.2
White	4,215	105	13.2	76	9.6	75	9.5
All other	1,503	86	21.3	58	14.4	59	14.6
Urban places	4,259	133	15.8	95	11.3	90	10.7
White	3,147	72	13.1	49	8.9	46	8.4
All other	1,112	61	20.8	46	15.7	44	15.0
Balance of area	1,459	58	16.4	39	11.0	44	12.4
White	1,068	33	13.5	27	11.1	29	11.9
All other	391	25	22.7	12	10.9	15	13.6
Nonmetropolitan counties	15,982	434	19.3	312	13.9	292	13.0
White	13,390	293	16.7	227	13.0	186	10.6
All other	2,592	141	28.4	85	17.1	106	21.3
Urban places	3,326	86	18.7	63	13.7	76	16.5
White	2,650	52	15.6	43	12.9	41	12.3
All other	676	34	26.8	20	15.8	35	27.6
Balance of area	12,656	348	19.4	249	13.9	216	12.1
White	10,740	241	17.0	184	13.0	145	10.2
All other	1,916	107	28.9	65	17.6	71	19.2
California	170,687	4,260	13.4	2,923	9.2	2,872	9.0
White	156,182	3,425	12.8	2,339	8.8	2,230	8.4
All other	14,505	835	16.6	584	11.6	642	12.7
Urban places	128,338	3,192	13.4	2,206	9.3	2,130	8.9
White	115,548	2,456	12.6	1,693	8.7	1,584	8.1
All other	12,790	736	16.8	513	11.7	546	12.5
Balance of area	42,349	1,068	13.5	717	9.1	742	9.4
White	40,634	969	13.3	646	8.9	646	8.9
All other	1,715	99	15.1	71	10.9	96	14.7
Metropolitan counties	155,404	3,879	13.3	2,683	9.2	2,647	9.1
White	141,420	3,064	12.6	2,114	8.7	2,027	8.4
All other	13,984	815	16.7	569	11.7	620	12.7
Urban places	124,436	3,086	13.4	2,133	9.2	2,072	9.0
White	111,814	2,357	12.6	1,626	8.7	1,533	8.2
All other	12,622	729	16.8	507	11.7	539	12.4
Balance of area	30,968	793	13.1	550	9.1	575	9.5
White	29,606	707	12.8	488	8.9	494	9.0
All other	1,362	86	15.7	62	11.3	81	14.8
Nonmetropolitan counties	15,283	381	14.7	240	9.3	225	8.7
White	14,762	361	14.9	225	9.3	203	8.4
All other	521	20	12.6	15	9.4	22	13.8
Urban places	3,902	106	14.6	73	10.0	58	8.0
White	3,734	99	14.7	67	9.9	51	7.6
All other	168	7	13.0	6	11.1	7	13.0
Balance of area	11,381	275	14.8	167	9.0	167	9.0
White	11,028	262	14.9	158	9.0	152	8.7
All other	353	13	12.4	9	8.6	15	14.3

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Colorado	17,434	572	14.2	383	9.5	486	12.1
White	16,873	520	13.9	346	9.2	446	11.9
All other	561	52	19.5	37	13.9	40	15.0
Urban places	11,422	361	14.6	240	9.7	312	12.6
White	10,921	316	14.0	208	9.2	275	12.2
All other	501	45	20.2	32	14.4	37	16.6
Balance of area	6,012	211	13.7	143	9.3	174	11.3
White	5,952	204	13.6	138	9.2	171	11.4
All other	60	7	15.8	5	11.3	3	6.8
Metropolitan counties	11,576	406	14.1	269	9.3	332	11.5
White	11,063	359	13.6	234	8.9	295	11.2
All other	513	47	19.3	35	14.3	37	15.2
Urban places	10,073	325	14.6	215	9.7	275	12.4
White	9,585	283	14.1	183	9.1	239	11.9
All other	488	42	19.4	32	14.8	36	16.6
Balance of area	1,503	81	12.2	54	8.2	57	8.6
White	1,478	76	12.0	51	8.0	56	8.8
All other	25	5	18.1	3	10.9	1	3.6
Nonmetropolitan counties	5,858	166	14.6	114	10.0	154	13.5
White	5,810	161	14.4	112	10.0	151	13.5
All other	48	5	22.0	2	8.8	3	13.2
Urban places	1,349	36	13.9	25	9.7	37	14.3
White	1,336	33	13.1	25	9.9	36	14.2
All other	13	3	49.2	–	–	1	16.4
Balance of area	4,509	130	14.8	89	10.1	117	13.3
White	4,474	128	14.8	87	10.1	115	13.3
All other	35	2	12.0	2	12.0	2	12.0
Connecticut	25,740	557	15.5	445	12.4	349	9.7
White	24,470	431	13.7	347	11.0	292	9.3
All other	1,270	126	28.2	98	21.9	57	12.8
Urban places	18,016	385	16.2	308	13.0	226	9.5
White	16,844	262	13.3	212	10.8	172	8.8
All other	1,172	123	30.2	96	23.6	54	13.2
Balance of area	7,724	172	14.1	137	11.2	123	10.1
White	7,626	169	14.3	135	11.4	120	10.2
All other	98	3	7.7	2	5.1	3	7.7
Metropolitan counties	20,116	412	15.2	333	12.3	260	9.6
White	18,947	297	12.9	243	10.5	208	9.0
All other	1,169	115	28.2	90	22.1	52	12.8
Urban places	16,385	338	15.9	270	12.7	203	9.6
White	15,273	225	12.9	181	10.4	151	8.7
All other	1,112	113	29.5	89	23.3	52	13.6
Balance of area	3,731	74	12.6	63	10.7	57	9.7
White	3,674	72	12.8	62	11.0	57	10.1
All other	57	2	8.0	1	4.0	–	–
Nonmetropolitan counties	5,624	145	16.5	112	12.8	89	10.1
White	5,523	134	16.0	104	12.4	84	10.0
All other	101	11	28.2	8	20.5	5	12.8
Urban places	1,631	47	19.1	38	15.4	23	9.3
White	1,571	37	16.7	31	14.0	21	9.5
All other	60	10	40.2	7	28.1	2	8.0
Balance of area	3,993	98	15.5	74	11.7	66	10.4
White	3,952	97	15.7	73	11.8	63	10.2
All other	41	1	7.1	1	7.1	3	21.3
Delaware	4,682	119	14.4	91	11.0	98	11.9
White	3,903	81	12.7	60	9.4	64	10.1
All other	779	38	20.2	31	16.5	34	18.1
Urban places	2,026	36	18.0	27	13.5	32	16.0
White	1,577	19	18.2	13	12.4	17	16.3
All other	449	17	17.8	14	14.6	15	15.7
Balance of area	2,656	83	13.3	64	10.3	66	10.6
White	2,326	62	11.7	47	8.8	47	8.8
All other	330	21	22.7	17	18.4	19	20.6
Metropolitan counties	3,057	67	12.7	50	9.5	60	11.4
White	2,590	47	11.3	33	7.9	39	9.4
All other	467	20	17.7	17	15.0	21	18.6
Urban places	1,805	31	20.6	23	15.3	21	14.0
White	1,407	15	20.9	10	13.9	8	11.2
All other	398	16	20.4	13	16.5	13	16.5
Balance of area	1,252	36	9.5	27	7.1	39	10.3
White	1,183	32	9.3	23	6.7	31	9.0
All other	69	4	11.6	4	11.6	8	23.1
Nonmetropolitan counties	1,625	52	17.6	41	13.9	38	12.9
White	1,313	34	15.4	27	12.2	25	11.3
All other	312	18	24.1	14	18.7	13	17.4
Urban places	221	5	10.0	4	8.0	11	22.0
White	170	4	12.2	3	9.1	9	27.4
All other	51	1	5.9	1	5.9	2	11.8
Balance of area	1,404	47	19.1	37	15.1	27	11.0
White	1,143	30	16.0	24	12.8	16	8.5
All other	261	17	29.4	13	22.5	11	19.0

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
District of Columbia	7,481	283	29.0	227	23.3	149	15.3
White	2,465	29	22.1	26	19.8	14	10.7
All other	5,016	254	30.1	201	23.8	135	16.0
Urban places	7,481	283	29.0	227	23.3	149	15.3
White	2,465	29	22.1	26	19.8	14	10.7
All other	5,016	254	30.1	201	23.8	135	16.0
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Metropolitan	7,481	283	29.0	227	23.3	149	15.3
White	2,465	29	22.1	26	19.8	14	10.7
All other	5,016	254	30.1	201	23.8	135	16.0
Urban places	7,481	283	29.0	227	23.3	149	15.3
White	2,465	29	22.1	26	19.8	14	10.7
All other	5,016	254	30.1	201	23.8	135	16.0
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Florida	87,074	1,869	17.7	1,322	12.5	1,201	11.4
White	76,406	1,081	13.9	794	10.2	740	9.5
All other	10,668	788	28.2	528	18.9	461	16.5
Urban places	46,844	962	16.9	690	12.1	610	10.7
White	40,278	501	13.2	375	9.9	340	9.0
All other	6,566	461	24.3	315	16.6	270	14.2
Balance of area	40,230	907	18.6	632	12.9	591	12.1
White	36,128	580	14.6	419	10.5	400	10.0
All other	4,102	327	36.3	213	23.7	191	21.2
Metropolitan counties	56,705	1,166	16.7	838	12.0	805	11.5
White	49,745	653	12.9	489	9.7	496	9.8
All other	6,960	513	26.6	349	18.1	309	16.0
Urban places	38,692	749	15.7	536	11.2	497	10.4
White	33,510	391	12.2	290	9.1	289	9.0
All other	5,182	358	22.7	246	15.6	208	13.2
Balance of area	18,013	417	18.9	302	13.7	308	14.0
White	16,235	262	14.2	199	10.8	207	11.2
All other	1,778	155	43.7	103	29.0	101	28.5
Nonmetropolitan counties	30,369	703	19.6	484	13.5	396	11.0
White	26,661	428	15.7	305	11.2	244	9.0
All other	3,708	275	31.7	179	20.6	152	17.5
Urban places	8,152	213	23.3	154	16.9	113	12.4
White	6,768	110	18.6	85	14.4	51	8.6
All other	1,384	103	31.9	69	21.4	62	19.2
Balance of area	22,217	490	18.3	330	12.3	283	10.6
White	19,893	318	14.9	220	10.3	193	9.0
All other	2,324	172	31.6	110	20.2	90	16.5
Georgia	41,363	1,465	18.3	1,005	12.6	1,099	13.7
White	29,541	751	14.6	543	10.5	589	11.4
All other	11,822	714	25.1	462	16.3	510	17.9
Urban places	17,260	650	22.6	473	16.4	5	0.2
White	10,495	246	18.5	189	14.2	4	0.3
All other	6,765	404	26.0	284	18.3	1	0.1
Balance of area	24,103	815	15.9	532	10.4	1,094	21.4
White	19,046	505	13.2	354	9.2	585	15.3
All other	5,057	310	24.1	178	13.8	509	39.5
Metropolitan counties	18,090	677	17.6	501	13.0	522	13.6
White	12,323	327	13.5	242	10.0	288	11.9
All other	5,767	350	24.4	259	18.1	234	16.3
Urban places	12,701	500	22.9	369	16.9	1	0.0
White	7,451	181	18.8	138	14.3	1	0.1
All other	5,250	319	26.1	231	18.9	–	–
Balance of area	5,389	177	10.6	132	7.9	521	31.3
White	4,872	146	10.0	104	7.2	287	19.8
All other	517	31	14.7	28	13.3	234	110.9
Nonmetropolitan counties	23,273	788	19.0	504	12.1	577	13.9
White	17,218	424	15.5	301	11.0	301	11.0
All other	6,055	364	25.8	203	14.4	276	19.6
Urban places	4,559	150	21.6	104	14.9	4	0.6
White	3,044	65	17.9	51	14.1	3	0.8
All other	1,515	85	25.5	53	15.9	1	0.3
Balance of area	18,714	638	18.5	400	11.6	573	16.6
White	14,174	359	15.1	250	10.5	298	12.5
All other	4,540	279	25.9	150	13.9	275	25.5

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Hawaii	4,350	203	12.9	150	9.5	210	13.4
White	1,350	57	13.2	38	8.8	59	13.7
All other	3,000	146	12.8	112	9.8	151	13.2
Urban places	2,860	124	13.4	93	10.1	136	14.7
White	945	31	12.5	23	9.3	43	17.3
All other	1,915	93	13.7	70	10.3	93	13.7
Balance of area	1,490	79	12.2	57	8.8	74	11.4
White	405	26	14.2	15	8.2	16	8.7
All other	1,085	53	11.4	42	9.1	58	12.5
Metropolitan counties	3,188	172	13.6	129	10.2	173	13.6
White	1,054	50	13.3	33	8.8	55	14.6
All other	2,134	122	13.7	96	10.8	118	13.2
Urban places	2,613	115	13.2	86	9.8	129	14.8
White	880	30	12.4	22	9.1	43	17.8
All other	1,733	85	13.5	64	10.1	86	13.6
Balance of area	575	57	14.5	43	10.9	44	11.2
White	174	20	14.9	11	8.2	12	8.9
All other	401	37	14.2	32	12.3	32	12.3
Nonmetropolitan counties	1,162	31	10.2	21	6.9	37	12.2
White	296	7	12.8	5	9.2	4	7.3
All other	866	24	9.6	16	6.4	33	13.3
Urban places	247	9	17.6	7	13.7	7	13.7
White	65	1	16.7	1	16.7	–	–
All other	182	8	17.7	6	13.3	7	15.5
Balance of area	915	22	8.7	14	5.6	30	11.9
White	231	6	12.3	4	8.2	4	8.2
All other	684	16	7.9	10	4.9	26	12.8
Idaho	6,514	214	13.2	152	9.4	148	9.1
White	6,410	208	13.1	149	9.4	132	8.3
All other	104	6	16.9	3	8.4	16	44.9
Urban places	2,758	81	13.6	55	9.2	50	8.4
White	2,725	81	13.9	55	9.4	46	7.9
All other	33	–	–	–	–	4	29.0
Balance of area	3,756	133	12.9	97	9.4	98	9.5
White	3,685	127	12.6	94	9.3	86	8.6
All other	71	6	27.5	3	13.8	12	55.0
Metropolitan counties	1,043	27	11.5	18	7.7	20	8.5
White	1,034	27	11.8	18	7.9	18	7.9
All other	9	–	–	–	–	2	35.7
Urban places	889	23	12.6	16	8.8	16	8.8
White	881	23	13.0	16	9.0	14	7.9
All other	8	–	–	–	–	2	40.0
Balance of area	154	4	7.7	2	3.8	4	7.7
White	153	4	7.8	2	3.9	4	7.8
All other	1	–	–	–	–	–	–
Nonmetropolitan counties	5,471	187	13.5	134	9.6	128	9.2
White	5,376	181	13.3	131	9.6	114	8.4
All other	95	6	20.0	3	10.0	14	46.7
Urban places	1,869	58	14.0	39	9.4	34	8.2
White	1,844	58	14.3	39	9.6	32	7.9
All other	25	–	–	–	–	2	22.7
Balance of area	3,602	129	13.2	95	9.7	94	9.6
White	3,532	123	12.9	92	9.6	82	8.6
All other	70	6	28.3	3	14.2	12	56.6
Illinois	103,552	3,118	18.4	2,230	13.2	1,906	11.3
White	89,864	1,953	15.0	1,450	11.1	1,254	9.6
All other	13,688	1,165	29.9	780	20.0	652	16.7
Urban places	71,717	2,354	20.3	1,674	14.4	1,376	11.9
White	58,719	1,237	15.6	925	11.7	750	9.5
All other	12,998	1,117	30.3	749	20.3	626	17.0
Balance of area	31,835	764	14.3	556	10.4	530	9.9
White	31,145	716	13.9	525	10.2	504	9.8
All other	690	48	23.8	31	15.3	26	12.9
Metropolitan counties	78,633	2,600	18.9	1,853	13.5	1,575	11.4
White	65,518	1,473	14.7	1,094	10.9	940	9.4
All other	13,115	1,127	30.0	759	20.2	635	16.9
Urban places	65,715	2,218	20.4	1,573	14.5	1,313	12.1
White	52,993	1,124	15.5	838	11.5	694	9.5
All other	12,722	1,094	30.3	735	20.4	619	17.2
Balance of area	12,918	382	13.3	280	9.7	262	9.1
White	12,525	349	12.8	256	9.4	246	9.0
All other	393	33	21.7	24	15.8	16	10.5
Nonmetropolitan counties	24,919	518	16.3	377	11.9	331	10.4
White	24,346	480	15.8	356	11.7	314	10.3
All other	573	38	28.5	21	15.8	17	12.8
Urban places	6,002	136	18.9	101	14.0	63	8.7
White	5,726	113	17.7	87	13.6	56	8.8
All other	276	23	27.5	14	16.7	7	8.4
Balance of area	18,917	382	15.5	276	11.2	268	10.9
White	18,620	367	15.2	269	11.2	258	10.7
All other	297	15	30.2	7	14.1	10	20.1

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Indiana	**46,723**	**1,217**	**14.8**	**876**	**10.6**	**891**	**10.8**
White	43,292	996	13.6	720	9.8	734	10.0
All other	3,431	221	24.0	156	17.0	157	17.1
Urban places	25,645	753	17.6	538	12.6	495	11.6
White	22,335	537	15.8	385	11.4	343	10.1
All other	3,310	216	24.6	153	17.4	152	17.3
Balance of area	21,078	464	11.7	338	8.5	396	10.0
White	20,957	459	11.7	335	8.5	391	9.9
All other	121	5	11.9	3	7.1	5	11.9
Metropolitan counties	27,851	775	15.4	555	11.0	538	10.7
White	24,721	579	13.8	414	9.9	392	9.3
All other	3,130	196	23.7	141	17.1	146	17.7
Urban places	19,902	573	16.9	401	11.8	392	11.6
White	16,830	379	14.6	262	10.1	250	9.7
All other	3,072	194	24.2	139	17.3	142	17.7
Balance of area	7,949	202	12.4	154	9.4	146	8.9
White	7,891	200	12.4	152	9.4	142	8.8
All other	58	2	8.4	2	8.4	4	16.8
Nonmetropolitan counties	18,872	442	13.7	321	10.0	353	11.0
White	18,571	417	13.3	306	9.8	342	10.9
All other	301	25	26.8	15	16.1	11	11.8
Urban places	5,743	180	20.5	137	15.6	103	11.7
White	5,505	158	19.7	123	15.3	93	11.6
All other	238	22	29.3	14	18.6	10	13.3
Balance of area	13,129	262	11.2	184	7.9	250	10.7
White	13,066	259	11.1	183	7.9	249	10.7
All other	63	3	16.5	1	5.5	1	5.5
Iowa	**28,097**	**557**	**13.5**	**435**	**10.5**	**363**	**8.8**
White	27,770	531	13.2	415	10.3	343	8.5
All other	327	26	22.3	20	17.2	20	17.2
Urban places	10,948	258	14.5	204	11.4	162	9.1
White	10,647	234	13.9	185	11.0	143	8.5
All other	301	24	24.0	19	19.0	19	19.0
Balance of area	17,149	299	12.7	231	9.8	201	8.5
White	17,123	297	12.7	230	9.8	200	8.6
All other	26	2	12.0	1	6.0	1	6.0
Metropolitan counties	8,675	235	14.6	190	11.8	143	8.9
White	8,420	215	14.1	174	11.4	127	8.3
All other	255	20	23.3	16	18.6	16	18.6
Urban places	7,239	187	14.7	150	11.8	122	9.6
White	6,986	167	14.0	134	11.3	106	8.9
All other	253	20	24.6	16	19.7	16	19.7
Balance of area	1,436	48	14.1	40	11.8	21	6.2
White	1,434	48	14.3	40	11.9	21	6.3
All other	2	–	–	–	–	–	–
Nonmetropolitan counties	19,422	322	12.7	245	9.7	220	8.7
White	19,350	316	12.7	241	9.7	216	8.7
All other	72	6	19.5	4	13.0	4	13.0
Urban places	3,709	71	13.9	54	10.5	40	7.8
White	3,661	67	13.6	51	10.3	37	7.5
All other	48	4	21.4	3	16.0	3	16.0
Balance of area	15,713	251	12.5	191	9.5	180	8.9
White	15,689	249	12.4	190	9.5	179	8.9
All other	24	2	16.7	1	8.3	1	8.3
Kansas	**21,781**	**474**	**14.0**	**348**	**10.3**	**346**	**10.2**
White	20,702	415	13.5	309	10.0	299	9.7
All other	1,079	59	19.3	39	12.8	47	15.4
Urban places	10,545	280	14.5	198	10.2	200	10.3
White	9,566	226	13.6	162	9.7	159	9.5
All other	979	54	20.2	36	13.5	41	15.3
Balance of area	11,236	194	13.3	150	10.3	146	10.0
White	11,136	189	13.3	147	10.4	140	9.9
All other	100	5	13.3	3	8.0	6	15.9
Metropolitan counties	7,427	196	13.4	136	9.3	155	10.6
White	6,671	156	12.4	107	8.5	123	9.8
All other	756	40	19.5	29	14.2	32	15.6
Urban places	6,239	162	13.7	112	9.5	127	10.7
White	5,499	123	12.5	84	8.5	97	9.8
All other	740	39	19.8	28	14.2	30	15.3
Balance of area	1,188	34	12.1	24	8.6	28	10.0
White	1,172	33	12.1	23	8.4	26	9.5
All other	16	1	12.0	1	12.0	2	24.1
Nonmetropolitan counties	14,354	278	14.4	212	11.0	191	9.9
White	14,031	259	14.2	202	11.1	176	9.6
All other	323	19	18.9	10	10.0	15	14.9
Urban places	4,306	118	15.7	86	11.5	73	9.7
White	4,067	103	15.2	78	11.5	62	9.1
All other	239	15	21.1	8	11.3	11	15.5
Balance of area	10,048	160	13.6	126	10.7	118	10.0
White	9,964	156	13.6	124	10.8	114	10.0
All other	84	4	13.6	2	6.8	4	13.6

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Kentucky	33,187	854	15.6	634	11.6	578	10.6
White	30,383	759	15.3	566	11.4	483	9.7
All other	2,804	95	19.3	68	13.8	95	19.3
Urban places	11,286	253	16.7	187	12.3	191	12.6
White	9,382	184	15.3	137	11.4	127	10.6
All other	1,904	69	21.7	50	15.7	64	20.1
Balance of area	21,901	601	15.2	447	11.3	387	9.8
White	21,001	575	15.2	429	11.4	356	9.4
All other	900	26	15.0	18	10.4	31	17.9
Metropolitan counties	12,251	299	14.8	222	11.0	218	10.8
White	10,625	232	13.5	174	10.1	161	9.4
All other	1,626	67	22.2	48	15.9	57	18.9
Urban places	8,514	193	17.0	142	12.5	151	13.3
White	6,999	131	14.9	97	11.1	99	11.3
All other	1,515	62	24.4	45	17.7	52	20.4
Balance of area	3,737	106	11.9	80	9.0	67	7.5
White	3,626	101	12.0	77	9.1	62	7.3
All other	111	5	10.5	3	6.3	5	10.5
Nonmetropolitan counties	20,936	555	16.1	412	12.0	360	10.5
White	19,758	527	16.2	392	12.0	322	9.9
All other	1,178	28	14.8	20	10.5	38	20.0
Urban places	2,772	60	15.5	45	11.6	40	10.3
White	2,383	53	16.4	40	12.4	28	8.7
All other	389	7	10.9	5	7.8	12	18.7
Balance of area	18,164	495	16.2	367	12.0	320	10.5
White	17,375	474	16.2	352	12.0	294	10.0
All other	789	21	16.7	15	12.0	26	20.7
Louisiana	33,700	1,238	18.2	926	13.6	754	11.1
White	22,609	586	14.3	451	11.0	340	8.3
All other	11,091	652	24.1	475	17.6	414	15.3
Urban places	16,628	579	18.9	442	14.4	340	11.1
White	10,379	200	13.4	162	10.8	117	7.8
All other	6,249	379	24.1	280	17.8	223	14.2
Balance of area	17,072	659	17.7	484	13.0	414	11.1
White	12,230	386	14.9	289	11.1	223	8.6
All other	4,842	273	24.0	195	17.2	191	16.8
Metropolitan parishes[1]	18,148	647	17.2	494	13.1	395	10.5
White	12,050	267	12.3	210	9.7	176	8.1
All other	6,098	380	23.9	284	17.9	219	13.8
Urban places	13,392	464	18.9	360	14.7	268	10.9
White	8,302	148	12.9	121	10.6	86	7.5
All other	5,090	316	24.1	239	18.2	182	13.9
Balance of area	4,756	183	14.0	134	10.3	127	9.7
White	3,748	119	11.6	89	8.7	90	8.8
All other	1,008	64	23.0	45	16.2	37	13.3
Nonmetropolitan parishes[1]	15,552	591	19.5	432	14.2	359	11.8
White	10,559	319	16.7	241	12.6	164	8.6
All other	4,993	272	24.3	191	17.1	195	17.5
Urban places	3,236	115	18.8	82	13.4	72	11.8
White	2,077	52	14.8	41	11.7	31	8.8
All other	1,159	63	24.2	41	15.7	41	15.7
Balance of area	12,316	476	19.7	350	14.5	287	11.9
White	8,482	267	17.1	200	12.8	133	8.5
All other	3,834	209	24.4	150	17.5	154	18.0
Maine	10,273	202	13.2	137	9.0	103	6.7
White	10,236	201	13.3	137	9.1	102	6.8
All other	37	1	5.2	–	–	1	5.2
Urban places	3,270	65	15.4	44	10.4	28	6.6
White	3,258	65	15.6	44	10.6	27	6.5
All other	12	–	–	–	–	1	20.4
Balance of area	7,003	137	12.4	93	8.4	75	6.8
White	6,978	136	12.5	93	8.5	75	6.9
All other	25	1	7.0	–	–	–	–
Metropolitan counties	1,997	37	13.2	24	8.6	12	4.3
White	1,991	37	13.3	24	8.7	11	4.0
All other	6	–	–	–	–	1	43.5
Urban places	1,136	19	14.4	13	9.8	6	4.5
White	1,132	19	14.5	13	9.9	5	3.8
All other	4	–	–	–	–	1	66.7
Balance of area	861	18	12.2	11	7.5	6	4.1
White	859	18	12.3	11	7.5	6	4.1
All other	2	–	–	–	–	–	–
Nonmetropolitan counties	8,276	165	13.2	113	9.1	91	7.3
White	8,245	164	13.3	113	9.2	91	7.4
All other	31	1	5.9	–	–	–	–
Urban places	2,134	46	15.9	31	10.7	22	7.6
White	2,126	46	16.1	31	10.8	22	7.7
All other	8	–	–	–	–	–	–
Balance of area	6,142	119	12.4	82	8.6	69	7.2
White	6,119	118	12.5	82	8.7	69	7.3
All other	23	1	7.4	–	–	–	–

[1] County equivalents.

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Maryland	32,055	908	17.2	688	13.0	535	10.1
White	25,662	574	15.2	438	11.6	335	8.9
All other	6,393	334	22.1	250	16.6	200	13.2
Urban places	13,479	358	21.7	260	15.7	187	11.3
White	9,047	155	19.1	109	13.4	77	9.5
All other	4,432	203	24.1	151	17.9	110	13.1
Balance of area	18,576	550	15.2	428	11.8	348	9.6
White	16,615	419	14.2	329	11.1	258	8.7
All other	1,961	131	19.6	99	14.8	90	13.5
Metropolitan counties	25,926	775	17.6	589	13.3	440	10.0
White	20,413	472	15.4	359	11.7	264	8.6
All other	5,513	303	22.5	230	17.0	176	13.0
Urban places	11,877	330	22.1	243	16.3	169	11.3
White	7,620	133	19.6	96	14.1	63	9.3
All other	4,257	197	24.3	147	18.1	106	13.1
Balance of area	14,049	445	15.2	346	11.8	271	9.3
White	12,793	339	14.2	263	11.0	201	8.4
All other	1,256	106	19.7	83	15.4	70	13.0
Nonmetropolitan counties	6,129	133	15.3	99	11.4	95	11.0
White	5,249	102	14.4	79	11.2	71	10.1
All other	880	31	19.3	20	12.5	24	15.0
Urban places	1,602	28	17.2	17	10.5	18	11.1
White	1,427	22	16.6	13	9.8	14	10.6
All other	175	6	20.0	4	13.3	4	13.3
Balance of area	4,527	105	14.9	82	11.6	77	10.9
White	3,822	80	13.9	66	11.5	57	9.9
All other	705	25	19.2	16	12.3	20	15.3
Massachusetts	54,015	920	13.5	693	10.1	621	9.1
White	52,561	825	13.1	628	9.9	558	8.8
All other	1,454	95	18.5	65	12.7	63	12.3
Urban places	38,850	665	14.5	494	10.8	437	9.5
White	37,522	576	14.0	433	10.5	380	9.2
All other	1,328	89	18.7	61	12.8	57	12.0
Balance of area	15,165	255	11.4	199	8.9	184	8.2
White	15,039	249	11.3	195	8.8	178	8.1
All other	126	6	16.5	4	11.0	6	16.5
Metropolitan counties	51,672	894	13.6	672	10.2	608	9.2
White	50,257	801	13.2	609	10.0	545	9.0
All other	1,415	93	18.4	63	12.5	63	12.5
Urban places	38,850	665	14.5	494	10.8	437	9.5
White	37,522	576	14.0	433	10.5	380	9.2
All other	1,328	89	18.7	61	12.8	57	12.0
Balance of area	12,822	229	11.5	178	8.9	171	8.6
White	12,735	225	11.4	176	8.9	165	8.4
All other	87	4	13.8	2	6.9	6	20.8
Nonmetropolitan counties	2,343	26	10.6	21	8.6	13	5.3
White	2,304	24	10.1	19	8.0	13	5.5
All other	39	2	27.0	2	27.0	–	–
Urban places	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–
Balance of area	2,343	26	10.6	21	8.6	13	5.3
White	2,304	24	10.1	19	8.0	13	5.5
All other	39	2	27.0	2	27.0	–	–
Michigan	74,596	2,179	16.3	1,535	11.5	1,312	9.8
White	65,411	1,572	14.3	1,119	10.2	982	9.0
All other	9,185	607	24.9	416	17.1	330	13.5
Urban places	43,213	1,323	18.0	938	12.7	748	10.1
White	34,612	749	14.7	542	10.6	449	8.8
All other	8,601	574	25.3	396	17.5	299	13.2
Balance of area	31,383	856	14.2	597	9.9	564	9.4
White	30,799	823	14.1	577	9.9	533	9.1
All other	584	33	19.2	20	11.6	31	18.0
Metropolitan counties	53,701	1,659	16.6	1,177	11.8	961	9.6
White	45,178	1,092	14.2	783	10.2	661	8.6
All other	8,523	567	25.0	394	17.4	300	13.2
Urban places	39,931	1,215	17.8	857	12.6	685	10.0
White	31,595	661	14.2	472	10.1	403	8.7
All other	8,336	554	25.5	385	17.8	282	13.0
Balance of area	13,770	444	14.1	320	10.2	276	8.8
White	13,583	431	14.1	311	10.2	258	8.5
All other	187	13	13.3	9	9.2	18	18.4
Nonmetropolitan counties	20,895	520	15.2	358	10.4	351	10.2
White	20,233	480	14.7	336	10.3	321	9.9
All other	662	40	23.2	22	12.7	30	17.4
Urban places	3,282	108	19.6	81	14.7	63	11.4
White	3,017	88	19.5	70	15.5	46	10.2
All other	265	20	20.4	11	11.2	17	17.3
Balance of area	17,613	412	14.3	277	9.6	288	10.0
White	17,216	392	14.0	266	9.5	275	9.8
All other	397	20	26.8	11	14.8	13	17.4

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Minnesota	32,689	764	13.5	567	10.0	478	8.5
White	32,255	717	13.3	540	10.0	451	8.4
All other	434	47	19.2	27	11.0	27	11.0
Urban places	16,436	384	14.3	283	10.5	225	8.4
White	16,123	345	13.8	260	10.4	200	8.0
All other	313	39	22.2	23	13.1	25	14.2
Balance of area	16,253	380	12.8	284	9.6	253	8.5
White	16,132	372	12.9	280	9.7	251	8.7
All other	121	8	11.5	4	5.7	2	2.9
Metropolitan counties	16,302	415	13.4	310	10.0	241	7.8
White	15,981	376	12.9	287	9.9	217	7.5
All other	321	39	20.6	23	12.2	24	12.7
Urban places	13,773	335	14.4	254	10.9	191	8.2
White	13,466	297	13.8	231	10.7	167	7.7
All other	307	38	22.2	23	13.4	24	14.0
Balance of area	2,529	80	10.5	56	7.3	50	6.5
White	2,515	79	10.6	56	7.5	50	6.7
All other	14	1	5.6	–	–	–	–
Nonmetropolitan counties	16,387	349	13.7	257	10.1	237	9.3
White	16,274	341	13.7	253	10.1	234	9.4
All other	113	8	14.2	4	7.1	3	5.3
Urban places	2,663	49	13.9	29	8.2	34	9.7
White	2,657	48	13.8	29	8.3	33	9.5
All other	6	1	22.7	–	–	1	22.7
Balance of area	13,724	300	13.7	228	10.4	203	9.2
White	13,617	293	13.7	224	10.4	201	9.4
All other	107	7	13.5	4	7.7	2	3.9
Mississippi	22,786	977	22.3	679	15.5	804	18.4
White	13,807	358	15.8	260	11.4	296	13.0
All other	8,979	619	29.4	419	19.9	508	24.1
Urban places	6,928	315	23.3	236	17.5	271	20.1
White	3,988	103	15.9	84	13.0	99	15.3
All other	2,940	212	30.2	152	21.6	172	24.5
Balance of area	15,858	662	21.8	443	14.6	533	17.6
White	9,819	255	15.7	176	10.8	197	12.1
All other	6,039	407	28.9	267	19.0	336	23.9
Metropolitan counties	3,310	153	19.0	105	13.0	155	19.2
White	2,198	70	14.8	48	10.1	75	15.8
All other	1,112	83	25.0	57	17.2	80	24.1
Urban places	2,146	86	17.7	64	13.2	100	20.6
White	1,402	29	11.6	23	9.2	41	16.3
All other	744	57	24.2	41	17.4	59	25.0
Balance of area	1,164	67	21.0	41	12.9	55	17.2
White	796	41	18.4	25	11.2	34	15.2
All other	368	26	27.2	16	16.7	21	21.9
Nonmetropolitan counties	19,476	824	23.0	574	16.1	649	18.2
White	11,609	288	16.0	212	11.8	221	12.3
All other	7,867	536	30.2	362	20.4	428	24.1
Urban places	4,782	229	26.5	172	19.9	171	19.8
White	2,586	74	18.6	61	15.4	58	14.6
All other	2,196	155	33.2	111	23.8	113	24.2
Balance of area	14,694	595	21.9	402	14.8	478	17.6
White	9,023	214	15.3	151	10.8	163	11.6
All other	5,671	381	29.1	251	19.2	315	24.0
Missouri	49,059	1,124	16.4	816	11.9	702	10.2
White	44,029	833	14.5	608	10.6	512	8.9
All other	5,030	291	25.9	208	18.5	190	16.9
Urban places	23,902	598	19.3	424	13.7	351	11.3
White	19,624	353	16.0	244	11.1	202	9.2
All other	4,278	245	27.2	180	20.0	149	16.6
Balance of area	25,157	526	14.0	392	10.5	351	9.4
White	24,405	480	13.6	364	10.3	310	8.8
All other	752	46	20.5	28	12.5	41	18.3
Metropolitan counties	27,615	682	15.7	484	11.2	441	10.2
White	23,249	427	12.8	296	8.9	277	8.3
All other	4,366	255	25.6	188	18.8	164	16.4
Urban places	20,605	508	18.6	355	13.0	314	11.5
White	16,549	279	15.0	186	10.0	170	9.1
All other	4,056	229	26.4	169	19.5	144	16.6
Balance of area	7,010	174	10.8	129	8.0	127	7.9
White	6,700	148	10.0	110	7.4	107	7.2
All other	310	26	20.2	19	14.8	20	15.5
Nonmetropolitan counties	21,444	442	17.6	332	13.2	261	10.4
White	20,780	406	17.0	312	13.1	235	9.8
All other	664	36	28.3	20	15.7	26	20.4
Urban places	3,297	90	24.1	69	18.5	37	9.9
White	3,075	74	21.6	58	17.0	32	9.4
All other	222	16	50.8	11	34.9	5	15.9
Balance of area	18,147	352	16.4	263	12.3	224	10.5
White	17,705	332	16.2	254	12.4	203	9.9
All other	442	20	20.9	9	9.4	21	21.9

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Montana	6,538	186	15.4	128	10.6	117	9.7
White	6,255	168	15.6	118	11.0	102	9.5
All other	283	18	14.0	10	7.8	15	11.7
Urban places	2,328	70	18.2	48	12.5	43	11.2
White	2,285	68	19.0	47	13.1	39	10.9
All other	43	2	7.3	1	3.6	4	14.6
Balance of area	4,210	116	14.1	80	9.7	74	9.0
White	3,970	100	13.9	71	9.9	63	8.8
All other	240	16	15.8	9	8.9	11	10.9
Metropolitan counties	1,324	40	12.9	28	9.0	29	9.4
White	1,298	38	13.3	27	9.4	26	9.1
All other	26	2	8.3	1	4.2	3	12.5
Urban places	1,047	33	15.5	24	11.3	19	8.9
White	1,025	31	15.9	23	11.8	16	8.2
All other	22	2	11.0	1	5.5	3	16.5
Balance of area	277	7	7.2	4	4.1	10	10.3
White	273	7	7.7	4	4.4	10	11.0
All other	4	–	–	–	–	–	–
Nonmetropolitan counties	5,214	146	16.3	100	11.2	88	9.8
White	4,957	130	16.4	91	11.5	76	9.6
All other	257	16	15.3	9	8.6	12	11.5
Urban places	1,281	37	21.5	24	13.9	24	13.9
White	1,260	37	22.7	24	14.7	23	14.1
All other	21	–	–	–	–	1	10.9
Balance of area	3,933	109	15.1	76	10.5	64	8.8
White	3,697	93	14.8	67	10.7	53	8.4
All other	236	16	16.8	9	9.5	11	11.6
Nebraska	14,603	329	13.9	244	10.3	222	9.4
White	14,150	293	13.2	223	10.0	199	8.9
All other	453	36	25.1	21	14.7	23	16.1
Urban places	6,443	175	15.5	129	11.4	113	10.0
White	6,060	140	13.9	108	10.7	93	9.2
All other	383	35	29.9	21	17.9	20	17.1
Balance of area	8,160	154	12.4	115	9.3	109	8.8
White	8,090	153	12.6	115	9.5	106	8.7
All other	70	1	3.8	–	–	3	11.5
Metropolitan counties	5,042	150	13.9	113	10.5	105	9.7
White	4,672	116	12.1	93	9.7	84	8.8
All other	370	34	28.2	20	16.6	21	17.4
Urban places	4,528	131	15.5	97	11.5	93	11.0
White	4,163	97	13.3	77	10.5	73	10.0
All other	365	34	30.3	20	17.8	20	17.8
Balance of area	514	19	8.1	16	6.8	12	5.1
White	509	19	8.4	16	7.0	11	4.8
All other	5	–	–	–	–	1	11.6
Nonmetropolitan counties	9,561	179	13.9	131	10.2	117	9.1
White	9,478	177	14.0	130	10.3	115	9.1
All other	83	2	8.9	1	4.4	2	8.9
Urban places	1,915	44	15.4	32	11.2	20	7.0
White	1,897	43	15.3	31	11.1	20	7.1
All other	18	1	19.6	1	19.6	–	–
Balance of area	7,646	135	13.5	99	9.9	97	9.7
White	7,581	134	13.6	99	10.0	95	9.6
All other	65	1	5.7	–	–	2	11.5
Nevada	4,479	158	17.4	105	11.6	79	8.7
White	4,146	124	16.2	84	11.0	53	6.9
All other	333	34	24.5	21	15.1	26	18.7
Urban places	2,709	96	17.5	61	11.1	52	9.5
White	2,492	72	16.2	47	10.6	31	7.0
All other	217	24	22.9	14	13.3	21	20.0
Balance of area	1,770	62	17.4	44	12.3	27	7.6
White	1,654	52	16.1	37	11.5	22	6.8
All other	116	10	29.6	7	20.7	5	14.8
Metropolitan counties	3,515	127	17.5	84	11.6	64	8.8
White	3,261	98	16.2	68	11.2	40	6.6
All other	254	29	24.1	16	13.3	24	20.0
Urban places	2,552	87	16.8	55	10.6	50	9.7
White	2,338	63	15.2	41	9.9	30	7.2
All other	214	24	23.2	14	13.5	20	19.3
Balance of area	963	40	19.3	29	14.0	14	6.8
White	923	35	18.4	27	14.2	10	5.3
All other	40	5	29.8	2	11.9	4	23.8
Nonmetropolitan counties	964	31	17.2	21	11.6	15	8.3
White	885	26	16.0	16	9.9	13	8.0
All other	79	5	27.2	5	27.2	2	10.9
Urban places	157	9	28.8	6	19.2	2	6.4
White	154	9	30.2	6	20.1	1	3.4
All other	3	–	–	–	–	1	71.4
Balance of area	807	22	14.7	15	10.0	13	8.7
White	731	17	12.8	10	7.5	12	9.1
All other	76	5	29.4	5	29.4	1	5.9

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New Hampshire	7,220	148	13.4	112	10.1	82	7.4
White	7,201	146	13.4	110	10.1	80	7.3
All other	19	2	14.5	2	14.5	2	14.5
Urban places	3,201	65	14.9	54	12.4	41	9.4
White	3,189	63	14.7	52	12.1	40	9.3
All other	12	2	23.5	2	23.5	1	11.8
Balance of area	4,019	83	12.4	58	8.7	41	6.1
White	4,012	83	12.5	58	8.8	40	6.0
All other	7	–	–	–	–	1	18.9
Metropolitan counties	2,079	40	11.8	35	10.3	33	9.7
White	2,074	39	11.6	34	10.1	33	9.8
All other	5	1	32.3	1	32.3	–	–
Urban places	1,481	29	13.6	24	11.3	25	11.8
White	1,478	28	13.3	23	10.9	25	11.9
All other	3	1	40.0	1	40.0	–	–
Balance of area	598	11	8.7	11	8.7	8	6.4
White	596	11	8.8	11	8.8	8	6.4
All other	2	–	–	–	–	–	–
Nonmetropolitan counties	5,141	108	14.1	77	10.0	49	6.4
White	5,127	107	14.2	76	10.1	47	6.2
All other	14	1	9.3	1	9.3	2	18.7
Urban places	1,720	36	16.0	30	13.4	16	7.1
White	1,711	35	16.0	29	13.3	15	6.9
All other	9	1	16.7	1	16.7	1	16.7
Balance of area	3,421	72	13.3	47	8.7	33	6.1
White	3,416	72	13.4	47	8.7	32	6.0
All other	5	–	–	–	–	1	21.3
New Jersey	65,498	1,377	15.0	997	10.9	932	10.1
White	58,874	955	13.0	709	9.7	681	9.3
All other	6,624	422	22.9	288	15.6	251	13.6
Urban places	46,003	998	15.9	708	11.3	655	10.4
White	40,304	618	13.3	452	9.7	444	9.6
All other	5,699	380	23.4	256	15.8	211	13.0
Balance of area	19,495	379	13.0	289	9.9	277	9.5
White	18,570	337	12.5	257	9.5	237	8.8
All other	925	42	18.9	32	14.4	40	18.0
Metropolitan counties	50,035	1,096	15.7	795	11.4	700	10.0
White	44,182	730	13.6	548	10.2	491	9.2
All other	5,853	366	22.7	247	15.3	209	13.0
Urban places	38,138	822	16.3	577	11.4	534	10.6
White	33,006	493	13.7	359	9.9	352	9.8
All other	5,132	329	22.8	218	15.1	182	12.6
Balance of area	11,897	274	14.3	218	11.3	166	8.6
White	11,176	237	13.5	189	10.8	139	7.9
All other	721	37	21.8	29	17.1	27	15.9
Nonmetropolitan counties	15,463	281	12.7	202	9.1	232	10.5
White	14,692	225	11.4	161	8.1	190	9.6
All other	771	56	24.4	41	17.8	42	18.3
Urban places	7,865	176	14.5	131	10.8	121	9.9
White	7,298	125	12.0	93	8.9	92	8.8
All other	567	51	28.8	38	21.4	29	16.4
Balance of area	7,598	105	10.6	71	7.1	111	11.2
White	7,394	100	10.6	68	7.2	98	10.4
All other	204	5	9.5	3	5.7	13	24.8
New Mexico	7,977	358	17.0	229	10.9	191	9.1
White	7,172	282	16.1	193	11.0	142	8.1
All other	805	76	21.9	36	10.4	49	14.1
Urban places	4,315	173	15.1	113	9.9	90	7.9
White	4,129	145	13.8	97	9.3	79	7.5
All other	186	28	28.3	16	16.2	11	11.1
Balance of area	3,662	185	19.3	116	12.1	101	10.5
White	3,043	137	19.3	96	13.5	63	8.9
All other	619	48	19.4	20	8.1	38	15.3
Metropolitan counties	2,149	67	11.5	43	7.4	34	5.8
White	2,068	61	11.5	41	7.7	31	5.8
All other	81	6	12.1	2	4.0	3	6.1
Urban places	2,069	62	11.2	39	7.1	30	5.4
White	2,012	57	11.2	38	7.4	29	5.7
All other	57	5	11.8	1	2.4	1	2.4
Balance of area	80	5	17.7	4	14.2	4	14.2
White	56	4	19.0	3	14.3	2	9.5
All other	24	1	13.9	1	13.9	2	27.8
Nonmetropolitan counties	5,828	291	19.1	186	12.2	157	10.3
White	5,104	221	18.0	152	12.4	111	9.1
All other	724	70	23.5	34	11.4	46	15.5
Urban places	2,246	111	18.7	74	12.5	60	10.1
White	2,117	88	16.4	59	11.0	50	9.3
All other	129	23	40.6	15	26.5	10	17.7
Balance of area	3,582	180	19.4	112	12.0	97	10.4
White	2,987	133	19.3	93	13.5	61	8.9
All other	595	47	19.5	19	7.9	36	15.0

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New York	169,618	3,782	16.0	2,803	11.9	2,689	11.4
White	150,602	2,545	13.8	1,912	10.4	1,916	10.4
All other	19,016	1,237	23.6	891	17.0	773	14.7
Urban places	114,638	2,708	18.0	2,019	13.4	1,750	11.6
White	96,955	1,561	15.3	1,189	11.7	1,046	10.3
All other	17,683	1,147	23.7	830	17.1	704	14.5
Balance of area	54,980	1,074	12.5	784	9.1	939	11.0
White	53,647	984	12.0	723	8.8	870	10.6
All other	1,333	90	22.7	61	15.4	69	17.4
Metropolitan counties	144,876	3,282	16.3	2,432	12.1	2,311	11.5
White	126,379	2,088	13.9	1,573	10.4	1,561	10.4
All other	18,497	1,194	23.5	859	16.9	750	14.7
Urban places	107,991	2,558	17.9	1,909	13.4	1,654	11.6
White	90,551	1,432	15.1	1,095	11.5	960	10.1
All other	17,440	1,126	23.6	814	17.1	694	14.6
Balance of area	36,885	724	12.3	523	8.9	657	11.2
White	35,828	656	11.8	478	8.6	601	10.8
All other	1,057	68	21.0	45	13.9	56	17.3
Nonmetropolitan counties	24,742	500	14.4	371	10.7	378	10.9
White	24,223	457	13.8	339	10.2	355	10.7
All other	519	43	28.1	32	20.9	23	15.0
Urban places	6,647	150	19.2	110	14.1	96	12.3
White	6,404	129	18.4	94	13.4	86	12.2
All other	243	21	26.4	16	20.2	10	12.6
Balance of area	18,095	350	13.0	261	9.7	282	10.5
White	17,819	328	12.6	245	9.4	269	10.3
All other	276	22	29.9	16	21.8	13	17.7
North Carolina	45,777	1,485	18.4	1,059	13.1	989	12.2
White	33,933	803	14.6	600	10.9	544	9.9
All other	11,844	682	26.4	459	17.7	445	17.2
Urban places	15,312	446	19.5	320	14.0	295	12.9
White	10,318	196	15.1	147	11.3	130	10.0
All other	4,994	250	25.2	173	17.5	165	16.7
Balance of area	30,465	1,039	17.9	739	12.7	694	12.0
White	23,615	607	14.4	453	10.8	414	9.8
All other	6,850	432	27.1	286	17.9	280	17.5
Metropolitan counties	15,450	491	16.6	354	12.0	347	11.7
White	11,272	259	12.9	192	9.5	198	9.8
All other	4,178	232	24.7	162	17.2	149	15.9
Urban places	9,513	279	18.4	202	13.3	183	12.1
White	6,253	121	14.3	89	10.5	75	8.9
All other	3,260	158	23.5	113	16.8	108	16.1
Balance of area	5,937	212	14.8	152	10.6	164	11.4
White	5,019	138	11.8	103	8.8	123	10.5
All other	918	74	27.6	49	18.3	41	15.3
Nonmetropolitan counties	30,327	994	19.3	705	13.7	642	12.5
White	22,661	544	15.6	408	11.7	346	9.9
All other	7,666	450	27.3	297	18.0	296	18.0
Urban places	5,799	167	21.8	118	15.4	112	14.6
White	4,065	75	16.7	58	12.9	55	12.2
All other	1,734	92	28.9	60	18.8	57	17.9
Balance of area	24,528	827	18.9	587	13.4	530	12.1
White	18,596	469	15.4	350	11.5	291	9.6
All other	5,932	358	26.9	237	17.8	239	18.0
North Dakota	5,496	157	14.8	119	11.2	101	9.5
White	5,345	141	14.4	107	10.9	89	9.1
All other	151	16	20.7	12	15.5	12	15.5
Urban places	1,605	57	14.0	44	10.8	35	8.6
White	1,594	57	14.6	44	11.2	35	8.9
All other	11	–	–	–	–	–	–
Balance of area	3,891	100	15.3	75	11.5	66	10.1
White	3,751	84	14.2	63	10.7	54	9.1
All other	140	16	25.6	12	19.2	12	19.2
Metropolitan counties	590	13	10.4	11	8.8	14	11.2
White	589	13	10.6	11	8.9	14	11.4
All other	1	–	–	–	–	–	–
Urban places	432	9	10.4	8	9.3	11	12.8
White	431	9	10.6	8	9.4	11	13.0
All other	1	–	–	–	–	–	–
Balance of area	158	4	10.4	3	7.8	3	7.8
White	158	4	10.4	3	7.8	3	7.8
All other	–	–	–	–	–	–	–
Nonmetropolitan counties	4,906	144	15.4	108	11.6	87	9.3
White	4,756	128	14.9	96	11.2	75	8.7
All other	150	16	21.2	12	15.9	12	15.9
Urban places	1,173	48	15.0	36	11.2	24	7.5
White	1,163	48	15.6	36	11.7	24	7.8
All other	10	–	–	–	–	–	–
Balance of area	3,733	96	15.6	72	11.7	63	10.2
White	3,593	80	14.5	60	10.9	51	9.2
All other	140	16	25.7	12	19.3	12	19.3

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Ohio	96,385	2,508	15.8	1,838	11.6	1,626	10.2
White	87,056	1,956	14.3	1,444	10.6	1,294	9.5
All other	9,329	552	25.1	394	17.9	332	15.1
Urban places	60,038	1,591	17.8	1,158	13.0	982	11.0
White	51,412	1,079	15.7	794	11.5	683	9.9
All other	8,626	512	25.1	364	17.9	299	14.7
Balance of area	36,347	917	13.2	680	9.8	644	9.3
White	35,644	877	12.9	650	9.6	611	9.0
All other	703	40	24.3	30	18.3	33	20.1
Metropolitan counties	72,382	1,932	16.2	1,418	11.9	1,219	10.2
White	63,458	1,396	14.2	1,039	10.6	909	9.3
All other	8,924	536	25.4	379	18.0	310	14.7
Urban places	52,355	1,420	18.0	1,031	13.0	866	11.0
White	43,966	917	15.5	675	11.4	580	9.8
All other	8,389	503	25.4	356	18.0	286	14.5
Balance of area	20,027	512	12.7	387	9.6	353	8.8
White	19,492	479	12.3	364	9.3	329	8.4
All other	535	33	25.5	23	17.8	24	18.5
Nonmetropolitan counties	24,003	576	14.6	420	10.7	407	10.3
White	23,598	560	14.6	405	10.5	385	10.0
All other	405	16	16.9	15	15.9	22	23.3
Urban places	7,683	171	16.7	127	12.4	116	11.4
White	7,446	162	16.8	119	12.4	103	10.7
All other	237	9	15.1	8	13.4	13	21.8
Balance of area	16,320	405	13.9	293	10.0	291	10.0
White	16,152	398	13.8	286	9.9	282	9.8
All other	168	7	20.1	7	20.1	9	25.9
Oklahoma	27,194	690	16.2	487	11.4	403	9.4
White	24,478	537	15.5	384	11.1	290	8.4
All other	2,716	153	19.1	103	12.9	113	14.1
Urban places	12,979	384	15.7	272	11.1	219	9.0
White	11,571	291	14.9	201	10.3	153	7.8
All other	1,408	93	19.1	71	14.6	66	13.6
Balance of area	14,215	306	16.8	215	11.8	184	10.1
White	12,907	246	16.3	183	12.1	137	9.1
All other	1,308	60	19.1	32	10.2	47	14.9
Metropolitan counties	11,253	393	17.1	272	11.8	186	8.1
White	10,037	301	16.3	209	11.3	125	6.7
All other	1,216	92	20.4	63	14.0	61	13.6
Urban places	8,963	315	16.7	218	11.5	159	8.4
White	7,947	238	15.8	163	10.8	108	7.2
All other	1,016	77	19.9	55	14.2	51	13.1
Balance of area	2,290	78	19.0	54	13.1	27	6.6
White	2,090	63	18.1	46	13.2	17	4.9
All other	200	15	24.1	8	12.9	10	16.1
Nonmetropolitan counties	15,941	297	15.1	215	10.9	217	11.0
White	14,441	236	14.6	175	10.8	165	10.2
All other	1,500	61	17.4	40	11.4	52	14.8
Urban places	4,016	69	12.5	54	9.8	60	10.9
White	3,624	53	11.7	38	8.4	45	9.9
All other	392	16	16.2	16	16.2	15	15.2
Balance of area	11,925	228	16.1	161	11.4	157	11.1
White	10,817	183	15.7	137	11.8	120	10.3
All other	1,108	45	17.8	24	9.5	37	14.7
Oregon	20,176	502	15.0	330	9.9	296	8.9
White	19,757	472	15.0	317	10.0	279	8.8
All other	419	30	16.4	13	7.1	17	9.3
Urban places	9,517	211	16.6	134	10.5	128	10.0
White	9,237	192	16.6	124	10.7	115	9.9
All other	280	19	16.3	10	8.6	13	11.2
Balance of area	10,659	291	14.1	196	9.5	168	8.1
White	10,520	280	14.0	193	9.7	164	8.2
All other	139	11	16.5	3	4.5	4	6.0
Metropolitan counties	12,158	308	15.5	199	10.0	159	8.0
White	11,858	289	15.6	189	10.2	147	7.9
All other	300	19	14.2	10	7.5	12	9.0
Urban places	7,215	153	16.5	95	10.2	84	9.0
White	6,957	137	16.6	86	10.4	73	8.8
All other	258	16	15.7	9	8.8	11	10.8
Balance of area	4,943	155	14.7	104	9.9	75	7.1
White	4,901	152	14.9	103	10.1	74	7.2
All other	42	3	9.6	1	3.2	1	3.2
Nonmetropolitan counties	8,018	194	14.3	131	9.7	137	10.1
White	7,899	183	14.0	128	9.8	132	10.1
All other	119	11	22.1	3	6.0	5	10.1
Urban places	2,302	58	16.9	39	11.3	44	12.8
White	2,280	55	16.7	38	11.5	42	12.7
All other	22	3	21.0	1	7.0	2	14.0
Balance of area	5,716	136	13.4	92	9.1	93	9.2
White	5,619	128	13.1	90	9.2	90	9.2
All other	97	8	22.6	2	5.6	3	8.5

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Pennsylvania	120,579	2,442	16.4	1,874	12.6	1,759	11.8
White	109,739	1,884	14.6	1,471	11.4	1,388	10.7
All other	10,840	558	28.1	403	20.3	371	18.7
Urban places	63,403	1,357	19.1	1,036	14.6	911	12.8
White	53,604	851	16.1	669	12.6	565	10.7
All other	9,799	506	27.9	367	20.2	346	19.1
Balance of area	57,176	1,085	13.9	838	10.7	848	10.9
White	56,135	1,033	13.5	802	10.5	823	10.8
All other	1,041	52	29.8	36	20.7	25	14.3
Metropolitan counties	94,510	1,934	16.7	1,475	12.7	1,351	11.7
White	84,072	1,393	14.4	1,083	11.2	983	10.2
All other	10,438	541	28.2	392	20.5	368	19.2
Urban places	58,290	1,265	19.2	969	14.7	826	12.5
White	48,686	766	15.9	607	12.6	483	10.0
All other	9,604	499	28.0	362	20.3	343	19.3
Balance of area	36,220	669	13.4	506	10.1	525	10.5
White	35,386	627	12.9	476	9.8	500	10.3
All other	834	42	31.3	30	22.4	25	18.6
Nonmetropolitan counties	26,069	508	15.3	399	12.0	408	12.3
White	25,667	491	15.1	388	11.9	405	12.4
All other	402	17	23.5	11	15.2	3	4.1
Urban places	5,113	92	17.9	67	13.0	85	16.5
White	4,918	85	17.7	62	12.9	82	17.0
All other	195	7	21.7	5	15.5	3	9.3
Balance of area	20,956	416	14.8	332	11.8	323	11.5
White	20,749	406	14.6	326	11.7	323	11.6
All other	207	10	24.9	6	15.0	–	–
Rhode Island	8,898	156	14.5	107	10.0	160	14.9
White	8,692	141	14.1	98	9.8	146	14.6
All other	206	15	21.0	9	12.6	14	19.6
Urban places	7,172	118	14.4	80	9.0	131	16.0
White	6,981	103	13.7	71	9.4	120	15.9
All other	191	15	22.5	9	13.5	11	16.5
Balance of area	1,726	38	15.0	27	10.7	29	11.4
White	1,711	38	15.3	27	10.9	26	10.5
All other	15	–	–	–	–	3	62.5
Metropolitan counties	7,719	130	15.2	90	10.5	141	16.5
White	7,550	117	14.7	82	10.3	128	16.0
All other	169	13	22.3	8	13.7	13	22.3
Urban places	6,685	103	14.2	71	9.8	124	17.1
White	6,519	90	13.5	63	9.5	113	17.0
All other	166	13	22.8	8	14.1	11	19.3
Balance of area	1,034	27	20.3	19	14.3	17	12.8
White	1,031	27	20.5	19	14.4	15	11.4
All other	3	–	–	–	–	2	142.9
Nonmetropolitan counties	1,179	26	12.0	17	7.9	19	8.8
White	1,142	24	11.8	16	7.9	18	8.9
All other	37	2	15.2	1	7.6	1	7.6
Urban places	487	15	15.7	9	9.4	7	7.3
White	462	13	15.1	8	9.3	7	8.1
All other	25	2	20.4	1	10.2	–	–
Balance of area	692	11	9.2	8	6.7	12	10.0
White	680	11	9.4	8	6.9	11	9.4
All other	12	–	–	–	–	1	29.4
South Carolina	23,497	907	19.4	644	13.8	638	13.7
White	15,585	435	15.5	321	11.4	282	10.1
All other	7,912	472	25.3	323	17.3	356	19.1
Urban places	5,872	182	19.9	128	14.0	115	12.6
White	3,656	86	19.1	66	14.7	40	8.9
All other	2,216	96	20.7	62	13.4	75	16.2
Balance of area	17,625	725	19.3	516	13.7	523	13.9
White	11,929	349	14.8	255	10.8	242	10.3
All other	5,696	376	26.8	261	18.6	281	20.0
Metropolitan counties	8,058	283	15.6	197	10.9	209	11.5
White	5,701	161	13.2	113	9.3	116	9.5
All other	2,357	122	20.5	84	14.1	93	15.6
Urban places	3,108	89	17.2	62	12.0	66	12.7
White	1,890	46	18.0	34	13.3	25	9.8
All other	1,218	43	16.4	28	10.7	41	15.6
Balance of area	4,950	194	15.0	135	10.4	143	11.1
White	3,811	115	12.0	79	8.2	91	9.5
All other	1,139	79	23.8	56	16.9	52	15.6
Nonmetropolitan counties	15,439	624	21.8	447	15.6	429	15.0
White	9,884	274	17.2	208	13.1	166	10.4
All other	5,555	350	27.5	239	18.8	263	20.7
Urban places	2,764	93	23.5	66	16.7	49	12.4
White	1,766	40	20.6	32	16.5	15	7.7
All other	998	53	26.4	34	16.9	34	16.9
Balance of area	12,675	531	21.5	381	15.5	380	15.4
White	8,118	234	16.8	176	12.6	151	10.8
All other	4,557	297	27.8	205	19.2	229	21.4

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
South Dakota	6,484	181	16.1	124	11.0	124	11.0
White	6,021	133	13.6	99	10.2	98	10.1
All other	463	48	31.9	25	16.6	26	17.3
Urban places	1,909	56	15.7	43	12.0	37	10.3
White	1,871	53	15.8	40	12.0	35	10.5
All other	38	3	12.9	3	12.9	2	8.6
Balance of area	4,575	125	16.3	81	10.6	87	11.3
White	4,150	80	12.5	59	9.2	63	9.8
All other	425	45	35.3	22	17.3	24	18.9
Metropolitan counties	807	29	18.3	24	15.1	13	8.2
White	801	28	18.0	23	14.8	13	8.4
All other	6	1	31.3	1	31.3	–	–
Urban places	657	22	18.5	18	15.1	11	9.2
White	651	21	18.0	17	14.6	11	9.4
All other	6	1	38.5	1	38.5	–	–
Balance of area	150	7	17.7	6	15.2	2	5.1
White	150	7	18.0	6	15.4	2	5.1
All other	–	–	–	–	–	–	–
Nonmetropolitan counties	5,677	152	15.7	100	10.3	111	11.5
White	5,220	105	12.8	76	9.3	85	10.4
All other	457	47	31.9	24	16.3	26	17.6
Urban places	1,252	34	14.3	25	10.5	26	10.9
White	1,220	32	14.7	23	10.6	24	11.0
All other	32	2	9.7	2	9.7	2	9.7
Balance of area	4,425	118	16.2	75	10.3	85	11.7
White	4,000	73	12.1	53	8.8	61	10.1
All other	425	45	35.5	22	17.4	24	18.9
Tennessee	38,564	1,008	16.2	734	11.8	739	11.9
White	31,537	674	13.9	488	10.1	491	10.1
All other	7,027	334	24.2	246	17.8	248	18.0
Urban places	18,774	553	18.6	402	13.5	344	11.6
White	13,502	305	16.1	221	11.7	165	8.7
All other	5,272	248	23.1	181	16.8	179	16.6
Balance of area	19,790	455	13.9	332	10.2	395	12.1
White	18,035	369	12.5	267	9.0	326	11.0
All other	1,755	86	28.2	65	21.3	69	22.6
Metropolitan counties	17,438	502	16.6	372	12.3	352	11.6
White	12,580	278	13.8	203	10.0	190	9.4
All other	4,858	224	22.2	169	16.7	162	16.0
Urban places	14,561	434	18.3	317	13.3	280	11.8
White	9,939	220	15.5	157	11.1	125	8.8
All other	4,622	214	22.3	160	16.7	155	16.2
Balance of area	2,877	68	10.4	55	8.4	72	11.0
White	2,641	58	9.6	46	7.6	65	10.7
All other	236	10	19.7	9	17.7	7	13.8
Nonmetropolitan counties	21,126	506	15.8	362	11.3	387	12.1
White	18,957	396	14.0	285	10.1	301	10.6
All other	2,169	110	29.7	77	20.8	86	23.2
Urban places	4,213	119	20.1	85	14.4	64	10.8
White	3,563	85	17.9	64	13.4	40	8.4
All other	650	34	29.3	21	18.1	24	20.7
Balance of area	16,913	387	14.8	277	10.6	323	12.4
White	15,394	311	13.2	221	9.4	261	11.1
All other	1,519	76	29.9	56	22.0	62	24.4
Texas	98,471	3,572	16.6	2,554	11.8	2,279	10.6
White	84,547	2,725	15.0	1,969	10.8	1,791	9.9
All other	13,924	847	24.9	585	17.2	488	14.4
Urban places	60,855	2,455	16.5	1,766	11.8	1,572	10.5
White	50,932	1,798	14.7	1,305	10.7	1,194	9.8
All other	9,923	657	24.3	461	17.0	378	14.0
Balance of area	37,616	1,117	16.8	788	11.8	707	10.6
White	33,615	927	15.5	664	11.1	597	10.0
All other	4,001	190	27.5	124	18.0	110	15.9
Metropolitan counties	64,984	2,608	15.9	1,876	11.4	1,696	10.3
White	55,163	1,956	14.3	1,416	10.3	1,332	9.7
All other	9,821	652	24.0	460	16.9	364	13.4
Urban places	52,986	2,129	16.0	1,533	11.5	1,375	10.3
White	44,133	1,531	14.1	1,114	10.3	1,043	9.6
All other	8,853	598	24.3	419	17.0	332	13.5
Balance of area	11,998	479	15.2	343	10.9	321	10.2
White	11,030	425	14.7	302	10.4	289	10.0
All other	968	54	20.9	41	15.9	32	12.4
Nonmetropolitan counties	33,487	964	18.8	678	13.2	583	11.4
White	29,384	769	17.3	553	12.4	459	10.3
All other	4,103	195	28.9	125	18.5	124	18.4
Urban places	7,869	326	20.2	233	14.4	197	12.2
White	6,799	267	19.4	191	13.9	151	11.0
All other	1,070	59	24.4	42	17.3	46	19.0
Balance of area	25,618	638	18.2	445	12.7	386	11.0
White	22,585	502	16.3	362	11.8	308	10.0
All other	3,033	136	31.5	83	19.2	78	18.1

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Utah	7,530	416	13.1	296	9.3	259	8.2
White	7,328	388	12.7	280	9.1	250	8.2
All other	202	28	27.8	16	15.9	9	8.9
Urban places	3,907	169	11.7	124	8.6	126	8.7
White	3,806	165	11.8	121	8.7	118	8.5
All other	101	4	8.0	3	6.0	8	15.9
Balance of area	3,623	247	14.3	172	10.0	133	7.7
White	3,522	223	13.3	159	9.5	132	7.9
All other	101	24	47.4	13	25.7	1	2.0
Metropolitan counties	5,507	297	12.2	212	8.7	212	8.7
White	5,385	284	12.0	203	8.5	204	8.6
All other	122	13	20.4	9	14.1	8	12.5
Urban places	3,586	158	12.1	116	8.9	119	9.1
White	3,488	154	12.2	113	9.0	111	8.8
All other	98	4	8.7	3	6.6	8	17.5
Balance of area	1,921	139	12.2	96	8.4	93	8.2
White	1,897	130	11.6	90	8.0	93	8.3
All other	24	9	50.0	6	33.3	–	–
Nonmetropolitan counties	2,023	119	16.4	84	11.6	47	6.5
White	1,943	104	15.1	77	11.2	46	6.7
All other	80	15	40.5	7	18.9	1	2.7
Urban places	321	11	7.8	8	5.7	7	5.0
White	318	11	8.0	8	5.8	7	5.1
All other	3	–	–	–	–	–	–
Balance of area	1,702	108	18.5	76	13.0	40	6.8
White	1,625	93	16.8	69	12.5	39	7.1
All other	77	15	46.0	7	21.5	1	3.1
Vermont	4,282	90	13.3	68	10.1	56	8.3
White	4,270	89	13.3	68	10.2	56	8.4
All other	12	1	18.5	–	–	–	–
Urban places	703	14	16.7	12	14.3	13	15.5
White	700	14	17.0	12	14.5	13	15.8
All other	3	–	–	–	–	–	–
Balance of area	3,579	76	12.9	56	9.5	43	7.3
White	3,570	75	12.8	56	9.5	43	7.3
All other	9	1	23.8	–	–	–	–
Metropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan counties	4,282	90	13.3	68	10.1	56	8.3
White	4,270	89	13.3	68	10.2	56	8.4
All other	12	1	18.5	–	–	–	–
Urban places	703	14	16.7	12	14.3	13	15.5
White	700	14	17.0	12	14.5	13	15.8
All other	3	–	–	–	–	–	–
Balance of area	3,579	76	12.9	56	9.5	43	7.3
White	3,570	75	12.8	56	9.5	43	7.3
All other	9	1	23.8	–	–	–	–
Virginia	39,553	1,223	17.4	921	13.1	1,008	14.4
White	30,538	792	15.0	590	11.1	626	11.8
All other	9,015	431	25.1	331	19.3	382	22.3
Urban places	17,217	593	19.7	458	15.2	453	15.1
White	12,223	327	16.3	249	12.4	236	11.8
All other	4,994	266	26.6	209	20.9	217	21.7
Balance of area	22,336	630	15.7	463	11.6	555	13.9
White	18,315	465	14.1	341	10.4	390	11.9
All other	4,021	165	23.0	122	17.0	165	23.0
Metropolitan counties	21,099	743	16.9	574	13.1	628	14.3
White	15,760	453	13.9	349	10.7	387	11.9
All other	5,339	290	25.6	225	19.9	241	21.3
Urban places	14,880	543	20.0	420	15.4	400	14.7
White	10,282	293	16.4	224	12.5	203	11.3
All other	4,598	250	26.9	196	21.1	197	21.2
Balance of area	6,219	200	12.0	154	9.2	228	13.7
White	5,478	160	10.9	125	8.5	184	12.6
All other	741	40	19.9	29	14.4	44	21.8
Nonmetropolitan counties	18,454	480	18.3	347	13.2	380	14.5
White	14,778	339	16.6	241	11.8	239	11.7
All other	3,676	141	24.2	106	18.2	141	24.2
Urban places	2,337	50	17.5	38	13.3	53	18.5
White	1,941	34	15.7	25	11.5	33	15.2
All other	396	16	23.1	13	18.8	20	28.9
Balance of area	16,117	430	18.4	309	13.2	327	14.0
White	12,837	305	16.7	216	11.8	206	11.3
All other	3,280	125	24.3	93	18.1	121	23.5

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 – Con.

[See headnote at beginning of table]

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Washington	29,833	801	15.8	553	10.9	430	8.5
White	28,660	707	15.3	497	10.8	380	8.2
All other	1,173	94	20.3	56	12.1	50	10.8
Urban places	16,726	371	17.0	259	11.8	209	9.6
White	15,871	322	16.9	228	11.9	177	9.3
All other	855	49	17.7	31	11.2	32	11.5
Balance of area	13,107	430	14.9	294	10.2	221	7.6
White	12,789	385	14.2	269	9.9	203	7.5
All other	318	45	24.3	25	13.5	18	9.7
Metropolitan counties	18,580	483	15.4	333	10.6	245	7.8
White	17,685	412	14.7	288	10.3	202	7.2
All other	895	71	20.5	45	13.0	43	12.4
Urban places	12,461	251	16.0	172	11.0	142	9.0
White	11,674	206	15.5	143	10.8	113	8.5
All other	787	45	18.7	29	12.0	29	12.0
Balance of area	6,119	232	14.7	161	10.2	103	6.5
White	6,011	206	14.0	145	9.9	89	6.1
All other	108	26	24.9	16	15.3	14	13.4
Nonmetropolitan counties	11,253	318	16.4	220	11.4	185	9.6
White	10,975	295	16.2	209	11.5	178	9.8
All other	278	23	19.7	11	9.4	7	6.0
Urban places	4,265	120	19.5	87	14.1	67	10.9
White	4,197	116	20.0	85	14.7	64	11.0
All other	68	4	11.0	2	5.5	3	8.2
Balance of area	6,988	198	15.0	133	10.1	118	9.0
White	6,778	179	14.5	124	10.0	114	9.2
All other	210	19	23.7	9	11.2	4	5.0
West Virginia	19,559	516	18.4	387	13.8	331	11.8
White	18,417	482	17.9	360	13.4	310	11.5
All other	1,142	34	28.3	27	22.5	21	17.5
Urban places	5,800	120	19.3	93	15.0	64	10.3
White	5,266	103	18.1	82	14.4	58	10.2
All other	534	17	33.6	11	21.7	6	11.9
Balance of area	13,759	396	18.1	294	13.4	267	12.2
White	13,151	379	17.9	278	13.1	252	11.9
All other	608	17	24.5	16	23.1	15	21.6
Metropolitan counties	5,712	130	16.2	97	12.1	74	9.2
White	5,354	119	15.6	90	11.8	70	9.2
All other	358	11	27.6	7	17.6	4	10.1
Urban places	3,375	67	18.0	53	14.3	37	10.0
White	3,084	56	16.3	46	13.4	33	9.6
All other	291	11	39.0	7	24.8	4	14.2
Balance of area	2,337	63	14.6	44	10.2	37	8.6
White	2,270	63	15.1	44	10.5	37	8.8
All other	67	–	–	–	–	–	–
Nonmetropolitan counties	13,847	386	19.2	290	14.5	257	12.8
White	13,063	363	18.8	270	14.0	240	12.5
All other	784	23	28.7	20	24.9	17	21.2
Urban places	2,425	53	21.3	40	16.0	27	10.8
White	2,182	47	20.7	36	15.9	25	11.0
All other	243	6	26.8	4	17.9	2	8.9
Balance of area	11,422	333	18.9	250	14.2	230	13.1
White	10,881	316	18.6	234	13.8	215	12.6
All other	541	17	29.4	16	27.7	15	26.0
Wisconsin	39,885	888	13.6	638	9.8	527	8.1
White	38,954	805	13.3	585	9.7	471	7.8
All other	931	83	17.1	53	10.9	56	11.5
Urban places	20,410	466	14.2	339	10.4	266	8.1
White	19,601	386	13.6	286	10.1	217	7.6
All other	809	80	18.5	53	12.3	49	11.3
Balance of area	19,475	422	13.0	299	9.2	261	8.0
White	19,353	419	13.1	299	9.4	254	8.0
All other	122	3	5.5	–	–	7	12.7
Metropolitan counties	20,517	505	13.7	370	10.0	286	7.7
White	19,706	425	13.0	319	9.8	234	7.2
All other	811	80	18.5	51	11.8	52	12.0
Urban places	16,081	379	14.2	275	10.3	223	8.3
White	15,300	301	13.3	224	9.9	175	7.8
All other	781	78	18.7	51	12.3	48	11.5
Balance of area	4,436	126	12.3	95	9.3	63	6.2
White	4,406	124	12.3	95	9.4	59	5.9
All other	30	2	11.7	–	–	4	23.4
Nonmetropolitan counties	19,368	383	13.6	268	9.5	241	8.5
White	19,248	380	13.7	266	9.6	237	8.6
All other	120	3	5.6	2	3.7	4	7.5
Urban places	4,329	87	14.5	64	10.7	43	7.2
White	4,301	85	14.6	62	10.6	42	7.2
All other	28	2	12.7	2	12.7	1	6.4
Balance of area	15,039	296	13.3	204	9.2	198	8.9
White	14,947	295	13.5	204	9.3	195	8.9
All other	92	1	2.6	–	–	3	7.9

Table 7–2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color, for Population–Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

(See headnote at beginning of table)

Area and color	Total deaths	Deaths				Fetal deaths	
		Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Wyoming	3,078	121	17.4	89	12.8	75	10.8
White	3,018	118	17.6	87	13.0	72	10.8
All other	60	3	10.9	2	7.2	3	10.9
Urban places	1,171	35	14.6	25	10.4	28	11.7
White	1,155	35	15.3	25	10.9	28	12.3
All other	16	–	–	–	–	–	–
Balance of area	1,907	86	18.8	64	14.0	47	10.3
White	1,863	83	18.9	62	14.1	44	10.0
All other	44	3	18.5	2	12.3	3	18.5
Metropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan counties	3,078	121	17.4	89	12.8	75	10.8
White	3,018	118	17.6	87	13.0	72	10.8
All other	60	3	10.9	2	7.2	3	10.9
Urban places	1,171	35	14.6	25	10.4	28	11.7
White	1,155	35	15.3	25	10.9	28	12.3
All other	16	–	–	–	–	–	–
Balance of area	1,907	86	18.8	64	14.0	47	10.3
White	1,863	83	18.9	62	14.1	44	10.0
All other	44	3	18.5	2	12.3	3	18.5

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
United States	**1,892,879**	**50,525**	**9,060**	**13,479**	**47,545**	**44,040**	**60,692**	**154,342**	**295,724**	**442,496**	**489,458**	**285,077**	**441**
Male	1,050,819	28,812	5,086	8,451	35,508	30,796	38,436	98,317	190,102	266,196	241,126	107,720	269
Female	842,060	21,713	3,974	5,028	12,037	13,244	22,256	56,025	105,622	176,300	248,332	177,357	172
White	1,660,366	36,173	6,812	10,719	38,082	32,548	45,608	126,363	254,199	390,519	451,530	267,498	315
Male	917,804	20,919	3,864	6,720	28,618	22,682	28,970	81,191	165,348	237,216	221,851	100,236	189
Female	742,562	15,254	2,948	3,999	9,464	9,866	16,638	45,172	88,851	153,303	229,679	167,262	126
All other	232,513	14,352	2,248	2,760	9,463	11,492	15,084	27,979	41,525	51,977	37,928	17,579	126
Male	133,015	7,893	1,222	1,731	6,890	8,114	9,466	17,126	24,754	28,980	19,275	7,484	80
Female	99,498	6,459	1,026	1,029	2,573	3,378	5,618	10,853	16,771	22,997	18,653	10,095	46
Metropolitan counties	1,231,227	33,119	5,809	8,379	31,158	30,581	41,692	107,226	197,877	284,545	313,000	177,585	256
Male	673,507	18,840	3,261	5,207	23,132	21,296	26,162	67,572	125,651	167,626	149,841	64,762	157
Female	557,720	14,279	2,548	3,172	8,026	9,285	15,530	39,654	72,226	116,919	163,159	112,823	99
White	1,066,543	22,788	4,290	6,469	24,320	21,808	30,090	85,801	167,781	248,700	287,775	166,529	192
Male	579,210	13,195	2,442	4,008	18,178	15,093	18,881	54,359	107,702	147,735	137,285	60,215	117
Female	487,333	9,593	1,848	2,461	6,142	6,715	11,209	31,442	60,079	100,965	150,490	106,314	75
All other	164,684	10,331	1,519	1,910	6,838	8,773	11,602	21,425	30,096	35,845	25,225	11,056	64
Male	94,297	5,645	819	1,199	4,954	6,203	7,281	13,213	17,949	19,891	12,556	4,547	40
Female	70,387	4,686	700	711	1,884	2,570	4,321	8,212	12,147	15,954	12,669	6,509	24
Nonmetropolitan counties	661,652	17,406	3,251	5,100	16,387	13,459	19,000	47,116	97,847	157,951	176,458	107,492	185
Male	377,312	9,972	1,825	3,244	12,376	9,500	12,274	30,745	64,451	98,570	91,285	42,958	112
Female	284,340	7,434	1,426	1,856	4,011	3,959	6,726	16,371	33,396	59,381	85,173	64,534	73
White	593,823	13,385	2,522	4,250	13,762	10,740	15,518	40,562	86,418	141,819	163,755	100,969	123
Male	338,594	7,724	1,422	2,712	10,440	7,589	10,089	26,832	57,646	89,481	84,566	40,021	72
Female	255,229	5,661	1,100	1,538	3,322	3,151	5,429	13,730	28,772	52,338	79,189	60,948	51
All other	67,829	4,021	729	850	2,625	2,719	3,482	6,554	11,429	16,132	12,703	6,523	62
Male	38,718	2,248	403	532	1,936	1,911	2,185	3,913	6,805	9,089	6,719	2,937	40
Female	29,111	1,773	326	318	689	808	1,297	2,641	4,624	7,043	5,984	3,586	22
Alabama	**33,658**	**1,131**	**195**	**286**	**911**	**913**	**1,324**	**3,038**	**5,611**	**8,037**	**7,824**	**4,381**	**7**
Male	19,048	644	108	188	699	643	878	1,981	3,640	4,846	3,799	1,617	5
Female	14,610	487	87	98	212	270	446	1,057	1,971	3,191	4,025	2,764	2
White	23,762	552	109	193	561	557	811	2,088	3,999	5,701	5,903	3,287	1
Male	13,621	318	60	125	439	395	566	1,438	2,697	3,567	2,833	1,183	–
Female	10,141	234	49	68	122	162	245	650	1,302	2,134	3,070	2,104	1
All other	9,896	579	86	93	350	356	513	950	1,612	2,336	1,921	1,094	6
Male	5,427	326	48	63	260	248	312	543	943	1,279	966	434	5
Female	4,469	253	38	30	90	108	201	407	669	1,057	955	660	1
Metropolitan counties	16,881	520	88	137	478	480	687	1,630	2,937	4,082	3,809	2,032	1
Male	9,491	290	45	85	377	350	445	1,034	1,875	2,431	1,824	735	–
Female	7,390	230	43	52	101	130	242	596	1,062	1,651	1,985	1,297	1
White	11,481	253	48	93	284	291	386	1,053	2,002	2,766	2,776	1,528	1
Male	6,531	139	25	52	228	218	260	719	1,321	1,719	1,301	549	–
Female	4,950	114	23	41	56	73	126	334	681	1,047	1,475	979	1
All other	5,400	267	40	44	194	189	301	577	935	1,316	1,033	504	–
Male	2,960	151	20	33	149	132	185	315	554	712	523	186	–
Female	2,440	116	20	11	45	57	116	262	381	604	510	318	–
Nonmetropolitan counties	16,777	611	107	149	433	433	637	1,408	2,674	3,955	4,015	2,349	6
Male	9,557	354	63	103	322	293	433	947	1,765	2,415	1,975	882	5
Female	7,220	257	44	46	111	140	204	461	909	1,540	2,040	1,467	1
White	12,281	299	61	100	277	266	425	1,035	1,997	2,935	3,127	1,759	–
Male	7,090	179	35	73	211	177	306	719	1,376	1,848	1,532	634	–
Female	5,191	120	26	27	66	89	119	316	621	1,087	1,595	1,125	–
All other	4,496	312	46	49	156	167	212	373	677	1,020	888	590	6
Male	2,467	175	28	30	111	116	127	228	389	567	443	248	5
Female	2,029	137	18	19	45	51	85	145	288	453	445	342	1
Alaska	**1,529**	**108**	**30**	**38**	**183**	**152**	**137**	**235**	**245**	**195**	**134**	**72**	**–**
Male	1,011	63	11	25	133	118	97	161	157	137	70	39	–
Female	518	45	19	13	50	34	40	74	88	58	64	33	–
White	1,037	67	16	25	106	97	88	167	181	143	93	54	–
Male	706	42	4	18	79	74	67	116	119	107	52	28	–
Female	331	25	12	7	27	23	21	51	62	36	41	26	–
All other	492	41	14	13	77	55	49	68	64	52	41	18	–
Male	305	21	7	7	54	44	30	45	38	30	18	11	–
Female	187	20	7	6	23	11	19	23	26	22	23	7	–
Metropolitan election districts[1]	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan election districts[1]	1,529	108	30	38	183	152	137	235	245	195	134	72	–
Male	1,011	63	11	25	133	118	97	161	157	137	70	39	–
Female	518	45	19	13	50	34	40	74	88	58	64	33	–
White	1,037	67	16	25	106	97	88	167	181	143	93	54	–
Male	706	42	4	18	79	74	67	116	119	107	52	28	–
Female	331	25	12	7	27	23	21	51	62	36	41	26	–
All other	492	41	14	13	77	55	49	68	64	52	41	18	–
Male	305	21	7	7	54	44	30	45	38	30	18	11	–
Female	187	20	7	6	23	11	19	23	26	22	23	7	–

[1] County equivalents.

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Arizona	**16,980**	**586**	**145**	**181**	**660**	**568**	**662**	**1,413**	**2,758**	**4,110**	**3,919**	**1,965**	**13**
Male	10,122	331	85	116	508	393	431	869	1,767	2,599	2,164	848	11
Female	6,858	255	60	65	152	175	231	544	991	1,511	1,755	1,117	2
White	15,506	458	107	139	524	442	525	1,258	2,570	3,874	3,741	1,857	11
Male	9,203	265	65	89	401	305	335	781	1,653	2,453	2,055	792	9
Female	6,303	193	42	50	123	137	190	477	917	1,421	1,686	1,065	2
All other	1,474	128	38	42	136	126	137	155	188	236	178	108	2
Male	919	66	20	27	107	88	96	88	114	146	109	56	2
Female	555	62	18	15	29	38	41	67	74	90	69	52	–
Metropolitan counties	12,676	369	92	107	447	388	473	1,026	2,015	3,102	3,095	1,560	2
Male	7,379	214	52	72	341	271	298	612	1,263	1,908	1,697	649	2
Female	5,297	155	40	35	106	117	175	414	752	1,194	1,398	911	–
White	12,029	326	84	95	409	334	407	938	1,923	2,984	3,005	1,522	2
Male	6,984	194	49	64	311	235	253	564	1,205	1,835	1,643	629	2
Female	5,045	132	35	31	98	99	154	374	718	1,149	1,362	893	–
All other	647	43	8	12	38	54	66	88	92	118	90	38	–
Male	395	20	3	8	30	36	45	48	58	73	54	20	–
Female	252	23	5	4	8	18	21	40	34	45	36	18	–
Nonmetropolitan counties	4,304	217	53	74	213	180	189	387	743	1,008	824	405	11
Male	2,743	117	33	44	167	122	133	257	504	691	467	199	9
Female	1,561	100	20	30	46	58	56	130	239	317	357	206	2
White	3,477	132	23	44	115	108	118	320	647	890	736	335	9
Male	2,219	71	16	25	90	70	82	217	448	618	412	163	7
Female	1,258	61	7	19	25	38	36	103	199	272	324	172	2
All other	827	85	30	30	98	72	71	67	96	118	88	70	2
Male	524	46	17	19	77	52	51	40	56	73	55	36	2
Female	303	39	13	11	21	20	20	27	40	45	33	34	–
Arkansas	**21,700**	**625**	**118**	**158**	**496**	**409**	**617**	**1,490**	**3,216**	**5,389**	**5,852**	**3,330**	–
Male	12,595	369	67	96	372	285	408	995	2,169	3,351	3,076	1,407	–
Female	9,105	256	51	62	124	124	209	495	1,047	2,038	2,776	1,923	–
White	17,605	398	84	111	372	279	491	1,187	2,654	4,332	4,839	2,858	–
Male	10,332	247	49	66	278	197	331	808	1,847	2,770	2,547	1,192	–
Female	7,273	151	35	45	94	82	160	379	807	1,562	2,292	1,666	–
All other	4,095	227	34	47	124	130	126	303	562	1,057	1,013	472	–
Male	2,263	122	18	30	94	88	77	187	322	581	529	215	–
Female	1,832	105	16	17	30	42	49	116	240	476	484	257	–
Metropolitan counties	5,718	191	43	52	151	126	220	477	924	1,345	1,366	823	–
Male	3,275	115	27	31	113	90	155	313	626	804	670	331	–
Female	2,443	76	16	21	38	36	65	164	298	541	696	492	–
White	4,215	105	30	31	94	77	164	358	702	984	1,017	653	–
Male	2,442	65	19	16	69	53	118	243	493	608	498	260	–
Female	1,773	40	11	15	25	24	46	115	209	376	519	393	–
All other	1,503	86	13	21	57	49	56	119	222	361	349	170	–
Male	833	50	8	15	44	37	37	70	133	196	172	71	–
Female	670	36	5	6	13	12	19	49	89	165	177	99	–
Nonmetropolitan counties	15,982	434	75	106	345	283	397	1,013	2,292	4,044	4,486	2,507	–
Male	9,320	254	40	65	259	195	253	682	1,543	2,547	2,406	1,076	–
Female	6,662	180	35	41	86	88	144	331	749	1,497	2,080	1,431	–
White	13,390	293	54	80	278	202	327	829	1,952	3,348	3,822	2,205	–
Male	7,890	182	30	50	209	144	213	565	1,354	2,162	2,049	932	–
Female	5,500	111	24	30	69	58	114	264	598	1,186	1,773	1,273	–
All other	2,592	141	21	26	67	81	70	184	340	696	664	302	–
Male	1,430	72	10	15	50	51	40	117	189	385	357	144	–
Female	1,162	69	11	11	17	30	30	67	151	311	307	158	–
California	**170,687**	**4,260**	**874**	**1,142**	**4,998**	**5,102**	**5,947**	**14,378**	**26,190**	**37,910**	**42,766**	**27,066**	**54**
Male	93,251	2,446	499	688	3,756	3,582	3,729	8,764	16,375	22,755	20,729	9,888	40
Female	77,436	1,814	375	454	1,242	1,520	2,218	5,614	9,815	15,155	22,037	17,178	14
White	156,182	3,425	728	967	4,281	4,224	4,899	12,604	23,708	34,839	40,559	25,904	44
Male	84,677	1,972	416	584	3,268	2,995	3,072	7,673	14,848	20,864	19,624	9,329	32
Female	71,505	1,453	312	383	1,013	1,229	1,827	4,931	8,860	13,975	20,935	16,575	12
All other	14,505	835	146	175	717	878	1,048	1,774	2,482	3,071	2,207	1,162	10
Male	8,574	474	83	104	488	587	657	1,091	1,527	1,891	1,105	559	8
Female	5,931	361	63	71	229	291	391	683	955	1,180	1,102	603	2
Metropolitan counties	155,404	3,879	785	1,030	4,520	4,701	5,490	13,271	23,814	34,314	38,924	24,636	40
Male	84,317	2,240	454	626	3,391	3,280	3,433	8,087	14,863	20,350	18,666	8,900	27
Female	71,087	1,639	331	404	1,129	1,421	2,057	5,184	8,951	13,964	20,258	15,736	13
White	141,420	3,064	644	864	3,828	3,848	4,463	11,546	21,433	31,354	36,822	23,522	32
Male	76,071	1,777	373	527	2,917	2,712	2,786	7,028	13,399	18,539	17,625	8,367	21
Female	65,349	1,287	271	337	911	1,136	1,677	4,518	8,034	12,815	19,197	15,155	11
All other	13,984	815	141	166	692	853	1,027	1,725	2,381	2,960	2,102	1,114	8
Male	8,246	463	81	99	474	568	647	1,059	1,464	1,811	1,041	533	6
Female	5,738	352	60	67	218	285	380	666	917	1,149	1,061	581	2
Nonmetropolitan counties	15,283	381	89	112	478	401	457	1,107	2,376	3,596	3,842	2,430	14
Male	8,934	206	45	62	365	302	296	677	1,512	2,405	2,063	988	13
Female	6,349	175	44	50	113	99	161	430	864	1,191	1,779	1,442	1
White	14,762	361	84	103	453	376	436	1,058	2,275	3,485	3,737	2,382	12
Male	8,606	195	43	57	351	283	286	645	1,449	2,325	1,999	962	11
Female	6,156	166	41	46	102	93	150	413	826	1,160	1,738	1,420	1
All other	521	20	5	9	25	25	21	49	101	111	105	48	2
Male	328	11	2	5	14	19	10	32	63	80	64	26	2
Female	193	9	3	4	11	6	11	17	38	31	41	22	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Colorado	**17,434**	**572**	**89**	**154**	**598**	**585**	**616**	**1,441**	**2,477**	**3,665**	**4,245**	**2,988**	**4**
Male	9,814	322	52	87	434	419	414	926	1,578	2,252	2,144	1,182	4
Female	7,620	250	37	67	164	166	202	515	899	1,413	2,101	1,806	–
White	16,873	520	79	149	567	547	572	1,377	2,392	3,572	4,151	2,945	2
Male	9,477	294	48	84	410	393	382	881	1,523	2,199	2,098	1,163	2
Female	7,396	226	31	65	157	154	190	496	869	1,373	2,053	1,782	–
All other	561	52	10	5	31	38	44	64	85	93	94	43	2
Male	337	28	4	3	24	26	32	45	55	53	46	19	2
Female	224	24	6	2	7	12	12	19	30	40	48	24	–
Metropolitan counties	11,576	406	59	101	428	419	439	1,052	1,729	2,362	2,708	1,869	4
Male	6,379	225	36	60	304	298	294	676	1,103	1,388	1,295	696	4
Female	5,197	181	23	41	124	121	145	376	626	974	1,413	1,173	–
White	11,063	359	50	96	399	387	396	995	1,649	2,274	2,623	1,833	2
Male	6,073	200	32	57	282	277	263	636	1,052	1,338	1,253	681	2
Female	4,990	159	18	39	117	110	133	359	597	936	1,370	1,152	–
All other	513	47	9	5	29	32	43	57	80	88	85	36	2
Male	306	25	4	3	22	21	31	40	51	50	42	15	2
Female	207	22	5	2	7	11	12	17	29	38	43	21	–
Nonmetropolitan counties	5,858	166	30	53	170	166	177	389	748	1,303	1,537	1,119	–
Male	3,435	97	16	27	130	121	120	250	475	864	849	486	–
Female	2,423	69	14	26	40	45	57	139	273	439	688	633	–
White	5,810	161	29	53	168	160	176	382	743	1,298	1,528	1,112	–
Male	3,404	94	16	27	128	116	119	245	471	861	845	482	–
Female	2,406	67	13	26	40	44	57	137	272	437	683	630	–
All other	48	5	1	–	2	6	1	7	5	5	9	7	–
Male	31	3	–	–	2	5	1	5	4	3	4	4	–
Female	17	2	1	–	–	1	–	2	1	2	5	3	–
Connecticut	**25,740**	**557**	**88**	**157**	**493**	**433**	**701**	**2,019**	**4,132**	**5,732**	**7,000**	**4,428**	–
Male	13,784	336	47	90	373	287	435	1,277	2,641	3,394	3,318	1,586	–
Female	11,956	221	41	67	120	146	266	742	1,491	2,338	3,682	2,842	–
White	24,470	431	72	141	445	355	586	1,838	3,906	5,497	6,867	4,332	–
Male	13,065	272	40	79	341	241	367	1,169	2,505	3,255	3,252	1,544	–
Female	11,405	159	32	62	104	114	219	669	1,401	2,242	3,615	2,788	–
All other	1,270	126	16	16	48	78	115	181	226	235	133	96	–
Male	719	64	7	11	32	46	68	108	136	139	66	42	–
Female	551	62	9	5	16	32	47	73	90	96	67	54	–
Metropolitan counties	20,116	412	75	114	375	323	563	1,615	3,210	4,454	5,480	3,495	–
Male	10,742	252	43	61	289	207	351	1,006	2,047	2,641	2,586	1,259	–
Female	9,374	160	32	53	86	116	212	609	1,163	1,813	2,894	2,236	–
White	18,947	297	60	99	331	252	458	1,447	3,000	4,238	5,354	3,411	–
Male	10,077	194	36	50	259	165	289	904	1,921	2,514	2,524	1,221	–
Female	8,870	103	24	49	72	87	169	543	1,079	1,724	2,830	2,190	–
All other	1,169	115	15	15	44	71	105	168	210	216	126	84	–
Male	665	58	7	11	30	42	62	102	126	127	62	38	–
Female	504	57	8	4	14	29	43	66	84	89	64	46	–
Nonmetropolitan counties	5,624	145	13	43	118	110	138	404	922	1,278	1,520	933	–
Male	3,042	84	4	29	84	80	84	271	594	753	732	327	–
Female	2,582	61	9	14	34	30	54	133	328	525	788	606	–
White	5,523	134	12	42	114	103	128	391	906	1,259	1,513	921	–
Male	2,988	78	4	29	82	76	78	265	584	741	728	323	–
Female	2,535	56	8	13	32	27	50	126	322	518	785	598	–
All other	101	11	1	1	4	7	10	13	16	19	7	12	–
Male	54	6	–	–	2	4	6	6	10	12	4	4	–
Female	47	5	1	1	2	3	4	7	6	7	3	8	–
Delaware	**4,682**	**119**	**23**	**40**	**118**	**95**	**169**	**440**	**846**	**1,074**	**1,110**	**646**	**2**
Male	2,614	73	10	30	85	65	101	283	556	657	522	231	1
Female	2,068	46	13	10	33	30	68	157	290	417	588	415	1
White	3,903	81	15	28	88	73	116	361	668	902	983	588	–
Male	2,148	52	7	21	64	48	69	232	447	557	450	201	–
Female	1,755	29	8	7	24	25	47	129	221	345	533	387	–
All other	779	38	8	12	30	22	53	79	178	172	127	58	2
Male	466	21	3	9	21	17	32	51	109	100	72	30	1
Female	313	17	5	3	9	5	21	28	69	72	55	28	1
Metropolitan counties	3,057	67	9	24	67	70	111	307	552	696	735	418	1
Male	1,667	42	5	17	48	48	61	196	355	416	340	138	1
Female	1,390	25	4	7	19	22	50	111	197	280	395	280	–
White	2,590	47	8	16	53	51	83	261	445	585	657	384	–
Male	1,395	30	5	12	40	34	44	166	290	352	299	123	–
Female	1,195	17	3	4	13	17	39	95	155	233	358	261	–
All other	467	20	1	8	14	19	28	46	107	111	78	34	1
Male	272	12	–	5	8	14	17	30	65	64	41	15	1
Female	195	8	1	3	6	5	11	16	42	47	37	19	–
Nonmetropolitan counties	1,625	52	14	16	51	25	58	133	294	378	375	228	1
Male	947	31	5	13	37	17	40	87	201	241	182	93	–
Female	678	21	9	3	14	8	18	46	93	137	193	135	1
White	1,313	34	7	12	35	22	33	100	223	317	326	204	–
Male	753	22	2	9	24	14	25	66	157	205	151	78	–
Female	560	12	5	3	11	8	8	34	66	112	175	126	–
All other	312	18	7	4	16	3	25	33	71	61	49	24	1
Male	194	9	3	4	13	3	15	21	44	36	31	15	–
Female	118	9	4	–	3	–	10	12	27	25	18	9	1

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
District of Columbia	7,481	283	34	47	191	288	443	883	1,380	1,594	1,495	840	3
Male	4,050	156	23	23	145	197	283	560	843	892	671	255	2
Female	3,431	127	11	24	46	91	160	323	537	702	824	585	1
White	2,465	29	2	6	20	53	48	150	314	562	777	503	1
Male	1,151	13	2	3	14	38	30	95	184	300	333	139	–
Female	1,314	16	–	3	6	15	18	55	130	262	444	364	1
All other	5,016	254	32	41	171	235	395	733	1,066	1,032	718	337	2
Male	2,899	143	21	20	131	159	253	465	659	592	338	116	2
Female	2,117	111	11	21	40	76	142	268	407	440	380	221	–
Metropolitan	7,481	283	34	47	191	288	443	883	1,380	1,594	1,495	840	3
Male	4,050	156	23	23	145	197	283	560	843	892	671	255	2
Female	3,431	127	11	24	46	91	160	323	537	702	824	585	1
White	2,465	29	2	6	20	53	48	150	314	562	777	503	1
Male	1,151	13	2	3	14	38	30	95	184	300	333	139	–
Female	1,314	16	–	3	6	15	18	55	130	262	444	364	1
All other	5,016	254	32	41	171	235	395	733	1,066	1,032	718	337	2
Male	2,899	143	21	20	131	159	253	465	659	592	338	116	2
Female	2,117	111	11	21	40	76	142	268	407	440	380	221	–
Nonmetropolitan	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Florida	87,074	1,869	420	501	1,786	1,722	2,560	6,437	12,979	23,611	23,611	11,569	9
Male	50,492	1,065	254	315	1,274	1,217	1,612	4,070	8,202	14,627	12,986	4,867	3
Female	36,582	804	166	186	512	505	948	2,367	4,777	8,984	10,625	6,702	6
White	76,406	1,081	303	374	1,351	1,226	1,818	5,110	10,894	20,956	22,205	11,082	6
Male	44,364	624	187	235	990	872	1,144	3,286	6,955	13,153	12,267	4,650	1
Female	32,042	457	116	139	361	354	674	1,824	3,939	7,803	9,938	6,432	5
All other	10,668	788	117	127	435	496	742	1,327	2,085	2,655	1,406	487	3
Male	6,128	441	67	80	284	345	468	784	1,247	1,474	719	217	2
Female	4,540	347	50	47	151	151	274	543	838	1,181	687	270	1
Metropolitan counties	56,705	1,166	255	305	1,128	1,157	1,717	4,279	8,397	14,906	15,665	7,726	4
Male	32,412	650	149	192	805	828	1,077	2,686	5,282	9,029	8,457	3,256	1
Female	24,293	516	106	113	323	329	640	1,593	3,115	5,877	7,208	4,470	3
White	49,745	653	180	227	833	799	1,198	3,359	6,997	13,245	14,815	7,435	4
Male	28,415	371	105	141	603	576	756	2,123	4,452	8,135	8,031	3,121	1
Female	21,330	282	75	86	230	223	442	1,236	2,545	5,110	6,784	4,314	3
All other	6,960	513	75	78	295	358	519	920	1,400	1,661	850	291	–
Male	3,997	279	44	51	202	252	321	563	830	894	426	135	–
Female	2,963	234	31	27	93	106	198	357	570	767	424	156	–
Nonmetropolitan counties	30,369	703	165	196	658	565	843	2,158	4,582	8,705	7,946	3,843	5
Male	18,080	415	105	123	469	389	535	1,384	2,920	5,598	4,529	1,611	2
Female	12,289	288	60	73	189	176	308	774	1,662	3,107	3,417	2,232	3
White	26,661	428	123	147	518	427	620	1,751	3,897	7,711	7,390	3,647	2
Male	15,949	253	82	94	387	296	388	1,163	2,503	5,018	4,236	1,529	–
Female	10,712	175	41	53	131	131	232	588	1,394	2,693	3,154	2,118	2
All other	3,708	275	42	49	140	138	223	407	685	994	556	196	3
Male	2,131	162	23	29	82	93	147	221	417	580	293	82	2
Female	1,577	113	19	20	58	45	76	186	268	414	263	114	1
Georgia	41,363	1,465	262	387	1,256	1,305	1,932	4,230	7,450	9,936	8,574	4,555	11
Male	23,176	831	164	250	937	919	1,234	2,693	4,836	5,746	4,017	1,547	2
Female	18,187	634	98	137	319	386	698	1,537	2,614	4,190	4,557	3,008	9
White	29,541	751	157	257	823	776	1,165	2,852	5,120	6,956	6,843	3,834	7
Male	16,793	431	100	174	626	556	780	1,942	3,511	4,229	3,169	1,274	1
Female	12,748	320	57	83	197	220	385	910	1,609	2,727	3,674	2,560	6
All other	11,822	714	105	130	433	529	767	1,378	2,330	2,980	1,731	721	4
Male	6,383	400	64	76	311	363	454	751	1,325	1,517	848	273	1
Female	5,439	314	41	54	122	166	313	627	1,005	1,463	883	448	3
Metropolitan counties	18,090	677	111	175	574	654	966	2,102	3,325	4,141	3,491	1,871	3
Male	9,880	383	68	111	418	457	597	1,317	2,108	2,254	1,556	611	–
Female	8,210	294	43	64	156	197	369	785	1,217	1,887	1,935	1,260	3
White	12,323	327	66	104	354	365	534	1,345	2,219	2,738	2,718	1,551	2
Male	6,844	193	45	72	266	259	349	901	1,495	1,565	1,207	492	–
Female	5,479	134	21	32	88	106	185	444	724	1,173	1,511	1,059	2
All other	5,767	350	45	71	220	289	432	757	1,106	1,403	773	320	1
Male	3,036	190	23	39	152	198	248	416	613	689	349	119	–
Female	2,731	160	22	32	68	91	184	341	493	714	424	201	1
Nonmetropolitan counties	23,273	788	151	212	682	651	966	2,128	4,125	5,795	5,083	2,684	8
Male	13,296	448	96	139	519	462	637	1,376	2,728	3,492	2,461	936	2
Female	9,977	340	55	73	163	189	329	752	1,397	2,303	2,622	1,748	6
White	17,218	424	91	153	469	411	631	1,507	2,901	4,218	4,125	2,283	5
Male	9,949	238	55	102	360	297	431	1,041	2,016	2,664	1,962	782	1
Female	7,269	186	36	51	109	114	200	466	885	1,554	2,163	1,501	4
All other	6,055	364	60	59	213	240	335	621	1,224	1,577	958	401	3
Male	3,347	210	41	37	159	165	206	335	712	828	499	154	1
Female	2,708	154	19	22	54	75	129	286	512	749	459	247	2

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Hawaii	**4,350**	**203**	**26**	**49**	**132**	**151**	**175**	**467**	**705**	**985**	**874**	**583**	–
Male	2,679	123	13	31	97	104	93	295	476	658	471	318	–
Female	1,671	80	13	18	35	47	82	172	229	327	403	265	–
White	1,350	57	10	8	59	55	52	144	250	301	267	147	–
Male	807	34	7	4	46	38	30	94	178	187	135	54	–
Female	543	23	3	4	13	17	22	50	72	114	132	93	–
All other	3,000	146	16	41	73	96	123	323	455	684	607	436	–
Male	1,872	89	6	27	51	66	63	201	298	471	336	264	–
Female	1,128	57	10	14	22	30	60	122	157	213	271	172	–
Metropolitan counties	3,188	172	17	34	100	123	129	357	525	707	618	406	–
Male	1,915	104	10	21	78	82	72	227	347	458	312	204	–
Female	1,273	68	7	13	22	41	57	130	178	249	306	202	–
White	1,054	50	6	7	43	43	40	117	192	225	212	119	–
Male	611	29	5	3	35	29	23	77	130	133	104	43	–
Female	443	21	1	4	8	14	17	40	62	92	108	76	–
All other	2,134	122	11	27	57	80	89	240	333	482	406	287	–
Male	1,304	75	5	18	43	53	49	150	217	325	208	161	–
Female	830	47	6	9	14	27	40	90	116	157	198	126	–
Nonmetropolitan counties	1,162	31	9	15	32	28	46	110	180	278	256	177	–
Male	764	19	3	10	19	22	21	68	129	200	159	114	–
Female	398	12	6	5	13	6	25	42	51	78	97	63	–
White	296	7	4	1	16	12	12	27	58	76	55	28	–
Male	196	5	2	1	11	9	7	17	48	54	31	11	–
Female	100	2	2	–	5	3	5	10	10	22	24	17	–
All other	866	24	5	14	16	16	34	83	122	202	201	149	–
Male	568	14	1	9	8	13	14	51	81	146	128	103	–
Female	298	10	4	5	8	3	20	32	41	56	73	46	–
Idaho	**6,514**	**214**	**49**	**63**	**226**	**158**	**184**	**449**	**941**	**1,414**	**1,688**	**1,126**	**2**
Male	3,839	119	24	43	165	113	113	283	608	929	950	490	2
Female	2,675	95	25	20	61	45	71	166	333	485	738	636	–
White	6,410	208	44	62	217	146	177	438	935	1,391	1,681	1,109	2
Male	3,771	116	21	42	159	106	108	274	604	914	946	479	2
Female	2,639	92	23	20	58	40	69	164	331	477	735	630	–
All other	104	6	5	1	9	12	7	11	6	23	7	17	–
Male	68	3	3	1	6	7	5	9	4	15	4	11	–
Female	36	3	2	–	3	5	2	2	2	8	3	6	–
Metropolitan counties	1,043	27	8	8	23	22	35	70	157	224	281	188	–
Male	596	13	5	6	19	16	21	40	95	147	148	86	–
Female	447	14	3	2	4	6	14	30	62	77	133	102	–
White	1,034	27	5	7	23	20	35	70	157	221	281	188	–
Male	589	13	3	5	19	15	21	40	95	144	148	86	–
Female	445	14	2	2	4	5	14	30	62	77	133	102	–
All other	9	–	3	1	–	2	–	–	–	3	–	–	–
Male	7	–	2	1	–	1	–	–	–	3	–	–	–
Female	2	–	1	–	–	1	–	–	–	–	–	–	–
Nonmetropolitan counties	5,471	187	41	55	203	136	149	379	784	1,190	1,407	938	2
Male	3,243	106	19	37	146	97	92	243	513	782	802	404	2
Female	2,228	81	22	18	57	39	57	136	271	408	605	534	–
White	5,376	181	39	55	194	126	142	368	778	1,170	1,400	921	2
Male	3,182	103	18	37	140	91	87	234	509	770	798	393	2
Female	2,194	78	21	18	54	35	55	134	269	400	602	528	–
All other	95	6	2	–	9	10	7	11	6	20	7	17	–
Male	61	3	1	–	6	6	5	9	4	12	4	11	–
Female	34	3	1	–	3	4	2	2	2	8	3	6	–
Illinois	**103,552**	**3,118**	**482**	**732**	**2,671**	**2,458**	**3,399**	**8,721**	**16,283**	**23,325**	**26,852**	**15,505**	**6**
Male	57,141	1,772	256	457	1,986	1,743	2,120	5,648	10,489	13,883	12,931	5,852	4
Female	46,411	1,346	226	275	685	715	1,279	3,073	5,794	9,442	13,921	9,653	2
White	89,864	1,953	312	558	1,985	1,567	2,363	6,874	13,940	20,600	24,977	14,729	6
Male	49,115	1,124	173	336	1,479	1,090	1,450	4,462	9,105	12,339	12,003	5,550	4
Female	40,749	829	139	222	506	477	913	2,412	4,835	8,261	12,974	9,179	2
All other	13,688	1,165	170	174	686	891	1,036	1,847	2,343	2,725	1,875	776	–
Male	8,026	648	83	121	507	653	670	1,186	1,384	1,544	928	302	–
Female	5,662	517	87	53	179	238	366	661	959	1,181	947	474	–
Metropolitan counties	78,633	2,600	385	577	2,189	2,097	2,838	7,231	12,963	17,542	19,569	10,638	4
Male	43,413	1,465	199	372	1,621	1,495	1,778	4,679	8,304	10,273	9,277	3,947	3
Female	35,220	1,135	186	205	568	602	1,060	2,552	4,659	7,269	10,292	6,691	1
White	65,518	1,473	220	412	1,514	1,223	1,827	5,432	10,730	14,940	17,808	9,935	4
Male	35,701	840	118	256	1,124	853	1,123	3,520	6,980	8,802	8,402	3,680	3
Female	29,817	633	102	156	390	370	704	1,912	3,750	6,138	9,406	6,255	1
All other	13,115	1,127	165	165	675	874	1,011	1,799	2,233	2,602	1,761	703	–
Male	7,712	625	81	116	497	642	655	1,159	1,324	1,471	875	267	–
Female	5,403	502	84	49	178	232	356	640	909	1,131	886	436	–
Nonmetropolitan counties	24,919	518	97	155	482	361	561	1,490	3,320	5,783	7,283	4,867	2
Male	13,728	307	57	85	365	248	342	969	2,185	3,610	3,654	1,905	1
Female	11,191	211	40	70	117	113	219	521	1,135	2,173	3,629	2,962	1
White	24,346	480	92	146	471	344	536	1,442	3,210	5,660	7,169	4,794	2
Male	13,414	284	55	80	355	237	327	942	2,125	3,537	3,601	1,870	1
Female	10,932	196	37	66	116	107	209	500	1,085	2,123	3,568	2,924	1
All other	573	38	5	9	11	17	25	48	110	123	114	73	–
Male	314	23	2	5	10	11	15	27	60	73	53	35	–
Female	259	15	3	4	1	6	10	21	50	50	61	38	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 — Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Indiana	**46,723**	**1,217**	**214**	**354**	**1,130**	**959**	**1,411**	**3,657**	**7,044**	**10,661**	**12,491**	**7,577**	**8**
Male	25,625	696	116	222	838	627	853	2,363	4,549	6,413	6,145	2,798	5
Female	21,098	521	98	132	292	332	558	1,294	2,495	4,248	6,346	4,779	3
White	43,292	996	181	315	979	815	1,193	3,271	6,434	9,880	11,915	7,305	8
Male	23,683	575	104	198	729	529	710	2,125	4,196	5,977	5,846	2,689	5
Female	19,609	421	77	117	250	286	483	1,146	2,238	3,903	6,069	4,616	3
All other	3,431	221	33	39	151	144	218	386	610	781	576	272	–
Male	1,942	121	12	24	109	98	143	238	353	436	299	109	–
Female	1,489	100	21	15	42	46	75	148	257	345	277	163	–
Metropolitan counties	27,851	775	121	202	738	596	912	2,359	4,366	6,405	7,206	4,167	4
Male	15,264	440	65	125	542	397	550	1,534	2,798	3,794	3,511	1,505	3
Female	12,587	335	56	77	196	199	362	825	1,568	2,611	3,695	2,662	1
White	24,721	579	95	169	599	464	713	2,002	3,801	5,687	6,676	3,932	4
Male	13,490	331	54	104	443	305	421	1,313	2,474	3,392	3,242	1,408	3
Female	11,231	248	41	65	156	159	292	689	1,327	2,295	3,434	2,524	1
All other	3,130	196	26	33	139	132	199	357	565	718	530	235	–
Male	1,774	109	11	21	99	92	129	221	324	402	269	97	–
Female	1,356	87	15	12	40	40	70	136	241	316	261	138	–
Nonmetropolitan counties	18,872	442	93	152	392	363	499	1,298	2,678	4,256	5,285	3,410	4
Male	10,361	256	51	97	296	230	303	829	1,751	2,619	2,634	1,293	2
Female	8,511	186	42	55	96	133	196	469	927	1,637	2,651	2,117	2
White	18,571	417	86	146	380	351	480	1,269	2,633	4,193	5,239	3,373	4
Male	10,193	244	50	94	286	224	289	812	1,722	2,585	2,604	1,281	2
Female	8,378	173	36	52	94	127	191	457	911	1,608	2,635	2,092	2
All other	301	25	7	6	12	12	19	29	45	63	46	37	–
Male	168	12	1	3	10	6	14	17	29	34	30	12	–
Female	133	13	6	3	2	6	5	12	16	29	16	25	–
Iowa	**28,097**	**557**	**110**	**160**	**620**	**411**	**554**	**1,620**	**3,531**	**6,042**	**8,587**	**5,903**	**2**
Male	15,375	305	61	105	462	275	348	1,052	2,364	3,772	4,352	2,278	1
Female	12,722	252	49	55	158	136	206	568	1,167	2,270	4,235	3,625	1
White	27,770	531	106	155	596	398	539	1,588	3,477	5,982	8,519	5,877	2
Male	15,182	290	58	102	444	266	340	1,028	2,329	3,736	4,319	2,269	1
Female	12,588	241	48	53	152	132	199	560	1,148	2,246	4,200	3,608	1
All other	327	26	4	5	24	13	15	32	54	60	68	26	–
Male	193	15	3	3	18	9	8	24	35	36	33	9	–
Female	134	11	1	2	6	4	7	8	19	24	35	17	–
Metropolitan counties	8,675	235	43	72	229	159	218	634	1,256	1,913	2,397	1,519	–
Male	4,664	138	22	44	163	102	135	407	810	1,165	1,141	537	–
Female	4,011	97	21	28	66	57	83	227	446	748	1,256	982	–
White	8,420	215	39	67	211	147	206	608	1,212	1,867	2,346	1,502	–
Male	4,515	126	19	41	150	94	128	388	781	1,139	1,117	532	–
Female	3,905	89	20	26	61	53	78	220	431	728	1,229	970	–
All other	255	20	4	5	18	12	12	26	44	46	51	17	–
Male	149	12	3	3	13	8	7	19	29	26	24	5	–
Female	106	8	1	2	5	4	5	7	15	20	27	12	–
Nonmetropolitan counties	19,422	322	67	88	391	252	336	986	2,275	4,129	6,190	4,384	2
Male	10,711	167	39	61	299	173	213	645	1,554	2,607	3,211	1,741	1
Female	8,711	155	28	27	92	79	123	341	721	1,522	2,979	2,643	1
White	19,350	316	67	88	385	251	333	980	2,265	4,115	6,173	4,375	2
Male	10,667	164	39	61	294	172	212	640	1,548	2,597	3,202	1,737	1
Female	8,683	152	28	27	91	79	121	340	717	1,518	2,971	2,638	1
All other	72	6	–	–	6	1	3	6	10	14	17	9	–
Male	44	3	–	–	5	1	1	5	6	10	9	4	–
Female	28	3	–	–	1	–	2	1	4	4	8	5	–
Kansas	**21,781**	**474**	**100**	**123**	**500**	**357**	**502**	**1,330**	**2,782**	**4,752**	**6,419**	**4,440**	**2**
Male	11,788	273	56	82	378	235	335	820	1,812	2,913	3,201	1,681	2
Female	9,993	201	44	41	122	122	167	510	970	1,839	3,218	2,759	–
White	20,702	415	89	113	460	319	436	1,222	2,609	4,532	6,203	4,304	–
Male	11,166	237	52	75	344	209	289	757	1,698	2,786	3,094	1,625	–
Female	9,536	178	37	38	116	110	147	465	911	1,746	3,109	2,679	–
All other	1,079	59	11	10	40	38	66	108	173	220	216	136	2
Male	622	36	4	7	34	26	46	63	114	127	107	56	2
Female	457	23	7	3	6	12	20	45	59	93	109	80	–
Metropolitan counties	7,427	196	46	56	218	172	240	614	1,148	1,578	1,902	1,255	2
Male	3,980	119	23	36	164	113	167	369	738	939	886	424	2
Female	3,447	77	23	20	54	59	73	245	410	639	1,016	831	–
White	6,671	156	36	48	196	144	187	534	1,013	1,435	1,760	1,162	–
Male	3,548	96	20	30	146	93	129	319	653	859	820	383	–
Female	3,123	60	16	18	50	51	58	215	360	576	940	779	–
All other	756	40	10	8	22	28	53	80	135	143	142	93	2
Male	432	23	3	6	18	20	38	50	85	80	66	41	2
Female	324	17	7	2	4	8	15	30	50	63	76	52	–
Nonmetropolitan counties	14,354	278	54	67	282	185	262	716	1,634	3,174	4,517	3,185	–
Male	7,808	154	33	46	214	122	168	451	1,074	1,974	2,315	1,257	–
Female	6,546	124	21	21	68	63	94	265	560	1,200	2,202	1,928	–
White	14,031	259	53	65	264	175	249	688	1,596	3,097	4,443	3,142	–
Male	7,618	141	32	45	198	116	160	438	1,045	1,927	2,274	1,242	–
Female	6,413	118	21	20	66	59	89	250	551	1,170	2,169	1,900	–
All other	323	19	1	2	18	10	13	28	38	77	74	43	–
Male	190	13	1	1	16	6	8	13	29	47	41	15	–
Female	133	6	–	1	2	4	5	15	9	30	33	28	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Kentucky	**33,187**	**854**	**136**	**240**	**830**	**727**	**1,049**	**2,811**	**4,958**	**7,814**	**8,690**	**5,075**	**3**
Male	18,830	470	77	164	606	543	671	1,870	3,232	4,835	4,370	1,992	–
Female	14,357	384	59	76	224	184	378	941	1,726	2,979	4,320	3,083	3
White	30,383	759	120	217	755	651	931	2,492	4,480	7,137	8,061	4,777	3
Male	17,290	411	65	147	558	483	595	1,696	2,963	4,444	4,046	1,882	–
Female	13,093	348	55	70	197	168	336	796	1,517	2,693	4,015	2,895	3
All other	2,804	95	16	23	75	76	118	319	478	677	629	298	–
Male	1,540	59	12	17	48	60	76	174	269	391	324	110	–
Female	1,264	36	4	6	27	16	42	145	209	286	305	188	–
Metropolitan counties	12,251	299	42	82	273	276	391	1,196	2,009	2,964	2,988	1,728	3
Male	6,716	166	23	59	202	205	247	761	1,282	1,802	1,407	562	–
Female	5,535	133	19	23	71	71	144	435	727	1,162	1,581	1,166	3
White	10,625	232	31	71	229	235	313	989	1,707	2,569	2,649	1,597	3
Male	5,795	125	15	52	175	169	196	644	1,105	1,575	1,226	513	–
Female	4,830	107	16	19	54	66	117	345	602	994	1,423	1,084	3
All other	1,626	67	11	11	44	41	78	207	302	395	339	131	–
Male	921	41	8	7	27	36	51	117	177	227	181	49	–
Female	705	26	3	4	17	5	27	90	125	168	158	82	–
Nonmetropolitan counties	20,936	555	94	158	557	451	658	1,615	2,949	4,850	5,702	3,347	–
Male	12,114	304	54	105	404	338	424	1,109	1,950	3,033	2,963	1,430	–
Female	8,822	251	40	53	153	113	234	506	999	1,817	2,739	1,917	–
White	19,758	527	89	146	526	416	618	1,503	2,773	4,568	5,412	3,180	–
Male	11,495	286	50	95	383	314	399	1,052	1,858	2,869	2,820	1,369	–
Female	8,263	241	39	51	143	102	219	451	915	1,699	2,592	1,811	–
All other	1,178	28	5	12	31	35	40	112	176	282	290	167	–
Male	619	18	4	10	21	24	25	57	92	164	143	61	–
Female	559	10	1	2	10	11	15	55	84	118	147	106	–
Louisiana	**33,700**	**1,238**	**225**	**366**	**1,084**	**911**	**1,345**	**3,162**	**5,640**	**5,270**	**7,569**	**3,882**	**8**
Male	19,040	692	114	242	848	643	856	2,041	3,628	4,902	3,656	1,413	5
Female	14,660	546	111	124	236	268	489	1,121	2,012	3,368	3,913	2,469	3
White	22,609	586	121	208	661	496	815	2,038	3,788	5,537	5,474	2,881	4
Male	12,869	325	69	135	511	353	531	1,373	2,556	3,384	2,655	974	3
Female	9,740	261	52	73	150	143	284	665	1,232	2,153	2,819	1,907	1
All other	11,091	652	104	158	423	415	530	1,124	1,852	2,733	2,095	1,001	4
Male	6,171	367	45	107	337	290	325	668	1,072	1,518	1,001	439	2
Female	4,920	285	59	51	86	125	205	456	780	1,215	1,094	562	2
Metropolitan parishes[1]	18,148	647	114	178	552	508	740	1,835	3,194	4,459	4,033	1,886	2
Male	10,147	375	60	118	431	363	475	1,182	2,012	2,604	1,894	632	1
Female	8,001	272	54	60	121	145	265	653	1,182	1,855	2,139	1,254	1
White	12,050	267	60	91	325	255	423	1,162	2,092	2,957	2,976	1,442	–
Male	6,764	162	38	57	251	179	276	774	1,385	1,794	1,394	454	–
Female	5,286	105	22	34	74	76	147	388	707	1,163	1,582	988	–
All other	6,098	380	54	87	227	253	317	673	1,102	1,502	1,057	444	2
Male	3,383	213	22	61	180	184	199	408	627	810	500	178	1
Female	2,715	167	32	26	47	69	118	265	475	692	557	266	1
Nonmetropolitan parishes[1]	15,552	591	111	188	532	403	605	1,327	2,446	3,811	3,536	1,996	6
Male	8,893	317	54	124	417	280	381	859	1,616	2,298	1,762	781	4
Female	6,659	274	57	64	115	123	224	468	830	1,513	1,774	1,215	2
White	10,559	319	61	117	336	241	392	876	1,696	2,580	2,498	1,439	4
Male	6,105	163	31	78	260	174	255	599	1,171	1,590	1,261	520	3
Female	4,454	156	30	39	76	67	137	277	525	990	1,237	919	1
All other	4,993	272	50	71	196	162	213	451	750	1,231	1,038	557	2
Male	2,788	154	23	46	157	106	126	260	445	708	501	261	1
Female	2,205	118	27	25	39	56	87	191	305	523	537	296	1
Maine	**10,273**	**202**	**43**	**57**	**203**	**182**	**222**	**728**	**1,456**	**2,458**	**2,855**	**1,865**	**2**
Male	5,617	108	24	37	154	129	154	483	937	1,492	1,392	707	–
Female	4,656	94	19	20	49	53	68	245	519	966	1,463	1,158	2
White	10,236	201	43	54	200	179	220	724	1,452	2,447	2,850	1,864	2
Male	5,594	108	24	35	152	127	153	481	935	1,483	1,389	707	–
Female	4,642	93	19	19	48	52	67	243	517	964	1,461	1,157	2
All other	37	1	–	3	3	3	2	4	4	11	5	1	–
Male	23	–	–	2	2	2	1	2	2	9	3	–	–
Female	14	1	–	1	1	1	1	2	2	2	2	1	–
Metropolitan counties	1,997	37	8	8	37	39	55	131	287	474	521	400	–
Male	1,044	18	3	8	30	30	32	88	170	288	237	140	–
Female	953	19	5	–	7	9	23	43	117	186	284	260	–
White	1,991	37	8	8	36	39	55	130	287	473	519	399	–
Male	1,039	18	3	8	29	30	32	87	170	287	235	140	–
Female	952	19	5	–	7	9	23	43	117	186	284	259	–
All other	6	–	–	–	1	–	–	1	–	1	2	1	–
Male	5	–	–	–	1	–	–	1	–	1	2	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Nonmetropolitan counties	8,276	165	35	49	166	143	167	597	1,169	1,984	2,334	1,465	2
Male	4,573	90	21	29	124	99	122	395	767	1,204	1,155	567	–
Female	3,703	75	14	20	42	44	45	202	402	780	1,179	898	2
White	8,245	164	35	46	164	140	165	594	1,165	1,974	2,331	1,465	2
Male	4,555	90	21	27	123	97	121	394	765	1,196	1,154	567	–
Female	3,690	74	14	19	41	43	44	200	400	778	1,177	898	2
All other	31	1	–	3	2	3	2	3	4	10	3	–	–
Male	18	–	–	2	1	2	1	1	2	8	1	–	–
Female	13	1	–	1	1	1	1	2	2	2	2	–	–

[1] County equivalents.

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Maryland	32,055	908	116	243	833	836	1,198	3,278	5,796	7,398	7,496	3,943	10
Male	17,752	509	68	149	611	598	764	2,060	3,709	4,369	3,539	1,370	6
Female	14,303	399	48	94	222	238	434	1,218	2,087	3,029	3,957	2,573	4
White	25,662	574	80	152	556	491	760	2,384	4,529	6,005	6,596	3,530	5
Male	13,941	330	52	100	412	336	472	1,506	2,928	3,562	3,057	1,184	2
Female	11,721	244	28	52	144	155	288	878	1,601	2,443	3,539	2,346	3
All other	6,393	334	36	91	277	345	438	894	1,267	1,393	900	413	5
Male	3,811	179	16	49	199	262	292	554	781	807	482	186	4
Female	2,582	155	20	42	78	83	146	340	486	586	418	227	1
Metropolitan counties	25,926	775	102	201	704	719	1,017	2,750	4,759	5,935	5,909	3,046	9
Male	14,301	432	57	123	513	513	642	1,715	3,038	3,496	2,749	1,018	5
Female	11,625	343	45	78	191	206	375	1,035	1,721	2,439	3,160	2,028	4
White	20,413	472	69	120	449	405	619	1,969	3,672	4,734	5,177	2,722	5
Male	11,026	272	42	79	334	277	377	1,236	2,369	2,797	2,367	874	2
Female	9,387	200	27	41	115	128	242	733	1,303	1,937	2,810	1,848	3
All other	5,513	303	33	81	255	314	398	781	1,087	1,201	732	324	4
Male	3,275	160	15	44	179	236	265	479	669	699	382	144	3
Female	2,238	143	18	37	76	78	133	302	418	502	350	180	1
Nonmetropolitan counties	6,129	133	14	42	129	117	181	528	1,037	1,463	1,587	897	1
Male	3,451	77	11	26	98	85	122	345	671	873	790	352	1
Female	2,678	56	3	16	31	32	59	183	366	590	797	545	–
White	5,249	102	11	32	107	86	141	415	857	1,271	1,419	808	–
Male	2,915	58	10	21	78	59	95	270	559	765	690	310	–
Female	2,334	44	1	11	29	27	46	145	298	506	729	498	–
All other	880	31	3	10	22	31	40	113	180	192	168	89	1
Male	536	19	1	5	20	26	27	75	112	108	100	42	1
Female	344	12	2	5	2	5	13	38	68	84	68	47	–
Massachusetts	54,015	920	149	263	982	923	1,331	3,908	8,063	12,544	15,437	9,474	21
Male	28,222	537	85	165	728	637	865	2,518	5,255	7,188	6,970	3,268	6
Female	25,793	383	64	98	254	286	466	1,390	2,808	5,356	8,467	6,206	15
White	52,561	825	143	239	918	827	1,210	3,722	7,838	12,289	15,179	9,351	20
Male	27,387	491	82	147	680	575	784	2,403	5,122	7,048	6,833	3,216	6
Female	25,174	334	61	92	238	252	426	1,319	2,716	5,241	8,346	6,135	14
All other	1,454	95	6	24	64	96	121	186	225	255	258	123	1
Male	835	46	3	18	48	62	81	115	133	140	137	52	–
Female	619	49	3	6	16	34	40	71	92	115	121	71	1
Metropolitan counties	51,672	894	143	254	946	890	1,287	3,763	7,754	11,927	14,745	9,049	20
Male	26,956	523	82	159	700	610	836	2,436	5,069	6,811	6,612	3,112	6
Female	24,716	371	61	95	246	280	451	1,327	2,685	5,116	8,133	5,937	14
White	50,257	801	137	230	883	796	1,168	3,580	7,532	11,682	14,500	8,929	19
Male	26,147	477	79	141	653	549	757	2,324	4,937	6,678	6,484	3,062	6
Female	24,110	324	58	89	230	247	411	1,256	2,595	5,004	8,016	5,867	13
All other	1,415	93	6	24	63	94	119	183	222	245	245	120	1
Male	809	46	3	18	47	61	79	112	132	133	128	50	–
Female	606	47	3	6	16	33	40	71	90	112	117	70	1
Nonmetropolitan counties	2,343	26	6	9	36	33	44	145	309	617	692	425	1
Male	1,266	14	3	6	28	27	29	82	186	377	358	156	–
Female	1,077	12	3	3	8	6	15	63	123	240	334	269	1
White	2,304	24	6	9	35	31	42	142	306	607	679	422	1
Male	1,240	14	3	6	27	26	27	79	185	370	349	154	–
Female	1,064	10	3	3	8	5	15	63	121	237	330	268	1
All other	39	2	–	–	1	2	2	3	3	10	13	3	–
Male	26	–	–	–	1	1	2	3	1	7	9	2	–
Female	13	2	–	–	–	1	–	–	2	3	4	1	–
Michigan	74,596	2,179	394	569	2,378	2,048	2,497	6,574	12,001	16,521	18,942	10,492	1
Male	42,030	1,223	213	357	1,768	1,445	1,554	4,125	7,784	9,997	9,540	4,023	1
Female	32,566	956	181	212	610	603	943	2,449	4,217	6,524	9,402	6,469	–
White	65,411	1,572	310	478	1,812	1,331	1,821	5,302	10,350	14,773	17,646	10,015	1
Male	36,470	887	169	301	1,346	912	1,127	3,328	6,734	8,969	8,857	3,839	1
Female	28,941	685	141	177	466	419	694	1,974	3,616	5,804	8,789	6,176	–
All other	9,185	607	84	91	566	717	676	1,272	1,651	1,748	1,296	477	–
Male	5,560	336	44	56	422	533	427	797	1,050	1,028	683	184	–
Female	3,625	271	40	35	144	184	249	475	601	720	613	293	–
Metropolitan counties	53,701	1,659	301	414	1,796	1,649	1,946	5,181	8,823	11,687	13,180	7,064	1
Male	30,025	931	164	255	1,336	1,171	1,206	3,239	5,652	6,924	6,500	2,646	1
Female	23,676	728	137	159	460	478	740	1,942	3,171	4,763	6,680	4,418	–
White	45,178	1,092	224	329	1,260	963	1,306	3,974	7,281	10,070	12,020	6,658	1
Male	24,867	618	122	204	940	660	799	2,481	4,672	5,973	5,906	2,491	1
Female	20,311	474	102	125	320	303	507	1,493	2,609	4,097	6,114	4,167	–
All other	8,523	567	77	85	536	686	640	1,207	1,542	1,617	1,160	406	–
Male	5,158	313	42	51	396	511	407	758	980	951	594	155	–
Female	3,365	254	35	34	140	175	233	449	562	666	566	251	–
Nonmetropolitan counties	20,895	520	93	155	582	399	551	1,393	3,178	4,834	5,762	3,428	–
Male	12,005	292	49	102	432	274	348	886	2,132	3,073	3,040	1,377	–
Female	8,890	228	44	53	150	125	203	507	1,046	1,761	2,722	2,051	–
White	20,233	480	86	149	552	368	515	1,328	3,069	4,703	5,626	3,357	–
Male	11,603	269	47	97	406	252	328	847	2,062	2,996	2,951	1,348	–
Female	8,630	211	39	52	146	116	187	481	1,007	1,707	2,675	2,009	–
All other	662	40	7	6	30	31	36	65	109	131	136	71	–
Male	402	23	2	5	26	22	20	39	70	77	89	29	–
Female	260	17	5	1	4	9	16	26	39	54	47	42	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Minnesota	32,689	764	136	245	823	524	718	1,935	4,268	7,188	9,651	6,435	2
Male	18,334	447	80	160	612	355	446	1,282	2,879	4,440	5,061	2,570	2
Female	14,355	317	56	85	211	169	272	653	1,389	2,748	4,590	3,865	–
White	32,255	717	124	233	783	498	690	1,888	4,217	7,122	9,588	6,393	2
Male	18,072	422	74	151	586	336	427	1,255	2,843	4,399	5,032	2,545	2
Female	14,183	295	50	82	197	162	263	633	1,374	2,723	4,556	3,848	–
All other	434	47	12	12	40	26	28	47	51	66	63	42	–
Male	262	25	6	9	26	19	19	27	36	41	29	25	–
Female	172	22	6	3	14	7	9	20	15	25	34	17	–
Metropolitan counties	16,302	415	87	123	423	320	440	1,120	2,263	3,523	4,576	3,010	2
Male	8,760	241	51	76	308	215	273	743	1,472	2,063	2,221	1,095	2
Female	7,542	174	36	47	115	105	167	377	791	1,460	2,355	1,915	–
White	15,981	376	78	113	397	300	421	1,080	2,226	3,472	4,533	2,983	2
Male	8,566	222	46	68	289	201	261	719	1,445	2,030	2,202	1,081	2
Female	7,415	154	32	45	108	99	160	361	781	1,442	2,331	1,902	–
All other	321	39	9	10	26	20	19	40	37	51	43	27	–
Male	194	19	5	8	19	14	12	24	27	33	19	14	–
Female	127	20	4	2	7	6	7	16	10	18	24	13	–
Nonmetropolitan counties	16,387	349	49	122	400	204	278	815	2,005	3,665	5,075	3,425	–
Male	9,574	206	29	84	304	140	173	539	1,407	2,377	2,840	1,475	–
Female	6,813	143	20	38	96	64	105	276	598	1,288	2,235	1,950	–
White	16,274	341	46	120	386	198	269	808	1,991	3,650	5,055	3,410	–
Male	9,506	200	28	83	297	135	166	536	1,398	2,369	2,830	1,464	–
Female	6,768	141	18	37	89	63	103	272	593	1,281	2,225	1,946	–
All other	113	8	3	2	14	6	9	7	14	15	20	15	–
Male	68	6	1	1	7	5	7	3	9	8	10	11	–
Female	45	2	2	1	7	1	2	4	5	7	10	4	–
Mississippi	22,786	977	169	234	568	599	822	1,763	3,467	5,544	5,326	3,308	9
Male	12,992	543	89	143	436	436	533	1,179	2,214	3,368	2,765	1,280	6
Female	9,794	434	80	91	132	163	289	584	1,253	2,176	2,561	2,028	3
White	13,807	358	60	106	295	278	455	1,067	2,209	3,376	3,489	2,112	2
Male	7,987	211	38	71	226	212	300	764	1,483	2,119	1,790	771	2
Female	5,820	147	22	35	69	66	155	303	726	1,257	1,699	1,341	–
All other	8,979	619	109	128	273	321	367	696	1,258	2,168	1,837	1,196	7
Male	5,005	332	51	72	210	224	233	415	731	1,249	975	509	4
Female	3,974	287	58	56	63	97	134	281	527	919	862	687	3
Metropolitan counties	3,310	153	20	39	95	88	166	346	563	735	715	388	2
Male	1,880	78	11	27	69	64	96	231	355	446	358	144	1
Female	1,430	75	9	12	26	24	70	115	208	289	357	244	1
White	2,198	70	7	20	57	41	97	230	395	486	509	285	1
Male	1,261	39	5	17	41	33	60	157	250	304	250	104	1
Female	937	31	2	3	16	8	37	73	145	182	259	181	–
All other	1,112	83	13	19	38	47	69	116	168	249	206	103	1
Male	619	39	6	10	28	31	36	74	105	142	108	40	–
Female	493	44	7	9	10	16	33	42	63	107	98	63	1
Nonmetropolitan counties	19,476	824	149	195	473	511	656	1,417	2,904	4,809	4,611	2,920	7
Male	11,112	465	78	116	367	372	437	948	1,859	2,922	2,407	1,136	5
Female	8,364	359	71	79	106	139	219	469	1,045	1,887	2,204	1,784	2
White	11,609	288	53	86	238	237	358	837	1,814	2,890	2,980	1,827	1
Male	6,726	172	33	54	185	179	240	607	1,233	1,815	1,540	667	1
Female	4,883	116	20	32	53	58	118	230	581	1,075	1,440	1,160	–
All other	7,867	536	96	109	235	274	298	580	1,090	1,919	1,631	1,093	6
Male	4,386	293	45	62	182	193	197	341	626	1,107	867	469	4
Female	3,481	243	51	47	53	81	101	239	464	812	764	624	2
Missouri	49,059	1,124	178	285	1,084	931	1,306	3,393	6,825	11,683	13,563	8,675	12
Male	26,783	627	102	173	827	650	828	2,184	4,375	7,128	6,610	3,273	6
Female	22,276	497	76	112	257	281	478	1,209	2,450	4,555	6,953	5,402	6
White	44,029	833	145	243	854	715	1,026	2,883	5,933	10,533	12,600	8,257	7
Male	23,936	464	80	145	655	488	639	1,880	3,869	6,508	6,140	3,065	3
Female	20,093	369	65	98	199	227	387	1,003	2,064	4,025	6,460	5,192	4
All other	5,030	291	33	42	230	216	280	510	892	1,150	963	418	5
Male	2,847	163	22	28	172	162	189	304	506	620	470	208	3
Female	2,183	128	11	14	58	54	91	206	386	530	493	210	2
Metropolitan counties	27,615	682	106	146	706	617	869	2,212	4,077	6,574	7,237	4,380	9
Male	14,723	383	61	82	546	436	554	1,375	2,569	3,864	3,341	1,508	4
Female	12,892	299	45	64	160	181	315	837	1,508	2,710	3,896	2,872	5
White	23,249	427	78	109	493	422	606	1,745	3,295	5,563	6,446	4,059	6
Male	12,259	239	43	58	387	291	374	1,096	2,135	3,322	2,963	1,348	3
Female	10,990	188	35	51	106	131	232	649	1,160	2,241	3,483	2,711	3
All other	4,366	255	28	37	213	195	263	467	782	1,011	791	321	3
Male	2,464	144	18	24	159	145	180	279	434	542	378	160	1
Female	1,902	111	10	13	54	50	83	188	348	469	413	161	2
Nonmetropolitan counties	21,444	442	72	139	378	314	437	1,181	2,748	5,109	6,326	4,295	3
Male	12,060	244	41	91	281	214	274	809	1,806	3,264	3,269	1,765	2
Female	9,384	198	31	48	97	100	163	372	942	1,845	3,057	2,530	1
White	20,780	406	67	134	361	293	420	1,138	2,638	4,970	6,154	4,198	1
Male	11,677	225	37	87	268	197	265	784	1,734	3,186	3,177	1,717	–
Female	9,103	181	30	47	93	96	155	354	904	1,784	2,977	2,481	1
All other	664	36	5	5	17	21	17	43	110	139	172	97	2
Male	383	19	4	4	13	17	9	25	72	78	92	48	2
Female	281	17	1	1	4	4	8	18	38	61	80	49	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Montana	6,538	186	46	69	231	164	187	484	939	1,383	1,608	1,241	–
Male	3,863	104	31	50	175	114	110	315	634	891	883	556	–
Female	2,675	82	15	19	56	50	77	169	305	492	725	685	–
White	6,255	168	36	63	194	138	155	459	905	1,341	1,573	1,223	–
Male	3,673	97	22	45	144	96	89	298	614	865	858	545	–
Female	2,582	71	14	18	50	42	66	161	291	476	715	678	–
All other	283	18	10	6	37	26	32	25	34	42	35	18	–
Male	190	7	9	5	31	18	21	17	20	26	25	11	–
Female	93	11	1	1	6	8	11	8	14	16	10	7	–
Metropolitan counties	1,324	40	7	9	53	28	33	121	210	278	298	247	–
Male	781	17	6	6	40	22	19	78	146	177	154	116	–
Female	543	23	1	3	13	6	14	43	64	101	144	131	–
White	1,298	38	3	9	52	28	32	118	206	273	294	245	–
Male	766	17	2	6	39	22	19	77	143	175	151	115	–
Female	532	21	1	3	13	6	13	41	63	98	143	130	–
All other	26	2	4	–	1	–	1	3	4	5	4	2	–
Male	15	–	4	–	1	–	–	1	3	2	3	1	–
Female	11	2	–	–	–	–	1	2	1	3	1	1	–
Nonmetropolitan counties	5,214	146	39	60	178	136	154	363	729	1,105	1,310	994	–
Male	3,082	87	25	44	135	92	91	237	488	714	729	440	–
Female	2,132	59	14	16	43	44	63	126	241	391	581	554	–
White	4,957	130	33	54	142	110	123	341	699	1,068	1,279	978	–
Male	2,907	80	20	39	105	74	70	221	471	690	707	430	–
Female	2,050	50	13	15	37	36	53	120	228	378	572	548	–
All other	257	16	6	6	36	26	31	22	30	37	31	16	–
Male	175	7	5	5	30	18	21	16	17	24	22	10	–
Female	82	9	1	1	6	8	10	6	13	13	9	6	–
Nebraska	14,603	329	58	107	372	236	336	886	1,749	3,857	4,445	3,026	2
Male	8,115	209	22	64	274	160	229	573	1,152	1,943	2,310	1,177	2
Female	6,488	120	36	43	98	76	107	313	597	1,114	2,135	1,849	–
White	14,150	293	55	104	351	212	298	827	1,677	2,971	4,375	2,985	2
Male	7,852	185	21	63	261	143	202	535	1,111	1,896	2,274	1,159	2
Female	6,298	108	34	41	90	69	96	292	566	1,075	2,101	1,826	–
All other	453	36	3	3	21	24	38	59	72	86	70	41	–
Male	263	24	1	1	13	17	27	38	41	47	36	18	–
Female	190	12	2	2	8	7	11	21	31	39	34	23	–
Metropolitan counties	5,042	150	34	43	138	117	173	433	689	1,038	1,346	880	1
Male	2,724	92	13	19	102	75	121	290	437	609	664	301	1
Female	2,318	58	21	24	36	42	52	143	252	429	682	579	–
White	4,672	116	32	41	123	101	144	383	629	966	1,286	850	1
Male	2,506	70	12	18	92	63	99	258	403	570	632	288	1
Female	2,166	46	20	23	31	38	45	125	226	396	654	562	–
All other	370	34	2	2	15	16	29	50	60	72	60	30	–
Male	218	22	1	1	10	12	22	32	34	39	32	13	–
Female	152	12	1	1	5	4	7	18	26	33	28	17	–
Nonmetropolitan counties	9,561	179	24	64	234	119	163	453	1,060	2,019	3,099	2,146	1
Male	5,391	117	9	45	172	85	108	283	715	1,334	1,646	876	1
Female	4,170	62	15	19	62	34	55	170	345	685	1,453	1,270	–
White	9,478	177	23	63	228	111	154	444	1,048	2,005	3,089	2,135	1
Male	5,346	115	9	45	169	80	103	277	708	1,326	1,642	871	1
Female	4,132	62	14	18	59	31	51	167	340	679	1,447	1,264	–
All other	83	2	1	1	6	8	9	9	12	14	10	11	–
Male	45	2	–	–	3	5	5	6	7	8	4	5	–
Female	38	–	1	1	3	3	4	3	5	6	6	6	–
Nevada	4,479	158	34	40	165	155	248	480	892	1,014	855	434	4
Male	2,809	89	20	32	129	111	145	307	597	697	482	198	2
Female	1,670	69	14	8	36	44	103	173	295	317	373	236	2
White	4,146	124	31	36	137	124	198	449	853	964	815	412	3
Male	2,594	68	18	29	106	90	110	284	575	665	460	188	1
Female	1,552	56	13	7	31	34	88	165	278	299	355	224	2
All other	333	34	3	4	28	31	50	31	39	50	40	22	1
Male	215	21	2	3	23	21	35	23	22	32	22	10	1
Female	118	13	1	1	5	10	15	8	17	18	18	12	–
Metropolitan counties	3,515	127	26	32	130	132	201	394	692	799	648	330	4
Male	2,169	71	15	28	102	97	117	246	459	536	354	142	2
Female	1,346	56	11	4	28	35	84	148	233	263	294	188	2
White	3,261	98	23	29	109	106	164	372	660	762	619	316	3
Male	2,003	53	13	25	85	79	92	229	441	513	336	136	1
Female	1,258	45	10	4	24	27	72	143	219	249	283	180	2
All other	254	29	3	3	21	26	37	22	32	37	29	14	1
Male	166	18	2	3	17	18	25	17	18	23	18	6	1
Female	88	11	1	–	4	8	12	5	14	14	11	8	–
Nonmetropolitan counties	964	31	8	8	35	23	47	86	200	215	207	104	–
Male	640	18	5	4	27	14	28	61	138	161	128	56	–
Female	324	13	3	4	8	9	19	25	62	54	79	48	–
White	885	26	8	7	28	18	34	77	193	202	196	96	–
Male	591	15	5	4	21	11	18	55	134	152	124	52	–
Female	294	11	3	3	7	7	16	22	59	50	72	44	–
All other	79	5	–	1	7	5	13	9	7	13	11	8	–
Male	49	3	–	–	6	3	10	6	4	9	4	4	–
Female	30	2	–	1	1	2	3	3	3	4	7	4	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
New Hampshire	**7,220**	**148**	**21**	**49**	**147**	**115**	**182**	**526**	**1,012**	**1,706**	**2,015**	**1,298**	**1**
Male	3,890	80	11	31	117	85	124	350	631	1,043	969	448	1
Female	3,330	68	10	18	30	30	58	176	381	663	1,046	850	–
White	7,201	146	21	48	146	112	180	524	1,009	1,704	2,014	1,296	1
Male	3,877	79	11	30	116	82	122	348	631	1,042	968	447	1
Female	3,324	67	10	18	30	30	58	176	378	662	1,046	849	–
All other	19	2	–	1	1	3	2	2	3	2	1	2	–
Male	13	1	–	1	1	3	2	2	–	1	1	1	–
Female	6	1	–	–	–	–	–	–	3	1	–	1	–
Metropolitan counties	2,079	40	5	15	38	39	59	161	304	468	596	353	1
Male	1,085	17	5	8	29	31	35	99	201	276	268	115	1
Female	994	23	–	7	9	8	24	62	103	192	328	238	–
White	2,074	39	5	14	37	38	59	161	304	468	595	353	1
Male	1,080	16	5	7	28	30	35	99	201	276	267	115	1
Female	994	23	–	7	9	8	24	62	103	192	328	238	–
All other	5	1	–	1	1	1	–	–	–	–	1	–	–
Male	5	1	–	1	1	1	–	–	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nonmetropolitan counties	5,141	108	16	34	109	76	123	365	708	1,238	1,419	945	–
Male	2,805	63	6	23	88	54	89	251	430	767	701	333	–
Female	2,336	45	10	11	21	22	34	114	278	471	718	612	–
White	5,127	107	16	34	109	74	121	363	705	1,236	1,419	943	–
Male	2,797	63	6	23	88	52	87	249	430	766	701	332	–
Female	2,330	44	10	11	21	22	34	114	275	470	718	611	–
All other	14	1	–	–	–	2	2	2	3	2	–	2	–
Male	8	–	–	–	–	2	2	2	–	1	–	1	–
Female	6	1	–	–	–	–	–	–	3	1	–	1	–
New Jersey	**65,498**	**1,377**	**245**	**378**	**1,266**	**1,219**	**1,958**	**5,500**	**10,833**	**15,650**	**17,709**	**9,348**	**15**
Male	35,160	755	125	237	936	826	1,229	3,387	6,853	9,154	8,302	3,345	11
Female	30,338	622	120	141	330	393	729	2,113	3,980	6,496	9,407	6,003	4
White	58,874	955	156	267	982	852	1,398	4,573	9,623	14,357	16,775	8,925	11
Male	31,418	530	81	176	740	581	867	2,817	6,139	8,430	7,862	3,185	10
Female	27,456	425	75	91	242	271	531	1,756	3,484	5,927	8,913	5,740	1
All other	6,624	422	89	111	284	367	560	927	1,210	1,293	934	423	4
Male	3,742	225	44	61	196	245	362	570	714	724	440	160	1
Female	2,882	197	45	50	88	122	198	357	496	569	494	263	3
Metropolitan counties	50,035	1,096	193	297	961	969	1,523	4,253	8,352	11,749	13,493	7,136	13
Male	26,731	606	99	186	708	665	949	2,630	5,280	6,805	6,262	2,532	9
Female	23,304	490	94	111	253	304	574	1,623	3,072	4,944	7,231	4,604	4
White	44,182	730	115	198	713	638	1,018	3,419	7,284	10,618	12,677	6,763	9
Male	23,414	413	60	134	537	441	620	2,117	4,640	6,169	5,880	2,395	8
Female	20,768	317	55	64	176	197	398	1,302	2,644	4,449	6,797	4,368	1
All other	5,853	366	78	99	248	331	505	834	1,068	1,131	816	373	4
Male	3,317	193	39	52	171	224	329	513	640	636	382	137	1
Female	2,536	173	39	47	77	107	176	321	428	495	434	236	3
Nonmetropolitan counties	15,463	281	52	81	305	250	435	1,247	2,481	3,901	4,216	2,212	2
Male	8,429	149	26	51	228	161	280	757	1,573	2,349	2,040	813	2
Female	7,034	132	26	30	77	89	155	490	908	1,552	2,176	1,399	–
White	14,692	225	41	69	269	214	380	1,154	2,339	3,739	4,098	2,162	2
Male	8,004	117	21	42	203	140	247	700	1,499	2,261	1,982	790	2
Female	6,688	108	20	27	66	74	133	454	840	1,478	2,116	1,372	–
All other	771	56	11	12	36	36	55	93	142	162	118	50	–
Male	425	32	5	9	25	21	33	57	74	88	58	23	–
Female	346	24	6	3	11	15	22	36	68	74	60	27	–
New Mexico	**7,977**	**358**	**73**	**97**	**386**	**362**	**421**	**690**	**1,179**	**1,784**	**1,633**	**984**	**10**
Male	4,770	189	35	62	296	267	298	433	776	1,107	882	418	7
Female	3,207	169	38	35	90	95	123	257	403	677	751	566	3
White	7,172	282	57	75	298	252	328	614	1,101	1,675	1,546	937	7
Male	4,243	149	26	47	225	184	232	384	726	1,041	828	396	5
Female	2,929	133	31	28	73	68	96	230	375	634	718	541	2
All other	805	76	16	22	88	110	93	76	78	109	87	47	3
Male	527	40	9	15	71	83	66	49	50	66	54	22	2
Female	278	36	7	7	17	27	27	27	28	43	33	25	1
Metropolitan counties	2,149	67	16	21	90	70	121	244	352	446	465	256	1
Male	1,237	33	10	15	65	50	83	149	222	261	255	93	1
Female	912	34	6	6	25	20	38	95	130	185	210	163	–
White	2,068	61	15	20	85	65	110	231	341	430	457	252	1
Male	1,183	30	9	14	60	46	76	138	214	253	249	93	1
Female	885	31	6	6	25	19	34	93	127	177	208	159	–
All other	81	6	1	1	5	5	11	13	11	16	8	4	–
Male	54	3	1	1	5	4	7	11	8	8	6	–	–
Female	27	3	–	–	–	1	4	2	3	8	2	4	–
Nonmetropolitan counties	5,828	291	57	76	296	292	300	446	827	1,338	1,168	728	9
Male	3,533	156	25	47	231	217	215	284	554	846	627	325	6
Female	2,295	135	32	29	65	75	85	162	273	492	541	403	3
White	5,104	221	42	55	213	187	218	383	760	1,245	1,089	685	6
Male	3,060	119	17	33	165	138	156	246	512	788	579	303	4
Female	2,044	102	25	22	48	49	62	137	248	457	510	382	2
All other	724	70	15	21	83	105	82	63	67	93	79	43	3
Male	473	37	8	14	66	79	59	38	42	58	48	22	2
Female	251	33	7	7	17	26	23	25	25	35	31	21	1

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
New York	**169,618**	**3,782**	**600**	**893**	**3,244**	**3,853**	**5,283**	**13,632**	**26,408**	**40,454**	**46,086**	**25,315**	**68**
Male	91,053	2,141	333	547	2,356	2,701	3,317	8,449	16,314	23,573	21,839	9,450	33
Female	78,565	1,641	267	346	888	1,152	1,966	5,183	10,094	16,881	24,247	15,865	35
White	150,602	2,545	437	686	2,480	2,593	3,641	10,770	22,899	36,712	43,607	24,177	55
Male	80,209	1,490	244	416	1,814	1,807	2,293	6,672	14,224	21,556	20,617	9,049	27
Female	70,393	1,055	193	270	666	786	1,348	4,098	8,675	15,156	22,990	15,128	28
All other	19,016	1,237	163	207	764	1,260	1,642	2,862	3,509	3,742	2,479	1,138	13
Male	10,844	651	89	131	542	894	1,024	1,777	2,090	2,017	1,222	401	6
Female	8,172	586	74	76	222	366	618	1,085	1,419	1,725	1,257	737	7
Metropolitan counties	144,876	3,282	510	726	2,733	3,477	4,681	11,995	22,780	34,377	39,205	21,065	45
Male	77,444	1,852	288	438	1,969	2,442	2,947	7,399	14,005	19,829	18,426	7,822	27
Female	67,432	1,430	222	288	764	1,035	1,734	4,596	8,775	14,548	20,779	13,243	18
White	126,379	2,088	351	532	1,996	2,233	3,077	9,200	19,358	30,756	36,796	19,960	32
Male	66,920	1,221	201	316	1,448	1,556	1,944	5,668	11,977	17,895	17,242	7,431	21
Female	59,459	867	150	216	548	677	1,133	3,532	7,381	12,861	19,554	12,529	11
All other	18,497	1,194	159	194	737	1,244	1,604	2,795	3,422	3,621	2,409	1,105	13
Male	10,524	631	87	122	521	886	1,003	1,731	2,028	1,934	1,184	391	6
Female	7,973	563	72	72	216	358	601	1,064	1,394	1,687	1,225	714	7
Nonmetropolitan counties	24,742	500	90	167	511	376	602	1,637	3,628	6,077	6,881	4,250	23
Male	13,609	289	45	109	387	259	370	1,050	2,309	3,744	3,413	1,628	6
Female	11,133	211	45	58	124	117	232	587	1,319	2,333	3,468	2,622	17
White	24,223	457	86	154	484	360	564	1,570	3,541	5,956	6,811	4,217	23
Male	13,289	269	43	100	366	251	349	1,004	2,247	3,661	3,375	1,618	6
Female	10,934	188	43	54	118	109	215	566	1,294	2,295	3,436	2,599	17
All other	519	43	4	13	27	16	38	67	87	121	70	33	–
Male	320	20	2	9	21	8	21	46	62	83	38	10	–
Female	199	23	2	4	6	8	17	21	25	38	32	23	–
North Carolina	**45,777**	**1,485**	**277**	**408**	**1,386**	**1,299**	**1,962**	**4,712**	**8,177**	**10,863**	**10,080**	**5,110**	**18**
Male	26,686	870	156	266	1,057	941	1,293	3,096	5,473	6,603	4,963	1,952	16
Female	19,091	615	121	142	329	358	669	1,616	2,704	4,260	5,117	3,158	2
White	33,933	803	159	267	928	779	1,248	3,267	5,892	8,045	8,193	4,347	5
Male	19,921	487	91	175	718	566	833	2,209	4,087	5,078	4,010	1,662	5
Female	14,012	316	68	92	210	213	415	1,058	1,805	2,967	4,183	2,685	–
All other	11,844	682	118	141	458	520	714	1,445	2,285	2,818	1,887	763	13
Male	6,765	383	65	91	339	375	460	887	1,386	1,525	953	290	11
Female	5,079	299	53	50	119	145	254	558	899	1,293	934	473	2
Metropolitan counties	15,450	491	94	133	488	499	721	1,647	2,736	3,598	3,341	1,695	7
Male	8,772	288	47	97	357	357	476	1,060	1,797	2,116	1,574	597	6
Female	6,678	203	47	36	131	142	245	587	939	1,482	1,767	1,098	1
White	11,272	259	51	87	337	293	430	1,123	1,952	2,598	2,701	1,440	1
Male	6,444	161	27	67	250	213	289	738	1,329	1,599	1,261	509	1
Female	4,828	98	24	20	87	80	141	385	623	999	1,440	931	–
All other	4,178	232	43	46	151	206	291	524	784	1,000	640	255	6
Male	2,328	127	20	30	107	144	187	322	468	517	313	88	5
Female	1,850	105	23	16	44	62	104	202	316	483	327	167	1
Nonmetropolitan counties	30,327	994	183	275	898	800	1,241	3,065	5,441	7,265	6,739	3,415	11
Male	17,914	582	109	169	700	584	817	2,036	3,676	4,487	3,389	1,355	10
Female	12,413	412	74	106	198	216	424	1,029	1,765	2,778	3,350	2,060	1
White	22,661	544	108	180	591	486	818	2,144	3,940	5,447	5,492	2,907	4
Male	13,477	326	64	108	468	353	544	1,471	2,758	3,479	2,749	1,153	4
Female	9,184	218	44	72	123	133	274	673	1,182	1,968	2,743	1,754	–
All other	7,666	450	75	95	307	314	423	921	1,501	1,818	1,247	508	7
Male	4,437	256	45	61	232	231	273	565	918	1,008	640	202	6
Female	3,229	194	30	34	75	83	150	356	583	810	607	306	1
North Dakota	**5,496**	**157**	**23**	**36**	**160**	**104**	**134**	**321**	**702**	**1,205**	**1,594**	**1,060**	**–**
Male	3,316	91	19	26	129	75	95	205	488	794	910	484	–
Female	2,180	66	4	10	31	29	39	116	214	411	684	576	–
White	5,345	141	21	34	143	91	120	304	682	1,188	1,573	1,048	–
Male	3,223	82	17	24	117	64	84	194	475	787	899	480	–
Female	2,122	59	4	10	26	27	36	110	207	401	674	568	–
All other	151	16	2	2	17	13	14	17	20	17	21	12	–
Male	93	9	2	2	12	11	11	11	13	7	11	4	–
Female	58	7	–	–	5	2	3	6	7	10	10	8	–
Metropolitan counties	590	13	4	1	18	11	12	43	76	115	181	116	–
Male	329	9	4	–	16	6	7	26	44	75	91	51	–
Female	261	4	–	1	2	5	5	17	32	40	90	65	–
White	589	13	4	1	18	11	11	43	76	115	181	116	–
Male	328	9	4	–	16	6	6	26	44	75	91	51	–
Female	261	4	–	1	2	5	5	17	32	40	90	65	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	–
Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nonmetropolitan counties	4,906	144	19	35	142	93	122	278	626	1,090	1,413	944	–
Male	2,987	82	15	26	113	69	88	179	444	719	819	433	–
Female	1,919	62	4	9	29	24	34	99	182	371	594	511	–
White	4,756	128	17	33	125	80	109	261	606	1,073	1,392	932	–
Male	2,895	73	13	24	101	58	78	168	431	712	808	429	–
Female	1,861	55	4	9	24	22	31	93	175	361	584	503	–
All other	150	16	2	2	17	13	13	17	20	17	21	12	–
Male	92	9	2	2	12	11	10	11	13	7	11	4	–
Female	58	7	–	–	5	2	3	6	7	10	10	8	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Ohio	**96,385**	**2,508**	**436**	**628**	**2,110**	**1,892**	**2,834**	**8,040**	**15,449**	**22,207**	**25,477**	**14,792**	**12**
Male	52,600	1,423	254	397	1,550	1,206	1,754	5,119	9,909	13,143	12,323	5,515	7
Female	43,785	1,085	182	231	560	686	1,080	2,921	5,540	9,064	13,154	9,277	5
White	87,056	1,956	350	550	1,800	1,527	2,279	6,820	13,662	20,148	23,835	14,123	6
Male	47,264	1,138	200	346	1,330	965	1,412	4,354	8,833	11,981	11,458	5,242	5
Female	39,792	818	150	204	470	562	867	2,466	4,829	8,167	12,377	8,881	1
All other	9,329	552	86	78	310	365	555	1,220	1,787	2,059	1,642	669	6
Male	5,336	285	54	51	220	241	342	765	1,076	1,162	865	273	2
Female	3,993	267	32	27	90	124	213	455	711	897	777	396	4
Metropolitan counties	72,382	1,932	315	428	1,626	1,483	2,228	6,365	11,933	16,748	18,824	10,493	7
Male	39,463	1,088	187	263	1,181	942	1,371	4,033	7,623	9,852	9,024	3,895	4
Female	32,919	844	128	165	445	541	857	2,332	4,310	6,896	9,800	6,598	3
White	63,458	1,396	238	355	1,322	1,130	1,689	5,180	10,225	14,764	17,281	9,874	4
Male	34,356	808	138	215	962	709	1,038	3,293	6,595	8,735	8,222	3,638	3
Female	29,102	588	100	140	360	421	651	1,887	3,630	6,029	9,059	6,236	1
All other	8,924	536	77	73	304	353	539	1,185	1,708	1,984	1,543	619	3
Male	5,107	280	49	48	219	233	333	740	1,028	1,117	802	257	1
Female	3,817	256	28	25	85	120	206	445	680	867	741	362	2
Nonmetropolitan counties	24,003	576	121	200	484	409	606	1,675	3,516	5,459	6,653	4,299	5
Male	13,137	335	67	134	369	264	383	1,086	2,286	3,291	3,299	1,620	3
Female	10,866	241	54	66	115	145	223	589	1,230	2,168	3,354	2,679	2
White	23,598	560	112	195	478	397	590	1,640	3,437	5,384	6,554	4,249	2
Male	12,908	330	62	131	368	256	374	1,061	2,238	3,246	3,236	1,604	2
Female	10,690	230	50	64	110	141	216	579	1,199	2,138	3,318	2,645	–
All other	405	16	9	5	6	12	16	35	79	75	99	50	3
Male	229	5	5	3	1	8	9	25	48	45	63	16	1
Female	176	11	4	2	5	4	7	10	31	30	36	34	2
Oklahoma	**27,194**	**690**	**157**	**213**	**673**	**581**	**767**	**1,874**	**3,852**	**6,454**	**7,342**	**4,575**	**16**
Male	15,408	409	86	134	504	402	488	1,255	2,571	4,013	3,768	1,769	9
Female	11,786	281	71	79	169	179	279	619	1,281	2,441	3,574	2,806	7
White	24,478	537	115	171	571	464	640	1,619	3,445	5,832	6,810	4,261	13
Male	13,820	319	64	109	431	311	406	1,102	2,329	3,653	3,462	1,627	7
Female	10,658	218	51	62	140	153	234	517	1,116	2,179	3,348	2,634	6
All other	2,716	153	42	42	102	117	127	255	407	622	532	314	3
Male	1,588	90	22	25	73	91	82	153	242	360	306	142	2
Female	1,128	63	20	17	29	26	45	102	165	262	226	172	1
Metropolitan counties	11,253	393	86	107	361	290	397	971	1,744	2,566	2,742	1,590	6
Male	6,296	229	49	64	266	193	258	638	1,128	1,543	1,364	561	3
Female	4,957	164	37	43	95	97	139	333	616	1,023	1,378	1,029	3
White	10,037	301	60	84	310	227	330	836	1,560	2,313	2,532	1,478	6
Male	5,586	176	36	51	230	144	212	554	1,021	1,401	1,240	518	3
Female	4,451	125	24	33	80	83	118	282	539	912	1,292	960	3
All other	1,216	92	26	23	51	63	67	135	184	253	210	112	–
Male	710	53	13	13	36	49	46	84	107	142	124	43	–
Female	506	39	13	10	15	14	21	51	77	111	86	69	–
Nonmetropolitan counties	15,941	297	71	106	312	291	370	903	2,108	3,888	4,600	2,985	10
Male	9,112	180	37	70	238	209	230	617	1,443	2,470	2,404	1,208	6
Female	6,829	117	34	36	74	82	140	286	665	1,418	2,196	1,777	4
White	14,441	236	55	87	261	237	310	783	1,885	3,519	4,278	2,783	7
Male	8,234	143	28	58	201	167	194	548	1,308	2,252	2,222	1,109	4
Female	6,207	93	27	29	60	70	116	235	577	1,267	2,056	1,674	3
All other	1,500	61	16	19	51	54	60	120	223	369	322	202	3
Male	878	37	9	12	37	42	36	69	135	218	182	99	2
Female	622	24	7	7	14	12	24	51	88	151	140	103	1
Oregon	**20,176**	**502**	**107**	**126**	**535**	**430**	**512**	**1,350**	**3,013**	**4,578**	**5,324**	**3,696**	**3**
Male	11,400	297	57	78	388	298	327	855	1,970	2,865	2,772	1,490	3
Female	8,776	205	50	48	147	132	185	495	1,043	1,713	2,552	2,206	–
White	19,757	472	103	119	507	401	488	1,314	2,928	4,486	5,269	3,667	3
Male	11,137	278	54	73	366	279	317	834	1,916	2,805	2,739	1,473	3
Female	8,620	194	49	46	141	122	171	480	1,012	1,681	2,530	2,194	–
All other	419	30	4	7	28	29	24	36	85	92	55	29	–
Male	263	19	3	5	22	19	10	21	54	60	33	17	–
Female	156	11	1	2	6	10	14	15	31	32	22	12	–
Metropolitan counties	12,158	308	68	83	309	262	320	782	1,750	2,673	3,240	2,360	3
Male	6,675	179	35	51	221	177	202	492	1,138	1,626	1,635	916	3
Female	5,483	129	33	32	88	85	118	290	612	1,047	1,605	1,444	–
White	11,858	289	67	78	293	242	304	753	1,686	2,596	3,208	2,339	3
Male	6,477	167	34	48	209	162	195	475	1,095	1,575	1,612	902	3
Female	5,381	122	33	30	84	80	109	278	591	1,021	1,596	1,437	–
All other	300	19	1	5	16	20	16	29	64	77	32	21	–
Male	198	12	1	3	12	15	7	17	43	51	23	14	–
Female	102	7	–	2	4	5	9	12	21	26	9	7	–
Nonmetropolitan counties	8,018	194	39	43	226	168	192	568	1,263	1,905	2,084	1,336	–
Male	4,725	118	22	27	167	121	125	363	832	1,239	1,137	574	–
Female	3,293	76	17	16	59	47	67	205	431	666	947	762	–
White	7,899	183	36	41	214	159	184	561	1,242	1,890	2,061	1,328	–
Male	4,660	111	20	25	157	117	122	359	821	1,230	1,127	571	–
Female	3,239	72	16	16	57	42	62	202	421	660	934	757	–
All other	119	11	3	2	12	9	8	7	21	15	23	8	–
Male	65	7	2	2	10	4	3	4	11	9	10	3	–
Female	54	4	1	–	2	5	5	3	10	6	13	5	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Pennsylvania	120,579	2,442	396	702	2,180	2,039	3,095	9,423	20,025	29,643	32,800	17,798	36
Male	65,443	1,416	228	417	1,641	1,412	1,959	5,951	12,706	17,423	15,687	6,583	20
Female	55,136	1,026	168	285	539	627	1,136	3,472	7,319	12,220	17,113	11,215	16
White	109,739	1,884	320	591	1,835	1,562	2,374	7,998	18,006	27,214	30,886	17,040	29
Male	59,271	1,120	189	349	1,376	1,063	1,512	5,040	11,545	16,087	14,705	6,270	15
Female	50,468	764	131	242	459	499	862	2,958	6,461	11,127	16,181	10,770	14
All other	10,840	558	76	111	345	477	721	1,425	2,019	2,429	1,914	758	7
Male	6,172	296	39	68	265	349	447	911	1,161	1,336	982	313	5
Female	4,668	262	37	43	80	128	274	514	858	1,093	932	445	2
Metropolitan counties	94,510	1,934	301	541	1,682	1,659	2,528	7,666	15,969	23,076	25,566	13,556	32
Male	51,090	1,111	169	324	1,263	1,143	1,596	4,841	10,135	13,433	12,139	4,917	19
Female	43,420	823	132	217	419	516	932	2,825	5,834	9,643	13,427	8,639	13
White	84,072	1,393	226	433	1,345	1,197	1,828	6,279	14,016	20,741	23,741	12,848	25
Male	45,141	828	130	257	1,005	804	1,162	3,951	9,007	12,147	11,207	4,629	14
Female	38,931	565	96	176	340	393	666	2,328	5,009	8,594	12,534	8,219	11
All other	10,438	541	75	108	337	462	700	1,387	1,953	2,335	1,825	708	7
Male	5,949	283	39	67	258	339	434	890	1,128	1,286	932	288	5
Female	4,489	258	36	41	79	123	266	497	825	1,049	893	420	2
Nonmetropolitan counties	26,069	508	95	161	498	380	567	1,757	4,056	6,567	7,234	4,242	4
Male	14,353	305	59	93	378	269	363	1,110	2,571	3,990	3,548	1,666	1
Female	11,716	203	36	68	120	111	204	647	1,485	2,577	3,686	2,576	3
White	25,667	491	94	158	490	365	546	1,719	3,990	6,473	7,145	4,192	4
Male	14,130	292	59	92	371	259	350	1,089	2,538	3,940	3,498	1,641	1
Female	11,537	199	35	66	119	106	196	630	1,452	2,533	3,647	2,551	3
All other	402	17	1	3	8	15	21	38	66	94	89	50	–
Male	223	13	–	1	7	10	13	21	33	50	50	25	–
Female	179	4	1	2	1	5	8	17	33	44	39	25	–
Rhode Island	8,898	156	14	36	151	149	167	666	1,429	2,075	2,506	1,549	–
Male	4,657	84	6	22	118	105	102	417	900	1,209	1,151	543	–
Female	4,241	72	8	14	33	44	65	249	529	866	1,355	1,006	–
White	8,692	141	13	35	140	140	155	629	1,394	2,048	2,470	1,527	–
Male	4,540	79	5	21	109	102	95	398	879	1,188	1,133	531	–
Female	4,152	62	8	14	31	38	60	231	515	860	1,337	996	–
All other	206	15	1	1	11	9	12	37	35	27	36	22	–
Male	117	5	1	1	9	3	7	19	21	21	18	12	–
Female	89	10	–	–	2	6	5	18	14	6	18	10	–
Metropolitan counties	7,719	130	12	28	134	125	138	580	1,237	1,809	2,206	1,320	–
Male	4,015	69	6	18	105	88	82	359	786	1,043	1,005	454	–
Female	3,704	61	6	10	29	37	56	221	451	766	1,201	866	–
White	7,550	117	11	27	125	118	127	549	1,207	1,788	2,178	1,303	–
Male	3,922	64	5	17	98	86	76	343	768	1,027	991	447	–
Female	3,628	53	6	10	27	32	51	206	439	761	1,187	856	–
All other	169	13	1	1	9	7	11	31	30	21	28	17	–
Male	93	5	1	1	7	2	6	16	18	16	14	7	–
Female	76	8	–	–	2	5	5	15	12	5	14	10	–
Nonmetropolitan counties	1,179	26	2	8	17	24	29	86	192	266	300	229	–
Male	642	15	–	4	13	17	20	58	114	166	146	89	–
Female	537	11	2	4	4	7	9	28	78	100	154	140	–
White	1,142	24	2	8	15	22	28	80	187	260	292	224	–
Male	618	15	–	4	11	16	19	55	111	161	142	84	–
Female	524	9	2	4	4	6	9	25	76	99	150	140	–
All other	37	2	–	–	2	2	1	6	5	6	8	5	–
Male	24	–	–	–	2	1	1	3	3	5	4	5	–
Female	13	2	–	–	–	1	–	3	2	1	4	–	–
South Carolina	23,497	907	160	239	712	735	1,147	2,646	4,664	5,600	4,494	2,183	10
Male	13,497	534	91	145	533	519	737	1,716	3,078	3,215	2,154	768	7
Female	10,000	373	69	94	179	216	410	930	1,586	2,385	2,340	1,415	3
White	15,585	435	86	145	445	369	623	1,605	2,964	3,703	3,429	1,779	2
Male	9,084	275	46	84	345	262	408	1,098	2,062	2,246	1,674	583	1
Female	6,501	160	40	61	100	107	215	507	902	1,457	1,755	1,196	1
All other	7,912	472	74	94	267	366	524	1,041	1,700	1,897	1,065	404	8
Male	4,413	259	45	61	188	257	329	618	1,016	969	480	185	6
Female	3,499	213	29	33	79	109	195	423	684	928	585	219	2
Metropolitan counties	8,058	283	52	78	260	283	410	965	1,636	1,843	1,500	747	1
Male	4,530	162	31	52	186	189	266	614	1,059	1,035	696	239	1
Female	3,528	121	21	26	74	94	144	351	577	808	804	508	–
White	5,701	161	36	48	183	164	249	625	1,111	1,302	1,188	634	–
Male	3,257	96	20	32	140	107	171	418	754	771	555	193	–
Female	2,444	65	16	16	43	57	78	207	357	531	633	441	–
All other	2,357	122	16	30	77	119	161	340	525	541	312	113	1
Male	1,273	66	11	20	46	82	95	196	305	264	141	46	1
Female	1,084	56	5	10	31	37	66	144	220	277	171	67	–
Nonmetropolitan counties	15,439	624	108	161	452	452	737	1,681	3,028	3,757	2,994	1,436	9
Male	8,967	372	60	93	347	330	471	1,102	2,019	2,180	1,458	529	6
Female	6,472	252	48	68	105	122	266	579	1,009	1,577	1,536	907	3
White	9,884	274	50	97	262	205	374	980	1,853	2,401	2,241	1,145	2
Male	5,827	179	26	52	205	155	237	680	1,308	1,475	1,119	390	1
Female	4,057	95	24	45	57	50	137	300	545	926	1,122	755	1
All other	5,555	350	58	64	190	247	363	701	1,175	1,356	753	291	7
Male	3,140	193	34	41	142	175	234	422	711	705	339	139	5
Female	2,415	157	24	23	48	72	129	279	464	651	414	152	2

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975—Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
South Dakota	6,484	181	40	54	185	118	176	363	769	1,364	1,902	1,332	–
Male	3,731	100	18	30	134	74	105	243	544	898	1,034	551	–
Female	2,753	81	22	24	51	44	71	120	225	466	868	781	–
White	6,021	133	26	39	136	81	127	317	714	1,292	1,851	1,305	–
Male	3,445	71	11	26	101	53	76	216	502	856	997	536	–
Female	2,576	62	15	13	35	28	51	101	212	436	854	769	–
All other	463	48	14	15	49	37	49	46	55	72	51	27	–
Male	286	29	7	4	33	21	29	27	42	42	37	15	–
Female	177	19	7	11	16	16	20	19	13	30	14	12	–
Metropolitan counties	807	29	10	3	16	20	17	52	105	139	254	162	–
Male	447	16	6	1	12	16	13	32	70	97	127	57	–
Female	360	13	4	2	4	4	4	20	35	42	127	105	–
White	801	28	10	3	15	19	17	51	105	138	253	162	–
Male	445	16	6	1	11	16	13	31	70	97	127	57	–
Female	356	12	4	2	4	3	4	20	35	41	126	105	–
All other	6	1	–	–	1	1	–	1	–	1	1	–	–
Male	2	–	–	–	1	–	–	1	–	–	–	–	–
Female	4	1	–	–	–	1	–	–	–	1	1	–	–
Nonmetropolitan counties	5,677	152	30	51	169	98	159	311	664	1,225	1,648	1,170	–
Male	3,284	84	12	29	122	58	92	211	474	801	907	494	–
Female	2,393	68	18	22	47	40	67	100	190	424	741	676	–
White	5,220	105	16	36	121	62	110	266	609	1,154	1,598	1,143	–
Male	3,000	55	5	25	90	37	63	185	432	759	870	479	–
Female	2,220	50	11	11	31	25	47	81	177	395	728	664	–
All other	457	47	14	15	48	36	49	45	55	71	50	27	–
Male	284	29	7	4	32	21	29	26	42	42	37	15	–
Female	173	18	7	11	16	15	20	19	13	29	13	12	–
Tennessee	38,564	1,008	220	291	1,020	921	1,412	3,242	6,171	9,233	9,628	5,409	9
Male	21,583	553	132	191	737	651	900	2,111	4,039	5,548	4,700	2,016	5
Female	16,981	455	88	100	283	270	512	1,131	2,132	3,685	4,928	3,393	4
White	31,537	674	146	221	800	681	1,063	2,551	4,910	7,485	8,242	4,762	2
Male	17,768	373	89	142	586	485	700	1,708	3,310	4,631	4,008	1,735	1
Female	13,769	301	57	79	214	196	363	843	1,600	2,854	4,234	3,027	1
All other	7,027	334	74	70	220	240	349	691	1,261	1,748	1,386	647	7
Male	3,815	180	43	49	151	166	200	403	729	917	692	281	4
Female	3,212	154	31	21	69	74	149	288	532	831	694	366	3
Metropolitan counties	17,438	502	109	125	501	451	658	1,617	2,988	4,216	4,037	2,233	1
Male	9,465	270	64	79	363	318	402	1,015	1,880	2,445	1,823	805	1
Female	7,973	232	45	46	138	133	256	602	1,108	1,771	2,214	1,428	–
White	12,580	278	62	75	347	279	409	1,108	2,063	2,974	3,140	1,845	–
Male	6,869	154	37	43	256	199	261	722	1,356	1,795	1,401	645	–
Female	5,711	124	25	32	91	80	148	386	707	1,179	1,739	1,200	–
All other	4,858	224	47	50	154	172	249	509	925	1,242	897	388	1
Male	2,596	116	27	36	107	119	141	293	524	650	422	160	1
Female	2,262	108	20	14	47	53	108	216	401	592	475	228	–
Nonmetropolitan counties	21,126	506	111	166	519	470	754	1,625	3,183	5,017	5,591	3,176	8
Male	12,118	283	68	112	374	333	498	1,096	2,159	3,103	2,877	1,211	4
Female	9,008	223	43	54	145	137	256	529	1,024	1,914	2,714	1,965	4
White	18,957	396	84	146	453	402	654	1,443	2,847	4,511	5,102	2,917	2
Male	10,899	219	52	99	330	286	439	986	1,954	2,836	2,607	1,090	1
Female	8,058	177	32	47	123	116	215	457	893	1,675	2,495	1,827	1
All other	2,169	110	27	20	66	68	100	182	336	506	489	259	6
Male	1,219	64	16	13	44	47	59	110	205	267	270	121	3
Female	950	46	11	7	22	21	41	72	131	239	219	138	3
Texas	98,471	3,572	653	921	3,166	2,821	3,591	8,475	15,012	23,083	23,925	13,238	14
Male	55,808	2,064	370	564	2,390	2,020	2,262	5,481	9,780	14,012	11,938	4,916	11
Female	42,663	1,508	283	357	776	801	1,329	2,994	5,232	9,071	11,987	8,322	3
White	84,547	2,725	526	742	2,625	2,214	2,797	6,976	12,702	19,671	21,387	12,168	14
Male	47,982	1,585	294	457	1,993	1,574	1,778	4,549	8,460	12,215	10,611	4,455	11
Female	36,565	1,140	232	285	632	640	1,019	2,427	4,242	7,456	10,776	7,713	3
All other	13,924	847	127	179	541	607	794	1,499	2,310	3,412	2,538	1,070	–
Male	7,826	479	76	107	397	446	484	932	1,320	1,797	1,327	461	–
Female	6,098	368	51	72	144	161	310	567	990	1,615	1,211	609	–
Metropolitan counties	64,984	2,608	497	679	2,326	2,121	2,677	6,328	10,361	14,934	14,603	7,841	9
Male	36,720	1,478	281	420	1,755	1,507	1,680	4,087	6,688	8,938	7,097	2,781	8
Female	28,264	1,130	216	259	571	614	997	2,241	3,673	5,996	7,506	5,060	1
White	55,163	1,956	399	535	1,922	1,647	2,038	5,149	8,682	12,628	13,022	7,176	9
Male	31,147	1,109	225	336	1,451	1,157	1,290	3,342	5,723	7,718	6,285	2,503	8
Female	24,016	847	174	199	471	490	748	1,807	2,959	4,910	6,737	4,673	1
All other	9,821	652	98	144	404	474	639	1,179	1,679	2,306	1,581	665	–
Male	5,573	369	56	84	304	350	390	745	965	1,220	812	278	–
Female	4,248	283	42	60	100	124	249	434	714	1,086	769	387	–
Nonmetropolitan counties	33,487	964	156	242	840	700	914	2,147	4,651	8,149	9,322	5,397	5
Male	19,088	586	89	144	635	513	582	1,394	3,092	5,074	4,841	2,135	3
Female	14,399	378	67	98	205	187	332	753	1,559	3,075	4,481	3,262	2
White	29,384	769	127	207	703	567	759	1,827	4,020	7,043	8,365	4,992	5
Male	16,835	476	69	121	542	417	488	1,207	2,737	4,497	4,326	1,952	3
Female	12,549	293	58	86	161	150	271	620	1,283	2,546	4,039	3,040	2
All other	4,103	195	29	35	137	133	155	320	631	1,106	957	405	–
Male	2,253	110	20	23	93	96	94	187	355	577	515	183	–
Female	1,850	85	9	12	44	37	61	133	276	529	442	222	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Utah	**7,530**	**416**	**96**	**93**	**285**	**215**	**252**	**541**	**1,059**	**1,580**	**1,877**	**1,111**	**5**
Male	4,333	251	49	62	197	148	166	351	717	984	962	444	2
Female	3,197	165	47	31	88	67	86	190	342	596	915	667	3
White	7,328	388	92	87	265	200	237	516	1,038	1,550	1,862	1,089	4
Male	4,203	233	49	56	183	137	152	335	702	965	957	432	2
Female	3,125	155	43	31	82	63	85	181	336	585	905	657	2
All other	202	28	4	6	20	15	15	25	21	30	15	22	1
Male	130	18	–	6	14	11	14	16	15	19	5	12	–
Female	72	10	4	–	6	4	1	9	6	11	10	10	1
Metropolitan counties	5,507	297	73	71	212	164	177	420	781	1,150	1,343	817	2
Male	3,114	179	38	45	148	107	112	266	518	707	675	317	2
Female	2,393	118	35	26	64	57	65	154	263	443	668	500	–
White	5,385	284	71	67	205	153	172	405	769	1,127	1,330	800	2
Male	3,040	169	38	41	143	100	108	258	509	692	671	309	2
Female	2,345	115	33	26	62	53	64	147	260	435	659	491	–
All other	122	13	2	4	7	11	5	15	12	23	13	17	–
Male	74	10	–	4	5	7	4	8	9	15	4	8	–
Female	48	3	2	–	2	4	1	7	3	8	9	9	–
Nonmetropolitan counties	2,023	119	23	22	73	51	75	121	278	430	534	294	3
Male	1,219	72	11	17	49	41	54	85	199	277	287	127	–
Female	804	47	12	5	24	10	21	36	79	153	247	167	3
White	1,943	104	21	20	60	47	65	111	269	423	532	289	2
Male	1,163	64	11	15	40	37	44	77	193	273	286	123	–
Female	780	40	10	5	20	10	21	34	76	150	246	166	2
All other	80	15	2	2	13	4	10	10	9	7	2	5	1
Male	56	8	–	2	9	4	10	8	6	4	1	4	–
Female	24	7	2	–	4	–	–	2	3	3	1	1	1
Vermont	**4,282**	**90**	**16**	**32**	**117**	**68**	**110**	**294**	**566**	**974**	**1,189**	**826**	**–**
Male	2,262	45	12	19	92	45	67	191	367	573	583	268	–
Female	2,020	45	4	13	25	23	43	103	199	401	606	558	–
White	4,270	89	15	31	114	68	109	294	564	973	1,189	824	–
Male	2,253	45	11	18	89	45	66	191	365	573	583	267	–
Female	2,017	44	4	13	25	23	43	103	199	400	606	557	–
All other	12	1	1	1	3	–	1	–	2	1	–	2	–
Male	9	–	1	1	3	–	1	–	2	–	–	1	–
Female	3	1	–	–	–	–	–	–	–	1	–	1	–
Metropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan counties	4,282	90	16	32	117	68	110	294	566	974	1,189	826	–
Male	2,262	45	12	19	92	45	67	191	367	573	583	268	–
Female	2,020	45	4	13	25	23	43	103	199	401	606	558	–
White	4,270	89	15	31	114	68	109	294	564	973	1,189	824	–
Male	2,253	45	11	18	89	45	66	191	365	573	583	267	–
Female	2,017	44	4	13	25	23	43	103	199	400	606	557	–
All other	12	1	1	1	3	–	1	–	2	1	–	2	–
Male	9	–	1	1	3	–	1	–	2	–	–	1	–
Female	3	1	–	–	–	–	–	–	–	1	–	1	–
Virginia	**39,553**	**1,223**	**183**	**321**	**1,063**	**1,042**	**1,635**	**3,924**	**7,070**	**9,193**	**8,980**	**4,910**	**9**
Male	22,389	678	115	206	821	726	1,037	2,561	4,651	5,593	4,288	1,708	5
Female	17,164	545	68	115	242	316	598	1,363	2,419	3,600	4,692	3,202	4
White	30,538	792	127	235	816	690	1,115	2,818	5,238	7,063	7,362	4,275	7
Male	17,155	443	78	153	626	486	721	1,852	3,503	4,387	3,470	1,431	5
Female	13,383	349	49	82	190	204	394	966	1,735	2,676	3,892	2,844	2
All other	9,015	431	56	86	247	352	520	1,106	1,832	2,130	1,618	635	2
Male	5,234	235	37	53	195	240	316	709	1,148	1,206	818	277	–
Female	3,781	196	19	33	52	112	204	397	684	924	800	358	2
Metropolitan counties	21,099	743	101	180	624	606	974	2,393	3,904	4,679	4,445	2,448	2
Male	11,679	423	60	114	487	408	591	1,528	2,557	2,789	1,976	745	1
Female	9,420	320	41	66	137	198	383	865	1,347	1,890	2,469	1,703	1
White	15,760	453	75	128	476	397	643	1,655	2,775	3,444	3,586	2,126	2
Male	8,647	257	42	85	369	273	393	1,068	1,854	2,117	1,575	613	1
Female	7,113	196	33	43	107	124	250	587	921	1,327	2,011	1,513	1
All other	5,339	290	26	52	148	209	331	738	1,129	1,235	859	322	–
Male	3,032	166	18	29	118	135	198	460	703	672	401	132	–
Female	2,307	124	8	23	30	74	133	278	426	563	458	190	–
Nonmetropolitan counties	18,454	480	82	141	439	436	661	1,531	3,166	4,514	4,535	2,462	7
Male	10,710	255	55	92	334	318	446	1,033	2,094	2,804	2,312	963	4
Female	7,744	225	27	49	105	118	215	498	1,072	1,710	2,223	1,499	3
White	14,778	339	52	107	340	293	472	1,163	2,463	3,619	3,776	2,149	5
Male	8,508	186	36	68	257	213	328	784	1,649	2,270	1,895	818	4
Female	6,270	153	16	39	83	80	144	379	814	1,349	1,881	1,331	1
All other	3,676	141	30	34	99	143	189	368	703	895	759	313	2
Male	2,202	69	19	24	77	105	118	249	445	534	417	145	–
Female	1,474	72	11	10	22	38	71	119	258	361	342	168	2

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Washington	29,833	801	138	198	786	673	820	2,247	4,559	6,724	7,587	5,288	12
Male	16,787	451	81	129	597	464	506	1,427	2,949	4,200	3,832	2,141	10
Female	13,046	350	57	69	189	209	314	820	1,610	2,524	3,755	3,147	2
White	28,660	707	125	183	721	590	713	2,098	4,362	6,511	7,449	5,190	11
Male	16,058	404	74	119	558	410	435	1,330	2,826	4,055	3,746	2,092	9
Female	12,602	303	51	64	163	180	278	768	1,536	2,456	3,703	3,098	2
All other	1,173	94	13	15	65	83	107	149	197	213	138	98	1
Male	729	47	7	10	39	54	71	97	123	145	86	49	1
Female	444	47	6	5	26	29	36	52	74	68	52	49	–
Metropolitan counties	18,580	483	85	112	486	431	535	1,477	2,849	4,073	4,695	3,353	1
Male	10,333	278	51	79	379	296	331	934	1,839	2,510	2,287	1,349	–
Female	8,247	205	34	33	107	135	204	543	1,010	1,563	2,408	2,004	1
White	17,685	412	76	101	447	365	458	1,359	2,695	3,899	4,593	3,279	1
Male	9,763	245	46	71	352	252	278	858	1,738	2,394	2,220	1,309	–
Female	7,922	167	30	30	95	113	180	501	957	1,505	2,373	1,970	1
All other	895	71	9	11	39	66	77	118	154	174	102	74	–
Male	570	33	5	8	27	44	53	76	101	116	67	40	–
Female	325	38	4	3	12	22	24	42	53	58	35	34	–
Nonmetropolitan counties	11,253	318	53	86	300	242	285	770	1,710	2,651	2,892	1,935	11
Male	6,454	173	30	50	218	168	175	493	1,110	1,690	1,545	792	10
Female	4,799	145	23	36	82	74	110	277	600	961	1,347	1,143	1
White	10,975	295	49	82	274	225	255	739	1,667	2,612	2,856	1,911	10
Male	6,295	159	28	48	206	158	157	472	1,088	1,661	1,526	783	9
Female	4,680	136	21	34	68	67	98	267	579	951	1,330	1,128	1
All other	278	23	4	4	26	17	30	31	43	39	36	24	1
Male	159	14	2	2	12	10	18	21	22	29	19	9	1
Female	119	9	2	2	14	7	12	10	21	10	17	15	–
West Virginia	19,559	516	69	129	393	378	543	1,572	3,260	4,760	5,030	2,908	1
Male	11,196	309	29	77	303	281	341	1,039	2,117	2,879	2,567	1,254	–
Female	8,363	207	40	52	90	97	202	533	1,143	1,881	2,463	1,654	1
White	18,417	482	65	126	371	359	507	1,473	3,053	4,475	4,728	2,778	–
Male	10,530	291	26	75	284	265	324	980	1,992	2,708	2,400	1,185	–
Female	7,887	191	39	51	87	94	183	493	1,061	1,767	2,328	1,593	–
All other	1,142	34	4	3	22	19	36	99	207	285	302	130	1
Male	666	18	3	2	19	16	17	59	125	171	167	69	–
Female	476	16	1	1	3	3	19	40	82	114	135	61	1
Metropolitan counties	5,712	130	15	31	99	88	135	456	992	1,403	1,508	855	–
Male	3,154	82	7	13	69	71	78	316	632	827	724	335	–
Female	2,558	48	8	18	30	17	57	140	360	576	784	520	–
White	5,354	119	14	30	92	84	121	417	925	1,318	1,415	819	–
Male	2,951	77	6	13	64	67	72	290	584	773	682	323	–
Female	2,403	42	8	17	28	17	49	127	341	545	733	496	–
All other	358	11	1	1	7	4	14	39	67	85	93	36	–
Male	203	5	1	–	5	4	6	26	48	54	42	12	–
Female	155	6	–	1	2	–	8	13	19	31	51	24	–
Nonmetropolitan counties	13,847	386	54	98	294	290	408	1,116	2,268	3,357	3,522	2,053	1
Male	8,042	227	22	64	234	210	263	723	1,485	2,052	1,843	919	–
Female	5,805	159	32	34	60	80	145	393	783	1,305	1,679	1,134	1
White	13,063	363	51	96	279	275	386	1,056	2,128	3,157	3,313	1,959	–
Male	7,579	214	20	62	220	198	252	690	1,408	1,935	1,718	862	–
Female	5,484	149	31	34	59	77	134	366	720	1,222	1,595	1,097	–
All other	784	23	3	2	15	15	22	60	140	200	209	94	1
Male	463	13	2	2	14	12	11	33	77	117	125	57	–
Female	321	10	1	–	1	3	11	27	63	83	84	37	1
Wisconsin	39,885	888	160	310	910	636	984	2,408	5,437	9,405	11,665	7,078	4
Male	22,210	521	83	206	692	443	612	1,548	3,518	5,879	5,949	2,756	3
Female	17,675	367	77	104	218	193	372	860	1,919	3,526	5,716	4,322	1
White	38,954	805	138	299	864	575	902	2,280	5,282	9,226	11,556	7,024	3
Male	21,662	476	73	200	655	398	566	1,465	3,419	5,787	5,887	2,734	2
Female	17,292	329	65	99	209	177	336	815	1,863	3,439	5,669	4,290	1
All other	931	83	22	11	46	61	82	128	155	179	109	54	1
Male	548	45	10	6	37	45	46	83	99	92	62	22	1
Female	383	38	12	5	9	16	36	45	56	87	47	32	–
Metropolitan counties	20,517	505	102	150	485	375	582	1,422	3,010	4,725	5,819	3,338	4
Male	11,278	298	52	98	356	258	348	927	1,931	2,910	2,865	1,232	3
Female	9,239	207	50	52	129	117	234	495	1,079	1,815	2,954	2,106	1
White	19,706	425	81	142	448	319	507	1,311	2,876	4,571	5,726	3,297	3
Male	10,804	256	43	94	328	216	307	852	1,843	2,834	2,814	1,215	2
Female	8,902	169	38	48	120	103	200	459	1,033	1,737	2,912	2,082	1
All other	811	80	21	8	37	56	75	111	134	154	93	41	1
Male	474	42	9	4	28	42	41	75	88	76	51	17	1
Female	337	38	12	4	9	14	34	36	46	78	42	24	–
Nonmetropolitan counties	19,368	383	58	160	425	261	402	986	2,427	4,680	5,846	3,740	–
Male	10,932	223	31	108	336	185	264	621	1,587	2,969	3,084	1,524	–
Female	8,436	160	27	52	89	76	138	365	840	1,711	2,762	2,216	–
White	19,248	380	57	157	416	256	395	969	2,406	4,655	5,830	3,727	–
Male	10,858	220	30	106	327	182	259	613	1,576	2,953	3,073	1,519	–
Female	8,390	160	27	51	89	74	136	356	830	1,702	2,757	2,208	–
All other	120	3	1	3	9	5	7	17	21	25	16	13	–
Male	74	3	1	2	9	3	5	8	11	16	11	5	–
Female	46	–	–	1	–	2	2	9	10	9	5	8	–

Table 7–3. Deaths by Age, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1975 – Con.

[For definition of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Wyoming	3,078	121	33	35	148	88	115	246	454	655	737	445	1
Male	1,849	69	25	21	110	64	78	155	293	414	429	190	1
Female	1,229	52	8	14	38	24	37	91	161	241	308	255	–
White	3,018	118	32	34	145	79	106	239	449	646	728	441	1
Male	1,815	67	24	20	108	60	72	151	291	410	423	188	1
Female	1,203	51	8	14	37	19	34	88	158	236	305	253	–
All other	60	3	1	1	3	9	9	7	5	9	9	4	–
Male	34	2	1	1	2	4	6	4	2	4	6	2	–
Female	26	1	–	–	1	5	3	3	3	5	3	2	–
Metropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan counties	3,078	121	33	35	148	88	115	246	454	655	737	445	1
Male	1,849	69	25	21	110	64	78	155	293	414	429	190	1
Female	1,229	52	8	14	38	24	37	91	161	241	308	255	–
White	3,018	118	32	34	145	79	106	239	449	646	728	441	1
Male	1,815	67	24	20	108	60	72	151	291	410	423	188	1
Female	1,203	51	8	14	37	19	34	88	158	236	305	253	–
All other	60	3	1	1	3	9	9	7	5	9	9	4	–
Male	34	2	1	1	2	4	6	4	2	4	6	2	–
Female	26	1	–	–	1	5	3	3	3	5	3	2	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
United States, 229 areas	**1,231,227**	**33,119**	**5,809**	**8,379**	**31,158**	**30,581**	**41,692**	**107,226**	**197,877**	**284,545**	**313,000**	**177,585**	**256**
Male	673,507	18,840	3,261	5,207	23,132	21,296	26,162	67,572	125,651	167,626	149,841	64,762	157
Female	557,720	14,279	2,548	3,172	8,026	9,285	15,530	39,654	72,226	116,919	163,159	112,823	99
White	1,066,543	22,788	4,290	6,469	24,320	21,808	30,090	85,801	167,781	248,700	287,775	166,529	192
Male	579,210	13,195	2,442	4,008	18,178	15,093	18,881	54,359	107,702	147,735	137,285	60,215	117
Female	487,333	9,593	1,848	2,461	6,142	6,715	11,209	31,442	60,079	100,965	150,490	106,314	75
All other	164,684	10,331	1,519	1,910	6,838	8,773	11,602	21,425	30,096	35,845	25,225	11,056	64
Male	94,297	5,645	819	1,199	4,954	6,203	7,281	13,213	17,949	19,891	12,556	4,547	40
Female	70,387	4,686	700	711	1,884	2,570	4,321	8,212	12,147	15,954	12,669	6,509	24
Abilene, Tex	1,055	54	6	8	25	20	27	69	151	249	260	186	–
Male	569	26	1	5	18	13	13	46	92	166	119	70	–
Female	486	28	5	3	7	7	14	23	59	83	141	116	–
White	990	49	6	7	22	15	21	60	141	235	250	184	–
Male	528	22	1	5	17	10	9	40	87	156	113	68	–
Female	462	27	5	2	5	5	12	20	54	79	137	116	–
All other	65	5	–	1	3	5	6	9	10	14	10	2	–
Male	41	4	–	–	1	3	4	6	5	10	6	2	–
Female	24	1	–	1	2	2	2	3	5	4	4	–	–
Akron, Ohio	5,419	140	24	29	128	124	151	483	896	1,204	1,496	744	–
Male	2,923	79	12	13	88	81	88	303	544	700	717	298	–
Female	2,496	61	12	16	40	43	63	180	352	504	779	446	–
White	4,931	95	21	27	113	99	124	411	799	1,093	1,433	716	–
Male	2,633	53	11	12	75	60	72	253	497	635	678	287	–
Female	2,298	42	10	15	38	39	52	158	302	458	755	429	–
All other	488	45	3	2	15	25	27	72	97	111	63	28	–
Male	290	26	1	1	13	21	16	50	47	65	39	11	–
Female	198	19	2	1	2	4	11	22	50	46	24	17	–
Albany, Ga	667	40	5	14	21	21	30	62	117	172	117	68	–
Male	368	20	2	11	16	15	20	36	82	96	51	19	–
Female	299	20	3	3	5	6	10	26	35	76	66	49	–
White	365	18	3	6	12	10	13	32	62	94	77	38	–
Male	214	11	2	3	10	7	10	20	48	54	34	15	–
Female	151	7	1	3	2	3	3	12	14	40	43	23	–
All other	302	22	2	8	9	11	17	30	55	78	40	30	–
Male	154	9	–	8	6	8	10	16	34	42	17	4	–
Female	148	13	2	–	3	3	7	14	21	36	23	26	–
Albany–Schenectady–Troy, N.Y.	7,224	146	19	38	119	108	172	551	1,171	1,686	2,031	1,182	1
Male	3,832	87	10	20	92	75	105	343	728	990	939	442	1
Female	3,392	59	9	18	27	33	67	208	443	696	1,092	740	–
White	7,038	133	17	37	113	97	154	524	1,139	1,645	2,007	1,171	1
Male	3,727	81	9	19	87	66	93	327	706	970	930	438	1
Female	3,311	52	8	18	26	31	61	197	433	675	1,077	733	–
All other	186	13	2	1	6	11	18	27	32	41	24	11	–
Male	105	6	1	1	5	9	12	16	22	20	9	4	–
Female	81	7	1	–	1	2	6	11	10	21	15	7	–
Albuquerque, N. Mex	2,149	67	16	21	90	70	121	244	352	446	465	256	1
Male	1,237	33	10	15	65	50	83	149	222	261	255	93	1
Female	912	34	6	6	25	20	38	95	130	185	210	163	–
White	2,068	61	15	20	85	65	110	231	341	430	457	252	1
Male	1,183	30	9	14	60	46	76	138	214	253	249	93	1
Female	885	31	6	6	25	19	34	93	127	177	208	159	–
All other	81	6	1	1	5	5	11	13	11	16	8	4	–
Male	54	3	1	1	5	4	7	11	8	8	6	–	–
Female	27	3	–	–	–	1	4	2	3	8	2	4	–
Allentown–Bethlehem–Easton, Pa.–N.J	5,345	104	10	24	63	80	121	390	874	1,274	1,586	818	1
Male	2,942	58	6	18	48	51	78	238	553	796	780	315	1
Female	2,403	46	4	6	15	29	43	152	321	478	806	503	–
White	5,283	96	8	22	61	80	116	382	870	1,257	1,576	814	1
Male	2,906	54	5	17	47	51	76	233	551	781	776	314	1
Female	2,377	42	3	5	14	29	40	149	319	476	800	500	–
All other	62	8	2	2	2	–	5	8	4	17	10	4	–
Male	36	4	1	1	1	–	2	5	2	15	4	1	–
Female	26	4	1	1	1	–	3	3	2	2	6	3	–
Altoona, Pa	1,545	26	3	14	14	19	31	101	234	388	461	252	2
Male	833	16	2	6	10	14	22	68	150	222	225	97	1
Female	712	10	1	8	4	5	9	33	84	166	236	155	1
White	1,529	25	3	14	13	19	30	101	233	383	455	251	2
Male	823	15	2	6	10	14	21	68	149	220	221	96	1
Female	706	10	1	8	3	5	9	33	84	163	234	155	1
All other	16	1	–	–	1	–	1	–	1	5	6	1	–
Male	10	1	–	–	–	–	1	–	1	2	4	1	–
Female	6	–	–	–	1	–	–	–	–	3	2	–	–
Amarillo, Tex	1,242	45	9	4	34	41	47	116	213	312	253	168	–
Male	736	32	7	2	24	32	25	78	149	204	119	64	–
Female	506	13	2	2	10	9	22	38	64	108	134	104	–
White	1,169	38	8	4	29	38	44	109	199	291	244	165	–
Male	691	26	7	2	22	30	25	74	138	191	114	62	–
Female	478	12	1	2	7	8	19	35	61	100	130	103	–
All other	73	7	1	–	5	3	3	7	14	21	9	3	–
Male	45	6	–	–	2	2	–	4	11	13	5	2	–
Female	28	1	1	–	3	1	3	3	3	8	4	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Anaheim–Santa Ana–Garden Grove, Calif	10,445	302	68	111	330	280	410	970	1,526	2,150	2,760	1,537	1
Male	5,515	172	38	63	264	202	246	576	952	1,186	1,258	557	1
Female	4,930	130	30	48	66	78	164	394	574	964	1,502	980	–
White	10,307	294	63	109	322	274	386	952	1,508	2,132	2,741	1,525	1
Male	5,435	167	36	61	256	197	234	566	940	1,177	1,251	549	1
Female	4,872	127	27	48	66	77	152	386	568	955	1,490	976	–
All other	138	8	5	2	8	6	24	18	18	18	19	12	–
Male	80	5	2	2	8	5	12	10	12	9	7	8	–
Female	58	3	3	–	–	1	12	8	6	9	12	4	–
Anderson, Ind	1,187	45	3	3	24	23	36	92	188	271	322	180	–
Male	656	25	3	3	14	15	22	59	119	164	172	60	–
Female	531	20	–	–	10	8	14	33	69	107	150	120	–
White	1,122	35	2	3	22	20	32	84	182	261	305	176	–
Male	620	22	2	3	13	13	19	55	117	157	161	58	–
Female	502	13	–	–	9	7	13	29	65	104	144	118	–
All other	65	10	1	–	2	3	4	8	6	10	17	4	–
Male	36	3	1	–	1	2	3	4	2	7	11	2	–
Female	29	7	–	–	1	1	1	4	4	3	6	2	–
Ann Arbor, Mich	1,245	42	16	14	55	40	46	122	177	234	309	190	–
Male	648	27	5	9	40	29	30	68	103	132	143	62	–
Female	597	15	11	5	15	11	16	54	74	102	166	128	–
White	1,127	34	14	11	51	34	36	107	159	211	290	180	–
Male	584	22	5	6	38	26	24	59	94	117	135	58	–
Female	543	12	9	5	13	8	12	48	65	94	155	122	–
All other	118	8	2	3	4	6	10	15	18	23	19	10	–
Male	64	5	–	3	2	3	6	9	9	15	8	4	–
Female	54	3	2	–	2	3	4	6	9	8	11	6	–
Appleton–Oshkosh, Wis	2,120	54	10	18	57	38	51	125	298	509	594	366	–
Male	1,185	27	6	12	42	29	33	83	198	338	281	136	–
Female	935	27	4	6	15	9	18	42	100	171	313	230	–
White	2,109	54	10	18	57	38	49	125	297	505	591	365	–
Male	1,176	27	6	12	42	29	32	83	197	335	278	135	–
Female	933	27	4	6	15	9	17	42	100	170	313	230	–
All other	11	–	–	–	–	–	2	–	1	4	3	1	–
Male	9	–	–	–	–	–	1	–	1	3	3	1	–
Female	2	–	–	–	–	–	1	–	–	1	–	–	–
Asheville, N.C	1,473	29	3	5	32	35	40	122	221	359	398	229	–
Male	822	22	3	3	23	24	30	79	142	216	193	87	–
Female	651	7	–	2	9	11	10	43	79	143	205	142	–
White	1,281	20	1	5	29	27	32	101	194	306	357	209	–
Male	722	18	1	3	21	20	25	65	128	192	170	79	–
Female	559	2	–	2	8	7	7	36	66	114	187	130	–
All other	192	9	2	–	3	8	8	21	27	53	41	20	–
Male	100	4	2	–	2	4	5	14	14	24	23	8	–
Female	92	5	–	–	1	4	3	7	13	29	18	12	–
Atlanta, Ga	10,474	380	72	99	322	389	621	1,246	1,879	2,266	2,061	1,138	1
Male	5,759	225	49	59	234	277	383	794	1,180	1,256	918	384	–
Female	4,715	155	23	40	88	112	238	452	699	1,010	1,143	754	1
White	7,417	174	44	57	201	222	343	833	1,288	1,600	1,684	971	–
Male	4,116	111	33	37	149	159	224	555	848	936	746	318	–
Female	3,301	63	11	20	52	63	119	278	440	664	938	653	–
All other	3,057	206	28	42	121	167	278	413	591	666	377	167	1
Male	1,643	114	16	22	85	118	159	239	332	320	172	66	–
Female	1,414	92	12	20	36	49	119	174	259	346	205	101	1
Atlantic City, N.J	2,630	45	13	16	42	51	58	143	334	712	806	410	–
Male	1,397	22	8	14	31	35	37	80	213	409	379	169	–
Female	1,233	23	5	2	11	16	21	63	121	303	427	241	–
White	2,190	27	6	11	27	36	38	103	270	603	711	358	–
Male	1,168	15	4	9	22	25	24	60	177	353	333	146	–
Female	1,022	12	2	2	5	11	14	43	93	250	378	212	–
All other	440	18	7	5	15	15	20	40	64	109	95	52	–
Male	229	7	4	5	9	10	13	20	36	56	46	23	–
Female	211	11	3	–	6	5	7	20	28	53	49	29	–
Augusta, Ga.–S.C	2,164	61	11	22	76	81	88	242	431	537	385	230	–
Male	1,176	32	9	14	50	55	52	148	282	275	182	77	–
Female	988	29	2	8	26	26	36	94	149	262	203	153	–
White	1,409	33	7	11	46	43	52	131	292	339	281	174	–
Male	779	19	5	7	31	25	30	91	205	181	130	55	–
Female	630	14	2	4	15	18	22	40	87	158	151	119	–
All other	755	28	4	11	30	38	36	111	139	198	104	56	–
Male	397	13	4	7	19	30	22	57	77	94	52	22	–
Female	358	15	–	4	11	8	14	54	62	104	52	34	–
Austin, Tex	2,013	68	18	22	81	67	70	177	319	433	463	294	1
Male	1,130	42	9	16	70	54	44	121	190	257	216	111	–
Female	883	26	9	6	11	13	26	56	129	176	247	183	1
White	1,699	49	16	18	70	59	53	144	271	364	403	251	1
Male	949	29	8	14	59	49	34	103	158	217	186	92	–
Female	750	20	8	4	11	10	19	41	113	147	217	159	1
All other	314	19	2	4	11	8	17	33	48	69	60	43	–
Male	181	13	1	2	11	5	10	18	32	40	30	19	–
Female	133	6	1	2	–	3	7	15	16	29	30	24	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Bakersfield, Calif	2,900	96	19	19	110	96	111	245	472	713	658	360	1
Male	1,695	53	13	10	90	69	72	146	310	450	352	129	1
Female	1,205	43	6	9	20	27	39	99	162	263	306	231	–
White	2,657	85	19	19	97	87	92	224	428	643	615	347	1
Male	1,538	47	13	10	78	65	62	136	277	405	324	120	1
Female	1,119	38	6	9	19	22	30	88	151	238	291	227	–
All other	243	11	–	–	13	9	19	21	44	70	43	13	–
Male	157	6	–	–	12	4	10	10	33	45	28	9	–
Female	86	5	–	–	1	5	9	11	11	25	15	4	–
Baltimore, Md	18,732	493	68	126	499	513	728	1,948	3,418	4,440	4,336	2,155	8
Male	10,443	274	43	76	361	370	465	1,231	2,201	2,644	2,049	724	5
Female	8,289	219	25	50	138	143	263	717	1,217	1,796	2,287	1,431	3
White	14,085	275	46	62	284	267	408	1,288	2,477	3,385	3,703	1,886	4
Male	7,677	159	32	41	210	177	254	834	1,618	2,025	1,719	606	2
Female	6,408	116	14	21	74	90	154	454	859	1,360	1,984	1,280	2
All other	4,647	218	22	64	215	246	320	660	941	1,055	633	269	4
Male	2,766	115	11	35	151	193	211	397	583	619	330	118	3
Female	1,881	103	11	29	64	53	109	263	358	436	303	151	1
Baton Rouge, La	2,096	72	20	16	66	76	105	216	407	463	434	220	1
Male	1,183	41	10	9	51	56	71	135	260	249	214	86	1
Female	913	31	10	7	15	20	34	81	147	214	220	134	–
White	1,264	34	11	6	38	35	58	122	244	262	304	150	–
Male	718	22	5	4	29	28	40	78	160	144	156	52	–
Female	546	12	6	2	9	7	18	44	84	118	148	98	–
All other	832	38	9	10	28	41	47	94	163	201	130	70	1
Male	465	19	5	5	22	28	31	57	100	105	58	34	1
Female	367	19	4	5	6	13	16	37	63	96	72	36	–
Bay City, Mich	922	25	1	11	23	16	23	80	162	223	229	129	–
Male	530	15	1	6	14	13	17	52	116	134	115	47	–
Female	392	10	–	5	9	3	6	28	46	89	114	82	–
White	918	25	1	11	22	15	23	80	161	223	228	129	–
Male	527	15	1	6	14	12	17	52	115	134	114	47	–
Female	391	10	–	5	8	3	6	28	46	89	114	82	–
All other	4	–	–	–	1	1	–	–	1	–	1	–	–
Male	3	–	–	–	–	1	–	–	1	–	1	–	–
Female	1	–	–	–	1	–	–	–	–	–	–	–	–
Beaumont–Port Arthur–Orange, Tex	2,833	100	14	21	96	84	112	298	468	690	649	301	–
Male	1,560	55	7	12	73	63	71	178	290	394	311	106	–
Female	1,273	45	7	9	23	21	41	120	178	296	338	195	–
White	2,136	62	10	12	64	56	76	196	333	525	544	258	–
Male	1,183	34	6	8	50	44	50	126	215	310	257	83	–
Female	953	28	4	4	14	12	26	70	118	215	287	175	–
All other	697	38	4	9	32	28	36	102	135	165	105	43	–
Male	377	21	1	4	23	19	21	52	75	84	54	23	–
Female	320	17	3	5	9	9	15	50	60	81	51	20	–
Billings, Mont	691	19	4	7	25	17	20	66	112	146	145	130	–
Male	405	7	4	4	21	12	11	45	82	86	74	59	–
Female	286	12	–	3	4	5	9	21	30	60	71	71	–
White	678	19	1	7	24	17	20	63	111	144	143	129	–
Male	396	7	1	4	20	12	11	44	81	86	72	58	–
Female	282	12	–	3	4	5	9	19	30	58	71	71	–
All other	13	–	3	–	1	–	–	3	1	2	2	1	–
Male	9	–	3	–	1	–	–	1	1	–	2	1	–
Female	4	–	–	–	–	–	–	2	–	2	–	–	–
Biloxi–Gulfport, Miss	1,038	57	9	10	31	23	58	117	181	235	208	107	2
Male	616	28	6	7	22	18	35	80	118	154	106	41	1
Female	422	29	3	3	9	5	23	37	63	81	102	66	1
White	841	34	5	7	24	17	36	97	148	190	189	93	1
Male	516	19	5	6	17	15	23	66	103	127	96	38	1
Female	325	15	–	1	7	2	13	31	45	63	93	55	–
All other	197	23	4	3	7	6	22	20	33	45	19	14	1
Male	100	9	1	1	5	3	12	14	15	27	10	3	–
Female	97	14	3	2	2	3	10	6	18	18	9	11	1
Binghamton, N.Y.–Pa	2,704	55	10	14	47	34	51	171	411	656	792	463	–
Male	1,429	37	5	9	33	22	32	109	253	394	382	153	–
Female	1,275	18	5	5	14	12	19	62	158	262	410	310	–
White	2,677	54	10	12	47	33	46	167	406	651	790	461	–
Male	1,412	37	5	7	33	22	28	106	249	391	382	152	–
Female	1,265	17	5	5	14	11	18	61	157	260	408	309	–
All other	27	1	–	2	–	1	5	4	5	5	2	2	–
Male	17	–	–	2	–	–	4	3	4	3	–	1	–
Female	10	1	–	–	–	1	1	1	1	2	2	1	–
Birmingham, Ala	7,375	164	27	50	190	196	260	677	1,253	1,851	1,791	915	1
Male	4,045	87	15	34	148	137	159	421	808	1,095	821	320	–
Female	3,330	77	12	16	42	59	101	256	445	756	970	595	1
White	4,892	87	10	31	117	118	140	421	821	1,189	1,272	685	1
Male	2,685	47	6	19	92	86	86	277	538	736	555	243	–
Female	2,207	40	4	12	25	32	54	144	283	453	717	442	1
All other	2,483	77	17	19	73	78	120	256	432	662	519	230	–
Male	1,360	40	9	15	56	51	73	144	270	359	266	77	–
Female	1,123	37	8	4	17	27	47	112	162	303	253	153	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Bloomington–Normal, Ill	916	25	2	2	25	10	27	62	129	207	269	157	1
Male	488	16	2	1	19	7	15	39	85	115	137	51	1
Female	428	9	–	1	6	3	12	23	44	92	132	106	–
White	893	24	2	2	24	10	24	59	126	199	266	156	1
Male	480	16	2	1	19	7	15	38	83	112	135	51	1
Female	413	8	–	1	5	3	9	21	43	87	131	105	–
All other	23	1	–	–	1	–	3	3	3	8	3	1	–
Male	8	–	–	–	–	–	–	1	2	3	2	–	–
Female	15	1	–	–	1	–	3	2	1	5	1	1	–
Boise City, Idaho	1,043	27	8	8	23	22	35	70	157	224	281	188	–
Male	596	13	5	6	19	16	21	40	95	147	148	86	–
Female	447	14	3	2	4	6	14	30	62	77	133	102	–
White	1,034	27	5	7	23	20	35	70	157	221	281	188	–
Male	589	13	3	5	19	15	21	40	95	144	148	86	–
Female	445	14	2	2	4	5	14	30	62	77	133	102	–
All other	9	–	3	1	–	2	–	–	–	3	–	–	–
Male	7	–	2	1	–	1	–	–	–	3	–	–	–
Female	2	–	1	–	–	1	–	–	–	–	–	–	–
Boston–Lowell–Lawrence, Mass	31,127	500	83	141	577	561	794	2,331	4,578	7,206	8,876	5,468	12
Male	16,130	290	45	86	411	384	527	1,491	2,949	4,075	4,015	1,854	3
Female	14,997	210	38	55	166	177	267	840	1,629	3,131	4,861	3,614	9
White	30,048	430	77	121	523	479	710	2,188	4,416	7,026	8,690	5,377	11
Male	15,516	255	42	72	371	330	467	1,403	2,856	3,977	3,918	1,822	3
Female	14,532	175	35	49	152	149	243	785	1,560	3,049	4,772	3,555	8
All other	1,079	70	6	20	54	82	84	143	162	180	186	91	1
Male	614	35	3	14	40	54	60	88	93	98	97	32	–
Female	465	35	3	6	14	28	24	55	69	82	89	59	1
Bridgeport–Stamford–Norwalk, Conn	6,651	118	19	47	125	109	171	547	1,048	1,502	1,781	1,184	–
Male	3,556	73	11	25	89	73	105	338	664	914	828	436	–
Female	3,095	45	8	22	36	36	66	209	384	588	953	748	–
White	6,272	88	13	40	112	83	147	495	973	1,426	1,736	1,159	–
Male	3,337	59	7	21	80	55	91	304	624	867	808	421	–
Female	2,935	29	6	19	32	28	56	191	349	559	928	738	–
All other	379	30	6	7	13	26	24	52	75	76	45	25	–
Male	219	14	4	4	9	18	14	34	40	47	20	15	–
Female	160	16	2	3	4	8	10	18	35	29	25	10	–
Brockton, Mass	3,129	87	9	13	77	75	82	203	481	697	864	541	–
Male	1,678	60	3	6	55	52	58	146	321	382	392	203	–
Female	1,451	27	6	7	22	23	24	57	160	315	472	338	–
White	3,065	86	9	13	75	75	71	200	468	682	854	532	–
Male	1,638	59	3	6	54	52	51	146	309	374	387	197	–
Female	1,427	27	6	7	21	23	20	54	159	308	467	335	–
All other	64	1	–	–	2	–	11	3	13	15	10	9	–
Male	40	1	–	–	1	–	7	–	12	8	5	6	–
Female	24	–	–	–	1	–	4	3	1	7	5	3	–
Brownsville–Harlingen–San Benito, Tex	1,171	88	15	12	44	31	33	72	181	271	280	143	1
Male	685	49	10	8	36	16	19	47	111	172	158	58	1
Female	486	39	5	4	8	15	14	25	70	99	122	85	–
White	1,162	88	15	11	44	30	33	70	179	269	280	142	1
Male	678	49	10	7	36	15	19	46	109	170	158	58	1
Female	484	39	5	4	8	15	14	24	70	99	122	84	–
All other	9	–	–	1	–	1	–	2	2	2	–	1	–
Male	7	–	–	1	–	1	–	1	2	2	–	–	–
Female	2	–	–	–	–	–	–	1	–	–	–	1	–
Bryan–College Station, Tex	422	17	5	6	12	4	14	28	58	100	109	69	–
Male	232	9	1	5	9	3	7	18	34	59	57	30	–
Female	190	8	4	1	3	1	7	10	24	41	52	39	–
White	304	11	2	6	9	3	9	20	40	62	85	57	–
Male	171	5	1	5	7	3	5	13	26	37	44	25	–
Female	133	6	1	1	2	–	4	7	14	25	41	32	–
All other	118	6	3	–	3	1	5	8	18	38	24	12	–
Male	61	4	–	–	2	–	2	5	8	22	13	5	–
Female	57	2	3	–	1	1	3	3	10	16	11	7	–
Buffalo, N.Y	12,684	294	54	62	227	230	380	1,052	2,208	3,015	3,443	1,716	3
Male	6,947	187	29	32	170	160	229	643	1,423	1,800	1,656	617	1
Female	5,737	107	25	30	57	70	151	409	785	1,215	1,787	1,099	2
White	11,613	206	34	50	184	172	284	893	2,030	2,797	3,306	1,655	2
Male	6,299	135	19	26	140	118	170	537	1,307	1,678	1,581	587	1
Female	5,314	71	15	24	44	54	114	356	723	1,119	1,725	1,068	1
All other	1,071	88	20	12	43	58	96	159	178	218	137	61	1
Male	648	52	10	6	30	42	59	106	116	122	75	30	–
Female	423	36	10	6	13	16	37	53	62	96	62	31	1
Canton, Ohio	3,337	92	10	25	67	62	80	256	493	743	975	534	–
Male	1,824	52	5	18	53	38	47	155	330	427	498	201	–
Female	1,513	40	5	7	14	24	33	101	163	316	477	333	–
White	3,150	79	7	20	62	58	68	233	462	704	932	525	–
Male	1,709	45	3	15	51	36	40	137	310	404	471	197	–
Female	1,441	34	4	5	11	22	28	96	152	300	461	328	–
All other	187	13	3	5	5	4	12	23	31	39	43	9	–
Male	115	7	2	3	2	2	7	18	20	23	27	4	–
Female	72	6	1	2	3	2	5	5	11	16	16	5	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Cedar Rapids, Iowa	1,211	37	5	15	36	23	36	93	175	255	309	227	–
Male	616	14	1	8	24	14	19	60	110	151	140	75	–
Female	595	23	4	7	12	9	17	33	65	104	169	152	–
White	1,197	35	4	14	35	23	36	93	173	254	304	226	–
Male	608	13	1	7	23	14	19	60	109	150	137	75	–
Female	589	22	3	7	12	9	17	33	64	104	167	151	–
All other	14	2	1	1	1	–	–	–	2	1	5	1	–
Male	8	1	–	1	1	–	–	–	1	1	3	–	–
Female	6	1	1	–	–	–	–	–	1	–	2	1	–
Champaign–Urbana, Ill.	893	44	4	7	26	21	29	68	117	191	230	156	–
Male	442	21	–	3	24	13	15	46	71	102	100	47	–
Female	451	23	4	4	2	8	14	22	46	89	130	109	–
White	813	32	3	6	21	17	25	58	110	182	215	144	–
Male	397	13	–	3	19	9	12	39	68	100	93	41	–
Female	416	19	3	3	2	8	13	19	42	82	122	103	–
All other	80	12	1	1	5	4	4	10	7	9	15	12	–
Male	45	8	–	–	5	4	3	7	3	2	7	6	–
Female	35	4	1	1	–	–	1	3	4	7	8	6	–
Charleston, S.C	2,196	101	14	31	86	79	126	288	441	483	382	165	–
Male	1,225	56	9	21	59	57	83	179	286	254	163	58	–
Female	971	45	5	10	27	22	43	109	155	229	219	107	–
White	1,294	48	11	20	57	36	65	147	238	283	259	130	–
Male	735	25	7	13	42	25	46	95	167	165	107	43	–
Female	559	23	4	7	15	11	19	52	71	118	152	87	–
All other	902	53	3	11	29	43	61	141	203	200	123	35	–
Male	490	31	2	8	17	32	37	84	119	89	56	15	–
Female	412	22	1	3	12	11	24	57	84	111	67	20	–
Charleston, W. Va	2,400	55	8	8	46	50	64	204	411	581	631	342	–
Male	1,318	34	4	2	29	41	37	137	259	344	303	128	–
Female	1,082	21	4	6	17	9	27	67	152	237	328	214	–
White	2,170	48	7	7	42	48	55	178	376	525	564	320	–
Male	1,190	31	3	2	27	39	34	120	236	310	268	120	–
Female	980	17	4	5	15	9	21	58	140	215	296	200	–
All other	230	7	1	1	4	2	9	26	35	56	67	22	–
Male	128	3	1	–	2	2	3	17	23	34	35	8	–
Female	102	4	–	1	2	–	6	9	12	22	32	14	–
Charlotte, N.C	3,169	101	19	33	122	115	159	370	551	738	638	319	4
Male	1,794	65	10	21	88	82	106	247	356	422	292	101	4
Female	1,375	36	9	12	34	33	53	123	195	316	346	218	–
White	2,231	49	7	22	73	65	80	252	371	526	508	278	–
Male	1,272	34	6	16	54	46	52	169	254	320	231	90	–
Female	959	15	1	6	19	19	28	83	117	206	277	188	–
All other	938	52	12	11	49	50	79	118	180	212	130	41	4
Male	522	31	4	5	34	36	54	78	102	102	61	11	4
Female	416	21	8	6	15	14	25	40	78	110	69	30	–
Chattanooga, Tenn.–Ga	3,012	76	20	18	95	74	127	317	516	744	667	358	–
Male	1,657	41	12	13	72	56	76	212	323	430	291	131	–
Female	1,355	35	8	5	23	18	51	105	193	314	376	227	–
White	2,429	54	15	16	75	53	85	245	385	583	583	335	–
Male	1,352	27	8	11	59	39	54	170	250	351	261	122	–
Female	1,077	27	7	5	16	14	31	75	135	232	322	213	–
All other	583	22	5	2	20	21	42	72	131	161	84	23	–
Male	305	14	4	2	13	17	22	42	73	79	30	9	–
Female	278	8	1	–	7	4	20	30	58	82	54	14	–
Chicago, Ill	61,921	2,098	306	458	1,738	1,747	2,347	5,935	10,466	13,745	15,248	7,830	3
Male	34,251	1,177	161	293	1,276	1,261	1,490	3,848	6,699	8,009	7,145	2,890	2
Female	27,670	921	145	165	462	486	857	2,087	3,767	5,736	8,103	4,940	1
White	50,220	1,122	165	308	1,140	950	1,415	4,281	8,466	11,447	13,703	7,220	3
Male	27,367	631	91	190	837	676	883	2,776	5,512	6,718	6,382	2,669	2
Female	22,853	491	74	118	303	274	532	1,505	2,954	4,729	7,321	4,551	1
All other	11,701	976	141	150	598	797	932	1,654	2,000	2,298	1,545	610	–
Male	6,884	546	70	103	439	585	607	1,072	1,187	1,291	763	221	–
Female	4,817	430	71	47	159	212	325	582	813	1,007	782	389	–
Cincinnati, Ohio–Ky.–Ind	12,806	277	63	85	265	265	349	1,137	1,974	3,130	3,336	1,921	4
Male	6,721	166	41	56	193	167	209	708	1,220	1,832	1,520	607	2
Female	6,085	111	22	29	72	98	140	429	754	1,298	1,816	1,314	2
White	11,252	220	49	74	221	214	262	940	1,687	2,707	3,060	1,817	1
Male	5,863	133	30	49	166	138	157	599	1,054	1,605	1,368	563	1
Female	5,389	87	19	25	55	76	105	341	633	1,102	1,692	1,254	–
All other	1,554	57	14	11	44	51	87	197	287	423	276	104	3
Male	858	33	11	7	27	29	52	109	166	227	152	44	1
Female	696	24	3	4	17	22	35	88	121	196	124	60	2
Cleveland, Ohio	18,464	446	64	104	449	370	607	1,654	3,159	4,219	4,808	2,582	2
Male	10,035	242	40	61	335	228	381	1,051	2,026	2,444	2,268	957	2
Female	8,429	204	24	43	114	142	226	603	1,133	1,775	2,540	1,625	–
White	15,362	292	43	82	318	237	378	1,226	2,554	3,595	4,260	2,375	2
Male	8,255	163	28	46	232	139	241	792	1,644	2,094	2,003	871	2
Female	7,107	129	15	36	86	98	137	434	910	1,501	2,257	1,504	–
All other	3,102	154	21	22	131	133	229	428	605	624	548	207	–
Male	1,780	79	12	15	103	89	140	259	382	350	265	86	–
Female	1,322	75	9	7	28	44	89	169	223	274	283	121	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Colorado Springs, Colo.	1,576	95	10	16	82	69	67	137	233	277	339	251	–
Male	874	52	7	8	61	48	50	95	147	167	161	78	–
Female	702	43	3	8	21	21	17	42	86	110	178	173	–
White	1,511	85	7	16	74	63	58	131	223	271	335	248	–
Male	837	47	5	8	55	45	44	90	142	165	158	78	–
Female	674	38	2	8	19	18	14	41	81	106	177	170	–
All other	65	10	3	–	8	6	9	6	10	6	4	3	–
Male	37	5	2	–	6	3	6	5	5	2	3	–	–
Female	28	5	1	–	2	3	3	1	5	4	1	3	–
Columbia, Mo.	515	23	–	2	14	12	17	25	80	112	131	99	–
Male	293	12	–	2	12	8	8	19	56	65	62	49	–
Female	222	11	–	–	2	4	9	6	24	47	69	50	–
White	474	20	–	1	14	11	16	23	69	103	125	92	–
Male	270	10	–	1	12	7	7	17	52	61	59	44	–
Female	204	10	–	–	2	4	9	6	17	42	66	48	–
All other	41	3	–	1	–	1	1	2	11	9	6	7	–
Male	23	2	–	1	–	1	1	2	4	4	3	5	–
Female	18	1	–	–	–	–	–	–	7	5	3	2	–
Columbia, S.C.	2,426	75	18	21	79	97	115	314	503	546	447	210	1
Male	1,354	45	11	13	56	67	75	198	323	297	207	61	1
Female	1,072	30	7	8	23	30	40	116	180	249	240	149	–
White	1,669	40	7	11	51	55	69	201	334	367	354	180	–
Male	947	26	3	7	39	39	46	132	225	211	172	47	–
Female	722	14	4	4	12	16	23	69	109	156	182	133	–
All other	757	35	11	10	28	42	46	113	169	179	93	30	1
Male	407	19	8	6	17	28	29	66	98	86	35	14	1
Female	350	16	3	4	11	14	17	47	71	93	58	16	–
Columbus, Ga.–Ala.	1,924	96	9	16	60	59	76	240	371	488	346	163	–
Male	1,049	52	4	10	48	38	46	157	233	267	146	48	–
Female	875	44	5	6	12	21	30	83	138	221	200	115	–
White	1,234	45	6	7	27	34	39	157	230	293	264	132	–
Male	685	25	4	6	22	26	22	111	153	165	118	33	–
Female	549	20	2	1	5	8	17	46	77	128	146	99	–
All other	690	51	3	9	33	25	37	83	141	195	82	31	–
Male	364	27	–	4	26	12	24	46	80	102	28	15	–
Female	326	24	3	5	7	13	13	37	61	93	54	16	–
Columbus, Ohio	7,333	267	38	35	182	175	238	686	1,198	1,652	1,824	1,038	–
Male	3,991	149	18	21	128	114	156	434	754	980	866	371	–
Female	3,342	118	20	14	54	61	82	252	444	672	958	667	–
White	6,275	189	30	28	155	136	192	556	999	1,406	1,633	951	–
Male	3,415	115	14	14	113	85	121	352	635	850	779	337	–
Female	2,860	74	16	14	42	51	71	204	364	556	854	614	–
All other	1,058	78	8	7	27	39	46	130	199	246	191	87	–
Male	576	34	4	7	15	29	35	82	119	130	87	34	–
Female	482	44	4	–	12	10	11	48	80	116	104	53	–
Corpus Christi, Tex.	2,033	93	8	15	87	67	73	217	328	462	446	237	–
Male	1,207	56	4	8	73	44	50	146	224	290	215	97	–
Female	826	37	4	7	14	23	23	71	104	172	231	140	–
White	1,929	86	8	15	85	64	67	202	307	437	428	230	–
Male	1,141	52	4	8	71	41	46	134	208	277	208	92	–
Female	788	34	4	7	14	23	21	68	99	160	220	138	–
All other	104	7	–	–	2	3	6	15	21	25	18	7	–
Male	66	4	–	–	2	3	4	12	16	13	7	5	–
Female	38	3	–	–	–	–	2	3	5	12	11	2	–
Dallas, Tex.	11,921	451	81	127	382	420	502	1,177	1,941	2,675	2,731	1,433	1
Male	6,632	261	46	71	280	299	319	748	1,270	1,550	1,305	482	1
Female	5,289	190	35	56	102	121	183	429	671	1,125	1,426	951	–
White	9,841	313	56	93	277	287	370	927	1,582	2,219	2,408	1,308	1
Male	5,412	185	28	54	201	198	230	579	1,058	1,308	1,140	430	1
Female	4,429	128	28	39	76	89	140	348	524	911	1,268	878	–
All other	2,080	138	25	34	105	133	132	250	359	456	323	125	–
Male	1,220	76	18	17	79	101	89	169	212	242	165	52	–
Female	860	62	7	17	26	32	43	81	147	214	158	73	–
Davenport–Rock Island–Moline, Iowa–Ill.	3,307	81	10	27	77	55	89	239	514	731	897	587	–
Male	1,794	58	2	16	56	40	49	151	323	435	451	213	–
Female	1,513	23	8	11	21	15	40	88	191	296	446	374	–
White	3,227	76	10	26	70	50	85	226	502	716	885	581	–
Male	1,744	54	2	15	51	38	47	141	316	425	446	209	–
Female	1,483	22	8	11	19	12	38	85	186	291	439	372	–
All other	80	5	–	1	7	5	4	13	12	15	12	6	–
Male	50	4	–	1	5	2	2	10	7	10	5	4	–
Female	30	1	–	–	2	3	2	3	5	5	7	2	–
Dayton, Ohio	6,535	206	30	58	167	168	258	591	1,107	1,486	1,538	926	–
Male	3,607	121	17	37	122	109	155	374	709	907	722	334	–
Female	2,928	85	13	21	45	59	103	217	398	579	816	592	–
White	5,674	141	23	43	146	132	211	470	940	1,310	1,400	858	–
Male	3,101	85	14	30	105	84	128	293	606	796	651	309	–
Female	2,573	56	9	13	41	48	83	177	334	514	749	549	–
All other	861	65	7	15	21	36	47	121	167	176	138	68	–
Male	506	36	3	7	17	25	27	81	103	111	71	25	–
Female	355	29	4	8	4	11	20	40	64	65	67	43	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Decatur, Ill	1,212	40	8	5	24	22	33	87	167	259	337	230	–
Male	653	19	6	4	18	14	18	59	118	156	156	85	–
Female	559	21	2	1	6	8	15	28	49	103	181	145	–
White	1,127	24	7	5	19	17	27	78	157	245	323	225	–
Male	613	11	6	4	15	11	15	56	113	150	150	82	–
Female	514	13	1	1	4	6	12	22	44	95	173	143	–
All other	85	16	1	–	5	5	6	9	10	14	14	5	–
Male	40	8	–	–	3	3	3	3	5	6	6	3	–
Female	45	8	1	–	2	2	3	6	5	8	8	2	–
Denver, Colo	8,961	283	43	80	318	316	345	821	1,348	1,833	2,112	1,459	3
Male	4,907	156	24	50	222	228	224	520	857	1,070	1,006	547	3
Female	4,054	127	19	30	96	88	121	301	491	763	1,106	912	–
White	8,532	246	37	76	297	291	312	770	1,279	1,756	2,035	1,431	2
Male	4,653	136	22	48	206	211	200	485	812	1,027	969	535	2
Female	3,879	110	15	28	91	80	112	285	467	729	1,066	896	–
All other	429	37	6	4	21	25	33	51	69	77	77	28	1
Male	254	20	2	2	16	17	24	35	45	43	37	12	1
Female	175	17	4	2	5	8	9	16	24	34	40	16	–
Des Moines, Iowa	2,543	64	21	13	85	56	64	207	359	596	667	411	–
Male	1,367	36	14	7	59	39	43	141	225	337	319	147	–
Female	1,176	28	7	6	26	17	21	66	134	259	348	264	–
White	2,406	57	18	12	72	49	57	195	332	570	642	402	–
Male	1,291	32	11	7	49	32	38	134	210	323	309	146	–
Female	1,115	25	7	5	23	17	19	61	122	247	333	256	–
All other	137	7	3	1	13	7	7	12	27	26	25	9	–
Male	76	4	3	–	10	7	5	7	15	14	10	1	–
Female	61	3	–	1	3	–	2	5	12	12	15	8	–
Detroit, Mich	34,664	1,030	182	234	1,209	1,201	1,338	3,592	5,935	7,519	8,377	4,046	1
Male	19,718	568	96	151	907	870	833	2,222	3,832	4,482	4,187	1,569	1
Female	14,946	462	86	83	302	331	505	1,370	2,103	3,037	4,190	2,477	–
White	27,463	589	117	176	755	605	809	2,575	4,621	6,147	7,364	3,704	1
Male	15,330	333	59	116	559	417	491	1,586	2,993	3,675	3,663	1,437	1
Female	12,133	256	58	60	196	188	318	989	1,628	2,472	3,701	2,267	–
All other	7,201	441	65	58	454	596	529	1,017	1,314	1,372	1,013	342	–
Male	4,388	235	37	35	348	453	342	636	839	807	524	132	–
Female	2,813	206	28	23	106	143	187	381	475	565	489	210	–
Dubuque, Iowa	835	17	3	7	23	12	24	54	110	179	237	169	–
Male	411	11	3	4	18	7	17	29	78	98	92	54	–
Female	424	6	–	3	5	5	7	25	32	81	145	115	–
White	832	17	3	7	22	12	24	54	109	178	237	169	–
Male	409	11	3	4	17	7	17	29	78	97	92	54	–
Female	423	6	–	3	5	5	7	25	31	81	145	115	–
All other	3	–	–	–	1	–	–	–	1	1	–	–	–
Male	2	–	–	–	1	–	–	–	–	1	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Duluth–Superior, Minn.–Wis	2,794	63	10	29	67	50	52	180	444	632	763	503	1
Male	1,598	35	8	16	57	33	35	122	289	389	394	219	1
Female	1,196	28	2	13	10	17	17	58	155	243	369	284	–
White	2,774	62	9	29	65	50	51	176	439	628	762	502	1
Male	1,585	35	8	16	56	33	35	120	284	385	393	219	1
Female	1,189	27	1	13	9	17	16	56	155	243	369	283	–
All other	20	1	1	–	2	–	1	4	5	4	1	1	–
Male	13	–	–	–	1	–	–	2	5	4	1	–	–
Female	7	1	1	–	1	–	1	2	–	–	–	1	–
Durham, N.C	1,624	48	11	13	46	39	58	150	281	409	364	204	1
Male	888	22	5	10	34	30	35	98	175	234	171	74	–
Female	736	26	6	3	12	9	23	52	106	175	193	130	1
White	1,033	24	6	7	30	19	26	74	181	239	267	160	–
Male	569	11	3	7	22	16	17	49	115	142	126	61	–
Female	464	13	3	–	8	3	9	25	66	97	141	99	–
All other	591	24	5	6	16	20	32	76	100	170	97	44	1
Male	319	11	2	3	12	14	18	49	60	92	45	13	–
Female	272	13	3	3	4	6	14	27	40	78	52	31	1
El Paso, Tex	2,374	118	18	37	112	83	95	225	352	482	538	314	–
Male	1,339	76	10	27	89	59	61	142	226	267	275	107	–
Female	1,035	42	8	10	23	24	34	83	126	215	263	207	–
White	2,296	115	17	37	103	78	84	215	336	471	530	310	–
Male	1,284	74	10	27	80	56	56	133	216	261	268	103	–
Female	1,012	41	7	10	23	22	28	82	120	210	262	207	–
All other	78	3	1	–	9	5	11	10	16	11	8	4	–
Male	55	2	–	–	9	3	5	9	10	6	7	4	–
Female	23	1	1	–	–	2	6	1	6	5	1	–	–
Erie, Pa	2,648	91	22	18	58	36	76	221	469	584	666	407	–
Male	1,430	57	12	12	42	23	45	129	291	355	329	135	–
Female	1,218	34	10	6	16	13	31	92	178	229	337	272	–
White	2,563	81	17	17	54	32	71	215	452	567	654	403	–
Male	1,379	49	9	12	39	21	44	127	280	343	321	134	–
Female	1,184	32	8	5	15	11	27	88	172	224	333	269	–
All other	85	10	5	1	4	4	5	6	17	17	12	4	–
Male	51	8	3	–	3	2	1	2	11	12	8	1	–
Female	34	2	2	1	1	2	4	4	6	5	4	3	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Eugene, Oreg	1,626	34	17	15	54	53	57	109	248	341	419	279	–
Male	930	19	10	10	36	39	37	67	162	202	215	133	–
Female	696	15	7	5	18	14	20	42	86	139	204	146	–
White	1,618	34	17	14	53	52	57	109	246	340	418	278	–
Male	925	19	10	9	35	38	37	67	161	201	215	133	–
Female	693	15	7	5	18	14	20	42	85	139	203	145	–
All other	8	–	–	1	1	1	–	–	2	1	1	1	–
Male	5	–	–	1	1	1	–	–	1	1	–	–	–
Female	3	–	–	–	–	–	–	–	1	–	1	1	–
Evansville, Ind.–Ky	2,506	42	7	11	48	48	56	194	392	618	725	365	–
Male	1,383	27	2	9	39	34	39	125	265	370	346	127	–
Female	1,123	15	5	2	9	14	17	69	127	248	379	238	–
White	2,314	35	6	10	46	43	50	178	354	569	673	350	–
Male	1,270	21	2	8	37	31	34	116	246	340	315	120	–
Female	1,044	14	4	2	9	12	16	62	108	229	358	230	–
All other	192	7	1	1	2	5	6	16	38	49	52	15	–
Male	113	6	–	1	2	3	5	9	19	30	31	7	–
Female	79	1	1	–	–	2	1	7	19	19	21	8	–
Fall River–New Bedford, Mass	4,442	94	15	26	69	80	120	313	699	1,038	1,287	701	–
Male	2,375	48	8	17	59	55	74	212	462	613	561	266	–
Female	2,067	46	7	9	10	25	46	101	237	425	726	435	–
White	4,390	92	15	26	68	79	115	309	686	1,031	1,274	695	–
Male	2,343	47	8	17	58	55	73	209	451	609	554	262	–
Female	2,047	45	7	9	10	24	42	100	235	422	720	433	–
All other	52	2	–	–	1	1	5	4	13	7	13	6	–
Male	32	1	–	–	1	–	1	3	11	4	7	4	–
Female	20	1	–	–	–	1	4	1	2	3	6	2	–
Fargo–Moorhead, N. Dak.–Minn	941	23	9	1	30	18	18	58	127	190	285	182	–
Male	534	15	7	–	25	13	12	36	77	130	145	74	–
Female	407	8	2	1	5	5	6	22	50	60	140	108	–
White	939	23	9	1	30	18	17	57	127	190	285	182	–
Male	532	15	7	–	25	13	11	35	77	130	145	74	–
Female	407	8	2	1	5	5	6	22	50	60	140	108	–
All other	2	–	–	–	–	–	1	1	–	–	–	–	–
Male	2	–	–	–	–	–	1	1	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Fayetteville, N.C	1,262	83	17	16	82	74	80	183	231	218	181	97	–
Male	764	50	7	14	66	48	55	122	158	127	89	28	–
Female	498	33	10	2	16	26	25	61	73	91	92	69	–
White	840	48	10	12	60	36	48	118	158	146	132	72	–
Male	522	30	4	10	49	22	33	84	112	99	58	21	–
Female	318	18	6	2	11	14	15	34	46	47	74	51	–
All other	422	35	7	4	22	38	32	65	73	72	49	25	–
Male	242	20	3	4	17	26	22	38	46	28	31	7	–
Female	180	15	4	–	5	12	10	27	27	44	18	18	–
Flint, Mich	3,685	154	20	47	133	95	157	367	602	791	862	457	–
Male	2,052	84	12	24	90	60	92	251	376	475	420	168	–
Female	1,633	70	8	23	43	35	65	116	226	316	442	289	–
White	3,250	112	18	40	103	61	115	300	526	717	819	439	–
Male	1,809	57	10	19	75	41	68	208	336	431	402	162	–
Female	1,441	55	8	21	28	20	47	92	190	286	417	277	–
All other	435	42	2	7	30	34	42	67	76	74	43	18	–
Male	243	27	2	5	15	19	24	43	40	44	18	6	–
Female	192	15	–	2	15	15	18	24	36	30	25	12	–
Fort Lauderdale–Hollywood, Fla	9,161	135	29	33	161	163	246	597	1,352	2,874	2,556	1,013	2
Male	5,472	70	20	20	114	126	153	394	844	1,814	1,464	453	–
Female	3,689	65	9	13	47	37	93	203	508	1,060	1,092	560	2
White	8,489	82	25	22	119	120	184	495	1,211	2,743	2,492	994	2
Male	5,066	39	18	13	85	94	113	327	754	1,747	1,429	447	–
Female	3,423	43	7	9	34	26	71	168	457	996	1,063	547	2
All other	672	53	4	11	42	43	62	102	141	131	64	19	–
Male	406	31	2	7	29	32	40	67	90	67	35	6	–
Female	266	22	2	4	13	11	22	35	51	64	29	13	–
Fort Smith, Ark.–Okla	1,696	50	9	17	35	28	67	117	260	410	401	302	–
Male	986	29	5	6	31	21	45	89	179	254	210	117	–
Female	710	21	4	11	4	7	22	28	81	156	191	185	–
White	1,577	39	7	13	30	24	64	108	233	386	380	293	–
Male	914	23	5	5	27	19	44	81	162	240	194	114	–
Female	663	16	2	8	3	5	20	27	71	146	186	179	–
All other	119	11	2	4	5	4	3	9	27	24	21	9	–
Male	72	6	–	1	4	2	1	8	17	14	16	3	–
Female	47	5	2	3	1	2	2	1	10	10	5	6	–
Fort Wayne, Ind	2,276	63	15	18	66	48	70	180	327	488	613	388	–
Male	1,192	33	6	7	47	25	37	116	204	286	299	132	–
Female	1,084	30	9	11	19	23	33	64	123	202	314	256	–
White	2,130	52	12	17	56	38	56	166	298	465	591	379	–
Male	1,111	27	4	7	39	20	28	111	186	272	290	127	–
Female	1,019	25	8	10	17	18	28	55	112	193	301	252	–
All other	146	11	3	1	10	10	14	14	29	23	22	9	–
Male	81	6	2	–	8	5	9	5	18	14	9	5	–
Female	65	5	1	1	2	5	5	9	11	9	13	4	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Fort Worth, Tex	6,193	224	49	48	185	159	231	611	978	1,468	1,425	815	–
Male	3,465	117	23	32	136	107	141	393	656	898	664	298	–
Female	2,728	107	26	16	49	52	90	218	322	570	761	517	–
White	5,455	168	41	32	165	129	190	523	853	1,284	1,306	764	–
Male	3,042	85	19	18	123	87	114	337	582	801	604	272	–
Female	2,413	83	22	14	42	42	76	186	271	483	702	492	–
All other	738	56	8	16	20	30	41	88	125	184	119	51	–
Male	423	32	4	14	13	20	27	56	74	97	60	26	–
Female	315	24	4	2	7	10	14	32	51	87	59	25	–
Fresno, Calif	3,682	118	21	25	152	117	128	307	540	794	919	559	2
Male	2,167	77	11	18	127	91	71	188	368	493	493	228	2
Female	1,515	41	10	7	25	26	57	119	172	301	426	331	–
White	3,350	103	19	22	140	107	113	283	476	721	849	515	2
Male	1,948	65	9	15	117	83	63	172	326	441	456	199	2
Female	1,402	38	10	7	23	24	50	111	150	280	393	316	–
All other	332	15	2	3	12	10	15	24	64	73	70	44	–
Male	219	12	2	3	10	8	8	16	42	52	37	29	–
Female	113	3	–	–	2	2	7	8	22	21	33	15	–
Gadsden, Ala	1,008	32	1	8	28	23	42	96	173	258	236	111	–
Male	593	17	1	5	19	17	34	61	115	151	121	52	–
Female	415	15	–	3	9	6	8	35	58	107	115	59	–
White	860	25	1	7	24	16	35	77	145	218	210	102	–
Male	510	12	1	5	18	12	29	52	97	131	104	49	–
Female	350	13	–	2	6	4	6	25	48	87	106	53	–
All other	148	7	–	1	4	7	7	19	28	40	26	9	–
Male	83	5	–	–	1	5	5	9	18	20	17	3	–
Female	65	2	–	1	3	2	2	10	10	20	9	6	–
Gainesville, Fla	770	33	8	13	25	35	28	68	135	190	157	78	–
Male	430	22	7	8	19	20	20	44	90	112	69	19	–
Female	340	11	1	5	6	15	8	24	45	78	88	59	–
White	535	21	5	8	19	29	16	47	86	122	117	65	–
Male	284	13	5	4	16	17	11	30	57	64	49	18	–
Female	251	8	–	4	3	12	5	17	29	58	68	47	–
All other	235	12	3	5	6	6	12	21	49	68	40	13	–
Male	146	9	2	4	3	3	9	14	33	48	20	1	–
Female	89	3	1	1	3	3	3	7	16	20	20	12	–
Galveston–Texas City, Tex	1,549	58	7	17	45	38	50	168	286	386	354	140	–
Male	874	37	3	10	35	25	35	111	177	222	171	48	–
Female	675	21	4	7	10	13	15	57	109	164	183	92	–
White	1,203	36	5	14	33	29	32	128	222	300	284	120	–
Male	694	23	2	8	26	19	23	86	144	184	137	42	–
Female	509	13	3	6	7	10	9	42	78	116	147	78	–
All other	346	22	2	3	12	9	18	40	64	86	70	20	–
Male	180	14	1	2	9	6	12	25	33	38	34	6	–
Female	166	8	1	1	3	3	6	15	31	48	36	14	–
Gary–Hammond–East Chicago, Ind	5,002	211	26	48	205	146	208	527	926	1,050	1,103	550	2
Male	2,872	115	20	31	160	104	123	331	568	634	558	227	1
Female	2,130	96	6	17	45	42	85	196	358	416	545	323	1
White	3,941	138	17	33	143	94	132	388	736	816	954	488	2
Male	2,263	71	16	21	114	68	76	242	463	500	492	199	1
Female	1,678	67	1	12	29	26	56	146	273	316	462	289	1
All other	1,061	73	9	15	62	52	76	139	190	234	149	62	–
Male	609	44	4	10	46	36	47	89	105	134	66	28	–
Female	452	29	5	5	16	16	29	50	85	100	83	34	–
Grand Rapids, Mich	4,152	116	17	30	89	70	116	318	603	896	1,129	768	–
Male	2,188	65	9	19	69	56	75	213	365	521	530	266	–
Female	1,964	51	8	11	20	14	41	105	238	375	599	502	–
White	3,976	96	15	29	76	62	97	299	564	868	1,109	761	–
Male	2,078	52	8	19	60	50	62	202	342	504	519	260	–
Female	1,898	44	7	10	16	12	35	97	222	364	590	501	–
All other	176	20	2	1	13	8	19	19	39	28	20	7	–
Male	110	13	1	–	9	6	13	11	23	17	11	6	–
Female	66	7	1	1	4	2	6	8	16	11	9	1	–
Great Falls, Mont	633	21	3	2	28	11	13	55	98	132	153	117	–
Male	376	10	2	2	19	10	8	33	64	91	80	57	–
Female	257	11	1	–	9	1	5	22	34	41	73	60	–
White	620	19	2	2	28	11	12	55	95	129	151	116	–
Male	370	10	1	2	19	10	8	33	62	89	79	57	–
Female	250	9	1	–	9	1	4	22	33	40	72	59	–
All other	13	2	1	–	–	–	1	–	3	3	2	1	–
Male	6	–	1	–	–	–	–	–	2	2	1	–	–
Female	7	2	–	–	–	–	1	–	1	1	1	1	–
Green Bay, Wis	1,109	47	5	9	39	15	30	66	172	262	282	182	–
Male	620	26	2	8	33	10	23	39	102	168	143	66	–
Female	489	21	3	1	6	5	7	27	70	94	139	116	–
White	1,090	45	4	9	38	15	29	64	171	256	279	180	–
Male	613	26	2	8	32	10	23	37	102	166	142	65	–
Female	477	19	2	1	6	5	6	27	69	90	137	115	–
All other	19	2	1	–	1	–	1	2	1	6	3	2	–
Male	7	–	–	–	1	–	–	2	–	2	1	1	–
Female	12	2	1	–	–	–	1	–	1	4	2	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Greensboro–Winston Salem–High Point, N.C	5,120	142	30	46	118	137	247	534	910	1,230	1,190	535	1
Male	2,909	81	16	34	84	104	156	338	599	733	560	203	1
Female	2,211	61	14	12	34	33	91	196	311	497	630	332	–
White	3,906	83	22	27	87	87	162	380	672	911	996	478	1
Male	2,224	46	11	22	62	68	106	244	456	558	472	178	1
Female	1,682	37	11	5	25	19	56	136	216	353	524	300	–
All other	1,214	59	8	19	31	50	85	154	238	319	194	57	–
Male	685	35	5	12	22	36	50	94	143	175	88	25	–
Female	529	24	3	7	9	14	35	60	95	144	106	32	–
Greenville, S.C	2,618	90	16	17	72	78	143	285	521	612	512	272	–
Male	1,509	54	9	11	55	47	95	185	343	379	246	85	–
Female	1,109	36	7	6	17	31	48	100	178	233	266	187	–
White	2,152	65	14	13	61	53	98	227	416	506	453	246	–
Male	1,258	39	8	9	48	33	72	154	284	317	217	77	–
Female	894	26	6	4	13	20	26	73	132	189	236	169	–
All other	466	25	2	4	11	25	45	58	105	106	59	26	–
Male	251	15	1	2	7	14	23	31	59	62	29	8	–
Female	215	10	1	2	4	11	22	27	46	44	30	18	–
Hamilton–Middletown, Ohio	1,841	48	17	16	47	37	72	171	326	413	446	248	–
Male	1,038	28	11	8	36	28	46	114	218	251	208	90	–
Female	803	20	6	8	11	9	26	57	108	162	238	158	–
White	1,735	42	16	15	42	35	68	156	301	388	431	241	–
Male	975	22	10	7	32	26	45	103	206	234	202	88	–
Female	760	20	6	8	10	9	23	53	95	154	229	153	–
All other	106	6	1	1	5	2	4	15	25	25	15	7	–
Male	63	6	1	1	4	2	1	11	12	17	6	2	–
Female	43	–	–	–	1	–	3	4	13	8	9	5	–
Harrisburg, Pa	3,943	87	13	18	61	64	93	316	607	970	1,069	644	1
Male	2,075	47	7	14	45	41	61	201	370	554	519	215	1
Female	1,868	40	6	4	16	23	32	115	237	416	550	429	–
White	3,651	63	11	16	56	52	77	279	550	904	1,020	622	1
Male	1,915	37	6	12	41	33	49	178	341	517	492	208	1
Female	1,736	26	5	4	15	19	28	101	209	387	528	414	–
All other	292	24	2	2	5	12	16	37	57	66	49	22	–
Male	160	10	1	2	4	8	12	23	29	37	27	7	–
Female	132	14	1	–	1	4	4	14	28	29	22	15	–
Hartford–New Britain–Bristol, Conn	6,677	163	32	41	142	109	189	566	1,065	1,435	1,842	1,093	–
Male	3,585	96	22	23	116	69	110	357	695	842	879	376	–
Female	3,092	67	10	18	26	40	79	209	370	593	963	717	–
White	6,291	116	27	35	123	89	156	501	997	1,371	1,808	1,068	–
Male	3,368	70	20	18	105	60	94	316	652	803	862	368	–
Female	2,923	46	7	17	18	29	62	185	345	568	946	700	–
All other	386	47	5	6	19	20	33	65	68	64	34	25	–
Male	217	26	2	5	11	9	16	41	43	39	17	8	–
Female	169	21	3	1	8	11	17	24	25	25	17	17	–
Honolulu, Hawaii	3,188	172	17	34	100	123	129	357	525	707	618	406	–
Male	1,915	104	10	21	78	82	72	227	347	458	312	204	–
Female	1,273	68	7	13	22	41	57	130	178	249	306	202	–
White	1,054	50	6	7	43	43	40	117	192	225	212	119	–
Male	611	29	5	3	35	29	23	77	130	133	104	43	–
Female	443	21	1	4	8	14	17	40	62	92	108	76	–
All other	2,134	122	11	27	57	80	89	240	333	482	406	287	–
Male	1,304	75	5	18	43	53	49	150	217	325	208	161	–
Female	830	47	6	9	14	27	40	90	116	157	198	126	–
Houston, Tex	15,065	664	133	180	688	654	810	1,701	2,600	3,292	2,950	1,391	2
Male	8,733	381	84	108	514	475	509	1,093	1,659	1,988	1,457	463	2
Female	6,332	283	49	72	174	179	301	608	941	1,304	1,493	928	–
White	11,701	422	100	126	556	467	547	1,239	2,030	2,546	2,465	1,201	2
Male	6,816	244	67	79	416	329	356	802	1,341	1,585	1,198	397	2
Female	4,885	178	33	47	140	138	191	437	689	961	1,267	804	–
All other	3,364	242	33	54	132	187	263	462	570	746	485	190	–
Male	1,917	137	17	29	98	146	153	291	318	403	259	66	–
Female	1,447	105	16	25	34	41	110	171	252	343	226	124	–
Huntington–Ashland, W. Va.–Ky.–Ohio	2,683	57	11	20	46	40	75	210	467	657	696	404	–
Male	1,483	31	5	10	36	30	51	136	312	392	322	158	–
Female	1,200	26	6	10	10	10	24	74	155	265	374	246	–
White	2,563	54	11	20	44	38	69	199	443	622	673	390	–
Male	1,420	29	5	10	34	28	47	130	295	374	312	156	–
Female	1,143	25	6	10	10	10	22	69	148	248	361	234	–
All other	120	3	–	–	2	2	6	11	24	35	23	14	–
Male	63	2	–	–	2	2	4	6	17	18	10	2	–
Female	57	1	–	–	–	–	2	5	7	17	13	12	–
Huntsville, Ala	1,493	54	12	15	41	49	76	147	306	314	306	173	–
Male	869	30	8	4	33	35	51	112	202	187	142	65	–
Female	624	24	4	11	8	14	25	35	104	127	164	108	–
White	1,193	24	12	14	29	36	57	114	251	246	258	152	–
Male	700	13	8	3	21	27	38	91	176	144	122	57	–
Female	493	11	4	11	8	9	19	23	75	102	136	95	–
All other	300	30	–	1	12	13	19	33	55	68	48	21	–
Male	169	17	–	1	12	8	13	21	26	43	20	8	–
Female	131	13	–	–	–	5	6	12	29	25	28	13	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

(Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix)

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Indianapolis, Ind	9,325	242	45	69	226	211	335	805	1,461	2,158	2,364	1,409	–
Male	5,023	137	25	41	164	139	203	532	947	1,248	1,093	494	–
Female	4,302	105	20	28	62	72	132	273	514	910	1,271	915	–
White	7,994	173	36	57	179	160	259	649	1,223	1,828	2,128	1,302	–
Male	4,284	104	22	33	133	102	151	436	813	1,071	967	452	–
Female	3,710	69	14	24	46	58	108	213	410	757	1,161	850	–
All other	1,331	69	9	12	47	51	76	156	238	330	236	107	–
Male	739	33	3	8	31	37	52	96	134	177	126	42	–
Female	592	36	6	4	16	14	24	60	104	153	110	65	–
Jackson, Mich	1,233	35	5	11	30	30	23	95	172	278	340	214	–
Male	649	16	3	5	22	22	18	58	108	171	156	70	–
Female	584	19	2	6	8	8	5	37	64	107	184	144	–
White	1,182	32	5	9	29	27	19	89	167	266	331	208	–
Male	618	15	3	4	22	20	14	52	105	162	151	70	–
Female	564	17	2	5	7	7	5	37	62	104	180	138	–
All other	51	3	–	2	1	3	4	6	5	12	9	6	–
Male	31	1	–	1	–	2	4	6	3	9	5	–	–
Female	20	2	–	1	1	1	–	–	2	3	4	6	–
Jackson, Miss	2,272	96	11	29	64	65	108	229	382	500	507	281	–
Male	1,264	50	5	20	47	46	61	151	237	292	252	103	–
Female	1,008	46	6	9	17	19	47	78	145	208	255	178	–
White	1,357	36	2	13	33	24	61	133	247	296	320	192	–
Male	745	20	–	11	24	18	37	91	147	177	154	66	–
Female	612	16	2	2	9	6	24	42	100	119	166	126	–
All other	915	60	9	16	31	41	47	96	135	204	187	89	–
Male	519	30	5	9	23	28	24	60	90	115	98	37	–
Female	396	30	4	7	8	13	23	36	45	89	89	52	–
Jacksonville, Fla	4,651	153	36	40	154	141	226	517	850	1,108	952	474	–
Male	2,621	86	21	32	111	107	146	328	522	629	471	168	–
Female	2,030	67	15	8	43	34	80	189	328	479	481	306	–
White	3,342	77	28	33	105	81	147	349	581	769	765	407	–
Male	1,902	47	17	26	81	62	99	232	380	446	370	142	–
Female	1,440	30	11	7	24	19	48	117	201	323	395	265	–
All other	1,309	76	8	7	49	60	79	168	269	339	187	67	–
Male	719	39	4	6	30	45	47	96	142	183	101	26	–
Female	590	37	4	1	19	15	32	72	127	156	86	41	–
Jersey City, N.J	6,255	140	23	31	93	114	184	551	1,190	1,499	1,663	766	1
Male	3,359	86	9	21	75	86	103	353	752	864	738	271	1
Female	2,896	54	14	10	18	28	81	198	438	635	925	495	–
White	5,734	94	14	22	71	78	131	474	1,070	1,438	1,605	736	1
Male	3,060	61	6	17	59	57	68	303	677	834	715	262	1
Female	2,674	33	8	5	12	21	63	171	393	604	890	474	–
All other	521	46	9	9	22	36	53	77	120	61	58	30	–
Male	299	25	3	4	16	29	35	50	75	30	23	9	–
Female	222	21	6	5	6	7	18	27	45	31	35	21	–
Johnstown, Pa	2,783	59	13	23	54	42	65	204	517	653	737	414	2
Male	1,550	37	8	12	42	28	38	117	337	376	357	197	1
Female	1,233	22	5	11	12	14	27	87	180	277	380	217	1
White	2,725	57	11	22	52	40	64	195	504	645	725	408	2
Male	1,514	37	7	11	40	26	37	113	329	372	348	193	1
Female	1,211	20	4	11	12	14	27	82	175	273	377	215	1
All other	58	2	2	1	2	2	1	9	13	8	12	6	–
Male	36	–	1	1	2	2	1	4	8	4	9	4	–
Female	22	2	1	–	–	–	–	5	5	4	3	2	–
Kalamazoo, Mich	1,310	45	10	11	33	30	42	98	178	301	339	223	–
Male	677	28	6	6	23	14	18	54	112	173	159	84	–
Female	633	17	4	5	10	16	24	44	66	128	180	139	–
White	1,252	34	9	8	32	27	36	91	168	290	337	220	–
Male	648	22	6	6	23	11	17	50	104	167	158	84	–
Female	604	12	3	2	9	16	19	41	64	123	179	136	–
All other	58	11	1	3	1	3	6	7	10	11	2	3	–
Male	29	6	–	–	–	3	1	4	8	6	1	–	–
Female	29	5	1	3	1	–	5	3	2	5	1	3	–
Kansas City, Mo.–Kans	10,633	287	54	68	297	246	346	923	1,568	2,310	2,741	1,790	3
Male	5,649	167	27	34	234	165	234	565	1,004	1,338	1,271	607	3
Female	4,984	120	27	34	63	81	112	358	564	972	1,470	1,183	–
White	9,087	194	38	55	248	191	249	741	1,315	1,989	2,431	1,636	–
Male	4,804	114	21	26	200	122	165	464	850	1,176	1,126	540	–
Female	4,283	80	17	29	48	69	84	277	465	813	1,305	1,096	–
All other	1,546	93	16	13	49	55	97	182	253	321	310	154	3
Male	845	53	6	8	34	43	69	101	154	162	145	67	3
Female	701	40	10	5	15	12	28	81	99	159	165	87	–
Kenosha, Wis	993	20	6	8	33	20	27	74	140	224	293	148	–
Male	567	11	4	5	25	16	15	50	85	150	145	61	–
Female	426	9	2	3	8	4	12	24	55	74	148	87	–
White	981	18	6	8	33	19	27	72	138	223	290	147	–
Male	559	11	4	5	25	15	15	48	83	149	144	60	–
Female	422	7	2	3	8	4	12	24	55	74	146	87	–
All other	12	2	–	–	–	1	–	2	2	1	3	1	–
Male	8	–	–	–	–	1	–	2	2	1	1	1	–
Female	4	2	–	–	–	–	–	–	–	–	2	–	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Knoxville, Tenn	3,686	89	19	23	104	91	116	311	626	904	905	498	–
Male	2,085	47	15	12	80	61	77	202	405	576	423	187	–
Female	1,601	42	4	11	24	30	39	109	221	328	482	311	–
White	3,325	74	15	19	94	77	98	277	552	816	840	463	–
Male	1,895	42	12	9	72	55	66	186	365	523	396	169	–
Female	1,430	32	3	10	22	22	32	91	187	293	444	294	–
All other	361	15	4	4	10	14	18	34	74	88	65	35	–
Male	190	5	3	3	8	6	11	16	40	53	27	18	–
Female	171	10	1	1	2	8	7	18	34	35	38	17	–
La Crosse, Wis	734	17	5	5	15	12	15	34	78	155	253	145	–
Male	378	14	2	3	10	9	10	24	48	90	119	49	–
Female	356	3	3	2	5	3	5	10	30	65	134	96	–
White	731	17	5	5	14	12	15	32	78	155	253	145	–
Male	375	14	2	3	9	9	10	22	48	90	119	49	–
Female	356	3	3	2	5	3	5	10	30	65	134	96	–
All other	3	–	–	–	1	–	–	2	–	–	–	–	–
Male	3	–	–	–	1	–	–	2	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Lafayette, La	770	38	9	15	37	18	27	84	132	179	153	78	–
Male	450	22	5	9	25	13	14	57	90	110	81	24	–
Female	320	16	4	6	12	5	13	27	42	69	72	54	–
White	573	21	6	7	25	11	20	54	100	143	124	62	–
Male	341	11	3	4	16	9	11	37	72	93	68	17	–
Female	232	10	3	3	9	2	9	17	28	50	56	45	–
All other	197	17	3	8	12	7	7	30	32	36	29	16	–
Male	109	11	2	5	9	4	3	20	18	17	13	7	–
Female	88	6	1	3	3	3	4	10	14	19	16	9	–
Lafayette–West Lafayette, Ind	779	23	5	2	21	16	28	54	90	170	216	154	–
Male	446	10	2	1	17	11	20	37	65	113	113	57	–
Female	333	13	3	1	4	5	8	17	25	57	103	97	–
White	770	23	5	2	20	15	28	54	89	168	213	153	–
Male	444	10	2	1	17	11	20	37	65	112	112	57	–
Female	326	13	3	1	3	4	8	17	24	56	101	96	–
All other	9	–	–	–	1	1	–	–	1	2	3	1	–
Male	2	–	–	–	–	–	–	–	–	1	1	–	–
Female	7	–	–	–	1	1	–	–	1	1	2	1	–
Lake Charles, La	1,174	38	6	14	39	30	47	119	209	292	249	131	–
Male	662	23	6	12	34	20	25	79	129	164	130	40	–
Female	512	15	–	2	5	10	22	40	80	128	119	91	–
White	886	15	2	7	30	17	30	85	156	227	212	105	–
Male	495	10	2	5	25	13	14	56	100	129	106	35	–
Female	391	5	–	2	5	4	16	29	56	98	106	70	–
All other	288	23	4	7	9	13	17	34	53	65	37	26	–
Male	167	13	4	7	9	7	11	23	29	35	24	5	–
Female	121	10	–	–	–	6	6	11	24	30	13	21	–
Lancaster, Pa	3,029	79	13	16	62	40	72	181	384	699	854	627	2
Male	1,579	45	5	14	44	28	49	107	240	389	436	221	1
Female	1,450	34	8	2	18	12	23	74	144	310	418	406	1
White	2,959	73	12	16	58	38	66	173	372	691	839	619	2
Male	1,535	41	5	14	41	27	45	101	233	384	426	217	1
Female	1,424	32	7	2	17	11	21	72	139	307	413	402	1
All other	70	6	1	–	4	2	6	8	12	8	15	8	–
Male	44	4	–	–	3	1	4	6	7	5	10	4	–
Female	26	2	1	–	1	1	2	2	5	3	5	4	–
Lansing, Mich	2,457	80	24	17	90	68	74	186	353	522	628	415	–
Male	1,318	46	13	12	70	42	43	115	222	301	304	150	–
Female	1,139	34	11	5	20	26	31	71	131	221	324	265	–
White	2,376	70	22	14	85	61	71	179	338	507	616	413	–
Male	1,264	39	12	9	67	36	41	111	210	291	298	150	–
Female	1,112	31	10	5	18	25	30	68	128	216	318	263	–
All other	81	10	2	3	5	7	3	7	15	15	12	2	–
Male	54	7	1	3	3	6	2	4	12	10	6	–	–
Female	27	3	1	–	2	1	1	3	3	5	6	2	–
Laredo, Tex	493	22	4	7	17	12	15	36	58	116	123	81	2
Male	267	12	3	2	17	11	7	21	41	62	57	32	2
Female	226	10	1	5	–	1	8	15	17	54	66	49	–
White	493	22	4	7	17	12	15	36	58	116	123	81	2
Male	267	12	3	2	17	11	7	21	41	62	57	32	2
Female	226	10	1	5	–	1	8	15	17	54	66	49	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Las Vegas, Nev	2,267	83	21	24	84	98	147	260	476	513	382	177	2
Male	1,412	43	13	23	68	74	86	168	310	338	214	74	1
Female	855	40	8	1	16	24	61	92	166	175	168	103	1
White	2,060	57	18	21	68	76	117	245	447	482	361	167	1
Male	1,281	28	11	20	54	60	64	157	295	321	200	71	–
Female	779	29	7	1	14	16	53	88	152	161	161	96	1
All other	207	26	3	3	16	22	30	15	29	31	21	10	1
Male	131	15	2	3	14	14	22	11	15	17	14	3	1
Female	76	11	1	–	2	8	8	4	14	14	7	7	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Lawton, Okla	607	39	12	12	23	14	27	53	99	124	126	78	–
Male	336	27	7	8	16	9	17	32	65	69	61	25	–
Female	271	12	5	4	7	5	10	21	34	55	65	53	–
White	531	32	7	9	17	12	24	44	81	115	118	72	–
Male	293	21	3	7	10	7	16	29	58	65	54	23	–
Female	238	11	4	2	7	5	8	15	23	50	64	49	–
All other	76	7	5	3	6	2	3	9	18	9	8	6	–
Male	43	6	4	1	6	2	1	3	7	4	7	2	–
Female	33	1	1	2	–	–	2	6	11	5	1	4	–
Lexington, Ky	1,541	60	5	10	36	40	49	177	228	340	358	238	–
Male	842	32	3	9	26	28	31	115	156	194	177	71	–
Female	699	28	2	1	10	12	18	62	72	146	181	167	–
White	1,243	41	2	7	29	32	32	139	186	279	288	208	–
Male	676	21	1	7	23	21	19	92	129	160	143	60	–
Female	567	20	1	–	6	11	13	47	57	119	145	148	–
All other	298	19	3	3	7	8	17	38	42	61	70	30	–
Male	166	11	2	2	3	7	12	23	27	34	34	11	–
Female	132	8	1	1	4	1	5	15	15	27	36	19	–
Lima, Ohio	1,618	55	11	11	29	27	42	114	251	352	438	288	–
Male	894	31	7	7	17	18	21	71	183	215	204	120	–
Female	724	24	4	4	12	9	21	43	68	137	234	168	–
White	1,550	50	10	10	25	24	38	104	238	338	432	281	–
Male	850	30	7	6	14	16	19	63	171	207	201	116	–
Female	700	20	3	4	11	8	19	41	67	131	231	165	–
All other	68	5	1	1	4	3	4	10	13	14	6	7	–
Male	44	1	–	1	3	2	2	8	12	8	3	4	–
Female	24	4	1	–	1	1	2	2	1	6	3	3	–
Lincoln, Nebr	1,303	25	8	22	29	25	36	110	160	245	358	285	–
Male	687	13	5	13	17	16	26	72	99	144	188	94	–
Female	616	12	3	9	12	9	10	38	61	101	170	191	–
White	1,286	25	8	21	27	24	33	107	157	242	357	285	–
Male	673	13	5	12	16	15	23	69	96	142	188	94	–
Female	613	12	3	9	11	9	10	38	61	100	169	191	–
All other	17	–	–	1	2	1	3	3	3	3	1	–	–
Male	14	–	–	1	1	1	3	3	3	2	–	–	–
Female	3	–	–	–	1	–	–	–	–	1	1	–	–
Little Rock–North Little Rock, Ark	3,007	105	25	25	86	65	116	253	504	706	718	404	–
Male	1,720	66	16	16	67	49	85	154	348	416	340	163	–
Female	1,287	39	9	9	19	16	31	99	156	290	378	241	–
White	2,327	53	21	16	51	41	91	191	414	548	567	334	–
Male	1,346	35	13	9	39	31	67	124	289	333	270	136	–
Female	981	18	8	7	12	10	24	67	125	215	297	198	–
All other	680	52	4	9	35	24	25	62	90	158	151	70	–
Male	374	31	3	7	28	18	18	30	59	83	70	27	–
Female	306	21	1	2	7	6	7	32	31	75	81	43	–
Lorain–Elyria, Ohio	1,984	87	11	10	54	45	64	190	323	434	485	281	–
Male	1,110	52	6	6	37	23	38	134	216	254	250	94	–
Female	874	35	5	4	17	22	26	56	107	180	235	187	–
White	1,814	63	9	9	46	41	56	166	289	403	461	271	–
Male	1,006	41	4	5	32	21	32	116	193	236	233	93	–
Female	808	22	5	4	14	20	24	50	96	167	228	178	–
All other	170	24	2	1	8	4	8	24	34	31	24	10	–
Male	104	11	2	1	5	2	6	18	23	18	17	1	–
Female	66	13	–	–	3	2	2	6	11	13	7	9	–
Los Angeles–Long Beach, Calif	59,368	1,538	275	361	1,591	1,827	2,179	5,185	9,282	12,770	14,802	9,555	3
Male	31,140	889	157	218	1,185	1,251	1,351	3,110	5,755	7,372	6,608	3,242	2
Female	28,228	649	118	143	406	576	828	2,075	3,527	5,398	8,194	6,313	1
White	52,186	1,084	203	263	1,239	1,385	1,607	4,270	8,052	11,336	13,762	8,984	1
Male	27,073	628	114	163	943	964	993	2,556	5,030	6,543	6,142	2,997	–
Female	25,113	456	89	100	296	421	614	1,714	3,022	4,793	7,620	5,987	1
All other	7,182	454	72	98	352	442	572	915	1,230	1,434	1,040	571	2
Male	4,067	261	43	55	242	287	358	554	725	829	466	245	2
Female	3,115	193	29	43	110	155	214	361	505	605	574	326	–
Louisville, Ky.–Ind	7,724	176	26	51	163	172	269	771	1,313	1,849	1,894	1,036	4
Male	4,256	107	12	33	112	128	172	489	832	1,122	899	349	1
Female	3,468	69	14	18	51	44	97	282	481	727	995	687	3
White	6,499	122	18	42	128	141	212	612	1,070	1,553	1,656	941	4
Male	3,557	72	6	28	88	101	137	398	693	948	772	313	1
Female	2,942	50	12	14	40	40	75	214	377	605	884	628	3
All other	1,225	54	8	9	35	31	57	159	243	296	238	95	–
Male	699	35	6	5	24	27	35	91	139	174	127	36	–
Female	526	19	2	4	11	4	22	68	104	122	111	59	–
Lubbock, Tex	1,223	55	14	12	56	53	54	113	182	289	263	132	–
Male	681	27	7	6	43	37	36	64	113	181	131	36	–
Female	542	28	7	6	13	16	18	49	69	108	132	96	–
White	1,085	44	11	10	51	47	42	101	157	255	239	128	–
Male	603	21	5	6	39	34	26	59	97	164	117	35	–
Female	482	23	6	4	12	13	16	42	60	91	122	93	–
All other	138	11	3	2	5	6	12	12	25	34	24	4	–
Male	78	6	2	–	4	3	10	5	16	17	14	1	–
Female	60	5	1	2	1	3	2	7	9	17	10	3	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Lynchburg, Va	1,161	23	3	5	27	32	46	86	191	284	266	198	–
Male	644	14	2	3	22	25	30	57	121	189	116	65	–
Female	517	9	1	2	5	7	16	29	70	95	150	133	–
White	902	14	2	4	21	23	29	57	141	221	219	171	–
Male	501	9	1	3	17	18	19	38	94	149	100	53	–
Female	401	5	1	1	4	5	10	19	47	72	119	118	–
All other	259	9	1	1	6	9	17	29	50	63	47	27	–
Male	143	5	1	–	5	7	11	19	27	40	16	12	–
Female	116	4	–	1	1	2	6	10	23	23	31	15	–
Macon, Ga	1,841	80	6	18	58	68	101	206	355	424	363	160	2
Male	1,003	41	2	13	45	49	66	129	223	231	159	45	–
Female	838	39	4	5	13	19	35	77	132	193	204	115	2
White	1,233	39	5	15	34	37	59	135	247	272	262	126	2
Male	693	20	2	12	28	27	43	89	168	155	115	34	–
Female	540	19	3	3	6	10	16	46	79	117	147	92	2
All other	608	41	1	3	24	31	42	71	108	152	101	34	–
Male	310	21	–	1	17	22	23	40	55	76	44	11	–
Female	298	20	1	2	7	9	19	31	53	76	57	23	–
Madison, Wis	1,824	40	8	17	43	55	61	136	256	398	478	332	–
Male	1,003	25	6	13	29	34	37	89	167	235	253	115	–
Female	821	15	2	4	14	21	24	47	89	163	225	217	–
White	1,807	37	8	17	40	53	60	134	253	396	478	331	–
Male	990	24	6	13	26	33	36	87	164	233	253	115	–
Female	817	13	2	4	14	20	24	47	89	163	225	216	–
All other	17	3	–	–	3	2	1	2	3	2	–	1	–
Male	13	1	–	–	3	1	1	2	3	2	–	–	–
Female	4	2	–	–	–	1	–	–	–	–	–	1	–
Manchester, N.H	2,079	40	5	15	38	39	59	161	304	468	596	353	1
Male	1,085	17	5	8	29	31	35	99	201	276	268	115	1
Female	994	23	–	7	9	8	24	62	103	192	328	238	–
White	2,074	39	5	14	37	38	59	161	304	468	595	353	1
Male	1,080	16	5	7	28	30	35	99	201	276	267	115	1
Female	994	23	–	7	9	8	24	62	103	192	328	238	–
All other	5	1	–	1	1	1	–	–	–	–	1	–	–
Male	5	1	–	1	1	1	–	–	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Mansfield, Ohio	1,119	32	6	3	27	12	37	98	180	294	276	154	–
Male	626	18	3	2	25	7	20	60	118	188	124	61	–
Female	493	14	3	1	2	5	17	38	62	106	152	93	–
White	1,051	25	4	2	24	11	33	90	165	279	266	152	–
Male	580	13	2	1	22	6	19	55	106	180	116	60	–
Female	471	12	2	1	2	5	14	35	59	99	150	92	–
All other	68	7	2	1	3	1	4	8	15	15	10	2	–
Male	46	5	1	1	3	1	1	5	12	8	8	1	–
Female	22	2	1	–	–	–	3	3	3	7	2	1	–
McAllen–Pharr–Edinburg, Tex	1,470	98	21	16	54	48	50	116	192	367	322	184	2
Male	874	54	12	10	40	37	34	70	121	241	167	86	2
Female	596	44	9	6	14	11	16	46	71	126	155	98	–
White	1,463	98	21	16	54	48	50	116	191	364	320	183	2
Male	869	54	12	10	40	37	34	70	120	238	166	86	2
Female	594	44	9	6	14	11	16	46	71	126	154	97	–
All other	7	–	–	–	–	–	–	–	1	3	2	1	–
Male	5	–	–	–	–	–	–	–	1	3	1	–	–
Female	2	–	–	–	–	–	–	–	–	–	1	1	–
Memphis, Tenn.–Ark	6,952	236	46	61	177	184	271	675	1,221	1,667	1,570	843	1
Male	3,762	126	28	43	117	127	164	405	752	951	723	325	1
Female	3,190	110	18	18	60	57	107	270	469	716	847	518	–
White	3,788	87	14	22	90	80	127	362	644	855	947	560	–
Male	2,038	48	10	15	62	52	80	216	435	511	411	198	–
Female	1,750	39	4	7	28	28	47	146	209	344	536	362	–
All other	3,164	149	32	39	87	104	144	313	577	812	623	283	1
Male	1,724	78	18	28	55	75	84	189	317	440	312	127	1
Female	1,440	71	14	11	32	29	60	124	260	372	311	156	–
Miami, Fla	14,585	286	54	66	269	322	442	1,089	2,170	3,629	4,157	2,101	–
Male	8,202	161	30	47	192	224	275	667	1,355	2,166	2,169	916	–
Female	6,383	125	24	19	77	98	167	422	815	1,463	1,988	1,185	–
White	12,892	143	33	46	190	201	282	825	1,847	3,284	3,985	2,056	–
Male	7,174	75	20	32	137	133	171	486	1,167	1,972	2,087	894	–
Female	5,718	68	13	14	53	68	111	339	680	1,312	1,898	1,162	–
All other	1,693	143	21	20	79	121	160	264	323	345	172	45	–
Male	1,028	86	10	15	55	91	104	181	188	194	82	22	–
Female	665	57	11	5	24	30	56	83	135	151	90	23	–
Midland, Tex	506	26	2	7	21	20	31	64	82	131	80	42	–
Male	292	17	–	3	18	10	17	45	45	83	35	19	–
Female	214	9	2	4	3	10	14	19	37	48	45	23	–
White	433	22	2	7	19	16	23	52	67	110	77	38	–
Male	250	14	–	3	16	8	13	37	38	72	33	16	–
Female	183	8	2	4	3	8	10	15	29	38	44	22	–
All other	73	4	–	–	2	4	8	12	15	21	3	4	–
Male	42	3	–	–	2	2	4	8	7	11	2	3	–
Female	31	1	–	–	–	2	4	4	8	10	1	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Milwaukee, Wis	11,870	280	57	74	236	200	347	870	1,793	2,739	3,412	1,858	4
Male	6,491	168	29	48	171	139	199	567	1,165	1,658	1,673	671	3
Female	5,379	112	28	26	65	61	148	303	628	1,081	1,739	1,187	1
White	11,182	211	38	66	205	154	284	777	1,678	2,603	3,333	1,830	3
Male	6,093	129	20	44	149	103	166	508	1,090	1,593	1,628	661	2
Female	5,089	82	18	22	56	51	118	269	588	1,010	1,705	1,169	1
All other	688	69	19	8	31	46	63	93	115	136	79	28	1
Male	398	39	9	4	22	36	33	59	75	65	45	10	1
Female	290	30	10	4	9	10	30	34	40	71	34	18	–
Minneapolis–St. Paul, Minn	13,120	347	69	95	340	257	371	923	1,780	2,829	3,697	2,411	1
Male	6,959	202	38	59	241	172	228	612	1,153	1,631	1,770	852	1
Female	6,161	145	31	36	99	85	143	311	627	1,198	1,927	1,559	–
White	12,819	309	61	85	316	237	353	888	1,747	2,781	3,656	2,385	1
Male	6,779	183	33	51	223	158	216	591	1,130	1,601	1,753	839	1
Female	6,040	126	28	34	93	79	137	297	617	1,180	1,903	1,546	–
All other	301	38	8	10	24	20	18	35	33	48	41	26	–
Male	180	19	5	8	18	14	12	21	23	30	17	13	–
Female	121	19	3	2	6	6	6	14	10	18	24	13	–
Mobile, Ala	3,427	130	22	33	112	93	149	352	587	841	719	389	–
Male	2,018	79	12	19	91	74	94	219	380	521	387	142	–
Female	1,409	51	10	14	21	19	55	133	207	320	332	247	–
White	2,346	69	14	23	58	61	76	220	397	608	524	296	–
Male	1,388	40	7	11	49	48	52	150	260	391	282	98	–
Female	958	29	7	12	9	13	24	70	137	217	242	198	–
All other	1,081	61	8	10	54	32	73	132	190	233	195	93	–
Male	630	39	5	8	42	26	42	69	120	130	105	44	–
Female	451	22	3	2	12	6	31	63	70	103	90	49	–
Modesto, Calif	1,987	57	16	14	64	53	52	147	315	410	524	332	3
Male	1,148	31	11	9	50	38	30	93	204	265	272	143	2
Female	839	26	5	5	14	15	22	54	111	145	252	189	1
White	1,955	57	16	12	63	53	51	143	307	402	518	330	3
Male	1,123	31	11	7	49	38	30	89	199	259	266	142	2
Female	832	26	5	5	14	15	21	54	108	143	252	188	1
All other	32	–	–	2	1	–	1	4	8	8	6	2	–
Male	25	–	–	2	1	–	–	4	5	6	6	1	–
Female	7	–	–	–	–	–	1	–	3	2	–	1	–
Monroe, La	1,079	43	4	13	20	25	32	86	207	261	257	131	–
Male	642	31	4	7	15	20	21	58	125	167	135	59	–
Female	437	12	–	6	5	5	11	28	82	94	122	72	–
White	699	19	4	10	11	16	16	53	128	168	182	92	–
Male	437	15	4	5	9	14	11	39	83	116	98	43	–
Female	262	4	–	5	2	2	5	14	45	52	84	49	–
All other	380	24	–	3	9	9	16	33	79	93	75	39	–
Male	205	16	–	2	6	6	10	19	42	51	37	16	–
Female	175	8	–	1	3	3	6	14	37	42	38	23	–
Montgomery, Ala	2,020	87	17	20	62	69	84	196	348	465	431	241	–
Male	1,090	43	6	16	49	50	54	116	208	266	205	77	–
Female	930	44	11	4	13	19	30	80	140	199	226	164	–
White	1,205	31	6	11	34	35	36	120	220	287	273	152	–
Male	683	16	2	9	28	24	23	76	141	186	129	49	–
Female	522	15	4	2	6	11	13	44	79	101	144	103	–
All other	815	56	11	9	28	34	48	76	128	178	158	89	–
Male	407	27	4	7	21	26	31	40	67	80	76	28	–
Female	408	29	7	2	7	8	17	36	61	98	82	61	–
Muncie, Ind	1,098	26	3	8	25	24	45	85	178	278	257	169	–
Male	606	16	–	5	19	17	21	60	116	168	125	59	–
Female	492	10	3	3	6	7	24	25	62	110	132	110	–
White	1,021	23	2	8	22	21	39	79	160	259	248	160	–
Male	558	14	–	5	17	14	19	55	101	155	122	56	–
Female	463	9	2	3	5	7	20	24	59	104	126	104	–
All other	77	3	1	–	3	3	6	6	18	19	9	9	–
Male	48	2	–	–	2	3	2	5	15	13	3	3	–
Female	29	1	1	–	1	–	4	1	3	6	6	6	–
Muskegon–Muskegon Heights, Mich	1,425	47	7	16	42	22	42	108	233	331	358	219	–
Male	785	29	5	8	28	14	25	66	162	185	179	84	–
Female	640	18	2	8	14	8	17	42	71	146	179	135	–
White	1,260	30	7	13	32	11	28	87	208	293	342	209	–
Male	683	20	5	7	25	6	19	50	142	161	169	79	–
Female	577	10	2	6	7	5	9	37	66	132	173	130	–
All other	165	17	–	3	10	11	14	21	25	38	16	10	–
Male	102	9	–	1	3	8	6	16	20	24	10	5	–
Female	63	8	–	2	7	3	8	5	5	14	6	5	–
Nashville–Davidson, Tenn	4,785	127	32	34	156	129	190	411	797	1,133	1,120	656	–
Male	2,526	65	15	19	113	93	114	266	513	618	492	218	–
Female	2,259	62	17	15	43	36	76	145	284	515	628	438	–
White	3,742	83	21	25	113	88	131	297	602	885	923	574	–
Male	1,987	44	9	13	80	66	81	204	393	505	399	193	–
Female	1,755	39	12	12	33	22	50	93	209	380	524	381	–
All other	1,043	44	11	9	43	41	59	114	195	248	197	82	–
Male	539	21	6	6	33	27	33	62	120	113	93	25	–
Female	504	23	5	3	10	14	26	52	75	135	104	57	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
New Haven–Waterbury, Conn	6,788	131	24	26	108	105	203	502	1,097	1,517	1,857	1,218	–
Male	3,601	83	10	13	84	65	136	311	688	885	879	447	–
Female	3,187	48	14	13	24	40	67	191	409	632	978	771	–
White	6,384	93	20	24	96	80	155	451	1,030	1,441	1,810	1,184	–
Male	3,372	65	9	11	74	50	104	284	645	844	854	432	–
Female	3,012	28	11	13	22	30	51	167	385	597	956	752	–
All other	404	38	4	2	12	25	48	51	67	76	47	34	–
Male	229	18	1	2	10	15	32	27	43	41	25	15	–
Female	175	20	3	–	2	10	16	24	24	35	22	19	–
New Orleans, La	10,185	373	64	95	311	286	420	1,047	1,768	2,585	2,251	984	1
Male	5,609	215	30	64	249	201	270	664	1,112	1,509	996	299	–
Female	4,576	158	34	31	62	85	150	383	656	1,076	1,255	685	1
White	6,855	148	30	50	175	141	243	667	1,146	1,746	1,709	800	–
Male	3,766	90	20	32	139	88	160	443	758	1,053	749	234	–
Female	3,089	58	10	18	36	53	83	224	388	693	960	566	–
All other	3,330	225	34	45	136	145	177	380	622	839	542	184	1
Male	1,843	125	10	32	110	113	110	221	354	456	247	65	–
Female	1,487	100	24	13	26	32	67	159	268	383	295	119	1
New York, N.Y	106,748	2,463	371	509	2,048	2,844	3,699	9,109	16,690	25,544	28,492	14,941	38
Male	56,862	1,354	215	317	1,460	2,006	2,343	5,588	10,140	14,526	13,325	5,565	23
Female	49,886	1,109	156	192	588	838	1,356	3,521	6,550	11,018	15,167	9,376	15
White	90,101	1,431	242	343	1,386	1,697	2,274	6,600	13,584	22,279	26,305	13,934	26
Male	47,451	818	145	208	993	1,186	1,458	4,045	8,310	12,793	12,257	5,221	17
Female	42,650	613	97	135	393	511	816	2,555	5,274	9,486	14,048	8,713	9
All other	16,647	1,032	129	166	662	1,147	1,425	2,509	3,106	3,265	2,187	1,007	12
Male	9,411	536	70	109	467	820	885	1,543	1,830	1,733	1,068	344	6
Female	7,236	496	59	57	195	327	540	966	1,276	1,532	1,119	663	6
Newark, N.J	16,254	350	69	104	333	356	547	1,462	2,669	3,770	4,257	2,332	5
Male	8,540	180	33	61	256	240	366	897	1,637	2,142	1,929	796	3
Female	7,714	170	36	43	77	116	181	565	1,032	1,628	2,328	1,536	2
White	13,446	210	30	62	198	170	287	1,031	2,154	3,217	3,909	2,176	2
Male	6,932	112	14	41	158	113	184	631	1,342	1,822	1,768	745	2
Female	6,514	98	16	21	40	57	103	400	812	1,395	2,141	1,431	–
All other	2,808	140	39	42	135	186	260	431	515	553	348	156	3
Male	1,608	68	19	20	98	127	182	266	295	320	161	51	1
Female	1,200	72	20	22	37	59	78	165	220	233	187	105	2
Newport News–Hampton, Va	2,001	95	12	17	63	67	105	274	402	435	359	172	–
Male	1,203	49	9	12	43	46	68	179	283	290	175	49	–
Female	798	46	3	5	20	21	37	95	119	145	184	123	–
White	1,298	56	8	11	44	34	56	172	241	284	260	132	–
Male	773	30	5	8	29	22	37	113	176	200	122	31	–
Female	525	26	3	3	15	12	19	59	65	84	138	101	–
All other	703	39	4	6	19	33	49	102	161	151	99	40	–
Male	430	19	4	4	14	24	31	66	107	90	53	18	–
Female	273	20	–	2	5	9	18	36	54	61	46	22	–
Norfolk–Portsmouth, Va	5,071	245	28	46	182	139	243	607	955	1,128	1,024	473	1
Male	2,811	154	17	31	144	86	149	362	601	656	466	145	–
Female	2,260	91	11	15	38	53	94	245	354	472	558	328	1
White	3,286	133	20	30	124	85	133	347	578	712	739	384	1
Male	1,802	80	12	22	95	57	87	211	356	432	334	116	–
Female	1,484	53	8	8	29	28	46	136	222	280	405	268	1
All other	1,785	112	8	16	58	54	110	260	377	416	285	89	–
Male	1,009	74	5	9	49	29	62	151	245	224	132	29	–
Female	776	38	3	7	9	25	48	109	132	192	153	60	–
Odessa, Tex	632	36	3	5	27	24	35	73	136	142	104	47	–
Male	394	22	3	2	22	18	19	49	97	96	53	13	–
Female	238	14	–	3	5	6	16	24	39	46	51	34	–
White	598	36	3	5	26	24	32	66	125	132	104	45	–
Male	370	22	3	2	21	18	17	44	89	88	53	13	–
Female	228	14	–	3	5	6	15	22	36	44	51	32	–
All other	34	–	–	–	1	–	3	7	11	10	–	2	–
Male	24	–	–	–	1	–	2	5	8	8	–	–	–
Female	10	–	–	–	–	–	1	2	3	2	–	2	–
Ogden, Utah	989	34	16	13	35	26	32	86	141	224	249	133	–
Male	548	19	9	6	29	17	19	57	95	140	111	46	–
Female	441	15	7	7	6	9	13	29	46	84	138	87	–
White	957	33	16	12	33	23	32	80	136	219	245	128	–
Male	533	18	9	5	27	15	19	55	91	138	111	45	–
Female	424	15	7	7	6	8	13	25	45	81	134	83	–
All other	32	1	–	1	2	3	–	6	5	5	4	5	–
Male	15	1	–	1	2	2	–	2	4	2	–	1	–
Female	17	–	–	–	–	1	–	4	1	3	4	4	–
Oklahoma City, Okla	5,598	210	41	47	179	153	196	494	898	1,284	1,323	767	6
Male	3,148	127	25	25	129	109	122	325	569	768	662	284	3
Female	2,450	83	16	22	50	44	74	169	329	516	661	483	3
White	4,985	153	28	36	161	118	153	418	799	1,165	1,233	715	6
Male	2,793	92	18	20	117	80	94	281	508	706	609	265	3
Female	2,192	61	10	16	44	38	59	137	291	459	624	450	3
All other	613	57	13	11	18	35	43	76	99	119	90	52	–
Male	355	35	7	5	12	29	28	44	61	62	53	19	–
Female	258	22	6	6	6	6	15	32	38	57	37	33	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Omaha, Nebr.–Iowa	4,388	146	24	22	121	103	154	377	615	940	1,193	692	1
Male	2,426	94	6	9	94	69	109	253	390	569	573	259	1
Female	1,962	52	18	13	27	34	45	124	225	371	620	433	–
White	4,031	112	22	21	108	88	127	329	557	871	1,132	663	1
Male	2,221	72	5	9	85	58	90	224	358	532	541	246	1
Female	1,810	40	17	12	23	30	37	105	199	339	591	417	–
All other	357	34	2	1	13	15	27	48	58	69	61	29	–
Male	205	22	1	–	9	11	19	29	32	37	32	13	–
Female	152	12	1	1	4	4	8	19	26	32	29	16	–
Orlando, Fla	4,156	134	27	28	118	112	182	446	656	940	912	601	–
Male	2,316	79	16	17	85	74	116	273	435	542	433	246	–
Female	1,840	55	11	11	33	38	66	173	221	398	479	355	–
White	3,512	85	20	23	88	77	138	360	528	771	848	574	–
Male	1,967	53	10	13	63	53	91	232	359	461	404	228	–
Female	1,545	32	10	10	25	24	47	128	169	310	444	346	–
All other	644	49	7	5	30	35	44	86	128	169	64	27	–
Male	349	26	6	4	22	21	25	41	76	81	29	18	–
Female	295	23	1	1	8	14	19	45	52	88	35	9	–
Owensboro, Ky	731	18	2	6	21	9	24	58	106	165	187	135	–
Male	399	6	1	5	15	7	14	35	71	101	97	47	–
Female	332	12	1	1	6	2	10	23	35	64	90	88	–
White	696	17	2	6	20	9	22	56	95	157	180	132	–
Male	382	6	1	5	15	7	14	33	62	99	93	47	–
Female	314	11	1	1	5	2	8	23	33	58	87	85	–
All other	35	1	–	–	1	–	2	2	11	8	7	3	–
Male	17	–	–	–	–	–	–	2	9	2	4	–	–
Female	18	1	–	–	1	–	2	–	2	6	3	3	–
Oxnard–Ventura, Calif	2,658	78	26	33	108	83	125	238	416	590	599	362	–
Male	1,490	39	17	20	74	51	96	142	250	365	298	138	–
Female	1,168	39	9	13	34	32	29	96	166	225	301	224	–
White	2,599	73	24	33	102	79	117	234	407	579	591	360	–
Male	1,451	37	15	20	69	49	91	139	244	359	292	136	–
Female	1,148	36	9	13	33	30	26	95	163	220	299	224	–
All other	59	5	2	–	6	4	8	4	9	11	8	2	–
Male	39	2	2	–	5	2	5	3	6	6	6	2	–
Female	20	3	–	–	1	2	3	1	3	5	2	–	–
Patterson–Clifton–Passaic, N.J	11,856	185	37	59	210	192	311	978	1,971	2,732	3,300	1,880	1
Male	6,380	107	22	40	150	126	193	600	1,295	1,620	1,539	688	–
Female	5,476	78	15	19	60	66	118	378	676	1,112	1,761	1,192	1
White	11,223	136	28	41	182	156	248	891	1,847	2,627	3,221	1,845	1
Male	6,015	81	14	31	132	104	154	548	1,214	1,561	1,503	673	–
Female	5,208	55	14	10	50	52	94	343	633	1,066	1,718	1,172	1
All other	633	49	9	18	28	36	63	87	124	105	79	35	–
Male	365	26	8	9	18	22	39	52	81	59	36	15	–
Female	268	23	1	9	10	14	24	35	43	46	43	20	–
Pensacola, Fla	1,890	69	10	22	74	60	79	207	342	443	373	211	–
Male	1,070	26	3	13	46	38	54	139	228	258	183	82	–
Female	820	43	7	9	28	22	25	68	114	185	190	129	–
White	1,490	45	6	16	53	48	60	156	261	333	326	186	–
Male	849	18	1	9	33	30	43	107	174	202	160	72	–
Female	641	27	5	7	20	18	17	49	87	131	166	114	–
All other	400	24	4	6	21	12	19	51	81	110	47	25	–
Male	221	8	2	4	13	8	11	32	54	56	23	10	–
Female	179	16	2	2	8	4	8	19	27	54	24	15	–
Peoria, Ill	2,977	92	16	22	74	73	86	217	439	660	776	522	–
Male	1,585	51	10	14	51	53	48	129	279	398	364	188	–
Female	1,392	41	6	8	23	20	38	88	160	262	412	334	–
White	2,845	70	14	22	67	62	78	208	414	638	759	513	–
Male	1,513	41	10	14	46	45	46	124	265	383	354	185	–
Female	1,332	29	4	8	21	17	32	84	149	255	405	328	–
All other	132	22	2	–	7	11	8	9	25	22	17	9	–
Male	72	10	–	–	5	8	2	5	14	15	10	3	–
Female	60	12	2	–	2	3	6	4	11	7	7	6	–
Petersburg–Colonial Heights, Va	1,090	33	4	10	28	41	34	125	215	264	234	102	–
Male	637	18	1	7	23	30	21	81	147	156	112	41	–
Female	453	15	3	3	5	11	13	44	68	108	122	61	–
White	692	14	3	4	16	26	14	62	131	175	170	77	–
Male	415	7	1	3	16	21	6	40	96	111	84	30	–
Female	277	7	2	1	–	5	8	22	35	64	86	47	–
All other	398	19	1	6	12	15	20	63	84	89	64	25	–
Male	222	11	–	4	7	9	15	41	51	45	28	11	–
Female	176	8	1	2	5	6	5	22	33	44	36	14	–
Philadelphia, Pa.–N.J	45,596	1,114	149	287	958	1,007	1,487	4,100	7,655	10,781	11,979	6,056	23
Male	24,436	629	88	167	709	714	911	2,641	4,765	6,124	5,559	2,111	18
Female	21,160	485	61	120	249	293	576	1,459	2,890	4,657	6,420	3,945	5
White	37,081	663	93	183	676	607	871	2,918	6,052	8,964	10,565	5,474	15
Male	19,638	391	60	107	494	420	534	1,867	3,850	5,146	4,883	1,873	13
Female	17,443	272	33	76	182	187	337	1,051	2,202	3,818	5,682	3,601	2
All other	8,515	451	56	104	282	400	616	1,182	1,603	1,817	1,414	582	8
Male	4,798	238	28	60	215	294	377	774	915	978	676	238	5
Female	3,717	213	28	44	67	106	239	408	688	839	738	344	3

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Phoenix, Ariz	9,157	288	68	82	300	285	338	704	1,441	2,250	2,254	1,146	1
Male	5,317	163	40	54	224	202	209	417	910	1,374	1,240	483	1
Female	3,840	125	28	28	76	83	129	287	531	876	1,014	663	–
White	8,741	255	61	71	276	251	296	651	1,380	2,176	2,201	1,122	1
Male	5,066	147	37	47	206	179	182	386	873	1,328	1,210	470	1
Female	3,675	108	24	24	70	72	114	265	507	848	991	652	–
All other	416	33	7	11	24	34	42	53	61	74	53	24	–
Male	251	16	3	7	18	23	27	31	37	46	30	13	–
Female	165	17	4	4	6	11	15	22	24	28	23	11	–
Pine Bluff, Ark	821	26	5	9	24	19	30	66	128	199	203	112	–
Male	460	14	2	5	16	12	22	48	77	120	99	45	–
Female	361	12	3	4	8	7	8	18	51	79	104	67	–
White	432	9	2	6	13	9	18	42	65	91	109	68	–
Male	243	4	1	2	7	5	14	30	41	55	56	28	–
Female	189	5	1	4	6	4	4	12	24	36	53	40	–
All other	389	17	3	3	11	10	12	24	63	108	94	44	–
Male	217	10	1	3	9	7	8	18	36	65	43	17	–
Female	172	7	2	–	2	3	4	6	27	43	51	27	–
Pittsburgh, Pa	24,500	416	72	112	403	367	563	1,974	4,339	6,013	6,642	3,595	4
Male	13,419	233	40	68	305	246	363	1,220	2,804	3,571	3,168	1,401	–
Female	11,081	183	32	44	98	121	200	754	1,535	2,442	3,474	2,194	4
White	22,557	330	64	103	344	298	473	1,756	3,991	5,508	6,219	3,467	4
Male	12,271	192	36	61	260	197	303	1,088	2,584	3,278	2,925	1,347	–
Female	10,286	138	28	42	84	101	170	668	1,407	2,230	3,294	2,120	4
All other	1,943	86	8	9	59	69	90	218	348	505	423	128	–
Male	1,148	41	4	7	45	49	60	132	220	293	243	54	–
Female	795	45	4	2	14	20	30	86	128	212	180	74	–
Pittsfield, Mass	1,499	22	4	13	24	21	38	97	222	338	447	271	2
Male	761	10	3	6	22	15	22	64	146	206	187	79	1
Female	738	12	1	7	2	6	16	33	76	132	260	192	1
White	1,484	21	4	12	23	19	36	96	222	336	443	270	2
Male	751	10	3	5	21	14	20	63	146	204	186	78	1
Female	733	11	1	7	2	5	16	33	76	132	257	192	1
All other	15	1	–	1	1	2	2	1	–	2	4	1	–
Male	10	–	–	1	1	1	2	1	–	2	1	1	–
Female	5	1	–	–	–	1	–	–	–	–	3	–	–
Portland, Maine	1,997	37	8	8	37	39	55	131	287	474	521	400	–
Male	1,044	18	3	8	30	30	32	88	170	288	237	140	–
Female	953	19	5	–	7	9	23	43	117	186	284	260	–
White	1,991	37	8	8	36	39	55	130	287	473	519	399	–
Male	1,039	18	3	8	29	30	32	87	170	287	235	140	–
Female	952	19	5	–	7	9	23	43	117	186	284	259	–
All other	6	–	–	–	1	–	–	1	–	1	2	1	–
Male	5	–	–	–	1	–	–	1	–	1	2	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Portland, Oreg.–Wash	9,744	248	48	70	241	205	240	671	1,420	2,171	2,538	1,889	3
Male	5,352	137	23	45	180	139	146	429	910	1,349	1,283	708	3
Female	4,392	111	25	25	61	66	94	242	510	822	1,255	1,181	–
White	9,462	230	47	67	227	186	224	642	1,361	2,099	2,505	1,871	3
Male	5,164	125	22	43	170	125	138	412	870	1,302	1,258	696	3
Female	4,298	105	25	24	57	61	86	230	491	797	1,247	1,175	–
All other	282	18	1	3	14	19	16	29	59	72	33	18	–
Male	188	12	1	2	10	14	8	17	40	47	25	12	–
Female	94	6	–	1	4	5	8	12	19	25	8	6	–
Providence, R.I	7,719	130	12	28	134	125	138	580	1,237	1,809	2,206	1,320	–
Male	4,015	69	6	18	105	88	82	359	786	1,043	1,005	454	–
Female	3,704	61	6	10	29	37	56	221	451	766	1,201	866	–
White	7,550	117	11	27	125	118	127	549	1,207	1,788	2,178	1,303	–
Male	3,922	64	5	17	98	86	76	343	768	1,027	991	447	–
Female	3,628	53	6	10	27	32	51	206	439	761	1,187	856	–
All other	169	13	1	1	9	7	11	31	30	21	28	17	–
Male	93	5	1	1	7	2	6	16	18	16	14	7	–
Female	76	8	–	–	2	5	5	15	12	5	14	10	–
Provo–Orem, Utah	805	74	14	16	29	17	22	56	109	187	164	116	1
Male	452	42	5	13	20	9	12	36	73	118	88	35	1
Female	353	32	9	3	9	8	10	20	36	69	76	81	–
White	794	70	13	15	27	17	21	56	109	187	164	114	1
Male	446	40	5	12	18	9	12	36	73	118	88	34	1
Female	348	30	8	3	9	8	9	20	36	69	76	80	–
All other	11	4	1	1	2	–	1	–	–	–	–	2	–
Male	6	2	–	1	2	–	–	–	–	–	–	1	–
Female	5	2	1	–	–	–	1	–	–	–	–	1	–
Pueblo, Colo	1,039	28	6	5	28	34	27	94	148	252	257	159	1
Male	598	17	5	2	21	22	20	61	99	151	128	71	1
Female	441	11	1	3	7	12	7	33	49	101	129	88	–
White	1,020	28	6	4	28	33	26	94	147	247	253	154	–
Male	583	17	5	1	21	21	19	61	98	146	126	68	–
Female	437	11	1	3	7	12	7	33	49	101	127	86	–
All other	19	–	–	1	–	1	1	–	1	5	4	5	1
Male	15	–	–	1	–	1	1	–	1	5	2	3	1
Female	4	–	–	–	–	–	–	–	–	–	2	2	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Racine, Wis	1,364	32	11	14	47	28	43	86	193	307	380	223	–
Male	753	17	3	7	33	16	26	57	122	189	191	92	–
Female	611	15	8	7	14	12	17	29	71	118	189	131	–
White	1,306	28	10	14	46	21	35	76	182	303	375	216	–
Male	719	15	3	7	32	12	20	49	116	187	190	88	–
Female	587	13	7	7	14	9	15	27	66	116	185	128	–
All other	58	4	1	–	1	7	8	10	11	4	5	7	–
Male	34	2	–	–	1	4	6	8	6	2	1	4	–
Female	24	2	1	–	–	3	2	2	5	2	4	3	–
Raleigh, N.C	1,738	55	9	14	62	69	85	173	323	386	359	202	1
Male	963	27	4	11	41	49	59	104	213	228	160	66	1
Female	775	28	5	3	21	20	26	69	110	158	199	136	–
White	1,234	22	3	10	42	40	55	119	236	277	278	152	–
Male	692	12	2	7	30	29	39	76	159	166	122	50	–
Female	542	10	1	3	12	11	16	43	77	111	156	102	–
All other	504	33	6	4	20	29	30	54	87	109	81	50	1
Male	271	15	2	4	11	20	20	28	54	62	38	16	1
Female	233	18	4	–	9	9	10	26	33	47	43	34	–
Reading, Pa	3,107	47	9	24	50	52	66	193	478	832	884	472	–
Male	1,662	25	5	16	36	34	39	123	306	492	424	162	–
Female	1,445	22	4	8	14	18	27	70	172	340	460	310	–
White	3,042	41	9	23	45	50	62	188	468	814	874	468	–
Male	1,622	19	5	15	33	33	37	120	300	482	416	162	–
Female	1,420	22	4	8	12	17	25	68	168	332	458	306	–
All other	65	6	–	1	5	2	4	5	10	18	10	4	–
Male	40	6	–	1	3	1	2	3	6	10	8	–	–
Female	25	–	–	–	2	1	2	2	4	8	2	4	–
Reno, Nev	1,248	44	5	8	46	34	54	134	216	286	266	153	2
Male	757	28	2	5	34	23	31	78	149	198	140	68	1
Female	491	16	3	3	12	11	23	56	67	88	126	85	1
White	1,201	41	5	8	41	30	47	127	213	280	258	149	2
Male	722	25	2	5	31	19	28	72	146	192	136	65	1
Female	479	16	3	3	10	11	19	55	67	88	122	84	1
All other	47	3	–	–	5	4	7	7	3	6	8	4	–
Male	35	3	–	–	3	4	3	6	3	6	4	3	–
Female	12	–	–	–	2	–	4	1	–	–	4	1	–
Richmond, Va	4,964	111	15	28	101	107	206	517	962	1,162	1,152	603	–
Male	2,676	65	9	17	75	81	121	342	621	674	494	177	–
Female	2,288	46	6	11	26	26	85	175	341	488	658	426	–
White	3,510	58	12	17	72	50	118	319	630	812	912	510	–
Male	1,856	35	7	11	53	37	65	215	422	499	378	134	–
Female	1,654	23	5	6	19	13	53	104	208	313	534	376	–
All other	1,454	53	3	11	29	57	88	198	332	350	240	93	–
Male	820	30	2	6	22	44	56	127	199	175	116	43	–
Female	634	23	1	5	7	13	32	71	133	175	124	50	–
Roanoke, Va	1,881	47	10	19	41	40	71	178	290	449	458	278	–
Male	1,065	30	4	13	34	27	47	122	191	278	216	103	–
Female	816	17	6	6	7	13	24	56	99	171	242	175	–
White	1,588	34	6	14	33	31	53	151	242	369	396	259	–
Male	913	24	3	10	28	22	37	104	166	234	192	93	–
Female	675	10	3	4	5	9	16	47	76	135	204	166	–
All other	293	13	4	5	8	9	18	27	48	80	62	19	–
Male	152	6	1	3	6	5	10	18	25	44	24	10	–
Female	141	7	3	2	2	4	8	9	23	36	38	9	–
Rochester, Minn	540	10	3	4	19	13	19	33	68	118	139	114	–
Male	279	8	2	3	14	8	10	17	41	70	63	43	–
Female	261	2	1	1	5	5	9	16	27	48	76	71	–
White	538	10	3	4	19	13	19	33	68	118	138	113	–
Male	277	8	2	3	14	8	10	17	41	70	62	42	–
Female	261	2	1	1	5	5	9	16	27	48	76	71	–
All other	2	–	–	–	–	–	–	–	–	–	1	1	–
Male	2	–	–	–	–	–	–	–	–	–	1	1	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Rochester, N.Y	7,125	144	27	36	145	137	180	500	1,049	1,520	2,002	1,384	1
Male	3,798	84	15	18	110	87	110	319	654	923	962	515	1
Female	3,327	60	12	18	35	50	70	181	395	597	1,040	869	–
White	6,752	106	19	30	123	118	136	440	985	1,465	1,962	1,367	1
Male	3,569	63	9	16	93	76	79	282	618	888	937	507	1
Female	3,183	43	10	14	30	42	57	158	367	577	1,025	860	–
All other	373	38	8	6	22	19	44	60	64	55	40	17	–
Male	229	21	6	2	17	11	31	37	36	35	25	8	–
Female	144	17	2	4	5	8	13	23	28	20	15	9	–
Rockford, Ill	2,014	46	8	14	46	33	60	157	284	427	545	394	–
Male	1,104	31	3	9	33	21	35	99	183	254	273	163	–
Female	910	15	5	5	13	12	25	58	101	173	272	231	–
White	1,919	36	6	13	43	26	52	146	265	410	531	391	–
Male	1,043	24	1	8	31	17	30	90	170	247	264	161	–
Female	876	12	5	5	12	9	22	56	95	163	267	230	–
All other	95	10	2	1	3	7	8	11	19	17	14	3	–
Male	61	7	2	1	2	4	5	9	13	7	9	2	–
Female	34	3	–	–	1	3	3	2	6	10	5	1	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Sacramento, Calif	6,781	167	33	40	210	189	213	617	1,106	1,554	1,644	1,007	1
Male	3,891	99	20	23	154	139	136	376	722	989	830	403	–
Female	2,890	68	13	17	56	50	77	241	384	565	814	604	1
White	6,347	136	25	37	190	167	194	571	1,040	1,465	1,563	958	1
Male	3,621	75	14	22	143	126	125	344	676	930	789	377	–
Female	2,726	61	11	15	47	41	69	227	364	535	774	581	1
All other	434	31	8	3	20	22	19	46	66	89	81	49	–
Male	270	24	6	1	11	13	11	32	46	59	41	26	–
Female	164	7	2	2	9	9	8	14	20	30	40	23	–
Saginaw, Mich	1,778	56	16	12	64	57	44	155	275	410	395	294	–
Male	990	35	12	6	52	37	29	97	177	247	197	101	–
Female	788	21	4	6	12	20	15	58	98	163	198	193	–
White	1,554	41	13	7	47	40	31	109	239	368	372	287	–
Male	865	25	11	3	36	27	20	70	155	229	189	100	–
Female	689	16	2	4	11	13	11	39	84	139	183	187	–
All other	224	15	3	5	17	17	13	46	36	42	23	7	–
Male	125	10	1	3	16	10	9	27	22	18	8	1	–
Female	99	5	2	2	1	7	4	19	14	24	15	6	–
St. Joseph, Mo	1,047	20	6	5	14	18	25	52	127	278	301	201	–
Male	548	12	2	1	11	13	19	34	80	173	136	67	–
Female	499	8	4	4	3	5	6	18	47	105	165	134	–
White	1,014	20	6	3	13	18	23	50	124	271	291	195	–
Male	525	12	2	1	10	13	17	32	78	167	128	65	–
Female	489	8	4	2	3	5	6	18	46	104	163	130	–
All other	33	–	–	2	1	–	2	2	3	7	10	6	–
Male	23	–	–	–	1	–	2	2	2	6	8	2	–
Female	10	–	–	2	–	–	–	–	1	1	2	4	–
St. Louis, Mo.–Ill	21,770	571	88	126	617	505	701	1,797	3,373	5,288	5,602	3,095	7
Male	11,832	326	48	84	478	351	440	1,127	2,128	3,111	2,644	1,092	3
Female	9,938	245	40	42	139	154	261	670	1,245	2,177	2,958	2,003	4
White	17,782	320	55	90	402	314	462	1,395	2,640	4,347	4,915	2,837	5
Male	9,525	190	27	56	313	209	279	884	1,720	2,581	2,306	957	3
Female	8,257	130	28	34	89	105	183	511	920	1,766	2,609	1,880	2
All other	3,988	251	33	36	215	191	239	402	733	941	687	258	2
Male	2,307	136	21	28	165	142	161	243	408	530	338	135	–
Female	1,681	115	12	8	50	49	78	159	325	411	349	123	2
Salem, Oreg	1,929	55	9	11	46	31	49	99	247	440	540	402	–
Male	1,080	37	6	6	33	18	35	62	170	267	277	169	–
Female	849	18	3	5	13	13	14	37	77	173	263	233	–
White	1,914	54	9	10	45	30	48	99	244	435	540	400	–
Male	1,070	37	6	6	32	17	35	62	168	263	277	167	–
Female	844	17	3	4	13	13	13	37	76	172	263	233	–
All other	15	1	–	1	1	1	1	–	3	5	–	2	–
Male	10	–	–	–	1	1	–	–	2	4	–	2	–
Female	5	1	–	1	–	–	1	–	1	1	–	–	–
Salinas–Monterey, Calif	1,902	70	23	23	81	75	64	150	275	399	469	271	2
Male	1,081	41	10	15	61	49	39	104	177	259	228	97	1
Female	821	29	13	8	20	26	25	46	98	140	241	174	1
White	1,754	63	22	16	73	61	51	131	250	374	446	266	1
Male	983	38	10	11	56	42	31	93	159	240	210	93	–
Female	771	25	12	5	17	19	20	38	91	134	236	173	1
All other	148	7	1	7	8	14	13	19	25	25	23	5	1
Male	98	3	–	4	5	7	8	11	18	19	18	4	1
Female	50	4	1	3	3	7	5	8	7	6	5	1	–
Salt Lake City, Utah	3,713	189	43	42	148	121	123	278	531	739	930	568	1
Male	2,114	118	24	26	99	81	81	173	350	449	476	236	1
Female	1,599	71	19	16	49	40	42	105	181	290	454	332	–
White	3,634	181	42	40	145	113	119	269	524	721	921	558	1
Male	2,061	111	24	24	98	76	77	167	345	436	472	230	1
Female	1,573	70	18	16	47	37	42	102	179	285	449	328	–
All other	79	8	1	2	3	8	4	9	7	18	9	10	–
Male	53	7	–	2	1	5	4	6	5	13	4	6	–
Female	26	1	1	–	2	3	–	3	2	5	5	4	–
San Angelo, Tex	729	21	5	8	18	13	23	61	98	206	187	89	–
Male	384	12	2	5	12	10	13	31	52	131	86	30	–
Female	345	9	3	3	6	3	10	30	46	75	101	59	–
White	693	20	5	8	18	13	20	58	92	193	178	88	–
Male	364	12	2	5	12	10	10	29	49	124	81	30	–
Female	329	8	3	3	6	3	10	29	43	69	97	58	–
All other	36	1	–	–	–	–	3	3	6	13	9	1	–
Male	20	–	–	–	–	–	3	2	3	7	5	–	–
Female	16	1	–	–	–	–	–	1	3	6	4	1	–
San Antonio, Tex	6,599	224	53	78	229	186	237	608	944	1,513	1,580	947	–
Male	3,645	117	31	54	164	124	154	415	630	847	770	339	–
Female	2,954	107	22	24	65	62	83	193	314	666	810	608	–
White	5,959	188	48	70	189	165	204	555	851	1,355	1,454	880	–
Male	3,293	100	27	47	135	110	133	377	571	770	714	309	–
Female	2,666	88	21	23	54	55	71	178	280	585	740	571	–
All other	640	36	5	8	40	21	33	53	93	158	126	67	–
Male	352	17	4	7	29	14	21	38	59	77	56	30	–
Female	288	19	1	1	11	7	12	15	34	81	70	37	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
San Bernardino–Riverside–Ontario, Calif	10,936	261	66	78	303	270	357	771	1,599	2,671	2,859	1,697	4
Male	6,266	147	34	39	239	183	232	493	1,007	1,648	1,555	687	2
Female	4,670	114	32	39	64	87	125	278	592	1,023	1,304	1,010	2
White	10,506	232	56	68	287	246	332	723	1,538	2,560	2,799	1,662	3
Male	5,997	131	30	34	227	166	214	460	971	1,577	1,513	672	2
Female	4,509	101	26	34	60	80	118	263	567	983	1,286	990	1
All other	430	29	10	10	16	24	25	48	61	111	60	35	1
Male	269	16	4	5	12	17	18	33	36	71	42	15	–
Female	161	13	6	5	4	7	7	15	25	40	18	20	1
San Diego, Calif	11,434	324	58	84	364	335	365	964	1,630	2,628	2,864	1,810	8
Male	6,218	181	38	59	281	229	235	577	976	1,537	1,442	656	7
Female	5,216	143	20	25	83	106	130	387	654	1,091	1,422	1,154	1
White	10,856	269	56	81	321	288	324	887	1,549	2,519	2,791	1,763	8
Male	5,885	152	37	57	249	197	211	534	931	1,472	1,405	633	7
Female	4,971	117	19	24	72	91	113	353	618	1,047	1,386	1,130	1
All other	578	55	2	3	43	47	41	77	81	109	73	47	–
Male	333	29	1	2	32	32	24	43	45	65	37	23	–
Female	245	26	1	1	11	15	17	34	36	44	36	24	–
San Francisco–Oakland, Calif	27,048	474	94	122	670	864	940	2,405	4,240	6,083	6,743	4,403	10
Male	14,587	271	52	75	458	589	568	1,486	2,631	3,639	3,258	1,553	7
Female	12,461	203	42	47	212	275	372	919	1,609	2,444	3,485	2,850	3
White	23,401	326	61	95	499	638	691	1,935	3,557	5,258	6,196	4,139	6
Male	12,405	199	33	59	354	434	407	1,190	2,198	3,123	2,988	1,416	4
Female	10,996	127	28	36	145	204	284	745	1,359	2,135	3,208	2,723	2
All other	3,647	148	33	27	171	226	249	470	683	825	547	264	4
Male	2,182	72	19	16	104	155	161	296	433	516	270	137	3
Female	1,465	76	14	11	67	71	88	174	250	309	277	127	1
San Jose, Calif	6,848	215	47	62	249	259	275	631	1,050	1,390	1,603	1,066	1
Male	3,795	134	31	41	181	201	176	389	656	825	767	393	1
Female	3,053	81	16	21	68	58	99	242	394	565	836	673	–
White	6,560	185	43	55	235	233	253	607	1,022	1,332	1,555	1,039	1
Male	3,611	115	30	35	172	179	161	375	634	783	746	380	1
Female	2,949	70	13	20	63	54	92	232	388	549	809	659	–
All other	288	30	4	7	14	26	22	24	28	58	48	27	–
Male	184	19	1	6	9	22	15	14	22	42	21	13	–
Female	104	11	3	1	5	4	7	10	6	16	27	14	–
Santa Barbara, Calif	2,116	50	8	9	53	58	53	143	303	425	589	422	3
Male	1,103	26	7	2	37	43	37	87	197	226	284	157	–
Female	1,013	24	1	7	16	15	16	56	106	199	305	265	3
White	2,056	48	8	9	47	55	51	137	291	409	581	417	3
Male	1,060	25	7	2	32	41	35	82	190	217	277	152	–
Female	996	23	1	7	15	14	16	55	101	192	304	265	3
All other	60	2	–	–	6	3	2	6	12	16	8	5	–
Male	43	1	–	–	5	2	2	5	7	9	7	5	–
Female	17	1	–	–	1	1	–	1	5	7	1	–	–
Santa Rosa, Calif	2,368	30	7	11	66	61	72	135	307	629	631	419	–
Male	1,340	17	3	7	52	46	42	84	190	391	339	169	–
Female	1,028	13	4	4	14	15	30	51	117	238	292	250	–
White	2,332	28	7	11	63	58	68	132	303	617	628	417	–
Male	1,317	15	3	7	50	43	38	84	189	383	336	169	–
Female	1,015	13	4	4	13	15	30	48	114	234	292	248	–
All other	36	2	–	–	3	3	4	3	4	12	3	2	–
Male	23	2	–	–	2	3	4	–	1	8	3	–	–
Female	13	–	–	–	1	–	–	3	3	4	–	2	–
Savannah, Ga	1,810	47	12	16	55	67	69	194	349	449	367	185	–
Male	941	30	4	12	42	44	38	106	214	227	167	57	–
Female	869	17	8	4	13	23	31	88	135	222	200	128	–
White	1,053	23	4	10	33	35	35	97	196	231	239	150	–
Male	561	14	1	9	27	24	21	63	130	122	106	44	–
Female	492	9	3	1	6	11	14	34	66	109	133	106	–
All other	757	24	8	6	22	32	34	97	153	218	128	35	–
Male	380	16	3	3	15	20	17	43	84	105	61	13	–
Female	377	8	5	3	7	12	17	54	69	113	67	22	–
Scranton, Pa	2,953	31	7	18	26	31	58	213	532	788	836	411	2
Male	1,543	23	4	9	20	15	39	137	338	469	362	127	–
Female	1,410	8	3	9	6	16	19	76	194	319	474	284	2
White	2,940	30	6	18	25	31	58	212	530	786	834	408	2
Male	1,537	23	3	9	19	15	39	137	336	468	362	126	–
Female	1,403	7	3	9	6	16	19	75	194	318	472	282	2
All other	13	1	1	–	1	–	–	1	2	2	2	3	–
Male	6	–	1	–	1	–	–	–	2	1	–	1	–
Female	7	1	–	–	–	–	–	1	–	1	2	2	–
Seattle–Everett, Wash	11,235	249	47	53	284	262	340	902	1,739	2,416	2,899	2,043	1
Male	6,124	147	28	38	220	177	205	570	1,107	1,465	1,370	797	–
Female	5,111	102	19	15	64	85	135	332	632	951	1,529	1,246	1
White	10,554	204	42	46	259	214	286	808	1,626	2,272	2,813	1,983	1
Male	5,680	125	25	33	202	147	168	508	1,033	1,364	1,313	762	–
Female	4,874	79	17	13	57	67	118	300	593	908	1,500	1,221	1
All other	681	45	5	7	25	48	54	94	113	144	86	60	–
Male	444	22	3	5	18	30	37	62	74	101	57	35	–
Female	237	23	2	2	7	18	17	32	39	43	29	25	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Sherman–Denison, Tex	974	16	1	13	15	13	23	63	138	225	279	188	–
Male	541	7	1	8	13	11	14	47	98	134	141	67	–
Female	433	9	–	5	2	2	9	16	40	91	138	121	–
White	891	16	–	9	13	8	20	57	124	199	267	178	–
Male	493	7	–	6	11	7	12	43	90	117	138	62	–
Female	398	9	–	3	2	1	8	14	34	82	129	116	–
All other	83	–	1	4	2	5	3	6	14	26	12	10	–
Male	48	–	1	2	2	4	2	4	8	17	3	5	–
Female	35	–	–	2	–	1	1	2	6	9	9	5	–
Shreveport, La	2,844	83	11	25	79	73	109	283	471	679	689	342	–
Male	1,601	43	5	17	57	53	74	189	296	405	338	124	–
Female	1,243	40	6	8	22	20	35	94	175	274	351	218	–
White	1,773	30	7	11	46	35	56	181	318	411	445	233	–
Male	1,007	14	4	7	33	27	40	121	212	259	217	73	–
Female	766	16	3	4	13	8	16	60	106	152	228	160	–
All other	1,071	53	4	14	33	38	53	102	153	268	244	109	–
Male	594	29	1	10	24	26	34	68	84	146	121	51	–
Female	477	24	3	4	9	12	19	34	69	122	123	58	–
Sioux City, Iowa–Nebr	1,188	31	8	13	20	21	29	66	163	282	341	214	–
Male	672	23	5	5	15	16	18	45	116	178	170	81	–
Female	516	8	3	8	5	5	11	21	47	104	171	133	–
White	1,163	29	8	11	20	20	27	62	162	276	337	211	–
Male	655	21	5	4	15	15	17	41	115	174	168	80	–
Female	508	8	3	7	5	5	10	21	47	102	169	131	–
All other	25	2	–	2	–	1	2	4	1	6	4	3	–
Male	17	2	–	1	–	1	1	4	1	4	2	1	–
Female	8	–	–	1	–	–	1	–	–	2	2	2	–
Sioux Falls, S. Dak	807	29	10	3	16	20	17	52	105	139	254	162	–
Male	447	16	6	1	12	16	13	32	70	97	127	57	–
Female	360	13	4	2	4	4	4	20	35	42	127	105	–
White	801	28	10	3	15	19	17	51	105	138	253	162	–
Male	445	16	6	1	11	16	13	31	70	97	127	57	–
Female	356	12	4	2	4	3	4	20	35	41	126	105	–
All other	6	1	–	–	1	1	–	1	–	1	1	–	–
Male	2	–	–	–	1	–	–	1	–	–	–	–	–
Female	4	1	–	–	–	1	–	–	–	1	1	–	–
South Bend, Ind	2,521	66	8	18	65	37	50	192	373	607	718	386	1
Male	1,372	45	3	10	46	24	35	118	230	360	362	138	1
Female	1,149	21	5	8	19	13	15	74	143	247	356	248	–
White	2,360	52	6	16	56	31	39	178	339	574	694	374	1
Male	1,273	36	2	9	40	19	27	109	206	340	350	134	1
Female	1,087	16	4	7	16	12	12	69	133	234	344	240	–
All other	161	14	2	2	9	6	11	14	34	33	24	12	–
Male	99	9	1	1	6	5	8	9	24	20	12	4	–
Female	62	5	1	1	3	1	3	5	10	13	12	8	–
Spokane, Wash	2,831	84	10	20	56	67	66	190	392	633	749	564	–
Male	1,623	51	7	14	46	38	43	119	265	400	390	250	–
Female	1,208	33	3	6	10	29	23	71	127	233	359	314	–
White	2,769	81	9	18	54	62	60	183	379	621	744	558	–
Male	1,590	50	7	12	44	36	39	116	259	393	386	248	–
Female	1,179	31	2	6	10	26	21	67	120	228	358	310	–
All other	62	3	1	2	2	5	6	7	13	12	5	6	–
Male	33	1	–	2	2	2	4	3	6	7	4	2	–
Female	29	2	1	–	–	3	2	4	7	5	1	4	–
Springfield, Ill	1,642	31	5	11	28	27	49	116	249	383	414	329	–
Male	890	15	2	9	22	14	28	74	146	249	213	118	–
Female	752	16	3	2	6	13	21	42	103	134	201	211	–
White	1,556	18	3	11	25	24	47	105	243	357	407	316	–
Male	838	9	1	9	21	12	27	67	142	228	210	112	–
Female	718	9	2	2	4	12	20	38	101	129	197	204	–
All other	86	13	2	–	3	3	2	11	6	26	7	13	–
Male	52	6	1	–	1	2	1	7	4	21	3	6	–
Female	34	7	1	–	2	1	1	4	2	5	4	7	–
Springfield, Mo	1,573	37	6	12	31	37	43	104	213	368	424	297	1
Male	821	18	5	5	22	25	26	69	137	225	191	98	–
Female	752	19	1	7	9	12	17	35	76	143	233	199	1
White	1,545	35	5	12	30	35	41	102	210	362	417	295	1
Male	805	16	4	5	21	24	24	67	135	223	189	97	–
Female	740	19	1	7	9	11	17	35	75	139	228	198	1
All other	28	2	1	–	1	2	2	2	3	6	7	2	–
Male	16	2	1	–	1	1	2	2	2	2	2	1	–
Female	12	–	–	–	–	1	–	–	1	4	5	1	–
Springfield, Ohio	1,424	43	6	7	23	21	39	130	201	369	360	225	–
Male	779	25	3	4	16	11	23	87	129	220	172	89	–
Female	645	18	3	3	7	10	16	43	72	149	188	136	–
White	1,269	29	5	6	16	19	37	114	170	329	333	211	–
Male	685	17	2	4	12	10	22	78	111	196	151	82	–
Female	584	12	3	2	4	9	15	36	59	133	182	129	–
All other	155	14	1	1	7	2	2	16	31	40	27	14	–
Male	94	8	1	–	4	1	1	9	18	24	21	7	–
Female	61	6	–	1	3	1	1	7	13	16	6	7	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Springfield–Holyoke, Mass	5,273	88	16	29	89	69	123	402	839	1,183	1,493	940	2
Male	2,739	56	10	20	67	44	77	253	570	679	657	305	1
Female	2,534	32	6	9	22	25	46	149	269	504	836	635	1
White	5,105	76	16	26	85	63	110	376	810	1,146	1,464	931	2
Male	2,651	51	10	17	63	40	70	238	555	662	642	302	1
Female	2,454	25	6	9	22	23	40	138	255	484	822	629	1
All other	168	12	–	3	4	6	13	26	29	37	29	9	–
Male	88	5	–	3	4	4	7	15	15	17	15	3	–
Female	80	7	–	–	–	2	6	11	14	20	14	6	–
Steubenville–Weirton, Ohio–W. Va	1,705	45	2	8	29	25	40	149	286	435	450	236	–
Male	999	27	–	5	24	19	22	101	195	262	233	111	–
Female	706	18	2	3	5	6	18	48	91	173	217	125	–
White	1,619	42	2	8	28	23	35	136	267	416	431	231	–
Male	945	25	–	5	23	18	20	91	184	250	220	109	–
Female	674	17	2	3	5	5	15	45	83	166	211	122	–
All other	86	3	–	–	1	2	5	13	19	19	19	5	–
Male	54	2	–	–	1	1	2	10	11	12	13	2	–
Female	32	1	–	–	–	1	3	3	8	7	6	3	–
Stockton, Calif	2,822	52	9	22	93	71	81	208	430	661	688	506	1
Male	1,694	36	5	16	79	52	58	138	276	444	374	215	1
Female	1,128	16	4	6	14	19	23	70	154	217	314	291	–
White	2,567	42	8	20	82	60	69	186	399	587	636	477	1
Male	1,511	29	5	14	69	44	48	123	254	386	337	201	1
Female	1,056	13	3	6	13	16	21	63	145	201	299	276	–
All other	255	10	1	2	11	11	12	22	31	74	52	29	–
Male	183	7	–	2	10	8	10	15	22	58	37	14	–
Female	72	3	1	–	1	3	2	7	9	16	15	15	–
Syracuse, N.Y	5,472	132	16	45	100	80	127	417	792	1,305	1,553	905	–
Male	3,018	81	8	28	69	57	85	268	520	814	735	353	–
Female	2,454	51	8	17	31	23	42	149	272	491	818	552	–
White	5,307	113	16	39	96	72	113	385	764	1,270	1,539	900	–
Male	2,919	67	8	26	67	53	73	245	505	795	730	350	–
Female	2,388	46	8	13	29	19	40	140	259	475	809	550	–
All other	165	19	–	6	4	8	14	32	28	35	14	5	–
Male	99	14	–	2	2	4	12	23	15	19	5	3	–
Female	66	5	–	4	2	4	2	9	13	16	9	2	–
Tacoma, Wash	3,373	121	22	26	114	75	103	288	553	745	790	536	–
Male	1,899	66	12	17	85	62	67	179	363	453	387	208	–
Female	1,474	55	10	9	29	13	36	109	190	292	403	328	–
White	3,226	98	19	24	102	63	87	271	525	728	781	528	–
Male	1,811	56	10	16	78	51	56	168	342	446	383	205	–
Female	1,415	42	9	8	24	12	31	103	183	282	398	323	–
All other	147	23	3	2	12	12	16	17	28	17	9	8	–
Male	88	10	2	1	7	11	11	11	21	7	4	3	–
Female	59	13	1	1	5	1	5	6	7	10	5	5	–
Tallahassee, Fla	712	33	7	10	33	31	31	79	127	162	126	73	–
Male	381	18	5	5	21	22	20	41	79	85	51	34	–
Female	331	15	2	5	12	9	11	38	48	77	75	39	–
White	471	21	4	7	23	18	19	58	76	95	98	52	–
Male	257	13	3	4	15	13	12	29	48	59	41	20	–
Female	214	8	1	3	8	5	7	29	28	36	57	32	–
All other	241	12	3	3	10	13	12	21	51	67	28	21	–
Male	124	5	2	1	6	9	8	12	31	26	10	14	–
Female	117	7	1	2	4	4	4	9	20	41	18	7	–
Tampa–St. Petersburg, Fla	15,278	224	59	61	226	207	325	917	1,935	3,955	4,854	2,514	1
Male	8,751	133	32	32	165	152	196	583	1,222	2,430	2,732	1,074	–
Female	6,527	91	27	29	61	55	129	334	713	1,525	2,122	1,440	1
White	14,113	140	48	48	183	160	248	790	1,703	3,660	4,671	2,461	1
Male	8,105	90	25	25	132	124	153	512	1,090	2,273	2,635	1,046	–
Female	6,008	50	23	23	51	36	95	278	613	1,387	2,036	1,415	1
All other	1,165	84	11	13	43	47	77	127	232	295	183	53	–
Male	646	43	7	7	33	28	43	71	132	157	97	28	–
Female	519	41	4	6	10	19	34	56	100	138	86	25	–
Terre Haute, Ind	2,027	33	5	11	35	33	42	115	266	509	581	397	–
Male	1,102	20	4	9	24	22	26	73	171	309	295	149	–
Female	925	13	1	2	11	11	16	42	95	200	286	248	–
White	1,959	31	5	10	35	31	39	113	257	494	559	385	–
Male	1,064	19	4	8	24	20	24	71	167	302	283	142	–
Female	895	12	1	2	11	11	15	42	90	192	276	243	–
All other	68	2	–	1	–	2	3	2	9	15	22	12	–
Male	38	1	–	1	–	2	2	2	4	7	12	7	–
Female	30	1	–	–	–	–	1	–	5	8	10	5	–
Texarkana, Tex.–Ark	1,058	31	3	7	23	23	30	79	157	265	267	173	–
Male	610	18	3	5	13	17	22	57	95	169	139	72	–
Female	448	13	–	2	10	6	8	22	62	96	128	101	–
White	821	17	1	4	17	15	19	71	121	201	212	143	–
Male	472	11	1	3	8	10	13	52	76	139	105	54	–
Female	349	6	–	1	9	5	6	19	45	62	107	89	–
All other	237	14	2	3	6	8	11	8	36	64	55	30	–
Male	138	7	2	2	5	7	9	5	19	30	34	18	–
Female	99	7	–	1	1	1	2	3	17	34	21	12	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Toledo, Ohio–Mich	6,426	158	30	39	150	119	207	522	1,036	1,537	1,733	895	–
Male	3,567	81	23	30	108	82	128	336	660	901	874	344	–
Female	2,859	77	7	9	42	37	79	186	376	636	859	551	–
White	5,883	126	20	36	129	99	166	448	945	1,411	1,644	859	–
Male	3,247	63	14	28	95	68	100	290	608	827	831	323	–
Female	2,636	63	6	8	34	31	66	158	337	584	813	536	–
All other	543	32	10	3	21	20	41	74	91	126	89	36	–
Male	320	18	9	2	13	14	28	46	52	74	43	21	–
Female	223	14	1	1	8	6	13	28	39	52	46	15	–
Topeka, Kans	1,320	19	6	11	22	28	32	105	171	286	372	268	–
Male	691	13	3	9	16	19	23	60	104	176	179	89	–
Female	629	6	3	2	6	9	9	45	67	110	193	179	–
White	1,186	15	4	9	16	24	23	94	141	256	354	250	–
Male	618	10	3	7	10	16	16	53	89	161	171	82	–
Female	568	5	1	2	6	8	7	41	52	95	183	168	–
All other	134	4	2	2	6	4	9	11	30	30	18	18	–
Male	73	3	–	2	6	3	7	7	15	15	8	7	–
Female	61	1	2	–	–	1	2	4	15	15	10	11	–
Trenton, N.J	2,665	70	9	16	40	42	78	194	475	631	704	406	–
Male	1,388	36	4	8	23	30	49	113	307	378	322	118	–
Female	1,277	34	5	8	17	12	29	81	168	253	382	288	–
White	2,267	37	4	9	33	22	42	130	409	547	655	379	–
Male	1,166	16	2	2	20	17	29	73	262	339	294	112	–
Female	1,101	21	2	7	13	5	13	57	147	208	361	267	–
All other	398	33	5	7	7	20	36	64	66	84	49	27	–
Male	222	20	2	6	3	13	20	40	45	39	28	6	–
Female	176	13	3	1	4	7	16	24	21	45	21	21	–
Tucson, Ariz	3,519	81	24	25	147	103	135	322	574	852	841	414	1
Male	2,062	51	12	18	117	69	89	195	353	534	457	166	1
Female	1,457	30	12	7	30	34	46	127	221	318	384	248	–
White	3,288	71	23	24	133	83	111	287	543	808	804	400	1
Male	1,918	47	12	17	105	56	71	178	332	507	433	159	1
Female	1,370	24	11	7	28	27	40	109	211	301	371	241	–
All other	231	10	1	1	14	20	24	35	31	44	37	14	–
Male	144	4	–	1	12	13	18	17	21	27	24	7	–
Female	87	6	1	–	2	7	6	18	10	17	13	7	–
Tulsa, Okla	4,409	130	29	38	146	112	149	384	655	999	1,129	638	–
Male	2,437	71	14	27	110	65	100	249	433	604	559	205	–
Female	1,972	59	15	11	36	47	49	135	222	395	570	433	–
White	3,914	103	22	30	121	87	128	335	598	882	1,024	584	–
Male	2,145	59	12	20	94	47	83	213	400	534	500	183	–
Female	1,769	44	10	10	27	40	45	122	198	348	524	401	–
All other	495	27	7	8	25	25	21	49	57	117	105	54	–
Male	292	12	2	7	16	18	17	36	33	70	59	22	–
Female	203	15	5	1	9	7	4	13	24	47	46	32	–
Tuscaloosa, Ala	1,080	33	8	7	31	35	60	102	177	235	230	162	–
Male	616	21	3	4	23	25	43	66	107	148	110	66	–
Female	464	12	5	3	8	10	17	36	70	87	120	96	–
White	704	10	5	6	19	16	32	64	117	153	169	113	–
Male	409	7	1	4	17	13	26	46	77	96	78	44	–
Female	295	3	4	2	2	3	6	18	40	57	91	69	–
All other	376	23	3	1	12	19	28	38	60	82	61	49	–
Male	207	14	2	–	6	12	17	20	30	52	32	22	–
Female	169	9	1	1	6	7	11	18	30	30	29	27	–
Tyler, Tex	1,052	33	6	11	27	20	30	93	153	274	270	135	–
Male	571	18	3	8	21	13	19	48	94	174	123	50	–
Female	481	15	3	3	6	7	11	45	59	100	147	85	–
White	796	17	2	9	21	13	19	68	113	208	217	109	–
Male	438	8	1	7	15	7	13	37	72	137	101	40	–
Female	358	9	1	2	6	6	6	31	41	71	116	69	–
All other	256	16	4	2	6	7	11	25	40	66	53	26	–
Male	133	10	2	1	6	6	6	11	22	37	22	10	–
Female	123	6	2	1	–	1	5	14	18	29	31	16	–
Utica–Rome, N.Y	3,276	62	14	26	59	50	75	210	518	732	991	537	2
Male	1,758	30	7	16	43	41	45	136	331	432	476	200	1
Female	1,518	32	7	10	16	9	30	74	187	300	515	337	1
White	3,246	59	14	25	59	50	73	206	508	729	986	535	2
Male	1,742	28	7	16	43	41	45	133	325	430	474	199	1
Female	1,504	31	7	9	16	9	28	73	183	299	512	336	1
All other	30	3	–	1	–	–	2	4	10	3	5	2	–
Male	16	2	–	–	–	–	–	3	6	2	2	1	–
Female	14	1	–	1	–	–	2	1	4	1	3	1	–
Vallejo–Napa, Calif	2,109	47	15	16	76	63	65	155	323	447	572	330	–
Male	1,187	27	7	11	59	47	44	98	192	261	308	133	–
Female	922	20	8	5	17	16	21	57	131	186	264	197	–
White	1,987	39	14	14	68	57	64	131	306	420	551	323	–
Male	1,113	23	6	10	53	44	43	85	181	244	293	131	–
Female	874	16	8	4	15	13	21	46	125	176	258	192	–
All other	122	8	1	2	8	6	1	24	17	27	21	7	–
Male	74	4	1	1	6	3	1	13	11	17	15	2	–
Female	48	4	–	1	2	3	–	11	6	10	6	5	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Vineland–Millville–Bridgeton, N.J.	1,181	42	8	12	39	24	40	87	193	279	330	127	–
Male	689	30	3	7	27	19	22	55	141	167	169	49	–
Female	492	12	5	5	12	5	18	32	52	112	161	78	–
White	1,017	27	3	6	30	20	28	64	165	249	299	126	–
Male	588	20	–	4	22	15	18	42	120	146	153	48	–
Female	429	7	3	2	8	5	10	22	45	103	146	78	–
All other	164	15	5	6	9	4	12	23	28	30	31	1	–
Male	101	10	3	3	5	4	4	13	21	21	16	1	–
Female	63	5	2	3	4	–	8	10	7	9	15	–	–
Waco, Tex.	1,633	38	13	12	30	29	52	109	232	430	456	232	–
Male	917	18	7	8	23	21	35	81	148	266	235	75	–
Female	716	20	6	4	7	8	17	28	84	164	221	157	–
White	1,353	18	10	9	23	19	39	94	188	354	393	206	–
Male	782	9	5	5	17	14	27	70	129	233	202	71	–
Female	571	9	5	4	6	5	12	24	59	121	191	135	–
All other	280	20	3	3	7	10	13	15	44	76	63	26	–
Male	135	9	2	3	6	7	8	11	19	33	33	4	–
Female	145	11	1	–	1	3	5	4	25	43	30	22	–
Washington, D.C.–Md.–Va.	19,190	738	96	170	563	667	996	2,249	3,526	3,945	3,937	2,298	5
Male	10,310	398	55	97	434	449	610	1,403	2,211	2,232	1,724	694	3
Female	8,880	340	41	73	129	218	386	846	1,315	1,713	2,213	1,604	2
White	12,885	354	48	105	336	332	494	1,336	2,245	2,693	3,060	1,879	3
Male	6,659	189	25	65	260	230	290	818	1,422	1,512	1,303	544	1
Female	6,226	165	23	40	76	102	204	518	823	1,181	1,757	1,335	2
All other	6,305	384	48	65	227	335	502	913	1,281	1,252	877	419	2
Male	3,651	209	30	32	174	219	320	585	789	720	421	150	2
Female	2,654	175	18	33	53	116	182	328	492	532	456	269	–
Waterloo, Iowa	1,090	34	4	12	25	17	15	77	181	213	311	201	–
Male	586	15	1	9	18	6	7	47	117	135	159	72	–
Female	504	19	3	3	7	11	8	30	64	78	152	129	–
White	1,043	27	4	12	24	15	15	72	171	203	302	198	–
Male	557	12	1	9	18	6	7	42	108	131	153	70	–
Female	486	15	3	3	6	9	8	30	63	72	149	128	–
All other	47	7	–	–	1	2	–	5	10	10	9	3	–
Male	29	3	–	–	–	–	–	5	9	4	6	2	–
Female	18	4	–	–	1	2	–	–	1	6	3	1	–
West Palm Beach, Fla.	5,502	99	25	32	68	86	158	359	830	1,605	1,578	661	1
Male	3,169	55	15	18	52	65	97	217	507	993	885	264	1
Female	2,333	44	10	14	16	21	61	142	323	612	693	397	–
White	4,901	39	11	24	53	65	104	279	704	1,468	1,513	640	1
Male	2,811	23	6	15	41	50	63	168	423	911	856	254	1
Female	2,090	16	5	9	12	15	41	111	281	557	657	386	–
All other	601	60	14	8	15	21	54	80	126	137	65	21	–
Male	358	32	9	3	11	15	34	49	84	82	29	10	–
Female	243	28	5	5	4	6	20	31	42	55	36	11	–
Wheeling, W. Va.–Ohio	2,149	39	–	10	25	13	47	143	363	515	612	382	–
Male	1,154	23	–	5	15	11	25	100	223	309	290	153	–
Female	995	16	–	5	10	2	22	43	140	206	322	229	–
White	2,096	38	–	10	23	10	45	137	353	506	599	375	–
Male	1,126	23	–	5	14	9	24	97	216	303	285	150	–
Female	970	15	–	5	9	1	21	40	137	203	314	225	–
All other	53	1	–	–	2	3	2	6	10	9	13	7	–
Male	28	–	–	–	1	2	1	3	7	6	5	3	–
Female	25	1	–	–	1	1	1	3	3	3	8	4	–
Wichita, Kans.	3,094	95	22	20	108	71	96	253	473	690	748	518	–
Male	1,698	55	12	14	79	50	68	154	310	432	346	178	–
Female	1,396	40	10	6	29	21	28	99	163	258	402	340	–
White	2,884	79	20	16	97	57	84	224	436	655	713	503	–
Male	1,573	46	11	11	71	41	59	134	285	411	333	171	–
Female	1,311	33	9	5	26	16	25	90	151	244	380	332	–
All other	210	16	2	4	11	14	12	29	37	35	35	15	–
Male	125	9	1	3	8	9	9	20	25	21	13	7	–
Female	85	7	1	1	3	5	3	9	12	14	22	8	–
Wichita Falls, Tex.	1,086	36	10	9	25	23	42	88	153	238	304	158	–
Male	587	19	5	7	16	16	24	60	102	143	141	54	–
Female	499	17	5	2	9	7	18	28	51	95	163	104	–
White	954	28	9	7	21	19	33	72	132	203	279	151	–
Male	517	14	4	6	13	14	22	51	91	123	128	51	–
Female	437	14	5	1	8	5	11	21	41	80	151	100	–
All other	132	8	1	2	4	4	9	16	21	35	25	7	–
Male	70	5	1	1	3	2	2	9	11	20	13	3	–
Female	62	3	–	1	1	2	7	7	10	15	12	4	–
Wilkes Barre – Hazleton, Pa.	4,306	50	7	21	46	53	110	350	798	1,161	1,217	493	–
Male	2,394	30	6	10	37	38	72	239	527	678	593	164	–
Female	1,912	20	1	11	9	15	38	111	271	483	624	329	–
White	4,281	49	7	21	45	53	106	346	793	1,154	1,214	493	–
Male	2,382	30	6	10	36	38	70	237	526	675	590	164	–
Female	1,899	19	1	11	9	15	36	109	267	479	624	329	–
All other	25	1	–	–	1	–	4	4	5	7	3	–	–
Male	12	–	–	–	1	–	2	2	1	3	3	–	–
Female	13	1	–	–	–	–	2	2	4	4	–	–	–

Table 7–4. Deaths by Age, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Area, color, and sex	Total	Under 1 year	1–4 years	5–14 years	15–24 years	25–34 years	35–44 years	45–54 years	55–64 years	65–74 years	75–84 years	85 years and over	Not stated
Wilmington, Del.–N.J.–Md	4,056	96	10	32	90	89	128	393	729	958	984	545	2
Male	2,239	58	5	22	63	60	74	251	470	573	479	182	2
Female	1,817	38	5	10	27	29	54	142	259	385	505	363	–
White	3,474	74	9	24	75	69	98	334	598	803	892	497	1
Male	1,904	44	5	17	55	46	57	213	396	480	430	160	1
Female	1,570	30	4	7	20	23	41	121	202	323	462	337	–
All other	582	22	1	8	15	20	30	59	131	155	92	48	1
Male	335	14	–	5	8	14	17	38	74	93	49	22	1
Female	247	8	1	3	7	6	13	21	57	62	43	26	–
Wilmington, N.C	1,064	33	5	6	26	30	52	115	219	258	211	109	–
Male	632	21	2	4	21	20	35	72	154	156	109	38	–
Female	432	12	3	2	5	10	17	43	65	102	102	71	–
White	747	13	2	4	16	19	27	79	140	193	163	91	–
Male	443	10	–	2	12	12	17	51	105	122	82	30	–
Female	304	3	2	2	4	7	10	28	35	71	81	61	–
All other	317	20	3	2	10	11	25	36	79	65	48	18	–
Male	189	11	2	2	9	8	18	21	49	34	27	8	–
Female	128	9	1	–	1	3	7	15	30	31	21	10	–
Worcester, Mass	6,202	103	16	32	110	84	130	417	935	1,465	1,778	1,128	4
Male	3,273	59	13	24	86	60	78	270	621	856	800	405	1
Female	2,929	44	3	8	24	24	52	147	314	609	978	723	3
White	6,165	96	16	32	109	81	126	411	930	1,461	1,775	1,124	4
Male	3,248	55	13	24	86	58	76	265	620	852	797	401	1
Female	2,917	41	3	8	23	23	50	146	310	609	978	723	3
All other	37	7	–	–	1	3	4	6	5	4	3	4	–
Male	25	4	–	–	–	2	2	5	1	4	3	4	–
Female	12	3	–	–	1	1	2	1	4	–	–	–	–
York, Pa	3,009	67	16	20	71	40	76	202	450	817	803	447	–
Male	1,674	41	5	10	57	26	48	117	292	483	429	166	–
Female	1,335	26	11	10	14	14	28	85	158	334	374	281	–
White	2,919	59	14	20	69	36	65	194	435	796	790	441	–
Male	1,624	35	5	10	55	25	40	114	284	469	424	163	–
Female	1,295	24	9	10	14	11	25	80	151	327	366	278	–
All other	90	8	2	–	2	4	11	8	15	21	13	6	–
Male	50	6	–	–	2	1	8	3	8	14	5	3	–
Female	40	2	2	–	–	3	3	5	7	7	8	3	–
Youngstown–Warren, Ohio	5,066	113	15	31	95	103	125	448	914	1,178	1,298	745	1
Male	2,849	62	8	21	70	68	82	296	574	683	669	316	–
Female	2,217	51	7	10	25	35	43	152	340	495	629	429	1
White	4,535	80	11	28	80	74	100	386	811	1,063	1,192	709	1
Male	2,551	48	6	19	58	54	64	257	514	620	611	300	–
Female	1,984	32	5	9	22	20	36	129	297	443	581	409	1
All other	531	33	4	3	15	29	25	62	103	115	106	36	–
Male	298	14	2	2	12	14	18	39	60	63	58	16	–
Female	233	19	2	1	3	15	7	23	43	52	48	20	–
Standard Consolidated Areas													
New York, N.Y.—Northeastern New Jersey[1]	146,496	3,259	513	736	2,806	3,605	4,951	12,645	23,518	34,721	39,073	20,624	45
Male	78,069	1,789	284	460	2,034	2,522	3,145	7,778	14,476	19,848	18,130	7,576	27
Female	68,427	1,470	229	276	772	1,083	1,806	4,867	9,042	14,873	20,943	13,048	18
White	125,658	1,965	325	499	1,944	2,184	3,131	9,505	19,616	30,698	36,374	19,387	30
Male	66,257	1,120	184	316	1,425	1,513	1,992	5,845	12,174	17,684	16,829	7,155	20
Female	59,401	845	141	183	519	671	1,139	3,660	7,442	13,014	19,545	12,232	10
All other	20,838	1,294	188	237	862	1,421	1,820	3,140	3,902	4,023	2,699	1,237	15
Male	11,812	669	100	144	609	1,009	1,153	1,933	2,302	2,164	1,301	421	7
Female	9,026	625	88	93	253	412	667	1,207	1,600	1,859	1,398	816	8
Chicago, Ill.—Northwestern Indiana[2]	66,923	2,309	332	506	1,943	1,893	2,555	6,462	11,392	14,795	16,351	8,380	5
Male	37,123	1,292	181	324	1,436	1,365	1,613	4,179	7,267	8,643	7,703	3,117	3
Female	29,800	1,017	151	182	507	528	942	2,283	4,125	6,152	8,648	5,263	2
White	54,161	1,260	182	341	1,283	1,044	1,547	4,669	9,202	12,263	14,657	7,708	5
Male	29,630	702	107	211	951	744	959	3,018	5,975	7,218	6,874	2,868	3
Female	24,531	558	75	130	332	300	588	1,651	3,227	5,045	7,783	4,840	2
All other	12,762	1,049	150	165	660	849	1,008	1,793	2,190	2,532	1,694	672	–
Male	7,493	590	74	113	485	621	654	1,161	1,292	1,425	829	249	–
Female	5,269	459	76	52	175	228	354	632	898	1,107	865	423	–

[1] Comprised of four standard metropolitan statistical areas—New York, N.Y.; Newark, N.J.; Jersey City, N.J.; Paterson-Clifton-Passaic, N.J.—and two nonmetropolitan counties—Middlesex and Somerset Counties, N.J.
[2] Comprised of two standard metropolitan statistical areas—Chicago, Ill.; and Gary-Hammond-East Chicago, Ind.

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
01	**All causes**	1,892,879	50,525	3,272	2,253	1,822	1,713	59,585	6,185	7,294	21,267	26,278
02	Male	1,050,819	28,812	1,798	1,264	1,046	978	33,898	3,717	4,734	15,637	19,871
03	Female	842,060	21,713	1,474	989	776	735	25,687	2,468	2,560	5,630	6,407
04	White	1,660,366	36,173	2,416	1,701	1,381	1,314	42,985	4,864	5,855	17,636	20,446
05	Male	917,804	20,919	1,346	958	794	766	24,783	2,918	3,802	13,043	15,575
06	Female	742,562	15,254	1,070	743	587	548	18,202	1,946	2,053	4,593	4,871
07	All other	232,513	14,352	856	552	441	399	16,600	1,321	1,439	3,631	5,832
08	Male	133,015	7,893	452	306	252	212	9,115	799	932	2,594	4,296
09	Female	99,498	6,459	404	246	189	187	7,485	522	507	1,037	1,536
10	Bacillary dysentery and amebiasis – 004,006	62	6	1	3	–	1	11	4	3	1	2
11	Male	41	5	–	2	–	–	7	3	1	1	2
12	Female	21	1	1	1	–	1	4	1	2	–	–
13	White	47	4	1	2	–	–	7	3	3	–	2
14	Male	29	4	–	1	–	–	5	2	1	–	2
15	Female	18	–	1	1	–	–	2	1	2	–	–
16	All other	15	2	–	1	–	1	4	1	–	1	–
17	Male	12	1	–	1	–	–	2	1	–	1	–
18	Female	3	1	–	–	–	1	2	–	–	–	–
19	Enteritis and other diarrheal diseases – 008,009	2,010	713	59	20	7	5	804	15	8	12	10
20	Male	954	398	36	10	3	2	449	7	5	7	4
21	Female	1,056	315	23	10	4	3	355	8	3	5	6
22	White	1,528	396	40	16	4	3	459	14	6	9	9
23	Male	686	213	28	7	3	1	252	6	4	5	3
24	Female	842	183	12	9	1	2	207	8	2	4	6
25	All other	482	317	19	4	3	2	345	1	2	3	1
26	Male	268	185	8	3	–	1	197	1	1	2	1
27	Female	214	132	11	1	3	1	148	–	1	1	–
28	Tuberculosis, all forms – 010–019	3,333	6	8	2	3	2	21	4	3	12	16
29	Male	2,265	2	7	1	1	2	13	2	2	8	9
30	Female	1,068	4	1	1	2	–	8	2	1	4	7
31	White	2,322	3	5	2	2	2	14	1	3	6	7
32	Male	1,579	1	4	1	1	2	9	–	2	4	6
33	Female	743	2	1	1	1	–	5	1	1	2	1
34	All other	1,011	3	3	–	1	–	7	3	–	6	9
35	Male	686	1	3	–	–	–	4	2	–	4	3
36	Female	325	2	–	–	1	–	3	1	–	2	6
37	Tuberculosis of respiratory system – 010–012	2,576	2	4	–	1	–	7	1	2	6	7
38	Male	1,803	1	4	–	–	–	5	–	1	4	4
39	Female	773	1	–	–	1	–	2	1	1	2	3
40	White	1,795	–	3	–	1	–	4	1	2	5	4
41	Male	1,250	–	3	–	–	–	3	–	1	3	4
42	Female	545	–	–	–	1	–	1	1	1	2	–
43	All other	781	2	1	–	–	–	3	–	–	1	3
44	Male	553	1	1	–	–	–	2	–	–	1	–
45	Female	228	1	–	–	–	–	1	–	–	–	3
46	Tuberculosis, other forms – 013–019	757	4	4	2	2	2	14	3	1	6	9
47	Male	462	1	3	1	1	2	8	2	1	4	5
48	Female	295	3	1	1	1	–	6	1	–	2	4
49	White	527	3	2	2	1	2	10	–	1	1	3
50	Male	329	1	1	1	1	2	6	–	1	1	2
51	Female	198	2	1	1	–	–	4	–	–	–	1
52	All other	230	1	2	–	1	–	4	3	–	5	6
53	Male	133	–	2	–	–	–	2	2	–	3	3
54	Female	97	1	–	–	1	–	2	1	–	2	3
55	Whooping cough – 033	8	8	–	–	–	–	8	–	–	–	–
56	Male	2	2	–	–	–	–	2	–	–	–	–
57	Female	6	6	–	–	–	–	6	–	–	–	–
58	White	5	5	–	–	–	–	5	–	–	–	–
59	Male	1	1	–	–	–	–	1	–	–	–	–
60	Female	4	4	–	–	–	–	4	–	–	–	–
61	All other	3	3	–	–	–	–	3	–	–	–	–
62	Male	1	1	–	–	–	–	1	–	–	–	–
63	Female	2	2	–	–	–	–	2	–	–	–	–
64	Streptococcal sore throat and scarlet fever – 034	15	–	1	–	–	–	1	–	2	1	1
65	Male	7	–	1	–	–	–	1	–	2	1	–
66	Female	8	–	–	–	–	–	–	–	–	–	1
67	White	15	–	1	–	–	–	1	–	2	1	1
68	Male	7	–	1	–	–	–	1	–	2	1	–
69	Female	8	–	–	–	–	–	–	–	–	–	1
70	All other	–	–	–	–	–	–	–	–	–	–	–
71	Male	–	–	–	–	–	–	–	–	–	–	–
72	Female	–	–	–	–	–	–	–	–	–	–	–
73	Meningococcal infections – 036	308	74	33	31	10	8	156	21	18	19	11
74	Male	176	39	22	22	4	4	91	15	11	10	6
75	Female	132	35	11	9	6	4	65	6	7	9	5
76	White	243	62	29	26	10	6	133	15	11	15	9
77	Male	143	35	21	19	4	2	81	12	8	8	5
78	Female	100	27	8	7	6	4	52	3	3	7	4
79	All other	65	12	4	5	–	2	23	6	7	4	2
80	Male	33	4	1	3	–	2	10	3	3	2	1
81	Female	32	8	3	2	–	–	13	3	4	2	1

Age, Color, and Sex: United States, 1975

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100+ years	Not stated	
23,010	21,030	24,265	36,427	60,361	93,981	126,404	169,320	208,501	233,995	248,330	241,128	174,373	83,875	22,742	4,087	441	01
16,678	14,118	15,567	22,869	38,166	60,151	81,142	108,960	130,361	135,835	129,830	111,296	70,277	29,432	6,924	1,087	269	02
*6,332	6,912	8,698	13,558	22,195	33,830	45,262	60,360	78,140	98,160	118,500	129,832	104,096	54,443	15,818	3,000	172	03
17,153	15,395	17,832	27,776	48,315	78,048	107,709	146,490	182,951	207,568	226,383	225,147	164,453	78,789	20,996	3,260	315	04
12,438	10,244	11,448	17,522	30,876	50,315	69,872	95,476	115,627	121,589	118,439	103,412	65,775	27,436	6,237	788	189	05
4,715	5,151	6,384	10,254	17,439	27,733	37,837	51,014	67,324	85,979	107,944	121,735	98,678	51,353	14,759	2,472	126	06
5,857	5,635	6,433	8,651	12,046	15,933	18,695	22,830	25,550	26,427	21,947	15,981	9,920	5,086	1,746	827	126	07
4,240	3,874	4,119	5,347	7,290	9,836	11,270	13,484	14,734	14,246	11,391	7,884	4,502	1,996	687	299	80	08
1,617	1,761	2,314	3,304	4,756	6,097	7,425	9,346	10,816	12,181	10,556	8,097	5,418	3,090	1,059	528	46	09
–	–	–	3	3	8	5	4	2	4	9	1	2	–	–	–	–	10
–	–	–	3	2	5	4	2	1	2	6	1	1	–	–	–	–	11
–	–	–	–	1	3	1	2	1	2	3	–	1	–	–	–	–	12
–	–	–	2	2	7	2	4	2	4	7	–	2	–	–	–	–	13
–	–	–	2	1	4	2	2	1	2	4	–	1	–	–	–	–	14
–	–	–	–	1	3	–	2	1	2	3	–	1	–	–	–	–	15
–	–	–	1	1	1	3	–	–	–	2	1	–	–	–	–	–	16
–	–	–	1	1	1	2	–	–	–	2	1	–	–	–	–	–	17
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	18
22	21	12	19	35	50	39	74	95	153	162	201	146	95	26	10	1	19
11	11	6	11	12	32	22	41	40	67	72	76	45	26	7	3	–	20
11	10	6	8	23	18	17	33	55	86	90	125	101	69	19	7	1	21
17	19	10	13	30	45	30	60	79	135	148	193	134	83	26	9	–	22
9	9	6	7	11	28	18	30	31	59	67	72	41	19	7	2	–	23
8	10	4	6	19	17	12	30	48	76	81	121	93	64	19	7	–	24
5	2	2	6	5	5	9	14	16	18	14	8	12	12	–	1	1	25
2	2	–	4	1	4	4	11	9	8	5	4	4	7	–	1	–	26
3	–	2	2	4	1	5	3	7	10	9	4	8	5	–	–	1	27
40	59	80	131	187	251	327	394	431	399	387	314	203	51	21	1	1	28
16	42	52	93	129	187	225	271	309	271	263	212	128	23	9	1	–	29
24	17	28	38	58	64	102	123	122	128	124	102	75	28	12	–	1	30
18	22	27	61	91	151	210	286	309	304	312	269	168	45	17	–	1	31
5	13	19	44	62	113	145	203	214	205	217	185	103	22	8	–	–	32
13	9	8	17	29	38	65	83	95	99	95	84	65	23	9	–	1	33
22	37	53	70	96	100	117	108	122	95	75	45	35	6	4	1	–	34
11	29	33	49	67	74	80	68	95	66	46	27	25	1	1	1	–	35
11	8	20	21	29	26	37	40	27	29	29	18	10	5	3	–	–	36
22	44	68	98	148	208	253	308	334	316	304	232	156	42	19	1	–	37
12	34	44	74	100	165	183	218	241	219	207	160	103	20	8	1	–	38
10	10	24	24	48	43	70	90	93	97	97	72	53	22	11	–	–	39
12	12	22	43	71	127	157	221	241	239	245	202	131	39	17	–	–	40
5	8	15	31	49	102	116	160	167	164	169	143	82	20	8	–	–	41
7	4	7	12	22	25	41	61	74	75	76	59	49	19	9	–	–	42
10	32	46	55	77	81	96	87	93	77	59	30	25	3	2	1	–	43
7	26	29	43	51	63	67	58	74	55	38	17	21	–	–	1	–	44
3	6	17	12	26	18	29	29	19	22	21	13	4	3	2	–	–	45
18	15	12	33	39	43	74	86	97	83	83	82	47	9	2	–	1	46
4	8	8	19	29	22	42	53	68	52	56	52	25	3	1	–	–	47
14	7	4	14	10	21	32	33	29	31	27	30	22	6	1	–	1	48
6	10	5	18	20	24	53	65	68	65	67	67	37	6	–	–	1	49
–	5	4	13	13	11	29	43	47	41	48	42	21	2	–	–	–	50
6	5	1	5	7	13	24	22	21	24	19	25	16	4	–	–	1	51
12	5	7	15	19	19	21	21	29	18	16	15	10	3	2	–	–	52
4	3	4	6	16	11	13	10	21	11	8	10	4	1	1	–	–	53
8	2	3	9	3	8	8	11	8	7	8	5	6	2	1	–	–	54
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	55
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	57
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	58
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	59
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	63
1	–	–	–	3	1	–	1	1	1	–	2	–	–	–	–	–	64
–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	65
1	–	–	–	3	1	–	1	–	–	–	1	–	–	–	–	–	66
1	–	–	–	3	1	–	1	1	1	–	2	–	–	–	–	–	67
–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	68
1	–	–	–	3	1	–	1	–	–	–	1	–	–	–	–	–	69
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	71
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	72
9	5	2	14	4	6	13	8	4	7	6	3	2	–	–	–	–	73
5	4	–	6	2	2	11	2	2	4	2	1	2	–	–	–	–	74
4	1	2	8	2	4	2	6	2	3	4	2	–	–	–	–	–	75
7	3	2	8	3	4	8	6	3	7	5	3	1	–	–	–	–	76
3	2	–	4	2	1	7	1	2	4	1	1	1	–	–	–	–	77
4	1	2	4	1	3	1	5	1	3	4	2	–	–	–	–	–	78
2	2	–	6	1	2	5	2	1	–	1	–	1	–	–	–	–	79
2	2	–	2	–	1	4	1	–	–	1	–	1	–	–	–	–	80
–	–	–	4	1	1	1	1	1	–	–	–	–	–	–	–	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
01	Septicemia—038	5,584	972	23	11	6	4	1,016	32	13	29	48
02	Male	2,991	568	14	4	2	3	591	17	10	15	27
03	Female	2,593	404	9	7	4	1	425	15	3	14	21
04	White	4,343	662	14	8	4	3	691	21	12	23	38
05	Male	2,315	401	7	3	1	3	415	13	9	11	23
06	Female	2,028	261	7	5	3	–	276	8	3	12	15
07	All other	1,241	310	9	3	2	1	325	11	1	6	10
08	Male	676	167	7	1	1	–	176	4	1	4	4
09	Female	565	143	2	2	1	1	149	7	–	2	6
10	Acute poliomyelitis—040–043	9	–	–	–	–	–	–	–	–	–	–
11	Male	7	–	–	–	–	–	–	–	–	–	–
12	Female	2	–	–	–	–	–	–	–	–	–	–
13	White	9	–	–	–	–	–	–	–	–	–	–
14	Male	7	–	–	–	–	–	–	–	–	–	–
15	Female	2	–	–	–	–	–	–	–	–	–	–
16	All other	–	–	–	–	–	–	–	–	–	–	–
17	Male	–	–	–	–	–	–	–	–	–	–	–
18	Female	–	–	–	–	–	–	–	–	–	–	–
19	Measles—055	20	6	2	1	–	1	10	3	6	–	1
20	Male	7	5	–	–	–	–	5	–	2	–	–
21	Female	13	1	2	1	–	1	5	3	4	–	1
22	White	17	5	1	1	–	1	8	2	6	–	1
23	Male	6	4	–	–	–	–	4	–	2	–	–
24	Female	11	1	1	1	–	1	4	2	4	–	1
25	All other	3	1	1	–	–	–	2	1	–	–	–
26	Male	1	1	–	–	–	–	1	–	–	–	–
27	Female	2	–	1	–	–	–	1	1	–	–	–
28	Syphilis and its sequelae—090–097	272	4	1	–	–	–	5	1	–	1	1
29	Male	192	2	1	–	–	–	3	1	–	1	1
30	Female	80	2	–	–	–	–	2	–	–	–	–
31	White	161	1	1	–	–	–	2	1	–	1	1
32	Male	112	1	1	–	–	–	2	1	–	1	1
33	Female	49	–	–	–	–	–	–	–	–	–	–
34	All other	111	3	–	–	–	–	3	–	–	–	–
35	Male	80	1	–	–	–	–	1	–	–	–	–
36	Female	31	2	–	–	–	–	2	–	–	–	–
37	Other infective and parasitic diseases—Remainder of 000–136	4,309	280	49	26	34	25	414	86	85	119	122
38	Male	2,146	154	25	15	15	11	220	47	48	56	62
39	Female	2,163	126	24	11	19	14	194	39	37	63	60
40	White	3,400	190	40	19	24	21	294	71	62	93	88
41	Male	1,729	105	23	11	11	10	160	40	34	45	50
42	Female	1,671	85	17	8	13	11	134	31	28	48	38
43	All other	909	90	9	7	10	4	120	15	23	26	34
44	Male	417	49	2	4	4	1	60	7	14	11	12
45	Female	492	41	7	3	6	3	60	8	9	15	22
46	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140–209	365,693	129	131	167	197	216	840	929	878	1,259	1,442
47	Male	199,443	69	64	95	114	125	467	518	502	747	879
48	Female	166,250	60	67	72	83	91	373	411	376	512	563
49	White	325,519	112	113	141	168	181	715	796	746	1,087	1,267
50	Male	176,108	59	57	84	95	109	404	450	436	643	779
51	Female	149,411	53	56	57	73	72	311	346	310	444	488
52	All other	40,174	17	18	26	29	35	125	133	132	172	175
53	Male	23,335	10	7	11	19	16	63	68	66	104	100
54	Female	16,839	7	11	15	10	19	62	65	66	68	75
55	Malignant neoplasms of buccal cavity and pharynx—140–149	8,135	–	–	–	3	–	3	5	5	13	18
56	Male	5,689	–	–	–	1	–	1	4	4	8	12
57	Female	2,446	–	–	–	2	–	2	1	1	5	6
58	White	7,060	–	–	–	3	–	3	5	3	10	13
59	Male	4,875	–	–	–	1	–	1	4	2	6	9
60	Female	2,185	–	–	–	2	–	2	1	1	4	4
61	All other	1,075	–	–	–	–	–	–	–	2	3	5
62	Male	814	–	–	–	–	–	–	–	2	2	3
63	Female	261	–	–	–	–	–	–	–	–	1	2
64	Malignant neoplasms of digestive organs and peritoneum—150–159	99,629	11	6	3	6	2	28	8	17	55	95
65	Male	52,749	8	4	1	4	2	19	8	10	30	59
66	Female	46,880	3	2	2	2	–	9	–	7	25	36
67	White	88,045	10	6	2	5	2	25	6	12	40	77
68	Male	46,008	7	4	1	3	2	17	6	8	22	48
69	Female	42,037	3	2	1	2	–	8	–	4	18	29
70	All other	11,584	1	–	1	1	–	3	2	5	15	18
71	Male	6,741	1	–	–	1	–	2	2	2	8	11
72	Female	4,843	–	–	1	–	–	1	–	3	7	7
73	Malignant neoplasms of respiratory system—160–163	86,675	5	–	4	4	–	13	3	5	19	30
74	Male	67,067	4	–	3	2	–	9	3	2	15	20
75	Female	19,608	1	–	1	2	–	4	–	3	4	10
76	White	77,297	3	–	4	3	–	10	3	5	18	27
77	Male	59,518	2	–	3	2	–	7	3	2	14	18
78	Female	17,779	1	–	1	1	–	3	–	3	4	9
79	All other	9,378	2	–	–	1	–	3	–	–	1	3
80	Male	7,549	2	–	–	–	–	2	–	–	1	2
81	Female	1,829	–	–	–	1	–	1	–	–	–	1

Age, Color, and Sex: United States, 1975 — Con.

Revision International Classification of Diseases, Adopted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100+ years	Not stated	
46	60	71	83	145	249	292	416	508	590	694	622	449	164	47	8	2	01
20	38	34	48	77	152	176	233	267	322	379	308	178	82	14	2	1	02
26	22	37	35	68	97	116	183	241	268	315	314	271	82	33	6	1	03
35	34	42	49	101	175	218	325	385	466	587	560	391	143	41	4	2	04
15	21	18	28	56	106	129	183	201	249	315	275	162	73	11	1	1	05
20	13	24	21	45	69	89	142	184	217	272	285	229	70	30	3	1	06
11	26	29	34	44	74	74	91	123	124	107	62	58	21	6	4	–	07
5	17	16	20	21	46	47	50	66	73	64	33	16	9	3	1	–	08
6	9	13	14	23	28	27	41	57	51	43	29	42	12	3	3	–	09
–	–	3	3	–	–	2	1	–	–	–	–	–	–	–	–	–	10
–	–	3	2	–	–	2	–	–	–	–	–	–	–	–	–	–	11
–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	12
–	–	3	3	–	–	2	1	–	–	–	–	–	–	–	–	–	13
–	–	3	2	–	–	2	–	–	–	–	–	–	–	–	–	–	14
–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
1	–	2	5	2	14	19	40	46	52	43	22	15	2	1	–	–	28
1	–	1	3	1	10	13	30	40	32	32	14	9	–	–	–	–	29
–	–	1	2	1	4	6	10	6	20	11	8	6	2	1	–	–	30
1	–	2	4	1	7	8	19	26	31	31	15	8	2	1	–	–	31
1	–	1	2	1	4	5	16	23	17	24	9	4	–	–	–	–	32
–	–	1	2	–	3	3	3	3	14	7	6	4	2	1	–	–	33
–	–	–	1	1	7	11	21	20	21	12	7	7	–	–	–	–	34
–	–	–	1	–	6	8	14	17	15	8	5	5	–	–	–	–	35
–	–	–	–	1	1	3	7	3	6	4	2	2	–	–	–	–	36
110	155	133	168	193	271	342	370	409	349	361	304	181	102	28	6	1	37
55	80	62	76	92	145	178	214	207	179	179	137	68	28	13	–	–	38
55	75	71	92	101	126	164	156	202	170	182	167	113	74	15	6	1	39
81	103	82	113	127	200	268	294	340	295	318	281	163	94	26	6	1	40
45	56	44	58	61	108	147	180	173	149	153	126	61	27	12	–	–	41
36	47	38	55	66	92	121	114	167	146	165	155	102	67	14	6	1	42
29	52	51	55	66	71	74	76	69	54	43	23	18	8	2	–	–	43
10	24	18	18	31	37	31	34	34	30	26	11	7	1	1	–	–	44
19	28	33	37	35	34	43	42	35	24	17	12	11	7	1	–	–	45
1,913	2,670	4,113	7,949	16,096	27,100	37,156	48,019	54,279	53,325	46,141	35,126	18,977	6,150	1,176	140	15	46
1,035	1,251	1,760	3,507	7,639	13,876	20,107	27,759	32,349	31,075	25,548	18,233	8,988	2,686	448	61	8	47
878	1,419	2,353	4,442	8,457	13,224	17,049	20,260	21,930	22,250	20,593	16,893	9,989	3,464	728	79	7	48
1,673	2,291	3,403	6,590	13,505	23,202	32,271	42,258	48,253	47,933	42,134	32,695	17,804	5,721	1,070	95	10	49
922	1,101	1,462	2,871	6,334	11,652	17,221	24,212	28,571	27,798	23,201	16,810	8,352	2,458	392	34	5	50
751	1,190	1,941	3,719	7,171	11,550	15,050	18,046	19,682	20,135	18,933	15,885	9,452	3,263	678	61	5	51
240	379	710	1,359	2,591	3,898	4,885	5,761	6,026	5,392	4,007	2,431	1,173	429	106	45	5	52
113	150	298	636	1,305	2,224	2,886	3,547	3,778	3,277	2,347	1,423	636	228	56	27	3	53
127	229	412	723	1,286	1,674	1,999	2,214	2,248	2,115	1,660	1,008	537	201	50	18	2	54
20	30	60	160	488	822	1,122	1,345	1,317	1,020	691	552	316	119	23	6	–	55
10	16	41	113	353	588	793	969	979	745	456	345	180	56	12	4	–	56
10	14	19	47	135	234	329	376	338	275	235	207	136	63	11	2	–	57
15	24	31	105	349	636	940	1,198	1,176	951	640	520	299	115	23	4	–	58
9	14	19	70	256	449	642	856	861	692	421	324	172	54	12	2	–	59
6	10	12	35	93	187	298	342	315	259	219	196	127	61	11	2	–	60
5	6	29	55	139	186	182	147	141	69	51	32	17	4	–	2	–	61
1	2	22	43	97	139	151	113	118	53	35	21	8	2	–	2	–	62
4	4	7	12	42	47	31	34	23	16	16	11	9	2	–	–	–	63
219	333	665	1,368	2,959	5,832	8,699	12,112	14,903	15,800	14,996	12,069	6,814	2,219	391	43	4	64
131	187	382	755	1,717	3,428	5,038	7,064	8,671	8,515	7,453	5,500	2,797	841	123	18	3	65
88	146	283	613	1,242	2,404	3,661	5,048	6,232	7,285	7,543	6,569	4,017	1,378	268	25	1	66
166	267	524	1,079	2,370	4,814	7,356	10,416	13,068	14,094	13,601	11,245	6,418	2,069	366	30	2	67
96	150	306	583	1,367	2,785	4,222	5,998	7,567	7,526	6,731	5,068	2,608	772	115	11	2	68
70	117	218	496	1,003	2,029	3,134	4,418	5,501	6,568	6,870	6,177	3,810	1,297	251	19	–	69
53	66	141	269	589	1,018	1,343	1,696	1,835	1,706	1,395	824	396	150	25	13	2	70
35	37	76	172	350	643	816	1,066	1,104	989	722	432	189	69	8	7	1	71
18	29	65	117	239	375	527	630	731	717	673	392	207	81	17	6	1	72
78	206	639	1,868	4,469	7,957	11,294	14,790	15,444	13,044	8,895	5,234	2,029	537	100	15	6	73
53	143	414	1,246	3,124	5,856	8,450	11,557	12,486	10,696	7,194	4,019	1,374	336	58	9	3	74
25	63	225	622	1,345	2,101	2,844	3,233	2,958	2,348	1,701	1,215	655	201	42	6	3	75
64	177	515	1,510	3,710	6,805	9,852	13,138	13,912	11,915	8,243	4,908	1,896	490	85	9	5	76
45	123	325	984	2,562	4,934	7,272	10,177	11,197	9,780	6,664	3,772	1,282	304	47	4	2	77
19	54	190	526	1,148	1,871	2,580	2,961	2,715	2,135	1,579	1,136	614	186	38	5	3	78
14	29	124	358	759	1,152	1,442	1,652	1,532	1,129	652	326	133	47	15	6	1	79
8	20	89	262	562	922	1,178	1,380	1,289	916	530	247	92	32	11	5	1	80
6	9	35	96	197	230	264	272	243	213	122	79	41	15	4	1	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.											
01	Malignant neoplasm of breast—174	32,435	2	–	–	–	–	2	–	1	3	21
02	Male	277	–	–	–	–	–	–	–	–	–	–
03	Female	32,158	2	–	–	–	–	2	–	1	3	21
04	White	29,561	2	–	–	–	–	2	–	1	3	14
05	Male	248	–	–	–	–	–	–	–	–	–	–
06	Female	29,313	2	–	–	–	–	2	–	1	3	14
07	All other	2,874	–	–	–	–	–	–	–	–	–	7
08	Male	29	–	–	–	–	–	–	–	–	–	–
09	Female	2,845	–	–	–	–	–	–	–	–	–	7
10	Malignant neoplasms of genital organs—180–187	42,994	–	1	–	2	4	7	6	14	88	195
11	Male	20,417	–	1	–	1	4	6	2	1	54	123
12	Female	22,577	–	–	–	1	–	1	4	13	34	72
13	White	36,923	–	1	–	2	4	7	4	11	85	176
14	Male	17,249	–	1	–	1	4	6	–	1	52	121
15	Female	19,674	–	–	–	1	–	1	4	10	33	55
16	All other	6,071	–	–	–	–	–	–	2	3	3	19
17	Male	3,168	–	–	–	–	–	–	2	–	2	2
18	Female	2,903	–	–	–	–	–	–	–	3	1	17
19	Malignant neoplasms of urinary organs—188,189	16,533	12	4	9	14	11	50	34	9	10	31
20	Male	11,014	6	2	5	5	5	23	16	5	5	14
21	Female	5,519	6	2	4	9	6	27	18	4	5	17
22	White	15,208	10	4	6	12	10	42	30	7	4	26
23	Male	10,219	5	2	4	5	5	21	15	3	1	13
24	Female	4,989	5	2	2	7	5	21	15	4	3	13
25	All other	1,325	2	–	3	2	1	8	4	2	6	5
26	Male	795	1	–	1	–	–	2	1	2	4	1
27	Female	530	1	–	2	2	1	6	3	–	2	4
28	Malignant neoplasms of all other and unspecified sites—170–173,190–199	44,585	52	66	74	82	81	355	321	377	481	445
29	Male	23,087	30	29	39	47	52	197	161	202	268	270
30	Female	21,498	22	37	35	35	29	158	160	175	213	175
31	White	39,805	45	55	60	70	68	298	261	318	407	384
32	Male	20,570	25	25	33	38	45	166	132	177	224	233
33	Female	19,235	20	30	27	32	23	132	129	141	183	151
34	All other	4,780	7	11	14	12	13	57	60	59	74	61
35	Male	2,517	5	4	6	9	7	31	29	25	44	37
36	Female	2,263	2	7	8	3	6	26	31	34	30	24
37	Leukemia—204–207	14,754	41	51	73	71	106	342	464	347	362	326
38	Male	8,382	18	27	44	44	52	185	257	206	216	198
39	Female	6,372	23	24	29	27	54	157	207	141	146	128
40	White	13,527	37	45	66	60	91	299	416	300	317	297
41	Male	7,691	17	24	41	36	47	165	234	179	192	177
42	Female	5,836	20	21	25	24	44	134	182	121	125	120
43	All other	1,227	4	6	7	11	15	43	48	47	45	29
44	Male	691	1	3	3	8	5	20	23	27	24	21
45	Female	536	3	3	4	3	10	23	25	20	21	8
46	Other neoplasms of lymphatic and hematopoietic tissues—200–203,208,209	19,953	6	3	4	15	12	40	88	103	228	281
47	Male	10,761	3	1	3	10	10	27	67	72	151	183
48	Female	9,192	3	2	1	5	2	13	21	31	77	98
49	White	18,093	5	2	3	13	6	29	71	89	203	253
50	Male	9,730	3	1	2	9	6	21	56	64	132	160
51	Female	8,363	2	1	1	4	–	8	15	25	71	93
52	All other	1,860	1	1	1	2	6	11	17	14	25	28
53	Male	1,031	–	–	1	1	4	6	11	8	19	23
54	Female	829	1	1	–	1	2	5	6	6	6	5
55	Benign neoplasms and neoplasms of unspecified nature—210–239	4,947	55	10	13	5	13	96	67	63	78	57
56	Male	2,444	33	8	7	4	9	61	39	34	43	33
57	Female	2,503	22	2	6	1	4	35	28	29	35	24
58	White	4,347	48	6	11	5	12	82	50	48	62	48
59	Male	2,173	31	6	5	4	8	54	31	25	36	29
60	Female	2,174	17	–	6	1	4	28	19	23	26	19
61	All other	600	7	4	2	–	1	14	17	15	16	9
62	Male	271	2	2	2	–	1	7	8	9	7	4
63	Female	329	5	2	–	–	–	7	9	6	9	5
64	Diabetes mellitis—250	35,230	7	2	1	–	6	16	16	30	43	135
65	Male	14,414	5	1	–	–	3	9	3	13	17	73
66	Female	20,816	2	1	1	–	3	7	13	17	26	62
67	White	29,476	7	1	1	–	3	12	14	26	33	105
68	Male	12,321	5	–	–	–	1	6	3	13	13	55
69	Female	17,155	2	1	1	–	2	6	11	13	20	50
70	All other	5,754	–	1	–	–	3	4	2	4	10	30
71	Male	2,093	–	1	–	–	2	3	–	–	4	18
72	Female	3,661	–	–	–	–	1	1	2	4	6	12
73	Avitaminoses and other nutritional deficiencies—260–269	2,615	106	8	3	1	3	121	9	5	10	13
74	Male	1,147	59	3	1	1	2	66	6	3	6	6
75	Female	1,468	47	5	2	–	1	55	3	2	4	7
76	White	2,174	50	6	1	1	1	59	4	1	10	9
77	Male	932	29	2	–	1	1	33	3	1	6	4
78	Female	1,242	21	4	1	–	–	26	1	–	4	5
79	All other	441	56	2	2	–	2	62	5	4	–	4
80	Male	215	30	1	1	–	1	33	3	2	–	2
81	Female	226	26	1	1	–	1	29	2	2	–	2

Age, Color, and Sex: United States, 1975 – Con.

Revision International Classification of Diseases, Adopted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100+ years	Not stated	
135	383	744	1,428	2,579	3,631	4,100	4,230	4,045	3,646	3,133	2,306	1,409	519	107	13	–	01
2	–	4	8	11	15	34	39	38	43	38	19	15	7	4	–	–	02
133	383	740	1,420	2,568	3,616	4,066	4,191	4,007	3,603	3,095	2,287	1,394	512	103	13	–	03
116	332	614	1,226	2,263	3,264	3,701	3,848	3,721	3,371	2,943	2,194	1,348	490	99	11	–	04
2	–	4	7	7	13	30	33	32	42	36	17	14	7	4	–	–	05
114	332	610	1,219	2,256	3,251	3,671	3,815	3,689	3,329	2,907	2,177	1,334	483	95	11	–	06
19	51	130	202	316	367	399	382	324	275	190	112	61	29	8	2	–	07
–	–	–	1	4	2	4	6	6	1	2	2	1	–	–	–	–	08
19	51	130	201	312	365	395	376	318	274	188	110	60	29	8	2	–	09
287	334	482	850	1,591	2,456	3,257	4,447	5,792	6,640	6,428	5,709	3,177	1,022	186	23	3	10
136	99	71	64	108	268	683	1,496	2,640	3,717	4,033	3,881	2,196	701	120	17	1	11
151	235	411	786	1,483	2,188	2,574	2,951	3,152	2,923	2,395	1,828	981	321	66	6	2	12
247	269	390	678	1,322	2,060	2,774	3,714	4,864	5,631	5,599	5,134	2,879	917	150	11	1	13
134	94	67	55	93	198	539	1,179	2,116	3,031	3,431	3,446	1,970	614	94	8	–	14
113	175	323	623	1,229	1,862	2,235	2,535	2,748	2,600	2,168	1,688	909	303	56	3	1	15
40	65	92	172	269	396	483	733	928	1,009	829	575	298	105	36	12	2	16
2	5	4	9	15	70	144	317	524	686	602	435	226	87	26	9	1	17
38	60	88	163	254	326	339	416	404	323	227	140	72	18	10	3	1	18
22	44	77	219	476	859	1,344	1,914	2,392	2,752	2,509	2,080	1,188	410	105	8	–	19
6	29	46	148	315	613	950	1,371	1,690	1,900	1,650	1,260	703	216	50	4	–	20
16	15	31	71	161	246	394	543	702	852	859	820	485	194	55	4	–	21
15	27	69	189	423	783	1,195	1,737	2,181	2,542	2,338	1,977	1,127	391	101	4	–	22
4	17	42	131	286	563	855	1,257	1,557	1,771	1,552	1,202	672	208	46	3	–	23
11	10	27	58	137	220	340	480	624	771	786	775	455	183	55	1	–	24
7	17	8	30	53	76	149	177	211	210	171	103	61	19	4	4	–	25
2	12	4	17	29	50	95	114	133	129	98	58	31	8	4	1	–	26
5	5	4	13	24	26	54	63	78	81	73	45	30	11	–	3	–	27
536	675	848	1,205	2,208	3,473	4,400	5,515	6,018	5,777	4,983	3,751	2,256	766	171	22	2	28
327	372	468	660	1,231	1,948	2,444	3,092	3,345	2,956	2,388	1,568	864	275	45	5	1	29
209	303	380	545	977	1,525	1,956	2,423	2,673	2,821	2,595	2,183	1,392	491	126	17	1	30
493	600	742	1,053	1,906	3,020	3,844	4,888	5,360	5,163	4,557	3,483	2,128	721	160	17	2	31
296	339	413	589	1,069	1,680	2,141	2,734	2,981	2,658	2,180	1,438	815	260	41	3	1	32
197	261	329	464	837	1,340	1,703	2,154	2,379	2,505	2,377	2,045	1,313	461	119	14	1	33
43	75	106	152	302	453	556	627	658	614	426	268	128	45	11	5	–	34
31	33	55	71	162	268	303	358	364	298	208	130	49	15	4	2	–	35
12	42	51	81	140	185	253	269	294	316	218	138	79	30	7	3	–	36
288	292	263	364	516	703	1,035	1,255	1,526	1,837	1,912	1,610	930	317	59	6	–	37
167	165	135	214	286	388	615	776	945	1,062	1,065	843	487	148	21	3	–	38
121	127	128	150	230	315	420	479	581	775	847	767	443	169	38	3	–	39
256	249	221	326	463	624	922	1,151	1,389	1,709	1,800	1,533	896	297	57	5	–	40
149	138	112	190	259	345	554	710	860	991	1,004	804	468	137	21	2	–	41
107	111	109	136	204	279	368	441	529	718	796	729	428	160	36	3	–	42
32	43	42	38	53	79	113	104	137	128	112	77	34	20	2	1	–	43
18	27	23	24	27	43	61	66	85	71	61	39	19	11	–	1	–	44
14	16	19	14	26	36	52	38	52	57	51	38	15	9	2	–	–	45
328	373	335	487	810	1,367	1,905	2,411	2,842	2,809	2,594	1,815	858	241	34	4	–	46
203	240	199	299	494	772	1,100	1,395	1,555	1,441	1,271	798	372	106	15	1	–	47
125	133	136	188	316	595	805	1,016	1,287	1,368	1,323	1,017	486	135	19	3	–	48
301	346	297	424	699	1,196	1,687	2,168	2,582	2,557	2,413	1,701	813	231	29	4	–	49
187	226	174	262	435	685	966	1,268	1,400	1,307	1,182	739	351	102	12	1	–	50
114	120	123	162	264	511	721	900	1,182	1,250	1,231	962	462	129	17	3	–	51
27	27	38	63	111	171	218	243	260	252	181	114	45	10	5	–	–	52
16	14	25	37	59	87	134	127	155	134	89	59	21	4	3	–	–	53
11	13	13	26	52	84	84	116	105	118	92	55	24	6	2	–	–	54
77	96	127	151	258	350	471	550	608	572	527	396	263	122	17	1	–	55
51	39	57	66	121	164	267	299	310	278	246	183	100	46	6	1	–	56
26	57	70	85	137	186	204	251	298	294	281	213	163	76	11	–	–	57
63	81	107	127	209	305	407	484	532	519	482	369	240	116	15	1	–	58
43	35	52	57	100	145	234	263	276	257	228	165	92	45	5	1	–	59
20	46	55	70	109	160	173	221	256	262	254	204	148	71	10	–	–	60
14	15	20	24	49	45	64	66	76	53	45	27	23	6	2	–	–	61
8	4	5	9	21	19	33	36	34	21	18	18	8	1	1	–	–	62
6	11	15	15	28	26	31	30	42	32	27	9	15	5	1	–	–	63
215	295	422	523	869	1,579	2,322	3,468	4,740	5,692	5,828	4,818	2,950	1,047	201	17	4	64
114	169	236	276	465	822	1,138	1,647	2,102	2,256	2,131	1,617	946	321	53	3	3	65
101	126	186	247	404	757	1,184	1,821	2,638	3,436	3,697	3,201	2,004	726	148	14	1	66
178	232	321	352	617	1,147	1,782	2,701	3,841	4,738	5,108	4,367	2,740	966	181	12	3	67
96	135	181	189	349	631	930	1,363	1,788	1,964	1,903	1,483	870	298	47	2	2	68
82	97	140	163	268	516	852	1,338	2,053	2,774	3,205	2,884	1,870	668	134	10	1	69
37	63	101	171	252	432	540	767	899	954	720	451	210	81	20	5	1	70
18	34	55	87	116	191	208	284	314	292	228	134	76	23	6	1	1	71
19	29	46	84	136	241	332	483	585	662	492	317	134	58	14	4	–	72
17	25	19	23	41	63	68	119	172	243	336	428	463	311	95	32	2	73
9	18	9	16	18	28	44	61	95	132	136	177	157	112	38	8	2	74
8	7	10	7	23	35	24	58	77	111	200	251	306	199	57	24	–	75
11	21	16	13	37	52	59	89	135	193	276	381	426	271	83	26	2	76
6	15	8	9	15	23	37	45	70	105	110	160	141	100	33	6	2	77
5	6	8	4	22	29	22	44	65	88	166	221	285	171	50	20	–	78
6	4	3	10	4	11	9	30	37	50	60	47	37	40	12	6	–	79
3	3	1	7	3	5	7	16	25	27	26	17	16	12	5	2	–	80
3	1	2	3	1	6	2	14	12	23	34	30	21	28	7	4	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
01	Anemias – 280–285	3,195	46	26	20	11	10	113	49	61	74	72
02	Male	1,488	23	15	10	6	4	58	26	40	36	44
03	Female	1,707	23	11	10	5	6	55	23	21	38	28
04	White	2,536	27	6	5	2	6	46	27	28	35	34
05	Male	1,159	12	3	3	1	2	21	10	18	19	21
06	Female	1,377	15	3	2	1	4	25	17	10	16	13
07	All other	659	19	20	15	9	4	67	22	33	39	38
08	Male	329	11	12	7	5	2	37	16	22	17	23
09	Female	330	8	8	8	4	2	30	6	11	22	15
10	Meningitis – 320	1,630	584	96	50	39	31	800	48	30	32	24
11	Male	906	332	54	28	27	15	456	28	8	23	17
12	Female	724	252	42	22	12	16	344	20	22	9	7
13	White	1,153	367	72	46	31	28	544	39	20	21	16
14	Male	635	216	40	26	21	14	317	23	4	13	11
15	Female	518	151	32	20	10	14	227	16	16	8	5
16	All other	477	217	24	4	8	3	256	9	10	11	8
17	Male	271	116	14	2	6	1	139	5	4	10	6
18	Female	206	101	10	2	2	2	117	4	6	1	2
19	Major cardiovascular diseases – 390–448	971,047	814	146	87	53	52	1,152	232	344	716	1,025
20	Male	514,095	446	80	49	32	30	637	119	194	437	594
21	Female	456,952	368	66	38	21	22	515	113	150	279	431
22	White	873,874	587	104	59	39	45	834	179	259	527	734
23	Male	463,405	326	55	32	26	25	464	95	149	325	433
24	Female	410,469	261	49	27	13	20	370	84	110	202	301
25	All other	97,173	227	42	28	14	7	318	53	85	189	291
26	Male	50,690	120	25	17	6	5	173	24	45	112	161
27	Female	46,483	107	17	11	8	2	145	29	40	77	130
28	Diseases of heart – 390–398,402,404,410–429	716,215	626	108	52	30	38	854	134	205	426	619
29	Male	399,501	346	54	32	21	21	474	72	118	265	366
30	Female	316,714	280	54	20	9	17	380	62	87	161	253
31	White	648,037	453	77	32	21	31	614	103	148	305	426
32	Male	362,616	253	36	20	17	16	342	57	86	196	255
33	Female	285,421	200	41	12	4	15	272	46	62	109	171
34	All other	68,178	173	31	20	9	7	240	31	57	121	193
35	Male	36,885	93	18	12	4	5	132	15	32	69	111
36	Female	31,293	80	13	8	5	2	108	16	25	52	82
37	Active rheumatic fever and chronic rheumatic heart disease – 390–398	12,930	2	–	2	1	2	7	15	36	58	96
38	Male	5,763	2	–	2	1	–	5	9	23	37	44
39	Female	7,167	–	–	–	–	2	2	6	13	21	52
40	White	11,743	2	–	2	1	1	6	11	21	32	53
41	Male	5,168	2	–	2	1	–	5	7	13	23	23
42	Female	6,575	–	–	–	–	1	1	4	8	9	30
43	All other	1,187	–	–	–	–	1	1	4	15	26	43
44	Male	595	–	–	–	–	–	–	2	10	14	21
45	Female	592	–	–	–	–	1	1	2	5	12	22
46	Hypertensive heart disease – 402	6,693	3	–	–	–	–	3	1	1	–	6
47	Male	2,692	1	–	–	–	–	1	1	–	–	4
48	Female	4,001	2	–	–	–	–	2	–	1	–	2
49	White	5,185	3	–	–	–	–	3	–	1	–	3
50	Male	2,002	1	–	–	–	–	1	–	–	–	2
51	Female	3,183	2	–	–	–	–	2	–	1	–	1
52	All other	1,508	–	–	–	–	–	–	1	–	–	3
53	Male	690	–	–	–	–	–	–	1	–	–	2
54	Female	818	–	–	–	–	–	–	–	–	–	1
55	Hypertensive heart and renal disease – 404	4,334	–	–	–	–	–	–	3	1	1	1
56	Male	1,888	–	–	–	–	–	–	2	–	1	–
57	Female	2,446	–	–	–	–	–	–	1	1	–	1
58	White	3,660	–	–	–	–	–	–	3	1	–	–
59	Male	1,576	–	–	–	–	–	–	2	–	–	–
60	Female	2,084	–	–	–	–	–	–	1	1	–	–
61	All other	674	–	–	–	–	–	–	–	–	1	1
62	Male	312	–	–	–	–	–	–	–	–	1	–
63	Female	362	–	–	–	–	–	–	–	–	–	1
64	Ischemic heart disease – 410–413	642,719	11	3	2	2	1	19	4	10	46	124
65	Male	361,755	7	2	2	2	1	14	3	9	31	92
66	Female	280,964	4	1	–	–	–	5	1	1	15	32
67	White	586,207	9	2	1	2	1	15	3	5	30	95
68	Male	331,155	7	1	1	2	1	12	2	5	22	69
69	Female	255,052	2	1	–	–	–	3	1	–	8	26
70	All other	56,512	2	1	1	–	–	4	1	5	16	29
71	Male	30,600	–	1	1	–	–	2	1	4	9	23
72	Female	25,912	2	–	–	–	–	2	–	1	7	6
73	Acute myocardial infarction – 410	324,652	9	2	2	1	–	14	–	7	32	80
74	Male	202,158	6	2	2	1	–	11	–	6	23	59
75	Female	122,494	3	–	–	–	–	3	–	1	9	21
76	White	300,920	7	1	1	1	–	10	–	4	20	64
77	Male	188,591	6	1	1	1	–	9	–	4	17	45
78	Female	112,329	1	–	–	–	–	1	–	–	3	19
79	All other	23,732	2	1	1	–	–	4	–	3	12	16
80	Male	13,567	–	1	1	–	–	2	–	2	6	14
81	Female	10,165	2	–	–	–	–	2	–	1	6	2

Age, Color, and Sex: United States, 1975—Con.

Revision International Classification of Diseases, Adopted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100+ years	Not stated	
79	65	45	58	66	98	127	202	281	356	419	421	378	169	53	8	1	01
39	27	20	25	36	39	56	115	174	177	192	163	144	63	12	2	–	02
40	38	25	33	30	59	71	87	107	179	227	258	234	106	41	6	1	03
37	33	12	32	42	68	96	167	230	308	369	398	363	158	48	5	–	04
15	11	5	10	26	27	42	93	148	154	171	159	138	59	11	1	–	05
22	22	7	22	16	41	54	74	82	154	198	239	225	99	37	4	–	06
42	32	33	26	24	30	31	35	51	48	50	23	15	11	5	3	1	07
24	16	15	15	10	12	14	22	26	23	21	4	6	4	1	1	–	08
18	16	18	11	14	18	17	13	25	25	29	19	9	7	4	2	1	09
28	23	36	33	46	64	74	77	81	62	81	47	34	8	2	–	–	10
16	17	23	21	31	36	37	46	46	33	31	18	16	3	–	–	–	11
12	6	13	12	15	28	37	31	35	29	50	29	18	5	2	–	–	12
17	17	25	19	32	44	52	53	60	47	68	41	28	8	2	–	–	13
10	13	15	13	21	23	25	32	32	27	25	16	12	3	–	–	–	14
7	4	10	6	11	21	27	21	28	20	43	25	16	5	2	–	–	15
11	6	11	14	14	20	22	24	21	15	13	6	6	–	–	–	–	16
6	4	8	8	10	13	12	14	14	6	6	2	4	–	–	–	–	17
5	2	3	6	4	7	10	10	7	9	7	4	2	–	–	–	–	18
1,502	2,525	4,981	10,568	20,908	37,509	55,287	80,054	107,315	130,834	151,386	159,221	122,711	62,266	17,286	3,075	150	19
912	1,593	3,368	7,558	15,386	27,275	39,327	54,829	68,538	75,001	75,894	69,379	46,550	20,655	4,996	777	76	20
590	932	1,613	3,010	5,522	10,234	15,960	25,225	38,777	55,833	75,492	89,842	76,161	41,611	12,290	2,298	74	21
1,073	1,762	3,569	8,183	16,909	31,366	47,345	69,314	94,211	116,063	138,573	149,254	116,267	58,781	16,052	2,509	110	22
651	1,120	2,529	6,090	12,964	23,520	34,673	48,706	61,347	67,514	69,632	64,813	43,835	19,376	4,540	578	51	23
422	642	1,040	2,093	3,945	7,846	12,672	20,608	32,864	48,549	68,941	84,441	72,432	39,405	11,512	1,931	59	24
429	763	1,412	2,385	3,999	6,143	7,942	10,740	13,104	14,771	12,813	9,967	6,444	3,485	1,234	566	40	25
261	473	839	1,468	2,422	3,755	4,654	6,123	7,191	7,487	6,262	4,566	2,715	1,279	456	199	25	26
168	290	573	917	1,577	2,388	3,288	4,617	5,913	7,284	6,551	5,401	3,729	2,206	778	367	15	27
937	1,722	3,769	8,494	17,352	31,372	46,038	65,622	84,985	98,682	108,700	109,504	82,167	41,169	11,375	1,972	117	28
634	1,207	2,785	6,507	13,527	23,982	34,029	46,335	55,765	58,009	56,011	49,262	32,186	14,020	3,391	491	65	29
303	515	984	1,987	3,825	7,390	12,009	19,287	29,220	40,673	52,689	60,242	49,981	27,149	7,984	1,481	52	30
664	1,215	2,778	6,758	14,409	26,765	40,095	57,682	75,562	88,495	100,037	102,960	77,929	38,837	10,551	1,619	85	31
448	868	2,156	5,379	11,642	21,026	30,455	41,705	50,485	52,695	51,661	46,175	30,325	13,147	3,089	380	44	32
216	347	622	1,379	2,767	5,739	9,640	15,977	25,077	35,800	48,376	56,785	47,604	25,690	7,462	1,239	41	33
273	507	991	1,736	2,943	4,607	5,943	7,940	9,423	10,187	8,663	6,544	4,238	2,332	824	353	32	34
186	339	629	1,128	1,885	2,956	3,574	4,630	5,280	5,314	4,350	3,087	1,861	873	302	111	21	35
87	168	362	608	1,058	1,651	2,369	3,310	4,143	4,873	4,313	3,457	2,377	1,459	522	242	11	36
135	166	284	432	596	987	1,379	1,731	1,977	1,830	1,447	1,001	509	200	40	4	–	37
72	75	144	205	322	512	690	825	854	774	571	378	156	54	12	1	–	38
63	91	140	227	274	475	689	906	1,123	1,056	876	623	353	146	28	3	–	39
91	125	194	354	501	894	1,263	1,601	1,843	1,720	1,356	958	490	191	36	3	–	40
44	56	105	166	271	462	639	753	788	719	528	354	149	52	11	–	–	41
47	69	89	188	230	432	624	848	1,055	1,001	828	604	341	139	25	3	–	42
44	41	90	78	95	93	116	130	134	110	91	43	19	9	4	1	–	43
28	19	39	39	51	50	51	72	66	55	43	24	7	2	1	1	–	44
16	22	51	39	44	43	65	58	68	55	48	19	12	7	3	–	–	45
19	33	57	89	196	284	421	611	804	935	965	1,038	780	349	85	14	2	46
16	21	38	45	107	157	244	321	406	399	343	301	197	74	12	4	1	47
3	12	19	44	89	127	177	290	398	536	622	737	583	275	73	10	1	48
10	10	24	40	103	182	280	421	575	725	793	926	696	304	80	9	–	49
8	8	17	18	66	112	170	226	287	311	268	262	171	61	12	2	–	50
2	2	7	22	37	70	110	195	288	414	525	664	525	243	68	7	–	51
9	23	33	49	93	102	141	190	229	210	172	112	84	45	5	5	2	52
8	13	21	27	41	45	74	95	119	88	75	39	26	13	–	2	1	53
1	10	12	22	52	57	67	95	110	122	97	73	58	32	5	3	1	54
2	4	19	27	41	78	143	216	300	526	711	870	783	435	145	27	1	55
1	4	9	18	26	45	76	118	161	266	310	372	291	138	44	5	1	56
1	–	10	9	15	33	67	98	139	260	401	498	492	297	101	22	–	57
1	2	8	11	18	43	85	131	222	418	607	801	737	415	133	23	1	58
–	2	4	6	13	27	50	83	125	213	259	345	271	131	40	4	1	59
1	–	4	5	5	16	35	48	97	205	348	456	466	284	93	19	–	60
1	2	11	16	23	35	58	85	78	108	104	69	46	20	12	4	–	61
1	2	5	12	13	18	26	35	36	53	51	27	20	7	4	1	–	62
–	–	6	4	10	17	32	50	42	55	53	42	26	13	8	3	–	63
338	1,035	2,757	6,963	14,879	27,380	40,612	58,560	76,482	89,397	99,313	100,063	75,182	37,427	10,286	1,737	105	64
270	811	2,178	5,631	11,997	21,558	30,688	42,101	50,874	53,091	51,432	45,149	29,510	12,767	3,073	419	57	65
68	224	579	1,332	2,882	5,822	9,924	16,459	25,608	36,306	47,881	54,914	45,672	24,660	7,213	1,318	48	66
250	782	2,146	5,705	12,538	23,642	35,731	51,906	68,538	80,670	91,823	94,366	71,465	35,413	9,572	1,436	76	67
207	641	1,779	4,775	10,463	19,105	27,703	38,195	46,409	48,521	47,689	42,468	27,889	12,021	2,808	334	38	68
43	141	367	930	2,075	4,537	8,028	13,711	22,129	32,149	44,134	51,898	43,576	23,392	6,764	1,102	38	69
88	253	611	1,258	2,341	3,738	4,881	6,654	7,944	8,727	7,490	5,697	3,717	2,014	714	301	29	70
63	170	399	856	1,534	2,453	2,985	3,906	4,465	4,570	3,743	2,681	1,621	746	265	85	19	71
25	83	212	402	807	1,285	1,896	2,748	3,479	4,157	3,747	3,016	2,096	1,268	449	216	10	72
207	683	1,840	4,723	10,146	18,295	26,826	37,359	46,470	49,471	48,525	41,366	25,318	10,390	2,479	384	37	73
165	542	1,487	3,914	8,374	14,690	20,778	27,499	31,803	30,516	26,526	19,984	10,836	3,953	864	107	21	74
42	141	353	809	1,772	3,605	6,048	9,860	14,667	18,955	21,999	21,382	14,482	6,437	1,615	277	16	75
159	556	1,506	4,075	8,988	16,491	24,471	34,191	42,899	45,889	45,685	39,397	24,116	9,781	2,291	298	29	76
129	452	1,263	3,459	7,594	13,483	19,289	25,615	29,726	28,523	25,080	19,024	10,280	3,718	790	76	15	77
30	104	243	616	1,394	3,008	5,182	8,576	13,173	17,366	20,605	20,373	13,836	6,063	1,501	222	14	78
48	127	334	648	1,158	1,804	2,355	3,168	3,571	3,582	2,840	1,969	1,202	609	188	86	8	79
36	90	224	455	780	1,207	1,489	1,884	2,077	1,993	1,446	960	556	235	74	31	6	80
12	37	110	193	378	597	866	1,284	1,494	1,589	1,394	1,009	646	374	114	55	2	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Major cardiovascular diseases—Con.											
	Diseases of heart—Con.											
	Ischemic heart disease—Con.											
01	Other acute and subacute forms of ischemic heart disease—411	4,069	–	1	–	–	–	1	1	–	–	6
02	Male	2,679	–	–	–	–	–	–	1	–	–	6
03	Female	1,390	–	1	–	–	–	1	–	–	–	–
04	White	3,469	–	1	–	–	–	1	–	–	–	4
05	Male	2,295	–	–	–	–	–	–	–	–	–	4
06	Female	1,174	–	1	–	–	–	1	–	–	–	–
07	All other	600	–	–	–	–	–	–	1	–	–	2
08	Male	384	–	–	–	–	–	–	1	–	–	2
09	Female	216	–	–	–	–	–	–	–	–	–	–
10	Chronic ischemic heart disease—412	313,847	2	–	–	1	1	4	3	3	14	38
11	Male	156,844	1	–	–	1	1	3	2	3	8	27
12	Female	157,003	1	–	–	–	–	1	1	–	6	11
13	White	281,675	2	–	–	1	1	4	3	1	10	27
14	Male	140,200	1	–	–	1	1	3	2	1	5	20
15	Female	141,475	1	–	–	–	–	1	1	–	5	7
16	All other	32,172	–	–	–	–	–	–	–	2	4	11
17	Male	16,644	–	–	–	–	–	–	–	2	3	7
18	Female	15,528	–	–	–	–	–	–	–	–	1	4
19	Angina pectoris—413	151	–	–	–	–	–	–	–	–	–	–
20	Male	74	–	–	–	–	–	–	–	–	–	–
21	Female	77	–	–	–	–	–	–	–	–	–	–
22	White	143	–	–	–	–	–	–	–	–	–	–
23	Male	69	–	–	–	–	–	–	–	–	–	–
24	Female	74	–	–	–	–	–	–	–	–	–	–
25	All other	8	–	–	–	–	–	–	–	–	–	–
26	Male	5	–	–	–	–	–	–	–	–	–	–
27	Female	3	–	–	–	–	–	–	–	–	–	–
28	Chronic disease of endocardium and other myocardial insufficiency—424,428	4,411	19	5	4	1	3	32	10	11	46	41
29	Male	2,151	8	2	3	1	2	16	5	7	28	25
30	Female	2,260	11	3	1	–	1	16	5	4	18	16
31	White	3,935	12	4	3	1	1	21	8	9	34	32
32	Male	1,884	5	1	2	1	–	9	4	5	22	18
33	Female	2,051	7	3	1	–	1	12	4	4	12	14
34	All other	476	7	1	1	–	2	11	2	2	12	9
35	Male	267	3	1	1	–	2	7	1	2	6	7
36	Female	209	4	–	–	–	–	4	1	–	6	2
37	All other forms of heart disease—420–423,425–427,429	45,128	591	100	44	26	32	793	101	146	275	351
38	Male	25,252	328	50	25	17	18	438	52	79	168	201
39	Female	19,876	263	50	19	9	14	355	49	67	107	150
40	White	37,307	427	71	26	17	28	569	78	111	209	243
41	Male	20,831	238	34	15	13	15	315	42	63	129	143
42	Female	16,476	189	37	11	4	13	254	36	48	80	100
43	All other	7,821	164	29	18	9	4	224	23	35	66	108
44	Male	4,421	90	16	10	4	3	123	10	16	39	58
45	Female	3,400	74	13	8	5	1	101	13	19	27	50
46	Hypertension—400,401,403	6,300	–	–	–	–	–	–	–	3	4	15
47	Male	3,057	–	–	–	–	–	–	–	3	3	4
48	Female	3,243	–	–	–	–	–	–	–	–	1	11
49	White	4,962	–	–	–	–	–	–	–	3	1	8
50	Male	2,381	–	–	–	–	–	–	–	3	1	1
51	Female	2,581	–	–	–	–	–	–	–	–	–	7
52	All other	1,338	–	–	–	–	–	–	–	–	3	7
53	Male	676	–	–	–	–	–	–	–	–	2	3
54	Female	662	–	–	–	–	–	–	–	–	1	4
55	Cerebrovascular diseases—430–438	194,038	157	36	34	22	14	263	91	112	232	316
56	Male	84,286	84	25	16	11	9	145	44	59	135	175
57	Female	109,752	73	11	18	11	5	118	47	53	97	141
58	White	170,689	112	25	27	18	14	196	71	90	177	247
59	Male	73,318	62	18	12	9	9	110	36	48	101	142
60	Female	97,371	50	7	15	9	5	86	35	42	76	105
61	All other	23,349	45	11	7	4	–	67	20	22	55	69
62	Male	10,968	22	7	4	2	–	35	8	11	34	33
63	Female	12,381	23	4	3	2	–	32	12	11	21	36
64	Cerebral hemorrhage—431	26,862	66	12	8	3	2	91	22	27	60	99
65	Male	12,123	37	9	3	2	1	52	11	9	42	59
66	Female	14,739	29	3	5	1	1	39	11	18	18	40
67	White	22,779	44	7	7	3	2	63	18	21	49	77
68	Male	10,111	25	6	2	2	1	36	9	7	34	47
69	Female	12,668	19	1	5	1	1	27	9	14	15	30
70	All other	4,083	22	5	1	–	–	28	4	6	11	22
71	Male	2,012	12	3	1	–	–	16	2	2	8	12
72	Female	2,071	10	2	–	–	–	12	2	4	3	10
73	Cerebral thrombosis—433	48,457	9	2	1	1	–	13	4	6	15	18
74	Male	20,815	5	1	–	–	–	6	4	3	6	5
75	Female	27,642	4	1	1	1	–	7	–	3	9	13
76	White	43,733	7	2	1	1	–	11	4	4	12	10
77	Male	18,597	4	1	–	–	–	5	4	2	5	3
78	Female	25,136	3	1	1	1	–	6	–	2	7	7
79	All other	4,724	2	–	–	–	–	2	–	2	3	8
80	Male	2,218	1	–	–	–	–	1	–	1	1	2
81	Female	2,506	1	–	–	–	–	1	–	1	2	6

Age, Color, and Sex: United States, 1975—Con.

Revision International Classification of Diseases, Adapted, 1965I

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100+ years	Not stated	
8	17	29	89	162	318	404	524	563	518	486	453	292	130	55	7	6	01
8	15	22	76	133	253	316	404	381	342	287	231	132	53	14	–	5	02
–	2	7	13	29	65	88	120	182	176	199	222	160	77	41	7	1	03
6	15	21	67	124	254	313	431	490	451	424	421	269	120	50	5	3	04
6	13	16	59	107	212	249	335	340	301	250	218	123	48	12	–	2	05
–	2	5	8	17	42	64	96	150	150	174	203	146	72	38	5	1	06
2	2	8	22	38	64	91	93	73	67	62	32	23	10	5	2	3	07
2	2	6	17	26	41	67	69	41	41	37	13	9	5	2	–	3	08
–	–	2	5	12	23	24	24	32	26	25	19	14	5	3	2	–	09
123	335	887	2,147	4,567	8,760	13,370	20,666	29,430	39,385	50,283	58,225	49,550	26,900	7,750	1,345	62	10
97	254	668	1,640	3,488	6,609	9,587	14,188	18,678	22,220	24,612	24,930	18,534	8,758	2,195	312	31	11
26	81	219	507	1,079	2,151	3,783	6,478	10,752	17,165	25,671	33,295	31,016	18,142	5,555	1,033	31	12
85	211	618	1,561	3,422	6,890	10,938	17,273	25,131	34,308	45,695	54,529	47,058	25,505	7,230	1,132	44	13
72	176	499	1,257	2,760	5,404	8,160	12,235	16,332	19,685	22,352	23,222	17,478	8,252	2,006	258	21	14
13	35	119	304	662	1,486	2,778	5,038	8,799	14,623	23,343	31,307	29,580	17,253	5,224	874	23	15
38	124	269	586	1,145	1,870	2,432	3,393	4,299	5,077	4,588	3,696	2,492	1,395	520	213	18	16
25	78	169	383	728	1,205	1,427	1,953	2,346	2,535	2,260	1,708	1,056	506	189	54	10	17
13	46	100	203	417	665	1,005	1,440	1,953	2,542	2,328	1,988	1,436	889	331	159	8	18
–	–	1	4	4	7	12	11	19	23	19	19	22	7	2	1	–	19
–	–	1	1	2	6	7	10	12	13	7	4	8	3	–	–	–	20
–	–	–	3	2	1	5	1	7	10	12	15	14	4	2	1	–	21
–	–	1	2	4	7	9	11	18	22	19	19	22	7	1	1	–	22
–	–	1	–	2	6	5	10	11	12	7	4	8	3	–	–	–	23
–	–	–	2	2	1	4	1	7	10	12	15	14	4	1	1	–	24
–	–	–	2	–	–	3	–	1	1	–	–	–	–	1	–	–	25
–	–	–	1	–	–	2	–	1	1	–	–	–	–	–	–	–	26
–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	27
45	49	62	77	124	178	232	306	389	473	583	660	582	355	117	36	3	28
26	34	42	45	70	99	151	190	229	247	286	285	210	103	37	14	2	29
19	15	20	32	54	79	81	116	160	226	297	375	372	252	80	22	1	30
29	31	41	57	104	147	197	263	336	431	543	619	553	336	113	29	2	31
16	22	26	30	60	78	130	165	199	227	269	265	195	97	37	9	1	32
13	9	15	27	44	69	67	98	137	204	274	354	358	239	76	20	1	33
16	18	21	20	20	31	35	43	53	42	40	41	29	19	4	7	1	34
10	12	16	15	10	21	21	25	30	20	17	20	15	6	–	5	1	35
6	6	5	5	10	10	14	18	23	22	23	21	14	13	4	2	–	36
398	435	590	906	1,516	2,465	3,251	4,198	5,033	5,521	5,681	5,872	4,331	2,403	702	154	6	37
249	262	374	563	1,005	1,611	2,180	2,780	3,241	3,232	3,069	2,777	1,822	884	213	48	4	38
149	173	216	343	511	854	1,071	1,418	1,792	2,289	2,612	3,095	2,509	1,519	489	106	2	39
283	265	365	591	1,145	1,857	2,539	3,360	4,048	4,531	4,915	5,290	3,988	2,178	617	119	6	40
173	139	225	384	769	1,242	1,763	2,283	2,677	2,704	2,648	2,481	1,650	785	181	31	4	41
110	126	140	207	376	615	776	1,077	1,371	1,827	2,267	2,809	2,338	1,393	436	88	2	42
115	170	225	315	371	608	712	838	985	990	766	582	343	225	85	35	–	43
76	123	149	179	236	369	417	497	564	528	421	296	172	99	32	17	–	44
39	47	76	136	135	239	295	341	421	462	345	286	171	126	53	18	–	45
18	45	72	94	169	259	292	431	604	763	988	1,060	896	459	105	23	–	46
10	33	42	57	97	141	168	243	317	373	462	498	375	190	35	6	–	47
8	12	30	37	72	118	124	188	287	390	526	562	521	269	70	17	–	48
4	16	33	40	67	144	174	287	439	596	840	961	825	412	97	15	–	49
2	11	15	25	44	78	109	164	243	295	388	449	346	173	30	4	–	50
2	5	18	15	23	66	65	123	196	301	452	512	479	239	67	11	–	51
14	29	39	54	102	115	118	144	165	167	148	99	71	47	8	8	–	52
8	22	27	32	53	63	59	79	74	78	74	49	29	17	5	2	–	53
6	7	12	22	49	52	59	65	91	89	74	50	42	30	3	6	–	54
449	630	960	1,705	2,853	4,808	7,168	10,960	17,127	24,929	33,217	38,366	30,568	14,767	3,847	648	22	55
212	298	449	837	1,434	2,453	3,920	6,167	9,359	12,537	14,832	14,973	10,558	4,526	987	179	7	56
237	332	511	868	1,419	2,355	3,248	4,793	7,768	12,392	18,385	23,393	20,010	10,241	2,860	469	15	57
326	433	632	1,161	1,994	3,568	5,517	8,646	14,071	21,184	29,851	35,655	28,843	13,946	3,562	503	16	58
155	199	294	560	1,005	1,829	3,033	4,956	7,750	10,788	13,324	13,824	9,915	4,244	883	118	4	59
171	234	338	601	989	1,739	2,484	3,690	6,321	10,396	16,527	21,831	18,928	9,702	2,679	385	12	60
123	197	328	544	859	1,240	1,651	2,314	3,056	3,745	3,366	2,711	1,725	821	285	145	6	61
57	99	155	277	429	624	887	1,211	1,609	1,749	1,508	1,149	643	282	104	61	3	62
66	98	173	267	430	616	764	1,103	1,447	1,996	1,858	1,562	1,082	539	181	84	3	63
110	178	268	559	928	1,433	1,935	2,482	3,152	3,647	3,903	3,890	2,672	1,103	276	26	1	64
52	96	134	307	473	730	1,061	1,362	1,654	1,719	1,618	1,440	893	334	73	4	–	65
58	82	134	252	455	703	874	1,120	1,498	1,928	2,285	2,450	1,779	769	203	22	1	66
71	110	159	342	592	1,051	1,505	2,003	2,614	3,123	3,542	3,629	2,517	1,024	250	19	–	67
34	55	76	180	303	522	825	1,134	1,365	1,464	1,474	1,338	833	306	66	3	–	68
37	55	83	162	289	529	680	869	1,249	1,659	2,068	2,291	1,684	718	184	16	–	69
39	68	109	217	336	382	430	479	538	524	361	261	155	79	26	7	1	70
18	41	58	127	170	208	236	228	289	255	144	102	60	28	7	1	–	71
21	27	51	90	166	174	194	251	249	269	217	159	95	51	19	6	1	72
22	31	47	106	252	595	1,178	2,162	3,896	6,195	8,862	10,879	8,675	4,176	1,118	201	6	73
11	9	20	48	147	362	719	1,270	2,217	3,192	4,035	4,251	2,969	1,236	257	45	3	74
11	22	27	58	105	233	459	892	1,679	3,003	4,827	6,628	5,706	2,940	861	156	3	75
17	27	33	71	175	422	921	1,694	3,264	5,351	8,053	10,209	8,267	3,974	1,057	153	4	76
6	8	13	34	106	268	571	1,019	1,868	2,794	3,670	3,970	2,808	1,173	236	33	1	77
11	19	20	37	69	154	350	675	1,396	2,557	4,383	6,239	5,459	2,801	821	120	3	78
5	4	14	35	77	173	257	468	632	844	809	670	408	202	61	48	2	79
5	1	7	14	41	94	148	251	349	398	365	281	161	63	21	12	2	80
–	3	7	21	36	79	109	217	283	446	444	389	247	139	40	36	–	81

Table 7–5. Deaths From 69 Selected Causes, by

(Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Major cardiovascular diseases – Con.											
	Cerebrovascular diseases – Con.											
01	Cerebral embolism – 434	811	–	–	–	–	–	–	–	1	–	–
02	Male	362	–	–	–	–	–	–	–	–	–	–
03	Female	449	–	–	–	–	–	–	–	1	–	–
04	White	759	–	–	–	–	–	–	–	1	–	–
05	Male	334	–	–	–	–	–	–	–	–	–	–
06	Female	425	–	–	–	–	–	–	–	1	–	–
07	All other	52	–	–	–	–	–	–	–	–	–	–
08	Male	28	–	–	–	–	–	–	–	–	–	–
09	Female	24	–	–	–	–	–	–	–	–	–	–
10	All other cerebrovascular diseases – 430,432,435–438	117,908	82	22	25	18	12	159	65	78	157	199
11	Male	50,986	42	15	13	9	8	87	29	47	87	111
12	Female	66,922	40	7	12	9	4	72	36	31	70	88
13	White	103,418	61	16	19	14	12	122	49	64	116	160
14	Male	44,276	33	11	10	7	8	69	23	39	62	92
15	Female	59,142	28	5	9	7	4	53	26	25	54	68
16	All other	14,490	21	6	6	4	–	37	16	14	41	39
17	Male	6,710	9	4	3	2	–	18	6	8	25	19
18	Female	7,780	12	2	3	2	–	19	10	6	16	20
19	Arteriosclerosis – 440	28,887	–	–	–	–	–	–	–	–	–	2
20	Male	11,822	–	–	–	–	–	–	–	–	–	2
21	Female	17,065	–	–	–	–	–	–	–	–	–	–
22	White	26,810	–	–	–	–	–	–	–	–	–	1
23	Male	10,841	–	–	–	–	–	–	–	–	–	1
24	Female	15,969	–	–	–	–	–	–	–	–	–	–
25	All other	2,077	–	–	–	–	–	–	–	–	–	1
26	Male	981	–	–	–	–	–	–	–	–	–	1
27	Female	1,096	–	–	–	–	–	–	–	–	–	–
28	Other diseases of arteries, arterioles, and capillaries – 441–448	25,607	31	2	1	1	–	35	7	24	54	73
29	Male	15,429	16	1	1	–	–	18	3	14	34	47
30	Female	10,178	15	1	–	1	–	17	4	10	20	26
31	White	23,376	22	2	–	–	–	24	5	18	44	52
32	Male	14,249	11	1	–	–	–	12	2	12	27	34
33	Female	9,127	11	1	–	–	–	12	3	6	17	18
34	All other	2,231	9	–	1	1	–	11	2	6	10	21
35	Male	1,180	5	–	1	–	–	6	1	2	7	13
36	Female	1,051	4	–	–	1	–	5	1	4	3	8
37	Acute bronchitis and bronchiolitis – 466	737	104	26	13	8	6	157	7	10	9	11
38	Male	411	59	14	8	5	6	92	4	4	4	7
39	Female	326	45	12	5	3	–	65	3	6	5	4
40	White	639	76	18	8	5	6	113	7	7	6	10
41	Male	356	45	10	7	3	6	71	4	2	3	7
42	Female	283	31	8	1	2	–	42	3	5	3	3
43	All other	98	28	8	5	3	–	44	–	3	3	1
44	Male	55	14	4	1	2	–	21	–	2	1	–
45	Female	43	14	4	4	1	–	23	–	1	2	1
46	Influenza and pneumonia – 470–474,480–486	55,664	2,201	267	126	72	62	2,728	177	185	323	366
47	Male	30,437	1,230	142	70	36	23	1,501	87	87	203	214
48	Female	25,227	971	125	56	36	39	1,227	90	98	120	152
49	White	48,797	1,410	178	92	56	46	1,782	134	143	250	294
50	Male	26,201	786	92	50	26	15	969	67	71	166	166
51	Female	22,596	624	86	42	30	31	813	67	72	84	128
52	All other	6,867	791	89	34	16	16	946	43	42	73	72
53	Male	4,236	444	50	20	10	8	532	20	16	37	48
54	Female	2,631	347	39	14	6	8	414	23	26	36	24
55	Influenza – 470–474	4,277	30	6	2	6	4	48	17	17	18	28
56	Male	1,923	22	4	2	4	1	33	7	8	12	12
57	Female	2,354	8	2	–	2	3	15	10	9	6	16
58	White	4,000	14	6	2	5	2	29	16	15	15	24
59	Male	1,783	8	4	2	3	1	18	7	8	10	9
60	Female	2,217	6	2	–	2	1	11	9	7	5	15
61	All other	277	16	–	–	1	2	19	1	2	3	4
62	Male	140	14	–	–	1	–	15	–	–	2	3
63	Female	137	2	–	–	–	2	4	1	2	1	1
64	Pneumonia – 480–486	51,387	2,171	261	124	66	58	2,680	160	168	305	338
65	Male	28,514	1,208	138	68	32	22	1,468	80	79	191	202
66	Female	22,873	963	123	56	34	36	1,212	80	89	114	136
67	White	44,797	1,396	172	90	51	44	1,753	118	128	235	270
68	Male	24,418	778	88	48	23	14	951	60	63	156	157
69	Female	20,379	618	84	42	28	30	802	58	65	79	113
70	All other	6,590	775	89	34	15	14	927	42	40	70	68
71	Male	4,096	430	50	20	9	8	517	20	16	35	45
72	Female	2,494	345	39	14	6	6	410	22	24	35	23
73	Bronchitis, emphysema, and asthma – 490–493	25,468	97	30	12	17	11	167	29	39	55	65
74	Male	18,952	64	21	5	8	6	104	15	21	35	35
75	Female	6,516	33	9	7	9	5	63	14	18	20	30
76	White	23,831	69	27	11	10	5	122	21	19	38	51
77	Male	17,801	44	18	5	7	1	75	12	10	22	29
78	Female	6,030	25	9	6	3	4	47	9	9	16	22
79	All other	1,637	28	3	1	7	6	45	8	20	17	14
80	Male	1,151	20	3	–	1	5	29	3	11	13	6
81	Female	486	8	–	1	6	1	16	5	9	4	8

Age, Color, and Sex: United States, 1975 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100+ years	Not stated	
1	–	5	11	7	26	49	79	82	98	160	130	111	41	10	–	–	01
–	–	3	6	2	17	28	40	46	42	70	47	45	13	3	–	–	02
1	–	2	5	5	9	21	39	36	56	90	83	66	28	7	–	–	03
1	–	4	7	6	24	43	66	80	94	149	128	106	41	9	–	–	04
–	–	2	2	2	16	25	34	46	42	62	46	42	13	2	–	–	05
1	–	2	5	4	8	18	32	34	52	87	82	64	28	7	–	–	06
–	–	1	4	1	2	6	13	2	4	11	2	5	–	1	–	–	07
–	–	1	4	–	1	3	6	–	–	8	1	3	–	1	–	–	08
–	–	–	–	1	1	3	7	2	4	3	1	2	–	–	–	–	09
316	421	640	1,029	1,666	2,754	4,006	6,237	9,997	14,989	20,292	23,467	19,110	9,447	2,443	421	15	10
149	193	292	476	812	1,344	2,112	3,495	5,442	7,584	9,109	9,235	6,651	2,943	654	130	4	11
167	228	348	553	854	1,410	1,894	2,742	4,555	7,405	11,183	14,232	12,459	6,504	1,789	291	11	12
237	296	436	741	1,221	2,071	3,048	4,883	8,113	12,616	18,107	21,689	17,953	8,907	2,246	331	12	13
115	136	203	344	594	1,023	1,612	2,769	4,471	6,488	8,118	8,470	6,232	2,752	579	82	3	14
122	160	233	397	627	1,048	1,436	2,114	3,642	6,128	9,989	13,219	11,721	6,155	1,667	249	9	15
79	125	204	288	445	683	958	1,354	1,884	2,373	2,185	1,778	1,157	540	197	90	3	16
34	57	89	132	218	321	500	726	971	1,096	991	765	419	191	75	48	1	17
45	68	115	156	227	362	458	628	913	1,277	1,194	1,013	738	349	122	42	2	18
3	5	11	31	65	189	318	702	1,279	2,410	4,153	6,448	6,543	4,711	1,640	372	5	19
1	3	9	20	35	128	213	421	730	1,275	1,933	2,621	2,360	1,505	481	84	1	20
2	2	2	11	30	61	105	281	549	1,135	2,220	3,827	4,183	3,206	1,159	288	4	21
3	4	6	27	52	152	262	592	1,122	2,096	3,800	6,061	6,262	4,492	1,550	323	5	22
1	2	5	17	28	105	177	363	655	1,119	1,758	2,447	2,236	1,421	443	62	1	23
2	2	1	10	24	47	85	229	467	977	2,042	3,614	4,026	3,071	1,107	261	4	24
–	1	5	4	13	37	56	110	157	314	353	387	281	219	90	49	–	25
–	1	4	3	7	23	36	58	75	156	175	174	124	84	38	22	–	26
–	–	1	1	6	14	20	52	82	158	178	213	157	135	52	27	–	27
95	123	169	244	469	881	1,471	2,339	3,320	4,050	4,328	3,843	2,537	1,160	319	60	6	28
55	52	83	137	293	571	997	1,663	2,367	2,807	2,656	2,025	1,071	414	102	17	3	29
40	71	86	107	176	310	474	676	953	1,243	1,672	1,818	1,466	746	217	43	3	30
76	94	120	197	387	737	1,297	2,107	3,017	3,692	4,045	3,617	2,408	1,094	292	49	4	31
45	40	59	109	245	482	899	1,518	2,214	2,617	2,501	1,918	1,013	391	95	14	2	32
31	54	61	88	142	255	398	589	803	1,075	1,544	1,699	1,395	703	197	35	2	33
19	29	49	47	82	144	174	232	303	358	283	226	129	66	27	11	2	34
10	12	24	28	48	89	98	145	153	190	155	107	58	23	7	3	1	35
9	17	25	19	34	55	76	87	150	168	128	119	71	43	20	8	1	36
7	11	11	15	16	36	37	44	62	66	77	73	46	30	8	4	–	37
3	7	7	6	8	25	19	32	34	41	47	38	19	11	2	1	–	38
4	4	4	9	8	11	18	12	28	25	30	35	27	19	6	3	–	39
5	7	8	11	14	28	30	42	60	62	73	70	46	28	8	4	–	40
3	4	4	4	6	18	15	32	32	39	44	36	19	10	2	1	–	41
2	3	4	7	8	10	15	10	28	23	29	34	27	18	6	3	–	42
2	4	3	4	2	8	7	2	2	4	4	3	–	2	–	–	–	43
–	3	3	2	2	7	4	–	2	2	3	2	–	1	–	–	–	44
2	1	–	2	–	1	3	2	–	2	1	1	–	1	–	–	–	45
338	429	486	728	1,074	1,570	2,216	3,127	4,051	5,686	7,852	9,734	8,134	4,711	1,448	294	7	46
184	238	261	460	683	1,058	1,455	2,052	2,659	3,496	4,613	5,028	3,728	1,846	498	82	4	47
154	191	225	268	391	512	761	1,075	1,392	2,190	3,239	4,706	4,406	2,865	950	212	3	48
234	281	322	469	774	1,168	1,775	2,612	3,504	4,989	7,159	9,140	7,707	4,463	1,349	244	4	49
126	147	168	279	471	779	1,141	1,705	2,282	3,068	4,167	4,688	3,495	1,726	452	65	3	50
108	134	154	190	303	389	634	907	1,222	1,921	2,992	4,452	4,212	2,737	897	179	1	51
104	148	164	259	300	402	441	515	547	697	693	594	427	248	99	50	3	52
58	91	93	181	212	279	314	347	377	428	446	340	233	120	46	17	1	53
46	57	71	78	88	123	127	168	170	269	247	254	194	128	53	33	2	54
13	24	31	39	67	108	164	218	309	513	677	850	620	370	129	17	–	55
4	12	15	16	27	57	83	110	169	275	329	357	228	123	46	–	–	56
9	12	16	23	40	51	81	108	140	238	348	493	392	247	83	17	–	57
12	22	27	30	58	92	146	191	280	473	638	827	608	359	124	14	–	58
4	11	13	11	23	52	74	97	154	257	306	347	220	119	43	–	–	59
8	11	14	19	35	40	72	94	126	216	332	480	388	240	81	14	–	60
1	2	4	9	9	16	18	27	29	40	39	23	12	11	5	3	–	61
–	1	2	5	4	5	9	13	15	18	23	10	8	4	3	–	–	62
1	1	2	4	5	11	9	14	14	22	16	13	4	7	2	3	–	63
325	405	455	689	1,007	1,462	2,052	2,909	3,742	5,173	7,175	8,884	7,514	4,341	1,319	277	7	64
180	226	246	444	656	1,001	1,372	1,942	2,490	3,221	4,284	4,671	3,500	1,723	452	82	4	65
145	179	209	245	351	461	680	967	1,252	1,952	2,891	4,213	4,014	2,618	867	195	3	66
222	259	295	439	716	1,076	1,629	2,421	3,224	4,516	6,521	8,313	7,099	4,104	1,225	230	4	67
122	136	155	268	448	727	1,067	1,608	2,128	2,811	3,861	4,341	3,275	1,607	409	65	3	68
100	123	140	171	268	349	562	813	1,096	1,705	2,660	3,972	3,824	2,497	816	165	1	69
103	146	160	250	291	386	423	488	518	657	654	571	415	237	94	47	3	70
58	90	91	176	208	274	305	334	362	410	423	330	225	116	43	17	1	71
45	56	69	74	83	112	118	154	156	247	231	241	190	121	51	30	2	72
90	87	123	233	505	1,023	1,841	3,177	4,357	4,710	4,229	2,833	1,362	434	91	14	4	73
47	45	59	118	281	644	1,242	2,311	3,379	3,749	3,345	2,185	989	283	55	7	3	74
43	42	64	115	224	379	599	866	978	961	884	648	373	151	36	7	1	75
49	56	79	175	397	901	1,680	2,974	4,148	4,506	4,050	2,731	1,318	417	85	10	4	76
22	30	37	90	226	568	1,129	2,152	3,215	3,592	3,208	2,100	953	271	52	5	3	77
27	26	42	85	171	333	551	822	933	914	842	631	365	146	33	5	1	78
41	31	44	58	108	122	161	203	209	204	179	102	44	17	6	4	–	79
25	15	22	28	55	76	113	159	164	157	137	85	36	12	3	2	–	80
16	16	22	30	53	46	48	44	45	47	42	17	8	5	3	2	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Bronchitis, emphysema, and asthma – Con.											
01	Chronic and unqualified bronchitis – 490,491	4,712	75	26	8	11	4	124	13	14	11	9
02	Male	3,260	47	18	3	6	2	76	9	7	5	6
03	Female	1,452	28	8	5	5	2	48	4	7	6	3
04	White	4,449	54	23	7	9	2	95	9	11	11	7
05	Male	3,070	32	15	3	6	1	57	6	5	5	5
06	Female	1,379	22	8	4	3	1	38	3	6	6	2
07	All other	263	21	3	1	2	2	29	4	3	–	2
08	Male	190	15	3	–	–	1	19	3	2	–	1
09	Female	73	6	–	1	2	1	10	1	1	–	1
10	Emphysema – 492	18,795	15	1	1	–	–	17	4	1	10	9
11	Male	14,849	11	1	1	–	–	13	2	1	8	7
12	Female	3,946	4	–	–	–	–	4	2	–	2	2
13	White	17,867	11	1	1	–	–	13	3	1	8	7
14	Male	14,092	8	1	1	–	–	10	2	1	6	5
15	Female	3,775	3	–	–	–	–	3	1	–	2	2
16	All other	928	4	–	–	–	–	4	1	–	2	2
17	Male	757	3	–	–	–	–	3	–	–	2	2
18	Female	171	1	–	–	–	–	1	1	–	–	–
19	Asthma – 493	1,961	7	3	3	6	7	26	12	24	34	47
20	Male	843	6	2	1	2	4	15	4	13	22	22
21	Female	1,118	1	1	2	4	3	11	8	11	12	25
22	White	1,515	4	3	3	1	3	14	9	7	19	37
23	Male	639	4	2	1	1	–	8	4	4	11	19
24	Female	876	–	1	2	–	3	6	5	3	8	18
25	All other	446	3	–	–	5	4	12	3	17	15	10
26	Male	204	2	–	–	1	4	7	–	9	11	3
27	Female	242	1	–	–	4	–	5	3	8	4	7
28	Peptic ulcer – 531–533	6,743	29	3	1	2	2	37	6	10	10	28
29	Male	4,219	16	3	1	1	2	23	2	4	8	16
30	Female	2,524	13	–	–	1	–	14	4	6	2	12
31	White	6,068	22	2	1	1	2	28	6	7	7	22
32	Male	3,774	14	2	1	–	2	19	2	2	5	12
33	Female	2,294	8	–	–	1	–	9	4	5	2	10
34	All other	675	7	1	–	1	–	9	–	3	3	6
35	Male	445	2	1	–	1	–	4	–	2	3	4
36	Female	230	5	–	–	–	–	5	–	1	–	2
37	Appendicitis – 540–543	822	11	2	1	3	3	20	18	21	20	13
38	Male	480	9	2	1	2	2	16	13	7	10	8
39	Female	342	2	–	–	1	1	4	5	14	10	5
40	White	662	9	2	1	1	3	16	13	13	14	8
41	Male	388	7	2	1	1	2	13	10	3	5	5
42	Female	274	2	–	–	–	1	3	3	10	9	3
43	All other	160	2	–	–	2	–	4	5	8	6	5
44	Male	92	2	–	–	1	–	3	3	4	5	3
45	Female	68	–	–	–	1	–	1	2	4	1	2
46	Hernia and intestinal obstruction – 550–553,560	6,178	446	14	6	1	4	471	20	21	34	35
47	Male	2,618	254	10	3	1	1	269	15	8	15	15
48	Female	3,560	192	4	3	–	3	202	5	13	19	20
49	White	5,388	354	10	5	1	2	372	17	15	28	23
50	Male	2,226	204	8	2	1	1	216	13	6	14	10
51	Female	3,162	150	2	3	–	1	156	4	9	14	13
52	All other	790	92	4	1	–	2	99	3	6	6	12
53	Male	392	50	2	1	–	–	53	2	2	1	5
54	Female	398	42	2	–	–	2	46	1	4	5	7
55	Cirrhosis of liver – 571	31,623	36	4	1	3	5	49	9	9	28	120
56	Male	20,830	15	1	1	2	4	23	7	5	12	62
57	Female	10,793	21	3	–	1	1	26	2	4	16	58
58	White	26,329	31	1	1	3	5	41	7	8	23	65
59	Male	17,458	12	–	1	2	4	19	6	5	10	32
60	Female	8,871	19	1	–	1	1	22	1	3	13	33
61	All other	5,294	5	3	–	–	–	8	2	1	5	55
62	Male	3,372	3	1	–	–	–	4	1	–	2	30
63	Female	1,922	2	2	–	–	–	4	1	1	3	25
64	Cholelithiasis, cholecystitis and cholangitis – 574,575	3,004	2	–	–	–	–	2	1	–	1	5
65	Male	1,305	1	–	–	–	–	1	–	–	–	–
66	Female	1,699	1	–	–	–	–	1	1	–	1	5
67	White	2,775	2	–	–	–	–	2	1	–	1	5
68	Male	1,219	1	–	–	–	–	1	–	–	–	–
69	Female	1,556	1	–	–	–	–	1	1	–	1	5
70	All other	229	–	–	–	–	–	–	–	–	–	–
71	Male	86	–	–	–	–	–	–	–	–	–	–
72	Female	143	–	–	–	–	–	–	–	–	–	–
73	Nephritis and nephrosis – 580–584	8,072	20	4	6	1	3	34	25	34	38	85
74	Male	4,328	11	2	3	–	3	19	11	17	19	55
75	Female	3,744	9	2	3	1	–	15	14	17	19	30
76	White	5,996	14	4	5	–	2	25	18	25	27	58
77	Male	3,241	9	2	2	–	2	15	7	12	13	41
78	Female	2,755	5	2	3	–	–	10	11	13	14	17
79	All other	2,076	6	–	1	1	1	9	7	9	11	27
80	Male	1,087	2	–	1	–	1	4	4	5	6	14
81	Female	989	4	–	–	1	–	5	3	4	5	13

Age, Color, and Sex: United States, 1975 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100+ years	Not stated	
11	17	21	36	73	175	341	542	714	783	769	556	338	126	33	4	2	01
4	12	14	14	38	104	213	386	536	565	562	384	234	71	17	2	1	02
7	5	7	22	35	71	128	156	178	218	207	172	104	55	16	2	1	03
6	10	16	30	66	163	318	510	682	746	741	543	327	122	31	3	2	04
3	7	10	12	33	96	194	361	511	536	542	373	227	68	17	1	1	05
3	3	6	18	33	67	124	149	171	210	199	170	100	54	14	2	1	06
5	7	5	6	7	12	23	32	32	37	28	13	11	4	2	1	–	07
1	5	4	2	5	8	19	25	25	29	20	11	7	3	–	1	–	08
4	2	1	4	2	4	4	7	7	8	8	2	4	1	2	–	–	09
11	18	44	115	308	698	1,319	2,392	3,396	3,731	3,280	2,129	964	284	55	8	2	10
3	10	26	72	201	487	959	1,810	2,721	3,088	2,709	1,747	739	204	35	5	2	11
8	8	18	43	107	211	360	582	675	643	571	382	225	80	20	3	–	12
9	14	31	90	258	626	1,236	2,263	3,253	3,591	3,148	2,048	933	274	52	7	2	13
3	8	18	56	163	433	887	1,697	2,603	2,975	2,599	1,678	712	197	33	4	2	14
6	6	13	34	95	193	349	566	650	616	549	370	221	77	19	3	–	15
2	4	13	25	50	72	83	129	143	140	132	81	31	10	3	1	–	16
–	2	8	16	38	54	72	113	118	113	110	69	27	7	2	1	–	17
2	2	5	9	12	18	11	16	25	27	22	12	4	3	1	–	–	18
68	52	58	82	124	150	181	243	247	196	180	148	60	24	3	2	–	19
40	23	19	32	42	53	70	115	122	96	74	54	16	8	3	–	–	20
28	29	39	50	82	97	111	128	125	100	106	94	44	16	–	2	–	21
34	32	32	55	73	112	126	201	213	169	161	140	58	21	2	–	–	22
16	15	9	22	30	39	48	94	101	81	67	49	14	6	2	–	–	23
18	17	23	33	43	73	78	107	112	88	94	91	44	15	–	–	–	24
34	20	26	27	51	38	55	42	34	27	19	8	2	3	1	2	–	25
24	8	10	10	12	14	22	21	21	15	7	5	2	2	1	–	–	26
10	12	16	17	39	24	33	21	13	12	12	3	–	1	–	2	–	27
27	54	76	129	235	369	520	705	865	914	921	908	606	262	51	8	2	28
18	36	55	92	166	245	337	494	631	616	560	483	291	118	22	1	1	29
9	18	21	37	69	124	183	211	234	298	361	425	315	144	29	7	1	30
21	41	47	102	197	304	456	625	777	833	853	861	576	251	47	6	1	31
14	25	32	74	136	206	295	435	570	566	519	453	273	116	20	–	–	32
7	16	15	28	61	98	161	190	207	267	334	408	303	135	27	6	1	33
6	13	29	27	38	65	64	80	88	81	68	47	30	11	4	2	1	34
4	11	23	18	30	39	42	59	61	50	41	30	18	2	2	1	1	35
2	2	6	9	8	26	22	21	27	31	27	17	12	9	2	1	–	36
8	13	15	21	29	42	58	90	77	100	90	92	63	26	5	1	–	37
5	7	8	12	19	29	35	54	49	65	53	50	26	12	2	–	–	38
3	6	7	9	10	13	23	36	28	35	37	42	37	14	3	1	–	39
7	10	12	14	19	28	42	72	65	85	75	81	59	24	4	1	–	40
5	6	7	8	16	19	24	48	42	55	42	43	24	11	2	–	–	41
2	4	5	6	3	9	18	24	23	30	33	38	35	13	2	1	–	42
1	3	3	7	10	14	16	18	12	15	15	11	4	2	1	–	–	43
–	1	1	4	3	10	11	6	7	10	11	7	2	1	–	–	–	44
1	2	2	3	7	4	5	12	5	5	4	4	2	1	1	–	–	45
39	33	41	56	126	214	243	413	553	727	902	999	820	333	86	11	1	46
22	16	23	24	54	96	132	209	262	347	371	357	268	89	21	4	1	47
17	17	18	32	72	118	111	204	291	380	531	642	552	244	65	7	–	48
29	20	32	39	92	166	201	350	454	621	819	937	772	311	82	8	–	49
15	9	19	16	42	72	109	178	208	291	337	320	248	80	20	3	–	50
14	11	13	23	50	94	92	172	246	330	482	617	524	231	62	5	–	51
10	13	9	17	34	48	42	63	99	106	83	62	48	22	4	3	1	52
7	7	4	8	12	24	23	31	54	56	34	37	20	9	1	1	1	53
3	6	5	9	22	24	19	32	45	50	49	25	28	13	3	2	–	54
369	800	1,390	2,418	3,801	4,746	4,886	4,802	3,680	2,262	1,285	645	250	54	12	2	6	55
253	540	939	1,588	2,491	3,139	3,209	3,227	2,512	1,488	815	349	136	24	6	2	3	56
116	260	451	830	1,310	1,607	1,677	1,575	1,168	774	470	296	114	30	6	–	3	57
176	429	881	1,709	2,992	3,949	4,239	4,255	3,347	2,090	1,213	607	233	51	10	–	4	58
133	302	619	1,170	1,978	2,613	2,786	2,864	2,293	1,379	763	327	129	24	4	–	2	59
43	127	262	539	1,014	1,336	1,453	1,391	1,054	711	450	280	104	27	6	–	2	60
193	371	509	709	809	797	647	547	333	172	72	38	17	3	2	2	2	61
120	238	320	418	513	526	423	363	219	109	52	22	7	–	2	2	1	62
73	133	189	291	296	271	224	184	114	63	20	16	10	3	–	–	1	63
8	19	16	35	44	86	136	205	311	409	530	526	418	192	47	12	1	64
2	9	6	11	22	33	74	99	168	205	238	219	147	56	10	4	1	65
6	10	10	24	22	53	62	106	143	204	292	307	271	136	37	8	–	66
4	13	12	30	35	73	125	183	281	378	496	497	397	187	45	9	1	67
1	7	5	10	19	31	69	88	159	195	226	205	137	54	9	2	1	68
3	6	7	20	16	42	56	95	122	183	270	292	260	133	36	7	–	69
4	6	4	5	9	13	11	22	30	31	34	29	21	5	2	3	–	70
1	2	1	1	3	2	5	11	9	10	12	14	10	2	1	2	–	71
3	4	3	4	6	11	6	11	21	21	22	15	11	3	1	1	–	72
97	100	156	199	307	411	566	821	1,016	1,069	1,075	971	687	303	67	11	–	73
68	59	90	109	159	211	329	475	578	587	559	494	316	135	35	3	–	74
29	41	66	90	148	200	237	346	438	482	516	477	371	168	32	8	–	75
62	58	80	117	173	247	349	555	714	818	865	856	625	265	50	9	–	76
41	37	48	62	99	124	207	340	416	464	461	432	281	117	22	2	–	77
21	21	32	55	74	123	142	215	298	354	404	424	344	148	28	7	–	78
35	42	76	82	134	164	217	266	302	251	210	115	62	38	17	2	–	79
27	22	42	47	60	87	122	135	162	123	98	62	35	18	13	1	–	80
8	20	34	35	74	77	95	131	140	128	112	53	27	20	4	1	–	81

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Nephritis and nephrosis—Con.											
01	Acute nephritis and nephrotic syndrome—580,581	1,585	17	–	4	–	–	21	4	6	12	10
02	Male	857	9	–	2	–	–	11	3	4	8	7
03	Female	728	8	–	2	–	–	10	1	2	4	3
04	White	1,261	12	–	3	–	–	15	2	2	5	6
05	Male	697	7	–	1	–	–	8	2	1	3	6
06	Female	564	5	–	2	–	–	7	–	1	2	–
07	All other	324	5	–	1	–	–	6	2	4	7	4
08	Male	160	2	–	1	–	–	3	1	3	5	1
09	Female	164	3	–	–	–	–	3	1	1	2	3
10	Chronic and unqualified nephritis and renal sclerosis—582–584	6,487	3	4	2	1	3	13	21	28	26	75
11	Male	3,471	2	2	1	–	3	8	8	13	11	48
12	Female	3,016	1	2	1	1	–	5	13	15	15	27
13	White	4,735	2	4	2	–	2	10	16	23	22	52
14	Male	2,544	2	2	1	–	2	7	5	11	10	35
15	Female	2,191	–	2	1	–	–	3	11	12	12	17
16	All other	1,752	1	–	–	1	1	3	5	5	4	23
17	Male	927	–	–	–	–	1	1	3	2	1	13
18	Female	825	1	–	–	1	–	2	2	3	3	10
19	Infections of kidney—590	4,502	5	1	–	2	1	9	2	1	13	5
20	Male	1,832	3	1	–	–	1	5	1	1	7	1
21	Female	2,670	2	–	–	2	–	4	1	–	6	4
22	White	3,833	3	1	–	1	1	6	2	–	10	5
23	Male	1,532	2	1	–	–	1	4	1	–	6	1
24	Female	2,301	1	–	–	1	–	2	1	–	4	4
25	All other	669	2	–	–	1	–	3	–	1	3	–
26	Male	300	1	–	–	–	–	1	–	1	1	–
27	Female	369	1	–	–	1	–	2	–	–	2	–
28	Hyperplasia of prostate—600	1,221	–	–	–	–	–	–	–	–	–	–
29	Male	1,221	–	–	–	–	–	–	–	–	–	–
30	White	1,072	–	–	–	–	–	–	–	–	–	–
31	Male	1,072	–	–	–	–	–	–	–	–	–	–
32	All other	149	–	–	–	–	–	–	–	–	–	–
33	Male	149	–	–	–	–	–	–	–	–	–	–
34	Complications of pregnancy, childbirth, and the puerperium—630–678	403	–	–	–	–	–	–	–	3	56	95
35	Female	403	–	–	–	–	–	–	–	3	56	95
36	White	231	–	–	–	–	–	–	–	1	32	52
37	Female	231	–	–	–	–	–	–	–	1	32	52
38	All other	172	–	–	–	–	–	–	–	2	24	43
39	Female	172	–	–	–	–	–	–	–	2	24	43
40	Abortions—640–645	27	–	–	–	–	–	–	–	–	7	6
41	Female	27	–	–	–	–	–	–	–	–	7	6
42	White	11	–	–	–	–	–	–	–	–	4	1
43	Female	11	–	–	–	–	–	–	–	–	4	1
44	All other	16	–	–	–	–	–	–	–	–	3	5
45	Female	16	–	–	–	–	–	–	–	–	3	5
46	Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	376	–	–	–	–	–	–	–	3	49	89
47	Female	376	–	–	–	–	–	–	–	3	49	89
48	White	220	–	–	–	–	–	–	–	1	28	51
49	Female	220	–	–	–	–	–	–	–	1	28	51
50	All other	156	–	–	–	–	–	–	–	2	21	38
51	Female	156	–	–	–	–	–	–	–	2	21	38
52	Congenital anomalies—740–759	13,245	8,582	497	277	201	166	9,723	424	318	345	301
53	Male	7,111	4,700	248	131	88	91	5,258	216	174	197	184
54	Female	6,134	3,882	249	146	113	75	4,465	208	144	148	117
55	White	11,073	7,086	401	233	159	136	8,015	363	266	284	249
56	Male	5,935	3,891	200	111	73	71	4,346	189	145	151	151
57	Female	5,138	3,195	201	122	86	65	3,669	174	121	133	98
58	All other	2,172	1,496	96	44	42	30	1,708	61	52	61	52
59	Male	1,176	809	48	20	15	20	912	27	29	46	33
60	Female	996	687	48	24	27	10	796	34	23	15	19
61	Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	26,616	26,585	7	2	–	1	26,595	6	2	1	–
62	Male	15,337	15,313	4	1	–	1	15,319	4	2	1	–
63	Female	11,279	11,272	3	1	–	–	11,276	2	–	–	–
64	White	18,854	18,835	3	1	–	1	18,840	4	2	1	–
65	Male	11,067	11,051	3	–	–	1	11,055	3	2	1	–
66	Female	7,787	7,784	–	1	–	–	7,785	1	–	–	–
67	All other	7,762	7,750	4	1	–	–	7,755	2	–	–	–
68	Male	4,270	4,262	1	1	–	–	4,264	1	–	–	–
69	Female	3,492	3,488	3	–	–	–	3,491	1	–	–	–
70	Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	14,593	14,572	5	1	–	–	14,578	3	1	–	–
71	Male	8,630	8,613	3	1	–	–	8,617	2	1	–	–
72	Female	5,963	5,959	2	–	–	–	5,961	1	–	–	–
73	White	10,663	10,651	3	–	–	–	10,654	2	1	–	–
74	Male	6,423	6,413	3	–	–	–	6,416	1	1	–	–
75	Female	4,240	4,238	–	–	–	–	4,238	1	–	–	–
76	All other	3,930	3,921	2	1	–	–	3,924	1	–	–	–
77	Male	2,207	2,200	–	1	–	–	2,201	1	–	–	–
78	Female	1,723	1,721	2	–	–	–	1,723	–	–	–	–

Age, Color, and Sex: United States, 1975 – Con.

Revision International Classification of Diseases, Adopted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100+ years	Not stated	
21	20	17	32	52	63	100	140	212	240	215	199	146	62	12	1	–	01
17	10	7	20	31	26	54	82	123	143	111	109	63	21	7	–	–	02
4	10	10	12	21	37	46	58	89	97	104	90	83	41	5	1	–	03
14	9	8	21	35	40	70	108	159	200	182	181	136	58	9	1	–	04
12	6	6	12	26	18	39	67	96	122	95	96	59	19	4	–	–	05
2	3	2	9	9	22	31	41	63	78	87	85	77	39	5	1	–	06
7	11	9	11	17	23	30	32	53	40	33	18	10	4	3	–	–	07
5	4	1	8	5	8	15	15	27	21	16	13	4	2	3	–	–	08
2	7	8	3	12	15	15	17	26	19	17	5	6	2	–	–	–	09
76	80	139	167	255	348	466	681	804	829	860	772	541	241	55	10	–	10
51	49	83	89	128	185	275	393	455	444	448	385	253	114	28	3	–	11
25	31	56	78	127	163	191	288	349	385	412	387	288	127	27	7	–	12
48	49	72	96	138	207	279	447	555	618	683	675	489	207	41	8	–	13
29	31	42	50	73	106	168	273	320	342	366	336	222	98	18	2	–	14
19	18	30	46	65	101	111	174	235	276	317	339	267	109	23	6	–	15
28	31	67	71	117	141	187	234	249	211	177	97	52	34	14	2	–	16
22	18	41	39	55	79	107	120	135	102	82	49	31	16	10	1	–	17
6	13	26	32	62	62	80	114	114	109	95	48	21	18	4	1	–	18
13	12	28	51	71	108	169	286	425	585	742	870	689	324	80	18	1	19
5	5	9	21	26	43	62	136	165	252	314	353	280	121	22	2	1	20
8	7	19	30	45	65	107	150	260	333	428	517	409	203	58	16	–	21
9	9	18	33	50	72	120	222	316	471	657	805	646	297	71	13	1	22
4	4	5	15	18	28	42	103	123	196	275	319	255	113	18	1	1	23
5	5	13	18	32	44	78	119	193	275	382	486	391	184	53	12	–	24
4	3	10	18	21	36	49	64	109	114	85	65	43	27	9	5	–	25
1	1	4	6	8	15	20	33	42	56	39	34	25	8	4	1	–	26
3	2	6	12	13	21	29	31	67	58	46	31	18	19	5	4	–	27
–	1	–	–	1	6	14	45	82	179	226	291	232	108	32	4	–	28
–	1	–	–	1	6	14	45	82	179	226	291	232	108	32	4	–	29
–	–	–	–	1	4	12	32	63	144	199	269	214	102	29	3	–	30
–	–	–	–	1	4	12	32	63	144	199	269	214	102	29	3	–	31
–	1	–	–	–	2	2	13	19	35	27	22	18	6	3	1	–	32
–	1	–	–	–	2	2	13	19	35	27	22	18	6	3	1	–	33
106	68	53	20	2	–	–	–	–	–	–	–	–	–	–	–	–	34
106	68	53	20	2	–	–	–	–	–	–	–	–	–	–	–	–	35
67	32	34	12	1	–	–	–	–	–	–	–	–	–	–	–	–	36
67	32	34	12	1	–	–	–	–	–	–	–	–	–	–	–	–	37
39	36	19	8	1	–	–	–	–	–	–	–	–	–	–	–	–	38
39	36	19	8	1	–	–	–	–	–	–	–	–	–	–	–	–	39
3	5	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	40
3	5	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	41
2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43
1	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	44
1	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	45
103	63	49	18	2	–	–	–	–	–	–	–	–	–	–	–	–	46
103	63	49	18	2	–	–	–	–	–	–	–	–	–	–	–	–	47
65	31	31	12	1	–	–	–	–	–	–	–	–	–	–	–	–	48
65	31	31	12	1	–	–	–	–	–	–	–	–	–	–	–	–	49
38	32	18	6	1	–	–	–	–	–	–	–	–	–	–	–	–	50
38	32	18	6	1	–	–	–	–	–	–	–	–	–	–	–	–	51
257	180	164	162	185	217	197	207	176	130	121	71	31	14	6	1	15	52
142	103	84	83	97	119	91	104	92	56	47	33	17	5	3	1	5	53
115	77	80	79	88	98	106	103	84	74	74	38	14	9	3	–	10	54
223	155	134	138	163	190	182	190	155	123	115	68	30	13	6	1	10	55
125	92	64	73	83	101	84	96	81	53	44	30	16	4	3	1	3	56
98	63	70	65	80	89	98	94	74	70	71	38	14	9	3	–	7	57
34	25	30	24	22	27	15	17	21	7	6	3	1	1	–	–	5	58
17	11	20	10	14	18	7	8	11	3	3	3	1	1	–	–	2	59
17	14	10	14	8	9	8	9	10	4	3	–	–	–	–	–	3	60
1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	9	61
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	9	62
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	63
1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	4	64
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	4	65
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	66
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	68
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	69
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	9	70
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	9	71
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	72
–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	4	73
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	4	74
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	75
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	76
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	77
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	78

Table 7–5. Deaths From 69 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5–9 years	10–14 years	15–19 years	20–24 years
	Certain causes of mortality in early infancy – Con.											
01	Other causes of mortality in early infancy – Remainder of 760–778	12,023	12,013	2	1	–	1	12,017	3	1	1	–
02	Male	6,707	6,700	1	–	–	1	6,702	2	1	1	–
03	Female	5,316	5,313	1	1	–	–	5,315	1	–	–	–
04	White	8,191	8,184	–	1	–	1	8,186	2	1	1	–
05	Male	4,644	4,638	–	–	–	1	4,639	2	1	1	–
06	Female	3,547	3,546	–	1	–	–	3,547	–	–	–	–
07	All other	3,832	3,829	2	–	–	–	3,831	1	–	–	–
08	Male	2,063	2,062	1	–	–	–	2,063	–	–	–	–
09	Female	1,769	1,767	1	–	–	–	1,768	1	–	–	–
10	Symptoms and ill-defined conditions – 780–796	31,768	5,121	210	69	43	26	5,469	113	138	558	954
11	Male	18,748	3,038	109	48	25	11	3,231	69	88	367	686
12	Female	13,020	2,083	101	21	18	15	2,238	44	50	191	268
13	White	22,661	3,299	130	42	32	15	3,518	79	101	424	657
14	Male	13,457	2,019	68	25	20	7	2,139	45	61	286	478
15	Female	9,204	1,280	62	17	12	8	1,379	34	40	138	179
16	All other	9,107	1,822	80	27	11	11	1,951	34	37	134	297
17	Male	5,291	1,019	41	23	5	4	1,092	24	27	81	208
18	Female	3,816	803	39	4	6	7	859	10	10	53	89
19	All other diseases – Residual	120,263	1,867	383	261	176	171	2,858	616	666	1,325	1,892
20	Male	68,400	1,089	216	139	90	85	1,619	325	333	795	1,163
21	Female	51,863	778	167	122	86	86	1,239	291	333	530	729
22	White	103,413	1,350	306	201	148	142	2,147	522	551	1,054	1,345
23	Male	58,647	798	175	107	75	75	1,230	277	280	656	842
24	Female	44,766	552	131	94	73	67	917	245	271	398	503
25	All other	16,850	517	77	60	28	29	711	94	115	271	547
26	Male	9,753	291	41	32	15	10	389	48	53	139	321
27	Female	7,097	226	36	28	13	19	322	46	62	132	226
28	Accidents – E800–E949	103,030	1,337	1,054	902	852	803	4,948	3,033	3,785	12,035	12,086
29	Male	72,376	719	597	521	535	487	2,859	2,029	2,770	9,463	9,953
30	Female	30,654	618	457	381	317	316	2,089	1,004	1,015	2,572	2,133
31	White	87,760	927	802	692	631	600	3,652	2,303	3,090	10,739	10,415
32	Male	61,186	501	459	407	391	378	2,136	1,529	2,241	8,424	8,633
33	Female	26,574	426	343	285	240	222	1,516	774	849	2,315	1,782
34	All other	15,270	410	252	210	221	203	1,296	730	695	1,296	1,671
35	Male	11,190	218	138	114	144	109	723	500	529	1,039	1,320
36	Female	4,080	192	114	96	77	94	573	230	166	257	351
37	Motor vehicle accidents – E810–E823	45,853	255	341	301	329	350	1,576	1,576	1,710	8,052	7,620
38	Male	33,597	130	181	172	207	215	905	1,016	1,145	6,089	6,155
39	Female	12,256	125	160	129	122	135	671	560	565	1,963	1,465
40	White	39,883	210	268	240	248	258	1,224	1,230	1,463	7,464	6,795
41	Male	29,092	105	138	137	155	163	698	783	972	5,642	5,501
42	Female	10,791	105	130	103	93	95	526	447	491	1,822	1,294
43	All other	5,970	45	73	61	81	92	352	346	247	588	825
44	Male	4,505	25	43	35	52	52	207	233	173	447	654
45	Female	1,465	20	30	26	29	40	145	113	74	141	171
46	All other accidents – E800–E807, E825–E949	57,177	1,082	713	601	523	453	3,372	1,457	2,075	3,983	4,466
47	Male	38,779	589	416	349	328	272	1,954	1,013	1,625	3,374	3,798
48	Female	18,398	493	297	252	195	181	1,418	444	450	609	668
49	White	47,877	717	534	452	383	342	2,428	1,073	1,627	3,275	3,620
50	Male	32,094	396	321	270	236	215	1,438	746	1,269	2,782	3,132
51	Female	15,783	321	213	182	147	127	990	327	358	493	488
52	All other	9,300	365	179	149	140	111	944	384	448	708	846
53	Male	6,685	193	95	79	92	57	516	267	356	592	666
54	Female	2,615	172	84	70	48	54	428	117	92	116	180
55	Suicide – E950–E959	27,063	...	...	...	...	...	...	–	170	1,594	3,142
56	Male	19,622	...	...	...	...	...	...	–	128	1,289	2,498
57	Female	7,441	...	...	...	...	...	...	–	42	305	644
58	White	25,173	...	...	...	...	...	...	–	162	1,449	2,761
59	Male	18,206	...	...	...	...	...	...	–	125	1,178	2,200
60	Female	6,967	...	...	...	...	...	...	–	37	271	561
61	All other	1,890	...	...	...	...	...	...	–	8	145	381
62	Male	1,416	...	...	...	...	...	...	–	3	111	298
63	Female	474	...	...	...	...	...	...	–	5	34	83
64	Homicide – E960–E978	21,310	178	119	94	53	51	495	136	249	2,008	3,485
65	Male	16,553	102	66	56	31	34	289	60	150	1,495	2,763
66	Female	4,757	76	53	38	22	17	206	76	99	513	722
67	White	10,973	110	61	48	29	28	276	99	151	1,023	1,582
68	Male	8,222	66	39	30	19	17	171	45	86	741	1,188
69	Female	2,751	44	22	18	10	11	105	54	65	282	394
70	All other	10,337	68	58	46	24	23	219	37	98	985	1,903
71	Male	8,331	36	27	26	12	17	118	15	64	754	1,575
72	Female	2,006	32	31	20	12	6	101	22	34	231	328
73	Other external causes – E980–E999	4,860	94	55	47	22	21	239	47	84	408	610
74	Male	3,314	47	31	32	13	11	134	28	60	309	454
75	Female	1,546	47	24	15	9	10	105	19	24	99	156
76	White	3,669	50	30	22	14	8	124	31	61	303	475
77	Male	2,469	26	19	17	8	5	75	19	43	232	358
78	Female	1,200	24	11	5	6	3	49	12	18	71	117
79	All other	1,191	44	25	25	8	13	115	16	23	105	135
80	Male	845	21	12	15	5	6	59	9	17	77	96
81	Female	346	23	13	10	3	7	56	7	6	28	39

Age, Color, and Sex: United States, 1975 – Con.

Revision International Classification of Diseases, Adapted, 1965]

25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100+ years	Not stated	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	01
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	02
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	03
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	04
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	05
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	06
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	07
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	08
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	09
849	647	720	888	1,313	1,680	2,044	2,420	2,682	2,735	2,514	2,363	1,832	1,180	449	163	57	10
586	406	451	562	822	1,118	1,395	1,640	1,751	1,627	1,385	1,143	792	412	142	39	36	11
263	241	269	326	491	562	649	780	931	1,108	1,129	1,220	1,040	768	307	124	21	12
555	409	457	550	882	1,195	1,483	1,776	1,999	1,992	1,866	1,853	1,479	908	346	91	41	13
395	246	286	335	556	787	1,023	1,250	1,343	1,208	1,037	882	634	311	111	18	26	14
160	163	171	215	326	408	460	526	656	784	829	971	845	597	235	73	15	15
294	238	263	338	431	485	561	644	683	743	648	510	353	272	103	72	16	16
191	160	165	227	266	331	372	390	408	419	348	261	158	101	31	21	10	17
103	78	98	111	165	154	189	254	275	324	300	249	195	171	72	51	6	18
1,856	1,976	2,254	3,148	4,721	6,690	8,794	11,607	14,187	15,665	15,498	13,410	8,575	3,484	866	150	25	19
1,117	1,161	1,330	1,819	2,714	3,965	5,273	7,131	8,741	9,414	8,752	6,978	4,002	1,413	298	45	12	20
739	815	924	1,329	2,007	2,725	3,521	4,476	5,446	6,251	6,746	6,432	4,573	2,071	568	105	13	21
1,239	1,280	1,479	2,162	3,558	5,365	7,362	10,033	12,519	14,022	14,188	12,454	7,960	3,256	788	116	13	22
747	717	853	1,242	2,015	3,188	4,424	6,216	7,762	8,455	8,010	6,437	3,684	1,310	259	36	7	23
492	563	626	920	1,543	2,177	2,938	3,817	4,757	5,567	6,178	6,017	4,276	1,946	529	80	6	24
617	696	775	986	1,163	1,325	1,432	1,574	1,668	1,643	1,310	956	615	228	78	34	12	25
370	444	477	577	699	777	849	915	979	959	742	541	318	103	39	9	5	26
247	252	298	409	464	548	583	659	689	684	568	415	297	125	39	25	7	27
8,319	5,504	4,575	4,479	4,831	5,162	4,792	4,858	4,750	4,470	4,705	4,676	3,492	1,835	529	92	74	28
6,787	4,354	3,622	3,341	3,595	3,797	3,442	3,404	3,114	2,682	2,532	2,257	1,429	678	174	30	64	29
1,532	1,150	953	1,138	1,236	1,365	1,350	1,454	1,636	1,788	2,173	2,419	2,063	1,157	355	62	10	30
6,966	4,488	3,677	3,597	3,936	4,310	4,034	4,147	4,132	3,928	4,253	4,397	3,317	1,741	503	74	61	31
5,687	3,541	2,906	2,681	2,929	3,133	2,862	2,890	2,682	2,319	2,264	2,112	1,340	640	163	22	52	32
1,279	947	771	916	1,007	1,177	1,172	1,257	1,450	1,609	1,989	2,285	1,977	1,101	340	52	9	33
1,353	1,016	898	882	895	852	758	711	618	542	452	279	175	94	26	18	13	34
1,100	813	716	660	666	664	580	514	432	363	268	145	89	38	11	8	12	35
253	203	182	222	229	188	178	197	186	179	184	134	86	56	15	10	1	36
4,749	2,931	2,272	2,017	2,001	2,088	1,863	1,711	1,648	1,399	1,297	864	348	91	15	–	25	37
3,803	2,249	1,768	1,489	1,454	1,501	1,313	1,144	1,084	852	777	540	219	64	12	–	18	38
946	682	504	528	547	587	550	567	564	547	520	324	129	27	3	–	7	39
4,084	2,456	1,905	1,675	1,678	1,748	1,573	1,476	1,445	1,227	1,185	817	318	85	15	–	20	40
3,251	1,876	1,474	1,234	1,216	1,245	1,089	973	931	718	699	508	197	59	12	–	14	41
833	580	431	441	462	503	484	503	514	509	486	309	121	26	3	–	6	42
665	475	367	342	323	340	290	235	203	172	112	47	30	6	–	–	5	43
552	373	294	255	238	256	224	171	153	134	78	32	22	5	–	–	4	44
113	102	73	87	85	84	66	64	50	38	34	15	8	1	–	–	1	45
3,570	2,573	2,303	2,462	2,830	3,074	2,929	3,147	3,102	3,071	3,408	3,812	3,144	1,744	514	92	49	46
2,984	2,105	1,854	1,852	2,141	2,296	2,129	2,260	2,030	1,830	1,755	1,717	1,210	614	162	30	46	47
586	468	449	610	689	778	800	887	1,072	1,241	1,653	2,095	1,934	1,130	352	62	3	48
2,882	2,032	1,772	1,922	2,258	2,562	2,461	2,671	2,687	2,701	3,068	3,580	2,999	1,656	488	74	41	49
2,436	1,665	1,432	1,447	1,713	1,888	1,773	1,917	1,751	1,601	1,565	1,604	1,143	581	151	22	38	50
446	367	340	475	545	674	688	754	936	1,100	1,503	1,976	1,856	1,075	337	52	3	51
688	541	531	540	572	512	468	476	415	370	340	232	145	88	26	18	8	52
548	440	422	405	428	408	356	343	279	229	190	113	67	33	11	8	8	53
140	101	109	135	144	104	112	133	136	141	150	119	78	55	15	10	–	54
2,784	2,257	1,875	2,075	2,345	2,421	2,171	1,792	1,562	1,167	849	519	266	66	4	3	1	55
2,117	1,590	1,247	1,354	1,569	1,633	1,517	1,302	1,161	869	668	396	222	55	3	3	1	56
667	667	628	721	776	788	654	490	401	298	181	123	44	11	1	–	–	57
2,437	2,029	1,720	1,947	2,228	2,320	2,089	1,731	1,517	1,122	820	510	260	63	4	3	1	58
1,848	1,420	1,135	1,260	1,481	1,566	1,456	1,262	1,128	836	644	390	218	52	3	3	1	59
589	609	585	687	747	754	633	469	389	286	176	120	42	11	1	–	–	60
347	228	155	128	117	101	82	61	45	45	29	9	6	3	–	–	–	61
269	170	112	94	88	67	61	40	33	33	24	6	4	3	–	–	–	62
78	58	43	34	29	34	21	21	12	12	5	3	2	–	–	–	–	63
3,221	2,445	1,919	1,675	1,524	1,240	884	701	498	331	235	144	66	17	4	–	33	64
2,623	1,971	1,529	1,321	1,215	1,000	708	551	371	234	132	77	31	12	–	–	21	65
598	474	390	354	309	240	176	150	127	97	103	67	35	5	4	–	12	66
1,458	1,177	992	830	804	676	534	439	326	220	179	118	51	12	4	–	22	67
1,160	928	769	646	630	527	417	333	237	147	95	58	23	8	–	–	13	68
298	249	223	184	174	149	117	106	89	73	84	60	28	4	4	–	9	69
1,763	1,268	927	845	720	564	350	262	172	111	56	26	15	5	–	–	11	70
1,463	1,043	760	675	585	473	291	216	134	87	37	19	8	4	–	–	8	71
300	225	167	170	135	91	59	44	38	24	19	7	7	1	–	–	3	72
561	395	316	364	375	346	292	223	195	151	99	77	30	15	4	1	28	73
414	281	215	237	233	217	201	145	131	98	62	45	20	9	3	1	17	74
147	114	101	127	142	129	91	78	64	53	37	32	10	6	1	–	11	75
399	283	226	272	290	277	238	190	167	120	85	65	28	12	3	1	19	76
290	198	147	171	167	166	160	123	113	77	53	36	19	7	2	1	12	77
109	85	79	101	123	111	78	67	54	43	32	29	9	5	1	–	7	78
162	112	90	92	85	69	54	33	28	31	14	12	2	3	1	–	9	79
124	83	68	66	66	51	41	22	18	21	9	9	1	2	1	–	5	80
38	29	22	26	19	18	13	11	10	10	5	3	1	1	–	–	4	81

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama																							
	All causes	33,658	1,131	195	112	174	423	488	463	450	524	800	1,221	1,817	2,323	3,288	3,933	4,104	4,077	3,747	2,640	1,284	457	7
	White ..... Male	13,621	318	60	37	88	202	237	208	187	231	335	551	887	1,128	1,569	1,819	1,748	1,548	1,285	778	321	84	–
	Female	10,141	234	49	28	40	71	51	83	79	83	162	276	374	537	765	989	1,145	1,440	1,630	1,279	619	206	1
	All other ..... Male	5,427	326	48	33	30	113	147	127	121	129	183	213	330	398	545	657	622	572	394	252	127	55	5
	Female	4,469	253	38	14	16	37	53	45	63	81	120	181	226	260	409	468	589	517	438	331	217	112	1
004, 006	Bacillary dysentery and amebiasis	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	58	34	4	–	–	1	1	1	–	–	2	2	1	–	1	1	5	2	2	1	–	–	–
	White ..... Male	20	7	1	–	–	1	–	–	–	–	–	2	1	–	–	1	4	1	2	–	–	–	–
	Female	8	3	–	–	–	–	1	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
	All other ..... Male	18	15	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	12	9	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
010–019	Tuberculosis, all forms	94	–	–	–	–	–	–	3	1	3	2	8	7	7	7	18	11	9	8	8	1	1	–
	White ..... Male	31	–	–	–	–	–	–	–	–	–	–	4	2	1	2	9	3	2	4	4	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	3	3	–	1	–	–	–
	All other ..... Male	38	–	–	–	–	–	–	1	1	2	2	2	4	4	3	6	4	2	3	3	–	1	–
	Female	14	–	–	–	–	–	–	2	–	1	–	1	–	1	2	2	1	2	1	–	1	–	–
010–012	Tuberculosis of respiratory system	76	–	–	–	–	–	–	–	1	3	2	7	5	6	6	12	10	8	6	8	1	1	–
	White ..... Male	27	–	–	–	–	–	–	–	–	–	–	4	2	1	2	6	3	2	3	4	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	–	1	–	–	–
	All other ..... Male	33	–	–	–	–	–	–	–	1	2	2	2	3	3	3	4	4	2	3	3	–	1	–
	Female	8	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	2	–	–	1	–	–
013–019	Tuberculosis, other forms	18	–	–	–	–	–	–	3	–	–	–	1	2	1	1	6	1	1	2	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	1	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	7	3	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White ..... Male	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	102	22	2	1	–	1	–	2	1	2	2	5	4	3	4	9	7	14	9	8	4	2	–
	White ..... Male	28	6	1	–	–	–	–	–	–	–	2	–	–	–	1	4	3	4	3	3	1	–	–
	Female	28	5	–	–	–	1	–	–	–	–	–	1	–	1	1	4	–	5	4	4	1	1	–
	All other ..... Male	28	9	–	1	–	–	–	1	–	1	–	–	1	1	2	1	2	5	1	1	2	–	–
	Female	18	2	1	–	–	–	–	1	1	1	–	4	3	1	–	–	2	–	1	–	–	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	82	7	4	1	5	3	1	–	3	3	2	7	4	8	3	8	6	7	6	1	3	–	–
	White ..... Male	28	1	2	1	2	–	–	–	–	1	–	3	2	3	–	1	5	1	3	1	2	–	–
	Female	21	2	1	–	1	2	–	–	1	1	1	1	1	1	2	1	–	3	2	–	1	–	–
	All other ..... Male	13	1	–	–	1	–	1	–	1	–	1	1	–	2	–	1	–	3	1	–	–	–	–
	Female	20	3	1	–	1	1	–	–	1	1	–	2	1	2	1	5	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,827	2	13	16	12	23	24	44	56	78	142	278	469	602	847	923	841	637	481	223	94	22	–
	White Male	2,481	–	5	7	4	11	12	18	27	28	44	103	203	253	375	445	378	280	186	71	29	2	–
	Female	1,878	2	4	6	4	5	4	14	17	25	58	106	142	205	269	247	248	193	187	95	40	7	–
	All other Male	797	–	2	1	2	3	4	5	5	11	14	33	69	79	126	135	120	94	48	29	13	4	–
	Female	671	–	2	2	2	4	4	7	7	14	26	36	55	65	77	96	95	70	60	28	12	9	–
140–149	Of buccal cavity and pharynx	113	–	–	–	–	–	1	1	2	1	1	5	5	10	21	20	18	12	9	6	1	–	–
	White Male	69	–	–	–	–	–	1	–	2	–	1	3	3	7	13	14	7	8	5	4	1	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	–	1	3	4	9	4	4	2	–	–	–
	All other Male	14	–	–	–	–	–	–	–	–	1	–	1	2	2	5	2	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,434	–	–	–	–	3	2	5	8	9	16	51	104	132	200	227	207	198	155	74	36	7	–
	White Male	542	–	–	–	–	–	–	1	2	4	3	21	45	48	72	98	82	86	53	18	8	1	–
	Female	495	–	–	–	–	–	–	–	3	2	6	20	23	46	75	72	58	60	70	39	18	3	–
	All other Male	221	–	–	–	–	1	1	4	3	1	4	6	25	21	31	38	35	26	10	9	5	1	–
	Female	176	–	–	–	–	2	1	–	–	2	3	4	11	17	22	19	32	26	22	8	5	2	–
160–163	Of respiratory system	1,474	–	1	1	–	–	1	1	4	9	35	83	171	184	295	273	192	116	73	26	8	1	–
	White Male	942	–	–	1	–	–	–	–	1	6	20	45	111	119	187	176	140	74	49	11	2	–	–
	Female	223	–	–	–	–	–	1	1	3	1	6	18	33	23	51	32	15	16	13	8	2	–	–
	All other Male	245	–	–	–	–	–	–	–	–	2	7	13	21	37	52	52	27	22	7	3	1	1	–
	Female	64	–	1	–	–	–	–	–	–	–	2	7	6	5	5	13	10	4	4	4	3	–	–
174	Of breast	420	–	–	–	–	2	–	–	4	14	35	37	45	60	54	47	46	31	26	11	4	4	–
	White Male	3	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–
	Female	332	–	–	–	–	2	–	–	2	6	27	33	35	51	44	34	40	25	22	6	3	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	84	–	–	–	–	–	–	–	2	7	7	4	10	9	10	13	6	6	4	3	1	2	–
180–187	Of genital organs	748	–	–	–	–	–	2	11	5	8	17	23	47	61	81	113	126	105	85	46	13	5	–
	White Male	207	–	–	–	–	–	1	6	–	1	–	1	2	6	16	37	38	41	31	19	8	–	–
	Female	256	–	–	–	–	–	–	4	3	6	10	10	23	38	33	34	37	22	21	14	1	–	–
	All other Male	137	–	–	–	–	–	–	–	–	–	–	–	4	2	14	20	33	30	20	10	3	1	–
	Female	148	–	–	–	–	–	1	1	2	1	7	12	18	15	18	22	18	12	13	3	1	4	–
188, 189	Of urinary organs	234	–	–	2	–	–	–	2	1	1	1	5	16	13	25	36	47	34	27	16	7	1	–
	White Male	116	–	–	–	–	–	–	–	–	–	1	1	6	9	13	24	26	17	10	7	2	–	–
	Female	64	–	–	1	–	–	–	–	–	–	–	2	6	3	5	9	8	12	10	4	4	–	–
	All other Male	29	–	–	–	–	–	–	–	1	1	–	1	3	–	4	2	6	4	3	2	1	1	–
	Female	25	–	–	1	–	–	–	2	–	–	–	1	1	1	3	1	7	1	4	3	–	–	–
170–173, 190–199	Of all other and unspecified sites	839	1	5	6	8	11	5	8	21	21	23	50	53	87	97	131	126	83	60	23	18	2	–
	White Male	344	–	2	2	2	6	3	5	13	12	10	20	23	40	37	58	49	28	24	4	5	1	–
	Female	290	1	2	2	3	1	–	3	4	4	8	14	13	25	37	37	50	36	28	13	9	–	–
	All other Male	98	–	1	1	2	2	1	–	1	3	1	9	9	11	12	18	13	7	3	1	3	–	–
	Female	107	–	–	1	1	2	1	–	3	2	4	7	8	11	11	18	14	12	5	5	1	1	–
204–207	Leukemia	263	1	3	6	4	3	10	7	7	6	4	6	10	22	28	38	31	30	28	13	4	2	–
	White Male	123	–	1	3	2	3	5	2	5	–	2	3	3	9	13	21	16	16	11	6	2	–	–
	Female	89	1	2	3	1	–	3	3	2	2	–	2	5	7	8	10	12	8	12	5	1	2	–
	All other Male	22	–	–	–	–	–	1	–	–	2	1	1	2	2	4	2	2	2	2	1	–	–	–
	Female	29	–	–	–	1	–	1	2	–	2	1	–	–	4	3	5	1	4	3	1	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	302	–	4	1	–	4	3	9	4	9	10	18	18	33	46	38	48	28	18	8	3	–	–
	White Male	135	–	2	1	–	2	2	4	4	4	6	9	10	15	24	17	20	10	3	1	1	–	–
	Female	101	–	–	–	–	2	–	3	–	4	1	6	4	11	13	15	19	10	7	4	2	–	–
	All other Male	30	–	1	–	–	–	1	1	–	1	1	2	3	4	4	1	3	3	3	2	–	–	–
	Female	36	–	1	–	–	–	–	1	–	–	2	1	1	3	5	5	6	5	5	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	90	–	–	1	4	2	3	–	–	8	3	3	6	11	14	13	7	3	7	4	1	–	–
	White Male	36	–	–	–	2	1	1	–	–	5	2	–	–	6	8	7	4	–	–	–	–	–	–
	Female	30	–	–	1	–	1	1	–	–	1	1	1	5	2	4	3	1	2	5	2	–	–	–
	All other Male	10	–	–	–	1	–	1	–	–	–	–	1	1	2	1	1	–	1	1	–	–	–	–
	Female	14	–	–	–	1	–	–	–	–	2	–	1	–	1	1	2	2	–	1	2	1	–	–
250	Diabetes mellitus	706	–	1	–	2	3	1	2	5	7	8	20	30	49	93	112	95	120	81	55	16	5	1
	White Male	176	–	–	–	1	1	1	2	2	1	1	5	9	16	25	32	18	24	22	12	3	1	–
	Female	236	–	–	–	–	–	–	–	–	1	–	3	9	12	27	29	37	48	31	29	9	1	–
	All other Male	88	–	1	–	–	1	–	–	2	2	4	5	5	6	12	10	8	18	7	4	1	1	1
	Female	206	–	–	–	1	1	–	–	1	3	3	7	7	15	29	41	32	30	21	10	3	2	–
260–269	Avitaminoses and other nutritional deficiencies	44	1	–	–	–	–	–	4	–	–	1	–	1	3	–	4	7	4	6	5	5	3	–
	White Male	13	–	–	–	–	–	–	1	–	–	–	–	–	2	–	2	1	–	4	2	–	1	–
	Female	16	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	3	2	2	2	2	1	–
	All other Male	8	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	2	1	–	1	1	–	–
	Female	7	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	1	–	–	2	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama – Con.																							
280–285	Anemias	64	1	7	2	–	–	–	4	2	1	2	1	1	3	8	8	4	5	7	6	2	–	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	1	–	–	4	3	1	3	1	3	–	–	–
	Female	16	–	–	–	–	–	–	1	–	–	1	–	1	1	1	1	2	1	3	3	1	–	–
	All other Male	17	–	6	1	–	–	–	1	1	–	1	–	–	1	1	1	1	1	2	–	–	–	–
	Female	15	1	1	1	–	–	–	2	1	1	–	–	–	1	2	3	–	–	1	–	1	–	–
320	Meningitis	32	10	4	2	2	–	–	–	–	3	1	1	1	1	1	1	1	2	1	–	–	1	–
	White Male	7	1	2	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–
	Female	7	–	1	1	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–	–	1	–
	All other Male	9	5	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	4	–	–	1	–	–	–	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–
390–448	Major cardiovascular diseases	16,144	15	13	1	4	19	23	39	53	116	198	423	687	971	1,472	1,994	2,267	2,434	2,411	1,820	873	309	2
	White Male	6,478	8	1	–	3	3	10	18	12	58	99	215	382	530	767	932	948	905	793	511	224	59	–
	Female	5,493	2	7	1	–	6	3	7	14	12	27	68	103	175	280	523	663	933	1,116	943	455	154	1
	All other Male	2,120	3	3	–	1	5	6	9	16	26	44	74	112	166	226	323	312	304	230	155	69	35	1
	Female	2,053	2	2	–	–	5	4	5	11	20	28	66	90	100	199	216	344	292	272	211	125	61	–
390–398, 402, 404, 410–429	Diseases of heart	10,948	12	9	–	3	13	15	27	38	92	146	326	541	715	1,109	1,468	1,581	1,598	1,488	1,093	495	177	2
	White Male	4,897	6	1	–	2	2	8	14	12	50	82	192	342	458	629	747	714	635	509	328	128	38	–
	Female	3,576	2	4	–	–	5	3	3	8	10	20	54	74	109	206	376	472	613	710	553	268	85	1
	All other Male	1,350	3	2	–	1	3	3	6	12	20	32	46	78	99	154	219	195	182	138	96	38	22	1
	Female	1,125	1	2	–	–	3	1	4	6	12	12	34	47	49	120	126	200	168	131	116	61	32	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	126	–	–	–	1	1	–	2	4	2	4	9	8	12	18	20	20	8	15	1	1	–	–
	White Male	52	–	–	–	1	–	–	1	–	–	1	3	6	6	7	10	6	4	6	1	–	–	–
	Female	44	–	–	–	–	–	–	–	2	–	1	3	2	3	5	8	9	3	7	–	1	–	–
	All other Male	15	–	–	–	–	–	–	–	–	–	2	2	–	2	3	2	3	–	1	–	–	–	–
	Female	15	–	–	–	–	1	–	1	2	2	–	1	–	1	3	–	2	1	1	–	–	–	–
402	Hypertensive heart disease	124	–	–	–	–	–	–	–	2	2	1	4	6	4	12	9	21	25	18	13	5	2	–
	White Male	28	–	–	–	–	–	–	–	2	1	–	2	–	2	2	1	3	4	6	3	2	–	–
	Female	37	–	–	–	–	–	–	–	–	–	–	1	2	1	3	3	6	6	6	5	2	2	–
	All other Male	24	–	–	–	–	–	–	–	–	–	1	–	2	1	3	3	6	3	4	1	–	–	–
	Female	35	–	–	–	–	–	–	–	–	1	–	1	2	–	4	2	6	12	2	4	1	–	–
404	Hypertensive heart and renal disease	85	–	–	–	–	–	–	–	–	–	–	3	3	4	2	4	21	10	15	13	9	1	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	5	5	5	4	3	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	7	2	6	8	5	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	2	–	2	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	7	3	2	–	1	1	–
410–413	Ischemic heart disease	9,104	1	–	–	–	1	4	13	17	66	112	243	419	582	923	1,250	1,316	1,380	1,291	925	410	150	1
	White Male	4,100	1	–	–	–	–	2	7	5	41	69	148	276	387	532	639	596	542	443	271	107	34	–
	Female	3,030	–	–	–	–	–	1	1	2	6	12	38	48	80	168	318	400	552	627	477	230	70	–
	All other Male	1,068	–	–	–	–	1	1	3	7	13	21	34	58	78	124	186	161	153	108	78	22	19	1
	Female	906	–	–	–	–	–	–	2	3	6	10	23	37	37	99	107	159	133	113	99	51	27	–
410	Acute myocardial infarction	5,633	1	–	–	–	1	3	11	15	51	88	211	325	467	703	882	828	793	644	392	162	55	1
	White Male	2,866	1	–	–	–	–	2	6	5	32	57	133	225	322	421	484	409	338	234	135	47	15	–
	Female	1,683	–	–	–	–	–	1	1	1	5	9	33	36	65	131	224	243	327	314	183	87	23	–
	All other Male	616	–	–	–	–	1	–	2	7	12	18	29	39	54	89	118	96	62	41	31	9	7	1
	Female	468	–	–	–	–	–	–	2	2	2	4	16	25	26	62	56	80	66	55	43	19	10	–
411	Other acute and subacute forms of ischemic heart disease	27	–	–	–	–	–	1	–	–	–	–	1	5	2	6	4	3	3	1	1	–	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	1	3	2	5	–	2	1	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	1	–	–	–
	All other Male	7	–	–	–	–	–	1	–	–	–	–	–	1	–	1	2	–	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	3,440	–	–	–	–	–	–	2	2	15	24	31	89	113	214	364	485	582	645	531	248	95	–
	White Male	1,217	–	–	–	–	–	–	1	–	9	12	14	48	63	106	155	185	202	208	135	60	19	–
	Female	1,340	–	–	–	–	–	–	–	1	1	3	5	11	15	37	92	156	224	312	293	143	47	–
	All other Male	445	–	–	–	–	–	–	1	–	1	3	5	18	24	34	66	65	89	67	47	13	12	–
	Female	438	–	–	–	–	–	–	–	1	4	6	7	12	11	37	51	79	67	58	56	32	17	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	121	1	1	–	–	4	2	–	1	–	–	1	5	5	6	7	13	23	16	24	8	4	–
	White Male	54	–	–	–	–	–	1	–	–	–	–	1	3	3	4	4	4	13	6	11	2	2	–
	Female	48	–	1	–	–	1	1	–	–	–	–	–	–	2	2	1	8	7	8	11	4	2	–
	All other Male	8	–	–	–	–	2	–	–	–	–	–	–	2	–	–	1	1	–	–	1	1	–	–
	Female	11	1	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	3	2	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,388	10	8	–	2	7	9	12	14	22	29	66	100	108	148	178	190	152	133	117	62	20	1
	White.....Male	638	5	1	–	1	2	5	6	5	8	12	38	55	60	84	92	100	67	43	38	14	2	–
	Female	385	2	3	–	–	4	1	2	4	4	7	12	22	22	27	44	42	43	56	52	26	11	1
	All other.....Male	226	3	2	–	1	–	2	3	5	7	8	9	16	16	24	26	22	26	23	15	15	3	–
	Female	139	–	2	–	–	1	1	1	–	3	2	7	7	10	13	16	26	16	11	12	7	4	–
400, 401, 403	Hypertension	176	–	–	–	–	1	1	1	–	2	7	11	12	15	15	25	20	24	22	11	6	3	–
	White.....Male	32	–	–	–	–	–	–	1	–	1	–	–	2	4	2	5	3	5	6	2	1	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	2	3	–	4	3	5	7	3	3	1	–
	All other.....Male	54	–	–	–	–	–	1	–	–	1	2	5	5	6	7	6	6	7	4	2	1	1	–
	Female	59	–	–	–	–	1	–	–	–	–	5	6	3	2	6	10	8	7	5	4	1	1	–
430–438	Cerebrovascular diseases	4,190	3	4	1	1	5	5	10	14	18	36	78	113	203	288	422	556	689	758	606	286	94	–
	White.....Male	1,227	2	–	–	1	1	1	2	–	4	13	18	29	50	103	137	176	217	235	155	70	13	–
	Female	1,579	–	3	1	–	1	–	4	5	1	6	12	26	54	62	128	168	269	333	322	137	47	–
	All other.....Male	628	–	1	–	–	2	2	3	4	5	8	22	25	56	61	89	90	101	74	49	27	9	–
	Female	756	1	–	–	–	1	2	1	5	8	9	26	33	43	62	68	122	102	116	80	52	25	–
431	Cerebral hemorrhage	622	1	–	–	–	1	1	2	7	4	10	29	24	44	75	85	81	79	73	68	27	11	–
	White.....Male	173	–	–	–	–	1	–	–	–	1	5	7	5	16	27	21	24	24	23	16	3	–	–
	Female	182	–	–	–	–	–	–	1	3	–	1	3	6	10	11	24	12	32	29	35	11	4	–
	All other.....Male	117	–	–	–	–	–	–	1	2	2	3	9	5	12	14	23	20	12	6	5	2	1	–
	Female	150	1	–	–	–	–	1	–	2	1	1	10	8	6	23	17	25	11	15	12	11	6	–
433	Cerebral thrombosis	1,031	–	–	–	–	1	–	1	–	1	1	7	18	29	55	104	133	201	206	158	90	26	–
	White.....Male	323	–	–	–	–	–	–	–	–	–	–	2	2	8	20	41	45	67	78	32	25	3	–
	Female	432	–	–	–	–	1	–	–	–	–	–	1	5	6	17	27	42	81	88	103	48	13	–
	All other.....Male	126	–	–	–	–	–	–	1	–	–	–	1	5	10	8	19	22	26	16	12	5	1	–
	Female	150	–	–	–	–	–	–	–	–	1	1	3	6	5	10	17	24	27	24	11	12	9	–
434	Cerebral embolism	11	–	–	–	–	–	–	–	–	1	–	–	2	1	2	1	1	1	1	1	–	–	–
	White.....Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	1	–	–	–	–
	All other.....Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,526	2	4	1	1	3	4	7	7	12	25	42	69	129	156	232	341	408	478	379	169	57	–
	White.....Male	729	2	–	–	1	–	1	2	–	3	8	9	21	26	56	75	107	126	134	106	42	10	–
	Female	958	–	3	1	–	–	–	3	2	1	5	8	14	37	33	76	113	155	215	184	78	30	–
	All other.....Male	383	–	1	–	–	2	2	1	2	2	5	12	15	34	38	47	48	63	52	32	20	7	–
	Female	456	–	–	–	–	1	1	1	3	6	7	13	19	32	29	34	73	64	77	57	29	10	–
440	Arteriosclerosis	446	–	–	–	–	–	–	–	–	–	–	2	8	14	20	26	45	65	99	70	67	30	–
	White.....Male	138	–	–	–	–	–	–	–	–	–	–	–	1	4	11	10	20	24	26	13	23	6	–
	Female	207	–	–	–	–	–	–	–	–	–	–	1	1	2	5	9	12	26	53	45	35	18	–
	All other.....Male	42	–	–	–	–	–	–	–	–	–	–	1	2	3	1	2	6	9	8	5	2	3	–
	Female	59	–	–	–	–	–	–	–	–	–	–	–	4	5	3	5	7	6	12	7	7	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	384	–	–	–	–	–	2	1	1	4	9	6	13	24	40	53	65	58	44	40	19	5	–
	White.....Male	184	–	–	–	–	–	1	1	–	3	4	5	8	14	22	33	35	24	17	13	2	2	–
	Female	100	–	–	–	–	–	–	–	1	1	1	1	–	7	7	6	8	20	13	20	12	3	–
	All other.....Male	46	–	–	–	–	–	–	–	–	–	2	–	2	2	3	7	15	5	6	3	1	–	–
	Female	54	–	–	–	–	–	1	–	–	–	2	–	3	1	8	7	7	9	8	4	4	–	–
466	Acute bronchitis and bronchiolitis	8	1	–	–	–	–	–	–	1	–	1	–	–	–	–	1	2	1	–	–	1	–	–
	White.....Male	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	802	54	15	1	7	9	8	3	4	4	18	20	23	30	49	55	83	108	121	95	68	27	–
	White.....Male	297	4	2	–	4	2	2	1	1	1	6	6	8	12	21	22	41	52	48	39	17	8	–
	Female	265	10	2	1	3	3	2	1	1	1	4	9	6	5	13	15	16	27	58	40	37	11	–
	All other.....Male	144	24	7	–	–	2	3	–	–	1	5	3	7	11	10	14	18	14	7	8	8	2	–
	Female	96	16	4	–	–	2	1	1	2	1	3	2	2	2	5	4	8	15	8	8	6	6	–
470–474	Influenza	71	3	–	–	2	–	1	1	1	–	1	1	3	3	4	7	8	10	11	7	6	2	–
	White.....Male	24	–	–	–	1	–	–	–	1	–	–	–	1	–	–	3	5	7	4	1	1	–	–
	Female	30	–	–	–	1	–	–	1	–	–	–	1	–	2	2	3	1	1	6	6	5	1	–
	All other.....Male	8	2	–	–	–	–	1	–	–	–	–	–	1	1	2	–	–	–	–	–	–	1	–
	Female	9	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	2	1	–	–	–	–
480–486	Pneumonia	731	51	15	1	5	9	7	2	3	4	17	19	20	27	45	48	75	98	110	88	62	25	–
	White.....Male	273	4	2	–	3	2	2	1	–	1	6	6	7	12	21	19	36	45	44	38	16	8	–
	Female	235	10	2	1	2	3	2	–	1	1	4	8	6	3	11	12	15	26	52	34	32	10	–
	All other.....Male	136	22	7	–	–	2	2	–	–	1	5	3	6	10	8	14	18	14	7	8	8	1	–
	Female	87	15	4	–	–	2	1	1	2	1	2	2	1	2	5	3	6	13	7	8	6	6	–
490–493	Bronchitis, emphysema, and asthma	426	1	2	–	–	2	–	1	4	4	11	6	19	33	65	79	68	59	41	20	10	1	–
	White.....Male	292	–	1	–	–	1	–	–	3	–	3	4	10	27	46	57	54	42	26	13	5	–	–
	Female	69	–	–	–	–	–	–	–	–	–	3	–	6	2	11	11	5	9	13	5	4	–	–
	All other.....Male	41	1	–	–	–	–	–	1	–	2	2	1	3	–	4	8	7	6	2	2	1	1	–
	Female	24	–	1	–	–	1	–	–	1	2	3	1	–	4	4	3	2	2	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama – Con.																							
490, 491	Chronic and unqualified bronchitis	58	–	1	–	–	–	–	–	2	2	3	–	2	2	9	8	6	7	7	6	3	–	–
	White ..... Male	40	–	1	–	–	–	–	–	2	–	1	–	–	2	7	6	6	4	5	4	2	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	2	2	1	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–
492	Emphysema	330	–	–	–	–	–	–	–	1	2	5	6	16	26	47	68	61	49	29	14	5	1	–
	White ..... Male	241	–	–	–	–	–	–	–	1	–	2	4	10	23	35	50	47	37	20	9	3	–	–
	Female	48	–	–	–	–	–	–	–	–	–	2	–	4	2	7	9	5	7	7	4	1	–	–
	All other ..... Male	32	–	–	–	–	–	–	–	–	1	1	1	2	–	3	7	7	5	2	1	1	1	–
	Female	9	–	–	–	–	–	–	–	–	1	–	1	–	1	2	2	2	–	–	–	–	–	–
493	Asthma	38	1	1	–	–	2	–	1	1	–	3	–	1	5	9	3	1	3	5	–	2	–	–
	White ..... Male	11	–	–	–	–	1	–	–	–	–	–	–	–	2	4	1	1	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	4	–	2	–	–
	All other ..... Male	6	1	–	–	–	–	–	1	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
	Female	11	–	1	–	–	1	–	–	1	–	1	–	–	3	2	–	–	2	–	–	–	–	–
531–533	Peptic ulcer	97	3	–	–	–	–	1	1	1	1	4	1	11	6	5	15	13	15	11	5	4	–	–
	White ..... Male	37	1	–	–	–	–	1	–	1	–	2	–	3	2	2	5	7	5	5	2	1	–	–
	Female	30	–	–	–	–	–	–	1	–	–	1	–	3	3	1	6	3	3	5	2	2	–	–
	All other ..... Male	19	–	–	–	–	–	–	–	–	1	1	1	5	1	2	1	1	4	1	1	–	–	–
	Female	11	2	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	–	–	1	–	–
540–543	Appendicitis	13	–	–	2	–	1	–	–	1	–	–	1	–	1	–	1	2	–	1	3	–	–	–
	White ..... Male	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	1	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–
550–553, 560	Hernia and intestinal obstruction	106	13	1	–	–	–	–	–	–	–	1	3	2	6	7	10	6	19	13	21	2	2	–
	White ..... Male	38	7	–	–	–	–	–	–	–	–	–	2	1	2	3	2	2	5	4	7	2	1	–
	Female	39	2	–	–	–	–	–	–	–	–	1	–	1	–	3	1	2	10	7	11	–	1	–
	All other ..... Male	16	4	1	–	–	–	–	–	–	–	–	–	–	3	1	3	2	–	2	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	1	–	4	–	4	–	3	–	–	–
571	Cirrhosis of liver	331	1	–	–	–	–	1	3	9	15	22	39	39	58	62	34	26	13	5	3	1	–	–
	White ..... Male	159	–	–	–	–	–	–	1	2	5	14	21	22	28	27	16	14	5	2	1	1	–	–
	Female	96	1	–	–	–	–	–	–	2	2	4	11	8	20	18	12	8	5	3	2	–	–	–
	All other ..... Male	43	–	–	–	–	–	–	1	2	6	1	3	6	5	11	4	2	2	–	–	–	–	–
	Female	33	–	–	–	–	–	1	1	3	2	3	4	3	5	6	2	2	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	66	–	–	–	–	–	–	1	1	–	–	–	1	6	6	8	8	12	9	7	3	4	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	4	6	3	4	–	1	–
	Female	29	–	–	–	–	–	–	1	–	–	–	–	–	2	4	3	2	5	6	2	3	1	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–
	Female	9	–	–	–	–	–	–	–	1	–	–	–	1	1	–	3	1	1	–	–	–	1	–
580–584	Nephritis and nephrosis	200	–	–	2	2	2	2	6	4	6	5	9	12	14	27	31	19	26	13	13	5	2	–
	White ..... Male	48	–	–	1	–	–	1	2	1	–	1	1	–	3	7	8	6	8	4	4	1	–	–
	Female	39	–	–	1	2	1	–	–	–	2	2	2	2	–	3	5	4	5	4	6	–	–	–
	All other ..... Male	59	–	–	–	–	1	1	3	2	1	2	3	4	6	7	12	5	5	3	1	2	1	–
	Female	54	–	–	–	–	–	–	1	1	3	–	3	6	5	10	6	4	8	2	2	2	1	–
580, 581	Acute nephritis and nephrotic syndrome	37	–	–	1	–	1	–	6	1	1	1	1	2	2	6	7	1	2	3	2	–	–	–
	White ..... Male	12	–	–	1	–	–	–	2	–	–	–	–	–	1	2	1	–	2	2	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	1	–	1	4	1	–	1	1	–	–	–
	All other ..... Male	10	–	–	–	–	1	–	3	1	–	–	1	1	–	1	2	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	163	–	–	1	2	1	2	–	3	5	4	8	10	12	21	24	18	24	10	11	5	2	–
	White ..... Male	36	–	–	–	–	–	1	–	1	–	1	1	–	2	5	7	6	6	2	3	1	–	–
	Female	29	–	–	1	2	1	–	–	–	2	1	2	1	–	2	1	3	5	3	5	–	–	–
	All other ..... Male	49	–	–	–	–	–	1	–	1	1	2	2	3	6	6	10	5	5	3	1	2	1	–
	Female	49	–	–	–	–	–	–	–	1	2	–	3	6	4	8	6	4	8	2	2	2	1	–
590	Infections of kidney	134	–	–	–	1	–	–	–	1	1	1	1	5	7	12	16	14	16	29	11	12	7	–
	White ..... Male	26	–	–	–	–	–	–	–	1	–	–	–	–	1	2	2	4	2	6	4	4	–	–
	Female	57	–	–	–	–	–	–	–	–	–	–	1	2	2	5	6	4	8	17	4	3	5	–
	All other ..... Male	21	–	–	–	1	–	–	–	–	–	1	–	2	1	4	2	2	3	3	1	1	–	–
	Female	30	–	–	–	–	–	–	–	–	1	–	–	1	3	1	6	4	3	3	2	4	2	–
600	Hyperplasia of prostate	19	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	3	5	2	3	–	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	4	1	3	–	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	13	–	–	–	–	2	2	3	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	5	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	8	–	–	–	–	2	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alabama – Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	12	–	–	–	–	2	2	3	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	7	–	–	–	–	2	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	267	185	19	4	5	9	8	3	5	4	4	1	4	3	5	4	1	3	–	–	–	–	–
	White Male	111	71	9	3	3	4	3	2	2	1	2	1	4	–	–	3	1	2	–	–	–	–	–
	Female	86	58	6	1	2	3	2	1	2	2	–	–	–	3	4	1	–	1	–	–	–	–	–
	All other Male	34	27	3	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	36	29	1	–	–	–	2	–	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	563	563	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	157	157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	118	118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	165	165	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	123	123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	303	303	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	87	87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	91	91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	260	260	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	2,029	135	4	3	2	12	25	26	28	36	73	94	133	155	224	198	211	207	187	135	98	42	1
	White Male	607	30	1	1	1	3	9	13	8	13	22	29	63	62	93	67	64	55	34	25	9	5	–
	Female	395	15	–	–	1	2	6	3	8	5	11	14	17	28	35	34	40	49	57	35	25	10	–
	All other Male	542	46	–	1	–	3	4	6	7	11	25	32	32	44	61	56	55	54	47	33	19	5	1
	Female	485	44	3	1	–	4	6	4	5	7	15	19	21	21	35	41	52	49	49	42	45	22	–
Residual	All other diseases	2,016	37	20	10	15	24	34	31	28	39	67	91	121	178	205	220	260	237	200	130	51	18	–
	White Male	827	10	6	3	10	16	14	10	4	14	20	33	46	85	90	110	118	88	94	38	15	3	–
	Female	614	8	7	3	4	3	7	9	5	7	14	25	31	46	60	56	72	93	63	71	21	9	–
	All other Male	333	12	6	2	–	3	7	6	11	10	18	15	23	26	32	33	48	35	28	8	7	3	–
	Female	242	7	1	2	1	2	6	6	8	8	15	18	21	21	23	21	22	21	15	13	8	3	–
E800–E949	Accidents	2,264	37	74	61	106	231	232	153	137	106	137	126	142	105	118	113	106	97	84	59	29	10	1
	White Male	1,161	11	25	18	55	124	140	89	78	68	79	77	81	50	61	52	47	37	33	28	6	2	–
	Female	414	6	19	11	22	39	15	24	14	12	12	19	20	21	19	18	30	32	42	20	15	4	–
	All other Male	502	13	16	26	21	60	59	35	33	18	34	22	30	26	29	34	18	15	6	3	2	1	1
	Female	187	7	14	6	8	8	18	5	12	8	12	8	11	8	9	9	11	13	3	8	6	3	–
E810–E823	Motor vehicle accidents	1,077	7	36	40	44	152	140	84	85	64	67	58	62	51	52	42	36	23	23	10	–	–	1
	White Male	579	3	11	13	20	84	84	51	47	38	41	37	35	22	29	20	15	10	15	4	–	–	–
	Female	203	2	13	7	15	35	12	19	10	9	6	9	10	13	10	7	11	5	7	3	–	–	–
	All other Male	223	1	6	16	6	27	33	12	20	13	14	10	11	13	10	13	8	6	1	2	–	–	1
	Female	72	1	6	4	3	6	11	2	8	4	6	2	6	3	3	2	2	2	–	1	–	–	–
E800–E807, E825–E949	All other accidents	1,187	30	38	21	62	79	92	69	52	42	70	68	80	54	66	71	70	74	61	49	29	10	–
	White Male	582	8	14	5	35	40	56	38	31	30	38	40	46	28	32	32	32	27	18	24	6	2	–
	Female	211	4	6	4	7	4	3	5	4	3	6	10	10	8	9	11	19	27	35	17	15	4	–
	All other Male	279	12	10	10	15	33	26	23	13	5	20	12	19	13	19	21	10	9	5	1	2	1	–
	Female	115	6	8	2	5	2	7	3	4	4	6	6	5	5	6	7	9	11	3	7	6	3	–
E950–E959	Suicide	379	...	...	–	3	27	35	38	25	24	28	29	43	30	22	32	17	12	9	4	1	–	–
	White Male	266	...	...	–	2	18	25	24	14	15	16	19	31	26	19	25	13	11	5	2	1	–	–
	Female	74	...	...	–	1	3	5	10	7	4	9	9	10	2	2	6	–	1	3	2	–	–	–
	All other Male	36	...	...	–	–	6	5	3	3	4	3	1	2	2	1	1	4	–	1	–	–	–	–
	Female	3	...	...	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	590	4	4	3	2	48	77	83	73	56	57	46	41	27	25	19	12	8	3	–	–	–	2
	White Male	198	1	2	2	–	15	12	23	27	19	20	22	15	10	12	8	4	4	2	–	–	–	–
	Female	46	1	1	1	–	2	4	4	6	6	8	2	1	4	1	3	1	–	1	–	–	–	–
	All other Male	288	–	–	–	1	25	53	49	35	28	22	15	22	11	9	8	6	3	–	–	–	–	1
	Female	58	2	1	–	1	6	8	7	5	3	7	7	3	2	3	–	1	1	–	–	–	–	1
E980–E999	Other external causes	79	2	6	2	2	3	9	12	5	4	7	6	8	6	1	2	2	1	–	–	–	1	–
	White Male	37	–	1	–	1	1	6	4	3	1	2	3	3	5	1	2	2	1	–	–	–	1	–
	Female	13	1	–	–	–	–	1	3	1	–	3	2	2	–	–	–	–	–	–	–	–	–	–
	All other Male	18	–	1	–	1	1	2	5	1	3	1	–	2	1	–	–	–	–	–	–	–	–	–
	Female	11	1	4	2	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska																							
	All causes	1,529	108	30	13	25	67	116	95	57	62	75	99	136	130	115	95	100	71	63	43	21	8	–
	White ..... Male	706	42	4	5	13	33	46	46	28	32	35	48	68	59	60	52	55	25	27	16	8	4	–
	Female	331	25	12	1	6	7	20	14	9	6	15	22	29	38	24	24	12	21	20	17	7	2	–
	All other ..... Male	305	21	7	5	2	21	33	29	15	16	14	16	29	21	17	11	19	11	7	7	3	1	–
	Female	187	20	7	2	4	6	17	6	5	8	11	13	10	12	14	8	14	14	9	3	3	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	6	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	1	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	4	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	4	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	6	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	213	–	–	–	2	3	3	1	3	7	9	15	24	29	32	30	20	19	10	5	1	–	–
	White ..... Male	85	–	–	–	–	1	–	–	1	6	4	4	13	10	10	15	13	4	3	1	–	–	–
	Female	75	–	–	–	2	1	1	1	2	1	4	8	6	10	11	9	3	6	5	4	1	–	–
	All other ..... Male	31	–	–	–	–	–	1	–	–	–	1	1	5	6	6	3	3	4	1	–	–	–	–
	Female	22	–	–	–	–	1	1	–	–	–	–	2	–	3	5	3	1	5	1	–	–	–	–
140–149	Of buccal cavity and pharynx	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	50	–	–	–	–	–	1	–	–	1	1	3	5	5	11	4	6	5	5	2	1	–	–
	White ..... Male	15	–	–	–	–	–	–	–	–	1	–	1	4	1	3	1	4	–	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	1	3	2	1	–	–
	All other ..... Male	12	–	–	–	–	–	1	–	–	–	–	1	1	1	4	–	1	2	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	1	2	1	–	–	–	–
160–163	Of respiratory system	59	–	–	–	–	–	–	–	–	1	1	4	9	11	11	13	4	2	3	–	–	–	–
	White ..... Male	33	–	–	–	–	–	–	–	–	1	1	3	4	7	5	6	3	1	2	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	1	3	3	4	4	–	1	1	–	–	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	17	–	–	–	–	–	–	–	–	–	1	3	2	2	4	1	2	–	1	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	1	3	2	2	3	1	2	–	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
180–187	Of genital organs	12	–	–	–	–	–	1	–	1	–	–	1	–	–	–	4	1	3	1	–	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	2	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
188, 189	Of urinary organs	11	–	–	–	–	–	–	–	–	–	–	2	2	2	–	1	2	1	–	1	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	43	–	–	–	–	2	–	1	1	4	5	–	4	5	5	7	4	5	–	–	–	–	–
	White ..... Male	19	–	–	–	–	1	–	–	–	3	3	–	3	–	1	5	3	–	–	–	–	–	–
	Female	17	–	–	–	–	1	–	1	1	1	1	–	1	4	2	2	1	2	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
204–207	Leukemia	10	–	–	–	2	1	1	–	1	–	–	2	1	–	–	–	–	1	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	2	–	1	–	1	–	–	2	–	–	–	–	–	1	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	8	–	–	–	–	–	–	–	–	–	1	–	1	3	1	–	1	1	–	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
250	Diabetes mellitus	15	–	–	–	–	–	–	–	1	2	–	2	2	–	1	–	3	1	3	–	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	3	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska – Con.																							
280–285	Anemias	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
320	Meningitis	5	1	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	White Male	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	364	2	3	1	1	1	1	2	6	5	14	26	35	45	46	30	49	29	34	21	9	4	–
	White Male	205	2	–	–	–	1	1	1	4	3	5	18	22	26	34	17	26	13	18	9	3	2	–
	Female	82	–	2	–	1	–	–	–	1	1	4	4	6	12	6	7	6	10	7	9	5	1	–
	All other Male	50	–	1	–	–	–	–	1	1	–	5	2	6	6	3	3	10	3	5	2	1	1	–
	Female	27	–	–	1	–	–	–	–	–	1	–	2	1	1	3	3	7	3	4	1	–	–	–
390–398, 402, 404, 410–429	Diseases of heart	260	1	2	–	1	1	–	1	4	4	13	21	26	36	38	23	31	16	23	12	6	1	–
	White Male	152	1	–	–	–	1	–	–	3	3	5	14	19	22	28	13	16	8	12	5	2	–	–
	Female	50	–	1	–	1	–	–	–	1	1	3	3	3	8	4	5	4	5	4	4	3	–	–
	All other Male	40	–	1	–	–	–	–	1	–	–	5	2	4	5	3	3	7	1	4	2	1	1	–
	Female	18	–	–	–	–	–	–	–	–	–	–	2	–	1	3	2	4	2	3	1	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	6	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1	–	–	–	–	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
402	Hypertensive heart disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
410–413	Ischemic heart disease	207	–	–	–	–	–	–	–	3	4	13	15	22	28	33	18	23	15	17	12	4	–	–
	White Male	129	–	–	–	–	–	–	–	3	3	5	12	15	17	25	12	12	8	11	5	1	–	–
	Female	38	–	–	–	–	–	–	–	–	1	3	1	3	6	3	4	4	4	3	4	2	–	–
	All other Male	29	–	–	–	–	–	–	–	–	–	5	1	4	4	3	1	5	1	2	2	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	2	2	1	1	–	–	–
410	Acute myocardial infarction	113	–	–	–	–	–	–	–	2	2	5	13	12	21	19	8	15	7	5	2	2	–	–
	White Male	72	–	–	–	–	–	–	–	2	2	3	10	8	12	12	7	8	3	3	1	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	2	5	2	–	3	2	–	–	–	–	–
	All other Male	19	–	–	–	–	–	–	–	–	–	2	1	2	4	3	–	3	1	1	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	1	1	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	6	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	–	1	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	88	–	–	–	–	–	–	–	–	2	8	2	10	6	12	10	8	8	11	9	2	–	–
	White Male	53	–	–	–	–	–	–	–	–	1	2	2	7	5	11	5	4	5	7	4	–	–	–
	Female	22	–	–	–	–	–	–	–	–	1	3	–	1	1	1	4	1	2	3	3	2	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	3	–	2	–	–	1	2	–	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
420–423, 425–427, 429	All other forms of heart disease	43	1	2	–	1	1	–	1	–	–	–	5	4	5	3	4	8	1	5	–	1	1	–
	White Male	16	1	–	–	–	1	–	–	–	–	–	1	4	2	1	1	4	–	1	–	–	–	–
	Female	11	–	1	–	1	–	–	–	–	–	–	2	–	2	1	1	–	1	1	–	1	–	–
	All other Male	11	–	1	–	–	–	–	1	–	–	–	1	–	1	–	2	2	–	2	–	–	1	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1	–	–	–	–
400, 401, 403	Hypertension	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
430–438	Cerebrovascular diseases	78	1	–	1	–	–	1	–	2	1	1	4	9	7	5	4	16	8	9	7	1	1	–
	White Male	39	1	–	–	–	–	1	–	1	–	–	4	3	3	3	1	9	3	5	4	–	1	–
	Female	23	–	–	–	–	–	–	–	–	–	1	–	3	3	2	2	2	4	2	3	1	–	–
	All other Male	9	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	3	1	1	–	–	–	–
	Female	7	–	–	1	–	–	–	–	–	1	–	–	1	–	–	1	2	–	1	–	–	–	–
431	Cerebral hemorrhage	14	–	–	–	–	–	1	–	1	–	–	1	2	2	1	2	1	2	1	–	–	–	–
	White Male	5	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	7	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	1	2	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	57	1	–	1	–	–	–	–	1	1	1	3	5	5	4	2	13	5	6	7	1	1	–
	White Male	30	1	–	–	–	–	–	–	1	–	–	3	2	2	3	–	7	2	4	4	–	1	–
	Female	17	–	–	–	–	–	–	–	–	–	1	–	2	3	1	1	2	2	1	3	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–	–	–	–
	Female	5	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–	–	–	–
440	Arteriosclerosis	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	3	2	1	2	2	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	1	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	12	–	1	–	–	–	–	1	–	–	–	1	–	2	1	2	1	2	–	1	–	–	–
	White Male	7	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	1	1	–	–	–	–	–
	Female	5	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	50	4	6	–	2	–	1	3	–	2	1	2	4	–	4	4	3	3	3	3	5	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	1	–	–	–	4	3	2	2	1	1	3	–	–
	Female	7	1	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	1	1	–	–	–
	All other Male	8	–	1	–	–	–	1	2	–	1	–	–	1	–	–	–	1	–	–	1	–	–	–
	Female	18	3	5	–	2	–	–	1	–	–	–	1	2	–	–	–	–	1	1	–	2	–	–
470–474	Influenza	6	–	2	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	44	4	4	–	2	–	1	3	–	2	1	2	4	–	3	2	3	3	3	2	5	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	1	–	–	–	3	2	2	2	1	1	3	–	–
	Female	6	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	1	1	–	–	–
	All other Male	7	–	1	–	–	–	1	2	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	16	3	3	–	2	–	–	1	–	–	–	1	2	–	–	–	–	1	1	–	2	–	–
490–493	Bronchitis, emphysema, and asthma	14	–	1	–	1	–	–	–	–	–	–	1	2	3	2	1	1	1	–	1	–	–	–
	White Male	7	–	–	–	1	–	–	–	–	–	–	1	–	1	1	1	1	–	–	1	–	–	–
	Female	6	–	1	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska – Con.																							
490, 491	Chronic and unqualified bronchitis	8	–	1	–	1	–	–	–	–	–	–	–	1	2	1	1	–	–	–	1	–	–	–
	White Male	5	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
493	Asthma	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	9	–	–	–	–	–	–	–	–	1	–	1	1	1	–	2	1	–	1	1	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	6	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	1	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
571	Cirrhosis of liver	49	–	–	–	–	–	1	2	3	1	6	7	9	12	3	1	4	–	–	–	–	–	–
	White Male	18	–	–	–	–	–	–	–	–	–	2	3	3	7	1	1	1	–	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	1	–	–	2	2	4	1	–	1	–	–	–	–	–	–
	All other Male	7	–	–	–	–	–	–	1	–	–	–	1	4	1	–	–	–	–	–	–	–	–	–
	Female	13	–	–	–	–	–	1	1	2	1	4	1	–	–	1	–	2	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Alaska—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	20	17	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	8	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	52	24	1	1	–	–	–	2	–	2	–	–	–	1	2	1	2	4	3	3	5	1	–
	White Male	24	15	1	–	–	–	–	1	–	–	–	–	–	1	–	1	1	2	1	–	1	–	–
	Female	7	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
	All other Male	14	5	–	1	–	–	–	–	–	1	–	–	–	–	2	–	1	–	1	1	2	–	–
	Female	7	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	2	–	1	1	1	–
Residual	All other diseases	129	1	3	2	2	1	4	6	1	5	10	12	20	17	10	9	11	9	2	3	1	–	–
	White Male	51	–	–	1	2	1	–	1	–	2	2	4	8	8	6	6	4	3	–	2	1	–	–
	Female	27	–	1	–	–	–	1	1	–	–	2	2	6	5	1	2	1	3	1	1	–	–	–
	All other Male	27	–	1	–	–	–	2	3	1	1	2	5	4	2	1	–	3	2	–	–	–	–	–
	Female	24	1	1	1	–	–	1	1	–	2	4	1	2	2	2	1	3	1	1	–	–	–	–
E800–E949	Accidents	416	4	13	9	16	48	78	62	27	25	25	28	27	14	13	13	4	2	3	4	–	1	–
	White Male	209	1	2	4	10	23	39	35	14	14	16	16	15	4	4	5	4	–	2	–	–	1	–
	Female	71	2	7	1	2	6	16	8	5	–	4	3	3	5	3	4	–	–	1	1	–	–	–
	All other Male	104	1	3	4	2	15	16	17	7	9	3	4	7	4	4	4	–	1	–	3	–	–	–
	Female	32	–	1	–	2	4	7	2	1	2	2	5	2	1	2	–	–	1	–	–	–	–	–
E810–E823	Motor vehicle accidents	120	1	1	2	4	23	31	18	7	4	4	3	6	4	3	5	1	1	–	1	–	1	–
	White Male	65	–	–	1	3	14	17	10	4	3	2	2	2	1	2	2	1	–	–	–	–	1	–
	Female	26	1	–	–	1	4	6	3	1	–	1	1	3	2	1	2	–	–	–	–	–	–	–
	All other Male	20	–	1	1	–	3	5	4	2	–	–	–	1	–	–	1	–	1	–	1	–	–	–
	Female	9	–	–	–	–	2	3	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	296	3	12	7	12	25	47	44	20	21	21	25	21	10	10	8	3	1	3	3	–	–	–
	White Male	144	1	2	3	7	9	22	25	10	11	14	14	13	3	2	3	3	–	2	–	–	–	–
	Female	45	1	7	1	1	2	10	5	4	–	3	2	–	3	2	2	–	–	1	1	–	–	–
	All other Male	84	1	2	3	2	12	11	13	5	9	3	4	6	4	4	3	–	–	–	2	–	–	–
	Female	23	–	1	–	2	2	4	1	1	1	1	5	2	–	2	–	–	1	–	–	–	–	–
E950–E959	Suicide	74	...	...	–	–	10	22	10	10	7	5	2	7	–	–	1	–	–	–	–	–	–	–
	White Male	32	...	...	–	–	5	5	7	5	3	3	–	4	–	–	–	–	–	–	–	–	–	–
	Female	7	...	...	–	–	–	2	–	–	2	1	–	2	–	–	–	–	–	–	–	–	–	–
	All other Male	28	...	...	–	–	5	10	3	3	2	1	2	1	–	–	1	–	–	–	–	–	–	–
	Female	7	...	...	–	–	–	5	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	25	–	–	–	–	3	3	5	6	3	3	1	–	1	–	–	–	–	–	–	–	–	–
	White Male	9	–	–	–	–	2	–	–	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	8	–	–	–	–	1	2	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	1	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	7	–	–	–	–	–	3	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona																							
	All causes	**16,980**	**586**	**145**	**74**	**107**	**272**	**388**	**318**	**250**	**291**	**371**	**534**	**879**	**1,125**	**1,633**	**2,052**	**2,058**	**2,052**	**1,867**	**1,240**	**543**	**182**	**13**
	White Male	9,203	265	65	36	53	157	244	178	127	137	198	280	501	672	981	1,244	1,209	1,140	915	537	204	51	9
	Female	6,303	193	42	20	30	60	63	77	60	88	102	175	302	376	541	685	736	827	859	656	301	108	2
	All other Male	919	66	20	8	19	38	69	44	44	49	47	42	46	52	62	77	69	49	60	24	24	8	2
	Female	555	62	18	10	5	17	12	19	19	17	24	37	30	25	49	46	44	36	33	23	14	15	–
004, 006	Bacillary dysentery and amebiasis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	32	14	3	–	–	–	–	1	–	–	–	–	2	1	–	1	3	2	3	2	–	–	–
	White Male	8	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	2	1	–	–	–
	Female	10	3	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	1	1	1	–	–	–
	All other Male	8	6	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	6	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	60	1	1	1	–	–	1	–	–	–	2	4	3	7	5	7	11	12	5	–	–	–	–
	White Male	31	–	–	–	–	–	1	–	–	–	1	2	3	2	3	5	6	6	2	–	–	–	–
	Female	15	1	–	1	–	–	–	–	–	–	1	1	–	1	2	–	4	2	2	–	–	–	–
	All other Male	9	–	1	–	–	–	–	–	–	–	–	1	–	3	–	1	–	2	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–	–
010–012	Tuberculosis of respiratory system	41	–	–	1	–	–	1	–	–	–	1	3	2	6	3	4	7	10	3	–	–	–	–
	White Male	21	–	–	–	–	–	1	–	–	–	1	1	2	1	2	3	3	5	2	–	–	–	–
	Female	9	–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	3	1	1	–	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–	–
013–019	Tuberculosis, other forms	19	1	1	–	–	–	–	–	–	–	1	1	1	1	2	3	4	2	2	–	–	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	3	1	–	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	1	–	–	–	–
	All other Male	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	55	17	2	–	–	–	–	2	–	1	–	2	2	1	5	7	3	1	6	4	1	1	–
	White Male	21	5	–	–	–	–	–	–	–	–	–	–	–	1	2	5	2	1	3	2	–	–	–
	Female	22	10	–	–	–	–	–	1	–	1	–	1	1	–	2	1	–	–	2	1	1	1	–
	All other Male	7	–	2	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	1	–	–	–
	Female	5	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	80	7	4	2	–	2	3	3	3	4	5	6	10	3	5	4	6	2	6	3	2	–	–
	White Male	35	2	2	–	–	1	2	–	1	–	2	4	7	–	4	1	5	1	1	2	–	–	–
	Female	34	1	1	1	–	1	1	3	2	3	2	2	2	3	1	3	1	1	3	1	2	–	–
	All other Male	7	3	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–
	Female	4	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,215	2	11	11	14	6	19	19	27	42	85	132	252	308	458	512	480	383	272	131	44	7	–
	White Male	1,692	1	5	4	6	4	10	12	10	10	44	53	114	162	245	294	268	216	142	72	19	1	–
	Female	1,365	–	4	7	7	2	8	6	13	24	33	67	124	139	193	194	191	153	120	53	22	5	–
	All other Male	80	–	1	–	–	–	1	–	1	2	2	4	4	3	14	14	13	8	8	3	2	–	–
	Female	78	1	1	–	1	–	–	1	3	6	6	8	10	4	6	10	8	6	2	3	1	1	–
140–149	Of buccal cavity and pharynx	73	–	–	–	–	–	1	1	1	1	3	3	5	5	19	13	8	3	7	3	–	–	–
	White Male	44	–	–	–	–	–	1	–	1	1	1	2	3	3	11	9	5	1	5	1	–	–	–
	Female	23	–	–	–	–	–	–	1	–	–	1	1	2	2	6	3	3	1	2	1	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
150–159	Of digestive organs and peritoneum	782	–	1	–	–	–	–	2	4	4	17	29	39	70	108	136	125	118	73	39	16	1	–
	White Male	401	–	1	–	–	–	–	1	–	–	10	17	19	39	59	72	68	59	33	17	6	–	–
	Female	329	–	–	–	–	–	–	–	3	1	2	10	17	28	43	55	50	50	39	21	9	1	–
	All other Male	24	–	–	–	–	–	–	–	1	1	2	–	2	1	3	5	3	5	–	1	–	–	–
	Female	28	–	–	–	–	–	–	1	–	2	3	2	1	2	3	4	4	4	1	–	1	–	–
160–163	Of respiratory system	783	–	–	–	–	–	1	1	1	6	15	27	84	101	132	159	130	73	30	17	5	1	–
	White Male	574	–	–	–	–	–	1	1	–	5	11	17	53	74	101	125	102	56	19	7	2	–	–
	Female	181	–	–	–	–	–	–	–	1	1	4	7	27	25	25	30	26	17	8	7	2	1	–
	All other Male	22	–	–	–	–	–	–	–	–	–	–	2	2	2	5	4	2	–	3	1	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	2	–	–	–
174	Of breast	268	–	–	–	–	–	–	2	3	9	10	21	35	31	45	40	27	24	15	4	2	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	257	–	–	–	–	–	–	2	3	7	9	19	35	30	43	39	25	24	15	4	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	2	1	2	–	1	1	1	2	–	–	1	–	–	–
180–187	Of genital organs	366	–	1	–	1	2	1	1	3	6	13	18	22	26	31	46	54	50	52	26	12	1	–
	White Male	158	–	1	–	1	2	–	–	–	–	2	1	1	5	9	16	22	35	33	21	9	–	–
	Female	185	–	–	–	–	–	1	1	–	6	10	14	17	21	21	27	28	14	16	5	3	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–
	Female	17	–	–	–	–	–	–	–	3	–	1	3	4	–	1	3	1	–	1	–	–	–	–
188, 189	Of urinary organs	138	–	–	–	–	–	–	–	–	1	3	2	5	8	20	20	23	22	23	8	2	1	–
	White Male	94	–	–	–	–	–	–	–	–	–	3	1	5	6	11	13	15	17	16	5	2	–	–
	Female	40	–	–	–	–	–	–	–	–	1	–	1	–	2	9	6	7	5	6	2	–	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	456	–	–	4	6	1	4	3	7	7	12	25	40	43	65	55	65	55	43	15	4	2	–
	White Male	243	–	–	3	3	–	1	2	3	2	10	13	21	22	32	35	31	31	23	10	–	1	–
	Female	199	–	–	1	3	1	3	1	4	5	2	11	19	20	30	19	29	23	19	5	4	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	4	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	1	–
204–207	Leukemia	155	1	9	3	7	2	6	3	4	5	5	4	7	10	11	13	23	17	11	12	1	1	–
	White Male	76	1	3	–	2	1	2	2	4	1	2	1	5	6	5	9	14	8	3	7	–	–	–
	Female	71	–	4	3	4	1	3	1	–	3	3	2	2	4	6	4	9	7	8	5	1	1	–
	All other Male	3	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	194	1	–	4	–	1	6	6	4	3	7	3	15	14	27	30	25	21	18	7	2	–	–
	White Male	101	–	–	1	–	1	5	6	2	1	5	1	7	7	16	15	11	9	10	4	–	–	–
	Female	80	–	–	3	–	–	1	–	2	–	2	2	5	7	10	11	14	12	7	3	1	–	–
	All other Male	7	–	–	–	–	–	–	–	–	1	–	–	–	–	1	3	–	–	1	–	1	–	–
	Female	6	1	–	–	–	–	–	–	–	1	–	–	3	–	–	1	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	57	–	2	2	2	–	–	–	–	1	–	7	10	4	3	11	7	3	3	1	1	–	–
	White Male	24	–	1	1	1	–	–	–	–	–	–	2	3	1	–	6	4	2	2	1	–	–	–
	Female	26	–	–	–	1	–	–	–	–	1	–	4	7	2	2	3	3	1	1	–	1	–	–
	All other Male	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	1	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–
250	Diabetes mellitus	243	–	–	–	2	–	1	7	2	4	5	6	11	16	23	37	36	45	29	15	4	–	–
	White Male	93	–	–	–	–	–	–	4	2	–	2	2	6	6	10	19	11	16	8	4	3	–	–
	Female	114	–	–	–	2	–	1	2	–	3	1	2	3	8	9	12	21	20	20	9	1	–	–
	All other Male	12	–	–	–	–	–	–	–	–	1	1	–	–	–	–	3	2	4	–	1	–	–	–
	Female	24	–	–	–	–	–	–	1	–	–	1	2	2	2	4	3	2	5	1	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	28	–	–	1	–	1	–	–	–	–	1	–	1	–	–	1	2	3	3	10	3	1	1
	White Male	12	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	2	–	2	3	1	–	1
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	5	–	1	–
	All other Male	3	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
280–285	Anemias	28	–	–	1	–	1	1	1	–	–	2	–	1	–	3	4	–	5	6	3	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	–	2	2	1	–	–	–
	Female	14	–	–	1	–	–	–	1	–	–	2	–	1	–	1	–	–	2	4	2	–	–	–
	All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
320	Meningitis	25	15	4	1	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–
	White Male	10	5	1	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	All other Male	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	7,506	12	2	4	6	3	9	18	20	56	92	137	285	436	722	981	1,060	1,168	1,137	849	380	128	1
	White Male	4,085	5	1	1	4	1	3	9	8	31	63	97	190	292	470	603	629	633	529	340	139	36	1
	Female	3,087	3	1	2	1	1	4	6	9	17	21	31	75	118	207	330	387	505	576	490	224	79	–
	All other Male	188	2	–	–	1	–	2	3	1	6	5	5	11	16	25	27	26	15	17	11	11	4	–
	Female	146	2	–	1	–	1	–	–	2	2	3	4	9	10	20	21	18	15	15	8	6	9	–
390–398, 402, 404, 410–429	Diseases of heart	5,555	11	1	2	5	1	8	12	15	45	78	113	229	370	602	796	800	803	783	556	241	83	1
	White Male	3,173	4	1	–	4	–	3	9	7	27	56	84	165	257	403	505	488	443	364	237	93	22	1
	Female	2,147	3	–	2	–	–	3	1	7	11	15	24	48	93	165	254	280	345	397	310	139	50	–
	All other Male	134	2	–	–	1	–	2	2	1	5	4	3	8	12	20	23	18	8	11	5	6	3	–
	Female	101	2	–	–	–	1	–	–	–	2	3	2	8	8	14	14	14	7	11	4	3	8	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	142	–	–	–	1	–	1	–	–	7	5	2	12	10	22	22	20	15	15	9	1	–	–
	White Male	51	–	–	–	1	–	1	–	–	1	2	1	5	3	4	8	11	4	6	3	1	–	–
	Female	77	–	–	–	–	–	–	–	–	4	2	1	6	5	16	13	9	7	8	6	–	–	–
	All other Male	7	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	2	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	–	2	–	–	–	–	–
402	Hypertensive heart disease	65	–	–	–	–	–	–	2	–	1	–	2	4	3	7	9	10	7	10	6	3	1	–
	White Male	27	–	–	–	–	–	–	2	–	–	–	1	1	2	5	3	6	2	2	2	1	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	1	3	1	2	4	4	5	8	4	2	1	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	19	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	2	3	3	1	2	2	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	3	1	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	–	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
410–413	Ischemic heart disease	4,924	–	–	–	–	–	3	5	11	33	63	96	197	325	539	717	719	722	708	497	220	69	–
	White Male	2,905	–	–	–	–	–	2	4	7	25	50	74	150	234	373	471	445	413	337	213	87	20	–
	Female	1,850	–	–	–	–	–	1	–	3	5	10	20	35	77	135	220	246	299	351	277	127	44	–
	All other Male	100	–	–	–	–	–	–	1	1	2	2	2	6	8	19	17	16	6	10	3	6	1	–
	Female	69	–	–	–	–	–	–	–	–	1	1	–	6	6	12	9	12	4	10	4	–	4	–
410	Acute myocardial infarction	2,376	–	–	–	–	–	1	4	10	21	39	66	119	188	310	437	384	319	268	144	52	14	–
	White Male	1,524	–	–	–	–	–	1	3	6	17	28	49	87	136	217	291	258	206	131	67	23	4	–
	Female	782	–	–	–	–	–	–	–	3	3	8	16	26	44	79	131	119	108	132	77	27	9	–
	All other Male	42	–	–	–	–	–	–	1	1	1	2	1	3	4	7	10	4	3	2	–	2	1	–
	Female	28	–	–	–	–	–	–	–	–	–	1	–	3	4	7	5	3	2	3	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	265	–	–	–	–	–	1	1	–	4	6	11	21	47	57	44	24	28	14	6	1	–	–
	White Male	214	–	–	–	–	–	1	1	–	3	6	10	17	38	48	34	17	23	11	4	1	–	–
	Female	45	–	–	–	–	–	–	–	–	–	–	1	2	7	8	10	7	5	3	2	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,282	–	–	–	–	–	1	–	1	8	18	19	57	90	172	235	311	375	426	347	167	55	–
	White Male	1,167	–	–	–	–	–	–	–	1	5	16	15	46	60	108	146	170	184	195	142	63	16	–
	Female	1,022	–	–	–	–	–	1	–	–	2	2	3	7	26	48	78	120	186	216	198	100	35	–
	All other Male	53	–	–	–	–	–	–	–	–	–	–	1	2	2	11	7	12	3	8	3	4	–	–
	Female	40	–	–	–	–	–	–	–	–	1	–	–	2	2	5	4	9	2	7	4	–	4	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	24	–	–	–	1	–	–	–	–	–	2	2	1	–	2	2	3	6	–	3	1	1	–
	White Male	11	–	–	–	1	–	–	–	–	–	2	1	1	–	–	–	1	4	–	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	2	2	–	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
420–423, 425–427, 429	All other forms of heart disease	381	11	1	2	3	1	4	5	4	4	8	11	14	32	30	43	46	50	47	40	14	10	1
	White Male	169	4	1	–	2	–	–	3	–	1	2	7	7	18	20	21	24	20	16	17	3	2	1
	Female	164	3	–	2	–	–	2	1	4	2	3	1	4	10	9	14	18	29	30	21	8	3	–
	All other Male	25	2	–	–	1	–	2	1	–	1	2	1	2	2	–	5	2	–	–	2	–	2	–
	Female	23	2	–	–	–	1	–	–	–	–	1	2	1	2	1	3	2	1	1	–	3	3	–
400, 401, 403	Hypertension	42	–	–	–	–	–	–	–	–	–	–	2	–	4	2	7	4	8	7	2	4	2	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	–	4	1	4	4	3	2	1	–	1	–
	Female	18	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	4	5	1	4	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
430–438	Cerebrovascular diseases	1,456	1	1	2	1	1	1	6	5	10	13	17	47	51	86	127	191	279	269	208	108	32	–
	White Male	648	1	–	1	–	1	–	–	1	3	6	10	21	24	50	55	87	144	123	73	39	9	–
	Female	730	–	1	–	1	–	1	5	2	6	6	4	22	21	28	64	96	126	136	128	62	21	–
	All other Male	44	–	–	–	–	–	–	1	–	1	1	2	3	4	2	3	6	5	6	4	5	1	–
	Female	34	–	–	1	–	–	–	–	2	–	–	1	1	2	6	5	2	4	4	3	2	1	–
431	Cerebral hemorrhage	187	–	1	–	–	1	–	–	1	4	5	4	11	18	19	26	21	34	22	13	6	1	–
	White Male	80	–	–	–	–	1	–	–	–	–	3	1	5	8	12	8	8	12	14	6	1	1	–
	Female	94	–	1	–	–	–	–	–	1	3	2	2	5	6	6	15	12	22	8	7	4	–	–
	All other Male	10	–	–	–	–	–	–	–	–	1	–	1	1	4	–	2	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–
433	Cerebral thrombosis	273	–	–	–	–	–	–	–	–	1	1	2	6	8	10	28	40	61	54	37	16	9	–
	White Male	128	–	–	–	–	–	–	–	–	–	–	–	3	5	6	15	22	32	24	13	5	3	–
	Female	134	–	–	–	–	–	–	–	–	1	–	1	2	3	3	12	17	26	30	22	11	6	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	–	–	–	–	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	990	1	–	2	1	–	1	6	4	5	7	11	30	25	56	71	130	183	191	158	86	22	–
	White Male	436	1	–	1	–	–	–	–	1	3	3	9	13	11	31	30	57	100	84	54	33	5	–
	Female	500	–	–	–	1	–	1	5	1	2	4	1	15	12	19	37	67	77	97	99	47	15	–
	All other Male	28	–	–	–	–	–	–	1	–	–	–	1	1	–	2	1	4	4	6	2	5	1	–
	Female	26	–	–	1	–	–	–	–	2	–	–	–	1	2	4	3	2	2	4	3	1	1	–
440	Arteriosclerosis	225	–	–	–	–	–	–	–	–	1	–	–	3	3	8	18	14	43	42	59	23	11	–
	White Male	104	–	–	–	–	–	–	–	–	1	–	–	2	2	2	10	10	26	21	21	5	4	–
	Female	111	–	–	–	–	–	–	–	–	–	–	–	1	1	5	7	3	14	21	35	17	7	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	228	–	–	–	–	1	–	–	–	–	1	5	6	8	24	33	51	35	36	24	4	–	–
	White Male	140	–	–	–	–	–	–	–	–	–	1	3	2	5	14	29	40	17	19	8	2	–	–
	Female	81	–	–	–	–	1	–	–	–	–	–	2	4	3	9	3	8	16	17	16	2	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	17	3	1	–	–	–	–	–	–	1	–	–	1	2	2	1	–	1	1	3	1	–	–
	White Male	9	1	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	3	1	–	–
	Female	6	2	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
470–474, 480–486	Influenza and pneumonia	532	26	9	2	2	2	6	4	3	5	4	8	25	27	39	34	56	64	88	72	39	17	–
	White Male	264	7	1	1	–	1	3	3	1	3	–	2	14	15	22	18	32	39	48	34	14	6	–
	Female	187	6	2	–	2	1	1	1	–	–	3	5	7	8	16	11	20	20	28	28	20	8	–
	All other Male	48	7	2	–	–	–	1	–	1	2	–	1	3	2	1	4	3	3	8	6	3	1	–
	Female	33	6	4	1	–	–	1	–	1	–	1	–	1	2	–	1	1	2	4	4	2	2	–
470–474	Influenza	37	1	–	–	2	–	–	–	–	–	–	–	2	1	2	4	4	7	6	6	1	1	–
	White Male	16	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	3	2	4	–	1	–
	Female	20	–	–	–	2	–	–	–	–	–	–	–	1	1	2	1	3	3	4	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
480–486	Pneumonia	495	25	9	2	–	2	6	4	3	5	4	8	23	26	37	30	52	57	82	66	38	16	–
	White Male	248	6	1	1	–	1	3	3	1	3	–	2	13	15	22	15	31	36	46	30	14	5	–
	Female	167	6	2	–	–	1	1	1	–	–	3	5	6	7	14	10	17	17	24	26	19	8	–
	All other Male	48	7	2	–	–	–	1	–	1	2	–	1	3	2	1	4	3	3	8	6	3	1	–
	Female	32	6	4	1	–	–	1	–	1	–	1	–	1	2	–	1	1	1	4	4	2	2	–
490–493	Bronchitis, emphysema, and asthma	414	2	2	–	1	2	1	–	1	1	3	11	16	40	57	84	72	70	40	9	2	–	–
	White Male	316	1	1	–	–	1	1	–	–	1	3	5	13	27	40	63	62	60	31	5	2	–	–
	Female	90	–	–	–	1	1	–	–	1	–	–	4	3	13	16	20	9	10	8	4	–	–	–
	All other Male	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona—Con.																							
490, 491	Chronic and unqualified bronchitis	75	2	2	–	1	1	–	–	–	–	–	4	3	4	6	15	9	10	11	6	1	–	–
	White.....Male	48	1	1	–	–	1	–	–	–	–	–	1	3	2	3	12	5	6	7	5	1	–	–
	Female	22	–	–	–	1	–	–	–	–	–	–	1	–	2	3	3	3	4	4	1	–	–	–
	All other.....Male	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	303	–	–	–	–	–	–	–	–	–	2	5	12	31	44	63	60	59	24	2	1	–	–
	White.....Male	250	–	–	–	–	–	–	–	–	–	2	4	10	23	32	47	55	54	22	–	1	–	–
	Female	50	–	–	–	–	–	–	–	–	–	–	1	2	8	11	15	5	5	1	2	–	–	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
493	Asthma	36	–	–	–	–	1	1	–	1	1	1	2	1	5	7	6	3	1	5	1	–	–	–
	White.....Male	18	–	–	–	–	–	1	–	–	1	1	–	–	2	5	4	2	–	2	–	–	–	–
	Female	18	–	–	–	–	1	–	–	1	–	–	2	1	3	2	2	1	1	3	1	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	56	2	–	–	–	–	–	1	1	3	3	–	2	3	7	8	5	9	7	3	2	–	–
	White.....Male	35	1	–	–	–	–	–	–	1	2	3	–	1	2	1	7	3	7	5	1	1	–	–
	Female	19	1	–	–	–	–	–	1	–	1	–	–	1	1	6	–	1	2	2	2	1	–	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–
	White.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other.....Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	53	8	–	–	1	–	–	–	–	3	–	1	3	2	1	9	7	7	5	4	2	–	–
	White.....Male	27	6	–	–	–	–	–	–	–	2	–	–	2	1	–	3	3	5	2	3	–	–	–
	Female	21	1	–	–	–	–	–	–	–	1	–	1	–	1	1	5	4	2	3	–	2	–	–
	All other.....Male	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
571	Cirrhosis of liver	341	–	1	–	–	–	3	5	12	15	28	47	55	63	41	32	18	13	6	1	1	–	–
	White.....Male	171	–	–	–	–	–	–	1	5	6	10	22	25	34	26	22	9	6	4	–	1	–	–
	Female	108	–	1	–	–	–	–	2	1	2	6	13	24	22	12	10	7	5	2	1	–	–	–
	All other.....Male	42	–	–	–	–	–	3	–	4	6	7	6	6	7	1	–	1	1	–	–	–	–	–
	Female	20	–	–	–	–	–	–	2	2	1	5	6	–	–	2	–	1	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	26	–	–	–	–	–	–	1	–	–	–	–	1	2	3	1	2	2	8	2	4	–	–
	White.....Male	12	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	6	2	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	–	1	–	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	1	–	–	1	–	–
580–584	Nephritis and nephrosis	76	–	–	–	–	–	2	2	1	2	1	2	3	2	9	11	12	8	11	7	2	1	–
	White.....Male	35	–	–	–	–	–	–	1	1	–	1	–	–	2	5	5	5	6	5	2	1	1	–
	Female	30	–	–	–	–	–	2	1	–	–	–	2	1	–	3	4	6	2	4	4	1	–	–
	All other.....Male	8	–	–	–	–	–	–	–	–	2	–	–	1	–	1	2	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	17	–	–	–	–	–	–	1	–	–	1	–	–	1	2	3	3	1	4	1	–	–	–
	White.....Male	9	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	2	1	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	2	–	–	–	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	59	–	–	–	–	–	2	1	1	2	–	2	3	1	7	8	9	7	7	6	2	1	–
	White.....Male	26	–	–	–	–	–	–	–	1	–	–	–	–	1	5	4	3	5	4	1	1	1	–
	Female	24	–	–	–	–	–	2	1	–	–	–	2	1	–	1	3	5	2	2	4	1	–	–
	All other.....Male	6	–	–	–	–	–	–	–	–	2	–	–	1	–	1	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–
590	Infections of kidney	50	–	–	–	–	–	1	–	–	1	1	–	2	3	2	1	5	11	10	7	4	2	–
	White.....Male	22	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	4	7	3	1	3	–	–
	Female	26	–	–	–	–	–	1	–	–	1	–	–	2	1	–	1	1	4	6	6	1	2	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
600	Hyperplasia of prostate	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	1	–	1	–
	White.....Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	–	1	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White.....Female	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arizona — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	155	106	10	4	8	3	2	5	3	1	1	2	2	4	–	1	2	1	–	–	–	–	–
	White Male	68	49	7	1	1	–	2	2	–	–	1	1	2	1	–	–	–	1	–	–	–	–	–
	Female	68	43	3	2	7	2	–	3	2	1	–	1	–	3	–	–	1	–	–	–	–	–	–
	All other Male	9	7	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	7	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	264	264	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	130	130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	88	88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	167	167	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	97	97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	277	70	4	–	1	4	8	7	8	5	8	11	9	11	22	20	20	18	18	11	11	7	4
	White Male	111	35	–	–	–	1	5	2	2	1	–	4	5	4	10	10	9	8	6	4	3	–	2
	Female	63	21	1	–	–	–	3	2	1	2	2	2	1	1	3	3	3	3	3	5	3	3	1
	All other Male	75	8	–	–	1	3	–	2	4	1	5	4	2	6	6	7	6	7	6	–	4	2	1
	Female	28	6	3	–	–	–	–	1	1	1	1	1	1	–	3	–	2	–	3	2	1	2	–
Residual	All other diseases	1,422	21	11	5	9	31	58	23	22	24	26	47	69	108	149	203	191	168	140	79	27	10	1
	White Male	800	7	6	1	4	17	44	13	13	12	8	23	35	66	81	130	113	91	78	43	10	4	1
	Female	482	10	4	3	3	8	7	4	3	3	7	14	27	34	52	63	63	71	51	35	15	5	–
	All other Male	77	2	–	–	1	2	3	3	4	6	7	4	7	5	5	6	8	4	8	1	1	–	–
	Female	63	2	1	1	1	4	4	3	2	3	4	6	–	3	11	4	7	2	3	–	1	1	–
E800–E949	Accidents	1,287	12	71	39	54	154	177	123	79	73	60	64	61	48	49	52	40	43	46	19	13	6	4
	White Male	760	7	35	25	33	90	112	74	44	44	35	34	43	29	36	28	25	21	25	10	5	2	3
	Female	260	3	23	3	4	33	19	24	14	11	14	12	10	9	7	14	8	18	16	9	6	3	–
	All other Male	211	1	9	6	14	21	41	19	16	17	11	11	7	8	6	8	5	3	5	–	1	1	1
	Female	56	1	4	5	3	10	5	6	5	1	–	7	1	2	–	2	2	1	–	–	1	–	–
E810–E823	Motor vehicle accidents	679	3	31	21	31	108	114	82	52	44	24	33	34	17	18	16	17	15	12	4	2	–	1
	White Male	402	2	13	13	18	64	71	45	28	30	15	15	25	10	12	8	10	8	10	3	1	–	1
	Female	124	1	10	3	4	23	9	17	12	7	3	7	4	5	3	4	4	6	1	1	–	–	–
	All other Male	115	–	5	3	6	13	29	16	8	7	6	6	4	1	3	3	3	1	1	–	–	–	–
	Female	38	–	3	2	3	8	5	4	4	–	–	5	1	1	–	1	–	–	–	–	1	–	–
E800–E807, E825–E949	All other accidents	608	9	40	18	23	46	63	41	27	29	36	31	27	31	31	36	23	28	34	15	11	6	3
	White Male	358	5	22	12	15	26	41	29	16	14	20	19	18	19	24	20	15	13	15	7	4	2	2
	Female	136	2	13	–	–	10	10	7	2	4	11	5	6	4	4	10	4	12	15	8	6	3	–
	All other Male	96	1	4	3	8	8	12	3	8	10	5	5	3	7	3	5	2	2	4	–	1	1	1
	Female	18	1	1	3	–	2	–	2	1	1	–	2	–	1	–	1	2	1	–	–	–	–	–
E950–E959	Suicide	387	...	...	–	–	34	57	56	25	26	26	25	38	25	20	22	17	7	6	3	–	–	–
	White Male	260	...	...	–	–	22	40	36	15	17	15	16	26	15	14	16	13	7	5	3	–	–	–
	Female	94	...	...	–	–	8	8	11	9	8	8	6	11	9	6	6	3	–	1	–	–	–	–
	All other Male	30	...	...	–	–	4	9	7	1	1	3	3	–	1	–	–	1	–	–	–	–	–	–
	Female	3	...	...	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	220	1	5	1	6	23	31	30	39	21	13	16	11	5	2	5	1	3	4	1	–	–	2
	White Male	111	–	2	1	3	15	15	14	21	8	5	10	7	4	1	2	–	2	–	–	–	–	1
	Female	38	–	1	–	2	1	7	5	5	6	2	4	–	1	–	2	–	–	1	–	–	–	1
	All other Male	55	1	1	–	1	7	7	10	11	5	4	1	2	–	–	1	–	1	3	–	–	–	–
	Female	16	–	1	–	–	–	2	1	2	2	2	1	2	–	1	–	1	–	–	1	–	–	–
E980–E999	Other external causes	52	1	2	–	–	3	8	10	4	2	5	5	3	3	3	1	1	–	1	–	–	–	–
	White Male	38	1	2	–	–	3	6	7	3	–	5	2	2	3	2	1	1	–	–	–	–	–	–
	Female	12	–	–	–	–	–	1	3	–	2	–	3	1	–	1	–	–	–	1	–	–	–	–
	All other Male	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas																							
	All causes	**21,700**	**625**	**118**	**63**	**95**	**249**	**247**	**186**	**223**	**254**	**363**	**595**	**895**	**1,328**	**1,888**	**2,524**	**2,865**	**2,953**	**2,899**	**2,021**	**1,000**	**309**	–
	White Male	10,332	247	49	31	35	145	133	96	101	127	204	318	490	754	1,093	1,366	1,404	1,370	1,177	788	325	79	–
	White Female	7,273	151	35	18	27	54	40	34	48	68	92	159	220	326	481	678	884	1,015	1,277	954	549	163	–
	All other Male	2,263	122	18	7	23	42	52	38	50	38	39	74	113	141	181	272	309	284	245	141	45	29	–
	All other Female	1,832	105	16	7	10	8	22	18	24	21	28	44	72	107	133	208	268	284	200	138	81	38	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	27	9	1	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	7	2	3	–	–
	White Male	8	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	1	–	–
	White Female	10	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	–	2	–	–
	All other Male	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Female	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	56	–	–	–	–	–	1	–	–	1	2	1	1	5	6	8	7	8	10	4	2	–	–
	White Male	35	–	–	–	–	–	–	–	–	1	2	–	–	2	6	6	3	6	6	2	1	–	–
	White Female	11	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	1	2	1	1	–	–
	All other Male	7	–	–	–	–	–	1	–	–	–	–	1	–	2	–	1	–	1	1	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
010–012	Tuberculosis of respiratory system	44	–	–	–	–	–	–	–	–	1	1	1	–	4	4	7	6	6	9	3	2	–	–
	White Male	30	–	–	–	–	–	–	–	–	1	1	–	–	2	4	5	3	5	6	2	1	–	–
	White Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	1	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
013–019	Tuberculosis, other forms	12	–	–	–	–	–	1	–	–	–	1	–	1	1	2	1	1	2	1	1	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–	–	–	–	–
	White Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–
	All other Male	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	79	28	2	1	–	1	1	–	–	–	1	2	–	6	7	5	8	6	6	3	2	–	–
	White Male	30	8	–	1	–	–	–	–	–	–	1	1	–	3	2	5	4	1	2	2	–	–	–
	White Female	23	3	2	–	–	–	1	–	–	–	–	1	–	3	2	–	3	4	2	–	2	–	–
	All other Male	16	11	–	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–
	All other Female	10	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	71	6	3	2	2	4	2	3	2	3	1	1	4	5	10	5	3	5	5	3	2	–	–
	White Male	35	2	–	1	1	1	1	2	–	2	1	–	3	3	4	4	–	4	4	1	1	–	–
	White Female	17	–	1	–	1	2	–	–	1	–	–	1	–	1	5	–	2	1	–	1	1	–	–
	All other Male	9	1	1	–	–	–	1	–	1	–	–	–	–	–	1	1	1	–	1	1	–	–	–
	All other Female	10	3	1	1	–	1	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,795	–	5	7	11	6	12	13	24	47	75	150	245	358	503	581	640	472	373	205	59	9	–
	White ..... Male	1,847	–	3	5	3	2	5	6	11	19	32	65	116	189	270	316	312	236	156	80	21	–	–
	Female	1,323	–	1	1	2	3	3	4	12	21	31	60	89	113	153	168	213	159	162	95	29	4	–
	All other ..... Male	363	–	1	–	3	1	1	1	–	1	6	15	25	30	50	59	62	45	39	20	2	2	–
	Female	262	–	–	1	3	–	3	2	1	6	6	10	15	26	30	38	53	32	16	10	7	3	–
140–149	Of buccal cavity and pharynx	70	–	–	–	–	–	–	–	–	–	–	1	5	13	14	14	9	6	7	1	–	–	–
	White ..... Male	39	–	–	–	–	–	–	–	–	–	–	–	2	7	11	7	7	4	–	1	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	–	4	1	5	2	2	7	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	924	–	1	–	1	–	3	1	2	8	14	30	51	73	92	143	163	140	115	71	15	1	–
	White ..... Male	402	–	–	–	–	–	–	–	1	4	6	12	24	38	45	72	73	55	40	27	5	–	–
	Female	358	–	–	–	–	–	1	–	1	2	5	11	16	21	30	48	59	60	58	36	9	1	–
	All other ..... Male	99	–	1	–	1	–	1	–	–	1	2	5	7	6	12	12	16	17	13	4	1	–	–
	Female	65	–	–	–	–	–	1	1	–	1	1	2	4	8	5	11	15	8	4	4	–	–	–
160–163	Of respiratory system	990	–	–	–	–	–	–	–	4	5	19	49	84	120	175	194	158	103	42	30	7	–	–
	White ..... Male	722	–	–	–	–	–	–	–	3	2	12	32	57	83	139	145	120	79	30	16	4	–	–
	Female	153	–	–	–	–	–	–	–	1	2	4	9	13	22	15	24	24	15	9	12	3	–	–
	All other ..... Male	95	–	–	–	–	–	–	–	–	–	2	5	12	13	20	22	11	5	3	2	–	–	–
	Female	20	–	–	–	–	–	–	–	–	1	1	3	2	2	1	3	3	4	–	–	–	–	–
174	Of breast	281	–	–	–	–	–	–	3	4	10	16	17	26	28	45	30	41	23	18	15	2	3	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	239	–	–	–	–	–	–	3	3	9	15	16	24	25	33	24	37	18	15	13	2	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	41	–	–	–	–	–	–	–	1	1	1	1	2	3	12	5	4	5	3	2	–	1	–
180–187	Of genital organs	458	–	–	–	–	–	2	1	3	5	3	12	21	32	51	60	94	52	74	30	14	4	–
	White ..... Male	164	–	–	–	–	–	1	–	–	1	–	1	3	11	15	15	32	28	39	11	7	–	–
	Female	174	–	–	–	–	–	1	–	3	3	3	9	16	14	27	30	31	11	15	9	2	–	–
	All other ..... Male	67	–	–	–	–	–	–	–	–	–	–	1	–	2	4	5	19	10	16	8	–	2	–
	Female	53	–	–	–	–	–	–	1	–	1	–	1	2	5	5	10	12	3	4	2	5	2	–
188, 189	Of urinary organs	156	–	–	–	–	–	–	–	–	1	–	8	5	13	17	19	30	27	20	14	2	–	–
	White ..... Male	92	–	–	–	–	–	–	–	–	1	–	4	4	6	12	13	20	12	11	8	1	–	–
	Female	38	–	–	–	–	–	–	–	–	–	–	2	1	4	3	1	8	7	7	4	1	–	–
	All other ..... Male	16	–	–	–	–	–	–	–	–	–	–	1	–	2	1	4	1	4	1	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	4	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	564	–	1	3	2	2	5	3	4	12	15	21	34	54	73	83	84	65	59	31	12	1	–
	White ..... Male	240	–	–	3	–	–	3	3	2	8	11	10	15	28	33	37	32	23	20	8	4	–	–
	Female	221	–	1	–	1	1	1	–	2	2	2	9	12	18	29	27	32	28	31	18	6	1	–
	All other ..... Male	53	–	–	–	–	1	–	–	–	–	1	1	4	4	6	12	7	9	4	3	1	–	–
	Female	50	–	–	–	1	–	1	–	–	2	1	1	3	4	5	7	13	5	4	2	1	–	–
204–207	Leukemia	159	–	3	2	8	2	1	3	3	2	4	4	8	13	13	9	32	26	15	8	3	–	–
	White ..... Male	84	–	3	–	3	1	1	2	1	1	2	3	4	8	6	6	16	18	3	6	–	–	–
	Female	56	–	–	1	1	1	–	–	2	1	2	–	4	3	6	3	9	7	12	1	3	–	–
	All other ..... Male	11	–	–	–	2	–	–	1	–	–	–	1	–	1	1	–	4	–	–	1	–	–	–
	Female	8	–	–	1	2	–	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	193	–	–	2	–	2	1	2	4	4	4	8	11	12	23	29	29	30	23	5	4	–	–
	White ..... Male	103	–	–	2	–	1	–	1	4	2	1	3	7	8	9	20	12	17	13	3	–	–	–
	Female	62	–	–	–	–	1	–	1	–	2	–	3	3	2	9	6	11	11	8	2	3	–	–
	All other ..... Male	17	–	–	–	–	–	–	–	–	–	1	1	1	1	4	3	4	–	2	–	–	–	–
	Female	11	–	–	–	–	–	1	–	–	–	2	1	–	1	1	–	2	2	–	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	43	–	–	1	2	1	–	–	–	4	2	5	6	1	4	7	2	5	1	–	2	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	1	–	2	4	–	4	3	2	1	–	–	–	–	–
	Female	20	–	–	–	2	1	–	–	–	3	1	2	2	1	–	2	–	3	1	–	2	–	–
	All other ..... Male	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
250	Diabetes mellitus	405	–	–	–	–	–	2	–	3	2	6	14	16	31	44	64	59	67	61	23	11	2	–
	White ..... Male	102	–	–	–	–	–	1	–	1	–	4	4	5	11	8	20	16	11	14	3	3	1	–
	Female	205	–	–	–	–	–	–	–	–	1	1	4	8	12	22	30	27	37	39	16	7	1	–
	All other ..... Male	37	–	–	–	–	–	–	–	1	–	1	4	1	4	3	7	4	6	2	3	1	–	–
	Female	61	–	–	–	–	–	1	–	1	1	–	2	2	4	11	7	12	13	6	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	22	1	–	–	–	1	–	–	–	–	–	–	–	1	1	–	1	4	4	5	2	2	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1	–	–
	Female	9	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	1	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas – Con.																							
280–285	Anemias	51	–	1	1	2	1	1	1	1	–	–	2	1	2	5	4	7	7	7	5	1	2	–
	White Male	18	–	–	–	1	1	–	–	–	–	–	1	–	–	3	1	5	1	4	–	1	–	–
	Female	23	–	–	1	–	–	–	–	–	–	–	–	–	1	2	2	2	5	3	5	–	2	–
	All other Male	6	–	1	–	1	–	–	1	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
320	Meningitis	31	13	5	1	–	–	2	–	1	1	–	1	1	–	3	1	–	–	–	2	–	–	–
	White Male	9	4	1	–	–	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	11	4	3	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
	All other Male	5	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	6	2	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
390–440	Major cardiovascular diseases	11,340	9	7	–	9	9	12	12	28	51	122	208	372	585	878	1,339	1,617	1,815	1,884	1,422	734	227	–
	White Male	5,322	2	3	–	2	4	6	3	9	24	74	132	219	354	548	720	802	824	746	558	235	57	–
	Female	3,996	3	2	–	4	2	4	6	8	14	25	40	67	118	196	341	487	629	844	669	417	120	–
	All other Male	1,041	1	–	–	2	1	–	1	4	7	12	20	51	59	74	152	177	184	152	90	34	20	–
	Female	981	3	2	–	1	2	2	2	7	6	11	16	35	54	60	126	151	178	142	105	48	30	–
390–398, 402, 404, 410–429	Diseases of heart	7,933	9	4	–	4	7	8	8	22	44	93	172	311	469	705	1,015	1,152	1,221	1,205	895	458	131	–
	White Male	4,026	2	1	–	–	4	5	3	9	22	63	117	200	304	462	576	603	587	504	373	154	37	–
	Female	2,641	3	1	–	2	1	3	2	3	12	15	28	51	84	156	251	347	420	535	405	252	70	–
	All other Male	674	1	–	–	2	–	–	1	4	6	7	16	38	43	48	109	111	118	87	56	20	7	–
	Female	592	3	2	–	–	2	–	2	6	4	8	11	22	38	39	79	91	96	79	61	32	17	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	92	–	–	–	1	1	4	1	3	1	3	5	9	6	9	15	12	10	10	1	1	–	–
	White Male	43	–	–	–	–	1	3	–	1	1	1	3	5	3	3	7	8	5	1	1	–	–	–
	Female	32	–	–	–	–	–	1	–	1	–	1	2	2	2	4	4	3	4	7	–	1	–	–
	All other Male	8	–	–	–	1	–	–	1	1	–	1	–	1	1	–	1	1	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	1	2	–	–	–	–
402	Hypertensive heart disease	105	–	–	–	–	–	–	–	1	–	2	1	3	5	7	20	10	16	13	23	4	–	–
	White Male	26	–	–	–	–	–	–	–	–	–	–	1	1	1	2	6	4	2	1	8	–	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	4	10	9	2	–	–
	All other Male	19	–	–	–	–	–	–	–	–	–	1	–	–	3	2	4	3	3	1	2	–	–	–
	Female	31	–	–	–	–	–	–	–	1	–	1	–	2	1	3	7	2	7	1	4	2	–	–
404	Hypertensive heart and renal disease	59	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	7	13	10	14	8	–	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	5	4	5	1	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	6	6	9	6	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	1	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
410–413	Ischemic heart disease	6,739	–	–	–	1	–	1	4	14	28	64	137	254	395	607	862	1,009	1,050	1,034	765	401	113	–
	White Male	3,511	–	–	–	–	–	1	2	8	16	49	99	171	264	410	510	537	519	433	322	137	33	–
	Female	2,270	–	–	–	–	–	–	–	–	8	10	20	41	75	126	219	315	358	466	345	224	63	–
	All other Male	506	–	–	–	1	–	–	–	2	1	2	12	28	27	38	77	83	97	71	48	16	3	–
	Female	452	–	–	–	–	–	–	2	4	3	3	6	14	29	33	56	74	76	64	50	24	14	–
410	Acute myocardial infarction	4,014	–	–	–	1	–	1	2	13	22	58	117	205	315	467	628	656	575	501	296	130	27	–
	White Male	2,344	–	–	–	–	–	1	1	8	13	45	88	141	217	334	397	374	305	229	137	46	8	–
	Female	1,164	–	–	–	–	–	–	–	–	6	8	14	36	58	94	151	200	187	204	123	70	13	–
	All other Male	285	–	–	–	1	–	–	–	1	–	2	11	17	22	20	44	50	54	36	21	5	1	–
	Female	221	–	–	–	–	–	–	1	4	3	3	4	11	18	19	36	32	29	32	15	9	5	–
411	Other acute and subacute forms of ischemic heart disease	7	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–	–	1	2	–	–	–	–
	White Male	4	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
412	Chronic ischemic heart disease	2,715	–	–	–	–	–	–	1	1	6	6	20	47	80	138	233	353	474	531	468	271	86	–
	White Male	1,160	–	–	–	–	–	–	–	–	3	4	11	28	47	75	112	163	214	203	184	91	25	–
	Female	1,105	–	–	–	–	–	–	–	–	2	2	6	5	17	32	68	115	171	261	222	154	50	–
	All other Male	220	–	–	–	–	–	–	–	1	1	–	1	11	5	17	33	33	43	35	27	11	2	–
	Female	230	–	–	–	–	–	–	1	–	–	–	2	3	11	14	20	42	46	32	35	15	9	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	44	–	–	–	–	–	–	–	–	–	–	1	3	1	7	4	2	3	7	11	1	4	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	1	1	4	2	1	1	1	4	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–	2	6	–	3	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas – Con.																							
420–423, 425–427, 429	All other forms of heart disease	894	9	4	–	2	6	3	3	4	15	24	27	42	60	74	111	112	129	131	81	43	14	–
	White Male	411	2	1	–	–	3	1	1	–	5	13	14	22	35	42	48	52	55	64	33	16	4	–
	Female	263	3	1	–	2	1	2	2	2	4	4	5	7	7	24	24	24	48	44	36	19	4	–
	All other Male	130	1	–	–	–	–	–	–	1	5	3	3	8	11	7	26	22	17	13	6	3	4	–
	Female	90	3	2	–	–	2	–	–	1	1	4	5	5	7	1	13	14	9	10	6	5	2	–
400, 401, 403	Hypertension	79	–	–	–	–	–	–	–	–	–	–	1	2	5	7	8	8	16	20	11	1	–	–
	White Male	26	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	3	7	6	3	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	3	9	6	–	–	–
	All other Male	19	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	3	5	4	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	1	1	1	2	1	–	–
430–438	Cerebrovascular diseases	2,723	–	3	–	4	2	2	2	5	6	26	30	52	100	137	257	381	472	560	406	208	70	–
	White Male	991	–	2	–	2	–	1	–	–	2	9	11	14	43	59	104	152	173	199	144	61	15	–
	Female	1,085	–	1	–	2	1	–	2	4	2	9	12	14	29	37	77	117	175	252	192	123	36	–
	All other Male	312	–	–	–	–	1	–	–	–	1	5	4	12	15	24	37	58	50	54	31	11	9	–
	Female	335	–	–	–	–	–	1	–	1	1	3	3	12	13	17	39	54	74	55	39	13	10	–
431	Cerebral hemorrhage	331	–	1	–	2	–	1	–	–	1	5	8	13	22	25	39	54	44	48	40	22	6	–
	White Male	114	–	1	–	1	–	1	–	–	–	1	3	2	10	12	16	15	15	15	14	8	–	–
	Female	117	–	–	–	1	–	–	–	–	1	1	3	5	5	6	11	19	15	20	15	11	4	–
	All other Male	43	–	–	–	–	–	–	–	–	–	2	–	3	5	1	3	10	5	6	5	2	1	–
	Female	57	–	–	–	–	–	–	–	–	–	1	2	3	2	6	9	10	9	7	6	1	1	–
433	Cerebral thrombosis	449	–	–	–	–	–	–	–	–	–	1	4	2	16	20	41	53	86	108	71	33	14	–
	White Male	168	–	–	–	–	–	–	–	–	–	1	3	1	12	8	13	27	22	45	26	8	2	–
	Female	174	–	–	–	–	–	–	–	–	–	–	1	–	1	5	13	16	35	44	31	21	7	–
	All other Male	45	–	–	–	–	–	–	–	–	–	–	–	–	1	5	8	4	9	8	6	3	1	–
	Female	62	–	–	–	–	–	–	–	–	–	–	–	1	2	2	7	6	20	11	8	1	4	–
434	Cerebral embolism	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,938	–	2	–	2	2	1	2	5	5	20	18	36	62	92	177	273	340	404	294	153	50	–
	White Male	708	–	1	–	1	–	–	–	–	2	7	5	11	21	39	75	110	135	139	104	45	13	–
	Female	791	–	1	–	1	1	–	2	4	1	8	8	9	23	26	53	81	124	188	145	91	25	–
	All other Male	223	–	–	–	–	1	–	–	–	1	3	4	8	9	18	26	44	36	40	20	6	7	–
	Female	216	–	–	–	–	–	1	–	1	1	2	1	8	9	9	23	38	45	37	25	11	5	–
440	Arteriosclerosis	334	–	–	–	–	–	–	1	–	–	–	–	2	1	5	17	26	58	68	82	55	19	–
	White Male	128	–	–	–	–	–	–	–	–	–	–	–	2	1	4	9	13	31	23	24	18	3	–
	Female	162	–	–	–	–	–	–	1	–	–	–	–	–	–	–	5	8	19	33	53	33	10	–
	All other Male	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	6	2	2	3	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	5	6	3	2	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	271	–	–	–	1	–	2	1	1	1	3	5	5	10	24	42	50	48	31	28	12	7	–
	White Male	151	–	–	–	–	–	–	–	–	–	2	4	2	6	21	27	31	26	14	14	2	2	–
	Female	85	–	–	–	–	–	1	1	1	–	1	–	2	3	2	7	14	12	15	13	9	4	–
	All other Male	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	8	1	1	1	1	–
	Female	17	–	–	–	1	–	1	–	–	1	–	1	1	1	1	5	2	2	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	4	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	587	34	5	2	1	5	5	2	5	2	4	7	8	19	29	41	74	87	117	80	46	14	–
	White Male	286	12	1	2	1	2	2	–	2	–	2	4	6	8	21	19	40	45	60	35	18	6	–
	Female	201	7	3	–	–	–	2	1	1	1	–	2	–	3	6	13	18	29	44	39	25	7	–
	All other Male	56	7	–	–	–	2	–	–	1	–	1	–	2	6	–	7	8	6	10	4	1	1	–
	Female	44	8	1	–	–	1	1	1	1	1	1	1	–	2	2	2	8	7	3	2	2	–	–
470–474	Influenza	48	–	–	–	–	–	1	–	–	–	–	–	1	3	4	6	11	5	6	8	3	–	–
	White Male	18	–	–	–	–	–	1	–	–	–	–	–	1	1	3	2	4	2	3	1	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	3	2	7	3	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–
480–486	Pneumonia	539	34	5	2	1	5	4	2	5	2	4	7	7	16	25	35	63	82	111	72	43	14	–
	White Male	268	12	1	2	1	2	1	–	2	–	2	4	5	7	18	17	36	43	57	34	18	6	–
	Female	179	7	3	–	–	–	2	1	1	1	–	2	–	3	5	10	15	26	42	32	22	7	–
	All other Male	52	7	–	–	–	2	–	–	1	–	1	–	2	6	–	6	6	6	9	4	1	1	–
	Female	40	8	1	–	–	1	1	1	1	1	1	1	–	–	2	2	6	7	3	2	2	–	–
490–493	Bronchitis, emphysema, and asthma	261	2	–	1	–	–	–	–	–	–	3	5	11	23	30	45	57	38	30	13	3	–	–
	White Male	192	1	–	1	–	–	–	–	–	–	2	3	5	17	21	33	44	30	23	10	2	–	–
	Female	50	–	–	–	–	–	–	–	–	–	–	2	5	6	6	8	10	6	5	2	–	–	–
	All other Male	16	1	–	–	–	–	–	–	–	–	1	–	1	–	3	4	3	1	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas – Con.																							
490, 491	Chronic and unqualified bronchitis	42	2	–	1	–	–	–	–	–	–	–	1	1	2	3	5	13	9	2	3	–	–	–
	White Male	26	1	–	1	–	–	–	–	–	–	–	1	–	–	3	3	9	4	1	3	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	2	4	1	–	–	–	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
492	Emphysema	206	–	–	–	–	–	–	–	–	–	1	4	10	20	24	36	43	29	28	8	3	–	–
	White Male	160	–	–	–	–	–	–	–	–	–	1	2	5	16	16	29	34	26	22	7	2	–	–
	Female	34	–	–	–	–	–	–	–	–	–	–	2	4	4	5	5	8	2	4	–	–	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	1	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
493	Asthma	13	–	–	–	–	–	–	–	–	–	2	–	–	1	3	4	1	–	–	2	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	60	–	–	–	1	–	–	–	–	2	2	5	3	5	2	5	8	7	10	7	2	1	–
	White Male	40	–	–	–	–	–	–	–	–	2	2	3	2	4	2	2	5	7	4	6	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	2	–	5	–	1	1	–
	All other Male	6	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	1	–	1	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	16	–	–	1	1	1	–	–	1	–	–	1	1	–	3	–	3	–	1	2	1	–	–
	White Male	8	–	–	1	1	–	–	–	1	–	–	1	–	–	2	–	1	–	–	–	1	–	–
	Female	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–
550–553, 560	Hernia and intestinal obstruction	69	2	1	–	–	–	–	–	–	–	1	–	2	4	6	6	12	14	8	9	3	1	–
	White Male	14	1	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	3	2	1	–	–	–
	Female	39	1	–	–	–	–	–	–	–	–	–	–	–	2	3	1	6	8	6	8	3	1	–
	All other Male	8	–	1	–	–	–	–	–	–	–	1	–	1	–	1	1	2	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	2	–	–	–	–	–
571	Cirrhosis of liver	189	–	–	–	–	1	1	2	3	2	14	27	17	38	29	23	15	11	5	1	–	–	–
	White Male	110	–	–	–	–	1	–	1	–	1	9	18	11	22	16	13	7	8	3	–	–	–	–
	Female	45	–	–	–	–	–	–	–	1	1	3	3	3	9	10	7	2	3	2	1	–	–	–
	All other Male	20	–	–	–	–	–	1	–	1	–	2	5	1	6	2	1	1	–	–	–	–	–	–
	Female	14	–	–	–	–	–	–	1	1	–	–	1	2	1	1	2	5	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	44	–	–	–	–	–	–	–	1	1	1	1	2	1	3	1	7	11	9	4	1	1	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	4	7	1	–	1	–
	Female	19	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	3	5	2	3	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1	1	–	–	–	–	–
580–584	Nephritis and nephrosis	117	–	–	–	–	–	–	1	–	1	3	5	2	7	11	15	18	14	14	18	6	2	–
	White Male	50	–	–	–	–	–	–	–	–	1	–	3	1	–	5	8	8	8	5	8	3	–	–
	Female	38	–	–	–	–	–	–	–	–	–	1	1	1	3	2	6	5	4	4	8	2	1	–
	All other Male	12	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	3	–	2	1	–	–	–
	Female	17	–	–	–	–	–	–	1	–	–	1	1	–	2	2	–	2	2	3	1	1	1	–
580, 581	Acute nephritis and nephrotic syndrome	27	–	–	–	–	–	–	1	–	–	–	1	–	2	1	4	6	3	1	7	1	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	3	1	–	3	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	4	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	90	–	–	–	–	–	–	–	–	1	3	4	2	5	10	11	12	11	13	11	5	2	–
	White Male	38	–	–	–	–	–	–	–	–	1	–	2	1	–	5	5	5	7	5	5	2	–	–
	Female	30	–	–	–	–	–	–	–	–	–	1	1	1	2	2	5	4	3	4	4	2	1	–
	All other Male	9	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	2	–	1	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	1	1	3	1	1	1	–
590	Infections of kidney	68	–	1	–	–	–	1	1	–	–	–	–	1	1	2	5	7	20	11	8	10	–	–
	White Male	32	–	–	–	–	–	1	–	–	–	–	–	1	–	–	4	3	11	3	3	6	–	–
	Female	26	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	7	8	4	3	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	–	1	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
600	Hyperplasia of prostate	15	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	4	2	4	–	1	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	4	1	2	–	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Arkansas—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	151	102	18	2	1	7	3	3	2	1	–	1	1	3	2	2	1	2	–	–	–	–	–
	White Male	70	47	8	2	–	3	1	2	1	1	–	1	–	–	1	2	–	1	–	–	–	–	–
	Female	54	35	8	–	–	1	2	1	–	–	–	–	1	3	1	–	1	1	–	–	–	–	–
	All other Male	21	15	1	–	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	321	320	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	134	134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	80	79	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	57	57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	178	177	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	50	49	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	143	143	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	33	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	815	58	3	–	1	3	4	3	7	3	13	19	34	54	67	85	82	102	104	85	59	29	–
	White Male	310	19	2	–	–	2	2	–	3	–	7	9	15	36	34	37	33	30	36	25	13	7	–
	Female	233	9	–	–	1	–	1	1	1	1	3	3	7	9	16	24	17	27	35	37	27	14	–
	All other Male	140	15	1	–	–	1	1	–	1	–	3	4	7	7	10	13	19	19	17	13	5	4	–
	Female	132	15	–	–	–	–	–	2	2	2	–	3	5	2	7	11	13	26	16	10	14	4	–
Residual	All other diseases	1,245	10	9	5	6	6	10	12	14	25	37	39	70	83	127	189	152	174	155	78	32	12	–
	White Male	594	3	4	2	–	3	3	3	1	8	16	20	35	44	68	111	72	94	64	29	11	3	–
	Female	444	2	1	2	4	–	2	5	6	9	14	10	17	23	34	52	59	62	75	42	17	8	–
	All other Male	110	2	3	–	2	3	4	3	4	5	2	6	12	6	12	13	10	9	10	2	1	1	–
	Female	97	3	1	1	–	–	1	1	3	3	5	3	6	10	13	13	11	9	6	5	3	–	–
E800–E949	Accidents	1,329	26	50	37	55	159	137	85	70	70	45	65	63	59	82	69	63	67	68	34	19	6	–
	White Male	768	9	23	16	26	104	89	62	43	46	34	31	43	39	48	45	27	30	30	14	6	3	–
	Female	289	4	12	11	11	32	19	10	8	10	6	22	11	5	15	13	19	20	30	19	9	3	–
	All other Male	190	6	8	6	13	19	25	8	16	13	3	9	6	14	14	8	9	7	4	1	1	–	–
	Female	82	7	7	4	5	4	4	5	3	1	2	3	3	1	5	3	8	10	4	–	3	–	–
E810–E823	Motor vehicle accidents	600	5	22	19	26	87	83	57	30	36	14	33	33	27	36	26	27	22	12	3	1	1	–
	White Male	357	3	9	6	12	60	54	38	18	23	13	15	19	18	21	17	8	11	8	2	1	1	–
	Female	138	1	9	8	6	24	13	9	4	7	–	13	8	3	8	5	9	7	3	1	–	–	–
	All other Male	87	1	4	3	8	3	14	7	7	6	1	3	3	6	6	4	7	3	1	–	–	–	–
	Female	18	–	–	2	–	–	2	3	1	–	–	2	3	–	1	–	3	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	729	21	28	18	29	72	54	28	40	34	31	32	30	32	46	43	36	45	56	31	18	5	–
	White Male	411	6	14	10	14	44	35	24	25	23	21	16	24	21	27	28	19	19	22	12	5	2	–
	Female	151	3	3	3	5	8	6	1	4	3	6	9	3	2	7	8	10	13	27	18	9	3	–
	All other Male	103	5	4	3	5	16	11	1	9	7	2	6	3	8	8	4	2	4	3	1	1	–	–
	Female	64	7	7	2	5	4	2	2	2	1	2	1	–	1	4	3	5	9	4	–	3	–	–
E950–E959	Suicide	210	...	...	–	2	15	22	13	20	10	13	18	22	21	17	14	11	8	2	2	–	–	–
	White Male	157	...	...	–	–	11	13	9	16	7	9	15	16	15	15	10	10	7	2	2	–	–	–
	Female	36	...	...	–	1	4	3	2	3	1	4	2	4	5	2	3	1	1	–	–	–	–	–
	All other Male	12	...	...	–	–	–	4	2	1	2	–	–	2	1	–	–	–	–	–	–	–	–	–
	Female	5	...	...	–	1	–	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
E960–E978	Homicide	203	1	2	–	–	23	26	28	29	18	14	14	9	10	12	8	5	2	2	–	–	–	–
	White Male	71	1	2	–	–	7	6	7	10	7	8	3	4	2	5	5	2	1	1	–	–	–	–
	Female	27	–	–	–	–	6	2	1	2	2	1	3	3	2	3	1	1	–	–	–	–	–	–
	All other Male	92	–	–	–	–	10	13	19	16	9	4	7	2	4	3	2	2	1	–	–	–	–	–
	Female	13	–	–	–	–	–	5	1	1	–	1	1	–	2	1	–	–	–	1	–	–	–	–
E980–E999	Other external causes	69	2	4	1	1	6	5	6	12	9	3	4	3	6	2	1	1	1	1	1	–	–	–
	White Male	33	2	2	–	–	4	2	1	3	6	–	2	3	3	2	–	–	1	1	1	–	–	–
	Female	23	–	2	1	1	1	1	2	5	2	1	2	–	3	–	1	1	–	–	–	–	–	–
	All other Male	11	–	–	–	–	1	1	3	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California																							
	All causes	**170,687**	**4,260**	**874**	**564**	**578**	**1,951**	**3,047**	**2,790**	**2,312**	**2,411**	**3,536**	**5,503**	**8,875**	**11,515**	**14,675**	**17,798**	**20,112**	**21,535**	**21,231**	**16,227**	**8,227**	**2,612**	**54**
	White ..... Male	84,677	1,972	416	268	316	1,256	2,012	1,714	1,281	1,286	1,786	2,908	4,765	6,463	8,385	10,003	10,861	10,447	9,177	6,120	2,553	656	32
	Female	71,505	1,453	312	212	171	426	587	597	632	663	1,164	1,863	3,068	3,913	4,947	6,292	7,683	9,817	11,118	9,449	5,301	1,825	12
	All other ..... Male	8,574	474	83	43	61	182	306	325	262	296	361	447	644	687	840	938	953	695	410	333	168	58	8
	Female	5,931	361	63	41	30	87	142	154	137	166	225	285	398	452	503	565	615	576	526	325	205	73	2
004, 006	Bacillary dysentery and amebiasis	11	–	1	–	2	–	–	–	–	–	2	–	1	2	–	–	1	2	–	–	–	–	–
	White ..... Male	5	–	–	–	1	–	–	–	–	–	2	–	–	1	–	–	–	1	–	–	–	–	–
	Female	5	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	180	74	7	–	–	3	1	4	1	3	1	2	6	1	6	12	8	8	22	12	7	2	–
	White ..... Male	69	29	4	–	–	–	1	3	–	2	1	–	2	1	2	3	3	5	9	2	1	1	–
	Female	85	27	3	–	–	2	–	1	1	–	–	2	3	–	4	8	5	1	11	10	6	1	–
	All other ..... Male	13	10	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	13	8	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	2	1	–	–	–	–
010–019	Tuberculosis, all forms	223	–	–	–	–	1	–	1	2	4	5	12	13	22	34	32	27	26	24	14	5	1	–
	White ..... Male	105	–	–	–	–	1	–	–	–	–	2	7	6	13	9	18	16	13	11	8	1	–	–
	Female	72	–	–	–	–	–	–	–	1	–	2	1	3	4	16	9	7	9	10	5	4	1	–
	All other ..... Male	29	–	–	–	–	–	–	1	1	2	1	2	1	2	8	5	2	2	1	1	–	–	–
	Female	17	–	–	–	–	–	–	–	–	2	–	2	3	3	1	–	2	2	2	–	–	–	–
010–012	Tuberculosis of respiratory system	154	–	–	–	–	1	–	1	2	4	4	7	10	16	26	19	15	19	14	11	4	1	–
	White ..... Male	75	–	–	–	–	1	–	–	–	–	2	4	5	10	9	11	9	10	7	6	1	–	–
	Female	42	–	–	–	–	–	–	–	1	–	1	–	2	2	9	4	3	7	5	4	3	1	–
	All other ..... Male	26	–	–	–	–	–	–	1	1	2	1	2	1	2	7	4	2	1	1	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	2	–	1	2	2	1	–	1	1	1	–	–	–	–
013–019	Tuberculosis, other forms	69	–	–	–	–	–	–	–	–	–	1	5	3	6	8	13	12	7	10	3	1	–	–
	White ..... Male	30	–	–	–	–	–	–	–	–	–	–	3	1	3	–	7	7	3	4	2	–	–	–
	Female	30	–	–	–	–	–	–	–	–	–	1	1	1	2	7	5	4	2	5	1	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	20	4	4	–	–	2	2	2	–	–	2	–	–	1	1	–	–	1	1	–	–	–	–
	White ..... Male	7	–	2	–	–	1	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	11	3	2	–	–	1	–	1	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	330	69	2	3	–	2	–	1	3	3	3	9	16	19	23	22	26	45	40	32	11	1	–
	White ..... Male	157	34	2	3	–	2	–	1	2	–	–	2	9	9	12	7	17	23	17	13	4	–	–
	Female	133	25	–	–	–	–	–	–	1	3	1	4	5	9	8	10	9	18	17	16	6	1	–
	All other ..... Male	21	6	–	–	–	–	–	–	–	–	1	2	1	1	2	3	–	3	1	–	1	–	–
	Female	19	4	–	–	–	–	–	–	–	–	1	1	1	–	1	2	–	1	5	3	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	3	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	26	–	–	–	–	–	–	–	–	–	1	–	–	2	2	9	5	5	2	–	–	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	1	–	–	1	–	4	2	3	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	422	28	5	7	10	15	16	17	20	22	17	20	26	28	33	39	30	39	26	11	6	6	1
	White ..... Male	167	13	–	4	5	7	5	9	12	6	7	5	13	10	16	16	11	17	6	4	1	–	–
	Female	175	8	4	3	2	5	10	7	3	5	5	10	9	13	7	20	13	17	18	6	4	5	1
	All other ..... Male	36	4	–	–	2	1	1	–	2	4	1	2	2	3	3	–	4	5	–	1	1	–	–
	Female	44	3	1	–	1	2	–	1	3	7	4	3	2	2	7	3	2	–	2	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	34,521	14	68	89	85	130	166	190	282	388	823	1,535	2,655	3,527	4,475	5,071	4,840	4,324	3,291	1,783	629	153	3
	White ..... Male	16,594	8	33	47	43	60	106	103	124	155	284	596	1,064	1,609	2,257	2,649	2,596	2,204	1,570	797	237	52	–
	Female	15,088	5	27	31	34	57	49	63	123	177	418	760	1,301	1,596	1,857	2,008	1,861	1,838	1,561	892	340	89	1
	All other ..... Male	1,642	–	5	5	–	5	5	9	16	27	56	89	163	187	220	271	248	155	86	49	35	10	1
	Female	1,197	1	3	6	8	8	6	15	19	29	65	90	127	135	141	143	135	127	74	45	17	2	1
140–149	Of buccal cavity and pharynx	821	–	2	2	–	4	2	6	3	6	17	32	68	108	158	132	106	80	60	21	9	5	–
	White ..... Male	465	–	1	2	–	2	1	2	3	1	6	19	29	56	93	82	71	43	32	13	5	4	–
	Female	279	–	1	–	–	1	1	1	–	1	4	9	30	42	52	40	31	29	24	8	4	1	–
	All other ..... Male	52	–	–	–	–	–	–	–	–	3	5	3	7	4	11	9	4	4	2	–	–	–	–
	Female	25	–	–	–	–	1	–	3	–	1	2	1	2	6	2	1	–	4	2	–	–	–	–
150–159	Of digestive organs and peritoneum	9,115	3	4	3	2	6	12	25	30	59	123	276	546	782	1,045	1,373	1,429	1,377	1,103	631	238	48	–
	White ..... Male	4,263	2	2	2	2	3	8	12	15	27	56	115	247	402	551	699	712	650	433	234	77	14	–
	Female	3,973	1	1	–	–	3	4	7	7	16	49	101	217	296	395	547	576	624	602	358	138	31	–
	All other ..... Male	514	–	–	1	–	–	–	4	5	8	13	35	52	53	60	81	89	48	33	17	14	1	–
	Female	365	–	1	–	–	–	–	2	3	8	5	25	30	31	39	46	52	55	35	22	9	2	–
160–163	Of respiratory system	8,418	–	–	–	–	5	3	8	21	64	187	451	756	1,113	1,351	1,473	1,224	924	558	205	53	21	1
	White ..... Male	5,570	–	–	–	–	3	1	6	11	30	94	246	430	664	889	1,049	918	654	401	137	30	7	–
	Female	2,146	–	–	–	–	1	1	1	7	26	56	150	242	352	353	296	227	213	136	54	18	12	1
	All other ..... Male	552	–	–	–	–	1	–	–	2	6	23	40	61	80	91	109	68	42	14	8	5	2	–
	Female	150	–	–	–	–	–	1	1	1	2	14	15	23	17	18	19	11	15	7	6	–	–	–
174	Of breast	3,182	–	–	–	–	–	4	11	39	64	174	249	392	401	428	421	305	276	226	123	55	14	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	2	–	2	4	7	1	3	2	3	–	–	1	–
	Female	2,964	–	–	–	–	–	3	11	33	57	151	230	368	367	393	396	286	264	218	120	54	13	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	191	–	–	–	–	–	1	–	6	7	21	19	22	30	27	24	16	9	5	3	1	–	–
180–187	Of genital organs	3,925	–	–	2	4	14	17	30	30	37	82	159	229	308	425	509	595	565	473	318	101	25	2
	White ..... Male	1,621	–	–	–	–	6	11	17	11	10	5	8	22	59	117	178	298	314	291	205	56	13	–
	Female	1,940	–	–	–	2	8	4	10	14	20	65	131	183	220	264	287	233	213	159	88	31	8	–
	All other ..... Male	176	–	–	2	–	–	1	–	1	2	1	2	5	13	16	22	36	23	18	17	12	4	1
	Female	188	–	–	–	2	–	1	3	4	5	11	18	19	16	28	22	28	15	5	8	2	–	1
188, 189	Of urinary organs	1,510	1	1	6	–	1	6	1	7	7	19	41	80	132	181	212	229	225	180	132	38	11	–
	White ..... Male	965	1	1	3	–	–	2	1	3	6	15	28	53	79	129	147	146	142	104	79	19	7	–
	Female	459	–	–	1	–	–	3	–	2	1	3	12	21	42	43	50	71	69	71	49	18	3	–
	All other ..... Male	46	–	–	–	–	1	–	–	1	–	–	1	3	6	5	9	7	8	2	2	–	1	–
	Female	40	–	–	2	–	–	1	–	1	–	1	–	3	5	4	6	5	6	3	2	1	–	–
170–173, 190–199	Of all other and unspecified sites	4,071	4	29	23	32	45	48	39	82	86	143	196	351	384	515	535	512	446	332	180	70	19	–
	White ..... Male	1,962	2	14	11	17	19	36	27	45	51	72	107	168	205	264	278	234	194	129	56	29	4	–
	Female	1,813	2	9	9	12	19	9	9	30	31	51	80	141	149	219	222	240	230	183	118	36	14	–
	All other ..... Male	163	–	4	–	–	2	2	1	3	2	9	4	23	20	21	20	23	16	9	2	1	1	–
	Female	133	–	2	3	3	5	1	2	4	2	11	5	19	10	11	15	15	6	11	4	4	–	–
204–207	Leukemia	1,453	6	30	44	39	31	46	30	32	35	41	59	74	107	119	133	170	168	164	82	35	8	–
	White ..... Male	729	3	13	22	20	16	31	14	14	15	17	25	33	49	65	71	87	93	86	41	12	2	–
	Female	623	2	16	20	17	13	13	12	15	13	23	28	33	45	44	49	74	67	74	39	21	5	–
	All other ..... Male	57	–	1	1	–	–	1	2	3	4	1	2	4	4	5	10	5	6	3	2	2	1	–
	Female	44	1	–	1	2	2	1	2	–	3	–	4	4	9	5	3	4	2	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	2,026	–	2	9	8	24	28	40	38	30	37	72	159	192	253	283	270	263	195	91	30	2	–
	White ..... Male	994	–	2	7	4	11	16	24	22	15	17	48	80	91	142	144	127	112	91	32	9	–	–
	Female	891	–	–	1	3	12	11	12	15	12	16	19	66	83	94	121	123	129	94	58	20	2	–
	All other ..... Male	80	–	–	1	–	1	1	2	1	2	4	2	8	7	10	11	16	7	5	1	1	–	–
	Female	61	–	–	–	1	–	–	2	–	1	–	3	5	11	7	7	4	15	5	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	467	5	5	5	7	6	2	8	15	10	9	28	34	50	41	59	54	44	34	37	13	1	–
	White ..... Male	217	4	3	3	2	5	2	4	7	6	6	8	16	22	24	27	22	22	13	16	4	1	–
	Female	217	–	1	2	5	–	–	2	7	4	2	17	15	26	15	27	30	19	17	19	9	–	–
	All other ..... Male	17	1	1	–	–	–	–	–	1	–	1	2	1	2	1	3	1	1	2	–	–	–	–
	Female	16	–	–	–	–	1	–	2	–	–	–	1	2	–	1	2	1	2	2	2	–	–	–
250	Diabetes mellitus	2,279	1	1	3	3	6	10	17	27	37	34	65	107	172	185	298	365	327	316	213	76	16	–
	White ..... Male	858	1	–	–	2	3	5	8	14	18	13	26	44	67	67	125	138	121	117	65	22	2	–
	Female	1,105	–	1	3	–	2	5	8	11	13	18	28	35	69	85	121	169	172	172	132	48	13	–
	All other ..... Male	131	–	–	–	–	–	–	1	1	2	3	7	9	14	10	22	25	19	9	7	2	–	–
	Female	185	–	–	–	1	1	–	–	1	4	–	4	19	22	23	30	33	15	18	9	4	1	–
260–269	Avitaminoses and other nutritional deficiencies	239	3	–	–	–	–	1	2	1	2	2	4	8	6	14	12	18	30	46	41	36	13	–
	White ..... Male	79	2	–	–	–	–	1	–	–	1	–	1	2	3	4	4	7	9	17	9	13	6	–
	Female	140	–	–	–	–	–	–	1	1	1	–	3	4	3	8	6	11	19	27	28	21	7	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	1	–	2	1	–	–
	Female	11	1	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	1	2	2	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California – Con.																							
280–285	Anemias	244	6	3	5	5	5	5	11	4	–	2	4	11	12	15	21	27	29	32	28	16	3	–
	White Male	100	2	–	1	3	2	3	5	1	–	–	2	4	4	5	14	14	8	13	14	4	1	–
	Female	109	3	–	2	1	1	1	3	1	–	1	1	3	7	8	5	9	17	19	13	12	2	–
	All other Male	21	–	2	1	–	1	–	3	–	–	1	1	1	1	1	2	3	3	–	1	–	–	–
	Female	14	1	1	1	1	1	1	–	2	–	–	–	3	–	1	–	1	1	–	–	–	–	–
320	Meningitis	134	39	26	3	1	1	1	1	2	3	–	6	2	9	7	9	5	8	4	6	–	1	–
	White Male	56	15	13	1	1	–	1	–	1	2	–	4	2	4	1	5	–	3	2	1	–	–	–
	Female	48	12	7	2	–	1	–	1	1	1	–	–	–	3	4	1	3	5	2	4	–	1	–
	All other Male	14	5	2	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	–	1	–	–	–
	Female	16	7	4	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	84,987	78	27	20	21	53	91	146	218	429	886	1,645	3,234	4,632	6,497	8,699	11,123	13,048	14,090	11,680	6,311	2,053	6
	White Male	40,741	38	19	5	8	26	45	78	114	229	551	1,098	2,084	3,037	4,062	5,074	5,950	6,086	5,752	4,141	1,855	487	2
	Female	38,485	25	6	8	10	16	27	37	64	102	176	325	767	1,151	1,828	2,872	4,309	6,233	7,759	7,110	4,190	1,468	2
	All other Male	3,202	6	2	3	3	4	10	24	26	59	104	146	239	271	377	457	508	368	241	207	107	38	2
	Female	2,559	9	–	4	–	7	9	7	14	39	55	76	144	173	230	296	356	361	338	222	159	60	–
390–398, 402, 404, 410–429	Diseases of heart	61,380	53	19	12	12	24	59	101	144	310	723	1,388	2,677	3,883	5,292	6,872	8,300	9,190	9,368	7,589	4,055	1,304	5
	White Male	31,378	27	13	4	4	14	28	59	85	190	497	996	1,872	2,651	3,465	4,154	4,578	4,437	3,989	2,749	1,236	328	2
	Female	25,928	15	4	5	5	6	16	19	34	50	116	228	517	871	1,360	2,163	3,123	4,267	5,000	4,567	2,641	920	1
	All other Male	2,366	5	2	1	3	1	8	18	20	49	72	115	191	224	292	345	363	251	166	145	77	16	2
	Female	1,708	6	–	2	–	3	7	5	5	21	38	49	97	137	175	210	236	235	213	128	101	40	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	1,409	–	2	1	–	8	8	12	16	19	42	51	84	149	172	195	228	186	123	76	28	9	–
	White Male	560	–	1	1	–	6	2	6	7	8	18	18	42	76	61	78	100	59	47	17	10	3	–
	Female	741	–	1	–	–	1	3	3	7	4	14	23	35	65	95	103	120	117	70	57	17	6	–
	All other Male	54	–	–	–	–	–	1	3	1	3	4	4	5	4	10	10	3	2	2	1	1	–	–
	Female	54	–	–	–	–	1	2	–	1	4	6	6	2	4	6	4	5	8	4	1	–	–	–
402	Hypertensive heart disease	620	–	–	1	1	–	1	3	4	7	8	15	24	32	56	69	83	89	105	81	32	9	–
	White Male	209	–	–	–	–	–	1	2	2	3	–	4	12	12	19	32	34	30	31	21	4	2	–
	Female	308	–	–	–	1	–	–	–	1	2	5	4	4	8	22	26	35	52	63	54	24	7	–
	All other Male	51	–	–	1	–	–	–	1	–	1	3	4	3	4	8	8	5	3	5	4	1	–	–
	Female	52	–	–	–	–	–	–	–	1	1	–	3	5	8	7	3	9	4	6	2	3	–	–
404	Hypertensive heart and renal disease	254	–	–	–	–	–	–	–	–	1	3	1	7	8	16	19	29	30	65	45	24	6	–
	White Male	113	–	–	–	–	–	–	–	–	–	2	1	2	6	10	11	17	7	33	15	7	2	–
	Female	118	–	–	–	–	–	–	–	–	–	–	–	4	–	2	5	12	17	28	29	17	4	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	4	1	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	1	1	–	1	1	4	1	–	2	3	–	–	–	–
410–413	Ischemic heart disease	56,555	–	1	–	1	–	11	39	78	230	594	1,208	2,409	3,521	4,829	6,344	7,712	8,599	8,784	7,135	3,824	1,231	5
	White Male	29,312	–	1	–	1	–	7	24	55	154	444	916	1,747	2,469	3,257	3,910	4,308	4,199	3,744	2,598	1,167	309	2
	Female	23,693	–	–	–	–	–	1	6	13	30	72	165	414	736	1,163	1,933	2,852	3,960	4,698	4,285	2,494	870	1
	All other Male	2,064	–	–	–	–	–	1	7	8	35	55	93	170	200	260	310	341	225	146	129	68	14	2
	Female	1,486	–	–	–	–	–	2	2	2	11	23	34	78	116	149	191	211	215	196	123	95	38	–
410	Acute myocardial infarction	23,525	–	–	–	1	–	6	19	44	126	314	625	1,322	1,839	2,489	3,119	3,630	3,629	3,149	2,051	897	265	–
	White Male	13,623	–	–	–	1	–	4	12	29	90	259	508	1,007	1,347	1,734	2,032	2,131	1,878	1,422	808	290	71	–
	Female	8,635	–	–	–	–	–	1	4	8	17	31	78	210	366	596	904	1,300	1,597	1,618	1,160	563	182	–
	All other Male	779	–	–	–	–	–	–	3	6	15	16	35	75	76	99	119	131	84	50	46	19	5	–
	Female	488	–	–	–	–	–	1	–	1	4	8	4	30	50	60	64	68	70	59	37	25	7	–
411	Other acute and subacute forms of ischemic heart disease	266	–	–	–	–	–	–	1	2	3	7	3	22	24	23	42	31	34	26	32	9	7	–
	White Male	163	–	–	–	–	–	–	1	–	3	7	3	18	20	16	25	23	17	13	14	2	1	–
	Female	86	–	–	–	–	–	–	–	1	–	–	–	3	2	3	15	5	15	12	17	7	6	–
	All other Male	12	–	–	–	–	–	–	–	1	–	–	–	1	2	3	1	2	1	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–	–
412	Chronic ischemic heart disease	32,756	–	1	–	–	–	5	19	32	101	272	580	1,065	1,657	2,317	3,182	4,049	4,935	5,609	5,051	2,918	958	5
	White Male	15,522	–	1	–	–	–	3	11	26	61	178	405	722	1,101	1,507	1,853	2,152	2,304	2,309	1,775	875	237	2
	Female	14,970	–	–	–	–	–	–	2	4	13	40	87	201	368	564	1,014	1,547	2,347	3,068	3,108	1,924	682	1
	All other Male	1,272	–	–	–	–	–	1	4	1	20	39	58	94	122	158	189	208	140	95	83	49	9	2
	Female	992	–	–	–	–	–	1	2	1	7	15	30	48	66	88	126	142	144	137	85	70	30	–
413	Angina pectoris	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	1	–	1	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	354	5	2	3	1	4	13	9	10	11	11	17	21	21	18	34	31	35	47	28	22	11	–
	White Male	149	3	2	1	–	2	7	4	6	8	2	6	7	12	7	14	17	14	18	11	6	2	–
	Female	163	2	–	1	–	1	2	2	–	1	6	6	12	5	10	18	9	18	29	16	16	9	–
	All other Male	28	–	–	–	1	–	4	3	4	1	2	3	1	–	1	1	3	3	–	1	–	–	–
	Female	14	–	–	1	–	1	–	–	–	1	1	2	1	4	–	1	2	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California—Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,188	48	14	7	9	12	26	38	36	42	65	96	132	152	201	211	217	251	244	224	125	38	–
	White Male	1,035	24	9	2	3	6	11	23	15	17	31	51	62	76	111	109	102	128	116	87	42	10	–
	Female	905	13	3	4	4	4	10	8	13	13	19	30	48	57	68	78	95	103	112	126	73	24	–
	All other Male	160	5	2	–	2	1	2	4	7	9	8	11	12	15	13	14	11	14	12	9	7	2	–
	Female	88	6	–	1	–	1	3	3	1	3	7	4	10	4	9	10	9	6	4	2	3	2	–
400, 401, 403	Hypertension	493	–	–	–	1	–	1	1	2	4	9	8	24	12	32	41	65	64	84	91	36	18	–
	White Male	203	–	–	–	1	–	–	1	1	1	1	3	6	5	12	26	28	28	39	34	14	3	–
	Female	223	–	–	–	–	–	–	–	1	2	2	–	10	5	11	12	27	34	40	50	16	13	–
	All other Male	33	–	–	–	–	–	–	–	–	–	3	1	6	1	5	1	4	2	4	3	1	2	–
	Female	34	–	–	–	–	–	1	–	–	1	3	4	2	1	4	2	6	–	1	4	5	–	–
430–438	Cerebrovascular diseases	18,112	21	8	7	8	21	28	35	55	103	140	204	431	566	872	1,375	2,175	3,015	3,726	3,163	1,665	493	1
	White Male	6,859	10	6	1	3	9	15	12	24	36	49	76	152	279	403	641	983	1,213	1,343	1,054	454	96	–
	Female	9,932	8	2	3	5	8	10	15	21	46	53	82	207	221	365	570	974	1,606	2,222	1,992	1,154	367	1
	All other Male	636	1	–	2	–	1	2	6	6	6	25	28	32	36	59	91	116	87	58	45	21	14	–
	Female	685	2	–	1	–	3	1	2	4	15	13	18	40	30	45	73	102	109	103	72	36	16	–
431	Cerebral hemorrhage	2,059	13	–	1	2	4	4	9	16	23	40	57	144	133	213	220	258	301	306	206	91	18	–
	White Male	778	5	–	–	1	2	3	3	10	5	17	21	51	60	91	90	94	118	105	73	24	5	–
	Female	1,060	5	–	1	1	1	1	5	3	11	10	20	72	59	95	96	131	162	181	129	64	13	–
	All other Male	118	1	–	–	–	1	–	1	2	2	9	11	9	8	19	19	20	6	8	1	1	–	–
	Female	103	2	–	–	–	–	–	–	1	5	4	5	12	6	8	15	13	15	12	3	2	–	–
433	Cerebral thrombosis	4,924	2	1	–	–	3	1	2	4	7	10	29	47	100	195	355	622	836	1,104	931	510	165	–
	White Male	1,864	1	–	–	–	1	–	–	1	2	4	12	24	58	93	174	288	337	389	317	139	24	–
	Female	2,720	1	1	–	–	2	1	2	3	5	3	10	14	29	74	146	260	438	668	586	350	127	–
	All other Male	148	–	–	–	–	–	–	–	–	–	3	3	5	8	15	19	38	23	13	10	7	4	–
	Female	192	–	–	–	–	–	–	–	–	–	–	4	4	5	13	16	36	38	34	18	14	10	–
434	Cerebral embolism	69	–	–	–	–	–	–	–	–	–	1	1	3	1	3	3	14	16	12	8	7	–	–
	White Male	27	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	4	10	3	3	2	–	–
	Female	40	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	10	6	9	4	5	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	11,060	6	7	6	6	14	23	24	35	73	89	117	237	332	461	797	1,281	1,862	2,304	2,018	1,057	310	1
	White Male	4,190	4	6	1	2	6	12	9	13	29	28	42	76	161	217	376	597	748	846	661	289	67	–
	Female	6,112	2	1	2	4	5	8	8	15	30	39	52	119	132	195	327	573	1,000	1,364	1,273	735	227	1
	All other Male	369	–	–	2	–	–	2	5	4	4	13	14	18	20	25	53	58	58	37	33	13	10	–
	Female	389	–	–	1	–	3	1	2	3	10	9	9	24	19	24	41	53	56	57	51	20	6	–
440	Arteriosclerosis	2,539	–	–	–	–	–	–	–	1	–	1	5	12	28	59	98	179	361	554	602	432	207	–
	White Male	911	–	–	–	–	–	–	–	–	–	1	1	7	13	34	51	87	149	195	207	112	54	–
	Female	1,513	–	–	–	–	–	–	–	1	–	–	3	3	10	21	38	75	190	344	380	303	145	–
	All other Male	59	–	–	–	–	–	–	–	–	–	–	–	1	5	2	6	11	13	3	7	6	5	–
	Female	56	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	6	9	12	8	11	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	2,463	4	–	1	–	8	3	9	16	12	13	40	90	143	242	313	404	418	358	235	123	31	–
	White Male	1,390	1	–	–	–	3	2	6	4	2	3	22	47	89	148	202	274	259	186	97	39	6	–
	Female	889	2	–	–	–	2	1	3	7	4	5	12	30	44	71	89	110	136	153	121	76	23	–
	All other Male	108	–	–	–	–	2	–	–	–	4	4	2	9	5	19	14	14	15	10	7	2	1	–
	Female	76	1	–	1	–	1	–	–	5	2	1	4	4	5	4	8	6	8	9	10	6	1	–
466	Acute bronchitis and bronchiolitis	96	13	7	–	1	1	1	1	3	2	4	3	7	4	7	8	11	2	12	7	–	2	–
	White Male	50	8	5	–	–	1	–	–	2	1	1	1	3	2	4	2	9	1	5	4	–	1	–
	Female	38	4	–	–	1	–	1	1	–	1	1	2	3	2	3	5	2	1	7	3	–	1	–
	All other Male	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	5	1	1	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	4,658	160	50	22	15	36	39	29	31	30	62	89	131	194	254	326	450	605	844	705	420	166	–
	White Male	2,236	66	24	8	8	17	17	15	13	16	30	40	66	104	147	187	254	330	420	275	146	53	–
	Female	2,088	63	16	10	5	15	15	9	14	10	18	32	41	67	83	117	160	246	394	404	263	106	–
	All other Male	212	17	7	2	1	1	3	3	2	2	9	12	19	16	16	18	27	21	11	16	7	2	–
	Female	122	14	3	2	1	3	4	2	2	2	5	5	5	7	8	4	9	8	19	10	4	5	–
470–474	Influenza	332	2	1	1	–	3	1	1	2	2	3	6	5	10	17	20	27	52	76	58	28	17	–
	White Male	116	–	–	–	–	–	–	–	1	2	–	–	3	7	6	12	11	15	32	18	5	4	–
	Female	205	1	1	1	–	2	1	1	1	–	3	5	2	3	10	7	15	35	43	40	21	13	–
	All other Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–
	Female	5	–	–	–	–	1	–	–	–	–	–	1	–	–	1	1	–	–	–	–	1	–	–
480–486	Pneumonia	4,326	158	49	21	15	33	38	28	29	28	59	83	126	184	237	306	423	553	768	647	392	149	–
	White Male	2,120	66	24	8	8	17	17	15	12	14	30	40	63	97	141	175	243	315	388	257	141	49	–
	Female	1,883	62	15	9	5	13	14	8	13	10	15	27	39	64	73	110	145	211	351	364	242	93	–
	All other Male	206	16	7	2	1	1	3	3	2	2	9	12	19	16	16	18	26	19	10	16	6	2	–
	Female	117	14	3	2	1	2	4	2	2	2	5	4	5	7	7	3	9	8	19	10	3	5	–
490–493	Bronchitis, emphysema, and asthma	2,684	9	4	7	5	7	8	10	4	15	14	37	118	179	319	432	498	460	302	183	60	13	–
	White Male	1,753	4	2	2	1	3	3	1	1	9	5	17	62	93	205	300	360	319	208	119	33	6	–
	Female	785	4	2	3	2	2	4	4	1	1	6	14	46	73	93	112	121	124	82	60	25	6	–
	All other Male	98	1	–	1	1	2	–	1	2	2	3	4	9	8	14	13	11	13	7	4	2	–	–
	Female	48	–	–	1	1	–	1	4	–	3	–	2	1	5	7	7	6	4	5	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California — Con.																							
490, 491	Chronic and unqualified bronchitis	491	8	4	2	1	–	1	2	2	3	2	4	17	33	48	74	72	93	64	39	16	6	–
	White ..... Male	292	3	2	1	–	–	–	–	–	1	1	1	7	16	21	50	50	59	40	30	7	3	–
	Female	173	4	2	–	1	–	1	–	–	1	1	2	8	14	24	20	20	31	24	8	9	3	–
	All other ..... Male	19	1	–	1	–	–	–	–	2	1	–	1	2	3	2	2	1	2	–	1	–	–	–
	Female	7	–	–	–	–	–	–	2	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–
492	Emphysema	2,013	1	–	–	–	1	–	2	–	6	9	29	85	126	250	342	408	349	221	136	42	6	–
	White ..... Male	1,410	1	–	–	–	1	–	–	–	5	4	16	51	72	178	245	306	253	161	89	25	3	–
	Female	521	–	–	–	–	–	–	2	–	–	3	10	28	51	62	81	89	83	49	44	16	3	–
	All other ..... Male	65	–	–	–	–	–	–	–	–	1	2	3	6	3	8	11	10	10	7	3	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	3	3	4	–	–	–	–
493	Asthma	180	–	–	5	4	6	7	6	2	6	3	4	16	20	21	16	18	18	17	8	2	1	–
	White ..... Male	51	–	–	1	1	2	3	1	1	3	–	–	4	5	6	5	4	7	7	–	1	–	–
	Female	91	–	–	3	1	2	3	2	1	–	2	2	10	8	7	11	12	10	9	8	–	–	–
	All other ..... Male	14	–	–	–	1	2	–	1	–	–	1	–	1	2	4	–	–	1	–	–	1	–	–
	Female	24	–	–	1	1	–	1	2	–	3	–	2	1	5	4	–	2	–	1	–	–	1	–
531–533	Peptic ulcer	736	2	2	1	–	1	4	5	3	6	13	25	36	63	76	101	106	80	82	87	31	12	–
	White ..... Male	400	2	1	–	–	1	2	4	2	3	9	13	23	38	46	65	71	38	34	37	8	3	–
	Female	281	–	1	1	–	–	2	–	–	–	2	8	8	20	26	27	27	37	43	48	22	9	–
	All other ..... Male	36	–	–	–	–	–	–	–	1	3	2	3	3	3	4	8	3	3	2	1	–	–	–
	Female	19	–	–	–	–	–	–	1	–	–	–	1	2	2	–	1	5	2	3	1	1	–	–
540–543	Appendicitis	86	–	–	2	1	1	4	1	1	2	3	2	5	8	12	9	6	13	5	8	3	–	–
	White ..... Male	38	–	–	–	–	–	1	–	–	–	1	2	2	3	8	4	4	6	3	3	1	–	–
	Female	38	–	–	1	1	1	1	1	1	2	1	–	2	5	3	4	2	5	1	5	2	–	–
	All other ..... Male	6	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–
	Female	4	–	–	1	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	521	39	–	1	4	3	3	7	3	2	5	13	22	29	46	46	40	70	76	70	35	7	–
	White ..... Male	209	23	–	1	2	1	1	1	1	1	2	5	7	10	22	18	18	33	31	20	10	2	–
	Female	259	11	–	–	2	–	2	4	2	–	3	6	8	14	19	23	19	30	41	47	23	5	–
	All other ..... Male	23	3	–	–	–	–	–	1	–	–	–	1	2	2	2	3	1	4	3	1	–	–	–
	Female	30	2	–	–	–	2	–	1	–	1	–	1	5	3	3	2	2	3	1	2	2	–	–
571	Cirrhosis of liver	4,427	6	1	1	2	1	15	42	93	182	351	544	726	738	674	491	302	153	69	29	4	2	1
	White ..... Male	2,565	3	1	1	2	–	10	25	50	98	185	299	421	421	391	322	193	89	33	18	3	–	–
	Female	1,409	3	–	–	–	1	3	8	16	39	104	186	237	243	231	143	94	57	31	10	1	2	–
	All other ..... Male	305	–	–	–	–	–	2	5	18	29	42	35	49	52	38	16	11	5	2	–	–	–	1
	Female	148	–	–	–	–	–	–	4	9	16	20	24	19	22	14	10	4	2	3	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	251	–	–	–	–	–	–	–	1	2	6	5	7	9	22	18	33	48	38	43	14	5	–
	White ..... Male	97	–	–	–	–	–	–	–	–	1	4	–	2	2	6	12	13	20	12	18	5	2	–
	Female	141	–	–	–	–	–	–	–	–	1	2	3	3	7	13	6	19	27	25	23	9	3	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	2	–	–	–
	Female	7	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	–	1	1	–	–	–	–
580–584	Nephritis and nephrosis	479	2	2	1	3	2	6	10	9	11	13	17	27	27	44	60	64	54	61	40	18	8	–
	White ..... Male	217	1	1	–	2	–	4	3	4	7	6	8	11	11	25	31	29	22	23	21	6	2	–
	Female	189	1	1	1	–	1	–	4	5	1	6	6	10	12	12	15	24	27	32	18	9	4	–
	All other ..... Male	43	–	–	–	1	1	–	2	–	3	1	2	4	4	4	7	5	2	4	–	1	2	–
	Female	30	–	–	–	–	–	2	1	–	–	–	1	2	–	3	7	6	3	2	1	2	–	–
580, 581	Acute nephritis and nephrotic syndrome	92	2	–	–	–	1	2	1	–	1	1	2	2	4	5	19	16	6	11	15	4	–	–
	White ..... Male	44	1	–	–	–	–	2	–	–	1	1	2	–	–	4	11	6	1	6	9	–	–	–
	Female	36	1	–	–	–	–	–	1	–	–	–	–	2	3	1	3	8	4	4	6	3	–	–
	All other ..... Male	9	–	–	–	–	1	–	–	–	–	–	–	–	1	–	4	1	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	387	–	2	1	3	1	4	9	9	10	12	15	25	23	39	41	48	48	50	25	14	8	–
	White ..... Male	173	–	1	–	2	–	2	3	4	6	5	6	11	11	21	20	23	21	17	12	6	2	–
	Female	153	–	1	1	–	1	–	3	5	1	6	6	8	9	11	12	16	23	28	12	6	4	–
	All other ..... Male	34	–	–	–	1	–	–	2	–	3	1	2	4	3	4	3	4	1	3	–	1	2	–
	Female	27	–	–	–	–	–	2	1	–	–	–	1	2	–	3	6	5	3	2	1	1	–	–
590	Infections of kidney	388	–	–	–	–	–	–	–	1	5	2	6	9	22	30	31	51	64	82	53	28	4	–
	White ..... Male	138	–	–	–	–	–	–	–	1	2	1	2	6	6	15	9	20	17	26	22	11	–	–
	Female	225	–	–	–	–	–	–	–	–	2	1	2	3	16	14	17	25	43	52	29	17	4	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	1	–	1	–	–	1	3	2	4	–	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	4	–	4	2	–	–	–
600	Hyperplasia of prostate	99	–	–	–	–	–	–	–	–	–	–	–	–	1	2	6	13	19	17	26	13	2	–
	White ..... Male	91	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	11	18	17	24	12	2	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	2	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	41	–	–	–	–	4	12	14	4	4	3	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	28	–	–	–	–	3	9	8	1	4	3	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	13	–	–	–	–	1	3	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	California — Con.																							
640–645	Abortions	3	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	38	–	–	–	–	2	12	14	3	4	3	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	27	–	–	–	–	2	9	8	1	4	3	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	11	–	–	–	–	–	3	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	1,345	820	129	51	28	30	39	30	14	18	24	25	24	22	24	18	17	16	9	4	3	–	–
	White Male	609	377	45	21	13	9	24	13	6	9	10	10	14	14	11	10	7	8	4	3	1	–	–
	Female	560	335	61	25	8	16	12	11	6	5	12	12	8	8	11	7	10	6	5	1	1	–	–
	All other Male	93	58	10	4	2	3	2	3	–	2	1	2	2	–	2	–	–	1	–	–	1	–	–
	Female	83	50	13	1	5	2	1	3	2	2	1	1	–	–	–	1	–	1	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	2,018	2,016	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	922	920	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	657	657	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	261	261	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	178	178	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	1,159	1,159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	574	574	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	340	340	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	149	149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	96	96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	859	857	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	348	346	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	317	317	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	112	112	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	82	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,028	544	9	9	2	13	35	36	27	15	19	25	37	24	32	36	28	41	24	31	18	16	7
	White Male	500	259	6	2	1	5	18	23	14	10	6	11	19	14	18	17	15	22	14	9	8	5	4
	Female	350	160	3	5	1	5	9	9	9	2	9	12	12	5	11	18	12	17	9	19	9	11	3
	All other Male	106	76	–	2	–	1	4	1	3	3	3	–	3	2	2	1	1	2	1	1	–	–	–
	Female	72	49	–	–	–	2	4	3	1	–	1	2	3	3	1	–	–	–	–	2	1	–	–
Residual	All other diseases	10,508	184	90	65	58	121	191	194	191	198	275	399	542	756	1,005	1,202	1,348	1,364	1,192	745	307	80	1
	White Male	5,256	94	50	25	24	62	109	100	91	101	121	177	264	379	560	637	727	698	590	324	106	17	–
	Female	4,253	59	30	33	20	36	46	56	70	63	97	155	214	280	335	473	531	589	543	385	182	55	1
	All other Male	591	15	2	2	9	16	21	22	18	19	34	40	39	52	70	57	58	53	30	23	6	5	–
	Female	408	16	8	5	5	7	15	16	12	15	23	27	25	45	40	35	32	24	29	13	13	3	–
E800–E949	Accidents	10,922	120	382	254	252	1,054	1,526	1,206	762	550	488	528	562	547	503	452	406	437	391	283	151	44	24
	White Male	6,826	62	191	138	157	765	1,124	866	490	362	296	329	339	335	295	269	230	203	172	114	55	12	22
	Female	2,881	39	136	78	61	196	233	195	152	104	129	131	156	157	156	145	138	199	201	151	92	31	1
	All other Male	853	8	35	22	31	71	121	101	87	63	40	49	49	38	41	25	27	23	6	11	3	1	1
	Female	362	11	20	16	3	22	48	44	33	21	23	19	18	17	11	13	11	12	12	7	1	–	–
E810–E823	Motor vehicle accidents	4,520	26	145	133	126	726	836	540	343	224	189	183	202	192	140	154	120	114	75	33	11	1	7
	White Male	3,069	17	72	72	78	533	634	401	229	158	127	126	128	127	84	91	67	52	41	16	9	1	6
	Female	1,051	7	49	42	34	151	136	97	74	48	50	39	50	45	42	52	34	53	33	12	2	–	1
	All other Male	283	1	14	10	12	31	51	33	29	14	7	8	18	13	11	7	14	6	–	4	–	–	–
	Female	117	1	10	9	2	11	15	9	11	4	5	10	6	7	3	4	5	3	1	1	–	–	–
E800–E807, E825–E949	All other accidents	6,402	94	237	121	126	328	690	666	419	326	299	345	360	355	363	298	286	323	316	250	140	43	17
	White Male	3,757	45	119	66	79	232	490	465	261	204	169	203	211	208	211	178	163	151	131	98	46	11	16
	Female	1,830	32	87	36	27	45	97	98	78	56	79	92	106	112	114	93	104	146	168	139	90	31	–
	All other Male	570	7	21	12	19	40	70	68	58	49	33	41	31	25	30	18	13	17	6	7	3	1	1
	Female	245	10	10	7	1	11	33	35	22	17	18	9	12	10	8	9	6	9	11	6	1	–	–
E950–E959	Suicide	3,853	...	...	–	26	174	467	438	341	270	295	307	364	298	220	209	170	139	79	47	8	1	–
	White Male	2,387	...	...	–	18	129	323	270	207	157	162	168	206	187	134	132	105	97	50	36	5	1	–
	Female	1,197	...	...	–	5	28	100	108	102	91	117	119	139	101	80	73	59	38	26	8	3	–	–
	All other Male	174	...	...	–	1	9	36	45	19	12	9	10	12	6	4	3	3	2	1	2	–	–	–
	Female	95	...	...	–	2	8	8	15	13	10	7	10	7	4	2	1	3	2	2	1	–	–	–
E960–E978	Homicide	2,215	20	40	12	43	256	373	337	228	191	156	131	121	93	63	59	39	24	16	5	3	–	5
	White Male	1,097	7	12	4	20	142	190	167	110	88	74	69	60	52	35	32	19	9	5	–	1	–	1
	Female	367	8	8	4	12	34	50	42	36	29	23	18	25	15	11	14	9	13	9	3	2	–	2
	All other Male	571	1	12	1	9	61	98	102	62	60	46	34	30	20	13	9	9	1	1	–	–	–	2
	Female	180	4	8	3	2	19	35	26	20	14	13	10	6	6	4	4	2	1	1	2	–	–	–
E980–E999	Other external causes	246	4	8	2	3	22	28	30	21	7	16	17	24	18	9	11	1	10	4	4	1	–	6
	White Male	119	–	2	2	2	13	15	14	14	2	6	8	14	9	3	5	–	2	2	3	–	–	3
	Female	78	1	1	–	–	3	7	13	3	2	6	6	7	7	5	6	1	6	2	–	1	–	1
	All other Male	31	1	4	–	1	5	1	1	3	3	3	2	1	2	1	–	–	1	–	1	–	–	1
	Female	18	2	1	–	–	1	5	2	1	–	1	1	2	–	–	–	–	1	–	–	–	–	1

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado																							
	All causes	**17,434**	**572**	**89**	**71**	**83**	**244**	**354**	**325**	**260**	**266**	**350**	**610**	**831**	**1,097**	**1,380**	**1,775**	**1,890**	**2,063**	**2,182**	**1,780**	**920**	**288**	**4**
	White Male	9,477	294	48	38	46	160	250	231	162	169	213	360	521	669	854	1,113	1,086	1,096	1,002	715	353	95	2
	White Female	7,396	226	31	29	36	74	83	80	74	75	115	217	279	385	484	619	754	918	1,135	1,036	557	189	–
	All other Male	337	28	4	2	1	9	15	9	17	16	16	23	22	26	29	23	30	20	26	11	6	2	2
	All other Female	224	24	6	2	–	1	6	5	7	6	6	10	9	17	13	20	20	29	19	18	4	2	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	22	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	1	1	1	–
	White Male	10	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–
	White Female	11	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	37	–	–	–	–	–	1	1	1	2	1	2	3	1	3	2	7	6	4	2	1	–	–
	White Male	21	–	–	–	–	–	–	–	–	–	1	2	1	1	3	2	5	3	2	1	–	–	–
	White Female	13	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	2	3	2	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	19	–	–	–	–	–	1	–	–	2	1	1	1	1	1	2	3	3	1	1	1	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	1	1	1	1	1	2	2	1	–	–	–	–	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	18	–	–	–	–	–	–	1	1	–	–	1	2	–	2	–	4	3	3	1	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	3	2	2	1	–	–	–
	White Female	7	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	1	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	70	16	–	1	–	–	2	2	–	–	–	1	3	4	2	6	8	7	11	7	–	–	–
	White Male	32	8	–	1	–	–	1	1	–	–	–	–	2	2	1	2	2	1	9	2	–	–	–
	White Female	33	6	–	–	–	–	1	1	–	–	–	1	1	2	1	4	4	5	2	5	–	–	–
	All other Male	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	47	10	5	1	2	–	2	–	2	–	–	2	1	1	2	4	3	5	2	3	2	–	–
	White Male	22	5	3	–	–	–	1	–	1	–	–	1	1	1	2	2	2	1	1	–	1	–	–
	White Female	20	3	1	1	2	–	1	–	1	–	–	–	–	–	–	1	1	4	1	3	1	–	–
	All other Male	3	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,073	3	5	14	11	8	16	24	28	38	68	153	216	320	380	427	429	356	314	182	59	21	1
	White Male	1,597	3	3	9	7	4	10	13	10	19	31	72	105	155	213	237	231	190	163	81	29	11	1
	Female	1,390	–	2	5	4	4	6	9	16	18	36	75	104	149	159	177	186	160	144	97	29	10	–
	All other Male	47	–	–	–	–	–	–	1	2	1	–	3	4	9	4	7	6	3	4	2	1	–	–
	Female	39	–	–	–	–	–	–	1	–	–	1	3	3	7	4	6	6	3	3	2	–	–	–
140–149	Of buccal cavity and pharynx	44	–	–	–	–	–	–	–	–	–	1	5	5	7	7	7	4	4	1	3	–	–	–
	White Male	26	–	–	–	–	–	–	–	–	–	1	4	2	3	3	5	3	2	1	2	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	2	3	4	2	1	2	–	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	819	–	–	–	–	–	–	2	4	4	9	30	48	82	83	117	119	109	110	74	17	10	1
	White Male	434	–	–	–	–	–	–	1	–	2	2	18	34	48	45	66	60	62	56	29	6	4	1
	Female	359	–	–	–	–	–	–	–	3	2	7	9	13	29	35	50	55	45	51	43	11	6	–
	All other Male	12	–	–	–	–	–	–	–	1	–	–	2	–	3	2	1	1	–	1	1	–	–	–
	Female	14	–	–	–	–	–	–	1	–	–	–	1	1	2	1	–	3	2	2	1	–	–	–
160–163	Of respiratory system	599	–	–	–	–	–	–	–	–	5	12	32	47	79	119	97	79	62	44	16	6	1	–
	White Male	432	–	–	–	–	–	–	–	–	5	11	21	33	53	93	75	56	44	28	10	2	1	–
	Female	152	–	–	–	–	–	–	–	–	–	1	10	13	21	25	20	22	18	14	5	3	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	1	4	1	1	–	–	1	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–	–	–	–
174	Of breast	276	–	–	–	–	–	–	1	1	7	10	24	37	32	34	30	32	30	23	11	4	–	–
	White Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	267	–	–	–	–	–	–	–	1	7	9	23	35	31	33	29	31	30	23	11	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	1	2	1	1	1	1	–	–	–	–	–	–
180–187	Of genital organs	389	–	–	–	–	–	1	5	5	1	7	16	26	34	28	52	70	47	44	38	9	6	–
	White Male	190	–	–	–	–	–	1	3	1	–	–	3	3	7	11	21	43	26	33	26	7	5	–
	Female	190	–	–	–	–	–	–	2	4	1	7	13	23	26	16	28	24	21	11	11	2	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–
188, 189	Of urinary organs	151	–	–	1	–	–	1	–	1	–	3	1	10	12	22	21	26	22	17	10	3	1	–
	White Male	89	–	–	1	–	–	–	–	1	–	1	1	7	5	14	12	16	12	12	5	2	–	–
	Female	57	–	–	–	–	–	1	–	–	–	2	–	2	6	8	8	10	8	5	5	1	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	404	2	–	1	1	4	5	10	4	18	15	28	24	45	48	52	54	36	33	13	9	2	–
	White Male	213	2	–	1	1	2	3	7	2	9	11	14	14	26	22	30	27	20	12	4	5	1	–
	Female	182	–	–	–	–	2	2	3	2	8	4	13	10	18	24	20	26	16	20	9	4	1	–
	All other Male	6	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
204–207	Leukemia	170	–	5	11	6	4	4	5	8	–	6	5	6	12	14	14	15	18	24	8	4	1	–
	White Male	88	–	3	6	4	2	2	1	2	–	4	2	3	4	8	10	8	10	13	3	3	–	–
	Female	75	–	2	5	2	2	2	3	5	–	2	3	3	7	6	3	6	6	11	5	1	1	–
	All other Male	4	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	221	1	–	1	4	–	5	1	5	3	5	12	13	17	25	37	30	28	18	9	7	–	–
	White Male	124	1	–	1	2	–	4	–	4	3	1	9	9	9	17	18	18	14	8	2	4	–	–
	Female	92	–	–	–	2	–	1	1	1	–	4	3	3	8	8	17	11	14	9	7	3	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	56	1	–	1	1	2	1	2	2	2	2	2	2	7	4	6	5	5	7	4	–	–	–
	White Male	23	–	–	–	1	–	–	1	–	2	1	–	2	5	1	3	–	4	1	2	–	–	–
	Female	31	1	–	1	–	2	1	1	2	–	1	1	–	2	3	3	5	1	5	2	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	297	–	–	2	–	1	2	3	3	4	4	12	14	15	27	34	48	40	44	29	12	3	–
	White Male	116	–	–	–	–	1	2	–	1	3	1	4	6	6	13	17	21	17	14	8	2	–	–
	Female	171	–	–	2	–	–	–	3	2	1	3	7	7	8	14	16	26	22	26	21	10	3	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	3	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	29	2	1	–	–	–	–	–	–	–	–	–	2	2	2	3	1	1	3	9	3	–	–
	White Male	12	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	1	2	3	1	–	–
	Female	14	–	1	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	6	2	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado – Con.																							
280–285	Anemias	25	–	–	–	–	–	–	1	2	–	1	–	–	2	–	2	1	4	4	7	1	–	–
	White ... Male	12	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	2	3	4	–	–	–
	Female	12	–	–	–	–	–	–	–	1	–	–	–	–	2	–	2	–	2	1	3	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	19	4	3	–	–	1	2	–	–	–	–	1	3	–	1	–	4	–	–	–	–	–	–
	White ... Male	12	4	2	–	–	–	–	–	–	–	–	1	2	–	–	–	3	–	–	–	–	–	–
	Female	6	–	1	–	–	–	2	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	All other ... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	8,163	10	3	4	5	4	14	12	22	49	89	180	320	439	582	865	968	1,205	1,344	1,180	659	207	2
	White ... Male	4,238	6	1	2	3	3	6	5	11	30	62	130	229	304	376	575	560	622	569	444	235	64	1
	Female	3,726	4	1	1	2	1	6	6	10	14	20	39	78	123	183	278	381	554	749	718	417	141	–
	All other ... Male	122	–	1	1	–	–	–	1	–	4	6	8	10	9	17	8	16	12	16	7	4	1	1
	Female	77	–	–	–	–	–	2	–	1	1	1	3	3	3	6	4	11	17	10	11	3	1	–
390–398, 402, 404, 410–429	Diseases of heart	5,931	8	2	1	3	1	9	8	11	40	70	146	280	380	490	685	715	842	911	777	425	126	1
	White ... Male	3,265	4	1	–	2	1	2	4	6	27	48	111	208	270	324	465	424	451	409	305	159	44	–
	Female	2,514	4	1	–	1	–	5	4	4	9	15	26	61	101	144	209	272	371	485	462	260	80	–
	All other ... Male	99	–	–	1	–	–	–	–	–	4	6	7	8	7	17	7	13	9	10	5	3	1	1
	Female	53	–	–	–	–	–	2	–	1	–	1	2	3	2	5	4	6	11	7	5	3	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	181	–	–	–	1	–	–	–	4	3	3	9	12	13	24	29	26	18	24	9	6	–	–
	White ... Male	68	–	–	–	1	–	–	–	–	2	2	6	3	7	14	9	9	4	6	2	3	–	–
	Female	112	–	–	–	–	–	–	–	3	1	1	3	9	6	10	20	17	14	18	7	3	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	41	–	–	–	–	–	1	–	–	–	–	2	2	3	2	3	2	7	7	8	3	1	–
	White ... Male	11	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	1	3	–	1	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	6	4	8	2	1	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	29	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	5	5	9	1	–	–
	White ... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	3	4	7	–	–	–
	All other ... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	5,168	–	–	–	–	–	2	2	3	30	54	115	247	333	416	593	624	742	817	696	379	114	1
	White ... Male	2,917	–	–	–	–	–	2	2	3	20	42	94	196	243	282	416	379	410	365	285	140	38	–
	Female	2,137	–	–	–	–	–	–	–	–	6	10	15	43	84	116	167	232	317	437	401	235	74	–
	All other ... Male	78	–	–	–	–	–	–	–	–	4	2	5	6	5	15	7	8	8	9	5	2	1	1
	Female	36	–	–	–	–	–	–	–	–	–	–	1	2	1	3	3	5	7	6	5	2	1	–
410	Acute myocardial infarction	2,730	–	–	–	–	–	2	1	3	25	42	89	182	223	285	380	359	409	345	250	106	28	1
	White ... Male	1,729	–	–	–	–	–	2	1	3	17	36	77	153	168	204	277	227	239	163	108	43	11	–
	Female	948	–	–	–	–	–	–	–	–	5	6	7	27	53	73	95	126	164	176	137	63	16	–
	All other ... Male	38	–	–	–	–	–	–	–	–	3	–	4	1	1	6	6	4	5	4	3	–	–	1
	Female	15	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	2	1	2	2	–	1	–
411	Other acute and subacute forms of ischemic heart disease	32	–	–	–	–	–	–	–	–	–	1	1	3	7	4	5	3	1	3	3	–	1	–
	White ... Male	23	–	–	–	–	–	–	–	–	–	–	1	3	5	2	5	3	1	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	–	–	1	2	–	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,406	–	–	–	–	–	–	1	–	5	11	25	62	103	127	208	262	332	469	443	273	85	–
	White ... Male	1,165	–	–	–	–	–	–	1	–	3	6	16	40	70	76	134	149	170	200	176	97	27	–
	Female	1,180	–	–	–	–	–	–	–	–	1	3	8	16	29	41	72	106	153	260	262	172	57	–
	All other ... Male	40	–	–	–	–	–	–	–	–	1	2	1	5	4	9	1	4	3	5	2	2	1	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	6	4	3	2	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	25	–	1	–	–	–	1	–	–	–	–	–	2	2	4	2	4	2	2	5	–	–	–
	White ... Male	11	–	–	–	–	–	–	–	–	–	–	–	1	1	4	2	1	–	2	–	–	–	–
	Female	14	–	1	–	–	–	1	–	–	–	–	–	1	1	–	–	3	2	–	5	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado – Con.																							
420–423, 425–427, 429	All other forms of heart disease	487	8	1	1	2	1	5	6	4	7	13	20	17	28	41	56	56	68	56	50	36	11	–
	White Male	251	4	1	–	1	1	–	2	3	5	4	10	7	18	23	35	34	35	32	16	14	6	–
	Female	206	4	–	–	1	–	4	4	1	2	4	7	7	9	15	20	18	29	22	34	20	5	–
	All other Male	17	–	–	1	–	–	–	–	–	–	4	2	2	1	2	–	3	–	1	–	1	–	–
	Female	13	–	–	–	–	–	1	–	–	–	1	1	1	–	1	1	1	4	1	–	1	–	–
400, 401, 403	Hypertension	53	–	–	–	–	–	–	–	–	–	1	–	–	2	2	5	6	14	5	12	5	1	–
	White Male	25	–	–	–	–	–	–	–	–	–	1	–	–	–	2	3	2	8	2	6	1	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	5	2	6	4	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
430–438	Cerebrovascular diseases	1,574	1	1	3	1	2	4	3	8	9	16	32	32	41	62	113	183	260	316	270	164	53	–
	White Male	652	1	–	2	–	1	3	1	3	3	11	17	16	21	33	66	91	114	115	93	50	11	–
	Female	885	–	–	1	1	1	1	1	5	5	5	13	15	18	29	46	84	139	196	170	113	42	–
	All other Male	18	–	1	–	–	–	–	1	–	–	–	1	1	2	–	1	3	2	4	1	1	–	–
	Female	19	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	5	5	1	6	–	–	–
431	Cerebral hemorrhage	155	–	–	–	–	1	2	1	1	–	3	9	5	7	10	15	17	21	29	17	12	5	–
	White Male	73	–	–	–	–	1	1	–	1	–	2	5	2	1	7	8	10	14	9	7	4	1	–
	Female	77	–	–	–	–	–	1	–	–	–	1	3	3	5	3	7	5	7	20	10	8	4	–
	All other Male	3	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
433	Cerebral thrombosis	302	–	–	1	–	–	–	–	1	–	–	2	2	6	10	19	32	62	67	60	30	10	–
	White Male	125	–	–	1	–	–	–	–	–	–	–	2	2	5	7	11	16	25	28	17	8	3	–
	Female	167	–	–	–	–	–	–	–	1	–	–	–	–	–	3	8	14	36	37	39	22	7	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–
434	Cerebral embolism	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	1	3	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,106	1	1	2	1	1	2	2	6	9	13	21	25	28	42	78	132	173	219	190	122	38	–
	White Male	448	1	–	1	–	–	2	1	2	3	9	10	12	15	19	46	65	73	78	66	38	7	–
	Female	636	–	–	1	1	1	–	1	4	5	4	10	12	13	23	31	63	94	138	121	83	31	–
	All other Male	10	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	2	–	1	–	–
	Female	12	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	4	1	3	–	–	–
440	Arteriosclerosis	344	–	–	–	–	–	–	–	–	–	–	1	1	9	2	14	26	45	80	86	55	25	–
	White Male	135	–	–	–	–	–	–	–	–	–	–	1	1	7	–	4	14	25	27	28	20	8	–
	Female	208	–	–	–	–	–	–	–	–	–	–	–	–	2	2	10	12	20	52	58	35	17	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	261	1	–	–	1	1	1	1	3	–	2	1	7	7	26	48	38	44	32	35	10	2	1
	White Male	161	1	–	–	1	1	1	–	2	–	2	1	4	6	17	37	29	24	16	12	5	1	1
	Female	94	–	–	–	–	–	–	1	1	–	–	–	2	1	8	11	9	19	14	22	5	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	10	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	1	–	–
	White Male	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
	Female	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	668	24	2	2	3	6	1	2	2	3	11	11	25	23	37	45	51	76	121	117	79	27	–
	White Male	370	13	2	2	1	4	1	–	–	1	7	8	19	13	26	31	35	49	58	56	34	10	–
	Female	279	10	–	–	2	2	–	1	1	1	3	2	5	9	9	14	14	24	62	59	45	16	–
	All other Male	11	1	–	–	–	–	–	1	1	1	–	–	1	–	2	–	1	–	1	1	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	3	–	1	–	–	–
470–474	Influenza	39	–	–	1	–	1	–	–	–	–	–	1	–	–	1	4	5	2	8	8	7	1	–
	White Male	20	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1	2	–	6	4	4	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	3	2	2	4	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	629	24	2	1	3	5	1	2	2	3	11	10	25	23	36	41	46	74	113	109	72	26	–
	White Male	350	13	2	1	1	3	1	–	–	1	7	8	19	13	25	30	33	49	52	52	30	10	–
	Female	260	10	–	–	2	2	–	1	1	1	3	1	5	9	9	11	11	22	60	55	42	15	–
	All other Male	11	1	–	–	–	–	–	1	1	1	–	–	1	–	2	–	1	–	1	1	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	3	–	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	330	1	1	1	1	1	3	1	1	1	3	5	8	20	46	68	54	57	35	19	3	1	–
	White Male	234	–	1	–	1	–	1	1	1	1	2	3	3	12	31	52	40	43	26	14	2	–	–
	Female	92	1	–	1	–	1	2	–	–	–	1	2	5	7	15	16	14	12	8	5	1	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado—Con.																							
490, 491	Chronic and unqualified bronchitis	64	1	1	1	–	–	–	–	–	–	–	2	–	6	8	10	14	8	7	4	1	1	–
	White Male	39	–	1	–	–	–	–	–	–	–	–	1	–	4	4	7	8	6	6	2	–	–	–
	Female	25	1	–	1	–	–	–	–	–	–	–	1	–	2	4	3	6	2	1	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	237	–	–	–	–	–	1	–	1	1	3	3	7	12	37	53	34	46	22	15	2	–	–
	White Male	185	–	–	–	–	–	–	–	1	1	2	2	2	8	27	43	30	37	18	12	2	–	–
	Female	49	–	–	–	–	–	1	–	–	–	1	1	5	4	10	10	4	7	3	3	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	29	–	–	–	1	1	2	1	–	–	–	–	1	2	1	5	6	3	6	–	–	–	–
	White Male	10	–	–	–	1	–	1	1	–	–	–	–	1	–	–	2	2	–	2	–	–	–	–
	Female	18	–	–	–	–	1	1	–	–	–	–	–	–	1	1	3	4	3	4	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	63	–	–	–	–	–	–	–	–	1	2	–	2	3	9	4	10	12	9	9	2	–	–
	White Male	38	–	–	–	–	–	–	–	–	1	–	–	1	2	7	3	6	7	6	4	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	3	5	3	5	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
540–543	Appendicitis	9	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	2	–	3	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
	Female	6	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	54	5	–	1	–	–	–	–	–	1	–	1	2	1	2	4	3	7	11	8	6	2	–
	White Male	25	3	–	1	–	–	–	–	–	–	–	1	1	1	2	1	3	2	4	3	3	–	–
	Female	27	2	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	5	7	5	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
571	Cirrhosis of liver	306	–	–	–	–	–	–	1	7	21	32	44	34	46	36	30	24	15	9	7	–	–	–
	White Male	180	–	–	–	–	–	–	1	4	14	20	24	18	28	24	19	11	9	5	3	–	–	–
	Female	112	–	–	–	–	–	–	–	1	4	10	18	15	17	12	10	13	5	4	3	–	–	–
	All other Male	6	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	1	3	–	–	1	1	–	1	–	–	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	35	–	–	–	–	–	–	1	–	–	–	1	–	3	3	5	4	6	4	6	–	2	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	1	1	2	3	–	–	–
	Female	19	–	–	–	–	–	–	1	–	–	–	1	–	–	1	2	3	5	2	2	–	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
580–584	Nephritis and nephrosis	54	–	1	–	–	1	1	–	–	–	1	1	2	1	3	9	8	3	12	8	2	1	–
	White Male	26	–	–	–	–	1	–	–	–	–	–	–	1	1	1	3	4	2	7	4	1	1	–
	Female	27	–	1	–	–	–	1	–	–	–	1	1	1	–	2	6	4	1	4	4	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	12	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–	3	1	2	2	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	2	1	–	–	–
	Female	6	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	42	–	–	–	–	1	1	–	–	–	1	1	1	–	2	9	5	2	10	6	2	1	–
	White Male	20	–	–	–	–	1	–	–	–	–	–	–	–	–	1	3	3	2	5	3	1	1	–
	Female	21	–	–	–	–	–	1	–	–	–	1	1	1	–	1	6	2	–	4	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
590	Infections of kidney	36	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6	3	10	3	8	3	1	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	1	2	1	1	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	5	2	6	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	3	1	1	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	3	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

(Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965)

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Colorado—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	153	104	16	4	1	4	–	4	2	4	3	–	1	1	2	1	–	4	1	1	–	–	–
	White Male	76	52	7	2	–	1	–	1	2	3	3	–	–	1	–	–	–	2	1	1	–	–	–
	Female	71	48	7	2	1	3	–	3	–	1	–	–	1	–	2	1	–	2	–	–	–	–	–
	All other Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	266	266	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	134	134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	104	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	138	138	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	128	128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	179	62	2	1	1	4	11	6	6	6	3	8	7	5	13	7	6	3	10	9	8	1	–
	White Male	87	34	1	1	1	2	7	2	3	2	1	4	–	3	8	3	5	2	4	3	1	–	–
	Female	75	21	1	–	–	2	2	3	2	3	1	3	7	1	5	3	1	1	6	6	6	1	–
	All other Male	14	5	–	–	–	–	2	1	1	1	1	1	–	1	–	–	–	–	–	–	1	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Residual	All other diseases	1,381	23	11	6	5	15	17	20	19	20	25	53	67	96	138	173	181	188	157	113	46	8	–
	White Male	781	11	6	3	1	8	9	10	8	10	17	31	44	51	86	112	109	106	79	56	23	1	–
	Female	551	10	5	3	4	7	7	7	5	9	7	20	20	38	47	56	69	76	76	56	22	7	–
	All other Male	24	2	–	–	–	–	1	1	3	1	1	1	3	4	3	2	2	–	–	–	–	–	–
	Female	25	–	–	–	–	–	–	2	3	–	–	1	–	3	2	3	1	6	2	1	1	–	–
E800–E949	Accidents	1,326	26	34	26	44	147	172	152	88	62	60	67	58	62	55	48	43	39	55	44	30	13	1
	White Male	918	14	18	14	25	106	138	128	71	50	40	42	44	47	35	30	27	19	31	15	17	7	–
	Female	358	9	10	10	18	39	28	23	15	10	15	21	11	13	16	15	16	20	23	27	13	6	–
	All other Male	32	2	2	–	1	1	5	1	2	1	4	2	2	1	3	2	–	–	1	1	–	–	1
	Female	18	1	4	2	–	1	1	–	–	1	1	2	1	1	1	1	–	–	–	1	–	–	–
E810–E823	Motor vehicle accidents	600	10	14	12	18	91	105	100	37	35	30	26	22	27	21	13	13	13	10	3	–	–	–
	White Male	429	4	7	5	11	59	84	83	29	27	21	15	16	23	12	8	7	9	8	1	–	–	–
	Female	158	5	5	6	7	31	20	17	8	7	7	9	6	4	8	4	6	4	2	2	–	–	–
	All other Male	8	1	1	–	–	–	1	–	–	1	1	1	–	–	1	1	–	–	–	–	–	–	–
	Female	5	–	1	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	726	16	20	14	26	56	67	52	51	27	30	41	36	35	34	35	30	26	45	41	30	13	1
	White Male	489	10	11	9	14	47	54	45	42	23	19	27	28	24	23	22	20	10	23	14	17	7	–
	Female	200	4	5	4	11	8	8	6	7	3	8	12	5	9	8	11	10	16	21	25	13	6	–
	All other Male	24	1	1	–	1	1	4	1	2	–	3	1	2	1	2	1	–	–	1	1	–	–	1
	Female	13	1	3	1	–	–	1	–	–	1	–	1	1	1	1	1	–	–	–	1	–	–	–
E950–E959	Suicide	445	...	...	–	6	20	60	51	45	30	29	49	48	26	25	16	18	8	10	3	1	–	–
	White Male	312	...	...	–	5	14	41	42	34	17	19	29	33	21	19	11	12	5	7	3	–	–	–
	Female	121	...	...	–	1	3	16	7	8	13	9	20	15	5	6	5	6	3	3	–	1	–	–
	All other Male	7	...	...	–	–	3	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	...	...	–	–	–	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	205	1	3	6	2	21	44	32	23	20	9	13	11	8	3	5	2	1	1	–	–	–	–
	White Male	118	–	3	2	–	8	29	23	11	14	4	5	7	6	2	3	1	–	–	–	–	–	–
	Female	51	–	–	3	2	9	10	7	6	–	3	5	2	1	1	–	–	1	1	–	–	–	–
	All other Male	33	1	–	1	–	4	5	2	5	6	1	3	2	–	–	2	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	57	–	–	–	–	9	5	6	7	2	7	4	2	8	2	–	2	–	3	–	–	–	–
	White Male	34	–	–	–	–	8	4	3	4	2	3	3	–	3	1	–	2	–	1	–	–	–	–
	Female	21	–	–	–	–	1	–	3	3	–	4	1	2	5	1	–	–	–	1	–	–	–	–
	All other Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut																							
	All causes	**25,740**	**557**	**88**	**81**	**76**	**226**	**267**	**205**	**228**	**250**	**451**	**810**	**1,289**	**1,815**	**2,317**	**2,744**	**2,988**	**3,442**	**3,558**	**2,706**	**1,279**	**443**	–
	White ..... Male	13,065	272	40	37	42	161	180	114	127	131	236	448	721	1,073	1,432	1,654	1,601	1,743	1,509	1,019	420	105	–
	Female	11,405	159	32	35	27	46	58	56	58	68	151	281	388	622	779	967	1,275	1,620	1,995	1,636	832	320	–
	All other ..... Male	719	64	7	5	6	15	17	22	24	28	40	47	61	71	65	68	71	39	27	24	12	6	–
	Female	551	62	9	4	1	4	12	13	19	23	24	34	39	49	41	55	41	40	27	27	15	12	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	21	1	–	–	–	–	–	1	–	–	–	–	–	–	5	1	2	3	3	1	2	2	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	1	–	–	1	–
	Female	12	1	–	–	–	–	–	1	–	–	–	–	–	–	2	–	1	1	2	1	2	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	24	–	–	–	–	–	–	–	–	–	–	2	3	2	1	2	4	1	6	2	–	1	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	3	1	3	1	–	1	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	–	3	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	18	–	–	–	–	–	–	–	–	–	–	2	3	2	1	2	4	1	2	–	–	1	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	3	1	–	–	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	–	2	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	79	7	1	–	–	–	–	1	1	1	–	1	2	5	11	8	5	16	9	7	1	3	–
	White ..... Male	37	3	–	–	–	–	–	–	1	–	–	1	1	2	7	3	1	8	4	4	1	1	–
	Female	31	1	1	–	–	–	–	–	–	–	–	–	1	3	3	3	4	7	4	2	–	2	–
	All other ..... Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	8	2	–	–	–	–	–	1	–	1	–	–	–	–	–	2	–	1	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	51	4	–	3	–	–	–	–	2	–	3	3	2	6	4	5	6	3	8	–	1	1	–
	White ..... Male	25	2	–	1	–	–	–	–	1	–	1	2	1	3	1	3	3	2	4	–	1	–	–
	Female	23	–	–	2	–	–	–	–	1	–	2	1	1	3	3	1	3	1	4	–	–	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut — Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,878	2	11	17	18	21	20	23	35	53	119	238	418	666	743	831	825	769	570	361	108	30	–
	White Male	2,947	1	8	7	10	13	10	13	18	16	41	95	189	326	409	447	434	402	278	173	46	11	–
	Female	2,646	1	2	9	7	6	9	10	14	26	64	116	202	294	308	344	350	354	275	176	60	19	–
	All other Male	164	–	–	1	–	2	–	–	–	4	8	15	15	31	18	19	30	4	10	6	1	–	–
	Female	121	–	1	–	1	–	1	–	3	7	6	12	12	15	8	21	11	9	7	6	1	–	–
140–149	Of buccal cavity and pharynx	146	–	–	–	–	–	–	–	1	1	3	9	16	18	29	17	25	10	13	3	1	–	–
	White Male	110	–	–	–	–	–	–	–	1	–	1	4	12	13	23	14	21	7	11	2	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	1	1	3	3	4	2	3	3	2	1	–	–	–
	All other Male	9	–	–	–	–	–	–	–	–	1	1	2	–	2	1	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,777	1	–	–	–	2	2	3	4	11	25	55	105	175	203	279	242	270	203	138	46	13	–
	White Male	869	1	–	–	–	1	–	3	2	4	13	25	51	85	115	146	122	125	95	61	16	4	–
	Female	816	–	–	–	–	–	2	–	2	3	10	22	47	75	80	115	109	139	100	73	30	9	–
	All other Male	55	–	–	–	–	1	–	–	–	2	2	5	5	10	7	5	10	1	5	2	–	–	–
	Female	37	–	–	–	–	–	–	–	–	2	–	3	2	5	1	13	1	5	3	2	–	–	–
160–163	Of respiratory system	1,284	–	–	–	–	1	1	–	5	5	28	74	105	173	222	202	185	147	89	32	13	2	–
	White Male	919	–	–	–	–	–	–	–	4	2	13	46	73	123	155	144	141	116	69	21	11	1	–
	Female	299	–	–	–	–	1	1	–	1	3	10	21	23	39	58	50	33	31	17	8	2	1	–
	All other Male	50	–	–	–	–	–	–	–	–	–	3	5	6	11	8	6	8	–	2	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	2	2	3	–	1	2	3	–	1	2	–	–	–
174	Of breast	590	–	–	–	–	–	–	–	5	13	21	44	59	77	77	72	80	68	37	20	14	3	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–
	Female	565	–	–	–	–	–	–	–	5	10	19	42	55	72	76	69	77	67	37	19	14	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	21	–	–	–	–	–	–	–	–	3	2	2	4	5	1	1	2	1	–	–	–	–	–
180–187	Of genital organs	607	–	–	–	–	3	5	2	4	6	13	12	36	51	54	68	102	98	75	62	13	3	–
	White Male	271	–	–	–	–	3	4	1	–	1	–	–	1	6	16	28	54	62	43	43	7	2	–
	Female	310	–	–	–	–	–	1	1	2	3	13	12	34	41	37	36	43	34	31	16	5	1	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	5	2	1	2	1	–	–
	Female	9	–	–	–	–	–	–	–	2	2	–	–	1	1	–	2	–	–	–	1	–	–	–
188, 189	Of urinary organs	272	–	1	1	–	1	1	–	–	–	5	3	13	32	26	40	38	39	38	25	7	2	–
	White Male	168	–	–	–	–	–	1	–	–	–	3	2	10	24	23	26	28	22	16	10	3	–	–
	Female	98	–	1	1	–	–	–	–	–	–	1	1	3	7	3	14	10	16	20	15	4	2	–
	All other Male	3	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	661	1	6	7	6	7	4	10	7	7	13	28	48	80	83	97	82	73	52	36	9	5	–
	White Male	322	–	6	2	2	5	–	4	3	4	6	12	21	46	43	56	36	36	16	16	5	3	–
	Female	300	1	–	5	3	2	3	6	4	3	6	10	24	29	38	34	40	35	33	19	3	2	–
	All other Male	18	–	–	–	–	–	–	–	–	–	1	3	3	3	–	4	3	–	1	–	–	–	–
	Female	21	–	–	–	1	–	1	–	–	–	–	3	–	2	2	3	3	2	2	1	1	–	–
204–207	Leukemia	229	–	4	8	9	4	3	2	4	5	4	6	17	19	16	21	25	23	33	20	4	2	–
	White Male	119	–	2	4	5	1	2	1	3	–	1	3	10	11	12	11	11	17	15	6	3	1	–
	Female	101	–	1	3	4	3	1	1	–	4	3	3	6	7	3	10	13	6	18	13	1	1	–
	All other Male	4	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–
	Female	5	–	1	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	312	–	–	1	3	3	4	6	5	5	7	7	19	41	33	35	46	41	30	25	1	–	–
	White Male	165	–	–	1	3	3	3	4	5	5	4	3	11	18	22	20	20	17	13	13	–	–	–
	Female	134	–	–	–	–	–	1	2	–	–	1	4	7	21	9	14	22	23	17	12	1	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	3	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	105	1	–	–	–	1	3	3	1	1	5	3	4	11	11	15	13	11	10	9	2	1	–
	White Male	55	–	–	–	–	–	2	3	1	–	2	3	2	8	7	6	6	6	5	3	1	–	–
	Female	46	1	–	–	–	1	1	–	–	–	3	–	2	3	3	7	7	5	5	6	1	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
250	Diabetes mellitus	465	–	–	–	–	–	–	3	3	4	8	8	10	37	42	57	57	75	87	49	23	2	–
	White Male	186	–	–	–	–	–	–	1	2	1	3	4	3	18	25	31	25	26	26	16	5	–	–
	Female	255	–	–	–	–	–	–	2	1	3	3	1	6	17	14	19	30	47	59	33	18	2	–
	All other Male	7	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	1	1	–	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	1	2	–	2	2	6	1	1	2	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	22	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	4	4	3	3	1	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	2	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	3	2	2	1	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut—Con.																							
280–285	Anemias	44	–	1	–	–	1	2	1	1	–	3	–	3	2	2	–	6	6	8	5	3	–	–
	White Male	21	–	–	–	–	1	–	1	1	–	1	–	1	2	1	–	4	1	5	2	1	–	–
	Female	21	–	–	–	–	–	1	–	–	–	2	–	2	–	1	–	2	5	3	3	2	–	–
	All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	25	5	2	1	–	1	1	–	1	–	1	1	1	1	2	2	2	1	3	–	–	–	–
	White Male	19	4	2	1	–	–	1	–	1	–	1	1	1	–	2	2	1	–	2	–	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–
	All other Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	13,329	9	–	7	3	10	13	12	32	60	133	274	459	740	1,065	1,370	1,616	2,013	2,333	1,892	948	340	–
	White Male	6,603	2	–	5	1	7	4	3	11	37	92	192	332	514	711	882	855	991	949	660	283	72	–
	Female	6,268	3	–	1	2	2	4	5	11	12	25	62	88	181	299	434	707	977	1,357	1,204	643	251	–
	All other Male	246	3	–	–	–	1	2	1	5	10	10	13	21	23	31	34	30	23	12	13	9	5	–
	Female	212	1	–	1	–	–	3	3	5	1	6	7	18	22	24	20	24	22	15	15	13	12	–
390–398, 402, 404, 410–429	Diseases of heart	9,902	7	–	4	2	5	8	7	23	47	105	236	392	629	885	1,082	1,251	1,476	1,618	1,256	643	226	–
	White Male	5,188	1	–	2	1	4	1	3	9	31	82	173	294	455	621	716	665	754	693	454	182	47	–
	Female	4,366	3	–	1	1	1	3	1	6	8	14	49	65	136	221	321	545	692	906	783	442	168	–
	All other Male	192	2	–	–	–	–	1	1	4	8	6	10	19	19	25	26	25	15	10	10	8	3	–
	Female	156	1	–	1	–	–	3	2	4	–	3	4	14	19	18	19	16	15	9	9	11	8	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	207	–	–	–	–	–	–	–	1	3	4	8	13	24	44	30	27	28	18	4	2	1	–
	White Male	87	–	–	–	–	–	–	–	–	1	3	4	4	13	24	13	10	11	4	–	–	–	–
	Female	110	–	–	–	–	–	–	–	1	2	–	3	7	10	19	15	16	16	14	4	2	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–	–	–	–	–
402	Hypertensive heart disease	68	–	–	–	–	–	–	–	1	–	1	–	3	6	5	6	12	13	15	4	2	–	–
	White Male	27	–	–	–	–	–	–	–	–	–	–	–	3	4	2	4	6	5	2	1	–	–	–
	Female	37	–	–	–	–	–	–	–	–	–	1	–	–	2	3	1	5	7	13	3	2	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
404	Hypertensive heart and renal disease	32	–	–	–	–	–	–	–	–	1	–	–	–	1	3	1	2	7	5	3	6	3	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	5	5	1	3	–	–
	Female	14	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	2	–	2	3	3	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	8,835	–	–	–	–	–	1	3	12	37	94	206	338	538	743	956	1,110	1,334	1,476	1,176	602	209	–
	White Male	4,659	–	–	–	–	–	1	1	7	29	75	156	268	400	533	647	591	676	637	424	170	44	–
	Female	3,919	–	–	–	–	–	–	1	1	2	12	42	48	111	181	276	483	634	822	736	415	155	–
	All other Male	140	–	–	–	–	–	–	1	3	6	5	6	13	12	17	18	22	12	9	7	7	2	–
	Female	117	–	–	–	–	–	–	–	1	–	2	2	9	15	12	15	14	12	8	9	10	8	–
410	Acute myocardial infarction	4,280	–	–	–	–	–	–	–	5	28	70	150	236	365	479	598	609	636	574	337	146	47	–
	White Male	2,550	–	–	–	–	–	–	–	2	21	55	117	192	279	362	414	336	332	266	119	40	15	–
	Female	1,625	–	–	–	–	–	–	–	1	2	9	30	30	71	107	172	254	300	304	211	105	29	–
	All other Male	65	–	–	–	–	–	–	–	2	5	4	2	10	8	5	5	13	4	1	3	1	2	–
	Female	40	–	–	–	–	–	–	–	–	–	2	1	4	7	5	7	6	–	3	4	–	1	–
411	Other acute and subacute forms of ischemic heart disease	14	–	–	–	–	–	–	1	–	–	–	–	2	1	1	1	1	2	1	4	–	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	2	–	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,538	–	–	–	–	–	1	2	7	9	24	56	99	172	263	357	498	696	901	835	456	162	–
	White Male	2,099	–	–	–	–	–	1	1	5	8	20	39	75	120	170	232	253	342	371	303	130	29	–
	Female	2,288	–	–	–	–	–	–	1	–	–	3	12	16	40	74	104	228	334	517	523	310	126	–
	All other Male	74	–	–	–	–	–	–	–	1	1	1	4	3	4	12	13	9	8	8	4	6	–	–
	Female	77	–	–	–	–	–	–	–	1	–	–	1	5	8	7	8	8	12	5	5	10	7	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	26	–	–	–	–	1	–	–	1	–	–	4	1	2	1	3	4	6	1	1	1	–	–
	White Male	14	–	–	–	–	1	–	–	–	–	–	3	–	2	1	2	1	4	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	2	2	1	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut—Con.																							
420–423, 425–427, 429	All other forms of heart disease	734	7	–	4	2	4	7	4	8	6	6	18	37	58	89	86	96	88	103	68	30	13	–
	White Male	385	1	–	2	1	3	–	2	2	1	4	10	19	35	61	49	57	53	45	28	9	3	–
	Female	275	3	–	1	1	1	3	–	3	3	1	3	9	13	17	28	37	31	56	37	19	9	–
	All other Male	42	2	–	–	–	–	1	–	1	2	1	3	5	6	6	6	–	3	1	3	1	1	–
	Female	32	1	–	1	–	–	3	2	2	–	–	2	4	4	5	3	2	1	1	–	1	–	–
400, 401, 403	Hypertension	83	–	–	–	–	–	–	–	1	1	1	1	2	3	3	8	10	13	17	12	7	4	–
	White Male	32	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	4	9	6	2	4	1	–
	Female	49	–	–	–	–	–	–	–	–	–	1	–	2	1	2	6	6	4	11	10	3	3	–
	All other Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	2,491	2	–	3	1	5	4	4	4	7	22	26	48	85	143	195	270	408	544	443	215	62	–
	White Male	971	1	–	3	–	3	2	–	2	3	7	12	26	43	68	103	136	163	185	135	62	17	–
	Female	1,434	–	–	–	1	1	1	3	2	2	8	9	18	35	64	85	125	232	353	304	150	41	–
	All other Male	43	1	–	–	–	1	1	–	–	1	4	3	1	4	6	6	3	7	2	2	1	–	–
	Female	43	–	–	–	–	–	–	1	–	1	3	2	3	3	5	1	6	6	4	2	2	4	–
431	Cerebral hemorrhage	318	1	–	2	–	2	2	1	1	–	9	9	14	21	33	41	41	54	43	28	14	2	–
	White Male	144	1	–	2	–	2	2	–	1	–	3	4	8	13	15	25	19	21	17	5	6	–	–
	Female	155	–	–	–	–	–	–	1	–	–	4	2	4	8	15	11	20	33	25	22	8	2	–
	All other Male	10	–	–	–	–	–	–	–	–	–	1	1	1	–	1	5	–	–	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	2	1	–	2	–	2	–	1	–	–	–	–
433	Cerebral thrombosis	776	–	–	–	–	–	–	–	1	1	1	3	5	14	24	50	78	154	188	161	80	16	–
	White Male	306	–	–	–	–	–	–	–	1	1	–	2	4	9	13	24	39	68	65	49	25	6	–
	Female	456	–	–	–	–	–	–	–	–	–	1	–	1	4	8	26	38	81	123	111	54	9	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	–	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	3	–	1	–	1	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,391	1	–	1	1	3	2	3	2	6	12	14	29	50	86	103	150	199	311	253	121	44	–
	White Male	518	–	–	1	–	1	–	–	–	2	4	6	14	21	40	53	77	74	103	80	31	11	–
	Female	820	–	–	–	1	1	1	2	2	2	3	7	13	23	41	48	67	117	203	171	88	30	–
	All other Male	28	1	–	–	–	1	1	–	–	1	3	1	–	4	4	1	3	5	2	1	–	–	–
	Female	25	–	–	–	–	–	–	1	–	1	2	–	2	2	1	1	3	3	3	1	2	3	–
440	Arteriosclerosis	433	–	–	–	–	–	–	–	–	–	–	1	4	3	8	21	33	54	86	122	62	39	–
	White Male	172	–	–	–	–	–	–	–	–	–	–	1	4	2	4	13	18	24	27	48	26	5	–
	Female	254	–	–	–	–	–	–	–	–	–	–	–	–	1	4	7	14	28	59	72	36	33	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	420	–	–	–	–	–	1	1	4	5	5	10	13	20	26	64	52	62	68	59	21	9	–
	White Male	240	–	–	–	–	–	1	–	–	2	3	5	8	12	17	49	32	41	38	21	9	2	–
	Female	165	–	–	–	–	–	–	1	3	2	2	4	3	8	8	15	17	21	28	35	12	6	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–	–	–	–	1	–
	Female	10	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	1	–	2	3	–	–	–
466	Acute bronchitis and bronchiolitis	12	1	–	–	–	–	1	–	–	–	–	–	1	–	1	1	2	2	2	–	1	–	–
	White Male	5	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	744	13	12	3	1	3	6	3	3	8	7	13	17	30	35	46	72	99	140	121	82	30	–
	White Male	344	6	3	1	–	3	4	–	1	2	4	4	11	16	22	26	39	58	55	50	31	8	–
	Female	357	3	6	1	–	–	–	1	1	6	1	6	4	9	11	20	29	38	82	67	50	22	–
	All other Male	25	1	2	–	1	–	2	2	–	–	–	2	1	2	2	–	3	2	2	3	–	–	–
	Female	18	3	1	1	–	–	–	–	1	–	2	1	1	3	–	–	1	1	1	1	1	–	–
470–474	Influenza	33	–	–	–	–	–	–	–	–	2	–	–	2	2	1	6	1	4	6	5	3	1	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	5	2	1	–	–
	Female	19	–	–	–	–	–	–	–	–	2	–	–	2	–	1	5	–	2	1	3	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	711	13	12	3	1	3	6	3	3	6	7	13	15	28	34	40	71	95	134	116	79	29	–
	White Male	330	6	3	1	–	3	4	–	1	2	4	4	11	14	22	25	38	56	50	48	30	8	–
	Female	338	3	6	1	–	–	–	1	1	4	1	6	2	9	10	15	29	36	81	64	48	21	–
	All other Male	25	1	2	–	1	–	2	2	–	–	–	2	1	2	2	–	3	2	2	3	–	–	–
	Female	18	3	1	1	–	–	–	–	1	–	2	1	1	3	–	–	1	1	1	1	1	–	–
490–493	Bronchitis, emphysema, and asthma	257	–	–	–	–	1	2	3	1	–	4	8	5	17	39	39	38	39	39	14	7	1	–
	White Male	170	–	–	–	–	1	–	1	1	–	1	2	3	11	23	27	29	30	25	9	6	1	–
	Female	76	–	–	–	–	–	1	1	–	–	1	5	2	5	15	11	8	9	13	4	1	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	1	–	1	–	–	–	–
	Female	5	–	–	–	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut – Con.																							
490, 491	Chronic and unqualified bronchitis	52	–	–	–	–	–	–	2	–	–	–	3	–	5	6	7	7	8	9	3	2	–	–
	White ..... Male	33	–	–	–	–	–	–	1	–	–	–	2	–	3	2	5	5	7	5	1	2	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	1	–	2	4	2	2	1	4	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
492	Emphysema	178	–	–	–	–	–	–	–	1	–	1	3	5	9	29	30	26	31	27	11	4	1	–
	White ..... Male	128	–	–	–	–	–	–	–	1	–	–	–	3	6	20	22	21	23	19	8	4	1	–
	Female	45	–	–	–	–	–	–	–	–	–	–	3	2	3	8	7	4	8	7	3	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	27	–	–	–	–	1	2	1	–	–	3	2	–	3	4	2	5	–	3	–	1	–	–
	White ..... Male	9	–	–	–	–	1	–	–	–	–	1	–	–	2	1	–	3	–	1	–	–	–	–
	Female	14	–	–	–	–	–	1	1	–	–	1	1	–	–	3	2	2	–	2	–	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	71	–	–	1	–	–	–	–	1	1	–	3	9	2	8	9	7	10	8	5	4	3	–
	White ..... Male	42	–	–	–	–	–	–	–	–	–	–	2	6	2	4	6	7	7	5	1	2	–	–
	Female	27	–	–	1	–	–	–	–	1	–	–	1	3	–	4	2	–	3	3	4	2	3	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	7	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	2	–	1	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	76	6	1	–	–	–	1	–	–	1	–	2	3	4	4	3	5	9	16	17	3	1	–
	White ..... Male	31	1	1	–	–	–	1	–	–	1	–	1	2	2	2	2	3	4	5	4	1	1	–
	Female	38	3	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	5	10	13	2	–	–
	All other ..... Male	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
571	Cirrhosis of liver	446	–	–	–	–	–	1	1	8	12	38	56	66	67	73	60	28	22	9	4	1	–	–
	White ..... Male	280	–	–	–	–	–	–	–	3	9	16	33	42	42	49	43	20	14	7	1	1	–	–
	Female	133	–	–	–	–	–	1	–	2	1	13	20	16	23	22	15	8	7	2	3	–	–	–
	All other ..... Male	21	–	–	–	–	–	–	1	3	–	6	2	5	1	1	1	–	1	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	2	3	1	3	1	1	1	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	34	–	–	–	–	–	–	–	–	–	–	2	1	–	1	4	3	8	4	11	–	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	2	1	–	1	4	2	3	1	3	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	3	8	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	84	–	–	–	1	1	–	–	2	1	–	2	6	8	6	12	6	16	13	8	2	–	–
	White ..... Male	44	–	–	–	–	1	–	–	1	–	–	1	4	6	3	6	5	8	4	3	2	–	–
	Female	36	–	–	–	1	–	–	–	–	–	–	1	2	1	3	5	1	8	9	5	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	18	–	–	–	–	–	–	–	–	1	–	1	–	1	–	4	1	4	4	2	–	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	66	–	–	–	1	1	–	–	2	–	–	1	6	7	6	8	5	12	9	6	2	–	–
	White ..... Male	36	–	–	–	–	1	–	–	1	–	–	–	4	6	3	4	4	6	3	2	2	–	–
	Female	29	–	–	–	1	–	–	–	–	–	–	1	2	1	3	4	1	6	6	4	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	44	–	–	–	–	–	–	–	–	2	–	1	–	–	2	1	3	8	13	10	1	3	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	5	5	–	1	–
	Female	26	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	1	5	8	5	1	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	4	–	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	4	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Connecticut – Con.																							
640–645	Abortions	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	153	98	6	5	1	4	1	3	2	1	4	8	5	1	3	1	3	2	1	4	–	–	–
	White Male	77	56	2	2	–	3	1	2	1	1	–	2	–	1	3	–	1	1	–	1	–	–	–
	Female	62	32	3	3	–	1	–	1	1	–	4	6	3	–	–	1	2	1	1	3	–	–	–
	All other Male	8	6	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	6	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	347	347	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	169	169	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	128	128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	219	219	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	216	42	3	3	4	7	22	16	12	9	8	16	13	12	6	10	10	6	8	4	5	–	–
	White Male	100	18	2	1	2	6	11	6	6	2	6	5	5	7	3	4	4	4	3	3	2	–	–
	Female	85	14	–	1	2	1	5	9	1	3	2	11	8	5	2	5	6	2	4	1	3	–	–
	All other Male	14	6	1	–	–	–	2	–	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	17	4	–	1	–	–	4	1	3	2	–	–	–	–	–	1	–	–	1	–	–	–	–
Residual	All other diseases	1,675	11	17	6	7	18	20	20	33	26	40	64	99	116	161	183	204	245	207	128	55	15	–
	White Male	902	5	9	2	3	11	9	7	14	19	21	36	61	59	95	105	122	135	98	60	25	6	–
	Female	662	3	5	4	4	4	7	8	11	1	10	15	28	49	58	70	74	101	108	65	29	8	–
	All other Male	64	2	1	–	–	1	4	3	5	2	4	7	7	6	4	6	5	4	–	1	1	1	–
	Female	47	1	2	–	–	2	–	2	3	4	5	6	3	2	4	2	3	5	1	2	–	–	–
E800–E949	Accidents	989	7	30	35	37	119	102	64	48	29	38	50	48	56	53	56	42	58	43	43	23	8	–
	White Male	609	2	12	17	23	92	89	49	35	19	24	32	33	30	32	37	22	26	13	14	7	1	–
	Female	315	2	13	13	11	24	12	9	10	5	9	14	11	20	16	18	20	29	30	27	15	7	–
	All other Male	50	3	3	4	3	3	1	5	3	4	4	2	3	4	4	–	–	2	–	1	1	–	–
	Female	15	–	2	1	–	–	–	1	–	1	1	2	1	2	1	1	–	1	–	1	–	–	–
E810–E823	Motor vehicle accidents	441	1	10	19	23	90	79	48	36	12	20	20	16	17	17	11	4	9	6	2	1	–	–
	White Male	310	–	6	6	12	69	71	36	29	5	11	15	10	10	11	9	2	4	2	2	–	–	–
	Female	108	1	4	10	9	19	8	6	6	4	8	5	5	5	4	2	2	5	4	–	1	–	–
	All other Male	20	–	–	3	2	2	–	5	1	2	1	–	1	2	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	548	6	20	16	14	29	23	16	12	17	18	30	32	39	36	45	38	49	37	41	22	8	–
	White Male	299	2	6	11	11	23	18	13	6	14	13	17	23	20	21	28	20	22	11	12	7	1	–
	Female	207	1	9	3	2	5	4	3	4	1	1	9	6	15	12	16	18	24	26	27	14	7	–
	All other Male	30	3	3	1	1	1	1	–	2	2	3	2	2	2	3	–	–	2	–	1	1	–	–
	Female	12	–	2	1	–	–	–	–	–	–	1	2	1	2	–	1	–	1	–	1	–	–	–
E950–E959	Suicide	317	...	...	–	2	18	37	21	21	24	31	39	24	20	30	17	17	7	7	1	1	–	–
	White Male	218	...	...	–	2	14	26	15	19	13	20	26	15	15	22	13	6	4	7	–	1	–	–
	Female	89	...	...	–	–	2	10	4	1	9	10	13	8	5	8	4	11	3	–	1	–	–	–
	All other Male	9	...	...	–	–	1	1	2	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	138	2	2	–	1	11	27	23	13	12	7	10	4	7	2	6	3	4	4	–	–	–	–
	White Male	61	1	–	–	–	2	15	9	8	8	3	2	–	4	2	4	1	1	1	–	–	–	–
	Female	27	1	1	–	–	3	6	2	–	1	1	4	–	–	–	2	1	2	3	–	–	–	–
	All other Male	40	–	–	–	1	6	4	8	3	3	3	3	4	3	–	–	1	1	–	–	–	–	–
	Female	10	–	1	–	–	–	2	4	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	66	–	2	–	1	8	6	6	4	5	2	5	6	5	2	3	4	2	2	2	1	–	–
	White Male	43	–	1	–	1	6	5	4	2	3	–	2	5	4	1	2	3	2	1	1	–	–	–
	Female	16	–	1	–	–	1	1	2	1	–	1	2	–	1	1	1	1	–	1	1	1	–	–
	All other Male	5	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware																							
	All causes	4,682	119	23	22	18	65	53	44	51	83	86	165	275	378	468	520	554	552	558	386	209	51	2
	White Male	2,148	52	7	11	10	40	24	23	25	36	33	86	146	189	258	282	275	227	223	129	58	14	–
	Female	1,755	29	8	2	5	9	15	11	14	19	28	42	87	105	116	152	193	252	281	221	135	31	–
	All other Male	466	21	3	7	2	12	9	7	10	17	15	21	30	57	52	54	46	42	30	19	8	3	1
	Female	313	17	5	2	1	4	5	3	2	11	10	16	12	27	42	32	40	31	24	17	8	3	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	11	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	2	1	1	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	10	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	2	1	1	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	16	1	–	–	–	–	–	–	–	1	–	–	1	1	–	3	1	2	3	2	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	–	2	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	2	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	8	–	–	–	–	–	1	1	1	–	1	–	–	–	–	1	1	1	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	935	–	1	2	–	4	–	2	5	20	18	47	90	106	123	144	138	104	79	40	10	2	–
	White.....Male	414	–	–	1	–	1	–	–	1	7	9	18	41	42	65	73	72	44	22	15	3	–	–
	Female	365	–	–	–	–	2	–	2	4	9	6	15	36	43	37	44	45	47	47	19	7	2	–
	All other.....Male	105	–	1	–	–	1	–	–	–	3	1	9	9	12	15	18	15	11	7	3	–	–	–
	Female	51	–	–	1	–	–	–	–	–	1	2	5	4	9	6	9	6	2	3	3	–	–	–
140–149	Of buccal cavity and pharynx	21	–	–	–	–	–	–	–	–	–	–	2	4	1	3	3	7	–	–	–	–	1	–
	White.....Male	6	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	3	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	1	–
	All other.....Male	9	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	3	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	245	–	–	–	–	–	–	–	–	3	4	8	10	27	27	38	30	43	35	14	5	1	–
	White.....Male	100	–	–	–	–	–	–	–	–	1	2	4	8	11	12	16	16	15	10	4	1	–	–
	Female	102	–	–	–	–	–	–	–	–	1	2	–	2	9	11	13	9	23	21	6	4	1	–
	All other.....Male	28	–	–	–	–	–	–	–	–	1	–	3	–	4	3	7	3	4	2	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	–	3	1	2	2	1	2	3	–	–	–
160–163	Of respiratory system	251	–	–	–	–	–	–	–	1	4	2	12	33	33	48	47	42	13	10	5	1	–	–
	White.....Male	167	–	–	–	–	–	–	–	1	2	2	7	20	19	35	35	29	10	5	2	–	–	–
	Female	39	–	–	–	–	–	–	–	–	–	–	2	6	8	4	5	8	1	2	2	1	–	–
	All other.....Male	38	–	–	–	–	–	–	–	–	2	–	2	6	5	7	6	5	2	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–	1	–	–	–	–
174	Of breast	73	–	–	–	–	–	–	1	1	1	–	5	15	10	9	8	6	6	7	3	1	–	–
	White.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	67	–	–	–	–	–	–	1	1	1	–	3	14	10	8	8	5	5	7	3	1	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	1	–	–	–	–	–	–
180–187	Of genital organs	98	–	–	–	–	–	–	–	1	4	3	4	8	10	6	12	14	15	10	9	2	–	–
	White.....Male	31	–	–	–	–	–	–	–	–	1	–	–	–	1	1	6	4	7	4	6	1	–	–
	Female	44	–	–	–	–	–	–	–	1	3	1	3	7	6	4	3	6	4	3	2	1	–	–
	All other.....Male	12	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	3	3	3	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	1	1	2	1	3	1	1	–	–	–	–	–
188, 189	Of urinary organs	48	–	–	–	–	–	–	–	–	1	1	2	6	3	3	9	7	8	5	3	–	–	–
	White.....Male	29	–	–	–	–	–	–	–	–	–	–	1	4	2	2	8	5	5	–	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	1	–	1	2	1	–	1	1	1	5	1	–	–	–
	All other.....Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	111	–	1	–	–	3	–	1	–	5	4	8	10	9	14	16	20	11	5	3	1	–	–
	White.....Male	38	–	–	–	–	1	–	–	–	2	2	2	5	2	7	4	9	1	1	1	1	–	–
	Female	58	–	–	–	–	2	–	1	–	3	2	4	4	5	5	7	9	10	4	2	–	–	–
	All other.....Male	10	–	1	–	–	–	–	–	–	–	–	2	1	1	2	3	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–
204–207	Leukemia	32	–	–	1	–	–	–	–	–	1	1	3	–	4	5	3	4	4	5	1	–	–	–
	White.....Male	15	–	–	1	–	–	–	–	–	–	1	2	–	2	2	1	2	3	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	4	1	–	–	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	56	–	–	1	–	1	–	–	2	1	3	3	4	9	8	8	8	4	2	2	–	–	–
	White.....Male	27	–	–	–	–	–	–	–	–	1	2	1	2	5	6	3	4	2	1	–	–	–	–
	Female	25	–	–	–	–	–	–	–	2	–	1	2	1	3	2	5	4	2	1	2	–	–	–
	All other.....Male	3	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	21	–	–	1	–	1	1	1	1	–	1	–	1	4	3	2	2	1	1	–	1	–	–
	White.....Male	10	–	–	1	–	–	1	–	–	–	–	–	–	2	3	–	2	–	–	–	1	–	–
	Female	7	–	–	–	–	–	–	1	–	–	1	–	1	1	–	2	–	–	1	–	–	–	–
	All other.....Male	3	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	124	–	–	–	–	–	–	1	2	–	3	3	5	7	17	15	16	24	18	9	3	1	–
	White.....Male	43	–	–	–	–	–	–	1	1	–	1	1	2	5	6	6	9	4	4	3	–	–	–
	Female	55	–	–	–	–	–	–	–	1	–	1	1	2	2	6	3	5	15	9	6	3	1	–
	All other.....Male	14	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	1	2	4	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	1	–	–	1	4	1	3	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	5	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–
	White.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other.....Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware – Con.																							
280–285	Anemias	11	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	2	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	Female	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
320	Meningitis	4	–	1	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,477	3	2	2	–	1	4	4	3	22	17	57	116	181	235	271	302	338	389	305	179	44	2
	White Male	1,132	–	1	1	–	1	1	–	1	15	7	39	73	102	140	151	146	135	160	97	49	13	–
	Female	1,003	1	–	1	–	–	1	3	–	1	4	7	25	41	50	79	111	162	195	181	116	25	–
	All other Male	189	–	1	–	–	–	1	–	1	2	5	8	13	29	22	25	19	23	16	14	6	3	1
	Female	153	2	–	–	–	–	1	1	1	4	1	3	5	9	23	16	26	18	18	13	8	3	1
390–398, 402, 404, 410–429	Diseases of heart	1,955	3	1	–	–	–	2	3	3	20	16	49	100	155	192	227	226	266	304	218	133	35	2
	White Male	928	–	–	–	–	–	–	–	1	14	7	37	67	92	111	131	105	112	131	71	40	9	–
	Female	753	1	–	–	–	–	1	2	–	1	3	4	21	32	41	66	83	124	145	125	84	20	–
	All other Male	152	–	1	–	–	–	1	–	1	2	5	6	9	25	20	19	16	15	14	10	4	3	1
	Female	122	2	–	–	–	–	–	1	1	3	1	2	3	6	20	11	22	15	14	12	5	3	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	23	–	–	–	–	–	2	1	–	1	–	1	4	5	3	1	3	–	1	1	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–	–	–	–	–
	Female	13	–	–	–	–	–	1	–	–	–	–	–	3	3	2	–	2	–	1	1	–	–	–
	All other Male	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	1	3	3	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
404	Hypertensive heart and renal disease	14	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	2	2	4	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
410–413	Ischemic heart disease	1,817	–	–	–	–	–	–	–	3	17	15	43	92	144	174	216	217	255	279	199	126	35	2
	White Male	883	–	–	–	–	–	–	–	1	12	7	33	63	89	105	126	101	110	124	65	38	9	–
	Female	689	–	–	–	–	–	–	–	–	1	3	3	17	28	37	61	80	117	128	115	79	20	–
	All other Male	139	–	–	–	–	–	–	–	1	2	4	5	9	22	17	19	15	15	14	8	4	3	1
	Female	106	–	–	–	–	–	–	–	1	2	1	2	3	5	15	10	21	13	13	11	5	3	1
410	Acute myocardial infarction	759	–	–	–	–	–	–	–	1	13	10	26	55	90	91	111	98	107	81	48	25	3	–
	White Male	435	–	–	–	–	–	–	–	1	9	5	21	41	63	59	76	43	47	41	18	9	2	–
	Female	242	–	–	–	–	–	–	–	–	–	2	1	9	14	22	26	42	50	37	23	15	1	–
	All other Male	46	–	–	–	–	–	–	–	–	2	2	3	4	10	5	5	6	6	1	2	–	–	–
	Female	36	–	–	–	–	–	–	–	–	2	1	1	1	3	5	4	7	4	2	5	1	–	–
411	Other acute and subacute forms of ischemic heart disease	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,054	–	–	–	–	–	–	–	2	4	5	17	36	54	82	105	119	147	198	150	101	32	2
	White Male	448	–	–	–	–	–	–	–	–	3	2	12	22	26	46	50	58	63	83	47	29	7	–
	Female	444	–	–	–	–	–	–	–	–	1	1	2	7	14	15	35	38	66	91	91	64	19	–
	All other Male	93	–	–	–	–	–	–	–	1	–	2	2	5	12	12	14	9	9	13	6	4	3	1
	Female	69	–	–	–	–	–	–	–	1	–	–	1	2	2	9	6	14	9	11	6	4	3	1
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	8	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	1	–	1	2	–	–
	White Male	5	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware—Con.																							
420–423, 425–427, 429	All other forms of heart disease	80	3	1	–	–	–	–	2	–	1	–	5	3	4	11	7	4	7	19	10	3	–	–
	White Male	29	–	–	–	–	–	–	–	–	1	–	3	3	1	4	2	2	1	6	6	–	–	–
	Female	35	1	–	–	–	–	–	2	–	–	–	1	–	1	2	4	–	6	12	3	3	–	–
	All other Male	8	–	1	–	–	–	–	–	–	–	–	1	–	2	3	–	1	–	–	–	–	–	–
	Female	8	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	1	–	–	–
400, 401, 403	Hypertension	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	2	2	3	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
430–438	Cerebrovascular diseases	348	–	1	2	–	1	2	1	–	1	1	6	15	19	26	32	52	51	54	57	26	1	–
	White Male	127	–	1	1	–	1	1	–	–	1	–	1	5	6	15	15	24	18	15	17	6	–	–
	Female	172	–	–	1	–	–	–	1	–	–	1	3	4	8	7	10	22	24	36	35	19	1	–
	All other Male	26	–	–	–	–	–	–	–	–	–	–	1	4	2	2	3	2	7	–	4	1	–	–
	Female	23	–	–	–	–	–	1	–	–	–	–	1	2	3	2	4	4	2	3	1	–	–	–
431	Cerebral hemorrhage	40	–	–	–	–	–	–	–	–	–	–	2	5	4	5	4	7	5	3	3	2	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	2	2	1	–	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	3	2	1	–	4	3	2	2	1	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–
433	Cerebral thrombosis	89	–	–	–	–	–	1	–	–	–	–	–	1	2	4	8	14	13	15	21	9	1	–
	White Male	29	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	8	5	2	7	1	–	–
	Female	46	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	5	6	11	12	7	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	1	1	–	–
	Female	8	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	1	2	1	–	–	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	216	–	1	2	–	1	1	1	–	1	1	4	9	13	17	20	29	33	36	33	14	–	–
	White Male	84	–	1	1	–	1	1	–	–	1	–	1	4	5	9	10	13	11	12	10	4	–	–
	Female	105	–	–	1	–	–	–	1	–	–	1	2	1	5	5	8	12	15	23	21	10	–	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	1	3	–	1	2	1	6	–	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	3	2	–	3	1	1	–	–	–	–
440	Arteriosclerosis	94	–	–	–	–	–	–	–	–	–	–	–	–	2	5	4	8	13	20	17	18	7	–
	White Male	32	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	5	3	8	4	2	4	–
	Female	54	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	9	10	13	13	3	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	64	–	–	–	–	–	–	–	–	1	–	2	1	5	12	5	11	6	9	10	1	1	–
	White Male	40	–	–	–	–	–	–	–	–	–	–	1	1	3	10	2	10	2	6	4	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	2	6	–	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	97	4	2	2	–	2	–	–	1	–	2	–	3	9	9	8	11	16	18	6	3	1	–
	White Male	48	1	1	–	–	1	–	–	1	–	–	–	2	6	5	4	6	8	8	3	2	–	–
	Female	25	2	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	10	3	1	1	–
	All other Male	11	–	–	2	–	–	–	–	–	–	1	–	–	1	2	1	2	2	–	–	–	–	–
	Female	13	1	1	–	–	1	–	–	–	–	1	–	1	1	1	1	2	3	–	–	–	–	–
470–474	Influenza	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	94	4	2	2	–	2	–	–	–	–	2	–	3	9	9	8	11	15	18	5	3	1	–
	White Male	46	1	1	–	–	1	–	–	–	–	–	–	2	6	5	4	6	8	8	2	2	–	–
	Female	24	2	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	10	3	1	1	–
	All other Male	11	–	–	2	–	–	–	–	–	–	1	–	–	1	2	1	2	2	–	–	–	–	–
	Female	13	1	1	–	–	1	–	–	–	–	1	–	1	1	1	1	2	3	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	48	–	–	–	–	–	–	–	–	1	3	2	1	4	5	10	8	6	5	2	1	–	–
	White Male	31	–	–	–	–	–	–	–	–	–	1	1	–	2	3	8	4	6	4	1	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	2	–	1	1	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware — Con.																							
490, 491	Chronic and unqualified bronchitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	43	–	–	–	–	–	–	–	–	1	2	2	–	4	4	10	7	5	5	2	1	–	–
	White Male	29	–	–	–	–	–	–	–	–	–	–	1	–	2	3	8	4	5	4	1	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	2	–	1	1	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	3	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	6	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	1	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	11	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	5	–	–	–	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
571	Cirrhosis of liver	102	–	–	–	–	–	–	1	3	6	12	17	14	17	13	11	3	4	1	–	–	–	–
	White Male	41	–	–	–	–	–	–	1	2	1	4	8	4	5	7	4	2	3	–	–	–	–	–
	Female	35	–	–	–	–	–	–	–	1	2	5	5	7	4	5	4	–	1	1	–	–	–	–
	All other Male	18	–	–	–	–	–	–	–	–	2	2	1	3	5	1	3	1	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	1	3	–	3	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	14	–	–	–	–	–	–	–	–	–	2	–	1	–	1	1	3	3	1	2	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	2	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	12	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	3	1	2	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
590	Infections of kidney	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Delaware – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	39	26	2	2	2	1	1	–	–	1	–	–	1	–	–	2	1	–	–	–	–	–	–
	White Male	19	13	–	1	1	–	–	–	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–
	Female	11	6	2	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	3	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	40	40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	29	11	2	–	–	–	1	1	2	1	–	–	–	1	3	1	2	1	–	1	1	1	–
	White Male	17	8	2	–	–	–	–	1	2	–	–	–	–	–	1	1	–	1	–	–	1	–	–
	Female	10	2	–	–	–	–	1	–	–	1	–	–	–	–	2	–	2	–	–	1	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	264	3	1	4	3	6	4	4	2	8	8	11	16	22	35	33	36	31	25	8	4	–	–
	White Male	129	1	–	3	3	4	2	2	1	2	2	4	8	12	15	19	20	12	13	5	1	–	–
	Female	80	1	1	1	–	1	2	–	–	–	2	3	6	6	7	8	12	15	10	3	2	–	–
	All other Male	30	1	–	–	–	1	–	1	1	4	1	2	1	3	5	4	1	2	2	–	1	–	–
	Female	25	–	–	–	–	–	–	1	–	2	3	2	1	1	8	2	3	2	–	–	–	–	–
E800–E949	Accidents	238	4	10	8	8	39	23	19	14	10	11	10	12	14	13	8	11	10	7	3	2	2	–
	White Male	137	3	3	4	6	28	14	11	9	4	4	7	7	8	6	6	5	5	4	2	–	1	–
	Female	54	–	4	–	2	4	7	4	2	1	4	2	3	2	5	1	4	4	2	–	2	1	–
	All other Male	35	–	1	4	–	7	1	3	2	4	3	1	2	2	1	1	1	–	1	1	–	–	–
	Female	12	1	2	–	–	–	1	1	1	1	–	–	–	2	1	–	1	1	–	–	–	–	–
E810–E823	Motor vehicle accidents	128	1	2	4	3	31	17	13	9	5	5	7	7	6	5	2	3	3	4	1	–	–	–
	White Male	86	–	1	2	2	24	13	8	8	2	3	4	6	3	2	2	1	2	3	–	–	–	–
	Female	22	–	–	–	1	4	3	3	–	1	1	2	1	1	1	–	2	1	1	–	–	–	–
	All other Male	16	–	1	2	–	3	–	2	1	2	1	1	–	1	1	–	–	–	–	1	–	–	–
	Female	4	1	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	110	3	8	4	5	8	6	6	5	5	6	3	5	8	8	6	8	7	3	2	2	2	–
	White Male	51	3	2	2	4	4	1	3	1	2	1	3	1	5	4	4	4	3	1	2	–	1	–
	Female	32	–	4	–	1	–	4	1	2	–	3	–	2	1	4	1	2	3	1	–	2	1	–
	All other Male	19	–	–	2	–	4	1	1	1	2	2	–	2	1	–	1	1	–	1	–	–	–	–
	Female	8	–	2	–	–	–	–	1	1	1	–	–	–	1	–	–	1	1	–	–	–	–	–
E950–E959	Suicide	70	...	...	–	–	3	5	5	7	6	3	9	6	6	6	4	3	4	2	1	–	–	–
	White Male	43	...	...	–	–	3	3	5	2	2	1	4	3	3	5	3	3	4	2	–	–	–	–
	Female	24	...	...	–	–	–	1	–	4	3	2	5	3	3	1	1	–	–	–	1	–	–	–
	All other Male	3	...	...	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	59	–	–	1	1	8	10	5	8	7	5	6	3	3	–	–	2	–	–	–	–	–	–
	White Male	18	–	–	–	–	2	2	1	3	3	3	2	2	–	–	–	–	–	–	–	–	–	–
	Female	13	–	–	–	–	1	1	1	2	2	1	2	–	2	–	–	1	–	–	–	–	–	–
	All other Male	18	–	–	1	–	2	5	3	3	1	1	–	1	–	–	–	1	–	–	–	–	–	–
	Female	10	–	–	–	1	3	2	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	10	–	–	–	2	–	3	–	2	–	–	–	1	1	–	–	1	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	2	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia																							
	All causes	**7,481**	**283**	**34**	**24**	**23**	**53**	**138**	**143**	**145**	**169**	**274**	**367**	**516**	**623**	**757**	**822**	**772**	**817**	**678**	**462**	**257**	**121**	**3**
	White Male	1,151	13	2	3	–	4	10	21	17	10	20	34	61	78	106	154	146	187	146	88	40	11	–
	White Female	1,314	16	–	2	1	3	3	9	6	9	9	20	35	53	77	123	139	215	229	189	116	59	1
	All other Male	2,899	143	21	8	12	37	94	78	81	103	150	196	269	299	360	339	253	198	140	74	27	15	2
	All other Female	2,117	111	11	11	10	9	31	35	41	47	95	117	151	193	214	206	234	217	163	111	74	36	–
004, 006	Bacillary dysentery and amebiasis	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	7	3	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	All other Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	27	–	–	–	–	–	–	–	–	–	1	2	3	3	5	4	5	3	–	–	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	15	–	–	–	–	–	–	–	–	–	1	–	2	2	2	3	3	2	–	–	–	–	–
	All other Female	8	–	–	–	–	–	–	–	–	–	–	2	–	1	2	1	1	–	–	–	1	–	–
010–012	Tuberculosis of respiratory system	22	–	–	–	–	–	–	–	–	–	1	1	3	3	5	2	4	3	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	13	–	–	–	–	–	–	–	–	–	1	–	2	2	2	2	2	2	–	–	–	–	–
	All other Female	5	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–
013–019	Tuberculosis, other forms	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	56	4	–	–	–	–	1	–	2	–	2	3	2	5	4	4	4	8	8	5	2	2	–
	White Male	6	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	1	–	–	1	–	–
	White Female	7	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	3	–	–	–	–
	All other Male	18	1	–	–	–	–	1	–	1	–	1	2	1	2	1	1	3	2	–	2	–	–	–
	All other Female	25	2	–	–	–	–	–	–	–	–	1	1	1	2	2	2	–	3	5	3	1	2	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	14	1	–	–	–	1	1	2	–	2	–	1	–	1	2	2	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
	All other Female	9	1	–	–	–	1	1	1	–	2	–	–	–	1	1	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,563	–	2	4	3	7	7	9	10	26	45	80	150	198	210	226	188	180	116	73	20	9	–
	White.....Male	207	–	1	1	–	–	–	3	–	2	–	5	15	19	19	26	23	46	26	17	3	1	–
	Female	295	–	–	–	–	–	–	2	1	2	2	8	12	30	26	48	43	44	34	28	9	6	–
	All other.....Male	642	–	1	–	2	6	6	2	4	12	26	35	75	95	109	101	71	48	35	11	2	1	–
	Female	419	–	–	3	1	1	1	2	5	10	17	32	48	54	56	51	51	42	21	17	6	1	–
140–149	Of buccal cavity and pharynx	62	–	–	–	–	–	–	1	–	2	4	4	12	9	7	14	1	4	2	1	–	1	–
	White.....Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	1	–
	All other.....Male	39	–	–	–	–	–	–	1	–	2	3	2	7	8	3	10	1	2	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	2	4	–	1	2	–	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	487	–	–	–	–	1	1	–	3	7	12	25	40	60	60	66	68	67	47	23	4	3	–
	White.....Male	67	–	–	–	–	–	–	–	–	1	–	2	1	6	5	10	10	13	12	5	2	–	–
	Female	80	–	–	–	–	–	–	–	–	–	–	2	2	7	3	9	13	19	13	9	1	2	–
	All other.....Male	211	–	–	–	–	1	–	–	3	5	10	13	24	29	38	30	24	15	16	3	–	–	–
	Female	129	–	–	–	–	–	1	–	–	1	2	8	13	18	14	17	21	20	6	6	1	1	–
160–163	Of respiratory system	336	–	1	–	–	–	1	2	–	4	14	25	38	53	54	52	37	29	12	10	2	2	–
	White.....Male	59	–	1	–	–	–	–	–	–	–	–	3	7	6	7	7	6	14	4	4	–	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	3	1	6	3	8	7	2	3	4	2	1	–
	All other.....Male	187	–	–	–	–	–	1	1	–	2	11	13	27	31	37	31	18	9	4	1	–	1	–
	Female	50	–	–	–	–	–	–	1	–	2	3	6	3	10	7	6	6	4	1	1	–	–	–
174	Of breast	148	–	–	–	–	–	–	2	–	6	4	8	19	15	26	20	12	13	12	7	4	–	–
	White.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	59	–	–	–	–	–	–	1	–	1	1	1	6	6	8	12	5	8	6	4	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	88	–	–	–	–	–	–	1	–	5	3	7	12	9	18	8	7	5	6	3	4	–	–
180–187	Of genital organs	178	–	–	–	–	–	–	1	1	2	5	7	10	16	26	26	27	25	17	8	5	2	–
	White.....Male	19	–	–	–	–	–	–	1	–	–	–	–	–	–	2	3	1	4	5	1	1	1	–
	Female	39	–	–	–	–	–	–	–	–	–	–	1	3	4	5	5	8	5	2	2	3	1	–
	All other.....Male	67	–	–	–	–	–	–	–	–	1	–	–	1	5	9	10	14	13	9	4	1	–	–
	Female	53	–	–	–	–	–	–	–	1	1	5	6	6	7	10	8	4	3	1	1	–	–	–
188, 189	Of urinary organs	61	–	–	–	–	–	–	–	–	–	2	1	2	5	7	11	7	10	4	9	3	–	–
	White.....Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	2	3	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	3	1	1	3	2	–	–
	All other.....Male	19	–	–	–	–	–	–	–	–	–	1	–	2	–	7	3	2	2	–	1	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	1	–	2	–	3	1	2	1	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	168	–	1	1	2	3	2	1	3	2	3	8	19	24	23	24	18	18	8	6	1	1	–
	White.....Male	23	–	–	–	–	–	–	1	–	–	–	–	5	3	2	2	3	6	–	1	–	–	–
	Female	29	–	–	–	–	–	–	–	–	–	1	1	–	3	5	6	3	2	4	3	–	1	–
	All other.....Male	76	–	1	–	1	3	2	–	1	1	1	6	10	12	11	11	8	5	2	1	–	–	–
	Female	40	–	–	1	1	–	–	–	2	1	1	1	4	6	5	5	4	5	2	1	1	–	–
204–207	Leukemia	49	–	–	3	1	2	1	1	1	1	1	–	2	7	4	3	6	6	8	1	1	–	–
	White.....Male	8	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	1	2	1	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	4	–	1	–	–
	All other.....Male	18	–	–	–	1	2	1	–	–	1	–	–	–	5	3	–	3	1	1	–	–	–	–
	Female	12	–	–	2	–	–	–	–	1	–	1	–	2	1	–	1	1	1	2	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	74	–	–	–	–	1	2	1	2	2	–	2	8	9	3	10	12	8	6	8	–	–	–
	White.....Male	12	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	1	2	2	2	–	–	–
	Female	15	–	–	–	–	–	–	1	1	1	–	–	–	1	1	2	3	3	–	2	–	–	–
	All other.....Male	24	–	–	–	–	–	2	–	–	–	–	1	3	5	1	6	1	1	3	1	–	–	–
	Female	23	–	–	–	–	1	–	–	1	–	–	1	4	1	1	1	7	2	1	3	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	21	–	–	1	–	–	–	–	–	–	1	2	2	2	2	4	2	3	2	–	–	–	–
	White.....Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–
	All other.....Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–	–	–
	Female	9	–	–	1	–	–	–	–	–	–	1	–	2	1	–	2	1	1	–	–	–	–	–
250	Diabetes mellitus	153	–	–	–	–	–	2	–	4	1	6	5	13	7	19	24	21	18	21	9	3	–	–
	White.....Male	12	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1	3	–	2	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	5	2	4	–	–	–
	All other.....Male	54	–	–	–	–	–	1	–	1	1	3	4	4	2	9	12	4	6	5	2	–	–	–
	Female	68	–	–	–	–	–	1	–	2	–	3	1	7	3	6	10	11	7	12	2	3	–	–
260–269	Avitaminoses and other nutritional deficiencies	12	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	1	–	1	2	–
	White.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–
	All other.....Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
280–285	Anemias	25	–	5	–	–	–	2	2	–	–	–	–	1	2	2	–	4	2	2	2	–	1	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	1	–	–	–
	All other ..... Male	7	–	3	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	10	–	2	–	–	–	–	1	–	–	–	–	1	1	1	–	2	–	1	–	–	1	–
320	Meningitis	19	5	–	–	1	–	1	–	–	1	2	1	1	1	2	1	2	–	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	14	4	–	–	–	–	1	–	–	1	1	1	1	1	2	1	1	–	–	–	–	–	–
	Female	4	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,061	3	2	–	–	4	7	8	16	22	50	106	152	216	320	374	386	456	389	285	179	86	–
	White ..... Male	567	1	–	–	–	–	–	–	–	1	3	16	19	29	57	83	77	104	86	52	30	9	–
	Female	686	–	–	–	–	–	–	–	–	–	–	2	6	9	27	51	64	125	147	127	86	42	–
	All other ..... Male	938	1	1	–	–	4	4	7	9	8	28	57	82	100	135	142	118	111	69	35	15	12	–
	Female	870	1	1	–	–	–	3	1	7	13	19	31	45	78	101	98	127	116	87	71	48	23	–
390–398, 402, 404, 410–429	Diseases of heart	2,173	2	1	–	–	3	4	5	10	15	37	76	126	179	246	290	280	312	238	184	106	59	–
	White ..... Male	431	1	–	–	–	–	–	–	–	1	3	13	17	27	46	65	56	80	59	40	16	7	–
	Female	450	–	–	–	–	–	–	–	–	–	–	2	6	6	24	35	49	81	87	79	54	27	–
	All other ..... Male	714	1	–	–	–	3	4	5	8	5	23	41	69	85	105	114	88	78	44	21	10	10	–
	Female	578	–	1	–	–	–	–	–	2	9	11	20	34	61	71	76	87	73	48	44	26	15	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	43	–	–	–	–	1	1	2	1	1	2	1	3	5	6	4	5	7	3	–	1	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	2	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	3	2	2	–	–	–	–
	All other ..... Male	15	–	–	–	–	1	1	2	–	–	–	1	2	1	2	3	1	1	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	1	1	1	–	–	2	1	–	1	2	1	–	1	–	–
402	Hypertensive heart disease	32	–	–	–	–	–	–	–	–	–	–	–	–	2	5	6	6	2	3	4	4	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	1	1	–	–	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	1	1	1	2	–	–
404	Hypertensive heart and renal disease	21	–	–	–	–	–	–	–	–	–	1	1	3	–	1	–	1	4	–	5	2	3	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	2	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	1	–	1	1	–	–
410–413	Ischemic heart disease	1,909	–	–	–	–	–	1	1	8	9	27	62	107	161	210	263	250	281	216	167	91	55	–
	White ..... Male	379	–	–	–	–	–	–	–	–	1	1	9	15	26	42	61	51	69	50	35	13	6	–
	Female	411	–	–	–	–	–	–	–	–	–	–	2	5	4	19	35	42	76	81	72	50	25	–
	All other ..... Male	616	–	–	–	–	–	1	1	7	3	19	33	62	77	84	100	79	71	41	21	8	9	–
	Female	503	–	–	–	–	–	–	–	1	5	7	18	25	54	65	67	78	65	44	39	20	15	–
410	Acute myocardial infarction	486	–	–	–	–	–	–	–	2	2	10	14	24	37	57	67	67	84	56	41	17	8	–
	White ..... Male	128	–	–	–	–	–	–	–	–	–	–	2	5	8	17	23	20	28	12	7	5	1	–
	Female	96	–	–	–	–	–	–	–	–	–	–	–	–	1	4	7	12	24	20	17	9	2	–
	All other ..... Male	140	–	–	–	–	–	–	–	2	2	6	8	15	16	19	22	18	13	9	7	1	2	–
	Female	122	–	–	–	–	–	–	–	–	–	4	4	4	12	17	15	17	19	15	10	2	3	–
411	Other acute and subacute forms of ischemic heart disease	4	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,419	–	–	–	–	–	1	1	6	7	17	47	82	124	151	196	183	197	160	126	74	47	–
	White ..... Male	248	–	–	–	–	–	–	–	–	1	1	6	10	18	23	38	31	41	38	28	8	5	–
	Female	315	–	–	–	–	–	–	–	–	–	–	2	5	3	15	28	30	52	61	55	41	23	–
	All other ..... Male	475	–	–	–	–	–	1	1	5	1	13	25	46	61	65	78	61	58	32	14	7	7	–
	Female	381	–	–	–	–	–	–	–	1	5	3	14	21	42	48	52	61	46	29	29	18	12	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	18	–	–	–	–	1	–	–	1	2	–	1	–	1	2	1	2	1	2	3	1	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
	All other ..... Male	6	–	–	–	–	1	–	–	1	1	–	–	–	1	2	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
420–423, 425–427, 429	All other forms of heart disease	150	2	1	–	–	1	2	2	–	3	7	11	13	10	22	16	16	17	14	5	7	1	–
	White Male	31	1	–	–	–	–	–	–	–	–	1	3	2	1	1	2	2	8	6	2	2	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	3	2	3	–	–
	All other Male	65	1	–	–	–	1	2	2	–	1	3	7	5	5	14	8	7	5	3	–	–	1	–
	Female	41	–	1	–	–	–	–	–	–	2	3	1	6	4	4	6	5	4	2	1	2	–	–
400, 401, 403	Hypertension	38	–	–	–	–	1	–	1	–	1	2	2	1	2	2	5	6	6	3	3	2	1	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–
	All other Male	14	–	–	–	–	1	–	1	–	1	1	1	–	1	2	–	2	3	1	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	4	3	1	2	2	–	–
430–438	Cerebrovascular diseases	564	1	1	–	–	–	3	2	6	4	10	24	20	29	58	58	65	83	88	60	38	14	–
	White Male	70	–	–	–	–	–	–	–	–	–	–	2	1	2	8	8	10	10	13	7	8	1	–
	Female	156	–	–	–	–	–	–	–	–	–	–	–	–	2	2	10	13	30	42	34	16	7	–
	All other Male	142	–	1	–	–	–	–	1	1	2	3	12	10	10	22	24	17	18	10	7	2	2	–
	Female	196	1	–	–	–	–	3	1	5	2	7	10	9	15	26	16	25	25	23	12	12	4	–
431	Cerebral hemorrhage	93	1	1	–	–	–	–	–	3	1	5	12	8	8	13	8	9	6	8	4	3	3	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	1	–	3	3	3	1	1	–	1	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	6	3	1	1	–
	All other Male	23	–	1	–	–	–	–	–	–	1	2	5	3	2	2	1	1	3	1	1	–	–	–
	Female	41	1	–	–	–	–	–	–	3	–	3	7	4	5	7	3	4	1	–	–	1	2	–
433	Cerebral thrombosis	143	–	–	–	–	–	1	–	–	1	1	–	5	2	11	13	14	25	34	21	12	3	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	2	4	7	2	1	1	–
	Female	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	11	16	13	5	–	–
	All other Male	32	–	–	–	–	–	–	–	–	–	1	–	4	1	1	5	4	5	4	3	2	2	–
	Female	37	–	–	–	–	–	1	–	–	1	–	–	1	1	7	2	5	5	7	3	4	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	327	–	–	–	–	–	2	2	3	2	4	12	7	19	34	37	42	51	46	35	23	8	–
	White Male	34	–	–	–	–	–	–	–	–	–	–	2	–	2	2	2	5	5	5	5	6	–	–
	Female	89	–	–	–	–	–	–	–	–	–	–	–	–	1	1	6	9	18	20	18	10	6	–
	All other Male	86	–	–	–	–	–	–	1	1	1	–	7	3	7	19	18	12	9	5	3	–	–	–
	Female	118	–	–	–	–	–	2	1	2	1	4	3	4	9	12	11	16	19	16	9	7	2	–
440	Arteriosclerosis	183	–	–	–	–	–	–	–	–	–	–	2	–	–	5	8	19	35	45	33	26	10	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	5	5	11	4	4	1	–
	Female	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	10	14	10	13	5	–
	All other Male	39	–	–	–	–	–	–	–	–	–	–	2	–	–	2	1	5	10	10	7	2	–	–
	Female	53	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	7	10	10	12	7	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	103	–	–	–	–	–	–	–	–	2	1	2	5	6	9	13	16	20	15	5	7	2	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	1	1	–	1	4	6	9	3	1	2	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	4	3	3	3	2	–
	All other Male	29	–	–	–	–	–	–	–	–	–	1	1	3	4	4	3	6	2	4	–	1	–	–
	Female	26	–	–	–	–	–	–	–	–	2	–	–	1	1	3	3	4	5	5	1	1	–	–
466	Acute bronchitis and bronchiolitis	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	245	10	1	–	–	1	1	2	6	6	8	15	15	17	13	16	26	27	34	19	20	8	–
	White Male	35	–	–	–	–	–	–	–	1	–	1	–	1	2	1	3	4	10	6	6	–	–	–
	Female	47	–	–	–	–	–	–	–	1	–	–	1	–	2	1	1	5	6	9	6	9	6	–
	All other Male	101	9	1	–	–	1	1	2	3	4	7	7	8	11	8	6	12	5	8	4	4	–	–
	Female	62	1	–	–	–	–	–	–	1	2	–	7	6	2	3	6	5	6	11	3	7	2	–
470–474	Influenza	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	243	9	1	–	–	1	1	2	6	6	8	15	15	17	13	16	25	27	34	19	20	8	–
	White Male	35	–	–	–	–	–	–	–	1	–	1	–	1	2	1	3	4	10	6	6	–	–	–
	Female	47	–	–	–	–	–	–	–	1	–	–	1	–	2	1	1	5	6	9	6	9	6	–
	All other Male	99	8	1	–	–	1	1	2	3	4	7	7	8	11	8	6	11	5	8	4	4	–	–
	Female	62	1	–	–	–	–	–	–	1	2	–	7	6	2	3	6	5	6	11	3	7	2	–
490–493	Bronchitis, emphysema, and asthma	74	–	–	–	–	–	–	5	–	1	3	5	2	7	14	11	9	8	7	1	1	–	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	–	–	3	3	7	8	5	4	1	–	–	–
	Female	5	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–
	All other Male	25	–	–	–	–	–	–	1	–	–	1	2	1	3	9	4	–	1	3	–	–	–	–
	Female	13	–	–	–	–	–	–	3	–	1	2	3	–	1	1	–	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
490, 491	Chronic and unqualified bronchitis	12	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	2	3	–	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
492	Emphysema	49	–	–	–	–	–	–	–	–	–	1	3	1	5	10	8	7	5	7	1	1	–	–
	White Male	26	–	–	–	–	–	–	–	–	–	–	–	–	3	2	6	6	4	4	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	2	–	2	7	2	–	1	3	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–
493	Asthma	13	–	–	–	–	–	–	5	–	1	2	2	1	1	–	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	3	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	37	–	–	–	–	–	–	–	1	1	–	2	3	2	5	3	4	6	7	1	1	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	–	–	–
	All other Male	14	–	–	–	–	–	–	–	–	1	–	2	1	2	2	1	3	1	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	–	1	3	–	1	1	–
540–543	Appendicitis	6	–	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	–	–	2	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	28	2	–	–	–	–	–	–	–	–	2	2	1	1	2	3	3	5	5	2	–	–	–
	White Male	5	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
	Female	14	1	–	–	–	–	–	–	–	–	1	2	–	–	1	2	1	3	2	1	–	–	–
571	Cirrhosis of liver	401	1	–	–	–	1	2	5	23	29	58	53	68	66	50	28	11	5	1	–	–	–	–
	White Male	47	–	–	–	–	–	–	–	2	–	5	6	6	8	8	7	3	2	–	–	–	–	–
	Female	24	–	–	–	–	–	–	–	–	1	2	1	4	3	5	4	4	–	–	–	–	–	–
	All other Male	207	–	–	–	–	–	–	1	13	21	23	34	38	35	26	12	3	1	–	–	–	–	–
	Female	123	1	–	–	–	1	2	4	8	7	28	12	20	20	11	5	1	2	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	14	–	–	–	–	–	–	–	–	–	1	–	–	1	–	4	1	1	2	2	2	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–
580–584	Nephritis and nephrosis	57	–	–	–	–	1	2	2	1	2	2	3	6	6	7	5	4	7	4	2	1	2	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	23	–	–	–	–	1	2	1	–	1	2	1	2	3	4	3	–	–	1	1	1	–	–
	Female	29	–	–	–	–	–	–	–	1	1	–	2	3	3	3	2	2	7	3	–	–	2	–
580, 581	Acute nephritis and nephrotic syndrome	11	–	–	–	–	1	–	–	1	–	–	2	1	–	–	–	2	2	–	1	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	7	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	1	2	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	46	–	–	–	–	–	2	2	–	2	2	1	5	6	7	5	2	5	4	1	–	2	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	21	–	–	–	–	–	2	1	–	1	2	1	2	3	4	3	–	–	1	1	–	–	–
	Female	22	–	–	–	–	–	–	–	–	1	–	–	2	3	3	2	1	5	3	–	–	2	–
590	Infections of kidney	22	–	–	–	–	–	–	–	–	–	–	5	–	2	1	4	2	5	1	1	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	1	1	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	3	–	1	1	2	1	3	–	–	–	–	–
600	Hyperplasia of prostate	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	District of Columbia—Con.																							
640–645	Abortions	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	53	37	4	2	2	2	–	1	–	–	1	1	1	–	–	–	–	1	–	–	–	–	1
	White Male	5	3	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	6	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	All other Male	22	15	2	–	1	1	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	20	14	2	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	180	179	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	87	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	61	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	30	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	119	119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	57	57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	101	19	6	–	1	2	11	11	7	7	6	7	1	4	5	3	3	2	2	1	2	1	–
	White Male	8	–	–	–	–	–	–	3	1	–	1	1	–	–	–	1	1	–	–	–	–	–	–
	Female	14	–	–	–	–	1	1	–	–	2	–	3	–	1	2	1	–	1	–	1	1	–	–
	All other Male	58	15	4	–	1	1	6	7	3	5	4	1	1	2	3	1	2	1	1	–	–	–	–
	Female	21	4	2	–	–	–	4	1	3	–	1	2	–	1	–	–	–	–	1	–	1	1	–
Residual	All other diseases	598	6	1	1	2	3	14	16	16	21	30	36	43	47	54	72	60	56	57	41	13	9	–
	White Male	94	–	–	–	–	–	–	2	1	3	2	2	5	7	8	18	15	9	14	6	1	1	–
	Female	91	–	–	–	1	1	–	–	–	2	3	1	4	3	8	8	8	14	17	13	5	3	–
	All other Male	238	5	1	1	–	2	8	6	12	13	17	19	20	21	21	31	19	15	12	10	3	2	–
	Female	175	1	–	–	1	–	6	8	3	3	8	14	14	16	17	15	18	18	14	12	4	3	–
E800–E949	Accidents	313	7	9	14	9	7	23	23	15	20	25	12	25	14	18	22	21	13	15	12	9	–	–
	White Male	51	–	1	2	–	1	4	3	2	1	3	–	7	5	1	4	6	1	4	2	4	–	–
	Female	41	1	–	1	–	1	–	2	2	–	–	2	3	2	2	3	2	6	8	3	3	–	–
	All other Male	162	4	7	7	6	4	13	14	9	17	16	9	13	3	12	11	6	2	2	6	1	–	–
	Female	59	2	1	4	3	1	6	4	2	2	6	1	2	4	3	4	7	4	1	1	1	–	–
E810–E823	Motor vehicle accidents	94	–	4	9	3	4	10	13	6	6	9	4	4	3	5	4	3	–	3	3	1	–	–
	White Male	17	–	–	1	–	–	2	3	–	–	2	–	2	2	–	1	1	–	1	1	1	–	–
	Female	7	–	–	1	–	1	–	1	1	–	–	–	1	–	1	–	–	–	1	–	–	–	–
	All other Male	52	–	3	4	2	2	6	7	4	6	4	4	1	1	4	2	1	–	–	1	–	–	–
	Female	18	–	1	3	1	1	2	2	1	–	3	–	–	–	–	1	1	–	1	1	–	–	–
E800–E807, E825–E949	All other accidents	219	7	5	5	6	3	13	10	9	14	16	8	21	11	13	18	18	13	12	9	8	–	–
	White Male	34	–	1	1	–	1	2	–	2	1	1	–	5	3	1	3	5	1	3	1	3	–	–
	Female	34	1	–	–	–	–	–	1	1	–	–	2	2	2	1	3	2	6	7	3	3	–	–
	All other Male	110	4	4	3	4	2	7	7	5	11	12	5	12	2	8	9	5	2	2	5	1	–	–
	Female	41	2	–	1	2	–	4	2	1	2	3	1	2	4	3	3	6	4	–	–	1	–	–
E950–E959	Suicide	89	...	...	–	–	5	13	16	11	5	4	2	6	3	10	5	2	4	2	1	–	–	–
	White Male	24	...	...	–	–	1	1	6	4	–	1	–	1	2	3	1	–	4	–	–	–	–	–
	Female	17	...	...	–	–	–	1	2	2	1	–	1	3	–	2	2	1	–	1	1	–	–	–
	All other Male	41	...	...	–	–	4	10	5	4	4	2	1	2	1	5	1	1	–	1	–	–	–	–
	Female	7	...	...	–	–	–	1	3	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
E960–E978	Homicide	242	3	2	1	3	15	45	38	24	21	23	19	16	11	6	5	4	3	2	–	–	–	1
	White Male	15	–	–	–	–	1	3	2	2	3	2	1	1	–	–	–	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	1	1	–	–	2	1	–	–	–	–	3	–	1	–	–	–	–
	All other Male	169	1	–	–	1	10	35	28	18	12	13	15	14	10	4	4	1	1	1	–	–	–	1
	Female	49	2	2	1	2	4	6	7	4	6	6	2	1	1	2	1	–	2	–	–	–	–	–
E980–E999	Other external causes	52	–	1	1	1	3	6	3	8	4	4	4	5	3	4	1	2	1	–	–	1	–	–
	White Male	13	–	–	–	–	–	2	1	2	–	2	1	1	1	–	1	–	1	–	–	1	–	–
	Female	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	29	–	–	–	1	3	4	2	4	3	2	2	4	1	3	–	–	–	–	–	–	–	–
	Female	8	–	1	–	–	–	–	–	2	–	–	1	–	1	1	–	2	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida																							
	All causes	**87,074**	**1,869**	**420**	**218**	**283**	**822**	**964**	**858**	**864**	**1,022**	**1,538**	**2,554**	**3,883**	**5,336**	**7,643**	**10,882**	**12,729**	**12,632**	**10,979**	**7,317**	**3,286**	**966**	**9**
	White ..... Male	44,364	624	187	95	140	480	510	465	407	464	680	1,262	2,024	2,838	4,117	6,116	7,037	6,847	5,420	3,123	1,238	289	1
	Female	32,042	457	116	69	70	159	202	158	196	254	420	707	1,117	1,593	2,346	3,421	4,382	4,920	5,018	3,928	1,921	583	5
	All other ..... Male	6,128	441	67	34	46	114	170	170	175	203	265	343	441	559	688	780	694	451	268	109	63	45	2
	Female	4,540	347	50	20	27	69	82	65	86	101	173	242	301	346	492	565	616	414	273	157	64	49	1
004, 006	Bacillary dysentery and amebiasis	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	87	25	6	2	–	–	1	2	–	1	–	3	4	1	8	3	6	7	7	6	3	2	–
	White ..... Male	22	4	3	1	–	–	–	1	–	–	–	–	1	1	1	2	–	3	3	2	–	–	–
	Female	37	3	1	–	–	–	1	–	–	1	–	2	3	–	5	1	4	3	4	4	3	2	–
	All other ..... Male	17	12	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
	Female	11	6	1	–	–	–	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
010–019	Tuberculosis, all forms	161	–	–	1	–	2	1	2	3	6	4	14	12	17	19	18	13	21	16	8	4	–	–
	White ..... Male	75	–	–	–	–	1	1	–	–	2	–	5	4	3	12	8	9	13	10	6	1	–	–
	Female	28	–	–	–	–	1	–	2	1	–	–	–	1	2	3	3	2	3	5	2	3	–	–
	All other ..... Male	41	–	–	1	–	–	–	–	1	2	4	4	6	6	4	7	1	4	1	–	–	–	–
	Female	17	–	–	–	–	–	–	–	1	2	–	5	1	6	–	–	1	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	121	–	–	–	–	2	–	1	3	5	3	10	12	14	16	12	9	15	12	4	3	–	–
	White ..... Male	52	–	–	–	–	1	–	–	–	1	–	4	4	2	10	6	6	8	6	3	1	–	–
	Female	20	–	–	–	–	1	–	1	1	–	–	–	1	2	2	1	1	2	5	1	2	–	–
	All other ..... Male	32	–	–	–	–	–	–	–	1	2	3	1	6	4	4	5	1	4	1	–	–	–	–
	Female	17	–	–	–	–	–	–	–	1	2	–	5	1	6	–	–	1	1	–	–	–	–	–
013–019	Tuberculosis, other forms	40	–	–	1	–	–	1	1	–	1	1	4	–	3	3	6	4	6	4	4	1	–	–
	White ..... Male	23	–	–	–	–	–	1	–	–	1	–	1	–	1	2	2	3	5	4	3	–	–	–
	Female	8	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	1	1	–	1	1	–	–
	All other ..... Male	9	–	–	1	–	–	–	–	–	–	1	3	–	2	–	2	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	14	4	6	1	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	6	1	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	2	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	245	43	4	–	–	1	1	1	3	1	2	4	11	13	23	24	26	38	28	17	3	2	–
	White ..... Male	109	10	2	–	–	–	–	–	1	–	–	2	8	9	10	12	15	22	13	4	–	1	–
	Female	75	8	1	–	–	1	–	–	–	1	–	1	1	2	7	7	8	10	14	11	2	1	–
	All other ..... Male	34	13	–	–	–	–	1	–	1	–	1	1	1	–	2	3	3	6	1	–	1	–	–
	Female	27	12	1	–	–	–	–	1	1	–	1	–	1	2	4	2	–	–	–	2	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	11	3	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	6	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	183	11	5	2	3	8	1	4	9	4	7	8	14	14	12	18	17	20	12	9	4	1	–
	White ..... Male	81	3	2	2	3	3	–	–	1	1	2	2	6	6	8	10	10	11	7	2	2	–	–
	Female	65	2	–	–	–	4	1	2	1	1	1	4	3	7	3	7	5	9	5	7	2	1	–
	All other ..... Male	14	4	1	–	–	1	–	1	1	1	1	1	2	–	–	1	–	–	–	–	–	–	–
	Female	23	2	2	–	–	–	–	1	6	1	3	1	3	1	1	–	2	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	18,247	9	26	26	39	49	59	64	86	170	329	661	1,112	1,581	2,227	3,063	3,166	2,602	1,757	892	269	60	–
	White Male	9,379	4	12	12	18	27	32	32	31	60	119	266	447	708	1,066	1,647	1,787	1,523	1,001	433	134	20	–
	Female	7,072	3	11	10	13	14	21	21	40	69	151	280	472	642	878	1,101	1,130	933	686	437	123	37	–
	All other Male	1,095	1	1	3	3	2	3	3	6	20	27	70	114	154	179	210	148	83	46	14	6	2	–
	Female	701	1	2	1	5	6	3	8	9	21	32	45	79	77	104	105	101	63	24	8	6	1	–
140–149	Of buccal cavity and pharynx	434	–	1	–	–	–	–	–	–	1	12	21	37	55	62	90	62	46	25	16	5	1	–
	White Male	249	–	–	–	–	–	–	–	–	–	6	10	17	26	35	57	34	32	16	13	3	–	–
	Female	128	–	1	–	–	–	–	–	–	–	–	4	12	21	17	22	25	12	8	3	2	1	–
	All other Male	45	–	–	–	–	–	–	–	–	1	6	5	5	8	6	9	3	1	1	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	2	3	–	4	2	–	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	4,882	1	–	–	–	1	7	6	10	25	39	111	221	374	530	814	906	837	557	333	91	19	–
	White Male	2,415	1	–	–	–	1	5	3	1	12	16	57	88	177	236	426	493	439	271	146	40	3	–
	Female	2,005	–	–	–	–	–	2	1	6	6	14	31	87	128	219	310	348	345	265	181	46	16	–
	All other Male	276	–	–	–	–	–	–	1	2	4	4	17	28	47	51	50	30	25	13	3	1	–	–
	Female	186	–	–	–	–	–	–	1	1	3	5	6	18	22	24	28	35	28	8	3	4	–	–
160–163	Of respiratory system	4,799	–	–	–	1	1	–	3	3	41	94	192	363	489	754	940	872	578	326	112	25	5	–
	White Male	3,294	–	–	–	1	1	–	2	3	21	45	102	220	295	481	673	658	458	240	72	19	3	–
	Female	1,044	–	–	–	–	–	–	–	–	12	32	56	77	129	185	184	158	95	73	35	6	2	–
	All other Male	388	–	–	–	–	–	–	1	–	7	13	29	56	60	74	73	42	20	9	4	–	–	–
	Female	73	–	–	–	–	–	–	–	–	1	4	5	10	5	14	10	14	5	4	1	–	–	–
174	Of breast	1,426	–	–	–	–	–	2	6	14	27	50	97	148	161	185	218	187	133	89	80	22	7	–
	White Male	13	–	–	–	–	–	–	1	–	–	–	–	–	2	1	3	1	3	–	2	–	–	–
	Female	1,298	–	–	–	–	–	–	2	12	21	44	85	127	149	173	197	175	121	86	77	22	7	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	114	–	–	–	–	–	2	3	2	6	6	11	21	10	11	18	11	9	3	1	–	–	–
180–187	Of genital organs	2,171	–	–	–	–	1	8	7	15	19	42	65	100	149	203	335	385	362	281	136	54	9	–
	White Male	946	–	–	–	–	–	5	4	4	1	3	5	7	30	50	125	170	219	194	90	34	5	–
	Female	916	–	–	–	–	1	3	1	5	11	29	47	77	89	106	158	152	110	72	39	14	2	–
	All other Male	168	–	–	–	–	–	–	–	1	–	–	–	5	8	22	34	49	26	11	6	4	2	–
	Female	141	–	–	–	–	–	–	2	5	7	10	13	11	22	25	18	14	7	4	1	2	–	–
188, 189	Of urinary organs	881	2	2	1	1	1	1	2	–	2	7	24	25	60	104	133	187	142	119	51	11	6	–
	White Male	597	1	1	1	–	1	–	–	–	1	3	14	14	38	70	88	134	98	89	34	4	6	–
	Female	220	1	1	–	1	–	–	–	–	1	2	8	8	13	21	35	40	36	29	17	7	–	–
	All other Male	40	–	–	–	–	–	1	1	–	–	–	1	3	6	8	6	8	5	1	–	–	–	–
	Female	24	–	–	–	–	–	–	1	–	–	2	1	–	3	5	4	5	3	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,991	5	12	8	21	17	14	18	19	38	51	95	145	162	218	306	312	236	182	85	37	10	–
	White Male	989	2	5	3	10	6	9	9	9	17	26	45	69	79	105	161	165	121	95	37	14	2	–
	Female	810	2	6	3	7	7	3	8	10	12	19	35	57	61	90	110	123	106	76	46	22	7	–
	All other Male	100	1	1	1	1	1	1	–	–	6	3	11	9	13	11	22	9	3	6	–	1	–	–
	Female	92	–	–	1	3	3	1	1	–	3	3	4	10	9	12	13	15	6	5	2	–	1	–
204–207	Leukemia	718	1	10	15	13	20	14	8	10	10	17	20	24	47	66	85	105	119	82	38	11	3	–
	White Male	382	–	6	7	5	11	8	6	5	5	11	14	8	25	30	45	52	66	50	19	8	1	–
	Female	280	–	2	7	5	6	5	2	5	4	5	5	10	15	30	31	45	50	30	18	3	2	–
	All other Male	28	–	–	1	2	–	1	–	–	–	–	–	4	3	3	5	5	1	2	1	–	–	–
	Female	28	1	2	–	1	3	–	–	–	1	1	1	2	4	3	4	3	2	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	945	–	1	2	3	8	13	14	15	7	17	36	49	84	105	142	150	149	96	41	13	–	–
	White Male	494	–	–	1	2	7	5	7	9	3	9	19	24	36	58	69	80	87	46	20	12	–	–
	Female	371	–	1	–	–	–	8	7	2	2	6	9	17	37	37	54	64	58	47	21	1	–	–
	All other Male	49	–	–	1	–	1	–	–	3	2	1	6	4	9	4	11	2	2	3	–	–	–	–
	Female	31	–	–	–	1	–	–	–	1	–	1	2	4	2	6	8	4	2	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	210	3	1	1	1	4	1	2	3	3	5	10	15	14	22	26	31	30	17	15	6	–	–
	White Male	94	1	–	–	–	2	–	2	–	1	1	3	6	6	12	13	13	15	7	10	2	–	–
	Female	87	1	1	–	–	2	–	–	3	1	1	5	6	5	5	11	16	15	8	4	3	–	–
	All other Male	11	–	–	–	1	–	–	–	–	1	1	–	1	–	3	2	1	–	1	–	–	–	–
	Female	18	1	–	1	–	–	1	–	–	–	2	2	2	3	2	–	1	–	1	1	1	–	–
250	Diabetes mellitus	1,440	1	–	–	3	–	4	5	14	9	16	35	62	83	141	206	273	256	170	116	41	5	–
	White Male	572	1	–	–	–	–	1	4	7	5	4	11	24	26	56	85	126	103	66	36	14	3	–
	Female	586	–	–	–	1	–	–	1	2	2	7	8	10	27	37	69	105	124	91	76	24	2	–
	All other Male	82	–	–	–	–	–	3	–	2	2	3	3	9	10	18	13	11	2	3	2	1	–	–
	Female	200	–	–	–	2	–	–	–	3	–	2	13	19	20	30	39	31	27	10	2	2	–	–
260–269	Avitaminoses and other nutritional deficiencies	124	7	1	1	–	–	1	–	1	1	1	4	3	–	7	9	15	14	21	19	15	4	–
	White Male	50	3	1	1	–	–	1	–	1	1	1	1	1	–	1	3	6	5	7	9	7	1	–
	Female	53	1	–	–	–	–	–	–	–	–	–	1	1	–	3	3	6	8	12	10	7	1	–
	All other Male	13	2	–	–	–	–	–	–	–	–	–	1	–	–	2	3	3	–	1	–	–	1	–
	Female	8	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	–	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
280–285	Anemias	156	3	4	2	2	2	3	3	3	3	4	1	3	4	10	16	32	18	20	18	4	1	–
	White Male	60	1	–	–	1	1	–	–	1	–	1	–	–	2	5	6	12	11	9	8	1	1	–
	Female	58	–	1	1	–	–	1	1	2	–	–	–	2	2	3	6	11	6	9	10	3	–	–
	All other Male	19	–	3	1	1	1	2	–	–	3	1	1	1	–	1	1	3	–	–	–	–	–	–
	Female	19	2	–	–	–	–	–	2	–	–	2	–	–	–	1	3	6	1	2	–	–	–	–
320	Meningitis	52	22	9	1	1	–	2	–	–	–	–	1	1	4	3	3	3	2	–	–	–	–	–
	White Male	21	7	5	–	–	–	–	–	–	–	–	–	–	2	3	–	2	2	–	–	–	–	–
	Female	12	1	3	1	–	–	1	–	–	–	–	–	1	2	–	2	1	–	–	–	–	–	–
	All other Male	10	7	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	9	7	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	43,722	29	15	9	14	38	35	59	100	159	410	775	1,448	2,181	3,409	5,442	6,866	7,531	7,058	5,051	2,381	710	2
	White Male	22,517	11	6	3	6	11	9	24	36	81	220	459	903	1,373	2,028	3,220	3,793	3,915	3,310	2,059	847	203	–
	Female	17,013	9	5	3	2	11	8	11	21	24	83	158	293	454	860	1,519	2,333	3,124	3,399	2,805	1,449	440	2
	All other Male	2,167	7	3	1	4	8	9	16	31	31	64	79	152	199	284	370	363	246	153	71	43	33	–
	Female	2,025	2	1	2	2	8	9	8	12	23	43	79	100	155	237	333	377	246	196	116	42	34	–
390–398, 402, 404, 410–429	Diseases of heart	31,906	24	10	4	9	26	24	37	70	123	327	626	1,189	1,805	2,735	4,333	5,171	5,399	4,787	3,214	1,543	448	2
	White Male	17,473	9	5	1	4	7	5	17	30	69	196	403	797	1,206	1,736	2,659	2,978	2,910	2,312	1,411	575	143	–
	Female	11,560	8	3	1	–	6	4	5	12	15	53	110	210	331	653	1,171	1,694	2,172	2,253	1,690	904	263	2
	All other Male	1,546	5	1	1	3	7	6	12	21	27	46	57	116	159	197	274	254	163	106	39	32	20	–
	Female	1,327	2	1	1	2	6	9	3	7	12	32	56	66	109	149	229	245	154	116	74	32	22	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	676	1	1	1	3	5	7	5	4	11	22	26	52	69	80	121	100	84	55	20	9	–	–
	White Male	292	1	1	–	1	1	1	1	–	7	6	15	28	27	32	56	35	41	25	11	3	–	–
	Female	308	–	–	–	–	1	–	1	2	1	10	9	20	31	36	60	56	41	27	8	5	–	–
	All other Male	42	–	–	1	2	1	3	2	1	1	3	–	3	5	8	3	4	2	3	–	–	–	–
	Female	34	–	–	–	–	2	3	1	1	2	3	2	1	6	4	2	5	–	–	1	1	–	–
402	Hypertensive heart disease	251	–	–	–	–	–	–	–	–	3	2	13	6	15	22	40	39	27	44	31	6	3	–
	White Male	66	–	–	–	–	–	–	–	–	1	–	3	1	2	9	11	16	6	13	4	–	–	–
	Female	101	–	–	–	–	–	–	–	–	–	1	1	2	2	3	9	15	15	25	22	5	1	–
	All other Male	39	–	–	–	–	–	–	–	–	2	1	5	2	5	5	9	3	3	2	1	–	1	–
	Female	45	–	–	–	–	–	–	–	–	–	–	4	1	6	5	11	5	3	4	4	1	1	–
404	Hypertensive heart and renal disease	128	–	–	–	–	–	–	–	–	1	–	–	4	3	10	9	26	14	25	25	6	5	–
	White Male	45	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	11	5	13	9	2	–	–
	Female	50	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	5	7	9	15	4	4	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	4	1	1	–	–	1	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	1	6	3	6	1	2	1	–	–	–
410–413	Ischemic heart disease	29,359	–	–	–	–	2	3	18	48	86	278	541	1,044	1,606	2,497	3,969	4,792	5,107	4,476	3,018	1,453	419	2
	White Male	16,372	–	–	–	–	–	2	12	25	52	180	363	729	1,123	1,626	2,481	2,818	2,768	2,171	1,344	542	136	–
	Female	10,597	–	–	–	–	–	–	–	2	10	38	88	168	273	582	1,051	1,540	2,056	2,112	1,573	855	247	2
	All other Male	1,282	–	–	–	–	1	1	5	16	17	34	45	87	127	164	248	221	143	90	36	30	17	–
	Female	1,108	–	–	–	–	1	–	1	5	7	26	45	60	83	125	189	213	140	103	65	26	19	–
410	Acute myocardial infarction	13,717	–	–	–	–	–	2	7	30	47	168	344	626	942	1,414	2,199	2,420	2,324	1,773	985	350	85	1
	White Male	8,513	–	–	–	–	–	1	5	18	29	121	249	461	711	976	1,466	1,522	1,360	949	475	137	33	–
	Female	4,467	–	–	–	–	–	–	–	2	4	25	56	108	161	342	584	780	901	777	479	202	45	1
	All other Male	421	–	–	–	–	–	1	2	8	10	13	24	33	48	61	83	70	29	19	12	2	6	–
	Female	316	–	–	–	–	–	–	–	2	4	9	15	24	22	35	66	48	34	28	19	9	1	–
411	Other acute and subacute forms of ischemic heart disease	135	–	–	–	–	–	1	–	–	3	3	3	5	7	12	19	28	16	10	21	4	3	–
	White Male	62	–	–	–	–	–	1	–	–	1	1	2	2	1	8	11	17	4	3	9	1	1	–
	Female	52	–	–	–	–	–	–	–	–	–	–	1	–	4	2	4	9	9	6	12	3	2	–
	All other Male	14	–	–	–	–	–	–	–	–	2	1	–	1	2	2	3	2	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	3	–	–	–	–	–
412	Chronic ischemic heart disease	15,498	–	–	–	–	2	–	11	18	36	107	194	413	657	1,068	1,750	2,343	2,767	2,691	2,011	1,098	331	1
	White Male	7,794	–	–	–	–	–	–	7	7	22	58	112	266	411	639	1,004	1,279	1,404	1,219	860	404	102	–
	Female	6,072	–	–	–	–	–	–	–	–	6	13	31	60	108	238	462	750	1,146	1,327	1,081	649	200	1
	All other Male	847	–	–	–	–	1	–	3	8	5	20	21	53	77	101	162	149	114	70	24	28	11	–
	Female	785	–	–	–	–	1	–	1	3	3	16	30	34	61	90	122	165	103	75	46	17	18	–
413	Angina pectoris	9	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	2	1	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	144	1	–	–	–	5	1	2	3	4	1	6	7	9	10	13	23	14	19	15	9	2	–
	White Male	59	–	–	–	–	2	–	–	–	1	1	3	3	4	6	7	11	7	7	6	–	1	–
	Female	61	–	–	–	–	2	1	1	2	1	–	2	1	4	4	2	10	6	10	7	7	1	–
	All other Male	10	1	–	–	–	–	–	–	1	1	–	–	2	1	–	1	–	1	2	–	–	–	–
	Female	14	–	–	–	–	1	–	1	–	1	–	1	1	–	–	3	2	–	–	2	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida – Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,348	22	9	3	6	14	13	12	15	18	24	40	76	103	116	181	191	153	168	105	60	19	–
	White ..... Male	639	8	4	1	3	4	2	4	5	7	9	19	36	49	62	102	87	83	83	37	28	6	–
	Female	443	8	3	1	–	3	3	3	6	3	4	10	18	21	27	45	68	47	70	65	28	10	–
	All other ..... Male	160	4	1	–	1	5	2	5	3	6	8	7	19	20	18	13	22	13	8	2	2	1	–
	Female	106	2	1	1	2	2	6	–	1	2	3	4	3	13	9	21	14	10	7	1	2	2	–
400, 401, 403	Hypertension	284	–	–	–	–	–	–	2	2	1	3	8	8	13	24	25	51	45	42	38	16	6	–
	White ..... Male	117	–	–	–	–	–	–	–	–	1	1	2	3	6	6	8	25	24	20	12	7	2	–
	Female	103	–	–	–	–	–	–	–	–	–	–	2	1	4	6	10	16	17	16	20	8	3	–
	All other ..... Male	28	–	–	–	–	–	–	1	2	–	1	2	3	1	5	–	6	2	3	1	–	1	–
	Female	36	–	–	–	–	–	–	1	–	–	1	2	1	2	7	7	4	2	3	5	1	–	–
430–438	Cerebrovascular diseases	9,071	3	5	5	3	9	8	17	26	29	73	117	201	280	502	831	1,259	1,675	1,742	1,455	638	193	–
	White ..... Male	3,633	1	1	2	1	1	3	5	6	6	20	42	76	111	200	391	561	748	718	495	198	47	–
	Female	4,386	1	2	2	1	5	2	6	8	9	28	39	69	97	165	279	509	778	928	903	427	128	–
	All other ..... Male	481	1	2	–	1	1	3	2	7	3	15	18	26	34	68	80	81	67	32	23	8	9	–
	Female	571	–	–	1	–	2	–	4	5	11	10	18	30	38	69	81	108	82	64	34	5	9	–
431	Cerebral hemorrhage	958	2	2	–	–	2	4	4	6	8	22	36	46	72	97	135	142	135	128	76	36	5	–
	White ..... Male	357	1	1	–	–	–	2	1	2	3	3	11	16	30	35	67	50	50	48	22	13	2	–
	Female	443	–	1	–	–	2	1	1	–	4	6	13	18	24	39	52	70	70	72	45	22	3	–
	All other ..... Male	78	1	–	–	–	–	1	1	1	–	7	5	6	7	10	10	11	7	4	6	1	–	–
	Female	80	–	–	–	–	–	–	1	3	1	6	7	6	11	13	6	11	8	4	3	–	–	–
433	Cerebral thrombosis	2,700	–	1	–	–	1	1	–	2	1	6	12	35	55	128	221	375	549	564	474	215	60	–
	White ..... Male	1,161	–	–	–	–	–	–	–	–	–	3	5	17	25	59	107	195	248	238	179	70	15	–
	Female	1,309	–	1	–	–	1	–	–	1	–	2	1	7	14	38	72	141	257	301	286	143	44	–
	All other ..... Male	116	–	–	–	–	–	1	–	1	1	–	5	6	12	19	22	14	25	6	3	1	–	–
	Female	114	–	–	–	–	–	–	–	–	–	1	1	5	4	12	20	25	19	19	6	1	1	–
434	Cerebral embolism	33	–	–	–	–	–	–	–	–	–	–	–	–	1	2	6	5	7	8	4	–	–	–
	White ..... Male	19	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	5	5	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	2	2	1	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,380	1	2	5	3	6	3	13	18	20	45	69	120	152	275	469	737	984	1,042	901	387	128	–
	White ..... Male	2,096	–	–	2	1	1	1	4	4	3	14	26	43	55	105	215	313	445	427	292	115	30	–
	Female	2,623	1	–	2	1	2	1	5	7	5	20	25	44	59	88	151	296	449	553	571	262	81	–
	All other ..... Male	284	–	2	–	1	1	1	1	5	2	8	8	14	15	38	48	56	35	21	13	6	9	–
	Female	377	–	–	1	–	2	–	3	2	10	3	10	19	23	44	55	72	55	41	25	4	8	–
440	Arteriosclerosis	1,167	–	–	–	–	–	–	–	–	1	–	4	8	15	38	58	146	169	287	244	146	51	–
	White ..... Male	492	–	–	–	–	–	–	–	–	1	–	2	4	9	17	32	64	80	136	90	48	9	–
	Female	582	–	–	–	–	–	–	–	–	–	–	1	3	3	10	16	54	83	140	144	91	37	–
	All other ..... Male	46	–	–	–	–	–	–	–	–	–	–	1	1	2	3	2	14	4	6	7	3	3	–
	Female	47	–	–	–	–	–	–	–	–	–	–	–	–	1	8	8	14	2	5	3	4	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,294	2	–	–	2	3	3	3	2	5	7	20	42	68	110	195	239	243	200	100	38	12	–
	White ..... Male	802	1	–	–	1	3	1	2	–	4	3	10	23	41	69	130	165	153	124	51	19	2	–
	Female	382	–	–	–	1	–	2	–	1	–	2	6	10	19	26	43	60	74	62	48	19	9	–
	All other ..... Male	66	1	–	–	–	–	–	1	1	1	2	1	6	3	11	14	8	10	6	1	–	–	–
	Female	44	–	–	–	–	–	–	–	–	–	–	3	3	5	4	8	6	6	8	–	–	1	–
466	Acute bronchitis and bronchiolitis	28	2	–	–	–	1	–	–	–	–	1	–	1	2	4	2	3	5	4	3	–	–	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	2	4	1	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	2	1	–	–	–
	All other ..... Male	4	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,181	81	14	4	8	10	11	14	15	27	28	54	70	90	137	191	263	301	381	279	152	51	–
	White ..... Male	1,069	22	3	2	1	3	2	5	6	4	10	27	34	50	68	102	148	168	195	136	66	17	–
	Female	793	24	4	2	2	2	5	4	2	10	7	10	10	20	43	61	74	105	161	135	82	30	–
	All other ..... Male	209	19	5	–	1	–	2	2	4	9	5	15	19	15	21	23	28	17	17	4	2	1	–
	Female	110	16	2	–	4	5	2	3	3	4	6	2	7	5	5	5	13	11	8	4	2	3	–
470–474	Influenza	140	–	–	2	1	–	1	1	–	–	1	2	5	9	10	19	18	20	21	17	9	4	–
	White ..... Male	63	–	–	–	–	–	–	–	–	–	–	–	4	7	4	10	8	10	8	8	3	1	–
	Female	63	–	–	2	–	–	1	1	–	–	1	1	–	1	5	7	9	8	10	9	6	2	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	1	1	–	–	–	–
	Female	7	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	1	2	–	–	1	–
480–486	Pneumonia	2,041	81	14	2	7	10	10	13	15	27	27	52	65	81	127	172	245	281	360	262	143	47	–
	White ..... Male	1,006	22	3	2	1	3	2	5	6	4	10	27	30	43	64	92	140	158	187	128	63	16	–
	Female	730	24	4	–	2	2	4	3	2	10	6	9	10	19	38	54	65	97	151	126	76	28	–
	All other ..... Male	202	19	5	–	1	–	2	2	4	9	5	14	19	14	20	22	27	16	16	4	2	1	–
	Female	103	16	2	–	3	5	2	3	3	4	6	2	6	5	5	4	13	10	6	4	2	2	–
490–493	Bronchitis, emphysema, and asthma	1,457	5	2	2	–	3	3	1	3	6	4	27	49	103	144	254	306	265	194	62	22	2	–
	White ..... Male	996	2	–	1	–	1	1	–	1	2	1	15	23	51	83	175	222	216	146	39	15	2	–
	Female	373	1	1	–	–	–	–	–	2	3	1	6	17	38	47	67	74	45	44	20	7	–	–
	All other ..... Male	64	2	–	–	–	2	1	1	–	–	–	6	6	10	10	12	5	4	4	1	–	–	–
	Female	24	–	1	1	–	–	1	–	–	1	2	–	3	4	4	–	5	–	–	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
490, 491	Chronic and unqualified bronchitis	236	5	1	–	–	–	–	–	–	2	–	5	5	17	28	46	44	43	22	10	8	–	–
	White Male	154	2	–	–	–	–	–	–	–	1	–	2	2	5	18	34	30	36	15	5	4	–	–
	Female	71	1	1	–	–	–	–	–	–	1	–	2	3	10	8	9	14	7	7	4	4	–	–
	All other Male	9	2	–	–	–	–	–	–	–	–	–	1	–	2	1	3	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
492	Emphysema	1,132	–	–	1	–	1	1	–	1	1	2	16	32	78	102	195	255	216	166	49	14	2	–
	White Male	814	–	–	–	–	1	–	–	–	1	1	9	18	46	59	141	189	174	129	33	11	2	–
	Female	263	–	–	–	–	–	–	–	1	–	–	3	8	26	34	47	56	38	33	14	3	–	–
	All other Male	47	–	–	–	–	–	1	–	–	–	–	4	6	6	9	7	5	4	4	1	–	–	–
	Female	8	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	5	–	–	1	–	–	–
493	Asthma	89	–	1	1	–	2	2	1	2	3	2	6	12	8	14	13	7	6	6	3	–	–	–
	White Male	28	–	–	1	–	–	1	–	1	–	–	4	3	–	6	–	3	6	2	1	–	–	–
	Female	39	–	–	–	–	–	–	–	1	2	1	1	6	2	5	11	4	–	4	2	–	–	–
	All other Male	8	–	–	–	–	2	–	1	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–
	Female	14	–	1	–	–	–	1	–	–	1	1	–	3	4	3	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	281	–	2	–	–	1	2	4	3	5	6	6	12	22	28	35	42	38	27	27	18	3	–
	White Male	153	–	1	–	–	–	–	1	3	–	3	3	4	13	14	24	28	23	14	14	6	2	–
	Female	98	–	–	–	–	–	–	2	–	3	2	1	4	7	9	8	11	15	12	12	12	–	–
	All other Male	22	–	1	–	–	1	1	1	–	1	–	2	2	2	5	3	2	–	–	–	–	1	–
	Female	8	–	–	–	–	–	1	–	–	1	1	–	2	–	–	–	1	–	1	1	–	–	–
540–543	Appendicitis	33	–	1	–	–	–	–	–	–	1	–	1	2	–	7	3	5	3	6	2	2	–	–
	White Male	17	–	1	–	–	–	–	–	–	–	–	1	1	–	1	3	4	2	3	–	1	–	–
	Female	12	–	–	–	–	–	–	–	–	1	–	–	1	–	3	–	–	1	3	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	270	16	–	1	–	–	3	–	3	1	3	7	10	11	19	30	33	39	43	29	13	9	–
	White Male	89	6	–	1	–	–	–	–	1	–	–	–	2	7	8	9	15	15	13	7	3	2	–
	Female	140	4	–	–	–	–	1	–	–	1	1	1	6	2	10	13	13	21	29	21	10	7	–
	All other Male	25	6	–	–	–	–	–	–	1	–	2	2	2	1	–	5	3	2	–	1	–	–	–
	Female	16	–	–	–	–	–	2	–	1	–	–	4	–	1	1	3	2	1	1	–	–	–	–
571	Cirrhosis of liver	1,585	1	1	–	1	1	2	9	21	46	97	176	250	258	236	198	157	76	33	18	4	–	–
	White Male	844	1	1	–	1	1	1	4	5	19	41	92	128	134	134	115	87	49	17	12	2	–	–
	Female	540	–	–	–	–	–	1	3	7	9	27	44	83	100	86	72	60	26	14	6	2	–	–
	All other Male	115	–	–	–	–	–	–	1	3	10	14	20	24	15	12	7	6	1	2	–	–	–	–
	Female	86	–	–	–	–	–	–	1	6	8	15	20	15	9	4	4	4	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	137	–	–	–	–	–	–	–	3	2	1	3	3	5	9	18	23	26	22	15	4	3	–
	White Male	65	–	–	–	–	–	–	–	1	–	1	2	2	3	6	12	12	8	10	6	1	1	–
	Female	64	–	–	–	–	–	–	–	1	1	–	1	1	1	3	4	10	17	12	8	3	2	–
	All other Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	1	–	1	–	–	–
580–584	Nephritis and nephrosis	379	1	1	2	4	5	2	4	3	4	9	11	18	25	31	44	50	48	55	49	11	2	–
	White Male	169	–	–	–	2	2	–	1	2	–	3	5	7	12	14	19	22	29	28	20	1	2	–
	Female	121	–	–	2	–	2	–	2	–	1	–	1	4	3	6	17	15	8	23	28	9	–	–
	All other Male	41	1	1	–	–	–	2	1	–	2	3	1	2	5	7	1	6	6	2	1	–	–	–
	Female	48	–	–	–	2	1	–	–	1	1	3	4	5	5	4	7	7	5	2	–	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	84	1	1	–	1	1	–	–	–	–	2	5	1	8	9	11	13	9	10	11	1	–	–
	White Male	45	–	–	–	–	–	–	–	–	–	–	2	1	4	4	7	7	6	8	6	–	–	–
	Female	21	–	–	–	–	1	–	–	–	–	–	–	–	2	2	3	3	2	2	5	1	–	–
	All other Male	10	1	1	–	–	–	–	–	–	–	1	1	–	1	2	–	2	1	–	–	–	–	–
	Female	8	–	–	–	1	–	–	–	–	–	1	2	–	1	1	1	1	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	295	–	–	2	3	4	2	4	3	4	7	6	17	17	22	33	37	39	45	38	10	2	–
	White Male	124	–	–	–	2	2	–	1	2	–	3	3	6	8	10	12	15	23	20	14	1	2	–
	Female	100	–	–	2	–	1	–	2	–	1	–	1	4	1	4	14	12	6	21	23	8	–	–
	All other Male	31	–	–	–	–	–	2	1	–	2	2	–	2	4	5	1	4	5	2	1	–	–	–
	Female	40	–	–	–	1	1	–	–	1	1	2	2	5	4	3	6	6	5	2	–	1	–	–
590	Infections of kidney	217	–	–	–	–	–	–	–	1	–	–	3	1	14	11	20	29	34	50	27	22	5	–
	White Male	73	–	–	–	–	–	–	–	–	–	–	–	–	3	1	5	9	15	22	8	9	1	–
	Female	105	–	–	–	–	–	–	–	1	–	–	2	–	7	5	9	12	14	24	17	12	2	–
	All other Male	22	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	6	3	3	1	1	1	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	2	2	1	1	–	1	–
600	Hyperplasia of prostate	55	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	10	16	11	6	5	–	–
	White Male	50	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	9	15	11	6	5	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	19	–	–	–	–	3	6	2	3	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	10	–	–	–	–	1	2	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	9	–	–	–	–	2	4	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Florida—Con.																							
640–645	Abortions	4	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	15	–	–	–	–	3	5	2	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	8	–	–	–	–	1	2	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	7	–	–	–	–	2	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	507	322	48	11	9	7	14	14	4	6	10	7	4	11	11	11	6	6	3	3	–	–	–
	White Male	214	126	25	6	6	5	8	4	3	3	4	3	2	4	7	5	1	2	–	–	–	–	–
	Female	176	109	14	3	3	–	1	7	1	2	4	2	–	7	4	4	5	4	3	3	–	–	–
	All other Male	65	51	3	1	–	1	3	2	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–
	Female	52	36	6	1	–	1	2	1	–	1	2	–	1	–	–	1	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	959	959	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	337	337	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	223	223	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	214	214	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	185	185	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	530	530	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	194	194	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	130	130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	122	122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	84	84	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	429	429	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	143	143	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	93	93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,593	188	12	1	6	14	12	14	12	18	40	49	81	119	156	158	182	164	163	110	58	35	1
	White Male	672	56	3	1	1	7	6	7	5	9	15	18	41	51	70	71	86	81	65	49	19	11	–
	Female	472	28	2	–	3	2	3	3	2	5	13	11	22	30	35	41	52	47	77	49	30	17	–
	All other Male	263	61	5	–	2	3	3	2	2	1	6	12	8	31	33	31	25	17	9	4	4	3	1
	Female	186	43	2	–	–	2	–	2	3	3	6	8	10	7	18	15	19	19	12	8	5	4	–
Residual	All other diseases	5,562	77	45	23	23	53	69	58	59	92	129	199	261	382	569	714	830	778	613	378	156	52	2
	White Male	2,719	17	19	14	4	24	26	20	18	33	49	75	120	181	275	371	443	445	314	191	64	16	–
	Female	2,017	20	13	6	9	17	26	18	16	29	26	65	83	118	178	259	304	269	273	173	85	30	–
	All other Male	454	22	4	2	7	4	8	8	10	16	28	30	31	51	61	52	53	39	15	5	4	3	1
	Female	372	18	9	1	3	8	9	12	15	14	26	29	27	32	55	32	30	25	11	9	3	3	1
E800–E949	Accidents	4,247	50	195	127	146	434	398	289	231	225	187	220	222	194	228	228	231	213	205	129	78	17	–
	White Male	2,367	10	88	51	85	306	257	199	146	139	93	124	129	102	126	117	109	98	108	47	29	4	–
	Female	1,126	17	54	39	29	67	73	39	34	38	42	43	45	51	64	86	95	88	88	76	47	11	–
	All other Male	567	12	33	24	25	47	48	49	45	42	43	41	34	30	29	17	19	18	6	4	1	–	–
	Female	187	11	20	13	7	14	20	2	6	6	9	12	14	11	9	8	8	9	3	2	1	2	–
E810–E823	Motor vehicle accidents	1,927	4	45	68	65	282	250	165	127	124	79	100	95	65	87	95	98	85	67	19	6	1	–
	White Male	1,135	1	13	26	40	206	159	117	77	73	45	54	54	34	48	49	43	40	42	11	2	1	–
	Female	491	2	10	25	16	56	55	28	22	29	15	20	21	19	28	39	42	32	22	7	3	–	–
	All other Male	226	1	14	11	7	14	22	19	24	19	15	20	14	9	8	6	11	9	2	–	1	–	–
	Female	75	–	8	6	2	6	14	1	4	3	4	6	6	3	3	1	2	4	1	1	–	–	–
E800–E807, E825–E949	All other accidents	2,320	46	150	59	81	152	148	124	104	101	108	120	127	129	141	133	133	128	138	110	72	16	–
	White Male	1,232	9	75	25	45	100	98	82	69	66	48	70	75	68	78	68	66	58	66	36	27	3	–
	Female	635	15	44	14	13	11	18	11	12	9	27	23	24	32	36	47	53	56	66	69	44	11	–
	All other Male	341	11	19	13	18	33	26	30	21	23	28	21	20	21	21	11	8	9	4	4	–	–	–
	Female	112	11	12	7	5	8	6	1	2	3	5	6	8	8	6	7	6	5	2	1	1	2	–
E950–E959	Suicide	1,495	...	...	–	6	68	143	130	123	87	108	142	123	118	119	100	83	61	52	21	9	2	–
	White Male	992	...	...	–	5	47	104	89	78	46	67	100	87	67	79	61	54	47	38	13	8	2	–
	Female	442	...	...	–	1	17	30	27	35	34	37	39	33	49	38	39	27	14	14	7	1	–	–
	All other Male	50	...	...	–	–	4	6	12	6	5	4	3	3	2	2	–	2	–	–	1	–	–	–
	Female	11	...	...	–	–	–	3	2	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	1,200	5	13	1	12	96	168	160	142	122	119	115	82	55	33	29	20	13	5	7	2	–	1
	White Male	434	–	7	–	4	29	50	59	53	50	37	43	38	19	17	12	8	4	–	3	1	–	–
	Female	159	1	1	1	6	11	21	11	17	9	13	12	11	10	6	4	8	7	4	4	1	–	1
	All other Male	464	3	3	–	–	37	74	71	57	53	53	45	23	21	10	11	1	1	1	–	–	–	–
	Female	143	1	2	–	2	19	23	19	15	10	16	15	10	5	–	2	3	1	–	–	–	–	–
E980–E999	Other external causes	213	1	8	–	4	22	22	17	15	20	16	17	9	14	15	12	6	6	5	1	–	–	3
	White Male	100	1	4	–	2	10	11	13	6	8	8	5	6	4	5	5	5	3	2	1	–	–	1
	Female	71	–	2	–	1	7	6	3	5	7	3	10	3	6	5	6	–	3	2	–	–	–	2
	All other Male	31	–	2	–	1	3	4	–	4	4	4	1	–	4	1	1	1	–	1	–	–	–	–
	Female	11	–	–	–	–	2	1	1	–	1	1	1	–	–	4	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia																							
	All causes	**41,363**	**1,465**	**262**	**200**	**187**	**559**	**697**	**675**	**630**	**848**	**1,084**	**1,715**	**2,515**	**3,231**	**4,219**	**4,981**	**4,955**	**4,533**	**4,041**	**2,743**	**1,361**	**451**	**11**
	White ..... Male	16,793	431	100	80	94	298	328	285	271	321	459	788	1,154	1,552	1,959	2,231	1,998	1,774	1,395	854	334	86	1
	Female	12,748	320	57	44	39	107	90	121	99	174	211	358	552	686	923	1,231	1,496	1,734	1,940	1,506	815	239	6
	All other ..... Male	6,383	400	64	45	31	114	197	187	176	213	241	318	433	586	739	829	688	506	342	154	72	47	1
	Female	5,439	314	41	31	23	40	82	82	84	140	173	251	376	407	598	690	773	519	364	229	140	79	3
004, 006	Bacillary dysentery and amebiasis	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	65	28	1	–	–	–	–	–	–	–	2	–	2	1	2	3	4	8	6	5	1	2	–
	White ..... Male	15	3	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	3	2	2	–	–	–
	Female	19	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	5	3	2	1	2	–
	All other ..... Male	17	13	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
	Female	14	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
010–019	Tuberculosis, all forms	74	–	–	–	–	1	1	1	3	2	3	1	6	7	8	9	14	5	7	4	1	1	–
	White ..... Male	27	–	–	–	–	1	–	1	–	1	–	1	3	4	3	2	4	1	4	2	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	1	1	–	–
	All other ..... Male	24	–	–	–	–	–	–	–	2	1	1	–	3	3	1	6	5	1	1	–	–	–	–
	Female	14	–	–	–	–	–	1	–	1	–	2	–	–	–	3	–	2	2	1	1	–	1	–
010–012	Tuberculosis of respiratory system	63	–	–	–	–	1	1	1	3	2	3	–	5	7	5	8	14	3	6	2	1	1	–
	White ..... Male	23	–	–	–	–	1	–	1	–	1	–	–	3	4	2	2	4	1	3	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	1	–	–
	All other ..... Male	22	–	–	–	–	–	–	–	2	1	1	–	2	3	1	5	5	1	1	–	–	–	–
	Female	12	–	–	–	–	–	1	–	1	–	2	–	–	–	2	–	2	1	1	1	–	1	–
013–019	Tuberculosis, other forms	11	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	–	2	1	2	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	17	2	5	4	–	1	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	6	1	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	–	1	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	173	37	1	1	–	–	1	–	2	7	5	6	6	8	14	18	20	15	18	8	5	1	–
	White ..... Male	60	16	–	–	–	–	–	–	–	1	–	4	1	2	4	5	10	5	6	2	3	1	–
	Female	39	2	1	1	–	–	–	–	–	2	–	1	3	2	3	2	4	4	9	4	1	–	–
	All other ..... Male	44	13	–	–	–	–	–	–	2	3	4	–	2	2	3	5	3	3	2	1	1	–	–
	Female	30	6	–	–	–	–	1	–	–	1	1	1	–	2	4	6	3	3	1	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	8	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	4	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	104	5	2	1	4	1	6	5	4	5	6	6	7	11	8	8	9	6	5	3	2	–	–
	White ..... Male	36	1	–	–	1	–	3	2	1	2	1	1	4	4	2	3	5	2	4	–	–	–	–
	Female	30	2	1	1	2	1	1	–	3	1	2	3	–	3	2	2	2	2	1	1	–	–	–
	All other ..... Male	17	2	1	–	–	–	–	1	–	1	1	1	–	3	3	2	–	1	–	1	–	–	–
	Female	21	–	–	–	1	–	2	2	–	1	2	1	3	1	1	1	2	1	–	1	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,831	1	26	29	12	27	33	48	58	107	187	384	570	771	1,020	1,116	947	675	463	253	85	19	–
	White Male	2,900	–	11	13	3	11	10	18	22	38	67	145	218	341	443	541	429	288	170	99	28	5	–
	Female	2,236	–	7	10	6	10	12	18	19	41	59	120	195	221	295	308	297	252	197	119	43	7	–
	All other Male	977	–	4	2	2	4	8	5	7	10	29	58	88	126	172	165	127	87	54	16	8	5	–
	Female	718	1	4	4	1	2	3	7	10	18	32	61	69	83	110	102	94	48	42	19	6	2	–
140–149	Of buccal cavity and pharynx	185	–	–	–	–	–	1	–	2	3	3	13	21	27	31	24	22	15	13	6	3	1	–
	White Male	95	–	–	–	–	–	–	–	–	1	–	7	8	11	19	18	13	9	6	2	1	–	–
	Female	47	–	–	–	–	–	–	–	–	1	1	3	4	6	6	3	8	4	5	3	2	1	–
	All other Male	31	–	–	–	–	–	1	–	–	–	1	2	8	8	5	2	1	2	1	–	–	–	–
	Female	12	–	–	–	–	–	–	–	2	1	1	1	1	2	1	1	–	–	1	1	–	–	–
150–159	Of digestive organs and peritoneum	1,594	–	–	–	–	3	1	2	10	15	31	65	115	150	236	266	238	193	153	79	30	7	–
	White Male	600	–	–	–	–	1	–	1	6	6	11	29	45	62	91	112	80	73	49	23	8	3	–
	Female	567	–	–	–	–	1	–	–	3	5	8	13	29	38	71	81	100	77	74	45	19	3	–
	All other Male	236	–	–	–	–	–	–	1	1	3	7	16	21	32	46	39	28	21	14	6	1	–	–
	Female	191	–	–	–	–	1	1	–	–	1	5	7	20	18	28	34	30	22	16	5	2	1	–
160–163	Of respiratory system	1,753	–	1	–	–	1	–	2	4	18	56	115	170	271	318	348	232	125	61	23	6	2	–
	White Male	1,137	–	–	–	–	1	–	1	3	9	28	64	105	166	213	247	158	89	38	13	2	–	–
	Female	257	–	1	–	–	–	–	–	–	3	9	22	29	39	40	40	28	17	17	8	4	–	–
	All other Male	295	–	–	–	–	–	–	1	1	6	13	25	31	57	54	53	36	15	2	–	–	1	–
	Female	64	–	–	–	–	–	–	–	–	–	6	4	5	9	11	8	10	4	4	2	–	1	–
174	Of breast	525	–	–	–	–	–	1	4	7	21	26	47	70	65	60	76	60	39	27	15	6	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	1	–	–	–
	Female	409	–	–	–	–	–	1	3	6	12	19	35	60	49	44	61	42	34	23	13	6	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
	Female	107	–	–	–	–	–	–	1	1	9	7	11	10	15	16	13	14	5	4	1	–	–	–
180–187	Of genital organs	879	–	–	–	–	3	2	11	8	8	17	52	46	58	128	140	136	112	85	55	15	3	–
	White Male	254	–	–	–	–	2	–	4	2	2	2	1	4	8	22	39	52	46	34	29	6	1	–
	Female	290	–	–	–	–	1	2	4	1	3	6	23	22	32	51	44	35	30	21	13	2	–	–
	All other Male	183	–	–	–	–	–	–	–	1	–	2	2	5	6	29	36	34	32	20	8	6	2	–
	Female	152	–	–	–	–	–	–	3	4	3	7	26	15	12	26	21	15	4	10	5	1	–	–
188, 189	Of urinary organs	248	–	2	1	–	–	–	–	2	1	2	9	18	23	30	44	49	33	16	12	4	2	–
	White Male	127	–	–	–	–	–	–	–	–	1	–	3	7	11	18	28	29	14	8	6	2	–	–
	Female	73	–	1	1	–	–	–	–	1	–	–	3	8	6	7	9	11	13	6	4	2	1	–
	All other Male	34	–	–	–	–	–	–	–	1	–	2	2	2	3	2	7	7	4	2	1	–	1	–
	Female	14	–	1	–	–	–	–	–	–	–	–	1	1	3	3	–	2	2	–	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,013	–	10	5	7	7	15	12	16	29	34	50	96	115	146	138	118	97	60	42	13	3	–
	White Male	416	–	3	3	1	2	6	5	7	14	19	22	36	52	56	65	47	40	16	18	3	1	–
	Female	362	–	3	2	4	4	6	5	6	11	10	15	31	33	53	35	43	41	31	22	6	1	–
	All other Male	114	–	1	–	1	–	2	2	1	1	1	5	16	12	22	20	12	7	9	–	1	1	–
	Female	121	–	3	–	1	1	1	–	2	3	4	8	13	18	15	18	16	9	4	2	3	–	–
204–207	Leukemia	292	1	12	20	4	5	9	9	5	6	5	18	14	25	23	24	31	38	23	15	5	–	–
	White Male	128	–	8	10	1	–	3	3	–	4	2	12	6	12	8	13	15	12	10	5	4	–	–
	Female	97	–	2	6	2	3	3	3	2	2	1	2	5	6	5	6	8	21	10	9	1	–	–
	All other Male	44	–	2	1	1	2	3	1	2	–	2	3	2	4	7	3	5	3	2	1	–	–	–
	Female	23	1	–	3	–	–	–	2	1	–	–	1	1	3	3	2	3	2	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	342	–	1	3	1	8	4	8	4	6	13	15	20	37	48	56	61	23	25	6	3	–	–
	White Male	137	–	–	–	1	5	1	4	4	1	5	7	7	18	16	19	31	5	9	2	2	–	–
	Female	134	–	–	1	–	1	–	3	–	4	5	4	7	12	18	29	22	15	10	2	1	–	–
	All other Male	37	–	1	1	–	2	2	–	–	–	1	2	3	4	7	3	4	3	4	–	–	–	–
	Female	34	–	–	1	–	–	1	1	–	1	2	2	3	3	7	5	4	–	2	2	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	118	2	3	4	1	2	–	3	–	7	2	16	11	10	11	12	10	7	6	4	5	2	–
	White Male	44	–	1	1	–	2	–	–	–	3	1	8	6	5	3	5	4	–	3	1	1	–	–
	Female	46	1	1	2	1	–	–	–	–	3	1	4	4	3	4	5	3	7	1	3	2	1	–
	All other Male	15	1	–	1	–	–	–	2	–	–	–	2	1	2	3	1	–	–	1	–	–	1	–
	Female	13	–	1	–	–	–	–	1	–	1	–	2	–	–	1	1	3	–	1	–	2	–	–
250	Diabetes mellitus	700	–	–	–	1	2	3	3	13	23	18	22	47	58	84	115	113	88	60	32	15	3	–
	White Male	189	–	–	–	1	–	2	–	5	9	4	8	10	15	29	34	26	20	11	10	4	1	–
	Female	244	–	–	–	–	1	–	–	2	3	4	7	11	15	20	33	45	45	32	17	8	1	–
	All other Male	73	–	–	–	–	1	1	1	4	7	2	–	8	8	6	11	14	4	3	1	1	1	–
	Female	194	–	–	–	–	–	–	2	2	4	8	7	18	20	29	37	28	19	14	4	2	–	–
260–269	Avitaminoses and other nutritional deficiencies	67	4	–	–	–	1	–	1	5	1	–	–	1	1	–	3	15	8	5	12	6	4	–
	White Male	18	–	–	–	–	1	–	1	4	–	–	–	–	–	–	1	1	4	2	3	1	–	–
	Female	24	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	6	1	2	7	2	3	–
	All other Male	15	1	–	–	–	–	–	–	–	1	–	–	1	–	–	1	5	2	–	2	1	1	–
	Female	10	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia — Con.																							
280–285	Anemias	84	3	2	1	1	4	–	2	1	5	2	3	4	3	2	7	7	15	5	12	4	1	–
	White ..... Male	20	1	–	–	–	1	–	1	1	–	–	2	–	–	–	2	2	4	2	3	1	–	–
	Female	30	–	–	–	–	–	–	–	–	1	–	–	2	–	1	1	5	7	1	8	3	1	–
	All other ..... Male	18	2	1	1	–	1	–	1	–	2	2	–	1	2	1	3	–	–	–	1	–	–	–
	Female	16	–	1	–	1	2	–	–	–	2	–	1	1	1	–	1	–	4	2	–	–	–	–
320	Meningitis	38	15	1	1	–	3	2	1	–	1	1	–	2	2	–	2	–	4	1	1	1	–	–
	White ..... Male	11	5	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	7	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
	All other ..... Male	14	5	–	–	–	1	1	1	–	1	–	–	2	1	–	2	–	–	–	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–	1	–	–	–
390–448	Major cardiovascular diseases	20,691	28	11	7	9	20	39	52	77	179	320	649	1,042	1,555	2,140	2,726	2,885	2,889	2,787	1,923	990	357	6
	White ..... Male	8,090	5	2	3	1	7	10	12	29	68	162	326	539	789	1,019	1,171	1,099	1,077	918	558	232	63	–
	Female	7,017	10	3	–	5	2	7	11	9	32	40	86	159	261	391	663	876	1,146	1,398	1,100	616	198	4
	All other ..... Male	2,707	6	4	3	1	5	14	10	24	40	68	134	170	278	382	470	399	312	217	97	42	30	1
	Female	2,877	7	2	1	2	6	8	19	15	39	50	103	174	227	348	422	511	354	254	168	100	66	1
390–398, 402, 404, 410–429	Diseases of heart	14,401	21	6	6	4	16	25	31	46	127	245	513	832	1,209	1,641	2,030	2,042	1,899	1,744	1,158	588	216	2
	White ..... Male	6,207	3	1	2	1	4	4	9	25	57	140	291	474	681	861	957	834	742	595	341	145	40	–
	Female	4,574	8	2	–	1	2	5	5	5	16	23	64	115	189	298	488	609	748	869	652	357	117	1
	All other ..... Male	1,865	5	3	3	–	4	10	8	10	31	50	98	127	194	260	317	281	206	140	70	27	21	–
	Female	1,755	5	–	1	2	6	6	9	6	23	32	60	116	145	222	268	318	203	140	95	59	38	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	189	–	–	1	–	4	3	3	3	13	6	11	19	18	20	19	22	21	14	6	5	1	–
	White ..... Male	67	–	–	–	–	1	–	–	2	5	1	4	7	6	7	8	6	7	9	2	2	–	–
	Female	73	–	–	–	–	–	–	1	1	2	2	3	6	10	8	8	11	12	3	4	2	–	–
	All other ..... Male	25	–	–	–	–	1	3	–	–	4	2	3	3	–	2	1	3	1	1	–	–	1	–
	Female	24	–	–	1	–	2	–	2	–	2	1	1	3	2	3	2	2	1	1	–	1	–	–
402	Hypertensive heart disease	182	1	–	–	–	–	–	2	1	3	1	5	16	13	14	35	22	29	18	13	7	2	–
	White ..... Male	32	–	–	–	–	–	–	–	–	–	–	2	6	2	2	7	5	4	1	2	1	–	–
	Female	51	1	–	–	–	–	–	1	–	–	–	–	1	1	3	5	3	9	12	9	5	1	–
	All other ..... Male	47	–	–	–	–	–	–	1	1	2	–	–	5	7	4	11	7	6	1	2	–	–	–
	Female	52	–	–	–	–	–	–	–	–	1	1	3	4	3	5	12	7	10	4	–	1	1	–
404	Hypertensive heart and renal disease	108	–	–	–	–	–	–	–	1	1	1	1	1	6	6	12	14	15	23	12	10	5	–
	White ..... Male	33	–	–	–	–	–	–	–	1	–	–	–	–	4	4	2	4	4	8	3	2	1	–
	Female	43	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	4	7	10	7	7	3	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	–	1	–	–	–	2	3	2	4	1	1	1	–	–
	Female	17	–	–	–	–	–	–	–	–	1	–	1	1	1	–	3	4	–	4	1	–	1	–
410–413	Ischemic heart disease	12,200	–	–	1	–	2	3	11	26	80	201	427	680	1,025	1,406	1,743	1,764	1,634	1,499	1,018	497	181	2
	White ..... Male	5,446	–	–	–	–	1	–	5	18	40	126	250	414	596	757	846	743	659	526	305	124	36	–
	Female	3,919	–	–	–	–	–	–	1	1	11	13	50	91	160	257	421	533	656	751	570	305	98	1
	All other ..... Male	1,465	–	–	1	–	–	3	3	4	17	38	78	92	155	217	256	226	167	118	59	17	14	–
	Female	1,370	–	–	–	–	1	–	2	3	12	24	49	83	114	175	220	262	152	104	84	51	33	1
410	Acute myocardial infarction	7,184	–	–	–	–	2	3	9	23	64	161	314	487	691	937	1,126	1,031	915	714	442	205	59	1
	White ..... Male	3,715	–	–	–	–	1	–	5	17	38	107	210	314	446	554	625	496	416	274	139	57	16	–
	Female	2,144	–	–	–	–	–	–	1	1	7	13	35	67	112	174	278	328	378	361	241	122	25	1
	All other ..... Male	742	–	–	–	–	–	3	1	3	10	23	43	57	85	115	133	105	71	53	28	6	6	–
	Female	583	–	–	–	–	1	–	2	2	9	18	26	49	48	94	90	102	50	26	34	20	12	–
411	Other acute and subacute forms of ischemic heart disease	91	–	–	1	–	–	–	–	–	–	2	8	12	17	11	11	6	5	8	7	3	–	–
	White ..... Male	42	–	–	–	–	–	–	–	–	–	–	4	6	10	7	6	1	2	2	3	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	1	1	6	4	2	–	–
	All other ..... Male	18	–	–	1	–	–	–	–	–	–	2	1	3	2	3	3	3	–	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	2	3	3	–	–	1	2	–	–	–	–	–
412	Chronic ischemic heart disease	4,923	–	–	–	–	–	–	2	3	16	38	104	181	317	458	606	727	714	776	569	289	122	1
	White ..... Male	1,688	–	–	–	–	–	–	–	1	2	19	35	94	140	196	215	246	241	250	163	66	20	–
	Female	1,754	–	–	–	–	–	–	–	–	4	–	14	24	46	82	141	204	277	383	325	181	73	–
	All other ..... Male	705	–	–	–	–	–	–	2	1	7	13	34	32	68	99	120	118	96	65	31	11	8	–
	Female	776	–	–	–	–	–	–	–	1	3	6	21	31	63	81	130	159	100	78	50	31	21	1
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	99	1	2	–	–	–	1	5	–	1	4	–	5	6	5	15	8	11	16	10	7	2	–
	White ..... Male	31	–	–	–	–	–	–	1	–	1	1	–	2	3	–	7	2	2	5	5	2	–	–
	Female	37	–	–	–	–	–	–	–	–	–	2	–	1	2	1	4	4	5	8	3	5	2	–
	All other ..... Male	17	–	2	–	–	–	–	2	–	–	1	–	2	1	1	2	1	3	1	1	–	–	–
	Female	14	1	–	–	–	–	1	2	–	–	–	–	–	–	3	2	1	1	2	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia – Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,623	19	4	4	4	10	18	10	15	29	32	69	111	141	190	206	212	189	174	99	62	25	–
	White ..... Male	598	3	1	2	1	2	4	3	4	11	12	35	45	70	91	87	74	66	46	24	14	3	–
	Female	451	7	2	–	1	2	5	2	3	3	6	11	16	15	29	46	54	59	85	59	33	13	–
	All other ..... Male	296	5	1	2	–	3	4	2	5	8	8	17	25	31	34	44	42	25	18	7	9	6	–
	Female	278	4	–	–	2	3	5	3	3	7	6	6	25	25	36	29	42	39	25	9	6	3	–
400, 401, 403	Hypertension	173	–	–	–	–	–	1	1	2	4	8	12	13	21	16	24	15	22	10	17	4	3	–
	White ..... Male	36	–	–	–	–	–	–	–	1	–	–	–	3	2	2	9	2	7	4	4	2	–	–
	Female	41	–	–	–	–	–	1	–	–	1	2	2	1	2	1	4	4	5	4	10	2	2	–
	All other ..... Male	46	–	–	–	–	–	–	–	1	2	3	5	3	7	8	7	3	6	–	1	–	–	–
	Female	50	–	–	–	–	–	–	1	–	1	3	5	6	10	5	4	6	4	2	2	–	1	–
430–438	Cerebrovascular diseases	5,136	7	3	1	4	4	11	18	24	43	59	117	178	280	406	591	703	815	846	622	302	100	2
	White ..... Male	1,449	2	1	1	–	3	4	2	2	11	17	32	51	76	113	161	205	272	245	171	64	16	–
	Female	2,023	2	1	–	4	–	1	5	3	13	14	20	38	63	77	153	234	331	447	363	195	58	1
	All other ..... Male	714	1	–	–	–	1	4	2	12	5	13	31	39	74	103	138	104	82	62	23	12	7	1
	Female	950	2	1	–	–	–	2	9	7	14	15	34	50	67	113	139	160	130	92	65	31	19	–
431	Cerebral hemorrhage	892	3	1	–	3	3	9	6	11	14	23	42	52	78	88	134	109	109	106	61	32	8	–
	White ..... Male	234	–	–	–	–	3	4	1	1	3	6	10	16	22	22	30	30	33	27	15	9	2	–
	Female	290	2	1	–	3	–	1	1	1	5	4	6	10	18	19	27	37	45	56	32	17	5	–
	All other ..... Male	179	1	–	–	–	–	3	1	7	3	7	13	15	19	19	45	19	10	9	5	3	–	–
	Female	189	–	–	–	–	–	1	3	2	3	6	13	11	19	28	32	23	21	14	9	3	1	–
433	Cerebral thrombosis	1,180	1	–	–	1	–	1	–	2	1	5	14	25	43	85	118	164	189	232	178	89	31	1
	White ..... Male	358	–	–	–	–	–	–	–	–	–	–	3	9	15	23	35	49	73	74	54	18	5	–
	Female	474	–	–	–	1	–	–	–	1	1	1	4	4	5	11	37	46	74	117	98	59	15	–
	All other ..... Male	143	–	–	–	–	–	–	–	–	–	2	6	5	11	30	21	23	20	13	6	3	2	1
	Female	205	1	–	–	–	–	1	–	1	–	2	1	7	12	21	25	46	22	28	20	9	9	–
434	Cerebral embolism	15	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	2	2	2	1	1	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,049	3	2	1	–	1	1	12	11	28	31	61	101	158	231	337	428	515	506	381	180	60	1
	White ..... Male	850	2	1	1	–	–	–	1	1	8	11	19	26	38	67	95	125	165	143	101	37	9	–
	Female	1,254	–	–	–	–	–	–	4	1	7	9	10	24	40	46	88	151	212	273	232	118	38	1
	All other ..... Male	391	–	–	–	–	1	1	1	5	2	4	12	19	44	54	72	62	52	40	12	6	4	–
	Female	554	1	1	–	–	–	–	6	4	11	7	20	32	36	64	82	90	86	50	36	19	9	–
440	Arteriosclerosis	494	–	–	–	–	–	1	–	–	1	1	1	1	10	21	26	44	76	123	90	69	29	1
	White ..... Male	145	–	–	–	–	–	1	–	–	–	1	–	1	6	6	10	13	19	41	26	16	5	–
	Female	236	–	–	–	–	–	–	–	–	–	–	–	–	1	5	8	11	38	54	56	45	17	1
	All other ..... Male	44	–	–	–	–	–	–	–	–	–	–	–	–	1	7	5	7	11	9	2	1	1	–
	Female	69	–	–	–	–	–	–	–	–	1	–	1	–	2	3	3	13	8	19	6	7	6	–
441–448	Other diseases of arteries, arterioles, and capillaries	487	–	2	–	1	–	1	2	5	4	7	6	18	35	56	55	81	77	64	36	27	9	1
	White ..... Male	253	–	–	–	–	–	1	1	1	–	4	3	10	24	37	34	45	37	33	16	5	2	–
	Female	143	–	–	–	–	–	–	1	1	2	1	–	5	6	10	10	18	24	24	19	17	4	1
	All other ..... Male	38	–	1	–	1	–	–	–	1	2	2	–	1	2	4	3	4	7	6	1	2	1	–
	Female	53	–	1	–	–	–	–	–	2	–	–	3	2	3	5	8	14	9	1	–	3	2	–
466	Acute bronchitis and bronchiolitis	11	1	–	–	–	–	–	–	–	–	–	1	2	2	1	1	–	1	1	1	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,306	122	17	6	4	6	10	18	11	21	27	38	42	44	91	116	147	158	173	147	88	19	1
	White ..... Male	520	22	7	3	2	3	6	4	2	6	9	15	14	21	44	65	56	74	75	57	29	6	–
	Female	412	21	3	1	1	1	1	5	2	1	3	9	10	9	17	21	47	53	77	78	46	6	–
	All other ..... Male	228	52	4	–	–	1	2	3	4	5	10	9	13	11	20	21	24	21	13	6	4	5	–
	Female	146	27	3	2	1	1	1	6	3	9	5	5	5	3	10	9	20	10	8	6	9	2	1
470–474	Influenza	87	4	–	–	–	–	3	–	–	–	1	3	2	2	3	8	12	16	16	8	8	1	–
	White ..... Male	29	–	–	–	–	–	2	–	–	–	–	–	–	1	2	5	3	5	6	3	1	1	–
	Female	35	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	4	9	7	5	5	–	–
	All other ..... Male	13	3	–	–	–	–	1	–	–	–	1	1	–	–	1	1	1	1	2	–	1	–	–
	Female	10	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	4	1	1	–	1	–	–
480–486	Pneumonia	1,219	118	17	6	4	6	7	18	11	21	26	35	40	42	88	108	135	142	157	139	80	18	1
	White ..... Male	491	22	7	3	2	3	4	4	2	6	9	15	14	20	42	60	53	69	69	54	28	5	–
	Female	377	21	3	1	1	1	1	5	2	1	3	8	8	9	17	19	43	44	70	73	41	6	–
	All other ..... Male	215	49	4	–	–	1	1	3	4	5	9	8	13	11	19	20	23	20	11	6	3	5	–
	Female	136	26	3	2	1	1	1	6	3	9	5	4	5	2	10	9	16	9	7	6	8	2	1
490–493	Bronchitis, emphysema, and asthma	511	3	2	–	1	3	–	1	4	2	9	20	21	49	87	89	87	72	41	16	3	1	–
	White ..... Male	346	2	2	–	1	1	–	–	–	–	3	13	10	28	66	65	66	49	29	9	2	–	–
	Female	110	–	–	–	–	–	–	–	–	1	4	3	7	16	15	20	17	12	8	6	1	–	–
	All other ..... Male	41	–	–	–	–	2	–	1	2	–	–	1	4	5	4	4	4	9	4	1	–	–	–
	Female	14	1	–	–	–	–	–	–	2	1	2	3	–	–	2	–	–	2	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia—Con.																							
490, 491	Chronic and unqualified bronchitis	94	3	1	–	–	1	–	–	–	–	3	4	4	12	17	15	13	13	7	1	–	–	–
	White Male	65	2	1	–	–	1	–	–	–	–	–	3	2	9	12	11	12	8	4	–	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	3	1	1	2	4	4	–	3	2	1	–	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	1	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	373	–	1	–	1	–	–	–	–	–	4	12	15	33	63	70	72	55	30	14	3	–	–
	White Male	274	–	1	–	1	–	–	–	–	–	3	9	8	19	50	53	54	40	25	9	2	–	–
	Female	70	–	–	–	–	–	–	–	–	–	1	2	4	11	9	13	15	7	3	4	1	–	–
	All other Male	27	–	–	–	–	–	–	–	–	–	–	1	3	3	3	4	3	7	2	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
493	Asthma	44	–	–	–	–	2	–	1	4	2	2	4	2	4	7	4	2	4	4	1	–	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	–	1	–	–	–	–	–
	Female	19	–	–	–	–	–	–	–	–	1	–	–	2	3	2	3	2	2	3	1	–	–	–
	All other Male	7	–	–	–	–	2	–	1	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	2	1	2	3	–	–	1	–	–	1	–	–	–	1	–
531–533	Peptic ulcer	139	–	–	–	–	–	2	1	2	3	2	11	8	12	17	23	23	14	12	6	3	–	–
	White Male	67	–	–	–	–	–	1	–	–	–	1	10	3	8	11	10	8	9	3	2	1	–	–
	Female	41	–	–	–	–	–	–	–	2	3	1	–	3	2	2	6	7	3	8	3	1	–	–
	All other Male	17	–	–	–	–	–	1	1	–	–	–	1	–	1	3	5	4	–	–	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	4	2	1	–	1	–	–
540–543	Appendicitis	25	1	–	–	–	2	–	1	1	1	–	3	–	3	1	3	3	4	–	2	–	–	–
	White Male	10	1	–	–	–	1	–	1	–	–	–	1	–	1	1	2	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
	All other Male	6	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	1	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	127	9	1	–	–	2	2	3	–	–	1	5	7	4	10	15	18	18	15	12	5	–	–
	White Male	25	1	1	–	–	–	1	2	–	–	–	1	1	1	1	3	3	6	2	2	–	–	–
	Female	53	1	–	–	–	2	–	1	–	–	–	2	1	1	6	3	7	9	9	8	3	–	–
	All other Male	21	3	–	–	–	–	1	–	–	–	–	1	3	1	2	2	1	2	3	1	1	–	–
	Female	28	4	–	–	–	–	–	–	–	–	1	1	2	1	1	7	7	1	1	1	1	–	–
571	Cirrhosis of liver	572	–	1	–	–	1	5	7	14	41	52	67	110	92	78	50	24	14	11	3	2	–	–
	White Male	269	–	1	–	–	1	–	2	4	18	22	33	51	57	33	24	12	7	1	2	1	–	–
	Female	151	–	–	–	–	–	–	–	2	8	12	15	25	20	31	14	9	4	9	1	1	–	–
	All other Male	80	–	–	–	–	–	2	2	5	7	7	7	16	10	13	6	3	1	1	–	–	–	–
	Female	72	–	–	–	–	–	3	3	3	8	11	12	18	5	1	6	–	2	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	67	–	–	–	–	–	–	–	–	–	2	2	1	8	8	6	8	11	7	10	3	1	–
	White Male	23	–	–	–	–	–	–	–	–	–	2	–	1	5	3	5	1	4	2	–	–	–	–
	Female	36	–	–	–	–	–	–	–	–	–	–	1	–	3	4	1	5	5	5	8	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	–	2	–	–	–
580–584	Nephritis and nephrosis	218	–	–	–	–	1	3	4	5	8	4	7	15	28	29	34	25	25	11	13	6	–	–
	White Male	54	–	–	–	–	–	1	3	2	–	–	1	3	8	8	7	7	4	4	5	1	–	–
	Female	41	–	–	–	–	–	–	–	1	1	–	2	1	4	4	4	5	6	4	5	4	–	–
	All other Male	55	–	–	–	–	1	2	1	1	3	–	1	5	7	9	10	5	5	3	2	–	–	–
	Female	68	–	–	–	–	–	–	–	1	4	4	3	6	9	8	13	8	10	–	1	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	46	–	–	–	–	1	2	1	3	2	–	–	3	4	5	10	5	4	4	2	–	–	–
	White Male	12	–	–	–	–	–	1	1	2	–	–	–	2	–	1	2	1	–	1	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	2	2	1	–	–	–
	All other Male	9	–	–	–	–	1	1	–	–	–	–	–	–	–	1	4	1	–	1	–	–	–	–
	Female	14	–	–	–	–	–	–	–	1	2	–	–	1	2	2	2	2	2	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	172	–	–	–	–	–	1	3	2	6	4	7	12	24	24	24	20	21	7	11	6	–	–
	White Male	42	–	–	–	–	–	–	2	–	–	–	1	1	8	7	5	6	4	3	4	1	–	–
	Female	30	–	–	–	–	–	–	–	1	1	–	2	1	2	3	2	4	4	2	4	4	–	–
	All other Male	46	–	–	–	–	–	1	1	1	3	–	1	5	7	8	6	4	5	2	2	–	–	–
	Female	54	–	–	–	–	–	–	–	–	2	4	3	5	7	6	11	6	8	–	1	1	–	–
590	Infections of kidney	131	–	1	–	–	–	–	–	–	1	3	2	1	7	20	15	17	19	24	13	5	3	–
	White Male	27	–	1	–	–	–	–	–	–	–	–	1	–	1	2	2	4	4	5	4	–	3	–
	Female	61	–	–	–	–	–	–	–	–	–	–	1	–	–	12	4	7	10	15	7	5	–	–
	All other Male	20	–	–	–	–	–	–	–	–	1	–	–	1	1	4	4	3	–	4	2	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	3	–	–	5	2	5	3	5	–	–	–	–	–
600	Hyperplasia of prostate	31	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	9	3	6	6	2	1	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	5	2	6	4	–	1	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	4	1	–	2	2	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	18	–	–	–	–	2	6	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	12	–	–	–	–	1	4	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Georgia—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	17	–	–	–	–	2	6	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	11	–	–	–	–	1	4	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	317	212	23	10	9	9	8	4	4	7	5	5	4	2	7	2	1	1	1	–	–	–	3
	White Male	117	73	10	6	4	3	1	2	2	1	2	3	2	1	3	1	1	1	–	–	–	–	1
	Female	101	70	8	–	3	3	2	1	–	4	1	1	1	1	3	1	–	–	1	–	–	–	1
	All other Male	53	37	5	–	–	2	5	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	Female	46	32	–	4	2	1	–	1	1	1	1	–	1	–	1	–	–	–	–	–	–	–	1
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	743	742	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	235	235	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	163	163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	188	188	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	157	156	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	436	435	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	150	150	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	107	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	102	102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	77	76	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	307	307	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	86	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	621	131	8	–	4	5	4	5	5	17	16	29	33	45	45	43	55	56	36	47	25	12	–
	White Male	180	38	2	–	1	1	–	1	2	3	6	10	5	15	15	10	18	21	10	13	7	2	–
	Female	129	22	2	–	–	1	1	2	–	2	2	2	5	8	5	8	12	16	11	15	9	6	–
	All other Male	174	41	3	–	2	2	3	–	1	8	4	8	14	19	13	15	9	11	9	9	3	–	–
	Female	138	30	1	–	1	1	–	2	2	4	4	9	9	3	12	10	16	8	6	10	6	4	–
Residual	All other diseases	2,967	65	20	17	14	35	48	55	76	94	111	155	219	256	309	378	340	304	246	144	65	16	–
	White Male	1,185	16	7	3	4	15	12	14	29	29	33	56	84	107	148	172	156	134	97	51	15	3	–
	Female	863	11	3	8	3	6	6	15	11	14	28	39	62	63	61	97	91	110	109	74	43	9	–
	All other Male	494	19	6	1	–	4	11	13	22	27	26	37	43	56	56	57	48	32	22	9	3	2	–
	Female	425	19	4	5	7	10	19	13	14	24	24	23	30	30	44	52	45	28	18	10	4	2	–
E800–E949	Accidents	2,905	44	121	117	120	336	305	234	162	154	155	151	200	144	129	132	117	92	85	60	38	8	1
	White Male	1,500	9	50	48	70	207	191	137	98	77	70	86	115	71	58	64	45	41	32	22	8	1	–
	Female	583	9	25	20	18	63	36	31	23	23	29	30	32	33	28	24	34	29	36	34	21	4	1
	All other Male	586	13	28	35	26	59	62	58	33	45	42	24	32	28	28	31	22	8	4	1	5	2	–
	Female	236	13	18	14	6	7	16	8	8	9	14	11	21	12	15	13	16	14	13	3	4	1	–
E810–E823	Motor vehicle accidents	1,404	3	52	67	61	219	205	147	93	80	66	73	86	63	60	47	34	26	16	3	2	–	1
	White Male	775	–	21	30	39	139	132	87	54	40	30	41	44	32	25	24	15	14	7	1	–	–	–
	Female	289	1	13	11	9	50	26	22	17	12	16	19	20	15	18	10	15	6	6	1	1	–	1
	All other Male	262	1	10	18	11	27	37	33	16	26	18	9	14	12	11	11	4	1	2	–	1	–	–
	Female	78	1	8	8	2	3	10	5	6	2	2	4	8	4	6	2	–	5	1	1	–	–	–
E800–E807, E825–E949	All other accidents	1,501	41	69	50	59	117	100	87	69	74	89	78	114	81	69	85	83	66	69	57	36	8	–
	White Male	725	9	29	18	31	68	59	50	44	37	40	45	71	39	33	40	30	27	25	21	8	1	–
	Female	294	8	12	9	9	13	10	9	6	11	13	11	12	18	10	14	19	23	30	33	20	4	–
	All other Male	324	12	18	17	15	32	25	25	17	19	24	15	18	16	17	20	18	7	2	1	4	2	–
	Female	158	12	10	6	4	4	6	3	2	7	12	7	13	8	9	11	16	9	12	2	4	1	–
E950–E959	Suicide	788	...	...	–	6	42	92	80	67	67	65	61	81	67	55	39	39	16	7	4	–	–	–
	White Male	514	...	...	–	6	28	62	40	42	34	44	38	54	47	41	34	26	12	5	1	–	–	–
	Female	196	...	...	–	–	11	18	23	14	23	18	20	22	13	13	4	9	3	2	3	–	–	–
	All other Male	57	...	...	–	–	2	5	15	10	8	3	3	1	6	–	1	2	1	–	–	–	–	–
	Female	21	...	...	–	–	1	7	2	1	2	–	–	4	1	1	–	2	–	–	–	–	–	–
E960–E978	Homicide	873	9	13	2	1	51	125	136	111	91	84	69	67	37	37	16	14	5	2	2	1	–	–
	White Male	270	2	1	1	–	11	26	43	28	31	31	24	25	17	17	2	9	1	–	1	–	–	–
	Female	79	1	1	–	–	4	3	11	9	7	7	11	7	6	4	4	2	1	1	–	–	–	–
	All other Male	418	3	6	–	–	28	79	70	57	42	40	30	23	13	13	7	2	2	1	1	1	–	–
	Female	106	3	5	1	1	8	17	12	17	11	6	4	12	1	3	3	1	1	–	–	–	–	–
E980–E999	Other external causes	20	–	2	–	–	2	2	2	1	3	–	1	4	3	–	–	–	–	–	–	–	–	–
	White Male	8	–	–	–	–	1	1	–	–	–	–	1	3	2	–	–	–	–	–	–	–	–	–
	Female	9	–	1	–	–	1	1	1	1	3	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii																							
	All causes	**4,350**	**203**	**26**	**25**	**24**	**45**	**87**	**81**	**70**	**74**	**101**	**194**	**273**	**335**	**370**	**492**	**493**	**477**	**397**	**358**	**176**	**49**	–
	White Male	807	34	7	2	2	11	35	20	18	13	17	34	60	89	89	95	92	78	57	35	16	3	–
	Female	543	23	3	2	2	6	7	11	6	11	11	21	29	39	33	54	60	66	66	61	24	8	–
	All other Male	1,872	89	6	13	14	20	31	33	33	28	35	79	122	139	159	242	229	198	138	173	74	17	–
	Female	1,128	57	10	8	6	8	14	17	13	22	38	60	62	68	89	101	112	135	136	89	62	21	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	7	4	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	13	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	3	1	1	4	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	4	1	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	11	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	3	1	1	3	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	3	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	20	4	–	–	–	–	–	1	–	–	1	–	2	1	1	2	4	3	1	–	–	–	–
	White Male	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	11	1	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	18	5	1	–	–	–	–	–	–	1	3	–	1	–	1	2	1	–	1	1	1	–	–
	White Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	1	1	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	927	–	2	1	4	5	2	10	10	15	24	66	71	97	118	148	121	110	54	50	15	4	–
	White Male	162	–	1	–	–	2	1	1	1	1	2	10	11	28	21	27	24	17	7	8	–	–	–
	Female	116	–	–	–	1	1	–	2	1	2	3	8	11	7	18	15	14	14	10	8	1	–	–
	All other Male	380	–	1	–	1	2	–	4	5	3	11	22	29	40	47	66	50	50	18	23	7	1	–
	Female	269	–	–	1	2	–	1	3	3	9	8	26	20	22	32	40	33	29	19	11	7	3	–
140–149	Of buccal cavity and pharynx	31	–	–	–	–	–	–	–	–	–	1	4	8	4	1	5	4	1	3	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	All other Male	18	–	–	–	–	–	–	–	–	–	1	4	4	1	1	3	2	–	2	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	1	1	–	–	–	–
150–159	Of digestive organs and peritoneum	314	–	–	–	–	–	–	3	3	2	5	10	24	30	46	49	50	46	19	19	7	1	–
	White Male	45	–	–	–	–	–	–	–	1	–	–	–	3	8	7	9	8	6	1	2	–	–	–
	Female	35	–	–	–	–	–	–	–	1	–	–	2	3	3	5	2	5	6	3	4	1	–	–
	All other Male	148	–	–	–	–	–	–	2	–	–	4	4	11	15	22	25	25	24	6	8	2	–	–
	Female	86	–	–	–	–	–	–	1	1	2	1	4	7	4	12	13	12	10	9	5	4	1	–
160–163	Of respiratory system	212	–	–	–	–	–	–	–	1	1	6	24	15	30	23	34	29	27	8	10	2	2	–
	White Male	51	–	–	–	–	–	–	–	–	–	2	7	1	8	4	6	8	8	4	3	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	4	3	2	5	4	1	2	1	1	–	–	–
	All other Male	104	–	–	–	–	–	–	–	1	1	3	8	9	14	14	16	14	13	2	6	2	1	–
	Female	34	–	–	–	–	–	–	–	–	–	1	5	2	6	–	8	6	4	1	–	–	1	–
174	Of breast	62	–	–	–	–	–	–	1	–	3	4	11	5	3	11	9	6	2	3	3	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	–	–	–	–	–	–	1	–	–	1	1	3	1	3	2	1	1	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	45	–	–	–	–	–	–	–	–	3	3	10	2	2	8	7	5	1	1	2	1	–	–
180–187	Of genital organs	70	–	–	–	–	–	1	1	1	3	1	2	4	6	9	10	7	12	6	5	2	–	–
	White Male	16	–	–	–	–	–	1	–	–	–	–	–	–	1	3	4	2	2	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	2	–	–	1	1	2	1	1	1	–	–	–	–	–
	All other Male	17	–	–	–	–	–	–	1	–	–	–	–	–	–	–	4	2	2	2	4	2	–	–
	Female	28	–	–	–	–	–	–	–	1	1	1	2	3	4	4	1	2	7	2	–	–	–	–
188, 189	Of urinary organs	46	–	–	–	–	–	–	–	–	–	2	1	4	2	8	8	8	7	2	2	2	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	5	1	3	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	–	–
	All other Male	19	–	–	–	–	–	–	–	–	–	–	1	2	2	2	4	2	3	2	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	1	4	–	–	2	–	–
170–173, 190–199	Of all other and unspecified sites	113	–	2	1	2	–	1	3	2	3	4	10	5	14	15	19	9	7	9	7	–	–	–
	White Male	24	–	1	–	–	–	–	1	–	–	–	2	4	7	2	5	–	–	–	2	–	–	–
	Female	17	–	–	–	–	–	–	1	–	–	1	–	–	–	3	3	2	2	4	1	–	–	–
	All other Male	41	–	1	–	1	–	–	–	1	1	3	3	–	4	6	8	4	3	2	4	–	–	–
	Female	31	–	–	1	1	–	1	1	1	2	–	5	1	3	4	3	3	2	3	–	–	–	–
204–207	Leukemia	30	–	–	–	1	1	–	2	2	2	–	2	1	2	3	4	2	2	2	2	1	1	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	15	–	–	–	–	1	–	1	2	1	–	1	1	1	1	3	–	1	1	–	1	–	–
	Female	10	–	–	–	–	–	–	1	–	1	–	–	–	–	2	1	1	–	1	2	–	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	49	–	–	–	1	4	–	–	1	1	1	2	5	6	2	10	6	6	2	2	–	–	–
	White Male	10	–	–	–	–	2	–	–	–	1	–	–	1	2	–	2	1	1	–	–	–	–	–
	Female	6	–	–	–	–	1	–	–	–	–	–	1	–	–	–	2	1	1	–	–	–	–	–
	All other Male	18	–	–	–	–	1	–	–	1	–	–	1	2	3	1	3	1	4	1	–	–	–	–
	Female	15	–	–	–	1	–	–	–	–	–	1	–	2	1	1	3	3	–	1	2	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	10	–	–	1	–	–	–	–	–	–	1	–	2	1	2	3	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	5	–	–	1	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
250	Diabetes mellitus	131	–	–	–	–	–	2	–	2	–	1	9	11	11	9	23	21	11	17	9	4	1	–
	White Male	9	–	–	–	–	–	1	–	1	–	–	–	–	–	2	–	2	–	1	1	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	1	2	3	–	3	2	1	3	2	1	–	–
	All other Male	58	–	–	–	–	–	1	–	–	–	–	4	3	6	2	14	10	6	6	5	1	–	–
	Female	46	–	–	–	–	–	–	–	1	–	1	4	6	2	5	6	7	4	7	1	1	1	–
260–269	Avitaminoses and other nutritional deficiencies	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	2	–	3	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii – Con.																							
280–285	Anemias	11	–	1	–	–	–	–	2	1	–	–	–	2	–	–	2	1	1	–	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–
	Female	5	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
320	Meningitis	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	1,884	4	2	1	–	2	3	10	16	20	34	63	119	138	175	209	250	254	225	218	112	29	–
	White ..... Male	340	–	2	–	–	–	–	1	5	3	6	13	26	35	46	42	52	48	30	19	10	2	–
	Female	244	1	–	1	–	–	–	2	–	3	3	4	12	12	9	25	30	35	40	41	19	7	–
	All other ..... Male	816	2	–	–	–	1	2	6	9	11	15	33	57	62	79	100	117	100	72	96	44	10	–
	Female	484	1	–	–	–	1	1	1	2	3	10	13	24	29	41	42	51	71	83	62	39	10	–
390–398, 402, 404, 410–429	Diseases of heart	1,401	2	1	1	–	1	2	6	11	15	24	53	92	113	142	153	180	192	168	136	87	22	–
	White ..... Male	277	–	1	–	–	–	–	1	4	3	6	12	25	32	38	32	43	38	25	11	6	–	–
	Female	167	–	–	1	–	–	–	1	–	3	2	3	9	10	9	20	15	24	28	21	15	6	–
	All other ..... Male	630	1	–	–	–	–	2	4	6	8	13	29	46	50	68	74	87	75	55	68	35	9	–
	Female	327	1	–	–	–	1	–	–	1	1	3	9	12	21	27	27	35	55	60	36	31	7	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	53	–	–	–	–	–	1	3	–	2	5	3	3	4	5	11	6	6	4	–	–	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	2	–	–	2	–	2	–	2	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	2	1	–	–	–	–
	All other ..... Male	22	–	–	–	–	–	1	3	–	1	2	1	1	1	3	3	3	2	1	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	1	1	2	1	1	2	3	2	–	1	–	–	–	–
402	Hypertensive heart disease	12	–	–	–	–	–	–	1	–	–	–	–	–	1	1	4	1	2	1	–	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
404	Hypertensive heart and renal disease	4	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,251	–	–	–	–	–	–	1	9	11	17	46	84	102	123	134	165	177	155	129	79	19	–
	White ..... Male	248	–	–	–	–	–	–	1	4	3	4	12	22	27	35	29	39	33	24	10	5	–	–
	Female	139	–	–	–	–	–	–	–	–	2	1	1	7	9	7	16	13	21	23	21	14	4	–
	All other ..... Male	568	–	–	–	–	–	–	–	4	6	10	26	44	46	59	66	81	71	52	63	32	8	–
	Female	296	–	–	–	–	–	–	–	1	–	2	7	11	20	22	23	32	52	56	35	28	7	–
410	Acute myocardial infarction	582	–	–	–	–	–	–	–	4	2	9	23	51	53	70	76	77	74	67	49	22	5	–
	White ..... Male	117	–	–	–	–	–	–	–	3	–	3	5	14	13	16	18	16	17	8	2	2	–	–
	Female	65	–	–	–	–	–	–	–	–	1	–	1	5	8	4	10	6	6	11	7	4	2	–
	All other ..... Male	267	–	–	–	–	–	–	–	1	1	5	12	24	24	37	36	41	28	24	24	8	2	–
	Female	133	–	–	–	–	–	–	–	–	–	1	5	8	8	13	12	14	23	24	16	8	1	–
411	Other acute and subacute forms of ischemic heart disease	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	1	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	663	–	–	–	–	–	–	1	5	9	8	23	32	48	53	57	88	103	87	79	56	14	–
	White ..... Male	128	–	–	–	–	–	–	1	1	3	1	7	7	14	19	10	23	16	15	8	3	–	–
	Female	72	–	–	–	–	–	–	–	–	1	1	–	2	1	3	6	7	15	12	13	9	2	–
	All other ..... Male	301	–	–	–	–	–	–	–	3	5	5	14	20	22	22	30	40	43	28	39	24	6	–
	Female	162	–	–	–	–	–	–	–	1	–	1	2	3	11	9	11	18	29	32	19	20	6	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	1	1	1	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
420–423, 425–427, 429	All other forms of heart disease	73	2	1	1	–	1	1	1	1	2	2	2	5	5	12	4	6	5	7	6	6	3	–
	White Male	15	–	1	–	–	–	–	–	–	–	–	–	3	2	3	–	3	2	–	1	–	–	–
	Female	16	–	–	1	–	–	–	1	–	1	1	1	1	1	1	1	1	1	2	–	1	2	–
	All other Male	29	1	–	–	–	–	1	–	1	1	1	1	1	2	5	3	2	–	2	4	3	1	–
	Female	13	1	–	–	–	1	–	–	–	–	–	–	–	–	3	–	–	2	3	1	2	–	–
400, 401, 403	Hypertension	14	–	–	–	–	–	–	–	2	–	–	–	1	–	1	1	2	2	1	3	1	–	–
	White Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
	All other Male	5	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–
430–438	Cerebrovascular diseases	396	2	1	–	–	1	–	3	3	4	9	10	21	23	26	47	55	48	51	69	18	5	–
	White Male	45	–	1	–	–	–	–	–	–	–	–	1	1	3	6	5	7	7	4	7	2	1	–
	Female	63	1	–	–	–	–	–	1	–	–	1	1	3	1	–	4	12	8	12	16	2	1	–
	All other Male	155	1	–	–	–	1	–	2	2	3	2	4	7	11	8	26	22	19	13	25	8	1	–
	Female	133	–	–	–	–	–	–	–	1	1	6	4	10	8	12	12	14	14	22	21	6	2	–
431	Cerebral hemorrhage	74	–	–	–	–	1	–	–	–	1	3	3	7	4	6	13	10	10	6	9	1	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	3	2	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	2	–	–	–	–
	All other Male	32	–	–	–	–	1	–	–	–	1	2	2	1	1	2	11	2	4	1	3	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	1	–	4	3	2	2	3	2	1	5	–	–	–
433	Cerebral thrombosis	76	–	–	–	–	–	–	–	–	–	1	–	–	2	1	9	14	13	13	16	5	2	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	5	–	–	–
	All other Male	23	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	6	5	1	3	2	1	–
	Female	32	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	5	3	9	8	3	1	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	246	2	1	–	–	–	–	3	3	3	5	7	14	17	19	25	31	25	32	44	12	3	–
	White Male	25	–	1	–	–	–	–	–	–	–	–	1	–	2	4	3	2	2	1	6	2	1	–
	Female	43	1	–	–	–	–	–	1	–	–	1	–	2	1	–	2	9	4	8	11	2	1	–
	All other Male	100	1	–	–	–	–	–	2	2	2	–	2	6	10	5	11	14	10	11	19	5	–	–
	Female	78	–	–	–	–	–	–	–	1	1	4	4	6	4	10	9	6	9	12	8	3	1	–
440	Arteriosclerosis	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	5	3	1	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	59	–	–	–	–	–	1	1	–	1	1	–	5	2	6	8	13	9	3	5	3	1	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	2	2	1	–	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	2	1	–	–
	All other Male	22	–	–	–	–	–	–	–	–	–	–	–	3	1	3	–	8	4	1	1	1	–	–
	Female	15	–	–	–	–	–	1	1	–	1	1	–	2	–	1	2	2	–	1	2	–	1	–
466	Acute bronchitis and bronchiolitis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	151	6	1	1	2	–	–	1	1	2	1	2	2	4	6	13	16	18	32	21	16	6	–
	White Male	22	2	–	–	–	–	–	–	–	–	–	–	1	1	1	4	2	3	4	–	3	1	–
	Female	13	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	6	1	1	–	–
	All other Male	77	1	–	–	1	–	–	–	1	1	1	1	1	2	4	8	9	10	13	14	7	3	–
	Female	39	2	1	1	1	–	–	1	–	1	–	1	–	1	1	1	3	3	9	6	5	2	–
470–474	Influenza	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
480–486	Pneumonia	146	5	1	1	2	–	–	1	1	2	1	1	2	4	6	13	16	17	30	21	16	6	–
	White Male	21	1	–	–	–	–	–	–	–	–	–	–	1	1	1	4	2	3	4	–	3	1	–
	Female	12	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	1	1	–	–
	All other Male	76	1	–	–	1	–	–	–	1	1	1	1	1	2	4	8	9	10	12	14	7	3	–
	Female	37	2	1	1	1	–	–	1	–	1	–	–	–	1	1	1	3	2	9	6	5	2	–
490–493	Bronchitis, emphysema, and asthma	54	1	–	–	2	–	1	–	–	–	1	4	1	4	1	8	7	9	7	5	1	2	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	1	3	3	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–
	All other Male	25	1	–	–	1	–	1	–	–	–	–	3	1	1	–	3	3	–	4	5	1	1	–
	Female	12	–	–	–	1	–	–	–	–	–	1	1	–	–	–	1	2	5	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
490, 491	Chronic and unqualified bronchitis	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	2	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
492	Emphysema	32	1	–	–	–	–	–	–	–	–	–	2	1	3	1	4	3	5	6	4	1	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	All other Male	17	1	–	–	–	–	–	–	–	–	–	2	1	1	–	1	2	–	4	4	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–
493	Asthma	16	–	–	–	2	–	1	–	–	–	1	2	–	–	–	1	4	2	1	1	–	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	6	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	1	–	–	1	–	1	–
	Female	7	–	–	–	1	–	–	–	–	–	1	1	–	–	–	1	1	2	–	–	–	–	–
531–533	Peptic ulcer	18	1	–	–	–	–	–	–	2	–	–	–	1	2	2	–	2	3	1	2	2	–	–
	White Male	3	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	2	1	–	–
540–543	Appendicitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	12	4	–	–	–	–	–	1	–	–	–	1	–	–	–	–	2	3	–	1	–	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other Male	5	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
571	Cirrhosis of liver	63	–	–	–	–	–	–	–	–	–	3	7	10	11	13	9	6	2	1	1	–	–	–
	White Male	22	–	–	–	–	–	–	–	–	–	1	2	6	4	4	4	1	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	2	1	2	2	–	2	–	–	1	–	–	–
	All other Male	26	–	–	–	–	–	–	–	–	–	2	2	3	5	6	4	2	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	1	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
580–584	Nephritis and nephrosis	21	1	–	1	–	–	–	–	–	–	1	–	–	1	2	1	3	3	2	3	3	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	11	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	3	1	2	1	1	–	–
	Female	6	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	1	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	17	1	–	1	–	–	–	–	–	–	1	–	–	1	2	–	2	3	1	2	3	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	8	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	1	–	–
	Female	5	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	1	–	–
590	Infections of kidney	14	–	–	–	–	–	–	–	–	–	1	2	–	1	1	1	3	2	1	–	2	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	1	–	–	2	–	–
600	Hyperplasia of prostate	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Hawaii—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	50	39	4	1	1	1	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	White Male	6	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	17	13	–	–	1	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	15	10	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	102	102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	101	23	1	3	2	1	7	4	3	8	3	4	5	6	5	6	3	7	6	2	–	2	–
	White Male	23	4	–	–	–	–	4	2	1	2	–	1	1	3	1	1	1	1	1	–	–	–	–
	Female	10	1	–	–	–	–	1	–	–	2	–	1	–	1	1	2	–	1	–	–	–	–	–
	All other Male	39	10	–	2	2	1	1	–	2	1	–	–	3	2	3	3	1	4	2	2	–	–	–
	Female	29	8	1	1	–	–	1	2	–	3	3	2	1	–	–	–	1	1	3	–	–	2	–
Residual	All other diseases	286	4	4	2	1	4	–	6	4	8	9	7	15	29	19	37	27	34	35	31	7	3	–
	White Male	52	2	–	1	–	1	–	1	–	1	3	1	2	6	6	10	1	4	7	5	1	–	–
	Female	49	–	2	1	–	1	–	1	1	–	1	2	1	8	–	6	3	9	7	5	–	1	–
	All other Male	118	2	–	–	–	2	–	2	–	3	2	2	9	9	7	15	13	13	15	18	6	–	–
	Female	67	–	2	–	1	–	–	2	3	4	3	2	3	6	6	6	10	8	6	3	–	2	–
E800–E949	Accidents	253	2	7	12	10	20	42	18	13	12	4	15	16	19	7	15	11	9	8	6	6	1	–
	White Male	69	1	2	1	2	5	23	5	5	3	1	4	4	6	–	1	3	1	1	1	–	–	–
	Female	25	1	1	–	–	3	3	1	2	2	–	1	–	3	1	–	3	2	–	2	–	–	–
	All other Male	119	–	3	8	7	10	12	8	5	6	2	6	11	7	5	14	5	4	–	2	3	1	–
	Female	40	–	1	3	1	2	4	4	1	1	1	4	1	3	1	–	–	2	7	1	3	–	–
E810–E823	Motor vehicle accidents	130	1	1	6	7	18	25	12	10	7	3	3	11	6	2	8	3	5	1	–	1	–	–
	White Male	31	1	–	1	1	5	12	2	4	1	–	–	3	1	–	–	–	–	–	–	–	–	–
	Female	10	–	–	–	–	3	1	–	2	2	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other Male	67	–	1	3	5	9	9	6	3	3	2	2	7	2	1	8	2	3	–	–	1	–	–
	Female	22	–	–	2	1	1	3	4	1	1	1	1	1	3	–	–	–	2	1	–	–	–	–
E800–E807, E825–E949	All other accidents	123	1	6	6	3	2	17	6	3	5	1	12	5	13	5	7	8	4	7	6	5	1	–
	White Male	38	–	2	–	1	–	11	3	1	2	1	4	1	5	–	1	3	1	1	1	–	–	–
	Female	15	1	1	–	–	–	2	1	–	–	–	1	–	3	–	–	2	2	–	2	–	–	–
	All other Male	52	–	2	5	2	1	3	2	2	3	–	4	4	5	4	6	3	1	–	2	2	1	–
	Female	18	–	1	1	–	1	1	–	–	–	–	3	–	–	1	–	–	–	6	1	3	–	–
E950–E959	Suicide	75	...	...	–	–	5	10	12	6	5	4	5	5	5	4	4	6	1	–	1	2	–	–
	White Male	27	...	...	–	–	1	1	6	1	2	1	1	5	1	4	1	3	–	–	–	–	–	–
	Female	6	...	...	–	–	–	–	1	–	2	–	1	–	–	–	1	1	–	–	–	–	–	–
	All other Male	24	...	...	–	–	1	5	4	4	–	–	1	–	3	–	2	1	1	–	–	2	–	–
	Female	18	...	...	–	–	3	4	1	1	1	3	2	–	1	–	–	1	–	–	1	–	–	–
E960–E978	Homicide	61	–	1	1	2	5	11	9	8	1	4	8	5	1	1	2	–	2	–	–	–	–	–
	White Male	14	–	1	–	–	1	2	2	3	1	1	1	2	–	–	–	–	–	–	–	–	–	–
	Female	9	–	–	–	1	1	2	2	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	30	–	–	1	1	1	6	5	5	–	–	5	2	–	1	2	–	1	–	–	–	–	–
	Female	8	–	–	–	–	2	1	–	–	–	1	2	1	–	–	–	–	1	–	–	–	–	–
E980–E999	Other external causes	40	–	1	–	–	2	9	5	3	2	6	1	3	2	1	1	3	–	–	–	1	–	–
	White Male	10	–	–	–	–	1	3	2	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	1	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
	All other Male	14	–	–	–	–	1	3	3	1	2	1	–	–	–	–	–	3	–	–	–	–	–	–
	Female	11	–	1	–	–	–	2	–	1	–	2	–	1	2	–	1	–	–	–	–	1	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho																							
	All causes	6,514	214	49	34	29	106	120	81	77	81	103	180	269	398	543	679	735	827	861	709	311	106	2
	White ..... Male	3,771	116	21	25	17	69	90	58	48	44	64	119	155	244	360	440	474	499	447	309	125	45	2
	Female	2,639	92	23	8	12	32	26	18	22	33	36	59	105	151	180	231	246	324	411	389	181	60	–
	All other ..... Male	68	3	3	1	–	3	3	3	4	3	2	2	7	2	2	5	10	4	–	7	4	–	–
	Female	36	3	2	–	–	2	1	2	3	1	1	–	2	1	1	3	5	–	3	4	1	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	7	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	1	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	Female	5	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	1	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	22	12	1	–	–	1	–	–	–	–	–	–	–	1	1	–	2	1	1	–	–	2	–
	White ..... Male	9	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	1	–
	Female	12	6	1	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	17	1	–	1	–	1	–	–	–	1	2	–	3	1	2	–	2	–	1	2	–	–	–
	White ..... Male	10	1	–	1	–	–	–	–	–	1	1	–	2	–	1	–	1	–	1	1	–	–	–
	Female	6	–	–	–	–	1	–	–	–	–	1	–	–	1	1	–	1	–	–	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,113	2	4	1	–	4	6	5	12	11	25	52	70	107	134	163	161	157	107	69	23	–	–
	White Male	626	1	1	–	–	1	6	3	4	2	16	19	31	55	76	98	106	97	70	26	14	–	–
	Female	479	1	3	1	–	3	–	2	8	9	9	33	39	52	58	64	52	59	36	41	9	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	–	–	–
140–149	Of buccal cavity and pharynx	20	–	–	–	–	–	–	–	–	–	2	–	1	2	3	3	2	3	3	–	1	–	–
	White Male	18	–	–	–	–	–	–	–	–	–	2	–	–	1	3	3	2	3	3	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	293	–	–	–	–	–	–	–	2	1	1	12	17	26	28	42	43	46	40	28	7	–	–
	White Male	165	–	–	–	–	–	–	–	1	–	–	4	7	19	18	31	26	24	23	7	5	–	–
	Female	124	–	–	–	–	–	–	–	1	1	1	8	10	7	10	11	15	22	16	20	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
160–163	Of respiratory system	220	–	–	–	–	–	–	–	–	1	6	12	22	29	33	33	34	36	13	–	1	–	–
	White Male	167	–	–	–	–	–	–	–	–	–	6	8	14	17	27	24	30	30	10	–	1	–	–
	Female	51	–	–	–	–	–	–	–	–	1	–	4	8	12	6	8	4	5	3	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
174	Of breast	105	–	–	–	–	–	–	–	2	3	2	11	6	14	12	20	13	7	8	4	3	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	105	–	–	–	–	–	–	–	2	3	2	11	6	14	12	20	13	7	8	4	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	155	–	–	–	–	–	1	1	–	2	2	5	9	13	15	18	25	27	19	13	5	–	–
	White Male	86	–	–	–	–	–	1	1	–	2	–	–	1	1	3	8	19	22	17	7	4	–	–
	Female	68	–	–	–	–	–	–	–	–	–	2	5	8	12	12	10	5	5	2	6	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
188, 189	Of urinary organs	53	–	1	–	–	–	–	1	–	–	1	–	2	1	7	8	10	7	7	7	1	–	–
	White Male	36	–	–	–	–	–	–	–	–	–	1	–	2	1	7	5	7	3	5	4	1	–	–
	Female	17	–	1	–	–	–	–	1	–	–	–	–	–	–	–	3	3	4	2	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	145	2	2	–	–	3	2	2	6	3	1	5	7	14	20	22	18	11	10	12	5	–	–
	White Male	82	1	–	–	–	–	2	2	3	–	1	1	5	11	10	16	12	5	6	5	2	–	–
	Female	62	1	2	–	–	3	–	–	3	3	–	4	2	3	10	6	6	6	4	6	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
204–207	Leukemia	51	–	1	1	–	1	3	–	1	1	4	3	5	–	5	5	6	11	2	2	–	–	–
	White Male	33	–	1	–	–	1	3	–	–	–	3	3	2	–	4	2	4	7	2	1	–	–	–
	Female	18	–	–	1	–	–	–	–	1	1	1	–	3	–	1	3	2	4	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	71	–	–	–	–	–	–	1	1	–	6	4	1	8	11	12	10	9	5	3	–	–	–
	White Male	39	–	–	–	–	–	–	–	–	–	3	3	–	5	4	9	6	3	4	2	–	–	–
	Female	32	–	–	–	–	–	–	1	1	–	3	1	1	3	7	3	4	6	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	24	1	–	–	–	–	–	1	–	1	–	3	2	2	1	4	2	4	2	1	–	–	–
	White Male	14	1	–	–	–	–	–	1	–	1	–	2	1	1	1	2	–	3	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	2	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	107	–	–	–	–	2	1	–	–	1	2	1	3	4	6	10	20	15	14	19	6	3	–
	White Male	44	–	–	–	–	1	–	–	–	1	–	1	1	2	2	7	7	6	5	10	–	1	–
	Female	59	–	–	–	–	1	1	–	–	–	2	–	2	2	4	3	12	9	9	7	5	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	2	1	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho—Con.																							
280–285	Anemias	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	1	1	2	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	1	2	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	3	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,187	4	1	–	1	2	2	2	4	15	22	59	100	176	250	335	384	481	559	488	220	81	1
	White Male	1,776	2	–	–	–	2	–	–	3	8	15	47	67	115	186	218	252	272	262	210	80	36	1
	Female	1,382	2	1	–	1	–	2	2	1	5	7	11	31	60	64	112	122	207	296	276	138	44	–
	All other Male	20	–	–	–	–	–	–	–	–	1	–	1	2	1	–	3	7	2	–	1	2	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	3	–	1	1	–	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,234	1	1	–	1	–	2	–	3	12	13	49	76	151	212	274	282	315	355	320	121	45	1
	White Male	1,322	–	–	–	–	–	–	–	2	6	10	41	57	104	159	177	196	187	172	149	38	23	1
	Female	890	1	1	–	1	–	2	–	1	4	3	7	17	46	53	93	80	126	182	170	82	21	–
	All other Male	15	–	–	–	–	–	–	–	–	1	–	1	2	1	–	2	4	2	–	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	2	–	1	–	–	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	61	–	–	–	–	–	1	–	1	3	3	1	5	4	9	10	6	5	8	5	–	–	–
	White Male	20	–	–	–	–	–	–	–	–	1	2	–	3	1	3	5	1	1	1	2	–	–	–
	Female	40	–	–	–	–	–	1	–	1	2	1	1	2	3	6	5	4	4	7	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
402	Hypertensive heart disease	22	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	4	1	5	6	1	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	3	1	3	3	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	11	1	2	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	5	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6	1	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,962	–	–	–	–	–	–	–	1	8	10	42	62	130	183	239	256	290	313	275	113	39	1
	White Male	1,191	–	–	–	–	–	–	–	1	4	8	37	50	90	140	161	180	175	158	129	36	21	1
	Female	753	–	–	–	–	–	–	–	–	2	2	4	10	39	43	75	72	113	155	145	76	17	–
	All other Male	13	–	–	–	–	–	–	–	–	1	–	1	2	1	–	1	3	2	–	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	–	–	–	1	–
410	Acute myocardial infarction	1,085	–	–	–	–	–	–	–	1	6	7	31	43	99	133	166	174	152	150	88	24	10	1
	White Male	731	–	–	–	–	–	–	–	1	3	5	28	35	69	100	118	128	92	90	45	10	6	1
	Female	346	–	–	–	–	–	–	–	–	2	2	2	7	30	33	45	44	60	60	43	14	4	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	871	–	–	–	–	–	–	–	–	2	3	11	19	31	50	72	80	136	162	187	89	29	–
	White Male	455	–	–	–	–	–	–	–	–	1	3	9	15	21	40	42	50	82	67	84	26	15	–
	Female	406	–	–	–	–	–	–	–	–	–	–	2	3	9	10	30	28	52	95	102	62	13	–
	All other Male	9	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	2	2	–	1	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	23	–	–	–	–	–	–	–	1	–	–	–	–	2	1	2	2	3	3	7	1	1	–
	White Male	11	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	1	2	2	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	5	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho – Con.																							
420–423, 425–427, 429	All other forms of heart disease	146	1	1	–	1	–	1	–	–	1	–	5	8	15	19	21	12	16	22	16	5	2	–
	White..... Male	85	–	–	–	–	–	–	–	–	1	–	4	4	12	15	9	12	10	7	8	1	2	–
	Female	59	1	1	–	1	–	1	–	–	–	–	1	4	3	4	11	–	6	14	8	4	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
400, 401, 403	Hypertension	13	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	2	2	2	2	–	–
	White..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	1	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	701	3	–	–	–	2	–	1	1	3	9	8	19	17	29	49	78	128	157	118	61	18	–
	White..... Male	318	2	–	–	–	2	–	–	1	2	5	5	7	4	20	33	40	61	68	39	23	6	–
	Female	378	1	–	–	–	–	–	1	–	1	4	3	12	13	9	15	34	67	89	79	38	12	–
	All other..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
431	Cerebral hemorrhage	73	2	–	–	–	–	–	–	1	1	1	1	6	4	1	5	7	19	9	11	4	1	–
	White..... Male	32	2	–	–	–	–	–	–	1	1	1	–	2	–	1	3	4	12	2	2	1	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	1	4	4	–	2	2	7	7	9	3	1	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	120	–	–	–	–	–	–	–	–	–	–	2	–	3	9	13	13	22	33	15	8	2	–
	White..... Male	60	–	–	–	–	–	–	–	–	–	–	2	–	2	5	9	7	9	17	4	5	–	–
	Female	59	–	–	–	–	–	–	–	–	–	–	–	–	1	4	3	6	13	16	11	3	2	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	504	1	–	–	–	2	–	1	–	2	8	5	13	10	19	31	57	85	114	92	49	15	–
	White..... Male	223	–	–	–	–	2	–	–	–	1	4	3	5	2	14	21	28	39	48	33	17	6	–
	Female	278	1	–	–	–	–	–	1	–	1	4	2	8	8	5	10	26	46	66	59	32	9	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
440	Arteriosclerosis	141	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	5	19	27	38	30	15	–
	White..... Male	67	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	1	14	13	14	13	6	–
	Female	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	5	14	23	16	9	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	98	–	–	–	–	–	–	1	–	–	–	2	4	7	5	8	17	17	18	10	6	3	–
	White..... Male	64	–	–	–	–	–	–	–	–	–	–	1	3	6	3	6	14	9	9	7	5	1	–
	Female	34	–	–	–	–	–	–	1	–	–	–	1	1	1	2	2	3	8	9	3	1	2	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	White..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	212	6	–	–	–	–	–	1	–	3	1	2	2	6	12	14	25	30	51	38	16	5	–
	White..... Male	110	1	–	–	–	–	–	1	–	2	1	1	1	2	6	6	12	21	31	12	9	4	–
	Female	98	4	–	–	–	–	–	–	–	1	–	1	–	4	6	8	13	9	20	24	7	1	–
	All other..... Male	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	15	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	5	6	1	–	–	–
	White..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	197	6	–	–	–	–	–	1	–	3	1	2	2	6	10	14	24	25	45	37	16	5	–
	White..... Male	104	1	–	–	–	–	–	1	–	2	1	1	1	2	5	6	12	17	30	12	9	4	–
	Female	89	4	–	–	–	–	–	–	–	1	–	1	–	4	5	8	12	8	15	23	7	1	–
	All other..... Male	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	129	–	1	–	–	–	–	–	–	1	–	2	9	4	15	26	26	24	13	7	1	–	–
	White..... Male	99	–	–	–	–	–	–	–	–	1	–	1	5	3	11	21	20	19	11	6	1	–	–
	Female	29	–	1	–	–	–	–	–	–	–	–	1	4	1	4	5	5	5	2	1	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho – Con.																							
490, 491	Chronic and unqualified bronchitis	22	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	9	6	2	1	–	–	–
	White Male	17	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	6	4	2	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	99	–	–	–	–	–	–	–	–	–	–	2	8	3	13	24	15	16	11	6	1	–	–
	White Male	78	–	–	–	–	–	–	–	–	–	–	1	4	2	9	19	14	14	9	5	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	1	4	1	4	5	–	2	2	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	8	–	1	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–
	Female	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	18	1	–	–	–	–	1	–	–	–	–	–	–	2	2	2	1	4	1	4	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	3	1	2	–	–	–
	Female	7	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	1	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	28	1	1	–	–	–	–	–	–	–	–	–	3	2	2	2	2	2	6	5	1	1	–
	White Male	13	–	1	–	–	–	–	–	–	–	–	–	1	1	1	1	2	1	2	2	–	1	–
	Female	15	1	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	4	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	72	–	–	–	–	–	–	2	2	1	4	9	11	10	13	11	4	–	3	2	–	–	–
	White Male	39	–	–	–	–	–	–	–	–	–	1	6	5	6	6	7	4	–	2	2	–	–	–
	Female	24	–	–	–	–	–	–	–	–	1	1	3	4	4	7	3	–	–	1	–	–	–	–
	All other Male	4	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	15	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	4	1	4	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	–	2	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	21	–	–	–	–	–	–	–	–	1	2	–	1	–	4	1	3	5	2	2	–	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	2	–	1	–	3	–	–	2	2	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	3	3	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	19	–	–	–	–	–	–	–	–	1	1	–	1	–	4	1	2	5	2	2	–	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	–	2	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	3	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	2	–	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	9	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	1	2	2	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	1	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Idaho—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	55	35	6	2	1	2	–	1	1	2	–	–	1	1	1	–	–	–	1	–	–	–	1
	White Male	33	23	1	2	1	1	–	–	1	1	–	–	–	–	1	–	–	–	1	–	–	–	1
	Female	20	11	4	–	–	1	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	106	105	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	54	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	50	49	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	42	41	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	29	28	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	143	25	2	–	–	1	1	2	–	4	–	4	3	8	9	15	14	16	16	8	10	5	–
	White Male	89	14	1	–	–	–	1	1	–	2	–	3	2	6	9	14	11	12	8	2	3	–	–
	Female	51	10	1	–	–	1	–	1	–	2	–	1	1	2	–	1	3	4	8	5	6	5	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Residual	All other diseases	446	11	5	4	1	6	5	9	6	6	7	12	25	26	45	55	61	60	49	36	11	6	–
	White Male	272	7	3	3	1	2	1	6	1	2	3	8	16	18	26	35	42	40	33	18	6	1	–
	Female	163	4	1	1	–	4	3	2	3	4	4	4	8	7	19	19	19	20	15	16	5	5	–
	All other Male	7	–	–	–	–	–	1	–	2	–	–	–	1	–	–	1	–	–	–	2	–	–	–
	Female	4	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
E800–E949	Accidents	558	5	25	26	24	75	74	40	38	16	27	21	24	24	27	23	15	20	22	19	12	1	–
	White Male	390	4	14	19	13	54	58	29	29	12	21	21	16	16	17	14	8	17	10	12	5	1	–
	Female	147	1	8	6	11	18	14	9	7	2	6	–	7	7	8	9	7	2	12	7	6	–	–
	All other Male	16	–	2	1	–	2	1	2	1	2	–	–	1	1	1	–	–	1	–	–	1	–	–
	Female	5	–	1	–	–	1	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	286	1	12	15	9	49	54	24	24	8	16	11	13	7	15	10	8	4	4	2	–	–	–
	White Male	191	1	5	10	4	33	40	16	17	6	11	11	9	3	9	4	5	4	2	1	–	–	–
	Female	81	–	4	4	5	14	12	6	5	1	5	–	4	4	5	6	3	–	2	1	–	–	–
	All other Male	10	–	2	1	–	1	1	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	4	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	272	4	13	11	15	26	20	16	14	8	11	10	11	17	12	13	7	16	18	17	12	1	–
	White Male	199	3	9	9	9	21	18	13	12	6	10	10	7	13	8	10	3	13	8	11	5	1	–
	Female	66	1	4	2	6	4	2	3	2	1	1	–	3	3	3	3	4	2	10	6	6	–	–
	All other Male	6	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–	1	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E950–E959	Suicide	132	...	...	–	1	10	19	11	8	11	8	10	9	14	6	12	7	4	1	1	–	–	–
	White Male	97	...	...	–	1	6	18	10	4	7	2	7	5	10	4	12	6	4	–	1	–	–	–
	Female	29	...	...	–	–	2	–	1	3	4	5	3	3	4	2	–	1	–	1	–	–	–	–
	All other Male	4	...	...	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	...	...	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	40	–	–	–	–	2	5	6	6	6	1	3	1	3	3	2	1	–	1	–	–	–	–
	White Male	31	–	–	–	–	2	3	6	6	3	1	2	1	2	2	2	–	–	1	–	–	–	–
	Female	8	–	–	–	–	–	2	–	–	3	–	–	–	1	1	–	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	11	1	1	–	–	–	3	1	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–
	White Male	6	–	–	–	–	–	3	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	5	1	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois																							
	All causes	**103,552**	**3,118**	**482**	**318**	**414**	**1,169**	**1,502**	**1,321**	**1,137**	**1,367**	**2,032**	**3,362**	**5,359**	**7,088**	**9,195**	**10,949**	**12,376**	**13,382**	**13,470**	**9,753**	**4,469**	**1,283**	**6**
	White ..... Male	49,115	1,124	173	135	201	676	803	637	453	566	884	1,632	2,830	3,905	5,200	5,972	6,367	6,322	5,681	3,723	1,480	347	4
	Female	40,749	829	139	102	120	254	252	208	269	364	549	898	1,514	2,074	2,761	3,615	4,646	5,944	7,030	5,574	2,761	844	2
	All other ..... Male	8,026	648	83	56	65	163	344	359	294	273	397	532	654	670	714	790	754	565	363	189	78	35	–
	Female	5,662	517	87	25	28	76	103	117	121	164	202	300	361	439	520	572	609	551	396	267	150	57	–
004, 006	Bacillary dysentery and amebiasis	9	1	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–	2	–	–	–	–	–
	White ..... Male	5	1	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	83	35	2	2	–	2	2	–	1	1	1	3	1	2	1	5	1	7	12	1	4	–	–
	White ..... Male	20	5	1	–	–	–	1	–	–	1	–	1	–	1	1	1	1	2	5	–	–	–	–
	Female	37	9	1	2	–	2	1	–	1	–	1	2	1	–	–	2	–	5	6	1	3	–	–
	All other ..... Male	14	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Female	12	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
010–019	Tuberculosis, all forms	165	–	1	1	–	–	–	2	5	5	12	10	19	23	12	17	12	23	15	5	2	1	–
	White ..... Male	84	–	–	–	–	–	–	–	1	1	7	4	7	14	9	10	6	14	7	1	2	1	–
	Female	28	–	1	–	–	–	–	1	1	1	2	1	1	1	2	5	–	4	4	4	–	–	–
	All other ..... Male	37	–	–	–	–	–	–	–	3	2	3	4	7	5	–	2	6	2	3	–	–	–	–
	Female	16	–	–	1	–	–	–	1	–	1	–	1	4	3	1	–	–	3	1	–	–	–	–
010–012	Tuberculosis of respiratory system	120	–	1	–	–	–	–	1	2	2	9	9	13	19	8	11	12	17	10	3	2	1	–
	White ..... Male	64	–	–	–	–	–	–	–	–	1	5	4	6	13	7	6	6	8	5	–	2	1	–
	Female	18	–	1	–	–	–	–	1	–	–	1	1	1	–	1	3	–	4	2	3	–	–	–
	All other ..... Male	32	–	–	–	–	–	–	–	2	1	3	4	5	5	–	2	6	2	2	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	3	1	–	–	–	–
013–019	Tuberculosis, other forms	45	–	–	1	–	–	–	1	3	3	3	1	6	4	4	6	–	6	5	2	–	–	–
	White ..... Male	20	–	–	–	–	–	–	–	1	–	2	–	1	1	2	4	–	6	2	1	–	–	–
	Female	10	–	–	–	–	–	–	–	1	1	1	–	–	1	1	2	–	–	2	1	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	1	–	–	–	–
	Female	10	–	–	1	–	–	–	1	–	1	–	1	3	2	1	–	–	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	14	4	7	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	9	2	4	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	226	49	3	1	2	2	1	1	9	2	3	3	12	11	16	19	22	23	23	18	6	–	–
	White ..... Male	85	19	–	1	1	–	1	–	1	–	–	1	5	4	6	6	9	9	12	8	2	–	–
	Female	89	13	1	–	1	1	–	1	3	1	–	1	5	4	8	10	10	10	9	9	2	–	–
	All other ..... Male	24	10	1	–	–	1	–	–	4	1	–	–	1	1	–	–	1	3	1	–	–	–	–
	Female	28	7	1	–	–	–	–	–	1	–	3	1	1	2	2	3	2	1	1	1	2	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	11	–	1	–	–	1	–	–	–	–	–	1	2	–	–	4	1	1	–	–	–	–	–
	White ..... Male	9	–	1	–	–	1	–	–	–	–	–	1	2	–	–	3	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	204	10	9	4	5	4	6	5	4	8	5	9	14	22	15	26	19	15	12	7	5	–	–
	White ..... Male	95	6	6	1	3	3	1	3	2	3	1	1	6	12	9	11	7	8	7	4	1	–	–
	Female	77	2	3	3	–	1	2	1	–	3	2	3	7	8	3	12	10	6	4	3	4	–	–
	All other ..... Male	14	1	–	–	2	–	1	1	1	–	–	2	1	–	1	1	2	–	1	–	–	–	–
	Female	18	1	–	–	–	–	2	–	1	2	2	3	–	2	2	2	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	19,871	6	33	50	59	66	74	95	147	231	417	907	1,648	2,097	2,675	2,830	2,853	2,429	1,906	982	300	66	–
	White.....Male	9,291	2	15	22	25	33	35	48	50	63	120	338	721	1,000	1,306	1,440	1,432	1,173	894	433	119	22	–
	Female	8,267	2	12	23	20	24	24	37	68	120	199	383	672	830	1,031	1,063	1,127	1,039	892	503	162	36	–
	All other.....Male	1,369	2	3	4	10	7	9	3	12	20	53	106	158	151	202	226	172	126	70	23	8	4	–
	Female	944	–	3	1	4	2	6	7	17	28	45	80	97	116	136	101	122	91	50	23	11	4	–
140–149	Of buccal cavity and pharynx	400	–	–	–	–	–	2	1	–	4	7	25	54	49	76	62	50	24	30	13	2	1	–
	White.....Male	252	–	–	–	–	–	2	1	–	–	3	12	29	36	54	39	40	11	19	5	1	–	–
	Female	88	–	–	–	–	–	–	–	–	1	3	2	10	6	12	18	7	9	11	7	1	1	–
	All other.....Male	47	–	–	–	–	–	–	–	–	3	1	7	12	6	6	5	3	3	–	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	4	3	1	4	–	–	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	5,641	1	–	1	–	2	5	10	21	34	80	162	354	514	727	798	933	811	683	379	106	20	–
	White.....Male	2,558	–	–	1	–	1	3	6	8	14	26	73	180	259	353	368	430	360	283	151	35	7	–
	Female	2,371	–	–	–	–	1	–	2	9	13	22	44	120	178	257	312	398	368	357	213	65	12	–
	All other.....Male	447	1	–	–	–	–	1	1	1	5	21	31	38	48	77	82	66	42	24	6	3	–	–
	Female	265	–	–	–	–	–	1	1	3	2	11	14	16	29	40	36	39	41	19	9	3	1	–
160–163	Of respiratory system	4,696	–	–	–	–	1	1	6	10	32	107	266	513	649	789	792	675	457	259	105	28	6	–
	White.....Male	3,178	–	–	–	–	1	–	6	5	15	47	142	306	430	535	564	502	350	193	65	15	2	–
	Female	950	–	–	–	–	–	1	–	2	12	33	62	113	142	164	145	112	72	48	33	8	3	–
	All other.....Male	459	–	–	–	–	–	–	–	1	3	20	48	80	61	75	72	48	30	14	4	2	1	–
	Female	109	–	–	–	–	–	–	–	2	2	7	14	14	16	15	11	13	5	4	3	3	–	–
174	Of breast	1,899	–	–	–	–	–	–	6	25	51	71	153	221	234	268	203	220	208	136	77	22	4	–
	White.....Male	9	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	2	1	–	–	–	–
	Female	1,713	–	–	–	–	–	–	5	21	43	60	132	197	199	242	193	200	195	128	75	20	3	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	176	–	–	–	–	–	–	1	4	8	11	20	23	33	25	10	18	11	7	2	2	1	–
180–187	Of genital organs	2,320	–	–	–	2	9	17	16	15	31	53	96	150	184	270	307	329	311	304	157	58	11	–
	White.....Male	891	–	–	–	–	4	9	7	3	4	3	8	10	28	82	110	141	172	176	99	31	4	–
	Female	1,112	–	–	–	2	3	4	6	11	16	36	73	114	140	144	147	141	106	97	45	24	3	–
	All other.....Male	148	–	–	–	–	1	1	–	–	–	1	1	3	3	19	27	33	25	22	8	2	2	–
	Female	169	–	–	–	–	1	3	3	1	11	13	14	23	13	25	23	14	8	9	5	1	2	–
188, 189	Of urinary organs	896	–	1	–	1	–	1	–	4	8	7	19	45	85	97	125	146	147	126	53	23	8	–
	White.....Male	526	–	1	–	–	–	–	–	1	4	3	10	33	53	61	80	88	79	65	30	14	4	–
	Female	287	–	–	–	–	–	1	–	–	3	2	8	8	20	30	31	45	53	54	21	7	4	–
	All other.....Male	47	–	–	–	1	–	–	–	1	–	2	–	4	8	3	10	6	7	3	1	1	–	–
	Female	36	–	–	–	–	–	–	–	2	1	–	1	–	4	3	4	7	8	4	1	1	–	–
170–173, 190–199	Of all other and unspecified sites	2,167	5	14	24	24	23	19	30	34	41	43	107	182	227	258	305	263	246	183	95	33	11	–
	White.....Male	977	2	4	11	10	10	9	18	14	14	16	51	98	107	127	147	121	104	69	31	11	3	–
	Female	946	2	7	10	8	10	8	11	11	18	20	36	58	86	102	123	114	123	109	62	21	7	–
	All other.....Male	135	1	2	3	3	3	2	1	6	5	5	12	15	17	14	22	10	10	2	1	–	1	–
	Female	109	–	1	–	3	–	–	–	3	4	2	8	11	17	15	13	18	9	3	1	1	–	–
204–207	Leukemia	800	–	14	23	21	17	16	12	18	17	24	30	26	57	79	86	98	101	95	51	12	3	–
	White.....Male	411	–	8	9	10	10	7	5	10	7	10	12	16	35	40	56	53	45	41	29	6	2	–
	Female	327	–	4	13	7	4	5	5	5	8	13	12	9	20	33	26	39	46	50	21	6	1	–
	All other.....Male	35	–	–	–	3	2	2	1	2	2	1	4	1	1	4	3	2	6	1	–	–	–	–
	Female	27	–	2	1	1	1	2	1	1	–	–	2	–	1	2	1	4	4	3	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,052	–	4	2	11	14	13	14	20	13	25	49	103	98	111	152	139	124	90	52	16	2	–
	White.....Male	489	–	2	1	5	7	5	5	9	5	12	30	48	50	53	76	55	50	47	23	6	–	–
	Female	473	–	1	–	3	6	5	8	9	6	10	14	43	39	47	68	71	67	38	26	10	2	–
	All other.....Male	50	–	1	1	3	1	3	–	1	2	2	2	5	7	4	5	4	3	4	2	–	–	–
	Female	40	–	–	–	–	–	–	1	1	–	1	3	7	2	7	3	9	4	1	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	253	4	–	6	3	3	5	5	8	7	8	15	19	25	28	26	30	20	25	8	8	–	–
	White.....Male	105	3	–	3	2	2	2	3	3	3	1	4	7	12	13	11	16	6	7	1	6	–	–
	Female	110	1	–	1	–	1	2	2	2	4	3	4	8	8	14	10	13	13	16	6	2	–	–
	All other.....Male	13	–	–	2	1	–	–	–	–	–	–	3	1	2	–	2	–	1	1	–	–	–	–
	Female	25	–	–	–	–	–	1	–	3	–	4	4	3	3	1	3	1	–	1	1	–	–	–
250	Diabetes mellitus	1,772	–	–	1	3	1	5	14	12	22	25	53	73	121	157	248	283	300	258	145	44	7	–
	White.....Male	640	–	–	1	–	–	2	5	3	13	7	16	41	50	66	92	97	106	79	46	15	1	–
	Female	891	–	–	–	3	1	1	6	6	7	10	18	18	47	69	110	147	166	160	91	25	6	–
	All other.....Male	111	–	–	–	–	–	1	–	3	2	5	11	7	12	9	18	21	12	6	3	1	–	–
	Female	130	–	–	–	–	–	1	3	–	–	3	8	7	12	13	28	18	16	13	5	3	–	–
260–269	Avitaminoses and other nutritional deficiencies	111	8	4	–	1	–	1	–	–	1	3	2	7	4	6	6	10	10	14	21	10	3	–
	White.....Male	34	1	–	–	–	–	–	–	–	–	1	–	1	1	2	2	5	3	5	10	3	–	–
	Female	56	2	1	–	–	–	–	–	–	1	1	2	4	2	2	3	3	5	9	11	7	3	–
	All other.....Male	13	3	1	–	–	–	–	–	–	–	1	–	2	1	2	1	1	1	–	–	–	–	–
	Female	8	2	2	–	1	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois – Con.																							
280–285	Anemias	166	–	4	4	–	9	6	4	4	4	–	3	5	6	9	14	21	24	26	16	5	2	–
	White Male	51	–	–	–	–	–	–	1	–	–	–	1	1	2	3	8	8	13	8	4	2	–	–
	Female	81	–	–	3	–	–	2	1	1	1	–	2	1	1	6	6	13	11	17	11	3	2	–
	All other Male	17	–	2	1	–	4	2	1	1	3	–	–	2	1	–	–	–	–	–	–	–	–	–
	Female	17	–	2	–	–	5	2	1	2	–	–	–	1	2	–	–	–	–	1	1	–	–	–
320	Meningitis	77	31	10	1	–	4	1	1	2	2	2	2	5	5	1	4	2	2	1	1	–	–	–
	White Male	27	10	3	1	–	4	–	–	1	1	1	–	1	1	1	–	1	2	–	–	–	–	–
	Female	23	6	6	–	–	–	–	–	–	–	1	–	2	3	–	4	–	–	1	–	–	–	–
	All other Male	14	7	–	–	–	–	1	1	–	1	–	1	2	–	–	–	–	–	–	1	–	–	–
	Female	13	8	1	–	–	–	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	56,125	50	17	15	23	54	77	104	152	350	704	1,295	2,280	3,384	4,643	5,951	7,235	8,620	9,330	7,243	3,540	1,055	3
	White Male	26,537	17	6	6	11	21	29	41	44	144	359	746	1,374	2,064	2,836	3,338	3,751	3,970	3,743	2,634	1,121	280	2
	Female	23,758	18	7	4	7	15	22	21	33	67	136	225	460	772	1,155	1,856	2,694	3,947	5,091	4,277	2,242	708	1
	All other Male	3,090	9	3	3	3	13	16	27	49	87	134	207	282	325	369	398	413	326	209	130	61	26	–
	Female	2,740	6	1	2	2	5	10	15	26	52	75	117	164	223	283	359	377	377	287	202	116	41	–
390–398, 402, 404, 410–429	Diseases of heart	43,148	39	10	7	12	35	51	77	110	280	580	1,097	1,943	2,834	3,866	4,808	5,644	6,414	6,821	5,201	2,546	771	2
	White Male	21,204	15	5	4	5	12	20	31	35	123	327	681	1,227	1,822	2,450	2,761	2,965	2,991	2,784	1,923	812	210	1
	Female	17,383	14	2	–	5	9	11	15	13	45	82	161	360	570	887	1,456	2,074	2,878	3,665	3,029	1,596	510	1
	All other Male	2,491	5	2	2	2	9	12	23	43	74	112	172	229	275	304	319	327	250	166	100	48	17	–
	Female	2,070	5	1	1	–	5	8	8	19	38	59	83	127	167	225	272	278	295	206	149	90	34	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	618	–	–	1	2	4	4	5	5	18	18	37	55	67	74	106	76	68	50	16	10	2	–
	White Male	234	–	–	–	–	2	1	3	1	5	4	17	18	32	30	43	29	24	16	7	2	–	–
	Female	325	–	–	–	1	–	2	1	2	7	11	12	30	32	41	55	42	40	31	9	7	2	–
	All other Male	28	–	–	1	1	–	–	1	–	3	1	4	2	–	2	5	4	2	2	–	–	–	–
	Female	31	–	–	–	–	2	1	–	2	3	2	4	5	3	1	3	1	2	1	–	1	–	–
402	Hypertensive heart disease	524	–	–	–	–	–	2	3	3	3	15	22	29	41	44	69	64	84	62	54	27	2	–
	White Male	158	–	–	–	–	–	1	–	–	1	1	8	12	14	15	26	18	29	15	10	7	1	–
	Female	216	–	–	–	–	–	–	1	–	–	1	2	5	8	7	24	30	39	42	37	19	1	–
	All other Male	74	–	–	–	–	–	1	1	2	2	5	9	8	9	11	9	4	8	3	2	–	–	–
	Female	76	–	–	–	–	–	–	1	1	–	8	3	4	10	11	10	12	8	2	5	1	–	–
404	Hypertensive heart and renal disease	242	–	–	–	–	–	–	–	–	3	–	2	5	7	11	18	30	41	48	43	26	8	–
	White Male	92	–	–	–	–	–	–	–	–	–	–	–	1	3	2	6	13	16	18	21	10	2	–
	Female	114	–	–	–	–	–	–	–	–	–	–	1	2	–	4	5	15	18	27	20	16	6	–
	All other Male	20	–	–	–	–	–	–	–	–	2	–	1	–	3	–	4	2	4	3	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	1	–	–	2	1	5	3	–	3	–	1	–	–	–
410–413	Ischemic heart disease	38,752	–	1	–	–	1	2	24	58	199	468	915	1,664	2,426	3,405	4,292	5,140	5,885	6,331	4,867	2,358	715	1
	White Male	19,489	–	1	–	–	–	1	11	23	102	294	607	1,110	1,645	2,245	2,548	2,766	2,790	2,611	1,797	745	192	1
	Female	15,809	–	–	–	–	–	1	4	7	26	58	123	288	475	759	1,303	1,886	2,653	3,404	2,852	1,494	476	–
	All other Male	1,866	–	–	–	–	1	–	6	20	47	83	127	180	200	236	227	264	195	135	85	45	15	–
	Female	1,588	–	–	–	–	–	–	3	8	24	33	58	86	106	165	214	224	247	181	133	74	32	–
410	Acute myocardial infarction	20,016	–	1	–	–	1	2	14	36	132	325	647	1,222	1,751	2,305	2,710	2,903	2,891	2,579	1,676	650	171	–
	White Male	11,486	–	1	–	–	–	1	6	17	68	216	450	856	1,228	1,606	1,673	1,692	1,522	1,174	679	241	56	–
	Female	7,026	–	–	–	–	–	1	4	5	18	37	87	216	344	502	812	1,024	1,241	1,320	939	370	106	–
	All other Male	875	–	–	–	–	1	–	3	13	25	51	74	107	116	127	119	98	60	36	25	19	1	–
	Female	629	–	–	–	–	–	–	1	1	21	21	36	43	63	70	106	89	68	49	33	20	8	–
411	Other acute and subacute forms of ischemic heart disease	119	–	–	–	–	–	–	1	–	2	2	4	7	7	2	13	19	20	23	12	5	2	–
	White Male	61	–	–	–	–	–	–	–	–	1	2	4	4	3	1	8	14	7	12	1	3	1	–
	Female	44	–	–	–	–	–	–	–	–	1	–	–	2	4	–	4	3	9	9	10	2	–	–
	All other Male	6	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	1	–	1	–
412	Chronic ischemic heart disease	18,609	–	–	–	–	–	–	9	22	65	141	264	434	668	1,097	1,568	2,215	2,974	3,727	3,179	1,703	542	1
	White Male	7,940	–	–	–	–	–	–	5	6	33	76	153	249	414	638	866	1,060	1,261	1,425	1,117	501	135	1
	Female	8,733	–	–	–	–	–	–	–	2	7	21	36	70	127	256	487	856	1,403	2,073	1,903	1,122	370	–
	All other Male	985	–	–	–	–	–	–	2	7	22	32	53	73	84	108	108	164	133	99	60	26	14	–
	Female	951	–	–	–	–	–	–	2	7	3	12	22	42	43	95	107	135	177	130	99	54	23	–
413	Angina pectoris	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	2	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	232	1	1	–	2	4	–	3	2	1	6	3	9	15	19	20	24	33	34	27	14	14	–
	White Male	104	–	1	–	1	1	–	2	1	–	5	3	2	6	9	8	14	18	12	9	6	6	–
	Female	108	1	–	–	–	1	–	–	–	–	1	–	5	7	9	10	9	15	20	17	6	7	–
	All other Male	12	–	–	–	1	1	–	1	1	1	–	–	1	1	–	1	1	–	2	–	1	–	–
	Female	8	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	–	–	–	1	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois—Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,780	38	8	6	8	26	43	42	42	56	73	118	181	278	313	303	310	303	296	194	111	30	1
	White..... Male	1,127	15	3	4	4	9	17	15	10	15	23	46	84	122	149	130	125	114	112	79	42	9	–
	Female	811	13	2	–	4	8	8	9	4	12	11	23	30	48	67	59	92	113	141	94	54	18	1
	All other..... Male	491	5	2	1	–	7	11	14	20	19	23	31	38	62	55	73	52	41	21	12	2	2	–
	Female	351	5	1	1	–	2	7	4	8	10	16	18	29	46	42	41	41	35	22	9	13	1	–
400, 401, 403	Hypertension	515	–	–	–	1	–	3	2	3	3	6	13	17	26	32	36	58	77	103	78	43	14	–
	White..... Male	199	–	–	–	1	–	1	–	–	1	1	6	4	10	13	14	26	25	40	33	20	4	–
	Female	233	–	–	–	–	–	2	–	1	1	1	1	5	7	9	16	24	45	54	41	17	9	–
	All other..... Male	48	–	–	–	–	–	–	1	1	1	4	6	5	6	6	1	4	4	5	1	3	–	–
	Female	35	–	–	–	–	–	–	1	1	–	–	–	3	3	4	5	4	3	4	3	3	1	–
430–438	Cerebrovascular diseases	9,854	9	7	8	10	16	13	19	32	53	94	165	269	435	594	893	1,248	1,694	1,925	1,506	686	177	1
	White..... Male	3,864	1	1	2	5	7	4	8	7	16	23	53	112	174	283	422	585	703	714	504	199	40	1
	Female	4,965	3	5	4	2	6	5	4	16	15	41	54	83	172	215	331	508	861	1,112	942	459	127	–
	All other..... Male	470	4	1	1	1	3	3	2	4	10	16	28	43	41	49	68	72	58	32	19	8	7	–
	Female	555	1	–	1	2	–	1	5	5	12	14	30	31	48	47	72	83	72	67	41	20	3	–
431	Cerebral hemorrhage	1,783	5	–	–	2	6	8	7	12	20	31	59	81	124	157	210	241	276	275	185	69	15	–
	White..... Male	686	1	–	–	1	4	3	3	3	4	5	23	26	44	79	96	118	94	94	63	22	3	–
	Female	870	2	–	–	–	2	2	1	4	4	9	15	30	55	53	83	102	167	172	112	45	12	–
	All other..... Male	106	2	–	–	–	–	2	–	3	5	11	9	16	10	11	17	10	5	–	4	1	–	–
	Female	121	–	–	–	1	–	1	3	2	7	6	12	9	15	14	14	11	10	9	6	1	–	–
433	Cerebral thrombosis	2,933	–	–	–	–	1	–	–	1	–	5	7	38	88	129	243	367	544	664	524	258	64	–
	White..... Male	1,140	–	–	–	–	1	–	–	1	–	–	2	20	33	60	120	171	227	257	172	63	13	–
	Female	1,533	–	–	–	–	–	–	–	–	–	3	2	5	31	43	83	157	269	377	329	185	49	–
	All other..... Male	122	–	–	–	–	–	–	–	–	–	1	1	8	10	11	23	20	26	9	9	3	1	–
	Female	138	–	–	–	–	–	–	–	–	–	1	2	5	14	15	17	19	22	21	14	7	1	–
434	Cerebral embolism	35	–	–	–	–	–	–	–	–	–	–	–	1	5	6	2	1	8	4	7	1	–	–
	White..... Male	13	–	–	–	–	–	–	–	–	–	–	–	1	3	2	1	1	2	2	–	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	6	2	7	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,103	4	7	8	8	9	5	12	19	33	58	99	149	218	302	438	639	866	982	790	358	98	1
	White..... Male	2,025	–	1	2	4	2	1	5	3	12	18	28	65	94	142	205	295	380	361	269	113	24	1
	Female	2,542	1	5	4	2	4	3	3	12	11	29	37	48	85	116	164	249	419	561	494	229	66	–
	All other..... Male	242	2	1	1	1	3	1	2	1	5	4	18	19	21	27	28	42	27	23	6	4	6	–
	Female	294	1	–	1	1	–	–	2	3	5	7	16	17	18	17	41	53	40	37	21	12	2	–
440	Arteriosclerosis	1,397	–	–	–	–	–	–	–	1	1	4	5	17	20	36	62	108	229	306	319	213	76	–
	White..... Male	592	–	–	–	–	–	–	–	1	–	1	2	9	17	20	32	57	111	121	125	74	22	–
	Female	733	–	–	–	–	–	–	–	–	–	3	1	5	2	12	25	41	105	171	180	136	52	–
	All other..... Male	34	–	–	–	–	–	–	–	–	1	–	–	2	–	1	3	6	9	5	6	–	1	–
	Female	38	–	–	–	–	–	–	–	–	–	–	2	1	1	3	2	4	4	9	8	3	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,211	2	–	–	–	3	10	6	6	13	20	15	34	69	115	152	177	206	175	139	52	17	–
	White..... Male	678	1	–	–	–	2	4	2	1	4	7	4	22	41	70	109	118	140	84	49	16	4	–
	Female	444	1	–	–	–	–	4	2	3	6	9	8	7	21	32	28	47	58	89	85	34	10	–
	All other..... Male	47	–	–	–	–	1	1	1	1	1	2	1	3	3	9	7	4	5	1	4	2	1	–
	Female	42	–	–	–	–	–	1	1	1	2	2	2	2	4	4	8	8	3	1	1	–	2	–
466	Acute bronchitis and bronchiolitis	45	7	3	1	–	3	–	1	1	3	–	1	1	2	–	5	2	5	6	2	2	–	–
	White..... Male	20	2	3	–	–	2	–	–	–	1	–	1	1	1	–	1	2	4	1	–	1	–	–
	Female	17	2	–	1	–	1	–	1	–	–	–	–	–	–	–	4	–	–	5	2	1	–	–
	All other..... Male	6	2	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,965	130	30	11	6	18	20	24	32	25	55	55	104	145	174	232	263	401	530	417	222	71	–
	White..... Male	1,397	41	10	1	3	13	9	6	7	8	19	22	48	87	102	139	132	216	253	179	78	24	–
	Female	1,123	35	10	6	3	1	11	6	7	6	11	13	20	33	34	56	87	148	248	216	132	40	–
	All other..... Male	277	30	4	3	–	3	–	7	13	6	22	14	24	17	25	26	27	24	17	9	5	1	–
	Female	168	24	6	1	–	1	–	5	5	5	3	6	12	8	13	11	17	13	12	13	7	6	–
470–474	Influenza	180	1	2	1	1	1	2	–	–	1	1	1	6	9	5	13	16	37	37	32	11	3	–
	White..... Male	80	1	2	–	1	1	–	–	–	1	1	1	2	3	2	9	8	14	14	13	6	1	–
	Female	95	–	–	1	–	–	2	–	–	–	–	–	2	6	3	4	8	21	23	18	5	2	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
480–486	Pneumonia	2,785	129	28	10	5	17	18	24	32	24	54	54	98	136	169	219	247	364	493	385	211	68	–
	White..... Male	1,317	40	8	1	2	12	9	6	7	7	18	21	46	84	100	130	124	202	239	166	72	23	–
	Female	1,028	35	10	5	3	1	9	6	7	6	11	13	18	27	31	52	79	127	225	198	127	38	–
	All other..... Male	275	30	4	3	–	3	–	7	13	6	22	14	24	17	25	26	27	23	17	8	5	1	–
	Female	165	24	6	1	–	1	–	5	5	5	3	6	10	8	13	11	17	12	12	13	7	6	–
490–493	Bronchitis, emphysema, and asthma	1,297	5	10	1	1	4	4	9	10	9	14	27	54	86	162	201	231	232	156	60	16	5	–
	White..... Male	921	–	2	–	1	4	2	1	4	2	5	10	25	54	107	159	174	190	119	46	12	4	–
	Female	283	4	1	–	–	–	1	4	3	5	4	8	17	21	46	33	52	32	34	13	4	1	–
	All other..... Male	65	1	5	–	–	–	–	3	1	–	3	3	9	7	7	8	5	9	3	1	–	–	–
	Female	28	–	2	1	–	–	1	1	2	2	2	6	3	4	2	1	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois – Con.																							
490, 491	Chronic and unqualified bronchitis	232	2	6	1	1	2	–	2	1	1	1	6	11	17	27	34	25	42	36	14	3	–	–
	White ..... Male	164	–	2	–	1	2	–	1	1	1	–	4	6	9	22	22	16	37	26	11	3	–	–
	Female	53	2	–	–	–	–	–	–	–	–	–	2	4	7	4	8	9	4	10	3	–	–	–
	All other ..... Male	12	–	2	–	–	–	–	1	–	–	1	–	1	1	1	4	–	1	–	–	–	–	–
	Female	3	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	969	3	–	–	–	–	–	–	2	2	8	16	38	64	121	161	200	182	113	42	12	5	–
	White ..... Male	730	–	–	–	–	–	–	–	–	–	4	4	17	45	82	133	157	150	91	34	9	4	–
	Female	189	2	–	–	–	–	–	–	2	2	2	6	12	11	34	24	38	25	20	7	3	1	–
	All other ..... Male	39	1	–	–	–	–	–	–	–	–	1	2	8	5	4	3	5	7	2	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	4	1	3	1	1	–	–	–	–	–	–	–
493	Asthma	96	–	4	–	–	2	4	7	7	6	5	5	5	5	14	6	6	8	7	4	1	–	–
	White ..... Male	27	–	–	–	–	2	2	–	3	1	1	2	2	–	3	4	1	3	2	1	–	–	–
	Female	41	–	1	–	–	–	1	4	1	3	2	–	1	3	8	1	5	3	4	3	1	–	–
	All other ..... Male	14	–	3	–	–	–	–	2	1	–	1	1	–	1	2	1	–	1	1	–	–	–	–
	Female	14	–	–	–	–	–	1	1	2	2	1	2	2	1	1	–	–	1	–	–	–	–	–
531–533	Peptic ulcer	385	2	–	–	1	1	1	–	3	6	8	14	26	23	49	52	50	48	50	37	13	1	–
	White ..... Male	225	1	–	–	–	1	1	–	2	4	3	8	15	13	38	40	31	27	22	13	5	1	–
	Female	130	1	–	–	1	–	–	–	–	–	4	5	8	8	8	9	15	18	21	24	8	–	–
	All other ..... Male	23	–	–	–	–	–	–	–	1	1	–	–	3	1	3	3	4	1	6	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	2	1	–	–	–	–
540–543	Appendicitis	44	–	2	–	1	–	1	–	–	1	1	5	5	–	3	4	12	3	3	2	1	–	–
	White ..... Male	25	–	2	–	–	–	1	–	–	1	1	2	2	–	1	3	9	–	1	1	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	1	–	–	–
	All other ..... Male	7	–	–	–	1	–	–	–	–	–	–	–	2	–	2	–	2	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	338	36	1	–	–	3	–	2	3	4	4	7	11	15	16	27	45	58	50	40	14	2	–
	White ..... Male	118	17	–	–	–	2	–	–	1	1	1	5	3	8	5	10	19	16	12	16	2	–	–
	Female	176	11	–	–	–	–	–	1	1	2	1	2	5	4	8	13	22	37	34	22	12	1	–
	All other ..... Male	24	5	–	–	–	1	–	1	1	1	1	–	2	3	1	2	3	2	1	–	–	–	–
	Female	20	3	1	–	–	–	–	–	–	–	1	–	1	–	2	2	1	3	3	2	–	1	–
571	Cirrhosis of liver	1,663	5	–	–	–	2	9	34	51	92	143	203	242	255	233	172	110	61	38	13	–	–	–
	White ..... Male	908	–	–	–	–	1	2	6	20	44	67	108	138	141	146	105	61	37	23	9	–	–	–
	Female	416	3	–	–	–	1	2	3	5	15	27	40	61	81	56	45	39	22	12	4	–	–	–
	All other ..... Male	225	2	–	–	–	–	3	17	17	23	38	40	23	25	17	11	6	1	2	–	–	–	–
	Female	114	–	–	–	–	–	2	8	9	10	11	15	20	8	14	11	4	1	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	165	–	–	–	–	–	–	–	2	–	2	2	6	7	12	19	23	29	26	30	5	2	–
	White ..... Male	71	–	–	–	–	–	–	–	–	–	–	2	3	3	4	14	14	10	12	7	2	–	–
	Female	81	–	–	–	–	–	–	–	1	–	1	–	3	3	5	4	8	15	14	22	3	2	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	Female	11	–	–	–	–	–	–	–	1	–	1	–	–	1	2	1	1	4	–	–	–	–	–
580–584	Nephritis and nephrosis	443	1	–	2	4	3	10	7	8	8	12	19	28	31	47	60	62	51	42	32	14	2	–
	White ..... Male	171	1	–	–	–	2	4	5	4	4	3	5	9	9	14	26	28	17	21	11	7	1	–
	Female	147	–	–	2	2	1	3	–	1	2	4	4	7	6	15	17	22	22	15	17	6	1	–
	All other ..... Male	71	–	–	–	1	–	2	2	2	1	4	8	5	14	9	9	6	5	2	1	–	–	–
	Female	54	–	–	–	1	–	1	–	1	1	1	2	7	2	9	8	6	7	4	3	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	99	1	–	–	1	1	1	2	2	1	2	3	8	7	8	16	12	12	6	13	2	1	–
	White ..... Male	42	1	–	–	–	–	–	1	2	1	–	3	2	2	5	8	5	4	3	3	1	1	–
	Female	34	–	–	–	–	1	–	–	–	–	1	–	2	1	1	4	7	7	1	8	1	–	–
	All other ..... Male	13	–	–	–	1	–	–	1	–	–	1	–	1	4	1	2	–	1	1	–	–	–	–
	Female	10	–	–	–	–	–	1	–	–	–	–	–	3	–	1	2	–	–	1	2	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	344	–	–	2	3	2	9	5	6	7	10	16	20	24	39	44	50	39	36	19	12	1	–
	White ..... Male	129	–	–	–	–	2	4	4	2	3	3	2	7	7	9	18	23	13	18	8	6	–	–
	Female	113	–	–	2	2	–	3	–	1	2	3	4	5	5	14	13	15	15	14	9	5	1	–
	All other ..... Male	58	–	–	–	–	–	2	1	2	1	3	8	4	10	8	7	6	4	1	1	–	–	–
	Female	44	–	–	–	1	–	–	–	1	1	1	2	4	2	8	6	6	7	3	1	1	–	–
590	Infections of kidney	243	1	–	–	–	1	–	–	1	–	7	9	9	9	15	23	27	37	38	45	14	7	–
	White ..... Male	94	1	–	–	–	–	–	–	–	–	2	4	5	3	5	6	9	16	14	24	5	–	–
	Female	128	–	–	–	–	–	–	–	1	–	4	4	2	5	8	14	14	20	22	20	7	7	–
	All other ..... Male	11	–	–	–	–	1	–	–	–	–	–	–	2	1	2	1	1	–	1	1	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	3	1	1	–	1	–	–
600	Hyperplasia of prostate	92	–	–	–	–	–	–	–	–	–	–	–	2	1	6	7	13	13	19	20	11	–	–
	White ..... Male	79	–	–	–	–	–	–	–	–	–	–	–	1	–	5	4	11	11	16	20	11	–	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	2	3	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	17	–	–	–	1	2	3	4	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	8	–	–	–	–	1	–	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	9	–	–	–	1	1	3	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Illinois – Con.																							
640–645	Abortions	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	16	–	–	–	1	2	3	3	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	7	–	–	–	–	1	–	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	9	–	–	–	1	1	3	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	684	460	53	17	20	19	15	8	9	9	3	8	15	7	12	8	6	11	4	–	–	–	–
	White Male	285	195	19	6	8	9	9	4	5	2	2	2	7	3	5	1	4	3	1	–	–	–	–
	Female	259	154	26	7	11	9	5	3	1	5	1	4	6	4	6	6	2	6	3	–	–	–	–
	All other Male	67	54	2	2	–	–	1	–	2	2	–	1	2	–	–	1	–	–	–	–	–	–	–
	Female	73	57	6	2	1	1	–	1	1	–	–	1	–	–	1	–	–	2	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,680	1,680	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	610	610	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	446	446	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	342	342	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	282	282	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	1,008	1,008	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	384	384	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	253	253	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	219	219	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	152	152	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	672	672	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	226	226	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	193	193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	123	123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	130	130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,953	411	61	17	37	127	192	174	94	87	78	85	98	77	72	74	69	61	48	56	23	10	2
	White Male	840	123	19	8	19	61	91	73	35	34	27	44	44	40	49	47	31	32	26	25	8	3	1
	Female	444	75	14	3	9	33	22	16	21	16	13	19	21	19	19	19	30	27	17	28	15	7	1
	All other Male	476	123	17	5	7	21	66	69	32	22	30	18	27	18	3	6	7	1	3	1	–	–	–
	Female	193	90	11	1	2	12	13	16	6	15	8	4	6	–	1	2	1	1	2	2	–	–	–
Residual	All other diseases	5,459	100	43	33	36	76	112	105	118	112	165	211	290	380	519	607	708	656	611	390	150	37	–
	White Male	2,514	45	20	17	17	40	47	32	40	34	64	77	138	171	265	307	360	331	286	161	56	6	–
	Female	2,104	29	10	14	14	22	25	21	29	37	51	70	97	140	198	228	253	272	281	201	88	24	–
	All other Male	499	17	8	1	4	3	27	35	33	21	30	40	33	36	30	46	51	34	30	15	1	4	–
	Female	342	9	5	1	1	11	13	17	16	20	20	24	22	33	26	26	44	19	14	13	5	3	–
E800–E949	Accidents	4,636	63	165	144	184	543	600	396	230	205	197	247	204	191	215	222	212	204	200	145	57	12	–
	White Male	2,721	17	60	66	99	382	417	272	137	123	120	141	129	122	140	129	119	83	87	56	18	4	–
	Female	1,172	13	41	32	45	111	92	48	44	38	35	60	43	39	52	73	67	106	106	86	35	6	–
	All other Male	523	20	28	33	29	35	68	61	39	34	31	34	25	21	19	12	18	10	4	2	–	–	–
	Female	220	13	36	13	11	15	23	15	10	10	11	12	7	9	4	8	8	5	3	1	4	2	–
E810–E823	Motor vehicle accidents	1,941	10	45	75	83	345	326	211	114	94	85	104	71	73	71	72	61	50	31	18	2	–	–
	White Male	1,282	2	20	36	39	244	253	160	73	58	63	62	47	50	41	42	39	22	21	9	1	–	–
	Female	463	4	15	17	33	86	59	27	23	20	15	28	17	14	20	25	16	25	9	9	1	–	–
	All other Male	138	4	2	14	8	8	12	18	13	13	4	12	4	7	8	2	5	3	1	–	–	–	–
	Female	58	–	8	8	3	7	2	6	5	3	3	2	3	2	2	3	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	2,695	53	120	69	101	198	274	185	116	111	112	143	133	118	144	150	151	154	169	127	55	12	–
	White Male	1,439	15	40	30	60	138	164	112	64	65	57	79	82	72	99	87	80	61	66	47	17	4	–
	Female	709	9	26	15	12	25	33	21	21	18	20	32	26	25	32	48	51	81	97	77	34	6	–
	All other Male	385	16	26	19	21	27	56	43	26	21	27	22	21	14	11	10	13	7	3	2	–	–	–
	Female	162	13	28	5	8	8	21	9	5	7	8	10	4	7	2	5	7	5	3	1	4	2	–
E950–E959	Suicide	980	...	...	–	8	54	109	115	73	70	76	76	90	96	60	63	28	27	19	14	2	–	–
	White Male	660	...	...	–	5	41	71	81	45	46	43	50	59	62	42	50	16	18	16	13	2	–	–
	Female	232	...	...	–	1	7	18	19	20	17	30	21	25	28	13	10	12	7	3	1	–	–	–
	All other Male	65	...	...	–	2	5	15	11	5	5	2	4	4	4	3	3	–	2	–	–	–	–	–
	Female	23	...	...	–	–	1	5	4	3	2	1	1	2	2	2	–	–	–	–	–	–	–	–
E960–E978	Homicide	1,064	7	15	3	12	133	203	179	127	78	69	69	60	44	21	15	12	6	7	2	1	–	1
	White Male	328	2	1	1	4	38	53	47	35	24	22	27	25	19	9	6	7	2	4	–	1	–	1
	Female	85	1	2	–	1	13	13	6	12	9	6	3	5	4	1	–	2	3	3	1	–	–	–
	All other Male	531	3	4	–	4	61	122	108	67	33	35	31	27	18	7	6	3	1	–	1	–	–	–
	Female	120	1	8	2	3	21	15	18	13	12	6	8	3	3	4	3	–	–	–	–	–	–	–
E980–E999	Other external causes	306	8	7	4	7	32	45	32	27	22	18	19	28	16	14	8	14	3	1	1	–	–	–
	White Male	135	2	1	1	3	14	25	9	13	9	8	10	12	6	10	3	7	1	–	1	–	–	–
	Female	64	–	–	1	2	9	6	7	6	5	2	3	13	3	1	2	3	–	1	–	–	–	–
	All other Male	79	3	5	2	1	8	10	12	7	6	5	5	2	4	1	3	3	2	–	–	–	–	–
	Female	28	3	1	–	1	1	4	4	1	2	3	1	1	3	2	–	1	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana																							
	All causes	**46,723**	**1,217**	**214**	**157**	**197**	**543**	**587**	**487**	**472**	**552**	**859**	**1,392**	**2,265**	**2,962**	**4,082**	**5,027**	**5,634**	**6,173**	**6,318**	**4,534**	**2,284**	**759**	**8**
	White ..... Male	23,683	575	104	97	101	355	374	292	237	281	429	789	1,336	1,749	2,447	2,904	3,073	3,102	2,744	1,716	759	214	5
	Female	19,609	421	77	44	73	128	122	127	159	179	304	420	726	940	1,298	1,740	2,163	2,751	3,318	2,671	1,450	495	3
	All other ..... Male	1,942	121	12	9	15	42	67	47	51	63	80	111	127	157	196	217	219	170	129	73	21	15	–
	Female	1,489	100	21	7	8	18	24	21	25	29	46	72	76	116	141	166	179	150	127	74	54	35	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	61	17	2	1	1	–	–	1	1	–	–	3	–	4	3	2	4	5	9	3	4	1	–
	White ..... Male	21	8	2	1	1	–	–	–	–	–	–	1	–	–	–	2	1	2	2	–	1	–	–
	Female	32	5	–	–	–	–	–	1	1	–	–	1	–	3	3	–	3	3	7	2	2	1	–
	All other ..... Male	3	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	5	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–
010–019	Tuberculosis, all forms	66	–	1	–	–	–	1	–	1	1	1	2	5	4	8	13	10	7	8	3	1	–	–
	White ..... Male	27	–	1	–	–	–	–	–	–	1	–	–	1	3	4	3	4	4	5	–	1	–	–
	Female	27	–	–	–	–	–	–	–	1	–	1	1	3	1	3	4	5	3	2	3	–	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	1	–	–	1	5	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	55	–	–	–	–	–	1	–	1	1	1	1	4	3	7	9	9	6	8	3	1	–	–
	White ..... Male	23	–	–	–	–	–	–	–	–	1	–	–	1	2	3	2	4	4	5	–	1	–	–
	Female	23	–	–	–	–	–	–	–	1	–	1	–	2	1	3	4	4	2	2	3	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
013–019	Tuberculosis, other forms	11	–	1	–	–	–	–	–	–	–	–	1	1	1	1	4	1	1	–	–	–	–	–
	White ..... Male	4	–	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	8	2	3	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	5	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	118	24	2	–	–	2	1	1	–	1	–	3	5	5	6	14	10	19	10	9	4	2	–
	White ..... Male	50	12	1	–	–	1	–	1	–	1	–	2	5	1	4	5	1	7	5	3	1	–	–
	Female	48	7	–	–	–	–	1	–	–	–	–	–	–	4	2	5	6	9	4	6	3	1	–
	All other ..... Male	16	4	1	–	–	1	–	–	–	–	–	1	–	–	–	4	2	3	–	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	8	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	1	1	–	–
	White ..... Male	5	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	123	7	4	4	3	2	4	3	1	4	8	3	8	8	6	18	4	14	12	7	2	1	–
	White ..... Male	60	2	–	3	1	1	3	3	–	1	2	1	4	3	4	8	3	8	9	4	–	–	–
	Female	50	4	3	1	2	–	–	–	1	2	4	2	1	4	2	9	–	6	3	3	2	1	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	1	1	–	2	–	–	1	–	–	–	–	–	–	–
	Female	8	1	1	–	–	1	1	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	8,591	2	17	17	18	39	31	54	59	115	203	378	600	887	1,136	1,259	1,170	1,072	839	435	142	37	1
	White Male	4,320	1	12	5	10	26	15	24	22	44	73	157	324	446	626	695	629	550	396	196	56	12	1
	Female	3,607	1	4	9	7	10	14	24	30	58	112	170	295	353	420	464	456	451	406	217	83	23	–
	All other Male	380	–	1	1	–	–	1	2	3	5	8	21	37	45	52	65	55	48	22	12	1	1	–
	Female	284	–	–	2	1	3	1	4	4	8	10	30	24	43	38	35	30	23	15	10	2	1	–
140–149	Of buccal cavity and pharynx	178	–	–	–	–	–	–	–	1	1	3	8	19	29	26	28	19	19	13	9	3	–	–
	White Male	118	–	–	–	–	–	–	–	1	–	2	6	10	19	22	18	15	12	10	3	–	–	–
	Female	43	–	–	–	–	–	–	–	–	1	–	2	4	7	3	5	3	7	2	6	3	–	–
	All other Male	13	–	–	–	–	–	–	–	–	–	1	–	4	2	1	3	1	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	2,265	–	1	–	1	1	2	8	4	20	30	75	146	207	280	329	301	356	287	152	50	15	–
	White Male	1,046	–	1	–	1	1	–	3	2	10	8	34	69	103	143	182	134	153	128	50	18	6	–
	Female	1,012	–	–	–	–	–	2	3	2	7	20	25	64	71	102	122	145	171	146	93	31	8	–
	All other Male	114	–	–	–	–	–	–	–	–	1	–	7	8	18	22	14	14	20	7	2	–	1	–
	Female	93	–	–	–	–	–	–	2	–	2	2	9	5	15	13	11	8	12	6	7	1	–	–
160–163	Of respiratory system	2,089	–	–	–	–	–	2	4	7	15	35	109	197	285	366	382	301	192	131	52	10	1	–
	White Male	1,533	–	–	–	–	–	1	3	3	7	21	68	141	195	275	290	237	153	93	39	6	1	–
	Female	396	–	–	–	–	–	1	–	3	5	8	24	36	69	66	64	47	31	30	8	4	–	–
	All other Male	126	–	–	–	–	–	–	–	–	2	4	12	17	19	17	24	15	6	6	4	–	–	–
	Female	34	–	–	–	–	–	–	1	1	1	2	5	3	2	8	4	2	2	2	1	–	–	–
174	Of breast	703	–	–	–	–	–	–	3	13	12	35	55	82	92	104	77	68	66	55	25	12	4	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–
	Female	656	–	–	–	–	–	–	3	12	12	34	50	74	80	97	74	63	65	53	24	11	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	42	–	–	–	–	–	–	–	1	–	1	5	8	10	5	2	5	1	2	1	1	–	–
180–187	Of genital organs	1,021	–	–	–	–	2	4	8	7	23	31	45	65	72	91	153	152	153	127	60	24	4	–
	White Male	410	–	–	–	–	2	1	3	1	2	4	2	10	12	26	54	78	81	74	39	18	3	–
	Female	514	–	–	–	–	–	3	5	5	19	24	37	52	52	58	78	56	56	46	17	5	1	–
	All other Male	56	–	–	–	–	–	–	–	–	–	–	–	1	3	3	14	12	13	5	4	1	–	–
	Female	41	–	–	–	–	–	–	–	1	2	3	6	2	5	4	7	6	3	2	–	–	–	–
188, 189	Of urinary organs	388	–	1	–	–	–	1	2	1	5	5	12	30	39	46	44	58	53	44	29	12	6	–
	White Male	246	–	1	–	–	–	1	–	–	2	4	8	22	24	35	31	37	31	25	20	5	–	–
	Female	119	–	–	–	–	–	–	2	–	2	1	3	8	11	8	10	17	18	18	8	7	6	–
	All other Male	9	–	–	–	–	–	–	–	1	1	–	–	–	–	–	2	2	2	–	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	4	3	1	2	2	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,122	2	5	7	7	17	11	16	14	28	31	51	84	98	140	142	159	128	91	66	21	3	1
	White Male	529	1	3	1	4	9	6	8	7	15	16	24	41	56	78	67	73	64	30	21	4	–	1
	Female	519	1	1	3	3	6	3	5	5	11	13	22	34	38	53	67	74	58	59	43	17	3	–
	All other Male	39	–	1	1	–	–	1	2	1	–	–	2	5	1	6	4	8	4	2	1	–	–	–
	Female	35	–	–	2	–	2	1	1	1	2	2	3	4	3	3	4	4	2	–	1	–	–	–
204–207	Leukemia	361	–	10	9	8	13	5	5	7	4	15	9	19	28	21	32	51	49	44	23	6	3	–
	White Male	189	–	7	3	5	9	3	2	4	3	8	3	9	14	12	20	25	26	19	14	2	1	–
	Female	157	–	3	6	2	3	2	3	3	1	6	5	9	13	8	11	24	20	24	9	4	1	–
	All other Male	10	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	2	2	1	–	–	–	–
	Female	5	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	464	–	–	1	2	6	6	8	5	7	18	14	38	37	62	72	61	56	47	19	4	1	–
	White Male	244	–	–	1	–	5	3	5	4	5	10	12	22	21	33	32	30	30	17	10	3	1	–
	Female	191	–	–	–	2	1	3	3	–	–	6	2	14	12	25	33	27	25	28	9	1	–	–
	All other Male	13	–	–	–	–	–	–	–	1	1	2	–	1	1	2	3	1	1	–	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	1	–	–	1	3	2	4	3	–	2	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	121	–	1	3	2	6	–	1	4	3	3	7	4	10	17	14	15	12	9	9	1	–	–
	White Male	54	–	1	1	2	5	–	–	2	–	–	5	3	4	10	5	4	4	4	3	1	–	–
	Female	56	–	–	2	–	1	–	1	2	3	3	2	1	4	6	8	8	6	5	4	–	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
250	Diabetes mellitus	963	–	–	–	2	1	4	1	7	9	16	11	52	68	98	129	145	180	124	72	38	6	–
	White Male	328	–	–	–	1	–	2	1	4	4	9	5	20	30	38	47	45	61	30	19	9	3	–
	Female	527	–	–	–	1	1	–	–	1	5	4	6	22	30	42	62	81	106	88	47	29	2	–
	All other Male	32	–	–	–	–	–	2	–	1	–	–	–	2	1	11	5	4	3	–	2	–	1	–
	Female	76	–	–	–	–	–	–	–	1	–	3	–	8	7	7	15	15	10	6	4	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	64	1	1	1	–	1	1	–	–	–	1	1	2	1	4	4	5	5	15	14	5	2	–
	White Male	23	–	1	–	–	1	–	–	–	–	–	1	1	–	3	2	2	–	5	4	2	1	–
	Female	33	1	–	1	–	–	–	–	–	–	1	–	1	–	1	2	1	5	7	9	3	1	–
	All other Male	5	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	2	–	2	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana – Con.																							
280–285	Anemias	90	–	2	–	3	–	1	1	2	1	1	2	2	2	5	12	11	15	7	12	7	4	–
	White Male	39	–	–	–	–	–	1	1	–	–	–	2	2	1	1	8	4	10	3	4	2	–	–
	Female	40	–	–	–	2	–	–	–	2	–	1	–	–	–	3	4	3	4	4	8	5	4	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–
	Female	7	–	2	–	1	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–
320	Meningitis	45	14	10	2	1	–	–	1	–	1	–	–	6	3	1	–	2	1	2	1	–	–	–
	White Male	22	6	4	2	–	–	–	1	–	1	–	–	2	2	1	–	1	–	1	1	–	–	–
	Female	10	1	5	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
	All other Male	7	2	1	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–
	Female	6	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	25,099	23	8	7	14	21	20	39	53	106	278	504	929	1,375	1,999	2,643	3,297	3,870	4,297	3,298	1,724	592	2
	White Male	12,377	10	2	3	8	11	9	20	22	62	165	334	634	900	1,283	1,564	1,797	1,901	1,771	1,166	555	158	2
	Female	11,291	10	5	4	4	6	8	15	20	31	82	95	218	366	557	892	1,283	1,785	2,354	2,044	1,111	401	–
	All other Male	736	1	–	–	1	3	2	3	7	9	19	44	47	67	90	96	114	86	78	42	17	10	–
	Female	695	2	1	–	1	1	1	1	4	4	12	31	30	42	69	91	103	98	94	46	41	23	–
390–398, 402, 404, 410–429	Diseases of heart	17,666	17	7	4	9	12	11	19	33	80	224	418	774	1,144	1,619	2,041	2,357	2,662	2,748	2,055	1,075	356	1
	White Male	9,338	10	2	1	3	7	5	10	16	50	146	304	563	789	1,086	1,266	1,321	1,346	1,209	754	359	90	1
	Female	7,334	6	4	3	4	3	3	7	12	22	57	64	155	275	413	641	870	1,184	1,433	1,249	684	245	–
	All other Male	553	–	–	–	1	1	2	2	4	4	15	30	35	58	67	74	96	66	55	30	8	5	–
	Female	441	1	1	–	1	1	1	–	1	4	6	20	21	22	53	60	70	66	51	22	24	16	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	327	–	–	–	1	–	2	2	7	10	18	17	27	35	36	50	44	36	26	11	4	1	–
	White Male	140	–	–	–	–	–	1	2	3	4	6	7	10	18	17	23	20	17	10	1	1	–	–
	Female	172	–	–	–	–	–	–	–	4	5	12	6	14	17	18	25	22	19	16	10	3	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	1	–	–	–	–	–	–
	Female	10	–	–	–	1	–	1	–	–	1	–	2	2	–	1	1	1	–	–	–	–	–	–
402	Hypertensive heart disease	151	–	–	–	–	–	–	–	1	1	2	2	7	13	15	19	26	21	16	18	7	3	–
	White Male	58	–	–	–	–	–	–	–	–	1	1	1	4	8	7	7	11	7	4	5	2	–	–
	Female	72	–	–	–	–	–	–	–	1	–	–	–	3	4	7	5	11	13	11	9	5	3	–
	All other Male	9	–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	1	1	1	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	3	–	–	3	–	–	–
404	Hypertensive heart and renal disease	277	–	–	–	–	–	–	–	–	1	–	1	3	2	8	14	27	32	63	73	33	20	–
	White Male	106	–	–	–	–	–	–	–	–	–	–	1	3	–	6	8	12	12	23	22	9	10	–
	Female	164	–	–	–	–	–	–	–	–	1	–	–	–	2	2	6	13	19	38	50	24	9	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
410–413	Ischemic heart disease	15,755	–	–	–	1	2	2	9	20	50	178	361	692	1,032	1,483	1,832	2,131	2,432	2,460	1,821	950	299	–
	White Male	8,499	–	–	–	–	2	–	5	12	36	128	275	519	726	1,015	1,161	1,209	1,236	1,099	679	323	74	–
	Female	6,402	–	–	–	–	–	1	3	4	11	36	47	127	232	360	560	777	1,075	1,265	1,096	601	207	–
	All other Male	479	–	–	–	1	–	1	1	3	1	10	24	31	53	59	62	87	58	50	27	7	4	–
	Female	375	–	–	–	–	–	–	–	1	2	4	15	15	21	49	49	58	63	46	19	19	14	–
410	Acute myocardial infarction	8,719	–	–	–	–	2	1	7	15	36	129	278	513	752	1,049	1,207	1,312	1,316	1,127	637	265	73	–
	White Male	5,383	–	–	–	–	2	–	3	11	28	98	231	393	555	751	828	788	727	555	286	102	25	–
	Female	3,007	–	–	–	–	–	–	3	4	6	24	30	99	166	245	334	460	550	538	345	157	46	–
	All other Male	202	–	–	–	–	–	1	1	–	1	5	13	14	22	34	26	42	23	15	3	2	–	–
	Female	127	–	–	–	–	–	–	–	–	1	2	4	7	9	19	19	22	16	19	3	4	2	–
411	Other acute and subacute forms of ischemic heart disease	54	–	–	–	–	–	–	–	–	1	–	2	3	3	5	10	3	9	8	5	2	3	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	2	3	2	4	8	2	4	6	4	–	–	–
	Female	18	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1	4	2	1	2	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	6,982	–	–	–	1	–	1	2	5	13	49	81	176	277	429	615	816	1,107	1,325	1,179	683	223	–
	White Male	3,081	–	–	–	–	–	–	2	1	8	30	42	123	169	260	325	419	505	538	389	221	49	–
	Female	3,377	–	–	–	–	–	1	–	–	4	12	17	28	65	114	224	316	521	725	750	442	158	–
	All other Male	276	–	–	–	1	–	–	–	3	–	5	11	17	31	25	36	45	34	35	24	5	4	–
	Female	248	–	–	–	–	–	–	–	1	1	2	11	8	12	30	30	36	47	27	16	15	12	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	165	–	1	–	–	–	2	–	1	2	4	2	5	5	8	9	10	24	37	23	21	11	–
	White Male	61	–	–	–	–	–	2	–	–	1	–	2	4	2	4	6	3	13	13	4	5	2	–
	Female	101	–	1	–	–	–	–	–	1	1	3	–	1	2	4	3	7	11	24	19	16	8	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana—Con.																							
420–423, 425–427, 429	All other forms of heart disease	991	17	6	4	7	10	5	8	4	16	22	35	40	57	69	117	119	117	146	109	60	22	1
	White Male	474	10	2	1	3	5	2	3	1	8	11	18	23	35	37	61	66	61	60	43	19	4	1
	Female	423	6	3	3	4	3	2	4	2	4	6	11	10	18	22	42	40	47	79	65	35	17	–
	All other Male	52	–	–	–	–	1	1	1	1	3	3	4	3	3	8	8	5	6	3	1	1	–	–
	Female	42	1	1	–	–	1	–	–	–	1	2	2	4	1	2	6	8	3	4	–	5	1	–
400, 401, 403	Hypertension	172	–	–	–	–	–	–	–	2	1	3	7	7	8	11	16	24	22	36	23	6	6	–
	White Male	69	–	–	–	–	–	–	–	1	–	1	2	4	4	6	4	12	9	15	5	1	5	–
	Female	78	–	–	–	–	–	–	–	–	1	1	1	2	1	4	8	9	12	20	16	3	–	–
	All other Male	13	–	–	–	–	–	–	–	–	–	1	2	1	2	1	3	–	–	–	2	–	1	–
	Female	12	–	–	–	–	–	–	–	1	–	–	2	–	1	–	1	3	1	1	–	2	–	–
430–438	Cerebrovascular diseases	5,486	6	1	2	5	8	6	13	13	22	41	63	117	167	281	469	714	945	1,164	897	418	133	1
	White Male	2,207	–	–	1	5	3	3	5	3	11	16	23	46	71	140	220	344	426	419	305	129	36	1
	Female	2,941	4	1	1	–	3	3	6	6	7	17	20	51	73	113	206	328	476	699	566	269	92	–
	All other Male	138	1	–	–	–	2	–	1	3	4	3	12	11	6	16	16	15	16	15	8	7	2	–
	Female	200	1	–	–	–	–	–	1	1	–	5	8	9	17	12	27	27	27	31	18	13	3	–
431	Cerebral hemorrhage	891	2	–	–	2	1	2	1	1	3	13	23	33	52	62	113	123	149	157	101	40	13	–
	White Male	351	–	–	–	2	–	2	–	–	2	5	8	13	22	28	51	58	65	47	34	11	3	–
	Female	463	2	–	–	–	1	–	–	–	–	7	6	11	23	25	56	56	73	100	66	27	10	–
	All other Male	33	–	–	–	–	–	–	1	1	1	–	6	7	3	4	1	2	4	2	–	1	–	–
	Female	44	–	–	–	–	–	–	–	–	–	1	3	2	4	5	5	7	7	8	1	1	–	–
433	Cerebral thrombosis	1,233	–	–	–	–	–	–	1	2	2	7	9	9	26	45	99	147	229	290	211	124	32	–
	White Male	527	–	–	–	–	–	–	1	–	1	4	3	3	17	22	56	77	116	107	73	35	12	–
	Female	646	–	–	–	–	–	–	–	2	1	3	3	5	8	16	35	60	101	174	136	83	19	–
	All other Male	25	–	–	–	–	–	–	–	–	–	–	2	1	–	4	3	3	6	3	1	2	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	1	–	1	3	5	7	6	6	1	4	1	–
434	Cerebral embolism	33	–	–	–	–	–	–	–	–	–	–	1	1	3	4	2	5	5	5	6	1	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	1	1	–	2	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	4	3	5	4	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,329	4	1	2	3	7	4	11	10	17	21	30	74	86	170	255	439	562	712	579	253	88	1
	White Male	1,319	–	–	1	3	3	1	4	3	8	7	12	30	30	87	112	208	244	265	196	83	21	1
	Female	1,810	2	1	1	–	2	3	6	4	6	7	10	34	41	71	114	208	299	420	360	158	63	–
	All other Male	80	1	–	–	–	2	–	–	2	3	3	4	3	3	8	12	10	6	10	7	4	2	–
	Female	120	1	–	–	–	–	–	1	1	–	4	4	7	12	4	17	13	13	17	16	8	2	–
440	Arteriosclerosis	1,131	–	–	–	–	–	–	1	–	1	2	3	7	11	24	43	95	150	255	260	190	89	–
	White Male	410	–	–	–	–	–	–	1	–	–	–	2	4	6	14	24	46	67	90	79	52	25	–
	Female	676	–	–	–	–	–	–	–	–	–	2	1	3	4	6	17	47	79	149	174	135	59	–
	All other Male	24	–	–	–	–	–	–	–	–	1	–	–	–	–	3	2	2	3	7	2	2	2	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	9	5	1	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	644	–	–	1	–	1	3	6	5	2	8	13	24	45	64	74	107	91	94	63	35	8	–
	White Male	353	–	–	1	–	1	1	4	2	1	2	3	17	30	37	50	74	53	38	23	14	2	–
	Female	262	–	–	–	–	–	2	2	2	1	5	9	7	13	21	20	29	34	53	39	20	5	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	1	1	–	–	–	–
	Female	21	–	–	–	–	–	–	–	1	–	1	1	–	1	3	3	3	3	2	1	1	1	–
466	Acute bronchitis and bronchiolitis	19	4	1	–	–	1	–	–	1	–	–	–	–	2	2	2	–	1	3	2	–	–	–
	White Male	6	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–
	Female	12	2	1	–	–	1	–	–	–	–	–	–	–	–	2	1	–	1	2	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,282	64	13	2	6	7	9	7	8	11	20	32	36	51	55	113	132	175	222	175	103	41	–
	White Male	645	22	7	2	2	2	6	1	5	3	9	19	23	31	32	62	80	94	116	78	34	17	–
	Female	547	26	5	–	3	3	3	4	2	5	5	9	10	18	18	40	47	74	97	93	67	18	–
	All other Male	56	11	–	–	–	2	–	–	–	3	3	4	2	2	3	8	3	4	7	3	–	1	–
	Female	34	5	1	–	1	–	–	2	1	–	3	–	1	–	2	3	2	3	2	1	2	5	–
470–474	Influenza	148	1	–	–	–	1	–	1	2	–	–	–	3	5	8	13	28	24	19	22	18	3	–
	White Male	67	–	–	–	–	–	–	–	1	–	–	–	–	3	3	9	18	14	5	10	2	2	–
	Female	81	1	–	–	–	1	–	1	1	–	–	–	3	2	5	4	10	10	14	12	16	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	1,134	63	13	2	6	6	9	6	6	11	20	32	33	46	47	100	104	151	203	153	85	38	–
	White Male	578	22	7	2	2	2	6	1	4	3	9	19	23	28	29	53	62	80	111	68	32	15	–
	Female	466	25	5	–	3	2	3	3	1	5	5	9	7	16	13	36	37	64	83	81	51	17	–
	All other Male	56	11	–	–	–	2	–	–	–	3	3	4	2	2	3	8	3	4	7	3	–	1	–
	Female	34	5	1	–	1	–	–	2	1	–	3	–	1	–	2	3	2	3	2	1	2	5	–
490–493	Bronchitis, emphysema, and asthma	712	4	1	1	1	1	2	1	1	7	7	15	32	45	82	125	134	115	98	26	10	4	–
	White Male	512	3	–	1	–	–	2	–	–	–	2	6	26	28	59	91	105	88	78	15	6	2	–
	Female	159	–	1	–	–	1	–	–	1	5	4	7	6	13	18	29	21	22	17	10	3	1	–
	All other Male	33	1	–	–	1	–	–	–	–	2	1	1	–	3	5	4	7	4	3	1	–	–	–
	Female	8	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	1	1	–	–	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana – Con.																							
490, 491	Chronic and unqualified bronchitis	106	3	1	–	–	1	1	1	–	2	1	1	5	5	8	19	24	10	14	6	2	2	–
	White ..... Male	60	2	–	–	–	–	1	–	–	–	–	1	3	1	8	12	15	6	8	2	1	–	–
	Female	38	–	1	–	–	1	–	–	–	2	1	–	2	3	–	7	6	4	5	4	1	1	–
	All other ..... Male	6	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
492	Emphysema	561	–	–	1	–	–	1	–	–	2	4	10	26	37	72	97	103	103	80	18	6	1	–
	White ..... Male	435	–	–	1	–	–	1	–	–	–	2	5	22	26	49	74	86	82	68	13	5	1	–
	Female	99	–	–	–	–	–	–	–	–	1	1	3	4	8	18	19	13	17	10	4	1	–	–
	All other ..... Male	24	–	–	–	–	–	–	–	–	1	1	1	–	2	5	3	4	4	2	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
493	Asthma	45	1	–	–	1	–	–	–	1	3	2	4	1	3	2	9	7	2	4	2	2	1	–
	White ..... Male	17	1	–	–	–	–	–	–	–	–	–	–	1	1	2	5	4	–	2	–	–	1	–
	Female	22	–	–	–	–	–	–	–	1	2	2	4	–	2	–	3	2	1	2	2	1	–	–
	All other ..... Male	3	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
531–533	Peptic ulcer	151	–	–	–	1	–	–	–	1	1	5	8	7	12	25	15	20	15	19	14	7	1	–
	White ..... Male	80	–	–	–	–	–	–	–	1	1	3	5	5	2	14	11	13	10	8	5	2	–	–
	Female	61	–	–	–	1	–	–	–	–	–	–	2	2	8	10	4	4	5	11	8	5	1	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	2	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
540–543	Appendicitis	15	–	–	1	–	–	–	–	–	–	–	–	–	–	2	1	5	2	2	2	–	–	–
	White ..... Male	7	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	156	9	–	1	–	2	1	–	–	3	2	4	8	4	17	9	15	19	25	23	12	2	–
	White ..... Male	66	6	–	–	–	1	–	–	–	1	1	1	4	1	8	1	5	12	12	11	2	–	–
	Female	77	2	–	–	–	1	1	–	–	–	–	3	3	3	7	7	9	7	13	11	8	2	–
	All other ..... Male	6	–	–	1	–	–	–	–	–	1	–	–	1	–	–	1	1	–	–	–	1	–	–
	Female	7	1	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	1	1	–	–
571	Cirrhosis of liver	541	–	–	–	–	–	1	7	10	25	27	63	75	79	96	69	43	15	20	7	4	–	–
	White ..... Male	328	–	–	–	–	–	–	1	6	11	13	36	44	53	65	44	27	11	11	5	1	–	–
	Female	161	–	–	–	–	–	1	1	3	6	9	21	27	18	24	23	13	2	9	2	2	–	–
	All other ..... Male	34	–	–	–	–	–	–	5	1	6	3	5	3	3	4	–	2	2	–	–	–	–	–
	Female	18	–	–	–	–	–	–	–	–	2	2	1	1	5	3	2	1	–	–	–	1	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	61	–	–	–	–	–	–	1	–	1	2	1	4	3	4	8	6	4	14	8	3	2	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	–	1	2	2	1	4	2	2	5	1	1	–	–
	Female	33	–	–	–	–	–	–	1	–	–	2	–	2	1	2	3	2	2	8	7	2	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–	–	1	–
580–584	Nephritis and nephrosis	183	1	1	1	1	–	–	–	3	3	4	8	11	8	15	20	28	28	29	15	6	1	–
	White ..... Male	81	1	1	1	1	–	–	–	2	2	–	4	4	3	7	9	14	12	9	8	3	–	–
	Female	72	–	–	–	–	–	–	–	–	–	2	4	5	–	5	6	12	11	18	5	3	1	–
	All other ..... Male	22	–	–	–	–	–	–	–	1	1	2	–	2	5	2	4	–	3	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	43	1	–	–	1	–	–	–	1	–	–	1	2	3	5	5	11	5	3	3	2	–	–
	White ..... Male	22	1	–	–	1	–	–	–	1	–	–	1	1	2	1	2	7	2	1	1	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	4	1	1	2	1	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	140	–	1	1	–	–	–	–	2	3	4	7	9	5	10	15	17	23	26	12	4	1	–
	White ..... Male	59	–	1	1	–	–	–	–	1	2	–	3	3	1	6	7	7	10	8	7	2	–	–
	Female	58	–	–	–	–	–	–	–	–	–	2	4	4	–	3	4	8	10	17	3	2	1	–
	All other ..... Male	17	–	–	–	–	–	–	–	1	1	2	–	2	4	1	3	–	2	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	1	–	–
590	Infections of kidney	108	–	–	1	–	–	–	–	1	–	1	1	2	3	6	12	15	18	18	20	9	1	–
	White ..... Male	42	–	–	1	–	–	–	–	–	–	1	–	–	–	1	5	3	8	6	10	7	–	–
	Female	59	–	–	–	–	–	–	–	–	–	–	1	2	2	3	6	12	10	10	10	2	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–
600	Hyperplasia of prostate	35	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	2	6	12	5	5	1	–
	White ..... Male	33	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	2	6	10	5	5	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	10	–	–	–	–	2	2	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	6	–	–	–	–	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	4	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Indiana—Con.																							
640–645	Abortions	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	1	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	304	201	27	8	6	5	11	4	3	5	5	2	5	7	3	4	2	3	2	1	–	–	–
	White Male	140	88	10	6	2	3	5	3	2	2	2	2	3	2	2	4	–	1	2	1	–	–	–
	Female	131	89	13	1	4	2	6	–	1	2	3	–	1	5	–	–	2	2	–	–	–	–	–
	All other Male	16	14	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	17	10	4	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	643	642	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	314	314	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	212	211	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	59	59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	350	349	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	187	187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	107	106	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	293	293	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	127	127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	105	105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	527	113	1	4	4	9	13	14	13	18	15	13	17	19	36	33	35	35	45	43	34	11	2
	White Male	268	57	1	2	1	6	8	8	7	7	7	8	10	14	20	22	18	20	21	15	12	4	–
	Female	190	32	–	–	1	2	1	4	3	8	3	4	5	5	13	10	14	11	21	24	21	6	2
	All other Male	40	14	–	–	1	–	3	2	1	3	4	–	1	–	1	1	2	3	2	2	–	–	–
	Female	29	10	–	2	1	1	1	–	2	–	1	1	1	–	2	–	1	1	1	2	1	1	–
Residual	All other diseases	2,863	42	19	24	21	32	38	28	48	48	72	134	162	193	274	338	357	374	318	209	104	28	–
	White Male	1,492	20	11	16	7	11	17	13	18	23	31	70	79	109	149	203	215	197	150	106	39	8	–
	Female	1,134	14	6	6	10	17	16	14	24	16	28	46	65	57	101	109	119	160	157	91	62	16	–
	All other Male	134	6	1	1	3	1	2	1	4	5	7	13	12	16	12	16	11	8	7	5	1	2	–
	Female	103	2	1	1	1	3	3	–	2	4	6	5	6	11	12	10	12	9	4	7	2	2	–
E800–E949	Accidents	2,570	39	93	75	105	316	280	178	141	106	88	110	125	98	122	112	124	129	142	107	57	22	1
	White Male	1,595	20	47	48	61	231	213	125	90	75	47	75	81	62	78	71	64	65	71	44	18	8	1
	Female	794	12	29	20	36	68	48	37	35	21	25	29	40	30	39	33	52	60	69	61	36	14	–
	All other Male	125	5	7	6	6	11	15	10	13	8	12	5	3	4	3	5	6	2	1	2	1	–	–
	Female	56	2	10	1	2	6	4	6	3	2	4	1	1	2	2	3	2	2	1	–	2	–	–
E810–E823	Motor vehicle accidents	1,157	9	37	41	46	211	192	111	90	58	47	44	56	43	45	36	26	36	16	12	1	–	–
	White Male	780	4	16	26	27	149	144	81	58	47	26	31	37	25	31	26	11	19	12	9	1	–	–
	Female	313	5	15	11	18	52	41	27	26	9	15	10	16	13	12	8	12	16	4	3	–	–	–
	All other Male	43	–	3	3	1	4	6	3	5	1	4	3	2	3	1	1	2	1	–	–	–	–	–
	Female	21	–	3	1	–	6	1	–	1	1	2	–	1	2	1	1	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,413	30	56	34	59	105	88	67	51	48	41	66	69	55	77	76	98	93	126	95	56	22	1
	White Male	815	16	31	22	34	82	69	44	32	28	21	44	44	37	47	45	53	46	59	35	17	8	1
	Female	481	7	14	9	18	16	7	10	9	12	10	19	24	17	27	25	40	44	65	58	36	14	–
	All other Male	82	5	4	3	5	7	9	7	8	7	8	2	1	1	2	4	4	1	1	2	1	–	–
	Female	35	2	7	–	2	–	3	6	2	1	2	1	–	–	1	2	1	2	1	–	2	–	–
E950–E959	Suicide	599	...	...	–	1	30	63	61	55	38	51	45	51	49	41	40	30	23	12	9	–	–	–
	White Male	463	...	...	–	1	28	49	48	33	25	42	33	41	38	32	29	24	20	11	9	–	–	–
	Female	118	...	...	–	–	1	10	10	19	13	7	9	10	11	9	11	4	3	1	–	–	–	–
	All other Male	14	...	...	–	–	1	2	2	3	–	2	3	–	–	–	–	1	–	–	–	–	–	–
	Female	4	...	...	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
E960–E978	Homicide	448	6	3	–	4	52	89	61	43	40	30	32	25	15	13	12	8	6	3	3	1	–	2
	White Male	179	1	–	–	2	21	33	30	17	14	11	14	11	9	1	5	3	3	1	1	1	–	1
	Female	72	2	3	–	1	10	10	10	7	2	3	5	1	–	5	4	3	2	1	2	–	–	1
	All other Male	165	2	–	–	1	19	37	20	13	18	14	12	12	5	6	2	2	1	1	–	–	–	–
	Female	32	1	–	–	–	2	9	1	6	6	2	1	1	1	1	1	–	–	–	–	–	–	–
E980–E999	Other external causes	138	1	4	3	3	14	15	18	15	4	18	10	10	6	4	5	3	2	2	1	–	–	–
	White Male	79	–	–	3	1	7	11	12	6	3	11	7	6	2	2	2	3	1	1	1	–	–	–
	Female	37	1	2	–	–	3	1	2	6	1	5	3	4	3	1	3	–	1	1	–	–	–	–
	All other Male	18	–	1	–	2	4	3	2	3	–	2	–	–	–	1	–	–	–	–	–	–	–	–
	Female	4	–	1	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa																							
	All causes	**28,097**	**557**	**110**	**68**	**92**	**305**	**315**	**201**	**210**	**232**	**322**	**635**	**985**	**1,446**	**2,085**	**2,647**	**3,395**	**4,048**	**4,539**	**3,501**	**1,803**	**599**	**2**
	White ..... Male	15,182	290	58	36	66	225	219	144	122	149	191	394	634	925	1,404	1,709	2,027	2,178	2,141	1,462	625	182	1
	Female	12,588	241	48	28	25	75	77	52	80	75	124	232	328	491	657	911	1,335	1,835	2,365	2,028	1,168	412	1
	All other ..... Male	193	15	3	2	1	5	13	4	5	3	5	6	18	19	16	15	21	15	18	3	3	3	–
	Female	134	11	1	2	–	–	6	1	3	5	2	3	5	11	8	12	12	20	15	8	7	2	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	36	9	1	1	–	–	–	–	–	–	1	–	1	–	2	1	2	5	3	4	6	–	–
	White ..... Male	17	4	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	3	3	3	1	–	–
	Female	19	5	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	2	–	1	5	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	18	–	–	–	–	–	–	1	–	–	–	–	–	2	4	1	3	2	2	2	1	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	1	–	–
	Female	8	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	2	1	2	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
010–012	Tuberculosis of respiratory system	12	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	2	1	1	1	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	6	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–	1	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	62	14	–	–	–	–	1	–	–	–	2	1	3	3	6	4	7	3	13	2	1	1	1
	White ..... Male	29	4	–	–	–	–	–	–	–	–	2	1	2	1	3	3	5	1	7	–	–	–	–
	Female	31	9	–	–	–	–	1	–	–	–	–	–	1	2	3	1	1	2	6	2	1	1	1
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	60	3	1	2	1	1	1	–	1	2	3	2	6	5	5	4	5	6	4	4	4	–	–
	White ..... Male	29	1	–	2	1	–	1	–	–	1	–	2	4	2	3	3	2	3	1	1	2	–	–
	Female	28	1	1	–	–	1	–	–	1	1	3	–	2	3	2	–	3	2	3	3	2	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,359	2	7	15	13	29	26	17	50	50	80	205	280	467	623	745	793	730	654	413	132	28	–
	White Male	2,910	–	5	11	8	19	13	12	21	24	26	100	127	259	380	443	462	411	340	182	63	4	–
	Female	2,394	2	2	4	5	9	12	5	28	26	52	104	150	196	235	300	323	315	305	228	69	24	–
	All other Male	34	–	–	–	–	1	1	–	–	–	1	1	2	7	5	1	6	1	7	1	–	–	–
	Female	21	–	–	–	–	–	–	–	1	–	1	–	1	5	3	1	2	3	2	2	–	–	–
140–149	Of buccal cavity and pharynx	88	–	–	1	–	–	–	–	–	–	–	3	8	7	11	21	7	12	6	7	4	1	–
	White Male	59	–	–	1	–	–	–	–	–	–	–	2	7	4	8	14	5	7	5	3	3	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	1	3	3	6	2	5	1	4	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,579	1	–	1	1	–	–	3	5	14	15	30	66	127	167	191	242	253	245	156	54	8	–
	White Male	810	–	–	1	1	–	–	2	2	8	5	16	31	74	111	110	131	130	97	67	23	1	–
	Female	755	1	–	–	–	–	–	1	2	6	10	14	34	49	56	80	108	122	146	88	31	7	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	3	1	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	1	–	–	–	–
160–163	Of respiratory system	1,133	–	–	–	–	–	–	2	5	5	13	62	64	136	200	197	184	131	88	37	6	3	–
	White Male	916	–	–	–	–	–	–	1	4	3	8	48	49	105	160	168	159	108	71	27	5	–	–
	Female	208	–	–	–	–	–	–	1	1	2	5	14	15	27	39	29	24	22	15	10	1	3	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
174	Of breast	475	–	–	–	–	–	–	–	8	8	14	34	42	45	53	62	63	61	34	39	8	4	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	469	–	–	–	–	–	–	–	8	8	14	34	41	45	51	62	62	60	34	38	8	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	1	–	–	–
180–187	Of genital organs	686	–	–	–	–	7	6	–	7	6	11	21	32	41	51	87	107	109	112	59	27	3	–
	White Male	351	–	–	–	–	6	5	–	3	2	–	1	4	10	14	44	54	71	81	35	19	2	–
	Female	329	–	–	–	–	1	1	–	4	4	10	20	28	31	34	43	53	38	29	24	8	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–
188, 189	Of urinary organs	267	–	1	–	1	–	–	1	–	2	2	7	8	24	23	35	40	39	40	33	7	4	–
	White Male	185	–	–	–	1	–	–	–	–	2	1	5	5	18	16	22	33	30	27	21	3	1	–
	Female	79	–	1	–	–	–	–	1	–	–	–	2	3	6	6	13	7	8	13	12	4	3	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	523	1	3	2	6	9	9	6	11	6	14	24	33	39	58	75	60	48	63	40	13	3	–
	White Male	256	–	2	2	3	6	4	5	4	3	5	13	18	22	31	44	32	22	27	10	3	–	–
	Female	258	1	1	–	3	3	4	1	7	3	9	10	14	15	26	31	28	26	34	29	10	3	–
	All other Male	6	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–
204–207	Leukemia	250	–	3	8	4	10	5	4	4	5	4	7	7	11	26	30	29	29	31	24	9	–	–
	White Male	147	–	3	4	2	5	3	3	1	3	3	5	2	7	19	19	16	21	16	11	4	–	–
	Female	101	–	–	4	2	5	2	1	3	2	1	2	5	3	7	11	12	8	15	13	5	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	358	–	–	3	1	3	6	1	10	4	7	17	20	37	34	47	61	48	35	18	4	2	–
	White Male	186	–	–	3	1	2	1	1	7	3	4	10	11	19	21	22	32	22	16	8	3	–	–
	Female	167	–	–	–	–	–	5	–	3	1	3	7	9	17	13	25	27	26	18	10	1	2	–
	All other Male	5	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	55	1	–	–	–	–	2	–	1	3	4	–	4	4	2	6	8	10	8	2	–	–	–
	White Male	21	–	–	–	–	–	–	–	–	1	2	–	2	1	–	2	3	4	5	1	–	–	–
	Female	34	1	–	–	–	–	2	–	1	2	2	–	2	3	2	4	5	6	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	562	–	–	–	–	1	1	2	5	8	4	6	19	31	38	58	84	105	105	75	14	6	–
	White Male	235	–	–	–	–	1	–	2	3	7	–	3	11	13	18	26	38	40	42	26	3	2	–
	Female	322	–	–	–	–	–	1	–	2	1	4	2	8	17	19	31	46	65	62	49	11	4	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	46	–	1	–	–	–	–	–	–	–	–	1	–	1	2	2	1	5	12	11	8	2	–
	White Male	21	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	3	7	3	2	–
	Female	25	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	3	9	4	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa — Con.																							
280–285	Anemias	56	–	1	–	–	–	–	–	–	–	–	2	–	1	–	4	5	10	11	16	6	–	–
	White — Male	16	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	4	3	1	3	–	–
	Female	39	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	4	6	8	15	3	–	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	20	6	3	–	–	–	–	–	–	1	–	1	1	3	2	1	1	–	1	–	–	–	–
	White — Male	12	4	2	–	–	–	–	–	–	1	–	–	–	2	1	1	1	–	–	–	–	–	–
	Female	8	2	1	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	1	–	–	–	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	15,438	6	6	1	3	11	12	13	24	45	100	214	426	634	989	1,351	1,910	2,461	3,031	2,422	1,332	447	–
	White — Male	8,030	5	5	1	2	9	7	7	10	29	77	156	324	460	714	917	1,139	1,278	1,359	954	451	126	–
	Female	7,275	1	1	–	1	2	5	5	13	13	23	56	91	165	266	419	749	1,156	1,656	1,462	873	318	–
	All other — Male	74	–	–	–	–	–	–	–	1	1	–	2	9	6	7	8	14	13	7	2	3	1	–
	Female	59	–	–	–	–	–	–	1	–	2	–	–	2	3	2	7	8	14	9	4	5	2	–
390–398, 402, 404, 410–429	Diseases of heart	11,046	6	3	1	2	8	7	8	10	34	76	178	355	534	813	1,083	1,452	1,753	2,059	1,541	846	277	–
	White — Male	6,064	5	2	1	2	7	5	4	6	22	63	139	288	409	603	756	890	930	947	605	294	86	–
	Female	4,883	1	1	–	–	1	2	4	4	10	13	37	57	118	202	316	545	802	1,099	935	546	190	–
	All other — Male	58	–	–	–	–	–	–	–	–	1	–	2	8	6	6	6	11	9	6	1	2	–	–
	Female	41	–	–	–	–	–	–	–	–	1	–	–	2	1	2	5	6	12	7	–	4	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	180	–	–	–	–	1	1	2	3	3	5	3	8	18	19	28	32	28	17	9	2	1	–
	White — Male	76	–	–	–	–	1	1	1	2	1	3	–	5	5	8	12	17	12	6	2	–	–	–
	Female	102	–	–	–	–	–	–	1	1	2	2	3	2	13	11	16	14	16	11	7	2	1	–
	All other — Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	69	–	–	–	–	–	–	–	–	1	–	1	1	1	5	3	9	15	16	6	6	5	–
	White — Male	17	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	4	5	1	1	–	–	–
	Female	51	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	5	10	15	5	5	5	–
	All other — Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	88	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	13	13	19	14	20	3	–
	White — Male	31	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	7	4	7	6	5	–	–
	Female	53	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	4	9	11	8	15	3	–
	All other — Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
410–413	Ischemic heart disease	10,047	–	1	–	–	–	3	1	5	25	68	159	330	480	762	991	1,341	1,604	1,877	1,394	762	244	–
	White — Male	5,612	–	1	–	–	–	3	1	4	17	57	130	273	381	581	704	829	863	865	553	271	79	–
	Female	4,349	–	–	–	–	–	–	–	1	7	11	27	49	93	175	276	499	720	1,001	840	486	164	–
	All other — Male	47	–	–	–	–	–	–	–	–	–	–	2	6	5	4	6	8	9	5	1	1	–	–
	Female	39	–	–	–	–	–	–	–	–	1	–	–	2	1	2	5	5	12	6	–	4	1	–
410	Acute myocardial infarction	5,805	–	1	–	–	–	2	–	4	20	54	140	267	396	565	729	889	927	919	561	263	68	–
	White — Male	3,621	–	1	–	–	–	2	–	3	12	47	116	225	326	440	520	575	530	466	231	100	27	–
	Female	2,132	–	–	–	–	–	–	–	1	7	7	22	37	65	121	200	308	386	446	329	162	41	–
	All other — Male	32	–	–	–	–	–	–	–	–	–	–	2	4	4	2	5	5	6	3	1	–	–	–
	Female	20	–	–	–	–	–	–	–	–	1	–	–	1	1	2	4	1	5	4	–	1	–	–
411	Other acute and subacute forms of ischemic heart disease	34	–	–	–	–	–	–	–	–	–	–	1	–	1	4	8	7	2	6	2	2	1	–
	White — Male	24	–	–	–	–	–	–	–	–	–	–	–	–	1	4	5	5	2	4	2	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	2	–	2	–	1	1	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,208	–	–	–	–	–	1	1	1	5	14	18	63	83	193	254	445	675	952	831	497	175	–
	White — Male	1,967	–	–	–	–	–	1	1	1	5	10	14	48	54	137	179	249	331	395	320	170	52	–
	Female	2,207	–	–	–	–	–	–	–	–	–	4	4	12	28	54	73	189	334	553	511	323	122	–
	All other — Male	15	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	3	3	2	–	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	7	2	–	3	1	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	102	1	–	–	–	–	1	1	1	–	–	–	3	2	3	8	7	15	20	19	17	4	–
	White — Male	47	1	–	–	–	–	–	–	–	–	–	–	2	1	2	4	3	9	13	7	4	1	–
	Female	55	–	–	–	–	–	1	1	1	–	–	–	1	1	1	4	4	6	7	12	13	3	–
	All other — Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
420–423, 425–427, 429	All other forms of heart disease	560	5	2	1	2	7	2	4	1	5	3	15	11	32	23	51	50	78	110	99	39	20	–
	White Male	281	4	1	1	2	6	1	2	–	3	3	9	6	21	11	33	30	37	55	36	14	6	–
	Female	273	1	1	–	–	1	1	2	1	1	–	6	4	10	11	18	19	41	54	63	25	14	–
	All other Male	6	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	118	–	–	–	–	–	–	–	–	–	1	1	1	4	5	7	11	20	30	18	18	2	–
	White Male	63	–	–	–	–	–	–	–	–	–	1	–	–	2	2	5	3	14	17	9	9	1	–
	Female	55	–	–	–	–	–	–	–	–	–	–	1	1	2	3	2	8	6	13	9	9	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	3,226	–	3	–	1	3	3	3	12	9	17	26	59	81	123	191	361	531	735	666	307	95	–
	White Male	1,373	–	3	–	–	2	1	2	4	6	10	13	29	41	70	110	186	246	289	248	93	20	–
	Female	1,829	–	–	–	1	1	2	–	7	3	7	13	29	38	52	79	172	279	444	416	212	74	–
	All other Male	14	–	–	–	–	–	–	–	1	–	–	–	1	–	1	2	2	4	–	1	1	1	–
	Female	10	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	2	2	1	1	–	–
431	Cerebral hemorrhage	371	–	–	–	1	–	–	–	–	4	4	3	22	22	29	28	51	51	64	62	26	4	–
	White Male	170	–	–	–	–	–	–	–	–	4	2	1	9	11	17	14	25	31	31	17	6	2	–
	Female	197	–	–	–	1	–	–	–	–	–	2	2	12	11	11	13	26	20	33	45	20	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	719	–	–	–	–	–	–	–	1	–	–	3	3	13	15	39	78	137	185	156	62	27	–
	White Male	308	–	–	–	–	–	–	–	–	–	–	2	1	5	8	28	43	58	79	63	17	4	–
	Female	406	–	–	–	–	–	–	–	1	–	–	1	2	8	7	11	35	77	105	92	44	23	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
434	Cerebral embolism	11	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	1	1	2	2	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,125	–	3	–	–	3	3	3	11	5	13	20	33	46	78	124	229	342	485	446	217	64	–
	White Male	891	–	3	–	–	2	1	2	4	2	8	10	18	25	45	68	118	157	179	166	69	14	–
	Female	1,219	–	–	–	–	1	2	–	6	3	5	10	15	19	33	55	108	181	305	279	147	50	–
	All other Male	8	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	2	–	1	1	–	–
	Female	7	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	2	1	–	–	–	–
440	Arteriosclerosis	607	–	–	–	–	–	–	–	–	1	1	–	3	2	12	19	43	76	125	135	125	65	–
	White Male	261	–	–	–	–	–	–	–	–	1	–	–	2	–	8	10	23	38	58	60	45	16	–
	Female	341	–	–	–	–	–	–	–	–	–	1	–	1	2	4	8	19	38	67	73	80	48	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	441	–	–	–	–	–	2	2	2	1	5	9	8	13	36	51	43	81	82	62	36	8	–
	White Male	269	–	–	–	–	–	1	1	–	–	3	4	5	8	31	36	37	50	48	32	10	3	–
	Female	167	–	–	–	–	–	1	1	2	–	2	5	3	5	5	14	5	31	33	29	26	5	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–
466	Acute bronchitis and bronchiolitis	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–
	White Male	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,083	19	14	4	2	5	8	1	2	3	8	19	16	27	49	59	76	163	214	196	138	60	–
	White Male	569	8	7	1	2	5	2	1	2	1	5	12	8	14	35	41	51	92	121	93	46	22	–
	Female	496	10	7	3	–	–	5	–	–	2	3	5	6	10	12	16	25	70	92	102	91	37	–
	All other Male	10	1	–	–	–	–	1	–	–	–	–	1	2	2	–	1	–	–	1	–	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	1	–	1	1	–	–
470–474	Influenza	146	1	4	1	–	1	4	–	–	1	1	3	3	7	5	6	12	19	27	28	18	5	–
	White Male	73	1	3	1	–	1	2	–	–	–	–	2	1	4	3	1	10	9	12	13	7	3	–
	Female	72	–	1	–	–	–	2	–	–	1	1	1	2	3	2	4	2	10	15	15	11	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
480–486	Pneumonia	937	18	10	3	2	4	4	1	2	2	7	16	13	20	44	53	64	144	187	168	120	55	–
	White Male	496	7	4	–	2	4	–	1	2	1	5	10	7	10	32	40	41	83	109	80	39	19	–
	Female	424	10	6	3	–	–	3	–	–	1	2	4	4	7	10	12	23	60	77	87	80	35	–
	All other Male	10	1	–	–	–	–	1	–	–	–	–	1	2	2	–	1	–	–	1	–	–	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	1	–	1	1	–	–
490–493	Bronchitis, emphysema, and asthma	477	1	1	–	–	3	–	–	–	1	–	8	12	29	61	67	87	87	64	40	12	4	–
	White Male	360	1	–	–	–	–	–	–	–	1	–	4	10	18	42	50	70	72	51	35	4	2	–
	Female	111	–	1	–	–	2	–	–	–	–	–	4	1	9	18	16	17	15	13	5	8	2	–
	All other Male	4	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa—Con.																							
490, 491	Chronic and unqualified bronchitis	83	1	1	–	–	1	–	–	–	1	–	1	1	4	6	13	19	13	9	7	5	1	–
	White ..... Male	60	1	–	–	–	–	–	–	–	1	–	1	1	1	3	11	15	10	7	7	1	1	–
	Female	22	–	1	–	–	1	–	–	–	–	–	–	–	2	3	2	4	3	2	–	4	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	369	–	–	–	–	2	–	–	–	–	–	4	10	24	50	49	66	72	49	33	7	3	–
	White ..... Male	291	–	–	–	–	–	–	–	–	–	–	2	9	17	36	37	54	61	43	28	3	1	–
	Female	75	–	–	–	–	1	–	–	–	–	–	2	1	7	13	11	12	11	6	5	4	2	–
	All other ..... Male	2	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
493	Asthma	25	–	–	–	–	–	–	–	–	–	–	3	1	1	5	5	2	2	6	–	–	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	1	1	1	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	2	–	–	2	3	1	1	5	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	82	–	–	–	–	–	–	–	–	1	–	4	3	5	10	7	13	16	7	12	3	1	–
	White ..... Male	52	–	–	–	–	–	–	–	–	1	–	3	2	2	6	3	9	14	3	8	1	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	1	1	3	4	4	4	2	3	4	2	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
540–543	Appendicitis	19	–	–	–	–	1	–	–	–	2	–	–	1	1	2	–	3	4	3	1	1	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	3	3	1	1	–	–
	Female	7	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	3	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	122	4	–	1	–	–	–	–	–	1	3	1	3	–	8	8	11	20	26	22	13	1	–
	White ..... Male	47	2	–	1	–	–	–	–	–	1	2	1	1	–	6	5	4	8	7	6	3	–	–
	Female	75	2	–	–	–	–	–	–	–	–	1	–	2	–	2	3	7	12	19	16	10	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	278	1	–	–	–	1	1	–	–	6	13	19	46	53	47	30	30	18	10	2	1	–	–
	White ..... Male	195	1	–	–	–	1	–	–	–	4	9	15	36	38	35	21	16	11	7	1	–	–	–
	Female	75	–	–	–	–	–	1	–	–	2	2	4	9	14	12	7	12	7	3	1	1	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	59	–	–	–	–	–	–	–	–	–	1	2	1	1	2	7	7	9	12	7	9	1	–
	White ..... Male	29	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	2	6	8	3	3	1	–
	Female	30	–	–	–	–	–	–	–	–	–	1	1	–	–	2	4	5	3	4	4	6	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	108	1	1	–	–	2	1	1	1	3	–	5	2	5	6	15	12	19	8	19	6	1	–
	White ..... Male	52	–	1	–	–	1	1	1	–	2	–	3	–	4	3	6	6	9	5	9	1	–	–
	Female	55	1	–	–	–	1	–	–	–	1	–	2	2	1	3	9	6	10	3	10	5	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	25	1	–	–	–	1	–	–	1	–	–	2	–	–	2	6	3	4	–	2	3	–	–
	White ..... Male	10	–	–	–	–	1	–	–	–	–	–	1	–	–	1	4	2	1	–	–	–	–	–
	Female	14	1	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	3	–	2	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	83	–	1	–	–	1	1	1	–	3	–	3	2	5	4	9	9	15	8	17	3	1	–
	White ..... Male	42	–	1	–	–	–	1	1	–	2	–	2	–	4	2	2	4	8	5	9	1	–	–
	Female	41	–	–	–	–	1	–	–	–	1	–	1	2	1	2	7	5	7	3	8	2	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	68	–	–	–	–	–	–	–	–	1	1	–	–	1	1	3	8	12	14	18	6	3	–
	White ..... Male	29	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	7	6	9	–	–	–
	Female	38	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	3	5	8	9	6	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
600	Hyperplasia of prostate	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	6	11	3	3	1	–
	White ..... Male	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	6	11	3	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	4	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Iowa – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	177	120	14	5	5	3	5	3	2	2	1	–	3	3	2	4	–	2	3	–	–	–	–
	White Male	84	57	5	4	3	2	4	2	–	1	–	–	2	–	1	2	–	–	1	–	–	–	–
	Female	89	61	7	1	2	1	1	1	2	1	1	–	1	3	1	2	–	2	2	–	–	–	–
	All other Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	295	295	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	162	162	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	118	118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	161	161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	94	94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	134	134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	109	40	5	–	–	2	3	2	–	–	–	4	1	1	4	7	5	12	6	4	5	8	–
	White Male	60	22	3	–	–	–	3	2	–	–	–	1	–	1	4	3	3	8	3	1	1	5	–
	Female	44	15	2	–	–	2	–	–	–	–	–	3	1	–	–	4	2	4	3	3	3	2	–
	All other Male	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Residual	All other diseases	1,575	21	8	6	16	8	15	16	14	15	22	44	67	91	132	177	233	250	217	145	59	19	–
	White Male	880	10	4	4	8	5	7	7	7	9	12	23	36	55	84	114	146	138	101	78	23	9	–
	Female	680	9	4	2	8	3	5	9	7	6	9	20	29	36	48	63	87	111	111	67	36	10	–
	All other Male	11	2	–	–	–	–	1	–	–	–	1	1	2	–	–	–	–	1	3	–	–	–	–
	Female	4	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
E800–E949	Accidents	1,454	10	42	30	49	208	197	104	73	58	52	56	58	42	58	61	65	70	90	74	42	15	–
	White Male	990	5	20	11	39	163	153	81	55	45	41	42	42	27	44	42	43	40	44	34	12	7	–
	Female	429	4	20	15	9	43	32	21	17	10	10	14	13	14	13	18	22	30	46	40	30	8	–
	All other Male	25	1	2	2	1	2	9	2	1	1	1	–	2	–	1	–	–	–	–	–	–	–	–
	Female	10	–	–	2	–	–	3	–	–	2	–	–	1	1	–	1	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	696	2	14	11	21	148	136	59	44	33	26	26	30	19	23	26	24	27	18	8	1	–	–
	White Male	500	1	6	2	18	113	107	44	31	25	18	20	21	11	16	16	18	14	13	6	–	–	–
	Female	183	1	8	8	2	34	23	15	13	6	7	6	9	7	7	10	6	13	5	2	1	–	–
	All other Male	9	–	–	1	1	1	4	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	758	8	28	19	28	60	61	45	29	25	26	30	28	23	35	35	41	43	72	66	41	15	–
	White Male	490	4	14	9	21	50	46	37	24	20	23	22	21	16	28	26	25	26	31	28	12	7	–
	Female	246	3	12	7	7	9	9	6	4	4	3	8	4	7	6	8	16	17	41	38	29	8	–
	All other Male	16	1	2	1	–	1	5	2	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	Female	6	–	–	2	–	–	1	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
E950–E959	Suicide	323	...	...	–	2	16	30	26	25	23	21	30	25	30	26	23	18	18	5	5	–	–	–
	White Male	230	...	...	–	2	11	22	19	18	17	11	20	20	18	19	17	13	14	4	5	–	–	–
	Female	82	...	...	–	–	4	7	5	6	5	9	9	5	12	6	5	5	3	1	–	–	–	–
	All other Male	10	...	...	–	–	1	1	2	1	1	1	1	–	–	1	1	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E960–E978	Homicide	74	1	3	1	–	11	9	9	7	7	3	7	5	5	–	–	–	2	2	1	–	–	1
	White Male	44	1	3	–	–	5	5	6	4	4	2	4	4	4	–	–	–	1	–	–	–	–	1
	Female	26	–	–	1	–	6	3	3	1	2	1	3	1	1	–	–	–	1	2	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	34	–	2	2	1	3	2	4	3	–	3	3	2	1	3	1	1	2	–	–	1	–	–
	White Male	21	–	1	–	1	3	1	4	2	–	2	2	–	1	1	1	–	2	–	–	–	–	–
	Female	13	–	1	2	–	–	1	–	1	–	1	1	2	–	2	–	1	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas																							
	All causes	**21,781**	**474**	**100**	**58**	**65**	**231**	**269**	**188**	**169**	**215**	**287**	**532**	**798**	**1,150**	**1,632**	**2,190**	**2,562**	**3,059**	**3,360**	**2,584**	**1,371**	**485**	**2**
	White ... Male	11,166	237	52	35	40	158	186	117	92	126	163	306	451	697	1,001	1,365	1,421	1,566	1,528	1,006	469	150	–
	Female	9,536	178	37	17	21	53	63	51	59	63	84	183	282	385	526	723	1,023	1,372	1,737	1,507	861	311	–
	All other ... Male	622	36	4	3	4	17	17	13	13	19	27	24	39	41	73	58	69	62	45	37	12	7	2
	Female	457	23	7	3	–	3	3	7	5	7	13	19	26	27	32	44	49	59	50	34	29	17	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	20	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	4	2	3	2	–
	White ... Male	8	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	1	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	1	3	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
010–019	Tuberculosis, all forms	19	–	–	–	–	2	–	–	–	–	–	1	4	3	2	–	–	2	5	–	–	–	–
	White ... Male	9	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	4	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	1	–	–	–	–
	All other ... Male	3	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	14	–	–	–	–	–	–	–	–	–	–	1	3	2	2	–	–	2	4	–	–	–	–
	White ... Male	7	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	3	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	5	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
	White ... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other ... Male	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White ... Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	43	8	–	–	–	–	–	1	1	1	–	–	4	1	2	2	3	10	3	4	1	2	–
	White ... Male	19	5	–	–	–	–	–	1	–	1	–	–	2	1	1	1	1	2	1	3	–	–	–
	Female	18	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	7	2	1	1	2	–
	All other ... Male	4	1	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	White ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	63	–	3	–	2	2	–	1	–	–	2	1	3	6	4	8	8	7	9	5	1	1	–
	White ... Male	17	–	1	–	–	1	–	–	–	–	–	–	–	1	2	2	4	2	1	2	–	1	–
	Female	32	–	1	–	1	1	–	1	–	–	–	–	1	3	2	4	4	2	8	3	1	–	–
	All other ... Male	8	–	–	–	1	–	–	–	–	–	1	1	2	1	–	1	–	1	–	–	–	–	–
	Female	6	–	1	–	–	–	–	–	–	–	1	–	–	1	–	1	–	2	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,999	1	12	12	7	13	19	16	27	44	64	171	263	340	509	560	569	534	467	255	91	25	–
	White.....Male	2,109	–	8	10	5	6	13	13	11	18	22	74	116	182	298	346	295	295	232	114	42	9	–
	Female	1,687	1	2	1	2	5	4	2	13	24	31	82	130	144	179	193	246	218	219	131	46	14	–
	All other.....Male	120	–	–	–	–	2	2	–	2	–	7	6	6	8	24	12	20	13	10	6	2	–	–
	Female	83	–	2	1	–	–	–	1	1	2	4	9	11	6	8	9	8	8	6	4	1	2	–
140–149	Of buccal cavity and pharynx	77	–	–	–	–	2	–	–	1	–	–	3	5	9	14	15	8	6	7	5	2	–	–
	White.....Male	51	–	–	–	–	1	–	–	–	–	–	3	5	7	10	11	5	3	1	3	2	–	–
	Female	21	–	–	–	–	1	–	–	1	–	–	–	–	1	4	3	3	1	5	2	–	–	–
	All other.....Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	1,058	–	–	–	–	–	1	–	–	9	18	36	47	74	116	146	162	179	146	86	28	10	–
	White.....Male	511	–	–	–	–	–	–	–	–	4	7	18	26	41	56	79	75	90	66	35	11	3	–
	Female	486	–	–	–	–	–	1	–	–	3	7	14	15	30	50	60	77	80	77	50	17	5	–
	All other.....Male	35	–	–	–	–	–	–	–	–	–	3	2	4	2	9	2	7	4	1	1	–	–	–
	Female	26	–	–	–	–	–	–	–	–	2	1	2	2	1	1	5	3	5	2	–	–	2	–
160–163	Of respiratory system	890	–	–	–	–	–	–	2	2	7	14	41	70	95	159	185	139	90	66	28	11	1	–
	White.....Male	678	–	–	–	–	–	–	2	2	6	5	25	50	69	130	138	103	73	50	17	8	–	–
	Female	180	–	–	–	–	–	–	–	–	1	7	11	18	24	22	25	29	16	13	10	3	1	–
	All other.....Male	27	–	–	–	–	–	–	–	–	–	2	3	2	1	7	2	6	–	3	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	1	–	–	–	–	–
174	Of breast	358	–	–	–	–	–	–	–	2	7	11	20	39	43	42	39	49	45	36	17	8	–	–
	White.....Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	–	–	–	–	–
	Female	338	–	–	–	–	–	–	–	2	7	10	19	35	42	40	37	45	42	36	16	7	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	1	4	1	2	1	–	2	–	1	1	–	–
180–187	Of genital organs	501	–	1	–	1	1	4	3	4	5	3	19	32	29	55	51	73	71	92	39	15	3	–
	White.....Male	247	–	1	–	–	–	4	3	1	–	–	2	1	8	17	23	36	48	67	23	11	2	–
	Female	210	–	–	–	1	1	–	–	3	5	2	14	29	18	30	24	31	17	20	11	3	1	–
	All other.....Male	26	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	3	6	5	4	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	1	3	2	2	5	1	3	–	–	1	–	–	–
188, 189	Of urinary organs	227	–	2	1	–	–	–	–	2	1	1	7	7	8	28	40	26	36	37	21	5	5	–
	White.....Male	146	–	1	1	–	–	–	–	2	–	1	5	5	7	24	29	16	23	17	11	2	2	–
	Female	73	–	–	–	–	–	–	–	–	1	–	2	2	1	2	9	9	13	18	10	3	3	–
	All other.....Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
	Female	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	476	–	4	–	2	5	6	7	12	10	12	22	37	45	54	61	60	54	41	32	8	4	–
	White.....Male	238	–	3	–	2	3	4	5	6	5	7	12	14	29	32	35	28	23	14	12	3	1	–
	Female	219	–	–	–	–	2	2	2	6	5	3	9	21	13	20	23	29	30	27	19	5	3	–
	All other.....Male	12	–	–	–	–	–	–	–	–	–	1	1	–	2	2	3	2	1	–	–	–	–	–
	Female	7	–	1	–	–	–	–	–	–	–	1	–	2	1	–	–	1	–	–	1	–	–	–
204–207	Leukemia	177	1	5	9	2	4	2	3	1	1	2	10	10	11	14	15	16	25	22	14	9	1	–
	White.....Male	105	–	3	7	2	2	1	2	–	–	2	4	6	9	8	14	8	17	10	6	4	–	–
	Female	65	1	2	1	–	1	1	–	–	1	–	5	4	2	6	1	8	8	10	8	5	1	–
	All other.....Male	3	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	4	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	235	–	–	2	2	1	6	1	3	4	3	13	16	26	27	28	36	28	20	13	5	1	–
	White.....Male	127	–	–	2	1	–	4	1	–	3	–	5	9	12	21	16	20	17	7	7	1	1	–
	Female	95	–	–	–	1	–	–	–	1	1	2	8	6	13	5	11	15	11	13	5	3	–	–
	All other.....Male	10	–	–	–	–	1	2	–	1	–	1	–	–	1	1	1	1	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	38	2	–	–	–	–	–	–	1	1	1	–	3	6	3	1	8	5	2	1	1	3	–
	White.....Male	19	1	–	–	–	–	–	–	–	1	1	–	1	4	1	1	4	3	1	–	–	1	–
	Female	16	1	–	–	–	–	–	–	1	–	–	–	2	2	2	–	2	1	1	1	1	2	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
250	Diabetes mellitus	429	–	–	–	–	–	1	2	–	5	5	7	6	21	40	62	69	88	61	48	10	4	–
	White.....Male	175	–	–	–	–	–	1	2	–	5	4	4	5	5	16	26	33	30	22	19	2	1	–
	Female	225	–	–	–	–	–	–	–	–	–	–	3	1	14	20	31	34	50	33	29	7	3	–
	All other.....Male	9	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	2	2	–	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	1	6	4	–	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	50	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	2	6	7	16	8	4	–
	White.....Male	12	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	3	3	1	1	–
	Female	35	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	6	4	13	6	3	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
280–285	Anemias	48	1	2	2	–	–	–	2	–	–	1	–	2	1	3	3	8	6	4	9	3	1	–
	White Male	21	–	2	1	–	–	–	–	–	–	1	–	1	1	1	1	4	2	2	4	1	–	–
	Female	23	1	–	–	–	–	–	2	–	–	–	–	1	–	1	1	4	4	2	4	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
320	Meningitis	16	9	4	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	White Male	10	5	2	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	11,652	9	5	4	6	11	17	10	18	39	78	168	277	505	727	1,121	1,413	1,852	2,209	1,818	1,022	342	1
	White Male	5,724	4	1	2	4	5	10	4	11	22	53	118	188	344	467	719	781	925	960	671	332	103	–
	Female	5,468	3	3	2	2	5	5	4	6	13	16	39	67	131	218	350	571	861	1,185	1,102	662	223	–
	All other Male	249	2	1	–	–	1	2	2	–	2	7	8	14	17	31	32	33	32	30	21	7	6	1
	Female	211	–	–	–	–	–	–	–	1	2	2	3	8	13	11	20	28	34	34	24	21	10	–
390–398, 402, 404, 410–429	Diseases of heart	8,344	7	3	1	5	9	11	5	14	32	64	143	231	426	604	891	1,074	1,296	1,482	1,181	644	220	1
	White Male	4,330	3	–	1	3	4	7	2	10	20	46	105	169	303	401	589	624	676	644	441	218	64	–
	Female	3,704	2	3	–	2	4	3	1	3	8	9	27	46	100	173	266	414	574	798	712	414	145	–
	All other Male	178	2	–	–	–	1	1	2	–	2	7	8	11	14	21	23	19	21	19	17	5	4	1
	Female	132	–	–	–	–	–	–	–	1	2	2	3	5	9	9	13	17	25	21	11	7	7	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	112	–	–	–	1	–	–	–	–	4	1	6	3	12	11	15	17	18	12	7	2	3	–
	White Male	47	–	–	–	1	–	–	–	–	2	–	3	1	8	5	8	5	5	3	3	1	2	–
	Female	59	–	–	–	–	–	–	–	–	2	1	3	1	4	5	7	10	13	8	3	1	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–
402	Hypertensive heart disease	56	–	–	–	–	–	–	–	–	–	1	2	–	1	1	8	7	10	11	9	5	1	–
	White Male	16	–	–	–	–	–	–	–	–	–	1	2	–	1	–	2	2	4	3	1	–	–	–
	Female	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	4	5	8	8	5	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
404	Hypertensive heart and renal disease	66	–	–	–	1	–	–	–	–	–	–	–	2	1	1	4	6	9	15	17	7	3	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	4	5	6	3	1	1	–
	Female	41	–	–	–	1	–	–	–	–	–	–	–	1	1	1	1	2	4	9	14	6	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	7,497	1	–	–	–	2	3	1	9	22	53	126	209	374	551	817	986	1,174	1,341	1,063	574	190	1
	White Male	3,965	–	–	–	–	1	3	1	7	16	42	95	154	274	372	547	578	629	596	399	194	57	–
	Female	3,263	1	–	–	–	–	–	–	1	3	6	20	40	80	152	237	378	506	707	640	368	124	–
	All other Male	155	–	–	–	–	1	–	–	–	2	4	8	10	13	19	21	17	19	18	14	5	3	1
	Female	114	–	–	–	–	–	–	–	1	1	1	3	5	7	8	12	13	20	20	10	7	6	–
410	Acute myocardial infarction	4,210	1	–	–	–	2	–	1	9	18	48	102	169	307	414	576	629	685	620	420	160	49	–
	White Male	2,552	–	–	–	–	1	–	1	7	13	39	79	128	229	296	401	401	404	294	180	57	22	–
	Female	1,527	1	–	–	–	–	–	–	1	3	5	15	30	65	101	156	215	264	314	230	101	26	–
	All other Male	85	–	–	–	–	1	–	–	–	2	4	5	8	9	13	12	8	10	6	6	1	–	–
	Female	46	–	–	–	–	–	–	–	1	–	–	3	3	4	4	7	5	7	6	4	1	1	–
411	Other acute and subacute forms of ischemic heart disease	29	–	–	–	–	–	1	–	–	–	–	–	–	3	4	5	3	2	5	2	3	1	–
	White Male	19	–	–	–	–	–	1	–	–	–	–	–	–	2	3	5	2	1	2	2	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	3,253	–	–	–	–	–	2	–	–	4	5	24	40	64	133	236	354	485	716	638	411	140	1
	White Male	1,394	–	–	–	–	–	2	–	–	3	3	16	26	43	73	141	175	224	300	217	136	35	–
	Female	1,722	–	–	–	–	–	–	–	–	–	1	5	10	15	50	81	162	239	390	407	265	97	–
	All other Male	70	–	–	–	–	–	–	–	–	–	–	3	2	4	6	9	9	9	12	8	4	3	1
	Female	67	–	–	–	–	–	–	–	–	1	1	–	2	2	4	5	8	13	14	6	6	5	–
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	86	–	–	–	–	–	2	–	–	1	1	2	–	2	2	9	8	15	16	13	9	6	–
	White Male	40	–	–	–	–	–	–	–	–	–	–	2	–	1	1	7	4	7	9	6	2	1	–
	Female	44	–	–	–	–	–	2	–	–	1	–	–	–	1	1	2	4	8	7	6	7	5	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas—Con.																							
420–423, 425–427, 429	All other forms of heart disease	527	6	3	1	3	7	6	4	5	5	8	7	17	36	38	38	50	70	87	72	47	17	–
	White Male	238	3	–	1	2	3	4	1	3	2	3	3	13	19	23	22	31	26	27	29	20	3	–
	Female	260	1	3	–	1	4	1	1	2	2	2	4	4	14	14	13	16	38	59	41	27	13	–
	All other Male	17	2	–	–	–	–	1	2	–	–	2	–	–	1	1	2	2	2	1	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	1	1	–	–	2	–	1	1	4	–	1	–	1	–
400, 401, 403	Hypertension	65	–	–	–	–	–	–	–	–	2	–	1	4	1	1	4	7	7	11	12	13	2	–
	White Male	22	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	2	1	6	4	4	–	–
	Female	34	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	2	5	5	7	8	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	1	1	–	–
430–438	Cerebrovascular diseases	2,464	1	2	3	1	2	5	5	3	4	10	18	35	62	94	175	265	421	549	466	262	81	–
	White Male	999	–	1	1	1	1	3	2	1	1	4	8	14	32	47	98	114	181	231	165	72	22	–
	Female	1,348	1	–	2	–	1	2	3	2	3	6	10	17	24	37	63	134	226	297	289	177	54	–
	All other Male	57	–	1	–	–	–	–	–	–	–	–	–	3	2	8	8	9	8	10	4	2	2	–
	Female	60	–	–	–	–	–	–	–	–	–	–	–	1	4	2	6	8	6	11	8	11	3	–
431	Cerebral hemorrhage	346	1	1	2	–	2	2	1	–	2	2	7	14	18	25	33	37	50	62	56	24	7	–
	White Male	133	–	–	–	–	1	1	1	–	1	–	2	6	6	14	20	11	17	22	21	9	1	–
	Female	196	1	–	2	–	1	1	–	–	1	2	5	7	9	9	12	23	31	38	34	14	6	–
	All other Male	9	–	1	–	–	–	–	–	–	–	–	–	1	2	1	–	1	2	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	1	1	–	–
433	Cerebral thrombosis	542	–	–	–	–	–	–	2	–	–	–	2	5	12	15	38	54	91	132	110	59	22	–
	White Male	215	–	–	–	–	–	–	1	–	–	–	2	3	8	7	20	24	41	56	33	14	6	–
	Female	292	–	–	–	–	–	–	1	–	–	–	–	1	3	5	11	27	46	68	75	40	15	–
	All other Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	2	–	3	1	1	1	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	1	4	5	1	4	–	–
434	Cerebral embolism	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	3	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,567	–	1	1	1	–	3	2	3	2	8	9	16	32	53	104	172	278	354	297	179	52	–
	White Male	645	–	1	1	1	–	2	–	1	–	4	4	5	18	25	58	78	122	152	109	49	15	–
	Female	857	–	–	–	–	–	1	2	2	2	4	5	9	12	23	40	83	148	191	179	123	33	–
	All other Male	34	–	–	–	–	–	–	–	–	–	–	–	2	–	4	5	6	6	6	3	1	1	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	5	2	5	6	6	3	–
440	Arteriosclerosis	440	–	–	–	–	–	–	–	–	–	–	–	–	2	4	14	24	59	102	112	88	35	–
	White Male	181	–	–	–	–	–	–	–	–	–	–	–	–	2	1	8	11	28	44	41	31	15	–
	Female	249	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	13	26	57	70	55	20	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	2	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	339	1	–	–	–	–	1	–	1	1	4	6	7	14	24	37	43	69	65	47	15	4	–
	White Male	192	1	–	–	–	–	–	–	–	–	3	5	4	6	17	23	30	39	35	20	7	2	–
	Female	133	–	–	–	–	–	–	–	1	1	1	1	3	7	5	14	8	30	28	24	8	2	–
	All other Male	7	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	–	–	–
466	Acute bronchitis and bronchiolitis	11	3	–	–	–	–	1	–	–	–	1	–	1	–	1	2	–	–	1	–	1	–	–
	White Male	6	2	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–
	Female	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	771	22	5	2	–	7	3	5	12	3	8	12	15	18	36	45	75	104	152	138	66	43	–
	White Male	387	10	2	1	–	5	–	2	5	2	5	9	11	10	23	27	48	59	77	49	26	16	–
	Female	351	8	2	1	–	1	3	2	6	–	2	3	4	6	9	16	25	41	74	84	38	26	–
	All other Male	22	2	–	–	–	–	–	1	1	–	–	–	–	2	3	2	1	4	1	4	–	1	–
	Female	11	2	1	–	–	1	–	–	–	1	1	–	–	–	1	–	1	–	–	1	2	–	–
470–474	Influenza	144	–	–	–	–	1	1	–	3	–	–	2	2	4	5	12	22	19	34	20	16	3	–
	White Male	68	–	–	–	–	1	–	–	1	–	–	2	–	2	2	8	13	8	16	6	6	3	–
	Female	71	–	–	–	–	–	1	–	1	–	–	–	2	2	3	3	7	10	18	14	10	–	–
	All other Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
480–486	Pneumonia	627	22	5	2	–	6	2	5	9	3	8	10	13	14	31	33	53	85	118	118	50	40	–
	White Male	319	10	2	1	–	4	–	2	4	2	5	7	11	8	21	19	35	51	61	43	20	13	–
	Female	280	8	2	1	–	1	2	2	5	–	2	3	2	4	6	13	18	31	56	70	28	26	–
	All other Male	18	2	–	–	–	–	–	1	–	–	–	–	–	2	3	1	–	3	1	4	–	1	–
	Female	10	2	1	–	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–	1	2	–	–
490–493	Bronchitis, emphysema, and asthma	306	2	2	1	–	–	–	2	2	–	2	6	16	17	36	53	58	46	38	21	4	–	–
	White Male	224	1	1	–	–	–	–	2	2	–	–	2	6	11	29	41	48	33	31	15	2	–	–
	Female	69	1	1	–	–	–	–	–	–	–	2	1	10	4	6	12	6	12	6	6	2	–	–
	All other Male	10	–	–	1	–	–	–	–	–	–	–	2	–	1	1	–	4	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas – Con.																							
490, 491	Chronic and unqualified bronchitis	61	2	–	1	–	–	–	–	–	–	–	1	4	2	10	9	12	6	6	6	2	–	–
	White Male	37	1	–	–	–	–	–	–	–	–	–	–	1	2	8	5	7	2	5	5	1	–	–
	Female	22	1	–	–	–	–	–	–	–	–	–	1	3	–	2	4	4	4	1	1	1	–	–
	All other Male	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	213	–	–	–	–	–	–	1	1	–	1	3	9	14	22	41	43	33	30	13	2	–	–
	White Male	175	–	–	–	–	–	–	1	1	–	–	2	4	9	18	35	40	29	26	9	1	–	–
	Female	32	–	–	–	–	–	–	–	–	–	1	–	5	4	3	6	1	3	4	4	1	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	32	–	2	–	–	–	–	1	1	–	1	2	3	1	4	3	3	7	2	2	–	–	–
	White Male	12	–	1	–	–	–	–	1	1	–	–	–	1	–	3	1	1	2	–	1	–	–	–
	Female	15	–	1	–	–	–	–	–	–	–	1	–	2	–	1	2	1	5	1	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–
531–533	Peptic ulcer	70	–	–	–	–	–	–	–	–	2	–	1	6	5	9	11	7	8	9	8	3	1	–
	White Male	43	–	–	–	–	–	–	–	–	1	–	–	6	1	5	9	5	4	4	6	2	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	1	–	2	3	2	2	4	5	2	1	1	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	7	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–
	White Male	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	All other Male	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	87	5	–	1	–	–	–	–	–	–	–	1	4	4	3	7	13	10	17	10	11	1	–
	White Male	30	3	–	1	–	–	–	–	–	–	–	1	1	1	1	2	5	3	5	4	3	–	–
	Female	52	2	–	–	–	–	–	–	–	–	–	–	3	2	2	4	8	7	11	5	7	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–
571	Cirrhosis of liver	201	1	–	–	–	1	–	2	2	11	10	10	24	39	34	28	13	10	9	5	2	–	–
	White Male	113	–	–	–	–	–	–	–	1	6	8	10	8	25	19	17	6	6	5	1	1	–	–
	Female	75	1	–	–	–	1	–	–	1	3	1	–	13	13	13	9	7	4	4	4	1	–	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	2	–	1	1	–	3	–	1	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	38	–	–	–	–	–	–	–	–	–	–	–	2	2	–	4	7	9	6	4	2	2	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	4	2	1	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	2	1	–	3	6	6	2	2	1	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	97	–	–	–	–	–	–	–	3	1	3	1	5	1	10	10	10	9	15	16	10	3	–
	White Male	48	–	–	–	–	–	–	–	2	1	1	1	3	1	5	3	4	6	7	7	6	1	–
	Female	42	–	–	–	–	–	–	–	1	–	1	–	2	–	5	6	4	2	8	8	3	2	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	20	–	–	–	–	–	–	–	–	–	2	–	1	–	4	1	2	1	4	2	3	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	1	2	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	1	–	2	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	77	–	–	–	–	–	–	–	3	1	1	1	4	1	6	9	8	8	11	14	7	3	–
	White Male	39	–	–	–	–	–	–	–	2	1	1	1	3	1	4	2	3	5	5	6	4	1	–
	Female	32	–	–	–	–	–	–	–	1	–	–	–	1	–	2	6	3	2	6	7	2	2	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
590	Infections of kidney	69	–	–	–	–	–	–	–	–	–	–	1	–	–	7	5	13	11	12	10	7	3	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	1	–	–	4	3	4	5	3	5	3	3	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	5	4	8	5	3	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	1	–	–
600	Hyperplasia of prostate	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	2	3	1	1	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	2	3	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	2	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	2	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kansas – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	2	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	2	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	148	104	13	4	4	2	3	2	2	2	1	1	6	1	2	–	–	1	–	–	–	–	–
	White Male	79	58	5	3	2	2	1	–	–	1	1	1	2	–	2	–	–	1	–	–	–	–	–
	Female	56	38	6	1	2	–	2	2	1	1	–	–	2	1	–	–	–	–	–	–	–	–	–
	All other Male	10	6	1	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	229	229	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	111	111	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	88	88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	137	137	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	245	37	3	–	2	4	4	1	4	4	4	5	3	11	8	17	18	19	33	30	23	15	–
	White Male	119	17	1	–	2	2	2	–	2	3	2	1	2	8	5	14	11	9	15	13	8	2	–
	Female	111	13	2	–	–	2	2	1	2	–	2	4	1	3	2	3	6	7	18	16	14	13	–
	All other Male	9	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–
	Female	6	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	–
Residual	All other diseases	1,457	16	16	3	9	10	14	14	13	16	20	44	73	94	115	177	197	221	198	118	71	18	–
	White Male	770	9	5	–	6	6	7	4	7	5	10	20	38	54	69	103	120	117	101	56	28	5	–
	Female	609	5	10	3	3	2	7	7	5	6	7	21	28	34	38	64	69	98	94	56	42	10	–
	All other Male	37	2	–	–	–	1	–	1	1	5	2	–	5	5	2	4	2	2	1	3	1	–	–
	Female	41	–	1	–	–	1	–	2	–	–	1	3	2	1	6	6	6	4	2	3	–	3	–
E800–E949	Accidents	1,161	21	31	28	32	143	145	74	52	47	43	57	43	40	49	48	42	72	90	60	29	14	1
	White Male	736	9	20	17	21	105	107	55	35	38	31	38	34	22	30	29	23	40	42	25	10	5	–
	Female	362	10	8	8	9	30	30	14	13	5	9	16	7	16	16	17	17	30	47	34	19	7	–
	All other Male	49	1	2	2	2	8	5	4	4	4	2	2	1	1	3	1	2	2	1	1	–	–	1
	Female	14	1	1	1	–	–	3	1	–	–	1	1	1	1	–	1	–	–	–	–	–	2	–
E810–E823	Motor vehicle accidents	533	4	13	16	9	83	110	47	33	28	20	24	18	20	21	19	11	26	23	8	–	–	–
	White Male	361	1	10	11	6	57	78	32	25	20	15	15	14	8	13	14	7	15	14	6	–	–	–
	Female	146	2	2	4	2	24	27	12	6	4	5	8	3	12	6	5	3	10	9	2	–	–	–
	All other Male	19	–	1	1	1	2	2	2	2	4	–	–	–	–	2	–	1	1	–	–	–	–	–
	Female	7	1	–	–	–	–	3	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	628	17	18	12	23	60	35	27	19	19	23	33	25	20	28	29	31	46	67	52	29	14	1
	White Male	375	8	10	6	15	48	29	23	10	18	16	23	20	14	17	15	16	25	28	19	10	5	–
	Female	216	8	6	4	7	6	3	2	7	1	4	8	4	4	10	12	14	20	38	32	19	7	–
	All other Male	30	1	1	1	1	6	3	2	2	–	2	2	1	1	1	1	1	1	1	1	–	–	1
	Female	7	–	1	1	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	2	–
E950–E959	Suicide	298	...	...	–	–	19	25	28	20	20	27	29	24	22	21	22	19	15	4	3	–	–	–
	White Male	218	...	...	–	–	17	18	19	11	14	18	20	17	19	14	16	17	12	3	3	–	–	–
	Female	73	...	...	–	–	2	6	9	7	6	7	9	7	3	6	6	2	3	–	–	–	–	–
	All other Male	3	...	...	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	...	...	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–
E960–E978	Homicide	126	1	1	–	1	8	21	19	9	16	12	10	10	6	6	2	1	2	–	–	1	–	–
	White Male	63	1	1	–	–	5	14	10	4	6	5	5	4	2	3	1	1	1	–	–	–	–	–
	Female	20	–	–	–	1	2	1	4	3	4	2	1	1	1	–	–	–	–	–	–	–	–	–
	All other Male	38	–	–	–	–	1	6	4	1	6	4	3	5	3	3	1	–	–	–	–	1	–	–
	Female	5	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	1	–	–	–	–	–
E980–E999	Other external causes	55	2	1	–	–	6	15	7	3	3	3	4	1	5	2	–	–	1	2	–	–	–	–
	White Male	31	–	1	–	–	3	12	5	1	2	1	1	–	2	2	–	–	–	1	–	–	–	–
	Female	14	1	–	–	–	–	2	1	–	1	2	2	–	3	–	–	–	1	1	–	–	–	–
	All other Male	8	–	–	–	–	2	1	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky																							
	All causes	33,187	854	136	103	137	404	426	383	344	422	627	1,083	1,728	2,156	2,802	3,599	4,215	4,418	4,272	3,140	1,448	487	3
	White Male	17,290	411	65	70	77	276	282	274	209	240	355	648	1,048	1,302	1,661	2,149	2,295	2,165	1,881	1,211	522	149	–
	White Female	13,093	348	55	22	48	102	95	74	94	134	202	310	486	640	877	1,126	1,567	1,899	2,116	1,762	845	288	3
	All other Male	1,540	59	12	8	9	18	30	28	32	31	45	70	104	123	146	187	204	188	136	64	24	22	–
	All other Female	1,264	36	4	3	3	8	19	7	9	17	25	55	90	91	118	137	149	166	139	103	57	28	–
004, 006	Bacillary dysentery and amebiasis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	36	12	1	1	–	–	2	–	1	–	–	2	–	1	1	–	2	1	2	7	3	–	–
	White Male	16	7	–	–	–	–	–	–	1	–	–	1	–	1	–	–	2	1	–	2	1	–	–
	White Female	19	4	1	1	–	–	2	–	–	–	–	1	–	–	1	–	–	–	2	5	2	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	95	–	1	–	–	–	–	1	–	1	3	2	9	10	13	14	10	13	6	9	2	1	–
	White Male	49	–	1	–	–	–	–	–	–	1	1	2	7	5	8	6	3	8	4	2	1	–	–
	White Female	27	–	–	–	–	–	–	1	–	–	1	–	–	2	3	3	6	3	1	5	1	1	–
	All other Male	15	–	–	–	–	–	–	–	–	–	1	–	1	2	1	5	–	2	1	2	–	–	–
	All other Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	82	–	1	–	–	–	–	1	–	1	3	2	8	8	12	13	8	11	3	8	2	1	–
	White Male	44	–	1	–	–	–	–	–	–	1	1	2	7	5	8	5	3	6	3	1	1	–	–
	White Female	22	–	–	–	–	–	–	1	–	–	1	–	–	1	2	3	4	3	–	5	1	1	–
	All other Male	13	–	–	–	–	–	–	–	–	–	1	–	1	1	1	5	–	2	–	2	–	–	–
	All other Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
013–019	Tuberculosis, other forms	13	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	2	2	3	1	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	95	16	–	–	–	–	1	1	1	2	2	1	8	3	11	11	8	15	8	5	–	2	–
	White Male	53	7	–	–	–	–	1	–	1	–	1	1	4	1	7	7	5	10	4	4	–	–	–
	White Female	31	7	–	–	–	–	–	1	–	1	–	–	4	1	2	4	2	3	4	1	–	1	–
	All other Male	7	1	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	2	–	–	–	1	–
	All other Female	4	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	93	7	1	1	2	5	3	1	3	1	6	5	6	2	8	10	11	10	4	4	2	1	–
	White Male	45	2	1	–	2	5	2	1	3	1	3	1	1	2	6	3	5	3	2	–	2	–	–
	White Female	36	5	–	1	–	–	1	–	–	–	1	1	4	–	1	7	2	7	2	4	–	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	2	–	–	–	–	1	–
	All other Female	4	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,967	2	8	14	20	27	22	31	39	68	164	279	510	585	778	862	890	722	538	287	90	31	–
	White Male	3,017	1	3	10	13	11	9	18	22	30	67	127	270	278	411	486	483	368	239	122	40	9	–
	Female	2,441	–	5	3	6	14	11	13	15	34	80	126	188	251	302	299	338	291	249	152	43	21	–
	All other Male	284	1	–	1	1	1	1	–	2	2	6	11	21	31	40	51	41	32	27	8	6	1	–
	Female	225	–	–	–	–	1	1	–	–	2	11	15	31	25	25	26	28	31	23	5	1	–	–
140–149	Of buccal cavity and pharynx	134	–	–	–	1	–	–	–	–	–	2	10	19	11	22	21	21	5	12	8	2	–	–
	White Male	86	–	–	–	1	–	–	–	–	–	1	6	11	5	15	15	15	4	8	4	1	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	2	4	5	4	4	–	3	4	1	–	–
	All other Male	14	–	–	–	–	–	–	–	–	–	1	1	4	2	2	2	2	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	1	1	–	–	–	–
150–159	Of digestive organs and peritoneum	1,590	–	–	1	–	–	2	2	7	13	24	49	94	141	190	221	264	235	195	106	32	14	–
	White Male	704	–	–	1	–	–	–	1	5	6	12	28	51	64	85	105	113	100	77	35	15	6	–
	Female	723	–	–	–	–	–	2	1	2	6	9	18	30	62	84	88	123	108	101	65	16	8	–
	All other Male	96	–	–	–	–	–	–	–	–	–	2	2	5	9	16	20	16	16	7	2	1	–	–
	Female	67	–	–	–	–	–	–	–	–	1	1	1	8	6	5	8	12	11	10	4	–	–	–
160–163	Of respiratory system	1,579	1	–	–	–	3	–	–	5	11	42	91	189	209	252	285	233	139	80	32	5	2	–
	White Male	1,162	–	–	–	–	2	–	–	4	7	30	59	137	138	182	226	188	110	54	21	3	1	–
	Female	299	–	–	–	–	1	–	–	1	2	8	19	39	53	49	39	34	22	20	10	1	1	–
	All other Male	86	1	–	–	–	–	–	–	–	2	2	7	9	11	16	17	10	6	4	1	–	–	–
	Female	32	–	–	–	–	–	–	–	–	–	2	6	4	7	5	3	1	1	2	–	1	–	–
174	Of breast	473	–	–	–	–	–	–	–	4	9	29	39	48	45	62	48	77	47	33	22	5	5	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–
	Female	425	–	–	–	–	–	–	–	4	8	25	35	42	42	56	42	68	43	28	22	5	5	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	43	–	–	–	–	–	–	–	–	1	4	4	5	3	5	6	7	3	5	–	–	–	–
180–187	Of genital organs	698	–	–	–	–	–	2	7	4	6	25	26	45	52	76	97	96	115	84	48	14	1	–
	White Male	289	–	–	–	–	–	1	2	1	1	3	2	3	7	24	33	56	69	45	34	7	1	–
	Female	340	–	–	–	–	–	1	5	3	5	19	22	35	40	45	53	31	35	29	13	4	–	–
	All other Male	33	–	–	–	–	–	–	–	–	–	–	–	1	1	3	8	4	4	8	1	3	–	–
	Female	36	–	–	–	–	–	–	–	–	–	3	2	6	4	4	3	5	7	2	–	–	–	–
188, 189	Of urinary organs	267	1	–	1	–	–	–	–	1	2	4	10	18	25	32	44	39	38	26	16	6	4	–
	White Male	166	1	–	1	–	–	–	–	–	1	3	8	13	15	21	29	28	27	13	4	2	–	–
	Female	84	–	–	–	–	–	–	–	–	1	1	2	3	7	9	12	10	11	11	9	4	4	–
	All other Male	11	–	–	–	–	–	–	–	1	–	–	–	1	2	1	2	1	–	1	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	692	–	3	6	10	10	14	11	10	16	23	37	65	57	91	85	83	73	49	30	17	2	–
	White Male	333	–	2	3	6	4	6	8	7	7	10	17	33	24	58	46	39	28	18	10	7	–	–
	Female	311	–	1	3	3	5	6	3	2	9	13	20	28	29	28	34	37	36	25	19	9	1	–
	All other Male	25	–	–	–	1	1	1	–	1	–	–	–	1	2	1	–	6	3	5	1	1	1	–
	Female	23	–	–	–	–	–	1	–	–	–	–	–	3	2	4	5	1	6	1	–	–	–	–
204–207	Leukemia	248	–	3	6	6	9	3	6	1	5	9	8	12	17	13	29	34	29	35	15	5	3	–
	White Male	128	–	1	5	3	2	1	3	1	3	4	2	8	8	10	14	23	14	15	7	3	1	–
	Female	108	–	2	–	3	6	2	3	–	2	4	6	3	7	3	15	11	14	17	7	1	2	–
	All other Male	9	–	–	1	–	–	–	–	–	–	1	–	–	2	–	–	–	1	2	1	1	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	286	–	2	–	3	5	1	5	7	6	6	9	20	28	40	32	43	41	24	10	4	–	–
	White Male	144	–	–	–	3	3	1	4	4	5	4	5	13	17	15	18	19	15	9	7	2	–	–
	Female	123	–	2	–	–	2	–	1	3	1	1	3	6	7	23	12	20	22	15	3	2	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	2	2	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	2	2	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	62	–	–	–	–	1	1	4	–	2	3	3	2	5	8	8	6	3	8	6	2	–	–
	White Male	24	–	–	–	–	–	1	3	–	1	2	1	–	–	3	4	1	1	5	1	1	–	–
	Female	33	–	–	–	–	1	–	1	–	1	1	2	2	4	5	4	3	2	2	4	1	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
250	Diabetes mellitus	638	–	–	–	2	–	3	2	3	6	8	21	28	50	57	77	115	101	94	53	17	1	–
	White Male	218	–	–	–	2	–	3	1	1	3	2	7	16	19	24	28	32	29	29	16	6	–	–
	Female	348	–	–	–	–	–	–	1	2	3	5	12	8	22	25	34	72	60	58	35	10	1	–
	All other Male	24	–	–	–	–	–	–	–	–	–	1	–	1	4	2	6	1	4	4	1	–	–	–
	Female	48	–	–	–	–	–	–	–	–	–	–	2	3	5	6	9	10	8	3	1	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	35	2	–	1	1	–	–	1	–	–	–	–	1	–	2	3	4	3	6	4	5	2	–
	White Male	15	1	–	1	–	–	–	1	–	–	–	–	–	–	–	3	3	1	2	1	2	–	–
	Female	15	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	4	2	3	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky – Con.																							
280–285	Anemias	59	–	2	1	2	–	–	–	–	–	–	–	1	2	2	6	5	8	12	12	6	–	–
	White ..... Male	23	–	–	1	–	–	–	–	–	–	–	–	1	–	2	3	3	2	6	3	2	–	–
	Female	29	–	1	–	–	–	–	–	–	–	–	–	–	2	–	3	2	2	6	9	4	–	–
	All other ..... Male	5	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
320	Meningitis	31	11	4	–	1	–	–	1	–	1	–	–	2	–	5	2	2	1	1	–	–	–	–
	White ..... Male	11	4	3	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–
	Female	15	4	1	–	1	–	–	1	–	1	–	–	–	–	3	2	1	–	1	–	–	–	–
	All other ..... Male	3	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	17,651	16	11	8	9	14	24	34	42	85	161	401	720	989	1,388	1,934	2,413	2,812	2,898	2,210	1,103	377	2
	White ..... Male	8,974	6	8	8	4	8	14	21	18	53	105	274	472	658	887	1,195	1,306	1,352	1,249	834	384	118	–
	Female	7,300	7	2	–	5	4	7	9	16	23	40	77	163	238	375	571	903	1,248	1,476	1,257	657	220	2
	All other ..... Male	686	1	1	–	–	1	2	4	5	4	9	32	47	52	60	88	121	109	79	43	14	14	–
	Female	691	2	–	–	–	1	1	–	3	5	7	18	38	41	66	80	83	103	94	76	48	25	–
390–398, 402, 404, 410–429	Diseases of heart	12,751	14	8	7	5	8	13	22	26	68	134	346	600	833	1,139	1,503	1,773	1,969	1,904	1,418	719	241	1
	White ..... Male	6,846	4	5	7	2	6	8	13	14	47	93	247	413	576	752	962	995	998	826	555	242	81	–
	Female	4,936	7	2	–	3	2	4	7	6	16	29	58	126	185	293	418	634	823	963	786	438	135	1
	All other ..... Male	507	1	1	–	–	–	1	2	5	2	6	29	34	43	48	66	87	76	59	30	8	9	–
	Female	462	2	–	–	–	–	–	–	1	3	6	12	27	29	46	57	57	72	56	47	31	16	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	161	–	–	1	–	1	2	3	3	3	10	11	15	23	16	24	12	18	10	5	3	1	–
	White ..... Male	65	–	–	1	–	–	–	1	2	3	3	2	8	12	7	7	6	7	2	3	1	–	–
	Female	87	–	–	–	–	1	1	1	–	–	7	8	6	11	9	15	6	10	8	2	2	–	–
	All other ..... Male	6	–	–	–	–	–	1	1	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–
402	Hypertensive heart disease	111	–	–	–	–	–	–	–	1	–	–	3	5	6	17	11	12	21	16	14	4	1	–
	White ..... Male	33	–	–	–	–	–	–	–	1	–	–	1	1	4	7	4	3	3	3	6	–	–	–
	Female	60	–	–	–	–	–	–	–	–	–	–	1	2	1	7	4	8	15	11	6	4	1	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	2	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	1	1	–	2	–	–	–
404	Hypertensive heart and renal disease	88	–	–	–	–	–	–	–	–	1	–	–	–	4	5	3	6	19	17	20	10	3	–
	White ..... Male	31	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	6	8	8	4	–	–
	Female	39	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	3	6	5	12	6	3	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	5	3	–	–	–	–
410–413	Ischemic heart disease	11,121	–	–	1	1	2	6	14	16	53	100	291	510	724	999	1,341	1,580	1,743	1,667	1,236	626	210	1
	White ..... Male	6,048	–	–	1	1	2	5	9	9	39	78	220	364	509	666	876	895	887	723	481	209	74	–
	Female	4,263	–	–	–	–	–	1	4	3	11	15	36	100	152	254	363	555	732	849	686	382	119	1
	All other ..... Male	423	–	–	–	–	–	–	1	3	2	4	26	23	36	41	58	79	60	49	27	7	7	–
	Female	387	–	–	–	–	–	–	–	1	1	3	9	23	27	38	44	51	64	46	42	28	10	–
410	Acute myocardial infarction	6,654	–	–	–	1	2	6	12	15	44	89	255	428	599	789	983	1,005	961	761	460	185	59	–
	White ..... Male	4,069	–	–	–	1	2	5	7	9	34	71	196	315	430	539	659	597	526	380	192	75	31	–
	Female	2,131	–	–	–	–	–	1	4	3	9	12	30	79	120	191	257	333	375	347	248	100	22	–
	All other ..... Male	270	–	–	–	–	–	–	1	2	–	4	21	16	30	32	39	50	35	22	12	3	3	–
	Female	184	–	–	–	–	–	–	–	1	1	2	8	18	19	27	28	25	25	12	8	7	3	–
411	Other acute and subacute forms of ischemic heart disease	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	2	2	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
412	Chronic ischemic heart disease	4,455	–	–	1	–	–	–	2	1	9	11	35	82	125	210	358	573	780	903	774	439	151	1
	White ..... Male	1,976	–	–	1	–	–	–	2	–	5	7	24	49	79	127	217	296	360	343	289	134	43	–
	Female	2,124	–	–	–	–	–	–	–	–	2	3	5	21	32	63	106	222	356	499	436	281	97	1
	All other ..... Male	153	–	–	–	–	–	–	–	1	2	–	5	7	6	9	19	29	25	27	15	4	4	–
	Female	202	–	–	–	–	–	–	–	–	–	1	1	5	8	11	16	26	39	34	34	20	7	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	87	1	1	1	1	2	1	1	1	–	1	1	1	6	7	9	7	11	13	13	6	3	–
	White ..... Male	44	–	–	1	1	2	–	1	1	–	–	1	1	4	6	8	3	6	6	2	1	–	–
	Female	33	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	3	4	6	10	5	2	–
	All other ..... Male	6	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,183	13	7	4	3	3	4	4	5	11	23	40	69	70	95	115	156	157	181	130	70	23	–
	White.....Male	625	4	5	4	–	2	3	2	1	5	12	23	39	47	63	67	86	89	84	55	27	7	–
	Female	454	7	2	–	3	1	1	2	3	5	7	13	18	17	22	35	59	56	84	70	39	10	–
	All other.....Male	59	1	–	–	–	–	–	–	1	–	2	3	9	5	5	5	7	10	6	2	1	2	–
	Female	45	1	–	–	–	–	–	–	–	1	2	1	3	1	5	8	4	2	7	3	3	4	–
400, 401, 403	Hypertension	119	–	–	–	–	–	–	–	–	2	1	3	3	2	7	11	18	21	22	21	7	1	–
	White.....Male	53	–	–	–	–	–	–	–	–	–	–	–	1	1	3	9	7	6	14	8	3	1	–
	Female	54	–	–	–	–	–	–	–	–	2	–	1	1	1	3	2	8	14	6	13	3	–	–
	All other.....Male	8	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	2	–	2	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
430–438	Cerebrovascular diseases	3,841	2	3	1	3	4	11	10	14	11	21	39	99	124	197	359	508	683	780	620	263	88	1
	White.....Male	1,624	2	3	1	1	2	6	7	4	4	9	17	49	62	105	183	240	282	317	211	97	22	–
	Female	1,872	–	–	–	2	–	3	1	8	3	9	16	28	44	66	135	219	346	413	373	150	55	1
	All other.....Male	141	–	–	–	–	1	1	2	–	2	2	2	12	6	8	20	25	29	14	11	2	4	–
	Female	204	–	–	–	–	1	1	–	2	2	1	4	10	12	18	21	24	26	36	25	14	7	–
431	Cerebral hemorrhage	492	1	1	–	1	1	4	1	1	4	10	12	24	38	32	64	64	80	76	50	18	10	–
	White.....Male	223	1	1	–	–	–	3	1	–	2	5	6	9	21	20	33	31	32	25	19	9	5	–
	Female	225	–	–	–	1	–	–	–	1	1	4	3	8	11	8	27	31	41	47	29	9	4	–
	All other.....Male	13	–	–	–	–	–	–	–	–	–	–	–	4	2	–	2	1	3	1	–	–	–	–
	Female	31	–	–	–	–	1	1	–	–	1	1	3	3	4	4	2	1	4	3	2	–	1	–
433	Cerebral thrombosis	934	–	–	1	–	–	1	2	2	–	–	1	10	23	34	74	125	183	219	161	73	25	–
	White.....Male	390	–	–	1	–	–	1	1	1	–	–	1	7	16	21	30	60	73	88	55	29	6	–
	Female	472	–	–	–	–	–	–	–	1	–	–	–	1	4	9	32	57	96	117	98	40	17	–
	All other.....Male	26	–	–	–	–	–	–	1	–	–	–	–	2	–	1	6	5	6	3	2	–	–	–
	Female	46	–	–	–	–	–	–	–	–	–	–	–	–	3	3	6	3	8	11	6	4	2	–
434	Cerebral embolism	12	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	3	–	3	–	–	–
	White.....Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	–	1	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,403	1	2	–	2	3	6	7	11	7	11	25	65	62	130	220	317	417	485	406	172	53	1
	White.....Male	1,005	1	2	–	1	2	2	5	3	2	4	10	33	25	64	119	147	176	204	135	59	11	–
	Female	1,169	–	–	–	1	–	3	1	6	2	5	12	19	28	48	76	131	207	249	245	101	34	1
	All other.....Male	102	–	–	–	–	1	1	1	–	2	2	2	6	4	7	12	19	20	10	9	2	4	–
	Female	127	–	–	–	–	–	–	–	2	1	–	1	7	5	11	13	20	14	22	17	10	4	–
440	Arteriosclerosis	541	–	–	–	–	–	–	–	–	–	–	–	5	3	12	24	42	75	128	112	98	42	–
	White.....Male	231	–	–	–	–	–	–	–	–	–	–	–	4	1	5	14	19	34	56	46	38	14	–
	Female	281	–	–	–	–	–	–	–	–	–	–	–	1	1	5	9	19	35	67	64	55	25	–
	All other.....Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	3	4	1	2	1	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	1	3	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	399	–	–	–	1	2	–	2	2	4	5	13	13	27	33	37	72	64	64	39	16	5	–
	White.....Male	220	–	–	–	1	–	–	1	–	2	3	10	5	18	22	27	45	32	36	14	4	–	–
	Female	157	–	–	–	–	2	–	1	2	2	2	2	7	7	8	7	23	30	27	21	11	5	–
	All other.....Male	13	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	3	1	–	1	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	1	3	–	–	–
466	Acute bronchitis and bronchiolitis	8	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	–	1	–	–	–
	White.....Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other.....Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,029	45	6	4	3	4	11	4	5	15	9	26	21	33	58	76	93	161	179	173	70	33	–
	White.....Male	517	19	3	3	1	2	6	1	2	7	3	13	12	21	28	47	51	86	94	82	25	11	–
	Female	412	19	3	1	1	1	4	3	2	7	5	9	6	6	17	19	30	65	74	84	39	17	–
	All other.....Male	61	3	–	–	1	1	1	–	1	–	1	3	1	5	9	6	8	8	7	2	1	3	–
	Female	39	4	–	–	–	–	–	–	–	1	–	1	2	1	4	4	4	2	4	5	5	2	–
470–474	Influenza	124	1	–	2	–	–	2	1	1	3	2	4	2	4	5	8	17	22	19	21	5	5	–
	White.....Male	56	1	–	1	–	–	–	1	–	2	–	1	–	4	2	4	9	11	9	8	1	2	–
	Female	62	–	–	1	–	–	2	–	1	1	2	3	1	–	–	3	8	10	10	13	4	3	–
	All other.....Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
480–486	Pneumonia	905	44	6	2	3	4	9	3	4	12	7	22	19	29	53	68	76	139	160	152	65	28	–
	White.....Male	461	18	3	2	1	2	6	–	2	5	3	12	12	17	26	43	42	75	85	74	24	9	–
	Female	350	19	3	–	1	1	2	3	1	6	3	6	5	6	17	16	22	55	64	71	35	14	–
	All other.....Male	58	3	–	–	1	1	1	–	1	–	1	3	1	5	8	5	8	7	7	2	1	3	–
	Female	36	4	–	–	–	–	–	–	–	1	–	1	1	1	2	4	4	2	4	5	5	2	–
490–493	Bronchitis, emphysema, and asthma	428	–	–	–	–	1	1	–	3	2	6	9	19	40	54	73	84	63	41	23	7	2	–
	White.....Male	306	–	–	–	–	1	1	–	–	–	1	5	13	30	34	61	67	47	28	11	5	2	–
	Female	104	–	–	–	–	–	–	–	2	2	4	2	4	9	15	11	14	14	13	12	2	–	–
	All other.....Male	12	–	–	–	–	–	–	–	1	–	1	1	1	–	4	1	2	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky – Con.																							
490, 491	Chronic and unqualified bronchitis	79	–	–	–	–	–	–	–	–	–	–	–	5	12	6	9	18	11	10	6	2	–	–
	White ... Male	52	–	–	–	–	–	–	–	–	–	–	–	3	6	4	7	13	9	5	3	2	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	1	5	2	2	4	2	5	3	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
492	Emphysema	304	–	–	–	–	–	–	–	1	1	1	5	10	24	42	59	64	48	28	15	4	2	–
	White ... Male	236	–	–	–	–	–	–	–	–	–	–	4	8	22	29	49	53	35	23	8	3	2	–
	Female	58	–	–	–	–	–	–	–	–	1	1	1	1	2	9	9	9	12	5	7	1	–	–
	All other ... Male	9	–	–	–	–	–	–	–	1	–	–	–	1	–	4	1	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
493	Asthma	45	–	–	–	–	1	1	–	2	1	5	4	4	4	6	5	2	4	3	2	1	–	–
	White ... Male	18	–	–	–	–	1	1	–	–	–	1	1	2	2	1	5	1	3	–	–	–	–	–
	Female	22	–	–	–	–	–	–	–	2	1	3	1	2	2	4	–	1	–	3	2	1	–	–
	All other ... Male	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	122	–	–	–	–	–	–	–	–	6	3	4	9	8	12	13	16	21	12	14	3	1	–
	White ... Male	66	–	–	–	–	–	–	–	–	3	–	3	4	6	9	7	7	11	7	6	2	1	–
	Female	44	–	–	–	–	–	–	–	–	1	2	1	3	1	2	3	9	9	5	7	1	–	–
	All other ... Male	9	–	–	–	–	–	–	–	–	2	1	–	1	–	1	2	–	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
540–543	Appendicitis	26	2	–	1	1	1	–	–	–	–	–	–	2	3	1	3	6	3	1	2	–	–	–
	White ... Male	14	1	–	1	–	–	–	–	–	–	–	–	–	3	–	2	4	1	1	1	–	–	–
	Female	10	1	–	–	1	1	–	–	–	–	–	–	1	–	–	1	2	2	–	1	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	103	10	1	–	–	1	–	1	1	–	1	2	3	5	4	7	17	17	12	15	4	2	–
	White ... Male	39	2	1	–	–	1	–	–	–	–	1	–	1	2	2	4	7	5	6	6	1	–	–
	Female	58	7	–	–	–	–	–	1	–	–	–	2	2	3	2	3	9	10	5	9	3	2	–
	All other ... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	–
571	Cirrhosis of liver	375	1	1	1	–	–	4	7	10	16	24	48	57	54	55	46	27	10	7	5	1	1	–
	White ... Male	234	–	1	1	–	–	–	5	6	9	16	35	39	39	32	26	13	7	5	–	–	–	–
	Female	105	1	–	–	–	–	2	–	2	7	7	9	11	8	16	19	12	2	2	5	1	1	–
	All other ... Male	26	–	–	–	–	–	–	2	2	–	–	1	6	5	6	1	2	1	–	–	–	–	–
	Female	10	–	–	–	–	–	2	–	–	–	1	3	1	2	1	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	78	–	–	–	–	–	1	–	–	–	–	–	4	2	2	9	10	20	14	8	7	1	–
	White ... Male	32	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	6	8	5	3	3	–	–
	Female	40	–	–	–	–	–	1	–	–	–	–	–	3	1	1	3	4	9	8	5	4	1	–
	All other ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–
580–584	Nephritis and nephrosis	124	–	–	–	–	–	1	1	2	7	5	8	5	12	10	14	11	17	16	7	7	1	–
	White ... Male	49	–	–	–	–	–	1	1	2	1	2	4	2	2	3	3	3	12	7	2	4	–	–
	Female	49	–	–	–	–	–	–	–	–	4	–	2	2	6	3	7	5	4	7	5	3	1	–
	All other ... Male	15	–	–	–	–	–	–	–	–	–	3	1	–	2	3	2	2	1	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	2	–	1	1	2	1	2	1	–	1	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	22	–	–	–	–	–	–	–	–	–	1	4	1	2	1	3	2	3	3	1	1	–	–
	White ... Male	8	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	1	2	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	2	1	1	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	102	–	–	–	–	–	1	1	2	7	4	4	4	10	9	11	9	14	13	6	6	1	–
	White ... Male	41	–	–	–	–	–	1	1	2	1	1	2	2	1	3	3	2	10	6	2	4	–	–
	Female	40	–	–	–	–	–	–	–	–	4	–	1	2	6	3	5	4	3	5	4	2	1	–
	All other ... Male	14	–	–	–	–	–	–	–	–	–	3	1	–	2	2	2	2	1	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	2	–	–	–	1	1	1	1	–	1	–	–	–	–
590	Infections of kidney	110	–	–	–	–	1	–	–	1	–	1	2	4	3	4	12	13	20	31	12	4	2	–
	White ... Male	35	–	–	–	–	–	–	–	1	–	1	1	–	–	2	1	3	6	15	5	–	–	–
	Female	60	–	–	–	–	1	–	–	–	–	–	1	2	3	1	9	9	11	12	6	4	1	–
	All other ... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	3	–	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	1	1	–	–	–
600	Hyperplasia of prostate	16	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	5	3	2	–	–
	White ... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	5	2	2	–	–
	All other ... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	1	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	5	–	–	–	–	1	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Kentucky – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	7	–	–	–	–	1	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	1	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	212	149	16	5	6	3	–	2	2	4	–	4	3	5	6	4	–	2	1	–	–	–	–
	White Male	102	73	5	3	1	3	–	2	1	1	–	4	1	2	2	3	–	1	–	–	–	–	–
	Female	95	68	8	2	5	–	–	–	1	2	–	–	2	1	3	1	–	1	1	–	–	–	–
	All other Male	7	4	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	8	4	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	457	457	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	224	224	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	179	179	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	267	267	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	121	121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	115	115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	190	190	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	103	103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	253	62	1	–	1	3	4	3	3	8	5	8	8	22	9	16	19	16	26	19	15	5	–
	White Male	131	34	1	–	1	2	2	1	3	6	1	6	4	15	5	9	11	11	9	6	4	–	–
	Female	99	18	–	–	–	1	1	1	–	1	2	2	3	7	3	5	8	5	15	12	11	4	–
	All other Male	16	9	–	–	–	–	–	1	–	1	1	–	1	–	1	2	–	–	–	–	–	–	–
	Female	7	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	2	1	–	1	–
Residual	All other diseases	2,178	32	18	5	16	29	26	29	30	37	56	80	117	157	197	251	329	272	246	178	60	13	–
	White Male	1,126	17	8	–	8	14	12	15	10	17	26	39	69	97	112	145	197	132	107	70	27	4	–
	Female	846	12	8	4	7	11	14	10	16	14	25	28	36	42	72	82	102	115	120	90	30	8	–
	All other Male	116	2	2	–	1	2	–	2	3	5	5	7	6	8	7	13	18	16	10	5	3	1	–
	Female	90	1	–	1	–	2	–	2	1	1	–	6	6	10	6	11	12	9	9	13	–	–	–
E800–E949	Accidents	1,984	27	60	57	65	257	219	152	99	95	96	102	106	90	78	99	83	78	94	81	35	10	1
	White Male	1,317	11	26	39	43	191	163	129	77	68	74	73	74	63	55	58	49	40	44	30	7	3	–
	Female	529	15	26	9	19	53	41	16	15	15	16	20	23	21	17	32	28	31	47	51	26	7	1
	All other Male	101	1	6	7	3	10	11	6	4	10	4	6	8	6	4	7	3	3	2	–	–	–	–
	Female	37	–	2	2	–	3	4	1	3	2	2	3	1	–	2	2	3	4	1	–	2	–	–
E810–E823	Motor vehicle accidents	898	9	25	29	28	169	137	90	56	42	51	36	39	40	31	30	35	17	21	10	2	1	–
	White Male	626	2	13	19	16	124	100	77	42	31	39	20	26	26	21	17	22	10	11	9	1	–	–
	Female	226	6	11	6	11	38	31	8	11	8	11	13	11	12	9	11	11	6	9	1	1	1	–
	All other Male	34	1	1	3	1	6	3	4	1	3	1	2	1	2	1	1	1	1	1	–	–	–	–
	Female	12	–	–	1	–	1	3	1	2	–	–	1	1	–	–	1	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,086	18	35	28	37	88	82	62	43	53	45	66	67	50	47	69	48	61	73	71	33	9	1
	White Male	691	9	13	20	27	67	63	52	35	37	35	53	48	37	34	41	27	30	33	21	6	3	–
	Female	303	9	15	3	8	15	10	8	4	7	5	7	12	9	8	21	17	25	38	50	25	6	1
	All other Male	67	–	5	4	2	4	8	2	3	7	3	4	7	4	3	6	2	2	1	–	–	–	–
	Female	25	–	2	1	–	2	1	–	1	2	2	2	–	–	2	1	2	4	1	–	2	–	–
E950–E959	Suicide	469	...	...	–	3	27	45	46	43	28	33	49	42	47	17	31	29	17	7	1	3	1	–
	White Male	369	...	...	–	1	21	37	35	32	20	23	35	31	39	13	29	26	16	6	1	3	1	–
	Female	84	...	...	–	1	6	5	6	10	7	10	11	11	7	4	2	2	1	1	–	–	–	–
	All other Male	9	...	...	–	–	–	1	3	1	1	–	1	–	1	–	–	1	–	–	–	–	–	–
	Female	7	...	...	–	1	–	2	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	367	1	4	3	3	24	44	51	52	31	35	19	39	19	16	10	7	7	1	1	–	–	–
	White Male	212	1	3	2	1	13	21	33	29	16	21	11	23	12	10	7	4	4	–	1	–	–	–
	Female	62	–	–	1	1	7	4	8	9	8	3	3	7	2	3	1	2	2	1	–	–	–	–
	All other Male	76	–	1	–	1	3	13	8	13	5	9	3	8	5	3	2	1	1	–	–	–	–	–
	Female	17	–	–	–	–	1	6	2	1	2	2	2	1	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	72	–	–	1	2	5	12	10	2	6	6	7	2	9	2	3	3	–	2	–	–	–	–
	White Male	49	–	–	1	–	4	9	7	–	3	5	5	2	6	2	2	1	–	2	–	–	–	–
	Female	16	–	–	–	1	1	2	1	2	3	–	–	–	3	–	1	2	–	–	–	–	–	–
	All other Male	6	–	–	–	1	–	–	2	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana																							
	All causes	**33,700**	**1,238**	**225**	**153**	**213**	**476**	**608**	**467**	**444**	**539**	**806**	**1,243**	**1,919**	**2,391**	**3,249**	**4,050**	**4,220**	**4,088**	**3,481**	**2,372**	**1,108**	**402**	**8**
	White Male	12,869	325	69	51	84	240	271	188	165	202	329	548	825	1,121	1,435	1,728	1,656	1,508	1,147	631	274	69	3
	White Female	9,740	261	52	36	37	61	89	57	86	107	177	259	406	524	708	971	1,182	1,410	1,409	1,162	555	190	1
	All other Male	6,171	367	45	39	68	140	197	157	133	136	189	257	411	441	631	756	762	583	418	272	114	53	2
	All other Female	4,920	285	59	27	24	35	51	65	60	94	111	179	277	305	475	595	620	587	507	307	165	90	2
004, 006	Bacillary dysentery and amebiasis	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	33	10	2	1	–	1	–	–	1	1	–	1	–	2	1	–	3	2	1	3	4	–	–
	White Male	10	2	2	–	–	1	–	–	–	1	–	–	–	2	–	–	2	–	–	–	–	–	–
	White Female	9	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	1	–	–
	All other Male	6	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	All other Female	8	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–	–
010–019	Tuberculosis, all forms	102	–	–	–	–	–	–	1	2	4	3	10	10	14	11	13	15	9	6	4	–	–	–
	White Male	42	–	–	–	–	–	–	1	–	1	–	3	5	7	3	8	8	1	5	–	–	–	–
	White Female	12	–	–	–	–	–	–	–	–	–	–	1	–	2	4	–	2	1	–	2	–	–	–
	All other Male	30	–	–	–	–	–	–	–	2	2	2	4	4	2	2	4	2	4	1	1	–	–	–
	All other Female	18	–	–	–	–	–	–	–	–	1	1	2	1	3	2	1	3	3	–	1	–	–	–
010–012	Tuberculosis of respiratory system	88	–	–	–	–	–	–	1	2	4	2	7	10	11	10	12	13	8	5	3	–	–	–
	White Male	35	–	–	–	–	–	–	1	–	1	–	3	5	5	2	7	7	–	4	–	–	–	–
	White Female	11	–	–	–	–	–	–	–	–	–	–	1	–	1	4	–	2	1	–	2	–	–	–
	All other Male	25	–	–	–	–	–	–	–	2	2	1	1	4	2	2	4	1	4	1	1	–	–	–
	All other Female	17	–	–	–	–	–	–	–	–	1	1	2	1	3	2	1	3	3	–	–	–	–	–
013–019	Tuberculosis, other forms	14	–	–	–	–	–	–	–	–	–	1	3	–	3	1	1	2	1	1	1	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	1	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	1	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	13	2	5	2	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	5	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	4	–	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	161	34	–	1	–	–	4	1	2	5	2	7	8	11	9	15	15	12	16	12	5	2	–
	White Male	38	8	–	–	–	–	3	1	1	–	–	2	1	3	3	3	–	1	7	5	–	–	–
	White Female	44	5	–	–	–	–	1	–	–	3	2	2	2	3	–	2	8	5	5	3	1	2	–
	All other Male	39	9	–	1	–	–	–	–	–	1	–	1	1	4	4	7	4	4	1	–	2	–	–
	All other Female	40	12	–	–	–	–	–	–	1	1	–	2	4	1	2	3	3	2	3	4	2	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	9	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	1	–	1	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	99	8	6	6	2	5	1	3	3	4	2	4	9	4	7	14	5	5	5	5	1	–	–
	White Male	28	1	1	4	–	–	–	1	1	–	–	–	5	1	4	4	1	1	2	2	–	–	–
	White Female	30	3	2	1	1	–	–	–	1	1	1	1	3	2	1	5	2	2	2	1	1	–	–
	All other Male	19	2	1	1	–	3	1	1	–	–	–	–	1	–	1	4	2	1	–	1	–	–	–
	All other Female	22	2	2	–	1	2	–	1	1	3	1	3	–	1	1	1	–	1	1	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,161	3	11	17	23	22	34	35	57	72	149	281	495	683	834	963	880	740	510	249	86	16	1
	White Male	2,433	1	5	5	8	8	10	13	22	23	51	108	177	297	332	443	352	297	179	74	27	1	–
	Female	1,887	1	4	4	3	9	11	9	16	27	55	85	149	201	231	242	268	235	186	110	37	4	–
	All other Male	1,093	–	2	5	9	3	6	7	10	8	21	42	95	112	167	174	166	124	85	36	13	7	1
	Female	748	1	–	3	3	2	7	6	9	14	22	46	74	73	104	104	94	84	60	29	9	4	–
140–149	Of buccal cavity and pharynx	142	–	–	–	–	–	–	–	1	1	2	12	8	22	27	21	17	14	5	10	2	–	–
	White Male	68	–	–	–	–	–	–	–	1	–	2	3	3	16	12	11	11	5	2	2	–	–	–
	Female	29	–	–	–	–	–	–	–	–	1	–	2	2	–	7	2	3	5	1	4	2	–	–
	All other Male	32	–	–	–	–	–	–	–	–	–	–	4	2	5	7	6	2	3	2	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	3	1	1	1	2	1	1	–	3	–	–	–
150–159	Of digestive organs and peritoneum	1,481	–	–	–	1	1	1	5	10	9	21	48	100	145	208	230	214	208	177	71	29	3	–
	White Male	526	–	–	–	–	–	–	2	1	3	8	19	38	65	69	83	85	73	58	14	8	–	–
	Female	471	–	–	–	–	–	–	–	3	3	6	13	26	36	65	67	69	64	62	42	14	1	–
	All other Male	290	–	–	–	1	–	–	2	3	2	4	11	21	30	51	47	37	44	29	6	2	–	–
	Female	194	–	–	–	–	1	1	1	3	1	3	5	15	14	23	33	23	27	28	9	5	2	–
160–163	Of respiratory system	1,616	–	–	–	–	–	1	5	10	8	33	88	163	225	259	318	216	161	91	29	7	1	1
	White Male	957	–	–	–	–	–	1	2	5	2	16	50	83	141	150	207	125	103	53	15	4	–	–
	Female	250	–	–	–	–	–	–	3	1	1	8	13	33	35	32	42	32	29	14	6	1	–	–
	All other Male	326	–	–	–	–	–	–	–	3	3	9	17	36	41	61	55	46	24	19	8	2	1	1
	Female	83	–	–	–	–	–	–	–	1	2	–	8	11	8	16	14	13	5	5	–	–	–	–
174	Of breast	489	–	–	–	–	–	–	1	5	17	24	38	62	75	71	50	68	33	22	15	7	1	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	366	–	–	–	–	–	–	1	3	14	19	26	45	56	52	37	55	24	15	13	6	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	122	–	–	–	–	–	–	–	2	3	5	12	17	19	19	13	13	9	6	2	1	1	–
180–187	Of genital organs	678	–	1	–	–	–	4	5	9	7	15	20	32	41	84	93	111	111	79	45	14	7	–
	White Male	193	–	1	–	–	–	1	–	2	1	–	4	2	4	17	31	34	45	24	18	8	1	–
	Female	195	–	–	–	–	–	1	2	4	2	10	9	17	21	26	24	26	21	22	9	1	–	–
	All other Male	170	–	–	–	–	–	–	–	–	–	–	–	2	9	17	24	40	30	22	15	5	6	–
	Female	120	–	–	–	–	–	2	3	3	4	5	7	11	7	24	14	11	15	11	3	–	–	–
188, 189	Of urinary organs	240	–	1	–	–	1	1	1	1	3	4	10	18	16	25	34	52	24	26	16	5	2	–
	White Male	118	–	1	–	–	–	–	–	–	2	1	7	8	7	13	22	26	12	12	7	–	–	–
	Female	62	–	–	–	–	–	1	–	–	–	1	–	3	5	3	8	13	7	11	7	2	1	–
	All other Male	34	–	–	–	–	1	–	–	1	1	1	2	2	2	8	3	7	2	2	–	2	–	–
	Female	26	–	–	–	–	–	–	1	–	–	1	1	5	2	1	1	6	3	1	2	1	1	–
170–173, 190–199	Of all other and unspecified sites	947	1	4	3	14	8	9	6	12	19	31	44	77	114	100	138	126	124	60	40	15	2	–
	White Male	352	–	3	–	4	2	2	1	8	11	14	14	27	44	41	57	49	43	15	12	5	–	–
	Female	302	–	1	–	2	5	4	1	3	3	6	16	17	32	29	40	39	49	28	18	7	2	–
	All other Male	157	–	–	–	6	1	2	3	1	2	3	6	24	21	19	24	17	14	9	4	1	–	–
	Female	136	1	–	3	2	–	1	1	–	3	8	8	9	17	11	17	21	18	8	6	2	–	–
204–207	Leukemia	256	2	5	12	4	10	8	7	3	5	10	7	14	19	20	30	32	28	23	13	4	–	–
	White Male	106	1	–	5	1	6	1	4	2	3	6	3	7	12	8	13	10	9	11	2	2	–	–
	Female	89	1	3	4	1	2	4	1	–	2	1	3	2	2	10	6	14	15	10	7	1	–	–
	All other Male	43	–	2	3	2	1	1	2	1	–	3	1	3	3	2	7	6	2	1	2	1	–	–
	Female	18	–	–	–	–	1	2	–	–	–	–	–	2	2	–	4	2	2	1	2	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	312	–	–	2	4	2	10	5	6	3	9	14	21	26	40	49	44	37	27	10	3	–	–
	White Male	112	–	–	–	3	–	5	4	3	1	4	8	9	8	22	19	12	7	3	4	–	–	–
	Female	123	–	–	–	–	2	1	1	2	1	4	3	4	14	7	16	17	21	23	4	3	–	–
	All other Male	41	–	–	2	–	–	3	–	1	–	1	1	5	1	2	8	11	5	1	–	–	–	–
	Female	36	–	–	–	1	–	1	–	–	1	–	2	3	3	9	6	4	4	–	2	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	104	–	1	3	4	5	4	4	3	1	4	7	5	12	15	10	7	12	5	2	–	–	–
	White Male	43	–	1	1	–	4	4	2	1	–	1	3	1	5	8	2	3	5	2	–	–	–	–
	Female	38	–	–	–	3	–	–	2	2	1	2	4	3	4	3	5	2	3	2	2	–	–	–
	All other Male	8	–	–	–	–	1	–	–	–	–	1	–	1	1	1	–	1	1	1	–	–	–	–
	Female	15	–	–	2	1	–	–	–	–	–	–	–	–	2	3	3	1	3	–	–	–	–	–
250	Diabetes mellitus	831	–	2	–	–	1	2	3	6	4	13	37	46	65	97	118	164	121	81	46	20	5	–
	White Male	176	–	–	–	–	1	–	–	1	1	4	9	11	19	24	23	38	20	15	5	3	2	–
	Female	275	–	1	–	–	–	–	–	3	1	2	8	6	11	21	32	51	55	42	29	11	2	–
	All other Male	126	–	–	–	–	–	–	2	1	2	3	12	16	15	8	20	24	12	5	4	2	–	–
	Female	254	–	1	–	–	–	2	1	1	–	4	8	13	20	44	43	51	34	19	8	4	1	–
260–269	Avitaminoses and other nutritional deficiencies	48	10	2	–	1	–	–	–	–	–	–	1	2	1	3	2	7	5	9	2	2	1	–
	White Male	11	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	2	1	–	–	–
	Female	12	1	1	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	4	1	–	–	–
	All other Male	11	4	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	1	–	–
	Female	14	4	1	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	2	–	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana – Con.																							
280–285	Anemias	76	4	2	1	3	6	2	4	3	1	1	2	2	2	9	10	5	9	5	3	2	–	–
	White Male	20	–	–	–	–	1	2	–	–	–	–	1	–	1	5	3	1	3	2	1	–	–	–
	Female	18	2	–	–	–	–	–	2	–	–	1	–	–	1	1	2	3	3	2	–	1	–	–
	All other Male	15	1	–	1	3	1	–	2	1	–	–	–	1	–	3	2	–	–	–	–	–	–	–
	Female	23	1	2	–	–	4	–	–	2	1	–	1	1	–	–	3	1	3	1	2	1	–	–
320	Meningitis	38	19	–	2	–	2	–	–	1	1	1	1	4	3	2	–	1	1	–	–	–	–	–
	White Male	11	4	–	2	–	–	–	–	1	1	–	1	2	–	–	–	–	–	–	–	–	–	–
	Female	6	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	All other Male	10	5	–	–	–	2	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
	Female	11	7	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	16,896	16	10	4	6	24	27	37	56	145	257	504	816	1,078	1,656	2,188	2,443	2,493	2,329	1,679	824	303	1
	White Male	6,459	2	2	3	2	9	8	10	21	53	119	263	396	566	791	914	962	911	753	420	201	53	–
	Female	5,236	1	2	1	2	2	4	3	5	24	28	78	132	177	304	526	677	879	966	850	428	146	1
	All other Male	2,619	8	2	–	1	10	8	14	15	37	67	92	160	190	319	394	425	329	258	180	76	34	–
	Female	2,582	5	4	–	1	3	7	10	15	31	43	71	128	145	242	354	379	374	352	229	119	70	–
390–398, 402, 404, 410–429	Diseases of heart	12,444	12	6	3	4	8	15	21	34	102	211	427	664	889	1,322	1,692	1,854	1,736	1,590	1,101	547	205	1
	White Male	5,130	2	1	3	1	3	3	5	15	43	108	239	348	494	682	745	756	678	539	299	130	36	–
	Female	3,609	–	1	–	2	–	2	1	4	15	23	59	94	143	230	398	514	571	640	532	285	94	1
	All other Male	1,859	5	2	–	1	3	5	8	9	23	52	70	121	135	235	286	314	226	167	121	52	24	–
	Female	1,846	5	2	–	–	2	5	7	6	21	28	59	101	117	175	263	270	261	244	149	80	51	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	123	–	–	–	1	–	3	6	1	12	10	7	8	11	23	12	10	6	7	4	1	1	–
	White Male	36	–	–	–	–	–	–	–	1	1	5	3	4	3	10	4	1	1	1	1	1	–	–
	Female	52	–	–	–	–	–	–	1	–	4	–	2	4	6	10	6	7	4	5	3	–	–	–
	All other Male	17	–	–	–	1	–	1	1	–	3	2	2	–	2	2	1	2	–	–	–	–	–	–
	Female	18	–	–	–	–	–	2	4	–	4	3	–	–	–	1	1	–	1	1	–	–	1	–
402	Hypertensive heart disease	118	–	–	–	–	–	–	–	–	1	2	6	11	12	13	13	19	15	12	11	2	1	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	1	1	5	2	3	2	3	3	1	–	–	–
	Female	30	–	–	–	–	–	–	–	–	–	1	–	3	3	3	2	4	2	3	6	2	1	–
	All other Male	26	–	–	–	–	–	–	–	–	–	–	1	1	1	4	5	8	4	–	2	–	–	–
	Female	41	–	–	–	–	–	–	–	–	1	1	4	6	3	4	3	5	6	6	2	–	–	–
404	Hypertensive heart and renal disease	88	–	–	–	–	–	–	–	–	–	2	2	3	2	2	12	12	13	20	11	6	3	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	5	3	3	2	2	–	–
	Female	28	–	–	–	–	–	–	–	–	–	2	–	1	–	1	3	1	3	8	6	3	–	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	4	1	1	1	1	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	2	6	8	2	–	3	–
410–413	Ischemic heart disease	11,069	–	–	–	–	2	5	11	27	77	181	377	587	792	1,186	1,528	1,669	1,562	1,424	979	479	182	1
	White Male	4,712	–	–	–	–	1	2	4	12	41	101	225	320	454	633	693	706	612	491	269	115	33	–
	Female	3,220	–	–	–	–	–	–	–	3	9	18	45	75	125	201	357	466	531	575	478	249	87	1
	All other Male	1,595	–	–	–	–	1	1	6	8	15	43	61	105	118	201	248	271	195	151	106	43	22	–
	Female	1,542	–	–	–	–	–	2	1	4	12	19	46	87	95	151	230	226	224	207	126	72	40	–
410	Acute myocardial infarction	5,667	–	–	–	–	2	3	9	17	55	126	261	392	543	762	872	866	697	558	329	134	41	–
	White Male	2,909	–	–	–	–	1	2	4	6	33	76	175	244	350	451	457	424	320	223	93	42	8	–
	Female	1,481	–	–	–	–	–	–	–	2	5	11	33	52	87	136	214	250	235	222	159	59	16	–
	All other Male	710	–	–	–	–	1	1	4	5	12	30	32	58	61	107	115	110	66	50	38	12	8	–
	Female	567	–	–	–	–	–	–	1	4	5	9	21	38	45	68	86	82	76	63	39	21	9	–
411	Other acute and subacute forms of ischemic heart disease	22	–	–	–	–	–	–	–	–	–	–	–	4	1	2	2	2	4	2	4	–	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	2	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	2	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
412	Chronic ischemic heart disease	5,378	–	–	–	–	–	2	2	10	22	55	116	190	248	422	654	801	860	864	646	345	140	1
	White Male	1,793	–	–	–	–	–	–	–	6	8	25	50	73	104	181	236	281	289	267	175	73	25	–
	Female	1,731	–	–	–	–	–	–	–	1	4	7	12	22	38	64	141	215	295	353	317	190	71	1
	All other Male	881	–	–	–	–	–	–	2	3	3	13	29	46	56	94	133	161	128	100	68	31	14	–
	Female	973	–	–	–	–	–	2	–	–	7	10	25	49	50	83	144	144	148	144	86	51	30	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	101	–	–	–	1	1	–	–	–	–	–	5	1	4	8	8	16	16	9	17	13	2	–
	White Male	30	–	–	–	–	1	–	–	–	–	–	1	–	–	3	1	8	6	2	5	2	1	–
	Female	43	–	–	–	1	–	–	–	–	–	–	3	1	–	1	2	3	8	3	11	10	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	–	1	–	–	1	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	–	2	4	3	2	2	3	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana — Con.																							
420–423, 425–427, 429	All other forms of heart disease	945	12	6	3	2	5	7	4	6	12	16	30	54	68	90	119	128	124	118	79	46	16	–
	White Male	312	2	1	3	1	1	1	1	2	1	2	9	22	31	34	42	34	53	39	21	10	2	–
	Female	236	–	1	–	1	–	2	–	1	2	2	9	10	9	14	28	33	23	46	28	21	6	–
	All other Male	197	5	2	–	–	2	3	1	1	5	7	5	14	11	27	27	26	26	14	12	8	1	–
	Female	200	5	2	–	–	2	1	2	2	4	5	7	8	17	15	22	35	22	19	18	7	7	–
400, 401, 403	Hypertension	102	–	–	–	–	–	1	2	–	3	1	3	6	3	9	13	13	13	14	15	4	2	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	2	2	2	3	3	4	4	2	5	1	–	–
	Female	27	–	–	–	–	–	–	1	–	1	–	–	–	–	–	2	5	4	6	5	2	1	–
	All other Male	20	–	–	–	–	–	–	1	–	1	1	1	2	1	4	5	2	–	1	–	1	–	–
	Female	27	–	–	–	–	–	1	–	–	1	–	–	2	–	2	3	2	5	5	5	–	1	–
430–438	Cerebrovascular diseases	3,461	3	4	1	2	15	9	13	19	28	40	61	116	145	269	380	467	608	572	456	191	62	–
	White Male	992	–	1	–	1	6	4	5	6	8	8	20	36	49	81	127	150	184	153	92	51	10	–
	Female	1,278	1	1	1	–	2	2	1	1	3	5	13	32	29	57	92	135	249	265	256	97	36	–
	All other Male	596	2	–	–	–	6	2	4	4	11	14	17	27	42	74	87	92	83	66	46	14	5	–
	Female	595	–	2	–	1	1	1	3	8	6	13	11	21	25	57	74	90	92	88	62	29	11	–
431	Cerebral hemorrhage	444	1	1	–	–	2	1	3	3	10	12	16	31	35	44	55	57	59	52	42	18	2	–
	White Male	125	–	–	–	–	1	–	1	–	3	1	4	12	14	14	18	19	16	11	5	6	–	–
	Female	142	–	1	–	–	–	1	–	–	–	–	4	5	9	11	12	14	26	27	28	4	–	–
	All other Male	96	1	–	–	–	1	–	2	2	5	8	5	8	6	11	11	16	8	5	3	3	1	–
	Female	81	–	–	–	–	–	–	–	1	2	3	3	6	6	8	14	8	9	9	6	5	1	–
433	Cerebral thrombosis	693	–	–	–	–	1	–	–	1	2	1	6	10	26	46	70	104	135	130	101	44	16	–
	White Male	185	–	–	–	–	1	–	–	1	–	–	4	6	8	18	22	30	33	28	19	13	2	–
	Female	303	–	–	–	–	–	–	–	–	–	–	–	–	6	11	25	34	64	68	55	28	12	–
	All other Male	110	–	–	–	–	–	–	–	–	1	1	2	2	9	9	15	23	18	14	15	1	–	–
	Female	95	–	–	–	–	–	–	–	–	1	–	–	2	3	8	8	17	20	20	12	2	2	–
434	Cerebral embolism	13	–	–	–	–	–	–	–	–	–	1	–	1	2	2	4	–	–	–	2	–	1	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	2	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,311	2	3	1	2	12	8	10	15	16	26	39	74	82	177	251	306	414	390	311	129	43	–
	White Male	679	–	1	–	1	4	4	4	5	5	7	12	18	26	49	86	101	135	114	68	32	7	–
	Female	827	1	–	1	–	2	1	1	1	3	5	9	26	14	35	52	87	159	170	171	65	24	–
	All other Male	388	1	–	–	–	5	2	2	2	5	4	10	17	27	53	61	53	57	47	28	10	4	–
	Female	417	–	2	–	1	1	1	3	7	3	10	8	13	15	40	52	65	63	59	44	22	8	–
440	Arteriosclerosis	497	–	–	–	–	–	–	–	–	1	–	2	11	13	12	41	56	79	104	82	65	31	–
	White Male	159	–	–	–	–	–	–	–	–	–	–	–	2	8	4	16	23	21	45	18	15	7	–
	Female	205	–	–	–	–	–	–	–	–	–	–	1	2	3	6	11	15	35	36	45	37	14	–
	All other Male	74	–	–	–	–	–	–	–	–	1	–	1	5	2	2	5	9	12	12	12	8	5	–
	Female	59	–	–	–	–	–	–	–	–	–	–	–	2	–	–	9	9	11	11	7	5	5	–
441–448	Other diseases of arteries, arterioles, and capillaries	392	1	–	–	–	1	2	1	3	11	5	11	19	28	44	62	53	57	49	25	17	3	–
	White Male	150	–	–	–	–	–	1	–	–	2	3	2	8	13	21	23	29	24	14	6	4	–	–
	Female	117	–	–	–	–	–	–	–	–	5	–	5	4	2	11	23	8	20	19	12	7	1	–
	All other Male	70	1	–	–	–	1	1	1	2	1	–	3	5	10	4	11	8	8	12	1	1	–	–
	Female	55	–	–	–	–	–	–	–	1	3	2	1	2	3	8	5	8	5	4	6	5	2	–
466	Acute bronchitis and bronchiolitis	23	5	–	–	–	–	–	–	1	1	1	–	2	3	1	–	1	3	1	2	1	1	–
	White Male	6	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–
	Female	7	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	–	1	–	1	–
	All other Male	7	1	–	–	–	–	–	–	–	1	–	–	2	3	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
470–474, 480–486	Influenza and pneumonia	845	71	13	8	3	5	9	5	10	14	14	13	43	35	53	81	100	117	95	81	51	24	–
	White Male	291	14	4	–	1	2	2	2	2	5	4	5	16	14	26	35	39	46	33	26	10	5	–
	Female	261	15	4	3	2	1	3	1	6	4	3	4	4	6	13	9	27	38	40	38	28	12	–
	All other Male	166	19	1	2	–	1	2	–	2	4	3	2	16	11	9	23	22	19	8	11	8	3	–
	Female	127	23	4	3	–	1	2	2	–	1	4	2	7	4	5	14	12	14	14	6	5	4	–
470–474	Influenza	55	–	–	–	–	–	–	1	–	2	–	1	5	2	6	4	5	10	11	6	1	1	–
	White Male	24	–	–	–	–	–	–	1	–	1	–	1	2	–	3	2	3	5	4	1	–	1	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	3	6	4	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	2	1	1	–	–	–
480–486	Pneumonia	790	71	13	8	3	5	9	4	10	12	14	12	38	33	47	77	95	107	84	75	50	23	–
	White Male	267	14	4	–	1	2	2	1	2	4	4	4	14	14	23	33	36	41	29	25	10	4	–
	Female	242	15	4	3	2	1	3	1	6	4	3	4	3	6	11	9	25	35	34	34	27	12	–
	All other Male	163	19	1	2	–	1	2	–	2	4	3	2	16	10	8	22	22	19	8	11	8	3	–
	Female	118	23	4	3	–	1	2	2	–	–	4	2	5	3	5	13	12	12	13	5	5	4	–
490–493	Bronchitis, emphysema, and asthma	396	1	–	1	1	1	2	4	3	2	4	15	19	24	57	69	61	72	33	17	7	3	–
	White Male	241	–	–	–	1	–	1	–	–	–	2	7	9	9	40	41	44	48	20	13	5	1	–
	Female	82	–	–	1	–	–	1	2	1	1	1	4	4	6	11	17	8	13	6	3	2	1	–
	All other Male	47	–	–	–	–	1	–	1	–	1	1	2	3	6	3	8	7	8	4	1	–	1	–
	Female	26	1	–	–	–	–	–	1	2	–	–	2	3	3	3	3	2	3	3	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana—Con.																							
490, 491	Chronic and unqualified bronchitis	60	1	–	–	1	–	–	–	–	1	1	3	2	2	9	10	9	10	6	3	–	2	–
	White ..... Male	34	–	–	–	1	–	–	–	–	–	–	1	–	1	7	6	6	4	4	3	–	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	2	1	–	3	1	4	1	–	–	1	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	1	2	1	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
492	Emphysema	302	–	–	–	–	1	–	1	–	–	1	10	13	19	44	54	51	60	27	13	7	1	–
	White ..... Male	203	–	–	–	–	–	–	–	–	–	1	6	8	8	33	34	38	44	16	10	5	–	–
	Female	53	–	–	–	–	–	–	–	–	–	–	2	1	5	9	12	7	8	5	2	2	–	–
	All other ..... Male	36	–	–	–	–	1	–	–	–	–	–	2	3	6	2	7	5	5	3	1	–	1	–
	Female	10	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	1	3	3	–	–	–	–
493	Asthma	34	–	–	1	–	–	2	3	3	1	2	2	4	3	4	5	1	2	–	1	–	–	–
	White ..... Male	4	–	–	–	–	–	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
	Female	15	–	–	1	–	–	1	2	1	1	1	1	1	–	2	2	–	1	–	1	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	2	–	–	1	2	3	2	2	–	–	–	–	–	–	–
531–533	Peptic ulcer	98	1	–	–	–	–	–	–	–	3	2	4	5	8	9	18	16	10	12	7	1	2	–
	White ..... Male	42	–	–	–	–	–	–	–	–	–	–	2	2	3	5	9	9	4	6	2	–	–	–
	Female	30	1	–	–	–	–	–	–	–	1	–	–	2	2	1	4	5	3	5	3	1	2	–
	All other ..... Male	13	–	–	–	–	–	–	–	–	1	1	1	1	1	3	1	1	2	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	1	1	1	–	2	–	4	1	1	–	2	–	–	–
540–543	Appendicitis	13	–	–	1	–	1	–	–	–	–	1	–	2	2	1	1	–	1	1	2	–	–	–
	White ..... Male	3	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
	Female	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	112	9	–	–	1	–	–	2	1	–	2	2	8	7	14	11	13	14	16	8	3	1	–
	White ..... Male	34	1	–	–	–	–	–	1	–	–	1	–	2	4	4	2	3	5	7	2	2	–	–
	Female	39	3	–	–	–	–	–	–	1	–	–	–	3	3	5	5	4	5	6	3	–	1	–
	All other ..... Male	22	3	–	–	–	–	–	1	–	–	–	1	2	–	3	1	5	1	1	3	1	–	–
	Female	17	2	–	–	1	–	–	–	–	–	1	1	1	–	2	3	1	3	2	–	–	–	–
571	Cirrhosis of liver	405	2	–	2	–	–	1	3	5	17	32	65	67	61	54	39	22	21	11	3	–	–	–
	White ..... Male	192	1	–	–	–	–	–	1	1	4	14	26	35	33	31	22	8	12	3	1	–	–	–
	Female	94	1	–	–	–	–	–	–	1	3	4	21	13	12	9	8	9	6	6	1	–	–	–
	All other ..... Male	82	–	–	1	–	–	1	2	2	7	10	13	14	11	12	6	1	1	1	–	–	–	–
	Female	37	–	–	1	–	–	–	–	1	3	4	5	5	5	2	3	4	2	1	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	38	–	–	–	–	–	–	–	1	–	–	–	2	2	4	7	10	5	3	3	–	1	–
	White ..... Male	14	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	6	2	–	1	–	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	1	3	2	2	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	–	–	–	–	–	–
580–584	Nephritis and nephrosis	234	1	–	–	–	1	6	2	1	11	8	10	9	21	29	28	39	29	23	10	3	3	–
	White ..... Male	49	–	–	–	–	1	–	1	1	2	2	1	3	3	6	8	7	5	5	3	1	–	–
	Female	57	–	–	–	–	–	2	–	–	1	2	–	–	7	6	6	8	8	10	4	1	2	–
	All other ..... Male	60	–	–	–	–	–	1	–	–	3	–	4	4	7	9	5	12	7	5	1	1	1	–
	Female	68	1	–	–	–	–	3	1	–	5	4	5	2	4	8	9	12	9	3	2	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	33	1	–	–	–	1	–	1	–	1	1	–	2	4	3	4	5	4	4	–	2	–	–
	White ..... Male	11	–	–	–	–	1	–	1	–	–	–	–	1	1	1	1	2	–	2	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	1	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	–	–	–	–	–
	Female	10	1	–	–	–	–	–	–	–	1	1	–	–	2	1	2	1	1	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	201	–	–	–	–	–	6	1	1	10	7	10	7	17	26	24	34	25	19	10	1	3	–
	White ..... Male	38	–	–	–	–	–	–	–	1	2	2	1	2	2	5	7	5	5	3	3	–	–	–
	Female	51	–	–	–	–	–	2	–	–	1	2	–	–	6	6	5	7	8	8	4	–	2	–
	All other ..... Male	54	–	–	–	–	–	1	–	–	3	–	4	3	7	8	5	11	4	5	1	1	1	–
	Female	58	–	–	–	–	–	3	1	–	4	3	5	2	2	7	7	11	8	3	2	–	–	–
590	Infections of kidney	99	–	–	–	–	–	–	1	–	–	2	–	3	7	8	10	7	19	15	16	9	2	–
	White ..... Male	20	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	4	5	4	2	–	–
	Female	53	–	–	–	–	–	–	1	–	–	1	–	1	4	3	5	3	10	9	10	5	1	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	1	–	2	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	1	–	1	3	1	1	2	4	1	–	2	1	–
600	Hyperplasia of prostate	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	3	1	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	12	–	–	–	1	3	2	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	12	–	–	–	1	3	2	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Louisiana—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	11	–	–	–	1	3	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	11	–	–	–	1	3	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	304	197	24	11	13	10	9	5	4	5	1	2	1	4	4	5	4	5	–	–	–	–	–
	White Male	102	72	4	2	5	3	4	1	–	3	–	1	–	2	1	2	2	–	–	–	–	–	–
	Female	79	45	3	6	–	5	3	3	2	1	–	–	1	2	1	1	1	5	–	–	–	–	–
	All other Male	61	41	6	–	5	1	2	–	2	1	–	1	–	–	1	1	–	–	–	–	–	–	–
	Female	62	39	11	3	3	1	–	1	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	700	699	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	181	181	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	156	156	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	221	220	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	142	142	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	391	390	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	105	105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	119	118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	309	309	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	102	102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	67	67	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	360	54	2	2	2	2	8	2	5	4	7	8	7	14	20	25	40	44	45	33	21	14	1
	White Male	100	11	–	–	2	1	5	–	1	2	3	1	3	4	6	7	13	10	12	11	5	3	–
	Female	93	6	–	1	–	–	1	–	–	2	1	3	2	4	5	5	10	14	15	14	6	4	–
	All other Male	87	20	–	1	–	1	–	–	3	–	2	3	–	5	5	8	9	13	9	4	2	2	–
	Female	80	17	2	–	–	–	2	2	1	–	1	1	2	1	4	5	8	7	9	4	8	5	1
Residual	All other diseases	2,119	51	30	12	16	28	30	39	43	47	81	79	171	164	208	258	254	230	181	135	47	15	–
	White Male	762	15	8	8	3	14	10	10	9	8	23	23	70	59	77	114	104	89	61	44	12	1	–
	Female	617	6	7	2	3	2	10	6	12	11	30	16	37	45	56	62	68	84	73	56	24	7	–
	All other Male	421	17	7	2	7	8	5	12	14	13	17	22	34	35	43	54	51	28	24	20	5	3	–
	Female	319	13	8	–	3	4	5	11	8	15	11	18	30	25	32	28	31	29	23	15	6	4	–
E800–E949	Accidents	2,275	38	108	76	127	279	265	180	125	109	127	109	105	112	92	114	81	86	72	41	20	9	–
	White Male	1,095	8	39	25	57	171	143	99	68	58	72	58	53	53	39	52	32	28	22	10	6	2	–
	Female	429	9	24	16	22	32	40	20	17	16	21	16	20	22	18	25	19	29	26	24	8	5	–
	All other Male	588	13	24	22	40	68	76	52	31	25	31	29	32	28	21	33	24	19	12	5	1	2	–
	Female	163	8	21	13	8	8	6	9	9	10	3	6	–	9	14	4	6	10	12	2	5	–	–
E810–E823	Motor vehicle accidents	969	5	41	33	56	157	143	98	46	51	54	45	34	42	37	52	29	23	14	9	–	–	–
	White Male	484	2	16	8	28	102	78	57	20	26	26	20	14	20	11	21	13	13	6	3	–	–	–
	Female	187	3	11	12	12	25	26	11	4	7	10	9	8	7	7	13	7	6	6	3	–	–	–
	All other Male	248	–	6	9	9	28	36	27	19	13	16	14	12	12	12	18	8	4	2	3	–	–	–
	Female	50	–	8	4	7	2	3	3	3	5	2	2	–	3	7	–	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,306	33	67	43	71	122	122	82	79	58	73	64	71	70	55	62	52	63	58	32	20	9	–
	White Male	611	6	23	17	29	69	65	42	48	32	46	38	39	33	28	31	19	15	16	7	6	2	–
	Female	242	6	13	4	10	7	14	9	13	9	11	7	12	15	11	12	12	23	20	21	8	5	–
	All other Male	340	13	18	13	31	40	40	25	12	12	15	15	20	16	9	15	16	15	10	2	1	2	–
	Female	113	8	13	9	1	6	3	6	6	5	1	4	–	6	7	4	5	10	12	2	5	–	–
E950–E959	Suicide	460	...	...	–	3	22	69	35	36	35	43	34	41	30	33	35	21	15	2	5	1	–	–
	White Male	284	...	...	–	2	16	46	24	15	23	20	20	17	23	21	27	14	11	1	4	–	–	–
	Female	109	...	...	–	1	3	5	5	13	8	17	11	19	4	10	5	3	3	1	1	–	–	–
	All other Male	54	...	...	–	–	2	17	6	7	3	3	3	5	2	1	1	2	1	–	–	1	–	–
	Female	13	...	...	–	–	1	1	–	1	1	3	–	–	1	1	2	2	–	–	–	–	–	–
E960–E978	Homicide	573	3	5	2	7	53	119	91	69	51	44	43	32	18	13	12	2	4	1	2	–	–	2
	White Male	142	–	–	–	3	6	22	17	17	17	11	12	13	9	4	4	2	2	1	1	–	–	1
	Female	33	1	1	–	–	6	6	3	3	2	4	2	1	2	1	–	–	–	–	1	–	–	–
	All other Male	326	1	1	1	2	36	77	55	42	27	23	25	16	5	8	5	–	2	–	–	–	–	–
	Female	72	1	3	1	2	5	14	16	7	5	6	4	2	2	–	3	–	–	–	–	–	–	1
E980–E999	Other external causes	50	–	2	1	–	3	12	7	4	1	4	4	4	3	2	1	–	–	–	–	–	–	2
	White Male	26	–	–	–	–	1	10	4	2	–	1	2	1	2	1	–	–	–	–	–	–	–	2
	Female	12	–	1	–	–	1	1	–	2	–	1	2	2	1	–	1	–	–	–	–	–	–	–
	All other Male	10	–	1	1	–	1	1	2	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine																							
	All causes	**10,273**	**202**	**43**	**23**	**34**	**109**	**94**	**94**	**88**	**89**	**133**	**295**	**433**	**638**	**818**	**1,143**	**1,315**	**1,429**	**1,426**	**1,108**	**567**	**190**	**2**
	White ..... Male	5,594	108	24	11	24	78	74	66	61	56	97	192	289	410	525	722	761	741	648	450	201	56	–
	Female	4,642	93	19	10	9	30	18	27	25	32	35	101	142	226	291	419	545	688	773	657	366	134	2
	All other ..... Male	23	–	–	1	1	1	1	–	2	1	–	1	1	1	1	2	7	–	3	–	–	–	–
	Female	14	1	–	1	–	–	1	1	–	–	1	1	1	1	1	–	2	–	2	1	–	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	7	1	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–	1	–	–
	White ..... Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	14	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	5	–	3	–	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	2	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	11	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	3	–	3	–	–	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	29	4	–	–	–	1	1	–	–	–	–	–	2	1	–	2	9	5	–	3	–	1	–
	White ..... Male	14	1	–	–	–	–	1	–	–	–	–	–	1	1	–	1	4	3	–	2	–	–	–
	Female	15	3	–	–	–	1	–	–	–	–	–	–	1	–	–	1	5	2	–	1	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	30	4	2	–	–	2	–	–	–	1	1	1	2	1	2	4	3	2	1	2	1	1	–
	White ..... Male	13	2	1	–	–	–	–	–	–	1	1	1	1	–	1	1	2	1	–	1	–	–	–
	Female	17	2	1	–	–	2	–	–	–	–	–	–	1	1	1	3	1	1	1	1	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,959	–	4	2	2	6	4	5	14	18	25	81	106	187	223	304	319	276	217	103	51	12	–
	White Male	1,080	–	2	1	1	5	4	3	7	5	15	41	60	104	132	183	188	147	113	48	19	2	–
	Female	872	–	2	1	1	1	–	2	7	13	10	40	46	83	91	119	127	129	104	54	32	10	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
140–149	Of buccal cavity and pharynx	44	–	–	–	–	–	–	–	–	–	–	4	3	6	6	6	5	8	5	1	–	–	–
	White Male	31	–	–	–	–	–	–	–	–	–	–	3	3	5	4	4	2	6	4	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	3	2	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	582	–	1	–	–	–	–	–	1	3	4	10	19	48	55	99	105	96	79	44	16	2	–
	White Male	299	–	–	–	–	–	–	–	–	1	3	8	14	27	34	60	51	49	31	15	6	–	–
	Female	281	–	1	–	–	–	–	–	1	2	1	2	5	21	21	39	53	47	48	28	10	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
160–163	Of respiratory system	432	–	–	–	1	–	–	–	–	5	9	22	35	60	60	79	73	45	31	8	3	1	–
	White Male	323	–	–	–	–	–	–	–	–	1	6	16	29	44	46	59	58	36	21	6	1	–	–
	Female	107	–	–	–	1	–	–	–	–	4	3	6	6	16	14	19	14	9	10	2	2	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	164	–	–	–	–	–	–	–	2	3	1	19	19	18	13	18	15	22	14	6	11	3	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	161	–	–	–	–	–	–	–	2	3	1	19	19	18	13	17	14	22	13	6	11	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
180–187	Of genital organs	226	–	–	–	–	1	–	2	1	3	2	6	13	12	23	29	43	29	38	18	4	2	–
	White Male	111	–	–	–	–	1	–	1	–	–	–	–	1	3	4	14	26	15	29	12	3	2	–
	Female	113	–	–	–	–	–	–	1	1	3	2	6	12	9	19	14	16	14	9	6	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
188, 189	Of urinary organs	111	–	–	–	–	–	–	–	–	–	1	2	3	10	17	10	17	23	15	4	6	3	–
	White Male	78	–	–	–	–	–	–	–	–	–	1	2	3	7	13	6	13	14	11	4	4	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	–	–	3	4	4	4	9	4	–	2	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	229	–	–	–	–	4	1	1	3	1	5	12	8	18	25	39	44	29	20	11	8	–	–
	White Male	136	–	–	–	–	3	1	–	1	1	3	7	6	8	17	28	24	19	9	6	3	–	–
	Female	93	–	–	–	–	1	–	1	2	–	2	5	2	10	8	11	20	10	11	5	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	63	–	3	2	–	–	1	1	3	–	–	1	1	4	9	8	7	8	6	7	2	–	–
	White Male	40	–	2	1	–	–	1	1	3	–	–	–	1	2	5	5	7	5	2	3	2	–	–
	Female	23	–	1	1	–	–	–	–	–	–	–	1	–	2	4	3	–	3	4	4	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	108	–	–	–	1	1	2	1	4	3	3	5	5	11	15	16	10	16	9	4	1	1	–
	White Male	60	–	–	–	1	1	2	1	3	2	2	5	3	8	9	6	7	3	5	2	–	–	–
	Female	48	–	–	–	–	–	–	–	1	1	1	–	2	3	6	10	3	13	4	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	38	–	1	1	–	2	1	–	1	–	–	4	6	6	2	1	3	3	3	4	–	–	–
	White Male	22	–	1	1	–	1	–	–	–	–	–	4	3	4	1	1	1	2	1	2	–	–	–
	Female	16	–	–	–	–	1	1	–	1	–	–	–	3	2	1	–	2	1	2	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	168	–	–	–	–	–	1	2	2	–	3	2	10	8	18	28	23	31	17	19	3	1	–
	White Male	76	–	–	–	–	–	–	–	–	–	1	1	4	4	11	19	8	16	8	4	–	–	–
	Female	92	–	–	–	–	–	1	2	2	–	2	1	6	4	7	9	15	15	9	15	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	3	3	4	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	3	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine – Con.																							
280–285	Anemias	17	–	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	5	5	2	1	–	–
	White ..... Male	8	–	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	2	2	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	4	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	3	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	5,574	–	2	1	5	1	1	9	11	21	37	108	182	315	400	591	730	869	944	800	410	136	1
	White ..... Male	2,885	–	1	1	4	1	1	3	7	17	31	82	137	220	263	373	414	441	404	304	143	38	–
	Female	2,673	–	1	–	1	–	–	6	4	4	6	24	43	94	135	218	312	428	535	496	267	98	1
	All other ..... Male	10	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	4	–	3	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	2	–	–	–	–
390–398, 402, 404, 410–429	Diseases of heart	4,127	–	1	–	2	–	–	1	10	17	32	99	159	263	331	487	573	636	626	519	275	95	1
	White ..... Male	2,289	–	–	–	2	–	–	1	7	14	28	79	127	193	229	327	329	333	292	195	108	25	–
	Female	1,828	–	1	–	–	–	–	–	3	3	4	18	31	70	101	160	241	303	331	324	167	70	1
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	63	–	–	–	–	–	–	–	1	1	1	7	2	4	6	5	8	10	9	6	2	1	–
	White ..... Male	25	–	–	–	–	–	–	–	–	–	1	5	2	2	3	1	3	5	2	–	1	–	–
	Female	38	–	–	–	–	–	–	–	1	1	–	2	–	2	3	4	5	5	7	6	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	42	–	–	–	–	–	–	–	–	–	–	1	–	–	2	5	5	6	6	10	7	–	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	4	1	2	2	1	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	5	4	8	6	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	3	6	4	3	2	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	–	2	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	5	4	1	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	3,756	–	–	–	–	–	–	1	7	14	29	85	150	246	308	448	526	583	575	472	227	84	1
	White ..... Male	2,114	–	–	–	–	–	–	1	6	13	26	69	121	181	215	304	302	304	276	183	92	21	–
	Female	1,633	–	–	–	–	–	–	–	1	1	3	14	28	65	92	144	222	279	296	289	135	63	1
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–	–
410	Acute myocardial infarction	2,310	–	–	–	–	–	–	–	6	12	24	76	121	214	253	339	343	339	284	184	88	27	–
	White ..... Male	1,445	–	–	–	–	–	–	–	5	11	21	62	99	157	181	236	208	187	141	83	48	6	–
	Female	858	–	–	–	–	–	–	–	1	1	3	12	21	57	71	103	134	152	141	101	40	21	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	10	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	2	–	2	2	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	2	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,433	–	–	–	–	–	–	1	1	2	5	8	29	32	55	108	180	241	290	286	137	57	1
	White ..... Male	664	–	–	–	–	–	–	1	1	2	5	7	22	24	34	67	91	117	134	100	44	15	–
	Female	767	–	–	–	–	–	–	–	–	–	–	1	7	8	21	41	88	124	155	186	93	42	1
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	32	–	–	–	–	–	–	–	–	–	1	–	1	1	1	4	5	5	3	3	6	2	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	1	–	1	1	–	4	3	1	1	–	2	2	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	2	3	4	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine – Con.																							
420–423, 425–427, 429	All other forms of heart disease	209	–	1	–	2	–	–	–	2	2	1	6	6	12	14	22	25	29	27	24	30	6	–
	White Male	113	–	–	–	2	–	–	–	1	1	–	4	3	9	10	15	16	20	10	10	10	2	–
	Female	95	–	1	–	–	–	–	–	1	1	1	2	3	3	4	7	8	9	17	14	20	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	32	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	5	6	9	4	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	3	6	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	1,044	–	1	1	3	1	–	8	–	4	4	8	16	42	50	82	101	178	234	204	87	20	–
	White Male	405	–	1	1	2	1	–	2	–	3	2	3	7	21	22	33	49	81	68	80	22	7	–
	Female	635	–	–	–	1	–	–	6	–	1	2	5	9	20	27	49	51	97	165	124	65	13	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
431	Cerebral hemorrhage	203	–	–	–	1	1	–	–	–	2	1	1	3	10	16	16	24	32	48	36	9	3	–
	White Male	77	–	–	–	–	1	–	–	–	1	1	–	1	2	6	7	12	11	14	17	2	2	–
	Female	126	–	–	–	1	–	–	–	–	1	–	1	2	8	10	9	12	21	34	19	7	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	260	–	–	–	–	–	–	–	–	–	1	1	2	7	10	25	25	41	61	60	23	4	–
	White Male	101	–	–	–	–	–	–	–	–	–	1	1	–	3	5	14	12	20	16	26	3	–	–
	Female	158	–	–	–	–	–	–	–	–	–	–	–	2	3	5	11	13	21	45	34	20	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	577	–	1	1	2	–	–	8	–	2	2	6	11	25	23	41	52	103	125	107	55	13	–
	White Male	226	–	1	1	2	–	–	2	–	2	–	2	6	16	11	12	25	50	38	36	17	5	–
	Female	349	–	–	–	–	–	–	6	–	–	2	4	5	9	12	29	26	53	86	71	38	8	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440	Arteriosclerosis	190	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	11	27	43	44	40	17	–
	White Male	69	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	12	21	12	11	5	–
	Female	121	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	6	15	22	32	29	12	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	181	–	–	–	–	–	1	–	1	–	1	1	6	8	15	18	40	23	35	24	4	4	–
	White Male	112	–	–	–	–	–	1	–	–	–	1	–	2	6	11	12	29	13	20	14	2	1	–
	Female	67	–	–	–	–	–	–	–	1	–	–	1	3	2	4	6	11	10	14	10	2	3	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	8	–	–	1	–	–	–	–	–	–	–	–	–	2	1	1	1	1	1	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–
	Female	4	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	350	9	6	–	–	–	1	5	–	1	3	5	11	11	19	26	40	49	58	52	38	16	–
	White Male	189	3	4	–	–	–	–	3	–	1	2	3	8	6	12	13	20	34	27	29	18	6	–
	Female	160	6	2	–	–	–	1	1	–	–	1	2	3	5	7	13	20	15	31	23	20	10	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	47	–	–	–	–	–	1	–	–	–	–	1	–	3	2	1	4	7	12	4	7	5	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	5	6	3	–	1	–
	Female	28	–	–	–	–	–	1	–	–	–	–	1	–	1	2	–	3	2	6	1	7	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	303	9	6	–	–	–	–	5	–	1	3	4	11	8	17	25	36	42	46	48	31	11	–
	White Male	170	3	4	–	–	–	–	3	–	1	2	3	8	4	12	12	19	29	21	26	18	5	–
	Female	132	6	2	–	–	–	–	1	–	–	1	1	3	4	5	13	17	13	25	22	13	6	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	149	–	–	–	–	–	–	–	–	1	2	4	8	9	14	28	26	22	23	8	3	–	1
	White Male	111	–	–	–	–	–	–	–	–	–	2	4	5	8	13	21	20	12	19	7	–	–	–
	Female	38	–	–	–	–	–	–	–	–	1	–	–	3	1	1	7	6	10	4	1	3	–	1
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine—Con.																							
490, 491	Chronic and unqualified bronchitis	33	–	–	–	–	–	–	–	–	–	–	–	1	3	4	3	5	6	6	2	2	–	1
	White Male	22	–	–	–	–	–	–	–	–	–	–	–	1	2	4	3	5	3	2	2	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	4	–	2	–	1
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	107	–	–	–	–	–	–	–	–	–	1	4	7	6	10	22	20	16	16	5	–	–	–
	White Male	84	–	–	–	–	–	–	–	–	–	1	4	4	6	9	17	14	9	16	4	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	3	–	1	5	6	7	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	9	–	–	–	–	–	–	–	–	1	1	–	–	–	–	3	1	–	1	1	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	39	–	–	–	–	–	–	–	–	–	1	1	3	4	3	5	4	8	2	6	1	1	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	2	2	3	4	1	5	–	5	1	1	–
	Female	15	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	3	3	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	7	–	1	–	1	–	–	–	1	–	–	–	1	–	–	2	–	–	–	–	1	–	–
	White Male	5	–	1	–	–	–	–	–	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	34	1	–	–	–	–	–	–	–	–	–	2	1	–	3	4	3	3	6	7	3	1	–
	White Male	16	1	–	–	–	–	–	–	–	–	–	2	–	–	3	3	1	1	2	1	2	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	4	6	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	168	–	–	–	–	–	–	–	1	5	11	14	22	25	29	34	14	9	3	1	–	–	–
	White Male	111	–	–	–	–	–	–	–	–	4	8	10	13	15	20	25	10	5	–	1	–	–	–
	Female	57	–	–	–	–	–	–	–	1	1	3	4	9	10	9	9	4	4	3	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	20	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	3	4	5	3	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	2	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	3	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	39	–	–	–	–	–	–	–	–	–	–	–	2	2	–	6	7	6	9	2	4	1	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	4	3	4	1	2	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	3	3	5	1	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	8	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	1	1	1	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	31	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	6	5	8	2	4	1	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	3	3	1	2	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	2	5	1	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	31	–	–	–	–	–	–	–	1	1	–	–	3	–	1	1	3	8	3	8	2	–	–
	White Male	10	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	1	2	1	2	–	–	–
	Female	20	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	1	6	2	6	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maine—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	58	40	3	1	1	2	2	–	4	–	1	1	–	–	–	–	–	3	–	–	–	–	–
	White Male	27	21	1	–	–	1	–	–	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Female	31	19	2	1	1	1	2	–	2	–	–	1	–	–	–	–	–	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	54	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	69	26	3	–	–	–	–	1	1	1	4	2	1	–	1	3	4	5	6	5	3	3	–
	White Male	37	11	2	–	–	–	–	1	1	1	1	2	1	–	–	2	3	2	4	3	1	2	–
	Female	31	15	1	–	–	–	–	–	–	–	2	–	–	–	1	1	1	3	2	2	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	648	13	5	3	3	9	4	6	13	9	10	21	29	28	65	70	94	84	88	59	26	9	–
	White Male	355	8	2	–	2	5	4	2	8	6	6	11	18	17	38	49	61	41	41	27	7	2	–
	Female	292	5	3	3	1	4	–	4	5	3	4	10	11	10	27	21	33	43	47	32	19	7	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	524	9	15	14	18	72	54	47	26	20	22	28	31	24	24	22	18	25	28	11	12	4	–
	White Male	368	4	8	8	13	54	47	38	25	13	17	21	24	17	16	14	13	12	14	3	5	2	–
	Female	148	4	7	4	4	17	5	9	1	6	5	7	7	7	8	8	5	13	14	8	7	2	–
	All other Male	5	–	–	1	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	225	2	9	6	8	52	39	26	14	8	9	6	12	6	7	6	6	3	5	1	–	–	–
	White Male	159	1	4	2	5	34	33	22	14	6	7	3	9	4	4	4	2	1	4	–	–	–	–
	Female	61	1	5	2	2	17	5	4	–	2	2	3	3	2	3	2	4	2	1	1	–	–	–
	All other Male	3	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	299	7	6	8	10	20	15	21	12	12	13	22	19	18	17	16	12	22	23	10	12	4	–
	White Male	209	3	4	6	8	20	14	16	11	7	10	18	15	13	12	10	11	11	10	3	5	2	–
	Female	87	3	2	2	2	–	–	5	1	4	3	4	4	5	5	6	1	11	13	7	7	2	–
	All other Male	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	128	...	...	–	3	9	16	15	8	7	11	14	10	8	4	5	7	4	2	5	–	–	–
	White Male	97	...	...	–	3	8	11	13	6	4	10	8	7	6	2	4	4	4	2	5	–	–	–
	Female	30	...	...	–	–	1	5	2	1	3	1	6	3	2	2	1	3	–	–	–	–	–	–
	All other Male	1	...	...	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	26	–	1	–	–	2	4	3	4	3	2	2	2	2	1	–	–	–	–	–	–	–	–
	White Male	18	–	1	–	–	1	3	2	3	2	2	2	–	1	1	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	1	1	1	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	19	–	–	–	–	2	4	–	1	–	–	4	–	3	2	–	1	–	2	–	–	–	–
	White Male	12	–	–	–	–	1	3	–	1	–	–	–	–	3	2	–	1	–	1	–	–	–	–
	Female	7	–	–	–	–	1	1	–	–	–	–	4	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland																							
	All causes	**32,055**	**908**	**116**	**112**	**131**	**369**	**464**	**420**	**416**	**462**	**736**	**1,263**	**2,015**	**2,560**	**3,236**	**3,550**	**3,848**	**3,881**	**3,615**	**2,434**	**1,141**	**368**	**10**
	White..... Male	13,941	330	52	36	64	191	221	186	150	175	297	550	956	1,257	1,671	1,778	1,784	1,694	1,363	805	300	79	2
	Female	11,721	244	28	29	23	65	79	76	79	108	180	338	540	706	895	1,080	1,363	1,691	1,848	1,390	724	232	3
	All other..... Male	3,811	179	16	23	26	79	120	123	139	126	166	225	329	362	419	409	398	275	207	119	38	29	4
	Female	2,582	155	20	24	18	34	44	35	48	53	93	150	190	235	251	283	303	221	197	120	79	28	1
004, 006	Bacillary dysentery and amebiasis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	30	8	1	–	1	–	–	–	–	–	1	1	1	1	–	–	4	3	5	4	–	–	–
	White..... Male	13	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	3	2	–	–	–
	All other..... Male	6	3	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
010–019	Tuberculosis, all forms	67	–	1	–	–	–	–	1	–	2	4	2	5	10	10	7	7	7	5	4	2	–	–
	White..... Male	25	–	1	–	–	–	–	–	–	–	–	2	1	3	1	4	4	3	2	4	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	2	2	–	1	–	–
	All other..... Male	22	–	–	–	–	–	–	1	–	2	3	–	3	4	6	–	2	1	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	1	1	–	1	–	–
010–012	Tuberculosis of respiratory system	51	–	–	–	–	–	–	1	–	2	3	2	2	5	9	6	7	7	2	3	2	–	–
	White..... Male	18	–	–	–	–	–	–	–	–	–	–	2	–	2	1	3	4	3	–	3	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	1	–	1	–	–
	All other..... Male	18	–	–	–	–	–	–	1	–	2	3	–	1	2	6	–	2	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	1	–	1	–	–
013–019	Tuberculosis, other forms	16	–	1	–	–	–	–	–	–	–	1	–	3	5	1	1	–	–	3	1	–	–	–
	White..... Male	7	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	2	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–
	All other..... Male	4	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	4	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	154	22	–	2	1	2	3	1	–	4	2	4	9	9	17	14	16	14	9	14	7	4	–
	White..... Male	64	8	–	1	1	–	1	1	–	2	–	2	3	3	10	6	6	8	3	3	5	1	–
	Female	40	4	–	–	–	–	–	–	–	–	1	1	3	–	6	2	6	4	6	3	2	2	–
	All other..... Male	25	5	–	–	–	–	1	–	–	–	1	–	–	5	1	4	2	2	–	3	–	1	–
	Female	25	5	–	1	–	2	1	–	–	2	–	1	3	1	–	2	2	–	–	5	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	9	–	–	–	–	–	–	–	–	–	–	1	1	3	–	1	1	1	–	1	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	71	1	1	3	–	2	2	1	1	4	5	3	6	2	8	5	2	12	9	2	2	–	–
	White..... Male	24	–	–	1	–	–	–	–	–	2	1	1	2	1	4	1	1	8	2	–	–	–	–
	Female	27	1	1	–	–	1	1	–	1	1	2	1	2	1	1	2	1	3	5	1	2	–	–
	All other..... Male	9	–	–	1	–	1	–	1	–	1	–	–	1	–	2	1	–	–	–	1	–	–	–
	Female	11	–	–	1	–	–	1	–	–	–	2	1	1	–	1	1	–	1	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,902	2	9	24	14	17	10	42	51	72	176	360	633	854	1,016	964	930	746	583	289	84	18	–
	White Male	2,913	1	2	10	10	6	6	15	13	22	52	115	235	342	474	438	428	339	259	116	25	5	–
	Female	2,652	1	4	8	2	6	7	21	23	35	80	148	250	307	330	326	337	306	256	141	51	13	–
	All other Male	796	–	–	1	–	4	2	2	5	7	25	45	82	118	135	138	108	62	40	19	3	–	–
	Female	541	–	3	5	2	1	3	4	10	8	19	52	66	87	77	62	57	39	28	13	5	–	–
140–149	Of buccal cavity and pharynx	194	–	–	–	–	–	–	1	–	4	1	20	26	31	43	27	17	10	6	6	2	–	–
	White Male	98	–	–	–	–	–	–	–	–	1	1	6	12	12	28	16	10	6	4	2	–	–	–
	Female	52	–	–	–	–	–	–	1	–	–	–	3	4	13	10	7	4	3	2	3	2	–	–
	All other Male	32	–	–	–	–	–	–	–	–	2	–	6	7	5	5	3	3	1	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	1	–	5	3	1	–	1	–	–	–	1	–	–	–
150–159	Of digestive organs and peritoneum	1,795	1	1	–	–	1	1	5	7	3	40	62	137	194	250	260	264	227	200	107	33	2	–
	White Male	730	–	1	–	–	–	–	1	2	1	15	26	54	80	113	111	108	84	78	45	9	2	–
	Female	676	1	–	–	–	–	–	2	2	1	11	19	40	60	76	83	105	104	101	52	19	–	–
	All other Male	243	–	–	–	–	1	1	1	1	1	8	11	27	33	37	43	38	21	12	6	2	–	–
	Female	146	–	–	–	–	–	–	1	2	–	6	6	16	21	24	23	13	18	9	4	3	–	–
160–163	Of respiratory system	1,735	1	–	–	–	–	–	1	2	10	43	89	183	269	325	296	241	137	90	41	6	1	–
	White Male	1,060	1	–	–	–	–	–	1	1	5	13	46	97	155	196	195	165	98	61	22	3	1	–
	Female	354	–	–	–	–	–	–	–	1	5	15	19	45	56	69	46	36	25	17	17	3	–	–
	All other Male	257	–	–	–	–	–	–	–	–	–	13	19	30	44	48	48	33	12	8	2	–	–	–
	Female	64	–	–	–	–	–	–	–	–	–	2	5	11	14	12	7	7	2	4	–	–	–	–
174	Of breast	641	–	–	–	–	–	2	8	6	10	32	68	89	93	64	70	76	53	34	25	5	6	–
	White Male	7	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–	1	–	1	–	–	–
	Female	552	–	–	–	–	–	2	6	4	8	27	58	76	71	54	61	70	48	33	23	5	6	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	80	–	–	–	–	–	–	2	2	1	5	10	12	19	9	8	6	4	1	1	–	–	–
180–187	Of genital organs	773	–	1	–	–	1	4	1	7	12	19	40	48	76	83	95	117	120	93	44	11	1	–
	White Male	253	–	1	–	–	–	1	–	1	2	1	–	2	17	25	18	43	57	57	22	5	1	–
	Female	322	–	–	–	–	1	2	1	5	5	13	25	29	38	34	47	46	38	21	11	6	–	–
	All other Male	95	–	–	–	–	–	–	–	–	–	1	–	6	7	10	19	15	17	12	8	–	–	–
	Female	103	–	–	–	–	–	1	–	1	5	4	15	11	14	14	11	13	8	3	3	–	–	–
188, 189	Of urinary organs	272	–	1	3	–	–	3	–	1	2	4	11	20	29	34	40	38	42	28	8	6	2	–
	White Male	155	–	–	2	–	–	1	–	–	–	2	6	16	16	18	21	28	24	12	5	3	1	–
	Female	80	–	1	1	–	–	1	–	–	2	2	2	3	7	11	12	4	15	13	2	3	1	–
	All other Male	25	–	–	–	–	–	–	–	–	–	–	2	–	4	4	5	5	2	2	1	–	–	–
	Female	12	–	–	–	–	–	1	–	1	–	–	1	1	2	1	2	1	1	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	946	–	2	8	7	8	5	5	12	20	23	42	94	116	147	115	113	89	88	37	11	4	–
	White Male	372	–	–	2	4	4	3	4	6	8	11	17	39	41	65	45	45	38	28	10	2	–	–
	Female	399	–	2	2	2	2	–	1	4	9	10	13	35	49	48	48	47	41	51	22	9	4	–
	All other Male	95	–	–	1	–	2	1	–	1	3	1	5	10	16	23	13	10	4	4	1	–	–	–
	Female	80	–	–	3	1	–	1	–	1	–	1	7	10	10	11	9	11	6	5	4	–	–	–
204–207	Leukemia	233	–	4	12	7	7	3	6	9	4	6	11	11	15	23	22	28	28	20	11	5	1	–
	White Male	113	–	–	5	6	2	1	1	1	2	6	6	7	8	10	13	16	13	10	5	1	–	–
	Female	81	–	1	5	–	3	2	5	2	–	–	4	3	3	11	6	8	13	8	5	1	1	–
	All other Male	18	–	–	–	–	1	–	–	3	1	–	1	1	2	1	2	2	2	–	1	1	–	–
	Female	21	–	3	2	1	1	–	–	3	1	–	–	–	2	1	1	2	–	2	–	2	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	313	–	–	1	–	–	–	15	7	7	8	17	25	31	47	39	36	40	24	10	5	1	–
	White Male	125	–	–	1	–	–	–	8	2	2	3	8	8	11	18	18	13	18	9	4	2	–	–
	Female	136	–	–	–	–	–	–	5	5	5	2	5	15	10	17	16	17	19	10	6	3	1	–
	All other Male	29	–	–	–	–	–	–	1	–	–	2	1	–	6	7	5	2	3	2	–	–	–	–
	Female	23	–	–	–	–	–	–	1	–	–	1	3	2	4	5	–	4	–	3	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	112	–	–	–	3	1	1	2	1	1	4	6	16	9	11	14	15	14	10	1	2	1	–
	White Male	48	–	–	–	1	–	1	1	1	1	2	3	8	6	3	7	3	6	3	1	1	–	–
	Female	44	–	–	–	–	1	–	1	–	–	1	1	3	1	7	6	8	7	7	–	1	–	–
	All other Male	8	–	–	–	2	–	–	–	–	–	–	–	4	–	1	1	–	–	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	4	1	–	–	–	1	–
250	Diabetes mellitus	710	–	–	1	–	1	3	2	6	8	9	19	32	46	88	101	122	112	82	54	20	4	–
	White Male	226	–	–	–	–	–	1	1	1	4	1	11	11	17	45	36	31	23	24	13	6	1	–
	Female	307	–	–	–	–	–	1	–	2	3	–	3	10	14	20	40	54	67	46	35	10	2	–
	All other Male	74	–	–	–	–	–	–	1	1	1	3	3	8	8	11	13	13	5	4	2	–	1	–
	Female	103	–	–	1	–	1	1	–	2	–	5	2	3	7	12	12	24	17	8	4	4	–	–
260–269	Avitaminoses and other nutritional deficiencies	44	–	–	–	–	–	–	–	1	–	–	1	1	–	2	2	4	7	10	10	4	2	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	2	1	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	4	5	–	1	–
	All other Male	6	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	1	1	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	3	2	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland – Con.																							
280–285	Anemias	48	1	2	1	2	1	–	1	1	1	2	2	2	3	6	3	3	4	6	6	–	1	–
	White Male	15	–	1	1	–	–	–	–	–	–	1	–	–	1	3	1	2	2	1	1	–	1	–
	Female	17	–	1	–	–	–	–	–	–	–	–	1	–	1	1	2	1	1	5	4	–	–	–
	All other Male	7	1	–	–	1	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–
	Female	9	–	–	–	1	1	–	1	–	–	–	–	2	–	2	–	–	1	–	1	–	–	–
320	Meningitis	30	10	2	2	–	2	–	–	–	–	1	–	2	3	2	1	–	2	1	1	1	–	–
	White Male	9	2	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	1	1	–	–
	Female	11	6	1	1	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
	All other Male	3	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	1	–	1	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	–	–	–	–
390–448	Major cardiovascular diseases	15,820	17	2	4	13	10	16	27	62	104	226	441	829	1,094	1,476	1,819	2,110	2,343	2,362	1,732	848	283	2
	White Male	7,027	5	1	–	5	5	3	15	23	38	112	242	485	624	850	972	997	989	841	553	208	58	1
	Female	6,296	6	–	1	3	2	7	3	9	24	37	80	148	233	345	527	747	1,082	1,275	1,028	555	183	1
	All other Male	1,370	2	1	3	3	1	4	4	18	27	49	76	133	144	172	166	188	146	116	68	29	20	–
	Female	1,127	4	–	–	2	2	2	5	12	15	28	43	63	93	109	154	178	126	130	83	56	22	–
390–398, 402, 404, 410–429	Diseases of heart	12,417	13	2	4	6	7	10	15	44	78	181	377	704	941	1,231	1,466	1,674	1,806	1,766	1,288	600	203	1
	White Male	5,806	4	1	–	2	4	3	8	20	35	102	224	432	568	734	797	823	790	641	420	153	44	1
	Female	4,701	4	–	1	1	1	4	1	4	14	23	59	118	187	282	420	576	801	943	754	378	130	–
	All other Male	1,057	2	1	3	1	1	3	2	13	19	42	62	103	116	136	131	141	117	81	48	22	13	–
	Female	853	3	–	–	2	1	–	4	7	10	14	32	51	70	79	118	134	98	101	66	47	16	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	212	–	–	–	1	1	1	2	1	5	13	15	20	27	33	31	26	16	13	4	2	1	–
	White Male	90	–	–	–	–	1	–	1	–	2	5	9	10	12	18	10	7	7	3	3	1	1	–
	Female	93	–	–	–	1	–	1	–	–	–	5	4	10	8	12	15	17	9	9	1	1	–	–
	All other Male	10	–	–	–	–	–	–	–	1	1	1	1	–	–	2	1	2	–	1	–	–	–	–
	Female	19	–	–	–	–	–	–	1	–	2	2	1	–	7	1	5	–	–	–	–	–	–	–
402	Hypertensive heart disease	111	–	–	–	–	–	–	–	1	1	1	7	6	10	12	15	9	16	17	9	5	2	–
	White Male	30	–	–	–	–	–	–	–	–	–	1	3	2	2	3	5	4	4	4	–	1	1	–
	Female	45	–	–	–	–	–	–	–	–	–	–	–	–	4	6	2	4	8	10	7	3	1	–
	All other Male	14	–	–	–	–	–	–	–	–	1	–	2	1	–	2	5	–	3	–	–	–	–	–
	Female	22	–	–	–	–	–	–	–	1	–	–	2	3	4	1	3	1	1	3	2	1	–	–
404	Hypertensive heart and renal disease	64	–	–	–	–	–	–	–	1	1	–	1	–	3	5	4	5	17	12	11	2	2	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	1	7	–	1	–	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	5	9	10	2	2	–
	All other Male	6	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	1	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	4	2	–	–	–	–
410–413	Ischemic heart disease	11,085	1	–	–	–	–	5	3	28	60	141	317	596	825	1,101	1,314	1,522	1,622	1,621	1,190	550	188	1
	White Male	5,257	–	–	–	–	–	3	1	16	31	81	195	378	517	673	733	759	715	587	391	137	39	1
	Female	4,202	–	–	–	–	–	1	–	3	12	11	46	90	157	243	369	519	712	875	696	347	121	–
	All other Male	909	–	–	–	–	–	1	1	5	13	38	51	90	100	116	112	126	109	70	43	22	12	–
	Female	717	1	–	–	–	–	–	1	4	4	11	25	38	51	69	100	118	86	89	60	44	16	–
410	Acute myocardial infarction	4,785	1	–	–	–	–	1	1	12	28	81	171	328	446	594	700	736	638	575	311	122	40	–
	White Male	2,684	–	–	–	–	–	–	–	8	15	57	117	236	308	396	440	401	313	225	118	37	13	–
	Female	1,636	–	–	–	–	–	1	–	1	7	6	31	55	87	133	196	257	279	311	174	76	22	–
	All other Male	264	–	–	–	–	–	–	–	2	4	14	18	26	35	36	33	38	33	13	5	4	3	–
	Female	201	1	–	–	–	–	–	1	1	2	4	5	11	16	29	31	40	13	26	14	5	2	–
411	Other acute and subacute forms of ischemic heart disease	52	–	–	–	–	–	–	–	1	–	–	2	2	2	8	7	5	10	11	1	3	–	–
	White Male	29	–	–	–	–	–	–	–	1	–	–	2	2	1	6	5	1	5	3	1	2	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	8	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
412	Chronic ischemic heart disease	6,246	–	–	–	–	–	4	2	15	32	60	144	266	377	499	607	781	973	1,034	878	425	148	1
	White Male	2,543	–	–	–	–	–	3	1	7	16	24	76	140	208	271	288	357	396	359	272	98	26	1
	Female	2,546	–	–	–	–	–	–	–	2	5	5	15	35	70	109	171	259	429	555	522	270	99	–
	All other Male	643	–	–	–	–	–	1	1	3	9	24	33	64	64	79	79	88	76	57	38	18	9	–
	Female	514	–	–	–	–	–	–	–	3	2	7	20	27	35	40	69	77	72	63	46	39	14	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	228	1	–	2	–	3	1	3	3	2	8	10	27	23	21	28	31	28	15	10	10	2	–
	White Male	120	–	–	–	–	1	–	1	1	–	5	7	16	16	14	14	19	13	7	2	3	1	–
	Female	80	–	–	1	–	–	–	1	–	1	2	1	7	3	6	12	8	14	8	8	7	1	–
	All other Male	15	1	–	1	–	1	1	–	1	–	1	1	2	2	1	1	2	–	–	–	–	–	–
	Female	13	–	–	–	–	1	–	1	1	1	–	1	2	2	–	1	2	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland—Con.																							
420–423, 425–427, 429	All other forms of heart disease	717	11	2	2	5	3	3	7	10	9	18	27	55	53	59	74	81	107	88	64	31	8	–
	White Male	293	4	1	–	2	2	–	5	3	2	10	9	26	18	24	34	33	44	40	23	11	2	–
	Female	248	4	–	–	–	1	2	–	1	1	5	8	11	15	14	20	26	53	32	32	18	5	–
	All other Male	103	1	1	2	1	–	1	1	5	4	2	7	10	14	14	11	10	4	9	5	–	1	–
	Female	73	2	–	–	2	–	–	1	1	2	1	3	8	6	7	9	12	6	7	4	2	–	–
400, 401, 403	Hypertension	79	–	–	–	–	–	–	2	–	1	–	3	6	4	15	6	7	17	8	4	6	–	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	2	–	7	1	2	7	2	2	–	–	–
	Female	29	–	–	–	–	–	–	–	–	1	–	–	–	–	3	4	2	6	6	2	5	–	–
	All other Male	18	–	–	–	–	–	–	1	–	–	–	1	4	2	4	1	1	3	–	–	1	–	–
	Female	9	–	–	–	–	–	–	1	–	–	–	2	–	2	1	–	2	1	–	–	–	–	–
430–438	Cerebrovascular diseases	2,395	4	–	–	5	1	5	7	14	23	37	55	83	120	154	249	319	385	420	313	156	45	–
	White Male	801	1	–	–	2	–	–	5	3	3	10	14	33	42	69	109	125	126	129	90	31	9	–
	Female	1,152	2	–	–	1	–	3	1	3	8	9	21	24	39	39	80	126	219	239	197	111	30	–
	All other Male	229	–	–	–	2	–	1	1	3	7	7	12	17	21	22	30	35	19	30	13	6	3	–
	Female	213	1	–	–	–	1	1	–	5	5	11	8	9	18	24	30	33	21	22	13	8	3	–
431	Cerebral hemorrhage	356	2	–	–	1	–	3	1	5	9	16	15	22	38	37	53	40	52	33	21	3	5	–
	White Male	111	–	–	–	–	–	–	–	–	2	3	3	6	14	18	20	12	15	7	9	1	1	–
	Female	149	1	–	–	–	–	2	–	1	1	2	4	9	12	12	18	20	29	21	11	2	4	–
	All other Male	53	–	–	–	1	–	–	1	2	2	5	7	6	5	3	7	5	4	4	1	–	–	–
	Female	43	1	–	–	–	–	1	–	2	4	6	1	1	7	4	8	3	4	1	–	–	–	–
433	Cerebral thrombosis	506	1	–	–	–	1	1	–	1	2	–	4	7	15	22	43	62	88	121	77	45	16	–
	White Male	166	1	–	–	–	–	–	–	–	–	–	–	3	6	11	23	22	30	35	24	6	5	–
	Female	289	–	–	–	–	–	–	–	–	2	–	3	2	6	8	14	27	55	78	49	36	9	–
	All other Male	27	–	–	–	–	–	1	–	–	–	–	1	–	2	2	3	9	2	5	2	–	–	–
	Female	24	–	–	–	–	1	–	–	1	–	–	–	2	1	1	3	4	1	3	2	3	2	–
434	Cerebral embolism	15	–	–	–	1	–	–	–	–	–	1	1	1	2	1	3	2	2	–	1	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	2	1	–	–	–	–	–
	Female	5	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,518	1	–	–	3	–	1	6	8	12	20	35	53	65	94	150	215	243	266	214	108	24	–
	White Male	516	–	–	–	2	–	–	5	3	1	7	10	23	22	39	64	89	80	87	57	24	3	–
	Female	709	1	–	–	–	–	1	1	2	5	7	14	13	20	19	47	79	134	140	136	73	17	–
	All other Male	147	–	–	–	1	–	–	–	1	5	1	4	11	13	17	20	21	13	21	10	6	3	–
	Female	146	–	–	–	–	–	–	–	2	1	5	7	6	10	19	19	26	16	18	11	5	1	–
440	Arteriosclerosis	446	–	–	–	–	–	–	–	–	–	–	–	6	3	19	27	37	64	101	93	68	27	1
	White Male	144	–	–	–	–	–	–	–	–	–	–	–	2	2	6	14	12	32	30	25	17	4	–
	Female	254	–	–	–	–	–	–	–	–	–	–	–	1	–	9	9	18	27	63	58	50	18	1
	All other Male	24	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	3	2	4	6	–	2	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	4	3	4	4	1	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	483	–	–	–	2	2	1	3	4	2	8	6	30	26	57	71	73	71	67	34	18	8	–
	White Male	253	–	–	–	1	1	–	2	–	–	–	4	16	12	34	51	35	34	39	16	7	1	–
	Female	160	–	–	–	1	1	–	1	2	1	5	–	5	7	12	14	25	29	24	17	11	5	–
	All other Male	42	–	–	–	–	–	–	–	2	1	–	1	8	4	7	2	8	5	1	1	–	2	–
	Female	28	–	–	–	–	–	1	–	–	–	3	1	1	3	4	4	5	3	3	–	–	–	–
466	Acute bronchitis and bronchiolitis	10	1	2	–	1	–	–	–	–	–	1	–	–	–	–	1	1	1	1	1	–	–	–
	White Male	6	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	705	12	5	3	2	5	4	2	7	7	10	19	19	36	53	51	80	107	112	93	51	26	1
	White Male	274	5	1	1	1	1	2	–	–	2	4	6	4	21	22	25	36	52	44	28	15	4	–
	Female	279	2	2	1	–	2	–	–	–	1	2	3	6	4	17	16	24	39	57	53	33	17	–
	All other Male	96	1	1	–	–	1	–	2	6	3	2	7	6	6	7	7	15	13	6	8	1	3	1
	Female	56	4	1	1	1	1	2	–	1	1	2	3	3	5	7	3	5	3	5	4	2	2	–
470–474	Influenza	33	–	–	–	–	–	–	–	–	–	–	1	–	2	3	1	6	4	6	5	3	2	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	5	3	2	1	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	4	3	2	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
480–486	Pneumonia	672	12	5	3	2	5	4	2	7	7	10	18	19	34	50	50	74	103	106	88	48	24	1
	White Male	258	5	1	1	1	1	2	–	–	2	4	6	4	19	20	25	31	49	42	27	14	4	–
	Female	264	2	2	1	–	2	–	–	–	1	2	2	6	4	17	15	23	38	53	50	31	15	–
	All other Male	95	1	1	–	–	1	–	2	6	3	2	7	6	6	6	7	15	13	6	8	1	3	1
	Female	55	4	1	1	1	1	2	–	1	1	2	3	3	5	7	3	5	3	5	3	2	2	–
490–493	Bronchitis, emphysema, and asthma	293	–	–	–	1	3	–	–	–	–	2	7	13	28	32	41	56	47	38	17	7	1	–
	White Male	175	–	–	–	–	2	–	–	–	–	2	–	7	9	18	30	34	32	25	11	4	1	–
	Female	80	–	–	–	–	1	–	–	–	–	–	3	5	13	9	9	12	9	10	6	3	–	–
	All other Male	30	–	–	–	1	–	–	–	–	–	–	2	–	4	4	2	9	5	3	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	2	1	2	1	–	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland – Con.																							
490, 491	Chronic and unqualified bronchitis	62	–	–	–	–	2	–	–	–	–	–	–	2	8	5	7	9	12	10	7	–	–	–
	White ... Male	36	–	–	–	–	1	–	–	–	–	–	–	–	2	3	5	7	7	7	4	–	–	–
	Female	19	–	–	–	–	1	–	–	–	–	–	–	2	4	1	2	–	4	2	3	–	–	–
	All other ... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
492	Emphysema	208	–	–	–	–	–	–	–	–	–	2	4	9	16	26	32	42	33	28	9	6	1	–
	White ... Male	133	–	–	–	–	–	–	–	–	–	2	–	7	7	15	24	26	23	18	6	4	1	–
	Female	53	–	–	–	–	–	–	–	–	–	–	2	2	6	8	6	11	5	8	3	2	–	–
	All other ... Male	19	–	–	–	–	–	–	–	–	–	–	2	–	2	2	2	4	5	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
493	Asthma	23	–	–	–	1	1	–	–	–	–	–	3	2	4	1	2	5	2	–	1	1	–	–
	White ... Male	6	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	1	1	3	–	1	1	–	–	–	1	–	–
	All other ... Male	5	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	94	–	–	–	–	–	–	–	1	–	3	4	5	9	9	12	13	10	13	9	5	1	–
	White ... Male	45	–	–	–	–	–	–	–	–	–	–	2	2	5	3	7	9	4	6	4	3	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	2	1	3	1	3	4	4	5	4	2	–	–
	All other ... Male	11	–	–	–	–	–	–	–	1	–	2	–	1	1	1	1	–	1	2	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	1	–	4	1	–	1	–	–	–	1	–
540–543	Appendicitis	14	–	–	1	1	–	–	–	–	–	–	1	–	1	2	5	1	2	–	–	–	–	–
	White ... Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	–	–	–	–	–	–
	Female	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other ... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	108	7	1	–	–	–	–	2	1	–	2	1	6	2	8	11	10	15	21	9	11	1	–
	White ... Male	36	1	–	–	–	–	–	1	–	–	1	–	2	–	5	5	1	11	5	2	2	–	–
	Female	56	5	1	–	–	–	–	1	–	–	1	–	2	–	3	4	6	3	15	6	8	1	–
	All other ... Male	13	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	3	1	1	1	1	–	–
	Female	3	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	608	–	–	–	–	1	3	5	14	26	48	88	97	88	97	64	40	22	10	3	1	1	–
	White ... Male	310	–	–	–	–	–	–	–	2	13	23	44	58	45	48	37	19	14	5	2	–	–	–
	Female	153	–	–	–	–	1	–	2	1	2	6	25	18	26	30	16	15	6	4	–	1	–	–
	All other ... Male	97	–	–	–	–	–	3	3	10	7	12	13	9	9	14	8	5	2	1	–	–	1	–
	Female	48	–	–	–	–	–	–	–	1	4	7	6	12	8	5	3	1	–	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	37	–	–	–	–	–	–	–	–	–	–	2	–	3	1	4	5	12	4	4	2	–	–
	White ... Male	16	–	–	–	–	–	–	–	–	–	–	2	–	3	1	1	3	3	2	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	9	2	3	1	–	–
	All other ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	177	1	–	1	2	1	2	1	3	7	3	10	13	22	19	22	25	12	21	8	4	–	–
	White ... Male	57	–	–	–	2	–	1	–	–	3	1	4	2	9	8	5	13	2	6	1	–	–	–
	Female	46	1	–	–	–	–	1	–	–	1	–	–	2	3	6	3	8	5	10	4	2	–	–
	All other ... Male	38	–	–	–	–	–	–	1	1	2	2	2	5	5	2	6	2	3	4	2	1	–	–
	Female	36	–	–	1	–	1	–	–	2	1	–	4	4	5	3	8	2	2	1	1	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	29	1	–	–	–	–	–	–	–	–	–	2	–	1	3	6	5	3	4	2	2	–	–
	White ... Male	12	–	–	–	–	–	–	–	–	–	–	1	–	1	2	3	1	2	2	–	–	–	–
	Female	10	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	2	–	2	–	–
	All other ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	148	–	–	1	2	1	2	1	3	7	3	8	13	21	16	16	20	9	17	6	2	–	–
	White ... Male	45	–	–	–	2	–	1	–	–	3	1	3	2	8	6	2	12	–	4	1	–	–	–
	Female	36	–	–	–	–	–	1	–	–	1	–	–	2	3	5	3	5	4	8	4	–	–	–
	All other ... Male	36	–	–	–	–	–	–	1	1	2	2	2	5	5	2	5	2	3	4	1	1	–	–
	Female	31	–	–	1	–	1	–	–	2	1	–	3	4	5	3	6	1	2	1	–	1	–	–
590	Infections of kidney	38	–	–	–	–	–	1	–	–	–	1	1	1	1	1	4	7	9	3	4	2	3	–
	White ... Male	13	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	2	3	2	2	–	1	–
	Female	19	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	4	5	1	2	1	2	–
	All other ... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
600	Hyperplasia of prostate	23	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	5	4	4	–	2	–
	White ... Male	19	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	5	3	4	–	2	–
	All other ... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Maryland — Con.																							
640–645	Abortions	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	234	148	15	10	10	3	5	5	3	2	4	1	5	7	5	4	1	1	3	–	–	–	2
	White Male	93	63	9	4	4	1	–	3	1	–	1	–	–	3	1	2	1	–	–	–	–	–	–
	Female	93	54	4	4	2	1	3	1	2	–	1	1	5	4	4	2	–	1	2	–	–	–	2
	All other Male	23	14	–	2	2	1	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	25	17	2	–	2	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	536	533	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	White Male	192	191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	135	135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	119	118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	90	89	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	260	258	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	White Male	101	100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	47	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	276	275	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	91	91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	72	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	48	47	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	353	90	6	2	2	16	15	18	15	15	17	14	19	20	27	13	11	16	12	8	10	6	1
	White Male	122	31	3	–	1	8	6	8	5	4	4	3	3	9	10	6	4	7	5	2	3	–	–
	Female	106	15	2	1	–	4	3	4	1	3	6	7	10	7	8	4	3	6	7	5	5	5	–
	All other Male	73	21	–	1	1	2	4	5	7	2	5	3	5	1	7	3	3	1	–	–	–	1	1
	Female	52	23	1	–	–	2	2	1	2	6	2	1	1	3	2	–	1	2	–	1	2	–	–
Residual	All other diseases	2,202	27	16	12	9	16	34	41	53	46	75	104	153	164	223	277	292	266	215	122	50	6	1
	White Male	936	8	6	3	4	5	10	15	16	14	25	38	66	72	98	130	139	131	92	45	18	1	–
	Female	739	7	4	4	2	4	13	7	8	9	18	26	37	54	77	82	105	96	90	65	27	4	–
	All other Male	318	6	3	1	1	3	6	14	23	16	20	22	30	24	31	41	30	19	17	9	–	1	1
	Female	209	6	3	4	2	4	5	5	6	7	12	18	20	14	17	24	18	20	16	3	5	–	–
E800–E949	Accidents	1,563	24	41	44	56	195	195	121	83	72	70	85	88	82	75	70	63	74	63	29	26	7	–
	White Male	810	8	18	15	31	126	128	76	44	37	33	38	43	44	37	32	27	34	22	7	6	4	–
	Female	351	7	8	8	11	34	24	16	12	9	15	13	18	17	17	22	19	28	33	19	19	2	–
	All other Male	292	5	5	14	9	27	32	23	24	20	15	25	24	16	16	8	10	9	7	3	–	–	–
	Female	110	4	10	7	5	8	11	6	3	6	7	9	3	5	5	8	7	3	1	–	1	1	–
E810–E823	Motor vehicle accidents	701	5	13	20	28	123	133	74	44	39	37	42	27	29	21	17	17	17	10	3	2	–	–
	White Male	426	4	8	10	18	83	90	50	29	24	19	20	14	18	11	6	8	9	4	–	1	–	–
	Female	150	–	1	3	7	29	22	10	6	7	8	9	6	6	7	9	5	7	4	3	1	–	–
	All other Male	94	1	2	4	2	8	18	11	9	5	7	10	5	5	1	2	3	–	1	–	–	–	–
	Female	31	–	2	3	1	3	3	3	–	3	3	3	2	–	2	–	1	1	1	–	–	–	–
E800–E807, E825–E949	All other accidents	862	19	28	24	28	72	62	47	39	33	33	43	61	53	54	53	46	57	53	26	24	7	–
	White Male	384	4	10	5	13	43	38	26	15	13	14	18	29	26	26	26	19	25	18	7	5	4	–
	Female	201	7	7	5	4	5	2	6	6	2	7	4	12	11	10	13	14	21	29	16	18	2	–
	All other Male	198	4	3	10	7	19	14	12	15	15	8	15	19	11	15	6	7	9	6	3	–	–	–
	Female	79	4	8	4	4	5	8	3	3	3	4	6	1	5	3	8	6	2	–	–	1	1	–
E950–E959	Suicide	460	...	...	–	2	20	58	55	49	38	27	45	32	33	31	25	15	14	9	5	2	–	–
	White Male	285	...	...	–	2	15	37	31	27	21	17	24	17	21	19	18	14	12	6	2	2	–	–
	Female	111	...	...	–	–	1	7	12	12	12	6	14	13	10	10	5	1	2	3	3	–	–	–
	All other Male	53	...	...	–	–	2	12	9	9	5	4	5	2	1	2	2	–	–	–	–	–	–	–
	Female	11	...	...	–	–	2	2	3	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	468	1	5	1	11	59	87	79	53	42	36	26	17	20	11	11	5	2	2	–	–	–	–
	White Male	121	–	2	–	2	14	19	13	15	10	14	7	3	9	5	6	1	1	–	–	–	–	–
	Female	31	–	–	–	3	4	4	5	6	2	2	1	3	–	–	1	–	–	–	–	–	–	–
	All other Male	267	1	3	–	4	33	54	52	28	28	17	16	8	10	4	4	4	–	1	–	–	–	–
	Female	49	–	–	1	2	8	10	9	4	2	3	2	3	1	2	–	–	1	1	–	–	–	–
E980–E999	Other external causes	124	1	6	–	–	14	15	14	9	10	6	15	10	9	5	3	3	1	1	–	–	1	1
	White Male	48	1	4	–	–	8	6	6	2	2	2	5	3	5	1	2	1	–	–	–	–	–	–
	Female	34	–	–	–	–	3	6	3	1	5	–	5	3	3	2	1	2	–	–	–	–	–	–
	All other Male	33	–	2	–	–	2	1	4	4	3	3	5	4	1	1	–	–	1	1	–	–	1	–
	Female	9	–	–	–	–	1	2	1	2	–	1	–	–	–	1	–	–	–	–	–	–	–	1

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts																							
	All causes	**54,015**	**920**	**149**	**115**	**148**	**430**	**552**	**486**	**437**	**507**	**824**	**1,515**	**2,393**	**3,396**	**4,667**	**5,701**	**6,843**	**7,601**	**7,836**	**5,682**	**2,827**	**965**	**21**
	White ..... Male	27,387	491	82	61	86	277	403	324	251	277	507	906	1,497	2,193	2,929	3,363	3,685	3,595	3,238	2,104	888	224	6
	Female	25,174	334	61	41	51	126	112	123	129	169	257	530	789	1,099	1,617	2,211	3,030	3,863	4,483	3,513	1,903	719	14
	All other ..... Male	835	46	3	10	8	20	28	26	36	42	39	50	65	62	71	70	70	71	66	29	11	12	–
	Female	619	49	3	3	3	7	9	13	21	19	21	29	42	42	50	57	58	72	49	36	25	10	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	41	10	2	–	–	–	–	–	–	–	–	2	1	4	–	–	3	4	6	1	4	4	–
	White ..... Male	12	6	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	1	–	–
	Female	26	3	–	–	–	–	–	–	–	–	–	2	1	1	–	–	3	2	6	1	3	4	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	70	–	–	–	–	1	–	–	–	–	3	5	5	3	11	12	10	5	4	10	–	–	1
	White ..... Male	36	–	–	–	–	–	–	–	–	–	1	2	3	1	9	7	4	2	2	5	–	–	–
	Female	26	–	–	–	–	1	–	–	–	–	2	1	1	2	2	3	3	3	2	5	–	–	1
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	58	–	–	–	–	1	–	–	–	–	3	4	5	3	10	11	8	3	3	7	–	–	–
	White ..... Male	32	–	–	–	–	–	–	–	–	–	1	2	3	1	9	6	4	1	2	3	–	–	–
	Female	19	–	–	–	–	1	–	–	–	–	2	–	1	2	1	3	2	2	1	4	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
013–019	Tuberculosis, other forms	12	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	1	3	–	–	1
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	1	–	–	1
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	12	2	3	–	2	–	1	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–
	White ..... Male	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	7	–	1	–	2	–	1	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	179	14	2	1	1	–	2	2	–	3	3	5	7	8	9	21	12	30	33	16	7	3	–
	White ..... Male	96	8	–	–	–	–	2	1	–	3	2	1	3	4	6	12	5	16	18	9	4	2	–
	Female	71	6	2	1	–	–	–	1	–	–	–	4	3	3	2	8	7	12	13	6	2	1	–
	All other ..... Male	8	–	–	–	1	–	–	–	–	–	1	–	1	1	–	1	–	1	2	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	119	4	3	2	1	4	1	3	6	1	2	1	9	13	6	6	18	9	14	9	6	1	–
	White ..... Male	40	3	2	–	–	1	–	2	1	–	1	–	4	5	5	2	2	5	3	4	–	–	–
	Female	66	1	1	1	1	3	–	1	2	1	1	–	5	6	1	3	13	4	10	5	6	1	–
	All other ..... Male	6	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	2	–	1	–	–	–	–
	Female	7	–	–	1	–	–	1	–	2	–	–	1	–	–	–	1	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	11,564	3	9	26	25	23	33	58	79	101	202	445	697	1,097	1,474	1,607	1,738	1,600	1,311	713	262	59	2
	White ..... Male	5,834	1	3	12	16	16	19	28	37	31	96	190	328	596	804	879	964	778	610	313	98	14	1
	Female	5,462	2	6	13	9	7	13	27	38	63	94	238	351	472	623	696	745	787	682	394	158	43	1
	All other ..... Male	150	–	–	–	–	–	1	2	1	3	5	7	10	15	22	22	21	21	14	2	3	1	–
	Female	118	–	–	1	–	–	–	1	3	4	7	10	8	14	25	10	8	14	5	4	3	1	–
140–149	Of buccal cavity and pharynx	312	–	–	–	–	–	–	–	1	2	5	12	27	44	55	50	45	36	19	12	4	–	–
	White ..... Male	212	–	–	–	–	–	–	–	–	–	3	8	14	34	36	34	37	25	13	6	2	–	–
	Female	84	–	–	–	–	–	–	–	1	1	2	1	9	8	16	14	7	11	6	6	2	–	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	1	–	1	4	2	2	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	3,416	–	–	–	–	1	2	7	7	11	43	75	175	299	385	469	521	533	487	270	109	21	1
	White ..... Male	1,710	–	–	–	–	–	1	2	6	5	29	42	86	184	230	264	275	230	203	112	36	4	1
	Female	1,625	–	–	–	–	1	1	5	1	6	12	29	85	100	141	200	236	291	276	154	70	17	–
	All other ..... Male	53	–	–	–	–	–	–	–	–	–	2	3	4	8	11	3	7	7	6	1	1	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	–	7	3	2	3	5	2	3	2	–	–
160–163	Of respiratory system	2,428	–	–	1	–	–	2	1	6	17	51	108	179	288	410	402	406	270	179	77	22	8	1
	White ..... Male	1,814	–	–	1	–	–	2	1	3	9	34	72	122	216	307	309	321	211	140	49	11	6	–
	Female	563	–	–	–	–	–	–	–	2	7	15	33	53	69	94	82	80	48	39	28	10	2	1
	All other ..... Male	37	–	–	–	–	–	–	–	1	1	1	3	2	3	4	8	4	9	–	–	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	1	–	2	–	5	3	1	2	–	–	–	–	–
174	Of breast	1,119	–	–	–	–	–	–	3	15	19	32	81	101	130	151	136	150	117	95	65	17	7	–
	White ..... Male	11	–	–	–	–	–	–	–	–	1	–	1	–	2	1	1	3	1	–	–	1	–	–
	Female	1,081	–	–	–	–	–	–	3	14	17	30	77	97	126	143	134	146	113	94	65	15	7	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	27	–	–	–	–	–	–	–	1	1	2	3	4	2	7	1	1	3	1	–	1	–	–
180–187	Of genital organs	1,244	–	–	–	–	1	4	7	11	10	20	37	60	74	129	166	200	209	179	99	32	6	–
	White ..... Male	536	–	–	–	–	1	2	4	4	–	3	–	8	10	28	70	108	114	109	59	15	1	–
	Female	665	–	–	–	–	–	2	2	5	10	15	35	51	63	94	92	84	88	66	39	16	3	–
	All other ..... Male	24	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	6	5	4	1	1	1	–
	Female	19	–	–	–	–	–	–	1	2	–	2	2	1	1	5	–	2	2	–	–	–	1	–
188, 189	Of urinary organs	535	–	–	–	–	–	1	–	1	3	8	17	25	42	46	74	91	90	74	36	22	5	–
	White ..... Male	320	–	–	–	–	–	–	–	1	2	6	9	16	24	30	40	60	57	43	20	10	2	–
	Female	207	–	–	–	–	–	1	–	–	–	2	8	9	17	15	32	29	33	30	16	12	3	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,431	–	4	6	11	3	10	21	15	23	29	80	76	130	188	184	180	193	154	88	28	8	–
	White ..... Male	687	–	–	3	8	1	6	9	10	10	12	40	48	71	106	98	85	82	56	32	9	1	–
	Female	713	–	4	2	3	2	4	11	5	11	14	38	27	55	77	81	94	110	94	55	19	7	–
	All other ..... Male	13	–	–	–	–	–	–	1	–	–	2	–	–	1	2	4	–	–	3	–	–	–	–
	Female	18	–	–	1	–	–	–	–	–	2	1	2	1	3	3	1	1	1	1	1	–	–	–
204–207	Leukemia	454	3	5	15	12	14	5	10	9	9	7	11	13	30	37	51	59	59	46	35	20	4	–
	White ..... Male	256	1	3	7	6	10	3	9	5	3	3	7	8	23	25	32	29	28	22	22	10	–	–
	Female	193	2	2	8	6	4	1	1	4	5	3	4	5	7	12	18	29	31	24	13	10	4	–
	All other ..... Male	3	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	625	–	–	4	2	4	9	9	14	7	7	24	41	60	73	75	86	93	78	31	8	–	–
	White ..... Male	288	–	–	1	2	4	5	3	8	1	6	11	26	32	41	31	46	30	24	13	4	–	–
	Female	331	–	–	3	–	–	4	5	6	6	1	13	15	27	31	43	40	62	53	18	4	–	–
	All other ..... Male	4	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	183	–	1	3	–	3	2	1	–	7	6	8	10	17	16	23	27	22	23	8	4	2	–
	White ..... Male	95	–	1	2	–	1	2	1	–	2	4	1	8	11	10	11	14	10	11	4	2	–	–
	Female	84	–	–	–	–	2	–	–	–	4	2	7	2	5	6	12	13	12	12	3	2	2	–
	All other ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–
250	Diabetes mellitus	1,064	1	1	–	–	–	1	6	8	10	10	19	47	57	88	147	164	172	177	100	43	11	2
	White ..... Male	453	1	–	–	–	–	–	5	3	7	6	9	23	36	42	62	65	77	58	38	14	5	2
	Female	575	–	1	–	–	–	1	1	4	1	3	8	21	17	41	84	93	91	115	60	28	6	–
	All other ..... Male	12	–	–	–	–	–	–	–	1	–	1	1	–	–	4	1	2	1	1	–	–	–	–
	Female	24	–	–	–	–	–	–	–	–	2	–	1	3	4	1	–	4	3	3	2	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	52	1	–	–	–	–	–	–	–	–	–	1	–	2	3	7	6	7	9	9	4	3	–
	White ..... Male	26	–	–	–	–	–	–	–	–	–	–	1	–	2	2	4	5	2	4	4	–	2	–
	Female	26	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	5	5	5	4	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts—Con.																							
280–285	Anemias	86	–	2	1	–	–	–	1	2	–	–	2	2	4	4	5	14	12	21	7	6	3	–
	White Male	32	–	1	–	–	–	–	1	1	–	–	1	1	–	4	2	5	6	7	3	–	–	–
	Female	47	–	1	–	–	–	–	–	1	–	–	–	1	4	–	2	7	5	14	4	6	2	–
	All other Male	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
320	Meningitis	34	8	1	–	–	–	–	–	1	–	–	–	1	3	3	4	1	5	3	3	1	–	–
	White Male	13	3	1	–	–	–	–	–	1	–	–	–	1	1	–	2	–	3	–	1	–	–	–
	Female	19	4	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	2	3	1	1	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	28,024	21	7	4	9	10	26	35	57	103	281	540	1,003	1,463	2,142	2,843	3,640	4,353	4,918	3,821	2,034	701	13
	White Male	13,628	9	3	–	5	6	14	18	35	67	196	402	769	1,068	1,454	1,760	1,934	1,946	1,902	1,280	604	153	3
	Female	13,841	9	4	3	3	2	8	11	12	22	67	116	194	347	638	1,024	1,647	2,336	2,949	2,497	1,408	535	9
	All other Male	301	–	–	1	–	–	2	4	6	10	14	17	25	31	34	30	28	29	36	21	6	7	–
	Female	254	3	–	–	1	2	2	2	4	4	4	5	15	17	16	29	31	42	31	23	16	6	1
390–398, 402, 404, 410–429	Diseases of heart	21,243	16	5	2	5	7	13	20	45	79	236	460	863	1,276	1,813	2,333	2,784	3,221	3,496	2,685	1,389	484	11
	White Male	10,931	8	3	–	2	4	7	12	29	55	170	351	688	949	1,263	1,488	1,532	1,501	1,407	911	426	122	3
	Female	9,894	6	2	2	3	1	3	5	7	10	54	89	145	287	507	801	1,209	1,667	2,040	1,746	947	356	7
	All other Male	236	–	–	–	–	–	2	3	5	10	10	16	18	26	30	23	24	24	24	12	5	4	–
	Female	182	2	–	–	–	2	1	–	4	4	2	4	12	14	13	21	19	29	25	16	11	2	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	428	–	–	1	–	1	–	1	4	6	6	18	20	33	49	67	78	63	39	26	14	2	–
	White Male	174	–	–	–	–	1	–	–	4	5	2	7	10	19	23	28	28	19	17	7	3	1	–
	Female	246	–	–	1	–	–	–	1	–	–	3	10	10	14	25	38	50	42	22	18	11	1	–
	All other Male	4	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–
402	Hypertensive heart disease	254	–	–	–	–	–	–	–	4	4	5	8	7	14	13	24	39	39	53	21	16	6	1
	White Male	71	–	–	–	–	–	–	–	1	1	2	3	2	5	4	11	14	10	13	3	2	–	–
	Female	164	–	–	–	–	–	–	–	–	–	3	5	2	7	7	11	24	28	40	17	14	6	–
	All other Male	5	–	–	–	–	–	–	–	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	3	1	–	–	2	1	1	2	1	1	–	1	–	–	1
404	Hypertensive heart and renal disease	66	–	–	–	–	–	–	–	–	–	–	1	1	2	2	5	5	13	19	10	6	2	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	1	3	7	1	1	–	–
	Female	45	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	4	10	12	9	5	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	19,283	1	–	–	–	–	5	8	29	59	206	390	779	1,148	1,650	2,112	2,516	2,945	3,213	2,495	1,269	450	8
	White Male	10,072	1	–	–	–	–	2	7	21	44	156	317	639	871	1,172	1,372	1,419	1,401	1,294	850	391	113	2
	Female	8,883	–	–	–	–	–	2	–	6	6	40	59	115	244	441	706	1,061	1,502	1,872	1,625	867	331	6
	All other Male	189	–	–	–	–	–	1	1	2	7	8	12	15	21	26	18	20	19	23	10	2	4	–
	Female	139	–	–	–	–	–	–	–	–	2	2	2	10	12	11	16	16	23	24	10	9	2	–
410	Acute myocardial infarction	9,676	–	–	–	–	–	3	5	19	37	139	283	559	753	1,094	1,323	1,441	1,481	1,290	821	317	102	1
	White Male	5,621	–	–	–	–	–	2	4	15	29	106	231	467	583	780	859	823	727	546	303	111	34	1
	Female	3,890	–	–	–	–	–	–	–	4	4	27	46	77	158	290	442	598	736	730	511	202	65	–
	All other Male	90	–	–	–	–	–	1	1	–	4	5	5	8	9	16	10	11	6	10	2	–	2	–
	Female	75	–	–	–	–	–	–	–	–	–	1	1	7	3	8	12	9	12	12	5	4	1	–
411	Other acute and subacute forms of ischemic heart disease	38	–	–	–	–	–	–	–	–	–	–	2	1	–	3	1	6	5	8	7	3	2	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	3	2	2	3	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	3	3	6	4	3	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	9,567	1	–	–	–	–	2	3	10	22	67	105	219	394	553	788	1,068	1,459	1,907	1,667	949	346	7
	White Male	4,436	1	–	–	–	–	–	3	6	15	50	85	171	287	391	512	593	672	746	544	280	79	1
	Female	4,968	–	–	–	–	–	2	–	2	2	13	12	38	86	149	264	459	763	1,136	1,110	662	264	6
	All other Male	99	–	–	–	–	–	–	–	2	3	3	7	7	12	10	8	9	13	13	8	2	2	–
	Female	64	–	–	–	–	–	–	–	–	2	1	1	3	9	3	4	7	11	12	5	5	1	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	90	–	–	–	–	1	–	3	–	1	1	4	6	10	8	11	8	11	6	12	6	1	1
	White Male	33	–	–	–	–	–	–	1	–	1	–	1	2	7	4	6	–	2	–	6	3	–	–
	Female	52	–	–	–	–	–	–	1	–	–	–	3	4	3	4	3	8	9	6	6	3	1	1
	All other Male	4	–	–	–	–	–	–	1	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,122	15	5	1	5	5	8	8	8	9	18	39	50	69	91	114	138	150	166	121	78	23	1
	White.....Male	562	7	3	–	2	3	5	4	3	4	10	23	34	47	58	68	70	66	76	44	26	8	1
	Female	504	6	2	1	3	1	1	3	1	4	8	12	14	18	30	41	62	76	88	71	47	15	–
	All other.....Male	33	–	–	–	–	–	1	1	3	–	–	2	2	4	3	3	4	4	1	2	3	–	–
	Female	23	2	–	–	–	1	1	–	1	1	–	2	–	–	–	2	2	4	1	4	2	–	–
400, 401, 403	Hypertension	142	–	–	–	–	–	–	–	1	–	–	3	6	6	6	14	15	25	27	25	11	3	–
	White.....Male	62	–	–	–	–	–	–	–	–	–	–	2	4	4	5	5	8	9	9	10	6	–	–
	Female	72	–	–	–	–	–	–	–	–	–	–	1	1	1	1	6	7	14	18	15	5	3	–
	All other.....Male	5	–	–	–	–	–	–	–	1	–	–	–	1	1	–	2	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
430–438	Cerebrovascular diseases	5,113	2	2	2	2	3	12	15	8	23	42	64	103	136	261	384	670	869	1,070	842	453	149	1
	White.....Male	1,953	1	–	–	2	2	7	6	4	11	25	40	53	80	140	189	291	319	371	262	125	25	–
	Female	3,059	1	2	1	–	1	4	6	4	12	11	22	43	51	116	185	366	537	684	567	323	122	1
	All other.....Male	44	–	–	1	–	–	–	1	–	–	4	1	4	3	2	3	4	4	9	7	1	–	–
	Female	57	–	–	–	–	–	1	2	–	–	2	1	3	2	3	7	9	9	6	6	4	2	–
431	Cerebral hemorrhage	1,038	–	–	1	–	1	4	4	4	7	18	19	44	50	89	114	164	151	175	126	52	15	–
	White.....Male	392	–	–	–	–	1	3	–	2	2	11	16	23	32	45	51	57	49	56	34	10	–	–
	Female	620	–	–	1	–	–	1	2	2	5	4	3	17	17	43	59	103	99	117	91	41	15	–
	All other.....Male	12	–	–	–	–	–	–	–	–	–	2	–	2	–	–	1	2	1	2	1	1	–	–
	Female	14	–	–	–	–	–	–	2	–	–	1	–	2	1	1	3	2	2	–	–	–	–	–
433	Cerebral thrombosis	1,553	–	–	–	–	–	–	–	–	3	3	4	6	23	42	84	202	266	384	320	150	65	1
	White.....Male	575	–	–	–	–	–	–	–	–	2	3	3	4	15	25	32	83	102	150	102	40	14	–
	Female	957	–	–	–	–	–	–	–	–	1	–	1	2	6	16	50	115	161	228	216	110	50	1
	All other.....Male	11	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	5	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	1	1	–	1	–
434	Cerebral embolism	29	–	–	–	–	–	–	–	–	1	–	–	1	5	3	2	1	6	6	2	2	–	–
	White.....Male	10	–	–	–	–	–	–	–	–	–	–	–	–	4	2	1	–	2	1	–	–	–	–
	Female	19	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	1	4	5	2	2	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,493	2	2	1	2	2	8	11	4	12	21	41	52	58	127	184	303	446	505	394	249	69	–
	White.....Male	976	1	–	–	2	1	4	6	2	7	11	21	26	29	68	105	151	166	164	126	75	11	–
	Female	1,463	1	2	–	–	1	3	4	2	5	7	18	23	27	56	75	147	273	334	258	170	57	–
	All other.....Male	21	–	–	1	–	–	–	1	–	–	2	1	2	1	1	1	1	3	2	5	–	–	–
	Female	33	–	–	–	–	–	1	–	–	–	1	1	1	1	2	3	4	4	5	5	4	1	–
440	Arteriosclerosis	760	–	–	–	–	–	–	–	–	–	–	1	4	5	12	27	54	93	192	184	132	55	1
	White.....Male	246	–	–	–	–	–	–	–	–	–	–	–	4	3	7	13	27	33	58	65	31	5	–
	Female	499	–	–	–	–	–	–	–	–	–	–	1	–	2	5	13	26	57	132	117	100	45	1
	All other.....Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	3	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	766	3	–	–	2	–	1	–	3	1	3	12	27	40	50	85	117	145	133	85	49	10	–
	White.....Male	436	–	–	–	1	–	–	–	2	1	1	9	20	32	39	65	76	84	57	32	16	1	–
	Female	317	2	–	–	–	–	1	–	1	–	2	3	5	6	9	19	39	61	75	52	33	9	–
	All other.....Male	8	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	–	–	1	1	–	–	–
	Female	5	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	23	–	1	1	1	–	–	1	–	1	–	1	–	1	4	1	2	2	3	2	2	–	–
	White.....Male	15	–	–	1	–	–	–	1	–	1	–	1	–	1	3	–	1	2	2	1	1	–	–
	Female	7	–	1	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	1	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,132	40	13	2	5	2	11	10	9	16	22	34	56	70	105	128	211	354	403	344	208	89	–
	White.....Male	1,084	19	6	1	3	–	8	6	1	6	13	23	37	49	74	73	112	191	189	164	84	25	–
	Female	981	15	7	1	2	2	3	4	5	6	7	5	15	16	28	51	94	153	208	176	123	60	–
	All other.....Male	49	4	–	–	–	–	–	–	3	2	2	4	4	5	2	3	4	7	4	2	–	3	–
	Female	18	2	–	–	–	–	–	–	–	2	–	2	–	–	1	1	1	3	2	2	1	1	–
470–474	Influenza	69	–	–	–	–	–	–	–	–	–	–	1	2	2	3	4	7	11	17	8	7	7	–
	White.....Male	23	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	3	4	3	3	3	2	–
	Female	46	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	4	7	14	5	4	5	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	2,063	40	13	2	5	2	11	10	9	16	22	33	54	68	102	124	204	343	386	336	201	82	–
	White.....Male	1,061	19	6	1	3	–	8	6	1	6	13	22	36	48	73	72	109	187	186	161	81	23	–
	Female	935	15	7	1	2	2	3	4	5	6	7	5	14	15	26	48	90	146	194	171	119	55	–
	All other.....Male	49	4	–	–	–	–	–	–	3	2	2	4	4	5	2	3	4	7	4	2	–	3	–
	Female	18	2	–	–	–	–	–	–	–	2	–	2	–	–	1	1	1	3	2	2	1	1	–
490–493	Bronchitis, emphysema, and asthma	586	1	1	–	2	–	–	2	1	1	3	6	19	38	65	106	108	96	77	45	9	6	–
	White.....Male	420	–	–	–	–	–	–	1	1	1	3	3	10	28	43	82	79	65	59	34	7	4	–
	Female	156	1	1	–	–	–	–	1	–	–	–	3	8	10	19	22	28	30	18	11	2	2	–
	All other.....Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
	Female	6	–	–	–	2	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts – Con.																							
490, 491	Chronic and unqualified bronchitis	114	1	–	–	1	–	–	–	–	1	1	2	4	5	10	17	19	21	16	8	4	4	–
	White Male	80	–	–	–	–	–	–	–	–	1	1	1	3	4	7	14	15	12	13	4	2	3	–
	Female	32	1	–	–	–	–	–	–	–	–	–	1	1	1	3	2	4	9	3	4	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
492	Emphysema	435	–	–	–	–	–	–	–	1	–	1	3	12	32	49	80	87	71	55	37	5	2	–
	White Male	327	–	–	–	–	–	–	–	1	–	1	2	7	23	34	65	63	53	42	30	5	1	–
	Female	103	–	–	–	–	–	–	–	–	–	–	1	5	9	13	14	23	17	13	7	–	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
493	Asthma	37	–	1	–	1	–	–	2	–	–	1	1	3	1	6	9	2	4	6	–	–	–	–
	White Male	13	–	–	–	–	–	–	1	–	–	1	–	–	1	2	3	1	–	4	–	–	–	–
	Female	21	–	1	–	–	–	–	1	–	–	–	1	2	–	3	6	1	4	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	198	–	–	–	–	–	–	1	2	–	2	6	13	15	14	16	34	32	43	15	4	1	–
	White Male	127	–	–	–	–	–	–	1	–	–	2	5	11	11	9	12	25	20	23	5	2	1	–
	Female	68	–	–	–	–	–	–	–	1	–	–	1	2	4	5	4	9	11	20	9	2	–	–
	All other Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
540–543	Appendicitis	18	–	–	1	–	–	–	–	–	–	–	–	1	2	6	2	2	1	1	1	1	–	–
	White Male	13	–	–	1	–	–	–	–	–	–	–	–	1	1	5	1	2	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
550–553, 560	Hernia and intestinal obstruction	155	11	1	–	–	3	1	1	1	–	–	2	7	7	1	4	22	24	32	27	7	4	–
	White Male	58	5	1	–	–	2	1	1	1	–	–	1	4	2	–	–	10	4	14	9	3	–	–
	Female	94	6	–	–	–	1	–	–	–	–	–	1	2	4	1	4	11	20	18	18	4	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
571	Cirrhosis of liver	998	1	–	–	–	–	1	4	19	39	69	112	137	152	163	137	86	52	19	5	2	–	–
	White Male	649	–	–	–	–	–	1	2	13	24	51	69	93	98	112	87	53	34	10	2	–	–	–
	Female	324	–	–	–	–	–	–	1	4	10	18	38	43	51	48	48	32	17	9	3	2	–	–
	All other Male	13	–	–	–	–	–	–	1	–	5	–	2	–	2	1	1	1	–	–	–	–	–	–
	Female	12	1	–	–	–	–	–	–	2	–	–	3	1	1	2	1	–	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	88	–	–	–	–	–	–	–	–	1	1	1	2	–	7	3	10	20	16	15	11	1	–
	White Male	34	–	–	–	–	–	–	–	–	1	–	1	1	–	4	–	5	8	5	5	3	1	–
	Female	52	–	–	–	–	–	–	–	–	–	1	–	–	–	3	3	5	12	10	10	8	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	203	1	–	–	1	1	1	1	2	1	1	5	10	7	16	24	33	29	32	23	13	2	–
	White Male	96	–	–	–	1	–	–	1	1	–	–	1	2	6	11	14	17	12	15	9	4	2	–
	Female	93	1	–	–	–	1	–	–	–	1	1	4	6	1	5	6	16	14	17	14	6	–	–
	All other Male	8	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	3	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	2	–	–
580, 581	Acute nephritis and nephrotic syndrome	54	1	–	–	–	–	–	–	–	–	–	1	3	2	4	6	8	8	10	6	5	–	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	5	5	3	2	1	–	–
	Female	29	1	–	–	–	–	–	–	–	–	–	1	3	1	1	2	3	2	7	4	4	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	149	–	–	–	1	1	1	1	2	1	1	4	7	5	12	18	25	21	22	17	8	2	–
	White Male	72	–	–	–	1	–	–	1	1	–	–	1	2	5	8	10	12	7	12	7	3	2	–
	Female	64	–	–	–	–	1	–	–	–	1	1	3	3	–	4	4	13	12	10	10	2	–	–
	All other Male	7	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	2	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	2	–	–
590	Infections of kidney	113	–	–	–	–	–	–	–	–	–	–	2	–	2	11	14	14	16	19	27	5	3	–
	White Male	40	–	–	–	–	–	–	–	–	–	–	–	–	–	6	5	5	5	9	9	1	–	–
	Female	72	–	–	–	–	–	–	–	–	–	–	2	–	2	5	8	9	11	10	18	4	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
600	Hyperplasia of prostate	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	8	7	6	–	1	–
	White Male	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	8	7	6	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Massachusetts—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	262	168	23	5	8	7	6	6	7	7	–	6	4	2	5	–	3	2	2	–	–	–	1
	White Male	133	92	8	–	4	5	3	3	3	3	–	4	1	2	2	–	2	1	–	–	–	–	–
	Female	107	61	13	5	2	2	2	3	3	4	–	2	3	–	3	–	–	1	2	–	–	–	1
	All other Male	13	9	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	6	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	518	517	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	275	275	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	194	194	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	24	23	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	239	238	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	129	129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	89	89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	11	10	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	279	279	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	146	146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	105	105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	515	59	8	1	2	26	43	28	21	17	16	27	24	30	37	31	28	35	33	24	14	10	1
	White Male	278	39	5	1	1	11	31	18	11	8	6	13	13	18	24	18	14	22	11	9	2	3	–
	Female	215	13	3	–	1	12	10	8	10	7	7	13	10	12	12	13	14	13	22	15	12	7	1
	All other Male	11	4	–	–	–	2	2	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	11	3	–	–	–	1	–	2	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	3,490	43	22	13	17	32	39	33	41	56	84	117	171	245	304	382	494	518	458	293	98	30	–
	White Male	1,845	22	16	8	9	20	27	24	21	29	45	61	87	140	178	216	274	288	208	132	34	6	–
	Female	1,513	12	6	4	8	11	8	7	16	18	24	47	71	99	121	152	207	220	238	158	63	23	–
	All other Male	73	4	–	1	–	1	3	1	1	7	11	7	6	1	4	8	7	4	5	1	1	–	–
	Female	59	5	–	–	–	–	1	1	3	2	4	2	7	5	1	6	6	6	7	2	–	1	–
E800–E949	Accidents	2,400	15	41	54	65	253	273	175	103	83	67	94	97	100	124	138	126	172	157	150	81	31	1
	White Male	1,448	7	26	35	43	175	224	129	71	61	42	69	56	67	87	83	59	73	60	53	23	5	–
	Female	844	5	13	13	20	67	40	33	18	17	18	17	30	31	34	53	64	96	96	95	58	25	1
	All other Male	74	–	1	5	2	9	6	8	11	4	3	7	9	2	1	1	–	2	1	2	–	–	–
	Female	34	3	1	1	–	2	3	5	3	1	4	1	2	–	2	1	3	1	–	–	–	1	–
E810–E823	Motor vehicle accidents	929	–	14	28	34	184	196	108	46	35	26	35	36	31	26	37	29	35	16	9	4	–	–
	White Male	636	–	9	18	24	129	161	79	32	27	13	24	19	16	17	18	11	20	8	8	3	–	–
	Female	255	–	5	7	10	51	32	22	9	8	9	8	11	14	8	19	17	15	8	1	1	–	–
	All other Male	30	–	–	3	–	4	2	5	5	–	1	3	5	1	1	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	1	2	–	–	3	–	1	–	–	–	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,471	15	27	26	31	69	77	67	57	48	41	59	61	69	98	101	97	137	141	141	77	31	1
	White Male	812	7	17	17	19	46	63	50	39	34	29	45	37	51	70	65	48	53	52	45	20	5	–
	Female	589	5	8	6	10	16	8	11	9	9	9	9	19	17	26	34	47	81	88	94	57	25	1
	All other Male	44	–	1	2	2	5	4	3	6	4	2	4	4	1	–	1	–	2	1	2	–	–	–
	Female	26	3	1	1	–	2	2	3	3	1	1	1	1	–	2	1	2	1	–	–	–	1	–
E950–E959	Suicide	546	...	...	–	3	29	65	79	46	27	35	52	46	41	39	33	25	13	6	6	1	–	–
	White Male	401	...	...	–	2	24	47	56	32	21	24	37	30	32	30	25	21	10	5	4	1	–	–
	Female	133	...	...	–	1	5	16	20	12	6	10	15	12	9	9	8	4	3	1	2	–	–	–
	All other Male	9	...	...	–	–	–	1	3	1	–	1	–	3	–	–	–	–	–	–	–	–	–	–
	Female	3	...	...	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	250	–	5	–	5	32	36	35	27	29	11	17	13	12	6	5	8	3	5	1	–	–	–
	White Male	133	–	3	–	1	13	17	23	15	10	10	8	7	10	4	4	5	1	2	–	–	–	–
	Female	50	–	1	–	1	10	8	4	3	7	1	4	1	–	2	–	3	2	2	1	–	–	–
	All other Male	59	–	1	–	3	8	11	6	8	10	–	4	4	2	–	1	–	–	1	–	–	–	–
	Female	8	–	–	–	–	1	–	2	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	63	–	3	–	1	3	9	4	5	4	6	5	9	1	4	–	2	3	3	1	–	–	–
	White Male	42	–	3	–	1	3	7	2	3	2	5	3	4	1	1	–	2	2	2	1	–	–	–
	Female	16	–	–	–	–	–	1	1	–	2	1	2	5	–	3	–	–	1	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan																							
	All causes	**74,596**	**2,179**	**394**	**273**	**296**	**1,029**	**1,349**	**1,083**	**965**	**996**	**1,501**	**2,637**	**3,937**	**5,298**	**6,703**	**7,713**	**8,808**	**9,461**	**9,481**	**6,611**	**3,003**	**878**	**1**
	White ..... Male	36,470	887	169	139	162	644	702	489	423	456	671	1,328	2,000	2,931	3,803	4,323	4,646	4,574	4,283	2,611	1,001	227	1
	Female	28,941	685	141	83	94	213	253	200	219	272	422	767	1,207	1,584	2,032	2,534	3,270	4,113	4,676	3,716	1,862	598	–
	All other ..... Male	5,560	336	44	29	27	126	296	304	229	183	244	325	472	488	562	523	505	409	274	120	50	14	–
	Female	3,625	271	40	22	13	46	98	90	94	85	164	217	258	295	306	333	387	365	248	164	90	39	–
004, 006	Bacillary dysentery and amebiasis	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	78	33	1	–	–	–	–	1	1	–	–	2	5	–	2	4	7	4	8	5	2	3	–
	White ..... Male	27	15	–	–	–	–	–	–	1	–	–	–	2	–	–	2	2	1	3	1	–	–	–
	Female	36	7	–	–	–	–	–	–	–	–	–	2	2	–	1	2	5	3	5	4	2	3	–
	All other ..... Male	11	7	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	112	–	–	–	1	1	–	–	–	2	6	12	8	13	18	17	11	13	7	3	–	–	–
	White ..... Male	56	–	–	–	1	–	–	–	–	2	–	2	2	8	12	6	6	11	5	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	3	–	2	3	5	2	–	1	2	–	–	–
	All other ..... Male	27	–	–	–	–	1	–	–	–	–	2	5	6	2	2	5	3	–	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	4	2	–	1	1	1	–	2	–	–	–	–	–
010–012	Tuberculosis of respiratory system	82	–	–	–	–	–	–	–	–	1	4	9	7	6	14	15	8	9	6	3	–	–	–
	White ..... Male	41	–	–	–	–	–	–	–	–	1	–	2	2	4	9	5	4	8	5	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	–	2	4	1	–	–	2	–	–	–
	All other ..... Male	24	–	–	–	–	–	–	–	–	–	2	4	5	2	2	5	3	–	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	2	2	–	–	1	1	–	1	–	–	–	–	–
013–019	Tuberculosis, other forms	30	–	–	–	1	1	–	–	–	1	2	3	1	7	4	2	3	4	1	–	–	–	–
	White ..... Male	15	–	–	–	1	–	–	–	–	1	–	–	–	4	3	1	2	3	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	2	–	2	1	1	1	–	1	–	–	–	–
	All other ..... Male	3	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	1	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	18	5	6	1	–	1	–	1	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–
	White ..... Male	6	1	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	4	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	186	26	2	2	2	–	1	1	2	1	5	8	9	10	17	13	18	22	24	14	8	1	–
	White ..... Male	76	9	2	1	1	–	1	–	1	–	2	5	3	5	7	5	8	11	8	5	2	–	–
	Female	70	5	–	–	1	–	–	–	–	–	1	1	5	2	8	5	6	7	13	9	6	1	–
	All other ..... Male	25	6	–	–	–	–	–	–	1	1	1	1	–	2	2	2	4	3	2	–	–	–	–
	Female	15	6	–	1	–	–	–	1	–	–	1	1	1	1	–	1	–	1	1	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	10	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	2	1	1	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	157	5	4	1	1	3	7	3	8	3	6	13	8	18	21	14	12	9	13	5	3	–	–
	White ..... Male	58	2	2	–	–	1	2	1	3	1	3	3	–	9	5	5	7	5	8	1	–	–	–
	Female	67	3	2	1	1	2	3	2	5	1	2	3	3	4	7	8	5	4	4	4	3	–	–
	All other ..... Male	12	–	–	–	–	–	1	–	–	–	–	3	4	1	3	–	–	–	–	–	–	–	–
	Female	20	–	–	–	–	–	1	–	–	1	1	4	1	4	6	1	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	14,462	8	36	44	32	62	67	85	119	184	302	672	1,156	1,559	1,905	2,048	2,043	1,744	1,398	761	225	32	–
	White Male	6,988	3	17	25	21	29	38	37	45	67	100	264	483	710	959	1,069	1,071	877	698	369	95	11	–
	Female	5,821	5	15	14	10	23	24	30	58	92	142	293	487	613	713	758	750	692	608	355	119	20	–
	All other Male	1,021	–	2	5	–	6	2	12	7	11	26	53	118	139	160	146	142	112	54	20	5	1	–
	Female	652	–	2	–	1	4	3	6	9	14	34	62	68	97	73	75	80	63	38	17	6	–	–
140–149	Of buccal cavity and pharynx	268	–	–	–	–	–	–	2	2	2	6	21	40	40	30	52	25	15	17	8	8	–	–
	White Male	176	–	–	–	–	–	–	1	–	2	3	14	28	25	18	38	13	12	13	5	4	–	–
	Female	64	–	–	–	–	–	–	1	1	–	1	5	5	5	11	12	10	3	4	2	4	–	–
	All other Male	20	–	–	–	–	–	–	–	1	–	1	1	5	7	–	2	2	–	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	1	2	3	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	3,826	–	–	–	1	3	3	14	13	33	54	119	231	360	472	551	596	566	467	259	72	12	–
	White Male	1,784	–	–	–	1	3	1	5	5	14	17	51	115	175	241	281	291	256	200	95	28	5	–
	Female	1,567	–	–	–	–	–	2	4	6	13	27	46	64	126	163	208	238	240	236	149	39	6	–
	All other Male	277	–	–	–	–	–	–	5	2	3	5	11	30	35	51	35	42	33	16	6	2	1	–
	Female	198	–	–	–	–	–	–	–	–	3	5	11	22	24	17	27	25	37	15	9	3	–	–
160–163	Of respiratory system	3,412	–	–	1	–	–	2	4	4	22	81	177	356	456	580	590	499	342	204	70	23	1	–
	White Male	2,323	–	–	1	–	–	2	1	4	10	34	99	210	289	385	415	377	246	158	48	13	1	–
	Female	630	–	–	–	–	–	–	2	–	8	24	41	75	89	111	89	72	58	36	17	8	–	–
	All other Male	381	–	–	–	–	–	–	1	–	3	16	27	61	62	72	47	43	34	9	4	2	–	–
	Female	78	–	–	–	–	–	–	–	–	1	7	10	10	16	12	9	7	4	1	1	–	–	–
174	Of breast	1,385	–	–	–	–	–	–	5	26	37	55	112	167	197	170	170	144	111	99	67	21	4	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	2	–	1	–
	Female	1,277	–	–	–	–	–	–	3	23	35	48	96	153	179	160	158	133	107	94	64	21	3	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	98	–	–	–	–	–	–	2	3	2	7	14	14	18	9	10	10	3	5	1	–	–	–
180–187	Of genital organs	1,723	–	–	–	1	2	11	16	18	26	21	65	100	144	184	220	260	243	229	147	32	4	–
	White Male	679	–	–	–	–	–	8	7	5	3	3	6	6	18	45	77	114	132	137	94	22	2	–
	Female	797	–	–	–	1	2	–	6	10	19	13	47	81	102	107	108	106	75	66	43	9	2	–
	All other Male	132	–	–	–	–	–	–	1	–	–	–	–	3	9	14	23	25	29	20	7	1	–	–
	Female	115	–	–	–	–	–	3	2	3	4	5	12	10	15	18	12	15	7	6	3	–	–	–
188, 189	Of urinary organs	721	–	2	1	1	1	1	2	1	4	6	35	38	57	78	100	105	108	105	54	19	3	–
	White Male	448	–	1	–	–	–	1	–	–	2	4	18	26	31	51	68	67	61	69	36	11	2	–
	Female	213	–	1	1	1	1	–	2	–	1	1	11	8	13	22	24	31	39	32	17	7	1	–
	All other Male	36	–	–	–	–	–	–	–	1	1	–	4	3	7	4	5	4	5	2	–	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	1	2	1	6	1	3	3	3	2	1	1	–	–
170–173, 190–199	Of all other and unspecified sites	1,717	3	12	20	15	21	22	22	25	33	44	79	138	172	230	208	220	183	150	80	33	7	–
	White Male	812	1	7	9	9	8	10	12	12	21	20	41	61	97	121	85	100	83	64	43	8	–	–
	Female	715	2	3	9	6	8	10	6	8	6	18	26	61	54	87	96	87	86	76	36	23	7	–
	All other Male	100	–	2	2	–	4	2	3	2	2	2	3	11	10	12	17	17	7	4	–	–	–	–
	Female	90	–	–	–	–	1	–	1	3	4	4	9	5	11	10	10	16	7	6	1	2	–	–
204–207	Leukemia	585	4	19	18	10	20	13	12	8	11	15	17	25	40	65	51	71	72	59	43	11	1	–
	White Male	313	1	9	12	7	11	8	6	4	4	7	8	6	23	41	23	46	33	28	30	6	–	–
	Female	229	3	9	4	2	6	5	5	4	6	4	9	15	12	22	16	23	36	29	13	5	1	–
	All other Male	26	–	–	2	–	1	–	1	–	1	1	–	2	3	1	10	1	1	2	–	–	–	–
	Female	17	–	1	–	1	2	–	–	–	–	3	–	2	2	1	2	1	2	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	845	1	3	4	4	15	15	8	22	16	20	47	61	93	96	106	123	104	68	33	6	–	–
	White Male	445	1	–	3	4	7	8	5	15	11	12	26	31	52	56	51	62	53	29	16	3	–	–
	Female	329	–	2	–	–	6	7	1	6	4	6	12	25	33	30	47	50	48	35	14	3	–	–
	All other Male	47	–	–	1	–	1	–	1	1	1	1	6	3	6	6	6	8	3	1	2	–	–	–
	Female	24	–	1	–	–	1	–	1	–	–	1	3	2	2	4	2	3	–	3	1	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	165	1	1	2	3	2	1	2	3	8	5	5	12	18	16	19	21	16	17	7	5	1	–
	White Male	84	1	1	–	1	1	–	1	3	4	1	4	3	10	9	12	10	7	10	3	2	1	–
	Female	68	–	–	2	–	1	–	1	–	4	4	1	5	7	6	7	9	8	6	4	3	–	–
	All other Male	3	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	10	–	–	–	1	–	1	–	–	–	–	–	3	1	–	–	2	1	1	–	–	–	–
250	Diabetes mellitus	1,820	–	–	2	1	2	7	11	10	16	19	46	80	114	192	228	259	315	254	191	60	13	–
	White Male	665	–	–	–	1	1	–	5	4	7	7	23	29	50	81	86	98	105	87	60	19	2	–
	Female	934	–	–	1	–	1	4	6	4	4	5	13	32	37	84	109	130	180	153	124	36	11	–
	All other Male	94	–	–	–	–	–	2	–	1	3	4	5	11	9	13	16	9	12	3	5	1	–	–
	Female	127	–	–	1	–	–	1	–	1	2	3	5	8	18	14	17	22	18	11	2	4	–	–
260–269	Avitaminoses and other nutritional deficiencies	97	1	–	1	–	–	–	1	1	1	2	1	1	3	4	6	8	10	23	21	8	5	–
	White Male	41	–	–	–	–	–	–	–	1	1	1	1	–	2	–	3	6	6	9	8	3	–	–
	Female	43	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	1	2	11	11	5	4	–
	All other Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	–	–	–
	Female	9	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	2	2	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan – Con.																							
280–285	Anemias	148	3	2	3	3	4	3	6	–	5	7	3	1	11	12	9	9	16	20	24	5	2	–
	White Male	48	1	–	1	2	–	1	1	–	1	1	1	–	–	3	7	3	6	10	8	2	–	–
	Female	66	1	–	1	1	–	–	1	–	–	3	1	1	6	6	2	5	9	10	16	2	1	–
	All other Male	20	1	1	1	–	1	–	3	–	1	3	–	–	3	3	–	1	1	–	–	1	–	–
	Female	14	–	1	–	–	3	2	1	–	3	–	1	–	2	–	–	–	–	–	–	–	1	–
320	Meningitis	71	26	12	1	2	1	1	–	2	2	4	1	3	–	3	4	1	5	2	1	–	–	–
	White Male	34	14	8	1	1	–	–	–	1	–	1	1	1	–	2	–	1	2	1	–	–	–	–
	Female	16	5	1	–	1	–	–	–	–	1	–	–	–	–	1	3	–	3	1	–	–	–	–
	All other Male	16	4	3	–	–	–	1	–	1	–	3	–	2	–	–	1	–	–	–	1	–	–	–
	Female	5	3	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	38,020	28	17	8	11	35	45	68	102	195	432	944	1,625	2,360	3,181	4,101	5,047	5,868	6,343	4,635	2,292	683	–
	White Male	18,688	15	6	2	9	17	21	28	56	104	260	588	988	1,504	1,977	2,400	2,633	2,739	2,737	1,720	733	151	–
	Female	15,957	5	6	4	2	12	14	18	26	48	90	200	363	546	806	1,261	1,912	2,687	3,282	2,730	1,455	490	–
	All other Male	1,838	7	2	–	–	2	5	13	13	31	53	87	175	192	253	254	268	209	161	68	35	10	–
	Female	1,537	1	3	2	–	4	5	9	7	12	29	69	99	118	145	186	234	233	163	117	69	32	–
390–398, 402, 404, 410–429	Diseases of heart	28,346	16	16	5	5	18	23	39	69	146	349	780	1,370	1,958	2,615	3,237	3,854	4,273	4,396	3,172	1,537	468	–
	White Male	14,660	7	5	1	4	8	9	14	47	86	238	529	890	1,295	1,667	1,967	2,078	2,038	1,930	1,224	521	102	–
	Female	11,207	3	6	3	1	7	9	10	10	28	49	140	269	423	636	953	1,401	1,919	2,249	1,815	940	336	–
	All other Male	1,385	5	2	–	–	2	2	10	9	22	43	66	138	158	196	191	198	146	113	50	29	5	–
	Female	1,094	1	3	1	–	1	3	5	3	10	19	45	73	82	116	126	177	170	104	83	47	25	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	477	–	–	2	–	2	3	10	2	13	14	25	41	55	67	67	60	53	38	17	8	–	–
	White Male	197	–	–	1	–	2	1	3	–	6	7	7	15	24	28	35	25	22	13	6	2	–	–
	Female	234	–	–	1	–	–	–	3	1	4	4	16	23	27	34	26	29	25	25	11	5	–	–
	All other Male	22	–	–	–	–	–	1	3	1	2	2	1	2	1	1	2	5	1	–	–	–	–	–
	Female	24	–	–	–	–	–	1	1	–	1	1	1	1	3	4	4	1	5	–	–	1	–	–
402	Hypertensive heart disease	315	–	–	–	–	–	–	–	1	5	1	10	11	24	26	37	37	47	55	38	20	3	–
	White Male	102	–	–	–	–	–	–	–	–	2	–	3	3	12	11	12	12	14	18	11	4	–	–
	Female	161	–	–	–	–	–	–	–	–	–	–	2	5	8	5	17	18	31	33	26	13	3	–
	All other Male	27	–	–	–	–	–	–	–	1	2	1	1	2	2	6	3	2	1	3	1	2	–	–
	Female	25	–	–	–	–	–	–	–	–	1	–	4	1	2	4	5	5	1	1	–	1	–	–
404	Hypertensive heart and renal disease	100	–	–	–	–	–	–	–	–	1	–	–	1	6	8	5	15	14	14	19	15	2	–
	White Male	30	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	5	5	4	5	5	–	–
	Female	48	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	5	5	8	13	10	2	–
	All other Male	11	–	–	–	–	–	–	–	–	1	–	–	–	3	1	–	3	2	1	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	2	2	1	1	–	–	–
410–413	Ischemic heart disease	25,785	–	–	–	–	3	6	9	48	103	303	699	1,236	1,764	2,367	2,970	3,557	3,947	4,045	2,912	1,394	422	–
	White Male	13,578	–	–	–	–	–	3	5	39	68	215	498	840	1,205	1,544	1,832	1,943	1,894	1,799	1,132	472	89	–
	Female	10,047	–	–	–	–	1	2	–	6	18	37	106	209	350	555	853	1,280	1,763	2,048	1,659	854	306	–
	All other Male	1,220	–	–	–	–	2	1	2	2	10	35	59	124	141	175	181	176	136	100	46	25	5	–
	Female	940	–	–	–	–	–	–	2	1	7	16	36	63	68	93	104	158	154	98	75	43	22	–
410	Acute myocardial infarction	13,728	–	–	–	–	1	4	3	36	69	209	500	826	1,192	1,591	1,913	2,058	2,023	1,774	1,028	391	110	–
	White Male	8,189	–	–	–	–	–	2	2	30	49	161	388	620	882	1,103	1,240	1,203	1,034	850	454	149	22	–
	Female	4,696	–	–	–	–	–	2	–	5	12	23	73	130	232	368	547	717	878	866	541	221	81	–
	All other Male	469	–	–	–	–	1	–	1	1	3	16	25	49	51	68	79	81	43	29	12	8	2	–
	Female	374	–	–	–	–	–	–	–	–	5	9	14	27	27	52	47	57	68	29	21	13	5	–
411	Other acute and subacute forms of ischemic heart disease	68	–	–	–	–	–	–	–	–	–	–	2	2	5	12	8	7	15	9	4	3	1	–
	White Male	38	–	–	–	–	–	–	–	–	–	–	1	–	3	10	6	2	7	4	2	3	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	8	5	2	–	1	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
412	Chronic ischemic heart disease	11,983	–	–	–	–	2	2	6	12	34	92	197	408	567	764	1,048	1,492	1,908	2,261	1,879	1,000	311	–
	White Male	5,350	–	–	–	–	–	1	3	9	19	54	109	220	320	431	585	738	853	945	676	320	67	–
	Female	5,323	–	–	–	–	1	–	–	1	6	13	33	78	117	185	305	560	876	1,176	1,115	633	224	–
	All other Male	745	–	–	–	–	1	1	1	1	7	18	33	74	89	107	101	94	93	71	34	17	3	–
	Female	565	–	–	–	–	–	–	2	1	2	7	22	36	41	41	57	100	86	69	54	30	17	–
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	1	1	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	118	–	2	–	1	1	1	2	–	1	2	3	5	7	7	7	15	21	19	12	8	4	–
	White Male	51	–	1	–	1	–	–	–	–	1	1	1	1	1	4	2	7	13	7	4	6	1	–
	Female	63	–	1	–	–	1	1	1	–	–	1	2	3	6	1	5	8	8	12	8	2	3	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,551	16	14	3	4	12	13	18	18	23	29	43	76	102	140	151	170	191	225	174	92	37	–
	White.....Male	702	7	4	–	3	6	5	6	8	9	15	20	31	53	77	83	86	90	89	66	32	12	–
	Female	654	3	5	2	1	5	6	6	3	6	7	14	29	31	39	50	61	87	123	98	56	22	–
	All other.....Male	103	5	2	–	–	–	–	5	5	7	5	5	10	11	11	5	12	6	9	3	2	–	–
	Female	92	1	3	1	–	1	2	1	2	1	2	4	6	7	13	13	11	8	4	7	2	3	–
400, 401, 403	Hypertension	237	–	–	–	–	–	–	1	–	2	1	8	13	11	15	23	25	44	42	34	16	2	–
	White.....Male	86	–	–	–	–	–	–	–	–	–	–	2	4	3	10	6	10	19	15	13	4	–	–
	Female	102	–	–	–	–	–	–	–	–	–	–	1	4	3	2	8	10	20	21	20	11	2	–
	All other.....Male	22	–	–	–	–	–	–	–	–	1	–	2	4	2	1	4	3	1	4	–	–	–	–
	Female	27	–	–	–	–	–	–	1	–	1	1	3	1	3	2	5	2	4	2	1	1	–	–
430–438	Cerebrovascular diseases	7,286	9	1	3	4	14	15	24	25	37	68	133	198	308	433	657	928	1,230	1,485	1,084	490	140	–
	White.....Male	2,903	7	1	1	4	6	8	11	6	13	16	44	67	150	227	311	388	531	608	353	123	28	–
	Female	3,658	1	–	1	–	5	4	7	13	16	36	52	78	103	136	246	436	590	793	689	349	103	–
	All other.....Male	367	1	–	–	–	–	1	3	4	7	7	17	31	27	47	53	55	55	35	17	3	4	–
	Female	358	–	–	1	–	3	2	3	2	1	9	20	22	28	23	47	49	54	49	25	15	5	–
431	Cerebral hemorrhage	977	4	–	–	–	2	2	9	6	13	23	40	69	81	110	118	136	136	120	69	33	6	–
	White.....Male	373	3	–	–	–	2	–	3	–	4	3	11	26	41	54	50	39	53	52	23	8	1	–
	Female	470	–	–	–	–	–	–	3	4	5	11	14	19	27	37	56	83	74	63	45	24	5	–
	All other.....Male	78	1	–	–	–	–	1	2	1	4	3	8	16	7	15	8	8	1	2	1	–	–	–
	Female	56	–	–	–	–	–	1	1	1	–	6	7	8	6	4	4	6	8	3	–	1	–	–
433	Cerebral thrombosis	2,086	–	–	–	–	1	1	–	1	1	7	11	27	55	107	162	277	367	510	349	159	51	–
	White.....Male	874	–	–	–	–	–	–	–	–	–	1	7	9	28	59	87	140	171	207	119	37	9	–
	Female	1,042	–	–	–	–	1	1	–	1	1	3	3	10	16	31	48	118	165	274	215	116	39	–
	All other.....Male	80	–	–	–	–	–	–	–	–	–	2	–	5	6	11	11	10	17	11	5	1	1	–
	Female	90	–	–	–	–	–	–	–	–	–	1	1	3	5	6	16	9	14	18	10	5	2	–
434	Cerebral embolism	30	–	–	–	–	–	–	–	–	–	1	–	–	1	4	4	1	7	4	5	2	1	–
	White.....Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	3	2	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	1	–	–	–	4	3	–	3	1	3	2	1	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	4,193	5	1	3	4	11	12	15	18	23	37	82	102	171	212	373	514	720	851	661	296	82	–
	White.....Male	1,646	4	1	1	4	4	8	8	6	9	12	26	32	80	114	173	208	305	346	209	78	18	–
	Female	2,128	1	–	1	–	4	3	4	8	10	21	35	49	60	64	139	235	348	455	426	207	58	–
	All other.....Male	207	–	–	–	–	–	–	1	3	3	2	9	10	14	21	34	37	35	22	11	2	3	–
	Female	212	–	–	1	–	3	1	2	1	1	2	12	11	17	13	27	34	32	28	15	9	3	–
440	Arteriosclerosis	1,117	–	–	–	–	–	–	–	–	–	4	3	2	10	23	47	94	152	266	258	195	63	–
	White.....Male	443	–	–	–	–	–	–	–	–	–	2	–	2	5	14	28	50	60	107	95	61	19	–
	Female	627	–	–	–	–	–	–	–	–	–	–	2	–	2	8	14	34	87	150	157	130	43	–
	All other.....Male	23	–	–	–	–	–	–	–	–	–	2	1	–	2	1	2	4	2	6	1	1	1	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	6	3	3	5	3	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,034	3	–	–	2	3	7	4	8	10	10	20	42	73	95	137	146	169	154	87	54	10	–
	White.....Male	596	1	–	–	1	3	4	3	3	5	4	13	25	51	59	88	107	91	77	35	24	2	–
	Female	363	1	–	–	1	–	1	1	3	4	5	5	12	15	24	40	31	71	69	49	25	6	–
	All other.....Male	41	1	–	–	–	–	2	–	–	1	1	1	2	3	8	4	8	5	3	–	2	–	–
	Female	34	–	–	–	–	–	–	–	2	–	–	1	3	4	4	5	–	2	5	3	3	2	–
466	Acute bronchitis and bronchiolitis	20	–	3	–	–	2	2	–	–	–	–	–	3	–	–	–	1	3	6	–	–	–	–
	White.....Male	9	–	1	–	–	–	2	–	–	–	–	–	2	–	–	–	1	1	2	–	–	–	–
	Female	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–
	All other.....Male	3	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,824	74	12	9	8	9	17	9	24	14	24	52	57	82	107	117	191	252	319	269	143	35	–
	White.....Male	856	33	4	3	4	6	10	3	6	3	8	25	21	31	57	63	103	126	161	113	60	16	–
	Female	720	19	5	5	–	2	5	2	9	7	6	11	21	31	30	37	72	97	135	138	72	16	–
	All other.....Male	151	17	1	–	2	1	2	3	4	3	7	12	9	15	15	11	6	18	12	8	4	1	–
	Female	97	5	2	1	2	–	–	1	5	1	3	4	6	5	5	6	10	11	11	10	7	2	–
470–474	Influenza	134	2	–	2	–	–	1	–	1	1	–	2	3	3	5	11	17	17	33	20	13	3	–
	White.....Male	58	1	–	1	–	–	–	–	–	–	–	2	1	2	2	5	8	8	14	6	7	1	–
	Female	70	–	–	1	–	–	1	–	1	1	–	–	2	1	1	5	9	8	18	14	6	2	–
	All other.....Male	5	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
480–486	Pneumonia	1,690	72	12	7	8	9	16	9	23	13	24	50	54	79	102	106	174	235	286	249	130	32	–
	White.....Male	798	32	4	2	4	6	10	3	6	3	8	23	20	29	55	58	95	118	147	107	53	15	–
	Female	650	19	5	4	–	2	4	2	8	6	6	11	19	30	29	32	63	89	117	124	66	14	–
	All other.....Male	146	16	1	–	2	1	2	3	4	3	7	12	9	15	13	11	6	17	11	8	4	1	–
	Female	96	5	2	1	2	–	–	1	5	1	3	4	6	5	5	5	10	11	11	10	7	2	–
490–493	Bronchitis, emphysema, and asthma	1,129	6	2	1	2	1	4	2	4	3	8	28	44	77	138	184	208	203	121	65	19	9	–
	White.....Male	804	4	1	1	1	–	3	–	1	1	5	7	22	51	95	136	170	143	92	52	12	7	–
	Female	246	–	–	–	–	1	1	1	2	1	2	13	14	18	34	36	28	51	25	10	7	2	–
	All other.....Male	57	2	–	–	1	–	–	–	–	–	–	4	5	5	7	11	9	7	4	2	–	–	–
	Female	22	–	1	–	–	–	–	1	1	1	1	4	3	3	2	1	1	2	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan — Con.																							
490, 491	Chronic and unqualified bronchitis	183	3	2	1	1	–	–	–	2	1	1	3	3	14	23	29	23	31	23	15	5	3	–
	White..... Male	124	2	1	1	1	–	–	–	–	1	–	–	2	8	15	24	12	22	16	13	3	3	–
	Female	46	–	–	–	–	–	–	–	1	–	1	3	–	3	6	3	10	8	7	2	2	–	–
	All other..... Male	7	1	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–	–	–	–
	Female	6	–	1	–	–	–	–	–	1	–	–	–	1	2	–	–	–	1	–	–	–	–	–
492	Emphysema	864	1	–	–	–	1	1	1	1	1	4	17	27	56	107	148	178	165	91	49	11	5	–
	White..... Male	652	1	–	–	–	–	1	–	1	–	4	6	15	42	75	109	155	119	75	38	8	3	–
	Female	162	–	–	–	–	1	–	–	–	–	–	6	9	11	26	31	15	38	12	8	3	2	–
	All other..... Male	41	–	–	–	–	–	–	–	–	–	–	3	2	3	5	7	8	7	4	2	–	–	–
	Female	9	–	–	–	–	–	–	1	–	1	–	2	1	–	1	1	–	1	–	1	–	–	–
493	Asthma	82	2	–	–	1	–	3	1	1	1	3	8	14	7	8	7	7	7	7	1	3	1	–
	White..... Male	28	1	–	–	–	–	2	–	–	–	1	1	5	1	5	3	3	2	1	1	1	1	–
	Female	38	–	–	–	–	–	1	1	1	1	1	4	5	4	2	2	3	5	6	–	2	–	–
	All other..... Male	9	1	–	–	1	–	–	–	–	–	–	1	3	1	–	2	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	1	–	–	–	–	–	–
531–533	Peptic ulcer	268	–	1	–	–	1	–	2	2	1	6	8	8	37	28	27	32	39	48	23	4	1	–
	White..... Male	162	–	1	–	–	1	–	1	1	–	5	6	5	18	17	20	19	27	28	10	3	–	–
	Female	77	–	–	–	–	–	–	–	–	–	1	1	1	11	8	6	8	8	19	12	1	1	–
	All other..... Male	15	–	–	–	–	–	–	1	1	1	–	–	–	5	2	–	2	3	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	2	3	1	1	3	1	1	1	–	–	–
540–543	Appendicitis	33	–	–	–	1	–	2	–	1	1	–	1	1	2	4	2	4	3	5	4	2	–	–
	White..... Male	24	–	–	–	–	–	2	–	1	1	–	–	–	2	3	1	2	3	4	3	2	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	1	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	276	22	2	1	2	1	2	–	3	1	2	3	10	9	24	21	29	32	55	34	16	7	–
	White..... Male	104	11	1	1	1	1	1	–	1	1	–	2	1	6	10	4	12	14	20	11	2	4	–
	Female	144	6	1	–	–	–	–	–	–	–	2	1	7	2	8	14	16	15	33	22	14	3	–
	All other..... Male	13	2	–	–	–	–	–	–	1	–	–	–	1	1	2	2	–	2	2	–	–	–	–
	Female	15	3	–	–	1	–	1	–	1	–	–	–	1	–	4	1	1	1	–	1	–	–	–
571	Cirrhosis of liver	1,579	1	–	–	1	2	9	27	49	69	136	225	231	242	237	161	95	55	30	9	–	–	–
	White..... Male	808	–	–	–	–	–	2	7	15	29	48	95	116	138	144	94	66	29	23	2	–	–	–
	Female	410	1	–	–	1	2	4	2	7	8	28	60	58	74	62	42	25	23	7	6	–	–	–
	All other..... Male	236	–	–	–	–	–	3	12	19	20	36	47	38	21	21	15	1	3	–	–	–	–	–
	Female	125	–	–	–	–	–	–	6	8	12	24	23	19	9	10	10	3	–	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	114	–	–	–	–	–	–	–	–	–	2	1	3	8	8	10	18	28	16	12	7	1	–
	White..... Male	43	–	–	–	–	–	–	–	–	–	1	–	1	3	1	5	9	15	4	3	1	–	–
	Female	64	–	–	–	–	–	–	–	–	–	1	–	2	4	7	4	9	10	12	8	6	1	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–
580–584	Nephritis and nephrosis	285	–	–	–	–	2	2	3	3	8	9	16	25	26	34	32	30	30	37	17	8	3	–
	White..... Male	126	–	–	–	–	–	1	1	1	4	2	8	8	13	13	16	18	12	16	7	4	2	–
	Female	93	–	–	–	–	2	–	1	–	1	4	2	9	7	6	6	7	17	17	9	4	1	–
	All other..... Male	31	–	–	–	–	–	–	1	1	2	–	4	6	2	6	4	2	–	3	–	–	–	–
	Female	35	–	–	–	–	–	1	–	1	1	3	2	2	4	9	6	3	1	1	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	67	–	–	–	–	–	1	–	–	1	2	2	7	7	10	10	6	4	12	1	1	3	–
	White..... Male	28	–	–	–	–	–	–	–	–	–	–	1	2	3	5	6	3	–	5	1	–	2	–
	Female	23	–	–	–	–	–	–	–	–	–	2	1	2	2	2	1	1	4	6	–	1	1	–
	All other..... Male	8	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	2	–	1	–	–	–	–
	Female	8	–	–	–	–	–	1	–	–	1	–	–	1	2	2	1	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	218	–	–	–	–	2	1	3	3	7	7	14	18	19	24	22	24	26	25	16	7	–	–
	White..... Male	98	–	–	–	–	–	1	1	1	4	2	7	6	10	8	10	15	12	11	6	4	–	–
	Female	70	–	–	–	–	2	–	1	–	1	2	1	7	5	4	5	6	13	11	9	3	–	–
	All other..... Male	23	–	–	–	–	–	–	1	1	2	–	4	4	2	5	2	–	–	2	–	–	–	–
	Female	27	–	–	–	–	–	–	–	1	–	3	2	1	2	7	5	3	1	1	1	–	–	–
590	Infections of kidney	142	–	1	–	–	1	–	1	–	1	1	1	6	12	14	12	18	21	24	22	6	1	–
	White..... Male	52	–	–	–	–	1	–	–	–	–	–	1	2	1	6	5	5	10	11	7	3	–	–
	Female	70	–	1	–	–	–	–	–	–	–	–	–	4	8	5	5	10	8	11	14	3	1	–
	All other..... Male	10	–	–	–	–	–	–	1	–	1	–	–	–	1	2	1	1	1	1	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	2	2	1	–	–	–	–
600	Hyperplasia of prostate	42	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	9	15	4	3	3	–
	White..... Male	39	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	9	14	3	3	3	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	17	–	–	–	–	1	2	4	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	10	–	–	–	–	1	1	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	7	–	–	–	–	–	1	–	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Michigan—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	17	–	–	–	–	1	2	4	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	10	–	–	–	–	1	1	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	7	–	–	–	–	–	1	–	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	564	377	54	18	13	20	10	8	8	7	5	4	8	5	3	12	4	3	1	4	–	–	–
	White Male	241	174	18	8	5	8	4	3	5	2	–	1	3	1	–	4	1	2	1	1	–	–	–
	Female	226	138	25	7	7	9	4	4	3	2	5	2	4	3	3	4	3	1	–	2	–	–	–
	All other Male	51	33	7	1	1	3	–	–	–	2	–	1	1	–	–	1	–	–	–	1	–	–	–
	Female	46	32	4	2	–	–	2	1	–	1	–	–	–	1	–	3	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,135	1,133	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	462	460	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	339	339	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	194	194	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	140	140	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	584	584	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	261	261	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	168	168	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	86	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	551	549	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	201	199	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	171	171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	108	108	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	619	244	12	2	4	10	13	19	10	19	10	19	21	20	21	24	22	22	41	41	23	21	1
	White Male	221	76	3	–	1	6	7	4	3	6	1	7	11	6	10	15	12	11	14	14	6	7	1
	Female	243	75	6	2	2	2	4	6	3	10	3	10	7	9	7	5	6	10	24	23	16	13	–
	All other Male	77	42	1	–	–	2	1	4	2	1	5	–	3	3	3	3	3	–	2	1	1	–	–
	Female	78	51	2	–	1	–	1	5	2	2	1	2	–	2	1	1	1	1	1	3	–	1	–
Residual	All other diseases	4,688	95	53	25	25	71	217	150	125	107	148	217	277	352	446	443	526	535	454	295	100	27	–
	White Male	2,166	40	18	12	11	34	66	43	22	32	48	86	124	181	234	245	291	290	217	135	27	10	–
	Female	1,676	41	24	9	13	21	44	13	31	30	39	77	99	114	155	151	180	200	208	144	69	14	–
	All other Male	566	8	6	3	1	9	80	75	56	29	31	36	28	40	36	34	37	27	18	9	2	1	–
	Female	280	6	5	1	–	7	27	19	16	16	30	18	26	17	21	13	18	18	11	7	2	2	–
E800–E949	Accidents	3,991	64	150	144	158	565	517	312	217	164	164	180	182	171	165	138	139	162	181	129	60	29	–
	White Male	2,422	20	74	79	88	417	367	205	139	118	91	114	101	106	100	80	63	81	86	61	20	12	–
	Female	1,070	25	47	37	51	117	98	58	35	23	35	36	46	42	41	40	65	71	83	66	38	16	–
	All other Male	353	8	14	18	15	25	43	38	30	19	24	23	26	18	18	11	7	5	8	1	1	1	–
	Female	146	11	15	10	4	6	9	11	13	4	14	7	9	5	6	7	4	5	4	1	1	–	–
E810–E823	Motor vehicle accidents	1,849	6	52	79	79	398	339	175	112	92	64	70	70	53	57	56	40	54	39	13	1	–	–
	White Male	1,219	2	30	44	36	294	252	116	80	63	40	47	36	33	33	33	16	33	22	9	–	–	–
	Female	451	4	10	22	36	89	66	33	20	17	16	16	19	13	18	16	19	17	15	4	1	–	–
	All other Male	129	–	5	7	6	12	16	23	8	9	6	6	11	7	4	3	2	3	1	–	–	–	–
	Female	50	–	7	6	1	3	5	3	4	3	2	1	4	–	2	4	3	1	1	–	–	–	–
E800–E807, E825–E949	All other accidents	2,142	58	98	65	79	167	178	137	105	72	100	110	112	118	108	82	99	108	142	116	59	29	–
	White Male	1,203	18	44	35	52	123	115	89	59	55	51	67	65	73	67	47	47	48	64	52	20	12	–
	Female	619	21	37	15	15	28	32	25	15	6	19	20	27	29	23	24	46	54	68	62	37	16	–
	All other Male	224	8	9	11	9	13	27	15	22	10	18	17	15	11	14	8	5	2	7	1	1	1	–
	Female	96	11	8	4	3	3	4	8	9	1	12	6	5	5	4	3	1	4	3	1	1	–	–
E950–E959	Suicide	1,136	...	...	–	6	90	156	134	106	80	100	86	92	90	66	46	31	29	10	11	2	1	–
	White Male	756	...	...	–	6	72	113	83	69	47	61	61	51	57	42	30	19	25	7	11	1	1	–
	Female	274	...	...	–	–	5	22	32	21	25	35	21	32	32	19	14	10	3	2	–	1	–	–
	All other Male	80	...	...	–	–	12	17	13	14	5	2	4	6	1	1	1	2	1	1	–	–	–	–
	Female	26	...	...	–	–	1	4	6	2	3	2	–	3	–	4	1	–	–	–	–	–	–	–
E960–E978	Homicide	1,171	14	17	5	18	122	237	203	139	85	81	77	47	47	26	15	16	9	7	4	2	–	–
	White Male	313	3	8	1	7	38	51	47	33	22	19	19	16	14	11	7	5	4	5	2	1	–	–
	Female	113	4	3	–	4	12	19	16	10	7	5	9	1	7	4	4	3	3	1	1	–	–	–
	All other Male	600	2	4	1	5	56	133	121	77	48	44	38	24	24	10	4	7	2	–	–	–	–	–
	Female	145	5	2	3	2	16	34	19	19	8	13	11	6	2	1	–	1	–	1	1	1	–	–
E980–E999	Other external causes	195	11	6	1	2	20	27	29	21	14	15	12	13	9	8	1	3	2	1	–	–	–	–
	White Male	86	4	1	1	1	11	10	17	11	3	6	4	5	3	4	–	2	2	1	–	–	–	–
	Female	47	2	1	–	–	–	6	3	4	5	8	6	3	4	3	1	1	–	–	–	–	–	–
	All other Male	39	3	2	–	1	7	6	6	1	5	1	1	4	2	–	–	–	–	–	–	–	–	–
	Female	23	2	2	–	–	2	5	3	5	1	–	1	1	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota																							
	All causes	**32,689**	**764**	**136**	**108**	**137**	**406**	**417**	**276**	**248**	**279**	**439**	**757**	**1,178**	**1,759**	**2,509**	**3,180**	**4,008**	**4,701**	**4,950**	**3,893**	**1,922**	**620**	**2**
	White Male	18,072	422	74	68	83	298	288	191	145	159	268	501	754	1,154	1,689	2,006	2,393	2,568	2,464	1,677	683	185	2
	White Female	14,183	295	50	35	47	88	109	69	93	105	158	235	398	579	795	1,140	1,583	2,091	2,465	2,191	1,227	430	–
	All other Male	262	25	6	3	6	12	14	13	6	8	11	10	17	20	16	22	19	21	8	14	7	4	–
	All other Female	172	22	6	2	1	8	6	3	4	7	2	11	9	6	9	12	13	21	13	11	5	1	–
004, 006	Bacillary dysentery and amebiasis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	34	11	2	–	–	–	–	–	–	–	–	–	1	–	2	1	3	1	6	3	4	–	–
	White Male	13	5	1	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	1	–	1	–	–
	White Female	20	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	3	3	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	41	–	–	–	–	–	–	1	–	–	1	2	1	2	6	6	5	4	7	4	1	1	–
	White Male	27	–	–	–	–	–	–	1	–	–	1	1	1	1	5	3	2	3	4	4	1	–	–
	White Female	13	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	2	1	3	–	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	32	–	–	–	–	–	–	1	–	–	1	2	1	2	3	5	5	3	5	2	1	1	–
	White Male	20	–	–	–	–	–	–	1	–	–	1	1	1	1	2	3	2	2	3	2	1	–	–
	White Female	11	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	2	1	2	–	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	9	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	2	2	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	1	2	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	–	1	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	4	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	56	11	1	–	–	–	1	–	–	1	–	1	–	2	3	2	2	9	10	7	5	1	–
	White Male	28	3	1	–	–	–	1	–	–	–	–	–	–	2	–	–	–	6	5	6	4	–	–
	White Female	25	7	–	–	–	–	–	–	–	1	–	1	–	–	3	2	2	2	5	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	58	–	4	–	–	–	3	5	2	–	–	2	1	1	11	3	6	4	6	4	4	2	–
	White Male	32	–	3	–	–	–	2	3	2	–	–	1	–	1	7	–	3	3	3	1	3	–	–
	White Female	25	–	1	–	–	–	1	2	–	–	–	1	1	–	4	2	3	1	3	3	1	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,352	3	12	14	21	24	25	25	36	72	108	218	372	532	750	840	949	893	785	479	163	31	–
	White Male	3,400	2	6	8	12	15	14	14	13	28	44	106	183	289	414	472	551	491	424	234	68	12	–
	Female	2,879	1	5	5	9	8	11	11	21	41	63	107	179	240	329	359	387	390	356	244	94	19	–
	All other Male	36	–	–	–	–	–	–	–	–	1	1	3	5	2	4	6	7	6	1	–	–	–	–
	Female	37	–	1	1	–	1	–	–	2	2	–	2	5	1	3	3	4	6	4	1	1	–	–
140–149	Of buccal cavity and pharynx	123	–	–	–	–	–	–	1	–	1	2	13	4	14	19	17	21	13	9	6	3	–	–
	White Male	86	–	–	–	–	–	–	–	–	1	1	12	2	9	14	13	14	9	7	4	–	–	–
	Female	36	–	–	–	–	–	–	1	–	–	1	–	2	5	5	4	7	4	2	2	3	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,870	–	–	–	–	1	1	2	6	16	22	41	96	142	209	253	300	285	269	163	52	12	–
	White Male	1,000	–	–	–	–	1	–	2	1	7	9	29	57	80	119	153	171	157	131	65	16	2	–
	Female	848	–	–	–	–	–	1	–	4	8	12	12	36	62	86	99	125	124	136	97	36	10	–
	All other Male	8	–	–	–	–	–	–	–	–	1	1	–	1	–	2	1	1	1	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	1	–	–	–	2	–	2	–	3	3	2	1	–	–	–
160–163	Of respiratory system	1,126	–	1	–	–	–	–	1	3	4	15	37	85	147	206	187	174	143	66	43	12	2	–
	White Male	847	–	1	–	–	–	–	1	3	3	10	29	55	115	147	136	139	109	53	37	8	1	–
	Female	262	–	–	–	–	–	–	–	–	1	5	7	26	31	57	49	32	30	13	6	4	1	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	1	3	1	2	2	3	3	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
174	Of breast	584	–	–	–	–	–	1	1	5	16	18	43	54	60	64	81	76	71	55	23	13	3	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	Female	573	–	–	–	–	–	1	1	5	15	18	42	52	60	64	79	75	68	54	23	13	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	1	2	–	–	2	1	1	–	–	–	–	–
180–187	Of genital organs	862	–	–	–	1	1	2	4	4	8	9	17	34	46	87	90	124	152	154	97	28	4	–
	White Male	464	–	–	–	–	1	2	1	–	2	–	1	6	8	36	37	74	84	121	68	20	3	–
	Female	393	–	–	–	1	–	–	3	4	6	9	16	28	37	51	53	49	65	33	29	8	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
188, 189	Of urinary organs	324	–	–	1	–	–	1	1	1	–	3	9	13	25	25	45	48	49	54	35	11	3	–
	White Male	217	–	–	1	–	–	1	–	1	–	1	5	8	16	21	35	35	30	33	22	6	2	–
	Female	103	–	–	–	–	–	–	1	–	–	2	4	4	9	4	8	12	19	21	13	5	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	708	2	8	4	10	11	8	5	7	13	24	34	50	50	62	90	97	74	80	52	24	3	–
	White Male	345	1	4	3	6	6	5	4	3	7	14	15	30	29	30	51	49	40	27	12	9	–	–
	Female	356	1	3	1	4	5	3	1	4	5	10	18	20	21	31	39	48	34	51	40	14	3	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	Female	5	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	1	–	–
204–207	Leukemia	323	1	2	9	8	7	7	5	5	3	4	11	17	21	22	30	35	45	53	23	14	1	–
	White Male	190	1	–	4	4	5	4	3	1	2	2	7	13	16	12	19	22	27	33	9	5	1	–
	Female	127	–	2	4	4	1	3	2	3	1	2	4	4	4	10	9	13	18	20	14	9	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	1	–	1	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	432	–	1	–	2	4	5	5	5	11	11	13	19	27	56	47	74	61	45	37	6	3	–
	White Male	248	–	1	–	2	2	2	3	4	6	7	8	12	16	35	28	47	33	18	17	4	3	–
	Female	181	–	–	–	–	2	3	2	1	5	4	4	7	11	21	19	26	28	26	20	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	67	2	–	–	1	1	–	1	1	1	4	1	3	5	8	10	9	6	8	2	3	1	–
	White Male	37	2	–	–	–	1	–	1	1	–	2	–	1	3	3	3	6	5	5	1	2	1	–
	Female	29	–	–	–	1	–	–	–	–	1	2	1	2	2	4	7	3	1	3	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	535	–	–	1	–	–	1	4	14	10	12	17	21	31	33	53	72	110	83	51	20	2	–
	White Male	236	–	–	–	–	–	–	3	10	3	7	8	11	13	23	27	33	46	31	17	4	–	–
	Female	287	–	–	1	–	–	1	1	4	7	5	9	9	17	9	25	38	58	52	34	15	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	6	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	51	1	1	–	–	–	–	1	–	1	1	–	–	1	2	–	1	7	8	11	11	5	–
	White Male	13	1	–	–	–	–	–	1	–	1	1	–	–	–	2	–	1	1	2	1	1	1	–
	Female	36	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	5	6	10	10	4	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota – Con.																							
280–285	Anemias	51	–	–	1	–	–	1	–	1	–	1	–	1	3	1	2	5	6	6	12	9	2	–
	White Male	22	–	–	–	–	–	1	–	1	–	–	–	–	2	1	2	3	4	2	3	3	–	–
	Female	28	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	2	4	9	6	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	26	11	3	1	–	–	–	–	–	1	–	1	–	–	2	1	–	3	2	1	–	–	–
	White Male	17	7	2	–	–	–	–	–	–	1	–	–	–	–	2	1	–	2	1	1	–	–	–
	Female	7	2	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	17,434	11	4	2	4	9	15	18	27	59	134	289	474	794	1,204	1,679	2,195	2,888	3,197	2,648	1,334	448	1
	White Male	9,482	10	1	2	3	8	11	9	13	42	93	229	372	593	895	1,124	1,317	1,566	1,515	1,088	456	134	1
	Female	7,822	1	3	–	1	1	4	8	14	16	35	54	94	185	299	537	865	1,307	1,673	1,543	873	309	–
	All other Male	87	–	–	–	–	–	–	1	–	–	5	3	7	14	6	12	8	10	3	10	4	4	–
	Female	43	–	–	–	–	–	–	–	–	1	1	3	1	2	4	6	5	5	6	7	1	1	–
390–398, 402, 404, 410–429	Diseases of heart	12,411	7	3	1	2	5	7	6	14	45	102	256	401	681	997	1,346	1,665	2,036	2,131	1,635	803	267	1
	White Male	7,200	6	1	1	2	5	5	4	8	34	75	212	332	524	769	927	1,033	1,151	1,049	697	283	81	1
	Female	5,124	1	2	–	–	–	2	2	6	10	22	40	63	143	222	405	623	874	1,076	931	517	185	–
	All other Male	62	–	–	–	–	–	–	–	–	–	4	3	6	12	3	11	6	8	3	3	2	1	–
	Female	25	–	–	–	–	–	–	–	–	1	1	1	–	2	3	3	3	3	3	4	1	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	265	–	–	–	–	–	1	2	1	3	6	8	21	16	28	43	37	46	29	18	6	–	–
	White Male	123	–	–	–	–	–	–	–	1	–	1	3	15	9	15	19	18	20	11	8	3	–	–
	Female	140	–	–	–	–	–	1	2	–	3	5	5	5	7	13	24	19	25	18	10	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	119	–	–	–	–	–	–	–	–	1	1	–	1	11	9	10	9	19	29	22	5	2	–
	White Male	36	–	–	–	–	–	–	–	–	–	–	–	–	7	8	5	6	4	2	2	1	1	–
	Female	82	–	–	–	–	–	–	–	–	1	1	–	1	4	1	5	3	15	27	19	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
404	Hypertensive heart and renal disease	49	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	8	6	14	10	8	–	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	7	6	4	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	5	2	7	4	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	11,165	–	–	–	–	1	3	2	9	39	88	229	355	604	912	1,216	1,516	1,851	1,918	1,466	711	244	1
	White Male	6,570	–	–	–	–	1	3	2	6	33	73	196	301	474	711	854	949	1,056	959	634	245	72	1
	Female	4,521	–	–	–	–	–	–	–	3	5	11	30	50	117	196	350	558	785	954	827	464	171	–
	All other Male	53	–	–	–	–	–	–	–	–	–	3	3	4	11	3	9	6	7	3	2	1	1	–
	Female	21	–	–	–	–	–	–	–	–	1	1	–	–	2	2	3	3	3	2	3	1	–	–
410	Acute myocardial infarction	5,774	–	–	–	–	1	2	1	6	23	61	151	240	391	596	783	861	973	870	544	210	61	–
	White Male	3,737	–	–	–	–	1	2	1	3	19	50	133	203	312	470	556	560	587	458	275	88	19	–
	Female	2,007	–	–	–	–	–	–	–	3	4	8	17	36	72	125	222	297	382	411	268	121	41	–
	All other Male	24	–	–	–	–	–	–	–	–	–	2	1	1	6	1	4	3	2	1	1	1	1	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	2	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	73	–	–	–	–	–	–	–	–	–	1	3	4	6	3	6	9	17	13	5	2	4	–
	White Male	41	–	–	–	–	–	–	–	–	–	1	2	2	5	1	5	5	13	5	2	–	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	4	4	8	3	2	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	5,317	–	–	–	–	–	1	1	3	16	26	75	111	207	313	427	646	861	1,034	917	499	179	1
	White Male	2,791	–	–	–	–	–	1	1	3	14	22	61	96	157	240	293	384	456	495	357	157	53	1
	Female	2,483	–	–	–	–	–	–	–	–	1	3	13	12	44	69	127	257	399	535	556	341	126	–
	All other Male	28	–	–	–	–	–	–	–	–	–	1	1	3	5	2	5	3	5	2	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	2	1	2	3	1	–	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	84	–	–	–	–	1	1	–	2	–	–	–	–	4	5	2	8	15	20	15	8	3	–
	White Male	42	–	–	–	–	1	–	–	1	–	–	–	–	3	4	1	4	9	8	6	4	1	–
	Female	42	–	–	–	–	–	1	–	1	–	–	–	–	1	1	1	4	6	12	9	4	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota – Con.																							
420–423, 425–427, 429	All other forms of heart disease	729	7	3	1	2	3	2	2	2	2	7	19	24	45	42	74	87	99	121	104	65	18	–
	White.....Male	404	6	1	1	2	3	2	2	–	1	1	13	16	31	31	47	53	58	62	41	26	7	–
	Female	315	1	2	–	–	–	–	–	2	1	5	5	7	13	10	25	34	41	58	62	38	11	–
	All other.....Male	7	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–	–	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–
400, 401, 403	Hypertension	106	–	–	–	–	–	–	–	1	–	–	–	1	4	5	8	12	27	19	11	15	3	–
	White.....Male	53	–	–	–	–	–	–	–	–	–	–	–	1	2	2	5	7	11	11	5	8	1	–
	Female	51	–	–	–	–	–	–	–	1	–	–	–	–	2	3	3	5	15	7	6	7	2	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
430–438	Cerebrovascular diseases	3,894	4	1	1	1	4	8	11	8	11	26	28	56	90	160	250	416	672	837	787	385	138	–
	White.....Male	1,679	4	–	1	–	3	6	4	4	6	14	13	28	55	94	137	211	314	338	291	125	31	–
	Female	2,178	–	1	–	1	1	2	6	4	5	11	13	26	33	62	110	202	355	497	486	259	104	–
	All other.....Male	23	–	–	–	–	–	–	1	–	–	1	–	1	2	3	1	2	1	–	7	1	3	–
	Female	14	–	–	–	–	–	–	–	–	–	–	2	1	–	1	2	1	2	2	3	–	–	–
431	Cerebral hemorrhage	452	1	–	1	1	–	–	1	2	1	4	8	16	30	40	53	59	75	80	60	17	3	–
	White.....Male	195	1	–	1	–	–	–	–	2	1	3	4	5	14	21	23	27	36	31	19	6	1	–
	Female	253	–	–	–	1	–	–	1	–	–	1	4	11	15	18	28	32	39	49	41	11	2	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
433	Cerebral thrombosis	838	–	–	–	–	–	–	–	–	2	2	2	6	13	28	50	82	163	189	182	87	32	–
	White.....Male	362	–	–	–	–	–	–	–	–	1	–	1	5	9	17	32	47	68	81	66	31	4	–
	Female	471	–	–	–	–	–	–	–	–	1	2	1	1	4	10	18	34	94	108	114	56	28	–
	All other.....Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
434	Cerebral embolism	20	–	–	–	–	–	–	–	–	–	1	–	1	2	2	1	2	4	5	–	2	–	–
	White.....Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	2	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	3	–	2	–	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,584	3	1	–	–	4	8	10	6	8	19	18	33	45	90	146	273	430	563	545	279	103	–
	White.....Male	1,115	3	–	–	–	3	6	4	2	4	11	8	17	32	55	81	136	209	224	206	88	26	–
	Female	1,443	–	1	–	–	1	2	5	4	4	8	8	14	13	33	64	135	219	337	331	190	74	–
	All other.....Male	16	–	–	–	–	–	–	1	–	–	–	–	1	–	2	1	1	1	–	5	1	3	–
	Female	10	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	1	2	3	–	–	–
440	Arteriosclerosis	564	–	–	–	–	–	–	–	–	–	1	1	5	–	9	18	36	70	128	153	109	34	–
	White.....Male	268	–	–	–	–	–	–	–	–	–	–	1	5	–	6	10	21	39	70	65	35	16	–
	Female	292	–	–	–	–	–	–	–	–	–	1	–	–	–	3	7	14	31	58	88	73	17	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	459	–	–	–	1	–	–	1	4	3	5	4	11	19	33	57	66	83	82	62	22	6	–
	White.....Male	282	–	–	–	1	–	–	1	1	2	4	3	6	12	24	45	45	51	47	30	5	5	–
	Female	177	–	–	–	–	–	–	–	3	1	1	1	5	7	9	12	21	32	35	32	17	1	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	7	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–
	White.....Male	5	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,095	18	8	2	2	2	1	6	6	1	8	11	10	17	32	54	105	151	226	238	142	55	–
	White.....Male	560	12	4	1	–	2	–	3	2	1	5	6	6	11	26	32	66	86	117	103	57	20	–
	Female	527	5	4	1	2	–	1	3	3	–	2	4	4	6	6	22	39	64	109	134	83	35	–
	All other.....Male	4	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	1	–	–
	Female	4	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–
470–474	Influenza	120	–	1	–	–	–	–	1	–	–	2	3	1	4	6	3	18	13	26	25	13	4	–
	White.....Male	50	–	1	–	–	–	–	–	–	–	1	1	1	1	5	2	7	5	11	10	4	1	–
	Female	69	–	–	–	–	–	–	1	–	–	1	1	–	3	1	1	11	8	15	15	9	3	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	975	18	7	2	2	2	1	5	6	1	6	8	9	13	26	51	87	138	200	213	129	51	–
	White.....Male	510	12	3	1	–	2	–	3	2	1	4	5	5	10	21	30	59	81	106	93	53	19	–
	Female	458	5	4	1	2	–	1	2	3	–	1	3	4	3	5	21	28	56	94	119	74	32	–
	All other.....Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–
	Female	4	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–
490–493	Bronchitis, emphysema, and asthma	402	1	–	–	–	1	–	1	–	–	–	9	12	22	45	67	84	61	61	31	6	1	–
	White.....Male	303	1	–	–	–	1	–	–	–	–	–	7	6	13	29	55	67	43	52	24	4	1	–
	Female	96	–	–	–	–	–	–	–	–	–	–	2	6	9	16	12	17	18	8	6	2	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota – Con.																							
490, 491	Chronic and unqualified bronchitis	81	1	–	–	–	–	–	–	–	–	–	–	2	2	7	13	19	13	11	9	4	–	–
	White ..... Male	59	1	–	–	–	–	–	–	–	–	–	–	1	1	5	10	14	11	8	6	2	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	5	2	2	2	2	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
492	Emphysema	284	–	–	–	–	1	–	–	–	–	–	8	7	15	36	48	56	44	46	20	2	1	–
	White ..... Male	228	–	–	–	–	1	–	–	–	–	–	6	5	11	23	42	46	31	42	18	2	1	–
	Female	56	–	–	–	–	–	–	–	–	–	–	2	2	4	13	6	10	13	4	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	37	–	–	–	–	–	–	1	–	–	–	1	3	5	2	6	9	4	4	2	–	–	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	7	1	2	–	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	3	4	1	3	2	3	2	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	104	1	–	1	–	–	2	–	–	3	1	2	3	10	4	13	8	16	21	13	5	1	–
	White ..... Male	59	–	–	1	–	–	–	–	–	1	1	1	1	5	2	9	8	11	13	5	1	–	–
	Female	40	–	–	–	–	–	2	–	–	1	–	1	2	4	2	3	–	5	8	7	4	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	14	–	1	–	1	–	–	–	1	–	–	–	–	2	–	1	1	2	2	1	2	–	–
	White ..... Male	6	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	2	1	–	–	–	–
	Female	8	–	1	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	117	9	–	–	–	2	–	1	–	–	1	–	3	7	6	6	21	17	14	17	9	4	–
	White ..... Male	45	3	–	–	–	2	–	1	–	–	–	–	1	3	5	2	7	8	6	6	1	–	–
	Female	71	5	–	–	–	–	–	–	–	–	1	–	2	4	1	4	14	9	8	11	8	4	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	375	–	–	–	–	1	2	2	7	7	15	37	56	51	65	49	45	22	11	4	–	1	–
	White ..... Male	244	–	–	–	–	1	–	–	4	3	11	27	35	39	43	32	28	13	6	2	–	–	–
	Female	121	–	–	–	–	–	2	1	3	3	4	8	20	12	21	16	14	9	5	2	–	1	–
	All other ..... Male	5	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	2	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	48	–	–	–	–	–	–	–	1	–	1	–	–	–	6	3	4	6	7	12	6	2	–
	White ..... Male	22	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	5	3	5	3	–	–
	Female	26	–	–	–	–	–	–	–	1	–	1	–	–	–	3	1	3	1	4	7	3	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	119	–	–	–	–	–	–	2	1	–	1	1	2	8	10	17	21	21	17	12	6	–	–
	White ..... Male	72	–	–	–	–	–	–	1	1	–	1	1	–	4	7	8	15	13	13	5	3	–	–
	Female	46	–	–	–	–	–	–	1	–	–	–	–	1	4	3	9	6	8	4	7	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	20	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	2	5	3	3	1	–	–
	White ..... Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	4	3	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	99	–	–	–	–	–	–	2	1	–	1	1	2	8	8	13	19	16	14	9	5	–	–
	White ..... Male	58	–	–	–	–	–	–	1	1	–	1	1	–	4	5	6	13	9	10	4	3	–	–
	Female	40	–	–	–	–	–	–	1	–	–	–	–	1	4	3	7	6	7	4	5	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	64	–	–	–	–	–	1	–	–	–	–	2	–	2	2	2	6	14	14	12	8	1	–
	White ..... Male	26	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	2	5	4	7	2	1	–
	Female	37	–	–	–	–	–	1	–	–	–	–	1	–	1	–	1	4	9	10	5	5	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
600	Hyperplasia of prostate	29	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	5	6	10	1	2	–
	White ..... Male	28	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	4	6	10	1	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Minnesota – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	243	150	18	12	6	9	9	3	3	2	–	4	3	4	5	5	3	1	2	2	1	1	–
	White ..... Male	134	81	11	8	4	5	5	2	1	–	–	2	2	1	3	3	2	–	2	2	–	–	–
	Female	104	65	7	4	2	4	3	1	2	2	–	2	1	3	2	2	1	1	–	–	1	1	–
	All other ..... Male	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	397	397	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	224	224	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	151	151	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	210	210	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	118	118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	187	187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	106	106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	336	80	2	3	2	2	5	1	2	5	4	5	6	12	25	29	25	23	39	31	25	10	–
	White ..... Male	171	41	2	3	2	2	2	–	–	2	1	2	4	6	19	20	15	9	20	12	8	1	–
	Female	145	28	–	–	–	–	2	1	2	–	2	2	2	5	6	9	10	13	19	18	17	9	–
	All other ..... Male	10	6	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	10	5	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	1	–	–	–
Residual	All other diseases	2,113	35	20	13	12	24	29	15	18	28	29	52	83	132	164	210	288	320	289	216	102	34	–
	White ..... Male	1,181	19	14	7	4	19	19	7	7	12	18	29	49	79	108	134	168	183	157	102	38	8	–
	Female	903	15	5	5	7	4	9	7	9	15	10	22	34	52	55	74	117	134	129	111	63	26	–
	All other ..... Male	14	1	–	1	–	–	1	–	1	–	1	–	–	1	1	–	2	1	1	2	1	–	–
	Female	15	–	1	–	1	1	–	1	1	1	–	1	–	–	–	2	1	2	2	1	–	–	–
E800–E949	Accidents	1,865	20	54	56	77	271	209	122	73	54	67	60	77	74	86	93	126	99	112	66	54	15	–
	White ..... Male	1,240	9	27	36	52	199	162	95	55	44	52	48	49	55	63	51	75	49	61	33	21	4	–
	Female	571	10	21	18	23	62	38	22	16	7	14	9	26	18	21	41	51	49	48	33	33	11	–
	All other ..... Male	41	1	3	2	2	7	6	4	2	3	1	1	2	1	1	1	–	1	3	–	–	–	–
	Female	13	–	3	–	–	3	3	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	789	4	20	30	31	187	145	70	48	24	29	21	24	21	22	24	38	24	23	2	1	1	–
	White ..... Male	539	1	7	18	18	138	107	52	34	19	21	15	16	14	16	14	19	14	13	2	1	–	–
	Female	227	3	10	12	11	45	31	15	13	5	7	5	8	6	6	10	19	10	10	–	–	1	–
	All other ..... Male	17	–	1	–	2	3	5	2	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
	Female	6	–	2	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,076	16	34	26	46	84	64	52	25	30	38	39	53	53	64	69	88	75	89	64	53	14	–
	White ..... Male	701	8	20	18	34	61	55	43	21	25	31	33	33	41	47	37	56	35	48	31	20	4	–
	Female	344	7	11	6	12	17	7	7	3	2	7	4	18	12	15	31	32	39	38	33	33	10	–
	All other ..... Male	24	1	2	2	–	4	1	2	1	3	–	–	2	–	1	1	–	1	3	–	–	–	–
	Female	7	–	1	–	–	2	1	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
E950–E959	Suicide	450	...	...	–	4	36	67	42	41	20	39	32	38	38	27	27	19	7	8	5	–	–	–
	White ..... Male	333	...	...	–	3	30	49	34	27	12	26	24	29	26	22	17	16	6	7	5	–	–	–
	Female	106	...	...	–	1	3	17	6	13	6	13	7	9	12	4	10	3	1	1	–	–	–	–
	All other ..... Male	8	...	...	–	–	1	1	2	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	3	...	...	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	123	2	2	1	2	18	28	20	8	8	7	4	7	3	5	2	1	3	1	–	–	–	1
	White ..... Male	64	2	–	1	–	9	10	11	5	5	2	4	3	1	3	2	1	3	1	–	–	–	1
	Female	29	–	1	–	–	4	11	4	1	3	3	–	1	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	24	–	–	–	2	4	4	5	2	–	2	–	2	2	1	–	–	–	–	–	–	–	–
	Female	6	–	1	–	–	1	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	71	–	2	–	3	6	16	6	4	5	5	7	3	6	4	2	1	1	–	–	–	–	–
	White ..... Male	43	–	–	–	2	4	10	5	2	4	3	4	–	5	–	2	1	1	–	–	–	–	–
	Female	24	–	–	–	–	2	6	1	2	1	2	2	3	1	4	–	–	–	–	–	–	–	–
	All other ..... Male	4	–	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi																							
	All causes	**22,786**	**977**	**169**	**106**	**128**	**284**	**284**	**314**	**285**	**327**	**495**	**740**	**1,023**	**1,488**	**1,979**	**2,615**	**2,929**	**2,806**	**2,520**	**1,917**	**979**	**412**	**9**
	White ..... Male	7,987	211	38	31	40	110	116	107	105	109	191	301	463	621	862	1,069	1,050	963	827	494	216	61	2
	Female	5,820	147	22	12	23	39	30	28	38	60	95	133	170	312	414	546	711	835	864	801	418	122	–
	All other ..... Male	5,005	332	51	30	42	97	113	125	99	102	131	180	235	325	406	588	661	544	431	285	143	81	4
	Female	3,974	287	58	33	23	38	25	54	43	56	78	126	155	230	297	412	507	464	398	337	202	148	3
004, 006	Bacillary dysentery and amebiasis	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	56	29	3	1	–	–	–	–	–	–	–	–	1	3	–	1	4	7	2	2	3	–	–
	White ..... Male	7	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	2	2	1	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–
	All other ..... Male	16	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	–	–
	Female	27	16	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	2	–	–
010–019	Tuberculosis, all forms	34	–	–	1	–	–	–	–	1	–	1	1	5	3	2	3	7	3	5	1	1	–	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	3	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	1	–	–
	All other ..... Male	16	–	–	1	–	–	–	–	1	–	1	1	4	2	–	2	3	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
010–012	Tuberculosis of respiratory system	27	–	–	–	–	–	–	–	1	–	1	1	4	2	1	2	7	3	4	–	1	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	3	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	All other ..... Male	14	–	–	–	–	–	–	–	1	–	1	1	4	2	–	2	3	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
013–019	Tuberculosis, other forms	7	–	–	1	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–
	All other ..... Male	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	71	22	–	–	–	2	2	–	1	2	2	1	3	3	1	6	6	7	3	4	5	1	–
	White ..... Male	17	3	–	–	–	1	–	–	–	1	1	–	1	2	1	2	3	2	–	–	–	–	–
	Female	23	4	–	–	–	1	–	–	–	–	1	–	–	1	–	1	2	5	1	2	4	1	–
	All other ..... Male	18	9	–	–	–	–	–	–	–	1	–	1	2	–	–	2	1	–	1	1	–	–	–
	Female	13	6	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–	1	1	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	85	6	3	2	2	2	2	1	–	2	1	5	6	7	9	9	11	13	2	1	1	–	–
	White ..... Male	17	1	–	1	1	–	–	–	–	–	–	1	–	1	1	3	5	2	–	1	–	–	–
	Female	18	1	–	–	1	–	–	–	–	2	–	2	2	1	4	1	–	3	1	–	–	–	–
	All other ..... Male	21	3	1	–	–	–	–	1	–	–	–	1	1	1	3	2	3	5	–	–	–	–	–
	Female	29	1	2	1	–	2	2	–	–	–	1	1	3	4	1	3	3	3	1	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,704	1	7	13	15	11	13	21	23	42	77	173	235	393	468	584	561	457	350	180	64	16	–
	White.....Male	1,437	1	3	5	1	4	7	8	9	11	31	67	98	146	208	221	242	167	134	53	17	4	–
	Female	1,054	–	1	2	7	1	4	5	8	15	26	51	62	116	120	150	142	140	103	74	25	2	–
	All other.....Male	716	–	1	3	3	1	1	3	3	6	9	29	39	83	89	130	107	93	63	34	13	6	–
	Female	497	–	2	3	4	5	1	5	3	10	11	26	36	48	51	83	70	57	50	19	9	4	–
140–149	Of buccal cavity and pharynx	82	–	–	–	–	1	–	–	1	–	1	8	7	11	13	17	10	7	3	1	2	–	–
	White.....Male	42	–	–	–	–	–	–	–	–	–	1	7	3	4	7	8	7	2	1	1	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	–	4	–	–	1	–	–
	All other.....Male	22	–	–	–	–	1	–	–	–	–	–	1	2	4	3	6	2	1	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	926	–	–	–	–	1	–	2	4	8	12	30	49	85	108	139	152	146	106	58	19	7	–
	White.....Male	303	–	–	–	–	–	–	–	2	3	6	14	17	38	37	51	43	43	28	15	5	1	–
	Female	295	–	–	–	–	–	–	–	1	2	3	5	11	15	34	29	50	60	46	29	9	1	–
	All other.....Male	184	–	–	–	–	–	–	2	1	2	1	6	13	23	23	33	34	21	14	6	3	2	–
	Female	144	–	–	–	–	1	–	–	–	1	2	5	8	9	14	26	25	22	18	8	2	3	–
160–163	Of respiratory system	939	–	–	–	1	–	–	1	2	8	25	67	76	138	145	170	138	93	50	19	5	1	–
	White.....Male	554	–	–	–	–	–	–	–	1	3	15	32	49	70	98	100	91	52	31	9	3	–	–
	Female	137	–	–	–	1	–	–	1	1	3	1	16	9	24	15	28	15	13	5	5	–	–	–
	All other.....Male	196	–	–	–	–	–	–	–	–	1	6	15	14	36	26	36	25	24	6	4	2	1	–
	Female	52	–	–	–	–	–	–	–	–	1	3	4	4	8	6	6	7	4	8	1	–	–	–
174	Of breast	263	–	–	–	–	–	–	3	3	7	13	26	18	38	32	39	34	14	19	14	3	–	–
	White.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	191	–	–	–	–	–	–	2	3	6	11	17	13	27	24	28	24	9	14	10	3	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	71	–	–	–	–	–	–	1	–	1	2	9	5	11	8	11	10	5	5	3	–	–	–
180–187	Of genital organs	488	–	–	–	1	1	1	2	2	6	10	13	21	25	48	75	80	80	71	33	14	5	–
	White.....Male	137	–	–	–	–	–	1	–	–	–	1	–	1	5	9	15	29	27	34	10	3	2	–
	Female	125	–	–	–	1	1	–	–	–	2	6	7	11	13	16	18	15	16	11	5	3	–	–
	All other.....Male	143	–	–	–	–	–	–	–	1	–	–	1	–	1	11	27	27	27	20	18	7	3	–
	Female	83	–	–	–	–	–	–	2	1	4	3	5	9	6	12	15	9	10	6	–	1	–	–
188, 189	Of urinary organs	138	–	1	–	–	–	–	–	–	1	2	2	6	15	19	19	29	18	12	12	1	1	–
	White.....Male	69	–	–	–	–	–	–	–	–	1	1	1	3	6	13	7	18	7	7	5	–	–	–
	Female	33	–	–	–	–	–	–	–	–	–	1	–	1	4	4	3	6	6	2	5	1	–	–
	All other.....Male	25	–	–	–	–	–	–	–	–	–	–	1	1	5	2	3	3	5	3	2	–	–	–
	Female	11	–	1	–	–	–	–	–	–	–	–	–	1	–	–	6	2	–	–	–	–	1	–
170–173, 190–199	Of all other and unspecified sites	519	–	3	4	7	4	5	6	9	9	10	20	37	56	65	72	66	50	54	29	12	1	–
	White.....Male	181	–	1	1	1	1	1	3	5	4	5	10	15	15	20	28	29	15	18	7	2	–	–
	Female	168	–	1	–	3	–	2	1	2	1	2	4	11	23	18	25	18	18	16	15	7	1	–
	All other.....Male	82	–	–	1	–	–	1	–	1	2	2	4	7	7	19	10	9	6	10	3	–	–	–
	Female	88	–	1	2	3	3	1	2	1	2	1	2	4	11	8	9	10	11	10	4	3	–	–
204–207	Leukemia	160	1	3	9	6	2	5	2	1	2	3	3	11	5	14	20	20	25	17	6	4	1	–
	White.....Male	79	1	2	4	–	1	3	1	–	–	2	1	6	3	11	8	12	10	10	2	1	1	–
	Female	39	–	–	2	2	–	2	–	1	1	1	2	4	2	1	3	4	9	1	3	1	–	–
	All other.....Male	25	–	1	2	3	–	–	1	–	–	–	–	1	–	2	5	2	4	3	–	1	–	–
	Female	17	–	–	1	1	1	–	–	–	1	–	–	–	–	–	4	2	2	3	1	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	189	–	–	–	–	2	2	5	1	1	1	4	10	20	24	33	32	24	18	8	4	–	–
	White.....Male	71	–	–	–	–	2	2	4	1	–	–	2	4	5	13	4	13	11	5	3	2	–	–
	Female	51	–	–	–	–	–	–	1	–	–	1	–	–	6	5	13	10	5	8	2	–	–	–
	All other.....Male	39	–	–	–	–	–	–	–	–	1	–	1	1	7	3	10	5	5	5	1	–	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	5	2	3	6	4	3	–	2	2	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	51	1	–	1	1	2	1	–	1	5	–	–	1	7	7	9	8	5	2	–	–	–	–
	White.....Male	17	1	–	1	1	–	1	–	1	–	–	–	–	2	3	2	3	2	–	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	2	–	–	–	3	2	1	2	2	1	–	–	–	–
	All other.....Male	8	–	–	–	–	1	–	–	–	–	–	–	–	1	1	2	2	–	1	–	–	–	–
	Female	13	–	–	–	–	1	–	–	–	3	–	–	1	1	1	4	1	1	–	–	–	–	–
250	Diabetes mellitus	403	–	–	–	–	1	3	3	3	4	4	12	22	23	43	62	72	62	42	35	7	5	–
	White.....Male	86	–	–	–	–	–	–	–	1	–	1	4	5	3	7	15	18	15	8	7	1	1	–
	Female	117	–	–	–	–	1	1	1	1	–	1	3	6	5	12	9	20	18	21	13	4	1	–
	All other.....Male	58	–	–	–	–	–	2	1	–	2	1	–	2	7	6	11	8	9	3	4	1	1	–
	Female	142	–	–	–	–	–	–	1	1	2	1	5	9	8	18	27	26	20	10	11	1	2	–
260–269	Avitaminoses and other nutritional deficiencies	25	4	–	–	–	–	–	–	1	–	–	–	–	–	–	3	3	3	4	4	3	–	–
	White.....Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	1	–	–
	All other.....Male	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	11	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi – Con.																							
280–285	Anemias	44	–	2	2	3	–	3	–	1	–	2	1	2	1	1	4	6	8	5	3	–	–	–
	White – Male	11	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	5	3	–	1	–	–	–
	Female	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–
	All other – Male	13	–	1	2	3	–	–	–	1	–	–	1	–	1	–	2	–	1	1	–	–	–	–
	Female	14	–	1	–	–	–	1	–	–	–	2	–	2	–	1	1	–	4	2	–	–	–	–
320	Meningitis	19	10	4	–	2	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
	White – Male	4	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other – Male	6	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	10,960	15	10	4	4	13	10	15	45	72	148	265	411	615	931	1,324	1,585	1,668	1,575	1,301	670	277	2
	White – Male	3,816	2	1	1	2	1	4	6	11	26	61	109	199	288	419	554	546	573	492	332	141	48	–
	Female	3,156	4	–	1	–	2	–	2	4	6	21	37	48	104	169	279	395	520	595	570	315	84	–
	All other – Male	2,077	6	5	1	1	9	5	1	19	26	39	63	99	119	196	286	353	297	248	166	86	51	1
	Female	1,911	3	4	1	1	1	1	6	11	14	27	56	65	104	147	205	291	278	240	233	128	94	1
390–398, 402, 404, 410–429	Diseases of heart	7,556	10	8	2	3	11	8	13	28	49	124	214	332	486	743	973	1,102	1,065	1,006	806	416	156	1
	White – Male	2,845	2	1	1	1	1	4	6	8	20	55	105	178	251	354	432	399	372	320	219	92	24	–
	Female	2,161	4	–	–	–	2	–	2	2	5	18	31	35	76	133	214	286	346	398	357	197	55	–
	All other – Male	1,360	3	4	–	1	7	4	1	12	15	32	42	79	86	149	181	232	188	152	101	46	24	1
	Female	1,190	1	3	1	1	1	–	4	6	9	19	36	40	73	107	146	185	159	136	129	81	53	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	80	–	1	–	1	4	–	1	2	3	4	3	2	10	8	11	13	8	6	3	–	–	–
	White – Male	19	–	–	–	1	–	–	1	1	–	1	2	1	1	3	1	2	3	2	–	–	–	–
	Female	33	–	–	–	–	1	–	–	1	–	1	–	–	6	1	7	7	4	3	2	–	–	–
	All other – Male	18	–	–	–	–	3	–	–	–	1	1	–	1	1	4	2	2	1	1	1	–	–	–
	Female	10	–	1	–	–	–	–	–	–	2	1	1	–	2	–	1	2	–	–	–	–	–	–
402	Hypertensive heart disease	82	–	–	–	–	–	–	–	–	1	–	–	4	8	7	7	15	6	14	10	5	5	–
	White – Male	14	–	–	–	–	–	–	–	–	1	–	–	1	3	–	1	2	1	1	3	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	7	2	2	2	–
	All other – Male	18	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	7	3	2	1	–	1	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	3	2	5	2	5	2	4	4	2	2	–
404	Hypertensive heart and renal disease	47	–	–	–	–	–	–	–	–	–	2	3	3	1	4	2	9	8	5	6	3	1	–
	White – Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	5	1	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	2	–	–
	All other – Male	16	–	–	–	–	–	–	–	–	–	2	2	3	–	3	–	3	1	–	1	–	1	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	2	–	2	–	–	–
410–413	Ischemic heart disease	6,368	1	2	–	2	2	1	6	12	30	86	174	246	388	623	832	930	938	889	711	371	123	1
	White – Male	2,472	1	–	–	–	–	1	3	5	17	46	84	145	215	308	382	354	327	287	194	84	19	–
	Female	1,890	–	–	–	–	1	–	1	1	1	10	27	26	57	115	184	248	318	358	324	174	45	–
	All other – Male	1,048	–	2	–	1	1	–	1	4	8	22	32	49	62	115	141	184	156	128	84	41	16	1
	Female	958	–	–	–	1	–	–	1	2	4	8	31	26	54	85	125	144	137	116	109	72	43	–
410	Acute myocardial infarction	3,639	1	2	–	1	1	1	3	11	19	70	139	176	289	434	537	570	509	413	283	134	45	1
	White – Male	1,655	1	–	–	–	–	1	2	5	14	37	76	112	176	239	280	235	203	147	82	39	6	–
	Female	973	–	–	–	–	1	–	–	1	–	8	19	19	42	79	114	163	167	167	119	58	16	–
	All other – Male	559	–	2	–	–	–	–	–	3	3	19	24	29	40	74	81	103	73	51	31	16	9	1
	Female	452	–	–	–	1	–	–	1	2	2	6	20	16	31	42	62	69	66	48	51	21	14	–
411	Other acute and subacute forms of ischemic heart disease	35	–	–	–	–	–	–	–	–	1	1	4	4	1	4	8	2	2	3	5	–	–	–
	White – Male	17	–	–	–	–	–	–	–	–	–	1	2	2	–	3	5	1	–	2	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	1	1	2	–	–	–
	All other – Male	5	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
412	Chronic ischemic heart disease	2,691	–	–	–	1	1	–	3	1	10	15	31	66	97	184	286	358	427	473	423	237	78	–
	White – Male	798	–	–	–	–	–	–	1	–	3	8	6	31	39	65	96	118	124	138	111	45	13	–
	Female	907	–	–	–	–	–	–	1	–	1	2	7	7	14	35	67	85	150	190	203	116	29	–
	All other – Male	484	–	–	–	1	1	–	1	1	4	3	7	19	22	41	60	81	83	77	51	25	7	–
	Female	502	–	–	–	–	–	–	–	–	2	2	11	9	22	43	63	74	70	68	58	51	29	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	White – Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other – Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	66	–	–	–	–	–	–	–	1	–	–	2	1	6	5	3	7	10	11	10	6	4	–
	White – Male	17	–	–	–	–	–	–	–	–	–	–	1	–	1	4	2	1	–	3	4	–	1	–
	Female	28	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	5	6	6	5	2	–
	All other – Male	12	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	2	2	2	–	–	–	–
	Female	9	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	2	3	–	–	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
420–423, 425–427, 429	All other forms of heart disease	913	9	5	2	–	5	7	6	13	15	32	32	76	73	96	118	128	95	81	66	31	23	–
	White.....Male	310	1	1	1	–	1	3	2	2	2	8	18	31	30	39	45	39	38	22	17	6	4	–
	Female	183	4	–	–	–	–	–	1	–	4	7	3	9	11	16	20	26	17	24	21	14	6	–
	All other.....Male	248	3	2	–	–	3	4	–	8	6	7	8	25	18	25	36	34	25	19	14	5	6	–
	Female	172	1	2	1	–	1	–	3	3	3	10	3	11	14	16	17	29	15	16	14	6	7	–
400, 401, 403	Hypertension	111	–	–	–	–	–	–	–	5	5	4	7	5	10	7	17	11	15	12	9	2	2	–
	White.....Male	17	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	1	8	2	–	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	4	5	4	–	1	–
	All other.....Male	38	–	–	–	–	–	–	–	3	5	4	3	2	2	4	4	4	3	2	2	–	–	–
	Female	36	–	–	–	–	–	–	–	2	–	–	4	2	5	3	7	4	–	3	3	2	1	–
430–438	Cerebrovascular diseases	2,791	4	2	2	1	2	1	1	11	16	16	40	64	106	158	282	410	501	474	415	192	92	1
	White.....Male	761	–	–	–	1	–	–	–	2	4	5	4	17	31	51	88	117	155	140	88	40	18	–
	Female	828	–	–	1	–	–	–	–	2	1	1	5	10	25	34	58	94	153	167	178	82	17	–
	All other.....Male	596	2	1	1	–	2	–	–	4	6	2	15	16	28	38	92	106	91	83	55	30	24	–
	Female	606	2	1	–	–	–	1	1	3	5	8	16	21	22	35	44	93	102	84	94	40	33	1
431	Cerebral hemorrhage	340	3	1	–	–	2	–	–	3	2	5	10	18	23	28	45	52	41	46	36	17	7	1
	White.....Male	88	–	–	–	–	–	–	–	–	–	2	1	4	7	8	12	13	14	16	8	2	1	–
	Female	90	–	–	–	–	–	–	–	–	–	1	1	4	7	4	16	13	11	13	13	6	1	–
	All other.....Male	79	1	–	–	–	2	–	–	1	–	–	2	5	6	7	12	18	7	7	4	5	2	–
	Female	83	2	1	–	–	–	–	–	2	2	2	6	5	3	9	5	8	9	10	11	4	3	1
433	Cerebral thrombosis	603	1	–	–	–	–	1	–	–	1	–	6	13	24	29	57	92	110	109	94	48	18	–
	White.....Male	187	–	–	–	–	–	–	–	–	–	–	1	6	7	9	23	35	33	40	21	10	2	–
	Female	184	–	–	–	–	–	–	–	–	–	–	–	1	7	7	9	16	38	38	43	19	6	–
	All other.....Male	127	1	–	–	–	–	–	–	–	–	–	4	5	7	7	18	21	20	18	12	7	7	–
	Female	105	–	–	–	–	–	1	–	–	1	–	1	1	3	6	7	20	19	13	18	12	3	–
434	Cerebral embolism	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	2	1	–	–	–	–
	White.....Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,841	–	1	2	1	–	–	1	8	13	10	24	33	59	101	179	264	348	318	285	127	67	–
	White.....Male	485	–	–	–	1	–	–	–	2	4	2	2	7	17	34	53	69	108	84	59	28	15	–
	Female	551	–	–	1	–	–	–	–	2	1	–	4	5	11	23	33	64	103	115	122	57	10	–
	All other.....Male	389	–	1	1	–	–	–	–	3	6	2	9	6	15	24	62	67	63	58	39	18	15	–
	Female	416	–	–	–	–	–	–	1	1	2	6	9	15	16	20	31	64	74	61	65	24	27	–
440	Arteriosclerosis	249	–	–	–	–	–	–	–	–	1	–	1	1	1	6	10	25	36	51	53	45	19	–
	White.....Male	77	–	–	–	–	–	–	–	–	1	–	–	1	–	3	5	12	8	20	17	7	3	–
	Female	97	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	3	12	17	25	28	8	–
	All other.....Male	38	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	7	7	5	7	6	2	–
	Female	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	9	9	4	4	6	–
441–448	Other diseases of arteries, arterioles, and capillaries	253	1	–	–	–	–	1	1	1	1	4	3	9	12	17	42	37	51	32	18	15	8	–
	White.....Male	116	–	–	–	–	–	–	–	1	1	1	–	2	5	11	25	17	30	10	8	2	3	–
	Female	50	–	–	–	–	–	–	–	–	–	2	–	3	1	1	3	10	5	8	6	8	3	–
	All other.....Male	45	1	–	–	–	–	1	–	–	–	1	3	2	2	3	8	4	8	6	1	4	1	–
	Female	42	–	–	–	–	–	–	1	–	–	–	–	2	4	2	6	6	8	8	3	1	1	–
466	Acute bronchitis and bronchiolitis	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–
	White.....Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	513	60	11	5	2	4	2	3	1	2	7	12	11	20	22	29	53	65	74	64	41	25	–
	White.....Male	186	9	–	2	1	1	1	–	–	1	2	5	7	10	9	14	23	30	34	25	9	3	–
	Female	153	10	2	–	–	–	1	1	–	1	2	5	1	3	4	6	11	18	27	28	22	11	–
	All other.....Male	98	22	5	–	–	–	–	1	–	–	3	2	3	5	8	6	8	12	8	6	6	3	–
	Female	76	19	4	3	1	3	–	1	1	–	–	–	–	2	1	3	11	5	5	5	4	8	–
470–474	Influenza	23	1	–	–	–	–	–	–	–	–	1	–	–	–	1	3	2	4	5	4	2	–	–
	White.....Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	4	2	–	–	–
	All other.....Male	7	1	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	2	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
480–486	Pneumonia	490	59	11	5	2	4	2	3	1	2	6	12	11	20	21	26	51	61	69	60	39	25	–
	White.....Male	182	9	–	2	1	1	1	–	–	1	2	5	7	10	9	14	23	29	34	23	8	3	–
	Female	143	10	2	–	–	–	1	1	–	1	2	5	1	3	4	4	10	17	23	26	22	11	–
	All other.....Male	91	21	5	–	–	–	–	1	–	–	2	2	3	5	7	5	8	10	8	6	5	3	–
	Female	74	19	4	3	1	3	–	1	1	–	–	–	–	2	1	3	10	5	4	5	4	8	–
490–493	Bronchitis, emphysema, and asthma	235	2	1	–	–	–	–	–	–	4	2	4	10	13	26	41	48	36	27	12	8	1	–
	White.....Male	156	–	–	–	–	–	–	–	–	–	–	3	7	5	20	29	39	25	18	5	5	–	–
	Female	40	–	–	–	–	–	–	–	–	2	–	1	1	5	5	6	4	3	5	4	3	1	–
	All other.....Male	31	2	–	–	–	–	–	–	–	2	–	–	1	3	1	5	3	8	3	3	–	–	–
	Female	8	–	1	–	–	–	–	–	–	–	2	–	1	–	–	1	2	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi – Con.																							
490, 491	Chronic and unqualified bronchitis	42	2	–	–	–	–	–	–	–	1	–	1	1	3	4	6	8	5	7	2	2	–	–
	White ..... Male	22	–	–	–	–	–	–	–	–	–	–	1	–	–	2	5	6	3	4	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–	–	3	1	1	–	–
	All other ..... Male	9	2	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
492	Emphysema	178	–	–	–	–	–	–	–	–	2	1	3	6	9	19	33	39	31	19	10	5	1	–
	White ..... Male	130	–	–	–	–	–	–	–	–	–	–	2	6	5	16	24	33	22	14	5	3	–	–
	Female	27	–	–	–	–	–	–	–	–	1	–	1	–	3	3	4	4	3	2	3	2	1	–
	All other ..... Male	20	–	–	–	–	–	–	–	–	1	–	–	–	1	–	5	2	6	3	2	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	15	–	1	–	–	–	–	–	–	1	1	–	3	1	3	2	1	–	1	–	1	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	6	–	1	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	1	–	–	–	–
531–533	Peptic ulcer	57	1	–	–	–	–	–	–	–	–	1	3	7	7	4	9	6	11	6	1	1	–	–
	White ..... Male	28	1	–	–	–	–	–	–	–	–	1	1	3	2	2	6	4	6	2	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	4	3	1	–	–	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	–	–	1	1	4	1	2	2	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–	–
540–543	Appendicitis	11	–	–	1	–	1	–	1	–	1	–	1	–	1	1	2	–	1	1	–	–	–	–
	White ..... Male	3	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	80	3	–	–	1	1	–	3	1	–	1	1	1	4	6	8	12	14	13	7	4	–	–
	White ..... Male	20	1	–	–	–	–	–	1	–	–	1	–	1	2	1	1	3	4	3	1	1	–	–
	Female	27	–	–	–	1	–	–	1	1	–	–	1	–	1	1	2	4	4	7	3	1	–	–
	All other ..... Male	21	1	–	–	–	–	–	–	–	–	–	–	–	–	4	4	3	3	2	3	1	–	–
	Female	12	1	–	–	–	1	–	1	–	–	–	–	–	1	–	1	2	3	1	–	1	–	–
571	Cirrhosis of liver	152	1	–	–	1	1	–	–	2	5	11	9	18	22	26	21	13	10	6	5	1	–	–
	White ..... Male	75	1	–	–	–	–	–	–	1	1	4	4	10	14	14	11	5	6	3	1	–	–	–
	Female	38	–	–	–	–	–	–	–	–	–	3	2	7	3	9	5	3	2	1	2	1	–	–
	All other ..... Male	28	–	–	–	–	–	–	–	–	3	4	2	1	2	3	3	5	2	2	1	–	–	–
	Female	11	–	–	–	1	1	–	–	1	1	–	1	–	3	–	2	–	–	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	26	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	9	4	4	2	3	1	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	2	1	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	1	1	2	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–
580–584	Nephritis and nephrosis	126	–	1	–	1	–	1	1	2	2	3	8	10	11	15	12	16	15	14	7	6	1	–
	White ..... Male	26	–	–	–	–	–	–	–	–	–	1	2	1	2	3	3	4	3	5	1	1	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	2	2	2	4	4	–	–
	All other ..... Male	41	–	–	–	1	–	–	–	2	2	2	1	3	3	5	4	6	6	3	2	–	1	–
	Female	37	–	1	–	–	–	1	1	–	–	–	4	5	3	5	4	4	4	4	–	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	22	–	–	–	1	–	1	–	–	–	–	1	5	1	2	3	3	2	1	2	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	2	–	–	–
	All other ..... Male	7	–	–	–	1	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–	–	–	–
	Female	6	–	–	–	–	–	1	–	–	–	–	–	2	–	1	1	–	–	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	104	–	1	–	–	–	–	1	2	2	3	7	5	10	13	9	13	13	13	5	6	1	–
	White ..... Male	22	–	–	–	–	–	–	–	–	–	1	1	–	2	3	3	3	2	5	1	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	1	–	3	2	–	1	2	2	2	4	–	–
	All other ..... Male	34	–	–	–	–	–	–	–	2	2	2	1	2	2	4	3	5	5	3	2	–	1	–
	Female	31	–	1	–	–	–	–	1	–	–	–	4	3	3	4	3	4	4	3	–	1	–	–
590	Infections of kidney	94	–	–	–	–	–	–	–	–	–	–	1	4	1	6	13	7	14	22	12	12	2	–
	White ..... Male	31	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	1	3	11	5	5	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	4	7	4	5	1	–
	All other ..... Male	20	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	1	6	3	2	1	1	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	1	–	4	4	2	1	1	1	1	–	–
600	Hyperplasia of prostate	19	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	6	1	4	2	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	1	4	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–	2	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	5	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Mississippi—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	5	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	163	113	14	4	1	4	2	4	1	1	1	1	3	2	3	3	4	2	–	–	–	–	–
	White Male	54	39	3	2	1	1	2	1	–	–	–	–	1	–	1	1	2	–	–	–	–	–	–
	Female	46	29	4	–	–	3	–	–	1	–	–	1	2	1	2	–	2	1	–	–	–	–	–
	All other Male	34	25	3	1	–	–	–	1	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–
	Female	29	20	4	1	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	522	522	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	123	123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	76	76	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	178	178	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	145	145	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	289	289	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	65	65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	49	49	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	103	103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	72	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	233	233	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,708	113	10	3	3	9	9	10	20	27	35	78	85	125	163	191	236	172	162	122	84	48	3
	White Male	436	11	1	1	1	6	1	1	3	8	13	28	36	46	69	62	51	36	28	22	11	–	1
	Female	235	10	–	–	1	–	1	–	4	4	4	7	7	15	19	25	37	33	27	24	13	4	–
	All other Male	563	43	6	1	1	2	5	3	6	8	12	28	30	40	36	64	90	58	57	35	25	12	1
	Female	474	49	3	1	–	1	2	6	7	7	6	15	12	24	39	40	58	45	50	41	35	32	1
Residual	All other diseases	1,371	25	22	6	5	14	16	17	24	32	55	45	69	114	140	167	162	162	133	102	38	22	1
	White Male	484	5	8	1	–	4	6	6	8	9	16	20	25	39	48	82	50	61	55	28	10	2	1
	Female	388	4	5	–	2	2	3	2	4	6	15	9	18	31	42	40	52	49	38	44	9	13	–
	All other Male	263	11	2	2	–	4	5	3	8	10	11	9	17	21	31	24	33	26	18	18	7	3	–
	Female	236	5	7	3	3	4	2	6	4	7	13	7	9	23	19	21	27	26	22	12	12	4	–
E800–E949	Accidents	1,588	41	77	58	81	179	149	142	96	61	92	58	66	78	68	84	68	56	55	46	21	11	1
	White Male	671	8	20	13	32	81	75	59	51	32	42	30	40	39	35	44	20	14	18	8	7	3	–
	Female	260	5	8	9	9	22	14	11	8	10	15	5	5	15	16	12	21	20	22	22	8	3	–
	All other Male	475	12	25	18	30	63	51	62	30	16	29	18	16	19	10	22	23	11	10	6	2	1	1
	Female	182	16	24	18	10	13	9	10	7	3	6	5	5	5	7	6	4	11	5	10	4	4	–
E810–E823	Motor vehicle accidents	646	7	20	23	33	107	67	79	48	31	37	30	31	32	21	26	23	8	12	8	3	–	–
	White Male	293	4	5	6	14	51	33	29	24	15	18	14	17	15	11	16	9	2	5	3	2	–	–
	Female	96	2	2	6	7	20	4	8	4	6	6	2	3	7	5	2	5	2	3	2	–	–	–
	All other Male	196	–	10	5	7	28	24	37	13	7	11	10	8	8	3	7	8	3	4	2	1	–	–
	Female	61	1	3	6	5	8	6	5	7	3	2	4	3	2	2	1	1	1	–	1	–	–	–
E800–E807, E825–E949	All other accidents	942	34	57	35	48	72	82	63	48	30	55	28	35	46	47	58	45	48	43	38	18	11	1
	White Male	378	4	15	7	18	30	42	30	27	17	24	16	23	24	24	28	11	12	13	5	5	3	–
	Female	164	3	6	3	2	2	10	3	4	4	9	3	2	8	11	10	16	18	19	20	8	3	–
	All other Male	279	12	15	13	23	35	27	25	17	9	18	8	8	11	7	15	15	8	6	4	1	1	1
	Female	121	15	21	12	5	5	3	5	–	–	4	1	2	3	5	5	3	10	5	9	4	4	–
E950–E959	Suicide	239	...	...	–	–	10	19	28	20	20	16	24	27	15	19	12	19	4	5	–	1	–	–
	White Male	147	...	...	–	–	4	10	13	12	10	9	15	21	12	13	8	13	2	4	–	1	–	–
	Female	45	...	...	–	–	3	4	2	4	6	5	5	5	1	3	3	2	2	–	–	–	–	–
	All other Male	37	...	...	–	–	1	5	11	4	2	1	3	1	1	2	1	4	–	1	–	–	–	–
	Female	10	...	...	–	–	2	–	2	–	2	1	1	–	1	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	358	6	3	3	3	25	45	52	33	42	33	35	21	17	14	11	8	3	–	3	–	–	1
	White Male	76	3	1	1	–	5	5	6	6	10	7	10	6	4	4	5	1	1	–	1	–	–	–
	Female	27	1	–	–	1	4	1	2	3	6	1	2	1	2	2	–	1	–	–	–	–	–	–
	All other Male	205	1	1	1	1	13	35	34	21	21	17	19	12	10	6	5	4	1	–	2	–	–	1
	Female	50	1	1	1	1	3	4	10	3	5	8	4	2	1	2	1	2	1	–	–	–	–	–
E980–E999	Other external causes	53	2	–	–	1	5	7	12	6	2	2	2	2	3	1	3	1	2	1	–	–	–	1
	White Male	18	1	–	–	–	2	3	6	1	–	–	1	–	3	–	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	28	–	–	–	1	3	4	4	4	2	1	1	1	–	1	3	1	1	1	–	–	–	–
	Female	5	1	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri																							
	All causes	**49,059**	**1,124**	**178**	**125**	**160**	**540**	**544**	**489**	**442**	**507**	**799**	**1,279**	**2,114**	**2,846**	**3,979**	**5,472**	**6,211**	**6,817**	**6,746**	**5,222**	**2,611**	**842**	**12**
	White ..... Male	23,936	464	80	55	90	346	309	267	221	254	385	668	1,212	1,584	2,285	3,207	3,301	3,250	2,890	1,986	856	223	3
	Female	20,093	369	65	52	46	99	100	103	124	128	259	401	602	878	1,186	1,704	2,321	2,998	3,462	2,991	1,638	563	4
	All other ..... Male	2,847	163	22	13	15	68	104	96	66	84	105	126	178	211	295	310	310	273	197	128	52	28	3
	Female	2,183	128	11	5	9	27	31	23	31	41	50	84	122	173	213	251	279	296	197	117	65	28	2
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	38	14	1	–	–	1	–	–	–	–	1	–	–	1	2	1	5	3	2	4	2	1	–
	White ..... Male	14	6	1	–	–	1	–	–	–	–	–	–	–	1	–	–	2	–	1	–	1	1	–
	Female	17	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	4	1	–	–
	All other ..... Male	5	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	70	–	–	–	–	–	1	2	2	–	4	3	2	6	8	10	10	7	11	4	–	–	–
	White ..... Male	39	–	–	–	–	–	1	1	–	–	2	–	–	3	5	8	6	4	7	2	–	–	–
	Female	19	–	–	–	–	–	–	–	2	–	1	1	1	1	2	1	2	3	3	2	–	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	2	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–
010–012	Tuberculosis of respiratory system	50	–	–	–	–	–	1	1	1	–	2	3	1	2	5	6	9	6	9	4	–	–	–
	White ..... Male	27	–	–	–	–	–	1	1	–	–	1	–	–	–	3	5	5	3	6	2	–	–	–
	Female	13	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	2	3	2	2	–	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	2	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–
013–019	Tuberculosis, other forms	20	–	–	–	–	–	–	1	1	–	2	–	1	4	3	4	1	1	2	–	–	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	1	–	–	3	2	3	1	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	6	–	3	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	3	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
038	Septicemia	132	16	–	–	–	1	–	1	1	1	4	3	8	8	6	5	18	23	11	14	10	2	–
	White ..... Male	59	7	–	–	–	–	–	–	–	1	1	2	2	5	3	2	7	11	6	5	6	1	–
	Female	46	4	–	–	–	1	–	1	–	–	1	1	3	1	1	2	7	6	5	8	4	1	–
	All other ..... Male	16	1	–	–	–	–	–	–	1	–	2	–	3	2	2	–	3	2	–	–	–	–	–
	Female	11	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	1	1	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	98	11	2	1	2	2	3	1	2	3	4	–	5	11	8	8	10	5	9	6	4	1	–
	White ..... Male	40	2	2	1	–	–	1	1	1	–	2	–	2	5	3	4	6	1	5	3	–	1	–
	Female	39	5	–	–	2	2	–	–	–	1	1	–	2	1	4	3	3	4	4	3	4	–	–
	All other ..... Male	8	2	–	–	–	–	1	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–
	Female	11	2	–	–	–	–	1	–	1	2	1	–	–	1	1	1	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	9,113	2	18	16	14	29	33	50	63	89	211	345	609	854	1,093	1,375	1,355	1,257	940	561	161	38	–
	White Male	4,424	1	7	5	9	19	17	25	32	38	79	123	285	399	566	734	703	634	434	240	57	17	–
	Female	3,777	1	6	10	3	8	13	21	21	38	104	164	252	361	401	501	527	508	452	278	91	17	–
	All other Male	514	–	3	1	–	2	1	4	2	4	18	27	34	56	75	80	76	55	34	32	9	1	–
	Female	398	–	2	–	2	–	2	–	8	9	10	31	38	38	51	60	49	60	20	11	4	3	–
140–149	Of buccal cavity and pharynx	191	–	–	–	–	–	–	–	–	–	6	16	15	22	23	27	28	16	18	13	5	2	–
	White Male	115	–	–	–	–	–	–	–	–	–	–	5	10	12	15	22	22	9	9	9	1	1	–
	Female	53	–	–	–	–	–	–	–	–	–	2	5	3	6	6	4	5	6	8	3	4	1	–
	All other Male	17	–	–	–	–	–	–	–	–	–	4	3	2	3	2	–	1	1	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	3	–	1	–	1	–	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	2,378	–	1	–	1	2	3	5	15	21	37	74	138	190	254	334	380	374	289	192	55	13	–
	White Male	1,063	–	–	–	–	1	3	3	8	11	17	34	68	85	120	166	178	156	113	76	20	4	–
	Female	1,057	–	1	–	–	1	–	1	4	5	17	31	51	81	99	124	164	184	148	107	32	7	–
	All other Male	137	–	–	–	–	–	–	1	1	1	1	4	13	14	19	23	22	11	17	7	2	1	–
	Female	121	–	–	–	1	–	–	–	2	4	2	5	6	10	16	21	16	23	11	2	1	1	–
160–163	Of respiratory system	2,227	–	–	–	–	–	2	1	4	15	60	92	183	273	374	402	334	262	153	56	14	2	–
	White Male	1,582	–	–	–	–	–	2	1	2	12	32	49	127	186	264	307	251	200	106	34	7	2	–
	Female	427	–	–	–	–	–	–	–	1	3	17	23	37	60	62	62	53	43	39	21	6	–	–
	All other Male	168	–	–	–	–	–	–	–	–	–	9	13	14	21	39	24	24	17	6	1	–	–	–
	Female	50	–	–	–	–	–	–	–	1	–	2	7	5	6	9	9	6	2	2	–	1	–	–
174	Of breast	765	–	–	–	–	–	1	6	2	11	36	48	71	87	99	115	74	84	66	46	13	6	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	1	1	1	1	–	–
	Female	681	–	–	–	–	–	–	6	1	9	33	37	59	75	90	105	68	75	64	43	12	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	77	–	–	–	–	–	1	–	1	2	3	11	11	10	9	10	6	8	1	2	–	2	–
180–187	Of genital organs	1,107	–	–	–	–	1	6	8	13	9	16	39	63	64	105	140	176	177	154	99	31	6	–
	White Male	436	–	–	–	–	1	3	1	3	2	–	3	4	12	30	40	72	90	96	57	17	5	–
	Female	526	–	–	–	–	–	2	7	10	6	14	33	47	43	65	78	78	60	52	22	8	1	–
	All other Male	77	–	–	–	–	–	–	–	–	–	1	–	1	2	4	12	17	13	6	16	5	–	–
	Female	68	–	–	–	–	–	1	–	–	1	1	3	11	7	6	10	9	14	–	4	1	–	–
188, 189	Of urinary organs	399	1	2	3	1	–	–	1	2	3	6	7	17	24	40	63	59	73	60	26	11	–	–
	White Male	241	–	1	–	1	–	–	1	1	1	4	3	9	19	18	41	39	48	33	16	6	–	–
	Female	125	1	–	3	–	–	–	–	–	2	1	3	8	3	16	15	16	20	25	8	4	–	–
	All other Male	25	–	–	–	–	–	–	–	1	–	1	1	–	2	4	5	3	4	1	2	1	–	–
	Female	8	–	1	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,249	–	4	7	7	14	10	13	13	20	34	46	80	128	115	200	173	157	118	86	17	7	–
	White Male	571	–	2	2	4	9	3	9	8	7	18	18	43	53	67	103	83	67	41	29	2	3	–
	Female	567	–	1	4	3	3	6	1	3	10	13	22	30	62	36	79	79	75	72	50	14	4	–
	All other Male	59	–	1	1	–	2	1	3	–	2	1	4	3	9	5	12	4	5	2	4	–	–	–
	Female	52	–	–	–	–	–	–	–	2	1	2	2	4	4	7	6	7	10	3	3	1	–	–
204–207	Leukemia	363	1	11	5	4	9	5	3	10	5	11	7	21	27	27	33	58	46	46	24	9	1	–
	White Male	207	1	4	2	3	7	2	3	7	2	6	4	12	13	19	20	34	29	25	13	–	1	–
	Female	137	–	4	3	–	2	3	–	2	2	5	3	8	11	8	12	22	14	19	11	8	–	–
	All other Male	11	–	2	–	–	–	–	–	–	–	–	–	–	3	–	1	1	2	1	–	1	–	–
	Female	8	–	1	–	1	–	–	–	1	1	–	–	1	–	–	–	1	1	1	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	434	–	–	1	1	3	6	13	4	5	5	16	21	39	56	61	73	68	36	19	6	1	–
	White Male	202	–	–	1	1	1	4	7	3	3	2	7	11	17	33	35	24	34	10	5	3	1	–
	Female	204	–	–	–	–	2	2	6	–	1	2	7	9	20	19	22	42	31	25	13	3	–	–
	All other Male	20	–	–	–	–	–	–	–	–	1	1	2	1	2	2	3	4	2	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	3	1	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	89	–	–	1	2	2	–	–	2	3	2	2	10	9	2	10	8	14	2	15	4	1	–
	White Male	31	–	–	1	1	–	–	–	1	1	–	2	3	2	–	4	4	5	–	5	1	1	–
	Female	51	–	–	–	1	–	–	–	1	2	2	–	6	6	2	5	4	8	1	10	3	–	–
	All other Male	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	4	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
250	Diabetes mellitus	935	1	–	–	1	1	1	7	7	16	8	10	36	53	89	110	172	168	143	86	20	6	–
	White Male	323	1	–	–	–	–	–	3	3	6	1	2	11	18	32	40	73	58	40	29	6	–	–
	Female	478	–	–	–	1	1	1	3	2	7	3	4	10	19	31	54	82	95	94	52	13	6	–
	All other Male	56	–	–	–	–	–	–	–	–	2	2	2	11	5	12	5	4	7	4	2	–	–	–
	Female	78	–	–	–	–	–	–	1	2	1	2	2	4	11	14	11	13	8	5	3	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	90	4	–	–	–	–	–	1	2	–	1	1	–	1	5	4	10	10	17	15	11	8	–
	White Male	35	–	–	–	–	–	–	–	1	–	–	1	–	1	1	2	7	3	8	5	1	5	–
	Female	40	1	–	–	–	–	–	–	1	–	1	–	–	–	–	2	2	5	7	9	9	3	–
	All other Male	9	2	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	1	–	1	1	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
280–285	Anemias	64	1	1	–	2	2	1	–	1	–	2	1	–	2	7	9	6	9	5	9	4	2	–
	White Male	29	1	–	–	–	2	1	–	–	–	–	–	–	1	1	8	2	3	4	6	–	–	–
	Female	28	–	–	–	1	–	–	–	1	–	1	–	–	1	4	1	4	6	1	3	3	2	–
	All other Male	5	–	1	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
320	Meningitis	36	17	3	2	–	1	1	–	–	–	–	1	2	–	2	1	4	1	1	–	–	–	–
	White Male	15	4	1	1	–	1	1	–	–	–	–	1	1	–	1	–	3	–	1	–	–	–	–
	Female	12	7	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	All other Male	5	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	25,556	14	10	3	3	16	26	31	68	98	216	442	817	1,185	1,881	2,747	3,345	4,047	4,462	3,602	1,912	625	6
	White Male	12,171	5	5	1	2	8	7	15	29	50	128	276	544	734	1,161	1,675	1,771	1,839	1,831	1,311	620	157	2
	Female	11,268	4	2	2	1	7	12	9	20	17	48	100	157	280	480	793	1,263	1,890	2,384	2,143	1,223	431	2
	All other Male	1,087	3	3	–	–	1	4	4	12	19	29	47	72	84	136	149	152	143	113	68	29	18	1
	Female	1,030	2	–	–	–	–	3	3	7	12	11	19	44	87	104	130	159	175	134	80	40	19	1
390–398, 402, 404, 410–429	Diseases of heart	18,593	10	8	1	2	13	15	16	47	68	159	363	677	958	1,553	2,146	2,481	2,868	3,101	2,438	1,250	415	4
	White Male	9,319	2	4	1	1	7	4	8	21	42	112	247	480	639	990	1,362	1,382	1,323	1,295	892	398	107	2
	Female	7,787	3	1	–	1	5	7	4	11	9	20	70	111	200	379	589	884	1,326	1,643	1,436	807	280	1
	All other Male	774	3	3	–	–	1	1	3	11	13	20	37	54	57	101	105	111	95	74	51	19	15	–
	Female	713	2	–	–	–	–	3	1	4	4	7	9	32	62	83	90	104	124	89	59	26	13	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	295	–	–	–	–	1	3	–	5	5	11	14	23	26	46	40	48	36	14	17	6	–	–
	White Male	127	–	–	–	–	1	1	–	–	3	5	8	18	13	17	16	20	13	8	4	–	–	–
	Female	152	–	–	–	–	–	1	–	5	1	5	5	5	13	25	19	27	22	6	12	6	–	–
	All other Male	6	–	–	–	–	–	1	–	–	–	1	1	–	–	1	2	–	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	1	–	–	–	–	3	3	1	1	–	1	–	–	–
402	Hypertensive heart disease	169	–	–	–	–	–	1	–	1	1	1	6	9	3	13	19	17	25	21	28	19	5	–
	White Male	54	–	–	–	–	–	–	–	–	–	1	1	3	1	4	6	6	10	9	6	4	3	–
	Female	78	–	–	–	–	–	1	–	–	–	–	2	3	–	4	8	5	11	8	21	13	2	–
	All other Male	18	–	–	–	–	–	–	–	1	1	–	2	–	1	5	2	2	2	1	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	3	1	–	3	4	2	3	–	2	–	–
404	Hypertensive heart and renal disease	194	–	–	–	–	–	–	–	–	–	1	1	3	2	6	12	22	31	44	38	22	12	–
	White Male	82	–	–	–	–	–	–	–	–	–	–	1	1	–	4	7	13	11	16	18	6	5	–
	Female	100	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	9	18	26	20	15	7	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	1	–	1	–	–
410–413	Ischemic heart disease	16,467	–	–	–	–	–	1	7	27	54	131	309	581	850	1,373	1,907	2,230	2,578	2,784	2,174	1,097	360	4
	White Male	8,387	–	–	–	–	–	1	5	16	37	101	218	430	583	909	1,225	1,259	1,206	1,141	806	360	88	2
	Female	6,852	–	–	–	–	–	–	1	3	5	13	52	80	164	321	522	789	1,180	1,504	1,273	700	244	1
	All other Male	643	–	–	–	–	–	–	–	6	10	14	32	50	50	76	86	99	82	64	42	17	15	–
	Female	585	–	–	–	–	–	–	1	2	2	3	7	21	53	67	74	83	110	75	53	20	13	1
410	Acute myocardial infarction	8,502	–	–	–	–	–	1	5	23	35	100	224	419	590	956	1,210	1,296	1,323	1,155	766	310	88	1
	White Male	4,936	–	–	–	–	–	1	3	15	24	81	170	326	427	655	823	777	670	510	316	110	28	–
	Female	3,062	–	–	–	–	–	–	1	3	5	10	35	56	111	224	323	446	577	608	421	188	53	1
	All other Male	308	–	–	–	–	–	–	–	4	6	8	17	29	30	47	42	44	31	19	22	5	4	–
	Female	196	–	–	–	–	–	–	1	1	–	1	2	8	22	30	22	29	45	18	7	7	3	–
411	Other acute and subacute forms of ischemic heart disease	42	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	1	8	13	8	1	3	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	3	5	3	1	1	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	8	5	–	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
412	Chronic ischemic heart disease	7,891	–	–	–	–	–	–	2	4	19	31	85	161	259	410	690	927	1,245	1,610	1,391	785	269	3
	White Male	3,415	–	–	–	–	–	–	2	1	13	20	48	104	156	248	396	479	532	624	483	248	59	2
	Female	3,754	–	–	–	–	–	–	–	–	–	3	17	23	52	96	198	339	599	884	842	512	189	–
	All other Male	335	–	–	–	–	–	–	–	2	4	6	15	21	20	29	44	55	51	45	20	12	11	–
	Female	387	–	–	–	–	–	–	–	1	2	2	5	13	31	37	52	54	63	57	46	13	10	1
413	Angina pectoris	32	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	6	2	6	9	1	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	1	2	4	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	4	5	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	153	–	–	1	–	1	1	2	1	2	1	4	3	3	6	16	20	17	31	29	11	4	–
	White Male	69	–	–	1	–	–	–	–	1	–	–	1	–	2	1	14	9	12	17	8	2	1	–
	Female	76	–	–	–	–	1	1	2	–	1	–	3	3	1	3	1	11	5	11	21	9	3	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,315	10	8	–	2	11	9	7	13	6	14	29	58	74	109	152	144	181	207	152	95	34	–
	White Male	600	2	4	–	1	6	2	3	4	2	5	18	28	40	55	94	75	71	104	50	26	10	–
	Female	529	3	1	–	1	4	4	1	3	2	2	8	20	22	24	36	43	90	88	89	64	24	–
	All other Male	99	3	3	–	–	1	–	3	4	1	5	2	4	6	18	13	10	9	7	8	2	–	–
	Female	87	2	–	–	–	–	3	–	2	1	2	1	6	6	12	9	16	11	8	5	3	–	–
400, 401, 403	Hypertension	200	–	–	–	–	–	–	–	1	2	2	2	7	9	13	19	29	26	28	33	24	5	–
	White Male	81	–	–	–	–	–	–	–	1	–	1	1	1	3	6	7	14	10	16	11	6	4	–
	Female	81	–	–	–	–	–	–	–	–	1	–	–	3	2	2	5	11	13	11	18	15	–	–
	All other Male	17	–	–	–	–	–	–	–	–	1	1	–	1	–	2	2	4	2	–	2	2	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	1	2	4	3	5	–	1	1	2	1	1	–
430–438	Cerebrovascular diseases	5,325	3	2	1	1	3	9	13	12	22	48	59	112	178	256	467	696	932	1,066	857	461	125	2
	White Male	2,121	2	1	–	1	1	3	7	5	5	11	20	49	74	128	233	301	399	402	303	151	25	–
	Female	2,707	1	1	1	–	2	5	3	5	5	25	23	41	62	87	168	312	457	594	525	295	94	1
	All other Male	245	–	–	–	–	–	1	1	–	5	8	9	13	21	27	37	33	35	32	13	6	3	1
	Female	252	–	–	–	–	–	–	2	2	7	4	7	9	21	14	29	50	41	38	16	9	3	–
431	Cerebral hemorrhage	730	–	2	–	–	–	–	3	3	4	18	19	36	48	60	89	94	121	106	79	34	14	–
	White Male	318	–	1	–	–	–	–	2	1	1	6	6	15	20	31	47	40	51	51	31	15	–	–
	Female	341	–	1	–	–	–	–	–	2	2	9	7	11	18	20	31	45	61	54	48	19	13	–
	All other Male	41	–	–	–	–	–	–	–	–	–	3	4	7	6	7	7	2	4	1	–	–	–	–
	Female	30	–	–	–	–	–	–	1	–	1	–	2	3	4	2	4	7	5	–	–	–	1	–
433	Cerebral thrombosis	1,376	–	–	–	–	1	1	1	1	2	6	5	23	23	48	125	167	253	309	245	124	42	–
	White Male	503	–	–	–	–	–	–	1	1	–	–	–	13	8	23	62	72	107	104	69	35	8	–
	Female	737	–	–	–	–	1	1	–	–	1	5	1	6	7	12	42	78	123	176	166	86	32	–
	All other Male	57	–	–	–	–	–	–	–	–	1	–	1	2	3	7	9	5	10	13	3	1	2	–
	Female	79	–	–	–	–	–	–	–	–	–	1	3	2	5	6	12	12	13	16	7	2	–	–
434	Cerebral embolism	50	–	–	–	–	–	–	–	–	–	–	–	–	4	1	5	7	9	10	9	4	1	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	2	3	5	2	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	4	7	7	4	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,169	3	–	1	1	2	8	9	8	16	24	35	53	103	147	248	428	549	641	524	299	68	2
	White Male	1,281	2	–	–	1	1	3	4	3	4	5	14	21	44	74	122	186	239	244	198	99	17	–
	Female	1,598	1	–	1	–	1	4	3	3	2	11	15	24	35	54	92	185	266	357	307	188	48	1
	All other Male	147	–	–	–	–	–	1	1	–	4	5	4	4	12	13	21	26	21	18	10	5	1	1
	Female	143	–	–	–	–	–	–	1	2	6	3	2	4	12	6	13	31	23	22	9	7	2	–
440	Arteriosclerosis	788	–	–	–	–	–	–	–	–	–	–	–	1	4	15	37	49	113	164	196	141	68	–
	White Male	292	–	–	–	–	–	–	–	–	–	–	–	1	1	8	16	14	46	60	75	55	16	–
	Female	455	–	–	–	–	–	–	–	–	–	–	–	–	1	2	18	29	58	99	117	81	50	–
	All other Male	19	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	3	5	3	1	2	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	4	2	3	3	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	650	1	–	1	–	–	2	2	8	6	7	18	20	36	44	78	90	108	103	78	36	12	–
	White Male	358	1	–	–	–	–	–	–	2	3	4	8	13	17	29	57	60	61	58	30	10	5	–
	Female	238	–	–	1	–	–	–	2	4	2	3	7	2	15	10	13	27	36	37	47	25	7	–
	All other Male	32	–	–	–	–	–	2	–	1	–	–	1	4	4	4	4	1	6	4	1	–	–	–
	Female	22	–	–	–	–	–	–	–	1	1	–	2	1	–	1	4	2	5	4	–	1	–	–
466	Acute bronchitis and bronchiolitis	19	2	4	–	1	–	–	–	1	–	–	–	1	2	2	1	1	–	1	1	2	–	–
	White Male	7	1	1	–	1	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–
	Female	11	1	2	–	–	–	–	–	1	–	–	–	–	2	–	–	1	–	1	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,490	42	7	2	4	8	8	9	10	14	16	18	31	54	65	122	154	228	239	247	157	54	1
	White Male	713	15	3	–	1	4	5	5	3	3	10	7	15	23	28	82	94	128	110	117	53	7	–
	Female	640	9	2	1	2	4	2	3	5	7	3	8	12	18	23	30	51	81	113	125	98	43	–
	All other Male	83	8	1	1	1	–	1	1	1	3	3	3	2	8	9	5	5	11	10	2	5	3	–
	Female	54	10	1	–	–	–	–	–	1	1	–	–	2	5	5	5	4	8	6	3	1	1	1
470–474	Influenza	163	2	1	–	1	–	1	–	2	2	4	2	3	4	7	14	25	24	31	22	12	6	–
	White Male	65	1	1	–	1	–	–	–	1	–	3	1	2	–	2	8	14	9	15	6	–	1	–
	Female	89	1	–	–	–	–	1	–	1	2	–	1	–	2	3	6	9	14	16	16	12	5	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–
480–486	Pneumonia	1,327	40	6	2	3	8	7	9	8	12	12	16	28	50	58	108	129	204	208	225	145	48	1
	White Male	648	14	2	–	–	4	5	5	2	3	7	6	13	23	26	74	80	119	95	111	53	6	–
	Female	551	8	2	1	2	4	1	3	4	5	3	7	12	16	20	24	42	67	97	109	86	38	–
	All other Male	80	8	1	1	1	–	1	1	1	3	2	3	2	7	9	5	5	10	10	2	5	3	–
	Female	48	10	1	–	–	–	–	–	1	1	–	–	1	4	3	5	2	8	6	3	1	1	1
490–493	Bronchitis, emphysema, and asthma	627	3	4	–	2	2	1	3	–	1	10	14	22	43	62	109	114	131	58	32	13	3	–
	White Male	459	2	2	–	1	–	–	3	–	–	1	6	13	23	49	85	95	102	44	26	6	1	–
	Female	141	1	2	–	–	1	1	–	–	–	7	6	8	16	12	21	16	23	12	6	7	2	–
	All other Male	19	–	–	–	–	–	–	–	–	–	–	2	–	4	1	2	2	6	2	–	–	–	–
	Female	8	–	–	–	1	1	–	–	–	1	2	–	1	–	–	1	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri – Con.																							
490, 491	Chronic and unqualified bronchitis	106	2	4	–	–	–	–	1	–	–	–	1	7	6	11	20	13	18	10	5	6	2	–
	White ... Male	70	1	2	–	–	–	–	1	–	–	–	1	2	1	9	16	11	15	6	3	2	–	–
	Female	34	1	2	–	–	–	–	–	–	–	–	–	4	4	2	4	2	3	4	2	4	2	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
492	Emphysema	473	1	–	–	–	–	–	–	–	–	4	7	13	34	48	83	94	107	48	27	6	1	–
	White ... Male	369	1	–	–	–	–	–	–	–	–	–	3	10	21	38	65	81	84	38	23	4	1	–
	Female	88	–	–	–	–	–	–	–	–	–	4	4	3	10	9	15	12	17	8	4	2	–	–
	All other ... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	1	6	2	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
493	Asthma	48	–	–	–	2	2	1	2	–	1	6	6	2	3	3	6	7	6	–	–	1	–	–
	White ... Male	20	–	–	–	1	–	–	2	–	–	1	2	1	1	2	4	3	3	–	–	–	–	–
	Female	19	–	–	–	–	1	1	–	–	–	3	2	1	2	1	2	2	3	–	–	1	–	–
	All other ... Male	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–
	Female	6	–	–	–	1	1	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–	–
531–533	Peptic ulcer	181	–	–	–	–	1	1	–	3	–	4	3	6	18	15	25	18	25	31	17	9	5	–
	White ... Male	105	–	–	–	–	–	–	–	2	–	4	3	5	10	10	15	9	18	17	8	3	1	–
	Female	63	–	–	–	–	1	1	–	1	–	–	–	1	7	5	7	8	5	13	6	6	2	–
	All other ... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	1	3	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
540–543	Appendicitis	21	–	–	–	1	1	1	–	1	1	1	1	1	–	2	4	2	2	1	2	–	–	–
	White ... Male	7	–	–	–	–	–	–	–	–	1	1	–	–	–	1	2	1	–	–	1	–	–	–
	Female	9	–	–	–	1	–	1	–	1	–	–	1	–	–	1	1	–	1	1	1	–	–	–
	All other ... Male	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	169	13	–	–	1	–	–	1	1	1	1	4	5	4	11	20	27	24	22	24	8	2	–
	White ... Male	66	7	–	–	–	–	–	–	1	–	1	1	3	2	5	12	13	7	5	6	2	1	–
	Female	85	3	–	–	1	–	–	–	–	1	–	2	–	2	5	7	12	16	14	17	5	–	–
	All other ... Male	12	2	–	–	–	–	–	1	–	–	–	–	1	–	1	1	2	1	1	–	1	1	–
	Female	6	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	2	1	–	–	–
571	Cirrhosis of liver	510	–	–	–	1	–	–	3	12	13	39	52	77	73	89	74	38	15	13	11	–	–	–
	White ... Male	296	–	–	–	–	–	–	–	5	8	15	28	51	48	49	49	21	9	6	7	–	–	–
	Female	140	–	–	–	1	–	–	1	3	1	11	14	13	18	30	21	14	6	5	2	–	–	–
	All other ... Male	44	–	–	–	–	–	–	1	2	2	9	6	9	4	6	1	2	–	–	2	–	–	–
	Female	30	–	–	–	–	–	–	1	2	2	4	4	4	3	4	3	1	–	2	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	104	–	–	–	–	–	1	1	–	–	–	2	1	5	7	10	15	15	26	14	5	2	–
	White ... Male	43	–	–	–	–	–	–	–	–	–	–	1	1	3	4	4	7	12	10	1	–	–	–
	Female	59	–	–	–	–	–	1	–	–	–	–	1	–	2	3	6	7	3	16	13	5	2	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	207	–	–	–	1	–	1	2	1	4	2	8	8	12	22	24	27	40	22	20	11	2	–
	White ... Male	87	–	–	–	1	–	1	2	–	1	–	5	2	5	11	9	13	16	12	6	2	1	–
	Female	75	–	–	–	–	–	–	–	1	1	1	1	3	3	4	9	9	16	8	11	7	1	–
	All other ... Male	24	–	–	–	–	–	–	–	–	–	1	1	2	2	4	3	3	5	1	2	–	–	–
	Female	21	–	–	–	–	–	–	–	–	2	–	1	1	2	3	3	2	3	1	1	2	–	–
580, 581	Acute nephritis and nephrotic syndrome	45	–	–	–	–	–	–	1	1	1	1	1	1	2	4	7	6	8	5	5	2	–	–
	White ... Male	22	–	–	–	–	–	–	1	–	–	–	1	–	–	3	3	3	4	3	3	1	–	–
	Female	15	–	–	–	–	–	–	–	1	–	–	–	1	1	1	3	2	3	2	1	–	–	–
	All other ... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	–	–	1	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	162	–	–	–	1	–	1	1	–	3	1	7	7	10	18	17	21	32	17	15	9	2	–
	White ... Male	65	–	–	–	1	–	1	1	–	1	–	4	2	5	8	6	10	12	9	3	1	1	–
	Female	60	–	–	–	–	–	–	–	–	1	1	1	2	2	3	6	7	13	6	10	7	1	–
	All other ... Male	21	–	–	–	–	–	–	–	–	–	–	1	2	2	4	3	2	5	1	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	1	–	1	1	1	3	2	2	2	1	1	1	–	–
590	Infections of kidney	137	1	–	–	–	–	–	3	–	1	3	2	1	3	4	10	23	22	28	29	7	–	–
	White ... Male	43	–	–	–	–	–	–	1	–	–	2	–	–	2	1	2	7	8	11	8	1	–	–
	Female	77	–	–	–	–	–	–	2	–	1	1	1	1	1	2	6	12	12	15	18	5	–	–
	All other ... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	1	–	–	–
	Female	10	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	2	2	1	–	–
600	Hyperplasia of prostate	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	6	7	12	6	5	–	–
	White ... Male	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	7	12	6	5	–	–
	All other ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	10	–	–	–	–	3	2	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	6	–	–	–	–	3	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	4	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Missouri—Con.																							
640–645	Abortions	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	8	–	–	–	–	3	1	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	306	195	22	10	11	17	7	6	4	–	1	3	1	6	8	3	6	2	2	–	1	1	–
	White Male	150	97	12	4	2	10	4	4	1	–	–	1	1	3	4	2	2	1	1	–	–	1	–
	Female	115	71	8	4	5	3	2	2	3	–	1	2	–	3	4	1	3	1	1	–	1	–	–
	All other Male	24	18	1	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	9	1	2	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	598	597	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	234	233	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	193	193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	70	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	344	343	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	131	130	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	106	106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	63	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	254	254	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	103	103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	87	87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,764	110	6	7	1	11	16	8	9	13	31	57	87	134	173	224	222	205	170	144	99	35	2
	White Male	921	49	2	1	1	7	8	4	3	9	13	37	59	80	113	143	120	96	76	57	29	13	1
	Female	586	32	4	5	–	2	1	1	3	1	10	12	19	38	40	49	68	83	72	71	57	18	–
	All other Male	130	13	–	–	–	1	5	2	1	2	6	5	6	9	12	20	10	12	12	8	3	2	1
	Female	127	16	–	1	–	1	2	1	2	1	2	3	3	7	8	12	24	14	10	8	10	2	–
Residual	All other diseases	2,966	41	19	15	15	30	30	27	34	59	50	106	176	173	251	385	450	384	359	226	104	31	1
	White Male	1,418	21	6	5	7	14	8	8	6	17	23	45	84	93	129	209	236	191	180	90	36	10	–
	Female	1,164	10	10	7	5	6	9	8	12	13	12	41	61	58	89	135	172	157	155	124	62	17	1
	All other Male	232	7	2	3	1	7	6	5	13	24	9	9	14	13	19	27	30	17	16	6	2	2	–
	Female	152	3	1	–	2	3	7	6	3	5	6	11	17	9	14	14	12	19	8	6	4	2	–
E800–E949	Accidents	2,429	30	67	61	83	296	257	186	112	96	97	107	109	117	97	130	115	134	133	121	57	23	1
	White Male	1,515	9	31	32	54	225	194	135	81	71	60	75	70	79	64	78	62	72	54	39	25	5	–
	Female	698	17	24	21	19	50	40	29	22	16	26	16	29	23	26	39	43	54	75	81	30	18	–
	All other Male	154	1	8	6	9	15	19	20	8	9	6	11	8	11	3	8	5	5	1	–	–	–	1
	Female	62	3	4	2	1	6	4	2	1	–	5	5	2	4	4	5	5	3	3	1	2	–	–
E810–E823	Motor vehicle accidents	1,106	4	30	31	38	198	174	124	57	60	57	44	43	52	39	42	40	32	25	9	4	3	–
	White Male	745	2	17	16	18	146	127	94	42	47	36	33	30	30	21	24	22	19	11	5	3	2	–
	Female	285	2	10	12	16	44	34	21	11	10	19	6	10	13	15	15	14	13	14	4	1	1	–
	All other Male	59	–	2	2	4	6	11	9	4	3	–	4	2	5	2	3	2	–	–	–	–	–	–
	Female	17	–	1	1	–	2	2	–	–	–	2	1	1	4	1	–	2	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,323	26	37	30	45	98	83	62	55	36	40	63	66	65	58	88	75	102	108	112	53	20	1
	White Male	770	7	14	16	36	79	67	41	39	24	24	42	40	49	43	54	40	53	43	34	22	3	–
	Female	413	15	14	9	3	6	6	8	11	6	7	10	19	10	11	24	29	41	61	77	29	17	–
	All other Male	95	1	6	4	5	9	8	11	4	6	6	7	6	6	1	5	3	5	1	–	–	–	1
	Female	45	3	3	1	1	4	2	2	1	–	3	4	1	–	3	5	3	3	3	1	2	–	–
E950–E959	Suicide	555	...	...	–	7	34	44	47	42	37	39	58	55	50	35	30	27	22	18	8	2	–	–
	White Male	379	...	...	–	5	25	31	31	25	22	23	38	35	36	23	25	24	16	11	8	1	–	–
	Female	153	...	...	–	2	7	7	13	13	13	15	18	20	12	11	5	3	6	7	–	1	–	–
	All other Male	19	...	...	–	–	2	5	3	3	2	1	1	–	1	1	–	–	–	–	–	–	–	–
	Female	4	...	...	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	528	3	9	5	5	69	95	84	49	38	33	28	34	13	25	10	10	10	3	3	2	–	–
	White Male	183	2	5	2	2	22	21	22	19	17	11	13	17	4	12	5	2	6	–	–	1	–	–
	Female	56	1	1	1	1	–	9	8	6	4	4	2	2	3	5	2	2	2	1	2	–	–	–
	All other Male	240	–	3	2	1	34	57	49	22	13	15	10	13	4	5	2	4	2	2	1	1	–	–
	Female	49	–	–	–	1	13	8	5	2	4	3	3	2	2	3	1	2	–	–	–	–	–	–
E980–E999	Other external causes	160	5	2	–	3	13	14	16	14	16	17	8	10	7	7	6	10	6	3	1	1	–	1
	White Male	86	1	1	–	3	8	9	7	8	8	8	1	7	4	6	4	5	3	3	–	–	–	–
	Female	42	2	–	–	–	3	–	2	4	4	5	6	1	2	1	2	4	3	–	1	1	–	1
	All other Male	20	–	–	–	–	2	4	5	1	4	1	1	1	–	–	–	1	–	–	–	–	–	–
	Female	12	2	1	–	–	–	1	2	1	–	3	–	1	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana																							
	All causes	6,538	186	46	31	38	132	99	91	73	70	117	186	298	385	554	671	712	750	858	768	368	105	–
	White Male	3,673	97	22	21	24	84	60	54	42	31	58	109	189	251	363	442	423	409	449	345	170	30	–
	Female	2,582	71	14	7	11	29	21	22	20	24	42	67	94	123	168	207	269	320	395	412	194	72	–
	All other Male	190	7	9	3	2	16	15	10	8	11	10	7	10	8	12	12	14	14	11	9	–	2	–
	Female	93	11	1	–	1	3	3	5	3	4	7	3	5	3	11	10	6	7	3	2	4	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	15	–	–	–	–	–	–	–	2	–	–	–	–	–	2	8	1	1	1	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	All other Male	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	6	1	1	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
013–019	Tuberculosis, other forms	6	–	–	–	–	–	–	–	2	–	–	–	–	–	1	2	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	14	4	–	–	–	–	–	2	–	–	1	–	–	1	–	3	1	–	2	–	–	–	–
	White Male	10	3	–	–	–	–	–	1	–	–	1	–	–	1	–	1	1	–	2	–	–	–	–
	Female	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	14	1	–	–	–	–	1	–	1	1	–	2	3	2	–	–	1	–	1	1	–	–	–
	White Male	4	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	7	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	1	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,098	–	3	4	2	3	3	6	10	9	22	54	76	101	136	156	151	116	119	93	29	5	–
	White	610	–	2	2	2	2	3	2	6	2	7	24	36	56	69	105	93	68	64	51	13	3	–
	Male	460	–	1	2	–	1	–	3	4	6	14	29	38	45	61	48	56	45	49	40	16	2	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	2	6	1	–	–	–
	All other	13	–	–	–	–	–	–	1	–	1	1	–	1	–	4	2	1	1	–	1	–	–	–
	Male																							
	Female																							
140–149	Of buccal cavity and pharynx	24	–	–	–	–	–	–	–	–	–	–	1	–	2	5	6	3	1	3	3	–	–	–
	White	15	–	–	–	–	–	–	–	–	–	–	–	–	2	2	6	2	–	2	1	–	–	–
	Male	9	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	1	1	2	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Male																							
	Female																							
150–159	Of digestive organs and peritoneum	309	–	–	–	–	–	–	1	–	1	6	15	21	30	33	33	49	38	40	34	8	–	–
	White	181	–	–	–	–	–	–	1	–	–	2	11	16	18	19	26	27	19	22	17	3	–	–
	Male	125	–	–	–	–	–	–	–	–	1	4	4	5	12	13	6	22	18	18	17	5	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Male																							
	Female																							
160–163	Of respiratory system	235	–	–	–	–	–	1	–	1	–	5	8	13	30	39	45	36	27	19	6	3	2	–
	White	174	–	–	–	–	–	1	–	–	–	1	6	8	22	27	39	30	21	12	5	1	1	–
	Male	53	–	–	–	–	–	–	–	1	–	4	2	4	8	10	6	5	5	4	1	2	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	3	–	–	–	–
	All other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Male																							
	Female																							
174	Of breast	86	–	–	–	–	–	–	–	1	2	2	10	13	12	11	11	7	4	5	7	1	–	–
	White	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Male	84	–	–	–	–	–	–	–	1	2	2	10	13	11	11	10	7	4	5	7	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Male																							
	Female																							
180–187	Of genital organs	149	–	–	–	–	–	1	1	3	1	3	4	9	8	14	19	22	12	22	21	8	1	–
	White	79	–	–	–	–	–	1	–	2	–	–	–	–	2	5	8	13	9	14	18	6	1	–
	Male	65	–	–	–	–	–	–	–	1	1	3	4	8	6	8	11	9	3	7	2	2	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other	3	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Male																							
	Female																							
188, 189	Of urinary organs	52	–	–	–	–	–	–	–	–	–	1	4	4	5	3	5	11	9	6	3	1	–	–
	White	40	–	–	–	–	–	–	–	–	–	–	3	2	3	2	5	11	6	5	2	1	–	–
	Male	9	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	3	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	All other	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Male																							
	Female																							
170–173, 190–199	Of all other and unspecified sites	129	–	2	1	–	1	–	1	4	4	4	9	10	9	14	18	11	15	8	13	3	2	–
	White	68	–	2	–	–	1	–	1	3	2	3	3	6	7	5	10	5	7	4	6	2	1	–
	Male	58	–	–	1	–	–	–	–	1	1	–	6	4	2	9	8	6	8	3	7	1	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Male																							
	Female																							
204–207	Leukemia	54	–	1	3	1	1	1	3	–	1	1	1	2	1	6	9	6	3	8	3	3	–	–
	White	22	–	–	2	1	–	1	–	–	–	1	–	1	–	3	6	3	1	1	2	–	–	–
	Male	31	–	1	1	–	1	–	3	–	1	–	1	1	1	2	3	3	2	7	1	3	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Male																							
	Female																							
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	60	–	–	–	1	1	–	–	1	–	–	2	4	4	11	10	6	7	8	3	2	–	–
	White	30	–	–	–	1	1	–	–	1	–	–	1	3	1	6	5	2	5	4	–	–	–	–
	Male	26	–	–	–	–	–	–	–	–	–	–	1	1	3	5	4	3	1	4	2	2	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	Male																							
	Female																							
210–239	Benign neoplasms and neoplasms of unspecified nature	15	–	–	1	–	–	–	–	–	–	2	–	1	–	1	3	3	2	1	–	1	–	–
	White	10	–	–	1	–	–	–	–	–	–	1	–	1	–	1	1	2	1	1	–	1	–	–
	Male	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Male																							
	Female																							
250	Diabetes mellitus	118	–	–	–	–	1	1	2	2	4	1	4	4	6	7	11	12	27	19	13	4	–	–
	White	45	–	–	–	–	–	–	2	2	4	–	2	3	3	3	5	5	4	8	3	1	–	–
	Male	69	–	–	–	–	1	1	–	–	–	1	2	1	2	3	4	7	23	11	10	3	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Male																							
	Female																							
260–269	Avitaminoses and other nutritional deficiencies	10	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	1	2	3	–	1	–
	White	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	–	–	–
	Male	4	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Male																							
	Female																							

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
280–285	Anemias	8	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	3	–	–	–
	White Male	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	9	4	1	–	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	1	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,139	3	1	2	1	–	3	2	7	16	22	47	113	163	281	302	377	450	510	511	254	74	–
	White Male	1,698	1	1	–	–	–	1	1	2	7	14	34	80	118	192	199	216	246	246	213	107	20	–
	Female	1,370	1	–	1	1	–	1	1	4	8	7	13	28	38	77	95	149	196	261	293	143	53	–
	All other Male	47	1	–	1	–	–	–	–	1	1	1	–	3	6	8	4	9	6	2	4	–	–	–
	Female	24	–	–	–	–	–	1	–	–	–	–	–	2	1	4	4	3	2	1	1	4	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,177	3	1	2	–	–	2	1	4	12	18	41	94	136	232	239	280	297	308	307	159	41	–
	White Male	1,277	1	1	–	–	–	1	1	2	7	14	33	70	101	167	166	170	170	159	136	66	12	–
	Female	845	1	–	1	–	–	1	–	1	4	3	8	19	28	56	68	102	121	147	168	89	28	–
	All other Male	39	1	–	1	–	–	–	–	1	1	1	–	3	6	7	2	7	5	1	3	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	1	1	1	–	4	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	54	–	–	–	–	–	–	–	1	1	1	1	4	5	6	14	12	5	3	–	1	–	–
	White Male	27	–	–	–	–	–	–	–	1	–	1	–	2	4	4	7	3	3	1	–	1	–	–
	Female	25	–	–	–	–	–	–	–	–	1	–	1	2	1	2	6	8	2	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
402	Hypertensive heart disease	32	–	–	–	–	–	–	–	–	1	–	–	1	2	1	3	4	5	2	7	5	1	–
	White Male	12	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	1	1	–	3	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	2	4	4	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	4	1	2	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,779	–	–	–	–	–	1	1	1	8	12	29	71	101	196	193	225	250	268	257	132	34	–
	White Male	1,045	–	–	–	–	–	–	1	1	5	9	25	56	75	139	135	140	144	139	113	52	11	–
	Female	704	–	–	–	–	–	1	–	–	2	3	4	12	24	50	56	81	100	128	143	78	22	–
	All other Male	21	–	–	–	–	–	–	–	–	1	–	–	2	2	5	1	4	5	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	1	–	2	1	–
410	Acute myocardial infarction	1,038	–	–	–	–	–	–	1	1	7	11	23	61	81	150	129	158	148	130	87	45	6	–
	White Male	675	–	–	–	–	–	–	1	1	4	8	22	47	59	108	91	105	87	78	41	22	1	–
	Female	340	–	–	–	–	–	–	–	–	2	3	1	11	20	37	38	49	56	51	46	22	4	–
	All other Male	17	–	–	–	–	–	–	–	–	1	–	–	2	2	4	–	4	4	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	1	1	–
411	Other acute and subacute forms of ischemic heart disease	13	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	1	2	2	–	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	1	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	728	–	–	–	–	–	1	–	–	1	1	6	10	19	44	62	65	101	136	168	87	27	–
	White Male	363	–	–	–	–	–	–	–	–	1	1	3	9	15	29	42	35	56	61	71	30	10	–
	Female	358	–	–	–	–	–	1	–	–	–	–	3	1	4	13	18	30	44	75	96	56	17	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	40	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	7	8	8	6	3	2	–
	White Male	22	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	4	6	2	4	2	1	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	2	6	2	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
420–423, 425–427, 429	All other forms of heart disease	260	3	1	2	–	–	1	–	2	2	5	11	17	26	28	27	32	26	25	33	17	2	–
	White ..... Male	165	1	1	–	–	–	1	–	–	1	4	8	11	19	22	22	22	14	15	15	9	–	–
	Female	74	1	–	1	–	–	–	–	1	1	–	3	4	3	4	3	8	12	9	16	6	2	–
	All other ..... Male	17	1	–	1	–	–	–	–	1	–	1	–	1	4	2	1	2	–	1	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	2	–	–
400, 401, 403	Hypertension	16	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	2	2	2	1	2	1	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	2	–	1	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	664	–	–	–	1	–	1	–	3	4	3	6	13	21	35	45	71	105	141	136	60	19	–
	White ..... Male	286	–	–	–	–	–	–	–	–	–	–	1	5	13	16	26	32	52	55	57	24	5	–
	Female	367	–	–	–	1	–	–	–	3	4	3	5	8	8	16	18	37	52	85	77	36	14	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–	–
	Female	5	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–
431	Cerebral hemorrhage	82	–	–	–	–	–	1	–	–	–	2	2	3	6	5	11	9	10	22	7	4	–	–
	White ..... Male	34	–	–	–	–	–	–	–	–	–	–	1	–	3	3	5	6	6	5	2	3	–	–
	Female	44	–	–	–	–	–	–	–	–	–	2	1	3	3	1	5	3	4	16	5	1	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	139	–	–	–	–	–	–	–	–	–	–	1	2	4	6	6	16	20	29	30	16	9	–
	White ..... Male	67	–	–	–	–	–	–	–	–	–	–	–	1	3	1	5	8	12	10	18	6	3	–
	Female	72	–	–	–	–	–	–	–	–	–	–	1	1	1	5	1	8	8	19	12	10	6	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	442	–	–	–	1	–	–	–	3	4	1	3	8	11	24	28	46	75	90	98	40	10	–
	White ..... Male	185	–	–	–	–	–	–	–	–	–	–	–	4	7	12	16	18	34	40	37	15	2	–
	Female	250	–	–	–	1	–	–	–	3	4	1	3	4	4	10	12	26	40	50	59	25	8	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
440	Arteriosclerosis	171	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	13	22	33	55	26	12	–
	White ..... Male	69	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	6	10	18	16	14	2	–
	Female	99	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	5	12	15	39	12	10	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	111	–	–	–	–	–	–	1	–	–	–	–	6	4	9	10	11	24	26	12	7	1	–
	White ..... Male	60	–	–	–	–	–	–	–	–	–	–	–	5	3	5	7	7	14	12	4	2	1	–
	Female	49	–	–	–	–	–	–	1	–	–	–	–	1	1	4	2	4	9	14	8	5	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	5	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	Female	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	200	6	–	–	–	2	1	–	2	–	4	4	3	7	9	16	21	20	36	36	26	7	–
	White ..... Male	110	2	–	–	–	2	1	–	–	–	–	2	2	5	6	11	12	14	19	20	12	2	–
	Female	78	3	–	–	–	–	–	–	1	–	3	1	1	2	3	5	8	5	15	13	14	4	–
	All other ..... Male	7	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	3	–	1	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
470–474	Influenza	17	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	5	2	5	1	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	5	1	3	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	183	6	–	–	–	2	1	–	2	–	4	4	2	6	9	15	20	15	34	31	25	7	–
	White ..... Male	99	2	–	–	–	2	1	–	–	–	–	2	2	4	6	10	12	9	18	17	12	2	–
	Female	72	3	–	–	–	–	–	–	1	–	3	1	–	2	3	5	7	5	14	11	13	4	–
	All other ..... Male	7	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	3	–	1	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	141	1	–	–	–	–	–	–	–	–	–	–	7	4	20	32	27	23	23	3	1	–	–
	White ..... Male	110	–	–	–	–	–	–	–	–	–	–	–	4	3	14	27	22	16	21	2	1	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	–	3	1	6	5	5	5	2	1	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
490, 491	Chronic and unqualified bronchitis	19	1	–	–	–	–	–	–	–	–	–	–	1	2	2	4	3	4	2	–	–	–	–
	White ... Male	13	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	2	3	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	115	–	–	–	–	–	–	–	–	–	–	–	5	2	16	27	23	19	20	2	1	–	–
	White ... Male	94	–	–	–	–	–	–	–	–	–	–	–	3	1	11	24	20	13	19	2	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	2	1	5	3	3	4	1	–	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
493	Asthma	7	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	1	1	–	–	–
	White ... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	27	–	–	–	–	–	–	1	–	–	–	1	1	2	4	2	4	2	6	2	2	–	–
	White ... Male	16	–	–	–	–	–	–	–	–	–	–	1	1	2	3	1	2	1	3	1	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	1	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	29	5	–	–	–	–	–	–	–	–	1	–	2	1	1	3	1	2	6	4	2	1	–
	White ... Male	11	2	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	2	1	–	1	–	–
	Female	18	3	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	5	4	1	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	75	–	–	–	–	–	–	1	1	5	10	11	10	9	10	10	4	–	4	–	–	–	–
	White ... Male	36	–	–	–	–	–	–	1	1	–	5	3	6	6	7	3	3	–	1	–	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	1	4	2	3	3	6	1	–	3	–	–	–	–
	All other ... Male	9	–	–	–	–	–	–	–	–	4	–	2	2	–	–	1	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	1	–
	White ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	19	–	–	–	–	–	1	–	–	–	–	–	1	–	4	3	2	1	3	3	1	–	–
	White ... Male	9	–	–	–	–	–	1	–	–	–	–	–	–	–	4	–	–	–	2	1	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	1	–	1	–	–	–
	All other ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	6	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–	1	–	1	–	–	–
	White ... Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	13	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	–	3	2	1	–	–
	White ... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	2	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–
	All other ... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	12	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	2	2	4	–	1	–
	White ... Male	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	4	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	1	1	–
	White ... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	1	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Montana—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	52	32	4	3	1	2	2	–	–	1	2	–	1	1	–	–	1	1	1	–	–	–	–
	White Male	26	17	2	3	1	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–
	Female	19	10	1	–	–	2	1	–	–	1	1	–	–	1	–	–	1	1	–	–	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	5	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	98	98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	54	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	20	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	184	14	5	–	1	1	1	1	2	–	1	8	14	11	9	18	18	19	31	15	10	5	–
	White Male	115	6	3	–	1	–	–	1	1	–	1	5	10	7	5	15	11	9	21	10	8	1	–
	Female	59	7	–	–	–	–	1	–	–	–	–	3	1	4	2	3	7	10	10	5	2	4	–
	All other Male	4	1	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	6	–	1	–	–	–	–	–	1	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Residual	All other diseases	469	10	4	3	3	12	–	7	8	8	10	21	27	25	28	55	67	45	58	47	26	5	–
	White Male	285	6	2	2	1	8	–	3	5	3	3	12	18	11	21	36	42	26	38	30	18	–	–
	Female	163	4	2	1	2	2	–	4	2	1	4	7	8	13	7	18	23	17	19	17	8	4	–
	All other Male	15	–	–	–	–	1	–	–	–	3	2	2	1	–	–	1	2	1	1	–	–	1	–
	Female	6	–	–	–	–	1	–	–	1	1	1	–	–	1	–	–	–	1	–	–	–	–	–
E800–E949	Accidents	582	6	25	18	22	87	63	52	24	16	30	24	19	32	24	35	14	28	27	24	10	2	–
	White Male	364	4	10	13	16	57	41	31	16	10	17	19	15	23	22	22	8	14	14	7	4	1	–
	Female	148	2	10	3	4	17	11	9	4	3	7	4	3	8	1	11	3	11	13	17	6	1	–
	All other Male	61	–	5	2	1	12	10	10	3	2	6	1	1	1	1	1	2	3	–	–	–	–	–
	Female	9	–	–	–	1	1	1	2	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	268	2	12	10	10	51	45	37	10	11	15	11	6	12	4	9	5	10	7	1	–	–	–
	White Male	161	2	5	7	6	32	27	21	5	6	8	7	4	9	4	6	4	5	3	–	–	–	–
	Female	62	–	6	1	2	9	11	7	2	3	4	3	1	3	–	2	–	3	4	1	–	–	–
	All other Male	38	–	1	2	1	9	6	7	2	1	3	1	1	–	–	1	1	2	–	–	–	–	–
	Female	7	–	–	–	1	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	314	4	13	8	12	36	18	15	14	5	15	13	13	20	20	26	9	18	20	23	10	2	–
	White Male	203	2	5	6	10	25	14	10	11	4	9	12	11	14	18	16	4	9	11	7	4	1	–
	Female	86	2	4	2	2	8	–	2	2	–	3	1	2	5	1	9	3	8	9	16	6	1	–
	All other Male	23	–	4	–	–	3	4	3	1	1	3	–	–	1	1	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
E950–E959	Suicide	115	...	...	–	2	11	10	9	9	5	6	7	12	10	12	8	3	6	3	–	1	1	–
	White Male	84	...	...	–	2	8	8	6	5	4	3	5	9	8	10	6	2	4	2	–	1	1	–
	Female	26	...	...	–	–	2	–	3	4	1	2	2	3	2	2	2	1	1	1	–	–	–	–
	All other Male	3	...	...	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	2	...	...	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	35	–	1	–	3	3	7	4	5	2	2	3	2	2	1	–	–	–	–	–	–	–	–
	White Male	23	–	–	–	1	3	3	4	3	1	2	2	1	2	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	2	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	7	–	1	–	–	–	3	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	35	1	1	–	1	9	3	3	–	2	2	–	1	6	2	3	–	–	1	–	–	–	–
	White Male	18	–	–	–	–	4	1	2	–	–	1	–	–	4	2	3	–	–	1	–	–	–	–
	Female	13	1	–	–	–	3	2	1	–	2	1	–	1	2	–	–	–	–	–	–	–	–	–
	All other Male	4	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska																							
	All causes	14,603	329	58	47	60	184	188	121	115	139	197	327	559	728	1,021	1,366	1,691	2,107	2,338	1,828	912	286	2
	White Male	7,852	185	21	29	34	125	136	76	67	90	112	182	353	448	663	888	1,008	1,167	1,107	735	333	91	2
	Female	6,298	108	34	15	26	53	37	27	42	35	61	121	171	250	316	444	631	899	1,202	1,072	566	188	–
	All other Male	263	24	1	1	–	3	10	13	4	11	16	18	20	18	23	19	28	24	12	11	5	2	–
	Female	190	12	2	2	–	3	5	5	2	3	8	6	15	12	19	15	24	17	17	10	8	5	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	14	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	4	1	–	–	–
	White Male	8	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	10	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	2	1	1	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	7	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	1	1	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	26	10	–	1	–	–	–	–	–	–	–	–	2	1	1	–	1	3	5	2	–	–	–
	White Male	15	5	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	1	3	2	–	–	–
	Female	9	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	30	3	3	1	1	4	–	–	1	–	1	–	2	3	2	1	4	2	1	–	1	–	–
	White Male	15	2	2	1	–	3	–	–	–	–	–	–	1	1	1	–	2	1	1	–	–	–	–
	Female	13	1	1	–	1	1	–	–	1	–	1	–	–	1	1	1	2	1	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	2,767	–	5	5	7	12	11	8	17	24	49	99	166	225	284	394	384	417	365	206	79	10	–
	White Male	1,450	–	1	2	3	4	7	6	3	10	18	44	96	99	162	235	227	228	179	96	28	2	–
	Female	1,240	–	4	3	4	8	4	2	14	12	27	48	62	120	114	149	141	181	183	106	51	7	–
	All other Male	47	–	–	–	–	–	–	–	–	1	3	5	3	4	4	7	11	5	2	2	–	–	–
	Female	30	–	–	–	–	–	–	–	–	1	1	2	5	2	4	3	5	3	1	2	–	1	–
140–149	Of buccal cavity and pharynx	58	–	–	–	–	–	–	–	–	1	1	5	4	4	11	12	3	7	8	1	1	–	–
	White Male	33	–	–	–	–	–	–	–	–	–	–	2	4	2	9	10	1	3	2	–	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	1	1	–	2	2	2	2	4	5	1	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	809	–	1	–	–	1	2	1	1	7	10	17	41	49	66	105	116	144	128	88	31	1	–
	White Male	425	–	1	–	–	1	–	–	1	5	7	9	26	22	43	60	54	82	64	40	10	–	–
	Female	366	–	–	–	–	–	2	1	–	2	3	7	13	27	21	42	57	61	62	46	21	1	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	3	–	1	1	–	–	–
160–163	Of respiratory system	548	–	–	–	–	–	–	–	1	1	13	23	38	65	71	116	89	65	44	15	6	1	–
	White Male	409	–	–	–	–	–	–	–	1	–	8	16	30	40	54	94	70	52	31	9	3	1	–
	Female	119	–	–	–	–	–	–	–	–	1	2	7	6	21	15	19	15	11	13	6	3	–	–
	All other Male	19	–	–	–	–	–	–	–	–	–	3	–	2	3	2	3	4	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
174	Of breast	244	–	–	–	–	–	–	–	4	4	7	16	21	26	37	29	17	32	25	14	12	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	240	–	–	–	–	–	–	–	4	4	6	16	20	26	36	29	17	31	25	14	12	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–
180–187	Of genital organs	343	–	–	–	–	1	4	–	1	3	7	7	13	25	28	41	52	52	65	32	10	2	–
	White Male	164	–	–	–	–	–	4	–	–	1	–	1	1	3	14	15	33	32	33	20	7	–	–
	Female	170	–	–	–	–	1	–	–	1	2	7	6	11	22	13	25	15	19	32	11	3	2	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–
188, 189	Of urinary organs	151	–	1	–	1	–	1	–	–	–	2	4	4	12	16	22	27	25	24	10	1	1	–
	White Male	102	–	–	–	–	–	1	–	–	–	–	3	4	9	12	13	23	17	13	6	–	1	–
	Female	44	–	1	–	1	–	–	–	–	–	2	–	–	3	3	8	4	6	11	4	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	282	–	1	–	4	2	–	5	5	2	5	17	28	24	27	41	36	31	26	18	7	3	–
	White Male	152	–	–	–	3	1	–	4	–	1	2	9	21	12	12	28	21	14	11	9	4	–	–
	Female	122	–	1	–	1	1	–	1	5	–	3	7	5	11	15	13	13	17	15	8	3	3	–
	All other Male	6	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	1	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
204–207	Leukemia	138	–	2	1	2	6	3	1	3	3	2	2	8	6	9	12	15	22	16	19	6	–	–
	White Male	67	–	–	–	–	1	2	1	1	2	–	1	6	4	8	5	8	9	10	7	2	–	–
	Female	68	–	2	1	2	5	1	–	2	1	2	1	2	2	1	5	7	12	6	12	4	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	194	–	–	4	–	2	1	1	2	3	2	8	9	14	19	16	29	39	29	9	5	2	–
	White Male	98	–	–	2	–	1	–	1	–	1	1	3	4	7	10	10	17	19	15	5	2	–	–
	Female	90	–	–	2	–	1	1	–	2	2	1	3	5	6	8	6	11	20	14	4	3	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–
210–239	Benign neoplasms and neoplasms of unspecified nature	27	–	–	–	–	1	1	1	1	–	3	–	–	1	4	5	2	2	1	2	2	1	–
	White Male	9	–	–	–	–	–	–	1	–	–	–	–	–	–	1	3	1	–	1	1	1	–	–
	Female	18	–	–	–	–	1	1	–	1	–	3	–	–	1	3	2	1	2	–	1	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	268	–	–	1	–	1	2	1	3	4	6	4	16	16	17	29	47	41	45	23	10	2	–
	White Male	95	–	–	–	–	–	2	–	2	4	4	3	5	9	7	13	11	10	11	9	4	1	–
	Female	157	–	–	1	–	1	–	1	1	–	2	1	9	6	6	14	32	29	34	14	5	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	1	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	3	1	–	–	1	–	–
260–269	Avitaminoses and other nutritional deficiencies	47	1	–	–	–	–	1	–	–	–	–	–	1	–	–	2	6	4	9	14	5	4	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	4	3	2	2	–
	Female	29	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	3	2	5	11	3	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska – Con.																							
280–285	Anemias	24	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	4	1	5	5	4	2	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	2	–	–	–
	Female	15	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	4	3	4	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	9	4	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	White Male	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	7,772	4	2	4	2	3	4	7	17	26	58	104	227	316	485	668	946	1,249	1,519	1,256	670	204	1
	White Male	4,081	1	–	2	1	2	2	4	9	17	41	67	161	234	345	460	583	687	702	472	225	65	1
	Female	3,516	1	2	1	1	1	2	2	8	8	9	33	53	69	119	192	338	540	800	769	435	133	–
	All other Male	90	1	–	–	–	–	–	–	–	1	7	3	7	7	13	8	11	14	5	7	4	2	–
	Female	85	1	–	1	–	–	–	1	–	–	1	1	6	6	8	8	14	8	12	8	6	4	–
390–398, 402, 404, 410–429	Diseases of heart	5,510	4	–	2	–	1	3	3	11	20	49	87	189	271	402	522	724	872	1,022	797	408	123	–
	White Male	3,049	1	–	–	–	1	1	3	5	15	35	62	143	206	291	364	460	481	487	310	143	41	–
	Female	2,327	1	–	1	–	–	2	–	6	4	8	22	37	57	93	144	246	374	524	474	256	78	–
	All other Male	70	1	–	–	–	–	–	–	–	1	5	2	5	4	11	6	8	11	4	7	4	1	–
	Female	64	1	–	1	–	–	–	–	–	–	1	1	4	4	7	8	10	6	7	6	5	3	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	93	–	–	–	–	–	–	1	3	1	4	4	10	6	9	10	15	11	8	8	2	1	–
	White Male	42	–	–	–	–	–	–	1	–	–	3	2	5	3	6	5	6	6	2	2	–	1	–
	Female	50	–	–	–	–	–	–	–	3	1	1	1	5	3	3	5	9	5	6	6	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	47	–	–	–	–	–	–	–	–	–	1	1	–	1	5	2	8	9	8	11	–	1	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	5	1	3	3	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	7	3	8	–	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
404	Hypertensive heart and renal disease	89	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	5	15	24	21	13	6	–
	White Male	30	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	4	7	7	6	1	–
	Female	57	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	10	17	14	7	5	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	4,869	–	–	–	–	–	–	2	4	15	39	75	154	240	355	462	639	787	926	701	367	103	–
	White Male	2,728	–	–	–	–	–	–	2	4	12	29	56	121	183	264	326	402	443	447	276	129	34	–
	Female	2,033	–	–	–	–	–	–	–	–	2	6	17	26	50	75	125	221	332	470	413	231	65	–
	All other Male	59	–	–	–	–	–	–	–	–	1	3	2	5	3	11	5	8	6	3	7	4	1	–
	Female	49	–	–	–	–	–	–	–	–	–	1	–	2	4	5	6	8	6	6	5	3	3	–
410	Acute myocardial infarction	2,612	–	–	–	–	–	–	1	2	12	24	50	100	173	227	321	400	423	440	274	136	29	–
	White Male	1,623	–	–	–	–	–	–	1	2	10	20	39	79	137	180	229	265	262	223	111	53	12	–
	Female	949	–	–	–	–	–	–	–	–	1	3	10	18	35	42	86	128	157	215	158	80	16	–
	All other Male	19	–	–	–	–	–	–	–	–	1	1	1	2	–	3	2	3	2	1	2	1	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	4	2	1	3	2	1	–
411	Other acute and subacute forms of ischemic heart disease	45	–	–	–	–	–	–	–	–	–	1	–	1	2	7	5	6	2	9	6	5	1	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	1	–	6	2	4	2	4	2	2	–	–
	Female	21	–	–	–	–	–	–	–	–	–	1	–	–	2	–	3	2	–	5	4	3	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	2,211	–	–	–	–	–	–	1	2	3	14	25	53	64	121	136	233	362	477	421	226	73	–
	White Male	1,082	–	–	–	–	–	–	1	2	2	9	17	41	46	78	95	133	179	220	163	74	22	–
	Female	1,062	–	–	–	–	–	–	–	–	1	2	7	8	12	33	36	91	175	250	251	148	48	–
	All other Male	39	–	–	–	–	–	–	–	–	–	2	1	3	3	7	3	5	4	2	5	3	1	–
	Female	28	–	–	–	–	–	–	–	–	–	1	–	1	3	3	2	4	4	5	2	1	2	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	39	–	–	–	–	–	–	–	–	–	1	–	1	2	1	2	5	6	6	10	4	1	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	3	1	3	2	1	–
	Female	20	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	3	5	6	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska – Con.																							
420–423, 425–427, 429	All other forms of heart disease	373	4	–	2	–	1	3	–	4	4	4	7	23	22	29	45	52	44	50	46	22	11	–
	White..... Male	215	1	–	–	–	1	1	–	1	3	3	3	17	18	17	29	41	24	27	19	6	4	–
	Female	143	1	–	1	–	–	2	–	3	1	–	4	5	4	11	13	10	17	23	27	14	7	–
	All other..... Male	6	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	3	–	–	–	–	–
	Female	9	1	–	1	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–	2	–	–
400, 401, 403	Hypertension	50	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	4	10	14	12	2	2	–
	White..... Male	24	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	6	6	4	–	1	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	8	8	2	1	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	1,715	–	2	2	2	–	1	3	6	6	8	14	31	35	63	115	169	284	387	349	187	51	–
	White..... Male	755	–	–	2	1	–	1	–	4	2	6	3	14	22	40	74	86	150	161	123	55	11	–
	Female	932	–	2	–	1	–	–	2	2	4	1	11	14	10	22	39	78	131	221	225	131	38	–
	All other..... Male	14	–	–	–	–	–	–	–	–	–	1	–	1	3	1	2	3	1	1	–	–	1	–
	Female	14	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	2	2	4	1	1	1	–
431	Cerebral hemorrhage	209	–	2	2	–	–	1	1	1	2	3	4	9	8	16	19	17	37	33	36	12	6	–
	White..... Male	90	–	–	2	–	–	1	–	–	–	3	1	4	4	8	14	9	15	15	10	3	1	–
	Female	116	–	2	–	–	–	–	1	1	2	–	3	4	2	8	5	8	22	18	26	9	5	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	395	–	–	–	–	–	–	–	–	–	1	2	5	4	14	23	45	67	96	83	40	15	–
	White..... Male	175	–	–	–	–	–	–	–	–	–	–	1	3	4	10	14	21	38	37	32	11	4	–
	Female	217	–	–	–	–	–	–	–	–	–	1	1	1	–	4	9	23	29	58	51	29	11	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
434	Cerebral embolism	9	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	3	–	–	1	–
	White..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,102	–	–	–	2	–	–	2	5	4	4	7	17	23	32	73	105	179	255	230	135	29	–
	White..... Male	486	–	–	–	1	–	–	–	4	2	3	1	7	14	21	46	56	96	107	81	41	6	–
	Female	594	–	–	–	1	–	–	1	1	2	–	6	9	8	10	25	45	80	144	148	93	21	–
	All other..... Male	10	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	1	1	–	–	1	–
	Female	12	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	2	2	3	1	1	1	–
440	Arteriosclerosis	279	–	–	–	–	–	–	–	–	–	–	1	1	1	2	11	15	36	59	69	58	25	1
	White..... Male	116	–	–	–	–	–	–	–	–	–	–	1	1	1	–	6	8	17	28	24	20	9	1
	Female	161	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	7	18	31	44	38	16	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	218	–	–	–	–	2	–	1	–	–	1	2	5	8	17	17	34	47	37	29	15	3	–
	White..... Male	137	–	–	–	–	1	–	1	–	–	–	1	3	5	13	13	26	33	20	11	7	3	–
	Female	72	–	–	–	–	1	–	–	–	–	–	–	1	2	2	4	6	14	16	18	8	–	–
	All other..... Male	4	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–	–	–
466	Acute bronchitis and bronchiolitis	9	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	2	2	–	–	–	1	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	–	–	–	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	555	12	1	3	1	2	2	1	4	3	4	5	10	20	23	25	47	74	121	113	65	19	–
	White..... Male	276	8	–	1	–	1	–	–	3	1	3	3	8	11	12	18	25	40	54	50	30	8	–
	Female	261	3	1	2	1	1	2	1	–	1	–	2	1	8	8	7	20	33	64	61	34	11	–
	All other..... Male	14	1	–	–	–	–	–	–	–	–	1	–	1	1	2	–	1	1	3	2	1	–	–
	Female	4	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–
470–474	Influenza	84	–	–	1	–	–	–	–	–	1	–	–	2	3	5	3	4	12	22	16	12	3	–
	White..... Male	39	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	2	4	9	6	9	2	–
	Female	44	–	–	1	–	–	–	–	–	1	–	–	1	2	2	–	2	8	13	10	3	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
480–486	Pneumonia	471	12	1	2	1	2	2	1	4	2	4	5	8	17	18	22	43	62	99	97	53	16	–
	White..... Male	237	8	–	1	–	1	–	–	3	1	3	3	7	10	10	15	23	36	45	44	21	6	–
	Female	217	3	1	1	1	1	2	1	–	–	–	2	–	6	6	7	18	25	51	51	31	10	–
	All other..... Male	14	1	–	–	–	–	–	–	–	–	1	–	1	1	2	–	1	1	3	2	1	–	–
	Female	3	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	221	–	–	–	–	–	–	–	–	–	3	3	12	8	20	30	42	53	27	16	6	1	–
	White..... Male	171	–	–	–	–	–	–	–	–	–	1	1	7	4	16	24	36	43	21	12	5	1	–
	Female	49	–	–	–	–	–	–	–	–	–	2	2	4	4	4	6	6	10	6	4	1	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska – Con.																							
490, 491	Chronic and unqualified bronchitis	48	–	–	–	–	–	–	–	–	–	–	–	2	3	6	2	2	16	10	5	1	1	–
	White ... Male	39	–	–	–	–	–	–	–	–	–	–	–	1	2	5	2	1	13	9	4	1	1	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	3	1	1	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	160	–	–	–	–	–	–	–	–	–	1	1	9	5	12	25	40	35	16	11	5	–	–
	White ... Male	128	–	–	–	–	–	–	–	–	–	–	1	5	2	11	21	35	29	12	8	4	–	–
	Female	31	–	–	–	–	–	–	–	–	–	1	–	3	3	1	4	5	6	4	3	1	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	13	–	–	–	–	–	–	–	–	–	2	2	1	–	2	3	–	2	1	–	–	–	–
	White ... Male	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	2	–	–	2	2	–	1	1	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	54	1	–	1	–	–	–	–	–	–	–	–	3	5	2	6	4	12	10	6	3	1	–
	White ... Male	27	–	–	1	–	–	–	–	–	–	–	–	1	3	1	3	2	9	4	1	2	–	–
	Female	26	1	–	–	–	–	–	–	–	–	–	–	2	1	1	3	2	3	6	5	1	1	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	8	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	1	2	–	1	–	–
	White ... Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	2	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	57	2	1	–	1	–	–	–	–	–	1	–	–	3	9	6	5	5	8	13	–	3	–
	White ... Male	26	1	–	–	–	–	–	–	–	–	1	–	–	1	4	3	3	4	5	4	–	–	–
	Female	30	1	1	–	1	–	–	–	–	–	–	–	–	2	4	3	2	1	3	9	–	3	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	165	–	–	–	–	–	–	3	3	5	9	20	23	29	31	18	10	7	4	2	1	–	–
	White ... Male	95	–	–	–	–	–	–	1	1	3	6	12	14	16	21	10	5	2	3	1	–	–	–
	Female	53	–	–	–	–	–	–	1	–	1	1	5	8	11	7	8	4	4	1	1	1	–	–
	All other ... Male	10	–	–	–	–	–	–	1	2	–	–	3	1	1	1	–	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	2	–	–	1	2	–	–	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	29	–	–	–	–	–	–	–	–	1	–	–	–	3	1	4	6	3	4	5	1	1	–
	White ... Male	14	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	4	1	–	4	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	4	1	1	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	42	–	–	–	–	1	1	–	–	–	–	3	2	2	3	4	2	7	7	4	4	2	–
	White ... Male	23	–	–	–	–	1	1	–	–	–	–	1	–	2	1	2	2	4	3	2	2	2	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	–	2	4	2	2	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	10	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	1	3	1	–	1	–	–
	White ... Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	–	–	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	32	–	–	–	–	1	1	–	–	–	–	1	2	2	2	3	1	4	6	4	3	2	–
	White ... Male	17	–	–	–	–	1	1	–	–	–	–	–	–	2	1	1	1	2	3	2	1	2	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	1	3	2	2	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
590	Infections of kidney	32	–	–	–	–	–	–	–	–	–	–	–	2	–	3	1	4	1	5	11	4	1	–
	White ... Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	4	7	2	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	3	1	1	4	2	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	6	2	1	–	–
	White ... Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	6	2	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	5	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nebraska — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	5	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	114	66	14	3	1	3	2	5	4	3	–	3	–	–	2	2	–	2	2	2	–	–	–
	White ..... Male	56	37	3	2	1	3	1	2	2	1	–	–	–	–	1	1	–	1	–	1	–	–	–
	Female	52	26	10	1	–	–	1	3	2	1	–	3	–	–	1	–	–	1	2	1	–	–	–
	All other ..... Male	5	2	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	175	174	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	104	103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	53	53	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	100	99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White ..... Male	61	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	129	21	–	–	–	2	1	–	–	1	–	2	5	10	8	12	17	13	17	11	4	5	–
	White ..... Male	70	11	–	–	–	1	1	–	–	1	–	–	2	8	5	7	11	5	8	6	3	1	–
	Female	51	5	–	–	–	1	–	–	–	–	–	2	2	2	3	5	6	8	7	5	1	4	–
	All other ..... Male	5	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Residual	All other diseases	883	17	4	3	6	13	12	8	10	10	18	28	26	42	80	99	119	151	115	79	31	12	–
	White ..... Male	501	7	1	1	1	5	5	5	7	6	14	12	16	29	49	62	62	94	64	42	16	3	–
	Female	347	8	3	2	5	7	3	1	3	3	3	11	7	10	29	33	55	54	50	37	14	9	–
	All other ..... Male	20	1	–	–	–	–	2	1	–	1	1	4	1	2	2	1	1	2	1	–	–	–	–
	Female	15	1	–	–	–	1	2	1	–	–	–	1	2	1	–	3	1	1	–	–	1	–	–
E800–E949	Accidents	864	9	24	22	36	118	118	65	32	41	28	33	36	29	25	39	27	43	50	52	20	17	–
	White ..... Male	584	5	11	17	24	86	97	46	24	36	17	26	26	22	19	29	19	24	24	15	11	6	–
	Female	244	2	11	3	12	28	18	13	6	5	6	5	8	6	6	10	7	17	24	37	9	11	–
	All other ..... Male	17	–	–	1	–	3	1	4	1	–	1	2	1	1	–	–	1	1	–	–	–	–	–
	Female	19	2	2	1	–	1	2	2	1	–	4	–	1	–	–	–	–	1	2	–	–	–	–
E810–E823	Motor vehicle accidents	387	2	10	12	16	83	80	44	15	15	13	14	10	12	6	9	10	12	13	7	2	2	–
	White ..... Male	266	1	4	8	8	58	63	29	10	15	6	12	7	11	3	6	6	8	6	2	1	2	–
	Female	106	1	6	2	8	24	15	10	3	–	5	2	2	1	3	3	4	4	7	5	1	–	–
	All other ..... Male	5	–	–	1	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	–	–	1	–	1	2	2	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	477	7	14	10	20	35	38	21	17	26	15	19	26	17	19	30	17	31	37	45	18	15	–
	White ..... Male	318	4	7	9	16	28	34	17	14	21	11	14	19	11	16	23	13	16	18	13	10	4	–
	Female	138	1	5	1	4	4	3	3	3	5	1	3	6	5	3	7	3	13	17	32	8	11	–
	All other ..... Male	12	–	–	–	–	3	1	1	–	–	1	2	1	1	–	–	1	1	–	–	–	–	–
	Female	9	2	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	2	–	–	–	–
E950–E959	Suicide	161	...	...	–	2	14	17	11	18	11	4	15	18	8	15	11	5	6	4	2	–	–	–
	White ..... Male	119	...	...	–	2	14	14	9	13	7	2	9	10	5	11	8	5	5	3	2	–	–	–
	Female	39	...	...	–	–	–	1	2	5	3	2	6	8	3	4	3	–	1	1	–	–	–	–
	All other ..... Male	3	...	...	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	67	–	–	3	3	5	14	9	4	7	7	3	5	2	2	1	–	1	1	–	–	–	–
	White ..... Male	28	–	–	1	2	2	6	2	3	2	3	1	2	1	2	1	–	–	–	–	–	–	–
	Female	13	–	–	2	1	2	2	–	–	–	1	1	1	1	–	–	–	1	1	–	–	–	–
	All other ..... Male	23	–	–	–	–	–	5	7	1	5	3	–	2	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	19	2	2	–	–	2	–	–	–	1	4	5	2	–	–	–	1	–	–	–	–	–	–
	White ..... Male	11	1	1	–	–	2	–	–	–	–	2	3	2	–	–	–	–	–	–	–	–	–	–
	Female	8	1	1	–	–	–	–	–	–	1	2	2	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada																							
	All causes	4,479	158	34	15	25	69	96	75	80	119	129	191	289	390	502	503	511	438	417	270	127	37	4
	White Male	2,594	68	18	11	18	43	63	46	44	48	62	108	176	242	333	334	331	256	204	117	59	12	1
	White Female	1,552	56	13	3	4	13	18	17	17	41	47	63	102	129	149	147	152	164	191	141	64	19	2
	All other Male	215	21	2	1	2	10	13	9	12	19	16	17	6	10	12	15	17	11	11	3	3	4	1
	All other Female	118	13	1	–	1	3	2	3	7	11	4	3	5	9	8	7	11	7	11	9	1	2	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
038	Septicemia	11	3	–	–	–	–	–	–	1	–	–	–	–	2	2	–	1	–	1	1	–	–	–
	White Male	7	2	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	1	–	–	–
	White Female	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	4	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	874	–	–	1	3	7	2	5	1	12	28	47	77	98	152	131	118	84	69	28	10	1	–
	White Male	511	–	–	–	3	4	1	2	–	3	11	21	48	52	96	89	73	51	39	16	2	–	–
	Female	325	–	–	1	–	2	1	3	1	8	15	20	28	40	54	36	41	31	24	12	7	1	–
	All other Male	20	–	–	–	–	1	–	–	–	–	–	6	1	2	1	3	2	1	3	–	–	–	–
	Female	18	–	–	–	–	–	–	–	–	1	2	–	–	4	1	3	2	1	3	–	1	–	–
140–149	Of buccal cavity and pharynx	36	–	–	–	–	–	–	–	–	–	–	1	5	6	7	6	5	3	1	2	–	–	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	1	3	4	5	3	2	1	1	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	3	2	–	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	199	–	–	–	–	–	–	–	–	–	5	7	15	21	34	30	32	22	22	8	3	–	–
	White Male	119	–	–	–	–	–	–	–	–	–	2	5	14	13	21	18	19	9	13	4	1	–	–
	Female	71	–	–	–	–	–	–	–	–	–	3	2	1	6	12	10	12	13	6	4	2	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	–	–	–	–
160–163	Of respiratory system	250	–	–	–	–	–	–	–	–	1	4	17	30	32	52	50	31	18	11	3	–	1	–
	White Male	196	–	–	–	–	–	–	–	–	–	3	10	23	19	44	45	24	17	9	2	–	–	–
	Female	45	–	–	–	–	–	–	–	–	1	1	3	7	12	7	4	6	1	1	1	–	1	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	4	–	1	1	1	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	72	–	–	–	–	–	–	1	–	6	7	4	8	9	10	7	9	3	3	2	3	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	64	–	–	–	–	–	–	1	–	5	6	4	8	8	10	5	6	3	3	2	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	1	–	–	1	–	2	2	–	–	–	–	–	–
180–187	Of genital organs	88	–	–	–	–	–	–	1	1	–	3	6	3	4	12	11	15	15	13	4	–	–	–
	White Male	41	–	–	–	–	–	–	1	–	–	1	–	1	2	3	6	9	10	5	3	–	–	–
	Female	43	–	–	–	–	–	–	–	1	–	1	5	2	2	9	5	6	4	7	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	46	–	–	1	–	–	–	–	–	–	2	4	3	2	6	8	5	10	3	2	–	–	–
	White Male	28	–	–	–	–	–	–	–	–	–	1	2	1	1	4	5	3	6	3	2	–	–	–
	Female	17	–	–	1	–	–	–	–	–	–	1	2	2	–	2	3	2	4	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	121	–	–	–	1	3	2	2	–	5	3	6	9	16	22	9	16	10	10	4	3	–	–
	White Male	65	–	–	–	1	2	1	–	–	3	1	2	5	9	12	4	12	6	5	2	–	–	–
	Female	52	–	–	–	–	1	1	2	–	2	2	3	4	6	10	5	4	4	4	2	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–
204–207	Leukemia	29	–	–	–	2	3	–	–	–	–	2	1	2	3	4	2	1	2	4	2	1	–	–
	White Male	18	–	–	–	2	1	–	–	–	–	1	–	1	2	3	2	1	2	1	1	1	–	–
	Female	10	–	–	–	–	1	–	–	–	–	1	1	1	1	1	–	–	–	3	1	–	–	–
	All other Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	33	–	–	–	–	1	–	1	–	–	2	1	2	5	5	8	4	1	2	1	–	–	–
	White Male	22	–	–	–	–	1	–	1	–	–	2	1	–	2	4	6	2	–	2	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	2	3	1	2	2	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	12	–	–	–	–	–	–	–	–	–	–	–	3	3	1	2	1	1	1	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	61	–	–	–	–	–	1	–	–	2	1	4	3	6	9	9	12	3	7	3	1	–	–
	White Male	29	–	–	–	–	–	1	–	–	–	–	2	3	4	2	8	5	1	2	–	1	–	–
	Female	25	–	–	–	–	–	–	–	–	1	1	2	–	2	6	–	5	1	4	3	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	9	1	–	–	–	–	–	–	–	–	–	–	2	2	–	1	1	1	–	1	–	–	–
	White Male	4	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada – Con.																							
280–285	Anemias	10	–	1	–	–	–	–	–	–	1	1	–	–	2	–	1	3	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	6	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
320	Meningitis	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	1,986	4	–	–	–	3	5	4	7	20	32	60	100	159	211	254	261	270	275	195	94	30	2
	White Male	1,163	3	–	–	–	–	2	4	5	8	20	36	69	109	148	167	175	151	130	83	45	8	–
	Female	719	1	–	–	–	1	3	–	–	10	8	18	26	40	52	74	73	111	135	102	47	17	1
	All other Male	64	–	–	–	–	2	–	–	1	2	3	4	3	6	5	10	9	6	5	2	2	3	1
	Female	40	–	–	–	–	–	–	–	1	–	1	2	2	4	6	3	4	2	5	8	–	2	–
390–398, 402, 404, 410–429	Diseases of heart	1,379	3	–	–	–	1	2	3	5	14	23	47	81	128	170	193	185	177	173	106	45	22	1
	White Male	875	2	–	–	–	–	–	3	4	7	18	32	64	91	126	131	132	113	83	49	15	5	–
	Female	433	1	–	–	–	–	2	–	–	5	4	11	13	29	38	53	46	60	82	49	28	12	–
	All other Male	44	–	–	–	–	1	–	–	–	2	1	2	3	5	4	6	5	3	4	2	2	3	1
	Female	27	–	–	–	–	–	–	–	1	–	–	2	1	3	2	3	2	1	4	6	–	2	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	30	–	–	–	–	–	–	–	1	–	–	1	–	4	5	4	8	4	3	–	–	–	–
	White Male	20	–	–	–	–	–	–	–	1	–	–	1	–	3	3	2	6	3	1	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	11	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	–	3	1	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,219	–	–	–	–	–	–	1	2	11	22	40	73	107	153	175	165	156	154	95	44	21	–
	White Male	785	–	–	–	–	–	–	1	1	5	18	29	61	79	114	122	120	99	73	44	15	4	–
	Female	377	–	–	–	–	–	–	–	–	4	3	8	10	24	33	46	38	54	74	44	27	12	–
	All other Male	33	–	–	–	–	–	–	–	–	2	1	2	1	3	4	4	5	2	3	1	2	3	–
	Female	24	–	–	–	–	–	–	–	1	–	–	1	1	1	2	3	2	1	4	6	–	2	–
410	Acute myocardial infarction	685	–	–	–	–	–	–	1	2	7	18	33	55	71	99	98	101	82	68	29	17	4	–
	White Male	479	–	–	–	–	–	–	1	1	3	15	25	45	57	79	73	73	54	32	15	6	–	–
	Female	178	–	–	–	–	–	–	–	–	2	3	6	8	11	19	23	25	27	33	9	9	3	–
	All other Male	15	–	–	–	–	–	–	–	–	2	–	1	1	2	1	–	2	1	1	1	2	1	–
	Female	13	–	–	–	–	–	–	–	1	–	–	1	1	1	–	2	1	–	2	4	–	–	–
411	Other acute and subacute forms of ischemic heart disease	6	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	1	–	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	528	–	–	–	–	–	–	–	–	4	4	7	18	34	53	77	63	74	85	66	26	17	–
	White Male	302	–	–	–	–	–	–	–	–	2	3	4	16	21	34	49	46	45	40	29	9	4	–
	Female	197	–	–	–	–	–	–	–	–	2	–	2	2	12	14	23	13	27	41	35	17	9	–
	All other Male	18	–	–	–	–	–	–	–	–	–	1	1	–	1	3	4	3	1	2	–	–	2	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	2	–	2	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	7	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–	–	1	1	–	–	1
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada – Con.																							
420–423, 425–427, 429	All other forms of heart disease	108	3	–	–	–	1	1	2	2	3	1	6	7	15	9	11	11	15	12	7	1	1	–
	White Male	61	2	–	–	–	–	–	2	2	2	–	2	3	8	6	6	5	10	7	5	–	1	–
	Female	37	1	–	–	–	–	1	–	–	1	1	3	2	5	3	3	6	4	5	1	1	–	–
	All other Male	9	–	–	–	–	1	–	–	–	–	–	–	2	2	–	2	–	1	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	10	–	–	–	–	–	–	–	–	2	–	–	1	–	1	1	1	1	–	1	2	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	484	–	–	–	–	2	1	–	2	4	9	11	17	23	35	45	62	76	79	73	37	7	1
	White Male	218	–	–	–	–	–	1	–	1	1	2	4	4	13	17	25	34	27	36	27	23	3	–
	Female	235	–	–	–	–	1	–	–	–	3	4	6	13	8	13	16	22	45	41	44	14	4	1
	All other Male	19	–	–	–	–	1	–	–	1	–	2	1	–	1	1	4	4	3	1	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	–	–	1	4	–	2	1	1	2	–	–	–
431	Cerebral hemorrhage	56	–	–	–	–	1	–	–	–	2	6	3	7	4	6	6	6	5	6	4	–	–	–
	White Male	30	–	–	–	–	–	–	–	–	1	1	1	3	4	4	4	4	1	5	2	–	–	–
	Female	21	–	–	–	–	1	–	–	–	1	3	1	4	–	2	2	1	4	1	1	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
433	Cerebral thrombosis	141	–	–	–	–	–	–	–	–	–	–	2	–	3	8	9	20	33	24	27	12	3	–
	White Male	55	–	–	–	–	–	–	–	–	–	–	1	–	2	2	7	9	12	10	7	3	2	–
	Female	77	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	8	20	14	20	9	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	286	–	–	–	–	1	1	–	2	2	3	6	10	16	21	30	36	37	49	42	25	4	1
	White Male	133	–	–	–	–	–	1	–	1	–	1	2	1	7	11	14	21	14	21	18	20	1	–
	Female	136	–	–	–	–	–	–	–	–	2	1	4	9	8	8	13	13	20	26	23	5	3	1
	All other Male	10	–	–	–	–	1	–	–	1	–	–	–	–	1	–	3	1	2	1	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	1	1	1	–	–	–
440	Arteriosclerosis	52	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	2	6	15	12	9	1	–
	White Male	25	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	4	6	4	6	–	–
	Female	27	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	9	8	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	61	1	–	–	–	–	2	1	–	–	–	2	1	8	3	10	11	10	8	3	1	–	–
	White Male	42	1	–	–	–	–	1	1	–	–	–	–	1	5	3	7	8	7	5	3	–	–	–
	Female	18	–	–	–	–	–	1	–	–	–	–	1	–	3	–	3	3	3	3	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	119	12	3	1	–	–	2	1	3	2	2	4	3	5	6	8	12	11	18	18	5	3	–
	White Male	61	6	2	–	–	–	1	–	1	1	2	1	–	3	2	3	7	8	12	9	1	2	–
	Female	49	3	1	1	–	–	–	1	1	–	–	3	3	2	4	4	5	3	5	8	4	1	–
	All other Male	7	2	–	–	–	–	1	–	1	1	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
470–474	Influenza	7	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	112	11	3	1	–	–	2	1	3	2	2	4	3	5	5	7	11	11	17	17	5	2	–
	White Male	59	6	2	–	–	–	1	–	1	1	2	1	–	3	2	3	6	8	12	8	1	2	–
	Female	45	3	1	1	–	–	–	1	1	–	–	3	3	2	3	3	5	3	4	8	4	–	–
	All other Male	6	1	–	–	–	–	1	–	1	1	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
490–493	Bronchitis, emphysema, and asthma	90	–	–	1	–	–	–	–	–	2	–	3	6	10	12	13	20	15	4	3	1	–	–
	White Male	60	–	–	1	–	–	–	–	–	–	–	2	3	7	7	9	14	12	3	2	–	–	–
	Female	24	–	–	–	–	–	–	–	–	1	–	1	3	3	5	4	3	2	1	1	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
490, 491	Chronic and unqualified bronchitis	11	–	–	1	–	–	–	–	–	–	–	–	1	1	3	2	1	–	1	1	–	–	–
	White Male	6	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	70	–	–	–	–	–	–	–	–	1	–	2	4	8	8	11	19	12	3	1	1	–	–
	White Male	53	–	–	–	–	–	–	–	–	–	–	2	3	6	6	8	13	11	3	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	1	–	–	1	2	2	3	3	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
493	Asthma	9	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	3	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	2	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	15	–	–	–	–	–	–	–	–	1	–	–	2	4	2	3	–	1	–	1	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	1	3	–	2	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	14	1	1	2	–	–	–	–	–	–	–	–	–	–	2	1	–	1	4	2	–	–	–
	White Male	6	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	2	1	–	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	134	–	1	–	–	–	1	–	3	11	10	15	17	29	23	10	7	4	2	1	–	–	–
	White Male	74	–	–	–	–	–	–	–	2	1	4	6	9	17	18	8	6	3	–	–	–	–	–
	Female	45	–	1	–	–	–	1	–	1	2	4	8	8	10	5	2	1	–	1	1	–	–	–
	All other Male	11	–	–	–	–	–	–	–	–	5	2	1	–	2	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	8	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	3	–	1	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	2	–	1	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	11	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	3	2	1	1	2	–	–
	White Male	7	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–	1	2	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
600	Hyperplasia of prostate	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Nevada—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	28	16	4	2	–	2	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	White Male	14	8	–	2	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	Female	9	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	82	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	48	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	41	15	–	–	–	–	1	–	–	–	–	1	2	–	4	4	3	3	1	3	2	–	2
	White Male	19	6	–	–	–	–	–	–	–	–	–	–	1	–	3	3	2	2	–	–	1	–	1
	Female	18	6	–	–	–	–	1	–	–	–	–	1	1	–	1	1	1	–	1	3	1	–	1
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Residual	All other diseases	349	8	2	–	4	4	8	9	9	10	15	16	38	33	48	40	43	27	23	9	2	1	–
	White Male	200	4	–	–	1	2	3	7	4	1	5	12	21	18	35	28	28	13	12	3	2	1	–
	Female	120	2	1	–	2	1	4	1	4	4	4	2	15	15	12	12	13	12	11	5	–	–	–
	All other Male	22	2	–	–	1	–	1	1	1	4	5	2	1	–	1	–	1	1	–	1	–	–	–
	Female	7	–	1	–	–	1	–	–	–	1	1	–	1	–	–	–	1	1	–	–	–	–	–
E800–E949	Accidents	355	9	18	8	17	43	49	26	30	29	15	15	18	17	12	12	13	9	5	1	7	2	–
	White Male	242	4	13	6	13	32	35	18	20	17	9	11	12	10	9	7	10	8	2	1	4	1	–
	Female	71	3	5	1	2	6	5	4	5	6	3	3	6	7	3	5	2	–	2	–	3	–	–
	All other Male	33	1	–	1	1	4	7	4	4	5	3	1	–	–	–	–	1	–	–	–	–	1	–
	Female	9	1	–	–	1	1	2	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–
E810–E823	Motor vehicle accidents	183	4	7	5	10	34	28	12	16	15	9	5	6	8	7	3	8	3	2	–	1	–	–
	White Male	122	2	4	3	7	25	19	8	9	8	6	5	4	4	5	2	6	3	1	–	1	–	–
	Female	36	1	3	1	2	5	3	2	3	3	2	–	2	4	2	1	2	–	–	–	–	–	–
	All other Male	20	1	–	1	1	3	5	2	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	172	5	11	3	7	9	21	14	14	14	6	10	12	9	5	9	5	6	3	1	6	2	–
	White Male	120	2	9	3	6	7	16	10	11	9	3	6	8	6	4	5	4	5	1	1	3	1	–
	Female	35	2	2	–	–	1	2	2	2	3	1	3	4	3	1	4	–	–	2	–	3	–	–
	All other Male	13	–	–	–	–	1	2	2	1	2	2	1	–	–	–	–	1	–	–	–	–	1	–
	Female	4	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E950–E959	Suicide	161	...	...	–	–	6	18	18	13	17	15	19	12	13	11	6	6	5	2	–	–	–	–
	White Male	99	...	...	–	–	4	16	8	6	12	7	14	4	8	8	2	5	3	2	–	–	–	–
	Female	55	...	...	–	–	2	1	7	4	5	8	5	8	5	3	4	1	2	–	–	–	–	–
	All other Male	3	...	...	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	...	...	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	68	1	2	–	1	3	5	9	12	9	9	6	2	4	4	–	1	–	–	–	–	–	–
	White Male	35	1	1	–	1	–	2	6	6	4	4	3	1	4	2	–	–	–	–	–	–	–	–
	Female	10	–	1	–	–	1	–	–	1	2	2	–	1	–	1	–	1	–	–	–	–	–	–
	All other Male	17	–	–	–	–	2	3	2	3	1	3	2	–	–	1	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	14	1	–	–	–	1	2	2	–	2	–	1	1	1	1	2	–	–	–	–	–	–	–
	White Male	6	1	–	–	–	1	1	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	1	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire																							
	All causes	**7,220**	**148**	**21**	**22**	**27**	**62**	**85**	**55**	**60**	**85**	**97**	**187**	**339**	**449**	**563**	**765**	**941**	**1,007**	**1,008**	**763**	**397**	**138**	**1**
	White ..... Male	3,877	79	11	15	15	50	66	42	40	56	66	134	214	279	352	488	554	544	424	288	131	28	1
	Female	3,324	67	10	6	12	12	18	11	19	28	30	53	123	168	210	276	386	462	584	473	266	110	–
	All other ..... Male	13	1	–	1	–	–	1	2	1	1	1	–	2	–	–	1	–	1	–	1	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	1	–	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	3	–	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	6	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	2	–	–	–	–	–
	White ..... Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	17	4	–	–	1	1	–	–	–	–	–	–	–	–	2	2	1	1	3	2	–	–	–
	White ..... Male	10	4	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–	–	–
	Female	7	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–	1	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	10	1	1	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	2	–	2	–	–
	White ..... Male	5	–	1	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,494	–	2	4	1	1	5	9	8	13	27	36	111	140	176	214	232	211	163	100	30	11	–
	White..... Male	815	–	–	2	1	–	2	6	3	3	14	22	60	73	97	137	142	109	88	43	9	4	–
	Female	677	–	2	2	–	1	3	3	5	10	13	14	51	66	79	76	90	102	75	57	21	7	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
140–149	Of buccal cavity and pharynx	33	–	–	–	–	–	–	–	–	–	–	–	6	3	7	8	4	1	2	1	1	–	–
	White..... Male	25	–	–	–	–	–	–	–	–	–	–	–	5	2	6	5	3	1	1	1	1	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	–	1	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	447	–	–	–	–	–	–	–	1	1	6	7	28	34	53	57	80	72	59	37	7	5	–
	White..... Male	221	–	–	–	–	–	–	–	–	–	3	5	15	19	29	34	40	30	32	11	1	2	–
	Female	225	–	–	–	–	–	–	–	1	1	3	2	13	15	24	22	40	42	27	26	6	3	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160–163	Of respiratory system	334	–	–	–	–	–	–	–	1	–	6	13	28	43	48	65	50	49	20	8	3	–	–
	White..... Male	268	–	–	–	–	–	–	–	1	–	5	11	20	34	35	39	44	36	16	5	2	–	–
	Female	66	–	–	–	–	–	–	–	–	–	1	2	8	9	13	6	6	13	4	3	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	115	–	–	–	–	–	–	1	2	2	5	4	16	11	14	13	9	11	13	11	2	1	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	113	–	–	–	–	–	–	1	2	2	5	4	16	10	14	13	8	11	13	11	2	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	184	–	–	–	–	1	2	2	1	1	2	2	9	19	14	26	27	31	20	22	4	1	–
	White..... Male	85	–	–	–	–	–	–	1	–	–	–	–	2	4	4	13	14	17	12	15	2	1	–
	Female	99	–	–	–	–	1	2	1	1	1	2	2	7	15	10	13	13	14	8	7	2	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	90	–	–	1	–	–	1	–	–	1	2	1	4	7	8	9	22	12	16	4	2	–	–
	White..... Male	65	–	–	1	–	–	1	–	–	–	2	1	2	6	6	7	18	7	10	3	1	–	–
	Female	25	–	–	–	–	–	–	–	–	1	–	–	2	1	2	2	4	5	6	1	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	181	–	2	1	–	–	2	4	2	5	3	4	10	16	20	20	25	24	22	12	5	4	–
	White..... Male	88	–	–	–	–	–	1	3	1	3	2	2	9	5	11	9	14	10	11	6	–	1	–
	Female	93	–	2	1	–	–	1	1	1	2	1	2	1	11	9	11	11	14	11	6	5	3	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	36	–	–	2	1	–	–	1	–	–	–	2	–	3	3	3	6	5	5	2	3	–	–
	White..... Male	24	–	–	1	1	–	–	1	–	–	–	1	–	2	3	3	3	3	3	1	2	–	–
	Female	12	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	3	2	2	1	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	74	–	–	–	–	–	–	1	1	3	3	3	10	4	9	13	9	6	6	3	3	–	–
	White..... Male	38	–	–	–	–	–	–	1	1	–	2	2	7	1	3	7	5	5	3	1	–	–	–
	Female	36	–	–	–	–	–	–	–	–	3	1	1	3	3	6	6	4	1	3	2	3	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	23	1	–	–	–	–	–	–	–	–	1	2	4	3	4	1	3	2	–	2	–	–	–
	White..... Male	11	–	–	–	–	–	–	–	–	–	–	2	–	2	1	1	3	1	–	1	–	–	–
	Female	12	1	–	–	–	–	–	–	–	–	1	–	4	1	3	–	–	1	–	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	193	–	–	–	–	–	–	–	2	4	–	2	7	13	13	26	34	35	38	17	2	–	–
	White..... Male	79	–	–	–	–	–	–	–	2	3	–	–	3	11	8	10	16	13	7	5	1	–	–
	Female	113	–	–	–	–	–	–	–	–	1	–	2	4	2	5	16	18	22	31	11	1	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	11	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	2	2	3	–	–	–
	White..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	2	–	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire – Con.																							
280–285	Anemias	12	–	–	1	–	–	1	–	1	–	–	–	–	1	–	2	3	2	1	–	–	–	–
	White Male	9	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	2	2	1	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	6	2	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–
	White Male	4	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,646	2	1	1	–	2	3	3	11	20	28	82	120	176	242	346	496	569	617	524	293	110	–
	White Male	1,845	2	–	–	–	2	3	3	4	14	24	64	91	119	166	227	287	300	236	185	100	18	–
	Female	1,794	–	1	1	–	–	–	–	6	6	4	18	27	56	75	119	208	269	381	338	193	92	–
	All other Male	3	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–
390–398, 402, 404, 410–429	Diseases of heart	2,538	2	1	1	–	1	3	1	6	16	25	67	103	140	195	269	386	382	386	323	173	58	–
	White Male	1,386	2	–	–	–	1	3	1	2	12	22	55	83	101	134	178	231	213	159	122	59	8	–
	Female	1,147	–	1	1	–	–	–	–	3	4	3	12	19	38	61	91	154	169	227	200	114	50	–
	All other Male	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	51	–	–	–	–	–	–	–	–	–	–	3	3	3	8	3	9	11	4	4	3	–	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	2	1	1	4	–	5	4	1	1	2	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	1	2	2	4	3	4	7	3	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	28	–	–	–	–	–	–	–	–	–	–	1	1	3	–	2	5	4	5	5	2	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	3	2	–	1	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	5	4	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	23	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	5	4	5	3	1	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	1	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	3	3	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	2,276	–	–	–	–	–	–	–	3	13	23	58	93	115	173	252	347	351	350	287	156	55	–
	White Male	1,264	–	–	–	–	–	–	–	1	11	21	47	79	86	124	165	209	197	148	112	56	8	–
	Female	1,008	–	–	–	–	–	–	–	2	2	2	11	13	28	49	87	137	154	202	174	100	47	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
410	Acute myocardial infarction	1,262	–	–	–	–	–	–	–	2	8	16	48	77	87	130	164	206	190	162	105	50	17	–
	White Male	772	–	–	–	–	–	–	–	1	7	15	39	65	64	98	111	127	109	68	47	18	3	–
	Female	488	–	–	–	–	–	–	–	1	1	1	9	12	22	32	53	78	81	94	58	32	14	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,011	–	–	–	–	–	–	–	1	5	7	9	16	27	43	88	140	161	188	182	106	38	–
	White Male	490	–	–	–	–	–	–	–	–	4	6	7	14	21	26	54	82	88	80	65	38	5	–
	Female	519	–	–	–	–	–	–	–	1	1	1	2	1	6	17	34	58	73	108	116	68	33	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	20	–	–	–	–	–	–	–	–	1	–	–	1	3	1	2	3	2	3	3	1	–	–
	White Male	10	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	3	2	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	3	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire – Con.																							
420–423, 425–427, 429	All other forms of heart disease	140	2	1	1	–	1	3	1	3	2	2	5	5	15	13	8	20	9	20	19	8	2	–
	White Male	71	2	–	–	–	1	3	1	1	–	1	5	2	10	6	8	10	5	9	6	1	–	–
	Female	68	–	1	1	–	–	–	–	1	2	1	–	3	5	7	–	10	4	11	13	7	2	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	25	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	4	4	9	2	2	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	2	3	5	1	1	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	782	–	–	–	–	1	–	2	5	4	3	9	13	32	26	57	89	136	176	133	69	27	–
	White Male	301	–	–	–	–	1	–	2	2	2	2	4	6	14	16	33	41	62	51	39	21	5	–
	Female	479	–	–	–	–	–	–	–	3	2	1	5	6	18	9	24	48	74	125	94	48	22	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
431	Cerebral hemorrhage	125	–	–	–	–	–	–	–	2	1	1	4	2	10	9	14	16	19	19	16	8	4	–
	White Male	49	–	–	–	–	–	–	–	–	–	1	2	1	3	5	10	7	7	4	4	4	1	–
	Female	76	–	–	–	–	–	–	–	2	1	–	2	1	7	4	4	9	12	15	12	4	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	214	–	–	–	–	–	–	–	–	–	1	–	4	6	4	9	31	36	54	46	12	11	–
	White Male	79	–	–	–	–	–	–	–	–	–	–	–	3	3	2	7	15	13	20	10	6	–	–
	Female	135	–	–	–	–	–	–	–	–	–	1	–	1	3	2	2	16	23	34	36	6	11	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	442	–	–	–	–	1	–	2	3	3	1	5	7	16	13	34	42	80	103	71	49	12	–
	White Male	172	–	–	–	–	1	–	2	2	2	1	2	2	8	9	16	19	41	27	25	11	4	–
	Female	268	–	–	–	–	–	–	–	1	1	–	3	4	8	3	18	23	39	76	46	38	8	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
440	Arteriosclerosis	183	–	–	–	–	–	–	–	–	–	–	–	–	–	3	6	8	24	27	51	43	21	–
	White Male	63	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	4	6	9	15	18	4	–
	Female	120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	18	18	36	25	17	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	118	–	–	–	–	–	–	–	–	–	–	6	4	4	15	13	13	23	24	8	6	2	–
	White Male	79	–	–	–	–	–	–	–	–	–	–	5	2	4	10	11	11	17	14	4	1	–	–
	Female	39	–	–	–	–	–	–	–	–	–	–	1	2	–	5	2	2	6	10	4	5	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	210	9	2	2	–	1	–	1	2	3	–	2	5	5	10	14	25	27	35	32	27	8	–
	White Male	103	4	1	1	–	1	–	1	1	1	–	1	3	2	6	10	13	17	20	13	6	2	–
	Female	106	5	1	1	–	–	–	–	1	1	–	1	2	3	4	4	12	10	15	19	21	6	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	25	–	–	1	–	1	–	–	–	2	–	–	–	–	–	2	4	2	6	2	3	2	–
	White Male	9	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	3	1	1	–	–
	Female	15	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	2	2	3	1	2	2	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	185	9	2	1	–	–	–	1	2	1	–	2	5	5	10	12	21	25	29	30	24	6	–
	White Male	94	4	1	1	–	–	–	1	1	1	–	1	3	2	6	9	11	17	17	12	5	2	–
	Female	91	5	1	–	–	–	–	–	1	–	–	1	2	3	4	3	10	8	12	18	19	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	125	–	–	1	–	–	–	–	–	1	–	1	5	9	12	22	19	23	21	8	2	1	–
	White Male	90	–	–	–	–	–	–	–	–	–	–	1	3	4	10	14	17	20	12	7	1	1	–
	Female	34	–	–	1	–	–	–	–	–	1	–	–	2	5	2	8	2	2	9	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
490, 491	Chronic and unqualified bronchitis	36	–	–	1	–	–	–	–	–	1	–	–	2	3	3	5	5	4	8	2	1	1	–
	White Male	22	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	4	4	3	2	1	1	–
	Female	14	–	–	1	–	–	–	–	–	1	–	–	2	3	–	1	1	–	5	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	81	–	–	–	–	–	–	–	–	–	–	1	3	4	9	13	13	18	13	6	1	–	–
	White Male	64	–	–	–	–	–	–	–	–	–	–	1	3	3	7	9	12	15	9	5	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	1	2	4	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	8	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	1	1	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	27	–	–	–	–	–	–	–	–	–	1	1	–	3	2	3	5	2	6	4	–	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	2	1	2	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	1	4	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	20	1	–	–	–	–	–	–	–	–	–	–	1	2	1	2	3	2	3	3	2	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	3	1	–	–	–
	Female	11	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	97	–	–	–	1	–	1	–	–	3	6	9	15	12	22	16	7	2	3	–	–	–	–
	White Male	67	–	–	–	1	–	1	–	–	1	2	6	11	8	14	13	6	2	2	–	–	–	–
	Female	30	–	–	–	–	–	–	–	–	2	4	3	4	4	8	3	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	1	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	27	–	–	–	–	–	1	–	–	–	–	1	1	2	2	4	1	6	5	3	1	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	4	2	1	1	–	–
	Female	15	–	–	–	–	–	1	–	–	–	–	–	1	2	2	2	–	2	3	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	25	–	–	–	–	–	1	–	–	–	–	–	1	2	2	4	1	6	5	2	1	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	2	1	1	–	–
	Female	14	–	–	–	–	–	1	–	–	–	–	–	1	2	2	2	–	2	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	15	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	4	4	4	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	–	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Hampshire—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	46	36	1	–	2	–	1	–	–	–	1	2	1	1	–	–	1	–	–	–	–	–	–
	White Male	19	14	–	–	1	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	Female	26	21	1	–	1	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	38	38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	23	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	212	11	–	–	–	3	1	3	2	3	5	7	12	22	19	30	29	23	20	13	6	2	1
	White Male	137	6	–	–	–	3	1	2	2	3	4	6	6	18	11	20	21	16	8	5	3	1	1
	Female	75	5	–	–	–	–	–	1	–	–	1	1	6	4	8	10	8	7	12	8	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	419	8	2	–	2	5	4	4	6	10	4	14	24	28	37	49	62	59	59	25	16	1	–
	White Male	222	7	1	–	1	3	1	3	3	4	4	8	13	15	24	25	35	32	25	12	5	1	–
	Female	197	1	1	–	1	2	3	1	3	6	–	6	11	13	13	24	27	27	34	13	11	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	358	2	12	13	18	41	44	21	18	17	12	13	17	19	9	18	13	21	20	15	10	5	–
	White Male	244	1	8	12	11	33	38	16	16	16	9	10	11	13	6	12	3	13	8	5	2	1	–
	Female	113	1	4	1	7	8	6	4	2	1	3	3	6	6	3	6	10	8	12	10	8	4	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	159	1	2	5	10	32	31	17	8	8	4	6	6	5	5	7	3	5	2	2	–	–	–
	White Male	115	1	1	5	6	24	25	13	6	7	3	3	4	3	3	4	1	3	1	2	–	–	–
	Female	43	–	1	–	4	8	6	3	2	1	1	3	2	2	2	3	2	2	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	199	1	10	8	8	9	13	4	10	9	8	7	11	14	4	11	10	16	18	13	10	5	–
	White Male	129	–	7	7	5	9	13	3	10	9	6	7	7	10	3	8	2	10	7	3	2	1	–
	Female	70	1	3	1	3	–	–	1	–	–	2	–	4	4	1	3	8	6	11	10	8	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	113	...	...	–	2	4	20	11	5	7	10	13	9	11	9	4	2	3	–	1	2	–	–
	White Male	86	...	...	–	–	4	17	9	4	7	7	10	6	9	4	3	2	1	–	1	2	–	–
	Female	25	...	...	–	2	–	2	1	1	–	3	3	3	2	5	1	–	2	–	–	–	–	–
	All other Male	2	...	...	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	20	–	–	–	–	2	3	1	4	–	–	1	2	–	1	3	–	1	–	1	1	–	–
	White Male	18	–	–	–	–	2	2	1	4	–	–	1	2	–	1	3	–	1	–	–	1	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	13	–	–	–	–	2	1	1	–	2	1	1	2	1	–	2	–	–	–	–	–	–	–
	White Male	8	–	–	–	–	1	–	1	–	2	–	–	1	1	–	2	–	–	–	–	–	–	–
	Female	5	–	–	–	–	1	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey																							
	All causes	**65,498**	**1,377**	**245**	**193**	**185**	**568**	**698**	**609**	**610**	**750**	**1,208**	**2,086**	**3,414**	**4,713**	**6,120**	**7,464**	**8,186**	**9,004**	**8,705**	**5,930**	**2,626**	**792**	**15**
	White Male	31,418	530	81	90	86	343	397	317	264	346	521	1,008	1,809	2,588	3,551	4,185	4,245	4,200	3,662	2,157	827	201	10
	Female	27,456	425	75	46	45	118	124	125	146	181	350	667	1,089	1,514	1,970	2,599	3,328	4,251	4,662	3,517	1,680	543	1
	All other Male	3,742	225	44	31	30	69	127	113	132	141	221	249	321	372	342	383	341	249	191	111	31	18	1
	Female	2,882	197	45	26	24	38	50	54	68	82	116	162	195	239	257	297	272	304	190	145	88	30	3
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	60	23	5	–	–	–	–	1	1	–	–	–	2	3	1	4	4	1	4	5	4	2	–
	White Male	18	9	1	–	–	–	–	1	1	–	–	–	1	1	–	–	1	–	–	2	–	1	–
	Female	30	6	3	–	–	–	–	–	–	–	–	–	1	–	–	4	3	1	4	3	4	1	–
	All other Male	8	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	4	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	116	1	–	–	–	–	–	1	2	3	5	5	6	14	15	15	20	12	8	8	1	–	–
	White Male	59	–	–	–	–	–	–	–	–	–	–	1	3	6	7	9	14	8	6	5	–	–	–
	Female	25	–	–	–	–	–	–	–	–	1	–	–	2	4	3	4	3	3	2	2	1	–	–
	All other Male	21	1	–	–	–	–	–	–	2	1	4	3	–	3	1	2	3	–	–	1	–	–	–
	Female	11	–	–	–	–	–	–	1	–	1	1	1	1	1	4	–	–	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	91	1	–	–	–	–	–	–	2	3	4	4	5	11	11	12	16	9	7	5	1	–	–
	White Male	47	–	–	–	–	–	–	–	–	–	–	1	3	5	5	8	12	5	5	3	–	–	–
	Female	18	–	–	–	–	–	–	–	–	1	–	–	1	2	3	2	2	3	2	1	1	–	–
	All other Male	19	1	–	–	–	–	–	–	2	1	4	2	–	3	1	2	2	–	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	1	–	1	1	1	2	–	–	1	–	–	–	–	–
013–019	Tuberculosis, other forms	25	–	–	–	–	–	–	1	–	–	1	1	1	3	4	3	4	3	1	3	–	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	3	1	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	–	–	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	213	18	1	1	–	–	2	–	2	4	8	7	9	11	18	32	22	25	32	16	4	1	–
	White Male	85	8	1	–	–	–	1	–	2	2	1	3	1	3	8	13	6	11	15	5	4	1	–
	Female	91	3	–	–	–	–	1	–	–	1	3	1	5	5	5	13	15	14	15	10	–	–	–
	All other Male	16	3	–	–	–	–	–	–	–	–	3	2	2	3	–	1	–	–	2	–	–	–	–
	Female	21	4	–	1	–	–	–	–	–	1	1	1	1	–	5	5	1	–	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	131	–	3	1	5	3	2	2	8	9	9	8	1	13	15	18	9	12	2	7	3	1	–
	White Male	55	–	–	1	1	1	1	–	1	5	4	1	–	3	10	9	7	7	2	1	1	–	–
	Female	40	–	2	–	1	–	–	–	3	1	2	3	1	4	5	5	2	3	–	6	1	1	–
	All other Male	15	–	–	–	1	2	1	–	2	2	1	3	–	1	–	2	–	–	–	–	–	–	–
	Female	21	–	1	–	2	–	–	2	2	1	2	1	–	5	–	2	–	2	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	14,285	4	11	30	23	44	43	78	117	144	308	605	1,108	1,539	1,928	2,186	2,029	1,741	1,416	699	193	39	–
	White.....Male	6,900	–	6	16	12	22	26	38	44	58	105	221	464	669	1,003	1,157	1,058	906	696	299	83	17	–
	Female	6,153	4	1	10	8	13	11	30	51	66	149	305	509	689	759	834	838	732	663	363	99	19	–
	All other.....Male	704	–	2	2	2	7	3	4	11	7	26	39	78	110	90	126	88	53	34	18	4	–	–
	Female	528	–	2	2	1	2	3	6	11	13	28	40	57	71	76	69	45	50	23	19	7	3	–
140–149	Of buccal cavity and pharynx	355	–	–	2	–	–	1	–	–	3	6	22	37	60	51	58	43	25	28	13	5	1	–
	White.....Male	219	–	–	1	–	–	1	–	–	2	3	9	19	34	39	38	23	22	15	9	3	1	–
	Female	87	–	–	1	–	–	–	–	–	–	2	4	12	13	8	13	14	3	12	3	2	–	–
	All other.....Male	39	–	–	–	–	–	–	–	–	–	1	6	4	12	2	7	5	–	1	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	1	–	3	2	1	2	–	1	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	4,299	–	–	–	–	2	2	11	13	26	54	117	266	389	554	652	644	649	559	268	81	12	–
	White.....Male	2,030	–	–	–	–	–	1	7	5	16	24	64	138	176	291	335	312	282	246	100	29	4	–
	Female	1,897	–	–	–	–	1	1	1	2	9	14	37	95	163	209	258	287	318	292	158	44	8	–
	All other.....Male	206	–	–	–	–	1	–	2	3	1	9	7	23	28	28	39	26	22	10	4	3	–	–
	Female	166	–	–	–	–	–	–	1	3	–	7	9	10	22	26	20	19	27	11	6	5	–	–
160–163	Of respiratory system	3,332	–	–	–	–	1	1	4	14	24	67	152	292	420	581	615	500	349	210	81	16	5	–
	White.....Male	2,284	–	–	–	–	1	–	3	9	12	34	79	168	274	398	442	380	270	155	45	10	4	–
	Female	740	–	–	–	–	–	1	1	2	6	19	52	82	95	132	116	86	65	44	33	5	1	–
	All other.....Male	253	–	–	–	–	–	–	–	2	5	11	18	35	42	38	49	30	11	9	2	1	–	–
	Female	55	–	–	–	–	–	–	–	1	1	3	3	7	9	13	8	4	3	2	1	–	–	–
174	Of breast	1,352	1	–	–	–	–	1	5	16	31	55	111	162	206	153	176	158	121	77	55	21	3	–
	White.....Male	10	–	–	–	–	–	–	–	–	–	–	–	1	3	2	–	1	1	2	–	–	–	–
	Female	1,256	1	–	–	–	–	1	3	15	24	49	106	149	190	140	162	152	116	74	52	20	2	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	85	–	–	–	–	–	–	2	1	7	6	5	12	13	10	14	5	4	1	3	1	1	–
180–187	Of genital organs	1,591	–	–	–	–	2	5	13	12	14	39	67	89	144	170	220	249	214	210	111	28	4	–
	White.....Male	625	–	–	–	–	1	4	9	2	2	–	2	8	18	39	84	114	119	130	70	20	3	–
	Female	812	–	–	–	–	1	–	3	7	11	33	58	65	110	111	112	114	76	73	30	7	1	–
	All other.....Male	64	–	–	–	–	–	–	–	–	–	–	–	–	5	7	13	13	13	5	8	–	–	–
	Female	90	–	–	–	–	–	1	1	3	1	6	7	16	11	13	11	8	6	2	3	1	–	–
188, 189	Of urinary organs	697	1	–	–	–	1	1	–	4	2	9	22	34	56	96	103	110	104	92	45	12	5	–
	White.....Male	455	–	–	–	–	–	–	–	2	2	5	14	26	40	63	71	72	71	56	21	9	3	–
	Female	195	1	–	–	–	–	–	–	1	–	3	5	7	14	22	22	34	30	30	21	3	2	–
	All other.....Male	27	–	–	–	–	1	–	–	1	–	1	1	1	1	7	5	1	2	5	1	–	–	–
	Female	20	–	–	–	–	–	1	–	–	–	–	2	–	1	4	5	3	1	1	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,514	2	5	11	9	17	12	16	25	25	42	70	134	162	199	215	172	148	142	88	18	2	–
	White.....Male	708	–	3	5	5	11	7	5	10	14	19	38	62	75	104	119	80	70	44	32	5	–	–
	Female	681	2	1	3	3	4	3	10	10	8	17	23	59	67	84	83	81	67	92	51	13	–	–
	All other.....Male	68	–	1	1	1	2	1	1	3	1	4	4	11	12	4	6	8	3	3	2	–	–	–
	Female	57	–	–	2	–	–	1	–	2	2	2	5	2	8	7	7	3	8	3	3	–	2	–
204–207	Leukemia	473	–	4	15	9	16	10	11	15	5	12	13	40	30	39	53	62	58	51	21	6	3	–
	White.....Male	248	–	2	8	4	9	7	7	7	3	6	7	18	14	21	30	27	34	28	12	4	–	–
	Female	191	–	–	6	3	5	2	3	6	2	6	3	19	12	16	19	31	24	21	8	2	3	–
	All other.....Male	19	–	–	1	1	2	1	–	2	–	–	1	1	3	1	2	3	–	1	–	–	–	–
	Female	15	–	2	–	1	–	–	1	–	–	–	2	2	1	1	2	1	–	1	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	672	–	2	2	5	5	10	18	18	14	24	31	54	72	85	94	91	73	47	17	6	4	–
	White.....Male	321	–	1	2	3	–	6	7	9	7	14	8	24	35	46	38	49	37	20	10	3	2	–
	Female	294	–	–	–	2	2	3	9	8	6	6	17	21	25	37	49	39	33	25	7	3	2	–
	All other.....Male	27	–	1	–	–	1	1	1	–	–	–	2	3	7	2	5	2	2	–	–	–	–	–
	Female	30	–	–	–	–	2	–	1	1	1	4	4	6	5	–	2	1	1	2	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	170	1	–	3	4	1	1	2	2	4	3	13	13	18	27	18	15	18	15	10	2	–	–
	White.....Male	77	–	–	3	2	–	–	1	–	2	1	5	4	8	15	9	7	7	7	4	2	–	–
	Female	79	1	–	–	1	–	1	1	1	2	2	5	9	7	9	7	8	11	8	6	–	–	–
	All other.....Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–	–	–	–
	Female	8	–	–	–	1	1	–	–	1	–	–	3	–	1	–	1	–	–	–	–	–	–	–
250	Diabetes mellitus	1,403	–	–	–	–	2	9	8	12	14	23	31	65	78	133	187	227	245	218	105	37	9	–
	White.....Male	474	–	–	–	–	–	5	3	5	6	6	12	29	29	55	79	78	68	62	27	9	1	–
	Female	765	–	–	–	–	1	2	4	5	3	6	9	21	36	59	85	126	157	144	74	26	7	–
	All other.....Male	65	–	–	–	–	–	–	1	–	3	9	4	10	6	7	7	7	6	3	1	1	–	–
	Female	99	–	–	–	–	1	2	–	2	2	2	6	5	7	12	16	16	14	9	3	1	1	–
260–269	Avitaminoses and other nutritional deficiencies	81	2	–	–	–	–	–	–	–	–	1	4	1	3	5	10	1	17	10	15	12	–	–
	White.....Male	37	–	–	–	–	–	–	–	–	–	–	3	–	2	3	5	1	8	7	4	4	–	–
	Female	33	1	–	–	–	–	–	–	–	–	–	1	1	–	1	3	–	7	3	9	7	–	–
	All other.....Male	8	1	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1	–	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey – Con.																							
280–285	Anemias	102	2	–	2	1	1	2	1	5	4	–	1	3	4	7	6	11	18	23	5	4	2	–
	White Male	35	–	–	1	–	–	2	–	1	1	–	–	2	2	3	2	5	5	6	2	2	1	–
	Female	52	2	–	–	–	1	–	1	3	–	–	–	1	1	3	3	4	11	16	3	2	1	–
	All other Male	8	–	–	–	1	–	–	–	–	1	–	1	–	1	1	1	2	–	–	–	–	–	–
	Female	7	–	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–	2	1	–	–	–	–
320	Meningitis	41	9	4	1	1	–	1	–	4	1	1	2	1	2	1	2	2	4	4	1	–	–	–
	White Male	10	2	–	1	–	–	1	–	2	–	–	–	–	1	–	2	1	–	–	–	–	–	–
	Female	16	3	1	–	1	–	–	–	1	–	1	1	–	–	–	–	1	3	3	1	–	–	–
	All other Male	10	3	1	–	–	–	–	–	1	1	–	1	1	1	1	–	–	–	–	–	–	–	–
	Female	5	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
390–448	Major cardiovascular diseases	34,989	20	8	7	21	26	39	46	73	185	391	788	1,432	2,086	2,930	3,855	4,628	5,665	5,805	4,303	2,038	639	4
	White Male	16,695	5	3	3	3	15	18	18	31	97	214	477	911	1,362	1,850	2,246	2,391	2,514	2,286	1,498	597	154	2
	Female	15,558	6	2	4	8	6	10	16	14	27	73	146	305	473	812	1,281	1,888	2,804	3,259	2,631	1,348	444	1
	All other Male	1,416	5	2	–	5	3	8	8	17	34	66	99	136	146	155	170	180	150	120	70	24	17	1
	Female	1,320	4	1	–	5	2	3	4	11	27	38	66	80	105	113	158	169	197	140	104	69	24	–
390–398, 402, 404, 410–429	Diseases of heart	27,346	16	4	2	14	12	21	29	51	143	306	655	1,220	1,806	2,488	3,174	3,668	4,354	4,295	3,168	1,459	457	4
	White Male	13,706	4	2	2	3	7	8	11	24	84	190	431	828	1,219	1,624	1,900	1,922	1,991	1,740	1,157	447	110	2
	Female	11,582	4	1	–	4	3	6	7	6	15	40	96	228	377	650	1,020	1,488	2,110	2,376	1,893	944	313	1
	All other Male	1,101	4	1	–	3	1	6	8	13	29	53	86	107	126	122	131	135	109	86	49	19	12	1
	Female	957	4	–	–	4	1	1	3	8	15	23	42	57	84	92	123	123	144	93	69	49	22	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	550	–	–	1	8	1	4	9	5	10	14	23	43	61	89	107	73	58	30	9	4	1	–
	White Male	193	–	–	1	1	1	1	1	2	1	6	7	22	20	41	36	20	21	7	1	3	1	–
	Female	304	–	–	–	2	–	1	4	–	3	3	9	16	39	46	68	50	31	23	8	1	–	–
	All other Male	24	–	–	–	3	–	2	3	1	5	–	3	1	1	–	1	2	2	–	–	–	–	–
	Female	29	–	–	–	2	–	–	1	2	1	5	4	4	1	2	2	1	4	–	–	–	–	–
402	Hypertensive heart disease	241	–	–	–	–	–	1	1	3	3	5	5	14	17	29	23	33	35	38	21	12	1	–
	White Male	81	–	–	–	–	–	–	–	–	–	1	3	7	6	8	12	11	13	10	7	3	–	–
	Female	103	–	–	–	–	–	–	–	–	–	–	–	2	4	14	6	14	21	23	11	7	1	–
	All other Male	34	–	–	–	–	–	1	1	3	2	3	1	2	5	5	1	5	1	2	2	–	–	–
	Female	23	–	–	–	–	–	–	–	–	1	1	1	3	2	2	4	3	–	3	1	2	–	–
404	Hypertensive heart and renal disease	114	–	–	–	–	–	–	1	–	3	2	1	3	5	7	5	15	20	18	20	12	2	–
	White Male	36	–	–	–	–	–	–	–	–	–	–	–	3	1	3	2	7	6	7	5	1	1	–
	Female	56	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	7	13	10	12	8	1	–
	All other Male	11	–	–	–	–	–	–	1	–	2	1	–	–	1	1	–	–	1	1	2	1	–	–
	Female	11	–	–	–	–	–	–	–	–	1	1	1	–	2	2	–	1	–	–	1	2	–	–
410–413	Ischemic heart disease	25,344	–	1	–	1	–	6	9	26	111	257	590	1,093	1,647	2,281	2,917	3,416	4,098	4,064	3,007	1,378	438	4
	White Male	12,932	–	–	–	1	–	3	7	19	78	173	408	764	1,152	1,529	1,789	1,824	1,887	1,657	1,107	428	104	2
	Female	10,682	–	1	–	–	–	2	2	1	7	30	78	189	321	566	900	1,361	1,984	2,242	1,800	894	303	1
	All other Male	924	–	–	–	–	–	1	–	3	16	41	73	94	110	103	118	122	97	77	40	17	11	1
	Female	806	–	–	–	–	–	–	–	3	10	13	31	46	64	83	110	109	130	88	60	39	20	–
410	Acute myocardial infarction	11,975	–	–	–	1	–	5	7	12	78	173	377	685	1,071	1,411	1,678	1,785	1,829	1,505	905	364	89	–
	White Male	6,918	–	–	–	1	–	2	6	11	58	130	289	519	787	984	1,094	978	888	668	347	125	31	–
	Female	4,368	–	–	–	–	–	2	1	–	4	22	49	113	195	347	476	711	855	787	530	223	53	–
	All other Male	398	–	–	–	–	–	1	–	1	10	17	27	39	59	44	57	51	42	29	14	5	2	–
	Female	291	–	–	–	–	–	–	–	–	6	4	12	14	30	36	51	45	44	21	14	11	3	–
411	Other acute and subacute forms of ischemic heart disease	45	–	1	–	–	–	–	–	–	–	1	2	–	4	2	6	11	4	6	6	–	2	–
	White Male	24	–	–	–	–	–	–	–	–	–	1	–	–	4	2	1	8	1	3	4	–	–	–
	Female	19	–	1	–	–	–	–	–	–	–	–	2	–	–	–	4	3	2	3	2	–	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	13,321	–	–	–	–	–	1	2	14	32	83	211	408	572	868	1,232	1,620	2,264	2,553	2,096	1,014	347	4
	White Male	5,987	–	–	–	–	–	1	1	8	19	42	119	245	361	543	693	838	997	986	756	303	73	2
	Female	6,295	–	–	–	–	–	–	1	1	3	8	27	76	126	219	420	647	1,127	1,452	1,268	671	248	1
	All other Male	524	–	–	–	–	–	–	–	2	6	24	46	55	51	59	60	71	54	48	26	12	9	1
	Female	515	–	–	–	–	–	–	–	3	4	9	19	32	34	47	59	64	86	67	46	28	17	–
413	Angina pectoris	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	82	–	–	–	–	2	–	1	2	3	1	5	6	5	5	9	10	12	8	8	4	1	–
	White Male	29	–	–	–	–	2	–	–	–	–	–	2	3	3	2	4	1	2	5	4	–	1	–
	Female	39	–	–	–	–	–	–	–	2	2	–	1	2	–	2	5	7	9	3	3	3	–	–
	All other Male	6	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	1	1	–	–
	Female	8	–	–	–	–	–	–	1	–	–	–	2	–	2	–	–	2	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,015	16	3	1	5	9	10	8	15	13	27	31	61	71	77	113	121	131	137	103	49	14	–
	White Male	435	4	2	1	1	4	4	3	3	5	10	11	29	37	41	57	59	62	54	33	12	3	–
	Female	398	4	–	–	2	3	3	1	3	3	7	8	19	12	21	38	49	52	75	59	31	8	–
	All other Male	102	4	1	–	–	1	2	3	6	3	7	9	9	9	12	11	6	8	6	4	–	1	–
	Female	80	4	–	–	2	1	1	1	3	2	3	3	4	13	3	7	7	9	2	7	6	2	–
400, 401, 403	Hypertension	198	–	–	–	–	–	2	–	–	2	5	1	8	7	16	18	15	40	39	30	11	4	–
	White Male	82	–	–	–	–	–	–	–	–	1	3	1	3	4	4	9	8	11	14	18	5	1	–
	Female	88	–	–	–	–	–	1	–	–	–	1	–	3	1	11	5	4	21	24	11	4	2	–
	All other Male	15	–	–	–	–	–	1	–	–	1	–	–	1	1	1	1	2	4	1	1	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	1	4	–	–	1	1	–
430–438	Cerebrovascular diseases	5,852	3	4	4	5	12	13	14	17	35	75	110	173	221	327	494	751	1,037	1,215	848	388	106	–
	White Male	2,189	1	1	1	–	7	9	6	5	11	18	34	64	100	161	237	339	401	432	240	96	26	–
	Female	3,114	1	1	3	2	2	2	7	6	10	31	44	62	84	122	202	335	562	717	567	276	78	–
	All other Male	247	1	1	–	2	2	1	–	3	2	12	11	26	18	24	28	38	30	30	13	3	2	–
	Female	302	–	1	–	1	1	1	1	3	12	14	21	21	19	20	27	39	44	36	28	13	–	–
431	Cerebral hemorrhage	959	1	–	1	1	3	1	5	4	11	31	36	53	64	87	91	130	139	155	100	38	8	–
	White Male	365	–	–	–	–	2	1	2	3	2	9	12	26	26	46	43	66	44	50	26	4	3	–
	Female	488	1	–	1	1	1	–	3	–	2	13	12	18	27	33	37	51	85	96	72	30	5	–
	All other Male	51	–	–	–	–	–	–	–	1	1	4	5	7	3	4	7	8	6	5	–	–	–	–
	Female	55	–	–	–	–	–	–	–	–	6	5	7	2	8	4	4	5	4	4	2	4	–	–
433	Cerebral thrombosis	1,770	–	–	–	1	1	–	2	1	–	3	5	32	35	84	143	231	335	414	320	126	37	–
	White Male	685	–	–	–	–	1	–	1	–	–	1	3	16	22	42	74	99	135	152	98	33	8	–
	Female	959	–	–	–	–	–	–	1	1	–	1	1	7	12	27	52	109	178	244	207	90	29	–
	All other Male	50	–	–	–	1	–	–	–	–	–	–	–	3	–	7	9	13	7	7	3	–	–	–
	Female	76	–	–	–	–	–	–	–	–	–	1	1	6	1	8	8	10	15	11	12	3	–	–
434	Cerebral embolism	32	–	–	–	–	–	–	–	–	–	–	–	3	3	4	7	3	5	2	3	2	–	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	3	2	3	6	1	3	–	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	2	1	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,091	2	4	3	3	8	12	7	12	24	41	69	85	119	152	253	387	558	644	425	222	61	–
	White Male	1,120	1	1	1	–	4	8	3	2	9	8	19	19	50	70	114	173	219	230	116	58	15	–
	Female	1,657	–	1	2	1	1	2	3	5	8	17	31	37	44	61	112	173	298	375	287	155	44	–
	All other Male	144	1	1	–	1	2	1	–	2	1	8	6	16	15	13	12	17	16	18	9	3	2	–
	Female	170	–	1	–	1	1	1	1	3	6	8	13	13	10	8	15	24	25	21	13	6	–	–
440	Arteriosclerosis	772	–	–	–	–	–	–	–	2	1	–	7	2	8	21	46	57	100	140	177	152	59	–
	White Male	261	–	–	–	–	–	–	–	1	–	–	4	2	6	12	21	30	38	46	51	39	11	–
	Female	470	–	–	–	–	–	–	–	–	–	–	1	–	2	6	20	23	58	89	117	109	45	–
	All other Male	20	–	–	–	–	–	–	–	1	1	–	1	–	–	3	2	2	2	1	4	1	2	–
	Female	21	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	2	2	4	5	3	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	821	1	–	1	2	2	3	3	3	4	5	15	29	44	78	123	137	134	116	80	28	13	–
	White Male	457	–	–	–	–	1	1	1	1	1	3	7	14	33	49	79	92	73	54	32	10	6	–
	Female	304	1	–	1	2	1	1	2	2	2	1	5	12	9	23	34	38	53	53	43	15	6	–
	All other Male	33	–	–	–	–	–	–	–	–	1	1	1	2	1	5	8	3	5	2	3	–	1	–
	Female	27	–	–	–	–	–	1	–	–	–	–	2	1	1	1	2	4	3	7	2	3	–	–
466	Acute bronchitis and bronchiolitis	21	1	4	–	–	–	2	–	–	–	–	2	2	–	2	2	2	3	–	1	–	–	–
	White Male	11	–	2	–	–	–	2	–	–	–	–	–	1	–	2	–	2	2	–	–	–	–	–
	Female	8	1	1	–	–	–	–	–	–	–	–	1	1	–	–	2	–	1	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,617	54	16	4	7	7	13	11	15	20	38	34	53	76	110	129	158	233	267	214	117	41	–
	White Male	732	22	4	1	2	4	6	6	5	4	11	13	21	46	49	77	88	120	120	84	44	5	–
	Female	707	13	7	1	3	1	4	3	6	7	8	12	21	21	44	38	52	102	136	123	70	35	–
	All other Male	109	10	2	1	–	1	3	1	3	7	16	4	6	8	7	11	13	5	7	3	1	–	–
	Female	69	9	3	1	2	1	–	1	1	2	3	5	5	1	10	3	5	6	4	4	2	1	–
470–474	Influenza	46	–	–	–	–	–	–	–	–	–	–	1	4	1	1	3	5	10	10	6	4	1	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	2	2	7	2	1	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	3	7	3	4	2	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
480–486	Pneumonia	1,571	54	16	4	7	7	13	11	15	20	38	33	49	75	109	126	153	223	257	208	113	40	–
	White Male	713	22	4	1	2	4	6	6	5	4	11	12	19	46	48	76	86	118	113	82	43	5	–
	Female	682	13	7	1	3	1	4	3	6	7	8	12	19	20	44	36	49	95	133	119	68	34	–
	All other Male	108	10	2	1	–	1	3	1	3	7	16	4	6	8	7	11	13	4	7	3	1	–	–
	Female	68	9	3	1	2	1	–	1	1	2	3	5	5	1	10	3	5	6	4	4	1	1	–
490–493	Bronchitis, emphysema, and asthma	675	2	2	–	2	2	2	2	2	4	16	22	30	45	73	107	136	107	73	34	10	4	–
	White Male	463	–	1	–	1	1	–	1	–	1	6	10	15	29	57	75	101	83	53	19	7	3	–
	Female	168	2	1	–	1	–	1	1	–	–	6	7	8	10	13	28	32	22	18	14	3	1	–
	All other Male	30	–	–	–	–	–	1	–	2	3	3	2	4	4	1	4	2	1	2	1	–	–	–
	Female	14	–	–	–	–	1	–	–	–	–	1	3	3	2	2	–	1	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey – Con.																							
490, 491	Chronic and unqualified bronchitis	142	2	2	–	1	–	–	–	1	–	2	1	4	11	13	25	32	17	18	11	2	–	–
	White Male	95	–	1	–	1	–	–	–	–	–	–	–	3	7	11	13	20	16	15	6	2	–	–
	Female	42	2	1	–	–	–	–	–	–	–	2	1	1	2	1	12	11	1	3	5	–	–	–
	All other Male	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
492	Emphysema	485	–	–	–	–	–	1	–	1	1	11	14	22	30	57	77	100	85	51	23	8	4	–
	White Male	354	–	–	–	–	–	–	–	–	–	4	8	11	20	46	60	81	65	38	13	5	3	–
	Female	105	–	–	–	–	–	–	–	–	–	3	4	6	8	9	16	17	18	11	9	3	1	–
	All other Male	20	–	–	–	–	–	1	–	1	1	3	2	3	2	1	1	1	1	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	1	1	–	–	–	–	–
493	Asthma	48	–	–	–	1	2	1	2	–	3	3	7	4	4	3	5	4	5	4	–	–	–	–
	White Male	14	–	–	–	–	1	–	1	–	1	2	2	1	2	–	2	–	2	–	–	–	–	–
	Female	21	–	–	–	1	–	1	1	–	–	1	2	1	–	3	–	4	3	4	–	–	–	–
	All other Male	7	–	–	–	–	–	–	–	–	2	–	–	1	1	–	3	–	–	–	–	–	–	–
	Female	6	–	–	–	–	1	–	–	–	–	–	3	1	1	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	313	–	–	–	–	–	2	–	2	3	6	13	12	24	35	48	42	44	38	29	15	–	–
	White Male	183	–	–	–	–	–	1	–	1	1	5	5	8	12	22	32	25	26	23	14	8	–	–
	Female	104	–	–	–	–	–	1	–	–	1	–	5	2	9	8	13	14	16	14	15	6	–	–
	All other Male	20	–	–	–	–	–	–	–	1	1	1	2	1	2	5	3	3	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	1	–	1	–	–
540–543	Appendicitis	23	2	1	–	–	–	1	–	–	1	–	1	2	1	–	1	2	4	7	–	–	–	–
	White Male	7	1	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	2	–	–	–	–
	Female	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	–	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	182	6	1	–	–	1	2	–	1	–	–	4	4	7	11	26	22	35	29	26	7	–	–
	White Male	61	2	–	–	–	–	–	–	–	–	–	1	1	6	3	10	11	12	10	4	1	–	–
	Female	104	3	–	–	–	1	–	–	–	–	–	1	3	1	8	14	8	18	19	22	6	–	–
	All other Male	5	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	1	–	–	–	–	–	–
	Female	12	1	1	–	–	–	2	–	–	–	–	1	–	–	–	–	2	5	–	–	–	–	–
571	Cirrhosis of liver	1,205	–	–	1	–	1	4	14	33	64	87	125	152	189	178	152	96	67	28	9	2	2	1
	White Male	669	–	–	1	–	–	1	5	12	26	31	66	83	114	112	102	59	38	12	6	1	–	–
	Female	361	–	–	–	–	–	1	3	4	18	20	41	46	57	52	41	32	25	15	3	1	2	–
	All other Male	108	–	–	–	–	1	2	4	13	10	21	14	12	11	8	5	4	3	–	–	–	–	–
	Female	67	–	–	–	–	–	–	2	4	10	15	4	11	7	6	4	1	1	1	–	–	–	1
574, 575	Cholelithiasis, cholecystitis and cholangitis	98	–	–	–	–	–	–	–	1	–	2	–	3	10	12	7	13	12	16	14	7	1	–
	White Male	46	–	–	–	–	–	–	–	1	–	–	–	2	6	7	4	4	6	9	6	1	–	–
	Female	46	–	–	–	–	–	–	–	–	–	2	–	1	2	5	3	7	6	7	6	6	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
580–584	Nephritis and nephrosis	310	2	–	3	1	–	2	6	1	8	6	15	17	25	31	29	51	36	34	31	10	2	–
	White Male	135	1	–	3	–	–	1	1	1	2	2	3	9	9	14	14	22	19	17	12	5	–	–
	Female	117	–	–	–	–	–	–	2	–	2	2	5	3	7	10	10	22	14	17	16	5	2	–
	All other Male	35	1	–	–	–	–	–	3	–	4	1	4	3	6	3	3	3	2	–	2	–	–	–
	Female	23	–	–	–	1	–	1	–	–	–	1	3	2	3	4	2	4	1	–	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	76	2	–	1	–	–	–	1	–	–	2	–	1	6	6	13	19	9	3	9	3	1	–
	White Male	34	1	–	1	–	–	–	1	–	–	1	–	1	2	4	5	8	4	1	3	2	–	–
	Female	32	–	–	–	–	–	–	–	–	–	1	–	–	4	1	5	7	4	2	6	1	1	–
	All other Male	5	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	234	–	–	2	1	–	2	5	1	8	4	15	16	19	25	16	32	27	31	22	7	1	–
	White Male	101	–	–	2	–	–	1	–	1	2	1	3	8	7	10	9	14	15	16	9	3	–	–
	Female	85	–	–	–	–	–	–	2	–	2	1	5	3	3	9	5	15	10	15	10	4	1	–
	All other Male	30	–	–	–	–	–	–	3	–	4	1	4	3	6	2	2	2	1	–	2	–	–	–
	Female	18	–	–	–	1	–	1	–	–	–	1	3	2	3	4	–	1	1	–	1	–	–	–
590	Infections of kidney	108	–	–	1	–	–	–	–	–	–	4	2	3	4	3	7	17	25	24	13	5	–	–
	White Male	34	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	10	8	8	2	–	–	–
	Female	63	–	–	1	–	–	–	–	–	–	1	–	1	3	1	5	6	16	15	11	3	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	–	2	–	–
600	Hyperplasia of prostate	53	–	–	–	–	–	–	–	–	–	–	–	1	1	–	5	11	5	17	8	3	2	–
	White Male	48	–	–	–	–	–	–	–	–	–	–	–	1	1	–	4	8	4	17	8	3	2	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	14	–	–	–	–	4	2	2	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	7	–	–	–	–	2	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	7	–	–	–	–	2	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Jersey—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	14	–	–	–	–	4	2	2	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	7	–	–	–	–	2	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	7	–	–	–	–	2	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	396	244	35	10	11	12	7	10	9	4	4	8	13	6	6	5	4	4	2	–	–	1	1
	White Male	174	107	11	3	5	3	4	8	5	1	2	5	6	1	4	3	1	3	1	–	–	1	–
	Female	154	87	18	5	4	7	2	2	2	3	2	2	7	5	1	2	3	1	1	–	–	–	–
	All other Male	35	27	3	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	33	23	3	–	2	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	1
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	759	759	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	294	294	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	238	238	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	120	120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	107	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	400	400	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	168	168	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	134	134	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	51	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	359	359	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	126	126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	104	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	629	148	12	4	4	28	64	47	30	22	27	28	22	38	19	38	25	24	20	11	10	7	1
	White Male	264	44	2	–	2	17	29	21	12	9	10	16	13	22	8	20	9	10	10	3	4	2	1
	Female	189	39	3	2	2	3	10	5	6	7	10	8	6	10	8	16	16	11	10	8	5	4	–
	All other Male	106	31	5	1	–	7	17	15	9	5	3	2	2	4	2	1	–	2	–	–	–	–	–
	Female	70	34	2	1	–	1	8	6	3	1	4	2	1	2	1	1	–	1	–	–	1	1	–
Residual	All other diseases	3,707	42	28	17	14	36	58	60	54	66	93	164	225	308	363	424	482	480	441	253	76	22	1
	White Male	1,788	17	13	7	6	13	34	28	17	26	31	64	97	137	203	231	243	251	219	112	30	9	–
	Female	1,391	10	11	6	7	12	11	18	8	18	25	61	83	119	110	133	191	192	197	125	42	12	–
	All other Male	307	7	2	1	–	–	10	6	16	16	26	26	28	31	35	30	23	22	18	8	1	1	–
	Female	221	8	2	3	1	11	3	8	13	6	11	13	17	21	15	30	25	15	7	8	3	–	1
E800–E949	Accidents	2,546	29	93	98	81	291	281	176	105	109	94	112	139	128	112	107	119	142	148	100	62	16	4
	White Male	1,419	14	32	46	48	209	187	124	63	67	55	54	82	73	61	53	67	70	60	29	17	4	4
	Female	703	4	18	15	8	58	46	19	16	11	19	28	33	31	33	44	47	70	83	63	45	12	–
	All other Male	303	7	23	22	18	19	39	24	21	23	16	25	19	19	12	7	4	–	2	3	–	–	–
	Female	121	4	20	15	7	5	9	9	5	8	4	5	5	5	6	3	1	2	3	5	–	–	–
E810–E823	Motor vehicle accidents	1,107	3	22	47	34	204	182	96	56	54	40	40	61	61	41	42	45	44	23	9	2	1	–
	White Male	704	2	12	28	20	146	125	68	36	40	24	24	32	34	20	24	27	26	10	3	2	1	–
	Female	257	1	5	6	5	47	34	15	6	7	11	8	18	16	16	13	15	18	11	5	–	–	–
	All other Male	114	–	3	10	7	9	19	10	9	7	5	6	10	6	3	4	3	–	2	1	–	–	–
	Female	32	–	2	3	2	2	4	3	5	–	–	2	1	5	2	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,439	26	71	51	47	87	99	80	49	55	54	72	78	67	71	65	74	98	125	91	60	15	4
	White Male	715	12	20	18	28	63	62	56	27	27	31	30	50	39	41	29	40	44	50	26	15	3	4
	Female	446	3	13	9	3	11	12	4	10	4	8	20	15	15	17	31	32	52	72	58	45	12	–
	All other Male	189	7	20	12	11	10	20	14	12	16	11	19	9	13	9	3	1	–	–	2	–	–	–
	Female	89	4	18	12	5	3	5	6	–	8	4	3	4	–	4	2	1	2	3	5	–	–	–
E950–E959	Suicide	583	...	...	–	1	38	70	60	55	39	38	48	47	45	53	21	22	15	19	8	2	1	1
	White Male	393	...	...	–	1	31	51	37	33	23	23	29	35	30	38	17	15	10	11	6	2	–	1
	Female	143	...	...	–	–	4	12	12	18	9	11	17	10	13	13	3	6	4	8	2	–	1	–
	All other Male	36	...	...	–	–	3	5	9	3	7	3	2	1	–	1	–	1	1	–	–	–	–	–
	Female	11	...	...	–	–	–	2	2	1	–	1	–	1	2	1	1	–	–	–	–	–	–	–
E960–E978	Homicide	503	5	13	8	7	58	78	75	59	34	31	29	28	27	20	12	11	2	4	–	–	–	2
	White Male	161	3	4	4	2	17	20	20	20	9	8	8	10	13	7	4	7	–	3	–	–	–	2
	Female	70	1	4	2	1	9	10	5	4	3	5	4	2	4	6	6	2	1	1	–	–	–	–
	All other Male	203	1	2	1	2	22	35	37	26	15	17	11	15	9	7	2	1	–	–	–	–	–	–
	Female	69	–	3	1	2	10	13	13	9	7	1	6	1	1	–	–	1	1	–	–	–	–	–
E980–E999	Other external causes	158	3	7	2	2	13	11	7	13	7	12	14	20	7	11	11	4	7	1	4	2	–	–
	White Male	87	1	–	–	1	10	7	5	7	5	5	8	9	2	8	7	3	3	–	4	2	–	–
	Female	31	–	2	–	–	–	–	1	2	1	3	4	7	3	2	2	1	3	–	–	–	–	–
	All other Male	26	2	2	1	1	2	2	1	4	1	3	2	1	2	1	–	–	–	1	–	–	–	–
	Female	14	–	3	1	–	1	2	–	–	–	1	–	3	–	–	2	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico																							
	All causes	7,977	358	73	42	55	191	195	176	186	201	220	310	380	516	663	875	909	843	790	585	295	104	10
	White ..... Male	4,243	149	26	19	28	115	110	95	89	112	120	178	206	306	420	511	530	468	360	241	122	33	5
	Female	2,929	133	31	19	9	41	32	33	35	39	57	96	134	170	205	306	328	328	390	315	166	60	2
	All other ..... Male	527	40	9	4	11	29	42	37	46	37	29	19	30	25	25	34	32	29	25	13	3	6	2
	Female	278	36	7	–	7	6	11	11	16	13	14	17	10	15	13	24	19	18	15	16	4	5	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	19	8	2	–	1	–	–	–	–	–	1	–	–	–	–	–	1	2	3	1	–	–	–
	White ..... Male	5	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–
	Female	7	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	All other ..... Male	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	28	1	–	–	–	–	–	1	1	1	2	–	–	1	–	2	5	7	6	1	–	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	5	1	–	–	–
	Female	7	1	–	–	–	–	–	–	–	–	1	–	–	1	–	1	3	–	–	–	–	–	–
	All other ..... Male	8	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	4	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	17	–	–	–	–	–	–	1	–	1	2	–	–	1	–	1	2	4	4	1	–	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	11	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	3	3	2	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	32	13	–	–	–	–	–	–	–	1	–	2	1	2	3	2	4	2	–	2	–	–	–
	White ..... Male	9	2	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1	–	–	–	–	–
	Female	12	6	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	1	–	–	–
	All other ..... Male	5	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	–	–	–	–	–
	Female	6	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	22	3	2	–	–	1	–	1	–	–	–	2	1	3	1	2	1	1	–	2	2	–	–
	White ..... Male	8	–	–	–	–	–	–	1	–	–	–	2	1	–	1	1	1	1	–	–	–	–	–
	Female	11	2	1	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–	–	2	2	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,316	1	7	6	2	4	10	7	13	18	31	61	101	117	181	210	212	145	108	50	27	5	–
	White Male	643	–	3	4	1	4	5	4	3	12	13	21	43	41	98	105	121	75	53	23	13	1	–
	Female	604	1	4	1	1	–	3	3	9	6	15	36	51	67	77	91	81	66	50	27	13	2	–
	All other Male	37	–	–	1	–	–	1	–	–	–	1	2	5	3	5	7	5	2	2	–	1	2	–
	Female	32	–	–	–	–	–	1	–	1	–	2	2	2	6	1	7	5	2	3	–	–	–	–
140–149	Of buccal cavity and pharynx	20	–	–	–	–	1	–	–	–	1	–	1	–	5	3	1	3	2	1	2	–	–	–
	White Male	12	–	–	–	–	1	–	–	–	1	–	1	–	1	2	1	2	1	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	1	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	368	–	–	–	–	–	1	2	2	1	3	12	24	32	50	61	69	42	37	17	11	4	–
	White Male	179	–	–	–	–	–	1	1	1	1	2	5	8	15	26	26	43	25	15	6	3	1	–
	Female	164	–	–	–	–	–	–	1	1	–	1	4	14	13	22	29	23	17	20	11	7	1	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	1	2	1	1	4	2	–	2	–	1	2	–
	Female	9	–	–	–	–	–	–	–	–	–	–	2	–	3	1	2	1	–	–	–	–	–	–
160–163	Of respiratory system	274	1	–	–	–	–	–	1	–	1	3	13	22	23	52	65	52	15	16	8	2	–	–
	White Male	179	–	–	–	–	–	–	–	–	1	2	7	15	11	36	43	33	13	10	6	2	–	–
	Female	83	1	–	–	–	–	–	1	–	–	1	6	6	10	13	18	17	2	6	2	–	–	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
174	Of breast	105	–	–	–	–	–	–	1	3	2	6	15	18	16	10	11	6	8	5	2	2	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	100	–	–	–	–	–	–	1	3	2	6	15	16	15	10	9	6	8	5	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	–	–
180–187	Of genital organs	137	–	–	–	–	–	2	–	1	2	5	4	3	10	19	16	24	24	14	10	3	–	–
	White Male	57	–	–	–	–	–	–	–	–	1	–	–	1	1	7	4	13	14	7	6	3	–	–
	Female	72	–	–	–	–	–	2	–	1	1	4	4	2	8	12	10	10	7	7	4	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	1	–	–	–	–	–
188, 189	Of urinary organs	51	–	–	–	–	–	–	–	–	–	–	2	4	2	9	5	12	8	7	2	–	–	–
	White Male	26	–	–	–	–	–	–	–	–	–	–	1	3	–	6	3	5	2	5	1	–	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	1	2	3	2	5	5	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	243	–	4	3	–	2	6	1	6	9	8	9	18	22	26	37	32	26	20	5	8	1	–
	White Male	119	–	2	1	–	2	3	1	2	7	5	2	11	10	13	18	17	10	9	1	5	–	–
	Female	113	–	2	1	–	–	1	–	3	2	2	6	6	11	13	19	14	16	9	4	3	1	–
	All other Male	4	–	–	1	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	1	–	2	–	–	–	–
204–207	Leukemia	51	–	3	3	1	1	–	–	–	2	1	2	6	3	4	7	6	10	1	1	–	–	–
	White Male	35	–	1	3	–	1	–	–	–	1	1	2	4	1	3	5	4	7	1	1	–	–	–
	Female	15	–	2	–	1	–	–	–	–	1	–	–	2	2	–	2	2	3	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	67	–	–	–	1	–	1	2	1	–	5	3	6	4	8	7	8	10	7	3	1	–	–
	White Male	36	–	–	–	1	–	1	2	–	–	3	3	1	2	5	5	4	3	5	1	–	–	–
	Female	27	–	–	–	–	–	–	–	1	–	1	–	4	2	3	2	3	7	1	2	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	20	1	–	–	–	–	–	–	2	1	–	1	–	1	4	3	1	1	3	2	–	–	–
	White Male	8	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	2	–	–	–	–
	Female	12	–	–	–	–	–	–	–	2	1	–	1	–	1	2	1	1	–	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	132	–	–	–	–	–	1	–	–	6	5	7	9	10	11	20	20	18	11	10	3	1	–
	White Male	61	–	–	–	–	–	1	–	–	1	1	5	5	5	7	11	6	10	5	3	1	–	–
	Female	52	–	–	–	–	–	–	–	–	3	1	2	3	4	4	8	7	8	3	6	2	1	–
	All other Male	7	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	3	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	3	–	1	1	–	1	5	–	–	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	18	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	3	3	3	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	2	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
280–285	Anemias	18	–	–	1	–	–	–	2	–	–	–	1	–	1	1	–	2	3	3	4	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–
	Female	13	–	–	1	–	–	–	1	–	–	–	1	–	–	1	–	1	2	3	3	–	–	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	12	6	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	2	1	–	–	–	–
	White Male	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	Female	3	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,921	6	–	1	2	7	3	5	7	15	30	76	118	187	241	370	399	430	431	357	180	55	1
	White Male	1,625	1	–	–	–	6	2	4	5	10	17	56	79	134	173	231	246	234	195	139	72	20	1
	Female	1,181	3	–	1	–	1	1	–	1	3	8	17	33	44	60	122	140	178	222	207	107	33	–
	All other Male	65	1	–	–	2	–	–	–	1	–	2	1	5	7	4	8	11	10	7	6	–	–	–
	Female	50	1	–	–	–	–	–	1	–	2	3	2	1	2	4	9	2	8	7	5	1	2	–
390–398, 402, 404, 410–429	Diseases of heart	2,015	5	–	–	2	3	1	2	6	12	21	57	87	149	183	276	298	287	263	226	108	28	1
	White Male	1,202	1	–	–	–	3	1	2	5	9	15	44	64	113	138	178	190	157	136	86	46	13	1
	Female	733	2	–	–	–	–	–	–	–	2	4	10	19	27	37	87	99	118	120	133	61	14	–
	All other Male	52	1	–	–	2	–	–	–	1	–	1	1	4	7	4	5	8	9	4	5	–	–	–
	Female	28	1	–	–	–	–	–	–	–	1	1	2	–	2	4	6	1	3	3	2	1	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	59	–	–	–	1	–	–	–	–	1	1	4	5	8	8	11	11	3	3	3	–	–	–
	White Male	35	–	–	–	–	–	–	–	–	1	1	2	2	6	5	5	8	–	3	2	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	1	2	1	2	4	3	3	–	1	–	–	–
	All other Male	5	–	–	–	1	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
402	Hypertensive heart disease	17	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	2	2	2	3	–	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	1	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	2	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	2	3	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,729	–	–	–	1	–	–	1	5	8	16	47	74	125	157	235	260	251	234	195	98	21	1
	White Male	1,058	–	–	–	–	–	–	1	5	6	12	41	57	99	124	158	164	141	121	74	44	10	1
	Female	623	–	–	–	–	–	–	–	–	2	3	6	15	20	30	70	88	102	108	116	53	10	–
	All other Male	33	–	–	–	1	–	–	–	–	–	1	–	2	5	2	3	7	5	3	4	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	1	3	2	1	1	1	–
410	Acute myocardial infarction	972	–	–	–	1	–	–	–	4	5	11	32	56	89	110	156	139	142	107	82	33	4	1
	White Male	646	–	–	–	–	–	–	–	4	3	10	29	43	75	87	106	93	84	59	32	17	3	1
	Female	300	–	–	–	–	–	–	–	–	2	–	3	11	11	21	47	42	52	47	47	16	1	–
	All other Male	18	–	–	–	1	–	–	–	–	–	1	–	2	3	1	1	3	4	–	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	6	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	–	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	751	–	–	–	–	–	–	1	1	3	5	14	18	35	45	78	120	109	127	113	65	17	–
	White Male	408	–	–	–	–	–	–	1	1	3	2	11	14	23	35	52	71	57	62	42	27	7	–
	Female	321	–	–	–	–	–	–	–	–	–	3	3	4	9	9	22	45	50	61	69	37	9	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	4	1	3	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	1	1	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	14	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	2	4	1	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	2	–	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
420–423, 425–427, 429	All other forms of heart disease	185	5	–	–	–	3	1	1	1	3	4	6	8	14	15	26	21	26	21	19	6	5	–
	White..... Male	90	1	–	–	–	3	1	1	–	2	2	1	5	6	8	13	14	12	11	7	2	1	–
	Female	72	2	–	–	–	–	–	–	–	–	1	3	2	6	4	11	6	11	8	10	4	4	–
	All other..... Male	13	1	–	–	–	–	–	–	1	–	–	1	1	1	1	1	1	3	1	1	–	–	–
	Female	10	1	–	–	–	–	–	–	–	1	1	1	–	1	2	1	–	–	1	1	–	–	–
400, 401, 403	Hypertension	44	–	–	–	–	–	–	–	–	1	1	3	3	3	9	5	5	1	6	4	1	2	–
	White..... Male	23	–	–	–	–	–	–	–	–	–	–	3	2	2	6	1	3	1	1	4	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	2	–	4	–	1	2	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	663	1	–	1	–	2	2	2	1	2	6	15	21	24	42	71	77	111	130	91	49	15	–
	White..... Male	291	–	–	–	–	2	1	1	–	1	1	9	9	11	25	39	40	58	40	32	19	3	–
	Female	344	1	–	1	–	–	1	–	1	1	3	6	10	13	17	26	34	48	85	55	30	12	–
	All other..... Male	12	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	3	1	2	1	–	–	–
	Female	16	–	–	–	–	–	–	1	–	–	1	–	1	–	–	3	–	4	3	3	–	–	–
431	Cerebral hemorrhage	104	–	–	–	–	–	1	2	–	1	1	6	10	7	9	7	12	14	19	8	6	1	–
	White..... Male	45	–	–	–	–	–	1	1	–	–	–	4	3	4	6	2	6	8	4	3	3	–	–
	Female	54	–	–	–	–	–	–	–	–	1	–	2	7	3	3	4	5	6	15	4	3	1	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
433	Cerebral thrombosis	102	–	–	–	–	–	–	–	–	–	–	–	1	1	14	11	10	22	20	14	6	3	–
	White..... Male	45	–	–	–	–	–	–	–	–	–	–	–	–	1	9	6	3	13	7	4	1	1	–
	Female	52	–	–	–	–	–	–	–	–	–	–	–	–	–	5	4	7	8	13	8	5	2	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–
434	Cerebral embolism	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	453	1	–	1	–	2	1	–	1	1	5	9	10	16	19	53	54	72	91	69	37	11	–
	White..... Male	199	–	–	–	–	2	–	–	–	1	1	5	6	6	10	31	31	35	29	25	15	2	–
	Female	236	1	–	1	–	–	1	–	1	–	3	4	3	10	9	18	21	33	57	43	22	9	–
	All other..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	1	2	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	3	3	1	–	–	–
440	Arteriosclerosis	117	–	–	–	–	–	–	–	–	–	–	–	1	3	1	9	9	18	22	29	17	8	–
	White..... Male	65	–	–	–	–	–	–	–	–	–	–	–	1	3	1	8	6	13	12	13	4	4	–
	Female	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	5	9	16	13	4	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	82	–	–	–	–	2	–	1	–	–	2	1	6	8	6	9	10	13	10	7	5	2	–
	White..... Male	44	–	–	–	–	1	–	1	–	–	1	–	3	5	3	5	7	5	6	4	3	–	–
	Female	35	–	–	–	–	1	–	–	–	–	1	1	3	3	3	4	2	7	4	3	2	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–
466	Acute bronchitis and bronchiolitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	262	21	2	–	2	1	–	4	6	3	1	4	9	5	12	18	23	38	46	33	24	10	–
	White..... Male	136	7	1	–	1	1	–	1	1	1	–	1	2	4	6	8	16	28	27	17	12	2	–
	Female	90	9	1	–	–	–	–	–	1	–	–	1	6	1	3	6	7	8	17	13	11	6	–
	All other..... Male	18	2	–	–	–	–	–	2	4	1	1	–	–	–	2	2	–	1	2	–	–	1	–
	Female	18	3	–	–	1	–	–	1	–	1	–	2	1	–	1	2	–	1	–	3	1	1	–
470–474	Influenza	34	–	–	–	–	–	–	1	–	–	–	1	2	–	–	4	4	5	6	6	5	–	–
	White..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	4	1	2	3	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	2	1	5	4	1	–	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
480–486	Pneumonia	228	21	2	–	2	1	–	3	6	3	1	3	7	5	12	14	19	33	40	27	19	10	–
	White..... Male	121	7	1	–	1	1	–	1	1	1	–	1	2	4	6	5	14	24	26	15	9	2	–
	Female	74	9	1	–	–	–	–	–	1	–	–	–	4	1	3	6	5	7	12	9	10	6	–
	All other..... Male	17	2	–	–	–	–	–	2	4	1	1	–	–	–	2	1	–	1	2	–	–	1	–
	Female	16	3	–	–	1	–	–	–	–	1	–	2	1	–	1	2	–	1	–	3	–	1	–
490–493	Bronchitis, emphysema, and asthma	159	1	1	–	1	–	–	2	–	–	1	–	4	11	19	34	36	20	16	8	4	1	–
	White..... Male	114	–	1	–	1	–	–	2	–	–	–	–	4	8	16	25	25	15	9	6	2	–	–
	Female	41	–	–	–	–	–	–	–	–	–	1	–	–	2	3	9	10	5	7	2	1	1	–
	All other..... Male	4	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
490, 491	Chronic and unqualified bronchitis	23	1	–	–	–	–	–	–	–	–	1	–	–	2	1	3	5	2	3	3	2	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	3	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	3	1	–	1	1	–	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	123	–	–	–	–	–	–	–	–	–	–	–	4	7	17	28	29	18	12	5	2	1	–
	White Male	93	–	–	–	–	–	–	–	–	–	–	–	4	6	14	21	22	14	6	4	2	–	–
	Female	29	–	–	–	–	–	–	–	–	–	–	–	–	1	3	7	6	4	6	1	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	13	–	1	–	1	–	–	2	–	–	–	–	–	2	1	3	2	–	1	–	–	–	–
	White Male	8	–	1	–	1	–	–	2	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	30	1	–	–	–	–	–	–	–	3	–	3	1	1	1	3	5	2	5	2	3	–	–
	White Male	11	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	–	2	2	1	–	–
	Female	17	–	–	–	–	–	–	–	–	1	–	2	1	1	1	–	4	2	3	–	2	–	–
	All other Male	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	6	–	–	–	1	–	–	–	–	1	1	–	1	1	–	–	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	31	4	–	–	–	–	–	–	–	–	–	–	–	1	2	4	5	5	5	4	–	1	–
	White Male	13	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	1	2	–	–	–
	Female	13	2	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	2	2	–	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
571	Cirrhosis of liver	198	–	–	–	–	1	2	6	7	19	24	24	23	32	25	12	9	7	5	–	–	2	–
	White Male	115	–	–	–	–	–	–	3	–	14	14	14	12	22	14	9	4	4	3	–	–	2	–
	Female	44	–	–	–	–	1	1	–	–	–	5	7	7	7	5	3	3	3	2	–	–	–	–
	All other Male	27	–	–	–	–	–	–	3	3	3	5	1	3	2	5	–	2	–	–	–	–	–	–
	Female	12	–	–	–	–	–	1	–	4	2	–	2	1	1	1	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	27	–	–	1	–	–	–	–	–	–	–	–	–	1	–	3	4	4	9	2	1	2	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	1	1	–
	Female	14	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	1	1	6	2	–	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
580–584	Nephritis and nephrosis	38	–	–	1	–	–	–	–	–	–	2	1	1	–	4	3	7	7	4	4	3	1	–
	White Male	17	–	–	1	–	–	–	–	–	–	1	1	1	–	2	1	2	1	3	2	2	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	4	1	2	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	1	–	1	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	30	–	–	1	–	–	–	–	–	–	2	1	1	–	4	3	6	3	3	3	3	–	–
	White Male	14	–	–	1	–	–	–	–	–	–	1	1	1	–	2	1	1	–	3	1	2	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	3	–	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
590	Infections of kidney	22	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	5	1	6	3	–	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	4	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–
600	Hyperplasia of prostate	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New Mexico—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	95	69	7	5	–	2	–	–	–	2	2	–	1	–	1	2	2	2	–	–	–	–	–
	White Male	44	29	4	3	–	–	–	–	–	–	2	–	1	–	–	2	2	1	–	–	–	–	–
	Female	44	34	3	1	–	2	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other Male	5	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	146	145	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	43	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	18	17	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	83	82	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	63	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	374	52	3	1	1	5	3	1	5	3	4	19	12	30	28	40	37	35	41	24	17	12	1
	White Male	181	21	1	1	1	1	2	–	–	2	3	9	6	16	18	24	22	19	15	12	6	1	1
	Female	135	18	1	–	–	2	1	–	1	1	–	4	3	10	9	10	12	12	21	10	11	9	–
	All other Male	33	6	–	–	–	1	–	–	4	–	–	5	2	1	1	4	3	1	3	1	–	1	–
	Female	25	7	1	–	–	1	–	1	–	–	1	1	1	3	–	2	–	3	2	1	–	1	–
Residual	All other diseases	772	11	5	4	6	14	17	28	30	37	35	41	38	59	76	89	68	76	61	53	18	5	1
	White Male	407	4	2	2	3	10	6	13	15	14	19	24	23	34	47	54	39	45	22	23	6	2	–
	Female	246	5	2	2	–	2	3	6	3	5	7	8	9	20	23	30	24	26	37	22	10	2	–
	All other Male	85	–	1	–	1	2	6	7	9	13	8	6	5	5	4	5	1	3	2	5	1	–	1
	Female	34	2	–	–	2	–	2	2	3	5	1	3	1	–	2	–	4	2	–	3	1	1	–
E800–E949	Accidents	883	11	35	17	33	113	99	76	67	55	50	45	42	34	35	41	48	28	19	15	8	8	4
	White Male	489	2	13	7	19	65	58	46	37	32	27	27	21	26	21	22	26	18	7	6	4	3	2
	Female	195	3	14	8	5	23	6	9	6	10	11	12	13	3	8	13	17	8	11	8	3	4	–
	All other Male	153	2	5	2	6	20	29	18	19	11	9	3	7	5	3	5	5	2	–	–	–	1	1
	Female	46	4	3	–	3	5	6	3	5	2	3	3	1	–	3	1	–	–	1	1	1	–	1
E810–E823	Motor vehicle accidents	477	3	17	10	14	87	70	55	40	33	29	20	19	15	16	22	12	8	4	1	–	–	2
	White Male	254	1	8	4	3	47	42	31	20	18	12	10	11	12	8	14	6	6	1	–	–	–	–
	Female	95	2	5	4	4	18	3	8	3	6	8	6	6	1	6	5	4	2	3	1	–	–	–
	All other Male	98	–	1	2	5	18	21	13	13	7	6	2	2	2	1	2	2	–	–	–	–	–	1
	Female	30	–	3	–	2	4	4	3	4	2	3	2	–	–	1	1	–	–	–	–	–	–	1
E800–E807, E825–E949	All other accidents	406	8	18	7	19	26	29	21	27	22	21	25	23	19	19	19	36	20	15	14	8	8	2
	White Male	235	1	5	3	16	18	16	15	17	14	15	17	10	14	13	8	20	12	6	6	4	3	2
	Female	100	1	9	4	1	5	3	1	3	4	3	6	7	2	2	8	13	6	8	7	3	4	–
	All other Male	55	2	4	–	1	2	8	5	6	4	3	1	5	3	2	3	3	2	–	–	–	1	–
	Female	16	4	–	–	1	1	2	–	1	–	–	1	1	–	2	–	–	–	1	1	1	–	–
E950–E959	Suicide	201	...	...	–	2	22	27	20	25	16	17	15	9	14	9	9	9	2	2	1	2	–	–
	White Male	125	...	...	–	–	13	16	14	15	10	11	11	4	9	5	5	5	2	2	1	2	–	–
	Female	52	...	...	–	2	5	6	3	6	5	4	4	2	4	3	4	4	–	–	–	–	–	–
	All other Male	23	...	...	–	–	4	5	3	3	1	2	–	3	1	1	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	146	1	8	4	2	17	28	19	19	15	10	7	3	1	7	1	1	–	–	1	–	–	2
	White Male	85	1	1	–	1	11	18	7	9	13	8	6	2	–	7	–	1	–	–	–	–	–	–
	Female	42	–	4	4	–	4	8	8	6	1	2	–	1	1	–	–	–	–	–	1	–	–	2
	All other Male	11	–	1	–	1	2	1	1	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	8	–	2	–	–	–	1	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	35	2	–	–	2	4	3	3	4	4	3	1	4	1	–	2	1	–	–	–	–	–	1
	White Male	19	–	–	–	1	4	2	–	4	2	2	–	1	1	–	1	–	–	–	–	–	–	1
	Female	12	2	–	–	–	–	1	2	–	1	1	1	3	–	–	–	1	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York																							
	All causes	**169,618**	**3,782**	**600**	**461**	**432**	**1,329**	**1,915**	**1,948**	**1,905**	**2,040**	**3,243**	**5,351**	**8,281**	**11,188**	**15,220**	**18,829**	**21,625**	**23,628**	**22,458**	**15,746**	**7,351**	**2,218**	**68**
	White ..... Male	80,209	1,490	244	213	203	763	1,051	961	846	883	1,410	2,476	4,196	5,924	8,300	10,361	11,195	11,151	9,466	5,916	2,503	630	27
	Female	70,393	1,055	193	145	125	324	342	369	417	476	872	1,568	2,530	3,517	5,158	6,596	8,560	11,016	11,974	9,162	4,506	1,460	28
	All other ..... Male	10,844	651	89	62	69	168	374	452	442	425	599	809	968	1,055	1,035	1,048	969	745	477	242	118	41	6
	Female	8,172	586	74	41	35	74	148	166	200	256	362	498	587	692	727	824	901	716	541	426	224	87	7
004, 006	Bacillary dysentery and amebiasis	4	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	129	43	5	–	2	–	–	2	2	2	–	2	3	1	2	9	8	11	12	18	5	1	1
	White ..... Male	48	17	3	–	2	–	–	2	–	2	–	1	2	–	1	3	–	2	4	7	2	–	–
	Female	56	8	–	–	–	–	–	–	2	–	–	–	1	1	1	6	7	8	8	10	3	1	–
	All other ..... Male	13	11	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	12	7	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	1
010–019	Tuberculosis, all forms	380	–	2	–	–	1	2	5	14	10	19	29	38	39	41	41	37	39	30	23	7	3	–
	White ..... Male	164	–	2	–	–	–	–	–	5	2	6	6	13	18	20	16	19	22	15	14	5	1	–
	Female	82	–	–	–	–	–	–	2	–	–	1	6	9	6	8	11	11	13	9	3	2	1	–
	All other ..... Male	91	–	–	–	–	–	1	3	6	3	7	12	13	12	9	10	4	3	4	4	–	–	–
	Female	43	–	–	–	–	1	1	–	3	5	5	5	3	3	4	4	3	1	2	2	–	1	–
010–012	Tuberculosis of respiratory system	307	–	–	–	–	–	–	1	11	9	15	26	30	34	35	33	31	29	24	20	7	2	–
	White ..... Male	133	–	–	–	–	–	–	–	4	2	3	3	11	16	16	12	16	17	13	14	5	1	–
	Female	71	–	–	–	–	–	–	–	–	–	1	6	7	5	8	10	11	10	8	2	2	1	–
	All other ..... Male	74	–	–	–	–	–	–	1	5	3	6	12	11	11	8	8	2	2	2	3	–	–	–
	Female	29	–	–	–	–	–	–	–	2	4	5	5	1	2	3	3	2	–	1	1	–	–	–
013–019	Tuberculosis, other forms	73	–	2	–	–	1	2	4	3	1	4	3	8	5	6	8	6	10	6	3	–	1	–
	White ..... Male	31	–	2	–	–	–	–	–	1	–	3	3	2	2	4	4	3	5	2	–	–	–	–
	Female	11	–	–	–	–	–	–	2	–	–	–	–	2	1	–	1	–	3	1	1	–	–	–
	All other ..... Male	17	–	–	–	–	–	1	2	1	–	1	–	2	1	1	2	2	1	2	1	–	–	–
	Female	14	–	–	–	–	1	1	–	1	1	–	–	2	1	1	1	1	1	1	1	–	1	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	18	6	1	1	1	–	–	–	–	–	1	–	–	1	2	2	1	–	1	1	–	–	–
	White ..... Male	10	4	1	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–
	Female	5	1	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
038	Septicemia	505	53	4	4	–	2	4	5	6	7	7	12	25	27	33	43	51	78	65	53	22	4	–
	White ..... Male	201	19	1	–	–	1	4	2	3	1	4	2	9	14	13	17	20	37	25	16	12	1	–
	Female	197	12	2	2	–	–	–	1	2	3	2	4	5	7	12	15	20	31	36	33	8	2	–
	All other ..... Male	63	13	–	1	–	1	–	1	–	1	1	3	6	3	5	7	9	6	3	2	–	1	–
	Female	44	9	1	1	–	–	–	1	1	2	–	3	5	3	3	4	2	4	1	2	2	–	–
040–043	Acute poliomyelitis	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	19	–	–	–	–	–	–	–	–	–	1	–	–	1	3	5	4	3	2	–	–	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	315	11	7	5	5	6	6	6	18	7	10	19	27	30	26	28	27	26	26	14	9	2	–
	White ..... Male	118	5	4	2	1	3	2	2	6	2	3	5	8	15	7	12	10	10	10	5	5	1	–
	Female	126	4	2	2	1	2	2	2	5	–	3	8	10	8	8	15	13	14	15	8	3	1	–
	All other ..... Male	29	–	1	–	1	–	1	1	3	3	2	2	4	3	3	–	2	2	1	–	–	–	–
	Female	42	2	–	1	2	1	1	1	4	2	2	4	5	4	8	1	2	–	–	1	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	35,530	9	59	79	62	98	114	150	239	330	743	1,530	2,531	3,549	4,587	5,222	5,325	4,754	3,578	1,873	581	113	4
	White..... Male	16,540	4	29	39	28	42	55	73	87	100	264	542	956	1,546	2,165	2,678	2,712	2,399	1,666	853	256	44	2
	Female	15,390	4	20	29	19	42	42	57	104	140	326	710	1,164	1,513	1,917	2,044	2,169	2,043	1,746	939	297	63	2
	All other..... Male	2,017	1	3	6	10	8	10	15	13	46	63	136	231	286	300	303	264	175	98	34	12	3	–
	Female	1,583	–	7	5	5	6	7	5	35	44	90	142	180	204	205	197	180	137	68	47	16	3	–
140–149	Of buccal cavity and pharynx	815	–	–	–	3	1	3	1	5	5	22	45	83	133	126	125	105	69	53	26	8	2	–
	White..... Male	492	–	–	–	–	–	–	1	2	1	11	24	47	77	70	86	76	44	33	14	4	2	–
	Female	196	–	–	–	1	1	1	–	2	1	4	9	15	30	35	27	21	18	18	10	3	–	–
	All other..... Male	103	–	–	–	2	–	1	–	–	3	5	8	18	25	17	11	4	6	2	1	–	–	–
	Female	24	–	–	–	–	–	1	–	1	–	2	4	3	1	4	1	4	1	–	1	1	–	–
150–159	Of digestive organs and peritoneum	10,859	–	2	–	2	4	8	15	26	57	135	325	598	896	1,325	1,670	1,814	1,690	1,325	701	225	41	–
	White..... Male	5,011	–	2	–	–	1	4	7	10	20	57	137	284	427	643	853	876	777	517	290	90	16	–
	Female	4,770	–	–	–	2	2	2	5	7	14	48	127	203	337	507	644	780	810	756	379	123	24	–
	All other..... Male	626	–	–	–	–	–	1	3	5	17	15	34	72	81	104	106	90	49	30	14	5	–	–
	Female	452	–	–	–	–	1	1	–	4	6	15	27	39	51	71	67	68	54	22	18	7	1	–
160–163	Of respiratory system	7,850	–	–	–	1	1	3	4	19	60	182	391	660	992	1,251	1,351	1,245	855	549	206	66	11	3
	White..... Male	5,238	–	–	–	1	–	2	2	13	22	99	198	353	587	844	943	921	655	399	145	43	9	2
	Female	1,776	–	–	–	–	1	–	2	3	16	48	104	188	255	285	287	241	145	126	53	20	1	1
	All other..... Male	659	–	–	–	–	–	1	–	2	13	24	67	94	114	100	102	68	45	22	4	2	1	–
	Female	177	–	–	–	–	–	–	–	1	9	11	22	25	36	22	19	15	10	2	4	1	–	–
174	Of breast	3,597	–	–	–	–	–	2	9	41	57	142	295	400	458	486	461	414	342	274	155	50	11	–
	White..... Male	30	–	–	–	–	–	–	–	–	1	–	–	2	4	1	5	5	7	4	–	1	–	–
	Female	3,258	–	–	–	–	–	1	8	31	42	113	257	357	412	450	419	383	315	262	152	45	11	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	307	–	–	–	–	–	1	1	10	14	29	38	41	42	35	36	26	19	8	3	4	–	–
180–187	Of genital organs	3,893	–	–	1	–	4	8	21	41	48	66	143	247	301	421	487	600	622	526	256	86	14	1
	White..... Male	1,495	–	–	–	–	2	4	11	15	6	7	7	10	35	109	166	260	311	333	162	51	6	–
	Female	1,894	–	–	1	–	2	2	9	15	31	38	111	188	211	261	246	263	245	156	78	30	6	1
	All other..... Male	230	–	–	–	–	–	–	–	–	–	1	2	8	12	23	44	54	45	28	8	4	1	–
	Female	274	–	–	–	–	–	2	1	11	11	20	23	41	43	28	31	23	21	9	8	1	1	–
188, 189	Of urinary organs	1,663	1	3	1	2	1	3	4	1	4	18	43	79	132	172	251	294	269	197	140	42	6	–
	White..... Male	1,069	–	2	–	1	–	1	–	–	4	5	29	53	94	116	176	177	186	121	78	24	2	–
	Female	499	1	1	1	1	1	2	3	1	–	7	8	20	30	43	57	102	74	69	56	18	4	–
	All other..... Male	57	–	–	–	–	–	–	1	–	–	5	3	4	7	8	7	12	6	2	2	–	–	–
	Female	38	–	–	–	–	–	–	–	–	–	1	3	2	1	5	11	3	3	5	4	–	–	–
170–173, 190–199	Of all other and unspecified sites	3,687	4	24	38	24	45	32	43	52	46	92	178	269	358	466	453	450	499	320	214	66	14	–
	White..... Male	1,687	2	10	17	10	20	12	27	20	24	34	96	114	178	223	229	211	224	123	85	25	3	–
	Female	1,660	1	11	14	8	20	14	9	25	15	42	53	117	138	200	191	199	250	181	123	40	9	–
	All other..... Male	176	1	–	5	3	3	5	5	4	4	6	14	19	25	26	15	18	13	8	1	–	1	–
	Female	164	–	3	2	3	2	1	2	3	3	10	15	19	17	17	18	22	12	8	5	1	1	–
204–207	Leukemia	1,273	4	25	31	23	22	26	27	18	24	29	36	67	85	110	140	158	186	148	91	16	7	–
	White..... Male	655	2	12	17	13	14	16	13	9	11	15	17	28	48	58	76	84	94	71	45	8	4	–
	Female	521	2	8	12	6	4	9	11	6	10	10	14	29	28	43	57	66	80	71	44	8	3	–
	All other..... Male	56	–	2	1	3	2	–	2	1	3	4	1	6	5	5	5	6	6	3	1	–	–	–
	Female	41	–	3	1	1	2	1	1	2	–	–	4	4	4	4	2	2	6	3	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,893	–	5	8	7	20	29	26	36	29	57	74	128	194	230	284	245	222	186	84	22	7	–
	White..... Male	863	–	3	5	3	5	16	12	18	11	36	34	65	96	101	144	102	101	65	34	10	2	–
	Female	816	–	–	1	1	11	11	10	14	11	16	27	47	72	93	116	114	106	107	44	10	5	–
	All other..... Male	108	–	1	–	2	3	2	4	1	6	3	7	10	17	17	12	12	4	3	3	1	–	–
	Female	106	–	1	2	1	1	–	–	3	1	2	6	6	9	19	12	17	11	11	3	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	558	3	5	5	3	4	6	5	12	7	16	25	33	47	80	76	79	60	46	31	14	1	–
	White..... Male	244	3	1	2	2	–	4	4	3	1	7	8	15	23	35	38	38	21	22	10	7	–	–
	Female	251	–	3	3	–	2	1	–	5	3	6	12	17	20	36	29	35	31	23	17	7	1	–
	All other..... Male	30	–	–	–	1	2	1	1	–	2	2	1	–	2	6	6	2	2	–	2	–	–	–
	Female	33	–	1	–	–	–	–	–	4	1	1	4	1	2	3	3	4	6	1	2	–	–	–
250	Diabetes mellitus	3,372	–	1	1	1	4	10	16	19	36	38	75	158	214	325	424	511	607	493	298	124	17	–
	White..... Male	1,221	–	–	1	1	2	4	8	7	11	17	31	65	96	141	163	181	222	148	79	37	7	–
	Female	1,692	–	1	–	–	2	4	6	8	14	5	18	42	74	133	205	250	336	300	205	80	9	–
	All other..... Male	184	–	–	–	–	–	1	1	–	8	11	14	24	22	23	21	22	17	14	1	4	1	–
	Female	275	–	–	–	–	–	1	1	4	3	5	12	27	22	28	35	58	32	31	13	3	–	–
260–269	Avitaminoses and other nutritional deficiencies	161	7	1	1	–	–	–	–	1	2	2	4	7	4	4	9	16	22	33	28	17	3	–
	White..... Male	51	2	–	–	–	–	–	–	–	–	–	3	3	2	3	3	7	4	11	5	5	3	–
	Female	86	2	1	–	–	–	–	–	1	1	1	1	4	2	–	5	5	16	17	20	10	–	–
	All other..... Male	9	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	2	1	–	–	–
	Female	15	2	–	1	–	–	–	–	–	1	1	–	–	–	–	–	1	2	3	2	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
280–285	Anemias	262	3	2	4	4	8	9	6	5	4	9	9	10	13	11	20	23	38	32	31	10	10	1
	White Male	95	3	1	1	1	2	3	1	–	–	2	2	3	4	5	7	10	17	12	12	6	3	–
	Female	118	–	–	1	3	4	1	2	2	1	2	3	4	7	5	9	10	19	19	18	4	4	–
	All other Male	21	–	–	2	–	2	2	1	2	1	2	1	–	–	1	3	–	2	–	1	–	1	–
	Female	28	–	1	–	–	–	3	2	1	2	3	3	3	2	–	1	3	–	1	–	–	2	1
320	Meningitis	121	23	6	6	2	2	–	2	4	5	5	5	6	9	4	9	9	11	4	7	2	–	–
	White Male	46	10	4	4	–	1	–	–	2	2	1	2	1	2	1	4	4	3	2	2	1	–	–
	Female	46	8	2	1	2	1	–	–	–	2	2	1	3	1	2	3	4	8	–	5	1	–	–
	All other Male	17	3	–	–	–	–	–	1	2	1	1	1	1	3	–	2	1	–	1	–	–	–	–
	Female	12	2	–	1	–	–	–	1	–	–	1	1	1	3	1	–	–	–	1	–	–	–	–
390–448	Major cardiovascular diseases	87,826	59	11	14	27	55	66	140	225	399	931	1,835	3,267	4,882	7,195	9,682	11,989	14,275	14,688	10,910	5,427	1,718	31
	White Male	41,751	26	6	5	10	18	25	64	110	206	489	1,098	2,064	3,052	4,373	5,604	6,217	6,444	5,872	3,861	1,738	455	14
	Female	39,144	17	4	4	8	27	17	38	49	70	199	359	687	1,126	2,089	3,193	4,773	6,998	8,218	6,637	3,450	1,167	14
	All other Male	3,548	9	–	2	3	8	11	21	47	73	152	239	326	412	414	468	481	391	252	141	68	29	1
	Female	3,383	7	1	3	6	2	13	17	19	50	91	139	190	292	319	417	518	442	346	271	171	67	2
390–398, 402, 404, 410–429	Diseases of heart	69,381	43	7	6	13	36	33	89	153	291	744	1,564	2,796	4,167	6,141	7,995	9,630	11,066	11,104	8,168	4,029	1,280	26
	White Male	34,423	20	5	2	6	15	15	49	81	169	424	999	1,868	2,708	3,868	4,772	5,116	5,118	4,525	2,997	1,315	338	13
	Female	29,643	12	2	3	4	14	6	23	31	35	137	264	523	908	1,695	2,538	3,752	5,324	6,117	4,858	2,524	862	11
	All other Male	2,791	7	–	–	1	6	8	12	28	52	117	194	270	326	332	368	367	309	198	111	59	25	1
	Female	2,524	4	–	1	2	1	4	5	13	35	66	107	135	225	246	317	395	315	264	202	131	55	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	1,331	–	1	–	5	5	10	17	20	33	41	68	102	167	193	199	188	129	85	48	18	2	–
	White Male	502	–	1	–	4	1	2	9	9	12	17	34	48	72	74	63	71	43	24	17	1	–	–
	Female	719	–	–	–	–	3	5	6	7	9	21	22	46	73	111	124	109	78	56	30	17	2	–
	All other Male	55	–	–	–	–	1	–	2	1	8	1	7	5	11	4	3	5	5	2	–	–	–	–
	Female	55	–	–	–	1	–	3	–	3	4	2	5	3	11	4	9	3	3	3	1	–	–	–
402	Hypertensive heart disease	565	1	–	–	–	–	–	1	3	4	10	20	21	42	48	79	86	69	82	68	26	5	–
	White Male	170	–	–	–	–	–	–	–	–	3	2	5	9	15	19	34	29	22	19	10	3	–	–
	Female	281	1	–	–	–	–	–	–	–	–	2	3	5	16	17	31	40	35	54	53	21	3	–
	All other Male	52	–	–	–	–	–	–	1	2	–	2	6	4	8	8	10	4	7	–	–	–	–	–
	Female	62	–	–	–	–	–	–	–	1	1	4	6	3	3	4	4	13	5	9	5	2	2	–
404	Hypertensive heart and renal disease	191	–	–	1	–	1	–	–	–	1	4	1	2	7	11	11	26	37	45	26	11	7	–
	White Male	72	–	–	–	–	–	–	–	–	–	2	–	–	3	5	4	11	20	15	7	3	2	–
	Female	96	–	–	1	–	–	–	–	–	1	–	–	2	1	2	5	11	15	29	17	7	5	–
	All other Male	9	–	–	–	–	1	–	–	–	–	2	–	–	2	1	1	–	1	–	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	4	1	1	1	1	–	–
410–413	Ischemic heart disease	64,233	1	–	–	–	6	5	26	95	206	624	1,384	2,515	3,757	5,606	7,414	8,973	10,389	10,460	7,713	3,818	1,216	25
	White Male	32,293	1	–	–	–	2	4	15	59	135	379	917	1,737	2,521	3,626	4,509	4,842	4,824	4,290	2,837	1,256	327	12
	Female	27,272	–	–	–	–	2	–	5	17	17	102	216	426	758	1,460	2,280	3,450	4,997	5,745	4,587	2,386	813	11
	All other Male	2,453	–	–	–	–	1	1	4	13	33	95	164	239	284	296	343	329	280	188	105	54	23	1
	Female	2,215	–	–	–	–	1	–	2	6	21	48	87	113	194	224	282	352	288	237	184	122	53	1
410	Acute myocardial infarction	29,210	1	–	–	–	3	2	13	51	111	348	795	1,431	2,183	3,186	4,014	4,435	4,668	4,126	2,493	1,062	277	11
	White Male	16,253	1	–	–	–	–	2	8	38	84	227	563	1,055	1,557	2,190	2,511	2,493	2,292	1,795	980	372	80	5
	Female	11,271	–	–	–	–	1	–	3	10	8	64	138	244	427	804	1,268	1,674	2,180	2,194	1,449	627	174	6
	All other Male	918	–	–	–	–	1	–	2	2	14	40	65	92	117	100	128	144	95	64	22	24	8	–
	Female	768	–	–	–	–	1	–	–	1	5	17	29	40	82	92	107	124	101	73	42	39	15	–
411	Other acute and subacute forms of ischemic heart disease	395	–	–	–	–	–	–	–	–	1	7	13	25	35	57	59	51	56	45	26	14	5	1
	White Male	233	–	–	–	–	–	–	–	–	–	5	9	20	24	34	35	34	30	23	11	7	1	–
	Female	139	–	–	–	–	–	–	–	–	1	–	2	4	6	17	22	16	25	21	13	7	4	1
	All other Male	16	–	–	–	–	–	–	–	–	–	2	2	–	4	3	1	1	1	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–	–	1	–	–	–
412	Chronic ischemic heart disease	34,622	–	–	–	–	3	3	13	44	94	268	576	1,059	1,539	2,363	3,340	4,486	5,665	6,289	5,193	2,740	934	13
	White Male	15,806	–	–	–	–	2	2	7	21	51	147	345	662	940	1,402	1,963	2,315	2,502	2,472	1,846	876	246	7
	Female	15,858	–	–	–	–	1	–	2	7	8	38	76	178	325	639	989	1,759	2,792	3,530	3,124	1,751	635	4
	All other Male	1,519	–	–	–	–	–	1	2	11	19	53	97	147	163	193	214	184	184	123	82	30	15	1
	Female	1,439	–	–	–	–	–	–	2	5	16	30	58	72	111	129	174	228	187	164	141	83	38	1
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	1	2	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	235	2	–	–	1	4	2	2	4	7	7	8	16	12	23	19	26	31	27	23	12	8	1
	White Male	99	–	–	–	–	4	2	–	3	4	3	4	8	4	8	11	11	15	13	4	2	2	1
	Female	114	–	–	–	1	–	–	1	–	1	2	3	4	6	12	7	14	16	14	17	10	6	–
	All other Male	16	1	–	–	–	–	–	1	1	2	2	–	3	2	2	–	–	–	–	2	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,826	39	6	5	7	20	16	43	31	40	58	83	140	182	260	273	331	411	405	290	144	42	–
	White.....Male	1,287	19	4	2	2	8	7	25	10	15	21	39	66	93	136	151	152	194	164	122	50	7	–
	Female	1,161	11	2	2	3	9	1	11	7	7	10	20	40	54	93	91	128	183	219	154	83	33	–
	All other.....Male	206	6	–	–	1	3	7	4	11	9	15	17	19	19	21	11	29	16	8	3	5	2	–
	Female	172	3	–	1	1	–	1	3	3	9	12	7	15	16	10	20	22	18	14	11	6	–	–
400, 401, 403	Hypertension	506	–	–	–	–	–	4	2	3	6	8	15	14	20	26	39	62	83	110	75	34	5	–
	White.....Male	200	–	–	–	–	–	–	–	1	1	2	2	8	10	9	18	24	32	55	25	13	–	–
	Female	236	–	–	–	–	–	2	–	–	2	1	3	–	3	13	18	28	46	49	46	20	5	–
	All other.....Male	38	–	–	–	–	–	–	2	2	2	3	6	4	4	2	2	5	1	2	3	–	–	–
	Female	32	–	–	–	–	–	2	–	–	1	2	4	2	3	2	1	5	4	4	1	1	–	–
430–438	Cerebrovascular diseases	13,945	12	4	8	11	16	25	37	61	86	151	218	371	545	777	1,288	1,800	2,461	2,696	2,067	1,030	279	2
	White.....Male	5,276	5	1	3	3	3	7	8	24	31	50	80	145	258	343	591	796	949	957	642	307	72	1
	Female	7,411	4	2	1	3	11	9	13	15	27	49	80	133	171	306	537	820	1,351	1,637	1,352	689	200	1
	All other.....Male	568	1	–	2	2	2	2	6	16	16	31	30	45	61	67	78	83	61	40	19	5	1	–
	Female	690	2	1	2	3	–	7	10	6	12	21	28	48	55	61	82	101	100	62	54	29	6	–
431	Cerebral hemorrhage	2,314	6	–	3	–	4	11	7	18	23	50	82	125	170	203	268	336	350	318	232	89	19	–
	White.....Male	878	4	–	–	–	2	5	2	8	5	18	30	51	83	87	116	126	133	109	76	19	4	–
	Female	1,131	1	–	1	–	1	2	1	2	9	13	26	39	47	79	123	173	186	199	149	67	13	–
	All other.....Male	156	–	–	1	–	1	2	1	7	7	14	13	20	23	18	13	18	8	6	3	1	–	–
	Female	149	1	–	1	–	–	2	3	1	2	5	13	15	17	19	16	19	23	4	4	2	2	–
433	Cerebral thrombosis	3,721	–	–	1	2	–	–	2	–	3	9	16	40	83	134	292	433	707	838	698	364	98	1
	White.....Male	1,409	–	–	1	1	–	–	–	–	1	3	9	16	46	67	152	186	286	282	221	112	25	1
	Female	2,139	–	–	–	1	–	–	1	–	2	3	4	13	28	49	113	219	389	535	463	246	73	–
	All other.....Male	71	–	–	–	–	–	–	1	–	–	–	1	4	3	11	16	10	13	6	5	1	–	–
	Female	102	–	–	–	–	–	–	–	–	–	3	2	7	6	7	11	18	19	15	9	5	–	–
434	Cerebral embolism	69	–	–	–	–	–	–	–	–	–	1	–	2	8	8	7	10	12	10	7	1	3	–
	White.....Male	27	–	–	–	–	–	–	–	–	–	–	–	1	4	3	5	5	3	3	2	–	1	–
	Female	38	–	–	–	–	–	–	–	–	–	1	–	1	2	5	2	5	7	7	5	1	2	–
	All other.....Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	7,841	6	4	4	9	12	14	28	43	60	91	120	204	284	432	721	1,021	1,392	1,530	1,130	576	159	1
	White.....Male	2,962	1	1	2	2	1	2	6	16	25	29	41	77	125	186	318	479	527	563	343	176	42	–
	Female	4,103	3	2	–	2	10	7	11	13	16	32	50	80	94	173	299	423	769	896	735	375	112	1
	All other.....Male	338	1	–	1	2	1	–	4	9	9	17	16	21	34	38	49	55	38	28	11	3	1	–
	Female	438	1	1	1	3	–	5	7	5	10	13	13	26	31	35	55	64	58	43	41	22	4	–
440	Arteriosclerosis	1,842	–	–	–	–	–	1	–	–	–	3	2	15	34	51	91	160	276	434	386	256	132	1
	White.....Male	682	–	–	–	–	–	–	–	–	–	3	1	5	12	22	46	74	121	173	111	77	37	–
	Female	1,037	–	–	–	–	–	–	–	–	–	–	1	7	10	18	31	70	135	245	264	167	88	1
	All other.....Male	61	–	–	–	–	–	1	–	–	–	–	–	3	9	5	8	8	7	9	4	4	3	–
	Female	62	–	–	–	–	–	–	–	–	–	–	–	–	3	6	6	8	13	7	7	8	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	2,152	4	–	–	3	3	3	12	8	16	25	36	71	116	200	269	337	389	344	214	78	22	2
	White.....Male	1,170	1	–	–	1	–	3	7	4	5	10	16	38	64	131	177	207	224	162	86	26	8	–
	Female	817	1	–	–	1	2	–	2	3	6	12	11	24	34	57	69	103	142	170	117	50	12	1
	All other.....Male	90	1	–	–	–	–	–	1	1	3	1	9	4	12	8	12	18	13	3	4	–	–	–
	Female	75	1	–	–	1	1	–	2	–	2	2	–	5	6	4	11	9	10	9	7	2	2	1
466	Acute bronchitis and bronchiolitis	71	12	5	1	4	–	–	1	–	2	4	3	1	1	2	4	4	8	7	4	5	3	–
	White.....Male	33	6	2	1	1	–	–	–	–	1	1	2	1	–	2	3	2	6	4	1	–	–	–
	Female	31	4	1	–	2	–	–	–	–	1	3	–	–	1	–	1	2	2	3	3	5	3	–
	All other.....Male	3	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	4	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	5,616	174	35	14	9	28	29	29	55	40	64	89	175	218	337	395	618	836	1,003	844	457	166	1
	White.....Male	2,520	64	11	6	4	11	13	11	21	12	31	33	81	88	161	210	317	414	479	341	165	46	1
	Female	2,398	41	11	3	2	8	9	10	10	8	12	19	37	81	118	134	239	359	473	446	267	111	–
	All other.....Male	409	33	9	3	2	7	3	3	15	10	14	24	37	36	35	31	41	40	29	21	14	2	–
	Female	289	36	4	2	1	2	4	5	9	10	7	13	20	13	23	20	21	23	22	36	11	7	–
470–474	Influenza	136	1	1	–	–	–	–	1	–	1	1	–	2	7	4	6	17	24	33	20	14	4	–
	White.....Male	48	–	–	–	–	–	–	–	–	1	–	–	1	1	–	3	8	12	11	3	7	1	–
	Female	84	1	–	–	–	–	–	1	–	–	1	–	1	6	4	2	9	12	22	16	7	2	–
	All other.....Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
480–486	Pneumonia	5,480	173	34	14	9	28	29	28	55	39	63	89	173	211	333	389	601	812	970	824	443	162	1
	White.....Male	2,472	64	11	6	4	11	13	11	21	11	31	33	80	87	161	207	309	402	468	338	158	45	1
	Female	2,314	40	11	3	2	8	9	9	10	8	11	19	36	75	114	132	230	347	451	430	260	109	–
	All other.....Male	407	33	8	3	2	7	3	3	15	10	14	24	37	36	35	31	41	40	29	20	14	2	–
	Female	287	36	4	2	1	2	4	5	9	10	7	13	20	13	23	19	21	23	22	36	11	6	–
490–493	Bronchitis, emphysema, and asthma	1,995	5	4	2	4	4	4	14	16	9	23	39	62	146	215	345	363	334	222	125	50	8	1
	White.....Male	1,340	–	3	–	–	1	3	5	6	1	4	16	34	82	135	233	273	262	163	82	33	3	1
	Female	512	2	–	1	2	1	–	4	7	4	10	14	18	50	63	88	77	62	50	39	16	4	–
	All other.....Male	91	3	1	–	1	1	–	4	2	2	5	4	6	8	12	16	9	7	6	3	1	–	–
	Female	52	–	–	1	1	1	1	1	1	2	4	5	4	6	5	8	4	3	3	1	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York – Con.																							
490, 491	Chronic and unqualified bronchitis	406	3	2	–	1	1	1	–	2	–	4	3	16	25	31	63	66	80	47	44	14	3	–
	White ..... Male	261	–	2	–	–	–	1	–	–	–	–	1	10	17	20	43	46	56	32	25	8	–	–
	Female	122	1	–	–	1	1	–	–	1	–	3	2	4	8	8	18	17	21	12	17	6	2	–
	All other ..... Male	17	2	–	–	–	–	–	–	1	–	–	–	2	–	2	2	2	3	2	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	1	–	1	–
492	Emphysema	1,392	2	–	1	–	–	–	2	2	3	7	17	33	103	166	264	279	233	163	78	33	5	1
	White ..... Male	1,015	–	–	–	–	–	–	1	1	1	2	9	21	61	110	183	217	198	127	56	24	3	1
	Female	313	1	–	1	–	–	–	1	1	2	2	6	8	34	46	64	54	31	31	20	9	2	–
	All other ..... Male	47	1	–	–	–	–	–	–	–	–	3	2	1	6	8	12	6	3	3	2	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	3	2	2	5	2	1	2	–	–	–	–
493	Asthma	197	–	2	1	3	3	3	12	12	6	12	19	13	18	18	18	18	21	12	3	3	–	–
	White ..... Male	64	–	1	–	–	1	2	4	5	–	2	6	3	4	5	7	10	8	4	1	1	–	–
	Female	77	–	–	–	1	–	–	3	5	2	5	6	6	8	9	6	6	10	7	2	1	–	–
	All other ..... Male	27	–	1	–	1	1	–	4	1	2	2	2	3	2	2	2	1	1	1	–	1	–	–
	Female	29	–	–	1	1	1	1	1	1	2	3	5	1	4	2	3	1	2	–	–	–	–	–
531–533	Peptic ulcer	775	1	–	2	2	1	–	4	7	5	17	20	43	51	85	106	115	119	107	53	29	6	2
	White ..... Male	435	1	–	–	–	–	–	3	3	2	7	11	24	22	49	64	82	61	64	23	16	3	–
	Female	257	–	–	2	–	1	–	1	3	–	3	6	12	18	25	34	24	49	35	27	13	3	1
	All other ..... Male	53	–	–	–	1	–	–	–	1	2	6	3	5	4	6	5	6	7	5	1	–	–	1
	Female	30	–	–	–	1	–	–	–	–	1	1	–	2	7	5	3	3	2	3	2	–	–	–
540–543	Appendicitis	70	–	–	–	1	2	–	–	–	1	1	2	5	2	11	8	13	7	7	6	4	–	–
	White ..... Male	40	–	–	–	–	–	–	–	–	1	–	2	2	2	8	6	7	3	3	4	2	–	–
	Female	21	–	–	–	–	1	–	–	–	–	–	–	1	–	1	2	5	3	4	2	2	–	–
	All other ..... Male	5	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	1	–	–	–	–	–
	Female	4	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	553	35	1	2	1	6	2	3	1	4	2	14	22	25	43	48	65	82	80	78	32	7	–
	White ..... Male	207	15	–	–	–	–	1	2	–	3	–	2	6	11	21	19	26	31	26	31	8	5	–
	Female	279	12	1	2	1	5	–	1	1	1	–	8	11	9	18	22	29	45	53	40	19	1	–
	All other ..... Male	34	6	–	–	–	–	1	–	–	–	1	2	1	3	2	5	6	2	1	1	3	–	–
	Female	33	2	–	–	–	1	–	–	–	–	1	2	4	2	2	2	4	4	–	6	2	1	–
571	Cirrhosis of liver	3,902	2	2	1	–	4	23	89	169	216	346	485	537	521	542	423	270	163	80	21	5	–	3
	White ..... Male	1,953	–	–	1	–	2	7	35	53	81	139	218	271	266	311	252	162	105	37	8	4	–	1
	Female	909	1	1	–	–	1	4	5	19	27	62	92	120	140	136	113	89	49	35	12	1	–	2
	All other ..... Male	721	1	–	–	–	1	6	35	70	70	93	120	104	81	68	44	14	8	5	1	–	–	–
	Female	319	–	1	–	–	–	6	14	27	38	52	55	42	34	27	14	5	1	3	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	271	1	–	–	–	–	–	–	2	–	2	5	13	13	17	27	42	41	45	36	20	6	1
	White ..... Male	108	1	–	–	–	–	–	–	2	–	1	2	3	6	6	16	21	17	14	15	3	–	1
	Female	147	–	–	–	–	–	–	–	–	–	–	3	9	7	8	8	19	21	29	20	17	6	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	2	1	1	1	–	–	–
580–584	Nephritis and nephrosis	854	3	1	3	4	3	6	12	12	12	33	40	38	61	73	130	103	118	101	60	32	9	–
	White ..... Male	380	2	–	–	2	2	4	5	2	5	13	12	11	22	31	62	49	62	49	25	19	3	–
	Female	269	–	1	1	2	–	1	1	3	1	7	10	9	15	16	31	38	44	41	32	11	5	–
	All other ..... Male	108	–	–	1	–	1	1	4	5	5	7	7	11	13	9	20	9	6	6	1	1	1	–
	Female	97	1	–	1	–	–	–	2	2	1	6	11	7	11	17	17	7	6	5	2	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	153	2	–	1	–	1	–	1	3	–	3	5	3	12	14	20	19	30	19	12	6	2	–
	White ..... Male	74	1	–	–	–	1	–	1	1	–	3	2	1	5	6	12	12	14	8	3	3	1	–
	Female	60	–	–	–	–	–	–	–	–	–	–	2	1	5	6	3	6	14	10	9	3	1	–
	All other ..... Male	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	–	1	–	–	–	–
	Female	14	1	–	1	–	–	–	–	1	–	–	1	1	2	1	3	1	2	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	701	1	1	2	4	2	6	11	9	12	30	35	35	49	59	110	84	88	82	48	26	7	–
	White ..... Male	306	1	–	–	2	1	4	4	1	5	10	10	10	17	25	50	37	48	41	22	16	2	–
	Female	209	–	1	1	2	–	1	1	3	1	7	8	8	10	10	28	32	30	31	23	8	4	–
	All other ..... Male	103	–	–	1	–	1	1	4	4	5	7	7	11	13	8	18	9	6	5	1	1	1	–
	Female	83	–	–	–	–	–	–	2	1	1	6	10	6	9	16	14	6	4	5	2	1	–	–
590	Infections of kidney	329	–	–	–	–	2	–	1	–	5	3	6	9	6	22	33	47	51	66	47	26	4	1
	White ..... Male	128	–	–	–	–	1	–	–	–	–	1	2	2	1	8	16	19	24	28	17	8	–	1
	Female	170	–	–	–	–	–	–	–	–	3	–	3	5	5	10	12	26	23	35	27	17	4	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	2	2	1	–	–	–
	Female	22	–	–	–	–	1	–	1	–	2	2	1	1	–	2	4	2	2	1	2	1	–	–
600	Hyperplasia of prostate	133	–	–	–	–	–	–	–	–	–	–	–	–	2	5	10	21	17	34	24	13	7	–
	White ..... Male	125	–	–	–	–	–	–	–	–	–	–	–	–	2	4	9	20	16	32	23	13	6	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	1	–	1	–
630–678	Complications of pregnancy, childbirth, and the puerperium	37	–	–	–	–	2	10	11	4	6	3	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	19	–	–	–	–	2	3	7	1	4	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	18	–	–	–	–	–	7	4	3	2	1	1	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	New York—Con.																							
640–645	Abortions	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	35	–	–	–	–	2	9	11	4	5	3	1	–	–	–	–	–	–	–	–	–	–	–
	White Female	18	–	–	–	–	2	3	7	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	17	–	–	–	–	–	6	4	3	2	1	1	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	971	587	106	27	18	27	20	24	13	11	21	13	24	19	15	17	8	12	3	–	2	2	2
	White Male	417	244	46	7	8	9	11	15	10	7	9	4	13	10	7	7	3	3	2	–	2	–	–
	Female	344	194	39	16	7	11	5	6	3	2	8	7	9	5	8	8	4	9	1	–	2	–	–
	All other Male	122	82	12	3	2	6	1	3	–	2	2	2	1	3	–	1	1	–	–	–	–	–	1
	Female	88	67	9	1	1	1	3	–	–	–	2	–	1	1	–	1	–	–	–	–	–	–	1
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	2,154	2,152	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	838	838	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	601	601	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	364	363	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	351	350	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	1,137	1,135	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	463	463	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	313	313	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	177	176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	184	183	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	1,017	1,017	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	375	375	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	288	288	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	187	187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	167	167	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	2,156	394	36	11	16	106	216	212	136	113	113	117	121	113	109	90	65	69	50	37	13	12	7
	White Male	941	132	12	5	4	56	109	112	54	51	37	44	53	49	58	44	30	38	27	16	4	4	2
	Female	636	93	9	3	6	24	39	34	35	27	33	46	49	47	39	36	31	27	22	19	7	6	4
	All other Male	362	98	9	2	3	15	46	44	32	21	33	16	11	7	10	5	4	1	–	1	2	2	–
	Female	217	71	6	1	3	11	22	22	15	14	10	11	8	10	2	5	–	3	1	1	–	–	1
Residual	All other diseases	10,121	113	73	45	35	82	198	213	200	204	281	393	545	666	891	1,104	1,304	1,386	1,223	787	298	76	4
	White Male	4,608	56	27	19	13	33	87	80	69	68	89	137	238	291	444	581	691	690	546	321	94	33	1
	Female	4,004	31	32	19	17	29	42	47	41	56	81	123	170	233	337	404	491	610	605	415	181	38	2
	All other Male	874	12	10	3	2	13	40	64	57	48	71	83	78	86	68	62	63	49	33	21	11	–	–
	Female	635	14	4	4	3	7	29	22	33	32	40	50	59	56	42	57	59	37	39	30	12	5	1
E800–E949	Accidents	5,856	53	164	199	187	590	609	394	260	234	216	237	290	268	324	323	335	353	341	302	135	39	3
	White Male	3,347	29	71	105	109	424	436	261	174	138	119	125	161	156	173	173	172	172	160	125	52	10	2
	Female	1,741	12	57	47	42	122	87	63	37	50	45	51	76	82	107	115	142	158	168	170	80	29	1
	All other Male	553	5	23	34	31	31	66	60	39	34	36	44	44	23	30	20	8	15	6	3	1	–	–
	Female	215	7	13	13	5	13	20	10	10	12	16	17	9	7	14	15	13	8	7	4	2	–	–
E810–E823	Motor vehicle accidents	2,379	8	53	110	76	385	381	223	130	114	106	95	113	99	95	108	104	86	60	25	6	–	2
	White Male	1,477	5	31	53	45	275	280	155	84	68	56	58	49	61	55	54	52	44	36	13	2	–	1
	Female	623	2	15	30	20	94	67	41	24	27	24	17	37	30	29	43	49	38	21	11	3	–	1
	All other Male	206	–	7	21	8	9	24	23	19	13	19	12	24	6	7	6	–	4	2	1	1	–	–
	Female	73	1	–	6	3	7	10	4	3	6	7	8	3	2	4	5	3	–	1	–	–	–	–
E800–E807, E825–E949	All other accidents	3,477	45	111	89	111	205	228	171	130	120	110	142	177	169	229	215	231	267	281	277	129	39	1
	White Male	1,870	24	40	52	64	149	156	106	90	70	63	67	112	95	118	119	120	128	124	112	50	10	1
	Female	1,118	10	42	17	22	28	20	22	13	23	21	34	39	52	78	72	93	120	147	159	77	29	–
	All other Male	347	5	16	13	23	22	42	37	20	21	17	32	20	17	23	14	8	11	4	2	–	–	–
	Female	142	6	13	7	2	6	10	6	7	6	9	9	6	5	10	10	10	8	6	4	2	–	–
E950–E959	Suicide	1,496	...	...	–	9	78	154	156	140	119	105	116	117	130	88	95	88	50	24	20	7	–	–
	White Male	973	...	...	–	8	59	104	98	83	72	63	75	79	78	52	67	62	36	19	13	5	–	–
	Female	400	...	...	–	1	15	31	30	38	37	33	33	30	45	30	24	25	14	5	7	2	–	–
	All other Male	90	...	...	–	–	3	14	21	16	7	7	8	4	5	2	2	1	–	–	–	–	–	–
	Female	33	...	...	–	–	1	5	7	3	3	2	–	4	2	4	2	–	–	–	–	–	–	–
E960–E978	Homicide	1,928	20	31	13	14	147	315	312	256	175	141	145	99	65	63	41	32	28	23	5	1	–	2
	White Male	784	7	7	4	2	62	116	120	106	73	66	60	44	28	31	19	14	10	11	2	1	–	1
	Female	200	4	3	5	2	11	30	24	21	15	7	12	10	4	6	11	7	14	11	2	–	–	1
	All other Male	767	5	10	1	8	53	147	134	112	71	57	63	40	28	19	7	8	2	1	1	–	–	–
	Female	177	4	11	3	2	21	22	34	17	16	11	10	5	5	7	4	3	2	–	–	–	–	–
E980–E999	Other external causes	1,124	13	37	21	19	66	112	136	89	74	84	81	74	63	64	60	52	29	32	10	4	1	3
	White Male	531	2	13	10	7	34	63	58	40	40	36	31	33	38	33	31	24	18	14	4	2	–	–
	Female	255	4	3	4	5	13	24	28	20	6	17	19	18	9	23	18	14	9	12	6	1	1	1
	All other Male	234	5	9	4	3	14	22	35	20	15	24	23	18	13	6	5	9	2	4	–	1	–	2
	Female	104	2	12	3	4	5	3	15	9	13	7	8	5	3	2	6	5	–	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina																							
	All causes	**45,777**	**1,485**	**277**	**193**	**215**	**612**	**774**	**654**	**645**	**807**	**1,155**	**1,878**	**2,834**	**3,517**	**4,660**	**5,244**	**5,619**	**5,377**	**4,703**	**3,221**	**1,375**	**514**	**18**
	White ..... Male	19,921	487	91	67	108	339	379	293	273	335	498	876	1,333	1,743	2,344	2,538	2,540	2,257	1,753	1,142	393	127	5
	Female	14,012	316	68	56	36	104	106	93	120	177	238	412	646	782	1,023	1,308	1,659	2,010	2,173	1,635	776	274	–
	All other ..... Male	6,765	383	65	45	46	124	215	210	165	197	263	349	538	600	786	810	715	567	386	173	79	38	11
	Female	5,079	299	53	25	25	45	74	58	87	98	156	241	317	392	507	588	705	543	391	271	127	75	2
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	60	20	1	2	–	1	–	1	2	–	2	1	2	2	5	5	5	4	3	2	–	2	–
	White ..... Male	18	4	–	–	–	–	–	–	2	–	1	–	–	–	3	1	2	2	2	1	–	–	–
	Female	13	1	1	2	–	–	–	1	–	–	–	1	1	–	–	2	1	–	1	1	–	1	–
	All other ..... Male	16	9	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–	–	1	–
	Female	13	6	–	–	–	1	–	–	–	–	1	–	–	1	1	1	1	1	–	–	–	–	–
010–019	Tuberculosis, all forms	86	1	–	–	–	–	3	3	1	2	2	4	14	8	8	14	4	8	10	4	–	–	–
	White ..... Male	32	–	–	–	–	–	1	–	–	–	–	–	8	2	3	3	–	6	8	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	2	–	1	1	–	–	–
	All other ..... Male	25	–	–	–	–	–	–	1	–	2	1	3	3	2	1	6	2	1	1	2	–	–	–
	Female	21	1	–	–	–	–	2	2	1	–	1	1	1	3	3	5	–	1	–	–	–	–	–
010–012	Tuberculosis of respiratory system	58	–	–	–	–	–	1	3	1	1	1	1	13	5	6	9	2	6	6	3	–	–	–
	White ..... Male	27	–	–	–	–	–	1	–	–	–	–	–	8	1	2	2	–	6	6	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–
	All other ..... Male	13	–	–	–	–	–	–	1	–	1	1	–	3	1	–	3	2	–	–	1	–	–	–
	Female	15	–	–	–	–	–	–	2	1	–	–	1	1	3	3	4	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	28	1	–	–	–	–	2	–	–	1	1	3	1	3	2	5	2	2	4	1	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	1	–	–	–	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	1	–	3	–	1	1	3	–	1	1	1	–	–	–
	Female	6	1	–	–	–	–	2	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	14	2	3	–	1	3	–	–	–	–	1	1	1	1	–	–	–	1	–	–	–	–	–
	White ..... Male	5	1	1	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	Female	5	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	3	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	163	38	3	–	–	1	1	–	2	2	5	4	12	6	9	16	17	15	11	13	8	–	–
	White ..... Male	64	18	–	–	–	1	1	–	1	–	2	3	4	2	3	6	9	4	2	5	3	–	–
	Female	42	5	2	–	–	–	–	–	1	1	–	–	2	1	2	3	4	4	6	7	4	–	–
	All other ..... Male	31	7	1	–	–	–	–	–	–	–	–	1	5	2	4	3	2	3	2	–	1	–	–
	Female	26	8	–	–	–	–	–	–	–	1	3	–	1	1	–	4	2	4	1	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	128	10	7	5	5	6	2	4	4	3	4	10	10	8	10	11	5	5	12	7	–	–	–
	White ..... Male	39	2	3	3	2	1	2	1	–	–	1	3	2	4	4	4	1	1	5	–	–	–	–
	Female	44	3	2	1	1	4	–	1	–	2	2	2	3	1	4	2	4	3	5	4	–	–	–
	All other ..... Male	25	3	1	1	2	–	–	2	3	–	1	2	4	1	1	3	–	–	1	–	–	–	–
	Female	20	2	1	–	–	1	–	–	1	1	–	3	1	2	1	2	–	1	1	3	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,844	1	20	31	18	24	30	40	75	114	199	393	687	868	1,125	1,189	1,106	886	622	302	90	24	–
	White Male	3,332	1	7	8	8	16	20	18	23	44	66	144	258	361	517	559	491	388	253	119	25	6	–
	Female	2,625	–	4	11	4	1	5	15	34	50	80	147	236	300	315	335	349	293	256	130	48	12	–
	All other Male	1,091	–	6	10	4	5	3	3	4	10	25	50	110	118	177	189	149	120	67	28	11	2	–
	Female	796	–	3	2	2	2	2	4	14	10	28	52	83	89	116	106	117	85	46	25	6	4	–
140–149	Of buccal cavity and pharynx	199	–	–	–	–	1	–	1	–	5	8	13	18	25	25	22	29	17	20	11	3	1	–
	White Male	95	–	–	–	–	1	–	1	–	2	4	2	5	13	13	15	15	8	13	2	–	1	–
	Female	58	–	–	–	–	–	–	–	–	1	–	2	6	5	6	4	11	7	5	8	3	–	–
	All other Male	33	–	–	–	–	–	–	–	–	2	3	8	5	5	4	1	1	2	2	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	1	2	2	2	2	2	–	–	1	–	–	–
150–159	Of digestive organs and peritoneum	1,882	1	–	–	–	–	4	8	9	14	31	65	145	178	247	293	296	258	191	105	31	6	–
	White Male	715	1	–	–	–	–	2	4	5	8	11	23	58	66	98	104	122	101	71	33	7	1	–
	Female	627	–	–	–	–	–	–	3	3	4	11	18	32	57	68	93	95	90	78	52	19	4	–
	All other Male	301	–	–	–	–	–	2	1	–	2	3	13	33	30	53	61	35	35	21	7	4	1	–
	Female	239	–	–	–	–	–	–	–	1	–	6	11	22	25	28	35	44	32	21	13	1	–	–
160–163	Of respiratory system	1,838	–	–	–	–	1	–	1	2	12	36	98	204	266	356	347	252	145	81	28	7	2	–
	White Male	1,201	–	–	–	–	1	–	–	2	8	13	63	123	174	239	241	173	101	46	15	2	–	–
	Female	272	–	–	–	–	–	–	–	–	1	12	17	38	32	51	38	31	16	24	10	2	–	–
	All other Male	305	–	–	–	–	–	–	–	–	3	10	14	39	50	57	62	38	19	9	3	1	–	–
	Female	60	–	–	–	–	–	–	1	–	–	1	4	4	10	9	6	10	9	2	–	2	2	–
174	Of breast	648	–	–	–	–	–	–	2	8	20	35	57	83	105	96	68	68	45	34	18	5	4	–
	White Male	5	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–	–
	Female	509	–	–	–	–	–	–	1	4	17	25	46	64	82	71	54	55	36	30	16	4	4	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	132	–	–	–	–	–	–	1	4	3	9	10	18	23	24	12	12	9	4	2	1	–	–
180–187	Of genital organs	1,039	–	1	–	–	2	6	4	6	10	21	38	67	77	128	157	163	156	120	65	13	5	–
	White Male	341	–	1	–	–	1	5	3	–	–	3	2	5	11	31	52	59	63	62	36	5	2	–
	Female	351	–	–	–	–	–	1	–	4	6	10	27	36	47	46	48	42	39	30	12	3	–	–
	All other Male	198	–	–	–	–	1	–	–	–	–	–	–	7	8	24	34	47	39	20	12	5	1	–
	Female	149	–	–	–	–	–	–	1	2	4	8	9	19	11	27	23	15	15	8	5	–	2	–
188, 189	Of urinary organs	321	–	1	1	–	–	–	–	2	3	11	12	13	39	42	59	46	34	38	12	7	1	–
	White Male	176	–	–	–	–	–	–	–	–	2	7	7	9	22	20	34	29	14	23	6	3	–	–
	Female	89	–	–	1	–	–	–	–	1	1	3	5	3	7	10	13	11	11	13	5	4	1	–
	All other Male	38	–	1	–	–	–	–	–	1	–	–	–	–	8	9	6	4	7	2	–	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	1	–	1	2	3	6	2	2	–	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,116	–	10	10	7	9	11	13	24	31	36	75	107	101	147	142	138	121	80	36	15	3	–
	White Male	425	–	3	–	4	4	8	6	9	14	16	28	39	39	71	57	43	46	21	12	4	1	–
	Female	435	–	3	6	1	1	2	6	11	14	13	26	38	40	36	53	60	52	46	17	8	2	–
	All other Male	127	–	2	4	1	3	–	1	1	3	5	10	17	10	22	17	12	9	5	4	1	–	–
	Female	129	–	2	–	1	1	1	–	3	–	2	11	13	12	18	15	23	14	8	3	2	–	–
204–207	Leukemia	351	–	7	15	9	4	5	8	15	9	10	14	13	30	29	40	45	46	32	15	3	2	–
	White Male	162	–	2	7	4	2	2	2	2	2	4	7	5	13	17	24	21	26	12	9	–	1	–
	Female	126	–	1	3	3	–	2	4	9	5	3	4	4	13	8	10	16	18	14	5	3	1	–
	All other Male	41	–	3	3	2	1	1	1	2	–	3	2	2	2	3	4	5	2	4	1	–	–	–
	Female	22	–	1	2	–	1	–	1	2	2	–	1	2	2	1	2	3	–	2	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	450	–	1	5	2	7	4	3	9	10	11	21	37	47	55	61	69	64	26	12	6	–	–
	White Male	212	–	1	1	–	7	3	2	5	8	7	11	13	23	28	31	28	29	5	6	4	–	–
	Female	158	–	–	1	–	–	–	1	2	1	3	2	15	17	19	22	28	24	16	5	2	–	–
	All other Male	46	–	–	3	1	–	–	–	–	–	1	3	7	5	4	3	7	7	4	1	–	–	–
	Female	34	–	–	–	1	–	1	–	2	1	–	5	2	2	4	5	6	4	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	119	1	–	–	1	2	–	1	4	3	8	7	9	18	9	20	12	9	8	6	1	–	–
	White Male	38	–	–	–	1	1	–	–	–	1	2	2	4	6	2	6	4	6	1	2	–	–	–
	Female	57	–	–	–	–	1	–	1	3	2	4	3	5	6	3	10	8	2	5	3	1	–	–
	All other Male	11	–	–	–	–	–	–	–	–	–	2	1	–	4	2	–	–	–	2	–	–	–	–
	Female	13	1	–	–	–	–	–	–	1	–	–	1	–	2	2	4	–	1	–	1	–	–	–
250	Diabetes mellitus	872	–	1	1	1	–	3	4	9	12	20	28	54	70	99	127	148	126	89	56	21	3	–
	White Male	262	–	–	–	–	–	1	2	4	6	3	6	16	21	33	43	45	33	25	17	7	–	–
	Female	295	–	–	1	1	–	2	–	1	2	4	5	14	17	25	40	47	52	44	27	11	2	–
	All other Male	114	–	1	–	–	–	–	1	3	–	9	8	11	9	20	17	10	14	6	4	1	–	–
	Female	201	–	–	–	–	–	–	1	1	4	4	9	13	23	21	27	46	27	14	8	2	1	–
260–269	Avitaminoses and other nutritional deficiencies	53	7	–	–	1	–	–	–	–	–	–	5	–	2	4	5	3	9	6	4	4	3	–
	White Male	12	2	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	3	2	–	2	–	–
	Female	19	1	–	–	–	–	–	–	–	–	–	4	–	1	1	–	1	3	3	3	1	1	–
	All other Male	9	2	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	2	–	–	–	1	–
	Female	13	2	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	1	1	1	1	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina – Con.																							
280–285	Anemias	100	2	1	1	3	1	5	3	2	1	2	4	5	4	11	12	13	4	13	8	4	1	–
	White ... Male	38	–	–	–	2	1	1	–	–	–	1	–	2	1	6	7	5	1	6	3	2	–	–
	Female	30	1	–	–	–	–	–	–	–	–	–	1	2	2	4	2	5	1	6	5	1	–	–
	All other ... Male	15	–	–	–	1	–	3	2	2	–	–	1	–	–	1	2	1	2	–	–	–	–	–
	Female	17	1	1	1	–	–	1	1	–	1	1	2	1	1	–	1	2	–	1	–	1	1	–
320	Meningitis	52	16	7	2	2	–	2	2	1	1	1	4	1	1	7	1	1	2	–	1	–	–	–
	White ... Male	13	3	4	–	–	–	–	–	1	1	1	–	–	1	2	–	–	–	–	–	–	–	–
	Female	15	3	2	2	2	–	–	1	–	–	–	1	1	–	1	–	–	1	–	1	–	–	–
	All other ... Male	17	6	1	–	–	–	2	1	–	–	–	2	–	–	3	1	–	1	–	–	–	–	–
	Female	7	4	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	23,231	25	7	3	13	14	40	39	77	164	349	652	1,208	1,660	2,439	2,875	3,345	3,433	3,157	2,305	1,025	396	5
	White ... Male	10,047	7	–	2	5	3	12	18	37	64	175	356	639	910	1,301	1,399	1,492	1,380	1,090	792	276	88	1
	Female	7,741	6	2	–	3	3	5	5	11	30	50	93	209	261	469	683	983	1,363	1,551	1,209	591	214	–
	All other ... Male	2,852	8	4	–	2	5	13	14	20	44	73	122	219	296	391	441	424	337	241	109	55	31	3
	Female	2,591	4	1	1	3	3	10	2	9	26	51	81	141	193	278	352	446	353	275	195	103	63	1
390–398, 402, 404, 410–429	Diseases of heart	16,616	21	4	3	7	10	27	25	53	117	284	508	974	1,344	1,936	2,228	2,383	2,380	1,996	1,462	617	232	5
	White ... Male	7,799	7	–	2	1	2	9	10	28	50	163	322	561	791	1,100	1,157	1,134	1,012	721	513	162	53	1
	Female	5,169	4	1	–	2	1	3	4	8	18	36	57	150	192	357	518	714	917	954	759	351	123	–
	All other ... Male	1,950	6	2	–	2	4	9	9	14	31	56	86	172	216	280	311	255	224	147	68	33	22	3
	Female	1,698	4	1	1	2	3	6	2	3	18	29	43	91	145	199	242	280	227	174	122	71	34	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	269	–	–	1	1	3	5	4	4	11	12	18	26	28	40	31	35	25	17	3	3	2	–
	White ... Male	95	–	–	–	–	–	–	1	–	2	4	6	10	14	19	12	14	7	4	1	–	1	–
	Female	108	–	–	–	1	–	2	2	1	3	4	8	11	8	9	13	17	12	12	2	2	1	–
	All other ... Male	34	–	–	–	–	2	1	–	2	1	3	2	3	1	10	4	–	4	1	–	–	–	–
	Female	32	–	–	1	–	1	2	1	1	5	1	2	2	5	2	2	4	2	–	–	1	–	–
402	Hypertensive heart disease	129	–	–	–	–	–	–	–	2	3	2	6	14	11	16	10	21	16	17	8	1	2	–
	White ... Male	35	–	–	–	–	–	–	–	–	–	–	3	3	5	7	1	6	4	2	3	–	1	–
	Female	41	–	–	–	–	–	–	–	–	–	1	–	3	1	1	2	6	9	12	4	1	1	–
	All other ... Male	27	–	–	–	–	–	–	–	1	2	1	2	3	3	3	5	5	1	1	–	–	–	–
	Female	26	–	–	–	–	–	–	–	1	1	–	1	5	2	5	2	4	2	2	1	–	–	–
404	Hypertensive heart and renal disease	120	–	–	1	–	–	–	–	–	–	2	1	2	14	17	14	18	10	25	8	5	3	–
	White ... Male	29	–	–	1	–	–	–	–	–	–	1	1	–	2	2	1	4	3	10	3	1	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	5	4	10	3	2	1	–
	All other ... Male	23	–	–	–	–	–	–	–	–	–	–	–	1	3	5	4	5	1	2	–	1	1	–
	Female	35	–	–	–	–	–	–	–	–	–	1	–	1	8	8	4	4	2	3	2	1	1	–
410–413	Ischemic heart disease	14,894	–	–	–	–	2	3	5	35	88	241	428	847	1,190	1,746	2,021	2,153	2,183	1,815	1,359	566	207	5
	White ... Male	7,112	–	–	–	–	1	2	2	23	42	151	283	509	713	1,014	1,076	1,036	930	659	475	148	47	1
	Female	4,661	–	–	–	–	–	–	–	6	13	28	42	119	169	319	468	641	846	870	707	324	109	–
	All other ... Male	1,669	–	–	–	–	–	1	2	5	22	45	66	149	196	244	267	226	200	129	64	30	20	3
	Female	1,452	–	–	–	–	1	–	1	1	11	17	37	70	112	169	210	250	207	157	113	64	31	1
410	Acute myocardial infarction	8,399	–	–	–	–	2	3	3	27	55	178	324	607	831	1,208	1,264	1,264	1,093	812	500	173	54	1
	White ... Male	4,606	–	–	–	–	1	2	1	18	29	121	229	395	542	751	749	673	506	322	200	54	12	1
	Female	2,312	–	–	–	–	–	–	–	4	9	18	30	86	121	223	280	378	431	372	251	85	24	–
	All other ... Male	848	–	–	–	–	–	1	2	5	15	27	45	88	110	146	137	107	75	55	18	11	6	–
	Female	633	–	–	–	–	1	–	–	–	2	12	20	38	58	88	98	106	81	63	31	23	12	–
411	Other acute and subacute forms of ischemic heart disease	101	–	–	–	–	–	–	–	1	–	2	5	10	9	16	19	11	13	3	7	1	1	3
	White ... Male	43	–	–	–	–	–	–	–	1	–	1	2	7	5	10	8	4	4	–	–	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	–	2	–	2	4	4	4	1	3	–	–	–
	All other ... Male	22	–	–	–	–	–	–	–	–	–	1	2	1	4	3	2	3	3	–	–	–	–	3
	Female	16	–	–	–	–	–	–	–	–	–	–	1	–	–	1	5	–	2	2	4	–	1	–
412	Chronic ischemic heart disease	6,392	–	–	–	–	–	–	2	7	33	61	99	230	349	522	738	877	1,077	1,000	852	392	152	1
	White ... Male	2,462	–	–	–	–	–	–	1	4	13	29	52	107	166	253	319	358	420	337	275	93	35	–
	Female	2,329	–	–	–	–	–	–	–	2	4	10	12	31	48	94	184	259	411	497	453	239	85	–
	All other ... Male	798	–	–	–	–	–	–	–	–	7	17	19	60	81	95	128	116	122	74	46	19	14	–
	Female	803	–	–	–	–	–	–	1	1	9	5	16	32	54	80	107	144	124	92	78	41	18	1
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	White ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	93	1	–	1	–	–	3	2	–	3	1	5	4	–	13	12	9	16	8	11	3	1	–
	White ... Male	45	1	–	1	–	–	2	1	–	1	1	1	2	–	5	5	4	8	7	4	1	1	–
	Female	30	–	–	–	–	–	–	–	–	–	–	1	2	–	6	4	3	6	–	6	2	–	–
	All other ... Male	12	–	–	–	–	–	1	1	–	2	–	3	–	–	1	2	1	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina—Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,111	20	4	–	6	5	16	14	12	12	26	50	81	101	104	140	147	130	114	73	39	17	–
	White Male	483	6	–	–	1	1	5	6	5	5	6	28	37	57	53	62	70	60	39	27	12	3	–
	Female	296	4	1	–	1	1	1	2	1	2	3	6	15	13	20	26	42	40	50	37	20	11	–
	All other Male	185	6	2	–	2	2	6	6	6	4	7	13	16	13	17	29	18	18	14	3	2	1	–
	Female	147	4	1	–	2	1	4	–	–	1	10	3	13	18	14	23	17	12	11	6	5	2	–
400, 401, 403	Hypertension	175	–	–	–	–	–	1	–	3	5	3	8	15	10	11	24	23	27	21	15	5	4	–
	White Male	55	–	–	–	–	–	–	–	1	1	1	1	4	1	5	5	8	6	10	8	3	1	–
	Female	35	–	–	–	–	–	–	–	–	–	–	1	2	1	–	4	3	8	6	7	1	2	–
	All other Male	45	–	–	–	–	–	1	–	2	4	2	1	5	3	4	9	5	6	3	–	–	–	–
	Female	40	–	–	–	–	–	–	–	–	–	–	5	4	5	2	6	7	7	2	–	1	1	–
430–438	Cerebrovascular diseases	5,247	3	3	–	4	3	10	12	18	34	55	116	188	254	400	525	765	855	922	663	299	118	–
	White Male	1,697	–	–	–	3	–	3	7	7	10	10	24	61	88	144	184	256	292	281	220	81	26	–
	Female	2,099	1	1	–	1	2	1	1	3	9	12	29	46	58	95	144	233	371	487	357	181	67	–
	All other Male	730	2	2	–	–	1	2	4	3	8	13	33	40	70	92	108	142	90	72	29	14	5	–
	Female	721	–	–	–	–	–	4	–	5	7	20	30	41	38	69	89	134	102	82	57	23	20	–
431	Cerebral hemorrhage	669	2	2	–	–	–	1	2	5	13	23	44	46	61	78	72	84	86	81	43	15	11	–
	White Male	205	–	–	–	–	–	–	2	2	3	3	7	12	22	28	28	31	25	22	15	2	3	–
	Female	243	–	–	–	–	–	–	–	2	3	4	10	14	13	18	15	29	47	47	25	12	4	–
	All other Male	118	2	2	–	–	–	1	–	1	4	9	13	10	19	13	14	14	6	6	2	–	2	–
	Female	103	–	–	–	–	–	–	–	–	3	7	14	10	7	19	15	10	8	6	1	1	2	–
433	Cerebral thrombosis	1,338	1	–	–	–	–	2	–	1	3	2	3	21	43	81	127	215	230	284	210	86	29	–
	White Male	437	–	–	–	–	–	–	–	–	1	–	1	6	19	27	47	65	88	91	62	26	4	–
	Female	598	1	–	–	–	–	–	–	–	–	–	1	4	12	26	36	70	97	155	127	49	20	–
	All other Male	140	–	–	–	–	–	–	–	–	1	–	1	4	6	15	27	38	18	15	10	5	–	–
	Female	163	–	–	–	–	–	2	–	1	1	2	–	7	6	13	17	42	27	23	11	6	5	–
434	Cerebral embolism	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	4	3	1	5	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	1	2	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,224	–	1	–	4	3	7	10	12	18	30	69	121	150	241	325	464	535	554	409	193	78	–
	White Male	1,046	–	–	–	3	–	3	5	5	6	7	16	43	47	89	108	159	176	167	142	51	19	–
	Female	1,252	–	1	–	1	2	1	1	1	6	8	18	28	33	51	93	133	227	283	205	117	43	–
	All other Male	472	–	–	–	–	1	1	4	2	3	4	19	26	45	64	67	90	66	51	17	9	3	–
	Female	454	–	–	–	–	–	2	–	4	3	11	16	24	25	37	57	82	66	53	45	16	13	–
440	Arteriosclerosis	568	–	–	–	–	–	–	–	–	1	1	3	5	7	29	27	54	89	125	112	81	34	–
	White Male	182	–	–	–	–	–	–	–	–	1	1	2	3	3	12	10	22	28	37	34	23	6	–
	Female	244	–	–	–	–	–	–	–	–	–	–	–	1	1	5	5	12	36	61	60	44	19	–
	All other Male	67	–	–	–	–	–	–	–	–	–	–	–	–	2	5	6	9	12	15	7	7	4	–
	Female	75	–	–	–	–	–	–	–	–	–	–	1	1	1	7	6	11	13	12	11	7	5	–
441–448	Other diseases of arteries, arterioles, and capillaries	625	1	–	–	2	1	2	2	3	7	6	17	26	45	63	71	120	82	93	53	23	8	–
	White Male	314	–	–	–	1	1	–	1	1	2	–	7	10	27	40	43	72	42	41	17	7	2	–
	Female	194	1	–	–	–	–	1	–	–	3	2	6	10	9	12	12	21	31	43	26	14	3	–
	All other Male	60	–	–	–	–	–	1	1	1	1	2	2	2	5	10	7	13	5	4	5	1	–	–
	Female	57	–	–	–	1	–	–	–	1	1	2	2	4	4	1	9	14	4	5	5	1	3	–
466	Acute bronchitis and bronchiolitis	18	5	2	–	–	–	–	1	–	1	–	–	–	–	1	2	2	3	–	1	–	–	–
	White Male	7	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	3	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–
	All other Male	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,398	47	16	7	6	11	11	15	12	18	20	44	52	74	104	119	171	181	218	162	76	34	–
	White Male	597	12	4	3	3	5	1	4	4	7	3	16	18	35	54	60	89	83	93	64	26	13	–
	Female	456	7	5	2	2	1	5	5	3	8	3	9	10	11	20	32	41	63	94	77	42	16	–
	All other Male	213	13	5	1	–	4	4	6	1	2	10	18	18	19	17	21	21	19	18	11	3	2	–
	Female	132	15	2	1	1	1	1	–	4	1	4	1	6	9	13	6	20	16	13	10	5	3	–
470–474	Influenza	143	1	–	2	2	1	2	–	–	2	4	3	4	6	13	13	21	25	20	14	7	3	–
	White Male	55	–	–	1	2	1	1	–	–	–	1	1	1	3	4	5	7	12	7	6	1	2	–
	Female	48	–	–	–	–	–	1	–	–	2	–	1	–	–	3	7	4	8	11	5	5	1	–
	All other Male	17	1	–	–	–	–	–	–	–	–	1	1	1	1	2	1	5	1	1	2	–	–	–
	Female	23	–	–	1	–	–	–	–	–	–	2	–	2	2	4	–	5	4	1	1	1	–	–
480–486	Pneumonia	1,255	46	16	5	4	10	9	15	12	16	16	41	48	68	91	106	150	156	198	148	69	31	–
	White Male	542	12	4	2	1	4	–	4	4	7	2	15	17	32	50	55	82	71	86	58	25	11	–
	Female	408	7	5	2	2	1	4	5	3	6	3	8	10	11	17	25	37	55	83	72	37	15	–
	All other Male	196	12	5	1	–	4	4	6	1	2	9	17	17	18	15	20	16	18	17	9	3	2	–
	Female	109	15	2	–	1	1	1	–	4	1	2	1	4	7	9	6	15	12	12	9	4	3	–
490–493	Bronchitis, emphysema, and asthma	515	5	–	–	2	1	6	4	1	4	7	15	27	52	72	86	101	59	46	18	7	2	–
	White Male	342	3	–	–	–	–	1	–	–	3	3	7	16	32	48	64	72	43	29	16	4	1	–
	Female	108	–	–	–	–	1	3	1	–	–	1	5	7	10	14	15	21	13	12	2	2	1	–
	All other Male	44	1	–	–	1	–	1	3	1	–	2	–	3	7	9	2	7	2	5	–	–	–	–
	Female	21	1	–	–	1	–	1	–	–	1	1	3	1	3	1	5	1	1	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina—Con.																							
490, 491	Chronic and unqualified bronchitis	110	4	–	–	–	1	–	–	–	1	1	2	6	5	14	16	19	15	16	7	2	1	–
	White ..... Male	67	2	–	–	–	–	–	–	–	1	–	1	5	1	9	10	10	10	11	5	1	1	–
	Female	34	–	–	–	–	1	–	–	–	–	1	1	1	4	3	4	7	5	4	2	1	–	–
	All other ..... Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
492	Emphysema	340	1	–	–	–	–	–	1	–	1	5	9	12	39	50	59	76	43	27	11	5	1	–
	White ..... Male	260	1	–	–	–	–	–	–	–	1	2	6	8	30	37	50	60	33	18	11	3	–	–
	Female	52	–	–	–	–	–	–	1	–	–	–	3	2	5	7	8	11	7	6	–	1	1	–
	All other ..... Male	24	–	–	–	–	–	–	–	–	–	2	–	2	4	6	–	5	2	3	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1	–	–
493	Asthma	65	–	–	–	2	–	6	3	1	2	1	4	9	8	8	11	6	1	3	–	–	–	–
	White ..... Male	15	–	–	–	–	–	1	–	–	1	1	–	3	1	2	4	2	–	–	–	–	–	–
	Female	22	–	–	–	–	–	3	–	–	–	–	1	4	1	4	3	3	1	2	–	–	–	–
	All other ..... Male	14	–	–	–	1	–	1	3	1	–	–	–	1	3	1	1	1	–	1	–	–	–	–
	Female	14	–	–	–	1	–	1	–	–	1	–	3	1	3	1	3	–	–	–	–	–	–	–
531–533	Peptic ulcer	149	2	–	–	–	1	2	–	2	2	2	7	10	14	14	17	25	21	14	11	4	1	–
	White ..... Male	85	2	–	–	–	1	1	–	–	1	–	5	6	10	7	14	17	11	6	3	1	–	–
	Female	40	–	–	–	–	–	–	–	–	1	–	2	1	2	3	1	7	7	7	6	2	1	–
	All other ..... Male	18	–	–	–	–	–	1	–	2	–	2	–	2	2	2	2	1	1	1	1	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	2	–	1	–	–	–
540–543	Appendicitis	19	–	1	1	1	1	1	–	–	–	–	–	2	1	6	–	–	2	2	–	1	–	–
	White ..... Male	5	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–
	Female	5	–	–	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–
	All other ..... Male	5	–	–	1	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–
	Female	4	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	124	9	–	–	1	2	1	2	2	1	1	1	2	4	15	9	15	19	18	14	6	1	1
	White ..... Male	33	4	–	–	–	–	–	–	–	1	–	–	–	2	4	4	3	7	3	3	2	–	–
	Female	58	2	–	–	1	1	1	–	–	–	1	–	–	1	5	3	6	11	14	8	3	1	–
	All other ..... Male	19	1	–	–	–	–	–	1	2	–	–	1	–	1	3	2	3	1	1	2	–	–	1
	Female	14	2	–	–	–	1	–	1	–	–	–	–	2	–	3	–	3	–	–	1	1	–	–
571	Cirrhosis of liver	744	–	–	1	–	–	6	12	25	54	63	129	133	102	85	73	39	16	3	3	–	–	–
	White ..... Male	356	–	–	1	–	–	1	5	6	22	27	58	67	52	42	44	20	9	2	–	–	–	–
	Female	177	–	–	–	–	–	1	–	2	8	8	36	36	30	20	18	10	5	1	2	–	–	–
	All other ..... Male	114	–	–	–	–	–	2	4	9	11	13	16	21	13	12	7	3	2	–	1	–	–	–
	Female	97	–	–	–	–	–	2	3	8	13	15	19	9	7	11	4	6	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	65	–	–	–	–	–	–	1	–	1	1	1	–	2	–	7	10	10	14	14	4	–	–
	White ..... Male	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	6	2	8	4	2	–	–
	Female	33	–	–	–	–	–	–	–	–	–	1	–	–	1	–	4	3	8	5	9	2	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	1	1	–	–	–
580–584	Nephritis and nephrosis	244	–	–	1	1	–	3	3	8	9	9	8	16	24	38	37	28	27	16	11	4	1	–
	White ..... Male	69	–	–	–	–	–	2	1	1	2	3	1	1	6	9	9	9	10	8	4	3	–	–
	Female	41	–	–	–	–	–	–	1	2	1	2	–	2	5	6	2	5	5	4	5	–	1	–
	All other ..... Male	77	–	–	–	1	–	–	1	3	4	3	3	8	4	14	15	10	7	2	1	1	–	–
	Female	57	–	–	1	–	–	1	–	2	2	1	4	5	9	9	11	4	5	2	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	37	–	–	–	1	–	–	–	2	2	–	2	2	3	5	5	7	4	2	2	–	–	–
	White ..... Male	15	–	–	–	–	–	–	–	–	1	–	1	–	1	2	1	3	2	2	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	All other ..... Male	12	–	–	–	1	–	–	–	1	1	–	–	1	–	1	2	4	1	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	1	–	–	1	1	2	1	2	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	207	–	–	1	–	–	3	3	6	7	9	6	14	21	33	32	21	23	14	9	4	1	–
	White ..... Male	54	–	–	–	–	–	2	1	1	1	3	–	1	5	7	8	6	8	6	2	3	–	–
	Female	39	–	–	–	–	–	–	1	2	1	2	–	2	5	5	2	5	4	4	5	–	1	–
	All other ..... Male	65	–	–	–	–	–	–	1	2	3	3	3	7	4	13	13	6	6	2	1	1	–	–
	Female	49	–	–	1	–	–	1	–	1	2	1	3	4	7	8	9	4	5	2	1	–	–	–
590	Infections of kidney	144	–	–	–	–	–	–	3	–	–	2	3	7	9	12	21	20	21	23	15	6	2	–
	White ..... Male	46	–	–	–	–	–	–	1	–	–	–	1	2	5	4	2	7	9	7	5	3	–	–
	Female	53	–	–	–	–	–	–	–	–	–	–	1	2	1	3	8	8	8	10	9	2	1	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	–	1	–	1	2	2	3	2	1	1	1	–	1	–
	Female	30	–	–	–	–	–	–	2	–	–	1	1	2	1	3	8	3	3	5	–	1	–	–
600	Hyperplasia of prostate	32	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	4	10	6	4	2	–	–
	White ..... Male	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	7	3	4	1	–	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	3	–	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	20	–	–	–	–	2	9	6	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	9	–	–	–	–	1	5	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	11	–	–	–	–	1	4	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Carolina—Con.																							
640–645	Abortions	4	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	16	–	–	–	–	1	7	6	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	9	–	–	–	–	1	5	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	7	–	–	–	–	–	2	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	355	213	37	14	13	14	8	10	6	5	4	5	6	3	6	3	4	–	2	1	–	–	1
	White Male	144	84	15	6	5	4	3	3	5	3	1	4	3	1	3	1	1	–	1	1	–	–	–
	Female	112	67	10	5	3	5	2	4	1	2	3	–	2	–	2	2	3	–	1	–	–	–	–
	All other Male	51	29	4	–	4	5	3	2	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1
	Female	48	33	8	3	1	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	806	806	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	271	271	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	169	169	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	216	216	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	150	150	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	412	412	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	160	160	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	94	94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	90	90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	394	394	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	111	111	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	126	126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	82	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	421	160	7	2	3	5	5	5	7	10	10	13	16	29	23	21	26	20	16	21	9	12	1
	White Male	138	36	1	–	2	2	2	1	3	5	3	6	6	11	12	12	9	10	7	5	–	4	1
	Female	106	28	2	1	–	2	–	–	–	2	1	2	5	4	7	5	6	6	7	12	8	8	–
	All other Male	100	54	–	1	1	–	1	3	4	2	4	2	5	7	1	3	5	3	1	2	1	–	–
	Female	77	42	4	–	–	1	2	1	–	1	2	3	–	7	3	1	6	1	1	2	–	–	–
Residual	All other diseases	3,145	58	33	23	16	46	46	50	66	90	117	199	220	270	327	364	368	322	268	166	75	18	3
	White Male	1,416	22	15	6	10	23	15	19	20	32	39	74	101	127	162	181	182	160	125	66	29	7	1
	Female	900	8	8	9	3	8	14	7	14	15	23	46	53	78	76	102	107	105	96	78	39	11	–
	All other Male	482	17	4	5	–	5	7	11	17	29	37	47	42	40	63	49	45	28	24	8	3	–	1
	Female	347	11	6	3	3	10	10	13	15	14	18	32	24	25	26	32	34	29	23	14	4	–	1
E800–E949	Accidents	3,263	50	118	97	116	378	371	264	178	172	181	197	194	193	141	144	108	136	114	64	28	14	5
	White Male	1,673	15	36	38	63	237	227	137	99	82	101	104	99	96	66	76	46	59	55	20	7	8	2
	Female	594	12	28	21	12	57	31	31	21	26	22	27	28	35	29	30	32	53	43	34	18	4	–
	All other Male	756	12	30	25	29	69	96	85	44	53	46	47	49	55	40	25	20	14	10	3	1	–	3
	Female	240	11	24	13	12	15	17	11	14	11	12	19	18	7	6	13	10	10	6	7	2	2	–
E810–E823	Motor vehicle accidents	1,529	13	50	60	58	252	252	160	97	87	83	70	78	73	35	49	43	41	19	5	–	–	4
	White Male	837	5	15	26	38	162	158	80	55	49	44	34	39	35	14	27	22	20	9	3	–	–	2
	Female	262	7	16	14	5	43	28	24	16	13	13	10	13	14	10	7	12	12	4	1	–	–	–
	All other Male	324	–	9	12	8	36	59	50	19	20	17	16	19	22	9	9	8	4	5	–	–	–	2
	Female	106	1	10	8	7	11	7	6	7	5	9	10	7	2	2	6	1	5	1	1	–	–	–
E800–E807, E825–E949	All other accidents	1,734	37	68	37	58	126	119	104	81	85	98	127	116	120	106	95	65	95	95	59	28	14	1
	White Male	836	10	21	12	25	75	69	57	44	33	57	70	60	61	52	49	24	39	46	17	7	8	–
	Female	332	5	12	7	7	14	3	7	5	13	9	17	15	21	19	23	20	41	39	33	18	4	–
	All other Male	432	12	21	13	21	33	37	35	25	33	29	31	30	33	31	16	12	10	5	3	1	–	1
	Female	134	10	14	5	5	4	10	5	7	6	3	9	11	5	4	7	9	5	5	6	2	2	–
E950–E959	Suicide	737	...	...	–	7	49	72	63	67	55	70	71	74	54	57	37	23	20	10	8	–	–	–
	White Male	516	...	...	–	4	31	47	44	42	36	43	49	57	39	45	26	20	16	10	7	–	–	–
	Female	165	...	...	–	3	11	13	14	19	17	23	20	14	10	10	6	2	2	–	1	–	–	–
	All other Male	45	...	...	–	–	6	9	3	4	2	3	2	3	4	2	4	1	2	–	–	–	–	–
	Female	11	...	...	–	–	1	3	2	2	–	1	–	–	1	–	1	–	–	–	–	–	–	–
E960–E978	Homicide	779	2	11	2	3	46	136	114	89	78	67	64	66	35	29	19	10	4	2	–	–	–	2
	White Male	255	–	4	–	1	11	35	37	23	25	19	33	22	17	12	7	6	2	1	–	–	–	–
	Female	66	1	1	1	–	4	16	3	7	6	7	4	8	3	–	2	2	–	1	–	–	–	–
	All other Male	362	1	4	1	1	23	69	65	46	37	30	20	29	8	14	8	2	2	–	–	–	–	2
	Female	96	–	2	–	1	8	16	9	13	10	11	7	7	7	3	2	–	–	–	–	–	–	–
E980–E999	Other external causes	71	5	2	–	1	4	11	4	4	3	8	8	6	3	2	3	4	3	–	–	–	–	–
	White Male	23	–	1	–	–	2	6	1	2	–	3	3	1	1	1	1	1	–	–	–	–	–	–
	Female	23	1	–	–	1	1	3	1	1	2	3	3	3	1	–	1	1	1	–	–	–	–	–
	All other Male	16	2	1	–	–	1	1	2	–	1	1	1	2	1	1	1	1	–	–	–	–	–	–
	Female	9	2	–	–	–	–	1	–	1	–	1	1	–	–	–	–	1	2	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota																							
	All causes	**5,496**	**157**	**23**	**18**	**18**	**78**	**82**	**56**	**48**	**51**	**83**	**129**	**192**	**278**	**424**	**539**	**666**	**736**	**858**	**616**	**336**	**108**	–
	White ..... Male	3,223	82	17	9	15	55	62	34	30	35	49	71	123	182	293	381	406	427	472	302	134	44	–
	Female	2,122	59	4	8	2	17	9	15	12	12	24	54	56	86	121	153	248	294	380	306	201	61	–
	All other ..... Male	93	9	2	1	1	3	9	6	5	2	9	2	9	6	7	2	5	7	4	3	–	1	–
	Female	58	7	–	–	–	3	2	1	1	2	1	2	4	4	3	3	7	8	2	5	1	2	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White ..... Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
010–012	Tuberculosis of respiratory system	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White ..... Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	7	1	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	2	–	–	–	–
	White ..... Male	4	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	17	1	–	–	1	1	–	1	1	–	–	–	1	–	–	4	2	2	2	–	–	1	–
	White ..... Male	8	–	–	–	1	–	–	–	1	–	–	–	–	–	–	2	1	2	1	–	–	–	–
	Female	8	–	–	–	–	1	–	1	–	–	–	–	1	–	–	2	1	–	1	–	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	922	–	3	2	1	6	7	4	6	7	16	34	38	77	108	126	145	151	109	57	21	4	–
	White Male	522	–	2	2	1	4	5	2	2	3	7	10	18	40	67	85	79	89	66	28	8	4	–
	Female	387	–	1	–	–	2	1	2	4	4	8	24	20	34	38	41	63	61	43	28	13	–	–
	All other Male	9	–	–	–	–	–	1	–	–	–	1	–	–	1	3	–	2	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–
140–149	Of buccal cavity and pharynx	15	–	–	–	–	–	–	–	1	–	1	–	2	3	4	–	1	1	2	–	–	–	–
	White Male	9	–	–	–	–	–	–	–	1	–	1	–	1	2	3	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	2	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	268	–	–	–	–	–	1	1	2	2	3	3	7	15	38	33	43	47	41	25	5	2	–
	White Male	154	–	–	–	–	–	1	–	1	2	3	1	3	8	24	22	24	28	25	10	–	2	–
	Female	108	–	–	–	–	–	–	1	1	–	–	2	4	5	12	11	18	19	16	14	5	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
160–163	Of respiratory system	166	–	–	–	–	–	–	–	–	1	3	5	10	16	27	31	23	23	21	6	–	–	–
	White Male	137	–	–	–	–	–	–	–	–	1	1	2	8	13	25	29	21	18	16	3	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	1	3	2	3	2	2	1	5	5	3	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	96	–	–	–	–	–	–	–	2	3	2	8	4	16	11	8	18	12	5	3	4	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	95	–	–	–	–	–	–	–	2	3	2	8	4	15	11	8	18	12	5	3	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	152	–	–	–	–	–	1	–	–	–	3	10	6	12	6	23	23	26	20	11	9	2	–
	White Male	90	–	–	–	–	–	1	–	–	–	–	1	–	5	3	11	19	19	13	9	7	2	–
	Female	62	–	–	–	–	–	–	–	–	–	3	9	6	7	3	12	4	7	7	2	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	39	–	–	–	–	–	–	–	–	1	1	–	2	2	6	7	4	12	2	1	1	–	–
	White Male	27	–	–	–	–	–	–	–	–	–	1	–	2	2	2	7	2	8	2	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	1	4	–	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	93	–	3	–	1	3	–	–	–	–	1	5	4	7	11	11	20	9	11	6	1	–	–
	White Male	53	–	2	–	1	2	–	–	–	–	–	3	2	6	7	8	8	8	4	2	–	–	–
	Female	40	–	1	–	–	1	–	–	–	–	1	2	2	1	4	3	12	1	7	4	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	42	–	–	–	–	1	4	2	–	–	1	2	1	1	3	5	2	12	4	3	1	–	–
	White Male	22	–	–	–	–	–	2	1	–	–	–	2	–	1	3	3	–	4	3	2	1	–	–
	Female	18	–	–	–	–	1	1	1	–	–	1	–	1	–	–	2	2	7	1	1	–	–	–
	All other Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	51	–	–	2	–	2	1	1	1	–	1	1	2	5	2	8	11	9	3	2	–	–	–
	White Male	30	–	–	2	–	2	1	1	–	–	1	1	2	3	–	5	4	4	3	1	–	–	–
	Female	21	–	–	–	–	–	–	–	1	–	–	–	–	2	2	3	7	5	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	13	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	3	1	1	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	–	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
250	Diabetes mellitus	90	–	–	–	–	–	–	–	–	1	1	2	2	3	6	10	15	22	12	9	7	–	–
	White Male	44	–	–	–	–	–	–	–	–	–	1	1	1	1	2	6	8	10	9	3	2	–	–
	Female	44	–	–	–	–	–	–	–	–	1	–	1	1	2	3	4	7	12	3	5	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	17	–	–	–	–	–	–	–	2	–	–	–	–	1	1	1	1	1	2	4	2	2	–
	White Male	9	–	–	–	–	–	–	–	2	–	–	–	–	1	–	1	1	1	1	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
280–285	Anemias	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	2	–	2	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	5	1	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,943	2	–	–	1	3	1	6	3	15	27	51	91	137	223	299	372	420	562	417	233	80	–
	White Male	1,729	1	–	–	1	2	–	3	2	11	21	37	68	102	171	215	224	239	299	204	93	36	–
	Female	1,175	1	–	–	–	1	1	2	1	4	3	14	21	31	50	81	142	173	258	209	140	43	–
	All other Male	22	–	–	–	–	–	–	1	–	–	3	–	2	3	1	1	3	3	3	2	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	5	2	2	–	1	–
390–398, 402, 404, 410–429	Diseases of heart	2,159	2	–	–	–	2	–	3	2	12	24	46	76	120	184	246	278	310	390	275	146	43	–
	White Male	1,336	1	–	–	–	2	–	1	1	9	19	35	61	94	144	176	167	186	218	138	64	20	–
	Female	793	1	–	–	–	–	–	1	1	3	3	11	14	23	38	67	107	118	167	135	82	22	–
	All other Male	16	–	–	–	–	–	–	1	–	–	2	–	1	2	1	1	2	3	3	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	3	2	2	–	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	45	–	–	–	–	–	–	1	–	–	5	1	4	5	3	8	6	6	4	2	–	–	–
	White Male	17	–	–	–	–	–	–	–	–	–	2	–	3	2	–	4	2	1	1	2	–	–	–
	Female	26	–	–	–	–	–	–	1	–	–	2	1	1	2	3	4	4	5	3	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	21	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	5	1	6	2	1	–	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	3	1	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	3	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	13	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	3	5	1	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	3	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,900	–	–	–	–	–	–	2	2	8	17	36	65	101	170	217	249	278	347	242	133	33	–
	White Male	1,203	–	–	–	–	–	–	1	1	7	16	32	54	81	138	157	152	168	199	119	61	17	–
	Female	674	–	–	–	–	–	–	–	1	1	–	4	10	18	31	59	93	104	145	121	72	15	–
	All other Male	13	–	–	–	–	–	–	1	–	–	1	–	1	2	1	–	2	3	2	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	2	–	1	–
410	Acute myocardial infarction	1,199	–	–	–	–	–	–	1	1	5	15	33	52	84	135	160	177	188	176	109	51	12	–
	White Male	809	–	–	–	–	–	–	1	–	5	14	29	44	68	111	115	105	119	108	63	21	6	–
	Female	378	–	–	–	–	–	–	–	1	–	–	4	7	14	23	45	69	66	67	46	30	6	–
	All other Male	8	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	1	1	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	2	1	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	691	–	–	–	–	–	–	1	1	3	2	3	13	17	33	56	71	88	169	132	81	21	–
	White Male	388	–	–	–	–	–	–	–	1	2	2	3	10	13	25	42	47	48	89	55	40	11	–
	Female	292	–	–	–	–	–	–	–	–	1	–	–	3	4	8	13	23	37	78	75	41	9	–
	All other Male	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	1	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota – Con.																							
420–423, 425–427, 429	All other forms of heart disease	175	2	–	–	–	2	–	–	–	4	2	9	6	13	8	18	15	21	26	28	11	10	–
	White Male	97	1	–	–	–	2	–	–	–	2	1	3	4	10	3	13	10	15	13	15	2	3	–
	Female	73	1	–	–	–	–	–	–	–	2	1	6	2	3	4	3	5	6	11	13	9	7	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
400, 401, 403	Hypertension	25	–	–	–	–	–	–	–	–	–	2	–	2	–	1	2	1	4	4	5	3	1	–
	White Male	11	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	1	2	1	1	1	1	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	3	4	2	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
430–438	Cerebrovascular diseases	579	–	–	–	–	1	1	3	1	1	–	5	10	14	31	34	74	85	130	105	68	16	–
	White Male	280	–	–	–	–	–	–	2	1	1	–	2	4	5	23	23	42	36	62	50	23	6	–
	Female	296	–	–	–	–	1	1	1	–	–	–	3	6	8	8	11	31	49	68	54	45	10	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
431	Cerebral hemorrhage	67	–	–	–	–	–	–	1	–	–	–	1	2	3	7	7	10	8	14	7	6	1	–
	White Male	37	–	–	–	–	–	–	–	–	–	–	–	2	1	6	4	9	4	4	4	2	1	–
	Female	29	–	–	–	–	–	–	1	–	–	–	1	–	2	1	3	1	4	10	2	4	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	114	–	–	–	–	–	–	–	–	–	–	–	3	2	7	4	20	16	29	18	12	3	–
	White Male	44	–	–	–	–	–	–	–	–	–	–	–	1	–	5	2	9	5	13	7	2	–	–
	Female	70	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	11	11	16	11	10	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	395	–	–	–	–	1	1	2	1	1	–	4	5	9	17	23	44	61	86	78	50	12	–
	White Male	199	–	–	–	–	–	–	2	1	1	–	2	1	4	12	17	24	27	45	39	19	5	–
	Female	194	–	–	–	–	1	1	–	–	–	–	2	4	4	5	6	19	34	41	39	31	7	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
440	Arteriosclerosis	102	–	–	–	–	–	–	–	–	–	–	–	1	1	1	8	7	10	26	23	7	18	–
	White Male	51	–	–	–	–	–	–	–	–	–	–	–	–	1	–	7	5	7	11	10	2	8	–
	Female	49	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	15	12	5	10	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	78	–	–	–	1	–	–	–	–	2	1	–	2	2	6	9	12	11	12	9	9	2	–
	White Male	51	–	–	–	1	–	–	–	–	1	1	–	1	2	4	8	9	8	7	5	3	1	–
	Female	25	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	2	2	5	4	6	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	219	5	1	2	–	–	1	–	–	–	1	2	3	4	8	8	15	36	40	54	30	9	–
	White Male	118	–	1	–	–	–	1	–	–	–	–	–	2	4	4	5	9	23	26	29	13	1	–
	Female	98	4	–	2	–	–	–	–	–	–	1	2	1	–	4	3	6	13	14	24	16	8	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
470–474	Influenza	29	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	7	6	8	3	1	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	6	4	5	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	190	5	1	2	–	–	1	–	–	–	1	2	3	3	8	7	13	29	34	46	27	8	–
	White Male	100	–	1	–	–	–	1	–	–	–	–	–	2	3	4	5	8	17	22	24	12	1	–
	Female	87	4	–	2	–	–	–	–	–	–	1	2	1	–	4	2	5	12	12	21	14	7	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
490–493	Bronchitis, emphysema, and asthma	74	–	–	–	–	–	–	–	–	–	–	–	2	2	10	14	15	12	12	4	2	1	–
	White Male	56	–	–	–	–	–	–	–	–	–	–	–	1	1	2	12	15	11	8	4	1	1	–
	Female	16	–	–	–	–	–	–	–	–	–	–	–	1	–	7	2	–	1	4	–	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
490, 491	Chronic and unqualified bronchitis	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	2	2	–	–	1	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	2	1	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	56	–	–	–	–	–	–	–	–	–	–	–	1	2	8	10	11	10	10	3	1	–	–
	White Male	43	–	–	–	–	–	–	–	–	–	–	–	1	1	2	8	11	9	7	3	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	5	2	–	1	3	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	7	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	1	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	25	–	–	–	–	–	–	–	–	–	–	2	1	1	2	4	3	6	5	–	1	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	3	3	2	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	3	3	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	1	1	–	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	29	1	–	–	–	–	–	1	–	–	–	1	–	1	1	2	6	4	8	3	1	–	–
	White Male	12	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	3	2	3	–	–	–	–
	Female	16	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	2	2	5	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
571	Cirrhosis of liver	52	–	–	–	–	–	1	–	1	1	4	6	12	5	10	7	2	1	2	–	–	–	–
	White Male	25	–	–	–	–	–	–	–	–	–	1	3	4	3	6	4	2	1	1	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	2	2	2	–	1	2	–	–	1	–	–	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	1	–	4	1	2	–	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	1	–	1	1	–	1	2	1	1	1	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	5	2	1	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
580–584	Nephritis and nephrosis	15	–	–	–	–	–	–	1	1	–	–	–	1	1	–	2	1	4	3	1	–	–	–
	White Male	8	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	1	–	2	1	–	–	–
	Female	7	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	4	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	2	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	8	–	–	–	–	–	–	1	1	–	–	–	–	1	–	2	–	2	1	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	14	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	2	2	4	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	1	2	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	North Dakota—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	49	38	1	–	–	2	–	–	2	–	1	1	–	–	1	–	–	1	2	–	–	–	–
	White Male	27	20	1	–	–	1	–	–	1	–	–	1	–	–	1	–	–	–	2	–	–	–	–
	Female	18	14	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	55	16	–	–	–	–	1	–	–	–	1	–	2	2	3	4	5	3	7	4	5	2	–
	White Male	27	8	–	–	–	–	1	–	–	–	–	–	1	1	2	4	2	1	4	1	1	1	–
	Female	23	7	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	1	2	3	4	–	–
	All other Male	4	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Residual	All other diseases	328	5	5	1	–	1	7	3	4	4	6	8	14	16	24	31	42	46	57	36	13	5	–
	White Male	196	3	4	–	–	1	3	2	2	4	3	6	10	11	14	24	30	33	28	14	3	1	–
	Female	123	2	1	1	–	–	2	1	2	–	2	2	3	5	10	7	11	9	29	22	10	4	–
	All other Male	5	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	2	–	–	–	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
E800–E949	Accidents	410	6	10	13	14	55	55	29	21	16	18	20	17	15	16	15	23	12	19	19	14	3	–
	White Male	284	1	6	7	11	38	43	23	16	14	12	10	11	12	13	11	15	7	13	12	9	–	–
	Female	92	4	2	5	2	11	5	2	2	1	4	8	3	3	3	3	8	5	6	7	5	3	–
	All other Male	28	1	2	1	1	3	7	4	3	–	1	2	2	–	–	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	3	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	176	3	3	6	8	31	33	13	13	11	9	9	7	4	5	6	5	3	4	2	1	–	–
	White Male	120	–	2	4	8	18	26	9	9	9	5	4	6	3	4	5	1	3	2	1	1	–	–
	Female	38	2	–	2	–	10	3	1	1	1	3	5	1	1	1	–	4	–	2	1	–	–	–
	All other Male	13	1	1	–	–	–	4	3	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	5	–	–	–	–	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	234	3	7	7	6	24	22	16	8	5	9	11	10	11	11	9	18	9	15	17	13	3	–
	White Male	164	1	4	3	3	20	17	14	7	5	7	6	5	9	9	6	14	4	11	11	8	–	–
	Female	54	2	2	3	2	1	2	1	1	–	1	3	2	2	2	3	4	5	4	6	5	3	–
	All other Male	15	–	1	1	1	3	3	1	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	62	...	...	–	1	6	8	7	5	1	5	1	5	9	5	4	2	2	1	–	–	–	–
	White Male	43	...	...	–	1	6	8	4	2	–	3	–	3	4	4	4	2	1	1	–	–	–	–
	Female	16	...	...	–	–	–	–	3	2	–	2	–	2	5	1	–	–	1	–	–	–	–	–
	All other Male	2	...	...	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	11	1	–	–	–	1	–	3	–	2	1	–	1	–	2	–	–	–	–	–	–	–	–
	White Male	6	1	–	–	–	1	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	10	–	–	–	–	2	–	–	2	3	–	–	–	1	–	–	1	–	1	–	–	–	–
	White Male	7	–	–	–	–	2	–	–	1	3	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio																							
	All causes	**96,385**	**2,508**	**436**	**259**	**369**	**964**	**1,146**	**1,000**	**892**	**1,063**	**1,771**	**3,093**	**4,947**	**6,691**	**8,758**	**10,600**	**11,607**	**12,718**	**12,759**	**9,154**	**4,272**	**1,366**	**12**
	White ..... Male	47,264	1,138	200	134	212	621	709	526	439	499	913	1,659	2,695	3,756	5,077	5,888	6,093	5,913	5,545	3,483	1,405	354	5
	Female	39,792	818	150	92	112	226	244	290	272	329	538	904	1,562	2,112	2,717	3,698	4,469	5,827	6,550	5,270	2,696	915	1
	All other ..... Male	5,336	285	54	22	29	80	140	127	114	146	196	326	439	487	589	580	582	523	342	165	66	42	2
	Female	3,993	267	32	11	16	37	53	57	67	89	124	204	251	336	375	434	463	455	322	236	105	55	4
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	82	23	3	–	–	–	–	1	1	1	–	–	3	3	6	2	10	9	8	8	4	–	–
	White ..... Male	35	12	2	–	–	–	–	–	1	–	–	–	3	1	3	–	4	2	3	2	2	–	–
	Female	36	5	1	–	–	–	–	1	–	1	–	–	–	1	3	1	5	7	5	5	1	–	–
	All other ..... Male	6	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	Female	5	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
010–019	Tuberculosis, all forms	134	–	2	–	–	–	–	–	–	2	3	5	7	23	15	19	15	13	13	9	4	4	–
	White ..... Male	67	–	–	–	–	–	–	–	–	1	3	2	3	9	7	7	10	7	9	6	2	1	–
	Female	38	–	–	–	–	–	–	–	–	–	–	1	2	8	5	10	1	3	2	3	1	2	–
	All other ..... Male	22	–	1	–	–	–	–	–	–	1	–	1	1	5	3	2	3	2	2	–	–	1	–
	Female	7	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	–	–	1	–	–
010–012	Tuberculosis of respiratory system	113	–	1	–	–	–	–	–	–	2	1	5	7	19	11	17	14	11	12	8	2	3	–
	White ..... Male	57	–	–	–	–	–	–	–	–	1	1	2	3	7	5	7	9	6	8	6	1	1	–
	Female	33	–	–	–	–	–	–	–	–	–	–	1	2	7	5	8	1	2	2	2	1	2	–
	All other ..... Male	18	–	1	–	–	–	–	–	–	1	–	1	1	4	1	2	3	2	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–
013–019	Tuberculosis, other forms	21	–	1	–	–	–	–	–	–	–	2	–	–	4	4	2	1	2	1	1	2	1	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	2	–	–	2	2	–	1	1	1	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	1	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	1	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	15	5	–	–	–	1	1	2	1	–	2	–	–	2	–	–	1	–	–	–	–	–	–
	White ..... Male	7	3	–	–	–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
	Female	8	2	–	–	–	–	1	2	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	285	40	1	2	–	–	2	3	3	2	5	7	9	17	16	42	40	33	36	21	2	3	1
	White ..... Male	118	17	–	1	–	–	2	2	2	–	1	3	6	5	5	16	20	13	16	6	1	1	1
	Female	115	15	–	–	–	–	–	1	1	1	2	1	2	8	6	18	13	14	17	14	1	1	–
	All other ..... Male	27	2	–	1	–	–	–	–	–	1	1	1	–	3	2	5	4	4	3	–	–	–	–
	Female	25	6	1	–	–	–	–	–	–	–	1	2	1	1	3	3	3	2	–	1	–	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	22	–	–	–	–	–	–	–	–	1	1	–	4	2	4	2	3	4	1	–	–	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	1	–	1	1	3	–	2	3	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	–	1	–	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	196	16	3	4	4	3	6	4	5	3	11	6	10	15	26	20	14	12	17	10	5	2	–
	White ..... Male	92	10	1	2	3	2	3	3	1	–	3	1	4	13	16	9	5	3	6	4	1	2	–
	Female	80	3	1	2	1	1	2	–	4	2	4	4	2	1	6	10	8	9	11	6	3	–	–
	All other ..... Male	8	–	–	–	–	–	1	–	–	–	1	1	3	1	–	–	1	–	–	–	–	–	–
	Female	16	3	1	–	–	–	–	1	–	1	3	–	1	–	4	1	–	–	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	18,826	6	40	37	42	67	81	116	138	205	424	848	1,529	2,026	2,448	2,694	2,664	2,360	1,747	994	292	67	1
	White Male	9,069	2	21	21	27	31	36	47	65	71	167	347	675	945	1,243	1,429	1,385	1,156	829	427	126	19	–
	Female	7,910	1	13	15	12	28	39	63	65	107	202	380	690	827	924	1,024	1,015	1,012	794	508	152	39	–
	All other Male	1,076	3	3	–	1	6	4	1	2	6	31	58	94	143	170	149	172	114	76	30	6	6	1
	Female	771	–	3	1	2	2	2	5	6	21	24	63	70	111	111	92	92	78	48	29	8	3	–
140–149	Of buccal cavity and pharynx	399	–	–	–	–	1	–	1	2	3	13	35	51	62	65	52	55	27	17	9	3	3	–
	White Male	257	–	–	–	–	–	–	1	1	2	6	21	33	36	41	32	46	19	11	6	1	1	–
	Female	93	–	–	–	–	1	–	–	1	–	5	5	10	15	18	17	4	6	5	3	1	2	–
	All other Male	37	–	–	–	–	–	–	–	–	–	1	7	5	8	6	3	4	1	1	–	1	–	–
	Female	12	–	–	–	–	–	–	–	–	1	1	2	3	3	–	–	1	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	5,089	–	1	–	1	4	3	10	16	31	71	147	323	473	620	716	797	776	622	352	104	21	1
	White Male	2,340	–	–	–	–	1	2	2	9	18	29	72	154	223	310	382	354	347	272	114	46	5	–
	Female	2,206	–	1	–	–	2	1	8	6	9	28	52	125	172	224	252	354	365	319	221	55	12	–
	All other Male	306	–	–	–	–	1	–	–	–	1	11	10	29	43	46	44	58	33	18	8	1	2	1
	Female	237	–	–	–	1	–	–	–	1	3	3	13	15	35	40	38	31	31	13	9	2	2	–
160–163	Of respiratory system	4,686	1	–	–	–	1	2	5	9	37	97	256	463	647	802	810	683	467	262	117	23	4	–
	White Male	3,201	–	–	–	–	1	1	2	4	16	58	138	306	431	529	580	510	350	184	76	14	1	–
	Female	1,017	–	–	–	–	–	1	3	4	15	26	78	105	144	183	167	106	82	58	34	9	2	–
	All other Male	375	1	–	–	–	–	–	–	1	3	10	29	38	58	76	56	54	28	16	4	–	1	–
	Female	93	–	–	–	–	–	–	–	–	3	3	11	14	14	14	7	13	7	4	3	–	–	–
174	Of breast	1,666	–	–	–	1	–	1	9	21	44	75	120	190	226	202	202	166	172	125	70	33	9	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	2	3	1	3	1	–	–
	Female	1,504	–	–	–	1	–	1	9	20	35	63	105	173	205	179	187	151	159	118	60	29	9	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	145	–	–	–	–	–	–	–	1	9	12	15	17	21	20	11	13	10	6	7	3	–	–
180–187	Of genital organs	2,234	–	1	–	–	2	12	20	18	24	41	85	164	176	214	293	338	336	287	171	41	11	–
	White Male	874	–	1	–	–	1	5	9	7	5	4	8	16	25	55	105	156	174	161	111	25	6	–
	Female	1,105	–	–	–	–	1	7	8	9	17	34	65	132	131	129	147	141	127	92	47	14	4	–
	All other Male	138	–	–	–	–	–	–	–	–	–	–	–	6	4	10	20	33	25	26	11	2	1	–
	Female	117	–	–	–	–	–	–	3	2	2	3	12	10	16	20	21	8	10	8	2	–	–	–
188, 189	Of urinary organs	921	–	7	1	–	1	1	–	1	1	18	21	59	76	106	131	146	133	114	77	24	4	–
	White Male	564	–	3	1	–	–	–	–	1	1	12	10	42	51	69	77	91	86	57	45	15	3	–
	Female	286	–	4	–	–	1	1	–	–	–	4	9	11	18	25	47	43	38	48	27	9	1	–
	All other Male	40	–	–	–	–	–	–	–	–	–	2	–	3	4	5	6	7	5	6	2	–	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	2	3	3	7	1	5	4	3	3	–	–	–
170–173, 190–199	Of all other and unspecified sites	2,026	2	18	10	16	28	29	33	39	33	58	122	163	208	258	267	250	197	147	105	35	8	–
	White Male	940	1	10	3	10	13	13	14	24	19	36	66	70	100	136	137	104	69	62	41	11	1	–
	Female	909	–	4	6	6	12	11	18	13	13	20	45	81	82	96	110	124	111	71	59	21	6	–
	All other Male	105	1	2	–	–	2	3	–	–	–	2	7	8	17	20	12	9	10	6	4	2	–	–
	Female	72	–	2	1	–	1	2	1	2	1	–	4	4	9	6	8	13	7	8	1	1	1	–
204–207	Leukemia	783	1	13	21	18	19	17	16	17	11	25	33	45	51	55	83	97	112	84	44	18	3	–
	White Male	392	–	7	12	12	8	5	7	7	5	10	15	23	23	30	50	52	51	45	20	9	1	–
	Female	340	–	4	9	5	9	11	8	9	5	11	14	21	24	20	31	37	53	36	23	8	2	–
	All other Male	26	1	1	–	–	1	1	–	1	1	2	2	–	2	5	–	3	5	1	–	–	–	–
	Female	25	–	1	–	1	1	–	1	–	–	2	2	1	2	–	2	5	3	2	1	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,022	2	–	5	6	11	16	22	15	21	26	29	71	107	126	140	132	140	89	49	11	4	–
	White Male	484	1	–	5	5	7	10	12	12	5	12	17	31	56	70	62	70	57	36	11	4	1	–
	Female	450	1	–	–	–	2	6	9	3	13	11	7	32	36	50	66	55	71	47	34	6	1	–
	All other Male	49	–	–	–	1	2	–	1	–	1	3	3	5	7	2	8	4	7	2	1	–	2	–
	Female	39	–	–	–	–	–	–	–	–	2	–	2	3	8	4	4	3	5	4	3	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	229	2	4	4	2	1	6	2	1	6	11	14	13	17	23	24	22	33	23	14	6	1	–
	White Male	100	1	1	–	1	1	3	1	1	3	4	4	5	10	13	12	12	15	9	3	1	–	–
	Female	110	1	3	1	1	–	1	1	–	2	6	8	6	5	10	11	9	16	14	9	5	1	–
	All other Male	5	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
	Female	14	–	–	1	–	–	2	–	–	1	1	2	2	–	–	1	–	2	–	2	–	–	–
250	Diabetes mellitus	2,069	–	1	1	1	–	6	15	15	17	34	51	86	153	219	282	348	329	290	165	46	10	–
	White Male	786	–	1	1	1	–	2	6	4	8	14	26	37	63	110	119	130	109	92	52	10	1	–
	Female	1,027	–	–	–	–	–	3	7	8	6	10	19	26	61	83	127	182	183	169	103	34	6	–
	All other Male	105	–	–	–	–	–	1	1	3	1	7	1	11	10	14	11	13	14	12	6	–	–	–
	Female	151	–	–	–	–	–	–	1	–	2	3	5	12	19	12	25	23	23	17	4	2	3	–
260–269	Avitaminoses and other nutritional deficiencies	152	2	1	–	–	2	–	–	3	–	2	3	6	5	8	10	9	30	25	21	18	7	–
	White Male	59	–	1	–	–	1	–	–	2	–	2	2	2	4	5	5	5	9	9	4	7	1	–
	Female	81	2	–	–	–	1	–	–	1	–	–	1	3	1	3	3	2	18	14	16	11	5	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio – Con.																							
280–285	Anemias	142	1	2	3	3	1	3	2	1	2	3	8	4	2	12	13	12	25	15	13	14	3	–
	White Male	58	–	1	1	1	–	–	1	–	–	–	3	1	1	9	6	5	9	6	6	7	1	–
	Female	65	1	–	2	–	–	–	1	1	1	2	3	3	–	1	5	7	13	9	7	7	2	–
	All other Male	14	–	1	–	2	–	3	–	–	1	1	1	–	–	2	1	–	2	–	–	–	–	–
	Female	5	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–
320	Meningitis	79	33	12	3	1	1	–	2	–	1	2	4	4	3	2	4	4	1	1	–	1	–	–
	White Male	31	11	5	2	–	–	–	1	–	–	2	2	1	1	1	2	3	–	–	–	–	–	–
	Female	30	13	5	1	–	–	–	–	–	–	–	2	3	2	–	1	1	–	1	–	1	–	–
	All other Male	10	4	2	–	–	1	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	8	5	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	51,152	38	18	9	20	36	42	81	130	235	545	1,131	2,012	3,013	4,227	5,557	6,567	7,941	8,664	6,537	3,256	1,090	3
	White Male	24,632	17	11	4	8	19	22	31	67	132	327	757	1,288	1,929	2,577	3,185	3,417	3,575	3,612	2,373	998	282	1
	Female	22,582	8	6	4	7	12	11	30	35	57	121	204	463	743	1,185	1,844	2,604	3,809	4,659	3,911	2,132	737	–
	All other Male	2,048	4	1	–	3	3	4	13	15	21	52	107	162	201	277	284	277	272	189	90	43	29	1
	Female	1,890	9	–	1	2	2	5	7	13	25	45	63	99	140	188	244	269	285	204	163	83	42	1
390–398, 402, 404, 410–429	Diseases of heart	37,818	31	14	7	12	20	28	55	98	188	441	956	1,695	2,519	3,494	4,408	4,977	5,687	5,990	4,336	2,130	730	2
	White Male	19,124	15	8	4	6	13	17	25	53	119	286	685	1,155	1,677	2,200	2,593	2,619	2,608	2,580	1,594	673	194	–
	Female	15,796	7	5	3	5	7	6	17	24	39	85	146	336	573	929	1,414	1,950	2,693	3,137	2,563	1,371	486	–
	All other Male	1,561	3	1	–	1	–	3	9	11	16	36	87	134	157	221	215	213	198	132	71	27	25	1
	Female	1,337	6	–	–	–	–	2	4	10	14	34	38	70	112	144	186	195	188	141	108	59	25	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	709	–	–	2	–	–	7	8	14	19	23	29	64	78	97	116	94	80	44	23	8	3	–
	White Male	262	–	–	1	–	–	3	2	3	6	9	12	24	31	46	38	31	28	23	4	–	1	–
	Female	391	–	–	1	–	–	3	2	8	10	10	12	35	42	48	72	57	45	19	18	7	2	–
	All other Male	34	–	–	–	–	–	1	3	2	–	4	3	3	3	1	4	2	6	2	–	–	–	–
	Female	22	–	–	–	–	–	–	1	1	3	–	2	2	2	2	2	4	1	–	1	1	–	–
402	Hypertensive heart disease	357	–	–	–	–	–	–	1	3	3	5	8	18	25	35	36	40	51	61	48	14	9	–
	White Male	117	–	–	–	–	–	–	–	2	–	2	3	10	8	17	15	14	15	14	12	4	1	–
	Female	182	–	–	–	–	–	–	–	–	1	1	3	5	8	12	17	18	29	43	30	8	7	–
	All other Male	24	–	–	–	–	–	–	1	1	–	1	1	1	4	3	2	4	3	1	2	–	–	–
	Female	34	–	–	–	–	–	–	–	–	2	1	1	2	5	3	2	4	4	3	4	2	1	–
404	Hypertensive heart and renal disease	498	–	–	–	–	–	–	–	–	1	4	8	15	21	32	46	59	87	93	78	37	17	–
	White Male	187	–	–	–	–	–	–	–	–	1	–	6	6	11	17	20	20	32	31	30	10	3	–
	Female	241	–	–	–	–	–	–	–	–	–	2	1	2	6	7	17	31	41	55	41	25	13	–
	All other Male	37	–	–	–	–	–	–	–	–	–	2	1	4	2	4	5	6	9	3	1	–	–	–
	Female	33	–	–	–	–	–	–	–	–	–	–	–	3	2	4	4	2	5	4	6	2	1	–
410–413	Ischemic heart disease	34,298	–	1	–	1	2	4	18	61	143	369	853	1,498	2,270	3,172	4,001	4,568	5,225	5,527	3,966	1,955	662	2
	White Male	17,642	–	1	–	1	1	3	11	42	102	258	633	1,061	1,559	2,035	2,407	2,450	2,415	2,396	1,463	623	181	–
	Female	14,156	–	–	–	–	1	–	4	7	22	64	111	270	474	814	1,236	1,758	2,466	2,883	2,350	1,257	439	–
	All other Male	1,341	–	–	–	–	–	1	1	7	12	21	76	107	140	196	192	185	174	120	60	25	23	1
	Female	1,159	–	–	–	–	–	–	2	5	7	26	33	60	97	127	166	175	170	128	93	50	19	1
410	Acute myocardial infarction	16,100	–	–	–	–	1	3	11	36	95	229	565	960	1,437	1,885	2,307	2,342	2,386	2,051	1,201	460	130	1
	White Male	9,518	–	–	–	–	1	2	7	28	75	177	445	737	1,055	1,291	1,475	1,347	1,204	984	479	163	48	–
	Female	5,788	–	–	–	–	–	–	2	5	13	40	72	171	296	474	713	888	1,077	1,008	669	286	74	–
	All other Male	452	–	–	–	–	–	1	1	2	4	9	35	37	50	71	64	61	54	26	27	5	5	–
	Female	342	–	–	–	–	–	–	1	1	3	3	13	15	36	49	55	46	51	33	26	6	3	1
411	Other acute and subacute forms of ischemic heart disease	174	–	–	–	–	–	–	1	2	2	4	8	12	17	21	24	18	21	27	7	7	3	–
	White Male	111	–	–	–	–	–	–	1	2	2	4	7	10	15	16	12	11	9	14	3	4	1	–
	Female	52	–	–	–	–	–	–	–	–	–	–	–	2	2	2	11	5	10	11	4	3	2	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	2	2	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	18,019	–	1	–	1	1	1	6	23	46	136	279	526	815	1,265	1,670	2,208	2,816	3,449	2,758	1,488	529	1
	White Male	8,011	–	1	–	1	–	1	3	12	25	77	180	314	489	727	920	1,092	1,202	1,398	981	456	132	–
	Female	8,313	–	–	–	–	1	–	2	2	9	24	39	97	175	338	512	865	1,377	1,864	1,677	968	363	–
	All other Male	880	–	–	–	–	–	–	–	5	8	12	40	70	90	123	128	122	118	92	33	20	18	1
	Female	815	–	–	–	–	–	–	1	4	4	23	20	45	61	77	110	129	119	95	67	44	16	–
413	Angina pectoris	5	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	2	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	168	–	–	–	1	1	2	1	–	4	4	7	4	8	14	13	24	23	16	24	16	6	–
	White Male	76	–	–	–	–	1	1	–	–	–	1	3	4	6	11	4	15	11	6	9	4	–	–
	Female	79	–	–	–	1	–	–	–	–	2	2	4	–	2	1	8	9	10	9	15	11	5	–
	All other Male	9	–	–	–	–	–	1	1	–	2	1	–	–	–	1	1	–	1	–	–	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio – Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,788	31	13	5	10	17	15	27	20	18	36	51	96	117	144	196	192	221	249	197	100	33	–
	White.....Male	840	15	7	3	5	11	10	12	6	10	16	28	50	62	74	109	89	107	110	76	32	8	–
	Female	747	7	5	2	4	6	3	11	9	4	6	15	24	41	47	64	77	102	128	109	63	20	–
	All other.....Male	116	3	1	–	1	–	–	3	1	2	7	6	19	8	16	11	16	5	6	8	2	1	–
	Female	85	6	–	–	–	–	2	1	4	2	7	2	3	6	7	12	10	7	5	4	3	4	–
400, 401, 403	Hypertension	337	–	–	–	–	–	1	1	4	7	5	4	15	16	32	37	35	54	55	48	19	4	–
	White.....Male	151	–	–	–	–	–	–	–	1	4	4	1	3	8	12	17	15	26	26	25	8	1	–
	Female	139	–	–	–	–	–	1	1	–	1	1	–	6	4	10	14	16	22	27	22	11	3	–
	All other.....Male	22	–	–	–	–	–	–	–	3	1	–	3	1	3	4	3	–	3	–	1	–	–	–
	Female	25	–	–	–	–	–	–	–	–	1	–	–	5	1	6	3	4	3	2	–	–	–	–
430–438	Cerebrovascular diseases	9,960	7	4	2	7	13	11	23	23	35	85	130	242	373	532	846	1,209	1,747	2,057	1,619	754	241	–
	White.....Male	3,959	2	3	–	2	5	5	6	10	8	30	44	94	179	250	411	570	720	780	561	225	54	–
	Female	5,202	1	1	1	2	5	4	12	11	15	31	49	104	138	199	340	525	892	1,190	999	510	173	–
	All other.....Male	369	1	–	–	1	1	–	3	1	4	14	14	22	33	47	56	53	55	45	14	3	2	–
	Female	430	3	–	1	2	2	2	2	1	8	10	23	22	23	36	39	61	80	42	45	16	12	–
431	Cerebral hemorrhage	1,483	1	1	–	2	2	4	9	10	6	21	44	66	112	127	148	198	223	255	166	72	16	–
	White.....Male	572	–	1	–	–	1	2	2	4	2	8	11	21	50	59	71	82	89	99	47	20	3	–
	Female	765	–	–	–	1	1	2	6	5	1	6	13	28	45	51	64	101	120	144	114	51	12	–
	All other.....Male	66	–	–	–	–	–	–	1	1	1	6	5	10	11	9	6	5	5	6	–	–	–	–
	Female	80	1	–	–	1	–	–	–	–	2	1	15	7	6	8	7	10	9	6	5	1	1	–
433	Cerebral thrombosis	2,693	–	–	–	1	3	–	2	1	2	4	19	31	68	109	221	317	495	648	474	220	78	–
	White.....Male	1,135	–	–	–	–	–	–	–	–	2	2	10	13	34	47	113	161	229	269	168	68	19	–
	Female	1,378	–	–	–	–	1	–	1	1	–	2	3	13	22	34	88	129	237	357	287	148	55	–
	All other.....Male	101	–	–	–	–	1	–	1	–	–	–	4	1	9	18	14	15	13	16	7	1	1	–
	Female	79	–	–	–	1	1	–	–	–	–	–	2	4	3	10	6	12	16	6	12	3	3	–
434	Cerebral embolism	38	–	–	–	–	–	–	–	–	–	–	–	1	–	8	5	3	7	8	2	3	1	–
	White.....Male	20	–	–	–	–	–	–	–	–	–	–	–	–	–	5	4	2	3	3	1	2	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	4	5	1	1	1	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	5,746	6	3	2	4	8	7	12	12	27	60	67	144	193	288	472	691	1,022	1,146	977	459	146	–
	White.....Male	2,232	2	2	–	2	4	3	4	6	4	20	23	60	95	139	223	325	399	409	345	135	32	–
	Female	3,042	1	1	1	1	3	2	5	5	14	23	33	63	71	111	187	294	531	684	597	310	105	–
	All other.....Male	202	1	–	–	1	–	–	1	–	3	8	5	11	13	20	36	33	37	23	7	2	1	–
	Female	270	2	–	1	–	1	2	2	1	6	9	6	10	14	18	26	39	55	30	28	12	8	–
440	Arteriosclerosis	1,668	–	–	–	–	–	–	–	–	–	1	2	12	19	37	70	140	229	373	388	298	99	–
	White.....Male	624	–	–	–	–	–	–	–	–	–	1	2	5	12	19	40	75	92	135	139	76	28	–
	Female	950	–	–	–	–	–	–	–	–	–	–	–	5	5	16	26	58	119	215	240	201	65	–
	All other.....Male	45	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	5	7	8	4	13	2	–
	Female	49	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	11	15	5	8	4	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,369	–	–	–	1	3	2	2	5	5	13	39	48	86	132	196	206	224	189	146	55	16	1
	White.....Male	774	–	–	–	–	1	–	–	3	1	6	25	31	53	96	124	138	129	91	54	16	5	1
	Female	495	–	–	–	–	–	–	–	–	2	4	9	12	23	31	50	55	83	90	87	39	10	–
	All other.....Male	51	–	–	–	1	2	1	1	–	–	2	3	3	7	4	8	6	9	4	–	–	–	–
	Female	49	–	–	–	–	–	1	1	2	2	1	2	2	3	1	14	7	3	4	5	–	1	–
466	Acute bronchitis and bronchiolitis	31	4	2	–	–	–	–	–	–	–	–	1	1	3	2	5	4	4	3	2	–	–	–
	White.....Male	17	2	2	–	–	–	–	–	–	–	–	–	–	1	2	3	1	2	2	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	3	2	–	–	–	–	–
	All other.....Male	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	2,493	108	26	3	9	11	15	21	15	16	33	45	75	84	164	196	235	339	446	371	221	60	–
	White.....Male	1,221	51	10	2	3	6	8	7	6	8	14	19	48	43	103	111	138	175	210	154	92	13	–
	Female	1,028	32	10	1	4	3	6	9	6	5	16	12	16	28	42	60	75	129	213	193	123	45	–
	All other.....Male	168	18	5	–	1	1	1	3	2	2	3	11	8	9	13	18	14	26	13	14	4	2	–
	Female	76	7	1	–	1	1	–	2	1	1	–	3	3	4	6	7	8	9	10	10	2	–	–
470–474	Influenza	200	–	2	–	–	1	2	–	–	–	4	4	4	4	10	11	18	35	52	28	17	8	–
	White.....Male	82	–	2	–	–	1	1	–	–	–	2	–	3	2	5	7	10	16	21	6	6	–	–
	Female	111	–	–	–	–	–	1	–	–	–	2	4	1	2	5	3	6	18	29	21	11	8	–
	All other.....Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
480–486	Pneumonia	2,293	108	24	3	9	10	13	21	15	16	29	41	71	80	154	185	217	304	394	343	204	52	–
	White.....Male	1,139	51	8	2	3	5	7	7	6	8	12	19	45	41	98	104	128	159	189	148	86	13	–
	Female	917	32	10	1	4	3	5	9	6	5	14	8	15	26	37	57	69	111	184	172	112	37	–
	All other.....Male	163	18	5	–	1	1	1	3	2	2	3	11	8	9	13	17	13	25	12	13	4	2	–
	Female	74	7	1	–	1	1	–	2	1	1	–	3	3	4	6	7	7	9	9	10	2	–	–
490–493	Bronchitis, emphysema, and asthma	1,475	7	4	1	1	2	4	3	4	7	15	33	51	100	222	272	254	240	156	67	25	7	–
	White.....Male	1,045	6	2	–	–	2	3	–	3	2	5	9	34	69	158	201	189	175	114	52	18	3	–
	Female	345	–	2	1	–	–	1	3	–	4	6	17	15	28	46	61	49	50	37	15	6	4	–
	All other.....Male	64	1	–	–	1	–	–	–	–	1	–	2	1	3	15	9	14	12	4	–	1	–	–
	Female	21	–	–	–	–	–	–	–	1	–	4	5	1	–	3	1	2	3	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio – Con.																							
490, 491	Chronic and unqualified bronchitis	321	5	3	–	1	–	2	2	3	–	5	5	16	20	48	51	51	46	32	21	7	3	–
	White ..... Male	208	4	2	–	–	–	2	–	3	–	2	1	11	11	33	32	36	30	18	16	6	1	–
	Female	104	–	1	–	–	–	–	2	–	–	2	4	5	9	11	19	14	16	13	5	1	2	–
	All other ..... Male	7	1	–	–	1	–	–	–	–	–	–	–	–	–	3	–	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
492	Emphysema	1,073	2	–	–	–	1	2	1	1	4	7	21	30	75	163	210	193	182	116	44	17	4	–
	White ..... Male	813	2	–	–	–	1	1	–	–	2	3	7	23	54	120	164	151	142	94	36	11	2	–
	Female	197	–	–	–	–	–	1	1	–	1	3	11	5	18	30	36	30	28	18	8	5	2	–
	All other ..... Male	52	–	–	–	–	–	–	–	–	1	–	2	1	3	11	9	11	10	3	–	1	–	–
	Female	11	–	–	–	–	–	–	–	1	–	1	1	1	–	2	1	1	2	1	–	–	–	–
493	Asthma	81	–	1	1	–	1	–	–	–	3	3	7	5	5	11	11	10	12	8	2	1	–	–
	White ..... Male	24	–	–	–	–	1	–	–	–	–	–	1	–	4	5	5	2	3	2	–	1	–	–
	Female	44	–	1	1	–	–	–	–	–	3	1	2	5	1	5	6	5	6	6	2	–	–	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	2	4	–	–	–	–	1	1	–	–	–	–	–
531–533	Peptic ulcer	312	1	1	–	1	1	–	1	4	2	6	12	11	28	45	40	35	47	31	33	10	3	–
	White ..... Male	180	–	1	–	–	–	–	1	2	1	6	6	8	16	32	29	21	27	10	13	6	1	–
	Female	108	–	–	–	1	–	–	–	1	–	–	4	1	11	10	10	9	16	21	19	3	2	–
	All other ..... Male	17	–	–	–	–	1	–	–	1	1	–	2	1	1	2	–	3	3	–	1	1	–	–
	Female	7	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	–	–	–	–
540–543	Appendicitis	30	–	1	–	1	–	1	–	1	–	1	–	–	5	5	3	2	2	4	2	1	1	–
	White ..... Male	15	–	1	–	1	–	1	–	–	–	1	–	–	1	3	1	1	1	2	1	1	–	–
	Female	9	–	–	–	–	–	–	–	1	–	–	–	–	2	2	–	–	–	2	1	–	1	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	301	20	3	1	–	1	4	1	3	1	3	3	9	12	14	27	37	49	46	50	14	3	–
	White ..... Male	114	8	1	1	–	–	1	1	–	–	1	1	4	8	4	14	16	18	15	15	4	2	–
	Female	159	7	2	–	–	1	2	–	2	1	1	2	5	2	8	12	18	27	26	32	10	1	–
	All other ..... Male	12	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	3	1	–	–	–
	Female	16	4	–	–	–	–	1	–	1	–	1	–	–	2	1	–	1	1	2	2	–	–	–
571	Cirrhosis of liver	1,409	2	1	–	–	1	2	11	42	53	87	162	215	220	212	192	102	57	32	14	3	1	–
	White ..... Male	805	–	1	–	–	–	–	5	17	18	41	89	118	124	136	124	73	36	13	9	1	–	–
	Female	374	2	–	–	–	1	1	2	9	17	22	35	50	64	55	53	21	20	16	4	2	–	–
	All other ..... Male	142	–	–	–	–	–	–	3	7	11	14	25	31	19	13	9	5	1	2	1	–	1	–
	Female	88	–	–	–	–	–	1	1	9	7	10	13	16	13	8	6	3	–	1	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	123	–	–	–	–	–	2	–	–	1	1	2	4	3	7	10	19	17	29	20	7	1	–
	White ..... Male	52	–	–	–	–	–	–	–	–	1	–	1	2	2	4	3	10	8	13	6	1	1	–
	Female	68	–	–	–	–	–	2	–	–	–	1	1	2	1	3	7	8	9	14	14	6	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
580–584	Nephritis and nephrosis	402	–	2	–	1	1	7	5	3	9	11	11	14	30	41	47	54	63	57	27	15	4	–
	White ..... Male	178	–	–	–	–	–	3	2	2	3	5	2	6	12	19	20	24	29	31	14	5	1	–
	Female	147	–	1	–	1	1	2	1	1	2	3	5	5	8	16	14	18	24	24	11	7	3	–
	All other ..... Male	40	–	1	–	–	–	2	2	–	3	2	2	1	3	3	8	6	3	–	1	3	–	–
	Female	37	–	–	–	–	–	–	–	–	1	1	2	2	7	3	5	6	7	2	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	67	–	1	–	1	–	–	1	–	1	2	1	2	5	8	7	7	10	16	2	3	–	–
	White ..... Male	31	–	–	–	–	–	–	–	–	1	1	–	–	4	4	2	5	3	9	1	1	–	–
	Female	25	–	1	–	1	–	–	1	–	–	–	–	1	–	3	4	1	5	6	–	2	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	2	1	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	335	–	1	–	–	1	7	4	3	8	9	10	12	25	33	40	47	53	41	25	12	4	–
	White ..... Male	147	–	–	–	–	–	3	2	2	2	4	2	6	8	15	18	19	26	22	13	4	1	–
	Female	122	–	–	–	–	1	2	–	1	2	3	5	4	8	13	10	17	19	18	11	5	3	–
	All other ..... Male	38	–	1	–	–	–	2	2	–	3	1	2	1	3	3	8	5	3	–	1	3	–	–
	Female	28	–	–	–	–	–	–	–	–	1	1	1	1	6	2	4	6	5	1	–	–	–	–
590	Infections of kidney	250	–	1	–	–	–	1	1	–	3	3	2	7	6	13	21	38	40	59	38	14	3	–
	White ..... Male	97	–	1	–	–	–	–	1	–	–	2	–	–	2	6	9	15	14	23	14	9	1	–
	Female	124	–	–	–	–	–	1	–	–	1	–	1	2	4	6	10	16	23	33	21	5	1	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	4	1	2	2	–	–	–
	Female	15	–	–	–	–	–	–	–	–	1	–	–	4	–	1	1	3	2	1	1	–	1	–
600	Hyperplasia of prostate	61	–	–	–	–	–	–	–	1	–	–	–	–	1	3	4	9	10	17	14	1	1	–
	White ..... Male	57	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	8	10	17	14	1	1	–
	All other ..... Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	16	–	–	–	–	1	4	5	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	12	–	–	–	–	1	4	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	4	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Ohio—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	16	–	–	–	–	1	4	5	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	12	–	–	–	–	1	4	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	683	438	55	21	22	17	13	15	10	5	9	12	17	10	7	8	11	5	2	1	2	2	1
	White Male	323	215	25	13	12	8	6	4	4	–	4	7	5	6	3	2	6	–	–	1	2	–	–
	Female	277	174	23	7	9	7	3	8	3	3	1	3	10	3	4	4	5	5	2	–	–	2	1
	All other Male	47	30	3	–	–	1	2	2	2	1	3	1	1	–	–	1	–	–	–	–	–	–	–
	Female	36	19	4	1	1	1	2	1	1	1	1	1	1	1	–	1	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,378	1,375	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	626	623	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	432	432	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	155	155	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	165	165	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	712	710	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	White Male	348	346	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	207	207	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	666	665	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	278	277	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	225	225	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	78	78	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	1,448	213	28	12	14	58	79	70	54	49	47	100	120	95	78	80	89	65	80	71	31	14	1
	White Male	703	93	8	6	4	35	44	38	21	22	24	54	62	52	50	40	48	29	35	27	10	1	–
	Female	505	77	15	5	8	15	17	13	17	12	16	21	40	24	23	32	31	28	41	39	19	12	–
	All other Male	162	27	4	1	1	4	15	11	11	12	4	18	14	14	5	6	6	5	2	2	–	–	–
	Female	78	16	1	–	1	4	3	8	5	3	3	7	4	5	–	2	4	3	2	3	2	1	1
Residual	All other diseases	5,839	116	47	33	44	74	81	83	86	97	134	229	315	431	582	721	755	707	659	408	185	50	2
	White Male	2,797	44	24	16	21	40	36	28	33	41	59	108	142	219	321	360	405	337	314	158	76	15	–
	Female	2,317	27	15	13	18	24	32	40	34	23	43	79	113	161	195	282	277	299	294	220	98	30	–
	All other Male	435	27	5	2	4	4	5	9	12	22	19	27	40	34	40	50	39	44	30	15	5	2	–
	Female	290	18	3	2	1	6	8	6	7	11	13	15	20	17	26	29	34	27	21	15	6	3	2
E800–E949	Accidents	4,339	49	144	114	184	482	467	293	191	158	199	189	229	210	213	201	184	231	256	224	93	28	–
	White Male	2,676	21	69	60	121	361	372	217	124	99	130	113	143	120	144	114	95	118	125	101	22	7	–
	Female	1,236	14	47	34	42	92	61	47	45	30	40	43	58	67	53	68	69	99	120	118	69	20	–
	All other Male	288	7	18	16	15	22	27	23	13	21	23	23	20	17	10	9	11	8	2	1	2	–	–
	Female	139	7	10	4	6	7	7	6	9	8	6	10	8	6	6	10	9	6	9	4	–	1	–
E810–E823	Motor vehicle accidents	1,733	11	52	64	75	311	278	172	113	71	81	73	92	68	65	60	48	49	28	19	2	1	–
	White Male	1,194	5	23	28	48	235	224	128	79	53	56	45	60	37	42	38	25	31	21	14	1	1	–
	Female	402	2	15	19	23	64	44	34	30	13	13	19	17	24	21	16	19	16	7	5	1	–	–
	All other Male	102	1	10	13	2	9	8	9	3	4	9	6	11	5	2	5	3	2	–	–	–	–	–
	Female	35	3	4	4	2	3	2	1	1	1	3	3	4	2	–	1	1	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	2,606	38	92	50	109	171	189	121	78	87	118	116	137	142	148	141	136	182	228	205	91	27	–
	White Male	1,482	16	46	32	73	126	148	89	45	46	74	68	83	83	102	76	70	87	104	87	21	6	–
	Female	834	12	32	15	19	28	17	13	15	17	27	24	41	43	32	52	50	83	113	113	68	20	–
	All other Male	186	6	8	3	13	13	19	14	10	17	14	17	9	12	8	4	8	6	2	1	2	–	–
	Female	104	4	6	–	4	4	5	5	8	7	3	7	4	4	6	9	8	6	9	4	–	1	–
E950–E959	Suicide	1,342	...	...	–	5	88	157	130	83	98	98	127	111	128	95	77	53	37	35	18	2	–	–
	White Male	886	...	...	–	4	66	104	80	48	54	61	75	72	82	76	54	36	28	26	18	2	–	–
	Female	369	...	...	–	1	16	32	32	25	40	28	46	36	40	19	23	15	7	9	–	–	–	–
	All other Male	66	...	...	–	–	6	15	13	7	4	7	4	2	5	–	–	1	2	–	–	–	–	–
	Female	21	...	...	–	–	–	6	5	3	–	2	2	1	1	–	–	1	–	–	–	–	–	–
E960–E978	Homicide	922	4	26	9	8	104	149	115	84	74	65	77	72	37	41	23	14	12	4	2	–	1	1
	White Male	330	1	8	3	2	40	54	42	27	29	27	25	20	12	16	9	7	3	3	1	–	–	1
	Female	142	1	5	5	4	21	22	17	9	8	8	5	6	7	7	5	5	5	–	1	–	1	–
	All other Male	366	1	7	–	1	30	59	44	37	34	26	38	43	13	18	8	2	4	1	–	–	–	–
	Female	84	1	6	1	1	13	14	12	11	3	4	9	3	5	–	1	–	–	–	–	–	–	–
E980–E999	Other external causes	147	5	7	1	6	11	13	18	11	13	14	11	9	7	8	4	2	3	3	–	–	–	1
	White Male	76	1	2	–	3	8	9	8	9	6	8	3	5	2	5	2	1	2	1	–	–	–	1
	Female	43	1	1	1	3	2	1	8	1	5	4	6	2	3	2	–	1	–	2	–	–	–	–
	All other Male	19	–	3	–	–	1	1	2	1	1	1	2	2	2	1	2	–	–	–	–	–	–	–
	Female	9	3	1	–	–	–	2	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma																							
	All causes	**27,194**	**690**	**157**	**97**	**116**	**310**	**363**	**304**	**277**	**308**	**459**	**723**	**1,151**	**1,567**	**2,285**	**2,925**	**3,529**	**3,667**	**3,675**	**2,704**	**1,398**	**473**	**16**
	White ..... Male	13,820	319	64	41	68	192	239	165	146	157	249	409	693	931	1,398	1,717	1,936	1,845	1,617	1,024	486	117	7
	Female	10,658	218	51	34	28	71	69	76	77	95	139	203	314	462	654	910	1,269	1,524	1,824	1,517	814	303	6
	All other ..... Male	1,588	90	22	16	9	35	38	47	44	40	42	62	91	110	132	171	189	180	126	76	44	22	2
	Female	1,128	63	20	6	11	12	17	16	10	16	29	49	53	64	101	127	135	118	108	87	54	31	1
004, 006	Bacillary dysentery and amebiasis	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	37	6	2	–	–	–	–	–	3	1	–	–	1	–	1	2	2	6	7	6	–	–	–
	White ..... Male	16	3	1	–	–	–	–	–	1	–	–	–	–	–	1	1	1	2	3	3	–	–	–
	Female	15	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–	4	4	3	–	–	–
	All other ..... Male	4	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
010–019	Tuberculosis, all forms	53	–	2	–	–	–	–	–	–	3	1	2	1	4	4	7	9	8	6	3	2	1	–
	White ..... Male	32	–	2	–	–	–	–	–	–	2	1	1	–	2	3	4	6	4	3	2	2	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	3	2	2	–	–	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
010–012	Tuberculosis of respiratory system	41	–	2	–	–	–	–	–	–	2	1	2	–	2	3	7	7	6	4	2	2	1	–
	White ..... Male	26	–	2	–	–	–	–	–	–	1	1	1	–	1	2	4	5	4	2	1	2	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	2	2	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
013–019	Tuberculosis, other forms	12	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	2	2	2	1	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	9	5	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
	White ..... Male	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
038	Septicemia	75	10	–	1	–	–	2	–	1	–	1	1	5	4	9	6	9	9	6	8	3	–	–
	White ..... Male	37	5	–	1	–	–	1	–	–	–	–	1	3	1	3	3	5	7	4	1	2	–	–
	Female	27	4	–	–	–	–	1	–	1	–	1	–	1	1	1	3	4	2	2	5	1	–	–
	All other ..... Male	5	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	60	10	3	1	4	1	2	–	1	–	–	3	2	6	2	6	8	1	6	1	2	1	–
	White ..... Male	21	3	–	–	–	–	–	–	–	–	–	1	1	1	–	4	5	1	3	–	1	1	–
	Female	28	4	2	1	3	1	2	–	1	–	–	1	1	3	1	1	2	–	3	1	1	–	–
	All other ..... Male	6	1	–	–	1	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
	Female	5	2	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	4,864	1	7	16	15	16	17	30	38	52	93	188	311	450	611	732	739	636	520	279	93	20	–
	White Male	2,472	–	3	6	5	7	9	12	14	21	41	80	148	238	337	420	404	321	231	131	36	8	–
	Female	1,951	1	3	5	7	5	6	14	20	29	41	87	132	173	217	246	263	264	250	129	49	10	–
	All other Male	250	–	–	1	1	2	1	4	2	1	2	9	16	19	36	36	45	33	25	11	5	1	–
	Female	191	–	1	4	2	2	1	–	2	1	9	12	15	20	21	30	27	18	14	8	3	1	–
140–149	Of buccal cavity and pharynx	90	–	–	–	–	–	1	–	1	–	2	2	7	6	13	13	12	14	7	7	5	–	–
	White Male	53	–	–	–	–	–	–	–	–	–	1	–	5	3	10	7	10	10	1	6	–	–	–
	Female	27	–	–	–	–	–	–	–	1	–	1	1	1	1	3	4	1	4	5	1	4	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	–	–	–	1	–	–
	Female	4	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	1,161	–	–	–	–	2	2	7	4	11	20	20	63	95	137	185	178	180	131	85	31	10	–
	White Male	537	–	–	–	–	1	1	5	2	5	8	10	30	56	65	105	81	76	46	32	12	2	–
	Female	507	–	–	–	–	1	1	1	2	6	10	6	25	29	51	61	79	83	82	45	17	8	–
	All other Male	65	–	–	–	–	–	–	1	–	–	–	1	5	4	12	10	11	13	3	4	1	–	–
	Female	52	–	–	–	–	–	–	–	–	–	2	3	3	6	9	9	7	8	–	4	1	–	–
160–163	Of respiratory system	1,225	–	–	–	–	–	–	–	1	7	24	59	96	137	219	244	190	127	85	31	5	–	–
	White Male	889	–	–	–	–	–	–	–	–	3	14	41	66	101	163	181	146	98	55	20	1	–	–
	Female	249	–	–	–	–	–	–	–	–	4	9	11	24	27	41	47	27	22	22	11	4	–	–
	All other Male	71	–	–	–	–	–	–	–	1	–	1	6	6	7	13	13	12	5	7	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	–	2	2	3	5	2	1	–	–	–	–
174	Of breast	363	–	–	–	–	–	–	2	9	8	9	34	35	54	41	42	39	35	28	21	6	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	329	–	–	–	–	–	–	2	8	7	6	31	32	52	39	34	36	35	23	19	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	33	–	–	–	–	–	–	–	1	1	3	3	3	2	2	8	3	–	5	2	–	–	–
180–187	Of genital organs	603	–	–	–	1	1	–	4	3	1	8	14	22	42	59	69	98	90	115	52	18	6	–
	White Male	275	–	–	–	–	1	–	1	1	–	–	2	2	8	16	30	53	52	61	35	10	3	–
	Female	258	–	–	–	–	–	–	3	2	1	6	10	17	27	36	34	34	29	39	13	5	2	–
	All other Male	40	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	8	6	12	4	3	1	–
	Female	30	–	–	–	1	–	–	–	–	–	2	2	3	6	4	3	3	3	3	–	–	–	–
188, 189	Of urinary organs	217	–	2	–	–	–	–	–	–	–	3	10	11	11	25	23	43	33	37	12	7	–	–
	White Male	132	–	1	–	–	–	–	–	–	–	1	5	6	7	17	19	29	20	17	6	4	–	–
	Female	74	–	1	–	–	–	–	–	–	–	2	4	5	4	8	3	10	12	18	5	2	–	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	1	–	–
170–173, 190–199	Of all other and unspecified sites	691	–	4	9	8	9	7	9	14	19	18	27	47	56	78	91	97	84	61	38	11	4	–
	White Male	327	–	2	4	2	3	3	3	5	9	10	13	23	29	43	45	46	33	30	16	5	3	–
	Female	288	–	1	1	5	3	4	4	7	9	6	12	18	19	27	36	38	42	30	20	6	–	–
	All other Male	43	–	–	1	–	2	–	2	1	1	1	1	4	5	6	5	7	5	1	1	–	–	–
	Female	33	–	1	3	1	1	–	–	1	–	1	1	2	3	2	5	6	4	–	1	–	1	–
204–207	Leukemia	214	1	1	7	3	4	3	1	1	2	2	7	9	21	15	17	40	27	26	20	7	–	–
	White Male	115	–	–	2	1	2	3	–	1	1	1	3	6	14	9	8	23	13	13	12	3	–	–
	Female	82	1	1	4	1	1	–	1	–	1	–	3	2	6	4	6	17	13	11	7	3	–	–
	All other Male	6	–	–	–	1	–	–	–	–	–	–	–	–	1	–	2	–	1	–	1	–	–	–
	Female	11	–	–	1	–	1	–	–	–	–	1	1	1	–	2	1	–	–	2	–	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	300	–	–	–	3	–	4	7	5	4	7	15	21	28	24	48	42	46	30	13	3	–	–
	White Male	143	–	–	–	2	–	2	3	5	3	6	6	10	20	14	25	16	19	8	4	–	–	–
	Female	137	–	–	–	1	–	1	3	–	1	1	9	8	8	8	21	21	24	20	8	3	–	–
	All other Male	14	–	–	–	–	–	1	1	–	–	–	–	1	–	2	1	3	3	1	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	–	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	65	1	–	1	1	2	–	1	–	3	1	2	6	6	7	11	8	9	2	3	1	–	–
	White Male	31	1	–	1	1	1	–	1	–	2	–	2	5	3	4	3	2	3	1	1	–	–	–
	Female	29	–	–	–	–	1	–	–	–	–	1	–	–	3	2	7	6	5	1	2	1	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
250	Diabetes mellitus	407	–	–	–	–	2	–	3	3	2	8	11	15	31	48	56	56	57	58	30	17	9	1
	White Male	137	–	–	–	–	–	–	1	2	1	3	6	5	10	18	18	18	24	17	4	9	1	–
	Female	198	–	–	–	–	2	–	2	–	–	2	1	4	13	21	27	24	28	38	21	7	7	1
	All other Male	31	–	–	–	–	–	–	–	–	–	2	2	4	3	2	4	9	2	2	1	–	–	–
	Female	41	–	–	–	–	–	–	–	1	1	1	2	2	5	7	7	5	3	1	4	1	1	–
260–269	Avitaminoses and other nutritional deficiencies	48	2	–	–	–	–	1	1	2	–	–	–	1	–	2	5	2	7	11	6	6	2	–
	White Male	15	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	2	3	–	–
	Female	25	–	–	–	–	–	–	1	–	–	–	–	1	–	–	4	1	1	8	4	3	2	–
	All other Male	5	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma – Con.																							
280–285	Anemias	42	1	1	–	–	2	3	–	2	–	–	–	2	2	3	7	7	4	4	1	3	–	–
	White Male	13	1	–	–	–	1	–	–	–	–	–	–	–	–	–	4	4	1	–	1	1	–	–
	Female	23	–	1	–	–	–	1	–	1	–	–	–	2	2	3	2	3	3	3	–	2	–	–
	All other Male	3	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
320	Meningitis	29	10	9	–	–	1	–	–	1	–	–	–	2	–	2	3	–	–	–	1	–	–	–
	White Male	12	4	4	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–
	Female	11	4	3	–	–	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	All other Male	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	14,143	7	5	3	6	3	10	14	34	60	130	257	469	702	1,089	1,521	2,014	2,198	2,378	1,875	1,023	337	8
	White Male	7,002	2	2	–	5	2	4	8	16	36	78	175	328	453	708	929	1,079	1,069	1,007	676	337	86	2
	Female	5,952	4	1	2	1	1	4	6	9	11	33	46	87	177	272	448	748	951	1,221	1,098	613	216	3
	All other Male	658	1	1	1	–	–	–	–	8	10	11	20	34	49	63	89	100	105	71	45	33	15	2
	Female	531	–	1	–	–	–	2	–	1	3	8	16	20	23	46	55	87	73	79	56	40	20	1
390–398, 402, 404, 410–429	Diseases of heart	10,253	7	2	–	3	3	6	10	21	50	101	211	397	591	899	1,209	1,501	1,569	1,563	1,194	702	207	7
	White Male	5,436	2	–	–	2	2	1	5	12	33	68	152	294	405	608	749	842	801	701	459	238	60	2
	Female	3,980	4	–	–	1	1	3	5	3	7	17	30	66	131	205	349	531	648	770	668	412	127	2
	All other Male	482	1	1	–	–	–	–	–	6	7	9	17	25	39	50	67	73	71	45	34	28	7	2
	Female	355	–	1	–	–	–	2	–	–	3	7	12	12	16	36	44	55	49	47	33	24	13	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	142	–	–	–	–	–	1	2	1	3	6	4	14	16	21	24	24	9	9	7	1	–	–
	White Male	75	–	–	–	–	–	–	–	–	2	2	2	10	7	14	10	15	4	6	3	–	–	–
	Female	56	–	–	–	–	–	–	2	1	1	3	2	4	7	6	13	8	5	2	2	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–
	Female	8	–	–	–	–	–	1	–	–	–	1	–	–	1	1	1	–	–	1	2	–	–	–
402	Hypertensive heart disease	109	–	–	–	–	–	–	–	–	–	–	1	2	2	10	16	16	16	19	16	8	3	–
	White Male	44	–	–	–	–	–	–	–	–	–	–	–	2	2	7	7	4	6	7	6	3	–	–
	Female	51	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	10	10	12	10	3	3	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	–	–	–	2	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	–	–	–	–	–	–
404	Hypertensive heart and renal disease	77	–	–	–	–	–	–	–	–	–	1	1	–	3	–	1	11	17	17	12	12	2	–
	White Male	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	6	8	5	4	1	–
	Female	31	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	8	8	5	6	1	–
	All other Male	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	–	1	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	1	1	1	–	–
410–413	Ischemic heart disease	9,052	–	–	–	–	2	1	4	15	40	85	187	353	534	820	1,094	1,330	1,407	1,375	1,026	606	166	7
	White Male	4,877	–	–	–	–	2	1	3	10	26	63	142	265	371	567	684	743	724	618	400	206	50	2
	Female	3,464	–	–	–	–	–	–	1	2	5	10	22	56	114	178	316	475	576	677	573	359	98	2
	All other Male	413	–	–	–	–	–	–	–	3	6	8	12	22	36	46	58	64	64	38	28	20	6	2
	Female	298	–	–	–	–	–	–	–	–	3	4	11	10	13	29	36	48	43	42	25	21	12	1
410	Acute myocardial infarction	5,366	–	–	–	–	2	1	2	10	26	52	134	251	379	579	751	872	847	713	447	239	59	2
	White Male	3,128	–	–	–	–	2	1	2	5	17	43	105	192	275	414	483	497	464	340	176	96	16	–
	Female	1,839	–	–	–	–	–	–	–	2	3	2	16	40	81	122	211	308	321	323	248	127	35	–
	All other Male	246	–	–	–	–	–	–	–	3	5	4	8	13	19	24	37	37	36	26	19	10	4	1
	Female	153	–	–	–	–	–	–	–	–	1	3	5	6	4	19	20	30	26	24	4	6	4	1
411	Other acute and subacute forms of ischemic heart disease	480	–	–	–	–	–	–	1	3	2	10	14	47	49	81	64	71	49	46	25	12	4	2
	White Male	301	–	–	–	–	–	–	1	3	2	9	9	37	29	46	46	44	29	25	14	3	2	2
	Female	121	–	–	–	–	–	–	–	–	–	1	–	5	10	21	14	20	14	18	9	7	2	–
	All other Male	38	–	–	–	–	–	–	–	–	–	–	2	4	7	12	1	3	6	1	1	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	–	3	1	3	2	3	4	–	2	1	1	–	–
412	Chronic ischemic heart disease	3,202	–	–	–	–	–	–	1	2	12	23	39	54	106	160	279	387	511	615	554	354	102	3
	White Male	1,447	–	–	–	–	–	–	–	2	7	11	28	35	67	107	155	202	231	253	210	107	32	–
	Female	1,501	–	–	–	–	–	–	1	–	2	7	6	11	23	35	91	147	241	335	316	224	60	2
	All other Male	129	–	–	–	–	–	–	–	–	1	4	2	5	10	10	20	24	22	11	8	9	2	1
	Female	125	–	–	–	–	–	–	–	–	2	1	3	3	6	8	13	14	17	16	20	14	8	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	76	–	–	–	–	–	–	–	1	1	3	2	1	5	2	7	8	7	16	8	9	6	–
	White Male	33	–	–	–	–	–	–	–	–	1	1	1	–	5	1	5	6	3	5	1	2	2	–
	Female	38	–	–	–	–	–	–	–	–	–	2	1	–	–	1	1	2	4	10	6	7	4	–
	All other Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma – Con.																							
420–423, 425–427, 429	All other forms of heart disease	797	7	2	–	3	1	4	4	4	6	6	16	27	31	46	67	112	113	127	125	66	30	–
	White Male	375	2	–	–	2	–	–	2	2	4	2	7	17	20	19	43	66	58	57	44	23	7	–
	Female	340	4	–	–	1	1	3	2	–	1	2	5	6	8	19	17	35	45	61	72	37	21	–
	All other Male	48	1	1	–	–	–	–	–	2	1	–	4	3	2	4	4	5	6	6	4	4	1	–
	Female	34	–	1	–	–	–	1	–	–	–	2	–	1	1	4	3	6	4	3	5	2	1	–
400, 401, 403	Hypertension	77	–	–	–	–	–	–	–	–	–	1	4	2	2	6	10	14	11	9	9	8	1	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	2	–	–	4	6	1	5	4	4	2	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	8	4	3	4	3	1	–
	All other Male	8	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	1	1	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	4	1	1	–	3	–	–
430–438	Cerebrovascular diseases	3,034	–	3	2	3	–	3	3	11	10	25	37	61	92	148	241	394	507	624	543	235	91	1
	White Male	1,171	–	2	–	3	–	2	2	4	3	9	19	28	42	73	130	175	204	223	165	71	16	–
	Female	1,596	–	1	2	–	–	1	1	5	4	14	13	20	37	56	81	179	255	362	351	151	62	1
	All other Male	131	–	–	–	–	–	–	–	1	3	1	2	7	9	11	19	19	28	16	5	4	6	–
	Female	136	–	–	–	–	–	–	–	1	–	1	3	6	4	8	11	21	20	23	22	9	7	–
431	Cerebral hemorrhage	353	–	1	–	–	–	1	2	2	5	4	12	18	19	29	36	42	54	75	39	9	5	–
	White Male	140	–	1	–	–	–	–	2	–	1	1	5	9	5	13	22	18	23	24	13	2	1	–
	Female	179	–	–	–	–	–	1	–	1	1	1	6	3	9	12	12	22	29	46	25	7	4	–
	All other Male	19	–	–	–	–	–	–	–	1	3	1	1	4	3	2	2	–	1	–	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	1	–	2	2	2	–	2	1	5	–	–	–	–
433	Cerebral thrombosis	608	–	–	–	1	–	1	–	–	–	2	4	6	14	24	37	77	106	145	125	48	18	–
	White Male	230	–	–	–	1	–	1	–	–	–	1	2	3	6	12	14	42	44	49	36	17	2	–
	Female	322	–	–	–	–	–	–	–	–	–	1	1	2	7	10	17	23	50	88	81	29	13	–
	All other Male	32	–	–	–	–	–	–	–	–	–	–	1	1	1	1	5	5	9	5	2	1	1	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	7	3	3	6	1	2	–
434	Cerebral embolism	25	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	5	4	8	2	1	–
	White Male	7	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	1	1	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	7	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,048	–	2	2	2	–	1	1	9	4	19	21	37	58	94	167	274	342	400	371	176	67	1
	White Male	794	–	1	–	2	–	1	–	4	1	7	12	16	30	47	94	114	136	149	115	52	13	–
	Female	1,077	–	1	2	–	–	–	1	4	3	12	6	15	21	34	51	134	172	225	238	113	44	1
	All other Male	80	–	–	–	–	–	–	–	–	–	–	–	2	5	8	12	14	18	11	2	3	5	–
	Female	97	–	–	–	–	–	–	–	1	–	–	3	4	2	5	10	12	16	15	16	8	5	–
440	Arteriosclerosis	440	–	–	–	–	–	–	–	–	–	–	1	–	3	6	22	55	58	111	92	58	34	–
	White Male	184	–	–	–	–	–	–	–	–	–	–	1	–	1	3	15	28	26	53	32	16	9	–
	Female	224	–	–	–	–	–	–	–	–	–	–	–	–	2	2	7	20	27	49	57	37	23	–
	All other Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	3	1	2	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	6	–	4	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	339	–	–	1	–	–	1	1	2	–	3	4	9	14	30	39	50	53	71	37	20	4	–
	White Male	183	–	–	–	–	–	1	1	–	–	1	1	6	5	20	29	33	33	26	16	10	1	–
	Female	124	–	–	–	–	–	–	–	1	–	2	3	1	6	7	9	10	17	37	18	10	3	–
	All other Male	22	–	–	1	–	–	–	–	1	–	–	–	2	1	2	1	4	2	6	2	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	3	1	2	1	–	–	–
466	Acute bronchitis and bronchiolitis	7	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	2	–	1	–	–	–
	White Male	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	946	38	12	4	3	5	5	5	9	5	11	21	18	22	42	60	98	142	184	140	80	41	1
	White Male	473	17	4	3	1	3	3	3	4	1	4	8	8	13	27	37	55	84	97	59	31	10	1
	Female	372	11	5	1	1	1	2	–	3	2	4	10	7	6	9	12	32	44	78	75	45	24	–
	All other Male	58	4	2	–	–	1	–	1	–	1	2	2	–	2	4	6	9	11	5	3	3	2	–
	Female	43	6	1	–	1	–	–	1	2	1	1	1	3	1	2	5	2	3	4	3	1	5	–
470–474	Influenza	119	–	–	1	–	–	1	–	3	1	2	7	3	4	8	8	17	18	26	13	5	2	–
	White Male	56	–	–	1	–	–	1	–	1	1	–	2	2	–	4	4	9	10	13	6	2	–	–
	Female	49	–	–	–	–	–	–	–	1	–	2	5	–	4	4	2	5	5	12	6	3	–	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	1	–	1	–
	Female	6	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	–	–	1	–	–	1	–
480–486	Pneumonia	827	38	12	3	3	5	4	5	6	4	9	14	15	18	34	52	81	124	158	127	75	39	1
	White Male	417	17	4	2	1	3	2	3	3	–	4	6	6	13	23	33	46	74	84	53	29	10	1
	Female	323	11	5	1	1	1	2	–	2	2	2	5	7	2	5	10	27	39	66	69	42	24	–
	All other Male	50	4	2	–	–	1	–	1	–	1	2	2	–	2	4	6	6	8	5	2	3	1	–
	Female	37	6	1	–	1	–	–	1	1	1	1	1	2	1	2	3	2	3	3	3	1	4	–
490–493	Bronchitis, emphysema, and asthma	345	5	–	–	–	–	2	2	2	4	1	5	9	14	37	59	58	67	41	31	5	3	–
	White Male	255	2	–	–	–	–	1	1	1	–	1	3	5	7	25	44	50	57	32	21	4	1	–
	Female	77	2	–	–	–	–	1	–	1	2	–	1	3	7	11	12	7	10	8	9	1	2	–
	All other Male	8	–	–	–	–	–	–	1	–	2	–	–	1	–	1	1	1	–	1	–	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma – Con.																							
490, 491	Chronic and unqualified bronchitis	57	4	–	–	–	–	1	–	2	–	–	–	–	3	3	12	8	8	11	4	1	–	–
	White ..... Male	39	1	–	–	–	–	–	–	1	–	–	–	–	2	3	8	6	6	7	4	1	–	–
	Female	16	2	–	–	–	–	1	–	1	–	–	–	–	1	–	3	2	2	4	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
492	Emphysema	257	–	–	–	–	–	–	1	–	2	–	2	8	10	30	41	47	57	30	23	3	3	–
	White ..... Male	200	–	–	–	–	–	–	1	–	–	–	1	4	4	20	32	43	51	25	16	2	1	–
	Female	49	–	–	–	–	–	–	–	–	1	–	1	3	6	9	7	3	6	4	6	1	2	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
493	Asthma	31	1	–	–	–	–	1	1	–	2	1	3	1	1	4	6	3	2	–	4	1	–	–
	White ..... Male	16	1	–	–	–	–	1	–	–	–	1	2	1	1	2	4	1	–	–	1	1	–	–
	Female	12	–	–	–	–	–	–	–	–	1	–	–	–	–	2	2	2	2	–	3	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	101	–	–	–	–	–	–	1	–	2	2	3	5	3	10	15	18	9	17	10	5	1	–
	White ..... Male	55	–	–	–	–	–	–	1	–	1	1	2	3	1	8	13	11	4	6	2	2	–	–
	Female	43	–	–	–	–	–	–	–	–	1	1	1	1	2	1	2	7	5	10	8	3	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	14	–	–	–	–	–	1	–	–	1	1	–	1	2	–	1	3	1	2	1	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	3	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	2	1	–	–	–
	All other ..... Male	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	91	3	1	–	2	–	–	1	–	1	–	2	1	3	3	11	14	16	13	12	5	3	–
	White ..... Male	32	–	1	–	–	–	–	–	–	–	–	–	–	–	1	6	6	8	7	3	–	–	–
	Female	49	2	–	–	–	–	–	–	–	–	–	2	1	3	2	4	7	7	6	9	3	3	–
	All other ..... Male	3	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–	2	–	–
571	Cirrhosis of liver	312	1	–	–	–	1	2	5	8	14	28	34	39	37	45	44	23	13	13	1	2	1	1
	White ..... Male	168	–	–	–	–	–	1	1	3	6	16	16	21	21	25	22	18	10	6	1	–	–	1
	Female	82	1	–	–	–	1	1	–	–	2	8	9	9	10	15	15	3	3	5	–	–	–	–
	All other ..... Male	43	–	–	–	–	–	–	2	4	6	2	6	8	4	4	4	1	–	1	–	–	1	–
	Female	19	–	–	–	–	–	–	2	1	–	2	3	1	2	1	3	1	–	1	–	2	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	67	–	–	–	–	–	–	–	1	–	–	–	2	2	7	9	10	11	8	7	7	3	–
	White ..... Male	34	–	–	–	–	–	–	–	–	–	–	–	1	2	4	6	5	7	3	3	3	–	–
	Female	25	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	4	4	4	2	3	3	–
	All other ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	2	1	–	–
580–584	Nephritis and nephrosis	136	–	–	–	–	–	–	2	1	2	3	1	4	8	16	9	18	21	26	16	6	3	–
	White ..... Male	60	–	–	–	–	–	–	1	1	1	1	–	1	7	11	3	5	11	11	6	1	–	–
	Female	47	–	–	–	–	–	–	–	–	–	1	1	1	1	3	3	5	8	12	6	4	2	–
	All other ..... Male	17	–	–	–	–	–	–	1	–	–	1	–	2	–	1	1	4	1	2	2	1	1	–
	Female	12	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	4	1	1	2	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	28	–	–	–	–	–	–	1	–	–	–	–	–	–	3	2	6	4	4	5	2	1	–
	White ..... Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	3	3	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	1	1	–
	All other ..... Male	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	108	–	–	–	–	–	–	1	1	2	3	1	4	8	13	7	12	17	22	11	4	2	–
	White ..... Male	46	–	–	–	–	–	–	1	1	1	1	–	1	7	9	2	2	8	8	4	1	–	–
	Female	40	–	–	–	–	–	–	–	–	–	1	1	1	1	3	3	3	7	12	4	3	1	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	–	1	–	2	–	1	1	3	1	1	1	–	1	–
	Female	10	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	4	1	1	2	–	–	–
590	Infections of kidney	89	–	–	–	–	–	–	–	–	–	2	–	–	2	–	5	10	21	20	17	11	1	–
	White ..... Male	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	11	6	4	2	–	–
	Female	51	–	–	–	–	–	–	–	–	–	2	–	–	–	–	2	5	9	13	11	8	1	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
600	Hyperplasia of prostate	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	5	1	–	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	2	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	3	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oklahoma—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	6	–	–	–	–	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	175	104	22	10	5	4	6	7	2	1	–	2	1	1	2	4	2	–	1	–	–	–	1
	White Male	74	41	10	3	4	2	2	3	1	1	–	2	–	1	1	1	1	–	1	–	–	–	–
	Female	70	46	5	5	–	2	3	4	–	–	–	–	–	–	1	2	1	–	–	–	–	–	1
	All other Male	20	12	4	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	11	5	3	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	375	375	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	176	176	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	109	109	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	35	35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	219	219	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	107	107	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	64	64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	156	156	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	421	68	9	–	–	7	14	6	4	12	9	12	13	25	29	25	35	42	31	31	28	18	3
	White Male	191	41	3	–	–	4	8	1	–	6	3	5	3	16	17	15	14	15	14	11	8	4	3
	Female	165	14	3	–	–	2	4	3	3	5	3	3	7	8	7	6	16	20	12	18	18	13	–
	All other Male	35	7	2	–	–	1	1	2	–	1	2	2	2	1	2	2	4	2	3	1	–	–	–
	Female	30	6	1	–	–	–	1	–	1	–	1	2	1	–	3	2	1	5	2	1	2	1	–
Residual	All other diseases	1,933	26	12	13	13	18	18	22	19	32	36	65	93	138	196	200	287	268	226	157	76	18	–
	White Male	1,033	12	3	5	10	10	11	6	11	12	17	36	53	84	122	113	180	139	112	63	31	3	–
	Female	713	8	7	5	2	4	5	6	7	15	10	17	26	34	60	60	96	112	103	83	42	11	–
	All other Male	107	2	2	3	–	2	–	4	1	3	6	6	8	14	7	15	7	12	7	5	1	2	–
	Female	80	4	–	–	1	2	2	6	–	2	3	6	6	6	7	12	4	5	4	6	2	2	–
E800–E949	Accidents	1,607	15	64	43	56	187	179	118	83	60	80	61	86	70	86	85	69	94	82	55	22	11	1
	White Male	988	10	28	20	36	125	129	83	57	40	54	42	63	46	59	39	38	44	39	21	12	3	–
	Female	411	4	20	14	11	40	28	23	13	9	18	6	12	9	19	36	27	35	37	31	10	8	1
	All other Male	144	–	7	8	5	19	15	9	13	8	5	9	9	10	3	6	3	9	5	1	–	–	–
	Female	64	1	9	1	4	3	7	3	–	3	3	4	2	5	5	4	1	6	1	2	–	–	–
E810–E823	Motor vehicle accidents	781	4	27	18	31	145	116	78	47	35	39	31	42	34	29	31	16	27	25	5	1	–	–
	White Male	491	3	11	6	21	96	78	52	29	27	26	25	30	20	16	13	8	14	15	1	–	–	–
	Female	188	1	9	8	5	35	25	19	9	3	8	1	5	6	9	13	7	11	9	4	1	–	–
	All other Male	74	–	3	3	2	12	10	5	9	5	3	5	5	6	–	2	1	2	1	–	–	–	–
	Female	28	–	4	1	3	2	3	2	–	–	2	–	2	2	4	3	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	826	11	37	25	25	42	63	40	36	25	41	30	44	36	57	54	53	67	57	50	21	11	1
	White Male	497	7	17	14	15	29	51	31	28	13	28	17	33	26	43	26	30	30	24	20	12	3	–
	Female	223	3	11	6	6	5	3	4	4	6	10	5	7	3	10	23	20	24	28	27	9	8	1
	All other Male	70	–	4	5	3	7	5	4	4	3	2	4	4	4	3	4	2	7	4	1	–	–	–
	Female	36	1	5	–	1	1	4	1	–	3	1	4	–	3	1	1	1	6	1	2	–	–	–
E950–E959	Suicide	385	...	...	–	3	29	54	31	29	28	34	31	35	19	18	29	18	14	10	3	–	–	–
	White Male	267	...	...	–	2	24	44	17	16	15	20	17	26	14	13	20	13	14	9	3	–	–	–
	Female	101	...	...	–	1	4	7	10	12	12	10	13	9	4	4	9	5	–	1	–	–	–	–
	All other Male	16	...	...	–	–	1	3	4	1	1	4	1	–	1	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E960–E978	Homicide	288	1	5	4	5	27	41	48	31	23	16	14	21	13	14	7	6	9	–	3	–	–	–
	White Male	143	–	1	2	1	11	23	23	18	10	8	6	14	8	7	2	3	4	–	2	–	–	–
	Female	48	1	–	1	2	5	3	7	3	5	2	2	4	4	3	1	–	4	–	1	–	–	–
	All other Male	81	–	3	1	–	9	13	15	9	7	5	5	3	1	4	2	3	1	–	–	–	–	–
	Female	16	–	1	–	2	2	2	3	1	1	1	1	–	–	–	2	–	–	–	–	–	–	–
E980–E999	Other external causes	46	1	2	–	1	3	5	6	1	1	2	8	7	3	2	3	–	–	1	–	–	–	–
	White Male	29	–	1	–	1	2	3	3	–	1	1	6	4	3	1	3	–	–	–	–	–	–	–
	Female	10	–	1	–	–	–	1	–	–	–	1	2	3	–	1	–	–	–	1	–	–	–	–
	All other Male	6	1	–	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon																							
	All causes	**20,176**	**502**	**107**	**47**	**79**	**247**	**288**	**217**	**213**	**222**	**290**	**499**	**851**	**1,215**	**1,798**	**2,121**	**2,457**	**2,703**	**2,621**	**2,223**	**1,119**	**354**	**3**
	White ..... Male	11,137	278	54	27	46	170	196	145	134	134	183	312	522	750	1,166	1,348	1,457	1,489	1,250	926	432	115	3
	Female	8,620	194	49	17	29	66	75	55	67	77	94	167	313	433	579	734	947	1,177	1,353	1,278	679	237	–
	All other ..... Male	263	19	3	1	4	8	14	12	7	4	6	11	10	21	33	26	34	23	10	11	6	–	–
	Female	156	11	1	2	–	3	3	5	5	7	7	9	6	11	20	13	19	14	8	8	2	2	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	15	3	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	4	1	2	–	1	–
	White ..... Male	8	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	3	–	1	–	–	–
	Female	7	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	19	–	–	–	–	–	–	–	–	1	–	1	2	3	3	2	3	2	1	1	–	–	–
	White ..... Male	14	–	–	–	–	–	–	–	–	–	–	1	2	2	3	2	3	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	13	–	–	–	–	–	–	–	–	1	–	–	2	3	1	2	2	1	1	–	–	–	–
	White ..... Male	10	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	2	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	6	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	1	–	1	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	37	5	–	1	–	1	–	1	–	–	–	1	4	2	2	3	8	4	1	2	2	–	–
	White ..... Male	18	4	–	–	–	–	–	–	–	–	–	–	4	2	2	–	3	2	–	1	–	–	–
	Female	19	1	–	1	–	1	–	1	–	–	–	1	–	–	–	3	5	2	1	1	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	44	2	1	–	–	1	1	–	–	2	3	1	2	3	1	1	5	8	5	2	2	4	–
	White ..... Male	23	1	–	–	–	–	1	–	–	1	2	1	2	1	–	–	1	5	4	–	1	3	–
	Female	18	1	1	–	–	1	–	–	–	–	1	–	–	1	1	1	3	3	1	2	1	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,844	–	7	10	12	16	16	21	33	37	65	135	272	388	519	561	582	493	375	211	81	10	–
	White Male	2,143	–	2	5	7	9	14	10	15	15	34	60	138	206	290	335	366	283	209	110	33	2	–
	Female	1,647	–	4	5	5	7	2	10	18	21	31	72	131	177	218	218	205	204	164	100	47	8	–
	All other Male	33	–	1	–	–	–	–	–	–	–	–	1	2	3	8	4	7	3	2	1	1	–	–
	Female	21	–	–	–	–	–	–	1	–	1	–	2	1	2	3	4	4	3	–	–	–	–	–
140–149	Of buccal cavity and pharynx	78	–	–	–	–	–	–	–	–	–	–	6	7	8	18	14	16	3	2	4	–	–	–
	White Male	57	–	–	–	–	–	–	–	–	–	–	4	5	5	12	12	12	2	2	3	–	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	2	2	3	6	2	4	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	931	–	–	–	–	–	1	3	1	5	11	18	50	81	90	135	173	154	107	67	31	4	–
	White Male	517	–	–	–	–	–	1	1	–	4	6	12	28	42	54	83	111	75	61	31	8	–	–
	Female	396	–	–	–	–	–	–	1	1	–	5	6	22	37	34	47	57	78	46	36	22	4	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–	–	–	1	–	–
	Female	10	–	–	–	–	–	–	1	–	1	–	–	–	1	1	2	3	1	–	–	–	–	–
160–163	Of respiratory system	975	–	–	–	–	–	–	–	2	5	13	31	88	123	194	168	152	113	59	21	6	–	–
	White Male	746	–	–	–	–	–	–	–	–	4	10	19	63	86	143	134	120	95	52	17	3	–	–
	Female	210	–	–	–	–	–	–	–	2	1	3	12	24	35	43	32	27	18	6	4	3	–	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	–	1	2	7	1	4	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
174	Of breast	325	–	–	–	–	–	–	4	5	10	9	28	37	47	39	40	34	29	28	9	5	1	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	321	–	–	–	–	–	–	4	5	10	9	28	36	46	39	40	33	28	28	9	5	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
180–187	Of genital organs	452	–	–	–	–	2	–	3	4	3	7	15	27	33	53	67	61	62	65	37	11	2	–
	White Male	212	–	–	–	–	1	–	2	3	2	–	1	2	8	10	33	29	39	43	28	10	1	–
	Female	232	–	–	–	–	1	–	1	1	1	7	13	25	25	42	33	31	20	21	9	1	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–
188, 189	Of urinary organs	197	–	–	3	–	–	–	–	1	–	4	4	10	13	16	25	36	30	25	21	7	2	–
	White Male	130	–	–	2	–	–	–	–	–	–	4	3	4	10	10	17	27	23	15	13	2	–	–
	Female	67	–	–	1	–	–	–	–	1	–	–	1	6	3	6	8	9	7	10	8	5	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	490	–	4	6	6	7	8	5	8	10	12	26	31	55	65	69	51	50	39	27	10	1	–
	White Male	258	–	1	3	3	3	7	3	4	2	8	17	20	34	35	35	30	25	13	10	4	1	–
	Female	227	–	3	3	3	4	1	2	4	8	4	7	10	21	30	34	21	24	26	16	6	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	173	–	3	1	4	3	3	5	4	3	5	4	8	8	22	17	28	18	17	14	6	–	–
	White Male	106	–	1	–	2	2	3	3	4	3	4	1	4	6	15	9	18	11	10	6	4	–	–
	Female	66	–	1	1	2	1	–	2	–	–	1	3	4	2	7	8	10	7	7	8	2	–	–
	All other Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	223	–	–	–	2	4	4	1	8	1	4	3	14	20	22	26	31	34	33	11	5	–	–
	White Male	116	–	–	–	2	3	3	1	4	–	2	3	12	15	11	12	18	13	13	2	2	–	–
	Female	107	–	–	–	–	1	1	–	4	1	2	–	2	5	11	14	13	21	20	9	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	38	–	–	–	1	1	2	2	–	1	–	1	1	3	2	3	7	5	3	3	3	–	–
	White Male	19	–	–	–	1	–	1	1	–	–	–	–	1	2	–	2	5	4	1	1	–	–	–
	Female	19	–	–	–	–	1	1	1	–	1	–	1	–	1	2	1	2	1	2	2	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	307	–	–	–	–	–	6	3	5	5	1	9	10	16	25	41	47	44	42	31	18	4	–
	White Male	121	–	–	–	–	–	4	–	3	2	1	4	3	8	16	20	12	18	16	8	6	–	–
	Female	175	–	–	–	–	–	2	3	2	3	–	3	7	7	8	21	32	23	26	22	12	4	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	2	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	43	–	1	–	–	–	–	–	–	1	–	–	–	1	2	4	3	5	7	8	7	4	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	4	2	3	2	1	–
	Female	24	–	1	–	–	–	–	–	–	1	–	–	–	1	–	1	2	1	5	5	5	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon—Con.																							
280–285	Anemias	24	1	2	–	–	1	–	–	–	–	1	–	–	1	–	3	4	2	5	1	2	1	–
	White Male	14	–	1	–	–	1	–	–	–	–	1	–	–	1	–	1	1	2	3	1	2	–	–
	Female	9	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	2	–	–	1	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	12	1	5	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	1	–	–	–
	White Male	7	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–
	Female	4	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	10,429	7	5	1	2	3	11	16	17	39	86	173	307	489	811	1,054	1,371	1,660	1,719	1,579	810	268	1
	White Male	5,499	2	2	1	1	3	2	10	12	22	62	136	215	347	566	684	792	882	764	611	302	82	1
	Female	4,771	5	3	–	1	–	9	5	4	16	19	34	85	131	221	349	550	756	942	954	501	186	–
	All other Male	97	–	–	–	–	–	–	–	–	1	2	3	5	7	16	13	17	15	7	6	5	–	–
	Female	62	–	–	–	–	–	–	1	1	–	3	–	2	4	8	8	12	7	6	8	2	–	–
390–398, 402, 404, 410–429	Diseases of heart	7,335	4	5	1	2	2	4	10	12	32	73	143	254	406	650	832	1,010	1,128	1,105	995	500	166	1
	White Male	4,132	2	2	1	1	2	–	7	9	20	56	118	190	313	470	563	594	629	516	391	191	56	1
	Female	3,095	2	3	–	1	–	4	3	2	12	14	22	58	85	161	255	394	488	581	596	304	110	–
	All other Male	66	–	–	–	–	–	–	–	–	–	2	3	5	4	13	9	11	8	4	4	3	–	–
	Female	42	–	–	–	–	–	–	–	1	–	1	–	1	4	6	5	11	3	4	4	2	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	203	–	–	–	1	–	1	2	2	2	9	5	13	18	19	27	34	26	14	19	10	1	–
	White Male	91	–	–	–	–	–	–	1	1	–	5	3	9	12	7	15	14	12	7	3	2	–	–
	Female	107	–	–	–	1	–	1	1	–	2	4	1	4	6	12	10	20	14	7	15	8	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
402	Hypertensive heart disease	47	–	–	–	–	–	–	–	–	–	–	1	–	2	3	5	10	8	9	3	4	2	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	2	1	5	–	2	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	8	7	4	3	2	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	57	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	4	10	8	19	8	2	–
	White Male	26	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	4	6	8	3	1	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	6	2	11	5	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
410–413	Ischemic heart disease	6,628	–	–	–	–	–	–	5	8	28	56	129	223	357	600	760	916	1,036	1,011	911	446	141	1
	White Male	3,797	–	–	–	–	–	–	5	7	18	45	108	172	276	444	517	551	588	477	363	174	51	1
	Female	2,738	–	–	–	–	–	–	–	1	10	9	19	46	73	138	231	345	438	528	542	268	90	–
	All other Male	57	–	–	–	–	–	–	–	–	–	2	2	4	4	12	7	10	7	3	3	3	–	–
	Female	36	–	–	–	–	–	–	–	–	–	–	–	1	4	6	5	10	3	3	3	1	–	–
410	Acute myocardial infarction	2,743	–	–	–	–	–	–	4	6	18	31	57	113	192	295	384	436	421	370	277	106	25	–
	White Male	1,707	–	–	–	–	–	–	4	6	12	23	48	88	153	226	270	263	249	187	126	44	8	–
	Female	1,010	–	–	–	–	–	–	–	–	6	7	8	23	36	65	112	168	168	188	151	61	17	–
	All other Male	13	–	–	–	–	–	–	–	–	–	1	1	2	–	2	–	3	3	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	2	1	2	–	1	–	–
411	Other acute and subacute forms of ischemic heart disease	28	–	–	–	–	–	–	–	1	–	–	–	2	2	2	2	7	2	4	4	1	1	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	6	1	3	3	–	1	–
	Female	9	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	1	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	3,857	–	–	–	–	–	–	1	1	10	25	72	108	163	303	374	473	613	629	630	339	115	1
	White Male	2,071	–	–	–	–	–	–	1	1	6	22	60	82	122	217	246	282	338	287	234	130	42	1
	Female	1,719	–	–	–	–	–	–	–	–	4	2	11	23	36	72	118	176	269	339	390	206	73	–
	All other Male	44	–	–	–	–	–	–	–	–	–	1	1	2	4	10	7	7	4	2	3	3	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	8	2	1	3	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	41	1	1	–	–	–	–	–	–	–	1	3	4	1	–	3	4	4	8	5	4	2	–
	White Male	19	–	–	–	–	–	–	–	–	–	–	3	2	–	–	3	3	2	1	4	1	–	–
	Female	22	1	1	–	–	–	–	–	–	–	1	–	2	1	–	–	1	2	7	1	3	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon—Con.																							
420–423, 425–427, 429	All other forms of heart disease	359	3	4	1	1	2	3	3	2	2	7	5	14	27	26	34	42	44	55	38	28	18	–
	White.....Male	184	2	2	1	1	2	–	1	1	2	6	3	7	22	18	25	23	22	20	13	9	4	–
	Female	166	1	2	–	–	–	3	2	1	–	–	2	6	5	7	9	18	21	33	24	18	14	–
	All other.....Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–
400, 401, 403	Hypertension	43	–	–	–	–	–	–	–	–	–	1	–	2	1	4	3	3	8	11	5	4	1	–
	White.....Male	21	–	–	–	–	–	–	–	–	–	–	–	1	1	4	2	2	5	4	1	1	–	–
	Female	20	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	3	7	3	3	1	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	2,337	3	–	–	–	1	7	5	5	6	9	25	46	63	121	173	280	415	460	437	210	71	–
	White.....Male	958	–	–	–	–	1	2	2	3	1	3	14	21	21	66	87	150	188	164	152	66	17	–
	Female	1,335	3	–	–	–	–	5	2	2	4	4	11	25	40	50	79	125	216	292	280	143	54	–
	All other.....Male	26	–	–	–	–	–	–	–	–	1	–	–	–	2	3	4	5	7	2	1	1	–	–
	Female	18	–	–	–	–	–	–	1	–	–	2	–	–	–	2	3	–	4	2	4	–	–	–
431	Cerebral hemorrhage	251	1	–	–	–	–	2	3	–	2	2	7	15	14	34	24	43	39	29	24	8	4	–
	White.....Male	122	–	–	–	–	–	–	1	–	–	–	5	6	7	22	12	28	16	11	11	2	1	–
	Female	120	1	–	–	–	–	2	1	–	1	1	2	9	7	11	11	13	22	17	13	6	3	–
	All other.....Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–
433	Cerebral thrombosis	576	–	–	–	–	–	–	1	–	–	1	3	5	9	21	37	71	111	123	128	51	15	–
	White.....Male	231	–	–	–	–	–	–	–	–	–	1	1	2	4	11	21	37	55	46	37	12	4	–
	Female	332	–	–	–	–	–	–	1	–	–	–	2	3	5	9	15	32	52	76	88	38	11	–
	All other.....Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	1	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–	–	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	2	–	–	–
	White.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,504	2	–	–	–	1	5	1	5	4	6	15	26	40	66	112	166	261	308	283	151	52	–
	White.....Male	603	–	–	–	–	1	2	1	3	1	2	8	13	10	33	54	85	116	107	103	52	12	–
	Female	879	2	–	–	–	–	3	–	2	3	3	7	13	28	30	53	80	139	199	178	99	40	–
	All other.....Male	13	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	4	1	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	2	1	2	–	–	–
440	Arteriosclerosis	429	–	–	–	–	–	–	–	–	–	1	–	2	5	7	14	33	60	93	107	82	25	–
	White.....Male	193	–	–	–	–	–	–	–	–	–	1	–	1	2	4	7	11	26	45	49	40	7	–
	Female	233	–	–	–	–	–	–	–	–	–	–	–	1	3	3	7	20	34	48	58	41	18	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	285	–	–	–	–	–	–	1	–	1	2	5	3	14	29	32	45	49	50	35	14	5	–
	White.....Male	195	–	–	–	–	–	–	1	–	1	2	4	2	10	22	25	35	34	35	18	4	2	–
	Female	88	–	–	–	–	–	–	–	–	–	–	1	1	3	7	7	10	15	14	17	10	3	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	8	–	1	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–	1	1	1	–	–
	White.....Male	4	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–
	Female	4	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	624	12	3	–	5	4	1	4	3	2	5	4	19	22	24	37	52	89	123	124	68	23	–
	White.....Male	321	5	2	–	2	3	1	2	1	1	3	2	12	13	13	24	36	44	57	58	33	9	–
	Female	293	5	1	–	2	1	–	1	2	1	2	2	7	7	11	13	14	44	65	66	35	14	–
	All other.....Male	7	1	–	–	1	–	–	1	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
470–474	Influenza	80	1	–	–	–	2	–	–	1	–	1	–	5	4	1	4	6	12	14	14	11	4	–
	White.....Male	35	1	–	–	–	1	–	–	1	–	1	–	2	3	1	1	5	5	4	2	5	3	–
	Female	45	–	–	–	–	1	–	–	–	–	–	–	3	1	–	3	1	7	10	12	6	1	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	544	11	3	–	5	2	1	4	2	2	4	4	14	18	23	33	46	77	109	110	57	19	–
	White.....Male	286	4	2	–	2	2	1	2	–	1	2	2	10	10	12	23	31	39	53	56	28	6	–
	Female	248	5	1	–	2	–	–	1	2	1	2	2	4	6	11	10	13	37	55	54	29	13	–
	All other.....Male	7	1	–	–	1	–	–	1	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	327	–	1	–	–	–	–	–	2	1	4	8	9	23	41	53	65	53	41	19	6	1	–
	White.....Male	251	–	1	–	–	–	–	–	1	–	1	5	6	13	29	45	50	46	33	18	2	1	–
	Female	75	–	–	–	–	–	–	–	1	1	3	3	3	10	11	8	15	7	8	1	4	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon – Con.																							
490, 491	Chronic and unqualified bronchitis	49	–	1	–	–	–	–	–	–	–	1	1	1	4	3	4	13	9	7	2	3	–	–
	White ... Male	33	–	1	–	–	–	–	–	–	–	–	1	–	3	2	2	8	8	4	2	2	–	–
	Female	16	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	5	1	3	–	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	249	–	–	–	–	–	–	–	–	–	1	6	8	15	33	45	47	42	32	16	3	1	–
	White ... Male	206	–	–	–	–	–	–	–	–	–	–	3	6	9	26	41	41	36	28	15	–	1	–
	Female	43	–	–	–	–	–	–	–	–	–	1	3	2	6	7	4	6	6	4	1	3	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	29	–	–	–	–	–	–	–	2	1	2	1	–	4	5	4	5	2	2	1	–	–	–
	White ... Male	12	–	–	–	–	–	–	–	1	–	1	1	–	1	1	2	1	2	1	1	–	–	–
	Female	16	–	–	–	–	–	–	–	1	1	1	–	–	3	3	2	4	–	1	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	68	–	–	–	1	–	–	–	2	–	–	2	5	2	7	10	7	9	14	6	3	–	–
	White ... Male	41	–	–	–	1	–	–	–	–	–	–	2	2	1	5	7	4	4	9	4	2	–	–
	Female	26	–	–	–	–	–	–	–	2	–	–	–	3	1	1	3	3	5	5	2	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
540–543	Appendicitis	10	–	–	–	2	–	–	–	1	–	–	–	–	–	1	2	–	2	–	2	–	–	–
	White ... Male	4	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	1	–	–	–
	Female	6	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	51	6	–	1	1	–	1	–	–	1	1	2	1	–	3	2	11	6	2	12	1	–	–
	White ... Male	22	5	–	–	–	–	–	–	–	1	–	1	1	–	1	–	5	3	–	5	–	–	–
	Female	28	1	–	–	1	–	1	–	–	–	1	1	–	–	2	2	6	3	2	7	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	316	1	–	–	–	–	–	–	3	12	16	32	43	54	61	49	24	12	8	–	1	–	–
	White ... Male	205	–	–	–	–	–	–	–	1	5	11	22	27	33	40	34	18	8	6	–	–	–	–
	Female	81	1	–	–	–	–	–	–	1	2	–	5	15	16	17	12	5	4	2	–	1	–	–
	All other ... Male	15	–	–	–	–	–	–	–	1	1	3	1	–	3	2	3	1	–	–	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	4	2	4	1	2	2	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	30	–	–	–	–	1	–	–	–	–	–	–	–	–	4	–	3	7	7	4	3	1	–
	White ... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	5	–	2	–	–
	Female	17	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	2	4	2	4	1	1	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	46	–	–	–	–	1	–	–	–	–	–	–	7	2	6	5	4	7	4	10	–	–	–
	White ... Male	20	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	1	3	2	7	–	–	–
	Female	24	–	–	–	–	1	–	–	–	–	–	–	6	2	2	3	2	3	2	3	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
	White ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	42	–	–	–	–	1	–	–	–	–	–	–	7	1	5	5	3	7	3	10	–	–	–
	White ... Male	19	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	1	3	1	7	–	–	–
	Female	21	–	–	–	–	1	–	–	–	–	–	–	6	1	1	3	1	3	2	3	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
590	Infections of kidney	40	1	–	–	–	–	–	–	–	–	–	–	–	–	3	2	5	4	8	11	5	1	–
	White ... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	5	4	1	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	2	3	7	4	–	–
	All other ... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
600	Hyperplasia of prostate	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	3	3	1	–
	White ... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	3	3	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Oregon — Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	145	98	10	2	–	4	4	3	–	3	1	3	3	2	2	1	4	3	1	1	–	–	–
	White..... Male	72	53	2	1	–	2	2	2	–	3	–	–	1	2	1	–	1	2	–	–	–	–	–
	Female	68	41	8	1	–	2	2	1	–	–	–	3	2	–	1	1	3	1	1	1	–	–	–
	All other..... Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	221	221	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	123	123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	88	88	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	120	120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	61	61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	54	54	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	62	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	341	108	3	1	–	1	7	5	4	–	3	7	14	13	20	31	19	17	32	26	21	9	–
	White..... Male	195	71	2	–	–	1	3	1	2	–	1	1	8	5	14	19	16	12	15	13	8	3	–
	Female	130	31	1	1	–	–	2	2	2	–	2	6	6	7	4	10	3	5	16	13	13	6	–
	All other..... Male	10	3	–	–	–	–	1	1	–	–	–	–	–	1	1	2	–	–	1	–	–	–	–
	Female	6	3	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Residual	All other diseases	1,302	15	12	5	4	7	13	5	13	14	23	27	58	88	158	164	172	192	157	115	43	17	–
	White..... Male	729	8	4	2	3	5	7	2	4	9	11	17	35	46	97	105	98	115	78	58	17	8	–
	Female	544	6	8	3	1	2	5	3	7	5	11	9	21	38	55	56	71	74	78	56	26	9	–
	All other..... Male	21	1	–	–	–	–	1	–	2	–	–	–	1	3	3	3	3	3	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	1	1	1	1	3	–	–	–	1	–	–	–	–
E800–E949	Accidents	1,255	16	50	22	48	168	155	94	82	56	49	55	48	61	62	54	44	51	48	46	38	7	1
	White..... Male	837	4	31	16	30	116	111	74	62	44	37	38	35	41	45	37	27	27	25	16	17	3	1
	Female	371	8	17	4	15	45	35	15	17	11	11	14	11	18	15	17	17	24	23	29	21	4	–
	All other..... Male	38	3	2	1	3	5	7	4	1	1	1	3	2	2	2	–	–	–	–	1	–	–	–
	Female	9	1	–	1	–	2	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	570	6	17	12	19	118	97	50	43	22	34	21	18	24	22	18	14	18	6	7	3	–	1
	White..... Male	373	2	11	7	9	79	65	38	27	17	25	14	13	11	17	12	5	11	4	4	1	–	1
	Female	178	3	6	4	8	36	28	9	15	5	8	7	4	12	4	6	9	7	2	3	2	–	–
	All other..... Male	15	1	–	–	2	2	4	2	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–
	Female	4	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	685	10	33	10	29	50	58	44	39	34	15	34	30	37	40	36	30	33	42	39	35	7	–
	White..... Male	464	2	20	9	21	37	46	36	35	27	12	24	22	30	28	25	22	16	21	12	16	3	–
	Female	193	5	11	–	7	9	7	6	2	6	3	7	7	6	11	11	8	17	21	26	19	4	–
	All other..... Male	23	2	2	1	1	3	3	2	1	1	–	3	1	1	1	–	–	–	–	1	–	–	–
	Female	5	1	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	359	...	...	–	–	18	43	37	32	29	22	22	34	23	34	25	9	17	11	2	1	–	–
	White..... Male	271	...	...	–	–	17	37	29	23	20	13	12	23	13	30	19	9	13	10	2	1	–	–
	Female	80	...	...	–	–	1	4	6	8	8	9	9	10	10	4	6	–	4	1	–	–	–	–
	All other..... Male	4	...	...	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	...	...	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	130	3	1	3	1	14	20	17	11	12	5	9	8	10	3	7	3	1	2	–	–	–	–
	White..... Male	68	–	1	2	–	8	7	7	5	7	4	5	4	8	2	4	2	–	2	–	–	–	–
	Female	42	3	–	1	1	3	10	5	2	4	1	2	4	2	1	2	–	1	–	–	–	–	–
	All other..... Male	16	–	–	–	–	2	3	4	3	1	–	2	–	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E980–E999	Other external causes	69	2	3	1	2	5	8	9	3	6	5	6	4	6	–	2	1	2	1	–	–	2	1
	White..... Male	46	1	2	–	1	4	6	7	3	4	2	5	2	4	–	2	–	–	–	–	–	2	1
	Female	21	1	–	1	1	–	2	2	–	2	3	1	2	2	–	–	1	2	1	–	–	–	–
	All other..... Male	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania																							
	All causes	**120,579**	**2,442**	**396**	**334**	**368**	**1,015**	**1,165**	**1,067**	**972**	**1,205**	**1,890**	**3,614**	**5,809**	**8,358**	**11,667**	**14,034**	**15,609**	**16,897**	**15,903**	**11,290**	**5,034**	**1,474**	**34**
	White Male	59,271	1,120	189	158	191	631	745	596	467	559	953	1,877	3,163	4,798	6,747	7,903	8,184	7,942	6,763	4,221	1,672	377	15
	Female	50,468	764	131	119	123	242	217	231	268	341	521	1,116	1,842	2,644	3,817	4,974	6,153	7,815	8,366	6,635	3,148	987	14
	All other Male	6,172	296	39	34	34	107	158	178	171	197	250	381	530	548	613	670	666	603	379	195	81	37	5
	Female	4,668	262	37	23	20	35	45	62	66	108	166	240	274	368	490	487	606	537	395	239	133	73	2
004, 006	Bacillary dysentery and amebiasis	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	105	36	2	1	–	–	1	2	2	1	1	1	5	1	1	9	10	11	9	3	5	4	–
	White Male	42	10	2	1	–	–	1	1	–	–	1	1	4	1	1	4	3	7	2	1	1	1	–
	Female	41	10	–	–	–	–	–	–	2	–	–	–	1	–	–	4	7	3	6	2	3	3	–
	All other Male	12	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
	Female	10	7	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
010–019	Tuberculosis, all forms	220	–	1	–	–	–	–	2	4	6	11	14	17	15	37	29	22	26	19	12	4	1	–
	White Male	122	–	–	–	–	–	–	–	3	–	2	5	10	5	25	18	17	17	14	4	1	1	–
	Female	46	–	1	–	–	–	–	1	–	1	1	3	2	7	4	5	2	6	4	7	2	–	–
	All other Male	38	–	–	–	–	–	–	1	1	3	5	6	4	3	5	6	1	3	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	2	3	–	1	–	3	–	2	–	1	1	1	–	–
010–012	Tuberculosis of respiratory system	181	–	–	–	–	–	–	2	3	5	9	12	15	12	32	22	18	21	14	11	4	1	–
	White Male	101	–	–	–	–	–	–	–	2	–	1	4	9	5	22	14	15	12	11	4	1	1	–
	Female	36	–	–	–	–	–	–	1	–	1	1	3	1	5	3	3	1	6	3	6	2	–	–
	All other Male	33	–	–	–	–	–	–	1	1	2	5	5	4	2	4	5	1	3	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	2	2	–	1	–	3	–	1	–	–	1	1	–	–
013–019	Tuberculosis, other forms	39	–	1	–	–	–	–	–	1	1	2	2	2	3	5	7	4	5	5	1	–	–	–
	White Male	21	–	–	–	–	–	–	–	1	–	1	1	1	–	3	4	2	5	3	–	–	–	–
	Female	10	–	1	–	–	–	–	–	–	–	–	–	1	2	1	2	1	–	1	1	–	–	–
	All other Male	5	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	10	1	2	2	1	–	–	–	1	–	–	–	1	1	–	–	–	–	1	–	–	–	–
	White Male	5	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	445	48	1	4	2	6	2	2	4	6	4	19	16	22	41	45	58	71	48	33	12	1	–
	White Male	201	24	–	2	2	3	1	–	–	–	–	7	7	9	18	18	23	38	26	18	5	–	–
	Female	164	12	1	1	–	3	1	2	2	1	2	8	5	6	19	18	22	27	18	9	6	1	–
	All other Male	39	8	–	–	–	–	–	–	1	4	2	1	3	4	1	4	4	2	3	2	–	–	–
	Female	41	4	–	1	–	–	–	–	1	1	–	3	1	3	3	5	9	4	1	4	1	–	–
040–043	Acute poliomyelitis	3	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	18	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	6	2	2	–	1	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	4	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	225	15	3	7	2	2	7	3	11	5	8	8	17	18	25	23	18	26	12	11	4	–	–
	White Male	91	6	1	3	–	2	4	1	5	3	2	3	6	7	16	13	7	4	3	5	–	–	–
	Female	96	2	1	2	1	–	1	2	3	1	4	3	8	9	8	7	9	17	9	5	4	–	–
	All other Male	16	3	–	1	–	–	–	–	1	–	1	–	2	1	1	2	1	3	–	–	–	–	–
	Female	22	4	1	1	1	–	2	–	2	1	1	2	1	1	–	1	1	2	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	23,416	9	30	39	54	70	66	96	140	249	432	1,045	1,711	2,428	3,192	3,500	3,393	3,033	2,260	1,247	354	67	1
	White ..... Male	11,392	4	14	19	26	33	39	48	59	95	158	398	736	1,137	1,669	1,858	1,777	1,468	1,128	546	154	26	–
	Female	9,999	4	13	14	21	27	22	38	68	121	203	501	777	1,034	1,245	1,347	1,360	1,329	1,014	643	184	33	1
	All other ..... Male	1,159	–	1	3	4	5	3	5	7	14	30	68	113	156	160	188	145	144	72	29	7	5	–
	Female	866	1	2	3	3	5	2	5	6	19	41	78	85	101	118	107	111	92	46	29	9	3	–
140–149	Of buccal cavity and pharynx	471	–	–	–	–	1	1	–	1	3	5	30	44	71	85	78	57	37	26	20	11	1	–
	White ..... Male	294	–	–	–	–	1	–	–	–	2	1	14	25	38	61	56	39	23	17	8	8	1	–
	Female	117	–	–	–	–	–	1	–	1	1	1	8	8	21	15	12	17	11	7	12	2	–	–
	All other ..... Male	44	–	–	–	–	–	–	–	–	–	2	8	8	10	4	8	–	2	2	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	1	–	3	2	5	2	1	1	–	–	1	–	–
150–159	Of digestive organs and peritoneum	6,589	–	–	–	2	3	6	10	18	33	66	189	385	589	837	1,038	989	1,006	801	465	130	22	–
	White ..... Male	3,131	–	–	–	1	1	5	3	8	19	28	84	180	301	435	550	497	423	358	179	52	7	–
	Female	2,887	–	–	–	1	2	1	6	10	9	22	73	156	214	325	402	418	502	398	263	73	12	–
	All other ..... Male	342	–	–	–	–	–	–	–	–	1	8	23	28	49	47	56	40	46	27	14	2	1	–
	Female	229	–	–	–	–	–	–	1	–	4	8	9	21	25	30	30	34	35	18	9	3	2	–
160–163	Of respiratory system	5,279	–	1	–	1	–	–	5	18	44	101	252	473	672	957	908	796	554	323	126	43	5	–
	White ..... Male	3,706	–	1	–	–	–	–	2	12	25	61	148	303	450	693	662	613	401	225	88	21	1	–
	Female	1,043	–	–	–	1	–	–	–	4	9	23	63	108	144	172	151	126	107	82	31	20	2	–
	All other ..... Male	410	–	–	–	–	–	–	2	2	7	12	23	47	61	73	78	47	40	12	4	1	1	–
	Female	120	–	–	–	–	–	–	1	–	3	5	18	15	17	19	17	10	6	4	3	1	1	–
174	Of breast	2,196	–	–	–	–	1	–	7	19	45	95	198	232	282	305	268	246	237	136	88	33	4	–
	White ..... Male	29	–	–	–	–	–	–	–	–	–	2	3	2	3	4	3	4	4	2	1	1	–	–
	Female	2,002	–	–	–	–	1	–	5	18	38	82	170	210	261	282	249	223	219	126	83	31	4	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–
	Female	161	–	–	–	–	–	–	2	1	7	11	25	20	17	19	15	19	14	6	4	1	–	–
180–187	Of genital organs	2,646	–	–	1	–	4	7	12	13	28	44	105	147	233	268	352	422	387	362	202	46	13	–
	White ..... Male	1,076	–	–	–	–	2	6	7	5	4	2	4	11	45	71	141	184	205	224	130	27	8	–
	Female	1,335	–	–	1	–	2	1	5	7	23	33	84	123	167	169	185	198	139	116	64	15	3	–
	All other ..... Male	122	–	–	–	–	–	–	–	–	–	–	2	5	6	11	11	27	32	16	7	3	2	–
	Female	113	–	–	–	–	–	–	–	1	1	9	15	8	15	17	15	13	11	6	1	1	–	–
188, 189	Of urinary organs	1,026	3	–	–	–	–	1	2	2	3	11	36	41	79	124	140	193	141	146	73	23	8	–
	White ..... Male	648	1	–	–	–	–	–	1	2	2	10	25	28	58	79	96	117	86	82	41	15	5	–
	Female	321	1	–	–	–	–	1	1	–	1	1	8	12	13	41	38	62	44	58	29	8	3	–
	All other ..... Male	34	–	–	–	–	–	–	–	–	–	–	1	–	6	2	3	8	7	6	1	–	–	–
	Female	23	1	–	–	–	–	–	–	–	–	–	2	1	2	2	3	6	4	–	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	3,116	3	16	14	19	28	20	24	29	35	72	158	268	330	388	417	426	374	270	170	45	9	1
	White ..... Male	1,433	3	9	7	11	11	12	13	11	13	36	78	130	142	204	186	194	170	131	52	19	1	–
	Female	1,433	–	5	4	5	10	7	9	14	19	28	65	114	153	152	193	196	184	132	110	24	8	1
	All other ..... Male	119	–	–	1	2	3	–	2	1	3	4	9	15	15	10	23	18	11	1	1	–	–	–
	Female	131	–	2	2	1	4	1	–	3	–	4	6	9	20	22	15	18	9	6	7	2	–	–
204–207	Leukemia	850	3	13	23	24	17	16	18	18	20	18	27	38	55	71	99	103	126	84	62	13	2	–
	White ..... Male	429	–	4	12	9	7	7	10	8	6	10	12	14	28	37	56	57	68	45	31	7	1	–
	Female	349	3	8	8	11	8	7	7	7	9	6	13	16	23	27	38	39	53	31	29	5	1	–
	All other ..... Male	36	–	1	2	2	1	2	1	3	2	1	1	4	3	4	2	–	2	3	1	1	–	–
	Female	36	–	–	1	2	1	–	–	–	3	1	1	4	1	3	3	7	3	5	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	1,243	–	–	1	8	16	15	18	22	38	20	50	83	117	157	200	161	171	112	41	10	3	–
	White ..... Male	646	–	–	–	5	11	9	12	13	24	8	30	43	72	85	108	72	88	44	16	4	2	–
	Female	512	–	–	1	3	4	4	5	7	12	7	17	30	38	62	79	81	70	64	22	6	–	–
	All other ..... Male	48	–	–	–	–	1	1	–	1	1	3	1	6	5	9	6	5	4	3	1	–	1	–
	Female	37	–	–	–	–	–	1	1	1	1	2	2	4	2	1	7	3	9	1	2	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	334	2	3	6	3	5	1	2	4	6	8	18	27	35	44	40	36	43	27	15	8	1	–
	White ..... Male	160	–	3	3	1	2	–	2	–	4	4	7	7	24	25	18	19	23	10	3	4	1	–
	Female	144	1	–	1	1	1	1	–	3	2	4	9	15	10	14	18	14	19	16	11	4	–	–
	All other ..... Male	14	–	–	–	–	–	–	–	1	–	–	1	3	1	1	3	1	1	1	1	–	–	–
	Female	16	1	–	2	1	2	–	–	–	–	–	1	2	–	4	1	2	–	–	–	–	–	–
250	Diabetes mellitus	2,351	–	–	–	2	2	6	12	9	20	37	44	78	151	219	323	368	430	350	215	69	16	–
	White ..... Male	763	–	–	–	1	–	3	4	5	7	18	23	32	71	87	109	120	124	79	58	19	3	–
	Female	1,376	–	–	–	1	–	3	5	3	7	15	15	35	55	106	181	220	271	254	149	45	11	–
	All other ..... Male	66	–	–	–	–	1	–	2	1	3	1	3	8	7	8	7	6	12	4	1	1	1	–
	Female	146	–	–	–	–	1	–	1	–	3	3	3	3	18	18	26	22	23	13	7	4	1	–
260–269	Avitaminoses and other nutritional deficiencies	151	7	–	1	–	1	3	1	1	1	3	3	3	4	9	13	14	20	18	31	13	5	–
	White ..... Male	66	5	–	1	–	1	2	–	–	1	2	1	2	3	4	5	10	7	6	8	6	2	–
	Female	63	–	–	–	–	–	1	–	–	–	–	2	1	1	3	5	4	10	8	20	6	2	–
	All other ..... Male	9	2	–	–	–	–	–	1	–	–	1	–	–	–	–	2	–	–	2	–	1	–	–
	Female	13	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	3	2	3	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania — Con.																							
280–285	Anemias	182	–	1	2	3	6	4	2	3	4	2	5	8	8	14	17	25	28	22	16	7	5	–
	White Male	69	–	–	1	–	1	2	–	–	–	–	3	2	2	5	11	14	12	5	7	2	2	–
	Female	89	–	1	–	1	3	–	–	2	2	1	1	4	6	7	5	10	14	16	9	4	3	–
	All other Male	15	–	–	1	2	2	2	2	1	–	–	1	1	–	2	1	–	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	1	2	1	–	1	–	–
320	Meningitis	81	24	13	2	3	2	–	2	1	3	2	2	–	3	5	7	2	6	3	1	–	–	–
	White Male	30	8	7	1	–	1	–	–	1	–	–	2	–	1	2	5	–	1	–	1	–	–	–
	Female	31	7	3	1	3	1	–	1	–	2	–	–	–	1	1	2	2	5	2	–	–	–	–
	All other Male	9	3	3	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	Female	11	6	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	1	–	–	–	–
390–448	Major cardiovascular diseases	64,425	61	18	18	15	46	64	74	150	264	607	1,282	2,349	3,699	5,599	7,281	8,868	10,330	10,564	8,111	3,854	1,158	13
	White Male	30,935	27	7	10	7	24	33	35	75	152	386	851	1,542	2,415	3,448	4,163	4,558	4,662	4,185	2,859	1,213	279	4
	Female	29,568	22	5	7	5	14	20	24	46	59	130	278	582	996	1,720	2,640	3,684	5,093	5,930	4,996	2,500	808	9
	All other Male	1,932	6	1	–	1	5	2	12	16	29	54	94	145	161	224	256	296	265	196	107	43	19	–
	Female	1,990	6	5	1	2	3	9	3	13	24	37	59	80	127	207	222	330	310	253	149	98	52	–
390–398, 402, 404, 410–429	Diseases of heart	49,260	52	12	13	10	28	38	44	106	204	493	1,054	2,002	3,111	4,662	5,855	6,816	7,713	7,632	5,856	2,730	820	9
	White Male	24,790	23	4	5	5	14	24	24	59	134	339	746	1,387	2,134	2,961	3,437	3,623	3,534	3,118	2,118	888	210	3
	Female	21,664	19	3	7	3	9	9	13	28	37	93	199	444	759	1,386	2,051	2,761	3,777	4,198	3,554	1,752	556	6
	All other Male	1,425	6	1	–	1	4	–	6	12	17	40	72	115	122	166	207	206	189	140	78	31	12	–
	Female	1,381	4	4	1	1	1	5	1	7	16	21	37	56	96	149	160	226	213	176	106	59	42	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	968	1	–	–	–	6	4	7	11	13	34	46	86	112	140	183	133	95	58	27	9	3	–
	White Male	366	1	–	–	–	3	3	2	6	8	14	29	33	52	59	63	44	25	20	3	1	–	–
	Female	542	–	–	–	–	1	1	5	3	2	17	14	49	49	77	112	81	63	36	22	8	2	–
	All other Male	23	–	–	–	–	2	–	–	1	1	2	1	–	4	1	2	2	3	2	1	–	1	–
	Female	37	–	–	–	–	–	–	–	1	2	1	2	4	7	3	6	6	4	–	1	–	–	–
402	Hypertensive heart disease	406	–	–	–	–	–	–	4	1	1	5	11	12	23	43	52	68	72	55	37	19	3	–
	White Male	114	–	–	–	–	–	–	3	–	–	–	2	6	10	21	12	18	18	11	9	4	–	–
	Female	222	–	–	–	–	–	–	–	–	1	4	1	1	8	20	26	37	46	37	25	13	3	–
	All other Male	34	–	–	–	–	–	–	1	1	–	–	3	3	3	2	10	4	2	3	1	1	–	–
	Female	36	–	–	–	–	–	–	–	–	–	1	5	2	2	–	4	9	6	4	2	1	–	–
404	Hypertensive heart and renal disease	302	–	–	–	–	–	1	–	–	–	–	3	2	10	8	21	38	57	57	55	35	15	–
	White Male	116	–	–	–	–	–	–	–	–	–	–	2	1	4	1	14	15	25	22	16	12	4	–
	Female	172	–	–	–	–	–	–	–	–	–	–	–	1	4	4	6	19	32	34	39	23	10	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	2	–	–	–	–	–	–
	Female	7	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	2	–	1	–	–	1	–
410–413	Ischemic heart disease	44,347	1	1	1	–	4	10	19	70	153	400	882	1,758	2,768	4,175	5,274	6,174	7,052	6,984	5,372	2,486	755	8
	White Male	22,703	–	1	–	–	3	6	15	45	112	298	650	1,281	1,950	2,722	3,164	3,360	3,278	2,857	1,948	818	193	2
	Female	19,357	1	–	1	–	1	3	2	13	22	56	153	348	643	1,192	1,808	2,467	3,433	3,847	3,261	1,586	514	6
	All other Male	1,156	–	–	–	–	–	–	2	9	9	30	55	92	98	137	171	167	159	122	68	27	10	–
	Female	1,131	–	–	–	–	–	1	–	3	10	16	24	37	77	124	131	180	182	158	95	55	38	–
410	Acute myocardial infarction	23,449	–	1	–	–	2	7	14	53	110	313	706	1,323	2,047	2,945	3,492	3,646	3,520	2,723	1,742	628	173	4
	White Male	13,667	–	1	–	–	2	4	12	34	83	236	539	989	1,488	2,002	2,189	2,108	1,787	1,227	686	234	45	1
	Female	8,669	–	–	–	–	–	3	2	12	16	42	113	250	457	791	1,135	1,394	1,578	1,396	999	365	113	3
	All other Male	582	–	–	–	–	–	–	–	5	5	23	34	63	57	81	99	70	68	41	27	6	3	–
	Female	531	–	–	–	–	–	–	–	2	6	12	20	21	45	71	69	74	87	59	30	23	12	–
411	Other acute and subacute forms of ischemic heart disease	164	–	–	–	–	–	1	–	1	1	3	5	8	11	20	25	17	20	28	15	7	2	–
	White Male	98	–	–	–	–	–	1	–	1	1	3	4	5	8	12	15	12	11	15	6	4	–	–
	Female	59	–	–	–	–	–	–	–	–	–	–	–	1	3	7	10	5	8	12	9	3	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–
412	Chronic ischemic heart disease	20,727	1	–	1	–	2	2	5	16	42	84	171	427	710	1,210	1,754	2,509	3,511	4,233	3,614	1,851	580	4
	White Male	8,935	–	–	–	–	1	1	3	10	28	59	107	287	454	708	959	1,238	1,480	1,615	1,256	580	148	1
	Female	10,625	1	–	1	–	1	–	–	1	6	14	40	97	183	394	661	1,068	1,846	2,439	2,252	1,218	400	3
	All other Male	571	–	–	–	–	–	–	2	4	4	7	20	28	41	56	72	97	91	81	41	21	6	–
	Female	596	–	–	–	–	–	1	–	1	4	4	4	15	32	52	62	106	94	98	65	32	26	–
413	Angina pectoris	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	304	–	–	1	1	3	1	–	4	3	2	7	4	15	25	28	37	37	55	42	28	11	–
	White Male	133	–	–	–	–	2	1	–	2	1	–	1	3	11	13	16	14	17	25	17	7	3	–
	Female	150	–	–	1	1	–	–	–	1	1	–	4	–	4	10	9	18	20	28	24	21	8	–
	All other Male	12	–	–	–	–	1	–	–	–	1	2	–	1	–	2	1	2	–	1	1	–	–	–
	Female	9	–	–	–	–	–	–	–	1	–	–	2	–	–	–	2	3	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
420–423, 425–427, 429	All other forms of heart disease	2,933	50	11	11	9	15	22	14	20	34	52	105	140	183	271	297	366	400	423	323	153	33	1
	White Male	1,358	22	3	5	5	6	14	4	6	13	27	62	63	107	145	168	172	171	183	125	46	10	1
	Female	1,221	18	3	5	2	7	5	6	11	11	16	27	45	51	83	90	139	183	216	183	101	19	–
	All other Male	193	6	1	–	1	1	–	3	1	6	6	12	19	16	22	22	29	25	12	7	3	1	–
	Female	161	4	4	1	1	1	3	1	2	4	3	4	13	9	21	17	26	21	12	8	3	3	–
400, 401, 403	Hypertension	287	–	–	–	1	–	–	–	–	2	3	8	10	14	16	31	30	45	46	44	30	7	–
	White Male	121	–	–	–	1	–	–	–	–	–	1	3	5	8	7	13	11	21	18	22	10	1	–
	Female	142	–	–	–	–	–	–	–	–	1	1	2	3	5	8	16	19	21	26	19	17	4	–
	All other Male	16	–	–	–	–	–	–	–	–	–	1	2	2	1	–	1	–	1	1	2	3	2	–
	Female	8	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	2	1	1	–	–	–
430–438	Cerebrovascular diseases	11,258	8	6	5	4	14	21	26	39	45	92	183	282	447	722	1,109	1,552	1,996	2,195	1,598	717	193	4
	White Male	4,406	4	3	5	1	8	7	10	14	13	36	82	123	194	348	535	672	805	785	515	209	36	1
	Female	5,936	3	2	–	2	3	10	10	16	17	29	65	114	195	271	480	721	1,047	1,304	1,029	470	145	3
	All other Male	417	–	–	–	–	1	1	4	3	10	11	18	26	34	53	41	76	61	42	25	8	3	–
	Female	499	1	1	–	1	2	3	2	6	5	16	18	19	24	50	53	83	83	64	29	30	9	–
431	Cerebral hemorrhage	1,675	4	1	2	4	5	9	6	16	13	34	63	99	136	163	193	256	239	232	138	52	10	–
	White Male	672	4	1	2	1	3	2	2	5	6	11	29	41	63	80	95	97	96	74	42	15	3	–
	Female	838	–	–	–	2	1	5	1	7	4	10	22	39	52	58	89	133	132	147	94	35	7	–
	All other Male	84	–	–	–	–	1	1	2	1	2	6	8	10	15	13	4	11	4	5	1	–	–	–
	Female	81	–	–	–	1	–	1	1	3	1	7	4	9	6	12	5	15	7	6	1	2	–	–
433	Cerebral thrombosis	3,052	–	2	–	–	–	1	4	2	2	7	19	39	73	169	294	434	561	675	489	219	60	2
	White Male	1,232	–	1	–	–	–	–	1	–	–	3	8	15	36	86	142	205	250	247	165	66	7	–
	Female	1,613	–	1	–	–	–	1	2	2	1	1	6	15	27	64	130	186	272	398	311	144	50	2
	All other Male	102	–	–	–	–	–	–	1	–	1	–	1	8	9	10	9	26	18	12	5	2	–	–
	Female	105	–	–	–	–	–	–	–	–	–	3	4	1	1	9	13	17	21	18	8	7	3	–
434	Cerebral embolism	62	–	–	–	–	–	–	–	–	1	1	1	4	1	7	9	6	8	14	8	2	–	–
	White Male	23	–	–	–	–	–	–	–	–	1	–	–	3	–	4	4	2	3	3	2	1	–	–
	Female	35	–	–	–	–	–	–	–	–	–	1	–	1	1	3	5	2	4	11	6	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	6,469	4	3	3	–	9	11	16	21	29	50	100	140	237	383	613	856	1,188	1,274	963	444	123	2
	White Male	2,479	–	1	3	–	5	5	7	9	6	22	45	64	95	178	294	368	456	461	306	127	26	1
	Female	3,450	3	1	–	–	2	4	7	7	12	17	37	59	115	146	256	400	639	748	618	290	88	1
	All other Male	230	–	–	–	–	–	–	1	2	7	5	9	8	10	30	28	39	38	25	19	6	3	–
	Female	310	1	1	–	–	2	2	1	3	4	6	9	9	17	29	35	49	55	40	20	21	6	–
440	Arteriosclerosis	1,960	–	–	–	–	–	–	–	–	–	3	4	10	16	51	75	185	278	452	457	315	114	–
	White Male	716	–	–	–	–	–	–	–	–	–	2	2	7	10	34	37	82	125	149	154	87	27	–
	Female	1,171	–	–	–	–	–	–	–	–	–	1	2	2	4	15	35	86	138	289	293	221	85	–
	All other Male	28	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	6	7	7	1	1	1	–
	Female	45	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	11	8	7	9	6	1	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,660	1	–	–	–	4	5	4	5	13	16	33	45	111	148	211	285	298	239	156	62	24	–
	White Male	902	–	–	–	–	2	2	1	2	5	8	18	20	69	98	141	170	177	115	50	19	5	–
	Female	655	–	–	–	–	2	1	1	2	4	6	10	19	33	40	58	97	110	113	101	40	18	–
	All other Male	46	–	–	–	–	–	1	2	1	2	2	2	2	3	4	4	8	7	6	1	–	1	–
	Female	57	1	–	–	–	–	1	–	–	2	–	3	4	6	6	8	10	4	5	4	3	–	–
466	Acute bronchitis and bronchiolitis	33	4	1	1	–	–	2	–	–	–	–	–	3	3	2	2	2	6	1	2	1	3	–
	White Male	14	2	1	1	–	–	1	–	–	–	–	–	3	1	1	2	–	2	–	–	–	–	–
	Female	16	1	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	4	1	2	1	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	3,162	98	20	7	18	24	23	12	22	26	28	62	87	156	193	231	347	480	585	410	248	83	2
	White Male	1,512	39	11	3	3	16	12	4	8	8	7	29	44	77	95	128	185	257	290	195	77	23	1
	Female	1,320	34	8	1	13	6	7	3	8	10	9	16	23	54	67	81	119	185	262	200	159	54	1
	All other Male	213	14	1	2	1	1	3	2	4	3	9	15	15	17	23	14	23	23	19	13	8	3	–
	Female	117	11	–	1	1	1	1	3	2	5	3	2	5	8	8	8	20	15	14	2	4	3	–
470–474	Influenza	201	–	1	–	1	2	1	1	–	1	–	1	8	7	16	10	28	24	44	31	16	9	–
	White Male	75	–	1	–	–	1	–	1	–	–	–	–	5	2	7	4	13	12	14	9	4	2	–
	Female	120	–	–	–	1	–	–	–	–	–	–	1	3	5	8	5	14	12	30	22	12	7	–
	All other Male	3	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
480–486	Pneumonia	2,961	98	19	7	17	22	22	11	22	25	28	61	79	149	177	221	319	456	541	379	232	74	2
	White Male	1,437	39	10	3	3	15	12	3	8	8	7	29	39	75	88	124	172	245	276	186	73	21	1
	Female	1,200	34	8	1	12	6	7	3	8	10	9	15	20	49	59	76	105	173	232	178	147	47	1
	All other Male	210	14	1	2	1	–	3	2	4	2	9	15	15	17	23	13	23	23	19	13	8	3	–
	Female	114	11	–	1	1	1	–	3	2	5	3	2	5	8	7	8	19	15	14	2	4	3	–
490–493	Bronchitis, emphysema, and asthma	1,307	1	3	–	2	2	1	2	4	7	8	20	59	119	191	230	230	213	132	63	17	2	1
	White Male	953	1	1	–	–	–	–	1	1	2	5	9	26	87	133	182	179	171	96	44	12	2	1
	Female	282	–	2	–	1	1	–	1	1	2	2	7	25	27	51	37	39	34	32	15	5	–	–
	All other Male	52	–	–	–	1	1	1	–	–	1	–	3	4	4	6	10	8	5	4	4	–	–	–
	Female	20	–	–	–	–	–	–	–	2	2	1	1	4	1	1	1	4	3	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
490, 491	Chronic and unqualified bronchitis	219	–	2	–	2	–	1	–	–	1	2	4	10	23	40	31	32	34	23	10	2	1	1
	White Male	154	–	1	–	–	–	–	–	–	1	2	1	5	18	25	25	24	26	17	6	1	1	1
	Female	53	–	1	–	1	–	–	–	–	–	–	2	5	4	13	5	7	5	5	4	1	–	–
	All other Male	11	–	–	–	1	–	1	–	–	–	–	1	–	1	2	1	1	2	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
492	Emphysema	989	1	–	–	–	–	–	–	–	4	5	12	38	84	136	184	188	169	104	49	14	1	–
	White Male	768	1	–	–	–	–	–	–	–	1	3	7	20	64	102	151	150	142	77	38	11	1	–
	Female	179	–	–	–	–	–	–	–	–	2	1	2	14	17	31	25	29	23	24	8	3	–	–
	All other Male	31	–	–	–	–	–	–	–	–	–	–	2	2	2	2	8	6	3	3	3	–	–	–
	Female	11	–	–	–	–	–	–	–	–	1	1	1	2	1	1	–	3	1	–	–	–	–	–
493	Asthma	99	–	1	–	–	2	–	2	4	2	1	4	11	12	15	15	10	10	5	4	1	–	–
	White Male	31	–	–	–	–	–	–	1	1	–	–	1	1	5	6	6	5	3	2	–	–	–	–
	Female	50	–	1	–	–	1	–	1	1	–	1	3	6	6	7	7	3	6	3	3	1	–	–
	All other Male	10	–	–	–	–	1	–	–	–	1	–	–	2	1	2	1	1	–	–	1	–	–	–
	Female	8	–	–	–	–	–	–	–	2	1	–	–	2	–	–	1	1	1	–	–	–	–	–
531–533	Peptic ulcer	358	2	1	–	–	1	–	1	1	1	6	14	23	22	42	46	44	54	49	36	13	2	–
	White Male	199	–	–	–	–	–	–	1	1	–	4	8	7	18	30	31	21	24	25	19	8	2	–
	Female	120	2	–	–	–	–	–	–	–	–	2	3	9	3	9	5	19	26	22	15	5	–	–
	All other Male	23	–	1	–	–	1	–	–	–	1	–	1	4	1	2	6	2	1	2	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	2	3	–	1	4	2	3	–	1	–	–	–
540–543	Appendicitis	42	1	–	1	–	1	–	–	–	–	5	1	–	4	7	2	4	11	2	3	–	–	–
	White Male	21	–	–	–	–	–	–	–	–	–	3	1	–	3	4	1	2	6	–	1	–	–	–
	Female	15	–	–	–	–	1	–	–	–	–	1	–	–	–	3	1	1	5	1	2	–	–	–
	All other Male	6	1	–	1	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	386	19	–	2	–	–	5	3	2	2	3	5	10	14	27	43	49	68	61	48	20	5	–
	White Male	142	10	–	1	–	–	1	2	–	2	–	2	7	8	13	19	25	20	17	9	4	2	–
	Female	209	6	–	–	–	–	3	1	1	–	2	2	2	5	7	18	21	42	43	37	16	3	–
	All other Male	17	1	–	1	–	–	1	–	1	–	–	1	–	–	3	4	2	2	–	1	–	–	–
	Female	18	2	–	–	–	–	–	–	–	–	1	–	1	1	4	2	1	4	1	1	–	–	–
571	Cirrhosis of liver	1,722	1	1	1	–	2	7	18	22	60	109	164	242	256	303	252	144	78	45	13	1	3	–
	White Male	1,061	1	1	–	–	–	2	5	11	24	61	97	146	159	204	175	102	45	22	4	–	2	–
	Female	449	–	–	1	–	2	3	3	1	17	21	38	62	69	75	65	31	32	22	6	1	–	–
	All other Male	125	–	–	–	–	–	1	6	8	13	13	16	21	14	14	7	9	1	1	–	–	1	–
	Female	87	–	–	–	–	–	1	4	2	6	14	13	13	14	10	5	2	–	–	3	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	149	–	–	–	–	–	–	1	–	2	–	1	5	9	6	27	12	32	34	13	5	2	–
	White Male	55	–	–	–	–	–	–	1	–	–	–	–	2	5	2	14	7	15	6	1	2	–	–
	Female	87	–	–	–	–	–	–	–	–	2	–	–	3	4	3	11	4	17	26	12	3	2	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
580–584	Nephritis and nephrosis	534	–	1	3	3	2	4	5	3	7	6	20	24	31	57	62	89	77	73	47	15	5	–
	White Male	240	–	–	–	–	1	2	2	1	4	3	7	8	16	28	28	41	34	36	21	7	1	–
	Female	211	–	1	3	3	1	1	2	2	1	1	4	13	9	20	22	33	31	32	24	7	1	–
	All other Male	44	–	–	–	–	–	–	1	–	1	1	3	2	4	6	10	5	5	–	2	1	3	–
	Female	39	–	–	–	–	–	1	–	–	1	1	6	1	2	3	2	10	7	5	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	102	–	–	–	–	–	–	–	–	–	–	2	3	9	7	8	26	19	18	6	3	1	–
	White Male	47	–	–	–	–	–	–	–	–	–	–	1	–	4	4	2	14	10	9	2	1	–	–
	Female	41	–	–	–	–	–	–	–	–	–	–	–	2	2	3	5	9	7	8	3	2	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	–	–	1	–	1	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	2	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	432	–	1	3	3	2	4	5	3	7	6	18	21	22	50	54	63	58	55	41	12	4	–
	White Male	193	–	–	–	–	1	2	2	1	4	3	6	8	12	24	26	27	24	27	19	6	1	–
	Female	170	–	1	3	3	1	1	2	2	1	1	4	11	7	17	17	24	24	24	21	5	1	–
	All other Male	37	–	–	–	–	–	–	1	–	1	1	3	2	1	6	9	4	5	–	1	1	2	–
	Female	32	–	–	–	–	–	1	–	–	1	1	5	–	2	3	2	8	5	4	–	–	–	–
590	Infections of kidney	199	1	–	–	–	1	–	–	2	1	2	4	6	6	11	21	29	24	43	32	14	2	–
	White Male	65	–	–	–	–	1	–	–	1	–	–	1	–	2	4	9	8	11	12	11	5	–	–
	Female	113	1	–	–	–	–	–	–	–	–	2	2	4	3	7	9	17	9	30	19	8	2	–
	All other Male	13	–	–	–	–	–	–	–	1	–	–	1	1	–	–	2	2	2	1	2	1	–	–
	Female	8	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	2	2	–	–	–	–	–
600	Hyperplasia of prostate	43	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	9	8	13	5	5	–	–
	White Male	39	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	7	7	13	5	4	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	13	–	–	–	–	2	3	3	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	9	–	–	–	–	–	3	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Pennsylvania—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	12	–	–	–	–	2	3	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	9	–	–	–	–	–	3	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	650	408	53	22	15	23	11	11	18	5	6	14	9	10	11	12	10	4	4	2	2	–	–
	White Male	318	205	24	7	8	10	6	6	11	1	3	7	4	2	5	7	5	2	3	2	–	–	–
	Female	248	147	24	11	6	10	2	3	7	2	2	6	4	8	3	5	4	2	–	–	2	–	–
	All other Male	41	24	3	1	1	2	1	1	–	2	1	1	–	–	2	–	1	–	1	–	–	–	–
	Female	43	32	2	3	–	1	2	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,367	1,364	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	White Male	637	635	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	423	423	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	164	163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	143	143	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	768	765	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
	White Male	362	360	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	245	245	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	90	89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	Female	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	599	599	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	275	275	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	178	178	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	72	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	2,871	201	12	4	2	9	14	16	30	55	98	181	259	301	322	353	322	278	208	114	57	27	8
	White Male	1,089	78	5	2	1	5	5	4	11	10	27	53	97	114	139	166	133	101	78	39	14	6	1
	Female	602	51	3	–	–	2	3	6	5	6	9	25	31	49	44	63	72	77	74	46	24	11	1
	All other Male	728	44	1	2	1	1	4	4	11	28	40	64	103	86	81	66	72	63	28	13	9	3	4
	Female	452	28	3	–	–	1	2	2	3	11	22	39	28	52	58	58	45	37	28	16	10	7	2
Residual	All other diseases	8,309	69	45	39	38	76	74	80	95	102	161	273	399	626	895	1,110	1,182	1,193	1,002	599	204	45	2
	White Male	4,664	37	23	18	21	38	43	32	30	31	81	132	204	376	524	697	729	685	566	286	95	15	1
	Female	2,839	19	17	17	15	27	20	27	35	33	37	84	120	185	289	324	361	437	386	281	101	23	1
	All other Male	484	4	2	2	1	9	9	8	18	21	27	39	45	40	45	53	59	50	30	15	5	2	–
	Female	322	9	3	2	1	2	2	13	12	17	16	18	30	25	37	36	33	21	20	17	3	5	–
E800–E949	Accidents	5,022	59	167	155	176	533	543	415	222	188	161	230	268	267	274	237	235	286	279	190	96	35	6
	White Male	3,076	24	84	81	105	393	413	304	153	122	98	137	173	166	167	141	130	156	118	61	35	9	6
	Female	1,403	21	46	50	47	109	85	70	37	32	34	59	60	62	82	77	79	105	144	122	57	25	–
	All other Male	409	8	21	19	14	25	39	33	28	30	23	27	28	28	17	15	21	18	10	3	2	–	–
	Female	134	6	16	5	10	6	6	8	4	4	6	7	7	11	8	4	5	7	7	4	2	1	–
E810–E823	Motor vehicle accidents	2,153	11	61	78	82	357	379	236	126	98	74	97	106	88	98	75	49	68	49	16	4	–	1
	White Male	1,458	3	31	41	44	264	293	181	91	69	43	55	68	53	58	46	32	40	30	12	3	–	1
	Female	530	7	19	26	33	80	68	40	25	17	15	32	28	22	36	26	11	25	16	3	1	–	–
	All other Male	131	1	6	9	–	10	15	12	9	10	13	10	9	9	3	3	6	2	3	1	–	–	–
	Female	34	–	5	2	5	3	3	3	1	2	3	–	1	4	1	–	–	1	–	–	–	–	–
E800–E807, E825–E949	All other accidents	2,869	48	106	77	94	176	164	179	96	90	87	133	162	179	176	162	186	218	230	174	92	35	5
	White Male	1,618	21	53	40	61	129	120	123	62	53	55	82	105	113	109	95	98	116	88	49	32	9	5
	Female	873	14	27	24	14	29	17	30	12	15	19	27	32	40	46	51	68	80	128	119	56	25	–
	All other Male	278	7	15	10	14	15	24	21	19	20	10	17	19	19	14	12	15	16	7	2	2	–	–
	Female	100	6	11	3	5	3	3	5	3	2	3	7	6	7	7	4	5	6	7	4	2	1	–
E950–E959	Suicide	1,348	...	...	–	6	86	160	145	94	85	101	109	129	107	102	79	60	42	29	10	4	–	–
	White Male	921	...	...	–	6	66	116	98	53	59	64	67	76	69	75	58	47	32	22	9	4	–	–
	Female	331	...	...	–	–	16	20	31	27	21	30	33	50	33	22	18	12	10	7	1	–	–	–
	All other Male	70	...	...	–	–	3	17	11	9	3	5	7	2	5	5	3	–	–	–	–	–	–	–
	Female	26	...	...	–	–	1	7	5	5	2	2	2	1	–	–	–	1	–	–	–	–	–	–
E960–E978	Homicide	835	9	14	15	19	93	115	119	97	74	69	47	42	30	27	24	16	10	8	4	1	1	1
	White Male	249	3	3	4	7	23	29	30	26	25	18	15	12	13	14	11	8	5	–	3	–	–	–
	Female	116	1	4	9	4	15	11	6	8	12	5	6	3	5	6	4	3	5	6	–	1	1	1
	All other Male	401	4	4	–	7	47	69	72	54	33	34	24	22	12	6	8	3	–	1	1	–	–	–
	Female	69	1	3	2	1	8	6	11	9	4	12	2	5	–	1	1	2	–	1	–	–	–	–
E980–E999	Other external causes	260	2	4	2	1	20	49	38	26	23	11	27	12	10	7	13	9	3	–	2	1	–	–
	White Male	127	–	1	–	–	11	30	15	11	8	5	11	6	6	6	9	5	2	–	1	–	–	–
	Female	51	–	1	–	–	3	10	2	5	6	4	10	2	1	1	2	3	–	–	1	–	–	–
	All other Male	59	2	–	1	1	4	6	16	8	8	1	4	4	1	–	1	–	1	–	–	1	–	–
	Female	23	–	2	1	–	2	3	5	2	1	1	2	–	2	–	1	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island																							
	All causes	**8,898**	**156**	**14**	**16**	**20**	**79**	**72**	**81**	**68**	**55**	**112**	**247**	**419**	**586**	**843**	**984**	**1,091**	**1,251**	**1,255**	**978**	**442**	**129**	–
	White Male	4,540	79	5	7	14	59	50	56	46	33	62	142	256	362	517	596	592	589	544	353	143	35	–
	Female	4,152	62	8	9	5	17	14	20	18	17	43	89	142	208	307	371	489	643	694	613	293	90	–
	All other Male	117	5	1	–	1	2	7	1	2	2	5	7	12	10	11	13	8	12	6	6	3	3	–
	Female	89	10	–	–	–	1	1	4	2	3	2	9	9	6	8	4	2	7	11	6	3	1	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	10	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	8	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	11	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	1	1	1	3	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	10	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	1	1	1	2	1	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	13	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	3	4	1	2	–	–	–
	White Male	6	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	2	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	17	1	–	1	–	–	–	–	1	–	–	–	2	2	3	1	–	2	2	2	–	–	–
	White Male	6	1	–	1	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	2	2	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	2,002	–	1	3	3	8	4	10	8	10	37	86	133	184	310	278	290	284	190	125	31	7	–
	White ..... Male	1,052	–	–	1	2	7	3	5	5	5	15	41	64	99	168	157	164	145	100	55	13	3	–
	Female	904	–	–	2	1	1	1	5	2	3	20	45	64	80	132	116	123	134	88	66	17	4	–
	All other ..... Male	26	–	1	–	–	–	–	–	–	1	1	–	4	2	6	3	2	2	–	4	–	–	–
	Female	20	–	–	–	–	–	–	–	1	1	1	–	1	3	4	2	1	3	2	–	1	–	–
140–149	Of buccal cavity and pharynx	48	–	–	–	–	–	–	1	–	–	–	2	7	8	8	3	4	7	7	1	–	–	–
	White ..... Male	31	–	–	–	–	–	–	1	–	–	–	2	6	4	2	2	3	5	5	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	1	4	4	1	1	2	2	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	647	–	–	–	–	–	–	1	1	1	3	17	36	49	90	89	103	111	73	53	16	4	–
	White ..... Male	318	–	–	–	–	–	–	–	1	–	2	10	15	29	45	50	52	50	32	24	6	2	–
	Female	317	–	–	–	–	–	–	1	–	–	1	7	21	17	41	38	49	61	41	29	9	2	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	–	–	1	–	–
160–163	Of respiratory system	450	–	–	–	–	–	–	–	1	1	15	24	39	48	91	70	69	53	24	13	2	–	–
	White ..... Male	336	–	–	–	–	–	–	–	1	1	6	14	25	38	71	56	57	43	17	6	1	–	–
	Female	102	–	–	–	–	–	–	–	–	–	7	10	11	10	18	14	12	7	7	5	1	–	–
	All other ..... Male	9	–	–	–	–	–	–	–	–	–	1	–	3	–	1	–	–	2	–	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
174	Of breast	192	–	–	–	–	–	–	–	2	2	5	11	12	26	26	30	23	26	12	16	1	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	186	–	–	–	–	–	–	–	1	1	5	11	11	26	26	30	22	25	11	16	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	1	1	–	–	–	–
180–187	Of genital organs	216	–	–	–	–	–	–	1	–	2	3	8	11	12	20	27	32	35	36	22	6	1	–
	White ..... Male	94	–	–	–	–	–	–	–	–	–	–	1	1	–	5	11	17	16	26	14	3	–	–
	Female	117	–	–	–	–	–	–	1	–	2	3	7	10	11	15	15	15	19	9	6	3	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
188, 189	Of urinary organs	86	–	–	–	–	–	–	–	–	–	1	2	2	8	18	14	13	12	8	7	–	1	–
	White ..... Male	67	–	–	–	–	–	–	–	–	–	–	1	1	6	15	12	11	8	7	5	–	1	–
	Female	16	–	–	–	–	–	–	–	–	–	1	1	–	2	2	2	1	4	1	2	–	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	202	–	1	2	2	3	–	4	2	3	5	11	16	20	38	23	26	19	14	10	2	1	–
	White ..... Male	106	–	–	1	1	3	–	2	1	3	3	7	10	14	17	12	12	10	6	3	1	–	–
	Female	90	–	–	1	1	–	–	2	1	–	2	4	6	5	20	9	14	8	8	7	1	1	–
	All other ..... Male	5	–	1	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
204–207	Leukemia	63	–	–	1	1	3	2	2	–	1	1	4	3	5	6	6	8	12	6	–	2	–	–
	White ..... Male	43	–	–	–	1	2	2	2	–	1	1	2	2	5	4	4	6	7	3	–	1	–	–
	Female	20	–	–	1	–	1	–	–	–	–	–	2	1	–	2	2	2	5	3	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	98	–	–	–	–	2	2	1	2	–	4	7	7	8	13	16	12	9	10	3	2	–	–
	White ..... Male	56	–	–	–	–	2	1	–	2	–	3	4	4	3	9	10	5	6	4	2	1	–	–
	Female	41	–	–	–	–	–	1	1	–	–	1	3	3	5	4	5	7	3	6	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	18	–	1	–	–	–	–	2	–	–	–	2	2	–	3	3	–	2	3	–	–	–	–
	White ..... Male	7	–	1	–	–	–	–	1	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–
	Female	11	–	–	–	–	–	–	1	–	–	–	2	1	–	1	3	–	–	3	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	226	1	–	–	–	–	1	–	–	–	3	2	8	16	10	21	34	42	43	34	8	3	–
	White ..... Male	86	–	–	–	–	–	–	–	–	–	–	2	6	8	7	8	10	20	11	10	4	–	–
	Female	132	1	–	–	–	–	1	–	–	–	2	–	2	7	3	12	23	20	31	23	4	3	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–
260–269	Avitaminosas and other nutritional deficiencies	7	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	2	–	–
	White ..... Male	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island—Con.																							
280–285	Anemias	16	1	–	–	1	–	–	–	–	–	–	–	–	–	2	3	1	1	3	1	2	1	–
	White Male	7	–	–	–	1	–	–	–	–	–	–	–	–	–	2	2	–	1	1	–	–	–	–
	Female	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	5	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	3	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	4,837	3	–	–	2	3	3	4	7	14	34	87	177	264	371	537	604	754	842	676	353	102	–
	White Male	2,342	1	–	–	2	2	2	3	6	8	25	63	127	182	249	339	321	322	343	222	102	23	–
	Female	2,409	1	–	–	–	1	1	–	1	5	9	14	41	74	116	190	278	421	486	449	247	75	–
	All other Male	46	–	–	–	–	–	–	–	–	1	–	5	4	5	2	6	4	8	5	1	2	3	–
	Female	40	1	–	–	–	–	–	1	–	–	–	5	5	3	4	2	1	3	8	4	2	1	–
390–398, 402, 404, 410–429	Diseases of heart	3,806	3	–	–	2	–	1	4	4	11	31	73	153	226	312	465	478	577	632	513	248	73	–
	White Male	1,927	1	–	–	2	–	1	3	4	8	22	59	118	159	218	302	264	248	264	168	70	16	–
	Female	1,811	1	–	–	–	–	–	–	–	3	9	8	27	61	89	156	211	319	358	341	175	53	–
	All other Male	41	–	–	–	–	–	–	–	–	–	–	5	3	5	2	5	2	8	5	1	2	3	–
	Female	27	1	–	–	–	–	–	1	–	–	–	1	5	1	3	2	1	2	5	3	1	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	79	–	–	–	1	–	–	1	–	1	3	3	7	9	17	8	9	9	8	1	2	–	–
	White Male	28	–	–	–	1	–	–	1	–	1	–	1	4	2	5	4	4	3	1	–	1	–	–
	Female	50	–	–	–	–	–	–	–	–	–	3	2	3	7	12	4	5	5	7	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	31	–	–	–	–	–	–	1	–	–	–	–	1	2	5	2	8	3	5	3	1	–	–
	White Male	7	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	2	–	1	–	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	6	3	4	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	6	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	3	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	3,556	–	–	–	–	–	1	–	3	8	25	67	137	206	274	439	446	547	600	492	241	70	–
	White Male	1,821	–	–	–	–	–	1	–	3	6	20	56	110	150	204	285	253	234	254	162	68	15	–
	Female	1,677	–	–	–	–	–	–	–	–	2	5	6	21	50	66	148	191	304	337	326	170	51	–
	All other Male	37	–	–	–	–	–	–	–	–	–	–	5	2	5	2	4	2	7	4	1	2	3	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	4	1	2	2	–	2	5	3	1	1	–
410	Acute myocardial infarction	1,556	–	–	–	–	–	1	–	1	6	11	35	75	121	161	245	225	219	232	155	56	13	–
	White Male	861	–	–	–	–	–	1	–	1	5	9	27	60	87	117	159	122	100	100	53	18	2	–
	Female	670	–	–	–	–	–	–	–	–	1	2	4	13	29	43	85	103	115	127	101	38	9	–
	All other Male	19	–	–	–	–	–	–	–	–	–	–	4	1	4	–	1	–	4	3	–	–	2	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	2	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	3	1	–	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	1,989	–	–	–	–	–	–	–	2	2	14	32	61	85	112	193	219	325	367	337	183	57	–
	White Male	953	–	–	–	–	–	–	–	2	1	11	29	49	63	86	126	129	132	154	109	49	13	–
	Female	1,004	–	–	–	–	–	–	–	–	1	3	2	8	21	23	63	88	188	209	225	131	42	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	2	3	1	1	2	1	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	3	–	1	2	–	2	3	2	1	1	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	8	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	2	1	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island – Con.																							
420–423, 425–427, 429	All other forms of heart disease	126	3	–	–	1	–	–	2	–	–	3	3	8	9	14	15	15	16	17	13	4	3	–
	White Male	67	1	–	–	1	–	–	1	–	–	2	2	3	6	8	13	5	10	8	5	1	1	–
	Female	52	1	–	–	–	–	–	–	–	–	1	–	3	3	6	2	9	6	8	8	3	2	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	5	1	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
400, 401, 403	Hypertension	22	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	2	3	6	4	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	4	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	1	3	5	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	761	–	–	–	–	2	2	–	3	3	3	13	18	29	47	52	92	127	159	121	74	16	–
	White Male	290	–	–	–	–	1	1	–	2	–	3	3	5	17	23	24	43	47	57	39	21	4	–
	Female	456	–	–	–	–	1	1	–	1	2	–	6	12	10	23	28	47	80	99	81	53	12	–
	All other Male	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	4	–	2	1	–	–	–	3	1	–	–	–
431	Cerebral hemorrhage	104	–	–	–	–	1	1	–	1	2	1	5	3	14	10	14	13	16	11	7	5	–	–
	White Male	49	–	–	–	–	1	–	–	1	–	1	2	–	9	6	5	7	7	6	4	–	–	–
	Female	52	–	–	–	–	–	1	–	–	1	–	3	2	4	4	9	6	9	5	3	5	–	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	212	–	–	–	–	–	–	–	–	–	–	1	2	2	11	8	29	39	48	46	23	3	–
	White Male	86	–	–	–	–	–	–	–	–	–	–	–	–	2	5	4	16	16	19	16	8	–	–
	Female	125	–	–	–	–	–	–	–	–	–	–	1	2	–	5	4	13	23	29	30	15	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
434	Cerebral embolism	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	1	1	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	438	–	–	–	–	1	1	–	2	1	2	7	13	13	24	30	50	70	99	67	45	13	–
	White Male	155	–	–	–	–	–	1	–	1	–	2	1	5	6	12	15	20	24	32	19	13	4	–
	Female	272	–	–	–	–	1	–	–	1	1	–	2	8	6	12	15	28	46	64	47	32	9	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	3	1	–	–	–
440	Arteriosclerosis	127	–	–	–	–	–	–	–	–	–	–	–	2	1	3	4	10	18	30	27	23	9	–
	White Male	53	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	5	8	14	10	6	3	–
	Female	71	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	9	16	17	16	6	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	121	–	–	–	–	1	–	–	–	–	–	1	4	8	7	16	20	30	18	9	4	3	–
	White Male	65	–	–	–	–	1	–	–	–	–	–	1	2	5	5	11	9	18	8	4	1	–	–
	Female	56	–	–	–	–	–	–	–	–	–	–	–	2	3	2	5	11	12	10	5	3	3	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	6	1	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	1	–	1	–	–	–
	White Male	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	165	3	1	1	–	–	1	2	2	–	1	2	4	5	7	8	19	26	29	33	12	9	–
	White Male	83	1	–	–	–	–	1	–	1	–	–	1	4	3	7	5	10	13	10	16	7	4	–
	Female	79	1	1	1	–	–	–	1	1	–	1	1	–	2	–	3	9	13	18	17	5	5	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	160	3	1	1	–	–	1	2	2	–	1	2	4	5	7	8	18	25	27	32	12	9	–
	White Male	80	1	–	–	–	–	1	–	1	–	–	1	4	3	7	5	9	12	9	16	7	4	–
	Female	77	1	1	1	–	–	–	1	1	–	1	1	–	2	–	3	9	13	17	16	5	5	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	78	–	–	1	–	–	–	–	–	–	1	2	2	8	7	13	12	10	10	11	1	–	–
	White Male	60	–	–	1	–	–	–	–	–	–	1	1	–	4	5	12	12	8	8	7	1	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	–	2	2	3	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island – Con.																							
490, 491	Chronic and unqualified bronchitis	22	–	–	1	–	–	–	–	–	–	–	–	1	2	1	3	3	3	3	4	1	–	–
	White Male	19	–	–	1	–	–	–	–	–	–	–	–	–	1	1	3	3	3	3	3	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	49	–	–	–	–	–	–	–	–	–	1	1	1	5	5	9	9	6	6	6	–	–	–
	White Male	38	–	–	–	–	–	–	–	–	–	1	1	–	2	4	8	9	4	5	4	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	2	1	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	1	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	32	–	–	–	–	–	–	–	–	–	–	1	1	1	3	7	6	1	9	2	1	–	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	1	1	1	6	5	–	7	1	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	1	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	27	3	–	–	–	1	–	–	–	–	1	–	–	2	1	2	1	3	4	6	3	–	–
	White Male	11	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	–	2	2	2	1	–	–
	Female	15	2	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	1	2	4	2	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	180	1	–	–	–	–	–	2	8	5	10	16	24	28	34	18	18	7	7	2	–	–	–
	White Male	116	–	–	–	–	–	–	1	5	2	7	11	18	17	22	13	10	6	2	2	–	–	–
	Female	60	1	–	–	–	–	–	–	2	3	2	5	5	11	12	5	8	1	5	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	7	2	3	2	–	1	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	–	1	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	1	2	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	49	–	–	–	–	–	–	–	–	–	2	1	2	3	4	4	6	7	8	9	3	–	–
	White Male	20	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	4	3	4	4	–	–	–
	Female	23	–	–	–	–	–	–	–	–	–	1	–	1	2	3	1	1	3	4	5	2	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	7	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	1	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	42	–	–	–	–	–	–	–	–	–	2	1	–	1	3	4	5	6	8	9	3	–	–
	White Male	18	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	3	3	4	4	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	2	4	5	2	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	22	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	2	4	3	6	–	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	2	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	4	1	4	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Rhode Island—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	40	29	2	1	2	1	–	–	1	–	1	1	–	1	1	–	–	–	–	–	–	–	–
	White Male	20	16	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	11	2	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	All other Male	3	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	74	74	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	42	19	1	–	–	3	1	1	1	2	–	2	1	1	–	4	2	–	1	1	2	–	–
	White Male	22	10	–	–	–	2	1	1	–	2	–	–	–	–	–	3	1	–	1	–	1	–	–
	Female	17	7	1	–	–	1	–	–	1	–	–	1	1	1	–	1	1	–	–	1	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	535	11	1	3	2	7	9	8	10	5	6	23	34	44	52	60	62	69	66	43	17	3	–
	White Male	305	7	–	2	–	5	7	3	8	4	2	7	18	28	30	38	38	43	34	20	8	3	–
	Female	218	4	1	1	2	2	1	4	2	1	4	12	13	15	21	21	24	26	32	23	9	–	–
	All other Male	6	–	–	–	–	–	1	1	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	310	–	5	6	8	40	37	29	14	8	9	7	16	14	19	15	18	18	23	16	6	2	–
	White Male	197	–	3	2	5	33	26	22	9	6	7	4	8	9	12	5	11	12	13	6	3	1	–
	Female	98	–	2	4	2	5	5	6	4	1	1	3	6	5	7	10	7	6	10	10	3	1	–
	All other Male	11	–	–	–	1	1	5	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	135	–	2	2	5	29	23	18	13	3	5	2	5	4	7	4	3	6	2	2	–	–	–
	White Male	86	–	1	–	2	25	15	12	8	1	4	1	3	2	3	–	–	5	2	2	–	–	–
	Female	41	–	1	2	2	3	5	5	4	1	1	1	2	2	4	4	3	1	–	–	–	–	–
	All other Male	4	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	175	–	3	4	3	11	14	11	1	5	4	5	11	10	12	11	15	12	21	14	6	2	–
	White Male	111	–	2	2	3	8	11	10	1	5	3	3	5	7	9	5	11	7	11	4	3	1	–
	Female	57	–	1	2	–	2	–	1	–	–	–	2	4	3	3	6	4	5	10	10	3	1	–
	All other Male	7	–	–	–	–	1	3	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	103	...	...	–	1	10	8	15	10	5	3	11	9	6	9	4	5	5	2	–	–	–	–
	White Male	69	...	...	–	1	6	6	14	6	3	1	7	4	6	6	2	3	3	1	–	–	–	–
	Female	34	...	...	–	–	4	2	1	4	2	2	4	5	–	3	2	2	2	1	–	–	–	–
	All other Male	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	34	2	2	–	–	5	5	4	5	3	2	2	1	1	1	–	–	–	–	1	–	–	–
	White Male	20	1	1	–	–	3	2	3	3	2	1	2	1	1	–	–	–	–	–	–	–	–	–
	Female	10	–	1	–	–	2	2	1	1	1	–	–	–	–	1	–	–	–	–	1	–	–	–
	All other Male	3	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	13	–	–	–	–	–	2	3	1	1	1	1	–	2	–	2	–	–	–	–	–	–	–
	White Male	10	–	–	–	–	–	1	3	1	1	1	1	–	1	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina																							
	All causes	**23,497**	**907**	**160**	**103**	**136**	**322**	**390**	**363**	**372**	**444**	**703**	**1,078**	**1,568**	**2,076**	**2,588**	**2,814**	**2,786**	**2,452**	**2,042**	**1,296**	**651**	**236**	**10**
	White Male	9,084	275	46	32	52	159	186	130	132	150	258	433	665	905	1,157	1,189	1,057	966	708	378	158	47	1
	White Female	6,501	160	40	26	35	46	54	56	51	82	133	213	294	400	502	658	799	845	910	716	371	109	1
	All other Male	4,413	259	45	29	32	80	108	122	135	141	188	253	365	482	534	535	434	276	204	103	55	27	6
	All other Female	3,499	213	29	16	17	37	42	55	54	71	124	179	244	289	395	432	496	365	220	99	67	53	2
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	36	14	3	–	–	–	–	1	–	–	1	2	–	–	3	4	2	2	3	1	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	–	–	–
	White Female	9	2	1	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	1	–	–	–
	All other Male	10	6	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–
	All other Female	11	6	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
010–019	Tuberculosis, all forms	57	–	1	–	–	–	–	1	2	3	2	4	4	6	7	13	6	2	3	2	1	–	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	2	–	2	1	4	1	–	1	–	1	–	–
	White Female	9	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	3	–	1	1	–	–	–
	All other Male	29	–	1	–	–	–	–	–	2	3	2	2	2	2	4	7	2	2	–	–	–	–	–
	All other Female	7	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	1	1	–	–	–
010–012	Tuberculosis of respiratory system	49	–	–	–	–	–	–	1	2	2	1	3	4	6	7	12	5	2	3	1	–	–	–
	White Male	9	–	–	–	–	–	–	–	–	–	–	2	–	2	1	3	–	–	1	–	–	–	–
	White Female	9	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	3	–	1	1	–	–	–
	All other Male	25	–	–	–	–	–	–	–	2	2	1	1	2	2	4	7	2	2	–	–	–	–	–
	All other Female	6	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	1	–	–	–	–
013–019	Tuberculosis, other forms	8	–	1	–	–	–	–	–	–	1	1	1	–	–	–	1	1	–	–	1	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	–	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	13	6	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Male	6	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	76	28	–	–	–	–	1	–	3	1	2	2	4	1	7	2	8	6	7	3	–	1	–
	White Male	29	14	–	–	–	–	–	–	1	–	1	1	1	1	2	–	4	3	1	–	–	–	–
	White Female	21	4	–	–	–	–	1	–	–	1	1	–	1	–	2	–	2	1	5	2	–	1	–
	All other Male	15	5	–	–	–	–	–	–	1	–	–	1	2	–	2	1	2	–	1	–	–	–	–
	All other Female	11	5	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	2	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	72	7	4	1	1	6	5	2	5	2	2	5	1	2	8	6	4	6	2	2	–	1	–
	White Male	23	–	3	–	1	2	2	–	1	–	1	3	–	1	5	1	–	1	–	1	–	1	–
	White Female	18	2	1	–	–	–	1	–	1	1	1	–	–	–	1	4	1	4	1	–	–	–	–
	All other Male	17	4	–	1	–	3	–	–	2	–	–	1	–	1	2	–	2	–	–	1	–	–	–
	All other Female	14	1	–	–	–	1	2	2	1	1	–	1	1	–	–	1	1	1	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,830	2	11	14	12	8	13	27	26	63	105	234	323	464	606	590	512	360	266	135	51	7	1
	White Male	1,572	1	5	6	4	1	7	8	15	20	30	81	119	181	254	261	225	171	101	58	22	2	–
	Female	1,114	1	3	2	8	4	4	9	6	27	35	68	89	124	130	157	150	110	108	55	22	2	–
	All other Male	662	–	2	4	–	2	1	2	1	10	19	44	56	98	144	98	83	47	31	12	5	3	–
	Female	482	–	1	2	–	1	1	8	4	6	21	41	59	61	78	74	54	32	26	10	2	–	1
140–149	Of buccal cavity and pharynx	101	–	–	–	–	–	1	1	1	2	3	6	6	12	19	18	14	7	6	5	–	–	–
	White Male	54	–	–	–	–	–	1	1	–	–	1	3	3	6	9	13	6	4	4	3	–	–	–
	Female	21	–	–	–	–	–	–	–	–	1	–	1	1	3	5	2	3	3	1	1	–	–	–
	All other Male	18	–	–	–	–	–	–	–	1	1	2	2	–	3	3	3	3	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	2	–	1	1	–	–	–
150–159	Of digestive organs and peritoneum	958	–	2	1	–	3	–	1	4	12	22	51	75	94	154	141	158	100	90	35	12	2	1
	White Male	351	–	1	1	–	–	–	–	3	5	9	14	27	34	57	56	61	43	27	10	2	1	–
	Female	279	–	1	–	–	2	–	–	–	3	6	12	13	27	32	33	52	28	44	17	9	–	–
	All other Male	191	–	–	–	–	1	–	–	–	4	4	16	26	21	41	26	24	13	10	3	1	1	–
	Female	137	–	–	–	–	–	–	1	1	–	3	9	9	12	24	26	21	16	9	5	–	–	1
160–163	Of respiratory system	939	–	1	–	–	–	1	3	3	12	19	64	96	157	175	164	113	74	32	17	5	3	–
	White Male	565	–	1	–	–	–	1	2	3	7	6	32	55	84	100	105	82	55	20	10	2	–	–
	Female	134	–	–	–	–	–	–	–	–	3	6	10	17	23	17	24	12	7	7	4	2	2	–
	All other Male	204	–	–	–	–	–	–	1	–	2	6	15	18	43	55	31	16	8	4	3	1	1	–
	Female	36	–	–	–	–	–	–	–	–	–	1	7	6	7	3	4	3	4	1	–	–	–	–
174	Of breast	302	–	–	–	–	–	–	1	5	8	14	33	35	44	47	43	23	19	19	10	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	205	–	–	–	–	–	–	1	2	5	7	21	18	30	31	31	16	18	15	9	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	94	–	–	–	–	–	–	–	3	3	7	12	17	14	15	11	6	1	4	1	–	–	–
180–187	Of genital organs	495	–	–	–	1	–	2	9	2	6	16	17	36	50	60	68	73	64	48	32	10	1	–
	White Male	147	–	–	–	–	–	2	1	1	1	–	1	1	8	14	18	24	25	24	20	6	1	–
	Female	146	–	–	–	1	–	–	2	1	4	9	10	19	16	12	20	18	18	7	6	3	–	–
	All other Male	113	–	–	–	–	–	–	–	–	–	1	1	3	12	20	17	22	17	14	5	1	–	–
	Female	89	–	–	–	–	–	–	6	–	1	6	5	13	14	14	13	9	4	3	1	–	–	–
188, 189	Of urinary organs	147	1	–	–	–	1	–	–	–	2	3	5	15	15	21	29	20	14	10	6	5	–	–
	White Male	69	1	–	–	–	–	–	–	–	–	2	4	6	8	10	13	6	8	4	2	5	–	–
	Female	42	–	–	–	–	–	–	–	–	1	–	–	7	2	5	7	8	6	4	2	–	–	–
	All other Male	21	–	–	–	–	–	–	–	–	–	1	1	1	4	5	6	3	–	–	–	–	–	–
	Female	15	–	–	–	–	1	–	–	–	1	–	–	1	1	1	3	3	–	2	2	–	–	–
170–173, 190–199	Of all other and unspecified sites	577	1	2	6	5	3	5	7	7	11	19	43	38	63	79	82	76	54	44	20	11	1	–
	White Male	247	–	1	1	2	1	1	3	5	4	8	20	19	27	38	37	31	19	16	10	4	–	–
	Female	188	1	–	1	3	2	3	4	2	4	5	10	10	17	18	22	27	21	23	10	5	–	–
	All other Male	73	–	–	3	–	–	–	–	–	2	4	7	3	10	13	10	10	8	1	–	1	1	–
	Female	69	–	1	1	–	–	1	–	–	1	2	6	6	9	10	13	8	6	4	–	1	–	–
204–207	Leukemia	128	–	5	3	6	1	2	3	2	3	6	3	10	10	18	16	16	10	7	4	3	–	–
	White Male	55	–	2	2	2	–	1	1	1	–	3	2	3	3	11	6	7	6	4	1	–	–	–
	Female	43	–	2	1	4	–	1	1	1	3	1	1	2	2	2	8	6	3	2	2	1	–	–
	All other Male	17	–	1	–	–	1	–	–	–	–	1	–	3	2	2	2	2	–	1	1	1	–	–
	Female	13	–	–	–	–	–	–	1	–	–	1	–	2	3	3	–	1	1	–	–	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	183	–	1	4	–	–	2	2	2	7	3	12	12	19	33	29	19	18	10	6	4	–	–
	White Male	82	–	–	2	–	–	1	–	2	3	1	5	5	11	15	12	7	11	2	2	3	–	–
	Female	56	–	–	–	–	–	–	1	–	3	1	3	2	4	8	10	8	6	5	4	1	–	–
	All other Male	24	–	1	1	–	–	1	1	–	1	–	2	2	3	4	3	3	1	1	–	–	–	–
	Female	21	–	–	1	–	–	–	–	–	–	1	2	3	1	6	4	1	–	2	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	66	1	2	1	–	1	1	2	–	–	2	9	5	12	6	5	11	5	1	1	1	–	–
	White Male	17	–	1	1	–	–	–	–	–	–	–	1	–	4	2	1	4	2	–	1	–	–	–
	Female	20	–	–	–	–	–	–	–	–	–	1	2	3	2	3	1	4	3	–	–	1	–	–
	All other Male	16	–	1	–	–	–	1	1	–	–	1	5	1	3	–	1	1	–	1	–	–	–	–
	Female	13	1	–	–	–	1	–	1	–	–	–	1	1	3	1	2	2	–	–	–	–	–	–
250	Diabetes mellitus	519	–	–	–	–	–	4	8	7	14	13	21	43	52	67	76	88	57	38	22	7	2	–
	White Male	129	–	–	–	–	–	1	2	2	2	1	4	17	15	15	22	21	17	6	4	–	–	–
	Female	153	–	–	–	–	–	1	2	–	3	–	3	7	8	14	23	29	21	19	15	6	2	–
	All other Male	77	–	–	–	–	–	2	2	4	3	2	6	6	13	14	10	7	4	2	1	1	–	–
	Female	160	–	–	–	–	–	–	2	1	6	10	8	13	16	24	21	31	15	11	2	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	38	4	–	1	–	–	–	–	–	1	–	1	–	1	4	2	4	5	5	6	4	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	2	4	1	–	–
	All other Male	10	1	–	1	–	–	–	–	–	–	–	–	–	–	3	–	2	2	1	–	–	–	–
	Female	12	3	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	1	1	3	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina – Con.																							
280–285	Anemias	57	1	1	–	7	2	2	2	4	–	–	–	1	2	4	6	5	7	6	4	–	3	–
	White Male	11	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	5	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	1	3	–	2	–
	All other Male	15	1	–	–	3	–	1	–	2	–	–	–	–	1	2	2	–	2	–	1	–	–	–
	Female	19	–	1	–	4	2	1	2	2	–	–	–	1	–	–	3	1	1	–	–	–	1	–
320	Meningitis	31	16	3	3	1	1	–	–	–	1	–	1	1	1	2	1	–	–	–	–	–	–	–
	White Male	5	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	7	4	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	13	6	1	1	1	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	Female	6	3	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	11,558	15	2	3	4	14	12	32	57	100	229	383	693	1,004	1,296	1,570	1,637	1,568	1,360	918	482	173	6
	White Male	4,419	5	1	1	3	4	2	10	15	36	97	174	336	473	598	670	590	577	444	242	109	32	–
	Female	3,522	5	–	2	–	2	3	6	5	9	28	52	94	170	226	346	468	567	635	538	281	84	1
	All other Male	1,850	4	1	–	1	4	3	6	22	37	70	81	163	226	256	299	248	169	128	68	40	19	5
	Female	1,767	1	–	–	–	4	4	10	15	18	34	76	100	135	216	255	331	255	153	70	52	38	–
390–398, 402, 404, 410–429	Diseases of heart	8,191	12	2	2	3	7	10	17	41	76	178	297	550	788	972	1,160	1,164	1,061	875	577	292	102	5
	White Male	3,429	2	1	1	3	1	1	3	12	30	87	149	304	405	498	536	433	409	310	165	63	16	–
	Female	2,376	5	–	1	–	–	3	2	3	6	20	41	71	133	167	252	349	383	393	336	162	48	1
	All other Male	1,238	4	1	–	–	3	2	5	16	26	50	56	109	154	173	211	163	111	74	34	30	12	4
	Female	1,148	1	–	–	–	3	4	7	10	14	21	51	66	96	134	161	219	158	98	42	37	26	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	139	–	–	–	–	1	5	2	4	2	6	12	14	17	17	18	14	14	5	7	–	1	–
	White Male	44	–	–	–	–	–	–	1	1	–	1	4	6	5	6	7	3	6	2	2	–	–	–
	Female	50	–	–	–	–	–	–	1	1	2	2	5	2	7	3	7	5	7	3	4	–	1	–
	All other Male	23	–	–	–	–	1	2	–	2	–	2	1	3	2	5	2	2	1	–	–	–	–	–
	Female	22	–	–	–	–	–	3	–	–	–	1	2	3	3	3	2	4	–	–	1	–	–	–
402	Hypertensive heart disease	80	–	–	–	–	–	–	–	–	2	3	2	3	6	8	14	13	12	7	5	3	1	1
	White Male	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	1	2	–	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	5	2	3	–	1	–
	All other Male	27	–	–	–	–	–	–	–	–	2	2	–	3	3	5	4	2	2	1	–	2	–	1
	Female	24	–	–	–	–	–	–	–	–	–	1	2	–	1	2	3	6	4	2	2	1	–	–
404	Hypertensive heart and renal disease	49	–	–	–	–	–	–	–	–	–	–	2	2	3	9	5	4	10	5	6	2	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	3	1	2	1	–	–
	All other Male	17	–	–	–	–	–	–	–	–	–	–	1	2	1	3	2	1	4	1	2	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	2	2	1	1	1	1	–
410–413	Ischemic heart disease	7,055	–	–	–	–	2	2	6	23	47	138	238	475	682	838	997	1,033	938	788	510	248	86	4
	White Male	3,080	–	–	–	–	1	–	1	8	24	76	129	270	371	451	482	397	370	281	149	57	13	–
	Female	2,092	–	–	–	–	–	2	–	–	3	15	31	61	110	144	223	315	342	370	296	139	40	1
	All other Male	972	–	–	–	–	–	–	4	9	11	35	43	91	123	138	167	136	91	59	30	21	11	3
	Female	911	–	–	–	–	1	–	1	6	9	12	35	53	78	105	125	185	135	78	35	31	22	–
410	Acute myocardial infarction	4,120	–	–	–	–	2	1	5	14	40	113	181	349	486	560	654	595	469	347	201	79	23	1
	White Male	2,076	–	–	–	–	1	–	1	6	23	63	102	215	282	340	340	266	207	138	64	24	4	–
	Female	1,100	–	–	–	–	–	1	–	–	2	13	27	45	76	95	156	190	173	161	109	41	11	–
	All other Male	530	–	–	–	–	–	–	4	5	8	28	29	55	88	68	95	63	40	23	14	7	2	1
	Female	414	–	–	–	–	1	–	–	3	7	9	23	34	40	57	63	76	49	25	14	7	6	–
411	Other acute and subacute forms of ischemic heart disease	72	–	–	–	–	–	–	–	1	1	3	5	5	12	13	5	10	7	5	3	–	2	–
	White Male	31	–	–	–	–	–	–	–	–	–	1	1	2	8	8	3	3	2	3	–	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	5	1	2	3	–	2	–
	All other Male	12	–	–	–	–	–	–	–	1	1	2	1	1	1	1	1	1	2	–	–	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	2	–	2	2	1	1	2	–	–	–	–	–
412	Chronic ischemic heart disease	2,861	–	–	–	–	–	1	1	8	6	22	52	121	184	265	338	427	462	435	306	169	61	3
	White Male	972	–	–	–	–	–	–	–	2	1	12	26	53	81	103	139	127	161	140	85	33	9	–
	Female	972	–	–	–	–	–	1	–	–	1	2	3	14	33	47	67	120	168	206	184	98	27	1
	All other Male	430	–	–	–	–	–	–	–	3	2	5	13	35	34	69	71	72	49	36	16	14	9	2
	Female	487	–	–	–	–	–	–	1	3	2	3	10	19	36	46	61	108	84	53	21	24	16	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	49	–	–	–	–	–	–	–	3	1	3	2	1	3	1	7	4	7	8	4	5	–	–
	White Male	15	–	–	–	–	–	–	–	1	–	1	2	1	–	–	2	2	1	3	2	–	–	–
	Female	18	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	6	3	2	3	–	–
	All other Male	11	–	–	–	–	–	–	–	1	–	1	–	–	1	1	3	1	–	1	–	2	–	–
	Female	5	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	1	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina – Con.																							
420–423, 425–427, 429	All other forms of heart disease	819	12	2	2	3	4	3	9	11	24	28	41	55	77	99	119	96	80	62	45	34	13	–
	White Male	274	2	1	1	3	–	1	1	2	6	9	14	27	28	40	41	28	30	20	11	6	3	–
	Female	186	5	–	1	–	–	1	1	2	–	3	4	8	14	16	17	26	20	14	29	19	6	–
	All other Male	188	4	1	–	–	2	–	1	4	13	10	11	10	24	21	33	21	13	12	2	5	1	–
	Female	171	1	–	–	–	2	1	6	3	5	6	12	10	11	22	28	21	17	16	3	4	3	–
400, 401, 403	Hypertension	96	–	–	–	–	–	–	–	6	4	2	6	10	12	13	12	8	10	5	8	–	–	–
	White Male	19	–	–	–	–	–	–	–	1	–	–	1	–	2	4	4	2	3	1	1	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	–	3	1	1	2	1	4	2	4	–	–	–
	All other Male	38	–	–	–	–	–	–	–	4	3	–	3	4	7	4	4	3	3	1	2	–	–	–
	Female	21	–	–	–	–	–	–	–	1	1	2	2	3	2	4	2	2	–	1	1	–	–	–
430–438	Cerebrovascular diseases	2,726	3	–	–	1	6	2	9	8	17	45	72	112	173	259	327	396	407	413	272	154	50	–
	White Male	757	3	–	–	–	3	1	5	1	5	7	22	25	50	70	95	126	133	108	58	35	10	–
	Female	940	–	–	–	–	2	–	1	1	3	8	10	17	27	42	75	101	150	213	166	97	27	–
	All other Male	504	–	–	–	1	–	1	1	2	6	19	20	42	62	74	75	73	46	45	24	9	4	–
	Female	525	–	–	–	–	1	–	2	4	3	11	20	28	34	73	82	96	78	47	24	13	9	–
431	Cerebral hemorrhage	440	1	–	–	1	3	1	3	1	6	16	25	32	56	48	68	59	46	37	23	10	4	–
	White Male	130	1	–	–	–	2	1	1	–	3	3	3	6	20	17	21	19	17	8	3	3	2	–
	Female	107	–	–	–	–	–	–	–	–	–	3	2	6	7	7	17	15	11	19	13	5	2	–
	All other Male	99	–	–	–	1	–	–	1	–	2	7	7	14	19	12	13	9	6	3	4	1	–	–
	Female	104	–	–	–	–	1	–	1	1	1	3	13	6	10	12	17	16	12	7	3	1	–	–
433	Cerebral thrombosis	657	1	–	–	–	–	–	–	–	1	1	6	16	29	55	67	112	99	120	84	51	15	–
	White Male	191	1	–	–	–	–	–	–	–	–	–	1	4	11	18	18	36	34	30	20	14	4	–
	Female	254	–	–	–	–	–	–	–	–	–	–	–	2	5	8	15	28	42	62	53	32	7	–
	All other Male	113	–	–	–	–	–	–	–	–	1	1	4	7	12	12	20	21	11	17	5	–	2	–
	Female	99	–	–	–	–	–	–	–	–	–	–	1	3	1	17	14	27	12	11	6	5	2	–
434	Cerebral embolism	6	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,623	1	–	–	–	3	1	6	7	10	27	41	64	87	155	191	225	261	255	165	93	31	–
	White Male	435	1	–	–	–	1	–	4	1	2	4	18	15	19	35	55	71	82	70	35	18	4	–
	Female	576	–	–	–	–	2	–	1	1	3	5	8	9	14	27	43	58	96	131	100	60	18	–
	All other Male	291	–	–	–	–	–	1	–	2	3	10	9	21	31	50	42	43	29	25	15	8	2	–
	Female	321	–	–	–	–	–	–	1	3	2	8	6	19	23	43	51	53	54	29	15	7	7	–
440	Arteriosclerosis	230	–	–	–	–	–	–	–	–	–	1	–	4	9	6	21	19	40	47	40	25	18	–
	White Male	63	–	–	–	–	–	–	–	–	–	–	–	2	3	1	7	4	9	14	9	9	5	–
	Female	97	–	–	–	–	–	–	–	–	–	–	–	–	4	4	7	5	13	21	22	14	7	–
	All other Male	35	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	5	6	7	7	1	3	–
	Female	35	–	–	–	–	–	–	–	–	–	–	–	1	1	1	4	5	12	5	2	1	3	–
441–448	Other diseases of arteries, arterioles, and capillaries	315	–	–	1	–	1	–	6	2	3	3	8	17	22	46	50	50	50	20	21	11	3	1
	White Male	151	–	–	–	–	–	–	2	1	1	3	2	5	13	25	28	25	23	11	9	2	1	–
	Female	91	–	–	1	–	–	–	3	1	–	–	1	3	5	12	10	12	17	6	10	8	2	–
	All other Male	35	–	–	–	–	1	–	–	–	2	–	2	7	2	5	6	4	3	1	1	–	–	1
	Female	38	–	–	–	–	–	–	1	–	–	–	3	2	2	4	6	9	7	2	1	1	–	–
466	Acute bronchitis and bronchiolitis	7	1	1	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	1	–	–
	White Male	5	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	708	59	15	1	1	5	10	7	10	20	17	15	33	46	50	66	72	89	84	54	37	17	–
	White Male	233	11	–	–	–	1	2	–	3	1	4	4	9	15	19	26	31	39	32	20	10	6	–
	Female	210	5	3	1	–	–	1	2	1	6	4	4	7	7	12	14	24	29	32	28	22	8	–
	All other Male	168	23	8	–	1	3	5	5	3	6	5	6	14	14	14	17	10	15	12	3	3	1	–
	Female	97	20	4	–	–	1	2	–	3	7	4	1	3	10	5	9	7	6	8	3	2	2	–
470–474	Influenza	87	2	–	–	–	1	1	1	1	2	4	3	6	4	7	8	10	14	14	2	4	3	–
	White Male	28	–	–	–	–	–	–	–	1	1	–	2	2	1	2	4	4	5	4	1	1	–	–
	Female	35	1	–	–	–	–	–	1	–	1	3	1	2	–	2	1	5	7	6	1	2	2	–
	All other Male	11	1	–	–	–	1	1	–	–	–	–	–	2	1	1	1	1	1	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	1	–	–	2	2	2	–	1	3	–	1	1	–
480–486	Pneumonia	621	57	15	1	1	4	9	6	9	18	13	12	27	42	43	58	62	75	70	52	33	14	–
	White Male	205	11	–	–	–	1	2	–	2	–	4	2	7	14	17	22	27	34	28	19	9	6	–
	Female	175	4	3	1	–	–	1	1	1	5	1	3	5	7	10	13	19	22	26	27	20	6	–
	All other Male	157	22	8	–	1	2	4	5	3	6	5	6	12	13	13	16	9	14	11	3	3	1	–
	Female	84	20	4	–	–	1	2	–	3	7	3	1	3	8	3	7	7	5	5	3	1	1	–
490–493	Bronchitis, emphysema, and asthma	281	–	3	1	1	2	1	–	2	2	3	8	22	32	44	49	52	29	21	8	1	–	–
	White Male	189	–	1	1	–	–	1	–	1	1	2	4	9	20	34	34	38	21	17	5	–	–	–
	Female	48	–	–	–	–	1	–	–	–	1	–	3	3	5	5	11	8	4	4	3	–	–	–
	All other Male	28	–	2	–	–	1	–	–	–	–	–	1	6	4	5	2	4	2	–	–	1	–	–
	Female	16	–	–	–	1	–	–	–	1	–	1	–	4	3	–	2	2	2	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
490, 491	Chronic and unqualified bronchitis	53	–	1	–	–	–	–	–	–	–	1	3	3	5	10	14	4	5	5	2	–	–	–
	White ..... Male	36	–	–	–	–	–	–	–	–	–	1	1	1	3	9	10	2	4	4	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	2	1	1	1	4	2	1	1	1	–	–	–
	All other ..... Male	3	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	199	–	–	–	–	–	–	–	1	1	1	3	16	22	32	32	45	23	16	6	1	–	–
	White ..... Male	147	–	–	–	–	–	–	–	–	1	1	2	7	17	25	24	36	17	13	4	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	2	2	3	6	5	3	3	2	–	–	–
	All other ..... Male	18	–	–	–	–	–	–	–	–	–	–	1	5	2	4	–	3	2	–	–	1	–	–
	Female	8	–	–	–	–	–	–	–	1	–	–	–	2	1	–	2	1	1	–	–	–	–	–
493	Asthma	29	–	2	1	1	2	1	–	1	1	1	2	3	5	2	3	3	1	–	–	–	–	–
	White ..... Male	6	–	1	1	–	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	8	–	–	–	–	1	–	–	–	1	–	1	–	2	1	1	1	–	–	–	–	–	–
	All other ..... Male	7	–	1	–	–	1	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–
	Female	8	–	–	–	1	–	–	–	–	–	1	–	2	2	–	–	1	1	–	–	–	–	–
531–533	Peptic ulcer	82	1	–	–	–	–	–	1	1	1	2	4	7	11	9	12	9	10	12	2	–	–	–
	White ..... Male	41	–	–	–	–	–	–	–	1	–	1	1	–	8	5	6	6	5	7	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	2	3	2	1	–	–	–
	All other ..... Male	23	1	–	–	–	–	–	1	–	1	–	2	5	2	1	5	1	2	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
540–543	Appendicitis	12	–	–	–	1	1	–	–	–	–	–	2	–	2	2	1	–	1	1	–	1	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	1	–	–
	All other ..... Male	3	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	73	4	1	2	1	–	–	–	–	2	2	1	6	3	7	6	9	8	10	7	3	1	–
	White ..... Male	16	–	–	–	1	–	–	–	–	1	–	–	1	–	3	2	2	3	3	–	–	–	–
	Female	35	1	–	2	–	–	–	–	–	1	1	1	4	–	3	2	2	4	5	6	2	1	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	–	1	–	1	3	1	1	2	1	2	–	–	–	–
	Female	10	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	1	–	–
571	Cirrhosis of liver	311	1	–	–	–	1	–	3	12	16	48	45	44	55	45	17	16	4	3	–	1	–	–
	White ..... Male	169	1	–	–	–	–	–	2	6	7	24	18	22	30	33	10	11	2	2	–	1	–	–
	Female	62	–	–	–	–	–	–	–	3	2	8	9	10	10	8	7	3	1	1	–	–	–	–
	All other ..... Male	43	–	–	–	–	–	–	–	1	4	6	13	6	9	2	–	1	1	–	–	–	–	–
	Female	37	–	–	–	–	1	–	1	2	3	10	5	6	6	2	–	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	30	–	–	–	–	–	–	–	–	1	2	–	1	2	2	2	6	5	3	4	2	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	2	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	3	2	1	2	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	1	–	1	–	–	–
580–584	Nephritis and nephrosis	121	–	–	–	–	1	1	1	3	1	5	10	7	12	19	20	12	10	8	5	6	–	–
	White ..... Male	21	–	–	–	–	–	–	–	–	–	–	1	–	2	5	6	2	1	2	–	2	–	–
	Female	32	–	–	–	–	–	–	–	–	–	2	1	1	2	6	3	2	4	5	3	3	–	–
	All other ..... Male	36	–	–	–	–	1	–	1	1	1	2	3	2	7	2	9	3	2	–	2	–	–	–
	Female	32	–	–	–	–	–	1	–	2	–	1	5	4	1	6	2	5	3	1	–	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	15	–	–	–	–	1	–	–	2	–	1	1	1	–	2	1	–	–	3	1	2	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	1	1	–	–
	All other ..... Male	3	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	106	–	–	–	–	–	1	1	1	1	4	9	6	12	17	19	12	10	5	4	4	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	1	–	2	3	5	2	1	2	–	1	–	–
	Female	26	–	–	–	–	–	–	–	–	–	2	–	1	2	6	3	2	4	2	2	2	–	–
	All other ..... Male	33	–	–	–	–	–	–	1	–	1	1	3	2	7	2	9	3	2	–	2	–	–	–
	Female	30	–	–	–	–	–	1	–	1	–	1	5	3	1	6	2	5	3	1	–	1	–	–
590	Infections of kidney	64	–	–	–	–	1	–	–	–	–	1	2	3	5	9	11	9	5	9	3	4	2	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	–	1	2	1	1	1	–
	Female	28	–	–	–	–	1	–	–	–	–	–	1	1	1	2	3	5	3	6	1	3	1	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	1	–	–	1	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	1	1	1	2	3	3	3	1	1	–	–	–	–
600	Hyperplasia of prostate	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	4	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Carolina—Con.																							
640–645	Abortions	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	3	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	207	136	26	9	3	3	4	2	1	4	6	5	3	2	2	–	–	–	–	–	–	–	1
	White Male	69	50	5	1	2	–	1	1	–	1	2	2	1	–	2	–	–	–	–	–	–	–	1
	Female	61	39	8	4	–	1	1	–	–	2	3	1	1	1	–	–	–	–	–	–	–	–	–
	All other Male	41	27	7	2	1	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	36	20	6	2	–	–	1	1	1	1	1	2	–	1	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	474	474	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	149	149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	135	135	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	117	117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	273	273	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	94	94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	57	57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	201	201	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	789	72	9	3	4	1	7	2	5	15	30	40	65	82	93	96	97	65	47	27	15	14	–
	White Male	221	15	2	–	1	–	2	–	–	4	8	12	23	30	31	24	22	21	13	9	2	2	–
	Female	160	12	3	2	1	–	2	–	–	2	5	10	10	8	17	20	21	15	14	9	8	1	–
	All other Male	232	27	2	1	2	–	3	1	3	5	11	11	22	26	28	31	28	9	11	6	2	3	–
	Female	176	18	2	–	–	1	–	1	2	4	6	7	10	18	17	21	26	20	9	3	3	8	–
Residual	All other diseases	1,501	36	19	10	14	17	26	32	43	54	74	82	119	144	160	172	162	144	104	56	22	10	1
	White Male	574	14	7	2	2	9	9	5	8	13	23	29	44	52	75	75	67	67	47	16	8	2	–
	Female	420	6	8	3	6	4	6	6	7	10	13	21	22	37	39	43	48	52	44	30	10	5	–
	All other Male	278	9	1	3	1	1	8	10	22	21	20	21	27	32	22	22	31	10	8	6	2	–	1
	Female	229	7	3	2	5	3	3	11	6	10	18	11	26	23	24	32	16	15	5	4	2	3	–
E800–E949	Accidents	1,662	28	51	52	77	194	196	145	107	78	83	112	116	79	96	55	54	48	41	33	12	5	–
	White Male	766	6	16	19	36	122	114	72	45	34	31	47	51	37	40	17	22	21	18	15	2	1	–
	Female	310	5	12	7	18	24	25	18	18	6	13	18	22	12	22	14	18	15	18	15	8	2	–
	All other Male	432	9	16	16	21	38	45	46	35	31	29	31	34	25	23	19	4	4	3	1	1	1	–
	Female	154	8	7	10	2	10	12	9	9	7	10	16	9	5	11	5	10	8	2	2	1	1	–
E810–E823	Motor vehicle accidents	821	6	28	31	37	117	126	83	54	45	45	51	45	34	43	22	21	18	9	5	1	–	–
	White Male	389	1	11	10	16	75	74	40	19	19	14	21	20	14	21	6	7	10	7	4	–	–	–
	Female	154	2	2	4	12	21	18	11	12	4	6	10	11	7	11	5	8	6	2	1	1	–	–
	All other Male	208	–	12	10	9	16	28	28	16	17	18	14	9	10	9	9	3	–	–	–	–	–	–
	Female	70	3	3	7	–	5	6	4	7	5	7	6	5	3	2	2	3	2	–	–	–	–	–
E800–E807, E825–E949	All other accidents	841	22	23	21	40	77	70	62	53	33	38	61	71	45	53	33	33	30	32	28	11	5	–
	White Male	377	5	5	9	20	47	40	32	26	15	17	26	31	23	19	11	15	11	11	11	2	1	–
	Female	156	3	10	3	6	3	7	7	6	2	7	8	11	5	11	9	10	9	16	14	7	2	–
	All other Male	224	9	4	6	12	22	17	18	19	14	11	17	25	15	14	10	1	4	3	1	1	1	–
	Female	84	5	4	3	2	5	6	5	2	2	3	10	4	2	9	3	7	6	2	2	1	1	–
E950–E959	Suicide	324	...	...	–	4	18	42	28	25	25	27	39	31	26	24	16	4	9	4	2	–	–	–
	White Male	214	...	...	–	2	12	28	18	14	15	14	27	21	21	18	11	3	5	3	2	–	–	–
	Female	74	...	...	–	1	4	5	6	7	6	12	9	8	5	6	2	1	1	1	–	–	–	–
	All other Male	27	...	...	–	–	1	5	3	4	3	–	3	2	–	–	3	–	3	–	–	–	–	–
	Female	9	...	...	–	1	1	4	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	423	1	4	2	2	34	58	62	54	37	44	41	30	24	9	11	4	2	2	1	–	–	1
	White Male	139	1	2	–	–	5	16	12	19	14	17	16	9	10	6	8	3	1	–	–	–	–	–
	Female	42	–	–	2	–	4	4	4	2	3	5	7	5	1	1	2	–	–	2	–	–	–	–
	All other Male	203	–	2	–	1	20	29	41	30	15	19	15	14	12	2	1	1	–	–	1	–	–	–
	Female	39	–	–	–	1	5	9	5	3	5	3	3	2	1	–	–	–	1	–	–	–	–	1
E980–E999	Other external causes	57	–	1	–	–	11	6	4	4	2	3	10	5	4	3	4	–	–	–	–	–	–	–
	White Male	18	–	–	–	–	3	1	–	1	1	2	5	1	1	1	2	–	–	–	–	–	–	–
	Female	11	–	–	–	–	1	–	1	1	1	–	–	3	2	1	1	–	–	–	–	–	–	–
	All other Male	19	–	–	–	–	2	4	3	2	–	1	4	–	1	1	1	–	–	–	–	–	–	–
	Female	9	–	1	–	–	5	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota																							
	All causes	**6,484**	**181**	**40**	**22**	**32**	**102**	**83**	**60**	**58**	**77**	**99**	**131**	**232**	**328**	**441**	**595**	**769**	**877**	**1,025**	**811**	**393**	**128**	–
	White Male	3,445	71	11	10	16	54	47	27	26	32	44	75	141	211	291	403	453	486	511	354	139	43	–
	Female	2,576	62	15	7	6	22	13	9	19	21	30	36	65	90	122	163	273	362	492	438	249	82	–
	All other Male	286	29	7	1	3	16	17	13	8	15	14	15	12	20	22	17	25	20	17	13	1	1	–
	Female	177	19	7	4	7	10	6	11	5	9	11	5	14	7	6	12	18	9	5	6	4	2	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	18	7	–	1	1	–	–	–	1	–	–	–	–	–	–	–	2	–	2	2	2	–	–
	White Male	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
	Female	10	2	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	2	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	18	–	–	–	–	–	–	1	1	1	–	1	1	–	2	1	3	4	1	2	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	All other Male	5	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	12	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–	1	3	1	2	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other Male	3	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	6	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	2	1	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	11	2	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	3	1	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–
	All other Male	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	10	1	–	–	–	1	–	–	1	–	–	–	1	1	–	2	1	–	–	1	1	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	–	–
	All other Male	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,118	–	3	1	1	4	4	9	7	12	24	28	53	72	121	165	178	158	133	101	38	6	–
	White.....Male	618	–	2	1	–	3	2	5	2	7	12	11	27	34	70	112	102	84	73	55	14	2	–
	Female	470	–	1	–	–	–	2	4	5	4	12	17	26	37	48	47	69	71	56	44	23	4	–
	All other.....Male	20	–	–	–	–	1	–	–	–	1	–	–	–	1	1	4	5	2	4	1	–	–	–
	Female	10	–	–	–	1	–	–	–	–	–	–	–	–	–	2	2	2	1	–	1	1	–	–
140–149	Of buccal cavity and pharynx	17	–	–	–	–	–	–	–	–	–	–	–	–	4	2	5	2	–	1	2	1	–	–
	White.....Male	11	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	2	–	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	2	1	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	353	–	–	–	–	–	2	–	–	5	6	1	16	22	39	47	55	52	50	42	15	1	–
	White.....Male	195	–	–	–	–	–	1	–	–	3	5	–	8	12	23	35	26	28	24	25	5	–	–
	Female	151	–	–	–	–	–	1	–	–	1	1	1	8	10	16	11	26	24	24	17	10	1	–
	All other.....Male	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
160–163	Of respiratory system	206	–	–	–	–	–	–	–	–	4	3	9	16	16	25	44	40	25	10	11	3	–	–
	White.....Male	163	–	–	–	–	–	–	–	–	2	2	6	14	9	23	35	34	22	7	7	2	–	–
	Female	39	–	–	–	–	–	–	–	–	2	1	3	2	6	2	7	5	3	3	4	1	–	–
	All other.....Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	109	–	–	–	–	–	–	–	2	–	6	4	9	5	18	12	17	14	8	8	6	–	–
	White.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	104	–	–	–	–	–	–	–	2	–	6	4	9	5	15	12	17	13	8	7	6	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
180–187	Of genital organs	163	–	–	–	–	–	–	5	1	1	2	4	6	10	12	25	25	23	35	9	4	1	–
	White.....Male	97	–	–	–	–	–	–	2	–	1	–	1	–	2	4	17	18	18	24	7	3	–	–
	Female	62	–	–	–	–	–	–	3	1	–	2	3	6	8	7	7	7	5	9	2	1	1	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
188, 189	Of urinary organs	47	–	–	–	–	–	–	–	–	–	1	2	1	2	4	8	6	8	7	6	2	–	–
	White.....Male	28	–	–	–	–	–	–	–	–	–	1	1	1	1	3	4	4	3	5	4	1	–	–
	Female	18	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	2	5	2	2	1	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	121	–	2	1	1	1	2	2	2	1	3	6	4	8	10	15	14	15	10	16	4	4	–
	White.....Male	60	–	1	1	–	–	1	1	–	1	2	2	3	3	4	11	9	4	5	8	2	2	–
	Female	53	–	1	–	–	–	1	1	2	–	1	4	1	5	5	3	3	10	5	7	2	2	–
	All other.....Male	6	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–	–
	Female	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
204–207	Leukemia	42	–	1	–	–	1	–	1	1	–	–	2	–	1	4	5	6	8	6	4	2	–	–
	White.....Male	28	–	1	–	–	1	–	1	1	–	–	1	–	1	4	4	3	3	5	2	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	4	1	2	1	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	60	–	–	–	–	2	–	1	1	1	3	–	1	4	7	4	13	13	6	3	1	–	–
	White.....Male	34	–	–	–	–	2	–	1	1	–	2	–	1	3	5	3	6	6	2	2	–	–	–
	Female	24	–	–	–	–	–	–	–	–	1	1	–	–	1	2	1	6	7	4	1	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	22	–	–	–	–	–	–	–	1	–	–	–	1	2	4	2	4	2	3	1	2	–	–
	White.....Male	12	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	1	2	–	1	–	–
	Female	8	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	1	1	1	1	–	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	102	–	–	–	–	1	1	1	2	3	–	–	6	6	6	7	14	20	17	13	4	1	–
	White.....Male	36	–	–	–	–	–	–	–	–	–	–	–	4	1	3	1	3	9	8	4	2	1	–
	Female	55	–	–	–	–	1	1	–	2	1	–	–	1	2	–	6	11	11	9	8	2	–	–
	All other.....Male	8	–	–	–	–	–	–	–	–	2	–	–	–	3	2	–	–	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	–
	White.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota – Con.																							
280–285	Anemias	13	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	4	1	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	2	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	4	1	–	–	–
	All other ... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	White ... Male	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other ... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,482	1	4	–	2	1	2	2	6	12	27	51	101	154	205	330	426	522	697	560	280	99	–
	White ... Male	1,897	–	–	–	1	1	–	–	3	6	17	37	79	117	159	231	251	288	340	235	97	35	–
	Female	1,479	1	1	–	–	–	–	1	2	4	6	10	16	28	39	86	155	221	348	317	182	62	–
	All other ... Male	66	–	3	–	–	–	2	–	–	1	2	2	3	7	7	8	11	9	7	3	1	–	–
	Female	40	–	–	–	1	–	–	1	1	1	2	2	3	2	–	5	9	4	2	5	–	2	–
390–398, 402, 404, 410–429	Diseases of heart	2,534	–	3	–	2	1	1	1	5	8	21	43	85	126	172	261	333	387	483	362	176	64	–
	White ... Male	1,451	–	–	–	1	1	–	–	3	5	14	33	70	101	137	189	197	220	251	151	53	25	–
	Female	997	–	–	–	–	–	–	–	1	1	3	7	9	19	30	62	119	156	226	203	123	38	–
	All other ... Male	58	–	3	–	–	–	1	–	–	1	2	2	3	6	5	7	11	8	6	3	–	–	–
	Female	28	–	–	–	1	–	–	1	1	1	2	1	3	–	–	3	6	3	–	5	–	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	34	–	–	–	–	–	1	–	–	1	2	2	–	5	4	6	2	3	6	2	–	–	–
	White ... Male	20	–	–	–	–	–	–	–	–	–	–	1	–	5	2	4	1	2	4	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	2	1	–	–	2	1	1	1	2	1	–	–	–
	All other ... Male	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	11	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	1	1	–	1	2	–	–
	White ... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	2	5	2	4	–
	White ... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	2	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	2	2	2	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	2,277	–	–	–	1	–	–	–	3	5	14	36	74	113	149	236	300	359	439	328	165	55	–
	White ... Male	1,309	–	–	–	1	–	–	–	3	4	12	29	62	89	120	171	177	206	228	137	48	22	–
	Female	906	–	–	–	–	–	–	–	–	1	–	4	7	18	25	59	108	144	206	185	117	32	–
	All other ... Male	43	–	–	–	–	–	–	–	–	–	2	2	3	6	4	3	10	7	5	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	2	–	–	3	5	2	–	5	–	1	–
410	Acute myocardial infarction	1,369	–	–	–	1	–	–	–	2	3	11	31	62	90	116	176	206	222	228	142	59	20	–
	White ... Male	862	–	–	–	1	–	–	–	2	2	9	25	51	72	91	129	125	126	128	65	24	12	–
	Female	464	–	–	–	–	–	–	–	–	1	–	4	7	12	22	43	70	91	98	74	35	7	–
	All other ... Male	31	–	–	–	–	–	–	–	–	–	2	2	3	6	3	2	6	4	2	1	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	5	1	–	2	–	1	–
411	Other acute and subacute forms of ischemic heart disease	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	3	3	–	–	–
	White ... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	2	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	898	–	–	–	–	–	–	–	1	2	3	5	12	23	33	58	92	137	208	183	106	35	–
	White ... Male	440	–	–	–	–	–	–	–	1	2	3	4	11	17	29	41	50	80	98	70	24	10	–
	Female	440	–	–	–	–	–	–	–	–	–	–	–	–	6	3	16	38	53	107	110	82	25	–
	All other ... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	3	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	3	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	14	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	1	3	4	2	1	–	–
	White ... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	2	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–
	All other ... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota—Con.																							
420–423, 425–427, 429	All other forms of heart disease	178	–	2	–	1	1	–	1	1	2	5	4	10	6	15	18	27	18	32	24	6	5	–
	White..... Male	101	–	–	–	–	1	–	–	–	1	2	3	7	5	12	14	17	9	16	9	4	1	–
	Female	59	–	–	–	–	–	–	–	1	–	1	1	2	1	2	1	8	7	15	14	2	4	–
	All other..... Male	11	–	2	–	–	–	–	–	–	1	–	–	–	–	1	3	1	1	1	1	–	–	–
	Female	7	–	–	–	1	–	–	1	–	–	2	–	1	–	–	–	1	1	–	–	–	–	–
400, 401, 403	Hypertension	24	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	4	5	7	1	2	–
	White..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	3	4	1	2	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	716	1	1	–	–	–	1	1	1	3	6	6	15	20	29	51	70	105	167	143	78	18	–
	White..... Male	327	–	–	–	–	–	–	–	–	–	3	3	9	11	19	28	38	56	67	59	32	2	–
	Female	372	1	1	–	–	–	–	1	1	3	3	2	6	8	8	20	30	47	97	84	45	15	–
	All other..... Male	7	–	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	1	1	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	1	2	–	–	1	–
431	Cerebral hemorrhage	94	–	–	–	–	–	–	–	1	–	1	2	5	8	5	7	12	17	14	13	6	3	–
	White..... Male	32	–	–	–	–	–	–	–	–	–	–	–	2	3	3	3	6	4	5	4	2	–	–
	Female	57	–	–	–	–	–	–	–	1	–	1	1	3	4	2	3	6	13	9	9	3	2	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	1	–
433	Cerebral thrombosis	144	–	–	–	–	–	–	–	–	–	–	1	3	3	5	8	11	24	40	31	13	5	–
	White..... Male	68	–	–	–	–	–	–	–	–	–	–	1	3	2	3	4	7	12	14	15	7	–	–
	Female	73	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	12	25	16	6	5	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
434	Cerebral embolism	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	476	1	1	–	–	–	1	–	–	3	5	3	7	9	19	36	47	64	112	99	59	10	–
	White..... Male	227	–	–	–	–	–	–	–	–	–	3	2	4	6	13	21	25	40	48	40	23	2	–
	Female	240	1	1	–	–	–	–	–	–	3	2	1	3	3	5	13	21	22	62	59	36	8	–
	All other..... Male	4	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–
440	Arteriosclerosis	107	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	10	29	32	18	11	–
	White..... Male	43	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	12	14	7	3	–
	Female	63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	7	17	18	11	8	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	101	–	–	–	–	–	–	–	–	1	–	2	1	6	3	16	16	16	13	16	7	4	–
	White..... Male	61	–	–	–	–	–	–	–	–	1	–	1	–	3	2	12	13	8	7	7	4	3	–
	Female	38	–	–	–	–	–	–	–	–	–	–	1	1	1	1	4	3	8	6	9	3	1	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	216	9	2	–	1	1	1	–	1	2	2	5	4	5	9	13	7	43	37	46	19	9	–
	White..... Male	87	1	–	–	–	–	–	–	1	1	–	3	–	2	5	6	5	24	18	13	6	2	–
	Female	105	3	2	–	1	1	–	–	–	–	1	1	1	1	4	7	–	16	17	32	11	7	–
	All other..... Male	9	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	1	–	–	–
	Female	15	2	–	–	–	–	1	–	–	1	1	–	3	2	–	–	1	2	–	–	2	–	–
470–474	Influenza	23	–	–	–	–	–	–	–	1	–	–	1	–	–	–	3	1	4	5	6	1	1	–
	White..... Male	12	–	–	–	–	–	–	–	1	–	–	1	–	–	–	2	1	3	1	3	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	3	1	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	193	9	2	–	1	1	1	–	–	2	2	4	4	5	9	10	6	39	32	40	18	8	–
	White..... Male	75	1	–	–	–	–	–	–	–	1	–	2	–	2	5	4	4	21	17	10	6	2	–
	Female	94	3	2	–	1	1	–	–	–	–	1	1	1	1	4	6	–	15	13	29	10	6	–
	All other..... Male	9	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	1	–	–	–
	Female	15	2	–	–	–	–	1	–	–	1	1	–	3	2	–	–	1	2	–	–	2	–	–
490–493	Bronchitis, emphysema, and asthma	98	–	1	–	–	–	–	–	–	–	2	1	2	7	11	9	24	16	15	9	1	–	–
	White..... Male	82	–	–	–	–	–	–	–	–	–	1	1	1	6	7	9	23	14	13	7	–	–	–
	Female	15	–	1	–	–	–	–	–	–	–	1	–	–	1	4	–	1	2	2	2	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota – Con.																							
490, 491	Chronic and unqualified bronchitis	15	–	1	–	–	–	–	–	–	–	1	1	1	–	1	1	1	4	1	3	–	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	3	1	3	–	–	–
	Female	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
492	Emphysema	80	–	–	–	–	–	–	–	–	–	–	–	1	7	8	8	23	12	14	6	1	–	–
	White ..... Male	70	–	–	–	–	–	–	–	–	–	–	–	1	6	5	8	23	11	12	4	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	2	2	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	3	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	19	–	–	–	–	–	1	–	–	–	1	–	2	2	2	2	1	2	3	1	2	–	–
	White ..... Male	11	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	1	3	–	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–	1	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	3	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	White ..... Male	3	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	27	1	1	–	–	–	–	–	–	–	–	–	–	1	2	3	4	3	6	3	2	1	–
	White ..... Male	16	–	1	–	–	–	–	–	–	–	–	–	–	1	2	2	4	2	3	1	–	–	–
	Female	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	2	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	71	–	–	–	–	–	1	3	2	8	7	4	12	10	7	8	4	1	1	2	1	–	–
	White ..... Male	36	–	–	–	–	–	–	–	–	7	3	1	5	7	4	4	3	–	1	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	3	3	1	4	1	–	–	1	1	–	–
	All other ..... Male	10	–	–	–	–	–	–	–	2	–	1	1	3	–	2	–	–	1	–	–	–	–	–
	Female	11	–	–	–	–	–	1	3	–	1	3	2	1	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	5	4	–	–	–	–
	White ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
580–584	Nephritis and nephrosis	29	–	–	–	–	1	–	–	–	–	1	1	–	3	4	3	5	4	3	–	4	–	–
	White ..... Male	17	–	–	–	–	–	–	–	–	–	–	1	–	2	3	2	3	4	1	–	1	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	2	–	3	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	10	–	–	–	–	1	–	–	–	–	1	–	–	2	1	1	1	2	1	–	–	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	19	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	4	2	2	–	4	–	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	2	2	1	–	1	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	3	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	4	1	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	3	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	5	–	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	South Dakota – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	50	36	3	1	1	–	1	1	1	1	–	1	–	–	2	1	–	–	1	–	–	–	–
	White Male	24	19	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	22	14	1	–	1	–	1	1	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–
	All other Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	86	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	16	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	92	19	–	–	1	2	1	1	–	2	1	2	4	4	8	8	11	7	6	9	4	2	–
	White Male	32	8	–	–	–	–	–	–	–	–	1	1	–	2	4	4	4	2	1	3	2	–	–
	Female	28	4	–	–	–	–	–	1	–	1	–	–	1	1	–	1	4	3	5	4	2	1	–
	All other Male	20	3	–	–	–	1	1	–	–	1	–	1	1	1	4	2	1	1	–	2	–	1	–
	Female	12	4	–	–	1	1	–	–	–	–	–	–	2	–	–	1	2	1	–	–	–	–	–
Residual	All other diseases	404	7	8	1	2	3	3	5	7	7	11	14	24	27	26	20	58	61	63	34	17	6	–
	White Male	201	1	1	–	–	2	2	2	1	2	2	5	11	13	16	9	32	36	32	23	9	2	–
	Female	150	4	5	1	2	–	1	1	3	1	3	5	11	11	7	6	22	22	25	9	7	4	–
	All other Male	29	–	1	–	–	1	–	–	1	3	3	4	1	1	3	2	1	2	4	2	–	–	–
	Female	24	2	1	–	–	–	–	2	2	1	3	–	1	2	–	3	3	1	2	–	1	–	–
E800–E949	Accidents	431	6	14	18	23	74	56	28	22	20	16	15	15	12	22	12	15	16	19	15	10	3	–
	White Male	236	2	3	8	15	41	38	15	15	8	7	11	10	10	11	10	8	8	7	3	5	1	–
	Female	101	1	3	5	1	19	7	1	4	5	4	–	1	–	8	2	6	6	11	10	5	2	–
	All other Male	58	1	3	1	3	8	9	8	3	4	4	3	2	2	2	–	1	2	–	2	–	–	–
	Female	36	2	5	4	4	6	2	4	–	3	1	1	2	–	1	–	–	–	1	–	–	–	–
E810–E823	Motor vehicle accidents	214	2	5	9	8	52	36	17	10	15	6	6	7	9	12	4	6	3	3	2	2	–	–
	White Male	110	1	–	3	4	24	23	8	6	6	2	6	4	7	5	3	3	2	1	–	2	–	–
	Female	49	–	1	4	1	16	6	–	2	5	1	–	1	–	4	1	3	1	2	1	–	–	–
	All other Male	34	–	3	–	1	6	5	7	2	2	2	–	1	2	2	–	–	–	–	1	–	–	–
	Female	21	1	1	2	2	6	2	2	–	2	1	–	1	–	1	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	217	4	9	9	15	22	20	11	12	5	10	9	8	3	10	8	9	13	16	13	8	3	–
	White Male	126	1	3	5	11	17	15	7	9	2	5	5	6	3	6	7	5	6	6	3	3	1	–
	Female	52	1	2	1	–	3	1	1	2	–	3	–	–	–	4	1	3	5	9	9	5	2	–
	All other Male	24	1	–	1	2	2	4	1	1	2	2	3	1	–	–	–	1	2	–	1	–	–	–
	Female	15	1	4	2	2	–	–	2	–	1	–	1	1	–	–	–	–	–	1	–	–	–	–
E950–E959	Suicide	70	...	...	–	–	8	5	4	3	4	4	5	4	10	6	6	5	3	1	2	–	–	–
	White Male	50	...	...	–	–	6	3	3	3	1	1	3	2	7	4	6	5	3	1	2	–	–	–
	Female	11	...	...	–	–	–	–	–	–	1	2	2	2	2	2	–	–	–	–	–	–	–	–
	All other Male	8	...	...	–	–	1	2	1	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	33	–	–	–	–	6	5	4	1	3	2	1	1	6	1	–	3	–	–	–	–	–	–
	White Male	8	–	–	–	–	1	1	1	–	–	–	–	–	4	–	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	1	1	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	18	–	–	–	–	4	3	3	–	–	2	1	1	2	–	–	2	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	10	–	1	–	–	–	2	–	2	–	1	2	–	1	–	1	–	–	–	–	–	–	–
	White Male	5	–	1	–	–	–	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee																							
	All causes	**38,564**	**1,008**	**220**	**118**	**173**	**496**	**524**	**464**	**457**	**579**	**833**	**1,268**	**1,974**	**2,621**	**3,550**	**4,247**	**4,886**	**4,982**	**4,646**	**3,243**	**1,626**	**540**	**9**
	White ..... Male	17,768	373	89	54	88	288	298	257	228	273	427	660	1,048	1,420	1,890	2,263	2,368	2,181	1,827	1,127	476	132	1
	Female	13,769	301	57	37	42	122	92	91	105	146	217	315	528	685	915	1,255	1,599	2,031	2,203	1,766	947	314	1
	All other ..... Male	3,815	180	43	20	29	58	93	81	85	93	107	169	234	295	434	440	477	402	290	165	78	38	4
	Female	3,212	154	31	7	14	28	41	35	39	67	82	124	164	221	311	389	442	368	326	185	125	56	3
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	50	12	8	1	1	–	–	1	–	–	–	2	2	–	2	3	4	5	2	5	1	1	–
	White ..... Male	25	4	4	–	1	–	–	–	–	–	–	2	2	–	1	2	2	4	–	2	–	1	–
	Female	19	4	2	1	–	–	–	1	–	–	–	–	–	–	1	1	2	1	2	3	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	116	–	1	–	–	1	1	1	–	3	7	6	6	9	11	17	17	15	8	11	1	1	–
	White ..... Male	68	–	1	–	–	–	–	–	–	1	4	1	4	6	6	10	13	9	6	5	1	1	–
	Female	24	–	–	–	–	–	–	–	–	1	1	–	1	–	3	5	2	5	2	4	–	–	–
	All other ..... Male	15	–	–	–	–	1	1	1	–	1	–	3	–	2	1	1	1	1	–	2	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	2	2	1	1	1	1	1	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	91	–	–	–	–	1	–	–	–	3	3	4	6	8	9	16	12	14	4	9	1	1	–
	White ..... Male	55	–	–	–	–	–	–	–	–	1	2	1	4	6	5	10	8	8	3	5	1	1	–
	Female	21	–	–	–	–	–	–	–	–	1	1	–	1	–	3	5	2	5	1	2	–	–	–
	All other ..... Male	9	–	–	–	–	1	–	–	–	1	–	1	–	1	1	–	1	1	–	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	1	–	–	–	–	–	–
013–019	Tuberculosis, other forms	25	–	1	–	–	–	1	1	–	–	4	2	–	1	2	1	5	1	4	2	–	–	–
	White ..... Male	13	–	1	–	–	–	–	–	–	–	2	–	–	–	1	–	5	1	3	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
	All other ..... Male	6	–	–	–	–	–	1	1	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	7	2	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	5	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	114	35	2	2	–	–	2	2	–	2	1	1	3	5	7	12	17	12	4	4	1	2	–
	White ..... Male	33	11	–	–	–	–	–	–	–	1	1	1	2	3	3	3	5	3	–	–	–	–	–
	Female	38	9	–	1	–	–	1	1	–	1	–	–	–	1	2	3	5	7	3	3	–	1	–
	All other ..... Male	26	9	1	–	–	–	–	1	–	–	–	–	1	–	–	5	4	1	1	1	1	1	–
	Female	17	6	1	1	–	–	1	–	–	–	–	–	–	1	2	1	3	1	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	117	5	6	5	2	1	2	4	4	6	6	5	5	13	12	12	11	6	6	4	2	–	–
	White ..... Male	38	4	2	3	–	–	1	–	1	1	1	3	1	4	5	5	3	1	2	–	1	–	–
	Female	41	1	4	1	–	–	–	1	1	2	2	1	2	5	4	3	6	3	2	2	1	–	–
	All other ..... Male	16	–	–	1	2	–	1	1	–	1	1	–	2	1	–	2	1	2	1	–	–	–	–
	Female	22	–	–	–	–	1	–	2	2	2	2	1	–	3	3	2	1	–	1	2	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	6,857	4	24	13	15	33	37	32	59	85	178	343	530	727	911	1,012	1,006	862	579	299	92	16	–
	White Male	3,117	1	11	6	10	13	15	14	22	24	63	144	240	334	447	505	483	392	240	118	32	3	–
	Female	2,536	3	11	5	4	14	14	12	25	42	81	127	188	252	279	332	351	343	253	145	46	9	–
	All other Male	676	–	1	1	1	5	4	4	3	6	15	36	57	84	118	90	101	75	45	19	8	3	–
	Female	528	–	1	1	–	1	4	2	9	13	19	36	45	57	67	85	71	52	41	17	6	1	–
140–149	Of buccal cavity and pharynx	142	–	–	–	–	–	–	–	1	–	4	13	16	17	22	18	12	14	11	12	2	–	–
	White Male	89	–	–	–	–	–	–	–	1	–	2	7	9	10	18	13	9	7	8	3	2	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	2	3	4	3	4	3	5	2	9	–	–	–
	All other Male	14	–	–	–	–	–	–	–	–	–	2	2	4	3	1	–	–	2	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–	–
150–159	Of digestive organs and peritoneum	1,710	–	1	–	–	3	2	7	8	23	34	64	104	159	219	278	274	236	176	90	28	4	–
	White Male	729	–	1	–	–	–	2	1	4	7	16	31	54	65	100	137	113	94	64	32	7	1	–
	Female	649	–	–	–	–	1	–	3	3	12	9	14	25	53	69	88	112	106	88	46	18	2	–
	All other Male	189	–	–	–	–	1	–	3	–	–	7	14	13	23	36	23	30	18	12	7	1	1	–
	Female	143	–	–	–	–	1	–	–	1	4	2	5	12	18	14	30	19	18	12	5	2	–	–
160–163	Of respiratory system	1,681	–	1	–	–	–	2	–	6	9	36	96	186	237	280	276	255	165	90	27	13	2	–
	White Male	1,154	–	1	–	–	–	2	–	3	4	22	66	118	145	202	200	187	123	63	12	6	–	–
	Female	279	–	–	–	–	–	–	–	2	2	7	13	39	46	37	39	33	27	19	10	4	1	–
	All other Male	195	–	–	–	–	–	–	–	–	2	4	13	21	39	32	31	30	12	4	4	2	1	–
	Female	53	–	–	–	–	–	–	–	1	1	3	4	8	7	9	6	5	3	4	1	1	–	–
174	Of breast	554	1	–	–	–	–	2	3	8	14	31	46	62	70	73	54	64	60	35	23	8	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	2	–	–	–	–	–	–
	Female	467	1	–	–	–	–	1	3	6	10	25	36	58	59	59	47	49	55	30	21	7	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	80	–	–	–	–	–	1	–	2	4	6	10	4	11	9	7	13	5	5	2	1	–	–
180–187	Of genital organs	857	–	–	–	–	2	5	3	8	6	19	38	44	69	83	136	124	144	103	59	13	1	–
	White Male	298	–	–	–	–	1	3	1	2	–	1	1	5	13	24	44	45	69	45	35	9	–	–
	Female	358	–	–	–	–	1	2	2	5	6	13	28	28	39	40	53	50	43	31	16	1	–	–
	All other Male	104	–	–	–	–	–	–	–	–	–	–	–	1	4	10	16	18	27	21	4	2	1	–
	Female	97	–	–	–	–	–	–	–	1	–	5	9	10	13	9	23	11	5	6	4	1	–	–
188, 189	Of urinary organs	260	–	1	1	–	–	–	–	2	2	3	6	15	24	29	42	52	40	25	10	7	1	–
	White Male	135	–	–	–	–	–	–	–	–	1	2	3	10	18	15	22	30	18	13	2	1	–	–
	Female	88	–	1	1	–	–	–	–	2	–	1	2	1	5	5	16	14	19	9	6	5	1	–
	All other Male	23	–	–	–	–	–	–	–	–	–	–	1	4	–	5	4	4	1	1	2	1	–	–
	Female	14	–	–	–	–	–	–	–	–	1	–	–	–	1	4	–	4	2	2	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	948	1	11	6	5	10	14	8	14	20	37	47	65	95	122	125	129	103	69	47	12	8	–
	White Male	373	1	2	2	3	6	2	5	6	7	15	18	27	51	38	54	52	36	19	22	5	2	–
	Female	386	–	7	2	2	3	7	3	3	9	19	22	23	32	44	45	53	45	37	19	6	5	–
	All other Male	96	–	1	1	–	1	2	–	3	2	–	4	10	9	22	12	12	10	5	1	1	–	–
	Female	93	–	1	1	–	–	3	–	2	2	3	3	5	3	18	14	12	12	8	5	–	1	–
204–207	Leukemia	322	2	9	6	10	8	9	6	7	4	5	16	16	29	26	35	33	36	37	21	7	–	–
	White Male	161	–	6	4	7	1	5	5	3	2	2	8	8	18	14	18	20	15	14	9	2	–	–
	Female	128	2	3	2	2	5	3	–	2	1	2	5	5	9	8	17	9	16	22	12	3	–	–
	All other Male	19	–	–	–	1	2	1	1	–	1	1	–	1	1	3	–	3	2	1	–	1	–	–
	Female	14	–	–	–	–	–	–	–	2	–	–	3	2	1	1	–	1	3	–	–	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	383	–	1	–	–	10	3	5	5	7	9	17	22	27	57	48	63	64	33	10	2	–	–
	White Male	172	–	1	–	–	5	1	2	3	3	3	10	9	14	32	17	25	30	14	3	–	–	–
	Female	146	–	–	–	–	4	1	1	2	2	5	5	6	5	14	23	28	27	15	6	2	–	–
	All other Male	35	–	–	–	–	1	1	–	–	1	1	2	3	5	8	4	4	3	1	1	–	–	–
	Female	30	–	–	–	–	–	–	2	–	1	–	–	4	3	3	4	6	4	3	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	70	2	–	1	–	3	1	1	3	5	1	2	10	6	8	6	10	5	2	2	2	–	–
	White Male	24	1	–	–	–	1	–	–	–	1	–	2	6	4	3	3	3	–	–	–	–	–	–
	Female	26	1	–	1	–	–	–	–	2	2	1	–	2	–	3	2	6	2	1	2	1	–	–
	All other Male	13	–	–	–	–	1	1	1	1	–	–	–	2	1	1	1	1	1	1	–	1	–	–
	Female	7	–	–	–	–	1	–	–	–	2	–	–	–	1	1	–	–	2	–	–	–	–	–
250	Diabetes mellitus	607	–	1	–	–	–	3	7	8	7	7	23	28	46	75	90	108	91	64	37	10	2	–
	White Male	199	–	–	–	–	–	–	4	4	–	5	10	15	17	27	26	30	26	19	12	4	–	–
	Female	244	–	–	–	–	–	2	1	3	3	–	6	8	17	18	35	48	42	35	20	5	1	–
	All other Male	52	–	1	–	–	–	–	–	1	2	2	3	3	4	10	11	8	3	3	1	–	–	–
	Female	112	–	–	–	–	–	1	2	–	2	–	4	2	8	20	18	22	20	7	4	1	1	–
260–269	Avitaminoses and other nutritional deficiencies	47	1	–	–	–	–	1	–	–	2	–	–	2	2	2	1	5	5	5	9	7	5	–
	White Male	13	–	–	–	–	–	–	–	–	2	–	–	1	1	1	–	1	1	–	5	1	–	–
	Female	23	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	3	–	5	2	5	4	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	1	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee—Con.																							
280–285	Anemias	75	3	–	–	2	2	–	2	–	3	–	–	5	5	2	6	6	12	9	14	3	1	–
	White Male	28	–	–	–	2	–	–	–	–	1	–	–	1	3	1	2	2	5	3	7	1	–	–
	Female	28	–	–	–	–	2	–	–	–	1	–	–	4	–	1	3	1	4	4	6	1	1	–
	All other Male	10	2	–	–	–	–	–	2	–	–	–	–	–	1	–	–	3	2	–	–	–	–	–
	Female	9	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	2	1	1	–	–
320	Meningitis	36	17	7	1	1	–	–	2	–	1	–	1	–	–	1	1	2	1	1	–	–	–	–
	White Male	15	8	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	10	5	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
	All other Male	7	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	Female	4	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	20,276	3	7	4	6	11	20	30	61	132	257	471	834	1,190	1,782	2,359	2,833	3,124	3,183	2,309	1,232	423	5
	White Male	9,097	2	2	2	1	4	7	12	24	66	147	286	475	711	1,002	1,249	1,389	1,306	1,201	772	337	101	1
	Female	7,715	–	1	–	2	2	7	9	17	25	45	73	172	254	404	639	882	1,338	1,561	1,297	738	249	–
	All other Male	1,740	–	2	1	2	2	4	5	12	20	31	58	112	122	216	244	278	248	188	106	60	27	2
	Female	1,724	1	2	1	1	3	2	4	8	21	34	54	75	103	160	227	284	232	233	134	97	46	2
390–398, 402, 404, 410–429	Diseases of heart	14,144	3	5	1	3	7	14	22	36	107	215	398	703	967	1,421	1,780	2,006	2,090	1,982	1,427	703	251	3
	White Male	6,919	2	1	1	1	4	5	11	18	62	129	261	425	628	843	1,011	1,031	908	813	507	205	52	1
	Female	4,941	–	1	–	–	–	4	6	7	14	36	56	130	191	302	456	614	883	913	771	404	153	–
	All other Male	1,173	–	1	–	2	1	3	2	6	15	26	43	92	87	160	156	189	162	120	62	33	12	1
	Female	1,111	1	2	–	–	2	2	3	5	16	24	38	56	61	116	157	172	137	136	87	61	34	1
390–398	Active rheumatic fever and chronic rheumatic heart disease	179	–	–	–	–	2	1	5	5	6	6	13	15	19	25	16	25	17	16	5	3	–	–
	White Male	77	–	–	–	–	–	–	2	1	1	1	6	8	8	14	6	15	7	6	2	–	–	–
	Female	81	–	–	–	–	–	1	1	1	2	4	6	3	10	10	10	8	10	9	3	3	–	–
	All other Male	5	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	1	–	–	–	–
	Female	16	–	–	–	–	1	–	2	2	2	–	1	4	1	1	–	2	–	–	–	–	–	–
402	Hypertensive heart disease	82	1	–	–	–	–	–	–	–	–	3	3	5	4	9	6	9	11	13	11	6	1	–
	White Male	19	1	–	–	–	–	–	–	–	–	1	1	1	2	2	2	1	3	2	3	–	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	5	3	8	6	5	–	–
	All other Male	12	–	–	–	–	–	–	–	–	–	1	1	1	1	2	1	2	3	–	–	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	1	1	2	–	3	2	1	2	3	2	1	1	–
404	Hypertensive heart and renal disease	62	–	–	–	–	–	–	1	–	–	1	–	1	3	2	6	7	13	8	12	5	3	–
	White Male	31	–	–	–	–	–	–	–	–	–	1	–	1	1	2	3	5	4	5	6	1	2	–
	Female	22	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	8	3	5	3	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	1	–	–
410–413	Ischemic heart disease	12,932	–	–	–	–	1	4	7	23	85	188	357	632	889	1,309	1,661	1,845	1,922	1,834	1,309	634	229	3
	White Male	6,430	–	–	–	–	1	–	3	15	54	120	244	390	589	790	962	951	843	761	470	189	47	1
	Female	4,488	–	–	–	–	–	2	2	4	9	28	39	114	173	274	416	566	812	841	704	362	142	–
	All other Male	1,040	–	–	–	–	–	2	2	2	12	23	39	84	76	144	141	168	141	109	56	30	10	1
	Female	974	–	–	–	–	–	–	–	2	10	17	35	44	51	101	142	160	126	123	79	53	30	1
410	Acute myocardial infarction	7,976	–	–	–	–	–	3	6	19	68	147	281	479	709	951	1,180	1,168	1,124	969	560	241	69	2
	White Male	4,564	–	–	–	–	–	–	2	13	45	102	208	325	499	626	743	672	553	444	243	79	9	1
	Female	2,490	–	–	–	–	–	2	2	4	8	25	32	91	129	196	299	354	466	427	274	134	47	–
	All other Male	498	–	–	–	–	–	1	2	1	10	12	21	41	54	88	68	69	55	52	11	10	2	1
	Female	424	–	–	–	–	–	–	–	1	5	8	20	22	27	41	70	73	50	46	32	18	11	–
411	Other acute and subacute forms of ischemic heart disease	29	–	–	–	–	–	–	–	–	1	1	–	8	1	2	–	3	2	3	5	3	–	–
	White Male	18	–	–	–	–	–	–	–	–	1	1	–	6	1	2	–	1	–	3	3	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	2	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,926	–	–	–	–	1	1	1	4	16	40	76	145	179	356	481	673	796	862	744	390	160	1
	White Male	1,847	–	–	–	–	1	–	1	2	8	17	36	59	89	162	219	277	290	314	224	110	38	–
	Female	1,989	–	–	–	–	–	–	–	–	1	3	7	22	44	78	117	211	344	414	428	225	95	–
	All other Male	540	–	–	–	–	–	1	–	1	2	11	18	42	22	56	73	98	86	57	45	20	8	–
	Female	550	–	–	–	–	–	–	–	1	5	9	15	22	24	60	72	87	76	77	47	35	19	1
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	108	–	–	–	–	–	–	1	–	–	1	1	4	2	5	8	13	17	20	20	11	5	–
	White Male	42	–	–	–	–	–	–	1	–	–	1	–	–	2	3	3	10	6	9	6	1	–	–
	Female	49	–	–	–	–	–	–	–	–	–	–	1	2	–	1	3	3	9	8	13	6	3	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	2	–	1	2	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	3	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee — Con.																							
420–423, 425–427, 429	All other forms of heart disease	781	2	5	1	3	4	9	8	8	16	16	24	46	50	71	83	107	110	91	70	44	13	–
	White..... Male	320	1	1	1	1	3	5	5	2	7	5	10	25	26	32	35	49	45	30	20	14	3	–
	Female	269	–	1	–	–	–	1	2	2	3	4	10	10	7	15	26	31	41	44	40	25	7	–
	All other..... Male	103	–	1	–	2	–	1	–	3	2	1	3	6	9	13	12	19	16	8	5	2	–	–
	Female	89	1	2	–	–	1	2	1	1	4	6	1	5	8	11	10	8	8	9	5	3	3	–
400, 401, 403	Hypertension	155	–	–	–	–	1	–	–	3	2	1	2	5	7	16	14	16	22	29	21	16	–	–
	White..... Male	47	–	–	–	–	–	–	–	1	1	–	1	1	3	4	6	6	7	6	5	6	–	–
	Female	56	–	–	–	–	–	–	–	1	–	–	–	–	2	3	3	2	10	16	13	6	–	–
	All other..... Male	24	–	–	–	–	1	–	–	–	1	1	1	1	2	4	1	4	2	2	2	2	–	–
	Female	28	–	–	–	–	–	–	–	1	–	–	–	3	–	5	4	4	3	5	1	2	–	–
430–438	Cerebrovascular diseases	4,895	–	2	2	3	1	5	6	20	20	36	65	103	176	289	482	681	839	980	687	374	122	2
	White..... Male	1,684	–	1	–	–	–	2	–	4	2	14	21	37	60	126	185	278	306	314	214	85	35	–
	Female	2,241	–	–	–	2	–	3	3	8	10	8	16	34	49	83	160	238	378	534	404	245	66	–
	All other..... Male	459	–	1	1	–	–	–	2	6	3	4	12	18	30	46	77	72	70	55	32	17	12	1
	Female	511	–	–	1	1	1	–	1	2	5	10	16	14	37	34	60	93	85	77	37	27	9	1
431	Cerebral hemorrhage	475	–	1	1	1	1	2	2	7	3	10	24	30	31	51	55	72	70	48	46	15	5	–
	White..... Male	170	–	1	–	–	–	–	–	1	–	5	8	13	10	20	23	26	33	14	12	3	1	–
	Female	212	–	–	–	–	–	2	–	2	–	1	7	10	11	18	24	29	33	31	30	10	4	–
	All other..... Male	45	–	–	1	–	–	–	1	4	2	2	6	2	4	5	5	8	2	1	2	–	–	–
	Female	48	–	–	–	1	1	–	1	–	1	2	3	5	6	8	3	9	2	2	2	2	–	–
433	Cerebral thrombosis	1,121	–	–	–	–	–	–	–	–	1	–	3	7	25	45	97	150	206	255	184	113	34	1
	White..... Male	394	–	–	–	–	–	–	–	–	–	–	–	4	6	24	36	70	69	83	60	35	7	–
	Female	549	–	–	–	–	–	–	–	–	1	–	1	2	7	10	29	56	98	143	111	69	22	–
	All other..... Male	94	–	–	–	–	–	–	–	–	–	–	–	1	6	8	21	11	15	17	8	4	2	1
	Female	84	–	–	–	–	–	–	–	–	–	–	2	–	6	3	11	13	24	12	5	5	3	–
434	Cerebral embolism	9	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	2	–	1	2	–	–	–
	White..... Male	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	–	2	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	3,290	–	1	1	2	–	3	4	13	16	25	38	66	118	193	329	457	563	676	455	246	83	1
	White..... Male	1,114	–	–	–	–	–	2	–	3	2	8	13	20	43	82	126	180	204	217	140	47	27	–
	Female	1,477	–	–	–	2	–	1	3	6	9	7	8	22	30	55	106	153	247	359	263	166	40	–
	All other..... Male	320	–	1	–	–	–	–	1	2	1	2	6	15	20	33	51	53	53	37	22	13	10	–
	Female	379	–	–	1	–	–	–	–	2	4	8	11	9	25	23	46	71	59	63	30	20	6	1
440	Arteriosclerosis	614	–	–	–	–	–	–	–	–	–	1	–	6	5	13	28	59	87	132	133	112	38	–
	White..... Male	199	–	–	–	–	–	–	–	–	–	1	–	2	3	6	11	25	37	41	36	29	8	–
	Female	327	–	–	–	–	–	–	–	–	–	–	–	3	1	3	8	22	39	69	86	71	25	–
	All other..... Male	44	–	–	–	–	–	–	–	–	–	–	–	–	–	2	5	6	7	9	5	7	3	–
	Female	44	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	6	4	13	6	5	2	–
441–448	Other diseases of arteries, arterioles, and capillaries	468	–	–	1	–	2	1	2	2	3	4	6	17	35	43	55	71	86	60	41	27	12	–
	White..... Male	248	–	–	1	–	–	–	1	1	1	3	3	10	17	23	36	49	48	27	10	12	6	–
	Female	150	–	–	–	–	2	–	–	1	1	1	1	5	11	13	12	6	28	29	23	12	5	–
	All other..... Male	40	–	–	–	–	–	1	1	–	1	–	2	1	3	4	5	7	7	2	5	1	–	–
	Female	30	–	–	–	–	–	–	–	–	–	–	–	1	4	3	2	9	3	2	3	2	1	–
466	Acute bronchitis and bronchiolitis	12	2	2	–	–	–	–	1	–	–	–	1	1	1	1	–	1	1	1	–	–	–	–
	White..... Male	6	1	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
	Female	4	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,121	31	12	1	3	7	12	4	4	12	9	12	26	48	50	89	119	184	209	169	90	30	–
	White..... Male	515	14	3	–	1	1	6	3	1	6	3	5	13	24	22	51	59	92	97	68	38	8	–
	Female	433	8	4	1	1	1	5	1	3	3	4	3	6	15	14	20	36	69	86	90	46	17	–
	All other..... Male	97	5	2	–	–	1	1	–	–	1	2	4	3	6	12	16	11	13	12	7	–	1	–
	Female	76	4	3	–	1	4	–	–	–	2	–	–	4	3	2	2	13	10	14	4	6	4	–
470–474	Influenza	133	–	1	1	2	–	–	–	–	1	1	1	3	6	5	15	21	25	24	16	8	3	–
	White..... Male	66	–	–	–	–	–	–	–	–	–	1	–	3	2	4	9	11	12	13	7	4	–	–
	Female	58	–	1	1	1	–	–	–	–	1	–	1	–	3	1	3	9	11	11	9	4	2	–
	All other..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	1	–	–	–	–	–
	Female	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–
480–486	Pneumonia	988	31	11	–	1	7	12	4	4	11	8	11	23	42	45	74	98	159	185	153	82	27	–
	White..... Male	449	14	3	–	1	1	6	3	1	6	2	5	10	22	18	42	48	80	84	61	34	8	–
	Female	375	8	3	–	–	1	5	1	3	2	4	2	6	12	13	17	27	58	75	81	42	15	–
	All other..... Male	92	5	2	–	–	1	1	–	–	1	2	4	3	5	12	13	11	12	12	7	–	1	–
	Female	72	4	3	–	–	4	–	–	–	2	–	–	4	3	2	2	12	9	14	4	6	3	–
490–493	Bronchitis, emphysema, and asthma	523	1	–	–	–	–	1	1	3	5	3	9	29	46	61	89	94	95	40	30	14	2	–
	White..... Male	370	1	–	–	–	–	–	–	1	3	1	4	18	33	41	63	74	75	28	17	10	1	–
	Female	125	–	–	–	–	–	1	–	1	–	2	5	10	12	15	21	15	18	10	10	4	1	–
	All other..... Male	22	–	–	–	–	–	–	1	–	1	–	–	–	1	5	4	3	2	2	3	–	–	–
	Female	6	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	2	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee – Con.																							
490, 491	Chronic and unqualified bronchitis	110	1	–	–	–	–	–	–	–	1	1	1	5	10	19	12	18	22	8	6	5	1	–
	White ..... Male	73	1	–	–	–	–	–	–	–	1	–	1	3	7	14	8	11	15	5	4	3	–	–
	Female	32	–	–	–	–	–	–	–	–	–	1	–	2	3	5	2	5	7	3	1	2	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
492	Emphysema	378	–	–	–	–	–	–	–	2	3	1	6	20	29	40	72	73	71	30	22	8	1	–
	White ..... Male	289	–	–	–	–	–	–	–	1	2	–	2	14	23	27	54	62	60	23	13	7	1	–
	Female	73	–	–	–	–	–	–	–	1	–	1	4	6	6	8	17	8	9	5	7	1	–	–
	All other ..... Male	15	–	–	–	–	–	–	–	–	–	–	–	–	–	5	1	3	2	2	2	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	35	–	–	–	–	–	1	1	1	1	1	2	4	7	2	5	3	2	2	2	1	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	1	1	1	3	–	1	1	–	–	–	–	–	–
	Female	20	–	–	–	–	–	1	–	–	–	–	1	2	3	2	2	2	2	2	2	1	–	–
	All other ..... Male	4	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
531–533	Peptic ulcer	115	1	–	–	–	–	2	1	3	1	4	9	3	8	6	18	16	19	12	5	7	–	–
	White ..... Male	67	1	–	–	–	–	2	–	2	1	3	5	1	4	5	12	9	12	5	1	4	–	–
	Female	32	–	–	–	–	–	–	1	1	–	1	2	1	1	–	3	4	6	7	3	2	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	–	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	2	1	–	–	1	–	–
540–543	Appendicitis	13	–	–	–	–	1	–	–	–	–	2	–	–	2	2	–	1	1	1	1	1	1	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	1	–
550–553, 560	Hernia and intestinal obstruction	108	8	1	–	–	1	1	2	–	1	1	5	3	2	5	10	19	10	25	9	3	2	–
	White ..... Male	35	2	1	–	–	1	–	1	–	1	–	2	1	–	1	4	8	7	5	1	–	–	–
	Female	51	3	–	–	–	–	–	1	–	–	–	2	2	1	4	4	6	1	17	5	3	2	–
	All other ..... Male	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–	–
	Female	15	2	–	–	–	–	1	–	–	–	1	1	–	1	–	2	2	2	1	2	–	–	–
571	Cirrhosis of liver	397	–	1	–	–	–	1	4	8	22	33	46	61	50	76	36	36	16	1	5	1	–	–
	White ..... Male	213	–	–	–	–	–	–	1	5	10	24	23	38	27	39	18	17	8	–	3	–	–	–
	Female	106	–	–	–	–	–	1	1	1	3	3	12	17	17	21	7	14	5	1	2	1	–	–
	All other ..... Male	49	–	1	–	–	–	–	1	–	5	4	10	2	3	8	7	5	3	–	–	–	–	–
	Female	29	–	–	–	–	–	–	1	2	4	2	1	4	3	8	4	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	100	–	–	–	–	–	–	1	–	1	1	2	2	3	12	18	12	15	15	12	4	2	–
	White ..... Male	37	–	–	–	–	–	–	–	–	–	–	–	1	1	7	6	5	5	5	6	1	–	–
	Female	49	–	–	–	–	–	–	–	–	1	1	2	–	1	3	8	5	9	9	6	3	1	–
	All other ..... Male	5	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–	–	–	1	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	1	–	–	–	–
580–584	Nephritis and nephrosis	197	–	–	2	1	–	3	3	4	5	4	8	4	16	25	29	22	26	22	14	8	1	–
	White ..... Male	61	–	–	–	–	–	1	2	1	1	1	2	1	2	11	10	6	8	8	4	3	–	–
	Female	62	–	–	1	1	–	2	–	1	2	–	–	1	5	4	7	8	9	9	8	4	–	–
	All other ..... Male	40	–	–	1	–	–	–	–	2	1	2	2	1	3	5	8	5	4	3	2	–	1	–
	Female	34	–	–	–	–	–	–	1	–	1	1	4	1	6	5	4	3	5	2	–	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	30	–	–	1	–	–	1	–	–	2	3	2	–	1	2	2	4	5	6	1	–	–	–
	White ..... Male	9	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	1	2	2	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	2	2	3	1	–	–	–
	All other ..... Male	5	–	–	1	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	167	–	–	1	1	–	2	3	4	3	1	6	4	15	23	27	18	21	16	13	8	1	–
	White ..... Male	52	–	–	–	–	–	–	2	1	1	–	2	1	1	10	10	5	6	6	4	3	–	–
	Female	50	–	–	1	1	–	2	–	1	–	–	–	1	5	3	6	6	7	6	7	4	–	–
	All other ..... Male	35	–	–	–	–	–	–	–	2	1	–	1	1	3	5	7	5	4	3	2	–	1	–
	Female	30	–	–	–	–	–	–	1	–	1	1	3	1	6	5	4	2	4	1	–	1	–	–
590	Infections of kidney	122	–	–	–	–	–	–	–	–	1	1	3	3	10	9	12	14	18	25	13	10	3	–
	White ..... Male	36	–	–	–	–	–	–	–	–	–	–	–	1	3	3	5	3	4	10	3	3	1	–
	Female	57	–	–	–	–	–	–	–	–	1	1	2	–	2	3	4	5	11	12	8	6	2	–
	All other ..... Male	12	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	1	1	2	–	–	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	5	2	1	2	1	–	–
600	Hyperplasia of prostate	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	6	1	7	2	1	–
	White ..... Male	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	6	2	1	–
	All other ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	15	–	–	–	–	2	3	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	6	–	–	–	–	1	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	9	–	–	–	–	1	3	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Tennessee—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	15	–	–	–	–	2	3	5	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	6	–	–	–	–	1	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	9	–	–	–	–	1	3	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	293	186	28	11	6	6	7	6	3	6	3	6	5	3	6	3	2	2	1	2	1	–	–
	White Male	120	73	9	6	4	3	4	3	1	2	1	3	3	2	1	1	1	1	1	1	–	–	–
	Female	121	78	12	4	2	2	2	3	1	2	2	3	–	1	3	2	1	1	–	1	1	–	–
	All other Male	33	20	5	1	–	1	1	–	1	2	–	–	2	–	–	–	–	–	–	–	–	–	–
	Female	19	15	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	525	525	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	183	183	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	151	151	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	106	106	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	85	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	274	274	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	103	103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	251	251	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	71	71	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	56	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	712	106	7	–	1	1	4	7	6	11	19	26	36	59	66	78	76	52	68	43	29	17	–
	White Male	318	43	2	–	1	–	2	3	3	3	10	10	18	41	35	46	39	23	18	14	4	3	–
	Female	221	22	1	–	–	–	1	2	2	3	7	5	8	8	14	20	27	16	40	21	15	9	–
	All other Male	88	20	3	–	–	–	1	–	–	2	2	6	5	7	9	6	7	8	4	2	4	2	–
	Female	85	21	1	–	–	1	–	2	1	3	–	5	5	3	8	6	3	5	6	6	6	3	–
Residual	All other diseases	2,329	38	25	12	29	30	28	31	38	38	66	92	139	174	226	283	306	270	247	169	70	18	–
	White Male	1,061	15	12	5	9	10	11	19	18	17	26	40	61	74	112	140	138	139	123	62	23	7	–
	Female	832	7	7	5	12	10	5	5	9	11	19	24	50	56	76	96	123	87	93	86	41	10	–
	All other Male	230	8	5	1	3	7	4	3	6	5	10	18	10	26	20	26	25	20	17	13	2	1	–
	Female	206	8	1	1	5	3	8	4	5	5	11	10	18	18	18	21	20	24	14	8	4	–	–
E800–E949	Accidents	2,332	20	77	64	97	309	248	184	126	105	121	88	127	113	121	104	106	109	98	67	34	12	2
	White Male	1,370	5	30	32	56	219	182	120	79	67	79	50	83	69	66	62	52	42	43	18	11	5	–
	Female	583	6	11	16	15	69	32	36	21	19	23	22	26	24	31	27	38	50	48	40	21	7	1
	All other Male	290	5	20	13	20	18	26	24	24	15	17	13	16	17	17	10	12	11	5	4	2	–	1
	Female	89	4	16	3	6	3	8	4	2	4	2	3	2	3	7	5	4	6	2	5	–	–	–
E810–E823	Motor vehicle accidents	1,130	4	35	35	50	212	160	112	61	64	60	39	61	50	57	41	38	24	19	4	3	–	1
	White Male	701	–	14	16	29	151	115	75	35	39	40	21	37	28	31	27	17	11	11	2	2	–	–
	Female	263	1	5	10	12	55	25	23	13	14	12	12	13	11	14	10	14	8	7	2	1	–	1
	All other Male	130	1	10	7	6	5	14	12	12	9	8	4	10	10	10	3	6	3	–	–	–	–	–
	Female	36	2	6	2	3	1	6	2	1	2	–	2	1	1	2	1	1	2	1	–	–	–	–
E800–E807, E825–E949	All other accidents	1,202	16	42	29	47	97	88	72	65	41	61	49	66	63	64	63	68	85	79	63	31	12	1
	White Male	669	5	16	16	27	68	67	45	44	28	39	29	46	41	35	35	35	31	32	16	9	5	–
	Female	320	5	6	6	3	14	7	13	8	5	11	10	13	13	17	17	24	42	41	38	20	7	–
	All other Male	160	4	10	6	14	13	12	12	12	6	9	9	6	7	7	7	6	8	5	4	2	–	1
	Female	53	2	10	1	3	2	2	2	1	2	2	1	1	2	5	4	3	4	1	5	–	–	–
E950–E959	Suicide	562	...	...	–	2	32	47	49	46	50	38	57	66	47	38	38	29	9	11	2	1	–	–
	White Male	378	...	...	–	1	17	31	35	34	28	25	41	40	33	27	29	20	7	8	2	–	–	–
	Female	140	...	...	–	1	11	10	5	9	14	11	14	23	11	10	9	8	1	2	–	1	–	–
	All other Male	33	...	...	–	–	3	5	7	3	6	1	2	2	2	–	–	1	–	1	–	–	–	–
	Female	11	...	...	–	–	1	1	2	–	2	1	–	1	1	1	–	–	1	–	–	–	–	–
E960–E978	Homicide	566	4	4	1	6	40	87	67	66	66	57	38	34	32	27	16	8	7	4	1	–	–	1
	White Male	240	2	2	–	1	12	28	28	23	32	24	21	16	19	17	6	2	4	3	–	–	–	–
	Female	58	1	2	1	3	4	5	6	6	6	8	5	3	–	1	4	–	2	–	1	–	–	–
	All other Male	213	–	–	–	1	16	42	26	32	24	19	11	13	10	7	5	4	1	1	–	–	–	1
	Female	55	1	–	–	1	8	12	7	5	4	6	1	2	3	2	1	2	–	–	–	–	–	–
E980–E999	Other external causes	122	2	2	–	–	16	12	16	12	7	14	12	9	4	5	3	3	4	–	–	–	–	1
	White Male	74	1	–	–	–	7	8	11	9	5	9	5	6	2	4	3	–	4	–	–	–	–	–
	Female	28	–	1	–	–	5	2	2	1	1	4	5	3	2	–	–	2	–	–	–	–	–	–
	All other Male	15	1	1	–	–	3	2	3	–	1	1	1	–	–	1	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1

Table 7-6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas																							
	All causes	**98,471**	**3,572**	**653**	**439**	**482**	**1,421**	**1,745**	**1,550**	**1,271**	**1,473**	**2,118**	**3,491**	**4,984**	**6,372**	**8,640**	**10,940**	**12,143**	**12,241**	**11,684**	**8,076**	**3,865**	**1,297**	**14**
	White ..... Male	47,982	1,585	294	214	243	899	1,094	885	689	722	1,056	1,808	2,741	3,561	4,899	6,045	6,170	5,675	4,936	2,936	1,193	326	11
	Female	36,565	1,140	232	138	147	301	331	330	310	391	628	978	1,449	1,813	2,429	3,251	4,205	5,080	5,696	4,520	2,387	806	3
	All other ..... Male	7,826	479	76	57	50	159	238	252	194	223	261	447	485	586	734	895	902	800	527	283	115	63	–
	Female	6,098	368	51	30	42	62	82	83	78	137	173	258	309	412	578	749	866	686	525	337	170	102	–
004, 006	Bacillary dysentery and amebiasis	8	1	1	1	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	–	–
	White ..... Male	5	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–
	Female	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	168	74	6	–	–	–	2	1	2	–	4	2	2	2	5	8	13	10	16	10	10	1	–
	White ..... Male	50	20	1	–	–	–	–	1	1	–	2	1	1	1	3	–	7	5	2	2	2	1	–
	Female	80	28	4	–	–	–	1	–	1	–	2	1	1	1	1	3	4	5	14	7	7	–	–
	All other ..... Male	28	21	1	–	–	–	1	–	–	–	–	–	–	–	–	3	1	–	–	–	1	–	–
	Female	10	5	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–	–	–
010–019	Tuberculosis, all forms	178	–	–	–	1	1	3	3	6	7	11	10	15	13	19	15	21	28	17	5	1	2	–
	White ..... Male	94	–	–	–	–	1	2	1	3	3	5	4	10	7	9	7	9	18	13	2	–	–	–
	Female	40	–	–	–	1	–	1	1	–	1	2	3	2	–	4	5	8	5	2	2	1	2	–
	All other ..... Male	32	–	–	–	–	–	–	–	3	2	3	2	2	5	5	2	4	3	–	1	–	–	–
	Female	12	–	–	–	–	–	–	1	–	1	1	1	1	1	1	1	–	2	2	–	–	–	–
010–012	Tuberculosis of respiratory system	152	–	–	–	1	–	1	2	5	5	9	9	14	12	18	13	19	24	14	4	–	2	–
	White ..... Male	81	–	–	–	–	–	1	1	2	2	5	4	9	6	9	6	8	16	10	2	–	–	–
	Female	35	–	–	–	1	–	–	1	–	1	2	3	2	–	4	5	7	4	2	1	–	2	–
	All other ..... Male	29	–	–	–	–	–	–	–	3	2	2	1	2	5	4	2	4	3	–	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	1	2	–	–	–	–
013–019	Tuberculosis, other forms	26	–	–	–	–	1	2	1	1	2	2	1	1	1	1	2	2	4	3	1	1	–	–
	White ..... Male	13	–	–	–	–	1	1	–	1	1	–	–	1	1	–	1	1	2	3	–	–	–	–
	Female	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	1	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–
033	Whooping cough	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	27	3	9	3	1	3	1	3	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–
	White ..... Male	8	2	2	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	11	–	4	–	–	3	1	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	All other ..... Male	4	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	365	66	1	1	2	1	5	4	4	3	2	9	13	23	34	28	41	37	44	35	9	3	–
	White ..... Male	162	35	1	–	2	1	1	1	1	2	2	4	7	11	16	11	21	16	17	8	5	–	–
	Female	141	19	–	1	–	–	3	2	1	–	–	4	2	5	13	12	8	17	23	25	3	3	–
	All other ..... Male	36	7	–	–	–	–	–	1	1	–	–	1	4	6	5	2	5	2	2	–	–	–	–
	Female	26	5	–	–	–	–	1	–	1	1	–	–	–	1	–	3	7	2	2	2	1	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	23	1	–	–	–	–	–	–	–	–	–	–	2	1	2	6	7	1	2	1	–	–	–
	White ..... Male	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	–	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	1	–	–	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	4	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	262	20	6	5	2	7	9	11	11	8	10	10	14	22	28	28	20	19	21	8	2	1	–
	White ..... Male	116	10	2	1	1	4	5	6	5	3	6	4	4	13	11	18	10	5	5	3	–	–	–
	Female	101	5	4	3	1	3	1	4	2	3	1	4	7	9	11	6	5	11	14	4	2	1	–
	All other ..... Male	24	3	–	–	–	–	–	–	3	1	–	2	1	–	4	3	2	3	2	–	–	–	–
	Female	21	2	–	1	–	–	3	1	1	1	3	–	2	–	2	1	3	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	17,908	7	59	75	68	76	77	127	148	241	444	879	1,373	1,792	2,375	2,751	2,603	2,078	1,583	820	270	62	–
	White.....Male	8,752	4	31	30	32	43	51	65	74	70	149	374	658	877	1,236	1,476	1,329	1,020	781	339	89	24	–
	Female	6,834	1	23	34	26	25	18	53	62	116	226	369	516	653	816	895	936	811	662	410	154	28	–
	All other.....Male	1,341	1	3	5	5	7	5	6	5	21	28	75	120	157	189	233	194	147	79	43	12	6	–
	Female	981	1	2	6	5	1	3	3	7	34	41	61	79	105	134	147	144	100	61	28	15	4	–
140–149	Of buccal cavity and pharynx	427	–	–	–	1	1	1	1	1	5	8	26	42	56	69	78	45	36	27	16	10	4	–
	White.....Male	262	–	–	–	1	–	1	–	–	1	3	16	25	32	46	47	31	25	15	13	5	1	–
	Female	121	–	–	–	–	–	–	1	1	2	3	5	7	19	18	24	12	8	12	2	5	2	–
	All other.....Male	36	–	–	–	–	1	–	–	–	1	1	4	9	5	5	7	–	1	–	1	–	1	–
	Female	8	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	2	2	–	–	–	–	–
150–159	Of digestive organs and peritoneum	4,552	–	–	1	2	2	7	13	21	37	82	154	254	407	544	710	766	653	511	276	99	13	–
	White.....Male	2,060	–	–	–	1	2	5	6	13	12	38	74	129	197	264	349	357	269	213	99	28	4	–
	Female	1,842	–	–	–	1	–	–	6	4	16	25	50	76	138	190	242	310	310	248	155	62	9	–
	All other.....Male	354	–	–	1	–	–	2	1	3	2	13	17	32	40	48	64	54	38	23	13	3	–	–
	Female	296	–	–	–	–	–	–	–	1	7	6	13	17	32	42	55	45	36	27	9	6	–	–
160–163	Of respiratory system	4,780	1	–	–	–	1	2	6	11	45	101	283	471	622	848	848	700	451	270	94	22	4	–
	White.....Male	3,264	1	–	–	–	1	1	2	4	19	46	165	297	415	590	617	514	332	198	51	10	1	–
	Female	936	–	–	–	–	–	1	2	7	15	43	72	98	127	146	141	105	81	53	36	8	1	–
	All other.....Male	479	–	–	–	–	–	–	1	–	8	10	39	60	70	95	73	66	36	13	4	2	2	–
	Female	101	–	–	–	–	–	–	1	–	3	2	7	16	10	17	17	15	2	6	3	2	–	–
174	Of breast	1,370	–	–	–	–	–	1	10	18	40	84	109	157	144	173	173	155	137	94	53	17	5	–
	White.....Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	2	–
	Female	1,210	–	–	–	–	–	1	10	17	31	69	93	144	126	154	153	138	118	91	49	14	2	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	152	–	–	–	–	–	–	–	1	9	15	16	12	17	19	19	16	17	3	4	3	1	–
180–187	Of genital organs	2,054	–	–	1	1	4	10	14	17	31	52	83	116	152	214	296	302	276	260	155	54	16	–
	White.....Male	784	–	–	–	–	2	7	7	6	2	3	3	13	24	51	116	127	137	159	90	29	8	–
	Female	881	–	–	1	1	2	3	6	9	21	39	65	84	95	125	114	106	83	60	45	18	4	–
	All other.....Male	207	–	–	–	–	–	–	–	–	–	–	1	2	8	13	40	40	46	31	16	7	3	–
	Female	182	–	–	–	–	–	–	1	2	8	10	14	17	25	25	26	29	10	10	4	–	1	–
188, 189	Of urinary organs	708	–	2	3	–	1	2	2	1	6	15	23	49	65	101	103	110	91	75	35	19	5	–
	White.....Male	414	–	1	1	–	–	–	1	–	1	8	14	35	35	69	66	63	52	46	15	4	3	–
	Female	206	–	–	1	–	–	1	–	1	5	5	6	10	19	20	23	34	30	21	17	12	1	–
	All other.....Male	49	–	–	1	–	–	–	–	–	–	–	2	3	8	8	10	8	3	4	2	–	–	–
	Female	39	–	1	–	–	1	1	1	–	–	2	1	1	3	4	4	5	6	4	1	3	1	–
170–173, 190–199	Of all other and unspecified sites	2,235	5	28	27	33	28	21	48	46	50	58	115	184	190	262	303	290	226	184	104	24	9	–
	White.....Male	1,052	2	13	8	14	11	15	30	30	22	26	57	100	97	132	151	127	103	69	36	5	4	–
	Female	949	1	13	17	13	12	5	16	14	18	28	46	66	70	99	119	130	98	101	60	19	4	–
	All other.....Male	114	1	2	1	1	5	–	2	–	5	3	8	9	14	13	17	12	12	6	3	–	–	–
	Female	120	1	–	1	5	–	1	–	2	5	1	4	9	9	18	16	21	13	8	5	–	1	–
204–207	Leukemia	806	1	27	36	22	30	21	16	11	14	19	38	34	63	59	83	96	93	82	39	18	4	–
	White.....Male	433	1	15	17	11	21	15	8	7	7	10	22	20	34	34	44	49	46	48	17	6	1	–
	Female	294	–	10	13	8	8	4	6	2	4	7	13	10	24	22	27	37	35	33	17	11	3	–
	All other.....Male	48	–	1	2	3	1	1	2	2	2	–	2	3	4	2	9	5	5	1	3	–	–	–
	Female	31	–	1	4	–	–	1	–	–	1	2	1	1	1	1	3	5	7	–	2	1	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	976	–	2	7	9	9	12	17	22	13	25	48	66	93	105	157	139	115	80	48	7	2	–
	White.....Male	477	–	2	4	5	6	7	11	14	6	15	23	38	43	50	85	61	54	33	18	2	–	–
	Female	395	–	–	2	3	3	3	6	7	4	7	19	21	35	42	52	64	48	43	29	5	2	–
	All other.....Male	52	–	–	–	1	–	2	–	–	3	1	2	2	7	5	13	8	6	1	1	–	–	–
	Female	52	–	–	1	–	–	–	–	1	–	2	4	5	8	8	7	6	7	3	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	214	6	5	3	3	3	2	8	6	4	8	9	12	24	22	26	16	28	11	14	4	–	–
	White.....Male	89	4	4	2	1	2	–	3	5	1	5	3	4	12	6	12	8	9	4	3	1	–	–
	Female	82	1	–	–	1	1	2	1	1	1	2	4	7	7	12	9	6	12	5	8	2	–	–
	All other.....Male	17	–	1	1	–	–	–	2	–	–	–	1	1	1	1	1	1	4	2	1	–	–	–
	Female	26	1	–	–	1	–	–	2	–	2	1	1	–	4	3	4	1	3	–	2	1	–	–
250	Diabetes mellitus	1,750	–	–	1	2	3	7	21	14	26	35	38	79	116	185	254	332	256	224	103	44	10	–
	White.....Male	589	–	–	–	–	–	3	9	7	13	12	14	29	41	49	95	110	75	81	34	14	3	–
	Female	835	–	–	1	2	1	4	7	5	12	12	13	32	54	82	115	149	141	119	57	24	5	–
	All other.....Male	97	–	–	–	–	1	–	4	1	–	4	6	7	5	19	12	21	6	7	3	1	–	–
	Female	229	–	–	–	–	1	–	1	1	1	7	5	11	16	35	32	52	34	17	9	5	2	–
260–269	Avitaminoses and other nutritional deficiencies	147	10	1	–	–	–	2	3	1	2	–	–	2	4	8	9	13	27	22	20	14	9	–
	White.....Male	53	3	–	–	–	–	–	1	1	–	–	–	2	1	4	2	3	10	7	7	8	4	–
	Female	69	3	–	–	–	–	1	2	–	2	–	–	–	–	3	3	7	13	14	12	5	4	–
	All other.....Male	15	3	1	–	–	–	1	–	–	–	–	–	–	3	–	1	2	1	1	1	1	–	–
	Female	10	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	3	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
280–285	Anemias	175	3	4	5	1	5	2	4	9	2	5	4	9	5	11	18	18	20	21	20	8	1	–
	White Male	62	1	–	1	–	1	–	–	2	1	–	2	3	3	4	10	5	11	9	7	2	–	–
	Female	71	–	1	2	–	–	2	1	1	–	1	1	3	2	3	5	11	9	11	12	5	1	–
	All other Male	21	1	1	2	1	3	–	2	3	–	2	–	2	–	2	1	–	–	–	–	1	–	–
	Female	21	1	2	–	–	1	–	1	3	1	2	1	1	–	2	2	2	–	1	1	–	–	–
320	Meningitis	137	65	17	2	1	5	2	7	–	1	1	3	6	8	4	4	3	2	4	1	1	–	–
	White Male	48	25	2	–	–	2	1	3	–	–	1	2	2	2	3	2	1	1	–	–	1	–	–
	Female	46	19	8	–	–	2	1	1	–	–	–	1	3	3	1	–	1	1	4	1	–	–	–
	All other Male	23	10	3	1	–	1	–	1	–	1	–	–	1	3	–	2	–	–	–	–	–	–	–
	Female	20	11	4	1	1	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
390–448	Major cardiovascular diseases	47,143	67	27	15	19	43	69	80	150	302	560	1,190	1,954	2,638	3,863	5,448	6,625	7,306	7,641	5,448	2,754	940	4
	White Male	22,102	25	11	6	8	17	37	34	73	158	306	691	1,176	1,592	2,328	3,049	3,357	3,253	3,060	1,876	824	219	2
	Female	18,893	28	8	5	4	14	17	24	45	60	127	218	442	587	921	1,528	2,274	3,158	3,901	3,169	1,749	612	2
	All other Male	3,093	5	3	1	3	5	10	14	16	49	77	177	199	248	321	451	476	454	315	163	66	40	–
	Female	3,055	9	5	3	4	7	5	8	16	35	50	104	137	211	293	420	518	441	365	240	115	69	–
390–398, 402, 404, 410–429	Diseases of heart	33,230	54	15	14	13	28	40	51	100	221	437	973	1,622	2,187	3,127	4,216	4,720	4,978	4,888	3,324	1,662	557	3
	White Male	16,839	20	4	5	4	12	20	28	52	133	264	623	1,048	1,403	1,972	2,460	2,522	2,331	2,082	1,206	524	124	2
	Female	12,216	24	5	5	3	8	9	11	25	33	79	134	327	451	694	1,148	1,578	2,056	2,383	1,854	1,024	364	1
	All other Male	2,230	5	2	1	2	3	6	10	12	38	60	138	162	186	250	334	320	320	197	119	39	26	–
	Female	1,945	5	4	3	4	5	5	2	11	17	34	78	85	147	211	274	300	271	226	145	75	43	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	419	–	–	3	3	3	4	5	9	13	16	26	42	38	51	56	55	47	27	16	5	–	–
	White Male	183	–	–	2	1	–	2	1	3	5	4	12	19	17	32	28	26	16	8	5	2	–	–
	Female	173	–	–	1	1	–	–	3	3	2	10	6	18	19	13	22	22	25	17	8	3	–	–
	All other Male	36	–	–	–	–	1	–	1	1	1	1	8	4	2	4	3	4	2	2	2	–	–	–
	Female	27	–	–	–	1	2	2	–	2	5	1	–	1	–	2	3	3	4	–	1	–	–	–
402	Hypertensive heart disease	357	–	–	–	–	–	–	–	–	2	5	14	17	16	36	41	59	53	51	38	19	6	–
	White Male	92	–	–	–	–	–	–	–	–	1	–	4	6	6	11	7	14	15	17	6	4	1	–
	Female	163	–	–	–	–	–	–	–	–	–	1	2	9	4	6	17	33	22	26	26	12	5	–
	All other Male	41	–	–	–	–	–	–	–	–	–	3	1	1	2	7	9	6	7	4	1	–	–	–
	Female	61	–	–	–	–	–	–	–	–	1	1	7	1	4	12	8	6	9	4	5	3	–	–
404	Hypertensive heart and renal disease	169	–	–	–	–	–	–	–	–	2	1	2	3	5	5	16	22	34	29	28	17	5	–
	White Male	68	–	–	–	–	–	–	–	–	1	–	–	1	2	3	7	8	14	16	9	6	1	–
	Female	74	–	–	–	–	–	–	–	–	1	1	1	–	1	1	5	8	13	12	17	11	3	–
	All other Male	13	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	2	4	1	1	–	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	4	3	–	1	–	–	–
410–413	Ischemic heart disease	27,704	4	–	–	–	4	10	20	52	157	332	792	1,313	1,799	2,579	3,528	3,971	4,266	4,176	2,883	1,364	451	3
	White Male	14,251	3	–	–	–	1	5	14	32	104	221	535	891	1,196	1,656	2,097	2,136	2,025	1,760	1,043	428	102	2
	Female	10,223	–	–	–	–	1	–	1	8	17	45	98	236	349	561	964	1,347	1,765	2,073	1,619	842	296	1
	All other Male	1,717	–	–	–	–	–	4	5	6	26	43	107	124	140	194	255	248	252	159	101	33	20	–
	Female	1,513	1	–	–	–	2	1	–	6	10	23	52	62	114	168	212	240	224	184	120	61	33	–
410	Acute myocardial infarction	14,771	4	–	–	–	3	5	13	33	103	215	490	822	1,121	1,577	2,131	2,379	2,257	1,934	1,090	475	117	2
	White Male	8,398	3	–	–	–	–	2	8	23	73	157	364	577	794	1,075	1,347	1,363	1,106	870	425	173	37	1
	Female	5,064	–	–	–	–	1	–	1	6	12	32	62	161	225	346	580	821	940	941	592	272	71	1
	All other Male	716	–	–	–	–	–	2	4	1	13	19	41	53	61	82	113	103	115	62	35	8	4	–
	Female	593	1	–	–	–	2	1	–	3	5	7	23	31	41	74	91	92	96	61	38	22	5	–
411	Other acute and subacute forms of ischemic heart disease	121	–	–	–	–	–	1	–	–	1	1	5	9	9	9	13	18	19	20	7	7	2	–
	White Male	59	–	–	–	–	–	–	–	–	–	1	4	7	4	5	9	5	14	5	3	1	1	–
	Female	41	–	–	–	–	–	–	–	–	1	–	–	1	4	1	1	10	5	10	2	5	1	–
	All other Male	8	–	–	–	–	–	1	–	–	–	–	1	1	–	3	1	–	–	–	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	–	5	1	1	–	–
412	Chronic ischemic heart disease	12,806	–	–	–	–	1	4	7	19	53	116	297	481	668	993	1,383	1,574	1,989	2,222	1,785	882	331	1
	White Male	5,790	–	–	–	–	1	3	6	9	31	63	167	306	397	576	741	768	904	885	614	254	64	1
	Female	5,116	–	–	–	–	–	–	–	2	4	13	36	74	120	214	382	516	820	1,122	1,025	565	223	–
	All other Male	993	–	–	–	–	–	1	1	5	13	24	65	70	79	109	141	145	137	97	65	25	16	–
	Female	907	–	–	–	–	–	–	–	3	5	16	29	31	72	94	119	145	128	118	81	38	28	–
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	1	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	279	1	–	1	–	3	2	2	1	3	3	6	9	14	16	24	26	37	52	35	34	10	–
	White Male	110	–	–	–	–	2	1	1	1	1	1	4	3	6	9	10	14	13	18	10	12	4	–
	Female	136	1	–	1	–	1	1	1	–	–	–	2	4	6	2	9	11	21	30	21	20	5	–
	All other Male	15	–	–	–	–	–	–	–	–	2	1	–	1	1	2	2	–	1	3	2	–	–	–
	Female	18	–	–	–	–	–	–	–	–	–	1	–	1	1	3	3	1	2	1	2	2	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas—Con.																							
420–423, 425–427, 429	All other forms of heart disease	4,302	49	15	10	10	18	24	24	38	44	80	133	238	315	440	551	587	541	553	324	223	85	–
	White Male	2,135	17	4	3	3	9	12	12	16	21	38	68	128	176	261	311	324	248	263	133	72	16	–
	Female	1,447	23	5	3	2	6	8	6	14	13	22	25	60	72	111	131	157	210	225	163	136	55	–
	All other Male	408	5	2	1	2	2	2	4	5	9	12	21	30	40	43	65	60	54	28	12	6	5	–
	Female	312	4	4	3	3	1	2	2	3	1	8	19	20	27	25	44	46	29	37	16	9	9	–
400, 401, 403	Hypertension	314	–	–	–	–	1	–	2	1	5	5	11	15	14	19	33	56	53	42	38	16	3	–
	White Male	101	–	–	–	–	1	–	–	–	1	3	3	4	1	3	15	22	15	15	15	3	–	–
	Female	122	–	–	–	–	–	–	–	1	1	–	2	3	2	7	4	20	26	21	20	13	2	–
	All other Male	36	–	–	–	–	–	–	1	–	1	–	4	4	4	6	4	4	4	4	–	–	–	–
	Female	55	–	–	–	–	–	–	1	–	2	2	2	4	7	3	10	10	8	2	3	–	1	–
430–438	Cerebrovascular diseases	10,724	12	12	1	4	14	26	21	43	62	94	170	242	360	558	997	1,476	1,794	2,149	1,642	792	254	1
	White Male	3,896	4	7	1	2	4	15	4	18	19	28	49	85	136	248	455	629	678	740	492	216	66	–
	Female	5,215	4	3	–	1	6	8	10	16	20	40	70	91	117	177	318	539	866	1,204	1,039	525	160	1
	All other Male	705	–	1	–	1	2	3	2	4	10	14	28	23	55	56	104	129	110	94	34	23	12	–
	Female	908	4	1	–	–	2	–	5	5	13	12	23	43	52	77	120	179	140	111	77	28	16	–
431	Cerebral hemorrhage	1,292	2	3	1	1	2	11	4	13	18	30	47	65	82	101	159	169	169	188	139	65	23	–
	White Male	469	–	2	1	1	–	7	–	4	6	9	11	23	35	44	74	63	62	66	33	19	9	–
	Female	601	1	1	–	–	2	3	3	5	4	13	17	27	24	38	52	68	86	104	101	40	12	–
	All other Male	98	–	–	–	–	–	1	–	2	4	4	12	4	12	11	15	13	9	7	1	3	–	–
	Female	124	1	–	–	–	–	–	1	2	4	4	7	11	11	8	18	25	12	11	4	3	2	–
433	Cerebral thrombosis	1,774	1	–	–	–	–	4	–	3	3	6	15	25	57	82	165	243	310	388	287	140	45	–
	White Male	651	1	–	–	–	–	1	–	1	2	2	4	10	25	39	84	114	119	120	89	31	9	–
	Female	870	–	–	–	–	–	3	–	2	–	2	7	6	15	15	51	73	157	231	182	97	29	–
	All other Male	118	–	–	–	–	–	–	–	–	1	1	1	5	10	13	16	26	12	22	5	4	2	–
	Female	135	–	–	–	–	–	–	–	–	–	1	3	4	7	15	14	30	22	15	11	8	5	–
434	Cerebral embolism	29	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	4	5	6	6	1	–	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	3	5	1	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	2	1	5	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	7,629	9	9	–	3	12	11	17	27	41	58	107	151	219	374	671	1,060	1,310	1,567	1,210	586	186	1
	White Male	2,760	3	5	–	1	4	7	4	13	11	17	34	51	75	165	295	450	494	549	369	165	48	–
	Female	3,732	3	2	–	1	4	2	7	9	16	25	45	58	77	124	215	396	621	868	751	388	119	1
	All other Male	489	–	1	–	1	2	2	2	2	5	9	15	14	33	32	73	90	89	65	28	16	10	–
	Female	648	3	1	–	–	2	–	4	3	9	7	13	28	34	53	88	124	106	85	62	17	9	–
440	Arteriosclerosis	1,709	–	–	–	–	–	–	–	–	1	5	8	15	19	45	70	178	293	399	330	245	101	–
	White Male	648	–	–	–	–	–	–	–	–	–	3	2	9	13	26	40	76	117	147	124	70	21	–
	Female	925	–	–	–	–	–	–	–	–	1	1	6	4	6	17	21	78	150	221	187	162	71	–
	All other Male	53	–	–	–	–	–	–	–	–	–	–	–	2	–	2	4	8	12	14	5	4	2	–
	Female	83	–	–	–	–	–	–	–	–	–	1	–	–	–	–	5	16	14	17	14	9	7	–
441–448	Other diseases of arteries, arterioles, and capillaries	1,166	1	–	–	2	–	3	6	6	13	19	28	60	58	114	132	195	188	163	114	39	25	–
	White Male	618	1	–	–	2	–	2	2	3	5	8	14	30	39	79	79	108	112	76	39	11	8	–
	Female	415	–	–	–	–	–	–	3	3	5	7	6	17	11	26	37	59	60	72	69	25	15	–
	All other Male	69	–	–	–	–	–	1	1	–	–	3	7	8	3	7	5	15	8	6	5	–	–	–
	Female	64	–	–	–	–	–	–	–	–	3	1	1	5	5	2	11	13	8	9	1	3	2	–
466	Acute bronchitis and bronchiolitis	47	15	5	1	1	–	–	–	2	–	1	1	2	–	–	4	4	2	2	2	4	1	–
	White Male	20	4	2	–	–	–	–	–	–	–	–	1	2	–	–	2	2	2	2	–	2	1	–
	Female	16	5	1	1	–	–	–	–	1	–	1	–	–	–	–	2	1	–	–	2	2	–	–
	All other Male	6	4	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	3,079	210	46	11	16	21	22	22	24	36	53	56	78	129	156	234	314	443	485	421	221	81	–
	White Male	1,473	92	20	7	4	11	10	10	11	14	16	20	41	70	92	137	161	254	220	188	66	29	–
	Female	1,219	67	18	2	10	7	10	5	7	14	14	20	21	34	42	65	109	144	232	215	139	44	–
	All other Male	253	35	6	2	–	1	1	3	5	5	15	9	12	20	14	18	27	37	19	13	8	3	–
	Female	134	16	2	–	2	2	1	4	1	3	8	7	4	5	8	14	17	8	14	5	8	5	–
470–474	Influenza	202	1	2	–	3	1	1	1	1	2	2	2	3	14	12	20	20	39	32	24	17	5	–
	White Male	89	–	–	–	1	–	1	1	–	1	1	–	2	6	6	7	11	18	16	9	5	4	–
	Female	101	–	2	–	2	1	–	–	1	1	1	1	–	7	5	11	8	19	16	14	11	1	–
	All other Male	6	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	1	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	–	–	1	–	–
480–486	Pneumonia	2,877	209	44	11	13	20	21	21	23	34	51	54	75	115	144	214	294	404	453	397	204	76	–
	White Male	1,384	92	20	7	3	11	9	9	11	13	15	20	39	64	86	130	150	236	204	179	61	25	–
	Female	1,118	67	16	2	8	6	10	5	6	13	13	19	21	27	37	54	101	125	216	201	128	43	–
	All other Male	247	34	6	2	–	1	1	3	5	5	15	9	11	19	14	18	26	36	19	12	8	3	–
	Female	128	16	2	–	2	2	1	4	1	3	8	6	4	5	7	12	17	7	14	5	7	5	–
490–493	Bronchitis, emphysema, and asthma	1,358	10	7	1	4	3	5	8	5	3	11	25	61	94	174	229	266	219	146	61	18	8	–
	White Male	952	5	6	–	–	1	2	2	1	1	5	6	36	65	125	171	200	163	108	39	12	4	–
	Female	316	3	1	–	1	1	1	1	2	2	5	11	17	24	42	42	56	45	33	21	6	2	–
	All other Male	63	1	–	1	2	1	1	4	1	–	–	4	3	3	7	13	7	9	3	1	–	2	–
	Female	27	1	–	–	1	–	1	1	1	–	1	4	5	2	–	3	3	2	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas – Con.																							
490, 491	Chronic and unqualified bronchitis	251	9	6	1	1	1	–	1	2	–	2	4	8	18	24	34	50	37	28	19	5	1	–
	White ..... Male	157	5	5	–	–	–	–	–	–	–	2	–	6	14	14	24	35	21	17	11	3	–	–
	Female	77	3	1	–	1	1	–	1	–	–	–	4	2	4	10	6	11	14	9	8	2	–	–
	All other ..... Male	14	1	–	1	–	–	–	–	1	–	–	–	–	–	–	3	4	1	2	–	–	1	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
492	Emphysema	1,011	–	1	–	–	1	1	–	1	2	7	14	49	68	136	184	205	172	110	40	13	7	–
	White ..... Male	763	–	1	–	–	1	1	–	–	1	2	5	28	50	103	145	159	138	89	27	9	4	–
	Female	200	–	–	–	–	–	–	–	1	1	4	5	14	15	28	29	42	25	18	12	4	2	–
	All other ..... Male	36	–	–	–	–	–	–	–	–	–	–	3	3	3	5	9	2	8	1	1	–	1	–
	Female	12	–	–	–	–	–	–	–	–	–	1	1	4	–	–	1	2	1	2	–	–	–	–
493	Asthma	96	1	–	–	3	1	4	7	2	1	2	7	4	8	14	11	11	10	8	2	–	–	–
	White ..... Male	32	–	–	–	–	–	1	2	1	–	1	1	2	1	8	2	6	4	2	1	–	–	–
	Female	39	–	–	–	–	–	1	–	1	1	1	2	1	5	4	7	3	6	6	1	–	–	–
	All other ..... Male	13	–	–	–	2	1	1	4	–	–	–	1	–	–	2	1	1	–	–	–	–	–	–
	Female	12	1	–	–	1	–	1	1	–	–	–	3	1	2	–	1	1	–	–	–	–	–	–
531–533	Peptic ulcer	290	2	1	–	–	1	1	2	1	1	9	17	15	22	42	26	43	30	43	20	11	3	–
	White ..... Male	161	1	1	–	–	1	–	1	–	–	5	10	10	14	28	17	23	11	22	10	5	2	–
	Female	102	–	–	–	–	–	1	1	1	–	3	2	5	8	7	7	17	16	19	9	5	1	–
	All other ..... Male	22	1	–	–	–	–	–	–	–	1	–	5	–	–	7	2	1	2	2	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	–	1	–	–
540–543	Appendicitis	50	3	1	4	3	1	–	–	–	–	3	5	1	1	5	4	6	2	10	1	–	–	–
	White ..... Male	18	3	–	3	–	1	–	–	–	–	–	2	–	1	1	1	3	1	2	–	–	–	–
	Female	20	–	–	–	2	–	–	–	–	–	1	–	1	–	4	2	2	1	6	1	–	–	–
	All other ..... Male	7	–	1	1	1	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	1	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	367	34	3	2	3	–	3	–	5	3	2	13	12	12	19	34	29	51	61	53	22	6	–
	White ..... Male	106	18	2	2	1	–	–	–	2	1	1	2	2	4	7	8	7	13	16	17	3	–	–
	Female	200	13	–	–	1	–	1	–	2	–	–	7	7	6	8	16	14	30	40	34	18	3	–
	All other ..... Male	34	1	–	–	–	–	2	–	–	–	1	2	–	1	3	8	5	5	4	1	–	1	–
	Female	27	2	1	–	1	–	–	–	1	2	–	2	3	1	1	2	3	3	1	1	1	2	–
571	Cirrhosis of liver	1,367	5	1	–	1	2	4	9	29	38	83	180	226	207	213	179	86	61	20	17	6	–	–
	White ..... Male	788	3	–	–	–	2	2	4	11	14	52	104	124	124	130	109	50	33	10	11	5	–	–
	Female	422	2	–	–	1	–	1	1	6	9	19	47	80	62	65	56	30	27	10	5	1	–	–
	All other ..... Male	105	–	–	–	–	–	–	2	7	12	7	19	17	14	13	12	2	–	–	–	–	–	–
	Female	52	–	1	–	–	–	1	2	5	3	5	10	5	7	5	2	4	1	–	1	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	144	–	–	–	–	–	1	–	5	2	2	3	4	7	11	21	13	22	18	23	11	1	–
	White ..... Male	59	–	–	–	–	–	–	–	2	1	–	2	1	–	6	11	7	8	9	8	4	–	–
	Female	80	–	–	–	–	–	1	–	3	1	2	1	2	6	4	10	6	14	8	14	7	1	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–
580–584	Nephritis and nephrosis	430	1	1	–	–	4	6	3	3	6	12	12	21	25	46	55	55	63	46	46	20	5	–
	White ..... Male	159	1	1	–	–	1	4	3	–	1	2	–	7	6	16	27	19	24	14	22	8	3	–
	Female	160	–	–	–	–	1	1	–	3	3	5	8	5	6	12	16	17	28	22	21	11	1	–
	All other ..... Male	49	–	–	–	–	–	–	–	–	–	2	1	2	7	9	4	8	6	7	2	–	1	–
	Female	62	–	–	–	–	2	1	–	–	2	3	3	7	6	9	8	11	5	3	1	1	–	–
580, 581	Acute nephritis and nephrotic syndrome	85	1	–	–	–	1	1	3	2	1	3	2	2	3	3	9	12	15	10	10	6	1	–
	White ..... Male	37	1	–	–	–	–	1	3	–	1	1	–	1	–	1	5	6	6	4	5	2	–	–
	Female	32	–	–	–	–	–	–	–	2	–	2	2	–	1	1	2	3	7	3	5	4	–	–
	All other ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	3	–	–	1	–
	Female	8	–	–	–	–	1	–	–	–	–	–	–	1	–	1	1	3	1	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	345	–	1	–	–	3	5	–	1	5	9	10	19	22	43	46	43	48	36	36	14	4	–
	White ..... Male	122	–	1	–	–	1	3	–	–	–	1	–	6	6	15	22	13	18	10	17	6	3	–
	Female	128	–	–	–	–	1	1	–	1	3	3	6	5	5	11	14	14	21	19	16	7	1	–
	All other ..... Male	41	–	–	–	–	–	–	–	–	–	2	1	2	5	9	3	8	5	4	2	–	–	–
	Female	54	–	–	–	–	1	1	–	–	2	3	3	6	6	8	7	8	4	3	1	1	–	–
590	Infections of kidney	300	1	–	–	–	1	–	–	3	1	4	2	5	7	18	35	52	51	43	48	17	12	–
	White ..... Male	90	1	–	–	–	–	–	–	–	–	1	–	1	1	7	9	16	19	10	15	9	1	–
	Female	153	–	–	–	–	–	–	–	2	1	3	1	3	1	5	18	25	27	25	27	7	8	–
	All other ..... Male	28	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	7	1	5	4	1	1	–
	Female	29	–	–	–	–	1	–	–	1	–	–	1	–	2	4	5	4	4	3	2	–	2	–
600	Hyperplasia of prostate	50	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	8	12	13	8	5	–	–
	White ..... Male	36	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	5	8	10	7	4	–	–
	All other ..... Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	3	1	1	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	28	–	–	–	1	5	6	7	4	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	20	–	–	–	1	3	5	4	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	8	–	–	–	–	2	1	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Texas — Con.																							
640–645	Abortions	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	27	–	–	–	1	4	6	7	4	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	19	–	–	–	1	2	5	4	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	8	–	–	–	–	2	1	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	835	550	71	31	23	27	23	19	7	8	11	8	9	15	9	8	7	3	3	3	–	–	–
	White Male	400	261	33	16	13	13	12	10	4	4	7	4	3	5	3	4	4	1	2	1	–	–	–
	Female	327	211	29	12	8	8	8	8	2	3	4	4	5	8	5	4	3	2	1	2	–	–	–
	All other Male	60	44	5	1	–	4	3	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	48	34	4	2	2	2	–	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	1,846	1,842	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	833	830	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	559	559	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	244	244	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	210	209	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	1,108	1,105	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	539	536	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	333	333	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	132	132	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	104	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	738	737	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	294	294	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	226	226	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	112	112	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	106	105	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	2,893	295	23	6	1	18	37	32	22	50	55	97	142	186	279	321	350	329	277	206	118	49	–
	White Male	1,382	117	7	4	1	10	19	14	7	26	34	52	79	119	170	182	171	144	111	73	33	9	–
	Female	900	75	9	–	–	4	10	9	10	15	11	20	36	38	54	71	111	117	118	105	65	22	–
	All other Male	341	63	5	2	–	2	4	4	4	5	6	16	13	21	35	36	35	37	26	11	10	6	–
	Female	270	40	2	–	–	2	4	5	1	4	4	9	14	8	20	32	33	31	22	17	10	12	–
Residual	All other diseases	6,462	128	68	38	41	87	108	107	92	126	185	265	368	472	619	765	816	827	616	462	198	74	–
	White Male	3,033	51	25	23	17	41	48	53	34	47	76	107	185	243	326	410	416	395	278	174	65	19	–
	Female	2,506	45	29	13	20	29	30	34	33	43	61	91	120	174	205	254	298	342	277	242	114	52	–
	All other Male	506	20	8	1	–	10	12	11	13	20	23	35	38	29	45	49	55	56	40	30	11	–	–
	Female	417	12	6	1	4	7	18	9	12	16	25	32	25	26	43	52	47	34	21	16	8	3	–
E800–E949	Accidents	6,932	128	266	229	260	836	848	591	379	325	303	353	330	330	328	296	300	243	252	206	94	28	7
	White Male	4,328	55	132	113	145	597	629	412	252	217	207	231	215	203	217	171	167	130	112	80	29	7	7
	Female	1,661	48	86	62	60	147	125	99	63	50	57	67	76	74	67	86	93	87	126	113	59	16	–
	All other Male	720	13	34	39	36	75	74	66	56	47	33	46	32	41	33	28	31	18	7	6	2	3	–
	Female	223	12	14	15	19	17	20	14	8	11	6	9	7	12	11	11	9	8	7	7	4	2	–
E810–E823	Motor vehicle accidents	3,417	23	103	108	112	570	543	354	226	162	143	186	158	157	157	133	108	92	53	18	10	–	1
	White Male	2,233	9	41	62	61	402	409	237	144	108	97	120	104	99	96	75	63	54	34	7	10	–	1
	Female	770	9	42	33	29	127	91	69	46	26	30	41	35	34	37	40	30	25	18	8	–	–	–
	All other Male	321	2	15	8	12	29	36	41	31	23	15	21	15	18	18	13	12	10	–	2	–	–	–
	Female	93	3	5	5	10	12	7	7	5	5	1	4	4	6	6	5	3	3	1	1	–	–	–
E800–E807, E825–E949	All other accidents	3,515	105	163	121	148	266	305	237	153	163	160	167	172	173	171	163	192	151	199	188	84	28	6
	White Male	2,095	46	91	51	84	195	220	175	108	109	110	111	111	104	121	96	104	76	78	73	19	7	6
	Female	891	39	44	29	31	20	34	30	17	24	27	26	41	40	30	46	63	62	108	105	59	16	–
	All other Male	399	11	19	31	24	46	38	25	25	24	18	25	17	23	15	15	19	8	7	4	2	3	–
	Female	130	9	9	10	9	5	13	7	3	6	5	5	3	6	5	6	6	5	6	6	4	2	–
E950–E959	Suicide	1,655	...	...	–	11	106	200	170	140	107	148	159	140	143	94	88	57	52	30	7	3	–	–
	White Male	1,129	...	...	–	8	77	137	107	93	67	89	95	94	104	68	72	46	38	26	6	2	–	–
	Female	444	...	...	–	3	22	44	49	36	35	53	61	41	38	24	15	7	11	4	–	1	–	–
	All other Male	62	...	...	–	–	5	16	13	9	2	5	2	2	1	–	1	3	2	–	1	–	–	–
	Female	20	...	...	–	–	2	3	1	2	3	1	1	3	–	2	–	1	1	–	–	–	–	–
E960–E978	Homicide	1,718	19	18	4	15	151	281	291	188	161	147	135	82	67	63	41	22	16	11	6	–	–	–
	White Male	805	9	7	3	8	68	121	130	92	77	67	69	39	37	30	25	9	7	4	3	–	–	–
	Female	221	6	5	1	5	27	37	21	15	15	14	18	13	11	14	5	5	4	4	1	–	–	–
	All other Male	561	2	2	–	1	42	105	117	65	54	53	43	26	15	19	7	7	2	1	–	–	–	–
	Female	131	2	4	–	1	14	18	23	16	15	13	5	4	4	–	4	1	3	2	2	–	–	–
E980–E999	Other external causes	109	3	2	–	1	11	19	17	11	5	9	4	6	6	5	3	1	1	2	–	–	–	3
	White Male	69	1	2	–	1	5	10	14	8	1	6	3	5	4	3	2	1	–	1	–	–	–	2
	Female	24	1	–	–	–	3	4	1	2	2	2	1	1	1	2	1	–	1	1	–	–	–	1
	All other Male	11	–	–	–	–	2	3	1	1	2	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	5	1	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah																							
	All causes	**7,530**	**416**	**96**	**41**	**52**	**129**	**156**	**113**	**102**	**103**	**149**	**209**	**332**	**435**	**624**	**761**	**819**	**922**	**955**	**655**	**347**	**109**	**5**
	White ..... Male	4,203	233	49	24	32	84	99	76	61	62	90	132	203	293	409	495	470	495	462	260	131	41	2
	Female	3,125	155	43	15	16	41	41	31	32	32	53	65	116	132	204	252	333	421	484	384	208	65	2
	All other ..... Male	130	18	–	2	4	2	12	5	6	8	6	7	9	6	9	9	10	2	3	3	6	3	–
	Female	72	10	4	–	–	2	4	1	3	1	–	5	4	4	2	5	6	4	6	8	2	–	1
004, 006	Bacillary dysentery and amebiasis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	15	8	2	1	–	1	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
	White ..... Male	8	4	–	1	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	9	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	1	1	1	1	1	–	–
	White ..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	1	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	–	–
	White ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	4	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	27	11	–	–	–	–	–	–	2	1	1	–	1	2	2	–	1	2	3	1	–	–	–
	White ..... Male	12	7	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	1	–	–	–
	Female	13	3	–	–	–	–	–	–	1	–	1	–	1	2	2	–	1	1	1	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	18	–	–	1	–	1	1	–	2	1	1	–	–	–	3	–	–	3	2	2	1	–	–
	White ..... Male	12	–	–	–	–	–	1	–	2	–	1	–	–	–	2	–	–	3	2	1	–	–	–
	Female	6	–	–	1	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	1	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1,146	1	8	9	6	10	11	18	11	16	27	42	81	98	140	170	156	162	108	51	18	3	–
	White ..... Male	645	1	7	5	2	6	5	9	5	8	18	24	39	51	83	94	94	94	69	22	8	1	–
	Female	486	–	1	4	4	4	6	9	6	7	9	17	41	45	56	74	60	66	36	29	10	2	–
	All other ..... Male	10	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	2	2	2	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	1	–	–	–	–
140–149	Of buccal cavity and pharynx	17	–	–	–	–	–	1	–	–	–	–	–	3	–	2	1	5	1	2	2	–	–	–
	White ..... Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	3	–	1	1	–	–	–
	Female	9	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	2	1	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	326	–	–	–	–	–	–	2	2	5	5	7	19	26	40	53	42	58	39	20	7	1	–
	White ..... Male	189	–	–	–	–	–	–	1	2	1	4	2	13	11	28	32	25	32	25	8	4	1	–
	Female	131	–	–	–	–	–	–	1	–	3	1	5	5	14	12	19	17	26	13	12	3	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
160–163	Of respiratory system	183	–	–	–	–	–	–	–	–	1	5	10	14	30	31	36	27	19	8	2	–	–	–
	White ..... Male	150	–	–	–	–	–	–	–	–	1	5	8	11	25	26	23	24	17	8	2	–	–	–
	Female	31	–	–	–	–	–	–	–	–	–	–	1	3	5	4	13	3	2	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	93	–	–	–	–	–	–	2	1	2	5	4	15	9	13	12	8	11	3	6	2	–	–
	White ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	91	–	–	–	–	–	–	2	1	2	5	4	15	8	13	12	8	10	3	6	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	165	–	–	–	–	1	1	2	3	1	2	4	7	8	16	26	24	36	23	8	3	–	–
	White ..... Male	92	–	–	–	–	1	–	2	1	–	–	1	2	3	4	16	14	21	18	7	2	–	–
	Female	67	–	–	–	–	–	1	–	2	1	2	3	5	5	12	10	8	13	3	1	1	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	41	–	–	–	–	–	1	–	–	–	2	2	4	1	4	8	5	5	6	2	1	–	–
	White ..... Male	29	–	–	–	–	–	1	–	–	–	2	2	2	1	4	6	3	3	3	2	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	2	2	3	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	186	–	4	5	1	3	5	8	4	4	4	11	11	13	21	22	24	18	16	6	4	2	–
	White ..... Male	95	–	4	1	–	2	3	4	1	3	3	9	6	5	10	11	13	12	6	1	1	–	–
	Female	91	–	–	4	1	1	2	4	3	1	1	2	5	8	11	11	11	6	10	5	3	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	63	1	3	4	3	4	1	2	–	–	3	4	3	2	5	4	9	8	3	3	1	–	–
	White ..... Male	41	1	2	4	1	2	–	1	–	–	3	2	3	1	3	4	5	6	2	–	1	–	–
	Female	22	–	1	–	2	2	1	1	–	–	–	2	–	1	2	–	4	2	1	3	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	72	–	1	–	2	2	2	2	1	3	1	–	5	9	8	8	12	6	8	2	–	–	–
	White ..... Male	40	–	1	–	1	1	1	1	1	3	1	–	1	5	6	2	7	2	6	1	–	–	–
	Female	32	–	–	–	1	1	1	1	–	–	–	–	4	4	2	6	5	4	2	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	35	2	1	1	–	2	1	–	2	1	–	–	2	–	1	7	3	8	3	1	–	–	–
	White ..... Male	15	1	1	–	–	1	1	–	–	–	–	–	1	–	1	4	1	4	–	–	–	–	–
	Female	20	1	–	1	–	1	–	–	2	1	–	–	1	–	–	3	2	4	3	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	147	–	–	–	–	–	3	2	3	2	2	1	10	8	16	15	22	19	23	19	2	–	–
	White ..... Male	63	–	–	–	–	–	1	1	2	2	1	–	5	7	7	3	8	6	13	7	–	–	–
	Female	75	–	–	–	–	–	2	1	1	–	1	–	3	1	7	9	14	13	9	12	2	–	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	17	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	3	4	3	1	1	–
	White ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	1	1	1	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	3	1	2	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah—Con.																							
280–285	Anemias	11	–	–	–	–	1	–	–	–	–	–	1	–	1	2	–	2	1	1	1	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–
	Female	6	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	16	10	2	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	White Male	7	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	7	3	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	3,380	4	1	2	–	3	7	5	7	11	34	63	107	183	274	384	437	524	578	442	240	73	1
	White Male	1,810	1	1	1	–	2	3	2	4	6	24	46	77	140	188	263	246	276	249	167	86	27	1
	Female	1,518	3	–	–	–	1	4	3	3	3	9	11	26	41	80	115	181	246	328	267	151	46	–
	All other Male	31	–	–	1	–	–	–	–	–	1	1	4	3	2	5	3	6	–	1	3	1	–	–
	Female	21	–	–	–	–	–	–	–	–	1	–	2	1	–	1	3	4	2	–	5	2	–	–
390–398, 402, 404, 410–429	Diseases of heart	2,456	3	–	1	–	2	5	3	6	9	27	51	88	152	226	303	348	348	396	275	162	50	1
	White Male	1,390	1	–	–	–	1	1	2	4	5	22	41	65	122	160	210	199	197	178	103	58	20	1
	Female	1,032	2	–	–	–	1	4	1	2	2	4	6	21	29	63	89	141	150	217	168	102	30	–
	All other Male	23	–	–	1	–	–	–	–	–	1	1	4	1	1	2	2	5	–	1	3	1	–	–
	Female	11	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	3	1	–	1	1	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	113	–	–	–	–	–	–	1	–	1	1	3	5	14	25	21	17	7	8	5	5	–	–
	White Male	51	–	–	–	–	–	–	1	–	–	–	3	2	9	12	14	6	1	2	–	1	–	–
	Female	62	–	–	–	–	–	–	–	–	1	1	–	3	5	13	7	11	6	6	5	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	20	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	5	5	3	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	1	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	4	1	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	15	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	4	2	1	2	1	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	1	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	4	–	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	2,069	–	–	–	–	–	–	1	3	7	23	41	74	125	179	251	311	310	338	236	133	36	1
	White Male	1,221	–	–	–	–	–	–	1	3	5	20	34	57	106	138	175	185	184	156	91	50	15	1
	Female	823	–	–	–	–	–	–	–	–	1	2	4	16	18	39	73	118	125	182	142	82	21	–
	All other Male	16	–	–	–	–	–	–	–	–	–	1	3	–	1	2	2	5	–	–	2	–	–	–
	Female	9	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	3	1	–	1	1	–	–
410	Acute myocardial infarction	1,011	–	–	–	–	–	–	1	1	6	20	35	50	75	105	161	162	160	137	62	28	8	–
	White Male	683	–	–	–	–	–	–	1	1	5	19	30	43	62	79	119	109	107	69	28	9	2	–
	Female	320	–	–	–	–	–	–	–	–	–	1	3	7	13	26	41	51	53	68	33	18	6	–
	All other Male	5	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	2	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–
411	Other acute and subacute forms of ischemic heart disease	77	–	–	–	–	–	–	–	1	–	–	2	4	6	12	8	20	9	5	7	3	–	–
	White Male	46	–	–	–	–	–	–	–	1	–	–	1	2	6	9	4	9	7	3	2	2	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	–	2	–	3	4	9	2	2	5	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
412	Chronic ischemic heart disease	981	–	–	–	–	–	–	–	1	1	3	4	20	44	62	82	129	141	196	167	102	28	1
	White Male	492	–	–	–	–	–	–	–	1	–	1	3	12	38	50	52	67	70	84	61	39	13	1
	Female	475	–	–	–	–	–	–	–	–	1	1	1	7	5	10	28	58	70	112	104	63	15	–
	All other Male	9	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	2	–	–	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	24	1	–	–	–	–	1	–	–	–	1	–	–	1	5	–	–	2	3	5	3	2	–
	White Male	10	–	–	–	–	–	1	–	–	–	–	–	–	–	4	–	–	1	1	1	1	1	–
	Female	14	1	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	2	4	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah – Con.																							
420–423, 425–427, 429	All other forms of heart disease	215	2	–	1	–	2	4	1	3	1	2	6	9	10	16	29	17	23	40	23	16	10	–
	White ..... Male	97	1	–	–	–	1	–	–	1	–	2	3	6	6	5	20	7	10	17	10	5	3	–
	Female	110	1	–	–	–	1	4	1	2	–	–	2	2	4	10	8	10	13	22	12	11	7	–
	All other ..... Male	6	–	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	1	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
400, 401, 403	Hypertension	19	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	2	4	3	3	–	1	–
	White ..... Male	13	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	1	2	3	2	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	710	1	–	1	–	1	–	2	1	1	6	9	13	18	36	64	72	142	143	127	59	14	–
	White ..... Male	315	–	–	1	–	1	–	–	–	1	2	3	7	8	19	40	37	59	59	50	22	6	–
	Female	383	1	–	–	–	–	–	2	1	–	4	4	4	10	15	22	34	82	84	76	36	8	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	1	–	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	–	1	1	–	–
431	Cerebral hemorrhage	64	1	–	–	–	–	–	–	–	1	–	2	3	5	10	9	11	7	7	5	3	–	–
	White ..... Male	35	–	–	–	–	–	–	–	–	1	–	1	1	3	6	7	3	5	3	4	1	–	–
	Female	26	1	–	–	–	–	–	–	–	–	–	–	1	2	3	2	8	2	4	1	2	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	142	–	–	–	–	–	–	1	1	–	1	–	1	1	7	9	12	33	33	25	16	2	–
	White ..... Male	57	–	–	–	–	–	–	–	–	–	–	–	1	–	4	5	5	13	15	8	5	1	–
	Female	83	–	–	–	–	–	–	1	1	–	1	–	–	1	3	4	7	19	18	16	11	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
434	Cerebral embolism	7	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	2	1	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	1	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	497	–	–	1	–	1	–	1	–	–	4	7	9	12	18	45	49	101	101	96	40	12	–
	White ..... Male	221	–	–	1	–	1	–	–	–	–	2	2	5	5	8	28	29	41	40	38	16	5	–
	Female	269	–	–	–	–	–	–	1	–	–	2	4	3	7	9	15	19	60	61	58	23	7	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–
440	Arteriosclerosis	89	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	7	11	23	22	13	5	–
	White ..... Male	31	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	5	7	5	5	5	1	–
	Female	53	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	4	18	14	8	4	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	106	–	1	–	–	–	2	–	–	1	1	3	3	11	8	12	8	19	13	15	6	3	–
	White ..... Male	61	–	1	–	–	–	2	–	–	–	–	2	3	8	7	11	4	11	4	7	1	–	–
	Female	44	–	–	–	–	–	–	–	–	1	1	1	–	2	1	1	4	8	9	8	5	3	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	264	10	3	–	1	4	4	–	–	3	–	5	10	8	17	8	29	39	45	37	34	7	–
	White ..... Male	140	5	–	–	1	1	–	–	–	2	–	1	9	6	13	8	16	20	22	16	16	4	–
	Female	117	3	3	–	–	3	4	–	–	1	–	2	1	2	4	–	13	19	23	21	16	2	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–
	Female	3	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	36	–	–	–	–	–	1	–	–	–	–	1	2	3	3	–	8	8	5	2	3	–	–
	White ..... Male	18	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	3	5	2	2	2	–	–
	Female	18	–	–	–	–	–	1	–	–	–	–	1	–	2	2	–	5	3	3	–	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	228	10	3	–	1	4	3	–	–	3	–	4	8	5	14	8	21	31	40	35	31	7	–
	White ..... Male	122	5	–	–	1	1	–	–	–	2	–	1	7	5	12	8	13	15	20	14	14	4	–
	Female	99	3	3	–	–	3	3	–	–	1	–	1	1	–	2	–	8	16	20	21	15	2	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–
	Female	3	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	129	–	1	–	–	1	–	1	–	2	2	4	3	8	13	33	27	16	15	2	–	1	–
	White ..... Male	97	–	–	–	–	1	–	–	–	2	1	2	3	6	9	23	22	13	13	2	–	–	–
	Female	29	–	1	–	–	–	–	1	–	–	1	1	–	2	4	8	5	3	2	–	–	1	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah – Con.																							
490, 491	Chronic and unqualified bronchitis	31	–	1	–	–	–	–	–	–	–	1	1	1	4	2	7	7	3	3	–	–	1	–
	White Male	22	–	–	–	–	–	–	–	–	–	–	–	1	4	2	7	3	3	2	–	–	–	–
	Female	9	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	4	–	1	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	90	–	–	–	–	1	–	1	–	1	–	3	2	2	11	25	19	11	12	2	–	–	–
	White Male	72	–	–	–	–	1	–	–	–	1	–	2	2	1	7	16	19	10	11	2	–	–	–
	Female	15	–	–	–	–	–	–	1	–	–	–	–	–	1	4	7	–	1	1	–	–	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	8	–	–	–	–	–	–	–	–	1	1	–	–	2	–	1	1	2	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	30	–	–	–	–	–	1	–	2	1	–	–	2	2	4	4	7	1	3	3	–	–	–
	White Male	15	–	–	–	–	–	1	–	2	1	–	–	–	2	3	3	2	1	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	5	–	3	3	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	22	2	–	–	–	–	–	–	–	2	1	1	1	1	–	1	2	3	6	1	–	1	–
	White Male	11	2	–	–	–	–	–	–	–	1	–	1	1	–	–	1	1	1	3	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	2	3	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	121	–	–	–	–	–	1	1	3	4	9	19	16	23	20	9	7	7	2	–	–	–	–
	White Male	73	–	–	–	–	–	–	1	1	2	5	11	6	16	14	6	5	5	1	–	–	–	–
	Female	41	–	–	–	–	–	1	–	1	–	4	8	9	5	6	3	2	1	1	–	–	–	–
	All other Male	4	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	10	–	–	–	–	–	–	–	–	–	2	–	1	–	2	–	–	3	–	1	–	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	–	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	39	1	–	–	–	–	2	1	1	–	1	1	1	3	3	2	6	7	6	3	–	1	–
	White Male	20	–	–	–	–	–	2	–	1	–	–	1	1	1	2	1	4	2	3	2	–	–	–
	Female	16	1	–	–	–	–	–	1	–	–	1	–	–	1	1	1	2	5	3	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	32	–	–	–	–	–	2	1	1	–	1	1	1	3	3	2	4	6	5	1	–	1	–
	White Male	17	–	–	–	–	–	2	–	1	–	–	1	1	1	2	1	3	1	3	1	–	–	–
	Female	13	–	–	–	–	–	–	1	–	–	1	–	–	1	1	1	1	5	2	–	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	14	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	–	5	1	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	3	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
600	Hyperplasia of prostate	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Utah—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	5	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	133	96	15	2	1	1	3	1	2	2	2	–	–	1	3	–	–	2	2	–	–	–	–
	White Male	81	60	9	1	1	–	1	1	2	1	2	–	–	–	3	–	–	–	–	–	–	–	–
	Female	47	32	6	1	–	–	2	–	–	1	–	–	–	1	–	–	–	2	2	–	–	–	–
	All other Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	197	197	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	113	113	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	72	72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	122	122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	47	47	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	262	41	3	2	–	5	7	4	5	7	7	7	8	8	7	17	17	17	37	29	25	9	–
	White Male	137	19	1	2	–	4	6	2	2	4	6	3	7	5	4	12	11	8	15	15	9	2	–
	Female	114	20	1	–	–	1	1	1	2	1	1	3	1	2	3	5	6	8	21	14	16	7	–
	All other Male	6	2	–	–	–	–	–	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	5	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	1	–	–	–	–
Residual	All other diseases	650	16	11	9	5	12	13	12	13	11	8	29	44	50	75	70	73	65	79	32	13	7	3
	White Male	370	10	6	7	4	6	8	8	7	6	2	17	22	27	48	45	43	33	48	12	6	4	1
	Female	265	5	5	1	1	6	5	4	5	5	5	12	20	21	27	24	30	32	30	19	5	2	1
	All other Male	9	1	–	1	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	2	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	1	–	–	1
E800–E949	Accidents	606	14	45	13	35	63	72	35	25	28	35	21	29	28	29	24	16	28	32	19	10	4	1
	White Male	382	3	22	6	20	46	50	28	16	21	17	16	19	23	18	17	11	17	17	9	4	2	–
	Female	186	8	22	7	11	16	10	5	5	6	14	5	8	5	9	7	5	11	15	9	5	2	1
	All other Male	30	1	–	–	4	1	9	1	4	1	4	–	2	–	2	–	–	–	–	–	1	–	–
	Female	8	2	1	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
E810–E823	Motor vehicle accidents	274	4	19	10	16	35	50	17	17	11	15	10	16	13	11	9	4	9	4	2	–	1	1
	White Male	169	1	11	3	6	25	33	13	11	7	6	9	11	9	4	5	4	6	2	2	–	1	–
	Female	82	2	8	7	9	9	7	3	4	3	6	1	4	4	5	4	–	3	2	–	–	–	1
	All other Male	20	1	–	–	1	1	8	–	2	1	3	–	1	–	2	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	332	10	26	3	19	28	22	18	8	17	20	11	13	15	18	15	12	19	28	17	10	3	–
	White Male	213	2	11	3	14	21	17	15	5	14	11	7	8	14	14	12	7	11	15	7	4	1	–
	Female	104	6	14	–	2	7	3	2	1	3	8	4	4	1	4	3	5	8	13	9	5	2	–
	All other Male	10	–	–	–	3	–	1	1	2	–	1	–	1	–	–	–	–	–	–	–	1	–	–
	Female	5	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
E950–E959	Suicide	157	...	...	–	–	20	20	20	16	7	15	10	11	8	7	11	4	4	3	1	–	–	–
	White Male	120	...	...	–	–	13	15	18	13	4	11	6	9	6	5	11	2	3	3	1	–	–	–
	Female	30	...	...	–	–	5	1	1	3	3	4	4	2	2	2	–	2	1	–	–	–	–	–
	All other Male	5	...	...	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	...	...	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	33	3	2	–	–	2	3	7	5	2	2	2	1	–	–	–	1	1	1	1	–	–	–
	White Male	16	2	–	–	–	1	1	3	3	1	1	2	–	–	–	–	–	–	1	1	–	–	–
	Female	12	1	1	–	–	1	2	2	1	–	1	–	1	–	–	–	1	1	–	–	–	–	–
	All other Male	3	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	25	–	–	–	4	1	6	3	2	–	–	2	2	–	1	2	1	–	–	–	1	–	–
	White Male	19	–	–	–	4	1	3	3	1	–	–	1	1	–	1	2	1	–	–	–	1	–	–
	Female	6	–	–	–	–	–	3	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont																							
	All causes	**4,282**	**90**	**16**	**22**	**10**	**60**	**57**	**31**	**37**	**47**	**63**	**93**	**201**	**243**	**323**	**462**	**512**	**609**	**580**	**431**	**297**	**98**	–
	White Male	2,253	45	11	13	5	49	40	20	25	27	39	62	129	159	206	293	280	315	268	156	93	18	–
	White Female	2,017	44	4	8	5	11	14	11	12	19	24	31	72	83	116	169	231	294	312	274	204	79	–
	All other Male	9	–	1	1	–	–	3	–	–	1	–	–	–	1	1	–	–	–	–	–	–	1	–
	All other Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	5	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	–	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	7	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	3	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	White Female	5	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	819	–	1	5	2	3	5	–	5	9	19	27	64	73	104	117	113	105	93	45	25	4	–
	White Male	442	–	1	3	–	2	3	–	2	2	8	14	31	42	57	68	76	57	48	19	8	1	–
	Female	375	–	–	2	2	1	2	–	3	6	11	13	33	30	47	49	37	48	45	26	17	3	–
	All other Male	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140–149	Of buccal cavity and pharynx	18	–	–	–	–	–	–	–	–	–	1	1	2	4	1	2	2	1	2	1	1	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	1	–	1	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	1	1	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	199	–	–	–	–	–	–	–	–	2	1	7	14	16	22	29	32	27	25	14	9	1	–
	White Male	102	–	–	–	–	–	–	–	–	1	1	5	8	11	10	20	21	9	11	4	1	–	–
	Female	97	–	–	–	–	–	–	–	–	1	–	2	6	5	12	9	11	18	14	10	8	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160–163	Of respiratory system	177	–	–	–	–	1	–	–	–	2	4	7	20	18	32	22	32	16	13	8	2	–	–
	White Male	133	–	–	–	–	1	–	–	–	1	3	4	14	14	23	14	28	13	12	5	1	–	–
	Female	43	–	–	–	–	–	–	–	–	–	1	3	6	4	9	8	4	3	1	3	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	71	–	–	–	–	–	–	–	1	3	3	1	10	9	7	8	6	8	12	2	1	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	70	–	–	–	–	–	–	–	1	3	3	1	10	9	7	8	6	8	12	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	115	–	–	–	–	1	–	–	–	2	4	5	7	8	9	16	16	18	15	8	6	–	–
	White Male	60	–	–	–	–	1	–	–	–	–	–	1	2	4	4	6	10	14	12	2	4	–	–
	Female	55	–	–	–	–	–	–	–	–	2	4	4	5	4	5	10	6	4	3	6	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	44	–	–	–	–	–	–	–	–	–	–	1	3	4	8	8	5	6	7	2	–	–	–
	White Male	30	–	–	–	–	–	–	–	–	–	–	–	2	3	4	6	5	5	3	2	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	1	1	4	2	–	1	4	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	102	–	–	1	2	1	2	–	–	–	3	3	5	10	12	21	4	19	10	4	5	–	–
	White Male	62	–	–	1	–	–	2	–	–	–	1	2	2	8	10	13	3	11	5	3	1	–	–
	Female	40	–	–	–	2	1	–	–	–	–	2	1	3	2	2	8	1	8	5	1	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	42	–	1	4	–	–	2	–	3	–	1	–	1	2	4	3	3	5	6	3	1	3	–
	White Male	22	–	1	2	–	–	1	–	2	–	1	–	1	–	4	2	2	3	1	1	–	1	–
	Female	19	–	–	2	–	–	1	–	1	–	–	–	–	1	–	1	1	2	5	2	1	2	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	51	–	–	–	–	–	1	–	1	–	2	2	2	2	9	8	13	5	3	3	–	–	–
	White Male	24	–	–	–	–	–	–	–	–	–	1	2	1	–	2	6	6	2	3	1	–	–	–
	Female	27	–	–	–	–	–	1	–	1	–	1	–	1	2	7	2	7	3	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	18	–	–	–	1	1	1	–	2	1	–	–	–	1	2	4	1	–	3	–	1	–	–
	White Male	9	–	–	–	–	1	1	–	1	–	–	–	–	–	1	3	1	–	1	–	–	–	–
	Female	9	–	–	–	1	–	–	–	1	1	–	–	–	1	1	1	–	–	2	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	68	–	–	–	–	–	–	–	–	1	1	2	2	4	9	11	9	10	10	5	3	1	–
	White Male	23	–	–	–	–	–	–	–	–	1	1	2	1	2	3	7	1	3	2	–	–	–	–
	Female	45	–	–	–	–	–	–	–	–	–	–	–	1	2	6	4	8	7	8	5	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont — Con.																							
280–285	Anemias	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	2,255	4	2	–	–	–	1	1	3	12	13	32	82	103	153	227	288	363	369	308	213	81	–
	White..... Male	1,128	1	1	–	–	–	–	–	1	10	10	24	66	79	106	149	152	184	164	101	65	15	–
	Female	1,125	2	1	–	–	–	1	1	2	2	3	8	16	24	47	78	136	179	205	206	148	66	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
390–398, 402, 404, 410–429	Diseases of heart	1,671	2	–	–	–	–	1	–	2	11	11	25	71	92	131	183	214	258	260	201	152	57	–
	White..... Male	887	1	–	–	–	–	–	–	1	10	9	20	58	73	94	127	115	142	114	65	47	11	–
	Female	783	1	–	–	–	–	1	–	1	1	2	5	13	19	37	56	99	116	146	135	105	46	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	32	–	–	–	–	–	1	–	–	–	1	2	4	4	6	2	3	3	4	1	1	–	–
	White..... Male	13	–	–	–	–	–	–	–	–	–	–	–	3	2	2	1	2	–	2	1	–	–	–
	Female	19	–	–	–	–	–	1	–	–	–	1	2	1	2	4	1	1	3	2	–	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	16	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	1	5	2	2	–	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	5	2	2	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	2	2	2	1	1	–
	White..... Male	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	1	1	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	1,531	–	–	–	–	–	–	–	2	10	9	22	61	81	120	170	195	236	243	188	139	55	–
	White..... Male	819	–	–	–	–	–	–	–	1	9	8	19	50	66	88	121	105	132	108	58	43	11	–
	Female	711	–	–	–	–	–	–	–	1	1	1	3	11	15	32	49	90	104	135	129	96	44	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
410	Acute myocardial infarction	741	–	–	–	–	–	–	–	1	10	8	14	47	55	76	116	110	108	104	49	37	6	–
	White..... Male	469	–	–	–	–	–	–	–	–	9	8	12	40	50	60	82	63	62	55	15	12	1	–
	Female	271	–	–	–	–	–	–	–	1	1	–	2	7	5	16	34	47	46	49	33	25	5	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
411	Other acute and subacute forms of ischemic heart disease	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	White..... Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	786	–	–	–	–	–	–	–	1	–	1	6	14	26	44	54	85	127	138	139	102	49	–
	White..... Male	347	–	–	–	–	–	–	–	1	–	–	6	10	16	28	39	42	69	52	43	31	10	–
	Female	439	–	–	–	–	–	–	–	–	–	1	–	4	10	16	15	43	58	86	96	71	39	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	White..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	1	2	–	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont — Con.																							
420–423, 425–427, 429	All other forms of heart disease	73	2	–	–	–	–	–	–	–	1	–	1	5	5	4	7	14	13	6	7	7	1	–
	White ..... Male	44	1	–	–	–	–	–	–	–	1	–	1	5	4	3	4	7	8	3	4	3	–	–
	Female	29	1	–	–	–	–	–	–	–	–	–	–	–	1	1	3	7	5	3	3	4	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400, 401, 403	Hypertension	23	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	3	3	7	5	1	–
	White ..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	3	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	2	1	6	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	387	2	2	–	–	–	–	1	1	1	2	4	7	9	14	30	52	79	67	76	28	12	–
	White ..... Male	163	–	1	–	–	–	–	–	–	–	1	2	5	5	9	10	27	33	32	28	9	1	–
	Female	223	1	1	–	–	–	–	1	1	1	1	2	2	4	5	20	25	46	35	48	19	11	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
431	Cerebral hemorrhage	52	1	–	–	–	–	–	1	1	–	2	1	1	2	6	6	9	6	8	7	1	–	–
	White ..... Male	23	–	–	–	–	–	–	–	–	–	1	–	1	1	4	1	4	2	5	4	–	–	–
	Female	29	1	–	–	–	–	–	1	1	–	1	1	–	1	2	5	5	4	3	3	1	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	105	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	16	26	21	23	9	3	–
	White ..... Male	43	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	9	12	10	5	3	–	–
	Female	62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	7	14	11	18	6	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	230	1	2	–	–	–	–	–	–	1	–	3	6	6	7	19	27	47	38	46	18	9	–
	White ..... Male	97	–	1	–	–	–	–	–	–	–	–	2	4	3	4	7	14	19	17	19	6	1	–
	Female	132	–	1	–	–	–	–	–	–	1	–	1	2	3	3	12	13	28	21	27	12	8	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440	Arteriosclerosis	90	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	9	9	19	16	23	9	–
	White ..... Male	30	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	5	8	5	5	1	–
	Female	60	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	6	4	11	11	18	8	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	84	–	–	–	–	–	–	–	–	–	–	2	3	2	6	12	10	14	20	8	5	2	–
	White ..... Male	39	–	–	–	–	–	–	–	–	–	–	2	2	1	2	11	6	3	8	2	1	1	–
	Female	45	–	–	–	–	–	–	–	–	–	–	–	1	1	4	1	4	11	12	6	4	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	White ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	125	1	1	1	–	1	1	1	1	1	3	2	3	5	5	13	14	20	22	11	15	4	–
	White ..... Male	59	1	1	–	–	1	1	–	1	1	1	1	3	2	4	7	6	12	12	3	2	–	–
	Female	65	–	–	1	–	–	–	1	–	–	2	1	–	3	1	6	8	8	10	8	13	3	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474	Influenza	14	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	2	3	2	–	1	1	–
	White ..... Male	8	–	–	–	–	–	–	–	1	–	–	–	–	1	1	2	1	1	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	111	1	1	1	–	1	1	1	–	1	3	2	3	4	4	11	12	17	20	11	14	3	–
	White ..... Male	51	1	1	–	–	1	1	–	–	1	1	1	3	1	3	5	5	11	11	3	2	–	–
	Female	59	–	–	1	–	–	–	1	–	–	2	1	–	3	1	6	7	6	9	8	12	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	51	–	–	–	–	–	–	1	–	–	–	–	2	4	8	13	8	11	1	–	3	–	–
	White ..... Male	37	–	–	–	–	–	–	–	–	–	–	–	1	4	7	13	4	7	–	–	1	–	–
	Female	13	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	3	4	1	–	2	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont—Con.																							
490, 491	Chronic and unqualified bronchitis	11	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	1	2	–	–	2	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	36	–	–	–	–	–	–	–	–	–	–	–	1	4	4	11	6	8	1	–	1	–	–
	White Male	29	–	–	–	–	–	–	–	–	–	–	–	1	4	3	11	3	7	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
493	Asthma	4	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	11	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	3	1	3	–	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	1	3	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	64	–	–	–	–	–	–	–	1	–	5	5	12	10	8	6	6	8	2	1	–	–	–
	White Male	37	–	–	–	–	–	–	–	1	–	2	3	6	6	6	3	5	3	1	1	–	–	–
	Female	27	–	–	–	–	–	–	–	–	–	3	2	6	4	2	3	1	5	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	2	2	1	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	1	1	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	22	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	6	4	4	1	1	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	3	2	3	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	16	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	6	2	3	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	3	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	9	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	2	3	2	–	–
	White Male	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Vermont—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	36	20	4	5	1	–	–	–	–	–	1	1	1	1	1	1	–	–	–	–	–	–	–
	White Male	19	9	4	3	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
	Female	17	11	–	2	1	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	50	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	26	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	32	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	43	12	1	–	–	–	1	–	–	–	1	1	2	2	3	5	2	2	3	4	4	–	–
	White Male	22	7	–	–	–	–	–	–	–	–	1	–	2	–	1	3	2	–	3	2	1	–	–
	Female	21	5	1	–	–	–	1	–	–	–	–	1	–	2	2	2	–	2	–	2	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	317	1	–	1	–	3	5	5	2	3	7	11	11	18	19	42	44	52	39	33	16	5	–
	White Male	177	–	–	1	–	1	3	5	2	1	4	8	5	11	13	24	22	32	17	17	9	2	–
	Female	139	1	–	–	–	2	2	–	–	2	3	3	6	7	5	18	22	20	22	16	7	3	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	235	2	7	9	4	45	32	14	14	11	5	5	6	9	6	10	10	13	17	8	7	1	–
	White Male	160	1	4	5	3	39	25	10	11	7	5	5	5	5	3	7	4	5	10	4	2	–	–
	Female	72	1	2	3	1	6	6	4	3	4	–	–	1	4	3	3	6	8	7	4	5	1	–
	All other Male	3	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	106	–	2	1	1	34	19	9	8	4	1	–	4	4	–	4	3	6	4	–	2	–	–
	White Male	75	–	–	–	1	28	13	6	6	3	1	–	3	2	–	2	1	4	3	–	2	–	–
	Female	30	–	2	1	–	6	5	3	2	1	–	–	1	2	–	2	2	2	1	–	–	–	–
	All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	129	2	5	8	3	11	13	5	6	7	4	5	2	5	6	6	7	7	13	8	5	1	–
	White Male	85	1	4	5	2	11	12	4	5	4	4	5	2	3	3	5	3	1	7	4	–	–	–
	Female	42	1	–	2	1	–	1	1	1	3	–	–	–	2	3	1	4	6	6	4	5	1	–
	All other Male	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	85	...	...	–	1	5	9	8	9	7	6	3	10	8	2	3	5	4	3	1	1	–	–
	White Male	61	...	...	–	1	4	5	5	6	4	5	3	8	5	2	3	3	3	2	1	1	–	–
	Female	22	...	...	–	–	1	2	3	3	3	1	–	2	3	–	–	2	1	1	–	–	–	–
	All other Male	2	...	...	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	8	–	–	1	1	–	–	–	–	–	1	2	1	1	1	–	–	–	–	–	–	–	–
	White Male	5	–	–	1	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	7	–	–	–	–	2	2	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
	White Male	5	–	–	–	–	1	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia																							
	All causes	**39,553**	**1,223**	**183**	**136**	**185**	**467**	**596**	**524**	**518**	**627**	**1,008**	**1,530**	**2,394**	**3,107**	**3,963**	**4,442**	**4,751**	**4,711**	**4,269**	**2,990**	**1,452**	**468**	**9**
	White..... Male	17,155	443	78	58	95	265	361	250	236	270	451	697	1,155	1,554	1,949	2,199	2,188	1,932	1,538	946	407	78	5
	Female	13,383	349	49	41	41	92	98	105	99	142	252	383	583	760	975	1,202	1,474	1,858	2,034	1,688	859	297	2
	All other..... Male	5,234	235	37	22	31	84	111	116	124	136	180	298	411	493	655	615	591	463	355	161	81	35	–
	Female	3,781	196	19	15	18	26	26	53	59	79	125	152	245	300	384	426	498	458	342	195	105	58	2
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	38	12	2	–	1	1	–	1	–	–	–	1	–	2	2	1	3	2	4	4	–	2	–
	White..... Male	6	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–
	Female	15	3	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–	2	3	–	2	–
	All other..... Male	8	4	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	9	4	–	–	1	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–
010–019	Tuberculosis, all forms	79	1	–	–	–	–	–	2	4	2	4	3	6	6	11	10	8	7	8	6	1	–	–
	White..... Male	22	–	–	–	–	–	–	–	–	–	1	–	2	1	2	3	–	4	4	4	1	–	–
	Female	12	–	–	–	–	–	–	1	–	1	–	–	–	2	2	1	1	1	2	1	–	–	–
	All other..... Male	26	–	–	–	–	–	–	–	3	1	3	3	1	2	5	3	3	1	–	1	–	–	–
	Female	19	1	–	–	–	–	–	1	1	–	–	–	3	1	2	3	4	1	2	–	–	–	–
010–012	Tuberculosis of respiratory system	57	1	–	–	–	–	–	1	4	2	4	3	4	4	5	7	4	5	6	6	1	–	–
	White..... Male	19	–	–	–	–	–	–	–	–	–	1	–	2	1	1	2	–	3	4	4	1	–	–
	Female	10	–	–	–	–	–	–	1	–	1	–	–	–	2	1	1	1	1	1	1	–	–	–
	All other..... Male	19	–	–	–	–	–	–	–	3	1	3	3	–	1	3	2	1	1	–	1	–	–	–
	Female	9	1	–	–	–	–	–	–	1	–	–	–	2	–	–	2	2	–	1	–	–	–	–
013–019	Tuberculosis, other forms	22	–	–	–	–	–	–	1	–	–	–	–	2	2	6	3	4	2	2	–	–	–	–
	White..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	All other..... Male	7	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	–	–	–	–	–	–
	Female	10	–	–	–	–	–	–	1	–	–	–	–	1	1	2	1	2	1	1	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	6	2	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other..... Male	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	162	24	5	1	–	–	1	3	–	–	–	9	10	7	10	11	30	15	17	14	3	2	–
	White..... Male	61	8	1	–	–	–	–	–	–	–	–	4	3	2	3	4	13	9	7	4	3	–	–
	Female	48	7	1	–	–	–	–	2	–	–	–	4	2	2	3	3	5	4	7	7	–	1	–
	All other..... Male	27	4	3	–	–	–	1	1	–	–	–	–	4	1	2	2	6	1	2	–	–	–	–
	Female	26	5	–	1	–	–	–	–	–	–	–	1	1	2	2	2	6	1	1	3	–	1	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–
	White..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other..... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	80	5	5	1	2	–	2	5	1	1	4	4	4	7	6	9	6	10	2	3	2	1	–
	White..... Male	26	1	2	–	1	–	–	–	–	1	1	1	–	4	2	2	1	7	1	2	–	–	–
	Female	23	1	1	–	1	–	1	2	–	–	–	1	–	1	–	6	2	3	1	–	2	1	–
	All other..... Male	19	2	2	1	–	–	–	–	1	–	2	2	1	2	3	–	2	–	–	1	–	–	–
	Female	12	1	–	–	–	–	1	3	–	–	1	–	3	–	1	1	1	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,463	2	18	21	22	27	31	52	64	116	244	389	653	845	1,042	1,081	999	837	624	277	99	20	–
	White ..... Male	3,116	1	11	8	10	15	14	23	37	45	78	130	259	342	451	501	470	352	239	97	29	4	–
	Female	2,750	1	5	9	7	7	11	19	17	46	108	156	239	309	362	333	321	320	272	146	52	10	–
	All other ..... Male	974	–	1	2	2	1	5	4	7	9	25	60	92	123	156	162	126	96	74	15	11	3	–
	Female	623	–	1	2	3	4	1	6	3	16	33	43	63	71	73	85	82	69	39	19	7	3	–
140–149	Of buccal cavity and pharynx	149	–	–	–	–	–	1	–	1	1	2	10	21	22	29	28	13	9	10	2	–	–	–
	White ..... Male	72	–	–	–	–	–	–	–	–	–	–	3	13	12	14	16	7	3	2	2	–	–	–
	Female	48	–	–	–	–	–	–	–	1	–	2	4	3	6	10	6	4	5	7	–	–	–	–
	All other ..... Male	24	–	–	–	–	–	1	–	–	1	–	3	4	4	3	5	2	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,891	–	–	–	2	–	1	7	13	21	44	73	138	172	257	263	296	245	225	94	34	6	–
	White ..... Male	710	–	–	–	1	–	–	5	8	12	16	26	61	66	107	109	110	83	76	22	7	1	–
	Female	718	–	–	–	–	–	1	1	4	5	15	21	38	53	89	82	113	106	110	58	18	4	–
	All other ..... Male	292	–	–	–	–	–	–	–	1	3	6	16	28	39	38	55	42	33	22	6	3	–	–
	Female	171	–	–	–	1	–	–	1	–	1	7	10	11	14	23	17	31	23	17	8	6	1	–
160–163	Of respiratory system	1,915	–	–	–	–	1	1	2	8	25	63	119	210	265	337	315	267	167	91	34	10	–	–
	White ..... Male	1,195	–	–	–	–	1	–	1	4	17	31	61	121	147	199	217	198	110	64	19	5	–	–
	Female	341	–	–	–	–	–	1	1	1	3	17	30	39	58	60	38	32	34	13	12	2	–	–
	All other ..... Male	316	–	–	–	–	–	–	–	3	3	9	23	40	49	71	49	32	18	14	2	3	–	–
	Female	63	–	–	–	–	–	–	–	–	2	6	5	10	11	7	11	5	5	–	1	–	–	–
174	Of breast	656	–	–	–	–	–	–	5	3	16	47	50	86	83	84	74	72	60	43	23	9	1	–
	White ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
	Female	545	–	–	–	–	–	–	3	3	11	39	38	69	67	74	63	62	49	36	22	9	–	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
	Female	105	–	–	–	–	–	–	2	–	5	6	12	16	15	9	11	10	10	7	1	–	1	–
180–187	Of genital organs	881	–	1	–	–	5	5	11	6	20	23	40	56	83	90	125	118	139	99	34	20	6	–
	White ..... Male	273	–	–	–	–	4	3	3	3	1	2	2	2	14	20	42	45	62	43	17	9	1	–
	Female	370	–	1	–	–	1	1	5	1	13	15	32	35	49	44	45	31	45	30	11	8	3	–
	All other ..... Male	120	–	–	–	–	–	–	–	–	–	–	1	1	7	9	21	28	22	22	4	3	2	–
	Female	118	–	–	–	–	–	1	3	2	6	6	5	18	13	17	17	14	10	4	2	–	–	–
188, 189	Of urinary organs	279	–	–	–	1	–	–	–	2	3	4	7	17	31	35	40	48	41	29	15	4	2	–
	White ..... Male	144	–	–	–	–	–	–	–	1	2	1	3	6	14	21	21	29	18	15	9	3	1	–
	Female	85	–	–	–	–	–	–	–	–	1	3	2	7	12	11	9	14	13	9	4	–	–	–
	All other ..... Male	36	–	–	–	1	–	–	–	1	–	–	1	3	4	3	8	3	6	3	1	1	1	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	2	4	2	1	–	–	–
170–173, 190–199	Of all other and unspecified sites	1,023	1	8	4	5	12	7	15	17	23	34	53	82	136	135	152	111	93	76	41	15	3	–
	White ..... Male	422	1	5	2	1	6	4	5	12	9	12	21	40	60	57	60	50	37	25	12	3	–	–
	Female	391	–	1	2	3	3	–	8	5	10	11	17	27	49	52	61	36	34	37	22	10	3	–
	All other ..... Male	115	–	1	–	1	–	3	2	–	2	4	8	12	14	19	12	15	12	8	1	1	–	–
	Female	95	–	1	–	–	3	–	–	–	2	7	7	3	13	7	19	10	10	6	6	1	–	–
204–207	Leukemia	255	–	7	16	10	6	10	5	8	3	11	14	16	18	23	26	23	21	20	16	1	1	–
	White ..... Male	119	–	4	5	7	3	2	4	5	2	7	6	4	11	13	12	10	11	4	8	–	1	–
	Female	100	–	3	7	1	2	7	1	1	1	3	5	10	4	7	7	10	9	13	8	1	–	–
	All other ..... Male	19	–	–	2	–	1	1	–	1	–	1	2	–	1	2	5	2	–	1	–	–	–	–
	Female	17	–	–	2	2	–	–	–	1	–	–	1	2	2	1	2	1	1	2	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	414	1	2	1	4	3	6	7	6	4	16	23	27	35	52	58	51	62	31	18	6	1	–
	White ..... Male	178	–	2	1	1	1	5	5	4	2	8	8	11	18	20	24	21	27	10	8	2	–	–
	Female	152	1	–	–	3	1	1	–	1	2	3	7	11	11	15	22	19	25	17	9	4	–	–
	All other ..... Male	49	–	–	–	–	–	–	2	1	–	4	6	4	4	10	7	2	5	3	1	–	–	–
	Female	35	–	–	–	–	1	–	–	–	–	1	2	1	2	7	5	9	5	1	–	–	1	–
210–239	Benign neoplasms and neoplasms of unspecified nature	123	4	3	1	5	3	2	4	5	3	4	6	10	7	17	15	10	10	6	4	4	–	–
	White ..... Male	48	1	1	1	1	1	1	2	1	1	–	3	3	5	7	7	3	6	3	1	–	–	–
	Female	42	3	1	–	2	1	1	1	2	–	2	1	4	1	6	4	3	2	2	2	4	–	–
	All other ..... Male	16	–	1	–	2	–	–	1	–	2	–	1	–	1	2	1	3	1	1	–	–	–	–
	Female	17	–	–	–	–	1	–	–	2	–	2	1	3	–	2	3	1	1	–	1	–	–	–
250	Diabetes mellitus	628	1	–	–	1	–	4	4	4	13	14	14	33	50	74	85	96	109	71	31	19	5	–
	White ..... Male	169	–	–	–	1	–	3	3	3	5	2	6	6	18	15	28	22	24	17	7	7	2	–
	Female	270	1	–	–	–	–	–	1	–	4	8	4	14	17	26	30	41	62	35	16	9	2	–
	All other ..... Male	69	–	–	–	–	–	–	–	1	2	1	3	3	8	15	11	10	6	5	3	1	–	–
	Female	120	–	–	–	–	–	1	–	–	2	3	1	10	7	18	16	23	17	14	5	2	1	–
260–269	Avitaminoses and other nutritional deficiencies	54	3	–	1	–	–	1	–	–	2	–	–	3	2	–	6	9	5	5	6	10	1	–
	White ..... Male	11	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	2	3	1	1	–	–
	Female	18	1	–	–	–	–	1	–	–	1	–	–	–	1	–	2	4	–	2	4	2	–	–
	All other ..... Male	12	2	–	1	–	–	–	–	–	–	–	–	–	1	–	3	1	3	–	–	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	2	–	–	1	6	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virginia—Con.																							
280–285	Anemias	71	–	3	–	3	2	6	3	1	3	–	–	2	2	–	4	9	6	9	7	9	2	–
	White Male	21	–	1	–	1	–	1	–	–	1	–	–	1	–	–	1	4	2	2	2	4	1	–
	Female	23	–	–	–	1	1	1	1	1	–	–	–	1	–	–	–	1	3	6	3	3	1	–
	All other Male	13	–	2	–	1	1	2	1	–	1	–	–	–	1	–	2	1	–	–	1	–	–	–
	Female	14	–	–	–	–	–	2	1	–	1	–	–	–	1	–	1	3	1	1	1	2	–	–
320	Meningitis	37	11	4	3	–	1	–	1	1	–	2	–	–	2	1	2	1	5	–	3	–	–	–
	White Male	14	5	1	1	–	1	–	1	1	–	2	–	–	–	–	1	–	–	–	1	–	–	–
	Female	9	1	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	–	–	–
	All other Male	7	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–
	Female	7	3	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
390–448	Major cardiovascular diseases	19,763	18	7	10	5	13	12	37	70	138	293	554	1,006	1,428	1,975	2,358	2,732	2,850	2,745	2,117	1,053	336	6
	White Male	8,497	6	5	1	1	5	5	10	25	52	171	313	561	811	1,061	1,208	1,240	1,120	935	638	267	60	2
	Female	7,077	5	1	5	1	3	5	14	19	20	34	76	156	250	380	598	856	1,173	1,368	1,243	655	213	2
	All other Male	2,257	4	–	1	2	4	1	7	16	41	48	109	183	219	318	312	324	265	211	112	58	22	–
	Female	1,932	3	1	3	1	1	1	6	10	25	40	56	106	148	216	240	312	292	231	124	73	41	2
390–398, 402, 404, 410–429	Diseases of heart	14,597	16	4	5	5	6	7	25	50	94	241	463	845	1,159	1,589	1,861	2,071	2,011	1,832	1,382	714	211	6
	White Male	6,760	5	3	–	1	1	3	8	18	44	154	280	507	710	908	1,029	966	827	644	431	178	41	2
	Female	4,901	5	1	3	1	1	2	7	11	9	23	50	119	190	296	449	666	815	874	794	449	134	2
	All other Male	1,670	3	–	1	2	3	1	7	15	28	37	92	151	161	245	219	231	184	159	77	41	13	–
	Female	1,266	3	–	1	1	1	1	3	6	13	27	41	68	98	140	164	208	185	155	80	46	23	2
390–398	Active rheumatic fever and chronic rheumatic heart disease	209	–	–	–	1	–	–	3	7	6	10	12	16	23	34	32	26	14	18	6	–	1	–
	White Male	77	–	–	–	–	–	–	–	–	4	4	6	7	13	12	12	7	5	5	2	–	–	–
	Female	98	–	–	–	–	–	–	1	5	1	3	3	4	7	16	17	18	7	11	4	–	1	–
	All other Male	21	–	–	–	1	–	–	2	2	1	1	1	4	2	4	1	1	1	–	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	2	2	1	1	2	2	–	1	2	–	–	–	–
402	Hypertensive heart disease	96	–	–	–	–	–	–	–	–	–	2	3	4	9	11	14	19	10	13	5	5	1	–
	White Male	24	–	–	–	–	–	–	–	–	–	2	–	–	4	2	2	8	2	4	–	–	–	–
	Female	37	–	–	–	–	–	–	–	–	–	–	1	1	2	5	6	7	4	4	4	2	1	–
	All other Male	16	–	–	–	–	–	–	–	–	–	–	1	1	3	2	3	1	2	1	1	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	1	2	–	2	3	3	2	4	–	2	–	–
404	Hypertensive heart and renal disease	129	–	–	–	–	–	–	–	–	–	1	3	3	4	12	15	17	17	21	23	9	3	1
	White Male	28	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	3	6	7	1	1	1
	Female	40	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	5	8	13	8	2	–
	All other Male	29	–	–	–	–	–	–	–	–	–	1	1	2	2	4	4	6	3	5	1	–	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	1	1	1	6	7	6	6	2	2	–	–	–
410–413	Ischemic heart disease	13,137	–	–	–	–	–	1	8	28	71	208	403	758	1,047	1,418	1,684	1,889	1,863	1,655	1,265	647	187	5
	White Male	6,243	–	–	–	–	–	–	3	15	37	140	255	478	654	836	966	900	771	589	398	164	36	1
	Female	4,396	–	–	–	–	–	1	2	2	6	16	33	98	169	258	399	598	765	792	729	406	120	2
	All other Male	1,435	–	–	–	–	–	–	2	6	18	31	83	128	137	209	188	208	167	143	68	36	11	–
	Female	1,063	–	–	–	–	–	–	1	5	10	21	32	54	87	115	131	183	160	131	70	41	20	2
410	Acute myocardial infarction	6,551	–	–	–	–	–	1	4	15	47	121	256	477	640	858	981	993	895	649	414	164	34	2
	White Male	3,572	–	–	–	–	–	–	2	8	28	94	177	329	424	532	621	511	398	240	158	43	6	1
	Female	1,893	–	–	–	–	–	1	–	–	4	8	17	64	108	163	221	314	352	304	215	96	25	1
	All other Male	651	–	–	–	–	–	–	1	4	10	11	44	63	63	106	93	95	69	63	17	12	–	–
	Female	435	–	–	–	–	–	–	1	3	5	8	18	21	45	57	46	73	76	42	24	13	3	–
411	Other acute and subacute forms of ischemic heart disease	658	–	–	–	–	–	–	–	2	4	28	43	74	95	84	103	72	63	49	19	15	7	–
	White Male	275	–	–	–	–	–	–	–	2	1	13	24	36	37	32	48	27	24	18	7	4	2	–
	Female	106	–	–	–	–	–	–	–	–	–	3	4	5	7	9	17	14	18	18	4	5	2	–
	All other Male	185	–	–	–	–	–	–	–	–	1	9	11	21	40	31	23	19	15	6	4	4	1	–
	Female	92	–	–	–	–	–	–	–	–	2	3	4	12	11	12	15	12	6	7	4	2	2	–
412	Chronic ischemic heart disease	5,922	–	–	–	–	–	–	4	11	20	59	104	206	311	476	599	823	904	957	831	468	146	3
	White Male	2,394	–	–	–	–	–	–	1	5	8	33	54	112	193	272	296	362	349	331	233	117	28	–
	Female	2,395	–	–	–	–	–	–	2	2	2	5	12	29	54	86	161	270	394	470	509	305	93	1
	All other Male	597	–	–	–	–	–	–	1	2	7	11	28	44	33	72	72	93	83	74	47	20	10	–
	Female	536	–	–	–	–	–	–	–	2	3	10	10	21	31	46	70	98	78	82	42	26	15	2
413	Angina pectoris	6	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	137	–	–	–	1	1	1	3	1	3	3	5	9	8	19	17	10	14	19	11	9	3	–
	White Male	52	–	–	–	1	–	–	2	–	1	2	1	3	5	10	7	3	5	5	2	3	2	–
	Female	48	–	–	–	–	1	–	1	–	–	1	1	4	1	3	3	6	3	10	7	6	1	–
	All other Male	22	–	–	–	–	–	–	–	1	1	–	3	2	2	4	5	–	3	–	1	–	–	–
	Female	15	–	–	–	–	–	1	–	–	1	–	–	–	–	2	2	1	3	4	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virgina—Con.																							
420–423, 425–427, 429	All other forms of heart disease	889	16	4	5	3	5	5	11	14	14	17	37	55	68	95	99	110	93	106	72	44	16	–
	White..... Male	336	5	3	–	–	1	3	3	3	2	6	18	19	33	47	39	44	41	35	22	10	2	–
	Female	282	5	1	3	1	–	1	3	4	2	3	11	12	11	13	23	36	31	49	37	27	9	–
	All other..... Male	147	3	–	1	1	3	1	3	6	8	4	3	14	15	22	18	15	8	10	6	4	2	–
	Female	124	3	–	1	1	1	–	2	1	2	4	5	10	9	13	19	15	13	12	7	3	3	–
400, 401, 403	Hypertension	113	–	–	–	–	–	–	–	2	2	2	4	6	6	7	14	16	15	15	10	11	3	–
	White..... Male	33	–	–	–	–	–	–	–	1	–	1	–	2	2	3	1	4	6	5	5	2	1	–
	Female	38	–	–	–	–	–	–	–	–	–	–	1	2	2	1	3	4	3	8	4	8	2	–
	All other..... Male	24	–	–	–	–	–	–	–	–	1	1	2	2	1	1	5	5	3	1	1	1	–	–
	Female	18	–	–	–	–	–	–	–	1	1	–	1	–	1	2	5	3	3	1	–	–	–	–
430–438	Cerebrovascular diseases	3,919	2	3	5	–	3	5	9	14	37	47	78	131	213	303	373	508	648	692	544	230	74	–
	White..... Male	1,256	1	2	1	–	2	2	2	4	7	16	26	41	74	110	119	188	220	216	151	63	11	–
	Female	1,656	–	–	2	–	–	3	6	6	9	9	23	30	49	67	118	157	276	374	340	139	48	–
	All other..... Male	462	1	–	–	–	1	–	–	1	10	9	15	25	47	63	76	71	67	43	17	11	5	–
	Female	545	–	1	2	–	–	–	1	3	11	13	14	35	43	63	60	92	85	59	36	17	10	–
431	Cerebral hemorrhage	529	1	2	3	–	1	1	1	3	9	15	24	34	57	62	65	68	72	60	36	12	3	–
	White..... Male	169	–	1	1	–	1	–	–	2	2	5	8	10	21	24	18	26	16	18	11	4	1	–
	Female	182	–	–	1	–	–	1	1	1	1	2	6	6	10	15	21	23	37	31	19	5	2	–
	All other..... Male	85	1	–	–	–	–	–	–	–	3	4	7	7	13	9	17	12	8	2	2	–	–	–
	Female	93	–	1	1	–	–	–	–	–	3	4	3	11	13	14	9	7	11	9	4	3	–	–
433	Cerebral thrombosis	914	–	–	–	–	1	–	1	1	2	4	5	21	37	63	80	108	167	196	148	58	22	–
	White..... Male	290	–	–	–	–	1	–	–	–	–	–	1	8	14	28	26	44	61	54	37	13	3	–
	Female	415	–	–	–	–	–	–	1	1	1	–	1	3	9	13	27	33	69	111	95	36	15	–
	All other..... Male	89	–	–	–	–	–	–	–	–	–	1	1	5	7	11	16	11	14	13	7	2	1	–
	Female	120	–	–	–	–	–	–	–	–	1	3	2	5	7	11	11	20	23	18	9	7	3	–
434	Cerebral embolism	14	–	–	–	–	–	–	–	–	1	–	–	–	–	4	1	1	3	1	3	–	–	–
	White..... Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	–	–	–	–	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,462	1	1	2	–	1	4	7	10	25	28	49	76	119	174	227	331	406	435	357	160	49	–
	White..... Male	793	1	1	–	–	–	2	2	2	5	11	17	23	39	58	75	117	142	144	101	46	7	–
	Female	1,055	–	–	1	–	–	2	4	4	6	7	16	21	30	39	69	101	168	232	226	98	31	–
	All other..... Male	286	–	–	–	–	1	–	–	1	7	4	7	13	27	41	43	48	45	28	8	9	4	–
	Female	328	–	–	1	–	–	–	1	3	7	6	9	19	23	36	40	65	51	31	22	7	7	–
440	Arteriosclerosis	566	–	–	–	–	–	–	–	1	–	1	1	3	11	22	29	47	89	119	125	77	41	–
	White..... Male	161	–	–	–	–	–	–	–	–	–	–	1	1	5	7	16	21	24	30	28	21	7	–
	Female	303	–	–	–	–	–	–	–	1	–	1	–	–	4	4	5	12	49	76	80	46	25	–
	All other..... Male	50	–	–	–	–	–	–	–	–	–	–	–	2	1	5	4	10	8	4	10	2	4	–
	Female	52	–	–	–	–	–	–	–	–	–	–	–	–	1	6	4	4	8	9	7	8	5	–
441–448	Other diseases of arteries, arterioles, and capillaries	568	–	–	–	–	4	–	3	3	5	2	8	21	39	54	81	90	87	87	56	21	7	–
	White..... Male	287	–	–	–	–	2	–	–	2	1	–	6	10	20	33	43	61	43	40	23	3	–	–
	Female	179	–	–	–	–	2	–	1	1	2	1	2	5	5	12	23	17	30	36	25	13	4	–
	All other..... Male	51	–	–	–	–	–	–	–	–	2	1	–	3	9	4	8	7	3	4	7	3	–	–
	Female	51	–	–	–	–	–	–	2	–	–	–	–	3	5	5	7	5	11	7	1	2	3	–
466	Acute bronchitis and bronchiolitis	13	1	2	–	1	–	–	–	–	–	–	1	–	1	–	–	–	1	3	2	1	–	–
	White..... Male	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–
	Female	5	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,303	46	11	6	4	11	7	7	11	14	24	34	42	76	100	108	143	178	208	152	90	31	–
	White..... Male	584	12	2	1	2	6	4	2	2	9	2	12	23	37	51	60	79	83	92	63	38	4	–
	Female	438	15	5	3	1	3	–	3	2	2	5	8	5	15	20	24	38	62	86	73	46	22	–
	All other..... Male	181	12	4	–	–	1	3	1	4	1	12	7	12	17	23	15	16	20	19	8	3	3	–
	Female	100	7	–	2	1	1	–	1	3	2	5	7	2	7	6	9	10	13	11	8	3	2	–
470–474	Influenza	76	1	–	–	–	–	–	1	1	2	1	2	3	6	6	5	12	10	8	8	7	3	–
	White..... Male	34	–	–	–	–	–	–	–	–	2	–	–	2	1	4	3	7	4	4	2	4	1	–
	Female	32	–	–	–	–	–	–	1	1	–	–	1	1	4	2	1	4	5	3	6	2	1	–
	All other..... Male	6	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	1	1	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–
480–486	Pneumonia	1,227	45	11	6	4	11	7	6	10	12	23	32	39	70	94	103	131	168	200	144	83	28	–
	White..... Male	550	12	2	1	2	6	4	2	2	7	2	12	21	36	47	57	72	79	88	61	34	3	–
	Female	406	15	5	3	1	3	–	2	1	2	5	7	4	11	18	23	34	57	83	67	44	21	–
	All other..... Male	175	11	4	–	–	1	3	1	4	1	11	7	12	16	23	15	16	19	19	8	2	2	–
	Female	96	7	–	2	1	1	–	1	3	2	5	6	2	7	6	8	9	13	10	8	3	2	–
490–493	Bronchitis, emphysema, and asthma	441	4	–	1	–	1	2	4	4	3	6	10	14	45	67	56	90	70	32	26	5	1	–
	White..... Male	283	2	–	–	–	–	–	–	–	–	3	7	8	22	40	37	66	52	25	20	–	1	–
	Female	88	–	–	–	–	–	2	–	–	1	1	–	3	13	15	12	17	13	2	6	3	–	–
	All other..... Male	54	–	–	–	–	1	–	3	3	–	2	1	2	9	11	7	6	4	5	–	–	–	–
	Female	16	2	–	1	–	–	–	1	1	2	–	2	1	1	1	–	1	1	–	–	2	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virgina—Con.																							
490, 491	Chronic and unqualified bronchitis	94	1	–	–	–	–	–	–	–	–	1	2	2	10	17	7	19	11	8	11	4	1	–
	White Male	62	–	–	–	–	–	–	–	–	–	1	1	1	5	11	5	15	8	6	8	–	1	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	4	3	2	2	1	2	3	3	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	2	2	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
492	Emphysema	300	2	–	–	–	–	–	–	–	–	3	6	9	31	42	45	70	54	23	14	1	–	–
	White Male	212	1	–	–	–	–	–	–	–	–	2	6	6	17	27	30	51	42	19	11	–	–	–
	Female	51	–	–	–	–	–	–	–	–	–	–	–	1	6	10	8	14	9	–	3	–	–	–
	All other Male	32	–	–	–	–	–	–	–	–	–	1	–	2	7	5	7	4	2	4	–	–	–	–
	Female	5	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–
493	Asthma	47	1	–	1	–	1	2	4	4	3	2	2	3	4	8	4	1	5	1	1	–	–	–
	White Male	9	1	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	2	–	1	–	–	–
	Female	16	–	–	–	–	–	2	–	–	1	1	–	1	3	2	2	1	3	–	–	–	–	–
	All other Male	13	–	–	–	–	1	–	3	3	–	1	–	–	1	3	–	–	–	1	–	–	–	–
	Female	9	–	–	1	–	–	–	1	1	2	–	2	1	–	1	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	108	–	–	–	–	–	3	–	2	2	2	3	7	8	6	14	12	19	18	9	2	1	–
	White Male	64	–	–	–	–	–	1	–	–	1	1	2	6	6	2	8	6	12	13	5	1	–	–
	Female	22	–	–	–	–	–	1	–	–	–	–	1	–	2	2	1	2	4	5	3	1	–	–
	All other Male	14	–	–	–	–	–	1	–	1	1	–	–	–	–	–	3	3	3	–	1	–	1	–
	Female	8	–	–	–	–	–	–	–	1	–	1	–	1	–	2	2	1	–	–	–	–	–	–
540–543	Appendicitis	14	–	–	–	–	–	–	1	1	–	–	1	–	1	1	2	–	3	2	1	1	–	–
	White Male	9	–	–	–	–	–	–	1	1	–	–	–	–	1	1	2	–	1	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	149	20	–	–	–	2	2	1	–	2	1	2	4	7	7	17	22	17	32	9	4	–	–
	White Male	51	13	–	–	–	1	2	1	–	–	–	–	1	3	3	6	8	5	4	2	2	–	–
	Female	61	3	–	–	–	1	–	–	–	1	1	1	1	3	–	5	6	9	21	7	2	–	–
	All other Male	16	2	–	–	–	–	–	–	–	1	–	–	2	–	1	2	2	1	5	–	–	–	–
	Female	21	2	–	–	–	–	–	–	–	–	–	1	–	1	3	4	6	2	2	–	–	–	–
571	Cirrhosis of liver	637	–	–	–	–	–	1	8	17	29	50	83	117	97	84	77	34	31	7	2	–	–	–
	White Male	336	–	–	–	–	–	–	3	4	16	29	43	61	53	42	45	20	17	3	–	–	–	–
	Female	179	–	–	–	–	–	–	2	4	7	14	19	35	25	26	19	10	13	3	2	–	–	–
	All other Male	74	–	–	–	–	–	1	1	8	3	3	11	14	12	7	11	2	–	1	–	–	–	–
	Female	48	–	–	–	–	–	–	2	1	3	4	10	7	7	9	2	2	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	48	1	–	–	–	–	–	–	–	–	2	1	2	2	6	5	7	3	8	7	3	1	–
	White Male	16	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	3	2	3	2	–	–	–
	Female	25	1	–	–	–	–	–	–	–	–	2	–	1	2	3	2	3	1	1	5	3	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–
580–584	Nephritis and nephrosis	156	1	1	2	1	1	3	–	2	3	4	10	8	12	17	23	21	16	15	10	4	2	–
	White Male	45	–	1	1	–	–	3	–	–	–	3	2	1	4	6	6	5	6	4	2	1	–	–
	Female	37	–	–	–	–	1	–	–	–	1	1	3	1	–	1	7	2	3	9	5	2	1	–
	All other Male	38	–	–	1	1	–	–	–	–	–	–	4	5	5	6	5	6	4	–	1	–	–	–
	Female	36	1	–	–	–	–	–	–	2	2	–	1	1	3	4	5	8	3	2	2	1	1	–
580, 581	Acute nephritis and nephrotic syndrome	26	1	–	–	–	–	–	–	1	–	–	2	2	–	3	3	5	4	2	2	1	–	–
	White Male	10	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	3	2	–	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	2	1	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	130	–	1	2	1	1	3	–	1	3	4	8	6	12	14	20	16	12	13	8	3	2	–
	White Male	35	–	1	1	–	–	3	–	–	–	3	1	–	4	5	4	2	4	4	2	1	–	–
	Female	31	–	–	–	–	1	–	–	–	1	1	3	1	–	1	7	2	2	7	3	1	1	–
	All other Male	31	–	–	1	1	–	–	–	–	–	–	3	4	5	4	5	4	3	–	1	–	–	–
	Female	33	–	–	–	–	–	–	–	1	2	–	1	1	3	4	4	8	3	2	2	1	1	–
590	Infections of kidney	99	–	–	–	–	2	–	–	–	–	2	2	5	4	5	12	15	12	21	8	7	4	–
	White Male	32	–	–	–	–	1	–	–	–	–	–	–	1	2	3	1	4	4	12	3	1	–	–
	Female	43	–	–	–	–	1	–	–	–	–	1	1	2	–	2	5	4	5	8	5	6	3	–
	All other Male	9	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	3	2	–	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	–	–	1	1	2	–	4	4	1	1	–	–	1	–
600	Hyperplasia of prostate	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	4	4	3	2	1	–	–
	White Male	15	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	4	3	3	1	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	9	–	–	–	–	–	1	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	6	–	–	–	–	–	–	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Virgina – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	9	–	–	–	–	–	1	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	6	–	–	–	–	–	–	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	289	200	22	10	6	6	5	3	2	4	4	2	5	6	2	7	4	–	1	–	–	–	–
	White ..... Male	114	80	7	4	3	5	1	–	1	2	2	–	2	2	2	3	–	–	–	–	–	–	–
	Female	118	79	8	6	1	1	3	2	1	2	2	1	2	3	–	3	3	–	1	–	–	–	–
	All other ..... Male	37	25	4	–	2	–	1	1	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
	Female	20	16	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	688	687	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	241	241	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	184	184	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	142	141	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	121	121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	373	373	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	144	144	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	104	104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	73	73	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	52	52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	315	314	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Male	97	97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	80	80	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	69	68	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	69	69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	363	101	3	1	–	5	3	2	7	3	6	4	18	19	23	21	21	23	21	31	33	16	2
	White ..... Male	112	45	1	–	–	1	1	–	1	–	2	2	6	8	10	5	8	5	2	5	7	1	2
	Female	128	20	–	1	–	2	1	–	2	1	3	1	6	2	7	10	4	6	12	20	19	11	–
	All other ..... Male	59	20	2	–	–	2	–	–	1	2	1	–	5	3	3	4	4	4	2	2	3	1	–
	Female	64	16	–	–	–	–	1	2	3	–	–	1	1	6	3	2	5	8	5	4	4	3	–
Residual	All other diseases	2,793	49	12	9	19	25	29	40	52	59	87	142	190	267	282	343	318	341	276	171	57	24	1
	White ..... Male	1,181	17	4	5	4	8	5	16	17	14	26	52	78	132	130	169	156	156	110	57	22	2	1
	Female	897	14	6	1	9	7	11	8	6	15	26	44	43	63	72	96	101	119	127	83	30	16	–
	All other ..... Male	413	8	1	3	3	6	4	8	15	17	21	31	46	43	50	48	44	33	18	10	1	3	–
	Female	302	10	1	–	3	4	9	8	14	13	14	15	23	29	30	30	17	33	21	21	4	3	–
E800–E949	Accidents	2,528	22	77	64	99	284	293	187	144	123	124	127	130	116	143	110	122	101	121	80	43	18	–
	White ..... Male	1,356	6	37	34	62	176	219	117	85	73	66	65	57	54	69	52	52	40	44	25	20	3	–
	Female	580	7	17	14	15	51	32	25	23	19	17	19	32	21	31	33	43	43	59	47	20	12	–
	All other ..... Male	449	7	12	12	15	48	37	38	29	27	30	36	33	31	33	15	21	9	9	3	2	2	–
	Female	143	2	11	4	7	9	5	7	7	4	11	7	8	10	10	10	6	9	9	5	1	1	–
E810–E823	Motor vehicle accidents	1,037	4	29	32	30	168	190	107	80	53	48	44	52	43	44	27	36	24	17	8	1	–	–
	White ..... Male	605	–	10	16	19	111	138	63	42	29	28	25	21	22	20	17	20	10	9	4	1	–	–
	Female	223	2	9	10	4	40	26	18	18	11	6	8	15	9	11	7	12	10	3	4	–	–	–
	All other ..... Male	159	2	4	4	4	14	22	22	15	12	10	10	10	11	10	1	3	3	2	–	–	–	–
	Female	50	–	6	2	3	3	4	4	5	1	4	1	6	1	3	2	1	1	3	–	–	–	–
E800–E807, E825–E949	All other accidents	1,491	18	48	32	69	116	103	80	64	70	76	83	78	73	99	83	86	77	104	72	42	18	–
	White ..... Male	751	6	27	18	43	65	81	54	43	44	38	40	36	32	49	35	32	30	35	21	19	3	–
	Female	357	5	8	4	11	11	6	7	5	8	11	11	17	12	20	26	31	33	56	43	20	12	–
	All other ..... Male	290	5	8	8	11	34	15	16	14	15	20	26	23	20	23	14	18	6	7	3	2	2	–
	Female	93	2	5	2	4	6	1	3	2	3	7	6	2	9	7	8	5	8	6	5	1	1	–
E950–E959	Suicide	764	...	...	–	6	40	96	68	61	45	69	81	88	57	55	46	23	19	6	3	1	–	–
	White ..... Male	506	...	...	–	6	31	68	48	41	25	44	41	57	33	38	35	19	12	5	2	1	–	–
	Female	199	...	...	–	–	8	16	11	17	13	21	34	28	21	13	8	4	3	1	1	–	–	–
	All other ..... Male	44	...	...	–	–	1	11	7	1	4	4	5	–	2	4	1	–	4	–	–	–	–	–
	Female	15	...	...	–	–	–	1	2	2	3	–	1	3	1	–	2	–	–	–	–	–	–	–
E960–E978	Homicide	595	7	6	4	10	42	85	83	62	60	56	43	33	27	25	17	11	15	4	4	–	1	–
	White ..... Male	198	3	3	1	3	14	29	20	17	24	16	13	17	10	8	9	3	6	1	1	–	–	–
	Female	76	1	1	1	2	4	10	11	5	8	5	6	6	5	1	–	2	4	1	2	–	1	–
	All other ..... Male	257	2	1	1	3	18	42	41	33	24	26	21	5	11	14	6	4	3	2	–	–	–	–
	Female	64	1	1	1	2	6	4	11	7	4	9	3	5	1	2	2	2	2	–	1	–	–	–
E980–E999	Other external causes	31	1	–	1	–	1	7	4	–	1	4	4	4	2	1	1	–	–	–	–	–	–	–
	White ..... Male	15	–	–	1	–	–	4	3	–	–	2	1	1	2	–	1	–	–	–	–	–	–	–
	Female	6	–	–	–	–	1	1	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–
	All other ..... Male	8	–	–	–	–	–	2	1	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–
	Female	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington																							
	All causes	**29,833**	**801**	**138**	**84**	**114**	**344**	**442**	**388**	**285**	**333**	**487**	**833**	**1,414**	**1,960**	**2,599**	**3,208**	**3,516**	**3,793**	**3,794**	**3,122**	**1,626**	**540**	**12**
	White Male	16,058	404	74	48	71	244	314	247	163	176	259	483	847	1,184	1,642	2,009	2,046	1,987	1,759	1,332	599	161	9
	White Female	12,602	303	51	30	34	74	89	96	84	115	163	288	480	677	859	1,093	1,363	1,727	1,976	1,725	1,007	366	2
	All other Male	729	47	7	4	6	14	25	28	26	30	41	41	56	61	62	73	72	54	32	35	9	5	1
	All other Female	444	47	6	2	3	12	14	17	12	12	24	21	31	38	36	33	35	25	27	30	11	8	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	24	7	1	–	–	–	–	–	–	–	–	1	2	–	–	1	2	3	1	4	2	–	–
	White Male	12	2	1	–	–	–	–	–	–	–	–	–	2	–	–	1	1	2	1	1	1	–	–
	White Female	10	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	3	1	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	32	–	1	–	1	–	–	1	–	–	2	1	3	3	6	1	2	3	5	2	–	1	–
	White Male	16	–	–	–	1	–	–	–	–	–	1	–	2	1	2	1	–	3	4	1	–	–	–
	White Female	9	–	1	–	–	–	–	–	–	–	–	–	–	1	3	–	2	–	1	–	–	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	All other Female	4	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
010–012	Tuberculosis of respiratory system	21	–	–	–	1	–	–	–	–	–	1	1	2	2	4	1	1	3	4	–	–	1	–
	White Male	12	–	–	–	1	–	–	–	–	–	1	–	1	1	1	1	–	3	3	–	–	–	–
	White Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	1	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	11	–	1	–	–	–	–	1	–	–	1	–	1	1	2	–	1	–	1	2	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–
	White Female	4	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	58	11	–	–	–	–	2	3	–	–	1	1	2	4	2	6	2	7	6	9	1	1	–
	White Male	23	8	–	–	–	–	–	1	–	–	–	–	1	2	–	2	–	–	4	4	–	1	–
	White Female	31	2	–	–	–	–	2	2	–	–	1	1	1	2	2	4	1	6	2	4	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	52	7	2	1	1	2	4	2	1	2	4	1	3	3	1	–	2	6	5	1	2	2	–
	White Male	29	3	2	–	1	–	2	1	–	1	3	–	2	–	1	–	2	5	3	1	–	2	–
	White Female	17	1	–	1	–	2	1	1	1	1	1	1	1	2	–	–	–	1	1	–	2	–	–
	All other Male	4	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,829	2	13	13	15	23	27	38	40	63	96	251	402	598	764	872	826	752	527	351	132	24	–
	White.....Male	3,151	2	7	8	9	16	19	18	18	27	33	121	187	295	445	521	471	446	262	174	63	9	–
	Female	2,494	–	3	5	5	7	8	19	19	33	60	118	194	279	302	324	326	294	253	164	67	14	–
	All other.....Male	104	–	–	–	–	–	–	–	1	–	1	5	9	11	12	15	24	9	8	8	–	1	–
	Female	80	–	3	–	1	–	–	1	2	3	2	7	12	13	5	12	5	3	4	5	2	–	–
140–149	Of buccal cavity and pharynx	115	–	–	–	–	–	–	–	–	–	1	6	13	13	16	21	14	14	6	6	3	2	–
	White.....Male	66	–	–	–	–	–	–	–	–	–	1	4	5	8	11	13	9	7	2	5	1	–	–
	Female	43	–	–	–	–	–	–	–	–	–	–	1	5	5	5	7	5	7	4	1	2	1	–
	All other.....Male	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	1,516	1	–	–	–	1	1	1	5	8	14	59	84	131	187	225	231	223	168	133	37	7	–
	White.....Male	803	1	–	–	–	1	1	–	2	7	7	33	51	63	111	130	110	124	86	63	11	2	–
	Female	665	–	–	–	–	–	–	–	3	1	7	22	28	60	69	89	115	96	80	65	25	5	–
	All other.....Male	25	–	–	–	–	–	–	–	–	–	–	2	2	4	5	1	5	3	–	3	–	–	–
	Female	23	–	–	–	–	–	–	1	–	–	–	2	3	4	2	5	1	–	2	2	1	–	–
160–163	Of respiratory system	1,414	–	1	–	–	–	–	–	2	11	21	70	102	186	246	270	223	167	75	27	10	3	–
	White.....Male	1,072	–	–	–	–	–	–	–	–	7	11	50	73	134	190	223	174	132	54	14	8	2	–
	Female	297	–	1	–	–	–	–	–	2	4	9	17	24	45	52	40	39	33	18	10	2	1	–
	All other.....Male	41	–	–	–	–	–	–	–	–	–	1	2	3	6	4	7	10	2	3	3	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–
174	Of breast	542	–	–	–	–	–	–	2	5	16	19	40	63	65	66	78	57	56	41	23	10	1	–
	White.....Male	5	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–
	Female	523	–	–	–	–	–	–	2	5	14	19	38	60	64	63	75	56	54	41	22	9	1	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	14	–	–	–	–	–	–	–	–	2	–	1	3	–	2	2	–	2	–	1	1	–	–
180–187	Of genital organs	725	–	–	1	–	2	5	6	8	5	12	18	38	52	75	98	99	101	108	58	36	3	–
	White.....Male	351	–	–	–	–	2	3	5	2	–	–	1	5	7	25	44	55	68	67	39	26	2	–
	Female	353	–	–	1	–	–	2	1	5	5	11	17	32	39	49	51	41	31	38	19	10	1	–
	All other.....Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	3	–	–	–	–
	Female	12	–	–	–	–	–	–	–	1	–	1	–	1	6	–	1	2	–	–	–	–	–	–
188, 189	Of urinary organs	277	–	1	–	–	–	1	–	2	–	2	4	21	19	36	36	43	43	26	26	15	2	–
	White.....Male	192	–	1	–	–	–	1	–	1	–	2	2	15	15	25	25	31	32	14	17	10	1	–
	Female	79	–	–	–	–	–	–	–	–	–	–	2	6	4	10	11	8	11	12	9	5	1	–
	All other.....Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	672	1	6	5	8	13	5	16	8	11	16	32	49	85	81	77	90	69	45	42	8	5	–
	White.....Male	337	1	4	3	3	7	3	7	7	4	8	18	23	40	50	42	53	33	13	13	3	2	–
	Female	314	–	1	2	4	6	2	9	1	7	7	11	24	43	29	33	35	34	31	27	5	3	–
	All other.....Male	12	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	2	2	1	1	–	–	–
	Female	9	–	1	–	1	–	–	–	–	–	1	2	–	1	1	1	–	–	–	1	–	–	–
204–207	Leukemia	243	–	4	6	7	4	4	7	5	5	3	13	8	20	22	19	29	29	29	19	9	1	–
	White.....Male	139	–	2	4	6	3	2	2	3	3	1	5	4	10	14	12	20	19	13	13	3	–	–
	Female	96	–	1	2	1	1	2	5	2	1	2	8	4	9	8	5	8	10	15	5	6	1	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	–	1	–	–	–	–	–	–	1	–	–	–	1	–	2	1	–	1	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	325	–	1	1	–	3	11	6	5	7	8	9	24	27	35	48	40	50	29	17	4	–	–
	White.....Male	186	–	–	1	–	3	9	4	3	6	3	7	11	17	18	31	18	31	13	10	1	–	–
	Female	124	–	–	–	–	–	2	2	1	1	5	2	11	10	17	13	19	18	14	6	3	–	–
	All other.....Male	10	–	–	–	–	–	–	–	1	–	–	–	–	–	–	4	3	–	1	1	–	–	–
	Female	5	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	79	2	–	–	1	–	2	–	–	1	3	6	2	8	14	6	10	6	12	4	2	–	–
	White.....Male	40	2	–	–	–	–	1	–	–	1	2	2	1	4	6	5	5	2	7	1	1	–	–
	Female	34	–	–	–	1	–	1	–	–	–	–	4	1	3	7	1	4	4	5	2	1	–	–
	All other.....Male	5	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	512	1	–	–	–	–	2	–	4	6	3	12	16	26	53	65	77	90	66	61	26	4	–
	White.....Male	196	1	–	–	–	–	–	–	4	1	3	7	7	15	28	21	31	28	23	19	8	–	–
	Female	297	–	–	–	–	–	2	–	–	5	–	4	9	8	23	41	43	58	42	40	18	4	–
	All other.....Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	1	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	3	3	1	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	39	1	–	–	–	–	–	1	1	–	1	1	–	–	1	5	6	1	6	4	10	–	1
	White.....Male	22	1	–	–	–	–	–	1	1	–	1	–	–	–	1	3	4	1	3	2	3	–	1
	Female	16	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	–	2	2	7	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington—Con.																							
280–285	Anemias	42	1	–	–	2	1	3	2	1	–	–	1	1	–	1	3	2	2	5	12	5	–	–
	White Male	22	–	–	–	1	–	2	1	–	–	–	1	–	–	1	2	2	2	2	5	3	–	–
	Female	17	1	–	–	–	1	–	1	1	–	–	–	–	–	–	1	–	–	3	7	2	–	–
	All other Male	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	16	8	2	–	1	–	–	–	–	–	1	–	–	1	1	–	–	–	1	–	1	–	–
	White Male	7	4	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	Female	7	3	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	15,229	9	7	6	3	9	16	17	32	55	140	251	557	824	1,196	1,593	1,941	2,268	2,529	2,188	1,183	403	2
	White Male	7,954	6	4	4	1	2	6	5	14	28	91	176	395	569	823	1,039	1,128	1,128	1,118	883	412	120	2
	Female	6,871	2	3	2	1	5	8	8	11	21	33	63	130	221	321	498	766	1,099	1,380	1,269	758	272	–
	All other Male	250	–	–	–	–	1	1	4	3	5	11	10	20	22	36	38	31	27	16	17	5	3	–
	Female	154	1	–	–	1	1	1	–	4	1	5	2	12	12	16	18	16	14	15	19	8	8	–
390–398, 402, 404, 410–429	Diseases of heart	11,012	6	5	3	2	5	8	12	22	46	116	200	467	684	991	1,245	1,480	1,593	1,719	1,398	757	251	2
	White Male	6,171	4	2	2	1	1	3	4	13	26	84	156	347	504	713	840	904	829	788	594	267	87	2
	Female	4,554	2	3	1	–	4	3	5	5	15	21	35	94	153	239	364	543	737	910	781	483	156	–
	All other Male	186	–	–	–	–	–	1	3	3	5	8	8	18	19	27	29	20	16	13	11	3	2	–
	Female	101	–	–	–	1	–	1	–	1	–	3	1	8	8	12	12	13	11	8	12	4	6	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	259	–	–	–	–	1	2	2	4	2	5	2	15	28	37	46	32	31	28	12	7	5	–
	White Male	119	–	–	–	–	–	–	–	2	1	2	1	10	14	22	22	18	12	9	4	2	–	–
	Female	132	–	–	–	–	1	1	2	1	1	3	1	5	14	14	23	14	17	19	7	5	4	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–
	Female	4	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–
402	Hypertensive heart disease	121	–	–	–	–	–	–	–	–	1	1	3	5	8	9	14	20	17	19	14	7	3	–
	White Male	42	–	–	–	–	–	–	–	–	–	1	1	4	4	4	7	7	6	4	2	1	1	–
	Female	75	–	–	–	–	–	–	–	–	1	–	2	1	2	5	7	12	10	15	12	6	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	84	–	–	1	–	–	–	–	1	–	–	–	–	2	–	4	5	21	18	13	13	6	–
	White Male	44	–	–	1	–	–	–	–	1	–	–	–	–	1	–	3	2	10	9	8	7	2	–
	Female	38	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	11	9	4	5	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
410–413	Ischemic heart disease	9,701	–	–	1	–	1	–	2	13	36	89	176	399	578	863	1,093	1,324	1,430	1,535	1,265	678	216	2
	White Male	5,514	–	–	1	–	–	–	1	10	25	70	142	302	437	629	746	824	752	725	537	238	73	2
	Female	3,948	–	–	–	–	1	–	1	3	8	13	26	73	120	199	310	470	655	792	707	434	136	–
	All other Male	159	–	–	–	–	–	–	–	–	3	5	7	18	17	25	26	17	14	12	10	3	2	–
	Female	80	–	–	–	–	–	–	–	–	–	1	1	6	4	10	11	13	9	6	11	3	5	–
410	Acute myocardial infarction	4,651	–	–	–	–	–	–	1	8	24	67	114	270	386	529	620	709	672	625	396	174	54	2
	White Male	2,914	–	–	–	–	–	–	1	6	18	54	90	208	293	388	422	455	375	322	194	68	18	2
	Female	1,624	–	–	–	–	–	–	–	2	5	9	22	47	79	121	178	241	289	298	196	103	34	–
	All other Male	75	–	–	–	–	–	–	–	–	1	3	2	11	12	13	13	8	5	3	2	2	–	–
	Female	38	–	–	–	–	–	–	–	–	–	1	–	4	2	7	7	5	3	2	4	1	2	–
411	Other acute and subacute forms of ischemic heart disease	48	–	–	–	–	–	–	–	–	1	1	1	–	3	4	7	9	3	7	7	3	2	–
	White Male	29	–	–	–	–	–	–	–	–	1	1	1	–	3	3	6	6	1	2	4	1	–	–
	Female	19	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	5	3	2	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	4,998	–	–	1	–	1	–	1	5	11	21	61	129	188	330	466	606	755	902	861	500	160	–
	White Male	2,571	–	–	1	–	–	–	–	4	6	15	51	94	141	238	318	363	376	401	339	169	55	–
	Female	2,301	–	–	–	–	1	–	1	1	3	4	4	26	40	77	131	226	364	488	507	328	100	–
	All other Male	84	–	–	–	–	–	–	–	–	2	2	5	7	5	12	13	9	9	9	8	1	2	–
	Female	42	–	–	–	–	–	–	–	–	–	–	1	2	2	3	4	8	6	4	7	2	3	–
413	Angina pectoris	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	51	–	–	–	–	1	–	–	–	–	–	1	–	5	2	4	5	5	11	10	6	1	–
	White Male	17	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	2	1	5	2	1	1	–
	Female	34	–	–	–	–	1	–	–	–	–	–	1	–	1	2	3	3	4	6	8	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington — Con.																							
420–423, 425–427, 429	All other forms of heart disease	796	6	5	1	2	2	6	8	4	7	21	18	48	63	80	84	94	89	108	84	46	20	–
	White Male	435	4	2	–	1	1	3	3	–	–	11	12	31	44	58	61	51	48	36	41	18	10	–
	Female	327	2	3	1	–	1	2	2	1	5	5	5	15	15	19	20	41	40	69	43	28	10	–
	All other Male	20	–	–	–	–	–	1	3	3	2	3	1	–	1	1	2	2	–	1	–	–	–	–
	Female	14	–	–	–	1	–	–	–	–	–	2	–	2	3	2	1	–	1	2	–	–	–	–
400, 401, 403	Hypertension	72	–	–	–	–	–	–	–	–	–	1	1	–	2	3	7	11	6	16	16	9	–	–
	White Male	36	–	–	–	–	–	–	–	–	–	1	1	–	1	2	4	2	3	8	8	6	–	–
	Female	32	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	8	3	7	8	3	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
430–438	Cerebrovascular diseases	3,168	2	2	3	1	2	7	5	10	8	23	41	72	109	155	251	353	523	632	592	294	83	–
	White Male	1,298	1	2	2	–	–	3	1	1	2	6	14	36	49	82	135	168	224	243	204	101	24	–
	Female	1,776	–	–	1	1	1	4	3	6	5	12	24	30	53	64	105	177	287	381	375	191	56	–
	All other Male	50	–	–	–	–	1	–	1	–	–	3	2	2	3	7	6	5	9	3	6	1	1	–
	Female	44	1	–	–	–	–	–	–	3	1	2	1	4	4	2	5	3	3	5	7	1	2	–
431	Cerebral hemorrhage	339	–	–	1	–	2	1	4	3	1	8	18	14	25	28	49	39	48	40	28	24	6	–
	White Male	141	–	–	–	–	–	1	1	1	–	3	4	5	11	14	22	23	18	16	11	10	1	–
	Female	177	–	–	1	–	1	–	2	1	1	3	11	7	12	14	23	15	29	24	15	14	4	–
	All other Male	12	–	–	–	–	1	–	1	–	–	1	2	–	1	–	3	1	1	–	1	–	–	–
	Female	9	–	–	–	–	–	–	–	1	–	1	1	2	1	–	1	–	–	–	1	–	1	–
433	Cerebral thrombosis	767	–	–	1	–	–	–	–	–	1	3	3	8	15	31	41	89	138	160	181	71	25	–
	White Male	316	–	–	1	–	–	–	–	–	–	2	1	4	10	16	28	34	59	65	63	24	9	–
	Female	437	–	–	–	–	–	–	–	–	–	1	2	3	4	13	11	55	75	93	118	47	15	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	4	1	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	1	–	–	1	–
434	Cerebral embolism	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	1	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,055	2	2	1	1	–	6	1	7	6	12	20	50	69	95	160	223	336	431	382	199	52	–
	White Male	840	1	2	1	–	–	2	–	–	2	1	9	27	28	52	85	111	147	161	130	67	14	–
	Female	1,157	–	–	–	1	–	4	1	5	4	8	11	20	37	37	70	105	182	264	241	130	37	–
	All other Male	29	–	–	–	–	–	–	–	–	–	2	–	1	2	4	3	4	4	2	5	1	1	–
	Female	29	1	–	–	–	–	–	–	2	–	1	–	2	2	2	2	3	3	4	6	1	–	–
440	Arteriosclerosis	562	–	–	–	–	–	–	–	–	–	–	2	2	3	14	24	37	71	103	153	99	54	–
	White Male	208	–	–	–	–	–	–	–	–	–	–	1	1	2	6	17	17	27	44	62	25	6	–
	Female	342	–	–	–	–	–	–	–	–	–	–	1	1	1	7	7	16	42	58	91	70	48	–
	All other Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	–	–	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	415	1	–	–	–	2	1	–	–	1	–	7	16	26	33	66	60	75	59	29	24	15	–
	White Male	241	1	–	–	–	1	–	–	–	–	–	4	11	13	20	43	37	45	35	15	13	3	–
	Female	167	–	–	–	–	–	1	–	–	1	–	3	5	13	10	21	22	30	24	14	11	12	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
	Female	3	–	–	–	–	1	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	9	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	2	–	1	–	–
	White Male	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	939	22	2	2	3	3	3	7	7	8	11	17	17	30	53	65	100	114	158	164	104	49	–
	White Male	452	12	–	1	3	2	1	4	4	3	4	8	11	14	30	40	66	60	75	67	35	12	–
	Female	441	4	1	1	–	1	2	3	2	2	4	4	3	11	21	23	31	51	80	93	67	37	–
	All other Male	31	2	1	–	–	–	–	–	–	2	3	5	3	3	1	2	1	3	1	3	1	–	–
	Female	15	4	–	–	–	–	–	–	1	1	–	–	–	2	1	–	2	–	2	1	1	–	–
470–474	Influenza	154	–	–	–	–	–	–	–	1	2	2	–	4	1	10	6	16	20	38	27	16	11	–
	White Male	54	–	–	–	–	–	–	–	–	1	–	–	3	–	4	2	10	12	13	7	1	1	–
	Female	98	–	–	–	–	–	–	–	1	–	2	–	1	1	6	4	6	7	25	20	15	10	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	785	22	2	2	3	3	3	7	6	6	9	17	13	29	43	59	84	94	120	137	88	38	–
	White Male	398	12	–	1	3	2	1	4	4	2	4	8	8	14	26	38	56	48	62	60	34	11	–
	Female	343	4	1	1	–	1	2	3	1	2	2	4	2	10	15	19	25	44	55	73	52	27	–
	All other Male	30	2	1	–	–	–	–	–	–	2	3	5	3	3	1	2	1	2	1	3	1	–	–
	Female	14	4	–	–	–	–	–	–	1	–	–	–	–	2	1	–	2	–	2	1	1	–	–
490–493	Bronchitis, emphysema, and asthma	486	1	4	–	–	–	1	–	–	4	2	5	19	34	70	84	83	92	45	32	9	–	1
	White Male	351	–	2	–	–	–	1	–	–	2	1	4	14	19	42	68	58	70	37	26	6	–	1
	Female	119	1	2	–	–	–	–	–	–	–	1	–	3	15	27	16	22	20	7	5	–	–	–
	All other Male	13	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	3	2	1	1	3	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington—Con.																							
490, 491	Chronic and unqualified bronchitis	98	1	4	–	–	–	1	–	–	–	–	2	3	9	10	13	19	21	6	6	3	–	–
	White ..... Male	64	–	2	–	–	–	1	–	–	–	–	2	3	6	4	11	10	15	5	4	1	–	–
	Female	26	1	2	–	–	–	–	–	–	–	–	–	–	3	5	2	7	4	1	1	–	–	–
	All other ..... Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	2	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
492	Emphysema	350	–	–	–	–	–	–	–	–	2	1	3	13	22	55	65	58	67	34	23	6	–	1
	White ..... Male	271	–	–	–	–	–	–	–	–	1	1	2	9	13	36	53	46	54	29	21	5	–	1
	Female	74	–	–	–	–	–	–	–	–	–	–	–	3	9	19	12	12	13	4	2	–	–	–
	All other ..... Male	4	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
493	Asthma	38	–	–	–	–	–	–	–	–	2	1	–	3	3	5	6	6	4	5	3	–	–	–
	White ..... Male	16	–	–	–	–	–	–	–	–	1	–	–	2	–	2	4	2	1	3	1	–	–	–
	Female	19	–	–	–	–	–	–	–	–	–	1	–	–	3	3	2	3	3	2	2	–	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	136	2	–	–	–	–	2	–	–	2	–	2	9	7	12	10	17	17	28	11	14	3	–
	White ..... Male	77	–	–	–	–	–	1	–	–	2	–	2	6	3	7	6	12	12	12	6	6	2	–
	Female	52	1	–	–	–	–	1	–	–	–	–	–	2	3	4	3	5	4	15	5	8	1	–
	All other ..... Male	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	1	1	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	14	1	–	–	–	–	–	1	–	–	1	–	3	1	1	2	–	–	2	1	1	–	–
	White ..... Male	8	1	–	–	–	–	–	1	–	–	1	–	1	1	–	1	–	–	1	1	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	1	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	107	10	–	–	1	1	–	1	–	–	–	2	2	1	7	9	10	14	25	14	6	4	–
	White ..... Male	47	6	–	–	1	–	–	–	–	–	–	1	1	1	2	5	5	5	10	7	3	–	–
	Female	57	3	–	–	–	1	–	1	–	–	–	1	1	–	4	4	4	9	15	7	3	4	–
	All other ..... Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
571	Cirrhosis of liver	552	–	1	–	–	–	1	1	8	21	24	66	106	101	89	61	36	19	9	7	2	–	–
	White ..... Male	314	–	1	–	–	–	1	–	4	9	14	31	58	60	51	41	22	11	6	4	1	–	–
	Female	185	–	–	–	–	–	–	–	2	4	4	26	39	33	33	19	13	6	3	2	1	–	–
	All other ..... Male	36	–	–	–	–	–	–	1	–	4	4	7	8	6	2	1	1	1	–	1	–	–	–
	Female	17	–	–	–	–	–	–	–	2	4	2	2	1	2	3	–	–	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	39	–	–	–	–	–	–	–	–	–	–	–	2	2	1	4	4	11	7	4	3	1	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	3	1	1	–	–	–
	Female	26	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	8	6	3	3	1	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	89	1	1	–	1	–	2	4	–	1	1	1	5	6	6	13	14	13	10	7	3	–	–
	White ..... Male	45	1	1	–	–	–	2	–	–	1	–	1	3	4	3	5	9	6	6	2	1	–	–
	Female	38	–	–	–	1	–	–	2	–	–	1	–	2	2	2	8	5	5	3	5	2	–	–
	All other ..... Male	6	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	14	1	1	–	–	–	–	–	–	1	–	–	–	–	1	2	1	3	3	1	–	–	–
	White ..... Male	11	1	1	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	3	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	75	–	–	–	1	–	2	4	–	–	1	1	5	6	5	11	13	10	7	6	3	–	–
	White ..... Male	34	–	–	–	–	–	2	–	–	–	–	1	3	4	2	4	8	5	3	1	1	–	–
	Female	36	–	–	–	1	–	–	2	–	–	1	–	2	2	2	7	5	4	3	5	2	–	–
	All other ..... Male	5	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	42	–	–	–	–	1	–	–	–	1	–	–	1	1	1	2	5	11	6	8	3	2	–
	White ..... Male	15	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	2	4	2	2	–	1	–
	Female	25	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	2	7	4	6	3	1	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	2	2	–	2	–
	White ..... Male	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	2	2	–	2	–
	All other ..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White ..... Female	3	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Washington – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	4	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Female	3	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	216	147	12	9	4	1	4	8	2	2	1	4	5	3	7	2	–	1	3	–	1	–	–
	White..... Male	111	73	8	5	1	1	2	5	2	–	–	1	3	3	5	1	–	–	–	–	1	–	–
	Female	88	62	4	2	3	–	1	2	–	2	1	2	2	–	2	1	–	1	3	–	–	–	–
	All other..... Male	10	7	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	7	5	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	385	385	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	191	191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	155	155	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	214	214	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	109	109	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	87	87	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	171	171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White..... Male	82	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	68	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other..... Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	328	122	4	–	2	6	11	9	10	6	16	14	13	12	11	16	12	16	16	22	5	3	2
	White..... Male	167	64	2	–	1	1	7	6	5	1	6	9	8	9	4	8	10	8	5	11	–	1	1
	Female	123	41	1	–	–	3	1	3	2	3	8	3	4	3	6	7	2	7	11	10	5	2	1
	All other..... Male	23	9	1	–	1	–	1	–	3	2	1	–	1	–	1	1	–	1	–	1	–	–	–
	Female	15	8	–	–	–	2	2	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	1,963	33	18	6	6	17	18	19	27	27	38	57	112	155	190	263	253	249	228	151	68	28	–
	White..... Male	1,061	17	10	1	4	11	7	7	14	12	18	23	60	89	110	157	148	132	122	81	32	6	–
	Female	806	12	7	4	2	6	9	10	10	10	12	25	40	55	73	100	96	110	100	67	36	22	–
	All other..... Male	55	2	–	–	–	–	–	–	2	5	4	5	9	8	3	6	4	3	3	1	–	–	–
	Female	41	2	1	1	–	–	2	2	1	–	4	4	3	3	4	–	5	4	3	2	–	–	–
E800–E949	Accidents	1,783	19	62	42	59	235	228	178	85	70	68	77	82	86	79	84	74	72	74	55	39	12	3
	White..... Male	1,199	5	33	28	39	185	183	132	54	44	45	58	54	56	57	53	42	41	39	24	20	5	2
	Female	464	10	24	11	15	39	30	27	22	19	14	15	26	22	18	26	26	30	34	30	19	6	1
	All other..... Male	85	3	3	2	5	6	10	14	9	5	3	3	2	6	2	4	4	1	1	1	–	1	–
	Female	35	1	2	1	–	5	5	5	–	2	6	1	–	2	2	1	2	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	803	3	17	19	27	171	141	107	45	26	24	30	31	41	28	27	24	18	15	4	3	–	2
	White..... Male	559	–	9	14	17	139	111	74	28	14	19	21	21	25	17	16	10	9	10	2	2	–	1
	Female	192	1	7	3	10	27	19	21	11	11	4	8	10	12	10	9	12	9	5	1	1	–	1
	All other..... Male	35	2	–	1	–	4	7	7	6	–	–	1	–	3	–	1	2	–	–	1	–	–	–
	Female	17	–	1	1	–	1	4	5	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	980	16	45	23	32	64	87	71	40	44	44	47	51	45	51	57	50	54	59	51	36	12	1
	White..... Male	640	5	24	14	22	46	72	58	26	30	26	37	33	31	40	37	32	32	29	22	18	5	1
	Female	272	9	17	8	5	12	11	6	11	8	10	7	16	10	8	17	14	21	29	29	18	6	–
	All other..... Male	50	1	3	1	5	2	3	7	3	5	3	2	2	3	2	3	2	1	1	–	–	1	–
	Female	18	1	1	–	–	4	1	–	–	1	5	1	–	1	1	–	2	–	–	–	–	–	–
E950–E959	Suicide	509	...	...	–	7	21	61	57	36	48	44	42	32	40	25	28	29	19	11	6	3	–	–
	White..... Male	344	...	...	–	3	14	47	43	25	34	23	26	17	26	18	17	19	14	9	6	3	–	–
	Female	137	...	...	–	4	1	12	8	10	12	14	15	15	13	7	10	9	5	2	–	–	–	–
	All other..... Male	18	...	...	–	–	5	2	3	1	1	4	–	–	–	–	1	1	–	–	–	–	–	–
	Female	10	...	...	–	–	1	–	3	–	1	3	1	–	1	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	209	1	5	5	2	15	37	31	28	12	23	11	9	8	5	7	3	1	4	–	–	1	1
	White..... Male	121	1	1	1	2	7	21	18	16	8	11	7	7	8	3	3	2	1	3	–	–	–	1
	Female	42	–	2	4	–	6	8	5	3	–	5	1	1	–	1	3	1	–	1	–	–	1	–
	All other..... Male	36	–	2	–	–	1	7	4	7	4	7	2	1	–	–	1	–	–	–	–	–	–	–
	Female	10	–	–	–	–	1	1	4	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–
E980–E999	Other external causes	93	7	3	–	4	7	17	6	3	4	7	9	8	4	2	4	2	2	1	1	–	–	2
	White..... Male	53	3	1	–	3	4	11	4	2	2	1	5	5	3	1	3	2	–	1	1	–	–	1
	Female	26	2	2	–	1	–	3	2	1	2	4	3	3	–	1	1	–	1	–	–	–	–	–
	All other..... Male	10	1	–	–	–	1	3	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	1
	Female	4	1	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia																							
	All causes	19,559	516	69	49	80	188	205	208	170	212	331	578	994	1,401	1,859	2,279	2,481	2,615	2,415	1,736	889	283	1
	White Male	10,530	291	26	27	48	137	147	156	109	125	199	362	618	820	1,172	1,377	1,331	1,290	1,110	746	336	103	–
	White Female	7,887	191	39	22	29	40	47	41	53	73	110	182	311	494	567	778	989	1,146	1,182	922	505	166	–
	All other Male	666	18	3	–	2	10	9	10	6	3	14	22	37	55	70	73	98	97	70	40	24	5	–
	All other Female	476	16	1	–	1	1	2	1	2	11	8	12	28	32	50	51	63	82	53	28	24	9	1
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	15	4	–	–	–	–	–	–	–	1	–	–	–	–	2	1	4	–	2	–	1	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–
	White Female	10	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	4	–	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	43	–	–	–	–	–	–	–	–	–	1	1	4	5	6	6	8	3	6	3	–	–	–
	White Male	29	–	–	–	–	–	–	–	–	–	1	1	3	3	5	4	7	1	2	2	–	–	–
	White Female	11	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	–	3	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
010–012	Tuberculosis of respiratory system	35	–	–	–	–	–	–	–	–	–	1	1	3	3	5	3	7	3	6	3	–	–	–
	White Male	24	–	–	–	–	–	–	–	–	–	1	1	2	2	5	2	6	1	2	2	–	–	–
	White Female	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	3	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
013–019	Tuberculosis, other forms	8	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	1	–	–	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–
	White Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	4	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	3	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	67	10	1	–	–	1	–	1	1	–	2	–	1	7	5	8	3	10	10	3	4	–	–
	White Male	38	7	1	–	–	–	–	1	1	–	2	–	1	5	2	3	–	6	5	2	2	–	–
	White Female	23	3	–	–	–	1	–	–	–	–	–	–	–	1	1	3	2	4	5	1	2	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–
	All other Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	38	3	1	–	–	2	2	1	2	1	1	1	3	1	3	1	7	6	–	1	1	1	–
	White Male	18	2	1	–	–	2	–	–	1	1	1	–	2	–	2	1	1	4	–	–	–	–	–
	White Female	20	1	–	–	–	–	2	1	1	–	–	1	1	1	1	–	6	2	–	1	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	3,303	4	4	6	8	10	16	11	23	42	60	147	225	348	435	539	482	401	297	174	55	16	–
	White.....Male	1,752	3	2	3	3	7	8	8	11	12	30	71	110	171	251	306	260	210	166	84	29	7	–
	Female	1,357	1	2	3	5	3	7	3	12	28	30	72	95	155	161	198	189	163	120	82	21	7	–
	All other.....Male	117	–	–	–	–	–	–	–	–	–	–	1	15	12	13	18	23	17	6	7	4	1	–
	Female	77	–	–	–	–	–	1	–	–	2	–	3	5	10	10	17	10	11	5	1	1	1	–
140–149	Of buccal cavity and pharynx	68	–	–	–	–	–	–	–	–	–	–	3	11	14	4	13	9	4	5	3	1	1	–
	White.....Male	41	–	–	–	–	–	–	–	–	–	–	3	6	8	2	7	8	2	2	1	1	1	–
	Female	24	–	–	–	–	–	–	–	–	–	–	–	4	4	2	6	1	2	3	2	–	–	–
	All other.....Male	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	825	–	–	–	–	1	1	1	4	5	10	18	39	67	106	137	126	128	104	57	16	5	–
	White.....Male	407	–	–	–	–	1	–	1	3	2	7	10	20	30	56	72	59	63	51	23	8	1	–
	Female	358	–	–	–	–	–	1	–	1	2	3	8	14	30	43	54	57	56	49	31	6	3	–
	All other.....Male	35	–	–	–	–	–	–	–	–	–	–	–	5	3	4	6	5	5	2	3	2	–	–
	Female	25	–	–	–	–	–	–	–	–	1	–	–	–	4	3	5	5	4	2	–	–	1	–
160–163	Of respiratory system	872	–	–	–	–	–	–	–	1	5	16	54	70	127	155	164	125	75	53	20	5	2	–
	White.....Male	643	–	–	–	–	–	–	–	1	3	10	39	48	81	119	125	95	58	45	12	5	2	–
	Female	178	–	–	–	–	–	–	–	–	2	6	14	16	36	29	28	21	13	5	8	–	–	–
	All other.....Male	38	–	–	–	–	–	–	–	–	–	–	–	6	7	4	8	7	4	2	–	–	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	1	–	3	3	3	2	–	1	–	–	–	–
174	Of breast	220	–	–	–	–	–	1	–	4	7	8	22	16	35	24	30	26	19	19	5	4	–	–
	White.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	209	–	–	–	–	–	–	–	4	7	8	20	13	34	24	28	25	18	19	5	4	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	10	–	–	–	–	–	1	–	–	–	–	2	3	1	–	1	1	1	–	–	–	–	–
180–187	Of genital organs	398	–	–	–	–	1	3	3	2	12	11	17	26	28	36	54	60	60	39	30	15	1	–
	White.....Male	153	–	–	–	–	1	1	2	–	–	1	–	3	4	10	25	23	24	29	19	10	1	–
	Female	218	–	–	–	–	–	2	1	2	11	10	17	23	23	23	23	32	31	8	9	3	–	–
	All other.....Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	3	2	2	2	–	–
	Female	13	–	–	–	–	–	–	–	–	1	–	–	–	1	2	5	2	2	–	–	–	–	–
188, 189	Of urinary organs	144	–	1	–	–	–	–	–	–	–	3	–	10	9	18	20	22	32	14	9	3	3	–
	White.....Male	97	–	–	–	–	–	–	–	–	–	3	–	7	9	14	12	14	22	10	5	–	1	–
	Female	39	–	1	–	–	–	–	–	–	–	–	–	2	–	2	8	7	9	4	3	2	1	–
	All other.....Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	1	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–
170–173, 190–199	Of all other and unspecified sites	485	1	1	3	6	3	4	5	6	5	8	20	39	40	59	72	79	51	35	35	9	4	–
	White.....Male	241	1	–	1	2	3	2	3	3	2	5	10	17	27	32	39	39	22	13	14	5	1	–
	Female	219	–	1	2	4	–	2	2	3	3	3	10	19	13	26	27	35	23	20	19	4	3	–
	All other.....Male	14	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	5	3	–	1	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	3	2	1	–	–	–
204–207	Leukemia	125	3	2	2	2	3	1	–	2	2	–	4	4	12	14	17	15	17	13	10	2	–	–
	White.....Male	76	2	2	1	1	1	1	–	1	2	–	3	4	3	7	9	12	11	9	7	–	–	–
	Female	48	1	–	1	1	2	–	–	1	–	–	1	–	9	6	8	3	6	4	3	2	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	166	–	–	1	–	2	6	2	4	6	4	9	10	16	19	32	20	15	15	5	–	–	–
	White.....Male	93	–	–	1	–	1	4	2	3	3	4	6	5	9	11	16	10	8	7	3	–	–	–
	Female	64	–	–	–	–	1	2	–	1	3	–	2	4	6	6	16	8	5	8	2	–	–	–
	All other.....Male	7	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	2	2	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	49	1	1	1	1	–	–	2	1	1	3	2	1	6	7	6	5	10	–	1	–	–	–
	White.....Male	27	1	–	1	–	–	–	2	1	1	2	1	1	2	7	1	2	4	–	1	–	–	–
	Female	19	–	1	–	1	–	–	–	–	–	1	–	–	4	–	4	3	5	–	–	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
250	Diabetes mellitus	319	–	–	–	1	–	2	2	2	2	8	8	15	23	31	42	59	58	38	16	8	4	–
	White.....Male	110	–	–	–	–	–	1	1	1	–	5	6	6	8	12	11	20	19	14	6	–	–	–
	Female	184	–	–	–	1	–	1	1	1	2	3	1	8	13	16	27	34	32	22	10	8	4	–
	All other.....Male	9	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	2	1	–	–	–	–
	Female	16	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	4	5	1	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	43	2	–	–	–	1	–	–	–	1	–	–	–	1	1	4	4	6	6	8	6	3	–
	White.....Male	21	2	–	–	–	1	–	–	–	–	–	–	–	–	–	3	2	2	2	3	4	2	–
	Female	18	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	2	2	4	5	2	–	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
280–285	Anemias	28	–	–	1	1	2	–	1	–	–	–	1	–	2	6	2	4	6	–	1	1	–	–
	White Male	12	–	–	–	1	1	–	–	–	–	–	–	–	1	4	2	2	–	–	–	1	–	–
	Female	11	–	–	1	–	1	–	1	–	–	–	–	–	–	2	–	1	4	–	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–
320	Meningitis	16	3	1	–	–	–	1	3	1	1	1	1	–	–	–	1	1	1	1	–	–	–	–
	White Male	10	1	–	–	–	–	1	3	–	1	–	1	–	–	–	–	1	1	1	–	–	–	–
	Female	5	2	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	10,205	6	3	1	2	9	7	13	21	46	97	214	415	636	906	1,161	1,396	1,599	1,602	1,224	647	199	1
	White Male	5,249	3	1	–	–	6	4	7	10	29	65	149	285	409	592	706	733	754	697	496	234	69	–
	Female	4,412	3	2	1	2	3	3	6	9	10	23	54	107	190	253	406	584	741	826	685	379	125	–
	All other Male	292	–	–	–	–	–	–	–	2	1	4	8	9	24	33	29	42	55	45	23	15	2	–
	Female	252	–	–	–	–	–	–	–	–	6	5	3	14	13	28	20	37	49	34	20	19	3	1
390–398, 402, 404, 410–429	Diseases of heart	7,760	5	3	1	1	6	5	5	16	33	79	177	360	527	758	927	1,078	1,178	1,145	862	454	140	–
	White Male	4,144	3	1	–	–	3	2	2	8	25	55	132	256	353	505	574	580	552	513	371	160	49	–
	Female	3,220	2	2	1	1	3	3	3	7	5	16	36	83	146	202	318	442	551	577	460	275	87	–
	All other Male	219	–	–	–	–	–	–	–	1	–	4	7	9	18	26	23	31	39	32	18	10	1	–
	Female	177	–	–	–	–	–	–	–	–	3	4	2	12	10	25	12	25	36	23	13	9	3	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	115	–	–	–	–	1	1	1	1	2	4	5	12	23	11	11	19	11	9	3	1	–	–
	White Male	53	–	–	–	–	1	–	1	–	1	2	3	7	13	6	4	8	3	3	1	–	–	–
	Female	58	–	–	–	–	–	1	–	1	1	2	2	4	9	5	7	11	6	6	2	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–
402	Hypertensive heart disease	67	–	–	–	–	–	–	–	–	1	–	2	3	4	10	11	7	5	15	5	3	1	–
	White Male	22	–	–	–	–	–	–	–	–	–	–	1	–	2	5	5	2	2	3	1	–	1	–
	Female	37	–	–	–	–	–	–	–	–	1	–	1	3	1	3	6	4	3	11	2	2	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–
404	Hypertensive heart and renal disease	38	–	–	–	–	–	–	–	–	–	–	–	–	2	3	5	2	4	11	6	5	–	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	4	1	2	–	–
	Female	23	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	–	3	7	4	3	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
410–413	Ischemic heart disease	6,880	–	–	–	–	1	2	1	11	21	66	154	309	440	660	833	973	1,069	1,031	777	409	123	–
	White Male	3,740	–	–	–	–	1	–	1	7	18	48	120	228	306	443	525	534	510	473	338	145	43	–
	Female	2,807	–	–	–	–	–	2	–	3	2	12	28	64	113	177	276	388	495	510	413	247	77	–
	All other Male	186	–	–	–	–	–	–	–	1	–	3	5	7	14	22	20	28	33	28	15	9	1	–
	Female	147	–	–	–	–	–	–	–	–	1	3	1	10	7	18	12	23	31	20	11	8	2	–
410	Acute myocardial infarction	3,696	–	–	–	–	1	2	1	8	18	56	120	234	335	466	552	567	524	412	249	121	30	–
	White Male	2,252	–	–	–	–	1	–	1	6	15	43	96	180	243	324	360	318	273	215	118	50	9	–
	Female	1,268	–	–	–	–	–	2	–	2	2	10	20	45	77	115	168	222	218	180	127	61	19	–
	All other Male	104	–	–	–	–	–	–	–	–	–	1	4	4	10	16	15	17	17	9	3	7	1	–
	Female	72	–	–	–	–	–	–	–	–	1	2	–	5	5	11	9	10	16	8	1	3	1	–
411	Other acute and subacute forms of ischemic heart disease	35	–	–	–	–	–	–	–	1	–	3	3	3	–	5	3	6	4	5	1	1	–	–
	White Male	25	–	–	–	–	–	–	–	1	–	1	2	3	–	4	1	4	3	4	1	1	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	2	1	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	3,148	–	–	–	–	–	–	–	2	3	7	31	72	105	188	278	400	541	614	527	287	93	–
	White Male	1,462	–	–	–	–	–	–	–	–	3	4	22	45	63	114	164	212	234	254	219	94	34	–
	Female	1,530	–	–	–	–	–	–	–	1	–	1	7	19	36	61	106	164	276	329	286	186	58	–
	All other Male	82	–	–	–	–	–	–	–	1	–	2	1	3	4	6	5	11	16	19	12	2	–	–
	Female	74	–	–	–	–	–	–	–	–	–	–	1	5	2	7	3	13	15	12	10	5	1	–
413	Angina pectoris	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	52	1	–	–	–	1	–	–	1	1	1	2	1	–	1	5	7	8	7	12	3	1	–
	White Male	22	–	–	–	–	–	–	–	1	1	1	2	–	–	1	1	3	3	2	5	1	1	–
	Female	29	1	–	–	–	1	–	–	–	–	–	–	1	–	–	4	4	4	5	7	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia – Con.																							
420–423, 425–427, 429	All other forms of heart disease	608	4	3	1	1	3	2	3	3	8	8	14	35	58	73	62	70	81	72	59	33	15	–
	White Male	294	3	1	–	–	1	2	–	–	5	4	6	21	32	49	37	31	33	28	25	12	4	–
	Female	266	1	2	1	1	2	–	3	3	1	2	5	11	21	16	22	35	40	38	32	20	10	–
	All other Male	28	–	–	–	–	–	–	–	–	–	1	2	2	3	3	3	2	6	4	2	–	–	–
	Female	20	–	–	–	–	–	–	–	–	2	1	1	1	2	5	–	2	2	2	–	1	1	–
400, 401, 403	Hypertension	64	–	–	–	–	–	–	–	–	–	1	1	1	4	1	6	6	15	15	5	8	1	–
	White Male	23	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	3	11	1	3	–	–
	Female	36	–	–	–	–	–	–	–	–	–	1	1	1	1	1	4	4	10	4	4	4	1	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
430–438	Cerebrovascular diseases	1,831	1	–	–	1	2	2	8	4	10	15	34	42	84	117	170	236	316	348	283	122	35	1
	White Male	795	–	–	–	–	2	2	5	1	3	9	15	21	41	65	93	110	149	136	95	37	11	–
	Female	914	1	–	–	1	–	–	3	2	4	6	17	19	34	43	65	109	141	192	179	74	24	–
	All other Male	59	–	–	–	–	–	–	–	1	1	–	1	–	6	6	5	7	14	10	4	4	–	–
	Female	63	–	–	–	–	–	–	–	–	2	–	1	2	3	3	7	10	12	10	5	7	–	1
431	Cerebral hemorrhage	299	–	–	–	–	1	–	1	2	4	6	14	17	21	26	38	39	35	49	31	12	3	–
	White Male	129	–	–	–	–	1	–	1	–	2	4	5	8	13	15	16	17	15	19	8	4	1	–
	Female	152	–	–	–	–	–	–	–	2	2	2	8	7	6	9	19	19	17	30	22	7	2	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	–	–	1	–	–
	Female	11	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	2	1	–	1	–	–	–
433	Cerebral thrombosis	454	–	–	–	–	–	–	–	–	–	–	5	4	16	24	42	53	88	89	91	30	12	–
	White Male	186	–	–	–	–	–	–	–	–	–	–	3	4	5	11	28	25	43	30	29	6	2	–
	Female	240	–	–	–	–	–	–	–	–	–	–	1	–	9	8	12	23	40	55	59	23	10	–
	All other Male	11	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	2	1	1	1	1	–	–
	Female	17	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	3	4	3	2	–	–	–
434	Cerebral embolism	11	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	2	3	2	–	–	–	–
	White Male	8	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	1	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	1,067	1	–	–	1	1	2	7	2	6	9	15	19	46	66	90	142	190	208	161	80	20	1
	White Male	472	–	–	–	–	1	2	4	1	1	5	7	7	22	38	49	67	90	85	58	27	8	–
	Female	519	1	–	–	1	–	–	3	–	2	4	8	12	19	26	34	66	82	107	98	44	12	–
	All other Male	41	–	–	–	–	–	–	–	1	1	–	–	–	4	2	4	4	11	9	3	2	–	–
	Female	35	–	–	–	–	–	–	–	–	2	–	–	–	1	–	3	5	7	7	2	7	–	1
440	Arteriosclerosis	282	–	–	–	–	–	–	–	–	–	–	1	3	2	7	22	25	49	56	48	48	21	–
	White Male	118	–	–	–	–	–	–	–	–	–	–	1	2	1	5	9	12	23	17	18	22	8	–
	Female	148	–	–	–	–	–	–	–	–	–	–	–	1	1	1	13	9	25	35	27	24	12	–
	All other Male	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	3	1	1	1	–
	Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	268	–	–	–	–	1	–	–	1	3	2	1	9	19	23	36	51	41	38	26	15	2	–
	White Male	169	–	–	–	–	1	–	–	1	1	1	1	6	11	17	29	30	27	20	11	12	1	–
	Female	94	–	–	–	–	–	–	–	–	1	–	–	3	8	6	6	20	14	18	15	2	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	–	–	1	–	–
466	Acute bronchitis and bronchiolitis	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	1	–	1	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	649	29	10	3	4	8	4	5	4	2	10	15	17	34	36	52	68	78	114	90	50	16	–
	White Male	347	17	2	1	2	5	2	2	1	1	4	10	11	14	21	37	40	41	60	50	20	6	–
	Female	258	8	7	2	1	3	2	3	3	1	4	4	3	15	12	12	24	33	49	35	27	10	–
	All other Male	34	4	1	–	1	–	–	–	–	–	1	1	2	4	3	2	3	4	4	2	2	–	–
	Female	10	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	1	3	1	–	–
470–474	Influenza	64	1	–	–	1	–	–	–	1	–	–	1	–	6	4	5	7	8	13	9	6	2	–
	White Male	28	–	–	–	1	–	–	–	–	–	–	1	–	2	3	4	3	5	6	2	1	–	–
	Female	35	1	–	–	–	–	–	–	1	–	–	–	–	4	1	1	4	3	7	6	5	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
480–486	Pneumonia	585	28	10	3	3	8	4	5	3	2	10	14	17	28	32	47	61	70	101	81	44	14	–
	White Male	319	17	2	1	1	5	2	2	1	1	4	9	11	12	18	33	37	36	54	48	19	6	–
	Female	223	7	7	2	1	3	2	3	2	1	4	4	3	11	11	11	20	30	42	29	22	8	–
	All other Male	34	4	1	–	1	–	–	–	–	–	1	1	2	4	3	2	3	4	4	2	2	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	1	2	1	–	–
490–493	Bronchitis, emphysema, and asthma	313	2	1	1	1	–	–	–	–	–	2	–	22	27	43	61	48	53	35	14	3	–	–
	White Male	222	1	–	1	–	–	–	–	–	–	–	–	15	15	28	47	35	41	26	10	3	–	–
	Female	81	1	–	–	1	–	–	–	–	–	2	–	7	11	13	12	11	10	9	4	–	–	–
	All other Male	9	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	2	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia – Con.																							
490, 491	Chronic and unqualified bronchitis	59	2	–	–	1	–	–	–	–	–	–	–	5	5	14	7	8	7	6	4	–	–	–
	White Male	32	1	–	–	–	–	–	–	–	–	–	–	4	2	8	5	4	5	2	1	–	–	–
	Female	25	1	–	–	1	–	–	–	–	–	–	–	1	3	5	1	4	2	4	3	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	228	–	–	–	–	–	–	–	–	–	1	–	16	19	25	49	38	40	27	10	3	–	–
	White Male	175	–	–	–	–	–	–	–	–	–	–	–	11	12	18	37	30	33	22	9	3	–	–
	Female	47	–	–	–	–	–	–	–	–	–	1	–	5	7	6	11	6	5	5	1	–	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	26	–	1	1	–	–	–	–	–	–	1	–	1	3	4	5	2	6	2	–	–	–	–
	White Male	15	–	–	1	–	–	–	–	–	–	–	–	–	1	2	5	1	3	2	–	–	–	–
	Female	9	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	1	3	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	61	–	–	–	–	–	–	–	1	–	–	–	6	2	6	12	11	9	5	5	3	1	–
	White Male	43	–	–	–	–	–	–	–	–	–	–	–	5	2	4	9	9	6	1	5	2	–	–
	Female	18	–	–	–	–	–	–	–	1	–	–	–	1	–	2	3	2	3	4	–	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	6	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	1	–	–	1	–
	White Male	6	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	1	–	–	1	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	53	–	–	–	–	1	1	–	–	–	1	1	2	3	4	5	9	7	13	4	2	–	–
	White Male	17	–	–	–	–	1	–	–	–	–	–	1	1	1	3	1	1	3	2	2	1	–	–
	Female	32	–	–	–	–	–	1	–	–	–	1	–	1	1	1	3	8	4	9	2	1	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
571	Cirrhosis of liver	250	–	–	–	–	–	–	3	2	6	20	28	31	44	43	30	20	15	6	2	–	–	–
	White Male	164	–	–	–	–	–	–	2	2	5	15	22	25	25	27	20	11	5	4	1	–	–	–
	Female	70	–	–	–	–	–	–	–	–	1	3	6	5	17	11	10	7	8	1	1	–	–	–
	All other Male	7	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	2	1	–	–	–	–
	Female	9	–	–	–	–	–	–	1	–	–	1	–	1	2	3	–	1	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	29	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	4	6	6	2	3	1	–
	White Male	13	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	2	4	1	–	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	3	2	1	3	1	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	70	–	–	–	1	–	–	1	–	1	2	1	5	3	5	3	12	13	10	7	4	2	–
	White Male	27	–	–	–	1	–	–	1	–	–	–	–	1	–	3	1	7	7	4	1	–	1	–
	Female	33	–	–	–	–	–	–	–	–	–	1	1	2	2	2	2	5	4	5	5	3	1	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	1	1	–	–
	Female	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	19	–	–	–	–	–	–	–	–	1	1	–	1	1	1	1	1	4	4	2	1	1	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	–	–	–	–
	Female	11	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	2	2	1	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	51	–	–	–	1	–	–	1	–	–	1	1	4	2	4	2	11	9	6	5	3	1	–
	White Male	21	–	–	–	1	–	–	1	–	–	–	–	1	–	2	1	7	4	2	1	–	1	–
	Female	22	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	4	4	3	3	2	–	–
	All other Male	6	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	1	1	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
590	Infections of kidney	41	–	–	–	–	–	–	–	–	–	–	–	2	2	1	3	4	6	11	10	1	1	–
	White Male	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	3	2	4	–	1	–
	Female	22	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	9	5	1	–	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
600	Hyperplasia of prostate	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	2	–	–	–
	White Male	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	–	–	–
	All other Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	West Virginia—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	150	105	9	5	3	1	6	2	3	1	3	1	3	2	1	1	1	1	2	–	–	–	–
	White Male	79	58	2	2	2	1	4	2	2	–	2	–	2	2	–	–	–	–	–	–	–	–	–
	Female	67	45	7	3	1	–	2	–	1	1	1	1	–	–	1	1	1	1	1	–	–	–	–
	All other Male	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	283	282	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	160	159	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	101	101	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	149	149	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	92	92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	46	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	134	133	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	68	67	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	55	55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	617	35	1	2	2	4	1	4	1	5	18	28	40	42	61	79	78	70	61	44	28	13	–
	White Male	352	22	–	1	2	3	–	4	1	2	11	18	26	33	43	47	41	32	32	20	10	4	–
	Female	220	9	1	1	–	1	1	–	–	2	5	9	13	8	13	24	30	31	26	23	17	6	–
	All other Male	25	3	–	–	–	–	–	–	–	1	2	1	–	1	2	5	5	4	–	–	–	1	–
	Female	20	1	–	–	–	–	–	–	–	–	–	–	1	–	3	3	2	3	3	1	1	2	–
Residual	All other diseases	1,462	19	11	6	8	9	17	19	12	18	27	50	92	130	160	192	185	196	149	96	48	18	–
	White Male	815	10	4	4	2	4	7	9	7	9	13	26	52	76	98	125	116	110	67	42	24	10	–
	Female	534	9	6	2	5	3	7	7	4	8	10	18	32	45	55	55	50	72	68	48	24	6	–
	All other Male	76	–	1	–	–	1	2	3	–	–	3	5	4	6	5	10	13	8	10	4	–	1	–
	Female	37	–	–	–	1	1	1	–	1	1	1	1	4	3	2	2	6	6	4	2	–	1	–
E800–E949	Accidents	1,049	9	23	23	46	117	113	87	54	54	49	52	77	53	58	53	46	47	35	26	20	7	–
	White Male	712	4	10	14	34	87	93	74	41	40	32	37	51	35	39	39	22	27	14	13	4	2	–
	Female	282	3	12	9	11	23	15	10	11	12	15	11	24	17	12	10	19	20	18	12	14	4	–
	All other Male	41	1	1	–	1	7	5	3	2	1	2	3	1	1	6	3	3	–	–	1	–	–	–
	Female	14	1	–	–	–	–	–	–	–	1	–	1	1	–	1	1	2	–	3	–	2	1	–
E810–E823	Motor vehicle accidents	453	2	9	15	26	75	69	47	32	28	17	20	28	25	17	15	14	10	–	4	–	–	–
	White Male	314	1	4	8	17	54	54	36	24	19	11	11	20	14	15	12	7	5	–	2	–	–	–
	Female	121	1	5	7	8	16	12	8	8	8	6	7	8	11	2	2	6	5	–	1	–	–	–
	All other Male	15	–	–	–	1	5	3	3	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–
	Female	3	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	596	7	14	8	20	42	44	40	22	26	32	32	49	28	41	38	32	37	35	22	20	7	–
	White Male	398	3	6	6	17	33	39	38	17	21	21	26	31	21	24	27	15	22	14	11	4	2	–
	Female	161	2	7	2	3	7	3	2	3	4	9	4	16	6	10	8	13	15	18	11	14	4	–
	All other Male	26	1	1	–	–	2	2	–	2	1	2	2	1	1	6	3	2	–	–	–	–	–	–
	Female	11	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	3	–	2	1	–
E950–E959	Suicide	200	...	...	–	–	8	17	20	18	17	13	12	20	18	20	10	12	11	2	2	–	–	–
	White Male	149	...	...	–	–	7	14	16	14	13	8	9	12	10	16	8	9	9	2	2	–	–	–
	Female	47	...	...	–	–	1	3	4	3	4	5	3	7	7	3	2	3	2	–	–	–	–	–
	All other Male	3	...	...	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	Female	1	...	...	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	112	1	–	–	1	9	11	19	16	8	8	11	7	5	9	2	4	–	–	–	1	–	–
	White Male	75	1	–	–	–	6	8	13	11	7	6	8	4	3	4	1	3	–	–	–	–	–	–
	Female	24	–	–	–	1	1	2	2	4	1	2	–	3	2	4	1	1	–	–	–	–	–	–
	All other Male	12	–	–	–	–	2	1	4	1	–	–	2	–	–	1	–	–	–	–	–	1	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	65	–	–	–	1	6	6	13	8	4	4	2	4	6	7	1	1	–	–	1	1	–	–
	White Male	51	–	–	–	1	6	4	10	5	4	2	2	3	4	7	1	1	–	–	–	1	–	–
	Female	9	–	–	–	–	–	1	3	2	–	2	–	–	1	–	–	–	–	–	–	–	–	–
	All other Male	4	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin																							
	All causes	**39,885**	**888**	**160**	**155**	**155**	**459**	**451**	**342**	**294**	**373**	**611**	**949**	**1,459**	**2,270**	**3,167**	**4,307**	**5,098**	**5,733**	**5,932**	**4,290**	**2,122**	**666**	**4**
	White Male	21,662	476	73	92	108	340	315	214	184	207	359	562	903	1,424	1,995	2,713	3,074	3,031	2,856	1,787	762	185	2
	White Female	17,292	329	65	57	42	106	103	90	87	133	203	330	485	771	1,092	1,499	1,940	2,638	3,031	2,469	1,346	475	1
	All other Male	548	45	10	3	3	9	28	27	18	22	24	39	44	42	57	50	42	41	21	17	2	3	1
	All other Female	383	38	12	3	2	4	5	11	5	11	25	18	27	33	23	45	42	23	24	17	12	3	–
004, 006	Bacillary dysentery and amebiasis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	26	9	2	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	1	1	2	1	–
	White Male	15	4	1	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	–	–	2	1	–
	White Female	11	5	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	45	–	–	–	–	–	–	–	1	–	1	2	–	4	7	5	8	7	3	6	–	1	–
	White Male	30	–	–	–	–	–	–	–	1	–	1	–	–	3	4	4	4	6	1	5	–	1	–
	White Female	14	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	4	1	2	1	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	28	–	–	–	–	–	–	–	–	–	–	1	–	2	5	2	5	4	3	5	–	1	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	–	–	2	4	2	2	4	1	5	–	1	–
	White Female	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	2	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	17	–	–	–	–	–	–	–	1	–	1	1	–	2	2	3	3	3	–	1	–	–	–
	White Male	9	–	–	–	–	–	–	–	1	–	1	–	–	1	–	2	2	2	–	–	–	–	–
	White Female	8	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	1	1	–	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	5	1	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	4	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	89	15	–	–	1	–	–	–	2	2	1	–	4	4	10	8	11	11	11	6	3	–	–
	White Male	40	6	–	–	1	–	–	–	1	–	1	–	2	1	4	2	6	6	7	2	1	–	–
	White Female	41	5	–	–	–	–	–	–	–	2	–	–	1	3	5	6	5	4	4	4	2	–	–
	All other Male	6	2	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–
	All other Female	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	1	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	1	–	–	–
	White Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	66	4	3	–	3	2	4	1	–	3	–	5	3	9	4	8	4	4	4	3	1	1	–
	White Male	30	2	1	–	2	1	1	–	–	2	–	3	2	6	2	3	1	1	2	1	–	–	–
	White Female	31	2	1	–	–	1	3	1	–	–	–	–	1	3	2	5	3	3	2	2	1	1	–
	All other Male	4	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin – Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	7,690	4	17	22	9	28	45	31	40	71	142	266	479	689	953	1,149	1,169	1,056	849	462	179	30	–
	White Male	4,139	2	6	17	7	18	28	18	19	31	56	116	252	358	526	670	695	571	456	211	73	9	–
	Female	3,379	1	10	4	2	8	14	13	19	35	77	140	208	307	403	451	460	470	386	246	104	21	–
	All other Male	100	1	–	–	–	1	3	–	1	2	4	4	9	13	16	19	8	11	4	3	1	–	–
	Female	72	–	1	1	–	1	–	–	1	3	5	6	10	11	8	9	6	4	3	2	1	–	–
140–149	Of buccal cavity and pharynx	177	–	–	–	–	–	1	–	–	–	1	6	15	28	33	29	22	19	10	7	5	1	–
	White Male	122	–	–	–	–	–	1	–	–	–	–	3	11	20	21	21	18	13	7	5	1	1	–
	Female	51	–	–	–	–	–	–	–	–	–	–	2	4	6	12	8	4	6	3	2	4	–	–
	All other Male	3	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	2,202	1	–	–	–	–	1	5	2	13	26	45	103	153	267	329	358	347	290	174	76	12	–
	White Male	1,162	1	–	–	–	–	–	2	1	9	14	24	60	94	160	197	185	163	142	80	27	3	–
	Female	1,003	–	–	–	–	–	–	3	1	4	12	19	36	57	106	125	165	180	147	91	48	9	–
	All other Male	23	–	–	–	–	–	1	–	–	–	–	1	3	2	–	4	5	3	–	3	1	–	–
	Female	14	–	–	–	–	–	–	–	–	–	–	1	4	–	1	3	3	1	1	–	–	–	–
160–163	Of respiratory system	1,470	–	–	–	–	–	–	2	2	6	26	63	114	190	244	270	248	161	106	31	4	3	–
	White Male	1,130	–	–	–	–	–	–	2	2	3	15	42	82	139	180	214	208	133	86	20	2	2	–
	Female	287	–	–	–	–	–	–	–	–	2	8	18	26	45	48	46	37	25	19	10	2	1	–
	All other Male	41	–	–	–	–	–	–	–	–	1	2	2	5	5	13	8	1	3	1	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	1	1	1	1	3	2	2	–	–	1	–	–	–
174	Of breast	723	–	–	–	–	–	2	3	7	14	31	46	70	79	97	92	66	82	68	46	19	1	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–
	Female	704	–	–	–	–	–	2	3	7	13	29	44	68	76	94	89	66	81	67	46	18	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	15	–	–	–	–	–	–	–	–	1	2	2	2	2	3	1	–	–	1	–	1	–	–
180–187	Of genital organs	975	–	–	–	–	3	10	2	4	8	17	33	47	72	79	137	164	140	156	73	27	3	–
	White Male	485	–	–	–	–	2	9	1	1	3	1	4	3	14	26	56	95	90	115	46	19	–	–
	Female	463	–	–	–	–	1	1	1	1	3	15	28	42	54	52	73	68	46	40	27	8	3	–
	All other Male	14	–	–	–	–	–	–	–	1	1	–	–	–	–	1	5	1	4	1	–	–	–	–
	Female	13	–	–	–	–	–	–	–	1	1	1	1	2	4	–	3	–	–	–	–	–	–	–
188, 189	Of urinary organs	418	1	–	–	–	–	1	–	–	1	4	13	18	24	46	60	66	79	59	31	13	2	–
	White Male	285	–	–	–	–	–	1	–	–	1	3	10	16	16	32	42	49	59	31	16	8	1	–
	Female	127	–	–	–	–	–	–	–	–	–	1	3	2	5	14	17	17	20	27	15	5	1	–
	All other Male	4	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	960	–	12	7	6	8	17	7	11	20	18	35	73	81	112	126	133	129	83	55	22	5	–
	White Male	508	–	5	5	4	4	10	4	7	10	12	17	53	42	58	73	76	65	32	22	9	–	–
	Female	437	–	6	2	2	3	5	3	4	10	6	18	19	37	52	53	55	62	49	33	13	5	–
	All other Male	10	–	–	–	–	–	2	–	–	–	–	–	1	1	2	–	1	1	2	–	–	–	–
	Female	5	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
204–207	Leukemia	298	2	5	12	3	7	9	7	5	5	5	9	13	22	27	34	40	36	26	21	8	2	–
	White Male	198	1	1	9	3	5	5	5	3	2	5	8	10	11	18	22	26	25	20	13	4	2	–
	Female	98	1	4	2	–	2	4	2	2	3	–	1	3	11	9	12	14	11	6	7	4	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	467	–	–	3	–	10	4	5	9	4	14	16	26	40	48	72	72	63	51	24	5	1	–
	White Male	245	–	–	3	–	7	2	4	5	3	6	8	17	21	31	43	38	22	23	9	3	–	–
	Female	209	–	–	–	–	2	2	1	4	–	6	7	8	16	16	28	34	39	28	15	2	1	–
	All other Male	5	–	–	–	–	1	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–
	Female	8	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–	2	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	57	1	–	1	–	1	1	1	1	1	1	1	5	2	5	7	8	4	7	5	5	–	–
	White Male	26	1	–	–	–	–	–	–	1	1	–	1	3	1	–	5	4	1	5	3	–	–	–
	Female	31	–	–	1	–	1	1	1	–	–	1	–	2	1	5	2	4	3	2	2	5	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
250	Diabetes mellitus	762	–	–	1	1	3	1	6	9	8	15	12	28	27	75	106	129	130	109	75	24	3	–
	White Male	340	–	–	–	1	1	1	2	5	4	8	6	18	16	33	56	57	51	44	30	5	2	–
	Female	397	–	–	1	–	2	–	4	4	3	6	4	9	10	37	45	67	76	65	44	19	1	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	1	–	–	–	–	–
	Female	18	–	–	–	–	–	–	–	–	1	1	1	1	–	4	5	2	2	–	1	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	71	2	–	–	–	1	–	–	1	–	–	–	1	3	–	3	10	10	10	17	9	4	–
	White Male	30	1	–	–	–	–	–	–	1	–	–	–	–	2	–	1	5	3	6	7	4	–	–
	Female	40	1	–	–	–	1	–	–	–	–	–	–	1	1	–	2	5	7	4	9	5	4	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin – Con.																							
280–285	Anemias	57	–	–	1	2	2	–	1	–	–	2	1	–	1	2	8	7	6	10	8	3	3	–
	White ..... Male	27	–	–	–	1	1	–	–	–	–	–	–	–	1	–	6	4	2	6	5	–	1	–
	Female	29	–	–	1	–	1	–	1	–	–	2	1	–	–	2	2	3	4	4	3	3	2	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	30	10	4	2	1	1	–	1	–	–	1	1	–	–	2	3	–	2	2	–	–	–	–
	White ..... Male	13	6	1	1	–	1	–	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–
	Female	13	3	3	1	1	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–	–	–
	All other ..... Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
390–448	Major cardiovascular diseases	21,779	13	3	6	8	14	13	26	39	86	187	323	559	1,030	1,529	2,218	2,948	3,601	4,011	3,110	1,552	503	–
	White ..... Male	11,492	8	–	2	2	11	7	12	25	52	137	235	403	728	1,051	1,449	1,771	1,868	1,833	1,230	531	137	–
	Female	9,961	4	2	4	5	3	4	11	10	24	40	68	137	274	441	726	1,123	1,699	2,152	1,861	1,011	362	–
	All other ..... Male	186	1	1	–	–	–	2	–	3	9	7	16	13	17	29	22	25	20	9	11	–	1	–
	Female	140	–	–	–	1	–	–	3	1	1	3	4	6	11	8	21	29	14	17	8	10	3	–
390–398, 402, 404, 410–429	Diseases of heart	15,930	7	3	2	5	6	7	12	26	62	155	261	469	862	1,249	1,776	2,207	2,588	2,794	2,070	1,027	342	–
	White ..... Male	8,852	6	–	2	1	5	2	6	19	44	119	204	353	626	886	1,194	1,363	1,385	1,335	835	372	95	–
	Female	6,834	1	2	–	3	1	4	6	6	10	28	43	100	214	335	548	798	1,181	1,440	1,220	648	246	–
	All other ..... Male	141	–	1	–	–	–	1	–	1	8	5	10	12	13	23	18	21	14	6	8	–	–	–
	Female	103	–	–	–	1	–	–	–	–	–	3	4	4	9	5	16	25	8	13	7	7	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	278	–	–	–	1	–	1	1	1	3	10	10	12	27	36	44	48	32	29	21	2	–	–
	White ..... Male	133	–	–	–	–	–	–	–	1	2	6	5	6	17	16	20	22	19	12	7	–	–	–
	Female	140	–	–	–	1	–	1	1	–	1	2	5	6	10	20	22	25	13	17	14	2	–	–
	All other ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–
402	Hypertensive heart disease	137	–	–	–	–	–	–	–	–	1	2	1	6	10	11	13	18	17	28	19	9	2	–
	White ..... Male	61	–	–	–	–	–	–	–	–	–	1	–	5	5	7	8	12	5	13	5	–	–	–
	Female	70	–	–	–	–	–	–	–	–	–	–	1	1	4	4	5	4	11	15	14	9	2	–
	All other ..... Male	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
404	Hypertensive heart and renal disease	68	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	10	12	17	13	7	3	–
	White ..... Male	33	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	5	5	8	9	2	–	–
	Female	35	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	7	9	4	5	3	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	14,240	–	–	–	–	1	3	5	17	47	120	217	396	742	1,074	1,579	1,964	2,336	2,569	1,905	956	309	–
	White ..... Male	7,896	–	–	–	–	1	–	4	11	35	98	176	305	552	770	1,067	1,213	1,242	1,229	757	347	89	–
	Female	6,137	–	–	–	–	–	2	1	6	7	18	29	79	172	280	481	710	1,075	1,322	1,133	603	219	–
	All other ..... Male	118	–	–	–	–	–	1	–	–	5	4	8	9	10	20	15	19	13	6	8	–	–	–
	Female	89	–	–	–	–	–	–	–	–	–	–	4	3	8	4	16	22	6	12	7	6	1	–
410	Acute myocardial infarction	6,704	–	–	–	–	1	2	2	10	34	86	144	277	486	680	994	1,050	1,082	1,017	562	209	68	–
	White ..... Male	4,139	–	–	–	–	1	–	1	6	25	69	126	221	378	497	667	677	609	525	240	75	22	–
	Female	2,480	–	–	–	–	–	1	1	4	5	13	16	51	100	174	312	357	466	485	315	134	46	–
	All other ..... Male	46	–	–	–	–	–	1	–	–	4	4	1	4	4	6	5	8	4	2	3	–	–	–
	Female	39	–	–	–	–	–	–	–	–	–	–	1	1	4	3	10	8	3	5	4	–	–	–
411	Other acute and subacute forms of ischemic heart disease	87	–	–	–	–	–	–	1	–	1	1	4	6	8	8	14	12	16	9	5	2	–	–
	White ..... Male	63	–	–	–	–	–	–	1	–	–	–	4	4	6	7	11	12	10	5	1	2	–	–
	Female	23	–	–	–	–	–	–	–	–	1	1	–	2	2	1	3	–	5	4	4	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
412	Chronic ischemic heart disease	7,447	–	–	–	–	–	1	2	7	12	33	69	113	247	385	571	902	1,238	1,543	1,338	745	241	–
	White ..... Male	3,692	–	–	–	–	–	–	2	5	10	29	46	80	167	265	389	524	623	699	516	270	67	–
	Female	3,634	–	–	–	–	–	1	–	2	1	4	13	26	70	105	166	353	604	833	814	469	173	–
	All other ..... Male	72	–	–	–	–	–	–	–	–	1	–	7	5	6	14	10	11	9	4	5	–	–	–
	Female	49	–	–	–	–	–	–	–	–	–	–	3	2	4	1	6	14	2	7	3	6	1	–
413	Angina pectoris	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	White ..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	112	–	–	–	–	1	–	2	1	2	2	1	2	1	10	8	12	8	25	24	7	6	–
	White ..... Male	61	–	–	–	–	–	–	1	1	1	–	1	2	1	8	6	9	3	13	10	3	2	–
	Female	51	–	–	–	–	1	–	1	–	1	2	–	–	–	2	2	3	5	12	14	4	4	–
	All other ..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin — Con.																							
420–423, 425–427, 429	All other forms of heart disease	1,095	7	3	2	4	4	3	4	7	9	21	32	52	81	116	130	155	183	126	88	46	22	–
	White..... Male	668	6	–	2	1	4	2	1	6	6	14	22	34	51	83	92	102	111	60	47	20	4	–
	Female	401	1	2	–	2	–	1	3	–	1	6	8	14	27	29	37	51	70	65	41	25	18	–
	All other..... Male	18	–	1	–	–	–	–	–	1	2	1	2	3	2	3	1	1	1	–	–	–	–	–
	Female	8	–	–	–	1	–	–	–	–	–	–	–	1	1	1	–	1	1	1	–	1	–	–
400, 401, 403	Hypertension	137	–	–	–	–	–	–	–	1	–	1	3	7	2	11	10	14	26	29	19	12	2	–
	White..... Male	63	–	–	–	–	–	–	–	–	–	1	3	1	2	4	3	6	11	14	11	7	–	–
	Female	71	–	–	–	–	–	–	–	–	–	–	–	6	–	7	7	8	13	15	8	5	2	–
	All other..... Male	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	4,354	4	–	4	3	7	3	13	9	23	26	46	67	128	210	322	577	791	908	765	357	91	–
	White..... Male	1,899	2	–	–	1	5	2	6	4	7	13	24	36	70	117	175	310	366	341	293	105	22	–
	Female	2,388	1	–	4	2	2	–	4	3	14	11	19	28	52	85	138	261	416	560	469	251	68	–
	All other..... Male	36	1	–	–	–	–	1	–	1	1	2	3	1	4	5	4	3	4	3	2	–	1	–
	Female	31	–	–	–	–	–	–	3	1	1	–	–	2	2	3	5	3	5	4	1	1	–	–
431	Cerebral hemorrhage	546	2	–	1	1	1	–	2	–	6	9	13	21	31	43	64	92	94	90	53	19	4	–
	White..... Male	234	1	–	–	–	1	–	1	–	1	6	5	7	14	26	30	51	36	31	20	2	2	–
	Female	300	–	–	1	1	–	–	–	–	4	2	8	12	16	16	32	40	57	59	33	17	2	–
	All other..... Male	5	1	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–
	Female	7	–	–	–	–	–	–	1	–	1	–	–	1	–	1	2	–	1	–	–	–	–	–
433	Cerebral thrombosis	920	1	–	–	–	–	–	–	1	1	2	2	11	18	40	67	114	166	221	170	85	21	–
	White..... Male	387	–	–	–	–	–	–	–	1	–	2	1	8	11	25	39	56	77	77	56	26	8	–
	Female	515	1	–	–	–	–	–	–	–	1	–	1	2	6	14	24	57	84	142	113	58	12	–
	All other..... Male	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	2	–	1	–	1	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	3	2	–	1	–	–
434	Cerebral embolism	17	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	5	2	2	1	–	–
	White..... Male	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	1	2	–	–	–
	Female	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	1	–	1	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	2,871	1	–	3	2	6	3	11	8	16	15	31	35	78	125	189	369	526	595	540	252	66	–
	White..... Male	1,269	1	–	–	1	4	2	5	3	6	5	18	21	45	66	104	202	250	232	215	77	12	–
	Female	1,565	–	–	3	1	2	–	4	3	9	9	10	14	29	53	82	163	273	358	323	175	54	–
	All other..... Male	23	–	–	–	–	–	1	–	1	1	1	3	–	3	4	1	2	2	3	1	–	–	–
	Female	14	–	–	–	–	–	–	2	1	–	–	–	–	1	2	2	2	1	2	1	–	–	–
440	Arteriosclerosis	724	–	–	–	–	–	–	1	–	–	–	1	1	7	7	20	51	97	167	198	120	54	–
	White..... Male	293	–	–	–	–	–	–	–	–	–	–	–	1	5	5	10	23	51	79	65	38	16	–
	Female	425	–	–	–	–	–	–	1	–	–	–	1	–	2	2	10	26	45	88	132	80	38	–
	All other..... Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	634	2	–	–	–	1	3	–	3	1	5	12	15	31	52	90	99	99	113	58	36	14	–
	White..... Male	385	–	–	–	–	1	3	–	2	1	4	4	12	25	39	67	69	55	64	26	9	4	–
	Female	243	2	–	–	–	–	–	–	1	–	1	5	3	6	12	23	30	44	49	32	27	8	–
	All other..... Male	4	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
466	Acute bronchitis and bronchiolitis	15	2	1	–	–	–	1	–	–	–	–	–	1	–	–	2	2	4	2	–	–	–	–
	White..... Male	9	1	1	–	–	–	1	–	–	–	–	–	–	–	–	1	1	3	1	–	–	–	–
	Female	6	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–
	All other..... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	1,256	30	10	4	4	9	6	7	8	10	9	20	27	36	55	92	118	196	252	201	123	39	–
	White..... Male	701	15	5	2	3	6	4	4	4	7	7	15	13	28	40	56	71	113	142	101	55	10	–
	Female	516	7	3	1	–	1	1	3	4	3	2	5	11	6	14	33	45	79	107	95	68	28	–
	All other..... Male	22	3	–	1	1	–	1	–	–	–	–	–	3	1	1	3	–	4	2	1	–	1	–
	Female	17	5	2	–	–	2	–	–	–	–	–	–	–	1	–	–	2	–	1	4	–	–	–
470–474	Influenza	150	–	–	1	1	1	–	–	–	–	–	3	2	6	5	9	18	30	27	24	18	5	–
	White..... Male	63	–	–	1	1	1	–	–	–	–	–	3	1	4	3	–	9	8	11	11	8	2	–
	Female	85	–	–	–	–	–	–	–	–	–	–	–	1	2	2	9	8	21	16	13	10	3	–
	All other..... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
480–486	Pneumonia	1,106	30	10	3	3	8	6	7	8	10	9	17	25	30	50	83	100	166	225	177	105	34	–
	White..... Male	638	15	5	1	2	5	4	4	4	7	7	12	12	24	37	56	62	105	131	90	47	8	–
	Female	431	7	3	1	–	1	1	3	4	3	2	5	10	4	12	24	37	58	91	82	58	25	–
	All other..... Male	21	3	–	1	1	–	1	–	–	–	–	–	3	1	1	3	–	3	2	1	–	1	–
	Female	16	5	2	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	1	4	–	–	–
490–493	Bronchitis, emphysema, and asthma	517	2	1	3	–	1	4	–	–	2	5	6	19	31	69	103	102	78	64	19	7	1	–
	White..... Male	402	1	–	2	–	–	2	–	–	–	5	4	11	22	48	82	87	66	54	12	6	–	–
	Female	104	1	–	1	–	1	1	–	–	1	–	2	7	8	19	20	14	12	9	6	1	1	–
	All other..... Male	9	–	1	–	–	–	–	–	–	1	–	–	1	1	2	1	1	–	1	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin – Con.																							
490, 491	Chronic and unqualified bronchitis	106	2	1	2	–	–	1	–	–	1	–	1	5	7	13	16	17	16	12	8	3	1	–
	White ... Male	75	1	–	1	–	–	–	–	–	–	–	1	3	5	9	14	13	13	10	3	2	–	–
	Female	27	1	–	1	–	–	–	–	–	–	–	–	2	2	4	2	4	3	2	4	1	1	–
	All other ... Male	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
492	Emphysema	377	–	–	1	–	–	1	–	–	–	5	5	11	20	51	82	80	60	48	9	4	–	–
	White ... Male	308	–	–	1	–	–	1	–	–	–	5	3	8	15	37	65	69	51	41	8	4	–	–
	Female	63	–	–	–	–	–	–	–	–	–	–	2	3	4	12	16	10	9	6	1	–	–	–
	All other ... Male	6	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	34	–	–	–	–	1	2	–	–	1	–	–	3	4	5	5	5	2	4	2	–	–	–
	White ... Male	19	–	–	–	–	–	1	–	–	–	–	–	–	2	2	3	5	2	3	1	–	–	–
	Female	14	–	–	–	–	1	1	–	–	1	–	–	2	2	3	2	–	–	1	1	–	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	148	1	–	–	2	–	–	–	–	2	3	4	6	13	10	22	18	25	19	21	2	–	–
	White ... Male	92	1	–	–	–	–	–	–	–	2	1	2	3	9	5	18	13	16	8	13	1	–	–
	Female	54	–	–	–	2	–	–	–	–	–	1	2	3	3	5	4	5	9	11	8	1	–	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
540–543	Appendicitis	25	–	–	–	–	2	–	–	–	–	–	–	2	1	–	3	1	3	6	5	1	1	–
	White ... Male	14	–	–	–	–	1	–	–	–	–	–	–	1	–	–	2	–	2	5	3	–	–	–
	Female	10	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	1	1	2	1	1	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	138	7	–	1	–	–	–	–	1	2	2	3	4	5	9	7	12	28	21	21	9	6	–
	White ... Male	62	3	–	1	–	–	–	–	1	–	1	2	2	3	4	5	7	13	7	7	4	2	–
	Female	75	4	–	–	–	–	–	–	–	2	1	–	2	2	5	2	5	15	14	14	5	4	–
	All other ... Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	559	–	–	1	1	1	–	1	10	18	32	52	73	89	81	74	60	40	17	6	3	–	–
	White ... Male	354	–	–	1	1	–	–	–	5	12	17	26	42	54	58	56	46	24	8	4	–	–	–
	Female	178	–	–	–	–	1	–	–	5	6	11	24	23	31	21	14	14	14	9	2	3	–	–
	All other ... Male	13	–	–	–	–	–	–	–	–	–	2	–	6	1	1	2	–	1	–	–	–	–	–
	Female	14	–	–	–	–	–	–	1	–	–	2	2	2	3	1	2	–	1	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	87	–	–	–	–	–	–	–	–	–	–	2	2	5	1	7	11	14	24	13	8	–	–
	White ... Male	44	–	–	–	–	–	–	–	–	–	–	2	1	4	–	4	9	7	11	3	3	–	–
	Female	39	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	7	11	9	5	–	–
	All other ... Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
580–584	Nephritis and nephrosis	118	1	–	–	–	–	–	–	1	1	3	5	8	10	7	16	12	18	20	10	5	1	–
	White ... Male	57	1	–	–	–	–	–	–	1	–	1	3	4	4	5	8	7	7	10	6	–	–	–
	Female	51	–	–	–	–	–	–	–	–	1	1	–	2	6	2	5	3	11	10	4	5	1	–
	All other ... Male	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	25	–	–	–	–	–	–	–	–	–	–	3	–	3	3	3	4	2	4	1	2	–	–
	White ... Male	14	–	–	–	–	–	–	–	–	–	–	2	–	2	2	1	3	–	3	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	–	2	–	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	93	1	–	–	–	–	–	–	1	1	3	2	8	7	4	13	8	16	16	9	3	1	–
	White ... Male	43	1	–	–	–	–	–	–	1	–	1	1	4	2	3	7	4	7	7	5	–	–	–
	Female	41	–	–	–	–	–	–	–	–	1	1	–	2	5	1	3	2	9	9	4	3	1	–
	All other ... Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–	–
590	Infections of kidney	74	–	–	–	–	1	–	1	–	1	1	1	–	2	4	7	5	19	17	7	5	3	–
	White ... Male	30	–	–	–	–	1	–	–	–	1	1	–	–	–	1	3	3	8	6	3	2	1	–
	Female	40	–	–	–	–	–	–	1	–	–	–	1	–	1	3	3	2	9	11	4	3	2	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
600	Hyperplasia of prostate	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	9	5	12	8	6	2	–
	White ... Male	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	9	5	12	8	6	1	–
	All other ... Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
630–678	Complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White ... Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other ... Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wisconsin – Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	3	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	276	177	16	12	7	3	13	3	2	4	4	4	4	8	6	3	3	4	2	–	1	–	–
	White Male	138	96	5	4	2	3	8	3	–	1	3	1	3	5	2	–	–	1	1	–	–	–	–
	Female	126	70	10	8	5	–	5	–	2	3	1	3	1	3	4	3	3	3	1	–	1	–	–
	All other Male	8	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	451	451	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	241	241	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	171	171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	220	220	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	127	127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	77	77	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	231	231	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	114	114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	94	94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	308	95	4	2	1	1	7	6	2	2	2	5	3	9	10	21	24	25	24	24	24	15	2
	White Male	168	57	4	2	–	1	5	2	–	1	–	2	2	8	8	15	16	12	9	10	7	5	2
	Female	124	25	–	–	1	–	2	4	2	1	2	1	1	1	2	6	7	13	15	14	17	10	–
	All other Male	7	4	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–
	Female	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Residual	All other diseases	2,392	34	15	14	9	25	19	28	31	39	61	87	113	164	202	288	316	317	320	180	100	30	–
	White Male	1,281	16	7	6	5	13	13	15	18	24	31	42	60	83	124	166	189	173	157	84	42	13	–
	Female	1,040	15	6	8	4	12	4	10	11	10	24	39	44	71	73	118	123	142	158	95	56	17	–
	All other Male	37	3	–	–	–	–	2	2	1	3	1	3	3	5	4	1	2	2	3	1	1	–	–
	Female	34	–	2	–	–	–	–	1	1	2	5	3	6	5	1	3	2	–	2	–	1	–	–
E800–E949	Accidents	2,022	25	78	77	97	303	228	144	86	66	77	81	65	73	70	99	93	108	101	79	50	22	–
	White Male	1,334	11	41	51	76	241	174	105	66	40	53	55	42	46	41	66	57	57	53	37	20	2	–
	Female	621	13	28	24	20	57	45	25	17	23	19	23	18	24	28	31	35	51	48	42	30	20	–
	All other Male	49	1	3	1	1	5	8	11	3	1	2	3	5	3	1	–	1	–	–	–	–	–	–
	Female	18	–	6	1	–	–	1	3	–	2	3	–	–	–	–	2	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	952	5	28	35	36	219	170	95	46	35	42	35	29	25	25	40	31	39	10	5	1	1	–
	White Male	662	2	14	26	28	165	129	70	36	23	29	22	16	13	11	25	16	23	7	5	1	1	–
	Female	256	3	9	8	8	50	36	17	9	11	12	13	9	10	13	15	14	16	3	–	–	–	–
	All other Male	26	–	2	1	–	4	5	5	1	–	–	–	4	2	1	–	1	–	–	–	–	–	–
	Female	8	–	3	–	–	–	–	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	1,070	20	50	42	61	84	58	49	40	31	35	46	36	48	45	59	62	69	91	74	49	21	–
	White Male	672	9	27	25	48	76	45	35	30	17	24	33	26	33	30	41	41	34	46	32	19	1	–
	Female	365	10	19	16	12	7	9	8	8	12	7	10	9	14	15	16	21	35	45	42	30	20	–
	All other Male	23	1	1	–	1	1	3	6	2	1	2	3	1	1	–	–	–	–	–	–	–	–	–
	Female	10	–	3	1	–	–	1	–	–	1	2	–	–	–	–	2	–	–	–	–	–	–	–
E950–E959	Suicide	548	...	...	–	4	45	67	49	40	35	43	55	45	48	46	34	13	12	11	1	–	–	–
	White Male	402	...	...	–	2	34	49	37	30	20	30	40	34	36	34	26	9	12	8	1	–	–	–
	Female	131	...	...	–	2	10	14	9	9	12	11	14	11	12	12	8	4	–	3	–	–	–	–
	All other Male	12	...	...	–	–	1	4	2	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–
	Female	3	...	...	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	170	2	4	4	2	13	34	28	17	19	15	13	5	3	2	4	–	2	2	1	–	–	–
	White Male	69	1	–	1	2	5	16	10	5	8	5	6	3	3	–	2	–	–	2	–	–	–	–
	Female	42	1	1	1	–	6	7	5	3	7	4	2	–	–	1	1	–	2	–	1	–	–	–
	All other Male	47	–	3	1	–	1	8	11	7	4	5	5	2	–	–	–	–	–	–	–	–	–	–
	Female	12	–	–	1	–	1	3	2	2	–	1	–	–	–	1	1	–	–	–	–	–	–	–
E980–E999	Other external causes	49	2	1	1	2	3	6	8	3	1	3	–	2	4	4	4	2	1	–	–	–	–	2
	White Male	29	1	–	–	2	2	6	5	1	1	1	–	1	3	2	2	1	1	–	–	–	–	–
	Female	12	–	–	1	–	–	–	2	1	–	–	–	1	1	2	2	1	–	–	–	–	–	1
	All other Male	6	–	1	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1
	Female	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming																							
	All causes	3,078	121	33	21	14	62	86	40	48	53	62	100	146	198	256	293	362	374	363	264	148	33	1
	White Male	1,815	67	24	12	8	44	64	29	31	35	37	62	89	124	167	197	213	217	206	116	63	9	1
	Female	1,203	51	8	8	6	18	19	7	12	11	23	31	57	72	86	95	141	153	152	146	85	22	–
	All other Male	34	2	1	1	–	–	2	2	2	4	2	4	–	1	1	1	3	3	3	2	–	–	–
	Female	26	1	–	–	–	–	1	2	3	3	–	3	–	1	2	–	5	1	2	–	–	2	–
004, 006	Bacillary dysentery and amebiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008, 009	Enteritis and other diarrheal diseases	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	White Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–019	Tuberculosis, all forms	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010–012	Tuberculosis of respiratory system	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013–019	Tuberculosis, other forms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Whooping cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Streptococcal sore throat and scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036	Meningococcal infections	3	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	White Male	3	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Septicemia	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	White Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040–043	Acute poliomyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090–097	Syphilis and its sequelae	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 000–136	Other infective and parasitic diseases	11	2	2	1	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	1	–	–
	White Male	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Female	8	2	–	1	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming—Con.																							
140–209	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	486	2	1	2	1	–	1	2	4	11	9	23	40	55	57	64	65	71	41	24	13	–	–
	White.....Male	266	1	1	1	–	–	–	1	3	7	5	12	16	29	32	44	28	44	28	11	3	–	–
	Female	216	1	–	1	1	–	1	1	1	4	4	9	24	26	25	20	36	27	13	12	10	–	–
	All other.....Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
140–149	Of buccal cavity and pharynx	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	2	1	–	–	–
	White.....Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150–159	Of digestive organs and peritoneum	117	–	–	–	–	–	–	–	–	1	3	5	7	9	13	20	19	20	10	6	4	–	–
	White.....Male	60	–	–	–	–	–	–	–	–	–	1	3	3	5	9	11	8	11	6	3	–	–	–
	Female	56	–	–	–	–	–	–	–	–	1	2	1	4	4	4	9	11	9	4	3	4	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
160–163	Of respiratory system	116	–	–	–	–	–	–	–	–	2	2	3	12	16	17	20	15	18	5	6	–	–	–
	White.....Male	91	–	–	–	–	–	–	–	–	2	2	1	7	12	13	20	9	17	5	3	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	2	5	4	4	–	5	1	–	3	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
174	Of breast	47	–	–	–	–	–	–	1	–	3	2	3	5	7	4	3	7	6	4	1	1	–	–
	White.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	46	–	–	–	–	–	–	1	–	3	2	2	5	7	4	3	7	6	4	1	1	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
180–187	Of genital organs	56	–	–	–	–	–	–	–	–	–	–	4	3	5	4	7	5	12	10	4	2	–	–
	White.....Male	34	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	2	10	9	2	2	–	–
	Female	22	–	–	–	–	–	–	–	–	–	–	4	3	3	1	3	3	2	1	2	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188, 189	Of urinary organs	17	–	–	–	–	–	–	–	–	–	–	1	–	1	5	1	2	1	2	4	–	–	–
	White.....Male	12	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	1	2	3	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
170–173, 190–199	Of all other and unspecified sites	80	2	–	1	1	–	–	–	1	2	–	4	12	9	8	11	11	8	5	1	4	–	–
	White.....Male	40	1	–	1	–	–	–	–	–	2	–	4	6	4	5	7	3	3	3	–	1	–	–
	Female	40	1	–	–	1	–	–	–	1	–	–	–	6	5	3	4	8	5	2	1	3	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204–207	Leukemia	16	–	1	1	–	–	1	–	–	1	–	1	–	1	–	2	2	3	1	1	1	–	–
	White.....Male	8	–	1	–	–	–	–	–	–	1	–	1	–	1	–	1	2	–	1	–	–	–	–
	Female	8	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	3	–	1	1	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200–203, 208, 209	Other neoplasms of lymphatic and hematopoietic tissues	30	–	–	–	–	–	–	1	3	2	2	2	1	6	6	–	3	1	2	–	1	–	–
	White.....Male	18	–	–	–	–	–	–	1	3	2	2	2	–	4	1	–	2	1	–	–	–	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	1	2	5	–	1	–	2	–	1	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210–239	Benign neoplasms and neoplasms of unspecified nature	12	–	–	–	–	–	–	1	1	–	1	1	–	–	–	1	2	3	–	1	1	–	–
	White.....Male	6	–	–	–	–	–	–	1	1	–	–	1	–	–	–	1	–	1	–	–	1	–	–
	Female	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	–	1	–	–	–
	All other.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
250	Diabetes mellitus	52	–	–	–	–	1	1	–	1	1	–	2	1	3	7	7	8	10	1	6	3	–	–
	White.....Male	22	–	–	–	–	1	–	–	–	–	–	2	–	1	3	2	4	5	1	1	2	–	–
	Female	28	–	–	–	–	–	–	–	1	–	–	–	1	2	4	5	4	5	–	5	1	–	–
	All other.....Male	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260–269	Avitaminoses and other nutritional deficiencies	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	White.....Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other.....Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming—Con.																							
280–285	Anemias	5	1	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	–	–	–	–	–
	White Male	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
320	Meningitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
390–448	Major cardiovascular diseases	1,434	1	2	1	–	–	3	2	2	10	22	34	53	78	123	139	198	212	240	188	100	26	–
	White Male	824	1	2	1	–	–	1	2	2	7	14	25	38	55	90	93	122	118	126	82	38	7	–
	Female	593	–	–	–	–	–	2	–	–	3	8	7	15	21	32	46	72	92	110	105	62	18	–
	All other Male	7	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	2	1	–	–	–
	Female	10	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	1	2	–	–	1	–
390–398, 402, 404, 410–429	Diseases of heart	1,026	1	1	–	–	–	2	2	2	8	19	29	47	63	103	108	149	145	153	115	68	11	–
	White Male	633	1	1	–	–	–	1	2	2	5	13	24	35	47	77	73	94	89	83	50	33	3	–
	Female	382	–	–	–	–	–	1	–	–	3	6	3	12	14	25	35	52	56	69	64	35	7	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	–	–	–
	Female	7	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	3	–	–	–	–	1	–
390–398	Active rheumatic fever and chronic rheumatic heart disease	21	–	–	–	–	–	–	–	–	1	2	–	2	3	2	3	2	3	1	2	–	–	–
	White Male	6	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	2	–	1	–	–	–
	Female	15	–	–	–	–	–	–	–	–	1	2	–	2	1	2	2	2	1	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
402	Hypertensive heart disease	9	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	1	2	–	–	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
404	Hypertensive heart and renal disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410–413	Ischemic heart disease	889	–	–	–	–	–	–	2	2	7	16	25	45	55	90	92	130	124	130	101	61	9	–
	White Male	565	–	–	–	–	–	–	2	2	5	12	21	35	42	69	63	85	81	72	44	29	3	–
	Female	316	–	–	–	–	–	–	–	–	2	4	2	10	12	20	29	43	43	57	56	32	6	–
	All other Male	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	–	–	–
	Female	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–
410	Acute myocardial infarction	527	–	–	–	–	–	–	2	2	7	13	18	35	44	64	63	89	69	61	42	16	2	–
	White Male	366	–	–	–	–	–	–	2	2	5	9	15	29	34	52	41	63	48	36	21	9	–	–
	Female	157	–	–	–	–	–	–	–	–	2	4	2	6	9	12	22	25	21	25	20	7	2	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
411	Other acute and subacute forms of ischemic heart disease	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
412	Chronic ischemic heart disease	359	–	–	–	–	–	–	–	–	–	3	7	9	10	25	29	41	55	69	59	45	7	–
	White Male	196	–	–	–	–	–	–	–	–	–	3	6	5	7	16	22	22	33	36	23	20	3	–
	Female	159	–	–	–	–	–	–	–	–	–	–	–	4	3	8	7	18	22	32	36	25	4	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
413	Angina pectoris	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
424, 428	Chronic disease of endocardium and other myocardial insufficiency	6	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	2	–	–	1	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming—Con.																							
420–423, 425–427, 429	All other forms of heart disease	99	1	1	–	–	–	2	–	–	–	1	3	–	2	10	9	15	16	19	12	7	1	–
	White Male	56	1	1	–	–	–	1	–	–	–	1	2	–	1	8	6	9	6	11	5	4	–	–
	Female	41	–	–	–	–	–	1	–	–	–	–	1	–	–	2	3	5	10	8	7	3	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
400, 401, 403	Hypertension	5	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	1	1	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430–438	Cerebrovascular diseases	307	–	1	1	–	–	1	–	–	2	2	4	5	10	14	26	36	51	65	57	21	11	–
	White Male	140	–	1	1	–	–	–	–	–	2	1	–	2	5	8	16	19	19	37	23	3	3	–
	Female	165	–	–	–	–	–	1	–	–	–	1	4	3	5	6	10	17	31	27	34	18	8	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
431	Cerebral hemorrhage	42	–	–	–	–	–	–	–	–	1	–	–	3	3	4	4	6	8	4	5	2	2	–
	White Male	21	–	–	–	–	–	–	–	–	1	–	–	2	1	2	3	5	3	–	3	1	–	–
	Female	21	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	5	4	2	1	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
433	Cerebral thrombosis	38	–	–	–	–	–	–	–	–	–	–	1	1	1	1	6	2	8	6	10	2	–	–
	White Male	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	3	3	3	–	–	–
	Female	24	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	1	5	3	7	2	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
434	Cerebral embolism	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
430, 432, 435–438	All other cerebrovascular diseases	224	–	1	1	–	–	1	–	–	1	2	3	1	6	9	14	28	35	54	42	17	9	–
	White Male	103	–	1	1	–	–	–	–	–	1	1	–	–	4	6	7	13	13	34	17	2	3	–
	Female	119	–	–	–	–	–	1	–	–	–	1	3	1	2	3	7	15	21	19	25	15	6	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
440	Arteriosclerosis	50	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	6	6	14	11	9	2	–
	White Male	21	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	4	3	5	6	1	–	–
	Female	28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	8	5	8	2	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
441–448	Other diseases of arteries, arterioles, and capillaries	46	–	–	–	–	–	–	–	–	–	–	–	1	3	6	5	7	9	7	4	2	2	–
	White Male	28	–	–	–	–	–	–	–	–	–	–	–	1	1	5	4	5	6	1	3	1	1	–
	Female	15	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	5	1	1	1	–
	All other Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
466	Acute bronchitis and bronchiolitis	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	White Male	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470–474, 480–486	Influenza and pneumonia	101	5	–	1	–	1	–	–	1	1	–	2	–	4	4	5	11	17	23	15	8	3	–
	White Male	61	2	–	–	–	–	–	–	–	–	–	1	–	4	1	4	8	10	19	7	4	1	–
	Female	37	2	–	1	–	1	–	–	1	1	–	1	–	–	2	1	3	6	4	8	4	2	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
470–474	Influenza	8	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	2	3	–	–	–	–
	White Male	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
	Female	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	2	1	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480–486	Pneumonia	93	5	–	1	–	1	–	–	1	1	–	1	–	4	4	5	9	15	20	15	8	3	–
	White Male	59	2	–	–	–	–	–	–	–	–	–	1	–	4	1	4	8	10	17	7	4	1	–
	Female	31	2	–	1	–	1	–	–	1	1	–	–	–	–	2	1	1	4	3	8	4	2	–
	All other Male	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
490–493	Bronchitis, emphysema, and asthma	48	–	–	–	–	–	–	–	–	–	–	1	3	5	8	11	8	2	6	2	1	1	–
	White Male	35	–	–	–	–	–	–	–	–	–	–	1	1	3	5	8	7	2	5	2	1	–	–
	Female	13	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	1	–	1	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming – Con.																							
490, 491	Chronic and unqualified bronchitis	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	1	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
492	Emphysema	41	–	–	–	–	–	–	–	–	–	–	–	3	5	8	10	5	2	5	1	1	1	–
	White Male	29	–	–	–	–	–	–	–	–	–	–	–	1	3	5	7	5	2	4	1	1	–	–
	Female	12	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	–	–	1	–	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Asthma	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531–533	Peptic ulcer	17	–	–	–	1	–	–	–	–	–	–	–	2	–	2	3	3	1	2	1	2	–	–
	White Male	11	–	–	–	1	–	–	–	–	–	–	–	2	–	1	2	1	1	–	1	2	–	–
	Female	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
540–543	Appendicitis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550–553, 560	Hernia and intestinal obstruction	8	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	1	–	1	–
	White Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	7	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	1	–	1	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571	Cirrhosis of liver	46	–	–	–	–	–	–	1	3	4	3	3	5	7	9	5	4	1	1	–	–	–	–
	White Male	21	–	–	–	–	–	–	–	–	3	3	1	1	4	4	1	4	–	–	–	–	–	–
	Female	22	–	–	–	–	–	–	1	1	–	–	2	4	3	5	4	–	1	1	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
574, 575	Cholelithiasis, cholecystitis and cholangitis	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	–	–	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580–584	Nephritis and nephrosis	10	–	–	–	–	–	–	–	1	–	–	1	–	1	2	1	3	–	1	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 581	Acute nephritis and nephrotic syndrome	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
582–584	Chronic and unqualified nephritis and renal sclerosis	10	–	–	–	–	–	–	–	1	–	–	1	–	1	2	1	3	–	1	–	–	–	–
	White Male	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	–	–	–	–
	Female	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590	Infections of kidney	5	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–
	White Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–
	Female	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600	Hyperplasia of prostate	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–
	White Male	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–678	Complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–6. Deaths From 69 Selected Causes, by Age, Color, and Sex: Each State, 1975–Con.

[Numbers preceding causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Area, cause of death, color, and sex	Total	Under 1 year	1–4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95 years and over	Not stated
	Wyoming—Con.																							
640–645	Abortions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
630–639, 650–678	Other complications of pregnancy, childbirth, and the puerperium	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Female	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
740–759	Congenital anomalies	37	26	3	1	–	1	–	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	White Male	19	13	3	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Female	17	13	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760–769.2, 769.4–772, 774–778	Certain causes of mortality in early infancy	58	58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	37	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764–768, 772, 776	Birth injury, difficult labor, and other anoxic and hypoxic conditions	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	19	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of 760–778	Other causes of mortality in early infancy	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	White Male	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780–796	Symptoms and ill-defined conditions	42	12	–	–	1	–	1	1	–	–	–	1	3	1	3	–	3	5	5	4	1	1	–
	White Male	22	7	–	–	1	–	1	–	–	–	–	–	2	–	2	–	1	3	4	1	–	–	–
	Female	18	5	–	–	–	–	–	1	–	–	–	1	1	1	–	–	2	2	1	3	1	–	–
	All other Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Residual	All other diseases	251	3	3	1	–	–	3	4	4	5	4	12	17	16	27	29	36	35	29	12	11	–	–
	White Male	151	1	1	1	–	–	2	2	3	2	–	5	10	9	18	20	23	26	16	6	6	–	–
	Female	94	2	2	–	–	–	1	–	1	1	3	6	7	7	9	9	13	9	13	6	5	–	–
	All other Male	4	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	Female	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E949	Accidents	313	5	17	11	11	49	53	17	21	14	12	12	15	17	6	15	12	7	6	6	6	1	–
	White Male	230	1	12	8	6	37	42	15	15	10	9	9	14	13	5	12	8	4	2	3	4	1	–
	Female	73	4	4	3	5	12	9	1	4	1	2	3	1	4	1	3	4	3	4	3	2	–	–
	All other Male	6	–	1	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	4	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
E810–E823	Motor vehicle accidents	164	1	3	5	5	38	35	15	14	8	7	5	6	9	–	7	3	2	–	1	–	–	–
	White Male	121	–	1	3	2	28	26	14	9	6	7	4	5	5	–	6	3	1	–	1	–	–	–
	Female	39	1	2	2	3	10	7	1	4	1	–	1	1	4	–	1	–	1	–	–	–	–	–
	All other Male	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800–E807, E825–E949	All other accidents	149	4	14	6	6	11	18	2	7	6	5	7	9	8	6	8	9	5	6	5	6	1	–
	White Male	109	1	11	5	4	9	16	1	6	4	2	5	9	8	5	6	5	3	2	2	4	1	–
	Female	34	3	2	1	2	2	2	–	–	–	2	2	–	–	1	2	4	2	4	3	2	–	–
	All other Male	3	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	3	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
E950–E959	Suicide	66	...	...	–	–	5	12	6	5	–	3	5	4	7	5	6	3	4	1	–	–	–	–
	White Male	50	...	...	–	–	3	12	5	5	–	2	2	3	3	4	5	3	2	1	–	–	–	–
	Female	14	...	...	–	–	2	–	1	–	–	1	2	1	4	1	1	–	1	–	–	–	–	–
	All other Male	2	...	...	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	Female	–	...	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E960–E978	Homicide	30	–	2	2	–	1	6	2	2	4	4	–	2	2	–	1	–	1	–	–	–	–	1
	White Male	18	–	1	–	–	1	3	–	1	4	2	–	2	2	–	1	–	–	–	–	–	–	1
	Female	11	–	1	2	–	–	3	1	1	–	2	–	–	–	–	–	–	1	–	–	–	–	–
	All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E980–E999	Other external causes	16	1	–	–	–	2	5	2	–	2	2	–	–	–	1	–	1	–	–	–	–	–	–
	White Male	10	–	–	–	–	2	3	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	Female	6	1	–	–	–	–	2	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
	All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1975

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Georgia	Hawaii
All causes	1,895,135	33,493	1,558	17,450	21,484	171,074	17,969	25,728	4,908	9,418	88,784	41,828	4,575
Bacillary dysentery and amebiasis – 004,006	64	2	–	3	1	11	–	–	–	2	3	2	–
Enteritis and other diarrheal diseases – 008,009	2,015	56	1	32	26	178	24	21	1	8	86	68	7
Tuberculosis, all forms – 010–019	3,336	93	6	57	53	226	40	25	15	32	164	73	13
Tuberculosis of respiratory system – 010–012	2,578	75	2	36	42	156	23	19	12	22	123	63	11
Tuberculosis, other forms – 013–019	758	18	4	21	11	70	17	6	3	10	41	10	2
Whooping cough – 033	8	–	–	–	–	–	–	–	–	–	1	1	–
Streptococcal sore throat and scarlet fever – 034	15	1	–	1	–	–	1	–	–	–	–	–	–
Meningococcal infections – 036	308	7	–	–	1	20	4	3	–	1	15	17	–
Septicemia – 038	5,595	101	5	54	73	334	75	77	16	72	251	173	22
Acute poliomyelitis – 040–043	9	–	–	–	–	–	–	–	–	–	–	–	–
Measles – 055	20	–	–	–	–	3	1	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	273	3	–	3	3	26	2	4	1	2	12	7	1
Other infective and parasitic diseases – Remainder of 000–136	4,318	82	6	80	62	426	53	49	10	21	180	108	20
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	365,952	5,717	183	3,218	3,681	34,737	3,181	5,898	1,040	2,271	18,097	6,895	950
Malignant neoplasms of buccal cavity and pharynx – 140–149	8,143	111	2	67	66	827	44	143	22	94	435	185	32
Malignant neoplasms of digestive organs and peritoneum – 150–159	99,680	1,405	46	780	908	9,182	825	1,792	264	644	4,822	1,616	316
Malignant neoplasms of respiratory system – 160–163	86,720	1,441	51	781	955	8,489	633	1,288	296	533	4,814	1,752	222
Malignant neoplasm of breast – 174	32,452	420	15	268	282	3,196	290	596	78	204	1,387	533	63
Malignant neoplasms of genital organs – 180–187	43,017	728	11	371	429	3,951	398	602	108	250	2,147	899	71
Malignant neoplasms of urinary organs – 188,189	16,545	227	10	135	150	1,515	155	274	54	85	881	252	46
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	44,630	841	35	459	556	4,079	428	663	131	266	1,960	1,021	118
Leukemia – 204–207	14,786	258	7	156	151	1,461	179	225	34	80	719	279	30
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	19,979	286	6	201	184	2,037	229	315	53	115	932	358	52
Benign neoplasms and neoplasms of unspecified nature – 210–239	4,956	92	–	56	35	471	59	105	17	35	197	123	11
Diabetes mellitis – 250	35,251	712	14	245	404	2,281	302	463	128	179	1,470	706	134
Avitaminoses and other nutritional deficiencies – 260–269	2,620	45	5	32	23	238	30	22	6	13	123	67	10
Anemias – 280–285	3,203	60	1	27	50	246	27	47	11	25	155	85	11
Meningitis – 320	1,633	32	4	24	29	133	21	25	5	21	55	37	4
Major cardiovascular diseases – 390–448	972,004	16,094	377	7,856	11,312	85,187	8,386	13,350	2,562	3,643	44,969	20,966	1,982
Diseases of heart – 390–398,402,404,410–429	717,000	10,912	275	5,890	7,935	61,493	6,115	9,882	2,007	2,589	33,061	14,563	1,487
Active rheumatic fever and chronic rheumatic heart disease – 390–398	12,966	129	6	148	89	1,413	197	205	18	82	678	195	55
Hypertensive heart disease – 402	6,701	122	–	69	104	622	42	74	13	36	261	185	12
Hypertensive heart and renal disease – 404	4,335	85	2	19	59	252	28	32	14	25	125	113	4
Ischemic heart disease – 410–413	643,400	9,050	218	5,221	6,748	56,695	5,316	8,804	1,871	2,244	30,504	12,322	1,332
Acute myocardial infarction – 410	325,041	5,594	122	2,507	4,027	23,543	2,832	4,246	764	650	14,184	7,280	617
Other acute and subacute forms of ischemic heart disease – 411	4,079	25	5	336	4	248	27	13	4	1	131	99	5
Chronic ischemic heart disease – 412	314,128	3,427	91	2,377	2,713	32,896	2,457	4,542	1,103	1,593	16,180	4,941	710
Angina pectoris – 413	152	4	–	1	4	8	–	3	–	–	9	2	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	4,416	116	2	25	44	352	26	22	7	13	144	102	8
All other forms of heart disease – 420–423,425–427,429	45,182	1,410	47	408	891	2,159	506	745	84	189	1,349	1,646	76

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1975—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Georgia	Hawaii
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	6,303	169	1	41	85	493	49	84	19	45	293	171	14
Cerebrovascular diseases—430–438	194,162	4,186	77	1,464	2,703	18,184	1,595	2,518	364	666	9,162	5,216	404
Cerebral hemorrhage—431	26,896	625	13	191	328	2,068	159	320	39	114	970	925	75
Cerebral thrombosis—433	48,476	1,025	7	270	450	4,958	304	783	93	166	2,718	1,214	79
Cerebral embolism—434	811	11	–	8	6	68	11	7	4	1	31	14	–
All other cerebrovascular diseases—430,432,435–438	117,979	2,525	57	995	1,919	11,090	1,121	1,408	228	385	5,443	3,063	250
Arteriosclerosis—440	28,894	443	13	228	333	2,535	345	445	94	206	1,156	512	15
Other diseases of arteries, arterioles, and capillaries—441–448	25,645	384	11	233	256	2,482	282	421	78	137	1,297	504	62
Acute bronchitis and bronchiolitis—466	737	6	1	17	4	95	11	12	1	2	33	11	2
Influenza and pneumonia—470–474,480–486	55,712	810	48	539	603	4,663	687	756	107	262	2,207	1,334	157
Influenza—470–474	4,280	71	6	38	53	337	39	32	4	3	149	90	5
Pneumonia—480–486	51,432	739	42	501	550	4,326	648	724	103	259	2,058	1,244	152
Bronchitis, emphysema, and asthma—490–493	25,489	419	14	429	264	2,704	331	260	53	94	1,493	527	54
Chronic and unqualified bronchitis—490,491	4,716	59	8	79	41	492	67	50	3	16	241	100	6
Emphysema—492	18,809	323	4	314	210	2,027	237	181	47	65	1,162	383	32
Asthma—493	1,964	37	2	36	13	185	27	29	3	13	90	44	16
Peptic ulcer—531–533	6,754	94	10	57	56	743	67	73	9	42	292	140	18
Appendicitis—540–543	823	12	–	6	16	85	9	7	2	8	32	24	–
Hernia and intestinal obstruction—550–553,560	6,185	104	5	56	66	524	58	79	12	38	270	134	13
Cirrhosis of liver—571	31,655	321	47	345	179	4,439	312	448	109	458	1,613	571	65
Cholelithiasis, cholecystitis and cholangitis—574,575	3,008	65	1	24	43	252	38	33	8	21	144	67	7
Nephritis and nephrosis—580–584	8,077	200	2	80	120	482	57	85	13	79	370	224	22
Acute nephritis and nephrotic syndrome—580,581	1,586	37	–	20	27	92	12	20	3	11	82	46	4
Chronic and unqualified nephritis and renal sclerosis—582–584	6,491	163	2	60	93	390	45	65	10	68	288	178	18
Infections of kidney—590	4,504	135	–	52	64	392	35	48	6	25	215	133	14
Hyperplasia of prostate—600	1,224	18	–	9	14	100	9	10	1	4	59	29	4
Complications of pregnancy, childbirth, and the puerperium—630–678	405	13	–	2	2	41	2	4	–	3	18	18	1
Abortions—640–645	27	1	–	–	–	3	–	–	–	1	4	1	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	378	12	–	2	2	38	2	4	–	2	14	17	1
Congenital anomalies—740–759	13,332	293	15	153	134	1,360	176	155	27	133	518	321	57
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	26,647	534	49	262	309	2,022	283	344	72	307	971	760	104
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	14,613	288	27	167	176	1,161	157	125	29	138	537	443	51
Other causes of mortality in early infancy—Remainder of 760–778	12,034	246	22	95	133	861	126	219	43	169	434	317	53
Symptoms and ill-defined conditions—780–796	31,816	2,050	53	278	834	1,004	182	204	24	106	1,663	601	106
All other diseases—Residual	120,391	2,023	129	1,429	1,223	10,541	1,422	1,672	273	764	5,640	3,015	294
Accidents—E800–E949	103,473	2,269	462	1,349	1,317	10,791	1,379	949	245	355	4,491	2,905	302
Motor vehicle accidents—E810–E823	46,032	1,087	120	713	577	4,414	621	404	129	91	2,067	1,420	153
All other accidents—E800–E807,E825–E949	57,441	1,182	342	636	740	6,377	758	545	116	264	2,424	1,485	149
Suicide—E950–E959	27,094	370	84	388	210	3,852	447	309	74	91	1,521	788	82
Homicide—E960–E978	21,350	581	27	231	203	2,221	198	128	50	244	1,226	881	62
Other external causes—E980–E999	4,879	79	9	56	70	246	60	63	10	57	230	17	46

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1975 – Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massa-chusetts	Michigan	Minnesota	Mississippi
All causes	6,226	101,085	46,668	27,935	21,137	32,992	33,810	10,290	31,093	54,222	73,741	33,254	22,385
Bacillary dysentery and amebiasis – 004,006	–	8	–	1	1	1	2	–	2	–	2	1	2
Enteritis and other diarrheal diseases – 008,009	6	81	59	34	22	33	32	6	31	43	79	36	57
Tuberculosis, all forms – 010–019	6	159	68	18	19	91	103	14	69	71	109	42	38
Tuberculosis of respiratory system – 010–012	3	117	57	12	14	78	89	11	55	58	81	32	31
Tuberculosis, other forms – 013–019	3	42	11	6	5	13	14	3	14	13	28	10	7
Whooping cough – 033	–	1	1	–	–	–	–	–	–	–	1	–	–
Streptococcal sore throat and scarlet fever – 034	–	1	–	1	–	–	–	–	–	–	–	–	–
Meningococcal infections – 036	2	12	6	4	2	2	13	2	4	12	18	4	2
Septicemia – 038	19	212	117	62	39	92	161	28	143	187	186	58	66
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles – 055	–	4	–	–	2	–	–	–	–	–	1	–	1
Syphilis and its sequelae – 090–097	–	11	8	3	2	4	9	1	9	3	10	4	3
Other infective and parasitic diseases – Remainder of 000–136	12	191	116	57	61	91	102	30	75	125	149	68	81
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	1,039	19,301	8,538	5,315	3,767	5,838	6,208	1,927	6,630	11,708	14,355	6,556	3,635
Malignant neoplasms of buccal cavity and pharynx – 140–149	18	382	172	93	70	129	148	45	171	323	266	129	81
Malignant neoplasms of digestive organs and peritoneum – 150–159	278	5,512	2,274	1,564	1,010	1,559	1,500	575	1,704	3,422	3,799	1,910	909
Malignant neoplasms of respiratory system – 160–163	208	4,571	2,068	1,133	814	1,536	1,647	427	1,619	2,467	3,375	1,160	925
Malignant neoplasm of breast – 174	101	1,862	702	475	351	474	485	157	612	1,148	1,373	596	269
Malignant neoplasms of genital organs – 180–187	144	2,235	1,022	696	481	689	672	223	746	1,256	1,726	877	480
Malignant neoplasms of urinary organs – 188,189	51	872	393	269	221	266	243	112	259	542	712	330	133
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	135	2,097	1,118	511	452	667	963	223	919	1,458	1,706	722	501
Leukemia – 204–207	42	755	339	239	156	238	241	59	269	463	572	357	148
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	62	1,015	450	335	212	280	309	106	331	629	826	475	189
Benign neoplasms and neoplasms of unspecified nature – 210–239	23	244	123	55	37	63	115	36	105	194	160	75	45
Diabetes mellitis – 250	110	1,742	972	555	417	638	829	166	679	1,069	1,814	544	394
Avitaminoses and other nutritional deficiencies – 260–269	7	106	62	47	50	35	50	15	43	53	96	50	24
Anemias – 280–285	6	157	95	55	47	57	79	16	59	90	148	57	44
Meningitis – 320	1	75	43	17	13	33	42	4	27	35	71	23	22
Major cardiovascular diseases – 390–448	3,081	55,053	25,272	15,343	11,423	17,653	16,943	5,612	15,528	28,003	37,575	17,575	10,763
Diseases of heart – 390–398,402,404,410–429	2,174	42,395	17,726	10,958	8,207	12,776	12,490	4,166	12,196	21,224	28,020	12,497	7,456
Active rheumatic fever and chronic rheumatic heart disease – 390–398	51	589	336	165	109	162	115	64	211	448	467	288	73
Hypertensive heart disease – 402	23	522	149	67	54	109	118	42	107	252	313	119	81
Hypertensive heart and renal disease – 404	19	233	279	92	66	89	88	25	64	65	97	51	44
Ischemic heart disease – 410–413	1,910	38,100	15,807	9,983	7,387	11,136	11,111	3,792	10,877	19,251	25,480	11,220	6,298
Acute myocardial infarction – 410	1,069	19,678	8,750	5,783	4,158	6,727	5,701	2,365	4,646	9,662	13,568	5,809	3,636
Other acute and subacute forms of ischemic heart disease – 411	5	105	49	29	21	10	22	9	52	36	65	70	36
Chronic ischemic heart disease – 412	835	18,309	7,008	4,171	3,203	4,397	5,386	1,415	6,177	9,552	11,841	5,341	2,623
Angina pectoris – 413	1	8	–	–	5	2	2	3	2	1	6	–	3
Chronic disease of endocardium and other myocardial insufficiency – 424,428	23	221	172	103	82	88	100	31	245	90	118	87	65
All other forms of heart disease – 420–423,425–427,429	148	2,730	983	548	509	1,192	958	212	692	1,118	1,545	732	895

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1975—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massa-chusetts	Michigan	Minnesota	Mississippi
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	14	511	173	125	65	123	100	32	71	140	237	106	113
Cerebrovascular diseases—430–438	671	9,640	5,552	3,226	2,401	3,810	3,458	1,042	2,368	5,110	7,211	3,921	2,700
Cerebral hemorrhage—431	74	1,729	902	375	346	483	439	205	345	1,037	968	459	325
Cerebral thrombosis—433	113	2,900	1,267	716	531	933	694	253	503	1,543	2,070	845	576
Cerebral embolism—434	3	34	33	12	9	12	12	4	14	29	31	20	6
All other cerebrovascular diseases—430,432,435–438	481	4,977	3,350	2,123	1,515	2,382	2,313	580	1,506	2,501	4,142	2,597	1,793
Arteriosclerosis—440	133	1,368	1,167	614	441	541	493	189	434	757	1,089	568	257
Other diseases of arteries, arterioles, and capillaries—441–448	89	1,139	654	420	309	403	402	183	459	772	1,018	483	237
Acute bronchitis and bronchiolitis—466	3	43	20	7	11	8	23	8	9	23	19	7	5
Influenza and pneumonia—470–474,480–486	207	2,937	1,256	1,083	769	1,009	849	346	713	2,163	1,812	1,109	501
Influenza—470–474	15	182	143	141	146	123	53	48	29	67	129	120	24
Pneumonia—480–486	192	2,755	1,113	942	623	886	796	298	684	2,096	1,683	989	477
Bronchitis, emphysema, and asthma—490–493	124	1,285	710	482	291	438	397	149	276	584	1,109	398	230
Chronic and unqualified bronchitis—490,491	21	226	103	85	56	80	60	34	56	109	183	81	41
Emphysema—492	95	963	558	373	205	314	301	105	198	440	844	278	175
Asthma—493	8	96	49	24	30	44	36	10	22	35	82	39	14
Peptic ulcer—531–533	18	376	150	75	65	118	100	41	90	196	260	117	55
Appendicitis—540–543	2	41	16	17	7	26	14	6	13	17	32	12	10
Hernia and intestinal obstruction—550–553,560	26	328	156	120	83	97	117	33	103	153	266	123	74
Cirrhosis of liver—571	71	1,626	533	283	192	368	414	165	572	989	1,563	396	155
Cholelithiasis, cholecystitis and cholangitis—574,575	11	157	60	65	38	83	40	20	32	88	111	50	23
Nephritis and nephrosis—580–584	21	430	188	110	86	121	238	37	165	206	278	131	119
Acute nephritis and nephrotic syndrome—580,581	3	93	47	26	18	21	35	8	28	54	65	23	21
Chronic and unqualified nephritis and renal sclerosis—582–584	18	337	141	84	68	100	203	29	137	152	213	108	98
Infections of kidney—590	7	239	109	66	69	110	101	31	36	111	143	70	92
Hyperplasia of prostate—600	9	92	32	31	16	18	9	5	22	24	41	29	20
Complications of pregnancy, childbirth, and the puerperium—630–678	2	17	10	5	6	7	13	1	3	3	17	3	4
Abortions—640–645	–	1	2	–	–	–	1	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	2	16	8	5	6	7	12	1	2	3	17	3	4
Congenital anomalies—740–759	37	638	285	178	123	199	289	52	199	276	557	300	150
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	82	1,624	623	289	193	433	695	88	442	516	1,116	411	514
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	44	964	340	154	106	239	387	53	205	240	565	221	285
Other causes of mortality in early infancy—Remainder of 760–778	38	660	283	135	87	194	308	35	237	276	551	190	229
Symptoms and ill-defined conditions—780–796	142	1,959	513	94	223	245	348	69	345	519	592	331	1,737
All other diseases—Residual	401	5,261	2,839	1,571	1,441	2,173	2,129	648	2,102	3,528	4,627	2,148	1,319
Accidents—E800–E949	567	4,357	2,523	1,460	1,146	1,991	2,255	554	1,533	2,380	3,966	1,880	1,545
Motor vehicle accidents—E810–E823	291	1,816	1,139	714	531	885	993	235	686	895	1,811	798	629
All other accidents—E800–E807,E825–E949	276	2,541	1,384	746	615	1,106	1,262	319	847	1,485	2,155	1,082	916
Suicide—E950–E959	129	961	596	323	296	471	455	133	445	544	1,118	451	250
Homicide—E960–E978	43	1,053	438	75	124	375	590	27	463	247	1,145	125	351
Other external causes—E980–E999	12	303	131	34	56	71	46	20	126	62	195	70	54

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1975 – Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	Missouri	Montana	Nebraska	Nevada	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon
All causes	49,986	6,494	14,755	4,821	7,212	64,029	7,948	169,062	46,014	5,656	95,972	26,413	20,184
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	4	–	–	–	1	–
Enteritis and other diarrheal diseases – 008,009	41	3	15	2	7	60	20	127	58	3	82	33	16
Tuberculosis, all forms – 010–019	71	15	11	4	5	110	27	379	91	4	137	50	16
Tuberculosis of respiratory system – 010–012	50	9	7	3	4	86	19	307	62	3	115	38	10
Tuberculosis, other forms – 013–019	21	6	4	1	1	24	8	72	29	1	22	12	6
Whooping cough – 033	2	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	1	–	–	–	–	–	–	1	–	1	1	–	–
Meningococcal infections – 036	7	–	4	2	–	3	2	18	15	2	15	9	–
Septicemia – 038	141	12	26	11	14	186	30	506	169	8	278	73	38
Acute poliomyelitis – 040–043	–	–	–	–	–	–	1	3	–	–	–	–	1
Measles – 055	–	–	–	–	–	–	–	2	–	–	–	1	–
Syphilis and its sequelae – 090–097	8	–	3	1	1	4	4	18	7	–	22	3	5
Other infective and parasitic diseases – Remainder of 000–136	101	13	30	4	11	115	20	326	130	16	194	58	46
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	9,547	1,065	2,830	859	1,474	13,542	1,227	36,008	7,877	980	18,812	4,681	3,834
Malignant neoplasms of buccal cavity and pharynx – 140–149	208	24	62	33	28	323	20	841	198	16	398	86	79
Malignant neoplasms of digestive organs and peritoneum – 150–159	2,478	303	825	196	454	4,193	347	10,939	1,883	289	5,098	1,112	925
Malignant neoplasms of respiratory system – 160–163	2,340	226	556	246	322	3,183	257	7,896	1,848	173	4,678	1,189	960
Malignant neoplasm of breast – 174	769	83	248	73	118	1,285	100	3,623	646	97	1,672	345	328
Malignant neoplasms of genital organs – 180–187	1,160	147	354	87	174	1,526	129	3,970	1,044	157	2,229	584	444
Malignant neoplasms of urinary organs – 188,189	414	53	150	47	89	674	48	1,689	319	44	918	208	196
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	1,313	130	290	125	178	1,363	219	3,779	1,117	104	2,006	676	498
Leukemia – 204–207	390	45	143	22	29	396	50	1,350	364	44	785	196	178
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	475	54	202	30	82	599	57	1,921	458	56	1,028	285	226
Benign neoplasms and neoplasms of unspecified nature – 210–239	95	16	24	13	22	142	20	576	122	15	234	62	41
Diabetes mellitis – 250	949	119	269	71	194	1,397	131	3,349	881	89	2,069	390	304
Avitaminoses and other nutritional deficiencies – 260–269	90	10	47	7	12	81	19	159	52	18	149	48	43
Anemias – 280–285	64	8	24	11	7	97	18	261	96	10	138	39	24
Meningitis – 320	38	9	11	5	2	34	13	125	53	4	83	27	12
Major cardiovascular diseases – 390–448	25,687	3,128	7,817	2,218	3,690	34,959	2,893	86,831	23,386	2,985	50,956	13,825	10,453
Diseases of heart – 390–398,402,404,410–429	18,679	2,166	5,516	1,571	2,563	27,252	2,023	68,634	16,738	2,181	37,615	10,025	7,341
Active rheumatic fever and chronic rheumatic heart disease – 390–398	293	53	91	32	38	526	58	1,308	284	47	710	143	205
Hypertensive heart disease – 402	172	32	48	11	29	241	17	560	131	22	366	109	47
Hypertensive heart and renal disease – 404	198	12	88	3	22	115	10	188	123	13	502	79	58
Ischemic heart disease – 410–413	16,515	1,763	4,862	1,408	2,314	25,325	1,747	63,559	15,008	1,914	34,107	8,854	6,630
Acute myocardial infarction – 410	8,527	1,040	2,601	814	1,297	12,014	998	28,890	8,448	1,204	15,848	5,246	2,717
Other acute and subacute forms of ischemic heart disease – 411	45	12	44	8	2	43	5	397	99	9	161	497	29
Chronic ischemic heart disease – 412	7,911	711	2,216	586	1,013	13,265	744	34,266	6,459	700	18,093	3,107	3,884
Angina pectoris – 413	32	–	1	–	2	3	–	6	2	1	5	4	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	157	40	39	7	19	74	14	240	96	5	161	72	43
All other forms of heart disease – 420–423,425–427,429	1,344	266	388	110	141	971	177	2,779	1,096	180	1,769	768	358

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1975—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Missouri	Montana	Nebraska	Nevada	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	201	15	49	15	24	200	44	504	173	26	336	75	45
Cerebrovascular diseases—430–438	5,354	668	1,748	511	806	5,928	636	13,772	5,264	587	9,977	2,961	2,341
Cerebral hemorrhage—431	738	82	214	68	137	973	93	2,304	671	66	1,487	337	256
Cerebral thrombosis—433	1,368	142	397	141	224	1,805	97	3,662	1,331	110	2,703	600	569
Cerebral embolism—434	50	1	9	1	1	33	4	68	16	3	41	25	6
All other cerebrovascular diseases—430,432,435–438	3,198	443	1,128	301	444	3,117	442	7,738	3,246	408	5,746	1,999	1,510
Arteriosclerosis—440	778	171	283	54	187	793	111	1,805	569	106	1,667	438	432
Other diseases of arteries, arterioles, and capillaries—441–448	675	108	221	67	110	786	79	2,116	642	85	1,361	326	294
Acute bronchitis and bronchiolitis—466	18	5	10	1	3	20	2	70	18	2	32	6	9
Influenza and pneumonia—470–474,480–486	1,486	196	573	117	208	1,578	269	5,573	1,396	220	2,470	914	613
Influenza—470–474	157	16	90	7	26	48	33	128	144	31	198	116	77
Pneumonia—480–486	1,329	180	483	110	182	1,530	236	5,445	1,252	189	2,272	798	536
Bronchitis, emphysema, and asthma—490–493	635	138	224	91	128	674	161	1,984	523	79	1,475	332	314
Chronic and unqualified bronchitis—490,491	109	18	48	10	35	142	24	404	114	10	329	57	45
Emphysema—492	478	112	162	72	85	487	124	1,383	348	63	1,068	245	240
Asthma—493	48	8	14	9	8	45	13	197	61	6	78	30	29
Peptic ulcer—531–533	185	29	60	15	29	300	30	784	147	20	317	96	71
Appendicitis—540–543	22	1	10	2	1	20	6	70	19	9	32	15	10
Hernia and intestinal obstruction—550–553,560	174	25	57	15	19	180	33	559	128	31	304	84	52
Cirrhosis of liver—571	542	74	162	141	109	1,167	195	3,912	745	59	1,406	295	315
Cholelithiasis, cholecystitis and cholangitis—574,575	113	6	26	6	11	92	26	274	64	13	120	60	31
Nephritis and nephrosis—580–584	221	18	44	7	23	299	39	860	248	14	406	132	46
Acute nephritis and nephrotic syndrome—580,581	46	6	11	2	1	70	9	152	37	6	67	28	4
Chronic and unqualified nephritis and renal sclerosis—582–584	175	12	33	5	22	229	30	708	211	8	339	104	42
Infections of kidney—590	134	11	33	11	15	105	20	330	147	13	244	90	39
Hyperplasia of prostate—600	39	10	12	–	10	54	5	129	33	6	62	11	15
Complications of pregnancy, childbirth, and the puerperium—630–678	10	2	5	1	–	13	4	39	21	3	16	6	1
Abortions—640–645	2	–	–	–	–	–	–	3	4	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	8	2	5	1	–	13	4	36	17	3	16	6	1
Congenital anomalies—740–759	370	40	106	21	39	313	82	1,028	354	52	683	170	152
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	672	99	189	76	64	659	136	2,192	802	93	1,404	353	228
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	409	51	105	47	39	329	74	1,163	407	52	736	201	123
Other causes of mortality in early infancy—Remainder of 760–778	263	48	84	29	25	330	62	1,029	395	41	668	152	105
Symptoms and ill-defined conditions—780–796	1,801	186	125	40	218	599	389	2,143	418	56	1,425	402	345
All other diseases—Residual	3,035	449	904	361	395	3,552	770	10,078	3,153	343	5,866	1,867	1,281
Accidents—E800–E949	2,428	617	857	435	355	2,481	972	5,761	3,279	424	4,171	1,565	1,269
Motor vehicle accidents—E810–E823	1,105	294	385	236	155	1,099	556	2,277	1,560	183	1,652	748	582
All other accidents—E800–E807,E825–E949	1,323	323	472	199	200	1,382	416	3,484	1,719	241	2,519	817	687
Suicide—E950–E959	569	116	158	174	117	563	201	1,494	730	63	1,328	386	362
Homicide—E960–E978	531	38	72	83	16	482	152	1,944	786	11	904	286	126
Other external causes—E980–E999	159	36	17	16	13	148	31	1,145	66	10	137	43	72

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1975 – Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965]

Cause of death	Pennsylvania	Rhode Island	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
All causes	**120,242**	**9,037**	**22,978**	**6,434**	**40,978**	**100,099**	**7,854**	**4,324**	**38,874**	**30,092**	**19,650**	**39,892**	**3,028**
Bacillary dysentery and amebiasis – 004,006	2	–	1	–	–	10	1	–	–	–	–	1	–
Enteritis and other diarrheal diseases – 008,009	105	10	34	17	58	171	14	3	38	26	16	27	2
Tuberculosis, all forms – 010–019	217	13	51	15	120	187	9	5	72	33	43	45	2
Tuberculosis of respiratory system – 010–012	179	11	44	11	94	158	5	3	52	22	35	27	2
Tuberculosis, other forms – 013–019	38	2	7	4	26	29	4	2	20	11	8	18	–
Whooping cough – 033	–	–	–	–	–	1	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	2	2	–	1	–	1	–	–	–
Meningococcal infections – 036	10	1	11	1	8	27	2	–	5	2	4	6	3
Septicemia – 038	473	15	73	10	135	372	29	5	160	60	55	91	2
Acute poliomyelitis – 040–043	3	–	–	–	–	–	1	–	–	–	–	–	–
Measles – 055	1	–	–	–	–	3	–	–	–	–	–	1	–
Syphilis and its sequelae – 090–097	18	–	5	1	6	23	2	–	4	2	1	4	–
Other infective and parasitic diseases – Remainder of 000–136	219	16	68	8	145	273	21	6	78	52	36	68	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	23,428	2,036	3,657	1,111	7,426	18,303	1,208	827	7,206	5,907	3,337	7,646	439
Malignant neoplasms of buccal cavity and pharynx – 140–149	473	48	95	17	154	429	19	20	142	117	73	177	8
Malignant neoplasms of digestive organs and peritoneum – 150–159	6,590	674	919	348	1,831	4,645	333	201	1,828	1,532	815	2,194	112
Malignant neoplasms of respiratory system – 160–163	5,266	446	896	214	1,829	4,836	199	185	1,869	1,431	908	1,457	105
Malignant neoplasm of breast – 174	2,203	191	298	110	570	1,398	93	71	654	546	230	723	41
Malignant neoplasms of genital organs – 180–187	2,621	212	484	159	921	2,100	172	120	848	738	399	974	52
Malignant neoplasms of urinary organs – 188,189	1,006	85	136	50	276	726	41	44	281	281	152	414	17
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	3,146	206	554	119	1,029	2,285	195	102	971	680	486	961	69
Leukemia – 204–207	865	70	109	39	395	858	72	39	220	258	112	290	10
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	1,258	104	166	55	421	1,026	84	45	393	324	162	456	25
Benign neoplasms and neoplasms of unspecified nature – 210–239	345	16	62	21	79	209	37	16	117	80	47	56	13
Diabetes mellitus – 250	2,337	232	509	102	634	1,772	147	70	615	516	320	765	53
Avitaminoses and other nutritional deficiencies – 260–269	151	7	39	5	48	148	17	3	57	40	44	73	1
Anemias – 280–285	181	17	54	10	82	176	11	9	69	49	28	61	4
Meningitis – 320	81	7	31	6	36	138	16	3	37	19	13	32	2
Major cardiovascular diseases – 390–448	63,954	4,879	11,339	3,459	21,239	47,783	3,452	2,274	19,515	15,294	10,209	21,853	1,418
Diseases of heart – 390–398,402,404,410–429	48,913	3,821	8,054	2,512	14,741	33,700	2,500	1,688	14,468	11,044	7,762	15,965	1,034
Active rheumatic fever and chronic rheumatic heart disease – 390–398	980	80	118	29	199	468	123	36	190	258	110	275	19
Hypertensive heart disease – 402	395	33	79	10	87	356	19	17	96	121	63	137	7
Hypertensive heart and renal disease – 404	306	6	48	19	63	171	16	12	125	83	33	70	2
Ischemic heart disease – 410–413	43,988	3,564	6,922	2,265	13,464	28,045	2,100	1,536	13,041	9,736	6,894	14,265	897
Acute myocardial infarction – 410	23,301	1,540	4,079	1,359	8,307	14,934	1,024	743	6,534	4,662	3,723	6,715	558
Other acute and subacute forms of ischemic heart disease – 411	156	10	77	8	23	117	87	2	685	38	32	83	3
Chronic ischemic heart disease – 412	20,524	2,013	2,764	898	5,133	12,988	989	789	5,816	5,032	3,138	7,465	336
Angina pectoris – 413	7	1	2	–	1	6	–	2	6	4	1	2	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	307	8	50	15	112	288	25	7	133	51	52	110	5
All other forms of heart disease – 420–423,425–427,429	2,937	130	837	174	816	4,372	217	80	883	795	610	1,108	104

Table 7–7. Deaths From 69 Selected Causes by State of Occurrence: United States and Each State, 1975—Con.

[Deaths include those of nonresidents of the United States. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Pennsylvania	Rhode Island	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
Major cardiovascular diseases—Con.													
Hypertension—400,401,403	285	22	94	23	156	312	18	24	116	72	60	135	5
Cerebrovascular diseases—430–438	11,127	777	2,675	714	5,175	10,834	730	380	3,853	3,187	1,823	4,393	292
Cerebral hemorrhage—431	1,657	101	436	89	513	1,305	64	44	525	339	290	554	39
Cerebral thrombosis—433	3,017	221	633	148	1,200	1,783	145	105	905	774	434	915	36
Cerebral embolism—434	62	7	7	2	10	30	7	–	13	8	9	15	3
All other cerebrovascular diseases—430,432,435–438	6,391	448	1,599	475	3,452	7,716	514	231	2,410	2,066	1,090	2,909	214
Arteriosclerosis—440	1,950	130	222	107	638	1,721	92	91	540	567	287	733	46
Other diseases of arteries, arterioles, and capillaries—441–448	1,679	129	294	103	529	1,216	112	91	538	424	277	627	41
Acute bronchitis and bronchiolitis—466	35	5	6	5	13	48	2	1	12	9	6	16	2
Influenza and pneumonia—470–474,480–486	3,179	157	688	212	1,194	3,098	278	126	1,264	958	656	1,259	103
Influenza—470–474	201	7	86	22	138	203	39	12	76	154	65	150	9
Pneumonia—480–486	2,978	150	602	190	1,056	2,895	239	114	1,188	804	591	1,109	94
Bronchitis, emphysema, and asthma—490–493	1,282	83	269	101	536	1,368	132	51	441	499	290	518	46
Chronic and unqualified bronchitis—490,491	216	26	50	18	108	250	30	13	94	103	55	106	5
Emphysema—492	968	49	187	80	392	1,020	93	35	298	360	209	377	40
Asthma—493	98	8	32	3	36	98	9	3	49	36	26	35	1
Peptic ulcer—531–533	358	32	79	18	122	299	30	10	108	135	60	145	13
Appendicitis—540–543	46	3	12	2	16	51	1	2	11	14	5	28	1
Hernia and intestinal obstruction—550–553,560	383	28	68	27	120	376	23	12	144	108	50	139	8
Cirrhosis of liver—571	1,719	187	297	72	429	1,386	127	56	617	553	264	546	46
Cholelithiasis, cholecystitis and cholangitis—574,575	145	17	29	9	110	145	14	10	45	38	29	87	7
Nephritis and nephrosis—580–584	539	48	114	22	204	436	42	24	154	87	64	114	8
Acute nephritis and nephrotic syndrome—580,581	110	6	15	7	30	86	7	6	28	14	18	24	–
Chronic and unqualified nephritis and renal sclerosis—582–584	429	42	99	15	174	350	35	18	126	73	46	90	8
Infections of kidney—590	200	23	61	12	130	300	14	9	96	42	44	73	5
Hyperplasia of prostate—600	44	5	7	10	25	52	2	3	15	12	10	45	3
Complications of pregnancy, childbirth, and the puerperium—630–678	13	1	5	2	16	29	6	–	8	4	2	2	1
Abortions—640–645	1	–	1	–	–	1	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	12	1	4	2	16	28	6	–	8	4	2	2	1
Congenital anomalies—740–759	680	42	190	39	345	891	152	34	260	219	149	267	29
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	1,416	93	451	90	605	1,903	232	45	660	382	276	440	44
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	803	54	260	57	330	1,146	148	27	353	214	151	215	17
Other causes of mortality in early infancy—Remainder of 760–778	613	39	191	33	275	757	84	18	307	168	125	225	27
Symptoms and ill-defined conditions—780–796	2,918	33	806	98	702	2,924	274	40	350	319	640	301	42
All other diseases—Residual	8,368	552	1,455	400	2,511	6,591	676	315	2,745	2,019	1,475	2,377	241
Accidents—E800–E949	4,961	328	1,696	437	2,579	7,092	664	265	2,571	1,801	1,083	2,041	370
Motor vehicle accidents—E810–E823	2,102	140	837	216	1,280	3,472	285	124	1,069	804	499	943	210
All other accidents—E800–E807,E825–E949	2,859	188	859	221	1,299	3,620	379	141	1,502	997	584	1,098	160
Suicide—E950–E959	1,349	102	327	71	584	1,667	157	82	771	515	204	550	66
Homicide—E960–E978	830	36	428	33	586	1,732	36	8	607	206	118	164	27
Other external causes—E980–E999	252	13	56	8	133	113	25	9	22	91	72	51	18

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Total, 229 areas	Standard metropolitan statistical area						
		Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany–Schenectady–Troy, N.Y.	Albuquerque, N. Mex.	Allentown–Bethlehem–Easton, Pa.–N.J.	Altoona, Pa.
All causes	**1,231,227**	**1,055**	**5,419**	**667**	**7,224**	**2,149**	**5,345**	**1,545**
Bacillary dysentery and amebiasis – 004,006	39	–	–	–	1	–	–	–
Enteritis and other diarrheal diseases – 008,009	1,189	2	5	2	2	3	5	3
Tuberculosis, all forms – 010–019	2,261	1	5	2	17	6	6	5
Tuberculosis of respiratory system – 010–012	1,755	1	5	2	14	1	5	3
Tuberculosis, other forms – 013–019	506	–	–	–	3	5	1	2
Whooping cough – 033	5	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	5	–	–	–	–	–	–	–
Meningococcal infections – 036	182	1	1	1	–	1	1	–
Septicemia – 038	3,944	5	18	3	12	8	17	–
Acute poliomyelitis – 040–043	7	–	–	–	–	1	–	–
Measles – 055	13	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	182	–	1	–	1	–	1	–
Other infective and parasitic diseases – Remainder of 000–136	2,791	1	3	2	6	6	12	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	248,039	165	1,039	105	1,525	418	1,096	255
Malignant neoplasms of buccal cavity and pharynx – 140–149	5,867	6	17	2	35	8	28	2
Malignant neoplasms of digestive organs and peritoneum – 150–159	68,335	36	286	22	452	101	319	69
Malignant neoplasms of respiratory system – 160–163	59,049	41	269	32	387	78	251	63
Malignant neoplasm of breast – 174	22,895	16	97	6	163	42	109	18
Malignant neoplasms of genital organs – 180–187	28,091	23	109	16	129	50	113	33
Malignant neoplasms of urinary organs – 188,189	11,181	14	54	2	76	19	68	11
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	29,526	15	118	17	173	78	119	32
Leukemia – 204–207	9,684	8	37	5	49	22	38	12
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	13,411	6	52	3	61	20	51	15
Benign neoplasms and neoplasms of unspecified nature – 210–239	3,393	–	10	6	33	11	10	4
Diabetes mellitus – 250	22,737	18	117	5	150	43	103	35
Avitaminoses and other nutritional deficiencies – 260–269	1,634	2	2	1	11	4	6	1
Anemias – 280–285	2,021	1	11	5	14	4	11	2
Meningitis – 320	1,093	–	3	–	4	3	4	1
Major cardiovascular diseases – 390–448	622,290	534	2,727	328	3,828	763	3,065	919
Diseases of heart – 390–398,402,404,410–429	465,588	359	1,993	201	2,964	525	2,423	695
Active rheumatic fever and chronic rheumatic heart disease – 390–398	8,998	4	57	3	42	16	60	10
Hypertensive heart disease – 402	4,432	7	37	5	16	1	3	2
Hypertensive heart and renal disease – 404	2,379	6	6	2	9	6	7	4
Ischemic heart disease – 410–413	420,959	278	1,762	179	2,720	456	2,253	635
Acute myocardial infarction – 410	198,274	179	879	83	1,464	218	1,152	349
Other acute and subacute forms of ischemic heart disease – 411	2,734	–	6	1	6	–	4	2
Chronic ischemic heart disease – 412	219,884	99	877	95	1,250	238	1,097	284
Angina pectoris – 413	67	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	2,424	1	4	–	16	5	13	3
All other forms of heart disease – 420–423,425–427,429	26,396	63	127	12	161	41	87	41

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Total, 229 areas	Standard metropolitan statistical area						
		Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany–Schenectady–Troy, N.Y.	Albuquerque, N. Mex.	Allentown–Bethlehem–Easton, Pa.–N.J.	Altoona, Pa.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	3,861	3	16	5	24	16	8	5
Cerebrovascular diseases—430–438	119,311	123	534	107	631	178	473	173
Cerebral hemorrhage—431	16,684	11	105	22	126	24	74	31
Cerebral thrombosis—433	31,298	19	130	40	165	35	190	48
Cerebral embolism—434	505	–	–	–	5	–	2	2
All other cerebrovascular diseases—430,432,435–438	70,824	93	299	45	335	119	207	92
Arteriosclerosis—440	17,226	26	112	7	105	24	86	25
Other diseases of arteries, arterioles, and capillaries—441–448	16,304	23	72	8	104	20	75	21
Acute bronchitis and bronchiolitis—466	506	1	1	–	6	–	–	–
Influenza and pneumonia—470–474,480–486	35,239	42	134	19	281	64	123	47
Influenza—470–474	1,882	1	5	–	8	4	12	11
Pneumonia—480–486	33,357	41	129	19	273	60	111	36
Bronchitis, emphysema, and asthma—490–493	15,782	13	69	5	108	34	63	21
Chronic and unqualified bronchitis—490,491	3,027	–	8	–	27	5	13	5
Emphysema—492	11,484	12	58	5	80	24	49	16
Asthma—493	1,271	1	3	–	1	5	1	–
Peptic ulcer—531–533	4,405	3	14	3	31	6	17	4
Appendicitis—540–543	500	–	1	1	5	1	5	–
Hernia and intestinal obstruction—550–553,560	3,964	5	19	3	18	7	14	3
Cirrhosis of liver—571	24,069	10	62	6	117	44	64	14
Cholelithiasis, cholecystitis and cholangitis—574,575	1,782	5	6	1	13	5	6	4
Nephritis and nephrosis—580–584	5,266	5	22	4	24	13	14	4
Acute nephritis and nephrotic syndrome—580,581	1,043	–	3	1	5	2	1	–
Chronic and unqualified nephritis and renal sclerosis—582–584	4,223	5	19	3	19	11	13	4
Infections of kidney—590	2,647	2	13	1	15	7	12	5
Hyperplasia of prostate—600	720	2	1	3	5	4	3	–
Complications of pregnancy, childbirth, and the puerperium—630–678	258	–	–	–	1	–	1	–
Abortions—640–645	19	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	239	–	–	–	1	–	1	–
Congenital anomalies—740–759	8,796	8	32	4	37	20	26	9
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	17,653	31	81	21	80	26	62	14
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	9,556	16	45	14	43	15	36	6
Other causes of mortality in early infancy—Remainder of 760–778	8,097	15	36	7	37	11	26	8
Symptoms and ill-defined conditions—780–796	18,933	43	429	25	56	128	21	6
All other diseases—Residual	78,948	75	343	40	423	223	306	99
Accidents—E800–E949	61,231	64	146	42	294	175	190	74
Motor vehicle accidents—E810–E823	25,903	30	65	23	133	92	94	28
All other accidents—E800–E807,E825–E949	35,328	34	81	19	161	83	96	46
Suicide—E950–E959	18,606	13	78	10	75	64	61	10
Homicide—E960–E978	16,459	3	18	19	22	44	15	4
Other external causes—E980–E999	3,638	–	8	–	9	13	5	–

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Amarillo, Tex.	Anaheim–Santa Ana–Garden Grove, Calif.	Anderson, Ind.	Ann Arbor, Mich.	Appleton–Oshkosh, Wis.	Asheville, N.C.	Atlanta, Ga.	Atlantic City, N.J.
All causes	1,242	10,445	1,187	1,245	2,120	1,473	10,474	2,630
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	1	–
Enteritis and other diarrheal diseases – 008,009	2	10	–	4	2	2	13	2
Tuberculosis, all forms – 010–019	1	7	2	1	–	3	16	8
Tuberculosis of respiratory system – 010–012	1	3	2	1	–	2	14	7
Tuberculosis, other forms – 013–019	–	4	–	–	–	1	2	1
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	–	2	–	–	4	–
Septicemia – 038	1	16	2	5	1	5	57	13
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	1	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	6	27	2	3	5	2	39	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	190	2,280	241	235	410	262	1,909	496
Malignant neoplasms of buccal cavity and pharynx – 140–149	3	42	5	6	9	11	50	12
Malignant neoplasms of digestive organs and peritoneum – 150–159	53	550	65	62	117	70	446	153
Malignant neoplasms of respiratory system – 160–163	48	564	63	60	83	56	483	130
Malignant neoplasm of breast – 174	16	243	21	23	34	20	158	35
Malignant neoplasms of genital organs – 180–187	26	274	25	23	57	26	241	57
Malignant neoplasms of urinary organs – 188,189	5	93	9	9	16	13	61	21
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	20	284	30	24	54	36	269	52
Leukemia – 204–207	6	94	9	10	17	10	89	15
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	13	136	14	18	23	20	112	21
Benign neoplasms and neoplasms of unspecified nature – 210–239	–	23	–	7	2	6	42	6
Diabetes mellitis – 250	7	119	28	31	48	26	172	53
Avitaminoses and other nutritional deficiencies – 260–269	3	11	1	4	4	2	16	5
Anemias – 280–285	1	12	3	3	6	7	25	2
Meningitis – 320	–	17	2	4	4	–	17	1
Major cardiovascular diseases – 390–448	690	5,216	635	577	1,153	774	4,814	1,558
Diseases of heart – 390–398,402,404,410–429	510	3,793	430	414	833	515	3,500	1,266
Active rheumatic fever and chronic rheumatic heart disease – 390–398	8	112	9	11	12	7	54	13
Hypertensive heart disease – 402	1	27	4	6	2	5	48	5
Hypertensive heart and renal disease – 404	3	10	4	–	7	–	12	6
Ischemic heart disease – 410–413	459	3,522	390	372	778	467	2,997	1,205
Acute myocardial infarction – 410	321	2,025	217	243	377	248	1,489	732
Other acute and subacute forms of ischemic heart disease – 411	–	11	–	4	4	–	31	–
Chronic ischemic heart disease – 412	138	1,486	173	125	397	219	1,476	473
Angina pectoris – 413	–	–	–	–	–	–	1	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	2	13	1	1	2	4	15	3
All other forms of heart disease – 420–423,425–427,429	37	109	22	24	32	32	374	34

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Amarillo, Tex.	Anaheim–Santa Ana–Garden Grove, Calif.	Anderson, Ind.	Ann Arbor, Mich.	Appleton–Oshkosh, Wis.	Asheville, N.C.	Atlanta, Ga.	Atlantic City, N.J.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	8	26	6	1	6	5	30	7
Cerebrovascular diseases—430–438	137	1,113	137	127	240	203	1,070	217
Cerebral hemorrhage—431	12	115	13	16	33	33	176	46
Cerebral thrombosis—433	17	262	30	22	48	50	199	69
Cerebral embolism—434	–	17	–	–	2	3	6	–
All other cerebrovascular diseases—430,432,435–438	108	719	94	89	157	117	689	102
Arteriosclerosis—440	18	114	41	21	39	21	91	27
Other diseases of arteries, arterioles, and capillaries—441–448	17	170	21	14	35	30	123	41
Acute bronchitis and bronchiolitis—466	–	3	1	–	–	–	4	–
Influenza and pneumonia—470–474,480–486	45	248	28	35	58	51	338	51
Influenza—470–474	1	9	4	1	11	3	14	–
Pneumonia—480–486	44	239	24	34	47	48	324	51
Bronchitis, emphysema, and asthma—490–493	19	177	17	19	31	21	143	24
Chronic and unqualified bronchitis—490,491	3	29	3	4	7	5	39	2
Emphysema—492	16	132	13	14	21	15	93	21
Asthma—493	–	16	1	1	3	1	11	1
Peptic ulcer—531–533	8	41	9	1	4	9	32	13
Appendicitis—540–543	1	6	1	1	3	1	5	2
Hernia and intestinal obstruction—550–553,560	5	34	1	6	6	8	28	4
Cirrhosis of liver—571	18	232	19	19	25	17	207	43
Cholelithiasis, cholecystitis and cholangitis—574,575	2	20	–	4	7	2	13	2
Nephritis and nephrosis—580–584	2	35	4	4	9	4	72	8
Acute nephritis and nephrotic syndrome—580,581	1	5	–	–	3	1	13	3
Chronic and unqualified nephritis and renal sclerosis—582–584	1	30	4	4	6	3	59	5
Infections of kidney—590	1	22	2	–	4	2	21	4
Hyperplasia of prostate—600	–	3	–	–	2	1	5	3
Complications of pregnancy, childbirth, and the puerperium—630–678	–	1	–	–	–	–	3	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	–	–	–	–	3	–
Congenital anomalies—740–759	10	98	7	13	14	7	84	8
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	23	152	20	18	40	18	223	24
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	16	81	9	6	23	11	109	12
Other causes of mortality in early infancy—Remainder of 760–778	7	71	11	12	17	7	114	12
Symptoms and ill-defined conditions—780–796	8	33	14	12	13	14	85	21
All other diseases—Residual	80	576	74	88	117	100	845	139
Accidents—E800–E949	84	705	53	100	110	87	654	79
Motor vehicle accidents—E810–E823	48	280	30	45	63	40	283	44
All other accidents—E800–E807,E825–E949	36	425	23	55	47	47	371	35
Suicide—E950–E959	16	241	12	24	36	18	286	19
Homicide—E960–E978	18	79	7	16	4	19	294	24
Other external causes—E980–E999	1	1	2	9	1	5	7	15

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Augusta, Ga.–S.C.	Austin, Tex.	Bakersfield, Calif.	Baltimore, Md.	Baton Rouge, La.	Bay City, Mich.	Beaumont–Port Arthur–Orange, Tex.	Billings, Mont.
All causes	2,164	2,013	2,900	18,732	2,096	922	2,833	691
Bacillary dysentery and amebiasis – 004,006	–	–	–	1	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	3	1	1	21	2	1	5	–
Tuberculosis, all forms – 010–019	3	4	7	48	4	–	5	1
Tuberculosis of respiratory system – 010–012	2	2	7	37	4	–	5	1
Tuberculosis, other forms – 013–019	1	2	–	11	–	–	–	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	–	4	1	–	2	–
Septicemia – 038	10	7	9	107	13	4	7	3
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	1	7	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	3	3	7	42	6	1	9	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	379	422	541	4,145	348	198	559	133
Malignant neoplasms of buccal cavity and pharynx – 140–149	11	13	9	118	13	3	18	5
Malignant neoplasms of digestive organs and peritoneum – 150–159	74	112	137	1,099	72	55	144	36
Malignant neoplasms of respiratory system – 160–163	109	105	153	1,048	99	47	156	26
Malignant neoplasm of breast – 174	34	28	35	360	30	14	41	8
Malignant neoplasms of genital organs – 180–187	50	49	54	448	34	27	47	17
Malignant neoplasms of urinary organs – 188,189	17	21	21	164	15	10	24	9
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	55	49	69	572	48	22	77	17
Leukemia – 204–207	13	19	37	141	15	10	30	9
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	16	26	26	195	22	10	22	6
Benign neoplasms and neoplasms of unspecified nature – 210–239	7	4	7	68	8	1	12	1
Diabetes mellitis – 250	41	17	36	444	49	26	71	16
Avitaminoses and other nutritional deficiencies – 260–269	1	4	9	29	–	–	5	–
Anemias – 280–285	4	3	5	34	4	4	5	1
Meningitis – 320	1	6	5	15	–	1	4	1
Major cardiovascular diseases – 390–448	1,068	888	1,411	9,068	1,139	472	1,324	293
Diseases of heart – 390–398,402,404,410–429	767	572	1,089	7,349	882	342	976	194
Active rheumatic fever and chronic rheumatic heart disease – 390–398	15	9	18	113	7	2	16	9
Hypertensive heart disease – 402	13	5	21	40	2	1	24	2
Hypertensive heart and renal disease – 404	–	1	6	25	–	–	2	–
Ischemic heart disease – 410–413	685	458	994	6,633	814	328	781	164
Acute myocardial infarction – 410	335	268	348	2,683	190	207	422	81
Other acute and subacute forms of ischemic heart disease – 411	3	–	2	29	1	–	7	3
Chronic ischemic heart disease – 412	347	190	644	3,919	623	121	352	80
Angina pectoris – 413	–	–	–	2	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	1	3	11	36	3	–	7	–
All other forms of heart disease – 420–423,425–427,429	53	96	39	502	56	11	146	19

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Augusta, Ga.–S.C.	Austin, Tex.	Bakersfield, Calif.	Baltimore, Md.	Baton Rouge, La.	Bay City, Mich.	Beaumont–Port Arthur–Orange, Tex.	Billings, Mont.
Major cardiovascular diseases – Con.								
Hypertension – 400,401,403	11	7	8	37	7	1	12	2
Cerebrovascular diseases – 430–438	230	193	235	1,198	194	116	254	73
Cerebral hemorrhage – 431	51	27	38	185	27	12	40	7
Cerebral thrombosis – 433	84	36	66	162	31	20	51	16
Cerebral embolism – 434	–	–	1	9	–	–	–	–
All other cerebrovascular diseases – 430,432,435–438	95	130	130	842	136	84	163	50
Arteriosclerosis – 440	24	98	38	193	25	5	43	11
Other diseases of arteries, arterioles, and capillaries – 441–448	36	18	41	291	31	8	39	13
Acute bronchitis and bronchiolitis – 466	1	3	–	7	1	2	2	2
Influenza and pneumonia – 470–474,480–486	54	61	81	397	52	20	73	25
Influenza – 470–474	3	3	8	10	3	–	4	2
Pneumonia – 480–486	51	58	73	387	49	20	69	23
Bronchitis, emphysema, and asthma – 490–493	28	23	48	149	15	21	34	13
Chronic and unqualified bronchitis – 490,491	5	8	12	25	6	1	6	5
Emphysema – 492	20	13	32	109	8	17	25	8
Asthma – 493	3	2	4	15	1	3	3	–
Peptic ulcer – 531–533	7	6	17	52	5	5	5	2
Appendicitis – 540–543	1	1	1	6	3	–	–	–
Hernia and intestinal obstruction – 550–553,560	7	5	13	64	6	3	14	8
Cirrhosis of liver – 571	62	30	70	349	26	14	31	9
Cholelithiasis, cholecystitis and cholangitis – 574,575	5	1	7	21	1	1	4	–
Nephritis and nephrosis – 580–584	4	10	6	113	15	6	18	1
Acute nephritis and nephrotic syndrome – 580,581	2	–	2	18	2	2	2	–
Chronic and unqualified nephritis and renal sclerosis – 582–584	2	10	4	95	13	4	16	1
Infections of kidney – 590	2	4	9	20	7	3	14	1
Hyperplasia of prostate – 600	1	2	1	16	–	–	2	1
Complications of pregnancy, childbirth, and the puerperium – 630–678	3	–	1	3	–	–	–	–
Abortions – 640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium – 630–639,650–678	3	–	1	3	–	–	–	–
Congenital anomalies – 740–759	14	16	21	119	13	6	18	7
Certain causes of mortality in early infancy – 760–769.2,769.4–772,774–778	28	29	54	292	42	15	57	8
Birth injury, difficult labor, and other anoxic and hypoxic conditions – 764–768,772,776	20	17	34	146	24	12	32	6
Other causes of mortality in early infancy – Remainder of 760–778	8	12	20	146	18	3	25	2
Symptoms and ill-defined conditions – 780–796	51	89	7	224	8	4	63	42
All other diseases – Residual	160	114	180	1,367	111	58	195	47
Accidents – E800–E949	135	174	241	833	140	46	201	51
Motor vehicle accidents – E810–E823	70	71	126	332	52	25	87	20
All other accidents – E800–E807,E825–E949	65	103	115	501	88	21	114	31
Suicide – E950–E959	37	50	56	245	29	6	50	13
Homicide – E960–E978	43	35	46	343	42	4	44	3
Other external causes – E980–E999	1	1	2	79	6	–	–	7

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Biloxi–Gulfport, Miss.	Binghamton, N.Y.–Pa.	Birmingham, Ala.	Bloomington–Normal, Ill.	Boise City, Idaho	Boston–Lowell–Lawrence, Mass.	Bridgeport–Stamford–Norwalk, Conn.	Brockton, Mass.
All causes	1,038	2,704	7,375	916	1,043	31,127	6,651	3,129
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	2	–	17	–	1	21	7	2
Tuberculosis, all forms – 010–019	1	2	25	1	–	49	8	3
Tuberculosis of respiratory system – 010–012	1	1	22	1	–	39	5	3
Tuberculosis, other forms – 013–019	–	1	3	–	–	10	3	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	1	–	1	9	1	1
Septicemia – 038	3	6	20	5	5	121	14	7
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	1	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	1	1	–	–	1	2	–
Other infective and parasitic diseases – Remainder of 000–136	–	4	27	5	2	60	14	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	178	541	1,429	177	188	6,731	1,574	616
Malignant neoplasms of buccal cavity and pharynx – 140–149	4	12	29	1	3	188	40	17
Malignant neoplasms of digestive organs and peritoneum – 150–159	48	150	363	47	39	1,977	460	159
Malignant neoplasms of respiratory system – 160–163	56	109	376	46	43	1,428	326	134
Malignant neoplasm of breast – 174	13	63	107	19	22	666	149	69
Malignant neoplasms of genital organs – 180–187	13	76	191	24	21	692	187	64
Malignant neoplasms of urinary organs – 188,189	4	27	62	8	11	326	71	27
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	29	47	179	15	21	847	184	83
Leukemia – 204–207	6	21	60	8	10	262	81	26
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	5	36	62	9	18	345	76	37
Benign neoplasms and neoplasms of unspecified nature – 210–239	–	5	19	4	5	117	30	7
Diabetes mellitis – 250	10	56	175	19	10	556	121	67
Avitaminoses and other nutritional deficiencies – 260–269	3	2	11	1	1	22	8	2
Anemias – 280–285	4	1	19	3	–	50	14	6
Meningitis – 320	–	1	10	1	–	22	2	–
Major cardiovascular diseases – 390–448	523	1,496	3,237	518	526	15,811	3,417	1,702
Diseases of heart – 390–398,402,404,410–429	424	1,145	2,063	385	363	12,131	2,492	1,283
Active rheumatic fever and chronic rheumatic heart disease – 390–398	6	19	37	7	4	281	61	17
Hypertensive heart disease – 402	6	11	34	3	3	169	17	20
Hypertensive heart and renal disease – 404	2	5	6	6	2	28	14	3
Ischemic heart disease – 410–413	294	1,077	1,789	357	325	10,863	2,264	1,181
Acute myocardial infarction – 410	125	547	1,075	152	182	5,747	1,060	520
Other acute and subacute forms of ischemic heart disease – 411	–	2	2	–	–	20	6	5
Chronic ischemic heart disease – 412	169	528	711	204	143	5,094	1,197	656
Angina pectoris – 413	–	–	1	1	–	2	1	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	2	4	14	3	1	56	9	7
All other forms of heart disease – 420–423,425–427,429	114	29	183	9	28	734	127	55

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Biloxi–Gulfport, Miss.	Binghamton, N.Y.–Pa.	Birmingham, Ala.	Bloomington–Normal, Ill.	Boise City, Idaho	Boston–Lowell–Lawrence, Mass.	Bridgeport–Stamford–Norwalk, Conn.	Brockton, Mass.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	2	15	73	3	4	73	19	9
Cerebrovascular diseases—430–438	80	259	900	109	120	2,759	696	333
Cerebral hemorrhage—431	8	37	88	24	11	554	86	72
Cerebral thrombosis—433	23	85	257	31	18	827	176	87
Cerebral embolism—434	–	2	2	–	–	20	5	1
All other cerebrovascular diseases—430,432,435–438	49	135	553	54	91	1,358	429	173
Arteriosclerosis—440	6	29	109	10	21	402	117	34
Other diseases of arteries, arterioles, and capillaries—441–448	11	48	92	11	18	446	93	43
Acute bronchitis and bronchiolitis—466	–	1	–	2	–	17	2	–
Influenza and pneumonia—470–474,480–486	20	91	173	24	34	1,333	184	96
Influenza—470–474	–	5	9	–	1	39	3	4
Pneumonia—480–486	20	86	164	24	33	1,294	181	92
Bronchitis, emphysema, and asthma—490–493	9	43	76	15	14	313	63	35
Chronic and unqualified bronchitis—490,491	3	7	9	4	2	58	8	5
Emphysema—492	6	36	65	10	11	232	51	29
Asthma—493	–	–	2	1	1	23	4	1
Peptic ulcer—531–533	3	9	17	5	2	129	18	4
Appendicitis—540–543	–	1	3	–	–	8	2	1
Hernia and intestinal obstruction—550–553,560	6	8	22	2	2	88	24	13
Cirrhosis of liver—571	12	39	81	12	21	591	109	47
Cholelithiasis, cholecystitis and cholangitis—574,575	–	6	19	1	3	48	11	5
Nephritis and nephrosis—580–584	6	12	59	–	5	128	19	14
Acute nephritis and nephrotic syndrome—580,581	2	4	3	–	–	34	5	6
Chronic and unqualified nephritis and renal sclerosis—582–584	4	8	56	–	5	94	14	8
Infections of kidney—590	–	9	31	–	2	68	18	6
Hyperplasia of prostate—600	–	3	3	–	1	11	2	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	–	–	2	2	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	–	–	2	2	–
Congenital anomalies—740–759	17	14	46	7	6	138	39	25
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	25	28	77	13	11	286	72	43
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	16	15	43	6	7	127	29	19
Other causes of mortality in early infancy—Remainder of 760–778	9	13	34	7	4	159	43	24
Symptoms and ill-defined conditions—780–796	35	29	566	10	18	324	55	27
All other diseases—Residual	79	162	521	41	77	2,163	435	169
Accidents—E800–E949	62	107	445	37	70	1,359	244	170
Motor vehicle accidents—E810–E823	27	47	201	18	31	467	96	101
All other accidents—E800–E807,E825–E949	35	60	244	19	39	892	148	69
Suicide—E950–E959	17	17	80	12	32	309	75	39
Homicide—E960–E978	20	7	158	1	4	192	47	15
Other external causes—E980–E999	3	2	7	–	2	50	18	1

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Brownsville–Harlingen–San Benito, Tex.	Bryan–College Station, Tex.	Buffalo, N.Y.	Canton, Ohio	Cedar Rapids, Iowa	Champaign–Urbana, Ill.	Charleston, S.C.	Charleston, W. Va.
All causes	1,171	422	12,684	3,337	1,211	893	2,196	2,400
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	5	2	10	3	1	1	1	2
Tuberculosis, all forms – 010–019	5	1	11	6	–	–	6	7
Tuberculosis of respiratory system – 010–012	5	1	9	5	–	–	5	7
Tuberculosis, other forms – 013–019	–	–	2	1	–	–	1	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	3	1	1	1	1	–
Septicemia – 038	10	1	38	10	1	1	11	7
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	1	–	1	–	–	–	4	–
Other infective and parasitic diseases – Remainder of 000–136	1	2	22	7	7	3	6	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	166	66	2,541	686	247	168	391	432
Malignant neoplasms of buccal cavity and pharynx – 140–149	1	1	60	16	4	6	10	15
Malignant neoplasms of digestive organs and peritoneum – 150–159	40	29	733	185	66	43	97	95
Malignant neoplasms of respiratory system – 160–163	46	11	585	161	55	45	97	131
Malignant neoplasm of breast – 174	11	6	248	54	26	12	41	29
Malignant neoplasms of genital organs – 180–187	19	7	290	81	20	22	41	47
Malignant neoplasms of urinary organs – 188,189	11	1	158	45	17	6	8	21
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	20	5	240	86	33	15	61	55
Leukemia – 204–207	7	4	85	27	11	6	13	12
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	11	2	142	31	15	13	23	27
Benign neoplasms and neoplasms of unspecified nature – 210–239	4	–	41	1	2	3	5	7
Diabetes mellitis – 250	44	10	246	66	18	13	36	31
Avitaminoses and other nutritional deficiencies – 260–269	–	–	14	3	5	–	4	5
Anemias – 280–285	3	1	13	6	3	–	4	5
Meningitis – 320	4	2	5	1	2	1	8	1
Major cardiovascular diseases – 390–448	497	195	6,912	1,815	628	471	1,011	1,291
Diseases of heart – 390–398,402,404,410–429	369	140	5,131	1,391	458	301	747	1,050
Active rheumatic fever and chronic rheumatic heart disease – 390–398	2	–	102	24	7	6	11	12
Hypertensive heart disease – 402	4	–	21	19	2	1	6	9
Hypertensive heart and renal disease – 404	–	2	21	4	2	1	4	5
Ischemic heart disease – 410–413	294	126	4,757	1,278	418	286	666	856
Acute myocardial infarction – 410	167	62	2,780	563	198	165	309	412
Other acute and subacute forms of ischemic heart disease – 411	–	–	12	5	–	2	16	4
Chronic ischemic heart disease – 412	127	64	1,965	710	220	118	341	440
Angina pectoris – 413	–	–	–	–	–	1	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	3	2	25	9	1	1	2	4
All other forms of heart disease – 420–423,425–427,429	66	10	205	57	28	6	58	164

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Brownsville–Harlingen–San Benito, Tex.	Bryan–College Station, Tex.	Buffalo, N.Y.	Canton, Ohio	Cedar Rapids, Iowa	Champaign–Urbana, Ill.	Charleston, S.C.	Charleston, W. Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	3	1	49	11	4	6	3	5
Cerebrovascular diseases—430–438	86	42	1,383	313	127	106	223	182
Cerebral hemorrhage—431	15	1	200	65	11	12	29	37
Cerebral thrombosis—433	16	10	494	81	25	32	55	47
Cerebral embolism—434	–	–	7	2	–	2	3	1
All other cerebrovascular diseases—430,432,435–438	55	31	682	165	91	60	136	97
Arteriosclerosis—440	19	5	155	41	24	46	17	24
Other diseases of arteries, arterioles, and capillaries—441–448	20	7	194	59	15	12	21	30
Acute bronchitis and bronchiolitis—466	–	–	8	1	–	1	–	1
Influenza and pneumonia—470–474,480–486	32	12	317	104	45	25	81	88
Influenza—470–474	3	–	11	6	7	4	1	8
Pneumonia—480–486	29	12	306	98	38	21	80	80
Bronchitis, emphysema, and asthma—490–493	14	6	204	57	14	12	22	35
Chronic and unqualified bronchitis—490,491	2	1	35	14	2	1	3	7
Emphysema—492	12	4	155	39	9	11	15	24
Asthma—493	–	1	14	4	3	–	4	4
Peptic ulcer—531–533	3	2	55	5	3	1	7	2
Appendicitis—540–543	1	–	4	2	–	–	–	1
Hernia and intestinal obstruction—550–553,560	3	2	47	11	4	3	5	5
Cirrhosis of liver—571	23	4	245	30	15	17	39	36
Cholelithiasis, cholecystitis and cholangitis—574,575	2	–	20	3	3	2	1	–
Nephritis and nephrosis—580–584	4	–	42	13	4	3	10	12
Acute nephritis and nephrotic syndrome—580,581	–	–	5	1	1	2	2	4
Chronic and unqualified nephritis and renal sclerosis—582–584	4	–	37	12	3	1	8	8
Infections of kidney—590	3	2	28	11	2	1	6	4
Hyperplasia of prostate—600	–	–	4	3	–	–	2	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	3	–	–	1	2	–
Abortions—640–645	–	–	–	–	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	3	–	–	–	2	–
Congenital anomalies—740–759	13	3	84	26	8	15	24	13
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	48	4	173	51	22	18	51	32
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	22	4	81	24	9	5	24	15
Other causes of mortality in early infancy—Remainder of 760–778	26	–	92	27	13	13	27	17
Symptoms and ill-defined conditions—780–796	95	39	102	18	2	14	16	66
All other diseases—Residual	77	28	726	176	71	45	164	151
Accidents—E800–E949	90	32	482	167	80	54	176	118
Motor vehicle accidents—E810–E823	48	18	188	78	39	25	74	55
All other accidents—E800–E807,E825–E949	42	14	294	89	41	29	102	63
Suicide—E950–E959	11	4	120	39	17	13	40	18
Homicide—E960–E978	10	4	83	13	4	6	58	15
Other external causes—E980–E999	2	–	80	2	2	–	4	12

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Charlotte, N.C.	Chattanooga, Tenn.–Ga.	Chicago, Ill.	Cincinnati, Ohio–Ky.–Ind.	Cleveland, Ohio	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.
All causes	3,169	3,012	61,921	12,806	18,464	1,576	515	2,426
Bacillary dysentery and amebiasis – 004,006	–	–	5	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	2	4	56	13	14	5	1	5
Tuberculosis, all forms – 010–019	10	15	117	33	19	8	1	6
Tuberculosis of respiratory system – 010–012	8	11	87	29	16	4	1	5
Tuberculosis, other forms – 013–019	2	4	30	4	3	4	–	1
Whooping cough – 033	–	–	1	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	1	–	1	–	–	–
Meningococcal infections – 036	2	–	6	3	2	–	1	–
Septicemia – 038	4	11	156	50	65	9	2	12
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	4	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	6	1	7	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	12	3	124	31	51	2	1	7
Malignant neoplasms, including neoplasms of lymphatic and hemotopoietic tissues – 140–209	550	573	12,083	2,649	3,711	268	102	422
Malignant neoplasms of buccal cavity and pharynx – 140–149	14	15	258	60	108	3	1	18
Malignant neoplasms of digestive organs and peritoneum – 150–159	127	169	3,543	761	1,032	75	28	111
Malignant neoplasms of respiratory system – 160–163	117	136	2,878	685	893	42	24	110
Malignant neoplasm of breast – 174	53	49	1,172	220	346	20	6	31
Malignant neoplasms of genital organs – 180–187	69	68	1,327	287	451	39	12	53
Malignant neoplasms of urinary organs – 188,189	22	20	526	130	174	14	6	14
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	83	67	1,319	282	383	33	16	56
Leukemia – 204–207	24	21	466	92	125	22	4	10
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	41	28	594	132	199	20	5	19
Benign neoplasms and neoplasms of unspecified nature – 210–239	9	2	153	36	51	5	1	8
Diabetes mellitis – 250	51	41	1,079	245	388	27	10	49
Avitaminoses and other nutritional deficiencies – 260–269	2	8	59	17	43	1	1	1
Anemias – 280–285	5	9	92	19	31	1	3	7
Meningitis – 320	5	2	62	8	23	4	1	1
Major cardiovascular diseases – 390–448	1,530	1,554	32,985	6,715	9,500	646	257	1,194
Diseases of heart – 390–398,402,404,410–429	1,107	1,099	26,028	5,089	7,281	424	188	927
Active rheumatic fever and chronic rheumatic heart disease – 390–398	22	14	363	91	156	14	5	21
Hypertensive heart disease – 402	5	7	308	46	63	2	2	9
Hypertensive heart and renal disease – 404	3	5	100	23	20	1	1	7
Ischemic heart disease – 410–413	973	985	23,117	4,719	6,720	384	166	792
Acute myocardial infarction – 410	445	717	11,603	1,702	2,339	152	82	475
Other acute and subacute forms of ischemic heart disease – 411	3	4	59	9	50	16	–	33
Chronic ischemic heart disease – 412	524	264	11,451	3,008	4,331	216	84	284
Angina pectoris – 413	1	–	4	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	10	4	101	20	48	2		5
All other forms of heart disease – 420–423,425–427,429	94	84	2,039	190	274	21	14	93

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Charlotte, N.C.	Chattanooga, Tenn.–Ga.	Chicago, Ill.	Cincinnati, Ohio–Ky.–Ind.	Cleveland, Ohio	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.
Major cardiovascular diseases – Con.								
Hypertension – 400,401,403	7	13	316	26	37	8	1	7
Cerebrovascular diseases – 430–438	321	358	5,336	1,254	1,624	158	56	221
Cerebral hemorrhage – 431	31	42	1,011	148	234	11	8	32
Cerebral thrombosis – 433	70	69	1,748	379	485	19	16	55
Cerebral embolism – 434	2	1	25	3	7	1	–	–
All other cerebrovascular diseases – 430,432,435–438	218	246	2,552	724	898	127	32	134
Arteriosclerosis – 440	45	50	667	174	316	36	7	15
Other diseases of arteries, arterioles, and capillaries – 441–448	50	34	638	172	242	20	5	24
Acute bronchitis and bronchiolitis – 466	1	1	26	7	8	2	–	3
Influenza and pneumonia – 470–474,480–486	94	82	1,686	320	466	68	23	67
Influenza – 470–474	6	7	30	18	25	2	3	7
Pneumonia – 480–486	88	75	1,656	302	441	66	20	60
Bronchitis, emphysema, and asthma – 490–493	36	41	610	173	261	41	6	41
Chronic and unqualified bronchitis – 490,491	7	8	115	41	45	7	–	11
Emphysema – 492	26	28	432	120	195	26	6	28
Asthma – 493	3	5	63	12	21	8	–	2
Peptic ulcer – 531–533	6	9	222	58	74	7	3	8
Appendicitis – 540–543	1	2	25	5	5	1	–	1
Hernia and intestinal obstruction – 550–553,560	12	11	184	44	59	6	1	7
Cirrhosis of liver – 571	71	38	1,273	195	416	33	2	42
Cholelithiasis, cholecystitis and cholangitis – 574,575	3	5	82	16	24	4	1	2
Nephritis and nephrosis – 580–584	20	19	303	42	81	5	4	13
Acute nephritis and nephrotic syndrome – 580,581	3	1	69	7	12	1	–	–
Chronic and unqualified nephritis and renal sclerosis – 582–584	17	18	234	35	69	4	4	13
Infections of kidney – 590	4	7	144	31	27	5	2	–
Hyperplasia of prostate – 600	1	1	46	8	11	1	–	1
Complications of pregnancy, childbirth, and the puerperium – 630–678	3	–	10	2	4	–	–	–
Abortions – 640–645	1	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium – 630–639,650–678	2	–	10	2	4	–	–	–
Congenital anomalies – 740–759	23	25	435	92	127	17	3	24
Certain causes of mortality in early infancy – 760–769.2,769.4–772,774–778	49	48	1,136	146	241	46	12	31
Birth injury, difficult labor, and other anoxic and hypoxic conditions – 764–768,772,776	26	19	713	80	122	28	4	14
Other causes of mortality in early infancy – Remainder of 760–778	23	29	423	66	119	18	8	17
Symptoms and ill-defined conditions – 780–796	34	13	1,362	56	86	16	3	23
All other diseases – Residual	221	171	3,254	859	1,175	135	33	158
Accidents – E800–E949	234	198	2,474	602	849	137	25	176
Motor vehicle accidents – E810–E823	106	98	924	256	266	50	9	92
All other accidents – E800–E807,E825–E949	128	100	1,550	346	583	87	16	84
Suicide – E950–E959	67	51	571	183	263	42	12	56
Homicide – E960–E978	93	67	864	117	361	30	3	56
Other external causes – E980–E999	14	1	225	30	20	4	1	5

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Columbus, Ga.–Ala.	Columbus, Ohio	Corpus Christi, Tex.	Dallas, Tex.	Davenport–Rock Island–Moline, Iowa–Ill.	Dayton, Ohio	Decatur, Ill.	Denver, Colo.
All causes	1,924	7,333	2,033	11,921	3,307	6,535	1,212	8,961
Bacillary dysentery and amebiasis – 004,006	–	–	–	1	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	4	3	2	18	1	4	1	8
Tuberculosis, all forms – 010–019	4	10	2	23	4	9	–	21
Tuberculosis of respiratory system – 010–012	4	9	2	18	2	7	–	8
Tuberculosis, other forms – 013–019	–	1	–	5	2	2	–	13
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	1	–	6	1	1	1	1
Septicemia – 038	7	38	5	53	8	20	1	36
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	1
Syphilis and its sequelae – 090–097	–	3	–	4	1	1	1	1
Other infective and parasitic diseases – Remainder of 000–136	5	18	4	30	5	11	2	28
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	320	1,462	372	2,340	636	1,330	205	1,703
Malignant neoplasms of buccal cavity and pharynx – 140–149	11	31	5	60	9	26	4	29
Malignant neoplasms of digestive organs and peritoneum – 150–159	77	343	110	539	181	332	57	455
Malignant neoplasms of respiratory system – 160–163	82	381	102	669	127	360	51	313
Malignant neoplasm of breast – 174	21	131	24	205	68	113	18	168
Malignant neoplasms of genital organs – 180–187	41	178	37	256	73	148	20	211
Malignant neoplasms of urinary organs – 188,189	19	54	19	105	23	64	15	74
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	45	205	40	276	83	152	20	230
Leukemia – 204–207	7	61	17	104	24	62	7	96
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	17	78	18	126	48	73	13	127
Benign neoplasms and neoplasms of unspecified nature – 210–239	3	18	2	32	8	17	5	31
Diabetes mellitis – 250	24	144	46	180	79	132	23	138
Avitaminoses and other nutritional deficiencies – 260–269	1	7	–	11	14	14	1	14
Anemias – 280–285	2	7	2	27	7	9	3	13
Meningitis – 320	–	7	3	15	3	5	2	9
Major cardiovascular diseases – 390–448	980	3,645	957	5,543	1,851	3,353	701	4,073
Diseases of heart – 390–398,402,404,410–429	663	2,515	737	4,003	1,444	2,475	486	2,996
Active rheumatic fever and chronic rheumatic heart disease – 390–398	14	39	10	70	16	37	12	98
Hypertensive heart disease – 402	4	22	4	33	10	16	6	25
Hypertensive heart and renal disease – 404	2	239	1	13	6	12	8	19
Ischemic heart disease – 410–413	530	2,018	659	3,581	1,326	2,269	435	2,541
Acute myocardial infarction – 410	289	1,101	306	1,493	764	975	262	1,340
Other acute and subacute forms of ischemic heart disease – 411	29	4	4	12	6	8	4	7
Chronic ischemic heart disease – 412	212	912	347	2,076	556	1,286	169	1,194
Angina pectoris – 413	–	1	2	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	11	6	7	21	9	14	5	10
All other forms of heart disease – 420–423,425–427,429	102	191	56	285	77	127	20	303

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Columbus, Ga.–Ala.	Columbus, Ohio	Corpus Christi, Tex.	Dallas, Tex.	Davenport–Rock Island–Moline, Iowa–Ill.	Dayton, Ohio	Decatur, Ill.	Denver, Colo.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	8	34	2	28	17	25	8	30
Cerebrovascular diseases—430–438	279	865	176	1,161	298	690	175	755
Cerebral hemorrhage—431	56	95	29	142	38	96	38	86
Cerebral thrombosis—433	77	192	21	174	91	149	58	155
Cerebral embolism—434	–	1	1	1	–	2	–	6
All other cerebrovascular diseases—430,432,435–438	146	577	125	844	169	443	79	508
Arteriosclerosis—440	8	140	24	194	43	74	18	156
Other diseases of arteries, arterioles, and capillaries—441–448	22	91	18	157	49	89	14	136
Acute bronchitis and bronchiolitis—466	–	1	1	8	–	4	1	4
Influenza and pneumonia—470–474,480–486	46	212	52	334	77	141	37	342
Influenza—470–474	2	14	2	23	6	6	1	9
Pneumonia—480–486	44	198	50	311	71	135	36	333
Bronchitis, emphysema, and asthma—490–493	25	98	36	154	65	78	23	144
Chronic and unqualified bronchitis—490,491	2	22	4	43	9	22	2	34
Emphysema—492	20	67	28	100	52	55	20	97
Asthma—493	3	9	4	11	4	1	1	13
Peptic ulcer—531–533	10	17	3	43	11	24	3	29
Appendicitis—540–543	2	2	–	7	2	3	1	2
Hernia and intestinal obstruction—550–553,560	8	14	7	43	18	19	4	34
Cirrhosis of liver—571	31	103	32	183	34	108	8	178
Cholelithiasis, cholecystitis and cholangitis—574,575	2	9	3	8	7	10	3	12
Nephritis and nephrosis—580–584	15	33	8	48	4	30	3	28
Acute nephritis and nephrotic syndrome—580,581	4	5	2	13	2	6	1	6
Chronic and unqualified nephritis and renal sclerosis—582–584	11	28	6	35	2	24	2	22
Infections of kidney—590	7	18	7	36	4	17	3	18
Hyperplasia of prostate—600	1	3	–	5	3	3	1	7
Complications of pregnancy, childbirth, and the puerperium—630–678	2	1	1	5	1	3	–	1
Abortions—640–645	–	–	1	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	2	1	–	5	1	3	–	1
Congenital anomalies—740–759	15	54	26	131	24	56	6	85
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	56	141	45	226	39	111	21	124
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	30	71	30	147	23	51	8	56
Other causes of mortality in early infancy—Remainder of 760–778	26	70	15	79	16	60	13	68
Symptoms and ill-defined conditions—780–796	35	326	15	246	33	108	16	126
All other diseases—Residual	126	465	150	790	173	428	62	737
Accidents—E800–E949	120	289	157	778	143	269	49	608
Motor vehicle accidents—E810–E823	52	96	99	354	68	117	18	260
All other accidents—E800–E807,E825–E949	68	193	58	424	75	152	31	348
Suicide—E950–E959	33	118	55	267	38	102	17	241
Homicide—E960–E978	35	56	34	306	8	108	6	120
Other external causes—E980–E999	5	10	6	20	5	7	2	44

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Des Moines, Iowa	Detroit, Mich.	Dubuque, Iowa	Duluth–Superior, Minn.–Wis.	Durham, N.C.	El Paso, Tex.	Erie, Pa.	Eugene, Oreg.
All causes	2,543	34,664	835	2,794	1,624	2,374	2,648	1,626
Bacillary dysentery and amebiasis – 004,006	–	1	–	1	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	2	22	2	2	2	5	1	2
Tuberculosis, all forms – 010–019	4	75	1	7	3	9	6	1
Tuberculosis of respiratory system – 010–012	1	57	1	5	2	8	3	–
Tuberculosis, other forms – 013–019	3	18	–	2	1	1	3	1
Whooping cough – 033	–	1	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	6	–	–	–	–	–	–
Septicemia – 038	4	111	3	1	10	15	3	3
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	5	–	2	1	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	4	79	–	4	5	10	3	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	478	6,931	171	546	315	440	527	320
Malignant neoplasms of buccal cavity and pharynx – 140–149	9	133	3	10	8	9	8	10
Malignant neoplasms of digestive organs and peritoneum – 150–159	121	1,909	46	170	96	122	143	78
Malignant neoplasms of respiratory system – 160–163	129	1,675	31	104	70	91	140	69
Malignant neoplasm of breast – 174	34	683	23	39	29	45	56	34
Malignant neoplasms of genital organs – 180–187	55	799	20	80	44	51	54	34
Malignant neoplasms of urinary organs – 188,189	25	327	4	26	11	16	17	20
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	47	772	23	55	33	56	72	37
Leukemia – 204–207	19	266	13	25	7	21	13	18
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	39	367	8	37	17	29	24	20
Benign neoplasms and neoplasms of unspecified nature – 210–239	7	76	1	7	4	4	9	2
Diabetes mellitis – 250	40	834	25	61	20	52	44	34
Avitaminoses and other nutritional deficiencies – 260–269	3	41	2	5	6	4	6	2
Anemias – 280–285	4	60	1	4	2	4	6	3
Meningitis – 320	1	32	–	–	4	7	1	2
Major cardiovascular diseases – 390–448	1,356	17,009	447	1,496	747	976	1,501	820
Diseases of heart – 390–398,402,404,410–429	984	13,271	331	1,147	528	694	1,087	550
Active rheumatic fever and chronic rheumatic heart disease – 390–398	22	240	6	17	8	25	23	16
Hypertensive heart disease – 402	12	120	2	13	3	15	8	5
Hypertensive heart and renal disease – 404	8	36	–	3	5	3	4	3
Ischemic heart disease – 410–413	902	12,287	310	1,050	466	564	980	496
Acute myocardial infarction – 410	609	6,015	122	525	245	246	551	200
Other acute and subacute forms of ischemic heart disease – 411	2	18	–	5	1	9	6	–
Chronic ischemic heart disease – 412	291	6,251	188	520	220	309	423	296
Angina pectoris – 413	–	3	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	2	28	1	8	3	8	1	4
All other forms of heart disease – 420–423,425–427,429	38	560	12	56	43	79	71	26

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Des Moines, Iowa	Detroit, Mich.	Dubuque, Iowa	Duluth–Superior, Minn.–Wis.	Durham, N.C.	El Paso, Tex.	Erie, Pa.	Eugene, Oreg.
Major cardiovascular diseases – Con.								
Hypertension – 400,401,403	6	98	2	3	5	9	9	2
Cerebrovascular diseases – 430–438	284	2,953	88	265	156	205	310	222
Cerebral hemorrhage – 431	16	452	16	43	24	29	32	24
Cerebral thrombosis – 433	45	912	31	52	38	25	95	89
Cerebral embolism – 434	2	14	–	2	–	2	1	–
All other cerebrovascular diseases – 430,432,435–438	221	1,575	41	168	94	149	182	109
Arteriosclerosis – 440	49	275	8	42	26	35	56	27
Other diseases of arteries, arterioles, and capillaries – 441–448	33	412	18	39	32	33	39	19
Acute bronchitis and bronchiolitis – 466	1	8	–	1	1	1	–	–
Influenza and pneumonia – 470–474,480–486	95	821	14	91	63	83	54	49
Influenza – 470–474	7	25	1	15	6	–	1	7
Pneumonia – 480–486	88	796	13	76	57	83	53	42
Bronchitis, emphysema, and asthma – 490–493	45	439	14	36	10	25	39	29
Chronic and unqualified bronchitis – 490,491	7	67	5	10	1	4	13	5
Emphysema – 492	37	341	9	24	6	19	24	20
Asthma – 493	1	31	–	2	3	2	2	4
Peptic ulcer – 531–533	6	124	2	6	7	8	8	6
Appendicitis – 540–543	1	8	4	1	2	1	1	1
Hernia and intestinal obstruction – 550–553,560	13	100	2	13	7	11	20	5
Cirrhosis of liver – 571	37	1,011	16	42	34	64	47	18
Cholelithiasis, cholecystitis and cholangitis – 574,575	3	43	1	6	3	3	1	4
Nephritis and nephrosis – 580–584	5	161	1	13	9	18	6	4
Acute nephritis and nephrotic syndrome – 580,581	–	37	–	1	2	4	1	–
Chronic and unqualified nephritis and renal sclerosis – 582–584	5	124	1	12	7	14	5	4
Infections of kidney – 590	7	68	7	5	5	8	1	6
Hyperplasia of prostate – 600	3	13	1	–	–	2	2	1
Complications of pregnancy, childbirth, and the puerperium – 630–678	–	12	–	–	–	1	1	1
Abortions – 640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium – 630–639,650–678	–	12	–	–	–	1	1	1
Congenital anomalies – 740–759	25	260	4	22	13	28	21	10
Certain causes of mortality in early infancy – 760–769.2,769.4–772,774–778	31	575	8	32	20	61	51	17
Birth injury, difficult labor, and other anoxic and hypoxic conditions – 764–768,772,776	19	281	3	13	11	39	27	8
Other causes of mortality in early infancy – Remainder of 760–778	12	294	5	19	9	22	24	9
Symptoms and ill-defined conditions – 780–796	13	275	7	19	12	36	7	13
All other diseases – Residual	138	2,337	52	147	147	215	117	98
Accidents – E800–E949	144	1,550	38	173	110	194	119	116
Motor vehicle accidents – E810–E823	61	690	21	62	50	76	65	57
All other accidents – E800–E807,E825–E949	83	860	17	111	60	118	54	59
Suicide – E950–E959	54	571	9	42	22	58	25	36
Homicide – E960–E978	17	869	2	7	40	29	18	11
Other external causes – E980–E999	2	136	–	2	–	2	3	9

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Evansville, Ind.–Ky.	Fall River–New Bedford, Mass.	Fargo–Moorhead, N. Dak.–Minn.	Fayetteville, N.C.	Flint, Mich.	Fort Lauderdale–Hollywood, Fla.	Fort Smith, Ark.–Okla.	Fort Wayne, Ind.
All causes	2,506	4,442	941	1,262	3,685	9,161	1,696	2,276
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	3	5	–	1	2	5	2	5
Tuberculosis, all forms – 010–019	5	5	–	4	5	17	3	5
Tuberculosis of respiratory system – 010–012	5	3	–	2	4	13	3	5
Tuberculosis, other forms – 013–019	–	2	–	2	1	4	–	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	–	1	1	2	–	1
Septicemia – 038	4	5	–	9	11	25	1	9
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	9	11	3	5	8	18	8	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	494	985	174	187	729	2,098	299	441
Malignant neoplasms of buccal cavity and pharynx – 140–149	14	26	2	6	16	37	6	12
Malignant neoplasms of digestive organs and peritoneum – 150–159	123	331	47	49	170	594	76	129
Malignant neoplasms of respiratory system – 160–163	118	197	25	45	192	539	88	89
Malignant neoplasm of breast – 174	40	103	24	11	79	154	31	27
Malignant neoplasms of genital organs – 180–187	62	106	27	23	83	248	25	53
Malignant neoplasms of urinary organs – 188,189	27	42	8	10	26	120	4	31
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	60	89	20	24	88	222	32	55
Leukemia – 204–207	18	36	12	7	28	83	20	23
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	32	55	9	12	47	101	17	22
Benign neoplasms and neoplasms of unspecified nature – 210–239	5	14	2	1	6	27	5	12
Diabetes mellitus – 250	54	128	9	13	87	155	34	42
Avitaminoses and other nutritional deficiencies – 260–269	4	7	7	2	2	10	2	4
Anemias – 280–285	4	5	–	4	7	10	3	3
Meningitis – 320	2	3	–	–	6	2	3	–
Major cardiovascular diseases – 390–448	1,399	2,374	482	550	1,850	4,721	839	1,225
Diseases of heart – 390–398,402,404,410–429	985	1,772	326	383	1,351	3,614	619	871
Active rheumatic fever and chronic rheumatic heart disease – 390–398	19	32	11	9	22	92	5	7
Hypertensive heart disease – 402	7	21	6	4	13	13	3	9
Hypertensive heart and renal disease – 404	38	8	–	2	4	11	2	25
Ischemic heart disease – 410–413	876	1,642	292	343	1,227	3,391	551	777
Acute myocardial infarction – 410	485	906	186	172	779	1,561	324	452
Other acute and subacute forms of ischemic heart disease – 411	–	6	–	3	5	22	21	3
Chronic ischemic heart disease – 412	391	730	106	168	442	1,808	206	322
Angina pectoris – 413	–	–	–	–	1	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	7	3	–	–	6	15	2	7
All other forms of heart disease – 420–423,425–427,429	38	66	17	25	79	92	56	46

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Evansville, Ind.–Ky.	Fall River–New Bedford, Mass.	Fargo–Moorhead, N. Dak.–Minn.	Fayetteville, N.C.	Flint, Mich.	Fort Lauderdale–Hollywood, Fla.	Fort Smith, Ark.–Okla.	Fort Wayne, Ind.
Major cardiovascular diseases – Con.								
Hypertension – 400,401,403	11	15	5	11	14	23	1	8
Cerebrovascular diseases – 430–438	288	487	107	133	385	849	189	282
Cerebral hemorrhage – 431	72	163	11	11	44	117	19	48
Cerebral thrombosis – 433	68	121	23	25	116	244	27	54
Cerebral embolism – 434	–	4	–	–	3	4	–	3
All other cerebrovascular diseases – 430,432,435–438	148	199	73	97	222	484	143	177
Arteriosclerosis – 440	74	56	22	11	53	99	10	33
Other diseases of arteries, arterioles, and capillaries – 441–448	41	44	22	12	47	136	20	31
Acute bronchitis and bronchiolitis – 466	2	2	1	–	2	2	–	2
Influenza and pneumonia – 470–474,480–486	67	141	51	35	84	189	36	64
Influenza – 470–474	13	10	11	6	8	8	5	4
Pneumonia – 480–486	54	131	40	29	76	181	31	60
Bronchitis, emphysema, and asthma – 490–493	44	60	16	13	63	125	13	30
Chronic and unqualified bronchitis – 490,491	2	11	1	3	11	22	1	8
Emphysema – 492	39	45	13	10	48	97	12	22
Asthma – 493	3	4	2	–	4	6	–	–
Peptic ulcer – 531–533	6	13	5	5	13	33	6	8
Appendicitis – 540–543	–	1	2	–	1	4	1	–
Hernia and intestinal obstruction – 550–553,560	10	16	2	4	12	28	4	4
Cirrhosis of liver – 571	33	76	7	37	60	172	14	23
Cholelithiasis, cholecystitis and cholangitis – 574,575	4	11	5	2	7	16	6	5
Nephritis and nephrosis – 580–584	8	14	3	5	8	43	9	9
Acute nephritis and nephrotic syndrome – 580,581	2	1	–	–	1	9	2	–
Chronic and unqualified nephritis and renal sclerosis – 582–584	6	13	3	5	7	34	7	9
Infections of kidney – 590	9	4	1	1	6	22	2	4
Hyperplasia of prostate – 600	2	3	2	2	3	4	–	2
Complications of pregnancy, childbirth, and the puerperium – 630–678	1	–	1	2	–	1	1	1
Abortions – 640–645	–	–	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium – 630–639,650–678	1	–	1	1	–	1	1	1
Congenital anomalies – 740–759	11	22	11	16	33	43	10	22
Certain causes of mortality in early infancy – 760–769.2,769.4–772,774–778	27	53	12	48	73	69	20	32
Birth injury, difficult labor, and other anoxic and hypoxic conditions – 764–768,772,776	19	21	5	25	39	39	10	21
Other causes of mortality in early infancy – Remainder of 760–778	8	32	7	23	34	30	10	11
Symptoms and ill-defined conditions – 780–796	10	38	5	21	23	34	131	16
All other diseases – Residual	126	213	53	84	226	611	106	127
Accidents – E800–E949	104	187	77	132	234	347	94	119
Motor vehicle accidents – E810–E823	39	80	29	62	114	149	36	60
All other accidents – E800–E807,E825–E949	65	107	48	70	120	198	58	59
Suicide – E950–E959	38	36	8	26	59	194	20	27
Homicide – E960–E978	18	9	2	49	64	121	19	19
Other external causes – E980–E999	3	1	–	3	–	13	5	6

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Fort Worth, Tex.	Fresno, Calif.	Gadsden, Ala.	Gainesville, Fla.	Galveston–Texas City, Tex.	Gary–Hammond–East Chicago, Ind.	Grand Rapids, Mich.	Great Falls, Mont.
All causes	6,193	3,682	1,008	770	1,549	5,002	4,152	633
Bacillary dysentery and amebiasis – 004,006	1	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	7	5	2	–	3	7	5	1
Tuberculosis, all forms – 010–019	11	7	5	1	1	12	4	–
Tuberculosis of respiratory system – 010–012	11	5	4	1	1	9	1	–
Tuberculosis, other forms – 013–019	–	2	1	–	–	3	3	–
Whooping cough – 033	–	–	–	1	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	4	–	–	–	–	2	–	–
Septicemia – 038	22	10	1	5	12	9	2	1
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	1	–
Syphilis and its sequelae – 090–097	2	–	–	1	2	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	14	9	2	2	–	20	8	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	1,201	674	178	146	297	896	817	117
Malignant neoplasms of buccal cavity and pharynx – 140–149	31	14	3	4	11	11	20	4
Malignant neoplasms of digestive organs and peritoneum – 150–159	290	189	52	37	78	269	213	35
Malignant neoplasms of respiratory system – 160–163	313	164	36	35	76	213	150	19
Malignant neoplasm of breast – 174	92	64	18	11	15	72	77	13
Malignant neoplasms of genital organs – 180–187	145	63	26	24	28	95	99	12
Malignant neoplasms of urinary organs – 188,189	44	25	11	6	14	42	45	7
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	179	79	20	17	36	117	113	13
Leukemia – 204–207	39	31	5	5	16	34	34	6
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	68	45	7	7	23	43	66	8
Benign neoplasms and neoplasms of unspecified nature – 210–239	10	11	–	2	2	17	7	1
Diabetes mellitis – 250	106	78	14	11	31	137	72	11
Avitaminoses and other nutritional deficiencies – 260–269	7	10	2	1	4	11	5	–
Anemias – 280–285	7	8	2	–	5	5	9	1
Meningitis – 320	7	1	–	–	1	13	1	–
Major cardiovascular diseases – 390–448	3,065	1,707	547	324	760	2,485	2,173	283
Diseases of heart – 390–398,402,404,410–429	2,044	1,248	442	211	603	1,807	1,589	188
Active rheumatic fever and chronic rheumatic heart disease – 390–398	46	22	7	7	12	34	27	5
Hypertensive heart disease – 402	27	20	2	4	2	31	17	1
Hypertensive heart and renal disease – 404	14	2	8	2	5	7	5	–
Ischemic heart disease – 410–413	1,791	1,158	409	168	546	1,626	1,426	141
Acute myocardial infarction – 410	822	457	251	104	210	894	817	80
Other acute and subacute forms of ischemic heart disease – 411	3	55	3	2	–	9	4	2
Chronic ischemic heart disease – 412	966	646	155	62	336	723	605	59
Angina pectoris – 413	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	9	6	–	1	1	13	11	19
All other forms of heart disease – 420–423,425–427,429	157	40	16	29	37	96	103	22

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Fort Worth, Tex.	Fresno, Calif.	Gadsden, Ala.	Gainesville, Fla.	Galveston–Texas City, Tex.	Gary–Hammond–East Chicago, Ind.	Grand Rapids, Mich.	Great Falls, Mont.
Major cardiovascular diseases – Con.								
Hypertension – 400,401,403	21	11	–	2	4	30	18	1
Cerebrovascular diseases – 430–438	786	334	84	83	113	506	417	56
Cerebral hemorrhage – 431	70	40	17	6	14	107	55	8
Cerebral thrombosis – 433	109	90	46	19	10	96	122	9
Cerebral embolism – 434	4	–	–	–	–	3	4	–
All other cerebrovascular diseases – 430,432,435–438	603	204	21	58	89	300	236	39
Arteriosclerosis – 440	144	67	8	21	25	72	81	29
Other diseases of arteries, arterioles, and capillaries – 441–448	70	47	13	7	15	70	68	9
Acute bronchitis and bronchiolitis – 466	3	2	–	–	2	1	2	–
Influenza and pneumonia – 470–474,480–486	177	95	28	26	41	130	116	13
Influenza – 470–474	14	7	2	3	–	8	9	2
Pneumonia – 480–486	163	88	26	23	41	122	107	11
Bronchitis, emphysema, and asthma – 490–493	101	64	16	10	13	75	63	10
Chronic and unqualified bronchitis – 490,491	22	7	3	1	1	12	13	3
Emphysema – 492	71	52	11	9	11	59	50	6
Asthma – 493	8	5	2	–	1	4	–	1
Peptic ulcer – 531–533	20	19	3	2	4	11	7	–
Appendicitis – 540–543	4	2	–	–	1	3	2	–
Hernia and intestinal obstruction – 550–553,560	22	13	3	4	4	15	18	–
Cirrhosis of liver – 571	136	91	13	7	23	107	67	10
Cholelithiasis, cholecystitis and cholangitis – 574,575	11	4	1	1	–	6	8	–
Nephritis and nephrosis – 580–584	23	12	4	5	13	19	20	2
Acute nephritis and nephrotic syndrome – 580,581	4	–	2	–	1	3	5	2
Chronic and unqualified nephritis and renal sclerosis – 582–584	19	12	2	5	12	16	15	–
Infections of kidney – 590	18	9	3	–	4	9	6	–
Hyperplasia of prostate – 600	1	2	1	–	–	3	2	2
Complications of pregnancy, childbirth, and the puerperium – 630–678	1	–	1	–	–	2	–	–
Abortions – 640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium – 630–639,650–678	1	–	1	–	–	2	–	–
Congenital anomalies – 740–759	56	39	8	7	16	45	30	9
Certain causes of mortality in early infancy – 760–769.2,769.4–772,774–778	124	54	21	12	29	123	52	11
Birth injury, difficult labor, and other anoxic and hypoxic conditions – 764–768,772,776	73	40	14	6	18	64	28	6
Other causes of mortality in early infancy – Remainder of 760–778	51	14	7	6	11	59	24	5
Symptoms and ill-defined conditions – 780–796	35	19	12	48	10	65	80	30
All other diseases – Residual	401	268	42	56	115	249	269	52
Accidents – E800–E949	372	344	64	61	94	317	227	57
Motor vehicle accidents – E810–E823	167	177	29	31	42	131	82	21
All other accidents – E800–E807,E825–E949	205	167	35	30	52	186	145	36
Suicide – E950–E959	113	65	13	10	32	51	46	13
Homicide – E960–E978	95	55	21	20	27	138	28	4
Other external causes – E980–E999	16	5	1	7	3	19	5	5

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro–Winston Salem–High Point, N.C.	Greenville, S.C.	Hamilton–Middletown, Ohio	Harrisburg, Pa.	Hartford–New Britain–Bristol, Conn.	Honolulu, Hawaii	Houston, Tex.
All causes	**1,109**	**5,120**	**2,618**	**1,841**	**3,943**	**6,677**	**3,188**	**15,065**
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	1
Enteritis and other diarrheal diseases – 008,009	–	5	4	1	5	6	5	18
Tuberculosis, all forms – 010–019	–	5	3	2	9	8	9	42
Tuberculosis of respiratory system – 010–012	–	3	3	2	8	6	7	35
Tuberculosis, other forms – 013–019	–	2	–	–	1	2	2	7
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	1
Meningococcal infections – 036	–	–	3	2	–	–	–	3
Septicemia – 038	3	19	5	3	22	20	15	68
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	2	–	–	–	–	–	3
Other infective and parasitic diseases – Remainder of 000–136	2	13	10	3	6	13	16	43
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	224	935	468	364	811	1,538	698	2,779
Malignant neoplasms of buccal cavity and pharynx – 140–149	3	23	11	12	18	44	28	68
Malignant neoplasms of digestive organs and peritoneum – 150–159	60	227	110	90	236	456	230	616
Malignant neoplasms of respiratory system – 160–163	47	205	118	110	185	374	163	872
Malignant neoplasm of breast – 174	22	86	36	29	84	168	50	236
Malignant neoplasms of genital organs – 180–187	29	125	64	46	81	124	52	309
Malignant neoplasms of urinary organs – 188,189	20	48	26	22	33	69	31	103
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	26	110	69	25	109	176	81	331
Leukemia – 204–207	5	48	15	14	21	52	25	108
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	12	63	19	16	44	75	38	136
Benign neoplasms and neoplasms of unspecified nature – 210–239	2	19	11	3	7	22	6	35
Diabetes mellitus – 250	30	97	55	42	81	102	91	248
Avitaminoses and other nutritional deficiencies – 260–269	2	6	13	3	4	6	6	20
Anemias – 280–285	2	12	2	2	7	7	9	35
Meningitis – 320	1	6	1	2	2	10	4	28
Major cardiovascular diseases – 390–448	585	2,621	1,294	1,007	2,106	3,422	1,373	6,690
Diseases of heart – 390–398,402,404,410–429	410	1,898	893	744	1,601	2,480	1,024	4,771
Active rheumatic fever and chronic rheumatic heart disease – 390–398	4	36	23	17	28	41	34	66
Hypertensive heart disease – 402	4	20	6	10	4	17	8	38
Hypertensive heart and renal disease – 404	1	11	3	9	8	9	1	12
Ischemic heart disease – 410–413	313	1,717	777	679	1,468	2,305	927	4,179
Acute myocardial infarction – 410	138	1,010	528	330	921	1,009	409	1,741
Other acute and subacute forms of ischemic heart disease – 411	1	1	2	2	2	3	3	13
Chronic ischemic heart disease – 412	174	706	246	347	544	1,292	515	2,424
Angina pectoris – 413	–	–	1	–	1	1	–	1
Chronic disease of endocardium and other myocardial insufficiency – 424,428	8	7	5	2	3	5	6	38
All other forms of heart disease – 420–423,425–427,429	80	107	79	27	90	103	48	438

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro–Winston Salem–High Point, N.C.	Greenville, S.C.	Hamilton–Middletown, Ohio	Harrisburg, Pa.	Hartford–New Britain–Bristol, Conn.	Honolulu, Hawaii	Houston, Tex.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	2	11	10	14	5	21	11	43
Cerebrovascular diseases—430–438	124	587	328	179	386	683	285	1,496
Cerebral hemorrhage—431	11	64	48	30	43	76	50	200
Cerebral thrombosis—433	22	179	72	19	69	230	53	318
Cerebral embolism—434	–	2	–	–	2	–	–	2
All other cerebrovascular diseases—430,432,435–438	91	342	208	130	272	377	182	976
Arteriosclerosis—440	31	49	29	44	58	119	11	222
Other diseases of arteries, arterioles, and capillaries—441–448	18	76	34	26	56	119	42	158
Acute bronchitis and bronchiolitis—466	–	1	1	–	1	–	2	12
Influenza and pneumonia—470–474,480–486	29	138	84	43	116	202	102	469
Influenza—470–474	5	9	13	10	11	5	4	15
Pneumonia—480–486	24	129	71	33	105	197	98	454
Bronchitis, emphysema, and asthma—490–493	16	63	42	21	42	65	39	210
Chronic and unqualified bronchitis—490,491	5	11	11	4	5	15	5	41
Emphysema—492	9	40	28	15	33	42	22	156
Asthma—493	2	12	3	2	4	8	12	13
Peptic ulcer—531–533	3	18	18	2	23	20	12	36
Appendicitis—540–543	1	3	2	1	–	–	–	7
Hernia and intestinal obstruction—550–553,560	2	14	8	6	10	21	10	52
Cirrhosis of liver—571	17	105	42	22	40	121	51	268
Cholelithiasis, cholecystitis and cholangitis—574,575	1	5	2	2	4	8	5	13
Nephritis and nephrosis—580–584	4	31	13	6	13	16	12	64
Acute nephritis and nephrotic syndrome—580,581	–	6	2	1	1	1	4	8
Chronic and unqualified nephritis and renal sclerosis—582–584	4	25	11	5	12	15	8	56
Infections of kidney—590	3	19	2	2	8	10	11	29
Hyperplasia of prostate—600	2	3	–	–	–	4	1	4
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	1	–	2	1	4
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	1	–	2	1	4
Congenital anomalies—740–759	9	45	19	18	24	42	42	149
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	26	84	45	26	44	98	87	352
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	18	47	30	13	37	39	43	185
Other causes of mortality in early infancy—Remainder of 760–778	8	37	15	13	7	59	44	167
Symptoms and ill-defined conditions—780–796	12	50	19	8	20	79	52	285
All other diseases—Residual	53	344	179	99	308	425	210	1,034
Accidents—E800–E949	61	289	163	88	172	270	167	1,236
Motor vehicle accidents—E810–E823	34	130	81	47	77	120	85	634
All other accidents—E800–E807,E825–E949	27	159	82	41	95	150	82	602
Suicide—E950–E959	15	90	47	27	42	89	62	351
Homicide—E960–E978	4	74	53	27	14	35	54	463
Other external causes—E980–E999	–	4	10	8	2	16	36	13

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Huntington–Ashland, W. Va.–Ky.–Ohio	Huntsville, Ala.	Indianapolis, Ind.	Jackson, Mich.	Jackson, Miss.	Jacksonville, Fla.	Jersey City, N.J.	Johnstown, Pa.
All causes	2,683	1,493	9,325	1,233	2,272	4,651	6,255	2,783
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	2	–	–	–
Enteritis and other diarrheal diseases – 008,009	2	4	13	–	4	7	4	2
Tuberculosis, all forms – 010–019	9	5	9	–	6	11	16	6
Tuberculosis of respiratory system – 010–012	7	4	8	–	4	10	14	6
Tuberculosis, other forms – 013–019	2	1	1	–	2	1	2	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	1	–	–	2	–	1
Septicemia – 038	10	6	40	2	8	15	24	8
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	3	–	–	2	–	1
Other infective and parasitic diseases – Remainder of 000–136	3	5	21	2	8	9	13	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	493	254	1,864	225	439	949	1,329	458
Malignant neoplasms of buccal cavity and pharynx – 140–149	10	2	39	4	12	25	47	6
Malignant neoplasms of digestive organs and peritoneum – 150–159	105	53	452	43	94	247	399	123
Malignant neoplasms of respiratory system – 160–163	153	66	507	56	113	296	330	94
Malignant neoplasm of breast – 174	35	21	165	26	34	64	107	55
Malignant neoplasms of genital organs – 180–187	58	24	216	33	45	111	145	60
Malignant neoplasms of urinary organs – 188,189	20	5	76	13	23	29	59	17
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	77	59	255	24	67	104	158	59
Leukemia – 204–207	15	8	58	10	25	29	40	16
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	20	16	96	16	26	44	44	28
Benign neoplasms and neoplasms of unspecified nature – 210–239	7	8	24	5	7	8	16	8
Diabetes mellitus – 250	53	42	191	34	30	73	188	67
Avitaminoses and other nutritional deficiencies – 260–269	3	2	7	–	5	–	7	3
Anemias – 280–285	4	–	18	3	4	11	10	3
Meningitis – 320	3	–	11	–	5	11	4	–
Major cardiovascular diseases – 390–448	1,408	723	4,792	675	1,016	2,162	3,379	1,540
Diseases of heart – 390–398,402,404,410–429	1,060	489	3,469	508	718	1,625	2,793	1,203
Active rheumatic fever and chronic rheumatic heart disease – 390–398	13	5	70	9	6	31	46	27
Hypertensive heart disease – 402	2	4	35	4	8	31	39	22
Hypertensive heart and renal disease – 404	1	2	37	4	3	4	9	18
Ischemic heart disease – 410–413	972	360	3,043	468	610	1,471	2,584	1,067
Acute myocardial infarction – 410	460	218	1,378	218	391	506	808	576
Other acute and subacute forms of ischemic heart disease – 411	4	–	5	–	–	4	3	1
Chronic ischemic heart disease – 412	508	142	1,660	250	219	960	1,773	490
Angina pectoris – 413	–	–	–	–	–	1	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	8	6	18	–	7	10	4	1
All other forms of heart disease – 420–423,425–427,429	64	112	266	23	84	78	111	68

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Huntington–Ashland, W. Va.–Ky.–Ohio	Huntsville, Ala.	Indianapolis, Ind.	Jackson, Mich.	Jackson, Miss.	Jacksonville, Fla.	Jersey City, N.J.	Johnstown, Pa.
Major cardiovascular diseases – Con.								
Hypertension – 400,401,403	10	4	20	3	11	14	22	6
Cerebrovascular diseases – 430–438	261	191	959	110	242	418	461	247
Cerebral hemorrhage – 431	22	41	135	17	36	61	83	30
Cerebral thrombosis – 433	82	48	182	19	81	106	123	57
Cerebral embolism – 434	–	2	4	1	–	–	2	–
All other cerebrovascular diseases – 430,432,435–438	157	100	638	73	125	251	253	160
Arteriosclerosis – 440	45	22	228	32	20	56	47	46
Other diseases of arteries, arterioles, and capillaries – 441–448	32	17	116	22	25	49	56	38
Acute bronchitis and bronchiolitis – 466	–	–	3	–	1	2	1	–
Influenza and pneumonia – 470–474,480–486	76	26	251	26	59	109	139	88
Influenza – 470–474	7	4	15	4	2	4	3	15
Pneumonia – 480–486	69	22	236	22	57	105	136	73
Bronchitis, emphysema, and asthma – 490–493	46	22	112	12	17	82	57	28
Chronic and unqualified bronchitis – 490,491	12	4	17	3	2	14	10	8
Emphysema – 492	32	16	85	9	13	63	45	18
Asthma – 493	2	2	10	–	2	5	2	2
Peptic ulcer – 531–533	12	2	35	6	6	18	34	8
Appendicitis – 540–543	–	–	–	1	1	1	1	1
Hernia and intestinal obstruction – 550–553,560	5	6	29	7	10	15	15	14
Cirrhosis of liver – 571	28	14	119	17	27	132	137	45
Cholelithiasis, cholecystitis and cholangitis – 574,575	3	2	8	2	2	1	7	6
Nephritis and nephrosis – 580–584	10	7	44	3	10	31	33	10
Acute nephritis and nephrotic syndrome – 580,581	–	1	12	1	–	5	5	2
Chronic and unqualified nephritis and renal sclerosis – 582–584	10	6	32	2	10	26	28	8
Infections of kidney – 590	6	1	9	3	9	17	7	8
Hyperplasia of prostate – 600	–	4	4	1	5	2	5	1
Complications of pregnancy, childbirth, and the puerperium – 630–678	–	1	4	–	–	2	1	–
Abortions – 640–645	–	–	1	–	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium – 630–639,650–678	–	1	3	–	–	1	1	–
Congenital anomalies – 740–759	16	12	57	8	16	54	32	14
Certain causes of mortality in early infancy – 760–769.2,769.4–772,774–778	28	24	119	21	57	68	77	31
Birth injury, difficult labor, and other anoxic and hypoxic conditions – 764–768,772,776	14	14	64	10	35	38	32	20
Other causes of mortality in early infancy – Remainder of 760–778	14	10	55	11	22	30	45	11
Symptoms and ill-defined conditions – 780–796	93	91	100	6	103	44	85	22
All other diseases – Residual	195	87	652	79	188	308	337	204
Accidents – E800–E949	127	89	446	62	136	296	183	162
Motor vehicle accidents – E810–E823	52	54	188	34	50	122	69	72
All other accidents – E800–E807,E825–E949	75	35	258	28	86	174	114	90
Suicide – E950–E959	23	29	143	20	28	89	32	31
Homicide – E960–E978	11	25	135	10	59	97	63	6
Other external causes – E980–E999	9	2	61	3	4	23	19	3

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Kalamazoo, Mich.	Kansas City, Mo.-Kans.	Kenosha, Wis.	Knoxville, Tenn.	La Crosse, Wis.	Lafayette, La.	Lafayette-West Lafayette, Ind.	Lake Charles, La.
All causes	1,310	10,633	993	3,686	734	770	779	1,174
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	3	11	1	3	–	1	–	–
Tuberculosis, all forms – 010-019	–	11	1	9	–	1	1	2
Tuberculosis of respiratory system – 010-012	–	9	1	8	–	1	1	2
Tuberculosis, other forms – 013-019	–	2	–	1	–	–	–	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	1	–	1	–	–	–	–
Septicemia – 038	5	33	–	8	3	2	4	3
Acute poliomyelitis – 040-043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090-097	1	1	–	2	–	–	–	1
Other infective and parasitic diseases – Remainder of 000-136	3	31	2	14	–	3	4	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140-209	275	2,073	225	724	145	177	139	222
Malignant neoplasms of buccal cavity and pharynx – 140-149	5	47	8	16	4	7	4	8
Malignant neoplasms of digestive organs and peritoneum – 150-159	67	532	59	183	45	39	34	47
Malignant neoplasms of respiratory system – 160-163	60	505	51	193	27	40	43	76
Malignant neoplasm of breast – 174	27	184	17	65	17	11	6	13
Malignant neoplasms of genital organs – 180-187	40	235	21	94	22	20	11	18
Malignant neoplasms of urinary organs – 188,189	17	92	12	31	3	7	6	6
Malignant neoplasms of all other and unspecified sites – 170-173,190-199	34	288	30	68	13	31	21	39
Leukemia – 204-207	9	77	10	28	3	10	7	4
Other neoplasms of lymphatic and hematopoietic tissues – 200-203,208,209	16	113	17	46	11	12	7	11
Benign neoplasms and neoplasms of unspecified nature – 210-239	4	19	–	13	–	3	1	4
Diabetes mellitis – 250	34	174	22	49	13	16	13	30
Avitaminoses and other nutritional deficiencies – 260-269	3	22	1	4	–	1	–	1
Anemias – 280-285	3	23	–	1	1	3	3	1
Meningitis – 320	2	8	–	6	–	–	2	3
Major cardiovascular diseases – 390-448	633	5,159	516	1,661	388	332	396	626
Diseases of heart – 390-398,402,404,410-429	456	3,619	409	1,137	260	219	255	438
Active rheumatic fever and chronic rheumatic heart disease – 390-398	10	53	1	22	8	4	3	10
Hypertensive heart disease – 402	6	33	2	5	–	6	2	2
Hypertensive heart and renal disease – 404	2	10	2	7	–	–	1	2
Ischemic heart disease – 410-413	402	3,170	390	1,060	234	190	232	388
Acute myocardial infarction – 410	214	1,563	176	603	128	103	128	202
Other acute and subacute forms of ischemic heart disease – 411	–	14	8	4	–	–	–	–
Chronic ischemic heart disease – 412	188	1,592	206	453	106	87	104	185
Angina pectoris – 413	–	1	–	–	–	–	–	1
Chronic disease of endocardium and other myocardial insufficiency – 424,428	5	26	1	3	4	1	3	3
All other forms of heart disease – 420-423,425-427,429	31	327	13	40	14	18	14	33

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Kalamazoo, Mich.	Kansas City, Mo.–Kans.	Kenosha, Wis.	Knoxville, Tenn.	La Crosse, Wis.	Lafayette, La.	Lafayette–West Lafayette, Ind.	Lake Charles, La.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	5	38	9	18	5	–	1	5
Cerebrovascular diseases—430–438	123	1,199	79	411	87	87	119	151
Cerebral hemorrhage—431	11	121	11	42	9	17	22	24
Cerebral thrombosis—433	26	271	20	77	19	17	40	37
Cerebral embolism—434	2	4	–	1	–	–	–	1
All other cerebrovascular diseases—430,432,435–438	84	803	48	291	59	53	57	89
Arteriosclerosis—440	27	160	11	53	16	18	7	23
Other diseases of arteries, arterioles, and capillaries—441–448	22	143	8	42	20	8	14	9
Acute bronchitis and bronchiolitis—466	–	5	–	–	1	2	–	–
Influenza and pneumonia—470–474,480–486	45	275	34	104	22	14	28	22
Influenza—470–474	2	41	2	22	1	2	1	1
Pneumonia—480–486	43	234	32	82	21	12	27	21
Bronchitis, emphysema, and asthma—490–493	25	141	13	47	9	10	19	13
Chronic and unqualified bronchitis—490,491	5	22	3	5	2	–	–	3
Emphysema—492	18	103	9	41	7	7	15	10
Asthma—493	2	16	1	1	–	3	4	–
Peptic ulcer—531–533	9	26	6	12	2	1	5	1
Appendicitis—540–543	–	3	–	2	1	–	–	1
Hernia and intestinal obstruction—550–553,560	5	37	1	9	4	4	–	3
Cirrhosis of liver—571	14	143	24	47	9	10	8	9
Cholelithiasis, cholecystitis and cholangitis—574,575	3	19	4	9	2	4	–	1
Nephritis and nephrosis—580–584	3	49	2	21	4	1	–	6
Acute nephritis and nephrotic syndrome—580,581	–	12	–	4	1	–	–	1
Chronic and unqualified nephritis and renal sclerosis—582–584	3	37	2	17	3	1	–	5
Infections of kidney—590	1	34	–	11	–	3	2	1
Hyperplasia of prostate—600	3	6	–	1	–	–	2	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	1	–	–	1	–	–	1
Abortions—640–645	–	–	–	–	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	–	–	1	–	–	–
Congenital anomalies—740–759	16	90	3	30	6	6	8	8
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	16	148	12	51	10	28	7	18
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	9	92	5	27	5	16	5	7
Other causes of mortality in early infancy—Remainder of 760–778	7	56	7	24	5	12	2	11
Symptoms and ill-defined conditions—780–796	9	492	6	315	4	6	36	5
All other diseases—Residual	87	681	42	225	60	46	40	68
Accidents—E800–E949	69	528	54	203	34	66	40	74
Motor vehicle accidents—E810–E823	33	254	39	109	12	27	20	24
All other accidents—E800–E807,E825–E949	36	274	15	94	22	39	20	50
Suicide—E950–E959	27	172	15	44	14	13	18	29
Homicide—E960–E978	9	160	7	50	1	15	2	14
Other external causes—E980–E999	3	57	2	10	–	2	1	3

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Lancaster, Pa.	Lansing, Mich.	Laredo, Tex.	Las Vegas, Nev.	Lawton, Okla.	Lexington, Ky.	Lima, Ohio	Lincoln, Nebr.
All causes	3,029	2,457	493	2,267	607	1,541	1,618	1,303
Bacillary dysentery and amebiasis – 004,006	1	1	1	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	2	7	1	2	–	2	4	4
Tuberculosis, all forms – 010–019	4	3	–	2	1	2	5	–
Tuberculosis of respiratory system – 010–012	4	2	–	2	1	1	4	–
Tuberculosis, other forms – 013–019	–	1	–	–	–	1	1	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	2	–	–	1	–	–	–
Septicemia – 038	11	5	1	7	2	5	2	6
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	1	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	1	1	1	1	–	2	–	–
Other infective and parasitic diseases – Remainder of 000–136	5	8	1	–	1	10	2	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	599	446	98	476	107	312	333	281
Malignant neoplasms of buccal cavity and pharynx – 140–149	13	6	5	17	1	9	3	6
Malignant neoplasms of digestive organs and peritoneum – 150–159	170	95	29	101	28	69	109	75
Malignant neoplasms of respiratory system – 160–163	111	102	16	148	27	79	68	62
Malignant neoplasm of breast – 174	63	58	7	44	4	30	25	26
Malignant neoplasms of genital organs – 180–187	73	49	14	49	12	44	43	36
Malignant neoplasms of urinary organs – 188,189	22	20	4	19	3	13	12	9
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	77	53	12	66	21	48	32	33
Leukemia – 204–207	26	30	4	9	3	7	19	14
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	44	33	7	23	8	13	22	20
Benign neoplasms and neoplasms of unspecified nature – 210–239	8	4	1	7	1	4	4	3
Diabetes mellitis – 250	88	51	20	22	6	20	41	29
Avitaminoses and other nutritional deficiencies – 260–269	10	8	3	7	1	1	3	1
Anemias – 280–285	3	6	1	5	2	3	–	1
Meningitis – 320	2	5	–	2	–	3	2	–
Major cardiovascular diseases – 390–448	1,681	1,277	207	978	259	787	837	672
Diseases of heart – 390–398,402,404,410–429	1,253	927	155	647	180	601	624	456
Active rheumatic fever and chronic rheumatic heart disease – 390–398	29	13	1	16	1	10	12	7
Hypertensive heart disease – 402	11	19	2	2	4	7	6	9
Hypertensive heart and renal disease – 404	7	4	–	1	3	14	1	2
Ischemic heart disease – 410–413	1,114	804	127	577	155	543	569	396
Acute myocardial infarction – 410	550	441	79	358	97	273	297	179
Other acute and subacute forms of ischemic heart disease – 411	3	3	–	3	4	–	4	9
Chronic ischemic heart disease – 412	561	360	48	216	54	270	268	208
Angina pectoris – 413	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	9	6	4	3	5	1	3	1
All other forms of heart disease – 420–423,425–427,429	83	81	21	48	12	26	33	41

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Lancaster, Pa.	Lansing, Mich.	Laredo, Tex.	Las Vegas, Nev.	Lawton, Okla.	Lexington, Ky.	Lima, Ohio	Lincoln, Nebr.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	4	9	4	5	6	3	7	1
Cerebrovascular diseases—430–438	305	251	40	281	54	144	141	153
Cerebral hemorrhage—431	30	34	–	25	10	28	24	15
Cerebral thrombosis—433	79	76	14	105	16	30	28	21
Cerebral embolism—434	–	–	–	–	–	–	–	2
All other cerebrovascular diseases—430,432,435–438	196	141	26	151	28	86	89	115
Arteriosclerosis—440	67	56	3	16	12	19	37	36
Other diseases of arteries, arterioles, and capillaries—441–448	52	34	5	29	7	20	28	26
Acute bronchitis and bronchiolitis—466	–	1	–	–	–	–	–	3
Influenza and pneumonia—470–474,480–486	79	60	14	51	23	45	51	42
Influenza—470–474	10	10	–	4	1	–	15	4
Pneumonia—480–486	69	50	14	47	22	45	36	38
Bronchitis, emphysema, and asthma—490–493	31	33	1	41	13	18	30	13
Chronic and unqualified bronchitis—490,491	5	12	–	6	–	5	5	3
Emphysema—492	24	19	1	28	10	11	22	10
Asthma—493	2	2	–	7	3	2	3	–
Peptic ulcer—531–533	9	7	–	5	2	2	1	2
Appendicitis—540–543	1	–	–	1	–	2	1	1
Hernia and intestinal obstruction—550–553,560	10	15	4	11	1	4	4	5
Cirrhosis of liver—571	21	35	10	63	10	20	16	15
Cholelithiasis, cholecystitis and cholangitis—574,575	3	6	2	2	2	4	1	1
Nephritis and nephrosis—580–584	14	5	3	8	3	6	4	2
Acute nephritis and nephrotic syndrome—580,581	4	4	1	2	1	1	–	1
Chronic and unqualified nephritis and renal sclerosis—582–584	10	1	2	6	2	5	4	1
Infections of kidney—590	4	2	–	3	2	5	6	2
Hyperplasia of prostate—600	1	1	–	–	–	–	4	2
Complications of pregnancy, childbirth, and the puerperium—630–678	1	1	–	1	–	–	–	2
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	1	–	1	–	–	–	2
Congenital anomalies—740–759	19	23	5	11	6	14	8	13
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	35	49	16	44	17	34	38	11
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	20	22	8	23	12	15	16	6
Other causes of mortality in early infancy—Remainder of 760–778	15	27	8	21	5	19	22	5
Symptoms and ill-defined conditions—780–796	28	29	26	16	21	6	7	9
All other diseases—Residual	173	156	26	179	49	107	97	71
Accidents—E800–E949	141	135	35	172	53	76	86	69
Motor vehicle accidents—E810–E823	60	66	21	85	29	36	33	39
All other accidents—E800–E807,E825–E949	81	69	14	87	24	40	53	30
Suicide—E950–E959	36	53	8	93	13	26	18	27
Homicide—E960–E978	7	14	5	50	9	19	12	8
Other external causes—E980–E999	–	8	3	7	2	2	1	1

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Little Rock–North Little Rock, Ark.	Lorain–Elyria, Ohio	Los Angeles–Long Beach, Calif.	Louisville, Ky.–Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
All causes	3,007	1,984	59,368	7,724	1,223	1,161	1,841	1,824
Bacillary dysentery and amebiasis – 004,006	–	–	7	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	5	4	71	4	1	1	2	1
Tuberculosis, all forms – 010–019	8	3	83	29	–	4	2	4
Tuberculosis of respiratory system – 010–012	6	2	57	27	–	3	1	1
Tuberculosis, other forms – 013–019	2	1	26	2	–	1	1	3
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	9	–	1	–	–	–
Septicemia – 038	11	2	84	24	4	5	9	4
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	2	10	–	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	8	1	153	23	5	–	2	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	544	384	11,717	1,598	206	209	279	367
Malignant neoplasms of buccal cavity and pharynx – 140–149	18	8	306	53	8	2	5	8
Malignant neoplasms of digestive organs and peritoneum – 150–159	145	102	3,115	418	46	45	68	92
Malignant neoplasms of respiratory system – 160–163	135	101	2,780	460	51	56	82	75
Malignant neoplasm of breast – 174	45	41	1,144	145	16	17	20	44
Malignant neoplasms of genital organs – 180–187	58	39	1,361	161	26	29	34	47
Malignant neoplasms of urinary organs – 188,189	26	23	524	74	6	9	6	21
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	82	33	1,330	146	31	26	45	52
Leukemia – 204–207	14	18	465	66	10	7	6	10
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	21	19	692	75	12	18	13	18
Benign neoplasms and neoplasms of unspecified nature – 210–239	7	7	98	11	3	3	4	1
Diabetes mellitis – 250	64	39	859	136	19	12	41	26
Avitaminoses and other nutritional deficiencies – 260–269	–	5	55	9	2	2	4	2
Anemias – 280–285	11	7	91	17	–	3	6	–
Meningitis – 320	7	1	42	9	2	–	2	1
Major cardiovascular diseases – 390–448	1,461	992	31,052	3,855	546	625	937	960
Diseases of heart – 390–398,402,404,410–429	989	762	22,825	2,695	400	462	656	645
Active rheumatic fever and chronic rheumatic heart disease – 390–398	13	12	462	47	4	3	10	13
Hypertensive heart disease – 402	9	7	268	23	4	1	16	2
Hypertensive heart and renal disease – 404	3	–	75	14	2	9	7	4
Ischemic heart disease – 410–413	827	706	21,223	2,378	272	426	541	593
Acute myocardial infarction – 410	469	315	7,469	1,475	154	186	366	265
Other acute and subacute forms of ischemic heart disease – 411	–	27	61	–	3	21	3	5
Chronic ischemic heart disease – 412	358	364	13,691	903	115	219	172	323
Angina pectoris – 413	–	–	2	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	1	2	130	20	–	4	9	3
All other forms of heart disease – 420–423,425–427,429	136	35	667	213	118	19	73	30

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Little Rock–North Little Rock, Ark.	Lorain–Elyria, Ohio	Los Angeles–Long Beach, Calif.	Louisville, Ky.–Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	9	7	190	29	3	3	8	9
Cerebrovascular diseases—430–438	352	175	6,495	917	107	136	202	236
Cerebral hemorrhage—431	32	25	720	83	11	20	53	23
Cerebral thrombosis—433	101	48	2,019	263	9	43	39	61
Cerebral embolism—434	1	3	17	3	1	1	–	1
All other cerebrovascular diseases—430,432,435–438	218	99	3,739	568	86	72	110	151
Arteriosclerosis—440	69	21	827	127	21	3	50	39
Other diseases of arteries, arterioles, and capillaries—441–448	42	27	715	87	15	21	21	31
Acute bronchitis and bronchiolitis—466	–	–	32	2	–	–	–	–
Influenza and pneumonia—470–474,480–486	83	43	1,386	253	51	27	47	51
Influenza—470–474	4	4	122	10	11	2	1	5
Pneumonia—480–486	79	39	1,264	243	40	25	46	46
Bronchitis, emphysema, and asthma—490–493	42	26	749	115	27	21	28	27
Chronic and unqualified bronchitis—490,491	13	4	145	18	5	8	1	6
Emphysema—492	29	21	543	82	21	10	24	21
Asthma—493	–	1	61	15	1	3	3	–
Peptic ulcer—531–533	13	2	249	27	2	4	5	5
Appendicitis—540–543	1	–	39	5	2	1	3	2
Hernia and intestinal obstruction—550–553,560	11	4	143	19	4	1	7	6
Cirrhosis of liver—571	42	41	1,590	149	16	13	34	34
Cholelithiasis, cholecystitis and cholangitis—574,575	4	2	81	12	2	1	4	1
Nephritis and nephrosis—580–584	13	23	171	35	1	5	10	5
Acute nephritis and nephrotic syndrome—580,581	5	3	27	5	1	–	2	1
Chronic and unqualified nephritis and renal sclerosis—582–584	8	20	144	30	–	5	8	4
Infections of kidney—590	19	9	140	21	2	2	16	1
Hyperplasia of prostate—600	3	2	45	2	2	–	–	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	15	1	–	–	2	–
Abortions—640–645	–	–	2	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	13	1	–	–	2	–
Congenital anomalies—740–759	31	25	463	47	19	5	12	11
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	57	52	736	95	37	15	49	16
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	37	28	424	53	23	10	32	10
Other causes of mortality in early infancy—Remainder of 760–778	20	24	312	42	14	5	17	6
Symptoms and ill-defined conditions—780–796	79	33	356	64	24	4	8	13
All other diseases—Residual	192	116	3,114	535	82	93	140	129
Accidents—E800–E949	179	104	3,304	372	97	73	116	118
Motor vehicle accidents—E810–E823	73	39	1,178	147	53	33	60	50
All other accidents—E800–E807,E825–E949	106	65	2,126	225	44	40	56	68
Suicide—E950–E959	39	38	1,321	134	25	17	29	30
Homicide—E960–E978	56	13	1,064	113	41	14	43	2
Other external causes—E980–E999	17	4	39	8	–	1	–	1

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Manchester, N.H.	Mansfield, Ohio	McAllen–Pharr–Edinburg, Tex.	Memphis, Tenn.–Ark.	Miami, Fla.	Midland, Tex.	Milwaukee, Wis.	Minneapolis–St. Paul, Minn.
All causes	2,079	1,119	1,470	6,952	14,585	506	11,870	13,120
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	–	–	11	8	10	–	6	17
Tuberculosis, all forms – 010–019	2	1	3	12	33	1	16	19
Tuberculosis of respiratory system – 010–012	1	1	1	7	21	1	13	16
Tuberculosis, other forms – 013–019	1	–	2	5	12	–	3	3
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	–	1	1	–	2	2
Septicemia – 038	4	–	7	41	62	1	31	34
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	1	–	3	–	2	2
Other infective and parasitic diseases – Remainder of 000–136	3	4	5	35	40	4	16	20
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	445	208	255	1,302	3,257	90	2,375	2,683
Malignant neoplasms of buccal cavity and pharynx – 140–149	11	1	8	14	88	2	64	59
Malignant neoplasms of digestive organs and peritoneum – 150–159	135	42	67	311	897	30	646	751
Malignant neoplasms of respiratory system – 160–163	92	50	56	300	772	18	478	526
Malignant neoplasm of breast – 174	40	20	19	98	284	10	237	247
Malignant neoplasms of genital organs – 180–187	54	25	38	151	371	6	279	334
Malignant neoplasms of urinary organs – 188,189	27	14	15	55	169	5	126	127
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	52	33	37	248	353	11	312	308
Leukemia – 204–207	11	9	8	62	131	4	97	141
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	23	14	7	63	192	4	136	190
Benign neoplasms and neoplasms of unspecified nature – 210–239	10	1	4	10	29	2	18	30
Diabetes mellitis – 250	60	33	43	103	296	7	222	182
Avitaminoses and other nutritional deficiencies – 260–269	4	1	3	5	18	2	23	20
Anemias – 280–285	2	1	2	14	37	–	22	20
Meningitis – 320	1	2	2	10	3	–	6	9
Major cardiovascular diseases – 390–448	981	579	614	3,458	7,257	210	6,320	6,671
Diseases of heart – 390–398,402,404,410–429	632	427	443	2,317	5,656	157	4,715	4,760
Active rheumatic fever and chronic rheumatic heart disease – 390–398	13	9	1	33	118	1	99	123
Hypertensive heart disease – 402	12	5	5	18	41	1	57	45
Hypertensive heart and renal disease – 404	9	4	1	6	16	–	7	16
Ischemic heart disease – 410–413	566	397	372	2,062	5,267	115	4,338	4,315
Acute myocardial infarction – 410	294	232	244	826	2,291	75	1,716	1,779
Other acute and subacute forms of ischemic heart disease – 411	2	–	7	5	25	–	12	23
Chronic ischemic heart disease – 412	270	165	121	1,231	2,949	40	2,610	2,513
Angina pectoris – 413	–	–	–	–	2	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	3	–	–	10	17	2	22	17
All other forms of heart disease – 420–423,425–427,429	29	12	64	188	197	38	192	244

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Manchester, N.H.	Mansfield, Ohio	McAllen–Pharr–Edinburg, Tex.	Memphis, Tenn.–Ark.	Miami, Fla.	Midland, Tex.	Milwaukee, Wis.	Minneapolis–St. Paul, Minn.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	8	4	6	20	40	–	34	50
Cerebrovascular diseases—430–438	224	107	127	910	1,287	43	1,195	1,462
Cerebral hemorrhage—431	39	11	30	119	130	11	156	168
Cerebral thrombosis—433	73	20	32	219	516	11	287	266
Cerebral embolism—434	1	–	1	2	2	–	4	8
All other cerebrovascular diseases—430,432,435–438	111	76	64	570	639	21	748	1,020
Arteriosclerosis—440	86	26	21	119	83	4	191	210
Other diseases of arteries, arterioles, and capillaries—441–448	31	15	17	92	191	6	185	189
Acute bronchitis and bronchiolitis—466	–	–	–	–	4	–	6	2
Influenza and pneumonia—470–474,480–486	50	32	54	170	310	34	382	415
Influenza—470–474	4	7	1	10	5	3	21	20
Pneumonia—480–486	46	25	53	160	305	31	361	395
Bronchitis, emphysema, and asthma—490–493	30	19	13	82	225	11	154	146
Chronic and unqualified bronchitis—490,491	7	7	–	24	32	3	32	26
Emphysema—492	20	12	13	55	169	8	120	109
Asthma—493	3	–	–	3	24	–	2	11
Peptic ulcer—531–533	8	4	4	18	37	2	42	38
Appendicitis—540–543	–	–	1	2	5	–	4	4
Hernia and intestinal obstruction—550–553,560	5	5	5	30	42	2	42	45
Cirrhosis of liver—571	29	12	28	95	316	9	217	187
Cholelithiasis, cholecystitis and cholangitis—574,575	2	1	2	19	24	2	29	11
Nephritis and nephrosis—580–584	10	7	4	44	64	1	35	45
Acute nephritis and nephrotic syndrome—580,581	2	1	2	2	22	–	7	8
Chronic and unqualified nephritis and renal sclerosis—582–584	8	6	2	42	42	1	28	37
Infections of kidney—590	4	1	9	16	31	–	23	19
Hyperplasia of prostate—600	1	–	1	5	14	–	9	8
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	3	3	2	1	1	2
Abortions—640–645	–	–	–	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	3	3	1	1	1	2
Congenital anomalies—740–759	8	4	18	48	73	4	95	112
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	25	20	43	123	157	16	133	181
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	15	12	29	60	89	8	58	97
Other causes of mortality in early infancy—Remainder of 760–778	10	8	14	63	68	8	75	84
Symptoms and ill-defined conditions—780–796	134	53	67	98	67	2	64	209
All other diseases—Residual	104	49	93	549	972	41	789	912
Accidents—E800–E949	106	57	134	384	615	44	471	696
Motor vehicle accidents—E810–E823	39	25	89	146	272	21	223	268
All other accidents—E800–E807,E825–E949	67	32	45	238	343	23	248	428
Suicide—E950–E959	40	17	20	97	285	5	189	233
Homicide—E960–E978	5	7	20	160	287	14	94	90
Other external causes—E980–E999	6	1	1	10	9	1	32	56

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon–Muskegon Heights, Mich.	Nashville–Davidson, Tenn.	New Haven–Waterbury, Conn.
All causes	3,427	1,987	1,079	2,020	1,098	1,425	4,785	6,788
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	4	4	–	–	1	2	7	6
Tuberculosis, all forms – 010–019	7	2	5	7	–	4	11	3
Tuberculosis of respiratory system – 010–012	6	1	5	5	–	3	9	2
Tuberculosis, other forms – 013–019	1	1	–	2	–	1	2	1
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	1	–	–	–	–	–	1	–
Septicemia – 038	12	3	2	7	4	3	19	27
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	–	–	1	1
Other infective and parasitic diseases – Remainder of 000–136	4	5	2	6	2	2	15	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	653	342	183	345	165	247	909	1,559
Malignant neoplasms of buccal cavity and pharynx – 140–149	22	8	4	6	2	3	20	39
Malignant neoplasms of digestive organs and peritoneum – 150–159	160	95	45	94	50	71	224	470
Malignant neoplasms of respiratory system – 160–163	199	82	49	87	35	57	207	345
Malignant neoplasm of breast – 174	41	29	20	31	13	25	74	146
Malignant neoplasms of genital organs – 180–187	72	38	22	34	21	26	112	166
Malignant neoplasms of urinary organs – 188,189	29	15	9	11	9	14	36	71
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	85	36	23	50	22	27	124	171
Leukemia – 204–207	22	22	5	20	2	8	46	59
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	23	17	6	12	11	16	66	92
Benign neoplasms and neoplasms of unspecified nature – 210–239	9	7	1	6	1	5	7	34
Diabetes mellitus – 250	66	36	25	43	14	47	76	132
Avitaminoses and other nutritional deficiencies – 260–269	6	6	1	2	3	4	9	4
Anemias – 280–285	5	1	2	6	–	5	7	12
Meningitis – 320	5	–	1	3	2	2	4	7
Major cardiovascular diseases – 390–448	1,626	962	580	925	581	756	2,545	3,565
Diseases of heart – 390–398,402,404,410–429	1,176	658	462	592	417	529	1,877	2,740
Active rheumatic fever and chronic rheumatic heart disease – 390–398	7	9	2	9	10	4	18	60
Hypertensive heart disease – 402	17	4	6	3	2	2	19	13
Hypertensive heart and renal disease – 404	17	1	5	5	2	3	2	5
Ischemic heart disease – 410–413	1,049	614	367	537	384	487	1,705	2,237
Acute myocardial infarction – 410	613	280	236	317	214	268	1,193	1,081
Other acute and subacute forms of ischemic heart disease – 411	11	1	2	–	2	2	2	1
Chronic ischemic heart disease – 412	425	333	129	220	168	217	510	1,155
Angina pectoris – 413	–	–	–	–	–	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	10	4	1	5	6	1	32	2
All other forms of heart disease – 420–423,425–427,429	76	26	81	33	13	32	101	423

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon–Muskegon Heights, Mich.	Nashville–Davidson, Tenn.	New Haven–Waterbury, Conn.
Major cardiovascular diseases – Con.								
Hypertension – 400,401,403	15	5	4	7	1	7	15	17
Cerebrovascular diseases – 430–438	343	217	86	241	132	170	547	605
Cerebral hemorrhage – 431	46	15	6	23	15	20	51	89
Cerebral thrombosis – 433	78	55	9	47	41	51	117	189
Cerebral embolism – 434	1	–	–	–	1	–	–	1
All other cerebrovascular diseases – 430,432,435–438	218	147	71	171	75	99	379	326
Arteriosclerosis – 440	53	50	10	43	17	27	59	97
Other diseases of arteries, arterioles, and capillaries – 441–448	39	32	18	42	14	23	47	106
Acute bronchitis and bronchiolitis – 466	1	3	–	1	1	–	2	4
Influenza and pneumonia – 470–474,480–486	69	84	30	38	33	33	142	187
Influenza – 470–474	2	5	1	3	6	5	9	5
Pneumonia – 480–486	67	79	29	35	27	28	133	182
Bronchitis, emphysema, and asthma – 490–493	52	41	15	25	27	18	67	64
Chronic and unqualified bronchitis – 490,491	8	6	2	1	4	–	20	16
Emphysema – 492	40	33	13	21	22	17	40	40
Asthma – 493	4	2	–	3	1	1	7	8
Peptic ulcer – 531–533	8	17	5	9	2	6	8	16
Appendicitis – 540–543	–	–	–	2	1	1	–	3
Hernia and intestinal obstruction – 550–553,560	12	8	4	4	6	8	14	18
Cirrhosis of liver – 571	39	49	11	24	10	11	46	115
Cholelithiasis, cholecystitis and cholangitis – 574,575	4	6	–	–	1	1	10	5
Nephritis and nephrosis – 580–584	22	3	2	21	5	6	25	25
Acute nephritis and nephrotic syndrome – 580,581	4	–	–	4	2	2	4	8
Chronic and unqualified nephritis and renal sclerosis – 582–584	18	3	2	17	3	4	21	17
Infections of kidney – 590	9	4	5	5	2	6	14	9
Hyperplasia of prostate – 600	4	2	1	3	1	–	1	4
Complications of pregnancy, childbirth, and the puerperium – 630–678	–	1	–	–	–	1	1	1
Abortions – 640–645	–	–	–	–	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium – 630–639,650–678	–	1	–	–	–	1	1	–
Congenital anomalies – 740–759	43	15	15	18	4	15	28	36
Certain causes of mortality in early infancy – 760–769.2,769.4–772,774–778	64	24	21	48	13	17	72	86
Birth injury, difficult labor, and other anoxic and hypoxic conditions – 764–768,772,776	41	17	12	22	7	10	37	29
Other causes of mortality in early infancy – Remainder of 760–778	23	7	9	26	6	7	35	57
Symptoms and ill-defined conditions – 780–796	121	9	40	156	14	14	27	39
All other diseases – Residual	227	121	48	108	94	91	257	465
Accidents – E800–E949	232	183	60	117	68	75	255	228
Motor vehicle accidents – E810–E823	112	87	22	60	35	36	123	105
All other accidents – E800–E807,E825–E949	120	96	38	57	33	39	132	123
Suicide – E950–E959	42	26	8	33	22	23	79	66
Homicide – E960–E978	68	20	5	55	13	19	104	37
Other external causes – E980–E999	12	3	7	3	8	3	22	18

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	New Orleans, La.	New York, N.Y.	Newark, N.J.	Newport News–Hampton, Va.	Norfolk–Portsmouth, Va.	Odessa, Tex.	Ogden, Utah	Oklahoma City, Okla.
All causes	10,185	106,748	16,254	2,001	5,071	632	989	5,598
Bacillary dysentery and amebiasis – 004,006	–	3	–	–	–	–	1	–
Enteritis and other diarrheal diseases – 008,009	7	81	19	1	6	2	–	3
Tuberculosis, all forms – 010–019	47	285	33	3	11	–	1	16
Tuberculosis of respiratory system – 010–012	45	232	29	3	8	–	–	13
Tuberculosis, other forms – 013–019	2	53	4	–	3	–	1	3
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	1	–	–	–	–	–	–
Meningococcal infections – 036	9	9	1	–	–	–	–	4
Septicemia – 038	59	336	62	3	33	1	3	17
Acute poliomyelitis – 040–043	–	2	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	4	10	3	–	–	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	31	216	28	3	9	2	2	15
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	2,009	22,905	3,541	407	1,016	126	151	988
Malignant neoplasms of buccal cavity and pharynx – 140–149	55	553	91	6	15	1	–	17
Malignant neoplasms of digestive organs and peritoneum – 150–159	491	7,136	1,051	102	247	26	41	226
Malignant neoplasms of respiratory system – 160–163	506	4,905	753	117	297	38	18	277
Malignant neoplasm of breast – 174	184	2,388	352	28	94	6	13	97
Malignant neoplasms of genital organs – 180–187	196	2,479	428	51	102	17	23	113
Malignant neoplasms of urinary organs – 188,189	92	984	185	10	38	6	7	40
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	317	2,426	399	57	152	19	26	124
Leukemia – 204–207	70	795	116	11	24	6	6	37
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	98	1,239	166	25	47	7	17	57
Benign neoplasms and neoplasms of unspecified nature – 210–239	27	359	46	9	21	1	6	20
Diabetes mellitis – 250	302	2,191	363	31	64	10	12	80
Avitaminoses and other nutritional deficiencies – 260–269	19	82	22	6	7	–	1	8
Anemias – 280–285	23	169	28	4	9	–	1	13
Meningitis – 320	11	87	7	5	7	–	5	10
Major cardiovascular diseases – 390–448	4,865	53,949	8,478	898	2,420	207	457	2,758
Diseases of heart – 390–398,402,404,410–429	3,711	43,975	6,683	699	1,790	143	346	2,038
Active rheumatic fever and chronic rheumatic heart disease – 390–398	44	830	167	9	18	4	20	26
Hypertensive heart disease – 402	27	382	81	1	4	1	5	18
Hypertensive heart and renal disease – 404	33	75	34	9	54	–	–	29
Ischemic heart disease – 410–413	3,333	40,926	6,066	631	1,534	114	293	1,802
Acute myocardial infarction – 410	1,472	17,034	2,765	334	752	64	155	844
Other acute and subacute forms of ischemic heart disease – 411	4	76	13	36	172	2	2	316
Chronic ischemic heart disease – 412	1,857	23,814	3,288	261	610	48	136	641
Angina pectoris – 413	–	2	–	–	–	–	–	1
Chronic disease of endocardium and other myocardial insufficiency – 424,428	18	95	19	3	59	–	–	9
All other forms of heart disease – 420–423,425–427,429	256	1,667	316	46	121	24	28	154

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	New Orleans, La.	New York, N.Y.	Newark, N.J.	Newport News–Hampton, Va.	Norfolk–Portsmouth, Va.	Odessa, Tex.	Ogden, Utah	Oklahoma City, Okla.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	30	254	43	4	16	4	2	13
Cerebrovascular diseases—430–438	914	7,627	1,423	155	477	40	78	572
Cerebral hemorrhage—431	119	1,289	214	16	70	6	6	70
Cerebral thrombosis—433	201	1,855	437	43	127	9	19	151
Cerebral embolism—434	3	36	6	–	2	–	1	6
All other cerebrovascular diseases—430,432,435–438	591	4,447	766	96	278	25	52	345
Arteriosclerosis—440	104	931	150	10	79	10	15	62
Other diseases of arteries, arterioles, and capillaries—441–448	106	1,162	179	30	58	10	16	73
Acute bronchitis and bronchiolitis—466	6	40	8	2	2	–	1	–
Influenza and pneumonia—470–474,480–486	225	3,714	391	80	162	27	37	179
Influenza—470–474	9	45	10	1	5	–	1	14
Pneumonia—480–486	216	3,669	381	79	157	27	36	165
Bronchitis, emphysema, and asthma—490–493	117	902	173	18	65	18	14	67
Chronic and unqualified bronchitis—490,491	23	197	33	2	8	4	1	11
Emphysema—492	81	557	123	13	50	14	12	48
Asthma—493	13	148	17	3	7	–	1	8
Peptic ulcer—531–533	28	489	64	4	9	3	5	20
Appendicitis—540–543	2	43	8	–	2	1	–	–
Hernia and intestinal obstruction—550–553,560	44	336	60	9	16	4	3	21
Cirrhosis of liver—571	172	2,885	301	36	80	17	22	86
Cholelithiasis, cholecystitis and cholangitis—574,575	11	155	17	2	4	1	1	7
Nephritis and nephrosis—580–584	94	615	75	4	30	2	4	15
Acute nephritis and nephrotic syndrome—580,581	16	106	22	1	3	–	–	4
Chronic and unqualified nephritis and renal sclerosis—582–584	78	509	53	3	27	2	4	11
Infections of kidney—590	18	183	29	4	20	2	2	16
Hyperplasia of prostate—600	3	91	13	2	–	1	–	2
Complications of pregnancy, childbirth, and the puerperium—630–678	1	28	5	2	2	–	2	3
Abortions—640–645	–	2	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	26	5	2	2	–	2	3
Congenital anomalies—740–759	90	601	98	16	47	10	18	61
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	211	1,423	184	60	137	16	13	109
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	114	750	101	31	73	11	8	63
Other causes of mortality in early infancy—Remainder of 760–778	97	673	83	29	64	5	5	46
Symptoms and ill-defined conditions—780–796	68	1,729	176	24	49	53	41	90
All other diseases—Residual	711	6,290	974	154	340	47	77	394
Accidents—E800–E949	586	3,076	683	119	299	60	82	369
Motor vehicle accidents—E810–E823	202	1,172	237	45	112	28	38	180
All other accidents—E800–E807,E825–E949	384	1,904	446	74	187	32	44	189
Suicide—E950–E959	136	815	143	40	75	10	20	111
Homicide—E960–E978	239	1,699	183	55	124	11	3	99
Other external causes—E980–E999	10	949	38	–	5	–	4	17

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Omaha, Nebr.–Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard–Ventura, Calif.	Patterson–Clifton–Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg–Colonial Heights, Va.
All causes	4,388	4,156	731	2,658	11,856	1,890	2,977	1,090
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	5	4	2	5	12	3	3	2
Tuberculosis, all forms – 010–019	3	5	–	10	19	3	4	1
Tuberculosis of respiratory system – 010–012	2	2	–	7	12	3	3	1
Tuberculosis, other forms – 013–019	1	3	–	3	7	–	1	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	1	–	–	2	–	–	–
Septicemia – 038	8	13	–	4	33	8	4	4
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	1	–	–	–
Other infective and parasitic diseases – Remainder of 000–136	7	9	3	9	27	2	5	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	893	868	118	526	2,775	373	611	216
Malignant neoplasms of buccal cavity and pharynx – 140–149	25	22	3	6	55	9	12	2
Malignant neoplasms of digestive organs and peritoneum – 150–159	229	223	33	108	879	103	158	52
Malignant neoplasms of respiratory system – 160–163	228	230	29	153	613	109	129	56
Malignant neoplasm of breast – 174	69	76	4	40	292	26	58	21
Malignant neoplasms of genital organs – 180–187	103	93	14	62	280	36	90	30
Malignant neoplasms of urinary organs – 188,189	47	43	6	18	148	14	24	6
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	107	86	17	73	269	42	74	30
Leukemia – 204–207	31	36	10	27	85	15	24	9
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	54	59	2	39	154	19	42	10
Benign neoplasms and neoplasms of unspecified nature – 210–239	12	10	2	15	36	5	5	3
Diabetes mellitis – 250	74	59	21	35	233	27	39	18
Avitaminoses and other nutritional deficiencies – 260–269	12	9	–	8	13	3	4	3
Anemias – 280–285	4	6	–	4	13	4	8	1
Meningitis – 320	8	2	–	4	12	3	–	2
Major cardiovascular diseases – 390–448	2,151	2,005	393	1,249	6,280	911	1,502	540
Diseases of heart – 390–398,402,404,410–429	1,552	1,519	287	904	4,922	648	1,070	390
Active rheumatic fever and chronic rheumatic heart disease – 390–398	22	36	7	26	107	15	23	4
Hypertensive heart disease – 402	10	15	1	2	47	8	26	3
Hypertensive heart and renal disease – 404	12	9	3	4	21	1	5	–
Ischemic heart disease – 410–413	1,412	1,387	252	835	4,625	577	954	357
Acute myocardial infarction – 410	649	611	122	284	2,220	305	539	137
Other acute and subacute forms of ischemic heart disease – 411	5	5	1	1	6	2	3	59
Chronic ischemic heart disease – 412	758	771	129	550	2,399	269	412	161
Angina pectoris – 413	–	–	–	–	–	1	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	7	9	9	2	12	5	8	2
All other forms of heart disease – 420–423,425–427,429	89	63	15	35	110	42	54	24

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Omaha, Nebr.–Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard–Ventura, Calif.	Patterson–Clifton–Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg–Colonial Heights, Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	19	14	3	4	37	10	9	2
Cerebrovascular diseases—430–438	463	370	81	265	1,059	198	325	131
Cerebral hemorrhage—431	57	37	11	31	157	12	45	16
Cerebral thrombosis—433	140	98	13	57	346	30	39	27
Cerebral embolism—434	2	–	–	–	7	1	–	1
All other cerebrovascular diseases—430,432,435–438	264	235	57	177	549	155	241	87
Arteriosclerosis—440	55	44	13	43	136	31	47	8
Other diseases of arteries, arterioles, and capillaries—441–448	62	58	9	33	126	24	51	9
Acute bronchitis and bronchiolitis—466	5	1	–	–	5	–	1	–
Influenza and pneumonia—470–474,480–486	179	121	28	73	322	61	120	37
Influenza—470–474	18	5	4	8	6	1	11	–
Pneumonia—480–486	161	116	24	65	316	60	109	37
Bronchitis, emphysema, and asthma—490–493	77	58	13	53	105	31	46	7
Chronic and unqualified bronchitis—490,491	26	7	1	13	24	5	15	–
Emphysema—492	49	47	9	39	73	25	30	6
Asthma—493	2	4	3	1	8	1	1	1
Peptic ulcer—531–533	17	9	3	11	70	9	10	7
Appendicitis—540–543	4	–	–	–	4	1	–	2
Hernia and intestinal obstruction—550–553,560	15	16	8	5	33	6	10	4
Cirrhosis of liver—571	75	71	13	68	219	27	35	11
Cholelithiasis; cholecystitis and cholangitis—574,575	6	5	4	–	21	3	4	1
Nephritis and nephrosis—580–584	10	12	1	7	51	6	16	7
Acute nephritis and nephrotic syndrome—580,581	4	3	1	–	13	2	4	2
Chronic and unqualified nephritis and renal sclerosis—582–584	6	9	–	7	38	4	12	5
Infections of kidney—590	10	9	1	5	22	6	9	–
Hyperplasia of prostate—600	3	2	2	1	8	1	3	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	4	–	–	1	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	4	–	–	1	–
Congenital anomalies—740–759	43	41	3	27	75	12	14	5
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	85	69	11	36	95	39	53	21
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	47	43	5	17	58	22	30	11
Other causes of mortality in early infancy—Remainder of 760–778	38	26	6	19	37	17	23	10
Symptoms and ill-defined conditions—780–796	24	40	–	13	109	12	42	4
All other diseases—Residual	292	274	48	187	625	137	171	81
Accidents—E800–E949	258	257	40	205	442	103	178	68
Motor vehicle accidents—E810–E823	90	109	19	98	184	50	84	26
All other accidents—E800–E807,E825–E949	168	148	21	107	258	53	94	42
Suicide—E950–E959	56	81	9	61	83	47	47	17
Homicide—E960–E978	45	93	6	25	74	38	18	23
Other external causes—E980–E999	7	6	2	8	37	9	14	1

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Philadelphia, Pa.–N.J.	Phoenix, Ariz.	Pine Bluff, Ark.	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.–Wash.	Providence, R.I.
All causes	45,596	9,157	821	24,580	1,499	1,997	9,744	7,719
Bacillary dysentery and amebiasis – 004,006	1	1	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	48	12	2	19	2	–	5	8
Tuberculosis, all forms – 010–019	84	30	2	35	–	2	8	9
Tuberculosis of respiratory system – 010–012	72	19	2	29	–	2	5	8
Tuberculosis, other forms – 013–019	12	11	–	6	–	–	3	1
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	5	–	–	–	–	–	–	1
Septicemia – 038	243	26	5	88	5	9	19	13
Acute poliomyelitis – 040–043	1	–	–	2	–	–	1	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	6	1	1	3	–	1	4	–
Other infective and parasitic diseases – Remainder of 000–136	117	38	2	36	3	8	17	16
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	9,181	1,788	162	4,979	331	393	1,806	1,747
Malignant neoplasms of buccal cavity and pharynx – 140–149	218	41	3	104	7	11	48	44
Malignant neoplasms of digestive organs and peritoneum – 150–159	2,632	435	36	1,356	92	107	412	572
Malignant neoplasms of respiratory system – 160–163	2,182	406	37	1,180	80	84	479	386
Malignant neoplasm of breast – 174	859	159	18	489	26	39	158	166
Malignant neoplasms of genital organs – 180–187	957	203	22	549	37	43	197	196
Malignant neoplasms of urinary organs – 188,189	378	89	6	213	21	29	99	72
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	1,173	256	27	659	33	49	224	169
Leukemia – 204–207	327	93	2	172	14	13	84	57
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	455	106	11	257	21	18	105	85
Benign neoplasms and neoplasms of unspecified nature – 210–239	128	38	2	83	4	12	20	17
Diabetes mellitus – 250	782	124	11	431	37	29	136	190
Avitaminoses and other nutritional deficiencies – 260–269	64	10	1	22	1	2	19	7
Anemias – 280–285	77	15	1	30	6	2	8	15
Meningitis – 320	30	12	1	13	–	1	7	5
Major cardiovascular diseases – 390–448	22,084	4,236	424	13,759	771	1,054	5,083	4,202
Diseases of heart – 390–398,402,404,410–429	16,866	3,109	295	10,608	569	816	3,590	3,324
Active rheumatic fever and chronic rheumatic heart disease – 390–398	334	71	5	190	13	16	101	70
Hypertensive heart disease – 402	137	40	19	76	2	6	19	27
Hypertensive heart and renal disease – 404	72	10	1	60	2	6	21	6
Ischemic heart disease – 410–413	15,021	2,787	230	9,679	513	729	3,251	3,098
Acute myocardial infarction – 410	8,082	1,297	80	4,657	302	452	1,161	1,340
Other acute and subacute forms of ischemic heart disease – 411	46	233	1	20	–	4	6	10
Chronic ischemic heart disease – 412	6,892	1,257	149	5,000	211	271	2,084	1,747
Angina pectoris – 413	1	–	–	2	–	2	–	1
Chronic disease of endocardium and other myocardial insufficiency – 424,428	80	12	1	35	3	6	21	6
All other forms of heart disease – 420–423,425–427,429	1,222	189	39	568	36	53	177	117

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Philadelphia, Pa.–N.J.	Phoenix, Ariz.	Pine Bluff, Ark.	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.–Wash.	Providence, R.I.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	100	23	1	63	1	6	19	15
Cerebrovascular diseases—430–438	4,000	839	113	2,357	148	169	1,144	645
Cerebral hemorrhage—431	593	106	15	358	19	24	113	86
Cerebral thrombosis—433	966	161	9	718	23	57	293	176
Cerebral embolism—434	20	5	1	13	–	–	2	7
All other cerebrovascular diseases—430,432,435–438	2,421	567	88	1,268	106	88	736	376
Arteriosclerosis—440	542	135	7	373	29	31	200	112
Other diseases of arteries, arterioles, and capillaries—441–448	576	130	8	358	24	32	130	106
Acute bronchitis and bronchiolitis—466	16	16	–	8	–	2	5	4
Influenza and pneumonia—470–474,480–486	1,287	260	10	650	44	72	324	137
Influenza—470–474	34	20	–	32	5	6	37	4
Pneumonia—480–486	1,253	240	10	618	39	66	287	133
Bronchitis, emphysema, and asthma—490–493	398	237	4	246	13	32	159	59
Chronic and unqualified bronchitis—490,491	77	35	1	39	–	7	25	19
Emphysema—492	288	186	3	185	13	23	118	35
Asthma—493	33	16	–	22	–	2	16	5
Peptic ulcer—531–533	139	29	–	71	7	4	41	28
Appendicitis—540–543	15	2	–	7	–	2	4	2
Hernia and intestinal obstruction—550–553,560	142	26	1	64	4	7	28	22
Cirrhosis of liver—571	726	158	5	406	23	32	204	153
Cholelithiasis, cholecystitis and cholangitis—574,575	52	12	1	34	1	6	13	15
Nephritis and nephrosis—580–584	208	39	9	120	2	6	25	40
Acute nephritis and nephrotic syndrome—580,581	47	9	1	21	–	3	4	6
Chronic and unqualified nephritis and renal sclerosis—582–584	161	30	8	99	2	3	21	34
Infections of kidney—590	57	33	2	38	2	10	18	16
Hyperplasia of prostate—600	17	3	–	6	–	2	8	5
Complications of pregnancy, childbirth, and the puerperium—630–678	9	2	–	2	–	–	–	1
Abortions—640–645	1	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	8	2	–	2	–	–	–	1
Congenital anomalies—740–759	263	82	2	124	8	4	77	35
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	636	149	17	241	15	19	106	61
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	349	104	9	121	7	11	55	34
Other causes of mortality in early infancy—Remainder of 760–778	287	45	8	120	8	8	51	27
Symptoms and ill-defined conditions—780–796	2,488	86	29	103	9	11	173	35
All other diseases—Residual	3,095	736	56	1,518	118	126	614	482
Accidents—E800–E949	1,851	592	51	890	70	115	547	264
Motor vehicle accidents—E810–E823	744	285	21	335	33	55	248	110
All other accidents—E800–E807,E825–E949	1,107	307	30	555	37	60	299	154
Suicide—E950–E959	585	210	4	272	16	28	157	88
Homicide—E960–E978	612	128	11	134	5	4	73	30
Other external causes—E980–E999	149	26	5	66	2	2	35	12

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Provo–Orem, Utah	Pueblo, Colo.	Racine, Wis.	Raleigh, N.C.	Reading, Pa.	Reno, Nev.	Richmond, Va.	Roanoke, Va.
All causes	805	1,039	1,364	1,738	3,107	1,248	4,964	1,881
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	2	–	1	1	3	1	3	1
Tuberculosis, all forms – 010–019	1	2	2	4	7	1	15	4
Tuberculosis of respiratory system – 010–012	1	2	–	3	3	1	9	4
Tuberculosis, other forms – 013–019	–	–	2	1	4	–	6	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	–	1	–	–	–	1
Septicemia – 038	3	7	4	13	8	3	30	4
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	1	–	1	–
Other infective and parasitic diseases – Remainder of 000–136	2	4	5	8	7	3	8	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	124	159	277	322	582	262	977	322
Malignant neoplasms of buccal cavity and pharynx – 140–149	3	2	9	7	9	14	24	5
Malignant neoplasms of digestive organs and peritoneum – 150–159	38	44	77	68	176	71	260	80
Malignant neoplasms of respiratory system – 160–163	18	43	59	73	115	66	258	71
Malignant neoplasm of breast – 174	9	16	21	29	42	18	89	36
Malignant neoplasms of genital organs – 180–187	17	13	40	40	78	26	126	43
Malignant neoplasms of urinary organs – 188,189	2	6	10	17	28	15	40	8
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	22	15	29	55	85	33	104	44
Leukemia – 204–207	7	10	9	13	26	10	27	18
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	8	10	23	20	23	9	49	17
Benign neoplasms and neoplasms of unspecified nature – 210–239	2	5	4	2	6	3	10	2
Diabetes mellitis – 250	17	31	31	29	66	17	76	21
Avitaminoses and other nutritional deficiencies – 260–269	2	2	2	2	3	–	7	6
Anemias – 280–285	1	1	1	1	4	2	12	4
Meningitis – 320	–	–	2	2	1	1	5	3
Major cardiovascular diseases – 390–448	330	508	707	819	1,798	551	2,458	963
Diseases of heart – 390–398,402,404,410–429	240	386	518	569	1,405	396	1,849	675
Active rheumatic fever and chronic rheumatic heart disease – 390–398	13	16	9	13	26	9	20	12
Hypertensive heart disease – 402	1	1	6	3	5	7	14	3
Hypertensive heart and renal disease – 404	–	1	1	6	20	1	20	1
Ischemic heart disease – 410–413	200	349	422	508	1,300	358	1,661	629
Acute myocardial infarction – 410	114	149	175	265	738	180	703	298
Other acute and subacute forms of ischemic heart disease – 411	2	2	3	2	2	–	126	66
Chronic ischemic heart disease – 412	84	198	244	241	559	178	831	265
Angina pectoris – 413	–	–	–	–	1	–	1	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	3	2	1	1	5	1	9	4
All other forms of heart disease – 420–423,425–427,429	23	17	79	38	49	20	125	26

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Provo–Orem, Utah	Pueblo, Colo.	Racine, Wis.	Raleigh, N.C.	Reading, Pa.	Reno, Nev.	Richmond, Va.	Roanoke, Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	2	1	4	4	8	3	16	5
Cerebrovascular diseases—430–438	69	83	145	196	278	119	488	211
Cerebral hemorrhage—431	4	7	16	21	47	16	63	41
Cerebral thrombosis—433	8	29	37	32	72	26	82	44
Cerebral embolism—434	–	–	–	2	1	–	3	1
All other cerebrovascular diseases—430,432,435–438	57	47	92	141	158	77	340	125
Arteriosclerosis—440	11	18	18	26	69	12	50	38
Other diseases of arteries, arterioles, and capillaries—441–448	8	20	22	24	38	21	55	34
Acute bronchitis and bronchiolitis—466	–	1	2	–	1	1	1	1
Influenza and pneumonia—470–474,480–486	29	33	38	50	84	34	145	85
Influenza—470–474	9	1	9	3	8	2	8	1
Pneumonia—480–486	20	32	29	47	76	32	137	84
Bronchitis, emphysema, and asthma—490–493	13	23	17	23	26	26	39	22
Chronic and unqualified bronchitis—490,491	5	2	1	4	3	3	11	4
Emphysema—492	7	20	16	15	20	23	22	17
Asthma—493	1	1	–	4	3	–	6	1
Peptic ulcer—531–533	3	7	3	3	10	6	16	11
Appendicitis—540–543	–	–	–	–	1	1	2	1
Hernia and intestinal obstruction—550–553,560	3	1	5	3	8	2	24	8
Cirrhosis of liver—571	11	23	18	41	37	40	90	36
Cholelithiasis, cholecystitis and cholangitis—574,575	1	5	2	2	4	2	5	1
Nephritis and nephrosis—580–584	5	2	4	9	8	–	23	6
Acute nephritis and nephrotic syndrome—580,581	–	–	1	1	4	–	1	3
Chronic and unqualified nephritis and renal sclerosis—582–584	5	2	3	8	4	–	22	3
Infections of kidney—590	4	3	5	5	6	3	8	1
Hyperplasia of prostate—600	–	1	1	–	1	–	1	–
Complications of pregnancy, childbirth, and the puerperium—630–678	2	1	1	3	–	–	1	1
Abortions—640–645	–	–	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	2	1	1	2	–	–	1	1
Congenital anomalies—740–759	27	3	9	12	15	11	35	10
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	33	18	16	31	23	19	61	34
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	25	8	6	14	12	13	25	17
Other causes of mortality in early infancy—Remainder of 760–778	8	10	10	17	11	6	36	17
Symptoms and ill-defined conditions—780–796	41	5	14	14	11	10	35	23
All other diseases—Residual	66	67	68	140	181	99	413	130
Accidents—E800–E949	69	81	91	135	145	88	283	106
Motor vehicle accidents—E810–E823	28	34	37	66	63	43	112	37
All other accidents—E800–E807,E825–E949	41	47	54	69	82	45	171	69
Suicide—E950–E959	7	35	21	28	44	46	90	39
Homicide—E960–E978	3	11	12	29	14	12	89	31
Other external causes—E980–E999	4	–	1	6	2	4	1	2

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Sacramento, Calif.	Saginaw, Mich.	St. Joseph, Mo.	St. Louis, Mo.–Ill.	Salem, Oreg.
All causes	540	7,125	2,014	6,781	1,778	1,047	21,770	1,929
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	–	7	–	2	1	–	16	4
Tuberculosis, all forms – 010–019	–	8	3	13	–	2	36	5
Tuberculosis of respiratory system – 010–012	–	7	2	10	–	–	25	3
Tuberculosis, other forms – 013–019	–	1	1	3	–	2	11	2
Whooping cough – 033	–	–	–	–	–	–	1	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	1	–	–	–	–	2	–
Septicemia – 038	–	40	6	31	2	1	63	2
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	2	–	–	4	–
Other infective and parasitic diseases – Remainder of 000–136	2	7	4	16	3	3	40	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	121	1,472	406	1,417	318	211	4,343	355
Malignant neoplasms of buccal cavity and pharynx – 140–149	–	27	3	30	6	–	102	4
Malignant neoplasms of digestive organs and peritoneum – 150–159	40	437	104	368	75	59	1,145	101
Malignant neoplasms of respiratory system – 160–163	21	350	91	380	70	49	1,062	80
Malignant neoplasm of breast – 174	15	136	34	120	34	18	406	27
Malignant neoplasms of genital organs – 180–187	14	150	53	140	43	29	520	46
Malignant neoplasms of urinary organs – 188,189	6	81	21	68	18	13	204	17
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	8	144	43	172	38	24	532	41
Leukemia – 204–207	5	64	27	56	13	4	177	17
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	12	83	30	83	21	15	195	22
Benign neoplasms and neoplasms of unspecified nature – 210–239	2	27	4	18	6	2	46	3
Diabetes mellitus – 250	8	132	31	94	38	16	483	39
Avitaminoses and other nutritional deficiencies – 260–269	–	10	4	10	5	4	23	4
Anemias – 280–285	1	7	5	9	2	2	33	3
Meningitis – 320	–	6	–	7	3	–	12	–
Major cardiovascular diseases – 390–448	229	3,638	1,067	3,246	941	567	11,241	1,041
Diseases of heart – 390–398,402,404,410–429	172	2,750	753	2,394	676	410	8,443	777
Active rheumatic fever and chronic rheumatic heart disease – 390–398	6	72	22	51	9	8	154	18
Hypertensive heart disease – 402	5	21	5	19	7	3	92	3
Hypertensive heart and renal disease – 404	–	6	1	2	10	4	66	9
Ischemic heart disease – 410–413	151	2,492	686	2,185	596	362	7,685	703
Acute myocardial infarction – 410	53	1,163	370	976	318	165	3,711	296
Other acute and subacute forms of ischemic heart disease – 411	2	170	–	6	2	1	12	1
Chronic ischemic heart disease – 412	96	1,158	316	1,203	276	196	3,960	406
Angina pectoris – 413	–	1	–	–	–	–	2	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	–	17	5	9	2	5	40	3
All other forms of heart disease – 420–423,425–427,429	10	142	34	128	52	28	406	41

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Sacramento, Calif.	Saginaw, Mich.	St. Joseph, Mo.	St. Louis, Mo.–Ill.	Salem, Oreg.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	3	26	13	22	8	3	99	3
Cerebrovascular diseases—430–438	43	659	220	645	191	118	2,109	186
Cerebral hemorrhage—431	12	110	22	71	15	14	345	25
Cerebral thrombosis—433	11	152	42	111	47	26	665	29
Cerebral embolism—434	–	1	1	1	–	1	12	–
All other cerebrovascular diseases—430,432,435–438	20	396	155	462	129	77	1,087	132
Arteriosclerosis—440	4	92	52	87	40	23	317	50
Other diseases of arteries, arterioles, and capillaries—441–448	7	111	29	98	26	13	273	25
Acute bronchitis and bronchiolitis—466	–	1	–	7	1	2	7	1
Influenza and pneumonia—470–474,480–486	18	271	59	190	41	22	592	39
Influenza—470–474	2	9	10	14	2	3	26	9
Pneumonia—480–486	16	262	49	176	39	19	566	30
Bronchitis, emphysema, and asthma—490–493	6	107	34	112	25	11	257	23
Chronic and unqualified bronchitis—490,491	1	23	5	22	5	3	47	4
Emphysema—492	5	75	28	82	15	7	186	19
Asthma—493	–	9	1	8	5	1	24	–
Peptic ulcer—531–533	3	28	9	24	5	3	91	4
Appendicitis—540–543	–	4	–	3	1	1	9	1
Hernia and intestinal obstruction—550–553,560	–	27	6	14	11	3	64	4
Cirrhosis of liver—571	7	113	27	181	33	7	275	16
Cholelithiasis, cholecystitis and cholangitis—574,575	4	13	5	10	2	5	38	4
Nephritis and nephrosis—580–584	6	35	8	23	7	1	97	3
Acute nephritis and nephrotic syndrome—580,581	1	11	–	11	1	1	23	1
Chronic and unqualified nephritis and renal sclerosis—582–584	5	24	8	12	6	–	74	2
Infections of kidney—590	1	23	9	17	2	1	52	5
Hyperplasia of prostate—600	–	4	4	1	1	–	15	3
Complications of pregnancy, childbirth, and the puerperium—630–678	–	2	–	1	1	–	4	–
Abortions—640–645	–	–	–	–	–	–	2	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	2	–	1	1	–	2	–
Congenital anomalies—740–759	5	44	11	63	21	11	151	15
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	7	77	26	67	30	7	316	29
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	2	34	16	35	13	5	187	13
Other causes of mortality in early infancy—Remainder of 760–778	5	43	10	32	17	2	129	16
Symptoms and ill-defined conditions—780–796	11	44	12	48	11	50	408	43
All other diseases—Residual	55	484	129	453	98	60	1,335	118
Accidents—E800–E949	40	317	106	432	102	43	1,013	125
Motor vehicle accidents—E810–E823	20	146	47	212	52	17	462	53
All other accidents—E800–E807,E825–E949	20	171	59	220	50	26	551	72
Suicide—E950–E959	12	102	25	172	16	10	234	24
Homicide—E960–E978	–	44	11	76	45	2	391	9
Other external causes—E980–E999	2	30	3	22	6	–	78	4

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Salinas–Monterey, Calif.	Salt Lake City, Utah	San Angelo, Tex.	San Antonio, Tex.	San Bernardino–Riverside–Ontario, Calif.	San Diego, Calif.	San Francisco–Oakland, Calif.	San Jose, Calif.
All causes	1,902	3,713	729	6,599	10,936	11,434	27,048	6,848
Bacillary dysentery and amebiasis – 004,006	–	–	–	1	1	1	–	–
Enteritis and other diarrheal diseases – 008,009	5	8	1	10	14	10	17	7
Tuberculosis, all forms – 010–019	1	3	2	19	9	19	28	7
Tuberculosis of respiratory system – 010–012	1	1	1	16	6	12	19	4
Tuberculosis, other forms – 013–019	–	2	1	3	3	7	9	3
Whooping cough – 033	–	–	–	1	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	2	–	3	–	1	5	2
Septicemia – 038	3	13	4	54	14	20	67	11
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	1	1	–	1	1
Syphilis and its sequelae – 090–097	–	1	–	3	–	3	6	2
Other infective and parasitic diseases – Remainder of 000–136	5	8	1	19	22	37	61	21
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	355	612	122	1,275	2,153	2,370	5,860	1,454
Malignant neoplasms of buccal cavity and pharynx – 140–149	4	12	4	28	42	49	177	31
Malignant neoplasms of digestive organs and peritoneum – 150–159	104	165	31	378	542	607	1,705	382
Malignant neoplasms of respiratory system – 160–163	93	105	25	319	525	571	1,367	356
Malignant neoplasm of breast – 174	20	50	15	85	174	207	556	142
Malignant neoplasms of genital organs – 180–187	41	89	9	141	269	272	623	160
Malignant neoplasms of urinary organs – 188,189	15	26	6	38	99	118	244	56
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	48	99	22	151	276	283	626	171
Leukemia – 204–207	18	33	3	65	104	100	227	75
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	12	33	7	70	122	163	335	81
Benign neoplasms and neoplasms of unspecified nature – 210–239	7	22	2	14	38	40	97	28
Diabetes mellitus – 250	19	64	12	166	143	129	299	96
Avitaminoses and other nutritional deficiencies – 260–269	1	8	3	12	21	15	35	12
Anemias – 280–285	1	6	1	7	13	12	35	7
Meningitis – 320	2	7	1	13	4	12	19	4
Major cardiovascular diseases – 390–448	845	1,639	385	2,998	5,450	5,510	13,051	3,208
Diseases of heart – 390–398,402,404,410–429	568	1,197	224	2,129	3,822	3,810	9,374	2,271
Active rheumatic fever and chronic rheumatic heart disease – 390–398	15	53	1	38	114	98	227	51
Hypertensive heart disease – 402	2	10	3	28	47	35	68	14
Hypertensive heart and renal disease – 404	2	5	1	12	28	21	25	5
Ischemic heart disease – 410–413	518	1,023	199	1,820	3,460	3,498	8,667	2,108
Acute myocardial infarction – 410	283	446	129	996	1,654	1,728	3,461	884
Other acute and subacute forms of ischemic heart disease – 411	4	66	–	8	16	13	14	7
Chronic ischemic heart disease – 412	231	511	70	816	1,789	1,757	5,189	1,217
Angina pectoris – 413	–	–	–	–	1	–	3	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	4	13	–	12	14	28	53	7
All other forms of heart disease – 420–423,425–427,429	27	93	20	219	159	130	334	86

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Salinas–Monterey, Calif. *	Salt Lake City, Utah	San Angelo, Tex.	San Antonio, Tex.	San Bernardino–Riverside–Ontario, Calif.	San Diego, Calif.	San Francisco–Oakland, Calif.	San Jose, Calif.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	5	10	3	17	29	42	61	22
Cerebrovascular diseases—430–438	203	351	140	679	1,239	1,259	2,774	725
Cerebral hemorrhage—431	33	40	7	87	143	137	351	65
Cerebral thrombosis—433	36	82	27	129	346	303	838	151
Cerebral embolism—434	–	3	–	3	3	4	11	2
All other cerebrovascular diseases—430,432,435–438	134	226	106	460	747	815	1,574	507
Arteriosclerosis—440	39	33	9	103	191	183	424	98
Other diseases of arteries, arterioles, and capillaries—441–448	30	48	9	70	169	216	418	92
Acute bronchitis and bronchiolitis—466	1	1	–	1	7	6	21	4
Influenza and pneumonia—470–474,480–486	80	123	17	207	358	316	749	209
Influenza—470–474	–	15	–	6	20	39	39	9
Pneumonia—480–486	80	108	17	201	338	277	710	200
Bronchitis, emphysema, and asthma—490–493	36	70	18	90	214	216	390	100
Chronic and unqualified bronchitis—490,491	4	17	4	15	35	45	85	22
Emphysema—492	30	48	14	66	162	162	279	68
Asthma—493	2	5	–	9	17	9	26	10
Peptic ulcer—531–533	7	13	1	8	52	56	115	21
Appendicitis—540–543	–	1	2	3	7	8	9	1
Hernia and intestinal obstruction—550–553,560	6	14	5	18	43	39	116	18
Cirrhosis of liver—571	45	66	10	119	235	291	853	179
Cholelithiasis, cholecystitis and cholangitis—574,575	2	7	3	12	22	13	35	8
Nephritis and nephrosis—580–584	4	14	–	32	35	31	70	15
Acute nephritis and nephrotic syndrome—580,581	2	4	–	8	6	6	13	4
Chronic and unqualified nephritis and renal sclerosis—582–584	2	10	–	24	29	25	57	11
Infections of kidney—590	3	5	–	21	27	31	52	13
Hyperplasia of prostate—600	2	1	1	1	8	4	16	3
Complications of pregnancy, childbirth, and the puerperium—630–678	–	1	–	2	4	3	8	1
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	1	–	2	4	3	8	1
Congenital anomalies—740–759	18	62	7	73	93	100	172	70
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	35	87	12	102	110	154	227	119
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	19	55	6	60	70	83	132	65
Other causes of mortality in early infancy—Remainder of 760–778	16	32	6	42	40	71	95	54
Symptoms and ill-defined conditions—780–796	12	124	11	127	91	64	123	34
All other diseases—Residual	145	345	52	522	739	736	1,843	469
Accidents—E800–E949	201	276	44	386	683	764	1,589	430
Motor vehicle accidents—E810–E823	95	119	20	195	329	296	533	208
All other accidents—E800–E807,E825–E949	106	157	24	191	354	468	1,056	222
Suicide—E950–E959	38	85	5	109	205	280	670	218
Homicide—E960–E978	22	18	7	165	94	120	324	68
Other external causes—E980–E999	1	7	–	5	26	23	85	8

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Santa Barbara, Calif.	Santa Rosa, Calif.	Savannah, Ga.	Scranton, Pa.	Seattle-Everett, Wash.	Sherman-Denison, Tex.	Shreveport, La.	Sioux City, Iowa-Nebr.
All causes	2,116	2,368	1,810	2,953	11,235	974	2,844	1,188
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	4	5	2	–	12	–	1	–
Tuberculosis, all forms – 010-019	1	4	6	9	13	1	14	–
Tuberculosis of respiratory system – 010-012	1	3	5	8	9	1	8	–
Tuberculosis, other forms – 013-019	–	1	1	1	4	–	6	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	1	1	–	–	–	–	–
Septicemia – 038	3	8	6	1	32	–	16	2
Acute poliomyelitis – 040-043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090-097	–	–	–	–	1	–	1	–
Other infective and parasitic diseases – Remainder of 000-136	6	3	3	3	17	3	13	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140-209	440	506	322	537	2,297	172	510	244
Malignant neoplasms of buccal cavity and pharynx – 140-149	8	9	14	16	57	4	14	4
Malignant neoplasms of digestive organs and peritoneum – 150-159	116	134	83	149	615	50	136	67
Malignant neoplasms of respiratory system – 160-163	89	129	77	103	532	51	136	58
Malignant neoplasm of breast – 174	49	38	26	49	217	10	32	26
Malignant neoplasms of genital organs – 180-187	52	62	33	65	276	12	64	28
Malignant neoplasms of urinary organs – 188,189	22	17	13	25	103	14	15	17
Malignant neoplasms of all other and unspecified sites – 170-173,190-199	57	68	48	88	280	10	68	18
Leukemia – 204-207	20	19	13	14	97	7	20	10
Other neoplasms of lymphatic and hematopoietic tissues – 200-203,208,209	27	30	15	28	120	14	25	16
Benign neoplasms and neoplasms of unspecified nature – 210-239	8	11	4	7	30	2	7	3
Diabetes mellitis – 250	24	38	26	69	183	8	66	30
Avitaminoses and other nutritional deficiencies – 260-269	3	4	10	7	11	–	5	1
Anemias – 280-285	3	4	1	4	17	2	5	1
Meningitis – 320	1	1	–	–	5	–	2	–
Major cardiovascular diseases – 390-448	1,112	1,175	923	1,679	5,597	537	1,421	605
Diseases of heart – 390-398,402,404,410-429	760	850	650	1,349	4,032	393	1,015	443
Active rheumatic fever and chronic rheumatic heart disease – 390-398	16	30	8	38	93	1	16	6
Hypertensive heart disease – 402	1	7	14	26	45	4	31	6
Hypertensive heart and renal disease – 404	7	6	7	12	15	–	4	1
Ischemic heart disease – 410-413	704	750	586	1,173	3,613	343	856	399
Acute myocardial infarction – 410	295	402	322	576	1,509	188	358	230
Other acute and subacute forms of ischemic heart disease – 411	2	2	2	5	14	–	1	3
Chronic ischemic heart disease – 412	407	346	262	592	2,089	155	497	166
Angina pectoris – 413	–	–	–	–	1	–	–	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	3	10	5	52	16	7	25	10
All other forms of heart disease – 420-423,425-427,429	29	47	30	48	250	38	83	21

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Santa Barbara, Calif.	Santa Rosa, Calif.	Savannah, Ga.	Scranton, Pa.	Seattle–Everett, Wash.	Sherman–Denison, Tex.	Shreveport, La.	Sioux City, Iowa–Nebr.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	7	6	8	5	29	2	14	6
Cerebrovascular diseases—430–438	280	237	224	228	1,171	104	328	122
Cerebral hemorrhage—431	32	21	49	48	125	13	31	17
Cerebral thrombosis—433	69	44	61	65	291	28	62	37
Cerebral embolism—434	–	2	–	2	2	–	4	–
All other cerebrovascular diseases—430,432,435–438	179	170	114	113	753	63	231	68
Arteriosclerosis—440	22	42	22	62	205	20	17	18
Other diseases of arteries, arterioles, and capillaries—441–448	43	40	19	35	160	18	47	16
Acute bronchitis and bronchiolitis—466	2	1	–	1	3	–	2	–
Influenza and pneumonia—470–474,480–486	55	94	57	41	383	26	62	44
Influenza—470–474	4	6	3	3	31	3	6	9
Pneumonia—480–486	51	88	54	38	352	23	56	35
Bronchitis, emphysema, and asthma—490–493	35	46	16	43	159	8	37	33
Chronic and unqualified bronchitis—490,491	4	7	5	7	37	3	5	4
Emphysema—492	31	37	11	32	106	4	30	28
Asthma—493	–	2	–	4	16	1	2	1
Peptic ulcer—531–533	5	9	4	8	43	2	15	6
Appendicitis—540–543	1	–	1	1	7	–	–	–
Hernia and intestinal obstruction—550–553,560	5	7	8	8	35	5	12	8
Cirrhosis of liver—571	39	58	25	48	262	11	34	16
Cholelithiasis, cholecystitis and cholangitis—574,575	2	3	4	4	10	–	3	4
Nephritis and nephrosis—580–584	6	3	5	12	38	3	23	4
Acute nephritis and nephrotic syndrome—580,581	2	–	3	5	7	1	3	1
Chronic and unqualified nephritis and renal sclerosis—582–584	4	3	2	7	31	2	20	3
Infections of kidney—590	2	2	6	6	15	5	14	–
Hyperplasia of prostate—600	–	3	1	1	4	–	1	–
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	–	2	–	3	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	–	2	–	3	–
Congenital anomalies—740–759	19	10	11	22	68	7	25	3
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	24	12	23	12	126	6	46	20
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	11	10	13	5	72	4	24	12
Other causes of mortality in early infancy—Remainder of 760–778	13	2	10	7	54	2	22	B
Symptoms and ill-defined conditions—780–796	7	10	18	64	146	57	29	B
All other diseases—Residual	120	151	133	251	784	58	211	62
Accidents—E800–E949	111	121	122	89	597	43	170	76
Motor vehicle accidents—E810–E823	44	61	49	32	254	24	74	34
All other accidents—E800–E807,E825–E949	67	60	73	57	343	19	96	42
Suicide—E950–E959	64	53	24	24	218	11	34	12
Homicide—E960–E978	13	24	48	1	86	7	62	3
Other external causes—E980–E999	1	1	–	1	34	–	–	–

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 — Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Sioux Falls, S. Dak.	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield-Holyoke, Mass.	Steubenville-Weirton, Ohio-W. Va.
All causes	807	2,521	2,831	1,642	1,573	1,424	5,273	1,705
Bacillary dysentery and amebiasis — 004,006	–	–	–	–	–	–	–	–
Enteritis and other diarrheal diseases — 008,009	6	3	3	–	1	1	1	–
Tuberculosis, all forms — 010-019	1	1	8	4	1	5	6	2
Tuberculosis of respiratory system — 010-012	1	1	7	3	1	5	6	2
Tuberculosis, other forms — 013-019	–	–	1	1	–	–	–	–
Whooping cough — 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever — 034	–	–	1	–	–	–	–	–
Meningococcal infections — 036	–	1	1	–	1	1	–	–
Septicemia — 038	1	3	7	2	3	2	10	7
Acute poliomyelitis — 040-043	–	–	–	–	–	–	–	–
Measles — 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae — 090-097	–	–	–	–	2	–	–	1
Other infective and parasitic diseases — Remainder of 000-136	–	2	2	3	3	2	9	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues — 140-209	166	498	524	339	278	293	1,114	323
Malignant neoplasms of buccal cavity and pharynx — 140-149	4	12	4	4	6	9	36	10
Malignant neoplasms of digestive organs and peritoneum — 150-159	51	112	132	89	64	77	322	99
Malignant neoplasms of respiratory system — 160-163	28	120	132	102	71	78	240	71
Malignant neoplasm of breast — 174	12	47	41	31	21	31	103	22
Malignant neoplasms of genital organs — 180-187	30	61	62	42	42	37	131	37
Malignant neoplasms of urinary organs — 188,189	8	31	21	14	12	12	37	10
Malignant neoplasms of all other and unspecified sites — 170-173,190-199	16	62	71	30	39	31	149	39
Leukemia — 204-207	7	22	27	12	11	6	28	21
Other neoplasms of lymphatic and hematopoietic tissues — 200-203,208,209	10	31	34	15	12	12	68	14
Benign neoplasms and neoplasms of unspecified nature — 210-239	4	9	9	4	3	5	22	5
Diabetes mellitus — 250	9	43	46	29	21	30	129	55
Avitaminoses and other nutritional deficiencies — 260-269	–	1	6	1	2	–	10	4
Anemias — 280-285	–	5	3	1	–	4	6	3
Meningitis — 320	1	1	–	–	1	1	3	2
Major cardiovascular diseases — 390-448	418	1,387	1,482	886	790	744	2,785	916
Diseases of heart — 390-398,402,404,410-429	281	958	1,001	621	547	529	2,052	670
Active rheumatic fever and chronic rheumatic heart disease — 390-398	3	28	26	11	19	5	41	11
Hypertensive heart disease — 402	2	4	10	4	3	5	15	6
Hypertensive heart and renal disease — 404	2	4	32	5	3	4	11	2
Ischemic heart disease — 410-413	264	887	832	576	502	479	1,884	622
Acute myocardial infarction — 410	132	488	478	232	249	263	773	375
Other acute and subacute forms of ischemic heart disease — 411	–	5	2	1	–	3	1	1
Chronic ischemic heart disease — 412	132	394	352	343	253	212	1,110	246
Angina pectoris — 413	–	–	–	–	–	1	–	–
Chronic disease of endocardium and other myocardial insufficiency — 424,428	1	5	4	5	–	4	7	1
All other forms of heart disease — 420-423,425-427,429	9	30	97	20	20	32	94	28

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Sioux Falls, S. Dak.	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield–Holyoke, Mass.	Steubenville–Weirton, Ohio–W. Va.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	2	5	6	11	7	9	17	7
Cerebrovascular diseases—430–438	92	332	340	201	173	168	565	181
Cerebral hemorrhage—431	16	45	47	21	19	20	72	37
Cerebral thrombosis—433	13	78	53	84	24	73	261	43
Cerebral embolism—434	1	2	1	1	1	1	1	3
All other cerebrovascular diseases—430,432,435–438	62	207	239	95	129	74	231	98
Arteriosclerosis—440	27	49	96	25	38	19	80	34
Other diseases of arteries, arterioles, and capillaries—441–448	16	43	39	28	25	19	71	24
Acute bronchitis and bronchiolitis—466	1	2	2	3	1	1	1	–
Influenza and pneumonia—470–474,480–486	30	63	92	32	32	57	179	56
Influenza—470–474	6	5	12	2	6	5	2	6
Pneumonia—480–486	24	58	80	30	26	52	177	50
Bronchitis, emphysema, and asthma—490–493	14	31	53	34	24	24	58	26
Chronic and unqualified bronchitis—490,491	1	7	3	5	12	5	10	6
Emphysema—492	12	22	48	27	11	19	46	19
Asthma—493	1	2	2	2	1	–	2	1
Peptic ulcer—531–533	1	10	14	8	8	3	13	2
Appendicitis—540–543	–	–	2	1	–	–	3	1
Hernia and intestinal obstruction—550–553,560	3	9	14	6	5	2	16	10
Cirrhosis of liver—571	11	26	48	23	19	23	115	27
Cholelithiasis, cholecystitis and cholangitis—574,575	4	3	3	3	6	3	14	4
Nephritis and nephrosis—580–584	5	6	2	2	2	–	17	7
Acute nephritis and nephrotic syndrome—580,581	1	–	1	–	–	–	3	3
Chronic and unqualified nephritis and renal sclerosis—582–584	4	6	1	2	2	–	14	4
Infections of kidney—590	2	3	5	2	–	5	6	2
Hyperplasia of prostate—600	1	3	1	2	–	–	2	2
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	1	–	–	–	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	1	–	–	–	–
Congenital anomalies—740–759	9	18	24	5	7	10	24	12
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	13	32	46	23	19	28	56	27
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	6	14	21	11	11	8	28	18
Other causes of mortality in early infancy—Remainder of 760–778	7	18	25	12	8	20	28	9
Symptoms and ill-defined conditions—780–796	6	33	35	33	108	9	54	11
All other diseases—Residual	46	128	177	83	110	87	311	108
Accidents—E800–E949	41	153	147	82	77	53	246	57
Motor vehicle accidents—E810–E823	18	77	62	25	39	16	85	15
All other accidents—E800–E807,E825–E949	23	76	85	57	38	37	161	42
Suicide—E950–E959	11	22	53	9	33	22	49	18
Homicide—E960–E978	1	22	17	14	7	8	11	4
Other external causes—E980–E999	2	3	4	7	9	1	3	7

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa–St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.–Ark.	Toledo, Ohio–Mich.
All causes	2,822	5,472	3,373	712	15,278	2,027	1,058	6,426
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	1	–	–	–
Enteritis and other diarrheal diseases – 008,009	2	4	2	–	12	5	1	3
Tuberculosis, all forms – 010–019	6	12	2	4	25	6	4	5
Tuberculosis of respiratory system – 010–012	5	7	1	3	18	6	4	5
Tuberculosis, other forms – 013–019	1	5	1	1	7	–	–	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	–	–	–	2	–	–	–
Septicemia – 038	5	15	4	3	30	4	2	9
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	–	–	–	–	–	2
Other infective and parasitic diseases – Remainder of 000–136	5	4	8	3	24	3	7	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	535	1,165	644	147	3,051	384	192	1,216
Malignant neoplasms of buccal cavity and pharynx – 140–149	6	19	14	3	79	14	1	25
Malignant neoplasms of digestive organs and peritoneum – 150–159	147	365	169	31	830	105	57	328
Malignant neoplasms of respiratory system – 160–163	142	278	159	31	770	98	55	334
Malignant neoplasm of breast – 174	36	110	64	7	254	21	8	116
Malignant neoplasms of genital organs – 180–187	66	129	73	32	384	44	25	128
Malignant neoplasms of urinary organs – 188,189	28	46	35	4	138	17	4	61
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	60	112	72	23	334	50	19	106
Leukemia – 204–207	25	47	21	4	120	20	13	57
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	25	59	37	12	142	15	10	61
Benign neoplasms and neoplasms of unspecified nature – 210–239	5	8	11	2	24	2	2	12
Diabetes mellitus – 250	59	96	57	6	197	51	10	156
Avitaminoses and other nutritional deficiencies – 260–269	9	6	2	–	34	6	–	11
Anemias – 280–285	4	7	3	3	26	4	2	10
Meningitis – 320	4	4	2	–	6	–	3	6
Major cardiovascular diseases – 390–448	1,370	2,939	1,760	282	8,021	1,106	520	3,471
Diseases of heart – 390–398,402,404,410–429	968	2,210	1,263	189	5,472	741	361	2,578
Active rheumatic fever and chronic rheumatic heart disease – 390–398	24	43	26	13	105	14	4	57
Hypertensive heart disease – 402	17	31	14	5	27	5	16	27
Hypertensive heart and renal disease – 404	10	7	4	1	25	14	–	11
Ischemic heart disease – 410–413	869	1,905	1,156	139	5,087	659	239	2,386
Acute myocardial infarction – 410	334	925	658	70	2,252	383	146	1,275
Other acute and subacute forms of ischemic heart disease – 411	1	3	13	3	13	3	1	7
Chronic ischemic heart disease – 412	534	976	485	66	2,818	273	92	1,103
Angina pectoris – 413	–	1	–	–	4	–	–	1
Chronic disease of endocardium and other myocardial insufficiency – 424,428	15	3	4	1	15	8	2	7
All other forms of heart disease – 420–423,425–427,429	33	221	59	30	213	41	100	90

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa–St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.–Ark.	Toledo, Ohio–Mich.
Major cardiovascular diseases – Con.								
Hypertension – 400,401,403	9	15	9	4	49	9	4	30
Cerebrovascular diseases – 430–438	322	560	377	73	2,023	262	132	658
Cerebral hemorrhage – 431	41	73	36	12	179	55	14	82
Cerebral thrombosis – 433	83	150	93	11	640	91	30	214
Cerebral embolism – 434	5	1	1	–	9	1	–	10
All other cerebrovascular diseases – 430,432,435–438	193	336	247	50	1,195	115	88	352
Arteriosclerosis – 440	35	81	62	9	236	61	14	104
Other diseases of arteries, arterioles, and capillaries – 441–448	36	73	49	7	241	33	9	101
Acute bronchitis and bronchiolitis – 466	–	1	–	–	8	1	–	2
Influenza and pneumonia – 470–474,480–486	80	128	80	25	466	66	30	156
Influenza – 470–474	5	5	13	3	32	10	1	14
Pneumonia – 480–486	75	123	67	22	434	56	29	142
Bronchitis, emphysema, and asthma – 490–493	37	83	50	8	283	32	19	164
Chronic and unqualified bronchitis – 490,491	9	15	12	2	49	5	1	39
Emphysema – 492	27	61	35	5	224	26	15	120
Asthma – 493	1	7	3	1	10	1	3	5
Peptic ulcer – 531–533	17	30	14	3	48	6	1	17
Appendicitis – 540–543	1	5	–	–	9	2	1	3
Hernia and intestinal obstruction – 550–553,560	4	15	8	1	45	5	3	29
Cirrhosis of liver – 571	70	73	62	8	259	21	12	102
Cholelithiasis, cholecystitis and cholangitis – 574,575	10	12	6	–	27	2	1	9
Nephritis and nephrosis – 580–584	8	21	15	3	65	7	3	19
Acute nephritis and nephrotic syndrome – 580,581	3	3	1	1	15	2	1	7
Chronic and unqualified nephritis and renal sclerosis – 582–584	5	18	14	2	50	5	2	12
Infections of kidney – 590	5	7	5	2	41	5	7	23
Hyperplasia of prostate – 600	–	5	–	–	7	2	1	2
Complications of pregnancy, childbirth, and the puerperium – 630–678	–	–	–	2	1	–	–	2
Abortions – 640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium – 630–639,650–678	–	–	–	2	1	–	–	2
Congenital anomalies – 740–759	19	29	31	6	53	6	8	41
Certain causes of mortality in early infancy – 760–769.2,769.4–772,774–778	22	75	48	15	123	18	14	85
Birth injury, difficult labor, and other anoxic and hypoxic conditions – 764–768,772,776	15	39	22	8	74	11	7	39
Other causes of mortality in early infancy – Remainder of 760–778	7	36	26	7	49	7	7	46
Symptoms and ill-defined conditions – 780–796	28	38	29	31	503	18	67	28
All other diseases – Residual	214	363	195	65	893	132	61	333
Accidents – E800–E949	242	240	233	58	568	98	61	312
Motor vehicle accidents – E810–E823	115	106	102	29	241	38	31	114
All other accidents – E800–E807,E825–E949	127	134	131	29	327	60	30	198
Suicide – E950–E959	44	62	63	17	260	22	12	111
Homicide – E960–E978	14	14	33	16	148	12	12	64
Other external causes – E980–E999	3	11	6	2	18	1	2	12

Table 7-8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica-Rome, N.Y.	Vallejo-Napa, Calif.
All causes	1,320	2,665	3,519	4,409	1,080	1,052	3,276	2,109
Bacillary dysentery and amebiasis—004,006	-	-	1	-	-	-	-	-
Enteritis and other diarrheal diseases—008,009	1	3	5	6	3	1	2	3
Tuberculosis, all forms—010-019	4	4	6	6	4	-	6	3
Tuberculosis of respiratory system—010-012	3	2	3	3	2	-	4	3
Tuberculosis, other forms—013-019	1	2	3	3	2	-	2	-
Whooping cough—033	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever—034	-	-	-	-	-	-	-	-
Meningococcal infections—036	-	-	-	2	-	-	1	-
Septicemia—038	-	10	14	10	4	3	2	7
Acute poliomyelitis—040-043	-	-	-	-	-	-	-	-
Measles—055	1	-	-	-	-	-	-	-
Syphilis and its sequelae—090-097	-	-	-	1	-	-	1	-
Other infective and parasitic diseases—Remainder of 000-136	2	4	22	12	2	2	4	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-209	253	564	709	866	193	206	613	438
Malignant neoplasms of buccal cavity and pharynx—140-149	3	17	17	20	5	2	12	11
Malignant neoplasms of digestive organs and peritoneum—150-159	80	175	167	196	49	53	209	111
Malignant neoplasms of respiratory system—160-163	52	146	185	232	44	63	122	110
Malignant neoplasm of breast—174	26	45	58	69	16	14	64	42
Malignant neoplasms of genital organs—180-187	26	64	80	94	26	22	77	47
Malignant neoplasms of urinary organs—188,189	17	24	27	41	6	4	31	19
Malignant neoplasms of all other and unspecified sites—170-173,190-199	30	59	98	119	20	25	57	55
Leukemia—204-207	9	15	31	44	11	8	18	18
Other neoplasms of lymphatic and hematopoietic tissues—200-203,208,209	10	19	46	51	16	15	23	25
Benign neoplasms and neoplasms of unspecified nature—210-239	1	4	8	9	-	3	9	9
Diabetes mellitis—250	21	51	36	59	29	18	63	27
Avitaminoses and other nutritional deficiencies—260-269	2	7	3	7	1	1	5	-
Anemias—280-285	5	4	9	6	-	4	5	6
Meningitis—320	-	3	2	7	-	5	-	-
Major cardiovascular diseases—390-448	696	1,406	1,589	2,150	527	557	1,861	1,005
Diseases of heart—390-398,402,404,410-429	480	1,023	1,209	1,560	325	392	1,389	736
Active rheumatic fever and chronic rheumatic heart disease—390-398	6	15	37	18	4	1	27	14
Hypertensive heart disease—402	1	11	14	15	2	5	12	4
Hypertensive heart and renal disease—404	2	5	2	2	3	1	12	3
Ischemic heart disease—410-413	440	960	1,103	1,396	276	325	1,282	683
Acute myocardial infarction—410	213	370	464	843	149	194	699	374
Other acute and subacute forms of ischemic heart disease—411	-	4	8	16	-	5	5	2
Chronic ischemic heart disease—412	227	586	631	537	127	126	577	307
Angina pectoris—413	-	-	-	-	-	-	1	-
Chronic disease of endocardium and other myocardial insufficiency—424,428	5	5	3	9	-	3	15	2
All other forms of heart disease—420-423,425-427,429	26	27	50	120	40	57	41	30

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica–Rome, N.Y.	Vallejo–Napa, Calif.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	2	13	7	12	11	4	12	5
Cerebrovascular diseases—430–438	164	287	282	479	172	130	343	221
Cerebral hemorrhage—431	30	80	33	42	25	17	79	35
Cerebral thrombosis—433	44	73	57	124	38	36	84	41
Cerebral embolism—434	–	1	1	2	–	1	2	3
All other cerebrovascular diseases—430,432,435–438	90	133	191	311	109	76	178	142
Arteriosclerosis—440	26	49	38	49	10	15	61	14
Other diseases of arteries, arterioles, and capillaries—441–448	24	34	53	50	9	16	56	29
Acute bronchitis and bronchiolitis—466	–	–	–	3	–	–	3	–
Influenza and pneumonia—470–474,480–486	43	61	104	139	15	26	81	68
Influenza—470–474	5	2	3	17	1	3	7	1
Pneumonia—480–486	38	59	101	122	14	23	74	67
Bronchitis, emphysema, and asthma—490–493	24	31	91	54	19	11	65	46
Chronic and unqualified bronchitis—490,491	10	9	23	13	2	2	8	8
Emphysema—492	12	22	56	41	16	7	55	38
Asthma—493	2	–	12	–	1	2	2	–
Peptic ulcer—531–533	1	14	15	11	6	2	14	5
Appendicitis—540–543	–	1	2	3	–	–	–	–
Hernia and intestinal obstruction—550–553,560	5	11	12	17	6	3	16	6
Cirrhosis of liver—571	16	49	79	60	16	5	61	33
Cholelithiasis, cholecystitis and cholangitis—574,575	4	4	4	9	3	–	6	5
Nephritis and nephrosis—580–584	7	9	11	13	11	10	12	7
Acute nephritis and nephrotic syndrome—580,581	3	1	4	1	4	2	1	3
Chronic and unqualified nephritis and renal sclerosis—582–584	4	8	7	12	7	8	11	4
Infections of kidney—590	7	–	8	11	5	5	5	10
Hyperplasia of prostate—600	2	3	3	2	–	–	2	1
Complications of pregnancy, childbirth, and the puerperium—630–678	–	–	–	–	–	–	1	–
Abortions—640–645	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	–	–	–	–	–	–	1	–
Congenital anomalies—740–759	7	22	28	34	5	5	13	17
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	9	40	28	77	17	19	32	27
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	2	21	14	44	13	11	17	14
Other causes of mortality in early infancy—Remainder of 760–778	7	19	14	33	4	8	15	13
Symptoms and ill-defined conditions—780–796	10	62	42	73	46	14	20	6
All other diseases—Residual	93	166	324	349	58	51	177	160
Accidents—E800–E949	66	84	235	256	72	71	140	149
Motor vehicle accidents—E810–E823	24	39	117	101	30	29	64	78
All other accidents—E800–E807,E825–E949	42	45	118	155	42	42	76	71
Suicide—E950–E959	26	19	79	88	8	12	37	42
Homicide—E960–E978	12	18	34	64	30	17	8	22
Other external causes—E980–E999	2	11	16	5	–	1	11	4

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Vineland–Millville–Bridgeton, N.J.	Waco, Tex.	Washington, D.C.–Md.–Va.	Waterloo, Iowa	West Palm Beach, Fla.	Wheeling, W. Va.–Ohio	Wichita, Kans.	Wichita Falls, Tex.
All causes	1,181	1,633	19,190	1,090	5,502	2,149	3,094	1,086
Bacillary dysentery and amebiasis – 004,006	–	–	3	–	–	–	–	–
Enteritis and other diarrheal diseases – 008,009	2	3	14	2	2	1	2	3
Tuberculosis, all forms – 010–019	3	1	45	–	10	2	3	–
Tuberculosis of respiratory system – 010–012	1	1	37	–	9	2	2	–
Tuberculosis, other forms – 013–019	2	–	8	–	1	–	1	–
Whooping cough – 033	–	–	–	–	–	–	–	–
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	–	–
Meningococcal infections – 036	–	2	1	–	–	–	–	–
Septicemia – 038	3	1	104	–	10	9	7	4
Acute poliomyelitis – 040–043	–	–	–	–	–	–	–	–
Measles – 055	–	–	–	–	–	–	–	–
Syphilis and its sequelae – 090–097	–	–	4	–	1	1	–	–
Other infective and parasitic diseases – Remainder of 000–136	3	7	38	3	14	4	11	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	224	315	4,150	197	1,221	413	584	209
Malignant neoplasms of buccal cavity and pharynx – 140–149	3	4	143	3	28	14	14	2
Malignant neoplasms of digestive organs and peritoneum – 150–159	71	93	1,140	66	337	130	140	58
Malignant neoplasms of respiratory system – 160–163	59	80	962	50	315	89	141	58
Malignant neoplasm of breast – 174	16	19	434	14	98	32	57	20
Malignant neoplasms of genital organs – 180–187	25	44	463	20	160	41	76	18
Malignant neoplasms of urinary organs – 188,189	8	14	159	8	55	19	32	7
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	26	42	499	12	111	56	68	23
Leukemia – 204–207	3	9	148	9	48	9	20	11
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	13	10	202	15	69	23	36	12
Benign neoplasms and neoplasms of unspecified nature – 210–239	4	–	68	2	20	5	6	4
Diabetes mellitis – 250	21	25	341	21	92	56	40	15
Avitaminoses and other nutritional deficiencies – 260–269	1	2	22	1	12	5	7	1
Anemias – 280–285	1	4	40	3	9	3	3	5
Meningitis – 320	2	1	33	–	2	–	2	–
Major cardiovascular diseases – 390–448	639	855	8,570	598	2,899	1,176	1,532	531
Diseases of heart – 390–398,402,404,410–429	510	566	6,314	412	2,014	892	1,133	379
Active rheumatic fever and chronic rheumatic heart disease – 390–398	3	2	129	8	50	19	21	3
Hypertensive heart disease – 402	1	3	88	2	19	–	6	8
Hypertensive heart and renal disease – 404	8	–	38	3	7	11	22	–
Ischemic heart disease – 410–413	465	381	5,478	381	1,870	820	1,028	342
Acute myocardial infarction – 410	251	197	1,959	189	866	422	623	197
Other acute and subacute forms of ischemic heart disease – 411	2	–	70	–	35	4	3	–
Chronic ischemic heart disease – 412	211	182	3,448	192	969	394	400	145
Angina pectoris – 413	1	2	1	–	–	–	2	–
Chronic disease of endocardium and other myocardial insufficiency – 424,428	2	3	204	6	9	3	4	1
All other forms of heart disease – 420–423,425–427,429	31	177	377	12	59	39	52	25

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area							
	Vineland–Millville–Bridgeton, N.J.	Waco, Tex.	Washington, D.C.–Md.–Va.	Waterloo, Iowa	West Palm Beach, Fla.	Wheeling, W. Va.–Ohio	Wichita, Kans.	Wichita Falls, Tex.
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	2	12	67	3	22	5	7	5
Cerebrovascular diseases—430–438	97	234	1,570	139	630	219	309	119
Cerebral hemorrhage—431	20	19	233	16	64	49	55	13
Cerebral thrombosis—433	20	53	412	36	209	56	71	35
Cerebral embolism—434	1	1	2	–	4	–	1	–
All other cerebrovascular diseases—430,432,435–438	56	161	923	87	353	114	182	71
Arteriosclerosis—440	9	25	367	20	133	23	34	16
Other diseases of arteries, arterioles, and capillaries—441–448	21	18	252	24	100	37	49	12
Acute bronchitis and bronchiolitis—466	1	–	4	1	–	1	3	–
Influenza and pneumonia—470–474,480–486	20	58	525	25	129	73	112	43
Influenza—470–474	1	–	12	4	7	5	20	4
Pneumonia—480–486	19	58	513	21	122	68	92	39
Bronchitis, emphysema, and asthma—490–493	11	18	208	20	92	45	46	20
Chronic and unqualified bronchitis—490,491	2	3	45	6	19	7	5	4
Emphysema—492	9	15	140	14	66	35	32	14
Asthma—493	–	–	23	–	7	3	9	2
Peptic ulcer—531–533	5	4	66	6	16	7	9	4
Appendicitis—540–543	–	1	10	–	3	–	2	1
Hernia and intestinal obstruction—550–553,560	2	7	68	3	19	7	8	7
Cirrhosis of liver—571	17	21	671	8	127	36	37	14
Cholelithiasis, cholecystitis and cholangitis—574,575	1	1	29	3	6	–	3	3
Nephritis and nephrosis—580–584	7	13	106	4	13	14	4	5
Acute nephritis and nephrotic syndrome—580,581	–	1	20	1	1	4	–	1
Chronic and unqualified nephritis and renal sclerosis—582–584	7	12	86	3	12	10	4	4
Infections of kidney—590	1	3	41	3	12	9	7	6
Hyperplasia of prostate—600	1	1	8	–	2	5	3	1
Complications of pregnancy, childbirth, and the puerperium—630–678	1	–	4	1	1	–	–	–
Abortions—640–645	–	–	1	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	–	3	1	–	–	–	–
Congenital anomalies—740–759	12	8	192	11	27	14	34	9
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	21	24	439	20	55	19	45	16
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	12	13	179	15	27	5	28	7
Other causes of mortality in early infancy—Remainder of 760–778	9	11	260	5	28	14	17	9
Symptoms and ill-defined conditions—780–796	13	17	206	7	24	20	29	15
All other diseases—Residual	58	107	1,345	70	306	126	240	70
Accidents—E800–E949	70	86	990	48	245	77	190	67
Motor vehicle accidents—E810–E823	34	40	389	19	104	19	86	29
All other accidents—E800–E807,E825–E949	36	46	601	29	141	58	104	38
Suicide—E950–E959	15	20	373	22	80	13	65	14
Homicide—E960–E978	19	25	380	9	40	5	43	16
Other external causes—E980–E999	3	3	92	2	13	3	17	–

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975 – Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area						Standard consolidated area	
	Wilkes Barre–Hazleton, Pa.	Wilmington, Del.–N.J.–Md.	Wilmington, N.C.	Worcester, Mass.	York, Pa.	Youngstown–Warren, Ohio	New York, N.Y.–Northeastern New Jersey[1]	Chicago, Ill.–Northwestern Indiana[2]
All causes	4,306	4,056	1,064	6,202	3,009	5,066	146,496	66,923
Bacillary dysentery and amebiasis – 004,006	–	–	–	–	–	–	3	5
Enteritis and other diarrheal diseases – 008,009	5	1	–	7	4	2	119	63
Tuberculosis, all forms – 010–019	12	6	–	6	1	6	361	129
Tuberculosis of respiratory system – 010–012	9	5	–	6	1	5	292	96
Tuberculosis, other forms – 013–019	3	1	–	–	–	1	69	33
Whooping cough – 033	–	–	–	–	–	–	–	1
Streptococcal sore throat and scarlet fever – 034	–	–	–	–	–	–	1	1
Meningococcal infections – 036	–	–	–	2	–	1	12	8
Septicemia – 038	7	17	4	27	8	18	463	165
Acute poliomyelitis – 040–043	–	–	–	–	–	–	2	–
Measles – 055	–	–	–	–	–	–	–	4
Syphilis and its sequelae – 090–097	1	1	–	1	1	1	14	6
Other infective and parasitic diseases – Remainder of 000–136	5	9	4	21	5	5	288	144
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues – 140–209	755	839	211	1,263	656	1,033	31,804	12,979
Malignant neoplasms of buccal cavity and pharynx – 140–149	18	13	12	27	10	15	779	269
Malignant neoplasms of digestive organs and peritoneum – 150–159	260	235	43	383	199	298	9,834	3,812
Malignant neoplasms of respiratory system – 160–163	153	228	59	238	122	230	6,909	3,091
Malignant neoplasm of breast – 174	60	62	19	118	65	89	3,263	1,244
Malignant neoplasms of genital organs – 180–187	76	81	20	142	92	123	3,457	1,422
Malignant neoplasms of urinary organs – 188,189	31	52	7	59	26	67	1,439	568
Malignant neoplasms of all other and unspecified sites – 170–173,190–199	93	90	32	162	77	117	3,371	1,436
Leukemia – 204–207	32	31	8	72	24	46	1,082	500
Other neoplasms of lymphatic and hematopoietic tissues – 200–203,208,209	32	47	11	62	41	48	1,670	637
Benign neoplasms and neoplasms of unspecified nature – 210–239	12	18	4	15	6	13	466	170
Diabetes mellitis – 250	106	114	23	104	48	119	3,091	1,216
Avitaminoses and other nutritional deficiencies – 260–269	6	3	–	4	6	5	127	70
Anemias – 280–285	2	12	5	11	3	3	231	97
Meningitis – 320	1	7	1	6	4	5	112	75
Major cardiovascular diseases – 390–448	2,308	2,108	529	3,380	1,621	2,787	74,874	35,470
Diseases of heart – 390–398,402,404,410–429	1,877	1,669	369	2,571	1,263	2,024	60,532	27,835
Active rheumatic fever and chronic rheumatic heart disease – 390–398	36	21	4	27	25	42	1,195	397
Hypertensive heart disease – 402	23	16	2	21	9	16	566	339
Hypertensive heart and renal disease – 404	25	14	2	13	7	21	145	107
Ischemic heart disease – 410–413	1,687	1,546	338	2,400	1,162	1,836	56,227	24,743
Acute myocardial infarction – 410	817	649	198	992	616	1,144	23,855	12,497
Other acute and subacute forms of ischemic heart disease – 411	2	1	1	5	3	8	102	68
Chronic ischemic heart disease – 412	868	896	139	1,403	542	684	32,267	12,174
Angina pectoris – 413	–	–	–	–	1	–	3	4
Chronic disease of endocardium and other myocardial insufficiency – 424,428	23	9	2	8	6	11	136	114
All other forms of heart disease – 420–423,425–427,429	83	63	21	102	54	98	2,263	2,135

Table 7–8. Deaths From 69 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1975—Con.

[See headnote at beginning of table]

Cause of death	Standard metropolitan statistical area						Standard consolidated area	
	Wilkes Barre–Hazleton, Pa.	Wilmington, Del.–N.J.–Md.	Wilmington, N.C.	Worcester, Mass.	York, Pa.	Youngstown–Warren, Ohio	New York, N.Y.–Northeastern New Jersey[1]	Chicago, Ill.–Northwestern Indiana[2]
Major cardiovascular diseases—Con.								
Hypertension—400,401,403	11	13	6	23	2	21	375	346
Cerebrovascular diseases—430–438	316	282	124	594	253	590	11,032	5,842
Cerebral hemorrhage—431	48	29	14	117	41	83	1,827	1,118
Cerebral thrombosis—433	69	82	36	167	52	177	2,901	1,844
Cerebral embolism—434	3	2	1	3	3	3	54	28
All other cerebrovascular diseases—430,432,435–438	196	169	73	307	157	327	6,250	2,852
Arteriosclerosis—440	55	79	19	101	52	83	1,343	739
Other diseases of arteries, arterioles, and capillaries—441–448	49	65	11	91	51	69	1,592	708
Acute bronchitis and bronchiolitis—466	2	1	–	2	1	2	54	27
Influenza and pneumonia—470–474,480–486	84	89	24	228	54	109	4,704	1,816
Influenza—470–474	2	3	2	3	–	9	68	38
Pneumonia—480–486	82	86	22	225	54	100	4,636	1,778
Bronchitis, emphysema, and asthma—490–493	56	35	10	75	40	71	1,293	685
Chronic and unqualified bronchitis—490,491	9	2	3	24	8	4	282	127
Emphysema—492	42	30	7	45	29	61	833	491
Asthma—493	5	3	–	6	3	6	178	67
Peptic ulcer—531–533	12	9	5	25	9	15	684	233
Appendicitis—540–543	2	1	–	5	2	–	57	28
Hernia and intestinal obstruction—550–553,560	13	11	3	14	9	15	459	199
Cirrhosis of liver—571	75	91	19	105	32	70	3,661	1,380
Cholelithiasis, cholecystitis and cholangitis—574,575	5	6	1	8	4	5	208	88
Nephritis and nephrosis—580–584	18	14	2	21	15	20	802	322
Acute nephritis and nephrotic syndrome—580,581	4	1	–	7	3	7	152	72
Chronic and unqualified nephritis and renal sclerosis—582–584	14	13	2	14	12	13	650	250
Infections of kidney—590	8	8	3	18	5	9	250	153
Hyperplasia of prostate—600	2	1	–	6	2	2	121	49
Complications of pregnancy, childbirth, and the puerperium—630–678	1	–	–	–	–	–	36	12
Abortions—640–645	–	–	–	–	–	–	2	–
Other complications of pregnancy, childbirth, and the puerperium—630–639,650–678	1	–	–	–	–	–	34	12
Congenital anomalies—740–759	16	39	8	36	22	31	838	480
Certain causes of mortality in early infancy—760–769.2,769.4–772,774–778	27	49	22	48	39	61	1,853	1,259
Birth injury, difficult labor, and other anoxic and hypoxic conditions—764–768,772,776	19	28	13	28	25	32	975	777
Other causes of mortality in early infancy—Remainder of 760–778	8	21	9	20	14	29	878	482
Symptoms and ill-defined conditions—780–796	16	25	14	47	7	28	2,142	1,427
All other diseases—Residual	581	230	75	366	186	279	8,522	3,503
Accidents—E800–E949	127	190	69	270	158	197	4,607	2,791
Motor vehicle accidents—E810–E823	65	109	28	117	65	81	1,776	1,055
All other accidents—E800–E807,E825–E949	62	81	41	153	93	116	2,831	1,736
Suicide—E950–E959	33	65	17	61	39	86	1,136	622
Homicide—E960–E978	4	51	11	15	18	63	2,044	1,002
Other external causes—E980–E999	4	6	–	5	4	5	1,057	244

[1] Comprised of four standard metropolitan statistical areas—New York, N.Y.; Newark, N.J.; Jersey City, N.J.; Paterson-Clifton-Passaic, N.J.—and two nonmetropolitan counties—Middlesex and Somerset Counties, N.J.
[2] Comprised of two standard metropolitan statistical areas—Chicago, Ill.; and Gary-Hammond-East Chicago, Ind.

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**United States**	**1,892,879**	**3,333**	**272**	**12,325**	**365,693**	**99,629**	**86,675**	**32,435**	**42,994**	**16,533**	**14,754**	**72,673**	**35,230**	**971,847**	**716,215**	**12,930**	**11,027**
02	Urban places	1,066,191	2,078	173	7,158	211,163	58,672	50,072	19,269	24,364	9,435	8,114	41,237	19,866	541,956	401,992	7,597	6,162
03	Balance of area	826,688	1,255	99	5,167	154,530	40,957	36,603	13,166	18,630	7,098	6,640	31,436	15,364	429,091	314,223	5,333	4,865
04	Metropolitan counties	1,231,227	2,261	182	8,175	248,039	68,335	59,049	22,895	28,091	11,181	9,684	48,804	22,737	622,290	465,588	8,998	6,811
05	Urban places	912,561	1,820	143	6,200	182,789	51,013	43,411	16,817	20,826	8,150	6,915	35,657	17,023	461,098	345,025	6,662	5,202
06	Balance of area	318,666	441	39	1,975	65,250	17,322	15,638	6,078	7,265	3,031	2,769	13,147	5,714	161,192	120,563	2,336	1,609
07	Nonmetropolitan counties	661,652	1,072	90	4,150	117,654	31,294	27,626	9,540	14,903	5,352	5,070	23,869	12,493	348,757	250,627	3,932	4,216
08	Urban places	153,630	258	30	958	28,374	7,659	6,661	2,452	3,538	1,285	1,199	5,580	2,843	80,858	56,967	935	960
09	Balance of area	508,022	814	60	3,192	89,280	23,635	20,965	7,088	11,365	4,067	3,871	18,289	9,650	267,899	193,660	2,997	3,256
10	**Alabama**	**33,658**	**94**	**3**	**252**	**5,827**	**1,434**	**1,474**	**420**	**748**	**234**	**263**	**1,254**	**706**	**16,144**	**10,948**	**126**	**209**
11	Urban places	13,992	45	2	107	2,494	617	659	197	326	96	94	505	310	6,561	4,327	50	104
12	Balance of area	19,666	49	1	145	3,333	817	815	223	422	138	169	749	396	9,583	6,621	76	105
13	Metropolitan counties	16,881	54	1	131	3,132	792	823	238	385	129	127	638	379	7,857	5,259	70	104
14	Urban places	10,513	33	1	81	1,915	480	504	147	253	74	71	386	238	4,903	3,210	40	81
15	Balance of area	6,368	21	–	50	1,217	312	319	91	132	55	56	252	141	2,954	2,049	30	23
16	Nonmetropolitan counties	16,777	40	2	121	2,695	642	651	182	363	105	136	616	327	8,287	5,689	56	105
17	Urban places	3,479	12	1	26	579	137	155	50	73	22	23	119	72	1,658	1,117	10	23
18	Balance of area	13,298	28	1	95	2,116	505	496	132	290	83	113	497	255	6,629	4,572	46	82
19	Autauga	196	–	–	1	38	11	7	4	6	3	1	6	1	103	70	–	1
20	Prattville	89	–	–	–	19	6	4	2	3	3	–	1	1	46	32	–	1
21	Balance of county	107	–	–	1	19	5	3	2	3	–	1	5	–	57	38	–	–
22	Baldwin	622	2	–	5	125	31	34	8	17	7	4	24	13	307	231	2	7
23	Barbour	258	1	–	2	37	10	9	1	1	3	2	11	4	117	69	–	1
24	Bibb	169	–	–	–	26	6	9	3	2	–	3	3	1	88	58	1	2
25	Blount	273	1	–	4	42	10	9	–	9	2	1	11	3	169	113	2	–
26	Bullock	141	–	–	–	14	5	3	1	3	–	–	2	4	65	48	–	1
27	Butler	251	1	–	5	48	14	10	3	3	1	2	15	11	101	65	1	–
28	Calhoun	963	1	–	6	155	31	48	10	18	4	7	37	20	506	358	4	3
29	Anniston	463	1	–	3	75	14	26	5	11	–	3	16	12	249	175	1	1
30	Balance of county	500	–	–	3	80	17	22	5	7	4	4	21	8	257	183	3	2
31	Chambers	419	–	–	2	54	14	11	2	7	5	2	13	9	225	159	1	–
32	Cherokee	182	–	–	–	35	7	12	2	5	2	–	7	1	97	77	1	6
33	Chilton	319	–	–	1	48	13	12	4	6	2	1	10	10	166	117	–	1
34	Choctaw	145	1	–	3	21	7	9	–	1	–	–	4	2	67	56	–	–
35	Clarke	260	1	–	4	51	13	9	6	7	4	4	8	10	114	76	–	1
36	Clay	148	1	1	–	29	7	7	2	5	2	1	5	3	60	44	1	–
37	Cleburne	108	–	–	–	17	3	7	2	1	–	1	3	2	57	31	–	1
38	Coffee	321	–	–	3	42	11	9	4	6	1	3	8	5	171	125	3	1
39	Enterprise	128	–	–	2	14	4	3	1	2	1	–	3	2	64	50	–	1
40	Balance of county	193	–	–	1	28	7	6	3	4	–	3	5	3	107	75	3	–
41	Colbert	490	2	–	3	90	13	25	9	16	4	5	18	11	245	165	1	–
42	Sheffield	148	1	–	2	33	5	10	5	5	3	2	3	3	60	41	–	–
43	Balance of county	342	1	–	1	57	8	15	4	11	1	3	15	8	185	124	1	–
44	Conecuh	200	–	–	2	39	10	10	–	6	–	2	11	3	109	68	–	2
45	Coosa	109	–	–	1	26	3	11	1	3	1	–	7	2	47	30	–	–
46	Covington	448	2	–	2	83	19	26	6	13	2	4	13	2	245	158	5	2
47	Andalusia	120	2	–	–	20	4	6	3	5	1	–	1	–	63	40	1	–
48	Balance of county	328	–	–	2	63	15	20	3	8	1	4	12	2	182	118	4	2
49	Crenshaw	182	–	–	–	26	3	5	2	5	1	3	7	2	89	58	–	1
50	Cullman	516	1	–	4	99	22	25	9	10	4	4	25	9	258	186	1	1
51	Cullman	143	–	–	2	33	5	11	3	4	2	3	5	1	68	41	–	–
52	Balance of county	373	1	–	2	66	17	14	6	6	2	1	20	8	190	145	1	1
53	Dale	321	–	–	1	57	9	13	2	11	3	2	17	–	166	128	1	16
54	Ozark	119	–	–	1	23	3	6	–	6	–	–	8	–	63	46	1	8
55	Balance of county	202	–	–	–	34	6	7	2	5	3	2	9	–	103	82	–	8
56	Dallas	557	2	–	5	80	27	18	7	8	3	6	11	21	198	118	3	–
57	Selma	345	2	–	3	49	19	10	5	3	3	3	6	13	130	76	2	–
58	Balance of county	212	–	–	2	31	8	8	2	5	–	3	5	8	68	42	1	–
59	De Kalb	488	1	–	3	80	14	19	3	11	3	6	24	8	251	191	1	5
60	Elmore	339	1	–	3	50	13	11	3	7	–	3	13	6	163	124	–	–
61	Escambia	357	–	–	3	72	14	22	6	11	1	5	13	3	164	107	1	2
62	Etowah	1,008	5	–	5	178	52	36	18	26	11	5	30	14	547	442	7	10
63	Gadsden	612	5	–	4	113	36	22	11	20	3	3	18	10	330	270	2	10
64	Balance of county	396	–	–	1	65	16	14	7	6	8	2	12	4	217	172	5	–
65	Fayette	185	2	–	–	32	7	7	3	3	3	2	7	7	82	56	1	1
66	Franklin	289	–	–	5	41	8	12	4	3	–	1	13	8	141	108	1	–
67	Geneva	228	–	–	4	34	9	6	2	4	2	3	8	4	118	88	–	3
68	Greene	142	1	–	2	19	6	3	2	5	–	–	3	2	75	37	–	–
69	Hale	186	–	–	1	35	11	7	–	6	–	3	8	3	91	38	1	1
70	Henry	165	1	–	2	21	4	7	–	5	2	–	3	4	82	50	–	1
71	Houston	577	2	–	2	79	21	16	1	13	3	4	21	5	277	196	2	3
72	Dothan	347	2	–	–	46	12	12	1	4	1	3	13	3	171	122	–	2
73	Balance of county	230	–	–	2	33	9	4	–	9	2	1	8	2	106	74	2	1
74	Jackson	434	1	–	1	79	19	19	8	7	6	3	17	9	201	150	2	2
75	Jefferson	6,323	22	1	52	1,241	315	326	92	171	53	51	233	148	2,793	1,752	32	32
76	Bessemer	410	–	–	5	85	17	27	5	10	6	2	18	8	181	125	2	2
77	Birmingham	3,385	14	1	33	616	156	153	43	105	21	19	119	78	1,492	897	18	25

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975

[populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
642,719	**49,539**	**6,300**	**194,038**	**28,887**	**25,607**	**55,664**	**25,468**	**6,743**	**31,623**	**8,072**	**403**	**13,245**	**26,616**	**31,768**	**149,114**	**45,853**	**57,177**	**27,063**	**21,310**	**4,860**	01
362,694	25,539	3,603	106,770	15,497	14,094	31,472	13,851	3,960	21,474	4,696	235	7,337	15,403	17,310	85,211	19,375	30,160	14,983	15,071	3,259	02
280,025	24,000	2,697	87,268	13,390	11,513	24,192	11,617	2,783	10,149	3,376	168	5,908	11,213	14,458	63,903	26,478	27,017	12,080	6,239	1,601	03
420,959	28,820	3,861	119,311	17,226	16,304	35,239	15,782	4,405	24,069	5,266	258	8,796	17,653	18,933	97,208	25,903	35,328	18,606	16,459	3,638	04
311,733	21,428	2,984	88,643	12,560	11,886	26,769	11,445	3,382	19,323	4,061	202	6,260	13,131	14,305	72,837	16,060	25,726	13,165	13,852	2,970	05
109,226	7,392	877	30,668	4,666	4,418	8,470	4,337	1,023	4,746	1,205	56	2,536	4,522	4,628	24,371	9,843	9,602	5,441	2,607	668	06
221,760	20,719	2,439	74,727	11,661	9,303	20,425	9,686	2,338	7,554	2,806	145	4,449	8,963	12,835	51,906	19,950	21,849	8,457	4,851	1,222	07
50,961	4,111	619	18,127	2,937	2,208	4,703	2,406	578	2,151	635	33	1,077	2,272	3,005	12,374	3,315	4,434	1,818	1,219	289	08
170,799	16,608	1,820	56,600	8,724	7,095	15,722	7,280	1,760	5,403	2,171	112	3,372	6,691	9,830	39,532	16,635	17,415	6,639	3,632	933	09
9,104	**1,509**	**176**	**4,190**	**446**	**384**	**802**	**426**	**97**	**331**	**200**	**13**	**267**	**563**	**2,029**	**2,592**	**1,077**	**1,187**	**379**	**590**	**79**	10
3,663	510	85	1,759	208	182	311	175	52	165	103	6	107	242	908	1,103	326	473	166	311	25	11
5,441	999	91	2,431	238	202	491	251	45	166	97	7	160	321	1,121	1,489	751	714	213	279	54	12
4,566	519	112	2,023	246	217	358	214	47	197	125	3	137	260	997	1,340	498	546	212	366	27	13
2,786	303	75	1,309	166	143	227	137	37	136	83	3	78	170	634	840	240	343	137	260	17	14
1,780	216	37	714	80	74	131	77	10	61	42	–	59	90	363	500	258	203	75	106	10	15
4,538	990	64	2,167	200	167	444	212	50	134	75	10	130	303	1,032	1,252	579	641	167	224	52	16
877	207	10	450	42	39	84	38	15	29	20	3	29	72	274	263	86	130	29	51	8	17
3,661	783	54	1,717	158	128	360	174	35	105	55	7	101	231	758	989	493	511	138	173	44	18
45	24	–	27	4	2	6	2	1	2	2	–	1	4	3	13	6	9	–	3	1	19
22	9	–	10	2	2	5	1	1	1	–	–	–	–	–	7	3	3	–	2	–	20
23	15	–	17	2	–	1	1	–	1	2	–	1	4	3	6	3	6	–	1	1	21
210	12	4	53	12	7	15	4	1	6	4	–	7	8	8	43	28	22	11	11	2	22
59	9	3	42	3	–	6	5	–	4	–	–	2	6	28	24	8	8	4	–	2	23
32	23	–	24	3	3	4	–	–	1	–	–	1	7	7	18	5	5	3	2	1	24
93	18	1	41	6	8	4	4	–	1	–	–	–	2	6	16	8	7	4	2	–	25
38	9	1	14	1	1	6	2	–	1	–	–	–	5	17	10	7	5	–	5	–	26
54	10	–	35	–	1	6	2	–	–	1	–	4	8	16	22	9	7	2	7	1	27
317	34	4	126	12	6	23	8	1	14	5	2	13	20	19	71	32	37	7	22	1	28
162	11	2	62	7	3	5	4	1	6	4	2	3	11	9	32	11	16	4	14	1	29
155	23	2	64	5	3	18	4	–	8	1	–	10	9	10	39	21	21	3	8	–	30
142	16	1	62	1	2	10	7	–	7	3	–	3	7	12	29	9	24	7	11	–	31
48	22	1	19	–	–	3	2	–	1	–	–	2	3	2	14	6	12	–	3	1	32
92	24	–	44	3	2	11	5	1	2	2	–	–	8	10	17	15	14	3	5	1	33
53	3	1	9	1	–	7	3	1	–	–	–	–	5	7	11	3	7	4	3	–	34
71	4	1	24	7	6	3	10	–	1	–	–	5	3	10	19	9	12	1	7	–	35
37	6	–	11	4	1	7	5	1	1	–	1	–	2	13	7	8	4	2	3	–	36
23	7	1	21	4	–	2	2	–	–	–	–	1	–	8	7	5	4	1	2	–	37
82	39	1	37	7	1	9	7	2	7	1	–	1	2	9	27	16	10	2	5	2	38
28	21	–	11	3	–	4	3	1	4	1	–	–	1	3	12	5	6	1	4	1	39
54	18	1	26	4	1	5	4	1	3	–	–	1	1	6	15	11	4	1	1	1	40
136	28	4	69	4	3	8	5	2	2	1	–	4	11	23	35	20	17	7	4	–	41
35	6	–	18	1	–	4	–	2	1	–	–	2	4	8	9	5	9	3	2	–	42
101	22	4	51	3	3	4	5	–	1	1	–	2	7	15	26	15	8	4	2	–	43
41	25	–	36	2	3	7	2	–	2	1	–	1	1	8	12	5	5	2	1	–	44
23	7	–	16	–	1	11	–	–	2	–	–	–	2	2	7	4	5	–	–	–	45
137	14	2	69	8	8	10	8	4	4	4	–	4	2	11	31	11	19	3	2	1	46
35	4	2	17	2	2	2	–	1	–	1	–	1	1	3	11	5	8	1	1	–	47
102	10	–	52	6	6	8	8	3	4	3	–	3	1	8	20	6	11	2	1	1	48
39	18	–	23	5	3	5	4	1	1	1	–	–	4	15	11	8	12	1	1	1	49
149	35	2	65	4	1	9	6	–	6	2	–	5	6	15	57	19	12	4	4	–	50
35	6	–	25	1	1	3	1	–	2	–	–	–	–	4	20	6	2	–	1	–	51
114	29	2	40	3	–	6	5	–	4	2	–	5	6	11	37	13	10	4	3	–	52
92	19	–	21	13	4	5	2	–	2	3	–	3	8	13	19	10	22	4	6	–	53
27	10	–	7	7	3	4	2	–	1	1	–	–	4	3	8	1	5	–	3	–	54
65	9	–	14	6	1	1	–	–	1	2	–	3	4	10	11	9	17	4	3	–	55
97	18	3	58	13	6	16	5	1	4	2	1	3	14	103	48	18	27	2	4	3	56
66	8	1	40	10	3	11	5	1	2	2	1	3	11	56	27	8	15	1	3	2	57
31	10	2	18	3	3	5	–	–	2	–	–	–	3	47	21	10	12	1	1	1	58
167	18	2	46	9	3	25	3	–	4	3	–	5	10	31	32	14	11	5	2	–	59
110	14	1	28	3	7	9	4	–	1	3	–	5	3	24	25	14	11	4	10	3	60
91	13	4	38	7	8	9	5	1	2	3	–	1	12	8	36	13	10	4	9	2	61
409	16	–	84	8	13	28	16	3	13	4	1	8	21	12	54	29	35	13	21	1	62
251	7	–	43	6	11	13	12	3	7	2	1	1	13	5	34	15	24	8	12	–	63
158	9	–	41	2	2	15	4	–	6	2	–	7	8	7	20	14	11	5	9	1	64
45	9	–	23	1	2	4	1	–	1	1	–	1	1	22	13	5	8	3	2	–	65
94	13	1	27	2	3	9	5	1	2	–	–	1	5	19	25	7	10	6	4	–	66
74	11	1	21	4	4	5	4	–	1	–	–	2	7	6	20	11	9	2	1	–	67
34	3	–	33	3	2	–	1	1	–	3	1	–	1	11	10	7	7	–	1	–	68
32	4	1	48	3	1	7	–	1	–	2	–	–	3	13	12	8	4	2	4	–	69
44	5	–	28	1	3	7	1	1	1	–	–	1	4	5	19	4	8	1	3	–	70
134	57	1	72	3	5	7	1	2	–	4	1	6	14	73	47	21	21	6	8	1	71
84	36	1	43	2	3	6	1	1	–	3	–	3	8	45	27	10	13	4	4	–	72
50	21	–	29	1	2	1	–	1	–	1	1	3	6	28	20	11	8	2	4	1	73
120	26	1	41	5	4	16	14	3	7	–	–	5	4	7	32	9	26	6	12	2	74
1,523	165	69	784	104	84	151	66	13	79	54	–	41	65	436	580	152	204	73	146	6	75
109	12	6	34	7	9	7	7	1	6	3	–	3	3	31	36	7	13	2	12	–	76
755	99	45	456	55	39	83	27	9	36	39	–	22	34	261	318	65	115	39	98	5	77

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Alabama—Con.																	
	Jefferson—Con.																	
01	Fairfield	144	–	–	–	35	10	7	4	4	3	–	7	3	65	42	–	–
02	Homewood	172	–	–	1	35	7	11	3	2	2	3	7	5	85	49	–	–
03	Mountain Brook	150	–	–	1	36	6	10	4	2	5	3	6	6	63	46	–	–
04	Balance of county	2,062	8	–	12	434	119	118	33	48	16	24	76	48	907	593	12	5
05	Lamar	158	2	–	–	32	7	3	3	7	1	4	7	2	89	58	–	–
06	Lauderdale	566	–	–	2	93	22	20	7	11	5	3	25	5	280	178	2	–
07	Florence	292	–	–	1	60	16	14	3	9	2	–	16	1	150	99	1	–
08	Balance of county	274	–	–	1	33	6	6	4	2	3	3	9	4	130	79	1	–
09	Lawrence	233	1	–	1	48	10	14	3	6	1	2	12	4	114	88	–	3
10	Lee	423	–	1	1	65	19	17	5	10	4	1	9	8	133	75	1	3
11	Auburn	93	–	1	1	21	6	6	2	4	1	–	2	2	19	10	–	–
12	Opelika	162	–	–	–	24	9	7	2	2	1	–	3	3	56	27	–	3
13	Balance of county	168	–	–	–	20	4	4	1	4	2	1	4	3	58	38	1	–
14	Limestone	369	1	–	3	55	6	16	4	5	1	1	22	6	194	129	3	1
15	Athens	141	–	–	1	23	2	5	–	4	–	1	11	1	71	46	1	1
16	Balance of county	228	1	–	2	32	4	11	4	1	1	–	11	5	123	83	2	–
17	Lowndes	129	–	–	2	17	5	4	–	2	–	1	5	4	51	33	1	2
18	Macon	280	2	–	2	42	13	6	3	11	2	2	5	10	143	104	1	3
19	Tuskegee	138	–	–	1	22	5	4	2	6	–	2	3	4	71	50	–	1
20	Balance of county	142	2	–	1	20	8	2	1	5	2	–	2	6	72	54	1	2
21	Madison	1,124	4	–	12	199	47	50	17	19	4	7	55	36	529	360	2	5
22	Huntsville	814	1	–	10	136	31	35	14	14	3	7	32	24	398	272	2	4
23	Balance of county	310	3	–	2	63	16	15	3	5	1	–	23	12	131	88	–	1
24	Marengo	265	1	–	3	39	9	10	1	6	3	2	8	3	129	81	1	2
25	Marion	282	1	–	2	39	6	12	3	5	1	5	7	2	142	100	2	2
26	Marshall	580	2	–	5	99	24	22	7	15	2	6	23	14	292	196	–	3
27	Mobile	2,805	5	–	16	528	129	165	33	55	22	18	106	53	1,319	945	5	27
28	Mobile	1,852	2	–	5	343	86	108	19	38	12	14	66	37	887	630	3	21
29	Prichard	276	1	–	4	49	7	12	4	6	4	2	14	5	119	79	1	2
30	Balance of county	677	2	–	7	136	36	45	10	11	6	2	26	11	313	236	1	4
31	Monroe	222	1	–	3	33	13	5	1	4	2	–	8	2	133	107	2	4
32	Montgomery	1,681	6	–	10	295	81	76	28	27	11	17	55	37	762	468	9	8
33	Montgomery	1,503	6	–	9	261	73	68	24	26	8	13	49	34	686	423	8	8
34	Balance of county	178	–	–	1	34	8	8	4	1	3	4	6	3	76	45	1	–
35	Morgan	680	1	–	2	98	23	28	7	6	3	4	27	18	337	232	1	–
36	Decatur	325	1	–	1	55	10	19	6	4	3	1	12	13	168	117	1	–
37	Balance of county	355	–	–	1	43	13	9	1	2	–	3	15	5	169	115	–	–
38	Perry	158	–	–	1	25	9	5	–	5	1	2	3	7	79	49	–	2
39	Pickens	215	1	–	3	28	7	8	1	6	–	–	6	2	120	67	2	1
40	Pike	277	–	–	7	43	9	9	2	4	3	2	14	4	144	101	1	7
41	Troy	115	–	–	6	22	5	6	1	1	–	1	8	2	57	46	–	3
42	Balance of county	162	–	–	1	21	4	3	1	3	3	1	6	2	87	55	1	4
43	Randolph	216	–	–	2	28	11	5	2	4	1	1	4	8	120	72	–	2
44	Russell	478	1	–	3	80	21	15	4	12	5	1	22	10	272	172	1	1
45	Phenix City	296	1	–	1	47	13	9	2	6	3	–	14	4	175	108	–	1
46	Balance of county	182	–	–	2	33	8	6	2	6	2	1	8	6	97	64	1	–
47	St. Clair	316	–	–	1	55	9	13	7	6	2	4	14	4	155	109	2	2
48	Shelby	370	–	–	7	67	16	16	6	9	2	5	13	7	157	109	2	3
49	Sumter	179	1	–	2	31	6	7	1	3	1	2	11	2	100	65	1	2
50	Talladega	631	2	–	4	97	18	16	11	9	2	8	33	18	275	194	2	3
51	Sylacauga	162	1	–	1	20	4	4	5	1	–	2	4	7	82	61	2	1
52	Talladega	162	1	–	2	24	3	4	2	2	1	2	10	3	72	46	–	1
53	Balance of county	307	–	–	1	53	11	8	4	6	1	4	19	8	121	87	–	1
54	Tallapoosa	408	2	–	2	55	18	10	3	5	1	2	16	8	235	169	1	2
55	Alexander City	128	1	–	–	19	7	3	2	1	–	1	5	2	69	38	1	1
56	Balance of county	280	1	–	2	36	11	7	1	4	1	1	11	6	166	131	–	1
57	Tuscaloosa	1,080	4	–	9	193	49	44	16	26	6	11	41	29	527	325	4	5
58	Tuscaloosa	605	1	–	6	110	26	30	11	15	3	3	22	20	289	183	3	3
59	Balance of county	475	3	–	3	83	23	14	5	11	3	8	19	9	238	142	1	2
60	Walker	682	3	–	6	121	32	34	9	11	7	4	24	20	287	202	3	5
61	Jasper	153	2	–	1	26	10	7	3	1	1	1	3	3	62	40	–	4
62	Balance of county	529	1	–	5	95	22	27	6	10	6	3	21	17	225	162	3	1
63	Washington	141	1	–	3	31	7	5	–	11	2	1	5	–	71	52	1	–
64	Wilcox	162	–	–	1	14	6	2	1	2	–	1	2	6	71	48	1	2
65	Winston	229	–	–	–	34	10	8	5	5	1	2	3	7	129	113	–	2
66	**Alaska**[1]	**1,529**	**6**	**–**	**11**	**213**	**50**	**59**	**17**	**12**	**11**	**10**	**54**	**15**	**364**	**260**	**6**	**2**
67	Urban places	458	2	–	5	68	16	20	7	6	3	2	14	8	118	84	–	2
68	Balance of area	1,071	4	–	6	145	34	39	10	6	8	8	40	7	246	176	6	–
69	Nonmetropolitan counties	1,529	6	–	11	213	50	59	17	12	11	10	54	15	364	260	6	2
70	Urban places	458	2	–	5	68	16	20	7	6	3	2	14	8	118	84	–	2
71	Balance of area	1,071	4	–	6	145	34	39	10	6	8	8	40	7	246	176	6	–
72	Dist. 1, Prince of Wales	13	–	–	–	1	–	–	–	–	–	–	1	–	3	2	–	–
73	Dist. 2, Ketchikan	73	1	–	1	9	2	4	1	–	–	–	2	–	23	15	1	–
74	Dist. 3, Wrangell–Petersburg	32	–	–	–	5	–	2	1	–	–	–	2	–	10	7	–	–
75	Dist. 4, Sitka	42	–	–	–	9	1	2	1	2	–	–	3	–	12	9	–	–
76	Dist. 5, Juneau	73	–	–	–	7	1	2	–	–	1	–	3	–	28	24	–	–
77	Dist. 6, Lynn Canal–Icy Straits	27	–	–	–	5	1	1	–	–	–	1	2	–	5	2	–	–
78	Dist. 7, Cordova–McCarthy	7	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
79	Dist. 8, Valdez–Chittina–Whittier	32	–	–	1	3	1	–	1	–	–	–	1	–	5	4	1	–
80	Dist. 9, Palmer–Wasilla–Talkeetna	67	–	–	–	12	3	4	1	–	–	–	4	–	21	15	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
37	5	2	15	3	3	3	1	–	–	1	–	1	2	10	12	3	3	1	4	–	01
48	1	–	29	4	3	8	2	1	2	–	–	1	2	8	8	3	4	6	1	–	02
43	3	–	15	1	1	2	4	–	7	–	–	–	–	4	16	4	3	4	–	–	03
531	45	16	235	34	29	48	25	2	28	11	–	14	24	122	190	70	66	21	31	1	04
51	7	1	27	2	1	2	1	–	3	1	–	1	1	5	10	3	4	–	1	1	05
162	14	2	91	2	7	15	7	1	2	1	–	8	9	47	46	15	24	6	3	2	06
91	7	–	46	1	4	5	4	–	1	–	–	4	–	26	19	3	12	3	2	1	07
71	7	2	45	1	3	10	3	1	1	1	–	4	9	21	27	12	12	3	1	1	08
69	16	–	23	–	3	6	1	–	1	2	–	3	6	13	14	4	6	3	5	1	09
64	7	1	49	4	4	8	2	1	6	5	–	4	6	90	29	22	17	6	10	9	10
9	1	–	5	1	3	3	1	1	3	1	–	1	3	19	4	5	5	–	3	–	11
21	3	1	27	1	–	2	–	–	3	1	–	2	3	38	17	3	6	3	1	–	12
34	3	–	17	2	1	3	1	–	–	3	–	1	–	33	8	14	6	3	6	9	13
89	36	2	51	7	5	8	5	1	2	–	1	4	6	22	34	12	8	5	2	–	14
33	11	2	21	2	–	3	4	1	1	–	1	1	3	9	15	3	3	1	–	–	15
56	25	–	30	5	5	5	1	–	1	–	–	3	3	13	19	9	5	4	2	–	16
24	6	–	16	2	–	3	–	–	1	1	–	1	1	24	9	5	5	1	3	1	17
94	6	2	34	1	2	23	1	1	–	–	–	2	5	9	24	5	6	1	4	–	18
47	2	1	18	–	2	10	1	–	–	–	–	2	2	2	14	3	5	1	–	–	19
47	4	1	16	1	–	13	–	1	–	–	–	–	3	7	10	2	1	–	4	–	20
271	82	2	140	15	12	18	17	1	12	7	–	8	18	69	76	42	27	24	23	2	21
211	55	1	106	11	8	16	13	1	9	5	–	5	16	49	48	22	22	19	19	1	22
60	27	1	34	4	4	2	4	–	3	2	–	3	2	20	28	20	5	5	4	1	23
65	13	3	38	2	5	5	2	–	–	–	1	–	10	19	26	9	15	1	1	1	24
83	13	1	37	1	3	15	4	–	–	1	–	1	3	25	26	7	11	1	2	–	25
165	28	2	76	10	8	16	8	1	10	2	–	8	3	20	38	24	17	9	8	4	26
839	74	11	290	41	32	54	48	7	33	18	–	36	56	113	239	84	98	31	57	10	27
559	47	4	205	26	22	41	26	4	22	10	–	25	33	80	155	58	65	15	35	9	28
69	7	2	25	8	5	5	3	1	6	4	–	3	10	12	29	2	9	4	10	–	29
211	20	5	60	7	5	8	19	2	5	4	–	8	13	21	55	24	24	12	12	1	30
97	4	2	20	2	2	1	3	1	2	1	–	2	–	6	15	6	8	3	1	1	31
427	24	6	213	40	35	29	21	9	23	18	–	13	45	132	115	46	46	29	45	–	32
383	24	6	188	38	31	26	20	9	22	14	–	11	41	114	102	39	39	27	43	–	33
44	–	–	25	2	4	3	1	–	1	4	–	2	4	18	13	7	7	2	2	–	34
146	85	2	87	7	9	20	9	6	3	2	–	6	17	48	45	26	26	6	9	1	35
64	52	1	41	2	7	7	6	3	2	1	–	2	8	17	16	8	11	2	3	1	36
82	33	1	46	5	2	13	3	3	1	1	–	4	9	31	29	18	15	4	6	–	37
36	11	–	26	3	1	5	2	–	1	–	–	–	2	9	11	5	5	2	4	–	38
59	5	2	49	2	–	4	2	2	1	1	–	–	6	11	14	10	7	3	–	–	39
83	10	2	37	1	3	8	3	2	6	2	–	3	3	6	16	9	11	5	2	3	40
37	6	–	10	–	1	3	1	–	3	2	–	1	1	1	6	5	2	1	1	1	41
46	4	2	27	1	2	5	2	2	3	–	–	2	2	5	10	4	9	4	1	2	42
58	12	–	46	1	1	5	6	–	1	2	–	1	7	1	17	7	6	4	1	–	43
146	24	2	92	1	5	9	4	2	10	1	1	5	9	5	23	12	13	7	9	2	44
94	13	1	62	–	4	7	3	2	9	1	1	3	5	3	12	1	10	4	6	1	45
52	11	1	30	1	1	2	1	–	1	–	–	2	4	2	11	11	3	3	3	1	46
69	36	1	40	5	–	7	6	4	6	2	–	2	2	23	21	5	14	4	2	3	47
96	8	2	41	3	2	5	3	2	–	1	–	1	4	42	25	27	9	6	7	–	48
43	19	3	26	3	3	3	2	–	–	1	–	–	–	14	8	5	6	1	3	–	49
174	15	2	70	2	7	3	15	4	3	3	–	9	15	65	55	28	22	5	6	2	50
57	1	–	20	–	1	1	1	2	–	2	–	3	3	18	13	1	2	1	4	–	51
38	7	1	23	1	1	1	6	1	–	–	–	2	8	19	14	2	4	1	1	1	52
79	7	1	27	1	5	1	8	1	3	1	–	4	4	28	28	25	16	3	1	1	53
116	50	–	58	4	4	16	4	–	3	1	2	2	5	6	25	13	16	5	7	1	54
19	17	–	27	1	3	8	1	–	–	1	–	–	4	3	7	2	6	3	2	–	55
97	33	–	31	3	1	8	3	–	3	–	2	2	1	3	18	11	10	2	5	1	56
276	40	11	172	10	9	15	19	6	16	11	–	5	17	46	73	30	42	8	30	–	57
160	17	6	90	5	5	8	12	4	8	4	–	2	7	24	45	13	27	6	19	–	58
116	23	5	82	5	4	7	7	2	8	7	–	3	10	22	28	17	15	2	11	–	59
170	24	2	75	2	6	17	7	2	2	4	–	4	8	88	53	22	31	1	5	1	60
34	2	–	20	–	2	5	3	1	1	–	–	–	1	24	10	5	6	1	1	1	61
136	22	2	55	2	4	12	4	1	1	4	–	4	7	64	43	17	25	–	4	–	62
45	6	–	13	2	4	2	2	–	–	1	–	2	2	8	5	5	5	–	2	1	63
35	10	1	19	1	2	4	–	1	1	1	–	–	7	28	12	8	4	1	2	1	64
65	46	–	15	–	1	6	1	1	1	1	1	–	2	3	15	18	8	2	–	–	65
207	**45**	**1**	**78**	**13**	**12**	**50**	**14**	**9**	**49**	**2**	–	**20**	**53**	**52**	**149**	**120**	**296**	**74**	**25**	**7**	**66**
75	7	–	30	–	4	13	3	2	21	–	–	11	16	5	48	37	74	15	10	2	67
132	38	1	48	13	8	37	11	7	28	2	–	9	37	47	101	83	222	59	15	5	68
207	45	1	78	13	12	50	14	9	49	2	–	20	53	52	149	120	296	74	25	7	69
75	7	–	30	–	4	13	3	2	21	–	–	11	16	5	48	37	74	15	10	2	70
132	38	1	48	13	8	37	11	7	28	2	–	9	37	47	101	83	222	59	15	5	71
1	1	–	1	–	–	1	–	–	–	–	–	–	–	1	1	–	4	2	–	–	72
12	2	–	5	1	2	1	1	1	1	1	–	–	3	3	8	4	10	5	1	–	73
5	2	–	3	–	–	2	1	–	–	–	–	–	1	–	5	2	5	1	–	–	74
8	1	–	1	2	–	1	1	1	1	–	–	–	1	–	4	1	9	2	–	–	75
17	7	–	4	–	–	2	3	–	2	–	–	–	4	4	4	3	15	1	–	–	76
2	–	–	1	2	–	–	–	–	1	–	–	–	1	2	3	–	8	2	–	–	77
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	78
3	–	–	–	1	–	3	–	–	1	–	–	1	1	2	3	4	7	1	–	–	79
13	2	–	3	3	–	3	–	1	1	–	–	–	2	2	6	11	6	2	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Alaska—Con.																	
01	Dist. 10, Anchorage	548	3	–	5	76	15	24	4	5	4	7	17	11	135	95	3	1
02	Anchorage	320	2	–	5	38	9	13	3	3	1	2	7	6	79	61	–	1
03	Balance of district	228	1	–	–	38	6	11	1	2	3	5	10	5	56	34	3	–
04	Dist. 11, Seward	23	–	–	–	6	–	2	1	–	1	1	1	–	5	5	1	–
05	Dist. 12, Kenai–Cook Inlet	78	–	–	–	17	4	5	1	–	1	–	6	–	16	12	–	–
06	Dist. 13, Kodiak	41	–	–	–	3	–	1	–	–	–	–	2	–	11	9	–	–
07	Dist. 14, Aleutian Islands	15	–	–	–	1	1	–	–	–	–	–	–	1	3	1	–	–
08	Dist. 15, Bristol Bay	23	–	–	2	3	1	–	–	1	–	–	1	–	4	4	–	–
09	Dist. 16, Bethel	42	1	–	–	6	3	–	1	–	1	–	1	–	5	2	–	–
10	Dist. 17, Kuskokwim	19	–	–	–	3	2	–	–	–	–	1	–	–	2	1	–	–
11	Dist. 18, Yukon–Koyukuk	40	–	–	–	3	–	2	–	–	–	–	1	1	7	6	–	–
12	Dist. 19, Fairbanks	197	–	–	–	34	7	9	5	4	2	–	7	2	50	32	–	1
13	Fairbanks	138	–	–	–	30	7	7	4	3	2	–	7	2	39	23	–	1
14	Balance of district	59	–	–	–	4	–	2	1	1	–	–	–	–	11	9	–	–
15	Dist. 20, Upper Yukon	13	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–
16	Dist. 21, Barrow	14	–	–	–	2	2	–	–	–	–	–	–	–	2	2	–	–
17	Dist. 22, Kobuk	28	–	–	–	2	1	–	–	–	1	–	–	–	3	3	–	–
18	Dist. 23, Nome	61	–	–	1	3	3	–	–	–	–	–	–	–	10	7	–	–
19	Dist. 24, Wade Hampton	21	–	–	1	2	1	1	–	–	–	–	–	–	1	1	–	–
20	**Arizona**	**16,980**	**60**	**2**	**170**	**3,215**	**782**	**783**	**268**	**366**	**138**	**155**	**723**	**243**	**7,506**	**5,555**	**142**	**84**
21	Urban places	11,297	32	1	112	2,189	521	532	196	245	95	114	486	161	5,161	3,767	96	62
22	Balance of area	5,683	28	1	58	1,026	261	251	72	121	43	41	237	82	2,345	1,788	46	22
23	Metropolitan counties	12,676	36	1	119	2,497	602	591	217	283	116	124	564	160	5,825	4,318	108	66
24	Urban places	10,441	29	1	105	2,032	483	485	182	225	91	107	459	133	4,788	3,531	94	56
25	Balance of area	2,235	7	–	14	465	119	106	35	58	25	17	105	27	1,037	787	14	10
26	Nonmetropolitan counties	4,304	24	1	51	718	180	192	51	83	22	31	159	83	1,681	1,237	34	18
27	Urban places	856	3	–	7	157	38	47	14	20	4	7	27	28	373	236	2	6
28	Balance of area	3,448	21	1	44	561	142	145	37	63	18	24	132	55	1,308	1,001	32	12
29	Apache	317	7	–	10	22	11	1	2	1	–	1	6	2	44	32	3	–
30	Cochise	511	3	–	2	92	24	16	5	15	1	4	27	6	229	166	1	4
31	Douglas	106	1	–	1	19	2	4	3	5	–	1	4	3	49	32	–	2
32	Balance of county	405	2	–	1	73	22	12	2	10	1	3	23	3	180	134	1	2
33	Coconino	278	1	–	6	42	12	6	3	5	2	4	10	5	69	47	3	2
34	Flagstaff	104	–	–	1	19	7	1	–	2	1	2	6	3	32	17	1	2
35	Balance of county	174	1	–	5	23	5	5	3	3	1	2	4	2	37	30	2	–
36	Gila	284	4	–	5	54	16	11	2	2	4	1	18	7	112	87	3	2
37	Graham	176	–	–	1	20	4	6	2	1	1	–	6	2	79	63	2	1
38	Greenlee	74	–	–	–	12	2	1	1	4	–	1	3	1	31	29	1	–
39	Maricopa	9,157	30	1	77	1,788	435	406	159	203	89	93	403	124	4,236	3,109	71	50
40	Chandler	113	1	–	–	24	4	9	2	3	–	–	6	4	35	29	1	1
41	Glendale	379	1	–	5	71	18	15	1	7	4	8	18	3	167	128	2	3
42	Mesa	800	1	–	11	151	29	30	15	20	11	8	38	7	387	285	7	2
43	Phoenix	5,231	20	1	47	989	237	240	92	108	48	53	211	77	2,389	1,720	40	31
44	Scottsdale	609	2	–	3	139	35	24	18	15	5	6	36	8	282	207	10	4
45	Tempe	329	–	–	2	61	13	17	7	3	2	3	16	4	147	109	3	2
46	Balance of county	1,696	5	–	9	353	99	71	24	47	19	15	78	21	829	631	8	7
47	Mohave	409	–	–	5	84	16	33	5	9	1	3	17	8	183	148	7	1
48	Navajo	356	2	1	8	46	13	9	3	10	1	2	8	7	117	83	2	1
49	Pima	3,519	6	–	42	709	167	185	58	80	27	31	161	36	1,589	1,209	37	16
50	Tucson	2,980	4	–	37	597	147	150	47	69	21	29	134	30	1,381	1,053	31	13
51	Balance of county	539	2	–	5	112	20	35	11	11	6	2	27	6	208	156	6	3
52	Pinal	575	6	–	5	98	23	29	8	17	5	3	23	22	217	152	1	2
53	Casa Grande	74	1	–	–	7	1	4	–	1	–	–	1	6	28	16	1	–
54	Balance of county	501	5	–	5	91	22	25	8	6	5	3	22	16	189	136	–	2
55	Santa Cruz	120	–	–	1	23	6	4	3	6	1	1	2	1	57	40	1	–
56	Yavapai	641	1	–	–	134	37	42	9	14	4	6	22	12	321	222	6	4
57	Prescott	262	1	–	–	56	16	19	6	7	1	2	5	8	135	78	–	1
58	Balance of county	379	–	–	–	78	21	23	3	7	3	4	17	4	186	144	6	3
59	Yuma	563	–	–	8	91	16	34	8	9	2	5	17	10	222	168	4	1
60	Yuma	310	–	–	5	56	12	19	5	5	2	2	11	8	129	93	–	1
61	Balance of county	253	–	–	3	35	4	15	3	4	–	3	6	2	93	75	4	–
62	**Arkansas**	**21,700**	**56**	**3**	**179**	**3,795**	**924**	**990**	**281**	**458**	**156**	**159**	**827**	**405**	**11,340**	**7,933**	**92**	**164**
63	Urban places	7,585	19	1	69	1,389	342	336	118	163	69	49	312	137	3,868	2,662	33	64
64	Balance of area	14,115	37	2	110	2,406	582	654	163	295	87	110	515	268	7,472	5,271	59	100
65	Metropolitan counties	5,718	15	1	49	1,052	262	272	92	113	42	39	232	112	2,767	1,895	24	49
66	Urban places	4,259	12	–	34	804	199	200	74	91	36	23	181	88	2,078	1,425	17	36
67	Balance of area	1,459	3	1	15	248	63	72	18	22	6	16	51	24	689	470	7	13
68	Nonmetropolitan counties	15,982	41	2	130	2,743	662	718	189	345	114	120	595	293	8,573	6,038	68	115
69	Urban places	3,326	7	1	35	585	143	136	44	72	33	26	131	49	1,790	1,237	16	28
70	Balance of area	12,656	34	1	95	2,158	519	582	145	273	81	94	464	244	6,783	4,801	52	87
71	Arkansas	294	–	–	2	55	8	15	2	7	5	2	16	9	150	96	3	1
72	Stuttgart	139	–	–	2	25	1	12	–	1	4	–	7	1	75	47	1	–
73	Balance of county	155	–	–	–	30	7	3	2	6	1	2	9	8	75	49	2	1
74	Ashley	265	–	–	1	52	10	18	3	4	3	–	14	3	114	67	–	5
75	Baxter	300	1	–	1	59	9	20	6	6	4	1	13	4	153	109	1	1
76	Benton	664	–	–	8	105	24	27	6	15	7	5	21	9	377	245	2	–
77	Rogers	193	–	–	4	29	10	4	2	5	2	2	4	1	106	63	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth, and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
83	8	1	30	3	6	14	5	6	27	–	–	13	12	14	53	52	83	25	12	2	01
55	5	–	15	–	3	8	1	2	17	–	–	10	6	4	32	28	60	12	8	2	02
28	3	1	15	3	3	6	4	4	10	–	–	3	6	10	21	24	23	13	4	–	03
–	4	–	–	–	–	1	–	–	–	1	–	–	–	–	1	4	2	3	–	–	04
10	2	–	4	–	–	2	–	–	2	–	–	–	2	4	2	8	19	3	2	1	05
8	1	–	1	–	1	2	–	–	1	–	–	1	2	2	5	–	12	1	1	–	06
1	–	–	2	–	–	–	–	–	–	–	–	1	1	1	1	2	4	–	–	–	07
3	1	–	–	–	–	–	–	–	1	–	–	–	1	1	2	–	9	–	–	–	08
2	–	–	3	–	–	4	–	–	–	–	–	–	2	4	6	1	11	1	1	–	09
–	1	–	1	–	–	–	–	–	1	–	–	–	–	1	1	1	4	4	2	–	10
5	1	–	1	–	–	2	–	–	–	–	–	–	–	4	2	2	9	8	–	2	11
27	4	–	15	–	3	6	2	–	8	–	–	2	14	2	20	18	29	6	4	–	12
20	2	–	15	–	1	5	2	–	4	–	–	1	10	1	16	9	14	3	2	–	13
7	2	–	–	–	2	1	–	–	4	–	–	1	4	1	4	9	15	3	2	–	14
1	1	–	1	–	–	–	–	–	1	–	–	–	–	1	3	2	3	–	–	–	15
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	3	2	–	1	16
1	2	–	–	–	–	1	–	–	–	–	–	1	3	3	5	–	8	1	1	–	17
4	3	–	2	1	–	2	1	–	1	–	–	–	3	1	6	1	27	3	1	1	18
–	1	–	–	–	–	3	–	–	–	–	–	1	–	–	5	2	5	1	–	–	19
4,924	**405**	**42**	**1,456**	**225**	**228**	**532**	**414**	**56**	**341**	**76**	**3**	**155**	**264**	**277**	**1,720**	**679**	**608**	**387**	**220**	**52**	**20**
3,384	225	31	1,050	159	154	339	291	42	226	47	2	108	177	111	1,139	345	363	269	143	39	21
1,540	180	11	406	66	74	193	123	14	115	29	1	47	87	166	581	334	245	118	77	13	22
3,690	254	30	1,121	173	183	364	328	44	237	50	2	110	177	128	1,278	402	425	289	162	42	23
3,183	198	25	949	144	139	302	267	39	203	41	2	95	158	97	1,067	319	336	254	134	39	24
707	56	5	172	29	44	62	61	5	34	9	–	15	19	31	211	83	89	35	28	3	25
1,034	151	12	335	52	45	168	86	12	104	26	1	45	87	149	442	277	183	98	58	10	26
201	27	6	101	15	15	37	24	3	23	6	–	13	19	14	72	26	27	15	9	–	27
833	124	6	234	37	30	131	62	9	81	20	1	32	68	135	370	251	156	83	49	10	28
17	12	–	10	1	1	18	4	–	8	3	–	1	7	33	51	49	38	11	9	–	29
141	20	2	51	4	6	17	13	1	12	3	–	4	14	14	45	22	20	11	3	–	30
29	1	2	13	–	2	2	4	1	4	2	–	1	2	1	10	–	4	1	1	–	31
112	19	–	38	4	4	15	9	–	8	1	–	3	12	13	35	22	16	10	2	–	32
35	7	1	18	2	1	14	3	–	10	2	1	7	11	23	30	27	11	12	4	–	33
11	3	1	12	2	–	4	2	–	2	1	–	4	3	8	7	6	4	6	2	–	34
24	4	–	6	–	1	10	1	–	8	1	1	3	8	15	23	21	7	6	2	–	35
76	6	–	18	2	5	7	3	–	4	4	–	4	6	11	41	8	8	4	2	–	36
51	9	–	14	1	1	3	5	2	5	1	–	4	2	6	19	16	6	2	2	1	37
23	5	–	1	1	–	2	1	–	1	–	–	1	5	3	3	8	1	1	2	2	38
2,787	201	23	839	135	130	260	237	29	158	39	2	82	149	86	903	285	307	210	128	26	39
25	2	–	4	2	–	4	5	1	3	3	–	2	2	2	16	5	4	2	–	–	40
116	7	1	29	5	4	11	10	–	6	2	–	7	10	1	41	9	16	10	7	2	41
253	23	3	76	12	11	24	25	3	7	2	–	4	9	4	89	29	18	23	4	2	42
1,544	105	11	500	84	74	149	120	20	101	20	2	48	102	63	512	164	167	134	88	18	43
182	11	4	61	5	5	17	17	2	13	3	–	6	2	–	69	18	16	9	1	2	44
100	4	–	29	5	4	7	8	–	7	2	–	5	9	2	28	11	20	9	6	1	45
567	49	4	140	22	32	48	52	3	21	7	–	10	15	14	148	49	66	23	22	1	46
126	14	–	26	3	6	6	3	1	9	2	–	4	2	11	36	26	14	11	4	–	47
66	14	–	24	9	1	19	4	–	6	2	–	2	12	24	34	35	18	7	10	2	48
1,103	53	7	282	38	53	104	91	15	79	11	–	28	28	42	375	117	118	79	34	16	49
963	46	6	250	31	41	90	82	13	66	9	–	23	24	25	312	83	95	67	28	14	50
140	7	1	32	7	12	14	9	2	13	2	–	5	4	17	63	34	23	12	6	2	51
129	20	2	51	10	2	28	18	1	19	2	–	6	10	14	51	30	18	13	14	3	52
14	1	–	10	2	–	2	1	–	4	1	–	2	3	1	9	4	2	1	2	–	53
115	19	2	41	8	2	26	17	1	15	1	–	4	7	13	42	26	16	12	12	3	54
37	2	–	15	–	2	7	2	–	3	2	–	3	3	–	5	7	2	3	–	1	55
203	9	5	65	13	16	21	18	3	11	1	–	1	4	3	68	17	12	10	4	–	56
75	2	1	38	8	10	14	11	–	4	1	–	1	2	–	19	4	3	1	2	–	57
128	7	4	27	5	6	7	7	3	7	–	–	–	2	3	49	13	9	9	2	–	58
130	33	2	42	6	4	26	12	4	16	4	–	8	11	7	59	32	35	13	4	1	59
72	20	2	28	3	3	15	6	2	9	1	–	5	9	4	27	12	14	6	2	–	60
58	13	–	14	3	1	11	6	2	7	3	–	3	2	3	32	20	21	7	2	1	61
6,739	**938**	**79**	**2,723**	**334**	**271**	**587**	**261**	**60**	**189**	**117**	**2**	**151**	**321**	**815**	**1,608**	**680**	**729**	**210**	**203**	**69**	**62**
2,256	309	31	961	128	86	162	100	24	97	39	1	59	114	271	600	169	257	80	99	30	63
4,483	629	48	1,762	206	185	425	161	36	92	78	1	92	207	544	1,008	431	472	130	104	39	64
1,538	284	14	697	88	73	140	62	18	67	34	–	48	102	267	458	134	209	66	86	31	65
1,174	198	10	515	77	51	100	50	14	56	24	–	38	71	157	343	90	157	50	70	23	66
364	86	4	182	11	22	40	12	4	11	10	–	10	31	110	115	44	52	16	16	8	67
5,201	654	65	2,026	246	198	447	199	42	122	83	2	103	219	548	1,150	466	520	144	117	38	68
1,082	111	21	446	51	35	62	50	10	41	15	1	21	43	114	257	79	100	30	29	7	69
4,119	543	44	1,580	195	163	385	149	32	81	68	1	82	176	434	893	387	420	114	88	31	70
88	4	–	47	4	3	5	2	1	3	2	–	1	5	21	17	7	9	2	2	1	71
43	3	–	24	3	1	–	–	1	2	2	–	1	2	12	7	3	3	2	1	–	72
45	1	–	23	1	2	5	2	–	1	–	–	–	3	9	10	4	6	–	1	1	73
54	8	1	44	–	2	11	1	1	1	1	–	1	10	29	9	7	14	3	7	–	74
94	13	2	32	1	9	13	4	1	5	–	–	1	6	4	28	8	6	5	1	–	75
223	20	5	103	12	12	11	8	2	4	1	–	4	8	40	43	19	17	4	–	4	76
53	8	1	33	3	6	4	5	–	1	–	–	2	2	13	14	4	5	1	–	2	77

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Arkansas—Con.																	
	Benton—Con.																	
01	Springdale, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
02	Balance of county	471	–	–	4	76	14	23	4	10	5	3	17	8	271	182	–	–
03	Boone	279	–	–	–	57	15	14	5	7	1	6	9	9	147	101	2	1
04	Bradley	200	2	–	–	33	10	5	2	4	1	2	9	2	112	76	–	1
05	Calhoun	62	–	–	1	8	–	–	1	2	1	–	4	1	38	27	–	–
06	Carroll	169	2	–	1	24	4	6	2	4	2	1	5	2	96	63	–	–
07	Chicot	190	–	–	–	28	9	7	1	4	–	2	5	5	107	64	–	2
08	Clark	222	–	–	1	33	8	9	3	8	–	–	5	2	129	86	1	–
09	Clay	266	2	–	1	52	19	8	4	9	3	1	8	7	141	105	1	–
10	Cleburne	146	–	–	3	16	6	5	1	1	1	–	2	4	87	70	–	–
11	Cleveland	79	–	–	1	14	2	3	–	4	1	2	2	1	39	25	–	–
12	Columbia	296	3	–	4	52	11	10	3	13	3	1	11	8	166	115	–	10
13	Magnolia	118	1	–	3	23	6	6	1	3	1	1	5	2	64	42	–	6
14	Balance of county	178	2	–	1	29	5	4	2	10	2	–	6	6	102	73	–	4
15	Conway	189	–	–	–	19	8	4	–	2	1	1	3	2	122	103	3	–
16	Craighead	548	2	–	5	89	24	20	4	6	8	4	23	16	301	191	3	2
17	Jonesboro	252	2	–	2	41	11	8	3	4	2	1	12	5	141	87	3	–
18	Balance of county	296	–	–	3	48	13	12	1	2	6	3	11	11	160	104	–	2
19	Crawford	276	1	–	1	31	9	6	7	1	–	3	5	8	137	90	1	–
20	Crittenden	491	2	–	7	86	17	18	3	10	6	5	27	6	220	134	1	2
21	West Memphis	257	1	–	3	52	10	14	2	5	4	3	14	5	113	62	1	–
22	Balance of county	234	1	–	4	34	7	4	1	5	2	2	13	1	107	72	–	2
23	Cross	192	–	–	1	32	8	10	4	1	–	2	7	7	96	67	–	–
24	Dallas	130	–	–	–	23	5	7	2	1	1	1	6	7	72	61	1	1
25	Desha	206	1	–	4	31	8	7	1	6	1	2	6	3	110	80	1	11
26	Drew	154	1	–	3	20	4	6	1	5	–	1	3	1	72	50	2	–
27	Faulkner	300	–	–	8	56	13	18	4	5	3	2	11	10	144	110	5	–
28	Conway	121	–	–	2	23	5	7	1	1	2	2	5	2	57	42	2	–
29	Balance of county	179	–	–	6	33	8	11	3	4	1	–	6	8	87	68	3	–
30	Franklin	146	1	–	1	15	3	3	–	–	–	–	9	3	81	62	–	–
31	Fulton	126	–	–	1	21	7	5	3	2	1	1	2	2	70	52	1	–
32	Garland	913	2	–	4	166	36	42	11	25	2	7	43	17	507	390	4	8
33	Hot Springs	674	2	–	2	125	26	32	8	19	2	6	32	8	383	291	3	5
34	Balance of county	239	–	–	2	41	10	10	3	6	–	1	11	9	124	99	1	3
35	Grant	104	–	–	–	20	4	6	2	4	1	–	3	2	48	32	–	–
36	Greene	262	1	–	–	43	11	5	6	5	6	2	8	4	160	115	1	1
37	Paragould	144	–	–	–	28	7	3	4	3	6	1	4	1	89	65	1	1
38	Balance of county	118	1	–	–	15	4	2	2	2	–	1	4	3	71	50	–	–
39	Hempstead	237	1	–	3	42	11	18	2	2	2	3	4	6	140	113	1	1
40	Hot Spring	235	–	–	–	42	8	16	4	4	–	2	8	4	138	101	1	2
41	Howard	153	–	–	–	31	7	9	5	2	1	2	5	4	88	70	2	1
42	Independence	304	–	–	2	59	11	15	4	9	1	4	15	10	163	121	–	1
43	Izard	115	–	–	1	29	11	8	2	3	–	–	5	1	58	46	–	1
44	Jackson	223	–	–	2	39	14	15	1	4	1	–	4	3	120	78	1	–
45	Jefferson	821	2	1	9	162	36	37	18	22	6	2	41	11	424	295	5	20
46	Pine Bluff	631	2	–	7	130	29	27	17	17	5	–	35	9	324	227	3	15
47	Balance of county	190	–	1	2	32	7	10	1	5	1	2	6	2	100	68	2	5
48	Johnson	210	–	–	1	36	8	11	3	4	1	1	8	3	130	97	1	–
49	Lafayette	127	1	–	2	18	5	5	–	3	–	1	4	–	64	40	1	2
50	Lawrence	223	1	–	2	38	10	12	2	5	1	2	6	5	120	96	2	6
51	Lee	198	–	–	2	36	4	10	5	4	2	4	7	6	102	72	–	2
52	Lincoln	124	–	–	1	17	6	4	–	1	2	–	4	1	66	38	–	–
53	Little River	110	1	–	–	23	4	8	1	4	2	–	4	–	58	50	2	–
54	Logan	217	–	–	2	42	9	8	4	6	3	2	10	2	110	77	1	1
55	Lonoke	295	2	–	–	56	10	10	6	9	1	4	16	1	167	98	1	1
56	Madison	125	1	–	3	21	5	5	3	3	–	1	4	8	57	32	–	3
57	Marion	118	–	–	1	30	10	7	1	5	1	2	4	3	49	35	–	–
58	Miller	342	1	–	2	76	22	20	1	13	1	5	14	5	164	114	1	10
59	Texarkana[2]	237	1	–	2	54	15	14	1	10	1	3	10	5	115	85	–	7
60	Balance of county	105	–	–	–	22	7	6	–	3	–	2	4	–	49	29	1	3
61	Mississippi	660	3	1	9	98	29	20	3	10	4	1	31	6	339	220	3	4
62	Blytheville	246	2	1	4	41	13	6	2	4	1	1	14	3	116	76	–	2
63	Balance of county	414	1	–	5	57	16	14	1	6	3	–	17	3	223	144	3	2
64	Monroe	183	–	–	1	38	12	8	1	7	2	1	7	1	94	56	–	–
65	Montgomery	94	–	1	–	14	3	4	2	1	1	–	3	–	41	29	–	1
66	Nevada	164	–	–	–	34	8	9	2	6	–	–	9	5	89	71	1	–
67	Newton	69	1	–	2	14	1	5	1	2	1	1	3	3	39	31	–	1
68	Ouachita	362	2	–	3	42	11	7	3	6	1	2	12	3	185	110	–	4
69	Camden	180	–	–	2	26	7	2	3	4	–	1	9	1	90	48	–	3
70	Balance of county	182	2	–	1	16	4	5	–	2	1	1	3	2	95	62	–	1
71	Perry	66	–	–	–	17	3	5	3	1	1	1	3	1	39	32	–	1
72	Phillips	469	–	–	7	82	18	17	2	16	3	4	22	7	229	158	1	5
73	Helena	168	–	–	3	30	8	7	1	4	2	1	7	4	78	52	1	2
74	West Helena	117	–	–	2	19	5	3	–	5	1	–	5	1	57	43	–	–
75	Balance of county	184	–	–	2	33	5	7	1	7	–	3	10	2	94	63	–	3
76	Pike	105	4	–	–	29	9	9	1	2	2	–	6	1	48	37	–	–
77	Poinsett	294	–	–	5	45	15	11	2	3	2	2	10	2	158	105	1	1
78	Polk	192	–	–	–	33	8	10	3	5	2	1	4	2	120	95	–	3
79	Pope	307	3	–	2	49	11	19	4	4	1	2	8	4	181	127	1	2
80	Russellville	135	–	–	1	27	5	12	2	2	–	2	4	2	77	58	–	1
81	Balance of county	172	3	–	1	22	6	7	2	2	1	–	4	2	104	69	1	1
82	Prairie	110	–	–	2	22	5	5	3	3	–	1	5	3	49	30	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	01
170	12	4	70	9	6	7	3	2	3	1	–	2	6	27	29	15	12	3	–	2	02
84	14	–	39	4	3	9	3	2	2	1	–	3	1	1	27	3	9	4	1	–	03
65	10	2	24	5	5	12	1	1	1	5	–	–	1	1	14	4	8	1	1	1	04
18	9	1	8	–	2	3	–	–	–	1	–	–	2	1	3	1	1	–	2	–	05
58	5	–	27	5	1	8	3	1	2	2	–	–	2	7	7	3	5	2	2	–	06
55	7	–	37	3	3	9	–	–	1	–	–	3	7	6	8	5	9	–	1	1	07
80	5	–	40	2	1	2	1	–	1	1	–	–	1	14	15	6	11	3	1	1	08
92	12	–	30	5	1	8	5	2	4	–	–	–	2	6	15	6	11	1	–	3	09
64	6	–	14	1	2	7	1	–	1	1	–	2	1	–	12	1	4	4	2	–	10
23	2	–	11	1	2	2	1	–	–	1	–	–	3	2	6	4	3	2	–	–	11
96	9	3	43	4	1	5	4	1	1	–	–	2	2	4	24	7	5	7	1	–	12
34	2	1	20	1	–	2	4	–	–	–	–	–	1	1	9	1	4	3	–	–	13
62	7	2	23	3	1	3	–	1	1	–	–	2	1	3	15	6	1	4	1	–	14
89	11	–	17	1	1	6	2	–	1	1	–	1	1	3	9	14	4	4	–	–	15
175	11	–	89	10	11	9	11	1	12	4	–	2	7	13	41	12	10	5	6	2	16
78	8	–	46	5	3	3	8	–	7	2	–	2	5	1	18	5	4	3	3	–	17
97	5	–	43	5	8	6	3	1	5	2	–	–	2	12	23	7	6	2	3	2	18
71	18	1	39	–	7	6	3	1	2	–	–	1	4	47	15	5	8	5	–	1	19
83	48	1	78	4	3	15	2	1	5	3	–	6	8	36	35	13	28	4	10	4	20
39	22	1	46	2	2	8	1	–	3	1	–	3	4	12	17	8	15	4	5	2	21
44	26	–	32	2	1	7	1	1	2	2	–	3	4	24	18	5	13	–	5	2	22
60	7	–	23	2	4	8	1	–	1	–	–	–	4	7	16	8	7	1	3	–	23
51	8	–	10	1	–	4	–	1	–	2	–	1	–	7	5	2	4	–	2	–	24
59	9	–	22	6	2	3	2	–	2	1	–	1	7	4	17	5	11	1	3	–	25
41	7	–	21	–	1	9	6	–	–	–	–	–	2	8	14	6	7	1	4	–	26
90	15	–	27	4	3	8	4	3	2	1	–	5	5	11	21	8	11	1	1	1	27
35	5	–	13	–	2	4	1	1	1	1	–	2	2	8	11	2	3	1	–	–	28
55	10	–	14	4	1	4	3	2	1	–	–	3	3	3	10	6	8	–	1	1	29
47	15	1	16	–	2	5	4	2	1	1	–	–	3	7	11	5	2	2	1	1	30
49	2	–	15	2	1	2	1	–	–	1	–	1	4	8	5	4	6	–	–	–	31
337	41	1	105	6	5	21	12	4	12	2	–	6	11	13	77	13	29	11	6	–	32
253	30	1	82	6	3	17	9	3	11	–	–	2	6	10	56	8	20	8	4	–	33
84	11	–	23	–	2	4	3	1	1	2	–	4	5	3	21	5	9	3	2	–	34
29	3	1	12	1	2	6	1	–	1	2	–	1	1	1	7	5	9	–	–	–	35
106	7	–	35	6	4	7	5	–	2	2	–	2	3	2	15	8	6	2	–	–	36
58	5	–	16	5	3	3	4	–	–	–	–	1	2	–	10	3	2	1	–	–	37
48	2	–	19	1	1	4	1	–	2	2	–	1	1	2	5	5	4	1	–	–	38
106	5	1	22	1	3	5	2	1	2	–	–	1	3	3	12	10	3	1	2	–	39
84	14	–	31	4	2	11	5	–	2	–	–	2	4	5	9	2	4	3	2	2	40
65	2	–	13	2	3	6	1	–	1	4	–	1	3	1	4	1	5	1	1	1	41
115	5	1	32	7	2	9	4	3	–	2	–	3	4	1	18	11	7	5	2	1	42
41	4	1	11	–	–	3	4	–	–	–	–	–	–	3	13	1	2	–	–	–	43
61	16	–	37	2	3	2	2	–	–	1	–	1	1	8	24	7	12	–	1	–	44
230	40	1	113	7	8	10	4	–	5	9	–	2	17	29	65	21	30	4	11	5	45
180	29	1	82	6	8	8	3	–	4	6	–	1	11	24	50	11	26	2	9	4	46
50	11	–	31	1	–	2	1	–	1	3	–	1	6	5	15	10	4	2	2	1	47
80	16	1	20	9	3	9	1	–	–	1	–	1	1	2	14	5	5	1	–	–	48
36	1	1	18	1	4	3	1	1	2	1	–	–	2	12	13	–	4	1	2	–	49
75	13	–	20	1	3	5	2	–	–	–	–	1	2	5	23	13	6	–	–	–	50
66	4	2	23	1	4	4	–	–	–	1	–	3	3	10	13	8	8	–	2	–	51
36	2	1	23	–	4	9	1	–	2	1	–	1	1	2	13	3	3	1	2	–	52
44	4	–	6	1	1	3	–	–	–	1	–	1	3	–	9	2	3	2	4	–	53
55	20	–	28	4	1	5	2	–	5	1	–	1	3	5	17	12	4	5	1	–	54
84	12	1	60	2	6	11	2	–	1	1	–	4	3	4	20	7	9	4	2	1	55
29	–	–	8	17	–	–	2	–	1	1	–	1	–	10	11	5	3	1	–	–	56
30	5	1	11	–	2	9	2	–	1	1	–	–	2	2	9	4	4	1	–	–	57
79	24	2	37	7	4	11	8	–	5	2	–	2	5	8	27	9	8	4	4	1	58
60	18	–	21	6	3	5	7	–	2	1	–	2	2	8	18	5	3	2	4	1	59
19	6	2	16	1	1	6	1	–	3	1	–	–	3	–	9	4	5	2	–	–	60
174	39	1	106	7	5	14	8	1	4	2	1	5	18	35	49	13	38	6	7	3	61
62	12	–	35	3	2	4	3	1	4	1	1	1	5	13	20	5	15	1	3	2	62
112	27	1	71	4	3	10	5	–	–	1	–	4	13	22	29	8	23	5	4	1	63
51	5	3	24	7	4	3	2	–	1	–	–	2	2	7	12	9	8	1	2	–	64
27	1	1	9	1	1	6	3	1	–	–	–	1	1	5	9	6	2	2	1	1	65
44	26	1	13	3	1	4	2	–	–	–	–	–	1	7	7	4	5	2	4	–	66
28	2	–	5	2	1	1	–	–	–	1	–	1	–	–	1	–	6	–	–	–	67
87	19	7	59	6	3	8	4	2	2	3	–	1	3	33	32	15	15	3	5	1	68
37	8	1	34	4	3	3	1	2	1	3	–	1	1	15	11	11	8	1	3	–	69
50	11	6	25	2	–	5	3	–	1	–	–	–	2	18	21	4	7	2	2	1	70
27	4	–	5	–	2	3	–	–	–	–	–	–	–	1	4	1	–	–	–	–	71
141	11	17	49	4	1	5	6	1	5	2	–	5	9	34	27	17	19	4	9	1	72
46	3	10	16	–	–	3	2	–	1	–	–	–	2	12	9	8	11	1	4	–	73
39	4	3	9	2	–	–	3	–	3	1	–	3	–	6	13	3	4	–	2	–	74
56	4	4	24	2	1	2	1	1	1	1	–	2	7	16	5	6	4	3	3	1	75
32	5	–	6	2	3	6	–	–	–	–	–	1	3	2	5	3	3	–	–	–	76
83	20	–	39	10	4	5	10	1	4	2	–	–	1	7	25	17	6	1	2	3	77
88	4	–	15	5	5	2	5	–	–	2	–	2	3	2	12	6	3	–	–	–	78
115	9	1	42	9	2	5	4	1	3	2	–	4	2	2	25	5	11	3	–	1	79
54	3	1	16	2	–	2	2	–	1	1	–	2	1	2	13	–	2	1	–	1	80
61	6	–	26	7	2	3	2	1	2	1	–	2	1	–	12	5	9	2	–	–	81
26	4	–	16	3	–	3	2	–	–	1	–	–	1	10	11	1	4	1	–	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Motor cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Arkansas—Con.																	
01	Pulaski	2,703	7	–	20	495	131	123	42	54	24	11	110	60	1,299	868	13	10
02	Jacksonville	108	1	–	2	12	3	2	1	1	1	–	4	3	40	25	–	–
03	Little Rock	1,540	5	–	12	287	72	74	26	37	12	5	61	33	773	517	8	5
04	North Little Rock	728	1	–	4	136	36	28	12	12	10	5	33	17	334	226	3	3
05	Balance of county	327	–	–	2	60	20	19	3	4	1	1	12	7	152	100	2	2
06	Randolph	179	1	–	4	27	6	7	2	6	–	2	4	2	95	77	–	–
07	St. Francis	340	1	–	7	53	16	14	3	8	1	3	8	6	170	121	2	4
08	Forrest City	156	–	–	3	24	6	6	1	7	1	2	1	2	90	65	–	3
09	Balance of county	184	1	–	4	29	10	8	2	1	–	1	7	4	80	56	2	1
10	Saline	304	1	–	4	49	14	12	3	4	2	3	11	4	162	121	–	2
11	Benton	165	–	–	2	27	8	5	3	2	2	1	6	2	81	60	–	2
12	Balance of county	139	1	–	2	22	6	7	–	2	–	2	5	2	81	61	–	–
13	Scott	112	–	–	–	18	3	7	1	2	1	3	1	2	59	47	4	–
14	Searcy	83	–	–	–	14	–	–	–	4	–	–	10	–	44	28	–	–
15	Sebastian	781	1	–	6	153	33	56	18	9	3	10	24	18	361	273	3	5
16	Fort Smith	593	1	–	2	106	26	36	12	7	1	6	18	14	298	223	2	4
17	Balance of county	188	–	–	4	47	7	20	6	2	2	4	6	4	63	50	1	1
18	Sevier	151	–	–	1	27	8	1	3	2	–	1	12	4	74	55	–	11
19	Sharp	135	–	–	–	20	6	9	1	3	–	1	–	2	80	69	1	–
20	Stone	87	–	–	–	17	3	6	–	1	–	1	6	2	51	40	–	–
21	Union	561	1	–	4	100	23	33	7	11	4	3	19	12	314	203	3	5
22	El Dorado	315	–	–	3	58	15	16	5	5	4	2	11	9	175	121	2	5
23	Balance of county	246	1	–	1	42	8	17	2	6	–	1	8	3	139	82	1	–
24	Van Buren	101	–	–	–	20	3	5	4	4	1	1	2	2	51	37	1	–
25	Washington	679	–	–	4	123	31	28	14	7	10	10	23	10	358	259	5	1
26	Fayetteville	197	–	–	1	33	8	5	6	4	1	2	7	4	102	68	1	–
27	Springdale, part	171	–	–	1	33	10	7	5	1	4	2	4	3	90	69	–	–
28	Springdale, total	171	–	–	1	33	10	7	5	1	4	2	4	3	90	69	–	–
29	Balance of county	311	–	–	2	57	13	16	3	2	5	6	12	3	166	122	4	1
30	White	429	–	–	3	69	21	20	4	8	1	2	13	8	199	132	1	5
31	Woodruff	134	–	–	2	23	4	7	–	2	1	1	8	4	73	52	–	2
32	Yell	200	–	–	1	33	6	11	–	3	1	2	10	4	125	91	–	–
33	**California**	**170,687**	**223**	**26**	**966**	**34,521**	**9,115**	**8,418**	**3,182**	**3,925**	**1,510**	**1,453**	**6,918**	**2,279**	**84,987**	**61,380**	**1,409**	**874**
34	Urban places	128,338	172	19	722	25,937	6,949	6,220	2,452	2,931	1,139	1,079	5,167	1,722	64,721	46,654	1,061	640
35	Balance of area	42,349	51	7	244	8,584	2,166	2,198	730	994	371	374	1,751	557	20,266	14,726	348	234
36	Metropolitan counties	155,404	207	24	879	31,608	8,410	7,658	2,939	3,584	1,382	1,338	6,297	2,091	77,569	56,070	1,289	763
37	Urban places	124,436	169	18	692	25,210	6,772	6,046	2,393	2,846	1,106	1,046	5,001	1,674	62,799	45,310	1,029	613
38	Balance of area	30,968	38	6	187	6,398	1,638	1,612	546	738	276	292	1,296	417	14,770	10,760	260	150
39	Nonmetropolitan counties	15,283	16	2	87	2,913	705	760	243	341	128	115	621	188	7,418	5,310	120	111
40	Urban places	3,902	3	1	30	727	177	174	59	85	33	33	166	48	1,922	1,344	32	27
41	Balance of area	11,381	13	1	57	2,186	528	586	184	256	95	82	455	140	5,496	3,966	88	84
42	Alameda	9,015	10	2	49	1,864	529	434	189	203	67	83	359	112	4,510	3,303	85	28
43	Alameda	539	1	–	5	125	35	31	13	10	–	4	32	2	270	190	4	1
44	Albany	151	–	–	2	31	11	9	3	1	–	2	5	1	90	73	2	1
45	Berkeley	877	–	1	3	186	52	45	23	25	8	9	24	10	455	322	17	6
46	Fremont	494	1	1	–	104	26	25	17	7	4	5	20	5	221	170	2	–
47	Hayward	760	1	–	5	156	36	40	14	22	4	7	33	12	374	281	10	–
48	Livermore	251	–	–	3	53	16	12	4	5	3	4	9	2	114	82	1	–
49	Newark	94	–	–	1	26	8	7	2	2	1	2	4	1	30	25	–	1
50	Oakland	3,936	4	–	21	767	227	166	80	91	30	32	141	58	1,985	1,425	29	16
51	Piedmont	94	–	–	1	25	13	5	2	2	–	–	3	–	48	38	–	–
52	Pleasanton	139	–	–	–	42	12	11	1	3	1	1	13	–	62	47	2	–
53	San Leandro	767	3	–	2	170	38	37	20	19	7	12	37	14	377	281	9	1
54	Union City	114	–	–	–	24	7	6	1	3	1	–	6	1	55	43	–	–
55	Balance of county	799	–	–	6	155	48	40	9	13	8	5	32	6	429	326	9	2
56	Alpine	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
57	Amador	144	2	1	–	34	15	5	4	4	2	1	3	–	79	52	3	–
58	Butte	1,241	–	–	4	242	55	64	29	24	10	8	52	13	644	433	9	2
59	Chico	225	–	–	1	40	12	9	5	4	2	2	6	2	121	73	–	1
60	Balance of county	1,016	–	–	3	202	43	55	24	20	8	6	46	11	523	360	9	1
61	Calaveras	170	1	–	–	41	11	13	2	5	3	2	5	2	87	67	–	–
62	Colusa	123	–	–	2	17	5	2	1	4	1	1	3	1	68	47	–	–
63	Contra Costa	4,129	3	–	25	922	242	229	94	106	47	29	175	34	1,947	1,460	40	17
64	Antioch	223	–	–	–	57	15	14	4	3	3	5	13	1	100	68	–	–
65	Concord	482	–	–	1	107	31	23	11	10	5	2	25	3	226	177	1	3
66	El Cerrito	225	–	–	1	49	16	9	4	4	6	–	10	3	124	96	2	1
67	Lafayette	141	–	–	–	35	9	10	5	4	3	–	4	1	72	55	1	–
68	Martinez	162	–	–	1	39	9	11	2	5	1	4	7	–	67	43	2	2
69	Pinole	67	–	–	–	15	4	3	4	1	1	1	1	–	32	26	–	–
70	Pittsburg	219	–	–	3	36	10	13	1	3	2	1	6	3	108	83	3	3
71	Pleasant Hill	132	–	–	–	26	5	7	4	3	1	–	6	1	58	40	1	–
72	Richmond	710	–	–	8	161	45	40	15	26	5	5	25	9	307	225	10	1
73	San Pablo	226	–	–	1	39	7	11	5	3	1	–	12	1	104	78	2	–
74	Walnut Creek	513	–	–	2	114	33	26	12	13	9	5	16	3	277	202	5	2
75	Balance of county	1,029	3	–	8	244	58	62	27	31	10	6	50	9	472	367	13	5
76	Del Norte	178	–	–	–	31	7	9	3	2	1	1	8	4	79	60	4	1
77	El Dorado	441	–	–	1	88	25	17	7	11	2	2	24	6	207	149	–	3
78	South Lake Tahoe	80	–	–	–	13	3	5	1	3	–	–	1	1	30	25	–	–
79	Balance of county	361	–	–	1	75	22	12	6	8	2	2	23	5	177	124	–	3
80	Fresno	3,682	7	–	24	674	189	164	64	63	25	31	138	78	1,707	1,248	22	22
81	Clovis	114	1	–	–	24	6	1	5	3	1	–	8	1	54	41	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
713	132	8	319	65	39	73	35	13	40	12	–	28	53	71	234	62	99	33	52	17	01
20	5	–	13	2	–	5	1	1	1	1	–	4	3	2	13	4	8	3	3	1	02
428	76	4	180	47	25	32	18	9	21	4	–	14	29	36	128	35	47	17	30	10	03
187	33	3	89	11	5	24	11	3	16	5	–	7	13	22	66	14	31	8	13	3	04
78	18	1	37	5	9	12	5	–	2	2	–	3	8	11	27	9	13	5	6	3	05
73	4	–	16	2	–	7	5	2	3	2	–	3	5	1	13	2	5	2	–	–	06
103	12	–	36	9	4	12	4	1	4	1	–	2	5	10	29	18	11	2	3	1	07
59	3	–	17	5	3	3	2	1	1	–	–	–	4	4	14	5	1	–	2	–	08
44	9	–	19	4	1	9	2	–	3	1	–	2	1	6	15	13	10	2	1	1	09
114	5	1	33	4	3	10	7	–	2	1	–	3	4	8	21	11	7	6	4	–	10
55	3	1	18	2	–	7	6	–	2	1	–	2	2	6	11	6	4	4	2	–	11
59	2	–	15	2	3	3	1	–	–	–	–	1	2	2	10	5	3	2	2	–	12
40	3	–	12	–	–	5	2	–	–	–	–	–	1	8	5	6	3	3	–	–	13
15	13	–	13	2	1	1	–	–	–	–	–	–	–	10	8	3	2	–	–	1	14
248	17	–	78	1	9	15	3	3	8	7	–	6	11	68	61	13	29	10	5	3	15
205	12	–	66	1	8	11	3	1	7	5	–	5	7	47	40	7	23	10	4	2	16
43	5	–	12	–	1	4	–	2	1	2	–	1	4	21	21	6	6	–	1	1	17
38	6	–	16	–	3	6	2	–	–	–	1	–	5	5	15	4	4	2	–	1	18
63	5	–	10	1	–	2	2	–	1	2	–	1	–	3	8	7	4	1	2	–	19
31	9	–	8	2	1	1	1	1	–	2	–	–	3	–	5	4	–	–	–	–	20
178	17	3	88	10	10	13	4	–	4	5	–	4	7	10	38	15	22	2	6	–	21
104	10	2	45	4	3	7	2	–	3	2	–	3	7	4	22	9	8	–	3	–	22
74	7	1	43	6	7	6	2	–	1	3	–	1	–	6	16	6	14	2	3	–	23
34	2	1	12	–	1	3	–	1	2	2	–	–	2	2	5	8	2	1	–	–	24
234	19	2	74	13	10	20	6	2	8	3	–	5	4	24	55	18	24	9	4	2	25
60	7	–	24	5	5	6	2	1	2	1	–	–	1	7	21	8	3	2	1	2	26
67	2	1	16	3	1	1	2	–	3	1	–	1	2	6	9	4	7	5	3	–	27
67	2	1	16	3	1	1	2	–	3	1	–	1	2	6	9	4	7	5	3	–	28
107	10	1	34	5	4	13	2	1	3	1	–	4	1	11	25	6	14	2	–	–	29
113	13	–	57	1	9	12	5	–	2	2	–	6	8	32	47	15	12	5	3	1	30
39	11	–	12	7	2	10	5	–	–	–	–	–	–	5	6	2	1	1	–	2	31
83	8	1	30	2	1	3	3	–	2	–	–	2	1	–	9	5	10	1	1	–	32
56,555	**2,542**	**493**	**18,112**	**2,539**	**2,463**	**4,658**	**2,684**	**736**	**4,427**	**479**	**41**	**1,345**	**2,018**	**1,028**	**13,033**	**4,520**	**6,402**	**3,853**	**2,215**	**246**	**33**
43,130	1,823	385	13,944	1,918	1,820	3,435	1,910	545	3,429	354	33	1,003	1,543	709	9,591	2,886	4,765	2,888	1,776	178	34
13,425	719	108	4,168	621	643	1,223	774	191	998	125	8	342	475	319	3,442	1,634	1,637	965	439	68	35
51,788	2,230	452	16,564	2,274	2,209	4,166	2,364	665	4,084	436	39	1,244	1,853	860	11,757	3,917	5,787	3,556	2,066	232	36
41,918	1,750	371	13,523	1,837	1,758	3,297	1,832	527	3,347	345	33	974	1,492	670	9,254	2,754	4,603	2,829	1,742	175	37
9,870	480	81	3,041	437	451	869	532	138	737	91	6	270	361	190	2,503	1,163	1,184	727	324	57	38
4,767	312	41	1,548	265	254	492	320	71	343	43	2	101	165	168	1,276	603	615	297	149	14	39
1,212	73	14	421	81	62	138	78	18	82	9	–	29	51	39	337	132	162	59	34	3	40
3,555	239	27	1,127	184	192	354	242	53	261	34	2	72	114	129	939	471	453	238	115	11	41
3,065	125	22	890	157	138	215	142	32	247	17	2	67	82	51	756	176	342	209	99	31	42
173	12	–	62	7	11	17	11	–	18	2	–	2	4	3	31	16	15	16	1	–	43
68	2	–	14	1	2	3	1	–	3	1	–	2	–	–	9	1	3	2	1	1	44
288	11	–	112	15	6	20	14	3	17	–	–	5	5	8	79	11	23	27	4	6	45
163	5	1	40	2	8	15	9	1	8	–	–	13	8	8	42	13	18	24	2	1	46
260	11	3	71	13	6	18	14	6	14	–	1	3	8	9	58	18	30	25	4	4	47
73	8	1	21	4	6	7	2	–	9	–	–	4	4	1	22	9	10	7	3	1	48
24	–	–	5	–	–	2	–	–	3	–	1	2	2	–	11	4	8	2	1	–	49
1,323	57	14	398	80	68	87	57	18	117	10	–	25	35	19	343	68	168	65	76	13	50
37	1	–	10	–	–	2	1	–	–	–	–	–	–	–	7	2	4	3	–	1	51
44	1	–	8	5	2	3	4	–	3	–	–	2	1	–	11	2	9	–	–	–	52
263	8	2	71	10	13	18	15	3	25	2	–	2	7	1	83	9	21	15	–	–	53
41	2	–	7	3	2	3	1	–	5	–	–	2	2	–	8	3	2	5	2	1	54
308	7	1	71	17	14	20	13	1	25	2	–	5	6	2	52	20	31	18	5	3	55
1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	56
46	3	3	17	3	4	4	4	–	2	2	–	1	–	2	6	5	–	2	–	–	57
393	29	6	159	24	22	52	31	2	26	6	–	2	6	9	95	41	38	28	1	1	58
66	6	–	36	6	6	10	3	–	2	–	–	–	2	4	18	6	10	6	–	–	59
327	23	6	123	18	16	42	28	2	24	6	–	2	4	5	77	35	28	22	1	1	60
66	1	–	11	6	3	4	2	–	3	1	–	1	1	–	11	7	4	5	–	–	61
46	1	–	15	2	4	3	1	1	3	–	–	–	–	3	10	5	6	3	–	–	62
1,345	58	7	374	57	49	113	70	14	111	10	2	35	36	24	342	123	155	103	54	6	63
66	2	–	22	7	3	7	4	–	9	1	–	2	3	–	15	12	8	2	2	–	64
170	3	1	39	2	7	14	8	2	17	1	–	4	2	7	30	14	15	24	6	1	65
91	2	–	18	5	5	4	3	2	3	–	–	2	–	2	16	1	5	7	2	1	66
51	3	1	12	2	2	2	2	2	3	–	–	–	2	–	11	2	3	6	–	–	67
38	1	–	19	3	2	4	2	–	4	–	–	1	1	–	23	5	8	5	2	–	68
22	4	–	4	–	2	2	1	–	3	–	–	1	1	–	6	4	–	2	–	–	69
71	6	–	19	4	2	6	2	–	3	1	1	2	6	–	16	15	8	3	6	–	70
38	1	1	11	3	3	6	1	–	5	–	–	3	2	1	15	3	8	2	1	–	71
202	12	–	63	13	6	13	8	1	23	2	–	8	7	8	76	19	25	9	24	2	72
72	4	–	21	2	3	4	8	2	6	1	–	2	2	2	24	7	13	6	3	1	73
192	3	2	59	8	6	19	8	1	8	–	–	2	2	–	35	10	22	8	1	1	74
332	17	2	87	8	8	32	23	4	27	4	1	8	8	4	75	31	40	29	7	–	75
49	6	–	14	2	3	6	4	2	5	1	–	–	1	15	9	12	6	1	2	–	76
144	2	1	39	13	5	10	11	5	7	2	–	3	4	5	33	18	22	14	3	2	77
25	–	–	5	–	–	4	1	1	2	1	–	2	1	–	7	6	6	3	2	–	78
119	2	1	34	13	5	6	10	4	5	1	–	1	3	5	26	12	16	11	1	2	79
1,158	46	11	334	67	47	95	64	19	91	12	–	39	54	19	330	177	167	65	55	5	80
38	2	–	9	2	2	3	5	–	2	–	–	1	–	–	8	8	4	2	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
	Fresno—Con.																	
01	Fresno	1,747	4	–	16	328	90	88	27	29	9	14	71	36	831	595	10	10
02	Sanger	83	1	–	–	13	4	4	1	2	1	–	1	3	35	27	–	–
03	Balance of county	1,738	1	–	8	309	89	71	31	29	14	17	58	38	787	585	11	12
04	Glenn	200	–	–	1	45	5	16	4	6	1	3	10	2	99	71	2	1
05	Humboldt	898	–	–	4	175	45	43	20	17	10	6	34	14	436	314	10	8
06	Eureka	318	–	–	2	64	13	20	9	6	4	1	11	5	151	108	2	1
07	Balance of county	580	–	–	2	111	32	23	11	11	6	5	23	9	285	206	8	7
08	Imperial	612	1	–	9	115	23	30	7	13	7	11	24	12	258	188	2	10
09	Brawley	95	–	–	1	16	2	–	2	2	1	3	6	2	43	31	1	3
10	Calexico	58	–	–	–	12	2	4	1	2	–	1	2	1	23	16	–	2
11	El Centro	169	–	–	5	39	8	15	2	1	3	3	7	1	75	54	1	2
12	Balance of county	290	1	–	3	48	11	11	2	8	3	4	9	8	117	87	–	3
13	Inyo	197	–	–	1	36	8	14	2	3	–	–	9	4	84	66	–	1
14	Kern	2,900	7	1	17	541	137	153	35	54	21	37	104	36	1,411	1,089	18	27
15	Bakersfield	787	3	–	3	136	31	41	9	16	4	10	25	5	399	294	7	5
16	Delano	133	–	–	2	23	5	6	3	3	1	2	3	4	56	36	–	2
17	Balance of county	1,980	4	1	12	382	101	106	23	35	16	25	76	27	956	759	11	20
18	Kings	523	–	–	5	90	21	18	10	6	4	3	28	10	238	149	3	2
19	Hanford	218	–	–	1	43	9	7	4	4	3	2	14	5	105	65	2	–
20	Balance of county	305	–	–	4	47	12	11	6	2	1	1	14	5	133	84	1	2
21	Lake	457	–	–	2	72	16	23	4	7	1	2	19	6	239	173	12	8
22	Lassen	157	–	–	–	30	9	4	5	4	1	1	6	3	75	64	1	2
23	Los Angeles	59,368	83	10	324	11,717	3,115	2,780	1,144	1,361	524	465	2,328	859	31,052	22,825	462	343
24	Alhambra	678	–	–	1	132	40	21	14	14	10	4	29	11	392	309	5	5
25	Arcadia	415	1	–	1	94	28	22	8	11	2	4	19	6	236	173	3	3
26	Artesia	113	–	1	1	19	6	4	1	2	–	3	3	3	56	47	3	1
27	Azusa	195	–	–	–	28	6	6	3	3	1	1	8	2	104	87	–	–
28	Baldwin Park	358	–	–	1	67	16	23	6	6	2	4	10	5	183	140	3	2
29	Bell	242	–	–	1	53	16	11	4	6	5	3	8	3	115	93	1	3
30	Bellflower	481	–	–	3	87	14	27	5	9	10	1	21	5	250	184	4	2
31	Bell Gardens	238	–	–	2	32	9	14	1	1	2	1	4	4	125	98	3	2
32	Beverly Hills	438	1	–	1	98	25	15	22	14	3	2	17	3	248	192	5	8
33	Burbank	849	3	–	–	172	46	51	16	24	4	6	25	7	485	345	9	9
34	Carson	361	–	–	2	85	22	23	3	9	3	4	21	8	160	125	1	3
35	Cerritos	99	–	–	2	23	5	5	4	–	2	2	5	2	40	32	1	–
36	Claremont	210	–	–	–	38	12	7	2	4	3	–	10	3	118	73	3	1
37	Commerce	46	–	–	–	11	2	3	3	1	–	–	2	–	25	16	1	1
38	Compton	481	2	–	5	85	25	16	10	11	3	5	15	6	192	133	2	3
39	Covina	332	–	–	–	84	24	20	9	2	8	4	17	6	158	123	–	1
40	Cudahy	106	–	–	–	17	4	3	3	2	1	1	3	–	45	35	–	1
41	Culver City	310	–	–	2	70	17	18	8	4	1	4	18	7	155	115	3	–
42	Downey	610	–	–	4	136	22	45	15	14	1	7	32	7	321	227	5	2
43	Duarte	143	–	–	–	24	11	2	1	1	1	2	6	3	74	59	2	–
44	El Monte	603	1	–	1	112	34	32	9	7	11	4	15	8	307	220	4	3
45	El Segundo	91	–	–	–	15	4	6	2	1	–	–	2	1	65	48	3	1
46	Gardena	521	–	–	3	122	41	28	8	11	5	5	24	10	271	191	2	3
47	Glendale	1,548	1	–	5	293	74	65	35	37	18	22	42	20	897	624	20	9
48	Glendora	277	–	–	1	60	18	17	6	6	3	3	7	4	146	103	2	1
49	Hawthorne	416	1	–	2	71	18	14	8	10	2	2	17	12	216	152	5	1
50	Hermosa Beach	105	–	–	–	25	6	4	4	3	3	–	5	–	53	44	1	–
51	Huntington Park	511	–	–	3	83	21	27	7	12	2	–	14	13	261	191	3	1
52	Inglewood	821	1	–	2	138	24	38	14	17	10	5	30	16	445	319	2	3
53	Lakewood	479	1	–	1	115	25	34	15	10	7	4	20	6	245	188	4	4
54	La Mirada	148	–	–	–	40	8	9	3	5	1	3	11	1	74	57	2	–
55	La Puente	291	–	–	4	45	12	13	3	4	–	4	9	1	144	102	5	1
56	La Verne	140	–	–	–	26	3	8	3	3	–	2	7	3	86	56	2	–
57	Lawndale	165	–	–	1	37	15	10	3	–	2	1	6	3	73	59	1	–
58	Lomita	209	–	–	2	37	8	9	2	5	–	3	10	–	121	78	2	2
59	Long Beach	4,180	7	–	24	798	200	181	81	102	44	34	156	49	2,313	1,716	34	18
60	Los Angeles	26,033	47	7	154	5,028	1,415	1,143	488	632	214	171	965	377	13,491	9,987	193	170
61	Lynwood	340	1	–	2	59	13	18	2	5	–	2	19	5	175	127	5	3
62	Manhattan Beach	165	–	–	1	38	11	6	4	7	1	–	9	–	93	74	–	1
63	Maywood	165	–	–	–	25	5	7	2	3	1	1	6	1	89	75	1	–
64	Monrovia	317	1	–	1	65	23	12	7	6	2	3	12	6	165	114	5	1
65	Montebello	378	1	–	2	66	19	10	8	6	5	3	15	11	186	133	4	2
66	Monterey Park	298	–	–	2	64	24	12	8	6	4	1	9	7	156	115	2	–
67	Norwalk	467	–	–	1	104	26	34	6	4	4	6	24	7	216	171	4	2
68	Palos Verdes Estates	68	–	–	1	20	3	3	4	1	2	1	6	1	30	20	–	–
69	Paramount	243	1	–	2	51	11	20	5	5	3	2	5	5	106	80	–	2
70	Pasadena	1,342	3	1	10	246	63	47	28	29	11	11	57	13	818	533	11	13
71	Pico Rivera	309	1	–	4	66	16	13	7	4	2	6	18	9	144	110	3	–
72	Pomona	707	–	–	4	112	24	30	6	15	2	4	31	12	379	267	5	4
73	Redondo Beach	415	–	–	3	101	27	32	11	6	3	1	21	4	202	143	1	–
74	Rosemead	339	–	–	–	65	15	11	4	9	6	–	20	5	196	160	4	–
75	San Dimas	114	–	–	–	23	4	8	2	3	3	1	2	–	67	53	–	–
76	San Fernando	176	–	–	2	24	6	5	2	4	–	–	7	1	91	64	–	–
77	San Gabriel	403	–	–	2	71	23	15	7	6	3	1	16	6	244	172	4	1
78	San Marino	94	–	–	–	18	7	5	3	–	–	–	3	1	61	35	1	1
79	Santa Fe Springs	71	–	–	1	14	2	5	1	2	–	3	1	–	30	24	1	–
80	Santa Monica	1,142	2	–	3	234	70	51	21	21	10	16	45	24	633	474	12	12
81	Sierra Madre	97	–	–	1	17	4	3	5	–	–	–	5	1	53	33	–	–
82	South El Monte	58	–	–	–	7	3	–	2	1	–	–	1	–	31	25	–	–
83	South Gate	624	–	–	2	148	34	42	11	21	6	6	28	5	322	242	2	–
84	South Pasadena	224	–	–	–	41	12	4	7	4	3	2	9	–	137	87	3	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
556	19	8	170	36	22	48	33	9	45	5	–	17	25	7	163	52	75	28	24	1	01
25	2	1	4	2	1	5	1	–	2	1	–	2	2	–	8	5	3	2	–	–	02
539	23	2	151	27	22	39	25	10	42	6	–	19	27	12	151	112	85	33	30	4	03
65	3	–	17	8	3	3	4	–	3	–	–	3	1	3	15	6	7	7	1	–	04
277	19	2	99	8	13	24	19	5	20	–	–	5	7	14	81	32	35	17	10	–	05
96	9	–	37	4	2	13	10	2	9	–	–	1	2	6	29	7	11	4	2	–	06
181	10	2	62	4	11	11	9	3	11	–	–	4	5	8	52	25	24	13	8	–	07
156	20	2	54	6	8	16	12	–	23	1	–	7	7	9	48	39	39	11	4	1	08
25	2	–	10	1	1	4	3	–	3	–	–	–	1	2	9	5	4	2	–	–	09
13	1	–	5	–	2	3	1	–	4	–	–	1	1	–	1	4	7	–	–	–	10
42	9	1	16	3	1	2	2	–	5	–	–	2	2	4	15	6	7	3	1	–	11
76	8	1	23	2	4	7	6	–	11	1	–	4	3	3	23	24	21	6	3	1	12
59	6	–	13	2	3	9	5	1	4	3	–	3	4	3	20	10	4	2	4	–	13
994	50	8	235	38	41	81	48	17	70	6	1	21	54	7	237	126	115	56	46	2	14
264	18	1	73	15	16	22	13	3	17	2	–	5	17	2	66	23	37	12	21	1	15
30	4	2	16	1	1	5	3	2	6	–	1	1	2	–	12	6	7	1	2	–	16
700	28	5	146	22	24	54	32	12	47	4	–	15	35	5	159	97	71	43	23	1	17
141	3	1	56	26	6	15	4	1	9	1	–	5	13	5	42	40	25	11	8	1	18
62	1	1	20	16	3	6	1	1	4	–	–	2	4	3	17	11	9	2	4	–	19
79	2	–	36	10	3	9	3	–	5	1	–	3	9	2	25	29	16	9	4	1	20
147	6	–	47	3	16	16	14	5	21	–	–	1	3	9	33	15	13	5	3	–	21
56	5	–	8	–	3	4	1	1	5	–	–	–	1	4	14	6	6	2	4	1	22
21,223	797	190	6,495	827	715	1,386	749	249	1,590	171	15	463	736	356	3,880	1,178	2,126	1,321	1,064	39	23
297	2	1	67	5	10	13	10	3	15	1	–	4	6	2	50	12	13	11	2	–	24
159	8	1	49	6	7	5	5	–	4	1	–	3	2	1	23	8	17	7	1	–	25
42	1	1	3	4	1	4	2	1	1	–	–	–	–	1	7	7	8	1	1	–	26
84	3	1	12	1	3	7	3	4	9	–	–	–	3	3	13	9	6	3	1	–	27
132	3	1	34	5	3	9	7	3	10	1	–	1	7	4	21	11	13	4	11	–	28
85	4	–	19	3	–	8	5	–	10	–	–	1	2	2	23	2	9	5	3	–	29
171	7	–	50	9	7	18	6	2	11	2	–	5	4	2	38	19	11	15	3	–	30
90	3	2	21	2	2	9	6	1	9	1	–	6	4	3	15	6	9	1	5	–	31
174	5	–	45	9	2	5	6	4	1	2	–	4	1	1	26	5	17	12	3	–	32
324	3	1	107	20	12	28	10	–	23	1	–	2	2	2	50	12	27	21	4	–	33
114	7	–	25	8	2	9	3	4	12	–	1	4	6	4	23	11	11	10	8	–	34
29	2	–	6	–	2	2	1	–	1	–	–	3	5	–	9	5	3	3	–	–	35
68	1	1	39	2	3	6	1	3	3	–	–	1	2	–	16	3	5	8	3	–	36
14	–	–	6	2	1	–	–	–	–	–	–	3	–	–	2	–	3	1	1	–	37
120	8	4	42	5	8	6	6	1	14	1	–	9	18	8	40	18	26	5	38	1	38
119	3	–	28	3	4	8	7	2	7	3	–	2	–	2	23	7	14	5	4	–	39
32	2	–	7	2	1	6	3	1	7	1	–	3	4	5	4	3	3	3	1	–	40
110	2	1	33	3	3	13	4	1	4	–	–	2	–	1	19	5	13	7	7	–	41
216	4	1	72	10	11	8	7	5	15	2	–	7	5	3	42	10	21	10	7	–	42
53	4	1	10	2	2	4	1	1	3	2	–	1	2	–	12	2	7	6	1	–	43
200	13	2	62	12	11	14	10	3	20	1	–	10	14	6	35	17	20	11	13	–	44
41	3	1	12	3	1	1	–	–	–	–	–	–	–	–	4	1	3	1	–	–	45
178	8	1	57	11	11	13	11	1	14	–	–	7	2	4	31	10	7	9	6	–	46
571	24	5	218	26	24	45	16	6	36	10	–	8	11	4	82	25	44	33	10	2	47
96	4	–	36	5	2	6	3	1	3	1	–	2	3	3	20	2	11	8	3	–	48
144	2	1	49	5	9	10	5	1	12	–	–	7	4	2	21	15	15	15	7	–	49
43	–	–	8	1	–	2	–	–	4	–	–	–	2	1	4	3	5	6	–	–	50
181	6	3	56	3	8	16	9	3	16	3	–	4	9	4	42	11	19	10	5	–	51
305	9	1	108	11	6	18	13	3	11	2	1	5	20	9	58	11	28	14	26	–	52
170	10	2	41	6	8	16	7	2	10	3	–	5	9	–	21	11	13	12	2	–	53
50	5	–	17	–	–	3	1	–	1	1	–	1	2	1	9	6	4	4	–	–	54
90	6	1	32	3	6	6	3	1	8	2	–	7	5	6	17	6	17	8	10	1	55
52	2	–	25	1	4	4	1	1	3	–	–	2	1	1	9	–	2	–	1	–	56
56	2	–	11	1	2	5	2	1	4	–	–	2	11	–	10	4	6	4	2	–	57
73	1	1	27	12	3	2	5	1	5	–	–	1	4	–	8	7	8	6	2	–	58
1,604	60	11	484	54	48	98	71	20	111	7	–	25	26	18	269	68	137	84	52	3	59
9,252	372	93	2,762	355	294	627	313	94	752	73	9	167	338	152	1,740	430	986	600	626	22	60
114	5	3	39	5	1	6	5	2	12	2	1	3	3	2	26	10	15	7	4	–	61
70	3	1	15	–	3	2	1	2	5	–	–	1	1	1	9	4	5	2	–	–	62
72	2	2	11	–	1	3	3	3	11	2	–	–	2	2	17	1	5	1	–	–	63
103	5	–	42	8	1	8	4	1	9	1	–	4	4	3	23	9	6	6	1	–	64
121	6	1	36	8	8	7	2	1	15	3	–	4	5	3	31	4	25	7	5	–	65
111	2	2	30	4	5	6	7	4	6	2	–	2	2	1	13	7	10	6	3	–	66
157	8	–	35	5	5	8	6	2	12	3	–	8	9	3	30	23	18	10	7	–	67
20	–	–	9	–	1	–	1	–	4	–	–	–	–	–	6	–	3	1	–	1	68
75	3	1	20	3	2	4	4	–	11	1	–	5	5	6	13	12	6	6	5	–	69
489	20	4	241	23	17	26	11	5	29	3	–	6	9	2	71	22	32	23	12	–	70
105	2	1	23	7	3	10	5	1	10	2	–	3	6	1	19	15	5	2	6	–	71
248	10	3	89	11	9	16	7	1	17	2	–	11	8	5	53	25	26	14	14	1	72
138	4	–	45	7	7	8	3	4	7	–	–	4	8	4	25	10	12	16	4	–	73
150	6	–	27	7	2	7	4	1	13	2	1	1	7	1	13	7	9	4	3	–	74
51	2	–	12	1	1	2	1	–	1	2	–	2	–	–	4	2	7	2	1	–	75
61	3	–	26	–	1	4	5	1	5	–	–	3	1	1	15	10	9	4	–	–	76
164	3	1	63	3	5	7	5	2	4	2	–	3	4	2	28	5	6	6	6	–	77
33	–	1	22	1	2	1	–	–	3	1	–	–	–	–	6	–	1	2	–	–	78
22	1	–	5	–	1	1	2	–	2	–	–	1	1	2	2	4	5	4	2	–	79
439	11	4	120	21	14	25	14	3	20	–	–	2	14	5	72	14	47	25	5	–	80
33	–	–	19	1	–	2	3	–	2	–	–	1	1	–	10	3	–	2	1	–	81
22	3	–	4	1	1	3	1	1	5	–	–	–	1	–	2	1	4	1	1	–	82
235	5	2	69	4	5	17	5	2	13	2	–	7	10	2	45	6	22	8	8	–	83
81	3	1	40	4	5	7	–	1	5	–	–	1	–	–	14	6	6	4	2	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
	Los Angeles—Con.																	
01	Temple City	283	–	–	–	56	16	10	4	5	3	3	15	3	176	133	2	–
02	Torrance	858	1	–	6	198	49	45	18	20	10	14	42	11	431	307	5	2
03	West Covina	355	–	–	5	79	11	21	13	5	4	2	23	4	177	139	3	1
04	Whittier	884	–	–	6	187	53	45	14	23	7	7	38	11	474	335	11	6
05	Balance of county	5,189	6	1	34	1,118	265	292	103	137	45	48	228	91	2,480	1,839	34	28
06	Madera	472	–	–	6	72	18	23	5	5	1	5	15	3	235	185	1	3
07	Madera	211	–	–	4	30	8	7	–	2	–	3	10	2	108	83	1	3
08	Balance of county	261	–	–	2	42	10	16	5	3	1	2	5	1	127	102	–	–
09	Marin	1,462	1	2	4	311	85	68	34	39	13	11	61	14	675	471	9	2
10	Larkspur	46	–	–	–	11	1	2	1	5	1	–	1	–	26	18	–	–
11	Mill Valley	171	–	–	–	46	11	10	4	4	2	2	13	1	74	51	2	–
12	Novato	181	–	–	–	39	15	8	2	1	1	3	9	–	81	53	–	–
13	San Anselmo	107	–	–	–	27	7	7	1	7	2	–	3	–	55	38	1	–
14	San Rafael	411	1	–	3	78	22	20	9	8	2	4	13	6	185	131	5	–
15	Balance of county	546	–	2	1	110	29	21	17	14	5	2	22	7	254	180	1	2
16	Mariposa	84	–	–	–	17	2	5	2	1	2	1	4	2	48	34	1	1
17	Mendocino	571	–	–	1	105	22	33	7	16	3	7	17	8	272	192	10	8
18	Ukiah	131	–	–	–	22	4	7	2	2	–	1	6	1	59	37	1	–
19	Balance of county	440	–	–	1	83	18	26	5	14	3	6	11	7	213	155	9	8
20	Merced	803	3	–	4	170	40	41	11	31	7	5	35	11	357	265	5	2
21	Atwater	58	–	–	–	8	2	–	1	–	–	2	3	1	28	23	2	–
22	Merced	257	–	–	–	55	17	7	5	13	3	1	9	5	115	89	–	1
23	Balance of county	488	3	–	4	107	21	34	5	18	4	2	23	5	214	153	3	1
24	Modoc	75	–	–	1	14	2	4	–	4	–	1	3	3	29	23	1	–
25	Mono	28	–	–	–	4	2	–	1	1	–	–	–	–	8	5	–	–
26	Monterey	1,902	1	–	13	355	104	93	20	41	15	18	64	19	845	568	15	4
27	Monterey	178	–	–	1	41	11	11	2	2	6	2	7	4	79	49	–	1
28	Pacific Grove	203	–	–	1	49	20	10	2	4	1	1	11	1	102	70	3	1
29	Salinas	550	1	–	1	85	23	28	6	8	–	4	16	5	253	178	3	1
30	Seaside	141	–	–	1	30	6	8	2	8	2	1	3	5	58	38	3	–
31	Balance of county	830	–	–	9	150	44	36	8	19	6	10	27	4	353	233	6	1
32	Napa	841	–	–	5	168	40	39	17	21	11	3	37	11	402	300	5	1
33	Napa	469	–	–	3	93	20	20	12	8	7	3	23	8	223	167	3	–
34	Balance of county	372	–	–	2	75	20	19	5	13	4	–	14	3	179	133	2	1
35	Nevada	418	–	–	2	78	31	15	3	7	2	1	19	4	218	159	6	10
36	Orange	10,445	7	–	53	2,280	550	564	243	274	93	94	462	119	5,216	3,793	112	37
37	Anaheim	1,304	–	–	8	271	73	65	30	34	8	13	48	18	631	455	18	6
38	Brea	127	–	–	–	30	4	7	4	3	1	1	10	2	67	50	1	1
39	Buena Park	336	–	–	–	80	20	19	5	5	6	3	22	5	156	121	5	2
40	Costa Mesa	531	1	–	3	109	26	31	7	11	8	8	18	4	275	192	5	4
41	Cypress	146	–	–	2	39	10	12	5	3	–	1	8	–	65	49	–	–
42	Fountain Valley	177	–	–	2	41	7	11	7	5	1	3	7	1	81	54	1	–
43	Fullerton	552	1	–	3	117	32	30	9	18	4	3	21	2	269	200	7	2
44	Garden Grove	706	–	–	3	154	37	42	15	10	7	3	40	14	345	256	6	2
45	Huntington Beach	659	–	–	1	154	33	42	17	17	5	11	29	11	309	223	10	1
46	Laguna Beach	208	–	–	1	40	5	6	9	4	6	–	10	3	119	80	1	–
47	La Habra	266	–	–	3	66	18	15	9	6	4	5	9	5	139	106	5	–
48	Los Alamitos	106	–	–	–	22	6	5	2	2	–	1	6	2	51	37	1	–
49	Newport Beach	420	–	–	2	109	22	13	21	18	8	2	25	4	212	148	6	5
50	Orange	485	1	–	4	111	21	34	9	14	6	5	22	5	246	178	5	1
51	Placentia	117	–	–	–	22	6	6	3	1	1	1	4	1	58	37	–	1
52	San Clemente	199	–	–	–	51	16	15	3	3	2	4	8	1	95	68	3	–
53	Santa Ana	1,226	3	–	9	234	56	62	25	32	8	6	45	16	605	432	6	3
54	Seal Beach	476	–	–	–	109	33	21	5	16	4	5	25	8	291	209	1	1
55	Stanton	131	–	–	1	24	6	6	1	–	–	1	10	1	71	52	1	1
56	Tustin	201	–	–	–	40	5	10	5	9	–	1	10	1	106	77	4	1
57	Westminster	374	–	–	–	78	24	24	6	7	2	1	14	1	167	129	1	1
58	Yorba Linda	76	–	–	–	14	3	2	–	4	–	1	4	3	32	23	–	–
59	Balance of county	1,622	1	–	11	365	87	86	46	52	12	15	67	11	826	617	25	5
60	Placer	833	2	–	2	177	43	55	17	16	12	8	26	14	440	317	3	3
61	Roseville	212	1	–	–	42	15	9	5	5	3	–	5	6	123	93	1	–
62	Balance of county	621	1	–	2	135	28	46	12	11	9	8	21	8	317	224	2	3
63	Plumas	118	–	–	1	19	5	7	3	1	–	1	2	1	60	45	–	1
64	Riverside	5,154	5	–	18	995	262	257	76	119	37	47	197	64	2,690	1,834	49	36
65	Banning	173	–	–	–	30	11	7	–	–	3	2	7	1	98	69	–	1
66	Corona	216	–	–	1	34	13	3	5	3	–	1	9	5	107	76	2	2
67	Hemet	494	–	–	2	97	28	25	8	12	4	3	17	1	273	179	3	2
68	Indio	141	2	–	1	29	8	6	3	4	–	4	4	5	57	40	1	–
69	Norco	62	–	–	–	9	2	2	1	1	–	–	3	–	41	30	1	–
70	Palm Springs	347	1	–	2	86	23	24	10	11	3	4	11	4	160	108	6	3
71	Riverside	1,113	–	–	7	205	53	54	19	29	9	6	35	15	595	404	14	10
72	Balance of county	2,608	2	–	5	505	124	136	30	59	18	27	111	33	1,359	928	22	18
73	Sacramento	5,187	10	2	40	1,086	279	290	93	103	48	40	233	75	2,439	1,806	46	16
74	Sacramento	3,105	6	2	24	639	162	178	55	68	27	20	129	39	1,480	1,087	28	12
75	Balance of county	2,082	4	–	16	447	117	112	38	35	21	20	104	36	959	719	18	4
76	San Benito	169	1	–	1	25	7	6	3	3	1	2	3	5	79	57	–	1
77	San Bernardino	5,782	4	–	34	1,158	280	268	98	150	62	57	243	79	2,760	1,988	65	39
78	Barstow	106	1	–	2	17	5	6	3	1	–	1	1	–	53	43	1	1
79	Chino	147	–	–	2	30	5	10	2	4	2	–	7	4	66	54	1	2
80	Colton	181	–	–	1	33	10	4	1	5	5	2	6	1	87	67	2	1
81	Fontana	211	–	–	3	43	5	15	4	4	1	–	14	2	107	72	2	1
82	Montclair	125	–	–	1	19	1	4	1	4	–	6	3	3	70	52	2	–
83	Ontario	492	–	–	1	95	18	19	9	15	3	3	28	10	261	189	5	4
84	Redlands	287	–	–	3	50	16	8	1	12	4	2	7	–	153	98	1	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
129	2	2	29	5	7	4	5	–	4	–	–	2	3	2	15	5	3	3	2	–	01
286	14	2	92	16	14	17	11	2	14	2	–	9	13	3	55	18	21	39	6	1	02
133	2	1	33	3	1	6	7	1	9	2	–	4	2	–	24	6	14	11	4	–	03
314	4	2	109	9	19	19	10	5	19	2	–	4	9	5	50	23	39	16	5	–	04
1,708	69	18	510	60	53	106	54	30	154	14	2	58	74	45	353	144	204	126	88	7	05
176	5	1	40	5	4	6	9	3	15	2	–	4	9	3	44	18	24	12	6	1	06
76	3	1	19	4	1	3	4	3	6	2	–	1	4	–	24	4	10	2	3	1	07
100	2	–	21	1	3	3	5	–	9	–	–	3	5	3	20	14	14	10	3	–	08
439	21	2	147	26	29	45	19	4	40	5	–	14	16	5	129	35	60	56	13	14	09
17	1	–	7	–	1	2	1	–	–	–	–	–	–	–	3	1	–	–	2	–	10
46	3	–	16	3	4	4	4	1	4	–	–	–	1	2	19	2	7	4	–	2	11
49	4	–	21	4	3	9	4	–	7	–	–	3	–	2	16	6	8	4	1	1	12
35	2	1	11	4	1	2	2	–	4	–	–	–	1	–	7	1	4	4	–	–	13
121	5	–	39	5	10	12	5	1	15	2	–	6	5	1	39	10	19	13	7	3	14
171	6	1	53	10	10	16	3	2	10	3	–	5	9	–	45	15	22	31	3	8	15
30	2	–	13	–	1	1	1	–	3	–	–	1	1	–	4	1	2	1	2	–	16
162	12	1	58	8	13	16	9	6	15	1	1	1	8	4	52	21	29	17	5	–	17
36	–	–	18	2	2	4	3	1	2	–	–	–	2	2	12	7	10	6	–	–	18
126	12	1	40	6	11	12	6	5	13	1	1	1	6	2	40	14	19	11	5	–	19
242	16	2	74	4	12	23	19	1	14	1	–	9	14	12	79	29	41	5	11	–	20
20	1	–	3	–	2	4	1	–	3	–	–	–	1	–	7	2	2	–	1	–	21
87	1	1	19	1	5	4	8	–	5	1	–	3	5	4	32	8	8	1	3	–	22
135	14	1	52	3	5	15	10	1	6	–	–	6	8	8	40	19	31	4	7	–	23
18	4	–	3	1	2	6	–	–	2	–	–	1	–	1	6	5	3	4	–	–	24
5	–	–	1	–	2	1	–	–	2	–	–	–	–	–	1	5	4	1	2	–	25
518	31	5	203	39	30	80	36	7	45	4	–	18	35	12	170	95	106	38	22	1	26
45	3	–	24	4	2	10	3	1	3	1	–	–	2	–	9	7	13	3	1	–	27
64	2	–	20	7	5	7	3	1	4	1	–	1	–	–	21	2	4	5	1	–	28
163	11	3	53	13	6	26	12	1	12	–	–	7	14	5	55	21	30	14	7	1	29
34	1	–	18	2	–	4	3	1	6	–	–	2	7	1	6	4	7	2	4	–	30
212	14	2	88	13	17	33	15	3	20	2	–	8	12	6	79	61	52	14	9	–	31
281	13	2	76	5	19	40	23	2	17	4	–	6	2	2	75	32	30	13	6	3	32
154	10	–	43	3	10	17	15	2	11	1	–	2	2	1	44	15	19	9	3	1	33
127	3	2	33	2	9	23	8	–	6	3	–	4	–	1	31	17	11	4	3	2	34
132	11	–	48	7	4	20	6	2	11	4	–	1	3	3	32	8	16	8	1	1	35
3,522	122	26	1,113	114	170	248	177	41	232	35	1	98	152	33	727	280	425	241	79	1	36
416	15	5	127	15	29	31	21	2	25	7	–	11	26	5	100	40	63	33	12	–	37
48	–	–	12	3	2	6	1	1	–	–	–	–	–	2	8	2	4	3	1	–	38
112	2	–	25	3	7	6	4	2	9	–	–	3	3	–	24	12	14	13	5	–	39
174	9	1	67	5	10	14	9	2	11	3	1	5	3	2	37	10	23	14	5	–	40
48	1	–	13	2	1	2	1	1	4	1	–	3	–	–	10	4	10	3	1	–	41
50	3	1	23	–	3	3	4	–	2	–	–	2	2	–	16	13	6	4	–	–	42
186	5	4	53	6	6	19	11	4	14	1	–	5	10	–	37	14	25	17	3	–	43
241	7	2	69	7	11	18	9	–	23	3	–	8	9	1	43	21	30	19	6	–	44
208	4	–	70	8	8	13	8	4	16	3	–	4	10	2	42	25	31	23	3	–	45
75	4	2	32	2	3	3	5	1	2	1	–	1	2	–	15	5	5	3	2	–	46
98	3	–	25	5	3	3	3	1	6	–	–	4	5	1	10	3	10	4	2	1	47
33	3	–	10	1	3	5	2	1	5	–	–	–	–	–	9	–	6	2	1	–	48
128	9	1	54	5	4	5	10	–	5	1	–	2	3	1	32	6	13	13	2	–	49
163	9	2	64	1	1	6	7	2	15	1	–	4	16	4	33	7	15	8	–	–	50
32	4	–	19	1	1	3	4	–	–	–	–	–	9	–	7	4	7	2	–	–	51
65	–	–	23	1	3	7	4	–	4	–	–	1	6	1	16	2	7	2	2	–	52
409	14	2	136	19	16	35	28	4	34	2	–	16	28	7	82	33	54	20	16	–	53
202	5	1	59	12	10	8	1	5	3	2	–	3	2	–	32	3	6	3	–	–	54
49	1	1	13	1	4	2	3	1	3	–	–	2	1	–	9	–	8	1	4	–	55
72	–	–	22	2	5	6	3	–	4	2	–	2	1	2	15	8	5	6	–	–	56
123	4	–	25	3	10	14	10	1	10	1	–	7	4	–	37	12	22	7	3	–	57
23	–	1	5	–	3	1	–	–	3	–	–	1	1	–	6	7	5	2	1	–	58
567	20	3	167	12	27	38	29	9	34	7	–	14	11	5	107	49	56	39	10	–	59
299	12	5	85	15	18	18	15	4	8	2	–	4	8	3	50	30	29	18	9	–	60
90	2	1	19	4	6	2	–	2	3	–	–	1	3	1	9	9	3	4	3	–	61
209	10	4	66	11	12	16	15	2	5	2	–	3	5	2	41	21	26	14	6	–	62
39	5	–	12	2	1	1	3	1	–	–	–	–	–	2	10	5	9	4	2	–	63
1,656	93	16	622	127	91	143	102	24	94	17	–	40	33	51	424	144	181	88	39	2	64
65	3	3	16	5	5	10	7	–	2	–	–	2	1	2	10	4	5	–	1	–	65
64	8	–	24	3	4	10	3	1	6	–	–	3	4	4	16	5	9	6	2	–	66
165	9	1	69	15	9	25	14	3	3	1	–	2	2	3	44	2	13	8	1	–	67
35	4	–	14	2	1	5	2	1	3	1	–	2	4	2	11	5	8	1	2	–	68
29	–	–	9	2	–	–	3	–	–	–	–	–	–	1	2	2	1	2	1	–	69
94	5	3	36	3	10	4	9	3	9	2	–	1	–	2	28	10	14	10	1	1	70
366	14	1	148	26	16	32	20	7	20	6	–	13	8	5	85	29	37	18	10	1	71
838	50	8	306	71	46	57	44	9	51	7	–	17	14	32	228	87	94	43	21	–	72
1,632	112	16	487	59	71	139	81	19	156	18	1	54	52	42	437	154	169	132	61	20	73
981	66	10	310	32	41	76	49	11	104	13	1	30	32	28	266	88	91	67	44	15	74
651	46	6	177	27	30	63	32	8	52	5	–	24	20	14	171	66	78	65	17	5	75
49	7	–	19	3	–	7	4	2	3	1	–	1	1	–	25	7	3	3	1	–	76
1,804	80	13	617	64	78	215	112	28	141	18	4	53	77	40	505	185	173	117	55	24	77
39	2	–	6	2	2	5	1	1	2	–	–	1	2	–	9	6	4	2	–	–	78
49	2	–	11	–	1	5	–	–	2	–	1	1	5	1	12	5	7	3	3	–	79
60	4	–	17	1	2	10	4	–	6	–	–	3	–	3	15	6	6	4	1	1	80
64	5	1	27	4	3	7	1	1	3	–	–	2	1	1	19	3	9	6	2	1	81
47	3	–	17	–	1	4	2	–	3	–	1	4	1	1	10	2	–	2	1	1	82
174	6	–	62	6	4	14	10	3	9	3	–	4	5	4	23	15	12	10	10	3	83
95	–	3	36	7	9	9	6	2	7	–	–	1	2	2	27	10	5	7	3	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
	San Bernardino—Con.																	
01	Rialto	184	–	–	–	34	6	10	4	1	2	1	10	5	77	58	1	1
02	San Bernardino	1,071	2	–	9	202	45	52	21	19	15	11	39	20	488	341	14	8
03	Upland	264	1	–	1	63	18	14	7	5	–	5	14	3	144	106	1	1
04	Victorville	87	–	–	–	13	4	3	1	3	1	1	–	–	47	27	1	–
05	Balance of county	2,627	–	–	11	559	147	123	44	77	29	25	114	31	1,207	881	34	18
06	San Diego	11,434	19	3	69	2,370	607	571	207	272	118	100	495	129	5,510	3,810	98	56
07	Carlsbad	152	2	–	–	33	8	8	3	3	2	3	6	2	68	50	–	1
08	Chula Vista	535	1	1	3	122	34	22	14	19	4	7	22	6	255	193	5	2
09	Coronado	133	–	–	2	32	12	7	2	5	–	–	6	–	66	51	1	3
10	El Cajon	501	1	–	2	105	29	35	9	11	7	1	13	5	252	153	5	1
11	Escondido	486	1	–	2	109	30	33	8	10	1	9	18	5	245	162	8	3
12	Imperial Beach	120	–	–	1	22	6	8	1	3	2	–	2	3	49	33	–	–
13	La Mesa	368	–	1	2	81	20	16	6	7	4	4	24	2	193	139	6	–
14	National City	274	–	–	3	46	13	9	5	3	4	2	10	3	129	89	2	2
15	Oceanside	401	–	–	4	91	21	16	8	18	5	4	19	4	169	136	2	3
16	San Diego	5,748	9	–	28	1,154	293	274	104	129	58	47	249	69	2,820	1,918	50	28
17	Vista	306	–	–	4	74	24	16	9	6	3	3	13	3	152	106	3	2
18	Balance of county	2,410	5	1	18	501	117	127	38	58	28	20	113	27	1,112	780	16	11
19	San Francisco coext. with San Francisco city	8,216	8	1	54	1,739	552	399	146	185	64	54	339	100	3,932	2,780	62	33
20	San Joaquin	2,822	6	–	12	535	147	142	36	66	28	25	91	59	1,370	968	24	27
21	Lodi	357	1	–	4	65	15	11	2	10	9	2	16	11	199	131	5	5
22	Manteca	143	–	–	–	25	2	10	4	4	–	1	4	3	65	55	–	7
23	Stockton	1,254	4	–	5	236	68	62	20	24	10	13	39	31	592	413	12	7
24	Tracy	137	–	–	–	29	8	9	1	4	–	2	5	2	57	31	1	–
25	Balance of county	931	1	–	3	180	54	50	9	24	9	7	27	12	457	338	6	8
26	San Luis Obispo	1,136	–	1	7	222	55	73	11	18	9	7	49	12	573	448	11	6
27	San Luis Obispo	233	–	1	1	49	15	13	2	2	1	3	13	2	124	88	3	1
28	Balance of county	903	–	–	6	173	40	60	9	16	8	4	36	10	449	360	8	5
29	San Mateo	4,226	6	1	19	1,024	297	237	93	90	53	50	204	39	1,987	1,360	31	13
30	Belmont	147	–	–	–	39	12	12	2	2	5	1	5	–	66	43	–	–
31	Burlingame	283	1	–	1	64	16	15	7	5	4	4	13	1	152	87	5	–
32	Daly City	443	–	–	2	98	27	23	13	5	6	5	19	4	196	145	4	1
33	Menlo Park	320	–	–	–	63	17	16	4	3	5	3	15	4	170	102	3	2
34	Millbrae	162	–	–	1	42	17	8	4	1	2	3	7	1	82	58	–	1
35	Pacifica	168	–	–	–	40	9	12	3	1	4	–	11	1	56	47	1	1
36	Redwood City	565	2	–	–	137	43	27	12	15	9	7	24	8	265	174	4	–
37	San Bruno	208	–	–	3	46	15	12	1	4	1	3	10	3	95	65	2	–
38	San Carlos	227	1	–	2	56	16	7	6	9	1	4	13	1	115	81	2	2
39	San Mateo	751	2	1	3	211	61	44	15	26	9	7	49	7	349	250	4	3
40	South San Francisco	295	–	–	2	71	16	24	11	8	2	4	6	5	151	116	4	1
41	Balance of county	657	–	–	5	157	48	37	15	11	5	9	32	4	290	192	2	2
42	Santa Barbara	2,116	1	–	13	440	116	89	49	52	22	20	92	24	1,112	760	16	8
43	Lompoc	139	–	–	1	26	8	7	2	1	2	–	6	4	61	52	1	2
44	Santa Barbara	956	–	–	7	198	52	34	20	30	9	7	46	8	554	360	8	5
45	Santa Maria	272	–	–	1	50	13	13	5	2	3	5	9	3	140	93	–	–
46	Balance of county	749	1	–	4	166	43	35	22	19	8	8	31	9	357	255	7	1
47	Santa Clara	6,848	7	2	42	1,454	382	356	142	160	56	75	283	96	3,208	2,271	51	19
48	Campbell	202	–	–	2	37	11	12	1	4	3	2	4	5	93	76	3	–
49	Cupertino	155	–	1	2	34	7	8	4	1	3	1	10	2	65	48	1	–
50	Gilroy	125	–	–	–	27	12	6	1	1	2	1	4	1	61	41	1	1
51	Los Altos	209	–	–	2	41	13	4	8	1	1	1	13	3	116	71	–	–
52	Los Gatos	261	–	–	1	47	12	10	6	5	–	1	13	–	148	93	1	2
53	Milpitas	103	–	–	1	20	4	5	2	2	–	1	6	1	43	33	–	–
54	Mountain View	361	–	–	5	93	15	21	14	15	4	4	20	9	157	118	4	–
55	Palo Alto	414	–	–	–	91	23	23	8	12	2	8	15	7	213	126	4	1
56	San Jose	3,304	6	–	20	672	189	161	64	77	23	37	121	48	1,528	1,100	26	9
57	Santa Clara	555	–	–	5	130	35	33	12	14	3	8	25	5	234	174	5	4
58	Saratoga	166	1	–	–	45	13	7	7	3	4	2	9	1	86	50	–	1
59	Sunnyvale	613	–	–	2	156	36	48	11	14	8	7	32	11	272	202	5	1
60	Balance of county	380	–	1	2	61	12	18	4	11	3	2	11	3	192	139	1	–
61	Santa Cruz	1,610	3	–	9	319	83	61	35	32	27	12	69	18	851	591	13	11
62	Santa Cruz	497	1	–	2	95	23	18	8	11	6	3	26	4	285	195	3	1
63	Watsonville	220	1	–	3	43	12	8	3	5	3	–	12	2	96	69	4	1
64	Balance of county	893	1	–	4	181	48	35	24	16	18	9	31	12	470	327	6	9
65	Shasta	790	2	–	6	180	43	48	11	22	9	6	41	5	333	243	2	–
66	Redding	218	–	–	4	45	13	11	2	9	2	1	7	1	105	80	2	–
67	Balance of county	572	2	–	2	135	30	37	9	13	7	5	34	4	228	163	–	–
68	Sierra	27	–	–	–	8	2	5	–	1	–	–	–	1	10	8	–	–
69	Siskiyou	393	–	–	2	72	15	17	7	9	3	3	18	3	186	122	2	1
70	Solano	1,268	3	–	8	270	71	71	25	26	8	15	54	16	603	436	9	6
71	Fairfield	199	–	–	2	44	10	6	8	6	1	3	10	2	82	59	1	–
72	Vacaville	181	–	–	1	42	13	11	4	1	1	4	8	3	84	55	–	–
73	Vallejo	664	3	–	4	134	31	41	10	14	4	7	27	10	330	245	3	5
74	Balance of county	224	–	–	1	50	17	13	3	5	2	1	9	1	107	77	5	1
75	Sonoma	2,368	4	–	17	506	134	129	38	62	17	19	107	38	1,175	850	30	13
76	Petaluma	279	1	–	4	59	18	20	3	6	1	2	9	4	129	98	2	4
77	Santa Rosa	783	–	–	2	154	36	41	12	20	8	5	32	12	413	301	8	5
78	Balance of county	1,306	3	–	11	293	80	68	23	36	8	12	66	22	633	451	20	4
79	Stanislaus	1,987	2	–	12	342	95	82	29	38	15	22	61	36	962	658	9	5
80	Modesto	753	–	–	4	124	37	29	7	15	8	8	20	5	400	268	4	2
81	Turlock	221	1	–	–	36	9	7	5	4	2	2	7	7	109	80	1	2
82	Balance of county	1,013	1	–	8	182	49	46	17	19	5	12	34	24	453	310	4	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
53	3	1	14	1	3	7	3	–	5	–	–	4	3	2	17	8	7	10	–	2	01
302	17	2	121	14	10	51	20	4	39	2	–	11	16	4	115	26	31	14	14	3	02
101	3	–	33	3	2	5	2	1	2	1	–	2	3	2	17	5	7	5	–	–	03
26	–	1	16	–	3	3	2	–	5	–	–	1	4	–	10	2	–	–	–	–	04
794	35	5	257	26	38	95	61	16	58	12	2	19	35	20	231	97	85	54	21	13	05
3,498	158	42	1,259	183	216	316	216	56	291	31	3	100	154	64	916	296	468	280	120	23	06
44	5	1	14	1	2	4	3	–	4	–	–	2	1	2	15	4	4	5	2	1	07
183	3	1	49	7	5	18	4	6	17	–	–	3	7	–	34	16	23	14	3	2	08
47	–	–	11	–	4	3	5	–	7	–	–	1	1	–	5	2	5	3	1	–	09
142	5	2	76	8	13	12	13	2	17	3	–	4	2	3	40	13	13	10	1	3	10
145	6	1	65	10	7	11	7	1	9	1	–	2	5	3	38	8	18	16	4	1	11
31	2	–	13	1	2	2	–	–	8	–	–	2	4	2	9	3	7	5	3	–	12
126	7	2	43	3	6	8	5	3	3	–	–	1	3	–	26	9	21	9	1	–	13
84	1	4	25	5	6	8	8	–	4	–	–	6	11	3	27	5	12	1	8	–	14
128	3	1	21	2	9	7	13	1	13	1	–	5	7	–	37	15	15	13	6	–	15
1,759	81	23	656	114	109	172	98	35	155	15	2	51	74	42	448	119	246	127	70	14	16
97	4	1	35	5	5	7	10	2	4	1	–	1	2	–	25	4	10	7	–	–	17
712	41	6	251	27	48	64	50	6	50	10	1	22	37	9	212	98	94	70	21	2	18
2,547	138	21	873	124	134	269	99	50	337	30	4	29	40	29	682	114	363	188	121	27	19
869	48	9	322	35	36	80	37	17	70	8	–	19	22	28	256	115	127	44	14	3	20
107	14	1	58	6	3	8	4	1	8	1	–	1	1	6	23	13	10	1	–	–	21
47	1	–	7	–	3	12	1	1	2	–	–	2	1	2	17	7	2	2	1	–	22
374	20	6	141	19	13	37	12	5	33	5	–	10	14	10	105	41	79	23	10	2	23
30	–	1	21	2	2	4	3	3	4	–	–	2	–	2	19	5	5	2	–	–	24
311	13	1	95	8	15	19	17	7	23	2	–	4	6	8	92	49	31	16	3	1	25
405	26	2	85	19	19	43	11	8	27	4	–	10	8	2	109	35	32	22	10	–	26
78	6	1	22	5	8	9	1	1	3	1	–	–	1	1	22	5	7	3	2	–	27
327	20	1	63	14	11	34	10	7	24	3	–	10	7	1	87	30	25	19	8	–	28
1,271	45	9	490	60	68	107	60	15	118	8	–	27	53	14	369	85	136	114	37	7	29
41	2	1	17	3	2	4	1	1	6	–	–	2	1	–	13	2	4	8	–	–	30
79	3	1	52	5	7	9	4	–	5	1	–	–	2	3	26	1	6	6	–	1	31
132	8	–	37	2	12	11	6	3	14	–	–	6	6	3	43	8	18	13	10	2	32
92	5	2	51	8	7	10	7	2	12	–	–	1	5	2	21	7	11	5	–	–	33
56	1	–	22	1	1	7	4	–	2	–	–	–	–	–	11	3	3	4	2	–	34
43	2	–	7	1	1	3	4	2	1	1	–	2	7	–	23	6	9	8	5	–	35
165	5	–	70	12	9	16	8	2	16	–	–	2	7	2	51	12	18	17	2	–	36
61	2	–	24	1	5	3	3	–	8	–	–	2	1	–	16	9	5	11	3	–	37
75	2	–	26	4	4	5	2	1	9	2	–	–	1	–	17	1	5	6	2	1	38
239	4	–	77	8	14	21	10	2	20	1	–	3	8	2	60	14	18	16	3	–	39
106	5	2	28	3	2	5	1	1	5	2	–	3	2	1	27	3	8	5	3	–	40
182	6	3	79	12	4	13	10	1	20	1	–	6	13	1	61	19	31	15	7	3	41
704	32	7	280	22	43	55	35	5	39	6	–	19	24	7	147	44	67	64	13	1	42
47	2	1	4	2	2	5	5	–	2	1	–	3	3	–	11	8	5	4	–	–	43
334	13	4	161	11	18	20	12	2	18	2	–	4	3	3	60	7	25	29	3	1	44
90	3	–	35	6	6	12	3	1	10	2	–	2	8	1	17	7	8	5	2	–	45
233	14	2	80	3	17	18	15	2	9	1	–	10	10	3	59	22	29	26	8	–	46
2,108	93	22	725	98	92	209	100	21	179	15	1	70	119	34	567	208	222	218	68	8	47
73	–	–	14	2	1	5	5	1	5	–	–	3	1	–	19	9	7	6	4	–	48
46	1	–	13	1	3	9	1	1	4	–	–	1	3	2	15	5	4	4	2	–	49
37	2	–	12	5	3	2	1	1	4	–	–	1	4	1	5	7	4	6	–	–	50
69	2	–	33	5	7	5	4	–	5	–	–	3	1	–	14	5	6	3	–	1	51
90	–	–	49	4	2	14	6	–	4	–	–	1	1	2	19	7	6	4	1	–	52
32	1	–	9	–	1	–	1	–	–	1	–	2	5	2	8	8	6	4	1	–	53
107	7	1	26	9	3	11	3	–	17	–	–	3	6	3	26	9	8	10	1	–	54
115	6	–	63	19	5	21	10	3	9	–	–	2	5	–	24	5	8	15	1	–	55
1,019	46	12	343	29	44	90	39	11	96	9	1	39	65	17	288	99	119	109	44	4	56
151	14	5	37	9	9	10	13	1	18	2	–	4	14	3	52	19	22	18	4	1	57
49	–	2	29	1	4	7	1	–	–	–	–	–	–	–	11	5	6	3	–	–	58
189	7	–	60	4	6	17	9	3	11	3	–	5	12	2	48	17	16	23	5	1	59
131	7	2	37	10	4	18	7	–	6	–	–	6	2	2	38	13	10	13	5	1	60
529	38	9	193	28	30	56	38	4	28	3	1	10	14	5	121	46	51	20	12	1	61
179	12	1	72	7	10	22	5	1	6	–	–	5	2	3	31	9	13	8	4	1	62
61	3	3	17	3	4	5	7	2	5	1	–	2	8	–	22	14	8	–	1	–	63
289	23	5	104	18	16	29	26	1	17	2	1	3	4	2	68	23	30	12	7	–	64
226	15	–	70	10	10	18	22	6	13	2	–	6	8	17	78	31	28	25	7	3	65
73	5	–	20	3	2	6	6	1	4	1	–	3	–	4	17	6	9	5	1	–	66
153	10	–	50	7	8	12	16	5	9	1	–	3	8	13	61	25	19	20	6	3	67
7	1	–	2	–	–	1	–	1	1	–	–	–	1	–	3	1	–	–	–	–	68
114	5	–	52	3	9	10	6	1	12	1	–	2	3	3	33	16	27	10	6	–	69
402	19	3	145	9	10	28	23	3	16	3	–	11	25	4	122	46	41	29	16	1	70
54	4	–	20	1	2	2	4	1	1	1	–	3	4	2	20	16	5	8	2	–	71
54	1	–	27	1	1	5	4	–	1	–	–	2	5	–	16	2	7	7	2	–	72
227	10	3	71	6	5	15	10	2	11	1	–	5	11	1	66	16	21	14	9	1	73
67	4	–	27	1	2	6	5	–	3	1	–	1	5	1	20	12	8	–	3	–	74
750	57	6	237	42	40	94	46	9	58	3	–	10	12	10	187	61	60	53	24	1	75
85	7	–	21	5	5	7	10	4	5	–	–	3	1	2	30	4	10	4	2	–	76
270	18	1	81	14	16	40	11	3	21	3	–	4	4	1	60	15	18	16	6	–	77
395	32	5	135	23	19	47	25	2	32	–	–	3	7	7	97	42	32	33	16	1	78
614	30	5	217	50	32	84	41	17	49	3	1	15	24	9	158	87	96	26	20	3	79
252	10	3	93	22	14	20	15	5	17	2	–	5	8	3	62	28	32	12	10	1	80
74	3	–	19	7	3	18	4	3	3	–	1	1	4	–	18	5	7	4	–	–	81
288	17	2	105	21	15	46	22	9	29	1	–	9	12	6	78	54	57	10	10	2	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	California—Con.																	
01	Sutter	381	–	–	3	78	14	27	4	10	3	1	19	1	195	135	4	3
02	Yuba City	157	–	–	1	28	6	10	2	3	2	1	4	1	83	59	3	–
03	Balance of county	224	–	–	2	50	8	17	2	7	1	–	15	–	112	76	1	3
04	Tehama	333	–	–	2	61	11	12	7	13	2	–	16	1	177	119	2	4
05	Trinity	81	–	–	–	15	1	7	2	1	–	1	3	–	40	34	–	–
06	Tulare	1,807	2	–	10	308	73	78	28	45	9	15	60	28	855	602	12	20
07	Porterville	233	–	–	1	33	7	8	4	3	–	2	9	4	119	79	4	5
08	Tulare	198	1	–	1	35	8	11	2	2	2	1	9	6	93	70	1	4
09	Visalia	326	–	–	3	57	13	14	4	11	1	3	11	2	159	100	2	2
10	Balance of county	1,050	1	–	5	183	45	45	18	29	6	9	31	16	484	353	5	9
11	Tuolumne	280	1	–	1	69	15	23	5	6	1	5	14	2	130	90	2	–
12	Ventura	2,658	10	–	18	526	108	153	40	62	18	27	118	35	1,249	904	26	6
13	Camarillo	110	–	–	–	19	6	6	1	2	–	–	4	–	50	40	2	–
14	Oxnard	515	2	–	4	97	14	31	7	12	3	9	21	7	229	163	4	2
15	Port Hueneme	114	1	–	3	21	7	5	2	1	–	–	6	1	56	36	1	–
16	Santa Paula	164	–	–	1	25	6	5	3	5	–	2	4	1	90	57	–	–
17	Simi Valley	246	1	–	1	45	9	13	2	8	1	4	8	6	104	77	3	–
18	Thousand Oaks	162	–	–	1	41	10	16	4	3	2	–	6	1	67	54	–	1
19	Ventura	509	2	–	2	107	21	29	2	13	6	3	33	9	253	190	5	2
20	Balance of county	838	4	–	6	171	35	48	19	18	6	9	36	10	400	287	11	1
21	Yolo	761	1	–	7	154	46	35	10	21	8	8	26	5	367	271	2	2
22	Davis	92	–	–	2	21	5	3	5	3	1	2	2	1	44	27	–	–
23	Woodland	252	–	–	1	50	15	12	2	6	2	2	11	3	132	104	2	–
24	Balance of county	417	1	–	4	83	26	20	3	12	5	4	13	1	191	140	–	2
25	Yuba	362	–	–	2	61	19	17	–	9	6	1	9	3	167	119	2	2
26	**Colorado**	**17,434**	**37**	**2**	**144**	**3,073**	**819**	**599**	**276**	**389**	**151**	**170**	**669**	**297**	**8,163**	**5,931**	**181**	**70**
27	Urban places	11,422	29	1	92	2,068	562	381	190	258	100	124	453	198	5,335	3,855	131	51
28	Balance of area	6,012	8	1	52	1,005	257	218	86	131	51	46	216	99	2,828	2,076	50	19
29	Metropolitan counties	11,576	31	1	101	2,130	574	398	204	263	94	128	469	196	5,227	3,806	128	49
30	Urban places	10,073	27	1	84	1,851	508	339	173	236	82	113	400	175	4,619	3,342	116	45
31	Balance of area	1,503	4	–	17	279	66	59	31	27	12	15	69	21	608	464	12	4
32	Nonmetropolitan counties	5,858	6	1	43	943	245	201	72	126	57	42	200	101	2,936	2,125	53	21
33	Urban places	1,349	2	–	8	217	54	42	17	22	18	11	53	23	716	513	15	6
34	Balance of area	4,509	4	1	35	726	191	159	55	104	39	31	147	78	2,220	1,612	38	15
35	Adams	1,081	1	–	9	192	46	46	17	16	10	13	44	16	436	337	13	3
36	Arvada, part	5	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	–
37	Aurora, part	158	–	–	4	33	9	8	5	3	2	1	5	–	62	39	1	1
38	Commerce City	150	–	–	–	18	3	6	1	1	2	1	4	1	67	55	2	1
39	North Glenn	89	–	–	1	21	2	1	2	1	–	3	12	3	35	21	2	–
40	Thornton	108	–	–	1	21	4	2	1	4	2	2	6	2	42	36	3	–
41	Westminster	172	1	–	1	32	12	6	–	2	–	5	7	3	64	51	3	–
42	Balance of county	399	–	–	2	66	16	22	8	5	4	1	10	7	165	134	2	1
43	Alamosa	71	–	–	1	11	2	3	–	1	1	1	3	1	30	22	–	–
44	Arapahoe	1,004	2	–	9	189	38	37	24	26	5	13	46	16	466	331	13	6
45	Aurora, part	294	1	–	2	58	9	8	8	9	2	4	18	2	133	97	2	4
46	Aurora, total	452	1	–	6	91	18	16	13	12	4	5	23	2	195	136	3	5
47	Englewood	344	–	–	1	64	12	12	11	9	3	4	13	9	169	118	6	2
48	Littleton	231	–	–	4	44	12	11	3	5	–	3	10	3	109	74	2	–
49	Balance of county	135	1	–	2	23	5	6	2	3	–	2	5	2	55	42	3	–
50	Archuleta	28	–	–	1	5	2	1	–	1	–	–	1	–	14	9	–	–
51	Baca	56	1	–	1	10	–	3	–	1	1	–	5	1	22	14	–	–
52	Bent	63	–	–	–	10	3	2	–	2	1	–	2	2	34	25	–	–
53	Boulder	784	2	–	5	141	46	23	13	13	6	6	34	10	384	273	11	4
54	Boulder	371	–	–	4	63	21	9	4	7	3	2	17	4	183	122	8	3
55	Longmont	214	1	–	–	33	11	5	3	4	1	2	7	4	119	90	2	–
56	Balance of county	199	1	–	1	45	14	9	6	2	2	2	10	2	82	61	1	1
57	Chaffee	106	–	–	1	21	11	2	1	2	–	–	5	1	49	37	2	–
58	Cheyenne	23	–	–	–	3	1	1	–	–	–	–	1	–	12	9	–	–
59	Clear Creek	28	–	–	–	5	1	3	1	–	–	–	–	–	7	4	–	–
60	Conejos	67	–	–	–	9	1	1	1	1	–	–	5	1	35	26	1	–
61	Costilla	28	–	–	2	4	2	–	–	1	–	1	–	–	13	6	–	–
62	Crowley	35	–	–	–	6	2	3	–	–	–	1	–	2	22	20	–	–
63	Custer	16	–	–	1	6	1	1	–	1	–	–	3	–	6	4	1	1
64	Delta	217	–	–	2	33	14	4	1	4	2	1	7	4	107	80	2	–
65	Denver, coext. with Denver city	4,600	11	1	36	889	248	164	90	113	44	45	185	66	2,107	1,555	51	26
66	Dolores	17	–	–	–	2	2	–	–	–	–	–	–	1	7	3	–	1
67	Douglas	63	–	–	1	12	7	2	–	2	1	–	–	1	24	20	–	–
68	Eagle	48	–	–	–	6	2	3	–	–	–	–	1	–	20	17	1	–
69	Elbert	28	–	–	–	1	–	–	1	–	–	–	–	–	14	13	–	–
70	El Paso	1,576	8	–	16	268	75	42	20	39	14	22	56	27	646	424	14	3
71	Colorado Springs	1,255	8	–	10	214	62	30	18	35	11	18	40	24	532	338	10	2
72	Balance of county	321	–	–	6	54	13	12	2	4	3	4	16	3	114	86	4	1
73	Fremont	356	–	–	2	61	16	12	4	10	4	6	9	7	193	135	2	2
74	Garfield	161	1	–	1	24	7	3	1	6	–	2	5	2	74	60	–	–
75	Gilpin	12	–	–	–	2	–	–	1	–	–	1	–	–	4	2	–	–
76	Grand	26	–	–	–	5	–	2	1	–	1	–	1	–	11	9	–	–
77	Gunnison	40	–	–	1	7	2	–	1	2	1	–	1	–	20	16	–	–
78	Hinsdale	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
79	Huerfano	91	1	–	–	14	3	5	–	1	–	–	5	1	50	46	1	1
80	Jackson	9	–	–	–	1	–	–	–	–	–	–	1	–	5	4	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
123	5	4	42	6	8	16	8	–	5	1	–	1	4	6	29	10	10	10	4	–	01
54	2	4	15	2	3	7	2	–	4	1	–	–	4	2	13	3	5	1	2	–	02
69	3	–	27	4	5	9	6	–	1	–	–	1	–	4	16	7	5	9	2	–	03
104	9	–	41	13	4	10	9	–	6	2	–	2	3	6	27	13	10	3	1	–	04
29	5	–	4	1	1	4	4	–	–	–	–	1	–	3	4	5	4	–	–	1	05
541	29	5	181	44	23	69	44	12	44	2	–	15	34	13	140	83	86	29	32	1	06
66	4	1	27	7	5	14	7	3	6	–	–	2	3	2	16	9	11	1	2	–	07
62	3	–	18	5	–	6	8	–	2	–	–	2	1	–	19	7	11	5	1	–	08
91	5	–	42	12	5	12	5	2	7	1	–	3	7	2	26	13	14	7	5	1	09
322	17	4	94	20	13	37	24	7	29	1	–	8	23	9	79	54	50	16	24	–	10
84	4	–	27	4	9	4	5	1	3	1	–	1	1	2	28	12	10	7	2	–	11
835	37	4	265	43	33	73	53	11	68	7	4	27	36	13	229	98	107	61	25	8	12
36	2	–	10	–	–	4	2	1	5	–	–	–	–	1	14	4	6	2	–	2	13
146	11	–	49	10	7	10	12	2	11	1	2	9	10	1	44	20	28	12	13	1	14
34	1	–	19	1	–	1	4	2	4	–	1	1	2	–	10	3	2	2	–	–	15
54	3	–	21	5	7	7	1	1	2	–	–	1	2	1	16	9	7	–	–	–	16
73	1	–	21	5	1	9	3	–	2	3	–	5	6	1	21	19	11	8	1	–	17
51	2	1	10	1	1	3	4	1	6	–	1	1	1	–	10	10	6	6	2	1	18
174	9	2	48	6	7	10	10	–	15	2	–	4	7	6	33	10	22	12	4	1	19
267	8	1	87	15	10	29	17	4	23	1	–	6	8	3	81	23	25	19	5	3	20
254	13	1	73	13	9	33	16	1	17	3	–	5	7	3	62	28	22	22	6	2	21
27	–	–	16	1	–	1	2	–	2	–	–	1	1	–	3	3	5	5	1	–	22
99	3	1	24	1	2	15	4	–	4	–	–	–	1	1	17	11	5	5	2	1	23
128	10	–	33	11	7	17	10	1	11	3	–	4	5	2	42	14	12	12	3	1	24
106	9	2	34	4	8	14	10	–	8	1	–	4	5	5	33	15	21	8	5	–	25
5,168	**512**	**53**	**1,574**	**344**	**261**	**668**	**330**	**63**	**306**	**54**	**2**	**153**	**266**	**179**	**1,664**	**600**	**726**	**445**	**205**	**57**	**26**
3,341	332	41	1,033	222	184	459	202	38	230	34	2	101	166	134	1,116	307	437	287	145	41	27
1,827	180	12	541	122	77	209	128	25	76	20	–	52	100	45	548	293	289	158	60	16	28
3,274	355	39	996	210	176	443	208	43	234	35	2	105	188	147	1,132	344	482	318	161	48	29
2,870	311	36	892	189	160	399	177	36	210	30	2	91	151	124	987	266	398	269	135	41	30
404	44	3	104	21	16	44	31	7	24	5	–	14	37	23	145	78	84	49	26	7	31
1,894	157	14	578	134	85	225	122	20	72	19	–	48	78	32	532	256	244	127	44	9	32
471	21	5	141	33	24	60	25	2	20	4	–	10	15	10	129	41	39	18	10	–	33
1,423	136	9	437	101	61	165	97	18	52	15	–	38	63	22	403	215	205	109	34	9	34
279	42	2	69	14	14	53	14	4	12	4	–	22	34	13	101	50	56	40	21	3	35
1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	36
35	2	–	17	2	4	3	2	1	3	–	–	5	7	2	12	4	6	9	5	–	37
41	11	–	7	3	2	6	1	1	4	1	–	2	5	–	19	7	10	4	4	–	38
15	4	1	9	1	3	3	–	–	2	–	–	1	2	–	4	7	4	3	1	2	39
31	2	1	5	–	–	5	2	1	–	–	–	3	5	2	7	4	6	6	1	–	40
41	7	–	12	1	–	16	3	–	2	1	–	4	5	2	17	6	4	8	3	–	41
115	16	–	19	7	5	20	6	1	1	2	–	6	10	7	42	21	25	10	7	1	42
22	–	–	6	–	2	4	2	1	–	1	–	2	–	–	12	2	4	–	–	–	43
273	39	4	89	19	23	34	16	2	18	3	–	19	22	5	101	27	31	26	7	11	44
73	18	–	19	10	7	12	4	–	6	2	–	5	12	2	28	4	10	6	4	3	45
108	20	–	36	12	11	15	6	1	9	2	–	10	19	4	40	8	16	15	9	3	46
97	13	1	35	6	9	11	7	2	5	–	–	2	3	–	38	9	10	8	1	5	47
66	6	3	27	1	4	10	–	–	4	–	–	9	3	2	24	8	3	6	1	1	48
37	2	–	8	2	3	1	5	–	3	1	–	3	4	1	11	6	8	6	1	2	49
9	–	1	2	1	1	–	1	1	1	–	–	1	1	–	2	–	1	–	–	–	50
11	3	–	5	2	1	1	2	1	–	–	–	1	–	–	5	7	2	2	–	–	51
25	–	1	7	–	1	5	–	–	–	–	–	1	3	–	4	2	1	–	1	–	52
236	22	4	78	17	12	16	10	1	13	2	–	6	10	7	85	32	40	14	5	1	53
101	10	2	45	6	8	10	6	1	6	–	–	4	6	4	42	11	17	6	3	1	54
82	6	–	18	7	4	2	3	–	4	2	–	–	3	1	21	9	11	1	–	–	55
53	6	2	15	4	–	4	1	–	3	–	–	2	1	2	22	12	12	7	2	–	56
33	2	–	7	3	2	2	3	2	–	–	–	–	2	3	5	2	7	7	1	–	57
9	–	–	3	–	–	–	2	1	–	–	–	–	2	–	1	1	1	–	–	–	58
4	–	–	2	1	–	–	1	–	3	1	–	–	1	–	3	1	5	–	1	–	59
24	1	–	8	1	–	3	2	–	1	–	–	–	2	–	7	6	1	–	–	–	60
4	2	–	6	1	–	1	–	–	–	–	–	–	1	–	1	3	1	2	–	–	61
20	–	1	1	–	–	1	–	–	–	–	–	–	1	–	2	1	–	–	–	–	62
1	1	–	2	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	63
75	3	1	22	2	2	16	9	–	2	1	–	–	1	–	19	5	13	4	1	–	64
1,297	181	18	383	81	70	176	83	18	113	15	1	24	39	89	460	97	167	113	73	22	65
1	1	–	2	1	1	–	–	–	–	–	–	–	–	1	2	–	2	1	–	1	66
18	2	–	3	1	–	1	3	–	–	–	–	–	–	–	4	6	5	3	–	3	67
11	5	–	3	–	–	2	2	–	–	–	–	1	–	–	4	7	5	1	–	–	68
13	–	–	1	–	–	2	1	–	–	1	–	–	1	–	1	5	2	–	–	–	69
384	23	8	158	36	20	68	41	7	33	5	–	17	46	16	165	50	87	42	30	4	70
311	15	8	137	32	17	63	30	3	27	3	–	15	35	9	133	30	69	30	18	2	71
73	8	–	21	4	3	5	11	4	6	2	–	2	11	7	32	20	18	12	12	2	72
127	4	1	34	18	5	15	4	–	1	1	–	5	1	–	34	10	9	7	5	1	73
40	20	–	13	–	1	6	2	–	–	1	–	–	3	1	17	11	11	6	1	–	74
2	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	1	1	3	–	–	75
9	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	2	3	2	1	–	76
14	2	–	4	–	–	1	–	–	1	–	–	–	1	1	3	3	2	–	–	–	77
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	78
44	–	–	3	–	1	1	1	–	4	–	–	–	–	1	12	3	1	1	–	1	79
4	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Colorado—Con.																	
01	Jefferson	1,492	5	–	15	292	77	43	24	43	9	19	77	30	680	500	10	5
02	Arvada, part	282	–	–	3	56	19	6	4	6	1	5	15	5	122	89	5	–
03	Arvada, total	287	–	–	3	57	19	7	4	6	1	5	15	5	123	90	5	–
04	Lakewood	605	3	–	4	113	28	23	5	18	3	6	30	11	276	212	2	2
05	Wheat Ridge	256	–	–	3	50	15	10	3	9	4	3	6	8	135	97	2	2
06	Balance of county	349	2	–	5	73	15	4	12	10	1	5	26	6	147	102	1	1
07	Kiowa	21	–	–	–	6	1	1	–	1	1	–	2	–	12	6	–	–
08	Kit Carson	63	–	–	1	15	7	2	1	2	2	–	1	1	31	23	–	–
09	Lake	40	–	–	1	7	2	3	–	–	–	–	2	–	11	7	1	–
10	La Plata	173	–	–	1	30	9	4	3	5	3	–	6	5	91	71	1	–
11	Durango	104	–	–	–	19	6	1	1	4	2	–	5	4	58	44	–	–
12	Balance of county	69	–	–	1	11	3	3	2	1	1	–	1	1	33	27	1	–
13	Larimer	723	1	–	3	114	38	19	9	11	11	4	22	6	417	293	12	1
14	Fort Collins	305	–	–	–	53	18	10	4	4	4	3	10	4	180	122	3	1
15	Loveland	219	1	–	2	34	12	5	3	3	3	1	7	1	125	89	6	–
16	Balance of county	199	–	–	1	27	8	4	2	4	4	–	5	1	112	82	3	–
17	Las Animas	204	–	1	–	33	11	5	3	6	–	–	8	3	110	71	4	–
18	Lincoln	67	–	–	2	10	2	2	2	1	2	–	1	–	39	37	2	–
19	Logan	164	–	–	1	27	7	3	2	2	1	2	10	2	84	60	2	3
20	Sterling	113	–	–	1	18	4	1	1	1	1	1	9	2	59	41	2	3
21	Balance of county	51	–	–	–	9	3	2	1	1	–	1	1	–	25	19	–	–
22	Mesa	577	2	–	3	95	18	27	8	6	7	6	23	11	267	190	4	–
23	Grand Junction	280	1	–	2	47	8	15	4	3	4	2	11	5	133	95	3	–
24	Balance of county	297	1	–	1	48	10	12	4	3	3	4	12	6	134	95	1	–
25	Mineral	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
26	Moffat	52	–	–	–	9	1	5	–	1	–	–	2	–	20	19	–	–
27	Montezuma	115	–	–	1	16	4	5	1	1	1	2	2	2	48	38	2	2
28	Montrose	178	–	–	1	32	3	6	1	9	4	–	9	4	77	54	1	–
29	Morgan	186	–	–	1	19	6	3	3	2	1	1	3	6	108	76	1	–
30	Otero	255	–	–	4	30	4	6	2	7	1	–	10	9	141	99	2	2
31	Ouray	20	–	–	–	3	1	–	–	–	–	–	2	1	8	5	–	1
32	Park	25	–	–	–	3	1	–	–	–	–	–	2	–	13	11	–	–
33	Phillips	55	–	–	–	6	–	1	–	3	1	–	1	–	35	30	–	–
34	Pitkin	27	–	–	–	5	–	–	2	2	–	–	1	–	5	2	–	–
35	Prowers	150	–	–	1	29	11	3	4	6	1	–	4	4	80	54	2	2
36	Pueblo	1,039	2	–	11	159	44	43	16	13	6	10	27	31	508	386	16	2
37	Pueblo	939	2	–	10	141	41	37	15	10	4	9	25	30	463	347	15	2
38	Balance of county	100	–	–	1	18	3	6	1	3	2	1	2	1	45	39	1	–
39	Rio Blanco	46	–	–	–	5	–	1	–	1	–	2	1	–	28	18	–	–
40	Rio Grande	110	–	–	1	22	3	9	–	4	1	1	4	–	54	30	–	–
41	Routt	53	–	–	–	5	2	1	–	–	–	–	2	1	30	21	–	1
42	Saguache	25	–	–	–	5	2	1	–	2	–	–	–	–	10	5	–	–
43	San Juan	5	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–
44	San Miguel	15	–	–	–	2	–	2	–	–	–	–	–	–	3	1	–	–
45	Sedgwick	31	–	–	–	6	–	3	1	1	–	1	–	1	20	15	–	1
46	Summit	12	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
47	Teller	39	–	–	1	14	4	3	1	1	1	–	4	1	8	3	–	–
48	Washington	60	–	–	1	11	2	3	4	–	–	–	2	2	36	20	–	–
49	Weld	656	–	–	6	111	20	30	10	15	7	9	20	13	311	243	8	2
50	Greeley	328	–	–	3	46	6	10	4	7	4	4	11	7	161	122	1	2
51	Balance of county	328	–	–	3	65	14	20	6	8	3	5	9	6	150	121	7	–
52	Yuma	118	–	–	–	14	7	1	2	2	–	1	1	5	61	38	1	1
53	**Connecticut**	**25,740**	**24**	**4**	**153**	**5,878**	**1,777**	**1,284**	**590**	**607**	**272**	**229**	**1,119**	**465**	**13,329**	**9,902**	**207**	**100**
54	Urban places	18,016	15	2	114	4,085	1,245	903	393	417	191	161	775	329	9,398	6,973	140	74
55	Balance of area	7,724	9	2	39	1,793	532	381	197	190	81	68	344	136	3,931	2,929	67	26
56	Metropolitan counties	20,116	19	3	120	4,671	1,386	1,045	463	477	211	192	897	355	10,404	7,712	162	75
57	Urban places	16,385	15	2	105	3,741	1,132	833	356	386	170	148	716	301	8,534	6,320	130	63
58	Balance of area	3,731	4	1	15	930	254	212	107	91	41	44	181	54	1,870	1,392	32	12
59	Nonmetropolitan counties	5,624	5	1	33	1,207	391	239	127	130	61	37	222	110	2,925	2,190	45	25
60	Urban places	1,631	–	–	9	344	113	70	37	31	21	13	59	28	864	653	10	11
61	Balance of area	3,993	5	1	24	863	278	169	90	99	40	24	163	82	2,061	1,537	35	14
62	Fairfield	6,651	8	2	36	1,574	460	326	149	187	71	81	300	121	3,417	2,492	61	31
63	Bridgeport	1,605	3	–	8	315	89	66	23	40	13	16	68	30	843	623	10	4
64	Danbury	422	–	–	3	116	37	25	9	12	5	4	24	3	202	143	1	2
65	Darien town†	137	1	–	1	41	18	7	4	3	2	1	6	2	71	43	2	–
66	Fairfield town†	463	–	–	4	121	29	30	12	13	6	3	28	7	248	186	4	6
67	Greenwich town†	470	–	–	5	129	41	32	12	14	2	12	16	13	220	175	6	3
68	Norwalk	660	1	1	3	137	46	28	15	20	3	4	21	4	353	261	8	1
69	Shelton	191	–	–	1	41	11	11	2	5	4	1	7	5	109	83	–	2
70	Stamford	887	3	–	5	201	67	40	16	26	9	13	30	18	463	335	14	4
71	Stratford town†	466	–	–	–	113	30	25	12	9	7	5	25	8	258	190	7	–
72	Trumbull town†	206	–	–	–	55	14	3	6	11	4	7	10	7	99	64	3	1
73	Westport town†	197	–	–	1	56	15	14	11	5	–	1	10	8	95	70	–	3
74	Balance of county	947	–	1	5	249	63	45	27	29	16	14	55	16	456	319	6	5
75	Hartford	6,677	8	–	39	1,538	456	374	168	124	69	52	295	102	3,422	2,480	41	26
76	Bristol	430	–	–	3	87	30	26	11	3	–	5	12	10	234	169	6	1
77	East Hartford town†	395	–	–	3	98	27	27	11	7	6	2	18	9	200	147	2	4
78	Enfield town†	255	–	–	1	55	16	13	6	2	1	2	15	4	136	96	3	1
79	Hartford	1,480	3	–	8	324	99	81	25	25	21	10	63	24	686	503	5	5
80	Manchester town†	441	2	–	2	98	30	29	7	10	5	4	13	10	230	164	3	5
81	New Britain	788	–	–	7	173	59	35	17	11	12	2	37	7	421	294	3	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
456	29	2	136	25	17	63	21	4	22	4	–	14	19	12	134	54	54	48	14	7	01
78	6	–	24	6	3	8	5	–	6	1	–	4	3	3	24	11	15	13	2	1	02
79	6	–	24	6	3	8	5	–	6	1	–	5	3	3	24	12	16	13	2	1	03
200	8	1	49	7	7	35	6	1	5	1	–	6	6	3	62	23	19	20	7	4	04
87	6	–	27	8	3	8	6	1	2	2	–	3	1	1	19	5	5	5	2	–	05
91	9	1	36	4	4	12	4	2	9	–	–	1	9	5	29	15	15	10	3	2	06
5	1	–	4	2	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	07
22	1	–	4	3	1	1	–	–	–	–	–	–	1	–	3	4	5	1	–	–	08
5	1	–	2	–	2	3	2	1	–	–	–	–	–	1	6	2	5	1	–	–	09
66	4	–	14	2	4	5	4	2	6	1	–	3	5	1	10	2	4	1	1	1	10
41	3	–	9	2	3	3	2	1	4	1	–	1	3	–	5	–	3	–	–	–	11
25	1	–	5	–	1	2	2	1	2	–	–	2	2	1	5	2	1	1	1	1	12
262	18	1	82	28	13	19	12	1	8	2	–	4	5	4	59	30	21	15	2	–	13
114	4	1	44	9	4	11	6	–	4	–	–	3	1	2	20	12	4	5	–	–	14
78	5	–	17	15	4	6	3	–	3	–	–	–	2	2	22	6	8	3	1	–	15
70	9	–	21	4	5	2	3	1	1	2	–	1	2	–	17	12	9	7	1	–	16
65	2	1	28	8	2	8	2	–	5	–	–	1	5	–	18	7	8	1	1	1	17
34	1	–	1	1	–	1	3	–	1	–	–	–	–	–	7	1	1	–	2	–	18
54	1	2	14	5	3	6	3	–	3	1	–	1	2	–	17	8	8	–	1	–	19
36	–	2	10	3	3	5	2	–	2	1	–	–	2	–	11	3	6	–	1	–	20
18	1	–	4	2	–	1	1	–	1	–	–	1	–	–	6	5	2	–	–	–	21
173	13	1	59	9	8	15	17	–	7	4	–	6	5	4	68	27	22	11	13	–	22
86	6	1	32	1	4	10	8	–	4	1	–	3	1	2	35	9	8	5	6	–	23
87	7	–	27	8	4	5	9	–	3	3	–	3	4	2	33	18	14	6	7	–	24
–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	25
15	4	–	1	–	–	4	2	–	1	–	–	2	–	–	4	3	4	2	1	–	26
28	6	–	7	1	2	6	4	–	–	–	–	–	4	1	11	7	8	6	1	–	27
44	9	–	21	2	–	12	5	3	3	–	–	1	4	1	17	4	8	5	1	–	28
65	10	–	24	5	3	16	3	–	1	1	–	3	1	1	11	5	2	5	2	1	29
93	2	2	32	2	6	13	5	–	4	1	–	2	1	–	19	9	9	7	1	–	30
3	1	–	3	–	–	–	1	–	–	–	–	–	–	–	2	2	1	2	–	–	31
10	1	–	2	–	–	–	–	–	–	–	–	–	1	–	3	3	2	–	–	–	32
30	–	–	3	1	1	–	1	1	–	–	–	–	1	–	7	1	2	1	–	–	33
2	–	–	1	1	1	1	1	–	–	–	–	–	–	2	1	4	6	1	1	–	34
41	9	–	12	12	2	4	1	1	2	–	–	2	3	–	14	3	3	2	1	–	35
349	19	1	83	18	20	33	23	7	23	2	1	3	18	5	86	34	47	35	11	–	36
314	16	1	78	18	19	31	19	7	21	2	1	3	16	4	77	30	41	31	10	–	37
35	3	–	5	–	1	2	4	–	2	–	–	–	2	1	9	4	6	4	1	–	38
17	1	–	9	–	1	–	–	–	2	–	–	1	–	–	2	6	2	–	–	–	39
29	1	–	18	6	–	2	1	1	2	1	–	–	–	–	13	3	5	4	1	–	40
20	–	–	7	–	2	–	3	–	2	–	–	–	–	–	6	2	3	1	–	–	41
5	–	–	5	–	–	1	–	–	1	–	–	–	–	–	2	1	1	3	1	–	42
4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	43
1	–	–	2	–	–	–	2	–	–	–	–	–	–	1	2	–	2	3	–	–	44
9	5	–	5	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	–	–	45
–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	4	2	1	–	–	46
3	–	–	4	–	1	1	1	–	–	–	–	–	1	–	3	2	4	3	–	–	47
20	–	–	9	7	–	3	1	–	–	–	–	–	–	1	3	1	1	–	–	–	48
225	8	1	50	5	12	35	9	2	8	2	–	9	12	6	67	31	21	10	3	–	49
116	3	1	29	3	6	25	4	1	3	1	–	3	6	4	36	11	10	5	2	–	50
109	5	–	21	2	6	10	5	1	5	1	–	6	6	2	31	20	11	5	1	–	51
24	12	1	17	3	2	7	2	1	1	–	–	–	3	2	14	4	2	2	–	–	52
8,835	760	83	2,491	433	420	744	257	71	446	84	5	153	347	216	2,054	441	548	317	138	66	53
6,171	588	57	1,766	314	288	520	187	45	335	60	4	96	247	147	1,461	243	371	200	111	46	54
2,664	172	26	725	119	132	224	70	26	111	24	1	57	100	69	593	198	177	117	27	20	55
6,806	669	57	1,984	333	318	573	192	54	345	60	5	117	256	173	1,626	321	421	230	119	52	56
5,566	561	52	1,621	284	257	469	163	44	291	52	4	88	215	134	1,336	223	337	181	107	43	57
1,240	108	5	363	49	61	104	29	10	54	8	1	29	41	39	290	98	84	49	12	9	58
2,029	91	26	507	100	102	171	65	17	101	24	–	36	91	43	428	120	127	87	19	14	59
605	27	5	145	30	31	51	24	1	44	8	–	8	32	13	125	20	34	19	4	3	60
1,424	64	21	362	70	71	120	41	16	57	16	–	28	59	30	303	100	93	68	15	11	61
2,264	136	19	696	117	93	184	63	18	109	19	2	39	72	55	548	96	148	75	47	18	62
580	29	7	160	33	20	48	13	5	27	7	1	8	22	18	154	22	44	14	20	3	63
134	6	1	42	7	9	13	5	3	10	1	–	3	10	2	33	4	10	3	–	1	64
39	2	–	17	6	5	4	2	1	2	1	–	–	1	1	6	1	–	2	–	–	65
168	8	1	53	4	4	11	2	1	4	–	–	1	4	2	42	5	6	5	–	–	66
142	24	1	30	5	9	13	1	1	8	1	–	1	2	4	46	6	9	8	2	1	67
244	8	3	71	14	4	19	12	3	13	1	–	6	8	8	54	9	14	4	8	2	68
75	6	–	21	4	1	5	–	–	5	–	–	1	2	–	16	–	3	2	–	1	69
297	20	2	99	16	11	25	9	–	17	3	–	8	11	5	66	14	19	11	6	3	70
171	12	1	48	7	12	13	3	2	3	1	–	1	4	2	29	11	6	5	4	3	71
58	2	1	27	2	5	4	1	1	3	2	–	2	–	3	15	3	7	2	–	2	72
62	5	–	21	1	3	6	6	–	3	–	–	–	–	–	12	1	5	2	–	2	73
294	14	2	107	18	10	23	9	1	14	2	1	8	8	10	75	20	25	17	7	–	74
2,305	108	21	683	119	119	202	65	20	121	16	2	42	98	79	513	120	150	89	35	16	75
158	4	1	53	3	8	7	6	–	5	–	–	1	9	2	36	9	10	11	–	–	76
133	8	1	31	13	8	13	6	–	1	2	1	2	7	4	31	6	4	8	–	–	77
87	5	–	34	2	4	6	–	–	4	2	–	–	1	4	19	13	4	6	–	–	78
464	29	10	135	20	18	47	17	5	48	3	1	13	39	25	141	16	36	15	25	4	79
147	9	–	45	15	6	17	7	2	8	–	–	4	5	2	26	7	12	5	2	2	80
275	15	2	97	18	10	21	10	2	12	3	–	2	5	11	63	9	20	14	4	4	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Connecticut—Con.																	
	Hartford—Con.																	
01	Newington town†	192	–	–	1	46	11	13	9	3	3	–	7	1	102	73	–	–
02	Plainville town†	107	–	–	–	30	9	8	1	3	1	1	7	1	59	43	–	–
03	Southington town†	202	1	–	2	43	11	12	2	5	1	1	11	4	110	82	–	–
04	West Hartford town†	682	–	–	3	165	52	30	20	14	6	5	38	8	380	272	7	1
05	Wethersfield town†	229	–	–	2	49	14	10	8	7	–	3	7	3	133	98	2	1
06	Windsor Locks town†	103	–	–	1	28	4	6	4	3	–	2	9	1	56	37	1	–
07	Balance of county	1,373	2	–	6	342	94	84	47	31	13	15	58	20	675	502	9	7
08	Litchfield	1,333	1	–	5	294	87	52	34	35	18	6	62	17	708	535	13	12
09	Torrington	339	–	–	1	86	25	14	11	9	8	2	17	8	175	128	2	6
10	Balance of county	994	1	–	4	208	62	38	23	26	10	4	45	9	533	407	11	6
11	Middlesex	1,021	2	–	7	195	71	46	17	17	11	5	28	21	548	413	7	4
12	Middletown	291	–	–	3	50	16	14	4	3	4	3	6	7	152	115	2	1
13	Balance of county	730	2	–	4	145	55	32	13	14	7	2	22	14	396	298	5	3
14	New Haven	6,788	3	1	45	1,559	470	345	146	166	71	59	302	132	3,565	2,740	60	18
15	Ansonia	183	–	–	3	45	16	5	3	8	3	–	10	1	99	73	4	1
16	Derby	114	–	–	–	30	13	9	3	2	1	–	2	4	51	41	–	1
17	East Haven town†	188	–	–	1	42	11	13	7	–	2	2	7	5	97	78	3	–
18	Hamden town†	446	–	1	1	109	40	22	13	11	3	7	13	14	231	178	6	–
19	Meriden	530	–	–	3	117	37	22	12	14	8	6	18	12	291	211	5	2
20	Milford	380	–	–	1	90	23	27	8	8	6	5	13	12	192	142	1	–
21	Naugatuck	200	–	–	1	35	11	3	1	5	3	2	10	8	118	91	1	–
22	New Haven	1,431	1	–	17	332	104	69	25	32	16	9	77	32	706	551	9	5
23	Wallingford town†	299	–	–	–	56	15	14	5	4	2	7	9	5	164	129	4	1
24	Waterbury	1,111	–	–	8	258	75	52	27	41	11	3	49	14	603	448	7	8
25	West Haven town†	495	–	–	6	106	28	26	9	10	4	3	26	7	274	227	3	–
26	Balance of county	1,411	2	–	4	339	97	83	33	31	12	15	68	18	739	571	17	–
27	New London	1,863	1	–	14	398	130	78	47	41	16	16	70	36	954	692	17	6
28	New London	332	–	–	1	76	31	11	11	4	3	4	12	1	193	148	1	–
29	Norwich	430	–	–	3	80	22	21	8	12	4	–	13	9	221	171	5	3
30	Balance of county	1,101	1	–	10	242	77	46	28	25	9	12	45	26	540	373	11	3
31	Tolland	588	1	–	3	143	49	24	14	14	5	3	34	17	276	203	2	1
32	Vernon town†	162	–	–	1	36	15	5	3	2	1	2	8	3	80	53	–	–
33	Balance of county	426	1	–	2	107	34	19	11	12	4	1	26	14	196	150	2	1
34	Windham	819	–	1	4	177	54	39	15	23	11	7	28	19	439	347	6	2
35	Willimantic	77	–	–	–	16	4	5	–	1	1	2	3	–	43	38	–	1
36	Balance of county	742	–	1	4	161	50	34	15	22	10	5	25	19	396	309	6	1
37	**Delaware**	**4,682**	**11**	**1**	**25**	**935**	**245**	**251**	**73**	**98**	**48**	**32**	**188**	**124**	**2,477**	**1,955**	**23**	**27**
38	Urban places	2,026	2	1	14	408	108	112	25	42	22	19	80	56	1,075	849	5	15
39	Balance of area	2,656	9	–	11	527	137	139	48	56	26	13	108	68	1,402	1,106	18	12
40	Metropolitan counties	3,057	4	1	18	634	177	172	48	64	32	25	116	86	1,600	1,276	14	22
41	Urban places	1,805	2	1	11	360	98	99	22	39	21	17	64	51	967	768	5	13
42	Balance of area	1,252	2	–	7	274	79	73	26	25	11	8	52	35	633	508	9	9
43	Nonmetropolitan counties	1,625	7	–	7	301	68	79	25	34	16	7	72	38	877	679	9	5
44	Urban places	221	–	–	3	48	10	13	3	3	1	2	16	5	108	81	–	2
45	Balance of area	1,404	7	–	4	253	58	66	22	31	15	5	56	33	769	598	9	3
46	Kent	684	2	–	3	137	30	40	12	14	4	2	35	19	358	274	3	2
47	Dover	221	–	–	3	48	10	13	3	3	1	2	16	5	108	81	–	2
48	Balance of county	463	2	–	–	89	20	27	9	11	3	–	19	14	250	193	3	–
49	New Castle	3,057	4	1	18	634	177	172	48	64	32	25	116	86	1,600	1,276	14	22
50	Newark	209	–	–	1	43	8	12	3	4	–	1	15	3	106	80	–	–
51	Wilmington	1,596	2	1	10	317	90	87	19	35	21	16	49	48	861	688	5	13
52	Balance of county	1,252	2	–	7	274	79	73	26	25	11	8	52	35	633	508	9	9
53	Sussex	941	5	–	4	164	38	39	13	20	12	5	37	19	519	405	6	3
54	**District of Columbia**	**7,481**	**27**	**2**	**79**	**1,563**	**487**	**336**	**148**	**178**	**61**	**49**	**304**	**153**	**3,061**	**2,173**	**43**	**53**
55	**Florida**	**87,074**	**161**	**11**	**533**	**18,247**	**4,882**	**4,799**	**1,426**	**2,171**	**881**	**718**	**3,370**	**1,440**	**43,722**	**31,906**	**676**	**379**
56	Urban places	46,844	104	7	281	9,751	2,630	2,458	793	1,160	487	393	1,830	784	23,931	17,393	373	199
57	Balance of area	40,230	57	4	252	8,496	2,252	2,341	633	1,011	394	325	1,540	656	19,791	14,513	303	180
58	Metropolitan counties	56,705	109	7	345	12,110	3,299	3,097	974	1,459	578	471	2,232	916	28,582	20,948	467	239
59	Urban places	38,692	79	5	231	8,111	2,214	2,045	656	973	405	319	1,499	646	19,812	14,499	318	165
60	Balance of area	18,013	30	2	114	3,999	1,085	1,052	318	486	173	152	733	270	8,770	6,449	149	74
61	Nonmetropolitan counties	30,369	52	4	188	6,137	1,583	1,702	452	712	303	247	1,138	524	15,140	10,958	209	140
62	Urban places	8,152	25	2	50	1,640	416	413	137	187	82	74	331	138	4,119	2,894	55	34
63	Balance of area	22,217	27	2	138	4,497	1,167	1,289	315	525	221	173	807	386	11,021	8,064	154	106
64	Alachua	770	1	1	8	146	37	35	11	24	6	5	28	11	324	211	7	6
65	Gainesville	410	–	–	5	82	17	21	10	9	4	3	18	7	164	106	5	3
66	Balance of county	360	1	1	3	64	20	14	1	15	2	2	10	4	160	105	2	3
67	Baker	87	–	–	2	15	4	5	–	2	–	–	4	2	34	21	–	–
68	Bay	671	1	–	9	131	31	36	9	22	8	4	21	5	284	199	2	5
69	Panama City	409	–	–	4	75	16	23	5	10	6	2	13	2	173	118	1	2
70	Balance of county	262	1	–	5	56	15	13	4	12	2	2	8	3	111	81	1	3
71	Bradford	152	–	–	3	24	6	6	2	2	–	2	6	1	81	68	2	–
72	Brevard	1,740	2	–	11	393	96	109	29	43	24	24	68	33	868	653	20	6
73	Cocoa	158	–	–	–	28	6	6	2	5	2	2	5	2	84	54	2	–
74	Melbourne	385	1	–	4	80	21	23	3	6	5	9	13	7	203	159	6	1
75	Rockledge	77	–	–	1	19	4	5	–	4	2	1	3	2	37	28	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
67	6	–	17	6	6	5	3	–	2	2	–	5	3	1	14	1	6	–	–	–	01
42	1	–	11	–	5	1	–	–	4	–	–	–	1	1	7	1	2	–	–	–	02
79	3	3	17	2	6	7	1	1	1	–	–	3	2	2	17	2	4	2	–	–	03
260	4	1	79	9	19	27	4	2	9	1	–	1	4	4	42	8	14	8	1	1	04
95	–	2	21	7	5	4	2	1	2	–	–	–	2	3	15	1	7	3	2	–	05
35	1	–	13	5	1	1	1	–	3	–	–	1	3	1	3	3	–	1	–	–	06
463	23	1	130	19	23	46	8	7	22	3	–	10	17	19	99	44	31	16	1	5	07
490	20	5	105	22	41	27	16	2	21	10	–	6	15	7	111	25	33	28	4	3	08
116	4	2	25	7	13	5	5	–	8	4	–	–	3	3	22	7	5	5	2	–	09
374	16	3	80	15	28	22	11	2	13	6	–	6	12	4	89	18	28	23	2	3	10
389	13	1	100	20	14	34	16	1	21	5	–	5	11	14	79	18	16	24	3	1	11
107	5	–	33	1	3	5	11	–	10	1	–	1	6	5	23	3	4	10	–	–	12
282	8	1	67	19	11	29	5	1	11	4	–	4	5	9	56	15	12	14	3	1	13
2,237	425	17	605	97	106	187	64	16	115	25	1	36	86	39	565	105	123	66	37	18	14
68	–	–	15	8	3	6	2	–	2	–	–	1	1	1	15	4	2	1	–	–	15
39	1	1	7	–	2	4	2	–	–	–	–	–	3	1	14	2	1	–	1	1	16
56	19	–	17	–	2	3	2	–	2	1	–	–	–	1	21	1	5	2	4	1	17
137	35	1	39	8	5	14	3	–	5	5	–	2	1	4	35	3	9	6	2	1	18
158	46	3	68	6	3	10	3	3	11	2	–	3	4	1	37	6	12	11	3	1	19
138	3	–	33	5	12	13	5	3	9	2	–	1	2	–	30	6	7	5	1	1	20
87	3	–	21	5	1	5	2	–	4	1	–	–	2	1	14	2	6	–	–	1	21
381	156	1	113	20	21	48	16	4	21	4	1	6	32	8	138	17	27	9	10	2	22
105	19	2	31	–	2	14	5	–	6	1	–	2	2	3	24	8	4	1	3	1	23
416	17	6	105	22	22	20	9	3	26	4	–	8	17	9	81	15	15	10	7	4	24
169	55	1	30	11	5	15	3	1	11	2	–	2	6	–	40	7	7	5	2	1	25
483	71	2	126	12	28	35	12	2	18	3	–	11	16	10	116	34	28	16	4	4	26
634	35	11	189	33	29	67	23	8	35	6	–	16	37	11	139	38	44	26	8	2	27
139	8	1	31	7	6	11	2	–	6	1	–	–	7	1	20	2	9	1	1	–	28
157	6	2	32	10	6	21	3	1	15	2	–	5	10	2	38	5	10	2	1	2	29
338	21	8	126	16	17	35	18	7	14	3	–	11	20	8	81	31	25	23	6	–	30
188	12	3	46	16	8	17	6	2	8	2	–	8	16	2	46	16	14	4	1	6	31
51	2	–	20	4	3	5	2	–	2	–	–	2	5	1	19	1	3	1	–	1	32
137	10	3	26	12	5	12	4	2	6	2	–	6	11	1	27	15	11	3	1	5	33
328	11	6	67	9	10	26	4	4	16	1	–	1	12	9	53	23	20	5	3	2	34
35	2	–	4	1	–	4	1	–	3	–	–	–	1	1	3	2	3	–	–	–	35
293	9	6	63	8	10	22	3	4	13	1	–	1	11	8	50	21	17	5	3	2	36
1,817	**88**	**16**	**348**	**94**	**64**	**97**	**48**	**6**	**102**	**14**	**–**	**39**	**65**	**29**	**332**	**128**	**110**	**70**	**59**	**10**	**37**
789	40	9	145	46	26	52	15	4	54	6	–	18	16	11	141	46	45	25	33	4	38
1,028	48	7	203	48	38	45	33	2	48	8	–	21	49	18	191	82	65	45	26	6	39
1,186	54	10	204	67	43	63	30	5	75	8	–	25	34	19	216	77	61	50	46	5	40
711	39	8	126	41	24	44	15	3	52	6	–	15	14	8	123	41	35	22	33	2	41
475	15	2	78	26	19	19	15	2	23	2	–	10	20	11	93	36	26	28	13	3	42
631	34	6	144	27	21	34	18	1	27	6	–	14	31	10	116	51	49	20	13	5	43
78	1	1	19	5	2	8	–	1	2	–	–	3	2	3	18	5	10	3	–	2	44
553	33	5	125	22	19	26	18	–	25	6	–	11	29	7	98	46	39	17	13	3	45
257	12	3	60	13	8	16	3	1	11	1	–	7	9	5	39	26	28	12	4	3	46
78	1	1	19	5	2	8	–	1	2	–	–	3	2	3	18	5	10	3	–	2	47
179	11	2	41	8	6	8	3	–	9	1	–	4	7	2	21	21	18	9	4	1	48
1,186	54	10	204	67	43	63	30	5	75	8	–	25	34	19	216	77	61	50	46	5	49
76	4	–	17	4	5	2	1	1	5	1	–	4	3	1	14	10	4	6	4	–	50
635	35	8	109	37	19	42	14	2	47	5	–	11	11	7	109	31	31	16	29	2	51
475	15	2	78	26	19	19	15	2	23	2	–	10	20	11	93	36	26	28	13	3	52
374	22	3	84	14	13	18	15	–	16	5	–	7	22	5	77	25	21	8	9	2	53
1,909	**168**	**38**	**564**	**183**	**103**	**245**	**74**	**37**	**401**	**57**	**2**	**53**	**180**	**101**	**750**	**94**	**219**	**89**	**242**	**52**	**54**
29,359	**1,492**	**284**	**9,071**	**1,167**	**1,294**	**2,181**	**1,457**	**281**	**1,585**	**379**	**19**	**507**	**959**	**1,593**	**6,844**	**1,927**	**2,320**	**1,495**	**1,200**	**213**	**55**
16,064	757	166	5,083	605	684	1,231	745	149	918	224	10	266	504	800	3,697	761	1,206	754	630	91	56
13,295	735	118	3,988	562	610	950	712	132	667	155	9	241	455	793	3,147	1,166	1,114	741	570	122	57
19,357	885	178	5,931	712	813	1,436	914	175	1,119	242	9	316	607	803	4,442	1,107	1,443	1,063	860	100	58
13,419	597	131	4,144	480	558	1,007	615	120	792	183	7	215	385	578	3,062	611	960	668	539	66	59
5,938	288	47	1,787	232	255	429	299	55	327	59	2	101	222	225	1,380	496	483	395	321	34	60
10,002	607	106	3,140	455	481	745	543	106	466	137	10	191	352	790	2,402	820	877	432	340	113	61
2,645	160	35	939	125	126	224	130	29	126	41	3	51	119	222	635	150	246	86	91	25	62
7,357	447	71	2,201	330	355	521	413	77	340	96	7	140	233	568	1,767	670	631	346	249	88	63
168	30	2	83	21	7	26	10	2	7	5	–	7	12	48	64	31	30	10	20	7	64
85	13	1	39	14	4	17	4	2	4	2	–	6	10	22	36	14	15	6	10	4	65
83	17	1	44	7	3	9	6	–	3	3	–	1	2	26	28	17	15	4	10	3	66
19	2	–	12	–	1	3	2	–	–	–	–	1	1	7	7	10	1	1	1	–	67
173	19	–	65	9	11	17	14	2	10	4	–	6	15	39	46	24	26	18	14	6	68
99	16	–	44	5	6	13	10	1	5	2	–	5	10	25	30	11	17	11	10	5	69
74	3	–	21	4	5	4	4	1	5	2	–	1	5	14	16	13	9	7	4	1	70
53	13	1	10	1	1	1	5	–	3	–	–	1	3	5	9	9	2	1	4	–	71
608	19	8	156	18	33	38	21	5	35	3	–	9	19	6	127	46	55	40	20	9	72
51	1	–	24	1	5	4	1	–	2	–	–	4	3	1	14	5	5	1	4	–	73
143	9	1	33	3	7	7	3	1	3	1	–	2	2	3	29	10	17	7	1	4	74
26	1	1	6	2	–	–	–	–	1	1	–	–	–	–	9	1	1	4	1	–	75

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Florida—Con.																	
	Brevard—Con.																	
01	Titusville	224	–	–	2	53	14	16	8	3	2	2	8	4	107	77	2	2
02	Balance of county	896	1	–	4	213	51	59	16	25	13	10	39	18	437	335	9	3
03	Broward	9,161	17	–	50	2,098	594	539	154	248	120	83	360	155	4,721	3,614	92	24
04	Deerfield Beach	350	4	–	1	90	29	17	4	11	7	5	17	8	179	130	3	–
05	Fort Lauderdale	2,377	4	–	8	513	147	140	37	56	29	16	88	32	1,225	908	20	4
06	Hallandale	504	2	–	3	122	43	28	9	15	10	2	15	13	264	214	6	–
07	Hollywood	1,486	1	–	9	347	91	99	24	40	18	16	59	21	791	593	22	4
08	Lauderdale Lakes	242	1	–	1	67	22	14	6	5	7	6	7	3	135	113	1	–
09	Miramar	255	1	–	1	54	20	13	8	3	–	3	7	9	140	114	2	1
10	Oakland Park	141	1	–	–	33	11	10	–	2	1	1	8	3	72	55	5	1
11	Pembroke Pines	180	–	–	–	47	8	13	5	7	4	4	6	3	91	75	2	–
12	Plantation	204	–	–	–	45	11	11	3	4	–	3	13	9	103	81	1	–
13	Pompano Beach	776	2	–	10	170	49	39	10	24	14	4	30	9	401	302	9	4
14	Wilton Manor	152	–	–	1	25	7	10	–	2	3	1	2	2	81	53	–	–
15	Balance of county	2,494	1	–	16	585	156	145	48	79	27	22	108	43	1,239	976	21	10
16	Calhoun	89	–	–	1	11	6	1	–	2	–	–	2	1	47	36	–	–
17	Charlotte	698	1	–	3	159	44	39	14	14	10	10	28	10	390	293	8	4
18	Citrus	547	–	–	2	110	19	39	7	11	1	1	32	7	302	209	3	–
19	Clay	413	1	–	1	69	21	19	5	7	1	4	12	4	230	186	3	2
20	Collier	653	3	–	1	141	49	37	9	16	4	3	23	15	267	206	11	2
21	Naples	269	1	–	1	58	19	14	4	8	1	1	11	6	119	93	4	1
22	Balance of county	384	2	–	–	83	30	23	5	8	3	2	12	9	148	113	7	1
23	Columbia	284	3	–	1	52	5	17	3	10	2	4	11	3	141	91	1	1
24	Lake City	134	1	–	1	23	2	9	1	1	2	3	5	–	71	48	–	1
25	Balance of county	150	2	–	–	29	3	8	2	9	–	1	6	3	70	43	1	–
26	Dade	14,585	33	3	113	3,257	897	772	284	371	169	131	633	296	7,257	5,656	118	57
27	Coral Gables	402	–	–	2	98	31	18	8	15	4	5	17	7	215	159	–	3
28	Hialeah	893	–	–	7	219	48	62	22	21	12	15	39	24	398	307	11	3
29	Homestead	125	2	–	1	12	1	3	2	1	–	1	4	1	56	43	2	–
30	Miami	4,474	15	1	42	1,000	267	232	85	119	51	37	209	88	2,037	1,552	23	24
31	Miami Beach	2,567	4	–	14	535	174	106	46	52	30	23	104	56	1,578	1,296	27	4
32	Miami Springs	135	–	–	2	24	4	6	2	2	2	1	7	2	68	42	1	1
33	North Miami	587	1	–	6	122	37	29	10	11	7	2	26	14	320	256	5	–
34	North Miami Beach	876	–	–	4	209	59	42	23	27	13	6	39	12	508	420	6	2
35	Opa–Locka	134	–	1	1	22	3	6	2	4	2	1	4	10	52	36	1	–
36	South Miami	78	–	–	–	19	3	1	2	3	3	2	5	–	36	27	–	2
37	Balance of county	4,314	11	1	34	997	270	267	82	116	45	38	179	82	1,989	1,518	42	18
38	De Soto	186	1	–	–	43	9	14	2	4	1	3	10	1	83	57	–	1
39	Dixie	58	–	–	–	17	2	10	–	–	–	1	4	2	25	18	–	–
40	Duval, coext. with Jacksonville city	4,651	11	2	33	949	247	296	64	111	29	29	173	73	2,162	1,625	31	35
41	Escambia	1,578	2	–	12	322	88	94	24	34	12	12	58	22	752	534	13	8
42	Pensacola	692	1	–	3	122	37	38	8	15	5	2	17	11	353	249	5	6
43	Balance of county	886	1	–	9	200	51	56	16	19	7	10	41	11	399	285	8	2
44	Flagler	71	–	–	–	10	4	2	–	1	–	–	3	3	36	29	–	1
45	Franklin	85	–	–	–	16	5	5	1	1	–	2	2	4	31	17	–	–
46	Gadsden	349	–	–	3	46	12	13	2	2	1	2	14	2	149	108	4	4
47	Gilchrist	42	–	–	–	9	4	1	1	–	–	3	–	1	17	13	–	–
48	Glades	55	–	–	–	7	–	6	–	–	–	–	1	2	16	12	–	1
49	Gulf	92	1	–	1	17	3	2	1	2	1	1	7	1	37	28	1	–
50	Hamilton	100	–	–	1	16	5	5	1	2	1	–	2	3	53	43	1	1
51	Hardee	173	–	–	–	27	6	9	–	3	4	–	5	3	82	63	1	2
52	Hendry	166	–	–	2	21	5	6	1	1	–	–	8	8	79	63	1	1
53	Hernando	372	–	–	1	83	19	19	2	13	5	2	23	4	174	134	5	2
54	Highlands	553	–	–	3	114	32	29	6	18	7	4	18	13	267	197	1	1
55	Hillsborough	5,072	10	–	31	980	231	273	95	135	40	32	174	68	2,332	1,613	27	16
56	Plant City	212	–	–	1	39	8	14	1	6	2	3	5	7	101	73	2	–
57	Tampa	3,210	7	–	22	602	139	160	57	90	24	16	116	42	1,508	1,028	16	12
58	Balance of county	1,650	3	–	8	339	84	99	37	39	14	13	53	19	723	512	9	4
59	Holmes	121	–	–	2	16	4	5	–	1	1	1	4	2	65	50	–	–
60	Indian River	544	1	1	7	124	36	39	10	9	7	8	15	16	262	193	6	1
61	Vero Beach	240	1	–	3	70	17	25	5	5	6	5	7	4	111	79	1	–
62	Balance of county	304	–	1	4	54	19	14	5	4	1	3	8	12	151	114	5	1
63	Jackson	411	2	–	3	74	21	19	4	8	5	3	14	5	204	144	2	3
64	Jefferson	101	–	–	1	14	4	3	–	2	1	1	3	1	47	29	–	3
65	Lafayette	33	–	–	–	2	–	1	–	1	–	–	–	–	23	17	1	–
66	Lake	1,154	2	–	9	192	55	48	24	17	10	6	32	24	646	452	12	16
67	Leesburg	187	–	–	1	32	5	6	7	4	2	1	7	5	97	68	3	2
68	Balance of county	967	2	–	8	160	50	42	17	13	8	5	25	19	549	384	9	14
69	Lee	1,722	3	1	9	387	97	105	31	48	22	14	70	26	848	620	11	3
70	Fort Myers	471	3	1	3	103	21	23	7	18	2	6	26	8	208	146	1	–
71	Balance of county	1,251	–	–	6	284	76	82	24	30	20	8	44	18	640	474	10	3
72	Leon	712	4	–	6	147	31	31	7	32	4	4	38	6	282	189	13	6
73	Tallahassee	495	3	–	4	106	22	26	4	26	2	2	24	4	201	133	6	5
74	Balance of county	217	1	–	2	41	9	5	3	6	2	2	14	2	81	56	7	1
75	Levy	180	–	–	4	29	7	10	–	6	2	1	3	1	68	43	–	–
76	Liberty	29	–	–	–	6	1	2	–	2	–	1	–	1	16	11	–	1
77	Madison	149	–	–	1	19	4	7	1	4	1	–	2	2	70	58	2	1
78	Manatee	1,719	3	–	8	358	93	100	27	34	25	12	67	31	864	612	10	2
79	Bradenton	543	3	–	2	107	28	27	8	15	7	3	19	12	282	198	3	2
80	Balance of county	1,176	–	–	6	251	65	73	19	19	18	9	48	19	582	414	7	–
81	Marion	955	2	–	10	189	44	64	13	17	11	6	34	16	456	281	6	4
82	Ocala	343	1	–	3	70	16	21	5	5	4	2	17	3	159	99	2	1
83	Balance of county	612	1	–	7	119	28	43	8	12	7	4	17	13	297	182	4	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
72	1	–	24	2	4	7	2	1	3	–	–	–	6	1	14	6	9	4	4	1	01
316	7	6	69	10	17	20	15	3	26	1	–	3	8	1	61	24	23	24	10	4	02
3,391	107	23	849	99	136	189	125	33	172	43	1	43	69	34	736	149	198	194	121	13	03
122	5	–	39	3	7	8	7	2	1	–	–	3	3	–	23	2	8	6	5	–	04
856	28	8	240	32	37	46	24	9	67	15	–	9	20	5	201	44	55	58	34	8	05
206	2	1	45	2	2	11	5	1	5	4	–	–	7	4	40	2	7	6	8	–	06
551	16	4	154	11	29	38	14	6	31	8	–	3	4	5	114	18	32	27	16	1	07
108	4	–	18	–	4	2	1	–	1	1	–	–	1	1	11	2	9	4	2	–	08
107	4	–	20	3	3	3	3	1	2	3	–	5	3	–	14	4	4	7	1	–	09
47	2	1	9	4	3	2	2	1	2	1	–	2	–	1	10	–	3	6	2	–	10
71	2	–	15	1	–	6	5	–	2	–	–	2	2	–	16	–	2	4	–	–	11
76	4	1	16	2	3	7	–	–	2	–	–	1	1	1	14	7	4	8	2	–	12
278	11	2	71	13	13	12	13	3	12	2	1	1	4	6	72	12	18	15	13	–	13
52	1	–	23	4	1	4	5	1	3	–	–	–	–	–	18	4	5	3	–	–	14
917	28	6	199	24	34	50	46	9	44	9	–	17	24	11	203	54	51	50	38	4	15
36	–	–	7	3	1	4	–	–	1	1	–	–	1	3	7	9	2	–	1	–	16
270	11	3	66	13	15	16	12	–	14	5	–	–	2	2	46	13	13	9	3	–	17
198	8	–	78	7	8	6	6	2	9	2	–	2	2	5	51	17	18	6	–	–	18
167	14	1	35	3	5	10	7	1	4	1	1	10	7	1	26	14	15	7	2	2	19
187	6	1	43	6	11	23	18	3	20	4	–	5	3	8	68	22	21	18	11	2	20
84	4	–	19	3	4	10	8	1	13	2	–	1	1	4	25	6	6	5	2	–	21
103	2	1	24	3	7	13	10	2	7	2	–	4	2	4	43	16	15	13	9	2	22
82	7	1	42	4	3	3	6	–	3	1	–	4	3	26	21	4	8	–	4	1	23
42	5	1	18	2	2	1	4	–	2	–	–	1	2	13	8	1	4	–	2	–	24
40	2	–	24	2	1	2	2	–	1	1	–	3	1	13	13	3	4	–	2	1	25
5,267	214	40	1,287	83	191	310	225	37	316	64	2	73	157	67	1,179	272	343	285	287	9	26
152	4	–	44	2	10	12	4	3	8	–	–	6	–	–	25	6	10	6	–	–	27
280	13	3	77	3	8	18	19	6	25	2	–	6	7	–	68	22	21	35	14	2	28
38	3	–	10	1	2	2	1	–	6	–	–	–	6	4	16	9	4	–	5	–	29
1,439	66	15	376	33	61	121	80	11	122	24	1	22	57	25	437	67	135	72	116	1	30
1,232	33	9	228	11	34	46	23	8	26	15	–	1	3	4	167	15	24	35	12	1	31
38	2	–	20	2	4	2	7	–	6	–	–	1	1	–	11	1	6	3	1	–	32
244	7	2	53	4	5	12	17	1	12	1	–	–	3	–	46	4	14	11	3	–	33
405	7	1	74	3	10	13	7	3	7	2	–	2	1	3	64	9	11	16	4	1	34
33	2	–	12	1	3	3	2	–	4	1	–	2	8	2	7	7	6	2	4	–	35
25	–	–	9	–	–	1	1	1	–	–	–	3	–	2	8	–	2	–	5	–	36
1,381	77	10	384	23	54	80	64	4	100	19	1	30	71	27	330	132	110	105	123	4	37
54	2	–	19	5	2	9	4	1	4	2	–	1	2	1	12	12	5	1	3	1	38
17	1	–	7	–	–	2	1	–	–	–	–	–	–	1	5	1	2	–	1	1	39
1,471	88	14	418	56	49	109	82	18	132	31	2	54	68	44	376	122	174	89	97	23	40
475	38	9	164	23	22	53	25	8	26	6	–	11	32	12	140	34	49	37	30	5	41
219	19	6	78	11	9	28	5	1	9	3	–	4	12	3	74	12	27	11	10	3	42
256	19	3	86	12	13	25	20	7	17	3	–	7	20	9	66	22	22	26	20	2	43
27	1	–	6	–	1	1	2	–	1	–	–	–	3	1	4	3	3	2	2	–	44
15	2	–	11	–	3	3	1	–	1	–	–	–	–	10	9	2	2	2	4	–	45
77	23	2	35	2	2	10	3	–	1	2	–	1	14	58	32	7	10	2	7	2	46
12	1	1	2	1	–	–	1	–	–	–	–	–	–	5	4	2	1	2	–	–	47
8	3	–	4	–	–	4	1	–	1	–	–	2	1	4	4	6	4	2	1	–	48
25	2	–	9	–	–	2	4	–	2	–	–	–	1	9	6	2	6	1	2	–	49
40	1	–	7	2	1	2	2	1	1	1	–	2	1	3	8	2	3	1	–	–	50
55	5	–	14	3	2	2	2	2	1	2	–	2	5	1	17	8	6	1	11	1	51
58	3	1	10	3	2	4	3	–	5	1	1	1	8	1	11	3	7	7	4	–	52
111	16	–	30	4	6	13	11	4	4	–	–	1	2	17	32	9	7	6	4	–	53
183	12	–	60	3	7	18	16	2	10	5	–	3	3	10	41	8	23	10	5	2	54
1,473	97	15	569	71	64	173	81	16	98	30	1	32	74	228	399	127	164	115	102	11	55
66	5	–	22	4	2	2	3	1	3	2	–	1	5	12	15	5	6	6	3	–	56
938	62	8	381	46	45	124	48	9	65	23	1	25	45	170	246	43	86	64	75	5	57
469	30	7	166	21	17	47	30	6	30	5	–	6	24	46	138	79	72	45	24	6	58
44	6	–	14	–	1	4	–	–	2	3	1	–	3	1	12	3	2	3	1	1	59
174	12	1	60	4	4	16	8	3	7	2	–	2	4	6	42	13	14	6	9	1	60
75	3	1	25	3	3	8	6	3	4	1	–	2	1	1	14	4	2	4	–	1	61
99	9	–	35	1	1	8	2	–	3	1	–	–	3	5	28	9	12	2	9	–	62
128	11	1	49	4	6	8	7	1	3	1	–	2	5	33	27	15	13	1	6	1	63
20	6	1	15	–	2	6	1	–	–	1	–	1	2	6	11	2	6	–	–	2	64
13	3	–	5	1	–	–	1	–	–	–	–	–	–	2	2	–	1	–	–	2	65
398	26	7	134	37	16	24	20	7	15	4	–	6	12	6	89	38	28	15	17	–	66
56	7	–	19	7	3	4	2	4	3	1	–	–	1	3	16	5	7	4	2	–	67
342	19	7	115	30	13	20	18	3	12	3	–	6	11	3	73	33	21	11	15	–	68
581	25	5	162	26	35	45	45	4	27	8	–	14	24	11	139	46	48	16	15	6	69
140	5	1	46	8	7	20	9	2	8	5	–	4	14	6	34	13	19	1	8	2	70
441	20	4	116	18	28	25	36	2	19	3	–	10	10	5	105	33	29	15	7	4	71
139	31	4	73	9	7	25	8	3	8	3	2	6	15	31	73	29	29	17	16	2	72
102	20	4	53	7	4	18	5	3	7	2	1	3	10	23	51	12	18	10	13	1	73
37	11	–	20	2	3	7	3	–	1	1	1	3	5	8	22	17	11	7	3	1	74
36	7	1	16	4	4	–	4	3	2	1	–	2	2	17	22	13	5	5	1	1	75
10	–	–	4	1	–	1	1	–	–	1	–	1	–	–	–	2	–	–	–	–	76
50	5	–	10	–	2	6	3	–	2	–	–	3	4	8	15	6	8	1	1	–	77
562	38	11	189	25	27	43	37	1	21	4	2	10	9	101	125	24	41	23	8	6	78
182	11	5	64	6	9	19	13	1	6	2	–	4	2	29	35	5	13	5	2	1	79
380	27	6	125	19	18	24	24	–	15	2	2	6	7	72	90	19	28	18	6	5	80
257	14	2	137	12	24	25	23	3	17	9	2	4	5	8	83	27	37	12	13	14	81
90	6	2	50	3	5	10	6	2	7	3	1	2	3	4	35	10	15	4	4	1	82
167	8	–	87	9	19	15	17	1	10	6	1	2	2	4	48	17	22	8	9	13	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Florida—Con.																	
01	Martin	593	2	–	6	142	30	48	11	16	10	3	24	3	302	211	6	4
02	Monroe	545	–	–	4	112	29	36	3	8	5	1	30	11	250	201	1	4
03	Key West	291	–	–	2	66	16	20	2	3	4	1	20	8	134	117	1	3
04	Balance of county	254	–	–	2	46	13	16	1	5	1	–	10	3	116	84	–	1
05	Nassau	203	1	–	4	30	8	10	–	6	1	1	4	2	86	63	1	1
06	Okaloosa	511	1	–	8	84	19	24	8	10	1	5	17	5	219	168	5	3
07	Fort Walton Beach	115	1	–	1	23	4	3	1	6	1	2	6	1	55	44	2	2
08	Balance of county	396	–	–	7	61	15	21	7	4	–	3	11	4	164	124	3	1
09	Okeechobee	157	–	–	1	27	5	11	1	–	1	–	9	3	64	49	1	1
10	Orange	3,232	3	–	20	673	171	176	53	77	36	26	134	47	1,534	1,150	31	17
11	Orlando	1,275	1	–	10	255	55	63	21	30	19	14	53	20	600	453	14	6
12	Winter Park	326	–	–	–	63	20	9	10	6	3	5	10	2	181	131	4	2
13	Balance of county	1,631	2	–	10	355	96	104	22	41	14	7	71	25	753	566	13	9
14	Osceola	498	–	–	–	89	28	24	5	9	3	2	18	12	281	235	2	1
15	Palm Beach	5,502	10	1	26	1,221	337	315	98	160	55	48	208	92	2,899	2,014	50	26
16	Belle Glade	133	1	–	1	15	3	9	–	–	1	–	2	4	60	48	1	2
17	Boca Raton	481	1	–	1	119	39	24	11	10	8	1	26	7	276	204	7	1
18	Boynton Beach	461	–	–	2	107	37	28	6	10	4	4	18	8	258	186	4	5
19	Delray Beach	375	1	–	1	93	24	22	7	17	6	4	13	8	193	136	4	2
20	Lake Worth	627	1	–	3	121	28	39	14	13	3	5	19	13	369	240	4	3
21	Riviera Beach	232	–	–	1	55	14	12	4	9	3	1	12	3	116	72	1	–
22	West Palm Beach	976	2	1	5	209	56	58	14	21	8	17	35	15	486	319	11	–
23	Balance of county	2,217	4	–	12	502	136	123	42	80	22	16	83	34	1,141	809	18	13
24	Pasco	2,037	2	–	7	461	145	114	27	57	19	19	80	27	1,108	822	14	10
25	Pinellas	10,206	15	–	38	2,071	599	497	159	249	98	88	381	129	5,689	3,859	78	36
26	Clearwater	1,103	1	–	4	252	75	47	22	32	12	12	52	15	591	388	8	3
27	Dunedin	455	–	–	1	91	25	24	7	13	4	6	12	5	272	179	2	2
28	Largo	627	–	–	4	135	37	35	10	13	6	5	29	15	331	234	8	2
29	Pinellas Park	395	–	–	–	90	20	30	8	11	4	–	17	7	205	155	4	2
30	St. Petersburg	4,367	10	–	16	784	231	180	64	103	39	34	133	48	2,499	1,656	32	18
31	Balance of county	3,259	4	–	13	719	211	181	48	77	33	31	138	39	1,791	1,247	24	9
32	Polk	2,813	4	–	20	532	116	146	37	77	30	31	95	52	1,338	928	13	11
33	Bartow	147	1	–	–	28	4	7	–	6	4	2	5	6	70	45	–	–
34	Lakeland	648	–	–	5	118	31	24	12	17	1	6	27	11	330	239	3	6
35	Winter Haven	290	2	–	2	60	13	12	9	8	3	4	11	6	143	84	–	1
36	Balance of county	1,728	1	–	13	326	68	103	16	46	22	19	52	29	795	560	10	4
37	Putnam	527	1	–	2	99	20	30	6	19	3	5	16	27	272	203	2	11
38	St. Johns	498	1	–	1	102	29	24	11	9	7	–	22	8	224	142	6	2
39	St. Augustine	236	–	–	1	53	14	10	7	5	4	–	13	3	105	59	3	1
40	Balance of county	262	1	–	–	49	15	14	4	4	3	–	9	5	119	83	3	1
41	St. Lucie	781	6	1	6	133	39	34	13	14	7	5	21	14	399	282	5	3
42	Fort Pierce	478	6	1	3	74	24	19	4	9	3	4	11	10	247	175	3	2
43	Balance of county	303	–	–	3	59	15	15	9	5	4	1	10	4	152	107	2	1
44	Santa Rosa	312	1	–	1	51	15	15	2	2	2	3	12	5	159	114	2	1
45	Sarasota	2,434	3	–	9	580	137	160	57	79	25	16	106	37	1,281	906	17	6
46	Sarasota	890	1	–	2	191	55	53	15	21	6	5	36	13	477	314	7	2
47	Balance of county	1,544	2	–	7	389	82	107	42	58	19	11	70	24	804	592	10	4
48	Seminole	924	2	–	7	195	52	54	23	16	7	10	33	12	471	369	5	7
49	Sanford	251	1	–	1	49	15	11	6	4	2	2	9	6	136	108	2	3
50	Balance of county	673	1	–	6	146	37	43	17	12	5	8	24	6	335	261	3	4
51	Sumter	264	–	1	–	45	11	18	3	6	3	1	3	4	108	79	–	1
52	Suwannee	207	1	–	1	36	9	12	2	3	1	3	6	5	83	58	2	–
53	Taylor	152	–	–	1	35	10	5	4	4	3	2	7	6	56	40	1	1
54	Union	44	–	–	–	8	4	2	1	–	1	–	–	1	17	10	1	–
55	Volusia	2,938	4	–	16	609	178	154	53	59	28	26	111	46	1,572	1,132	15	12
56	Daytona Beach	810	1	–	7	149	35	38	12	19	9	6	30	9	455	337	6	2
57	De Land	292	–	–	2	43	12	12	5	3	2	2	7	4	166	122	1	3
58	New Smyrna Beach	238	1	–	–	57	18	11	9	1	3	2	13	4	138	77	3	–
59	Ormond Beach	277	1	–	–	60	21	6	6	5	1	3	18	8	148	114	–	–
60	Balance of county	1,321	1	–	7	300	92	87	21	31	13	13	43	21	665	482	5	7
61	Wakulla	69	–	–	1	10	2	1	–	2	–	–	5	2	34	23	1	–
62	Walton	199	–	–	1	38	5	12	4	6	–	2	9	6	95	75	2	–
63	Washington	145	–	–	1	24	6	5	1	3	–	2	7	–	89	77	–	1
64	**Georgia**	**41,363**	**74**	**8**	**362**	**6,831**	**1,594**	**1,753**	**525**	**879**	**248**	**292**	**1,540**	**780**	**20,691**	**14,401**	**189**	**290**
65	Urban places	17,260	38	5	156	2,901	682	764	227	389	95	112	632	306	8,512	5,941	84	147
66	Balance of area	24,103	36	3	206	3,930	912	989	298	490	153	180	908	394	12,179	8,460	105	143
67	Metropolitan counties	18,090	35	–	172	3,179	744	830	255	396	109	133	712	295	8,619	6,153	100	131
68	Urban places	12,701	26	–	128	2,148	507	557	166	285	65	85	483	226	6,096	4,328	69	105
69	Balance of area	5,389	9	–	44	1,031	237	273	89	111	44	48	229	69	2,523	1,825	31	26
70	Nonmetropolitan counties	23,273	39	8	190	3,652	850	923	270	483	139	159	828	405	12,072	8,248	89	159
71	Urban places	4,559	12	5	28	753	175	207	61	104	30	27	149	80	2,416	1,613	15	42
72	Balance of area	18,714	27	3	162	2,899	675	716	209	379	109	132	679	325	9,656	6,635	74	117
73	Appling	124	–	–	2	9	–	4	2	1	–	1	1	3	66	54	–	–
74	Atkinson	80	–	–	–	10	1	3	–	–	1	1	4	3	43	29	–	–
75	Bacon	85	–	–	2	5	1	–	–	1	–	–	3	2	47	43	–	–
76	Baker	41	1	–	–	5	–	3	–	–	–	1	1	–	20	11	1	–
77	Baldwin	270	–	–	–	38	8	7	3	5	2	2	11	1	132	95	1	1
78	Milledgeville	159	–	–	–	20	4	4	2	3	–	1	6	–	89	68	1	1
79	Balance of county	111	–	–	–	18	4	3	1	2	2	1	5	1	43	27	–	–
80	Banks	71	–	–	2	13	3	3	1	–	–	1	5	–	39	30	–	2
81	Barrow	173	–	–	2	30	9	5	4	5	2	1	4	1	91	66	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
191	10	2	64	15	10	9	18	4	14	1	–	6	1	3	38	15	18	9	2	–	01
179	17	1	40	4	4	10	6	4	16	3	–	6	8	2	38	18	34	9	9	5	02
103	10	–	15	1	1	8	–	2	6	2	–	2	8	–	23	6	16	4	3	1	03
76	7	1	25	3	3	2	6	2	10	1	–	4	–	2	15	12	18	5	6	4	04
60	1	–	21	1	1	8	6	2	8	–	–	1	4	1	24	12	6	4	3	1	05
148	12	1	35	7	8	14	5	2	12	2	–	10	19	10	42	17	33	19	8	1	06
37	3	–	10	1	–	1	1	–	2	–	–	3	3	2	4	4	8	6	–	–	07
111	9	1	25	6	8	13	4	2	10	2	–	7	16	8	38	13	25	13	8	1	08
45	2	–	10	2	3	4	1	–	2	1	–	2	8	12	9	7	6	3	5	2	09
1,039	63	12	290	35	47	97	49	6	60	8	–	31	58	39	261	85	115	62	79	5	10
405	28	3	121	9	14	43	14	–	24	5	–	15	28	19	118	31	48	18	24	2	11
120	5	3	37	5	5	12	5	–	8	–	–	3	5	3	22	6	9	5	2	–	12
514	30	6	132	21	28	42	30	6	28	3	–	13	25	17	121	48	58	39	53	3	13
225	7	1	32	6	7	6	13	1	7	4	–	2	4	1	47	9	10	8	4	–	14
1,870	68	22	630	133	100	129	92	16	127	13	1	27	55	24	391	104	141	80	40	13	15
41	4	–	8	3	1	5	4	1	3	1	–	3	8	1	8	4	9	–	2	3	16
189	7	–	49	5	18	7	2	–	7	1	–	1	–	–	29	4	15	7	3	1	17
173	4	3	56	9	4	15	6	3	4	2	–	2	1	2	35	5	6	2	2	1	18
125	5	4	42	4	7	2	3	2	13	–	–	–	4	5	27	10	9	3	1	–	19
228	5	4	91	22	12	19	13	2	13	–	–	2	5	–	38	7	12	8	1	–	20
68	3	2	31	9	2	2	4	1	10	–	–	3	5	2	14	3	9	2	2	–	21
291	17	4	118	26	19	28	24	1	35	4	1	6	11	9	75	16	20	12	13	3	22
755	23	5	235	55	37	51	36	6	42	5	–	10	21	5	165	55	61	46	16	5	23
766	32	5	215	33	33	37	30	5	23	11	–	6	12	47	145	46	26	25	18	1	24
3,614	131	34	1,454	165	177	293	202	32	161	35	–	21	49	275	721	114	163	145	46	7	25
361	16	8	159	13	23	29	23	–	14	5	–	7	4	18	83	17	17	16	6	1	26
170	5	6	71	9	7	13	9	1	6	1	–	–	1	9	31	1	2	10	1	1	27
207	17	1	78	10	8	15	19	2	12	–	–	4	7	13	46	8	7	8	1	–	28
142	7	–	37	8	5	6	17	1	4	1	–	1	–	11	23	9	8	10	2	–	29
1,559	47	13	676	74	80	137	82	15	72	20	–	5	24	148	310	40	75	57	21	4	30
1,175	39	6	433	51	54	93	52	13	53	8	–	4	13	76	228	39	54	44	15	1	31
875	29	14	305	58	33	80	60	15	41	8	2	19	56	103	194	101	89	42	41	16	32
43	2	–	20	4	1	4	3	–	3	1	–	1	7	4	9	4	5	–	1	–	33
225	5	4	68	12	7	20	11	1	9	3	1	4	16	32	51	5	11	7	10	3	34
81	2	2	42	9	6	6	8	3	5	1	–	3	6	11	14	6	10	1	2	1	35
526	20	8	175	33	19	50	38	11	24	3	1	11	27	56	120	86	63	34	28	12	36
181	9	1	47	9	12	7	6	1	7	4	–	5	4	4	45	16	19	4	2	2	37
120	14	4	64	6	8	13	6	2	9	2	–	2	3	22	61	15	18	2	7	–	38
48	7	3	34	2	7	8	–	–	3	1	–	–	1	15	30	4	9	–	3	–	39
72	7	1	30	4	1	5	6	2	6	1	–	2	2	7	31	11	9	2	4	–	40
256	18	4	87	14	12	26	12	2	8	9	–	7	11	5	72	20	23	9	13	5	41
156	14	3	54	10	5	19	9	–	4	6	–	2	10	3	44	12	15	3	10	–	42
100	4	1	33	4	7	7	3	2	4	3	–	5	1	2	28	8	8	6	3	5	43
102	9	1	34	8	2	8	6	1	1	–	–	1	7	–	29	16	4	10	8	4	44
858	25	6	271	46	52	71	33	6	34	6	1	9	18	15	193	30	54	35	10	9	45
299	6	3	123	22	15	30	13	2	13	4	1	4	9	3	76	12	24	8	6	1	46
559	19	3	148	24	37	41	20	4	21	2	–	5	9	12	117	18	30	27	4	8	47
348	9	2	80	9	11	24	9	3	11	4	–	10	11	1	73	24	33	19	14	1	48
99	4	–	26	1	1	7	3	–	3	1	–	1	1	1	23	7	8	–	3	–	49
249	5	2	54	8	10	17	6	3	8	3	–	9	10	–	50	17	25	19	11	1	50
73	5	2	20	4	3	11	2	2	5	–	–	1	7	5	26	18	16	9	4	–	51
48	8	1	19	3	2	6	5	–	3	1	–	4	2	19	17	12	6	1	4	1	52
32	6	1	11	2	2	3	1	–	1	1	–	–	2	7	14	5	9	4	6	1	53
7	2	1	4	2	–	4	–	–	1	–	–	2	–	4	4	–	2	–	1	–	54
1,037	68	13	338	39	50	54	41	13	44	13	–	10	23	100	239	45	54	26	22	7	55
311	18	4	99	6	9	12	12	2	14	5	–	6	6	22	65	11	16	3	12	3	56
110	8	–	30	8	6	7	3	–	5	–	–	1	7	28	15	3	4	2	2	–	57
68	6	4	44	3	10	2	2	–	1	–	–	–	–	5	19	2	5	–	1	1	58
104	10	–	28	2	4	4	4	3	4	–	–	–	1	7	22	4	8	2	1	–	59
444	26	5	137	20	21	29	20	8	20	8	–	3	9	38	118	25	21	19	6	3	60
16	6	1	7	2	1	4	2	–	1	–	–	1	3	–	8	–	1	–	2	–	61
69	4	–	16	1	3	7	1	2	4	2	–	2	–	2	16	10	7	3	2	1	62
68	8	–	11	–	1	2	3	–	–	1	–	–	1	6	10	2	3	1	2	–	63
12,200	**1,722**	**173**	**5,136**	**494**	**487**	**1,306**	**511**	**139**	**572**	**218**	**18**	**317**	**743**	**621**	**3,666**	**1,404**	**1,501**	**788**	**873**	**20**	**64**
4,983	727	72	2,090	208	201	536	192	60	295	112	7	116	365	208	1,667	406	604	288	477	9	65
7,217	995	101	3,046	286	286	770	319	79	277	106	11	201	378	413	1,999	998	897	500	396	11	66
5,253	669	67	1,992	196	211	546	237	56	347	109	9	134	386	188	1,733	523	628	411	472	11	67
3,660	494	55	1,438	134	141	389	148	43	251	88	5	88	288	134	1,279	297	454	224	382	7	68
1,593	175	12	554	62	70	157	89	13	96	21	4	46	98	54	454	226	174	187	90	4	69
6,947	1,053	106	3,144	298	276	760	274	83	225	109	9	183	357	433	1,933	881	873	377	401	9	70
1,323	233	17	652	74	60	147	44	17	44	24	2	28	77	74	388	109	150	64	95	2	71
5,624	820	89	2,492	224	216	613	230	66	181	85	7	155	280	359	1,545	772	723	313	306	7	72
46	8	–	10	1	1	3	3	1	1	1	–	–	–	7	11	11	4	–	2	–	73
26	3	–	13	–	1	3	–	–	1	1	–	–	3	–	6	3	4	3	–	–	74
43	–	–	4	–	–	4	2	–	1	–	–	1	1	–	11	7	–	1	1	–	75
9	1	–	9	–	–	3	–	1	–	–	–	1	1	3	1	3	2	–	–	–	76
91	2	–	32	2	3	18	4	1	1	2	–	2	3	2	27	12	13	10	4	–	77
65	1	–	19	–	2	9	3	–	1	–	–	1	2	1	16	7	4	4	2	–	78
26	1	–	13	2	1	9	1	1	–	2	–	1	1	1	11	5	9	6	2	–	79
25	3	–	9	–	–	3	2	–	–	–	–	–	–	1	4	2	2	1	2	–	80
53	11	1	20	1	3	6	–	–	1	–	–	–	–	3	17	6	4	6	6	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Georgia—Con.																	
01	Bartow	342	1	1	4	60	13	15	9	10	3	3	7	–	184	121	1	1
02	Ben Hill	149	–	–	–	17	4	5	1	3	–	–	4	1	89	50	–	1
03	Berrien	122	–	–	1	15	5	3	1	2	2	–	2	3	62	45	2	2
04	Bibb	1,501	2	–	11	218	60	63	15	27	2	5	46	34	791	553	8	20
05	Macon	1,383	2	–	7	197	55	56	13	23	2	5	43	32	729	507	7	19
06	Balance of county	118	–	–	4	21	5	7	2	4	–	–	3	2	62	46	1	1
07	Bleckley	112	–	–	2	19	2	4	4	3	1	–	5	1	49	39	1	4
08	Brantley	67	–	–	1	5	1	1	–	1	–	–	2	1	42	29	–	1
09	Brooks	172	–	–	2	32	11	3	5	6	–	1	6	2	92	70	2	–
10	Bryan	64	–	–	–	8	3	3	–	1	1	–	–	–	31	21	–	1
11	Bulloch	263	2	–	3	45	6	14	3	8	2	3	9	8	119	76	1	4
12	Statesboro	110	2	–	2	25	4	8	2	4	2	1	4	–	50	31	–	1
13	Balance of county	153	–	–	1	20	2	6	1	4	–	2	5	8	69	45	1	3
14	Burke	181	–	–	–	26	9	6	–	2	1	3	5	4	106	63	–	2
15	Butts	128	–	–	1	29	4	12	1	4	1	–	7	–	67	44	3	–
16	Calhoun	69	1	–	2	14	4	5	–	3	–	–	2	–	33	14	–	–
17	Camden	104	–	–	1	12	4	2	2	–	–	1	3	6	48	35	–	–
18	Candler	72	–	–	–	10	4	1	1	–	1	1	2	–	37	25	–	–
19	Carroll	428	–	–	3	53	6	16	3	10	3	2	13	6	209	157	2	1
20	Carrollton	122	–	–	1	20	1	6	1	4	2	1	5	3	57	39	–	1
21	Balance of county	306	–	–	2	33	5	10	2	6	1	1	8	3	152	118	2	–
22	Catoosa	223	–	–	1	48	19	7	2	5	3	3	9	7	105	71	1	1
23	Charlton	50	–	–	–	11	3	2	–	–	1	1	4	–	27	17	–	1
24	Chatham	1,810	6	–	12	322	83	77	26	33	13	13	77	26	923	650	8	21
25	Savannah	1,434	6	–	9	250	63	61	20	27	8	11	60	23	737	512	7	18
26	Balance of county	376	–	–	3	72	20	16	6	6	5	2	17	3	186	138	1	3
27	Chattahoochee	28	–	–	–	2	1	–	–	–	–	–	1	–	12	9	1	–
28	Chattooga	212	1	–	1	25	7	4	3	5	–	–	6	6	121	78	–	–
29	Cherokee	247	–	–	1	38	7	6	5	2	1	2	15	2	121	89	1	–
30	Clarke	408	–	–	3	79	15	17	9	17	5	2	14	6	202	122	1	2
31	Athens	302	–	–	1	57	8	12	8	15	4	2	8	4	151	90	1	1
32	Balance of county	106	–	–	2	22	7	5	1	2	1	–	6	2	51	32	–	1
33	Clay	54	–	–	1	4	1	1	–	2	–	–	–	–	33	16	–	–
34	Clayton	531	2	–	3	101	23	37	6	8	1	5	21	7	206	145	2	2
35	College Park, part	36	–	–	–	6	1	2	–	1	–	1	1	–	13	10	–	–
36	Forest Park	134	–	–	1	26	3	11	1	3	–	1	7	3	56	36	–	2
37	Balance of county	361	2	–	2	69	19	24	5	4	1	3	13	4	137	99	2	–
38	Clinch	63	1	–	–	9	–	5	–	–	–	1	3	–	32	27	–	–
39	Cobb	1,310	–	–	11	253	48	84	18	22	13	15	53	21	593	430	7	9
40	Marietta	381	–	–	4	79	18	20	5	9	5	3	19	10	163	111	2	1
41	Smyrna	200	–	–	–	37	6	16	1	1	1	4	8	–	94	72	1	3
42	Balance of county	729	–	–	7	137	24	48	12	12	7	8	26	11	336	247	4	5
43	Coffee	239	–	–	1	28	7	9	3	2	1	2	4	4	123	85	–	–
44	Douglas	120	–	–	1	13	4	5	1	1	1	1	–	3	63	41	–	–
45	Balance of county	119	–	–	–	15	3	4	2	1	–	1	4	1	60	44	–	–
46	Colquitt	349	1	1	3	57	14	16	4	8	1	4	10	11	177	126	2	15
47	Moultrie	166	1	1	2	22	6	3	2	6	1	1	3	4	79	58	–	9
48	Balance of county	183	–	–	1	35	8	13	2	2	–	3	7	7	98	68	2	6
49	Columbia	167	–	–	–	27	8	9	2	3	–	2	3	1	81	61	2	1
50	Cook	121	1	–	–	26	9	8	–	2	1	1	5	4	58	45	1	–
51	Coweta	367	–	–	2	53	17	9	4	5	3	4	11	2	174	127	1	1
52	Newnan	146	–	–	–	27	9	3	3	2	2	2	6	1	76	56	–	–
53	Balance of county	221	–	–	2	26	8	6	1	3	1	2	5	1	98	71	1	1
54	Crawford	57	–	–	–	7	3	1	–	–	–	–	3	4	31	22	–	3
55	Crisp	218	1	1	2	30	13	7	1	5	–	1	3	–	131	73	–	–
56	Cordele	148	1	1	1	21	9	4	1	4	–	1	2	–	93	52	–	–
57	Balance of county	70	–	–	1	9	4	3	–	1	–	–	1	–	38	21	–	–
58	Dade	91	–	–	–	25	9	3	3	1	–	–	9	3	38	27	–	–
59	Dawson	46	–	–	–	5	1	1	–	1	–	–	2	1	27	20	–	–
60	Decatur	240	–	–	3	34	8	11	3	2	2	1	7	4	121	85	2	1
61	Bainbridge	121	–	–	–	17	6	3	2	2	1	1	2	2	62	48	–	–
62	Balance of county	119	–	–	3	17	2	8	1	–	1	–	5	2	59	37	2	1
63	De Kalb	2,620	4	–	26	505	125	108	42	67	19	26	118	39	1,237	896	12	13
64	Atlanta, part	725	1	–	10	137	29	37	11	15	4	6	35	12	337	244	5	5
65	Decatur	470	2	–	7	79	19	18	4	15	2	2	19	7	216	154	–	4
66	Balance of county	1,425	1	–	9	289	77	53	27	37	13	18	64	20	684	498	7	4
67	Dodge	196	–	–	2	30	6	8	1	3	4	3	5	3	94	68	–	2
68	Dooly	134	1	–	2	21	2	5	2	7	1	–	4	4	80	54	–	–
69	Dougherty	667	2	–	8	105	22	32	6	16	2	5	22	5	328	201	3	7
70	Albany	603	2	–	8	89	20	28	5	14	1	5	16	5	302	182	3	6
71	Balance of county	64	–	–	–	16	2	4	1	2	1	–	6	–	26	19	–	1
72	Douglas	258	–	–	1	38	12	7	4	2	1	1	11	2	121	87	1	–
73	Early	135	–	–	1	19	6	3	–	3	–	1	6	5	68	44	–	2
74	Echols	15	–	–	–	2	–	–	–	–	–	–	2	–	7	5	–	–
75	Effingham	114	–	–	2	25	7	6	1	1	3	1	6	3	49	38	–	–
76	Elbert	203	–	–	2	24	6	2	2	5	1	1	7	12	115	74	1	–
77	Emanuel	196	–	–	2	34	5	7	3	7	1	1	10	2	104	80	1	2
78	Evans	83	–	–	2	16	6	3	–	1	–	–	6	3	33	19	–	1
79	Fannin	173	–	–	1	25	6	6	2	4	1	2	4	1	91	59	–	–
80	Fayette	102	–	–	–	15	5	3	3	–	1	–	3	1	60	39	–	–
81	Floyd	761	2	–	8	126	25	36	17	12	4	5	27	13	424	277	2	8
82	Rome	433	1	–	3	67	15	23	9	5	1	–	14	7	245	158	1	5
83	Balance of county	328	1	–	5	59	10	13	8	7	3	5	13	6	179	119	1	3
84	Forsyth	146	–	–	–	22	2	9	2	2	–	1	6	1	77	51	1	–
85	Franklin	158	–	–	1	22	8	3	2	1	1	–	7	4	79	62	1	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
97	22	–	51	6	6	12	5	–	4	1	–	1	10	5	25	8	14	3	4	–	01
48	1	2	29	4	4	6	4	–	2	1	–	1	–	1	14	3	6	2	2	–	02
36	5	–	17	–	–	4	3	1	3	–	–	1	–	–	16	2	3	3	5	–	03
458	67	8	166	48	16	37	24	4	24	10	1	7	36	5	149	47	42	25	34	–	04
419	62	7	154	46	15	36	21	4	22	10	1	7	32	5	138	42	41	25	32	–	05
39	5	1	12	2	1	1	3	–	2	–	–	–	4	–	11	5	1	–	2	–	06
30	4	–	8	1	1	6	2	1	1	1	–	2	–	3	13	4	3	4	–	1	07
20	8	1	11	–	1	2	–	1	2	–	–	–	1	–	5	2	1	2	2	–	08
65	3	2	18	1	1	10	4	1	–	1	–	2	2	2	11	3	4	1	3	–	09
12	8	–	10	–	–	2	–	–	–	1	–	2	–	1	3	10	5	–	1	–	10
60	11	2	36	2	3	7	1	–	4	2	–	–	5	18	24	4	15	2	4	–	11
29	1	–	15	1	3	3	1	–	–	–	–	–	1	5	13	1	5	–	2	–	12
31	10	2	21	1	–	4	–	–	4	2	–	–	4	13	11	3	10	2	2	–	13
53	8	1	38	–	4	3	1	–	–	3	–	1	5	1	14	4	4	2	7	–	14
39	2	1	18	3	1	1	2	2	–	–	–	–	1	1	16	2	3	3	–	–	15
13	1	–	19	–	–	2	1	–	–	–	–	2	–	–	9	1	–	1	3	–	16
19	16	–	13	–	–	7	1	–	–	–	–	–	1	3	14	3	4	3	1	–	17
22	3	–	10	1	1	6	1	–	–	–	–	1	1	–	4	4	6	1	1	–	18
142	12	2	37	5	8	18	6	2	4	–	–	4	7	10	36	27	27	9	7	–	19
36	2	–	14	2	2	5	–	–	–	–	–	–	1	4	7	9	9	4	2	–	20
106	10	2	23	3	6	13	6	2	4	–	–	4	6	6	29	18	18	5	5	–	21
56	13	–	28	5	1	7	8	2	–	–	–	1	1	2	17	11	6	4	3	–	22
13	3	–	9	–	1	–	1	–	–	–	–	–	1	2	3	1	2	1	–	1	23
586	35	8	224	22	19	57	16	4	25	5	–	11	23	18	168	49	73	24	48	–	24
456	31	7	183	18	17	42	12	2	24	3	–	9	15	16	141	32	56	15	42	–	25
130	4	1	41	4	2	15	4	2	1	2	–	2	8	2	27	17	17	9	6	–	26
8	–	–	3	–	–	–	–	–	–	–	–	–	3	1	3	5	2	–	–	–	27
70	8	3	34	2	4	3	4	1	3	3	–	4	1	7	17	8	3	2	2	–	28
76	12	–	25	3	4	12	4	–	2	3	–	2	4	2	26	12	10	3	5	–	29
107	12	1	63	9	7	9	8	–	5	1	1	4	10	13	23	18	9	4	12	1	30
78	10	1	47	6	7	8	6	–	4	1	–	1	7	12	19	12	6	3	9	1	31
29	2	–	16	3	–	1	2	–	1	–	1	3	3	1	4	6	3	1	3	–	32
14	2	–	17	–	–	2	–	–	1	1	–	–	–	3	5	1	1	–	2	–	33
128	13	–	51	6	4	10	13	1	8	4	–	9	15	6	53	28	23	32	10	–	34
10	–	–	3	–	–	2	2	1	–	–	–	2	1	–	7	–	1	1	–	–	35
33	1	–	15	3	2	–	4	–	4	2	–	1	2	–	11	8	6	6	4	–	36
85	12	–	33	3	2	8	7	–	4	2	–	6	12	6	35	20	16	25	6	–	37
26	1	–	4	–	1	5	–	–	1	–	–	–	–	1	9	1	3	–	1	–	38
383	31	3	131	12	17	29	28	4	32	5	1	11	24	10	127	57	45	36	22	1	39
103	5	–	42	6	4	9	3	1	14	2	1	5	8	2	41	16	13	7	3	–	40
62	6	1	18	–	3	4	4	–	4	1	–	1	3	1	21	8	10	8	4	–	41
218	20	2	71	6	10	16	21	3	14	2	–	5	13	7	65	33	22	21	15	1	42
80	5	–	32	4	2	9	2	1	7	3	–	2	7	3	23	10	8	2	6	–	43
38	3	–	17	3	2	5	–	–	3	1	–	–	2	1	14	6	3	1	4	–	44
42	2	–	15	1	–	4	2	1	4	2	–	2	5	2	9	4	5	1	2	–	45
83	26	1	44	2	4	23	5	1	2	1	–	2	4	5	20	9	15	5	7	–	46
39	10	–	18	1	2	16	3	1	1	–	–	2	3	2	9	5	7	3	5	–	47
44	16	1	26	1	2	7	2	–	1	1	–	–	1	3	11	4	8	2	2	–	48
52	6	–	17	–	3	5	3	–	1	–	–	1	8	2	16	10	7	4	1	–	49
41	3	–	11	1	1	2	1	–	–	1	–	–	–	7	9	2	6	1	3	–	50
114	11	2	43	–	2	12	4	3	4	–	1	5	2	45	26	14	7	3	10	–	51
50	6	–	19	–	1	2	1	1	–	–	–	1	–	12	14	3	2	1	5	–	52
64	5	2	24	–	1	10	3	2	4	–	1	4	2	33	12	11	5	2	5	–	53
11	8	1	6	–	2	1	4	–	–	–	–	1	–	1	3	3	–	–	2	–	54
57	16	4	45	8	1	10	2	–	3	–	–	2	8	–	8	3	9	2	6	–	55
39	13	3	33	5	–	6	–	–	3	–	–	2	4	–	7	2	2	1	4	–	56
18	3	1	12	3	1	4	2	–	–	–	–	–	4	–	1	1	7	1	2	–	57
20	7	–	9	1	1	2	–	1	–	–	–	–	1	2	6	5	5	2	1	–	58
18	2	–	7	–	–	2	–	1	–	–	–	1	–	1	1	2	2	2	–	1	59
70	12	1	30	2	3	10	1	2	2	–	–	–	5	9	17	6	13	7	6	–	60
42	6	1	12	–	1	5	1	2	1	–	–	–	4	4	11	3	4	2	3	–	61
28	6	–	18	2	2	5	–	–	1	–	–	–	1	5	6	3	9	5	3	–	62
787	84	6	272	31	32	65	33	10	45	13	–	25	51	18	239	71	87	97	54	1	63
201	33	2	79	4	8	15	8	2	8	6	–	5	21	3	73	14	33	17	23	–	64
137	13	1	50	4	7	14	6	4	10	1	–	8	10	3	47	14	15	10	17	–	65
449	38	3	143	23	17	36	19	4	27	6	–	12	20	12	119	43	39	70	14	1	66
64	2	1	20	3	2	9	1	1	1	–	–	–	–	1	22	13	10	5	4	–	67
48	6	1	20	1	4	–	–	2	2	1	–	1	2	1	7	1	3	3	3	–	68
179	12	5	107	7	8	19	5	3	6	4	–	4	21	25	61	23	19	10	19	–	69
162	11	5	100	7	8	17	3	2	5	4	–	4	21	21	55	21	18	7	19	–	70
17	1	–	7	–	–	2	2	1	1	–	–	–	–	4	6	2	1	3	–	–	71
81	5	–	29	3	2	10	1	2	3	–	–	5	9	–	18	24	10	10	4	–	72
40	2	–	23	–	1	2	–	1	2	–	1	1	1	–	15	7	8	–	4	–	73
2	3	–	1	1	–	2	1	–	–	–	–	1	1	–	–	–	–	1	–	–	74
28	10	–	8	–	3	4	–	–	1	1	–	1	–	3	14	3	6	1	1	–	75
72	1	1	36	3	1	8	3	2	2	–	–	3	1	1	17	1	3	5	4	–	76
73	4	–	21	1	2	4	7	1	3	–	–	2	4	1	13	8	9	–	2	–	77
12	6	–	13	–	1	6	1	–	2	1	–	1	1	2	5	3	3	2	2	–	78
55	4	1	27	2	2	6	3	1	2	1	–	2	4	3	12	2	14	3	2	–	79
38	1	–	18	1	2	5	1	–	1	–	–	–	1	1	5	5	4	3	–	–	80
250	17	4	115	18	10	23	10	2	15	5	1	10	11	4	62	11	14	12	8	–	81
143	9	3	65	12	7	16	7	2	8	5	1	3	5	2	36	4	6	8	7	–	82
107	8	1	50	6	3	7	3	–	7	–	–	7	6	2	26	7	8	4	1	–	83
46	4	–	22	3	1	8	–	–	1	–	–	2	1	2	12	6	9	3	1	1	84
56	3	1	13	–	3	9	1	–	–	–	–	1	3	1	17	9	3	4	4	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Georgia—Con.																	
01	Fulton	5,403	9	–	69	929	224	219	82	133	23	40	208	100	2,500	1,842	30	32
02	Atlanta, part	4,338	8	–	59	738	185	160	65	115	18	30	165	85	1,980	1,470	22	29
03	Atlanta, total	5,063	9	–	69	875	214	197	76	130	22	36	200	97	2,317	1,714	27	34
04	College Park, part	223	–	–	2	34	8	9	2	3	2	–	10	4	105	81	1	1
05	College Park, total	259	–	–	2	40	9	11	2	4	2	1	11	4	118	91	1	1
06	East Point	313	–	–	3	59	11	21	4	5	2	3	13	4	158	110	3	1
07	Balance of county	529	1	–	5	98	20	29	11	10	1	7	20	7	257	181	4	1
08	Gilmer	93	–	–	1	19	7	1	–	1	–	1	9	1	39	23	–	–
09	Glascock	29	–	–	1	1	–	1	–	–	–	–	–	–	13	10	–	–
10	Glynn	465	–	–	2	82	12	30	7	10	4	3	16	8	237	169	1	1
11	Brunswick	255	–	–	–	49	8	16	3	7	4	2	9	8	131	84	1	1
12	Balance of county	210	–	–	2	33	4	14	4	3	–	1	7	–	106	85	–	–
13	Gordon	229	1	–	1	36	7	14	4	5	–	–	6	5	120	82	–	–
14	Grady	208	–	–	2	28	3	13	2	2	–	1	7	3	117	82	1	8
15	Greene	109	–	–	–	19	5	5	1	3	1	1	3	1	65	49	–	–
16	Gwinnett	610	1	–	5	121	26	35	10	11	5	3	31	5	278	187	3	4
17	Habersham	174	1	–	–	32	6	5	3	9	–	1	8	–	102	72	1	3
18	Hall	560	1	–	4	96	25	21	8	8	3	2	29	5	291	205	5	1
19	Gainesville	201	1	–	2	32	9	11	2	2	1	–	7	1	110	72	1	1
20	Balance of county	359	–	–	2	64	16	10	6	6	2	2	22	4	181	133	4	–
21	Hancock	101	–	–	3	15	4	3	2	2	–	1	3	4	42	37	–	–
22	Haralson	156	–	–	1	21	8	6	1	2	–	–	4	5	86	66	–	1
23	Harris	124	–	–	2	26	8	5	4	3	1	1	4	2	58	35	–	3
24	Hart	156	–	–	1	20	6	5	–	1	–	1	7	3	87	58	1	–
25	Heard	62	–	–	–	7	1	2	1	2	–	1	–	1	24	14	–	–
26	Henry	222	1	–	2	54	6	23	4	3	3	2	13	–	101	61	–	–
27	Houston	340	–	–	2	61	8	19	5	7	4	1	17	7	146	103	2	3
28	Warner Robins	189	–	–	–	36	4	10	5	3	2	–	12	4	65	44	–	–
29	Balance of county	151	–	–	2	25	4	9	–	4	2	1	5	3	81	59	2	3
30	Irwin	98	–	–	1	15	2	5	–	6	–	–	2	1	55	31	1	–
31	Jackson	203	–	–	–	35	8	9	3	8	1	2	4	2	110	76	–	1
32	Jasper	65	–	–	–	7	3	1	–	2	–	–	1	–	41	25	–	–
33	Jeff Davis	87	–	–	1	11	1	6	–	1	–	1	2	1	46	35	–	–
34	Jefferson	209	–	–	2	29	9	7	3	3	–	2	5	8	96	62	2	–
35	Jenkins	92	–	–	1	9	1	4	–	3	–	–	1	3	59	40	1	–
36	Johnson	85	–	–	1	16	2	5	–	4	2	–	3	–	32	26	1	–
37	Jones	79	–	–	–	11	2	3	–	–	–	1	5	2	42	25	–	2
38	Lamar	112	–	–	2	19	6	–	5	–	1	–	7	2	53	34	1	2
39	Lanier	58	–	–	1	9	3	1	2	–	–	–	3	–	25	18	–	–
40	Laurens	337	3	–	1	52	13	14	4	6	2	2	11	5	174	149	–	8
41	Dublin	157	1	–	–	21	4	7	3	4	–	1	2	3	92	77	–	5
42	Balance of county	180	2	–	1	31	9	7	1	2	2	1	9	2	82	72	–	3
43	Lee	72	–	–	1	12	2	5	2	1	–	–	2	4	28	20	–	–
44	Liberty	145	2	–	1	24	2	9	1	4	1	1	6	2	68	45	1	1
45	Lincoln	77	–	–	1	8	3	3	1	–	–	1	–	1	43	34	–	–
46	Long	44	–	–	–	13	2	4	1	2	–	1	3	1	23	17	–	–
47	Lowndes	507	1	2	3	83	18	23	7	8	3	6	18	12	275	191	1	3
48	Valdosta	342	1	1	1	56	13	18	5	5	2	4	9	7	192	126	1	3
49	Balance of county	165	–	1	2	27	5	5	2	3	1	2	9	5	83	65	–	–
50	Lumpkin	68	–	–	1	12	1	1	1	3	1	–	5	1	37	21	1	–
51	McDuffie	128	1	–	–	16	3	4	–	2	1	3	3	2	61	44	–	–
52	McIntosh	72	–	–	–	17	2	6	2	2	2	1	2	–	38	27	1	–
53	Macon	137	–	–	2	13	2	3	1	2	1	1	3	3	82	58	1	5
54	Madison	139	–	–	3	21	1	5	5	2	–	3	5	2	75	55	–	–
55	Marion	51	–	–	1	7	3	2	1	–	–	–	1	–	29	16	1	1
56	Meriwether	181	–	–	1	33	6	4	1	10	3	2	7	1	90	55	–	2
57	Miller	82	–	–	1	6	2	3	–	–	–	–	1	2	39	26	1	–
58	Mitchell	177	–	–	–	30	4	9	–	6	–	1	10	4	90	41	–	1
59	Monroe	103	–	–	2	13	3	5	–	2	–	–	3	–	52	32	1	–
60	Montgomery	71	–	–	–	13	4	5	–	1	1	1	1	–	33	27	–	–
61	Morgan	115	–	–	–	16	5	5	1	–	1	1	3	2	56	30	–	–
62	Murray	103	–	–	1	18	6	3	3	1	–	–	5	3	49	36	2	–
63	Muscogee	1,418	3	–	13	238	55	67	17	29	14	6	50	14	696	482	12	5
64	Columbus	1,375	3	–	13	231	54	66	16	28	13	6	48	13	681	471	12	5
65	Balance of county	43	–	–	–	7	1	1	1	1	1	–	2	1	15	11	–	–
66	Newton	254	1	1	4	34	5	9	6	5	2	–	7	2	118	80	1	–
67	Covington	88	–	1	2	14	–	4	2	4	–	–	4	2	44	30	1	–
68	Balance of county	166	1	–	2	20	5	5	4	1	2	–	3	–	74	50	–	–
69	Oconee	72	–	–	2	17	6	4	–	2	–	1	4	2	32	16	–	–
70	Oglethorpe	98	–	–	–	18	3	2	4	2	–	3	4	1	55	32	1	–
71	Paulding	157	–	–	1	26	6	5	1	1	3	2	8	1	63	44	1	–
72	Peach	150	1	–	4	28	6	9	–	6	2	2	3	2	73	56	–	11
73	Pickens	109	–	–	–	19	7	3	1	4	1	1	2	2	61	37	–	–
74	Pierce	109	–	–	1	14	3	5	1	1	2	–	2	–	57	39	–	1
75	Pike	79	–	–	1	14	3	4	–	4	–	–	3	–	45	25	–	–
76	Polk	328	–	1	7	55	12	10	5	6	3	5	14	3	178	133	1	1
77	Pulaski	96	–	–	–	14	5	2	–	2	1	1	3	4	48	33	–	1
78	Putnam	84	2	–	2	9	1	5	–	2	–	–	1	4	39	24	1	–
79	Quitman	29	–	–	–	3	–	1	–	–	1	–	1	1	14	10	–	–
80	Rabun	81	–	–	–	16	3	5	1	1	–	–	6	3	44	35	–	–
81	Randolph	137	–	–	2	14	2	1	1	3	2	1	4	1	75	34	–	2
82	Richmond	1,346	2	–	9	231	44	66	21	32	11	10	47	29	653	466	9	12
83	Augusta	897	2	–	5	150	31	42	14	23	5	8	27	24	460	324	6	11
84	Balance of county	449	–	–	4	81	13	24	7	9	6	2	20	5	193	142	3	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,538	242	21	540	39	58	206	59	16	115	47	1	33	117	47	564	103	190	97	196	5	01
1,221	198	16	417	32	45	172	37	12	93	41	1	25	97	38	465	79	160	68	177	3	02
1,422	231	18	496	36	53	187	45	14	101	47	1	30	118	41	538	93	193	85	200	3	03
71	8	1	21	–	2	6	8	–	3	1	–	2	4	2	20	4	8	11	8	1	04
81	8	1	24	–	2	8	10	1	3	1	–	4	5	2	27	4	9	12	8	1	05
94	12	3	41	1	3	8	4	4	4	1	–	2	7	2	31	7	6	9	4	–	06
152	24	1	61	6	8	20	10	–	15	4	–	4	9	5	48	13	16	9	7	1	07
21	2	1	14	–	1	6	2	1	–	1	–	2	1	1	11	1	5	1	1	–	08
9	1	–	3	–	–	3	1	1	–	–	–	–	–	3	1	1	1	–	3	–	09
101	66	–	58	5	5	10	2	2	11	7	–	1	4	6	41	12	21	6	12	1	10
51	31	–	43	2	2	6	–	1	3	6	–	–	3	2	25	3	9	–	8	1	11
50	35	–	15	3	3	4	2	1	8	1	–	1	1	4	16	9	12	6	4	–	12
63	19	–	28	7	3	13	–	–	3	–	–	3	5	2	19	7	7	4	3	–	13
69	4	1	29	4	1	6	3	1	2	–	–	1	4	4	19	9	4	3	–	2	14
45	4	–	13	2	1	–	–	1	3	2	–	1	1	–	7	1	4	1	2	1	15
161	19	–	76	3	12	28	10	1	7	3	1	6	16	4	38	24	26	24	12	–	16
61	7	1	25	3	1	4	1	1	2	2	–	–	2	–	11	6	5	3	2	–	17
181	18	2	74	6	4	14	9	3	5	2	–	8	9	13	41	21	24	9	5	–	18
64	6	–	32	4	2	4	4	3	2	–	–	1	5	4	16	5	9	2	–	–	19
117	12	2	42	2	2	10	5	–	3	2	–	7	4	9	25	16	15	7	5	–	20
35	2	–	4	–	1	4	2	1	2	–	–	2	2	–	5	11	3	1	4	–	21
60	5	–	15	2	3	4	1	–	1	–	–	–	2	5	14	8	4	4	–	–	22
29	3	–	17	5	1	2	1	1	1	1	–	1	1	2	12	8	4	2	–	–	23
50	7	1	25	2	1	7	4	2	–	–	–	1	2	5	13	6	3	1	1	–	24
9	5	–	8	1	1	1	–	–	1	–	–	–	3	8	7	4	4	1	1	–	25
51	10	–	35	2	3	6	–	1	4	–	–	–	5	2	19	12	10	4	1	–	26
83	15	–	36	2	5	10	4	1	10	–	1	5	13	3	37	13	14	4	9	–	27
37	7	–	19	–	2	8	4	1	7	–	1	4	11	3	23	5	9	3	5	–	28
46	8	–	17	2	3	2	–	–	3	–	–	1	2	–	14	8	5	1	4	–	29
30	–	2	21	1	–	6	5	–	–	–	–	1	1	1	4	2	2	2	2	–	30
70	5	1	30	1	2	3	1	–	4	–	–	2	6	1	21	3	4	5	6	–	31
23	2	1	13	2	–	3	1	–	1	–	–	–	–	2	4	2	3	1	–	–	32
30	5	–	10	1	–	4	1	–	–	2	–	–	2	–	9	5	2	2	1	–	33
57	3	2	21	8	3	9	–	1	1	2	–	1	3	3	31	12	5	1	5	–	34
37	2	2	17	–	–	4	1	–	1	–	–	–	–	2	5	5	1	1	–	–	35
23	2	–	5	–	1	4	–	–	2	1	–	1	1	9	8	5	3	1	1	–	36
13	10	–	16	–	1	1	4	–	–	–	–	1	1	–	6	3	3	1	4	–	37
30	1	1	16	1	1	7	1	–	–	1	–	1	2	1	10	3	6	4	–	–	38
10	8	–	6	–	1	3	2	–	1	–	–	2	–	3	4	7	–	1	–	–	39
94	47	1	16	3	5	8	2	1	1	4	–	4	7	5	29	16	14	2	9	–	40
48	24	1	10	–	4	5	–	–	–	2	–	2	4	3	9	5	5	1	4	–	41
46	23	–	6	3	1	3	2	1	1	2	–	2	3	2	20	11	9	1	5	–	42
20	–	–	7	1	–	4	1	–	2	1	–	–	1	–	6	3	4	4	1	–	43
40	3	3	17	2	1	4	2	–	–	1	–	1	5	–	11	11	7	2	4	–	44
32	2	–	8	1	–	2	1	–	–	–	–	1	3	1	8	5	–	2	1	–	45
16	1	–	6	–	–	–	1	–	–	1	–	–	–	–	–	2	3	–	–	–	46
119	68	3	67	11	3	11	4	4	2	–	–	2	9	6	40	17	17	4	15	–	47
73	49	2	52	9	3	8	1	3	2	–	–	–	6	4	29	8	11	2	10	–	48
46	19	1	15	2	–	3	3	1	–	–	–	2	3	2	11	9	6	2	5	–	49
20	–	–	13	2	1	1	–	–	–	–	–	1	1	–	9	1	2	1	1	–	50
40	4	–	17	–	–	6	–	–	3	1	–	2	3	4	13	7	1	2	6	–	51
17	9	–	9	1	1	2	–	–	–	–	–	1	1	–	3	2	8	–	–	–	52
47	5	2	16	5	1	3	4	–	2	–	–	3	3	–	7	4	6	2	3	–	53
50	5	–	18	–	2	3	3	2	–	–	–	1	–	1	9	8	7	3	1	–	54
11	3	–	10	2	1	3	–	–	1	–	–	–	–	1	5	1	3	–	–	–	55
49	4	1	31	2	1	7	2	1	1	1	–	1	3	1	17	7	8	4	3	–	56
22	3	1	10	1	1	5	2	–	1	1	–	–	–	2	9	6	4	1	3	–	57
29	11	–	48	1	–	3	1	–	3	–	–	–	2	12	12	3	13	2	2	–	58
27	4	2	16	2	–	4	–	–	1	–	–	1	4	2	5	5	7	3	4	–	59
20	7	2	4	–	–	2	–	–	–	1	–	1	–	–	6	2	10	2	1	–	60
27	3	–	24	1	1	5	1	1	1	1	–	2	3	2	12	5	5	–	3	–	61
28	6	–	12	1	–	2	1	1	1	1	–	1	3	2	11	4	1	4	–	–	62
376	89	6	184	7	17	37	21	8	21	14	1	10	44	29	126	35	53	26	26	3	63
370	84	6	181	6	17	36	21	7	20	14	–	8	43	28	125	29	51	24	25	3	64
6	5	–	3	1	–	1	–	1	1	–	1	2	1	1	1	6	2	2	1	–	65
67	12	1	27	4	6	7	1	2	4	3	–	1	5	14	27	8	11	6	5	–	66
23	6	1	9	1	3	2	1	–	1	2	–	–	1	5	7	2	1	2	1	–	67
44	6	–	18	3	3	5	–	2	3	1	–	1	4	9	20	6	10	4	4	–	68
12	4	–	15	1	–	3	1	–	1	–	–	–	–	1	6	3	2	–	2	–	69
29	2	–	20	–	3	1	–	–	–	–	–	2	1	1	4	6	3	4	2	–	70
40	3	–	14	1	4	4	1	1	–	1	–	1	3	1	18	16	12	6	2	–	71
40	5	1	13	–	3	5	1	–	–	1	–	–	2	3	15	4	6	1	4	–	72
31	6	–	16	6	2	2	3	–	1	–	–	1	–	4	5	5	4	1	1	–	73
23	15	1	15	1	1	4	1	–	1	–	–	–	1	2	7	7	5	6	3	–	74
17	8	–	18	1	1	2	1	–	1	1	–	–	3	1	5	1	4	–	–	–	75
115	16	1	38	3	3	5	4	–	4	1	1	1	5	3	33	6	13	4	4	–	76
25	7	–	10	2	3	1	1	–	1	–	–	–	–	5	7	8	5	–	2	–	77
18	5	1	10	1	3	7	1	1	–	1	–	1	1	6	4	–	3	1	2	–	78
5	5	–	4	–	–	1	–	–	–	–	–	1	1	3	2	2	1	–	–	–	79
31	4	–	5	3	1	3	–	–	1	–	–	2	2	–	7	1	2	–	–	–	80
27	5	2	33	2	4	4	1	–	1	1	–	1	2	17	8	5	3	–	2	–	81
416	29	9	147	13	18	28	19	3	50	2	3	11	18	16	126	47	42	25	32	–	82
284	23	6	115	7	8	20	11	3	33	2	1	5	13	10	81	18	27	13	19	–	83
132	6	3	32	6	10	8	8	–	17	–	2	6	5	6	45	29	15	12	13	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Georgia—Con.																	
01	Rockdale	161	–	–	1	26	3	8	–	2	–	1	12	4	73	51	1	–
02	Schley	41	–	–	–	8	2	1	–	4	1	–	–	–	26	17	1	1
03	Screven	157	1	–	–	23	4	6	1	5	–	–	7	2	93	70	1	2
04	Seminole	93	–	–	–	15	2	3	1	2	–	1	6	–	58	38	–	–
05	Spalding	417	–	–	3	81	19	30	4	10	–	3	15	3	216	136	2	4
06	Griffin	293	–	–	2	59	15	23	3	6	–	1	11	3	149	95	2	4
07	Balance of county	124	–	–	1	22	4	7	1	4	–	2	4	–	67	41	–	–
08	Stephens	187	–	–	1	23	6	10	–	2	1	2	2	6	107	78	1	1
09	Stewart	82	–	–	–	8	1	–	1	4	–	–	2	2	41	22	–	–
10	Sumter	259	1	–	1	45	12	9	4	8	4	–	8	5	132	94	1	2
11	Americus	151	–	–	1	30	11	5	3	4	3	–	4	2	73	54	1	1
12	Balance of county	108	1	–	–	15	1	4	1	4	1	–	4	3	59	40	–	1
13	Talbot	82	–	–	1	15	2	3	–	5	–	1	4	–	44	29	–	2
14	Taliaferro	49	–	–	–	7	3	1	–	2	–	–	1	1	28	20	1	–
15	Tattnall	178	–	–	4	23	8	8	–	3	1	–	3	2	98	77	–	1
16	Taylor	94	–	–	2	11	3	2	1	3	–	1	1	1	55	37	–	1
17	Telfair	149	–	–	2	22	4	6	2	2	1	1	6	–	88	56	–	1
18	Terrell	127	–	–	3	22	5	8	–	5	–	–	4	1	62	40	–	1
19	Thomas	383	–	–	1	68	21	17	6	11	2	–	11	5	192	109	1	1
20	Thomasville	214	–	–	–	36	10	10	2	8	1	–	5	4	114	60	–	1
21	Balance of county	169	–	–	1	32	11	7	4	3	1	–	6	1	78	49	1	–
22	Tift	254	1	–	–	49	14	15	–	6	2	1	11	5	120	74	2	2
23	Tifton	131	1	–	–	30	7	11	–	4	2	–	6	1	58	37	1	1
24	Balance of county	123	–	–	–	19	7	4	–	2	–	1	5	4	62	37	1	1
25	Toombs	231	1	–	1	32	10	8	1	2	–	1	10	6	119	88	–	–
26	Towns	64	–	–	1	9	3	–	1	–	–	2	3	1	38	27	–	–
27	Treutlen	73	–	–	–	9	–	–	4	1	1	–	3	2	39	24	–	2
28	Troup	539	2	–	8	76	19	10	7	14	1	3	22	17	313	224	1	–
29	La Grange	293	2	–	6	40	9	6	4	8	–	2	11	10	169	119	–	–
30	Balance of county	246	–	–	2	36	10	4	3	6	1	1	11	7	144	105	1	–
31	Turner	102	–	–	–	15	1	6	–	4	–	–	4	–	61	41	–	3
32	Twiggs	58	1	–	–	9	1	3	–	2	–	–	3	2	23	16	–	–
33	Union	73	1	–	1	9	1	2	–	2	1	–	3	–	36	27	–	–
34	Upson	238	1	1	1	33	11	5	2	6	–	2	7	8	128	66	1	1
35	Thomaston	138	1	1	–	23	8	3	1	2	–	2	7	4	79	40	–	1
36	Balance of county	100	–	–	1	10	3	2	1	4	–	–	–	4	49	26	1	–
37	Walker	506	4	–	3	93	25	23	7	11	2	4	21	8	256	189	3	3
38	Walton	230	–	–	2	33	5	10	–	5	–	1	12	6	118	89	1	–
39	Ware	377	–	–	4	56	13	18	3	3	6	–	13	9	205	156	2	4
40	Waycross	273	–	–	2	37	10	12	2	2	3	–	8	7	147	112	2	4
41	Balance of county	104	–	–	2	19	3	6	1	1	3	–	5	2	58	44	–	–
42	Warren	64	–	–	2	17	5	3	–	2	1	3	3	–	29	21	–	–
43	Washington	192	1	–	3	27	9	8	–	4	–	5	1	6	90	73	2	–
44	Wayne	169	–	–	2	22	4	7	3	1	1	–	6	1	95	72	–	1
45	Webster	26	–	–	–	7	2	–	2	2	–	–	1	–	11	7	–	–
46	Wheeler	51	–	–	–	6	2	1	–	–	1	1	1	3	29	19	–	–
47	White	53	–	–	–	10	3	1	–	1	1	–	4	–	26	21	–	1
48	Whitfield	442	–	–	3	76	16	15	2	9	3	6	25	12	222	152	4	3
49	Dalton	196	–	–	1	37	5	10	–	2	–	4	16	4	93	66	2	2
50	Balance of county	246	–	–	2	39	11	5	2	7	3	2	9	8	129	86	2	1
51	Wilcox	74	–	–	–	8	1	2	–	1	1	–	3	1	48	30	–	1
52	Wilkes	136	–	–	–	24	8	4	3	3	2	1	3	5	74	43	–	2
53	Wilkinson	112	–	–	1	18	5	5	3	1	–	1	3	4	57	33	3	–
54	Worth	145	1	–	–	25	8	6	–	4	3	–	4	6	83	49	–	1
55	**Hawaii**	**4,350**	**13**	**1**	**45**	**927**	**314**	**212**	**62**	**70**	**46**	**30**	**193**	**131**	**1,884**	**1,401**	**53**	**16**
56	Urban places	2,860	8	–	33	635	208	139	50	52	31	22	133	85	1,240	919	34	5
57	Balance of area	1,490	5	1	12	292	106	73	12	18	15	8	60	46	644	482	19	11
58	Metropolitan counties	3,188	9	–	36	698	230	163	50	52	31	25	147	91	1,373	1,024	34	9
59	Urban places	2,613	8	–	32	585	193	132	44	46	26	21	123	75	1,137	847	30	5
60	Balance of area	575	1	–	4	113	37	31	6	6	5	4	24	16	236	177	4	4
61	Nonmetropolitan counties	1,162	4	1	9	229	84	49	12	18	15	5	46	40	511	377	19	7
62	Urban places	247	–	–	1	50	15	7	6	6	5	1	10	10	103	72	4	–
63	Balance of area	915	4	1	8	179	69	42	6	12	10	4	36	30	408	305	15	7
64	Hawaii	562	1	–	5	108	30	23	7	8	9	2	29	25	237	172	8	1
65	Hilo[3]	247	–	–	1	50	15	7	6	6	5	1	10	10	103	72	4	–
66	Balance of county	315	1	–	4	58	15	16	1	2	4	1	19	15	134	100	4	1
67	Honolulu	3,188	9	–	36	698	230	163	50	52	31	25	147	91	1,373	1,024	34	9
68	Aiea	56	–	–	–	14	5	3	2	2	–	–	2	4	23	17	1	–
69	Honolulu[3]	2,022	8	–	17	452	150	104	35	35	18	18	92	61	911	675	26	4
70	Kailua	153	–	–	–	41	9	12	2	4	4	1	9	3	57	44	2	–
71	Kaneohe	127	–	–	1	30	13	3	3	3	1	1	6	3	54	45	–	–
72	Pearl City	78	–	–	3	14	6	4	–	2	–	–	2	–	36	29	1	–
73	Schofield Barracks	12	–	–	4	–	–	–	–	–	–	–	–	–	1	–	–	–
74	Wahiawa	82	–	–	4	17	4	3	1	–	3	–	6	2	27	21	–	–
75	Waipahu	83	–	–	3	17	6	3	1	–	–	1	6	2	28	16	–	1
76	Balance of county	575	1	–	4	113	37	31	6	6	5	4	24	16	236	177	4	4
77	Kauai	200	1	–	2	45	23	9	1	4	2	2	4	7	90	74	3	2
78	Maui	400	2	1	2	76	31	17	4	6	4	1	13	8	184	131	8	4

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
47	3	1	14	2	5	3	2	–	1	1	1	3	5	3	10	13	4	6	5	–	01
15	–	–	5	3	1	2	–	–	–	–	–	–	–	–	3	1	–	–	1	–	02
64	3	2	16	3	2	2	4	2	2	–	–	1	3	–	9	9	4	–	2	–	03
28	10	–	18	1	1	–	1	–	–	–	–	–	–	1	6	3	6	1	2	–	04
125	5	–	67	5	8	13	3	1	4	2	–	3	10	2	34	12	15	9	6	–	05
85	4	–	44	4	6	9	1	1	3	1	–	2	9	2	22	11	10	5	4	–	06
40	1	–	23	1	2	4	2	–	1	1	–	1	1	–	12	1	5	4	2	–	07
71	5	2	26	–	1	9	–	1	2	3	–	–	2	1	16	7	3	4	2	–	08
17	5	–	16	3	–	2	–	1	2	–	–	1	–	10	4	6	2	1	2	–	09
82	9	2	28	6	2	9	5	–	4	1	–	3	1	3	21	5	15	4	4	–	10
47	5	1	14	3	1	2	3	–	4	–	–	3	1	3	12	1	11	3	2	–	11
35	4	1	14	3	1	7	2	–	–	1	–	–	–	–	9	4	4	1	2	–	12
24	3	–	11	4	–	1	–	1	–	–	–	–	1	10	5	1	1	1	1	–	13
17	2	–	5	–	3	2	1	–	1	–	–	–	1	–	5	2	–	–	1	–	14
70	6	2	17	2	–	8	1	1	–	2	–	–	3	1	15	10	6	2	2	–	15
34	2	–	16	1	1	3	1	–	–	–	–	–	1	3	4	10	1	1	1	–	16
44	11	–	28	3	1	4	1	1	2	–	–	–	3	1	11	3	6	1	4	–	17
38	1	1	16	2	3	2	2	–	2	4	–	–	1	4	15	2	4	–	3	–	18
101	6	6	64	8	5	15	14	1	4	3	–	5	7	1	29	11	11	10	6	–	19
54	5	1	47	5	1	8	5	–	3	1	–	1	4	–	19	5	6	5	3	–	20
47	1	5	17	3	4	7	9	1	1	2	–	4	3	1	10	6	5	5	3	–	21
62	8	2	40	3	1	8	2	–	3	–	–	4	6	2	24	10	11	4	5	–	22
32	3	–	17	3	1	7	–	–	–	–	–	2	3	–	16	4	5	3	1	–	23
30	5	2	23	–	–	1	2	–	3	–	–	2	3	2	8	6	6	1	4	–	24
76	12	–	25	2	4	8	3	–	1	–	–	1	4	2	23	10	12	4	4	–	25
26	1	1	8	–	2	1	1	–	1	–	–	1	–	–	8	1	–	1	1	–	26
17	5	–	12	1	2	–	–	–	1	–	–	–	–	–	11	4	3	2	2	–	27
214	9	1	76	6	6	13	1	3	4	4	2	1	5	3	43	10	19	11	4	–	28
115	4	–	42	4	4	5	1	1	–	3	1	1	3	1	31	1	9	5	4	–	29
99	5	1	34	2	2	8	–	2	4	1	1	–	2	2	12	9	10	6	–	–	30
37	1	1	17	1	1	3	–	–	1	–	–	–	7	–	8	1	4	1	1	–	31
12	4	–	7	–	–	4	1	–	1	–	–	1	–	–	7	7	2	–	–	–	32
27	–	–	8	–	1	–	3	–	–	–	–	–	2	–	10	2	5	3	1	–	33
59	5	2	48	6	6	5	1	1	1	–	–	–	4	5	33	5	8	2	1	–	34
36	3	2	30	5	2	1	–	1	–	–	–	–	3	4	15	1	4	1	–	–	35
23	2	–	18	1	4	4	1	–	1	–	–	–	1	1	18	4	4	1	1	–	36
150	33	1	55	6	5	20	5	1	4	2	–	2	5	6	42	21	12	11	10	1	37
77	11	–	25	2	2	5	3	1	3	2	1	–	3	6	21	6	9	7	4	–	38
129	21	1	40	3	5	9	10	1	4	2	–	5	6	2	28	8	14	4	10	–	39
95	11	–	29	3	3	5	6	1	4	2	–	3	3	2	23	6	13	3	9	–	40
34	10	1	11	–	2	4	4	–	–	–	–	2	3	–	5	2	1	1	1	–	41
21	–	–	7	–	1	3	–	–	–	1	–	–	–	3	2	3	4	–	–	–	42
70	1	–	14	1	2	7	2	–	2	2	–	3	2	6	18	7	6	2	8	–	43
63	8	2	19	1	1	2	2	2	–	1	–	2	2	–	14	6	11	5	2	–	44
6	1	1	2	1	–	2	–	–	–	–	–	–	–	2	3	–	–	1	–	–	45
15	4	2	7	1	–	1	–	–	1	–	–	1	–	–	3	3	3	–	1	–	46
18	2	–	4	1	–	2	–	–	–	–	–	–	1	–	7	4	3	–	–	–	47
94	51	1	62	1	6	18	3	–	5	–	–	8	9	1	35	11	21	9	9	–	48
41	21	1	24	1	1	10	–	–	1	–	–	3	3	1	18	5	9	5	6	–	49
53	30	–	38	–	5	8	3	–	4	–	–	5	6	–	17	6	12	4	3	–	50
27	2	1	16	–	1	1	1	–	1	–	–	–	–	–	3	5	4	1	1	–	51
39	2	–	20	8	3	2	3	1	1	2	–	1	–	–	14	6	1	1	1	–	52
26	4	1	21	2	–	3	1	–	1	–	–	1	3	–	11	5	4	2	1	–	53
38	10	3	27	1	3	4	1	–	–	–	–	–	2	2	9	7	3	–	2	–	54
1,251	81	14	396	14	59	151	54	18	63	21	1	50	102	101	359	130	123	75	61	40	55
829	51	13	263	9	36	102	38	14	39	10	1	32	61	55	238	63	77	55	42	32	56
422	30	1	133	5	23	49	16	4	24	11	–	18	41	46	121	67	46	20	19	8	57
927	54	11	285	11	42	102	39	12	51	12	1	42	87	52	264	85	82	62	54	36	58
768	44	11	235	9	35	86	35	11	38	8	1	31	54	37	224	53	70	54	42	32	59
159	10	–	50	2	7	16	4	1	13	4	–	11	33	15	40	32	12	8	12	4	60
324	27	3	111	3	17	49	15	6	12	9	–	8	15	49	95	45	41	13	7	4	61
61	7	2	28	–	1	16	3	3	1	2	–	1	7	18	14	10	7	1	–	–	62
263	20	1	83	3	16	33	12	3	11	7	–	7	8	31	81	35	34	12	7	4	63
144	19	3	53	2	7	26	7	6	5	4	–	5	11	36	43	22	13	4	1	3	64
61	7	2	28	–	1	16	3	3	1	2	–	1	7	18	14	10	7	1	–	–	65
83	12	1	25	2	6	10	4	3	4	2	–	4	4	18	29	12	6	3	1	3	66
927	54	11	285	11	42	102	39	12	51	12	1	42	87	52	264	85	82	62	54	36	67
16	–	–	5	–	1	–	1	–	–	–	–	2	1	1	4	2	1	1	–	2	68
612	33	9	193	7	27	68	28	8	28	7	1	15	39	26	176	36	47	43	28	23	69
37	5	1	9	1	2	1	2	1	6	–	–	1	–	5	13	5	9	2	2	5	70
44	1	–	8	–	1	2	3	–	1	–	–	5	6	2	6	4	6	2	2	–	71
24	4	–	4	1	2	3	–	1	1	–	–	3	1	–	9	1	–	2	3	1	72
–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	1	1	–	73
21	–	–	6	–	–	5	–	1	1	–	–	3	2	1	10	1	–	3	4	1	74
14	1	–	10	–	2	7	1	–	1	1	–	2	4	1	6	3	5	–	2	–	75
159	10	–	50	2	7	16	4	1	13	4	–	11	33	15	40	32	12	8	12	4	76
66	3	–	13	–	3	7	2	–	3	3	–	2	1	2	16	9	7	2	–	1	77
114	5	–	45	1	7	16	6	–	4	2	–	1	3	11	36	14	21	7	6	–	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**Idaho**	**6,514**	**6**	**–**	**48**	**1,113**	**293**	**220**	**105**	**155**	**53**	**51**	**236**	**107**	**3,187**	**2,234**	**61**	**42**
02	Urban places	2,758	2	–	17	471	119	98	59	67	19	21	88	44	1,399	968	24	17
03	Balance of area	3,756	4	–	31	642	174	122	46	88	34	30	148	63	1,788	1,266	37	25
04	Metropolitan counties	1,043	–	–	9	188	39	43	22	21	11	10	42	10	526	363	4	5
05	Urban places	889	–	–	5	161	32	38	20	18	9	7	37	8	446	305	3	4
06	Balance of area	154	–	–	4	27	7	5	2	3	2	3	5	2	80	58	1	1
07	Nonmetropolitan counties	5,471	6	–	39	925	254	177	83	134	42	41	194	97	2,661	1,871	57	37
08	Urban places	1,869	2	–	12	310	87	60	39	49	10	14	51	36	953	663	21	13
09	Balance of area	3,602	4	–	27	615	167	117	44	85	32	27	143	61	1,708	1,208	36	24
10	Ada	1,043	–	–	9	188	39	43	22	21	11	10	42	10	526	363	4	5
11	Boise City	889	–	–	5	161	32	38	20	18	9	7	37	8	446	305	3	4
12	Balance of county	154	–	–	4	27	7	5	2	3	2	3	5	2	80	58	1	1
13	Adams	16	–	–	–	5	1	1	–	1	–	1	1	–	8	5	–	–
14	Bannock	427	2	–	2	68	18	9	10	16	3	1	11	6	213	153	11	–
15	Pocatello	356	2	–	1	57	17	7	10	15	2	1	5	4	173	123	8	–
16	Balance of county	71	–	–	1	11	1	2	–	1	1	–	6	2	40	30	3	–
17	Bear Lake	55	–	–	–	7	4	1	–	–	–	–	2	–	22	16	1	–
18	Benewah	66	–	–	–	10	2	4	–	2	–	–	2	–	34	19	–	–
19	Bingham	218	1	–	3	28	9	1	2	3	1	3	9	3	96	69	5	–
20	Blaine	39	–	–	–	11	5	2	1	2	–	–	1	–	14	10	–	–
21	Boise	10	–	–	–	1	–	–	–	–	–	–	1	–	3	3	–	–
22	Bonner	174	–	–	2	34	8	6	2	8	3	2	5	2	91	71	1	10
23	Bonneville	359	–	–	3	63	19	10	6	6	3	3	16	8	151	103	7	1
24	Idaho Falls	291	–	–	2	52	15	8	6	5	3	2	13	6	127	86	5	–
25	Balance of county	68	–	–	1	11	4	2	–	1	–	1	3	2	24	17	2	1
26	Boundary	60	–	–	–	10	3	3	–	1	–	1	2	–	31	20	–	–
27	Butte	24	–	–	–	8	–	3	–	–	1	1	3	–	6	4	–	–
28	Camas	7	–	–	–	2	–	–	–	1	–	–	1	–	4	3	–	–
29	Canyon	632	–	–	7	105	21	24	14	18	5	3	20	18	333	228	5	7
30	Caldwell	163	–	–	2	25	5	6	1	6	–	2	5	6	97	64	2	–
31	Nampa	239	–	–	2	37	11	9	6	5	1	1	4	9	116	79	1	6
32	Balance of county	230	–	–	3	43	5	9	7	7	4	–	11	3	120	85	2	1
33	Caribou	50	–	–	1	5	2	–	–	1	1	–	1	1	25	19	1	–
34	Cassia	153	–	–	1	20	9	3	1	1	–	–	6	2	70	50	–	1
35	Clark	9	–	–	1	2	1	–	–	–	–	1	–	–	2	1	–	–
36	Clearwater	61	–	–	1	7	2	–	1	2	–	–	2	–	20	17	–	2
37	Custer	30	–	–	–	5	3	1	–	–	–	–	1	1	15	10	–	–
38	Elmore	92	–	–	1	13	2	6	–	1	1	–	3	2	35	25	1	–
39	Franklin	72	–	–	–	8	–	–	–	4	1	1	2	1	37	21	1	–
40	Fremont	76	–	–	–	11	3	2	2	–	1	2	1	1	41	30	–	1
41	Gem	117	–	–	2	23	5	6	1	7	2	–	2	1	61	41	1	–
42	Gooding	110	1	–	–	20	6	6	2	1	–	1	4	2	54	40	–	–
43	Idaho	118	1	–	1	22	10	3	2	2	1	1	3	3	57	40	–	1
44	Jefferson	96	–	–	2	14	4	3	3	1	–	–	3	3	50	43	1	–
45	Jerome	119	–	–	1	28	8	3	2	2	1	–	12	–	50	37	2	4
46	Kootenai	407	–	–	1	78	18	19	7	7	5	8	14	4	225	170	–	2
47	Coeur d'Alene	212	–	–	1	33	8	5	4	2	–	4	10	1	138	105	–	1
48	Balance of county	195	–	–	–	45	10	14	3	5	5	4	4	3	87	65	–	1
49	Latah	190	–	–	3	26	8	2	3	7	–	3	3	2	96	66	1	–
50	Moscow	93	–	–	3	12	5	2	2	1	–	2	–	1	54	40	–	–
51	Balance of county	97	–	–	–	14	3	–	1	6	–	1	3	1	42	26	1	–
52	Lemhi	59	–	–	–	7	1	3	–	2	–	–	1	1	32	23	–	–
53	Lewis	32	–	–	–	7	2	–	2	1	–	–	2	1	16	9	–	–
54	Lincoln	25	–	–	–	5	1	1	–	–	–	1	2	–	10	6	–	–
55	Madison	71	–	–	1	10	5	3	–	2	–	–	–	3	37	22	1	–
56	Minidoka	126	–	–	3	29	6	3	4	4	2	1	9	2	48	40	4	–
57	Nez Perce	300	–	–	1	55	13	13	7	8	2	2	10	5	139	92	3	5
58	Lewiston	251	–	–	1	49	12	11	7	8	2	2	7	5	114	75	1	5
59	Balance of county	49	–	–	–	6	1	2	–	–	–	–	3	–	25	17	2	–
60	Oneida	36	–	–	–	2	2	–	–	–	–	–	–	2	20	14	1	–
61	Owyhee	61	–	–	–	5	1	1	–	1	–	–	2	–	33	22	–	–
62	Payette	146	–	–	1	24	8	1	1	5	1	–	8	5	95	71	2	–
63	Power	39	–	–	–	10	2	–	1	1	–	–	6	1	15	9	–	–
64	Shoshone	199	1	–	1	35	14	6	3	3	2	1	6	5	89	59	2	–
65	Teton	23	–	–	–	3	–	–	–	1	–	1	1	1	8	4	–	–
66	Twin Falls	443	–	–	–	74	22	19	6	10	5	1	11	9	221	152	6	2
67	Twin Falls	264	–	–	–	45	14	12	3	7	2	–	7	4	134	91	4	1
68	Balance of county	179	–	–	–	29	8	7	3	3	3	1	4	5	87	61	2	1
69	Valley	34	–	–	–	5	1	2	–	–	1	–	1	–	13	7	–	–
70	Washington	90	–	–	–	20	5	7	–	2	–	2	4	2	41	27	–	1
71	**Illinois**	**103,552**	**165**	**11**	**542**	**19,871**	**5,641**	**4,696**	**1,899**	**2,320**	**896**	**800**	**3,619**	**1,772**	**56,125**	**43,148**	**618**	**766**
72	Urban places	71,717	130	8	394	13,891	4,043	3,266	1,336	1,590	608	551	2,497	1,233	38,524	29,807	421	525
73	Balance of area	31,835	35	3	148	5,980	1,598	1,430	563	730	288	249	1,122	539	17,601	13,341	197	241
74	Metropolitan counties	78,633	144	8	437	15,340	4,392	3,673	1,468	1,751	676	609	2,771	1,339	41,934	32,530	490	560
75	Urban places	65,715	125	8	374	12,716	3,703	3,019	1,210	1,439	551	498	2,296	1,138	35,226	27,405	388	480
76	Balance of area	12,918	19	–	63	2,624	689	654	258	312	125	111	475	201	6,708	5,125	102	80
77	Nonmetropolitan counties	24,919	21	3	105	4,531	1,249	1,023	431	569	220	191	848	433	14,191	10,618	128	206
78	Urban places	6,002	5	–	20	1,175	340	247	126	151	57	53	201	95	3,298	2,402	33	45
79	Balance of area	18,917	16	3	85	3,356	909	776	305	418	163	138	647	338	10,893	8,216	95	161

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,962	169	13	701	141	98	212	129	18	72	21	2	55	106	143	554	286	272	132	40	11	01
864	63	8	307	71	45	94	54	8	29	10	–	17	42	70	245	86	95	52	15	8	02
1,098	106	5	394	70	53	118	75	10	43	11	2	38	64	73	309	200	177	80	25	3	03
325	29	4	120	21	18	34	14	2	21	5	–	6	11	18	91	31	39	32	4	2	04
274	24	3	103	18	17	29	13	2	20	4	–	4	11	18	80	24	33	25	4	2	05
51	5	1	17	3	1	5	1	–	1	1	–	2	–	–	11	7	6	7	–	–	06
1,637	140	9	581	120	80	178	115	16	51	16	2	49	95	125	463	255	233	100	36	9	07
590	39	5	204	53	28	65	41	6	9	6	–	13	31	52	165	62	62	27	11	6	08
1,047	101	4	377	67	52	113	74	10	42	10	2	36	64	73	298	193	171	73	25	3	09
325	29	4	120	21	18	34	14	2	21	5	–	6	11	18	91	31	39	32	4	2	10
274	24	3	103	18	17	29	13	2	20	4	–	4	11	18	80	24	33	25	4	2	11
51	5	1	17	3	1	5	1	–	1	1	–	2	–	–	11	7	6	7	–	–	12
5	–	–	3	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	13
132	10	1	43	11	5	12	16	–	3	3	–	2	9	4	39	15	15	8	8	2	14
105	10	1	35	10	4	11	16	–	1	3	–	1	9	4	35	13	12	6	7	1	15
27	–	–	8	1	1	1	–	–	2	–	–	1	–	–	4	2	3	2	1	1	16
13	2	–	3	2	1	2	5	–	1	–	–	1	5	1	4	2	3	2	–	–	17
19	–	–	15	–	–	2	1	–	2	–	–	1	1	–	1	8	5	–	1	–	18
55	9	1	20	4	2	7	2	1	3	1	–	2	5	2	26	14	11	8	5	–	19
9	1	–	3	1	–	1	–	–	–	–	–	1	–	–	–	4	7	1	–	–	20
3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	21
52	8	–	14	3	3	1	2	–	3	1	–	–	3	1	17	6	6	5	–	–	22
92	3	1	29	11	7	11	4	2	1	1	–	5	10	26	30	17	13	10	1	3	23
78	3	1	23	11	6	9	3	2	–	1	–	4	8	22	22	12	9	8	1	3	24
14	–	–	6	–	1	2	1	–	1	–	–	1	2	4	8	5	4	2	–	–	25
16	4	–	10	–	1	–	–	1	1	–	–	1	2	–	8	4	1	1	–	–	26
4	–	–	2	–	–	1	–	–	1	1	–	–	1	–	1	1	3	–	1	–	27
3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	28
203	13	–	84	10	11	24	5	1	2	2	1	5	8	5	59	24	20	10	3	–	29
56	6	–	25	4	4	3	3	–	1	–	–	–	1	–	13	6	2	2	2	–	30
68	4	–	30	2	5	15	1	1	1	1	–	3	4	2	24	8	11	3	1	–	31
79	3	–	29	4	2	6	1	–	–	1	1	2	3	3	22	10	7	5	–	–	32
17	1	–	5	1	–	–	2	–	–	–	–	–	2	–	1	6	6	–	1	–	33
49	–	1	14	3	2	8	2	–	2	1	–	1	5	8	7	12	11	2	1	–	34
1	–	–	1	–	–	1	–	–	1	–	–	–	–	–	1	–	1	–	–	–	35
13	2	–	2	–	1	4	3	–	1	–	–	1	–	11	5	2	3	1	1	1	36
10	–	–	4	1	–	2	–	–	–	–	1	–	–	–	3	–	1	2	–	–	37
23	1	–	4	4	2	1	2	–	2	–	–	3	3	2	10	6	8	2	2	–	38
18	2	–	9	6	1	3	2	1	1	–	–	1	1	–	9	4	4	–	–	–	39
27	2	–	7	3	1	4	1	–	–	–	–	2	2	1	5	4	3	1	–	–	40
40	–	–	18	1	1	4	4	1	2	–	–	1	2	2	5	3	4	1	1	–	41
36	4	–	12	1	1	7	2	–	–	2	–	1	1	–	9	3	7	–	1	–	42
29	10	–	11	4	2	5	4	–	1	–	–	–	–	1	13	5	4	1	–	–	43
41	1	–	4	3	–	4	3	–	2	–	–	–	1	2	9	3	3	–	–	–	44
29	2	–	9	4	–	3	3	–	–	–	–	2	3	–	14	4	6	5	–	–	45
152	16	–	40	12	3	17	4	2	3	1	–	4	4	6	34	12	6	4	1	1	46
95	9	–	24	7	2	11	1	–	–	–	–	1	2	4	14	4	1	–	–	1	47
57	7	–	16	5	1	6	3	2	3	1	–	3	2	2	20	8	5	4	1	–	48
62	3	–	24	1	5	10	2	1	2	–	–	–	2	5	12	13	14	2	–	–	49
39	1	–	11	–	3	2	–	1	–	–	–	–	1	–	7	4	8	–	–	–	50
23	2	–	13	1	2	8	2	–	2	–	–	–	1	5	5	9	6	2	–	–	51
21	2	–	7	1	1	3	2	–	–	–	–	–	1	–	4	8	1	–	–	–	52
8	1	–	4	1	2	1	1	–	–	–	–	–	–	1	3	1	–	1	–	–	53
5	1	–	2	1	1	2	–	–	–	–	–	–	1	–	3	2	2	–	–	–	54
18	3	–	15	–	–	–	1	–	–	–	–	1	4	1	4	3	5	1	–	–	55
31	5	–	8	–	–	2	2	–	1	1	–	2	4	2	7	7	9	3	4	–	56
78	6	1	37	7	2	6	10	3	6	–	–	2	4	13	34	8	10	3	–	1	57
66	3	1	30	7	1	6	9	2	4	–	–	2	3	13	29	4	7	2	–	1	58
12	3	–	7	–	1	–	1	1	2	–	–	–	1	–	5	4	3	1	–	–	59
11	2	–	3	1	2	1	2	1	1	–	–	–	–	3	4	–	–	–	–	–	60
16	6	–	8	2	1	3	3	–	1	–	–	–	1	1	4	3	2	2	3	–	61
63	6	–	17	2	5	3	1	–	1	–	–	–	–	1	7	5	1	2	–	–	62
9	–	–	3	1	2	1	–	1	–	–	–	–	1	1	5	1	–	3	–	–	63
54	3	–	20	2	8	4	10	–	3	–	–	3	–	2	16	15	9	5	1	–	64
4	–	–	4	–	–	1	2	–	2	–	–	–	1	–	2	2	1	–	–	–	65
135	9	4	46	14	5	13	9	1	2	1	–	6	7	11	36	21	19	11	1	1	66
83	3	2	26	12	3	8	8	–	2	1	–	2	3	7	21	11	12	6	–	–	67
52	6	2	20	2	2	5	1	1	–	–	–	4	4	4	15	10	7	5	1	1	68
7	–	–	3	1	2	1	1	–	–	–	–	1	–	1	5	4	2	1	–	–	69
24	2	–	13	1	–	2	2	–	–	1	–	–	1	10	4	1	4	2	–	–	70
38,752	3,012	515	9,854	1,397	1,211	2,965	1,297	385	1,663	443	17	684	1,680	1,953	6,993	1,941	2,695	980	1,064	306	71
26,545	2,316	381	6,705	827	804	2,057	781	266	1,345	329	11	473	1,270	1,478	4,859	1,019	1,793	663	949	244	72
12,207	696	134	3,149	570	407	908	516	119	318	114	6	211	410	475	2,134	922	902	317	115	62	73
29,034	2,446	400	7,168	967	869	2,166	878	285	1,476	358	13	552	1,408	1,614	5,265	1,330	2,040	772	1,007	267	74
24,345	2,192	352	6,010	736	723	1,845	682	241	1,292	312	11	441	1,199	1,394	4,384	907	1,650	606	931	233	75
4,689	254	48	1,158	231	146	321	196	44	184	46	2	111	209	220	881	423	390	166	76	34	76
9,718	566	115	2,686	430	342	799	419	100	187	85	4	132	272	339	1,728	611	655	208	57	39	77
2,200	124	29	695	91	81	212	99	25	53	17	–	32	71	84	475	112	143	57	18	11	78
7,518	442	86	1,991	339	261	587	320	75	134	68	4	100	201	255	1,253	499	512	151	39	28	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
01	Adams	944	–	1	4	157	56	27	15	20	6	8	25	11	543	377	3	3
02	Quincy	713	–	–	2	124	44	22	12	17	4	5	20	6	404	273	2	3
03	Balance of county	231	–	1	2	33	12	5	3	3	2	3	5	5	139	104	1	–
04	Alexander	213	–	–	1	37	9	13	4	3	2	2	4	8	128	100	1	2
05	Bond	186	–	–	1	33	10	7	3	5	1	–	7	3	105	71	1	1
06	Boone	216	–	–	–	43	16	11	1	5	3	5	2	3	118	85	3	–
07	Belvidere	149	–	–	–	32	12	9	1	4	2	3	1	3	78	53	3	–
08	Balance of county	67	–	–	–	11	4	2	–	1	1	2	1	–	40	32	–	–
09	Brown	89	1	–	1	13	5	2	–	1	1	2	2	–	58	48	–	–
10	Bureau	429	–	–	2	81	16	28	6	14	3	3	11	12	254	195	2	2
11	Calhoun	70	–	–	–	11	2	1	4	1	1	–	2	1	48	29	–	–
12	Carroll	212	–	–	–	35	9	10	2	3	2	2	7	2	116	75	1	3
13	Cass	174	–	–	–	22	9	1	–	1	2	2	7	5	112	90	–	1
14	Champaign	893	–	–	6	168	43	45	12	22	6	6	34	13	471	301	6	2
15	Champaign	335	–	–	2	65	20	15	3	11	–	1	15	8	174	108	3	1
16	Rantoul	61	–	–	–	6	3	2	–	1	–	–	–	2	28	20	–	–
17	Urbana	197	–	–	2	39	7	9	7	5	2	2	7	1	108	70	1	1
18	Balance of county	300	–	–	2	58	13	19	2	5	4	3	12	2	161	103	2	–
19	Christian	439	1	–	3	92	22	28	6	6	3	1	26	11	230	185	4	2
20	Taylorville	165	–	–	1	37	10	15	2	1	2	–	7	3	85	72	1	2
21	Balance of county	274	1	–	2	55	12	13	4	5	1	1	19	8	145	113	3	–
22	Clark	215	1	–	1	34	12	5	3	8	3	–	3	7	127	90	2	3
23	Clay	184	1	–	–	33	14	9	3	2	1	–	4	3	104	78	1	–
24	Clinton	272	–	–	2	52	10	14	5	8	3	2	10	6	146	118	3	4
25	Centralia, part	18	–	–	–	4	–	2	2	–	–	–	–	–	8	7	–	–
26	Balance of county	254	–	–	2	48	10	12	3	8	3	2	10	6	138	111	3	4
27	Coles	501	2	–	3	75	17	21	6	12	6	5	8	11	293	188	8	4
28	Charleston	140	1	–	–	21	5	5	1	4	3	2	1	8	73	44	2	3
29	Mattoon	246	–	–	1	42	7	15	4	6	3	2	5	3	145	90	2	–
30	Balance of county	115	1	–	2	12	5	1	1	2	–	1	2	–	75	54	4	1
31	Cook	51,306	101	5	299	9,895	2,925	2,395	942	1,096	428	357	1,752	898	27,509	21,923	293	340
32	Alsip	105	–	–	1	25	6	5	2	1	2	1	8	1	55	40	–	–
33	Arlington Heights, part	447	–	1	2	94	26	22	14	8	5	4	15	7	268	204	3	2
34	Arlington Heights, total	448	–	1	2	94	26	22	14	8	5	4	15	7	269	204	3	2
35	Bellwood	134	–	–	–	35	10	8	6	2	2	2	5	2	58	48	1	3
36	Bensenville, part	6	–	–	1	4	1	1	1	1	–	–	–	–	–	–	–	–
37	Berwyn	740	–	–	3	174	56	38	19	24	7	4	26	19	428	333	6	1
38	Blue Island	270	–	–	3	57	11	17	4	9	2	3	11	4	158	124	1	1
39	Bridge View	122	–	–	2	19	5	5	3	1	–	–	5	1	64	52	–	–
40	Brookfield	186	–	–	–	42	10	9	3	6	2	2	10	5	110	81	1	–
41	Buffalo Grove, part	34	–	–	–	10	2	2	4	–	1	–	1	–	15	12	–	–
42	Buffalo Grove, total	42	–	–	–	11	2	2	4	1	1	–	1	–	21	18	–	–
43	Calumet City	398	–	–	1	84	25	20	5	6	6	6	16	7	217	172	1	1
44	Calumet Park	76	–	–	–	9	3	1	–	3	–	–	2	2	48	36	–	–
45	Chicago, part	34,226	87	4	207	6,219	1,895	1,500	554	695	269	209	1,097	598	18,139	14,723	177	241
46	Chicago, total	34,228	88	4	207	6,219	1,895	1,500	554	695	269	209	1,097	598	18,140	14,724	177	241
47	Chicago Heights	330	1	–	1	54	15	18	3	7	1	2	8	7	173	113	2	1
48	Cicero	843	–	–	6	194	70	38	18	22	7	5	34	23	460	360	7	4
49	Deerfield, part	3	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	–
50	Des Plaines	509	–	–	1	94	32	17	11	8	2	10	14	8	289	231	2	1
51	Dolton	204	–	–	–	48	9	17	4	6	2	1	9	2	107	79	2	1
52	Elgin, part	20	–	–	–	3	1	–	–	1	–	1	–	1	9	7	–	–
53	Elk Grove Village, part	88	–	–	1	13	1	4	–	2	2	–	4	1	46	37	1	–
54	Elk Grove Village, total	88	–	–	1	13	1	4	–	2	2	–	4	1	46	37	1	–
55	Elmwood Park	274	–	–	1	54	16	16	1	7	3	1	10	5	162	125	–	3
56	Evanston	851	1	–	5	160	53	21	19	18	7	5	37	10	499	345	5	5
57	Evergreen Park	298	–	–	–	71	14	20	5	13	2	2	15	5	189	157	2	1
58	Forest Park	228	–	–	4	42	13	11	7	4	2	–	5	3	133	101	2	3
59	Franklin Park	142	–	–	–	34	4	10	4	3	2	4	7	3	76	63	2	3
60	Glencoe	75	1	–	1	17	2	2	5	–	4	–	4	–	34	25	–	1
61	Glenview	260	1	–	–	61	11	17	5	11	3	3	11	3	148	104	3	2
62	Hanover Park, part	47	–	–	–	9	1	5	2	1	–	–	–	1	16	11	–	–
63	Hanover Park, total	53	–	–	–	9	1	5	2	1	–	–	–	1	19	13	–	–
64	Harvey	302	1	–	–	61	23	10	5	8	1	2	12	4	137	107	2	5
65	Hazel Crest	84	1	–	–	20	–	9	1	–	–	2	8	–	32	27	–	–
66	Hickory Hills	85	–	–	–	18	5	6	2	–	1	–	4	2	46	40	–	1
67	Hinsdale, part	22	–	–	–	4	–	1	–	1	–	1	1	–	12	5	–	–
68	Hoffman Estates	91	–	–	–	24	5	8	3	3	–	1	4	–	38	29	–	–
69	Homewood	171	1	–	3	43	16	9	4	5	1	2	6	–	89	74	–	1
70	La Grange	176	–	–	1	29	8	2	6	4	–	1	8	4	100	74	1	1
71	La Grange Park	172	–	–	1	37	10	9	4	8	1	–	5	1	108	76	–	–
72	Lansing	207	–	–	2	44	10	9	4	10	2	2	7	9	105	77	–	1
73	Lincolnwood	90	–	–	–	30	10	5	3	3	1	1	7	1	51	41	1	1
74	Lyons	86	–	–	2	24	3	8	1	4	2	–	6	2	36	32	–	–
75	Markham	95	–	–	–	18	3	6	2	2	2	1	2	2	49	40	–	1
76	Maywood	215	–	–	2	44	18	10	2	8	4	–	2	9	105	91	–	2
77	Melrose Park	221	–	–	1	41	16	10	2	7	–	2	4	7	134	102	1	2
78	Midlothian	121	–	–	–	27	4	6	2	7	–	2	6	2	68	47	1	–
79	Morton Grove	176	–	–	–	34	12	8	3	2	1	2	6	4	92	75	1	3
80	Mount Prospect	269	–	–	5	69	22	15	6	4	3	2	17	4	129	96	4	1
81	Niles	293	–	–	–	54	16	20	2	5	1	2	8	5	178	137	–	1
82	Norridge	136	–	–	1	30	8	7	3	–	2	1	9	6	79	61	–	1
83	Northbrook	195	–	–	1	52	15	11	9	4	1	3	9	1	107	74	2	1
84	Northlake, part	126	–	–	–	18	5	5	1	1	–	–	6	1	76	53	–	2
85	Northlake, total	127	–	–	–	18	5	5	1	1	–	–	6	1	77	54	–	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
354	17	6	127	20	13	47	13	1	8	1	–	–	14	12	68	18	22	20	2	2	01
257	11	6	97	16	12	43	8	1	6	1	–	–	12	10	52	12	15	14	1	2	02
97	6	–	30	4	1	4	5	–	2	–	–	–	2	2	16	6	7	6	1	–	03
92	5	1	20	5	2	5	2	2	–	1	–	1	1	2	12	2	7	1	–	3	04
69	–	4	24	3	3	6	6	1	1	1	–	1	3	4	10	4	6	1	–	–	05
74	8	–	23	7	3	7	6	1	2	1	–	3	2	–	20	5	1	4	–	–	06
43	7	–	18	6	1	7	5	1	2	–	–	1	2	–	12	3	–	3	–	–	07
31	1	–	5	1	2	–	1	–	–	1	–	2	–	–	8	2	1	1	–	–	08
48	–	–	7	1	2	–	4	–	1	–	–	1	1	–	4	2	2	1	–	–	09
148	43	2	39	14	4	12	6	–	3	–	1	2	6	10	24	5	7	3	1	–	10
28	1	–	18	–	1	1	1	–	–	–	–	–	–	–	6	2	–	–	–	–	11
67	4	1	25	5	10	6	1	1	4	–	–	–	2	2	20	8	12	2	1	–	12
87	2	1	11	4	6	6	2	–	–	1	–	1	2	5	11	2	3	2	–	–	13
286	7	6	106	46	12	25	12	1	17	3	1	15	18	14	56	25	29	13	6	–	14
102	2	2	48	11	5	9	4	–	5	2	–	3	4	9	24	9	8	5	4	–	15
17	3	1	3	3	1	2	4	1	2	–	–	4	3	1	1	3	3	1	–	–	16
68	–	–	24	12	2	4	2	–	4	1	1	2	6	1	10	5	8	2	1	–	17
99	2	3	31	20	4	10	2	–	6	–	–	6	5	3	21	8	10	5	1	–	18
170	9	1	33	5	6	15	9	2	4	2	–	3	10	4	40	4	8	1	–	–	19
63	6	–	12	1	–	8	2	–	1	–	–	2	2	3	19	–	2	–	–	–	20
107	3	1	21	4	6	7	7	2	3	2	–	1	8	1	21	4	6	1	–	–	21
83	2	1	31	4	1	8	3	–	1	3	–	–	1	1	15	4	6	2	1	–	22
72	5	1	20	1	4	5	8	–	–	–	–	–	1	3	18	3	2	1	–	2	23
106	5	4	18	5	1	7	2	2	1	1	–	2	1	2	20	16	11	1	–	–	24
7	–	–	1	–	–	1	–	1	–	–	–	–	–	–	4	–	–	–	–	–	25
99	5	4	17	5	1	6	2	1	1	1	–	2	1	2	16	16	11	1	–	–	26
174	2	5	89	6	5	18	23	2	4	–	–	3	6	5	29	11	11	4	–	1	27
38	1	1	24	2	2	4	6	1	2	–	–	2	–	1	9	6	4	1	–	1	28
88	–	3	48	1	3	10	10	–	2	–	–	1	4	3	14	4	5	2	–	–	29
48	1	1	17	3	–	4	7	1	–	–	–	–	2	1	6	1	2	1	–	–	30
19,360	1,930	265	4,298	520	503	1,419	468	175	1,099	271	8	327	932	1,168	3,418	613	1,251	443	805	202	31
40	–	1	10	2	2	3	–	–	1	1	–	1	4	–	5	4	2	2	–	–	32
196	3	1	54	7	2	12	6	–	6	2	–	1	6	4	21	7	6	4	–	–	33
196	3	1	54	8	2	12	6	–	6	2	–	1	6	4	21	7	6	4	–	–	34
43	1	1	5	1	3	6	4	–	2	–	–	–	3	5	13	1	2	1	2	–	35
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	36
312	14	4	74	9	8	14	8	3	6	2	–	–	9	3	40	7	13	4	3	4	37
116	6	2	22	–	5	4	5	2	2	–	–	2	7	4	15	–	4	1	2	–	38
49	3	1	10	–	1	3	–	2	1	2	–	1	4	2	8	6	5	2	–	–	39
71	9	1	26	2	–	2	1	–	4	1	–	1	2	2	8	2	3	–	2	1	40
10	2	–	1	–	2	1	1	–	1	–	–	–	–	2	3	–	1	–	–	–	41
16	2	–	1	–	2	1	1	–	1	–	–	–	–	3	3	–	1	–	–	–	42
166	4	4	29	4	8	13	1	1	10	1	–	3	6	8	29	9	4	2	2	–	43
36	–	1	8	2	1	2	–	–	–	–	–	3	–	2	3	4	1	1	1	–	44
12,734	1,571	170	2,678	270	298	1,029	293	116	835	208	7	221	675	910	2,349	342	885	251	699	152	45
12,735	1,571	170	2,678	270	298	1,029	293	116	835	208	7	221	675	910	2,349	342	885	251	699	152	46
100	10	3	34	20	3	8	5	–	3	–	–	3	7	8	25	6	14	4	10	1	47
315	34	4	74	13	9	19	3	2	18	4	–	1	10	24	49	6	13	2	5	4	48
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	49
224	4	–	52	–	6	8	5	2	12	1	–	5	4	4	36	11	16	12	1	–	50
73	3	2	21	1	4	5	3	–	4	2	–	1	6	1	17	1	4	2	1	–	51
7	–	–	1	–	1	1	–	–	1	–	–	–	–	1	1	1	–	2	–	–	52
35	1	–	8	–	1	1	–	1	1	–	–	–	1	3	11	3	4	–	–	2	53
35	1	–	8	–	1	1	–	1	1	–	–	–	1	3	11	3	4	–	–	2	54
118	4	1	31	1	4	11	4	–	6	–	–	3	2	2	15	3	3	2	1	–	55
318	17	7	115	21	11	26	10	3	12	4	–	4	11	3	65	6	15	8	7	2	56
146	8	–	20	9	3	6	3	2	5	1	–	1	–	1	8	2	2	1	1	–	57
92	4	2	24	3	3	4	3	1	5	–	–	2	1	2	14	2	6	5	–	1	58
57	1	–	12	–	1	1	3	4	3	–	–	1	–	2	9	1	4	1	–	–	59
23	1	–	8	–	1	5	–	2	–	–	–	–	–	3	6	2	3	1	–	–	60
98	1	2	32	5	5	7	1	1	4	–	–	2	2	–	17	5	3	4	–	1	61
11	–	1	4	–	–	3	–	–	1	1	–	2	2	2	4	3	2	–	1	–	62
13	–	1	5	–	–	3	–	–	1	1	–	4	3	2	4	3	2	–	1	–	63
92	8	1	25	1	3	5	3	–	5	4	1	2	17	11	21	5	8	3	7	7	64
26	1	–	4	1	–	2	2	–	4	1	–	–	3	4	6	4	2	3	–	–	65
37	2	–	6	–	–	2	2	–	1	–	–	1	3	1	4	3	2	–	–	–	66
5	–	1	3	3	–	–	–	1	–	–	–	–	–	–	–	1	4	–	–	–	67
29	–	–	8	1	–	3	1	–	1	–	–	4	3	3	4	2	3	2	2	1	68
69	4	–	9	5	1	4	–	2	2	–	–	1	2	1	13	5	2	2	1	–	69
66	6	1	18	5	2	3	3	–	4	3	–	–	1	2	12	5	2	7	–	–	70
68	8	1	21	7	3	3	2	–	2	2	–	–	2	1	8	1	1	2	1	–	71
72	4	–	22	5	1	6	–	–	1	–	–	–	9	4	12	5	4	2	2	2	72
38	1	1	7	–	2	1	–	–	1	–	–	–	–	–	4	2	–	–	–	–	73
27	5	1	2	1	–	–	1	–	–	–	–	–	2	1	6	5	4	1	2	–	74
36	3	1	5	2	1	3	–	–	1	1	–	1	1	3	5	1	5	1	4	–	75
83	6	2	11	1	–	6	1	1	3	1	–	3	4	9	14	5	7	1	–	–	76
90	9	1	22	5	4	3	3	–	2	3	–	2	4	2	5	3	6	2	1	2	77
43	3	1	15	4	1	2	–	–	1	1	–	–	–	3	9	–	4	3	–	1	78
71	–	1	14	1	1	6	5	–	2	1	–	1	1	5	13	2	5	2	2	1	79
88	3	4	26	3	–	4	1	–	4	2	–	2	5	8	23	4	4	4	–	1	80
131	5	6	30	4	1	12	–	1	5	3	–	–	1	2	25	2	5	–	–	–	81
59	1	–	14	2	2	2	1	–	3	1	–	–	1	3	6	2	–	1	–	–	82
65	6	–	26	4	3	4	1	–	–	–	–	–	3	1	13	1	5	4	–	2	83
48	3	–	20	2	1	6	1	1	3	–	–	2	2	4	5	1	4	2	–	–	84
49	3	–	20	2	1	6	1	1	3	–	–	2	2	4	5	1	4	2	–	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
	Cook—Con.																	
01	Oak Forest	105	–	–	–	25	5	9	1	2	4	–	4	5	51	40	–	–
02	Oak Lawn	571	1	–	3	120	37	37	12	10	7	2	15	16	336	261	4	6
03	Oak Park	644	2	–	3	145	43	36	12	17	8	8	21	9	366	268	9	5
04	Palatine	214	–	–	2	41	13	6	4	6	3	1	8	1	120	83	1	–
05	Park Forest, part	132	–	–	3	29	6	6	4	3	–	4	6	1	65	53	1	–
06	Park Forest, total	140	–	–	3	32	7	8	4	3	–	4	6	1	69	57	1	–
07	Park Ridge	310	–	–	–	72	18	13	12	12	4	2	11	3	180	130	6	2
08	Riverdale	177	–	–	–	36	11	6	6	4	2	1	6	1	98	78	–	3
09	River Forest	119	–	–	1	37	18	6	4	3	1	–	5	3	58	51	2	1
10	River Grove	95	–	–	–	26	12	4	3	3	–	1	3	2	51	43	–	–
11	Riverside	108	–	–	–	31	12	4	7	1	3	2	2	2	61	50	–	–
12	Rolling Meadows	90	–	–	1	26	9	7	6	–	2	–	2	–	32	26	–	1
13	Schaumburg, part	101	–	–	–	21	8	7	2	2	1	1	–	3	42	30	2	1
14	Schaumburg, total	102	–	–	–	22	8	7	2	2	2	1	–	3	42	30	2	1
15	Schiller Park	72	–	–	–	15	4	6	–	2	–	–	3	–	38	30	–	1
16	Skokie	512	–	–	2	137	34	34	16	8	8	10	27	5	288	224	3	5
17	South Holland	171	1	–	–	29	7	4	5	6	1	3	3	1	108	87	2	1
18	Streamwood	57	–	–	–	9	1	4	–	1	1	–	2	2	27	19	1	–
19	Summit	93	–	–	1	17	6	3	1	1	–	–	6	1	43	32	1	–
20	Tinley Park, part	149	–	–	1	27	3	9	4	4	1	–	6	2	81	70	–	–
21	Tinley Park, total	150	–	–	1	27	3	9	4	4	1	–	6	2	82	71	–	–
22	Westchester	145	–	–	–	27	6	8	4	3	–	1	5	2	102	81	2	1
23	Western Springs	86	–	–	1	26	6	7	1	4	1	2	5	–	48	37	1	–
24	Wheeling	64	–	–	–	12	3	4	1	–	–	1	3	3	34	24	–	–
25	Wilmette	232	–	–	1	49	14	6	11	2	2	4	10	1	145	107	–	1
26	Winnetka	111	–	–	1	21	4	3	5	3	–	–	6	1	65	47	3	–
27	Worth	105	–	–	2	27	8	7	2	4	2	1	3	–	53	41	2	1
28	Balance of county	2,594	3	–	18	542	136	160	55	50	21	21	99	52	1,344	1,069	22	13
29	Crawford	239	–	–	–	39	13	8	1	3	2	2	10	–	145	104	–	3
30	Cumberland	125	–	–	1	27	6	7	2	3	–	–	9	1	61	46	2	3
31	De Kalb	445	–	–	3	99	27	22	14	7	6	7	16	6	220	167	8	5
32	De Kalb	141	–	–	–	41	14	8	4	1	2	3	9	1	60	46	6	1
33	Balance of county	304	–	–	3	58	13	14	10	6	4	4	7	5	160	121	2	4
34	De Witt	200	–	–	–	35	5	11	6	3	2	–	8	2	131	89	1	–
35	Douglas	189	–	–	2	29	7	4	7	4	–	1	6	2	116	96	1	8
36	Du Page	3,122	6	–	15	715	212	157	75	60	32	31	148	41	1,624	1,218	28	15
37	Addison	95	–	–	–	15	8	3	2	–	–	–	2	2	43	35	–	–
38	Bensenville, part	135	1	–	–	23	6	4	3	3	2	1	4	1	78	55	1	3
39	Bensenville, total	141	1	–	1	27	7	5	4	4	2	1	4	1	78	55	1	3
40	Chicago, part	2	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
41	Downers Grove	319	–	–	1	87	27	19	6	5	6	5	19	7	161	120	5	1
42	Elk Grove Village, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
43	Elmhurst	379	–	–	1	95	31	19	11	3	5	7	19	5	197	143	5	3
44	Glendale Heights	27	–	–	–	5	1	1	2	–	–	–	1	–	8	6	–	–
45	Glen Ellyn	145	–	–	1	23	5	4	1	4	–	1	8	1	84	66	–	–
46	Hanover Park, part	6	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–
47	Hinsdale, part	107	–	–	–	24	6	5	2	4	2	2	3	1	60	50	–	–
48	Hinsdale, total	129	–	–	–	28	6	6	2	5	2	3	4	1	72	55	–	–
49	Lombard	263	–	–	3	65	13	14	9	7	3	2	17	5	131	97	2	–
50	Naperville	178	–	–	–	40	15	4	6	6	2	1	6	3	95	76	3	2
51	Northlake, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
52	Schaumburg, part	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
53	Villa Park	182	–	–	2	42	15	9	5	4	–	1	8	–	103	74	–	–
54	West Chicago	101	1	–	–	11	2	4	2	–	1	–	2	2	56	40	1	1
55	Wheaton	218	–	–	2	46	16	10	2	4	–	–	14	6	122	81	1	2
56	Woodridge	46	–	–	–	14	1	5	1	3	1	1	2	–	22	14	–	–
57	Balance of county	917	3	–	5	224	66	56	23	17	9	10	43	8	459	357	10	3
58	Edgar	263	–	–	1	43	16	9	3	9	3	1	2	4	158	98	–	2
59	Edwards	97	–	–	–	24	5	2	1	5	2	2	7	2	59	47	–	2
60	Effingham	270	–	–	–	46	10	14	3	7	1	2	9	10	126	90	2	3
61	Fayette	261	1	–	2	42	11	15	4	1	2	2	7	3	160	124	–	2
62	Ford	189	–	–	–	43	7	11	7	6	1	–	11	4	92	70	–	–
63	Franklin	602	–	1	1	110	32	34	10	8	4	7	15	12	358	279	2	5
64	Fulton	508	–	–	3	92	22	16	12	16	4	5	17	5	310	233	2	4
65	Canton	190	–	–	1	42	8	9	7	8	–	2	8	4	110	80	–	1
66	Balance of county	318	–	–	2	50	14	7	5	8	4	3	9	1	200	153	2	3
67	Gallatin	112	1	–	–	16	4	5	–	–	2	1	4	2	67	53	1	1
68	Greene	232	–	–	2	39	15	10	2	6	2	–	4	1	140	107	–	–
69	Grundy	240	–	–	1	41	11	14	4	4	3	1	4	8	122	101	1	2
70	Hamilton	124	–	–	1	22	6	8	1	2	–	–	5	2	72	55	1	–
71	Hancock	283	–	–	–	55	9	7	5	16	4	5	9	3	165	122	–	11
72	Hardin	77	–	–	1	18	5	4	–	2	1	–	6	1	33	28	–	–
73	Henderson	80	–	–	–	17	7	3	1	2	2	–	2	1	40	26	1	–
74	Henry	627	–	–	2	101	31	21	9	18	2	2	18	20	372	276	2	2
75	Kewanee	215	–	–	1	32	12	7	4	3	1	1	4	10	126	80	–	2
76	Balance of county	412	–	–	1	69	19	14	5	15	1	1	14	10	246	196	2	–
77	Iroquois	356	–	–	3	72	20	18	5	9	1	5	14	2	220	167	1	1
78	Jackson	434	1	–	2	70	16	23	4	7	3	3	14	7	256	170	3	3
79	Carbondale	145	1	–	–	20	4	5	1	1	1	–	8	4	82	50	–	1
80	Murphysboro	128	–	–	–	28	7	7	3	3	1	3	4	–	77	55	–	1
81	Balance of county	161	–	–	2	22	5	11	–	3	1	–	2	3	97	65	3	1
82	Jasper	133	–	–	1	23	8	3	3	4	1	–	4	3	72	54	–	1
83	Jefferson	438	–	–	–	89	35	20	5	8	2	2	17	7	232	164	1	9
84	Mount Vernon	257	–	–	–	47	23	9	5	1	1	–	8	5	132	94	1	6

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
39	1	2	7	1	1	3	1	–	3	–	–	1	3	2	6	2	–	2	1	–	01
244	7	4	53	8	10	11	6	1	10	2	–	–	4	4	35	8	8	2	4	–	02
238	16	3	74	9	12	13	5	4	7	–	–	5	9	7	40	6	14	7	2	–	03
79	3	1	28	4	4	4	4	1	4	2	–	–	4	3	13	3	5	6	1	–	04
48	4	–	8	1	3	1	2	1	2	–	–	1	4	4	8	1	3	3	3	1	05
52	4	–	8	1	3	1	2	1	2	–	–	1	5	4	8	1	3	3	3	1	06
119	3	1	40	4	5	8	7	2	4	1	–	–	2	4	12	2	10	3	–	–	07
72	3	–	16	1	3	5	2	1	4	–	–	–	1	3	12	5	6	1	2	–	08
44	4	–	3	3	1	3	1	–	3	–	–	1	–	1	8	1	2	–	–	–	09
42	1	–	6	1	1	3	–	–	2	–	–	–	–	2	5	1	1	2	–	–	10
44	6	1	9	–	1	3	2	1	3	–	–	–	–	–	3	–	2	–	–	–	11
25	–	–	5	–	1	3	1	–	3	–	–	2	6	1	11	1	2	1	–	–	12
27	–	–	11	–	1	2	1	–	2	–	–	–	6	6	8	3	4	2	1	–	13
27	–	–	11	–	1	2	1	–	2	–	–	–	6	6	8	3	4	2	1	–	14
29	–	–	4	2	2	–	–	1	3	–	–	1	1	2	7	–	1	2	–	1	15
214	2	6	50	4	4	10	5	3	3	–	–	4	1	3	30	6	6	6	2	1	16
78	6	2	15	–	4	5	1	–	2	–	–	–	1	–	10	2	6	3	1	1	17
17	1	–	8	–	–	1	–	2	2	–	–	–	4	–	5	5	–	–	–	–	18
27	4	–	10	1	–	2	1	–	6	1	–	1	5	1	6	2	2	2	2	–	19
68	2	–	6	2	3	3	2	–	1	–	–	2	4	8	10	1	6	1	–	–	20
68	3	–	6	2	3	3	2	–	1	–	–	2	4	8	10	1	6	1	–	–	21
74	4	2	15	3	1	2	1	–	2	–	–	1	1	–	3	–	3	1	–	–	22
33	3	–	8	2	1	–	–	1	2	–	–	–	–	–	4	–	2	2	–	–	23
22	2	1	7	1	1	2	–	–	–	–	–	1	2	2	2	1	3	1	–	1	24
102	4	3	27	2	6	3	1	–	3	–	–	1	1	–	17	3	5	1	1	–	25
43	1	–	10	3	5	5	–	–	1	–	–	–	1	–	6	1	3	6	–	–	26
36	2	–	11	–	1	–	1	–	1	1	–	–	2	3	7	2	4	1	1	–	27
962	72	9	206	36	24	56	38	9	38	11	–	29	44	46	169	64	61	34	24	12	28
96	5	1	36	1	3	10	4	2	4	–	1	2	1	1	19	6	3	2	–	–	29
40	1	1	12	1	1	9	6	–	1	–	–	–	1	2	6	3	5	2	–	–	30
144	10	3	37	7	6	16	8	2	5	2	–	4	8	7	33	11	14	7	–	–	31
37	2	–	10	2	2	1	3	–	1	1	–	1	3	4	14	3	7	1	–	–	32
107	8	3	27	5	4	15	5	2	4	1	–	3	5	3	19	8	7	6	–	–	33
80	8	–	38	–	4	4	5	1	1	1	–	1	–	–	10	5	4	–	–	–	34
74	13	2	13	2	3	4	2	1	1	2	–	1	3	1	16	3	5	–	–	1	35
1,096	79	12	311	42	41	80	41	11	48	10	–	41	52	50	186	80	61	47	9	5	36
32	3	2	5	–	1	4	–	–	3	1	–	4	5	5	7	1	4	1	–	–	37
47	4	–	15	3	5	7	3	–	1	–	–	–	2	4	8	3	2	2	–	–	38
47	4	–	15	3	5	7	3	–	1	–	–	–	2	4	9	3	2	2	–	–	39
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
105	9	–	29	10	2	5	3	1	5	–	–	1	7	4	19	6	7	5	–	–	41
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42
125	10	3	43	1	7	10	4	3	8	–	–	6	1	7	24	6	5	5	1	1	43
4	2	–	2	–	–	2	–	–	1	–	–	1	2	–	3	2	1	1	1	–	44
65	1	–	14	1	3	2	2	1	2	–	–	3	1	2	9	8	1	4	–	1	45
2	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	46
49	1	–	8	1	1	4	1	–	1	–	–	2	–	5	4	3	1	1	–	–	47
54	1	1	11	4	1	4	1	1	1	–	–	2	–	5	4	4	5	1	–	–	48
87	8	–	30	1	3	2	5	1	3	–	–	4	4	2	17	13	3	4	1	–	49
66	5	–	14	2	3	7	1	–	2	1	–	1	5	–	10	6	6	1	–	–	50
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	52
73	1	2	23	1	3	4	2	2	3	–	–	1	2	2	8	2	3	4	1	1	53
32	6	1	12	1	2	2	1	–	4	2	–	–	3	3	6	3	3	2	2	–	54
73	5	2	27	9	3	6	3	2	3	1	–	–	4	–	12	2	7	–	1	1	55
12	2	–	5	2	1	2	1	–	–	1	–	–	2	1	2	–	–	1	–	–	56
322	22	2	83	10	7	23	15	1	12	4	–	16	13	15	57	25	18	16	2	1	57
92	4	2	49	7	2	6	10	–	3	2	–	2	1	5	10	7	8	3	–	–	58
42	3	–	9	2	1	1	1	–	1	–	–	–	–	–	7	–	2	–	–	–	59
77	8	–	23	10	3	18	3	–	3	1	–	1	4	2	28	15	9	2	2	–	60
117	5	–	32	2	2	9	1	–	2	1	–	2	3	–	18	5	9	1	2	–	61
70	–	–	10	9	3	15	4	–	1	1	–	–	1	2	14	6	5	1	–	–	62
268	4	2	65	4	8	21	6	2	5	6	–	1	8	2	47	7	10	4	1	–	63
176	51	3	58	7	9	11	9	3	2	6	–	4	4	4	23	15	9	4	2	2	64
68	11	2	20	4	4	3	4	1	1	2	–	1	2	1	8	6	3	–	–	1	65
108	40	1	38	3	5	8	5	2	1	4	–	3	2	3	15	9	6	4	2	1	66
45	6	–	10	1	3	6	1	–	–	–	–	1	–	2	10	2	3	–	1	–	67
89	18	2	20	10	1	8	5	1	1	–	–	1	3	1	16	6	4	3	–	1	68
87	11	1	16	1	3	7	2	2	2	–	–	3	8	3	17	14	7	1	1	1	69
54	–	–	11	5	1	4	2	–	–	–	–	1	2	2	7	1	7	1	–	–	70
108	3	2	24	11	6	5	6	–	2	–	–	1	4	3	23	10	4	2	–	–	71
28	–	1	4	–	–	10	1	–	–	–	–	1	–	1	4	3	3	–	1	–	72
23	2	–	10	2	2	2	1	–	2	–	1	1	1	–	6	3	1	2	1	1	73
258	14	3	72	10	11	15	11	–	6	1	–	3	8	10	41	19	10	6	1	1	74
72	6	1	36	5	4	6	2	–	4	–	–	2	3	–	16	4	4	4	1	–	75
186	8	2	36	5	7	9	9	–	2	1	–	1	5	10	25	15	6	2	–	1	76
158	7	1	39	8	5	8	6	3	–	3	–	1	2	2	19	5	7	2	–	1	77
161	3	1	75	5	5	8	5	1	2	1	–	6	7	5	28	11	13	3	7	1	78
47	2	1	26	4	1	3	2	–	–	1	–	4	1	3	13	2	3	2	4	–	79
54	–	–	20	–	2	1	1	–	2	–	–	1	4	1	6	1	3	1	2	–	80
60	1	–	29	1	2	4	2	1	–	–	–	1	2	1	9	8	7	–	1	1	81
53	–	–	13	4	1	7	2	3	2	2	–	–	1	2	9	2	2	2	–	–	82
134	20	–	49	9	10	15	2	3	2	3	–	–	7	6	44	11	12	2	3	–	83
75	12	–	27	5	6	10	–	3	1	2	–	–	4	2	31	8	8	1	3	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
	Jefferson—Con.																	
01	Balance of county	181	–	–	–	42	12	11	–	7	1	2	9	2	100	70	–	3
02	Jersey	164	–	–	1	32	7	12	2	2	2	1	6	4	77	51	–	1
03	Jo Daviess	253	–	–	2	43	5	9	3	10	1	4	11	3	142	101	1	3
04	Johnson	100	–	–	–	22	6	6	2	3	2	–	3	4	53	37	–	1
05	Kane	2,026	1	1	17	376	104	80	44	43	21	20	64	25	1,094	808	16	13
06	Aurora	680	–	1	9	127	36	23	15	15	4	6	28	12	362	263	6	5
07	Carpentersville	114	–	–	1	23	4	5	2	3	2	3	4	3	53	45	2	–
08	Elgin, part	568	1	–	4	99	27	20	13	11	7	6	15	4	327	235	5	3
09	Elgin, total	588	1	–	4	102	28	20	13	12	7	7	15	5	336	242	5	3
10	St. Charles	94	–	–	1	21	6	4	1	5	2	–	3	1	52	35	–	1
11	Balance of county	570	–	–	2	106	31	28	13	9	6	5	14	5	300	230	3	4
12	Kankakee	849	1	–	5	178	38	50	23	18	6	9	34	18	446	373	5	5
13	Kankakee	345	1	–	–	75	21	18	12	4	3	6	11	7	179	150	2	2
14	Balance of county	504	–	–	5	103	17	32	11	14	3	3	23	11	267	223	3	3
15	Kendall	184	–	–	–	37	12	6	4	5	1	4	5	3	97	83	2	1
16	Knox	642	–	–	5	124	30	27	22	12	6	5	22	7	385	277	5	5
17	Galesburg	381	–	–	4	80	19	17	16	9	3	2	14	5	217	160	2	2
18	Balance of county	261	–	–	1	44	11	10	6	3	3	3	8	2	168	117	3	3
19	Lake	2,526	6	–	14	540	151	129	46	61	24	29	100	47	1,187	896	8	22
20	Arlington Heights, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
21	Buffalo Grove, part	8	–	–	–	1	–	–	–	1	–	–	–	–	6	6	–	–
22	Deerfield, part	93	–	–	2	27	11	4	3	3	–	3	3	–	43	29	–	–
23	Deerfield, total	96	–	–	2	28	11	5	3	3	–	3	3	–	44	30	–	–
24	Highland Park	168	2	–	2	39	10	10	3	2	–	3	11	2	86	57	–	–
25	Lake Forest	109	–	–	–	31	8	6	4	3	–	2	8	–	57	38	1	2
26	Libertyville	109	–	–	1	21	6	6	2	4	–	1	2	4	57	45	–	–
27	Mundelein	84	–	–	–	13	3	4	1	1	1	–	3	4	34	29	–	2
28	North Chicago	103	1	–	1	24	11	8	–	2	–	1	2	1	46	35	1	2
29	Waukegan	564	2	–	1	131	39	35	11	12	5	3	26	13	239	188	–	6
30	Zion	179	–	–	1	26	11	3	2	1	3	1	5	6	88	62	2	2
31	Balance of county	1,108	1	–	6	227	52	53	20	32	15	15	40	17	530	407	4	8
32	La Salle	1,233	2	–	2	233	64	45	24	43	8	8	41	23	693	505	5	5
33	La Salle	158	–	–	–	32	8	6	6	5	3	3	1	3	86	67	2	–
34	Ottawa	222	–	–	1	49	14	8	5	12	2	1	7	4	121	89	1	1
35	Peru	122	–	–	–	27	4	4	4	10	–	1	4	3	75	60	1	1
36	Streator, part	218	2	–	1	32	10	4	2	4	2	2	8	3	139	97	1	1
37	Streator, total	220	2	–	1	32	10	4	2	4	2	2	8	3	141	99	1	1
38	Balance of county	513	–	–	–	93	28	23	7	12	1	1	21	10	272	192	–	2
39	Lawrence	251	2	–	–	38	14	5	3	4	–	2	10	10	131	91	–	6
40	Lee	359	–	–	1	65	19	9	9	9	3	3	13	12	202	159	1	3
41	Dixon	186	–	–	–	41	12	4	4	8	2	3	8	6	99	82	–	2
42	Balance of county	173	–	–	1	24	7	5	5	1	1	–	5	6	103	77	1	1
43	Livingston	437	–	–	3	62	22	11	7	4	6	1	11	4	275	201	5	2
44	Streator, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
45	Balance of county	435	–	–	3	62	22	11	7	4	6	1	11	4	273	199	5	2
46	Logan	349	–	–	2	64	14	17	4	8	3	2	16	3	195	161	1	7
47	Lincoln	184	–	–	1	36	7	9	2	5	2	2	9	2	103	81	–	3
48	Balance of county	165	–	–	1	28	7	8	2	3	1	–	7	1	92	80	1	4
49	McDonough	305	–	–	3	53	17	6	5	6	3	3	13	2	186	143	1	6
50	Macomb	127	–	–	–	19	6	2	1	4	1	1	4	–	83	59	–	3
51	Balance of county	178	–	–	3	34	11	4	4	2	2	2	9	2	103	84	1	3
52	McHenry	998	1	–	2	203	58	39	22	30	8	11	35	13	532	391	5	3
53	Crystal Lake	107	–	–	–	26	6	3	3	5	2	1	6	1	54	43	1	1
54	Woodstock	109	–	–	1	19	5	4	2	3	1	–	4	1	60	44	1	1
55	Balance of county	782	1	–	1	158	47	32	17	22	5	10	25	11	418	304	3	1
56	McLean	916	1	–	10	177	47	46	19	24	8	8	25	19	518	385	7	9
57	Bloomington	469	1	–	7	85	24	20	10	9	3	4	15	8	275	214	5	7
58	Normal	124	–	–	2	25	5	8	4	2	1	1	4	2	78	54	1	1
59	Balance of county	323	–	–	1	67	18	18	5	13	4	3	6	9	165	117	1	1
60	Macon	1,212	–	1	5	205	57	51	18	20	15	7	37	23	701	486	12	14
61	Decatur	993	–	1	5	167	44	41	14	16	13	7	32	20	562	395	10	10
62	Balance of county	219	–	–	–	38	13	10	4	4	2	–	5	3	139	91	2	4
63	Macoupin	590	–	–	1	90	20	20	10	10	6	5	19	20	337	267	2	8
64	Madison	2,236	5	–	14	450	116	119	41	52	15	23	84	33	1,175	890	22	16
65	Alton	449	2	–	1	73	14	24	5	9	4	4	13	12	270	189	5	8
66	Collinsville, part	213	–	–	2	43	15	8	2	5	1	4	8	5	110	79	1	2
67	Collinsville, total	227	–	–	2	45	15	8	2	5	1	4	10	5	121	86	1	2
68	Edwardsville	130	–	–	1	26	8	5	7	1	–	3	2	–	72	56	5	–
69	Granite City	327	–	–	1	66	19	18	3	8	2	3	13	4	164	132	4	1
70	Wood River	108	1	–	1	28	12	5	1	1	–	2	7	1	47	34	1	–
71	Balance of county	1,009	2	–	8	214	48	59	23	28	8	7	41	11	512	400	6	5
72	Marion	519	–	–	4	102	22	26	7	16	6	1	24	9	282	230	4	2
73	Centralia, part	214	–	–	1	55	15	13	4	11	2	1	9	5	94	76	–	1
74	Centralia, total	232	–	–	1	59	15	15	6	11	2	1	9	5	102	83	–	1
75	Balance of county	305	–	–	3	47	7	13	3	5	4	–	15	4	188	154	4	1
76	Marshall	153	–	–	–	25	6	3	1	4	1	3	7	1	95	70	–	–
77	Mason	222	–	–	2	44	9	9	2	3	4	4	13	3	121	94	1	–
78	Massac	181	–	–	–	33	10	5	1	5	1	2	9	8	101	77	–	1
79	Menard	102	–	–	–	13	2	5	–	2	2	–	2	2	55	39	–	–
80	Mercer	180	–	–	1	28	6	7	3	2	2	–	8	2	117	102	–	–
81	Monroe	194	–	–	1	35	11	7	3	1	2	2	9	5	122	97	1	2
82	Montgomery	389	1	–	1	67	16	15	8	12	4	2	10	5	231	161	2	4
83	Morgan	407	–	–	–	67	19	17	5	4	4	2	16	6	245	195	1	–
84	Jacksonville	287	–	–	–	51	16	11	3	4	3	2	12	2	169	132	1	–
85	Balance of county	120	–	–	–	16	3	6	2	–	1	–	4	4	76	63	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
59	8	–	22	4	4	5	2	–	1	1	–	–	3	4	13	3	4	1	–	–	01
47	3	2	14	9	1	8	2	–	–	1	–	1	2	8	12	9	7	–	–	–	02
90	7	2	33	2	4	6	4	2	3	–	–	–	3	5	22	7	6	4	1	–	03
33	3	1	10	3	2	1	2	–	1	–	–	–	–	2	7	1	5	1	–	1	04
745	34	16	228	20	22	49	30	10	27	4	1	26	43	39	132	61	61	19	9	1	05
241	11	4	80	5	10	17	8	2	9	1	1	8	16	12	51	11	22	7	4	–	06
42	1	–	7	–	1	4	2	1	–	–	–	2	4	6	7	5	1	1	1	–	07
217	10	5	74	7	6	12	9	4	6	1	–	12	13	6	34	11	17	4	3	1	08
224	10	5	75	7	7	13	9	4	7	1	–	12	13	7	35	12	17	6	3	1	09
32	2	1	15	–	1	3	1	–	2	–	–	1	1	2	5	2	2	–	–	–	10
213	10	6	52	8	4	13	10	3	10	2	–	3	9	13	35	32	19	7	1	–	11
350	13	2	58	7	6	22	10	3	6	1	–	9	12	16	44	34	29	7	3	5	12
142	4	2	24	3	–	13	4	1	2	1	–	3	5	5	19	8	14	3	1	4	13
208	9	–	34	4	6	9	6	2	4	–	–	6	7	11	25	26	15	4	2	1	14
78	2	–	9	4	1	4	5	2	–	–	–	–	4	4	12	7	4	3	–	2	15
260	7	4	76	18	10	14	9	–	5	2	–	6	2	4	44	13	14	4	4	–	16
153	3	3	40	10	4	8	5	–	2	1	–	4	2	3	31	6	8	3	2	–	17
107	4	1	36	8	6	6	4	–	3	1	–	2	–	1	13	7	6	1	2	–	18
816	50	7	223	30	31	71	30	14	49	11	1	22	46	73	193	89	84	31	9	9	19
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	21
27	2	–	10	–	4	1	–	–	2	–	–	–	1	3	4	2	2	5	–	1	22
28	2	–	10	–	4	1	–	–	2	–	–	–	1	3	5	2	2	5	–	1	23
55	2	2	24	1	2	5	2	2	2	–	–	2	–	1	16	3	3	–	1	–	24
33	2	1	14	2	2	1	–	3	3	–	–	2	–	3	2	4	3	–	–	–	25
45	–	–	8	2	2	1	1	–	3	1	–	1	3	3	6	1	4	1	–	1	26
25	2	–	4	–	1	2	3	–	1	1	–	2	1	3	9	7	4	–	–	–	27
29	3	–	8	2	1	3	2	1	4	–	–	–	2	3	8	2	2	1	2	–	28
171	11	1	36	7	7	26	6	3	10	3	–	4	12	16	42	21	20	10	4	1	29
53	5	1	21	4	–	8	1	–	–	4	–	2	4	5	22	7	4	–	–	1	30
372	23	2	98	11	12	24	15	5	24	2	1	9	23	35	84	42	42	14	2	5	31
468	27	2	162	13	11	49	16	11	11	3	–	6	18	16	76	26	29	14	2	3	32
58	7	–	16	2	1	9	4	–	–	–	–	–	2	2	12	4	3	1	–	–	33
81	6	–	31	1	–	9	1	1	1	–	–	1	2	3	19	3	5	2	–	–	34
56	2	1	12	–	2	4	1	–	2	–	–	–	–	1	6	–	1	2	–	–	35
92	3	–	36	4	2	3	2	2	2	–	–	–	6	1	11	4	5	3	1	1	36
94	3	–	36	4	2	3	2	2	2	–	–	–	6	1	11	4	5	3	1	1	37
181	9	1	67	6	6	24	8	8	6	3	–	5	8	9	28	15	15	6	1	2	38
83	2	4	22	8	6	13	4	2	–	–	–	1	4	1	21	8	14	–	2	–	39
148	7	3	27	6	7	6	4	3	4	1	–	6	4	6	20	10	7	6	1	1	40
77	3	–	9	3	5	3	2	2	3	–	–	3	2	3	10	4	5	2	1	–	41
71	4	3	18	3	2	3	2	1	1	1	–	3	2	3	10	6	2	4	–	1	42
185	9	1	59	8	6	12	6	2	5	3	–	2	3	8	31	8	9	1	2	1	43
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	44
183	9	1	59	8	6	12	6	2	5	3	–	2	3	8	31	8	9	1	2	1	45
140	13	2	22	7	3	9	6	4	5	1	–	–	1	7	27	7	12	4	–	2	46
72	6	1	16	2	3	6	2	3	4	–	–	–	–	1	15	1	6	2	–	2	47
68	7	1	6	5	–	3	4	1	1	1	–	–	1	6	12	6	6	2	–	–	48
131	5	–	35	4	4	8	4	2	3	–	–	3	5	1	19	9	3	4	–	–	49
53	3	–	22	1	1	1	1	1	1	–	–	2	2	–	12	4	1	–	–	–	50
78	2	–	13	3	3	7	3	1	2	–	–	1	3	1	7	5	2	4	–	–	51
371	12	10	89	20	22	28	14	6	19	–	–	7	22	12	58	34	28	12	4	3	52
40	1	–	9	1	1	2	1	1	3	–	–	1	2	2	5	4	3	2	–	–	53
40	2	2	10	1	3	4	4	1	1	–	–	–	3	2	4	7	–	2	–	–	54
291	9	8	70	18	18	22	9	4	15	–	–	6	17	8	49	23	25	8	4	3	55
357	12	3	109	10	11	24	15	5	12	–	–	7	13	10	55	18	19	12	1	–	56
193	9	2	46	5	8	14	4	4	9	–	–	3	8	5	29	4	6	7	–	–	57
51	1	–	23	–	1	2	2	1	1	–	–	2	2	2	4	1	–	–	–	–	58
113	2	1	40	5	2	8	9	–	2	–	–	2	3	3	22	13	13	5	1	–	59
435	25	8	175	18	14	37	23	3	8	3	–	6	21	16	86	18	31	17	6	2	60
354	21	7	139	9	12	31	20	3	8	2	–	6	16	16	73	16	24	15	6	2	61
81	4	1	36	9	2	6	3	–	–	1	–	–	5	–	13	2	7	2	–	–	62
244	13	2	51	8	9	21	5	2	7	4	–	3	2	8	57	7	15	6	1	4	63
806	46	6	221	32	26	65	42	14	26	8	–	21	27	30	155	73	56	25	14	3	64
165	11	4	64	8	5	10	9	4	7	3	–	2	3	8	26	6	5	5	3	–	65
75	1	–	26	3	2	7	1	1	1	1	–	6	1	5	12	9	6	1	2	–	66
81	2	–	30	3	2	7	1	1	1	1	–	6	1	6	12	9	6	1	2	–	67
48	3	–	12	–	4	9	2	–	3	–	–	1	2	1	7	2	3	1	–	–	68
120	7	–	28	1	3	11	6	2	3	1	–	2	5	3	29	11	8	4	5	2	69
31	2	1	9	2	1	1	5	1	1	–	–	1	2	–	11	2	3	3	–	–	70
367	22	1	82	18	11	27	19	6	11	3	–	9	14	13	70	43	31	11	4	1	71
215	9	2	42	2	6	19	8	1	10	–	–	2	7	4	42	10	13	4	2	–	72
72	3	–	14	1	3	12	5	–	7	–	–	–	3	–	20	3	4	3	2	–	73
79	3	–	15	1	3	13	5	1	7	–	–	–	3	–	24	3	4	3	2	–	74
143	6	2	28	1	3	7	3	1	3	–	–	2	4	4	22	7	9	1	–	–	75
67	3	–	23	2	–	4	1	–	–	1	–	–	1	–	15	4	5	1	–	–	76
93	–	1	21	2	3	9	4	1	–	–	–	–	–	2	14	9	10	3	–	–	77
73	3	–	15	3	6	5	4	–	2	–	–	1	–	2	14	3	8	–	–	–	78
39	–	–	12	1	3	7	3	1	–	–	–	1	1	3	9	4	2	1	–	–	79
99	3	–	12	–	3	6	2	–	–	1	–	1	2	1	7	4	8	–	–	–	80
88	6	1	16	6	2	1	2	1	2	–	–	1	2	3	7	5	6	1	–	–	81
148	7	2	56	7	5	17	7	2	3	–	–	1	6	5	22	5	15	–	1	–	82
182	12	1	30	11	8	15	8	1	4	2	–	3	3	11	25	8	7	2	–	–	83
122	9	1	22	7	7	13	7	–	3	1	–	1	2	6	21	7	3	1	–	–	84
60	3	–	8	4	1	2	1	1	1	1	–	2	1	5	4	1	4	1	–	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Illinois—Con.																	
01	Moultrie	151	–	–	1	26	12	–	4	4	2	2	2	2	93	59	3	2
02	Ogle	395	1	–	–	81	30	11	8	11	3	4	14	9	190	140	3	3
03	Peoria	1,816	1	–	6	371	88	87	33	61	16	11	75	20	930	635	12	21
04	Pekin, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
05	Peoria	1,228	1	–	4	239	49	56	23	42	11	8	50	12	637	427	7	18
06	Balance of county	587	–	–	2	132	39	31	10	19	5	3	25	8	292	208	5	3
07	Perry	262	1	–	–	48	12	14	4	10	–	1	7	7	155	117	1	1
08	Piatt	146	1	–	1	29	7	9	7	3	–	1	2	–	85	61	–	1
09	Pike	241	–	–	1	41	13	4	6	6	1	–	11	1	142	98	1	1
10	Pope	64	–	–	1	9	1	3	1	1	–	–	3	–	38	24	–	–
11	Pulaski	128	1	–	1	17	4	6	1	1	1	3	1	2	80	59	–	–
12	Putnam	54	–	–	–	17	3	5	3	1	1	1	3	2	25	22	–	–
13	Randolph	382	1	–	1	67	28	15	5	12	2	1	4	5	230	169	1	5
14	Richland	186	–	–	1	34	11	10	–	2	2	4	5	2	108	75	–	3
15	Rock Island	1,521	2	1	8	290	75	65	25	29	11	12	73	18	873	719	5	8
16	East Moline	179	–	–	–	29	8	7	1	5	1	1	6	3	105	90	–	–
17	Moline	457	–	–	–	98	28	18	10	8	6	6	22	3	263	208	1	2
18	Rock Island	525	–	1	5	98	28	22	8	8	2	1	29	7	308	256	2	3
19	Balance of county	360	2	–	3	65	11	18	6	8	2	4	16	5	197	165	2	3
20	St. Clair	2,674	8	–	12	510	129	126	49	74	34	22	76	35	1,384	1,001	17	55
21	Belleville	600	–	–	1	129	37	27	14	17	7	6	21	8	327	217	5	7
22	Cahokia	126	–	–	–	21	1	8	–	4	2	1	5	–	64	49	–	2
23	Centreville	60	1	–	–	4	1	3	–	–	–	–	–	1	37	24	–	6
24	Collinsville, part	14	–	–	–	2	–	–	–	–	–	–	2	–	11	7	–	–
25	East St. Louis	841	3	–	8	166	42	37	15	34	8	8	22	15	375	267	2	23
26	Balance of county	1,033	4	–	3	188	48	51	20	19	17	7	26	11	570	437	10	17
27	Saline	488	–	–	2	86	22	20	6	11	6	2	19	5	304	236	1	3
28	Sangamon	1,642	4	–	5	339	89	102	31	42	14	12	49	29	886	621	11	9
29	Springfield	1,124	3	–	3	228	59	77	19	24	5	9	35	22	608	414	5	6
30	Balance of county	518	1	–	2	111	30	25	12	18	9	3	14	7	278	207	6	3
31	Schuyler	100	–	–	1	15	5	4	–	1	3	–	2	–	72	65	–	1
32	Scott	81	–	–	–	18	7	5	2	2	1	–	1	1	41	30	–	–
33	Shelby	275	–	–	2	52	9	16	6	6	2	1	12	6	151	116	1	8
34	Stark	100	–	–	–	16	5	4	2	3	1	–	1	1	63	52	–	–
35	Stephenson	481	1	–	3	101	36	16	9	11	10	4	15	6	263	204	1	4
36	Freeport	331	–	–	2	73	28	12	6	7	7	3	10	4	179	134	1	3
37	Balance of county	150	1	–	1	28	8	4	3	4	3	1	5	2	84	70	–	1
38	Tazewell	900	2	–	6	181	49	36	18	19	7	12	40	15	440	342	10	9
39	East Peoria	150	1	–	–	36	12	5	3	5	2	2	7	3	72	60	2	3
40	Morton	73	–	–	–	9	2	2	2	–	–	1	2	–	46	36	1	1
41	Pekin, part	286	–	–	3	54	15	15	3	5	3	2	11	5	145	108	3	1
42	Pekin, total	287	–	–	3	54	15	15	3	5	3	2	11	5	146	108	3	1
43	Balance of county	391	1	–	3	82	20	14	10	9	2	7	20	7	177	138	4	4
44	Union	195	–	–	–	30	8	5	3	4	1	1	8	4	122	90	–	–
45	Vermilion	1,067	–	–	3	213	60	43	25	30	9	10	36	18	553	406	9	12
46	Danville	539	–	–	2	111	31	21	13	17	5	6	18	10	270	181	5	6
47	Balance of county	528	–	–	1	102	29	22	12	13	4	4	18	8	283	225	4	6
48	Wabash	209	–	–	3	27	9	3	1	3	–	4	7	3	133	98	3	3
49	Warren	227	–	–	2	38	13	7	2	6	3	3	4	1	127	95	3	1
50	Monmouth	146	–	–	1	19	9	5	–	2	1	1	1	–	84	62	2	–
51	Balance of county	81	–	–	1	19	4	2	2	4	2	2	3	1	43	33	1	1
52	Washington	188	–	–	1	35	8	5	5	5	2	3	7	5	110	83	–	–
53	Wayne	237	–	–	1	40	11	10	4	3	6	1	5	2	151	114	1	–
54	White	254	–	1	–	57	20	9	3	9	2	4	10	3	144	113	5	1
55	Whiteside	542	–	–	4	90	28	23	6	10	4	1	18	10	289	212	3	4
56	Rock Falls	94	–	–	–	17	4	6	2	–	–	–	5	2	52	41	–	2
57	Sterling	139	–	–	2	24	8	7	1	1	2	1	4	2	74	57	–	–
58	Balance of county	309	–	–	2	49	16	10	3	9	2	–	9	6	163	114	3	2
59	Will	1,943	2	–	6	354	93	78	43	37	13	18	72	55	1,039	792	13	15
60	Joliet	869	2	–	1	155	41	34	21	13	3	11	32	24	495	372	2	6
61	Park Forest, part	8	–	–	–	3	1	2	–	–	–	–	–	–	4	4	–	–
62	Romeoville	39	–	–	1	8	1	2	1	2	–	–	2	3	22	14	–	–
63	Tinley Park, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
64	Balance of county	1,026	–	–	4	188	50	40	21	22	10	7	38	28	517	401	11	9
65	Williamson	578	–	–	–	123	30	25	13	15	3	4	33	16	315	232	2	1
66	Marion	164	–	–	–	28	6	3	4	6	2	1	6	3	96	61	1	–
67	Balance of county	414	–	–	–	95	24	22	9	9	1	3	27	13	219	171	1	1
68	Winnebago	1,798	3	–	10	363	88	80	33	48	18	22	74	28	949	668	19	6
69	Loves Park	81	–	–	–	20	6	1	2	3	–	3	5	5	34	24	–	–
70	Rockford	1,276	3	–	8	258	59	61	26	34	15	17	46	20	684	474	11	5
71	Balance of county	441	–	–	2	85	23	18	5	11	3	2	23	3	231	170	8	1
72	Woodford	261	1	–	–	59	21	6	7	10	1	1	13	4	132	93	1	1
73	**Indiana**	**46,723**	**66**	**8**	**311**	**8,591**	**2,265**	**2,089**	**703**	**1,021**	**388**	**361**	**1,764**	**963**	**25,099**	**17,666**	**327**	**428**
74	Urban places	25,645	36	5	195	4,848	1,274	1,220	386	561	228	187	992	574	13,446	9,424	171	205
75	Balance of area	21,078	30	3	116	3,743	991	869	317	460	160	174	772	389	11,653	8,242	156	223
76	Metropolitan counties	27,851	42	3	197	5,324	1,393	1,350	421	610	254	205	1,091	595	14,648	10,376	197	232
77	Urban places	19,902	29	3	155	3,847	1,004	996	304	442	186	136	779	449	10,333	7,306	138	162
78	Balance of area	7,949	13	–	42	1,477	389	354	117	168	68	69	312	146	4,315	3,070	59	70
79	Nonmetropolitan counties	18,872	24	5	114	3,267	872	739	282	411	134	156	673	368	10,451	7,290	130	196
80	Urban places	5,743	7	2	40	1,001	270	224	82	119	42	51	213	125	3,113	2,118	33	43
81	Balance of area	13,129	17	3	74	2,266	602	515	200	292	92	105	460	243	7,338	5,172	97	153

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
51	3	2	29	2	1	1	6	–	1	–	–	–	2	1	9	2	4	3	–	–	01
130	4	2	38	7	3	9	8	1	2	1	–	1	9	6	36	22	18	1	–	–	02
573	29	7	228	29	31	80	30	5	26	8	1	9	32	21	131	40	49	28	17	11	03
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	04
382	20	6	165	17	22	54	23	4	17	4	1	8	27	13	84	21	35	20	13	11	05
191	9	1	63	12	8	26	7	1	9	4	–	1	5	8	47	19	14	8	4	–	06
114	1	1	28	3	6	9	6	1	3	2	–	3	–	3	17	2	5	–	–	–	07
56	4	–	18	5	1	3	1	–	2	–	–	–	1	1	14	5	1	1	1	–	08
93	3	2	26	12	4	6	7	–	1	–	1	–	2	2	15	10	6	6	–	–	09
22	2	1	12	–	1	2	2	–	1	–	–	–	1	–	5	3	1	1	–	–	10
54	5	–	15	2	4	5	–	–	–	–	–	2	2	2	2	3	9	–	1	1	11
20	2	–	3	–	–	1	3	–	–	–	–	–	–	1	5	–	–	–	–	–	12
153	10	1	47	4	9	4	5	1	2	2	–	4	5	11	22	16	4	2	–	–	13
71	1	2	16	11	4	4	2	2	1	1	–	4	4	6	8	1	4	4	–	–	14
671	35	8	106	18	22	34	28	5	14	1	–	12	16	19	104	27	42	21	5	1	15
85	5	–	12	2	1	4	2	–	3	–	–	2	3	1	17	5	3	2	–	–	16
199	6	4	40	6	5	15	7	2	4	–	–	2	3	6	33	4	13	3	1	–	17
236	15	3	30	8	11	9	9	1	4	1	–	6	5	8	32	3	16	7	4	1	18
151	9	1	24	2	5	6	10	2	3	–	–	2	5	4	22	15	10	9	–	–	19
888	41	17	297	42	27	69	23	8	35	13	–	23	67	66	154	70	93	26	67	11	20
199	6	7	83	12	8	16	3	4	8	2	–	5	8	9	33	14	19	10	4	–	21
43	4	1	12	1	1	1	3	–	4	2	–	1	3	4	10	3	6	3	1	–	22
18	–	2	11	–	–	2	1	–	–	–	–	1	2	1	3	1	1	–	4	1	23
6	1	–	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	24
228	14	3	90	9	6	24	8	1	3	4	–	9	35	21	49	20	43	1	47	9	25
394	16	4	97	20	12	26	8	3	20	5	–	7	19	30	59	32	24	12	11	1	26
219	13	6	50	6	6	17	8	2	4	3	–	–	2	9	29	8	7	1	1	–	27
576	25	11	201	25	28	32	34	8	23	2	1	5	23	33	106	25	57	9	14	7	28
383	20	10	144	17	23	18	26	6	15	2	–	2	20	27	71	12	40	6	10	5	29
193	5	1	57	8	5	14	8	2	8	–	1	3	3	6	35	13	17	3	4	2	30
63	1	–	5	1	1	1	–	–	–	–	–	1	–	–	3	2	3	2	–	–	31
29	1	–	8	3	–	4	–	1	–	–	–	–	–	5	8	1	–	1	1	–	32
100	7	1	28	2	4	14	4	1	–	–	–	1	1	6	18	11	8	–	–	–	33
51	1	–	9	–	2	1	2	–	1	–	–	–	1	1	6	4	3	–	1	–	34
196	3	3	46	4	6	8	9	2	5	1	–	2	3	2	39	13	16	6	1	–	35
128	2	3	36	2	4	7	6	2	3	1	–	–	2	2	31	7	9	2	1	–	36
68	1	–	10	2	2	1	3	–	2	–	–	2	1	–	8	6	7	4	–	–	37
294	29	1	70	9	18	34	14	3	6	6	–	5	20	18	62	37	31	16	1	3	38
49	6	–	7	–	5	2	2	–	–	–	–	1	2	2	16	5	1	5	1	1	39
34	–	–	7	1	2	1	–	1	–	1	–	–	3	1	5	4	1	1	–	–	40
97	7	1	30	2	4	14	3	2	4	–	–	–	6	10	14	8	11	7	–	–	41
97	7	1	30	2	5	14	3	2	4	–	–	–	6	10	14	8	11	7	–	–	42
114	16	–	26	6	7	17	9	–	2	5	–	4	9	5	27	20	18	3	–	2	43
86	4	1	24	3	4	3	3	1	4	–	–	–	1	4	13	3	7	–	–	–	44
350	35	6	116	10	15	52	25	6	5	6	–	4	22	35	84	8	25	7	–	1	45
154	16	5	69	5	10	24	11	5	4	5	–	1	8	19	50	3	14	2	–	–	46
196	19	1	47	5	5	28	14	1	1	1	–	3	14	16	34	5	11	5	–	1	47
91	1	–	27	5	3	7	3	–	1	1	–	1	3	1	8	9	6	2	1	–	48
80	11	–	28	3	1	3	6	3	3	–	–	–	–	4	25	5	6	4	–	–	49
53	7	–	18	3	1	3	2	1	1	–	–	–	–	3	20	3	5	4	–	–	50
27	4	–	10	–	–	–	4	2	2	–	–	–	–	1	5	2	1	–	–	–	51
82	1	2	23	2	–	7	3	–	1	1	–	–	–	–	15	5	4	–	1	–	52
112	1	–	30	1	6	2	2	1	3	3	–	1	3	2	22	3	1	–	–	–	53
106	1	–	22	5	4	7	4	1	3	–	–	3	1	–	14	6	8	1	–	1	54
196	9	2	57	13	5	18	11	–	2	1	–	3	7	7	43	25	21	11	–	–	55
38	1	–	7	4	–	1	2	–	1	1	–	1	–	2	11	2	1	1	–	–	56
55	2	–	11	4	2	3	5	–	–	–	–	1	2	–	10	6	7	3	–	–	57
103	6	2	39	5	3	14	4	–	1	–	–	1	5	5	22	17	13	7	–	–	58
729	35	6	187	35	19	39	27	6	31	7	–	12	41	20	140	47	65	19	28	5	59
343	21	3	97	13	10	20	12	1	16	4	–	3	18	5	57	15	21	5	13	2	60
4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	61
13	1	–	7	–	1	–	–	–	1	–	–	–	–	–	2	1	–	–	1	–	62
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	63
369	12	3	83	22	8	19	15	5	14	3	–	9	22	15	81	31	44	14	14	3	64
218	11	2	61	14	6	15	11	2	2	2	–	7	3	10	30	14	17	6	4	1	65
58	2	–	27	4	4	9	3	–	1	–	–	3	1	5	7	5	2	1	–	–	66
160	9	2	34	10	2	6	8	2	1	2	–	4	2	5	23	9	15	5	4	1	67
612	31	13	197	45	26	52	28	8	25	7	–	8	24	12	146	42	58	21	11	3	68
24	–	–	8	1	1	2	2	–	2	–	–	1	1	1	5	4	3	1	–	–	69
435	23	11	147	33	19	41	19	7	18	5	–	5	16	8	106	21	39	11	7	–	70
153	8	2	42	11	6	9	7	1	5	2	–	2	7	3	35	17	16	9	4	3	71
87	4	1	27	9	2	6	2	2	3	2	–	–	1	3	22	7	14	3	–	–	72
15,755	1,156	172	5,486	1,131	644	1,282	712	151	541	183	10	304	643	527	3,577	1,157	1,413	599	448	138	73
8,423	625	106	2,939	620	357	745	383	85	378	99	8	173	400	293	2,037	456	712	319	359	94	74
7,332	531	66	2,547	511	287	537	329	66	163	84	2	131	243	234	1,540	701	701	280	89	44	75
9,286	661	90	3,168	617	397	765	409	96	381	103	8	184	405	319	2,077	644	808	369	372	102	76
6,522	484	74	2,233	444	276	561	288	68	308	78	7	127	297	228	1,529	355	561	263	333	83	77
2,764	177	16	935	173	121	204	121	28	73	25	1	57	108	91	548	289	247	106	39	19	78
6,469	495	82	2,318	514	247	517	303	55	160	80	2	120	238	208	1,500	513	605	230	76	36	79
1,901	141	32	706	176	81	184	95	17	70	21	1	46	103	65	508	101	151	56	26	11	80
4,568	354	50	1,612	338	166	333	208	38	90	59	1	74	135	143	992	412	454	174	50	25	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Indiana—Con.																	
01	Adams	218	–	–	1	38	13	5	3	4	2	3	8	6	122	75	2	2
02	Allen	2,276	5	–	24	441	129	89	27	53	31	23	89	42	1,225	871	7	34
03	Fort Wayne	1,809	4	–	20	350	105	74	22	39	26	16	68	34	975	697	4	32
04	Balance of county	467	1	–	4	91	24	15	5	14	5	7	21	8	250	174	3	2
05	Bartholomew	414	1	–	6	71	20	17	7	7	2	5	13	7	212	142	1	2
06	Columbus	258	–	–	4	48	14	11	3	3	2	3	12	3	131	86	1	2
07	Balance of county	156	1	–	2	23	6	6	4	4	–	2	1	4	81	56	–	–
08	Benton	124	–	–	–	25	5	8	2	4	–	3	3	1	68	38	–	–
09	Blackford	168	–	–	1	23	6	5	2	7	–	–	3	6	101	56	3	1
10	Boone	328	1	–	2	55	14	12	9	5	1	3	11	9	178	130	2	2
11	Brown	79	–	–	–	20	5	7	1	2	1	–	4	–	43	33	–	–
12	Carroll	149	–	–	–	21	6	3	2	4	2	1	3	4	79	53	3	–
13	Cass	451	1	–	2	78	20	20	7	8	4	5	14	13	248	167	2	3
14	Logansport	281	–	–	1	52	14	17	5	6	2	3	5	8	154	104	1	2
15	Balance of county	170	1	–	1	26	6	3	2	2	2	2	9	5	94	63	1	1
16	Clark	660	1	–	4	122	26	34	14	11	3	7	27	15	366	254	4	6
17	Clarksville	95	–	–	–	23	4	5	5	1	1	1	6	4	47	31	–	1
18	Jeffersonville	282	–	–	3	49	12	13	6	5	–	2	11	7	156	110	1	3
19	Balance of county	283	1	–	1	50	10	16	3	5	2	4	10	4	163	113	3	2
20	Clay	300	1	–	–	63	17	14	4	6	5	2	15	7	158	92	1	1
21	Clinton	378	2	–	3	48	16	7	4	7	2	3	9	6	214	146	2	2
22	Frankfort	227	2	–	2	34	11	4	4	4	2	2	7	4	132	92	–	2
23	Balance of county	151	–	–	1	14	5	3	–	3	–	1	2	2	82	54	2	–
24	Crawford	96	–	–	–	15	7	4	–	2	1	–	1	1	56	36	–	1
25	Daviess	334	2	–	5	39	7	7	4	6	1	6	8	3	196	135	3	4
26	Washington	176	2	–	2	27	5	2	3	6	–	3	8	1	97	65	2	2
27	Balance of county	158	–	–	3	12	2	5	1	–	1	3	–	2	99	70	1	2
28	Dearborn	310	–	–	2	58	22	16	1	6	3	–	10	3	190	140	–	1
29	Decatur	235	–	–	–	37	9	7	4	7	1	1	8	3	144	110	1	2
30	De Kalb	283	1	–	–	40	7	11	4	8	1	1	8	2	171	125	4	12
31	Delaware	1,098	–	–	7	165	50	35	13	21	9	2	35	14	581	417	10	4
32	Muncie	781	–	–	7	128	37	29	7	18	9	2	26	13	412	298	8	3
33	Balance of county	317	–	–	–	37	13	6	6	3	–	–	9	1	169	119	2	1
34	Dubois	267	–	–	3	47	11	7	6	6	5	2	10	3	142	108	–	1
35	Elkhart	1,050	2	–	11	180	53	33	15	25	7	6	41	22	591	427	16	2
36	Elkhart	478	–	–	4	73	25	8	6	9	3	2	20	5	277	206	7	1
37	Goshen	187	–	–	3	33	5	10	4	4	1	2	7	6	113	70	1	1
38	Balance of county	385	2	–	4	74	23	15	5	12	3	2	14	11	201	151	8	–
39	Fayette	259	–	–	2	47	15	9	1	6	1	3	12	8	139	95	1	–
40	Connersville	194	–	–	1	35	9	6	–	6	1	3	10	5	106	71	1	–
41	Balance of county	65	–	–	1	12	6	3	1	–	–	–	2	3	33	24	–	–
42	Floyd	577	1	–	1	115	25	32	11	16	6	11	14	12	302	213	3	1
43	New Albany	466	1	–	1	96	19	24	10	13	6	11	13	10	239	165	2	–
44	Balance of county	111	–	–	–	19	6	8	1	3	–	–	1	2	63	48	1	1
45	Fountain	200	–	–	1	40	7	13	3	6	3	2	6	6	108	80	1	1
46	Franklin	140	–	–	2	34	5	7	3	6	3	3	7	7	67	53	1	1
47	Fulton	178	–	–	2	26	7	4	2	4	–	1	8	2	105	79	–	–
48	Gibson	362	–	–	1	75	27	15	5	7	3	4	14	8	212	166	5	2
49	Grant	698	1	1	5	114	27	34	4	15	7	5	22	9	373	239	2	21
50	Marion	419	–	1	2	69	14	20	2	9	5	3	16	4	222	153	1	15
51	Balance of county	279	1	–	3	45	13	14	2	6	2	2	6	5	151	86	1	6
52	Greene	355	–	–	1	67	25	10	5	12	–	3	12	4	214	160	2	10
53	Hamilton	423	1	–	2	84	19	15	10	10	4	4	22	13	218	161	4	6
54	Hancock	272	–	–	1	49	13	9	4	9	–	3	11	4	135	105	1	5
55	Harrison	227	–	–	2	49	14	9	4	6	1	1	14	5	111	73	–	2
56	Hendricks	393	1	–	1	81	19	23	5	6	8	3	17	6	214	154	2	2
57	Henry	443	2	–	1	78	24	18	4	8	1	3	20	6	264	190	2	–
58	New Castle	207	–	–	–	34	11	7	–	5	1	–	10	6	115	81	1	–
59	Balance of county	236	2	–	1	44	13	11	4	3	–	3	10	–	149	109	1	–
60	Howard	616	2	–	1	120	39	29	12	12	3	3	22	16	322	222	6	3
61	Kokomo	460	2	–	1	90	32	21	8	7	3	2	17	12	248	168	3	1
62	Balance of county	156	–	–	–	30	7	8	4	5	–	1	5	4	74	54	3	2
63	Huntington	350	–	–	2	68	20	8	8	10	5	5	12	9	203	133	3	–
64	Huntington	164	–	–	1	30	10	4	4	5	2	2	3	7	95	63	2	–
65	Balance of county	186	–	–	1	38	10	4	4	5	3	3	9	2	108	70	1	–
66	Jackson	345	–	–	4	67	20	10	8	6	1	3	19	10	185	128	2	5
67	Seymour	171	–	–	3	31	8	5	5	1	1	1	10	6	97	62	2	1
68	Balance of county	174	–	–	1	36	12	5	3	5	–	2	9	4	88	66	–	4
69	Jasper	211	–	–	1	37	8	12	2	4	2	1	8	4	118	83	1	3
70	Jay	261	1	–	1	50	16	8	5	7	2	3	9	5	135	82	2	1
71	Jefferson	243	–	1	1	39	15	12	1	1	–	2	8	4	126	80	1	1
72	Madison	132	–	–	–	20	8	4	1	1	–	1	5	1	62	40	–	–
73	Balance of county	111	–	1	1	19	7	8	–	–	–	1	3	3	64	40	1	1
74	Jennings	177	–	–	1	32	7	11	5	5	–	–	4	–	96	69	2	5
75	Johnson	464	–	–	2	92	26	21	8	10	8	2	17	13	260	180	1	2
76	Franklin	123	–	–	–	22	10	2	2	2	1	–	5	1	76	48	–	–
77	Greenwood	140	–	–	1	23	7	6	3	1	2	1	3	4	79	58	–	1
78	Balance of county	201	–	–	1	47	9	13	3	7	5	1	9	8	105	74	1	1
79	Knox	472	–	–	3	73	19	23	5	10	2	2	12	3	274	168	5	–
80	Vincennes	235	–	–	2	36	8	12	3	6	1	1	5	2	133	74	1	–
81	Balance of county	237	–	–	1	37	11	11	2	4	1	1	7	1	141	94	4	–
82	Kosciusko	433	1	–	–	72	15	16	11	12	3	1	14	10	236	178	2	4
83	Lagrange	174	–	–	2	27	8	3	3	3	3	–	7	1	99	76	5	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
67	4	1	33	11	2	5	4	1	2	–	–	3	2	9	11	6	5	2	–	1	01
777	53	8	282	33	31	64	30	8	23	9	1	22	32	16	163	60	59	27	19	6	02
613	48	7	221	22	28	57	25	7	21	8	1	17	28	10	130	34	46	20	18	4	03
164	5	1	61	11	3	7	5	1	2	1	–	5	4	6	33	26	13	7	1	2	04
128	11	3	50	11	6	10	2	–	1	2	–	1	10	12	42	13	15	7	1	1	05
78	5	3	32	7	3	9	1	–	1	2	–	1	6	6	23	6	12	3	1	1	06
50	6	–	18	4	3	1	1	–	–	–	–	–	4	6	19	7	3	4	–	–	07
35	3	–	27	1	2	4	–	1	–	2	–	–	1	1	8	4	7	2	–	–	08
42	10	–	39	5	1	5	4	–	2	–	–	2	2	3	10	1	6	2	–	–	09
117	9	1	29	8	10	13	2	1	2	2	–	2	1	2	30	15	9	2	2	–	10
30	3	–	7	1	2	–	–	1	2	–	–	1	1	1	3	4	3	–	–	–	11
49	1	–	24	1	1	4	4	–	–	–	–	–	3	3	19	3	7	2	–	–	12
144	18	4	48	22	7	17	8	2	3	3	–	3	8	5	31	11	12	2	2	2	13
91	10	2	31	15	2	9	5	1	2	1	–	3	7	2	22	4	5	2	1	2	14
53	8	2	17	7	5	8	3	1	1	2	–	–	1	3	9	7	7	–	1	–	15
231	13	–	80	22	10	20	11	1	6	3	–	3	9	6	43	17	18	13	2	–	16
27	3	–	15	1	–	–	2	–	–	–	–	–	2	2	7	3	2	3	–	–	17
101	5	–	29	13	4	8	5	1	4	2	–	3	1	1	19	8	7	6	2	–	18
103	5	–	36	8	6	12	4	–	2	1	–	–	6	3	17	6	9	4	–	–	19
85	5	–	55	7	4	11	5	1	2	–	–	2	–	1	31	7	8	3	–	–	20
123	19	3	44	18	3	15	9	2	2	1	–	2	2	11	22	15	16	6	2	–	21
75	15	2	24	12	2	10	4	1	2	–	–	1	2	4	13	4	7	4	1	–	22
48	4	1	20	6	1	5	5	1	–	1	–	1	–	7	9	11	9	2	1	–	23
33	2	1	17	2	–	4	1	–	–	2	–	1	1	2	2	5	5	–	–	1	24
117	11	1	42	14	4	6	6	2	1	2	–	5	8	2	42	3	11	1	–	–	25
57	4	1	22	7	2	4	1	1	1	2	–	2	5	–	21	2	7	1	–	–	26
60	7	–	20	7	2	2	5	1	–	–	–	3	3	2	21	1	4	–	–	–	27
131	8	–	39	8	3	11	4	2	1	–	–	1	2	–	14	6	13	3	–	–	28
99	8	–	28	4	2	7	4	1	3	–	–	1	3	5	12	8	6	1	–	–	29
94	15	2	36	7	1	4	7	–	4	–	–	1	8	6	20	9	7	2	1	–	30
384	19	1	132	17	14	33	27	2	10	5	–	4	13	14	112	35	33	22	13	8	31
270	17	–	93	10	11	24	20	–	8	3	–	1	8	9	77	14	21	17	12	7	32
114	2	1	39	7	3	9	7	2	2	2	–	3	5	5	35	21	12	5	1	1	33
105	2	1	25	7	1	6	1	2	2	5	–	–	1	1	22	16	11	5	–	–	34
395	14	6	118	31	9	36	11	1	10	2	–	16	26	7	69	17	28	12	7	2	35
189	9	3	57	5	6	22	4	1	8	2	–	9	15	2	35	6	9	5	1	–	36
67	1	2	21	18	2	3	2	–	–	–	–	2	3	4	10	2	5	1	–	–	37
139	4	1	40	8	1	11	5	–	2	–	–	5	8	1	24	9	14	6	6	2	38
89	5	–	31	10	3	8	8	–	1	2	–	2	7	4	19	3	9	–	–	–	39
66	4	–	24	9	2	7	7	–	1	2	–	–	6	3	12	2	7	–	–	–	40
23	1	–	7	1	1	1	1	–	–	–	–	2	1	1	7	1	2	–	–	–	41
193	16	4	69	11	5	13	15	1	10	–	–	5	8	9	49	10	14	6	6	–	42
148	15	4	59	6	5	13	12	1	9	–	–	4	6	7	38	7	11	6	5	–	43
45	1	–	10	5	–	–	3	–	1	–	–	1	2	2	11	3	3	–	1	–	44
72	6	2	18	7	1	8	1	1	3	–	–	2	–	1	18	3	4	3	–	1	45
47	4	–	10	2	2	5	1	1	–	–	–	3	–	–	8	3	6	1	1	1	46
75	4	1	13	9	3	3	1	1	1	–	–	–	1	3	16	6	5	5	–	1	47
152	7	2	23	16	5	6	3	2	2	–	–	3	5	–	18	9	12	5	1	–	48
206	10	3	105	15	11	21	14	1	13	2	–	1	8	13	49	24	26	14	7	2	49
131	6	3	55	8	3	14	3	–	9	1	–	1	8	11	31	12	15	8	6	2	50
75	4	–	50	7	8	7	11	1	4	1	–	–	–	2	18	12	11	6	1	–	51
131	17	–	48	1	5	6	5	1	2	2	–	2	4	3	21	11	10	2	–	–	52
136	15	1	46	8	2	12	6	3	2	1	–	4	9	6	33	8	10	8	3	–	53
88	11	–	20	6	4	6	3	1	2	1	–	1	7	8	24	9	13	5	1	2	54
70	1	4	26	5	3	3	3	1	1	9	–	2	3	2	17	5	6	4	3	1	55
138	12	–	49	4	7	9	–	1	1	–	–	4	6	10	22	14	13	9	1	–	56
163	25	1	61	3	9	12	2	2	6	–	–	–	5	–	38	8	12	3	2	2	57
68	12	–	29	–	5	9	2	–	4	–	–	–	5	–	21	3	5	1	2	–	58
95	13	1	32	3	4	3	–	2	2	–	–	–	–	–	17	5	7	2	–	2	59
196	17	2	67	24	7	17	9	2	10	5	1	5	5	10	57	10	18	4	1	1	60
153	11	2	52	21	5	13	5	1	10	5	1	4	3	8	41	4	9	2	1	–	61
43	6	–	15	3	2	4	4	1	–	–	–	1	2	2	16	6	9	2	–	1	62
121	9	–	64	2	4	3	3	–	1	1	–	3	1	4	25	8	15	3	1	–	63
59	2	–	29	2	1	2	2	–	–	1	–	1	1	–	11	5	5	3	–	–	64
62	7	–	35	–	3	1	1	–	1	–	–	2	–	4	14	3	10	–	1	–	65
118	3	3	39	11	4	8	2	2	5	1	–	–	5	1	25	6	16	7	1	–	66
58	1	3	24	4	4	6	1	1	2	–	–	–	3	–	11	1	6	2	1	–	67
60	2	–	15	7	–	2	1	1	3	1	–	–	2	1	14	5	10	5	–	–	68
75	4	1	26	3	5	7	4	–	–	1	–	1	2	4	16	5	6	2	3	–	69
76	3	2	32	14	5	5	3	–	1	–	–	1	1	14	18	11	12	3	–	–	70
73	5	1	29	11	5	12	5	2	3	1	–	–	3	3	29	4	7	3	–	–	71
37	3	1	13	5	3	9	4	2	1	1	–	–	3	2	20	3	3	1	–	–	72
36	2	–	16	6	2	3	1	–	2	–	–	–	–	1	9	1	4	2	–	–	73
54	8	2	16	5	4	5	2	–	–	2	–	–	1	2	15	5	9	6	1	–	74
169	8	3	53	17	7	9	7	2	4	2	–	–	2	1	35	11	12	6	–	6	75
46	2	2	18	5	3	5	1	–	–	1	–	–	–	–	9	2	5	1	–	–	76
54	3	–	14	6	1	–	6	–	2	–	–	–	1	–	13	1	3	2	–	5	77
69	3	1	21	6	3	4	–	2	2	1	–	–	1	1	13	8	4	3	–	1	78
141	22	4	68	22	12	14	21	2	2	4	–	2	7	5	34	9	9	5	3	2	79
60	13	1	35	11	12	5	9	1	2	1	–	1	5	3	18	5	6	3	2	1	80
81	9	3	33	11	–	9	12	1	–	3	–	1	2	2	16	4	3	2	1	1	81
165	7	3	44	7	4	6	13	3	2	5	–	5	5	1	33	19	12	8	–	2	82
64	7	–	20	2	1	7	2	–	2	1	–	1	1	2	10	11	6	1	–	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Indiana—Con.																	
01	Lake	4,394	11	–	34	786	240	182	61	85	38	28	152	126	2,182	1,593	31	26
02	Crown Point	139	–	–	–	26	9	5	1	3	1	–	7	1	85	68	–	1
03	East Chicago	450	1	–	4	84	25	24	10	7	4	2	12	27	216	143	2	4
04	Gary	1,576	5	–	14	279	95	61	18	33	11	9	52	47	713	507	11	8
05	Griffith	93	1	–	1	19	6	6	–	4	1	–	2	3	43	33	2	1
06	Hammond	863	2	–	7	143	40	34	17	11	9	3	29	27	470	365	6	7
07	Highland	115	–	–	1	16	1	6	–	1	4	1	3	3	70	52	1	–
08	Hobart	167	–	–	–	37	14	9	1	3	4	3	3	2	86	63	1	1
09	Munster	99	2	–	2	21	4	2	4	6	1	1	3	1	49	37	–	–
10	Balance of county	892	–	–	5	161	46	35	10	17	3	9	41	15	450	325	8	4
11	La Porte	962	1	–	6	199	53	44	21	23	10	14	34	22	490	342	8	4
12	La Porte	257	–	–	1	63	17	15	4	9	5	4	9	7	134	96	–	–
13	Michigan City	395	–	–	3	70	20	15	6	8	1	6	14	9	194	134	3	2
14	Balance of county	310	1	–	2	66	16	14	11	6	4	4	11	6	162	112	5	2
15	Lawrence	384	–	–	–	61	14	17	4	4	4	2	16	6	204	160	2	14
16	Bedford	176	–	–	–	28	5	9	3	2	2	1	6	2	99	74	–	5
17	Balance of county	208	–	–	–	33	9	8	1	2	2	1	10	4	105	86	2	9
18	Madison	1,187	2	–	4	241	65	63	21	25	9	9	49	28	635	430	9	8
19	Anderson	701	1	–	1	137	38	35	11	16	4	2	31	19	373	251	5	5
20	Elwood	125	–	–	2	18	5	5	2	1	2	–	3	2	77	50	–	–
21	Balance of county	361	1	–	1	86	22	23	8	8	3	7	15	7	185	129	4	3
22	Marion	6,717	6	3	66	1,361	331	385	122	159	49	38	277	128	3,396	2,465	51	46
23	Beech Grove	124	–	–	–	26	13	4	2	5	1	–	1	5	74	59	2	2
24	Indianapolis	6,404	5	3	64	1,294	309	370	117	150	46	36	266	118	3,234	2,341	46	43
25	Lawrence	27	1	–	–	7	2	2	1	1	–	–	1	–	12	7	–	1
26	Speedway	58	–	–	–	19	4	5	–	2	2	1	5	2	26	20	2	–
27	Balance of county	104	–	–	2	15	3	4	2	1	–	1	4	3	50	38	1	–
28	Marshall	368	1	–	2	74	15	18	11	8	5	1	16	6	218	147	1	2
29	Martin	103	–	–	–	12	2	6	1	1	–	–	2	1	47	37	–	4
30	Miami	308	1	1	5	57	17	14	2	9	–	2	13	12	164	110	–	3
31	Peru	167	–	1	3	27	10	6	1	5	–	–	5	7	88	63	–	1
32	Balance of county	141	1	–	2	30	7	8	1	4	–	2	8	5	76	47	–	2
33	Monroe	478	–	–	2	77	13	18	5	9	2	7	23	13	257	170	4	4
34	Bloomington	291	–	–	1	46	7	10	5	4	2	4	14	9	163	109	2	2
35	Balance of county	187	–	–	1	31	6	8	–	5	–	3	9	4	94	61	2	2
36	Montgomery	350	1	–	1	49	11	11	7	11	–	1	8	12	207	135	1	1
37	Crawfordsville	186	–	–	1	26	4	9	3	5	–	–	5	10	104	70	–	–
38	Balance of county	164	1	–	–	23	7	2	4	6	–	1	3	2	103	65	1	1
39	Morgan	363	–	–	1	82	19	23	4	12	2	4	18	7	187	135	7	3
40	Newton	132	–	–	–	31	5	8	1	4	2	–	11	2	61	51	–	3
41	Noble	325	–	–	3	61	16	15	6	9	1	6	8	7	175	138	2	–
42	Ohio	50	–	–	–	8	4	1	1	–	–	–	2	–	28	18	–	–
43	Orange	188	2	–	–	29	8	9	–	5	–	1	6	7	107	85	2	2
44	Owen	140	–	1	1	26	10	4	2	1	1	1	7	7	78	47	2	1
45	Parke	206	–	–	1	25	4	9	3	2	1	2	4	1	137	90	2	8
46	Perry	169	–	–	2	25	8	5	1	3	2	2	4	2	85	59	–	–
47	Pike	184	–	–	1	35	11	6	3	3	1	1	10	6	108	66	1	2
48	Porter	608	1	–	4	110	29	31	11	10	4	6	19	11	303	214	3	12
49	Portage	117	–	–	1	21	6	8	2	3	–	1	1	5	47	30	–	–
50	Valparaiso	185	1	–	2	38	8	9	4	4	2	3	8	2	92	66	–	5
51	Balance of county	306	–	–	1	51	15	14	5	3	2	2	10	4	164	118	3	7
52	Posey	218	–	–	–	36	12	7	6	3	1	1	6	–	144	98	1	1
53	Pulaski	135	–	–	2	27	9	7	1	2	2	1	5	2	67	47	3	2
54	Putnam	236	–	–	–	38	9	10	1	3	5	1	9	4	137	97	3	5
55	Randolph	260	–	–	2	44	13	8	9	4	–	1	9	5	148	112	–	10
56	Ripley	246	–	–	1	39	10	7	6	4	2	2	8	4	144	115	–	4
57	Rush	209	–	–	1	34	10	7	–	4	3	2	8	4	117	79	–	1
58	St. Joseph	2,153	–	–	7	424	97	102	36	53	26	21	89	37	1,169	811	27	6
59	Mishawaka	365	–	–	4	73	14	25	5	7	4	4	14	6	198	135	4	1
60	South Bend	1,298	–	–	2	263	61	58	20	37	14	12	61	27	699	482	17	3
61	Balance of county	490	–	–	1	88	22	19	11	9	8	5	14	4	272	194	6	2
62	Scott	155	–	–	1	27	5	6	3	3	1	1	8	4	74	55	–	–
63	Shelby	365	–	–	–	60	11	19	3	5	4	1	17	11	204	139	2	6
64	Shelbyville	173	–	–	–	27	5	10	–	1	4	1	6	10	91	64	1	5
65	Balance of county	192	–	–	–	33	6	9	3	4	–	–	11	1	113	75	1	1
66	Spencer	189	–	–	1	28	7	6	4	3	1	–	7	3	104	71	1	4
67	Starke	232	–	–	–	43	12	9	3	9	1	1	8	3	132	91	2	3
68	Steuben	202	–	–	–	40	7	11	5	4	2	2	9	3	106	77	–	–
69	Sullivan	260	2	–	–	38	13	6	4	6	2	1	6	6	171	110	1	4
70	Switzerland	59	–	–	–	11	2	2	–	2	1	1	3	–	28	21	1	–
71	Tippecanoe	779	1	–	8	139	34	43	6	11	6	7	32	13	396	255	3	3
72	Lafayette	455	–	–	3	102	25	32	5	7	3	4	26	7	217	143	3	2
73	West Lafayette	96	–	–	1	6	–	3	–	1	1	–	1	1	57	30	–	1
74	Balance of county	228	1	–	4	31	9	8	1	3	2	3	5	5	122	82	–	–
75	Tipton	155	–	–	2	27	7	9	1	3	1	–	6	4	90	64	2	9
76	Union	76	–	–	1	13	3	3	–	3	–	–	4	2	42	36	1	2
77	Vanderburgh	1,819	3	–	13	345	89	85	20	42	18	12	79	37	1,030	699	15	22
78	Evansville	1,703	3	–	11	322	83	77	20	40	17	11	74	33	969	649	13	21
79	Balance of county	116	–	–	2	23	6	8	–	2	1	1	5	4	61	50	2	1
80	Vermillion	228	1	–	2	39	14	8	–	3	3	4	7	3	136	105	2	1
81	Vigo	1,239	2	–	10	244	61	70	13	29	7	13	51	35	641	434	10	13
82	Terre Haute	873	2	–	3	178	43	53	9	20	6	9	38	28	451	304	7	11
83	Balance of county	366	–	–	7	66	18	17	4	9	1	4	13	7	190	130	3	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975—Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,446	90	27	453	58	51	119	62	9	95	14	2	38	110	59	290	107	159	42	132	17	01
66	1	–	13	1	3	3	1	–	1	–	–	1	–	1	10	3	5	1	1	–	02
131	6	6	50	8	9	11	8	1	18	–	–	4	9	2	22	3	16	8	12	4	03
455	33	12	160	21	13	47	21	4	30	10	1	9	48	33	117	37	60	9	87	5	04
29	1	–	7	1	2	2	1	–	1	–	–	–	2	1	5	4	1	4	5	–	05
330	22	3	82	13	7	23	10	2	23	1	–	7	20	11	47	20	28	10	10	2	06
48	3	–	15	1	2	4	2	–	2	–	–	–	1	2	7	4	2	–	1	–	07
60	1	1	19	1	2	3	3	–	4	1	–	1	5	–	13	6	2	1	2	1	08
35	2	1	10	1	–	3	1	–	–	–	–	1	–	2	6	3	5	1	2	–	09
292	21	4	97	11	13	23	15	2	16	2	1	15	25	7	63	27	40	8	12	5	10
324	6	4	114	12	18	14	22	2	13	3	–	6	23	9	84	27	22	11	7	1	11
93	3	2	31	3	2	3	5	1	5	2	–	2	3	2	21	3	3	1	1	–	12
127	2	1	49	2	8	6	13	–	7	–	–	2	12	6	41	14	9	5	3	1	13
104	1	1	34	7	8	5	4	1	1	1	–	2	8	1	22	10	10	5	3	–	14
127	17	–	32	7	5	16	9	–	2	1	–	–	3	3	46	9	14	7	1	2	15
61	8	–	16	6	3	6	6	–	1	–	–	–	1	3	24	1	2	2	–	1	16
66	9	–	16	1	2	10	3	–	1	1	–	–	2	–	22	8	12	5	1	1	17
390	23	6	137	41	21	28	17	9	19	4	–	7	20	14	85	30	23	12	7	2	18
226	15	2	85	23	12	19	8	4	15	2	–	2	14	9	56	11	16	7	5	2	19
49	1	2	13	7	5	1	–	1	1	–	–	2	1	–	11	4	1	2	2	–	20
115	7	2	39	11	4	8	9	4	3	2	–	3	5	5	18	15	6	3	–	–	21
2,147	221	14	681	160	76	189	78	25	99	36	4	42	86	62	567	115	176	104	125	49	22
50	5	–	13	2	–	2	2	–	1	–	–	–	1	–	5	1	4	–	2	1	23
2,041	211	14	652	152	75	182	73	25	97	35	4	39	84	60	545	107	168	98	122	47	24
6	–	–	4	1	–	2	1	–	–	–	–	1	–	–	3	–	–	–	–	–	25
16	2	–	3	2	1	1	1	–	1	–	–	1	–	–	5	–	–	2	–	–	26
34	3	–	9	3	–	2	1	–	–	1	–	1	1	2	9	7	4	4	1	1	27
135	9	–	60	6	5	5	7	–	4	–	–	2	4	1	23	11	7	3	–	–	28
31	2	–	8	2	–	5	6	1	1	1	–	–	2	–	14	6	6	–	1	–	29
99	8	1	36	17	–	8	4	3	1	–	–	4	9	1	22	3	11	1	1	–	30
56	6	–	13	12	–	5	2	1	1	–	–	3	6	–	16	–	6	1	–	–	31
43	2	1	23	5	–	3	2	2	–	–	–	1	3	1	6	3	5	–	1	–	32
155	7	3	63	14	7	8	10	2	4	1	–	6	9	7	43	12	15	8	2	2	33
102	3	1	39	10	4	6	5	2	3	–	–	1	7	6	23	6	6	4	2	1	34
53	4	2	24	4	3	2	5	–	1	1	–	5	2	1	20	6	9	4	–	1	35
125	8	1	57	8	6	14	4	–	3	–	–	4	1	1	30	13	5	4	–	1	36
64	6	–	25	6	3	9	3	–	1	–	–	3	–	–	21	5	2	1	–	–	37
61	2	1	32	2	3	5	1	–	2	–	–	1	1	1	9	8	3	3	–	1	38
120	5	1	33	13	5	7	8	1	5	2	–	2	4	2	26	6	13	6	2	2	39
40	8	1	5	1	3	2	2	–	1	–	–	1	1	3	14	6	5	1	1	1	40
132	4	2	23	10	2	8	8	1	3	2	–	–	3	–	24	12	10	5	3	–	41
15	3	–	6	3	1	1	2	–	1	–	–	–	1	–	3	–	4	2	–	–	42
71	10	–	11	7	4	8	1	1	1	1	–	–	1	–	16	3	6	5	–	–	43
42	2	–	23	4	4	1	1	–	1	–	–	–	–	–	13	3	4	3	1	–	44
77	3	2	34	7	4	9	3	–	2	–	1	1	–	1	11	7	4	2	1	–	45
57	2	–	21	4	1	11	1	–	3	1	–	–	3	3	18	3	9	1	1	1	46
60	3	–	33	6	3	4	3	–	–	1	–	–	–	1	15	1	6	3	–	–	47
180	19	3	53	14	19	11	13	2	12	5	–	7	13	6	42	24	27	9	6	2	48
25	5	–	8	4	5	2	2	–	4	1	–	2	5	2	8	3	7	5	2	–	49
56	5	3	17	4	2	4	5	1	3	–	–	2	4	2	15	5	8	1	–	–	50
99	9	–	28	6	12	5	6	1	5	4	–	3	4	2	19	16	12	3	4	2	51
94	2	2	32	10	2	7	3	–	2	–	–	–	1	2	6	8	5	4	–	–	52
38	4	–	15	4	1	3	3	–	1	1	–	1	1	1	10	5	10	–	1	–	53
80	9	–	29	8	3	6	2	1	1	1	–	–	3	2	23	5	9	4	–	–	54
86	16	1	30	2	3	4	6	2	–	–	–	1	4	1	19	10	8	3	3	–	55
101	10	–	23	1	5	8	1	–	4	3	–	1	2	–	24	6	6	2	1	–	56
75	3	–	31	1	6	4	2	1	2	2	–	1	3	2	15	10	8	1	1	1	57
752	26	5	272	43	38	58	24	10	22	6	–	16	28	32	141	66	69	19	22	3	58
129	1	1	49	3	10	9	5	2	4	2	–	1	10	–	27	10	11	2	1	–	59
444	18	3	164	30	20	36	15	7	10	2	–	11	13	25	86	28	45	10	16	3	60
179	7	1	59	10	8	13	4	1	8	2	–	4	5	7	28	28	13	7	5	–	61
52	3	–	18	1	–	7	5	–	2	1	–	1	2	2	16	5	4	1	3	–	62
128	3	–	48	12	5	6	8	1	4	–	–	2	4	9	28	10	12	3	1	2	63
56	2	–	19	7	1	4	3	–	4	–	–	1	2	4	16	4	4	3	–	–	64
72	1	–	29	5	4	2	5	1	–	–	–	1	2	5	12	6	8	–	1	2	65
66	–	–	24	7	2	11	1	–	1	–	–	1	1	1	23	2	7	3	1	1	66
78	8	2	33	3	3	3	1	–	3	1	–	1	1	4	16	12	8	2	1	1	67
72	5	1	22	4	2	5	5	–	–	–	–	1	5	5	14	4	9	5	–	–	68
99	6	–	51	2	8	5	3	1	2	1	–	–	4	–	13	7	5	2	–	–	69
17	3	–	5	2	–	3	1	–	–	–	–	1	2	–	4	3	2	4	–	–	70
232	17	1	119	7	14	28	19	5	8	–	–	8	7	36	50	20	20	18	2	1	71
132	6	1	66	4	3	19	10	2	6	–	–	7	4	19	31	6	10	9	2	1	72
25	4	–	20	1	6	2	2	1	1	–	–	–	2	10	5	1	3	4	–	–	73
75	7	–	33	2	5	7	7	2	1	–	–	1	1	7	14	13	7	5	–	–	74
51	2	1	18	7	–	1	3	1	–	–	–	2	2	1	13	1	5	3	–	–	75
31	2	–	5	1	–	2	1	–	–	–	–	1	–	1	6	3	4	–	–	–	76
631	31	5	230	62	34	49	32	6	29	6	1	7	20	6	126	24	41	27	16	1	77
587	28	5	224	59	32	44	30	6	27	6	1	7	16	6	120	20	41	25	15	1	78
44	3	–	6	3	2	5	2	–	2	–	–	–	4	–	6	4	–	2	1	–	79
93	9	–	24	5	2	11	4	–	–	–	–	–	1	3	14	5	5	3	–	1	80
382	29	9	132	47	19	39	20	4	17	6	–	4	13	14	103	19	42	14	12	–	81
267	19	7	91	35	14	31	13	3	11	4	–	3	10	10	76	6	29	6	9	–	82
115	10	2	41	12	5	8	7	1	6	2	–	1	3	4	27	13	13	8	3	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Indiana—Con.																	
01	Wabash	362	–	–	3	66	15	16	9	5	4	5	12	9	194	114	1	3
02	Wabash	146	–	–	–	29	6	9	5	1	2	–	6	4	71	45	–	2
03	Balance of county	216	–	–	3	37	9	7	4	4	2	5	6	5	123	69	1	1
04	Warren	91	1	1	1	16	4	7	–	1	2	1	1	2	42	34	2	1
05	Warrick	270	1	–	–	56	15	15	3	9	3	–	11	9	153	122	–	16
06	Washington	201	1	–	–	31	7	8	4	3	–	3	6	3	127	106	2	7
07	Wayne	798	1	–	8	150	37	33	11	20	9	9	31	15	417	286	6	6
08	Richmond	536	1	–	5	100	27	20	7	13	6	8	19	7	278	192	5	4
09	Balance of county	262	–	–	3	50	10	13	4	7	3	1	12	8	139	94	1	2
10	Wells	223	–	–	1	31	6	4	4	7	3	1	6	1	141	104	–	–
11	White	220	–	–	1	35	6	11	3	2	–	3	10	4	131	77	1	–
12	Whitley	236	–	–	2	39	12	9	3	5	3	1	6	4	144	93	–	1
13	**Iowa**	**28,097**	**18**	**3**	**161**	**5,359**	**1,579**	**1,133**	**475**	**686**	**267**	**250**	**969**	**562**	**15,438**	**11,046**	**180**	**157**
14	Urban places	10,948	10	1	58	2,171	625	515	199	242	104	84	402	224	5,871	4,231	75	59
15	Balance of area	17,149	8	2	103	3,188	954	618	276	444	163	166	567	338	9,567	6,815	105	98
16	Metropolitan counties	8,675	7	–	44	1,711	468	404	169	178	87	76	329	183	4,572	3,344	58	48
17	Urban places	7,239	7	–	29	1,419	389	339	141	150	73	57	270	155	3,852	2,824	50	40
18	Balance of area	1,436	–	–	15	292	79	65	28	28	14	19	59	28	720	520	8	8
19	Nonmetropolitan counties	19,422	11	3	117	3,648	1,111	729	306	508	180	174	640	379	10,866	7,702	122	109
20	Urban places	3,709	3	1	29	752	236	176	58	92	31	27	132	69	2,019	1,407	25	19
21	Balance of area	15,713	8	2	88	2,896	875	553	248	416	149	147	508	310	8,847	6,295	97	90
22	Adair	109	–	–	–	19	3	5	1	1	–	2	7	1	68	45	1	–
23	Adams	81	–	–	–	13	2	4	1	1	1	1	3	1	50	35	1	–
24	Allamakee	159	–	–	1	24	6	2	4	7	3	1	1	4	83	59	2	–
25	Appanoose	255	–	–	2	38	10	12	–	5	5	–	6	5	159	126	3	1
26	Audubon	106	–	–	–	23	11	2	2	4	–	–	4	3	53	42	–	2
27	Benton	236	–	–	2	36	10	7	4	3	2	2	8	5	139	98	4	1
28	Black Hawk	1,090	–	–	5	197	66	50	14	20	8	9	30	21	598	412	8	5
29	Cedar Falls	218	–	–	1	36	10	4	5	6	5	1	5	6	123	87	–	–
30	Waterloo	698	–	–	–	123	46	35	8	12	1	4	17	14	388	264	8	3
31	Balance of county	174	–	–	4	38	10	11	1	2	2	4	8	1	87	61	–	2
32	Boone	342	–	–	1	65	17	14	9	7	5	3	10	2	190	126	–	1
33	Boone	207	–	–	–	36	12	5	3	5	3	1	7	2	117	72	–	–
34	Balance of county	135	–	–	1	29	5	9	6	2	2	2	3	–	73	54	–	1
35	Bremer	199	–	–	1	32	14	8	5	2	–	2	1	3	127	83	2	–
36	Buchanan	236	–	–	1	31	7	11	1	5	1	1	5	2	137	110	1	1
37	Buena Vista	223	–	–	1	40	14	6	5	3	4	2	6	6	121	86	–	2
38	Butler	204	1	–	1	40	11	12	6	4	1	2	4	3	121	80	1	–
39	Calhoun	174	–	–	–	23	8	4	2	4	1	–	4	2	102	64	–	–
40	Carroll	246	–	–	1	57	22	13	4	10	3	1	4	6	150	101	1	1
41	Cass	227	–	–	2	44	17	6	3	6	–	–	12	7	137	85	4	4
42	Cedar	166	–	–	1	29	5	8	2	5	1	2	6	1	97	65	2	1
43	Cerro Gordo	515	–	–	8	96	32	26	7	14	2	4	11	6	281	197	6	1
44	Mason City	337	–	–	5	64	25	20	3	6	–	3	7	4	177	122	6	–
45	Balance of county	178	–	–	3	32	7	6	4	8	2	1	4	2	104	75	–	1
46	Cherokee	153	–	–	–	36	6	13	6	2	1	4	4	1	76	52	–	1
47	Chickasaw	163	–	–	–	37	11	6	3	6	2	1	8	3	82	63	1	1
48	Clarke	116	–	–	1	22	7	4	2	2	1	3	3	3	72	54	–	–
49	Clay	193	–	–	–	36	14	4	2	5	2	–	9	2	127	86	–	2
50	Spencer	112	–	–	–	21	6	4	1	4	–	–	6	1	77	54	–	–
51	Balance of county	81	–	–	–	15	8	–	1	1	2	–	3	1	50	32	–	2
52	Clayton	220	–	–	4	39	8	9	6	6	1	2	7	2	119	82	–	–
53	Clinton	550	–	1	4	108	38	24	8	18	7	–	13	5	311	205	3	3
54	Clinton	355	–	1	2	63	19	16	6	9	4	–	9	3	206	131	1	3
55	Balance of county	195	–	–	2	45	19	8	2	9	3	–	4	2	105	74	2	–
56	Crawford	187	–	–	1	35	10	4	6	8	2	2	3	2	114	81	1	–
57	Dallas	293	–	–	–	57	15	10	3	7	2	5	15	8	156	99	–	1
58	Davis	101	–	–	1	21	6	2	1	4	4	–	4	–	65	57	–	–
59	Decatur	124	–	–	–	15	4	1	–	6	–	1	3	5	78	49	–	–
60	Delaware	196	–	–	1	45	15	8	5	8	–	2	7	3	104	64	2	–
61	Des Moines	474	–	–	3	98	24	27	8	11	3	8	17	15	254	184	2	4
62	Burlington	359	–	–	–	78	22	19	6	8	3	7	13	9	193	139	1	2
63	Balance of county	115	–	–	3	20	2	8	2	3	–	1	4	6	61	45	1	2
64	Dickinson	161	–	–	2	27	6	6	4	2	3	1	5	3	95	67	1	1
65	Dubuque	835	1	–	5	171	46	31	23	20	4	13	34	25	447	331	6	2
66	Dubuque	644	1	–	1	133	35	24	18	15	4	9	28	17	350	264	5	2
67	Balance of county	191	–	–	4	38	11	7	5	5	–	4	6	8	97	67	1	–
68	Emmet	152	–	–	1	29	7	6	3	3	1	4	5	–	77	60	–	1
69	Fayette	290	–	–	1	52	18	8	5	9	5	2	5	5	169	125	3	2
70	Floyd	176	–	1	1	33	11	6	5	4	1	2	4	7	95	63	–	2
71	Franklin	135	–	–	–	22	7	1	4	5	3	1	1	4	83	66	2	–
72	Fremont	116	–	–	–	16	7	–	1	2	1	2	3	3	73	58	–	3
73	Greene	165	–	–	–	28	9	6	4	3	1	–	5	4	107	79	–	1
74	Grundy	123	–	–	–	25	11	1	3	1	4	1	4	3	65	51	1	2
75	Guthrie	158	–	–	–	33	8	7	3	2	6	1	6	1	70	46	3	1
76	Hamilton	196	–	–	–	39	15	3	5	3	1	1	11	5	102	70	–	–
77	Hancock	171	–	–	1	39	11	9	2	5	2	3	7	1	97	65	1	1
78	Hardin	263	–	–	1	56	17	4	7	7	5	6	10	7	160	109	1	–
79	Harrison	206	–	–	2	29	10	5	1	6	–	2	5	3	122	99	1	2
80	Henry	205	–	–	2	44	11	8	3	8	1	3	10	3	110	81	–	–
81	Howard	152	–	–	2	20	8	2	1	3	1	1	4	5	86	64	4	–
82	Humboldt	139	–	–	–	22	9	2	–	2	2	1	6	2	79	60	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth, and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
88	22	3	59	15	3	11	6	–	6	1	–	5	1	3	39	6	11	1	–	–	01
30	13	1	22	2	1	7	3	–	3	–	–	4	–	1	18	4	2	–	–	–	02
58	9	2	37	13	2	4	3	–	3	1	–	1	1	2	21	2	9	1	–	–	03
28	3	–	6	2	–	6	2	–	1	–	–	–	–	1	8	6	1	1	2	–	04
102	4	1	21	6	3	9	4	–	2	–	–	1	2	2	13	8	7	3	–	–	05
92	5	–	16	–	5	4	3	1	1	–	–	–	3	1	10	6	5	3	1	1	06
267	7	4	100	17	10	26	11	4	6	1	–	8	8	3	79	20	24	10	5	2	07
179	4	4	63	11	8	20	8	4	6	1	–	6	2	2	55	9	20	6	4	2	08
88	3	–	37	6	2	6	3	–	–	–	–	2	6	1	24	11	4	4	1	–	09
102	2	–	34	2	1	6	1	–	1	–	–	2	–	3	17	13	3	3	–	–	10
66	10	–	33	17	4	7	6	–	3	3	–	1	1	1	13	1	8	3	1	1	11
81	11	1	41	4	5	5	1	1	3	–	–	1	2	5	13	7	8	1	–	–	12
10,047	**662**	**118**	**3,226**	**607**	**441**	**1,083**	**477**	**82**	**278**	**108**	**5**	**177**	**295**	**109**	**2,057**	**696**	**758**	**323**	**74**	**34**	13
3,856	241	37	1,218	200	185	375	216	44	137	32	2	67	139	44	828	230	286	156	41	16	14
6,191	421	81	2,008	407	256	708	261	38	141	76	3	110	156	65	1,229	466	472	167	33	18	15
3,057	181	32	924	131	141	283	165	30	116	24	2	64	129	40	661	206	256	131	41	10	16
2,574	160	25	771	115	117	239	144	29	107	20	2	50	104	29	560	143	199	110	33	8	17
483	21	7	153	16	24	44	21	1	9	4	–	14	25	11	101	63	57	21	8	2	18
6,990	481	86	2,302	476	300	800	312	52	162	84	3	113	166	69	1,396	490	502	192	33	24	19
1,282	81	12	447	85	68	136	72	15	30	12	–	17	35	15	268	87	87	46	8	8	20
5,708	400	74	1,855	391	232	664	240	37	132	72	3	96	131	54	1,128	403	415	146	25	16	21
40	4	–	17	3	3	4	1	–	1	–	–	1	–	–	7	3	2	1	1	–	22
31	3	–	14	1	–	2	–	–	–	–	–	1	1	–	8	2	2	–	–	1	23
56	1	–	16	5	3	16	3	–	1	–	–	–	–	–	12	4	8	2	–	1	24
96	26	–	21	9	3	10	4	–	1	–	–	–	1	–	19	6	7	2	1	–	25
33	7	–	8	3	–	4	–	1	–	1	–	2	–	–	12	2	4	1	–	–	26
89	4	1	36	3	1	11	2	1	2	3	–	–	2	–	19	5	4	3	2	–	27
381	18	3	139	20	24	25	20	6	8	4	1	11	20	7	86	19	29	22	9	2	28
80	7	1	27	3	5	6	3	3	1	3	1	1	2	1	14	3	7	6	1	–	29
242	11	2	91	16	15	15	13	2	7	1	–	9	16	4	58	13	16	14	3	2	30
59	–	–	21	1	4	4	4	1	–	–	–	1	2	2	14	3	6	2	5	–	31
120	5	4	39	14	7	18	9	2	1	2	–	3	5	1	23	5	9	6	–	–	32
70	2	2	26	10	7	12	7	2	1	–	–	1	4	1	14	2	6	2	–	–	33
50	3	2	13	4	–	6	2	–	–	2	–	2	1	–	9	3	3	4	–	–	34
77	4	–	37	2	5	8	–	–	1	–	–	2	–	–	15	3	4	2	–	1	35
103	5	1	20	2	4	12	–	–	2	–	–	4	3	1	24	7	8	2	1	1	36
80	4	–	28	6	1	15	3	1	3	3	–	1	1	2	12	–	11	3	–	–	37
76	3	1	36	2	2	4	3	–	1	1	–	1	1	1	11	5	10	–	–	–	38
63	1	2	31	4	1	9	5	–	–	1	–	2	–	1	14	7	6	2	–	–	39
98	1	–	41	4	4	4	2	–	2	1	–	1	3	–	11	1	7	–	–	–	40
71	6	–	35	14	3	7	3	–	1	2	–	1	1	–	16	4	–	2	–	–	41
59	3	2	22	6	2	6	2	1	1	1	–	1	2	1	14	5	2	2	–	–	42
184	6	1	62	17	4	28	7	1	5	2	–	4	8	1	31	18	12	5	1	1	43
110	6	1	36	14	4	14	5	1	4	2	–	3	6	–	26	11	11	2	1	1	44
74	–	–	26	3	–	14	2	–	1	–	–	1	2	1	5	7	1	3	–	–	45
48	3	1	14	6	3	8	2	–	1	1	–	2	2	–	12	5	7	–	–	–	46
57	4	–	17	2	–	6	3	–	1	2	–	1	3	1	11	6	5	2	–	–	47
53	1	–	15	2	1	5	–	–	–	1	–	–	1	–	5	1	2	3	–	–	48
78	6	–	30	4	7	5	2	1	–	–	–	2	–	1	8	3	3	3	–	–	49
49	5	–	18	2	3	2	1	1	–	–	–	1	–	–	4	–	2	2	–	–	50
29	1	–	12	2	4	3	1	–	–	–	–	1	–	1	4	3	1	1	–	–	51
75	7	1	30	2	4	8	1	–	4	–	–	3	4	3	16	6	9	2	–	–	52
184	15	2	80	13	11	16	6	1	5	4	–	6	6	2	34	16	13	8	3	1	53
114	13	1	59	7	8	11	5	–	4	3	–	3	4	1	23	7	8	8	2	1	54
70	2	1	21	6	3	5	1	1	1	1	–	3	2	1	11	9	5	–	1	–	55
74	6	1	24	1	7	5	5	1	2	–	–	–	3	1	11	2	5	–	–	–	56
93	5	2	47	7	1	19	10	–	2	1	–	1	–	1	24	5	4	3	1	1	57
56	1	–	6	1	1	3	1	–	2	–	–	–	1	–	3	–	3	1	–	–	58
41	8	–	25	2	2	6	3	1	3	–	–	–	1	–	6	5	1	–	–	–	59
60	2	1	38	1	–	11	–	–	3	1	–	2	1	–	7	12	5	–	1	–	60
173	5	2	48	8	12	20	13	1	4	1	–	1	2	1	29	7	14	5	2	4	61
133	3	1	38	4	11	18	9	1	3	1	–	1	–	1	20	5	10	4	2	4	62
40	2	1	10	4	1	2	4	–	1	–	–	–	2	–	9	2	4	1	–	–	63
64	1	1	17	6	4	7	1	1	1	–	–	–	–	–	12	6	4	2	–	–	64
310	13	2	88	8	18	14	14	2	16	1	–	4	8	7	71	21	17	9	2	–	65
248	9	1	63	6	16	13	12	2	15	1	–	4	8	4	52	10	11	8	2	–	66
62	4	1	25	2	2	1	2	–	1	–	–	–	–	3	19	11	6	1	–	–	67
56	3	1	7	5	4	9	3	–	3	3	–	1	3	2	11	3	5	1	–	1	68
116	4	–	38	4	2	7	6	3	2	2	–	3	1	–	19	11	7	1	1	–	69
56	5	–	25	4	3	6	2	–	2	1	–	–	2	–	15	5	3	3	–	–	70
64	–	–	13	3	1	6	1	–	–	–	–	–	2	–	8	3	4	1	1	–	71
51	4	1	8	5	1	6	4	–	1	1	–	1	1	–	5	1	3	–	–	1	72
69	9	1	19	7	1	4	4	–	2	–	–	1	–	–	8	3	2	2	–	–	73
46	2	–	7	4	3	3	1	–	1	1	–	–	1	–	15	4	2	2	–	–	74
40	2	–	19	3	2	20	2	1	1	–	–	1	2	2	15	2	6	1	–	1	75
66	4	–	28	1	3	11	3	–	–	1	–	–	3	2	15	3	9	3	–	–	76
60	3	–	20	5	7	8	3	2	–	2	–	–	1	1	10	3	2	1	–	–	77
103	5	4	30	11	6	4	4	1	2	1	–	2	1	–	13	6	2	2	1	–	78
92	4	–	16	3	4	9	5	1	–	1	–	2	1	1	11	9	8	2	–	–	79
77	4	2	20	3	4	11	6	–	2	1	–	1	1	1	15	4	3	–	–	1	80
52	8	–	19	–	3	8	1	1	3	1	–	–	1	–	9	6	6	2	–	1	81
52	6	1	12	4	2	9	3	1	1	1	–	–	1	–	11	2	7	–	–	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Iowa—Con.																	
01	Ida	120	–	–	1	25	11	3	–	6	–	2	3	1	67	45	1	–
02	Iowa	187	–	–	1	30	10	8	1	2	2	3	4	3	108	81	3	3
03	Jackson	203	–	–	1	41	15	10	2	7	2	–	5	4	115	85	5	–
04	Jasper	346	–	–	2	56	21	13	–	4	4	2	12	5	200	129	2	3
05	Newton	163	–	–	1	31	11	7	–	2	2	–	9	2	88	45	1	–
06	Balance of county	183	–	–	1	25	10	6	–	2	2	2	3	3	112	84	1	3
07	Jefferson	174	–	–	2	33	7	9	2	5	3	1	6	7	84	60	1	1
08	Johnson	436	1	–	4	88	29	16	14	7	4	5	13	6	240	190	6	2
09	Iowa City	281	–	–	3	60	20	11	10	6	4	1	8	2	149	119	3	1
10	Balance of county	155	1	–	1	28	9	5	4	1	–	4	5	4	91	71	3	1
11	Jones	179	1	–	3	27	8	5	2	6	1	–	5	1	98	60	–	–
12	Keokuk	192	–	–	1	41	13	4	5	5	1	3	10	3	98	78	–	–
13	Kossuth	205	–	–	1	34	9	5	7	2	2	–	9	3	109	77	–	1
14	Lee	501	3	–	3	95	27	26	9	9	2	1	21	10	277	211	2	3
15	Fort Madison	174	1	–	–	30	8	6	4	4	2	–	6	2	100	80	1	1
16	Keokuk	209	2	–	3	43	13	14	3	2	–	1	10	4	120	82	1	2
17	Balance of county	118	–	–	–	22	6	6	2	3	–	–	5	4	57	49	–	–
18	Linn	1,211	–	–	10	247	66	55	26	20	17	11	52	18	628	458	7	4
19	Cedar Rapids	878	–	–	8	181	48	39	22	15	14	9	34	12	448	333	6	3
20	Marion	99	–	–	–	27	8	7	1	1	1	–	9	1	49	33	1	–
21	Balance of county	234	–	–	2	39	10	9	3	4	2	2	9	5	131	92	–	1
22	Louisa	117	–	1	–	24	9	5	–	3	1	2	4	4	61	46	–	–
23	Lucas	144	–	–	2	25	8	7	1	3	1	2	3	3	86	66	2	–
24	Lyon	100	–	–	–	18	4	1	3	4	1	1	4	2	59	46	2	–
25	Madison	143	–	–	1	27	6	5	6	3	1	–	6	1	90	57	–	1
26	Mahaska	272	–	–	1	51	18	10	7	8	1	–	7	8	158	109	3	3
27	Oskaloosa	173	–	–	–	33	12	7	3	6	–	–	5	7	99	64	2	2
28	Balance of county	99	–	–	1	18	6	3	4	2	1	–	2	1	59	45	1	1
29	Marion	309	–	–	2	48	12	13	3	7	1	1	11	6	185	140	–	4
30	Marshall	403	–	–	6	83	17	19	4	12	4	8	19	13	214	133	5	3
31	Marshalltown	264	–	–	5	57	12	12	2	9	3	6	13	11	139	93	4	2
32	Balance of county	139	–	–	1	26	5	7	2	3	1	2	6	2	75	40	1	1
33	Mills	148	–	–	1	26	5	9	–	7	1	2	2	1	88	66	1	–
34	Mitchell	157	–	–	1	39	8	9	5	5	4	1	7	3	75	56	1	–
35	Monona	160	–	–	–	20	3	4	3	5	–	–	5	8	97	71	1	1
36	Monroe	115	–	–	–	21	4	5	1	4	1	4	2	3	52	36	–	1
37	Montgomery	169	–	–	1	29	7	6	2	2	1	1	10	4	103	54	–	1
38	Muscatine	358	1	–	3	82	30	19	5	8	5	3	12	7	177	123	1	–
39	Muscatine	223	–	–	2	54	20	13	2	5	3	3	8	5	109	79	–	–
40	Balance of county	135	1	–	1	28	10	6	3	3	2	–	4	2	68	44	1	–
41	O'Brien	202	–	–	–	31	8	9	1	5	–	–	8	7	123	79	1	4
42	Osceola	95	–	–	1	16	6	3	–	2	2	1	2	5	47	35	1	–
43	Page	251	–	–	2	55	19	6	4	9	–	6	11	5	150	116	–	3
44	Palo Alto	198	–	–	–	32	12	4	–	6	3	–	7	2	117	84	1	–
45	Plymouth	217	–	–	–	48	15	8	1	8	4	4	8	4	120	83	2	6
46	Pocahontas	144	–	–	–	20	8	5	1	3	–	–	3	1	76	52	–	1
47	Polk	2,543	4	–	10	478	121	129	34	55	25	19	95	40	1,356	984	22	20
48	Des Moines	2,025	3	–	7	372	99	100	23	40	20	15	75	32	1,095	796	16	17
49	Urbandale	47	–	–	–	12	2	2	2	2	2	1	1	–	21	15	1	–
50	West Des Moines	144	1	–	1	30	2	11	3	6	–	–	8	1	82	61	1	–
51	Balance of county	327	–	–	2	64	18	16	6	7	3	3	11	7	158	112	4	3
52	Pottawattamie	784	–	–	5	160	35	49	13	14	7	5	37	13	401	313	1	5
53	Council Bluffs	567	–	–	4	108	24	32	9	11	6	3	23	13	290	227	1	3
54	Balance of county	217	–	–	1	52	11	17	4	3	1	2	14	–	111	86	–	2
55	Poweshiek	179	–	–	1	32	8	6	4	6	1	2	5	3	108	81	–	2
56	Ringgold	90	–	–	–	18	4	2	3	1	1	1	6	–	51	34	1	–
57	Sac	191	–	–	1	34	15	10	2	1	3	1	2	3	110	70	–	–
58	Scott	1,159	2	–	5	245	75	41	34	26	10	10	49	41	606	449	9	6
59	Bettendorf	123	–	–	1	27	4	4	7	5	–	1	6	5	72	54	–	–
60	Davenport	894	2	–	3	191	62	36	22	18	8	7	38	29	469	345	8	6
61	Balance of county	142	–	–	1	27	9	1	5	3	2	2	5	7	65	50	1	–
62	Shelby	144	–	–	1	31	9	8	2	5	–	2	5	3	73	57	2	1
63	Sioux	255	–	–	2	63	20	12	4	6	3	4	14	8	121	91	1	–
64	Story	372	–	–	3	76	18	12	7	14	2	5	18	9	192	139	5	2
65	Ames	138	–	–	2	26	6	7	2	3	–	2	6	2	78	52	1	–
66	Balance of county	234	–	–	1	50	12	5	5	11	2	3	12	7	114	87	4	2
67	Tama	230	1	–	4	40	9	7	4	7	5	1	7	7	119	81	2	1
68	Taylor	125	–	–	–	16	4	3	–	2	1	–	6	4	76	52	–	1
69	Union	195	–	–	1	35	9	5	1	8	1	5	6	2	118	84	1	–
70	Van Buren	102	–	–	–	15	6	3	2	2	–	–	2	3	49	35	–	–
71	Wapello	496	1	–	5	104	33	25	6	18	4	–	18	6	268	206	2	7
72	Ottumwa	377	–	–	3	86	27	20	6	14	4	–	15	5	194	152	2	4
73	Balance of county	119	1	–	2	18	6	5	–	4	–	–	3	1	74	54	–	3
74	Warren	236	–	–	2	45	15	14	3	4	1	4	4	6	129	73	2	2
75	Washington	248	–	–	1	43	16	7	2	7	1	2	8	9	142	115	2	1
76	Wayne	123	–	–	–	18	7	2	1	1	–	1	6	3	71	34	–	–
77	Webster	475	1	–	3	101	33	21	7	17	5	5	13	12	250	176	2	4
78	Fort Dodge	337	–	–	3	70	23	15	7	9	3	3	10	10	173	123	2	2
79	Balance of county	138	1	–	–	31	10	6	–	8	2	2	3	2	77	53	–	2
80	Winnebago	135	1	–	1	28	10	5	5	3	1	3	1	5	75	60	1	1
81	Winneshiek	214	–	–	1	48	20	6	1	6	2	–	13	3	108	80	2	1
82	Woodbury	1,053	–	–	4	213	59	49	25	23	16	9	32	25	536	397	5	6
83	Sioux City	902	–	–	3	179	49	45	21	19	12	7	26	25	465	345	3	6
84	Balance of county	151	–	–	1	34	10	4	4	4	4	2	6	–	71	52	2	–
85	Worth	120	–	–	1	25	7	4	3	6	2	–	3	–	63	46	1	–
86	Wright	191	–	–	–	38	7	5	3	8	4	3	8	1	106	79	1	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth, and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
39	5	–	17	2	3	6	1	–	2	–	–	1	2	–	5	3	4	2	–	–	01
68	7	2	15	4	6	5	1	1	4	1	–	1	4	1	14	7	3	3	–	–	02
76	4	2	18	5	5	8	1	–	2	–	–	3	–	1	14	8	2	2	1	–	03
114	10	1	48	16	6	20	13	3	5	1	–	–	2	1	19	7	7	5	–	–	04
40	4	–	29	9	5	10	9	1	3	–	–	–	1	–	8	5	3	1	–	–	05
74	6	1	19	7	1	10	4	2	2	1	–	–	1	1	11	2	4	4	–	–	06
53	5	–	21	1	2	10	3	–	1	1	1	1	1	1	14	6	5	3	1	–	07
177	5	1	42	4	3	17	4	2	2	–	–	4	4	2	23	18	11	8	1	1	08
114	1	1	24	3	2	10	2	1	1	–	–	3	2	2	17	15	6	7	–	1	09
63	4	–	18	1	1	7	2	1	1	–	–	1	2	–	6	3	5	1	1	–	10
53	7	2	26	6	4	5	3	–	4	–	–	2	2	1	15	2	10	3	2	–	11
67	11	1	16	2	1	9	5	–	1	1	–	2	1	1	14	4	8	3	–	–	12
72	4	–	23	9	–	15	3	1	2	–	–	2	4	–	23	3	3	2	–	–	13
188	18	1	51	7	7	19	12	2	2	2	1	2	1	2	30	16	18	6	–	–	14
73	5	–	14	4	2	8	3	1	1	2	–	1	–	2	7	5	6	5	–	–	15
73	6	1	31	2	4	9	6	–	1	–	–	–	1	–	11	4	4	1	–	–	16
42	7	–	6	1	1	2	3	1	–	–	1	1	–	–	12	7	8	–	–	–	17
418	29	4	127	24	15	45	14	3	15	4	–	8	22	2	92	39	41	17	4	2	18
302	22	3	84	16	12	35	9	3	13	2	–	6	13	2	73	26	28	14	4	1	19
28	4	–	8	6	2	1	1	–	1	–	–	1	–	–	8	4	4	1	–	1	20
88	3	1	35	2	1	9	4	–	1	2	–	1	9	–	11	9	9	2	–	–	21
42	4	–	8	3	4	2	5	–	–	1	–	2	–	1	8	1	5	2	–	–	22
58	6	1	18	–	1	3	1	–	2	1	–	2	–	–	9	2	5	3	–	–	23
36	8	–	10	2	1	5	2	–	–	–	–	3	–	–	7	4	–	–	–	–	24
53	3	2	21	9	1	7	2	–	–	1	–	–	1	–	8	2	1	2	–	–	25
95	8	1	43	5	–	4	5	–	1	–	–	–	2	–	25	8	7	2	–	–	26
56	4	1	29	5	–	1	4	–	1	–	–	–	1	–	17	4	5	1	–	–	27
39	4	–	14	–	–	3	1	–	–	–	–	–	1	–	8	4	2	1	–	–	28
130	6	4	35	3	3	16	4	–	1	1	–	2	4	–	25	7	5	3	–	–	29
117	8	2	53	19	7	10	5	1	2	1	–	2	5	4	36	9	9	2	1	–	30
83	4	1	31	10	4	5	4	1	2	1	–	–	3	4	24	4	3	–	1	–	31
34	4	1	22	9	3	5	1	–	–	–	–	2	2	–	12	5	6	2	–	–	32
63	2	2	16	2	2	7	1	–	4	–	–	–	3	–	8	4	5	–	–	–	33
49	6	1	16	2	–	11	4	–	–	–	–	1	3	–	8	5	7	–	–	–	34
58	11	4	20	1	1	7	3	1	2	1	–	–	–	–	7	7	5	1	1	–	35
28	7	–	12	4	–	6	3	–	1	–	–	–	1	1	17	6	3	1	–	–	36
53	–	2	31	15	1	5	6	2	1	–	1	1	2	–	12	–	1	1	–	–	37
108	14	1	45	3	5	15	3	–	5	5	–	4	6	–	23	12	8	5	2	–	38
68	11	1	25	2	2	10	3	–	3	3	–	2	3	–	15	8	4	2	–	–	39
40	3	–	20	1	3	5	–	–	2	2	–	2	3	–	8	4	4	3	2	–	40
72	2	2	32	8	2	5	–	1	4	3	–	1	1	1	18	2	1	3	1	–	41
32	2	–	7	5	–	4	3	1	1	3	–	1	–	1	3	3	6	–	–	–	42
103	10	3	19	8	4	6	3	–	1	2	–	–	1	–	15	4	3	2	–	2	43
78	5	–	28	1	4	10	5	–	3	–	–	–	3	1	9	8	7	–	1	–	44
72	3	1	23	9	4	16	2	1	1	2	–	2	–	1	15	1	1	2	–	1	45
50	1	2	14	4	4	9	2	–	1	–	–	1	1	–	17	8	7	1	–	–	46
902	40	6	284	49	33	95	45	6	37	5	–	25	31	13	181	61	83	54	17	2	47
727	36	4	234	37	24	79	39	6	31	3	–	19	26	9	153	38	60	39	13	1	48
13	1	1	3	2	–	1	–	–	–	1	–	–	1	–	3	–	4	2	2	–	49
60	–	–	18	2	1	5	2	–	2	–	–	1	1	3	5	4	3	3	–	–	50
102	3	1	29	8	8	10	4	–	4	1	–	5	3	1	20	19	16	10	2	1	51
292	15	6	58	5	19	34	18	1	10	4	–	4	16	1	63	12	27	9	5	1	52
211	12	4	43	3	13	26	14	1	9	4	–	3	10	1	47	8	18	6	4	1	53
81	3	2	15	2	6	8	4	–	1	–	–	1	6	–	16	4	9	3	1	–	54
75	4	–	21	6	–	8	3	–	1	–	–	1	1	–	13	6	2	–	–	–	55
31	2	–	11	3	3	2	–	–	–	1	–	–	1	–	10	2	4	1	–	–	56
68	2	1	27	9	3	4	5	1	1	–	–	1	3	3	15	6	2	2	–	–	57
397	37	6	120	15	16	28	26	6	14	2	1	9	15	4	94	22	23	11	2	3	58
50	4	–	15	3	–	3	4	–	–	–	–	–	1	–	5	–	3	1	1	–	59
299	32	6	92	12	14	21	20	6	13	2	1	4	13	1	76	16	16	8	1	2	60
48	1	–	13	–	2	4	2	–	1	–	–	5	1	3	13	6	4	2	–	1	61
49	5	–	10	4	2	2	3	–	–	2	–	–	3	–	13	9	4	–	–	–	62
82	8	1	18	3	8	6	3	–	4	–	–	2	6	2	26	3	8	1	–	–	63
123	9	3	34	10	6	13	9	2	–	–	–	5	4	7	31	7	7	7	–	–	64
46	5	–	17	6	3	1	3	1	–	–	–	1	3	3	9	4	2	3	–	–	65
77	4	3	17	4	3	12	6	1	–	–	–	4	1	4	22	3	5	4	–	–	66
73	5	1	25	10	2	6	3	–	4	–	–	1	3	–	27	7	5	3	–	–	67
47	4	–	17	4	3	3	5	1	1	–	–	–	–	–	14	3	2	–	–	–	68
81	2	–	25	3	6	6	1	–	3	1	–	–	2	–	12	9	5	–	–	–	69
32	3	–	10	2	2	6	1	1	–	–	–	1	–	1	10	8	3	2	–	2	70
188	9	–	46	5	11	23	5	1	1	–	–	2	5	1	38	13	11	8	2	2	71
140	6	–	32	4	6	16	4	1	1	–	–	1	4	1	35	8	9	6	2	1	72
48	3	–	14	1	5	7	1	–	–	–	–	1	1	–	3	5	2	2	–	1	73
61	8	1	34	15	6	4	3	1	2	2	–	–	1	1	19	10	8	2	1	–	74
108	4	–	20	6	1	13	5	–	4	2	–	–	2	1	14	3	2	6	1	–	75
34	–	1	29	6	1	4	3	–	–	1	–	1	1	1	16	1	2	–	1	–	76
162	8	3	55	7	9	12	9	4	6	–	–	2	4	1	45	9	14	2	–	–	77
113	6	2	38	3	7	9	7	4	5	–	–	–	3	–	38	5	8	2	–	–	78
49	2	1	17	4	2	3	2	–	1	–	–	2	1	1	7	4	6	–	–	–	79
52	6	–	9	2	4	2	2	–	2	1	–	1	2	–	8	4	2	1	–	–	80
74	3	–	21	5	2	11	3	–	6	1	–	–	–	1	16	2	11	2	1	–	81
357	29	5	108	10	16	42	28	6	16	4	–	3	17	6	74	32	36	9	2	–	82
314	22	3	93	9	15	34	27	6	15	3	–	2	13	4	66	21	29	8	2	–	83
43	7	2	15	1	1	8	1	–	1	1	–	1	4	2	8	11	7	1	–	–	84
40	5	–	12	2	3	5	3	1	–	1	–	1	–	–	10	3	6	1	–	–	85
74	2	4	15	3	5	10	2	1	2	1	–	1	1	3	12	2	7	4	–	–	86

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**Kansas**	**21,781**	**19**	**2**	**130**	**3,999**	**1,058**	**890**	**358**	**501**	**227**	**177**	**788**	**429**	**11,652**	**8,344**	**112**	**122**
02	Urban places	10,545	13	1	75	1,995	526	459	179	265	109	75	382	200	5,453	3,918	58	56
03	Balance of area	11,236	6	1	55	2,004	532	431	179	236	118	102	406	229	6,199	4,426	54	66
04	Metropolitan counties	7,427	8	–	52	1,480	385	342	149	187	81	49	287	122	3,702	2,673	39	46
05	Urban places	6,239	8	–	44	1,225	326	285	122	152	63	40	237	107	3,145	2,277	35	37
06	Balance of area	1,188	–	–	8	255	59	57	27	35	18	9	50	15	557	396	4	9
07	Nonmetropolitan counties	14,354	11	2	78	2,519	673	548	209	314	146	128	501	307	7,950	5,671	73	76
08	Urban places	4,306	5	1	31	770	200	174	57	113	46	35	145	93	2,308	1,641	23	19
09	Balance of area	10,048	6	1	47	1,749	473	374	152	201	100	93	356	214	5,642	4,030	50	57
10	Allen	205	1	–	2	29	7	6	1	4	1	–	10	5	115	83	–	1
11	Anderson	115	–	–	–	21	5	5	5	4	–	1	1	1	63	53	1	1
12	Atchison	243	–	–	3	53	7	14	4	7	6	–	15	5	132	98	–	7
13	Atchison	169	–	–	3	34	4	10	–	5	4	–	11	4	96	75	–	5
14	Balance of county	74	–	–	–	19	3	4	4	2	2	–	4	1	36	23	–	2
15	Barber	89	–	–	1	18	7	2	–	3	1	2	3	2	44	32	–	–
16	Barton	300	–	–	3	60	13	16	7	5	5	2	12	9	157	115	–	2
17	Great Bend	155	–	–	3	31	6	7	2	5	4	1	6	5	78	53	–	–
18	Balance of county	145	–	–	–	29	7	9	5	–	1	1	6	4	79	62	–	2
19	Bourbon	249	–	–	1	42	11	11	4	3	1	3	9	8	142	94	2	–
20	Brown	174	–	–	1	29	5	7	1	5	3	1	7	4	109	78	–	–
21	Butler	396	–	–	–	71	15	21	10	5	4	3	13	5	221	168	1	1
22	El Dorado	177	–	–	–	25	4	10	4	–	2	1	4	2	115	90	1	–
23	Balance of county	219	–	–	–	46	11	11	6	5	2	2	9	3	106	78	–	1
24	Chase	57	–	–	–	6	2	1	1	–	1	–	1	–	40	32	–	–
25	Chautauqua	82	–	–	–	19	8	2	–	3	–	–	6	2	34	24	–	1
26	Cherokee	305	–	–	1	54	13	16	3	6	4	3	9	3	176	127	3	1
27	Cheyenne	58	–	–	–	4	1	1	–	–	–	–	2	3	38	37	1	–
28	Clark	39	–	–	–	10	3	3	–	1	1	1	1	–	19	16	–	1
29	Clay	130	–	–	–	27	10	3	5	–	1	2	6	3	81	57	–	7
30	Cloud	183	–	–	1	31	8	7	4	7	–	–	5	1	117	81	2	–
31	Coffey	135	–	–	2	27	9	6	2	–	1	2	7	1	73	59	–	1
32	Comanche	41	–	–	–	12	2	4	2	2	–	–	2	1	15	8	–	1
33	Cowley	416	1	–	–	74	23	14	5	14	6	2	10	7	229	162	3	1
34	Arkansas City	174	1	–	–	38	10	8	4	7	3	1	5	3	90	61	–	–
35	Winfield	135	–	–	–	25	9	4	1	4	2	–	5	4	75	55	2	–
36	Balance of county	107	–	–	–	11	4	2	–	3	1	1	–	–	64	46	1	1
37	Crawford	519	–	–	5	97	23	23	8	17	8	2	16	12	296	215	2	4
38	Pittsburg	278	–	–	3	56	14	10	5	12	4	2	9	8	158	112	1	1
39	Balance of county	241	–	–	2	41	9	13	3	5	4	–	7	4	138	103	1	3
40	Decatur	64	–	–	–	14	3	3	2	–	2	2	2	–	30	24	1	–
41	Dickinson	257	1	–	1	49	11	8	8	5	4	3	10	3	133	79	2	1
42	Doniphan	108	–	–	–	18	3	6	–	4	2	–	3	1	64	54	–	–
43	Douglas	379	–	–	4	59	19	13	6	6	4	–	11	4	200	134	3	1
44	Lawrence	277	–	–	3	39	14	8	5	4	4	–	4	4	146	100	2	1
45	Balance of county	102	–	–	1	20	5	5	1	2	–	–	7	–	54	34	1	–
46	Edwards	67	–	–	–	13	2	2	1	2	–	2	4	5	34	28	1	–
47	Elk	61	–	–	1	9	5	–	1	1	–	–	2	2	39	23	–	–
48	Ellis	152	–	–	3	26	10	4	3	2	2	1	4	7	75	56	1	–
49	Hays	90	–	–	3	17	6	4	1	1	1	1	3	6	40	28	1	–
50	Balance of county	62	–	–	–	9	4	–	2	1	1	–	1	1	35	28	–	–
51	Ellsworth	83	–	–	–	13	5	3	–	–	1	3	1	7	45	33	–	3
52	Finney	142	–	–	–	21	5	4	3	2	2	1	4	–	79	56	–	–
53	Garden City	119	–	–	–	18	4	3	3	2	2	–	4	–	66	45	–	–
54	Balance of county	23	–	–	–	3	1	1	–	–	–	1	–	–	13	11	–	–
55	Ford	221	1	–	2	46	13	9	4	4	2	1	13	5	121	87	1	2
56	Dodge City	141	1	–	1	28	9	6	2	2	1	1	7	3	75	56	1	2
57	Balance of county	80	–	–	1	18	4	3	2	2	1	–	6	2	46	31	–	–
58	Franklin	220	–	–	1	37	8	10	3	3	–	5	8	3	125	92	1	–
59	Ottawa	135	–	–	1	20	4	6	2	2	–	2	4	2	78	58	–	–
60	Balance of county	85	–	–	–	17	4	4	1	1	–	3	4	1	47	34	1	–
61	Geary	210	–	–	–	29	5	5	2	9	1	2	5	2	77	61	2	3
62	Junction City	161	–	–	–	23	5	4	1	8	1	1	3	2	69	56	2	3
63	Balance of county	49	–	–	–	6	–	1	1	1	–	1	2	–	8	5	–	–
64	Gove	46	–	–	1	4	4	–	–	–	–	–	–	3	29	22	–	–
65	Graham	46	–	–	–	7	3	–	2	1	–	1	–	–	26	18	–	–
66	Grant	45	–	–	–	7	3	3	–	–	–	–	1	1	22	19	–	–
67	Gray	36	–	–	–	8	2	1	1	2	1	–	1	–	18	10	–	–
68	Greeley	21	–	–	–	2	–	2	–	–	–	–	–	–	13	7	–	–
69	Greenwood	150	–	–	2	22	8	7	2	2	–	–	3	3	93	71	–	–
70	Hamilton	36	–	–	–	6	1	–	1	1	1	–	2	3	17	13	–	–
71	Harper	111	1	–	–	17	4	5	1	2	–	1	4	–	59	37	–	–
72	Harvey	250	–	–	2	45	12	16	2	2	4	3	6	5	141	101	4	–
73	Newton	149	–	–	1	20	6	9	2	–	–	1	2	–	89	63	2	–
74	Balance of county	101	–	–	1	25	6	7	–	2	4	2	4	5	52	38	2	–
75	Haskell	26	–	–	–	2	–	1	1	–	–	–	–	–	14	10	–	–
76	Hodgeman	27	–	–	–	6	2	–	–	1	1	1	1	–	15	9	–	–
77	Jackson	119	–	–	–	16	2	5	1	4	1	–	3	2	78	54	1	–
78	Jefferson	116	–	–	–	15	4	2	2	1	1	–	5	3	70	48	1	–
79	Jewell	99	–	–	2	11	4	1	1	–	1	1	3	6	50	38	–	1
80	Johnson	1,264	–	–	11	304	77	76	28	39	18	9	57	18	584	423	6	3
81	Leawood	70	–	–	–	22	4	6	3	2	–	1	6	–	33	22	–	–
82	Merriam	63	–	–	–	13	3	3	1	2	1	–	3	–	37	27	1	1
83	Olathe	106	–	–	1	22	4	7	4	2	–	1	4	2	41	34	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
7,497	613	65	2,464	440	339	771	306	70	201	97	6	148	229	245	1,837	533	628	298	126	55	01
3,538	266	36	1,145	193	161	346	164	33	114	47	2	91	130	131	955	200	299	160	94	42	02
3,959	347	29	1,319	247	178	425	142	37	87	50	4	57	99	114	882	333	329	138	32	13	03
2,403	185	18	793	109	109	240	114	14	91	28	–	72	91	85	656	186	217	149	88	32	04
2,048	157	14	676	88	90	199	98	14	79	23	–	63	75	62	565	136	175	116	76	29	05
355	28	4	117	21	19	41	16	–	12	5	–	9	16	23	91	50	42	33	12	3	06
5,094	428	47	1,671	331	230	531	192	56	110	69	6	76	138	160	1,181	347	411	149	38	23	07
1,490	109	22	469	105	71	147	66	19	35	24	2	28	55	69	390	64	124	44	18	13	08
3,604	319	25	1,202	226	159	384	126	37	75	45	4	48	83	91	791	283	287	105	20	10	09
70	12	1	23	4	4	10	3	–	1	–	–	1	1	4	19	6	6	2	–	–	10
50	1	–	9	1	–	3	3	–	–	–	1	1	–	1	8	7	6	–	–	–	11
83	8	–	27	3	4	4	6	2	1	–	–	2	3	5	16	5	3	2	1	–	12
63	7	–	17	2	2	3	4	2	–	–	–	1	2	2	13	2	1	1	1	–	13
20	1	–	10	1	2	1	2	–	1	–	–	1	1	3	3	3	2	1	–	–	14
30	2	–	9	2	1	3	1	–	1	1	–	1	1	1	10	1	1	1	2	–	15
108	5	–	31	4	7	9	5	–	2	1	–	2	2	4	24	3	10	5	–	4	16
50	3	–	19	3	3	4	2	–	–	1	–	1	–	1	15	3	4	3	–	4	17
58	2	–	12	1	4	5	3	–	2	–	–	1	2	3	9	–	6	2	–	–	18
89	3	–	45	1	2	9	3	1	1	2	–	–	1	3	18	5	9	4	–	–	19
73	5	1	18	9	3	9	2	2	–	–	–	–	3	1	9	4	1	–	–	–	20
161	5	1	44	2	6	15	7	1	5	–	–	3	3	2	32	10	8	7	6	–	21
87	2	–	21	–	4	7	3	1	2	–	–	1	2	1	11	1	1	2	3	–	22
74	3	1	23	2	2	8	4	–	3	–	–	2	1	1	21	9	7	5	3	–	23
30	2	–	6	–	2	1	2	–	2	–	–	–	–	–	3	–	1	2	–	–	24
20	3	–	4	3	3	3	1	2	–	–	–	–	–	1	14	1	4	1	–	–	25
110	13	–	41	3	5	13	5	–	1	2	–	3	1	4	30	3	5	4	–	–	26
35	1	–	1	–	–	5	1	–	–	–	–	–	1	–	3	1	2	–	–	–	27
12	3	–	2	1	–	–	–	–	1	1	–	–	–	–	4	–	3	1	–	–	28
41	9	–	17	5	2	4	1	–	2	–	–	–	1	–	9	1	–	1	–	–	29
76	3	–	28	6	2	4	–	–	1	–	–	–	1	–	14	5	6	1	1	–	30
53	5	–	11	–	3	4	–	–	–	3	–	–	–	1	13	6	3	2	–	–	31
7	–	–	7	–	–	2	3	–	–	–	–	–	–	–	7	–	1	–	–	–	32
143	15	1	51	12	3	9	1	1	2	3	–	1	6	15	49	6	7	4	1	–	33
51	10	1	20	8	–	2	1	–	–	1	–	–	3	10	18	3	1	3	–	–	34
52	1	–	14	4	2	5	–	1	–	2	–	1	1	3	15	–	2	1	–	–	35
40	4	–	17	–	1	2	–	–	2	–	–	–	2	2	16	3	4	–	1	–	36
202	7	2	67	5	7	14	9	2	6	–	–	4	3	–	46	11	10	3	1	–	37
105	5	2	39	1	4	5	1	–	3	–	–	2	3	–	25	6	5	2	1	–	38
97	2	–	28	4	3	9	8	2	3	–	–	2	–	–	21	5	5	1	–	–	39
19	4	–	6	–	–	3	–	–	–	–	–	–	2	1	8	2	4	–	–	–	40
70	6	–	40	5	9	13	7	3	2	2	–	–	3	–	20	6	8	6	–	–	41
47	7	–	9	–	1	1	1	1	1	–	–	1	–	1	11	3	2	3	–	–	42
119	11	2	47	9	8	12	6	2	2	4	–	3	1	18	33	10	13	3	2	3	43
88	9	1	34	6	5	7	5	2	2	2	–	3	1	15	26	8	9	2	2	1	44
31	2	1	13	3	3	5	1	–	–	2	–	–	–	3	7	2	4	1	–	2	45
27	–	–	5	1	–	1	–	–	–	–	–	–	1	–	5	4	4	–	–	–	46
23	–	–	6	6	4	–	–	–	–	–	–	–	–	–	4	1	4	–	–	1	47
49	6	1	13	2	3	1	2	–	1	1	–	1	4	1	18	6	4	–	1	1	48
26	1	1	8	–	3	1	1	–	1	1	–	1	1	1	11	4	1	–	1	–	49
23	5	–	5	2	–	–	1	–	–	–	–	–	3	–	7	2	3	–	–	1	50
29	1	–	10	–	2	3	1	–	–	1	–	1	–	–	7	1	2	2	–	–	51
52	4	–	19	2	2	4	4	1	1	–	–	–	4	2	8	7	6	4	–	1	52
41	4	–	17	2	2	4	4	1	1	–	–	–	3	2	7	5	4	3	–	1	53
11	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	2	2	1	–	–	54
80	4	1	27	2	4	2	1	2	2	2	–	4	2	–	14	4	11	1	–	1	55
51	2	1	15	–	3	1	–	2	2	1	–	4	1	–	7	4	10	–	–	1	56
29	2	–	12	2	1	1	1	–	–	1	–	–	1	–	7	–	1	1	–	–	57
83	8	4	22	4	3	5	5	2	–	–	–	–	–	–	19	8	9	1	–	1	58
52	6	3	13	2	2	4	4	1	–	–	–	–	–	2	11	4	6	1	–	1	59
31	2	1	9	2	1	1	1	1	–	–	–	–	–	2	8	4	3	–	–	–	60
53	3	1	11	4	–	7	4	1	4	2	2	2	22	7	17	9	13	4	5	3	61
48	3	1	8	4	–	6	3	1	4	2	1	2	16	5	15	1	6	2	2	1	62
5	–	–	3	–	–	1	1	–	–	–	1	–	6	2	2	8	7	2	3	2	63
21	1	–	6	–	1	–	–	1	–	–	–	–	–	–	1	6	1	–	–	–	64
15	3	1	5	1	1	3	–	–	–	1	–	–	–	1	4	–	4	–	–	–	65
19	–	–	2	–	1	2	2	–	1	–	–	–	1	–	3	4	2	–	–	–	66
10	–	–	6	1	1	2	–	–	–	–	–	–	1	–	4	3	–	–	–	–	67
6	1	2	2	1	1	1	2	–	1	–	–	–	–	–	–	1	–	–	1	–	68
69	2	–	18	3	1	2	3	–	–	1	–	–	2	–	13	2	3	4	–	–	69
12	1	–	3	–	1	1	2	–	–	–	–	–	–	–	4	1	2	–	–	–	70
35	2	–	15	5	2	9	–	–	1	–	–	–	1	5	10	2	5	–	–	1	71
92	5	1	29	7	3	9	3	1	2	2	–	–	5	1	20	4	7	3	–	–	72
58	3	1	18	5	2	4	2	1	2	1	–	–	5	1	16	2	5	–	–	–	73
34	2	–	11	2	1	5	1	–	–	1	–	–	–	–	4	2	2	3	–	–	74
9	1	–	3	1	–	1	1	–	–	–	–	–	1	1	3	2	1	–	–	–	75
6	3	–	4	–	2	1	–	–	–	–	–	–	–	–	4	1	–	–	–	–	76
50	3	2	20	1	1	2	–	–	1	2	–	–	–	1	7	4	5	–	1	–	77
44	3	1	18	2	1	6	2	–	4	–	–	1	–	–	7	4	2	2	–	–	78
31	6	–	7	2	3	10	2	1	–	–	–	1	1	1	7	2	4	1	–	–	79
389	25	2	122	20	17	35	16	–	20	9	–	17	12	25	90	46	31	34	9	3	80
21	1	–	7	2	2	1	3	–	1	–	–	1	–	–	3	–	1	5	–	–	81
23	2	–	10	–	–	1	–	–	–	–	–	–	2	–	6	–	3	1	–	–	82
30	2	–	5	1	1	1	1	–	2	–	–	2	2	3	10	8	7	3	–	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kansas—Con.																	
	Johnson—Con.																	
01	Overland Park	322	–	–	3	75	17	17	5	12	4	1	19	6	151	111	3	–
02	Prairie Village	169	–	–	1	47	19	14	2	2	2	2	6	3	76	59	–	–
03	Shawnee	100	–	–	1	19	6	3	3	2	1	–	4	1	49	29	–	1
04	Balance of county	434	–	–	5	106	24	26	10	17	10	4	15	6	197	141	–	1
05	Kearny	21	–	–	1	3	2	–	–	–	–	–	1	–	11	9	–	–
06	Kingman	120	–	–	1	23	4	6	3	2	2	2	4	3	70	50	–	1
07	Kiowa	55	–	–	–	10	2	3	2	–	–	–	3	3	31	24	–	–
08	Labette	336	–	–	1	54	17	7	5	7	4	1	13	6	213	150	–	1
09	Parsons	183	–	–	–	26	11	5	2	4	1	1	2	5	122	80	–	1
10	Balance of county	153	–	–	1	28	6	2	3	3	3	–	11	1	91	70	–	–
11	Lane	35	–	–	–	7	3	1	–	2	–	–	1	–	16	12	–	–
12	Leavenworth	421	–	–	1	78	19	24	7	11	3	3	11	11	217	161	3	2
13	Leavenworth	284	–	–	1	49	15	12	2	8	2	3	7	8	144	103	3	1
14	Balance of county	137	–	–	–	29	4	12	5	3	1	–	4	3	73	58	–	1
15	Lincoln	81	–	–	1	22	7	3	–	4	–	1	7	2	45	35	–	–
16	Linn	121	–	–	–	16	2	5	1	2	–	1	5	2	79	57	1	–
17	Logan	32	–	–	–	6	1	1	–	2	–	–	2	–	16	14	–	–
18	Lyon	297	–	–	3	56	16	15	5	8	4	2	6	5	162	112	1	1
19	Emporia	200	–	–	3	42	12	12	3	6	2	1	6	3	103	74	1	–
20	Balance of county	97	–	–	–	14	4	3	2	2	2	1	–	2	59	38	–	1
21	McPherson	271	1	–	4	44	15	7	1	8	3	1	9	5	152	99	2	–
22	McPherson	114	–	–	3	20	5	2	1	4	2	1	5	1	63	38	1	–
23	Balance of county	157	1	–	1	24	10	5	–	4	1	–	4	4	89	61	1	–
24	Marion	168	–	–	2	42	10	8	5	5	4	1	9	5	85	65	1	–
25	Marshall	209	–	–	2	32	11	3	3	3	4	2	6	4	129	97	2	1
26	Meade	45	–	–	–	9	3	1	–	2	–	–	3	1	21	15	–	–
27	Miami	218	–	–	–	34	13	7	2	6	1	2	3	3	126	104	1	1
28	Mitchell	99	–	–	–	23	5	8	1	3	–	1	5	3	44	26	–	–
29	Montgomery	574	1	–	3	90	25	20	4	15	6	6	14	11	338	227	3	3
30	Coffeyville	218	–	–	2	36	11	5	1	9	2	2	6	6	129	91	–	–
31	Independence	160	–	–	–	26	4	8	–	3	2	3	6	3	86	58	–	–
32	Balance of county	196	1	–	1	28	10	7	3	3	2	1	2	2	123	78	3	3
33	Morris	85	–	–	2	16	1	4	2	1	1	1	6	2	48	26	–	1
34	Morton	40	–	–	–	9	1	–	2	3	–	2	1	–	15	8	1	–
35	Nemaha	142	–	–	–	21	5	2	2	–	1	2	9	4	74	52	–	–
36	Neosho	256	–	–	–	50	9	14	2	8	2	4	11	6	146	101	2	2
37	Chanute	167	–	–	–	33	7	7	2	4	–	3	10	3	96	70	1	2
38	Balance of county	89	–	–	–	17	2	7	–	4	2	1	1	3	50	31	1	–
39	Ness	68	–	–	–	7	2	–	–	3	–	1	1	–	41	26	–	–
40	Norton	112	–	–	–	22	8	2	1	3	1	1	6	2	66	45	–	–
41	Osage	184	–	–	–	24	6	5	3	1	1	2	6	9	113	77	–	1
42	Osborne	108	–	–	–	17	4	4	1	1	1	2	4	1	59	39	–	–
43	Ottawa	99	–	–	1	13	2	5	2	–	1	–	3	2	63	30	–	–
44	Pawnee	91	–	–	–	11	2	3	2	1	–	–	3	2	57	43	–	1
45	Phillips	91	–	–	–	15	4	1	1	4	1	1	3	–	58	43	–	–
46	Pottawatomie	151	–	–	–	22	10	3	2	–	–	1	6	9	88	61	–	2
47	Manhattan, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
48	Balance of county	150	–	–	–	22	10	3	2	–	–	1	6	9	87	61	–	2
49	Pratt	138	–	–	1	21	7	5	1	3	1	1	3	7	74	55	2	–
50	Rawlins	50	–	–	–	14	4	4	–	2	–	1	3	1	31	29	1	–
51	Reno	575	–	1	3	104	28	25	14	11	5	4	17	17	302	235	6	4
52	Hutchinson	401	–	1	2	70	18	17	9	7	3	3	13	12	218	169	3	1
53	Balance of county	174	–	–	1	34	10	8	5	4	2	1	4	5	84	66	3	3
54	Republic	114	–	–	1	28	6	4	4	3	1	3	7	1	60	48	–	–
55	Rice	150	–	–	1	25	7	7	1	2	1	1	6	3	85	62	–	1
56	Riley	235	1	–	1	35	6	6	4	4	4	2	9	1	108	77	1	–
57	Manhattan, part	175	1	–	1	22	4	4	2	1	2	1	8	–	84	63	–	–
58	Manhattan, total	176	1	–	1	22	4	4	2	1	2	1	8	–	85	63	–	–
59	Balance of county	60	–	–	–	13	2	2	2	3	2	1	1	1	24	14	1	–
60	Rooks	103	–	–	–	22	6	6	–	–	1	4	5	4	50	41	–	1
61	Rush	60	–	–	–	12	4	3	–	1	2	–	2	2	33	27	–	–
62	Russell	113	1	–	–	26	6	5	–	8	4	1	2	3	62	35	3	–
63	Saline	368	2	–	1	89	20	22	6	11	4	7	19	7	182	110	3	2
64	Salina	323	2	–	1	81	17	19	6	11	3	7	18	7	155	96	3	2
65	Balance of county	45	–	–	–	8	3	3	–	–	1	–	1	–	27	14	–	–
66	Scott	55	–	1	–	11	3	3	4	–	–	1	–	1	23	17	–	–
67	Sedgwick	2,698	3	–	20	513	125	120	47	71	28	17	105	35	1,311	965	20	27
68	Wichita	2,399	3	–	18	448	116	108	39	61	23	14	87	31	1,189	878	17	20
69	Balance of county	299	–	–	2	65	9	12	8	10	5	3	18	4	122	87	3	7
70	Seward	113	–	–	–	17	5	4	1	4	1	1	1	5	54	40	–	1
71	Liberal	97	–	–	–	16	5	4	1	4	1	–	1	4	47	37	–	–
72	Balance of county	16	–	–	–	1	–	–	–	–	–	1	–	1	7	3	–	1
73	Shawnee	1,320	4	–	4	253	80	52	26	26	17	9	43	21	696	480	6	3
74	Topeka	1,185	4	–	4	229	70	46	24	24	17	9	39	20	620	429	6	3
75	Balance of county	135	–	–	–	24	10	6	2	2	–	–	4	1	76	51	–	–
76	Sheridan	33	–	–	–	5	3	–	–	–	–	2	–	1	20	18	–	–
77	Sherman	82	–	–	1	12	1	2	1	2	2	3	1	1	46	37	–	–
78	Smith	114	–	–	1	10	4	1	–	5	–	–	–	2	64	37	1	–
79	Stafford	84	–	–	–	9	4	–	1	–	–	–	4	1	60	42	–	–
80	Stanton	26	–	–	–	7	–	2	–	–	1	–	4	–	17	15	–	–
81	Stevens	35	–	–	–	7	2	1	3	1	–	–	–	1	16	9	1	–
82	Sumner	303	–	–	2	59	18	16	4	2	5	2	12	4	173	128	1	6
83	Thomas	89	–	–	–	21	7	4	1	1	1	2	5	1	48	30	2	–
84	Trego	50	–	–	1	10	3	3	–	3	–	–	1	–	22	12	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
103	5	1	33	2	4	12	3	–	5	4	–	9	4	2	16	14	6	9	2	1	01
57	2	–	14	1	2	5	2	–	3	–	–	1	–	3	13	5	4	4	2	–	02
27	1	–	15	5	–	3	2	–	3	1	–	3	–	3	11	2	–	2	–	–	03
128	12	1	38	9	8	12	5	–	6	4	–	1	4	14	31	17	10	10	5	1	04
8	1	–	1	–	1	–	–	–	–	–	–	1	–	–	3	2	–	–	–	–	05
45	4	–	14	2	4	3	–	–	–	1	–	1	–	1	11	4	1	1	–	–	06
23	1	1	6	–	–	–	–	–	–	–	–	–	1	1	4	2	3	–	–	–	07
141	8	2	37	19	5	9	5	1	4	1	–	1	2	4	22	5	4	4	–	–	08
74	5	2	23	14	3	6	3	1	1	1	–	–	1	1	11	1	1	3	–	–	09
67	3	–	14	5	2	3	2	–	3	–	–	1	1	3	11	4	3	1	–	–	10
11	1	–	4	–	–	3	1	1	–	–	–	–	–	2	3	1	1	–	–	–	11
141	15	–	46	5	5	9	14	1	4	1	1	–	6	6	44	10	10	3	4	1	12
86	13	–	32	4	5	8	12	1	4	1	–	–	4	4	33	4	7	2	1	1	13
55	2	–	14	1	–	1	2	–	–	–	1	–	2	2	11	6	3	1	3	–	14
27	8	–	8	1	1	2	2	–	1	–	–	–	–	–	4	2	–	–	–	–	15
53	3	2	18	1	1	1	1	1	–	1	–	1	–	1	7	6	4	–	1	–	16
14	–	–	1	1	–	1	1	–	1	–	–	1	–	–	5	1	–	–	–	–	17
103	7	–	38	8	4	14	2	1	1	5	–	–	2	–	26	5	11	3	–	1	18
68	5	–	20	5	4	12	1	–	–	3	–	–	1	–	19	3	7	2	–	1	19
35	2	–	18	3	–	2	1	1	1	2	–	–	1	–	7	2	4	1	–	–	20
94	3	2	35	10	6	9	3	1	3	–	–	1	–	1	23	6	17	1	–	–	21
36	1	2	17	4	2	4	1	1	2	–	–	–	–	–	12	1	6	–	–	–	22
58	2	–	18	6	4	5	2	–	1	–	–	1	–	1	11	5	11	1	–	–	23
57	7	–	15	4	1	8	1	3	1	–	–	1	–	–	11	–	8	1	–	–	24
89	5	1	22	6	3	6	3	3	3	–	1	2	1	1	9	8	4	1	–	–	25
15	–	–	5	–	1	4	–	–	1	–	–	–	–	1	4	2	2	–	–	–	26
91	11	1	10	11	–	16	3	–	1	–	–	2	3	–	15	8	5	2	–	–	27
15	11	–	11	5	2	8	2	–	1	1	–	2	1	–	8	4	1	1	–	–	28
204	17	7	81	15	8	18	9	1	2	6	–	1	3	22	43	2	17	4	2	1	29
85	6	4	25	7	2	7	4	–	–	3	–	–	1	3	15	1	6	4	1	–	30
53	5	1	22	3	2	5	2	–	2	2	–	–	–	11	15	–	7	–	1	–	31
66	6	2	34	5	4	6	3	1	–	1	–	1	2	8	13	1	4	–	–	1	32
21	4	–	16	5	1	1	1	1	1	1	–	–	–	1	8	–	2	–	1	–	33
6	1	–	3	2	2	2	1	–	–	–	–	1	2	–	6	2	2	–	–	–	34
51	1	–	15	7	–	15	3	1	–	1	–	2	1	1	8	7	3	1	–	–	35
91	6	–	32	5	8	12	5	–	–	3	1	1	1	4	17	2	6	2	–	–	36
66	1	–	21	2	3	9	5	–	–	1	1	–	–	3	10	–	4	2	–	–	37
25	5	–	11	3	5	3	–	–	–	2	–	1	1	1	7	2	2	–	–	–	38
23	3	–	10	2	3	4	1	–	1	1	–	–	2	–	5	1	3	2	–	–	39
40	5	–	12	6	3	3	–	1	–	1	–	–	3	–	10	–	2	2	–	–	40
70	6	3	26	5	2	6	4	–	2	1	–	–	–	4	12	4	2	2	1	–	41
36	3	–	18	1	1	3	2	1	2	–	–	–	–	1	13	3	3	3	–	–	42
29	1	–	30	1	2	5	–	–	–	–	–	1	–	–	5	4	4	1	–	–	43
40	2	–	10	4	–	2	1	1	2	–	–	1	1	1	4	5	1	2	–	–	44
38	5	1	13	–	1	4	2	–	1	1	–	–	–	–	6	1	3	–	–	–	45
58	1	–	22	3	2	4	1	–	2	–	–	–	3	1	12	3	2	3	1	–	46
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47
58	1	–	21	3	2	4	1	–	2	–	–	–	3	1	12	3	2	3	1	–	48
51	2	3	11	3	2	5	4	1	1	–	–	–	–	5	8	5	5	1	–	–	49
26	2	–	1	–	1	1	–	–	–	–	–	–	–	–	2	1	–	–	–	–	50
208	17	–	37	18	12	27	10	1	5	1	–	5	4	4	46	16	16	9	4	–	51
155	10	–	27	10	12	22	7	1	3	1	–	2	2	2	36	6	9	4	3	–	52
53	7	–	10	8	–	5	3	–	2	–	–	3	2	2	10	10	7	5	1	–	53
45	3	–	11	1	–	7	–	–	1	–	–	–	1	–	8	3	2	2	–	–	54
59	2	1	16	2	4	8	1	–	–	–	–	1	4	3	11	3	1	3	1	–	55
72	4	–	22	6	3	20	3	2	6	–	–	5	2	3	23	5	6	8	5	1	56
60	3	–	16	3	2	13	3	1	3	–	–	5	1	2	20	4	5	5	4	1	57
60	3	–	17	3	2	13	3	1	3	–	–	5	1	2	20	4	5	5	4	1	58
12	1	–	6	3	1	7	–	1	3	–	–	–	1	1	3	1	1	3	1	–	59
38	2	–	8	1	–	11	1	–	1	2	–	–	1	–	5	2	2	2	–	–	60
25	2	–	5	–	1	–	1	–	–	–	–	1	–	–	5	3	2	1	–	–	61
29	3	–	23	1	3	1	1	1	1	–	–	–	–	–	6	7	2	2	–	–	62
101	4	2	45	14	11	12	1	3	1	1	–	5	8	–	32	3	16	3	1	1	63
87	4	2	35	14	8	8	1	2	1	1	–	4	8	–	31	2	14	3	1	1	64
14	–	–	10	–	3	4	–	1	–	–	–	1	–	–	1	1	2	–	–	–	65
11	6	–	4	1	1	1	–	–	1	1	–	–	–	1	10	1	4	–	–	–	66
867	51	6	265	32	43	97	39	8	32	4	–	31	42	27	252	76	96	58	37	17	67
798	43	4	242	28	37	84	35	8	30	3	–	29	37	24	228	57	81	46	33	15	68
69	8	2	23	4	6	13	4	–	2	1	–	2	5	3	24	19	15	12	4	2	69
37	2	–	11	2	1	7	–	1	5	–	–	2	1	1	11	1	7	1	–	–	70
35	2	–	8	2	–	7	–	1	4	–	–	2	1	1	9	–	4	1	–	–	71
2	–	–	3	–	1	–	–	–	1	–	–	–	–	–	2	1	3	–	–	–	72
440	31	2	164	26	24	43	24	1	16	7	–	7	9	10	119	24	42	26	12	2	73
390	30	2	147	20	22	39	23	1	16	7	–	4	9	7	111	22	34	21	12	2	74
50	1	–	17	6	2	4	1	–	–	–	–	3	–	3	8	2	8	5	–	–	75
16	2	–	1	–	1	1	–	–	–	–	–	–	–	1	3	1	–	1	–	–	76
33	4	–	6	2	1	3	1	–	1	1	–	–	–	1	8	2	3	2	–	–	77
29	7	–	21	4	2	7	–	–	1	–	–	–	1	–	18	3	7	–	–	–	78
41	1	–	15	3	–	–	–	1	1	–	–	–	–	–	7	4	1	–	–	–	79
13	2	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	80
8	–	–	5	1	1	5	–	1	–	–	–	–	1	–	1	1	1	–	–	1	81
103	18	–	34	10	1	12	3	–	2	2	–	2	2	2	27	7	3	2	1	–	82
24	4	–	9	7	2	1	1	–	–	–	–	–	1	–	7	1	7	1	–	–	83
8	3	–	6	1	3	–	1	–	2	–	–	1	1	1	6	3	2	–	–	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kansas—Con.																	
01	Wabaunsee	81	–	–	1	14	1	2	4	2	–	1	4	1	49	32	–	1
02	Wallace	15	–	–	–	6	2	1	–	–	1	1	1	–	7	3	–	–
03	Washington	139	–	–	1	20	8	4	2	3	1	1	1	3	87	59	–	3
04	Wichita	29	–	–	–	7	–	1	–	1	–	–	5	–	15	12	–	–
05	Wilson	154	–	–	2	20	9	1	–	4	2	–	4	5	85	69	1	1
06	Woodson	84	–	–	–	17	5	3	–	1	–	2	6	2	47	29	1	–
07	Wyandotte	1,749	1	–	17	339	88	73	38	46	14	11	69	43	890	637	6	12
08	Kansas City	1,648	1	–	16	325	83	71	37	45	13	11	65	42	834	598	5	12
09	Balance of county	101	–	–	1	14	5	2	1	1	1	–	4	1	56	39	1	–
10	**Kentucky**	**33,187**	**95**	**4**	**227**	**5,967**	**1,590**	**1,579**	**473**	**698**	**267**	**248**	**1,112**	**638**	**17,651**	**12,751**	**161**	**199**
11	Urban places	11,286	40	3	76	2,223	600	586	210	241	102	83	401	214	5,913	4,188	61	77
12	Balance of area	21,901	55	1	151	3,744	990	993	263	457	165	165	711	424	11,738	8,563	100	122
13	Metropolitan counties	12,251	41	2	87	2,513	679	703	214	258	113	90	456	246	6,196	4,464	77	78
14	Urban places	8,514	35	2	61	1,690	453	463	162	169	75	57	311	176	4,380	3,147	50	63
15	Balance of area	3,737	6	–	26	823	226	240	52	89	38	33	145	70	1,816	1,317	27	15
16	Nonmetropolitan counties	20,936	54	2	140	3,454	911	876	259	440	154	158	656	392	11,455	8,287	84	121
17	Urban places	2,772	5	1	15	533	147	123	48	72	27	26	90	38	1,533	1,041	11	14
18	Balance of area	18,164	49	1	125	2,921	764	753	211	368	127	132	566	354	9,922	7,246	73	107
19	Adair	189	–	–	–	28	7	7	2	5	2	–	5	4	121	97	–	1
20	Allen	185	1	–	1	25	10	6	–	4	1	1	3	3	126	92	–	–
21	Anderson	109	–	–	–	22	5	5	2	2	3	1	4	5	55	38	–	–
22	Ballard	120	–	–	–	26	5	13	2	1	–	1	4	3	65	41	1	–
23	Barren	324	2	–	3	61	14	15	4	12	2	5	9	8	171	110	2	2
24	Glasgow	137	–	–	3	27	5	6	3	5	1	3	4	3	79	48	–	2
25	Balance of county	187	2	–	–	34	9	9	1	7	1	2	5	5	92	62	2	–
26	Bath	97	–	–	1	23	4	4	1	9	1	1	3	–	54	42	1	2
27	Bell	400	2	–	1	73	16	18	2	12	6	5	14	5	228	186	2	1
28	Middlesborough	173	1	–	1	36	9	7	1	7	5	–	7	1	95	78	1	–
29	Balance of county	227	1	–	–	37	7	11	1	5	1	5	7	4	133	108	1	1
30	Boone	244	–	–	–	52	12	13	6	7	2	1	11	7	117	81	1	–
31	Florence	95	–	–	–	18	3	4	2	3	1	1	4	4	44	29	–	–
32	Balance of county	149	–	–	–	34	9	9	4	4	1	–	7	3	73	52	1	–
33	Bourbon	210	–	–	–	36	14	10	1	2	4	1	4	6	111	73	1	5
34	Boyd	567	2	–	4	123	33	36	11	11	5	4	23	15	311	238	1	–
35	Ashland	388	2	–	4	91	27	26	10	7	2	3	16	10	219	160	1	–
36	Balance of county	179	–	–	–	32	6	10	1	4	3	1	7	5	92	78	–	–
37	Boyle	218	1	–	2	39	17	5	3	5	2	1	6	7	121	82	2	–
38	Danville	125	–	–	2	21	10	3	1	2	1	–	4	2	72	48	2	–
39	Balance of county	93	1	–	–	18	7	2	2	3	1	1	2	5	49	34	–	–
40	Bracken	109	–	–	–	20	4	5	–	2	1	3	5	1	65	49	1	2
41	Breathitt	137	–	–	1	20	8	5	–	–	2	1	4	5	75	59	–	–
42	Breckinridge	191	1	–	1	28	11	6	2	3	1	2	3	1	112	74	1	–
43	Bullitt	151	1	–	1	30	8	2	4	4	1	3	6	8	75	62	1	–
44	Butler	126	–	–	5	17	11	3	1	–	–	1	1	2	57	40	–	–
45	Caldwell	209	–	–	–	38	11	9	5	7	1	–	5	1	110	72	1	2
46	Calloway	296	1	–	2	42	13	9	3	4	3	3	7	6	193	133	–	–
47	Murray	133	–	–	1	18	8	2	2	1	3	2	–	2	89	54	–	–
48	Balance of county	163	1	–	1	24	5	7	1	3	–	1	7	4	104	79	–	–
49	Campbell	948	2	–	3	198	58	59	14	18	5	9	35	29	523	369	8	12
50	Fort Thomas	165	–	–	1	37	6	10	6	3	2	3	7	1	95	63	3	3
51	Newport	307	1	–	–	63	20	19	3	6	1	1	13	14	168	120	2	6
52	Balance of county	476	1	–	2	98	32	30	5	9	2	5	15	14	260	186	3	3
53	Carlisle	78	–	–	1	14	4	3	1	2	1	1	2	1	41	27	–	–
54	Carroll	112	–	–	1	15	4	1	3	1	1	1	4	1	65	44	1	–
55	Carter	214	–	–	1	25	10	5	1	4	1	3	1	3	120	89	–	–
56	Casey	138	1	1	2	28	8	13	–	1	–	2	4	6	59	45	1	–
57	Christian	473	–	–	4	68	20	16	10	8	2	1	11	11	238	178	1	5
58	Hopkinsville	256	–	–	–	42	12	11	7	5	–	1	6	7	141	99	1	3
59	Balance of county	217	–	–	4	26	8	5	3	3	2	–	5	4	97	79	–	2
60	Clark	203	–	1	1	34	7	9	1	7	2	2	6	1	124	92	1	5
61	Winchester	151	–	1	1	26	6	6	1	6	1	1	5	–	89	65	–	3
62	Balance of county	52	–	–	–	8	1	3	–	1	1	1	1	1	35	27	1	2
63	Clay	159	–	–	1	24	6	8	1	3	1	1	4	3	69	49	–	3
64	Clinton	97	–	–	–	14	5	4	2	3	–	–	–	3	54	41	–	–
65	Crittenden	111	–	–	–	16	1	6	1	2	2	–	4	–	59	43	–	1
66	Cumberland	90	1	–	–	10	2	1	2	2	–	–	3	1	63	45	–	–
67	Daviess	731	–	–	5	118	33	29	4	14	6	10	22	21	393	287	7	4
68	Owensboro	556	–	–	4	88	25	21	4	9	5	6	18	17	303	218	6	3
69	Balance of county	175	–	–	1	30	8	8	–	5	1	4	4	4	90	69	1	1
70	Edmonson	76	–	–	–	12	3	2	–	4	1	1	1	1	42	26	–	–
71	Elliott	59	–	–	1	8	3	3	–	1	–	1	–	–	35	29	–	–
72	Estill	144	–	–	–	24	7	7	3	3	1	1	2	1	89	68	–	1
73	Fayette	1,541	2	2	17	312	69	79	30	44	13	7	70	20	787	601	10	21
74	Lexington	1,417	2	2	16	284	63	73	29	37	13	7	62	17	722	549	8	19
75	Balance of county	124	–	–	1	28	6	6	1	7	–	–	8	3	65	52	2	2
76	Fleming	135	–	–	1	14	3	2	3	1	1	1	3	–	81	56	–	–
77	Floyd	396	–	–	2	67	15	24	3	7	6	3	9	6	197	158	3	1
78	Franklin	323	1	–	1	66	11	23	8	4	6	4	10	3	179	125	3	2
79	Frankfort	216	1	–	1	47	9	16	6	3	5	3	5	1	118	77	3	2
80	Balance of county	107	–	–	–	19	2	7	2	1	1	1	5	2	61	48	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
29	2	–	13	1	3	2	–	–	–	1	–	1	–	–	8	1	3	–	–	–	01
3	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	02
50	6	–	22	2	4	5	–	1	–	2	–	1	2	–	8	5	3	1	–	–	03
9	3	–	3	–	–	1	–	–	–	–	–	1	–	–	1	2	–	1	–	1	04
65	2	–	11	3	2	14	1	–	1	3	–	1	–	1	17	3	1	–	–	–	05
25	3	–	17	–	1	1	1	1	1	–	–	1	1	–	7	2	2	1	–	–	06
546	73	7	198	29	19	50	28	4	18	8	–	14	25	21	163	30	40	24	24	10	07
512	69	7	182	29	18	46	26	4	17	8	–	13	19	19	156	27	38	23	24	10	08
34	4	–	16	–	1	4	2	–	1	–	–	1	6	2	7	3	2	1	–	–	09
11,121	**1,270**	**119**	**3,841**	**541**	**399**	**1,029**	**428**	**122**	**375**	**124**	**7**	**212**	**457**	**253**	**2,706**	**898**	**1,086**	**469**	**367**	**72**	**10**
3,708	342	41	1,374	180	130	363	159	39	208	39	1	55	145	80	904	179	320	166	143	16	11
7,413	928	78	2,467	361	269	666	269	83	167	85	6	157	312	173	1,802	719	766	303	224	56	12
3,978	331	43	1,366	170	153	361	168	42	219	47	1	79	162	76	1,025	252	353	207	156	18	13
2,789	245	34	975	122	102	275	129	31	171	35	–	43	107	56	699	125	241	122	125	11	14
1,189	86	9	391	48	51	86	39	11	48	12	1	36	55	20	326	127	112	85	31	7	15
7,143	939	76	2,475	371	246	668	260	80	156	77	6	133	295	177	1,681	646	733	262	211	54	16
919	97	7	399	58	28	88	30	8	37	4	1	12	38	24	205	54	79	44	18	5	17
6,224	842	69	2,076	313	218	580	230	72	119	73	5	121	257	153	1,476	592	654	218	193	49	18
82	14	2	15	6	1	7	2	–	1	–	–	2	–	2	9	3	6	3	1	–	19
91	1	–	30	2	2	10	–	1	–	–	–	–	2	–	4	2	5	–	2	3	20
34	4	1	11	2	3	4	1	1	1	–	–	–	1	–	7	6	4	1	1	–	21
38	2	–	23	1	–	3	3	–	1	1	–	1	–	–	14	1	1	–	1	–	22
88	18	3	47	7	4	3	2	2	1	2	–	1	9	1	27	15	8	5	2	1	23
40	6	–	24	6	1	1	–	–	1	–	–	–	2	1	15	3	1	1	–	–	24
48	12	3	23	1	3	2	2	2	–	2	–	1	7	–	12	12	7	4	2	1	25
33	6	–	9	2	1	3	–	–	1	–	–	–	1	–	7	4	1	1	1	–	26
130	53	–	33	3	6	11	7	–	–	2	–	4	5	–	24	15	11	5	7	–	27
61	16	–	13	1	3	4	4	–	–	–	–	1	3	–	14	5	6	1	1	–	28
69	37	–	20	2	3	7	3	–	–	2	–	3	2	–	10	10	5	4	6	–	29
76	4	–	27	3	6	3	3	1	2	1	–	2	3	3	21	14	6	8	1	–	30
27	2	–	13	1	1	1	2	1	1	–	–	1	2	2	9	5	1	3	1	–	31
49	2	–	14	2	5	2	1	–	1	1	–	1	1	1	12	9	5	5	–	–	32
59	8	–	25	7	6	9	7	–	1	2	–	1	5	–	14	4	8	3	2	1	33
209	28	3	43	17	10	14	5	–	2	1	–	1	8	7	43	8	18	1	1	3	34
137	22	2	37	14	6	10	2	–	–	–	–	1	3	4	26	5	8	1	1	1	35
72	6	1	6	3	4	4	3	–	2	1	–	–	5	3	17	3	10	–	–	2	36
75	5	3	32	4	–	8	2	1	3	2	–	1	2	–	10	8	8	2	1	–	37
43	3	1	20	3	–	5	1	–	3	–	–	1	1	–	6	3	5	2	1	–	38
32	2	2	12	1	–	3	1	1	–	2	–	–	1	–	4	5	3	–	–	–	39
42	4	–	15	1	–	4	1	1	2	1	–	–	1	–	4	6	2	1	–	–	40
58	1	–	13	1	2	3	–	–	–	–	–	1	4	1	16	3	3	–	4	1	41
64	9	–	33	3	2	2	1	1	1	–	–	–	4	5	15	7	7	2	3	–	42
56	5	1	9	2	1	6	1	–	1	–	–	–	2	1	8	3	6	4	4	–	43
31	9	–	16	–	1	16	–	1	–	–	–	–	–	1	14	6	7	–	–	–	44
67	2	4	30	3	1	9	2	3	2	1	–	–	3	5	13	9	9	3	–	1	45
115	18	1	55	3	1	10	1	2	3	–	–	–	3	1	14	5	7	4	1	1	46
46	8	1	31	3	–	6	–	–	2	–	–	–	2	–	5	3	2	2	–	1	47
69	10	–	24	–	1	4	1	2	1	–	–	–	1	1	9	2	5	2	1	–	48
334	15	2	127	8	17	18	15	5	18	2	–	4	9	1	60	14	26	12	8	1	49
54	3	1	24	4	3	–	4	1	3	1	–	1	1	–	11	–	5	2	2	–	50
107	5	–	42	3	3	10	4	1	7	–	–	1	2	–	15	6	7	4	4	–	51
173	7	1	61	1	11	8	7	3	8	1	–	2	6	1	34	8	14	6	2	1	52
26	1	–	11	2	1	2	3	1	1	–	–	–	–	–	12	1	1	–	–	–	53
42	1	–	17	4	–	4	1	1	2	–	–	–	2	1	12	3	3	1	–	–	54
70	19	–	24	3	4	10	3	1	2	–	–	2	4	4	24	4	6	2	2	1	55
38	6	1	13	–	–	6	1	–	1	1	–	4	2	1	12	4	6	1	1	1	56
165	7	1	44	10	5	24	2	2	6	1	–	5	10	2	32	20	34	6	6	2	57
91	4	–	33	6	3	14	2	2	5	–	–	1	7	–	14	3	12	3	3	–	58
74	3	1	11	4	2	10	–	–	1	1	–	4	3	2	18	17	22	3	3	2	59
82	4	2	24	4	2	4	3	1	2	1	–	3	4	1	12	2	5	3	1	–	60
58	4	1	17	4	2	4	3	–	1	1	–	2	4	1	11	1	3	3	–	–	61
24	–	1	7	–	–	–	–	1	1	–	–	1	–	–	1	1	2	–	1	–	62
40	6	–	15	3	2	6	5	–	–	2	–	4	4	2	20	13	3	2	1	–	63
39	2	–	11	–	2	4	–	1	1	–	–	–	2	1	6	5	5	–	–	1	64
38	4	2	12	1	1	8	1	–	–	–	–	–	–	–	12	5	6	2	1	1	65
41	4	4	12	–	2	–	2	–	–	–	–	1	1	1	6	3	–	1	–	–	66
252	24	3	81	13	9	28	13	3	13	1	–	3	11	–	65	19	21	9	6	2	67
190	19	3	63	12	7	18	11	3	13	1	–	2	8	–	49	10	16	6	6	1	68
62	5	–	18	1	2	10	2	–	–	–	–	1	3	–	16	9	5	3	–	1	69
24	2	–	15	1	–	1	–	–	–	–	–	–	1	–	12	2	3	1	1	–	70
20	9	–	4	1	1	3	–	1	–	–	–	–	–	1	3	1	3	1	2	–	71
61	6	–	16	2	3	3	3	1	1	–	–	–	1	–	9	5	3	–	3	1	72
543	27	3	144	19	20	45	18	2	20	6	–	14	34	6	133	36	40	26	19	2	73
496	26	3	134	18	18	43	17	2	20	6	–	14	33	6	122	28	38	24	19	2	74
47	1	–	10	1	2	2	1	–	–	–	–	–	1	–	11	8	2	2	–	–	75
50	6	–	16	7	2	5	–	–	3	–	–	2	1	2	11	4	4	3	4	–	76
133	21	2	28	7	2	9	11	1	1	1	1	5	6	6	39	22	13	3	2	4	77
109	11	1	48	2	3	8	2	1	4	1	–	2	5	1	24	8	8	7	1	1	78
67	5	–	37	1	3	6	2	1	3	–	–	1	2	1	18	3	4	6	1	–	79
42	6	1	11	1	–	2	–	–	1	1	–	1	3	–	6	5	4	1	–	1	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kentucky—Con.																	
01	Fulton	183	–	–	–	30	10	6	2	4	2	1	5	1	109	67	1	–
02	Gallatin	54	–	–	–	7	2	1	–	1	–	–	3	–	36	22	–	–
03	Garrard	100	–	–	3	12	3	3	–	–	1	–	5	2	61	50	–	–
04	Grant	125	–	–	1	13	3	2	–	1	–	–	7	3	79	56	–	–
05	Graves	392	1	–	1	65	8	19	3	14	6	2	13	8	230	160	1	1
06	Mayfield	151	1	–	–	25	2	7	3	5	3	–	5	3	93	67	–	1
07	Balance of county	241	–	–	1	40	6	12	–	9	3	2	8	5	137	93	1	–
08	Grayson	211	–	–	1	28	6	8	3	2	–	–	9	1	122	93	1	1
09	Green	121	–	–	–	17	4	1	2	4	–	1	5	3	73	49	–	2
10	Greenup	316	–	–	1	55	16	13	6	8	–	2	10	11	173	125	1	4
11	Hancock	90	–	–	1	14	3	5	2	3	–	–	1	1	56	35	–	–
12	Hardin	413	1	–	6	73	20	17	5	4	3	5	19	9	173	120	2	–
13	Elizabethtown	119	–	–	2	25	8	8	2	1	1	1	4	5	52	33	1	–
14	Balance of county	294	1	–	4	48	12	9	3	3	2	4	15	4	121	87	1	–
15	Harlan	433	–	–	5	69	24	16	1	6	3	4	15	9	213	166	5	–
16	Harrison	186	1	–	2	35	9	9	2	4	1	2	8	5	106	77	–	3
17	Hart	172	1	–	3	27	6	9	4	3	–	1	4	2	100	76	1	–
18	Henderson	417	1	–	3	93	19	18	17	11	6	6	16	8	216	164	4	7
19	Henderson	300	–	–	3	68	13	11	14	8	5	6	11	7	157	117	2	4
20	Balance of county	117	1	–	–	25	6	7	3	3	1	–	5	1	59	47	2	3
21	Henry	131	1	–	1	23	4	3	–	7	2	–	7	1	74	57	3	1
22	Hickman	93	–	–	–	16	7	4	–	2	1	–	2	–	53	37	–	–
23	Hopkins	483	1	–	2	90	20	23	9	13	5	5	15	6	258	184	–	1
24	Madisonville	198	–	–	1	42	9	8	3	7	3	4	8	1	103	79	–	–
25	Balance of county	285	1	–	1	48	11	15	6	6	2	1	7	5	155	105	–	1
26	Jackson	103	–	–	–	15	3	6	1	3	–	–	2	1	69	48	–	1
27	Jefferson	6,487	27	–	46	1,361	367	394	120	134	65	48	233	109	3,187	2,228	40	30
28	Louisville	4,478	26	–	27	893	246	251	87	88	40	27	154	80	2,262	1,587	24	25
29	St. Matthews	2	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–
30	Shively	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
31	Balance of county	2,000	1	–	19	467	120	143	33	46	25	21	79	28	923	640	16	5
32	Jessamine	153	1	–	1	32	8	10	2	–	3	–	9	1	74	51	–	1
33	Johnson	226	–	–	1	31	5	10	2	2	5	1	6	11	129	103	1	–
34	Kenton	1,316	7	–	9	256	88	75	12	19	11	5	46	37	662	496	6	4
35	Covington	706	4	–	6	132	48	41	7	6	5	3	22	21	357	262	4	2
36	Erlanger	93	–	–	–	15	1	7	–	2	1	–	4	4	51	41	–	1
37	Balance of county	517	3	–	3	109	39	27	5	11	5	2	20	12	254	193	2	1
38	Knott	131	1	–	–	25	3	7	5	3	–	1	6	1	71	58	3	1
39	Knox	273	1	–	4	43	11	13	1	7	2	1	8	3	144	103	2	3
40	Larue	130	–	–	1	17	7	3	–	1	2	–	4	2	76	51	–	1
41	Laurel	299	–	–	1	53	13	15	7	7	2	2	7	6	169	115	1	–
42	Lawrence	160	–	–	–	18	4	6	2	2	–	1	3	7	95	80	1	–
43	Lee	90	–	–	–	15	1	5	1	–	1	2	5	1	49	33	–	–
44	Leslie	106	1	–	2	10	1	1	1	1	–	3	3	4	49	35	–	–
45	Letcher	279	–	–	3	45	7	16	3	3	1	4	11	7	142	107	2	–
46	Lewis	145	–	–	1	18	7	3	–	2	2	1	3	5	77	51	–	–
47	Lincoln	206	–	–	6	37	12	10	3	6	2	1	3	6	99	83	–	–
48	Livingston	106	–	–	–	18	5	5	2	–	1	1	4	3	53	30	–	–
49	Logan	244	–	–	1	41	10	10	3	7	1	2	8	5	146	94	–	3
50	Lyon	70	–	–	1	12	4	2	–	2	1	–	3	2	32	21	–	–
51	McCracken	735	2	–	–	135	37	37	9	21	3	7	21	8	394	278	4	2
52	Paducah	519	1	–	–	97	29	27	7	13	–	5	16	5	282	199	2	2
53	Balance of county	216	1	–	–	38	8	10	2	8	3	2	5	3	112	79	2	–
54	McCreary	136	2	–	1	20	3	7	3	3	1	–	3	2	74	56	–	–
55	McLean	123	–	–	1	23	8	2	3	2	2	1	5	2	60	48	–	–
56	Madison	318	–	–	–	54	12	11	5	8	2	4	12	2	175	114	1	–
57	Richmond	147	–	–	–	28	4	7	4	4	–	2	7	–	85	58	1	–
58	Balance of county	171	–	–	–	26	8	4	1	4	2	2	5	2	90	56	–	–
59	Magoffin	80	–	–	–	10	3	3	–	2	–	1	1	1	40	26	–	–
60	Marion	144	1	–	3	21	5	3	2	2	1	–	8	4	77	62	–	4
61	Marshall	241	–	–	1	47	15	13	4	6	2	2	5	6	141	99	1	–
62	Martin	95	–	–	–	13	2	6	1	1	–	–	3	2	40	32	–	–
63	Mason	193	1	–	1	35	14	7	1	5	1	1	6	3	127	93	–	–
64	Meade	93	1	–	1	18	1	4	3	2	2	1	5	3	47	31	–	–
65	Menifee	44	–	–	–	3	1	2	–	–	–	–	–	1	30	23	–	–
66	Mercer	176	–	–	2	32	3	13	5	3	2	1	5	2	88	67	2	–
67	Metcalfe	100	–	–	1	12	3	5	–	–	–	1	3	–	64	40	–	–
68	Monroe	150	2	–	3	18	6	4	1	1	–	1	5	2	88	77	2	1
69	Montgomery	182	–	–	1	30	10	8	–	6	1	1	4	1	93	68	1	5
70	Morgan	111	–	–	–	23	8	7	1	4	–	1	2	–	50	45	–	3
71	Muhlenberg	336	1	–	1	62	21	13	3	8	4	2	11	11	183	130	1	1
72	Nelson	206	1	–	1	31	9	10	3	2	–	2	5	3	104	83	1	–
73	Nicholas	73	–	–	2	12	4	5	–	1	–	1	1	–	42	29	1	1
74	Ohio	222	–	–	1	40	16	13	3	4	–	–	4	2	121	82	3	–
75	Oldham	126	1	–	1	27	9	9	3	3	–	1	2	2	61	37	–	1
76	Owen	96	–	–	–	13	4	2	–	1	–	–	6	–	66	40	–	–
77	Owsley	54	1	–	1	6	1	2	–	2	–	1	–	3	29	17	–	3
78	Pendleton	133	–	–	1	23	6	5	2	2	3	1	4	4	78	68	1	–
79	Perry	266	–	–	2	33	6	9	1	4	1	1	11	2	163	142	3	1
80	Pike	649	1	–	1	96	19	26	7	18	4	3	19	24	332	251	2	–
81	Powell	81	1	–	1	18	7	6	–	1	1	1	2	1	32	25	–	–
82	Pulaski	403	–	–	4	79	18	21	6	11	5	6	12	7	207	128	1	–
83	Somerset	107	–	–	1	21	7	2	1	3	3	1	4	1	61	40	–	–
84	Balance of county	296	–	–	3	58	11	19	5	8	2	5	8	6	146	88	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
62	4	1	35	5	1	5	1	–	–	1	–	–	4	2	16	4	6	1	2	1	01
22	–	–	12	1	1	–	–	–	–	–	–	–	1	1	4	2	1	1	1	–	02
32	18	–	9	–	2	3	1	–	–	–	–	–	3	1	4	4	2	1	3	–	03
52	4	1	19	2	1	2	3	2	–	–	–	–	–	–	10	2	8	1	1	–	04
121	37	2	56	7	5	8	6	2	3	–	–	2	6	16	24	4	8	5	3	–	05
50	16	1	22	1	2	3	1	2	–	–	–	–	2	8	11	1	–	–	1	–	06
71	21	1	34	6	3	5	5	–	3	–	–	2	4	8	13	3	8	5	2	–	07
89	2	–	23	3	3	13	3	3	2	–	–	–	4	1	20	6	3	4	–	–	08
42	5	–	23	1	–	6	–	–	–	–	–	–	1	3	12	3	3	–	–	–	09
112	8	1	25	18	4	20	6	2	–	1	–	1	5	–	25	5	5	3	2	1	10
35	–	–	13	7	1	1	–	–	–	–	–	–	4	–	8	2	2	–	1	–	11
94	24	1	37	12	3	13	4	2	4	1	–	3	13	1	46	24	22	10	7	1	12
29	3	–	12	5	2	6	1	–	1	–	–	–	2	–	15	5	2	3	–	–	13
65	21	1	25	7	1	7	3	2	3	1	–	3	11	1	31	19	20	7	7	1	14
150	11	–	34	7	6	12	3	1	4	1	1	8	7	4	48	11	21	10	5	1	15
66	8	1	19	6	3	4	1	–	3	2	–	1	2	–	14	3	6	–	–	1	16
68	7	–	16	3	5	2	1	2	–	3	–	1	2	2	12	1	7	4	2	–	17
143	10	5	37	6	4	9	8	–	2	2	–	3	5	2	29	7	17	8	2	2	18
103	8	3	30	5	2	8	8	–	2	1	–	2	4	–	19	3	13	3	1	1	19
40	2	2	7	1	2	1	–	–	–	1	–	1	1	2	10	4	4	5	1	1	20
52	1	–	14	1	2	7	–	1	1	–	–	–	1	1	9	3	5	2	1	–	21
36	1	–	15	1	–	4	2	–	–	–	–	–	–	4	10	1	1	1	1	–	22
176	7	1	57	10	6	20	4	1	4	3	–	4	8	3	39	12	22	3	3	–	23
76	3	–	19	4	1	4	–	–	4	1	–	1	6	1	14	8	9	2	1	–	24
100	4	1	38	6	5	16	4	1	–	2	–	3	2	2	25	4	13	1	2	–	25
45	2	1	14	5	1	3	1	–	–	1	–	–	3	–	1	2	3	3	1	–	26
1,954	204	25	768	94	72	220	89	25	133	32	1	39	78	49	550	120	193	115	105	8	27
1,391	147	21	544	58	52	170	69	20	103	26	–	15	44	39	375	49	133	59	82	6	28
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	30
562	57	4	223	36	20	50	20	5	30	6	1	24	34	10	174	68	60	55	23	2	31
47	3	–	16	6	1	3	3	–	1	–	–	2	1	2	19	2	4	5	2	–	32
86	16	–	22	3	1	1	2	–	–	–	–	1	6	2	26	2	11	1	2	–	33
467	19	2	139	10	15	24	17	6	29	2	–	13	14	8	124	34	32	28	14	–	34
243	13	1	79	5	10	13	10	3	20	–	–	5	7	5	65	14	20	16	8	–	35
40	–	–	8	2	–	2	2	–	2	–	–	1	3	–	7	2	–	3	1	–	36
184	6	1	52	3	5	9	5	3	7	2	–	7	4	3	52	18	12	9	5	–	37
50	4	–	10	3	–	6	2	–	–	2	–	2	2	1	8	4	3	–	3	–	38
76	22	–	33	3	5	15	6	1	–	–	–	3	6	3	25	5	7	1	4	2	39
44	6	–	20	4	1	2	2	–	1	1	–	1	–	–	12	3	9	1	2	–	40
97	17	–	45	3	6	8	–	–	3	–	1	2	2	3	24	7	11	3	5	1	41
66	13	1	9	2	3	2	–	1	1	1	–	–	6	1	20	2	4	–	2	–	42
30	3	–	12	3	1	4	1	–	1	–	–	–	2	–	8	2	5	1	1	–	43
24	11	–	10	3	1	4	4	2	–	–	–	–	4	–	15	1	5	1	3	1	44
94	11	–	29	–	6	5	6	–	2	1	–	1	7	2	28	13	7	6	1	3	45
47	4	–	22	1	3	6	3	1	1	–	–	2	1	–	10	9	7	2	2	–	46
74	9	2	8	4	2	9	3	–	1	2	–	1	1	2	20	1	6	8	3	1	47
27	3	1	17	3	2	8	3	–	–	–	–	–	5	2	7	3	4	–	–	–	48
79	12	1	43	1	7	1	4	1	1	–	–	1	4	10	8	9	10	1	1	–	49
19	2	2	7	2	–	6	–	–	1	–	–	–	–	1	8	4	2	–	1	–	50
250	22	5	92	9	10	21	12	2	15	3	–	5	6	8	58	21	24	11	10	–	51
178	17	1	68	6	8	10	8	2	13	2	–	4	5	6	41	14	15	9	5	–	52
72	5	4	24	3	2	11	4	–	2	1	–	1	1	2	17	7	9	2	5	–	53
38	18	–	10	6	2	4	3	–	1	1	–	–	2	3	15	2	2	1	3	–	54
37	11	–	10	2	–	5	1	–	2	–	–	1	2	–	11	6	6	3	–	–	55
105	8	1	42	15	3	12	2	1	5	1	–	3	2	2	22	9	13	5	8	2	56
52	5	–	16	10	1	5	1	1	2	–	–	–	1	2	13	1	5	2	–	1	57
53	3	1	26	5	2	7	1	–	3	1	–	3	1	–	9	8	8	3	8	1	58
21	5	–	10	–	4	3	–	1	1	1	–	1	1	4	2	7	4	–	3	1	59
58	–	1	14	–	–	9	7	–	1	–	–	–	1	–	9	6	4	–	1	–	60
85	13	–	37	3	2	2	2	–	3	1	–	–	2	1	14	9	8	2	2	–	61
19	13	–	6	1	1	2	–	–	–	1	–	–	4	11	10	5	6	–	1	–	62
90	3	1	29	2	2	1	–	–	4	1	–	3	2	–	8	3	3	1	–	–	63
29	2	–	12	1	3	1	1	–	–	–	–	–	3	–	7	5	5	1	–	–	64
16	7	–	5	–	2	1	–	2	–	–	–	–	1	–	2	–	3	–	1	–	65
59	6	–	16	4	1	7	4	–	2	2	–	2	4	1	10	8	6	4	2	–	66
29	11	3	20	–	1	5	1	–	–	–	1	1	3	–	4	3	4	1	–	–	67
69	5	–	8	2	1	4	1	1	–	1	–	–	3	–	15	6	3	1	1	1	68
52	10	–	19	4	2	7	2	2	3	–	–	3	3	2	15	6	8	4	2	–	69
36	6	–	5	–	–	4	–	1	1	1	–	–	3	–	11	5	6	5	1	–	70
110	18	1	45	1	6	13	4	1	1	1	–	2	5	1	28	6	10	3	1	2	71
79	3	–	19	1	1	13	2	1	3	3	–	1	3	2	17	7	11	3	–	–	72
27	–	–	11	1	1	3	1	–	–	1	–	–	1	–	5	3	3	–	–	–	73
75	4	1	32	2	4	7	4	1	1	–	–	2	2	1	22	9	6	3	–	–	74
32	4	–	13	7	4	1	3	1	–	1	–	1	–	–	9	5	7	5	1	–	75
37	3	1	23	–	2	–	1	1	1	–	–	–	–	–	5	5	3	1	–	–	76
13	1	–	7	4	1	2	–	1	–	–	–	1	1	–	–	3	3	1	2	–	77
54	13	1	4	3	2	–	–	1	–	–	–	1	2	1	9	4	6	1	1	1	78
116	22	–	17	1	3	5	2	2	4	–	–	1	2	–	20	13	7	3	7	–	79
218	31	1	67	8	5	14	16	2	4	3	–	5	13	7	57	24	28	9	10	3	80
25	–	–	6	–	1	3	2	–	–	1	–	1	–	2	7	7	3	–	2	–	81
117	10	3	63	9	4	12	2	2	5	1	–	–	2	3	38	12	14	5	7	3	82
39	1	–	18	2	1	4	1	–	–	–	–	–	1	1	6	–	4	2	2	2	83
78	9	3	45	7	3	8	1	2	5	1	–	–	1	2	32	12	10	3	5	1	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Kentucky—Con.																	
01	Robertson	30	1	–	–	6	1	1	3	1	–	–	–	–	19	12	–	–
02	Rockcastle	130	–	–	–	21	8	8	1	2	1	–	1	7	64	48	–	–
03	Rowan	115	1	–	1	23	6	3	2	3	1	1	7	2	61	47	2	–
04	Russell	139	3	–	2	23	2	7	1	4	1	1	7	3	80	61	–	–
05	Scott	187	–	–	1	31	6	4	4	6	–	2	9	2	97	74	3	1
06	Shelby	226	1	–	2	42	11	10	2	7	1	–	11	2	137	77	–	2
07	Simpson	137	–	–	–	26	6	5	2	5	–	1	7	1	83	65	–	12
08	Spencer	60	–	–	–	8	3	2	–	–	–	–	3	–	32	16	–	1
09	Taylor	158	1	–	3	24	10	3	2	5	–	–	4	6	98	72	–	2
10	Todd	141	1	–	1	18	7	4	1	3	–	–	3	4	76	56	–	1
11	Trigg	124	–	–	–	20	7	3	4	–	2	1	3	2	70	54	1	–
12	Trimble	51	–	–	–	9	2	2	–	3	–	1	1	–	23	15	–	–
13	Union	195	–	–	2	37	11	5	3	5	2	2	9	5	99	70	2	1
14	Warren	533	5	–	4	109	34	22	12	13	2	3	23	11	273	161	1	3
15	Bowling Green	340	1	–	2	78	29	13	7	10	1	3	15	7	174	96	–	1
16	Balance of county	193	4	–	2	31	5	9	5	3	1	–	8	4	99	65	1	2
17	Washington	110	–	–	–	18	3	4	4	2	–	3	2	1	59	42	1	2
18	Wayne	157	1	–	–	25	5	5	1	4	1	2	7	7	91	72	–	14
19	Webster	205	1	–	2	25	2	7	–	2	1	1	12	3	113	89	–	1
20	Whitley	331	–	–	5	49	10	15	3	4	4	2	11	1	196	161	2	2
21	Wolfe	74	1	–	–	9	4	–	–	–	1	–	4	2	46	40	–	1
22	Woodford	164	1	–	3	26	9	3	3	1	–	3	7	2	88	62	–	–
23	**Louisiana**	**33,700**	**102**	**9**	**309**	**6,161**	**1,481**	**1,616**	**489**	**678**	**240**	**256**	**1,401**	**831**	**16,896**	**12,444**	**123**	**206**
24	Urban places	16,628	66	3	145	3,121	757	791	263	329	121	121	739	426	8,281	6,081	70	102
25	Balance of area	17,072	36	6	164	3,040	724	825	226	349	119	135	662	405	8,615	6,363	53	104
26	Metropolitan parishes	18,148	73	6	174	3,449	830	906	290	354	144	124	801	488	8,963	6,727	83	118
27	Urban places	13,392	60	3	123	2,570	625	656	217	264	103	93	612	365	6,579	4,896	59	91
28	Balance of area	4,756	13	3	51	879	205	250	73	90	41	31	189	123	2,384	1,831	24	27
29	Nonmetropolitan parishes	15,552	29	3	135	2,712	651	710	199	324	96	132	600	343	7,933	5,717	40	88
30	Urban places	3,236	6	–	22	551	132	135	46	65	18	28	127	61	1,702	1,185	11	11
31	Balance of area	12,316	23	3	113	2,161	519	575	153	259	78	104	473	282	6,231	4,532	29	77
32	Acadia	466	1	–	6	101	21	37	6	8	5	3	21	4	232	156	1	2
33	Crowley	154	–	–	1	37	8	14	1	4	1	1	8	1	75	48	–	–
34	Eunice, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
35	Balance of parish	311	1	–	5	64	13	23	5	4	4	2	13	3	156	108	1	2
36	Allen	221	1	–	2	35	8	9	2	2	2	2	10	6	109	79	1	1
37	Ascension	299	–	–	3	53	16	10	8	7	2	2	8	8	139	103	2	5
38	Assumption	180	–	–	2	31	5	12	4	3	–	–	7	2	95	74	–	–
39	Avoyelles	437	2	–	3	80	20	23	1	6	4	7	19	14	226	169	–	2
40	Beauregard	227	–	–	–	38	9	8	2	4	–	2	13	5	134	99	1	–
41	Bienville	204	1	–	1	47	17	10	1	10	–	–	9	4	104	73	1	–
42	Bossier	482	2	–	6	87	23	20	6	11	1	5	21	10	243	200	2	6
43	Bossier City	279	1	–	3	55	15	13	3	5	–	5	14	4	127	109	1	3
44	Shreveport, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
45	Balance of parish	203	1	–	3	32	8	7	3	6	1	–	7	6	116	91	1	3
46	Caddo	2,362	12	1	24	423	113	116	26	53	14	15	86	56	1,178	815	14	29
47	Shreveport, part	1,996	11	1	21	356	94	97	24	45	14	12	70	48	993	674	12	25
48	Shreveport, total	1,996	11	1	21	356	94	97	24	45	14	12	70	48	993	674	12	25
49	Balance of parish	366	1	–	3	67	19	19	2	8	–	3	16	8	185	141	2	4
50	Calcasieu	1,174	2	1	6	222	47	76	13	18	6	4	58	30	626	438	10	4
51	Lake Charles	645	1	–	4	114	26	35	5	11	2	2	33	15	344	229	4	3
52	Sulphur	115	1	–	–	27	3	13	3	2	1	–	5	3	58	45	3	–
53	Balance of parish	414	–	1	2	81	18	28	5	5	3	2	20	12	224	164	3	1
54	Caldwell	108	–	–	–	13	3	1	1	2	1	–	5	3	67	52	–	4
55	Cameron	53	–	–	1	8	2	3	2	–	–	–	1	1	23	15	–	–
56	Catahoula	133	–	–	1	17	8	3	1	3	–	–	2	1	76	46	–	–
57	Claiborne	202	–	–	–	40	10	10	1	6	2	3	8	4	101	69	1	1
58	Concordia	202	1	–	1	27	6	7	1	5	–	1	7	–	78	56	–	2
59	De Soto	289	–	–	1	54	17	13	4	3	2	4	11	5	152	94	2	–
60	East Baton Rouge	2,096	4	–	22	348	72	99	30	34	15	15	83	49	1,139	882	7	2
61	Baton Rouge	1,553	4	–	15	271	58	77	23	23	11	12	67	35	852	656	6	1
62	Balance of parish	543	–	–	7	77	14	22	7	11	4	3	16	14	287	226	1	1
63	East Carroll	133	–	–	1	21	5	5	3	3	–	1	4	6	66	45	–	5
64	East Feliciana	190	–	1	–	32	6	8	1	3	–	3	11	6	95	76	–	–
65	Evangeline	334	1	–	3	59	17	16	1	4	2	5	14	9	177	130	1	2
66	Franklin	268	2	–	1	50	10	17	5	4	2	5	7	10	143	96	–	–
67	Grant	177	–	–	1	41	6	11	2	5	1	2	14	2	80	60	–	1
68	Iberia	496	–	–	6	89	17	24	7	10	–	5	26	7	252	168	1	2
69	New Iberia	284	–	–	3	51	6	15	4	5	–	4	17	2	142	89	1	–
70	Balance of parish	212	–	–	3	38	11	9	3	5	–	1	9	5	110	79	–	2
71	Iberville	273	1	–	2	48	8	9	2	14	1	–	14	8	138	97	–	10
72	Jackson	171	–	–	1	25	6	7	2	2	–	2	6	5	101	52	–	1
73	Jefferson	2,565	6	1	31	528	117	136	51	50	28	15	131	70	1,216	930	14	15
74	Gretna	299	–	–	4	67	16	11	7	7	5	2	19	9	141	110	1	1
75	Harahan	84	–	–	2	16	5	4	1	2	1	1	2	2	40	28	–	–
76	Kenner	191	–	–	–	37	6	11	3	4	–	–	13	5	81	67	–	3
77	Westwego	107	–	–	–	21	6	4	1	1	–	–	9	2	49	38	2	–
78	Balance of parish	1,884	6	1	25	387	84	106	39	36	22	12	88	52	905	687	11	11
79	Jefferson Davis	281	–	–	2	53	14	13	4	3	3	–	16	6	144	100	2	–
80	Jennings	124	–	–	1	23	8	4	2	–	–	–	9	–	63	48	2	–
81	Balance of parish	157	–	–	1	30	6	9	2	3	3	–	7	6	81	52	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
10	2	–	6	1	–	1	1	–	–	–	–	–	–	–	2	–	–	–	–	–	01
35	13	1	15	–	–	5	4	–	1	1	–	1	1	2	11	3	7	–	2	–	02
37	8	–	8	1	5	–	1	–	1	1	–	1	1	–	12	5	2	3	–	–	03
49	12	–	15	–	4	5	2	1	–	–	–	–	–	–	10	5	4	–	1	–	04
65	5	1	17	4	1	5	6	–	2	1	–	2	2	1	23	3	8	3	–	–	05
73	2	–	50	7	3	3	1	1	–	1	–	–	1	1	13	12	7	2	–	–	06
50	3	–	16	2	–	1	1	1	–	–	–	–	4	–	11	1	4	2	1	1	07
13	2	1	9	4	2	2	–	1	–	–	–	2	–	–	1	6	5	3	–	–	08
57	13	–	20	2	4	4	–	–	1	2	1	1	2	1	11	1	2	–	–	–	09
50	5	–	16	1	3	2	1	–	–	1	–	2	–	–	20	4	4	3	4	–	10
46	7	–	12	2	2	7	3	1	1	3	–	1	2	1	7	3	3	–	–	–	11
12	3	–	6	1	1	2	–	–	–	–	–	1	–	–	8	–	7	–	1	–	12
62	5	3	19	7	–	5	1	–	1	–	–	–	1	3	14	10	13	–	4	–	13
149	8	3	95	12	2	24	11	2	6	2	1	1	4	5	35	10	14	9	5	2	14
89	6	2	69	6	1	16	6	–	2	–	1	1	–	3	22	4	11	8	3	1	15
60	2	1	26	6	1	8	5	2	4	2	–	–	4	2	13	6	3	1	2	1	16
39	–	1	13	3	–	3	2	2	1	–	–	1	–	1	12	4	6	–	–	–	17
48	10	2	13	3	1	6	1	–	–	–	–	1	–	1	15	3	3	1	1	1	18
70	18	–	21	3	–	6	4	1	4	1	–	3	1	2	23	6	6	3	1	–	19
129	28	–	29	4	2	8	5	1	3	1	–	3	4	1	22	9	11	6	2	4	20
38	1	–	6	–	–	3	1	–	–	–	–	–	–	–	8	1	2	–	1	–	21
60	2	1	17	4	4	7	–	–	2	1	–	4	3	1	7	6	3	8	2	–	22
11,069	**1,046**	**102**	**3,461**	**497**	**392**	**845**	**396**	**98**	**405**	**234**	**12**	**304**	**700**	**360**	**2,680**	**969**	**1,306**	**460**	**573**	**50**	**23**
5,388	521	55	1,721	222	202	399	201	54	250	122	8	143	329	140	1,394	363	597	212	351	23	24
5,681	525	47	1,740	275	190	446	195	44	155	112	4	161	371	220	1,286	606	709	248	222	27	25
5,948	578	60	1,760	197	219	405	207	55	262	141	5	157	366	156	1,491	401	695	249	377	28	26
4,310	436	44	1,336	140	163	298	154	45	207	109	5	114	264	125	1,123	270	491	173	297	17	27
1,638	142	16	424	57	56	107	53	10	55	32	–	43	102	31	368	131	204	76	80	11	28
5,121	468	42	1,701	300	173	440	189	43	143	93	7	147	334	204	1,189	568	611	211	196	22	29
1,078	85	11	385	82	39	101	47	9	43	13	3	29	65	15	271	93	106	39	54	6	30
4,043	383	31	1,316	218	134	339	142	34	100	80	4	118	269	189	918	475	505	172	142	16	31
142	11	–	55	15	6	9	4	3	5	3	–	6	11	3	34	15	10	11	8	–	32
45	3	–	15	11	1	5	2	1	3	1	–	1	1	1	14	2	3	2	4	–	33
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
97	8	–	39	4	5	4	2	2	2	2	–	5	10	2	20	13	7	9	4	–	35
71	6	–	26	1	3	5	4	–	1	1	–	1	7	–	13	18	12	5	1	–	36
86	10	–	30	5	1	11	3	–	2	3	–	2	7	–	33	8	13	8	5	1	37
67	7	–	14	3	4	3	1	–	2	2	–	2	2	1	14	10	8	3	2	–	38
156	11	1	42	9	5	14	7	1	2	1	–	3	8	5	34	14	13	6	3	1	39
95	3	–	30	4	1	4	3	4	1	1	–	1	4	1	15	5	8	1	2	–	40
67	5	–	26	3	2	6	1	–	–	2	–	1	3	3	16	6	7	1	–	1	41
177	15	–	32	5	6	12	5	1	5	3	–	5	9	1	35	20	18	10	10	–	42
98	7	–	10	3	5	6	4	1	4	1	–	5	6	1	22	15	9	10	5	–	43
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	44
79	8	–	22	2	1	6	1	–	1	2	–	–	3	–	13	5	9	–	5	–	45
679	93	14	296	12	41	50	32	14	29	20	3	20	37	28	227	54	78	24	52	–	46
557	80	10	264	11	34	42	30	14	26	17	3	16	33	23	190	42	65	21	44	–	47
557	80	10	264	11	34	42	30	14	26	17	3	16	33	23	190	42	65	21	44	–	48
122	13	4	32	1	7	8	2	–	3	3	–	4	4	5	37	12	13	3	8	–	49
388	36	5	151	23	9	22	13	1	9	6	1	8	18	5	84	24	50	29	14	3	50
204	18	5	91	14	5	15	6	–	6	5	1	4	10	2	51	11	28	16	10	2	51
40	2	–	10	2	1	2	2	–	1	–	–	1	1	–	8	5	2	3	1	–	52
144	16	–	50	7	3	5	5	1	2	1	–	3	7	3	25	8	20	10	3	1	53
41	7	–	15	–	–	1	3	–	3	–	–	–	–	2	5	6	4	1	–	–	54
13	2	–	6	1	1	1	–	–	–	–	–	2	4	–	4	4	4	–	1	–	55
45	1	–	26	4	–	3	1	–	–	3	–	2	1	–	5	10	9	3	1	–	56
64	3	1	27	1	3	6	1	–	–	3	–	1	5	3	16	6	8	3	5	–	57
47	7	1	14	4	3	7	2	–	1	5	–	2	5	45	8	3	13	2	2	–	58
79	13	1	48	6	3	6	4	–	1	3	–	4	4	1	24	16	10	–	4	–	59
814	59	7	194	25	31	52	15	5	26	15	–	13	42	8	141	52	88	29	42	6	60
606	43	3	151	19	23	34	10	4	20	12	–	10	27	6	102	40	54	23	28	6	61
208	16	4	43	6	8	18	5	1	6	3	–	3	15	2	39	12	34	6	14	–	62
39	1	1	17	1	2	8	–	1	1	3	–	–	1	1	10	3	10	–	1	–	63
70	6	–	16	2	1	5	2	–	1	–	–	1	3	2	13	9	11	6	3	–	64
117	10	1	34	9	3	9	5	2	3	1	–	4	11	1	21	8	9	11	–	–	65
89	7	1	44	2	–	9	4	–	1	2	–	1	6	–	21	7	8	1	2	–	66
49	10	1	12	1	6	4	5	1	1	–	–	–	1	7	13	10	9	1	1	–	67
154	11	1	49	24	10	12	–	1	5	4	1	3	15	2	47	24	20	4	4	–	68
81	7	1	32	15	5	9	–	–	3	1	–	2	9	2	29	13	13	2	3	–	69
73	4	–	17	9	5	3	–	1	2	3	1	1	6	–	18	11	7	2	1	–	70
79	8	–	37	2	2	13	2	1	3	6	–	3	4	–	16	6	11	4	7	–	71
45	6	–	38	6	5	3	1	2	1	2	–	2	1	2	11	5	5	2	2	–	72
851	50	9	216	31	30	54	29	8	33	16	–	25	57	18	211	57	95	50	52	8	73
104	4	1	25	3	2	10	6	–	4	–	–	2	5	2	17	8	14	3	7	–	74
27	1	–	9	1	2	2	1	–	2	–	–	–	–	2	11	–	1	2	2	1	75
59	5	1	10	–	3	4	1	2	3	1	–	4	4	1	23	4	12	2	6	1	76
34	2	–	9	1	1	5	1	–	–	–	–	3	–	2	11	3	6	2	2	–	77
627	38	7	163	26	22	33	20	6	24	15	–	16	48	11	149	42	62	41	35	6	78
81	17	–	36	6	2	7	6	1	2	–	–	5	9	4	24	4	11	2	–	1	79
37	9	–	15	–	–	7	3	1	1	–	–	2	4	1	11	2	3	2	–	–	80
44	8	–	21	6	2	–	3	–	1	–	–	3	5	3	13	2	8	–	–	1	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Louisiana—Con.																	
01	Lafayette	770	1	–	6	177	39	40	11	20	7	10	50	16	332	219	4	6
02	Lafayette	526	1	–	4	125	26	28	8	14	4	8	37	11	224	143	3	4
03	Balance of parish	244	–	–	2	52	13	12	3	6	3	2	13	5	108	76	1	2
04	Lafourche	524	–	–	8	89	19	26	4	7	6	6	21	11	242	182	1	1
05	Thibodaux	134	–	–	2	18	5	4	–	2	3	1	3	1	70	50	–	–
06	Balance of parish	390	–	–	6	71	14	22	4	5	3	5	18	10	172	132	1	1
07	La Salle	144	–	–	–	23	3	8	2	1	2	–	7	2	77	55	1	1
08	Lincoln	295	2	–	2	45	6	11	4	14	2	3	5	5	160	98	1	–
09	Ruston	147	–	–	1	20	2	2	2	8	2	1	3	4	79	47	1	–
10	Balance of parish	148	2	–	1	25	4	9	2	6	–	2	2	1	81	51	–	–
11	Livingston	349	1	–	3	48	13	11	2	9	1	4	8	6	181	138	2	1
12	Madison	179	–	–	1	31	6	8	3	8	–	1	5	3	88	64	1	1
13	Morehouse	354	2	–	2	58	19	13	6	11	–	4	5	11	180	112	–	7
14	Bastrop	196	–	–	1	30	12	4	1	9	–	2	2	7	101	59	–	3
15	Balance of parish	158	2	–	1	28	7	9	5	2	–	2	3	4	79	53	–	4
16	Natchitoches	349	1	–	2	51	10	12	7	6	1	1	14	6	207	142	1	1
17	Natchitoches	139	–	–	–	20	3	6	4	3	1	–	3	5	81	54	1	–
18	Balance of parish	210	1	–	2	31	7	6	3	3	–	1	11	1	126	88	–	1
19	Orleans, coext. with New Orleans city	6,614	37	2	67	1,310	329	313	123	130	58	47	310	209	3,139	2,376	24	40
20	Ouachita	1,079	5	–	4	183	45	49	20	22	9	5	33	25	580	462	2	11
21	Monroe	651	4	–	2	100	25	28	11	10	4	2	20	16	366	294	1	11
22	West Monroe	196	–	–	1	40	10	10	4	6	2	1	7	4	97	74	–	–
23	Balance of parish	232	1	–	1	43	10	11	5	6	3	2	6	5	117	94	1	–
24	Plaquemines	161	–	–	2	32	8	9	2	1	1	–	11	7	69	62	–	1
25	Pointe Coupee	215	–	–	1	47	11	8	4	10	1	5	8	7	101	76	–	1
26	Rapides	1,215	3	–	7	206	55	49	21	22	11	8	40	16	631	454	6	2
27	Alexandria	628	2	–	4	104	30	23	11	10	6	4	20	6	334	240	4	1
28	Balance of parish	587	1	–	3	102	25	26	10	12	5	4	20	10	297	214	2	1
29	Red River	121	–	–	1	17	6	4	2	2	1	–	2	3	66	55	1	–
30	Richland	249	–	–	3	32	12	10	1	5	–	1	3	8	144	105	1	2
31	Sabine	250	–	–	1	40	9	10	2	4	3	3	9	7	131	94	–	–
32	St. Bernard	389	3	–	2	62	23	15	1	5	3	3	12	10	181	143	2	2
33	St. Charles	174	–	1	1	28	11	8	2	2	1	2	2	6	76	58	–	1
34	St. Helena	88	1	–	–	13	4	4	1	1	2	–	1	3	38	24	–	–
35	St. James	161	–	–	6	31	6	8	1	5	3	3	5	6	72	54	–	1
36	St. John the Baptist	175	–	–	2	38	6	11	1	9	2	1	8	5	80	61	–	3
37	St. Landry	752	–	–	7	151	33	46	10	11	5	5	41	19	380	303	5	3
38	Eunice, part	146	–	–	2	28	5	8	1	4	1	2	7	4	80	68	1	1
39	Eunice, total	147	–	–	2	28	5	8	1	4	1	2	7	4	81	68	1	1
40	Opelousas	202	–	–	1	50	10	18	3	2	1	1	15	6	83	69	1	1
41	Balance of parish	404	–	–	4	73	18	20	6	5	3	2	19	9	217	166	3	1
42	St. Martin	247	2	–	5	50	11	13	5	5	4	2	10	5	102	81	1	5
43	St. Mary	453	–	–	7	84	22	23	6	7	3	3	20	13	210	163	–	3
44	Morgan City	129	–	–	1	24	8	5	2	3	1	–	5	3	57	39	–	1
45	Balance of parish	324	–	–	6	60	14	18	4	4	2	3	15	10	153	124	–	2
46	St. Tammany	617	1	1	6	109	22	42	9	11	3	5	17	13	329	262	4	3
47	Slidell	136	–	–	–	31	6	12	1	4	1	1	6	2	68	53	2	–
48	Balance of parish	481	1	1	6	78	16	30	8	7	2	4	11	11	261	209	2	3
49	Tangipahoa	740	2	–	4	95	19	21	7	10	2	6	30	16	415	322	2	2
50	Hammond	139	–	–	–	10	1	4	–	–	–	–	5	5	82	58	–	–
51	Balance of parish	601	2	–	4	85	18	17	7	10	2	6	25	11	333	264	2	2
52	Tensas	113	–	–	–	21	5	4	1	3	1	1	6	2	68	50	–	–
53	Terrebonne	536	1	–	7	96	22	24	14	10	3	6	17	11	266	186	1	1
54	Houma	263	1	–	–	49	8	9	11	7	1	4	9	7	141	94	–	–
55	Balance of parish	273	–	–	7	47	14	15	3	3	2	2	8	4	125	92	1	1
56	Union	217	–	–	–	37	6	11	1	7	2	3	7	3	128	91	–	1
57	Vermilion	384	–	–	6	88	24	22	5	7	5	4	21	8	200	145	–	–
58	Abbeville	147	–	–	–	30	15	3	1	1	–	2	8	2	82	59	–	–
59	Balance of parish	237	–	–	6	58	9	19	4	6	5	2	13	6	118	86	–	–
60	Vernon	302	1	–	3	51	12	10	3	6	3	2	15	4	122	79	1	2
61	Washington	460	1	–	5	68	15	17	5	6	2	3	20	8	249	183	–	–
62	Bogalusa	234	1	–	4	30	5	8	1	2	1	2	11	5	136	96	–	–
63	Balance of parish	226	–	–	1	38	10	9	4	4	1	1	9	3	113	87	–	–
64	Webster	436	2	–	4	78	16	22	7	16	–	7	10	11	222	151	1	4
65	Minden	169	2	–	1	27	6	8	2	5	–	4	2	3	95	67	–	4
66	Balance of parish	267	–	–	3	51	10	14	5	11	–	3	8	8	127	84	1	–
67	West Baton Rouge	149	–	–	–	23	7	8	–	2	1	–	5	7	69	54	1	4
68	West Carroll	144	–	–	1	30	9	11	6	1	–	–	3	3	90	65	–	–
69	West Feliciana	60	–	–	4	9	1	1	1	4	–	1	1	–	31	22	–	–
70	Winn	212	–	1	2	40	14	11	2	5	1	–	7	5	106	79	–	2
71	**Maine**	10,273	14	1	68	1,959	582	432	164	226	111	63	381	168	5,574	4,127	63	67
72	Urban places	3,270	6	–	27	626	189	137	57	63	36	20	124	59	1,776	1,339	26	24
73	Balance of area	7,003	8	1	41	1,333	393	295	107	163	75	43	257	109	3,798	2,788	37	43
74	Metropolitan counties	1,997	2	1	17	393	107	84	39	43	29	13	78	29	1,054	816	16	12
75	Urban places	1,136	1	–	10	232	61	55	27	19	19	8	43	17	598	475	9	8
76	Balance of area	861	1	1	7	161	46	29	12	24	10	5	35	12	456	341	7	4
77	Nonmetropolitan counties	8,276	12	–	51	1,566	475	348	125	183	82	50	303	139	4,520	3,311	47	55
78	Urban places	2,134	5	–	17	394	128	82	30	44	17	12	81	42	1,178	864	17	16
79	Balance of area	6,142	7	–	34	1,172	347	266	95	139	65	38	222	97	3,342	2,447	30	39

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
190	19	–	87	18	8	14	10	1	10	1	–	6	28	6	66	27	39	13	15	2	01
122	14	–	62	15	4	10	8	1	7	–	–	3	22	6	42	17	22	11	10	2	02
68	5	–	25	3	4	4	2	–	3	1	–	3	6	–	24	10	17	2	5	–	03
169	11	1	48	8	3	15	5	–	5	2	–	8	12	2	49	37	28	7	2	2	04
46	4	–	15	5	–	7	3	–	2	–	–	2	–	1	16	5	5	1	–	1	05
123	7	1	33	3	3	8	2	–	3	2	–	6	12	1	33	32	23	6	2	1	06
49	4	1	16	4	1	6	4	2	1	–	–	1	1	1	15	2	3	2	4	–	07
95	2	3	46	10	3	11	2	–	3	1	1	3	8	5	19	13	11	1	3	–	08
46	–	3	20	6	3	6	2	–	–	1	–	1	5	3	11	7	6	1	–	–	09
49	2	–	26	4	–	5	–	–	3	–	1	2	3	2	8	6	5	–	3	–	10
125	10	–	31	8	4	10	3	–	2	–	–	2	11	15	32	12	8	8	4	3	11
60	2	–	14	7	3	10	1	–	1	–	–	2	3	–	19	9	8	–	2	1	12
92	13	1	48	15	4	10	4	–	5	1	2	2	3	3	39	9	12	7	3	1	13
49	7	–	31	8	3	6	2	–	3	1	1	1	2	1	23	4	6	3	3	1	14
43	6	1	17	7	1	4	2	–	2	–	1	1	1	2	16	5	6	4	–	–	15
131	9	1	53	3	8	7	5	1	4	1	–	3	8	3	18	12	11	6	3	–	16
51	2	1	21	2	3	2	2	1	2	1	–	2	5	1	8	3	3	2	1	–	17
80	7	–	32	1	5	5	3	–	2	–	–	1	3	2	10	9	8	4	2	–	18
2,124	188	20	616	59	68	143	74	18	123	69	1	53	135	45	586	107	249	70	175	2	19
367	82	4	86	10	18	30	15	5	11	2	–	15	21	40	63	22	38	8	5	7	20
226	56	3	51	4	14	19	7	5	7	2	–	9	17	28	37	9	13	4	3	3	21
62	12	–	20	3	–	5	3	–	2	–	–	3	2	6	13	4	12	3	1	–	22
79	14	1	15	3	4	6	5	–	2	–	–	3	2	6	13	9	13	1	1	4	23
49	12	–	5	2	–	5	1	1	2	–	–	1	2	3	12	12	10	2	–	–	24
71	4	1	20	2	2	4	1	–	1	2	–	1	4	–	19	8	11	3	4	1	25
419	27	2	138	19	18	45	25	2	17	6	1	12	22	5	93	40	38	22	21	3	26
224	11	1	76	7	10	21	12	1	12	2	1	5	13	–	50	14	18	9	18	2	27
195	16	1	62	12	8	24	13	1	5	4	–	7	9	5	43	26	20	13	3	1	28
48	6	–	8	3	–	–	2	1	–	–	1	2	3	1	13	5	2	2	2	–	29
97	5	2	32	3	2	11	6	1	1	1	–	3	7	3	12	5	8	3	1	–	30
79	15	–	28	6	3	11	–	3	3	2	–	–	3	–	22	5	12	4	6	–	31
125	14	–	34	1	3	12	6	1	11	6	–	6	8	3	32	17	16	9	4	–	32
47	10	1	13	4	–	6	3	–	2	1	–	1	4	1	15	12	8	2	5	2	33
23	1	–	12	1	1	3	–	–	–	–	–	1	2	1	10	5	7	–	4	–	34
43	10	1	15	2	–	3	1	2	–	2	–	–	7	1	15	3	11	–	1	–	35
53	5	1	14	4	–	7	2	1	2	–	–	1	7	2	13	4	5	1	5	–	36
275	20	5	56	6	10	23	11	3	8	5	–	7	14	2	48	26	32	8	7	1	37
64	2	–	10	1	1	–	4	1	4	–	–	1	2	–	10	5	4	1	–	–	38
64	2	–	11	1	1	–	4	1	4	–	–	1	2	–	10	5	4	1	–	–	39
61	6	2	11	1	–	11	3	2	2	1	–	3	3	–	16	5	10	3	3	–	40
150	12	3	35	4	9	12	4	–	2	4	–	3	9	2	22	16	18	4	4	1	41
68	7	–	12	6	3	7	3	–	1	3	–	4	11	–	19	16	13	4	1	1	42
148	12	–	35	7	5	9	5	1	6	3	–	6	16	4	31	15	23	10	10	–	43
35	3	–	15	1	2	2	3	1	–	2	–	1	2	1	11	6	6	2	7	–	44
113	9	–	20	6	3	7	2	–	6	1	–	5	14	3	20	9	17	8	3	–	45
233	22	1	48	13	5	16	8	1	5	3	–	6	11	2	46	21	24	7	8	–	46
47	4	1	8	5	1	1	1	–	2	2	–	1	2	1	10	5	4	3	3	–	47
186	18	–	40	8	4	15	7	1	3	1	–	5	9	1	36	16	20	4	5	–	48
287	31	3	82	4	4	19	3	2	15	–	–	8	20	12	42	28	32	9	18	–	49
57	1	–	22	1	1	3	–	–	3	–	–	2	6	2	8	3	6	1	8	–	50
230	30	3	60	3	3	16	3	2	12	–	–	6	14	10	34	25	26	8	10	–	51
48	2	–	13	4	1	2	1	–	1	–	–	1	2	1	8	1	4	–	–	1	52
174	10	2	48	25	5	10	4	1	4	6	–	15	11	1	36	33	20	7	5	2	53
87	7	1	29	16	1	3	3	–	2	2	–	3	4	1	20	14	7	2	2	2	54
87	3	1	19	9	4	7	1	1	2	4	–	12	7	–	16	19	13	5	3	–	55
83	7	1	30	1	5	7	5	–	3	–	–	1	3	4	15	5	4	–	2	–	56
135	10	–	46	3	6	10	7	1	3	1	–	1	4	–	27	7	16	5	–	–	57
55	4	–	20	–	3	6	3	–	1	–	–	–	2	–	11	3	6	1	–	–	58
80	6	–	26	3	3	4	4	1	2	1	–	1	2	–	16	4	10	4	–	–	59
66	10	2	33	4	4	9	5	–	2	2	–	3	9	32	22	13	11	4	9	–	60
165	18	1	52	8	5	14	5	–	7	3	1	4	10	1	39	13	15	11	6	–	61
87	9	–	33	2	5	10	1	–	3	1	1	2	5	1	19	3	6	4	2	–	62
78	9	1	19	6	–	4	4	–	4	2	–	2	5	–	20	10	9	7	4	–	63
129	17	2	51	14	4	11	8	3	4	1	–	4	3	6	43	14	12	6	4	–	64
53	10	2	19	6	1	3	4	1	2	–	–	1	2	–	14	4	4	3	3	–	65
76	7	–	32	8	3	8	4	2	2	1	–	3	1	6	29	10	8	3	1	–	66
49	–	–	10	4	1	5	3	–	1	1	–	–	3	2	14	1	11	2	7	–	67
62	3	2	20	2	1	–	–	1	1	–	–	1	3	1	10	1	2	–	–	–	68
20	2	–	8	–	1	1	1	–	–	–	–	–	1	–	6	1	4	–	2	–	69
66	11	–	22	2	3	3	4	–	2	4	–	3	5	9	17	4	6	–	1	–	70
3,756	**241**	**32**	**1,044**	**190**	**181**	**350**	**149**	**39**	**168**	**39**	**1**	**58**	**92**	**69**	**827**	**225**	**299**	**128**	**26**	**19**	**71**
1,215	74	12	325	48	52	111	51	14	57	10	–	15	31	24	277	58	91	32	4	1	72
2,541	167	20	719	142	129	239	98	25	111	29	1	43	61	45	550	167	208	96	22	18	73
729	59	6	169	31	32	72	32	4	32	6	–	4	19	11	172	55	60	28	4	2	74
429	29	3	95	9	16	43	18	3	19	3	–	2	10	7	99	18	40	15	1	–	75
300	30	3	74	22	16	29	14	1	13	3	–	2	9	4	73	37	20	13	3	2	76
3,027	182	26	875	159	149	278	117	35	136	33	1	54	73	58	655	170	239	100	22	17	77
786	45	9	230	39	36	68	33	11	38	7	–	13	21	17	178	40	51	17	3	1	78
2,241	137	17	645	120	113	210	84	24	98	26	1	41	52	41	477	130	188	83	19	16	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Maine—Con.																	
01	Androscoggin	859	2	–	11	163	54	30	13	19	8	4	35	10	474	389	8	5
02	Auburn	255	–	–	3	46	17	4	5	6	1	2	11	5	143	120	1	3
03	Lewiston	387	2	–	6	78	27	18	4	7	6	2	14	2	221	174	5	1
04	Balance of county	217	–	–	2	39	10	8	4	6	1	–	10	3	110	95	2	1
05	Aroostook	717	1	–	1	128	45	25	11	14	9	5	19	13	383	292	3	4
06	Caribou	76	–	–	–	8	2	–	1	3	–	1	1	5	44	36	–	–
07	Presque Isle	83	–	–	–	13	5	3	2	1	1	–	1	–	42	30	–	–
08	Balance of county	558	1	–	1	107	38	22	8	10	8	4	17	8	297	226	3	4
09	Cumberland	1,997	2	1	17	393	107	84	39	43	29	13	78	29	1,054	816	16	12
10	Portland	821	1	–	8	152	40	35	15	11	14	8	29	10	442	353	7	3
11	South Portland	206	–	–	–	57	14	16	9	4	4	–	10	6	102	77	1	4
12	Westbrook	109	–	–	2	23	7	4	3	4	1	–	4	1	54	45	1	1
13	Balance of county	861	1	1	7	161	46	29	12	24	10	5	35	12	456	341	7	4
14	Franklin	202	–	–	1	37	8	9	3	2	4	2	9	5	105	77	1	2
15	Hancock	421	–	–	1	95	28	21	10	16	3	2	15	7	227	175	6	–
16	Kennebec	957	2	–	3	178	45	49	16	18	9	5	36	19	524	370	4	5
17	Augusta	204	–	–	–	32	12	6	3	4	1	1	5	6	109	75	2	–
18	Waterville	194	–	–	–	42	9	13	5	2	2	1	10	3	117	73	1	1
19	Balance of county	559	2	–	3	104	24	30	8	12	6	3	21	10	298	222	1	4
20	Knox	395	–	–	2	73	16	13	3	13	7	4	17	8	223	139	2	3
21	Lincoln	282	–	–	1	52	15	10	2	3	7	–	15	3	161	113	1	6
22	Oxford	460	–	–	1	95	33	24	6	7	9	4	12	10	257	192	5	2
23	Penobscot	1,225	1	–	8	232	73	61	18	26	8	6	40	22	670	479	8	7
24	Bangor	418	1	–	1	76	21	21	3	10	3	3	15	9	228	155	5	4
25	Balance of county	807	–	–	7	156	52	40	15	16	5	3	25	13	442	324	3	3
26	Piscataquis	205	2	–	3	31	9	10	–	3	1	2	6	2	105	74	1	3
27	Sagadahoc	261	–	–	2	57	20	12	5	7	–	3	10	5	139	105	–	–
28	Somerset	431	–	–	3	81	24	19	6	13	3	2	14	3	229	159	–	3
29	Waldo	255	–	–	3	54	12	10	9	2	5	2	14	3	140	89	–	1
30	Washington	457	2	–	–	59	17	13	5	8	3	4	9	4	268	206	3	2
31	York	1,149	2	–	11	231	76	42	18	32	6	5	52	25	615	452	5	12
32	Biddeford	230	–	–	2	41	13	11	3	4	–	–	10	3	129	96	–	2
33	Saco	146	1	–	1	32	12	2	3	3	1	1	10	2	77	48	2	3
34	Sanford	141	1	–	4	26	10	4	1	4	2	1	4	7	68	57	1	2
35	Balance of county	632	–	–	4	132	41	25	11	21	3	3	28	13	341	251	2	5
36	**Maryland**	**32,055**	**67**	**9**	**261**	**6,902**	**1,795**	**1,735**	**641**	**773**	**272**	**233**	**1,453**	**710**	**15,820**	**12,417**	**212**	**175**
37	Urban places	13,479	36	7	129	2,918	792	733	253	353	102	86	599	305	6,434	5,105	91	66
38	Balance of area	18,576	31	2	132	3,984	1,003	1,002	388	420	170	147	854	405	9,386	7,312	121	109
39	Metropolitan counties	25,926	59	9	228	5,696	1,494	1,421	537	623	226	195	1,200	569	12,518	9,947	166	127
40	Urban places	11,877	35	7	127	2,581	700	653	220	306	89	74	539	279	5,558	4,454	73	55
41	Balance of area	14,049	24	2	101	3,115	794	768	317	317	137	121	661	290	6,960	5,493	93	72
42	Nonmetropolitan counties	6,129	8	–	33	1,206	301	314	104	150	46	38	253	141	3,302	2,470	46	48
43	Urban places	1,602	1	–	2	337	92	80	33	47	13	12	60	26	876	651	18	11
44	Balance of area	4,527	7	–	31	869	209	234	71	103	33	26	193	115	2,426	1,819	28	37
45	Allegany	898	–	–	5	164	48	37	14	26	8	4	27	14	535	434	7	1
46	Cumberland	409	–	–	2	82	24	20	9	13	4	2	10	6	234	190	4	1
47	Balance of county	489	–	–	3	82	24	17	5	13	4	2	17	8	301	244	3	–
48	Anne Arundel	1,948	4	–	13	447	109	100	37	42	22	17	120	48	921	730	12	4
49	Annapolis	316	1	–	5	91	30	20	10	8	2	–	21	8	134	104	2	–
50	Balance of county	1,632	3	–	8	356	79	80	27	34	20	17	99	40	787	626	10	4
51	Baltimore	5,073	11	–	36	1,204	306	316	123	119	49	42	249	112	2,621	2,185	33	18
52	Baltimore city	9,947	31	7	112	2,132	593	538	164	249	75	67	446	247	4,654	3,773	61	40
53	Calvert	226	1	–	1	50	10	12	5	5	3	2	13	7	106	73	4	1
54	Caroline	233	1	–	–	39	9	9	6	2	1	–	12	6	132	100	2	2
55	Carroll	597	–	–	7	111	28	33	4	12	6	7	21	16	330	230	2	2
56	Cecil	416	–	–	4	86	21	26	7	7	5	2	18	14	188	155	3	5
57	Charles	372	1	–	4	77	12	27	7	9	3	3	16	19	168	131	4	2
58	Dorchester	379	–	–	2	89	25	27	5	10	3	4	15	6	191	150	–	10
59	Cambridge	156	–	–	–	33	11	10	–	3	1	2	6	2	86	69	–	4
60	Balance of county	223	–	–	2	56	14	17	5	7	2	2	9	4	105	81	–	6
61	Frederick	771	–	–	3	166	49	41	9	20	6	7	34	21	414	324	10	2
62	Frederick	260	–	–	–	63	20	14	3	7	3	1	15	6	145	110	6	1
63	Balance of county	511	–	–	3	103	29	27	6	13	3	6	19	15	269	214	4	1
64	Garrett	236	1	–	–	36	9	5	2	3	2	2	13	3	141	102	1	4
65	Harford	748	–	–	5	158	39	43	16	19	7	4	30	16	348	272	2	1
66	Aberdeen	80	–	–	–	24	4	5	3	5	–	1	6	1	36	28	–	–
67	Balance of county	668	–	–	5	134	35	38	13	14	7	3	24	15	312	244	2	1
68	Howard	419	2	–	2	93	24	18	16	7	5	4	19	5	194	159	3	–
69	Kent	209	1	–	–	33	9	9	1	6	–	2	6	6	126	110	–	–
70	Montgomery	3,284	3	1	27	713	183	143	81	83	31	35	157	58	1,671	1,223	28	29
71	Rockville	413	1	–	1	97	20	24	12	16	6	1	18	6	195	145	4	8
72	Takoma Park, part	113	–	–	1	19	8	2	3	2	–	–	4	2	59	50	–	1
73	Takoma Park, total	162	1	–	2	27	8	3	6	2	1	–	7	3	81	68	–	1
74	Balance of county	2,758	2	1	25	597	155	117	66	65	25	34	135	50	1,417	1,028	24	20
75	Prince Georges	3,494	8	1	22	752	191	204	89	85	26	17	140	53	1,591	1,220	22	28
76	Bowie	131	–	–	1	27	7	5	6	2	1	–	6	3	63	44	2	1
77	College Park	109	–	–	1	26	5	9	3	4	–	1	4	–	50	34	–	2
78	Greenbelt	66	–	–	–	15	3	5	–	4	–	–	3	1	24	17	–	–
79	Hyattsville	447	–	–	4	96	19	29	11	12	3	3	19	8	224	168	2	3
80	Laurel	157	1	–	1	33	9	12	3	3	1	1	4	1	78	58	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
370	6	1	58	11	15	27	18	4	18	7	–	4	7	4	68	14	19	6	2	1	01
114	2	1	14	1	7	9	6	1	6	3	–	1	2	1	18	4	5	1	1	–	02
166	2	–	32	8	7	11	6	1	8	1	–	–	3	3	29	7	6	2	–	1	03
90	2	–	12	2	1	7	6	2	4	3	–	3	2	–	21	3	8	3	1	–	04
273	12	2	73	1	15	25	8	4	13	1	–	2	10	5	56	17	34	8	5	3	05
34	2	–	6	–	2	–	–	2	2	–	–	–	3	–	7	4	–	–	1	–	06
27	3	1	9	1	1	5	–	1	1	–	–	1	1	2	9	2	4	1	1	–	07
212	7	1	58	–	12	20	8	1	10	1	–	1	6	3	40	11	30	7	3	3	08
729	59	6	169	31	32	72	32	4	32	6	–	4	19	11	172	55	60	28	4	2	09
320	23	2	68	6	13	35	14	2	14	3	–	2	9	5	65	15	34	9	1	–	10
68	4	1	23	–	1	4	3	1	1	–	–	–	–	2	18	3	5	4	–	–	11
41	2	–	4	3	2	4	1	–	4	–	–	–	1	–	16	–	1	2	–	–	12
300	30	3	74	22	16	29	14	1	13	3	–	2	9	4	73	37	20	13	3	2	13
71	3	1	22	3	2	3	6	–	3	–	–	5	1	2	16	8	5	5	–	–	14
164	5	–	38	3	11	15	6	1	6	1	–	1	3	–	33	9	14	2	–	–	15
343	18	3	120	16	15	37	13	3	24	5	–	7	5	4	69	24	27	11	1	1	16
71	2	–	30	3	1	8	6	1	7	–	–	–	3	–	17	5	8	2	–	–	17
66	5	1	36	4	3	2	2	1	3	2	–	2	–	2	12	1	4	1	–	–	18
206	11	2	54	9	11	27	5	1	14	3	–	5	2	2	40	18	15	8	1	1	19
129	5	–	53	21	10	14	1	3	5	2	–	3	3	1	36	7	5	4	1	4	20
104	2	3	37	7	1	13	2	2	5	–	–	1	–	1	20	12	6	2	1	–	21
171	14	3	43	11	8	18	5	1	6	–	–	1	–	2	39	6	13	3	1	2	22
426	38	5	141	22	23	33	16	4	12	3	1	11	16	19	94	22	37	16	7	1	23
130	16	3	54	10	6	16	8	2	2	–	–	4	4	7	42	6	9	3	–	–	24
296	22	2	87	12	17	17	8	2	10	3	1	7	12	12	52	16	28	13	7	1	25
65	5	–	23	6	2	7	5	2	5	5	–	–	2	3	17	4	9	3	–	–	26
100	5	1	27	3	3	5	5	1	3	1	–	1	4	1	22	5	4	4	1	1	27
146	10	1	50	11	8	15	7	4	9	2	–	4	4	4	37	10	10	8	–	1	28
68	20	–	39	9	3	11	2	–	–	–	–	1	2	2	21	5	5	5	1	–	29
187	14	–	44	7	11	20	9	3	5	1	–	3	8	3	46	5	13	7	–	1	30
410	25	6	107	28	22	35	14	3	22	5	–	10	8	7	81	22	38	16	2	2	31
86	8	1	16	9	7	8	2	1	6	–	–	3	2	2	21	2	5	3	–	–	32
41	2	1	26	1	1	4	3	–	–	–	–	1	1	–	13	5	5	1	–	–	33
51	3	1	7	2	1	5	–	1	3	1	–	1	2	–	10	4	5	3	–	–	34
232	12	3	58	16	13	18	9	1	13	4	–	5	3	5	37	11	23	9	2	2	35
11,085	**945**	**79**	**2,395**	**446**	**483**	**705**	**293**	**94**	**608**	**177**	**5**	**234**	**536**	**353**	**2,666**	**701**	**862**	**460**	**468**	**124**	**36**
4,522	426	20	963	158	188	317	111	39	279	93	2	77	207	175	1,271	175	390	145	311	58	37
6,563	519	59	1,432	288	295	388	182	55	329	84	3	157	329	178	1,395	526	472	315	157	66	38
8,815	839	57	1,821	308	385	564	220	68	505	149	4	201	461	294	2,252	516	699	374	427	113	39
3,919	407	18	798	120	168	275	83	31	255	87	2	70	193	161	1,156	148	347	124	301	57	40
4,896	432	39	1,023	188	217	289	137	37	250	62	2	131	268	133	1,096	368	352	250	126	56	41
2,270	106	22	574	138	98	141	73	26	103	28	1	33	75	59	414	185	163	86	41	11	42
603	19	2	165	38	20	42	28	8	24	6	–	7	14	14	115	27	43	21	10	1	43
1,667	87	20	409	100	78	99	45	18	79	22	1	26	61	45	299	158	120	65	31	10	44
416	10	1	67	17	16	22	8	4	12	6	–	6	7	9	64	14	16	11	1	–	45
180	5	–	33	5	6	11	5	2	4	5	–	1	4	2	33	7	9	2	–	–	46
236	5	1	34	12	10	11	3	2	8	1	–	5	3	7	31	7	7	9	1	–	47
664	50	5	119	27	40	42	18	4	37	12	–	22	29	25	149	68	54	32	12	11	48
91	11	–	22	3	5	8	2	1	6	3	–	2	2	6	30	6	2	6	–	3	49
573	39	5	97	24	35	34	16	3	31	9	–	20	27	19	119	62	52	26	12	8	50
2,001	133	10	308	38	80	90	45	18	74	14	1	31	57	39	391	95	104	81	34	15	51
3,350	322	17	627	91	146	234	68	28	211	79	2	46	166	138	980	95	296	92	283	46	52
63	5	1	14	10	8	2	3	–	4	2	–	2	1	4	19	10	3	5	6	–	53
88	8	2	21	4	5	10	2	2	2	3	–	1	–	2	11	8	9	2	2	1	54
214	12	3	70	17	10	12	4	–	4	3	–	4	11	7	40	18	15	11	2	2	55
141	6	1	16	8	8	10	3	–	6	5	–	9	7	5	41	20	10	6	1	1	56
120	5	3	27	5	2	8	4	–	11	1	–	4	11	7	20	16	13	3	3	2	57
129	11	1	26	7	7	13	1	2	8	1	–	1	6	6	25	8	10	5	3	2	58
61	4	–	13	2	2	3	–	1	3	–	–	1	2	3	9	3	6	1	2	1	59
68	7	1	13	5	5	10	1	1	5	1	–	–	4	3	16	5	4	4	1	1	60
297	15	3	69	6	12	14	15	2	11	2	–	1	10	5	42	27	27	9	2	–	61
98	5	–	30	3	2	5	5	–	3	1	–	–	–	2	15	2	10	1	2	–	62
199	10	3	39	3	10	9	10	2	8	1	–	1	10	3	27	25	17	8	–	–	63
96	1	–	28	6	5	6	–	–	3	3	–	2	2	–	22	8	5	1	2	1	64
255	14	–	43	19	14	15	9	–	16	4	–	12	17	4	54	40	23	19	6	2	65
27	1	–	5	2	1	–	–	–	2	–	–	2	–	1	6	4	3	1	–	–	66
228	13	–	38	17	13	15	9	–	14	4	–	10	17	3	48	36	20	18	6	2	67
149	7	2	31	1	1	4	5	2	7	1	–	4	12	11	33	16	9	10	6	3	68
107	3	–	11	4	1	2	2	1	1	1	–	2	3	4	12	7	6	2	–	–	69
966	200	7	335	58	48	80	40	9	47	21	1	29	54	25	263	70	81	58	24	9	70
111	22	–	40	7	3	9	4	1	3	2	–	8	4	6	41	14	10	7	4	–	71
33	16	–	6	2	1	3	1	1	2	1	–	–	3	–	11	1	5	1	3	–	72
46	21	–	10	2	1	5	1	1	3	1	–	1	9	–	14	2	6	2	3	–	73
822	162	7	289	49	44	68	35	7	42	18	1	21	47	19	211	55	66	50	17	9	74
1,075	95	12	272	49	38	77	28	7	103	10	–	44	108	40	301	94	107	65	59	24	75
38	3	–	14	3	2	5	1	–	2	–	–	–	–	1	12	5	7	1	1	2	76
31	1	–	14	–	2	–	–	–	6	1	–	2	–	1	9	5	2	3	2	1	77
15	2	–	6	–	1	1	–	–	4	–	–	1	1	2	12	1	1	1	–	2	78
145	18	–	41	11	4	13	3	–	13	–	–	4	6	4	30	10	15	9	5	3	79
51	5	1	16	1	2	–	3	–	4	1	–	4	4	2	17	4	2	1	1	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Maryland—Con.																	
	Prince Georges—Con.																	
01	New Carrollton	49	–	–	–	13	2	3	2	1	–	–	5	1	19	15	–	–
02	Takoma Park, part	49	1	–	1	8	–	1	3	–	1	–	3	1	22	18	–	–
03	Balance of county	2,486	6	1	14	534	146	140	61	59	20	12	96	38	1,111	866	16	22
04	Queen Annes	212	–	–	2	46	14	8	5	6	2	3	8	7	106	80	3	–
05	St. Marys	275	–	–	6	68	17	15	3	7	6	1	19	4	113	85	3	–
06	Somerset	209	1	–	–	38	7	14	4	4	1	–	8	8	121	84	–	2
07	Talbot	285	–	–	–	63	17	10	8	8	2	2	16	4	142	96	2	6
08	Washington	992	–	–	5	176	44	48	23	15	4	6	36	19	557	399	8	6
09	Hagerstown	490	–	–	–	94	25	21	14	11	2	5	16	6	262	189	6	3
10	Balance of county	502	–	–	5	82	19	27	9	4	2	1	20	13	295	210	2	3
11	Wicomico	570	1	–	3	121	23	34	11	25	5	2	21	9	302	198	2	8
12	Salisbury	287	1	–	–	65	12	15	7	13	3	2	13	6	149	93	2	2
13	Balance of county	283	–	–	3	56	11	19	4	12	2	–	8	3	153	105	–	6
14	Worcester	262	1	–	2	40	8	18	1	4	–	–	9	8	148	104	–	4
15	**Massachusetts**	**54,015**	**70**	**3**	**351**	**11,564**	**3,416**	**2,428**	**1,119**	**1,244**	**535**	**454**	**2,368**	**1,064**	**28,024**	**21,243**	**428**	**320**
16	Urban places	38,850	63	1	259	8,314	2,495	1,751	799	892	370	309	1,698	772	20,137	15,288	325	241
17	Balance of area	15,165	7	2	92	3,250	921	677	320	352	165	145	670	292	7,887	5,955	103	79
18	Metropolitan counties	51,672	69	2	334	11,040	3,264	2,317	1,085	1,172	512	438	2,252	1,021	26,823	20,378	411	313
19	Urban places	38,850	63	1	259	8,314	2,495	1,751	799	892	370	309	1,698	772	20,137	15,288	325	241
20	Balance of area	12,822	6	1	75	2,726	769	566	286	280	142	129	554	249	6,686	5,090	86	72
21	Nonmetropolitan counties	2,343	1	1	17	524	152	111	34	72	23	16	116	43	1,201	865	17	7
22	Urban places	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Balance of area	2,343	1	1	17	524	152	111	34	72	23	16	116	43	1,201	865	17	7
24	Barnstable	1,562	1	–	10	371	106	71	28	50	17	10	89	20	777	566	11	5
25	Berkshire	1,499	–	–	10	331	92	80	26	37	21	14	61	37	771	569	13	4
26	North Adams	213	–	–	–	38	13	9	2	6	1	1	6	6	128	99	2	–
27	Pittsfield	583	–	–	3	143	40	36	6	15	11	9	26	13	282	203	7	4
28	Balance of county	703	–	–	7	150	39	35	18	16	9	4	29	18	361	267	4	–
29	Bristol	4,442	5	–	21	985	331	197	103	106	42	36	170	128	2,374	1,772	32	29
30	Attleboro	272	–	–	2	61	23	10	6	3	4	4	11	4	139	106	2	1
31	Fall River	1,153	1	–	3	255	88	52	19	29	6	15	46	32	604	448	7	2
32	New Bedford	1,157	1	–	9	254	85	57	31	27	9	5	40	38	645	479	10	14
33	Somerset town†	136	1	–	1	35	16	6	2	4	2	–	5	5	69	52	–	–
34	Taunton	457	1	–	3	101	29	24	10	18	4	3	13	16	239	174	1	4
35	Balance of county	1,267	1	–	3	279	90	48	35	25	17	9	55	33	678	513	12	8
36	Dukes	94	–	–	1	16	5	5	–	3	–	–	3	1	53	36	2	–
37	Essex	6,431	6	–	27	1,423	413	281	148	169	75	58	279	118	3,352	2,472	43	56
38	Beverly	336	1	–	2	90	20	25	7	12	1	3	22	6	154	110	1	2
39	Danvers town†	210	–	–	–	40	10	10	6	2	2	3	7	2	116	84	2	2
40	Gloucester	301	–	–	2	59	20	10	5	9	2	2	11	6	156	126	5	3
41	Haverhill	559	–	–	2	103	33	20	4	12	8	5	21	6	307	216	3	9
42	Lawrence	836	–	–	4	179	55	30	16	19	5	5	49	19	443	311	2	4
43	Lynn	1,091	–	–	2	251	77	46	26	33	15	14	40	15	560	429	6	9
44	Marblehead town†	183	1	–	1	45	11	9	6	8	4	1	6	8	89	63	2	4
45	Methuen town†	363	–	–	1	75	22	13	7	10	4	2	17	8	203	158	1	6
46	Newburyport	178	–	–	3	38	17	7	7	3	1	1	2	2	106	74	1	–
47	Peabody	349	1	–	–	77	33	15	7	7	2	4	9	1	186	135	5	–
48	Salem	453	2	–	1	115	30	28	14	17	5	4	17	13	221	157	4	11
49	Saugus town†	221	–	–	1	54	9	16	7	5	2	4	11	1	114	97	5	2
50	Swampscott town†	146	1	–	1	27	7	6	3	3	–	–	8	1	88	71	1	–
51	Balance of county	1,205	–	–	7	270	69	46	33	29	24	10	59	30	609	441	5	4
52	Franklin	632	–	1	6	124	37	33	6	17	6	6	19	20	338	241	3	2
53	Hampden	4,259	6	–	13	900	262	188	85	106	34	21	204	104	2,246	1,644	32	17
54	Chicopee	488	–	–	3	105	28	21	9	22	5	3	17	6	270	203	3	–
55	Holyoke	612	–	–	2	122	38	28	14	12	1	2	27	12	337	243	3	2
56	Longmeadow town†	105	1	–	–	27	8	4	4	3	–	1	7	1	57	39	1	–
57	Springfield	1,722	5	–	7	339	98	66	38	28	19	5	85	57	909	633	16	7
58	Westfield	273	–	–	–	63	14	13	5	10	3	3	15	3	133	107	1	5
59	West Springfield town†	255	–	–	–	63	18	21	4	6	2	2	10	8	127	98	1	–
60	Balance of county	804	–	–	1	181	58	35	11	25	4	5	43	17	413	321	7	3
61	Hampshire	1,014	–	–	7	214	60	52	18	25	3	7	49	25	539	408	9	9
62	Amherst town†	103	–	–	2	17	5	9	1	1	–	–	1	3	60	43	–	1
63	Northampton	285	–	–	–	71	18	19	7	8	2	3	14	7	129	98	3	5
64	Balance of county	626	–	–	5	126	37	24	10	16	1	4	34	15	350	267	6	3
65	Middlesex	11,627	17	1	64	2,537	759	528	249	249	118	105	529	207	6,018	4,600	107	63
66	Arlington town†	521	–	–	3	117	35	26	11	11	3	4	27	13	261	186	7	2
67	Belmont town†	270	1	1	1	52	19	10	5	4	1	1	12	7	147	105	1	1
68	Billerica town†	134	–	–	2	27	10	6	3	2	1	1	4	2	68	54	2	1
69	Burlington town†	102	–	–	–	22	7	5	3	1	2	–	4	–	46	33	–	–
70	Cambridge	843	5	–	7	199	62	39	17	18	7	11	45	28	371	283	7	8
71	Chelmsford town†	187	1	–	1	41	15	6	7	4	–	1	8	3	102	73	1	2
72	Everett	448	1	–	1	101	37	20	5	10	5	2	22	8	249	207	3	4
73	Framingham town†	474	–	–	4	106	24	23	11	6	5	5	32	4	239	180	6	3
74	Lexington town†	196	1	–	4	42	18	7	1	3	2	2	9	3	91	68	–	1
75	Lowell	1,078	1	–	2	198	62	46	21	21	12	6	30	18	632	487	2	7
76	Malden	625	1	–	5	137	48	24	10	11	9	6	29	8	330	252	7	3
77	Marlborough	209	–	–	–	43	12	11	5	4	–	2	9	3	112	94	2	–
78	Medford	642	2	–	4	135	46	31	11	14	5	6	22	14	356	279	10	5
79	Melrose	302	2	–	1	65	21	11	3	11	2	2	15	5	154	112	4	1
80	Natick town†	227	–	–	–	72	20	15	6	10	3	3	15	4	90	64	1	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
14	1	–	3	–	1	–	1	–	1	–	–	–	1	–	5	2	3	1	2	–	01
13	5	–	4	–	–	2	–	–	1	–	–	1	6	–	3	1	1	1	–	–	02
768	60	11	174	34	26	56	20	7	72	8	–	32	90	30	213	66	76	48	48	16	03
72	5	1	17	6	2	5	3	1	–	2	–	–	2	5	10	10	5	3	5	–	04
74	8	1	15	5	7	4	2	–	10	1	–	2	4	2	20	19	10	6	3	1	05
79	3	1	27	7	2	4	3	–	5	1	–	1	1	–	13	3	5	1	2	2	06
83	5	–	34	9	3	10	3	2	3	3	–	1	3	4	25	8	9	2	2	1	07
376	9	5	104	34	15	28	17	7	15	–	1	7	12	4	70	26	22	21	5	–	08
177	3	2	50	16	5	18	13	3	11	–	–	4	5	3	36	8	11	13	3	–	09
199	6	3	54	18	10	10	4	4	4	–	1	3	7	1	34	18	11	8	2	–	10
178	10	3	74	17	10	9	9	3	10	1	–	1	11	7	42	14	14	8	4	1	11
87	2	–	39	12	5	5	5	2	3	–	–	1	3	4	22	7	7	4	3	–	12
91	8	3	35	5	5	4	4	1	7	1	–	–	8	3	20	7	7	4	1	1	13
92	8	–	40	1	3	4	1	2	8	1	–	2	2	–	19	7	9	7	1	–	14
19,283	**1,212**	**142**	**5,113**	**760**	**766**	**2,132**	**586**	**198**	**998**	**203**	**2**	**262**	**518**	**515**	**4,266**	**929**	**1,471**	**546**	**250**	**63**	15
13,800	922	107	3,665	534	543	1,554	411	151	755	148	1	178	378	377	3,172	506	1,069	344	216	44	16
5,483	290	35	1,448	226	223	578	175	47	243	55	1	84	140	138	1,094	423	402	202	34	19	17
18,483	1,171	138	4,886	702	719	2,021	554	191	957	196	2	253	501	499	4,088	883	1,419	510	247	62	18
13,800	922	107	3,665	534	543	1,554	411	151	755	148	1	178	378	377	3,172	506	1,069	344	216	44	19
4,683	249	31	1,221	168	176	467	143	40	202	48	1	75	123	122	916	377	350	166	31	18	20
800	41	4	227	58	47	111	32	7	41	7	–	9	17	16	178	46	52	36	3	1	21
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
800	41	4	227	58	47	111	32	7	41	7	–	9	17	16	178	46	52	36	3	1	23
524	26	3	138	44	26	76	18	4	27	5	–	5	15	11	128	28	36	29	1	–	24
513	39	1	148	29	24	44	13	7	23	2	–	8	15	9	136	33	37	16	5	2	25
92	5	–	20	5	4	1	1	–	3	–	–	1	1	3	20	4	3	3	1	–	26
168	24	–	58	13	8	21	6	2	10	–	–	4	8	2	58	12	12	6	1	–	27
253	10	1	70	11	12	22	6	5	10	2	–	3	6	4	58	17	22	7	3	2	28
1,642	69	15	487	56	44	141	60	13	76	14	–	22	53	38	279	80	107	36	9	1	29
97	6	1	29	2	1	13	2	–	8	2	–	4	2	4	21	4	4	2	–	–	30
427	12	1	123	16	16	44	19	7	20	6	–	4	12	11	86	12	28	6	3	–	31
439	16	7	135	13	11	29	11	2	17	1	–	6	14	10	70	14	27	7	2	–	32
51	1	–	16	1	–	2	3	1	3	1	–	–	1	–	8	3	3	–	–	–	33
158	11	1	54	7	3	11	12	–	8	2	–	3	9	4	18	13	12	2	3	–	34
470	23	5	130	17	13	42	13	3	20	2	–	5	15	9	76	34	33	19	1	1	35
30	4	–	8	6	3	1	4	–	2	1	–	–	1	–	8	1	2	3	–	–	36
2,247	126	22	665	105	88	226	73	20	121	23	–	26	65	52	539	98	192	56	11	3	37
104	3	–	31	7	6	17	2	1	8	–	–	3	8	4	26	5	7	1	1	–	38
73	7	1	26	2	3	3	4	–	7	–	–	2	1	–	24	3	6	1	–	1	39
115	3	1	19	1	9	10	6	1	6	1	–	2	2	2	30	5	9	3	1	–	40
191	13	2	71	8	10	27	1	3	10	4	–	–	7	14	46	9	17	2	1	–	41
295	10	5	100	19	8	31	8	2	15	1	–	6	13	3	72	8	26	5	1	–	42
396	18	2	106	10	13	33	10	2	24	6	–	2	8	3	108	14	38	12	3	–	43
50	7	–	19	3	4	7	3	–	5	–	–	–	–	–	14	1	7	2	–	–	44
143	8	1	29	10	5	14	4	3	3	1	–	–	8	3	26	3	6	3	1	1	45
68	5	1	25	4	2	3	4	–	3	1	–	1	–	1	7	3	5	1	–	–	46
115	15	2	40	5	4	13	7	1	8	–	–	–	3	5	31	3	9	4	–	–	47
132	10	2	54	5	3	10	5	–	10	2	–	1	3	2	39	7	16	5	1	–	48
85	5	–	14	–	3	3	4	1	3	1	–	3	2	3	14	8	6	2	1	–	49
68	2	1	11	3	2	5	1	1	3	–	–	1	–	1	13	–	2	1	–	–	50
412	20	4	120	28	16	50	14	5	16	6	–	5	10	11	89	29	38	14	1	1	51
227	9	1	71	8	17	34	9	3	10	1	–	4	1	5	40	16	13	4	2	1	52
1,525	70	11	469	66	56	138	47	8	98	14	–	19	51	48	315	70	133	37	10	2	53
193	7	–	60	4	3	18	5	–	21	–	–	2	4	1	33	4	9	5	1	1	54
233	5	–	74	10	10	15	9	2	16	2	–	4	4	9	45	8	20	4	1	–	55
37	1	–	15	2	1	3	–	1	–	–	–	1	–	1	11	–	2	–	–	–	56
589	21	7	212	31	26	55	21	4	34	8	–	6	26	17	122	24	68	13	7	–	57
92	9	2	22	2	–	6	3	–	4	–	–	2	9	7	26	11	6	–	–	–	58
92	5	1	17	6	5	7	2	–	10	–	–	–	1	1	22	4	7	2	1	–	59
289	22	1	69	11	11	34	7	1	13	4	–	4	7	12	56	19	21	13	–	1	60
359	31	6	96	14	15	41	11	5	17	3	–	5	5	6	79	15	28	12	1	1	61
37	5	1	13	2	1	5	–	–	–	–	–	1	–	–	10	1	2	2	–	–	62
82	8	1	24	2	4	17	1	2	9	1	–	–	1	1	34	3	8	1	–	–	63
240	18	4	59	10	10	19	10	3	8	2	–	4	4	5	35	11	18	9	1	1	64
4,216	214	28	1,067	150	173	470	121	53	221	45	1	62	100	121	920	171	328	114	36	20	65
170	7	5	56	2	12	27	6	5	3	1	–	5	1	8	42	4	14	9	2	–	66
97	6	2	31	1	8	13	1	1	2	2	–	–	–	5	25	–	9	3	–	–	67
51	–	–	10	3	1	4	1	–	6	1	–	3	1	2	8	3	4	2	–	–	68
29	4	1	9	2	1	5	1	1	3	–	–	2	2	–	10	2	6	1	1	–	69
252	16	–	69	9	10	52	6	4	17	5	–	2	2	12	83	10	24	8	7	1	70
70	–	1	17	6	5	1	1	–	2	–	–	2	4	–	20	3	6	–	–	–	71
189	11	1	34	4	3	16	2	2	9	3	–	–	5	4	27	4	10	3	2	1	72
163	8	1	47	6	5	18	7	4	10	2	–	2	4	1	48	5	16	3	–	1	73
63	4	–	19	1	3	10	1	–	2	1	–	–	1	1	19	4	12	4	–	–	74
462	16	4	96	31	14	32	7	1	28	7	–	7	7	7	72	10	33	9	4	3	75
230	12	–	61	10	7	25	6	7	11	2	–	1	6	12	44	4	17	6	1	2	76
87	5	2	13	1	2	5	2	2	3	–	–	4	2	1	19	3	8	–	1	1	77
250	14	–	58	12	7	24	7	2	12	5	–	1	6	6	48	4	10	1	4	1	78
95	12	1	31	4	6	9	6	2	3	–	–	1	5	3	28	4	10	3	–	1	79
57	3	1	17	2	6	12	4	–	4	–	–	2	6	–	15	6	6	5	1	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Massachusetts—Con.																	
	Middlesex—Con.																	
01	Newton	746	–	–	5	158	41	27	21	23	5	9	32	13	402	305	12	4
02	Reading town†	148	1	–	–	24	7	3	2	3	2	1	6	2	89	65	–	–
03	Somerville	877	–	–	3	190	46	50	10	19	10	5	50	21	447	353	12	3
04	Stoneham town†	187	–	–	2	46	12	6	1	7	4	1	15	3	104	81	2	1
05	Wakefield town†	243	–	–	1	58	25	7	7	8	2	1	8	3	127	84	1	1
06	Waltham	502	–	–	3	107	30	28	9	6	7	5	22	9	271	207	5	1
07	Watertown town†	362	–	–	4	77	20	19	10	3	2	4	19	9	190	144	4	2
08	Winchester town†	169	–	–	1	35	11	6	6	4	3	3	2	1	91	73	2	–
09	Woburn	279	–	–	3	66	18	10	8	6	4	3	17	3	141	105	4	3
10	Balance of county	1,856	1	–	7	419	113	92	56	40	22	21	75	23	908	706	12	7
11	Nantucket	55	–	–	–	13	4	2	–	2	–	–	5	2	33	22	1	–
12	Norfolk	5,270	6	–	42	1,202	335	270	131	105	68	53	240	82	2,686	2,015	48	27
13	Braintree town†	302	–	–	2	67	16	16	8	10	6	2	9	5	161	115	2	3
14	Brookline town†	644	3	–	10	158	49	29	16	9	6	9	40	10	321	252	5	6
15	Dedham town†	219	–	–	–	67	19	15	10	4	6	4	9	3	88	68	2	1
16	Holbrook town†	98	–	–	–	21	3	4	5	1	1	–	7	1	51	36	1	1
17	Milton town†	265	–	–	1	71	21	16	9	9	5	2	9	6	138	97	4	–
18	Needham town†	229	–	–	4	49	14	7	6	3	2	2	15	4	118	85	3	1
19	Norwood town†	295	–	–	4	62	17	19	6	2	1	1	16	3	132	89	3	1
20	Quincy	1,012	2	–	8	228	84	44	14	25	13	12	36	12	545	395	6	2
21	Randolph town†	223	–	–	2	51	10	12	5	6	4	1	13	2	123	104	1	2
22	Wellesley town†	198	–	–	2	42	13	9	5	2	2	1	10	4	106	81	1	–
23	Weymouth town†	432	1	–	3	93	18	24	10	10	4	3	24	9	237	177	3	2
24	Balance of county	1,353	–	–	6	293	71	75	37	24	18	16	52	23	666	516	17	8
25	Plymouth	3,129	3	–	15	616	159	134	69	64	27	26	137	67	1,702	1,283	17	23
26	Brockton	903	–	–	2	174	40	41	28	20	5	4	36	24	498	379	5	6
27	Rockland town†	123	–	–	1	22	7	3	3	2	1	–	6	1	67	44	1	1
28	Whitman town†	97	–	–	–	23	1	5	4	2	3	–	8	2	52	39	2	2
29	Balance of county	2,006	3	–	12	397	111	85	34	40	18	22	87	40	1,085	821	9	14
30	Suffolk	7,799	20	–	78	1,569	470	349	138	169	65	46	332	149	3,755	3,044	83	51
31	Boston	6,814	18	–	72	1,365	409	303	123	152	54	37	287	126	3,242	2,627	71	46
32	Chelsea	324	–	–	3	70	23	15	3	5	3	1	20	10	162	132	3	1
33	Revere	431	2	–	–	88	23	22	6	6	7	6	18	9	219	178	7	4
34	Winthrop town†	230	–	–	3	46	15	9	6	6	1	2	7	4	132	107	2	–
35	Worcester	6,202	6	1	57	1,263	383	238	118	142	59	72	251	104	3,380	2,571	27	34
36	Clinton town†	154	1	–	1	26	5	3	3	5	–	2	8	4	84	61	–	–
37	Fitchburg	419	–	–	5	91	30	11	10	9	4	3	24	5	227	175	4	1
38	Gardner	211	–	–	2	47	16	7	5	3	2	2	12	3	120	91	–	2
39	Leominster	282	–	–	2	62	21	8	6	10	7	2	8	6	142	112	2	–
40	Worcester	2,134	4	–	20	426	130	83	42	50	17	25	79	36	1,191	894	7	6
41	Balance of county	3,002	1	1	27	611	181	126	52	65	29	38	120	50	1,616	1,238	14	25
42	**Michigan**	**74,596**	**112**	**10**	**443**	**14,482**	**3,826**	**3,412**	**1,385**	**1,723**	**721**	**585**	**2,830**	**1,820**	**38,020**	**28,346**	**477**	**415**
43	Urban places	43,213	78	7	275	8,497	2,302	2,019	832	1,031	386	314	1,613	1,068	21,489	16,291	290	232
44	Balance of area	31,383	34	3	168	5,985	1,524	1,393	553	692	335	271	1,217	752	16,531	12,055	187	183
45	Metropolitan counties	53,701	93	7	330	10,549	2,794	2,498	1,061	1,237	506	424	2,029	1,281	26,784	20,386	350	265
46	Urban places	39,931	76	6	256	7,859	2,144	1,872	775	942	358	282	1,486	981	19,752	15,124	272	200
47	Balance of area	13,770	17	1	74	2,690	650	626	286	295	148	142	543	300	7,032	5,262	78	65
48	Nonmetropolitan counties	20,895	19	3	113	3,933	1,032	914	324	486	215	161	801	539	11,236	7,960	127	150
49	Urban places	3,282	2	1	19	638	158	147	57	89	28	32	127	87	1,737	1,167	18	32
50	Balance of area	17,613	17	2	94	3,295	874	767	267	397	187	129	674	452	9,499	6,793	109	118
51	Alcona	113	1	–	–	32	11	9	1	2	3	–	6	7	50	42	–	2
52	Alger	123	1	–	–	8	2	2	2	–	1	–	1	2	66	49	1	–
53	Allegan	549	–	–	3	99	24	17	7	9	8	5	29	18	288	201	5	4
54	Holland, part	20	–	–	–	6	1	1	1	2	–	–	1	1	7	7	–	–
55	Balance of county	529	–	–	3	93	23	16	6	7	8	5	28	17	281	194	5	4
56	Alpena	251	–	1	1	50	20	9	1	4	4	5	7	4	148	106	2	1
57	Alpena	121	–	–	–	23	12	4	–	3	–	3	1	–	75	51	1	1
58	Balance of county	130	–	1	1	27	8	5	1	1	4	2	6	4	73	55	1	–
59	Antrim	165	–	–	–	30	11	6	4	4	2	1	2	5	101	70	–	1
60	Arenac	130	–	–	–	23	4	9	2	–	1	1	6	1	74	51	1	1
61	Baraga	100	–	–	–	17	8	2	1	2	1	–	3	11	47	32	–	–
62	Barry	373	–	–	5	77	13	16	8	14	7	3	16	13	191	147	–	–
63	Bay	922	–	–	6	198	55	47	14	27	10	10	35	26	472	342	2	1
64	Bay City	487	–	–	5	109	32	28	7	12	6	5	19	17	250	187	1	1
65	Midland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
66	Balance of county	435	–	–	1	89	23	19	7	15	4	5	16	9	222	155	1	–
67	Benzie	133	–	–	2	31	5	7	–	6	3	1	9	2	60	49	–	–
68	Berrien	1,498	2	1	12	296	74	66	31	41	18	17	49	31	774	540	13	18
69	Benton Harbor	188	–	–	3	43	10	14	2	9	–	1	7	2	74	52	1	5
70	Niles	210	–	–	–	52	15	7	9	7	4	4	6	5	105	69	2	2
71	St. Joseph	138	–	1	1	27	8	6	3	2	3	1	4	1	80	49	2	–
72	Balance of county	962	2	–	8	174	41	39	17	23	11	11	32	23	515	370	8	11
73	Branch	373	–	–	4	69	16	16	6	12	1	1	17	13	191	137	1	–
74	Calhoun	1,297	1	–	9	242	60	62	19	37	12	8	44	45	692	481	7	15
75	Albion	101	–	–	–	18	3	3	–	3	1	3	5	4	62	47	2	–
76	Battle Creek	537	1	–	5	90	16	28	10	17	4	1	14	18	292	212	1	6
77	Balance of county	659	–	–	4	134	41	31	9	17	7	4	25	23	338	222	4	9
78	Cass	410	–	–	1	79	24	16	3	9	7	4	16	10	203	137	2	3
79	Charlevoix	199	–	–	–	39	13	10	1	6	2	1	6	3	112	71	3	1
80	Cheboygan	193	–	–	1	36	7	10	1	4	5	–	9	6	112	79	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
271	18	1	75	8	13	33	7	4	10	3	–	5	1	6	65	4	15	11	2	2	01
61	4	1	20	1	2	3	3	–	2	2	–	–	1	4	9	4	1	2	–	1	02
321	17	2	74	5	13	41	11	6	26	1	–	3	11	15	61	9	25	4	2	1	03
75	3	1	17	3	2	5	–	1	–	–	–	1	3	1	12	3	4	2	–	–	04
74	8	–	33	2	8	13	2	–	3	–	–	2	1	1	14	6	5	6	1	–	05
194	7	1	50	8	5	21	7	1	8	–	–	1	6	7	42	5	10	3	1	–	06
129	9	–	35	7	4	8	4	1	11	2	–	1	1	6	29	4	9	4	1	1	07
69	2	–	14	2	2	2	3	1	1	1	–	2	2	1	14	4	8	2	–	–	08
95	3	–	26	2	8	15	4	2	7	1	–	1	1	1	17	8	6	3	–	–	09
662	25	3	155	18	26	76	22	6	38	6	1	14	21	17	149	58	60	20	6	4	10
19	2	–	10	–	1	–	1	–	2	–	–	–	–	–	2	1	1	–	–	–	11
1,808	132	10	510	70	81	195	46	24	74	17	–	13	43	96	399	110	149	62	19	5	12
107	3	1	38	5	2	10	4	2	2	–	–	1	1	3	19	7	12	6	–	–	13
215	26	–	55	7	7	30	4	3	3	–	–	1	1	14	58	5	14	8	1	–	14
63	2	–	17	1	2	15	–	–	3	–	–	–	3	8	14	9	9	–	–	–	15
32	2	1	13	1	–	3	–	–	2	1	–	–	–	1	9	4	3	2	–	–	16
86	7	1	33	3	4	5	1	1	7	3	–	–	1	2	14	1	12	1	1	–	17
77	4	–	22	3	8	7	4	1	2	–	–	–	5	3	20	–	6	4	2	–	18
80	5	1	30	4	8	11	4	3	7	2	–	1	6	14	20	7	12	2	5	–	19
356	31	2	111	16	21	24	9	5	21	3	–	4	4	23	86	7	23	4	2	2	20
97	4	–	13	1	5	9	2	–	3	1	–	–	2	1	13	8	5	1	–	–	21
72	8	2	15	5	3	6	4	2	3	–	–	–	–	2	8	3	8	7	1	–	22
165	7	1	47	6	6	16	5	2	4	2	–	–	3	4	23	8	11	9	2	–	23
458	33	1	116	18	15	59	9	5	17	5	–	6	17	21	115	51	34	18	5	3	24
1,181	62	9	333	34	43	96	35	4	47	14	–	25	43	27	210	101	69	39	15	1	25
347	21	3	89	15	12	28	7	3	14	3	–	7	16	7	73	16	17	8	6	–	26
39	3	–	20	2	1	3	2	–	1	–	–	1	4	2	9	5	3	–	2	–	27
34	1	2	8	2	1	4	2	–	3	–	–	1	1	2	3	1	2	1	–	–	28
761	37	4	216	15	29	61	24	1	29	11	–	16	22	16	125	79	47	30	7	1	29
2,592	318	13	517	77	104	442	73	32	175	43	1	37	78	55	756	88	223	77	126	22	30
2,222	288	12	447	71	85	407	61	29	159	35	1	31	71	44	667	83	198	68	117	20	31
112	16	–	23	1	6	9	4	1	7	4	–	4	2	5	29	3	4	3	4	–	32
161	6	–	27	3	11	20	5	2	3	4	–	2	4	3	43	1	15	4	5	2	33
97	8	1	20	2	2	6	3	–	6	–	–	–	1	3	17	1	6	2	–	–	34
2,400	110	23	594	101	91	228	75	25	105	21	–	36	48	47	455	117	153	61	15	5	35
58	3	1	14	5	3	7	2	2	2	–	–	1	2	2	14	3	3	–	–	–	36
166	4	1	35	8	8	10	4	3	7	3	–	4	1	–	39	6	9	5	–	–	37
86	3	2	22	–	5	8	2	1	6	1	–	–	–	–	15	2	4	–	–	–	38
103	7	1	20	6	3	9	2	1	6	1	–	3	7	–	25	5	7	2	2	–	39
849	32	10	217	42	28	90	27	7	33	6	–	10	17	18	149	22	53	18	6	1	40
1,138	61	8	286	40	44	104	38	11	51	10	–	18	21	27	213	79	77	36	7	4	41
25,785	**1,669**	**237**	**7,286**	**1,117**	**1,034**	**1,824**	**1,129**	**268**	**1,579**	**285**	**17**	**564**	**1,135**	**619**	**5,796**	**1,849**	**2,142**	**1,136**	**1,171**	**195**	42
14,952	817	132	4,058	486	522	1,073	592	151	1,139	188	13	336	712	371	3,534	747	1,147	637	1,002	157	43
10,833	852	105	3,228	631	512	751	537	117	440	97	4	228	423	248	2,262	1,102	995	499	169	38	44
18,698	1,073	165	4,923	627	683	1,305	746	185	1,298	225	15	434	883	466	4,320	1,202	1,454	862	1,087	175	45
13,905	747	121	3,635	392	480	1,002	524	139	1,085	180	13	308	659	353	3,285	699	1,035	599	967	153	46
4,793	326	44	1,288	235	203	303	222	46	213	45	2	126	224	113	1,035	503	419	263	120	22	47
7,087	596	72	2,363	490	351	519	383	83	281	60	2	130	252	153	1,476	647	688	274	84	20	48
1,047	70	11	423	94	42	71	68	12	54	8	–	28	53	18	249	48	112	38	35	4	49
6,040	526	61	1,940	396	309	448	315	71	227	52	2	102	199	135	1,227	599	576	236	49	16	50
38	2	–	5	1	2	2	1	–	2	–	–	1	1	–	6	2	6	2	–	–	51
43	5	–	14	3	–	10	1	1	4	–	–	–	3	–	10	6	9	2	–	–	52
184	8	2	63	12	10	13	7	2	7	2	–	2	6	12	43	18	20	6	3	–	53
7	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	1	1	–	–	54
177	8	2	63	12	10	13	7	2	6	2	–	2	5	11	42	18	19	5	3	–	55
102	1	–	39	2	1	3	1	–	5	1	–	1	4	–	17	4	9	2	–	–	56
48	1	–	23	1	–	3	–	–	3	1	–	1	3	–	8	1	2	1	–	–	57
54	–	–	16	1	1	–	1	–	2	–	–	–	1	–	9	3	7	1	–	–	58
63	6	1	23	4	3	7	3	–	1	–	–	–	–	1	5	4	4	2	1	1	59
44	5	1	11	7	4	3	2	1	2	–	–	2	1	1	8	4	6	2	–	–	60
31	1	1	10	2	2	2	1	2	2	1	–	1	–	1	5	4	4	2	–	–	61
132	15	–	30	7	7	5	6	1	9	–	–	2	4	1	18	22	12	5	2	–	62
328	11	1	116	5	8	20	21	5	14	6	–	6	15	4	73	25	21	6	4	–	63
180	5	–	55	4	4	12	14	3	8	3	–	–	6	1	36	11	10	1	1	–	64
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	65
148	6	1	61	1	4	8	7	2	6	3	–	6	9	3	37	14	11	5	3	–	66
45	4	–	8	1	2	6	1	–	–	–	–	1	–	1	13	7	8	1	–	–	67
467	42	9	157	43	25	33	32	2	23	3	2	15	19	8	111	52	52	13	12	5	68
39	7	2	13	6	1	6	5	–	1	–	–	4	6	3	21	3	9	1	7	–	69
59	6	–	20	10	6	2	8	–	2	1	–	1	1	–	16	3	10	1	2	1	70
42	5	2	21	5	3	2	2	1	2	–	–	2	3	2	5	3	5	–	–	1	71
327	24	5	103	22	15	23	17	1	18	2	2	8	9	3	69	43	28	11	3	3	72
125	11	2	36	12	4	13	8	2	8	2	–	3	–	2	30	8	10	7	3	–	73
436	23	8	156	31	16	23	24	8	20	3	–	8	12	8	97	27	43	17	17	1	74
45	–	–	12	3	–	1	–	–	1	–	–	–	1	–	7	–	3	3	1	–	75
197	8	2	67	8	3	11	7	4	10	2	–	6	3	3	45	7	16	4	12	1	76
194	15	6	77	20	13	11	17	4	9	1	–	2	8	5	45	20	24	10	4	–	77
122	10	2	41	19	4	16	10	–	6	–	–	4	2	8	37	17	9	7	1	–	78
62	5	3	33	3	2	2	5	–	6	–	–	1	3	2	12	6	2	5	1	–	79
76	3	–	26	3	4	1	5	–	2	6	–	1	3	–	9	2	6	3	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Michigan—Con.																	
01	Chippewa	265	–	–	–	39	5	8	6	3	2	4	11	8	150	123	–	2
02	Sault Ste. Marie	157	–	–	–	30	5	5	5	3	1	3	8	5	81	69	–	2
03	Balance of county	108	–	–	–	9	–	3	1	–	1	1	3	3	69	54	–	–
04	Clare	254	2	–	1	54	12	13	4	5	7	2	11	2	144	118	1	3
05	Clinton	293	2	–	4	45	14	9	6	3	3	1	9	5	176	136	3	3
06	Lansing, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
07	Balance of county	292	2	–	4	45	14	9	6	3	3	1	9	5	175	135	3	3
08	Crawford	93	–	–	–	19	3	2	4	6	1	–	3	1	49	32	2	–
09	Delta	434	–	–	1	91	25	23	12	7	3	1	20	15	219	156	–	2
10	Escanaba	196	–	–	1	41	10	14	3	4	1	1	8	9	102	73	–	2
11	Balance of county	238	–	–	–	50	15	9	9	3	2	–	12	6	117	83	–	–
12	Dickinson	313	1	–	–	59	15	14	6	6	4	3	11	–	189	118	2	–
13	Eaton	529	–	–	1	85	21	27	9	9	1	4	14	15	310	226	–	3
14	Lansing, part	4	–	–	–	1	1	–	–	–	–	–	–	–	2	2	–	–
15	Balance of county	525	–	–	1	84	20	27	9	9	1	4	14	15	308	224	–	3
16	Emmet	203	–	–	1	33	8	9	2	4	2	–	8	5	102	70	4	–
17	Genesee	3,255	5	–	20	645	150	178	68	73	21	23	132	76	1,615	1,178	21	16
18	Flint	1,646	2	–	9	307	72	82	31	39	9	10	64	38	814	593	13	10
19	Balance of county	1,609	3	–	11	338	78	96	37	34	12	13	68	38	801	585	8	6
20	Gladwin	171	–	–	1	22	3	6	–	1	3	2	7	3	110	85	–	1
21	Gogebic	305	1	–	3	51	15	14	5	7	2	1	7	14	174	140	2	9
22	Grand Traverse	371	–	–	3	75	18	18	8	11	4	1	15	8	179	115	3	1
23	Traverse City	162	–	–	1	30	6	8	5	2	–	1	8	4	89	56	2	1
24	Balance of county	209	–	–	2	45	12	10	3	9	4	–	7	4	90	59	1	–
25	Gratiot	356	–	–	1	52	17	14	5	2	2	3	9	5	215	128	1	4
26	Hillsdale	375	1	–	2	67	20	18	5	7	1	2	14	10	192	151	1	1
27	Houghton	466	–	1	4	80	24	20	4	6	2	2	22	12	288	229	1	4
28	Huron	419	1	–	1	62	19	8	11	7	1	4	12	9	263	169	1	7
29	Ingham	1,635	1	1	18	316	60	66	43	37	16	25	69	31	791	565	10	17
30	East Lansing	115	–	–	4	27	6	5	5	2	1	1	7	2	52	39	–	1
31	Lansing, part	997	–	–	11	199	39	40	28	21	10	14	47	17	468	332	10	8
32	Lansing, total	1,002	–	–	11	200	40	40	28	21	10	14	47	17	471	335	10	8
33	Balance of county	523	1	1	3	90	15	21	10	14	5	10	15	12	271	194	–	8
34	Ionia	400	1	–	3	75	20	11	2	17	5	6	14	10	202	148	4	1
35	Iosco	265	–	–	–	56	19	14	7	4	2	3	7	5	136	107	3	–
36	Iron	207	–	–	–	48	12	19	2	3	2	1	9	4	114	76	4	1
37	Isabella	279	–	–	–	55	12	15	3	5	4	3	13	7	137	98	1	–
38	Mount Pleasant	109	–	–	–	23	5	7	1	2	1	1	6	6	54	36	1	–
39	Balance of county	170	–	–	–	32	7	8	2	3	3	2	7	1	83	62	–	–
40	Jackson	1,233	–	–	4	225	43	56	26	33	13	10	44	34	675	508	9	8
41	Jackson	538	–	–	2	91	16	24	11	18	5	4	13	19	303	224	4	6
42	Balance of county	695	–	–	2	134	27	32	15	15	8	6	31	15	372	284	5	2
43	Kalamazoo	1,310	–	1	11	275	67	60	27	40	17	9	55	34	633	456	10	8
44	Kalamazoo	649	–	1	5	136	32	25	14	21	8	3	33	16	305	223	4	6
45	Portage	143	–	–	2	33	8	10	4	4	1	–	6	4	67	54	3	–
46	Balance of county	518	–	–	4	106	27	25	9	15	8	6	16	14	261	179	3	2
47	Kalkaska	89	–	–	1	14	3	3	3	1	1	–	3	2	53	34	–	2
48	Kent	3,266	2	–	12	630	162	121	63	66	33	28	157	53	1,734	1,255	24	19
49	East Grand Rapids	71	–	–	–	21	2	3	2	2	1	3	8	1	34	25	1	–
50	Grand Rapids	1,838	2	–	7	350	98	66	39	42	21	14	70	31	974	690	14	10
51	Grandville	58	–	–	–	15	4	4	1	2	1	–	3	–	27	14	–	–
52	Kentwood	113	–	–	1	25	5	6	3	3	1	1	6	–	59	48	1	–
53	Walker	61	–	–	–	12	4	1	1	1	–	–	5	2	31	22	–	–
54	Wyoming	375	–	–	2	64	10	13	5	6	2	2	26	4	215	163	–	3
55	Balance of county	750	–	–	2	143	39	28	12	10	7	8	39	15	394	293	8	6
56	Keweenaw	34	–	–	–	4	1	1	–	1	–	–	1	1	21	18	–	–
57	Lake	101	–	–	–	23	8	6	3	4	–	1	1	4	49	38	1	1
58	Lapeer	430	–	–	2	84	20	14	11	10	5	5	19	11	235	173	1	1
59	Leelanau	120	1	–	–	20	6	4	–	2	–	–	8	4	58	45	1	1
60	Lenawee	755	–	–	3	148	46	39	15	14	6	5	23	20	385	262	8	6
61	Adrian	203	–	–	2	42	10	11	5	4	2	2	8	5	93	57	–	3
62	Balance of county	552	–	–	1	106	36	28	10	10	4	3	15	15	292	205	8	3
63	Livingston	500	–	–	3	104	27	30	12	11	3	2	19	12	243	168	8	2
64	Luce	78	–	–	–	10	4	2	–	–	2	1	1	2	52	34	–	1
65	Mackinac	103	–	–	1	19	7	5	1	1	1	–	4	4	60	43	1	–
66	Macomb	3,890	4	–	25	858	225	179	75	106	44	37	192	90	1,950	1,526	28	17
67	Center Line	86	–	–	–	16	3	4	1	3	–	1	4	1	46	38	1	–
68	East Detroit	361	–	–	1	93	21	31	8	9	2	2	20	9	189	148	3	3
69	Fraser	73	–	–	–	13	2	3	1	–	1	2	4	1	38	26	3	–
70	Mount Clemens	316	–	–	1	70	14	18	7	10	2	2	17	9	151	129	2	2
71	Roseville	341	–	–	–	77	29	15	2	8	2	3	18	4	172	126	1	–
72	St. Clair Shores	613	–	–	4	139	42	28	10	23	5	3	28	12	330	245	4	5
73	Sterling Heights	315	–	–	1	75	17	15	5	9	4	8	17	4	154	123	3	2
74	Warren	993	2	–	12	208	58	44	22	22	16	5	41	34	501	404	5	4
75	Balance of county	792	2	–	6	167	39	21	19	22	12	11	43	16	369	287	6	1
76	Manistee	268	–	–	3	53	14	11	3	12	1	–	12	11	143	86	4	2
77	Marquette	514	–	–	6	83	24	19	7	7	5	1	20	9	288	205	2	7
78	Marquette	130	–	–	3	20	8	5	–	2	1	1	3	1	75	56	1	1
79	Balance of county	384	–	–	3	63	16	14	7	5	4	–	17	8	213	149	1	6
80	Mason	252	–	–	3	54	11	7	5	13	5	1	12	4	140	104	–	3
81	Mecosta	248	–	–	1	44	12	7	5	6	3	3	8	10	133	100	5	1
82	Big Rapids	76	–	–	1	13	4	1	2	4	–	–	2	4	42	31	1	1
83	Balance of county	172	–	–	–	31	8	6	3	2	3	3	6	6	91	69	4	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
113	8	1	17	4	5	11	4	3	4	–	–	2	2	2	19	9	7	5	–	–	01
61	6	–	9	3	–	7	4	2	1	–	–	1	1	1	14	4	4	2	–	–	02
52	2	1	8	1	5	4	–	1	3	–	–	1	1	1	5	5	3	3	–	–	03
109	5	–	14	5	7	3	2	2	3	–	–	1	4	1	12	10	12	–	1	–	04
122	8	2	29	4	5	8	1	1	3	–	–	1	2	2	26	5	7	5	–	–	05
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	06
121	8	2	29	4	5	8	1	1	3	–	–	1	2	2	26	5	7	5	–	–	07
29	1	1	12	3	1	3	1	1	2	–	–	–	3	–	4	4	5	1	–	–	08
138	16	–	48	9	6	7	6	–	13	1	–	3	8	3	32	11	18	6	–	–	09
63	8	–	20	7	2	5	3	–	5	–	–	1	2	1	11	3	8	4	–	–	10
75	8	–	28	2	4	2	3	–	8	1	–	2	6	2	21	8	10	2	–	–	11
102	14	1	45	16	9	7	5	3	6	3	–	3	–	1	20	4	9	2	1	–	12
214	9	2	57	16	9	13	7	–	8	3	–	3	8	5	37	15	9	7	1	2	13
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	14
212	9	2	57	16	9	13	7	–	8	3	–	3	8	5	36	15	9	7	1	2	15
64	2	1	26	2	3	4	4	1	2	1	–	3	2	2	21	12	7	3	–	–	16
1,068	73	11	341	46	39	80	53	10	55	8	–	31	63	23	253	105	101	49	63	–	17
542	28	7	175	22	17	48	25	5	32	2	–	19	35	12	128	39	56	23	52	–	18
526	45	4	166	24	22	32	28	5	23	6	–	12	28	11	125	66	45	26	11	–	19
78	6	–	22	2	1	3	1	–	3	3	–	1	5	–	11	1	4	2	–	1	20
124	5	2	20	7	5	11	4	–	5	–	–	–	5	1	19	6	5	6	–	–	21
104	7	–	49	10	5	10	9	7	3	–	–	4	4	3	39	10	9	7	1	–	22
50	3	–	27	5	1	2	4	3	2	–	–	2	3	1	14	1	3	3	–	–	23
54	4	–	22	5	4	8	5	4	1	–	–	2	1	2	25	9	6	4	1	–	24
107	16	–	66	9	12	9	5	2	2	2	–	5	5	3	29	7	9	4	1	–	25
133	16	–	30	4	7	19	8	–	2	1	–	1	4	1	34	14	16	1	1	1	26
214	10	2	48	4	5	13	6	1	4	3	–	–	1	4	17	10	17	3	2	–	27
147	14	–	74	12	8	7	12	2	8	3	–	–	5	3	22	9	10	2	–	–	28
468	70	5	165	36	20	39	25	6	24	2	1	19	39	22	141	46	53	41	13	6	29
33	5	–	11	2	–	3	–	–	2	–	–	1	2	–	9	2	4	2	3	2	30
281	33	3	107	16	10	22	18	5	17	2	1	14	27	18	89	21	32	26	6	4	31
284	33	3	107	16	10	22	18	5	17	2	1	14	27	18	90	21	32	26	6	4	32
154	32	2	47	18	10	14	7	1	5	–	–	4	10	4	43	23	17	13	4	–	33
125	18	1	41	5	7	11	9	1	3	3	–	4	6	2	34	17	13	5	–	1	34
96	8	3	18	2	6	4	6	4	2	1	–	1	3	1	23	9	8	6	–	–	35
67	4	1	30	1	6	4	3	–	2	1	–	–	1	2	12	3	12	1	–	–	36
91	6	1	27	8	3	9	5	2	4	–	–	2	10	–	25	8	11	4	–	–	37
35	–	1	12	4	1	3	1	–	2	–	–	–	4	–	9	1	5	1	–	–	38
56	6	–	15	4	2	6	4	2	2	–	–	2	6	–	16	7	6	3	–	–	39
468	23	3	110	32	22	26	12	6	17	3	–	8	21	6	101	34	28	20	10	3	40
206	8	1	57	11	10	10	4	1	6	2	–	5	6	3	45	8	15	10	5	3	41
262	15	2	53	21	12	16	8	5	11	1	–	3	15	3	56	26	13	10	5	–	42
402	36	5	123	27	22	45	25	9	14	3	–	16	16	9	111	33	36	27	9	3	43
195	18	3	50	17	12	29	11	5	6	2	–	9	12	7	51	18	20	9	6	1	44
48	3	–	8	2	3	1	4	2	3	–	–	1	–	2	14	2	5	3	–	–	45
159	15	2	65	8	7	15	10	2	5	1	–	6	4	–	46	13	11	15	3	2	46
31	1	–	16	2	1	2	3	–	–	–	–	1	1	2	5	3	2	–	–	–	47
1,129	83	13	342	65	59	98	48	4	55	18	–	25	44	46	259	64	110	36	23	5	48
23	1	–	8	–	1	–	1	–	1	–	–	1	–	1	6	3	–	2	–	–	49
617	49	5	201	47	31	60	30	1	33	9	–	11	26	31	149	18	65	18	19	4	50
12	2	–	11	1	1	1	–	–	1	–	–	1	–	–	8	4	1	–	–	–	51
45	2	–	9	1	1	3	–	–	–	1	–	2	4	2	6	4	4	–	2	–	52
19	3	–	6	–	3	1	1	–	1	1	–	–	1	–	9	1	–	1	–	–	53
152	8	3	37	3	9	9	6	1	9	2	–	–	5	8	18	12	14	5	1	–	54
261	18	5	70	13	13	24	10	2	10	5	–	10	8	4	63	22	26	10	1	1	55
18	–	–	2	–	1	1	1	–	–	–	–	–	1	–	4	1	–	–	–	–	56
34	2	1	7	1	2	2	3	–	2	–	–	–	–	–	6	6	5	–	1	–	57
159	12	3	44	7	8	4	10	3	5	–	–	2	10	–	25	9	19	10	1	–	58
42	1	–	10	2	1	6	3	1	1	–	–	–	–	–	11	9	5	1	–	–	59
232	16	3	75	34	11	20	22	2	10	2	–	8	3	6	53	26	23	16	7	1	60
50	4	1	23	10	2	5	5	–	7	1	–	3	–	2	21	4	5	3	4	1	61
182	12	2	52	24	9	15	17	2	3	1	–	5	3	4	32	22	18	13	3	–	62
134	24	2	47	12	14	16	7	1	10	1	–	3	5	4	34	27	22	7	–	1	63
26	7	–	11	5	2	3	2	–	–	–	–	–	1	–	5	–	2	1	–	–	64
38	4	–	14	2	1	2	2	–	2	–	–	1	2	–	6	3	1	–	–	–	65
1,396	85	7	322	35	60	77	55	12	84	18	–	40	57	19	289	92	91	82	39	8	66
35	2	–	8	–	–	2	–	–	1	2	–	–	–	1	8	3	2	3	1	–	67
133	9	1	34	1	5	4	3	–	9	1	–	1	–	3	28	3	9	6	2	–	68
23	–	–	8	2	2	2	–	1	–	1	–	1	2	–	7	2	3	1	1	–	69
117	8	–	18	3	1	11	2	3	6	–	–	4	8	1	19	12	9	4	5	1	70
118	7	1	34	3	8	7	8	–	8	3	–	1	7	2	24	3	12	9	3	1	71
224	12	1	61	10	13	12	8	2	12	2	–	4	3	1	45	9	9	11	7	3	72
112	6	–	22	3	6	6	5	1	6	–	–	6	5	–	28	6	8	7	2	1	73
374	21	3	75	4	15	21	10	2	30	4	–	7	10	5	75	16	17	27	10	2	74
260	20	1	62	9	10	12	19	3	12	5	–	16	22	6	55	38	22	14	8	–	75
74	6	2	36	15	4	11	4	1	2	–	–	1	2	2	18	5	6	5	–	1	76
181	15	1	67	7	8	13	3	3	9	3	–	7	8	5	24	26	15	10	2	–	77
49	5	1	15	1	2	2	2	–	2	1	–	1	2	–	9	5	5	2	–	–	78
132	10	–	52	6	6	11	1	3	7	2	–	6	6	5	15	21	10	8	2	–	79
95	6	1	26	4	5	4	7	1	5	–	–	1	6	1	13	3	7	2	–	1	80
81	13	–	24	5	4	3	2	1	7	1	–	2	3	1	21	5	9	3	1	1	81
25	4	–	9	–	2	1	1	–	5	1	–	–	–	–	4	2	–	2	–	–	82
56	9	–	15	5	2	2	1	1	2	–	–	2	3	1	17	3	9	1	1	1	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Michigan—Con.																	
01	Menominee	260	1	–	1	40	5	9	3	6	2	1	14	6	155	107	2	2
02	Menominee	130	–	–	–	18	4	3	–	2	1	1	7	3	77	51	–	1
03	Balance of county	130	1	–	1	22	1	6	3	4	1	–	7	3	78	56	2	1
04	Midland	382	–	–	3	88	16	17	5	14	9	8	19	4	188	140	2	1
05	Midland, part	179	–	–	–	43	7	6	4	9	4	3	10	–	93	62	–	1
06	Midland, total	179	–	–	–	43	7	6	4	9	4	3	10	–	93	62	–	1
07	Balance of county	203	–	–	3	45	9	11	1	5	5	5	9	4	95	78	2	–
08	Missaukee	80	–	–	–	16	6	3	2	3	–	–	2	1	42	33	–	–
09	Monroe	830	1	–	1	128	34	29	15	15	7	6	22	27	421	323	3	2
10	Monroe	245	–	–	–	37	11	7	5	6	2	2	4	5	134	97	–	–
11	Balance of county	585	1	–	1	91	23	22	10	9	5	4	18	22	287	226	3	2
12	Montcalm	433	–	–	1	69	18	12	8	10	4	2	15	12	247	171	2	4
13	Montmorency	92	–	–	–	18	4	5	–	2	1	1	5	4	46	37	–	2
14	Muskegon	1,425	4	–	7	247	71	57	25	26	14	8	46	47	756	529	4	5
15	Muskegon	604	2	–	4	114	32	25	10	13	9	4	21	15	322	223	1	2
16	Muskegon Heights	182	2	–	1	22	6	8	3	1	2	–	2	11	91	57	1	1
17	Norton Shores	110	–	–	–	24	8	7	2	2	–	–	5	3	59	49	–	–
18	Balance of county	529	–	–	2	87	25	17	10	10	3	4	18	18	284	200	2	2
19	Newaygo	335	–	–	2	80	15	20	5	9	3	5	23	11	156	111	1	2
20	Oakland	6,407	7	–	40	1,394	354	341	162	146	69	66	256	137	3,222	2,478	55	26
21	Berkley	151	–	–	1	36	10	11	3	4	–	2	6	5	76	63	3	1
22	Beverly Hills	71	–	–	2	18	4	6	2	2	–	1	3	1	34	29	–	–
23	Birmingham	246	–	–	–	62	17	11	9	9	3	3	10	4	134	101	–	3
24	Clawson	100	–	–	–	27	9	6	4	4	1	–	3	4	39	27	–	1
25	Farmington	126	–	–	–	21	3	5	3	3	1	1	5	3	77	55	–	–
26	Ferndale	316	1	–	1	61	12	23	5	6	3	4	8	11	168	128	4	2
27	Hazel Park	197	–	–	2	37	9	12	4	2	2	1	7	6	92	75	3	1
28	Madison Heights	180	–	–	–	44	7	15	6	1	2	–	13	5	73	54	3	–
29	Oak Park	340	–	–	4	83	25	11	15	10	5	3	14	9	194	154	3	–
30	Pontiac	695	1	–	4	121	28	37	14	10	5	3	24	13	346	259	8	5
31	Royal Oak	623	–	–	6	143	34	38	12	22	8	8	21	18	326	242	6	–
32	Southfield	591	–	–	4	152	52	31	11	12	6	5	35	12	296	236	2	1
33	Troy	246	–	–	1	55	11	10	7	7	5	3	12	4	119	92	3	1
34	Balance of county	2,525	5	–	15	534	133	125	67	54	28	32	95	42	1,248	963	20	11
35	Oceana	200	–	–	–	24	6	7	3	2	–	–	6	4	123	86	2	–
36	Ogemaw	185	–	–	–	34	8	12	–	3	2	1	8	4	94	71	1	3
37	Ontonagon	125	–	–	–	23	5	9	1	3	–	2	3	2	74	52	–	1
38	Osceola	178	–	–	1	34	9	9	–	4	3	2	7	3	103	79	–	–
39	Oscoda	82	–	–	–	18	5	3	3	1	2	1	3	2	47	34	–	–
40	Otsego	97	1	–	–	18	5	4	1	2	2	1	3	3	54	42	1	–
41	Ottawa	886	2	–	4	187	51	29	14	33	12	6	42	19	439	334	3	3
42	Grand Haven	110	–	–	1	28	7	4	3	4	1	–	9	2	54	34	1	–
43	Holland, part	226	–	–	–	43	16	3	2	9	3	1	9	9	114	83	1	–
44	Holland, total	246	–	–	–	49	17	4	3	11	3	1	10	10	121	90	1	–
45	Balance of county	550	2	–	3	116	28	22	9	20	8	5	24	8	271	217	1	3
46	Presque Isle	122	1	–	1	27	6	6	4	2	3	–	6	–	73	60	–	1
47	Roscommon	192	1	–	1	47	11	13	3	8	3	1	8	3	91	70	1	–
48	Saginaw	1,778	–	–	6	318	75	70	34	43	18	13	65	38	941	676	9	17
49	Saginaw	905	–	–	3	158	41	35	15	22	7	7	31	21	477	338	8	9
50	Balance of county	873	–	–	3	160	34	35	19	21	11	6	34	17	464	338	1	8
51	St. Clair	1,249	2	–	9	242	72	52	16	29	10	9	54	40	682	448	8	9
52	Port Huron	440	1	–	2	77	23	13	4	10	4	5	18	14	242	138	3	4
53	Balance of county	809	1	–	7	165	49	39	12	19	6	4	36	26	440	310	5	5
54	St. Joseph	458	–	–	1	95	31	23	11	7	1	5	17	6	240	183	1	–
55	Sanilac	411	–	–	1	84	20	21	6	10	5	6	16	10	214	141	–	2
56	Schoolcraft	114	–	–	1	18	3	9	1	–	1	3	1	4	75	58	–	1
57	Shiawassee	542	–	–	2	108	29	21	8	14	6	3	27	23	278	167	5	4
58	Owosso	185	–	–	–	42	11	11	3	4	1	1	11	5	94	51	1	2
59	Balance of county	357	–	–	2	66	18	10	5	10	5	2	16	18	184	116	4	2
60	Tuscola	427	–	–	3	77	20	13	5	15	–	5	19	9	239	187	–	2
61	Van Buren	568	–	–	5	102	27	23	9	17	6	4	16	13	299	209	2	7
62	Washtenaw	1,245	1	–	14	235	62	60	23	23	9	10	48	31	577	414	11	6
63	Ann Arbor	441	1	–	2	82	29	15	11	12	1	4	10	9	210	148	6	2
64	Ypsilanti	186	–	–	5	26	5	8	2	2	–	–	9	3	83	62	–	2
65	Balance of county	618	–	–	7	127	28	37	10	9	8	6	29	19	284	204	5	2
66	Wayne	24,367	64	5	155	4,679	1,330	1,155	446	547	214	163	824	607	11,837	9,267	157	113
67	Allen Park	278	–	–	–	61	15	15	6	11	1	2	11	8	149	123	1	1
68	Dearborn	967	1	–	2	223	76	45	22	31	9	3	37	25	522	418	10	6
69	Dearborn Heights	490	1	–	4	102	33	24	15	7	4	2	17	22	245	199	3	3
70	Detroit	15,793	53	5	111	2,878	835	724	247	350	130	81	511	399	7,533	5,870	95	82
71	Ecorse	148	1	–	1	44	12	14	6	5	3	1	3	1	61	52	1	–
72	Garden City	196	1	–	1	48	12	13	5	8	2	1	7	6	75	60	2	–
73	Grosse Pointe Farms	121	–	–	–	31	10	3	5	3	1	3	6	4	62	42	1	2
74	Grosse Pointe Park	156	–	–	1	28	8	10	2	4	–	–	4	6	98	77	–	1
75	Grosse Pointe Woods	158	–	–	1	47	10	8	10	4	–	5	10	1	77	52	–	1
76	Hamtramck	422	2	–	3	90	32	16	4	14	6	4	14	16	214	166	3	2
77	Harper Woods	191	–	–	2	50	12	10	7	8	3	2	8	7	103	72	–	1
78	Highland Park	367	–	–	1	52	12	15	1	11	1	3	9	8	163	116	3	1
79	Inkster	280	–	–	4	54	11	13	8	4	2	1	15	6	113	93	1	1
80	Lincoln Park	379	1	–	3	94	27	20	12	13	2	5	15	11	170	139	1	–
81	Livonia	666	1	–	3	131	26	30	20	8	4	8	35	12	356	294	13	2
82	Melvindale	100	–	–	1	24	6	7	3	3	2	1	2	3	53	42	1	–
83	Plymouth	169	–	–	1	39	15	8	4	2	3	3	4	–	88	70	2	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
98	5	2	33	11	2	5	6	1	4	1	–	1	3	–	18	6	8	2	1	1	01
47	3	–	20	5	1	2	5	–	1	–	–	1	1	–	12	–	7	2	1	–	02
51	2	2	13	6	1	3	1	1	3	1	–	–	2	–	6	6	1	–	–	1	03
124	13	1	36	3	8	10	5	–	1	–	–	4	9	4	29	17	11	7	2	–	04
54	7	–	24	3	4	4	1	–	–	–	–	1	8	3	16	5	3	2	–	–	05
54	7	–	24	3	4	4	1	–	–	–	–	1	8	3	16	5	3	2	–	–	06
70	6	1	12	–	4	6	4	–	1	–	–	3	1	1	13	12	8	5	2	–	07
29	4	–	8	1	–	4	4	–	–	–	–	1	–	–	5	–	5	1	–	1	08
301	17	1	80	10	7	24	28	2	17	2	–	9	17	3	66	25	31	17	9	2	09
93	4	–	30	4	3	11	10	–	6	–	–	4	3	1	17	5	8	4	–	–	10
208	13	1	50	6	4	13	18	2	11	2	–	5	14	2	49	20	23	13	9	2	11
145	20	–	63	4	9	19	6	1	4	1	–	1	3	–	37	12	15	5	–	–	12
33	2	–	7	–	2	–	1	–	1	–	–	1	2	–	7	4	7	1	–	–	13
487	33	7	170	27	23	33	18	6	11	6	1	15	17	14	123	36	39	23	19	3	14
204	16	1	76	12	10	17	9	2	4	2	1	7	9	8	50	9	11	10	8	–	15
53	2	3	24	3	4	3	3	–	2	2	–	1	5	3	15	5	5	1	9	1	16
47	2	–	5	1	4	3	1	–	–	–	–	1	–	1	9	3	4	1	–	1	17
183	13	3	65	11	5	10	5	4	5	2	–	6	3	2	49	19	19	11	2	1	18
105	3	1	30	8	6	5	4	3	6	–	–	2	7	4	22	18	13	1	1	–	19
2,305	92	19	551	82	92	127	84	18	109	19	3	56	96	60	419	187	201	147	75	6	20
56	3	–	12	–	1	2	1	1	2	1	–	2	2	–	13	2	4	1	1	1	21
28	1	–	4	1	–	2	1	–	–	–	–	1	1	–	5	1	4	–	1	–	22
94	4	–	29	2	2	11	2	–	2	–	–	3	–	2	8	3	6	8	1	–	23
23	3	–	11	–	1	3	2	1	–	–	1	–	4	–	8	5	5	1	–	–	24
53	2	1	15	4	2	1	3	–	1	–	–	1	–	–	7	–	9	2	1	–	25
118	4	–	26	6	8	8	1	2	10	2	1	2	5	1	22	7	6	3	4	–	26
70	1	–	14	2	1	5	7	2	3	1	–	2	2	5	13	11	5	2	2	–	27
49	2	–	11	1	7	2	4	–	5	1	–	3	3	2	25	2	7	2	2	–	28
150	1	2	31	2	5	4	3	–	1	1	–	1	–	2	17	7	7	6	1	–	29
236	10	6	61	11	9	16	8	2	22	2	–	3	16	12	57	14	29	13	16	–	30
223	13	1	66	7	10	8	8	1	8	4	–	7	9	6	34	8	17	17	2	1	31
227	6	1	52	2	5	10	3	2	7	2	–	5	14	1	33	7	17	16	9	1	32
84	4	1	17	4	5	4	1	2	5	1	–	3	9	1	15	12	4	8	1	1	33
894	38	7	202	40	36	51	40	5	43	4	1	23	31	28	162	108	81	68	34	2	34
78	6	–	27	6	4	6	5	1	2	–	–	2	2	7	12	6	5	–	–	1	35
60	7	–	13	8	2	2	3	–	3	–	–	3	–	2	14	10	11	3	2	–	36
51	–	–	14	5	3	2	1	–	–	–	–	1	4	–	4	5	2	7	–	–	37
69	10	2	15	6	1	2	5	–	1	2	–	2	3	2	8	4	7	1	–	–	38
32	2	–	11	2	–	2	2	2	1	–	–	–	–	–	3	2	1	2	–	–	39
37	4	–	7	1	4	2	2	1	1	1	–	–	1	2	6	1	2	1	1	–	40
297	31	5	75	16	9	18	15	3	12	2	–	5	8	34	70	18	35	10	5	–	41
27	6	2	15	1	2	1	2	–	4	–	–	1	1	–	10	1	4	–	1	–	42
78	4	2	20	6	3	7	2	1	1	–	–	2	–	15	18	3	11	–	–	–	43
85	4	2	20	6	3	7	2	1	2	–	–	2	1	16	19	3	12	1	–	–	44
192	21	1	40	9	4	10	11	2	7	2	–	2	7	19	42	14	20	10	4	–	45
59	–	–	10	1	2	4	3	2	2	1	–	–	1	–	5	–	2	–	–	–	46
63	6	–	16	3	2	4	2	–	3	–	–	1	4	2	14	3	10	5	1	–	47
596	54	8	191	40	26	41	25	5	33	7	1	21	30	11	132	52	50	16	45	6	48
287	34	5	105	17	12	27	12	1	18	5	1	12	16	5	73	15	20	6	32	3	49
309	20	3	86	23	14	14	13	4	15	2	–	9	14	6	59	37	30	10	13	3	50
409	22	5	170	30	29	18	18	8	16	2	–	3	19	5	75	40	40	20	10	–	51
130	1	2	72	18	12	9	10	2	9	1	–	2	11	1	20	5	23	3	8	–	52
279	21	3	98	12	17	9	8	6	7	1	–	1	8	4	55	35	17	17	2	–	53
161	21	1	44	10	2	14	9	1	6	–	–	3	8	–	42	9	13	9	1	1	54
125	14	1	60	7	5	12	4	1	3	3	–	–	6	5	38	14	11	4	1	–	55
49	8	2	10	4	1	2	–	–	1	–	–	–	1	–	10	1	1	–	–	–	56
143	15	2	88	11	10	15	21	–	–	–	–	4	7	2	41	16	15	9	1	–	57
46	2	–	36	5	2	6	10	–	–	–	–	2	3	–	16	1	3	3	–	–	58
97	13	2	52	6	8	9	11	–	–	–	–	2	4	2	25	15	12	6	1	–	59
180	5	1	35	7	9	7	9	–	4	1	–	2	7	2	31	10	20	6	–	–	60
174	26	1	63	13	13	16	9	2	5	1	–	1	6	18	44	18	14	10	4	1	61
372	25	1	127	21	14	35	19	1	19	4	–	13	18	12	117	45	55	24	16	9	62
132	8	–	53	6	3	9	5	1	6	1	–	6	6	5	43	13	20	12	5	5	63
54	6	–	16	2	3	4	3	–	3	1	–	1	5	2	22	6	12	3	5	2	64
186	11	1	58	13	8	22	11	–	10	2	–	6	7	5	52	26	23	9	6	2	65
8,586	411	72	2,080	158	260	617	300	94	818	124	9	164	422	196	2,078	411	568	342	755	122	66
115	6	–	20	3	3	3	1	3	5	–	–	3	3	1	20	6	3	9	2	1	67
388	14	3	82	6	13	22	7	3	25	4	–	9	5	2	65	16	12	12	7	5	68
191	2	–	35	4	7	13	10	1	8	2	–	3	9	–	34	8	12	7	8	1	69
5,412	281	48	1,377	88	150	434	186	59	593	85	6	92	273	148	1,427	214	369	190	653	85	70
48	3	1	8	–	–	4	2	–	6	1	–	1	–	–	11	3	5	3	2	2	71
55	3	1	9	2	3	4	3	2	4	2	–	3	6	1	19	7	3	6	4	1	72
38	1	1	12	2	5	4	4	2	4	–	–	1	–	1	5	1	–	2	–	–	73
71	5	–	16	3	2	2	2	–	2	–	–	2	2	–	8	2	–	2	1	–	74
48	3	2	14	6	3	2	1	1	5	1	–	2	1	–	14	1	2	2	–	–	75
158	3	2	38	4	4	9	11	2	17	2	–	2	2	1	41	1	4	1	4	–	76
71	–	1	25	1	4	5	3	2	5	3	–	1	–	–	5	4	1	–	–	–	77
109	3	–	42	3	2	10	4	3	19	3	–	1	11	3	46	7	3	5	26	2	78
86	5	1	15	1	3	7	4	1	7	3	–	1	9	3	36	7	10	4	6	5	79
131	7	–	26	1	4	3	5	1	15	3	–	3	6	2	29	10	14	8	–	1	80
271	8	2	51	3	6	13	10	–	11	–	–	11	11	4	41	19	22	17	2	2	81
40	1	1	8	1	1	–	–	–	3	–	–	1	1	1	6	1	2	4	–	–	82
65	3	1	16	1	–	3	2	3	3	1	1	–	4	1	14	2	5	1	1	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Michigan—Con.																	
	Wayne—Con.																	
01	River Rouge	166	–	–	1	23	8	7	2	3	1	1	1	1	87	75	–	–
02	Riverview	76	1	–	–	12	3	3	1	1	1	2	1	2	40	31	–	–
03	Southgate	182	–	–	1	40	12	12	4	4	2	3	3	3	96	75	–	–
04	Taylor	394	–	–	2	88	17	26	10	9	6	5	15	8	171	141	1	–
05	Trenton	149	–	–	1	33	9	10	2	5	2	–	5	–	72	58	1	1
06	Wayne	176	–	–	–	32	7	8	2	4	–	3	8	8	75	62	–	–
07	Westland	419	1	–	3	84	18	23	13	4	4	4	18	9	192	152	4	2
08	Wyandotte	403	–	–	1	76	27	15	9	6	5	4	10	17	236	183	3	2
09	Balance of county	1,521	1	–	7	295	77	76	26	25	20	16	55	24	786	605	11	5
10	Wexford	218	–	–	1	29	9	6	3	2	3	2	4	3	119	82	4	1
11	**Minnesota**	**32,689**	**41**	**3**	**154**	**6,352**	**1,870**	**1,126**	**584**	**862**	**324**	**323**	**1,263**	**535**	**17,434**	**12,411**	**265**	**168**
12	Urban places	16,436	25	3	85	3,318	959	643	304	422	160	170	660	248	8,478	6,044	134	69
13	Balance of area	16,253	16	–	69	3,034	911	483	280	440	164	153	603	287	8,956	6,367	131	99
14	Metropolitan counties	16,302	24	3	83	3,312	952	640	299	420	159	171	671	250	8,307	5,987	148	82
15	Urban places	13,773	20	3	72	2,819	812	558	254	350	133	148	564	207	7,019	5,028	118	60
16	Balance of area	2,529	4	–	11	493	140	82	45	70	26	23	107	43	1,288	959	30	22
17	Nonmetropolitan counties	16,387	17	–	71	3,040	918	486	285	442	165	152	592	285	9,127	6,424	117	86
18	Urban places	2,663	5	–	13	499	147	85	50	72	27	22	96	41	1,459	1,016	16	9
19	Balance of area	13,724	12	–	58	2,541	771	401	235	370	138	130	496	244	7,668	5,408	101	77
20	Aitkin	175	–	–	–	37	10	10	4	6	4	–	3	3	108	76	2	–
21	Anoka	604	1	–	4	132	29	38	17	13	2	9	24	12	260	194	5	3
22	Anoka	134	–	–	–	20	2	8	2	3	–	3	2	2	78	50	2	–
23	Blaine, part	46	–	–	–	10	4	2	–	–	–	1	3	1	15	13	1	–
24	Blaine, total	46	–	–	–	10	4	2	–	–	–	1	3	1	15	13	1	–
25	Columbia Heights	112	–	–	2	26	7	8	4	1	–	2	4	4	49	40	1	1
26	Coon Rapids	58	–	–	–	13	5	3	1	–	1	2	1	1	27	18	–	–
27	Fridley	93	–	–	1	23	4	5	6	2	1	–	5	2	34	30	1	2
28	Balance of county	161	1	–	1	40	7	12	4	7	–	1	9	2	57	43	–	–
29	Becker	271	–	–	–	63	16	9	12	13	1	5	7	2	142	110	1	1
30	Beltrami	233	–	–	–	51	19	8	2	8	3	1	10	3	123	94	5	–
31	Bemidji	102	–	–	–	18	6	5	2	2	–	–	3	1	59	45	2	–
32	Balance of county	131	–	–	–	33	13	3	–	6	3	1	7	2	64	49	3	–
33	Benton	185	–	–	–	38	10	6	4	6	4	1	7	3	107	83	2	1
34	St. Cloud, part	35	–	–	–	8	4	–	1	–	1	–	2	2	18	11	1	–
35	Balance of county	150	–	–	–	30	6	6	3	6	3	1	5	1	89	72	1	1
36	Big Stone	99	–	–	–	18	7	5	–	–	–	1	5	2	61	42	1	2
37	Blue Earth	418	–	–	1	76	23	10	14	9	5	–	15	6	235	164	1	1
38	Mankato	219	–	–	1	47	14	6	8	6	3	–	10	4	123	84	–	1
39	Balance of county	199	–	–	–	29	9	4	6	3	2	–	5	2	112	80	1	–
40	Brown	297	–	–	2	48	25	5	3	9	–	1	5	5	185	131	2	3
41	New Ulm	136	–	–	–	21	9	3	3	4	–	–	2	2	82	60	2	1
42	Balance of county	161	–	–	2	27	16	2	–	5	–	1	3	3	103	71	–	2
43	Carlton	288	–	–	–	48	20	4	1	8	2	3	10	1	166	122	3	1
44	Carver	185	–	–	–	35	11	7	–	5	1	2	9	3	109	85	2	2
45	Cass	225	–	–	–	40	13	10	3	3	1	–	10	4	120	87	2	–
46	Chippewa	165	–	–	–	28	5	5	3	4	1	3	7	5	86	57	5	–
47	Chisago	219	–	–	–	48	15	10	7	2	1	2	11	4	113	73	1	1
48	Clay	351	–	–	–	57	18	7	6	8	3	4	11	5	192	137	2	5
49	Moorhead	181	–	–	–	34	11	3	4	4	2	3	7	3	96	71	1	–
50	Balance of county	170	–	–	–	23	7	4	2	4	1	1	4	2	96	66	1	5
51	Clearwater	91	–	–	1	9	4	1	1	2	1	–	–	2	50	36	–	2
52	Cook	31	–	–	–	7	2	–	1	1	–	2	1	–	15	5	–	–
53	Cottonwood	174	–	–	1	31	9	8	2	3	3	1	5	3	95	68	2	1
54	Crow Wing	423	–	–	1	62	24	10	6	6	2	3	11	4	238	167	3	2
55	Brainerd	160	–	–	1	27	9	4	3	1	–	2	8	2	90	61	–	–
56	Balance of county	263	–	–	–	35	15	6	3	5	2	1	3	2	148	106	3	2
57	Dakota	734	1	–	6	170	45	30	16	20	6	12	41	10	360	271	8	2
58	Burnsville	54	–	–	–	10	1	1	2	1	–	2	3	2	22	16	–	–
59	Hastings, part	93	–	–	2	28	5	7	1	5	–	2	8	–	46	35	–	–
60	Hastings, total	93	–	–	2	28	5	7	1	5	–	2	8	–	46	35	–	–
61	Inver Grove Heights	52	–	–	–	8	2	2	1	–	–	1	2	1	27	21	2	–
62	South St. Paul	153	–	–	–	44	13	5	2	5	1	–	18	1	72	61	1	–
63	West St. Paul	156	1	–	1	34	9	7	4	2	1	4	7	1	84	60	1	1
64	Balance of county	226	–	–	3	46	15	8	6	7	4	3	3	5	109	78	4	1
65	Dodge	125	–	–	3	32	10	3	5	4	1	2	7	1	59	44	–	1
66	Douglas	236	–	–	2	49	17	12	4	5	2	2	7	4	121	85	1	2
67	Faribault	231	–	–	1	45	9	5	6	6	4	5	10	7	140	91	–	2
68	Fillmore	267	–	–	–	50	12	7	6	6	3	2	14	2	139	102	2	1
69	Freeborn	320	1	–	2	65	19	8	4	10	6	3	15	6	162	109	3	2
70	Albert Lea	205	–	–	1	41	14	6	2	9	4	2	4	3	108	68	–	2
71	Balance of county	115	1	–	1	24	5	2	2	1	2	1	11	3	54	41	3	–
72	Goodhue	379	–	–	3	52	14	9	5	10	2	–	12	4	217	144	4	–
73	Red Wing	169	–	–	1	25	5	4	1	7	2	–	6	1	102	69	2	–
74	Balance of county	210	–	–	2	27	9	5	4	3	–	–	6	3	115	75	2	–
75	Grant	106	–	–	–	17	5	1	2	1	1	1	6	1	61	46	–	–
76	Hennepin	7,556	11	2	33	1,540	427	303	142	196	86	77	309	111	3,819	2,682	78	37
77	Bloomington	327	1	–	2	79	18	16	6	9	6	4	20	7	148	97	–	–
78	Brooklyn Center	132	1	–	–	28	9	3	1	5	1	2	7	4	52	38	1	–
79	Brooklyn Park	70	–	–	1	12	1	3	2	1	–	2	3	–	23	15	–	–
80	Crystal	140	–	–	–	35	7	4	5	6	1	3	9	3	62	46	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
72	3	1	9	1	1	7	1	–	6	1	–	–	1	2	17	4	7	1	6	1	01
31	–	–	8	1	–	2	1	–	3	–	–	–	1	1	8	–	1	2	1	1	02
73	2	1	16	3	1	–	3	–	5	1	–	4	4	2	14	2	3	2	1	1	03
134	6	1	24	1	4	7	2	1	5	1	1	2	12	8	34	15	15	15	4	3	04
54	2	–	10	1	3	1	3	–	6	–	–	1	4	–	10	7	3	7	1	–	05
58	4	1	8	–	4	10	2	2	4	–	–	3	8	1	10	7	6	4	2	2	06
137	9	–	33	4	3	11	9	1	16	2	–	4	14	1	29	12	13	9	7	2	07
171	7	–	45	6	2	4	7	2	7	2	–	2	3	–	25	7	10	2	2	–	08
559	30	4	133	12	32	37	17	5	34	7	1	12	32	13	110	48	43	27	15	7	09
66	11	–	29	7	1	11	8	2	4	–	–	2	1	3	17	10	6	1	1	–	10
11,165	**813**	**106**	**3,894**	**564**	**459**	**1,095**	**402**	**104**	**375**	**119**	**3**	**243**	**397**	**336**	**2,587**	**789**	**1,076**	**450**	**123**	**71**	11
5,495	346	62	1,858	278	236	560	192	49	237	69	1	131	196	232	1,404	285	508	273	88	54	12
5,670	467	44	2,036	286	223	535	210	55	138	50	2	112	201	104	1,183	504	568	177	35	17	13
5,428	329	57	1,772	257	234	536	190	48	234	66	2	139	218	229	1,317	356	547	284	97	60	14
4,568	282	52	1,521	220	198	467	164	41	209	58	1	116	173	208	1,146	238	432	243	85	52	15
860	47	5	251	37	36	69	26	7	25	8	1	23	45	21	171	118	115	41	12	8	16
5,737	484	49	2,122	307	225	559	212	56	141	53	1	104	179	107	1,270	433	529	166	26	11	17
927	64	10	337	58	38	93	28	8	28	11	–	15	23	24	258	47	76	30	3	2	18
4,810	420	39	1,785	249	187	466	184	48	113	42	1	89	156	83	1,012	386	453	136	23	9	19
67	7	–	26	5	1	5	2	–	1	–	–	–	–	1	3	2	6	7	–	–	20
171	15	–	49	10	7	17	5	–	9	4	1	9	16	4	54	24	27	21	3	1	21
42	6	–	20	7	1	6	2	–	1	1	–	1	–	1	8	4	5	5	–	–	22
11	1	–	1	–	1	1	1	–	1	1	1	2	1	–	7	2	2	1	–	–	23
11	1	–	1	–	1	1	1	–	1	1	1	2	1	–	7	2	2	1	–	–	24
37	1	–	7	1	1	3	–	–	2	–	–	–	1	–	15	1	4	4	1	–	25
17	1	–	8	1	–	3	–	–	–	–	–	1	3	–	4	2	2	2	–	–	26
21	6	–	2	–	2	3	1	–	1	1	–	4	5	1	8	2	2	4	1	–	27
43	–	–	11	1	2	1	1	–	4	1	–	1	6	2	12	13	12	5	1	1	28
105	3	1	25	5	1	7	3	–	2	–	–	1	2	1	25	6	13	3	1	–	29
87	2	1	22	3	3	3	–	4	4	1	–	1	2	1	19	8	10	3	–	–	30
43	–	–	13	–	1	3	–	1	2	1	–	–	2	–	9	2	3	1	–	–	31
44	2	1	9	3	2	–	–	3	2	–	–	1	–	1	10	6	7	2	–	–	32
75	5	–	19	4	1	9	2	–	3	–	–	–	2	1	8	6	1	4	–	1	33
9	1	–	6	1	–	2	–	–	–	–	–	–	–	–	2	3	–	–	–	–	34
66	4	–	13	3	1	7	2	–	3	–	–	–	2	1	6	3	1	4	–	1	35
35	4	–	14	3	2	2	–	–	2	1	–	–	–	–	6	2	4	1	–	–	36
159	3	1	56	12	2	16	8	2	2	2	–	2	6	1	32	7	16	5	1	–	37
81	2	1	27	9	2	13	4	–	1	1	–	–	2	–	16	1	5	1	–	–	38
78	1	–	29	3	–	3	4	2	1	1	–	2	4	1	16	6	11	4	1	–	39
101	25	1	48	3	2	6	4	1	3	–	–	1	2	–	21	9	8	2	–	–	40
46	11	–	20	1	1	2	2	–	1	–	–	1	–	–	13	6	5	1	–	–	41
55	14	1	28	2	1	4	2	1	2	–	–	–	2	–	8	3	3	1	–	–	42
105	13	2	27	8	7	6	7	–	3	–	–	3	4	2	21	6	15	4	2	–	43
74	7	–	16	6	2	7	1	–	–	–	–	3	2	–	15	2	5	3	–	–	44
78	7	1	28	1	3	12	6	–	1	1	–	–	–	1	23	7	7	2	1	–	45
50	2	2	22	4	1	6	1	–	–	2	–	3	1	1	14	7	10	1	–	–	46
66	5	–	31	7	2	8	4	1	2	2	–	1	–	–	17	8	6	3	2	–	47
123	7	1	39	6	9	20	7	1	4	2	–	5	6	1	22	15	12	1	1	–	48
66	4	–	18	3	4	12	2	–	2	1	–	4	1	1	12	5	6	1	1	–	49
57	3	1	21	3	5	8	5	1	2	1	–	1	5	–	10	10	6	–	–	–	50
33	1	–	13	–	1	3	3	1	–	2	–	1	1	2	8	4	4	–	–	–	51
5	–	–	6	4	–	1	–	1	–	–	–	1	–	–	4	–	2	–	–	–	52
60	5	1	21	1	4	7	5	–	2	3	–	1	2	–	12	5	6	1	–	–	53
158	4	2	56	5	8	25	5	2	4	–	–	4	3	1	40	12	14	6	2	–	54
61	–	1	23	2	3	8	–	–	1	–	–	2	2	–	11	6	5	5	–	–	55
97	4	1	33	3	5	17	5	2	3	–	–	2	1	1	29	6	9	1	2	–	56
246	15	1	65	14	9	11	11	1	9	–	–	12	17	6	44	18	31	21	4	2	57
14	2	–	4	2	–	–	2	–	–	–	–	2	3	1	5	1	2	4	–	–	58
33	2	–	7	2	2	–	1	–	1	–	–	2	1	1	6	2	2	–	1	–	59
33	2	–	7	2	2	–	1	–	1	–	–	2	1	1	6	2	2	–	1	–	60
18	1	–	6	–	–	1	–	–	–	–	–	2	3	–	6	1	1	1	–	1	61
55	5	–	8	1	2	2	–	–	3	–	–	–	2	2	11	3	9	2	1	1	62
54	4	1	20	1	2	4	2	–	2	–	–	1	1	2	6	4	6	6	1	–	63
72	1	–	20	8	3	4	6	1	3	–	–	5	7	–	10	7	11	8	1	–	64
38	5	–	12	1	2	4	1	1	1	–	–	–	3	–	11	4	5	–	–	–	65
76	6	–	25	7	4	6	6	1	2	–	–	–	4	3	21	3	10	3	–	1	66
79	10	–	40	4	5	5	5	–	1	–	–	–	1	–	14	8	4	–	–	–	67
91	8	1	30	1	5	19	4	1	1	1	–	2	–	2	27	10	5	2	2	–	68
97	7	1	38	7	7	8	3	–	7	4	–	2	4	7	24	12	10	2	–	1	69
66	–	1	29	5	5	5	2	–	5	4	–	2	–	4	20	4	4	1	–	1	70
31	7	–	9	2	2	3	1	–	2	–	–	–	4	3	4	8	6	1	–	–	71
129	11	–	61	8	4	20	8	–	3	–	–	2	3	5	35	11	12	3	–	1	72
66	1	–	25	5	3	11	2	–	1	–	–	–	1	4	16	1	2	2	–	–	73
63	10	–	36	3	1	9	6	–	2	–	–	2	2	1	19	10	10	1	–	1	74
44	2	1	8	3	3	3	1	–	–	–	–	–	1	–	17	4	1	–	–	–	75
2,429	138	34	879	104	120	227	86	24	123	30	1	64	100	162	633	134	234	143	52	27	76
90	7	1	37	10	3	10	4	1	5	1	–	4	8	6	25	8	8	8	1	1	77
36	1	–	13	1	–	2	3	–	3	1	–	3	6	2	12	4	4	5	2	–	78
13	2	1	6	1	–	2	1	–	–	–	–	3	5	1	6	3	8	5	–	–	79
42	3	–	10	1	5	3	3	1	4	1	–	1	2	4	12	3	1	3	1	1	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Minnesota—Con.																	
	Hennepin—Con.																	
01	Edina	325	–	–	1	67	15	11	6	14	1	4	16	4	179	127	4	1
02	Golden Valley	109	–	–	–	23	3	9	1	3	2	1	4	1	55	40	–	–
03	Hopkins	147	–	–	–	39	11	6	2	5	1	4	10	3	73	56	2	–
04	Minneapolis	4,709	9	2	18	914	262	191	90	115	55	43	158	60	2,433	1,694	52	28
05	Minnetonka	146	–	–	–	38	13	11	2	3	1	3	5	1	63	42	–	–
06	New Hope	88	–	–	–	20	3	4	4	1	1	3	4	1	48	39	1	–
07	Plymouth	79	–	–	2	23	4	3	2	3	3	–	8	2	25	20	–	–
08	Richfield	267	–	–	–	57	14	8	6	9	2	2	16	6	140	99	6	–
09	Robbinsdale	146	–	–	1	35	12	7	2	4	3	1	6	2	76	56	–	1
10	St. Louis Park	364	–	–	5	75	25	12	7	10	3	1	17	12	185	126	2	1
11	Balance of county	507	–	–	3	95	30	15	6	8	6	4	26	5	257	187	10	5
12	Houston	171	–	–	1	30	5	3	3	3	1	2	13	4	93	67	3	–
13	Hubbard	160	1	–	–	32	6	5	2	8	2	1	8	2	96	66	–	1
14	Isanti	154	–	–	–	22	8	3	1	5	1	–	4	2	100	61	1	3
15	Itasca	360	1	–	–	60	20	12	5	9	1	–	13	4	200	146	–	1
16	Jackson	140	–	–	2	30	5	6	3	7	4	2	3	4	71	49	–	2
17	Kanabec	99	–	–	–	15	7	3	–	1	1	1	2	2	62	47	–	–
18	Kandiyohi	309	–	–	1	54	15	6	8	8	1	4	12	2	160	111	2	1
19	Willmar	150	–	–	1	25	7	4	4	2	–	4	4	1	79	52	1	1
20	Balance of county	159	–	–	–	29	8	2	4	6	1	–	8	1	81	59	1	–
21	Kittson	81	–	–	1	11	6	1	2	–	–	–	2	2	41	32	1	–
22	Koochiching	140	–	–	–	24	6	5	1	3	4	2	3	3	74	56	–	–
23	Lac qui Parle	115	–	–	–	15	6	–	7	1	–	–	1	3	78	48	1	–
24	Lake	105	–	–	3	25	11	1	5	2	3	–	3	2	51	42	1	–
25	Lake of the Woods	53	–	–	–	10	1	3	–	3	–	1	2	4	29	23	–	2
26	Le Sueur	215	1	–	3	47	12	14	5	5	–	2	9	5	111	82	–	2
27	Lincoln	95	–	–	–	21	8	4	–	2	1	2	4	1	44	32	1	–
28	Lyon	230	–	–	1	38	14	7	2	8	–	2	5	3	144	103	1	3
29	McLeod	250	–	–	3	49	11	7	9	8	3	2	9	4	144	87	5	–
30	Mahnomen	61	–	–	–	5	3	–	1	–	–	–	1	2	39	30	–	–
31	Marshall	143	–	–	–	14	5	1	1	3	–	1	3	2	92	63	1	1
32	Martin	268	–	–	–	48	15	10	4	7	3	1	8	4	142	107	1	2
33	Fairmont	139	–	–	–	27	10	8	1	1	1	1	5	2	69	50	1	2
34	Balance of county	129	–	–	–	21	5	2	3	6	2	–	3	2	73	57	–	–
35	Meeker	239	–	–	1	46	15	6	4	6	2	5	8	6	135	83	2	1
36	Mille Lacs	186	–	–	1	40	12	8	4	7	3	–	6	7	95	57	–	–
37	Morrison	302	–	–	1	53	15	8	3	9	3	3	12	7	175	117	3	2
38	Mower	405	–	–	3	66	16	16	5	9	3	–	17	3	232	173	3	–
39	Austin	265	–	–	2	44	11	11	4	5	2	–	11	2	147	108	1	–
40	Balance of county	140	–	–	1	22	5	5	1	4	1	–	6	1	85	65	2	–
41	Murray	129	–	–	1	30	10	5	2	1	2	2	8	–	72	47	1	–
42	Nicollet	168	–	–	1	44	8	10	6	4	3	4	9	4	77	52	1	1
43	Nobles	170	–	–	–	30	7	9	2	5	1	2	4	1	91	66	1	2
44	Norman	148	–	–	1	29	8	3	2	4	4	2	6	4	88	56	2	2
45	Olmsted	540	–	–	2	121	40	21	15	14	6	5	20	8	229	172	6	5
46	Rochester	408	–	–	2	86	29	15	12	9	3	3	15	6	169	128	4	5
47	Balance of county	132	–	–	–	35	11	6	3	5	3	2	5	2	60	44	2	–
48	Otter Tail	533	1	–	3	108	43	9	11	13	9	4	19	7	306	229	2	1
49	Fergus Falls	149	1	–	1	31	12	2	5	3	1	2	6	2	82	57	–	–
50	Balance of county	384	–	–	2	77	31	7	6	10	8	2	13	5	224	172	2	1
51	Pennington	154	–	–	1	30	10	1	1	6	1	3	8	2	86	47	1	–
52	Pine	191	1	–	2	32	14	8	1	4	–	1	4	7	103	65	1	2
53	Pipestone	149	–	–	–	35	8	3	3	8	5	2	6	2	82	50	–	–
54	Polk	397	2	–	1	73	30	10	4	7	6	3	13	8	239	150	3	4
55	Pope	164	–	–	1	27	10	5	2	3	1	1	5	–	94	61	–	–
56	Ramsey	3,756	5	–	27	755	228	146	64	88	28	37	164	42	1,983	1,431	27	17
57	Blaine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58	Maplewood	139	1	–	1	32	5	8	4	4	3	1	7	2	64	47	–	–
59	New Brighton	101	–	–	–	17	4	3	2	3	–	–	5	1	41	26	–	–
60	North St. Paul	54	–	–	–	6	3	1	1	1	–	–	–	4	25	20	–	–
61	Roseville	171	–	–	1	33	11	8	1	1	1	3	8	–	91	65	–	1
62	St. Paul	2,932	4	–	24	605	184	120	50	69	22	28	132	33	1,575	1,134	24	12
63	Shoreview	40	–	–	–	6	2	–	–	1	2	–	1	–	25	20	1	–
64	White Bear Lake, part	141	–	–	–	20	10	1	–	3	–	2	4	1	74	58	–	1
65	White Bear Lake, total	142	–	–	–	20	10	1	–	3	–	2	4	1	74	58	–	1
66	Balance of county	178	–	–	1	36	9	5	6	6	–	3	7	1	88	61	2	3
67	Red Lake	64	–	–	–	9	4	2	–	1	–	1	1	2	39	25	–	–
68	Redwood	182	–	–	–	37	15	3	4	3	1	3	8	–	104	70	–	1
69	Renville	224	–	–	2	47	12	9	3	5	4	4	10	2	132	97	2	–
70	Rice	361	–	–	1	78	15	9	9	15	8	7	15	8	183	131	1	1
71	Faribault	182	–	–	–	39	10	5	4	8	4	2	6	5	88	60	–	–
72	Northfield	78	–	–	1	8	1	–	1	1	1	1	3	2	49	36	–	–
73	Balance of county	101	–	–	–	31	4	4	4	6	3	4	6	1	46	35	1	1
74	Rock	104	–	–	1	19	5	4	1	3	1	1	4	5	50	34	–	1
75	Roseau	113	–	–	1	11	2	–	2	–	–	1	6	2	66	52	4	–
76	St. Louis	2,291	5	1	8	451	143	86	31	64	23	21	83	55	1,215	918	17	11
77	Duluth	1,118	1	1	4	220	63	51	14	36	11	14	31	24	596	446	4	4
78	Hibbing	197	–	–	2	40	21	7	1	2	–	3	6	7	108	77	5	1
79	Virginia	156	1	–	1	33	13	3	1	6	4	–	6	2	69	55	2	–
80	Balance of county	820	3	–	1	158	46	25	15	20	8	4	40	22	442	340	6	6
81	Scott	230	–	–	2	44	14	6	6	8	–	1	9	5	120	83	1	5
82	Sherburne	162	1	–	–	26	7	7	2	1	2	1	6	4	91	61	1	–
83	St. Cloud, part	44	1	–	–	7	3	–	–	–	1	1	2	1	21	11	–	–
84	Balance of county	118	–	–	–	19	4	7	2	1	1	–	4	3	70	50	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
119	3	1	40	7	4	9	3	–	3	–	–	2	2	4	32	2	12	4	1	–	01
38	2	–	12	2	1	3	1	–	2	–	–	1	1	–	12	–	6	4	–	–	02
52	2	1	12	1	3	2	1	–	4	–	–	2	–	3	12	2	3	1	–	2	03
1,523	91	24	578	62	75	163	57	16	79	22	–	32	48	112	391	64	155	82	37	15	04
42	–	–	19	–	2	3	–	–	1	–	–	3	3	2	14	4	3	6	3	2	05
38	–	–	7	–	2	4	–	–	2	–	–	1	3	2	4	–	1	–	–	2	06
20	–	1	3	–	1	2	1	–	2	1	–	1	1	2	8	7	1	1	–	–	07
87	6	–	30	6	5	4	4	1	4	–	–	2	3	3	21	7	5	7	1	2	08
53	2	–	17	2	1	6	2	1	4	–	–	1	–	2	9	2	–	5	–	–	09
118	5	4	41	5	9	4	3	2	5	3	–	4	6	8	28	3	10	8	3	–	10
158	14	1	54	6	9	10	3	2	5	1	1	4	12	11	47	25	17	4	3	2	11
59	5	–	22	2	2	8	2	–	–	–	–	–	1	–	16	6	7	2	1	–	12
59	6	–	28	–	2	5	–	–	2	–	–	–	2	–	11	–	7	2	–	–	13
53	4	1	35	1	2	6	3	–	–	1	–	–	2	–	8	4	5	1	–	–	14
142	3	–	47	3	4	10	9	2	4	–	–	2	7	4	33	7	10	6	1	–	15
38	9	–	16	3	3	5	–	–	–	–	–	2	2	1	14	3	3	3	–	–	16
43	4	–	14	–	1	2	1	1	1	–	–	1	–	–	5	3	5	1	–	–	17
101	7	2	37	3	7	12	4	1	2	2	–	3	3	2	33	13	12	2	1	2	18
47	3	–	22	2	3	3	3	–	2	1	–	3	–	1	20	3	5	1	1	1	19
54	4	2	15	1	4	9	1	1	–	1	–	–	3	1	13	10	7	1	–	1	20
30	1	–	6	2	1	4	1	–	4	1	–	–	1	–	5	6	2	1	1	–	21
53	3	–	17	1	–	3	2	–	3	–	–	–	2	1	15	3	5	3	1	1	22
46	1	–	27	2	1	2	1	1	4	1	–	1	–	1	3	2	2	1	–	–	23
38	3	–	7	1	1	5	–	1	1	–	–	–	–	–	6	1	9	1	–	–	24
19	2	–	6	–	–	–	1	–	1	–	–	–	1	–	7	–	–	–	–	–	25
68	12	–	23	5	1	3	2	2	1	–	–	2	3	–	17	9	7	2	–	–	26
30	1	–	12	–	–	5	1	–	2	–	–	–	1	1	11	4	4	–	–	–	27
96	3	2	30	5	4	5	1	–	1	–	–	4	4	–	13	6	7	3	–	–	28
75	7	1	34	18	4	7	5	–	–	1	–	–	–	1	16	4	9	7	–	–	29
25	5	–	5	2	2	1	1	–	–	–	–	–	–	–	5	2	4	2	–	–	30
54	7	–	27	1	1	1	2	1	2	2	1	1	–	1	14	5	4	1	–	–	31
98	6	2	32	1	–	13	3	–	2	–	–	1	1	4	28	6	14	2	–	–	32
45	2	1	18	–	–	6	2	–	1	–	–	1	–	2	18	3	7	1	–	–	33
53	4	1	14	1	–	7	1	–	1	–	–	–	1	2	10	3	7	1	–	–	34
73	7	–	43	4	5	9	2	–	2	1	–	1	2	5	16	7	5	1	–	–	35
53	4	–	32	3	3	8	3	–	2	–	–	–	1	–	12	7	7	–	2	1	36
108	4	–	47	4	7	4	6	1	3	–	–	2	1	1	26	7	12	2	1	–	37
131	39	–	45	6	8	8	5	1	–	2	–	–	3	3	50	9	14	5	1	–	38
85	22	–	29	5	5	6	3	1	–	–	–	–	2	3	41	2	9	2	1	–	39
46	17	–	16	1	3	2	2	–	–	2	–	–	1	–	9	7	5	3	–	–	40
43	3	–	20	3	2	2	3	–	–	–	–	–	1	2	10	3	4	1	–	–	41
45	5	1	19	2	3	7	–	1	1	–	–	–	1	3	16	4	7	1	–	1	42
59	4	3	18	2	2	11	5	1	–	–	–	1	6	1	12	5	3	2	1	–	43
46	6	–	28	1	3	3	2	–	–	–	–	2	–	2	6	–	9	2	–	–	44
151	10	3	43	4	7	18	6	3	7	6	–	5	7	11	63	20	20	12	–	2	45
110	9	1	32	3	5	12	4	3	6	6	–	5	5	10	55	11	17	10	–	1	46
41	1	2	11	1	2	6	2	–	1	–	–	–	2	1	8	9	3	2	–	1	47
209	17	2	65	5	5	16	4	3	7	–	–	2	2	1	44	8	15	5	–	1	48
55	2	–	24	1	–	5	1	1	4	–	–	–	1	1	14	1	4	–	–	–	49
154	15	2	41	4	5	11	3	2	3	–	–	2	1	–	30	7	11	5	–	1	50
45	1	–	31	5	3	5	–	–	1	3	–	1	4	3	10	2	6	–	–	–	51
54	8	–	31	3	4	8	1	3	3	3	–	1	1	1	12	1	10	2	–	–	52
40	10	–	24	3	5	7	2	–	–	–	–	2	1	1	10	3	3	1	–	–	53
134	9	–	64	17	8	6	5	1	1	–	–	3	6	–	26	12	12	2	–	–	54
60	1	–	30	–	3	12	2	2	2	1	–	–	3	3	9	4	4	–	–	–	55
1,302	85	12	414	77	49	144	38	13	43	11	–	23	41	35	315	66	120	43	27	25	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	57
45	2	1	9	5	2	10	1	1	1	–	–	–	3	–	11	4	1	5	1	1	58
26	–	1	12	1	1	6	2	–	–	1	–	3	3	2	12	6	4	2	–	1	59
17	3	–	3	1	1	6	1	–	–	–	–	1	1	–	5	2	1	–	1	1	60
59	5	–	19	6	1	4	2	–	4	–	–	2	–	1	18	3	10	2	–	–	61
1,028	70	10	335	61	35	105	30	10	33	8	–	13	28	29	247	42	80	24	22	20	62
19	–	–	4	–	1	–	–	–	–	–	–	–	1	–	2	–	3	3	–	–	63
54	3	–	12	1	3	6	2	2	4	–	–	2	2	2	6	6	10	3	1	–	64
54	3	–	12	1	3	6	2	2	4	–	–	2	2	2	7	6	10	3	1	–	65
54	2	–	20	2	5	7	–	–	1	2	–	2	3	1	14	3	11	4	2	2	66
22	3	–	11	1	2	1	–	–	1	–	–	1	–	–	6	1	1	3	–	–	67
63	6	1	30	2	1	7	2	2	1	1	–	1	2	1	9	5	8	1	1	–	68
85	10	1	29	2	3	8	–	–	–	2	–	2	2	–	14	6	6	1	–	–	69
122	7	3	32	11	6	15	3	1	6	–	–	3	3	3	27	12	13	4	1	–	70
57	3	2	14	8	4	7	1	–	3	–	–	3	2	2	16	4	8	3	1	–	71
35	1	1	8	3	1	3	2	1	1	–	–	–	1	1	5	2	2	–	–	–	72
30	3	–	10	–	1	5	–	–	2	–	–	–	–	–	6	6	3	1	–	–	73
32	1	–	11	3	2	4	1	–	1	–	–	4	–	–	10	4	5	–	–	–	74
43	5	1	11	1	1	2	3	2	1	–	–	1	4	–	9	6	5	–	–	–	75
839	51	3	228	37	29	83	31	6	36	13	–	17	24	8	152	53	87	38	6	2	76
414	24	2	117	15	16	44	22	2	23	7	–	9	15	2	80	15	33	18	2	–	77
69	2	–	20	8	3	3	2	1	2	1	–	–	2	–	16	4	4	3	1	1	78
48	5	–	10	1	3	11	2	–	5	2	–	2	1	2	11	4	8	1	1	–	79
308	20	1	81	13	7	25	5	3	6	3	–	6	6	4	45	30	42	16	2	1	80
70	7	2	25	7	3	9	2	2	5	1	–	2	3	–	10	14	7	4	–	–	81
56	4	–	21	6	3	8	3	2	–	–	–	–	8	2	12	1	3	1	–	–	82
10	1	–	4	5	1	5	–	1	–	–	–	–	2	1	4	–	1	–	–	–	83
46	3	–	17	1	2	3	3	1	–	–	–	–	6	1	8	1	2	1	–	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Minnesota—Con.																	
01	Sibley	184	–	–	3	32	11	4	2	7	–	2	6	4	100	65	1	2
02	Stearns	617	2	–	3	127	31	22	13	26	4	7	24	15	320	236	6	–
03	St. Cloud, part	215	2	–	2	46	12	8	4	11	3	2	6	6	108	84	3	–
04	St. Cloud, total	294	3	–	2	61	19	8	5	11	5	3	10	9	147	106	4	–
05	Balance of county	402	–	–	1	81	19	14	9	15	1	5	18	9	212	152	3	–
06	Steele	217	–	–	–	48	13	8	3	10	2	3	9	3	116	78	1	1
07	Owatonna	150	–	–	–	32	7	7	2	6	1	3	6	–	83	58	1	1
08	Balance of county	67	–	–	–	16	6	1	1	4	1	–	3	3	33	20	–	–
09	Stevens	121	1	–	1	17	4	5	2	3	1	–	2	2	75	53	3	1
10	Swift	170	–	–	–	33	13	3	–	9	4	–	4	2	102	84	–	4
11	Todd	253	–	–	–	43	14	5	4	5	1	5	9	6	152	117	1	2
12	Traverse	67	–	–	–	15	4	2	1	2	–	3	3	2	34	27	1	–
13	Wabasha	200	–	–	1	40	11	2	6	7	3	1	10	4	92	65	2	2
14	Wadena	153	–	–	1	20	10	3	–	3	–	1	3	1	102	83	–	2
15	Waseca	162	1	–	–	35	9	6	5	5	3	4	3	3	94	72	2	1
16	Washington	470	1	–	3	86	22	9	8	17	5	6	19	7	249	182	5	2
17	Cottage Grove	27	–	–	1	13	3	2	3	2	–	–	3	–	6	4	–	–
18	Hastings, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Stillwater	107	1	–	–	13	4	–	2	2	1	1	3	3	64	38	–	–
20	White Bear Lake, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Balance of county	335	–	–	2	60	15	7	3	13	4	5	13	4	179	140	5	2
22	Watonwan	148	–	–	1	31	7	6	5	6	3	1	3	2	80	46	1	–
23	Wilkin	98	–	–	–	21	7	6	2	2	–	1	3	–	51	38	1	–
24	Winona	397	3	–	3	76	17	15	7	10	4	4	19	6	224	156	2	2
25	Winona	265	1	–	2	53	13	12	5	6	3	2	12	5	151	102	2	1
26	Balance of county	132	2	–	1	23	4	3	2	4	1	2	7	1	73	54	–	1
27	Wright	373	1	–	2	68	18	10	2	13	7	5	13	13	210	163	6	3
28	Yellow Medicine	160	–	–	–	21	6	4	2	2	1	1	5	6	92	62	1	–
29	**Mississippi**	**22,786**	**34**	**4**	**218**	**3,704**	**926**	**939**	**263**	**488**	**138**	**160**	**790**	**403**	**10,960**	**7,556**	**80**	**129**
30	Urban places	6,928	10	2	78	1,183	304	306	98	143	38	48	246	103	3,234	2,229	26	41
31	Balance of area	15,858	24	2	140	2,521	622	633	165	345	100	112	544	300	7,726	5,327	54	88
32	Metropolitan counties	3,310	7	–	27	617	142	169	47	58	27	31	143	40	1,539	1,142	12	19
33	Urban places	2,146	6	–	20	406	96	111	35	37	12	17	98	22	1,034	755	8	8
34	Balance of area	1,164	1	–	7	211	46	58	12	21	15	14	45	18	505	387	4	11
35	Nonmetropolitan counties	19,476	27	4	191	3,087	784	770	216	430	111	129	647	363	9,421	6,414	68	110
36	Urban places	4,782	4	2	58	777	208	195	63	106	26	31	148	81	2,200	1,474	18	33
37	Balance of area	14,694	23	2	133	2,310	576	575	153	324	85	98	499	282	7,221	4,940	50	77
38	Adams	402	–	–	1	94	22	19	6	16	5	3	23	3	194	147	4	6
39	Natchez	269	–	–	1	61	16	11	4	8	5	1	16	3	131	95	1	5
40	Balance of county	133	–	–	–	33	6	8	2	8	–	2	7	–	63	52	3	1
41	Alcorn	287	–	–	1	41	9	6	4	4	2	4	12	2	166	119	2	–
42	Corinth	140	–	–	–	18	2	4	2	2	1	2	5	1	91	64	1	–
43	Balance of county	147	–	–	1	23	7	2	2	2	1	2	7	1	75	55	1	–
44	Amite	157	–	–	–	19	6	8	–	1	1	–	3	6	72	53	2	–
45	Attala	232	–	–	3	35	8	6	3	4	2	3	9	4	126	84	2	2
46	Benton	76	–	–	2	10	2	2	2	2	–	–	2	1	37	28	2	–
47	Bolivar	505	1	–	8	63	18	16	2	12	2	1	12	3	261	159	–	4
48	Cleveland	126	–	–	2	19	5	10	–	1	–	–	3	–	56	36	–	1
49	Balance of county	379	1	–	6	44	13	6	2	11	2	1	9	3	205	123	–	3
50	Calhoun	208	–	1	3	36	9	9	2	4	2	1	9	3	113	79	–	3
51	Carroll	110	–	–	2	17	3	6	–	4	–	–	4	1	62	43	–	1
52	Chickasaw	204	–	–	2	27	7	3	2	6	3	1	5	2	117	72	1	1
53	Choctaw	111	–	–	–	17	5	5	2	3	2	–	–	1	62	45	–	–
54	Claiborne	129	–	–	–	9	2	3	–	1	1	–	2	1	69	55	–	1
55	Clarke	164	1	–	2	32	7	8	2	5	2	–	8	1	80	61	–	1
56	Clay	179	1	–	–	26	8	2	–	6	–	–	10	6	97	84	–	–
57	Coahoma	438	1	1	7	72	20	13	7	11	2	2	17	7	213	126	–	–
58	Clarksdale	266	1	1	4	45	10	12	4	6	2	1	10	4	132	86	–	–
59	Balance of county	172	–	–	3	27	10	1	3	5	–	1	7	3	81	40	–	–
60	Copiah	295	–	–	3	54	14	15	5	9	–	2	9	5	134	85	1	1
61	Covington	147	1	–	2	20	5	6	–	4	1	2	2	3	75	47	–	–
62	De Soto	280	–	–	4	43	8	9	1	3	3	5	14	4	102	74	2	–
63	Forrest	619	2	–	5	103	16	32	10	16	4	3	22	26	279	199	3	3
64	Hattiesburg, part	418	–	–	3	71	12	19	7	13	2	2	16	13	190	129	–	2
65	Hattiesburg, total	418	–	–	3	71	12	19	7	13	2	2	16	13	190	129	–	2
66	Balance of county	201	2	–	2	32	4	13	3	3	2	1	6	13	89	70	3	1
67	Franklin	110	–	–	3	23	7	8	3	4	–	–	1	1	54	41	1	1
68	George	129	–	–	1	21	6	4	2	4	–	2	3	4	69	54	–	–
69	Greene	91	–	–	–	14	5	3	1	1	1	1	2	1	47	41	–	–
70	Grenada	239	–	–	–	38	12	11	2	2	–	4	7	–	121	67	1	–
71	Hancock	193	–	–	1	37	7	14	2	3	2	–	9	1	71	54	1	1
72	Harrison	1,038	1	–	5	178	48	56	13	13	4	6	38	10	523	424	6	8
73	Biloxi	304	–	–	2	53	18	12	5	4	–	1	13	2	157	134	1	3
74	Gulfport	371	–	–	2	57	11	23	3	4	1	1	14	3	196	147	4	1
75	Balance of county	363	1	–	1	68	19	21	5	5	3	4	11	5	170	143	1	4
76	Hinds	1,928	6	–	19	384	81	101	30	39	18	19	96	24	880	618	5	7
77	Jackson, part	1,470	6	–	16	296	67	76	27	29	11	15	71	17	680	473	3	4
78	Jackson, total	1,471	6	–	16	296	67	76	27	29	11	15	71	17	681	474	3	4
79	Balance of county	458	–	–	3	88	14	25	3	10	7	4	25	7	200	145	2	3
80	Holmes	269	–	–	4	43	18	8	4	7	–	2	4	6	128	79	1	6
81	Humphreys	161	1	–	2	20	6	6	3	2	–	1	2	6	69	46	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
57	5	–	28	4	3	8	–	1	–	2	–	1	–	9	16	3	3	2	–	–	01
216	14	2	64	10	8	19	5	2	8	1	–	5	18	6	48	14	18	6	–	–	02
76	5	–	18	3	3	5	1	1	3	–	–	1	4	3	21	3	6	3	–	–	03
95	7	–	28	9	4	12	1	2	3	–	–	1	6	4	27	6	7	3	–	–	04
140	9	2	46	7	5	14	4	1	5	1	–	4	14	3	27	11	12	3	–	–	05
72	4	1	28	7	2	5	2	1	1	1	–	4	5	–	22	4	2	3	–	–	06
55	1	1	19	4	1	4	1	1	–	1	–	2	3	–	16	2	2	3	–	–	07
17	3	–	9	3	1	1	1	–	1	–	–	2	2	–	6	2	–	–	–	–	08
49	–	1	16	3	2	2	2	–	2	–	–	2	3	1	6	2	5	–	–	–	09
70	10	1	12	4	1	5	3	–	2	1	–	2	3	–	10	2	3	2	–	–	10
104	10	–	26	5	4	15	3	–	1	–	–	1	5	2	17	3	4	–	–	1	11
25	1	–	6	1	–	3	–	1	1	–	–	–	–	–	7	1	3	–	–	–	12
59	2	–	22	5	–	12	6	–	2	–	–	–	2	–	19	10	8	2	2	–	13
76	5	1	14	3	1	4	2	–	–	1	–	1	2	–	10	5	3	1	–	–	14
60	9	–	18	2	2	6	1	–	2	–	–	3	5	2	2	6	2	–	–	–	15
167	8	3	55	5	4	16	6	–	3	–	–	4	7	2	34	26	16	5	4	1	16
3	1	–	2	–	–	1	–	–	–	–	–	–	–	–	1	2	1	2	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
37	1	3	20	2	1	7	2	–	–	–	–	–	3	–	7	3	2	1	1	–	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	20
127	6	–	33	3	3	8	4	–	3	–	–	4	4	2	25	21	13	2	3	1	21
45	–	–	27	4	3	9	2	1	2	–	–	–	–	1	10	4	1	3	1	–	22
36	1	1	9	1	2	4	1	1	–	–	–	2	–	–	10	5	2	1	–	–	23
136	16	2	54	6	6	7	8	2	3	4	–	–	5	3	25	9	12	7	–	–	24
90	9	2	38	4	5	5	4	1	3	3	–	–	1	2	16	4	8	6	–	–	25
46	7	–	16	2	1	2	4	1	–	1	–	–	4	1	9	5	4	1	–	–	26
146	8	–	37	8	2	9	3	1	4	1	–	5	3	5	21	12	9	6	–	–	27
54	7	3	25	1	1	6	2	–	2	1	–	4	1	1	14	5	5	–	–	–	28
6,368	**979**	**111**	**2,791**	**249**	**253**	**513**	**235**	**57**	**152**	**126**	**5**	**163**	**522**	**1,708**	**1,744**	**646**	**942**	**239**	**358**	**53**	29
1,840	322	41	809	76	79	172	61	17	56	41	2	46	185	530	593	136	251	80	134	14	30
4,528	657	70	1,982	173	174	341	174	40	96	85	3	117	337	1,178	1,151	510	691	159	224	39	31
904	207	13	322	26	36	79	26	9	39	16	–	33	82	138	329	77	121	45	79	7	32
606	133	13	226	13	27	50	16	4	27	9	–	19	49	69	217	37	71	33	54	3	33
298	74	–	96	13	9	29	10	5	12	7	–	14	33	69	112	40	50	12	25	4	34
5,464	772	98	2,469	223	217	434	209	48	113	110	5	130	440	1,570	1,415	569	821	194	279	46	35
1,234	189	28	583	63	52	122	45	13	29	32	2	27	136	461	376	99	180	47	80	11	36
4,230	583	70	1,886	160	165	312	164	35	84	78	3	103	304	1,109	1,039	470	641	147	199	35	37
126	11	3	36	4	4	7	3	2	2	6	–	4	8	16	21	10	21	5	–	5	38
81	8	2	26	4	4	6	3	2	–	2	–	3	8	9	15	7	13	1	–	4	39
45	3	1	10	–	–	1	–	–	2	4	–	1	–	7	6	3	8	4	–	1	40
96	21	1	40	4	2	8	1	–	–	1	1	2	4	9	26	8	13	1	3	–	41
52	11	–	25	–	2	2	1	–	–	–	1	–	1	4	11	3	6	–	1	–	42
44	10	1	15	4	–	6	–	–	–	1	–	2	3	5	15	5	7	1	2	–	43
42	9	–	13	5	1	3	3	1	2	–	–	1	3	22	8	7	7	3	–	–	44
65	15	1	33	4	4	5	5	1	1	3	–	2	2	12	17	1	8	2	5	–	45
25	1	–	5	2	2	1	1	1	2	3	–	1	–	6	2	4	3	1	1	–	46
131	24	1	86	9	6	10	2	–	3	5	–	4	17	55	29	9	20	5	9	1	47
32	3	–	18	1	1	2	–	–	–	–	–	1	7	15	8	3	8	1	3	1	48
99	21	1	68	8	5	8	2	–	3	5	–	3	10	40	21	6	12	4	6	–	49
71	5	1	32	–	1	3	2	1	–	–	–	1	6	9	14	8	7	–	–	1	50
41	1	–	16	1	2	4	–	–	–	1	–	1	1	5	4	5	7	–	–	–	51
56	14	–	41	2	2	5	1	–	–	1	–	2	3	17	13	2	9	2	–	1	52
42	3	–	17	–	–	1	2	–	1	–	–	1	1	3	11	3	3	1	4	–	53
42	12	1	11	2	–	6	1	1	–	2	–	1	6	8	13	5	5	–	2	–	54
52	8	1	16	–	2	12	–	1	–	–	–	1	–	8	15	3	5	2	1	–	55
75	9	1	10	–	2	1	4	–	–	1	–	2	3	7	13	5	8	3	2	–	56
113	13	8	69	5	5	5	3	2	3	2	–	2	9	27	35	12	22	3	11	1	57
77	9	4	34	4	4	4	2	2	1	1	–	2	3	13	24	8	13	2	4	–	58
36	4	4	35	1	1	1	1	–	2	1	–	–	6	14	11	4	9	1	7	1	59
77	6	–	41	3	5	11	1	–	2	–	–	1	6	19	27	13	12	–	6	1	60
42	5	1	24	1	2	1	1	–	–	–	–	–	1	21	11	3	7	1	–	–	61
64	8	–	24	2	2	6	2	1	1	–	–	1	7	58	19	16	12	–	4	–	62
181	12	4	60	12	4	16	3	2	1	4	–	3	14	51	50	17	23	10	10	–	63
118	9	4	45	9	3	11	2	1	–	2	–	2	11	33	37	10	19	5	8	–	64
118	9	4	45	9	3	11	2	1	–	2	–	2	11	33	37	10	19	5	8	–	65
63	3	–	15	3	1	5	1	1	1	2	–	1	3	18	13	7	4	5	2	–	66
36	3	1	10	–	2	2	–	–	1	1	–	–	2	2	11	5	4	–	1	–	67
35	19	–	11	1	3	4	3	1	1	–	–	1	1	2	9	3	7	–	1	1	68
36	5	–	5	–	1	1	2	–	–	1	1	1	4	–	9	5	5	–	–	–	69
58	8	2	49	2	1	2	2	1	–	1	–	1	3	24	18	5	10	7	6	–	70
49	3	–	11	4	2	3	3	–	2	–	–	2	2	38	15	3	7	6	2	–	71
294	116	2	80	6	11	20	9	3	12	6	–	17	25	35	92	27	35	17	20	3	72
101	29	2	17	1	3	3	3	1	3	1	–	7	7	7	28	7	10	7	6	–	73
95	47	–	41	2	6	8	4	–	5	1	–	1	7	16	39	5	11	6	9	1	74
98	40	–	22	3	2	9	2	2	4	4	–	9	11	12	25	15	14	4	5	2	75
534	72	11	217	13	21	52	12	5	22	8	–	14	43	62	206	32	74	25	56	4	76
409	57	11	168	10	18	39	9	3	19	7	–	11	35	46	150	25	50	20	39	2	77
410	57	11	168	10	18	39	9	3	19	7	–	11	35	46	150	25	50	20	39	2	78
125	15	–	49	3	3	13	3	2	3	1	–	3	8	16	56	7	24	5	17	2	79
60	12	–	41	5	3	2	2	–	2	3	–	2	6	24	20	2	17	2	6	–	80
46	–	–	17	3	3	4	2	3	1	2	–	–	5	15	11	8	6	1	4	1	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Mississippi—Con.																	
01	Issaquena	35	–	–	–	6	1	1	–	–	1	–	3	–	16	11	–	–
02	Itawamba	186	1	–	–	34	5	7	4	5	–	2	11	4	108	75	–	–
03	Jackson	585	–	–	4	107	30	27	9	16	1	6	18	16	241	189	1	2
04	Moss Point	123	–	–	1	17	8	4	1	2	–	1	1	5	50	37	–	–
05	Pascagoula	181	–	–	1	43	12	11	4	11	–	2	3	4	68	59	–	1
06	Balance of county	281	–	–	2	47	10	12	4	3	1	3	14	7	123	93	1	1
07	Jasper	165	–	–	5	20	7	4	1	1	–	–	7	–	89	66	1	4
08	Jefferson	95	–	–	1	13	4	3	1	4	–	1	–	–	48	41	–	–
09	Jefferson Davis	119	1	–	1	14	1	5	1	4	–	1	2	1	66	44	1	–
10	Jones	585	1	–	3	84	24	18	5	12	1	4	20	4	302	193	–	6
11	Laurel	277	–	–	2	47	15	11	2	4	1	3	11	1	133	75	–	3
12	Balance of county	308	1	–	1	37	9	7	3	8	–	1	9	3	169	118	–	3
13	Kemper	107	–	–	3	20	7	2	–	4	2	1	4	4	46	37	–	–
14	Lafayette	202	–	–	–	38	5	13	4	2	2	3	9	10	85	62	2	–
15	Oxford	76	–	–	–	14	3	5	2	–	1	1	2	5	39	27	1	–
16	Balance of county	126	–	–	–	24	2	8	2	2	1	2	7	5	46	35	1	–
17	Lamar	155	–	–	1	34	6	12	1	3	3	1	8	5	76	49	–	–
18	Hattiesburg, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19	Balance of county	155	–	–	1	34	6	12	1	3	3	1	8	5	76	49	–	–
20	Lauderdale	802	–	–	7	123	38	29	9	15	6	6	20	11	298	196	5	7
21	Meridian	575	–	–	4	81	28	16	6	10	4	5	12	8	228	151	3	7
22	Balance of county	227	–	–	3	42	10	13	3	5	2	1	8	3	70	45	2	–
23	Lawrence	133	–	–	3	28	6	11	–	3	–	1	7	5	56	39	–	2
24	Leake	202	–	–	4	31	7	4	2	6	1	3	8	7	107	76	–	5
25	Lee	483	–	–	5	71	19	22	5	5	3	1	16	7	295	211	1	5
26	Tupelo	208	–	–	3	32	10	6	3	2	1	1	9	4	123	86	1	3
27	Balance of county	275	–	–	2	39	9	16	2	3	2	–	7	3	172	125	–	2
28	Leflore	420	3	–	9	72	15	19	5	14	1	4	14	6	201	149	2	–
29	Greenwood	265	2	–	8	45	10	12	2	11	1	2	7	4	125	94	2	–
30	Balance of county	155	1	–	1	27	5	7	3	3	–	2	7	2	76	55	–	–
31	Lincoln	306	–	–	–	61	14	9	5	8	3	4	18	4	145	97	2	1
32	Brookhaven	122	–	–	–	20	4	1	4	1	–	3	7	3	62	44	1	1
33	Balance of county	184	–	–	–	41	10	8	1	7	3	1	11	1	83	53	1	–
34	Lowndes	411	1	–	7	56	12	16	8	8	2	–	10	5	173	105	2	1
35	Columbus	252	–	–	4	36	7	10	3	6	2	–	8	4	106	64	2	–
36	Balance of county	159	1	–	3	20	5	6	5	2	–	–	2	1	67	41	–	1
37	Madison	308	–	–	4	51	19	13	1	6	3	1	8	7	114	71	2	2
38	Canton	137	–	–	2	18	8	3	1	3	1	1	1	4	52	29	1	1
39	Balance of county	171	–	–	2	33	11	10	–	3	2	–	7	3	62	42	1	1
40	Marion	248	1	–	3	42	8	14	4	4	1	2	9	5	110	72	1	–
41	Marshall	282	–	–	4	34	3	8	1	7	2	6	7	5	122	66	–	–
42	Monroe	364	2	–	2	67	21	16	4	7	3	4	12	6	189	132	2	1
43	Montgomery	183	–	–	2	31	9	9	–	3	2	2	6	6	95	62	1	–
44	Neshoba	217	–	–	3	32	7	3	2	5	2	–	13	8	99	67	–	1
45	Newton	266	–	–	–	40	8	7	2	4	4	2	13	8	153	101	–	2
46	Noxubee	149	–	1	–	25	7	4	4	6	–	–	4	7	60	33	–	1
47	Oktibbeha	221	–	–	1	27	5	8	4	8	–	1	1	1	128	96	1	2
48	Starkville	93	–	–	–	15	1	7	3	4	–	–	–	–	49	37	–	1
49	Balance of county	128	–	–	1	12	4	1	1	4	–	1	1	1	79	59	1	1
50	Panola	301	–	–	4	43	11	10	2	8	1	–	11	6	170	109	1	5
51	Pearl River	263	–	–	1	44	8	12	3	2	4	1	14	2	108	76	1	1
52	Picayune	100	–	–	1	12	3	2	1	–	1	–	5	2	42	28	–	1
53	Balance of county	163	–	–	–	32	5	10	2	2	3	1	9	–	66	48	1	–
54	Perry	86	–	–	1	9	1	4	1	1	1	–	1	2	42	28	–	–
55	Pike	445	–	–	1	60	17	16	8	8	1	4	6	7	219	139	1	3
56	McComb	181	–	–	1	30	10	8	3	4	–	2	3	3	91	61	–	–
57	Balance of county	264	–	–	–	30	7	8	5	4	1	2	3	4	128	78	1	3
58	Pontotoc	219	–	–	–	36	11	10	1	3	1	2	8	3	127	72	–	–
59	Prentiss	192	1	–	1	32	10	10	1	4	1	2	4	1	92	67	–	1
60	Quitman	184	–	–	3	23	4	7	4	3	–	1	4	3	103	59	–	1
61	Rankin	344	–	–	3	55	13	12	4	6	5	6	9	6	136	100	1	4
62	Jackson, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
63	Balance of county	343	–	–	3	55	13	12	4	6	5	6	9	6	135	99	1	4
64	Scott	254	–	–	–	37	12	10	1	4	2	2	6	6	140	108	2	3
65	Sharkey	84	–	–	–	11	3	4	–	1	–	–	3	–	45	31	–	–
66	Simpson	235	1	–	3	43	14	11	1	4	1	1	11	2	107	69	3	–
67	Smith	112	–	–	2	15	7	–	1	2	–	1	4	–	62	45	–	1
68	Stone	87	–	–	–	16	2	7	1	4	–	1	1	–	52	35	–	–
69	Sunflower	399	1	–	3	62	19	21	3	9	1	2	7	18	200	136	2	1
70	Tallahatchie	230	1	–	3	32	10	5	2	4	4	1	6	1	112	77	1	–
71	Tate	181	–	–	–	36	8	11	2	7	1	1	6	6	103	79	–	2
72	Tippah	183	–	–	2	26	4	5	4	3	1	2	7	7	110	90	–	–
73	Tishomingo	186	1	–	–	34	7	6	3	6	–	4	8	6	91	64	1	1
74	Tunica	114	–	–	2	10	7	2	1	–	–	–	–	3	66	52	1	1
75	Union	230	1	–	3	40	11	8	4	5	1	2	9	2	103	75	–	2
76	Walthall	131	–	–	2	24	7	6	2	4	–	–	5	5	55	41	1	3
77	Warren	506	1	–	4	73	16	24	4	5	3	1	20	6	231	134	1	–
78	Vicksburg	313	1	–	4	49	14	15	4	3	1	1	11	4	144	84	1	–
79	Balance of county	193	–	–	–	24	2	9	–	2	2	–	9	2	87	50	–	–
80	Washington	786	–	1	19	128	28	38	10	20	5	4	23	8	323	209	2	4
81	Greenville	493	–	1	14	83	21	24	7	12	3	3	13	6	217	150	2	3
82	Balance of county	293	–	–	5	45	7	14	3	8	2	1	10	2	106	59	–	1
83	Wayne	164	–	–	–	33	3	7	2	11	–	2	8	5	82	60	–	–
84	Webster	121	1	–	–	26	8	8	1	2	–	–	7	1	61	35	–	1
85	Wilkinson	143	–	–	–	29	8	2	3	8	2	–	6	7	59	41	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
10	1	–	5	–	–	–	–	–	1	1	–	–	–	8	2	–	–	–	1	–	01
69	6	–	29	2	2	1	4	–	1	–	–	–	8	4	8	8	3	1	–	1	02
175	11	1	40	6	5	18	8	2	5	1	–	7	18	19	47	24	42	9	15	2	03
34	3	–	12	1	–	8	2	–	–	1	–	1	4	5	14	2	6	2	5	–	04
56	2	–	7	1	1	4	2	1	–	–	–	1	8	7	12	9	12	1	8	–	05
85	6	1	21	4	4	6	4	1	5	–	–	5	6	7	21	13	24	6	2	2	06
54	7	1	20	1	1	–	2	–	1	–	–	1	5	8	18	7	6	1	1	1	07
36	5	1	6	–	–	3	2	–	–	1	–	–	2	11	1	5	6	–	2	–	08
35	8	–	19	2	1	5	1	1	1	–	–	1	1	3	7	4	8	1	2	1	09
145	42	11	84	5	9	18	8	–	7	4	–	5	11	26	58	15	21	9	7	2	10
62	10	7	42	3	6	8	2	–	3	2	–	3	7	19	28	3	11	4	3	1	11
83	32	4	42	2	3	10	6	–	4	2	–	2	4	7	30	12	10	5	4	1	12
32	5	–	8	1	–	5	1	–	1	1	–	–	1	5	10	5	3	1	–	1	13
57	3	1	18	2	2	3	4	–	1	1	–	–	9	24	14	2	7	3	1	–	14
25	1	–	10	1	1	1	2	–	1	1	–	–	2	4	4	1	2	–	–	–	15
32	2	1	8	1	1	2	2	–	–	–	–	–	7	20	10	1	5	3	1	–	16
46	3	–	25	–	2	1	1	1	1	1	–	3	1	10	8	2	8	2	–	–	17
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
46	3	–	25	–	2	1	1	1	1	1	–	3	1	10	8	2	8	2	–	–	19
168	16	3	85	5	9	34	8	2	8	8	1	3	21	150	58	14	26	11	18	1	20
129	12	3	63	4	7	24	5	2	4	8	1	–	12	110	42	10	13	8	14	1	21
39	4	–	22	1	2	10	3	–	4	–	–	3	9	40	16	4	13	3	4	–	22
32	5	–	14	1	2	4	2	–	–	–	–	1	1	12	11	3	5	–	2	–	23
64	7	1	25	3	2	1	2	1	1	–	–	2	2	3	17	9	9	2	4	–	24
196	9	–	65	11	8	6	4	1	5	2	–	4	15	1	28	11	17	8	2	1	25
79	3	–	28	6	3	1	1	–	3	1	–	1	6	1	11	6	8	5	1	1	26
117	6	–	37	5	5	5	3	1	2	1	–	3	9	–	17	5	9	3	1	–	27
84	63	3	37	5	7	7	2	3	3	–	–	4	17	9	43	9	20	5	6	1	28
50	42	2	21	3	5	4	2	2	3	–	–	2	8	5	32	5	12	3	3	–	29
34	21	1	16	2	2	3	–	1	–	–	–	2	9	4	11	4	8	2	3	1	30
87	7	–	43	1	4	5	2	1	3	–	–	2	10	28	16	8	13	1	7	–	31
38	4	–	16	–	2	2	1	–	1	–	–	–	6	14	4	2	4	–	3	–	32
49	3	–	27	1	2	3	1	1	2	–	–	2	4	14	12	6	9	1	4	–	33
81	21	4	53	5	6	8	3	–	–	1	–	1	7	88	23	13	15	3	5	2	34
47	15	2	36	3	1	6	2	–	–	–	–	1	6	57	12	4	9	1	3	1	35
34	6	2	17	2	5	2	1	–	–	1	–	–	1	31	11	9	6	2	2	1	36
52	15	4	28	5	6	7	4	–	–	4	–	4	7	49	25	9	13	1	6	3	37
25	2	2	16	4	1	4	3	–	–	2	–	1	5	22	12	4	6	–	1	1	38
27	13	2	12	1	5	3	1	–	–	2	–	3	2	27	13	5	7	1	5	2	39
54	17	–	33	3	2	7	2	–	3	1	–	–	8	21	17	9	13	1	4	1	40
51	15	3	51	2	–	11	1	–	1	4	–	4	4	31	22	17	16	1	2	3	41
114	15	6	39	9	3	4	1	2	3	1	–	4	16	15	22	13	9	2	5	1	42
58	3	–	31	2	–	1	2	–	1	1	–	1	4	9	14	2	6	4	4	–	43
63	3	–	29	–	3	9	3	1	1	1	–	–	4	18	10	14	8	2	3	1	44
88	11	2	46	3	1	7	–	1	–	4	–	1	4	18	18	2	5	3	2	–	45
27	5	3	21	–	3	1	–	1	–	2	–	–	2	24	13	3	7	–	3	–	46
84	9	2	26	1	3	3	5	–	2	1	1	4	2	9	14	6	11	2	4	–	47
33	3	–	11	1	–	3	1	–	1	–	–	4	–	3	9	3	2	2	1	–	48
51	6	2	15	–	3	–	4	–	1	1	1	–	2	6	5	3	9	–	3	–	49
94	9	2	47	5	7	2	3	–	2	1	–	4	9	5	17	11	10	5	7	2	50
64	10	–	23	4	5	12	5	–	2	2	–	2	7	31	28	6	10	2	1	–	51
23	4	–	10	3	1	5	1	–	2	2	–	–	3	9	15	–	4	1	1	–	52
41	6	–	13	1	4	7	4	–	–	–	–	2	4	22	13	6	6	1	–	–	53
24	4	–	10	4	–	1	3	1	2	–	–	1	2	1	8	3	4	4	1	1	54
118	17	3	62	7	8	9	6	1	1	1	–	1	8	58	26	13	16	6	12	–	55
52	9	–	21	4	5	3	3	1	1	1	–	–	6	13	9	5	5	3	6	–	56
66	8	3	41	3	3	6	3	–	–	–	–	1	2	45	17	8	11	3	6	–	57
65	7	–	49	3	3	8	8	1	1	–	–	–	4	4	10	4	9	3	1	–	58
61	5	–	21	3	1	3	3	–	–	1	–	2	5	9	23	7	7	3	2	–	59
42	16	1	39	2	2	4	4	2	–	1	1	2	7	8	10	3	9	–	1	–	60
76	19	–	25	7	4	7	5	1	5	2	–	2	14	41	31	18	12	3	3	–	61
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	62
75	19	–	25	7	4	7	5	1	5	2	–	2	14	41	31	18	12	3	3	–	63
97	6	–	26	6	–	1	2	1	–	1	–	1	4	14	11	11	17	3	5	–	64
31	–	–	14	–	–	4	–	–	1	–	–	1	–	8	5	–	5	–	4	–	65
60	6	1	34	–	3	1	7	–	1	3	–	–	3	17	21	12	9	3	2	–	66
41	3	–	14	3	–	2	–	1	1	2	–	–	2	5	12	5	–	2	1	–	67
33	2	–	11	3	3	1	1	–	–	1	–	2	–	–	5	5	3	–	–	1	68
118	15	1	52	6	5	5	5	–	4	2	–	3	10	23	23	5	22	4	9	–	69
75	1	1	29	4	1	5	1	1	2	1	–	1	5	22	21	8	11	1	2	–	70
70	7	1	23	–	–	2	3	–	2	–	–	2	2	6	9	3	3	3	–	1	71
84	6	2	11	2	5	3	1	–	–	–	–	1	3	2	10	8	7	2	1	–	72
56	6	1	21	1	4	9	2	–	–	–	–	–	–	11	17	5	7	1	2	–	73
49	1	–	13	1	–	1	–	–	–	–	–	1	4	8	6	2	9	1	1	–	74
66	7	–	25	2	1	12	1	–	–	2	–	–	5	19	13	9	10	4	6	–	75
25	12	–	11	2	1	7	2	–	2	–	–	–	1	17	7	4	2	1	–	2	76
122	11	2	82	8	5	12	7	1	8	3	–	2	23	44	40	10	22	6	12	1	77
74	9	1	52	5	2	9	5	–	6	3	–	1	15	27	21	5	9	5	5	–	78
48	2	1	30	3	3	3	2	1	2	–	–	1	8	17	19	5	13	1	7	1	79
159	44	1	108	–	5	13	4	3	6	5	–	6	21	110	62	27	27	7	15	1	80
118	27	1	64	–	2	10	4	2	3	5	–	3	12	57	43	4	16	3	9	1	81
41	17	–	44	–	3	3	–	1	3	–	–	3	9	53	19	23	11	4	6	–	82
53	7	7	12	1	2	1	1	–	2	1	–	2	4	3	12	4	13	–	1	–	83
30	4	1	22	–	3	3	2	–	–	–	–	–	1	6	12	1	6	1	–	–	84
29	10	–	16	1	1	3	3	1	–	1	–	2	1	4	17	2	11	1	1	1	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Mississippi—Con.																	
01	Winston	197	1	–	4	32	10	10	3	2	–	–	7	7	94	66	–	–
02	Yalobusha	151	–	–	–	21	5	5	–	1	3	1	6	1	85	54	–	–
03	Yazoo	328	–	–	5	37	15	5	1	5	–	1	10	8	139	81	3	6
04	Yazoo City	167	–	–	3	21	9	4	–	3	–	–	5	3	71	38	2	4
05	Balance of county	161	–	–	2	16	6	1	1	2	–	1	5	5	68	43	1	2
06	**Missouri**	**49,059**	**70**	**9**	**277**	**9,113**	**2,378**	**2,227**	**765**	**1,107**	**399**	**363**	**1,874**	**935**	**25,556**	**18,593**	**295**	**363**
07	Urban places	23,902	28	8	138	4,599	1,224	1,122	404	575	205	157	912	489	12,243	8,905	150	127
08	Balance of area	25,157	42	1	139	4,514	1,154	1,105	361	532	194	206	962	446	13,313	9,688	145	236
09	Metropolitan counties	27,615	37	7	161	5,404	1,418	1,317	479	627	246	208	1,109	575	13,981	10,256	188	131
10	Urban places	20,605	25	7	122	4,000	1,078	970	355	479	185	142	791	427	10,481	7,638	132	105
11	Balance of area	7,010	12	–	39	1,404	340	347	124	148	61	66	318	148	3,500	2,618	56	26
12	Nonmetropolitan counties	21,444	33	2	116	3,709	960	910	286	480	153	155	765	360	11,575	8,337	107	232
13	Urban places	3,297	3	1	16	599	146	152	49	96	20	15	121	62	1,762	1,267	18	22
14	Balance of area	18,147	30	1	100	3,110	814	758	237	384	133	140	644	298	9,813	7,070	89	210
15	Adair	219	–	–	1	42	13	5	7	6	1	2	8	5	112	87	3	–
16	Kirksville	149	–	–	1	28	8	4	5	5	–	1	5	4	77	62	3	–
17	Balance of county	70	–	–	–	14	5	1	2	1	1	1	3	1	35	25	–	–
18	Andrew	162	–	–	1	35	14	7	2	2	1	2	7	–	87	62	1	1
19	Atchison	96	–	–	–	20	4	6	2	3	–	–	5	3	52	36	2	–
20	Audrain	315	–	–	1	57	11	20	1	10	2	1	12	6	167	106	1	5
21	Mexico	169	–	–	1	38	8	15	–	7	1	–	7	3	84	51	–	3
22	Balance of county	146	–	–	–	19	3	5	1	3	1	1	5	3	83	55	1	2
23	Barry	287	1	–	2	59	18	11	2	9	2	2	15	2	149	110	2	3
24	Barton	163	–	–	1	26	10	3	1	3	1	2	6	5	91	71	–	3
25	Bates	205	–	–	2	41	7	11	2	3	2	5	11	3	100	79	1	2
26	Benton	163	–	–	1	30	5	10	–	5	–	–	10	1	92	47	–	1
27	Bollinger	136	–	–	1	20	3	7	1	3	1	–	5	1	76	49	–	3
28	Boone	515	1	–	5	102	28	24	6	12	6	4	22	10	257	188	5	3
29	Columbia	303	1	–	2	57	14	16	5	6	2	2	12	8	156	109	3	2
30	Balance of county	212	–	–	3	45	14	8	1	6	4	2	10	2	101	79	2	1
31	Buchanan	1,047	2	–	4	211	59	49	18	29	13	4	39	16	567	410	8	7
32	St. Joseph	956	2	–	3	193	55	44	16	28	11	3	36	16	523	372	8	6
33	Balance of county	91	–	–	1	18	4	5	2	1	2	1	3	–	44	38	–	1
34	Butler	455	1	–	3	68	11	19	7	4	2	6	19	7	234	160	–	2
35	Poplar Bluff	255	–	–	–	38	6	5	7	2	1	3	14	4	138	93	–	–
36	Balance of county	200	1	–	3	30	5	14	–	2	1	3	5	3	96	67	–	2
37	Caldwell	136	–	–	2	22	7	6	1	4	–	2	2	1	81	58	2	2
38	Callaway	281	–	–	1	49	10	10	1	13	–	3	12	4	150	115	1	6
39	Fulton	123	–	–	–	22	4	5	–	7	–	1	5	3	66	52	–	4
40	Jefferson City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Balance of county	158	–	–	1	27	6	5	1	6	–	2	7	1	84	63	1	2
42	Camden	184	–	–	1	40	6	11	1	4	4	2	12	3	92	69	2	1
43	Cape Girardeau	489	2	–	3	87	21	22	5	15	4	4	16	2	270	187	2	3
44	Cape Girardeau	281	1	–	1	55	12	16	3	9	2	3	10	2	144	96	1	2
45	Balance of county	208	1	–	2	32	9	6	2	6	2	1	6	–	126	91	1	1
46	Carroll	178	1	–	–	28	7	6	1	3	–	2	9	5	100	75	–	2
47	Carter	61	–	–	–	5	2	–	1	–	–	–	2	1	31	22	–	–
48	Cass	354	–	–	3	67	18	15	3	5	4	3	19	5	173	108	3	1
49	Cedar	162	–	–	1	20	7	5	3	–	3	–	2	4	100	53	2	–
50	Chariton	171	–	–	3	17	9	2	–	1	1	1	3	4	106	69	–	3
51	Christian	177	1	–	–	35	11	5	3	2	1	2	11	3	93	69	3	1
52	Clark	124	1	–	–	23	6	5	5	–	–	2	5	–	64	45	–	–
53	Clay	787	–	–	6	141	27	40	13	10	4	5	42	8	448	302	7	5
54	Gladstone	77	–	–	2	11	3	2	–	1	–	–	5	3	39	31	2	1
55	Independence, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
56	Kansas City, part	319	–	–	3	59	10	20	6	5	1	1	16	2	165	114	4	3
57	Liberty	107	–	–	–	20	4	5	2	1	1	1	6	–	74	45	–	1
58	Balance of county	282	–	–	1	51	10	13	5	3	2	3	15	3	169	111	1	–
59	Clinton	173	–	–	–	27	10	2	3	2	–	2	8	1	106	77	–	1
60	Cole	425	1	1	–	69	17	17	5	10	1	1	18	10	239	174	3	–
61	Jefferson City, part	313	–	–	–	54	12	12	5	8	1	–	16	7	172	125	3	–
62	Jefferson City, total	313	–	–	–	54	12	12	5	8	1	–	16	7	172	125	3	–
63	Balance of county	112	1	1	–	15	5	5	–	2	–	1	2	3	67	49	–	–
64	Cooper	189	–	–	1	36	11	12	1	2	1	2	7	1	104	81	1	2
65	Crawford	200	–	–	1	31	9	9	4	2	2	1	4	2	115	84	1	1
66	Dade	97	–	–	3	12	2	7	–	1	1	–	1	–	57	45	1	–
67	Dallas	153	2	–	2	21	5	7	1	3	–	2	3	3	77	61	2	5
68	Daviess	137	–	–	–	21	5	6	1	2	1	1	5	3	83	59	1	8
69	De Kalb	102	–	–	1	21	7	6	2	–	3	1	2	1	56	44	–	–
70	Dent	186	1	–	2	37	9	10	1	6	–	1	10	1	88	71	–	1
71	Douglas	122	–	–	–	24	4	5	3	6	1	–	5	–	57	39	1	–
72	Dunklin	477	–	–	5	78	16	25	6	7	4	6	14	14	234	184	1	3
73	Franklin	599	5	–	5	109	28	32	8	12	2	5	22	6	294	233	3	2
74	Gasconade	172	1	–	–	32	12	5	3	5	3	–	4	5	91	69	1	–
75	Gentry	144	–	–	–	23	6	2	–	5	2	1	7	2	83	53	1	–
76	Greene	1,573	1	2	8	278	64	71	21	42	12	11	57	21	790	547	19	6
77	Springfield	1,288	1	2	7	231	51	62	19	35	10	8	46	15	650	439	16	5
78	Balance of county	285	–	–	1	47	13	9	2	7	2	3	11	6	140	108	3	1
79	Grundy	191	–	–	–	31	6	4	4	6	2	2	7	1	113	84	1	17
80	Harrison	115	–	–	–	24	8	8	2	3	1	–	2	2	64	49	1	7

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
63	3	–	23	3	2	2	6	–	–	1	–	3	4	3	16	9	10	1	3	1	01
49	5	–	29	–	2	5	4	–	–	1	–	1	1	8	9	5	8	1	–	1	02
63	9	2	44	6	6	11	4	–	1	3	–	1	10	63	20	11	9	1	5	–	03
29	3	–	26	6	1	5	1	–	–	1	–	1	6	34	13	5	2	–	1	–	04
34	6	2	18	–	5	6	3	–	1	2	–	–	4	29	7	6	7	1	4	–	05
16,467	**1,468**	**200**	**5,325**	**788**	**650**	**1,490**	**627**	**181**	**510**	**207**	**10**	**306**	**598**	**1,764**	**3,734**	**1,106**	**1,323**	**555**	**528**	**160**	06
8,001	627	106	2,523	384	325	634	288	93	309	104	3	156	318	838	1,906	403	578	261	407	99	07
8,466	841	94	2,802	404	325	856	339	88	201	103	7	150	280	926	1,828	703	745	294	121	61	08
9,256	681	116	2,817	422	370	725	330	105	347	115	5	187	371	919	2,180	562	685	352	449	118	09
6,874	527	98	2,118	337	290	521	245	82	281	86	3	130	273	721	1,655	340	494	232	392	88	10
2,382	154	18	699	85	80	204	85	23	66	29	2	57	98	198	525	222	191	120	57	30	11
7,211	787	84	2,508	366	280	765	297	76	163	92	5	119	227	845	1,554	544	638	203	79	42	12
1,127	100	8	405	47	35	113	43	11	28	18	–	26	45	117	251	63	84	29	15	11	13
6,084	687	76	2,103	319	245	652	254	65	135	74	5	93	182	728	1,303	481	554	174	64	31	14
81	3	–	22	–	3	11	1	–	2	3	–	3	6	10	8	1	11	2	1	–	15
57	2	–	12	–	3	6	–	–	1	2	–	2	4	9	6	–	7	2	–	–	16
24	1	–	10	–	–	5	1	–	1	1	–	1	2	1	2	1	4	–	1	–	17
58	2	1	21	1	2	3	4	–	1	–	–	1	3	1	12	2	6	5	1	–	18
34	–	–	14	–	2	4	1	–	–	–	–	1	3	–	7	2	3	–	–	–	19
89	11	5	47	9	–	9	8	2	2	–	–	3	1	12	24	11	5	3	4	–	20
42	6	3	26	4	–	5	4	1	2	–	–	3	–	6	10	5	2	2	3	–	21
47	5	2	21	5	–	4	4	1	–	–	–	–	1	6	14	6	3	1	1	–	22
98	7	–	30	5	4	7	4	–	3	1	–	1	5	14	20	9	8	2	–	–	23
64	4	1	16	2	1	7	2	1	3	1	–	1	1	2	10	3	6	2	1	–	24
65	11	–	19	1	1	8	8	1	–	–	–	1	–	12	18	4	5	1	1	–	25
35	11	4	33	6	2	4	–	1	1	1	–	–	–	5	14	4	7	2	–	–	26
43	3	–	20	5	2	2	7	–	1	–	–	–	2	1	15	5	3	2	–	–	27
166	14	1	56	7	5	23	6	3	2	4	–	3	12	3	43	9	16	12	3	1	28
97	7	1	36	6	4	13	2	2	–	3	–	2	6	2	23	8	11	7	–	–	29
69	7	–	20	1	1	10	4	1	2	1	–	1	6	1	20	1	5	5	3	1	30
362	33	3	118	23	13	22	11	3	7	1	–	11	7	50	80	17	26	10	2	–	31
327	31	3	113	22	13	20	10	3	7	1	–	9	7	48	73	12	20	7	2	–	32
35	2	–	5	1	–	2	1	–	–	–	–	2	–	2	7	5	6	3	–	–	33
141	17	1	71	–	2	19	6	–	1	–	–	1	2	45	30	13	16	4	3	2	34
84	9	–	45	–	–	10	4	–	–	–	–	1	–	25	15	4	13	2	–	1	35
57	8	1	26	–	2	9	2	–	1	–	–	–	2	20	15	9	3	2	3	1	36
46	8	1	17	1	4	5	3	1	2	–	–	–	2	–	12	–	4	–	1	–	37
102	6	1	27	3	4	7	2	3	1	1	–	5	1	1	29	10	12	4	1	–	38
44	4	–	10	2	2	5	–	3	–	–	–	3	–	–	18	2	1	–	–	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
58	2	1	17	1	2	2	2	–	1	1	–	2	1	1	11	8	11	4	1	–	41
53	13	–	20	2	1	4	3	1	4	–	–	1	1	3	11	7	11	2	–	–	42
171	11	2	64	7	10	14	8	1	3	2	–	4	8	13	32	16	16	4	2	2	43
89	4	–	34	5	9	7	5	1	3	2	–	2	6	10	18	6	11	3	2	2	44
82	7	2	30	2	1	7	3	–	–	–	–	2	2	3	14	10	5	1	–	–	45
64	9	2	19	3	1	6	1	2	–	1	–	1	1	14	10	7	1	–	–	–	46
18	4	–	6	3	–	2	1	–	1	1	–	–	1	9	4	2	1	1	1	–	47
89	15	–	58	5	2	23	3	–	2	–	–	2	2	20	23	11	9	9	–	2	48
47	4	2	37	6	2	7	–	–	3	1	–	–	2	2	16	3	3	–	–	–	49
63	3	5	29	1	2	9	2	–	2	1	–	–	1	–	14	6	4	2	–	–	50
63	2	3	18	2	1	4	2	–	1	–	–	1	1	8	13	9	1	2	1	2	51
38	7	–	12	4	3	6	3	–	1	1	–	–	–	11	7	2	4	1	–	–	52
270	20	4	128	8	6	11	11	3	12	4	–	6	10	9	44	22	20	19	5	8	53
26	2	–	7	1	–	1	2	1	1	1	–	1	1	1	5	4	1	1	1	1	54
1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	55
98	9	3	38	6	4	4	6	1	5	–	–	3	3	5	23	11	12	11	2	4	56
42	2	–	29	–	–	1	–	–	1	1	–	–	4	1	2	1	2	–	–	–	57
103	7	1	54	1	2	5	2	1	5	2	–	2	2	2	14	6	5	7	2	3	58
66	10	1	23	2	3	5	3	–	–	–	–	1	–	3	16	3	5	2	1	–	59
164	7	3	51	5	6	11	4	2	1	2	–	2	11	3	36	11	10	7	2	3	60
118	4	3	35	4	5	8	4	1	–	2	–	2	7	2	32	6	6	6	2	2	61
118	4	3	35	4	5	8	4	1	–	2	–	2	7	2	32	6	6	6	2	2	62
46	3	–	16	1	1	3	–	1	1	–	–	–	4	1	4	5	4	1	–	1	63
66	12	1	18	2	2	10	3	–	2	–	–	2	2	1	16	3	5	1	2	–	64
76	6	2	23	5	1	8	3	1	2	–	–	–	5	6	11	4	7	–	1	3	65
38	6	–	10	–	2	7	1	–	1	1	–	–	1	1	5	1	6	1	–	–	66
51	3	–	13	2	1	4	3	–	1	1	–	1	1	5	21	–	9	1	1	–	67
47	3	1	21	–	2	–	3	3	2	2	–	1	–	–	7	4	4	3	1	–	68
36	8	–	8	1	3	4	–	–	1	–	–	1	2	2	8	2	2	1	–	–	69
67	3	–	13	1	3	4	–	2	–	1	–	5	3	18	18	4	1	1	–	–	70
34	4	2	9	6	1	2	2	3	2	–	–	1	1	2	6	11	5	4	2	–	71
161	19	–	47	1	2	16	10	–	3	1	–	3	5	27	40	16	16	6	–	3	72
211	17	1	51	5	4	20	9	4	4	3	1	3	10	47	41	14	15	5	1	3	73
66	2	1	15	4	2	7	1	1	3	1	–	–	–	8	11	5	2	3	1	–	74
48	4	–	25	3	2	6	3	–	1	–	1	–	2	2	10	5	5	1	–	–	75
502	20	7	173	38	25	32	24	8	19	2	–	7	19	108	128	39	38	33	7	9	76
402	16	5	154	33	19	26	21	8	17	2	–	4	15	87	105	24	30	29	6	8	77
100	4	2	19	5	6	6	3	–	2	–	–	3	4	21	23	15	8	4	1	1	78
58	8	–	24	1	4	11	2	1	1	2	–	2	–	7	8	4	6	1	1	–	79
38	3	1	14	–	–	6	–	2	1	4	–	1	–	–	7	1	2	1	–	–	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Missouri—Con.																	
01	Henry	291	–	–	–	44	10	13	3	4	2	1	11	5	168	116	–	3
02	Hickory	69	–	–	1	15	4	3	1	–	–	–	7	2	29	23	1	1
03	Holt	114	–	–	–	19	7	5	3	2	1	1	–	2	66	46	–	1
04	Howard	128	–	–	1	25	8	5	–	3	1	–	8	1	65	42	–	1
05	Howell	319	1	–	2	55	19	10	1	7	6	2	10	4	163	114	2	1
06	Iron	112	1	–	–	19	2	8	2	3	–	1	3	1	54	38	–	–
07	Jackson	6,281	10	1	38	1,184	310	295	100	129	50	45	255	98	2,975	2,093	31	22
08	Grandview	114	–	–	1	16	6	4	1	1	1	–	3	1	58	46	1	2
09	Independence, part	869	–	–	2	180	48	42	13	27	10	6	34	12	445	332	2	1
10	Independence, total	871	–	–	2	180	48	42	13	27	10	6	34	12	446	333	2	1
11	Kansas City, part	4,635	10	1	31	857	221	224	66	86	31	32	197	79	2,128	1,476	25	18
12	Kansas City, total	5,000	10	1	34	926	236	245	73	92	32	35	213	81	2,312	1,603	29	21
13	Lee's Summit	190	–	–	1	35	8	8	3	5	4	2	5	2	119	74	3	–
14	Raytown	218	–	–	1	50	13	8	11	4	2	4	8	–	106	78	–	–
15	Balance of county	255	–	–	2	46	14	9	6	6	2	1	8	4	119	87	–	1
16	Jasper	1,060	4	1	7	191	53	59	14	27	9	4	25	16	528	373	4	7
17	Carthage	174	1	1	1	32	8	13	2	2	1	–	6	5	93	69	–	–
18	Joplin, part	499	1	–	4	82	24	24	4	17	3	1	9	6	245	171	3	5
19	Joplin, total	528	1	–	5	86	25	25	5	17	3	1	10	6	262	184	3	5
20	Balance of county	387	2	–	2	77	21	22	8	8	5	3	10	5	190	133	1	2
21	Jefferson	766	1	–	8	137	28	42	7	8	9	11	32	16	358	275	3	4
22	Johnson	300	–	–	–	47	12	12	5	6	4	1	7	7	180	128	1	2
23	Warrensburg	117	–	–	–	19	6	2	3	4	–	1	3	2	76	56	1	–
24	Balance of county	183	–	–	–	28	6	10	2	2	4	–	4	5	104	72	–	2
25	Knox	85	–	–	–	19	7	2	–	2	1	2	5	1	48	35	–	1
26	Laclede	281	1	–	2	54	18	11	4	3	3	4	11	2	157	121	3	2
27	Lafayette	328	–	–	3	55	13	10	6	9	2	2	13	7	183	129	1	1
28	Lawrence	333	1	–	1	63	20	17	8	5	1	–	12	4	177	121	2	3
29	Lewis	144	–	–	–	23	4	7	2	3	1	–	6	3	90	65	–	1
30	Lincoln	215	–	–	1	36	10	11	2	–	1	3	9	5	125	86	–	4
31	Linn	259	–	–	–	53	14	12	5	8	3	–	11	3	152	96	4	4
32	Livingston	190	–	–	2	30	12	5	4	–	–	4	5	3	106	75	–	1
33	McDonald	165	2	–	3	22	2	8	1	3	–	3	5	4	82	64	1	1
34	Macon	184	–	–	3	22	6	5	2	2	–	2	5	2	114	89	1	15
35	Madison	137	1	–	3	15	5	4	–	2	2	1	1	3	66	51	–	1
36	Maries	77	–	–	–	8	3	1	–	2	–	–	2	3	41	29	–	–
37	Marion	341	–	–	2	62	15	15	7	11	3	–	11	3	185	142	1	1
38	Hannibal, part	247	–	–	2	47	12	12	4	8	1	–	10	2	139	109	1	1
39	Hannibal, total	248	–	–	2	47	12	12	4	8	1	–	10	2	139	109	1	1
40	Balance of county	94	–	–	–	15	3	3	3	3	2	–	1	1	46	33	–	–
41	Mercer	98	–	–	–	17	7	1	2	3	–	1	3	7	48	33	–	2
42	Miller	184	–	–	2	39	8	8	4	6	3	2	8	2	99	64	1	1
43	Mississippi	237	–	–	–	28	10	6	5	4	–	1	2	4	128	101	1	3
44	Moniteau	149	–	–	2	30	8	5	2	5	2	–	8	2	79	53	–	1
45	Monroe	151	–	–	1	27	7	9	3	1	2	1	4	3	70	44	–	3
46	Montgomery	174	–	–	1	26	6	5	2	8	–	2	3	1	101	69	–	1
47	Morgan	183	–	–	2	32	7	7	2	8	1	4	3	3	102	64	2	1
48	New Madrid	281	–	–	1	38	5	8	1	8	3	2	11	4	136	107	–	1
49	Sikeston, part	3	–	–	–	1	–	–	–	1	–	–	–	–	2	1	–	–
50	Balance of county	278	–	–	1	37	5	8	1	7	3	2	11	4	134	106	–	1
51	Newton	335	2	–	3	61	16	19	3	7	2	2	12	3	159	110	1	1
52	Joplin, part	29	–	–	1	4	1	1	1	–	–	–	1	–	17	13	–	–
53	Balance of county	306	2	–	2	57	15	18	2	7	2	2	11	3	142	97	1	1
54	Nodaway	226	–	–	–	43	9	11	5	5	2	1	10	2	137	96	3	2
55	Oregon	140	–	–	–	21	6	7	–	2	–	1	5	1	87	63	2	1
56	Osage	126	–	–	–	24	7	6	4	2	1	–	4	6	72	57	1	–
57	Ozark	93	–	–	1	17	2	4	2	2	1	–	6	1	40	26	–	–
58	Pemiscot	316	2	–	2	42	12	7	1	5	2	–	15	5	175	129	1	3
59	Perry	203	–	–	1	47	12	12	4	3	2	2	12	4	110	95	1	–
60	Pettis	433	–	–	2	75	16	17	5	10	2	2	23	12	259	191	2	3
61	Sedalia	332	–	–	2	59	13	14	5	8	2	2	15	10	197	149	2	3
62	Balance of county	101	–	–	–	16	3	3	–	2	–	–	8	2	62	42	–	–
63	Phelps	291	–	–	1	51	15	12	5	5	3	1	10	6	158	114	2	–
64	Rolla	97	–	–	–	12	3	2	1	2	1	–	3	1	63	44	1	–
65	Balance of county	194	–	–	1	39	12	10	4	3	2	1	7	5	95	70	1	–
66	Pike	223	2	–	–	32	8	7	2	4	1	2	8	5	131	94	1	5
67	Platte	198	–	–	1	38	12	6	2	6	2	4	6	2	89	56	–	–
68	Kansas City, part	46	–	–	–	10	5	1	1	1	–	2	–	–	19	13	–	–
69	Balance of county	152	–	–	1	28	7	5	1	5	2	2	6	2	70	43	–	–
70	Polk	198	–	–	1	30	3	8	4	4	1	2	8	2	109	83	1	2
71	Pulaski	208	–	–	3	31	4	12	3	4	2	1	5	3	93	71	–	8
72	Putnam	116	–	–	–	26	10	2	3	6	–	–	5	1	67	48	–	4
73	Ralls	106	–	–	–	20	4	4	5	5	2	–	–	2	62	40	1	–
74	Hannibal, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
75	Balance of county	105	–	–	–	20	4	4	5	5	2	–	–	2	62	40	1	–
76	Randolph	288	–	–	–	56	13	13	5	9	4	1	11	7	137	92	–	3
77	Moberly	188	–	–	–	36	10	7	5	5	2	1	6	6	92	63	–	2
78	Balance of county	100	–	–	–	20	3	6	–	4	2	–	5	1	45	29	–	1
79	Ray	206	–	–	–	43	12	7	6	10	–	1	7	9	92	62	1	–
80	Reynolds	76	1	–	–	13	1	5	–	5	–	–	2	–	37	29	1	–
81	Ripley	172	1	–	1	20	6	7	2	1	–	1	3	7	97	80	3	–
82	St. Charles	611	–	–	5	132	29	26	10	15	4	7	41	8	278	205	7	2
83	St. Charles	267	–	–	4	49	15	7	4	4	2	3	14	–	140	93	3	–
84	Balance of county	344	–	–	1	83	14	19	6	11	2	4	27	8	138	112	4	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
95	18	–	43	5	4	2	4	2	2	2	–	2	2	10	20	12	11	3	2	–	01
17	4	–	3	1	2	2	–	–	1	–	–	–	–	10	4	3	1	1	–	–	02
40	5	–	19	1	–	9	–	1	1	1	–	–	–	–	7	4	2	1	1	–	03
35	6	–	20	3	–	6	–	2	3	1	–	–	2	1	6	2	9	4	–	–	04
101	10	7	32	5	5	9	6	2	1	2	–	–	5	21	27	6	10	4	1	–	05
36	2	2	10	2	2	6	1	–	1	1	–	–	–	6	9	4	4	2	2	1	06
1,826	214	24	668	95	95	155	82	18	91	27	1	48	98	406	515	131	167	82	121	33	07
38	5	–	9	2	1	3	1	–	–	1	–	1	2	4	8	6	4	3	3	2	08
300	29	4	81	12	16	20	17	3	5	2	–	11	16	27	59	24	24	14	6	2	09
301	29	4	81	12	16	20	18	3	5	2	–	11	16	27	59	24	24	14	6	2	10
1,273	160	19	498	69	66	120	52	12	78	21	1	29	75	359	395	78	123	54	104	28	11
1,383	170	22	541	76	70	124	58	14	83	21	1	34	78	366	424	93	137	65	106	32	12
64	7	1	36	5	3	1	1	–	1	–	–	3	1	3	14	2	2	2	3	–	13
71	7	–	18	4	6	6	4	2	5	1	–	2	–	4	19	8	3	4	3	–	14
80	6	–	26	3	3	5	7	1	2	2	–	2	4	9	20	13	11	5	2	1	15
331	31	2	122	17	14	41	12	1	20	7	–	8	14	57	71	24	38	13	4	3	16
63	6	–	20	3	1	6	5	–	1	1	–	–	2	4	11	5	2	3	–	1	17
145	18	1	62	7	4	24	4	–	12	4	–	3	7	30	37	11	20	6	1	2	18
158	18	1	65	7	5	24	4	–	12	6	–	4	7	31	39	12	20	6	1	2	19
123	7	1	40	7	9	11	3	1	7	2	–	5	5	23	23	8	16	4	3	–	20
252	16	2	59	15	7	35	14	1	4	5	–	10	7	9	61	48	27	14	10	1	21
110	15	1	37	10	4	6	2	1	2	–	–	3	7	3	22	8	8	2	2	–	22
49	6	1	14	4	1	1	2	–	1	–	–	1	2	1	8	2	–	–	2	–	23
61	9	–	23	6	3	5	–	1	1	–	–	2	5	2	14	6	8	2	–	–	24
30	4	1	9	1	2	5	–	1	–	–	–	–	–	–	7	–	4	–	–	–	25
113	3	1	29	5	1	9	3	1	–	–	–	1	2	7	21	6	10	2	–	3	26
117	10	2	39	7	6	10	3	2	–	1	–	2	8	8	26	9	9	–	1	1	27
106	10	1	42	9	4	14	2	–	1	1	–	3	2	21	23	13	6	1	–	–	28
60	4	–	20	2	3	6	2	–	2	–	–	1	1	1	7	3	2	3	–	–	29
78	4	1	30	8	–	2	2	1	1	2	–	–	1	6	15	8	6	2	2	–	30
77	11	1	47	4	4	4	3	1	1	2	–	1	5	–	20	6	5	2	1	–	31
63	11	1	26	4	–	11	1	–	2	–	–	2	1	3	19	3	5	1	1	–	32
51	11	1	13	2	2	8	–	2	3	2	–	–	1	9	16	5	4	2	–	–	33
61	12	2	17	5	1	8	2	2	1	3	–	–	1	4	18	1	2	1	–	–	34
47	3	–	11	3	1	9	4	–	1	–	–	–	1	12	13	5	2	1	–	1	35
28	1	–	8	2	2	3	1	–	1	–	–	–	2	9	7	–	1	1	–	–	36
125	15	–	32	8	3	12	3	1	1	3	–	3	7	11	29	5	11	2	1	–	37
94	13	–	21	6	3	8	2	1	1	2	–	1	4	3	24	3	6	1	1	–	38
94	13	–	21	6	3	8	2	1	1	2	–	1	4	3	24	3	7	1	1	–	39
31	2	–	11	2	–	4	1	–	–	1	–	2	3	8	5	2	5	1	–	–	40
29	2	–	9	4	2	6	4	–	1	–	–	2	2	–	7	1	2	1	–	–	41
51	11	–	26	3	6	6	5	–	1	1	–	1	–	5	14	2	6	1	–	–	42
84	13	2	21	2	2	11	6	1	1	–	1	2	2	18	13	8	7	1	4	2	43
48	4	–	21	–	5	9	1	–	1	–	1	–	–	1	9	6	6	2	–	–	44
37	4	–	19	5	2	14	3	–	–	2	–	2	1	7	9	7	5	–	–	–	45
60	8	2	18	8	4	6	11	1	–	–	–	–	–	9	6	1	7	4	–	–	46
54	7	–	28	6	4	5	2	1	–	–	–	1	–	4	19	5	5	–	2	–	47
98	8	–	25	2	2	7	7	–	–	4	–	2	4	35	11	14	15	2	1	–	48
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49
97	8	–	24	2	2	7	7	–	–	4	–	2	4	35	11	14	15	2	1	–	50
97	11	1	30	11	7	9	4	1	5	3	–	3	4	26	21	10	15	6	–	–	51
13	–	–	3	–	1	–	–	–	–	2	–	1	–	1	2	1	–	–	–	–	52
84	11	1	27	11	6	9	4	1	5	1	–	2	4	25	19	9	15	6	–	–	53
81	10	1	36	–	4	6	2	2	–	–	–	2	3	–	19	5	5	–	–	–	54
53	7	1	18	2	3	2	2	–	2	–	–	2	1	5	11	4	1	–	–	1	55
46	10	–	12	2	1	2	2	–	–	–	–	1	1	–	8	2	6	1	–	1	56
23	3	–	11	3	–	5	–	–	–	1	–	–	3	12	10	2	1	–	–	–	57
96	29	–	42	–	4	10	5	2	2	3	–	–	7	15	21	3	14	3	5	–	58
88	6	–	11	4	–	9	6	2	2	–	–	1	2	1	9	7	2	–	–	–	59
172	14	–	56	9	3	10	5	2	4	2	–	2	5	3	31	5	9	4	2	1	60
134	10	–	42	5	1	8	4	2	3	2	–	1	4	2	22	5	7	2	1	1	61
38	4	–	14	4	2	2	1	–	1	–	–	1	1	1	9	–	2	2	1	–	62
102	10	1	33	6	4	13	3	1	3	–	–	1	4	16	15	6	7	3	1	2	63
38	5	–	17	2	–	1	2	–	1	–	–	–	3	5	4	3	1	–	–	1	64
64	5	1	16	4	4	12	1	1	2	–	–	1	1	11	11	3	6	3	1	1	65
79	9	–	24	10	3	11	4	–	2	1	–	1	3	6	16	3	3	2	1	–	66
50	6	1	25	3	4	1	1	1	–	1	–	3	1	11	22	14	7	4	1	1	67
12	1	–	5	1	–	–	–	1	–	–	–	2	–	2	6	4	2	–	–	–	68
38	5	1	20	2	4	1	1	–	–	1	–	1	1	9	16	10	5	4	1	1	69
66	14	–	21	1	4	4	5	1	3	1	–	1	2	14	13	4	4	4	–	–	70
57	6	2	18	1	1	9	2	1	4	1	–	2	7	16	13	5	10	6	–	2	71
36	8	–	14	2	3	3	–	–	1	2	–	–	–	–	10	3	3	–	–	–	72
33	6	1	10	9	2	4	2	–	1	–	–	–	–	6	3	–	6	–	–	–	73
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	74
33	6	1	10	9	2	4	2	–	1	–	–	–	–	6	3	–	5	–	–	–	75
81	8	1	39	4	1	11	3	1	1	–	–	2	2	13	33	8	12	1	1	–	76
53	8	–	26	3	–	7	2	1	–	–	–	2	1	8	24	2	5	1	1	–	77
28	–	1	13	1	1	4	1	–	1	–	–	–	1	5	9	6	7	–	–	–	78
53	8	–	18	8	4	6	1	–	1	–	–	2	2	12	18	6	9	3	1	1	79
24	4	–	6	1	1	1	1	–	–	1	–	–	–	3	9	3	5	1	1	–	80
73	4	1	13	1	2	6	1	1	1	2	–	2	2	7	8	5	8	3	–	–	81
188	8	2	54	8	9	18	7	3	4	2	–	9	20	32	33	20	20	15	3	2	82
85	5	1	35	5	6	6	4	–	2	1	–	5	8	12	16	3	7	8	2	–	83
103	3	1	19	3	3	12	3	3	2	1	–	4	12	20	17	17	13	7	1	2	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Missouri—Con.																	
01	St. Clair	136	–	–	–	33	6	8	2	4	2	5	6	3	76	53	–	–
02	St. Francois	481	–	–	4	81	23	18	11	11	3	2	13	9	257	188	2	3
03	St. Louis	7,207	7	2	21	1,573	423	352	163	179	74	66	316	167	3,781	2,824	64	22
04	Ballwin	83	–	–	1	19	3	5	1	2	–	2	6	–	31	23	–	–
05	Bellefontaine Neighbors	154	–	–	1	26	8	6	1	3	1	1	6	7	97	75	1	–
06	Berkeley	88	–	–	–	22	7	6	2	2	2	–	3	1	43	33	–	–
07	Brentwood	81	–	–	–	14	3	4	2	3	–	–	2	2	46	32	1	–
08	Bridgeton	104	–	–	–	29	7	7	5	3	1	2	4	1	45	31	1	–
09	Clayton	161	–	–	–	39	13	6	4	4	4	2	6	5	91	66	2	–
10	Crestwood	67	–	–	–	16	3	3	2	5	1	2	–	1	34	22	–	–
11	Ferguson	224	–	1	–	49	15	12	4	6	3	–	9	3	126	99	3	–
12	Florissant	431	–	–	–	100	26	15	13	9	7	6	24	7	205	150	4	2
13	Hazelwood	119	–	–	–	25	12	8	–	2	–	–	3	–	56	42	–	–
14	Jennings	229	–	–	–	55	23	12	1	4	2	1	12	3	119	87	1	1
15	Kirkwood	323	–	–	1	74	22	13	7	7	3	4	18	12	177	129	2	1
16	Ladue	71	–	–	1	22	6	1	4	4	–	1	6	1	36	26	1	–
17	Maplewood	161	1	–	–	35	8	7	3	7	1	3	6	3	82	66	1	–
18	Overland	242	–	–	1	53	10	12	6	5	2	4	14	2	136	100	1	2
19	Richmond Heights	148	–	–	–	34	11	10	3	3	1	1	5	2	82	56	1	–
20	St. Ann	143	–	–	–	34	9	9	4	4	1	2	5	5	74	56	2	1
21	University City	467	–	1	3	101	31	16	10	17	8	3	16	9	268	202	4	1
22	Webster Groves	241	–	–	–	53	16	10	8	5	7	1	6	7	139	105	2	1
23	Balance of county	3,670	6	–	13	773	190	190	83	84	30	31	165	96	1,894	1,424	37	13
24	St. Louis city	7,677	10	2	57	1,432	392	365	128	180	66	43	258	218	3,971	3,015	38	57
25	Ste. Genevieve	128	–	–	–	22	12	3	1	2	1	1	2	3	74	58	1	1
26	Saline	347	1	–	4	78	23	18	6	11	8	5	7	2	201	146	6	9
27	Marshall	153	–	–	3	39	11	10	3	4	5	2	4	2	86	60	2	1
28	Balance of county	194	1	–	1	39	12	8	3	7	3	3	3	–	115	86	4	8
29	Schuyler	87	–	–	–	7	1	–	–	4	–	–	2	2	60	51	1	1
30	Scotland	90	–	–	–	9	4	–	–	–	2	–	3	–	59	40	–	1
31	Scott	384	–	–	–	71	15	20	3	10	4	2	17	10	189	148	4	4
32	Sikeston, part	167	–	–	–	33	8	10	1	7	–	–	7	5	71	53	1	1
33	Sikeston, total	170	–	–	–	34	8	10	1	8	–	–	7	5	73	54	1	1
34	Balance of county	217	–	–	–	38	7	10	2	3	4	2	10	5	118	95	3	3
35	Shannon	87	–	–	2	15	2	4	–	5	–	1	3	1	49	35	1	–
36	Shelby	131	–	–	–	21	3	4	2	5	–	2	5	2	77	54	–	16
37	Stoddard	306	–	–	3	58	14	13	2	7	1	5	16	5	151	102	1	3
38	Stone	157	–	–	–	24	8	5	2	4	1	1	3	3	83	63	1	1
39	Sullivan	133	–	–	–	27	9	8	1	1	1	–	7	3	76	58	–	3
40	Taney	230	1	–	3	54	13	18	2	8	2	2	9	3	109	76	–	1
41	Texas	213	–	–	–	33	4	6	6	3	1	3	10	1	122	86	–	6
42	Vernon	269	–	–	1	55	15	20	6	6	2	2	4	8	139	97	3	3
43	Warren	129	–	–	2	29	7	9	4	3	–	–	6	2	71	56	–	–
44	Washington	150	–	–	–	17	7	4	1	–	–	2	3	4	77	60	1	–
45	Wayne	144	–	–	1	27	7	7	2	2	1	–	8	4	59	47	–	–
46	Webster	189	–	–	1	29	6	10	2	2	–	1	8	1	114	75	–	–
47	Worth	62	–	–	–	14	6	3	–	3	–	1	1	3	35	25	–	–
48	Wright	199	–	–	1	28	8	4	1	5	1	1	8	2	119	78	3	1
49	**Montana**	**6,538**	**15**	**–**	**30**	**1,098**	**309**	**235**	**86**	**149**	**52**	**54**	**213**	**118**	**3,139**	**2,177**	**54**	**44**
50	Urban places	2,328	6	–	15	410	111	89	37	50	18	21	84	38	1,083	726	24	10
51	Balance of area	4,210	9	–	15	688	198	146	49	99	34	33	129	80	2,056	1,451	30	34
52	Metropolitan counties	1,324	1	–	7	250	71	45	21	29	16	15	53	27	576	382	14	3
53	Urban places	1,047	1	–	5	199	51	38	19	25	11	10	45	19	455	297	13	2
54	Balance of area	277	–	–	2	51	20	7	2	4	5	5	8	8	121	85	1	1
55	Nonmetropolitan counties	5,214	14	–	23	848	238	190	65	120	36	39	160	91	2,563	1,795	40	41
56	Urban places	1,281	5	–	10	211	60	51	18	25	7	11	39	19	628	429	11	8
57	Balance of area	3,933	9	–	13	637	178	139	47	95	29	28	121	72	1,935	1,366	29	33
58	Beaverhead	92	–	–	–	18	7	3	–	2	1	–	5	–	38	16	1	1
59	Big Horn	95	–	–	3	9	3	2	1	–	1	1	1	2	34	16	1	–
60	Blaine	81	–	–	–	11	5	–	–	1	–	2	3	2	45	29	1	2
61	Broadwater	31	–	–	–	3	2	1	–	–	–	–	–	–	13	10	–	–
62	Carbon	77	–	–	–	13	5	2	–	3	–	2	1	3	45	29	1	–
63	Carter	21	–	–	–	5	2	–	–	1	1	1	–	–	8	7	2	–
64	Cascade	633	–	–	2	117	35	19	13	12	7	6	25	11	283	188	5	1
65	Great Falls	541	–	–	1	104	29	18	13	10	5	5	24	10	244	161	5	1
66	Balance of county	92	–	–	1	13	6	1	–	2	2	1	1	1	39	27	–	–
67	Chouteau	65	–	–	–	9	2	–	–	3	–	–	4	1	43	36	–	–
68	Custer	154	–	–	2	20	8	2	1	4	3	–	2	–	90	63	1	1
69	Daniels	24	–	–	–	4	1	3	–	–	–	–	–	–	15	9	1	3
70	Dawson	77	–	–	–	10	5	1	2	1	1	–	–	–	47	33	1	–
71	Deer Lodge	162	1	–	1	23	9	6	1	1	–	–	6	–	88	67	2	3
72	Fallon	35	–	–	–	11	2	2	–	4	–	–	3	1	15	10	–	–
73	Fergus	161	–	–	–	26	3	7	2	5	–	2	7	3	71	50	–	–
74	Flathead	353	–	–	1	60	19	11	4	11	1	2	12	5	181	130	2	3
75	Kalispell	135	–	–	1	19	9	3	1	2	1	1	2	2	80	60	–	2
76	Balance of county	218	–	–	–	41	10	8	3	9	–	1	10	3	101	70	2	1
77	Gallatin	235	–	–	1	39	8	7	10	5	–	3	6	7	116	71	1	–
78	Bozeman	140	–	–	1	21	4	3	7	2	–	1	4	3	72	42	1	–
79	Balance of county	95	–	–	–	18	4	4	3	3	–	2	2	4	44	29	–	–
80	Garfield	13	–	–	–	5	1	1	–	2	–	–	1	–	4	3	–	–
81	Glacier	102	2	–	–	17	2	4	1	4	–	1	5	1	34	24	2	–
82	Golden Valley	9	–	–	–	3	–	–	–	3	–	–	–	–	3	2	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
45	8	–	18	–	5	4	1	–	1	–	–	1	–	5	6	2	2	2	–	–	01
175	8	–	52	8	9	21	9	3	8	–	–	–	5	10	40	10	15	5	4	–	02
2,612	126	24	738	91	104	167	77	28	89	23	1	46	85	101	541	150	157	98	61	32	03
21	2	–	6	–	2	3	1	1	1	1	–	2	–	4	10	2	4	3	–	–	04
74	–	–	14	5	3	2	–	1	4	–	–	–	1	–	11	2	1	1	–	–	05
32	1	–	9	–	1	–	–	–	–	–	–	2	3	2	6	2	2	1	2	2	06
30	1	–	11	–	3	2	–	–	1	–	–	1	4	1	6	1	1	1	–	1	07
30	–	–	12	–	2	1	4	1	1	–	–	1	1	–	13	6	1	–	–	–	08
61	3	1	20	1	3	2	1	–	2	3	–	–	–	1	10	–	4	1	1	1	09
21	1	–	7	3	2	1	2	–	2	–	–	–	1	1	7	2	–	–	–	–	10
91	5	2	19	1	5	5	4	1	4	1	–	–	1	1	15	8	3	1	–	1	11
140	4	1	44	4	6	10	6	4	6	1	–	2	8	3	34	16	13	8	5	3	12
40	2	–	9	3	2	1	1	1	4	1	–	1	4	2	9	3	5	2	4	–	13
77	8	3	22	4	3	8	5	2	7	–	–	–	1	1	18	–	4	2	2	2	14
123	3	1	35	7	5	3	1	–	2	–	–	3	1	8	26	6	4	5	–	–	15
24	1	–	9	–	1	1	1	1	1	–	–	–	–	1	3	–	–	3	–	–	16
61	4	1	11	–	4	5	1	–	1	–	–	2	3	2	17	3	3	2	1	–	17
90	7	1	28	4	3	6	5	–	5	–	–	3	–	2	11	4	6	4	1	3	18
54	1	1	23	1	1	7	–	1	2	–	–	–	2	4	8	1	2	1	1	1	19
52	1	1	17	–	–	3	1	2	–	–	–	2	1	3	5	5	6	–	2	–	20
192	5	2	46	8	10	15	5	1	2	2	–	–	3	3	35	3	6	3	5	2	21
97	5	–	28	6	–	7	1	–	1	–	–	–	1	4	14	4	5	3	1	1	22
1,302	72	10	368	44	48	85	38	12	43	14	1	27	50	58	283	82	87	57	36	15	23
2,728	192	47	689	124	96	218	85	33	113	43	2	39	100	123	649	87	183	51	235	26	24
55	1	–	15	1	–	2	–	–	2	–	–	–	3	2	7	5	8	–	–	–	25
127	4	–	43	3	9	12	7	–	–	1	–	2	1	–	21	11	4	1	–	1	26
56	1	–	22	1	3	7	3	–	–	1	–	1	–	–	9	1	–	–	–	1	27
71	3	–	21	2	6	5	4	–	–	–	–	1	1	–	12	10	4	1	–	–	28
37	12	–	7	2	–	1	1	1	–	1	–	–	–	–	5	7	2	–	–	–	29
38	1	1	13	3	2	6	1	1	–	–	1	–	–	–	9	2	2	–	–	–	30
130	10	–	33	3	5	17	6	1	5	2	–	5	7	19	31	13	5	1	2	–	31
47	4	–	15	1	2	10	2	1	3	–	–	3	5	11	11	7	2	1	2	–	32
48	4	–	16	1	2	10	2	1	3	–	–	3	5	11	11	7	2	1	2	–	33
83	6	–	18	2	3	7	4	–	2	2	–	2	2	8	20	6	3	–	–	–	34
30	4	1	11	1	1	1	1	–	–	1	–	–	–	2	9	2	3	1	–	–	35
35	3	3	18	1	1	8	3	–	–	–	–	–	1	6	7	4	2	–	–	–	36
79	19	–	36	5	8	11	3	1	–	2	1	–	4	19	23	10	5	2	3	5	37
54	7	–	15	5	–	5	–	–	2	–	–	2	2	13	11	4	5	3	–	–	38
42	13	–	17	1	–	5	1	–	–	1	–	–	1	–	6	3	4	6	–	–	39
66	9	–	25	6	2	1	1	1	3	–	–	1	1	15	21	6	4	5	1	–	40
72	8	1	30	3	2	11	4	–	1	2	–	2	2	2	18	3	10	1	–	1	41
87	4	–	37	2	3	9	7	1	1	–	–	–	1	17	9	10	7	3	1	–	42
53	3	2	8	3	2	1	–	–	2	–	–	1	2	8	6	2	1	1	1	–	43
51	8	–	12	4	1	3	1	1	1	1	–	1	2	18	13	3	8	–	–	–	44
43	4	–	8	–	4	20	1	–	1	–	–	–	–	17	11	–	2	–	1	–	45
68	7	–	30	7	2	8	3	1	1	–	–	2	–	3	15	2	6	3	–	–	46
25	–	–	5	1	4	1	2	–	–	–	–	–	–	–	6	–	1	–	–	–	47
68	6	–	31	5	5	12	3	–	1	–	–	–	2	8	11	3	7	1	–	1	48
1,779	**300**	**16**	**664**	**171**	**111**	**200**	**141**	**27**	**75**	**19**	**3**	**52**	**98**	**184**	**572**	**268**	**314**	**115**	**35**	**35**	49
598	94	8	240	73	36	68	50	8	29	4	–	23	37	89	222	84	97	43	9	13	50
1,181	206	8	424	98	75	132	91	19	46	15	3	29	61	95	350	184	217	72	26	22	51
305	60	3	129	40	22	38	23	2	19	3	–	16	19	72	118	41	67	26	7	12	52
233	49	3	107	30	18	27	21	1	17	2	–	12	18	57	99	37	48	19	3	7	53
72	11	–	22	10	4	11	2	1	2	1	–	4	1	15	19	4	19	7	4	5	54
1,474	240	13	535	131	89	162	118	25	56	16	3	36	79	112	454	227	247	89	28	23	55
365	45	5	133	43	18	41	29	7	12	2	–	11	19	32	123	47	49	24	6	6	56
1,109	195	8	402	88	71	121	89	18	44	14	3	25	60	80	331	180	198	65	22	17	57
10	4	–	17	–	5	4	7	2	2	1	1	–	–	4	7	2	5	–	1	–	58
8	7	–	14	4	–	2	1	–	1	1	–	3	3	1	12	11	7	1	3	1	59
10	16	1	12	2	1	2	2	–	2	–	–	–	–	3	3	4	6	–	–	1	60
8	2	–	2	–	1	1	1	1	–	–	–	–	2	–	2	5	3	–	–	–	61
22	6	1	12	2	1	–	2	–	2	–	–	–	–	–	11	–	1	–	–	–	62
4	1	–	1	–	–	1	–	–	–	1	–	–	–	–	4	–	2	–	–	–	63
141	41	1	56	29	9	13	10	–	10	2	–	9	11	30	56	21	36	13	4	5	64
120	35	1	50	25	7	12	8	–	10	2	–	6	10	23	49	20	26	10	1	5	65
21	6	–	6	4	2	1	2	–	–	–	–	3	1	7	7	1	10	3	3	–	66
25	11	–	4	1	2	2	–	–	1	–	–	–	–	2	4	1	2	–	–	–	67
56	5	–	20	3	4	13	4	–	1	–	–	–	3	1	11	2	4	2	1	–	68
5	–	–	3	1	2	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	69
28	4	–	10	1	3	3	–	2	1	–	–	–	1	1	4	1	6	1	–	–	70
53	9	–	18	1	2	10	2	1	2	–	–	–	1	8	15	3	5	1	1	–	71
8	2	–	4	1	–	1	–	–	1	–	–	–	–	–	2	3	–	–	1	–	72
46	4	–	12	7	2	6	3	1	–	–	–	1	2	–	33	5	8	1	1	–	73
118	7	1	36	5	9	10	9	–	3	2	–	1	7	5	37	12	11	8	–	1	74
55	3	–	15	–	5	2	2	–	2	–	–	–	1	1	15	2	6	1	–	1	75
63	4	1	21	5	4	8	7	–	1	2	–	1	6	4	22	10	5	7	–	–	76
67	3	3	29	6	7	7	7	1	–	–	–	2	5	3	18	10	14	3	–	2	77
39	2	2	20	5	3	5	5	1	–	–	–	1	4	2	9	7	7	1	–	1	78
28	1	1	9	1	4	2	2	–	–	–	–	1	1	1	9	3	7	2	–	1	79
3	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	80
14	8	–	7	–	3	2	3	–	5	1	–	1	6	4	11	7	4	3	–	1	81
2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Montana—Con.																	
01	Granite	37	–	–	–	9	3	2	–	1	–	–	3	–	12	10	–	–
02	Hill	162	1	–	1	29	8	13	1	–	–	3	4	2	74	58	1	2
03	Havre	102	1	–	1	16	6	6	–	–	–	2	2	2	55	42	1	2
04	Balance of county	60	–	–	–	13	2	7	1	–	–	1	2	–	19	16	–	–
05	Jefferson	51	–	–	1	7	2	–	–	2	–	2	1	2	21	14	–	–
06	Judith Basin	21	–	–	–	2	–	–	–	–	1	–	1	–	10	7	–	–
07	Lake	190	–	–	1	26	6	10	3	1	–	–	6	4	93	64	–	4
08	Lewis and Clark	329	–	–	3	63	13	15	4	7	4	4	16	3	149	100	3	2
09	Helena	236	–	–	3	50	11	11	3	6	3	4	12	3	109	72	3	1
10	Balance of county	93	–	–	–	13	2	4	1	1	1	–	4	–	40	28	–	1
11	Liberty	20	–	–	–	3	–	–	–	–	3	–	–	–	11	8	–	–
12	Lincoln	116	–	–	–	20	7	4	–	1	2	2	4	1	62	49	1	1
13	McCone	27	–	–	–	2	2	–	–	–	–	–	–	1	19	15	1	2
14	Madison	69	–	–	–	10	3	3	1	1	–	–	2	2	26	17	–	–
15	Meagher	22	1	–	1	6	1	1	–	2	–	1	1	–	7	4	–	–
16	Mineral	22	–	–	–	8	1	2	2	–	1	2	–	–	5	4	1	–
17	Missoula	422	2	–	2	71	22	20	6	10	3	1	9	9	200	145	6	4
18	Missoula	289	2	–	2	50	12	14	3	9	3	1	8	6	135	95	6	3
19	Balance of county	133	–	–	–	21	10	6	3	1	–	–	1	3	65	50	–	1
20	Musselshell	51	–	–	–	9	–	1	1	1	–	1	5	–	27	14	1	–
21	Park	143	–	–	–	16	4	6	1	1	1	1	2	5	92	71	–	2
22	Petroleum	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
23	Phillips	66	–	–	1	10	3	2	–	3	1	–	1	–	41	26	2	–
24	Pondera	64	–	–	–	11	4	3	–	2	–	–	2	1	29	24	1	1
25	Powder River	13	–	–	–	3	–	2	–	1	–	–	–	–	6	4	–	–
26	Powell	75	–	–	1	7	2	2	–	1	–	–	2	2	38	31	1	4
27	Prairie	23	–	–	–	3	2	1	–	–	–	–	–	–	13	10	2	–
28	Ravalli	190	–	–	–	34	12	5	3	4	1	2	7	3	105	80	–	–
29	Richland	96	–	–	–	19	4	5	4	2	1	–	3	5	53	34	1	–
30	Roosevelt	104	–	–	–	13	1	3	2	6	1	–	–	3	47	30	–	3
31	Rosebud	56	3	–	–	6	1	–	–	–	2	–	3	1	19	13	–	1
32	Sanders	93	–	–	1	15	5	2	–	3	–	–	5	2	43	32	–	–
33	Sheridan	60	1	–	–	17	4	4	1	2	2	1	3	1	20	17	–	1
34	Silver Bow	545	3	–	2	82	25	19	9	12	–	2	15	7	264	179	1	–
35	Butte	379	2	–	2	55	18	14	4	6	–	2	11	3	177	118	–	–
36	Balance of county	166	1	–	–	27	7	5	5	6	–	–	4	4	87	61	1	–
37	Stillwater	57	–	–	–	6	2	1	–	2	–	–	1	4	32	20	1	–
38	Sweet Grass	35	–	–	–	9	1	2	–	3	–	1	2	1	17	7	–	–
39	Teton	63	–	–	–	16	4	5	3	–	1	1	2	2	30	20	1	–
40	Toole	65	–	–	1	9	4	2	–	1	1	–	1	–	34	25	–	–
41	Treasure	5	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–
42	Valley	88	–	–	–	16	5	2	2	1	3	1	2	2	47	40	–	–
43	Wheatland	32	–	–	–	3	1	1	–	–	–	–	1	3	14	6	–	1
44	Wibaux	13	–	–	–	2	2	–	–	–	–	–	–	–	7	6	–	–
45	Yellowstone	691	1	–	5	133	36	26	8	17	9	9	28	16	293	194	9	2
46	Billings	506	1	–	4	95	22	20	6	15	6	5	21	9	211	136	8	1
47	Balance of county	185	–	–	1	38	14	6	2	2	3	4	7	7	82	58	1	1
48	Yellowstone National Park	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
49	**Nebraska**	14,603	10	3	73	2,767	809	548	244	343	151	138	534	268	7,772	5,510	93	136
50	Urban places	6,443	3	1	40	1,302	367	304	109	153	61	59	249	114	3,288	2,311	35	39
51	Balance of area	8,160	7	2	33	1,465	442	244	135	190	90	79	285	154	4,484	3,199	58	97
52	Metropolitan counties	5,042	3	–	33	1,045	277	250	83	130	50	41	214	95	2,491	1,741	29	29
53	Urban places	4,528	2	–	29	943	256	226	75	117	47	37	185	81	2,242	1,568	26	27
54	Balance of area	514	1	–	4	102	21	24	8	13	3	4	29	14	249	173	3	2
55	Nonmetropolitan counties	9,561	7	3	40	1,722	532	298	161	213	101	97	320	173	5,281	3,769	64	107
56	Urban places	1,915	1	1	11	359	111	78	34	36	14	22	64	33	1,046	743	9	12
57	Balance of area	7,646	6	2	29	1,363	421	220	127	177	87	75	256	140	4,235	3,026	55	95
58	Adams	344	–	–	2	61	18	10	7	7	2	5	12	5	203	137	–	–
59	Hastings	283	–	–	1	50	17	10	5	4	2	3	9	5	169	113	–	–
60	Balance of county	61	–	–	1	11	1	–	2	3	–	2	3	–	34	24	–	–
61	Antelope	121	–	–	–	21	9	2	2	3	–	1	4	1	77	58	2	–
62	Arthur	7	–	–	–	1	–	1	–	–	–	–	–	–	4	4	–	–
63	Banner	6	–	–	–	1	–	–	1	–	–	–	–	–	1	1	–	–
64	Blaine	8	–	–	–	1	1	–	–	–	–	–	–	–	4	3	–	–
65	Boone	110	–	–	1	16	4	1	2	3	2	–	4	–	70	45	–	3
66	Box Butte	111	–	–	–	21	3	3	3	6	–	–	6	1	51	38	1	–
67	Boyd	42	–	–	–	5	2	–	1	–	–	–	2	–	27	21	–	–
68	Brown	66	–	–	1	11	2	1	2	1	2	1	2	2	37	28	–	–
69	Buffalo	296	–	–	–	53	17	10	3	6	4	2	11	2	149	107	4	2
70	Kearney	170	–	–	–	30	9	6	2	2	2	1	8	1	79	52	3	1
71	Balance of county	126	–	–	–	23	8	4	1	4	2	1	3	1	70	55	1	1
72	Burt	122	–	1	2	20	7	3	4	1	2	–	3	2	75	63	1	–
73	Butler	97	–	–	1	17	5	3	–	2	1	2	4	3	55	46	1	–
74	Cass	177	1	–	3	36	12	6	3	1	3	1	10	2	94	68	–	2
75	Cedar	113	–	–	1	18	3	4	1	2	2	1	5	3	63	40	1	2
76	Chase	53	–	–	–	7	1	2	–	3	–	–	1	3	33	27	–	14
77	Cherry	74	–	–	–	5	3	–	–	2	–	–	–	1	41	33	2	4
78	Cheyenne	113	–	–	–	20	8	5	–	2	3	1	1	3	56	40	–	9
79	Clay	103	–	–	2	12	1	4	2	4	–	–	1	4	54	42	–	–
80	Colfax	125	–	–	1	25	14	3	2	1	2	–	3	6	52	34	1	–
81	Cuming	128	–	–	–	24	8	4	4	2	1	1	4	1	76	52	2	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
10	–	–	2	–	–	–	1	–	–	–	–	–	1	3	5	4	1	1	–	–	01
48	7	–	9	4	3	3	3	–	2	1	–	–	4	8	14	9	8	1	1	1	02
35	4	–	7	3	3	2	1	–	–	–	–	–	1	4	8	7	3	1	–	–	03
13	3	–	2	1	–	1	2	–	2	1	–	–	3	4	6	2	5	–	1	1	04
12	2	–	6	–	1	3	–	–	–	–	–	–	–	4	8	–	4	1	–	–	05
5	2	–	1	2	–	–	1	–	–	–	–	–	1	1	3	–	2	1	–	–	06
45	15	–	27	2	–	8	3	1	2	–	–	1	3	1	14	19	9	4	1	–	07
74	21	1	36	10	2	12	5	1	4	1	–	4	9	8	38	8	12	8	–	1	08
52	16	1	26	10	–	8	3	1	4	1	–	2	5	5	26	4	5	6	–	1	09
22	5	–	10	–	2	4	2	–	–	–	–	2	4	3	12	4	7	2	–	–	10
7	1	–	1	2	–	1	–	–	1	–	–	–	–	–	1	1	1	–	–	1	11
40	7	–	5	7	1	1	5	1	–	–	–	1	3	2	4	2	11	3	–	–	12
9	3	–	3	1	–	–	–	–	–	–	–	–	1	1	2	–	–	1	–	–	13
15	2	–	6	2	1	1	3	–	–	–	–	–	–	7	7	5	4	3	–	1	14
2	2	–	3	–	–	–	1	–	–	–	–	1	–	–	2	1	2	–	–	–	15
2	1	–	1	–	–	1	1	–	–	–	–	–	–	1	2	1	3	–	–	–	16
122	13	2	43	3	7	10	15	4	3	1	–	3	4	3	39	16	25	11	3	1	17
77	9	2	30	3	5	6	10	4	1	–	–	2	3	2	29	13	13	9	1	1	18
45	4	–	13	–	2	4	5	–	2	1	–	1	1	1	10	3	12	2	2	–	19
11	2	–	12	–	1	2	2	–	–	1	–	1	1	2	4	2	–	–	–	–	20
60	9	1	16	2	2	2	5	1	–	2	–	2	1	–	7	1	6	2	–	1	21
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22
24	–	–	9	3	3	1	1	1	1	–	–	–	2	–	3	1	2	2	–	–	23
18	4	–	5	–	–	2	1	1	1	–	–	–	–	5	3	4	4	1	1	–	24
4	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	25
22	4	–	2	2	3	1	2	–	3	–	–	1	5	–	8	3	3	1	–	–	26
8	–	–	1	1	1	1	–	–	–	–	–	–	–	–	3	3	–	–	–	–	27
70	10	1	19	3	2	4	7	–	1	1	–	–	1	–	13	7	5	6	1	2	28
31	2	–	9	6	4	3	–	–	1	–	–	–	–	–	8	2	3	1	–	1	29
23	4	–	10	5	2	5	1	2	5	–	1	2	1	–	7	11	5	1	–	–	30
12	–	–	3	3	–	3	1	2	1	–	–	–	–	2	2	9	5	–	2	–	31
28	4	–	8	1	2	2	–	–	–	–	–	–	1	5	5	8	6	3	2	–	32
14	2	–	2	1	–	1	1	–	–	–	–	–	–	2	2	6	6	3	–	–	33
161	17	–	50	30	5	23	10	1	5	1	–	6	7	21	46	26	23	7	6	5	34
107	11	–	35	22	2	18	8	1	5	1	–	6	5	18	36	14	15	6	5	2	35
54	6	–	15	8	3	5	2	–	–	–	–	–	2	3	10	12	8	1	1	3	36
19	–	1	8	2	1	–	3	–	–	–	–	2	2	–	3	–	1	1	2	1	37
4	3	–	10	–	–	2	–	–	–	–	–	1	–	–	3	1	1	–	–	–	38
16	3	1	7	1	1	–	–	–	2	–	–	–	1	–	7	1	3	1	–	–	39
21	4	–	7	1	1	2	2	–	–	–	–	–	–	–	4	6	5	1	1	–	40
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	41
34	6	–	3	2	2	3	–	–	1	2	–	3	–	2	5	–	3	2	–	2	42
5	–	–	5	1	2	–	1	–	2	–	–	–	1	–	6	–	2	–	–	–	43
6	–	–	1	–	–	–	2	1	–	–	–	–	–	–	1	–	–	–	–	–	44
164	19	2	73	11	13	25	13	2	9	1	–	7	8	42	62	20	31	13	3	7	45
113	14	2	57	5	11	15	13	1	7	–	–	6	8	34	50	17	22	9	2	2	46
51	5	–	16	6	2	10	–	1	2	1	–	1	–	8	12	3	9	4	1	5	47
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	46
4,869	**412**	**50**	**1,715**	**279**	**218**	**555**	**221**	**54**	**165**	**42**	**5**	**114**	**175**	**129**	**1,139**	**387**	**477**	**161**	**67**	**19**	**49**
2,063	174	22	744	113	98	244	101	25	102	12	2	63	90	42	538	129	204	89	48	6	50
2,806	238	28	971	166	120	311	120	29	63	30	3	51	85	87	601	258	273	72	19	13	51
1,558	125	15	572	94	69	189	77	18	80	8	2	52	83	34	403	119	177	77	49	7	52
1,405	110	12	519	79	64	176	68	14	79	8	2	48	70	27	373	95	151	68	47	5	53
153	15	3	53	15	5	13	9	4	1	–	–	4	13	7	30	24	26	9	2	2	54
3,311	287	35	1,143	185	149	366	144	36	85	34	3	62	92	95	736	268	300	84	18	12	55
658	64	10	225	34	34	68	33	11	23	4	–	15	20	15	165	34	53	21	1	1	56
2,653	223	25	918	151	115	298	111	25	62	30	3	47	72	80	571	234	247	63	17	11	57
132	5	2	48	7	9	6	3	2	3	–	–	2	1	1	33	7	11	3	1	–	58
110	3	1	43	5	7	4	3	2	3	–	–	2	1	1	27	3	9	3	–	–	59
22	2	1	5	2	2	2	–	–	–	–	–	–	–	–	6	4	2	–	1	–	60
55	1	2	13	–	4	6	–	–	–	–	–	–	1	–	9	3	2	–	1	–	61
4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	62
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	1	63
3	–	–	1	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	64
39	3	–	23	1	1	2	1	1	1	–	–	–	2	1	7	3	5	–	–	–	65
36	1	–	10	3	–	8	4	1	4	1	–	1	2	1	5	4	4	3	–	–	66
20	1	–	3	1	2	1	1	–	–	–	–	–	1	–	3	2	2	–	–	–	67
27	1	–	8	–	1	4	–	–	2	–	–	–	1	–	3	4	1	–	–	–	68
96	5	–	36	3	3	15	5	3	2	2	–	1	2	–	39	10	9	4	–	–	69
44	4	–	23	1	3	10	4	3	2	–	–	1	2	–	22	6	7	3	–	–	70
52	1	–	13	2	–	5	1	–	–	2	–	–	–	–	17	4	2	1	–	–	71
55	7	1	10	1	–	4	–	–	–	1	–	1	–	–	7	4	3	1	–	1	72
42	3	–	8	1	–	6	1	–	3	–	–	–	–	–	5	3	1	–	1	1	73
61	5	1	20	4	1	7	1	1	–	–	–	1	2	1	15	5	7	–	1	–	74
36	1	–	13	8	2	5	2	–	1	–	–	1	3	–	8	3	4	1	–	–	75
12	1	–	5	–	1	–	2	–	–	–	–	–	1	1	2	2	2	–	–	–	76
25	2	1	7	–	–	5	3	1	–	–	–	1	1	2	5	5	4	–	–	–	77
29	2	–	9	2	5	1	7	–	–	–	–	2	1	1	8	6	5	2	1	–	78
36	6	–	9	2	1	4	3	–	1	1	–	1	–	–	13	6	2	–	–	–	79
28	5	–	15	1	2	8	2	2	–	1	–	1	–	8	9	5	3	2	–	–	80
44	5	2	20	1	1	2	2	1	3	–	–	1	1	–	9	2	4	2	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Nebraska—Con.																	
01	Custer	188	–	–	1	40	8	4	4	8	4	6	6	4	108	82	3	–
02	Dakota	135	–	–	1	31	8	9	1	5	1	1	6	5	69	46	1	1
03	Dawes	102	–	–	–	11	4	2	1	1	3	–	–	1	55	40	1	–
04	Dawson	234	–	–	2	44	12	7	5	4	2	4	10	6	125	90	4	1
05	Deuel	44	–	–	–	6	3	2	–	1	–	–	–	–	31	20	–	3
06	Dixon	77	–	–	–	19	4	1	3	7	2	1	1	–	45	33	–	–
07	Dodge	382	1	–	2	65	16	11	11	9	2	2	14	7	215	136	3	3
08	Fremont	229	1	–	1	41	11	6	7	5	–	2	10	4	132	81	–	2
09	Balance of county	153	–	–	1	24	5	5	4	4	2	–	4	3	83	55	3	1
10	Douglas	3,365	3	–	11	698	186	171	53	88	36	25	139	55	1,645	1,166	18	16
11	Omaha	3,247	2	–	10	679	185	166	52	85	36	25	130	53	1,586	1,120	18	16
12	Balance of county	118	1	–	1	19	1	5	1	3	–	–	9	2	59	46	–	–
13	Dundy	60	–	–	–	15	7	1	3	1	–	1	2	–	29	23	–	–
14	Fillmore	99	–	–	–	19	9	2	1	3	–	1	3	–	61	50	–	–
15	Franklin	81	–	–	–	18	7	3	2	1	–	–	5	1	47	28	2	2
16	Frontier	40	1	–	–	8	2	2	1	2	–	–	1	2	20	13	2	–
17	Furnas	142	–	–	1	31	9	4	6	4	2	1	5	1	76	56	1	–
18	Gage	280	–	–	1	50	15	8	2	7	3	3	12	5	172	122	4	3
19	Beatrice	173	–	–	1	29	8	7	1	6	1	–	6	2	108	75	3	3
20	Balance of county	107	–	–	–	21	7	1	1	1	2	3	6	3	64	47	1	–
21	Garden	34	–	–	–	6	3	–	–	1	–	1	1	–	22	17	–	2
22	Garfield	41	–	–	–	6	3	1	–	–	–	–	2	1	25	16	–	–
23	Gosper	14	–	–	–	2	–	–	1	–	–	–	1	1	9	8	1	–
24	Grant	5	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–
25	Greeley	46	–	–	–	4	1	1	–	–	–	–	2	1	23	17	–	2
26	Hall	463	–	–	4	99	30	22	12	10	5	6	14	7	237	164	1	4
27	Grand Island	382	–	–	4	78	24	18	8	7	5	6	10	6	197	137	–	3
28	Balance of county	81	–	–	–	21	6	4	4	3	–	–	4	1	40	27	1	1
29	Hamilton	81	–	–	1	16	5	1	1	1	1	4	3	–	47	30	–	–
30	Harlan	54	–	–	1	7	1	2	1	1	–	–	2	1	32	20	–	–
31	Hayes	14	–	–	–	3	3	–	–	–	–	–	–	–	7	5	1	–
32	Hitchcock	60	–	–	–	13	1	1	4	1	2	1	3	–	32	29	1	–
33	Holt	129	–	–	–	28	7	5	1	7	2	–	6	–	69	46	1	1
34	Hooker	20	–	–	–	4	–	1	1	2	–	–	–	–	13	11	–	–
35	Howard	75	–	1	1	7	2	2	1	–	1	–	1	1	53	30	–	–
36	Jefferson	124	–	–	–	21	11	1	1	1	–	3	4	2	69	47	3	1
37	Johnson	60	–	–	–	12	7	3	–	–	1	–	1	2	42	17	–	1
38	Kearney	83	–	–	–	19	6	–	4	3	2	–	4	2	46	33	3	2
39	Keith	87	–	–	–	21	7	5	1	2	–	1	5	1	41	32	–	–
40	Keya Paha	12	–	–	–	2	–	–	–	1	1	–	–	–	9	8	–	–
41	Kimball	40	–	–	–	12	2	6	1	1	–	1	1	1	16	12	–	–
42	Knox	142	1	–	–	23	10	4	1	3	2	1	2	–	69	54	–	2
43	Lancaster	1,303	–	–	17	281	75	62	26	36	9	14	59	29	672	456	7	11
44	Lincoln	1,193	–	–	17	252	68	58	22	32	9	12	51	26	618	420	7	11
45	Balance of county	110	–	–	–	29	7	4	4	4	–	2	8	3	54	36	–	–
46	Lincoln	279	–	1	3	50	17	8	5	10	1	1	8	7	140	117	1	–
47	North Platte	203	–	1	3	33	11	7	3	6	1	1	4	4	110	92	1	–
48	Balance of county	76	–	–	–	17	6	1	2	4	–	–	4	3	30	25	–	–
49	Logan	7	–	–	–	–	–	–	–	–	–	–	–	–	5	3	–	–
50	Loup	12	–	–	–	1	–	–	–	–	–	–	1	–	7	6	–	–
51	McPherson	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
52	Madison	284	–	–	–	59	15	14	8	5	5	4	8	11	149	105	–	2
53	Norfolk	171	–	–	–	34	8	9	7	2	2	3	3	8	86	64	–	1
54	Balance of county	113	–	–	–	25	7	5	1	3	3	1	5	3	63	41	–	1
55	Merrick	87	–	–	–	13	7	5	1	–	–	–	–	1	46	29	–	2
56	Morrill	91	–	–	–	14	3	4	1	–	1	1	4	2	47	33	–	4
57	Nance	65	–	–	1	16	3	2	3	1	–	3	4	1	38	28	–	1
58	Nemaha	100	–	–	–	24	7	5	1	3	1	–	7	1	49	20	–	–
59	Nuckolls	119	–	–	–	25	5	7	3	–	1	3	6	6	64	50	1	1
60	Otoe	194	–	–	–	35	9	8	3	6	3	1	5	2	107	65	1	–
61	Pawnee	57	–	–	–	9	–	2	1	1	2	–	3	–	41	31	–	3
62	Perkins	41	–	–	–	4	1	2	–	–	–	–	1	1	28	23	–	7
63	Phelps	131	–	–	1	21	4	4	3	2	2	3	3	4	78	60	1	–
64	Pierce	82	–	–	–	17	4	5	–	–	3	1	4	3	40	36	1	–
65	Platte	237	–	–	2	52	18	12	1	3	–	4	14	4	128	97	1	2
66	Columbus	166	–	–	1	37	15	9	1	1	–	2	9	3	92	68	1	1
67	Balance of county	71	–	–	1	15	3	3	–	2	–	2	5	1	36	29	–	1
68	Polk	80	–	–	–	10	3	2	–	2	1	–	2	1	57	31	–	–
69	Red Willow	135	–	–	–	23	7	3	3	3	2	–	5	1	78	53	–	1
70	Richardson	204	–	–	–	24	8	3	4	2	–	2	5	1	120	89	–	3
71	Rock	34	–	–	–	5	–	–	–	–	–	1	4	–	21	15	–	1
72	Saline	177	–	–	1	37	15	4	3	4	3	4	4	2	90	61	4	–
73	Sarpy	239	–	–	4	35	8	8	3	1	4	1	10	6	105	73	3	1
74	Bellevue	88	–	–	2	12	3	2	1	–	2	–	4	2	38	28	1	–
75	Balance of county	151	–	–	2	23	5	6	2	1	2	1	6	4	67	45	2	1
76	Saunders	202	–	–	1	33	10	4	–	8	1	3	7	10	102	56	1	3
77	Scotts Bluff	318	2	–	–	53	19	11	–	7	4	4	8	3	182	150	3	4
78	Scottsbluff	138	–	–	–	27	8	6	–	3	1	4	5	–	73	61	1	1
79	Balance of county	180	2	–	–	26	11	5	–	4	3	–	3	3	109	89	2	3
80	Seward	150	–	–	–	20	10	3	2	1	–	–	4	1	101	69	–	–
81	Sheridan	97	–	–	–	13	2	3	2	1	1	1	3	1	49	42	–	1
82	Sherman	46	–	–	–	13	6	2	–	3	–	1	1	1	21	16	1	–
83	Sioux	14	–	–	–	2	–	1	–	–	–	–	1	–	6	5	–	–
84	Stanton	69	–	–	–	14	4	1	1	2	–	2	4	3	37	27	1	–
85	Thayer	104	–	–	–	22	8	3	–	8	1	1	1	2	64	51	–	5

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
77	2	–	19	5	2	6	–	1	–	1	–	1	3	–	12	1	6	4	–	–	01
42	2	1	14	8	–	2	5	–	–	–	–	–	3	2	5	2	6	3	1	–	02
36	3	–	11	–	4	7	5	1	1	–	–	–	2	1	12	2	3	1	–	–	03
79	6	1	28	5	1	9	6	1	1	–	–	1	1	–	22	10	2	1	–	3	04
16	1	–	8	2	1	–	2	–	–	–	–	–	–	–	4	–	1	–	–	–	05
32	1	–	10	2	–	1	3	1	1	–	–	–	1	–	4	–	2	–	–	–	06
116	14	1	68	5	5	13	4	1	5	1	–	3	5	6	34	6	11	3	–	–	07
71	8	1	45	2	3	5	1	–	3	1	–	2	4	4	21	2	5	2	–	–	08
45	6	–	23	3	2	8	3	1	2	–	–	1	1	2	13	4	6	1	–	–	09
1,060	72	13	379	47	40	138	55	13	61	6	–	34	57	18	289	65	129	45	39	4	10
1,018	68	11	370	45	40	134	54	12	60	6	–	34	54	18	282	59	120	41	39	4	11
42	4	2	9	2	–	4	1	1	1	–	–	–	3	–	7	6	9	4	–	–	12
22	1	–	5	–	1	10	1	–	–	–	–	–	–	–	3	–	2	–	–	–	13
46	4	–	8	–	3	3	1	–	–	–	–	–	1	1	6	2	3	2	–	–	14
16	8	–	13	4	2	3	2	–	–	–	–	–	–	2	5	2	1	–	–	–	15
10	1	–	5	2	–	2	–	–	–	–	–	–	–	–	4	2	–	1	–	–	16
50	5	1	17	1	1	11	3	–	–	3	–	1	1	1	7	2	2	2	–	–	17
108	7	2	40	5	3	9	6	1	1	1	–	1	1	3	15	4	7	3	–	–	18
64	5	2	26	3	2	9	4	1	1	1	–	1	–	2	8	2	3	1	–	–	19
44	2	–	14	2	1	–	2	–	–	–	–	–	1	1	7	2	4	2	–	–	20
11	4	–	5	–	–	–	–	–	–	–	–	–	2	–	2	1	1	–	–	–	21
15	1	–	7	2	–	1	1	–	–	–	–	–	–	–	3	3	–	1	–	–	22
6	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	23
2	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24
13	2	1	5	–	–	1	–	–	–	–	–	–	–	9	1	2	4	1	–	–	25
141	18	4	42	18	9	16	5	2	6	3	–	4	6	3	45	9	12	4	–	1	26
119	15	4	34	14	8	14	5	2	5	–	–	3	6	2	39	6	11	3	–	1	27
22	3	–	8	4	1	2	–	–	1	3	–	1	–	1	6	3	1	1	–	–	28
26	4	–	9	6	2	4	–	–	–	–	–	–	1	–	7	1	3	–	–	1	29
19	1	–	10	1	1	2	1	–	–	1	–	1	1	–	4	–	2	1	–	–	30
2	2	–	2	–	–	–	1	–	–	–	–	–	–	1	–	–	2	–	–	–	31
23	5	–	1	2	–	3	–	–	–	–	–	–	1	1	2	2	4	–	–	2	32
41	3	2	18	1	2	4	1	–	1	2	–	–	2	–	16	1	5	–	–	–	33
6	5	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	34
27	3	–	23	–	–	1	–	1	1	–	–	2	2	–	–	1	3	1	–	–	35
40	3	–	18	1	3	8	1	–	1	1	1	–	1	5	6	4	4	–	–	–	36
16	–	–	17	6	2	1	–	–	–	–	–	–	–	–	–	–	1	1	1	–	37
23	5	–	9	–	4	1	1	–	1	–	–	3	–	2	3	1	2	2	–	–	38
30	2	–	6	2	1	1	1	1	1	–	–	1	–	1	6	1	8	1	2	–	39
8	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	40
12	–	–	3	–	1	–	–	–	1	–	–	–	–	–	4	6	–	–	–	–	41
50	2	–	11	2	2	12	4	–	2	–	–	–	3	–	12	7	9	–	–	–	42
396	42	1	153	36	26	42	13	2	15	2	2	13	11	9	90	39	30	27	8	1	43
364	38	1	141	33	23	37	13	2	15	2	2	12	11	7	85	33	27	25	8	1	44
32	4	–	12	3	3	5	–	–	–	–	–	1	–	2	5	6	3	2	–	–	45
95	21	–	13	5	5	18	4	1	5	1	1	3	1	2	17	4	14	2	5	–	46
73	18	–	10	5	3	10	3	1	4	1	–	2	1	2	13	4	9	2	–	–	47
22	3	–	3	–	2	8	1	–	1	–	1	1	–	–	4	–	5	–	5	–	48
3	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	49
6	–	–	1	–	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–	50
–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	51
101	2	–	30	6	8	8	6	–	3	1	–	3	3	1	21	6	11	2	–	–	52
62	1	–	12	3	7	6	5	–	1	–	–	2	3	1	16	4	4	1	–	–	53
39	1	–	18	3	1	2	1	–	2	1	–	1	–	–	5	2	7	1	–	–	54
24	3	–	17	–	–	5	–	–	–	1	1	–	2	2	9	2	5	–	–	–	55
27	2	1	11	1	1	3	4	1	1	–	–	–	3	–	14	2	–	–	–	–	56
25	2	1	6	2	1	2	–	–	–	–	–	2	–	–	2	2	1	–	–	–	57
19	1	–	25	3	1	1	–	2	1	1	–	–	2	1	11	4	1	1	–	1	58
46	2	1	9	1	3	4	1	1	1	2	–	2	–	–	5	3	2	2	1	–	59
57	7	–	35	5	2	1	2	–	4	–	–	1	1	12	16	5	6	2	–	–	60
27	1	–	8	1	1	–	–	–	1	1	–	–	–	–	5	–	–	–	–	–	61
16	–	1	3	–	1	3	–	–	–	–	–	–	1	–	2	–	2	–	–	–	62
50	9	–	13	2	3	11	1	–	1	1	–	1	1	–	6	3	2	–	–	–	63
35	–	–	4	–	–	4	–	–	2	–	–	1	2	–	6	5	1	1	–	–	64
82	12	2	26	2	1	6	4	1	2	–	–	1	3	3	14	8	6	2	–	1	65
58	8	2	20	1	1	5	4	1	2	–	–	1	2	1	10	3	2	2	–	–	66
24	4	–	6	1	–	1	–	–	–	–	–	–	1	2	4	5	4	–	–	1	67
31	–	3	18	–	5	3	–	–	1	–	–	–	–	–	2	2	3	1	–	–	68
50	2	–	13	7	5	2	1	1	–	1	–	2	2	2	11	4	5	2	–	–	69
80	6	–	28	–	3	12	6	1	1	–	–	1	2	3	22	5	5	1	–	–	70
11	3	–	3	2	1	–	–	–	–	–	–	–	–	–	7	–	1	–	–	–	71
50	7	–	22	7	–	7	3	–	1	–	–	–	–	3	17	1	11	4	–	–	72
60	9	–	26	3	3	7	4	3	4	–	–	5	12	5	19	13	12	2	1	2	73
23	4	–	8	1	1	5	1	–	4	–	–	2	5	2	6	3	4	2	–	–	74
37	5	–	18	2	2	2	3	3	–	–	–	3	7	3	13	10	8	–	1	2	75
51	1	1	37	5	3	5	3	–	1	–	–	–	3	–	18	13	10	3	–	–	76
137	6	–	27	3	2	8	6	1	5	1	–	4	4	3	27	8	6	4	1	–	77
57	2	–	12	–	–	5	4	1	2	1	–	1	1	2	9	4	3	4	1	–	78
80	4	–	15	3	2	3	2	–	3	–	–	3	3	1	18	4	3	–	–	–	79
60	9	1	21	8	2	2	3	–	1	–	–	1	2	2	7	2	7	1	–	–	80
36	5	–	5	1	1	11	2	–	1	2	–	–	–	1	12	3	2	–	–	–	81
14	1	–	2	1	2	1	–	–	–	–	–	–	1	–	6	–	3	–	–	–	82
5	–	–	1	–	–	–	–	–	–	–	–	1	–	–	2	1	1	1	–	–	83
24	2	–	8	–	2	1	–	–	1	–	–	1	–	1	7	2	1	1	–	–	84
46	–	1	11	1	–	5	1	2	1	–	–	–	–	–	4	–	2	1	–	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Nebraska—Con.																	
01	Thomas	4	–	–	–	1	–	–	–	–	–	–	1	–	2	1	–	–
02	Thurston	87	1	–	1	9	4	–	1	1	1	1	1	1	40	30	–	1
03	Valley	81	–	–	1	16	7	2	2	2	1	–	2	3	45	29	–	1
04	Washington	132	–	–	1	25	8	4	3	2	3	2	3	3	72	53	1	1
05	Wayne	77	–	–	–	15	5	2	1	2	–	2	3	2	43	35	–	–
06	Webster	74	–	–	–	23	8	2	–	5	3	–	5	3	26	16	–	–
07	Wheeler	5	–	–	–	2	–	–	–	–	–	–	2	–	2	2	–	–
08	York	153	–	–	–	16	2	6	3	1	2	–	2	5	86	57	1	–
09	**Nevada**	4,479	4	1	20	874	199	250	72	88	46	29	190	61	1,986	1,379	30	15
10	Urban places	2,709	1	1	13	562	134	162	48	58	30	17	113	34	1,179	807	16	9
11	Balance of area	1,770	3	–	7	312	65	88	24	30	16	12	77	27	807	572	14	6
12	Metropolitan counties	3,515	3	1	16	738	172	214	62	75	34	19	162	39	1,529	1,043	25	11
13	Urban places	2,552	1	1	13	542	129	157	46	55	28	16	111	31	1,104	750	16	9
14	Balance of area	963	2	–	3	196	43	57	16	20	6	3	51	8	425	293	9	2
15	Nonmetropolitan counties	964	1	–	4	136	27	36	10	13	12	10	28	22	457	336	5	4
16	Urban places	157	–	–	–	20	5	5	2	3	2	1	2	3	75	57	–	–
17	Balance of area	807	1	–	4	116	22	31	8	10	10	9	26	19	382	279	5	4
18	Churchill	127	–	–	–	23	4	8	2	4	1	1	3	3	63	48	1	–
19	Clark	2,267	2	1	9	476	101	148	44	49	19	9	106	22	978	647	16	3
20	Henderson	95	–	–	–	22	2	10	1	–	1	1	7	–	39	30	–	–
21	Las Vegas	1,148	–	1	6	253	54	81	23	30	12	4	49	12	485	316	8	2
22	North Las Vegas	201	–	–	–	32	7	11	4	4	–	1	5	2	77	45	1	–
23	Balance of county	823	2	–	3	169	38	46	16	15	6	3	45	8	377	256	7	1
24	Douglas	66	–	–	–	9	4	2	–	–	–	1	2	–	34	24	–	–
25	Elko	146	–	–	3	20	4	7	1	–	–	1	7	3	69	51	3	–
26	Esmeralda	9	–	–	–	2	–	2	–	–	–	–	–	–	4	3	–	–
27	Eureka	10	–	–	–	–	–	–	–	–	–	–	–	–	7	5	–	–
28	Humboldt	70	–	–	1	8	2	1	–	1	1	–	3	4	31	21	–	1
29	Lander	22	–	–	–	2	–	1	–	–	–	1	–	–	9	6	–	–
30	Lincoln	34	–	–	–	5	1	–	1	–	–	1	2	1	18	14	–	–
31	Lyon	78	1	–	–	15	3	3	1	1	3	–	4	3	34	24	–	–
32	Mineral	50	–	–	–	8	1	3	–	2	1	1	–	2	22	13	1	–
33	Nye	54	–	–	–	6	–	2	–	–	2	1	1	1	20	17	–	–
34	Ormsby, coext. with Carson City	157	–	–	–	20	5	5	2	3	2	1	2	3	75	57	–	–
35	Pershing	39	–	–	–	9	2	–	2	1	1	1	2	1	17	16	–	3
36	Storey	13	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–
37	Washoe	1,248	1	–	7	262	71	66	18	26	15	10	56	17	551	396	9	8
38	Reno	906	1	–	5	196	53	47	16	18	12	8	42	13	410	292	5	7
39	Sparks	202	–	–	2	39	13	8	2	3	3	2	8	4	93	67	2	–
40	Balance of county	140	–	–	–	27	5	11	–	5	–	–	6	–	48	37	2	1
41	White Pine	89	–	–	–	9	1	2	1	1	1	1	2	1	49	32	–	–
42	**New Hampshire**	7,220	6	1	35	1,494	447	334	115	184	90	36	288	193	3,646	2,538	51	51
43	Urban places	3,201	4	1	12	674	201	142	59	90	40	18	124	101	1,578	1,079	19	25
44	Balance of area	4,019	2	–	23	820	246	192	56	94	50	18	164	92	2,068	1,459	32	26
45	Metropolitan counties	2,079	2	–	7	445	135	92	40	54	27	11	86	60	981	632	13	21
46	Urban places	1,481	2	–	7	325	91	72	32	38	20	11	61	50	668	426	8	15
47	Balance of area	598	–	–	–	120	44	20	8	16	7	–	25	10	313	206	5	6
48	Nonmetropolitan counties	5,141	4	1	28	1,049	312	242	75	130	63	25	202	133	2,665	1,906	38	30
49	Urban places	1,720	2	1	5	349	110	70	27	52	20	7	63	51	910	653	11	10
50	Balance of area	3,421	2	–	23	700	202	172	48	78	43	18	139	82	1,755	1,253	27	20
51	Belknap	386	–	1	2	66	18	17	7	9	2	1	12	9	209	146	3	–
52	Laconia	155	–	1	1	21	6	5	4	2	1	–	3	2	82	53	1	–
53	Balance of county	231	–	–	1	45	12	12	3	7	1	1	9	7	127	93	2	–
54	Carroll	270	–	–	1	57	21	12	4	9	3	–	8	4	155	115	2	4
55	Cheshire	471	–	–	3	109	33	21	12	10	10	1	22	11	237	162	3	3
56	Keene	201	–	–	1	51	15	9	5	4	4	1	13	5	110	76	1	1
57	Balance of county	270	–	–	2	58	18	12	7	6	6	–	9	6	127	86	2	2
58	Coos	400	–	–	2	79	23	25	3	7	4	1	16	5	221	150	5	2
59	Berlin	168	–	–	–	29	11	7	–	4	–	–	7	4	93	74	2	1
60	Balance of county	232	–	–	2	50	12	18	3	3	4	1	9	1	128	76	3	1
61	Grafton	502	1	–	3	108	33	26	7	11	4	1	26	6	247	188	4	3
62	Hillsborough	2,079	2	–	7	445	135	92	40	54	27	11	86	60	981	632	13	21
63	Manchester	1,006	1	–	3	220	58	51	18	25	13	9	46	40	441	282	4	13
64	Nashua	475	1	–	4	105	33	21	14	13	7	2	15	10	227	144	4	2
65	Balance of county	598	–	–	–	120	44	20	8	16	7	–	25	10	313	206	5	6
66	Merrimack	932	1	–	4	180	55	41	15	27	14	3	25	44	487	373	7	6
67	Concord	403	1	–	2	75	23	14	7	14	5	1	11	20	215	163	3	5
68	Balance of county	529	–	–	2	105	32	27	8	13	9	2	14	24	272	210	4	1
69	Rockingham	1,247	1	–	11	242	66	60	16	26	15	9	50	22	636	429	8	7
70	Portsmouth	252	1	–	1	54	19	13	4	6	4	–	8	4	131	85	1	1
71	Balance of county	995	–	–	10	188	47	47	12	20	11	9	42	18	505	344	7	6
72	Strafford	610	1	–	2	142	48	25	9	21	6	6	27	22	310	235	5	3
73	Dover	186	–	–	–	48	16	9	1	10	1	2	9	4	98	70	1	1
74	Rochester	190	–	–	–	42	14	6	5	7	2	–	8	7	93	75	2	1
75	Balance of county	234	1	–	2	52	18	10	3	4	3	4	10	11	119	90	2	1
76	Sullivan	323	–	–	–	66	15	15	2	10	5	3	16	10	163	108	1	2
77	Claremont	165	–	–	–	29	6	7	1	5	3	3	4	5	88	57	–	–
78	Balance of county	158	–	–	–	37	9	8	1	5	2	–	12	5	75	51	1	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	01
27	2	–	7	1	2	3	2	–	3	–	–	–	–	1	8	12	5	–	1	–	02
25	3	–	11	4	1	3	–	–	–	–	–	–	–	–	6	3	1	2	1	–	03
48	3	–	13	1	5	7	1	2	–	–	–	3	1	3	4	5	2	2	1	–	04
33	2	–	5	2	1	6	2	–	–	–	–	–	–	1	6	1	–	1	–	–	05
16	–	–	7	2	1	2	2	–	1	1	–	1	2	–	9	2	2	–	–	–	06
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	07
52	4	2	21	4	2	4	2	1	2	2	–	3	2	–	9	15	6	–	–	–	08
1,219	115	10	484	52	61	119	90	15	134	8	1	28	82	41	417	183	172	161	68	14	09
726	56	5	304	27	36	75	51	8	79	4	1	21	48	16	267	88	98	104	51	8	10
493	59	5	180	25	25	44	39	7	55	4	–	7	34	25	150	95	74	57	17	6	11
935	72	8	400	28	50	85	67	11	103	8	1	22	63	26	331	128	132	139	62	11	12
675	50	5	292	22	35	65	48	7	77	4	1	18	42	15	253	83	92	97	50	8	13
260	22	3	108	6	15	20	19	4	26	4	–	4	21	11	78	45	40	42	12	3	14
284	43	2	84	24	11	34	23	4	31	–	–	6	19	15	86	55	40	22	6	3	15
51	6	–	12	5	1	10	3	1	2	–	–	3	6	1	14	5	6	7	1	–	16
233	37	2	72	19	10	24	20	3	29	–	–	3	13	14	72	50	34	15	5	3	17
40	7	1	11	3	–	3	3	–	4	–	–	–	–	–	12	6	6	4	–	–	18
577	51	5	281	16	29	51	41	5	63	8	1	11	44	16	217	85	87	93	50	7	19
29	1	–	8	–	1	2	4	–	3	1	–	–	2	–	8	4	2	4	3	1	20
281	25	3	144	9	13	23	19	3	29	3	–	8	20	7	124	38	45	45	23	4	21
39	5	–	27	1	4	9	1	–	10	–	1	2	7	3	19	7	11	7	13	–	22
228	20	2	102	6	11	17	17	2	21	4	–	1	15	6	66	36	29	37	11	2	23
20	4	–	5	1	4	2	–	–	1	–	–	2	–	1	2	4	5	5	1	–	24
39	9	–	13	5	–	5	3	–	8	–	–	–	1	3	14	8	5	2	2	–	25
3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	26
5	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	27
19	1	1	7	–	2	3	2	–	4	–	–	–	5	1	2	5	2	1	1	–	28
4	2	–	1	2	–	1	1	–	–	–	–	–	2	1	6	–	–	–	–	–	29
9	5	–	3	–	1	–	1	1	1	–	–	–	1	–	2	3	–	1	–	–	30
22	2	–	6	1	3	2	2	–	4	–	–	–	1	1	8	3	3	1	–	–	31
9	3	–	8	1	–	3	–	1	1	–	–	1	–	1	4	5	2	–	–	–	32
16	1	–	2	1	–	–	2	–	1	–	–	–	1	3	7	8	4	–	–	1	33
51	6	–	12	5	1	10	3	1	2	–	–	3	6	1	14	5	6	7	1	–	34
13	–	–	1	–	–	1	2	–	1	–	–	–	1	1	2	2	2	–	–	–	35
5	–	–	–	–	–	1	1	–	4	–	–	–	–	–	1	–	1	–	–	–	36
358	21	3	119	12	21	34	26	6	40	–	–	11	19	10	114	43	45	46	12	4	37
268	12	1	93	8	16	26	18	4	29	–	–	7	8	5	81	26	32	34	8	3	38
58	7	1	20	4	1	5	6	–	6	–	–	1	5	–	21	8	2	7	3	–	39
32	2	1	6	–	4	3	2	2	5	–	–	3	6	5	12	9	11	5	1	1	40
29	3	–	12	5	–	2	3	1	–	–	–	–	1	1	11	5	3	1	1	1	41
2,276	160	25	782	183	118	210	125	27	97	27	–	46	69	212	528	159	199	113	20	13	42
986	49	15	345	94	45	93	52	13	55	13	–	19	35	129	216	55	85	53	5	8	43
1,290	111	10	437	89	73	117	73	14	42	14	–	27	34	83	312	104	114	60	15	5	44
566	32	8	224	86	31	50	30	8	29	10	–	8	25	134	133	39	67	40	5	6	45
385	18	7	164	52	19	34	19	5	25	8	–	6	17	109	95	25	51	28	2	5	46
181	14	1	60	34	12	16	11	3	4	2	–	2	8	25	38	14	16	12	3	1	47
1,710	128	17	558	97	87	160	95	19	68	17	–	38	44	78	395	120	132	73	15	7	48
601	31	8	181	42	26	59	33	8	30	5	–	13	18	20	121	30	34	25	3	3	49
1,109	97	9	377	55	61	101	62	11	38	12	–	25	26	58	274	90	98	48	12	4	50
137	6	2	32	24	5	19	5	2	6	–	–	2	4	1	28	13	10	7	1	1	51
50	2	–	15	13	1	12	–	1	4	–	–	1	3	–	8	7	4	7	–	1	52
87	4	2	17	11	4	7	5	1	2	–	–	1	1	1	20	6	6	–	1	–	53
100	9	2	30	–	8	4	7	–	1	–	–	–	–	3	19	3	9	5	2	–	54
151	5	1	57	10	7	13	4	2	8	1	–	4	7	4	38	8	9	11	2	–	55
72	2	–	26	5	3	3	2	2	3	1	–	2	2	3	12	1	2	1	–	–	56
79	3	1	31	5	4	10	2	–	5	–	–	2	5	1	26	7	7	10	2	–	57
133	10	–	55	9	7	11	10	–	8	1	–	1	3	3	37	7	10	2	–	–	58
69	2	–	12	5	2	4	4	–	6	1	–	–	1	2	16	2	5	1	–	–	59
64	8	–	43	4	5	7	6	–	2	–	–	1	2	1	21	5	5	1	–	–	60
167	14	1	40	8	10	16	12	1	8	3	–	1	–	22	43	7	15	6	2	1	61
566	32	8	224	86	31	50	30	8	29	10	–	8	25	134	133	39	67	40	5	6	62
255	10	7	106	34	12	22	15	4	14	5	–	2	9	106	57	12	29	21	1	4	63
130	8	–	58	18	7	12	4	1	11	3	–	4	8	3	38	13	22	7	1	1	64
181	14	1	60	34	12	16	11	3	4	2	–	2	8	25	38	14	16	12	3	1	65
348	12	–	86	11	17	15	24	7	6	3	–	5	12	11	69	24	26	12	2	–	66
151	4	–	42	3	7	7	15	3	2	–	–	2	4	4	33	10	5	4	1	–	67
197	8	–	44	8	10	8	9	4	4	3	–	3	8	7	36	14	21	8	1	–	68
371	43	3	162	22	20	48	19	6	16	4	–	14	11	17	100	46	32	16	3	3	69
80	3	1	32	7	6	14	4	1	6	1	–	1	2	4	15	3	6	3	–	1	70
291	40	2	130	15	14	34	15	5	10	3	–	13	9	13	85	43	26	13	3	2	71
209	18	5	57	5	8	26	9	1	10	3	–	5	5	2	36	11	13	8	3	1	72
62	6	3	19	3	3	10	3	1	3	1	–	2	1	1	6	1	3	3	1	–	73
65	7	1	15	1	1	5	3	–	4	1	–	1	3	1	17	5	5	2	1	–	74
82	5	1	23	1	4	11	3	–	3	1	–	2	1	–	13	5	5	3	1	1	75
94	11	3	39	8	5	8	5	–	5	2	–	6	2	15	25	1	8	6	–	1	76
52	5	3	20	5	3	4	2	–	2	–	–	4	2	5	14	1	4	4	–	1	77
42	6	–	19	3	2	4	3	–	3	2	–	2	–	10	11	–	4	2	–	–	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**New Jersey**	**65,498**	**116**	**4**	**407**	**14,285**	**4,299**	**3,332**	**1,352**	**1,591**	**697**	**473**	**2,541**	**1,403**	**34,989**	**27,346**	**550**	**355**
02	Urban places	46,003	92	4	285	9,877	3,009	2,279	936	1,077	502	315	1,759	1,049	24,588	19,278	391	282
03	Balance of area	19,495	24	–	122	4,408	1,290	1,053	416	514	195	158	782	354	10,401	8,068	159	73
04	Metropolitan counties	50,035	95	4	336	10,801	3,287	2,476	1,025	1,204	537	344	1,928	1,074	26,661	21,014	426	297
05	Urban places	38,138	79	4	253	8,129	2,499	1,862	780	890	414	252	1,432	856	20,393	16,120	331	252
06	Balance of area	11,897	16	–	83	2,672	788	614	245	314	123	92	496	218	6,268	4,894	95	45
07	Nonmetropolitan counties	15,463	21	–	71	3,484	1,012	856	327	387	160	129	613	329	8,328	6,332	124	58
08	Urban places	7,865	13	–	32	1,748	510	417	156	187	88	63	327	193	4,195	3,158	60	30
09	Balance of area	7,598	8	–	39	1,736	502	439	171	200	72	66	286	136	4,133	3,174	64	28
10	Atlantic	2,630	8	–	18	496	153	130	35	57	21	15	85	53	1,558	1,266	13	11
11	Atlantic City	1,049	3	–	6	179	57	47	12	21	8	8	26	16	637	527	8	5
12	Hammonton	94	–	–	1	14	4	3	1	1	1	1	3	2	49	46	1	–
13	Margate City	142	–	–	2	24	7	6	2	1	2	–	6	2	96	78	–	–
14	Pleasantville	223	–	–	–	38	12	13	1	4	2	–	6	6	144	106	–	1
15	Ventnor City	200	–	–	2	41	11	9	6	3	2	1	9	8	121	98	–	2
16	Balance of county	922	5	–	7	200	62	52	13	27	6	5	35	19	511	411	4	3
17	Bergen	7,515	11	1	41	1,831	587	399	186	170	103	60	326	138	3,960	3,098	69	41
18	Bergenfield	213	–	–	–	41	12	6	6	6	1	1	9	5	123	101	3	2
19	Cliffside Park	228	–	–	2	56	20	7	1	4	11	2	11	6	125	108	–	3
20	Dumont	163	–	–	2	29	12	5	3	4	1	–	4	3	96	84	3	–
21	East Paterson	141	–	–	–	27	7	6	3	2	2	2	5	3	79	65	1	–
22	Englewood	290	–	1	1	63	19	16	3	7	4	1	13	5	145	103	–	1
23	Fair Lawn	292	1	–	1	71	25	19	8	7	2	–	10	8	155	119	9	–
24	Fairview	100	1	–	–	26	7	7	3	2	1	3	3	–	52	46	–	–
25	Fort Lee	298	1	–	2	71	24	15	7	10	3	2	10	4	153	126	1	–
26	Garfield	333	1	–	1	60	18	12	6	13	2	1	8	9	204	165	5	2
27	Glen Rock	108	1	–	–	23	8	6	1	–	1	–	7	4	70	57	3	1
28	Hackensack	374	–	–	1	91	36	18	6	8	8	4	11	6	185	143	7	1
29	Hasbrouck Heights	109	–	–	–	24	7	6	3	2	3	2	1	1	64	51	–	–
30	Hillsdale	62	–	–	1	12	4	2	1	2	1	–	2	1	30	21	1	–
31	Lodi	207	–	–	–	53	17	14	3	7	2	2	8	6	107	82	6	2
32	Lyndhurst township†	206	1	–	1	49	18	13	4	5	1	1	7	5	116	96	2	5
33	Maywood	96	–	–	1	18	8	6	2	1	–	–	1	–	64	48	2	3
34	New Milford	138	–	–	1	28	12	2	6	1	2	1	4	–	88	69	2	1
35	North Arlington	197	1	–	–	50	14	13	3	3	2	4	11	6	111	90	3	1
36	Oakland	67	–	–	–	17	4	4	2	1	–	3	3	–	27	21	–	–
37	Palisades Park	160	–	–	3	34	6	7	5	2	5	1	8	4	86	66	1	–
38	Paramus	173	–	–	3	39	12	8	3	2	4	2	8	2	106	89	–	–
39	Ramsey	92	–	–	–	28	8	9	3	1	3	–	4	2	41	35	1	–
40	Ridgefield	111	1	–	–	32	9	8	6	4	1	–	4	1	51	40	–	–
41	Ridgefield Park	123	–	–	2	26	10	10	3	–	2	–	1	6	68	52	1	–
42	Ridgewood	203	–	–	2	59	20	9	7	5	4	3	11	2	92	65	1	1
43	River Edge	112	–	–	2	27	9	3	3	2	1	3	6	1	58	41	–	–
44	Rutherford	218	–	–	–	58	26	11	8	3	1	1	8	4	117	82	1	2
45	Saddle Brook township†	98	–	–	1	30	9	13	2	–	1	1	4	1	50	40	–	–
46	Teaneck township†	336	–	–	1	83	22	16	12	6	7	3	17	9	166	124	–	4
47	Tenafly	143	1	–	1	43	11	12	4	4	–	–	12	3	60	40	3	–
48	Waldwick	67	1	–	–	18	7	3	2	–	3	–	3	–	35	25	–	1
49	Wallington	116	–	–	1	26	10	5	2	4	–	1	4	4	66	53	1	–
50	Washington township†	44	–	–	–	13	5	1	1	–	2	1	3	–	22	17	–	–
51	Westwood	108	–	–	1	28	9	7	2	4	–	–	6	2	56	41	1	1
52	Wyckoff township†	111	–	–	–	33	15	4	1	3	2	1	7	–	50	44	1	–
53	Balance of county	1,678	1	–	10	445	127	96	51	45	20	14	92	25	842	649	10	10
54	Burlington	2,175	3	–	10	438	134	98	52	42	17	14	81	28	1,172	894	18	8
55	Burlington	146	–	–	1	31	9	8	5	3	2	–	4	–	82	61	1	1
56	Cinnaminson township†	73	–	–	–	19	6	5	1	1	–	–	6	–	36	25	1	–
57	Maple Shade township†	155	–	–	–	32	9	9	3	2	1	1	7	2	92	72	1	2
58	Mount Holly township†	116	–	–	–	17	5	9	1	–	–	2	–	2	63	48	1	–
59	New Hanover township†	11	–	–	–	1	–	–	–	–	–	–	1	–	6	5	–	–
60	Willingboro township†	160	–	–	1	30	8	8	4	5	–	–	5	2	86	69	1	–
61	Balance of county	1,514	3	–	8	308	97	59	38	31	14	11	58	22	807	614	13	5
62	Camden	4,132	6	–	35	857	263	214	82	97	32	32	137	61	2,198	1,716	33	14
63	Audubon	140	–	–	–	21	4	5	5	2	3	–	2	2	89	76	1	–
64	Bellmawr	89	–	–	1	25	7	10	1	3	1	–	3	–	39	32	–	–
65	Camden	1,055	2	–	20	193	66	46	11	20	6	9	35	19	491	382	13	7
66	Cherry Hill township†	404	–	–	–	93	28	17	11	12	4	5	16	4	233	178	2	–
67	Collingswood	221	–	–	1	41	16	9	3	6	1	2	4	3	135	103	1	1
68	Gloucester	184	1	–	–	40	11	11	4	6	1	4	3	3	93	75	2	–
69	Gloucester township†	175	–	–	–	30	4	11	5	4	3	–	3	2	89	72	–	1
70	Haddonfield	143	–	–	–	21	8	2	2	1	1	2	5	5	94	73	2	–
71	Haddon township†	138	–	–	–	25	8	6	5	–	–	–	6	2	88	73	2	2
72	Lindenwold	93	–	–	–	24	4	6	3	4	1	–	6	1	44	36	–	1
73	Pennsauken township†	337	–	–	2	76	25	21	11	6	2	1	10	8	189	142	2	1
74	Runnemede	75	2	–	2	14	3	2	1	3	1	–	4	1	34	28	–	–
75	Balance of county	1,078	1	–	9	254	79	68	20	30	8	9	40	11	580	446	8	1
76	Cape May	1,127	–	–	3	237	55	67	21	36	10	11	37	17	698	526	8	6
77	Ocean City	202	–	–	–	41	10	8	3	5	2	1	12	2	128	96	3	1
78	Balance of county	925	–	–	3	196	45	59	18	31	8	10	25	15	570	430	5	5
79	Cumberland	1,181	3	–	8	224	71	59	16	25	8	3	42	21	639	510	3	9
80	Bridgeton	239	1	–	3	36	10	10	4	5	1	1	5	3	125	103	1	2
81	Millville	249	–	–	1	56	20	12	4	6	3	–	11	5	135	110	–	3
82	Vineland	143	2	–	3	31	13	6	2	2	–	–	8	3	57	39	1	1
83	Balance of county	550	–	–	1	101	28	31	6	12	4	2	18	10	322	258	1	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
25,344	**1,097**	**198**	**5,852**	**772**	**821**	**1,617**	**675**	**313**	**1,205**	**310**	**14**	**396**	**759**	**629**	**4,586**	**1,107**	**1,439**	**583**	**503**	**158**	**01**
17,808	797	148	4,092	521	549	1,127	459	230	889	232	11	265	543	481	3,239	681	1,048	356	424	123	02
7,536	300	50	1,760	251	272	490	216	83	316	78	3	131	216	148	1,347	426	391	227	79	35	03
19,393	898	150	4,361	547	589	1,242	493	241	898	218	10	312	604	534	3,564	800	1,139	434	449	126	04
14,831	706	117	3,326	399	431	922	372	193	731	183	8	225	435	431	2,721	527	899	279	393	105	05
4,562	192	33	1,035	148	158	320	121	48	167	35	2	87	169	103	843	273	240	155	56	21	06
5,951	199	48	1,491	225	232	375	182	72	307	92	4	84	155	95	1,022	307	300	149	54	32	07
2,977	91	31	766	122	118	205	87	37	158	49	3	40	108	50	518	154	149	77	31	18	08
2,974	108	17	725	103	114	170	95	35	149	43	1	44	47	45	504	153	151	72	23	14	09
1,205	37	7	217	27	41	51	24	13	43	8	–	8	24	21	168	44	35	19	24	15	10
499	15	3	85	7	15	21	11	5	20	2	–	4	8	10	75	7	15	1	20	9	11
42	3	–	2	–	1	5	1	1	1	1	–	–	1	–	9	3	2	1	1	2	12
72	6	–	16	1	1	1	1	1	–	1	–	–	–	1	7	3	1	2	–	–	13
102	3	1	24	6	7	4	1	1	4	1	–	–	4	2	12	–	3	1	1	1	14
93	3	–	15	3	5	2	2	–	3	–	–	1	2	1	14	1	1	1	–	–	15
397	7	3	75	10	12	18	8	5	15	3	–	3	9	7	51	30	13	13	2	3	16
2,908	80	22	654	101	85	230	64	46	124	34	–	44	48	72	492	115	146	49	38	31	17
96	–	–	18	3	1	7	–	–	5	3	–	–	–	3	14	2	6	2	1	1	18
102	3	–	13	1	3	2	1	4	4	–	–	2	1	4	12	2	3	1	1	2	19
81	–	–	6	3	3	3	1	2	–	–	–	1	1	2	13	4	4	1	1	–	20
63	1	–	9	4	1	6	2	3	5	1	–	–	1	1	9	2	2	–	–	–	21
100	2	2	29	8	3	14	4	2	6	2	–	3	2	–	22	5	9	1	2	3	22
109	1	–	24	7	5	8	–	2	4	–	–	1	5	3	18	6	7	1	–	1	23
44	2	–	3	1	2	2	1	–	1	–	–	1	2	3	6	–	4	1	–	–	24
123	2	–	23	1	3	8	3	2	6	1	–	3	2	4	19	5	9	1	3	1	25
157	1	1	34	2	2	8	1	1	11	1	–	4	–	1	19	2	3	4	2	1	26
52	1	–	10	–	3	–	–	–	1	1	–	–	–	–	6	1	–	–	–	1	27
132	3	1	31	8	2	13	7	2	11	3	–	–	3	5	27	4	9	1	4	2	28
50	1	1	10	–	2	1	–	–	1	–	–	–	–	1	12	3	2	–	–	–	29
19	1	–	7	1	1	1	–	1	1	–	–	–	1	1	11	–	1	–	1	–	30
71	3	2	18	2	3	5	2	1	7	2	–	–	1	4	10	4	2	1	1	1	31
88	1	1	16	3	–	5	–	2	4	1	–	1	1	1	11	2	3	2	1	–	32
42	1	–	13	2	1	3	1	–	–	1	–	–	2	–	4	1	–	–	–	1	33
64	2	–	14	3	2	2	1	1	4	–	–	–	1	1	4	–	3	2	1	1	34
86	–	–	16	–	5	2	3	–	4	1	–	–	–	4	8	3	4	–	–	–	35
20	1	–	6	–	–	4	2	–	1	1	–	1	2	1	3	4	2	1	–	1	36
64	1	1	18	1	–	8	2	2	1	1	–	3	3	1	6	1	4	–	–	1	37
86	3	–	16	–	1	7	2	–	–	–	–	1	–	1	10	1	–	1	–	–	38
33	1	–	6	–	–	2	–	–	1	1	–	–	–	–	6	5	4	2	–	–	39
40	–	1	7	3	–	1	–	1	2	–	–	2	1	2	9	3	4	–	–	1	40
49	2	–	13	1	2	1	–	1	1	1	–	2	–	1	9	–	3	1	–	1	41
61	2	–	20	4	3	12	2	1	5	1	–	–	–	1	19	–	3	3	–	1	42
39	2	–	12	3	2	1	3	2	1	2	–	1	–	1	7	1	4	–	–	1	43
76	3	3	29	2	1	7	2	2	2	1	–	1	1	1	11	2	7	1	1	–	44
37	3	1	5	3	1	–	–	–	3	1	–	1	–	–	6	3	–	1	–	1	45
116	4	1	31	7	3	10	–	3	3	1	–	4	2	1	34	4	1	4	9	1	46
37	–	1	11	5	3	6	2	–	3	1	–	3	–	1	16	–	3	–	–	–	47
24	–	1	6	1	2	2	–	–	2	1	–	–	1	–	3	1	1	1	1	–	48
52	–	1	10	1	1	3	2	–	3	–	–	–	–	–	7	3	–	–	1	–	49
17	–	–	5	–	–	1	2	–	–	1	–	–	1	2	1	–	–	1	–	–	50
38	1	1	12	1	1	6	2	1	–	–	–	1	–	1	5	3	1	1	–	–	51
40	3	–	5	–	1	5	1	1	1	–	–	–	1	1	8	6	2	–	–	2	52
600	29	3	148	20	22	64	15	9	20	4	–	8	13	19	107	32	36	14	8	6	53
812	56	5	198	40	35	76	19	3	44	3	1	17	34	15	163	52	44	43	10	–	54
51	8	1	16	3	1	7	3	–	4	–	–	–	3	–	9	–	5	1	–	–	55
22	2	1	7	2	1	4	–	1	1	–	–	–	1	–	8	1	2	–	–	–	56
65	4	–	15	3	2	2	2	1	4	–	–	–	–	–	11	3	4	1	1	–	57
44	3	1	11	2	1	8	1	–	1	–	–	1	2	1	10	4	2	4	–	–	58
5	–	–	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	59
60	8	–	12	1	4	5	1	1	2	–	1	–	4	1	12	–	4	7	3	–	60
565	31	2	136	29	26	50	12	–	31	3	–	16	24	13	110	44	27	30	6	–	61
1,543	126	8	375	43	56	111	46	24	55	25	2	23	85	24	325	64	97	48	44	2	62
70	5	1	10	2	–	3	–	1	1	–	–	1	–	–	12	5	4	1	–	–	63
29	3	1	5	–	1	2	2	–	–	1	–	1	4	3	4	1	4	2	–	–	64
336	26	3	81	10	15	30	14	8	22	4	1	11	46	10	85	14	43	10	31	1	65
160	16	–	40	6	9	10	2	1	6	3	–	–	2	1	23	7	10	6	2	1	66
97	4	1	24	5	2	9	3	2	–	3	–	–	3	2	13	–	2	3	1	–	67
68	5	–	16	–	2	8	2	2	–	–	–	3	2	1	17	–	7	3	2	–	68
67	4	–	15	–	2	6	2	3	6	3	–	–	4	–	17	4	4	2	3	–	69
65	6	–	20	1	–	4	1	–	1	–	–	1	–	–	11	1	2	2	–	–	70
66	3	–	13	1	1	5	1	–	2	–	–	1	–	–	10	1	1	2	–	–	71
33	2	–	7	–	1	3	–	1	2	2	–	–	2	1	8	1	2	2	–	–	72
125	14	–	35	5	7	6	7	2	4	2	–	–	2	1	31	4	1	–	2	–	73
26	2	–	5	–	1	5	1	1	3	1	–	–	1	–	7	1	2	–	–	–	74
401	36	2	104	13	15	20	11	3	8	6	1	5	19	5	87	25	15	15	3	–	75
502	10	4	102	48	18	20	14	6	20	4	–	3	4	6	54	15	15	7	2	2	76
90	2	1	18	10	3	4	3	1	2	1	–	–	1	1	13	1	2	2	–	–	77
412	8	3	84	38	15	16	11	5	18	3	–	3	3	5	41	14	13	5	2	2	78
465	33	2	97	9	21	20	11	5	17	7	1	12	21	13	72	34	36	15	19	3	79
88	12	–	16	1	5	6	1	1	6	2	–	4	4	4	14	8	10	1	10	–	80
99	8	–	16	5	4	4	2	1	6	1	–	2	3	1	15	7	6	3	–	1	81
36	1	–	13	–	5	2	2	–	1	2	–	–	2	2	18	7	7	2	2	–	82
242	12	2	52	3	7	8	6	3	4	2	1	6	12	6	25	12	13	9	7	2	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New Jersey—Con.																	
01	Essex	8,793	23	1	76	1,793	536	365	185	211	95	56	345	221	4,516	3,599	74	78
02	Belleville	351	1	–	1	74	27	14	6	7	3	2	15	12	184	160	4	1
03	Bloomfield	543	1	–	4	119	36	28	14	7	3	5	26	21	307	231	4	6
04	Cedar Grove township†	85	–	–	–	24	6	5	4	3	3	1	2	1	43	33	1	–
05	East Orange	472	1	–	6	117	27	26	13	17	8	4	22	8	205	144	2	3
06	Irvington	738	2	–	9	166	62	27	21	21	6	3	26	27	389	321	11	3
07	Livingston township†	209	–	–	2	37	9	9	5	2	3	1	8	6	121	96	5	–
08	Maplewood township†	247	–	–	2	56	19	11	6	4	4	3	9	6	141	112	2	–
09	Millburn township†	199	–	–	–	56	16	14	7	7	1	2	9	8	96	73	2	1
10	Montclair	563	1	1	6	93	25	15	8	17	6	5	17	7	314	233	9	7
11	Newark	3,271	14	–	37	600	181	122	45	79	32	19	122	87	1,563	1,258	16	42
12	Nutley	294	–	–	–	70	18	13	11	8	5	1	14	5	164	132	1	1
13	Orange	372	2	–	1	80	24	16	8	7	8	1	16	8	185	150	4	5
14	South Orange	187	–	–	1	48	15	12	4	4	1	2	10	3	107	90	3	1
15	Verona	136	–	–	–	27	6	8	4	2	1	2	4	–	82	67	3	1
16	West Caldwell	82	–	–	1	16	5	2	3	2	–	1	3	1	44	37	–	–
17	West Orange	416	1	–	2	87	25	21	9	9	5	2	16	8	239	186	3	2
18	Balance of county	628	–	–	4	123	35	22	17	15	6	2	26	13	332	276	4	5
19	Gloucester	1,425	–	–	13	277	70	73	20	30	15	11	58	37	748	563	12	5
20	Glassboro	118	–	–	–	23	4	5	3	2	3	1	5	2	60	39	2	–
21	Pitman	108	–	–	1	15	7	–	1	4	1	–	2	1	66	45	–	–
22	Woodbury	142	–	–	1	37	13	6	3	3	4	1	7	1	61	47	1	–
23	Balance of county	1,057	–	–	11	202	46	62	13	21	7	9	44	33	561	432	9	5
24	Hudson	6,255	16	–	41	1,329	399	330	107	145	59	40	249	188	3,379	2,793	46	48
25	Bayonne	804	–	–	3	185	53	54	13	22	5	4	34	23	461	397	5	7
26	Harrison	158	–	–	3	23	7	7	–	2	–	–	7	7	92	64	1	–
27	Hoboken	394	2	–	1	71	24	12	4	12	2	1	16	8	215	175	2	4
28	Jersey City	2,653	10	–	24	543	176	140	47	54	25	14	87	83	1,366	1,143	25	21
29	Kearny	387	–	–	2	110	32	30	5	11	6	4	22	6	187	139	3	1
30	North Bergen township†	532	4	–	3	101	29	19	13	11	4	3	22	15	330	273	3	3
31	Secaucus	124	–	–	–	36	11	8	3	4	3	–	7	5	67	55	1	3
32	Union City	576	–	–	3	123	29	30	11	15	8	9	21	22	319	255	–	5
33	Weehawken township†	143	–	–	–	27	11	7	2	3	1	–	3	4	89	75	2	1
34	West New York	350	–	–	1	77	14	18	8	9	5	3	20	8	189	163	4	2
35	Balance of county	134	–	–	1	33	13	5	1	2	–	2	10	7	64	54	–	1
36	Hunterdon	583	2	–	5	111	37	19	14	11	7	3	20	8	321	264	2	1
37	Mercer	2,665	4	–	17	564	175	146	45	64	24	15	95	51	1,406	1,023	15	16
38	Ewing township†	267	–	–	1	69	25	17	6	8	5	1	7	4	148	111	3	2
39	Hamilton township†	659	1	–	2	151	45	41	16	15	7	2	25	15	353	249	3	5
40	Princeton	81	–	–	1	19	9	3	–	1	–	4	2	3	37	22	1	–
41	Trenton	1,139	3	–	8	211	62	60	15	27	6	5	36	22	593	436	6	8
42	Balance of county	519	–	–	5	114	34	25	8	13	6	3	25	7	275	205	2	1
43	Middlesex	4,040	7	–	13	931	269	228	100	90	43	30	171	87	2,083	1,624	38	19
44	Carteret	180	1	–	–	41	14	14	–	6	3	1	3	5	93	73	1	1
45	East Brunswick township†	173	–	–	1	45	14	7	6	5	2	2	9	3	78	63	5	1
46	Edison township†	200	–	–	1	47	7	14	1	9	1	3	12	5	85	67	3	1
47	Highland Park	98	–	–	–	17	1	2	1	3	5	–	5	–	60	47	2	1
48	Madison township†	165	–	–	–	36	16	5	3	2	1	–	9	4	79	59	1	–
49	Metuchen	133	–	–	–	26	5	10	3	1	3	1	3	3	78	58	–	1
50	Middlesex	95	1	–	–	24	4	6	2	1	1	2	8	4	40	35	–	–
51	New Brunswick	353	3	–	5	65	17	17	10	10	3	1	7	10	174	129	3	2
52	Perth Amboy	413	–	–	2	96	31	25	11	8	2	3	16	8	226	173	4	1
53	Piscataway township†	179	–	–	–	40	15	11	3	–	4	1	6	3	88	67	–	–
54	Sayreville	209	1	–	–	56	14	11	6	6	–	1	18	5	105	85	1	3
55	South Plainfield	128	1	–	–	30	11	5	6	–	–	1	7	3	59	41	–	–
56	South River	149	–	–	–	32	10	10	3	1	–	3	5	5	79	61	–	–
57	Woodbridge township†	626	–	–	1	151	43	35	16	17	11	3	26	11	345	263	7	2
58	Balance of county	939	–	–	3	225	67	56	29	21	7	8	37	18	494	403	11	6
59	Monmouth	4,378	5	–	28	942	273	217	86	108	47	34	177	106	2,354	1,702	36	15
60	Asbury Park	328	–	–	3	57	16	14	6	5	3	–	13	7	183	138	4	2
61	Eatontown	89	–	–	1	21	4	7	1	4	1	1	3	2	40	33	–	–
62	Freehold	130	–	–	1	28	11	5	1	4	1	1	5	1	64	46	1	1
63	Hazlet township†	120	1	–	–	28	8	8	4	4	–	–	4	2	60	48	–	–
64	Long Branch	303	–	–	2	57	25	10	4	10	2	4	2	16	163	118	1	–
65	Matawan township†	95	–	–	–	28	6	8	1	4	–	–	9	3	46	33	–	–
66	Middletown township†	360	1	–	1	91	21	18	12	13	6	4	17	10	190	139	1	–
67	Neptune township†	342	–	–	3	67	27	15	5	6	5	–	9	14	195	130	3	3
68	Ocean township†	152	–	–	–	31	11	8	2	3	3	2	2	1	89	72	1	1
69	Red Bank	195	–	–	1	32	9	8	2	2	–	3	8	5	113	68	1	–
70	Balance of county	2,264	3	–	16	502	135	116	48	53	26	19	105	45	1,211	877	24	8
71	Morris	2,593	1	–	14	617	189	132	56	76	30	27	107	38	1,327	1,030	36	10
72	Dover	159	–	–	1	39	12	6	4	3	–	1	13	2	75	62	1	1
73	Madison	129	–	–	–	19	6	3	1	1	–	1	7	1	78	61	2	3
74	Morristown	226	–	–	3	48	16	5	7	6	3	4	7	5	117	85	4	–
75	Parsippany–Troy Hills township†	177	–	–	–	48	13	12	5	3	5	3	7	3	90	67	2	2
76	Pequannock township†	89	–	–	–	23	8	5	4	2	2	1	1	–	39	33	–	–
77	Balance of county	1,813	1	–	10	440	134	101	35	61	20	17	72	27	928	722	27	4
78	Ocean	3,309	4	–	17	779	228	202	65	89	30	33	132	71	1,805	1,398	26	11
79	Brick township†	402	1	–	2	98	22	23	10	12	4	5	22	9	205	151	1	1
80	Dover township†	551	1	–	6	123	32	38	7	14	6	4	22	11	303	223	6	3
81	Lakewood township†	477	1	–	–	95	33	13	7	14	5	2	21	14	289	232	1	–
82	Point Pleasant	208	–	–	1	43	15	8	5	2	–	3	10	9	120	89	4	1
83	Balance of county	1,671	1	–	8	420	126	120	36	47	15	19	57	28	888	703	14	6

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
3,244	203	28	730	70	89	219	95	38	180	45	3	52	91	120	668	115	296	66	153	22	01
148	7	1	19	2	2	7	3	1	7	1	–	2	6	3	22	6	16	2	3	–	02
216	5	2	67	4	3	13	3	2	8	3	–	4	1	3	29	5	13	2	4	1	03
30	2	–	7	2	1	4	–	2	3	–	–	–	2	–	3	1	2	–	–	–	04
130	9	2	46	6	7	21	3	2	9	4	–	7	13	5	49	2	9	1	10	–	05
287	20	1	57	7	3	14	11	1	17	8	–	2	8	4	46	7	14	9	3	1	06
87	4	1	20	2	2	6	3	–	5	1	–	–	3	1	11	4	3	5	1	–	07
110	–	1	23	2	3	10	1	3	2	–	–	–	3	–	13	1	6	1	1	1	08
65	5	–	20	–	3	5	5	–	1	–	1	1	–	2	15	1	2	5	–	1	09
196	21	3	63	5	10	18	5	5	9	1	–	3	7	6	55	6	18	3	5	–	10
1,100	100	12	240	22	31	71	28	11	81	22	2	24	34	68	288	57	138	22	111	13	11
127	3	–	25	4	3	6	3	–	6	1	–	1	1	3	17	4	10	1	2	–	12
134	7	–	32	1	2	13	8	4	10	1	–	1	3	7	29	2	11	–	4	3	13
85	1	–	13	–	4	1	–	1	1	–	–	1	1	2	10	2	6	1	2	–	14
57	6	–	13	–	2	6	2	–	2	–	–	1	2	1	8	2	3	–	–	–	15
36	1	1	4	–	2	1	–	1	1	–	–	1	–	1	4	4	3	4	–	–	16
174	7	2	39	6	6	9	8	–	3	3	–	1	1	3	25	5	18	2	–	1	17
262	5	2	42	7	5	14	12	5	15	–	–	3	6	11	44	6	24	8	7	1	18
526	20	11	124	33	17	23	13	6	17	5	–	16	21	26	116	42	37	18	9	1	19
36	1	2	12	4	3	4	2	–	2	1	–	1	1	6	11	2	1	1	1	–	20
44	1	–	18	2	1	2	1	–	2	–	–	2	–	1	9	2	3	3	–	–	21
43	3	1	8	2	3	–	4	1	1	1	–	2	2	5	11	6	7	2	–	–	22
403	15	8	86	25	10	17	6	5	12	3	–	11	18	14	85	32	26	12	8	1	23
2,584	115	22	461	47	56	139	57	34	137	33	1	32	77	85	410	69	114	32	63	19	24
376	9	–	49	6	9	22	8	6	22	4	–	1	8	5	30	6	9	8	2	1	25
63	–	2	20	1	5	2	2	1	8	2	–	–	2	1	12	1	1	1	–	–	26
162	7	–	32	4	4	12	5	5	11	1	–	2	5	8	24	8	5	1	5	5	27
1,033	64	9	175	16	23	68	17	7	55	17	1	15	42	46	196	24	72	10	47	10	28
131	4	3	41	1	3	3	6	2	11	3	–	3	2	6	35	6	5	–	–	–	29
256	11	3	42	8	4	9	6	4	8	–	–	2	2	2	33	5	5	3	–	–	30
51	–	–	12	–	–	1	–	1	2	–	–	2	1	1	7	–	1	–	–	–	31
239	11	1	52	6	5	10	6	4	8	2	–	1	9	6	36	12	6	3	5	1	32
72	–	–	10	2	2	3	2	–	1	1	–	–	2	4	5	1	2	1	1	–	33
150	7	4	18	3	1	5	3	4	8	3	–	4	2	4	23	4	8	4	2	1	34
51	2	–	10	–	–	4	2	–	3	–	–	2	2	2	9	2	–	1	1	1	35
257	4	1	40	2	14	13	10	3	6	1	1	6	1	4	50	15	16	9	1	–	36
960	32	13	287	49	34	61	31	14	49	9	–	22	40	62	203	39	45	19	18	11	37
103	3	1	27	6	3	–	1	2	3	–	–	2	1	3	17	6	7	2	–	1	38
238	3	4	78	9	13	12	10	2	11	–	–	5	3	12	53	9	8	6	4	2	39
21	–	–	12	2	1	1	–	3	1	1	–	–	–	1	10	2	1	–	1	–	40
400	22	7	119	22	9	35	14	5	27	4	–	11	25	35	85	11	23	8	11	8	41
198	4	1	51	10	8	13	6	2	7	4	–	4	11	11	38	11	6	3	2	–	42
1,521	46	14	332	60	53	109	40	21	92	24	1	25	56	38	265	83	83	49	21	12	43
69	2	1	14	5	–	3	2	–	5	–	–	2	5	2	14	–	4	2	1	–	44
54	3	–	13	–	2	5	–	1	4	3	–	–	6	3	10	2	6	4	2	–	45
61	2	–	13	4	1	8	1	1	6	1	–	2	6	4	14	11	4	3	–	1	46
42	2	–	9	1	3	2	3	1	1	1	–	–	1	–	7	3	1	–	1	–	47
57	1	2	13	4	1	5	–	1	2	1	–	3	3	1	12	6	4	6	1	1	48
56	1	1	15	4	–	4	–	1	2	1	–	1	1	–	11	1	3	–	–	1	49
33	2	–	2	–	3	5	2	–	–	–	–	1	–	–	11	3	1	1	1	1	50
116	8	3	36	3	3	14	3	1	13	4	1	2	8	6	24	5	6	3	4	2	51
163	5	–	42	7	4	12	4	4	7	3	–	2	7	5	21	5	6	4	1	–	52
66	1	–	13	4	4	3	2	2	4	–	–	3	6	1	11	9	3	2	2	–	53
80	1	–	15	1	4	3	–	1	6	1	–	2	2	–	15	4	3	3	2	–	54
41	–	2	11	–	5	1	2	1	3	1	–	–	2	1	11	3	7	2	–	1	55
58	3	–	12	2	4	3	4	1	3	1	–	–	1	1	11	1	4	2	1	–	56
251	3	2	61	9	10	11	9	4	16	1	–	2	2	5	29	12	16	6	3	2	57
374	12	3	63	16	9	30	8	2	20	6	–	5	6	9	64	18	15	11	2	3	58
1,577	74	16	501	72	63	120	53	17	90	25	1	23	44	23	299	97	91	37	14	9	59
128	4	2	39	2	2	13	3	2	7	1	–	1	6	4	22	7	7	1	4	–	60
30	3	–	4	3	–	4	1	–	3	1	–	1	2	–	9	1	2	–	–	1	61
43	1	2	12	1	3	3	2	–	1	2	–	–	3	–	11	8	2	3	1	–	62
47	1	1	9	1	1	6	2	–	3	–	–	2	3	–	7	1	3	2	–	–	63
112	5	2	28	7	8	12	3	3	11	2	–	1	2	2	16	4	5	3	–	1	64
33	–	–	12	–	1	–	–	1	3	–	1	1	–	–	5	1	4	2	–	–	65
132	6	–	39	6	6	7	6	–	4	1	–	2	5	2	19	8	7	4	–	2	66
120	4	4	50	6	5	12	2	3	5	3	–	1	4	4	21	2	3	1	2	–	67
64	6	–	8	4	5	5	2	–	–	1	–	–	3	–	7	6	6	1	–	–	68
64	3	–	35	7	3	5	6	–	6	–	–	–	1	–	16	4	5	–	–	1	69
804	41	5	265	35	29	53	26	8	47	14	–	14	15	11	166	55	47	20	7	4	70
945	39	7	235	22	33	79	31	9	41	8	1	18	44	8	193	54	59	41	3	7	71
59	1	–	11	1	1	8	4	2	3	1	–	4	10	2	6	1	–	1	–	–	72
52	4	–	14	1	2	3	1	1	1	1	–	–	–	–	12	6	2	4	–	–	73
78	3	–	27	1	4	9	3	–	7	1	–	–	2	–	16	5	5	5	–	–	74
60	3	1	18	1	3	1	–	1	1	–	1	1	7	–	17	2	2	2	–	1	75
31	2	–	6	–	–	6	–	–	1	1	–	–	1	–	8	4	5	1	–	–	76
665	26	6	159	18	23	52	23	5	28	4	–	13	24	6	134	36	45	28	3	6	77
1,323	38	6	321	23	57	74	36	11	59	34	–	16	25	18	221	51	50	21	10	7	78
146	3	2	37	4	11	13	2	1	10	5	–	1	3	2	25	14	9	1	1	–	79
211	3	1	66	4	9	14	6	1	12	3	–	3	7	2	39	8	7	5	–	–	80
225	6	1	46	4	6	6	6	2	3	4	–	2	4	–	29	8	5	5	2	2	81
83	1	–	27	3	1	2	2	–	2	5	–	1	1	1	13	2	3	3	–	–	82
658	25	2	145	8	30	39	20	7	32	17	–	9	10	13	115	19	26	7	7	5	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New Jersey—Con.																	
01	Passaic	4,341	8	–	33	944	292	214	106	110	45	25	152	95	2,320	1,824	38	27
02	Clifton	872	–	–	4	206	67	42	27	23	8	4	35	18	486	370	5	8
03	Hawthorne	195	–	–	1	42	12	10	5	3	2	3	7	5	115	89	1	–
04	Little Falls township†	105	–	–	–	33	5	6	3	7	2	4	6	4	51	47	3	1
05	Passaic	614	1	–	3	111	39	27	12	10	7	1	15	21	372	289	3	3
06	Paterson	1,430	5	–	14	289	86	74	27	32	17	6	47	27	731	584	10	11
07	Pompton Lakes	86	–	–	–	16	4	8	–	2	1	–	1	1	43	30	1	–
08	Ringwood	44	–	–	–	9	3	2	1	–	–	2	1	1	20	16	2	–
09	Totowa	87	–	–	2	22	8	3	3	4	2	1	1	4	41	30	1	–
10	Wayne township†	326	–	–	3	74	25	14	12	7	2	2	12	5	172	145	7	–
11	West Paterson	84	–	–	1	18	8	4	2	2	–	–	2	1	48	37	2	1
12	Balance of county	498	2	–	5	124	35	24	14	20	4	2	25	8	241	187	3	3
13	Salem	583	2	–	5	119	37	30	7	10	15	4	16	14	320	238	4	3
14	Somerset	1,343	1	–	2	323	100	80	24	35	20	16	48	29	705	535	7	4
15	Bound Brook	112	–	–	–	28	8	7	2	2	3	1	5	3	63	49	–	1
16	Bridgewater township†	151	–	–	–	38	9	8	3	3	1	4	10	1	85	67	2	–
17	Franklin township†	157	1	–	1	39	17	13	1	2	–	1	5	–	78	64	–	1
18	Manville	77	–	–	–	20	4	7	2	2	–	1	4	1	37	29	–	1
19	North Plainfield	165	–	–	–	43	11	13	5	4	5	2	3	5	83	60	3	–
20	Somerville	148	–	–	–	34	9	6	2	3	5	2	7	8	72	52	1	1
21	Balance of county	533	–	–	1	121	42	26	9	19	6	5	14	11	287	214	1	–
22	Sussex	683	2	–	3	161	50	43	17	18	3	2	28	11	362	283	7	2
23	Union	4,868	9	2	20	1,131	326	256	111	141	60	33	204	104	2,635	2,054	57	27
24	Berkeley Heights township†	53	–	–	–	17	3	2	5	4	–	1	2	2	24	20	–	–
25	Clark township†	117	–	–	–	32	11	6	3	4	1	2	5	3	62	50	3	1
26	Cranford township†	205	1	–	–	52	17	9	6	6	5	1	8	3	109	78	1	–
27	Elizabeth	1,158	3	–	6	247	61	68	16	28	12	4	58	27	637	492	18	6
28	Hillside township†	245	2	–	2	53	16	16	5	5	1	2	8	6	127	85	2	1
29	Linden	404	1	–	1	97	32	26	6	14	6	1	12	7	236	199	3	5
30	New Providence	78	–	–	–	21	4	6	2	1	1	–	7	3	37	32	2	–
31	Plainfield	441	–	1	1	93	32	18	11	10	3	4	15	9	208	162	4	1
32	Rahway	254	1	–	–	62	13	14	11	7	1	1	15	7	139	110	1	–
33	Roselle	214	–	–	–	52	18	12	5	8	4	2	3	4	126	96	1	1
34	Roselle Park	136	–	–	–	31	7	6	3	7	1	–	7	1	79	54	2	–
35	Scotch Plains township†	150	–	–	2	45	19	7	7	7	3	1	1	2	76	61	2	1
36	Springfield township†	136	–	–	1	38	10	6	5	6	4	1	6	3	73	57	1	1
37	Summit	203	1	–	2	48	20	7	4	6	1	–	10	2	109	77	2	2
38	Union township†	559	–	1	1	119	35	23	11	14	11	6	19	13	330	262	9	4
39	Westfield	240	–	–	2	53	13	12	3	6	3	2	14	7	127	105	2	3
40	Balance of county	275	–	–	2	71	15	18	8	8	3	5	14	5	136	114	4	1
41	Warren	879	1	–	5	181	55	30	17	26	13	9	31	25	483	406	8	–
42	Phillipsburg	231	–	–	–	43	9	9	3	7	3	2	10	8	134	118	2	–
43	Balance of county	648	1	–	5	138	46	21	14	19	10	7	21	17	349	288	6	–
44	**New Mexico**	7,977	28	4	76	1,316	368	274	105	137	51	51	330	132	2,921	2,015	59	28
45	Urban places	4,315	8	1	32	766	192	172	64	91	34	27	186	76	1,669	1,134	35	17
46	Balance of area	3,662	20	3	44	550	176	102	41	46	17	24	144	56	1,252	881	24	11
47	Metropolitan counties	2,149	6	–	19	418	101	78	42	50	19	22	106	43	763	525	16	7
48	Urban places	2,069	5	–	17	405	98	77	41	50	19	19	101	43	745	512	15	7
49	Balance of area	80	1	–	2	13	3	1	1	–	–	3	5	–	18	13	1	–
50	Nonmetropolitan counties	5,828	22	4	57	898	267	196	63	87	32	29	224	89	2,158	1,490	43	21
51	Urban places	2,246	3	1	15	361	94	95	23	41	15	8	85	33	924	622	20	10
52	Balance of area	3,582	19	3	42	537	173	101	40	46	17	21	139	56	1,234	868	23	11
53	Bernalillo	2,149	6	–	19	418	101	78	42	50	19	22	106	43	763	525	16	7
54	Albuquerque	2,069	5	–	17	405	98	77	41	50	19	19	101	43	745	512	15	7
55	Balance of county	80	1	–	2	13	3	1	1	–	–	3	5	–	18	13	1	–
56	Catron	15	–	1	–	1	1	–	–	–	–	–	–	1	7	6	–	–
57	Chaves	479	–	–	2	89	31	23	4	10	2	2	17	11	172	104	5	2
58	Roswell	410	–	–	1	76	28	22	3	8	1	2	12	9	152	95	5	2
59	Balance of county	69	–	–	1	13	3	1	1	2	1	–	5	2	20	9	–	–
60	Colfax	113	–	–	1	14	4	5	–	2	1	1	1	3	43	34	–	–
61	Curry	300	1	–	–	35	6	11	3	3	–	1	11	2	150	114	2	2
62	Clovis	249	–	–	–	27	4	8	2	3	–	1	9	2	124	93	2	1
63	Balance of county	51	1	–	–	8	2	3	1	–	–	–	2	–	26	21	–	1
64	De Baca	36	–	–	–	6	2	2	–	1	1	–	–	–	19	17	–	–
65	Dona Ana	387	1	–	2	84	23	15	8	6	3	4	25	9	158	110	4	1
66	Las Cruces	213	1	–	1	40	13	5	3	3	2	2	12	7	89	59	3	1
67	Balance of county	174	–	–	1	44	10	10	5	3	1	2	13	2	69	51	1	–
68	Eddy	367	2	–	1	64	15	17	5	9	4	1	13	2	150	94	1	1
69	Artesia	116	–	–	–	23	5	5	2	5	1	1	4	–	44	32	1	–
70	Carlsbad	201	1	–	1	33	9	12	1	2	2	–	7	1	85	49	–	1
71	Balance of county	50	1	–	–	8	1	–	2	2	1	–	2	1	21	13	–	–
72	Grant	183	2	–	2	32	7	8	2	4	–	2	9	5	62	39	4	–
73	Guadalupe	39	–	–	–	9	3	1	1	1	–	–	3	1	10	7	–	–
74	Harding	7	–	–	–	1	1	–	–	–	–	–	–	–	5	3	–	–
75	Hidalgo	58	–	–	1	6	1	1	–	1	–	–	3	–	28	16	–	–
76	Lea	353	1	–	3	59	14	17	6	6	–	–	16	3	165	115	–	1
77	Hobbs	196	1	–	–	33	7	12	3	5	–	–	6	1	97	63	–	1
78	Balance of county	157	–	–	3	26	7	5	3	1	–	–	10	2	68	52	–	–
79	Lincoln	108	–	–	1	12	3	3	2	2	–	–	2	3	52	39	1	1
80	Los Alamos	47	–	–	1	15	3	1	3	–	–	3	5	1	12	8	–	1
81	Luna	150	–	1	4	24	8	3	4	2	3	1	3	3	70	51	2	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,717	42	15	405	35	41	92	41	24	95	17	–	31	47	37	300	69	112	34	36	6	01
351	6	1	97	10	8	18	6	5	17	4	–	5	6	2	46	18	19	8	3	1	02
86	2	–	21	2	3	4	1	1	5	–	–	1	–	3	10	1	2	3	–	1	03
42	1	–	2	2	–	–	–	–	1	–	–	–	2	–	9	1	4	–	–	–	04
279	4	3	70	4	6	10	5	4	13	5	–	3	2	3	34	5	11	4	7	–	05
547	16	5	117	11	14	30	18	6	36	5	–	15	22	27	110	19	47	6	21	2	06
27	2	–	12	–	1	5	2	–	1	–	–	–	–	–	6	7	3	1	–	1	07
13	1	1	3	–	–	–	–	–	–	–	–	1	1	–	3	–	8	1	–	–	08
28	1	–	8	1	2	3	2	1	–	–	–	–	–	–	7	2	1	–	2	–	09
134	4	3	19	2	3	7	2	2	10	–	–	2	3	–	25	9	7	5	–	–	10
33	1	–	8	1	2	–	1	–	4	–	–	–	2	–	6	–	3	–	–	–	11
177	4	2	48	2	2	15	4	5	8	3	–	4	9	2	44	7	7	6	3	1	12
219	12	2	62	4	14	16	2	4	10	1	–	5	8	1	41	12	10	9	4	–	13
505	19	5	130	19	16	29	16	6	27	4	1	7	18	5	93	31	26	14	4	2	14
48	–	1	10	2	1	3	1	–	2	–	–	–	3	–	4	–	3	1	–	1	15
63	2	1	14	2	1	3	1	–	4	1	–	1	1	–	10	3	2	1	–	–	16
62	1	–	12	2	–	4	1	1	–	–	–	1	5	2	17	4	1	2	–	–	17
27	1	–	4	2	2	–	3	1	–	–	–	–	1	–	10	2	1	1	–	–	18
55	2	2	13	4	4	6	1	1	7	–	–	2	3	–	9	1	2	1	1	–	19
47	3	–	14	4	2	4	2	1	1	1	1	–	–	1	15	4	2	–	1	1	20
203	10	1	63	3	6	9	7	2	13	2	–	3	5	2	28	17	15	8	2	–	21
266	8	2	65	1	11	10	13	8	13	–	–	4	7	1	40	15	19	12	2	–	22
1,877	93	8	458	58	57	93	47	17	80	22	1	28	49	48	351	68	91	36	27	9	23
17	3	–	4	–	–	4	–	–	–	–	–	–	–	–	4	1	1	–	–	–	24
44	2	–	11	1	–	1	–	1	3	1	–	–	1	2	8	2	1	–	–	–	25
71	6	–	22	7	2	5	2	1	2	–	–	1	1	1	17	3	3	3	–	1	26
449	19	1	113	15	16	15	9	6	22	6	–	15	13	15	77	14	25	6	9	6	27
77	5	–	39	2	1	3	3	1	8	2	–	1	–	2	23	4	5	1	2	–	28
180	11	1	32	2	2	3	5	2	3	2	–	–	4	2	24	2	8	3	4	–	29
29	1	–	3	1	1	2	–	–	1	1	–	–	3	–	6	1	1	–	1	1	30
148	9	–	35	6	5	11	9	1	13	3	1	2	14	6	40	9	10	4	6	–	31
103	6	1	18	7	3	4	2	1	6	–	–	1	1	–	10	5	8	6	1	–	32
88	6	–	27	1	2	4	–	1	1	–	–	–	1	3	15	4	3	–	–	–	33
51	1	–	21	3	1	2	2	–	3	2	–	–	1	1	9	–	4	1	–	–	34
55	3	1	11	2	1	3	3	–	3	–	–	1	–	1	11	2	1	–	–	–	35
51	4	–	12	1	3	3	1	–	1	–	–	–	–	3	7	4	2	–	–	–	36
71	2	1	26	3	2	9	2	1	3	1	–	1	1	1	16	3	2	1	–	–	37
238	11	2	53	7	6	9	5	2	4	1	–	1	3	5	39	8	10	5	2	1	38
98	2	1	15	–	6	10	2	–	4	2	–	1	2	1	19	3	3	3	1	–	39
107	2	–	16	–	6	5	2	–	3	1	–	4	4	5	26	3	4	3	1	–	40
388	10	–	58	9	10	32	12	4	6	1	–	4	15	2	62	23	17	5	1	–	41
113	3	–	12	2	2	8	–	2	3	–	–	1	5	1	20	2	3	1	–	–	42
275	7	–	46	7	8	24	12	2	3	1	–	3	10	1	42	21	14	4	1	–	43
1,729	199	44	663	117	82	262	159	30	198	38	2	95	146	374	931	477	406	201	146	35	44
991	91	33	390	69	43	114	95	16	94	27	1	49	74	225	480	186	180	108	92	22	45
738	108	11	273	48	39	148	64	14	104	11	1	46	72	149	451	291	226	93	54	13	46
456	46	16	178	24	20	64	34	6	44	13	–	20	26	128	269	92	83	64	44	13	47
448	42	16	174	24	19	62	34	6	39	13	–	19	23	119	261	80	80	62	43	13	48
8	4	–	4	–	1	2	–	–	5	–	–	1	3	9	8	12	3	2	1	–	49
1,273	153	28	485	93	62	198	125	24	154	25	2	75	120	246	662	385	323	137	102	22	50
543	49	17	216	45	24	52	61	10	55	14	1	30	51	106	219	106	100	46	49	9	51
730	104	11	269	48	38	146	64	14	99	11	1	45	69	140	443	279	223	91	53	13	52
456	46	16	178	24	20	64	34	6	44	13	–	20	26	128	269	92	83	64	44	13	53
448	42	16	174	24	19	62	34	6	39	13	–	19	23	119	261	80	80	62	43	13	54
8	4	–	4	–	1	2	–	–	5	–	–	1	3	9	8	12	3	2	1	–	55
6	–	–	1	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	56
91	6	2	43	17	6	12	13	–	10	1	–	10	3	35	57	17	26	9	10	2	57
83	5	2	38	13	4	10	13	–	7	1	–	8	2	31	44	16	22	7	9	2	58
8	1	–	5	4	2	2	–	–	3	–	–	2	1	4	13	1	4	2	1	–	59
30	4	–	4	2	3	4	5	1	3	–	–	2	3	2	15	6	4	4	3	–	60
99	11	2	22	11	1	5	11	1	9	2	1	4	15	4	25	11	12	3	8	1	61
80	10	2	20	8	1	5	10	1	8	2	1	4	13	2	19	11	9	3	7	1	62
19	1	–	2	3	–	–	1	–	1	–	–	–	2	2	6	–	3	–	1	–	63
17	–	–	2	–	–	–	–	–	–	1	–	–	1	–	3	3	2	1	–	–	64
92	13	2	34	9	3	8	12	2	3	2	–	7	8	10	39	17	10	10	5	–	65
50	5	2	21	5	2	4	8	2	1	2	–	3	5	5	25	9	4	4	3	–	66
42	8	–	13	4	1	4	4	–	2	–	–	4	3	5	14	8	6	6	2	–	67
85	7	2	42	11	1	15	10	2	10	2	–	4	9	11	39	17	16	7	6	–	68
31	–	1	10	–	1	3	7	–	3	–	–	3	2	2	15	7	5	1	1	–	69
41	7	1	27	8	–	9	3	2	6	2	–	1	5	6	22	8	6	5	5	–	70
13	–	–	5	3	–	3	–	–	1	–	–	–	2	3	2	2	5	1	–	–	71
30	5	1	15	4	3	9	4	–	6	1	–	4	4	7	24	8	9	2	2	–	72
6	1	–	2	–	1	2	1	–	1	–	–	–	1	3	1	2	2	4	1	1	73
3	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	74
16	–	–	11	–	1	3	1	1	–	–	–	–	2	6	4	3	2	1	–	–	75
103	11	1	39	4	6	9	3	1	7	–	–	3	8	13	31	19	15	5	7	1	76
59	3	1	30	–	3	5	1	1	5	–	–	3	5	6	13	8	9	2	6	–	77
44	8	–	9	4	3	4	2	–	2	–	–	–	3	7	18	11	6	3	1	1	78
37	–	–	10	2	1	2	3	–	5	–	–	1	2	5	12	4	4	2	–	–	79
6	1	–	3	–	1	1	1	–	–	–	–	4	2	2	3	2	1	2	–	–	80
44	4	–	17	–	2	3	3	–	4	1	1	–	5	3	12	9	5	1	–	1	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New Mexico—Con.																	
01	McKinley	379	3	–	9	33	8	4	5	6	4	–	6	4	61	41	6	–
02	Gallup	116	–	–	1	16	3	3	3	3	3	–	1	2	40	27	2	–
03	Balance of county	263	3	–	8	17	5	1	2	3	1	–	5	2	21	14	4	–
04	Mora	49	1	–	–	7	4	–	1	–	–	1	1	2	16	15	–	–
05	Otero	230	3	–	4	42	12	14	1	1	2	1	11	4	89	64	1	1
06	Alamogordo	140	–	–	3	28	7	9	1	1	1	–	9	3	57	40	1	–
07	Balance of county	90	3	–	1	14	5	5	–	–	1	1	2	1	32	24	–	1
08	Quay	138	–	–	–	21	8	4	–	1	–	1	7	2	63	41	–	–
09	Rio Arriba	237	1	–	3	33	12	7	1	2	–	2	9	4	50	24	2	–
10	Roosevelt	133	–	–	3	17	2	2	1	5	2	1	4	3	68	54	–	2
11	Portales	97	–	–	1	10	–	1	1	4	1	–	3	2	52	41	–	1
12	Balance of county	36	–	–	2	7	2	1	–	1	1	1	1	1	16	13	–	1
13	Sandoval	211	1	–	3	38	18	5	3	4	–	1	7	3	68	45	1	–
14	San Juan	357	2	–	5	41	10	7	–	6	1	2	15	6	89	63	2	2
15	Farmington	149	–	–	3	24	5	6	–	3	1	1	8	4	46	28	–	1
16	Balance of county	208	2	–	2	17	5	1	–	3	–	1	7	2	43	35	2	1
17	San Miguel	215	1	–	2	30	10	8	1	2	1	1	7	4	89	66	3	–
18	Santa Fe	437	–	1	4	69	22	16	6	5	3	1	16	4	159	110	6	2
19	Santa Fe	359	–	1	4	51	13	12	4	4	3	1	14	2	138	95	6	2
20	Balance of county	78	–	–	–	18	9	4	2	1	–	–	2	2	21	15	–	–
21	Sierra	158	–	–	–	21	5	5	–	1	1	1	8	1	80	62	–	2
22	Socorro	95	2	–	–	15	8	2	–	–	1	–	4	4	33	25	1	–
23	Taos	135	–	–	–	20	10	5	1	2	1	–	1	–	44	24	1	–
24	Torrance	34	1	–	–	4	1	2	–	–	–	–	1	–	18	12	1	–
25	Union	59	–	–	–	8	3	–	–	2	–	–	3	–	18	16	–	–
26	Valencia	319	–	1	6	48	12	8	5	3	2	2	16	4	110	71	–	2
27	**New York**	**169,618**	**380**	**19**	**977**	**35,530**	**10,859**	**7,850**	**3,597**	**3,893**	**1,663**	**1,273**	**6,395**	**3,372**	**87,826**	**69,381**	**1,331**	**756**
28	Urban places	114,638	311	14	677	23,601	7,395	5,111	2,369	2,643	1,051	811	4,221	2,388	58,814	47,255	860	515
29	Balance of area	54,980	69	5	300	11,929	3,464	2,739	1,228	1,250	612	462	2,174	984	29,012	22,126	471	241
30	Metropolitan counties	144,876	341	14	839	30,696	9,465	6,720	3,163	3,319	1,399	1,077	5,553	2,922	74,422	59,416	1,132	625
31	Urban places	107,991	300	12	638	22,328	7,010	4,843	2,242	2,485	984	754	4,010	2,268	55,141	44,611	816	481
32	Balance of area	36,885	41	2	201	8,368	2,455	1,877	921	834	415	323	1,543	654	19,281	14,805	316	144
33	Nonmetropolitan counties	24,742	39	5	138	4,834	1,394	1,130	434	574	264	196	842	450	13,404	9,965	199	131
34	Urban places	6,647	11	2	39	1,273	385	268	127	158	67	57	211	120	3,673	2,644	44	34
35	Balance of area	18,095	28	3	99	3,561	1,009	862	307	416	197	139	631	330	9,731	7,321	155	97
36	Albany	2,894	9	–	9	631	163	172	69	43	31	22	131	48	1,489	1,182	18	12
37	Albany	1,445	8	–	4	307	85	85	36	19	13	6	63	25	744	586	11	9
38	Cohoes	229	–	–	–	50	10	16	3	5	4	2	10	2	119	104	1	–
39	Watervliet	190	–	–	–	44	13	10	4	3	3	1	10	8	93	79	1	1
40	Balance of county	1,030	1	–	5	230	55	61	26	16	11	13	48	13	533	413	5	2
41	Allegany	429	1	–	1	95	31	22	15	8	1	4	14	5	205	149	6	1
42	Broome	1,978	2	1	7	401	117	80	44	57	17	16	70	38	1,087	838	16	11
43	Binghamton	835	1	–	5	160	47	36	14	26	8	4	25	19	474	354	8	5
44	Endicott	200	–	–	–	42	12	7	3	9	2	4	5	7	113	96	1	2
45	Johnson City	195	1	1	–	34	7	8	6	4	1	–	8	–	106	78	1	1
46	Balance of county	748	–	–	2	165	51	29	21	18	6	8	32	12	394	310	6	3
47	Cattaraugus	881	–	–	11	161	42	43	9	29	8	8	22	29	478	355	4	3
48	Olean	237	–	–	2	56	17	12	6	10	4	1	6	10	128	93	–	–
49	Balance of county	644	–	–	9	105	25	31	3	19	4	7	16	19	350	262	4	3
50	Cayuga	732	–	–	5	143	42	29	13	22	2	6	29	11	399	289	4	6
51	Auburn	365	–	–	4	70	24	9	6	10	1	4	16	7	204	155	4	6
52	Balance of county	367	–	–	1	73	18	20	7	12	1	2	13	4	195	134	–	–
53	Chautauqua	1,598	2	–	12	264	86	52	23	25	15	10	53	30	921	677	11	7
54	Dunkirk	186	–	–	1	28	8	4	1	3	2	1	9	5	106	84	–	–
55	Fredonia	80	1	–	–	15	6	2	2	1	1	–	3	1	45	34	1	–
56	Jamestown	519	1	–	4	95	31	20	10	4	5	6	19	5	296	204	2	3
57	Balance of county	813	–	–	7	126	41	26	10	17	7	3	22	19	474	355	8	4
58	Chemung	958	2	–	5	188	61	40	12	24	15	6	30	11	538	366	8	2
59	Elmira	474	2	–	2	94	28	21	5	10	8	5	17	4	261	173	5	–
60	Balance of county	484	–	–	3	94	33	19	7	14	7	1	13	7	277	193	3	2
61	Chenango	463	–	–	1	87	22	27	5	13	6	5	9	5	252	205	7	3
62	Clinton	489	1	–	3	93	33	16	7	12	5	4	16	8	271	219	5	2
63	Plattsburgh	172	–	–	–	31	11	4	3	5	–	1	7	4	79	60	1	–
64	Balance of county	317	1	–	3	62	22	12	4	7	5	3	9	4	192	159	4	2
65	Columbia	653	3	–	4	132	41	27	8	24	6	4	22	8	363	285	5	7
66	Cortland	456	–	–	–	85	21	18	12	8	3	8	15	8	249	182	1	5
67	Cortland	220	–	–	–	34	8	8	5	3	2	5	3	6	133	90	1	3
68	Balance of county	236	–	–	–	51	13	10	7	5	1	3	12	2	116	92	–	2
69	Delaware	553	–	–	2	82	31	22	5	3	5	3	13	5	317	249	7	2
70	Dutchess	1,841	4	1	13	386	115	101	45	35	19	13	58	28	974	762	15	3
71	Beacon	134	–	1	2	15	7	3	2	2	–	–	1	6	78	61	1	–
72	Poughkeepsie	428	1	–	2	105	30	25	18	10	6	5	11	4	220	176	3	–
73	Balance of county	1,279	3	–	9	266	78	73	25	23	13	8	46	18	676	525	11	3
74	Erie	10,564	10	1	62	2,088	604	474	203	247	129	69	362	212	5,782	4,293	87	40
75	Buffalo	5,450	5	1	40	1,016	291	239	83	132	63	30	178	121	2,973	2,218	47	23
76	Depew	150	1	–	–	24	9	3	2	4	2	1	3	3	87	61	–	–
77	Hamburg	106	–	–	–	20	7	4	1	3	1	1	3	1	64	47	–	1
78	Kenmore	230	–	–	–	52	15	14	8	5	1	2	7	3	134	102	2	1
79	Lackawanna	232	–	–	1	54	18	14	5	4	2	3	8	10	105	84	1	4
80	Lancaster	99	–	–	2	18	9	3	3	–	1	–	2	1	64	49	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
27	8	2	14	2	2	22	1	2	22	3	–	4	10	16	74	62	33	8	8	4	01
23	2	2	7	2	2	2	–	1	7	2	–	1	3	5	14	11	4	1	4	2	02
4	6	–	7	–	–	20	1	1	15	1	–	3	7	11	60	51	29	7	4	2	03
15	–	–	1	–	–	3	–	–	3	1	–	1	–	2	5	2	3	3	–	–	04
57	5	4	16	3	2	4	5	2	5	2	–	3	9	2	20	15	15	4	1	1	05
36	3	4	11	1	1	2	5	1	4	2	–	2	5	2	9	8	6	1	1	1	06
21	2	–	5	2	1	2	–	1	1	–	–	1	4	–	11	7	9	3	–	–	07
30	11	–	20	2	–	8	5	1	–	2	–	2	2	1	7	2	10	5	5	2	08
19	3	2	18	5	1	15	3	1	15	1	–	2	4	8	41	25	14	10	6	1	09
48	4	2	11	1	–	2	6	–	4	1	–	1	–	3	10	4	7	3	1	–	10
37	3	1	10	–	–	2	5	–	4	1	–	1	–	2	8	2	4	2	1	–	11
11	1	1	1	1	–	–	1	–	–	–	–	–	–	1	2	2	3	1	–	–	12
32	12	1	18	1	3	1	–	1	9	2	–	2	3	12	28	14	14	7	4	1	13
46	13	2	20	2	2	8	5	1	9	1	–	5	6	30	40	47	31	12	16	3	14
23	4	1	14	2	1	–	3	–	3	1	–	1	5	15	13	6	11	6	6	2	15
23	9	1	6	–	1	8	2	1	6	–	–	4	1	15	27	41	20	6	10	1	16
62	1	–	18	2	3	12	2	–	2	–	–	4	4	13	19	14	9	4	5	1	17
94	8	–	33	6	10	17	7	2	10	1	–	4	7	32	44	27	26	15	7	1	18
80	7	–	28	6	9	10	6	2	7	1	–	3	6	30	37	20	20	14	6	1	19
14	1	–	5	–	1	7	1	–	3	–	–	1	1	2	7	7	6	1	1	–	20
55	5	–	14	2	2	5	12	–	1	–	–	1	2	4	20	3	7	1	–	–	21
20	4	–	5	1	2	9	1	1	1	–	–	–	2	2	11	5	7	2	–	–	22
22	1	–	18	–	2	6	2	2	6	–	–	1	3	7	19	11	9	2	2	1	23
9	2	–	6	–	–	2	–	–	2	–	–	–	–	–	5	–	1	1	–	–	24
10	6	–	1	1	–	2	4	2	–	–	–	–	–	3	8	5	8	1	–	–	25
62	7	4	27	4	4	9	5	1	7	1	–	6	5	10	41	31	20	8	5	1	26
64,233	3,061	506	13,945	1,842	2,152	5,616	1,995	775	3,902	854	37	971	2,154	2,156	12,650	2,379	3,477	1,496	1,928	1,124	27
43,762	2,118	323	8,807	1,118	1,311	4,123	1,185	566	3,034	614	30	624	1,560	1,455	8,710	1,184	2,084	878	1,776	1,010	28
20,471	943	183	5,138	724	841	1,493	810	209	868	240	7	347	594	701	3,940	1,195	1,393	618	152	114	29
55,025	2,634	392	11,423	1,450	1,741	4,873	1,509	656	3,530	759	35	822	1,876	2,013	10,737	1,845	2,791	1,227	1,877	1,092	30
41,297	2,017	285	8,046	1,002	1,197	3,927	1,048	538	2,909	599	30	575	1,485	1,412	8,191	1,104	1,915	819	1,754	998	31
13,728	617	107	3,377	448	544	946	461	118	621	160	5	247	391	601	2,546	741	876	408	123	94	32
9,208	427	114	2,522	392	411	743	486	119	372	95	2	149	278	143	1,913	534	686	269	51	32	33
2,465	101	38	761	116	114	196	137	28	125	15	–	49	75	43	519	80	169	59	22	12	34
6,743	326	76	1,761	276	297	547	349	91	247	80	2	100	203	100	1,394	454	517	210	29	20	35
1,078	74	5	238	27	37	122	43	15	41	10	–	15	28	21	254	51	62	28	14	4	36
524	42	3	123	15	17	67	22	7	20	5	–	6	16	13	131	17	40	3	8	2	37
101	2	–	13	1	1	8	2	3	6	–	–	3	2	1	20	5	3	3	2	–	38
73	4	–	12	1	1	8	5	1	5	–	–	2	–	–	13	5	4	2	–	–	39
380	26	2	90	10	18	39	14	4	10	5	–	4	10	7	90	24	15	20	4	2	40
132	10	1	39	10	6	23	4	2	1	7	–	1	3	1	49	13	13	4	–	1	41
789	22	10	183	23	33	73	34	9	34	8	–	13	13	22	157	21	39	11	6	2	42
333	8	7	83	14	16	35	16	4	15	2	–	5	2	11	54	8	17	3	3	1	43
89	4	–	14	–	3	5	1	1	6	1	–	2	1	–	15	2	2	1	1	–	44
75	1	1	19	3	5	7	6	1	4	–	–	1	–	1	22	1	7	2	1	–	45
292	9	2	67	6	9	26	11	3	9	5	–	5	10	10	66	10	13	5	1	1	46
338	10	6	82	15	20	21	28	–	10	4	–	4	15	2	59	24	20	12	1	2	47
89	4	1	27	1	6	4	7	–	3	–	–	–	3	1	15	3	2	2	–	1	48
249	6	5	55	14	14	17	21	–	7	4	–	4	12	1	44	21	18	10	1	1	49
266	13	7	79	6	18	21	9	2	15	–	–	6	4	2	73	9	21	9	2	1	50
140	5	3	35	5	6	11	1	2	5	–	–	2	2	2	37	3	8	5	1	1	51
126	8	4	44	1	12	10	8	–	10	–	–	4	2	–	36	6	13	4	1	–	52
628	31	12	171	32	29	29	35	11	21	6	–	11	20	15	126	29	38	20	5	3	53
83	1	1	9	9	3	2	4	3	4	–	–	2	2	–	15	4	5	3	1	1	54
32	1	–	9	1	1	2	3	–	4	–	–	1	1	1	3	–	3	–	–	–	55
191	8	8	69	5	10	11	11	1	6	3	–	4	6	7	45	4	9	6	4	1	56
322	21	3	84	17	15	14	17	7	7	3	–	4	11	7	63	21	21	11	–	1	57
352	4	2	140	13	17	28	29	9	13	3	–	6	3	5	66	13	30	8	–	1	58
167	1	–	73	6	9	14	14	3	7	–	–	4	2	3	40	3	18	3	–	–	59
185	3	2	67	7	8	14	15	6	6	3	–	2	1	2	26	10	12	5	–	1	60
191	4	–	35	6	6	9	11	5	5	1	1	3	10	2	41	16	10	4	–	–	61
207	5	2	38	9	3	16	8	1	8	–	–	2	4	3	43	8	17	2	–	1	62
58	1	1	17	1	–	8	5	1	5	–	–	–	2	–	25	2	8	1	–	1	63
149	4	1	21	8	3	8	3	–	3	–	–	2	2	3	18	6	9	1	–	–	64
262	11	4	56	9	9	29	14	2	8	3	–	2	7	2	38	13	15	9	–	1	65
173	3	–	55	6	6	14	12	3	3	–	–	3	5	2	36	10	18	7	1	–	66
84	2	–	32	6	5	7	4	3	2	–	–	1	4	–	14	2	7	3	–	–	67
89	1	–	23	–	1	7	8	–	1	–	–	2	1	2	22	8	11	4	1	–	68
204	36	–	51	12	5	21	12	2	9	3	–	4	11	–	55	7	15	6	1	1	69
724	20	7	159	20	26	53	23	11	38	4	–	18	18	7	135	47	51	23	5	2	70
58	2	–	8	8	1	5	2	2	3	1	–	3	3	–	10	1	2	–	–	–	71
169	4	2	34	2	6	12	8	1	8	–	–	5	4	1	33	6	13	4	1	–	72
497	14	5	117	10	19	36	13	8	27	3	–	10	11	6	92	40	36	19	4	2	73
3,961	205	38	1,151	138	162	267	167	46	217	35	2	64	138	81	775	139	243	87	74	74	74
2,033	115	21	586	76	72	155	86	33	125	16	1	21	85	63	383	40	138	42	66	40	75
60	1	–	16	3	7	2	1	–	3	1	–	1	4	2	14	2	3	1	–	1	76
46	–	–	15	2	–	1	1	2	3	2	–	1	–	–	3	2	3	1	–	2	77
94	5	1	26	1	4	1	3	–	3	2	–	1	2	1	22	2	1	2	–	1	78
72	7	1	16	1	3	9	7	–	7	–	–	1	4	1	18	–	10	–	2	3	79
46	2	–	14	–	1	4	–	–	1	–	–	–	1	1	3	–	2	1	–	1	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New York—Con.																	
	Erie—Con.																	
01	Tonawanda	222	–	–	1	42	11	14	1	7	3	2	4	3	121	84	2	1
02	Balance of county	4,075	4	–	18	862	244	183	100	92	56	30	157	70	2,234	1,648	35	9
03	Essex	403	1	–	2	91	21	24	14	7	7	6	12	11	208	155	5	1
04	Franklin	468	–	1	3	88	27	21	3	5	8	3	21	2	269	197	9	5
05	Fulton	668	1	–	5	134	41	25	16	23	4	2	23	14	368	256	4	2
06	Gloversville	279	–	–	–	62	16	11	8	13	1	1	12	7	159	112	3	2
07	Johnstown	140	1	–	3	26	11	3	4	3	2	1	2	3	78	48	–	–
08	Balance of county	249	–	–	2	46	14	11	4	7	1	–	9	4	131	96	1	–
09	Genesee	572	–	1	3	125	29	34	13	17	7	5	20	14	285	198	3	4
10	Batavia	202	–	–	3	42	8	8	6	8	4	2	6	2	105	74	1	1
11	Balance of county	370	–	1	–	83	21	26	7	9	3	3	14	12	180	124	2	3
12	Greene	465	–	–	3	111	32	33	6	11	5	3	21	10	254	203	1	1
13	Hamilton	67	–	–	2	16	3	3	4	2	–	1	3	–	32	26	1	–
14	Herkimer	731	3	–	3	117	37	17	16	15	6	4	22	13	440	332	3	10
15	Jefferson	1,002	–	2	4	192	47	49	20	32	9	7	28	24	550	375	3	3
16	Watertown	390	–	1	1	67	12	20	7	13	4	3	8	11	229	149	–	1
17	Balance of county	612	–	1	3	125	35	29	13	19	5	4	20	13	321	226	3	2
18	Lewis	226	2	–	–	43	12	7	2	7	4	–	11	2	128	98	1	2
19	Livingston	462	–	–	1	94	32	18	6	9	9	4	16	9	229	172	6	1
20	Madison	540	2	–	3	98	40	18	5	14	2	2	17	8	303	223	3	3
21	Oneida	118	–	–	1	21	12	3	2	2	–	–	2	–	74	52	–	–
22	Balance of county	422	2	–	2	77	28	15	3	12	2	2	15	8	229	171	3	3
23	Monroe	5,653	7	–	49	1,194	351	276	118	120	61	52	216	101	2,854	2,149	54	20
24	Rochester	3,191	6	–	35	587	182	152	39	63	33	21	97	57	1,613	1,225	27	13
25	Balance of county	2,462	1	–	14	607	169	124	79	57	28	31	119	44	1,241	924	27	7
26	Montgomery	575	–	–	2	112	37	21	9	18	4	6	17	13	327	229	2	4
27	Amsterdam	281	–	–	1	60	23	11	2	11	3	4	6	5	163	106	2	1
28	Balance of county	294	–	–	1	52	14	10	7	7	1	2	11	8	164	123	–	3
29	Nassau	11,201	14	1	60	2,665	841	559	310	247	118	94	496	194	5,968	4,756	98	52
30	East Rockaway	101	–	–	1	17	9	4	–	2	1	1	–	–	63	55	1	1
31	Floral Park	147	–	–	–	33	15	7	2	2	–	3	4	2	82	67	–	1
32	Freeport	370	–	–	1	78	20	21	9	9	3	2	14	5	196	144	5	3
33	Garden City	232	1	–	–	54	22	9	4	7	–	1	11	2	135	112	1	–
34	Glen Cove	254	3	–	2	55	16	12	5	7	–	3	12	5	143	111	6	1
35	Great Neck	138	–	–	–	33	5	2	8	5	4	3	6	–	71	52	2	–
36	Hempstead	372	3	–	2	78	27	20	7	6	4	2	12	14	174	133	1	2
37	Long Beach	657	2	–	2	98	37	13	8	16	6	4	14	9	422	346	3	1
38	Lynbrook	224	–	–	2	59	22	11	7	5	2	1	11	2	122	96	2	2
39	Malverne	100	–	–	–	22	6	5	3	2	–	2	4	4	49	42	1	1
40	Massapequa Park	140	–	–	–	39	7	11	3	5	1	3	9	3	75	65	3	–
41	Mineola	198	–	–	1	56	16	11	9	6	2	2	10	–	105	80	1	–
42	New Hyde Park	79	–	–	–	22	9	1	2	2	3	1	4	2	47	35	2	–
43	Rockville Centre	304	–	–	1	66	22	14	5	3	3	–	19	3	178	139	2	3
44	Valley Stream	359	–	–	1	94	33	19	11	13	3	2	13	5	200	167	5	1
45	Westbury	141	–	–	1	40	10	10	4	8	1	1	6	2	60	48	1	–
46	Balance of county	7,385	5	1	46	1,821	565	389	223	149	85	63	347	136	3,846	3,064	62	36
47	New York City	77,517	246	8	485	16,044	5,054	3,385	1,651	1,784	664	548	2,958	1,677	38,738	32,059	559	333
48	Bronx Borough, Bronx County	13,455	36	1	72	2,694	889	526	263	312	97	94	513	327	6,522	5,446	112	51
49	Brooklyn Borough, Kings County	23,786	86	3	183	4,796	1,479	1,021	499	524	206	168	899	555	12,030	10,067	162	127
50	Manhattan Borough, New York County	17,985	78	3	117	3,560	1,131	738	363	387	138	131	672	340	8,253	6,684	118	66
51	Queens Borough, Queens County	19,639	36	1	98	4,427	1,383	943	488	494	206	134	779	419	10,522	8,674	148	78
52	Richmond Borough, Richmond County	2,652	10	–	15	567	172	157	38	67	17	21	95	36	1,411	1,188	19	11
53	Niagara	2,120	1	–	11	453	129	111	45	43	29	16	80	34	1,130	838	15	2
54	Lockport	294	–	–	1	54	7	17	4	9	7	3	7	6	158	119	2	–
55	Niagara Falls	880	–	–	4	204	67	53	15	18	12	4	35	10	472	344	8	–
56	North Tonawanda	322	1	–	3	62	19	13	5	6	3	1	15	4	181	131	1	–
57	Balance of county	624	–	–	3	133	36	28	21	10	7	8	23	14	319	244	4	2
58	Oneida	2,545	3	1	6	496	172	105	48	62	25	14	70	50	1,421	1,057	24	14
59	Rome	425	–	–	1	87	28	12	7	8	6	6	20	9	224	162	2	1
60	Utica	1,103	2	1	3	200	71	47	20	25	11	5	21	17	647	486	14	7
61	Balance of county	1,017	1	–	2	209	73	46	21	29	8	3	29	24	550	409	8	6
62	Onondaga	4,007	10	–	17	867	263	204	86	91	34	36	153	72	2,138	1,593	26	23
63	Syracuse	2,166	8	–	7	462	142	103	49	51	18	14	85	40	1,164	861	18	18
64	Balance of county	1,841	2	–	10	405	121	101	37	40	16	22	68	32	974	732	8	5
65	Ontario	701	1	–	4	129	29	24	13	16	14	8	25	5	389	259	5	2
66	Canandaigua	127	–	–	–	23	3	7	4	1	3	2	3	–	71	36	–	–
67	Geneva	167	1	–	1	34	10	9	2	4	3	–	6	2	100	74	1	–
68	Balance of county	407	–	–	3	72	16	8	7	11	8	6	16	3	218	149	4	2
69	Orange	2,185	3	–	14	459	148	104	44	48	22	16	77	43	1,130	850	26	11
70	Middletown	271	–	–	3	49	21	5	2	5	2	4	10	8	147	118	2	3
71	Newburgh	377	–	–	1	72	21	18	6	13	3	1	10	5	193	139	2	1
72	Balance of county	1,537	3	–	10	338	106	81	36	30	17	11	57	30	790	593	22	7
73	Orleans	358	1	–	1	59	20	16	4	9	4	1	5	10	207	154	3	–
74	Oswego	925	–	–	3	200	62	56	19	24	10	9	20	16	498	394	14	12
75	Fulton	159	–	–	–	35	9	11	2	2	3	3	5	2	89	68	5	3
76	Oswego	206	–	–	1	52	15	15	8	4	3	2	5	5	108	94	2	2
77	Balance of county	560	–	–	2	113	38	30	9	18	4	4	10	9	301	232	7	7
78	Otsego	622	1	–	3	111	34	23	6	15	13	3	17	5	356	267	4	2
79	Oneonta	128	–	–	–	26	7	7	2	4	–	1	5	2	71	48	–	–
80	Balance of county	494	1	–	3	85	27	16	4	11	13	2	12	3	285	219	4	2
81	Putnam	462	1	–	3	112	27	26	15	12	5	4	23	12	233	178	1	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
80	1	1	25	4	7	5	7	1	–	–	–	3	1	3	25	1	6	2	–	1	01
1,530	74	14	453	51	68	90	62	10	75	14	1	36	41	10	307	92	80	38	6	25	02
140	9	–	41	7	5	14	4	1	6	1	–	1	2	1	38	4	10	6	1	1	03
171	12	5	55	3	9	10	5	5	4	1	–	2	3	3	36	11	21	3	–	1	04
238	12	3	92	11	6	19	20	4	9	1	–	4	7	3	42	11	16	8	1	1	05
103	4	1	38	5	3	7	8	2	5	1	–	–	2	2	16	3	3	1	1	–	06
45	3	1	22	4	3	3	5	1	–	–	–	1	–	–	12	1	5	1	–	–	07
90	5	1	32	2	–	9	7	1	4	–	–	3	5	1	14	7	8	6	–	1	08
180	11	1	64	12	10	19	12	3	8	1	–	4	3	4	44	25	13	4	1	3	09
67	5	1	22	5	3	7	5	1	5	–	–	3	1	1	15	4	4	3	–	1	10
113	6	–	42	7	7	12	7	2	3	1	–	1	2	3	29	21	9	1	1	2	11
191	10	1	38	2	10	14	4	2	8	–	–	1	4	4	32	11	4	3	–	–	12
24	1	2	3	1	–	4	3	–	1	–	–	1	–	–	2	3	3	–	–	–	13
303	16	2	70	20	16	20	16	3	14	1	–	1	6	3	51	19	14	7	–	–	14
353	16	4	138	14	19	22	20	4	15	2	–	5	14	1	85	21	30	9	1	1	15
141	7	1	63	5	11	8	8	1	7	2	–	2	4	–	29	5	13	2	–	–	16
212	9	3	75	9	8	14	12	3	8	–	–	3	10	1	56	16	17	7	1	1	17
94	1	3	21	5	1	2	4	–	–	1	–	2	4	2	15	10	9	2	–	–	18
152	13	2	38	8	9	31	7	1	4	2	–	1	5	1	28	24	15	7	1	2	19
206	11	1	64	8	7	11	14	2	4	1	–	5	8	2	35	21	17	6	–	–	20
52	–	–	19	2	1	3	2	2	1	–	–	–	1	–	6	2	5	–	–	–	21
154	11	1	45	6	6	8	12	–	3	1	–	5	7	2	29	19	12	6	–	–	22
1,949	126	20	526	69	90	212	83	19	97	26	2	33	64	35	495	94	136	85	41	26	23
1,103	82	12	286	41	49	149	46	15	62	15	1	19	45	28	299	42	77	43	36	16	24
846	44	8	240	28	41	63	37	4	35	11	1	14	19	7	196	52	59	42	5	10	25
213	10	6	68	16	8	13	9	3	6	7	–	1	2	3	49	3	17	7	–	1	26
98	5	4	41	9	3	7	7	1	2	3	–	1	–	1	21	1	6	2	–	–	27
115	5	2	27	7	5	6	2	2	4	4	–	–	2	2	28	2	11	5	–	1	28
4,453	153	31	915	109	157	324	87	43	187	56	–	53	101	225	682	144	225	99	44	29	29
53	–	–	5	3	–	4	–	1	3	–	–	–	1	–	8	–	1	1	–	1	30
64	2	–	10	1	4	7	–	–	1	–	–	1	1	4	8	1	5	1	–	1	31
134	2	1	46	–	5	10	3	1	7	–	–	2	10	12	25	4	9	3	3	1	32
107	4	–	15	5	3	4	4	–	6	1	–	–	1	3	11	3	5	2	–	–	33
101	3	2	23	4	3	6	4	1	5	–	–	2	–	2	12	8	3	2	1	–	34
49	1	1	16	1	1	6	–	–	2	2	–	–	2	3	13	1	3	1	–	1	35
126	4	–	33	4	4	16	6	3	6	3	–	2	10	15	17	4	13	4	2	–	36
337	5	6	61	3	6	19	7	–	8	1	–	3	4	20	35	2	10	5	7	3	37
90	2	–	20	2	4	8	1	2	3	–	–	1	2	2	9	3	6	2	–	–	38
39	1	–	4	2	1	6	–	2	4	1	–	–	3	–	7	1	1	–	–	–	39
62	–	1	5	1	3	3	1	1	1	1	–	–	1	2	5	2	3	3	–	–	40
77	2	1	20	2	2	8	2	1	2	1	–	–	–	5	10	2	4	1	–	–	41
32	1	1	10	–	1	1	–	–	–	1	–	1	–	2	1	2	–	–	–	–	42
126	8	1	26	7	5	11	5	1	7	2	–	–	3	4	16	–	4	1	1	1	43
158	3	–	25	3	5	10	2	1	5	–	–	–	2	4	20	9	4	1	1	–	44
43	4	–	10	–	2	9	1	1	2	2	–	1	–	5	9	3	2	2	1	–	45
2,855	111	17	586	71	108	196	51	28	125	41	–	40	61	142	476	99	152	70	28	21	46
29,774	1,393	171	5,133	601	774	2,961	622	391	2,318	485	25	427	1,120	1,084	5,909	761	1,206	566	1,561	883	47
5,032	251	25	838	72	141	521	123	72	395	102	7	82	213	168	1,100	153	208	73	392	194	48
9,306	472	52	1,490	210	211	962	180	115	575	152	8	160	469	388	1,758	240	365	136	443	182	49
6,167	333	34	1,150	187	198	694	134	88	864	111	3	84	214	318	1,591	154	312	188	523	356	50
8,162	286	56	1,487	116	189	686	162	98	424	108	7	84	178	181	1,275	180	276	154	191	132	51
1,107	51	4	168	16	35	98	23	18	60	12	–	17	46	29	185	34	45	15	12	19	52
796	25	11	232	17	32	50	37	9	28	7	1	20	35	21	135	49	51	33	9	6	53
115	2	1	32	3	3	10	7	1	3	2	–	3	6	5	19	9	6	2	2	–	54
324	12	7	105	7	9	22	9	5	14	4	1	6	11	9	60	9	20	14	4	2	55
127	3	2	37	2	9	5	5	2	7	–	–	3	4	2	25	4	9	3	1	1	56
230	8	1	58	5	11	13	16	1	4	1	–	8	14	5	31	27	16	14	2	3	57
979	40	10	273	41	40	61	49	11	47	11	1	12	26	17	177	45	62	30	8	11	58
153	6	2	52	1	7	11	12	1	4	2	–	4	7	1	34	8	8	7	1	4	59
445	20	5	125	17	14	26	22	6	22	7	1	5	13	6	71	11	28	8	2	5	60
381	14	3	96	23	19	24	15	4	21	2	–	3	6	10	72	26	26	15	5	2	61
1,353	191	12	415	60	58	97	49	25	60	15	–	18	51	31	344	60	87	44	13	9	62
713	112	6	230	40	27	58	26	14	39	10	–	8	23	17	194	16	46	18	9	7	63
640	79	6	185	20	31	39	23	11	21	5	–	10	28	14	150	44	41	26	4	2	64
220	32	7	92	20	11	21	14	10	10	4	–	5	8	5	40	27	17	12	–	–	65
28	8	3	25	4	3	5	–	2	2	1	–	1	2	2	10	5	2	1	–	–	66
67	6	1	22	2	1	6	2	2	6	–	–	2	2	1	3	1	4	–	–	–	67
125	18	3	45	14	7	10	12	6	2	3	–	2	4	2	27	21	11	11	–	–	68
779	34	11	205	27	37	56	46	11	46	9	–	16	27	14	167	37	68	18	18	3	69
110	3	3	15	3	8	10	8	1	6	–	–	3	6	1	16	4	1	2	5	1	70
130	6	2	42	5	5	13	8	1	10	1	–	5	10	7	29	3	11	–	7	1	71
539	25	6	148	19	24	33	30	9	30	8	–	8	11	6	122	30	56	16	6	1	72
143	8	1	43	5	4	8	5	1	5	3	–	3	3	4	29	6	7	5	–	1	73
346	22	2	81	13	8	20	20	3	9	5	–	6	16	5	54	25	30	12	1	2	74
55	5	–	13	4	4	1	4	1	–	1	–	–	2	1	12	4	3	2	1	1	75
84	6	–	12	1	1	7	4	1	5	2	–	1	5	1	5	2	5	2	–	–	76
207	11	2	56	8	3	12	12	1	4	2	–	5	9	3	37	19	22	8	–	1	77
252	9	4	64	5	16	27	7	2	9	3	–	2	12	4	41	14	10	14	–	1	78
47	1	–	19	1	3	6	1	–	2	–	–	–	5	1	7	3	3	1	–	–	79
205	8	4	45	4	13	21	6	2	7	3	–	2	7	3	34	11	7	13	–	1	80
173	2	3	42	1	9	19	10	1	7	4	–	2	3	7	32	6	3	3	4	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	New York—Con.																	
01	Rensselaer	1,588	3	–	7	340	120	86	39	29	12	8	46	54	888	668	15	7
02	Rensselaer	114	–	–	1	25	7	6	4	3	–	–	5	8	55	47	–	1
03	Troy	845	1	–	2	172	68	41	16	13	6	2	26	30	485	362	7	4
04	Balance of county	629	2	–	4	143	45	39	19	13	6	6	15	16	348	259	8	2
05	Rockland	1,588	–	–	11	366	112	73	44	39	18	20	60	24	833	646	16	6
06	Spring Valley	169	–	–	2	39	14	10	4	1	1	3	6	2	86	66	2	1
07	Balance of county	1,419	–	–	9	327	98	63	40	38	17	17	54	22	747	580	14	5
08	St. Lawrence	1,020	2	–	3	172	43	46	13	26	13	6	25	32	548	411	9	14
09	Massena	141	–	–	–	25	7	5	3	4	2	1	3	5	80	57	–	3
10	Ogdensburg	151	–	–	1	26	3	6	4	3	2	1	7	4	80	61	2	1
11	Balance of county	728	2	–	2	121	33	35	6	19	9	4	15	23	388	293	7	10
12	Saratoga	1,134	2	1	4	228	73	52	22	24	13	6	38	23	599	429	5	4
13	Saratoga Springs	256	–	–	–	42	15	10	7	2	2	1	5	7	141	99	2	1
14	Balance of county	878	2	1	4	186	58	42	15	22	11	5	33	16	458	330	3	3
15	Schenectady	1,608	3	–	1	326	96	77	33	33	20	13	54	25	852	685	4	2
16	Schenectady	1,007	3	–	–	189	60	40	24	18	11	10	26	18	530	413	2	1
17	Balance of county	601	–	–	1	137	36	37	9	15	9	3	28	7	322	272	2	1
18	Schoharie	317	1	–	–	67	14	14	8	12	3	6	10	8	166	136	2	–
19	Schuyler	167	–	–	–	31	3	7	2	4	7	1	7	5	81	61	2	–
20	Seneca	297	–	–	4	50	8	17	2	3	4	2	14	11	156	117	3	6
21	Steuben	1,006	2	–	10	191	50	59	16	14	10	8	34	17	517	373	8	10
22	Corning	169	–	–	1	42	8	15	3	3	4	1	8	3	79	57	2	1
23	Hornell	176	2	–	3	27	9	8	4	1	1	1	3	2	87	70	1	1
24	Balance of county	661	–	–	6	122	33	36	9	10	5	6	23	12	351	246	5	8
25	Suffolk	8,570	13	–	51	1,996	563	472	206	195	96	64	400	157	4,314	3,357	81	29
26	Babylon	141	–	–	–	38	12	7	4	4	4	–	7	–	81	67	–	1
27	Lindenhurst	205	–	–	–	49	14	11	5	6	1	1	11	7	109	82	3	–
28	Patchogue	131	–	–	–	21	2	4	4	2	3	1	5	2	63	52	–	–
29	Balance of county	8,093	13	–	51	1,888	535	450	193	183	88	62	377	148	4,061	3,156	78	28
30	Sullivan	677	2	–	2	135	44	24	11	11	3	8	34	18	358	277	5	5
31	Tioga	369	–	–	3	74	16	13	10	8	6	3	18	6	208	159	–	1
32	Tompkins	558	1	–	3	96	33	26	6	9	4	3	15	7	303	224	8	2
33	Ithaca	234	1	–	1	32	13	8	4	1	–	1	5	4	134	97	5	1
34	Balance of county	324	–	–	2	64	20	18	2	8	4	2	10	3	169	127	3	1
35	Ulster	1,515	2	–	6	323	102	75	18	28	16	8	76	17	855	649	15	11
36	Kingston	367	–	–	2	78	32	12	5	7	2	1	19	4	214	164	5	5
37	Balance of county	1,148	2	–	4	245	70	63	13	21	14	7	57	13	641	485	10	6
38	Warren	578	1	–	2	109	26	25	11	17	5	9	16	2	297	231	3	1
39	Glens Falls	232	1	–	1	39	11	7	3	6	2	4	6	1	133	104	–	1
40	Balance of county	346	–	–	1	70	15	18	8	11	3	5	10	1	164	127	3	–
41	Washington	539	3	–	2	105	27	24	14	20	2	3	15	7	289	221	3	1
42	Wayne	652	–	–	4	125	34	40	8	12	7	7	17	12	348	275	9	6
43	Newark	86	–	–	–	12	5	3	2	1	1	–	–	4	47	40	1	2
44	Balance of county	566	–	–	4	113	29	37	6	11	6	7	17	8	301	235	8	4
45	Westchester	7,872	12	1	41	1,834	566	416	177	214	88	69	304	139	4,096	3,157	76	37
46	Dobbs Ferry	65	–	–	–	21	11	1	1	4	1	–	3	2	33	32	1	–
47	Mamaroneck	149	–	–	1	37	12	5	7	5	3	1	4	5	72	54	1	–
48	Mount Vernon	734	1	1	2	171	56	41	16	15	6	7	30	16	382	299	10	8
49	New Rochelle	728	2	–	4	149	48	40	12	17	6	3	23	9	382	286	8	2
50	Ossining	203	1	–	–	48	14	10	6	8	2	2	6	1	115	91	1	1
51	Peekskill	213	–	–	3	51	16	13	7	7	1	2	5	4	104	79	3	–
52	Port Chester	255	–	–	3	50	18	9	4	7	5	1	6	7	136	103	1	1
53	Rye	139	–	–	1	29	7	7	3	4	2	–	6	2	66	45	1	–
54	Scarsdale	155	–	–	–	43	17	6	7	8	–	2	3	1	86	74	1	1
55	Tarrytown	111	–	–	1	25	7	7	2	3	1	2	3	2	60	38	–	–
56	White Plains	474	–	–	2	128	38	20	8	16	6	5	35	4	243	180	6	4
57	Yonkers	2,031	4	–	8	474	153	118	41	50	25	17	70	49	1,078	867	17	11
58	Balance of county	2,615	4	–	16	608	169	139	63	70	30	27	110	37	1,339	1,009	26	9
59	Wyoming	329	2	–	–	61	18	11	6	5	7	4	10	16	179	118	2	1
60	Yates	270	–	–	1	55	14	11	8	9	3	3	7	7	159	118	1	–
61	**North Carolina**	**45,777**	**86**	**6**	**365**	**7,844**	**1,882**	**1,838**	**648**	**1,039**	**321**	**351**	**1,765**	**872**	**23,231**	**16,616**	**269**	**249**
62	Urban places	15,312	31	5	130	2,795	725	628	257	336	133	115	601	273	7,634	5,395	92	77
63	Balance of area	30,465	55	1	235	5,049	1,157	1,210	391	703	188	236	1,164	599	15,597	11,221	177	172
64	Metropolitan counties	15,450	29	3	130	2,782	680	625	247	347	128	117	638	259	7,570	5,369	99	71
65	Urban places	9,513	23	3	87	1,755	453	376	168	214	93	68	383	157	4,622	3,275	65	50
66	Balance of area	5,937	6	–	43	1,027	227	249	79	133	35	49	255	102	2,948	2,094	34	21
67	Nonmetropolitan counties	30,327	57	3	235	5,062	1,202	1,213	401	692	193	234	1,127	613	15,661	11,247	170	178
68	Urban places	5,799	8	2	43	1,040	272	252	89	122	40	47	218	116	3,012	2,120	27	27
69	Balance of area	24,528	49	1	192	4,022	930	961	312	570	153	187	909	497	12,649	9,127	143	151
70	Alamance	856	2	–	7	161	44	31	17	25	3	6	35	11	432	310	4	2
71	Burlington	342	1	–	3	69	19	10	9	11	2	1	17	6	173	124	2	–
72	Balance of county	514	1	–	4	92	25	21	8	14	1	5	18	5	259	186	2	2
73	Alexander	163	–	–	1	33	7	5	3	8	2	3	5	2	83	60	3	–
74	Alleghany	124	–	–	1	21	2	8	–	4	–	–	7	–	68	45	1	3
75	Anson	262	1	–	–	43	8	9	4	8	–	1	13	5	150	101	–	4
76	Ashe	199	–	–	1	46	10	4	4	9	3	5	11	2	100	79	2	2
77	Avery	138	1	–	2	17	3	5	–	1	1	–	7	1	73	62	1	–
78	Beaufort	424	1	–	1	72	14	24	4	10	5	3	12	6	224	136	–	–
79	Bertie	270	–	–	2	41	7	15	1	6	2	5	5	6	151	104	–	6
80	Bladen	265	1	–	2	35	15	6	3	4	–	1	6	8	124	87	2	1
81	Brunswick	247	–	–	1	45	5	14	4	7	–	1	14	5	116	85	2	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
609	37	9	158	33	20	40	18	7	29	5	–	3	22	8	91	20	37	10	5	1	01
42	4	–	5	1	2	3	3	–	1	–	–	–	1	–	9	–	7	–	1	–	02
335	16	7	86	20	10	23	8	6	18	3	–	2	16	5	43	7	17	3	3	1	03
232	17	2	67	12	8	14	7	1	10	2	–	1	5	3	39	13	13	7	1	–	04
594	30	5	153	12	17	60	16	5	30	8	–	10	21	12	90	31	40	14	12	5	05
60	3	–	18	–	2	4	1	1	4	2	–	–	2	1	13	4	5	2	1	–	06
534	27	5	135	12	15	56	15	4	26	6	–	10	19	11	77	27	35	12	11	5	07
373	15	2	104	13	18	27	19	3	18	7	1	7	24	9	70	26	37	11	2	2	08
52	2	–	18	2	3	1	4	–	4	1	–	1	2	4	5	4	3	–	–	2	09
55	3	–	13	4	2	4	1	–	6	–	–	1	2	–	11	3	9	3	–	–	10
266	10	2	73	7	13	22	14	3	8	6	1	5	20	5	54	19	25	8	2	–	11
402	18	4	112	26	28	37	25	4	20	3	1	9	15	5	77	31	28	18	1	3	12
93	3	1	23	11	7	11	5	1	6	1	–	–	1	–	24	8	4	5	–	–	13
309	15	3	89	15	21	26	20	3	14	2	1	9	14	5	53	23	24	13	1	3	14
631	48	6	123	19	19	82	22	5	27	6	–	10	15	22	125	31	34	19	2	1	15
379	31	5	90	11	11	58	15	3	19	4	–	10	11	13	89	12	21	9	2	1	16
252	17	1	33	8	8	24	7	2	8	2	–	–	4	9	36	19	13	10	–	–	17
124	10	–	23	2	5	13	8	2	3	–	–	–	1	1	24	8	12	3	–	–	18
58	1	1	16	1	2	11	2	1	1	1	–	–	3	–	14	7	8	2	–	–	19
101	7	1	27	4	7	12	4	–	8	5	–	1	3	1	23	6	8	5	–	–	20
328	27	4	101	22	17	44	21	3	20	2	–	14	10	8	93	18	23	12	1	–	21
51	3	1	16	4	1	7	3	–	7	–	–	1	–	–	16	1	3	5	1	–	22
60	8	1	13	–	3	11	3	–	1	–	–	3	1	1	20	5	7	3	–	–	23
217	16	2	72	18	13	26	15	3	12	2	–	10	9	7	57	12	13	4	–	–	24
3,170	77	27	744	88	98	187	92	25	177	38	1	64	95	345	535	123	254	54	40	9	25
64	2	–	11	1	2	3	1	–	1	–	–	–	2	2	6	1	6	–	–	–	26
78	1	–	27	–	–	1	2	–	1	–	–	1	2	9	13	4	6	1	–	–	27
51	1	1	5	2	3	2	2	2	2	–	1	–	1	10	12	5	4	2	2	–	28
2,977	73	26	701	85	93	181	87	23	173	38	–	63	90	324	504	113	238	51	38	9	29
260	7	1	55	14	11	27	8	2	12	6	–	4	10	5	51	11	19	7	–	–	30
154	4	2	37	2	8	8	6	–	2	2	–	1	3	2	21	15	12	5	1	–	31
209	5	1	45	20	13	16	13	1	12	2	–	5	9	3	42	21	16	5	1	2	32
89	2	1	16	13	7	9	7	–	5	1	–	2	3	–	22	4	4	3	–	2	33
120	3	–	29	7	6	7	6	1	7	1	–	3	6	3	20	17	12	2	1	–	34
598	25	6	164	12	24	29	27	6	18	5	–	7	15	15	107	18	45	14	6	–	35
150	4	2	43	–	5	7	5	–	5	1	–	1	4	4	25	2	12	2	1	–	36
448	21	4	121	12	19	22	22	6	13	4	–	6	11	11	82	16	33	12	5	–	37
216	11	1	47	8	10	21	12	4	7	–	–	2	5	5	77	12	13	7	–	2	38
101	2	–	20	6	3	9	3	–	5	–	–	–	2	3	25	3	4	3	–	–	39
115	9	1	27	2	7	12	9	4	2	–	–	2	3	2	52	9	9	4	–	2	40
212	5	1	52	9	6	23	13	–	6	2	–	1	6	2	38	12	27	3	–	–	41
248	12	3	52	10	8	20	12	7	7	4	–	7	5	4	54	22	13	5	2	1	42
34	3	–	7	–	–	4	3	1	3	1	–	–	–	–	7	–	3	–	1	–	43
214	9	3	45	10	8	16	9	6	4	3	–	7	5	4	47	22	10	5	1	1	44
2,935	109	20	682	121	116	182	85	25	173	28	2	47	86	63	619	113	179	82	42	23	45
31	–	–	–	1	–	1	1	–	1	–	–	1	–	–	3	1	1	–	–	–	46
49	4	–	14	–	4	2	4	1	4	2	–	–	3	1	11	3	2	1	–	–	47
275	6	1	61	15	6	12	11	1	16	2	–	3	9	6	57	14	20	4	4	2	48
262	14	1	70	11	14	35	8	3	9	4	–	1	4	6	76	5	16	7	6	2	49
87	2	1	18	2	3	6	2	–	7	–	–	–	1	–	9	4	5	2	2	–	50
75	1	–	21	2	2	2	3	1	4	–	–	4	3	–	20	5	7	2	–	–	51
99	2	2	25	5	1	2	3	1	11	1	–	1	4	–	26	2	6	–	2	–	52
42	2	2	15	1	3	4	1	–	7	2	–	–	–	1	17	5	2	2	–	–	53
71	1	–	6	2	4	6	1	1	2	–	–	1	–	1	4	1	2	4	2	–	54
34	4	–	15	5	2	2	–	1	3	–	–	–	1	3	10	–	2	–	–	1	55
155	15	2	43	5	13	7	3	1	14	1	–	3	6	6	33	2	12	5	1	3	56
812	27	7	151	29	24	51	19	7	41	4	–	12	23	14	146	23	45	13	11	9	57
943	31	4	243	43	40	52	29	8	54	12	2	21	32	25	207	48	59	42	14	6	58
111	4	2	33	20	6	11	7	2	4	–	–	2	1	2	17	17	3	4	–	1	59
113	4	3	27	5	6	5	9	1	3	–	–	–	2	–	13	6	6	3	–	–	60
14,894	**1,204**	**175**	**5,247**	**568**	**625**	**1,398**	**515**	**149**	**744**	**244**	**20**	**355**	**806**	**421**	**3,871**	**1,529**	**1,734**	**737**	**779**	**71**	**61**
4,831	395	62	1,767	180	230	467	151	49	368	95	5	96	250	138	1,332	396	534	216	319	28	62
10,063	809	113	3,480	388	395	931	364	100	376	149	15	259	556	283	2,539	1,133	1,200	521	460	43	63
4,812	387	49	1,720	197	235	455	176	53	324	80	8	124	272	159	1,355	482	574	268	315	32	64
2,907	253	35	1,057	108	147	298	90	33	245	62	3	62	161	96	849	246	327	151	220	23	65
1,905	134	14	663	89	88	157	86	20	79	18	5	62	111	63	506	236	247	117	95	9	66
10,082	817	126	3,527	371	390	943	339	96	420	164	12	231	534	262	2,516	1,047	1,160	469	464	39	67
1,924	142	27	710	72	83	169	61	16	123	33	2	34	89	42	483	150	207	65	99	5	68
8,158	675	99	2,817	299	307	774	278	80	297	131	10	197	445	220	2,033	897	953	404	365	34	69
284	20	6	94	10	12	19	5	4	11	4	1	8	10	5	88	28	32	18	10	–	70
112	10	–	38	2	9	4	–	3	8	3	–	4	3	3	31	8	11	8	4	–	71
172	10	6	56	8	3	15	5	1	3	1	1	4	7	2	57	20	21	10	6	–	72
53	4	–	19	3	1	10	–	1	3	1	–	1	4	1	13	2	4	3	1	–	73
26	15	–	23	–	–	6	–	–	–	–	–	1	2	–	10	7	5	–	1	2	74
87	10	5	35	2	7	10	3	–	1	3	–	1	1	6	16	6	9	3	3	1	75
72	3	3	13	3	2	18	3	–	–	–	–	1	1	4	15	3	3	2	–	–	76
60	1	–	6	2	3	13	–	–	–	–	–	4	–	–	15	2	7	2	1	–	77
114	22	2	64	10	12	11	1	–	4	1	–	8	9	5	36	11	21	9	4	–	78
81	17	1	41	1	4	9	2	3	5	–	–	2	8	–	19	10	7	2	2	1	79
81	3	2	30	4	1	9	4	1	3	5	–	2	3	4	27	13	15	4	5	–	80
74	7	–	24	6	1	5	1	2	5	2	–	2	6	5	18	8	16	9	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Carolina—Con.																	
01	Buncombe	1,473	3	–	9	262	70	56	20	26	13	10	67	26	774	515	7	5
02	Asheville	782	2	–	5	145	43	30	8	14	7	6	37	14	407	280	4	5
03	Balance of county	691	1	–	4	117	27	26	12	12	6	4	30	12	367	235	3	–
04	Burke	473	–	–	3	75	15	19	7	6	8	3	17	9	240	183	1	1
05	Hickory, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
06	Morganton	122	–	–	–	25	6	8	2	1	4	2	2	4	55	43	–	–
07	Balance of county	350	–	–	3	50	9	11	5	5	4	1	15	5	185	140	1	1
08	Cabarrus	683	–	–	3	116	30	22	7	14	4	7	32	6	371	267	7	3
09	Concord	205	–	–	1	33	7	7	–	3	3	3	10	1	104	68	2	–
10	Balance of county	478	–	–	2	83	23	15	7	11	1	4	22	5	267	199	5	3
11	Caldwell	464	–	–	3	77	17	21	6	11	3	4	15	10	238	179	2	1
12	Lenoir	166	–	–	2	32	8	6	3	4	1	1	9	4	85	70	–	–
13	Balance of county	298	–	–	1	45	9	15	3	7	2	3	6	6	153	109	2	1
14	Camden	62	–	–	1	9	2	1	–	1	–	1	4	1	37	22	–	–
15	Carteret	321	–	–	1	51	8	12	5	6	1	2	17	10	176	141	1	2
16	Caswell	168	–	–	1	29	7	3	2	9	–	2	6	3	82	55	–	–
17	Catawba	697	5	–	8	125	39	27	13	13	2	5	26	15	368	268	6	5
18	Hickory, part	233	2	–	4	40	12	8	5	4	–	1	10	5	126	84	3	2
19	Hickory, total	234	2	–	4	40	12	8	5	4	–	1	10	5	126	84	3	2
20	Balance of county	464	3	–	4	85	27	19	8	9	2	4	16	10	242	184	3	3
21	Chatham	254	–	–	4	46	11	8	5	6	2	2	12	3	141	107	1	2
22	Cherokee	179	–	–	2	30	8	8	4	1	1	1	7	6	96	69	–	–
23	Chowan	126	–	–	1	19	4	4	4	2	1	2	2	5	57	37	1	–
24	Clay	52	–	–	–	8	1	2	–	3	–	–	2	3	25	21	–	–
25	Cleveland	671	–	–	6	113	36	28	6	15	5	4	19	15	360	288	2	4
26	Shelby	182	–	–	1	29	6	11	1	5	1	1	4	4	104	76	–	2
27	Balance of county	489	–	–	5	84	30	17	5	10	4	3	15	11	256	212	2	2
28	Columbus	463	2	–	5	79	9	29	3	10	2	5	21	7	251	169	1	3
29	Craven	557	–	–	2	89	24	21	8	10	–	3	23	16	268	176	4	5
30	New Bern	203	–	–	1	35	11	11	1	3	–	1	8	8	101	70	–	3
31	Balance of county	354	–	–	1	54	13	10	7	7	–	2	15	8	167	106	4	2
32	Cumberland	1,262	4	–	16	187	49	45	11	23	10	7	42	13	550	383	9	6
33	Fayetteville	600	2	–	7	100	28	20	8	16	5	3	20	6	266	179	3	3
34	Balance of county	662	2	–	9	87	21	25	3	7	5	4	22	7	284	204	6	3
35	Currituck	88	–	–	–	22	3	6	3	3	1	1	5	6	41	35	1	–
36	Dare	88	–	–	–	19	3	7	–	2	–	1	6	2	44	34	3	–
37	Davidson	735	1	–	8	130	30	34	11	18	6	7	24	10	388	287	3	2
38	High Point, part	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39	Lexington	165	–	–	3	38	14	6	3	3	2	1	9	2	76	60	–	–
40	Thomasville	152	–	–	1	30	5	13	3	4	–	–	5	4	71	46	1	–
41	Balance of county	416	1	–	4	62	11	15	5	11	4	6	10	4	241	181	2	2
42	Davie	168	–	–	4	33	7	14	1	5	1	–	5	4	81	64	2	2
43	Duplin	364	1	–	2	58	10	12	7	9	4	–	16	9	190	135	2	1
44	Durham	1,260	3	–	15	248	81	57	22	31	9	5	43	18	571	410	4	8
45	Chapel Hill, part	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
46	Durham	1,004	3	–	14	197	65	43	18	25	9	4	33	17	458	333	4	6
47	Balance of county	255	–	–	1	50	16	14	3	6	–	1	10	1	113	77	–	2
48	Edgecombe	540	1	–	13	87	22	22	6	16	2	2	17	8	273	184	7	2
49	Rocky Mount, part	160	–	–	6	28	9	8	–	4	1	1	5	1	85	57	1	–
50	Balance of county	380	1	–	7	59	13	14	6	12	1	1	12	7	188	127	6	2
51	Forsyth	1,873	3	1	18	343	76	81	26	48	22	14	76	24	942	708	16	10
52	Winston-Salem	1,325	3	1	14	252	59	55	16	34	19	9	60	14	650	479	13	9
53	Balance of county	548	–	–	4	91	17	26	10	14	3	5	16	10	292	229	3	1
54	Franklin	319	2	–	1	44	10	14	3	6	2	2	7	7	165	127	2	3
55	Gaston	1,269	2	1	7	230	55	67	18	28	7	8	47	33	658	486	7	5
56	Gastonia	488	1	1	3	95	21	34	9	9	–	7	15	9	255	184	4	–
57	Balance of county	781	1	–	4	135	34	33	9	19	7	1	32	24	403	302	3	5
58	Gates	89	–	–	–	15	5	2	1	2	–	2	3	–	56	39	–	4
59	Graham	59	–	–	–	8	1	2	–	1	1	1	2	1	38	26	–	–
60	Granville	291	1	–	4	48	7	18	7	6	1	2	7	4	142	117	2	1
61	Greene	136	1	–	1	27	7	8	2	3	–	1	6	2	57	39	2	–
62	Guilford	2,436	2	1	14	456	120	87	52	57	22	24	94	56	1,244	893	14	13
63	Greensboro	1,284	1	1	9	236	68	41	26	31	12	12	46	33	648	463	7	8
64	High Point, part	563	–	–	4	111	29	23	17	12	7	5	18	12	287	203	2	3
65	High Point, total	567	–	–	4	111	29	23	17	12	7	5	18	12	288	203	2	3
66	Balance of county	589	1	–	1	109	23	23	9	14	3	7	30	11	309	227	5	2
67	Halifax	571	3	–	4	85	24	14	13	7	2	2	23	12	304	190	–	2
68	Roanoke Rapids	152	–	–	1	29	9	4	4	2	–	1	9	2	86	51	–	–
69	Balance of county	419	3	–	3	56	15	10	9	5	2	1	14	10	218	139	–	2
70	Harnett	490	–	–	6	90	23	21	7	15	3	4	17	15	247	186	1	1
71	Haywood	398	1	–	4	64	13	15	6	9	3	6	12	8	208	142	4	1
72	Henderson	502	1	–	6	97	24	30	6	12	3	2	20	5	248	173	2	3
73	Hertford	223	1	–	2	41	12	8	5	4	1	3	8	4	111	87	1	2
74	Hoke	133	–	–	1	21	6	5	1	2	1	5	1	2	49	34	2	3
75	Hyde	65	–	–	–	7	2	2	1	1	–	–	1	2	47	35	1	1
76	Iredell	680	1	1	1	107	23	30	6	13	4	4	27	13	353	274	5	3
77	Statesville	221	–	–	–	35	6	12	3	6	–	1	7	3	120	91	–	1
78	Balance of county	459	1	1	1	72	17	18	3	7	4	3	20	10	233	183	5	2
79	Jackson	209	–	–	1	28	11	4	3	5	1	–	4	6	97	83	–	1
80	Johnston	692	2	–	7	94	24	19	7	15	1	6	22	21	392	295	1	2
81	Jones	93	–	–	2	15	5	5	–	2	1	–	2	3	45	31	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–776)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
467	36	5	203	21	30	51	21	9	17	4	–	7	18	14	129	40	47	18	19	5	01
248	23	5	97	12	13	32	9	5	12	4	–	2	10	7	73	13	19	6	13	4	02
219	13	–	106	9	17	19	12	4	5	–	–	5	8	7	56	27	28	12	6	1	03
169	12	–	45	6	6	21	5	1	8	3	–	6	10	1	36	22	18	8	6	1	04
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	05
40	3	–	12	–	–	8	2	–	–	1	–	–	1	–	11	7	4	2	2	–	06
129	9	–	33	6	6	13	3	1	8	2	–	6	9	–	25	15	14	6	4	1	07
227	30	1	90	5	8	23	12	–	11	7	1	1	7	2	64	14	26	10	7	2	08
53	13	–	30	1	5	9	4	–	3	1	–	–	2	–	27	6	8	2	3	1	09
174	17	1	60	4	3	14	8	–	8	6	1	1	5	2	37	8	18	8	4	1	10
170	6	2	43	5	9	16	9	4	4	3	1	5	13	1	37	17	12	5	9	–	11
66	4	–	12	1	2	2	4	2	2	2	–	1	6	–	10	4	4	1	5	–	12
104	2	2	31	4	7	14	5	2	2	1	1	4	7	1	27	13	8	4	4	–	13
20	2	–	9	4	2	1	–	–	1	–	–	1	–	–	7	2	2	–	–	–	14
132	6	–	30	1	4	9	2	–	3	2	–	2	7	5	24	11	8	8	2	–	15
52	3	–	24	1	2	2	4	1	2	1	–	1	9	2	12	7	6	5	1	–	16
248	9	–	75	10	15	17	7	1	12	6	–	4	11	9	48	28	19	10	4	–	17
75	4	–	32	2	8	4	2	–	7	1	–	1	4	1	16	7	10	2	1	–	18
75	4	–	32	2	8	4	2	–	7	1	–	1	4	2	16	7	10	2	1	–	19
173	5	–	43	8	7	13	5	1	5	5	–	3	7	8	32	21	9	8	3	–	20
94	10	–	26	1	7	3	3	1	1	1	–	2	5	2	19	6	6	5	5	1	21
65	4	–	21	4	2	4	3	1	2	1	–	1	2	3	18	6	2	–	2	–	22
29	7	1	16	2	1	2	2	–	2	1	–	2	3	2	16	4	5	3	2	–	23
20	1	1	3	–	–	1	1	1	1	–	–	–	–	–	9	1	1	1	–	–	24
265	17	4	51	10	7	19	9	4	6	3	1	5	11	7	51	21	23	12	5	–	25
71	3	1	17	7	3	6	2	–	5	1	–	–	1	2	14	8	3	1	1	–	26
194	14	3	34	3	4	13	7	4	1	2	1	5	10	5	37	13	20	11	4	–	27
130	35	1	73	5	3	11	6	–	7	4	–	3	12	3	30	14	15	4	9	1	28
157	10	3	71	6	12	13	8	1	12	5	–	9	10	7	43	25	32	8	7	2	29
62	5	–	24	2	5	5	2	–	6	–	–	1	5	1	20	5	4	5	4	–	30
95	5	3	47	4	7	8	6	1	6	5	–	8	5	6	23	20	28	3	3	2	31
343	25	11	133	11	12	35	13	5	37	5	2	16	48	21	100	62	70	26	49	3	32
156	17	5	75	3	4	19	5	4	24	2	–	5	16	9	51	20	30	12	22	–	33
187	8	6	58	8	8	16	8	1	13	3	2	11	32	12	49	42	40	14	27	3	34
31	3	–	5	1	–	2	–	–	–	–	–	2	2	1	3	–	7	1	1	–	35
28	3	–	6	2	2	2	1	–	2	1	–	3	–	–	5	7	2	–	–	–	36
270	12	2	90	3	6	24	15	3	7	–	1	4	7	4	60	23	30	10	9	1	37
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	38
59	1	–	14	1	1	3	2	–	3	–	1	1	2	1	17	4	6	2	4	–	39
43	2	1	21	1	2	7	6	3	–	–	–	–	1	–	15	5	5	2	2	–	40
168	9	1	55	1	3	14	6	–	4	–	–	3	4	3	28	14	18	6	3	1	41
58	2	–	14	1	2	9	1	3	–	–	–	–	4	1	14	8	3	2	1	–	42
127	5	2	45	4	4	18	3	1	2	–	–	2	4	4	27	15	18	3	6	1	43
363	35	5	109	21	26	49	9	5	27	9	–	8	16	9	146	34	45	17	31	–	44
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45
293	30	3	87	14	21	38	6	4	24	8	–	7	12	7	119	20	32	11	27	–	46
70	5	2	22	7	5	11	3	1	3	1	–	1	4	2	27	14	13	6	4	–	47
162	13	3	69	9	8	19	7	–	12	5	–	3	7	2	43	22	30	2	5	1	48
51	5	1	24	2	1	5	1	–	4	1	–	1	1	2	14	4	6	–	1	–	49
111	8	2	45	7	7	14	6	–	8	4	–	2	6	–	29	18	24	2	4	1	50
640	42	2	182	18	32	57	17	3	44	15	–	15	40	22	168	46	60	26	27	2	51
423	34	2	133	15	21	43	8	2	40	13	–	10	25	18	122	27	44	15	22	2	52
217	8	–	49	3	11	14	9	1	4	2	–	5	15	4	46	19	16	11	5	–	53
117	5	1	30	2	5	7	2	–	6	–	–	2	4	2	34	10	16	4	13	–	54
436	38	2	143	12	15	35	9	6	19	10	1	11	21	9	86	26	50	20	34	1	55
162	18	2	58	5	6	14	4	1	11	4	–	6	5	4	36	7	13	5	14	–	56
274	20	–	85	7	9	21	5	5	8	6	1	5	16	5	50	19	37	15	20	1	57
35	–	1	15	–	1	2	–	–	1	–	–	–	–	1	10	2	1	1	–	–	58
26	–	1	9	1	1	2	1	2	1	–	–	1	1	–	1	–	1	1	1	–	59
107	7	1	23	–	1	9	3	–	3	–	–	1	1	3	39	8	13	7	5	–	60
34	3	–	11	3	4	8	–	–	1	–	–	1	3	2	14	8	5	6	–	–	61
808	58	9	290	21	31	63	28	11	51	14	–	18	35	16	213	58	73	46	35	2	62
415	33	6	150	13	16	38	14	6	31	6	–	4	21	10	115	35	32	26	17	1	63
185	13	–	78	2	4	14	6	4	12	5	–	8	9	3	41	11	18	8	10	–	64
185	13	–	79	2	4	14	7	4	12	6	–	8	9	3	41	11	19	8	10	–	65
208	12	3	62	6	11	11	8	1	8	3	–	6	5	3	57	12	23	12	8	1	66
175	13	1	88	20	5	20	2	2	12	1	–	3	10	4	52	21	20	8	8	–	67
49	2	1	27	5	2	4	1	–	3	1	–	1	2	–	10	3	7	2	–	–	68
126	11	–	61	15	3	16	1	2	9	–	–	2	8	4	42	18	13	6	8	–	69
173	11	–	52	4	5	6	7	–	8	–	–	–	8	3	44	17	20	6	13	–	70
132	5	1	55	5	5	9	3	2	6	3	–	4	1	2	40	10	16	10	6	1	71
161	7	2	50	11	12	23	9	4	7	–	–	3	8	2	41	16	22	7	3	–	72
79	5	–	21	3	–	11	3	2	5	3	1	1	6	4	11	5	8	2	2	–	73
26	3	–	15	–	–	5	6	–	–	–	–	2	5	3	13	8	7	4	7	–	74
28	5	–	7	2	3	–	–	–	–	–	–	–	–	1	3	3	1	–	1	–	75
250	16	2	73	1	3	31	8	4	5	5	–	5	10	4	59	16	23	16	18	–	76
86	4	1	27	1	–	12	1	1	1	3	–	3	5	1	21	2	7	3	3	–	77
164	12	1	46	–	3	19	7	3	4	2	–	2	5	3	38	14	16	13	15	–	78
81	1	1	9	3	1	3	4	1	1	–	–	2	3	–	23	10	18	6	6	–	79
280	12	4	76	6	11	16	7	–	11	4	–	5	7	5	46	26	21	12	16	–	80
30	1	–	14	–	–	3	2	–	1	1	–	2	1	1	8	3	2	1	3	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Carolina—Con.																	
01	Lee	299	1	–	1	59	15	13	6	9	–	2	14	7	132	97	–	2
02	Sanford	127	1	–	–	25	5	5	2	4	–	–	9	2	55	43	–	1
03	Balance of county	172	–	–	1	34	10	8	4	5	–	2	5	5	77	54	–	1
04	Lenoir	518	–	–	3	95	20	24	12	10	2	2	25	5	260	171	1	3
05	Kinston	276	–	–	1	53	11	16	5	5	1	2	13	4	140	87	–	2
06	Balance of county	242	–	–	2	42	9	8	7	5	1	–	12	1	120	84	1	1
07	Lincoln	326	–	–	3	70	12	22	3	11	2	5	15	9	160	109	2	2
08	McDowell	288	–	–	3	60	16	15	5	4	5	2	13	7	149	112	–	5
09	Macon	201	1	–	–	35	6	7	–	7	1	2	12	2	106	90	2	4
10	Madison	185	–	–	2	23	6	2	2	3	1	2	7	2	108	68	3	–
11	Martin	241	1	–	4	36	8	9	1	4	1	2	11	4	128	98	1	5
12	Mecklenburg	2,696	10	–	18	458	102	97	47	55	21	22	114	38	1,284	938	20	6
13	Charlotte	2,095	9	–	14	344	77	76	37	43	19	16	76	27	1,007	732	17	5
14	Balance of county	601	1	–	4	114	25	21	10	12	2	6	38	11	277	206	3	1
15	Mitchell	135	2	–	–	27	6	7	2	5	1	–	6	2	69	40	2	–
16	Montgomery	224	–	–	–	35	2	9	5	5	1	4	9	2	124	92	1	–
17	Moore	436	–	–	3	76	21	14	6	8	2	4	21	10	233	156	3	4
18	Nash	597	–	–	6	92	28	22	8	15	2	–	17	9	312	216	5	7
19	Rocky Mount, part	228	–	–	2	37	12	11	3	5	1	–	5	2	126	93	3	2
20	Rocky Mount, total	388	–	–	8	65	21	19	3	9	2	1	10	3	211	150	4	2
21	Balance of county	369	–	–	4	55	16	11	5	10	1	–	12	7	186	123	2	5
22	New Hanover	817	–	–	7	166	38	45	15	13	7	7	41	18	413	284	2	2
23	Wilmington	513	–	–	6	105	26	27	10	8	5	3	26	13	251	171	2	2
24	Balance of county	304	–	–	1	61	12	18	5	5	2	4	15	5	162	113	–	–
25	Northampton	257	1	–	3	48	15	9	5	7	2	1	9	7	128	90	–	3
26	Onslow	436	1	–	7	62	13	16	3	9	3	4	14	2	174	132	1	1
27	Jacksonville	116	–	–	3	17	2	3	3	3	1	1	4	1	50	39	–	–
28	Balance of county	320	1	–	4	45	11	13	–	6	2	3	10	1	124	93	1	1
29	Orange	364	–	1	2	67	15	13	7	13	2	2	15	2	176	118	4	–
30	Chapel Hill, part	100	–	1	1	22	5	4	3	1	1	2	6	1	45	25	1	–
31	Chapel Hill, total	101	–	1	1	23	5	4	4	1	1	2	6	1	45	25	1	–
32	Balance of county	264	–	–	1	45	10	9	4	12	1	–	9	1	131	93	3	–
33	Pamlico	105	1	–	–	22	8	7	1	1	1	1	3	2	54	41	1	1
34	Pasquotank	296	–	–	2	69	25	17	3	9	6	1	8	5	139	107	1	2
35	Elizabeth City	197	–	–	–	41	18	9	2	2	5	1	4	2	100	77	–	1
36	Balance of county	99	–	–	2	28	7	8	1	7	1	–	4	3	39	30	1	1
37	Pender	190	–	–	6	22	4	5	1	4	1	1	6	1	103	68	1	1
38	Perquimans	95	1	–	1	13	2	4	1	2	1	1	2	2	54	37	–	–
39	Person	250	–	–	4	31	4	7	4	5	–	1	10	2	130	96	2	1
40	Pitt	670	2	–	3	114	25	31	6	16	3	4	29	6	368	263	8	4
41	Greenville	207	–	–	1	30	7	5	1	4	2	1	10	2	116	86	3	2
42	Balance of county	463	2	–	2	84	18	26	5	12	1	3	19	4	252	177	5	2
43	Polk	185	1	–	–	30	5	5	2	2	3	1	12	1	106	79	2	1
44	Randolph	615	–	–	3	96	22	30	7	15	3	3	16	8	335	235	4	8
45	Asheboro	137	–	–	2	24	6	9	1	1	–	2	5	3	76	54	1	2
46	High Point, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
47	Balance of county	476	–	–	1	72	16	21	6	14	3	1	11	5	258	181	3	6
48	Richmond	417	1	–	5	61	12	15	3	10	6	2	13	6	224	159	3	1
49	Robeson	891	1	–	7	122	30	20	13	21	7	7	24	31	443	268	6	3
50	Lumberton	197	–	–	–	31	7	5	5	3	2	2	7	6	101	59	2	–
51	Balance of county	694	1	–	7	91	23	15	8	18	5	5	17	25	342	209	4	3
52	Rockingham	755	–	–	5	130	28	29	5	21	6	7	34	19	399	282	3	2
53	Eden	193	–	–	–	33	10	7	2	3	1	3	7	6	114	78	–	–
54	Reidsville	173	–	–	1	24	5	6	–	3	1	2	7	7	94	63	1	–
55	Balance of county	389	–	–	4	73	13	16	3	15	4	2	20	6	191	141	2	2
56	Rowan	820	1	1	5	142	33	28	15	20	6	8	32	18	443	306	3	11
57	Salisbury	275	–	1	3	44	12	8	4	5	3	1	11	7	166	114	1	6
58	Balance of county	545	1	–	2	98	21	20	11	15	3	7	21	11	277	192	2	5
59	Rutherford	522	–	–	2	80	19	16	10	11	2	4	18	5	280	202	5	5
60	Sampson	464	1	–	4	60	16	12	5	7	2	2	16	19	240	174	–	3
61	Scotland	240	2	–	2	39	5	6	2	6	2	2	16	9	105	78	2	3
62	Stanly	427	2	–	–	71	18	14	5	12	6	–	16	15	225	169	3	4
63	Albemarle	134	1	–	–	26	7	4	2	5	2	–	6	3	73	51	1	2
64	Balance of county	293	1	–	–	45	11	10	3	7	4	–	10	12	152	118	2	2
65	Stokes	232	–	–	–	38	6	8	4	2	4	3	11	2	120	98	3	2
66	Surry	492	1	–	5	74	16	20	2	12	2	3	19	13	232	177	5	2
67	Swain	106	1	–	2	20	4	5	1	2	–	1	7	1	48	38	–	–
68	Transylvania	157	–	–	1	29	6	10	1	4	1	2	5	4	76	52	–	3
69	Tyrrell	41	–	–	2	6	1	2	–	1	1	–	1	1	21	13	–	–
70	Union	473	–	–	2	92	25	20	6	14	1	2	24	13	246	169	2	2
71	Monroe	144	–	–	–	27	9	5	2	5	1	–	5	2	78	53	2	2
72	Balance of county	329	–	–	2	65	16	15	4	9	–	2	19	11	168	116	–	–
73	Vance	363	–	–	1	70	18	17	6	11	1	7	10	9	191	121	2	–
74	Henderson	168	–	–	1	32	7	6	4	2	–	5	8	7	89	54	1	–
75	Balance of county	195	–	–	–	38	11	11	2	9	1	2	2	2	102	67	1	–
76	Wake	1,738	4	–	23	322	68	73	29	40	17	13	82	29	819	569	13	9
77	Raleigh	963	3	–	11	191	38	43	21	24	8	6	51	15	448	303	9	5
78	Balance of county	775	1	–	12	131	30	30	8	16	9	7	31	14	371	266	4	4
79	Warren	199	–	–	1	36	13	9	3	1	2	1	7	3	108	86	–	–
80	Washington	126	1	–	–	21	4	6	1	6	–	3	1	3	59	48	1	1
81	Watauga	175	–	–	1	30	13	7	1	2	–	2	5	1	89	64	–	2
82	Wayne	736	2	–	4	119	31	29	14	16	5	8	16	17	386	265	4	4
83	Goldsboro	345	1	–	4	65	22	13	7	9	4	4	6	6	175	126	–	2
84	Balance of county	391	1	–	–	54	9	16	7	7	1	4	10	11	211	139	4	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
93	2	3	25	3	4	8	3	1	5	5	–	2	6	1	23	21	11	6	6	1	01
42	–	3	7	1	1	3	1	1	2	2	–	1	4	–	13	10	5	–	2	–	02
51	2	–	18	2	3	5	2	–	3	3	–	1	2	1	10	11	6	6	4	1	03
159	8	5	73	6	5	16	7	2	13	1	–	3	5	7	36	13	26	8	15	3	04
81	4	2	43	4	4	11	4	1	8	1	–	1	2	6	16	4	12	3	7	2	05
78	4	3	30	2	1	5	3	1	5	–	–	2	3	1	20	9	14	5	8	1	06
100	5	1	38	3	9	8	2	1	5	3	–	3	5	6	24	8	8	6	5	–	07
99	8	2	23	4	8	10	1	3	2	1	–	1	10	–	21	5	8	6	1	–	08
84	–	–	10	–	6	10	3	2	3	–	–	2	4	–	11	9	6	6	1	–	09
56	9	1	35	3	1	7	2	1	2	1	–	1	2	–	15	5	7	4	3	–	10
85	7	–	27	2	1	6	1	1	7	–	–	1	6	3	19	6	11	2	5	–	11
838	74	7	271	25	43	86	34	5	66	17	2	21	47	27	225	93	108	58	85	14	12
652	58	6	212	20	37	68	23	4	59	15	2	13	36	19	169	63	90	46	76	11	13
186	16	1	59	5	6	18	11	1	7	2	–	8	11	8	56	30	18	12	9	3	14
36	2	–	21	4	4	6	2	–	–	–	–	–	1	–	14	4	7	–	1	–	15
84	7	4	27	1	–	5	1	1	4	2	–	1	3	1	19	11	7	1	6	1	16
144	5	2	56	10	9	14	7	1	6	4	–	3	13	2	31	10	11	3	8	1	17
188	16	2	88	2	4	21	4	–	7	4	1	5	14	8	57	23	19	5	10	–	18
80	8	2	29	–	2	10	2	–	3	2	–	1	6	2	25	3	4	1	2	–	19
131	13	3	53	2	3	15	3	–	7	3	–	2	7	4	39	7	10	1	3	–	20
108	8	–	59	2	2	11	2	–	4	2	1	4	8	6	32	20	15	4	8	–	21
264	16	6	100	13	10	19	9	3	14	–	–	6	16	9	74	20	25	8	10	–	22
155	12	4	63	8	5	9	6	1	12	–	–	4	11	7	46	14	15	4	9	–	23
109	4	2	37	5	5	10	3	2	2	–	–	2	5	2	28	6	10	4	1	–	24
81	6	1	27	3	7	7	4	2	6	–	–	1	7	1	20	4	8	5	5	–	25
114	16	1	35	5	1	13	8	–	4	2	–	3	21	8	30	40	34	11	12	4	26
34	5	–	9	2	–	1	2	–	2	–	–	1	3	2	9	6	12	2	4	1	27
80	11	1	26	3	1	12	6	–	2	2	–	2	18	6	21	34	22	9	8	3	28
103	11	–	47	5	6	14	1	2	7	–	–	5	4	3	35	16	15	5	9	–	29
23	1	–	15	2	3	3	–	1	1	–	–	2	1	1	14	2	1	2	2	–	30
23	1	–	15	2	3	3	–	1	1	–	–	2	1	1	14	2	1	2	2	–	31
80	10	–	32	3	3	11	1	1	6	–	–	3	3	2	21	14	14	3	7	–	32
37	2	1	10	1	1	3	2	–	2	1	–	1	–	–	8	2	6	–	1	–	33
101	3	1	21	5	5	9	1	–	4	–	–	1	8	5	22	7	17	2	5	–	34
74	2	–	15	4	4	9	–	–	4	–	–	–	7	2	13	2	14	1	2	–	35
27	1	1	6	1	1	–	1	–	–	–	–	1	1	3	9	5	3	1	3	–	36
64	2	1	32	2	–	2	6	–	7	1	–	2	1	2	20	5	8	2	2	–	37
31	6	1	10	5	1	8	1	–	2	1	–	–	1	1	6	1	2	1	–	–	38
87	6	1	28	4	1	10	8	–	5	–	–	–	4	7	24	6	10	4	5	–	39
233	18	4	92	4	5	16	8	1	14	4	1	2	15	5	51	13	32	8	7	–	40
77	4	1	26	1	2	5	1	1	6	–	1	1	3	2	19	4	8	3	4	–	41
156	14	3	66	3	3	11	7	–	8	4	–	1	12	3	32	9	24	5	3	–	42
73	3	3	13	4	7	6	3	2	2	–	–	–	3	1	15	5	8	2	–	–	43
211	12	–	84	8	8	15	14	4	9	2	–	9	6	9	36	22	21	16	10	–	44
48	3	–	18	–	4	5	1	1	1	–	–	1	2	4	6	3	4	2	2	–	45
–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	46
163	9	–	65	8	4	10	13	3	8	1	–	8	4	5	30	19	17	14	8	–	47
144	11	1	56	5	3	7	5	2	12	3	–	3	5	3	45	14	8	5	8	–	48
245	14	3	131	30	11	21	5	–	8	8	1	8	14	12	73	53	46	11	25	2	49
54	3	–	31	8	3	4	2	–	5	3	–	–	3	1	15	2	12	4	8	–	50
191	11	3	100	22	8	17	3	–	3	5	1	8	11	11	58	51	34	7	17	2	51
259	18	4	89	12	12	27	10	2	7	4	–	6	18	5	57	27	16	11	10	2	52
75	3	1	28	6	1	4	2	–	–	1	–	2	–	1	16	5	4	1	4	–	53
54	8	1	25	1	4	6	3	–	4	1	–	3	5	–	13	7	1	2	2	–	54
130	7	2	36	5	7	17	5	2	3	2	–	1	13	4	28	15	11	8	4	2	55
275	17	7	109	6	15	21	7	3	15	2	–	5	12	6	69	30	23	15	1	1	56
101	6	3	42	–	7	3	1	2	9	–	–	1	2	4	14	7	7	3	1	–	57
174	11	4	67	6	8	18	6	1	6	2	–	4	10	2	55	23	16	12	–	1	58
171	21	3	69	2	4	20	7	2	4	2	1	7	8	7	45	14	22	4	10	2	59
162	9	2	57	2	5	20	2	2	2	4	1	6	10	2	34	21	23	7	5	1	60
72	1	1	22	3	1	5	3	–	3	3	–	2	4	6	32	10	7	5	3	–	61
150	12	2	44	3	7	16	5	1	2	3	–	2	11	4	26	18	16	6	3	1	62
44	4	1	17	1	3	4	1	–	1	–	–	1	2	–	10	6	2	2	2	–	63
106	8	1	27	2	4	12	4	1	1	3	–	1	9	4	16	12	14	4	1	1	64
88	5	–	19	3	–	13	2	–	4	–	–	5	6	2	17	6	8	6	3	–	65
155	15	–	42	9	4	16	8	2	4	5	–	5	4	6	50	33	16	16	2	–	66
31	7	–	8	1	1	2	–	1	–	–	–	2	2	–	14	3	4	1	5	–	67
45	4	1	13	6	4	4	4	1	2	2	–	–	2	3	16	2	7	1	2	1	68
12	1	1	4	2	1	2	–	–	–	1	–	–	–	–	4	1	3	–	–	–	69
135	30	–	50	20	7	8	2	1	5	3	1	2	2	7	39	13	20	9	8	–	70
41	8	–	16	7	2	2	–	–	2	2	–	1	1	2	11	3	6	2	5	–	71
94	22	–	34	13	5	6	2	1	3	1	1	1	1	5	28	10	14	7	3	–	72
110	9	1	59	5	5	14	4	–	7	2	–	2	8	2	27	10	9	3	4	–	73
49	4	1	28	4	2	8	3	–	2	2	–	–	1	1	14	3	4	–	1	–	74
61	5	–	31	1	3	6	1	–	5	–	–	2	7	1	13	7	5	3	3	–	75
508	39	4	196	26	24	50	23	3	41	9	3	12	31	14	157	66	69	28	29	6	76
268	21	4	112	12	17	27	12	1	27	6	1	5	17	9	82	35	36	17	15	5	77
240	18	–	84	14	7	23	11	2	14	3	2	7	14	5	75	31	33	11	14	1	78
82	4	1	20	–	1	9	2	1	5	1	–	–	1	1	13	4	8	4	2	–	79
40	6	–	10	–	1	3	–	1	1	1	–	1	4	3	13	5	7	3	–	–	80
57	5	–	19	3	3	6	2	–	2	2	–	3	3	1	15	8	7	5	–	–	81
242	15	6	98	9	8	15	7	1	9	2	–	7	23	5	63	19	30	14	13	–	82
117	7	3	38	5	3	6	3	–	7	1	–	2	8	3	32	6	15	3	8	–	83
125	8	3	60	4	5	9	4	1	2	1	–	5	15	2	31	13	15	11	5	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Carolina—Con.																	
01	Wilkes	398	–	–	4	65	12	16	2	9	4	3	19	6	216	169	1	1
02	Wilson	636	1	–	2	110	23	25	12	14	8	5	23	16	301	203	5	2
03	Wilson	369	1	–	1	64	14	16	6	10	3	4	11	8	172	126	2	1
04	Balance of county	267	–	–	1	46	9	9	6	4	5	1	12	8	129	77	3	1
05	Yadkin	196	–	–	2	40	9	7	1	5	1	7	10	9	100	62	2	–
06	Yancey	123	–	–	–	15	5	3	–	2	–	–	5	1	69	44	1	–
07	**North Dakota**	**5,496**	**2**	**–**	**30**	**922**	**268**	**166**	**96**	**152**	**39**	**42**	**159**	**90**	**2,943**	**2,159**	**45**	**34**
08	Urban places	1,605	–	–	10	292	76	63	34	41	12	11	55	21	836	589	17	8
09	Balance of area	3,891	2	–	20	630	192	103	62	111	27	31	104	69	2,107	1,570	28	26
10	Metropolitan counties	590	–	–	3	117	29	18	18	19	5	8	20	4	290	189	9	1
11	Urban places	432	–	–	3	84	19	16	12	14	3	5	15	4	208	134	8	1
12	Balance of area	158	–	–	–	33	10	2	6	5	2	3	5	–	82	55	1	–
13	Nonmetropolitan counties	4,906	2	–	27	805	239	148	78	133	34	34	139	86	2,653	1,970	36	33
14	Urban places	1,173	–	–	7	208	57	47	22	27	9	6	40	17	628	455	9	7
15	Balance of area	3,733	2	–	20	597	182	101	56	106	25	28	99	69	2,025	1,515	27	26
16	Adams	44	–	–	–	9	1	2	1	1	–	–	4	–	23	16	1	–
17	Barnes	172	–	–	–	31	6	10	–	10	–	3	2	3	96	78	2	1
18	Benson	94	–	–	–	12	6	2	1	1	–	–	2	2	42	30	–	1
19	Billings	5	–	–	–	1	–	–	1	–	–	–	–	–	2	2	–	–
20	Bottineau	107	–	–	1	13	4	1	2	6	–	–	–	4	56	43	1	–
21	Bowman	33	–	–	–	5	2	1	1	1	–	–	–	2	23	19	–	–
22	Burke	45	–	–	1	5	2	–	1	2	–	–	–	1	23	16	–	–
23	Burleigh	298	–	–	2	60	19	10	8	7	3	1	12	3	145	104	2	–
24	Bismarck	250	–	–	2	51	17	9	5	6	2	1	11	2	127	86	2	–
25	Balance of county	48	–	–	–	9	2	1	3	1	1	–	1	1	18	18	–	–
26	Cass	590	–	–	3	117	29	18	18	19	5	8	20	4	290	189	9	1
27	Fargo	432	–	–	3	84	19	16	12	14	3	5	15	4	208	134	8	1
28	Balance of county	158	–	–	–	33	10	2	6	5	2	3	5	–	82	55	1	–
29	Cavalier	105	–	–	4	16	6	3	1	1	–	–	5	2	57	39	2	–
30	Dickey	80	–	–	–	9	4	–	1	1	–	–	3	–	45	31	–	1
31	Divide	48	–	–	–	13	7	1	1	2	–	–	2	1	21	17	–	–
32	Dunn	31	–	–	–	1	1	–	–	–	–	–	–	–	16	13	–	1
33	Eddy	49	–	–	2	8	3	1	–	1	–	–	3	–	22	18	–	–
34	Emmons	51	–	–	–	11	2	3	1	1	–	1	3	–	35	28	–	–
35	Foster	45	–	–	–	8	3	–	–	2	–	2	1	–	28	13	–	–
36	Golden Valley	26	–	–	1	3	1	2	–	–	–	–	–	–	15	14	–	–
37	Grand Forks	365	–	–	1	75	16	16	13	9	2	4	15	4	189	145	3	10
38	Grand Forks	243	–	–	1	52	11	12	9	6	2	2	10	3	126	92	1	3
39	Balance of county	122	–	–	–	23	5	4	4	3	–	2	5	1	63	53	2	7
40	Grant	36	–	–	–	5	3	2	–	–	–	–	–	1	25	22	–	–
41	Griggs	52	–	–	1	10	2	–	–	2	–	2	4	1	22	14	–	–
42	Hettinger	43	–	–	–	8	1	1	–	2	2	1	1	–	26	22	–	1
43	Kidder	41	–	–	–	6	1	3	–	–	–	–	2	1	19	15	–	–
44	La Moure	72	–	–	–	12	3	1	1	–	–	–	7	2	44	34	–	–
45	Logan	35	–	–	–	6	1	3	1	–	–	1	–	–	22	16	–	–
46	McHenry	70	–	–	–	15	4	5	1	2	–	3	–	2	38	31	3	1
47	McIntosh	53	–	–	1	10	4	3	–	–	1	–	2	–	28	25	2	–
48	McKenzie	62	2	–	1	9	4	1	–	2	1	–	1	2	29	20	1	2
49	McLean	117	–	–	–	13	3	3	1	4	–	1	1	2	75	65	–	1
50	Mercer	57	–	–	–	8	1	1	1	2	2	–	1	2	30	27	–	–
51	Morton	160	–	–	–	35	5	6	5	8	3	–	8	2	85	64	1	–
52	Mandan	85	–	–	–	14	2	6	2	3	–	–	1	2	44	37	1	–
53	Balance of county	75	–	–	–	21	3	–	3	5	3	–	7	–	41	27	–	–
54	Mountrail	115	–	–	–	16	5	2	4	1	3	–	1	6	53	40	–	1
55	Nelson	97	–	–	1	11	2	2	3	2	–	–	2	2	60	50	2	1
56	Oliver	16	–	–	–	2	1	–	–	–	–	–	1	–	8	7	–	–
57	Pembina	150	–	–	–	18	7	4	–	4	–	–	3	3	100	73	2	2
58	Pierce	64	–	–	–	10	5	3	1	–	1	–	–	5	34	26	–	–
59	Ramsey	146	–	–	1	27	9	5	1	7	–	1	4	–	77	53	–	1
60	Ransom	105	–	–	–	17	5	4	1	2	1	1	3	1	72	46	2	–
61	Renville	37	–	–	–	4	1	–	–	1	–	–	2	–	25	20	2	–
62	Richland	204	–	–	–	40	15	7	4	8	1	1	4	4	105	62	–	3
63	Rolette	91	–	–	1	17	7	1	2	1	3	2	1	–	31	26	1	–
64	Sargent	63	–	–	1	6	3	–	2	1	–	–	–	2	39	29	–	–
65	Sheridan	30	–	–	–	5	1	2	–	1	–	–	1	–	21	15	–	–
66	Sioux	26	–	–	–	1	–	–	–	–	1	–	–	–	5	2	–	–
67	Slope	10	–	–	–	3	–	1	–	–	2	–	–	–	7	6	–	–
68	Stark	169	–	–	1	29	4	4	4	4	3	2	8	3	98	74	1	–
69	Dickinson	102	–	–	1	14	2	2	2	–	1	1	6	2	60	41	–	–
70	Balance of county	67	–	–	–	15	2	2	2	4	2	1	2	1	38	33	1	–
71	Steele	39	–	–	–	6	1	1	–	1	–	1	2	1	20	16	–	–
72	Stutsman	245	–	–	–	45	18	9	1	9	3	–	5	7	135	95	2	–
73	Jamestown	170	–	–	–	32	12	8	1	5	3	–	3	4	94	65	2	–
74	Balance of county	75	–	–	–	13	6	1	–	4	–	–	2	3	41	30	–	–
75	Towner	53	–	–	–	8	2	1	–	1	–	1	3	2	32	23	–	–
76	Traill	100	–	–	1	15	1	3	1	7	–	1	2	3	49	36	–	–
77	Walsh	186	–	–	2	28	9	4	4	5	–	2	4	1	100	67	2	1
78	Ward	338	–	–	3	52	20	10	4	6	1	1	10	6	171	127	3	4
79	Minot	230	–	–	3	35	12	8	2	5	1	–	7	4	121	94	2	4
80	Balance of county	108	–	–	–	17	8	2	2	1	–	1	3	2	50	33	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
90	77	–	42	1	4	5	2	2	1	2	–	5	3	5	38	16	10	9	8	1	01
181	15	3	83	7	5	17	6	2	23	3	–	2	14	4	56	26	26	9	17	1	02
113	10	2	36	5	3	12	4	1	17	2	–	1	5	2	32	15	18	5	8	1	03
68	5	1	47	2	2	5	2	1	6	1	–	1	9	2	24	11	8	4	9	–	04
58	2	–	31	2	5	3	4	–	1	–	–	3	3	3	15	4	5	2	2	–	05
40	3	–	20	3	2	4	2	1	–	–	–	1	2	–	14	5	6	1	1	1	06
1,900	**180**	**25**	**579**	**102**	**78**	**219**	**74**	**25**	**52**	**15**	**2**	**49**	**80**	**55**	**445**	**176**	**234**	**62**	**11**	**10**	07
531	33	6	172	40	29	53	19	2	17	2	2	21	28	17	150	45	67	15	4	4	08
1,369	147	19	407	62	49	166	55	23	35	13	–	28	52	38	295	131	167	47	7	6	09
169	10	4	68	16	13	31	9	4	3	1	1	6	6	4	53	14	36	7	1	–	10
118	7	4	49	10	11	26	6	1	2	1	1	4	4	2	34	13	32	6	1	–	11
51	3	–	19	6	2	5	3	3	1	–	–	2	2	2	19	1	4	1	–	–	12
1,731	170	21	511	86	65	188	65	21	49	14	1	43	74	51	392	162	198	55	10	10	13
413	26	2	123	30	18	27	13	1	15	1	1	17	24	15	116	32	35	9	3	4	14
1,318	144	19	388	56	47	161	52	20	34	13	–	26	50	36	276	130	163	46	7	6	15
13	2	–	7	–	–	4	1	–	–	–	–	–	–	–	3	1	2	–	1	–	16
66	9	–	12	6	–	5	2	–	3	2	–	1	1	–	15	5	7	1	–	–	17
27	2	1	7	3	1	2	2	–	3	–	–	1	1	2	11	7	5	3	1	–	18
2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	19
38	4	–	11	–	2	6	3	–	–	–	–	–	3	1	8	4	5	2	1	–	20
19	–	–	3	1	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	21
14	2	–	7	–	–	3	2	–	–	–	–	–	2	–	2	4	1	1	–	–	22
93	9	–	35	4	2	6	3	–	5	–	1	4	6	3	29	10	17	4	–	–	23
79	5	–	35	4	2	5	3	–	5	–	1	4	4	3	25	6	10	2	–	–	24
14	4	–	–	–	–	1	–	–	–	–	–	–	2	–	4	4	7	2	–	–	25
169	10	4	68	16	13	31	9	4	3	1	1	6	6	4	53	14	36	7	1	–	26
118	7	4	49	10	11	26	6	1	2	1	1	4	4	2	34	13	32	6	1	–	27
51	3	–	19	6	2	5	3	3	1	–	–	2	2	2	19	1	4	1	–	–	28
32	5	1	14	2	1	1	3	1	–	–	–	–	4	–	6	7	2	2	–	–	29
29	1	2	8	2	2	4	4	1	–	–	–	1	1	1	8	1	4	1	–	–	30
14	3	–	4	–	–	1	2	–	2	2	–	1	1	–	3	–	1	–	–	–	31
12	–	–	3	–	–	2	2	–	–	–	–	1	–	2	3	–	2	2	–	–	32
14	4	–	3	–	1	5	–	–	1	–	–	–	2	1	5	2	1	–	–	–	33
23	5	–	6	–	1	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	34
12	1	–	11	2	2	1	–	–	–	–	–	–	–	–	4	1	2	1	–	–	35
13	1	–	1	–	–	–	–	1	–	–	–	1	2	–	2	1	–	–	–	–	36
122	10	1	24	10	9	15	3	2	3	–	–	6	4	8	24	11	11	6	2	1	37
80	8	–	18	8	8	8	3	1	3	–	–	3	3	4	18	7	6	2	2	1	38
42	2	1	6	2	1	7	–	1	–	–	–	3	1	4	6	4	5	4	–	–	39
21	1	–	2	1	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–	40
10	4	–	7	–	1	8	–	–	1	–	–	1	–	–	–	1	6	1	–	–	41
19	2	–	4	–	–	–	2	–	–	–	–	–	–	–	3	2	2	–	–	–	42
11	4	–	3	–	1	3	–	–	–	1	–	–	–	1	5	1	3	–	1	–	43
32	2	1	6	2	1	2	–	–	–	–	–	–	1	1	8	1	–	1	–	–	44
15	1	–	3	1	2	2	–	–	–	1	–	1	–	–	2	–	–	1	–	–	45
26	1	1	6	–	–	1	–	–	–	–	–	–	–	–	6	2	5	1	–	–	46
18	5	–	2	1	–	4	1	1	–	–	–	–	–	–	7	–	1	–	–	–	47
9	8	–	7	–	2	1	2	–	1	1	–	1	2	2	2	4	2	–	–	1	48
61	3	1	8	1	–	1	1	–	1	–	–	1	–	3	6	6	7	–	1	–	49
27	–	–	2	1	–	4	–	1	–	–	–	1	–	1	6	–	1	3	–	–	50
58	5	–	15	2	4	2	2	1	2	–	–	2	1	1	14	5	7	1	–	–	51
35	1	–	5	2	–	–	2	–	1	–	–	2	1	1	11	2	5	–	–	–	52
23	4	–	10	–	4	2	–	1	1	–	–	–	–	–	3	3	2	1	–	–	53
36	3	2	7	4	–	8	3	–	1	–	–	1	–	1	8	8	7	3	–	–	54
44	3	–	7	3	–	7	–	–	–	–	–	1	–	–	11	1	2	1	–	–	55
6	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	2	2	–	–	–	56
62	7	–	23	4	–	3	2	1	2	–	–	–	1	1	9	6	4	–	–	–	57
22	4	–	3	2	3	3	–	–	1	–	–	–	2	–	5	1	2	–	–	1	58
48	4	2	17	3	2	2	3	1	1	1	–	–	2	–	15	8	7	–	–	1	59
44	–	–	22	2	2	2	–	–	1	–	–	–	2	–	4	2	4	–	–	–	60
16	2	–	4	–	1	1	–	–	–	–	–	–	–	1	3	1	2	–	–	–	61
52	7	–	35	4	4	12	7	2	1	1	–	1	3	3	13	3	7	2	–	–	62
21	4	–	2	1	2	5	1	–	5	–	–	2	4	1	5	7	7	3	1	1	63
28	1	–	10	–	–	3	1	–	–	1	–	1	1	–	5	–	3	–	–	–	64
14	1	–	4	–	2	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	65
2	–	1	2	–	–	2	1	–	5	–	–	–	2	1	5	1	3	–	–	–	66
4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	67
72	1	1	18	3	2	1	1	1	–	–	–	3	5	1	15	4	5	1	–	1	68
41	–	–	15	3	1	–	1	–	–	–	–	1	5	1	9	3	3	1	–	1	69
31	1	1	3	–	1	1	–	1	–	–	–	2	–	–	6	1	2	–	–	–	70
10	6	1	2	1	–	5	–	–	–	–	–	–	–	–	4	1	2	–	–	–	71
88	5	2	25	7	6	8	1	3	2	1	–	3	3	1	21	2	9	2	1	1	72
60	3	–	19	6	4	5	1	–	2	1	–	3	3	–	17	1	3	2	1	1	73
28	2	2	6	1	2	3	–	3	–	–	–	–	–	1	4	1	6	–	–	–	74
23	–	–	8	–	1	1	–	–	–	–	–	1	1	1	4	2	–	1	–	–	75
35	1	–	9	3	1	13	3	–	–	1	–	1	1	–	7	3	3	–	–	–	76
56	8	–	30	2	1	15	1	2	–	–	–	1	2	–	14	9	7	3	1	–	77
110	10	2	35	4	3	7	1	1	5	–	–	4	6	11	37	10	15	6	–	3	78
81	7	2	20	3	2	7	1	–	3	–	–	4	4	6	27	5	7	2	–	1	79
29	3	–	15	1	1	–	–	1	2	–	–	–	2	5	10	5	8	4	–	2	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	North Dakota—Con.																	
01	Wells	70	–	–	–	8	2	1	3	1	1	–	–	3	41	28	–	–
02	Williams	156	–	–	1	20	6	3	1	4	–	2	4	–	89	68	1	1
03	Williston	93	–	–	–	10	1	2	1	2	–	2	2	–	56	40	1	–
04	Balance of county	63	–	–	1	10	5	1	–	2	–	–	2	–	33	28	–	1
05	**Ohio**	**96,385**	**134**	**22**	**579**	**18,826**	**5,089**	**4,686**	**1,666**	**2,234**	**921**	**783**	**3,447**	**2,069**	**51,152**	**37,818**	**709**	**855**
06	Urban places	60,038	92	12	387	11,839	3,212	2,992	1,039	1,417	570	460	2,149	1,292	31,473	23,284	450	585
07	Balance of area	36,347	42	10	192	6,987	1,877	1,694	627	817	351	323	1,298	777	19,679	14,534	259	270
08	Metropolitan counties	72,382	102	19	454	14,518	3,913	3,659	1,303	1,684	722	568	2,669	1,538	37,704	28,084	558	626
09	Urban places	52,355	81	12	346	10,449	2,822	2,669	927	1,233	501	396	1,901	1,125	27,142	20,226	416	500
10	Balance of area	20,027	21	7	108	4,069	1,091	990	376	451	221	172	768	413	10,562	7,858	142	126
11	Nonmetropolitan counties	24,003	32	3	125	4,308	1,176	1,027	363	550	199	215	778	531	13,448	9,734	151	229
12	Urban places	7,683	11	–	41	1,390	390	323	112	184	69	64	248	167	4,331	3,058	34	85
13	Balance of area	16,320	21	3	84	2,918	786	704	251	366	130	151	530	364	9,117	6,676	117	144
14	Adams	252	–	–	1	46	12	12	5	7	1	2	7	5	152	104	2	–
15	Allen	1,033	4	–	6	200	69	37	16	20	8	13	37	33	523	385	7	4
16	Lima	632	1	–	3	125	47	25	9	12	5	5	22	24	307	227	4	3
17	Balance of county	401	3	–	3	75	22	12	7	8	3	8	15	9	216	158	3	1
18	Ashland	395	–	–	2	76	14	18	13	11	3	2	15	8	211	133	–	3
19	Ashland	185	–	–	2	41	8	12	8	3	2	1	7	2	103	57	–	–
20	Balance of county	210	–	–	–	35	6	6	5	8	1	1	8	6	108	76	–	3
21	Ashtabula	919	1	–	5	150	43	27	13	21	8	9	29	17	550	421	7	5
22	Ashtabula	249	–	–	1	42	15	4	5	5	2	3	8	4	156	126	–	–
23	Conneaut	142	–	–	1	27	8	6	2	4	2	2	3	2	80	64	1	1
24	Balance of county	528	1	–	3	81	20	17	6	12	4	4	18	11	314	231	6	4
25	Athens	446	1	–	1	84	20	21	8	14	6	1	14	10	241	174	2	4
26	Athens	78	–	–	–	12	–	2	1	3	4	–	2	2	46	33	–	–
27	Balance of county	368	1	–	1	72	20	19	7	11	2	1	12	8	195	141	2	4
28	Auglaize	327	2	–	–	49	14	12	3	9	2	–	9	4	190	130	1	–
29	Belmont	991	–	–	4	193	66	39	18	15	10	2	43	30	549	404	9	6
30	Martins Ferry	146	–	–	–	31	10	6	4	3	2	–	6	3	84	66	2	1
31	Balance of county	845	–	–	4	162	56	33	14	12	8	2	37	27	465	338	7	5
32	Brown	296	–	–	1	48	15	12	3	7	1	–	10	7	175	125	–	2
33	Butler	1,841	2	–	9	364	90	110	29	46	22	14	53	42	1,007	744	17	19
34	Fairfield	102	–	–	–	17	7	6	1	1	1	–	1	3	48	40	2	2
35	Hamilton	694	2	–	3	136	43	38	11	20	6	6	12	16	392	291	6	12
36	Middletown	455	–	–	3	109	19	34	12	12	6	4	22	10	228	163	2	–
37	Oxford	48	–	–	1	6	3	1	–	–	–	–	2	1	32	23	2	–
38	Balance of county	542	–	–	2	96	18	31	5	13	9	4	16	12	307	227	5	5
39	Carroll	200	–	–	3	36	8	7	3	5	3	5	5	4	112	85	–	10
40	Champaign	311	–	–	3	47	12	15	1	4	2	3	10	5	187	132	–	1
41	Urbana	132	–	–	1	27	9	7	–	2	1	2	6	1	78	57	–	1
42	Balance of county	179	–	–	2	20	3	8	1	2	1	1	4	4	109	75	–	–
43	Clark	1,424	5	–	6	293	77	78	31	37	12	6	52	30	744	529	5	9
44	Springfield	1,023	3	–	4	205	51	52	25	27	11	3	36	24	531	371	5	3
45	Balance of county	401	2	–	2	88	26	26	6	10	1	3	16	6	213	158	–	6
46	Clermont	705	5	–	8	139	48	37	5	17	10	6	16	13	345	251	5	5
47	Clinton	310	1	–	2	54	16	12	5	9	1	3	8	2	175	116	1	2
48	Wilmington	99	1	–	–	18	9	4	1	2	–	1	1	1	56	35	–	–
49	Balance of county	211	–	–	2	36	7	8	4	7	1	2	7	1	119	81	1	2
50	Columbiana	1,184	–	–	4	216	60	47	8	29	5	13	54	36	715	554	9	9
51	East Liverpool	274	–	–	1	48	11	16	1	3	1	3	13	6	157	123	3	2
52	Salem	158	–	–	1	29	5	6	1	6	2	3	6	6	99	59	–	1
53	Balance of county	752	–	–	2	139	44	25	6	20	2	7	35	24	459	372	6	6
54	Coshocton	399	–	–	–	74	18	15	10	8	6	5	12	9	209	141	2	–
55	Coshocton	201	–	–	–	33	7	7	4	5	2	1	7	4	112	68	1	–
56	Balance of county	198	–	–	–	41	11	8	6	3	4	4	5	5	97	73	1	–
57	Crawford	483	–	–	2	99	23	26	7	10	3	6	24	13	283	202	9	3
58	Bucyrus	142	–	–	–	24	8	4	1	3	–	3	5	1	86	58	2	3
59	Galion	148	–	–	1	30	9	9	2	2	2	2	4	8	87	63	–	–
60	Balance of county	193	–	–	1	45	6	13	4	5	1	1	15	4	110	81	7	–
61	Cuyahoga	16,087	19	5	112	3,260	907	787	300	390	154	111	611	337	8,254	6,336	143	73
62	Bay Village	118	–	–	–	27	11	8	2	2	1	1	2	3	64	49	2	2
63	Bedford	147	–	–	–	22	8	4	2	3	–	–	5	2	79	60	1	1
64	Bedford Heights	91	–	–	2	23	7	5	3	–	2	–	6	–	38	34	–	–
65	Berea	138	–	–	1	26	6	6	2	1	3	1	7	2	65	46	1	–
66	Broadview Heights	80	–	–	1	22	4	7	2	4	–	–	5	1	37	27	1	–
67	Brooklyn	98	–	–	1	30	15	7	3	1	1	–	3	1	49	39	1	1
68	Brook Park	87	–	–	1	15	6	6	1	2	–	–	–	4	37	30	2	–
69	Cleveland	8,068	12	5	67	1,532	391	410	123	206	70	42	290	170	3,985	3,093	68	39
70	Cleveland Heights	615	–	–	4	125	37	30	10	21	3	2	22	12	330	240	4	4
71	East Cleveland	323	1	–	3	61	23	14	9	6	1	–	8	5	160	121	3	2
72	Euclid	600	1	–	2	118	37	32	8	9	5	4	23	4	324	249	3	1
73	Fairview Park	176	–	–	2	44	14	14	1	3	2	1	9	–	97	74	3	1
74	Garfield Heights	382	1	–	2	73	17	13	15	11	3	2	12	5	219	172	3	1
75	Lakewood	720	2	–	3	144	41	30	17	19	8	7	22	11	389	299	4	1
76	Lyndhurst	171	–	–	1	38	7	5	5	4	4	3	10	5	90	72	5	1
77	Maple Heights	288	–	–	2	54	15	11	4	3	4	4	13	5	164	131	8	2
78	Mayfield Heights	236	1	–	1	61	19	14	5	5	2	3	13	9	112	84	–	–
79	Middleburg Heights	93	–	–	1	19	6	3	1	2	1	2	4	3	54	40	1	–
80	North Olmstead	213	1	–	4	46	14	10	2	5	2	3	10	4	115	98	2	1
81	North Royalton	95	–	–	–	19	7	4	–	3	2	–	3	3	54	31	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
27	1	2	9	–	2	1	1	2	–	1	–	–	1	–	5	2	4	1	–	–	01
61	5	–	16	4	1	4	3	–	2	1	–	–	5	1	15	9	6	–	–	–	02
37	2	–	11	4	1	2	2	–	1	–	–	–	4	–	9	8	1	–	–	–	03
24	3	–	5	–	–	2	1	–	1	1	–	–	1	1	6	1	5	–	–	–	04
34,298	**1,956**	**337**	**9,960**	**1,668**	**1,369**	**2,493**	**1,475**	**312**	**1,409**	**402**	**16**	**683**	**1,378**	**1,448**	**7,237**	**1,733**	**2,606**	**1,342**	**922**	**147**	05
21,086	1,163	210	6,073	1,069	837	1,553	914	200	1,047	241	12	406	878	992	4,644	831	1,559	812	753	101	06
13,212	793	127	3,887	599	532	940	561	112	362	161	4	277	500	456	2,593	902	1,047	530	169	46	07
25,488	1,412	250	7,177	1,193	1,000	1,861	1,072	225	1,173	307	13	511	1,060	1,205	5,485	1,170	1,951	1,056	846	112	08
18,299	1,011	184	5,154	869	709	1,350	772	169	950	216	11	354	780	907	4,086	687	1,383	724	728	83	09
7,189	401	66	2,023	324	291	511	300	56	223	91	2	157	280	298	1,399	483	568	332	118	29	10
8,810	544	87	2,783	475	369	632	403	87	236	95	3	172	318	243	1,752	563	655	286	76	35	11
2,787	152	26	919	200	128	203	142	31	97	25	1	52	98	85	558	144	176	88	25	18	12
6,023	392	61	1,864	275	241	429	261	56	139	70	2	120	220	158	1,194	419	479	198	51	17	13
95	7	–	42	5	1	3	1	–	2	–	–	1	5	1	17	9	5	4	–	–	14
354	20	6	88	28	16	27	21	1	12	3	–	4	26	5	80	25	37	15	10	1	15
207	13	5	47	19	9	17	15	–	7	2	–	3	14	4	52	19	17	12	9	1	16
147	7	1	41	9	7	10	6	1	5	1	–	1	12	1	28	6	20	3	1	–	17
124	6	3	60	8	7	10	5	–	6	2	–	1	–	5	41	15	8	4	1	–	18
57	–	2	30	7	7	6	3	–	1	1	–	–	–	2	17	5	1	1	–	–	19
67	6	1	30	1	–	4	2	–	5	1	–	1	–	3	24	10	7	3	1	–	20
382	27	4	105	8	12	16	20	2	12	6	–	5	9	5	52	34	25	8	2	–	21
119	7	–	27	1	2	4	3	1	7	4	–	1	1	3	12	4	4	1	1	–	22
58	4	1	12	–	3	1	2	–	1	–	–	1	1	–	11	9	4	2	–	–	23
205	16	3	66	7	7	11	15	1	4	2	–	3	7	2	29	21	17	5	1	–	24
160	8	1	54	6	6	11	12	1	4	2	–	5	6	5	27	8	13	10	5	–	25
32	1	–	12	–	1	3	–	–	1	–	–	–	2	–	7	3	–	1	1	–	26
128	7	1	42	6	5	8	12	1	3	2	–	5	4	5	20	5	13	9	4	–	27
124	5	1	42	9	8	13	8	1	1	1	–	3	7	4	26	6	9	3	–	–	28
369	20	3	110	14	18	31	19	3	16	9	–	5	4	17	62	12	24	7	4	2	29
61	2	1	14	–	3	3	2	1	4	1	–	–	2	3	6	1	4	–	1	–	30
308	18	2	96	14	15	28	17	2	12	8	–	5	2	14	56	11	20	7	3	2	31
115	8	1	43	4	2	9	3	1	3	–	–	1	2	–	26	8	5	6	1	–	32
679	29	14	179	44	26	43	21	2	22	6	1	18	26	8	120	47	41	27	27	8	33
34	2	–	4	2	2	2	–	–	–	–	–	1	2	1	6	5	2	4	9	2	34
265	8	9	70	16	6	16	7	1	11	4	1	8	10	2	45	10	11	9	7	3	35
150	11	1	44	11	9	13	7	–	4	–	–	3	5	2	33	12	14	5	6	1	36
19	2	–	8	1	–	–	–	1	–	–	–	–	–	1	5	1	–	–	–	–	37
211	6	4	53	14	9	12	7	–	7	2	–	6	9	2	31	19	14	9	5	2	38
73	2	4	21	1	1	5	2	1	2	–	–	4	4	3	15	–	5	3	–	1	39
117	14	2	40	5	8	16	9	1	4	–	–	2	5	2	14	4	7	3	2	–	40
50	6	1	15	4	1	6	4	1	2	–	–	1	1	1	7	–	1	1	–	–	41
67	8	1	25	1	7	10	5	–	2	–	–	1	4	1	7	4	6	2	2	–	42
479	36	9	168	19	19	57	24	3	23	–	–	10	28	9	108	16	37	22	8	1	43
333	30	7	125	13	15	41	15	3	15	–	–	6	21	8	82	11	31	16	6	1	44
146	6	2	43	6	4	16	9	–	8	–	–	4	7	1	26	5	6	6	2	–	45
228	13	–	75	8	11	20	13	2	4	2	1	7	19	4	44	34	27	11	4	3	46
108	5	1	42	6	10	6	6	2	3	3	–	3	3	2	29	8	8	2	–	1	47
33	2	–	15	4	2	2	3	1	1	1	–	1	–	2	7	1	3	1	–	–	48
75	3	1	27	2	8	4	3	1	2	2	–	2	3	–	22	7	5	1	–	1	49
517	19	2	112	26	21	19	21	2	18	5	1	5	12	3	71	17	25	12	1	1	50
117	1	–	25	4	5	2	6	–	8	2	–	–	4	1	24	3	7	4	1	–	51
57	1	–	25	9	6	1	4	–	1	1	–	–	1	–	7	2	3	3	–	–	52
343	17	2	62	13	10	16	11	2	9	2	1	5	7	2	40	12	15	5	–	1	53
134	5	2	41	15	10	11	4	3	2	3	–	4	4	2	36	14	16	3	5	–	54
65	2	2	26	9	7	4	3	3	1	–	–	2	2	2	22	5	5	–	3	–	55
69	3	–	15	6	3	7	1	–	1	3	–	2	2	–	14	9	11	3	2	–	56
185	5	5	56	9	11	11	7	1	6	–	–	4	8	3	29	4	8	2	3	–	57
51	2	–	21	4	3	4	2	1	3	–	–	2	2	2	8	2	2	2	1	–	58
61	2	3	16	–	5	4	1	–	1	–	–	1	2	–	10	1	2	–	–	–	59
73	1	2	19	5	3	3	4	–	2	–	–	1	4	1	11	1	4	–	2	–	60
5,870	250	35	1,394	283	206	404	235	65	381	69	2	106	206	50	1,289	201	506	218	349	19	61
45	–	–	14	–	1	3	1	–	–	–	–	1	3	–	5	5	4	1	1	–	62
57	1	–	11	2	6	3	3	–	7	–	–	1	3	–	16	4	1	5	1	–	63
31	3	–	3	1	–	2	2	1	1	–	–	–	1	–	12	1	5	1	2	–	64
45	–	–	17	2	–	3	2	2	3	–	–	1	1	1	20	2	4	4	1	–	65
23	3	1	6	2	1	2	1	–	1	–	–	2	3	–	4	2	2	2	–	–	66
37	–	1	8	1	–	2	1	–	1	1	–	1	1	–	7	–	2	1	–	–	67
26	2	–	6	1	–	7	3	1	2	–	–	–	1	–	7	3	5	1	–	–	68
2,830	156	18	657	132	85	199	108	28	242	41	2	55	119	27	685	108	275	100	296	12	69
223	9	3	58	18	11	25	13	2	6	2	–	3	7	1	47	4	25	5	3	1	70
113	3	1	25	4	9	6	4	1	8	4	–	2	5	–	31	2	10	8	11	1	71
232	13	1	49	11	14	19	8	5	16	3	–	3	5	4	47	9	15	12	5	–	72
69	1	–	19	1	3	1	4	1	3	–	–	–	2	1	10	1	6	4	–	–	73
164	4	–	40	4	3	8	8	3	13	1	–	–	3	1	27	2	8	6	2	–	74
287	7	1	67	10	12	26	9	2	13	1	–	4	3	2	63	8	29	8	3	–	75
65	1	–	13	3	2	6	2	–	4	–	–	2	–	1	15	1	5	1	–	–	76
118	3	1	26	5	1	6	2	2	3	3	–	2	2	2	25	2	11	1	2	–	77
79	5	–	18	5	5	7	8	2	1	1	–	–	–	1	20	–	9	2	–	1	78
36	3	1	10	3	–	2	1	–	1	–	–	–	2	1	4	1	3	–	1	–	79
94	1	–	11	3	3	5	1	–	4	–	–	3	4	–	15	5	5	1	–	–	80
30	1	1	15	3	4	3	1	–	–	–	–	1	1	–	6	3	4	–	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Ohio—Con.																	
	Cuyahoga—Con.																	
01	Parma	802	–	–	4	159	49	34	15	20	9	6	26	23	436	331	6	3
02	Parma Heights	197	–	–	–	51	10	9	6	5	4	3	14	2	109	89	1	1
03	Rocky River	226	–	–	1	44	16	9	3	2	2	3	9	7	128	90	2	–
04	Seven Hills	104	–	–	–	21	6	3	2	3	1	1	5	4	54	40	2	–
05	Shaker Heights	326	–	–	2	89	24	15	11	13	6	4	16	8	167	128	1	2
06	Solon	75	–	–	–	19	4	6	5	1	–	1	2	3	37	29	1	–
07	South Euclid	242	–	–	1	62	25	11	7	5	–	2	12	9	129	100	1	1
08	Strongsville	96	–	–	–	24	6	5	2	1	2	2	6	2	44	28	4	–
09	University Heights	122	–	–	2	28	12	4	3	1	2	–	6	1	64	56	–	1
10	Warrensville Heights	121	–	–	2	36	9	9	3	6	1	3	5	3	54	42	3	–
11	Westlake	153	–	–	1	29	6	5	6	2	2	3	5	3	99	69	2	1
12	Balance of county	884	–	–	1	199	55	44	22	21	11	8	38	23	471	345	8	7
13	Darke	547	1	–	6	100	24	27	9	12	2	7	19	18	301	245	3	14
14	Greenville	205	1	–	–	30	8	10	1	3	1	1	6	8	124	99	1	7
15	Balance of county	342	–	–	6	70	16	17	8	9	1	6	13	10	177	146	2	7
16	Defiance	307	–	–	–	44	17	5	4	3	3	1	11	6	175	121	3	5
17	Defiance	161	–	–	–	28	10	3	3	3	3	–	6	1	81	49	–	2
18	Balance of county	146	–	–	–	16	7	2	1	–	–	1	5	5	94	72	3	3
19	Delaware	365	–	–	1	63	12	19	4	7	1	5	15	9	209	152	4	1
20	Delaware	150	–	–	–	31	6	9	1	4	1	5	5	4	89	64	2	–
21	Westerville, part	5	–	–	–	2	–	–	–	1	–	–	1	–	1	–	–	–
22	Balance of county	210	–	–	1	30	6	10	3	2	–	–	9	5	119	88	2	1
23	Erie	693	2	1	8	123	36	30	9	12	6	5	25	9	337	233	4	7
24	Sandusky	371	1	–	6	64	20	16	4	7	4	3	10	6	177	115	1	6
25	Balance of county	322	1	1	2	59	16	14	5	5	2	2	15	3	160	118	3	1
26	Fairfield	739	2	–	1	146	42	30	13	25	5	4	27	20	398	289	6	11
27	Lancaster	357	–	–	–	67	22	13	5	11	3	2	11	9	200	138	4	5
28	Balance of county	382	2	–	1	79	20	17	8	14	2	2	16	11	198	151	2	6
29	Fayette	291	–	–	4	45	13	9	5	9	1	3	5	8	170	102	1	–
30	Washington	181	–	–	3	27	8	6	2	7	1	2	1	4	111	65	–	–
31	Balance of county	110	–	–	1	18	5	3	3	2	–	1	4	4	59	37	1	–
32	Franklin	6,623	10	3	56	1,335	314	349	122	161	52	50	287	130	3,239	2,241	35	258
33	Bexley	106	–	–	1	24	5	2	3	4	1	2	7	2	57	35	–	2
34	Columbus	4,882	9	2	43	945	233	241	76	116	36	38	205	98	2,384	1,666	29	224
35	Gahanna	70	–	–	–	21	7	4	1	1	1	–	7	–	26	19	–	5
36	Grove City	97	–	–	2	19	2	5	3	3	1	–	5	1	44	35	–	2
37	Reynoldsburg, part	78	–	–	–	14	–	5	2	2	–	1	4	1	42	26	–	–
38	Reynoldsburg, total	80	–	–	–	15	–	5	3	2	–	1	4	2	42	26	–	–
39	Upper Arlington	284	–	–	2	66	17	14	13	8	4	2	8	6	157	101	–	3
40	Westerville, part	83	–	–	2	17	1	5	1	2	–	1	7	2	42	25	–	–
41	Westerville, total	88	–	–	2	19	1	5	1	3	–	1	8	2	43	25	–	–
42	Whitehall	135	–	–	–	28	6	10	1	2	1	–	8	3	62	42	2	4
43	Worthington	95	–	–	–	28	10	6	3	5	–	–	4	2	47	29	–	1
44	Balance of county	793	1	1	6	173	33	57	19	18	8	6	32	15	378	263	4	17
45	Fulton	312	1	–	1	63	20	14	6	9	4	3	7	5	171	121	3	1
46	Gallia	281	–	–	–	44	9	13	1	5	3	3	10	3	163	128	2	3
47	Geauga	395	–	–	3	72	17	16	8	10	2	2	17	5	219	165	4	1
48	Greene	717	1	–	8	139	35	27	11	19	6	7	34	26	362	241	5	3
49	Fairborn	161	–	–	3	34	4	6	3	7	3	3	8	5	76	50	2	–
50	Xenia	191	1	–	1	39	14	8	1	6	–	1	9	7	102	62	1	–
51	Balance of county	365	–	–	4	66	17	13	7	6	3	3	17	14	184	129	2	3
52	Guernsey	450	–	–	2	86	21	24	7	12	3	7	12	10	236	168	1	6
53	Cambridge	207	–	–	2	37	9	9	2	6	2	2	7	6	109	74	1	3
54	Balance of county	243	–	–	–	49	12	15	5	6	1	5	5	4	127	94	–	3
55	Hamilton	8,726	19	–	71	1,853	512	455	174	215	94	67	336	147	4,577	3,526	66	46
56	Cheviot	127	–	–	1	30	10	7	6	3	1	1	2	2	72	59	–	–
57	Cincinnati	5,536	14	–	42	1,108	302	301	87	140	55	35	188	92	2,886	2,230	42	35
58	Forest Park	39	–	–	1	7	–	4	–	1	1	–	1	–	22	19	–	–
59	North College Hill	114	–	–	–	34	16	2	5	3	2	1	5	6	59	46	2	–
60	Norwood	332	1	–	1	74	19	16	8	6	7	4	14	6	167	133	2	1
61	Reading	106	–	–	1	18	4	2	2	3	–	–	7	3	53	46	–	1
62	Sharonville	42	–	–	–	8	3	3	1	–	–	–	1	–	24	18	–	–
63	Balance of county	2,430	4	–	25	574	158	120	65	59	28	26	118	38	1,294	975	20	9
64	Hancock	576	–	–	4	94	24	15	8	17	5	1	24	9	321	224	2	14
65	Findlay	348	–	–	2	61	16	12	4	11	4	1	13	3	199	141	–	6
66	Fostoria, part	25	–	–	–	3	2	1	–	–	–	–	–	1	12	8	–	–
67	Balance of county	203	–	–	2	30	6	2	4	6	1	–	11	5	110	75	2	8
68	Hardin	352	–	–	5	65	19	13	4	8	6	3	12	8	203	147	4	1
69	Harrison	212	–	–	1	43	10	15	2	4	–	3	9	6	115	80	2	3
70	Henry	256	1	–	–	57	17	12	7	5	4	–	12	2	144	103	–	1
71	Highland	395	1	–	4	72	24	17	6	6	2	5	12	9	212	138	4	1
72	Hocking	225	–	–	2	42	12	11	7	3	–	3	6	7	108	76	1	3
73	Holmes	193	2	–	–	26	11	3	5	2	2	–	3	3	113	85	–	2
74	Huron	466	–	–	–	83	20	19	2	9	6	9	18	10	271	190	3	6
75	Norwalk	135	–	–	–	22	6	4	–	4	1	2	5	2	74	50	–	–
76	Balance of county	331	–	–	–	61	14	15	2	5	5	7	13	8	197	140	3	6
77	Jackson	313	1	1	2	52	17	14	7	5	–	2	7	3	180	139	4	1
78	Jefferson	1,066	2	1	6	188	55	46	14	23	6	10	34	44	575	419	8	5
79	Steubenville	396	1	1	3	70	18	15	7	10	3	4	13	15	218	155	5	5
80	Balance of county	670	1	–	3	118	37	31	7	13	3	6	21	29	357	264	3	–
81	Knox	458	2	–	1	68	18	20	6	9	3	1	11	5	284	197	3	2
82	Mount Vernon	189	2	–	–	27	7	8	2	3	1	–	6	3	118	92	1	1
83	Balance of county	269	–	–	1	41	11	12	4	6	2	1	5	2	166	105	2	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
317	5	2	77	14	12	15	13	5	17	2	–	9	13	3	58	9	12	18	3	3	01
85	2	–	15	2	3	2	1	1	2	2	–	–	3	–	13	3	3	3	2	–	02
87	1	1	27	6	4	7	4	1	3	1	–	2	–	–	15	2	7	4	–	–	03
38	–	–	10	4	–	1	2	–	2	–	–	1	1	–	9	1	4	3	1	–	04
117	8	–	31	5	3	8	4	1	–	1	–	2	5	1	19	2	9	5	3	–	05
27	1	–	5	2	1	1	2	–	3	–	–	2	–	–	2	2	1	2	1	–	06
96	2	–	22	3	4	5	5	1	1	1	–	–	3	–	11	1	8	4	1	–	07
24	–	1	10	4	1	3	–	2	4	–	–	1	1	1	4	3	4	2	1	–	08
54	1	1	6	1	–	3	2	–	3	–	–	–	4	–	8	1	4	–	2	–	09
39	–	–	8	1	3	1	2	–	3	1	–	1	4	–	8	–	3	1	2	–	10
66	–	1	24	3	2	1	3	–	5	–	–	–	–	–	8	1	3	–	–	–	11
316	14	–	86	27	13	22	15	4	9	4	–	7	6	3	68	13	20	13	5	1	12
216	12	2	45	8	1	9	2	4	1	1	–	7	10	3	39	20	17	6	2	–	13
85	6	–	21	4	–	5	1	1	–	–	–	2	4	1	13	7	4	3	1	–	14
131	6	2	24	4	1	4	1	3	1	1	–	5	6	2	26	13	13	3	1	–	15
100	13	–	40	10	4	9	5	2	5	4	–	1	6	3	24	10	7	5	–	1	16
43	4	–	23	6	3	7	3	1	3	1	–	–	3	2	15	9	4	2	–	1	17
57	9	–	17	4	1	2	2	1	2	3	–	1	3	1	9	1	3	3	–	–	18
135	12	2	45	3	7	14	7	1	3	2	–	–	7	8	13	11	12	3	1	1	19
58	4	–	20	2	3	2	2	1	2	–	–	–	3	2	7	2	3	1	1	–	20
–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	21
77	8	2	24	1	4	11	5	–	–	2	–	–	4	6	6	9	9	2	–	1	22
206	16	3	63	21	17	11	12	4	8	2	–	2	10	53	58	13	23	9	5	3	23
101	7	3	38	15	6	8	9	4	5	–	–	1	5	34	30	4	10	3	4	–	24
105	9	–	25	6	11	3	3	–	3	2	–	1	5	19	28	9	13	6	1	3	25
250	22	3	76	19	11	17	11	2	5	2	–	5	9	7	64	13	20	10	5	2	26
120	9	2	43	13	4	5	3	2	3	2	–	3	6	3	36	4	10	2	1	1	27
130	13	1	33	6	7	12	8	–	2	–	–	2	3	4	28	9	10	8	4	1	28
96	5	–	47	16	5	12	9	1	2	–	–	1	5	3	15	4	8	4	–	–	29
63	2	–	30	12	4	6	5	–	1	–	–	–	3	1	11	1	5	3	–	–	30
33	3	–	17	4	1	6	4	1	1	–	–	1	2	2	4	3	3	1	–	–	31
1,768	180	31	755	130	82	190	86	16	99	30	1	53	127	310	510	77	179	109	54	9	32
31	2	–	17	5	–	1	1	–	–	–	–	–	1	2	7	–	3	6	1	–	33
1,275	138	23	552	91	52	150	65	9	84	23	1	41	95	238	382	53	134	71	48	7	34
14	–	–	6	1	–	1	–	3	1	–	–	–	6	4	4	1	1	2	–	–	35
31	2	–	8	1	–	1	2	–	–	–	–	2	4	6	11	2	2	1	–	–	36
23	3	–	8	4	4	5	–	–	–	–	–	–	2	7	3	2	2	–	–	–	37
23	3	–	8	4	4	5	–	–	–	–	–	–	2	7	3	2	2	–	–	–	38
90	8	1	45	7	3	6	3	2	2	1	–	–	–	10	13	1	5	9	–	1	39
22	3	1	12	1	3	1	1	–	–	1	–	1	3	2	8	1	1	1	–	–	40
22	3	1	13	1	3	2	1	–	1	1	–	1	3	2	8	1	1	1	–	–	41
36	–	1	14	3	2	5	3	–	1	–	–	1	1	4	13	1	4	7	2	–	42
28	–	1	13	3	1	1	3	–	–	–	–	–	1	4	5	2	2	–	–	–	43
218	24	4	80	14	17	19	8	2	11	5	–	8	14	33	64	14	25	12	3	1	44
115	2	–	39	10	1	5	1	–	2	1	–	–	8	1	23	15	10	3	2	–	45
112	11	2	25	5	3	8	5	–	2	5	–	1	5	7	17	4	13	1	2	1	46
153	7	1	41	4	8	13	6	–	4	2	–	6	2	8	23	15	12	4	1	–	47
220	13	1	94	14	12	10	5	3	12	2	–	12	16	20	45	14	25	13	3	1	48
45	3	1	17	5	3	2	2	–	3	1	–	4	4	3	12	1	7	3	–	1	49
56	5	–	33	3	4	6	–	1	4	–	–	1	4	8	6	5	4	2	–	–	50
119	5	–	44	6	5	2	3	2	5	1	–	7	8	9	27	8	14	8	3	–	51
153	8	1	55	9	3	23	10	1	10	2	–	6	2	2	34	17	6	2	1	–	52
66	4	–	26	7	2	10	8	–	9	1	–	2	1	1	13	4	2	2	–	–	53
87	4	1	29	2	1	13	2	1	1	1	–	4	1	1	21	13	4	–	1	–	54
3,277	137	21	783	131	116	233	111	40	136	32	1	57	95	37	739	124	227	116	87	24	55
57	2	–	8	2	3	–	6	–	–	–	–	–	1	–	6	4	4	1	–	–	56
2,065	88	13	486	89	68	155	68	29	95	24	1	40	63	27	528	70	133	68	76	17	57
18	1	–	2	–	1	1	–	–	2	–	–	–	2	–	2	1	–	1	–	–	58
43	1	–	9	2	2	3	2	–	2	1	–	–	–	–	4	–	2	1	–	–	59
125	5	–	27	4	3	7	4	1	9	–	–	1	4	1	32	3	10	8	2	1	60
44	1	–	6	–	1	10	–	–	3	–	–	1	1	–	9	3	2	2	–	–	61
14	4	–	2	1	3	–	–	–	–	–	–	2	2	–	2	2	1	1	–	–	62
911	35	8	243	33	35	57	31	10	25	7	–	13	22	9	156	41	75	34	9	6	63
191	17	2	78	12	5	22	14	1	6	–	–	4	3	2	56	11	22	5	2	–	64
122	13	1	49	5	3	13	8	1	5	–	–	2	1	1	32	5	11	2	2	–	65
8	–	–	1	2	1	1	2	–	1	–	–	–	–	–	1	1	3	–	–	–	66
61	4	1	28	5	1	8	4	–	–	–	–	2	2	1	23	5	8	3	–	–	67
135	7	1	41	6	8	9	5	1	3	–	–	1	7	1	19	12	8	4	1	–	68
75	–	–	28	4	3	7	2	1	–	1	–	1	1	3	18	2	8	3	–	–	69
98	4	–	28	7	6	3	7	–	3	1	–	2	4	1	17	4	5	3	2	–	70
122	11	–	82	6	6	13	3	6	1	–	–	2	5	2	36	11	10	6	2	–	71
64	8	2	26	3	1	8	4	1	5	2	–	1	2	18	18	3	2	2	–	–	72
78	5	1	22	3	2	9	3	1	1	1	–	6	6	2	15	1	2	1	–	1	73
167	14	1	58	16	6	12	9	2	4	2	–	3	5	7	29	9	10	9	1	–	74
47	3	–	16	5	3	6	5	–	3	–	–	–	2	2	11	4	2	2	–	–	75
120	11	1	42	11	3	6	4	2	1	2	–	3	3	5	18	5	8	7	1	–	76
131	3	1	31	5	4	7	7	1	3	1	–	1	3	–	28	8	9	5	–	1	77
391	15	6	115	20	15	30	20	–	18	3	–	8	15	7	94	6	31	13	3	2	78
139	6	3	45	8	7	11	7	–	6	1	–	2	7	4	35	2	12	1	–	–	79
252	9	3	70	12	8	19	13	–	12	2	–	6	8	3	59	4	19	12	3	2	80
176	16	2	64	6	15	8	8	1	3	1	–	3	3	3	34	12	16	5	1	–	81
83	7	1	19	–	6	5	3	–	1	–	–	2	1	1	13	5	3	5	–	–	82
93	9	1	45	6	9	3	5	1	2	1	–	1	2	2	21	7	13	–	1	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Ohio—Con.																	
01	Lake	1,380	–	1	11	272	76	64	28	35	12	10	47	32	702	537	6	5
02	Eastlake	111	–	–	2	19	5	6	1	1	1	1	4	4	54	47	–	1
03	Mentor	204	–	–	3	42	7	11	6	8	2	2	6	6	95	78	1	–
04	Painesville	207	–	–	3	32	11	7	4	3	3	–	4	7	113	80	–	–
05	Wickliffe	110	–	–	1	30	14	4	2	2	–	2	6	1	51	39	–	–
06	Willoughby	138	–	–	–	28	6	6	3	4	3	1	5	1	67	54	1	3
07	Willowick	146	–	–	1	31	6	12	3	3	–	1	6	4	82	62	1	1
08	Balance of county	464	–	1	1	90	27	18	9	14	3	3	16	9	240	177	3	–
09	Lawrence	601	1	–	2	121	21	46	7	16	2	4	25	15	321	238	1	1
10	Ironton	201	1	–	1	34	10	10	1	6	–	1	6	10	113	84	–	–
11	Balance of county	400	–	–	1	87	11	36	6	10	2	3	19	5	208	154	1	1
12	Licking	913	1	–	2	176	45	54	19	12	7	8	31	18	491	366	9	17
13	Newark	446	–	–	1	85	27	26	8	7	4	3	10	6	248	187	5	8
14	Reynoldsburg, part	2	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–
15	Balance of county	465	1	–	1	90	18	28	10	5	3	5	21	11	243	179	4	9
16	Logan	432	1	–	2	74	26	18	5	10	1	6	8	11	232	168	3	7
17	Bellefontaine	149	–	–	2	27	9	7	–	6	–	1	4	1	72	49	2	2
18	Balance of county	283	1	–	–	47	17	11	5	4	1	5	4	10	160	119	1	5
19	Lorain	1,984	3	2	7	384	102	101	41	39	23	18	60	39	992	762	12	7
20	Avon Lake	80	–	–	1	18	5	4	3	3	1	–	2	3	44	28	1	–
21	Elyria	446	–	1	3	85	18	28	4	8	4	9	14	9	235	183	3	1
22	Lorain	699	2	1	2	137	42	28	15	14	9	6	23	14	327	253	2	1
23	North Ridgeville	67	–	–	–	13	3	4	1	2	1	–	2	2	33	28	2	1
24	Balance of county	692	1	–	1	131	34	37	18	12	8	3	19	11	353	270	4	4
25	Lucas	4,910	4	2	21	962	268	268	87	98	52	43	146	119	2,659	1,960	52	28
26	Maumee	116	–	–	–	25	4	9	5	1	2	–	4	1	59	45	2	1
27	Oregon	174	–	–	3	35	10	7	3	3	2	3	7	2	101	80	1	–
28	Sylvania	98	–	–	–	21	4	5	4	2	1	–	5	–	57	38	1	–
29	Toledo	4,043	4	1	15	798	232	226	69	80	39	34	118	103	2,188	1,602	43	26
30	Balance of county	479	–	1	3	83	18	21	6	12	8	6	12	13	254	195	5	1
31	Madison	280	–	–	1	46	20	5	3	5	1	–	12	6	165	101	4	1
32	Mahoning	3,094	4	–	15	660	190	150	50	76	44	32	118	76	1,680	1,180	22	26
33	Alliance, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Campbell	102	–	–	1	24	6	6	1	2	1	2	6	3	51	33	–	–
35	Struthers	141	–	–	1	34	11	7	1	5	2	1	7	1	83	64	1	1
36	Youngstown, part	1,685	4	–	11	367	98	89	34	42	22	18	64	43	891	605	11	13
37	Youngstown, total	1,688	4	–	11	368	99	89	34	42	22	18	64	43	893	606	11	13
38	Balance of county	1,166	–	–	2	235	75	48	14	27	19	11	41	29	655	478	10	12
39	Marion	593	3	–	3	117	24	35	14	15	4	5	20	10	324	223	4	5
40	Marion	392	2	–	2	69	18	22	8	7	3	1	10	8	222	151	2	3
41	Balance of county	201	1	–	1	48	6	13	6	8	1	4	10	2	102	72	2	2
42	Medina	602	–	1	7	107	32	26	10	16	6	2	15	14	325	243	3	4
43	Brunswick	80	–	–	1	14	1	5	4	1	–	–	3	4	34	25	–	2
44	Medina	132	–	–	2	23	6	5	2	5	1	–	4	3	68	50	–	1
45	Wadsworth	102	–	–	–	13	4	1	1	4	–	1	2	2	63	41	–	1
46	Balance of county	288	–	1	4	57	21	15	3	6	5	1	6	5	160	127	3	–
47	Meigs	245	1	–	–	51	9	15	6	6	4	3	8	4	148	102	1	–
48	Mercer	310	–	–	2	63	13	21	4	7	5	5	8	11	172	116	1	5
49	Miami	780	–	–	1	164	35	43	14	22	7	9	34	16	429	305	1	2
50	Piqua	241	–	–	1	37	7	8	2	4	2	4	10	6	146	101	–	1
51	Troy	172	–	–	–	36	6	8	4	9	2	1	6	5	90	68	1	–
52	Balance of county	367	–	–	–	91	22	27	8	9	3	4	18	5	193	136	–	1
53	Monroe	197	–	–	3	32	4	8	2	8	3	3	4	5	123	90	2	4
54	Montgomery	4,726	8	1	24	971	242	278	85	103	49	46	168	82	2,385	1,784	29	21
55	Centerville	52	–	–	–	15	6	4	1	–	1	1	2	1	27	18	–	–
56	Dayton	2,442	6	–	16	479	123	145	40	56	19	16	80	44	1,219	897	15	10
57	Kettering	490	1	–	2	120	30	34	8	12	7	12	17	9	264	202	4	2
58	Miamisburg	114	–	–	–	26	3	6	4	6	1	–	6	3	52	42	–	1
59	Oakwood	128	–	–	2	23	8	2	2	1	1	2	7	1	90	60	1	2
60	Vandalia	54	–	–	–	12	5	1	–	1	1	–	4	–	26	21	1	–
61	West Carrollton	60	–	–	–	12	2	8	–	–	–	–	2	–	34	24	–	1
62	Balance of county	1,386	1	1	4	284	65	78	30	27	19	15	50	24	673	520	8	5
63	Morgan	142	1	–	3	13	1	5	2	3	–	–	2	1	99	85	3	1
64	Morrow	186	–	–	2	30	6	8	2	5	2	–	7	4	105	72	1	–
65	Muskingum	888	–	–	5	157	52	35	13	24	5	7	21	25	487	372	3	24
66	Zanesville	481	–	–	2	92	29	18	8	13	5	5	14	14	265	197	1	13
67	Balance of county	407	–	–	3	65	23	17	5	11	–	2	7	11	222	175	2	11
68	Noble	126	–	–	–	20	4	7	1	2	1	1	4	3	78	62	–	2
69	Ottawa	346	–	–	1	80	13	25	9	10	2	6	15	3	180	137	1	5
70	Paulding	171	–	–	1	34	14	4	3	2	1	3	7	4	84	65	2	–
71	Perry	312	–	–	–	48	13	13	3	7	2	2	8	5	180	134	–	1
72	Pickaway	345	–	–	3	64	17	13	5	10	1	6	12	5	197	122	–	2
73	Circleville	130	–	–	–	28	7	9	2	4	–	2	4	2	74	44	–	1
74	Balance of county	215	–	–	3	36	10	4	3	6	1	4	8	3	123	78	–	1
75	Pike	192	–	–	1	36	9	5	2	2	3	4	11	15	98	76	2	2
76	Portage	730	–	–	6	133	31	35	18	16	4	5	24	19	394	281	5	4
77	Kent	148	–	–	1	36	9	7	5	4	1	3	7	6	80	52	1	–
78	Ravenna	113	–	–	2	18	4	6	3	3	–	–	2	–	70	54	2	1
79	Balance of county	469	–	–	3	79	18	22	10	9	3	2	15	13	244	175	2	3
80	Preble	312	–	–	3	56	20	12	3	4	2	–	15	8	177	145	2	2
81	Putnam	264	–	–	1	55	16	10	6	10	2	3	8	4	143	109	2	1
82	Richland	1,119	1	–	4	208	42	50	20	25	14	9	48	33	579	427	9	9
83	Mansfield	691	1	–	3	130	26	36	14	13	7	4	30	21	353	258	6	6
84	Balance of county	428	–	–	1	78	16	14	6	12	7	5	18	12	226	169	3	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
491	35	1	134	10	20	30	16	7	23	8	2	11	23	20	100	33	47	31	10	1	01
41	5	–	5	–	2	–	1	–	3	2	–	2	3	2	10	–	6	3	–	–	02
74	3	1	15	–	1	4	–	–	3	2	1	1	6	7	19	5	3	5	2	–	03
76	4	–	27	3	3	7	2	2	4	1	–	1	6	3	11	2	8	3	2	–	04
35	4	–	11	–	1	5	4	1	3	–	–	1	1	–	6	–	5	–	1	–	05
48	2	–	10	1	2	3	2	–	–	–	–	1	2	3	11	6	6	5	3	–	06
59	1	–	15	2	3	1	1	–	–	2	1	2	–	1	10	2	5	3	–	–	07
158	16	–	51	4	8	10	6	4	10	1	–	3	5	4	33	18	14	12	2	1	08
219	17	5	66	7	5	12	9	2	6	2	–	3	5	7	57	12	18	2	4	2	09
78	6	2	24	–	3	4	1	1	3	2	–	–	1	–	22	2	4	–	1	1	10
141	11	3	42	7	2	8	8	1	3	–	–	3	4	7	35	10	14	2	3	1	11
321	19	5	95	14	11	18	21	8	13	4	–	13	11	12	75	20	19	8	–	3	12
170	4	3	41	10	7	10	13	5	5	1	–	9	4	6	28	5	12	6	–	2	13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14
151	15	2	54	4	4	8	8	3	8	3	–	4	7	6	47	15	7	2	–	1	15
143	15	1	53	2	8	14	5	1	3	2	–	4	8	4	46	1	10	5	1	8	16
39	6	–	20	–	3	7	3	–	1	–	–	2	3	1	16	1	1	4	1	7	17
104	9	1	33	2	5	7	2	1	2	2	–	2	5	3	30	–	9	1	–	1	18
706	37	7	175	21	27	43	26	2	41	23	–	25	52	33	153	39	65	38	13	4	19
27	–	–	12	1	3	–	2	1	–	–	–	–	1	1	4	3	1	1	–	–	20
169	10	2	42	4	4	16	7	–	12	4	–	2	13	5	25	10	14	3	1	1	21
234	16	1	64	2	7	9	6	1	17	7	–	13	19	18	65	5	29	19	7	1	22
24	1	–	3	2	–	2	1	–	–	–	–	2	3	1	3	1	2	2	1	1	23
252	10	4	54	12	13	16	10	–	12	12	–	8	16	8	56	20	19	13	4	1	24
1,814	66	25	513	79	82	123	124	11	78	15	2	27	53	22	340	72	140	79	48	9	25
42	–	1	8	2	3	4	2	–	3	1	–	–	2	–	9	2	2	5	–	1	26
77	2	1	13	3	4	1	5	–	2	–	–	1	1	–	11	3	6	3	–	–	27
37	–	2	11	5	1	2	1	1	1	–	–	1	1	–	7	–	4	2	–	–	28
1,472	61	19	433	66	68	97	104	10	65	12	2	22	44	21	284	51	114	58	43	7	29
186	3	2	48	3	6	19	12	–	7	2	–	3	5	1	29	16	14	11	5	1	30
92	4	–	57	1	6	9	5	–	2	2	–	1	7	3	14	6	9	3	–	1	31
1,065	67	13	380	61	46	63	39	7	42	11	–	16	39	15	213	42	68	58	45	1	32
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
33	–	–	16	1	1	1	2	–	1	1	–	1	2	1	7	–	5	–	2	–	34
57	5	–	10	6	3	–	2	1	1	–	–	1	–	–	10	1	3	2	1	–	35
542	39	8	223	28	27	40	20	2	26	7	–	6	22	11	125	18	34	23	34	1	36
543	39	8	224	28	27	40	20	2	26	7	–	6	22	11	125	18	34	23	34	1	37
433	23	5	131	26	15	22	15	4	14	3	–	8	15	3	71	23	26	33	8	–	38
204	10	1	76	16	8	15	8	1	8	2	1	8	8	–	41	18	12	8	4	2	39
138	8	1	52	15	3	13	4	1	5	2	1	4	8	–	26	12	5	4	2	2	40
66	2	–	24	1	5	2	4	–	3	–	–	4	–	–	15	6	7	4	2	–	41
206	30	–	55	19	8	19	4	2	8	2	–	4	10	8	45	17	18	10	1	–	42
22	1	–	6	1	2	7	–	–	2	–	–	1	2	1	6	4	4	–	–	–	43
38	11	–	11	6	1	3	1	–	1	1	–	–	6	4	12	1	3	3	1	–	44
35	5	–	17	4	1	2	1	1	1	–	–	2	1	1	12	–	1	2	–	–	45
111	13	–	21	8	4	7	2	1	4	1	–	1	1	2	15	12	10	5	–	–	46
91	10	–	31	10	5	6	4	–	1	–	–	–	3	2	16	3	5	–	1	–	47
102	8	2	43	6	5	6	5	1	2	3	–	–	4	1	23	5	5	7	–	–	48
280	22	3	102	8	11	10	11	3	5	2	–	7	14	4	67	22	14	9	2	–	49
89	11	1	39	2	3	3	4	1	–	1	–	2	4	–	23	8	2	2	1	–	50
64	3	–	20	–	2	1	4	1	2	–	–	3	3	–	16	2	6	3	–	–	51
127	8	2	43	6	6	6	3	1	3	1	–	2	7	4	28	12	6	4	1	–	52
79	5	1	24	6	2	8	4	2	–	–	–	–	1	–	11	3	4	1	–	–	53
1,638	96	20	469	50	62	110	59	18	88	23	3	37	78	82	393	71	110	75	102	6	54
18	–	–	5	1	3	–	–	–	1	–	–	1	–	–	4	1	2	–	–	–	55
821	51	12	256	24	30	65	32	10	58	11	2	19	46	49	211	25	60	19	67	4	56
185	11	3	47	5	7	5	5	2	11	5	–	–	2	2	32	8	10	6	5	1	57
38	3	–	9	1	–	1	1	–	1	–	–	2	2	1	15	3	1	4	2	–	58
56	1	1	24	2	3	2	–	–	–	1	–	–	–	3	2	–	1	3	–	–	59
19	1	–	3	–	2	1	–	–	–	–	–	–	1	4	4	2	2	2	–	–	60
23	–	–	9	–	1	3	–	–	–	–	–	1	1	–	2	–	1	4	2	–	61
478	29	4	116	17	16	33	21	6	17	6	1	14	26	23	123	32	33	37	26	1	62
80	1	–	11	3	–	1	3	1	1	–	–	1	1	2	8	3	3	1	–	–	63
66	5	1	24	6	2	5	4	–	–	–	–	3	5	4	11	6	6	1	–	–	64
326	19	5	88	14	8	30	19	1	12	4	–	11	14	5	68	18	21	10	–	1	65
173	10	1	53	9	5	17	11	–	7	2	–	5	7	2	35	6	10	5	–	1	66
153	9	4	35	5	3	13	8	1	5	2	–	6	7	3	33	12	11	5	–	–	67
55	5	–	9	2	5	3	4	–	–	–	–	1	–	1	7	2	5	2	–	–	68
121	10	3	28	6	6	9	6	4	2	2	–	2	4	3	29	8	6	6	1	–	69
53	10	1	13	3	2	2	1	2	1	1	–	2	1	–	12	14	6	6	–	–	70
128	5	3	34	2	7	13	7	1	4	–	–	2	–	2	23	3	16	6	1	1	71
115	5	1	65	7	2	8	5	–	1	1	–	1	7	8	28	8	2	6	1	–	72
40	3	1	24	4	1	3	2	–	1	–	–	1	3	2	11	3	–	–	–	–	73
75	2	–	41	3	1	5	3	–	–	1	–	–	4	6	17	5	2	6	1	–	74
65	7	–	15	3	4	5	7	–	1	–	–	1	1	2	14	5	3	2	1	–	75
265	7	1	84	20	8	19	4	2	10	–	–	9	8	11	55	20	26	8	5	1	76
51	–	–	20	7	1	1	–	1	1	–	–	1	1	3	6	4	4	2	1	–	77
51	–	–	13	1	2	1	–	–	4	–	–	1	2	1	8	1	3	2	–	–	78
163	7	1	51	12	5	17	4	1	5	–	–	7	5	7	41	15	19	4	4	1	79
131	10	1	25	2	4	11	3	–	3	3	–	–	3	2	24	10	3	5	1	–	80
95	11	–	23	5	6	13	1	–	3	–	–	1	7	1	19	4	9	1	2	–	81
397	12	4	107	26	15	32	19	4	12	7	–	4	20	53	61	25	32	17	7	1	82
239	7	3	66	16	10	21	12	2	9	2	–	3	15	30	42	13	19	8	6	1	83
158	5	1	41	10	5	11	7	2	3	5	–	1	5	23	19	12	13	9	1	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Ohio—Con.																	
01	Ross	600	1	–	–	108	35	18	10	18	9	2	16	14	342	230	3	2
02	Chillicothe	320	1	–	–	60	17	8	8	13	4	–	10	6	187	126	1	1
03	Balance of county	280	–	–	–	48	18	10	2	5	5	2	6	8	155	104	2	1
04	Sandusky	543	1	–	1	95	26	19	8	13	8	7	14	16	324	270	3	10
05	Fremont	200	–	–	–	32	8	7	1	7	–	2	7	5	135	115	1	8
06	Balance of county	343	1	–	1	63	18	12	7	6	8	5	7	11	189	155	2	2
07	Scioto	979	2	–	6	147	35	41	11	20	11	3	26	35	563	430	4	3
08	Portsmouth	473	1	–	4	80	20	21	8	9	6	1	15	17	280	204	3	3
09	Balance of county	506	1	–	2	67	15	20	3	11	5	2	11	18	283	226	1	–
10	Seneca	552	2	–	2	114	29	27	11	13	6	8	20	15	284	212	6	3
11	Fostoria, part	141	–	–	–	33	12	8	3	3	1	1	5	2	64	51	2	1
12	Fostoria, total	175	–	–	–	38	14	9	3	4	2	1	5	3	80	63	2	1
13	Tiffin	200	2	–	1	36	9	8	1	4	3	5	6	8	110	77	1	1
14	Balance of county	211	–	–	1	45	8	11	7	6	2	2	9	5	110	84	3	1
15	Shelby	320	–	–	–	58	17	11	7	7	1	4	11	5	174	119	2	4
16	Sidney	171	–	–	–	34	11	7	4	3	–	2	7	2	96	66	–	3
17	Balance of county	149	–	–	–	24	6	4	3	4	1	2	4	3	78	53	2	1
18	Stark	3,337	6	–	21	686	185	161	54	81	45	27	133	66	1,815	1,391	24	23
19	Alliance, part	291	1	–	1	66	19	14	5	7	4	2	15	4	145	114	1	3
20	Alliance, total	291	1	–	1	66	19	14	5	7	4	2	15	4	145	114	1	3
21	Canton	1,286	3	–	10	243	64	65	17	27	18	11	41	32	750	568	9	9
22	Massillon	408	–	–	3	82	20	20	6	11	–	4	21	7	219	167	5	2
23	North Canton	97	–	–	–	21	5	3	1	2	2	2	6	2	46	37	–	1
24	Balance of county	1,255	2	–	7	274	77	59	25	34	21	8	50	21	655	505	9	8
25	Summit	4,689	5	1	21	906	255	234	79	93	50	32	163	98	2,333	1,712	52	39
26	Akron	2,742	3	–	13	511	146	129	43	55	30	20	88	64	1,380	1,017	31	22
27	Barberton	325	2	–	1	60	15	20	4	6	4	1	10	11	165	116	2	–
28	Cuyahoga Falls	358	–	1	2	73	20	20	7	7	2	2	15	5	188	144	3	3
29	Norton	58	–	–	–	8	2	3	1	–	–	1	1	–	29	21	1	3
30	Stow	119	–	–	1	25	6	9	1	2	1	1	5	3	47	36	–	1
31	Tallmadge	79	–	–	2	13	3	4	1	1	1	–	3	–	39	29	–	2
32	Balance of county	1,008	–	–	2	216	63	49	22	22	12	7	41	15	485	349	15	8
33	Trumbull	1,972	2	1	11	373	108	80	39	47	23	14	62	43	1,107	844	20	11
34	Girard	123	–	–	1	20	4	6	2	4	2	–	2	3	75	56	3	1
35	Niles	179	1	–	1	29	11	5	2	4	2	1	4	7	101	84	2	1
36	Warren	689	–	–	4	129	42	29	13	16	5	2	22	10	395	291	7	2
37	Youngstown, part	3	–	–	–	1	1	–	–	–	–	–	–	–	2	1	–	–
38	Balance of county	978	1	1	5	194	50	40	22	23	14	11	34	23	534	412	8	7
39	Tuscarawas	897	–	–	10	189	55	50	17	20	3	10	34	20	459	337	2	3
40	Dover	137	–	–	4	32	10	8	1	3	–	3	7	3	66	45	–	2
41	New Philadelphia	194	–	–	3	36	8	10	4	4	1	1	8	3	104	76	1	1
42	Balance of county	566	–	–	3	121	37	32	12	13	2	6	19	14	289	216	1	–
43	Union	252	–	–	1	39	12	11	–	3	5	–	8	7	148	103	–	2
44	Van Wert	321	1	–	1	78	24	21	3	13	2	3	12	4	171	130	3	2
45	Van Wert	138	1	–	–	32	9	8	2	5	1	1	6	2	78	63	2	2
46	Balance of county	183	–	–	1	46	15	13	1	8	1	2	6	2	93	67	1	–
47	Vinton	124	–	–	–	13	3	5	–	2	1	1	1	3	67	55	2	–
48	Warren	557	–	1	4	93	21	30	8	5	5	4	20	9	301	226	5	1
49	Franklin	98	–	–	1	8	2	2	2	–	1	–	1	3	59	49	3	–
50	Balance of county	459	–	1	3	85	19	28	6	5	4	4	19	6	242	177	2	1
51	Washington	577	–	1	4	110	33	21	9	17	10	6	14	10	335	216	2	5
52	Marietta	197	–	–	–	32	7	5	3	7	3	2	5	7	117	70	–	–
53	Balance of county	380	–	1	4	78	26	16	6	10	7	4	9	3	218	146	2	5
54	Wayne	699	1	–	7	132	38	32	10	15	4	6	27	9	376	256	7	2
55	Wooster	193	–	–	1	44	8	9	5	5	1	3	13	4	100	70	–	1
56	Balance of county	506	1	–	6	88	30	23	5	10	3	3	14	5	276	186	7	1
57	Williams	339	–	–	2	60	21	10	4	11	4	3	7	8	192	149	3	–
58	Wood	686	–	–	1	126	26	37	14	15	2	8	24	10	391	295	2	8
59	Bowling Green	104	–	–	–	24	5	8	4	2	–	2	3	1	51	37	1	–
60	Fostoria, part	9	–	–	–	2	–	–	–	1	1	–	–	–	4	4	–	–
61	Balance of county	573	–	–	1	100	21	29	10	12	1	6	21	9	336	254	1	8
62	Wyandot	200	–	–	1	34	10	9	1	4	–	3	7	3	116	85	2	1
63	**Oklahoma**	27,194	53	3	184	4,864	1,161	1,225	363	603	217	214	1,081	407	14,143	10,253	142	186
64	Urban places	12,979	31	1	84	2,387	551	626	205	276	103	107	519	184	6,584	4,650	64	79
65	Balance of area	14,215	22	2	100	2,477	610	599	158	327	114	107	562	223	7,559	5,603	78	107
66	Metropolitan counties	11,253	24	1	77	2,076	484	562	176	234	85	91	444	153	5,508	4,034	46	71
67	Urban places	8,963	23	1	62	1,649	389	440	153	183	69	71	344	119	4,393	3,185	42	53
68	Balance of area	2,290	1	–	15	427	95	122	23	51	16	20	100	34	1,115	849	4	18
69	Nonmetropolitan counties	15,941	29	2	107	2,788	677	663	187	369	132	123	637	254	8,635	6,219	96	115
70	Urban places	4,016	8	–	22	738	162	186	52	93	34	36	175	65	2,191	1,465	22	26
71	Balance of area	11,925	21	2	85	2,050	515	477	135	276	98	87	462	189	6,444	4,754	74	89
72	Adair	176	4	–	2	31	6	8	3	3	3	2	6	3	79	63	1	1
73	Alfalfa	112	–	–	1	20	6	4	2	3	1	1	3	6	62	48	–	–
74	Atoka	124	–	–	–	19	2	6	–	2	–	–	9	1	72	63	–	–
75	Beaver	54	–	–	–	6	1	2	–	2	–	–	1	3	27	12	–	–
76	Beckham	243	–	–	2	40	10	8	–	3	2	2	15	3	120	86	–	7
77	Blaine	209	–	–	1	30	6	9	1	7	2	1	4	2	103	68	–	–
78	Bryan	350	–	–	–	72	19	20	6	10	2	4	11	4	198	136	–	1
79	Durant	155	–	–	–	30	10	6	2	3	2	2	5	3	83	54	–	–
80	Balance of county	195	–	–	–	42	9	14	4	7	–	2	6	1	115	82	–	1
81	Caddo	349	1	–	4	59	15	14	2	9	4	1	14	6	188	142	1	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
212	13	1	80	22	9	15	4	1	5	2	–	1	6	11	42	21	17	7	1	2	01
115	9	1	42	13	5	6	3	1	2	1	–	1	2	8	20	9	9	3	–	1	02
97	4	–	38	9	4	9	1	–	3	1	–	–	4	3	22	12	8	4	1	1	03
246	11	5	42	2	5	7	4	3	2	2	–	3	7	5	36	7	18	9	3	–	04
103	3	3	14	1	2	1	2	1	–	1	–	–	4	1	9	2	4	3	–	–	05
143	8	2	28	1	3	6	2	2	2	1	–	3	3	4	27	5	14	6	3	–	06
405	18	2	101	15	15	23	15	2	12	3	–	8	15	2	78	17	36	9	5	1	07
193	5	1	60	8	7	11	7	–	5	–	–	3	6	2	30	4	16	3	3	1	08
212	13	1	41	7	8	12	8	2	7	3	–	5	9	–	48	13	20	6	2	–	09
201	2	–	54	10	8	13	9	3	4	4	–	1	9	4	35	20	16	12	2	3	10
48	–	–	11	2	–	5	3	1	3	–	–	–	3	3	9	4	6	5	–	–	11
60	–	–	12	4	1	6	6	1	4	–	–	–	3	3	10	6	10	5	–	–	12
74	1	–	19	7	7	3	2	2	–	1	–	–	1	1	14	10	5	–	2	2	13
79	1	–	24	1	1	5	4	–	1	3	–	1	5	–	12	6	5	7	–	1	14
96	17	–	40	10	5	8	4	–	4	5	–	1	7	3	20	9	15	7	–	–	15
52	11	–	20	6	4	3	1	–	3	2	–	1	4	2	9	4	5	5	–	–	16
44	6	–	20	4	1	5	3	–	1	3	–	–	3	1	11	5	10	2	–	–	17
1,278	66	11	313	41	59	104	57	5	30	13	–	26	51	18	218	78	89	39	13	2	18
104	6	2	18	4	7	11	6	1	4	1	–	9	3	1	22	5	2	4	4	1	19
104	6	2	18	4	7	11	6	1	4	1	–	9	3	1	22	5	2	4	4	1	20
526	24	4	140	16	22	37	21	1	16	5	–	6	13	6	72	25	24	14	7	1	21
153	7	1	41	3	7	13	5	–	3	2	–	1	12	3	28	12	14	4	–	–	22
35	1	–	7	1	1	2	2	–	2	–	–	–	1	1	11	2	7	–	–	–	23
460	28	4	107	17	22	41	23	3	5	5	–	10	22	7	85	34	42	17	2	–	24
1,497	124	15	450	92	64	115	65	12	52	22	–	23	73	418	355	45	55	70	13	7	25
887	77	9	266	53	35	72	37	4	32	15	–	9	53	245	206	19	26	38	11	4	26
108	6	2	30	8	9	5	5	1	5	1	–	4	1	24	23	6	7	4	–	–	27
134	4	–	34	4	6	15	2	2	3	–	–	1	5	28	24	2	3	3	–	1	28
16	1	1	4	2	1	2	2	1	–	–	–	–	1	5	4	1	1	3	–	1	29
32	3	–	7	3	1	5	3	–	2	–	–	–	3	16	10	–	2	2	–	–	30
24	3	–	7	3	–	1	3	2	–	–	–	–	–	6	10	1	–	2	–	–	31
296	30	3	102	19	12	15	13	2	10	6	–	9	10	94	78	16	16	18	2	1	32
771	42	8	210	22	23	46	32	8	28	9	–	15	22	13	125	39	48	28	18	4	33
52	–	–	15	4	–	1	1	–	2	–	–	2	–	2	8	2	2	3	1	–	34
77	4	–	12	3	2	5	2	1	5	2	–	2	2	1	17	2	1	–	–	–	35
263	19	5	82	9	8	16	17	4	9	2	–	7	8	3	41	7	20	7	7	3	36
1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37
378	19	3	100	6	13	24	12	3	12	5	–	4	12	7	59	28	25	18	10	1	38
311	21	2	89	17	14	33	19	4	15	2	–	6	11	2	69	16	28	11	3	–	39
42	1	–	15	5	1	3	1	1	1	–	–	–	2	–	15	3	5	1	–	–	40
71	3	–	18	5	5	8	7	1	5	–	–	2	2	–	12	–	4	5	2	–	41
198	17	2	56	7	8	22	11	2	9	2	–	4	7	2	42	13	19	5	1	–	42
96	5	1	36	4	4	7	3	–	3	–	–	1	6	1	13	8	11	2	2	–	43
120	5	1	30	4	6	11	8	–	1	1	–	3	5	1	23	4	7	2	–	–	44
56	3	–	11	2	2	4	3	–	1	–	–	–	–	–	12	2	2	1	–	–	45
64	2	1	19	2	4	7	5	–	–	1	–	3	5	1	11	2	5	1	–	–	46
50	3	–	8	3	1	8	–	2	–	–	–	1	2	3	12	4	8	1	–	–	47
206	14	1	64	6	4	11	10	2	5	3	–	8	4	3	48	30	15	5	3	2	48
43	3	–	8	–	2	2	1	–	1	2	–	1	2	–	7	7	1	1	2	–	49
163	11	1	56	6	2	9	9	2	4	1	–	7	2	3	41	23	14	4	1	2	50
196	13	2	95	12	10	15	10	1	5	1	–	6	6	2	39	6	17	7	1	1	51
65	5	–	41	4	2	8	4	1	1	1	–	3	3	–	16	–	2	2	–	–	52
131	8	2	54	8	8	7	6	–	4	–	–	3	3	2	23	6	15	5	1	1	53
236	11	2	93	12	13	22	13	2	6	4	1	5	14	13	44	25	16	6	3	–	54
66	3	–	23	4	3	5	3	1	1	1	–	1	7	–	12	5	6	2	–	–	55
170	8	2	70	8	10	17	10	1	5	3	1	4	7	13	32	20	10	4	3	–	56
139	7	1	36	2	4	8	1	1	1	3	–	3	5	2	27	12	10	3	1	–	57
271	14	4	65	15	12	9	12	4	7	2	–	5	15	3	34	17	27	15	7	1	58
33	3	–	9	4	1	1	1	1	1	–	–	2	2	1	7	4	3	4	1	–	59
4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	60
234	11	4	56	11	11	8	10	3	6	2	–	3	13	2	27	12	23	11	6	1	61
77	5	1	22	4	4	7	3	2	2	1	–	2	3	1	12	7	3	3	–	–	62
9,052	**873**	**77**	**3,034**	**440**	**339**	**946**	**345**	**101**	**312**	**136**	**6**	**175**	**375**	**421**	**2,397**	**781**	**826**	**385**	**288**	**46**	**63**
4,161	346	45	1,530	191	168	403	172	42	175	52	2	105	205	201	1,190	327	401	218	192	23	64
4,891	527	32	1,504	249	171	543	173	59	137	84	4	70	170	220	1,207	454	425	167	96	23	65
3,585	332	31	1,177	132	134	356	141	35	160	33	4	104	208	200	1,028	328	389	217	186	25	66
2,848	242	28	958	103	119	286	108	28	136	23	2	85	166	152	823	241	307	175	162	22	67
737	90	3	219	29	15	70	33	7	24	10	2	19	42	48	205	87	82	42	24	3	68
5,467	541	46	1,857	308	205	590	204	66	152	103	2	71	167	221	1,369	453	437	168	102	21	69
1,313	104	17	572	88	49	117	64	14	39	29	–	20	39	49	367	86	94	43	30	1	70
4,154	437	29	1,285	220	156	473	140	52	113	74	2	51	128	172	1,002	367	343	125	72	20	71
57	4	–	13	–	3	13	3	–	1	2	–	1	4	2	16	9	2	2	2	–	72
44	4	–	8	3	3	4	2	–	–	–	–	–	–	1	10	4	2	–	–	–	73
54	9	–	8	–	1	5	–	–	1	–	–	–	–	4	12	7	3	–	–	–	74
9	3	–	12	3	–	1	1	1	–	–	–	–	1	1	7	2	3	1	–	–	75
72	7	–	23	7	4	11	4	–	2	3	–	2	2	21	15	5	10	2	1	–	76
62	6	–	20	9	6	11	1	1	4	1	–	1	2	2	29	11	8	1	1	–	77
127	8	2	42	10	8	10	6	2	3	1	–	3	4	–	24	10	8	1	3	1	78
52	2	1	19	4	5	3	3	1	2	–	–	3	2	–	17	6	1	–	1	–	79
75	6	1	23	6	3	7	3	1	1	1	–	–	2	–	7	4	7	1	2	1	80
126	13	–	37	4	5	10	8	3	7	2	–	1	2	5	28	7	14	2	2	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Oklahoma—Con.																	
01	Canadian	346	–	–	4	61	10	17	9	9	2	2	12	7	174	134	1	4
02	El Reno	192	–	–	3	30	6	9	4	4	2	1	4	4	105	86	1	3
03	Oklahoma City, part	3	–	–	–	2	–	–	1	–	–	–	1	–	1	–	–	–
04	Balance of county	151	–	–	1	29	4	8	4	5	–	1	7	3	68	48	–	1
05	Carter	485	2	–	2	90	22	19	5	12	3	10	19	4	256	183	4	6
06	Ardmore	311	1	–	1	56	9	16	3	8	2	7	11	2	162	113	3	4
07	Balance of county	174	1	–	1	34	13	3	2	4	1	3	8	2	94	70	1	2
08	Cherokee	256	2	–	4	43	15	6	6	5	2	1	8	2	132	102	5	1
09	Choctaw	247	–	–	2	39	15	7	2	4	1	3	7	13	132	116	3	5
10	Cimarron	34	–	–	–	5	–	2	–	–	1	1	1	1	18	11	–	–
11	Cleveland	497	–	–	3	86	18	23	11	9	1	5	19	10	248	170	2	3
12	Moore	84	–	–	–	11	2	4	2	1	–	–	2	1	38	28	–	–
13	Norman	327	–	–	3	64	13	15	9	7	1	5	14	7	164	104	2	3
14	Oklahoma City, part	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
15	Balance of county	82	–	–	–	11	3	4	–	1	–	–	3	1	46	38	–	–
16	Coal	89	–	–	–	21	6	6	1	3	3	–	2	–	43	27	2	–
17	Comanche	607	1	–	4	107	28	27	4	12	3	3	30	6	259	180	1	7
18	Lawton	465	1	–	3	85	24	22	4	9	3	3	20	6	198	135	1	5
19	Balance of county	142	–	–	1	22	4	5	–	3	–	–	10	–	61	45	–	2
20	Cotton	85	–	–	–	13	2	5	2	2	1	1	–	–	42	29	–	–
21	Craig	168	–	–	1	30	5	9	2	9	–	1	4	2	96	70	1	–
22	Creek	486	–	–	1	84	17	25	7	9	5	3	18	8	252	202	1	6
23	Sapulpa	204	–	–	–	27	7	7	4	2	1	–	6	4	123	94	–	5
24	Balance of county	282	–	–	1	57	10	18	3	7	4	3	12	4	129	108	1	1
25	Custer	257	1	–	4	40	14	8	1	1	2	3	11	5	134	101	1	5
26	Delaware	262	2	–	1	41	16	12	2	3	–	–	8	6	148	114	4	1
27	Dewey	87	–	–	2	12	4	1	–	1	–	2	4	5	49	41	–	–
28	Ellis	86	–	–	1	13	4	4	–	3	–	–	2	2	49	36	–	1
29	Garfield	617	1	–	2	108	15	27	6	14	4	6	36	10	337	243	5	6
30	Enid	481	1	–	2	85	13	24	4	12	3	3	26	9	250	181	4	4
31	Balance of county	136	–	–	–	23	2	3	2	2	1	3	10	1	87	62	1	2
32	Garvin	333	–	–	1	63	18	8	3	3	5	2	24	2	173	125	2	–
33	Grady	383	–	–	4	59	13	12	3	8	3	3	17	5	221	123	3	1
34	Chickasha	225	–	–	–	29	7	5	2	4	–	2	9	5	139	68	1	1
35	Balance of county	158	–	–	4	30	6	7	1	4	3	1	8	–	82	55	2	–
36	Grant	99	–	–	–	22	5	6	1	3	4	–	3	–	53	38	1	–
37	Greer	123	1	–	–	20	5	5	4	3	1	–	2	1	72	51	2	–
38	Harmon	84	–	–	–	14	1	2	3	1	1	2	4	–	60	45	1	–
39	Harper	66	–	–	–	9	2	1	–	1	–	–	5	–	39	27	–	–
40	Haskell	148	–	–	1	30	7	4	1	5	2	2	9	3	80	62	1	–
41	Hughes	201	–	–	1	38	12	10	6	3	2	1	4	2	119	92	2	–
42	Jackson	275	–	–	1	49	4	14	5	5	1	4	16	3	142	88	1	2
43	Altus	192	–	–	1	30	3	10	3	3	1	2	8	2	99	58	1	2
44	Balance of county	83	–	–	–	19	1	4	2	2	–	2	8	1	43	30	–	–
45	Jefferson	129	–	–	1	16	3	3	1	2	–	–	7	3	70	48	–	3
46	Johnston	120	–	–	–	16	7	2	2	2	1	–	2	2	72	58	–	–
47	Kay	571	1	–	2	111	32	25	11	11	7	4	21	12	306	227	3	1
48	Ponca City	300	1	–	1	59	17	12	7	6	5	2	10	8	162	124	–	1
49	Balance of county	271	–	–	1	52	15	13	4	5	2	2	11	4	144	103	3	–
50	Kingfisher	135	–	–	–	26	8	4	1	3	3	–	7	1	76	56	3	–
51	Kiowa	212	–	–	–	32	3	12	5	1	–	2	9	3	128	99	1	6
52	Latimer	118	1	–	3	15	5	5	–	2	1	–	2	2	55	38	2	1
53	Le Flore	408	1	–	4	76	21	18	5	10	–	6	16	5	208	158	1	–
54	Lincoln	232	–	–	4	35	4	11	2	7	–	2	9	2	142	99	3	2
55	Logan	294	–	–	1	52	13	17	2	10	4	–	6	8	162	118	–	1
56	Love	79	–	–	1	13	4	4	1	1	–	1	2	3	35	27	–	–
57	McClain	167	–	–	–	32	11	9	–	5	–	–	7	4	74	57	1	–
58	Oklahoma City, part	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
59	Balance of county	165	–	–	–	32	11	9	–	5	–	–	7	3	74	57	1	–
60	McCurtain	382	1	–	4	66	11	16	5	8	3	4	19	7	184	130	–	4
61	McIntosh	186	2	–	2	30	8	5	1	8	3	–	5	2	97	58	–	–
62	Major	99	–	–	–	17	5	5	–	2	2	–	3	4	41	30	–	–
63	Marshall	148	–	–	–	25	6	7	1	3	1	1	6	5	91	74	2	1
64	Mayes	302	–	–	2	62	18	18	4	9	–	1	12	3	139	87	2	2
65	Murray	166	–	–	1	19	5	5	–	1	–	–	8	1	104	72	1	–
66	Muskogee	759	2	–	5	142	37	29	11	27	7	3	28	6	405	282	4	5
67	Muskogee	537	2	–	2	103	29	23	9	15	7	1	19	3	290	200	1	2
68	Balance of county	222	–	–	3	39	8	6	2	12	–	2	9	3	115	82	3	3
69	Noble	118	–	–	–	14	1	3	1	1	–	1	7	2	72	52	–	4
70	Nowata	132	–	–	1	20	4	2	4	3	3	2	2	3	77	53	2	–
71	Okfuskee	173	–	–	1	31	7	6	3	2	–	2	11	2	96	69	1	–
72	Oklahoma	4,755	16	–	32	841	198	237	77	95	37	30	167	63	2,336	1,734	23	40
73	Bethany	118	1	–	–	23	10	4	1	3	–	2	3	1	59	45	1	–
74	Del City	132	–	–	1	27	4	9	4	2	1	2	5	1	55	45	2	1
75	Edmond	130	–	–	1	25	9	4	4	1	2	–	5	3	72	50	2	1
76	Midwest City	286	1	–	1	48	9	15	3	4	1	1	15	2	132	91	3	2
77	Oklahoma City, part	3,884	14	–	23	667	155	191	59	80	30	23	129	50	1,880	1,393	14	26
78	Oklahoma City, total	3,813	14	–	23	669	155	191	60	80	30	23	130	52	1,881	1,393	14	26
79	The Village	4	–	–	–	1	–	–	1	–	–	–	–	–	2	2	–	–
80	Balance of county	281	–	–	6	50	11	14	5	5	3	2	10	6	136	108	1	10
81	Okmulgee	465	–	–	3	90	21	27	4	10	7	3	18	6	292	247	2	7
82	Okmulgee	219	–	–	2	35	10	9	1	3	4	–	8	4	141	115	1	–
83	Balance of county	246	–	–	1	55	11	18	3	7	3	3	10	2	151	132	1	7

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
113	16	–	36	3	1	4	7	3	8	–	–	1	4	5	39	6	11	8	4	–	01
72	10	–	17	1	1	1	4	1	5	–	–	–	3	1	22	2	5	2	4	–	02
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	03
41	6	–	19	1	–	3	3	2	3	–	–	1	1	4	17	4	6	6	–	–	04
153	20	1	55	12	5	21	7	–	8	1	–	2	7	12	40	11	9	5	8	–	05
93	13	1	37	8	3	13	5	–	7	1	–	2	3	12	29	5	5	3	4	–	06
60	7	–	18	4	2	8	2	–	1	–	–	–	4	–	11	6	4	2	4	–	07
89	7	–	28	–	2	12	2	1	5	1	–	4	4	7	28	–	5	1	2	1	08
95	13	–	9	5	2	5	4	–	4	1	–	–	1	1	23	13	5	2	2	–	09
7	4	–	7	–	–	–	–	1	–	–	–	1	2	1	2	1	1	–	1	–	10
158	7	–	69	5	4	14	5	2	8	1	–	6	11	8	37	19	21	12	4	2	11
26	2	–	6	3	1	3	1	1	1	–	–	3	3	–	8	4	5	2	2	1	12
97	2	–	56	1	3	7	4	1	3	–	–	1	4	8	24	11	16	7	2	1	13
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	14
35	3	–	7	1	–	4	–	–	3	1	–	2	4	–	5	3	–	2	–	–	15
23	2	–	13	–	3	2	1	1	2	2	–	–	1	1	11	–	2	–	1	1	16
155	17	6	54	12	7	23	13	2	10	3	–	6	17	21	58	29	24	13	9	2	17
117	12	6	42	8	7	16	9	2	9	–	–	5	10	14	51	19	19	8	9	1	18
38	5	–	12	4	–	7	4	–	1	3	–	1	7	7	7	10	5	5	–	1	19
29	–	–	10	2	1	1	1	2	–	1	–	–	1	–	12	2	5	4	–	1	20
64	5	–	23	2	1	8	1	1	–	1	–	1	1	2	18	3	2	1	–	–	21
178	17	–	42	5	3	20	10	3	7	1	–	3	11	9	35	13	20	5	4	–	22
84	5	–	25	4	–	8	4	1	6	–	–	1	5	5	11	3	3	1	2	–	23
94	12	–	17	1	3	12	6	2	1	1	–	2	6	4	24	10	17	4	2	–	24
85	10	1	24	7	1	8	4	1	6	2	–	1	3	3	24	6	9	3	3	–	25
98	11	1	25	4	4	12	2	2	3	4	–	–	3	8	14	7	6	3	–	–	26
39	2	–	8	–	–	6	–	–	–	–	–	–	–	2	8	1	–	1	1	–	27
33	2	–	10	1	2	3	3	–	–	1	–	–	4	–	5	3	2	–	–	–	28
214	18	1	79	8	6	17	9	1	6	5	–	4	10	12	50	16	21	6	1	1	29
161	12	–	60	6	3	14	7	1	6	4	–	4	7	12	45	13	14	5	1	1	30
53	6	1	19	2	3	3	2	–	–	1	–	–	3	–	5	3	7	1	–	–	31
116	7	1	37	5	5	18	3	2	2	–	–	–	1	9	31	14	11	–	2	1	32
112	7	4	67	22	5	13	7	–	–	–	–	3	3	5	33	11	10	5	4	–	33
63	3	4	47	17	3	8	6	–	–	–	–	1	1	3	18	7	5	–	3	–	34
49	4	–	20	5	2	5	1	–	–	–	–	2	2	2	15	4	5	5	1	–	35
31	6	–	10	3	2	4	–	–	–	–	–	–	–	3	10	5	2	–	–	–	36
47	2	–	15	2	4	3	–	–	1	–	–	1	1	1	13	5	3	1	–	–	37
41	3	–	14	–	1	2	–	–	–	–	–	–	–	1	3	–	1	–	2	1	38
21	6	–	11	–	1	9	–	–	–	–	–	–	1	1	1	1	4	1	–	–	39
53	8	–	15	2	1	4	1	–	1	–	–	–	2	1	13	5	5	–	1	1	40
84	6	–	21	2	4	9	2	1	–	1	–	–	–	4	13	3	4	2	2	–	41
67	18	–	41	9	4	4	4	–	5	2	1	4	6	1	27	7	10	5	4	–	42
43	12	–	31	8	2	1	3	–	4	2	–	3	6	1	21	2	8	5	4	–	43
24	6	–	10	1	2	3	1	–	1	–	1	1	–	–	6	5	2	–	–	–	44
43	2	–	19	2	1	9	3	–	–	–	–	–	3	1	10	10	3	–	–	–	45
53	5	1	9	1	3	4	4	1	6	–	–	–	1	–	7	2	3	1	1	–	46
206	17	1	66	4	8	21	5	2	5	3	–	3	4	5	56	13	11	10	1	–	47
111	12	–	31	3	4	8	4	1	2	2	–	2	–	–	31	6	4	8	1	–	48
95	5	1	35	1	4	13	1	1	3	1	–	1	4	5	25	7	7	2	–	–	49
53	–	–	11	8	1	10	1	2	2	1	–	–	1	4	5	3	2	–	1	–	50
78	14	1	21	5	2	4	–	1	–	–	–	2	6	–	18	6	8	2	1	1	51
27	8	–	16	1	–	9	2	2	1	–	–	–	1	1	9	3	6	5	2	1	52
140	17	–	42	7	1	10	5	2	2	1	–	2	5	13	42	14	11	–	6	1	53
84	10	1	35	4	3	7	8	–	1	2	–	1	4	5	8	9	3	–	1	–	54
110	7	1	36	4	3	19	2	–	2	1	–	1	3	4	16	5	10	5	3	–	55
25	2	–	7	1	–	8	–	–	2	–	–	–	1	1	7	3	3	1	1	–	56
52	4	–	13	3	1	5	2	–	1	2	–	1	2	4	24	7	5	2	2	–	57
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	58
52	4	–	13	3	1	5	2	–	1	2	–	1	2	4	24	7	5	2	1	–	59
105	21	3	33	15	3	15	8	–	6	5	–	2	9	7	30	15	15	5	2	1	60
54	4	1	30	4	4	12	–	–	4	1	–	–	3	2	19	6	3	2	1	–	61
27	3	–	9	1	1	8	3	–	3	–	–	1	–	1	11	2	6	2	–	–	62
62	9	–	15	2	–	–	3	2	–	4	–	–	1	2	4	4	1	6	–	–	63
73	10	1	44	2	5	13	2	1	–	2	1	3	1	3	42	14	10	2	1	1	64
62	9	1	14	16	1	4	3	1	1	–	–	–	1	3	17	3	5	1	1	1	65
255	18	5	96	15	7	19	8	1	5	9	–	2	8	6	72	28	25	6	9	1	66
185	12	3	71	12	4	11	7	1	4	8	–	1	4	4	52	20	13	5	7	–	67
70	6	2	25	3	3	8	1	–	1	1	–	1	4	2	20	8	12	1	2	1	68
37	11	1	16	1	2	2	1	–	–	–	–	–	–	1	20	4	–	1	1	–	69
43	8	–	20	1	3	5	4	1	1	1	–	3	1	1	9	2	1	1	1	–	70
64	4	–	23	3	1	11	1	–	2	5	–	1	1	2	10	3	6	–	1	1	71
1,531	140	13	467	54	68	161	55	15	70	14	3	54	94	77	415	155	157	91	91	15	72
40	4	–	13	1	–	2	–	2	1	–	–	1	–	1	14	6	6	1	–	–	73
37	5	1	7	2	–	5	1	1	2	–	–	–	10	5	7	6	5	4	1	1	74
45	2	–	21	–	1	3	2	–	–	–	1	2	–	1	8	7	3	2	–	–	75
75	11	–	38	1	2	9	4	2	10	4	–	3	4	6	21	11	13	7	8	–	76
1,244	109	12	364	48	63	131	45	10	54	10	1	45	74	60	344	109	120	72	81	14	77
1,244	109	12	364	49	63	131	45	10	55	10	1	45	74	60	344	110	120	73	82	14	78
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	79
88	9	–	24	2	2	11	3	–	3	–	1	3	6	4	21	16	10	4	1	–	80
232	6	2	33	4	6	10	3	2	4	7	–	2	–	1	22	8	12	2	1	–	81
111	3	2	17	3	4	5	3	1	1	5	–	1	–	1	12	3	5	–	–	–	82
121	3	–	16	1	2	5	–	1	3	2	–	1	–	–	10	5	7	2	1	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Oklahoma—Con.																	
01	Osage	333	–	–	1	59	18	18	2	4	3	1	13	6	169	116	–	1
02	Bartlesville, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
03	Tulsa, part	4	–	–	–	1	1	–	–	–	–	–	–	–	2	2	–	–
04	Balance of county	328	–	–	1	58	17	18	2	4	3	1	13	6	166	113	–	1
05	Ottawa	370	3	1	1	62	11	20	6	4	2	3	16	7	206	137	3	9
06	Miami	178	1	–	1	27	5	9	2	2	1	3	5	3	97	57	3	4
07	Balance of county	192	2	1	–	35	6	11	4	2	1	–	11	4	109	80	–	5
08	Pawnee	172	–	–	1	34	9	10	–	5	6	–	4	5	93	76	–	–
09	Payne	401	–	–	2	68	18	13	4	9	3	4	17	4	224	156	5	4
10	Stillwater	159	–	–	1	28	8	4	1	3	2	2	8	3	89	55	1	–
11	Balance of county	242	–	–	1	40	10	9	3	6	1	2	9	1	135	101	4	4
12	Pittsburg	464	1	–	5	92	24	16	1	19	3	4	25	4	221	165	3	4
13	McAlester	240	1	–	3	60	15	6	1	14	2	4	18	2	108	81	1	3
14	Balance of county	224	–	–	2	32	9	10	–	5	1	–	7	2	113	84	2	1
15	Pontotoc	362	2	–	4	68	17	18	6	7	1	2	17	7	206	122	–	–
16	Ada	223	1	–	3	44	12	13	3	3	1	2	10	5	124	64	–	–
17	Balance of county	139	1	–	1	24	5	5	3	4	–	–	7	2	82	58	–	–
18	Pottawatomie	521	–	–	6	95	24	25	9	11	4	5	17	9	309	198	2	4
19	Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Shawnee	318	–	–	2	48	7	17	7	4	2	3	8	7	199	128	1	3
21	Balance of county	203	–	–	4	47	17	8	2	7	2	2	9	2	110	70	1	1
22	Pushmataha	134	1	–	–	25	9	2	1	4	1	3	5	1	68	47	–	1
23	Roger Mills	36	–	–	–	7	2	2	1	–	–	–	2	–	16	15	1	–
24	Rogers	297	–	–	2	48	10	13	3	9	4	2	7	1	152	110	2	–
25	Seminole	393	–	–	2	72	25	8	7	12	2	4	14	6	225	183	–	7
26	Sequoyah	231	–	–	–	39	13	8	1	5	1	1	10	3	133	98	–	–
27	Stephens	434	–	–	4	96	14	28	8	13	2	6	25	6	227	156	7	3
28	Duncan	232	–	–	3	57	8	18	5	7	2	2	15	3	121	79	4	2
29	Balance of county	202	–	–	1	39	6	10	3	6	–	4	10	3	106	77	3	1
30	Texas	157	–	–	2	22	8	5	–	2	–	2	5	6	70	56	2	–
31	Tillman	166	–	–	–	34	9	8	5	2	1	1	8	1	78	48	–	–
32	Tulsa	3,590	6	1	28	723	161	189	60	81	33	40	159	45	1,729	1,242	17	10
33	Broken Arrow	118	–	–	1	21	7	4	1	2	–	2	5	–	57	44	–	–
34	Sand Springs	125	–	–	–	18	5	1	1	2	2	3	4	2	72	52	1	–
35	Tulsa, part	2,962	6	1	26	599	137	155	55	66	26	29	131	37	1,432	1,013	15	7
36	Tulsa, total	2,966	6	1	26	600	138	155	55	66	26	29	131	37	1,434	1,015	15	7
37	Balance of county	385	–	–	1	85	12	29	3	11	5	6	19	6	168	133	1	3
38	Wagoner	217	1	–	3	30	7	9	3	4	5	1	1	8	123	88	2	1
39	Washington	364	–	1	1	64	12	19	3	9	1	2	18	7	192	129	2	1
40	Bartlesville, part	244	–	–	–	47	9	14	2	6	–	1	15	5	127	88	1	–
41	Bartlesville, total	245	–	–	–	47	9	14	2	6	–	1	15	5	128	89	1	–
42	Balance of county	120	–	1	1	17	3	5	1	3	1	1	3	2	65	41	1	1
43	Washita	139	–	–	1	22	3	4	1	4	1	3	6	3	91	76	–	3
44	Woods	147	–	–	2	29	8	6	1	6	3	1	4	2	83	65	–	–
45	Woodward	178	–	–	3	20	4	3	2	3	1	1	6	2	89	69	–	2
46	**Oregon**	**20,176**	**19**	**5**	**97**	**3,844**	**931**	**975**	**325**	**452**	**197**	**173**	**791**	**307**	**10,429**	**7,335**	**203**	**104**
47	Urban places	9,517	12	3	39	1,755	448	420	152	210	84	83	358	153	5,021	3,508	91	49
48	Balance of area	10,659	7	2	58	2,089	483	555	173	242	113	90	433	154	5,408	3,827	112	55
49	Metropolitan counties	12,158	13	4	55	2,267	544	568	196	247	125	108	479	195	6,349	4,474	126	53
50	Urban places	7,215	8	3	27	1,315	331	329	113	145	67	62	268	122	3,810	2,678	71	25
51	Balance of area	4,943	5	1	28	952	213	239	83	102	58	46	211	73	2,539	1,796	55	28
52	Nonmetropolitan counties	8,018	6	1	42	1,577	387	407	129	205	72	65	312	112	4,080	2,861	77	51
53	Urban places	2,302	4	–	12	440	117	91	39	65	17	21	90	31	1,211	830	20	24
54	Balance of area	5,716	2	1	30	1,137	270	316	90	140	55	44	222	81	2,869	2,031	57	27
55	Baker	183	–	–	1	25	2	9	3	5	2	1	3	6	104	85	4	–
56	Benton	342	–	–	3	58	15	8	8	11	2	2	12	2	179	121	2	2
57	Albany, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
58	Corvallis	197	–	–	2	31	9	2	6	7	1	–	6	2	104	71	–	2
59	Balance of county	144	–	–	1	27	6	6	2	4	1	2	6	–	75	50	2	–
60	Clackamas	1,471	–	1	6	271	63	70	30	28	18	7	55	19	770	529	13	8
61	Lake Oswego, part	129	–	–	–	32	9	5	5	5	2	1	5	3	57	39	1	1
62	Lake Oswego, total	130	–	–	–	32	9	5	5	5	2	1	5	3	58	40	1	1
63	Milwaukee, part	201	–	–	1	34	9	9	3	4	2	1	6	2	110	69	–	–
64	Milwaukee, total	201	–	–	1	34	9	9	3	4	2	1	6	2	110	69	–	–
65	Portland, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
66	Balance of county	1,139	–	1	5	205	45	56	22	19	14	5	44	14	602	420	12	7
67	Clatsop	316	–	–	1	61	13	16	2	7	4	1	18	3	164	100	2	1
68	Astoria	121	–	–	1	20	3	3	1	4	1	–	8	–	62	33	–	1
69	Balance of county	195	–	–	–	41	10	13	1	3	3	1	10	3	102	67	2	–
70	Columbia	275	–	–	1	54	11	16	3	9	4	1	10	2	141	107	1	2
71	Coos	521	1	–	2	103	26	26	7	22	7	3	12	4	255	179	1	5
72	Coos Bay	168	–	–	1	37	10	8	2	8	3	3	3	1	76	51	–	1
73	Balance of county	353	1	–	1	66	16	18	5	14	4	–	9	3	179	128	1	4
74	Crook	113	–	–	–	23	5	11	4	1	–	1	1	–	57	33	–	–
75	Curry	145	–	–	2	37	8	10	3	4	2	2	8	3	66	43	1	–
76	Deschutes	339	–	–	2	61	24	12	10	3	1	2	9	2	174	118	5	2
77	Bend	148	–	–	1	21	11	2	3	1	–	1	3	1	76	55	1	1
78	Balance of county	191	–	–	1	40	13	10	7	2	1	1	6	1	98	63	4	1
79	Douglas	668	–	–	2	143	29	52	8	24	6	5	19	12	314	242	1	3
80	Roseburg	205	–	–	1	40	7	12	4	12	2	–	3	5	101	79	1	–
81	Balance of county	463	–	–	1	103	22	40	4	12	4	5	16	7	213	163	–	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
102	13	3	36	8	6	11	2	1	5	1	–	1	1	6	39	11	10	7	3	–	01
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	02
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	03
99	13	3	36	8	6	11	2	1	5	1	–	1	1	6	39	11	9	7	3	–	04
110	15	–	50	15	4	7	10	6	4	1	–	–	2	3	31	8	11	3	2	2	05
40	10	–	32	5	3	2	7	3	3	1	–	–	–	2	19	4	6	1	1	–	06
70	5	–	18	10	1	5	3	3	1	–	–	–	2	1	12	4	5	2	1	2	07
64	12	–	11	1	5	5	1	1	1	–	–	2	2	1	16	3	5	1	1	–	08
135	12	3	52	7	6	12	6	2	–	1	–	1	11	1	38	10	12	7	1	1	09
50	4	1	25	5	3	4	2	1	–	1	–	1	5	–	12	3	4	5	–	–	10
85	8	2	27	2	3	8	4	1	–	–	–	–	6	1	26	7	8	2	1	1	11
156	2	1	46	6	3	20	4	3	2	7	–	2	6	7	53	15	14	3	4	1	12
76	1	1	25	–	1	12	1	2	1	–	–	1	4	4	25	7	7	–	2	–	13
80	1	–	21	6	2	8	3	1	1	7	–	1	2	3	28	8	7	3	2	1	14
117	5	1	74	6	3	12	4	–	1	4	–	1	–	3	21	9	9	9	1	1	15
63	1	1	54	4	1	3	4	–	1	3	–	1	–	2	15	3	7	6	1	–	16
54	4	–	20	2	2	9	–	–	–	1	–	–	–	1	6	6	2	3	–	1	17
181	11	1	92	6	12	24	4	4	2	–	–	–	5	4	38	6	8	5	2	–	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
116	8	1	60	2	8	17	3	1	2	–	–	–	2	–	31	–	3	2	1	–	20
65	3	–	32	4	4	7	1	3	–	–	–	–	3	4	7	6	5	3	1	–	21
37	9	2	16	2	1	4	6	1	3	1	–	–	2	2	10	5	2	3	–	–	22
13	1	–	1	–	–	3	–	–	2	–	–	1	–	1	2	–	2	2	–	–	23
101	7	–	34	3	5	4	3	4	6	3	–	5	3	9	23	12	11	6	4	1	24
168	8	3	29	6	4	11	5	1	4	2	–	2	1	3	35	9	8	5	2	–	25
92	6	–	30	2	3	5	2	–	2	1	1	1	–	3	14	4	10	5	8	–	26
125	21	–	56	10	5	10	9	2	4	1	–	–	2	12	30	8	14	6	3	–	27
67	6	–	35	3	4	6	8	1	1	1	–	–	1	4	16	3	4	2	1	–	28
58	15	–	21	7	1	4	1	1	3	–	–	–	1	8	14	5	10	4	2	–	29
49	5	–	11	3	–	9	4	–	3	–	–	1	3	2	12	10	8	4	1	–	30
47	1	–	22	3	5	5	3	3	1	1	–	4	3	–	18	4	5	1	5	–	31
1,116	99	9	401	36	41	108	42	7	48	11	–	30	65	58	349	77	125	76	57	5	32
35	9	1	11	1	–	4	–	1	2	–	–	1	3	2	11	6	3	2	4	–	33
47	4	–	16	2	2	4	–	–	4	–	–	1	1	–	10	2	3	5	3	–	34
924	67	8	342	30	39	93	34	6	38	9	–	22	49	49	292	54	105	60	46	4	35
926	67	8	342	30	39	93	34	6	38	9	–	22	49	49	292	54	106	60	46	4	36
110	19	–	32	3	–	7	8	–	4	2	–	6	12	7	36	15	14	9	4	1	37
71	14	1	29	1	4	4	1	1	2	4	–	–	–	1	28	7	3	–	–	1	38
117	9	4	44	12	3	18	1	1	7	2	–	–	5	4	38	9	10	2	2	–	39
82	5	2	28	8	1	10	1	1	5	1	–	–	4	4	24	4	8	1	2	–	40
83	5	2	28	8	1	10	1	1	5	1	–	–	4	4	24	4	8	1	2	–	41
35	4	2	16	4	2	8	–	–	2	1	–	–	1	–	14	5	2	1	–	–	42
69	4	–	10	4	1	6	–	–	–	1	–	–	–	1	7	2	1	4	–	–	43
49	16	–	15	1	2	9	3	1	2	–	–	1	2	–	8	2	2	1	–	–	44
61	6	–	14	3	3	6	1	–	1	1	–	–	3	2	25	15	7	3	–	–	45
6,628	408	43	2,337	429	285	624	327	68	316	46	1	145	221	341	1,573	570	685	359	130	69	46
3,192	176	18	1,151	227	117	302	161	30	187	21	1	59	89	180	725	222	295	163	65	34	47
3,436	224	25	1,186	202	168	322	166	38	129	25	–	86	132	161	848	348	390	196	65	35	48
4,044	251	23	1,434	257	161	371	190	43	221	28	1	94	137	222	924	320	395	194	88	47	49
2,449	133	15	866	167	84	226	116	21	163	15	1	46	62	143	541	158	235	118	57	28	50
1,595	118	8	568	90	77	145	74	22	58	13	–	48	75	79	383	162	160	76	31	19	51
2,584	149	20	903	172	124	253	137	25	95	18	–	51	84	119	649	250	290	165	42	22	52
743	43	3	285	60	33	76	45	9	24	6	–	13	27	37	184	64	60	45	8	6	53
1,841	106	17	618	112	91	177	92	16	71	12	–	38	57	82	465	186	230	120	34	16	54
74	7	1	15	1	2	8	3	2	1	–	–	2	1	3	12	3	6	4	2	–	55
113	4	–	45	8	5	10	–	2	2	–	–	4	8	2	30	12	18	11	1	–	56
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	57
67	2	–	26	7	–	6	–	1	1	–	–	2	3	2	17	8	11	7	–	–	58
46	2	–	19	1	5	4	–	1	1	–	–	2	5	–	13	4	7	3	1	–	59
476	32	1	185	32	23	53	12	5	19	5	–	18	19	34	115	43	44	23	11	3	60
35	2	–	13	4	1	5	1	2	4	–	–	2	3	3	9	2	4	2	–	–	61
36	2	–	13	4	1	5	1	2	4	–	–	2	3	3	9	2	4	2	–	–	62
66	3	–	30	7	4	9	4	–	1	–	–	3	–	6	15	6	5	3	2	–	63
66	3	–	30	7	4	9	4	–	1	–	–	3	–	6	15	6	5	3	2	–	64
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	65
374	27	1	142	21	18	39	7	3	14	5	–	13	16	25	91	35	35	17	9	3	66
95	2	–	49	10	5	8	8	–	9	–	–	3	3	3	22	9	13	7	1	1	67
32	–	–	20	7	2	4	3	–	5	–	–	1	1	2	12	1	6	2	1	–	68
63	2	–	29	3	3	4	5	–	4	–	–	2	2	1	10	8	7	5	–	1	69
97	7	–	23	4	7	11	3	–	2	1	–	3	2	2	27	10	12	2	–	2	70
168	5	–	62	7	7	20	9	4	3	1	–	1	1	12	51	13	27	11	2	1	71
49	1	–	20	3	2	5	7	2	–	–	–	–	–	5	17	3	10	3	–	1	72
119	4	–	42	4	5	15	2	2	3	1	–	1	1	7	34	10	17	8	2	–	73
31	2	1	14	8	1	2	5	–	2	–	–	1	1	2	7	3	6	4	–	–	74
32	10	1	16	2	4	–	1	1	2	–	–	–	–	5	9	4	9	2	4	–	75
109	2	–	46	7	3	12	9	–	2	1	–	2	5	7	30	14	9	6	3	–	76
51	2	–	16	4	1	7	5	–	1	1	–	–	3	3	16	9	1	2	1	–	77
58	–	–	30	3	2	5	4	–	1	–	–	2	2	4	14	5	8	4	2	–	78
225	13	1	53	8	10	23	13	2	11	1	–	4	9	10	49	29	27	14	3	2	79
73	5	–	17	2	3	10	5	2	4	1	–	–	3	1	16	7	3	4	2	–	80
152	8	1	36	6	7	13	8	–	7	–	–	4	6	9	33	22	24	10	1	2	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Oregon—Con.																	
01	Gilliam	17	–	–	–	3	–	1	1	–	1	–	–	–	10	6	–	–
02	Grant	82	–	–	–	17	5	3	1	1	–	2	5	–	47	36	4	–
03	Harney	64	–	–	1	11	5	1	1	–	1	–	3	1	30	24	–	–
04	Hood River	112	–	–	–	20	2	5	3	2	1	–	7	–	54	40	2	1
05	Jackson	981	–	1	7	191	39	52	17	21	9	12	41	12	508	371	8	18
06	Ashland	103	–	–	1	14	5	–	4	–	–	1	4	–	58	33	2	–
07	Medford	385	–	–	3	79	15	20	8	7	3	7	19	4	204	155	2	13
08	Balance of county	493	–	1	3	98	19	32	5	14	6	4	18	8	246	183	4	5
09	Jefferson	89	–	–	–	15	4	4	3	1	1	–	2	3	36	23	–	–
10	Josephine	468	1	–	2	100	25	30	6	15	4	5	15	1	262	173	9	1
11	Grants Pass	200	–	–	–	45	11	12	4	7	1	1	9	1	114	78	4	1
12	Balance of county	268	1	–	2	55	14	18	2	8	3	4	6	–	148	95	5	–
13	Klamath	439	1	–	3	78	24	21	8	5	2	3	15	9	222	160	9	7
14	Klamath Falls	187	1	–	–	37	12	12	1	2	1	3	6	3	108	77	7	4
15	Balance of county	252	–	–	3	41	12	9	7	3	1	–	9	6	114	83	2	3
16	Lake	64	–	–	–	14	6	3	1	3	–	–	1	1	31	21	3	–
17	Lane	1,626	1	–	8	320	78	69	34	34	20	18	67	34	820	550	16	8
18	Eugene	706	–	–	3	124	33	26	18	13	5	5	24	17	365	242	4	2
19	Springfield	245	–	–	1	54	11	10	4	6	6	5	12	3	130	93	1	3
20	Balance of county	675	1	–	4	142	34	33	12	15	9	8	31	14	325	215	11	3
21	Lincoln	311	–	–	–	59	13	16	3	6	2	3	16	8	152	97	1	1
22	Linn	644	1	–	4	134	35	26	8	18	7	8	32	7	342	232	6	1
23	Albany, part	200	1	–	2	39	7	9	1	8	1	2	11	3	100	60	1	1
24	Albany, total	201	1	–	2	39	7	9	1	8	1	2	11	3	100	60	1	1
25	Balance of county	444	–	–	2	95	28	17	7	10	6	6	21	4	242	172	5	–
26	Malheur	224	–	–	3	48	15	8	5	9	–	1	10	4	99	74	1	1
27	Marion	1,570	5	–	8	280	78	65	22	37	11	14	53	33	837	620	17	9
28	Salem, part	839	1	–	3	160	41	34	13	21	8	9	34	19	443	317	7	1
29	Salem, total	937	1	–	3	179	49	36	14	22	11	10	37	22	502	365	7	2
30	Balance of county	731	4	–	5	120	37	31	9	16	3	5	19	14	394	303	10	8
31	Morrow	45	–	–	–	8	1	3	1	2	–	1	–	1	21	17	–	3
32	Multnomah	5,976	7	3	26	1,080	256	281	81	116	58	54	234	86	3,171	2,247	67	23
33	Lake Oswego, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
34	Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	Portland, part	4,651	7	3	19	833	211	227	61	89	39	38	168	68	2,477	1,761	55	16
36	Portland, total	4,659	7	3	19	834	211	228	61	89	39	38	168	68	2,479	1,763	55	16
37	Balance of county	1,324	–	–	7	247	45	54	20	27	19	16	66	18	693	485	12	7
38	Polk	359	–	–	1	75	23	15	5	9	6	3	14	6	204	157	1	3
39	Salem, part	98	–	–	–	19	8	2	1	1	3	1	3	3	59	48	–	1
40	Balance of county	261	–	–	1	56	15	13	4	8	3	2	11	3	145	109	1	2
41	Sherman	18	–	–	–	5	–	2	1	1	–	–	1	–	6	5	–	–
42	Tillamook	203	–	–	1	41	7	13	4	4	–	1	12	2	107	75	3	–
43	Umatilla	448	2	–	2	85	29	20	7	6	2	3	18	7	203	128	4	–
44	Pendleton	128	2	–	–	29	12	3	4	–	1	1	8	3	49	31	1	–
45	Balance of county	320	–	–	2	56	17	17	3	6	1	2	10	4	154	97	3	–
46	Union	186	–	–	1	41	11	8	4	4	2	2	10	5	93	69	5	2
47	Wallowa	78	–	–	2	8	2	–	1	1	1	1	2	–	40	35	–	–
48	Wasco	209	–	–	–	44	13	10	1	8	6	2	4	10	121	81	2	–
49	City of the Dalles	136	–	–	–	27	10	5	1	3	3	1	4	6	83	56	1	–
50	Balance of county	73	–	–	–	17	3	5	–	5	3	1	–	4	38	25	1	–
51	Washington	1,156	–	–	6	241	46	68	24	23	12	12	56	17	547	371	12	2
52	Beaverton	171	–	–	–	35	5	9	6	4	2	–	9	3	84	52	1	–
53	Hillsboro	166	–	–	–	23	4	6	2	2	–	2	7	4	82	54	2	1
54	Lake Oswego, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
55	Portland, part	6	–	–	–	1	–	1	–	–	–	–	–	–	1	1	–	–
56	Balance of county	813	–	–	6	182	37	52	16	17	10	10	40	10	380	264	9	1
57	Wheeler	10	–	–	–	6	3	3	–	–	–	–	–	–	2	2	–	–
58	Yamhill	424	–	–	2	84	15	18	5	12	5	3	26	7	240	164	3	1
59	McMinnville	123	–	–	–	21	5	3	–	6	–	1	6	2	76	51	–	–
60	Balance of county	301	–	–	2	63	10	15	5	6	5	2	20	5	164	113	3	1
61	**Pennsylvania**	**120,579**	**220**	**18**	**791**	**23,416**	**6,589**	**5,279**	**2,196**	**2,646**	**1,026**	**850**	**4,830**	**2,351**	**64,425**	**49,260**	**968**	**708**
62	Urban places	63,403	130	10	513	12,570	3,586	2,950	1,126	1,385	526	410	2,587	1,156	32,599	25,099	524	356
63	Balance of area	57,176	90	8	278	10,846	3,003	2,329	1,070	1,261	500	440	2,243	1,195	31,826	24,161	444	352
64	Metropolitan counties	94,510	174	15	669	18,749	5,327	4,300	1,787	2,047	796	657	3,835	1,781	49,661	38,199	758	547
65	Urban places	58,290	123	10	491	11,631	3,342	2,740	1,052	1,257	483	373	2,384	1,045	29,642	22,880	473	322
66	Balance of area	36,220	51	5	178	7,118	1,985	1,560	735	790	313	284	1,451	736	20,019	15,319	285	225
67	Nonmetropolitan counties	26,069	46	3	122	4,667	1,262	979	409	599	230	193	995	570	14,764	11,061	210	161
68	Urban places	5,113	7	–	22	939	244	210	74	128	43	37	203	111	2,957	2,219	51	34
69	Balance of area	20,956	39	3	100	3,728	1,018	769	335	471	187	156	792	459	11,807	8,842	159	127
70	Adams	519	–	–	1	106	25	23	10	16	4	3	25	10	311	233	4	1
71	Allegheny	16,676	29	1	117	3,422	952	822	321	368	146	113	700	298	9,293	7,277	136	94
72	Baldwin	192	1	–	1	46	11	14	4	7	–	1	9	2	99	77	3	1
73	Bellevue	147	–	–	2	24	5	5	–	3	1	6	4	1	88	71	–	3
74	Bethel Park	216	–	–	–	47	16	7	7	6	2	2	7	3	124	98	3	2
75	Brentwood	151	–	–	1	30	7	5	2	5	1	3	7	2	84	64	1	2
76	Carnegie	144	1	–	1	34	10	5	4	3	–	1	11	–	84	65	–	–
77	Castle Shannon	73	–	–	3	14	4	2	–	1	–	–	7	–	44	33	–	–
78	Clairton	184	1	–	1	35	10	10	3	7	1	–	4	4	110	90	–	1
79	Dormont	131	–	–	2	31	6	10	1	2	3	–	9	–	75	59	3	–
80	Duquesne	174	–	–	1	51	8	13	6	7	1	2	14	6	88	67	3	2
81	Harrison township†	142	–	–	1	27	9	6	3	2	1	1	5	3	81	61	1	–
82	McKees Rocks	165	–	–	1	33	9	11	2	5	1	–	5	1	93	75	–	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
6	–	–	3	–	1	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	01
31	1	–	8	–	3	2	1	–	–	–	–	–	1	–	5	3	3	2	–	1	02
20	4	–	5	1	–	6	–	–	2	–	–	–	1	3	4	2	1	2	–	–	03
34	3	–	14	–	–	7	2	–	2	–	–	1	2	1	17	–	4	1	1	–	04
325	20	2	106	14	15	16	16	3	12	1	–	8	15	23	75	29	30	24	6	4	05
30	1	–	19	5	1	3	1	–	3	–	–	–	2	1	10	5	3	2	–	–	06
129	11	–	39	2	8	6	4	1	5	–	–	5	6	11	29	7	9	10	1	1	07
166	8	2	48	7	6	7	11	2	4	1	–	3	7	11	36	17	18	12	5	3	08
23	–	1	9	1	2	2	2	–	7	–	–	–	–	3	7	5	8	1	–	–	09
151	12	–	66	17	6	10	5	2	3	–	–	3	5	5	27	15	14	12	1	–	10
66	7	–	29	7	–	9	2	1	2	–	–	1	2	4	7	3	4	5	–	–	11
85	5	–	37	10	6	1	3	1	1	–	–	2	3	1	20	12	10	7	1	–	12
139	5	–	41	11	10	12	3	–	9	1	–	2	5	3	36	24	13	12	4	2	13
63	3	–	22	7	2	3	2	–	2	–	–	1	–	3	15	6	2	–	3	1	14
76	2	–	19	4	8	9	1	–	7	1	–	1	5	–	21	18	11	12	1	1	15
17	1	–	9	–	1	3	1	–	1	–	–	1	2	–	8	1	1	–	–	–	16
496	30	2	222	27	19	49	29	6	18	4	1	10	17	13	124	57	59	36	11	9	17
226	10	1	100	11	11	22	3	2	8	2	1	3	11	5	62	19	27	23	5	4	18
81	8	–	30	7	–	11	7	–	1	–	–	3	2	2	12	8	8	2	–	1	19
189	12	1	92	9	8	16	19	4	9	2	–	4	4	6	50	30	24	11	6	4	20
87	8	1	31	19	4	11	5	1	5	–	–	1	2	10	28	5	14	5	3	2	21
211	14	5	79	17	9	15	16	1	8	–	–	3	8	2	44	16	22	15	2	4	22
52	6	1	25	10	4	4	9	–	1	–	–	2	5	1	15	3	6	6	–	3	23
52	6	1	25	10	4	4	9	–	1	–	–	2	5	1	15	3	6	7	–	3	24
159	8	4	54	7	5	11	7	1	7	–	–	1	3	1	29	13	16	9	2	1	25
71	1	1	15	8	1	6	4	–	–	2	–	–	2	2	27	9	6	7	5	–	26
558	36	2	152	42	21	34	19	3	13	2	–	13	27	42	119	41	59	22	9	4	27
293	16	2	89	25	10	13	17	1	9	1	–	6	9	25	69	18	27	10	5	3	28
339	17	2	98	27	10	15	20	1	9	1	–	7	9	25	75	20	30	10	5	3	29
265	20	–	63	17	11	21	2	2	4	1	–	7	18	17	50	23	32	12	4	1	30
14	–	1	1	1	1	5	3	–	–	1	–	–	1	–	2	1	2	–	–	–	31
2,037	120	13	714	122	75	200	103	23	151	13	–	36	43	107	447	132	175	89	57	27	32
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
1,606	84	10	552	101	53	154	73	15	134	11	–	23	32	92	337	93	147	69	45	19	35
1,608	84	10	552	101	53	155	73	15	135	11	–	23	33	92	338	93	147	70	45	19	36
430	36	3	162	21	22	46	30	8	17	2	–	13	11	15	110	39	28	20	12	8	37
145	8	1	34	8	4	5	4	1	3	1	–	2	2	1	27	12	13	2	–	–	38
46	1	–	9	2	–	2	3	–	–	–	–	1	–	–	6	2	3	–	–	–	39
99	7	1	25	6	4	3	1	1	3	1	–	1	2	1	21	10	10	2	–	–	40
5	–	–	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	3	–	–	41
68	4	–	27	1	4	3	–	1	3	–	–	2	1	3	23	4	8	3	–	1	42
119	5	2	58	7	8	29	14	4	2	3	–	4	5	3	48	14	17	4	2	–	43
29	1	1	15	1	1	10	4	1	–	1	–	–	2	1	16	4	4	2	–	–	44
90	4	1	43	6	7	19	10	3	2	2	–	4	3	2	32	10	13	2	2	–	45
59	3	2	15	4	3	9	2	–	3	–	–	1	2	–	18	2	3	6	–	–	46
34	1	–	3	2	–	9	1	1	1	2	–	–	–	–	7	1	3	1	–	2	47
76	3	1	27	7	5	6	4	–	–	2	–	–	–	4	5	8	2	2	1	–	48
53	2	1	18	4	4	4	2	–	–	2	–	–	–	2	4	5	–	1	–	–	49
23	1	–	9	3	1	2	2	–	–	–	–	–	–	2	1	3	2	1	1	–	50
332	25	4	127	26	19	30	23	5	17	3	–	15	29	25	92	35	45	22	–	4	51
48	3	1	24	5	2	5	2	–	2	1	–	3	1	4	15	5	7	3	–	1	52
45	6	1	19	5	3	4	6	1	3	–	–	2	3	6	15	5	7	5	–	–	53
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	54
1	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	–	–	–	–	–	55
238	16	2	84	16	14	20	15	4	11	2	–	10	24	15	61	25	31	14	–	3	56
1	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	57
149	11	–	62	7	7	8	6	1	3	1	–	4	2	8	27	14	12	4	1	–	58
49	2	–	19	1	5	5	1	1	–	1	–	1	–	1	10	3	1	–	–	–	59
100	9	–	43	6	2	3	5	–	3	–	–	3	2	7	17	11	11	4	1	–	60
44,347	**3,237**	**287**	**11,258**	**1,960**	**1,660**	**3,162**	**1,307**	**358**	**1,722**	**534**	**13**	**650**	**1,367**	**2,871**	**9,909**	**2,153**	**2,869**	**1,348**	**835**	**260**	61
22,433	1,786	133	5,648	871	848	1,704	617	194	1,072	303	9	329	755	2,437	5,118	814	1,511	689	680	193	62
21,914	1,451	154	5,610	1,089	812	1,458	690	164	650	231	4	321	612	434	4,791	1,339	1,358	659	155	67	63
34,404	2,490	205	8,610	1,370	1,277	2,475	946	281	1,436	410	12	515	1,072	2,731	7,713	1,530	2,232	1,089	783	236	64
20,443	1,642	120	5,116	766	760	1,563	544	178	999	271	9	307	706	2,414	4,728	740	1,392	641	668	188	65
13,961	848	85	3,494	604	517	912	402	103	437	139	3	208	366	317	2,985	790	840	448	115	48	66
9,943	747	82	2,648	590	383	687	361	77	286	124	1	135	295	140	2,196	623	637	259	52	24	67
1,990	144	13	532	105	88	141	73	16	73	32	–	22	49	23	390	74	119	48	12	5	68
7,953	603	69	2,116	485	295	546	288	61	213	92	1	113	246	117	1,806	549	518	211	40	19	69
220	8	–	46	20	12	8	7	–	6	2	–	2	6	–	23	11	18	4	3	1	70
6,612	435	45	1,487	239	245	449	158	47	290	76	2	83	159	52	1,267	210	371	193	103	56	71
63	10	–	17	1	4	6	1	–	4	1	–	2	2	1	17	1	2	4	–	2	72
68	–	–	11	3	3	5	1	1	2	–	–	1	1	–	9	2	4	4	–	2	73
90	3	2	18	2	4	5	1	1	5	3	–	4	4	1	9	2	3	4	–	–	74
56	5	1	15	2	2	2	2	–	4	2	–	–	2	1	10	3	6	2	–	–	75
61	4	–	15	2	2	2	1	–	2	–	1	1	1	–	10	1	4	1	–	–	76
31	2	–	8	2	1	1	–	–	1	–	–	2	–	–	5	–	–	2	–	1	77
85	4	–	17	–	3	1	–	–	1	2	–	–	–	1	14	2	7	1	2	2	78
52	4	1	12	2	1	4	3	–	4	–	–	–	–	–	10	2	–	–	–	–	79
60	2	1	13	3	4	4	2	–	1	3	–	2	1	–	12	1	2	–	–	–	80
59	1	1	14	5	–	4	5	–	1	1	–	–	4	1	11	–	1	2	–	–	81
71	3	–	12	3	3	1	3	2	4	–	–	–	4	–	10	3	5	5	–	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Pennsylvania—Con.																	
	Allegheny—Con.																	
01	McKeesport	525	1	–	2	103	27	24	6	15	7	4	20	15	301	236	10	2
02	Monroeville	177	–	–	2	48	17	10	4	5	1	2	9	1	85	67	–	2
03	Mount Lebanon township†	396	–	–	3	82	18	19	6	12	3	3	21	4	246	190	4	1
04	Munhall	199	–	–	1	47	9	13	3	3	5	1	13	7	110	90	2	1
05	North Braddock	128	–	–	1	29	9	5	3	6	–	1	5	5	62	48	2	2
06	North Versailles township†	91	1	–	1	11	4	1	1	1	–	1	3	–	60	45	1	–
07	Penn Hills township†	460	–	–	2	110	33	23	13	8	1	5	27	9	257	204	4	7
08	Pittsburgh	6,376	15	–	49	1,251	352	333	109	129	60	35	233	120	3,455	2,729	34	27
09	Pleasant Hills	59	–	–	1	13	5	–	3	1	–	–	4	–	36	27	–	1
10	Plum	118	–	–	2	20	5	3	3	–	2	1	6	3	57	44	–	–
11	Ross township†	296	1	–	–	72	18	19	6	10	1	3	15	1	157	124	4	3
12	Scott township†	245	–	–	–	45	12	5	5	5	2	2	14	4	159	130	2	1
13	Shaler township†	259	1	–	1	53	17	6	10	6	3	2	9	1	148	120	6	1
14	Stowe township†	114	–	–	3	21	6	2	3	5	–	–	5	4	63	50	–	2
15	Swissvale	150	–	–	3	29	11	5	3	5	1	1	3	4	82	66	2	3
16	Upper St. Clair township†	67	–	–	–	16	6	3	1	5	–	–	1	1	33	30	1	–
17	West Mifflin	225	–	–	1	61	18	11	5	10	2	3	12	7	116	93	1	–
18	Whitehall	115	–	–	3	28	7	4	4	3	1	1	8	1	61	49	2	1
19	Wilkinsburg	355	–	–	5	74	27	12	7	10	2	2	14	6	210	158	3	4
20	Balance of county	4,602	7	1	23	937	256	236	94	81	44	30	196	83	2,625	2,017	44	24
21	Armstrong	789	1	–	4	140	49	25	14	11	7	4	30	13	483	366	3	4
22	Beaver	1,936	2	–	8	404	119	89	40	41	19	15	81	40	1,027	777	9	23
23	Aliquippa	239	–	–	2	54	16	8	9	9	2	–	10	3	115	86	1	2
24	Ambridge	149	–	–	–	22	11	4	3	1	–	–	3	3	88	59	1	1
25	Beaver Falls	187	1	–	–	31	10	8	3	4	1	–	5	5	113	89	–	5
26	Ellwood City, part	9	–	–	–	1	1	–	–	–	–	–	–	–	6	6	–	–
27	Balance of county	1,352	1	–	6	296	81	69	25	27	16	15	63	29	705	537	7	15
28	Bedford	444	–	–	2	70	18	7	4	15	4	1	21	7	248	177	4	1
29	Berks	3,107	7	1	18	582	176	115	42	78	28	26	117	66	1,798	1,405	26	25
30	Reading	1,247	5	–	9	242	72	52	22	34	14	8	40	20	719	570	9	7
31	Balance of county	1,860	2	1	9	340	104	63	20	44	14	18	77	46	1,079	835	17	18
32	Blair	1,545	5	–	5	255	69	63	18	33	11	12	49	35	919	695	10	6
33	Altoona	806	1	–	1	144	40	40	5	16	7	8	28	19	478	360	8	2
34	Balance of county	739	4	–	4	111	29	23	13	17	4	4	21	16	441	335	2	4
35	Bradford	575	1	–	3	113	29	26	7	13	7	4	27	7	322	208	6	5
36	Bucks	3,034	1	–	25	618	174	143	51	66	15	28	141	45	1,556	1,150	19	8
37	Bensalem township†	171	–	–	3	30	11	6	2	1	2	1	7	1	86	66	–	1
38	Bristol	152	–	–	3	20	3	8	1	2	–	–	6	4	84	68	–	1
39	Bristol township†	305	–	–	1	72	26	17	4	4	1	2	18	5	144	115	1	1
40	Falls township†	115	–	–	1	28	9	7	–	–	2	1	9	–	52	47	–	–
41	Lower Southampton township†	82	–	–	1	13	4	4	2	–	–	1	2	–	49	32	–	–
42	Middletown township†	136	–	–	1	23	5	2	–	3	–	2	11	2	76	58	1	–
43	Morrisville	105	–	–	1	26	6	5	2	7	–	2	4	2	55	39	1	2
44	Upper Southampton township†	29	–	–	–	7	–	4	1	1	–	–	1	1	13	11	–	–
45	Warminster township†	136	–	–	1	28	8	11	1	3	–	2	3	–	67	50	2	–
46	Balance of county	1,803	1	–	13	371	102	79	38	45	10	17	80	30	930	664	14	3
47	Butler	1,175	1	–	5	216	60	45	24	28	9	7	43	19	632	492	10	9
48	Butler	245	–	–	1	39	9	7	4	7	4	2	6	3	138	107	3	1
49	Balance of county	930	1	–	4	177	51	38	20	21	5	5	37	16	494	385	7	8
50	Cambria	1,958	6	–	8	331	91	66	42	46	13	10	63	54	1,055	840	22	9
51	Johnstown	599	1	–	5	85	23	22	10	8	2	3	17	15	348	284	8	5
52	Balance of county	1,359	5	–	3	246	68	44	32	38	11	7	46	39	707	556	14	4
53	Cameron	59	–	–	–	7	–	2	–	3	1	–	1	1	38	33	3	1
54	Carbon	655	2	–	2	109	35	21	9	12	5	10	17	31	359	264	4	3
55	Centre	626	–	–	2	103	33	22	5	15	4	5	19	6	383	290	10	5
56	State College	106	–	–	1	21	8	5	–	5	–	–	3	–	66	52	3	1
57	Balance of county	520	–	–	1	82	25	17	5	10	4	5	16	6	317	238	7	4
58	Chester	2,190	3	–	13	461	137	105	40	52	23	29	75	39	1,104	832	16	15
59	Coatesville	138	–	–	2	27	7	7	3	2	2	1	5	4	74	52	–	4
60	Phoenixville	173	–	–	1	36	13	6	3	3	1	–	10	1	84	55	2	1
61	West Chester	221	–	–	1	44	12	14	4	4	–	2	8	2	110	77	2	1
62	Balance of county	1,658	3	–	9	354	105	78	30	43	20	26	52	32	836	648	12	9
63	Clarion	372	–	–	3	65	20	13	5	6	5	3	13	3	211	159	2	3
64	Clearfield	957	2	1	2	165	49	32	17	17	11	3	36	16	568	423	4	7
65	Du Bois	124	–	–	–	23	4	5	1	3	1	1	8	1	76	62	–	–
66	Balance of county	833	2	1	2	142	45	27	16	14	10	2	28	15	492	361	4	7
67	Clinton	357	–	–	–	70	16	15	7	8	5	5	14	10	199	157	6	2
68	Lock Haven	136	–	–	–	26	6	7	2	2	1	2	6	5	81	61	2	1
69	Balance of county	221	–	–	–	44	10	8	5	6	4	3	8	5	118	96	4	1
70	Columbia	623	2	–	1	127	31	26	13	16	6	4	31	18	346	245	3	1
71	Berwick	163	–	–	1	35	10	6	3	2	3	1	10	4	93	64	2	1
72	Bloomsburg	126	–	–	–	26	6	6	1	2	2	3	6	4	73	44	–	–
73	Balance of county	334	2	–	–	66	15	14	9	12	1	–	15	10	180	137	1	–
74	Crawford	896	2	–	7	142	32	32	18	19	8	9	24	19	508	358	12	8
75	Meadville	234	1	–	2	36	8	6	4	6	1	2	9	6	132	93	2	3
76	Balance of county	662	1	–	5	106	24	26	14	13	7	7	15	13	376	265	10	5
77	Cumberland	1,271	2	–	9	268	83	54	29	27	9	5	61	21	682	515	9	1
78	Carlisle	212	–	–	3	33	11	6	3	4	–	1	8	4	123	94	3	1
79	Balance of county	1,059	2	–	6	235	72	48	26	23	9	4	53	17	559	421	6	–
80	Dauphin	2,410	7	–	21	495	143	115	49	49	22	14	103	54	1,272	978	17	10
81	Harrisburg	924	3	–	6	192	57	41	16	23	9	4	42	28	461	363	5	3
82	Lower Paxton township†	165	–	–	3	41	13	11	5	2	1	1	8	3	76	61	–	1
83	Balance of county	1,321	4	–	12	262	73	63	28	24	12	9	53	23	735	554	12	6

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
217	7	–	55	4	6	16	10	3	10	–	–	1	3	1	32	8	14	–	3	2	01
64	1	–	12	3	3	6	4	–	3	–	–	2	2	1	15	2	3	1	–	2	02
171	14	–	31	18	7	12	2	1	3	3	–	–	1	1	27	3	4	1	–	3	03
84	3	1	11	4	4	4	–	2	5	1	–	2	1	–	15	3	1	–	–	–	04
40	4	1	10	1	2	3	1	1	1	–	–	–	3	1	13	–	3	3	2	–	05
41	3	1	9	2	3	3	–	–	1	–	–	1	1	–	6	3	2	1	–	–	06
183	10	1	40	6	6	7	6	–	7	2	–	7	1	1	28	8	10	4	1	–	07
2,459	209	18	547	77	84	200	44	18	130	30	–	27	68	23	537	57	188	73	68	23	08
24	2	–	8	1	–	–	–	–	–	–	–	–	2	–	4	2	1	–	–	–	09
41	3	–	13	–	–	2	1	–	4	–	–	2	6	–	11	1	2	4	3	–	10
110	7	2	30	1	–	7	3	1	6	2	–	–	1	1	29	3	6	4	1	1	11
122	5	–	22	3	4	7	2	–	2	2	–	2	2	1	14	1	1	3	–	–	12
106	7	1	12	9	6	3	2	1	8	2	–	3	2	–	23	3	6	2	–	–	13
43	5	–	9	–	4	4	2	–	2	–	–	–	–	1	7	2	1	2	2	–	14
57	4	–	11	2	3	5	5	–	4	1	–	1	1	–	8	2	2	2	–	1	15
28	1	–	3	–	–	2	–	–	2	–	–	–	–	–	10	1	–	1	–	1	16
87	5	1	16	4	2	3	2	1	4	1	–	2	1	1	18	4	2	1	–	–	17
43	3	–	10	–	2	1	–	–	4	1	–	1	3	–	5	1	2	4	–	–	18
143	8	–	35	13	4	6	8	2	3	1	–	1	4	–	20	3	3	5	2	2	19
1,853	96	13	451	66	78	123	47	13	62	18	1	19	38	15	328	86	86	57	19	14	20
331	28	2	89	15	11	10	10	1	10	2	–	2	9	3	49	19	25	6	1	1	21
707	38	6	199	22	23	59	28	6	31	18	–	13	26	12	139	33	53	24	11	2	22
79	4	–	22	3	4	7	1	1	8	4	–	2	2	–	18	4	9	1	6	2	23
54	3	2	22	3	2	7	3	1	3	–	–	–	1	1	13	–	5	2	–	–	24
78	6	2	17	4	1	4	3	1	3	–	–	–	4	–	16	2	3	1	–	–	25
5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	26
491	24	2	138	12	16	41	21	3	17	14	–	11	19	11	92	25	36	20	5	–	27
167	5	2	41	18	10	14	9	1	3	2	–	2	7	4	40	12	18	5	–	–	28
1,300	54	8	278	69	38	84	26	10	37	8	–	15	23	11	216	63	82	44	14	2	29
534	20	2	108	22	17	28	15	2	14	4	–	5	12	9	83	22	32	17	9	–	30
766	34	6	170	47	21	56	11	8	23	4	–	10	11	2	133	41	50	27	5	2	31
635	44	5	173	25	21	47	21	4	14	4	–	9	14	6	119	28	46	10	4	–	32
327	23	2	91	16	9	23	14	–	10	2	–	8	5	4	63	9	17	5	3	–	33
308	21	3	82	9	12	24	7	4	4	2	–	1	9	2	56	19	29	5	1	–	34
177	20	3	48	49	14	16	7	1	5	2	–	3	10	2	45	19	14	4	1	–	35
1,032	91	8	300	49	49	65	29	10	34	8	–	28	32	113	237	101	65	43	20	4	36
58	7	–	17	3	–	1	2	–	4	1	–	2	3	8	12	8	5	2	2	1	37
61	6	–	11	2	3	2	–	1	–	1	–	1	2	15	9	3	2	3	1	1	38
105	8	–	22	3	4	3	2	1	5	–	–	1	7	17	22	10	7	5	3	–	39
44	3	–	4	–	1	5	1	1	3	–	–	1	1	4	9	6	2	1	–	–	40
29	3	–	12	3	2	2	1	–	1	–	–	–	1	2	6	3	1	1	1	–	41
50	7	1	13	1	3	3	3	1	2	–	–	2	2	5	7	3	4	–	1	1	42
31	5	1	11	2	2	2	–	2	–	–	–	1	–	4	6	1	4	1	–	–	43
10	1	–	1	–	1	1	1	–	1	–	–	–	1	–	1	–	1	2	–	–	44
46	2	1	14	–	2	2	1	–	1	–	–	2	–	7	16	5	3	3	–	–	45
598	49	5	195	35	31	44	18	4	17	6	–	18	15	51	149	62	36	25	12	1	46
442	31	2	98	31	9	46	21	4	16	3	–	4	12	3	99	38	37	15	4	–	47
97	6	–	21	7	3	6	5	1	7	–	–	–	4	–	18	5	10	4	4	–	48
345	25	2	77	24	6	40	16	3	9	3	–	4	8	3	81	33	27	11	–	–	49
760	49	5	157	35	18	55	23	5	37	8	–	8	26	16	182	50	64	23	6	1	50
255	16	2	50	6	6	13	5	2	17	5	–	4	6	6	37	13	26	6	4	1	51
505	33	3	107	29	12	42	18	3	20	3	–	4	20	10	145	37	38	17	2	–	52
28	1	1	2	1	1	3	2	–	1	–	–	–	–	–	3	3	1	–	–	–	53
244	13	2	81	7	5	18	5	1	1	6	–	5	10	6	76	7	13	3	1	–	54
262	13	–	65	17	11	10	7	5	8	5	–	2	20	1	37	19	12	6	–	–	55
48	–	–	7	5	2	3	1	–	2	2	–	–	2	–	5	–	3	–	–	–	56
214	13	–	58	12	9	7	6	5	6	3	–	2	18	1	32	19	9	6	–	–	57
764	37	7	208	27	30	61	33	3	24	12	–	21	40	38	149	72	61	36	14	6	58
46	2	–	13	4	5	3	1	–	2	–	–	1	3	1	10	3	4	1	1	1	59
50	2	–	24	2	3	8	6	–	3	3	–	4	3	2	15	3	–	3	–	1	60
73	1	–	24	5	4	9	1	–	2	2	–	4	6	14	10	3	6	3	4	–	61
595	32	7	147	16	18	41	25	3	17	7	–	12	28	21	114	63	51	29	9	4	62
142	12	1	37	8	6	8	1	2	2	3	–	1	3	3	37	15	9	5	–	1	63
375	37	7	109	17	12	23	7	2	15	–	–	9	12	3	77	22	22	8	3	–	64
49	13	–	9	2	3	5	1	1	4	–	–	1	2	–	7	1	2	–	–	–	65
326	24	7	100	15	9	18	6	1	11	–	–	8	10	3	70	21	20	8	3	–	66
138	11	1	33	6	2	3	7	1	3	–	–	4	6	2	22	14	7	6	3	–	67
55	3	–	15	4	1	1	6	–	–	–	–	1	2	–	7	3	3	1	–	–	68
83	8	1	18	2	1	2	1	1	3	–	–	3	4	2	15	11	4	5	3	–	69
214	27	3	66	25	7	12	9	1	3	3	–	2	7	2	58	12	13	5	1	1	70
48	13	–	21	6	2	2	1	–	–	–	–	1	2	1	14	3	3	2	1	–	71
40	4	–	17	8	4	6	2	–	1	2	–	1	–	–	8	–	2	1	–	–	72
126	10	3	28	11	1	4	6	1	2	1	–	–	5	1	36	9	8	2	–	1	73
326	12	5	109	16	20	32	25	2	12	1	–	3	11	7	59	30	23	9	4	–	74
80	8	1	26	4	8	11	7	–	7	–	–	–	–	1	16	5	7	2	1	–	75
246	4	4	83	12	12	21	18	2	5	1	–	3	11	6	43	25	16	7	3	–	76
484	21	1	128	18	20	44	11	8	10	2	–	7	7	6	110	37	29	17	1	–	77
85	5	–	24	3	2	16	1	1	3	–	–	–	–	1	10	4	10	3	–	–	78
399	16	1	104	15	18	28	10	7	7	2	–	7	7	5	100	33	19	14	1	–	79
892	59	4	225	35	30	67	24	13	29	11	–	15	33	13	226	32	60	24	12	2	80
341	14	2	75	11	10	28	7	4	15	5	–	5	20	6	91	13	25	5	8	2	81
57	3	–	14	1	–	1	–	2	3	–	–	2	1	1	16	8	5	2	1	–	82
494	42	2	136	23	20	38	17	7	11	6	–	8	12	6	119	11	30	17	3	–	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Pennsylvania—Con.																	
01	Delaware	5,530	8	1	35	1,156	329	279	115	99	54	36	244	92	2,879	2,248	54	19
02	Aston township†	101	–	–	–	27	12	4	2	4	–	–	5	3	48	41	4	–
03	Chester	613	1	1	4	138	41	38	12	12	6	3	26	9	260	210	4	2
04	Collingdale	91	–	–	–	16	6	3	–	2	1	–	4	2	55	45	2	–
05	Darby	158	–	–	2	26	3	10	1	1	1	3	7	–	90	69	1	–
06	Darby township†	46	–	–	–	8	2	1	2	2	–	–	1	–	23	16	–	1
07	Haverford township†	511	2	–	2	112	42	17	9	12	5	4	23	9	260	203	3	1
08	Lansdowne	169	–	–	2	46	9	9	8	3	1	2	14	2	72	50	1	1
09	Marple township†	198	–	–	1	33	10	8	5	1	2	–	7	3	121	89	4	3
10	Nether Providence township†	65	–	–	1	14	3	–	1	2	1	1	6	–	36	29	–	–
11	Radnor township†	193	–	–	4	38	5	12	4	6	2	1	8	6	101	78	3	1
12	Ridley township†	199	–	–	3	46	12	17	4	1	3	3	6	2	94	79	6	–
13	Springfield township†	196	–	–	1	48	13	13	6	7	2	–	7	2	106	80	4	–
14	Upper Chichester township†	74	1	–	1	13	1	3	–	3	4	–	2	5	32	26	1	2
15	Upper Darby township†	896	1	–	4	191	62	51	15	13	11	6	33	9	484	372	10	1
16	Yeadon	133	–	–	–	29	8	8	5	2	1	1	4	4	75	57	2	–
17	Balance of county	1,887	3	–	10	371	100	85	41	28	14	12	91	36	1,022	804	9	7
18	Elk	346	1	–	1	76	11	25	8	8	6	2	16	9	185	144	6	1
19	Erie	2,648	6	–	7	527	143	140	56	54	17	13	104	44	1,501	1,087	23	12
20	Erie	1,429	3	–	4	312	78	84	29	32	11	7	71	25	790	560	13	6
21	Millcreek township†	342	1	–	2	71	24	22	7	5	–	2	11	4	198	143	3	1
22	Balance of county	877	2	–	1	144	41	34	20	17	6	4	22	15	513	384	7	5
23	Fayette	1,852	5	–	13	338	77	78	27	49	16	10	81	45	1,095	855	13	4
24	Connellsville	166	–	–	1	32	4	4	4	5	1	1	13	6	94	74	–	–
25	Uniontown	299	1	–	3	53	13	13	4	8	2	2	11	7	184	149	4	–
26	Balance of county	1,387	4	–	9	253	60	61	19	36	13	7	57	32	817	632	9	4
27	Forest	60	–	–	1	14	4	6	2	–	1	–	1	1	28	20	1	–
28	Franklin	940	3	1	7	175	52	38	13	21	7	11	33	15	550	416	11	8
29	Chambersburg	216	1	–	–	42	17	7	2	9	1	–	6	4	126	94	3	2
30	Waynesboro	128	–	–	2	24	7	3	3	3	1	1	6	–	74	53	2	2
31	Balance of county	596	2	1	5	109	28	28	8	9	5	10	21	11	350	269	6	4
32	Fulton	121	–	–	1	16	5	5	–	2	1	–	3	2	80	62	–	1
33	Greene	445	1	–	4	57	18	8	6	9	4	2	10	8	277	216	1	4
34	Huntingdon	437	1	1	2	87	21	14	9	14	3	7	19	8	249	173	1	5
35	Indiana	770	2	–	1	129	38	20	9	23	4	5	30	8	441	326	7	6
36	Indiana	100	–	–	–	21	7	2	1	2	2	2	5	–	56	39	–	1
37	Balance of county	670	2	–	1	108	31	18	8	21	2	3	25	8	385	287	7	5
38	Jefferson	553	–	–	5	97	29	13	10	16	2	6	21	6	335	256	6	8
39	Juniata	172	–	–	1	28	7	6	3	4	1	–	7	8	100	81	3	1
40	Lackawanna	2,953	9	–	4	537	149	103	49	65	25	14	132	69	1,679	1,349	38	38
41	Carbondale	195	–	–	–	34	11	5	3	4	3	–	8	5	120	101	2	6
42	Dunmore	223	1	–	–	35	10	7	3	4	1	–	10	10	133	104	1	1
43	Scranton	1,455	7	–	3	272	82	57	22	26	11	9	65	25	842	673	22	17
44	Balance of county	1,080	1	–	1	196	46	34	21	31	10	5	49	29	584	471	13	14
45	Lancaster	3,029	4	1	20	599	170	111	63	73	22	26	134	88	1,681	1,253	29	18
46	Columbia	152	–	–	–	27	7	8	3	4	1	–	4	4	95	66	1	2
47	Lancaster	672	1	1	1	158	56	37	15	15	7	1	27	10	345	262	7	5
48	Lancaster township†	111	–	–	1	22	4	3	2	2	–	1	10	3	64	36	1	–
49	Balance of county	2,094	3	–	18	392	103	63	43	52	14	24	93	71	1,177	889	20	11
50	Lawrence	1,119	1	–	3	212	60	53	20	28	5	9	37	24	626	470	11	17
51	Ellwood City, part	106	–	–	–	22	5	4	2	4	–	–	7	3	66	45	3	2
52	Ellwood City, total	115	–	–	–	23	6	4	2	4	–	–	7	3	72	51	3	2
53	New Castle	509	–	–	2	96	30	23	9	10	2	5	17	7	291	224	5	12
54	Balance of county	504	1	–	1	94	25	26	9	14	3	4	13	14	269	201	3	3
55	Lebanon	993	–	–	6	183	46	41	16	18	11	9	42	24	584	480	11	3
56	Lebanon	332	–	–	1	67	14	19	3	7	4	5	15	10	189	150	3	–
57	Balance of county	661	–	–	5	116	32	22	13	11	7	4	27	14	395	330	8	3
58	Lehigh	2,433	3	1	17	501	145	116	53	47	30	15	95	39	1,401	1,080	27	5
59	Allentown	1,238	2	1	11	252	67	64	27	24	14	9	47	23	725	550	16	3
60	Bethlehem, part	183	–	–	1	42	18	3	4	5	3	1	8	2	98	78	2	–
61	Emmaus	84	–	–	1	21	9	5	2	2	–	–	3	2	42	34	2	–
62	Balance of county	928	1	–	4	186	51	44	20	16	13	5	37	12	536	418	7	2
63	Luzerne	4,306	12	1	17	755	260	153	60	76	31	32	143	106	2,308	1,877	36	48
64	Hazleton	430	1	–	1	88	32	22	5	8	5	1	15	10	225	176	2	5
65	Kingston	226	–	–	2	44	19	8	6	1	–	3	7	3	134	103	1	2
66	Nanticoke	235	–	–	2	35	16	4	1	5	1	2	6	3	113	92	2	–
67	Pittston	139	–	–	1	28	9	7	1	1	1	1	8	8	68	51	2	1
68	Wilkes–Barre	777	3	1	1	136	42	31	11	19	5	6	22	15	446	371	9	6
69	Balance of county	2,499	8	–	10	424	142	81	36	42	19	19	85	67	1,322	1,084	20	34
70	Lycoming	1,239	1	–	5	237	52	58	16	36	9	10	56	18	725	563	7	4
71	Williamsport	464	–	–	1	102	26	25	7	14	3	2	25	4	260	202	4	1
72	Balance of county	775	1	–	4	135	26	33	9	22	6	8	31	14	465	361	3	3
73	McKean	564	–	–	1	98	22	20	11	17	6	2	20	9	324	221	3	2
74	Bradford	182	–	–	1	25	5	6	2	2	1	1	8	2	111	87	2	–
75	Balance of county	382	–	–	–	73	17	14	9	15	5	1	12	7	213	134	1	2
76	Mercer	1,248	2	–	6	220	64	42	21	29	13	2	49	22	710	518	12	8
77	Farrell	118	–	–	–	17	6	3	1	4	–	–	3	7	63	45	–	–
78	Sharon	245	2	–	1	45	13	12	5	5	3	–	7	6	126	97	3	1
79	Balance of county	885	–	–	5	158	45	27	15	20	10	2	39	9	521	376	9	7
80	Mifflin	432	1	–	1	82	20	19	11	7	4	5	16	4	252	196	1	3
81	Lewistown	140	1	–	–	25	3	7	6	3	1	1	4	2	86	62	1	2
82	Balance of county	292	–	–	1	57	17	12	5	4	3	4	12	2	166	134	–	1
83	Monroe	575	1	–	2	103	28	27	7	12	5	6	18	18	295	219	2	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
2,069	106	9	469	73	80	162	56	20	87	19	–	32	54	175	413	74	146	75	38	8	01
33	4	–	6	1	–	4	1	1	1	–	–	1	3	3	4	2	3	–	–	–	02
186	18	–	37	5	8	21	2	2	8	1	–	4	6	44	51	14	27	7	11	2	03
40	3	–	10	–	–	4	–	–	4	–	–	–	–	3	5	–	–	1	–	1	04
66	2	1	19	1	–	5	2	–	1	1	–	1	3	9	13	–	4	–	1	–	05
14	1	1	5	1	–	2	1	–	1	–	–	–	–	1	4	2	2	–	2	–	06
193	6	1	42	9	5	20	6	–	10	6	–	1	5	8	40	9	14	6	1	–	07
48	–	–	14	3	5	8	2	1	3	–	–	2	1	4	16	2	5	3	–	–	08
79	3	1	15	9	7	2	1	1	2	–	–	1	3	5	12	–	8	4	1	–	09
26	3	–	5	2	–	1	–	2	–	–	–	1	–	–	4	2	2	2	–	–	10
74	–	–	18	4	1	8	4	2	2	–	–	2	–	1	15	2	3	4	–	1	11
68	5	–	12	1	2	5	–	2	5	–	–	1	1	10	18	2	6	3	1	–	12
71	5	–	19	–	7	6	2	–	2	2	–	1	5	2	12	2	4	1	–	–	13
22	1	–	6	–	–	–	3	–	1	–	–	1	1	3	9	1	1	2	–	–	14
343	18	2	85	13	12	23	9	5	17	3	–	5	5	32	60	7	17	14	9	1	15
54	1	–	14	1	3	2	–	–	3	–	–	1	1	4	9	1	–	4	–	–	16
752	36	3	162	23	30	51	23	4	27	6	–	10	20	46	141	28	50	24	12	3	17
130	7	2	29	6	4	9	9	3	6	–	–	4	1	1	26	9	5	1	–	–	18
980	72	9	310	56	39	54	39	8	47	6	1	21	51	7	164	65	54	25	18	3	19
501	40	3	180	28	19	29	26	5	27	4	–	11	25	6	89	22	24	12	15	–	20
134	5	1	40	10	4	7	5	2	5	1	–	2	5	1	17	6	9	3	1	2	21
345	27	5	90	18	16	18	8	1	15	1	1	8	21	–	58	37	21	10	2	1	22
760	78	6	193	24	17	44	18	2	20	10	–	9	23	14	135	28	37	10	4	2	23
65	9	–	17	3	–	3	4	–	4	2	–	1	2	4	9	1	3	–	–	–	24
129	16	1	29	3	2	6	1	–	2	–	–	–	4	2	24	4	4	2	1	1	25
566	53	5	147	18	15	35	13	2	14	8	–	8	17	8	102	23	30	8	3	1	26
18	1	–	7	1	–	–	2	1	3	–	–	–	–	–	4	3	1	1	–	1	27
374	23	3	103	11	17	35	8	4	8	2	–	5	10	5	64	14	23	8	3	–	28
83	6	–	24	3	5	8	–	2	3	2	–	–	1	1	16	2	6	2	–	–	29
48	1	1	14	1	5	5	5	–	1	–	–	2	2	1	9	–	2	1	–	–	30
243	16	2	65	7	7	22	3	2	4	–	–	3	7	3	39	12	15	5	3	–	31
60	1	1	7	9	1	5	–	–	2	–	–	–	–	–	9	3	1	2	–	–	32
196	15	–	40	10	11	22	11	–	4	1	–	1	6	6	29	4	10	4	–	–	33
149	18	3	46	19	8	9	4	–	1	3	–	2	6	3	29	11	13	4	1	3	34
291	22	2	91	10	12	22	11	5	9	6	1	6	12	2	61	24	20	7	2	1	35
36	2	–	14	1	2	3	1	2	–	1	–	2	–	–	5	4	4	1	–	–	36
255	20	2	77	9	10	19	10	3	9	5	1	4	12	2	56	20	16	6	2	1	37
221	21	–	61	13	5	14	2	1	7	1	–	6	6	–	32	19	16	6	–	–	38
72	5	–	17	–	2	2	2	–	1	2	–	1	1	–	14	5	6	1	–	–	39
1,173	100	5	228	62	35	41	43	8	48	12	–	22	12	64	290	32	57	24	1	1	40
79	14	–	12	6	1	1	3	–	2	3	–	1	1	1	16	3	3	2	–	–	41
98	4	1	18	6	4	2	2	–	5	–	–	2	–	5	19	–	6	3	–	–	42
587	47	3	123	22	21	20	26	5	19	6	–	11	10	32	123	14	26	14	–	–	43
409	35	1	75	28	9	18	12	3	22	3	–	8	1	26	132	15	22	5	1	1	44
1,114	92	4	305	67	52	79	31	9	21	14	1	19	35	28	215	60	81	36	7	–	45
58	5	1	20	1	7	3	4	2	1	–	–	–	–	1	10	3	2	–	–	–	46
226	24	1	56	11	15	13	6	1	9	5	–	4	8	6	51	14	25	9	5	–	47
32	3	–	21	5	2	5	3	–	1	–	–	–	3	–	3	2	3	1	–	–	48
798	60	2	208	50	28	58	18	6	10	9	1	15	24	21	151	41	51	26	2	–	49
418	24	3	122	18	13	32	16	4	11	25	–	3	11	9	78	20	27	11	6	–	50
38	2	1	18	2	–	2	1	1	3	2	–	1	1	1	1	–	1	1	–	–	51
43	3	1	18	2	–	2	1	1	3	2	–	1	1	1	1	2	1	1	–	–	52
198	9	1	53	7	6	14	10	2	7	9	–	1	4	4	39	4	12	5	2	–	53
182	13	1	51	9	7	16	5	1	1	14	–	1	6	4	38	16	14	5	4	–	54
435	31	1	77	9	17	21	2	2	8	10	–	7	10	2	74	23	19	14	1	3	55
139	8	1	27	3	8	6	1	–	4	2	–	1	4	1	29	7	5	4	–	1	56
296	23	–	50	6	9	15	1	2	4	8	–	6	6	1	45	16	14	10	1	2	57
1,004	44	4	240	43	34	56	31	6	28	7	–	14	27	14	163	40	45	29	8	3	58
512	19	1	128	26	20	20	17	5	14	5	–	6	9	7	87	16	18	14	4	2	59
74	2	–	17	2	1	5	2	–	3	–	–	–	5	1	12	1	8	3	–	–	60
29	3	2	5	1	–	4	–	1	–	1	–	–	1	1	5	3	1	–	1	–	61
389	20	1	90	14	13	27	12	–	11	1	–	8	12	5	59	20	18	12	3	1	62
1,687	106	11	316	55	49	84	56	12	75	18	1	16	27	16	634	65	62	33	4	4	63
164	5	1	35	8	5	14	6	1	8	3	–	1	2	1	56	6	7	–	–	–	64
97	3	3	21	4	3	5	5	–	6	–	–	2	–	2	13	3	3	2	1	1	65
88	2	–	18	1	2	2	2	1	1	2	–	1	–	–	64	4	1	4	–	–	66
45	3	–	14	1	2	–	5	–	2	–	–	1	1	–	20	2	3	–	–	–	67
338	18	1	54	10	10	16	9	2	16	3	1	–	5	1	92	6	15	7	1	1	68
955	75	6	174	31	27	47	29	8	42	10	–	11	19	12	389	44	33	20	2	2	69
526	26	1	101	35	25	34	21	5	16	8	–	6	17	5	72	28	29	9	2	1	70
191	6	–	41	9	8	13	3	1	3	2	–	4	9	2	39	7	12	2	–	–	71
335	20	1	60	26	17	21	18	4	13	6	–	2	8	3	33	21	17	7	2	1	72
209	7	3	60	28	12	11	16	3	9	2	–	2	5	2	41	23	11	6	1	–	73
84	1	1	15	4	4	7	2	1	4	–	–	1	1	1	13	10	1	1	1	–	74
125	6	2	45	24	8	4	14	2	5	2	–	1	4	1	28	13	10	5	–	–	75
477	21	4	138	31	19	37	18	5	12	3	–	5	10	9	107	24	34	18	3	3	76
43	2	–	15	2	1	4	–	1	4	–	–	–	–	1	11	2	4	1	2	1	77
89	4	2	18	5	4	8	5	1	2	2	–	1	3	1	29	3	5	4	–	1	78
345	15	2	105	24	14	25	13	3	6	1	–	4	7	7	67	19	25	13	1	1	79
183	9	1	40	8	7	5	8	–	2	3	–	8	6	3	29	11	10	7	–	–	80
56	3	1	18	3	2	1	3	–	1	1	–	–	–	–	15	–	3	2	–	–	81
127	6	–	22	5	5	4	5	–	1	2	–	8	6	3	14	11	7	5	–	–	82
194	22	3	59	5	9	22	4	–	8	2	–	3	4	3	63	23	12	8	2	2	83

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Pennsylvania—Con.																	
01	Montgomery	5,516	8	1	41	1,196	320	262	134	137	50	43	250	109	2,977	2,242	52	20
02	Abington township†	530	–	–	6	133	42	29	10	17	5	5	25	7	287	209	8	2
03	Cheltenham township†	371	2	–	–	86	23	8	12	13	5	1	24	7	207	160	2	3
04	Conshohocken	131	1	–	1	26	6	7	2	3	1	–	7	1	67	53	2	3
05	East Norriton township†	66	–	–	–	12	4	3	–	1	–	2	2	3	33	25	–	–
06	Lansdale	224	–	–	3	36	15	4	5	2	3	–	7	2	119	85	3	1
07	Lower Merion township†	557	1	–	5	131	38	25	14	10	4	5	35	7	307	225	4	2
08	Lower Moreland township†	49	–	–	–	11	2	2	3	3	–	–	1	–	27	24	1	–
09	Norristown	428	1	–	3	84	17	24	6	9	2	3	23	20	198	162	3	–
10	Plymouth township†	81	–	–	–	17	1	6	3	4	–	1	2	4	46	42	–	–
11	Pottstown	245	1	–	4	49	9	14	5	9	2	2	8	5	138	104	4	1
12	Springfield township†	185	–	–	2	41	11	7	7	5	2	4	5	2	116	84	2	–
13	Upper Moreland township†	142	–	–	–	27	7	7	4	4	1	–	4	1	81	61	1	–
14	West Norriton township†	67	–	–	1	15	2	5	1	3	1	1	2	5	39	27	–	1
15	Balance of county	2,440	2	1	16	528	143	121	62	54	24	19	105	45	1,312	981	22	7
16	Montour	183	–	–	–	32	7	9	4	2	–	1	9	2	105	77	4	2
17	Northampton	2,033	2	–	13	414	119	105	39	40	25	14	72	39	1,181	937	25	5
18	Bethlehem, part	575	1	–	7	123	38	32	10	14	8	3	18	14	330	243	12	–
19	Bethlehem, total	758	1	–	8	165	56	35	14	19	11	4	26	16	428	321	14	–
20	Easton	322	1	–	2	71	16	16	7	13	2	1	16	5	179	149	2	2
21	Balance of county	1,136	–	–	4	220	65	57	22	13	15	10	38	20	672	545	11	3
22	Northumberland	1,206	3	–	6	225	60	48	20	29	10	6	52	45	649	461	2	10
23	Shamokin	181	–	–	–	31	8	10	2	4	2	–	5	5	100	71	–	–
24	Sunbury	180	–	–	1	33	9	9	3	7	–	1	4	8	103	67	1	1
25	Balance of county	845	3	–	5	161	43	29	15	18	8	5	43	32	446	323	1	9
26	Perry	262	–	–	3	48	10	16	6	5	2	2	7	6	152	108	2	1
27	Philadelphia, coext. with Philadelphia city	21,594	55	4	243	4,178	1,205	1,008	365	434	172	134	860	371	9,450	7,221	130	120
28	Pike	180	–	–	–	36	10	12	3	4	4	1	2	3	99	79	2	2
29	Potter	173	1	–	–	33	12	6	2	3	–	4	6	–	104	92	2	–
30	Schuylkill	2,166	7	–	12	383	125	63	26	37	20	18	94	81	1,100	836	18	9
31	Pottsville	264	–	–	1	39	12	8	3	2	2	2	10	12	158	121	4	2
32	Balance of county	1,902	7	–	11	344	113	55	23	35	18	16	84	69	942	715	14	7
33	Snyder	264	–	–	3	56	12	9	5	8	3	5	14	8	139	100	1	2
34	Somerset	825	–	1	7	127	32	28	13	14	4	6	30	13	485	363	5	31
35	Sullivan	81	–	–	–	12	2	3	1	2	1	1	2	2	50	34	1	–
36	Susquehanna	357	–	–	1	66	17	16	9	11	4	2	7	12	201	148	3	4
37	Tioga	420	–	–	1	73	20	12	4	14	2	–	21	14	234	174	2	2
38	Union	273	–	–	2	49	12	9	7	6	3	4	8	11	142	97	2	3
39	Venango	677	3	–	5	111	30	30	7	17	7	4	16	10	390	279	4	5
40	Oil City	165	–	–	2	31	8	8	2	6	3	1	3	1	104	74	2	–
41	Balance of county	512	3	–	3	80	22	22	5	11	4	3	13	9	286	205	2	5
42	Warren	479	1	–	1	74	14	21	4	10	7	3	15	7	260	202	2	1
43	Warren	184	1	–	1	28	6	5	–	6	3	2	6	4	107	82	2	1
44	Balance of county	295	–	–	–	46	8	16	4	4	4	1	9	3	153	120	–	–
45	Washington	2,243	2	–	7	487	118	117	50	60	17	18	107	26	1,261	938	10	6
46	Canonsburg	126	–	–	–	30	7	6	4	3	3	1	6	1	76	57	–	–
47	Washington	266	1	–	2	60	16	18	9	8	1	–	8	4	150	112	2	1
48	Balance of county	1,851	1	–	5	397	95	93	37	49	13	17	93	21	1,035	769	8	5
49	Wayne	373	–	–	–	75	23	12	10	7	2	4	17	7	211	149	6	–
50	Westmoreland	3,645	2	2	13	666	167	152	78	80	31	26	132	67	2,178	1,616	35	13
51	Greensburg	204	–	–	–	34	5	7	3	5	1	3	10	3	126	91	2	–
52	Hempfield township†	259	–	–	1	29	7	8	5	3	2	1	3	8	172	136	4	–
53	Jeannette	173	–	–	1	34	11	5	3	4	–	4	7	4	97	79	2	–
54	Latrobe	128	–	–	–	28	9	4	3	2	1	2	7	2	72	56	4	–
55	Lower Burrell	106	–	–	–	20	4	6	3	2	1	1	3	–	63	48	–	–
56	Monessen	178	–	–	1	30	8	11	3	1	–	–	7	1	117	79	2	1
57	New Kensington	269	–	1	3	46	7	9	5	7	4	1	13	3	165	128	4	2
58	North Huntington township†	169	1	–	–	36	7	7	1	6	2	2	11	3	103	80	4	2
59	Balance of county	2,159	1	1	7	409	109	95	52	50	20	12	71	43	1,263	919	13	8
60	Wyoming	200	1	–	1	29	9	6	4	4	1	1	4	1	128	93	1	–
61	York	2,490	1	1	16	550	174	99	55	76	22	21	103	38	1,310	1,030	21	15
62	Hanover	196	1	–	3	45	16	6	4	7	3	1	8	8	101	83	2	–
63	Spring Garden township†	92	–	–	–	19	6	1	4	2	–	1	5	2	56	45	3	–
64	York	649	–	1	8	134	36	25	10	17	8	5	33	7	336	266	3	6
65	Balance of county	1,553	–	–	5	352	116	67	37	50	11	14	57	21	817	636	13	9
66	**Rhode Island**	8,898	11	–	41	2,002	647	450	192	216	86	63	348	226	4,837	3,806	79	37
67	Urban places	7,172	8	–	34	1,591	527	362	145	174	63	48	272	177	3,913	3,088	65	30
68	Balance of area	1,726	3	–	7	411	120	88	47	42	23	15	76	49	924	718	14	7
69	Metropolitan counties	7,719	9	–	38	1,747	572	386	166	196	72	57	298	190	4,202	3,324	70	33
70	Urban places	6,685	7	–	33	1,491	496	333	137	170	56	47	252	166	3,655	2,895	62	27
71	Balance of area	1,034	2	–	5	256	76	53	29	26	16	10	46	24	547	429	8	6
72	Nonmetropolitan counties	1,179	2	–	3	255	75	64	26	20	14	6	50	36	635	482	9	4
73	Urban places	487	1	–	1	100	31	29	8	4	7	1	20	11	258	193	3	3
74	Balance of area	692	1	–	2	155	44	35	18	16	7	5	30	25	377	289	6	1
75	Bristol	365	–	–	1	88	18	23	8	16	3	6	14	14	183	147	5	1
76	Barrington	126	–	–	–	28	6	4	4	2	1	5	6	2	68	53	1	–
77	Bristol	129	–	–	1	33	7	9	3	8	2	–	4	9	62	51	2	1
78	Warren	109	–	–	–	27	5	10	1	6	–	1	4	3	52	42	2	–
79	Balance of county	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
80	Kent	1,311	2	–	4	307	79	79	34	39	20	8	48	22	720	576	14	4
81	Warwick	814	1	–	3	197	57	49	21	21	14	5	30	10	444	355	7	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
2,045	125	12	573	71	79	123	53	12	76	16	–	27	42	77	442	85	107	89	22	13	01
185	14	–	62	8	8	16	2	–	8	1	–	3	5	6	31	4	8	11	1	1	02
144	11	2	32	4	9	8	–	–	2	3	–	–	–	4	45	1	4	2	–	–	03
41	7	–	13	1	–	1	–	–	2	1	–	–	3	3	16	–	2	3	3	1	04
22	3	–	6	–	2	–	–	–	3	–	–	1	3	2	6	1	2	–	–	–	05
77	4	2	28	3	1	11	8	–	3	–	–	–	–	2	21	7	7	5	–	–	06
213	6	–	62	12	8	11	9	2	7	–	–	4	1	6	36	7	13	8	1	1	07
20	3	–	1	1	1	1	1	–	–	–	–	–	–	–	6	1	–	2	–	–	08
154	5	–	30	2	4	16	3	2	10	2	–	3	9	8	39	7	12	5	5	1	09
39	3	–	3	1	–	2	–	–	2	–	–	1	2	–	2	1	2	1	1	–	10
95	4	1	22	4	7	3	–	–	7	1	–	1	3	6	14	7	3	1	2	–	11
78	4	1	23	4	4	8	–	1	1	1	–	–	–	–	10	1	1	1	–	–	12
58	2	–	14	1	5	2	4	–	1	1	–	1	–	4	15	–	2	3	–	–	13
22	4	–	7	2	3	–	–	–	2	1	–	–	–	–	1	1	1	1	–	–	14
897	55	6	270	28	27	44	26	7	28	5	–	13	16	36	200	47	50	46	9	9	15
60	11	–	23	3	2	4	1	2	–	–	–	2	2	2	17	3	7	3	1	–	16
861	46	4	175	34	31	35	20	7	30	6	1	8	20	5	152	31	34	27	6	2	17
219	12	–	59	18	10	12	8	2	9	1	–	3	5	–	33	6	9	9	3	–	18
293	14	–	76	20	11	17	10	2	12	1	–	3	10	1	45	7	17	12	3	–	19
137	8	–	19	4	7	7	2	2	5	1	1	2	5	1	28	4	2	4	–	–	20
505	26	4	97	12	14	16	10	3	16	4	–	3	10	4	91	21	23	14	3	2	21
425	24	1	140	27	20	32	15	6	13	4	–	4	8	4	133	21	31	6	1	–	22
64	7	–	21	3	5	3	3	1	4	3	–	2	1	–	20	1	6	1	–	–	23
62	3	1	25	7	3	9	2	–	2	–	–	–	1	2	9	6	4	–	–	–	24
299	14	–	94	17	12	20	10	5	7	1	–	2	6	2	104	14	21	5	1	–	25
92	13	–	33	5	6	5	7	2	1	–	–	2	4	1	15	8	6	1	1	–	26
6,230	741	40	1,753	206	230	666	149	61	389	120	6	99	328	2,020	1,848	254	550	233	455	115	27
69	6	1	11	6	2	3	1	–	4	2	–	1	1	–	20	1	6	3	–	–	28
78	12	1	9	1	1	4	4	1	1	–	–	1	–	–	11	3	6	2	–	2	29
732	77	5	192	35	32	35	36	2	32	4	–	6	18	20	324	38	43	22	3	–	30
106	9	1	26	4	6	3	5	–	3	–	–	–	4	–	23	2	6	8	–	–	31
626	68	4	166	31	26	32	31	2	29	4	–	6	14	20	301	36	37	14	3	–	32
86	11	1	35	1	2	6	1	–	4	–	–	2	2	–	23	12	4	4	–	–	33
307	20	1	90	11	20	33	5	3	8	2	–	6	5	6	66	22	26	8	–	2	34
31	2	1	9	2	4	3	2	–	–	1	–	1	1	–	6	–	2	1	–	–	35
134	7	3	39	4	7	10	3	–	3	2	–	–	12	5	21	11	9	1	–	–	36
165	5	–	45	6	9	15	4	3	3	–	–	2	2	2	32	17	11	6	1	–	37
85	7	–	34	6	5	7	5	1	3	1	–	1	5	1	26	7	7	2	2	1	38
250	20	3	80	20	8	20	8	2	7	2	–	3	9	4	63	15	12	13	–	–	39
67	5	–	24	5	1	6	1	2	3	–	–	–	–	–	8	1	3	3	–	–	40
183	15	3	56	15	7	14	7	–	4	2	–	3	9	4	55	14	9	10	–	–	41
189	10	2	42	9	5	23	7	2	7	3	–	4	4	2	40	11	26	4	1	2	42
75	4	1	17	4	3	6	3	–	2	2	–	2	–	–	16	3	8	–	–	1	43
114	6	1	25	5	2	17	4	2	5	1	–	2	4	2	24	8	18	4	1	1	44
873	49	6	246	42	29	59	24	4	36	11	–	13	23	17	178	22	43	20	8	2	45
55	2	–	17	–	2	1	1	1	2	1	–	2	–	1	8	1	1	–	–	–	46
105	4	–	28	1	9	9	–	–	4	–	–	2	6	1	23	–	3	1	–	–	47
713	43	6	201	41	18	49	23	3	30	10	–	9	17	15	147	21	39	19	8	2	48
129	14	4	42	13	3	13	12	1	3	2	–	1	6	4	19	8	9	2	–	–	49
1,487	81	6	425	70	61	83	36	14	49	15	–	15	33	22	239	70	88	35	12	6	50
88	1	–	27	5	3	3	1	1	4	1	–	–	3	–	17	3	5	1	–	2	51
128	4	1	28	5	2	4	3	–	4	1	–	2	–	3	19	5	2	4	2	–	52
74	3	–	14	2	2	5	2	–	2	1	–	1	3	1	13	1	6	–	1	1	53
52	–	–	13	1	2	2	–	–	3	–	–	–	–	–	6	4	8	2	–	1	54
46	2	1	13	1	–	2	–	2	3	–	–	–	–	1	9	1	5	–	–	–	55
59	17	–	29	9	–	–	1	1	1	–	–	–	1	1	16	1	5	2	–	–	56
117	5	–	32	2	3	5	2	2	5	–	–	–	2	3	20	2	6	3	1	–	57
70	4	–	15	2	6	1	3	–	–	–	–	–	3	3	7	3	4	–	1	1	58
853	45	4	254	43	43	61	24	8	27	12	–	12	21	10	132	50	47	23	7	1	59
85	7	1	17	14	3	3	3	1	3	–	–	2	2	1	13	5	5	2	–	–	60
942	52	2	207	32	39	46	33	9	26	13	–	20	33	7	205	54	75	35	15	3	61
77	4	1	12	–	5	4	4	–	3	–	–	3	3	–	15	1	2	2	–	1	62
39	3	–	10	–	1	–	1	–	–	–	–	1	–	–	7	–	3	3	–	–	63
243	14	–	50	8	12	12	7	6	10	3	–	5	11	–	59	16	18	6	10	–	64
583	31	1	135	24	21	30	21	3	13	10	–	11	19	7	124	37	52	24	5	2	65
3,556	**134**	**22**	**761**	**127**	**121**	**165**	**78**	**32**	**180**	**49**	**1**	**40**	**74**	**42**	**660**	**135**	**175**	**103**	**34**	**13**	**66**
2,879	114	15	610	101	99	136	65	28	150	37	1	31	57	33	556	87	143	84	31	10	67
677	20	7	151	26	22	29	13	4	30	12	–	9	17	9	104	48	32	19	3	3	68
3,098	123	15	645	112	106	137	59	28	153	40	1	35	61	35	590	110	154	88	30	12	69
2,694	112	13	563	94	90	119	55	26	134	36	1	29	50	31	526	77	133	79	27	10	70
404	11	2	82	18	16	18	4	2	19	4	–	6	11	4	64	33	21	9	3	2	71
458	11	7	116	15	15	28	19	4	27	9	–	5	13	7	70	25	21	15	4	1	72
185	2	2	47	7	9	17	10	2	16	1	–	2	7	2	30	10	10	5	4	–	73
273	9	5	69	8	6	11	9	2	11	8	–	3	6	5	40	15	11	10	–	1	74
133	8	–	25	8	3	13	4	1	5	2	–	1	3	1	27	7	11	3	1	–	75
48	4	–	12	2	1	4	1	–	1	–	–	–	1	–	12	–	6	3	–	–	76
46	2	–	5	5	1	5	2	–	4	–	–	1	1	–	3	5	2	–	1	–	77
38	2	–	8	1	1	4	1	1	–	2	–	–	1	1	12	2	3	–	–	–	78
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	79
543	15	1	106	18	19	23	11	4	24	8	–	4	12	4	90	26	21	22	7	–	80
336	12	1	69	9	10	12	7	4	16	5	–	2	6	4	57	11	14	14	7	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Rhode Island—Con.																	
	Kent—Con.																	
01	West Warwick town†	226	1	–	1	47	13	16	4	8	–	–	6	5	132	112	2	1
02	Balance of county	271	–	–	–	63	9	14	9	10	6	3	12	7	144	109	5	3
03	Newport	600	–	–	1	126	35	34	15	4	10	3	25	14	317	236	5	1
04	Middletown town†	94	–	–	–	20	4	7	1	1	2	–	5	–	46	32	2	–
05	Newport	294	–	–	–	64	22	18	6	1	4	1	12	9	152	116	1	1
06	Balance of county	212	–	–	1	42	9	9	8	2	4	2	8	5	119	88	2	–
07	Providence	6,043	7	–	33	1,352	475	284	124	141	49	43	236	154	3,299	2,601	51	28
08	Central Falls	233	–	–	1	39	11	12	3	5	1	–	7	6	139	106	–	1
09	Cranston	726	1	–	1	161	50	37	16	21	4	6	27	16	413	318	7	3
10	Cumberland town†	189	1	–	–	36	11	8	2	4	2	1	8	2	111	92	3	2
11	East Providence	493	–	–	5	124	47	22	15	16	1	3	20	10	255	202	6	3
12	North Providence town†	230	–	–	–	64	27	14	3	8	2	–	10	4	121	98	2	–
13	Pawtucket	912	–	–	7	206	82	48	18	16	5	10	27	24	479	382	6	6
14	Providence	1,984	3	–	13	427	146	79	40	47	18	10	87	53	1,083	840	18	9
15	Woonsocket	514	–	–	1	102	34	25	7	8	6	6	16	22	296	244	6	1
16	Balance of county	762	2	–	5	193	67	39	20	16	10	7	34	17	402	319	3	3
17	Washington	579	2	–	2	129	40	30	11	16	4	3	25	22	318	246	4	3
18	North Kingstown town†	99	1	–	1	16	5	4	1	2	1	–	3	2	60	45	–	2
19	Balance of county	480	1	–	1	113	35	26	10	14	3	3	22	20	258	201	4	1
20	**South Carolina**	**23,497**	**57**	**5**	**198**	**3,830**	**958**	**939**	**302**	**495**	**147**	**128**	**861**	**519**	**11,558**	**8,191**	**139**	**129**
21	Urban places	5,872	20	3	54	1,015	283	238	82	137	39	32	204	126	2,897	2,019	44	41
22	Balance of area	17,625	37	2	144	2,815	675	701	220	358	108	96	657	393	8,661	6,172	95	88
23	Metropolitan counties	8,058	16	4	72	1,429	348	368	121	176	54	41	321	152	3,914	2,868	61	36
24	Urban places	3,108	10	3	27	551	154	135	49	69	21	15	108	67	1,554	1,098	29	17
25	Balance of area	4,950	6	1	45	878	194	233	72	107	33	26	213	85	2,360	1,770	32	19
26	Nonmetropolitan counties	15,439	41	1	126	2,401	610	571	181	319	93	87	540	367	7,644	5,323	78	93
27	Urban places	2,764	10	–	27	464	129	103	33	68	18	17	96	59	1,343	921	15	24
28	Balance of area	12,675	31	1	99	1,937	481	468	148	251	75	70	444	308	6,301	4,402	63	69
29	Abbeville	211	1	–	5	31	8	6	3	5	1	2	6	6	102	86	1	3
30	Aiken	818	1	–	7	148	30	43	13	18	6	3	35	12	415	301	6	1
31	Aiken	178	–	–	–	35	10	9	4	4	1	–	7	–	88	62	2	–
32	North Augusta	106	1	–	1	24	3	5	–	5	3	1	7	1	58	39	1	–
33	Balance of county	534	–	–	6	89	17	29	9	9	2	2	21	11	269	200	3	1
34	Allendale	101	–	–	1	15	6	4	1	–	–	1	3	2	49	36	–	2
35	Anderson	994	–	–	11	186	35	48	13	22	4	2	62	15	509	335	8	4
36	Anderson	346	–	–	5	66	17	13	3	6	1	1	25	6	177	115	1	2
37	Balance of county	648	–	–	6	120	18	35	10	16	3	1	37	9	332	220	7	2
38	Bamberg	170	1	–	–	24	6	4	1	6	2	1	4	3	90	66	–	–
39	Barnwell	171	–	–	–	26	6	8	3	2	1	1	5	6	83	52	–	–
40	Beaufort	315	1	–	1	56	15	12	3	3	–	6	17	7	126	73	4	2
41	Berkeley	390	1	–	4	68	20	19	5	9	–	2	13	6	185	146	1	–
42	Calhoun	115	–	–	1	18	5	6	1	2	–	–	4	4	67	42	–	1
43	Charleston	1,806	5	4	15	323	77	78	36	32	8	11	81	30	826	601	10	10
44	Charleston	806	3	3	5	161	51	32	21	20	4	7	26	16	375	258	4	5
45	Balance of county	1,000	2	1	10	162	26	46	15	12	4	4	55	14	451	343	6	5
46	Cherokee	380	1	–	1	66	14	17	7	7	3	5	13	12	188	130	2	1
47	Gaffney	139	1	–	–	23	4	7	4	1	2	1	4	5	75	51	1	1
48	Balance of county	241	–	–	1	43	10	10	3	6	1	4	9	7	113	79	1	–
49	Chester	341	–	–	3	45	8	14	8	5	–	3	7	5	202	147	1	1
50	Chesterfield	323	1	–	4	43	4	8	7	13	3	1	7	9	155	104	1	4
51	Clarendon	278	–	–	–	40	21	5	1	3	3	2	5	11	139	112	–	3
52	Colleton	312	2	–	4	43	10	15	2	9	1	–	6	9	134	89	2	1
53	Darlington	549	2	–	8	87	24	18	13	12	3	1	16	19	284	211	2	3
54	Dillon	285	1	–	3	40	13	5	3	3	–	5	11	4	109	62	3	1
55	Dorchester	296	1	–	1	39	7	8	3	4	1	–	16	6	165	125	3	1
56	Edgefield	180	1	–	2	26	3	8	1	5	1	–	8	2	90	60	3	1
57	Fairfield	187	–	–	1	27	7	6	1	5	–	1	7	7	99	73	–	1
58	Florence	913	3	–	8	142	43	36	8	24	3	6	22	19	491	376	6	8
59	Florence	361	1	–	3	65	22	13	4	13	1	4	8	8	191	143	–	3
60	Balance of county	552	2	–	5	77	21	23	4	11	2	2	14	11	300	233	6	5
61	Georgetown	341	–	–	1	50	13	11	5	6	6	1	8	12	161	114	1	7
62	Georgetown	99	–	–	–	17	6	2	3	3	1	–	2	3	46	32	1	4
63	Balance of county	242	–	–	1	33	7	9	2	3	5	1	6	9	115	82	–	3
64	Greenville	2,138	1	–	19	371	88	91	29	52	17	14	80	42	1,055	746	22	9
65	Greenville	695	1	–	8	98	24	29	6	15	5	4	15	14	350	242	9	3
66	Greer, part	109	–	–	5	20	5	4	1	5	–	–	5	3	56	40	1	–
67	Greer, total	168	–	–	5	34	8	10	3	7	–	–	6	6	80	58	1	–
68	Balance of county	1,334	–	–	6	253	59	58	22	32	12	10	60	25	649	464	12	6
69	Greenwood	490	–	1	9	84	14	22	10	11	3	3	21	5	258	176	2	1
70	Greenwood	221	–	–	3	30	6	6	1	9	1	1	6	3	119	86	1	1
71	Balance of county	269	–	1	6	54	8	16	9	2	2	2	15	2	139	90	1	–
72	Hampton	194	–	–	1	33	10	10	2	4	–	1	6	2	105	76	1	3
73	Horry	678	2	–	4	92	18	23	3	13	3	3	29	15	321	219	5	–
74	Jasper	121	–	–	1	21	7	7	–	2	1	–	4	2	60	46	–	–
75	Kershaw	328	2	–	2	51	8	10	6	9	4	3	11	4	183	131	3	–
76	Lancaster	369	1	–	2	66	24	11	5	7	1	5	13	10	175	131	1	1
77	Laurens	490	2	–	4	83	21	26	5	12	5	1	13	15	250	170	1	3
78	Laurens	124	–	–	1	25	6	8	2	2	3	1	3	1	60	33	–	–
79	Balance of county	366	2	–	3	58	15	18	3	10	2	–	10	14	190	137	1	3
80	Lee	188	1	–	2	17	5	4	1	3	1	–	3	8	98	73	3	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
109	–	–	13	4	3	4	4	–	2	1	–	–	3	–	17	2	3	4	–	–	01
98	3	–	24	5	6	7	–	–	6	2	–	2	3	–	16	13	4	4	–	–	02
224	6	5	63	6	7	19	12	3	18	3	–	1	10	5	35	12	12	7	4	1	03
29	1	–	14	–	–	4	2	1	2	–	–	–	2	–	10	2	1	3	1	–	04
113	1	2	23	5	6	11	6	1	12	1	–	1	4	2	15	5	6	2	3	–	05
82	4	3	26	1	1	4	4	1	4	2	–	–	4	3	10	5	5	2	–	1	06
2,422	100	14	514	86	84	101	44	23	124	30	1	30	46	30	473	77	122	63	22	12	07
103	2	1	24	3	5	2	2	1	4	–	–	1	2	1	21	2	7	3	1	1	08
295	13	1	75	5	14	14	5	2	10	4	1	2	5	3	51	7	14	13	2	1	09
87	–	–	13	4	2	4	3	1	5	–	–	1	4	1	12	1	2	4	–	1	10
183	10	1	39	7	6	10	6	–	11	2	–	3	3	1	38	7	12	4	–	2	11
92	4	1	16	2	4	1	3	1	5	2	–	–	1	2	14	2	5	5	–	–	12
364	6	2	73	11	11	21	4	5	24	7	–	5	5	5	75	13	21	7	3	1	13
768	45	5	184	32	22	34	12	8	41	13	–	10	14	11	176	19	34	19	11	3	14
225	12	1	32	9	10	4	5	3	11	–	–	4	4	2	38	6	10	3	2	1	15
305	8	2	58	13	10	11	4	2	13	2	–	4	8	4	48	20	17	5	3	2	16
234	5	2	53	9	8	9	7	1	9	6	–	4	3	2	35	13	9	8	–	–	17
43	–	–	10	2	3	2	2	–	2	–	–	1	1	–	5	3	3	–	–	–	18
191	5	2	43	7	5	7	5	1	7	6	–	3	2	2	30	10	6	8	–	–	19
7,055	**868**	**96**	**2,726**	**230**	**315**	**708**	**281**	**82**	**311**	**121**	**5**	**207**	**474**	**789**	**1,886**	**821**	**841**	**324**	**423**	**57**	20
1,761	173	24	700	67	87	179	76	32	106	35	–	43	91	180	518	119	167	69	126	16	21
5,294	695	72	2,026	163	228	529	205	50	205	86	5	164	383	609	1,368	702	674	255	297	41	22
2,504	267	22	855	72	97	258	114	37	135	38	2	70	137	93	673	270	291	155	178	20	23
957	95	11	365	34	46	91	42	13	63	20	–	17	43	31	289	64	95	42	77	9	24
1,547	172	11	490	38	51	167	72	24	72	18	2	53	94	62	384	206	196	113	101	11	25
4,551	601	74	1,871	158	218	450	167	45	176	83	3	137	337	696	1,213	551	550	169	245	37	26
804	78	13	335	33	41	88	34	19	43	15	–	26	48	149	229	55	72	27	49	7	27
3,747	523	61	1,536	125	177	362	133	26	133	68	3	111	289	547	984	496	478	142	196	30	28
74	8	–	14	1	1	7	2	–	1	–	–	5	–	21	13	9	4	2	2	–	29
269	25	2	83	11	18	26	9	4	12	2	–	3	10	35	64	23	23	12	11	1	30
55	5	–	13	6	7	4	2	1	4	–	–	–	3	12	12	3	9	3	1	1	31
36	2	–	12	2	5	3	3	1	1	–	–	–	–	1	8	1	3	–	–	–	32
178	18	2	58	3	6	19	4	2	7	2	–	3	7	22	44	19	11	9	10	–	33
24	10	–	11	–	2	2	–	1	2	1	–	1	3	3	8	5	7	–	1	–	34
261	62	4	140	8	22	36	13	4	12	3	–	6	17	36	66	31	30	6	9	4	35
97	15	1	52	3	6	15	5	3	7	2	–	2	4	11	20	5	10	2	4	2	36
164	47	3	88	5	16	21	8	1	5	1	–	4	13	25	46	26	20	4	5	2	37
58	8	1	20	–	3	5	2	–	2	–	–	3	7	1	15	3	8	1	3	2	38
49	3	–	27	1	3	3	1	1	3	–	–	3	3	8	15	8	5	2	4	–	39
54	13	5	39	2	7	11	2	–	5	–	–	11	8	20	28	18	11	3	7	–	40
133	12	1	32	3	3	12	2	1	3	2	1	5	11	6	24	16	22	9	12	–	41
38	3	1	16	1	7	1	–	–	–	1	–	1	1	3	8	2	5	1	2	–	42
533	48	2	191	14	18	69	20	6	36	8	1	19	40	10	175	58	80	31	46	4	43
233	16	2	102	7	6	31	9	2	18	5	–	6	11	–	82	16	26	12	25	–	44
300	32	–	89	7	12	38	11	4	18	3	1	13	29	10	93	42	54	19	21	4	45
119	8	–	48	3	7	15	4	4	9	9	–	1	5	3	30	10	10	7	4	1	46
47	2	–	20	1	3	5	–	3	4	3	–	–	1	1	11	1	3	1	1	1	47
72	6	–	28	2	4	10	4	1	5	6	–	1	4	2	19	9	7	6	3	–	48
124	21	2	42	10	1	16	3	1	3	3	–	1	9	–	20	11	12	4	2	1	49
91	8	3	34	11	3	15	3	–	2	2	–	5	10	13	25	11	15	5	5	–	50
93	16	2	20	–	5	8	3	1	–	2	–	2	4	5	27	15	11	3	7	–	51
71	15	–	39	1	5	4	3	–	3	4	–	–	4	27	26	26	17	4	1	1	52
192	14	4	58	6	5	9	9	2	6	1	–	4	8	6	44	21	24	3	11	1	53
48	10	5	36	2	4	10	2	2	5	1	–	3	14	40	26	6	10	3	5	1	54
103	18	–	32	2	6	11	1	1	2	3	–	3	5	4	19	16	11	5	2	1	55
52	4	1	25	1	3	3	5	–	2	–	–	1	4	4	20	11	7	–	2	–	56
65	7	1	17	6	2	6	2	–	5	–	–	2	1	14	10	5	4	3	1	–	57
333	29	8	92	5	10	25	11	3	17	4	1	8	38	9	54	20	36	4	16	4	58
129	11	3	38	2	5	12	1	2	10	1	–	4	12	2	20	7	9	3	10	–	59
204	18	5	54	3	5	13	10	1	7	3	1	4	26	7	34	13	27	1	6	4	60
90	16	3	36	5	3	8	3	–	6	5	–	2	6	10	27	20	20	2	6	2	61
23	4	2	11	–	1	2	2	–	3	4	–	–	1	3	8	6	3	–	1	–	62
67	12	1	25	5	2	6	1	–	3	1	–	2	5	7	19	14	17	2	5	2	63
638	77	8	257	15	29	65	32	13	36	13	–	13	40	18	187	66	67	39	51	10	64
205	25	6	84	6	12	21	9	4	14	5	–	4	12	6	82	9	22	10	22	4	65
36	3	–	15	–	1	1	–	–	2	–	–	–	2	2	7	6	2	–	2	1	66
52	5	1	18	–	3	2	1	–	2	–	–	2	2	2	13	7	5	1	3	3	67
397	49	2	158	9	16	43	23	9	20	8	–	9	26	10	98	51	43	29	27	5	68
164	9	1	63	7	11	18	9	1	8	1	–	4	10	4	43	13	13	5	4	–	69
81	3	–	28	2	3	10	1	1	8	1	–	2	6	1	22	4	7	1	2	–	70
83	6	1	35	5	8	8	8	–	–	–	–	2	4	3	21	9	6	4	2	–	71
65	7	–	26	1	2	6	1	1	2	3	–	2	5	2	17	3	5	4	1	1	72
144	70	2	89	4	7	12	6	1	10	1	–	7	11	44	58	41	34	5	13	1	73
37	9	–	13	–	1	2	2	1	1	1	–	–	4	–	13	4	4	2	2	1	74
122	6	2	41	2	7	4	5	–	5	2	–	–	6	1	27	12	15	4	5	–	75
117	12	1	31	4	8	7	3	–	3	1	–	3	17	5	29	19	18	7	3	–	76
157	9	2	66	6	6	16	6	5	4	2	–	2	14	3	46	10	15	5	6	2	77
30	3	–	23	3	1	7	4	1	1	–	–	1	2	–	16	1	2	–	1	1	78
127	6	2	43	3	5	9	2	4	3	2	–	1	12	3	30	9	13	5	5	1	79
65	3	3	20	1	1	7	1	–	–	–	–	–	12	6	16	8	6	1	4	1	80

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	South Carolina—Con.																	
01	Lexington	731	–	–	10	123	25	35	8	19	5	6	25	17	346	276	4	2
02	McCormick	93	–	–	2	21	5	3	3	4	2	1	3	1	46	31	2	–
03	Marion	340	2	–	1	39	6	13	–	7	3	2	8	11	172	98	1	3
04	Marlboro	261	–	–	1	42	8	7	5	7	1	1	13	8	127	80	–	3
05	Newberry	335	–	–	4	53	20	12	5	6	2	1	7	12	180	121	–	4
06	Oconee	414	–	–	1	64	17	13	5	5	1	1	22	8	211	150	–	1
07	Orangeburg	738	3	–	8	109	29	28	6	18	3	3	22	31	374	233	–	7
08	Orangeburg	175	3	–	3	21	7	4	1	4	–	2	3	6	98	58	–	3
09	Balance of county	563	–	–	5	88	22	24	5	14	3	1	19	25	276	175	–	4
10	Pickens	480	2	–	3	97	22	27	7	12	9	1	19	13	239	147	1	–
11	Easley	120	–	–	–	18	4	7	1	2	–	–	4	9	69	37	–	–
12	Balance of county	360	2	–	3	79	18	20	6	10	9	1	15	4	170	110	1	–
13	Richland	1,695	6	–	14	299	86	75	23	34	9	4	68	32	848	651	17	14
14	Columbia	1,094	5	–	8	195	57	49	16	18	8	3	44	24	558	420	12	9
15	Balance of county	601	1	–	6	104	29	26	7	16	1	1	24	8	290	231	5	5
16	Saluda	160	–	–	–	25	4	5	1	3	3	2	7	3	86	62	–	–
17	Spartanburg	1,752	9	–	12	279	79	57	21	38	13	12	59	27	773	548	16	13
18	Greer, part	59	–	–	–	14	3	6	2	2	–	–	1	3	24	18	–	–
19	Spartanburg	521	5	–	7	81	22	14	7	17	3	3	15	5	209	145	6	8
20	Balance of county	1,172	4	–	5	184	54	37	12	19	10	9	43	19	540	385	10	5
21	Sumter	611	3	–	7	88	18	32	8	10	2	3	15	10	244	169	3	3
22	Sumter	292	–	–	3	45	12	16	4	3	2	1	7	5	130	93	2	2
23	Balance of county	319	3	–	4	43	6	16	4	7	–	2	8	5	114	76	1	1
24	Union	314	–	–	2	45	11	10	–	6	1	4	13	8	180	132	1	–
25	Union	124	–	–	1	20	5	6	–	1	–	2	6	4	59	46	1	–
26	Balance of county	190	–	–	1	25	6	4	–	5	1	2	7	4	121	86	–	–
27	Williamsburg	350	1	–	2	49	18	11	3	7	1	1	8	9	183	130	–	2
28	York	751	–	–	6	136	40	28	8	11	11	2	36	20	375	254	2	3
29	Rock Hill	303	–	–	1	57	19	8	2	7	4	1	16	10	155	101	2	–
30	Balance of county	448	–	–	5	79	21	20	6	4	7	1	20	10	220	153	–	3
31	**South Dakota**	6,484	18	–	41	1,118	353	206	109	163	47	42	198	102	3,482	2,534	34	31
32	Urban places	1,909	6	–	7	360	101	66	44	59	16	14	60	18	1,035	723	11	5
33	Balance of area	4,575	12	–	34	758	252	140	65	104	31	28	138	84	2,447	1,811	23	26
34	Metropolitan counties	807	1	–	7	166	51	28	12	30	8	7	30	9	418	281	3	4
35	Urban places	657	1	–	4	137	41	25	11	24	7	5	24	8	338	224	3	3
36	Balance of area	150	–	–	3	29	10	3	1	6	1	2	6	1	80	57	–	1
37	Nonmetropolitan counties	5,677	17	–	34	952	302	178	97	133	39	35	168	93	3,064	2,253	31	27
38	Urban places	1,252	5	–	3	223	60	41	33	35	9	9	36	10	697	499	8	2
39	Balance of area	4,425	12	–	31	729	242	137	64	98	30	26	132	83	2,367	1,754	23	25
40	Aurora	24	–	–	–	3	–	1	–	1	–	1	–	–	14	9	–	–
41	Beadle	202	1	–	–	28	7	7	3	4	1	–	6	4	116	71	–	–
42	Huron	159	1	–	–	23	6	5	3	4	1	–	4	2	94	56	–	–
43	Balance of county	43	–	–	–	5	1	2	–	–	–	–	2	2	22	15	–	–
44	Bennett	26	–	–	2	3	–	–	–	1	–	–	2	1	12	10	–	–
45	Bon Homme	85	–	–	–	17	9	1	1	1	–	2	3	4	51	39	–	2
46	Brookings	165	1	–	1	39	18	3	4	8	–	1	5	1	84	61	2	–
47	Brookings	97	–	–	–	22	10	1	3	6	–	–	2	–	47	34	1	–
48	Balance of county	68	1	–	1	17	8	2	1	2	–	1	3	1	37	27	1	–
49	Brown	295	1	–	–	62	17	10	9	9	4	–	13	4	169	130	2	1
50	Aberdeen	221	1	–	–	47	12	9	8	6	3	–	9	3	129	99	2	1
51	Balance of county	74	–	–	–	15	5	1	1	3	1	–	4	1	40	31	–	–
52	Brule	49	–	–	1	6	1	–	1	–	1	1	2	–	38	28	1	1
53	Buffalo	18	–	–	1	1	–	–	–	1	–	–	–	1	9	9	1	–
54	Butte	75	–	–	–	11	2	3	–	3	–	1	2	–	30	20	–	–
55	Campbell	27	–	–	–	4	–	2	–	1	–	–	1	1	16	14	–	–
56	Charles Mix	118	1	–	–	10	4	2	1	3	–	–	–	5	61	42	1	5
57	Clark	76	–	–	2	10	5	2	–	–	1	1	1	3	44	37	1	–
58	Clay	104	–	–	1	23	11	3	1	2	–	1	5	1	61	55	1	–
59	Codington	214	–	–	–	33	7	6	3	8	2	2	5	3	123	90	2	–
60	Watertown	168	–	–	–	26	5	3	2	7	2	2	5	3	97	73	1	–
61	Balance of county	46	–	–	–	7	2	3	1	1	–	–	–	–	26	17	1	–
62	Carson	51	1	–	1	5	2	1	–	–	–	1	1	2	17	13	–	–
63	Custer	65	–	–	1	8	1	1	1	3	–	2	–	–	37	31	–	–
64	Davison	206	1	–	1	34	5	10	4	3	2	6	4	–	118	88	1	–
65	Mitchell	168	1	–	–	27	5	7	3	2	2	6	2	–	100	76	1	–
66	Balance of county	38	–	–	1	7	–	3	1	1	–	–	2	–	18	12	–	–
67	Day	104	2	–	–	18	6	1	–	3	3	–	5	2	63	48	1	–
68	Deuel	62	–	–	–	7	1	–	2	1	–	–	3	1	41	26	–	–
69	Dewey	39	–	–	–	6	3	1	–	–	1	1	–	1	16	13	–	–
70	Douglas	57	–	–	–	11	7	1	–	1	–	–	2	–	28	20	–	–
71	Edmunds	49	–	–	–	11	4	1	2	1	1	–	2	1	29	17	1	–
72	Fall River	124	–	–	1	26	9	4	3	5	–	1	4	2	50	38	–	–
73	Faulk	43	–	–	–	7	–	2	–	–	–	1	4	1	21	15	1	1
74	Grant	89	–	–	1	12	5	2	1	3	–	–	1	1	57	44	–	–
75	Gregory	72	–	–	1	14	3	5	–	1	–	1	4	1	44	36	1	–
76	Haakon	33	–	–	–	7	–	2	1	3	–	–	1	1	14	10	1	1
77	Hamlin	79	–	–	–	17	7	2	1	5	–	–	2	2	39	29	1	–
78	Hand	51	–	–	1	4	3	1	–	–	–	–	–	–	34	19	–	–
79	Hanson	27	–	–	–	3	–	–	–	1	–	1	1	2	17	12	–	–
80	Harding	12	–	–	–	2	1	–	1	–	–	–	–	–	5	2	–	–
81	Hughes	100	–	–	–	26	8	4	3	3	3	–	5	2	44	35	–	4

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
242	28	2	60	3	5	19	12	2	16	2	–	5	13	6	60	39	25	22	13	1	01
17	12	–	11	2	2	1	1	–	–	1	–	1	2	2	6	3	5	1	–	–	02
64	30	2	63	4	5	14	4	–	3	4	–	1	9	26	23	11	9	2	9	–	03
72	5	1	36	6	4	8	–	–	3	2	–	3	9	4	29	7	9	3	6	–	04
107	10	1	49	6	3	7	1	1	9	1	1	2	2	6	28	9	10	5	3	1	05
131	18	–	52	2	7	18	6	–	6	4	–	4	12	4	37	13	14	6	6	–	06
199	27	7	108	13	13	19	4	2	3	2	–	5	14	28	62	30	24	3	16	1	07
50	5	3	22	7	8	4	1	1	1	–	–	–	4	4	19	4	5	–	1	–	08
149	22	4	86	6	5	15	3	1	2	2	–	5	10	24	43	26	19	3	15	1	09
139	7	2	71	14	5	19	10	5	6	–	–	6	5	1	34	15	15	8	2	–	10
33	4	1	23	6	2	5	–	1	2	–	–	–	2	–	6	4	2	1	1	–	11
106	3	1	48	8	3	14	10	4	4	–	–	6	3	1	28	11	13	7	1	–	12
550	70	5	161	12	19	48	29	6	26	11	–	19	18	17	129	53	59	34	43	4	13
359	40	2	116	7	13	26	19	4	22	10	–	7	13	10	92	25	31	16	26	3	14
191	30	3	45	5	6	22	10	2	4	1	–	12	5	7	37	28	28	18	17	1	15
57	5	–	22	–	2	8	1	1	–	2	–	2	3	1	11	1	5	4	7	–	16
461	58	4	184	14	23	53	24	3	15	7	–	9	24	205	143	47	52	28	35	7	17
16	2	1	3	–	2	1	1	–	–	–	–	2	–	–	6	1	3	1	1	2	18
119	12	1	53	5	5	17	10	3	5	–	–	2	4	76	52	7	15	13	10	–	19
326	44	2	128	9	16	35	13	–	10	7	–	5	20	129	85	39	34	14	24	5	20
149	14	3	61	3	8	11	10	–	4	3	1	12	11	94	45	23	24	6	13	2	21
78	11	–	32	1	4	7	3	–	2	3	–	6	6	37	21	6	9	1	7	1	22
71	3	3	29	2	4	4	7	–	2	–	1	6	5	57	24	17	15	5	6	1	23
123	8	–	44	2	2	9	3	3	2	1	–	3	6	9	14	15	4	3	6	1	24
42	3	–	12	1	–	3	1	1	2	1	–	2	5	3	8	8	2	1	3	–	25
81	5	–	32	1	2	6	2	2	–	–	–	1	1	6	6	7	2	2	3	1	26
123	5	1	50	1	1	19	3	1	5	5	–	5	7	7	25	11	11	3	4	–	27
238	11	4	96	15	6	16	8	5	8	1	–	10	12	18	60	23	26	14	12	1	28
92	7	2	41	8	3	5	5	4	–	–	–	5	3	11	26	5	4	4	8	–	29
146	4	2	55	7	3	11	3	1	8	1	–	5	9	7	34	18	22	10	4	1	30
2,277	**192**	**24**	**716**	**107**	**101**	**216**	**98**	**19**	**71**	**29**	**1**	**50**	**86**	**92**	**517**	**214**	**217**	**70**	**33**	**10**	31
667	40	8	227	50	27	50	44	5	23	6	1	16	28	11	155	49	61	24	8	2	32
1,610	152	16	489	57	74	166	54	14	48	23	–	34	58	81	362	165	156	46	25	8	33
264	10	2	92	27	16	30	14	1	11	5	–	9	13	6	62	18	23	11	1	2	34
209	9	1	76	27	10	21	13	1	11	2	–	7	9	5	52	14	21	10	1	2	35
55	1	1	16	–	6	9	1	–	–	3	–	2	4	1	10	4	2	1	–	–	36
2,013	182	22	624	80	85	186	84	18	60	24	1	41	73	86	455	196	194	59	32	8	37
458	31	7	151	23	17	29	31	4	12	4	1	9	19	6	103	35	40	14	7	–	38
1,555	151	15	473	57	68	157	53	14	48	20	–	32	54	80	352	161	154	45	25	8	39
6	3	–	5	–	–	–	3	–	1	–	–	–	–	2	1	–	–	–	–	–	40
66	5	1	35	6	3	3	7	1	3	–	–	–	2	1	16	6	12	2	–	–	41
52	4	1	30	5	2	3	6	1	3	–	–	–	1	–	10	3	10	2	–	–	42
14	1	–	5	1	1	–	1	–	–	–	–	–	1	1	6	3	2	–	–	–	43
7	3	–	2	–	–	–	–	–	–	–	–	1	–	–	3	1	–	1	2	–	44
34	3	2	8	–	2	1	1	–	2	–	–	–	–	1	5	–	1	1	1	–	45
54	5	2	18	1	2	4	3	–	2	2	–	1	3	2	13	5	3	–	1	–	46
32	1	1	11	–	1	3	3	–	1	1	–	1	3	2	9	3	1	–	1	–	47
22	4	1	7	1	1	1	–	–	1	1	–	–	–	–	4	2	2	–	–	–	48
103	24	3	28	3	5	3	–	–	4	–	–	1	3	4	19	6	13	6	–	–	49
80	16	2	22	2	4	3	–	–	2	–	–	–	3	1	14	5	9	4	–	–	50
23	8	1	6	1	1	–	–	–	2	–	–	1	–	3	5	1	4	2	–	–	51
24	2	–	10	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	52
7	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	2	1	1	–	53
18	2	–	8	1	1	3	–	–	1	1	–	–	3	5	10	4	3	3	–	1	54
11	3	–	1	–	1	2	–	–	–	–	–	–	–	–	2	1	1	–	–	–	55
29	7	–	15	1	3	4	1	1	3	–	–	–	1	11	9	5	5	1	–	–	56
35	1	–	5	–	2	5	1	–	–	–	–	1	–	–	9	–	–	1	–	–	57
52	2	–	6	–	–	2	1	–	–	–	–	1	–	1	4	3	2	3	1	–	58
84	4	4	22	5	2	6	10	2	1	–	–	2	1	1	16	8	6	2	–	–	59
71	1	3	17	3	1	6	7	–	1	–	–	2	1	–	13	8	3	1	–	–	60
13	3	1	5	2	1	–	3	2	–	–	–	–	–	1	3	–	3	1	–	–	61
8	5	–	2	–	2	1	–	–	2	–	–	–	5	2	5	5	4	–	1	–	62
28	3	–	6	–	–	1	–	–	2	–	–	–	–	–	8	2	2	4	–	–	63
83	4	1	21	5	3	4	6	–	2	1	–	3	4	1	19	3	7	2	–	–	64
71	4	–	18	5	1	4	5	–	1	1	–	2	3	1	15	1	5	2	–	–	65
12	–	1	3	–	2	–	1	–	1	–	–	1	1	–	4	2	2	–	–	–	66
44	3	–	12	2	1	4	2	–	1	–	–	–	1	1	6	2	2	–	–	–	67
25	1	–	11	1	3	7	1	–	–	1	–	–	–	–	2	2	–	–	–	–	68
13	–	–	3	–	–	2	–	–	1	–	–	1	3	–	7	–	2	–	–	–	69
15	5	–	6	1	1	1	4	1	1	1	–	–	–	–	6	2	2	–	–	–	70
15	1	–	12	–	–	2	1	–	–	1	–	–	–	–	2	2	–	–	–	–	71
36	2	–	9	2	1	9	3	1	–	–	–	–	4	8	10	2	8	–	–	–	72
12	1	–	4	–	2	–	–	–	1	–	–	2	–	–	6	3	2	–	–	–	73
44	–	–	11	–	2	3	2	2	–	1	–	–	2	–	6	1	1	–	–	–	74
35	–	1	4	2	1	2	–	–	2	–	–	–	–	–	4	2	2	–	–	–	75
6	2	–	3	–	1	4	–	–	–	–	–	–	2	–	–	2	2	1	–	–	76
24	4	–	7	1	2	8	1	–	–	–	–	–	1	–	7	–	3	1	–	–	77
19	–	1	11	3	–	3	–	–	–	–	–	–	–	1	2	3	3	–	–	–	78
12	–	–	4	1	–	–	–	–	1	–	–	–	–	1	3	–	–	–	–	–	79
2	–	–	3	–	–	–	1	–	–	–	–	–	–	2	1	–	1	–	–	–	80
26	5	–	8	1	–	3	1	–	–	1	–	1	3	1	7	7	2	1	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	South Dakota—Con.																	
01	Hutchinson	142	–	–	1	26	12	3	2	2	2	1	4	5	85	56	1	1
02	Hyde	23	–	–	–	4	–	2	1	1	–	–	–	1	12	7	–	1
03	Jackson	24	–	–	–	4	2	–	1	–	–	–	1	–	18	14	–	–
04	Jerauld	45	–	–	–	2	2	–	–	–	–	–	–	1	31	25	–	2
05	Jones	14	–	–	–	3	1	1	–	–	–	–	1	–	9	6	–	–
06	Kingsbury	107	–	–	–	14	9	2	–	–	–	1	2	3	67	55	–	–
07	Lake	108	1	–	1	15	2	2	3	5	2	–	1	2	52	30	–	–
08	Lawrence	149	–	–	1	24	11	4	–	3	1	–	5	5	86	59	–	–
09	Lincoln	124	–	–	–	34	13	9	2	4	1	–	5	–	61	45	1	–
10	Sioux Falls, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
11	Balance of county	123	–	–	–	34	13	9	2	4	1	–	5	–	60	44	1	–
12	Lyman	34	–	–	–	4	3	1	–	–	–	–	–	–	23	20	–	–
13	McCook	74	–	–	–	13	1	3	4	1	–	–	4	1	45	31	1	–
14	McPherson	54	–	–	–	13	2	4	1	3	1	–	2	1	34	23	–	–
15	Marshall	83	1	–	–	15	5	5	–	1	1	–	3	1	52	42	1	–
16	Meade	108	–	–	–	19	4	2	1	3	3	2	4	2	55	40	2	1
17	Mellette	26	–	–	1	–	–	–	–	–	–	–	–	1	7	6	–	–
18	Miner	53	–	–	–	4	1	1	–	–	–	–	2	–	34	24	–	–
19	Minnehaha	807	1	–	7	166	51	28	12	30	8	7	30	9	418	281	3	4
20	Sioux Falls, part	657	1	–	4	137	41	25	11	24	7	5	24	8	338	224	3	3
21	Sioux Falls, total	658	1	–	4	137	41	25	11	24	7	5	24	8	339	225	3	3
22	Balance of county	150	–	–	3	29	10	3	1	6	1	2	6	1	80	57	–	1
23	Moody	78	–	–	–	18	4	2	5	1	2	1	3	2	48	43	–	–
24	Pennington	413	2	–	3	81	20	21	15	6	1	1	17	4	199	138	3	1
25	Rapid City	312	2	–	3	61	17	14	11	5	1	1	12	2	149	104	2	1
26	Balance of county	101	–	–	–	20	3	7	4	1	–	–	5	2	50	34	1	–
27	Perkins	51	–	–	–	11	4	1	1	4	–	–	1	–	26	15	–	1
28	Potter	56	–	–	–	10	1	4	1	–	–	–	4	2	30	26	–	2
29	Roberts	152	–	–	1	23	8	6	3	3	1	–	2	1	82	57	–	–
30	Sanborn	50	–	–	–	9	3	–	3	2	–	1	–	2	30	24	–	–
31	Shannon	111	1	–	5	9	3	1	1	2	–	–	2	1	28	21	–	–
32	Spink	117	–	–	–	22	7	4	1	2	2	2	4	4	69	37	–	–
33	Stanley	20	–	–	–	3	–	2	–	1	–	–	–	–	10	8	–	1
34	Sully	17	–	–	–	5	3	1	1	–	–	–	–	–	9	8	–	–
35	Todd	83	3	–	–	8	1	1	1	1	1	–	3	1	21	16	3	–
36	Tripp	83	1	–	3	14	7	5	–	1	–	–	1	2	36	29	–	1
37	Turner	134	–	–	2	27	10	5	3	5	–	–	4	1	75	62	–	–
38	Union	102	–	–	–	12	6	–	1	1	1	2	1	–	66	50	–	–
39	Walworth	78	–	–	–	10	3	2	1	–	1	–	3	1	44	36	–	–
40	Washabaugh	18	–	–	1	2	–	1	–	–	–	–	1	–	5	5	–	–
41	Yankton	175	–	–	–	25	8	5	3	5	–	–	4	1	104	77	1	–
42	Yankton	126	–	–	–	17	5	2	3	5	–	–	2	–	80	56	1	–
43	Balance of county	49	–	–	–	8	3	3	–	–	–	–	2	1	24	21	–	–
44	Ziebach	30	–	–	–	1	–	–	–	1	–	–	–	1	9	7	–	1
45	**Tennessee**	**38,564**	**116**	**5**	**290**	**6,857**	**1,710**	**1,681**	**554**	**857**	**260**	**322**	**1,473**	**607**	**20,276**	**14,144**	**179**	**144**
46	Urban places	18,774	45	5	157	3,542	887	865	305	428	143	162	752	267	9,537	6,626	97	68
47	Balance of area	19,790	71	–	133	3,315	823	816	249	429	117	160	721	340	10,739	7,518	82	76
48	Metropolitan counties	17,438	41	3	161	3,329	845	795	276	404	134	148	727	255	8,742	6,107	83	64
49	Urban places	14,561	29	3	133	2,788	706	655	236	344	110	126	611	210	7,306	5,099	72	54
50	Balance of area	2,877	12	–	28	541	139	140	40	60	24	22	116	45	1,436	1,008	11	10
51	Nonmetropolitan counties	21,126	75	2	129	3,528	865	886	278	453	126	174	746	352	11,534	8,037	96	80
52	Urban places	4,213	16	2	24	754	181	210	69	84	33	36	141	57	2,231	1,527	25	14
53	Balance of area	16,913	59	–	105	2,774	684	676	209	369	93	138	605	295	9,303	6,510	71	66
54	Anderson	470	2	–	1	109	27	32	10	16	4	8	12	6	190	132	2	3
55	Oak Ridge, part	170	–	–	1	37	7	12	4	7	1	2	4	1	66	49	2	1
56	Oak Ridge, total	173	–	–	1	37	7	12	4	7	1	2	4	1	67	50	2	1
57	Balance of county	300	2	–	–	72	20	20	6	9	3	6	8	5	124	83	–	2
58	Bedford	293	1	–	2	53	10	12	2	6	1	1	21	4	159	102	2	7
59	Shelbyville	154	–	–	2	27	5	3	2	4	1	1	11	2	84	55	–	6
60	Balance of county	139	1	–	–	26	5	9	–	2	–	–	10	2	75	47	2	1
61	Benton	170	–	–	1	24	5	4	4	6	–	1	4	4	108	96	1	6
62	Bledsoe	85	1	–	–	15	5	2	1	3	–	1	3	–	45	31	–	–
63	Blount	590	2	–	6	110	30	29	10	13	4	1	23	10	298	190	1	3
64	Maryville	202	–	–	3	33	10	8	4	4	1	–	6	–	99	59	–	–
65	Balance of county	388	2	–	3	77	20	21	6	9	3	1	17	10	199	131	1	3
66	Bradley	404	4	–	2	74	21	21	3	3	2	6	18	8	205	141	2	1
67	Cleveland	249	3	–	2	43	12	14	2	1	1	2	11	4	129	91	2	1
68	Balance of county	155	1	–	–	31	9	7	1	2	1	4	7	4	76	50	–	–
69	Campbell	296	2	–	2	58	8	22	5	6	3	2	12	4	134	106	1	–
70	Cannon	103	–	–	1	9	1	3	1	1	–	–	3	–	69	58	–	–
71	Carroll	330	1	–	2	54	14	11	6	8	2	4	9	11	194	142	1	2
72	Carter	427	1	–	6	56	16	12	3	7	2	4	12	9	245	161	3	–
73	Elizabethton	143	–	–	1	17	6	3	1	3	1	1	2	3	86	61	1	–
74	Balance of county	284	1	–	5	39	10	9	2	4	1	3	10	6	159	100	2	–
75	Cheatham	146	–	–	1	20	5	6	3	1	2	1	2	1	89	74	1	–
76	Chester	124	–	–	2	26	11	7	1	1	1	2	3	2	68	43	–	1
77	Claiborne	234	–	–	1	36	3	8	2	6	3	2	12	1	123	94	–	–
78	Clay	70	–	–	–	14	1	6	1	2	1	1	2	–	45	32	–	1
79	Cocke	273	1	–	–	36	8	6	2	9	–	1	10	8	129	96	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
52	2	–	26	2	1	3	1	–	1	2	–	3	2	–	8	1	3	1	–	–	01
6	–	–	4	–	1	1	–	–	–	1	–	–	–	1	1	1	1	–	–	–	02
14	–	–	3	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	03
23	–	–	6	–	–	2	1	–	–	–	–	–	–	–	4	3	1	–	–	–	04
4	2	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	05
50	5	–	6	4	2	3	1	–	1	–	–	–	1	–	8	5	3	1	–	–	06
24	6	–	17	4	1	7	3	–	–	–	–	1	1	2	17	1	3	2	–	–	07
54	5	–	23	2	2	3	3	1	3	–	–	2	–	–	7	6	4	3	1	–	08
44	–	–	9	4	3	3	2	–	1	1	–	2	1	–	9	4	5	1	–	–	09
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
43	–	–	9	4	3	3	2	–	1	1	–	2	1	–	9	4	5	1	–	–	11
17	3	–	3	–	–	1	–	1	2	–	–	–	–	–	3	–	–	–	–	–	12
29	1	–	11	1	2	5	–	–	1	–	–	–	–	–	7	1	–	1	–	–	13
22	1	–	10	–	1	1	1	1	–	–	–	–	1	–	1	–	1	–	–	–	14
40	1	1	9	–	–	3	–	–	–	–	–	–	–	1	5	2	2	–	–	1	15
35	2	–	11	2	2	5	3	–	–	–	–	–	2	6	7	3	5	1	–	–	16
4	2	–	–	–	1	–	–	–	2	–	–	–	–	10	2	1	2	–	–	–	17
21	3	–	5	3	2	3	1	1	–	–	–	–	–	–	7	–	1	1	1	–	18
264	10	2	92	27	16	30	14	1	11	5	–	9	13	6	62	18	23	11	1	2	19
209	9	1	76	27	10	21	13	1	11	2	–	7	9	5	52	14	21	10	1	2	20
210	9	1	76	27	10	21	13	1	11	2	–	7	9	5	52	14	21	10	1	2	21
55	1	1	16	–	6	9	1	–	–	3	–	2	4	1	10	4	2	1	–	–	22
42	1	–	3	1	1	–	–	–	–	1	–	1	1	1	3	2	–	–	–	1	23
127	7	–	44	9	8	9	8	2	3	1	1	8	10	4	35	14	18	5	6	–	24
98	3	–	33	6	6	6	8	1	3	1	1	4	7	2	29	13	10	4	6	–	25
29	4	–	11	3	2	3	–	1	–	–	–	4	3	2	6	1	8	1	–	–	26
12	2	2	6	3	–	2	2	–	–	1	–	–	–	–	6	2	1	–	–	–	27
18	6	–	4	–	–	5	–	–	1	1	–	–	1	–	5	–	1	–	–	–	28
54	3	–	20	1	4	–	1	–	3	–	–	5	3	1	13	5	13	1	–	–	29
24	–	1	4	1	–	–	–	–	–	–	–	–	–	–	8	–	–	1	–	–	30
15	6	–	5	1	1	10	–	–	2	–	–	1	1	5	14	15	5	2	10	2	31
37	–	1	27	1	3	1	1	–	1	–	–	1	–	–	4	8	5	1	–	–	32
7	–	–	2	–	–	–	–	–	1	–	–	–	–	–	3	–	3	–	–	–	33
6	2	–	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	34
12	1	–	5	–	–	2	–	–	2	–	–	–	4	7	10	12	5	2	3	3	35
25	3	1	5	–	1	6	1	1	2	–	–	–	–	1	6	3	6	–	1	–	36
59	3	1	9	2	1	6	–	–	–	–	–	1	1	1	10	6	4	–	–	–	37
44	6	–	14	–	2	1	3	1	–	3	–	1	1	1	8	4	–	1	–	–	38
33	3	–	7	1	–	6	–	–	1	–	–	–	2	–	11	2	1	–	–	–	39
4	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	5	1	1	1	–	40
73	3	–	22	2	3	6	2	2	1	1	–	1	1	–	18	6	5	2	–	–	41
53	2	–	20	2	2	4	2	2	1	1	–	–	1	–	13	2	2	1	–	–	42
20	1	–	2	–	1	2	–	–	–	–	–	1	–	–	5	4	3	1	–	–	43
5	1	–	1	–	1	3	–	–	1	1	–	–	1	–	3	6	2	1	1	–	44
12,932	889	155	4,895	614	468	1,121	523	115	397	197	15	293	525	712	2,933	1,130	1,202	562	566	122	45
6,056	405	68	2,334	275	234	515	254	46	254	109	5	130	302	374	1,532	438	556	290	369	47	46
6,876	484	87	2,561	339	234	606	269	69	143	88	10	163	223	338	1,401	692	646	272	197	75	47
5,579	381	64	2,093	271	207	463	230	45	217	104	4	123	281	411	1,408	442	524	256	361	38	48
4,651	322	51	1,748	229	179	384	188	35	192	92	3	98	239	318	1,201	329	438	215	328	32	49
928	59	13	345	42	28	79	42	10	25	12	1	25	42	93	207	113	86	41	33	6	50
7,353	508	91	2,802	343	261	658	293	70	180	93	11	170	244	301	1,525	688	678	306	205	84	51
1,405	83	17	586	46	55	131	66	11	62	17	2	32	63	56	331	109	118	75	41	15	52
5,948	425	74	2,216	297	206	527	227	59	118	76	9	138	181	245	1,194	579	560	231	164	69	53
115	12	1	44	8	5	15	11	–	9	–	–	4	7	36	38	15	18	5	4	–	54
41	5	–	13	2	2	5	5	–	6	–	–	2	2	18	13	5	6	1	2	–	55
42	5	–	13	2	2	5	5	–	6	–	–	2	2	19	14	5	6	1	2	–	56
74	7	1	31	6	3	10	6	–	3	–	–	2	5	18	25	10	12	4	2	–	57
82	11	1	48	4	4	8	9	–	4	–	–	–	1	1	18	13	12	6	2	–	58
46	3	–	27	1	1	4	3	–	4	–	–	–	1	–	11	7	6	2	1	–	59
36	8	1	21	3	3	4	6	–	–	–	–	–	–	1	7	6	6	4	1	–	60
88	1	–	9	–	3	3	1	–	–	–	–	1	2	–	8	8	5	2	2	1	61
31	–	–	12	–	2	2	2	–	2	–	–	–	1	–	5	5	2	2	3	–	62
183	3	8	73	20	7	24	10	2	3	3	–	3	8	4	51	21	14	12	6	3	63
59	–	2	26	9	3	10	6	1	2	2	–	2	2	2	20	8	4	5	1	2	64
124	3	6	47	11	4	14	4	1	1	1	–	1	6	2	31	13	10	7	5	1	65
127	11	–	56	3	5	14	8	3	4	1	1	6	6	6	24	16	8	11	2	1	66
78	10	–	34	2	2	9	4	1	3	1	1	3	5	2	16	7	4	9	2	1	67
49	1	–	22	1	3	5	4	2	1	–	–	3	1	4	8	9	4	2	–	–	68
101	4	2	22	2	2	13	4	–	2	2	–	5	4	5	33	7	13	3	4	1	69
49	9	–	11	–	–	3	1	1	1	–	–	1	–	1	8	5	3	–	–	–	70
127	12	2	36	8	6	6	4	1	6	–	–	–	1	1	21	9	12	3	4	–	71
147	11	1	74	5	4	15	12	3	1	5	–	3	3	2	28	14	11	8	3	2	72
55	5	1	23	1	–	4	5	1	1	2	–	1	2	–	11	1	2	3	1	2	73
92	6	–	51	4	4	11	7	2	–	3	–	2	1	2	17	13	9	5	2	–	74
72	1	–	11	2	2	5	1	–	–	1	–	1	4	1	6	6	5	4	–	1	75
41	1	2	22	–	1	–	2	–	–	1	–	1	–	–	7	3	4	6	2	–	76
91	3	–	26	–	3	13	1	2	2	–	–	1	1	1	14	11	12	9	4	2	77
28	3	–	12	1	–	–	–	–	–	–	–	–	–	1	5	2	–	3	–	–	78
90	5	2	25	4	2	3	4	1	7	3	–	2	4	8	25	18	10	4	10	–	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Tennessee—Con.																	
01	Coffee	328	2	1	1	56	7	17	10	7	–	4	11	3	166	112	2	–
02	Tullahoma, part	143	1	1	1	26	4	6	7	2	–	3	4	2	73	55	2	–
03	Tullahoma, total	144	1	1	1	26	4	6	7	2	–	3	4	3	73	55	2	–
04	Balance of county	185	1	–	–	30	3	11	3	5	–	1	7	1	93	57	–	–
05	Crockett	172	–	–	–	27	10	4	3	3	1	–	6	3	96	57	–	–
06	Cumberland	234	–	–	3	37	4	12	6	5	1	3	6	7	108	74	3	–
07	Davidson, coext. with Nashville city	3,962	8	1	37	764	186	178	64	95	32	39	170	63	2,101	1,564	17	19
08	Decatur	119	–	–	–	17	2	4	–	5	2	1	3	1	66	47	–	–
09	De Kalb	138	–	–	–	20	5	4	2	6	–	–	3	–	82	59	–	–
10	Dickson	247	3	–	1	47	10	13	3	10	–	4	7	2	128	97	4	1
11	Dyer	383	–	–	5	55	12	12	5	11	–	–	15	5	198	127	–	2
12	Dyersburg	204	–	–	3	33	10	5	4	6	–	–	8	3	102	68	–	1
13	Balance of county	179	–	–	2	22	2	7	1	5	–	–	7	2	96	59	–	1
14	Fayette	183	1	–	1	27	8	2	1	7	1	2	6	2	108	73	1	–
15	Fentress	155	–	–	–	28	7	6	4	4	1	1	5	2	87	59	4	–
16	Franklin	276	–	–	2	34	9	3	2	3	1	3	13	11	137	88	–	1
17	Tullahoma, part	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
18	Balance of county	275	–	–	2	34	9	3	2	3	1	3	13	10	137	88	–	1
19	Gibson	571	1	–	6	85	21	28	6	3	3	7	17	10	351	261	–	5
20	Humboldt	122	–	–	1	16	4	8	1	1	–	–	2	4	72	58	–	–
21	Balance of county	449	1	–	5	69	17	20	5	2	3	7	15	6	279	203	–	5
22	Giles	282	–	–	2	59	13	12	3	13	1	5	12	4	152	109	–	2
23	Grainger	132	–	–	1	17	1	6	2	–	–	2	6	3	70	36	–	–
24	Greene	441	3	–	3	62	13	17	6	7	1	3	15	9	268	204	3	7
25	Greeneville	140	1	–	2	25	4	8	3	1	–	2	7	2	75	58	1	3
26	Balance of county	301	2	–	1	37	9	9	3	6	1	1	8	7	193	146	2	4
27	Grundy	142	3	–	1	15	5	1	–	3	1	–	5	1	75	53	–	–
28	Hamblen	347	–	–	1	71	13	28	4	5	1	4	16	4	159	106	4	1
29	Morristown	206	–	–	1	48	9	20	4	4	–	3	8	–	93	69	2	–
30	Balance of county	141	–	–	–	23	4	8	–	1	1	1	8	4	66	37	2	1
31	Hamilton	2,506	11	–	15	480	144	113	42	57	18	17	89	33	1,298	910	11	9
32	Chattanooga	1,729	8	–	6	334	98	74	30	47	14	12	59	24	882	616	8	8
33	East Ridge	177	–	–	2	40	11	13	2	4	1	2	7	4	90	66	1	–
34	Red Bank	104	–	–	1	22	6	8	3	1	–	–	4	–	52	33	–	–
35	Balance of county	496	3	–	6	84	29	18	7	5	3	3	19	5	274	195	2	1
36	Hancock	74	–	–	1	9	5	2	–	2	–	–	–	2	46	30	–	–
37	Hardeman	246	–	–	2	37	10	7	4	8	–	3	5	2	125	94	1	–
38	Hardin	200	–	–	3	35	9	9	1	6	–	1	9	1	114	76	1	–
39	Hawkins	306	3	–	1	62	13	13	6	8	1	3	18	8	167	134	3	7
40	Kingsport, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Balance of county	306	3	–	1	62	13	13	6	8	1	3	18	8	167	134	3	7
42	Haywood	228	–	–	1	25	5	9	2	1	–	–	8	8	136	98	1	–
43	Henderson	233	–	–	1	52	14	12	4	8	–	3	11	3	131	78	–	–
44	Henry	333	–	–	4	51	16	10	1	8	2	3	11	10	190	136	2	8
45	Hickman	128	1	–	1	35	5	11	2	3	2	3	9	1	67	48	1	–
46	Houston	57	–	–	–	8	3	2	–	1	–	–	2	–	28	21	1	–
47	Humphreys	146	2	–	–	23	5	8	3	1	2	–	4	4	77	65	–	–
48	Jackson	118	3	–	1	16	1	3	2	3	1	1	5	–	74	45	–	1
49	Jefferson	241	–	–	1	47	12	13	2	4	2	1	13	6	129	79	3	1
50	Johnson	111	1	–	–	14	4	2	2	3	–	–	3	4	62	48	–	–
51	Knox	2,626	5	2	19	505	126	132	45	65	23	19	95	33	1,173	815	19	6
52	Knoxville	1,843	3	2	11	365	94	92	37	48	13	17	64	20	825	566	12	4
53	Balance of county	783	2	–	8	140	32	40	8	17	10	2	31	13	348	249	7	2
54	Lake	109	–	–	1	10	3	2	1	1	–	–	3	2	62	35	1	–
55	Lauderdale	267	–	–	5	51	13	14	4	10	2	2	6	5	130	84	–	3
56	Lawrence	302	2	–	1	49	12	14	2	7	2	2	10	1	185	134	2	–
57	Lewis	74	–	–	1	12	5	2	–	1	–	–	4	1	30	19	–	–
58	Lincoln	282	–	–	2	44	9	10	5	4	1	1	14	9	152	96	–	–
59	Loudon	258	1	–	1	55	12	12	8	8	–	6	9	4	145	101	–	2
60	McMinn	382	2	–	3	62	19	14	2	9	4	1	13	6	216	130	2	–
61	Athens	124	2	–	–	22	7	4	–	2	2	1	6	2	66	33	1	–
62	Balance of county	258	–	–	3	40	12	10	2	7	2	–	7	4	150	97	1	–
63	McNairy	226	2	–	3	26	9	3	2	6	1	1	4	2	144	120	2	1
64	Macon	147	–	–	–	22	5	4	1	3	1	–	8	1	84	65	–	–
65	Madison	755	–	–	5	128	29	31	17	20	4	6	21	9	441	281	3	2
66	Jackson	523	–	–	3	92	19	25	11	12	2	6	17	8	300	198	1	1
67	Balance of county	232	–	–	2	36	10	6	6	8	2	–	4	1	141	83	2	1
68	Marion	234	3	–	–	35	10	9	1	4	–	4	7	5	133	106	1	–
69	Marshall	200	–	–	1	32	7	12	1	5	2	–	5	4	102	75	2	2
70	Maury	465	–	–	–	83	18	29	4	11	4	4	13	6	254	170	1	–
71	Columbia	231	–	–	–	41	6	17	3	5	3	3	4	2	126	90	1	–
72	Balance of county	234	–	–	–	42	12	12	1	6	1	1	9	4	128	80	–	–
73	Meigs	57	–	–	–	8	1	2	2	1	–	–	2	1	30	18	–	1
74	Monroe	234	–	–	4	30	9	7	1	5	1	2	5	4	119	70	1	1
75	Montgomery	498	1	–	3	83	25	15	2	10	7	2	22	7	230	153	2	1
76	Clarksville	301	1	–	2	48	11	13	2	5	5	1	11	3	138	85	1	1
77	Balance of county	197	–	–	1	35	14	2	–	5	2	1	11	4	92	68	1	–
78	Moore	43	–	–	–	11	2	2	1	–	–	1	5	–	21	14	–	–
79	Morgan	138	1	–	1	26	5	9	2	2	1	2	5	1	63	47	–	–
80	Obion	387	–	–	–	72	27	10	5	11	3	4	12	5	210	129	–	–
81	Union City	161	–	–	–	26	11	3	2	2	2	2	4	2	89	62	–	–
82	Balance of county	226	–	–	–	46	16	7	3	9	1	2	8	3	121	67	–	–
83	Overton	182	1	–	1	27	11	6	1	3	–	2	4	6	116	96	–	–
84	Perry	69	–	–	–	14	5	4	3	1	–	–	1	3	29	25	–	1
85	Pickett	33	1	–	1	3	1	2	–	–	–	–	–	–	23	19	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
102	8	1	39	8	6	8	7	–	3	2	–	4	4	6	36	5	18	3	1	2	01
49	4	1	14	3	–	2	5	–	2	1	–	4	1	3	7	1	7	3	1	2	02
49	4	1	14	3	–	2	5	–	2	1	–	4	1	3	7	1	7	3	1	2	03
53	4	–	25	5	6	6	2	–	1	1	–	–	3	3	29	4	11	–	–	–	04
56	1	1	31	5	2	3	3	–	1	1	–	1	1	1	13	13	3	3	–	3	05
66	5	–	26	3	5	9	7	1	3	2	–	2	1	2	22	10	11	5	3	1	06
1,439	89	12	432	51	42	104	54	6	42	21	–	20	66	24	271	92	106	69	96	17	07
46	1	–	15	–	4	4	2	1	2	–	–	1	–	1	11	4	6	1	1	1	08
54	5	1	17	3	2	7	4	–	–	–	–	–	2	3	7	3	4	4	2	–	09
89	3	–	25	2	4	7	3	1	2	–	–	1	2	–	24	10	9	4	2	1	10
113	12	1	61	4	5	13	5	1	1	1	–	2	1	14	37	19	18	3	1	4	11
62	5	–	30	1	3	5	3	–	–	–	–	1	1	9	21	8	10	1	1	3	12
51	7	1	31	3	2	8	2	1	1	1	–	1	–	5	16	11	8	2	–	1	13
66	6	1	28	4	2	4	–	–	1	1	–	4	4	9	4	7	6	1	3	–	14
50	5	1	19	4	4	9	–	–	–	–	–	3	2	3	9	3	4	1	4	–	15
78	9	1	36	8	4	10	3	2	1	2	1	1	2	7	30	13	9	8	1	2	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
78	9	1	36	8	4	10	3	2	1	2	1	1	2	7	30	13	9	8	1	2	18
246	10	1	70	13	6	9	8	1	1	3	–	7	8	6	38	9	16	10	1	1	19
58	–	–	12	–	2	4	–	–	–	1	–	1	3	2	12	1	2	3	–	–	20
188	10	1	58	13	4	5	8	1	1	2	–	6	5	4	26	8	14	7	1	1	21
97	10	1	34	5	3	10	3	1	1	–	–	1	6	1	18	6	7	5	6	–	22
35	1	1	28	2	3	10	2	–	–	1	–	1	–	6	10	4	4	1	2	–	23
185	9	2	49	7	6	6	3	1	2	1	–	5	4	3	35	14	11	6	2	3	24
49	5	2	13	1	1	2	1	1	2	1	–	2	1	2	15	2	4	1	1	–	25
136	4	–	36	6	5	4	2	–	–	–	–	3	3	1	20	12	7	5	1	3	26
46	7	–	16	5	1	7	3	–	2	1	1	1	–	3	13	7	4	1	3	1	27
95	6	–	47	3	3	15	5	1	8	1	–	2	8	2	35	9	13	8	5	–	28
63	4	–	24	–	–	6	4	–	5	1	–	1	3	2	22	4	6	6	4	–	29
32	2	–	23	3	3	9	1	1	3	–	–	1	5	–	13	5	7	2	1	–	30
835	55	12	303	44	29	62	36	8	34	17	–	23	43	7	177	77	88	40	57	–	31
558	42	10	206	30	20	45	24	2	25	13	–	15	33	6	133	48	65	24	42	–	32
62	3	–	19	3	2	3	4	2	3	–	–	1	–	–	9	7	5	4	3	–	33
31	2	1	15	1	2	5	2	1	3	–	–	1	1	–	5	1	2	3	5	–	34
184	8	1	63	10	5	9	6	3	3	4	–	6	9	1	30	21	16	9	7	–	35
30	–	–	15	–	1	2	–	–	–	–	–	–	3	1	1	3	2	3	–	1	36
84	9	1	23	5	2	4	3	–	–	2	–	1	9	11	24	11	5	3	6	1	37
66	9	3	34	–	1	1	1	1	–	1	1	3	2	2	13	6	8	5	2	1	38
122	2	1	29	2	1	10	2	1	2	2	–	2	2	3	16	5	12	6	2	–	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	40
122	2	1	29	2	1	10	2	1	2	2	–	2	2	3	16	5	12	6	2	–	41
80	17	3	32	1	2	6	1	–	–	5	–	5	7	1	15	5	10	–	3	–	42
70	8	4	44	1	4	2	3	3	–	3	–	2	1	–	13	5	7	5	1	1	43
124	2	2	40	10	2	4	4	2	2	–	–	2	3	2	34	9	9	4	2	1	44
38	9	–	14	3	2	6	1	–	1	1	–	–	1	–	7	1	2	1	2	–	45
19	1	–	5	1	1	1	–	–	1	2	–	–	2	–	9	4	–	1	–	1	46
61	4	–	10	–	2	4	3	1	–	1	–	–	–	3	16	5	6	–	–	1	47
42	2	1	21	6	1	2	3	–	–	–	–	–	–	2	5	4	4	1	2	1	48
69	6	1	40	5	4	10	5	–	–	3	–	4	–	5	14	11	3	2	–	1	49
45	3	–	10	–	4	3	1	–	1	1	–	–	–	1	9	6	3	3	2	–	50
762	28	9	294	25	30	65	26	10	35	18	–	23	36	275	192	73	62	27	40	7	51
526	24	7	206	20	26	45	16	7	24	13	–	17	26	208	131	39	44	14	29	4	52
236	4	2	88	5	4	20	10	3	11	5	–	6	10	67	61	34	18	13	11	3	53
32	2	–	24	3	–	5	1	1	1	–	–	–	4	1	9	6	5	–	1	–	54
70	11	4	36	2	4	5	2	–	5	2	–	3	4	10	23	5	12	2	2	1	55
118	14	–	45	2	4	13	4	1	1	–	–	5	2	1	18	5	9	1	3	1	56
18	1	–	6	3	2	5	2	2	2	–	–	–	1	1	11	1	3	1	1	–	57
78	18	3	50	2	1	9	4	2	1	4	–	1	2	11	20	7	9	1	1	3	58
92	7	1	32	9	2	3	2	1	2	2	–	4	1	5	16	6	4	4	–	2	59
109	19	1	74	7	4	18	8	1	3	2	–	5	5	4	20	7	13	2	5	–	60
26	6	–	28	2	3	8	3	–	1	–	–	–	1	2	6	5	3	1	2	–	61
83	13	1	46	5	1	10	5	1	2	2	–	5	4	2	14	2	10	1	3	–	62
114	3	–	19	3	2	4	6	2	2	–	–	1	–	–	10	16	4	3	1	–	63
63	2	–	16	1	2	7	2	–	–	–	–	1	–	1	12	7	8	2	–	–	64
268	8	4	137	16	3	18	7	1	9	3	–	2	12	3	48	27	19	12	10	1	65
191	5	3	84	12	3	11	6	1	7	1	–	1	9	1	39	17	11	10	5	1	66
77	3	1	53	4	–	7	1	–	2	2	–	1	3	2	9	10	8	2	5	–	67
98	7	1	23	1	2	5	2	1	1	1	–	1	2	5	10	12	14	1	3	–	68
69	2	2	22	3	–	6	3	1	4	1	–	–	2	2	21	9	5	5	–	2	69
154	15	1	78	–	5	8	2	6	6	2	–	2	5	6	40	10	15	9	9	2	70
80	9	1	31	–	4	3	–	–	4	1	–	–	3	6	20	2	7	6	8	2	71
74	6	–	47	–	1	5	2	6	2	1	–	2	2	–	20	8	8	3	1	–	72
17	–	–	9	2	1	2	3	1	1	1	–	1	–	–	2	2	3	1	1	–	73
65	3	2	39	5	3	8	1	–	1	1	–	4	5	16	13	9	12	1	5	1	74
144	6	2	64	5	6	15	4	2	3	3	–	3	16	20	50	25	19	5	8	1	75
79	4	1	43	4	5	6	3	1	3	3	–	3	12	12	29	16	14	3	4	–	76
65	2	1	21	1	1	9	1	1	–	–	–	–	4	8	21	9	5	2	4	1	77
14	–	–	5	1	1	2	–	–	1	–	–	–	–	2	4	1	–	1	–	–	78
39	8	1	11	2	2	6	2	–	2	1	–	2	1	12	11	2	4	1	2	–	79
121	8	3	69	3	6	15	7	–	5	–	1	3	5	1	33	11	9	5	2	3	80
56	6	2	23	–	2	6	1	–	4	–	–	–	2	1	16	4	3	4	–	3	81
65	2	1	46	3	4	9	6	–	1	–	1	3	3	–	17	7	6	1	2	–	82
94	2	–	15	4	1	5	1	–	–	–	–	1	3	–	8	5	4	2	1	1	83
23	1	–	1	1	2	6	1	–	–	–	–	–	–	1	11	1	1	1	1	–	84
18	1	–	3	1	–	–	1	–	–	–	–	–	–	1	2	1	–	–	–	–	85

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Tennessee—Con.																	
01	Polk	115	1	–	2	21	6	3	2	1	2	–	7	2	59	37	2	1
02	Putnam	353	3	–	2	56	11	17	6	4	4	2	12	7	204	140	2	–
03	Cookeville	137	1	–	–	28	8	6	2	4	3	1	4	2	74	48	1	–
04	Balance of county	216	2	–	2	28	3	11	4	–	1	1	8	5	130	92	1	–
05	Rhea	202	–	–	1	25	4	8	2	–	1	2	8	9	113	76	1	–
06	Roane	357	1	–	3	74	14	24	7	6	3	6	14	5	186	133	3	2
07	Oak Ridge, part	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
08	Balance of county	354	1	–	3	74	14	24	7	6	3	6	14	5	185	132	3	2
09	Robertson	349	2	–	1	58	18	15	3	5	3	1	13	12	202	127	1	–
10	Rutherford	491	2	1	3	108	23	32	9	12	5	2	25	4	248	162	2	–
11	Murfreesboro	234	1	1	2	45	8	18	4	5	2	–	8	2	128	78	2	–
12	Balance of county	257	1	–	1	63	15	14	5	7	3	2	17	2	120	84	–	–
13	Scott	157	1	–	1	33	8	9	3	3	2	2	6	2	77	57	–	2
14	Sequatchie	63	–	–	–	12	4	4	1	–	–	–	3	–	38	29	1	1
15	Sevier	275	–	–	2	51	15	9	1	7	4	6	9	2	159	135	1	1
16	Shelby	6,461	10	–	78	1,216	294	282	95	141	49	57	298	97	3,238	2,183	32	22
17	Memphis	6,061	10	–	69	1,145	280	262	88	132	47	51	285	92	3,035	2,048	32	22
18	Millington	56	–	–	1	8	2	–	2	–	–	2	2	1	19	10	–	–
19	Balance of county	344	–	–	8	63	12	20	5	9	2	4	11	4	184	125	–	–
20	Smith	147	–	–	–	23	5	4	2	5	–	2	5	1	87	62	–	–
21	Stewart	82	–	–	–	18	5	3	1	5	1	1	2	–	45	36	2	–
22	Sullivan	1,047	7	–	9	213	61	48	21	22	14	8	39	12	538	392	13	–
23	Bristol[4]	268	–	–	1	68	17	15	8	7	6	3	12	2	133	99	4	–
24	Kingsport, part	310	4	–	2	58	17	18	7	5	1	4	6	4	159	113	3	–
25	Kingsport, total	310	4	–	2	58	17	18	7	5	1	4	6	4	159	113	3	–
26	Balance of county	469	3	–	6	87	27	15	6	10	7	1	21	6	246	180	6	–
27	Sumner	475	2	–	4	83	20	16	6	7	4	4	26	8	255	190	–	1
28	Gallatin	118	–	–	1	20	6	4	2	1	1	–	6	2	57	37	–	–
29	Balance of county	357	2	–	3	63	14	12	4	6	3	4	20	6	198	153	–	1
30	Tipton	302	–	–	2	42	12	8	3	7	2	2	8	5	177	123	1	2
31	Trousdale	56	1	–	–	8	1	3	–	1	–	1	2	2	34	26	–	–
32	Unicoi	168	–	–	–	31	6	11	3	5	1	2	3	8	94	66	–	–
33	Union	69	–	–	–	11	3	4	1	–	1	1	1	2	32	16	–	–
34	Van Buren	38	–	–	–	8	1	1	2	1	–	–	3	–	16	13	–	1
35	Warren	268	1	–	–	48	14	15	1	5	2	1	10	7	152	108	1	–
36	McMinnville	125	–	–	–	17	4	4	–	3	1	–	5	4	71	46	1	–
37	Balance of county	143	1	–	–	31	10	11	1	2	1	1	5	3	81	62	–	–
38	Washington	736	4	–	3	110	30	27	9	17	4	3	20	10	392	269	2	1
39	Johnson City	434	2	–	1	74	19	20	6	12	3	3	11	5	232	159	2	1
40	Balance of county	302	2	–	2	36	11	7	3	5	1	–	9	5	160	110	–	–
41	Wayne	121	–	–	–	19	5	4	3	1	1	–	5	–	61	47	–	–
42	Weakley	325	1	–	1	47	11	12	5	7	1	2	9	4	194	108	–	1
43	White	202	–	–	1	35	11	5	5	5	–	4	5	–	116	81	–	–
44	Williamson	335	3	–	2	48	10	17	3	5	1	3	9	8	181	117	1	–
45	Wilson	348	1	–	1	62	18	13	4	10	–	3	14	5	189	123	1	1
46	Lebanon	139	–	–	1	20	6	4	–	5	–	1	4	3	80	51	–	–
47	Balance of county	209	1	–	–	42	12	9	4	5	–	2	10	2	109	72	1	1
48	**Texas**	**98,471**	**178**	**23**	**836**	**17,908**	**4,552**	**4,780**	**1,370**	**2,054**	**708**	**806**	**3,638**	**1,750**	**47,143**	**33,230**	**419**	**526**
49	Urban places	60,855	131	14	556	11,373	2,903	3,118	900	1,279	466	471	2,236	1,073	28,490	20,137	300	289
50	Balance of area	37,616	47	9	280	6,535	1,649	1,662	470	775	242	335	1,402	677	18,653	13,093	119	237
51	Metropolitan counties	64,984	135	17	602	12,187	3,065	3,340	963	1,356	499	522	2,442	1,178	30,122	21,406	328	309
52	Urban places	52,986	119	12	491	10,046	2,552	2,763	806	1,124	409	420	1,972	958	24,606	17,488	274	249
53	Balance of area	11,998	16	5	111	2,141	513	577	157	232	90	102	470	220	5,516	3,918	54	60
54	Nonmetropolitan counties	33,487	43	6	234	5,721	1,487	1,440	407	698	209	284	1,196	572	17,021	11,824	91	217
55	Urban places	7,869	12	2	65	1,327	351	355	94	155	57	51	264	115	3,884	2,649	26	40
56	Balance of area	25,618	31	4	169	4,394	1,136	1,085	313	543	152	233	932	457	13,137	9,175	65	177
57	Anderson	409	2	–	1	53	16	15	3	10	2	1	6	4	219	159	3	4
58	Palestine	217	1	–	–	26	7	9	1	6	1	1	1	1	121	87	–	1
59	Balance of county	192	1	–	1	27	9	6	2	4	1	–	5	3	98	72	3	3
60	Andrews	84	–	–	–	13	5	1	–	–	–	3	4	1	37	19	–	1
61	Angelina	551	1	–	4	79	18	28	3	9	1	2	18	7	280	155	1	1
62	Lufkin	302	1	–	1	40	8	15	2	2	1	2	10	5	146	88	1	–
63	Balance of county	249	–	–	3	39	10	13	1	7	–	–	8	2	134	67	–	1
64	Aransas	105	–	–	–	24	8	10	1	1	1	1	2	2	50	38	–	–
65	Archer	53	–	–	–	7	–	1	2	2	1	–	1	–	27	20	–	1
66	Armstrong	18	–	–	–	5	1	1	–	1	–	1	1	–	4	3	–	–
67	Atascosa	183	–	–	2	33	8	8	3	2	2	1	9	2	101	65	1	2
68	Austin	227	–	–	2	41	13	9	5	4	–	2	8	4	115	78	–	1
69	Bailey	55	–	–	1	11	2	3	–	2	–	2	2	1	21	12	–	–
70	Bandera	87	–	–	–	15	2	3	–	1	1	2	6	2	36	25	1	–
71	Bastrop	236	1	–	2	47	11	15	3	4	–	3	11	3	122	100	1	9
72	Baylor	79	–	–	–	15	5	3	3	4	–	–	–	1	49	33	–	–
73	Bee	172	–	–	1	36	10	9	2	4	1	1	9	5	73	39	–	–
74	Beeville	112	–	–	–	22	6	6	–	2	1	1	6	3	52	28	–	–
75	Balance of county	60	–	–	1	14	4	3	2	2	–	–	3	2	21	11	–	–
76	Bell	936	1	–	7	147	27	38	16	8	8	8	42	9	368	284	6	2
77	Killeen	196	1	–	4	26	6	8	1	–	3	2	6	1	51	40	1	–
78	Temple	350	–	–	2	70	12	18	12	3	3	3	19	5	168	132	4	1
79	Balance of county	390	–	–	1	51	9	12	3	5	2	3	17	3	149	112	1	1
80	Bexar	6,296	17	3	85	1,227	366	304	83	137	35	63	239	165	2,855	2,017	36	40
81	San Antonio	5,540	17	3	76	1,070	319	264	74	121	33	53	206	146	2,505	1,774	27	38
82	Balance of county	756	–	–	9	157	47	40	9	16	2	10	33	19	350	243	9	2

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
31	3	1	17	2	2	2	3	–	–	–	–	1	2	2	4	5	5	1	4	1	01
128	10	1	48	9	6	8	1	–	2	1	–	3	–	8	30	12	12	1	2	1	02
40	7	–	19	2	5	4	1	–	2	–	–	3	–	3	12	3	3	–	1	–	03
88	3	1	29	7	1	4	–	–	–	1	–	–	–	5	18	9	9	1	1	1	04
73	2	3	29	4	1	10	4	1	3	–	1	1	–	3	11	5	7	5	3	–	05
109	19	–	41	7	5	12	3	–	6	1	–	3	4	4	22	12	11	3	5	2	06
1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	07
108	19	–	41	7	5	12	3	–	6	1	–	3	4	3	21	12	11	3	5	2	08
123	3	1	53	12	9	13	5	–	4	1	–	2	1	2	19	8	8	5	4	2	09
155	5	3	67	4	12	9	15	1	8	1	2	–	4	2	33	12	22	8	6	2	10
74	2	2	41	1	6	3	7	–	5	1	1	–	–	–	17	6	10	3	2	–	11
81	3	1	26	3	6	6	8	1	3	–	1	–	4	2	16	6	12	5	4	2	12
52	3	2	11	4	3	8	3	–	1	–	–	–	3	3	8	7	6	2	1	1	13
27	–	–	5	2	2	5	–	–	–	–	–	–	1	1	3	1	1	1	–	–	14
131	2	1	19	–	4	11	3	–	1	–	–	3	1	5	15	5	11	–	2	4	15
1,979	150	19	832	115	89	155	80	17	90	41	3	42	115	62	625	133	210	93	150	6	16
1,854	140	19	780	107	81	148	74	16	84	40	3	37	104	57	590	121	197	87	146	6	17
9	1	–	7	2	–	1	–	–	2	–	–	3	2	2	8	4	1	3	1	–	18
116	9	–	45	6	8	6	6	1	4	1	–	2	9	3	27	8	12	3	3	–	19
57	5	–	17	7	1	6	1	–	–	–	–	1	2	–	8	8	3	6	–	1	20
33	1	–	9	–	–	3	2	–	–	2	–	–	1	1	6	–	3	–	–	1	21
374	5	7	100	20	19	41	20	5	9	3	1	15	19	6	60	29	28	20	8	4	22
94	1	–	26	2	6	12	5	3	2	–	–	4	5	2	15	5	6	3	2	–	23
109	1	1	31	6	8	14	5	2	5	2	–	5	6	2	21	4	8	6	3	–	24
109	1	1	31	6	8	14	5	2	5	2	–	5	6	2	21	4	8	6	3	–	25
171	3	6	43	12	5	15	10	–	2	1	1	6	8	2	24	20	14	11	3	4	26
180	9	2	57	3	3	27	5	1	3	1	1	5	3	1	25	21	15	5	5	5	27
34	3	–	18	2	–	12	2	–	1	1	–	–	2	1	8	1	2	3	2	3	28
146	6	2	39	1	3	15	3	1	2	–	1	5	1	–	17	20	13	2	3	2	29
103	17	1	47	2	4	10	7	–	2	3	–	1	7	2	22	8	8	4	1	1	30
23	3	–	6	2	–	2	2	–	–	–	–	1	–	–	3	1	2	–	–	–	31
61	5	–	24	4	–	4	–	1	3	–	–	3	4	2	7	3	5	1	–	2	32
14	2	–	15	–	1	3	–	–	–	1	–	–	–	2	7	3	2	3	1	2	33
11	1	–	2	–	1	2	–	–	1	–	–	–	–	1	5	1	2	2	–	–	34
98	9	–	38	3	3	7	3	–	1	1	–	3	3	4	22	4	8	3	1	–	35
44	1	–	22	2	1	3	2	–	1	–	–	1	3	2	13	1	5	2	–	–	36
54	8	–	16	1	2	4	1	–	–	1	–	2	–	2	9	3	3	1	1	–	37
249	17	5	103	10	5	39	13	4	15	2	1	9	7	10	54	27	17	12	5	2	38
151	5	3	61	6	3	25	8	1	11	2	–	2	5	4	27	15	7	9	3	1	39
98	12	2	42	4	2	14	5	3	4	–	1	7	2	6	27	12	10	3	2	1	40
45	2	–	7	7	–	2	1	–	3	1	–	2	1	–	15	9	2	–	3	2	41
105	2	–	69	14	3	9	5	3	2	–	1	2	4	7	24	10	8	2	1	–	42
81	–	1	24	9	1	5	–	1	1	1	–	1	3	4	12	5	6	7	4	–	43
104	12	2	51	6	5	11	3	3	4	2	–	4	5	4	23	10	18	1	3	2	44
86	35	1	58	5	2	11	8	1	1	3	–	3	3	2	29	10	11	5	3	–	45
38	13	–	26	2	1	6	1	–	–	2	–	–	1	–	13	3	6	2	1	–	46
48	22	1	32	3	1	5	7	1	1	1	–	3	2	2	16	7	5	3	2	–	47
27,704	**4,581**	**314**	**10,724**	**1,709**	**1,166**	**3,079**	**1,358**	**290**	**1,367**	**430**	**28**	**835**	**1,846**	**2,893**	**8,093**	**3,417**	**3,515**	**1,655**	**1,718**	**109**	**48**
17,266	2,282	192	6,407	1,029	725	1,915	836	173	1,033	265	18	587	1,282	1,306	5,205	1,908	2,141	1,146	1,339	64	49
10,438	2,299	122	4,317	680	441	1,164	522	117	334	165	10	248	564	1,587	2,888	1,509	1,374	509	379	45	50
18,286	2,483	203	6,630	1,107	776	1,997	894	174	1,089	288	18	645	1,345	1,436	5,520	2,245	2,342	1,267	1,404	79	51
15,120	1,845	166	5,408	911	633	1,636	715	140	949	240	15	528	1,102	975	4,563	1,678	1,878	1,048	1,230	57	52
3,166	638	37	1,222	196	143	361	179	34	140	48	3	117	243	461	957	567	464	219	174	22	53
9,418	2,098	111	4,094	602	390	1,082	464	116	278	142	10	190	501	1,457	2,573	1,172	1,173	388	314	30	54
2,146	437	26	999	118	92	279	121	33	84	25	3	59	180	331	642	230	263	98	109	7	55
7,272	1,661	85	3,095	484	298	803	343	83	194	117	7	131	321	1,126	1,931	942	910	290	205	23	56
141	11	3	46	1	10	17	1	1	6	1	–	2	9	39	21	15	12	4	2	–	57
82	4	–	24	1	9	8	1	1	5	1	–	1	7	18	14	4	5	1	2	–	58
59	7	3	22	–	1	9	–	–	1	–	–	1	2	21	7	11	7	3	–	–	59
9	9	2	5	9	2	4	3	–	1	1	–	1	6	1	9	2	4	1	–	–	60
122	31	1	114	3	7	10	10	–	4	6	–	6	13	31	39	23	26	5	7	–	61
69	18	–	54	1	3	7	5	–	4	5	–	4	10	12	26	11	16	3	6	–	62
53	13	1	60	2	4	3	5	–	–	1	–	2	3	19	13	12	10	2	1	–	63
36	2	–	8	–	4	4	2	–	–	–	–	2	3	–	6	6	4	1	1	–	64
18	1	–	3	3	1	2	3	–	1	–	–	2	2	–	5	2	2	–	–	–	65
2	1	–	1	–	–	1	–	–	–	1	–	–	1	–	3	2	–	1	–	–	66
56	6	3	27	5	1	4	3	–	1	–	–	1	3	2	16	5	4	4	2	–	67
61	16	1	23	7	6	7	2	2	1	–	–	–	5	16	16	6	4	3	2	1	68
9	3	–	7	2	–	3	–	–	–	–	–	2	–	2	5	3	4	–	2	–	69
18	6	–	7	3	1	3	1	–	2	–	–	1	1	6	4	7	3	4	2	–	70
67	23	1	16	3	2	10	1	–	–	–	–	2	1	6	25	4	9	1	1	1	71
32	1	–	14	1	1	2	4	–	–	–	–	–	–	–	5	1	2	–	–	–	72
25	14	–	30	3	1	5	3	2	3	1	–	3	6	4	17	8	4	–	1	–	73
18	10	–	21	2	1	4	3	1	1	1	–	1	3	2	11	5	2	–	1	–	74
7	4	–	9	1	–	1	–	1	2	–	–	2	3	2	6	3	2	–	–	–	75
155	121	1	64	11	8	30	4	4	8	–	2	5	30	58	82	69	63	20	27	2	76
23	16	–	10	–	1	5	1	1	3	–	2	2	17	12	21	16	17	7	9	–	77
66	61	–	28	3	5	11	2	1	2	–	–	1	6	14	34	9	11	5	7	2	78
66	44	1	26	8	2	14	1	2	3	–	–	2	7	32	27	44	35	8	11	–	79
1,725	216	16	655	101	66	201	84	8	113	32	2	70	99	99	595	184	184	106	162	5	80
1,518	191	14	569	93	55	184	74	6	106	28	2	61	88	91	521	154	165	91	148	4	81
207	25	2	86	8	11	17	10	2	7	4	–	9	11	8	74	30	19	15	14	1	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Blanco	65	–	–	–	10	4	2	–	–	–	2	2	1	36	24	1	–
02	Borden	6	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
03	Bosque	192	–	–	1	27	14	2	2	2	–	2	5	4	111	77	–	–
04	Bowie	716	8	–	8	116	35	35	7	12	3	8	16	5	356	247	3	6
05	Texarkana[5]	382	1	–	5	58	17	19	5	5	1	3	8	3	192	119	2	2
06	Balance of county	334	2	–	3	58	18	16	2	7	2	5	8	2	164	128	1	4
07	Brazoria	770	1	2	7	161	30	54	10	11	6	10	40	12	338	229	3	4
08	Alvin	93	–	–	2	18	6	6	–	3	1	1	1	–	49	29	2	–
09	Freeport	96	–	–	–	25	5	13	1	–	–	1	5	3	36	28	–	1
10	Lake Jackson	60	–	–	–	16	–	6	2	1	1	2	4	–	23	20	1	1
11	Balance of county	521	1	2	5	102	19	29	7	7	4	6	30	9	230	152	–	2
12	Brazos	422	1	–	5	66	29	11	6	7	1	4	8	10	195	140	–	2
13	Bryan	324	1	–	4	51	22	10	2	6	1	4	6	6	145	102	–	2
14	College Station	46	–	–	–	8	4	–	2	–	–	–	2	1	24	17	–	–
15	Balance of county	52	–	–	1	7	3	1	2	1	–	–	–	3	26	21	–	–
16	Brewster	51	1	–	2	7	2	3	1	–	–	–	1	–	29	21	–	–
17	Briscoe	31	–	–	–	2	1	–	–	1	–	–	–	–	15	8	–	–
18	Brooks	76	–	–	1	23	3	11	1	2	–	–	6	1	27	20	–	–
19	Brown	363	–	–	4	65	13	18	7	6	4	4	13	6	203	146	–	1
20	Brownwood	239	–	–	2	42	7	13	5	4	3	4	6	2	131	90	–	1
21	Balance of county	124	–	–	2	23	6	5	2	2	1	–	7	4	72	56	–	–
22	Burleson	146	–	–	5	21	7	6	4	1	1	1	1	4	69	52	1	1
23	Burnet	189	2	–	–	30	7	8	2	3	5	1	4	2	101	72	–	2
24	Caldwell	202	1	–	2	34	5	9	4	7	2	3	4	5	106	79	1	4
25	Calhoun	127	–	–	2	21	5	4	5	1	1	1	4	3	49	33	–	–
26	Port Lavaca	74	–	–	1	12	2	2	4	1	1	–	2	3	28	19	–	–
27	Balance of county	53	–	–	1	9	3	2	1	–	–	1	2	–	21	14	–	–
28	Callahan	128	–	–	–	27	10	3	2	4	1	–	7	1	72	52	1	–
29	Cameron	1,171	5	1	16	166	40	46	11	19	11	7	32	44	497	369	2	4
30	Brownsville	492	3	1	3	69	17	19	3	11	6	3	10	22	189	143	1	–
31	Harlingen	291	–	–	4	43	11	12	2	2	5	–	11	13	140	108	1	1
32	San Benito	107	1	–	3	14	–	3	3	2	–	2	4	5	50	36	–	2
33	Balance of county	281	1	–	6	40	12	12	3	4	–	2	7	4	118	82	–	1
34	Camp	110	–	–	–	23	6	6	1	4	–	1	5	6	47	31	–	–
35	Carson	70	–	–	1	12	3	–	–	2	1	3	3	4	27	19	–	2
36	Cass	291	–	–	3	46	11	8	4	8	1	2	12	3	149	102	1	1
37	Castro	62	–	–	1	6	2	1	–	–	1	–	2	3	32	20	–	–
38	Chambers	118	–	–	–	19	5	12	1	1	–	–	–	3	52	30	–	–
39	Cherokee	452	–	–	7	70	25	13	4	14	2	1	11	5	248	159	–	5
40	Childress	87	–	–	1	19	4	8	–	3	1	–	3	1	43	30	–	–
41	Clay	110	–	–	1	17	6	4	2	3	1	1	–	2	56	47	–	–
42	Cochran	42	–	–	–	9	1	1	1	2	–	1	3	3	17	14	–	–
43	Coke	60	–	–	–	11	3	3	2	1	1	–	1	2	29	20	–	–
44	Coleman	168	–	–	–	25	8	6	1	3	2	1	4	2	96	71	–	1
45	Collin	588	–	–	4	130	21	33	9	15	6	9	37	12	291	190	3	2
46	McKinney	191	–	–	1	43	4	14	2	5	3	2	13	6	96	52	–	1
47	Plano	107	–	–	3	24	6	2	2	2	3	2	7	2	47	34	2	–
48	Richardson, part	3	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–
49	Balance of county	287	–	–	–	62	11	17	5	8	–	5	16	4	147	103	1	1
50	Collingsworth	71	–	–	–	7	2	1	–	1	–	1	2	–	51	26	–	–
51	Colorado	238	–	–	3	31	7	9	6	4	1	–	4	6	138	77	–	1
52	Comal	296	2	1	2	51	11	16	2	7	–	2	13	6	164	121	1	4
53	New Braunfels	229	1	1	2	39	9	14	–	7	–	2	7	6	128	92	1	4
54	Balance of county	67	1	–	–	12	2	2	2	–	–	–	6	–	36	29	–	–
55	Comanche	181	–	–	2	26	13	2	2	2	–	–	7	6	98	61	–	2
56	Concho	47	–	–	2	5	2	1	–	1	–	–	1	1	29	19	–	–
57	Cooke	270	1	–	–	56	13	18	6	4	3	3	9	2	148	105	–	–
58	Gainesville	185	1	–	–	36	6	13	3	3	1	2	8	2	112	77	–	–
59	Balance of county	85	–	–	–	20	7	5	3	1	2	1	1	–	36	28	–	–
60	Coryell	222	1	–	1	34	13	4	3	5	2	2	5	1	108	80	1	1
61	Copperas Cove	51	–	–	1	9	3	1	1	1	–	–	3	–	13	11	–	–
62	Balance of county	171	1	–	–	25	10	3	2	4	2	2	2	1	95	69	1	1
63	Cottle	39	–	–	–	8	2	3	–	1	1	–	1	1	14	9	–	–
64	Crane	40	–	–	–	3	3	–	–	–	–	–	–	–	19	13	–	–
65	Crockett	26	–	–	–	4	1	1	1	–	–	–	1	–	7	4	–	–
66	Crosby	81	–	–	2	12	2	3	1	2	2	–	2	2	47	34	–	1
67	Culberson	19	–	–	–	2	–	–	–	–	2	–	–	1	9	7	–	–
68	Dallam	66	–	–	–	7	2	2	1	–	1	–	1	–	36	34	–	1
69	Dallas	9,765	18	4	88	1,945	456	571	171	213	85	82	367	139	4,551	3,319	62	41
70	Balch Springs	64	–	–	–	11	–	3	1	3	1	–	3	1	25	21	–	–
71	Carrollton, part	89	–	–	1	17	4	5	3	2	1	1	1	2	39	29	2	–
72	Carrollton, total	93	–	–	1	19	4	5	3	3	2	1	1	2	40	30	2	–
73	Dallas	6,988	15	3	69	1,367	320	411	111	149	63	58	255	93	3,284	2,414	48	33
74	Duncanville	79	–	–	1	14	3	4	1	–	1	1	4	1	31	22	–	–
75	Farmers Branch	99	–	–	1	25	1	11	4	3	–	2	4	–	43	25	–	–
76	Garland	482	–	–	6	91	22	23	11	9	3	2	21	6	214	155	1	–
77	Grand Prairie, part	284	1	–	2	70	12	26	4	9	4	4	11	5	121	80	–	1
78	Grand Prairie, total	321	1	–	2	73	12	26	4	9	4	6	12	5	147	97	–	2
79	Highland Park	86	–	–	–	13	6	2	1	1	–	–	3	1	43	26	–	2
80	Irving	463	–	1	3	96	17	25	13	11	3	3	24	4	199	138	4	2
81	Lancaster	117	1	–	1	22	7	10	–	1	1	1	2	3	68	46	1	1
82	Mesquite	292	–	–	1	62	14	19	7	8	1	3	10	8	134	110	1	1
83	Richardson, part	186	–	–	2	42	12	7	2	3	4	3	11	4	76	57	–	–
84	Richardson, total	189	–	–	2	43	12	7	2	3	4	3	12	4	77	58	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
20	3	1	6	2	3	1	–	–	–	–	–	–	–	3	4	3	5	–	2	–	01
–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	02
67	10	–	27	5	2	10	1	1	1	–	–	–	–	2	18	2	10	4	–	–	03
160	78	2	95	7	5	19	11	1	7	1	–	6	9	59	54	22	22	8	8	1	04
85	30	1	65	4	3	14	4	–	2	1	–	3	6	38	32	11	9	1	2	–	05
75	48	1	30	3	2	5	7	1	5	–	–	3	3	21	22	11	13	7	6	1	06
175	47	4	80	12	13	28	10	1	5	1	–	8	20	31	55	38	23	13	11	5	07
23	4	–	14	2	4	2	2	–	–	–	–	3	4	2	3	3	2	2	1	–	08
20	7	–	6	–	2	1	–	–	2	–	–	–	3	6	7	4	4	3	2	–	09
16	2	–	3	–	–	4	1	–	–	–	–	–	2	2	5	3	–	2	–	2	10
116	34	4	57	10	7	21	7	1	3	1	–	5	11	21	40	28	17	6	8	3	11
126	12	1	42	5	7	12	6	2	4	–	–	3	4	39	35	18	14	4	4	–	12
92	8	1	31	4	7	11	5	2	2	–	–	2	4	35	26	11	12	3	4	–	13
14	3	–	6	1	–	–	1	–	1	–	–	1	–	1	2	5	2	–	–	–	14
20	1	–	5	–	–	1	–	–	1	–	–	–	–	3	7	2	–	1	–	–	15
13	8	–	6	2	–	–	–	–	–	1	–	–	–	–	4	1	5	1	–	–	16
6	2	–	4	2	1	–	–	–	–	–	–	–	–	6	1	3	4	–	–	–	17
18	2	–	5	–	2	2	3	–	1	–	–	–	3	5	4	1	3	1	1	–	18
130	15	–	50	5	2	9	11	1	6	1	–	1	2	15	19	9	5	5	1	–	19
83	6	–	39	1	1	7	9	1	5	–	–	1	1	11	15	5	4	2	1	–	20
47	9	–	11	4	1	2	2	–	1	1	–	–	1	4	4	4	1	3	–	–	21
48	2	1	12	2	2	7	1	–	1	–	–	–	–	14	14	4	5	–	–	1	22
63	7	–	25	2	2	3	6	–	3	–	–	–	–	16	12	6	4	3	1	–	23
63	11	–	24	1	2	4	7	–	2	–	–	2	1	7	16	5	9	–	1	–	24
31	2	–	14	1	1	3	2	–	1	1	–	2	4	1	16	9	8	4	1	–	25
17	2	–	7	1	1	3	–	–	1	–	–	2	1	1	12	3	4	2	1	–	26
14	–	–	7	–	–	–	2	–	–	1	–	–	3	–	4	6	4	2	–	–	27
33	18	–	19	–	1	4	–	1	3	–	–	–	2	3	8	4	3	–	–	–	28
294	69	3	86	19	20	32	14	3	23	4	–	13	48	95	97	48	42	11	10	2	29
136	6	–	36	3	7	17	4	2	10	3	–	7	30	56	28	25	16	3	4	–	30
76	30	1	17	9	5	8	2	–	3	–	–	1	9	11	29	10	13	3	2	–	31
28	6	–	10	2	2	2	1	–	4	–	–	2	4	7	10	1	2	1	–	–	32
54	27	2	23	5	6	5	7	1	6	1	–	3	5	21	30	12	11	4	4	2	33
30	1	–	13	2	1	5	1	–	1	–	–	1	1	8	11	1	4	–	1	–	34
13	4	1	4	3	–	1	4	1	–	–	–	1	2	4	5	2	2	4	–	–	35
91	9	1	34	7	5	12	–	1	3	2	–	–	5	12	34	7	13	–	1	–	36
15	5	–	10	1	1	4	1	–	1	–	–	–	1	2	3	2	5	1	–	–	37
24	6	1	13	3	5	1	4	–	1	1	–	1	3	4	12	6	4	2	4	1	38
132	22	–	70	8	11	9	3	1	3	2	–	3	6	25	39	14	10	2	5	–	39
28	2	–	10	2	1	3	3	–	–	–	–	–	3	3	7	–	2	–	2	–	40
40	7	–	9	–	–	6	3	1	1	2	–	–	–	5	10	–	3	2	1	–	41
10	4	–	3	–	–	2	–	–	–	–	–	1	–	3	5	1	–	–	–	1	42
7	13	–	6	3	–	1	–	–	1	–	–	1	1	5	3	2	4	–	–	–	43
63	7	1	21	–	3	6	2	–	3	1	–	–	2	–	19	3	7	2	–	–	44
164	21	3	77	14	7	17	6	2	4	5	–	7	13	10	34	14	19	13	7	–	45
43	8	2	30	9	3	7	2	–	1	1	–	1	6	2	14	3	5	2	1	–	46
28	4	–	12	1	–	4	1	–	1	–	–	1	1	4	4	3	6	5	1	–	47
1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	48
92	9	1	35	4	4	6	3	2	2	4	–	5	5	4	16	8	8	6	5	–	49
26	–	–	23	1	1	–	2	–	–	–	–	–	3	–	2	1	2	–	3	–	50
63	13	–	55	3	3	7	–	1	2	2	–	1	1	10	17	9	8	2	–	–	51
91	25	2	31	7	3	10	4	1	2	1	–	–	5	5	20	9	6	5	2	–	52
69	18	2	25	6	3	9	3	–	2	1	–	–	4	3	18	4	3	4	1	–	53
22	7	–	6	1	–	1	1	1	–	–	–	–	1	2	2	5	3	1	1	–	54
52	7	2	27	5	3	2	7	1	–	–	–	1	–	3	25	5	2	3	–	–	55
19	–	–	7	–	3	–	1	1	–	–	–	–	–	2	3	1	2	–	–	–	56
90	15	2	37	4	–	12	2	–	4	–	–	–	2	10	12	9	7	4	1	–	57
68	9	1	33	1	–	10	1	–	2	–	–	–	1	3	7	5	3	2	–	–	58
22	6	1	4	3	–	2	1	–	2	–	–	–	1	7	5	4	4	2	1	–	59
64	14	–	20	7	1	11	1	–	1	–	–	6	11	4	18	11	8	5	1	–	60
6	5	–	2	–	–	1	–	–	1	–	–	5	7	1	3	5	2	2	1	–	61
58	9	–	18	7	1	10	1	–	–	–	–	1	4	3	15	6	6	3	–	–	62
9	–	–	2	1	2	3	2	–	–	–	–	–	1	1	3	4	2	–	–	–	63
11	2	–	5	1	–	2	3	1	–	–	–	–	3	1	4	1	1	2	–	–	64
3	1	–	2	1	–	1	1	1	–	–	–	–	3	3	2	1	3	–	–	–	65
23	10	–	11	1	1	4	1	–	–	–	–	–	1	–	3	2	4	–	3	–	66
6	1	–	1	–	1	1	1	–	–	–	–	–	–	1	3	–	–	1	–	–	67
20	13	–	2	–	–	6	3	1	–	–	–	–	–	1	6	3	–	1	2	–	68
3,008	208	20	922	158	132	271	106	32	167	37	5	108	187	126	817	282	346	231	285	20	69
21	–	–	3	1	–	–	–	1	1	–	–	–	2	3	8	5	3	1	2	1	70
25	2	–	8	1	1	1	2	–	3	1	–	3	4	1	6	3	3	1	2	–	71
26	2	–	8	1	1	1	2	–	3	1	–	3	4	1	7	3	3	1	2	–	72
2,178	155	17	663	97	93	194	72	24	136	25	4	64	127	82	592	173	252	150	250	12	73
20	2	–	6	2	1	1	1	–	1	–	–	3	1	1	13	5	2	2	2	–	74
21	4	–	14	3	1	1	2	–	2	1	–	–	4	6	7	2	4	–	1	–	75
140	14	–	46	6	7	16	5	1	5	–	1	11	11	8	43	19	16	20	7	2	76
76	3	–	17	20	4	5	7	1	2	3	–	4	7	3	25	12	7	4	5	–	77
91	4	–	19	27	4	5	7	1	4	3	–	5	8	3	28	12	7	4	6	–	78
22	2	–	13	2	2	4	3	–	3	1	–	–	–	–	11	2	1	3	1	–	79
125	7	–	41	13	7	20	1	2	4	2	–	6	8	9	43	21	21	17	5	1	80
42	2	–	19	2	1	2	1	–	–	1	–	–	–	1	7	4	3	2	1	–	81
106	2	2	18	2	2	4	–	–	3	–	–	8	6	5	21	14	12	7	6	1	82
54	3	–	13	2	4	4	4	–	1	–	–	7	7	2	14	5	7	9	–	2	83
55	3	–	13	2	4	4	4	–	1	–	–	7	8	2	14	5	7	9	–	2	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
	Dallas—Con.																	
01	University Park	174	–	–	–	50	22	7	6	5	1	3	6	1	92	62	3	1
02	Balance of county	362	1	–	1	65	16	18	7	9	2	1	12	10	182	134	2	–
03	Dawson	155	–	–	–	24	8	4	2	4	–	3	3	3	92	53	1	–
04	Lamesa	125	–	–	–	20	7	3	2	3	–	2	3	2	71	40	–	–
05	Balance of county	30	–	–	–	4	1	1	–	1	–	1	–	1	21	13	1	–
06	Deaf Smith	141	–	–	1	25	8	3	3	3	–	1	7	2	53	40	1	–
07	Hereford	110	–	–	1	17	6	3	3	1	–	–	4	2	41	30	–	–
08	Balance of county	31	–	–	–	8	2	–	–	2	–	1	3	–	12	10	1	–
09	Delta	88	–	–	–	14	3	4	–	2	–	2	3	1	47	33	1	1
10	Denton	575	1	–	3	98	20	25	14	8	6	3	22	10	258	197	1	2
11	Carrollton, part	4	–	–	–	2	–	–	–	1	1	–	–	–	1	1	–	–
12	Denton	260	1	–	3	45	8	11	7	3	3	1	12	5	119	91	–	1
13	Balance of county	311	–	–	–	51	12	14	7	4	2	2	10	5	138	105	1	1
14	De Witt	281	1	–	2	56	12	13	4	5	6	4	12	5	140	95	2	1
15	Dickens	56	–	–	–	12	2	3	–	3	–	2	2	1	30	21	–	–
16	Dimmit	63	–	–	–	11	4	2	–	2	1	–	2	3	35	23	–	–
17	Donley	57	–	–	–	7	3	–	–	1	–	1	2	–	33	20	–	1
18	Duval	108	–	–	–	11	5	1	–	1	–	1	3	3	60	50	1	2
19	Eastland	327	–	–	3	67	21	15	5	6	4	2	14	7	178	119	1	–
20	Ector	632	–	–	5	126	26	38	6	17	6	6	27	10	207	143	4	1
21	Odessa	578	–	–	4	116	25	35	6	15	6	6	23	10	192	129	3	1
22	Balance of county	54	–	–	1	10	1	3	–	2	–	–	4	–	15	14	1	–
23	Edwards	30	–	–	1	3	2	1	–	–	–	–	–	1	11	10	–	–
24	Ellis	531	3	–	10	91	29	21	8	7	6	2	18	7	216	141	3	–
25	Ennis	154	1	–	4	29	7	6	6	3	3	–	4	2	64	41	–	–
26	Waxahachie	160	–	–	1	31	11	7	1	1	1	1	9	2	60	36	–	–
27	Balance of county	217	2	–	5	31	11	8	1	3	2	1	5	3	92	64	3	–
28	El Paso	2,374	9	–	30	440	122	91	45	51	16	21	94	52	976	694	25	18
29	El Paso	2,221	9	–	29	419	116	88	44	49	16	18	88	48	915	652	25	16
30	Balance of county	153	–	–	1	21	6	3	1	2	–	3	6	4	61	42	–	2
31	Erath	235	–	–	1	37	6	14	3	4	3	2	5	10	126	98	–	3
32	Falls	233	–	–	1	36	10	10	1	4	–	1	10	4	132	90	–	–
33	Fannin	314	–	–	–	56	15	15	3	5	2	4	12	4	166	128	2	4
34	Fayette	286	–	–	4	42	10	10	4	5	3	–	10	7	170	127	1	4
35	Fisher	61	–	–	–	10	6	–	1	1	–	–	2	–	33	20	–	–
36	Floyd	98	–	–	2	13	4	3	–	2	–	1	3	1	55	34	–	–
37	Foard	21	–	–	–	1	–	1	–	–	–	–	–	–	11	9	1	–
38	Fort Bend	477	1	–	4	76	14	19	9	6	1	8	19	16	205	139	1	4
39	Houston, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Rosenburg	117	1	–	2	14	7	4	–	–	–	1	2	1	50	34	–	–
41	Balance of county	359	–	–	2	62	7	15	9	6	1	7	17	15	155	105	1	4
42	Franklin	84	–	–	–	16	4	2	–	6	–	1	3	–	47	27	–	–
43	Freestone	202	1	–	1	28	8	10	1	3	–	–	6	–	107	89	–	–
44	Frio	96	–	–	1	13	3	4	1	–	1	1	3	4	60	40	–	1
45	Gaines	83	–	–	1	8	1	2	–	2	–	1	2	2	46	40	1	–
46	Galveston	1,549	1	2	15	297	78	76	15	28	14	16	70	31	760	603	12	7
47	Galveston	776	1	1	8	154	44	43	3	16	6	10	32	10	392	304	6	3
48	La Marque	104	–	–	–	19	5	4	1	1	2	1	5	3	49	40	–	–
49	League City	48	–	–	–	8	1	2	–	1	–	–	4	–	25	21	–	–
50	Texas City	280	–	–	4	58	14	12	6	7	2	1	16	10	124	99	1	1
51	Balance of county	341	–	1	3	58	14	15	5	3	4	4	13	8	170	139	5	3
52	Garza	63	–	–	1	12	3	5	1	1	–	–	2	–	29	19	–	1
53	Gillespie	163	–	–	–	27	10	6	1	2	1	1	6	3	109	83	–	1
54	Glasscock	6	–	–	–	1	–	–	–	–	–	1	–	–	2	2	–	–
55	Goliad	65	–	–	–	12	4	3	1	–	–	–	4	1	28	11	–	–
56	Gonzales	215	–	–	2	27	4	9	2	4	1	2	5	4	132	105	3	6
57	Gray	267	–	–	1	47	12	12	5	7	2	2	7	6	133	100	–	7
58	Pampa	228	–	–	1	38	10	9	5	6	2	1	5	6	114	83	–	6
59	Balance of county	39	–	–	–	9	2	3	–	1	–	1	2	–	19	17	–	1
60	Grayson	974	1	–	3	172	50	51	10	12	14	7	28	8	537	393	1	4
61	Denison	347	1	–	1	64	17	22	3	5	5	1	11	1	200	149	–	3
62	Sherman	299	–	–	–	53	13	16	4	3	4	5	8	4	163	112	–	–
63	Balance of county	328	–	–	2	55	20	13	3	4	5	1	9	3	174	132	1	1
64	Gregg	820	–	–	5	149	37	42	8	25	6	5	26	12	369	255	2	3
65	Longview	462	–	–	3	92	30	27	3	15	4	3	10	8	210	136	2	1
66	Balance of county	358	–	–	2	57	7	15	5	10	2	2	16	4	159	119	–	2
67	Grimes	182	–	–	1	26	4	6	3	6	4	–	3	7	106	79	–	1
68	Guadalupe	303	2	–	4	48	12	15	2	4	3	2	10	1	143	112	2	–
69	Seguin	148	2	–	3	23	5	8	1	2	1	1	5	1	75	60	1	–
70	Balance of county	155	–	–	1	25	7	7	1	2	2	1	5	–	68	52	1	–
71	Hale	298	1	–	3	42	10	6	8	4	2	3	9	2	149	93	1	1
72	Plainview	184	–	–	2	28	7	4	6	3	1	2	5	1	92	52	1	1
73	Balance of county	114	1	–	1	14	3	2	2	1	1	1	4	1	57	41	–	–
74	Hall	98	–	–	–	19	3	6	–	4	–	–	6	1	55	36	1	1
75	Hamilton	139	–	–	–	27	8	9	2	1	1	1	5	4	76	47	–	–
76	Hansford	38	1	–	–	10	2	3	2	2	–	–	1	–	18	13	–	1
77	Hardeman	114	–	–	1	16	3	5	1	1	–	2	4	2	56	39	–	1
78	Hardin	317	1	–	2	57	14	17	4	4	2	1	15	9	154	108	1	2
79	Harris	12,849	39	1	117	2,378	535	747	212	269	89	87	439	207	5,737	4,126	60	39
80	Baytown	314	–	–	6	46	15	13	1	4	2	3	8	8	147	105	–	1
81	Bellaire	117	1	–	–	22	4	6	2	4	–	–	6	1	63	43	–	–
82	Deer Park	64	–	–	–	13	3	3	2	1	–	–	4	–	23	16	–	–
83	Galena Park	50	–	–	2	10	3	2	–	–	–	1	4	1	23	18	–	–
84	Houston, part	10,257	37	–	95	1,916	436	602	181	221	68	61	347	161	4,626	3,306	49	30

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
55	3	–	21	3	6	4	6	1	1	1	–	–	1	–	9	1	1	5	–	1	01
123	9	1	40	4	3	15	2	2	5	2	–	2	9	5	18	16	14	10	3	–	02
46	6	2	33	2	2	2	1	1	2	–	–	1	4	1	10	1	6	–	6	1	03
36	4	–	28	1	2	2	1	1	2	–	–	1	3	1	10	1	3	–	6	1	04
10	2	2	5	1	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	05
35	4	–	10	1	2	9	2	–	–	–	1	1	7	1	17	8	11	1	2	–	06
27	3	–	8	1	2	7	1	–	–	–	1	1	5	–	16	7	9	1	1	–	07
8	1	–	2	–	–	2	1	–	–	–	–	–	2	1	1	1	2	–	1	–	08
22	9	–	12	2	–	2	4	–	–	–	–	–	–	3	12	–	5	–	–	–	09
163	31	1	49	5	6	14	17	1	6	2	–	12	13	27	41	29	24	12	7	–	10
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	11
77	13	–	23	2	3	9	8	1	1	1	–	5	3	6	17	13	13	6	4	–	12
85	18	1	26	3	3	5	9	–	5	1	–	7	10	21	23	16	11	6	3	–	13
71	21	1	36	8	–	18	5	1	1	–	–	1	4	8	26	2	3	6	2	–	14
20	1	–	8	–	1	1	–	–	–	–	–	1	2	4	4	1	–	–	–	–	15
15	8	–	10	2	–	1	–	–	2	–	–	–	1	3	5	1	–	–	1	–	16
17	2	–	11	2	–	3	2	–	–	–	–	–	1	2	6	1	2	–	–	–	17
40	7	–	8	1	1	3	2	1	–	2	–	–	3	7	7	3	1	3	1	1	18
90	28	–	47	8	4	25	3	–	2	1	–	2	1	2	17	6	7	6	–	–	19
114	24	4	40	10	10	27	18	3	17	2	–	10	16	53	57	28	32	10	11	–	20
103	22	4	39	10	10	24	18	2	16	2	–	10	15	46	50	24	30	8	11	–	21
11	2	–	1	–	–	3	–	1	1	–	–	–	1	7	7	4	2	2	–	–	22
7	3	–	–	1	–	2	–	–	–	–	–	–	–	1	5	1	2	3	–	–	23
123	15	2	57	5	11	18	14	4	2	3	–	3	10	68	45	11	15	8	3	–	24
33	8	–	20	–	3	6	3	2	–	3	–	1	2	16	9	1	6	4	1	–	25
35	1	1	15	4	4	7	8	1	–	–	–	1	2	24	18	3	2	–	–	–	26
55	6	1	22	1	4	5	3	1	2	–	–	1	6	28	18	7	7	4	2	–	27
564	87	9	205	35	33	83	25	8	64	18	1	28	61	36	260	76	118	58	29	2	28
534	77	7	192	32	32	76	24	8	59	16	1	27	56	32	247	60	113	55	25	2	29
30	10	2	13	3	1	7	1	–	5	2	–	1	5	4	13	16	5	3	4	–	30
61	34	–	18	6	4	12	4	–	1	1	–	2	–	3	22	3	7	3	3	–	31
76	14	2	35	4	1	5	1	1	5	1	–	1	1	5	18	6	10	4	2	–	32
103	19	1	32	2	3	13	4	1	4	4	–	2	3	18	25	–	8	3	3	–	33
92	30	1	34	5	3	7	6	–	2	2	–	–	3	13	13	6	1	7	3	–	34
20	–	–	6	6	1	3	1	–	1	–	–	–	1	5	2	2	1	2	–	–	35
25	9	–	14	6	1	4	1	–	–	1	–	–	1	1	10	3	6	–	–	–	36
7	1	–	1	–	1	1	–	–	1	–	–	–	–	–	3	1	2	1	–	–	37
91	43	–	43	11	12	14	5	–	6	1	1	2	10	17	46	26	26	9	12	–	38
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	39
24	10	–	9	4	3	5	3	–	2	–	–	–	2	2	13	9	7	3	3	–	40
67	33	–	34	7	9	9	2	–	4	1	1	2	8	15	33	17	19	6	8	–	41
26	1	–	20	–	–	1	2	–	1	1	–	–	–	2	3	3	5	1	2	–	42
80	9	–	14	3	1	9	2	1	–	3	–	1	3	8	14	10	9	2	3	–	43
35	4	–	13	6	1	1	–	–	–	–	–	1	1	–	4	6	4	–	1	–	44
28	11	–	5	–	1	3	2	–	2	–	–	–	5	2	4	3	4	–	1	–	45
546	38	4	113	25	15	41	13	4	23	13	–	16	29	10	138	42	52	32	27	3	46
276	19	3	64	15	6	19	5	3	14	7	–	6	7	3	77	10	22	22	15	–	47
39	1	–	6	2	1	3	3	–	–	1	–	2	5	1	9	3	2	2	2	–	48
19	2	–	2	1	1	2	–	–	–	–	–	2	2	2	3	2	1	1	–	–	49
93	4	1	19	2	3	7	2	1	5	4	–	2	8	2	25	9	9	3	7	–	50
119	12	–	22	5	4	10	3	–	4	1	–	4	7	2	24	18	18	4	3	3	51
14	4	–	8	–	2	5	–	1	1	1	–	–	–	2	7	4	–	–	–	–	52
71	11	–	19	5	2	2	–	1	2	1	–	2	–	–	6	5	4	1	–	–	53
2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	54
9	2	–	12	5	–	2	–	3	1	–	–	–	–	1	3	6	2	5	1	–	55
86	10	1	19	5	2	3	3	–	1	3	–	–	2	17	9	3	7	1	1	–	56
84	9	1	21	8	3	13	4	2	6	–	–	3	7	7	17	1	13	6	1	–	57
71	6	1	19	8	3	10	4	2	6	–	–	3	6	6	15	–	10	6	1	–	58
13	3	–	2	–	–	3	–	–	–	–	–	–	1	1	2	1	3	–	–	–	59
343	45	2	104	20	18	26	8	2	11	3	–	7	6	57	72	24	19	11	7	–	60
124	22	1	37	7	6	11	4	–	2	–	–	4	–	15	27	3	7	4	3	–	61
107	5	1	34	8	8	6	4	–	6	2	–	1	2	13	20	14	7	3	1	–	62
112	18	–	33	5	4	9	–	2	3	1	–	2	4	29	25	7	5	4	3	–	63
217	33	7	93	7	7	15	9	1	11	4	–	4	11	57	81	33	26	18	15	–	64
116	17	4	65	3	2	7	8	–	5	2	–	4	6	31	43	12	11	11	9	–	65
101	16	3	28	4	5	8	1	1	6	2	–	–	5	26	38	21	15	7	6	–	66
64	14	1	24	1	1	–	1	2	2	–	–	–	1	11	14	6	3	1	1	–	67
95	15	1	24	2	4	6	6	–	6	–	–	3	3	28	29	11	7	3	3	–	68
51	8	1	11	1	2	–	1	–	3	–	–	2	2	9	15	6	3	2	1	–	69
44	7	–	13	1	2	6	5	–	3	–	–	1	1	19	14	5	4	1	2	–	70
79	12	–	49	2	5	7	10	1	2	–	–	–	11	19	23	10	12	3	2	1	71
45	5	–	35	2	3	6	5	–	1	–	–	–	6	14	15	4	8	1	–	1	72
34	7	–	14	–	2	1	5	1	1	–	–	–	5	5	8	6	4	2	2	–	73
27	7	–	17	1	1	3	5	–	–	–	–	1	1	–	8	–	2	2	1	–	74
35	12	–	25	1	3	8	1	1	–	–	–	1	–	6	7	3	4	1	–	–	75
9	3	–	3	1	1	–	–	1	–	–	–	2	–	3	2	1	–	–	–	–	76
34	4	–	15	1	1	7	–	–	–	1	1	3	1	2	11	7	6	–	–	–	77
87	18	2	32	9	3	10	5	2	2	5	–	1	7	26	15	7	8	2	4	–	78
3,711	316	37	1,273	179	122	407	178	34	252	58	2	134	304	126	1,097	515	515	313	427	8	79
94	10	1	35	3	3	5	5	2	8	2	–	3	6	1	30	23	14	1	7	–	80
37	6	–	16	3	1	1	1	2	2	1	–	–	2	1	11	3	1	3	2	–	81
15	1	–	4	2	1	1	–	–	1	–	–	–	4	–	9	2	5	4	2	–	82
18	–	1	3	1	–	–	1	–	–	–	–	1	1	2	4	2	1	2	–	–	83
2,979	248	29	1,042	152	97	338	139	22	213	45	2	96	239	92	869	349	398	238	376	6	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
	Harris—Con.																	
01	Houston, total	10,258	37	–	95	1,916	436	602	181	221	68	61	347	161	4,626	3,306	49	30
02	Pasadena	513	–	–	2	92	14	26	4	10	8	7	23	9	216	156	3	3
03	South Houston	69	–	–	–	18	7	5	2	1	–	1	2	–	29	24	–	–
04	West University Place	64	–	–	–	11	3	2	2	4	–	–	–	–	37	28	1	1
05	Balance of county	1,401	1	1	12	250	50	88	18	24	11	14	45	27	573	430	7	4
06	Harrison	474	1	–	4	75	18	16	4	12	5	4	16	9	254	169	3	3
07	Marshall	273	–	–	3	41	7	8	2	7	3	3	11	6	160	102	2	2
08	Balance of county	201	1	–	1	34	11	8	2	5	2	1	5	3	94	67	1	1
09	Hartley	33	–	–	–	4	2	1	–	–	–	–	1	–	18	13	–	–
10	Haskell	123	–	–	–	21	4	3	2	4	1	1	6	5	74	38	–	–
11	Hays	203	–	–	6	40	13	10	1	6	1	2	7	5	112	73	2	–
12	San Marcos	128	–	–	6	28	11	7	–	5	1	1	3	3	67	44	2	–
13	Balance of county	75	–	–	–	12	2	3	1	1	–	1	4	2	45	29	–	–
14	Hemphill	36	–	–	–	5	2	1	–	1	–	–	1	–	15	10	–	–
15	Henderson	359	–	1	–	63	14	15	5	13	2	2	12	5	143	110	1	5
16	Hidalgo	1,470	3	1	23	255	67	56	19	38	15	8	52	43	614	443	1	6
17	Edinburg	153	–	–	1	26	6	5	4	3	2	1	5	6	70	42	–	–
18	McAllen	342	1	–	11	63	19	14	5	10	4	1	10	13	145	114	–	1
19	Mission	117	–	–	–	19	7	2	2	5	1	–	2	5	45	28	–	–
20	Pharr	111	–	–	–	20	6	8	1	2	–	–	3	5	47	33	1	1
21	Weslaco	144	–	–	2	19	6	5	–	2	2	1	3	4	71	50	–	–
22	Balance of county	603	2	1	9	108	23	22	7	16	6	5	29	10	236	176	–	4
23	Hill	331	–	–	1	64	15	25	1	5	3	3	12	7	173	129	1	7
24	Hockley	164	–	–	3	33	11	7	1	3	–	–	11	–	61	46	1	–
25	Levelland	106	–	–	1	18	6	5	–	2	–	–	5	–	47	37	1	–
26	Balance of county	58	–	–	2	15	5	2	1	1	–	–	6	–	14	9	–	–
27	Hood	135	1	–	1	27	8	6	1	2	–	2	8	–	64	47	–	–
28	Hopkins	296	–	–	3	44	12	8	2	6	–	2	14	7	164	106	–	5
29	Sulphur Springs	172	–	–	2	22	3	4	2	5	–	–	8	4	98	63	–	2
30	Balance of county	124	–	–	1	22	9	4	–	1	–	2	6	3	66	43	–	3
31	Houston	245	–	–	3	36	9	8	1	8	1	3	6	6	142	101	–	–
32	Howard	316	–	–	4	55	21	15	3	4	5	2	5	2	132	85	2	1
33	Big Spring	266	–	–	3	50	19	14	2	4	4	2	5	2	109	71	2	1
34	Balance of county	50	–	–	1	5	2	1	1	–	1	–	–	–	23	14	–	–
35	Hudspeth	15	–	–	1	1	–	–	–	–	–	–	1	–	6	5	–	–
36	Hunt	581	4	–	3	105	27	34	5	10	1	4	24	8	295	211	2	2
37	Greenville	290	3	–	2	46	12	14	3	6	1	–	10	2	154	109	–	–
38	Balance of county	291	1	–	1	59	15	20	2	4	–	4	14	6	141	102	2	2
39	Hutchinson	226	–	–	–	30	8	8	3	2	–	1	8	4	121	88	–	1
40	Borger	161	–	–	–	20	6	4	2	–	–	1	7	4	85	63	–	–
41	Balance of county	65	–	–	–	10	2	4	1	2	–	–	1	–	36	25	–	1
42	Irion	15	–	–	–	6	1	2	–	2	–	1	–	–	7	6	–	–
43	Jack	95	–	–	–	16	5	5	–	–	1	2	3	1	48	38	–	–
44	Jackson	103	–	–	3	20	3	6	2	3	1	–	5	3	54	44	–	2
45	Jasper	292	–	–	–	49	11	16	6	5	–	2	9	5	148	100	2	1
46	Jeff Davis	15	–	–	–	4	–	1	–	2	–	–	1	–	7	4	–	–
47	Jefferson	2,262	4	–	17	459	118	127	34	40	19	25	96	58	1,088	797	13	25
48	Beaumont	1,179	3	–	9	236	54	72	19	22	8	13	48	31	592	449	6	18
49	Groves	117	–	–	–	23	7	5	2	–	1	4	4	4	61	37	–	–
50	Nederland	111	–	–	1	19	7	3	3	2	2	2	–	1	50	35	1	–
51	Port Arthur	603	1	–	5	132	41	30	8	15	7	4	27	17	263	190	3	3
52	Port Neches	86	–	–	1	21	5	4	1	1	–	1	9	2	36	28	1	2
53	Balance of county	166	–	–	1	28	4	13	1	–	1	1	8	3	86	58	2	2
54	Jim Hogg	36	–	–	–	8	3	–	2	1	–	1	1	1	14	11	–	–
55	Jim Wells	244	1	–	1	43	12	10	1	8	2	1	9	7	119	92	1	1
56	Alice	153	–	–	1	23	5	7	–	5	1	1	4	2	81	59	–	1
57	Balance of county	91	1	–	–	20	7	3	1	3	1	–	5	5	38	33	1	–
58	Johnson	517	2	–	3	102	21	19	6	19	5	2	30	12	271	179	3	1
59	Cleburne	238	2	–	–	45	7	11	2	9	1	1	14	7	125	85	1	–
60	Fort Worth, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
61	Balance of county	278	–	–	3	57	14	8	4	10	4	1	16	5	145	93	2	1
62	Jones	249	–	–	2	42	9	10	6	3	3	4	7	3	129	93	1	6
63	Abilene, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
64	Balance of county	248	–	–	2	42	9	10	6	3	3	4	7	3	129	93	1	6
65	Karnes	129	–	–	–	24	8	7	–	3	1	2	3	4	68	46	–	1
66	Kaufman	398	–	–	3	66	12	17	2	10	2	8	15	10	201	137	1	1
67	Terrell	156	–	–	1	32	5	7	1	5	1	5	8	1	82	63	–	–
68	Balance of county	242	–	–	2	34	7	10	1	5	1	3	7	9	119	74	1	1
69	Kendall	102	–	–	–	19	2	7	2	1	–	1	6	–	58	41	–	–
70	Kenedy	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
71	Kent	11	–	–	–	1	–	1	–	–	–	–	–	–	4	3	–	–
72	Kerr	289	–	–	–	50	20	11	2	7	3	1	6	6	157	103	–	–
73	Kerrville	214	–	–	–	42	15	9	2	7	3	1	5	6	111	69	–	–
74	Balance of county	75	–	–	–	8	5	2	–	–	–	–	1	–	46	34	–	–
75	Kimble	48	–	–	–	5	2	1	1	–	–	–	1	1	27	20	–	–
76	King	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
77	Kinney	26	–	–	–	3	2	–	–	–	–	–	1	1	14	9	–	–
78	Kleberg	181	–	–	–	29	10	5	3	3	1	–	7	4	71	46	1	–
79	Kingsville	157	–	–	–	27	8	5	3	3	1	–	7	2	62	39	1	–
80	Balance of county	24	–	–	–	2	2	–	–	–	–	–	–	2	9	7	–	–
81	Knox	75	–	–	3	9	1	2	1	2	1	1	1	1	41	19	–	–
82	Lamar	448	–	–	1	76	13	23	4	7	5	3	21	7	236	146	1	10
83	Paris	300	–	–	–	50	10	14	2	4	5	3	12	4	159	98	1	7
84	Balance of county	148	–	–	1	26	3	9	2	3	–	–	9	3	77	48	–	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix)

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
2,979	248	29	1,042	152	97	338	139	22	213	45	2	96	239	92	869	349	398	238	377	6	01
138	12	2	49	3	6	18	9	2	9	1	–	11	13	10	49	27	19	15	11	–	02
23	1	–	5	–	–	1	1	–	2	–	–	–	1	–	6	5	4	2	–	–	03
25	1	1	6	2	–	1	1	–	1	–	–	1	–	–	7	2	1	1	1	–	04
382	37	3	113	13	14	42	21	6	16	9	–	22	38	20	112	102	72	47	28	2	05
127	36	2	69	6	8	12	6	1	7	–	–	2	7	11	42	17	18	3	5	–	06
79	19	1	46	6	5	7	3	1	2	–	–	2	5	3	20	7	10	–	3	–	07
48	17	1	23	–	3	5	3	–	5	–	–	–	2	8	22	10	8	3	2	–	08
10	3	–	5	–	–	4	–	–	–	–	–	1	–	–	2	–	1	3	–	–	09
34	4	–	25	8	3	5	–	–	1	1	–	–	–	–	8	3	4	1	–	–	10
56	15	–	34	4	1	2	–	3	–	2	–	2	2	–	9	6	7	2	5	–	11
34	8	–	23	–	–	1	–	–	–	1	–	2	2	–	6	3	4	–	5	–	12
22	7	–	11	4	1	1	–	3	–	1	–	–	–	–	3	3	3	2	–	–	13
10	–	–	5	–	–	–	–	1	–	–	–	–	1	4	3	2	5	–	–	–	14
93	11	–	23	5	5	9	3	2	1	4	–	2	4	53	25	14	18	6	6	–	15
372	64	6	127	21	17	54	13	4	28	4	3	18	43	67	122	89	45	20	20	1	16
37	5	–	18	4	6	–	2	–	3	–	–	3	2	8	11	12	5	2	2	–	17
91	22	–	24	4	3	7	2	1	8	1	–	3	9	12	31	17	9	6	3	–	18
26	2	2	12	1	2	–	4	1	4	–	1	1	3	9	9	9	3	1	3	–	19
27	4	–	12	1	1	4	–	–	2	–	–	2	2	9	9	3	4	2	2	–	20
49	1	1	13	3	4	11	–	–	2	–	–	2	4	2	13	8	4	1	1	–	21
142	30	3	48	8	1	32	5	2	9	3	2	7	23	27	49	40	20	8	9	1	22
84	37	–	29	12	3	9	4	–	1	5	–	1	3	10	34	5	7	5	1	1	23
33	12	–	10	3	2	5	3	1	2	2	–	1	5	9	18	10	5	5	1	–	24
28	8	–	6	2	2	4	1	1	2	1	–	1	3	5	12	2	5	3	–	–	25
5	4	–	4	1	–	1	2	–	–	1	–	–	2	4	6	8	–	2	1	–	26
35	12	–	14	–	3	7	2	–	1	1	1	1	2	3	7	3	10	4	–	–	27
88	13	1	47	7	3	9	8	–	–	–	–	2	3	14	22	6	10	4	–	–	28
50	11	1	27	5	2	7	3	–	–	–	–	1	1	9	16	2	5	2	–	–	29
38	2	–	20	2	1	2	5	–	–	–	–	1	2	5	6	4	5	2	–	–	30
87	14	1	33	6	1	6	3	2	1	1	1	3	1	18	13	3	4	–	2	–	31
62	20	2	35	5	5	12	6	1	7	1	–	4	12	29	14	14	12	3	8	–	32
53	15	2	29	5	2	9	6	1	7	1	–	4	8	25	13	9	9	3	7	–	33
9	5	–	6	–	3	3	–	–	–	–	–	–	4	4	1	5	3	–	1	–	34
4	1	–	1	–	–	1	–	–	–	–	–	–	–	–	2	2	–	1	1	–	35
175	32	4	69	6	5	30	4	1	1	2	–	1	11	26	41	18	19	–	8	4	36
99	10	2	36	3	4	16	1	1	–	1	–	–	7	13	23	6	8	–	6	1	37
76	22	2	33	3	1	14	3	–	1	1	–	1	4	13	18	12	11	–	2	3	38
76	11	1	26	3	3	5	5	3	9	–	–	2	8	2	15	8	11	2	1	–	39
56	7	–	18	2	2	5	4	3	5	–	–	2	7	2	12	3	8	–	1	–	40
20	4	1	8	1	1	–	1	–	4	–	–	–	1	–	3	5	3	2	–	–	41
5	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	42
32	6	–	7	2	1	2	2	–	–	–	–	–	–	3	9	4	9	1	–	–	43
35	7	–	6	1	3	3	–	–	–	2	–	–	1	–	9	3	3	1	1	–	44
80	17	–	44	3	1	7	8	2	3	–	–	1	3	16	23	7	14	4	2	–	45
4	–	–	2	–	1	–	1	–	–	1	–	–	–	–	1	1	–	–	–	–	46
644	115	8	211	36	36	65	28	4	24	14	–	16	41	15	204	68	81	37	39	–	47
356	69	6	99	22	16	31	17	–	14	7	–	7	21	8	106	29	42	13	13	–	48
31	6	–	20	3	1	2	1	1	–	1	–	1	1	–	8	2	4	4	4	–	49
33	1	–	10	1	4	5	1	–	1	2	–	1	5	–	7	10	5	2	1	–	50
156	28	2	55	6	10	19	7	3	8	4	–	5	7	5	61	15	20	14	17	–	51
24	1	–	6	1	1	2	–	–	–	–	–	–	2	1	11	6	2	1	1	–	52
44	10	–	21	3	4	6	2	–	1	–	–	2	5	1	11	6	8	3	3	–	53
10	1	–	2	–	1	1	1	–	–	–	–	1	2	5	1	1	1	–	–	–	54
80	10	–	19	5	3	12	6	–	1	–	1	2	6	6	12	14	7	3	3	–	55
55	3	–	15	5	2	7	5	–	–	–	–	–	5	5	7	10	2	2	3	–	56
25	7	–	4	–	1	5	1	–	1	–	1	2	1	1	5	4	5	1	–	–	57
146	29	–	74	10	8	12	8	1	3	2	–	4	9	8	42	9	18	9	2	–	58
74	10	–	32	4	4	8	1	–	2	1	–	2	4	3	22	2	9	4	1	–	59
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60
72	18	–	42	6	4	4	7	1	1	1	–	2	5	5	20	7	9	5	1	–	61
71	15	–	30	1	5	6	4	–	–	1	–	1	2	20	20	8	10	1	–	–	62
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	63
71	15	–	30	1	5	6	4	–	–	1	–	1	2	20	20	7	10	1	–	–	64
36	9	2	17	–	3	3	1	1	–	1	–	1	2	2	15	4	2	1	–	–	65
106	29	2	51	10	1	11	9	3	4	–	–	1	3	15	32	16	17	3	4	–	66
45	18	1	16	2	–	6	3	1	1	–	–	–	1	2	11	7	5	–	3	–	67
61	11	1	35	8	1	5	6	2	3	–	–	1	2	13	21	9	12	3	1	–	68
37	4	–	14	3	–	1	3	3	–	1	–	1	–	2	4	3	4	3	–	–	69
–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	70
3	–	–	–	1	–	–	–	–	–	–	–	–	–	3	–	1	2	–	–	–	71
77	26	1	35	13	5	10	5	2	5	–	–	2	2	5	24	9	7	3	2	–	72
56	13	1	28	11	2	7	4	2	1	–	–	2	2	3	18	7	5	2	2	–	73
21	13	–	7	2	3	3	1	–	4	–	–	–	–	2	6	2	2	1	–	–	74
13	7	1	5	1	–	2	–	–	–	–	–	–	1	2	7	1	1	1	–	–	75
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	76
5	4	–	5	–	–	1	1	–	1	1	–	–	–	1	2	–	–	1	–	–	77
37	8	–	25	–	–	11	5	2	1	–	–	1	3	18	16	7	7	4	2	–	78
31	7	–	23	–	–	11	5	2	1	–	–	1	3	12	15	4	6	4	2	–	79
6	1	–	2	–	–	–	–	–	–	–	–	–	–	6	1	3	1	–	–	–	80
16	3	–	19	1	2	1	1	2	–	–	–	1	1	2	8	1	3	1	–	–	81
115	20	2	62	15	11	17	5	2	5	3	–	–	5	30	32	5	15	3	5	1	82
76	14	2	38	11	10	13	4	1	3	–	–	–	4	20	23	2	8	3	5	1	83
39	6	–	24	4	1	4	1	1	2	3	–	–	1	10	9	3	7	–	–	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Lamb	180	–	–	2	33	6	12	3	5	2	1	4	6	86	58	–	1
02	Lampasas	121	–	–	1	23	4	7	3	3	–	2	4	1	69	38	1	–
03	La Salle	50	–	–	–	6	2	–	1	1	–	–	2	3	32	25	–	–
04	Lavaca	248	–	–	1	33	7	3	2	8	3	–	10	3	135	99	1	1
05	Lee	139	–	–	1	23	3	6	1	4	1	4	4	1	75	49	1	2
06	Leon	149	–	–	–	26	2	12	2	4	1	1	4	3	69	58	–	2
07	Liberty	407	–	–	1	57	12	19	1	8	2	–	15	6	185	115	1	2
08	Limestone	270	1	–	1	54	11	13	6	7	1	4	12	3	143	115	1	9
09	Lipscomb	34	–	–	–	4	1	–	–	1	1	1	–	1	22	13	1	–
10	Live Oak	66	–	–	1	14	3	3	1	3	2	–	2	3	30	13	–	1
11	Llano	135	–	–	1	29	7	6	1	4	2	1	8	–	76	56	–	2
12	Loving	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
13	Lubbock	1,223	–	–	11	206	46	51	16	26	6	10	51	19	546	400	4	6
14	Lubbock	1,029	–	–	8	175	37	47	14	19	5	9	44	17	457	337	4	4
15	Balance of county	194	–	–	3	31	9	4	2	7	1	1	7	2	89	63	–	2
16	Lynn	80	–	–	1	15	3	1	3	1	–	1	6	2	38	23	–	1
17	McCulloch	136	–	–	–	14	6	4	1	1	–	–	2	5	78	54	1	–
18	McLennan	1,633	1	–	13	315	93	80	19	44	14	9	56	25	855	566	2	3
19	Waco	1,173	1	–	5	224	67	59	11	29	9	7	42	19	618	398	2	3
20	Balance of county	460	–	–	8	91	26	21	8	15	5	2	14	6	237	168	–	–
21	McMullen	8	–	–	–	2	–	1	–	–	–	–	1	–	4	3	–	–
22	Madison	108	–	–	2	23	9	7	–	4	–	–	3	1	57	38	–	–
23	Marion	128	1	–	2	22	6	5	1	4	1	1	4	2	55	40	–	–
24	Martin	35	–	–	2	11	2	1	2	1	–	2	3	–	11	9	–	–
25	Mason	58	–	–	1	11	2	4	2	1	–	1	1	–	31	29	–	–
26	Matagorda	281	–	–	3	62	16	16	3	7	4	5	11	4	142	102	1	2
27	Bay City	163	–	–	3	29	6	9	3	3	2	2	4	1	92	61	1	1
28	Balance of county	118	–	–	–	33	10	7	–	4	2	3	7	3	50	41	–	1
29	Maverick	149	1	–	6	24	5	5	1	3	–	4	6	3	51	35	–	1
30	Eagle Pass	121	1	–	5	19	4	4	1	3	–	2	5	3	41	29	–	1
31	Balance of county	28	–	–	1	5	1	1	–	–	–	2	1	–	10	6	–	–
32	Medina	196	–	–	1	35	11	7	3	4	–	3	7	4	93	67	–	3
33	Menard	34	–	–	–	5	–	1	1	–	–	–	3	–	21	14	1	–
34	Midland	506	1	–	5	90	30	18	10	6	5	4	17	7	210	157	1	1
35	Midland	460	1	–	5	82	28	15	9	4	5	4	17	7	189	141	1	1
36	Balance of county	46	–	–	–	8	2	3	1	2	–	–	–	–	21	16	–	–
37	Milam	308	–	–	1	62	16	20	6	4	–	4	12	6	167	123	2	–
38	Mills	86	–	–	1	16	2	4	1	4	2	1	2	1	50	35	–	2
39	Mitchell	116	–	–	1	19	3	3	1	4	1	4	3	4	62	39	–	–
40	Montague	232	1	–	–	46	11	10	5	7	1	2	10	–	140	84	1	2
41	Montgomery	562	1	–	5	107	25	33	4	15	5	3	22	7	225	162	1	1
42	Conroe	170	–	–	1	25	9	7	–	3	3	–	3	3	79	54	1	–
43	Houston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
44	Balance of county	392	1	–	4	82	16	26	4	12	2	3	19	4	146	108	–	1
45	Moore	109	–	–	2	17	5	4	–	3	–	1	4	3	53	49	1	5
46	Morris	144	2	–	2	23	2	6	2	7	–	2	4	3	76	59	1	1
47	Motley	26	–	–	–	4	1	–	–	–	–	–	3	–	13	11	–	–
48	Nacogdoches	383	–	1	3	75	22	16	7	10	4	4	12	6	187	130	1	1
49	Nacogdoches	222	–	1	3	42	13	12	1	6	1	1	8	2	110	79	1	1
50	Balance of county	161	–	–	–	33	9	4	6	4	3	3	4	4	77	51	–	–
51	Navarro	457	–	–	4	81	22	16	7	13	2	3	18	8	227	135	–	–
52	Corsicana	278	–	–	1	49	15	9	5	7	1	1	11	3	142	84	–	–
53	Balance of county	179	–	–	3	32	7	7	2	6	1	2	7	5	85	51	–	–
54	Newton	103	–	–	1	15	4	2	1	3	–	–	5	1	53	39	–	–
55	Nolan	197	–	–	1	36	12	6	1	2	4	1	10	3	85	54	–	–
56	Sweetwater	155	–	–	–	30	11	5	1	2	2	1	8	2	68	45	–	–
57	Balance of county	42	–	–	1	6	1	1	–	–	2	–	2	1	17	9	–	–
58	Nueces	1,640	1	–	7	314	96	83	20	34	15	14	52	37	767	604	8	5
59	Corpus Christi	1,420	1	–	6	275	86	75	16	29	12	13	44	33	659	522	7	5
60	Robstown	99	–	–	1	18	4	4	3	1	–	–	6	1	53	37	1	–
61	Balance of county	121	–	–	–	21	6	4	1	4	3	1	2	3	55	45	–	–
62	Ochiltree	69	–	–	1	14	3	7	–	1	1	1	1	–	32	22	–	1
63	Oldham	12	–	–	–	4	2	–	1	–	–	–	1	–	5	2	–	–
64	Orange	571	1	–	6	100	26	29	7	7	5	5	21	13	236	179	3	1
65	Orange	240	–	–	2	42	13	11	5	3	–	2	8	6	92	64	1	–
66	Balance of county	331	1	–	4	58	13	18	2	4	5	3	13	7	144	115	2	1
67	Palo Pinto	251	–	–	1	46	13	10	6	3	2	1	11	2	102	69	–	1
68	Mineral Wells, part	161	–	–	1	25	7	6	4	2	2	–	4	1	61	43	–	–
69	Mineral Wells, total	162	–	–	1	26	7	7	4	2	2	–	4	1	61	43	–	–
70	Balance of county	90	–	–	–	21	6	4	2	1	–	1	7	1	41	26	–	1
71	Panola	179	–	–	–	29	7	7	2	2	1	3	7	6	95	57	1	–
72	Parker	330	1	–	1	71	19	17	8	6	3	5	13	4	166	119	–	3
73	Mineral Wells, part	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
74	Weatherford	184	1	–	–	39	10	12	4	4	3	1	5	2	99	69	–	1
75	Balance of county	145	–	–	1	31	9	4	4	2	–	4	8	2	67	50	–	2
76	Parmer	55	–	–	–	11	2	4	1	1	1	–	2	–	25	16	–	–
77	Pecos	99	–	–	2	13	4	5	1	1	–	–	2	1	42	34	–	–
78	Polk	229	–	–	1	48	14	11	2	4	1	1	15	1	116	73	–	2
79	Potter	915	1	–	7	123	28	38	6	19	5	2	25	5	522	389	7	3
80	Amarillo, part	900	1	–	7	121	28	37	6	19	4	2	25	5	512	382	7	3
81	Amarillo, total	1,154	1	–	8	175	48	44	14	26	4	5	34	7	644	479	8	4
82	Balance of county	15	–	–	–	2	–	1	–	–	1	–	–	–	10	7	–	–
83	Presidio	38	–	–	–	5	1	2	1	–	–	1	–	1	21	13	–	1
84	Rains	37	–	–	–	6	1	3	–	–	–	–	2	–	24	14	–	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
48	9	2	23	2	1	3	–	–	2	–	–	1	3	5	22	9	6	1	1	–	01
26	11	1	21	4	5	4	1	–	–	–	–	1	1	4	7	4	1	1	3	–	02
21	4	1	6	–	–	1	1	–	–	–	–	–	–	–	2	4	–	–	1	–	03
80	17	–	25	4	7	9	3	–	1	2	–	1	–	25	20	6	6	3	–	–	04
36	10	–	20	2	4	9	–	–	–	1	–	1	1	3	16	4	1	1	2	–	05
48	8	1	7	2	1	4	–	–	1	–	–	2	–	18	13	7	4	–	2	–	06
87	25	1	47	16	6	10	8	1	1	3	–	2	13	37	30	27	11	8	7	–	07
84	21	–	24	2	2	7	1	1	2	–	–	–	7	10	22	7	7	2	2	–	08
9	3	1	8	–	–	–	–	–	–	–	–	–	2	–	3	–	2	–	–	–	09
11	1	–	17	–	–	1	1	–	3	–	–	–	1	3	3	5	–	1	–	–	10
46	8	–	11	5	4	3	2	2	3	–	–	–	–	4	9	1	2	1	2	–	11
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	12
272	118	3	107	21	15	51	27	2	16	1	–	19	37	24	101	53	44	25	41	–	13
227	102	3	91	14	12	44	23	2	13	1	–	18	32	21	87	41	38	22	30	–	14
45	16	–	16	7	3	7	4	–	3	–	–	1	5	3	14	12	6	3	11	–	15
19	3	–	9	2	4	3	2	1	3	–	–	–	–	2	8	2	2	1	–	–	16
48	5	1	21	–	2	8	1	–	1	–	–	–	1	1	16	7	3	1	–	–	17
381	180	12	234	25	18	58	18	4	21	13	–	8	24	17	127	40	46	20	25	3	18
262	131	10	177	20	13	37	13	2	17	11	–	7	20	12	86	34	29	15	21	2	19
119	49	2	57	5	5	21	5	2	4	2	–	1	4	5	41	6	17	5	4	1	20
3	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	21
30	8	–	12	5	2	6	–	–	–	3	–	–	–	5	7	3	1	–	–	–	22
24	16	–	12	2	1	5	1	1	1	–	–	–	–	7	11	10	7	1	2	–	23
8	1	–	2	–	–	2	1	–	1	–	–	1	1	1	1	1	2	–	–	–	24
21	8	–	1	1	–	2	–	–	–	–	–	–	–	–	7	2	2	1	–	1	25
71	28	3	30	3	4	3	4	–	2	1	–	1	4	2	28	7	11	2	4	1	26
43	16	2	24	1	4	1	2	–	2	1	–	1	2	1	15	4	3	1	4	1	27
28	12	1	6	2	–	2	2	–	–	–	–	–	2	1	13	3	8	1	–	–	28
26	8	–	14	–	2	4	2	1	3	–	–	2	2	11	14	14	4	1	3	3	29
21	7	–	11	–	1	4	1	1	2	–	–	1	2	11	13	11	3	–	3	–	30
5	1	–	3	–	1	–	1	–	1	–	–	1	–	–	1	3	1	1	–	3	31
53	11	–	17	7	2	10	2	–	3	1	–	2	4	1	17	7	10	4	2	–	32
10	3	–	–	7	–	–	2	–	–	–	–	–	–	1	2	–	2	1	–	–	33
115	40	–	43	4	6	34	11	2	9	1	1	4	16	2	49	21	23	5	14	1	34
106	33	–	40	2	6	33	9	2	9	1	1	4	14	2	46	18	19	5	13	–	35
9	7	–	3	2	–	1	2	–	–	–	–	–	2	–	3	3	4	–	1	1	36
106	15	1	33	7	3	11	5	–	2	1	–	2	2	7	22	8	10	1	1	–	37
31	2	1	7	7	–	2	1	–	–	–	–	–	–	2	3	4	5	–	1	–	38
29	10	–	15	8	–	3	1	–	–	–	–	1	2	9	6	1	6	1	–	–	39
68	13	–	47	5	4	3	3	–	1	–	–	–	2	4	14	7	8	1	1	1	40
115	45	1	53	4	5	10	9	–	4	1	1	3	5	74	41	28	27	8	6	–	41
44	9	–	22	2	1	2	3	–	–	1	1	–	1	21	15	6	7	4	1	–	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43
71	36	1	31	2	4	8	6	–	4	–	–	3	4	53	26	22	20	4	5	–	44
29	14	–	2	–	2	4	4	–	1	–	–	2	5	2	4	4	4	2	2	–	45
46	11	–	15	–	2	3	2	–	–	–	–	–	2	6	11	5	6	–	3	–	46
8	3	–	2	–	–	1	–	–	–	–	–	–	–	1	–	2	5	–	–	–	47
106	22	–	50	3	4	14	2	2	2	5	–	2	4	10	24	17	23	4	2	–	48
63	14	–	27	1	3	7	2	–	2	5	–	2	3	6	13	6	15	2	1	–	49
43	8	–	23	2	1	7	–	2	–	–	–	–	1	4	11	11	8	2	1	–	50
102	33	–	84	5	3	7	4	–	1	1	–	4	6	44	40	9	13	3	5	–	51
65	19	–	54	3	1	5	2	–	–	1	–	2	1	23	27	5	10	3	4	–	52
37	14	–	30	2	2	2	2	–	1	–	–	2	5	21	13	4	3	–	1	–	53
30	9	–	10	1	3	4	1	–	1	–	–	1	1	5	7	9	3	1	–	–	54
42	12	1	26	4	–	9	2	3	2	–	–	2	5	17	20	4	4	3	1	–	55
37	8	1	20	2	–	7	2	2	2	–	–	–	3	12	15	4	4	3	1	–	56
5	4	–	6	2	–	2	–	1	–	–	–	2	2	5	5	–	–	–	–	–	57
548	43	2	131	19	11	39	26	2	29	6	1	22	37	8	146	74	46	46	28	4	58
481	29	2	108	16	11	34	24	2	26	6	–	21	33	6	127	58	41	41	23	4	59
29	7	–	15	1	–	1	1	–	2	–	1	–	3	–	9	4	2	2	1	–	60
38	7	–	8	2	–	4	1	–	1	–	–	1	1	2	10	12	3	3	4	–	61
17	4	–	6	1	3	1	1	–	1	–	–	–	–	2	10	6	1	–	–	–	62
2	–	–	1	2	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	63
137	38	4	43	7	3	8	6	1	7	4	–	2	16	48	53	19	33	13	5	–	64
44	19	3	21	3	1	3	3	1	3	2	–	–	6	28	24	6	14	7	1	–	65
93	19	1	22	4	2	5	3	–	4	2	–	2	10	20	29	13	19	6	4	–	66
61	7	–	31	1	1	20	8	2	4	–	–	1	7	15	23	7	8	4	1	–	67
40	3	–	17	–	1	15	7	2	3	–	–	1	7	9	16	4	5	3	1	–	68
40	3	–	17	–	1	15	7	2	3	–	–	1	7	9	16	4	5	3	1	–	69
21	4	–	14	1	–	5	1	–	1	–	–	–	–	6	7	3	3	1	–	–	70
51	5	–	32	5	1	4	2	–	4	2	–	–	3	3	9	11	5	–	6	–	71
94	22	1	38	5	3	14	8	2	2	4	–	4	1	5	23	14	5	4	1	–	72
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	73
52	16	1	25	2	2	11	6	2	–	2	–	–	–	2	11	5	3	1	–	–	74
42	6	–	13	3	1	3	2	–	2	2	–	4	1	3	12	9	2	3	1	–	75
15	1	–	7	–	2	2	–	–	–	–	–	–	5	1	4	4	1	1	1	–	76
30	4	1	6	1	–	6	1	–	3	1	–	–	5	3	10	5	5	1	1	–	77
41	30	–	39	1	3	4	2	–	1	6	–	2	2	10	16	8	9	1	1	1	78
346	33	7	101	16	9	33	13	4	16	1	–	6	21	6	73	32	25	9	17	1	79
339	33	7	99	16	8	33	13	4	16	1	–	6	21	6	73	30	24	9	17	1	80
428	39	7	126	17	15	41	18	8	18	2	–	9	23	8	84	42	32	15	18	1	81
7	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	82
9	3	–	6	–	2	–	1	–	1	–	–	–	1	1	4	1	2	–	–	–	83
9	5	–	8	2	–	1	–	–	–	–	–	1	–	1	–	1	2	–	1	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Randall	327	–	–	2	67	25	10	10	7	–	4	11	2	168	121	1	1
02	Amarillo, part	254	–	–	1	54	20	7	8	7	–	3	9	2	132	97	1	1
03	Balance of county	73	–	–	1	13	5	3	2	–	–	1	2	–	36	24	–	–
04	Reagan	15	–	–	–	1	–	1	–	–	–	–	–	1	3	3	–	–
05	Real	29	–	–	1	4	1	2	1	–	–	–	–	1	11	7	–	–
06	Red River	229	–	–	1	46	9	11	3	8	3	3	9	–	112	68	1	1
07	Reeves	121	–	–	3	14	5	3	–	1	–	–	5	2	54	41	1	2
08	Pecos	105	–	–	3	11	5	2	–	–	–	–	4	1	48	36	1	2
09	Balance of county	16	–	–	–	3	–	1	–	1	–	–	1	1	6	5	–	–
10	Refugio	88	–	–	1	21	5	3	1	5	1	1	5	2	36	22	–	–
11	Roberts	6	–	–	–	1	–	1	–	–	–	–	–	–	3	2	–	–
12	Robertson	211	–	–	1	33	6	7	2	8	1	3	6	3	114	78	1	2
13	Rockwall	64	1	–	–	10	1	2	1	3	–	–	3	2	26	19	–	–
14	Runnels	177	1	–	–	21	3	4	4	2	1	3	4	5	107	54	–	2
15	Rusk	482	–	–	2	71	19	13	7	10	1	4	17	10	271	201	1	3
16	Henderson	163	–	–	–	20	3	4	2	4	–	1	6	3	105	79	–	–
17	Balance of county	319	–	–	2	51	16	9	5	6	1	3	11	7	166	122	1	3
18	Sabine	110	–	–	1	20	5	4	1	3	1	1	5	4	68	49	–	–
19	San Augustine	113	–	–	–	17	4	5	2	1	2	–	3	2	64	50	–	1
20	San Jacinto	93	–	–	–	18	5	5	1	2	–	–	5	6	27	26	–	1
21	San Patricio	393	1	–	4	58	14	19	4	3	4	3	11	9	190	133	2	–
22	San Saba	104	–	–	–	17	5	3	2	2	1	–	4	–	56	35	–	2
23	Schleicher	18	–	–	–	10	3	1	2	1	–	2	1	–	7	3	–	–
24	Scurry	174	–	–	–	30	12	9	1	4	–	–	4	5	80	53	1	–
25	Snyder	136	–	–	–	25	10	7	1	4	–	–	3	3	59	39	1	–
26	Balance of county	38	–	–	–	5	2	2	–	–	–	–	1	2	21	14	–	–
27	Shackelford	48	–	–	–	10	3	4	–	1	–	–	2	–	28	17	–	–
28	Shelby	281	–	–	2	53	14	19	2	7	1	1	9	7	149	96	–	1
29	Sherman	22	–	–	–	6	1	2	–	1	–	1	1	–	11	8	–	1
30	Smith	1,052	–	–	6	206	53	63	14	22	4	8	42	18	557	392	1	6
31	Tyler	587	–	–	1	116	26	35	7	16	3	5	24	10	315	230	1	4
32	Balance of county	465	–	–	5	90	27	28	7	6	1	3	18	8	242	162	–	2
33	Somervell	41	–	–	–	2	–	–	–	2	–	–	–	–	25	18	–	–
34	Starr	137	2	1	1	21	3	3	2	5	1	1	6	6	57	44	–	–
35	Stephens	152	–	1	–	18	6	3	1	3	–	–	5	2	83	51	–	1
36	Sterling	11	–	–	–	2	2	–	–	–	–	–	–	–	6	6	–	1
37	Stonewall	31	–	–	–	6	2	1	–	1	1	–	1	–	16	12	–	1
38	Sutton	40	–	–	–	11	3	4	1	1	–	1	1	–	21	10	–	–
39	Swisher	92	–	–	–	13	4	1	–	1	2	2	3	3	48	30	–	–
40	Tarrant	5,676	9	2	45	1,099	269	294	86	126	39	37	248	94	2,794	1,865	43	40
41	Arlington	492	–	–	4	83	23	28	7	5	1	3	16	5	234	159	6	–
42	Bedford	50	–	–	2	14	3	7	2	–	–	1	1	–	24	17	1	1
43	Euless	78	–	–	1	15	2	7	1	1	–	1	3	1	39	31	–	–
44	Fort Worth, part	3,772	8	2	27	748	188	192	52	97	31	22	166	60	1,860	1,224	23	32
45	Fort Worth, total	3,773	8	2	27	748	188	192	52	97	31	22	166	60	1,861	1,225	23	32
46	Grand Prairie, part	37	–	–	–	3	–	–	–	–	–	2	1	–	26	17	–	1
47	Haltom City	176	–	–	1	32	8	7	2	3	–	1	11	–	88	67	2	1
48	Hurst	104	–	–	–	19	2	11	2	–	–	1	3	4	51	27	–	–
49	North Richland Hills	95	–	–	–	17	3	6	4	1	–	–	3	3	51	37	1	–
50	White Settlement	71	–	–	1	13	6	3	1	2	–	–	1	3	37	31	1	1
51	Balance of county	801	1	–	9	155	34	33	15	17	7	6	43	18	384	255	9	4
52	Taylor	806	1	–	7	123	27	31	10	20	11	4	20	15	405	266	3	7
53	Abilene, part	689	1	–	7	105	21	29	10	17	9	3	16	14	341	228	3	1
54	Abilene, total	690	1	–	7	105	21	29	10	17	9	3	16	14	341	228	3	1
55	Balance of county	117	–	–	–	18	6	2	–	3	2	1	4	1	64	38	–	6
56	Terrell	21	–	–	–	2	–	–	2	–	–	–	–	–	13	10	–	–
57	Terry	118	–	–	2	22	4	6	–	4	1	2	5	1	62	43	–	1
58	Throckmorton	45	–	–	–	4	1	–	–	1	–	–	2	2	28	20	–	–
59	Titus	223	–	–	1	42	9	14	4	4	1	3	7	6	108	76	–	1
60	Tom Green	729	2	–	6	122	31	25	15	9	6	3	33	12	385	224	1	4
61	San Angelo	648	1	–	5	116	29	25	15	9	6	3	29	11	340	192	1	3
62	Balance of county	81	1	–	1	6	2	–	–	–	–	–	4	1	45	32	–	1
63	Travis	2,013	4	–	11	422	112	105	28	49	21	19	88	17	888	572	9	6
64	Austin	1,706	4	–	10	356	96	86	23	44	18	19	70	12	767	494	9	6
65	Balance of county	307	–	–	1	66	16	19	5	5	3	–	18	5	121	78	–	–
66	Trinity	127	–	–	–	22	6	4	1	1	–	2	8	1	66	48	–	–
67	Tyler	176	–	–	–	38	9	12	3	2	1	4	7	2	81	47	–	–
68	Upshur	248	–	–	2	44	14	9	1	7	1	1	11	8	121	90	–	1
69	Upton	31	–	–	1	5	1	2	–	1	–	–	1	–	10	8	–	–
70	Uvalde	159	–	–	3	25	6	8	2	–	1	1	7	–	70	56	–	6
71	Uvalde	106	–	–	2	17	5	5	1	–	1	1	4	–	45	33	–	5
72	Balance of county	53	–	–	1	8	1	3	1	–	–	–	3	–	25	23	–	1
73	Val Verde	211	1	–	5	41	9	14	2	5	–	–	11	6	97	67	1	1
74	Del Rio	190	1	–	5	36	9	12	–	5	–	–	10	6	89	61	1	1
75	Balance of county	21	–	–	–	5	–	2	2	–	–	–	1	–	8	6	–	–
76	Van Zandt	338	1	–	2	61	16	18	4	5	1	2	15	5	160	125	1	–
77	Victoria	456	1	–	3	70	18	21	7	5	3	3	13	4	250	185	3	–
78	Victoria	329	1	–	2	52	13	16	4	3	3	2	11	4	174	131	1	–
79	Balance of county	127	–	–	1	18	5	5	3	2	–	1	2	–	76	54	2	–
80	Walker	201	–	–	4	40	13	11	1	6	1	1	7	1	95	62	2	–
81	Huntsville	101	–	–	2	20	7	4	1	2	1	1	4	–	50	31	1	–
82	Balance of county	100	–	–	2	20	6	7	–	4	–	–	3	1	45	31	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
113	6	1	36	2	8	12	6	4	2	1	–	4	2	2	20	16	11	7	1	–	01
89	6	–	27	1	7	8	5	4	2	1	–	3	2	2	11	12	8	6	1	–	02
24	–	1	9	1	1	4	1	–	–	–	–	1	–	–	9	4	3	1	–	–	03
2	1	–	–	–	–	2	–	–	–	–	–	–	1	–	2	2	3	–	–	–	04
6	1	–	4	–	–	1	1	–	–	–	–	–	1	2	4	1	1	–	–	1	05
59	7	–	38	3	3	9	4	3	4	1	–	1	–	21	15	5	4	–	3	–	06
32	6	2	9	2	–	3	3	–	4	–	–	2	9	3	10	5	5	1	3	–	07
28	5	2	8	2	–	3	2	–	3	–	–	2	9	3	9	3	4	1	3	–	08
4	1	–	1	–	–	–	1	–	1	–	–	–	–	–	1	2	1	–	–	–	09
16	6	–	4	10	–	2	1	1	1	–	–	–	–	5	7	6	4	–	1	–	10
2	–	–	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	11
61	14	1	25	10	–	10	3	–	1	1	–	3	1	6	14	10	6	2	3	–	12
17	2	–	5	2	–	3	2	1	–	1	–	–	–	–	13	2	3	–	–	–	13
46	6	4	46	3	–	2	7	–	2	2	–	–	1	7	9	3	6	2	2	–	14
176	21	3	54	6	7	9	12	–	1	–	1	2	6	21	30	19	16	5	5	1	15
75	4	1	18	3	4	4	4	–	–	–	–	–	1	3	10	6	5	1	1	–	16
101	17	2	36	3	3	5	8	–	1	–	1	2	5	18	20	13	11	4	4	1	17
41	8	1	15	–	3	–	–	–	–	–	–	–	1	3	8	2	1	2	–	–	18
47	2	–	12	–	2	3	–	1	–	3	–	–	1	–	8	4	6	1	3	–	19
21	4	–	1	–	–	2	3	–	1	2	–	–	–	13	7	6	4	1	2	1	20
111	20	–	45	5	7	13	10	1	3	2	–	4	8	7	29	25	12	9	6	2	21
23	10	1	15	5	–	8	4	1	1	1	–	–	–	1	6	3	5	1	–	–	22
3	–	–	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	23
43	9	–	22	5	–	5	3	1	–	–	–	1	8	5	18	8	3	3	4	–	24
33	5	–	15	5	–	3	3	1	–	–	–	1	6	5	15	5	3	3	4	–	25
10	4	–	7	–	–	2	–	–	–	–	–	–	2	–	3	3	–	–	–	–	26
11	6	1	8	2	–	–	2	–	–	–	–	1	–	1	2	2	2	–	–	–	27
76	19	–	47	2	4	5	4	–	–	3	–	2	2	11	18	14	5	3	3	–	28
5	2	–	2	1	–	1	–	–	1	–	–	–	2	–	–	–	1	–	–	–	29
325	60	4	130	15	16	26	11	2	5	10	–	5	19	14	72	29	42	12	17	1	30
190	35	1	71	6	7	16	5	2	4	7	–	–	13	5	48	7	21	9	7	1	31
135	25	3	59	9	9	10	6	–	1	3	–	5	6	9	24	22	21	3	10	–	32
16	2	–	6	–	1	–	3	–	–	–	–	1	–	2	6	2	–	–	–	–	33
39	5	3	5	5	–	3	–	–	3	–	–	–	1	14	11	11	5	–	1	–	34
44	6	–	27	3	2	12	3	1	2	2	–	1	–	5	10	4	6	1	1	–	35
3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	36
10	1	–	2	1	1	–	–	–	–	–	–	–	–	5	1	1	2	–	–	–	37
8	2	–	9	1	1	–	–	2	–	–	–	–	–	1	2	1	2	–	–	–	38
27	3	–	14	4	–	2	1	1	–	–	–	1	1	4	7	2	7	1	1	–	39
1,645	137	21	712	134	62	165	93	19	133	21	1	52	115	27	449	158	187	104	93	16	40
145	8	1	48	17	9	23	7	3	7	3	–	6	20	4	24	24	21	20	4	–	41
15	–	–	7	–	–	–	2	–	–	–	–	–	3	–	2	–	1	1	1	–	42
30	1	–	7	1	–	2	–	1	1	–	–	1	1	–	4	5	2	2	2	1	43
1,062	107	16	499	84	37	106	63	8	102	17	1	33	67	15	320	88	114	55	68	10	44
1,062	108	16	499	84	37	106	63	8	102	17	1	33	67	15	320	88	114	55	68	10	45
15	1	–	2	7	–	–	–	–	2	–	–	1	1	–	3	–	–	–	1	–	46
61	3	–	14	4	3	4	2	–	1	1	–	1	3	2	13	10	8	4	5	1	47
27	–	1	18	3	2	2	4	–	3	–	–	1	–	–	4	5	8	2	1	–	48
34	2	–	13	–	1	1	–	1	1	–	–	–	1	–	6	2	3	7	2	–	49
28	1	–	6	–	–	3	1	1	1	–	–	–	2	3	3	1	2	–	–	–	50
228	14	3	98	18	10	24	14	5	15	–	–	9	17	3	70	23	28	13	9	4	51
207	49	3	93	25	18	36	9	3	10	4	–	7	29	23	73	22	24	12	3	–	52
181	43	2	78	17	16	31	7	3	6	4	–	6	27	14	68	21	21	10	3	–	53
181	43	2	78	17	16	31	7	3	6	4	–	6	27	14	68	22	21	10	3	–	54
26	6	1	15	8	2	5	2	–	4	–	–	1	2	9	5	1	3	2	–	–	55
9	1	–	2	–	1	–	1	–	–	–	–	–	–	2	1	1	1	–	–	–	56
41	1	2	15	1	1	6	1	–	–	1	–	1	2	–	5	4	6	2	3	–	57
17	3	1	6	–	1	–	1	–	–	–	–	1	–	–	5	1	–	1	2	–	58
54	21	1	25	5	1	6	5	–	3	–	–	–	3	6	21	9	9	2	1	1	59
199	20	3	140	9	9	17	18	1	10	–	–	7	12	11	70	20	24	5	7	–	60
171	17	3	127	9	9	13	17	1	10	–	–	5	8	11	62	16	22	4	6	–	61
28	3	–	13	–	–	4	1	–	–	–	–	2	4	–	8	4	2	1	1	–	62
458	99	7	193	98	18	61	23	6	30	10	–	16	29	89	147	71	103	50	35	1	63
403	76	6	165	86	16	53	19	6	22	8	–	14	26	72	119	60	89	38	31	–	64
55	23	1	28	12	2	8	4	–	8	2	–	2	3	17	28	11	14	12	4	1	65
42	6	–	18	–	–	1	–	1	–	–	–	–	1	16	6	4	7	1	1	–	66
37	10	1	23	3	7	10	3	–	2	1	–	1	2	8	10	9	6	2	1	–	67
57	32	–	28	2	1	7	1	1	3	–	–	1	2	6	28	8	10	6	–	–	68
6	2	–	–	2	–	3	–	–	1	–	–	–	2	1	5	2	1	–	–	–	69
47	3	1	11	2	–	4	2	1	1	–	–	1	1	19	18	3	6	4	1	–	70
26	2	1	9	2	–	3	2	1	1	–	–	–	1	9	14	3	4	3	1	–	71
21	1	–	2	–	–	1	–	–	–	–	–	1	–	10	4	–	2	1	–	–	72
52	13	–	24	5	1	6	–	–	1	2	–	2	6	6	12	11	8	5	2	–	73
49	10	–	23	4	1	6	–	–	1	2	–	2	6	5	11	10	5	3	2	–	74
3	3	–	1	1	–	–	–	–	–	–	–	–	–	1	1	1	3	2	–	–	75
103	21	1	26	3	5	9	8	2	3	2	–	1	5	21	30	13	4	7	4	–	76
165	17	1	54	7	3	18	6	3	5	1	–	3	9	4	36	11	23	7	1	1	77
115	15	–	35	6	2	14	5	3	4	–	–	3	6	4	32	4	14	6	1	–	78
50	2	1	19	1	1	4	1	–	1	1	–	–	3	–	4	7	9	1	–	1	79
52	8	–	26	2	5	5	4	–	–	1	–	1	2	8	18	12	7	1	2	–	80
28	2	–	14	2	3	2	2	–	–	–	–	–	–	4	7	10	2	1	1	–	81
24	6	–	12	–	2	3	2	–	–	1	–	1	2	4	11	2	5	–	1	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Texas—Con.																	
01	Waller	132	–	–	1	21	6	4	–	4	–	1	6	3	52	35	1	–
02	Ward	90	–	–	–	17	6	1	1	3	1	1	4	–	43	34	1	–
03	Washington	260	–	–	2	54	13	7	8	6	4	3	13	4	139	96	1	3
04	Webb	493	–	1	4	98	29	16	7	14	4	4	24	20	207	155	1	2
05	Laredo	470	–	1	4	96	29	16	7	13	4	4	23	20	196	148	1	1
06	Balance of county	23	–	–	–	2	–	–	–	1	–	–	1	–	11	7	–	1
07	Wharton	380	1	–	2	62	21	15	4	7	2	4	9	5	222	150	1	5
08	Wheeler	109	–	–	–	16	5	6	–	–	–	2	3	2	55	39	–	–
09	Wichita	1,033	–	–	10	202	58	57	18	16	6	11	36	15	504	359	3	7
10	Wichita Falls	827	–	–	9	159	45	45	15	12	5	9	28	13	399	286	2	7
11	Balance of county	206	–	–	1	43	13	12	3	4	1	2	8	2	105	73	1	–
12	Wilbarger	196	–	–	–	32	6	13	–	5	1	1	6	2	104	79	–	–
13	Vernon	170	–	–	–	28	5	11	–	5	1	1	5	2	90	70	–	–
14	Balance of county	26	–	–	–	4	1	2	–	–	–	–	1	–	14	9	–	–
15	Willacy	131	–	–	1	22	–	3	1	3	1	3	11	3	59	46	–	1
16	Williamson	471	1	–	5	89	28	17	3	15	5	7	14	7	261	184	1	2
17	Wilson	146	–	1	1	24	9	2	3	1	–	3	6	–	76	58	–	1
18	Winkler	89	–	–	1	21	5	6	2	2	1	1	4	1	34	25	–	2
19	Wise	226	2	–	2	40	13	14	3	2	1	1	6	2	116	80	–	–
20	Wood	267	–	–	–	55	10	15	4	6	1	4	15	4	131	78	2	1
21	Yoakum	50	–	–	–	7	–	2	–	2	–	–	3	–	22	17	–	–
22	Young	233	–	–	–	33	14	3	3	4	–	1	8	10	128	92	–	1
23	Zapata	42	–	–	1	5	1	2	1	–	–	–	1	1	15	12	–	–
24	Zavala	81	1	–	–	13	3	4	–	2	–	–	4	2	32	20	–	–
25	**Utah**	**7,530**	**9**	**2**	**65**	**1,146**	**326**	**183**	**93**	**165**	**41**	**63**	**275**	**147**	**3,380**	**2,456**	**113**	**35**
26	Urban places	3,907	6	1	25	635	189	93	55	88	27	31	152	59	1,824	1,320	63	22
27	Balance of area	3,623	3	1	40	511	137	90	38	77	14	32	123	88	1,556	1,136	50	13
28	Metropolitan counties	5,507	5	1	44	887	244	141	72	129	35	46	220	93	2,426	1,783	86	21
29	Urban places	3,586	4	1	22	587	175	86	50	81	25	28	142	50	1,657	1,206	57	20
30	Balance of area	1,921	1	–	22	300	69	55	22	48	10	18	78	43	769	577	29	1
31	Nonmetropolitan counties	2,023	4	1	21	259	82	42	21	36	6	17	55	54	954	673	27	14
32	Urban places	321	2	–	3	48	14	7	5	7	2	3	10	9	167	114	6	2
33	Balance of area	1,702	2	1	18	211	68	35	16	29	4	14	45	45	787	559	21	12
34	Beaver	39	–	–	–	7	1	1	1	1	–	1	2	1	15	9	–	1
35	Box Elder	207	–	–	1	34	9	4	5	5	3	1	7	2	99	65	5	1
36	Brigham City	91	–	–	–	16	2	2	3	2	2	1	4	1	46	31	3	1
37	Balance of county	116	–	–	1	18	7	2	2	3	1	–	3	1	53	34	2	–
38	Cache	272	–	–	2	29	11	5	2	7	–	3	1	7	145	92	5	4
39	Logan	123	–	–	1	11	6	2	–	3	–	–	–	6	67	39	3	–
40	Balance of county	149	–	–	1	18	5	3	2	4	–	3	1	1	78	53	2	4
41	Carbon	200	–	1	3	27	9	9	–	1	2	1	5	5	92	80	4	1
42	Daggett	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
43	Davis	411	–	–	4	63	17	5	2	12	1	3	23	7	166	134	11	–
44	Bountiful	129	–	–	–	17	6	1	1	2	–	1	6	–	50	45	2	–
45	Clearfield	54	–	–	–	12	3	1	–	4	–	1	3	1	24	19	2	–
46	Layton	63	–	–	1	8	1	2	–	3	–	–	2	3	27	22	2	–
47	Balance of county	165	–	–	3	26	7	1	1	3	1	1	12	3	65	48	5	–
48	Duchesne	67	–	–	2	7	1	2	–	–	–	1	3	3	22	14	1	–
49	Emery	53	–	–	–	10	4	2	–	2	–	1	1	–	28	19	–	–
50	Garfield	21	–	–	–	2	2	–	–	–	–	–	–	–	10	6	–	3
51	Grand	48	–	–	–	7	2	4	–	–	–	–	1	4	17	10	–	–
52	Iron	91	–	–	–	14	5	2	–	2	1	1	3	–	45	31	2	–
53	Juab	39	–	–	2	3	–	–	1	–	–	1	1	–	19	12	1	–
54	Kane	21	–	–	–	3	1	–	–	2	–	–	–	–	11	9	–	–
55	Millard	74	–	–	1	5	2	1	1	–	–	1	–	3	33	23	2	–
56	Morgan	25	–	–	–	2	1	1	–	–	–	–	–	1	14	11	1	–
57	Piute	13	–	–	–	2	–	1	–	–	–	–	1	1	9	8	–	–
58	Rich	14	–	–	–	2	1	–	–	1	–	–	–	1	7	7	–	–
59	Salt Lake	3,302	3	1	27	549	148	100	48	77	25	30	121	57	1,473	1,063	42	15
60	Murray	153	–	–	–	25	3	10	2	4	–	–	6	–	77	56	2	–
61	Salt Lake City	1,984	2	1	13	338	103	52	33	41	16	17	76	31	931	651	25	14
62	Balance of county	1,165	1	–	14	186	42	38	13	32	9	13	39	26	465	356	15	1
63	San Juan	61	2	–	3	3	1	–	2	–	–	–	–	4	10	9	1	–
64	Sanpete	154	–	–	1	13	3	2	1	2	–	–	5	1	85	61	2	–
65	Sevier	113	–	–	1	8	–	–	1	5	–	–	2	4	71	44	1	–
66	Summit	54	–	–	–	9	3	1	2	1	–	–	2	1	29	14	–	–
67	Tooele	151	2	–	3	29	10	3	2	3	–	3	8	5	69	56	–	1
68	Tooele	107	2	–	2	21	6	3	2	2	–	2	6	2	54	44	–	1
69	Balance of county	44	–	–	1	8	4	–	–	1	–	1	2	3	15	12	–	–
70	Uintah	113	–	–	1	20	6	2	3	1	–	–	8	4	29	24	1	–
71	Utah	805	1	–	7	124	38	18	9	17	2	7	33	17	330	240	13	1
72	Orem	137	1	–	2	25	9	4	1	3	–	–	8	2	47	39	2	–
73	Provo	247	–	–	2	39	11	5	4	6	2	5	6	3	110	81	3	1
74	Balance of county	421	–	–	3	60	18	9	4	8	–	2	19	12	173	120	8	–
75	Wasatch	43	–	–	1	5	3	1	–	–	–	1	–	–	22	18	–	–
76	Washington	134	–	–	–	15	5	1	–	3	–	1	5	5	68	47	–	3
77	Wayne	12	–	–	–	3	2	–	–	–	–	1	–	2	3	2	1	–
78	Weber	989	1	–	6	151	41	18	13	23	7	6	43	12	457	346	20	5
79	Ogden	746	1	–	4	107	37	8	7	18	7	2	28	10	359	267	18	5
80	Roy	73	–	–	–	16	2	3	2	–	–	2	7	–	32	26	1	–
81	Balance of county	170	–	–	2	28	2	7	4	5	–	2	8	2	66	53	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
30	4	–	14	1	2	5	2	–	1	–	–	–	3	15	8	7	7	3	4	–	01
25	8	–	7	2	–	4	1	1	1	–	–	–	1	4	6	5	5	1	1	–	02
71	21	–	37	4	2	6	–	2	–	–	–	–	1	13	17	7	8	4	3	–	03
127	25	4	40	3	5	14	1	–	10	3	–	5	16	26	37	21	14	8	5	3	04
122	24	4	36	3	5	14	1	–	9	3	–	5	16	25	37	18	10	7	5	3	05
5	1	–	4	–	–	–	–	–	1	–	–	–	–	1	–	3	4	1	–	–	06
118	26	1	59	8	4	8	2	–	4	–	–	1	4	17	23	14	8	6	1	–	07
33	6	–	12	4	–	4	1	1	1	–	–	1	2	1	12	6	6	1	–	–	08
324	25	5	116	13	11	41	17	4	13	5	–	7	14	15	93	27	36	14	16	–	09
256	21	4	88	11	10	28	14	4	9	4	–	6	13	14	77	22	29	12	15	–	10
68	4	1	28	2	1	13	3	–	4	1	–	1	1	1	16	5	7	2	1	–	11
65	14	1	16	5	3	11	2	1	3	–	–	3	3	9	11	5	7	1	2	–	12
58	12	1	12	4	3	10	1	1	3	–	–	3	3	8	9	4	5	1	2	–	13
7	2	–	4	1	–	1	1	–	–	–	–	–	–	1	2	1	2	–	–	–	14
40	5	–	8	1	4	5	–	–	2	–	–	2	3	2	12	12	6	1	1	–	15
164	17	–	70	7	–	19	3	–	3	3	–	4	7	3	27	17	16	3	3	–	16
47	10	1	17	–	–	3	6	1	–	–	–	2	–	1	14	10	4	2	1	–	17
18	5	–	7	2	–	2	2	–	2	–	1	–	1	5	10	4	5	–	–	–	18
62	18	3	27	3	3	5	1	–	–	–	–	2	2	8	19	11	9	4	1	2	19
59	16	3	46	3	1	8	2	1	1	4	–	2	1	18	22	10	6	2	–	–	20
15	2	–	4	1	–	–	–	–	–	–	–	–	1	3	4	4	7	1	1	–	21
52	39	3	23	6	4	7	6	–	1	–	–	3	4	2	25	5	6	1	2	–	22
6	6	–	1	–	2	1	–	1	1	–	–	1	1	5	4	3	1	–	2	–	23
17	3	–	10	1	1	3	–	1	–	1	1	–	4	4	8	6	4	–	1	–	24
2,069	**239**	**19**	**710**	**89**	**106**	**264**	**129**	**30**	**121**	**39**	**5**	**133**	**197**	**262**	**780**	**274**	**332**	**157**	**33**	**25**	**25**
1,130	105	12	381	47	64	142	68	21	69	19	2	60	83	140	413	88	155	68	18	11	26
939	134	7	329	42	42	122	61	9	52	20	3	73	114	122	367	186	177	89	15	14	27
1,516	160	14	498	59	72	189	97	21	99	23	5	107	133	206	593	185	242	112	24	15	28
1,027	102	12	339	42	58	127	64	17	67	17	2	56	79	131	391	79	143	63	18	11	29
489	58	2	159	17	14	62	33	4	32	6	3	51	54	75	202	106	99	49	6	4	30
553	79	5	212	30	34	75	32	9	22	16	–	26	64	56	187	89	90	45	9	10	31
103	3	–	42	5	6	15	4	4	2	2	–	4	4	9	22	9	12	5	–	–	32
450	76	5	170	25	28	60	28	5	20	14	–	22	60	47	165	80	78	40	9	10	33
8	–	–	6	–	–	–	–	–	1	–	–	–	2	2	5	2	4	–	–	–	34
50	9	2	22	5	5	8	2	4	–	3	–	1	7	4	18	7	9	6	1	1	35
25	2	–	11	3	1	4	–	3	–	–	–	1	2	1	9	–	5	3	–	–	36
25	7	2	11	2	4	4	2	1	–	3	–	–	5	3	9	7	4	3	1	1	37
78	5	–	44	3	6	12	6	1	2	2	–	6	4	10	24	8	9	3	–	2	38
36	–	–	22	2	4	6	2	1	1	2	–	3	1	6	8	4	2	2	–	–	39
42	5	–	22	1	2	6	4	–	1	–	–	3	3	4	16	4	7	1	–	2	40
69	6	–	11	–	1	8	4	1	4	–	–	4	4	2	22	4	10	6	2	1	41
1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	42
111	12	–	28	2	2	15	4	2	7	2	–	13	18	11	46	16	22	12	–	3	43
38	5	–	3	1	1	5	–	–	2	2	–	5	8	8	20	3	7	2	–	–	44
15	2	–	4	1	–	2	1	1	1	–	–	1	4	–	2	–	2	1	–	2	45
19	1	–	4	–	1	1	–	1	1	–	–	2	2	–	8	2	4	2	–	1	46
39	4	–	17	–	–	7	3	–	3	–	–	5	4	3	16	11	9	7	–	–	47
13	–	–	8	–	–	–	–	–	2	2	–	1	3	2	7	5	5	5	1	–	48
17	2	–	7	1	1	–	–	–	–	1	–	–	–	2	6	1	2	2	–	1	49
1	2	–	2	1	1	–	–	–	1	–	–	–	1	–	1	2	3	1	–	–	50
9	1	–	5	–	2	2	1	–	1	–	–	2	1	–	8	4	–	–	–	1	51
25	4	–	9	3	2	4	5	–	2	1	–	1	1	–	13	–	3	1	–	1	52
9	2	–	4	3	–	3	1	–	–	1	–	–	2	–	3	4	1	–	–	–	53
7	2	–	1	1	–	3	–	–	–	–	–	–	1	1	1	1	–	–	–	–	54
15	6	–	10	–	–	4	3	2	2	–	–	1	4	6	4	3	3	–	–	–	55
10	–	–	3	–	–	1	1	–	–	–	–	1	–	1	1	1	1	1	–	–	56
7	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	57
5	2	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	1	–	58
912	94	10	323	31	46	108	66	11	59	12	1	49	69	113	371	103	135	73	18	4	59
52	2	1	17	–	3	1	3	1	5	2	–	1	4	4	15	6	4	4	–	1	60
548	64	8	218	21	33	76	43	9	32	8	–	20	30	66	228	35	73	34	13	1	61
312	28	1	88	10	10	31	20	1	22	2	1	28	35	43	128	62	58	35	5	2	62
4	4	–	–	–	1	3	–	–	1	1	–	3	4	2	6	11	5	2	–	1	63
53	6	2	11	5	6	8	3	1	1	1	–	3	5	6	13	4	6	3	–	–	64
31	12	–	22	3	2	–	2	–	–	1	–	1	1	1	8	5	4	5	1	–	65
14	–	–	12	2	1	1	–	–	1	–	–	–	2	1	5	3	1	–	–	1	66
54	1	–	10	1	2	6	2	–	1	–	–	–	3	3	10	10	6	1	1	–	67
42	1	–	9	–	1	5	2	–	1	–	–	–	1	2	5	5	5	–	–	–	68
12	–	–	1	1	1	1	–	–	–	–	–	–	2	1	5	5	1	1	1	–	69
21	2	–	2	–	3	2	1	–	3	1	–	2	5	8	8	10	11	7	1	–	70
200	26	2	69	11	8	29	13	3	11	5	2	27	33	41	79	28	41	7	3	4	71
36	1	–	5	2	1	4	1	–	3	1	–	7	7	4	19	5	7	2	–	–	72
71	6	1	21	3	4	6	3	1	3	1	1	10	13	12	18	7	10	4	2	2	73
93	19	1	43	6	3	19	9	2	5	3	1	10	13	25	42	16	24	1	1	2	74
15	3	–	4	–	–	3	1	–	–	1	–	–	–	1	5	1	2	1	–	–	75
36	8	1	18	1	1	4	–	–	–	–	–	–	14	3	15	2	5	1	1	1	76
1	–	–	1	–	–	1	–	–	–	1	–	–	–	1	1	–	–	–	–	–	77
293	28	2	78	15	16	37	14	5	22	4	2	18	13	41	97	38	44	20	3	4	78
226	18	2	63	14	13	29	11	4	18	3	1	9	9	32	76	20	33	13	3	4	79
22	3	–	4	–	2	3	2	–	2	–	–	1	2	5	5	1	3	1	–	–	80
45	7	–	11	1	1	5	1	1	2	1	1	8	2	4	16	17	8	6	–	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
01	**Vermont**	**4,282**	**5**	–	**15**	**819**	**199**	**177**	**71**	**115**	**44**	**42**	**171**	**68**	**2,255**	**1,671**	**32**	**28**
02	Urban places	703	2	–	2	140	45	30	11	16	3	8	27	7	373	257	6	5
03	Balance of area	3,579	3	–	13	679	154	147	60	99	41	34	144	61	1,882	1,414	26	23
04	Nonmetropolitan counties	4,282	5	–	15	819	199	177	71	115	44	42	171	68	2,255	1,671	32	28
05	Urban places	703	2	–	2	140	45	30	11	16	3	8	27	7	373	257	6	5
06	Balance of area	3,579	3	–	13	679	154	147	60	99	41	34	144	61	1,882	1,414	26	23
07	Addison	219	–	–	–	41	9	7	5	6	1	3	10	4	121	99	1	3
08	Bennington	309	–	–	–	57	12	12	7	11	2	4	9	6	172	129	4	1
09	Caledonia	244	1	–	2	48	7	22	3	9	3	1	3	9	134	110	2	1
10	Chittenden	672	1	–	3	128	28	24	8	19	3	8	38	11	345	255	6	3
11	Burlington	331	–	–	2	69	18	14	3	10	2	4	18	4	173	122	3	1
12	Balance of county	341	1	–	1	59	10	10	5	9	1	4	20	7	172	133	3	2
13	Essex	68	–	–	–	11	4	3	–	1	–	–	3	–	38	27	1	–
14	Franklin	297	–	–	1	61	12	13	4	5	7	2	18	4	132	107	2	–
15	Grand Isle	39	–	–	1	9	–	3	–	3	1	1	1	–	22	17	–	–
16	Lamoille	131	–	–	–	20	4	5	4	1	–	–	6	2	71	52	–	3
17	Orange	211	–	–	1	37	4	7	7	3	3	4	9	2	114	81	3	1
18	Orleans	204	–	–	2	49	17	5	4	7	3	2	11	3	101	71	1	–
19	Rutland	600	1	–	2	121	37	27	8	16	6	5	22	12	314	237	3	7
20	Rutland	247	1	–	–	47	19	11	5	5	–	2	5	1	138	100	2	3
21	Balance of county	353	–	–	2	74	18	16	3	11	6	3	17	11	176	137	1	4
22	Washington	463	1	–	1	80	22	17	6	9	7	5	14	6	245	171	2	6
23	Barre	125	1	–	–	24	8	5	3	1	1	2	4	2	62	35	1	1
24	Balance of county	338	–	–	1	56	14	12	3	8	6	3	10	4	183	136	1	5
25	Windham	361	1	–	–	59	17	12	6	13	1	2	8	6	199	142	3	1
26	Windsor	464	–	–	2	98	26	20	9	12	7	5	19	3	247	173	4	2
27	**Virginia**	**39,553**	**79**	**4**	**286**	**7,463**	**1,891**	**1,915**	**656**	**881**	**279**	**255**	**1,586**	**628**	**19,763**	**14,597**	**209**	**225**
28	Urban places	17,217	41	1	129	3,430	858	897	314	403	123	108	727	252	8,392	6,191	87	120
29	Balance of area	22,336	38	3	157	4,033	1,033	1,018	342	478	156	147	859	376	11,371	8,406	122	105
30	Metropolitan counties	21,099	45	1	152	4,269	1,065	1,134	401	498	152	143	876	299	10,151	7,563	102	135
31	Urban places	14,880	35	1	114	2,982	740	787	281	355	104	95	620	210	7,184	5,340	71	110
32	Balance of area	6,219	10	–	38	1,287	325	347	120	143	48	48	256	89	2,967	2,223	31	25
33	Nonmetropolitan counties	18,454	34	3	134	3,194	826	781	255	383	127	112	710	329	9,612	7,034	107	90
34	Urban places	2,337	6	–	15	448	118	110	33	48	19	13	107	42	1,208	851	16	10
35	Balance of area	16,117	28	3	119	2,746	708	671	222	335	108	99	603	287	8,404	6,183	91	80
36	Accomack	428	3	–	7	77	15	23	4	19	3	3	10	8	222	146	1	1
37	Albemarle	313	–	–	6	53	15	9	2	6	5	1	15	3	151	94	1	3
38	Alleghany	112	1	–	1	23	7	6	–	2	1	–	7	–	57	44	–	–
39	Amelia	88	1	–	1	14	1	8	1	2	–	–	2	1	41	30	–	2
40	Amherst	206	1	–	4	37	8	16	1	3	2	–	7	4	113	80	–	1
41	Appomattox	102	–	–	1	26	8	8	5	–	–	–	5	2	52	42	1	–
42	Arlington†	1,090	1	–	6	264	67	65	30	29	12	9	52	16	541	397	10	2
43	Augusta	348	–	–	3	44	11	7	5	9	3	1	8	5	198	129	3	1
44	Bath	58	–	–	–	4	1	3	–	–	–	–	–	–	38	31	–	–
45	Bedford	260	–	–	3	40	11	11	3	7	1	–	7	5	134	97	2	–
46	Bland	61	–	–	1	11	3	3	1	–	–	–	4	–	36	26	1	–
47	Botetourt	191	–	–	2	36	7	14	4	3	1	–	7	2	95	58	–	–
48	Brunswick	168	–	–	1	33	6	7	4	8	–	–	8	7	81	64	–	2
49	Buchanan	263	–	–	1	29	7	8	3	3	1	2	5	3	130	105	–	1
50	Buckingham	126	–	1	–	22	7	6	1	3	–	–	5	2	76	58	–	–
51	Campbell	332	–	–	2	55	15	10	6	7	4	2	11	2	175	128	2	1
52	Caroline	147	1	–	1	20	7	5	1	2	–	–	5	3	70	47	–	–
53	Carroll	235	–	–	3	48	12	11	2	9	3	–	11	3	103	75	4	–
54	Charles City	53	–	–	–	4	–	–	–	1	–	–	3	1	28	20	–	–
55	Charlotte	138	–	–	1	15	4	5	1	2	–	–	3	3	73	50	1	1
56	Chesterfield	492	1	–	3	108	28	27	13	11	4	6	19	6	211	161	–	2
57	Clarke	92	–	–	–	15	3	8	1	1	–	1	1	–	54	40	–	1
58	Craig	47	–	–	–	10	4	2	–	–	–	2	2	–	21	11	–	1
59	Culpeper	196	–	–	2	38	8	8	6	5	2	2	7	–	102	75	1	–
60	Cumberland	81	1	–	–	17	2	5	3	3	1	1	2	–	42	29	–	–
61	Dickenson	152	–	–	1	26	5	6	2	5	2	–	6	–	75	59	–	–
62	Dinwiddie	170	–	–	2	29	6	8	4	5	–	1	5	3	86	59	2	1
63	Essex	87	–	–	–	17	6	2	1	2	–	2	4	–	48	32	–	1
64	Fairfax	1,979	1	–	13	438	114	96	43	46	16	24	99	35	900	685	12	6
65	Vienna	79	–	–	2	25	7	3	4	5	1	1	4	1	33	24	–	–
66	Balance of county	1,900	1	–	11	413	107	93	39	41	15	23	95	34	867	661	12	6
67	Fauquier	292	–	–	1	65	12	14	7	13	–	1	18	6	139	104	1	3
68	Floyd	115	–	–	–	16	3	2	1	1	1	–	8	1	63	48	–	–
69	Fluvanna	89	–	–	2	20	1	10	–	2	–	2	5	–	38	30	–	1
70	Franklin	288	–	–	3	44	16	5	4	4	–	–	15	–	162	99	1	–
71	Frederick	217	1	–	2	41	10	14	2	4	1	2	8	4	100	70	2	1
72	Giles	173	–	–	1	30	6	6	7	5	2	2	2	6	81	61	3	–
73	Gloucester	145	–	–	–	26	6	5	3	2	4	1	5	1	76	62	3	–
74	Goochland	90	–	–	1	17	5	7	1	–	1	–	3	2	40	26	–	–
75	Grayson	157	2	–	2	30	7	5	5	2	–	4	7	4	77	55	4	1
76	Greene	61	–	–	–	7	3	2	1	1	–	–	–	–	34	22	–	–
77	Greensville	97	1	–	1	17	9	2	1	2	–	–	3	2	44	37	–	–
78	Halifax	302	–	–	1	51	10	9	4	8	1	5	14	3	159	125	3	2
79	Hanover	323	1	–	3	77	24	21	6	11	3	1	11	7	146	103	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
1,531	**80**	**23**	**387**	**90**	**84**	**125**	**51**	**11**	**64**	**22**	–	**36**	**50**	**43**	**383**	**106**	**129**	**85**	**8**	**7**	01
238	8	3	79	20	14	13	6	–	8	4	–	8	8	9	74	13	21	14	–	1	02
1,293	72	20	308	70	70	112	45	11	56	18	–	28	42	34	309	93	108	71	8	6	03
1,531	80	23	387	90	84	125	51	11	64	22	–	36	50	43	383	106	129	85	8	7	04
238	8	3	79	20	14	13	6	–	8	4	–	8	8	9	74	13	21	14	–	1	05
1,293	72	20	308	70	70	112	45	11	56	18	–	28	42	34	309	93	108	71	8	6	06
89	6	1	12	4	5	9	1	1	1	3	–	3	3	1	14	10	3	3	–	1	07
120	4	1	30	1	11	10	2	–	4	1	–	–	4	2	27	8	8	7	–	1	08
94	13	–	18	3	3	7	2	–	2	–	–	2	1	6	19	3	4	4	–	–	09
233	13	1	62	10	17	16	6	–	6	3	–	7	11	8	73	20	19	13	2	–	10
110	8	1	36	6	8	7	3	–	3	3	–	3	3	5	40	5	6	5	–	–	11
123	5	–	26	4	9	9	3	–	3	–	–	4	8	3	33	15	13	8	2	–	12
23	3	–	8	–	3	–	–	–	5	–	–	1	–	–	3	6	2	1	–	1	13
102	3	1	11	9	4	13	2	–	6	1	–	3	3	2	40	9	15	4	–	1	14
16	1	–	2	1	2	–	1	–	–	–	–	–	–	–	4	1	1	–	–	–	15
46	3	1	15	1	2	7	6	–	2	–	–	1	2	–	9	1	7	2	–	1	16
76	1	–	23	4	6	5	3	–	2	1	–	–	5	4	21	6	6	4	–	–	17
66	4	2	19	5	4	2	1	1	5	4	–	3	–	1	16	3	12	1	–	–	18
224	3	2	56	11	8	20	3	–	7	3	–	5	8	6	46	15	19	16	1	1	19
95	–	1	24	9	4	4	–	–	3	1	–	3	4	3	18	7	11	6	–	–	20
129	3	1	32	2	4	16	3	–	4	2	–	2	4	3	28	8	8	10	1	1	21
159	4	8	51	8	7	13	14	1	9	3	–	7	4	4	44	5	14	11	–	1	22
33	–	1	19	5	2	2	3	–	2	–	–	2	1	1	16	1	4	3	–	1	23
126	4	7	32	3	5	11	11	1	7	3	–	5	3	3	28	4	10	8	–	–	24
123	15	5	25	22	5	11	7	2	7	2	–	1	3	4	33	9	8	6	3	–	25
160	7	1	55	11	7	12	3	6	8	1	–	3	6	5	34	10	11	13	2	–	26
13,137	**1,026**	**113**	**3,919**	**566**	**568**	**1,303**	**441**	**108**	**637**	**156**	**9**	**289**	**688**	**363**	**3,418**	**1,037**	**1,491**	**764**	**595**	**31**	27
5,506	478	43	1,712	226	220	577	207	49	348	82	6	137	344	161	1,513	304	603	292	338	11	28
7,631	548	70	2,207	340	348	726	234	59	289	74	3	152	344	202	1,905	733	888	472	257	20	29
6,766	560	56	1,997	265	270	659	238	64	386	93	7	184	425	179	1,827	496	777	439	391	17	30
4,742	417	39	1,429	189	187	490	174	44	288	70	6	123	316	133	1,311	279	531	262	317	10	31
2,024	143	17	568	76	83	169	64	20	98	23	1	61	109	46	516	217	246	177	74	7	32
6,371	466	57	1,922	301	298	644	203	44	251	63	2	105	263	184	1,591	541	714	325	204	14	33
764	61	4	283	37	33	87	33	5	60	12	–	14	28	28	202	25	72	30	21	1	34
5,607	405	53	1,639	264	265	557	170	39	191	51	2	91	235	156	1,389	516	642	295	183	13	35
138	6	5	56	8	7	6	6	2	6	–	–	2	3	5	44	11	20	2	4	–	36
81	9	–	41	8	8	12	1	–	10	1	–	2	1	5	21	10	14	14	9	–	37
41	3	1	11	–	1	3	2	–	–	–	–	1	3	1	7	6	2	4	1	–	38
25	3	–	6	2	3	1	–	–	1	–	–	–	3	2	7	7	4	2	3	–	39
75	4	–	27	–	6	5	3	–	1	1	–	–	2	1	18	4	9	2	1	–	40
39	2	–	8	1	1	1	2	–	2	–	–	–	2	–	8	3	2	–	1	–	41
365	20	4	102	18	20	20	18	4	24	5	1	10	10	6	80	13	36	27	7	1	42
114	11	–	51	11	7	11	1	–	5	1	–	2	4	2	32	12	15	13	–	–	43
27	4	–	5	–	2	1	–	–	2	1	–	1	1	–	5	2	2	–	1	–	44
89	6	–	25	6	6	8	5	–	2	3	–	1	2	4	23	8	13	5	3	1	45
24	1	1	7	–	2	–	1	–	–	–	–	1	1	3	1	1	4	1	–	–	46
56	2	–	26	6	5	8	1	1	4	–	–	2	1	1	21	2	10	4	1	–	47
58	4	1	11	4	1	6	1	–	3	1	–	–	–	2	18	3	7	4	1	–	48
102	2	–	23	1	1	9	5	–	1	1	–	5	12	1	18	21	17	5	4	1	49
54	4	–	11	5	2	1	1	–	1	–	–	2	1	–	9	2	6	1	1	–	50
119	6	1	41	1	4	6	4	2	3	3	–	1	5	1	32	17	14	5	5	–	51
44	3	–	15	2	6	1	2	1	3	–	1	1	6	4	15	10	6	–	2	–	52
65	6	–	20	5	3	10	1	1	2	2	–	1	2	4	25	12	10	6	2	–	53
18	2	–	7	–	1	–	–	2	1	–	–	–	4	1	5	2	4	1	–	–	54
44	4	–	18	3	2	6	2	1	1	–	–	1	–	1	16	5	4	4	5	–	55
148	11	2	41	1	6	17	2	3	6	7	–	4	10	–	45	30	20	14	5	–	56
37	2	2	10	1	1	3	5	–	1	–	–	–	1	–	8	2	1	1	1	–	57
8	2	–	6	4	–	3	1	–	–	–	–	–	–	–	5	2	4	1	–	–	58
70	4	–	22	2	3	3	1	1	–	2	–	–	4	7	17	5	8	3	3	–	59
24	5	–	10	2	1	3	–	–	–	1	–	–	2	1	6	4	2	–	2	–	60
57	2	–	12	3	1	8	5	–	2	2	–	–	3	–	20	1	6	1	2	–	61
51	5	1	23	2	1	5	3	–	–	2	–	1	4	1	15	3	9	2	4	1	62
27	4	–	16	–	–	2	1	–	–	1	–	–	2	–	12	–	3	1	–	–	63
615	52	4	161	30	20	50	27	3	42	7	–	22	35	21	145	60	78	77	24	1	64
22	2	–	9	–	–	4	1	–	1	1	–	–	–	1	6	–	2	1	1	–	65
593	50	4	152	30	20	46	26	3	41	6	–	22	35	20	139	60	76	76	23	1	66
97	3	–	24	3	8	15	4	–	3	1	–	3	2	4	15	10	15	7	1	1	67
43	5	–	12	2	1	7	2	1	2	–	–	1	–	3	9	4	5	1	–	–	68
29	–	–	7	–	1	5	1	–	–	1	–	1	2	2	5	6	5	–	1	–	69
94	4	1	43	9	10	10	–	–	1	–	–	1	4	1	28	11	14	6	3	–	70
65	2	–	23	4	3	17	3	1	3	–	–	–	–	4	21	8	5	4	2	1	71
53	5	2	9	4	5	10	5	1	–	–	–	–	6	1	20	4	4	4	–	–	72
55	4	1	8	–	5	3	3	–	2	1	–	1	1	–	11	6	11	3	–	–	73
23	3	–	11	2	1	6	2	1	1	1	–	–	–	1	7	3	4	3	1	–	74
47	3	–	17	1	4	6	3	–	3	–	–	3	1	2	11	5	5	3	–	–	75
22	–	1	9	–	2	3	–	–	3	–	–	–	–	1	4	3	3	2	1	–	76
34	3	–	5	1	1	4	–	–	2	1	–	–	2	2	8	2	5	3	3	–	77
114	6	1	25	3	5	9	2	–	1	1	–	1	5	1	29	12	13	4	10	–	78
96	5	3	28	6	6	10	3	1	6	–	–	1	2	3	28	12	13	4	6	–	79

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Virginia—Con.																	
01	Henrico	1,274	3	–	5	278	68	79	23	30	13	6	59	16	653	499	6	11
02	Henry	416	–	–	5	73	20	11	4	11	2	3	22	8	196	147	2	3
03	Highland	27	–	–	–	3	–	2	–	–	–	–	1	1	13	10	–	–
04	Isle of Wight	170	–	–	1	29	6	12	1	1	2	3	4	4	83	62	1	–
05	James City	103	–	–	–	16	3	8	1	1	–	–	3	4	43	35	2	–
06	King and Queen	63	–	–	2	9	4	1	1	2	–	–	1	3	35	22	–	–
07	King George	87	1	–	1	17	4	4	1	4	1	1	2	3	46	37	3	–
08	King William	71	–	–	–	15	6	3	1	–	1	1	3	1	33	24	–	1
09	Lancaster	136	–	–	1	37	14	9	2	5	3	1	3	2	69	47	–	–
10	Lee	284	–	–	3	47	13	11	6	4	–	1	12	7	153	123	4	1
11	Loudoun	290	–	–	5	59	16	17	11	5	1	1	8	6	134	106	3	1
12	Louisa	171	1	1	3	26	6	1	2	6	2	2	7	4	92	72	–	–
13	Lunenburg	169	–	–	2	26	6	6	3	5	2	–	4	8	80	59	2	4
14	Madison	110	–	–	1	16	7	2	1	2	–	–	4	1	62	49	–	1
15	Mathews	126	–	–	1	28	15	3	1	1	–	1	7	1	75	49	–	1
16	Mecklenburg	336	1	–	2	61	20	14	6	6	4	3	8	10	190	152	2	1
17	Middlesex	103	–	–	2	16	3	5	3	2	–	–	3	2	60	44	–	–
18	Montgomery	328	–	–	2	71	25	21	1	9	2	2	11	5	156	123	–	3
19	Nansemond[6]	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Nelson	143	–	–	1	21	4	5	2	1	2	1	6	–	93	65	1	–
21	New Kent	63	–	–	–	12	3	5	1	–	1	–	2	–	28	21	1	–
22	Northampton	190	3	–	3	30	3	11	3	3	1	1	8	2	97	64	1	–
23	Northumberland	125	–	–	–	28	9	7	–	5	1	1	5	2	63	42	–	1
24	Nottoway	161	1	–	3	32	7	10	2	3	1	2	7	2	78	53	1	1
25	Orange	174	–	–	1	31	8	5	3	3	–	3	9	1	89	56	–	–
26	Page	182	–	–	–	28	5	8	2	5	1	2	5	1	103	82	1	2
27	Patrick	141	–	–	–	15	1	2	4	3	–	–	5	5	77	46	1	–
28	Pittsylvania	494	1	–	2	71	26	13	3	11	6	2	10	15	269	182	8	1
29	Powhatan	66	–	–	–	9	2	3	1	–	–	–	3	5	30	20	–	–
30	Prince Edward	131	–	–	1	13	4	3	–	1	–	–	5	2	72	47	–	1
31	Prince George	85	–	–	–	20	7	4	–	4	–	1	4	2	30	22	–	–
32	Prince William	483	2	–	1	105	24	41	7	10	4	3	16	6	193	156	1	–
33	Pulaski	305	–	–	1	38	7	11	1	1	3	2	13	6	162	119	2	–
34	Pulaski	110	–	–	–	14	2	7	1	1	–	–	3	2	65	46	–	–
35	Balance of county	195	–	–	1	24	5	4	–	–	3	2	10	4	97	73	2	–
36	Rappahannock	58	–	–	–	8	1	2	1	2	–	1	1	1	35	23	–	2
37	Richmond	73	–	–	–	9	2	2	1	2	–	–	2	–	47	37	–	1
38	Roanoke	494	1	–	1	77	17	18	10	12	2	3	15	2	272	184	2	1
39	Rockbridge	163	–	1	–	29	7	2	6	2	2	1	9	9	78	64	1	–
40	Rockingham	445	–	–	1	92	26	23	4	7	8	4	20	10	240	190	4	6
41	Russell	236	–	–	2	38	9	9	3	3	3	2	9	2	122	75	1	–
42	Scott	258	2	–	3	40	11	7	–	7	–	2	13	3	147	105	3	–
43	Shenandoah	284	–	–	1	33	11	10	3	2	–	2	5	8	172	137	1	1
44	Smyth	299	–	–	2	44	7	16	2	3	3	–	13	6	164	132	1	6
45	Southampton	170	–	–	1	36	13	3	4	2	2	3	9	2	92	74	3	1
46	Spotsylvania	158	1	–	1	29	8	6	1	7	1	2	4	2	86	71	1	1
47	Stafford	167	1	–	2	34	4	11	4	3	–	1	11	2	86	75	3	–
48	Surry	64	–	–	1	11	4	2	1	2	1	1	–	–	33	16	–	–
49	Sussex	134	1	–	–	24	4	8	1	3	1	–	7	2	74	52	–	1
50	Tazewell	462	–	–	–	65	18	15	10	8	4	3	7	8	245	192	–	3
51	Warren	185	–	–	–	31	12	11	3	2	–	–	3	5	105	81	2	1
52	Washington	403	–	–	3	55	8	14	8	3	3	2	17	7	215	152	1	1
53	Westmoreland	165	–	–	3	38	7	16	2	6	1	2	4	4	77	67	–	–
54	Wise	451	–	–	1	86	21	23	6	8	5	5	18	4	219	171	–	1
55	Wythe	230	–	–	–	35	10	11	–	2	2	–	10	8	115	98	1	1
56	York	170	–	–	1	29	5	13	–	4	–	1	6	1	87	64	2	–
	Independent Cities[7]																	
57	Alexandria	838	2	–	6	179	46	44	18	16	5	7	43	11	374	279	5	7
58	Bedford	103	–	–	–	25	4	7	1	3	–	–	10	4	52	34	1	–
59	Bristol[8]	193	1	–	–	39	9	8	2	6	2	3	9	5	114	85	–	–
60	Buena Vista	67	–	–	–	8	1	1	2	2	–	–	2	2	40	29	–	1
61	Charlottesville	343	1	–	5	68	20	21	5	5	4	1	12	9	177	112	4	4
62	Chesapeake	746	3	–	9	163	34	42	17	21	6	7	36	15	357	266	4	6
63	Clifton Forge	74	–	–	1	9	1	3	3	1	–	–	1	–	47	35	1	1
64	Colonial Heights	127	–	–	–	30	7	7	4	3	1	1	7	2	66	50	1	–
65	Covington	94	–	–	1	12	3	6	1	–	1	–	1	1	55	38	–	–
66	Danville	454	–	–	4	93	21	14	5	16	4	3	30	14	233	156	1	1
67	Emporia	56	–	–	1	7	–	1	–	–	–	1	5	–	36	28	–	–
68	Fairfax	122	1	–	–	42	7	11	4	7	2	2	9	1	52	35	1	–
69	Falls Church	129	–	–	1	35	5	5	3	4	1	1	16	2	53	40	4	–
70	Franklin	77	–	–	1	12	3	3	–	1	–	–	5	2	48	41	1	1
71	Fredericksburg	187	–	–	1	42	9	10	–	5	4	2	12	–	90	69	3	–
72	Galax	64	–	–	–	13	6	2	2	1	–	–	2	2	33	22	–	–
73	Hampton	837	1	–	2	171	45	49	13	22	6	5	31	14	364	292	5	3
74	Harrisonburg	110	–	–	–	15	6	4	–	1	1	–	3	3	55	41	–	2
75	Hopewell	197	–	–	–	37	8	15	5	4	–	1	4	5	93	74	–	1
76	Lexington	67	–	–	–	15	5	2	1	3	1	–	3	3	32	26	–	–
77	Lynchburg	623	3	–	–	117	22	30	10	19	3	5	28	6	337	254	1	8
78	Martinsville	164	1	–	1	33	7	11	3	3	–	–	9	2	75	58	2	–
79	Newport News	994	2	–	4	207	52	55	15	25	4	5	51	16	447	343	2	7
80	Norfolk	2,283	3	–	19	427	98	130	45	38	20	8	88	23	1,139	838	10	16
81	Norton	54	–	–	1	9	5	1	–	1	–	–	2	3	26	20	1	–
82	Petersburg	511	1	–	8	100	24	22	8	14	5	5	22	6	265	185	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
453	29	4	122	10	18	30	10	4	21	2	–	11	14	7	121	24	37	27	11	–	01
132	10	1	36	6	6	17	3	–	8	1	–	1	2	6	40	15	16	17	7	1	02
10	–	–	3	–	–	1	1	1	–	–	–	–	–	–	3	1	3	–	–	–	03
55	6	–	18	1	2	2	1	–	3	2	–	2	4	4	8	13	8	5	1	–	04
32	1	–	7	–	1	4	1	–	–	–	–	–	3	1	10	7	11	1	2	–	05
20	2	–	11	–	2	3	1	–	–	–	–	–	2	–	6	1	–	1	–	–	06
30	4	–	7	1	1	2	–	1	2	–	–	–	–	1	6	3	2	2	–	–	07
20	3	–	7	1	1	3	–	–	2	–	–	–	3	–	6	1	3	2	2	–	08
42	5	3	14	1	4	4	–	–	–	1	–	1	–	–	16	–	5	–	–	–	09
113	5	–	21	6	3	7	5	1	2	1	–	–	5	4	26	7	11	2	3	–	10
96	6	–	16	7	5	12	3	3	2	–	–	3	6	–	22	8	18	6	2	1	11
62	10	1	11	5	3	5	2	–	2	–	–	–	1	1	17	6	5	–	5	–	12
45	8	–	15	2	4	5	1	–	–	1	–	1	2	4	19	7	7	4	2	–	13
44	4	–	7	3	3	4	–	–	1	–	–	–	4	1	8	4	6	2	–	–	14
45	3	6	11	5	4	2	2	1	–	–	–	–	1	–	8	2	3	2	–	–	15
134	15	–	31	3	4	10	2	1	2	1	1	2	6	1	18	10	9	5	4	–	16
42	2	–	11	3	2	5	2	1	2	–	–	–	–	1	6	3	2	–	1	–	17
114	6	1	25	1	6	10	4	–	7	1	–	5	7	1	25	15	9	4	5	1	18
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
59	5	3	21	2	2	3	1	–	1	2	–	–	1	–	8	–	10	1	1	–	20
18	2	–	6	–	1	5	–	–	1	–	–	–	4	1	6	1	3	2	–	–	21
58	5	–	28	5	–	2	5	–	5	1	–	–	3	1	16	8	7	3	4	–	22
40	1	–	16	3	2	2	3	–	1	–	–	–	3	1	15	2	5	–	–	–	23
43	8	1	16	5	3	4	1	–	1	–	–	2	4	2	12	4	10	3	2	–	24
54	2	1	25	3	4	7	–	2	2	1	–	1	1	1	14	5	13	3	2	–	25
74	5	–	17	2	2	8	2	–	2	–	–	1	–	2	14	8	10	–	3	–	26
40	5	1	23	6	1	5	1	1	1	–	–	–	3	1	16	7	3	4	2	–	27
159	14	1	72	8	6	21	5	2	4	6	–	2	2	3	34	20	19	7	10	1	28
19	1	1	7	2	–	1	1	1	1	–	–	–	–	–	8	7	–	3	–	–	29
41	5	–	17	6	2	4	2	1	–	–	–	–	4	2	18	5	4	1	2	–	30
20	2	–	6	1	1	6	–	1	–	–	–	–	3	1	4	8	7	1	2	–	31
140	15	–	28	5	4	11	3	1	12	–	–	14	15	4	38	28	17	22	8	3	32
107	10	2	37	2	2	9	7	–	6	–	–	1	8	2	23	13	14	7	8	–	33
44	2	1	18	–	–	4	1	–	3	–	–	1	2	–	7	1	5	2	3	–	34
63	8	1	19	2	2	5	6	–	3	–	–	–	6	2	16	12	9	5	5	–	35
19	2	–	9	2	1	3	–	–	–	–	–	–	–	–	2	3	3	1	2	–	36
35	1	–	8	–	2	–	1	–	–	–	–	–	1	–	10	–	3	1	1	–	37
173	8	2	65	10	11	16	4	2	5	1	1	4	10	2	44	14	19	11	7	1	38
59	4	1	12	–	1	10	1	–	4	–	–	2	2	–	7	5	6	8	1	–	39
166	14	–	36	8	6	5	1	1	5	1	–	4	8	2	24	20	17	9	5	–	40
73	1	1	34	1	11	11	4	2	1	1	–	2	1	–	29	6	6	7	2	–	41
99	3	–	26	7	9	16	3	1	–	–	–	1	3	1	20	7	5	3	1	2	42
120	15	–	27	7	1	10	1	–	1	2	–	3	1	1	21	3	20	7	–	–	43
118	7	1	23	4	4	13	2	1	2	–	–	2	6	1	25	9	10	7	4	1	44
64	6	1	14	2	1	6	–	–	1	–	–	2	–	–	13	4	6	4	3	–	45
65	4	–	12	1	2	1	1	–	3	1	–	1	4	3	12	2	6	3	2	–	46
71	1	1	9	1	–	3	1	–	2	–	–	3	2	2	13	5	7	2	2	–	47
15	1	–	16	–	1	2	1	–	1	–	–	–	–	2	8	3	1	1	–	–	48
50	1	1	17	2	2	5	–	–	1	1	–	–	5	1	11	5	1	–	3	–	49
180	9	3	36	4	10	20	8	1	5	–	–	5	8	16	44	10	12	13	2	–	50
74	4	–	20	2	2	5	1	–	3	–	–	1	3	2	15	4	5	1	4	–	51
137	13	1	43	8	11	21	5	1	5	–	–	5	8	5	36	10	16	8	3	–	52
62	5	–	4	4	2	4	–	1	4	1	–	–	–	–	16	3	6	7	–	1	53
164	6	–	39	6	3	19	4	1	11	–	–	1	8	2	50	12	20	10	3	–	54
88	8	1	16	–	–	11	3	2	3	1	–	2	3	3	19	6	12	4	2	1	55
60	2	–	19	3	1	5	3	–	1	1	–	–	3	6	10	9	7	7	–	–	56
248	19	2	72	10	11	22	12	1	36	5	–	12	25	6	57	11	39	25	14	1	57
33	–	1	13	3	1	2	–	1	1	–	–	–	–	–	10	–	6	1	1	–	58
84	1	1	23	4	1	5	2	–	1	1	–	–	2	1	15	–	6	–	1	–	59
27	1	1	7	1	2	1	2	1	–	–	–	–	1	–	8	1	1	–	2	–	60
91	13	1	52	6	6	8	3	1	11	–	–	3	5	3	28	4	5	8	4	–	61
241	15	3	71	12	5	22	6	2	14	1	–	6	22	4	63	17	21	10	11	–	62
32	1	–	11	–	1	4	2	–	1	1	–	–	–	–	3	1	4	1	–	–	63
46	3	–	16	–	–	4	–	1	2	–	–	1	–	–	13	3	2	3	–	–	64
35	3	–	17	–	–	2	1	–	3	–	–	–	1	4	9	1	2	1	1	–	65
144	10	–	61	6	10	18	9	–	14	5	–	3	2	6	32	5	10	3	3	–	66
27	1	1	6	–	1	2	1	–	1	–	–	–	2	1	3	–	1	–	1	–	67
30	4	–	12	4	1	4	–	–	–	1	–	3	2	–	6	4	4	2	–	–	68
34	2	–	8	3	2	4	3	1	4	–	–	2	4	3	6	7	2	2	–	–	69
35	4	–	7	–	–	2	–	–	2	1	–	–	1	–	6	2	–	–	–	–	70
64	2	1	15	3	2	9	–	–	4	–	–	2	5	3	20	2	6	1	2	–	71
22	–	–	10	–	1	3	–	–	–	–	–	1	1	–	6	–	1	1	3	–	72
264	20	3	54	4	11	36	8	3	19	1	2	8	23	10	85	16	34	18	22	–	73
33	6	–	13	1	–	3	2	–	6	2	–	2	–	2	9	2	5	4	–	–	74
70	3	–	16	–	3	9	–	1	5	1	–	–	2	–	18	6	8	6	6	–	75
26	–	1	3	1	1	3	–	–	1	–	–	1	–	–	8	2	1	1	–	–	76
232	13	2	68	2	11	16	14	2	9	1	–	4	8	2	56	12	17	10	8	1	77
50	6	–	10	4	3	6	1	1	5	–	–	–	4	3	20	1	4	3	4	–	78
307	27	1	82	3	18	39	7	1	16	2	–	8	34	8	102	20	33	15	33	–	79
720	92	8	225	41	27	87	28	3	34	16	2	18	52	20	201	40	78	28	63	2	80
18	1	–	4	–	2	1	–	–	3	–	–	–	1	–	7	1	1	1	–	–	81
170	13	1	70	5	4	13	4	4	4	4	–	3	12	2	47	6	16	5	11	–	82

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Virginia—Con.																	
	Independent Cities—Con.																	
01	Portsmouth	1,072	4	–	13	206	62	62	15	15	6	2	44	12	525	407	2	35
02	Radford	74	–	–	–	14	5	2	1	–	–	3	3	–	37	30	–	–
03	Richmond	2,875	10	1	30	514	140	131	47	74	20	14	88	47	1,448	1,086	13	20
04	Roanoke	1,183	3	–	5	200	53	39	20	28	6	13	41	18	592	411	7	2
05	Salem	204	–	–	2	45	10	14	6	3	–	2	10	1	99	80	3	1
06	South Boston	77	–	–	–	14	4	3	2	1	1	–	3	1	41	36	–	2
07	Staunton	238	2	–	1	43	15	8	6	5	1	1	7	2	116	81	4	3
08	Suffolk[6]	471	4	–	7	83	21	15	7	14	2	3	21	6	247	172	1	6
09	Virginia Beach	970	1	–	7	220	53	63	17	28	6	7	46	14	399	279	2	1
10	Waynesboro	156	1	–	–	27	6	8	4	2	2	–	5	2	86	59	2	–
11	Williamsburg	65	–	–	–	24	8	7	3	4	–	–	2	1	28	21	–	–
12	Winchester	214	–	–	2	48	15	11	5	4	–	–	13	2	105	76	–	–
13	**Washington**	**29,833**	**32**	**2**	**137**	**5,829**	**1,516**	**1,414**	**542**	**725**	**277**	**243**	**1,112**	**512**	**15,229**	**11,012**	**259**	**205**
14	Urban places	16,726	20	1	76	3,282	862	807	321	388	149	123	632	279	8,722	6,240	142	125
15	Balance of area	13,107	12	1	61	2,547	654	607	221	337	128	120	480	233	6,507	4,772	117	80
16	Metropolitan counties	18,580	24	1	93	3,679	963	883	345	441	170	156	721	300	9,434	6,739	154	127
17	Urban places	12,461	18	1	61	2,453	644	594	236	287	115	90	487	206	6,454	4,592	103	92
18	Balance of area	6,119	6	–	32	1,226	319	289	109	154	55	66	234	94	2,980	2,147	51	35
19	Nonmetropolitan counties	11,253	8	1	44	2,150	553	531	197	284	107	87	391	212	5,795	4,273	105	78
20	Urban places	4,265	2	–	15	829	218	213	85	101	34	33	145	73	2,268	1,448	39	33
21	Balance of area	6,988	6	1	29	1,321	335	318	112	183	73	54	246	139	3,527	2,625	66	45
22	Adams	93	–	1	–	16	5	4	–	3	1	1	2	1	43	28	–	1
23	Asotin	164	–	–	–	25	6	8	2	3	–	1	5	3	103	74	4	1
24	Benton	503	1	–	–	98	18	28	13	13	3	8	15	12	245	182	8	3
25	Kennewick	178	–	–	–	38	9	11	5	6	–	2	5	3	87	64	1	1
26	Richland	159	1	–	–	36	6	10	5	5	2	3	5	3	80	64	4	–
27	Balance of county	166	–	–	–	24	3	7	3	2	1	3	5	6	78	54	3	2
28	Chelan	422	–	–	–	82	22	20	9	8	5	1	17	5	230	173	4	3
29	Wenatchee	220	–	–	–	43	10	10	4	4	3	–	12	3	118	87	2	3
30	Balance of county	202	–	–	–	39	12	10	5	4	2	1	5	2	112	86	2	–
31	Clallam	431	–	–	3	91	24	25	8	14	2	2	16	4	225	186	1	5
32	Port Angeles	204	–	–	1	36	10	12	4	4	1	1	4	–	119	94	–	2
33	Balance of county	227	–	–	2	55	14	13	4	10	1	1	12	4	106	92	1	3
34	Clark	1,141	1	–	4	214	47	60	23	30	11	11	32	14	595	443	9	7
35	Vancouver	532	–	–	2	105	25	28	13	15	8	3	13	9	278	210	6	5
36	Balance of county	609	1	–	2	109	22	32	10	15	3	8	19	5	317	233	3	2
37	Columbia	56	–	–	–	4	–	2	1	–	–	–	1	1	33	25	1	1
38	Cowlitz	594	–	–	4	110	30	34	6	15	5	4	16	16	298	221	3	2
39	Kelso	127	–	–	1	28	11	10	2	–	3	1	1	3	56	41	2	–
40	Longview	268	–	–	1	59	14	20	3	9	–	2	11	5	142	103	–	2
41	Balance of county	199	–	–	2	23	5	4	1	6	2	1	4	8	100	77	1	–
42	Douglas	126	1	–	–	29	7	8	3	4	2	–	5	2	59	41	2	–
43	Ferry	32	–	–	–	3	–	3	–	–	–	–	–	–	13	11	2	–
44	Franklin	200	1	–	–	30	8	9	–	5	–	1	7	4	94	67	–	1
45	Pasco	147	1	–	–	26	7	8	–	5	–	1	5	3	73	53	–	–
46	Balance of county	53	–	–	–	4	1	1	–	–	–	–	2	1	21	14	–	1
47	Garfield	30	–	–	–	7	–	1	2	1	1	1	1	–	16	10	–	–
48	Grant	309	–	–	2	70	22	20	6	5	5	3	9	10	130	102	–	–
49	Moses Lake	78	–	–	–	19	5	6	1	1	1	1	4	3	25	20	–	–
50	Balance of county	231	–	–	2	51	17	14	5	4	4	2	5	7	105	82	–	–
51	Grays Harbor	678	–	–	5	137	33	36	15	18	6	3	26	15	359	278	5	1
52	Aberdeen	263	–	–	1	60	15	18	4	5	2	1	15	4	137	98	1	1
53	Hoquiam	105	–	–	2	22	7	4	3	2	–	–	6	2	56	45	–	–
54	Balance of county	310	–	–	2	55	11	14	8	11	4	2	5	9	166	135	4	–
55	Island	193	–	–	–	44	7	10	8	5	–	4	10	2	106	85	1	–
56	Jefferson	139	–	–	–	29	3	6	4	4	4	1	7	3	75	60	2	–
57	King	9,273	9	1	53	1,885	497	439	182	221	87	83	376	142	4,635	3,354	76	47
58	Auburn	189	–	–	2	41	11	8	5	2	3	2	10	5	100	71	1	–
59	Bellevue	310	–	–	1	65	13	13	13	5	4	5	12	2	157	106	1	1
60	Kent	146	–	–	–	30	10	12	1	4	–	3	–	3	68	53	5	–
61	Kirkland	155	–	–	–	30	7	6	2	4	1	–	10	2	77	51	–	–
62	Mercer Island city	97	–	–	–	25	4	8	5	1	1	1	5	2	51	40	3	1
63	Redmond	76	–	–	–	12	1	1	1	3	1	1	4	1	37	25	1	–
64	Renton	233	–	–	1	45	12	12	7	3	2	1	8	3	100	77	3	4
65	Seattle	5,755	8	1	34	1,155	319	265	104	141	53	42	231	91	2,932	2,133	43	31
66	Balance of county	2,312	1	–	15	482	120	114	44	58	22	28	96	33	1,113	798	19	10
67	Kitsap	938	2	–	5	193	52	44	14	24	11	8	40	10	500	400	9	10
68	Bremerton	394	–	–	2	69	20	16	7	7	4	1	14	5	227	174	4	5
69	Balance of county	544	2	–	3	124	32	28	7	17	7	7	26	5	273	226	5	5
70	Kittitas	191	–	–	1	25	9	4	4	3	1	1	3	2	101	65	2	–
71	Ellensburg	85	–	–	1	11	5	2	2	1	–	–	1	1	42	26	1	–
72	Balance of county	106	–	–	–	14	4	2	2	2	1	1	2	1	59	39	1	–
73	Klickitat	138	–	–	–	28	4	7	3	6	3	–	5	2	68	47	2	4
74	Lewis	497	–	–	2	99	19	26	10	16	5	6	17	12	258	201	6	10
75	Centralia	183	–	–	1	38	6	10	7	3	–	4	8	6	97	70	2	5
76	Balance of county	314	–	–	1	61	13	16	3	13	5	2	9	6	161	131	4	5
77	Lincoln	111	–	–	–	16	5	3	1	3	–	1	3	4	63	42	2	1
78	Mason	241	–	–	3	58	20	14	1	5	3	2	13	1	128	98	1	1

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
322	48	3	99	5	11	21	18	2	17	7	–	10	31	16	90	13	44	12	28	3	01
25	5	–	7	–	–	7	1	–	2	–	–	1	3	1	6	–	2	–	–	–	02
964	89	7	297	33	25	88	24	8	57	14	1	19	35	25	294	46	101	45	67	1	03
384	18	2	133	24	22	61	15	7	26	4	–	4	19	19	98	18	47	24	23	–	04
72	4	1	13	4	1	8	3	2	5	1	–	2	5	2	15	5	3	4	1	1	05
33	1	–	4	1	–	3	1	–	1	–	–	1	3	–	8	–	2	–	1	1	06
71	3	–	23	7	5	10	5	3	6	–	–	1	2	3	24	4	12	3	–	1	07
150	15	1	57	12	5	17	6	–	8	1	–	3	11	6	41	12	14	1	4	–	08
251	25	2	82	21	15	32	13	2	15	6	–	13	32	9	74	42	44	25	22	–	09
53	4	–	22	2	3	5	1	–	4	3	–	1	2	1	16	3	1	2	1	–	10
19	2	–	4	2	1	2	–	–	–	–	–	–	–	1	4	1	3	1	–	–	11
70	6	–	22	4	3	10	7	–	1	1	–	–	–	1	16	2	14	3	2	–	12
9,701	**847**	**72**	**3,168**	**562**	**415**	**939**	**486**	**136**	**552**	**89**	**4**	**216**	**385**	**328**	**2,363**	**803**	**980**	**509**	**209**	**93**	13
5,522	451	45	1,876	339	222	554	262	83	357	54	3	104	180	182	1,316	328	478	269	128	48	14
4,179	396	27	1,292	223	193	385	224	53	195	35	1	112	205	146	1,047	475	502	240	81	45	15
6,007	451	45	2,006	383	261	596	283	79	389	59	2	131	235	217	1,465	456	594	357	141	45	16
4,073	324	32	1,395	262	173	409	182	60	296	44	2	72	118	148	980	230	375	217	104	31	17
1,934	127	13	611	121	88	187	101	19	93	15	–	59	117	69	485	226	219	140	37	14	18
3,694	396	27	1,162	179	154	343	203	57	163	30	2	85	150	111	898	347	386	152	68	48	19
1,449	127	13	481	77	49	145	80	23	61	10	1	32	62	34	336	98	103	52	24	17	20
2,245	269	14	681	102	105	198	123	34	102	20	1	53	88	77	562	249	283	100	44	31	21
19	8	1	11	3	–	2	3	–	1	–	–	1	2	5	8	2	6	1	–	1	22
63	6	–	24	2	3	3	6	–	3	–	–	–	1	2	9	3	4	1	–	1	23
160	11	1	47	12	3	10	12	4	5	1	–	8	11	2	48	16	20	4	4	2	24
59	3	–	18	4	1	4	2	–	3	–	–	4	4	2	19	3	4	3	1	1	25
56	4	–	13	2	1	3	4	–	1	1	–	1	4	–	16	3	5	–	–	1	26
45	4	1	16	6	1	3	6	4	1	–	–	3	3	–	13	10	11	1	3	–	27
162	4	–	48	5	4	9	7	5	5	–	–	1	7	1	38	11	9	6	4	2	28
81	1	–	25	5	1	3	3	2	4	–	–	–	5	1	20	6	6	3	2	1	29
81	3	–	23	–	3	6	4	3	1	–	–	1	2	–	18	5	3	3	2	1	30
166	14	1	32	2	4	11	4	3	9	1	–	2	3	8	27	13	15	7	1	4	31
86	6	1	21	–	3	6	3	3	5	–	–	2	1	3	11	5	7	1	–	1	32
80	8	–	11	2	1	5	1	–	4	1	–	–	2	5	16	8	8	6	1	3	33
406	21	1	118	20	13	41	21	8	17	4	–	8	15	7	90	38	35	23	5	1	34
188	11	–	56	8	4	22	11	4	8	2	–	3	4	3	41	8	17	12	3	–	35
218	10	1	62	12	9	19	10	4	9	2	–	5	11	4	49	30	18	11	2	1	36
21	2	–	6	–	2	1	1	–	1	1	–	1	1	–	6	4	–	1	–	1	37
200	16	1	62	5	9	18	13	4	8	4	–	4	8	4	38	27	25	12	–	1	38
38	1	–	11	2	2	6	1	2	1	–	–	2	1	3	11	4	4	4	–	–	39
92	9	1	32	2	4	6	8	1	5	1	–	–	2	–	17	6	9	5	–	1	40
70	6	–	19	1	3	6	4	1	2	3	–	2	5	1	10	17	12	3	–	–	41
28	11	–	15	2	1	2	2	–	1	–	–	1	1	4	13	3	8	–	–	–	42
4	5	–	1	1	–	–	–	–	1	–	–	–	1	1	6	3	2	1	1	–	43
60	6	–	24	2	1	3	4	–	2	–	–	3	7	5	21	11	10	2	2	1	44
49	4	–	19	1	–	–	4	–	1	–	–	1	–	5	15	8	5	2	2	1	45
11	2	–	5	1	1	3	–	–	1	–	–	2	7	–	6	3	5	–	–	–	46
8	2	–	4	–	2	1	–	–	–	–	–	–	–	2	2	–	1	1	–	–	47
95	7	1	23	2	2	9	9	1	2	1	–	4	4	4	27	6	18	7	5	–	48
20	–	–	3	1	1	3	1	–	–	1	–	1	4	3	7	1	9	1	–	–	49
75	7	1	20	1	1	6	8	1	2	–	–	3	–	1	20	5	9	6	5	–	50
252	20	–	65	9	7	16	14	3	9	3	–	5	9	5	50	19	17	9	2	1	51
87	9	–	32	5	2	13	5	–	3	1	–	2	4	1	18	4	4	4	2	–	52
42	3	–	7	1	3	2	3	1	3	–	–	–	1	–	5	5	2	1	–	–	53
123	8	–	26	3	2	1	6	2	3	2	–	3	4	4	27	10	11	4	–	1	54
82	2	–	18	2	1	3	1	1	2	–	1	3	3	1	9	5	8	2	–	2	55
52	6	–	11	1	3	3	–	–	1	1	–	–	1	2	13	3	5	2	1	–	56
3,001	230	26	977	148	130	339	126	32	227	32	2	52	98	116	752	202	289	180	73	28	57
67	3	1	18	4	6	3	3	–	4	–	–	2	4	1	8	9	4	3	–	–	58
98	6	1	36	5	9	7	4	1	2	1	–	4	5	2	24	10	12	13	–	–	59
44	4	–	12	3	–	5	1	–	3	–	–	1	1	4	18	3	4	4	1	–	60
48	3	1	16	8	1	12	3	–	–	–	–	–	1	3	14	5	6	1	1	–	61
32	4	1	4	4	2	2	–	1	2	1	–	–	–	1	5	2	2	3	–	–	62
23	1	–	12	–	–	3	2	–	–	–	–	1	3	2	8	5	1	1	–	–	63
68	2	1	11	10	1	12	6	1	5	2	1	2	5	4	27	8	5	4	1	1	64
1,907	152	16	627	80	76	210	69	24	183	23	1	26	40	66	457	77	181	101	55	21	65
714	55	5	241	34	35	85	38	5	28	5	–	16	39	33	191	83	74	50	15	6	66
331	50	3	78	5	14	38	13	1	14	2	–	3	15	9	64	24	23	19	–	3	67
143	22	3	43	3	4	23	5	–	5	–	–	1	11	1	21	7	8	8	–	1	68
188	28	–	35	2	10	15	8	1	9	2	–	2	4	8	43	17	15	11	–	2	69
55	8	–	29	3	4	12	4	1	3	–	–	2	2	3	18	8	4	4	1	–	70
22	3	–	12	2	2	3	1	1	1	–	–	1	2	2	9	5	2	2	1	–	71
33	5	–	17	1	2	9	3	–	2	–	–	1	–	1	9	3	2	2	–	–	72
35	6	1	11	4	5	4	–	1	4	–	–	3	4	1	13	8	2	–	–	–	73
165	20	2	44	7	4	17	10	–	4	1	–	–	10	2	45	11	17	4	4	1	74
54	9	1	17	6	3	6	6	–	1	–	–	–	2	–	19	4	3	–	–	–	75
111	11	1	27	1	1	11	4	–	3	1	–	–	8	2	26	7	14	4	4	1	76
31	8	1	14	3	3	1	–	1	1	–	–	1	2	3	13	2	3	1	–	–	77
81	15	–	19	5	6	7	6	1	3	1	–	2	1	3	13	4	4	2	2	2	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Washington—Con.																	
01	Okanogan	248	–	–	–	36	8	6	5	3	5	2	7	7	102	72	1	1
02	Pacific	206	–	–	–	40	14	11	4	3	1	–	7	2	106	77	3	2
03	Pend Oreille	71	–	–	1	13	3	2	1	2	3	–	2	–	37	23	–	1
04	Pierce	3,373	2	–	14	644	169	159	64	73	35	21	123	57	1,760	1,263	26	18
05	Puyallup	193	–	–	1	38	6	7	4	1	5	3	12	2	122	87	–	1
06	Tacoma	1,724	1	–	4	321	79	87	31	39	14	8	63	35	935	653	14	9
07	Balance of county	1,456	1	–	9	285	84	65	29	33	16	10	48	20	703	523	12	8
08	San Juan	45	–	–	1	10	6	1	–	1	–	1	1	2	25	18	–	–
09	Skagit	572	1	–	3	85	19	22	4	11	3	5	21	12	319	222	7	3
10	Skamania	51	–	–	–	11	5	–	–	3	–	–	3	2	28	24	1	–
11	Snohomish	1,962	4	–	8	412	118	93	35	55	16	14	81	41	962	678	17	13
12	Edmonds	223	–	–	2	51	14	18	3	5	2	2	7	3	110	81	2	–
13	Everett	614	2	–	2	125	41	27	10	17	4	1	25	11	317	216	6	4
14	Lynnwood	101	1	–	–	26	6	1	5	4	1	1	8	2	44	31	1	–
15	Mountlake Terrace	54	–	–	–	9	2	2	2	1	2	–	–	1	24	14	1	2
16	Balance of county	970	1	–	4	201	55	45	15	28	7	10	41	24	467	336	7	7
17	Spokane	2,831	8	–	14	524	132	132	41	62	21	27	109	46	1,482	1,001	26	42
18	Spokane	2,059	6	–	12	375	94	99	30	42	14	17	79	34	1,102	744	16	34
19	Balance of county	772	2	–	2	149	38	33	11	20	7	10	30	12	380	257	10	8
20	Stevens	209	1	–	1	49	16	9	3	9	2	1	9	2	103	76	–	1
21	Thurston	721	1	–	2	168	47	42	15	14	8	9	33	23	337	256	6	2
22	Olympia	303	–	–	–	69	22	15	4	7	4	6	11	9	152	109	2	–
23	Balance of county	418	1	–	2	99	25	27	11	7	4	3	22	14	185	147	4	2
24	Wahkiakum	33	–	–	–	4	1	1	–	1	–	–	1	–	18	17	–	–
25	Walla Walla	431	–	–	6	72	22	14	7	11	2	2	14	6	232	152	6	1
26	Walla Walla	302	–	–	3	48	16	9	6	8	1	–	8	5	174	119	5	–
27	Balance of county	129	–	–	3	24	6	5	1	3	1	2	6	1	58	33	1	1
28	Whatcom	773	–	–	2	128	33	24	17	20	5	8	21	17	424	309	9	7
29	Bellingham	457	–	–	1	82	20	14	12	14	5	4	13	10	256	188	6	4
30	Balance of county	316	–	–	1	46	13	10	5	6	–	4	8	7	168	121	3	3
31	Whitman	261	–	–	1	46	14	10	4	9	–	2	7	7	139	99	3	–
32	Pullman	63	–	–	1	15	5	4	2	2	–	1	1	1	23	16	–	–
33	Balance of county	198	–	–	–	31	9	6	2	7	–	1	6	6	116	83	3	–
34	Yakima	1,546	–	–	2	294	71	77	27	42	21	9	47	23	778	532	14	16
35	Yakima	729	–	–	–	130	30	34	14	18	8	5	21	7	404	277	9	10
36	Balance of county	817	–	–	2	164	41	43	13	24	13	4	26	16	374	255	5	6
37	**West Virginia**	**19,559**	**43**	**1**	**124**	**3,303**	**825**	**872**	**220**	**398**	**144**	**125**	**719**	**319**	**10,205**	**7,760**	**115**	**105**
38	Urban places	5,800	15	1	33	1,028	272	264	65	103	47	51	226	91	3,210	2,429	38	40
39	Balance of area	13,759	28	–	91	2,275	553	608	155	295	97	74	493	228	6,995	5,331	77	65
40	Metropolitan counties	5,712	15	1	37	1,036	254	277	68	118	47	37	235	91	3,035	2,373	36	24
41	Urban places	3,375	9	1	21	597	159	149	35	62	26	27	139	54	1,859	1,428	19	16
42	Balance of area	2,337	6	–	16	439	95	128	33	56	21	10	96	37	1,176	945	17	8
43	Nonmetropolitan counties	13,847	28	–	87	2,267	571	595	152	280	97	88	484	228	7,170	5,387	79	81
44	Urban places	2,425	6	–	12	431	113	115	30	41	21	24	87	37	1,351	1,001	19	24
45	Balance of area	11,422	22	–	75	1,836	458	480	122	239	76	64	397	191	5,819	4,386	60	57
46	Barbour	164	–	–	–	28	9	8	3	3	1	1	3	4	82	63	2	2
47	Berkeley	434	–	–	5	65	16	13	7	11	3	1	14	9	246	179	3	4
48	Martinsburg	262	–	–	1	39	11	9	3	6	3	–	7	8	158	111	2	4
49	Balance of county	172	–	–	4	26	5	4	4	5	–	1	7	1	88	68	1	–
50	Boone	269	–	–	2	36	11	11	1	1	2	1	9	4	122	83	–	–
51	Braxton	144	–	–	2	19	4	6	–	3	1	–	5	1	78	57	2	–
52	Brooke	262	–	–	5	46	12	10	5	7	1	3	8	5	152	122	1	1
53	Weirton, part	39	–	–	2	9	2	3	–	2	–	1	1	1	22	14	1	–
54	Balance of county	223	–	–	3	37	10	7	5	5	1	2	7	4	130	108	–	1
55	Cabell	1,203	5	–	7	184	39	50	14	22	9	5	45	21	651	491	9	2
56	Huntington, part	895	3	–	5	128	33	30	8	13	6	5	33	12	494	362	6	2
57	Huntington, total	939	3	–	5	137	36	32	8	15	6	5	35	13	518	378	7	2
58	Balance of county	308	2	–	2	56	6	20	6	9	3	–	12	9	157	129	3	–
59	Calhoun	105	–	–	–	24	7	5	2	1	1	–	8	1	50	34	2	–
60	Clay	107	1	–	–	12	4	2	–	3	–	–	3	1	37	28	–	–
61	Doddridge	89	–	–	–	12	3	2	1	1	–	–	5	–	59	47	1	–
62	Fayette	714	1	–	1	89	25	27	5	8	2	2	20	12	360	279	2	3
63	Gilmer	63	–	–	1	7	1	2	–	–	–	1	3	1	40	34	–	–
64	Grant	96	–	–	–	17	6	2	–	4	–	1	4	1	59	41	–	–
65	Greenbrier	406	1	–	3	52	10	15	3	5	6	–	13	6	214	142	–	4
66	Hampshire	139	–	–	–	31	6	11	1	3	1	2	7	1	75	67	1	1
67	Hancock	377	–	–	2	89	32	15	3	7	3	8	21	6	189	129	2	2
68	Weirton, part	228	–	–	2	54	19	9	1	3	1	8	13	5	107	73	1	–
69	Weirton, total	267	–	–	4	63	21	12	1	5	1	9	14	6	129	87	2	–
70	Balance of county	149	–	–	–	35	13	6	2	4	2	–	8	1	82	56	1	2
71	Hardy	85	–	–	2	15	3	3	1	3	1	–	4	–	43	35	–	–
72	Harrison	888	1	–	5	165	30	47	14	19	13	4	38	10	466	357	7	6
73	Clarksburg	370	1	–	2	68	12	23	6	6	7	3	11	6	211	163	3	2
74	Balance of county	518	–	–	3	97	18	24	8	13	6	1	27	4	255	194	4	4
75	Jackson	185	2	–	3	34	6	11	4	5	1	–	7	4	99	75	–	1
76	Jefferson	272	2	–	2	42	17	9	2	6	1	–	7	4	134	100	–	1
77	Kanawha	2,400	7	–	11	432	95	131	29	47	21	12	97	31	1,291	1,050	12	14
78	Charleston	1,013	5	–	4	182	47	54	10	17	9	3	42	13	567	459	3	7
79	St. Albans	163	–	–	2	25	4	7	2	4	2	1	5	2	90	66	–	1
80	South Charleston	182	–	–	1	32	6	8	2	4	1	4	7	2	100	91	1	1
81	Balance of county	1,042	2	–	4	193	38	62	15	22	9	4	43	14	534	434	8	5

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
56	14	–	20	5	5	10	7	2	7	1	–	1	1	5	26	18	16	6	2	1	01
60	12	–	22	4	3	6	5	–	7	3	–	–	–	1	15	8	6	5	–	2	02
21	1	–	7	5	2	1	1	–	2	–	–	1	1	1	8	2	3	–	–	–	03
1,156	63	9	377	62	49	80	50	14	62	15	–	31	48	29	232	102	131	63	33	6	04
83	3	–	25	7	3	7	–	–	1	–	–	–	3	–	7	4	6	2	–	–	05
600	30	5	220	29	28	33	27	11	33	9	–	11	11	15	121	43	59	28	24	3	06
473	30	4	132	26	18	40	23	3	28	6	–	20	34	14	104	55	66	33	9	3	07
18	–	–	5	–	2	–	–	–	–	–	–	–	–	1	3	–	2	–	–	1	08
192	20	1	69	12	15	18	14	8	6	1	–	4	2	8	40	19	22	7	1	2	09
22	1	–	4	–	–	–	1	–	1	–	–	1	–	1	–	4	1	–	–	1	10
612	36	3	194	57	30	44	33	11	35	6	–	16	28	30	169	52	54	38	13	6	11
71	8	–	25	2	2	5	3	3	6	1	–	1	2	1	20	4	7	2	2	–	12
194	12	2	57	27	15	13	11	4	9	4	–	5	6	13	56	6	10	13	4	3	13
28	2	–	11	1	1	1	2	–	1	–	–	2	1	3	9	5	4	–	–	–	14
11	–	–	8	–	2	2	1	–	1	–	–	1	1	2	4	5	2	1	–	–	15
308	14	1	93	27	10	23	16	4	18	1	–	7	18	11	80	32	31	22	7	3	16
832	101	6	340	96	39	92	53	14	48	2	–	24	46	35	222	62	85	53	17	4	17
611	83	4	257	74	23	72	39	11	38	1	–	13	31	28	161	36	55	29	13	3	18
221	18	2	83	22	16	20	14	3	10	1	–	11	15	7	61	26	30	24	4	1	19
63	12	–	16	8	3	10	3	1	3	1	–	–	1	–	18	8	7	1	–	–	20
232	16	1	68	6	6	14	12	3	16	3	–	7	6	4	61	24	21	12	5	2	21
101	6	1	35	3	4	8	3	1	4	3	–	2	2	1	29	9	7	3	–	1	22
131	10	–	33	3	2	6	9	2	12	–	–	5	4	3	32	15	14	9	5	1	23
16	1	–	1	–	–	1	1	–	1	–	–	–	–	–	5	1	2	–	–	–	24
120	25	1	60	17	2	16	11	4	3	–	–	2	4	4	38	6	10	6	11	–	25
97	17	1	42	10	2	9	8	3	3	–	–	1	4	4	21	5	4	4	6	–	26
23	8	–	18	7	–	7	3	1	–	–	–	1	–	–	17	1	6	2	5	–	27
279	14	7	80	20	8	21	14	8	12	2	1	5	10	8	62	14	28	12	3	2	28
172	6	4	46	14	4	14	8	6	9	1	1	4	3	2	44	1	6	5	2	2	29
107	8	3	34	6	4	7	6	2	3	1	–	1	7	6	18	13	22	7	1	–	30
87	9	1	28	3	8	14	6	3	3	–	–	2	3	2	14	8	9	3	–	1	31
15	1	–	4	–	3	6	3	2	1	–	–	2	3	1	2	1	–	1	–	1	32
72	8	1	24	3	5	8	3	1	2	–	–	–	–	1	12	7	9	2	–	–	33
458	44	4	196	24	22	62	19	2	23	3	–	18	29	9	127	52	58	14	19	14	34
235	23	1	101	16	9	30	12	1	11	2	–	8	9	5	52	21	18	5	8	6	35
223	21	3	95	8	13	32	7	1	12	1	–	10	20	4	75	31	40	9	11	8	36
6,880	**660**	**64**	**1,831**	**282**	**268**	**649**	**313**	**61**	**250**	**70**	**2**	**150**	**283**	**617**	**1,743**	**453**	**596**	**200**	**112**	**65**	**37**
2,147	204	14	596	84	87	193	94	16	92	21	–	46	68	128	459	70	137	57	28	13	38
4,733	456	50	1,235	198	181	456	219	45	158	49	2	104	215	489	1,284	383	459	143	84	52	39
2,082	231	10	509	68	75	206	99	18	85	28	–	38	74	152	453	103	147	49	23	22	40
1,263	130	6	339	43	43	117	61	9	57	15	–	23	39	70	268	41	87	24	12	11	41
819	101	4	170	25	32	89	38	9	28	13	–	15	35	82	185	62	60	25	11	11	42
4,798	429	54	1,322	214	193	443	214	43	165	42	2	112	209	465	1,290	350	449	151	89	43	43
884	74	8	257	41	44	76	33	7	35	6	–	23	29	58	191	29	50	33	16	2	44
3,914	355	46	1,065	173	149	367	181	36	130	36	2	89	180	407	1,099	321	399	118	73	41	45
52	7	1	13	2	3	13	3	–	1	–	–	–	–	7	16	2	8	–	–	–	46
165	7	1	52	7	7	12	10	1	8	–	–	5	4	1	34	13	13	5	3	–	47
100	5	–	37	4	6	6	4	–	6	–	–	4	3	1	19	3	7	3	–	–	48
65	2	1	15	3	1	6	6	1	2	–	–	1	1	–	15	10	6	2	3	–	49
74	9	1	21	13	4	6	5	2	2	1	–	4	–	33	27	10	11	1	2	1	50
44	11	1	13	6	1	6	2	–	–	–	1	–	1	11	12	1	6	3	–	1	51
110	10	–	24	3	3	6	3	2	3	1	–	2	5	1	19	5	4	–	1	2	52
11	2	–	7	1	–	1	–	–	1	–	–	–	1	–	1	–	1	–	–	–	53
99	8	–	17	2	3	5	3	2	2	1	–	2	4	1	18	5	3	–	1	2	54
462	18	1	131	16	12	38	24	7	16	4	–	11	13	44	104	21	30	15	5	3	55
338	16	1	112	11	8	27	20	7	12	2	–	9	8	32	85	12	25	9	3	2	56
351	18	2	116	13	9	27	21	7	12	2	–	9	8	35	88	12	26	10	3	3	57
124	2	–	19	5	4	11	4	–	4	2	–	2	5	12	19	9	5	6	2	1	58
23	9	–	10	2	4	3	1	–	–	–	–	1	7	2	10	2	4	–	–	–	59
28	–	1	7	–	1	4	4	–	1	1	–	1	1	34	5	2	1	–	2	–	60
44	2	–	8	2	2	2	1	1	–	1	–	–	2	–	6	2	1	1	1	–	61
256	18	2	64	3	12	28	13	–	9	1	–	6	13	23	98	16	26	9	8	1	62
25	9	–	2	2	2	3	–	–	–	–	–	–	4	–	4	–	1	2	–	–	63
40	1	2	14	1	1	1	1	–	–	–	–	2	2	2	7	3	–	1	–	–	64
122	16	3	49	14	6	14	12	–	2	1	–	3	6	5	36	16	22	10	3	–	65
59	6	–	4	3	1	5	2	–	4	–	–	1	1	1	5	2	6	5	–	–	66
121	4	1	42	11	6	20	3	–	6	3	–	2	7	3	28	4	7	5	–	3	67
68	4	–	21	7	6	12	–	–	4	3	–	2	2	2	20	4	7	1	–	3	68
79	6	–	28	8	6	13	–	–	5	3	–	2	3	2	21	4	8	1	–	3	69
53	–	1	21	4	–	8	3	–	2	–	–	–	5	1	8	–	–	4	–	–	70
32	3	–	6	2	–	1	1	2	2	1	–	–	2	–	6	1	8	1	–	–	71
326	18	4	76	22	7	33	10	2	8	3	–	5	11	10	95	15	28	13	7	1	72
151	7	2	32	11	3	12	5	1	2	1	–	2	5	3	29	2	10	6	4	–	73
175	11	2	44	11	4	21	5	1	6	2	–	3	6	7	66	13	18	7	3	1	74
72	2	4	18	2	–	6	1	–	1	–	–	2	4	1	15	5	7	1	–	–	75
90	9	1	30	1	2	12	2	–	4	–	–	2	5	4	30	9	12	7	1	–	76
856	168	5	182	24	30	88	35	2	36	12	–	13	32	66	181	55	63	18	15	12	77
373	76	3	81	11	13	31	15	–	23	6	–	5	12	25	71	14	22	8	8	2	78
61	4	–	21	2	1	10	3	1	1	–	–	1	3	1	11	4	7	1	–	1	79
77	12	–	3	3	3	7	3	–	–	2	–	1	3	5	17	2	5	1	–	1	80
345	76	2	77	8	13	40	14	1	12	4	–	6	14	35	82	35	29	8	7	8	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	West Virginia—Con.																	
01	Lewis	228	–	–	2	34	7	8	2	4	3	2	8	4	135	99	2	2
02	Lincoln	235	2	–	–	37	9	13	3	3	2	–	7	5	111	87	1	1
03	Logan	510	–	–	3	78	16	21	2	14	4	3	18	10	182	137	2	2
04	McDowell	612	5	–	6	94	19	24	4	18	4	3	22	19	266	214	2	4
05	Marion	746	1	–	5	141	49	30	6	18	3	8	27	4	423	309	10	2
06	Fairmont	327	–	–	1	65	20	17	4	5	1	4	14	–	191	143	5	1
07	Balance of county	419	1	–	4	76	29	13	2	13	2	4	13	4	232	166	5	1
08	Marshall	389	1	–	4	71	22	15	6	12	3	1	12	15	190	154	3	–
09	Moundsville	148	–	–	1	28	8	4	5	5	1	–	5	8	75	58	–	–
10	Balance of county	241	1	–	3	43	14	11	1	7	2	1	7	7	115	96	3	–
11	Mason	242	1	–	–	39	15	8	2	–	2	3	9	6	140	105	1	2
12	Mercer	767	–	–	5	105	30	29	7	11	4	5	19	8	368	276	3	7
13	Bluefield[2]	262	–	–	2	39	12	9	1	4	2	2	9	3	113	76	2	2
14	Balance of county	505	–	–	3	66	18	20	6	7	2	3	10	5	255	200	1	5
15	Mineral	227	–	–	–	41	10	9	4	6	–	2	10	2	131	109	1	1
16	Mingo	392	1	–	2	56	14	15	3	5	3	8	8	5	186	144	2	1
17	Monongalia	557	–	–	4	110	28	32	9	10	5	4	22	13	295	217	1	2
18	Morgantown	248	–	–	2	52	14	12	9	3	1	2	11	5	132	103	–	2
19	Balance of county	309	–	–	2	58	14	20	–	7	4	2	11	8	163	114	1	–
20	Monroe	143	1	–	1	22	2	5	1	5	–	1	8	2	78	53	2	–
21	Morgan	95	–	–	–	23	4	9	–	4	1	1	4	1	48	35	–	–
22	Nicholas	241	–	–	2	41	15	5	2	6	2	4	7	3	106	81	3	1
23	Ohio	769	1	1	6	149	42	35	8	14	6	6	38	11	437	334	7	5
24	Wheeling	663	1	1	4	130	37	32	7	12	6	5	31	10	380	289	6	5
25	Balance of county	106	–	–	2	19	5	3	1	2	–	1	7	1	57	45	1	–
26	Pendleton	88	–	–	1	17	5	3	–	3	1	–	5	1	48	38	1	–
27	Pleasants	69	–	–	–	5	1	1	–	2	–	–	1	4	38	25	–	–
28	Pocahontas	121	–	–	1	17	2	5	3	1	–	–	6	3	70	54	2	2
29	Preston	264	–	–	3	36	9	10	7	4	2	–	4	5	130	95	1	1
30	Putnam	262	–	–	3	51	16	16	2	4	1	1	11	5	137	107	1	–
31	Raleigh	873	3	–	10	146	32	47	8	20	5	3	31	16	475	394	5	4
32	Beckley	319	2	–	2	53	16	13	3	3	3	2	13	5	191	154	3	2
33	Balance of county	554	1	–	8	93	16	34	5	17	2	1	18	11	284	240	2	2
34	Randolph	274	1	–	–	57	12	13	8	6	2	3	13	2	152	99	2	5
35	Ritchie	152	–	–	3	26	4	9	2	4	–	1	6	1	102	77	–	–
36	Roane	182	–	–	–	25	8	5	1	3	3	1	4	3	106	62	1	–
37	Summers	201	–	–	1	27	12	4	1	2	1	1	6	8	104	74	–	1
38	Taylor	212	–	–	1	39	12	7	2	3	2	2	11	3	101	76	1	–
39	Tucker	96	–	–	1	18	4	5	2	2	–	2	3	5	53	37	1	1
40	Tyler	135	–	–	1	21	7	5	2	1	1	2	3	4	66	54	1	1
41	Upshur	204	–	–	–	47	10	9	6	13	1	1	7	3	112	85	2	2
42	Wayne	312	1	–	2	65	12	21	3	9	4	2	14	2	125	93	2	–
43	Huntington, part	44	–	–	–	9	3	2	–	2	–	–	2	1	24	16	1	–
44	Balance of county	268	1	–	2	56	9	19	3	7	4	2	12	1	101	77	1	–
45	Webster	137	–	–	1	26	3	6	3	5	2	1	6	2	85	68	–	2
46	Wetzel	228	–	–	2	41	8	15	3	1	4	2	8	6	119	87	3	1
47	Wirt	66	–	–	–	13	5	2	3	1	1	–	1	–	35	28	–	2
48	Wood	849	3	–	3	147	37	37	9	18	5	11	30	12	478	333	5	11
49	Parkersburg	540	3	–	2	90	23	24	3	11	3	8	18	10	300	213	2	10
50	Vienna	97	–	–	–	25	5	8	1	3	1	3	4	–	55	38	2	1
51	Balance of county	212	–	–	1	32	9	5	5	4	1	–	8	2	123	82	1	–
52	Wyoming	279	2	–	–	39	8	14	1	7	–	–	9	4	126	107	3	1
53	**Wisconsin**	**39,885**	**45**	**5**	**188**	**7,690**	**2,202**	**1,470**	**723**	**975**	**418**	**298**	**1,604**	**762**	**21,779**	**15,930**	**278**	**205**
54	Urban places	20,410	27	4	103	4,094	1,122	849	392	503	212	162	854	412	11,000	8,025	146	102
55	Balance of area	19,475	18	1	85	3,596	1,080	621	331	472	206	136	750	350	10,779	7,905	132	103
56	Metropolitan counties	20,517	25	4	95	4,118	1,123	838	400	511	211	155	880	398	10,910	8,019	146	100
57	Urban places	16,081	23	4	77	3,244	865	697	314	387	175	121	685	311	8,586	6,318	121	81
58	Balance of area	4,436	2	–	18	874	258	141	86	124	36	34	195	87	2,324	1,701	25	19
59	Nonmetropolitan counties	19,368	20	1	93	3,572	1,079	632	323	464	207	143	724	364	10,869	7,911	132	105
60	Urban places	4,329	4	–	26	850	257	152	78	116	37	41	169	101	2,414	1,707	25	21
61	Balance of area	15,039	16	1	67	2,722	822	480	245	348	170	102	555	263	8,455	6,204	107	84
62	Adams	155	–	–	1	29	7	7	–	8	1	2	4	3	89	63	–	–
63	Ashland	215	–	–	1	49	16	9	3	4	6	4	7	3	112	90	2	1
64	Barron	396	–	–	1	64	16	8	7	12	3	1	17	6	236	157	1	–
65	Bayfield	139	–	–	1	23	9	5	3	1	1	1	3	3	76	50	1	–
66	Brown	1,109	–	–	5	224	60	47	22	29	20	5	41	30	585	410	4	5
67	De Pere	77	–	–	1	9	1	2	1	2	–	–	3	1	36	21	1	–
68	Green Bay	710	–	–	4	154	39	39	14	18	14	3	27	20	393	284	3	5
69	Balance of county	322	–	–	–	61	20	6	7	9	6	2	11	9	156	105	–	–
70	Buffalo	150	1	–	1	26	8	2	2	5	1	1	7	1	73	52	–	–
71	Burnett	150	–	–	–	26	10	2	1	8	2	–	3	2	83	57	–	–
72	Calumet	180	–	–	–	41	13	11	2	3	1	2	9	2	94	70	2	3
73	Appleton, part	9	–	–	–	3	–	3	–	–	–	–	–	–	4	4	1	–
74	Balance of county	171	–	–	–	38	13	8	2	3	1	2	9	2	90	66	1	3
75	Chippewa	438	–	–	1	77	26	11	8	8	3	3	18	7	261	186	4	2
76	Chippewa Falls	135	–	–	–	22	7	4	3	3	1	2	2	2	81	58	–	2
77	Eau Claire, part	6	–	–	–	–	–	–	–	–	–	–	–	1	4	3	–	–
78	Balance of county	297	–	–	1	55	19	7	5	5	2	1	16	4	176	125	4	–
79	Clark	309	1	–	2	56	20	8	3	10	4	2	9	9	174	125	4	–
80	Columbia	443	–	–	3	69	26	17	5	5	5	–	11	10	264	205	2	2
81	Crawford	183	–	–	2	34	16	6	2	1	2	2	5	7	90	68	–	3

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
82	13	2	26	7	1	5	3	1	1	–	–	3	4	4	17	5	5	2	2	1	01
79	6	3	15	4	2	7	7	2	2	–	–	1	6	15	20	4	8	2	3	3	02
119	14	–	35	8	2	10	7	1	10	1	1	5	10	89	58	10	20	5	7	3	03
190	18	4	40	2	6	13	9	4	12	1	–	6	9	4	106	20	21	2	3	12	04
281	16	2	87	10	15	26	5	3	10	1	–	7	12	2	71	9	16	6	3	1	05
130	7	1	36	3	8	12	2	1	4	–	–	4	4	2	32	2	4	2	–	1	06
151	9	1	51	7	7	14	3	2	6	1	–	3	8	–	39	7	12	4	3	–	07
143	8	1	23	4	8	18	11	1	6	2	–	3	6	2	39	3	14	3	–	–	08
54	4	–	13	2	2	7	6	–	3	–	–	1	3	1	10	1	4	–	–	–	09
89	4	1	10	2	6	11	5	1	3	2	–	2	3	1	29	2	10	3	–	–	10
95	7	–	26	7	2	6	4	1	4	–	–	2	2	1	20	4	8	3	1	–	11
235	31	1	70	10	11	28	12	1	10	3	–	9	18	75	67	21	24	9	3	1	12
65	7	–	29	4	4	15	4	–	2	1	–	4	1	40	22	3	7	5	1	–	13
170	24	1	41	6	7	13	8	1	8	2	–	5	17	35	45	18	17	4	2	1	14
105	2	–	14	4	4	10	3	1	2	–	–	2	–	3	12	11	5	4	–	–	15
136	5	2	29	8	3	11	9	1	5	5	–	3	10	19	36	11	17	5	8	2	16
186	28	1	61	9	7	14	5	2	10	3	–	3	2	9	46	11	16	6	4	4	17
85	16	–	21	5	3	6	1	–	4	2	–	2	1	4	20	2	7	5	2	1	18
101	12	1	40	4	4	8	4	2	6	1	–	1	1	5	26	9	9	1	2	3	19
47	4	–	20	2	3	8	4	2	–	–	–	–	–	1	16	2	2	2	2	–	20
30	5	–	11	–	2	1	1	–	1	–	–	1	–	1	11	3	3	1	–	–	21
66	11	–	20	3	2	11	7	1	5	1	–	4	6	12	22	11	8	–	–	1	22
308	14	1	86	5	11	24	15	3	14	3	–	6	9	1	60	4	20	3	1	1	23
268	10	1	77	4	9	22	13	1	13	2	–	4	7	1	50	4	15	3	1	1	24
40	4	–	9	1	2	2	2	2	1	1	–	2	2	–	10	–	5	–	–	–	25
36	1	2	7	–	1	4	2	–	–	–	–	1	2	1	3	3	5	–	–	–	26
23	2	1	8	4	–	4	–	–	–	–	–	1	1	2	7	–	5	1	1	–	27
48	2	–	10	2	4	1	1	–	–	–	–	1	–	3	13	2	8	1	–	–	28
88	5	1	29	1	4	8	4	2	4	2	–	1	4	5	22	18	12	5	3	–	29
102	4	1	22	3	4	7	3	–	3	2	–	–	6	3	16	11	8	4	2	1	30
366	19	1	68	–	12	29	15	3	9	3	–	6	8	8	98	12	19	5	5	3	31
139	10	–	33	–	4	8	8	2	5	–	–	2	4	2	24	5	2	2	2	–	32
227	9	1	35	–	8	21	7	1	4	3	–	4	4	6	74	7	17	3	3	3	33
86	6	–	43	7	3	6	4	–	6	1	–	3	4	1	21	8	5	2	1	–	34
75	2	–	16	2	7	5	1	–	–	1	–	1	–	–	7	1	2	1	1	–	35
53	8	–	40	3	1	7	–	2	3	2	–	–	3	8	8	6	7	1	1	–	36
72	1	–	25	4	1	8	6	2	2	–	–	1	6	12	7	3	10	3	1	–	37
68	7	–	19	4	2	6	4	1	2	–	–	3	1	21	22	3	4	1	–	–	38
32	3	–	13	–	3	2	1	–	–	–	–	–	1	–	10	1	4	–	–	–	39
47	5	2	8	–	2	8	2	–	–	–	–	–	1	6	15	4	5	1	–	1	40
67	14	–	22	3	2	4	1	–	–	1	–	1	4	–	13	9	6	3	–	–	41
82	9	1	21	5	5	12	8	3	4	3	–	1	2	35	22	11	9	5	1	1	42
13	2	1	4	2	1	–	1	–	–	–	–	–	–	3	3	–	1	1	–	1	43
69	7	–	17	3	4	12	7	3	4	3	–	1	2	32	19	11	8	4	1	–	44
56	10	–	15	1	1	1	2	1	1	1	–	1	–	–	7	5	4	–	–	–	45
74	9	2	20	6	4	11	4	–	–	2	–	1	3	11	16	6	4	1	–	1	46
23	3	1	5	–	1	2	1	1	–	–	–	–	–	2	5	2	5	–	–	–	47
287	30	6	100	18	21	20	15	3	14	3	–	8	17	11	56	17	18	13	9	2	48
184	17	5	54	14	14	15	7	3	10	2	–	4	10	6	41	9	12	9	7	–	49
30	5	–	15	–	2	2	2	–	2	–	–	1	1	–	4	3	1	1	–	–	50
73	8	1	31	4	5	3	6	–	2	1	–	3	6	5	11	5	5	3	2	2	51
92	11	1	11	–	7	11	4	–	7	–	–	5	6	2	36	18	11	3	2	3	52
14,240	**1,207**	**137**	**4,354**	**724**	**634**	**1,256**	**517**	**148**	**559**	**118**	**3**	**276**	**451**	**308**	**2,991**	**952**	**1,070**	**548**	**170**	**49**	53
7,261	516	77	2,176	367	355	630	295	65	358	62	1	149	241	131	1,581	359	456	286	118	38	54
6,979	691	60	2,178	357	279	626	222	83	201	56	2	127	210	177	1,410	593	614	262	52	11	55
7,279	494	69	2,143	350	329	622	272	65	350	63	3	152	261	137	1,584	467	505	324	125	37	56
5,732	384	52	1,675	266	275	490	223	51	302	51	1	115	197	97	1,267	299	363	236	109	35	57
1,547	110	17	468	84	54	132	49	14	48	12	2	37	64	40	317	168	142	88	16	2	58
6,961	713	68	2,211	374	305	634	245	83	209	55	–	124	190	171	1,407	485	565	224	45	12	59
1,529	132	25	501	101	80	140	72	14	56	11	–	34	44	34	314	60	93	50	9	3	60
5,432	581	43	1,710	273	225	494	173	69	153	44	–	90	146	137	1,093	425	472	174	36	9	61
55	8	–	21	1	4	1	1	1	2	–	–	2	2	1	6	5	8	1	3	–	62
82	5	1	13	1	7	7	–	1	7	1	–	1	1	4	12	3	9	4	–	–	63
134	22	–	64	11	4	21	5	1	1	2	–	3	5	2	30	7	9	3	–	–	64
46	3	–	20	3	3	12	2	–	–	–	–	1	–	–	12	2	5	1	1	–	65
313	88	2	124	31	18	29	16	3	17	4	–	9	26	12	69	34	27	15	4	–	66
17	3	–	11	4	–	–	–	–	3	–	–	1	5	–	8	6	6	1	–	–	67
214	62	–	79	15	15	17	14	2	13	4	–	4	11	7	34	17	7	5	4	–	68
82	23	2	34	12	3	12	2	1	1	–	–	4	10	5	27	11	14	9	–	–	69
48	4	–	17	1	3	20	1	–	–	–	–	–	–	–	18	2	5	2	–	–	70
53	4	–	21	3	2	7	2	2	–	1	–	1	1	–	13	4	7	–	–	1	71
64	1	–	19	5	–	7	3	1	1	–	–	2	2	1	13	8	5	–	–	–	72
3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	73
61	1	–	19	5	–	7	2	1	1	–	–	2	2	1	13	7	5	–	–	–	74
173	7	4	57	8	6	20	5	3	5	–	–	3	5	–	28	11	9	3	–	–	75
55	1	1	18	2	2	8	3	1	2	–	–	–	1	–	8	4	2	1	–	–	76
3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	77
115	6	3	38	6	4	12	2	2	3	–	–	3	4	–	19	7	7	2	–	–	78
111	10	–	39	4	6	17	4	1	2	1	–	1	3	5	20	9	3	1	–	–	79
191	10	–	51	4	4	6	8	5	6	–	–	2	5	7	21	16	17	4	–	–	80
53	12	–	13	5	4	5	–	–	2	–	–	1	–	6	21	3	8	3	1	–	81

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Wisconsin—Con.																	
01	Dane	1,824	4	–	11	367	92	75	44	47	21	10	78	26	960	645	13	6
02	Madison	1,059	4	–	7	212	50	44	27	28	17	6	40	13	549	365	6	3
03	Monona	57	–	–	–	11	5	2	–	–	1	1	2	–	32	22	1	1
04	Balance of county	708	–	–	4	144	37	29	17	19	3	3	36	13	379	258	6	2
05	Dodge	676	–	–	3	127	47	22	9	9	12	4	24	9	369	276	7	3
06	Beaver Dam	157	–	–	–	35	12	8	3	3	2	1	6	1	102	74	1	2
07	Watertown, part	52	–	–	–	9	4	2	–	1	–	–	2	2	30	16	1	–
08	Balance of county	467	–	–	3	83	31	12	6	5	10	3	16	6	237	186	5	1
09	Door	251	2	–	–	42	13	6	4	8	2	–	9	5	127	94	1	1
10	Douglas	503	2	1	–	95	27	18	8	16	3	4	19	6	281	229	–	5
11	Superior	393	2	1	–	78	19	15	6	14	2	4	18	6	220	176	–	4
12	Balance of county	110	–	–	–	17	8	3	2	2	1	–	1	–	61	53	–	1
13	Dunn	279	–	–	–	40	10	8	2	8	2	1	9	7	149	116	3	2
14	Menomonie	94	–	–	–	15	2	3	1	5	–	–	4	1	47	32	–	1
15	Balance of county	185	–	–	–	25	8	5	1	3	2	1	5	6	102	84	3	1
16	Eau Claire	607	–	–	1	123	38	23	14	10	6	8	24	10	341	244	3	2
17	Eau Claire, part	407	–	–	1	89	26	17	9	9	4	6	18	8	226	153	2	1
18	Eau Claire, total	413	–	–	1	89	26	17	9	9	4	6	18	9	230	156	2	1
19	Balance of county	200	–	–	–	34	12	6	5	1	2	2	6	2	115	91	1	1
20	Florence	41	–	–	–	3	–	1	–	1	–	–	1	2	27	19	–	1
21	Fond du Lac	788	–	–	4	157	35	30	14	24	9	5	40	15	435	317	4	4
22	Fond du Lac	412	–	–	4	78	18	20	3	10	6	2	19	9	226	152	3	3
23	Balance of county	376	–	–	–	79	17	10	11	14	3	3	21	6	209	165	1	1
24	Forest	97	–	–	–	20	8	2	2	2	2	–	4	–	54	42	–	–
25	Grant	427	–	–	1	52	12	11	5	8	4	1	11	9	256	159	2	–
26	Green	284	–	–	3	52	18	6	5	9	3	–	11	2	175	125	2	6
27	Green Lake	204	–	–	1	40	14	8	2	4	–	4	8	6	109	78	2	1
28	Iowa	205	–	–	2	31	9	3	2	2	4	1	10	2	123	72	1	1
29	Iron	86	–	–	–	18	6	3	1	2	1	–	5	4	45	39	1	2
30	Jackson	176	–	–	–	31	12	3	2	5	3	2	4	2	101	67	1	2
31	Jefferson	555	–	–	4	105	35	16	10	16	6	6	16	11	313	208	2	2
32	Watertown, part	144	–	–	–	29	9	5	2	5	–	3	5	1	81	46	–	1
33	Watertown, total	196	–	–	–	38	13	7	2	6	–	3	7	3	111	62	1	1
34	Whitewater, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35	Balance of county	411	–	–	4	76	26	11	8	11	6	3	11	10	232	162	2	1
36	Juneau	215	–	–	–	40	10	8	3	9	2	2	6	3	130	104	1	4
37	Kenosha	993	1	–	3	225	59	51	17	21	12	10	55	22	516	409	1	4
38	Kenosha	730	1	–	2	160	39	40	11	13	11	5	41	13	383	305	–	4
39	Balance of county	263	–	–	1	65	20	11	6	8	1	5	14	9	133	104	1	–
40	Kewaunee	169	1	–	1	28	10	2	4	3	2	1	6	3	101	71	1	–
41	La Crosse	734	–	–	3	145	45	27	17	22	3	3	28	13	388	260	8	–
42	La Crosse	535	–	–	2	105	34	20	10	14	2	2	23	9	295	194	7	–
43	Balance of county	199	–	–	1	40	11	7	7	8	1	1	5	4	93	66	1	–
44	Lafayette	164	–	–	–	31	7	7	3	3	4	1	6	2	92	72	2	–
45	Langlade	207	1	–	–	33	9	4	4	4	4	–	8	4	133	100	3	–
46	Lincoln	255	–	–	2	59	21	12	2	11	3	–	10	1	156	124	2	7
47	Manitowoc	754	1	–	3	154	41	15	21	21	10	14	32	18	433	334	3	3
48	Manitowoc	391	1	–	1	79	18	11	11	10	6	8	15	13	232	178	1	–
49	Two Rivers	139	–	–	2	32	10	1	4	8	1	3	5	4	84	68	–	–
50	Balance of county	224	–	–	–	43	13	3	6	3	3	3	12	1	117	88	2	3
51	Marathon	752	1	–	4	167	49	38	9	22	10	7	32	12	410	278	9	7
52	Marshfield, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
53	Wausau	326	–	–	2	75	30	15	2	8	4	3	13	6	181	122	4	4
54	Balance of county	425	1	–	2	92	19	23	7	14	6	4	19	6	229	156	5	3
55	Marinette	461	1	–	1	93	28	15	4	20	10	5	11	11	249	187	5	2
56	Marinette	163	1	–	1	30	10	5	–	9	2	1	3	4	95	70	1	–
57	Balance of county	298	–	–	–	63	18	10	4	11	8	4	8	7	154	117	4	2
58	Marquette	136	–	–	1	23	9	6	–	–	2	2	4	–	86	63	3	–
59	Menominee	21	–	–	–	4	1	2	–	–	–	–	1	2	8	2	–	–
60	Milwaukee	9,512	15	2	47	1,923	522	408	199	217	105	68	404	184	5,064	3,784	81	55
61	Brown Deer	49	–	–	–	7	1	3	–	1	–	–	2	1	30	19	–	–
62	Cudahy	166	–	–	2	32	3	11	5	3	3	–	7	6	88	62	–	1
63	Franklin	55	–	–	–	7	3	1	–	1	–	–	2	–	31	21	–	1
64	Glendale	166	–	–	–	30	7	4	6	3	2	2	6	5	101	76	1	1
65	Greendale	68	–	–	1	18	3	2	4	1	1	3	4	1	30	23	1	1
66	Greenfield	187	1	–	2	45	16	7	6	7	1	1	7	4	98	76	–	1
67	Milwaukee, part	6,779	12	2	38	1,346	363	301	121	156	75	49	281	134	3,537	2,661	62	39
68	Milwaukee, total	6,781	12	2	38	1,346	363	301	121	156	75	49	281	134	3,539	2,663	62	39
69	Oak Creek	77	–	–	–	10	4	1	–	1	–	–	4	1	44	37	1	1
70	St. Francis	81	–	–	2	14	3	3	2	2	3	–	1	2	48	29	–	2
71	Shorewood	156	–	–	–	32	8	7	6	2	2	1	6	–	95	64	1	1
72	South Milwaukee	157	–	–	–	30	10	3	5	3	–	1	8	3	85	68	–	1
73	Wauwatosa	580	1	–	–	118	29	25	13	13	6	5	27	10	343	241	6	1
74	West Allis	688	–	–	1	156	49	31	23	15	5	3	30	10	382	291	6	4
75	Whitefish Bay	95	–	–	1	25	7	2	4	2	3	1	6	2	46	38	1	–
76	Balance of county	208	1	–	–	53	16	7	4	7	4	2	13	5	106	78	2	1
77	Monroe	346	–	–	–	63	18	12	3	7	1	1	21	11	178	121	2	–
78	Oconto	287	1	–	–	58	16	12	2	7	1	–	20	4	170	117	1	3
79	Oneida	276	–	–	–	59	14	13	10	5	1	3	13	2	131	102	1	3
80	Outagamie	835	–	–	7	171	53	29	14	26	7	9	33	15	441	320	5	–
81	Appleton, part	417	–	–	4	95	32	17	9	14	6	4	13	11	207	149	1	–
82	Appleton, total	426	–	–	4	98	32	20	9	14	6	4	13	11	211	153	2	–
83	Kaukauna	78	–	–	–	10	3	1	–	2	–	–	4	1	48	36	3	–
84	Balance of county	340	–	–	3	66	18	11	5	10	1	5	16	3	186	135	1	–

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
593	33	9	236	39	31	51	27	5	34	5	–	11	16	13	143	50	68	30	2	1	01
338	18	8	131	24	21	35	17	2	25	3	–	5	8	4	94	21	40	19	–	1	02
17	3	–	8	1	1	–	–	–	2	–	–	–	–	1	6	2	3	–	–	–	03
238	12	1	97	14	9	16	10	3	7	2	–	6	8	8	43	27	25	11	2	–	04
245	21	1	69	15	8	20	8	2	8	–	–	4	7	2	56	24	30	5	2	–	05
66	5	–	23	1	4	2	2	–	–	–	–	2	–	–	8	2	3	–	–	–	06
12	3	1	7	5	1	5	–	–	1	–	–	–	–	1	4	–	–	–	–	–	07
167	13	–	39	9	3	13	6	2	7	–	–	2	7	1	44	22	27	5	2	–	08
78	14	–	25	4	4	7	1	2	1	1	–	3	4	6	30	5	11	4	–	–	09
211	13	–	37	5	10	8	5	–	6	–	–	5	8	11	37	9	24	4	1	–	10
161	11	–	33	3	8	6	4	–	6	–	–	5	5	6	30	7	16	1	–	–	11
50	2	–	4	2	2	2	1	–	–	–	–	–	3	5	7	2	8	3	1	–	12
100	11	2	24	1	6	23	3	1	1	–	–	4	6	4	24	4	9	3	1	–	13
28	3	2	9	1	3	10	2	1	–	–	–	–	3	3	8	–	3	1	–	–	14
72	8	–	15	–	3	13	1	–	1	–	–	4	3	1	16	4	6	2	1	–	15
226	13	2	72	14	9	17	8	2	9	2	–	4	8	6	39	9	22	5	1	–	16
140	10	2	55	10	6	8	8	1	8	1	–	1	4	4	27	5	10	5	1	–	17
143	10	2	56	10	6	8	8	1	8	1	–	1	4	4	28	5	10	5	1	–	18
86	3	–	17	4	3	9	–	1	1	1	–	3	4	2	12	4	12	–	–	–	19
14	4	–	5	1	2	1	2	–	–	1	–	–	–	–	1	1	2	1	–	–	20
291	18	1	78	22	17	25	8	4	6	4	–	4	16	3	56	21	18	9	1	2	21
139	7	1	46	17	10	17	5	3	4	3	–	1	9	1	30	5	10	5	1	1	22
152	11	–	32	5	7	8	3	1	2	1	–	3	7	2	26	16	8	4	–	1	23
35	7	1	9	–	2	3	1	–	2	–	–	–	–	–	5	6	3	2	1	–	24
145	12	4	73	10	10	24	7	–	5	–	–	3	1	2	32	14	16	5	–	–	25
113	4	1	41	3	5	7	4	1	–	–	–	2	2	3	16	7	4	5	–	1	26
72	3	1	22	6	2	8	2	1	3	1	–	–	–	2	22	1	6	1	–	1	27
62	8	1	42	5	3	6	1	4	–	1	–	1	5	3	11	3	10	1	1	–	28
35	1	–	6	–	–	–	1	–	2	–	–	–	–	–	10	1	4	1	–	–	29
60	4	2	28	3	1	7	3	1	3	–	–	1	2	3	12	6	3	1	–	–	30
189	15	2	75	21	7	18	6	2	4	–	–	7	6	3	40	15	14	6	1	–	31
37	8	2	19	9	5	3	3	–	2	–	–	3	1	2	11	2	5	–	1	–	32
49	11	3	26	14	6	8	3	–	3	–	–	3	1	3	15	2	5	–	1	–	33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	34
152	7	–	56	12	2	15	3	2	2	–	–	4	5	1	29	13	9	6	–	–	35
84	15	–	19	3	4	7	1	–	2	–	–	1	2	2	16	2	7	2	–	–	36
390	14	9	79	11	8	34	13	6	24	2	–	3	12	6	48	39	15	15	7	2	37
288	13	7	59	6	6	27	10	5	21	1	–	3	9	5	38	26	12	7	5	2	38
102	1	2	20	5	2	7	3	1	3	1	–	–	3	1	10	13	3	8	2	–	39
67	3	2	18	7	3	7	2	–	–	–	–	4	2	3	12	1	1	3	–	–	40
234	18	5	87	16	20	22	9	2	9	4	1	6	10	4	69	12	22	14	1	–	41
173	14	5	65	13	18	12	8	2	6	4	–	3	5	2	55	7	12	7	1	–	42
61	4	–	22	3	2	10	1	–	3	–	1	3	5	2	14	5	10	7	–	–	43
70	–	1	11	6	2	11	2	–	–	–	–	–	–	1	12	4	9	–	–	–	44
75	22	–	27	3	3	6	2	1	2	–	–	1	1	2	9	6	2	4	–	–	45
103	12	1	19	5	7	2	3	–	2	2	–	–	3	–	11	6	3	3	2	–	46
314	14	8	70	16	5	23	9	2	10	–	–	12	4	–	43	21	11	7	1	2	47
168	9	5	38	9	2	16	6	1	6	–	–	5	1	–	15	7	2	5	–	1	48
66	2	2	10	3	1	3	–	–	2	–	–	2	1	–	6	–	2	1	–	–	49
80	3	1	22	4	2	4	3	1	2	–	–	5	2	–	22	14	7	1	1	1	50
210	52	1	99	19	13	23	5	2	6	3	–	10	10	3	54	17	19	6	–	–	51
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	52
92	22	–	42	10	7	10	1	1	2	2	–	5	2	2	28	2	5	2	–	–	53
118	30	1	57	9	6	13	4	1	4	1	–	5	8	–	26	15	14	4	–	–	54
168	12	1	44	7	10	7	7	2	8	2	–	4	5	7	37	10	12	2	2	1	55
66	3	1	20	1	3	–	4	1	2	1	–	2	1	3	11	2	4	–	–	1	56
102	9	–	24	6	7	7	3	1	6	1	–	2	4	4	26	8	8	2	2	–	57
57	3	–	19	2	2	2	6	1	2	–	–	–	3	1	2	4	5	–	–	–	58
1	1	–	5	–	1	–	–	–	–	1	–	–	–	–	–	4	–	–	2	–	59
3,483	165	25	968	147	140	315	125	33	187	25	1	67	100	48	783	139	189	148	88	29	60
19	–	1	7	2	1	2	1	1	2	–	–	–	–	–	3	–	2	–	–	–	61
56	5	1	19	1	5	6	3	–	4	–	–	2	2	1	10	4	2	4	–	–	62
19	1	1	8	–	1	2	1	–	1	–	–	–	–	–	5	5	2	–	1	–	63
71	3	–	21	3	1	9	–	1	1	–	–	–	–	–	13	–	2	3	1	–	64
20	1	–	5	1	1	–	1	–	–	–	–	1	1	–	6	3	5	–	1	–	65
74	1	–	16	4	2	5	3	–	2	–	–	1	3	1	11	7	3	1	–	–	66
2,439	121	17	662	103	94	217	84	26	153	22	1	45	82	40	606	91	130	109	81	23	67
2,441	121	17	662	103	94	217	84	26	153	22	1	45	82	40	606	91	130	109	81	23	68
34	1	–	5	1	1	5	2	–	–	–	–	1	2	–	4	5	1	1	–	1	69
26	1	2	11	5	1	–	1	2	2	–	–	1	–	–	6	–	1	2	–	–	70
62	–	1	24	3	3	6	1	–	–	–	–	4	–	–	14	–	2	2	–	–	71
65	2	–	13	1	3	4	6	–	–	–	–	1	2	2	8	9	5	2	–	–	72
225	9	2	79	7	14	21	9	1	9	1	–	1	2	1	41	1	15	5	–	1	73
267	14	–	72	10	9	28	10	–	9	2	–	9	6	2	38	9	11	10	3	2	74
36	1	–	6	2	–	3	1	1	1	–	–	1	–	–	5	1	4	4	–	–	75
70	5	–	20	4	4	7	2	1	3	–	–	–	–	1	13	4	4	5	1	2	76
112	7	–	47	5	5	17	11	1	5	1	–	1	2	2	36	8	8	2	–	–	77
87	26	2	41	7	3	5	1	1	3	3	–	1	2	1	24	6	5	1	1	–	78
51	47	–	19	7	3	10	4	6	7	–	–	–	2	3	29	8	12	3	–	–	79
297	18	3	89	15	14	17	16	1	8	4	–	5	19	5	58	31	16	19	1	1	80
135	13	–	38	10	10	11	9	–	4	2	–	4	9	3	27	12	8	10	–	1	81
138	13	–	38	10	10	11	10	–	4	2	–	4	9	3	27	13	8	10	–	1	82
32	1	–	10	–	2	–	4	–	–	1	–	–	1	–	6	5	1	1	–	–	83
130	4	3	41	5	2	6	3	1	4	1	–	1	9	2	25	14	7	8	1	–	84

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Wisconsin—Con.																	
01	Ozaukee	385	–	–	–	73	22	12	5	12	3	4	15	4	214	157	1	–
02	Mequon	99	–	–	–	23	9	4	1	4	–	2	3	–	59	45	–	–
03	Balance of county	286	–	–	–	50	13	8	4	8	3	2	12	4	155	112	1	–
04	Pepin	86	–	1	–	17	3	4	1	2	2	1	4	1	49	32	1	1
05	Pierce	243	–	–	2	42	11	7	4	2	5	3	10	2	137	106	3	1
06	Polk	345	–	–	3	52	21	7	6	5	2	3	8	3	205	137	8	2
07	Portage	374	–	–	4	71	22	12	6	9	1	1	20	7	222	172	3	1
08	Stevens Point	186	–	–	2	37	10	6	4	3	1	1	12	3	110	85	2	–
09	Balance of county	188	–	–	2	34	12	6	2	6	–	–	8	4	112	87	1	1
10	Price	209	1	–	–	32	4	9	3	2	3	–	11	2	116	83	–	3
11	Racine	1,364	2	–	10	277	77	59	21	40	10	9	61	31	707	518	9	7
12	Racine	831	1	–	7	174	44	44	10	23	6	7	40	18	427	304	4	4
13	Balance of county	533	1	–	3	103	33	15	11	17	4	2	21	13	280	214	5	3
14	Richland	212	–	–	1	37	6	12	3	4	1	2	9	7	120	87	1	–
15	Rock	1,187	–	–	14	227	64	45	29	25	14	7	43	24	633	453	8	5
16	Beloit	358	–	–	1	74	18	15	9	11	3	1	17	4	201	137	3	1
17	Janesville	388	–	–	6	71	24	13	9	5	3	2	15	10	190	132	4	–
18	Balance of county	441	–	–	7	82	22	17	11	9	8	4	11	10	242	184	1	4
19	Rusk	193	–	–	–	40	15	9	2	5	1	1	7	7	101	76	1	1
20	St. Croix	303	–	–	1	67	18	11	6	11	2	4	15	3	156	109	2	–
21	Sauk	433	1	–	1	77	23	13	9	11	4	4	13	8	257	207	1	6
22	Sawyer	150	–	–	–	29	10	8	3	1	1	2	4	1	80	69	2	4
23	Shawano	361	–	–	2	65	19	8	8	11	3	4	12	8	207	151	3	1
24	Sheboygan	980	2	–	6	159	46	24	19	31	6	5	28	29	568	415	5	9
25	Sheboygan	564	2	–	5	101	28	11	13	20	3	5	21	18	303	220	2	5
26	Balance of county	416	–	–	1	58	18	13	6	11	3	–	7	11	265	195	3	4
27	Taylor	167	1	–	1	28	8	3	6	–	2	–	9	1	92	64	1	–
28	Trempealeau	276	1	–	1	49	12	6	5	10	3	5	8	5	151	122	2	1
29	Vernon	307	–	–	4	49	13	10	4	7	2	1	12	3	174	124	2	1
30	Vilas	164	–	–	–	40	9	11	3	2	3	4	8	5	82	63	3	–
31	Walworth	660	–	–	4	118	38	24	10	14	9	5	18	17	359	266	3	3
32	Whitewater, part	70	–	–	–	12	4	6	1	–	–	–	1	4	33	20	–	–
33	Whitewater, total	70	–	–	–	12	4	6	1	–	–	–	1	4	33	20	–	–
34	Balance of county	590	–	–	4	106	34	18	9	14	9	5	17	13	326	246	3	3
35	Washburn	151	–	–	1	31	9	5	6	4	1	2	4	3	76	49	–	–
36	Washington	468	–	–	4	75	23	11	3	11	5	7	15	9	258	185	3	3
37	Milwaukee, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
38	West Bend	129	–	–	–	16	5	3	1	–	–	2	5	2	72	58	–	2
39	Balance of county	337	–	–	4	59	18	8	2	11	5	5	10	7	184	125	3	1
40	Waukesha	1,505	1	–	4	304	79	47	30	39	13	18	78	25	784	589	14	6
41	Brookfield	168	–	–	–	47	8	9	5	6	2	4	13	3	86	69	4	–
42	Menomonee Falls	153	–	–	1	29	8	5	3	2	2	2	7	5	86	61	1	1
43	Muskego	68	–	–	–	12	1	1	1	2	1	1	5	–	39	28	1	–
44	New Berlin	112	–	–	–	27	9	3	2	5	1	5	2	3	52	42	1	–
45	Waukesha	328	1	–	2	65	19	14	2	7	2	3	18	6	171	127	4	2
46	Balance of county	676	–	–	1	124	34	15	17	17	5	3	33	8	350	262	3	3
47	Waupaca	523	2	–	2	82	25	17	5	9	4	2	20	5	319	241	4	–
48	Waushara	213	2	–	–	46	13	6	3	8	3	–	13	3	116	83	2	1
49	Winnebago	1,105	–	1	1	198	51	43	18	28	8	6	44	31	618	443	5	6
50	Menasha	118	–	–	–	19	4	5	2	3	1	1	3	5	54	37	–	–
51	Neenah	177	–	–	–	35	10	8	4	7	–	–	6	8	102	68	1	1
52	Oshkosh	527	–	1	–	90	20	17	10	13	6	3	21	8	311	215	3	–
53	Balance of county	283	–	–	1	54	17	13	2	5	1	2	14	10	151	123	1	5
54	Wood	534	–	–	2	108	46	18	11	9	3	3	18	12	290	218	1	1
55	Marshfield, part	158	–	–	–	32	16	6	2	2	–	–	6	3	83	60	1	1
56	Marshfield, total	159	–	–	–	32	16	6	2	2	–	–	6	3	83	60	1	1
57	Wisconsin Rapids	178	–	–	1	30	11	4	2	4	1	3	5	7	105	81	–	–
58	Balance of county	198	–	–	1	46	19	8	7	3	2	–	7	2	102	77	–	–
59	**Wyoming**	**3,078**	**2**	**–**	**21**	**486**	**117**	**116**	**47**	**56**	**17**	**16**	**117**	**52**	**1,434**	**1,026**	**21**	**11**
60	Urban places	1,171	–	–	10	180	40	39	25	18	6	6	46	18	558	407	8	7
61	Balance of area	1,907	2	–	11	306	77	77	22	38	11	10	71	34	876	619	13	4
62	Nonmetropolitan counties	3,078	2	–	21	486	117	116	47	56	17	16	117	52	1,434	1,026	21	11
63	Urban places	1,171	–	–	10	180	40	39	25	18	6	6	46	18	558	407	8	7
64	Balance of area	1,907	2	–	11	306	77	77	22	38	11	10	71	34	876	619	13	4
65	Albany	136	–	–	1	27	7	6	3	5	–	1	5	–	57	43	–	1
66	Laramie	113	–	–	1	22	4	5	3	4	–	1	5	–	48	35	–	1
67	Balance of county	23	–	–	–	5	3	1	–	1	–	–	–	–	9	8	–	–
68	Big Horn	96	–	–	–	18	3	4	–	6	–	–	5	4	45	37	1	1
69	Campbell	86	–	–	–	7	3	1	–	–	–	1	2	3	32	23	–	–
70	Carbon	143	–	–	1	27	11	5	2	1	1	–	7	3	65	42	2	–
71	Converse	86	1	–	–	14	3	2	3	–	2	–	4	–	44	30	–	–
72	Crook	41	–	–	1	8	3	2	1	–	1	–	1	1	20	15	–	–
73	Fremont	261	1	–	2	46	12	12	2	5	1	2	12	6	93	67	2	–
74	Goshen	106	–	–	–	20	4	8	–	2	1	1	4	1	54	32	1	–
75	Hot Springs	66	–	–	–	10	3	2	–	3	–	–	2	3	32	26	1	–
76	Johnson	70	–	–	–	11	3	2	1	2	–	2	1	2	30	20	1	–
77	Laramie	484	–	–	6	81	21	15	8	7	4	–	26	9	214	164	5	4
78	Cheyenne	397	–	–	6	62	16	14	6	3	3	–	20	9	181	141	4	4

See footnotes at end of table.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
146	10	2	39	12	4	5	3	4	7	–	–	4	8	2	31	12	13	5	–	–	01
42	3	1	9	4	–	–	–	–	1	–	–	–	4	1	9	–	2	–	–	–	02
104	7	1	30	8	4	5	3	4	6	–	–	4	4	1	22	12	11	5	–	–	03
27	3	2	14	–	1	2	2	–	2	–	–	–	2	1	7	1	–	–	1	–	04
94	8	–	27	3	1	8	3	–	2	3	–	–	4	3	18	5	8	5	1	–	05
119	8	3	52	7	6	9	1	2	5	3	–	1	4	1	22	9	11	11	3	–	06
155	13	3	36	2	9	4	5	–	5	1	–	5	3	3	22	5	13	3	1	–	07
76	7	1	16	2	6	2	4	–	4	–	–	3	1	1	9	2	5	3	–	–	08
79	6	2	20	–	3	2	1	–	1	1	–	2	2	2	13	3	8	–	1	–	09
78	2	1	28	2	2	8	3	–	2	1	–	2	1	26	6	6	2	1	–	–	10
422	80	4	145	18	22	38	17	3	18	4	1	9	16	14	92	37	54	21	12	1	11
239	57	2	92	12	17	24	11	1	14	1	–	6	10	10	60	16	29	12	9	1	12
183	23	2	53	6	5	14	6	2	4	3	1	3	6	4	32	21	25	9	3	–	13
80	6	–	30	3	–	6	4	–	1	1	–	–	–	2	18	6	5	4	–	–	14
385	55	3	134	26	17	38	31	4	12	3	–	3	11	10	98	22	34	17	5	1	15
122	11	2	47	9	6	6	13	2	5	2	–	1	3	2	26	4	8	3	3	–	16
104	24	–	45	6	7	19	8	1	4	–	–	1	6	6	36	9	14	6	1	–	17
159	20	1	42	11	4	13	10	1	3	1	–	1	2	2	36	9	12	8	1	1	18
62	12	2	18	–	5	7	3	–	–	–	–	2	2	–	7	11	9	3	1	–	19
93	14	3	29	9	6	11	7	2	2	1	–	5	7	–	19	9	7	4	1	1	20
179	21	–	38	6	6	4	4	5	7	4	–	–	6	2	22	12	12	10	1	–	21
56	7	–	11	–	–	10	1	1	1	1	–	1	2	2	5	3	6	4	3	–	22
125	22	–	43	10	3	4	2	4	3	1	–	–	1	2	28	17	9	5	3	–	23
374	27	6	118	16	13	30	12	2	9	1	–	8	7	6	87	18	24	12	–	–	24
203	10	5	62	8	8	21	7	–	7	–	–	5	7	4	58	5	13	8	–	–	25
171	17	1	56	8	5	9	5	2	2	1	–	3	–	2	29	13	11	4	–	–	26
56	7	1	20	6	1	7	1	2	1	2	–	–	2	–	17	3	6	3	–	–	27
112	7	–	17	7	5	11	4	–	3	1	–	3	2	7	17	8	11	2	–	–	28
114	7	–	41	2	7	20	2	3	2	2	–	1	2	1	23	8	9	4	–	–	29
46	14	3	8	5	3	5	1	–	4	–	–	–	1	–	14	–	9	2	1	–	30
244	16	1	71	8	13	10	7	2	12	1	–	3	4	4	59	17	28	12	2	1	31
19	1	–	10	1	2	2	1	–	–	1	–	–	–	2	6	4	3	1	1	–	32
19	1	–	10	1	2	2	1	–	–	1	–	–	–	2	6	4	3	1	1	–	33
225	15	1	61	7	11	8	6	2	12	–	–	3	4	2	53	13	25	11	1	1	34
47	2	–	20	5	2	6	2	–	2	–	–	2	2	2	13	3	6	2	–	–	35
163	16	4	44	18	7	9	6	–	4	3	–	10	4	7	47	16	8	8	–	–	36
2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	37
52	4	–	5	5	4	3	2	–	1	1	–	4	2	1	16	3	2	4	–	–	38
109	12	4	39	13	3	6	4	–	3	2	–	6	2	6	31	13	6	4	–	–	39
546	23	3	144	14	34	53	20	5	19	7	–	14	21	7	110	56	38	28	6	3	40
62	3	–	12	3	2	1	3	1	1	2	–	1	1	2	10	4	3	3	–	–	41
58	1	–	20	1	4	–	–	–	–	–	–	4	4	1	10	6	5	1	–	1	42
25	2	1	4	3	3	2	1	–	1	–	–	–	1	–	3	2	4	2	1	–	43
40	1	–	8	–	2	4	2	–	3	–	–	1	–	–	10	6	3	1	–	–	44
117	4	–	33	2	9	14	5	4	5	2	–	1	8	1	20	7	6	8	–	2	45
244	12	2	67	5	14	32	9	–	9	3	–	7	7	3	57	31	17	13	5	–	46
221	16	1	54	11	12	12	5	3	7	1	–	2	5	8	33	20	14	3	–	–	47
77	3	–	25	3	5	8	2	–	–	–	–	1	–	2	16	9	6	2	–	–	48
417	15	3	132	19	21	34	12	2	16	5	–	7	19	7	84	24	26	17	3	–	49
36	1	–	15	1	1	3	1	–	1	3	–	1	1	2	16	6	3	3	–	–	50
60	6	–	26	5	3	6	3	1	3	–	–	–	2	–	7	1	5	2	2	–	51
208	4	3	69	11	13	17	5	1	8	2	–	5	11	4	38	9	11	6	–	–	52
113	4	–	22	2	4	8	3	–	4	–	–	1	5	1	23	8	7	6	1	–	53
207	9	–	54	10	8	12	7	3	11	1	–	3	7	2	36	17	10	11	1	1	54
55	3	–	17	4	2	4	2	–	4	–	–	3	2	–	11	5	2	7	–	–	55
55	3	–	17	4	2	4	2	–	4	–	–	3	2	1	11	5	2	7	–	–	56
78	3	–	16	3	5	4	3	2	3	1	–	–	2	2	11	2	2	2	1	–	57
74	3	–	21	3	1	4	2	1	4	–	–	–	3	–	14	10	6	2	–	1	58
889	**105**	**5**	**307**	**50**	**46**	**101**	**48**	**17**	**46**	**10**	**2**	**37**	**58**	**42**	**297**	**164**	**149**	**66**	**30**	**16**	**59**
352	40	2	111	22	16	37	21	4	25	5	–	18	14	10	128	44	52	24	17	6	60
537	65	3	196	28	30	64	27	13	21	5	2	19	44	32	169	120	97	42	13	10	61
889	105	5	307	50	46	101	48	17	46	10	2	37	58	42	297	164	149	66	30	16	62
352	40	2	111	22	16	37	21	4	25	5	–	18	14	10	128	44	52	24	17	6	63
537	65	3	196	28	30	64	27	13	21	5	2	19	44	32	169	120	97	42	13	10	64
30	12	1	8	4	1	3	2	–	2	–	–	3	1	2	19	8	7	4	–	–	65
27	7	1	8	3	1	3	2	–	2	–	–	2	1	–	19	5	6	2	–	–	66
3	5	–	–	1	–	–	–	–	–	–	–	1	–	2	–	3	1	2	–	–	67
33	2	–	6	1	1	2	2	1	1	–	–	–	1	–	13	5	2	1	1	–	68
19	4	–	5	3	1	8	–	2	–	–	–	3	3	1	5	11	7	2	–	2	69
37	3	–	19	2	2	1	2	1	–	1	–	1	6	3	16	8	6	1	1	–	70
26	4	–	9	3	2	1	–	–	–	–	–	2	3	–	10	5	3	3	–	–	71
14	1	–	3	1	1	1	1	–	–	–	–	–	1	–	1	1	3	2	1	–	72
61	4	–	17	5	4	6	4	1	6	1	–	2	9	5	30	26	17	3	2	1	73
29	2	1	19	1	1	2	2	–	1	1	1	–	–	–	14	3	7	–	–	–	74
25	–	–	4	–	2	3	1	–	1	–	–	–	1	1	1	8	4	1	–	–	75
17	2	–	8	–	2	10	3	–	2	–	–	–	2	2	7	1	–	–	–	–	76
138	17	1	36	5	8	13	4	4	14	2	–	11	8	6	55	10	24	14	7	2	77
117	16	–	29	5	6	11	4	3	12	2	–	9	5	4	47	6	20	9	7	–	78

Table 7–9. Deaths From 34 Selected Causes: United States, Each State and County, Population–

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adopted, 1965. Urban places in metropolitan counties are those with

	Area	Total	Tuberculosis, all forms (010–019)	Syphilis and its sequelae (090–097)	Other infective and parasitic diseases (remainder of 000–136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–209)	Of digestive organs and peritoneum (150–159)	Of respiratory system (160–163)	Of breast (174)	Of genital organs (180–187)	Of urinary organs (188, 189)	Leukemia (204–207)	Other malignant neoplasms (140–149, 170–173, 190–203, 208, 209)	Diabetes mellitus (250)	Major cardiovascular diseases (390–448)	Diseases of heart (390–398, 402, 404, 410–429)	Active rheumatic fever and chronic rheumatic heart disease (390–398)	Hypertensive heart disease with or without renal disease (402, 404)
	Wyoming—Con.																	
	Laramie—Con.																	
01	Balance of county	87	–	–	–	19	5	1	2	4	1	–	6	–	33	23	1	–
02	Lincoln	70	–	–	–	14	3	1	–	6	1	1	2	2	36	24	–	–
03	Natrona	409	–	–	3	64	14	17	11	5	1	2	14	5	177	129	2	1
04	Casper	330	–	–	2	54	12	14	9	5	1	2	11	4	144	102	2	1
05	Balance of county	79	–	–	1	10	2	3	2	–	–	–	3	1	33	27	–	–
06	Niobrara	30	–	–	–	8	–	3	1	2	–	–	2	2	9	5	–	–
07	Park	154	–	–	–	18	1	7	1	2	1	1	5	–	95	62	2	–
08	Platte	97	–	–	–	11	1	4	2	–	–	–	4	1	56	36	1	–
09	Sheridan	244	–	–	1	30	5	4	5	4	1	3	8	6	141	87	–	1
10	Sheridan	180	–	–	–	20	3	3	4	3	1	2	4	5	109	65	–	1
11	Balance of county	64	–	–	1	10	2	1	1	1	–	1	4	1	32	22	–	–
12	Subletle	29	–	–	1	6	2	2	–	1	–	–	1	–	10	10	–	1
13	Sweetwater	231	–	–	1	34	8	8	3	3	1	2	9	–	107	84	3	–
14	Rock Springs	151	–	–	1	22	5	3	3	3	1	1	6	–	76	64	2	–
15	Balance of county	80	–	–	–	12	3	5	–	–	–	1	3	–	31	20	1	–
16	Teton	31	–	–	1	6	2	3	–	1	–	–	–	–	13	9	–	1
17	Uinta	75	–	–	1	9	4	2	–	1	1	–	1	–	34	25	–	–
18	Washakie	80	–	–	2	11	4	2	2	–	1	–	2	3	36	28	–	1
19	Weston	53	–	–	–	6	–	4	2	–	–	–	–	1	34	28	–	–

† Classified as urban under special rule; see Technical Appendix.
[1] "Districts" shown are election districts, the nearest equivalent to counties.
[2] Includes data for Texarkana, Ark., only.
[3] The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[4] Includes data for Bristol, Tenn., only.
[5] Includes data for Texarkana, Tex., only.
[6] On January 1, 1974, Nansemond merged with the independent city of Suffolk.
[7] Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
[8] Includes data for Bristol, Va., only.
[9] Includes data for Bluefield, W. Va., only.

Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1975–Con.

populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Ischemic heart disease (410–413)	Other forms of heart disease (420–429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430–438)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441–448)	Influenza and pneumonia (470–474, 480–486)	Bronchitis, emphysema, and asthma (490–493)	Peptic ulcer (531–533)	Cirrhosis of liver (571)	Nephritis and nephrosis (580–584)	Complications of pregnancy, childbirth and the puerperium (630–678)	Congenital anomalies (740–759)	Certain causes of mortality in early infancy (760–769.2, 769.4–772, 774–778)	Symptoms and ill-defined conditions (780–796)	All other diseases (residual)	Motor vehicle accidents (E810–E823)	All other accidents (E800–E807, E825–E949)	Suicide (E950–E959)	Homicide (E960–E978)	All other external causes (E980–E999)	
21	1	1	7	–	2	2	–	1	2	–	–	2	3	2	8	4	4	5	–	2	01
23	1	–	10	2	–	1	–	–	–	–	–	1	–	1	3	4	6	–	1	1	02
115	11	1	37	5	5	20	14	1	5	2	–	4	12	4	39	20	17	8	5	9	03
90	9	1	32	5	4	14	10	–	5	2	–	4	8	3	33	18	11	7	5	6	04
25	2	–	5	–	1	6	4	1	–	–	–	–	4	1	6	2	6	1	–	3	05
3	2	–	4	–	–	1	1	1	1	–	–	–	1	1	4	–	–	1	–	–	06
50	10	1	27	3	2	3	1	2	1	–	–	2	–	2	8	10	6	4	1	1	07
28	7	–	17	3	–	2	–	2	–	1	–	1	2	–	10	5	4	2	–	–	08
75	11	–	38	10	6	7	5	2	2	–	–	2	–	5	18	7	12	3	3	–	09
59	5	–	30	9	5	6	5	1	1	–	–	1	–	2	14	5	7	2	2	–	10
16	6	–	8	1	1	1	–	1	1	–	–	1	–	3	4	2	5	1	1	–	11
8	1	–	–	–	–	1	1	–	–	–	–	–	–	–	1	2	2	4	1	–	12
77	4	–	20	–	3	5	3	–	5	1	–	2	3	3	20	23	12	6	6	–	13
59	3	–	12	–	–	3	–	–	5	1	–	2	–	1	15	10	8	4	3	–	14
18	1	–	8	–	3	2	3	–	–	–	–	–	3	2	5	13	4	2	3	–	15
7	1	–	2	–	2	3	–	–	1	–	–	–	1	–	2	2	1	1	–	–	16
24	1	–	7	–	2	3	1	–	1	–	1	2	1	2	13	2	5	–	–	–	17
23	4	–	8	–	–	4	–	–	3	1	–	–	–	4	6	2	4	3	1	–	18
27	1	–	3	2	1	1	1	–	–	–	–	1	3	–	2	1	–	3	–	–	19

Section 8. Guam, Puerto Rico, and Virgin Islands (U.S.)

Table		Page
8-1.	Deaths and death rates: Guam, Puerto Rico, and Virgin Islands, 1940-75	8-3
8-2.	Deaths by month and sex for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1975	8-3
8-3.	Deaths from 69 selected causes, by 10-year age groups and sex: Guam, 1975	8-4
8-4.	Deaths from 69 selected causes, by 10-year age groups and sex: Puerto Rico, 1975	8-8
8-5.	Deaths from 69 selected causes, by 10-year age groups, color, and sex: Virgin Islands, 1975	8-12
8-6.	Deaths from motor vehicle accidents, by person injured and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1975	8-17
8-7.	Deaths from nontransport accidents, by place of accident and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1975	8-17
8-8.	Total, infant, and neonatal deaths: Puerto Rico and each municipio, 1975	8-18
8-9.	Total, infant, and neonatal deaths for Virgin Islands and specified urban place and Guam; and by color for Virgin Islands and specified urban place: 1975	8-18
8-10.	Deaths under 1 year and under 28 days, by month, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1975	8-19
8-11.	Deaths under 1 year, by age and sex, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1975	8-19
8-12.	Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, for Guam, Puerto Rico, and Virgin Islands; and by color for Virgin Islands: 1975	8-20

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix, and St. John and St. Thomas Islands. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race and color

Deaths are not shown by color for Puerto Rico and Guam; they are classified as white and all other for the Virgin Islands.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

The Technical Appendix—Section 6 in Part A of Volume II, *Vital Statistics of the United States, 1975*—discusses other factors concerning these mortality statistics.

Table 8-1. Deaths and Death Rates: Guam, Puerto Rico, and Virgin Islands, 1940-75

[Rates per 1,000 population in each area]

Year	Guam		Puerto Rico		Virgin Islands	
	Number	Rate	Number	Rate	Number	Rate
1975	427	4.3	17,805	5.8	477	5.0
1974	423	4.4	18,948	6.3	462	5.2
1973	416	4.9	19,479	7.2	459	7.3
1972	409	4.5	19,011	6.7	---	---
1971	338	3.9	17,499	6.3	498	7.0
1970	338	4.0	17,830	6.6	441	7.1
1969	421	4.1	17,667	6.4	477	8.5
1968	356	3.6	17,481	6.4	474	8.5
1967	340	3.7	16,677	6.2	373	6.7
1966	327	4.1	16,691	6.3	387	7.8
1965	336	4.4	17,686	6.7	416	9.6
1964	363	5.3	18,566	7.2	343	8.4
1963	344	5.0	17,350	6.9	383	9.6
1962	315	4.7	16,548	6.7	321	9.2
1961	285	4.1	16,364	6.8	326	9.5
1960	351	5.3	15,791	6.7	332	10.3
1959	285	4.2	15,818	6.8	320	10.3
1958	254	3.8	16,074	7.0	340	11.3
1957	277	4.2	15,978	7.1	324	11.0
1956	246	3.6	16,566	7.4	354	12.5
1955	292	4.3	16,221	7.2	311	11.3
1954	291	4.3	16,783	7.6	301	11.1
1953	390	5.7	17,972	8.2	279	10.4
1952	278	4.4	20,480	9.2	346	12.4
1951	196	3.1	22,374	10.0	375	13.5
1950	230	3.9	21,895	9.9	374	14.0
1949	---	---	23,389	10.6	362	13.6
1948	---	---	26,209	12.0	340	12.8
1947	---	---	25,407	11.8	394	14.5
1946	---	---	27,517	12.9	408	15.1
1945	---	---	28,837	13.7	401	15.0
1944	---	---	29,795	14.4	402	14.8
1943	---	---	29,019	14.3	389	14.2
1942	---	---	32,220	16.2	483	18.5
1941	---	---	35,402	18.3	468	18.1
1940	---	---	34,468	18.4	553	22.2

Table 8-2. Deaths by Month and Sex for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1975

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Guam	427	36	33	28	32	56	42	27	35	46	29	27	36
Male	280	25	22	17	15	35	29	19	25	33	18	20	22
Female	147	11	11	11	17	21	13	8	10	13	11	7	14
Puerto Rico	17,805	1,810	1,504	1,603	1,429	953	1,546	1,558	1,494	1,304	1,567	1,502	1,535
Male	10,447	1,108	864	927	799	566	891	906	875	789	936	859	927
Female	7,358	702	640	676	630	387	655	652	619	515	631	643	608
Virgin Islands	477	42	32	31	45	34	39	31	50	43	48	37	45
Male	261	22	18	20	18	15	23	15	34	25	24	19	28
Female	216	20	14	11	27	19	16	16	16	18	24	18	17
White	82	7	3	7	10	5	3	8	8	6	10	6	9
Male	51	2	2	3	5	3	3	6	6	4	7	1	9
Female	31	5	1	4	5	2	-	2	2	2	3	5	-
All other	395	35	29	24	35	29	36	23	42	37	38	31	36
Male	210	20	16	17	13	12	20	9	28	21	17	18	19
Female	185	15	13	7	22	17	16	14	14	16	21	13	17

Table 8-3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1975

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	427	65	10	4	34	22	26	72	72	60	46	16	-
Male	280	36	4	4	30	15	23	58	49	33	23	5	-
Female	147	29	6	-	4	7	3	14	23	27	23	11	-
Bacillary dysentery and amebiasis 004,006	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases 008,009	3	2	1	-	-	-	-	-	-	-	-	-	-
Male	3	2	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms 010-019	8	-	-	-	-	-	-	2	3	2	-	1	-
Male	6	-	-	-	-	-	-	2	3	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
Tuberculosis of respiratory system 010-012	7	-	-	-	-	-	-	2	3	2	-	-	-
Male	6	-	-	-	-	-	-	2	3	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis, other forms 013-019	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough 033	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever 034	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections 036	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Septicemia 038	5	3	-	-	-	1	-	-	-	1	-	-	-
Male	2	2	-	-	-	-	-	-	-	-	-	-	-
Female	3	1	-	-	-	1	-	-	-	1	-	-	-
Acute poliomyelitis 040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles 055	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae 090-097	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases Remainder of 000-136	3	-	1	1	1	-	-	-	-	-	-	-	-
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-209	41	-	1	-	1	-	-	12	10	6	7	4	-
Male	24	-	-	-	1	-	-	10	5	2	4	2	-
Female	17	-	1	-	-	-	-	2	5	4	3	2	-
Malignant neoplasms of buccal cavity and pharynx 140-149	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum 150-159	11	-	-	-	-	-	-	1	3	2	4	1	-
Male	5	-	-	-	-	-	-	1	1	1	2	-	-
Female	6	-	-	-	-	-	-	-	2	1	2	1	-
Malignant neoplasms of respiratory system 160-163	11	-	-	-	-	-	-	3	5	-	1	2	-
Male	8	-	-	-	-	-	-	3	4	-	-	1	-
Female	3	-	-	-	-	-	-	-	1	-	1	1	-
Malignant neoplasm of breast 174	4	-	-	-	-	-	-	1	1	2	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	1	1	2	-	-	-
Malignant neoplasms of genital organs 180-187	3	-	-	-	-	-	-	-	-	1	1	1	-
Male	3	-	-	-	-	-	-	-	-	1	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs 188,189	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites 170-173,190-199	9	-	1	-	1	-	-	5	1	-	1	-	-
Male	6	-	-	-	1	-	-	4	-	-	1	-	-
Female	3	-	1	-	-	-	-	1	1	-	-	-	-
Leukemia 204-207	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other neoplasms of lymphatic and hematopoietic tissues 200-203,208,209	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Benign neoplasms and neoplasms of unspecified nature 210-239	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1975—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus----------250	6	-	-	-	-	-	-	1	4	1	-	-	-
Male----	5	-	-	-	-	-	-	1	3	1	-	-	-
Female--	1	-	-	-	-	-	-	-	1	-	-	-	-
Avitaminoses and other nutritional deficiencies----260-269	1	-	-	-	-	-	-	-	1	-	-	-	-
Male----	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias----------280-285	1	-	-	-	-	-	-	-	-	-	1	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis----------320	5	4	-	-	-	-	1	-	-	-	-	-	-
Male----	3	3	-	-	-	-	-	-	-	-	-	-	-
Female--	2	1	-	-	-	-	1	-	-	-	-	-	-
Major cardiovascular diseases----------390-448	125	1	-	-	4	2	8	24	30	26	24	6	-
Male----	82	1	-	-	4	1	7	20	22	13	12	2	-
Female--	43	-	-	-	-	1	1	4	8	13	12	4	-
Diseases of heart----------390-398,402,404,410-429	93	1	-	-	3	2	6	18	25	19	14	5	-
Male----	66	1	-	-	3	1	6	15	19	11	8	2	-
Female--	27	-	-	-	-	1	-	3	6	8	6	3	-
Active rheumatic fever and chronic rheumatic heart disease----------390-398	6	-	-	-	1	1	1	-	2	-	1	-	-
Male----	5	-	-	-	1	1	1	-	1	-	1	-	-
Female--	1	-	-	-	-	-	-	-	1	-	-	-	-
Hypertensive heart disease----------402	1	-	-	-	-	-	-	1	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	1	-	-	-	-	-
Hypertensive heart and renal disease----------404	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease----------410-413	79	-	-	-	-	-	5	17	21	19	12	5	-
Male----	57	-	-	-	-	-	5	15	17	11	7	2	-
Female--	22	-	-	-	-	-	-	2	4	8	5	3	-
Acute myocardial infarction----------410	40	-	-	-	-	-	5	11	13	7	3	1	-
Male----	30	-	-	-	-	-	5	10	10	3	1	1	-
Female--	10	-	-	-	-	-	-	1	3	4	2	-	-
Other acute and subacute forms of ischemic heart disease----------411	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic ischemic heart disease----------412	39	-	-	-	-	-	-	6	8	12	9	4	-
Male----	27	-	-	-	-	-	-	5	7	8	6	1	-
Female--	12	-	-	-	-	-	-	1	1	4	3	3	-
Angina pectoris----------413	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic disease of endocardium and other myocardial insufficiency----------424,428	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease---420-423,425-427,429	7	1	-	-	2	1	-	-	2	-	1	-	-
Male----	4	1	-	-	2	-	-	-	1	-	-	-	-
Female--	3	-	-	-	-	1	-	-	1	-	1	-	-
Hypertension----------400,401,403	2	-	-	-	-	-	1	-	-	-	1	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	2	-	-	-	-	-	1	-	-	-	1	-	-
Cerebrovascular diseases----------430-438	24	-	-	-	1	-	1	4	5	6	7	-	-
Male----	12	-	-	-	1	-	1	3	3	2	2	-	-
Female--	12	-	-	-	-	-	-	1	2	4	5	-	-
Cerebral hemorrhage----------431	9	-	-	-	1	-	-	2	3	3	-	-	-
Male----	6	-	-	-	1	-	-	2	2	1	-	-	-
Female--	3	-	-	-	-	-	-	-	1	2	-	-	-
Cerebral thrombosis----------433	6	-	-	-	-	-	1	-	-	2	2	-	-
Male----	3	-	-	-	-	-	1	-	-	1	1	-	-
Female--	2	-	-	-	-	-	-	-	-	1	1	-	-
Cerebral embolism----------434	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other cerebrovascular diseases-----430,432,435-438	10	-	-	-	-	-	-	2	2	1	5	-	-
Male----	3	-	-	-	-	-	-	1	1	-	1	-	-
Female--	7	-	-	-	-	-	-	1	1	1	4	-	-
Arteriosclerosis----------440	2	-	-	-	-	-	-	-	-	1	-	-	-
Male----	1	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	1	-	-	-
Other diseases of arteries, arterioles, and capillaries----------441-448	4	-	-	-	-	-	-	2	-	-	1	1	-
Male----	3	-	-	-	-	-	-	2	-	-	1	-	-
Female--	1	-	-	-	-	-	-	-	-	-	-	1	-
Acute bronchitis and bronchiolitis----------466	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1975—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Influenza and pneumonia----------470-474,480-486	19	3	-	-	-	-	1	2	1	6	6	-	-
Male----	10	-	-	-	-	-	1	2	1	4	2	-	-
Female--	9	3	-	-	-	-	-	-	-	2	4	-	-
Influenza----------470-474	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia----------480-486	19	3	-	-	-	-	1	2	1	6	6	-	-
Male----	10	-	-	-	-	-	1	2	1	4	2	-	-
Female--	9	3	-	-	-	-	-	-	-	2	4	-	-
Bronchitis, emphysema, and asthma----------490-493	8	-	1	-	-	-	-	2	3	1	-	1	-
Male----	5	-	1	-	-	-	-	1	2	1	-	-	-
Female--	3	-	-	-	-	-	-	1	1	-	-	1	-
Chronic and unqualified bronchitis----------490,491	2	-	1	-	-	-	-	1	-	-	-	-	-
Male----	1	-	1	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	1	-	-	-	-	-
Emphysema----------492	5	-	-	-	-	-	-	1	2	1	-	1	-
Male----	3	-	-	-	-	-	-	1	1	1	-	-	-
Female--	2	-	-	-	-	-	-	-	1	-	-	1	-
Asthma----------493	1	-	-	-	-	-	-	-	1	-	-	-	-
Male----	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Peptic ulcer----------531-533	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis----------540-543	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction----------550-553,560	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of liver----------571	14	-	-	-	1	-	1	7	3	2	-	-	-
Male----	13	-	-	-	1	-	1	6	3	2	-	-	-
Female--	1	-	-	-	-	-	-	1	-	-	-	-	-
Cholelithiasis, cholecystitis and cholangitis------574,575	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and nephrosis----------580-584	3	-	-	-	-	-	-	-	1	1	-	1	-
Male----	1	-	-	-	-	-	-	-	-	-	-	1	-
Female--	2	-	-	-	-	-	-	-	1	1	-	-	-
Acute nephritis and nephrotic syndrome----------580,581	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic and unqualified nephritis and renal sclerosis----------582-584	3	-	-	-	-	-	-	-	1	1	-	1	-
Male----	1	-	-	-	-	-	-	-	-	-	-	1	-
Female--	2	-	-	-	-	-	-	-	1	1	-	-	-
Infections of kidney----------590	2	-	-	-	-	-	-	-	1	-	1	-	-
Male----	2	-	-	-	-	-	-	-	1	-	1	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate----------600	-	-	-	-	-	-	-	-	-	-	-	-	-
Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium----------630-678	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Abortions----------640-645	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium----------630-639,650-678	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies----------740-759	4	3	-	-	1	-	-	-	-	-	-	-	-
Male----	1	1	-	-	-	-	-	-	-	-	-	-	-
Female--	3	2	-	-	1	-	-	-	-	-	-	-	-
Certain causes of mortality in early infancy----------760-769.2,769.4-772,774-778	40	40	-	-	-	-	-	-	-	-	-	-	-
Male----	23	23	-	-	-	-	-	-	-	-	-	-	-
Female--	17	17	-	-	-	-	-	-	-	-	-	-	-
Birth injury, difficult labor, and other anoxic and hypoxic conditions----------764-768,772,776	25	25	-	-	-	-	-	-	-	-	-	-	-
Male----	14	14	-	-	-	-	-	-	-	-	-	-	-
Female--	11	11	-	-	-	-	-	-	-	-	-	-	-
Other causes of mortality in early infancy----------Remainder of 760-778	15	15	-	-	-	-	-	-	-	-	-	-	-
Male----	9	9	-	-	-	-	-	-	-	-	-	-	-
Female--	6	6	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions----------780-796	9	5	1	-	-	-	-	1	-	1	1	-	-
Male----	5	3	-	-	-	-	-	1	-	-	1	-	-
Female--	4	2	1	-	-	-	-	-	-	1	-	-	-
All other diseases----------Residual	51	1	1	1	4	4	3	9	11	12	3	2	-
Male----	28	-	-	1	3	2	3	4	6	8	1	-	-
Female--	23	1	1	-	1	2	-	5	5	4	2	2	-

Table 8-3. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1975—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Accidents----------E800-E949	53	2	2	2	14	8	8	10	2	1	3	1	-
Male----	44	1	2	2	12	6	8	9	1	1	2	-	-
Female--	9	1	-	-	2	2	-	1	1	-	1	1	-
Motor vehicle accidents----------E810-E823	33	-	2	1	12	3	6	7	2	-	-	-	-
Male----	28	-	2	1	10	2	6	6	1	-	-	-	-
Female--	5	-	-	-	2	1	-	1	1	-	-	-	-
All other accidents----------E800-E807,E825-E949	20	2	-	1	2	5	2	3	-	1	3	1	-
Male----	16	1	-	1	2	4	2	3	-	1	2	-	-
Female--	4	1	-	-	-	1	-	-	-	-	1	1	-
Suicide----------E950-E959	7	...	...	-	3	2	1	1	-	-	-	-	-
Male----	6	...	...	-	3	1	1	1	-	-	-	-	-
Female--	1	...	...	-	-	1	-	-	-	-	-	-	-
Homicide----------E960-E978	11	-	-	-	4	3	3	1	-	-	-	-	-
Male----	10	-	-	-	4	3	2	1	-	-	-	-	-
Female--	1	-	-	-	-	-	1	-	-	-	-	-	-
Other external causes----------E980-E999	7	1	1	-	1	2	-	-	2	-	-	-	-
Male----	4	-	-	-	1	2	-	-	1	-	-	-	-
Female--	3	1	1	-	-	-	-	-	1	-	-	-	-

Table 8-4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1975

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	17,805	1,335	149	226	561	634	768	1,401	2,417	3,429	3,351	3,484	50
Male	10,447	780	82	147	420	492	514	931	1,580	2,023	1,828	1,610	40
Female	7,358	555	67	79	141	142	254	470	837	1,406	1,523	1,874	10
Bacillary dysentery and amebiasis 004,006	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases 008,009	115	53	9	2	1	4	1	3	6	9	11	16	-
Male	60	30	4	1	1	4	1	1	3	3	6	6	-
Female	55	23	5	1	-	-	-	2	3	6	5	10	-
Tuberculosis, all forms 010-019	194	-	1	1	1	5	21	40	38	41	36	9	1
Male	126	-	1	-	-	5	11	25	28	25	25	5	1
Female	68	-	-	1	1	-	10	15	10	16	11	4	-
Tuberculosis of respiratory system 010-012	175	-	-	1	1	4	19	37	34	38	32	8	1
Male	113	-	-	-	-	4	10	24	24	23	23	4	1
Female	62	-	-	1	1	-	9	13	10	15	9	4	-
Tuberculosis, other forms 013-019	19	-	1	-	-	1	2	3	4	3	4	1	-
Male	13	-	1	-	-	1	1	1	4	2	2	1	-
Female	6	-	-	-	-	-	1	2	-	1	2	-	-
Whooping cough 033	4	3	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	3	3	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever 034	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections 036	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia 038	108	72	-	2	1	5	1	5	3	7	7	5	-
Male	60	40	-	-	1	3	-	3	1	5	6	1	-
Female	48	32	-	2	-	2	1	2	2	2	1	4	-
Acute poliomyelitis 040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles 055	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae 090-097	4	1	-	-	-	-	-	-	1	1	1	-	-
Male	3	1	-	-	-	-	-	-	1	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Other infective and parasitic diseases Remainder of 000-136	65	9	3	4	1	5	5	6	9	15	1	7	-
Male	37	4	1	3	1	3	3	2	6	10	1	3	-
Female	28	5	2	1	-	2	2	4	3	5	-	4	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-209	2,628	-	21	30	23	28	108	290	542	738	520	327	1
Male	1,580	-	12	19	11	13	48	155	336	465	327	193	1
Female	1,048	-	9	11	12	15	60	135	206	273	193	134	-
Malignant neoplasms of buccal cavity and pharynx 140-149	139	-	-	-	-	-	2	25	41	34	19	18	-
Male	115	-	-	-	-	-	2	22	39	23	14	15	-
Female	24	-	-	-	-	-	-	3	2	11	5	3	-
Malignant neoplasms of digestive organs and peritoneum 150-159	968	-	-	-	1	5	40	92	209	274	216	131	-
Male	608	-	-	-	-	1	20	57	136	193	135	66	-
Female	360	-	-	-	1	4	20	35	73	81	81	65	-
Malignant neoplasms of respiratory system 160-163	362	-	1	-	1	4	13	48	77	125	65	28	-
Male	267	-	-	-	-	4	10	34	60	94	42	23	-
Female	95	-	1	-	1	-	3	14	17	31	23	5	-
Malignant neoplasm of breast 174	127	-	-	-	-	2	15	32	32	27	12	7	-
Male	3	-	-	-	-	-	-	3	-	-	-	-	-
Female	124	-	-	-	-	2	15	29	32	27	12	7	-
Malignant neoplasms of genital organs 180-187	362	-	-	-	2	4	10	27	63	105	85	66	-
Male	196	-	-	-	2	-	-	4	22	58	61	49	-
Female	166	-	-	-	-	4	10	23	41	47	24	17	-
Malignant neoplasms of urinary organs 188,189	83	-	4	2	-	1	1	11	11	19	21	13	-
Male	54	-	2	-	-	1	-	7	8	14	13	9	-
Female	29	-	2	2	-	-	1	4	3	5	8	4	-
Malignant neoplasms of all other and unspecified sites 170-173,190-199	325	-	2	8	7	3	8	30	67	96	62	41	1
Male	189	-	1	6	3	2	5	18	48	50	34	21	1
Female	136	-	1	2	4	1	3	12	19	46	28	20	-
Leukemia 204-207	135	-	12	16	7	7	12	8	21	23	17	12	-
Male	74	-	8	9	3	3	7	3	10	16	10	5	-
Female	61	-	4	7	4	4	5	5	11	7	7	7	-
Other neoplasms of lymphatic and hematopoietic tissues 200-203,208,209	127	-	2	4	5	2	7	17	21	35	23	11	-
Male	74	-	1	4	3	2	4	7	13	17	18	5	-
Female	53	-	1	-	2	-	3	10	8	18	5	6	-
Benign neoplasms and neoplasms of unspecified nature 210-239	63	2	1	2	3	7	6	8	13	10	4	7	-
Male	34	2	-	1	-	3	4	4	7	7	2	4	-
Female	29	-	1	1	3	4	2	4	6	3	2	3	-

Table 8-4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1975—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus----------250	710	-	1	-	1	8	10	39	118	213	195	125	-
Male----	286	-	1	-	1	7	5	19	53	87	71	42	-
Female--	424	-	-	-	-	1	5	20	65	126	124	83	-
Avitaminoses and other nutritional deficiencies-----260-269	96	7	-	1	-	-	1	2	5	14	22	44	-
Male----	44	2	-	1	-	-	1	2	3	9	9	17	-
Female--	52	5	-	-	-	-	-	-	2	5	13	27	-
Anemias----------280-285	78	3	-	3	7	3	3	4	10	8	15	21	1
Male----	43	2	-	1	4	1	2	-	5	4	11	12	1
Female--	35	1	-	2	3	2	1	4	5	4	4	9	-
Meningitis----------320	35	14	4	-	2	-	4	5	3	2	1	-	-
Male----	21	9	2	-	1	-	2	2	3	1	1	-	-
Female--	14	5	2	-	1	-	2	3	-	1	-	-	-
Major cardiovascular diseases----------390-448	7,037	11	2	11	31	67	141	382	897	1,564	1,819	2,102	10
Male----	3,738	7	-	6	19	40	84	240	581	892	936	925	8
Female--	3,299	4	2	5	12	27	57	142	316	672	883	1,177	2
Diseases of heart----------390-398,402,404,410-429	4,812	5	-	7	21	44	93	290	682	1,154	1,208	1,301	7
Male----	2,633	3	-	5	12	28	59	190	450	664	628	589	5
Female--	2,179	2	-	2	9	16	34	100	232	490	580	712	2
Active rheumatic fever and chronic rheumatic heart disease----------390-398	73	-	-	4	3	8	8	10	12	18	9	3	-
Male----	42	-	-	3	1	4	5	7	7	10	4	1	-
Female--	31	-	-	1	2	2	3	3	5	8	5	2	-
Hypertensive heart disease----------402	302	-	-	-	1	5	4	29	50	73	66	72	2
Male----	147	-	-	-	1	5	3	17	23	42	25	29	2
Female--	155	-	-	-	-	-	1	12	27	31	41	43	-
Hypertensive heart and renal disease----------404	5	-	-	-	-	-	-	-	-	2	1	2	-
Male----	5	-	-	-	-	-	-	-	-	2	1	2	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease----------410-413	3,691	-	-	1	4	16	60	209	527	909	951	1,010	4
Male----	2,068	-	-	1	2	9	39	146	369	520	507	472	3
Female--	1,623	-	-	-	2	7	21	63	158	389	444	538	1
Acute myocardial infarction----------410	1,736	-	-	1	4	11	46	138	315	523	396	299	3
Male----	1,027	-	-	1	2	6	33	99	220	310	218	135	3
Female--	709	-	-	-	2	5	13	39	95	213	178	164	-
Other acute and subacute forms of ischemic heart disease----------411	29	-	-	-	-	1	-	2	5	5	10	6	-
Male----	22	-	-	-	-	1	-	1	5	3	7	5	-
Female--	7	-	-	-	-	-	-	1	-	2	3	1	-
Chronic ischemic heart disease----------412	1,919	-	-	-	-	4	14	69	206	380	543	702	1
Male----	1,016	-	-	-	-	2	6	46	143	207	280	332	-
Female--	903	-	-	-	-	2	8	23	63	173	263	370	1
Angina pectoris----------413	7	-	-	-	-	-	-	-	1	1	2	3	-
Male----	3	-	-	-	-	-	-	-	1	-	2	-	-
Female--	4	-	-	-	-	-	-	-	-	1	-	3	-
Chronic disease of endocardium and other myocardial insufficiency----------424,428	209	1	-	1	2	3	5	14	27	48	36	72	-
Male----	104	-	-	1	1	3	2	7	16	26	20	28	-
Female--	105	1	-	-	1	-	3	7	11	22	16	44	-
All other forms of heart disease----420-423,425-427,429	532	4	-	1	11	14	16	28	66	104	145	142	1
Male----	267	3	-	-	7	7	10	13	35	64	71	57	-
Female--	265	1	-	1	4	7	6	15	31	40	74	85	1
Hypertension----------400,401,403	65	-	-	-	-	3	5	9	4	14	15	14	1
Male----	28	-	-	-	-	2	4	2	3	7	3	6	1
Female--	37	-	-	-	-	1	1	7	1	7	12	8	-
Cerebrovascular diseases----------430-438	1,464	6	2	4	9	16	39	74	168	300	397	447	2
Male----	751	4	-	1	6	7	19	43	98	162	205	204	2
Female--	713	2	2	3	3	9	20	31	70	138	192	243	-
Cerebral hemorrhage----------431	387	2	-	1	3	10	18	32	59	93	86	82	1
Male----	208	1	-	-	3	4	10	23	36	54	42	34	1
Female--	179	1	-	1	-	6	8	9	23	39	44	48	-
Cerebral thrombosis----------433	305	-	-	-	-	1	4	8	25	69	89	109	-
Male----	152	-	-	-	-	-	-	3	16	37	48	48	-
Female--	153	-	-	-	-	1	4	5	9	32	41	61	-
Cerebral embolism----------434	11	-	-	-	-	-	-	1	1	3	1	5	-
Male----	6	-	-	-	-	-	-	-	1	1	1	3	-
Female--	5	-	-	-	-	-	-	1	-	2	-	2	-
All other cerebrovascular diseases------430,432,435-438	761	4	2	3	6	5	17	33	63	135	221	251	1
Male----	385	3	-	1	3	3	9	17	45	70	114	119	1
Female--	376	1	2	2	3	2	8	16	38	65	107	132	-
Arteriosclerosis----------440	525	-	-	-	-	-	-	1	24	57	141	302	-
Male----	223	-	-	-	-	-	-	-	15	34	66	108	-
Female--	302	-	-	-	-	-	-	1	9	23	75	194	-
Other diseases of arteries, arterioles, and capillaries----------441-448	171	-	-	-	1	4	4	8	19	39	58	38	-
Male----	103	-	-	-	1	3	2	5	15	25	34	18	-
Female--	68	-	-	-	-	1	2	3	4	14	24	20	-
Acute bronchitis and bronchiolitis----------466	2	-	-	-	-	-	-	-	1	-	-	1	-
Male----	2	-	-	-	-	-	-	-	1	-	-	1	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1975—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Influenza and pneumonia----------470-474,480-486	1,057	154	25	19	25	34	28	65	87	141	212	257	10
Male----	623	104	14	9	15	25	20	51	50	85	123	122	5
Female--	434	50	11	10	10	9	8	14	37	56	89	135	5
Influenza----------470-474	25	1	-	-	-	2	1	2	-	4	5	10	-
Male----	13	1	-	-	-	1	1	1	-	3	2	4	-
Female--	12	-	-	-	-	1	-	1	-	1	3	6	-
Pneumonia----------480-486	1,032	153	25	19	25	32	27	63	87	137	207	247	10
Male----	610	103	14	9	15	24	19	50	50	82	121	118	5
Female--	422	50	11	10	10	8	8	13	37	55	86	129	5
Bronchitis, emphysema, and asthma----------490-493	279	7	2	-	3	7	8	23	35	62	57	76	-
Male----	147	3	1	-	3	5	3	10	18	34	34	36	-
Female--	132	4	1	-	-	2	5	13	17	28	23	39	-
Chronic and unqualified bronchitis----------490,491	83	7	1	-	2	1	3	1	6	11	22	29	-
Male----	37	3	1	-	2	1	1	-	4	3	11	11	-
Female--	46	4	-	-	-	-	2	1	2	8	11	18	-
Emphysema----------492	104	-	-	-	-	1	2	5	12	31	23	30	-
Male----	56	-	-	-	-	-	1	2	5	18	12	18	-
Female--	48	-	-	-	-	1	1	3	7	13	11	12	-
Asthma----------493	92	-	1	-	1	5	3	17	17	20	12	16	-
Male----	54	-	-	-	1	4	1	8	9	13	11	7	-
Female--	38	-	1	-	-	1	2	9	8	7	1	9	-
Peptic ulcer----------531-533	67	1	1	-	1	1	4	5	16	15	15	8	-
Male----	40	-	-	-	1	-	4	4	9	9	8	5	-
Female--	27	1	1	-	-	1	-	1	7	6	7	3	-
Appendicitis----------540-543	10	-	2	-	1	1	-	1	-	2	1	2	-
Male----	7	-	1	-	1	1	-	-	-	2	1	1	-
Female--	3	-	1	-	-	-	-	1	-	-	-	1	-
Hernia and intestinal obstruction----------550-553,560	66	10	2	-	4	-	1	5	6	12	7	19	-
Male----	34	7	2	-	2	-	1	3	4	7	3	5	-
Female--	32	3	-	-	2	-	-	2	2	5	4	14	-
Cirrhosis of liver----------571	668	1	-	-	7	22	71	151	203	134	57	20	2
Male----	530	-	-	-	3	19	57	129	166	102	38	14	2
Female--	138	1	-	-	4	3	14	22	37	32	19	6	-
Cholelithiasis, cholecystitis and cholangitis--------574,575	10	-	-	-	-	-	1	1	-	1	2	5	-
Male----	6	-	-	-	-	-	1	1	-	-	2	2	-
Female--	4	-	-	-	-	-	-	-	-	1	-	3	-
Nephritis and nephrosis----------580-584	153	3	2	4	4	12	12	20	28	34	18	16	-
Male----	90	-	2	3	2	7	6	10	19	20	10	11	-
Female--	63	3	-	1	2	5	6	10	9	14	8	5	-
Acute nephritis and nephrotic syndrome----------580,581	24	3	1	-	1	1	4	-	-	9	2	3	-
Male----	8	-	1	-	-	1	1	-	-	4	-	1	-
Female--	16	3	-	-	1	-	3	-	-	5	2	2	-
Chronic and unqualified nephritis and renal sclerosis----------582-584	129	-	1	4	3	11	8	20	28	25	16	13	-
Male----	82	-	1	3	2	6	5	10	19	16	10	10	-
Female--	47	-	-	1	1	5	3	10	9	9	6	3	-
Infections of kidney----------590	45	-	1	-	-	2	4	-	6	8	7	17	-
Male----	20	-	-	-	-	1	2	-	3	5	2	7	-
Female--	25	-	1	-	-	1	2	-	3	3	5	10	-
Hyperplasia of prostate----------600	15	-	-	-	-	-	-	-	2	2	3	8	-
Male----	15	-	-	-	-	-	-	-	2	2	3	8	-
Complications of pregnancy, childbirth, and the puerperium----------630-678	10	-	-	-	6	3	1	-	-	-	-	-	-
Female--	10	-	-	-	6	3	1	-	-	-	-	-	-
Abortions----------640-645	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium----------630-639,650-678	10	-	-	-	6	3	1	-	-	-	-	-	-
Female--	10	-	-	-	6	3	1	-	-	-	-	-	-
Congenital anomalies----------740-759	239	186	16	12	6	6	6	3	3	1	-	-	-
Male----	124	96	7	8	5	1	1	3	2	1	-	-	-
Female--	115	90	9	4	1	5	5	-	1	-	-	-	-
Certain causes of mortality in early infancy----------760-769.2,769.4-772,774-778	689	689	-	-	-	-	-	-	-	-	-	-	-
Male----	412	412	-	-	-	-	-	-	-	-	-	-	-
Female--	277	277	-	-	-	-	-	-	-	-	-	-	-
Birth injury, difficult labor, and other anoxic and hypoxic conditions----------764-768,772,776	443	443	-	-	-	-	-	-	-	-	-	-	-
Male----	262	262	-	-	-	-	-	-	-	-	-	-	-
Female--	181	181	-	-	-	-	-	-	-	-	-	-	-
Other causes of mortality in early infancy----------Remainder of 760-778	246	246	-	-	-	-	-	-	-	-	-	-	-
Male----	150	150	-	-	-	-	-	-	-	-	-	-	-
Female--	96	96	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions----------780-796	432	32	2	2	10	16	14	28	32	61	68	163	7
Male----	246	19	1	1	5	13	9	19	15	34	47	77	6
Female--	186	13	1	1	5	3	5	6	17	27	21	86	1
All other diseases----------Residual	1,189	46	22	29	47	70	94	117	176	217	195	176	-
Male----	663	19	13	19	24	45	55	69	106	123	111	79	-
Female--	526	27	9	10	23	25	39	48	70	94	84	97	-

Table 8-4. Deaths From 69 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1975—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Accidents----------E800-E949	1,021	31	27	91	202	131	113	113	110	84	64	49	6
Male----	833	23	15	66	175	116	105	104	94	60	39	31	5
Female--	188	8	12	25	27	15	8	9	16	24	25	18	1
Motor vehicle accidents----------E810-E823	433	1	11	35	115	77	48	39	48	34	18	4	3
Male----	369	-	4	24	105	69	45	36	41	24	14	4	3
Female--	64	1	7	11	10	8	3	3	7	10	4	-	-
All other accidents----------E800-E807,E825-E949	588	30	16	56	87	54	65	74	62	50	46	45	3
Male----	464	23	11	42	70	47	60	68	53	36	25	27	2
Female--	124	7	5	14	17	7	5	6	9	14	21	18	1
Suicide----------E950-E959	184	...	...	3	23	40	28	28	29	18	11	4	-
Male----	154	...	...	2	20	35	19	22	26	16	11	3	-
Female--	30	...	...	1	3	5	9	6	3	2	-	1	-
Homicide----------E960-E978	427	-	1	5	136	133	65	43	28	10	2	1	3
Male----	378	-	1	4	112	123	57	40	28	9	1	-	3
Female--	49	-	-	1	24	10	8	3	-	1	1	1	-
Other external causes----------E980-E999	104	-	3	5	15	24	17	17	9	5	-	-	9
Male----	89	-	3	3	13	22	13	13	9	5	-	-	8
Female--	15	-	-	2	2	2	4	4	-	-	-	-	1

Table 8-5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1975

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	477	62	8	7	23	31	34	48	55	80	78	48	3
White--Male	51	1	-	-	2	3	5	5	9	12	8	5	1
Female	31	3	1	-	2	2	3	1	4	4	4	7	-
All other--Male	210	30	6	5	16	17	14	23	31	29	28	11	-
Female	185	28	1	2	3	9	12	19	11	35	38	25	2
Bacillary dysentery and amebiasis 004,006	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis and other diarrheal diseases 008,009	1	-	-	-	-	-	-	-	-	1	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis, all forms 010-019	1	-	1	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system 010-012	1	-	1	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, other forms 013-019	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough 033	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever 034	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections 036	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia 038	2	1	-	-	-	-	-	-	1	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis 040-043	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles 055	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae 090-097	-	-	-	-	-	-	-	-	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases Remainder of 000-136	3	-	-	1	1	-	-	-	1	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	2	-	-	1	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-209	56	-	-	-	-	1	3	10	9	18	8	6	1
White--Male	9	-	-	-	-	-	-	-	1	4	2	2	-
Female	4	-	-	-	-	-	-	1	2	1	-	-	-
All other--Male	22	-	-	-	-	-	1	5	3	8	4	1	-
Female	21	-	-	-	-	1	2	4	3	5	2	3	1
Malignant neoplasms of buccal cavity and pharynx 140-149	4	-	-	-	-	-	-	1	1	1	-	1	-
White--Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other--Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum 150-159	20	-	-	-	-	-	1	3	4	8	3	1	-
White--Male	4	-	-	-	-	-	-	-	1	2	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male	9	-	-	-	-	-	1	2	1	2	2	1	-
Female	7	-	-	-	-	-	-	1	2	4	-	-	-

Table 8-5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1975—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Malignant neoplasms--Con.													
Malignant neoplasms of respiratory system---------160-163	8	-	-	-	-	-	-	2	-	2	2	2	-
White------Male----	3	-	-	-	-	-	-	-	-	1	1	1	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	4	-	-	-	-	-	-	2	-	1	1	-	-
Female--	1	-	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasm of breast----------174	4	-	-	-	-	1	-	2	-	-	1	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	1	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	3	-	-	-	-	1	-	1	-	-	1	-	-
Malignant neoplasms of genital organs----------180-187	13	-	-	-	-	-	2	2	1	5	1	2	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	1	-	-	-
All other--Male----	6	-	-	-	-	-	-	-	1	4	1	-	-
Female--	6	-	-	-	-	-	2	2	-	-	-	2	-
Malignant neoplasms of urinary organs----------188,189	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites----------170-173,190-199	6	-	-	-	-	-	-	-	3	2	-	1	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	1	-	-	-	-
All other--Male----	2	-	-	-	-	-	-	-	1	1	-	-	-
Female--	3	-	-	-	-	-	-	-	1	1	-	1	-
Leukemia----------204-207	1	-	-	-	-	-	-	-	-	-	1	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	-	1	-	-
Other neoplasms of lymphatic and hematopoietic tissues----------200-203,208,209	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms and neoplasms of unspecified nature----------210-239	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus----------250	23	-	-	-	-	-	4	3	4	4	7	1	-
White------Male----	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	11	-	-	-	-	-	2	2	3	1	3	-	-
Female--	11	-	-	-	-	-	2	1	-	3	4	1	-
Avitaminoses and other nutritional deficiencies-----260-269	1	-	-	-	-	-	-	-	-	-	1	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	-	-	-	-	-	-	-	-	-	1	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias----------280-285	3	1	1	-	-	-	-	-	-	1	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	2	1	1	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	1	-	-	-
Meningitis----------320	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases----------390-448	182	-	-	1	-	2	5	12	29	43	51	38	1
White------Male----	20	-	-	-	-	-	-	2	5	5	5	3	-
Female--	15	-	-	-	-	-	-	-	2	3	4	6	-
All other--Male----	69	-	-	1	-	1	3	6	16	16	17	9	-
Female--	78	-	-	-	-	1	2	4	6	19	25	20	1
Diseases of heart----------390-398,402,404,410-429	138	-	-	-	-	2	4	9	26	32	35	30	-
White------Male----	15	-	-	-	-	-	-	1	4	3	5	2	-
Female--	12	-	-	-	-	-	-	-	2	2	4	4	-
All other--Male----	52	-	-	-	-	1	2	5	14	13	9	8	-
Female--	59	-	-	-	-	1	2	3	6	14	17	16	-
Active rheumatic fever and chronic rheumatic heart disease----------390-398	2	-	-	-	-	1	-	1	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	2	-	-	-	-	1	-	1	-	-	-	-	-
Hypertensive heart disease----------402	2	-	-	-	-	-	-	1	1	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	1	-	-	-	-	-	-	1	-	-	-	-	-
Hypertensive heart and renal disease----------404	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1975—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Major cardiovascular diseases--Con.													
Diseases of heart--Con.													
Ischemic heart disease----------410-413	130	-	-	-	-	1	3	6	24	31	35	30	-
White------Male----	14	-	-	-	-	-	-	1	3	3	5	2	-
Female--	12	-	-	-	-	-	-	-	2	2	4	4	-
All other--Male----	50	-	-	-	-	1	2	4	13	13	9	8	-
Female--	54	-	-	-	-	-	1	1	6	13	17	16	-
Acute myocardial infarction----------410	41	-	-	-	-	-	2	2	10	13	12	2	-
White------Male----	11	-	-	-	-	-	-	1	2	3	4	1	-
Female--	2	-	-	-	-	-	-	-	-	2	-	-	-
All other--Male----	15	-	-	-	-	-	1	-	6	5	3	-	-
Female--	13	-	-	-	-	-	1	1	2	3	5	1	-
Other acute and subacute forms of ischemic heart disease----------411	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic ischemic heart disease----------412	89	-	-	-	-	1	1	4	14	18	23	28	-
White------Male----	3	-	-	-	-	-	-	-	1	-	1	1	-
Female--	10	-	-	-	-	-	-	-	2	-	4	4	-
All other--Male----	35	-	-	-	-	1	1	4	7	8	6	8	-
Female--	41	-	-	-	-	-	-	-	4	10	12	15	-
Angina pectoris----------413	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic disease of endocardium and other myocardial insufficiency----------424,428	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease----420-423,425-427,429	4	-	-	-	-	-	1	1	1	1	-	-	-
White------Male----	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	-	-	-	-	-	-	1	-	-	-	-	-
Female--	2	-	-	-	-	-	1	-	-	1	-	-	-
Hypertension----------400,401,403	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases----------430-438	32	-	-	1	-	-	1	2	2	8	14	3	1
White------Male----	4	-	-	-	-	-	-	-	1	2	-	1	-
Female--	2	-	-	-	-	-	-	-	-	1	-	1	-
All other--Male----	12	-	-	1	-	-	1	1	1	1	7	-	-
Female--	14	-	-	-	-	-	-	1	-	4	7	1	1
Cerebral hemorrhage----------431	2	-	-	-	-	-	-	-	1	-	1	-	-
White------Male----	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	-	-	-	-	-	-	-	-	-	1	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis----------433	7	-	-	-	-	-	-	-	-	1	3	2	1
White------Male----	1	-	-	-	-	-	-	-	-	-	-	1	-
Female--	1	-	-	-	-	-	-	-	-	-	-	1	-
All other--Male----	1	-	-	-	-	-	-	-	-	-	1	-	-
Female--	4	-	-	-	-	-	-	-	-	1	2	-	1
Cerebral embolism----------434	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other cerebrovascular diseases------430,432,435-438	23	-	-	1	-	-	1	2	1	7	10	1	-
White------Male----	2	-	-	-	-	-	-	-	-	2	-	-	-
Female--	1	-	-	-	-	-	-	-	-	1	-	-	-
All other--Male----	10	-	-	1	-	-	1	1	1	1	5	-	-
Female--	10	-	-	-	-	-	-	1	-	3	5	1	-
Arteriosclerosis----------440	6	-	-	-	-	-	-	-	-	2	1	3	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	-	-	1	-
All other--Male----	4	-	-	-	-	-	-	-	-	2	1	1	-
Female--	1	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases of arteries, arterioles, and capillaries----------441-448	6	-	-	-	-	-	-	1	1	1	1	2	-
White------Male----	1	-	-	-	-	-	-	1	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	4	-	-	-	-	-	-	-	-	1	1	2	-
Acute bronchitis and bronchiolitis----------466	1	-	1	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	-	1	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza and pneumonia----------470-474,480-486	13	5	-	-	-	1	-	2	-	1	3	1	-
White------Male----	2	-	-	-	-	-	-	1	-	1	-	-	-
Female--	1	1	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	6	2	-	-	-	1	-	1	-	-	1	1	-
Female--	4	2	-	-	-	-	-	-	-	-	2	-	-

Table 8-5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1975—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Influenza and pneumonia--Con.													
Influenza----------470-474	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia----------480-486	13	5	-	-	-	1	-	2	-	1	3	1	-
White------Male----	2	-	-	-	-	-	-	1	-	1	-	-	-
Female--	1	1	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	6	2	-	-	-	1	-	1	-	-	1	1	-
Female--	4	2	-	-	-	-	-	-	-	-	2	-	-
Bronchitis, emphysema, and asthma----------490-493	4	-	-	-	-	-	1	-	-	1	2	-	-
White------Male----	2	-	-	-	-	-	-	-	-	1	1	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	-	-	-	-	-	1	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	-	1	-	-
Chronic and unqualified bronchitis----------490,491	1	-	-	-	-	-	1	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	-	-	-	-	-	1	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema----------492	3	-	-	-	-	-	-	-	-	1	2	-	-
White------Male----	2	-	-	-	-	-	-	-	-	1	1	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	-	1	-	-
Asthma----------493	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Peptic ulcer----------531-533	2	-	-	-	-	-	-	1	1	-	-	-	-
White------Male----	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	-	-	-	-	-	-	1	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis----------540-543	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction----------550-553,560	4	-	-	-	-	-	-	-	2	1	1	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	-	-	-	-	-	-	-	1	-	-	-	-
Female--	3	-	-	-	-	-	-	-	1	1	1	-	-
Cirrhosis of liver----------571	12	-	-	-	-	2	5	2	2	1	-	-	-
White------Male----	3	-	-	-	-	1	2	-	-	-	-	-	-
Female--	1	-	-	-	-	-	1	-	-	-	-	-	-
All other--Male----	8	-	-	-	-	1	2	2	2	1	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis, cholecystitis and cholangitis-------574,575	1	-	-	-	-	-	-	-	-	1	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	-	-	-	-	-	-	-	-	1	-	-	-
Nephritis and nephrosis----------580-584	6	-	-	-	1	-	-	2	-	2	1	-	-
White------Male----	1	-	-	-	-	-	-	-	-	1	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	4	-	-	-	1	-	-	2	-	-	1	-	-
Female--	1	-	-	-	-	-	-	-	-	1	-	-	-
Acute nephritis and nephrotic syndrome----------580,581	1	-	-	-	-	-	-	-	-	1	-	-	-
White------Male----	1	-	-	-	-	-	-	-	-	1	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic and unqualified nephritis and renal sclerosis----------582-584	5	-	-	-	1	-	-	2	-	1	1	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	4	-	-	-	1	-	-	2	-	-	1	-	-
Female--	1	-	-	-	-	-	-	-	-	1	-	-	-
Infections of kidney----------590	3	-	-	-	-	-	-	-	1	1	1	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	2	-	-	-	-	-	-	-	1	-	1	-	-
Female--	1	-	-	-	-	-	-	-	-	1	-	-	-
Hyperplasia of prostate----------600	1	-	-	-	-	-	-	-	-	1	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	-	-	-	-	-	-	-	-	1	-	-	-
Complications of pregnancy, childbirth, and the puerperium----------630-678	2	-	-	-	-	1	1	-	-	-	-	-	-
White------Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Female--	2	-	-	-	-	1	1	-	-	-	-	-	-
Abortions----------640-645	-	-	-	-	-	-	-	-	-	-	-	-	-
White------Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium----------630-639,650-678	2	-	-	-	-	1	1	-	-	-	-	-	-
White------Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Female--	2	-	-	-	-	1	1	-	-	-	-	-	-

Table 8-5. Deaths From 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: Virgin Islands, 1975—Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Congenital anomalies----------740-759	6	4	2	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	2	1	1	-	-	-	-	-	-	-	-	-	-
Female--	4	3	1	-	-	-	-	-	-	-	-	-	-
Certain causes of mortality in early infancy----------760-769.2,769.4-772,774-778	47	47	-	-	-	-	-	-	-	-	-	-	-
White------Male----	1	1	-	-	-	-	-	-	-	-	-	-	-
Female--	2	2	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	24	24	-	-	-	-	-	-	-	-	-	-	-
Female--	20	20	-	-	-	-	-	-	-	-	-	-	-
Birth injury, difficult labor, and other anoxic and hypoxic conditions----------764-768,772,776	10	10	-	-	-	-	-	-	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	1	1	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	4	4	-	-	-	-	-	-	-	-	-	-	-
Female--	5	5	-	-	-	-	-	-	-	-	-	-	-
Other causes of mortality in early infancy----------Remainder of 760-778	37	37	-	-	-	-	-	-	-	-	-	-	-
White------Male----	1	1	-	-	-	-	-	-	-	-	-	-	-
Female--	1	1	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	20	20	-	-	-	-	-	-	-	-	-	-	-
Female--	15	15	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions----------780-796	3	-	-	-	-	1	1	1	-	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	1	-	-	-	-	1	-	-	-	-	-	-	-
Female--	2	-	-	-	-	-	1	1	-	-	-	-	-
All other diseases----------Residual	28	2	1	2	3	4	4	7	1	3	1	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	4	-	-	-	1	2	1	-	-	-	-	-	-
All other--Male----	10	-	1	2	2	1	2	-	1	1	-	-	-
Female--	14	2	-	-	-	1	1	7	-	2	1	-	-
Accidents----------E800-E949	47	2	2	3	9	13	8	4	3	1	1	1	-
White------Male----	7	-	-	-	1	1	3	1	1	-	-	-	-
Female--	2	-	1	-	-	-	-	-	-	-	-	1	-
All other--Male----	26	2	1	1	7	8	3	2	1	1	-	-	-
Female--	12	-	-	2	1	4	2	1	1	-	1	-	-
Motor vehicle accidents----------E810-E823	13	-	1	-	3	4	3	1	1	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	9	-	1	-	3	3	2	-	-	-	-	-	-
Female--	4	-	-	-	-	1	1	1	1	-	-	-	-
All other accidents----------E800-E807,E825-E949	34	2	1	3	6	9	5	3	2	1	1	1	-
White------Male----	7	-	-	-	1	1	3	1	1	-	-	-	-
Female--	2	-	1	-	-	-	-	-	-	-	-	1	-
All other--Male----	17	2	-	1	4	5	1	2	1	1	-	-	-
Female--	8	-	-	2	1	3	1	-	-	-	1	-	-
Suicide----------E950-E959	7	...	...	-	2	1	1	3	-	-	-	-	-
White------Male----	2	...	...	-	1	-	-	1	-	-	-	-	-
Female--	1	...	...	-	-	-	1	-	-	-	-	-	-
All other--Male----	3	...	...	-	1	-	-	2	-	-	-	-	-
Female--	1	...	...	-	-	1	-	-	-	-	-	-	-
Homicide----------E960-E978	14	-	-	-	4	5	1	1	-	-	1	-	2
White------Male----	2	-	-	-	-	1	-	-	-	-	-	-	1
Female--	1	-	-	-	1	-	-	-	-	-	-	-	-
All other--Male----	7	-	-	-	3	4	-	-	-	-	-	-	-
Female--	4	-	-	-	-	-	1	1	-	-	1	-	1
Other external causes----------E980-E999	4	-	-	-	3	-	-	-	1	-	-	-	-
White------Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--Male----	3	-	-	-	2	-	-	-	1	-	-	-	-
Female--	1	-	-	-	1	-	-	-	-	-	-	-	-

Table 8-6. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1975

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motor-cyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal or occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Guam	33	-	2	-	-	-	-	-	10	-	21
Male	28	-	2	-	-	-	-	-	9	-	17
Female	5	-	-	-	-	-	-	-	1	-	4
Puerto Rico	433	70	56	7	-	-	-	14	147	-	139
Male	369	65	46	7	-	-	-	14	118	-	119
Female	64	5	10	-	-	-	-	-	29	-	20
Virgin Islands	13	-	-	-	-	-	-	-	4	-	9
White—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
All other—Male	9	-	-	-	-	-	-	-	3	-	6
Female	4	-	-	-	-	-	-	-	1	-	3

Table 8-7. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1975

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after place of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home[1] (0)	Farm[2] (1)	Mine and quarry (2)	Industrial place (3)	Place for recreation or sport (4)	Street and highway (5)	Public building (6)	Resident institution (7)	Other specified places (8)	Place not specified (9)
Guam	19	5	-	-	1	-	-	2	1	5	5
Male	15	4	-	-	1	-	-	2	1	4	3
Female	4	1	-	-	-	-	-	-	-	1	2
Puerto Rico	548	109	-	-	12	5	20	10	3	109	280
Male	434	70	-	-	12	5	20	10	2	98	217
Female	114	39	-	-	-	-	-	-	1	11	63
Virgin Islands	30	1	-	-	1	2	-	-	-	3	23
White—Male	6	-	-	-	-	-	-	-	-	2	4
Female	2	-	-	-	-	1	-	-	-	-	1
All other—Male	16	1	-	-	1	1	-	-	-	-	13
Female	6	-	-	-	-	-	-	-	-	1	5

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 8-8. Total, Infant, and Neonatal Deaths: Puerto Rico and Each Municipio, 1975

[Data by place of residence exclude deaths to nonresidents and deaths to residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths to nonresidents of Puerto Rico]

Area	Total deaths by municipio of occurrence	Deaths by place of residence		
		Total deaths	Under 1 year	Under 28 days
Puerto Rico	17,876	17,805	1,335	1,038
Adjuntas	61	114	9	7
Aguada	91	156	10	6
Aguadilla	250	339	19	12
Aguas Buenas	56	108	10	7
Aibonito	109	121	11	10
Anasco	62	119	6	4
Arecibo	1,059	615	33	26
Arroyo	78	102	13	10
Barceloneta	86	153	5	2
Barranquitas	65	93	10	10
Bayamón	823	846	68	61
Cabo Rojo	134	214	11	4
Caguas	753	608	40	34
Camuy	70	156	12	10
Carolina	260	616	60	45
Cataño	75	185	21	18
Cayey	187	241	22	15
Ceiba	39	61	4	2
Ciales	44	82	1	1
Cidra	58	119	18	14
Coamo	100	169	17	11
Comerío	52	80	2	2
Corozal	65	131	9	9
Culebra	3	6	2	1
Dorado	62	113	7	4
Fajardo	459	186	11	8
Guánica	67	120	7	5
Guayama	214	251	16	12
Guayanilla	49	97	5	3
Guaynabo	132	310	36	30
Gurabo	64	107	6	5
Hatillo	59	119	8	6
Hormigueros	41	78	1	1
Humacao	306	276	24	19
Isabela	142	231	14	10
Jayuya	46	82	12	11
Juana Díaz	94	221	27	19
Juncos	68	141	10	8
Lajas	58	112	11	8
Lares	127	191	14	11
Las Marías	24	50	8	7
Las Piedras	55	105	7	7
Loíza	97	193	18	15
Luquillo	46	85	3	3
Manatí	160	234	9	7
Maricao	23	30	1	1
Maunabo	32	51	8	4
Mayaguez	1,184	579	35	27
Moca	60	117	7	3
Morovis	46	79	9	5
Naguabo	58	129	11	8
Naranjito	53	102	2	1
Orocovis	80	103	6	4
Patillas	59	119	16	13
Peñuelas	52	102	15	13
Ponce	2,007	1,178	104	79
Quebradillas	72	124	4	4
Rincon	48	68	1	1
Río Grande	89	176	17	12
Sabana Grande	71	128	6	3
Salinas	108	184	18	16
San Germán	256	197	9	8
San Juan	5,310	3,304	212	175
San Lorenzo	96	168	8	7
San Sebastián	143	230	14	10
Santa Isabel	61	128	15	12
Toa Alta	66	104	11	7
Toa Baja	120	282	34	26
Trujillo Alto	85	156	15	13
Utuado	182	263	18	15
Vega Alta	62	133	10	8
Vega Baja	138	226	14	12
Veíques	36	59	8	6
Villalba	65	120	18	13
Yabucoa	118	190	11	7
Yauco	144	240	11	5

Table 8-9. Total, Infant, and Neonatal Deaths for Virgin Islands and Specified Urban Place and Guam; and by Color for Virgin Islands and Specified Urban Place: 1975

[Data by place of residence exclude deaths to nonresidents and deaths to residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths to nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1970]

Area and color	Total deaths by place of occurrence	Deaths by place of residence		
		Total deaths	Under 1 year	Under 28 days
Virgin Islands	509	477	62	54
White	108	82	4	3
All other	401	395	58	51
St. Croix Island	258	247	30	26
White	46	34	-	-
All other	212	213	30	26
St. John and St. Thomas Islands	251	230	32	28
White	62	48	4	3
All other	189	182	28	25
Charlotte Amalie (St. Thomas Island)	---	167	29	26
White	---	31	4	3
All other	---	136	25	23
Balance of area	---	63	3	2
White	---	17	-	-
All other	---	46	3	2
Guam	441	427	65	50

Table 8-10. Deaths Under 1 Year and Under 28 Days, by Month, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1975

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GUAM													
Under 1 year	65	7	5	6	5	12	13	2	1	7	3	3	1
Under 28 days	50	3	3	5	4	7	12	2	1	7	3	3	-
PUERTO RICO													
Under 1 year	1,335	130	126	109	99	80	104	121	124	74	140	111	117
Under 28 days	1,038	94	91	89	70	66	83	94	103	68	108	85	87
VIRGIN ISLANDS													
Under 1 year	62	2	3	3	4	3	7	1	6	11	7	8	7
White	4	-	-	1	1	-	-	-	-	-	-	2	-
All other	58	2	3	2	3	3	7	1	6	11	7	6	7
Under 28 days	54	2	2	3	3	3	6	1	5	9	6	8	6
White	3	-	-	1	-	-	-	-	-	-	-	2	-
All other	51	2	2	2	3	3	6	1	5	9	6	6	6

Table 8-11. Deaths Under 1 Year, by Age and Sex, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1975

Age	Guam			Puerto Rico			Virgin Islands								
							Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	65	36	29	1,335	780	555	62	31	31	4	1	3	58	30	28
Under 28 days	50	28	22	1,038	608	430	54	26	28	3	1	2	51	25	26
Under 7 days	46	24	22	879	529	350	49	25	24	2	1	1	47	24	23
Under 1 hour	5	3	2	114	68	46	8	-	8	-	-	-	8	-	8
1-23 hours	25	12	13	372	231	141	19	8	11	2	1	1	17	7	10
1 day	10	6	4	125	70	55	13	9	4	-	-	-	13	9	4
2 days	1	-	1	119	73	46	5	4	1	-	-	-	5	4	1
3 days	5	3	2	62	37	25	2	2	-	-	-	-	2	2	-
4 days	-	-	-	43	22	21	1	1	-	-	-	-	1	1	-
5 days	-	-	-	26	16	10	-	-	-	-	-	-	-	-	-
6 days	-	-	-	18	12	6	1	1	-	-	-	-	1	1	-
7-13 days	4	4	-	82	39	43	4	1	3	1	-	1	3	1	2
14-20 days	-	-	-	43	24	19	1	-	1	-	-	-	1	-	1
21-27 days	-	-	-	34	16	18	-	-	-	-	-	-	-	-	-
28-59 days (1 month)	6	3	3	104	55	49	4	2	2	-	-	-	4	2	2
2 months	3	2	1	57	34	23	2	2	-	-	-	-	2	2	-
3 months	2	1	1	38	20	18	1	1	-	-	-	-	1	1	-
4 months	1	1	-	27	19	8	-	-	-	-	-	-	-	-	-
5 months	1	-	1	19	11	8	-	-	-	-	-	-	-	-	-
6 months	-	-	-	5	4	1	-	-	-	-	-	-	-	-	-
7 months	1	1	-	8	6	2	-	-	-	-	-	-	-	-	-
8 months	-	-	-	7	4	3	-	-	-	-	-	-	-	-	-
9 months	-	-	-	13	8	5	1	-	1	1	-	1	-	-	-
10 months	1	-	1	9	6	3	-	-	-	-	-	-	-	-	-
11 months	-	-	-	10	5	5	-	-	-	-	-	-	-	-	-

Table 8-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 65 Selected Causes, for Guam, Puerto Rico, and Virgin Islands; and by Color for Virgin Islands: 1975

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Guam			Puerto Rico			Virgin Islands				
								Under 28 days		28 days to 11 months	
	Total, under 1 year	Under 28 days	28 days to 11 months	Total, under 1 year	Under 28 days	28 days to 11 months	Total, under 1 year	White	All other	White	All other
All causes	65	50	15	1,335	1,038	297	62	3	51	1	7
Diarrheal diseases---009	2	-	2	53	13	40	-	-	-	-	-
Whooping cough---033	-	-	-	3	-	3	-	-	-	-	-
Meningococcal infections---036	-	-	-	-	-	-	-	-	-	-	-
Tetanus---037	-	-	-	-	-	-	-	-	-	-	-
Septicemia---038	3	2	1	72	41	31	1	-	-	-	1
Viral diseases---040-079	-	-	-	1	1	-	-	-	-	-	-
Congenital syphilis---090	-	-	-	1	-	1	-	-	-	-	-
Other infective and parasitic diseases---Remainder of 000-136	-	-	-	8	-	8	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-209	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms and neoplasms of unspecified nature---210-239	-	-	-	2	1	1	-	-	-	-	-
Diseases of thymus gland---254	-	-	-	2	-	2	-	-	-	-	-
Cystic fibrosis---273.0	-	-	-	1	-	1	-	-	-	-	-
Diseases of the blood and blood-forming organs---280-289	-	-	-	5	2	3	1	-	-	-	1
Meningitis---320	4	3	1	14	7	7	-	-	-	-	-
Other diseases of nervous system and sense organs---321-389	-	-	-	9	2	7	-	-	-	-	-
Acute upper respiratory infections---460-465	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis---466,490,491	-	-	-	7	4	3	-	-	-	-	-
Influenza and pneumonia---470-474,480-486	3	1	2	154	90	64	5	-	2	1	2
Influenza---470-474	-	-	-	1	-	1	-	-	-	-	-
Pneumonia---480-486	3	1	2	153	90	63	5	-	2	1	2
Other chronic interstitial pneumonia---517	-	-	-	-	-	-	-	-	-	-	-
All other diseases of respiratory system---492,493,500-516,518,519	-	-	-	9	7	2	1	-	-	-	1
Hernia and intestinal obstruction---550-553,560	-	-	-	10	9	1	-	-	-	-	-
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin---535,561,563	-	-	-	3	1	2	-	-	-	-	-
Other diseases of digestive system---520-534,536,537,540-543,562,564-577	-	-	-	10	5	5	1	-	1	-	-
Congenital anomalies---740-759	3	3	-	186	135	51	4	-	4	-	-
Anencephalus---740	1	1	-	16	16	-	1	-	1	-	-
Spina bifida---741	-	-	-	17	8	9	-	-	-	-	-
Congenital hydrocephalus---742	-	-	-	15	14	1	1	-	1	-	-
Other congenital anomalies of central nervous system and eye---743,744	-	-	-	5	2	3	-	-	-	-	-
Congenital anomalies of heart---746	1	1	-	69	44	25	1	-	1	-	-
Other congenital anomalies of circulatory system---747	1	1	-	4	1	3	-	-	-	-	-
Congenital anomalies of respiratory system---748	-	-	-	9	9	-	-	-	-	-	-
Congenital anomalies of digestive system---749-751	-	-	-	13	9	4	-	-	-	-	-
Congenital anomalies of genitourinary system---752,753	-	-	-	3	3	-	-	-	-	-	-
Congenital anomalies of musculoskeletal system---754-756	-	-	-	4	2	2	-	-	-	-	-
Down's disease---759.3	-	-	-	2	1	1	-	-	-	-	-
Other congenital syndromes affecting multiple systems---759.0-759.2,759.4-759.9	-	-	-	17	15	2	1	-	1	-	-
Other and unspecified congenital anomalies---745,757,758	-	-	-	12	11	1	-	-	-	-	-
Certain causes of mortality in early infancy---760-769.2,769.4-772,774-778	40	40	-	689	682	7	47	3	44	-	-
Chronic circulatory and genitourinary diseases in mother---760	-	-	-	1	1	-	-	-	-	-	-
Other maternal conditions unrelated to pregnancy---761	1	1	-	3	2	1	-	-	-	-	-
Syphilis---761.0	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus---761.1	-	-	-	2	2	-	-	-	-	-	-
Rubella---761.3	-	-	-	1	-	1	-	-	-	-	-
All other maternal conditions unrelated to pregnancy---761.2,761.4-761.7,761.9	1	1	-	-	-	-	-	-	-	-	-
Toxemia of pregnancy---762	-	-	-	3	3	-	-	-	-	-	-
Maternal antepartum and intrapartum infection---763	-	-	-	5	5	-	-	-	-	-	-
Difficult labor---764-768	1	1	-	8	8	-	-	-	-	-	-
With mention of birth injury (.0-.3)	1	1	-	3	3	-	-	-	-	-	-
Without mention of birth injury (.4,.9)	-	-	-	5	5	-	-	-	-	-	-
All other complications of pregnancy and childbirth-769.0-769.2,769.4,769.5,769.9	4	4	-	20	20	-	6	-	6	-	-
Conditions of placenta---770	2	2	-	7	7	-	-	-	-	-	-
Conditions of umbilical cord---771	-	-	-	4	4	-	-	-	-	-	-
Birth injury without mention of cause---772	4	4	-	98	97	1	-	-	-	-	-
Hemolytic disease of newborn---774,775	2	2	-	6	6	-	-	-	-	-	-
Hyaline membrane disease---776.1	8	8	-	137	137	-	1	-	1	-	-
Respiratory distress syndrome---776.2	5	5	-	85	83	2	4	1	3	-	-
Asphyxia of newborn, unspecified---776.9	6	6	-	95	95	-	5	-	5	-	-
All other anoxic and hypoxic conditions not elsewhere classifiable---776.0,776.3,776.4	1	1	-	20	20	-	-	-	-	-	-
Immaturity, unqualified---777	6	6	-	125	124	1	10	-	10	-	-
Postmaturity---778.1	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn---778.2	-	-	-	28	28	-	-	-	-	-	-
All other conditions of newborn---778.0,778.3,778.9	-	-	-	44	42	2	21	2	19	-	-
Symptoms and ill-defined conditions---780-796	5	1	4	32	22	10	-	-	-	-	-
Accidents---E800-E949	2	-	2	31	6	25	2	-	-	-	2
Inhalation or ingestion of food or other object causing obstruction or suffocation---E911,E912	1	-	1	15	5	10	1	-	-	-	1
Accidental mechanical suffocation---E913	1	-	1	8	1	7	-	-	-	-	-
Other accidental causes---E800-E910,E914-E949	-	-	-	8	-	8	1	-	-	-	1
Homicide---E960-E978	-	-	-	-	-	-	-	-	-	-	-
All other causes---Residual	3	-	3	33	10	23	-	-	-	-	-

☆ U. S. GOVERNMENT PRINTING OFFICE : 1978 O - 255-163